NUREG-0540
Vol. 20, No. 1

Title List of Documents Made Publicly Available

RECEIVED
MAR 2 4 1998
OSTI

January 1 – 31, 1998

U.S. Nuclear Regulatory Commission

Office of the Chief Information Officer

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MASTER

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555–0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402–9328
3. The National Technical Information Service, Springfield, VA 22161–0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852–2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018–3308.

A year's subscription of this report consists of 12 monthly issues.

NUREG-0540
Vol. 20, No. 1

Title List of Documents Made Publicly Available

January 1 – 31, 1998

Date Published: March 1998

E. B. Morris, NRC Project Manager

Office of the Chief Information Officer
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

DISCLAIMER

Portions of this document may be illegible electronic image products. Images are produced from the best available original document.

CONTENTS

Page

Preface v
Arrangement of Items by Docket Number xi
Alphabetic Arrangement of Docket Items by Facility Name xvii
Docketed Items 1
- Low Level Radwaste Disposal Sites—Docket 27 1
- Domestic Licensing of Source Material — Docket 40 1
- Domestic Licensing of Production and Utilization Facilities —Docket 50 7
- Standardized Nuclear Power Plant Design — Docket 52 140
- Domestic Licensing of Special Nuclear Material —Docket 70 142
- Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 149
- Licensing of Independent Spent Fuel Storage — Docket 72 154

Nondocketed Items 159
- 10 CFR — Commission Meeting Transcripts and Reports 159
- ACNW — Advisory Committee on Nuclear Waste 159
- ACRS — Advisory Committee on Reactor Safeguards Documents 159
- ADVCM — NRC Advisory Committees 159
- COMMISSION — NRC Commissioner Correspondence 159
- CONTRACT — NRC Contracts and Grants 161
- FOIA — Freedom of Information Act Requests and Appeals 163
- GEN TECH IS — Generic Technical Issues 166
- I&E — Inspection and Enforcement Issuances 166
- NUREG — NUREG Reports and Related Correspondence 167
- ORG — Organizations 171
- PR — Proposed and Final Rules 172
- PRM — Petition for Rulemaking 190
- PROJ — Projects 192
- PT21 — 10 CFR Part 21 Deficiency Reports 193
- QA999 — Vendor Quality Assurance Inspections 193
- REGGD — Regulatory Guides 194
- REVIEW GRP — Review Groups 195
- SECY — Staff Position Papers Prepared for the Commission 196
- STATE PROG — State Programs 197

CONTENTS

Page

TOPREP — Topical Reports and Related Correspondence 201
WASTE MGMT — Waste Management Documents 204
XPORT — Export and Import Licenses 206
Personal Author Index 209
Corporate Source Index 225
Report Number Index 241
Cross Reference of Enclosures to Principal Documents 243
Appendix A — Definitions of Docket 50 Categories . . . . . A - 1
Appendix B — Definitions of Nondocketed Categories . . . . . B - 1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It describes the information received and published by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and published by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR). Duplicate copies in paper, microfiche, or (selectively) diskette, may be obtained for a fee.

Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System (BRS), which is accessible both at the PDR and remotely. BRS also has some types of documents in full text. Other recent, selected documents, as well as information about the PDR, may be viewed/downloaded from an electronic bulletin board. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the database. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

Each utility or institution engaged in a nuclear activity licensed and regulated by the U.S. Nuclear Regulatory Commission (NRC) is assigned a docket number. As used by NRC, docket numbers refer to the particular system by which NRC maintains its regulatory records, not to law court dockets. The first two digits of a docket number identify the type of nuclear activity that NRC regulates. These docket categories are as follows:

- 27 – Low-Level Radioactive Waste Disposal Sites
- 30 – Byproduct Material Licenses
- 40 – Nuclear Source Material Facilities
- 50 – Nuclear Reactors and Fuel Reprocessing Plants
- 52 – Standard Design Certification, Early Site Permit, and Combined Licenses for Nuclear Power Plants
- 70 – Special Nuclear Materials

DOCKETED ITEMS (cont.)

71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

72 – Independent Spent Fuel Storage Installations

Except for Docket 27, these numbers correspond to the parts of Title 10 in the *Code of Federal Regulations* (10 CFR) that cover regulations pertaining to those types of licenses. The remaining digits of a docket number uniquely identify a specific facility or institution. For example, Docket 50–317 identifies the Calvert Cliffs Nuclear Power Plant, Unit 1.

① P. Operating license stage documents & correspondence

② ③

8907070172 Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.

④ ⑤ ⑥

DENTON, H.R.Office of Governmental & Public Affairs (Post 870413). 89/06/27

⑦ ⑧ ⑨ ⑩ ⑪ ⑫ ⑬

CLARK, P.R. General Public Utilities Corp.—GPU Service Corp. 2 pp. 50442:181–50442:182

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.
11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (job code) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are as follows:

10 CFR 9.7—Commission Meeting Transcripts and Reports

ACRS—Advisory Committee on Reactor Safeguards Documents

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Appeals

GEN TECH IS—Generic Technical Issues

I&E—Inspection and Enforcement Issuances

I&E Manual—NRC Inspection Manual

I&E MISC—Draft Generic Communications

MISC—Public Document Room Miscellaneous

NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

ORG—Organizations

PR—Proposed and Final Rules

PRESS—Press Releases

PRM—Petitions for Rulemaking

PROJ—Projects

PT 21—10 CFR Part 21 Deficiency Reports

QA 999—Vendor Quality Assurance Inspections

RCSSD—Registration of Certificates for Sealed Sources and Devices

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports (1974 through 1988)

REVIEW GRP—Review Groups

RM—Rulemakings

SAI — Strategic Assessment Issue Papers

SECY—Staff Position Papers Prepared for the Commission

SPCH—Speeches

STATE PROG—State Programs

TOPREP—Topical Reports and Related Correspondence

WASH—AEC-Issued Formal Reports and Related Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Research Documents

XPORTLIC—Export and Import Licenses

Appendix B lists these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are—

NONDOCKETED ITEMS (cont.)

(1) NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

(2) (3) (4)

8910100307 NUREG/CR–5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI–2

(5) (6)

OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

(7) (8) (9) (10) (11)

FIN B–0127. ORNL/TM–11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

(12) (13) (14) (15)

51409:065–51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number source.
8. Secondary report number, if any.
9. Date of document described
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

Ordering and Viewing Documents:

1. The address for GPO is:

   Superintendent of Documents
   U.S. Government Printing Office
   P.O. Box 37082
   Washington, DC 20402–9328

To place orders, send a check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202–512–2249.

2. The address for NTIS is:

   National Technical Information Service
   5285 Port Royal Road
   Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at 703–487–4650. Specify the NRC report number and title when you place your order. You may charge publications to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is:

   2120 L Street, NW.
   Washington, DC

   The mailing address is:

   U.S. Nuclear Regulatory Commission
   Public Document Room
   Mail Stop LL–6
   Washington, DC 20555–0001

   Telefacsimile

   202–634–3343

   Telephone

   202–634–3273 or 1–800–397–4209

   Internet e–mail

   PDR@NRC.GOV

For more information about PDR services, for reference assistance, to place an order for documents, or to arrange for access to the PDR computer retrieval system, write, e–mail, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, may be obtained from the PDR.

To access the PDR electronic bulletin board on FedWorld, contact the FedWorld Help Desk at 703–487–4086.

1

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27		
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1
DOCKET	UNKNOWN	1
Domestic Licensing of Source Material - Docket 40		
40-0017	DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),	1
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	1
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	1
40-2384	RMI CO., ASHTABULA, OH	1
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	1
40-3453	ATLAS CORP., DENVER, CO	1
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	2
40-6563	MALLINCKRODT, INC., ST. LOUIS, MO	2
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	2
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	2
40-6940	CABOT CORP., BOYERTOWN, PA	2
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	2
40-7397	FOOTE MINERAL CO., EXTON, PA	2
40-7455	WHITTAKER CORP., LOS ANGELES, CA	2
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	2
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	3
40-8027	SEQUOYAH FUELS CORP., GORE, OK	3
40-8084	RIO ALGOM MINING CORP., MOAB, UT	3
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	3
40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	3
40-8681	INTERNATIONAL URANIUM USA CORP.	3
40-8698	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	3
40-8724	CHEMETRON CORP., PROVIDENCE, RI	4
40-8767	LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO	4
40-8778	MOLYCORP, INC., LOS ANGELES, CA	4
40-8794	MOLYCORP, INC., LOS ANGELES, CA	4
40-8857	POWER RESOURCES, INC., GLENROCK, WY	4
40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	4
40-8903	HOMESTAKE MINING CO., GRANTS, NM	4
40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	4
40-8905	QUIVIRA MINING CO., GRANTS, NM	4
40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	5
40-8913	UNITED NUCLEAR CORP., GALLUP, NM	5
40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	5
40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	5
40-8964	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	5
40-8968	HYDRO RESOURCES, INC., DALLAS, TX	5
40-8976	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	6
40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	6
40-9015	HARTLEY & HARTLEY LANDFILL (MDNR), BAY COUNTY, MI	7
40-9024	ENERGY FUELS NUCLEAR	7
Domestic Licensing of Production and Utilization Facilities - Docket 50		
50-2	FORD NUCLEAR REACTOR	7
50-3	INDIAN POINT STATION, UNIT 1	7
50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	7
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	7
50-18	VALLECITOS BOILING WATER REACTOR	8
50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	8
50-22	WESTINGHOUSE TEST REACTOR	8
50-27	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	9
50-29	YANKEE-ROWE NUCLEAR POWER STATION	9
50-30	PLUM BROOK RESEARCH REACTOR FACILITY	9
50-54	CINTICHEM	9
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	9
50-70	GENERAL ELECTRIC NUCLEAR TEST REACTOR	9
50-89	GENERAL ATOMICS	9
50-113	UNIV. OF ARIZONA RESEARCH REACTOR	10
50-116	IOWA STATE UNIV. RESEARCH REACTOR	10
50-128	TEXAS A&M UNIV. RESEARCH REACTOR	10
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	10

Docket	Name	Page
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	10
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	10
50-155	BIG ROCK POINT NUCLEAR PLANT	10
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	11
50-163	GENERAL ATOMICS	11
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	11
50-183	VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	11
50-184	NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	11
50-185	PLUM BROOK REACTOR - MOCK-UP	11
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	11
50-199	MANHATTAN COLLEGE RESEARCH REACTOR	12
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	12
50-213	HADDAM NECK PLANT	13
50-219	OYSTER CREEK NUCLEAR POWER PLANT	13
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	14
50-223	UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	15
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	15
50-243	OREGON STATE UNIV. RESEARCH REACTOR	16
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	17
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	17
50-247	INDIAN POINT STATION, UNIT 2	19
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	19
50-250	TURKEY POINT PLANT, UNIT 3	21
50-251	TURKEY POINT PLANT, UNIT 4	21
50-254	QUAD-CITIES STATION, UNIT 1	22
50-255	PALISADES NUCLEAR PLANT	24
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	25
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	26
50-261	H.B. ROBINSON PLANT, UNIT 2	27
50-263	MONTICELLO NUCLEAR GENERATING PLANT	28
50-264	DOW CHEMICAL CO.	28
50-265	QUAD-CITIES STATION, UNIT 2	29
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	30
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	31
50-269	OCONEE NUCLEAR STATION, UNIT 1	31
50-270	OCONEE NUCLEAR STATION, UNIT 2	33
50-271	VERMONT YANKEE NUCLEAR POWER STATION	35
50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	37
50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	39
50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	40
50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	40
50-280	SURRY POWER STATION, UNIT 1	41
50-281	SURRY POWER STATION, UNIT 2	42
50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	43
50-285	FORT CALHOUN STATION, UNIT 1	45
50-286	INDIAN POINT STATION, UNIT 3	45
50-287	OCONEE NUCLEAR STATION, UNIT 3	46
50-288	REED COLLEGE RESEARCH REACTOR	48
50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	48
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	49
50-295	ZION NUCLEAR POWER STATION, UNIT 1	50
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	51
50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	52
50-298	COOPER NUCLEAR STATION	52
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	53
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	54
50-304	ZION NUCLEAR POWER STATION, UNIT 2	56
50-305	KEWAUNEE NUCLEAR POWER PLANT	58
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	58
50-309	MAINE YANKEE ATOMIC POWER PLANT	60
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	61
50-312	RANCHO SECO NUCLEAR GENERATING STATION	62
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	62
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	63
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	64
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	65

Docket	Name	Page
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	67
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	68
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	68
50-322	SHOREHAM NUCLEAR POWER STATION	69
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	69
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	70
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	71
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	72
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	73
50-329	MIDLAND PLANT, UNIT 1	73
50-330	MIDLAND PLANT, UNIT 2	74
50-331	DUANE ARNOLD ENERGY CENTER	74
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	75
50-334	BEAVER VALLEY POWER STATION, UNIT 1	75
50-335	ST. LUCIE PLANT, UNIT 1	77
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	78
50-338	NORTH ANNA POWER STATION, UNIT 1	80
50-339	NORTH ANNA POWER STATION, UNIT 2	80
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	81
50-344	TROJAN NUCLEAR PLANT	82
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	83
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	83
50-352	LIMERICK GENERATING STATION, UNIT 1	85
50-353	LIMERICK GENERATING STATION, UNIT 2	85
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	86
50-355	HOPE CREEK NUCLEAR STATION, UNIT 2	87
50-356	UNIV. OF ILLINOIS RESEARCH REACTOR	87
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	87
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	89
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	91
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	92
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	93
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	94
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	95
50-373	LASALLE COUNTY STATION, UNIT 1	96
50-374	LASALLE COUNTY STATION, UNIT 2	97
50-382	WATERFORD GENERATING STATION, UNIT 3	98
50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	100
50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	101
50-389	ST. LUCIE PLANT, UNIT 2	102
50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	103
50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	104
50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	105
50-396	UNIV. OF VIRGINIA CAVALIER REACTOR	106
50-397	WPPSS NUCLEAR PROJECT, UNIT 2	106
50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	106
50-401	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 2	107
50-402	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 3	107
50-403	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 4	107
50-407	UNIV. OF UTAH RESEARCH REACTOR	107
50-409	LA CROSSE BOILING WATER REACTOR	107
50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	108
50-412	BEAVER VALLEY POWER STATION, UNIT 2	109
50-413	CATAWBA NUCLEAR STATION, UNIT 1	110
50-414	CATAWBA NUCLEAR STATION, UNIT 2	111
50-416	GRAND GULF NUCLEAR STATION, UNIT 1	112
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	113
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	115
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	116
STN-50-437	FLOATING NUCLEAR PLANT	117
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	117
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	117
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	117
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	118
50-443	SEABROOK NUCLEAR STATION, UNIT 1	119
50-444	SEABROOK NUCLEAR STATION, UNIT 2	120
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	121

Docket	Name	Page
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	122
STN-50-454	BYRON STATION, UNIT 1	123
STN-50-455	BYRON STATION, UNIT 2	125
STN-50-456	BRAIDWOOD STATION, UNIT 1	126
STN-50-457	BRAIDWOOD STATION, UNIT 2	128
50-458	RIVER BEND STATION, UNIT 1	130
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	131
50-461	CLINTON POWER STATION, UNIT 1	131
STN-50-477	ATLANTIC GENERATING STATION, UNIT 1, PUBLIC SERVICE	132
STN-50-478	ATLANTIC GENERATING STATION, UNIT 2	132
STN-50-482	WOLF CREEK GENERATING STATION	132
STN-50-483	CALLAWAY PLANT, UNIT 1	134
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	135
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	136
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	137
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	137
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	138
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	139
50-602	UNIV. OF TEXAS RESEARCH REACTOR	139
50-607	AIR FORCE, DEPT. OF	140
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	140
DOCKET	UNKNOWN	142

Domestic Licensing of Special Nuclear Material - Docket 70

70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	142
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	143
70-0048	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	143
70-0113	PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA	143
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	143
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	143
70-0152	PURDUE UNIV., WEST LAFAYETTE, IN	143
70-0157	TEXAS, UNIV. OF, AUSTIN, TX	144
70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	144
70-0398	COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	144
70-0600	SEATTLE UNIV., SEATTLE, WA	144
70-0622	ARMY, DEPT. OF, DOVER, NJ	144
70-0687	CINTICHEM, INC., TUXEDO, NY	144
70-0698	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	144
70-0734	GENERAL ATOMICS, SAN DIEGO, CA	144
70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	144
70-0820	UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	144
70-0864	RIPON COLLEGE, RIPON, WI	144
70-0893	FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL	144
70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	144
70-0938	MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	145
70-1068	FLORIDA, UNIV. OF, GAINESVILLE, FL	145
70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	145
70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	145
70-1143	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	145
70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	145
70-1201	FRAMATOME COGEMA FUELS, LYNCHBURG, VA.	145
70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	146
70-1362	HAHNEMANN MEDICAL COLLEGE & HOSP., PHILADELPHIA, PA	146
70-1374	IDAHO STATE UNIV., POCATELLO, ID	146
70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	146
70-1503	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	146
70-1703	EASTMAN KODAK CO., ROCHESTER, NY	146
70-1733	ALLEGHENY HEALTH, ED. & RESEARCH CORP., PITTSBURGH, PA	146
70-2996	VETERANS ADMIN. MEDICAL CENTER, NEW ORLEANS, LA	146
70-3020	NUCLEAR ASSURANCE CORP., NORCROSS, GA	146
70-3061	IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY	147
70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	147
70-3077	MEDICAL COLLEGE HOSPS., PHILADELPHIA, PA	147
70-3078	ATLANTIC RICHFIELD CO., LOS ANGELES, CA	147
70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	147
70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	148
DOCKET	UNKNOWN	149

Docket	Name	Page
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
71-0062	INDUSTRIAL NUCLEAR CO.	149
71-0088	BABCOCK & WILCOX CO.	149
71-0102	SOURCE PRODUCTION & EQUIPMENT CO., INC.	149
71-0227	TENNESSEE VALLEY AUTHORITY	150
71-0231	CHEM-NUCLEAR SYSTEMS, INC.	150
71-0249	NUCLEAR FUEL SERVICES, INC.	150
71-0489	SACRAMENTO MUNICIPAL UTILITY DISTRICT	150
71-0551	SIEMENS MEDICAL SYSTEMS, INC.	150
71-0638	WESTINGHOUSE ELECTRIC CORP.	150
71-0703	NORDION INTERNATIONAL, INC.	150
71-0708	WESTINGHOUSE ELECTRIC CORP.	150
71-0755	ARMY, DEPT. OF	150
71-0784	HOLTEC INTERNATIONAL	150
71-0832	UNITED STATES ENRICHMENT CORPORATION	150
71-0887	WASHINGTON UNIVERSITY	150
71-0888	UNIVERSITY OF PITTSBURGH	150
71-0889	INDIANA UNIVERSITY OF PITTSBURGH	150
71-3010	MODEL: NT-IX, TRANSPORTATION, DEPT. OF	150
71-3038	MODEL: TN 6/3 (FRENCH) CASK	150
71-4909	MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	150
71-4986	MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	150
71-5149	MODEL: 814A, BABCOCK & WILCOX CO.	151
71-5362	MODEL: NATICK IRRADIATOR, AGRICULTURE, DEPT. OF	151
71-5957	MODEL: BMI-1, CINTICHEM, INC.	151
71-6003	MODEL: M-130, ENERGY, DEPT. OF	151
71-6078	MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	151
71-6206	MODEL: MODEL B, B&W FUEL CO.	151
71-6294	MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	151
71-6400	MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.	151
71-6581	MODEL: 51032-1 & 51032-1A, ADVANCED NUCLEAR FUELS CORP.	151
71-6613	MODEL: 702, AMERSHAM CORP.	151
71-9001	MODEL: IF-300, VECTRA TECHNOLOGIES, INC.	151
71-9009	MODEL: FL 10-1, GENERAL ELECTRIC CO.	151
71-9015	MODEL: TN 8/TN 8-L TRANSNUCLEAR, INC.	151
71-9016	MODEL: TN-9, TRANSNUCLEAR, INC.	151
71-9019	MODEL: BU-7, GENERAL ELECTRIC CO.	151
71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	151
71-9069	MODEL: MO-1, WESTINGHOUSE ELECTRIC CORP.	152
71-9081	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	152
71-9098	MODEL: CI-20WC-2 & CI-20WC-2A, CINTICHEM, INC.	152
71-9128	MODEL: C-8, AMERSHAM CORP.	152
71-9145	MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC	152
71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	152
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	152
71-9166	MODEL: 864, AMERSHAM CORP.	152
71-9185	MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	152
71-9196	MODEL: UX-30, NUCLEAR PACKAGING, INC.	152
71-9203	MODEL: DHTF, B&W FUEL CO.	153
71-9216	MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	153
71-9217	MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	153
71-9225	MODEL: NAC-LWT, NAC INTERNATIONAL	153
71-9233	MODEL: TN-RAM, TRANSNUCLEAR, INC.	153
71-9235	MODEL: NAC-STC, NAC INTERNATIONAL	153
71-9239	MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	153
71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	153
71-9251	MODEL: BW-2901, B&W FUEL CO.	153
71-9252	MODEL: 51032-2, B&W FUEL CO.	153
71-9255	MODEL: MP-187, VECTRA TECHNOLOGIES	153
71-9261	MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	153
71-9269	MODEL: 650L	153
71-9272	COMBUSTION ENGINEERING, INC.	153
71-9274	ABB-CE 2901	154
71-9280	MODEL: UBE-1	154
71-9792	MODEL: 1 DIG CORE BASKET - THERMAL SHIPPING/STORAGE	154
DOCKET	UNKNOWN	154
Licensing of Independent Spent Fuel Storage - Docket 72		
72-0002	SURRY ISFSI 50-280 & 50-281	154
72-0004	OCONEE ISFSI, 50-269, 50-270 & 50-287	154
72-0005	POINT BEACH ISFSI GEN LIC, 50-266 & 50-301	154

Docket	Name	Page
72-0008	CALVERT CLIFFS ISFSI, 50-317 & 50-318	154
72-0009	FORT ST. VRAIN ISFSI, 50-267	154
72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	154
72-0016	NORTH ANNA ISFSI - 50-338 & 50-339	154
72-0017	TROJAN ISFSI, 50-344	155
72-0020	INEL TMI-2 ISFSI	155
72-0022	MODEL: PRIVATE FUEL STORAGE FACILITY	155
72-1001	CASK: MC-10, WESTINGHOUSE ELECTRIC CORP.	156
72-1004	CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.	156
72-1007	CASK: VSC-24, SIERRA NUCLEAR, INC.	156
72-1008	CASK: HI-STAR 100, HOLTEC INTERNATIONAL	157
72-1015	CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC.	157
72-1021	CASK: TN-32 DRY STORAGE CASK, TRANSNUCLEAR, INC.	157
72-1023	CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP.	157
72-1024	CASK: EPRI DRY TRANSFER SYSTEM	157
72-1026	MODEL: MPC-TRANSPORTABLE STORAGE SYSTEM DESIGN	157

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27		
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1
Domestic Licensing of Source Material - Docket 40		
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	1
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	2
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	4
ATLAS CORP., DENVER, CO	40-3453	1
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	3
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	3
CABOT CORP., BOYERTOWN, PA	40-6940	2
CHEMETRON CORP., PROVIDENCE, RI	40-8724	4
DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),	40-0017	1
ENERGY FUELS NUCLEAR	40-9024	7
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	6
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	2
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	5
FOOTE MINERAL CO., EXTON, PA	40-7397	2
HARTLEY & HARTLEY LANDFILL (MDNR), BAY COUNTY, MI	40-9015	7
HOMESTAKE MINING CO., GRANTS, NM	40-8903	4
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	5
INTERNATIONAL URANIUM USA CORP.	40-8681	3
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	3
LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO	40-8767	4
MALLINCKRODT, INC., ST. LOUIS, MO	40-6563	2
MOLYCORP, INC., LOS ANGELES, CA	40-8778	4
MOLYCORP, INC., LOS ANGELES, CA	40-8794	4
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	1
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	2
PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	2
PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8698	3
POWER RESOURCES, INC., GLENROCK, WY	40-8857	4
QUIVIRA MINING CO., GRANTS, NM	40-8905	4
RIO ALGOM MINING CORP., MOAB, UT	40-8084	3
RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	40-8964	5
RMI CO., ASHTABULA, OH	40-2384	1
SEQUOYAH FUELS CORP., GORE, OK	40-8027	3
SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	5
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	2
SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	4
UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	5
UNITED NUCLEAR CORP., GALLUP, NM	40-8913	5
WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	1
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	40-8976	6
WHITTAKER CORP., LOS ANGELES, CA	40-7455	2
Domestic Licensing of Production and Utilization Facilities - Docket 50		
AIR FORCE, DEPT. OF	50-607	140
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	115
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	116
ARKANSAS NUCLEAR ONE, UNIT 1	50-313	62
ARKANSAS NUCLEAR ONE, UNIT 2	50-368	93
ATLANTIC GENERATING STATION, UNIT 1, PUBLIC SERVICE	STN-50-477	132
ATLANTIC GENERATING STATION, UNIT 2	STN-50-478	132
BEAVER VALLEY POWER STATION, UNIT 1	50-334	75
BEAVER VALLEY POWER STATION, UNIT 2	50-412	109
BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	117
BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	117
BIG ROCK POINT NUCLEAR PLANT	50-155	10
BRAIDWOOD STATION, UNIT 1	STN-50-456	126
BRAIDWOOD STATION, UNIT 2	STN-50-457	128
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	25
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	26
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	51
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	71
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	70
BYRON STATION, UNIT 1	STN-50-454	123
BYRON STATION, UNIT 2	STN-50-455	125
CALLAWAY PLANT, UNIT 1	STN-50-483	134
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	65

Name	Docket	Page
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	67
CATAWBA NUCLEAR STATION, UNIT 1	50-413	110
CATAWBA NUCLEAR STATION, UNIT 2	50-414	111
CINTICHEM	50-54	9
CLINTON POWER STATION, UNIT 1	50-461	131
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	121
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	122
COOPER NUCLEAR STATION	50-298	52
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	54
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	83
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	39
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	69
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	63
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	64
DOW CHEMICAL CO.	50-264	28
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	7
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	15
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	19
DUANE ARNOLD ENERGY CENTER	50-331	74
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	68
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	92
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	81
FLOATING NUCLEAR PLANT	STN-50-437	117
FORD NUCLEAR REACTOR	50-2	7
FORT CALHOUN STATION, UNIT 1	50-285	45
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	31
GENERAL ATOMICS	50-89	9
GENERAL ATOMICS	50-163	11
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-70	9
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	11
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	112
H.B. ROBINSON PLANT, UNIT 2	50-261	27
HADDAM NECK PLANT	50-213	13
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	86
HOPE CREEK NUCLEAR STATION, UNIT 2	50-355	87
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	10
INDIAN POINT STATION, UNIT 1	50-3	7
INDIAN POINT STATION, UNIT 2	50-247	19
INDIAN POINT STATION, UNIT 3	50-286	45
IOWA STATE UNIV. RESEARCH REACTOR	50-116	10
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	75
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	83
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	91
KEWAUNEE NUCLEAR POWER PLANT	50-305	58
LA CROSSE BOILING WATER REACTOR	50-409	107
LASALLE COUNTY STATION, UNIT 1	50-373	96
LASALLE COUNTY STATION, UNIT 2	50-374	97
LIMERICK GENERATING STATION, UNIT 1	50-352	85
LIMERICK GENERATING STATION, UNIT 2	50-353	85
MAINE YANKEE ATOMIC POWER PLANT	50-309	60
MANHATTAN COLLEGE RESEARCH REACTOR	50-199	12
MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	8
MIDLAND PLANT, UNIT 1	50-329	73
MIDLAND PLANT, UNIT 2	50-330	74
MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	17
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	78
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	113
MONTICELLO NUCLEAR GENERATING PLANT	50-263	28
NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	50-184	11
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	14
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	108
NORTH ANNA POWER STATION, UNIT 1	50-338	80
NORTH ANNA POWER STATION, UNIT 2	50-339	80
NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	52
OCONEE NUCLEAR STATION, UNIT 1	50-269	31
OCONEE NUCLEAR STATION, UNIT 2	50-270	33
OCONEE NUCLEAR STATION, UNIT 3	50-287	46
OREGON STATE UNIV. RESEARCH REACTOR	50-243	16
OYSTER CREEK NUCLEAR POWER PLANT	50-219	13
PALISADES NUCLEAR PLANT	50-255	24
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	137
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	138
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	139

Name	Docket	Page
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	11
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	40
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	40
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	7
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	117
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	118
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	49
PLUM BROOK REACTOR - MOCK-UP	50-185	11
PLUM BROOK RESEARCH REACTOR FACILITY	50-30	9
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	30
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	53
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	43
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	58
QUAD-CITIES STATION, UNIT 1	50-254	22
QUAD-CITIES STATION, UNIT 2	50-265	29
RANCHO SECO NUCLEAR GENERATING STATION	50-312	62
REED COLLEGE RESEARCH REACTOR	50-288	48
RIVER BEND STATION, UNIT 1	50-458	130
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	17
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	37
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	61
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	12
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	87
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	89
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	10
SEABROOK NUCLEAR STATION, UNIT 1	50-443	119
SEABROOK NUCLEAR STATION, UNIT 2	50-444	120
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	72
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	73
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	106
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 2	50-401	107
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 3	50-402	107
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 4	50-403	107
SHOREHAM NUCLEAR POWER STATION	50-322	69
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	135
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	136
ST. LUCIE PLANT, UNIT 1	50-335	77
ST. LUCIE PLANT, UNIT 2	50-389	102
SURRY POWER STATION, UNIT 1	50-280	41
SURRY POWER STATION, UNIT 2	50-281	42
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	100
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	101
TEXAS A&M UNIV. RESEARCH REACTOR	50-128	10
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	48
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	68
TROJAN NUCLEAR PLANT	50-344	82
TURKEY POINT PLANT, UNIT 3	50-250	21
TURKEY POINT PLANT, UNIT 4	50-251	21
UNIV. OF ARIZONA RESEARCH REACTOR	50-113	10
UNIV. OF ILLINOIS RESEARCH REACTOR	50-356	87
UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	10
UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	11
UNIV. OF TEXAS RESEARCH REACTOR	50-602	139
UNIV. OF UTAH RESEARCH REACTOR	50-407	107
UNIV. OF VIRGINIA CAVALIER REACTOR	50-396	106
UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	9
UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	50-223	15
VALLECITOS BOILING WATER REACTOR	50-18	8
VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	50-183	11
VERMONT YANKEE NUCLEAR POWER STATION	50-271	35
VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	105
WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	50-27	9
WATERFORD GENERATING STATION, UNIT 3	50-382	98
WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	103
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	104
WESTINGHOUSE TEST REACTOR	50-22	8
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	94
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	95
WOLF CREEK GENERATING STATION	STN-50-482	132
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	131
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	106
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	137

Name	Docket	Page
YANKEE-ROWE NUCLEAR POWER STATION	50-29	9
ZION NUCLEAR POWER STATION, UNIT 1	50-295	50
ZION NUCLEAR POWER STATION, UNIT 2	50-304	56
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	140
Domestic Licensing of Special Nuclear Material - Docket 70		
ALLEGHENY HEALTH, ED. & RESEARCH CORP., PITTSBURGH, PA	70-1733	146
ARMY, DEPT. OF, DOVER, NJ	70-0622	144
ATLANTIC RICHFIELD CO., LOS ANGELES, CA	70-3078	147
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	143
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	142
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	144
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	144
CINTICHEM, INC., TUXEDO, NY	70-0687	144
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	143
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	145
COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	70-0398	144
EASTMAN KODAK CO., ROCHESTER, NY	70-1703	146
FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL	70-0893	144
FLORIDA, UNIV. OF, GAINESVILLE, FL	70-1068	145
FRAMATOME COGEMA FUELS, LYNCHBURG, VA.	70-1201	145
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	144
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	144
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	145
HAHNEMANN MEDICAL COLLEGE & HOSP., PHILADELPHIA, PA	70-1362	146
IDAHO STATE UNIV., POCATELLO, ID	70-1374	146
IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY	70-3061	147
KERR-MCGEE CORP., OKLAHOMA CITY, OK	70-3073	147
MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	70-0938	145
MEDICAL COLLEGE HOSPS., PHILADELPHIA, PA	70-3077	147
NUCLEAR ASSURANCE CORP., NORCROSS, GA	70-3020	146
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	143
PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA	70-0113	143
PURDUE UNIV., WEST LAFAYETTE, IN	70-0152	143
RIPON COLLEGE, RIPON, WI	70-0864	144
SEATTLE UNIV., SEATTLE, WA	70-0600	144
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	146
TEXAS, UNIV. OF, AUSTIN, TX	70-0157	144
TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	146
U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	147
U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	70-7002	148
UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	70-0820	144
VETERANS ADMIN. MEDICAL CENTER, NEW ORLEANS, LA	70-2996	146
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1503	146
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	145
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0698	144
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1143	145
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0048	143
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
ABB-CE 2901	71-9274	154
ARMY, DEPT. OF	71-0755	150
BABCOCK & WILCOX CO.	71-0088	149
CHEM-NUCLEAR SYSTEMS, INC.	71-0231	150
COMBUSTION ENGINEERING, INC.	71-9272	153
HOLTEC INTERNATIONAL	71-0784	150
INDIANA UNIVERSITY OF PITTSBURGH	71-0889	150
INDUSTRIAL NUCLEAR CO.	71-0062	149
MODEL: 1 DIG CORE BASKET - THERMAL SHIPPING/STORAGE	71-9792	154
MODEL: 51032-1 & 51032-1A, ADVANCED NUCLEAR FUELS CORP.	71-6581	151
MODEL: 51032-2, B&W FUEL CO.	71-9252	153
MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.	71-6400	151
MODEL: 650L	71-9269	153
MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	151
MODEL: 702, AMERSHAM CORP.	71-6613	151
MODEL: 814A, BABCOCK & WILCOX CO.	71-5149	151
MODEL: 864, AMERSHAM CORP.	71-9166	152
MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	71-6078	151
MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	71-9217	153
MODEL: BMI-1, CINTICHEM, INC.	71-5957	151

Name	Docket	Page
MODEL: BU-7, GENERAL ELECTRIC CO.	71-9019	151
MODEL: BW-2901, B&W FUEL CO.	71-9251	153
MODEL: C-8, AMERSHAM CORP.	71-9128	152
MODEL: CI-20WC-2 & CI-20WC-2A, CINTICHEM, INC.	71-9098	152
MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	71-9081	152
MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	71-9216	153
MODEL: DHTF, B&W FUEL CO.	71-9203	153
MODEL: FL 10-1, GENERAL ELECTRIC CO.	71-9009	151
MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	71-4909	150
MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	71-9261	153
MODEL: IF-300, VECTRA TECHNOLOGIES, INC.	71-9001	151
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	152
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	152
MODEL: M-130, ENERGY, DEPT. OF	71-6003	151
MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	71-9239	153
MODEL: MO-1, WESTINGHOUSE ELECTRIC CORP.	71-9069	152
MODEL: MODEL B, B&W FUEL CO.	71-6206	151
MODEL: MP-187, VECTRA TECHNOLOGIES	71-9255	153
MODEL: NAC-LWT, NAC INTERNATIONAL	71-9225	153
MODEL: NAC-STC, NAC INTERNATIONAL	71-9235	153
MODEL: NATICK IRRADIATOR, AGRICULTURE, DEPT. OF	71-5362	151
MODEL: NT-IX, TRANSPORTATION, DEPT. OF	71-3010	150
MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC	71-9145	152
MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	71-9185	152
MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	71-4986	150
MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-9248	153
MODEL: TN 6/3 (FRENCH) CASK	71-3038	150
MODEL: TN 8/TN 8-L TRANSNUCLEAR, INC.	71-9015	151
MODEL: TN-9, TRANSNUCLEAR, INC.	71-9016	151
MODEL: TN-RAM, TRANSNUCLEAR, INC.	71-9233	153
MODEL: UBE-1	71-9280	154
MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	71-6294	151
MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-9196	152
NORDION INTERNATIONAL, INC.	71-0703	150
NUCLEAR FUEL SERVICES, INC.	71-0249	150
SACRAMENTO MUNICIPAL UTILITY DISTRICT	71-0489	150
SIEMENS MEDICAL SYSTEMS, INC.	71-0551	150
SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-0102	149
TENNESSEE VALLEY AUTHORITY	71-0227	150
UNITED STATES ENRICHMENT CORPORATION	71-0832	150
UNIVERSITY OF PITTSBURGH	71-0888	150
WASHINGTON UNIVERSITY	71-0887	150
WESTINGHOUSE ELECTRIC CORP.	71-0708	150
WESTINGHOUSE ELECTRIC CORP.	71-0638	150
Licensing of Independent Spent Fuel Storage - Docket 72		
CALVERT CLIFFS ISFSI, 50-317 & 50-318	72-0008	154
CASK: EPRI DRY TRANSFER SYSTEM	72-1024	157
CASK: HI-STAR 100, HOLTEC INTERNATIONAL	72-1008	157
CASK: MC-10, WESTINGHOUSE ELECTRIC CORP.	72-1001	156
CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.	72-1004	156
CASK: TN-32 DRY STORAGE CASK, TRANSNUCLEAR, INC.	72-1021	157
CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP.	72-1023	157
CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC.	72-1015	157
CASK: VSC-24, SIERRA NUCLEAR, INC.	72-1007	156
FORT ST. VRAIN ISFSI, 50-267	72-0009	154
INEL TMI-2 ISFSI	72-0020	155
MODEL: MPC-TRANSPORTABLE STORAGE SYSTEM DESIGN	72-1026	157
MODEL: PRIVATE FUEL STORAGE FACILITY	72-0022	155
NORTH ANNA ISFSI - 50-338 & 50-339	72-0016	154
OCONEE ISFSI, 50-269, 50-270 & 50-287	72-0004	154
POINT BEACH ISFSI GEN LIC, 50-266 & 50-301	72-0005	154
PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	154
SURRY ISFSI 50-280 & 50-281	72-0002	154
TROJAN ISFSI, 50-344	72-0017	155
UNKNOWN	DOCKET	1
UNKNOWN	DOCKET	142
UNKNOWN	DOCKET	154
UNKNOWN	DOCKET	149

3

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

9801300147 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.
POWER,R. Division of Freedom of Information & Publications Services (Post 940714). 98/01/27. GARDNER,S.K. Heller, Ehrman, White & McAuliffe. 2pp. A1960:075-A1960:152.

--9801300158 "Interim Site Stabilization & Closure Plan for Barnwell Low-Level Radwaste Disposal Facility 1994 Closure Plan."
* Chem-Nuclear Systems, Inc. 94/12/31. 20pp. A1960:090-A1960:109.

DOCKET DOCKET UNKNOWN

9801050329 Discusses insp rept 40-0901/97-02 on 970827-1014.No violations noted.Final release of facility dependent on disposal of waste & approval of final survey of waste storage area.
BELLAMY,R.R. Region 1 (Post 820201). 97/12/17. HOSFORD,P.G. Norton Co. 3pp. A1658:210-A1658:212.

9801200082 Safety & compliance insp on 971217 for docket 4009029 of General Dynamics Land Sys,Inc for license SUB-1564.Insp findings:no violations noted.
MITCHELL,M. Region 3 (Post 820201). * Affiliation Not Assigned. 97/12/17. 1p. A1829:069-A1829:069.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0017 DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),

9801120237 Forwards insp rept 40-0017/97-03 on 971028-29 & 1215.No violations noted.
JORGENSEN,B.L. Region 3 (Post 820201). 98/01/07. GIEBELHAUS,L. Dow Chemical Co. 2pp. A1754:028-A1754:037.

--9801120240 Insp rept 40-0017/97-03 on 971028-29 & 1215.No violations noted.Major areas inspected:portions of Bay City,Michigan site designated areas VA-II & VA-III.
* Region 3 (Post 820201). 98/01/07. 8pp. A1754:030-A1754:037.

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9801070114 Informs that NRC has completed review of Umetco Mineral Corp revised rept entitled, "Background Conditions at Gas Hills Uranium Project," submitted by 970708 & proposed addl background measurement locations provided 971111.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/12. GIECK,T.E. UMETCO Minerals Corp. 9pp. A1747:320-A1747:328.

9801070267 Submits discussion of several issues that Umetco Mineral Corp should address re NRC review of licensee response to comments on Heap Leach Reclamation Plan submitted 970606 & 1015.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/15. GIECK,T.E. UMETCO Minerals Corp. 4pp. A1747:338-A1747:341.

9801230073 Forwards response to NRC 971215 comments on reclamation plan for heap leach pile at Gas Hills U mill site.W/eight oversize drawings.
GIECK,T.E. UMETCO Minerals Corp. 98/01/15. HOLONICH,J.J., BRUMMETT,E. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 21pp. A1934:001-A1934:025.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9801150030 Forwards "Split Rock Project Radiological Verification Completion Rept," Vols 1-3.W/eleven oversize drawings. Licensee requesting requirements of License Condition 33 be deleted such that surface lands may be released for use.
BAKER,S.J. Western Nuclear, Inc. 97/12/19. HOLONICH,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). CARLSON,R. NRC - No Detailed Affiliation Given. 1p. A1909:001-A1910:119.

--9801150033 "Split Rock Project Radiological Verification Completion Rept," Vols 1-3.W/eleven oversize drawings.
* Shepherd Miller, Inc. 97/12/31. 483pp. A1909:002-A1910:119.

9801080262 Forwards Western Nuclear,Inc,groundwater corrective action program for Split Rock Millsite.
BAKER,S.J. Western Nuclear, Inc. 97/12/15. HOLONICH,J.J., CARLSON,R. Division of Waste Management (NMSS 940403). 20pp. A1753:330-A1753:348.

9801090139 Responds to 970820 NRC questions re Western Nuclear,Inc, 970710 surety review.Licensee provided independent contractor cost estimates to account for ground water corrective action approved by License Condition 74C.
BAKER,S.J. Western Nuclear, Inc. 97/12/30. HOLONICH,J.J. Division of Waste Management (NMSS 940403). CARLSON,R. NRC - No Detailed Affiliation Given. 2pp. A1758:232-A1758:249.

--9801090145 Revised "Western Nuclear,Inc,Split Rock Mill,Feb 1994- Approved Addendum to Rev 5 to 870630 U Tailings Reclamation Plan."
* Western Nuclear, Inc. 97/12/31. 13pp. A1758:234-A1758:249.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9801290152 Forwards revised organizational chart for Lucky Mc mill & tailings site & corporate mgt.Chart replaces 910925 submittal,per condition 11 of license SUA-672.
HARDGROVE,T.W. Pathfinder Mines Corp. 98/01/22. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. A1971:220-A1971:222.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9801280304 Forwards uncontrolled copies of listed,per NRC request. RMI requests that gamma spectroscopy procedures be considered "Proprietary".W/o encl.
HENDERSON,J.W. RMI Co. 97/09/12. LEE,P. Region 3 (Post 820201). 2pp. A1968:040-A1968:041.

9801090174 Informs of prefabricated vertical drain demonstration project being conducted at RMI decommissioning project site, involving testing of innovative remedial alternative for clean up of trichloroethylene (TCE) contamination.
HENDERSON,J.W. RMI Co. 97/12/02. ULECK,R. NRC - No Detailed Affiliation Given. 7pp. A1786:325-A1786:331.

9801090193 Forwards listed info re NRC request for detailed info on excavation activities in Area D.W/o encls.
HENDERSON,J.W. RMI Co. 97/12/12. LEE,P. Region 3 (Post 820201). 1p. A1758:231-A1758:231.

9801280001 Forwards listed detailed info on excavation activities in Area D,per NRC request.
HENDERSON,J.W. RMI Co. 97/12/12. Region 3 (Post 820201). 29pp. A1967:029-A1967:130.

--9801280002 Rev 0 to procedure RDP-ENV-128, "Procedure for Final Survey of Soils in Area D."
STEUDLER,J.M., MARSH,E.P. RMI Co. 97/12/10. 34pp. A1967:058-A1967:130.

9801090181 Requests extension to 980331 to satisfy condition 22 to license SMB-0602,as new DOE Ohio Field Ofc Manager appointed in early Dec.Prior manager no longer authorized to make commitment on DOE behalf.
HENDERSON,J.W. RMI Co. 97/12/15. ULECK,R. NRC - No Detailed Affiliation Given. 1p. A1758:263-A1758:263.

9801090190 Forwards drawing that shows Area D Remediation Soil Sample Points.Sample points correspond to Area D Draft Sample Results,as discussed during 971215 telcon.W/o encl.
HENDERSON,J.W. RMI Co. 97/12/16. LEE,P. Region 3 (Post 820201). 1p. A1757:359-A1757:359.

9801090274 Addresses Condition 20(d) specified in license SMB-602,amend 8.Licensee subsequently performed specific Kd analyses on three representative soil samples which collected from Areas B,C & D.
HENDERSON,J.W. RMI Co. 97/12/16. ULECK,R. NRC - No Detailed Affiliation Given. 55pp. A1786:155-A1786:210.

9801090186 Addresses condition 20(e) specified in license SMB-602, amend 8,dtd 970911 re Th-230 concentrations in RMI soils. Samples were collected from six locations w/elevated U concentrations on site & analyzed for Th-230.
HENDERSON,J.W. RMI Co. 97/12/22. ULECK,R. NRC - No Detailed Affiliation Given. 2pp. A1758:264-A1758:265.

DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. FLISZAR,R. Army, Dept. of, Armament Research, Development & Engineering Center. OLSEN,A.F. . 8pp. A1899:237-A1899:244.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9801230043 "Limited Groundwater Investigation of Atlas Corp Moab Mill Moab,UT."
* Oak Ridge National Laboratory. 98/01/09. 212pp. A1899:001-A1899:212.

9801230247 Forwards additional copies of "Limited Groundwater Investigation of Atlas Corp Moab Mill Moab,Utah," as requested.
GARDNER,F. Oak Ridge National Laboratory. 97/01/15. FLIEGEL,M. NRC - No Detailed Affiliation Given. 1p. A1898:001-A1898:213.

9801080076 Responds to 971202 ltr requesting licensee to submit plan to update surety for U mill tailings pile in Moab,UT.Licensee requests that NRC approve license amend request & withdraw request for upward adjustment of surety for Moab site.
BLUBAUGH,R. Atlas Corp. 97/12/18. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 13pp. A1786:032-A1786:044.

9801080214 Submits rept summarizing licensee progress toward attaining groundwater protection stds per license condition 17C of SUA-917.
BLUBAUGH,R.E. Atlas Corp. 97/12/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 34pp. A1753:260-A1753:293.

9801120203 Forwards TER & amend 29 to license SUA-917 in response to 971219 request.Amend extends milestone for completion of windblown tailings retrieval & placement on pile to 001231.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/24. BLUBAUGH,R.E. Atlas Corp. 6pp. A1789:255-A1789:275.

--9801120208 Amend 29 to license SUA-917 for Atlas Corp.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/24. 12pp. A1789:261-A1789:272.

--**9801120219** Application for amend to license SUA-917,allowing completion of windblown tailings cleanup by 001231.
BLUBAUGH,R.E. Atlas Corp. 97/12/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. A1789:273-A1789:275.

9801230260 Forwards three copies of "Tailings Pile Seepage Model Atlas Corp Moab Mill Moab,Utah." Companion rept prepared for US Fish & Wildlife Svc will not be ready for distribution until 980108 due to last minute logistical problems.
GARDNER,F. Oak Ridge National Laboratory. 98/01/08. FLIEGEL,M. NRC - No Detailed Affiliation Given. 1p. A1923:180-A1923:222.

9801150202 Requests assistance in responding to annual surety review for Atlas Corp.Response should be submitted by 980209.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/09. TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 4pp. A1841:107-A1841:123.

9801220314 "Tailings Pile Seepage Model Atlas Corp Moab Mill Moab,UT."
* Oak Ridge National Laboratory. 98/01/09. 42pp. A1894:074-A1894:115.

9801230067 Responds to concerns raised by P Haney in several letters relating to potential of migration of Colorado River & appropriate armoring of Atlas tailings pile to prevent erosion should river come into direct contact w/pile.
SINCLAIR,W.J. Utah, State of. 98/01/13. HOLONICH,J.J. Uranium Recovery Licensing Branch. 2pp. A1900:268-A1900:269.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9801150042 Submits updated project schedule & overall budget analysis for American Nuclear Tailings Reclamation Project.
MOXLEY,M. Wyoming, State of. 98/01/12. HOOKS,K. NRC - No Detailed Affiliation Given. 1p. A1841:172-A1841:172.

9801300001 Forwards Amend 52 to License SUA-667,deleting all license conditions (LCs) except LCs dealing w/possession of source & byproduct matl,environ monitoring & property transfer subsequent to completion of site reclamation.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/22. SALISBURY,W. American Nuclear Corp. 4pp. A1975:178-A1975:185.

--**9801300002** Amend 52 to license SUA-667 for American Nuclear Corp.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/22. 4pp. A1975:182-A1975:185.

DOCKET 40-6563 MALLINCKRODT, INC., ST. LOUIS, MO

9801090167 Submits Phase I C-T decommissioning plan,describing remediation of buildings & equipment above ground surface. Phase II will complete decommissioning of grade-level & below grade building slabs & foundations.
PUETT,M. Mallinckrodt, Inc. 97/11/20. TURTIL,R. Division of Waste Management (NMSS 940403). 2pp.p. A1758:266-A1758:267.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9801130263 Forwards summary of land use survey,per license condition 21 of SUA-442.
HARDGROVE,T.W. Pathfinder Mines Corp. 97/12/17. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. A1808:321-A1808:322.

9801120256 Forwards TER & amend 45 to license SUA-442 in response to 970403 proposed soil cleanup verification survey & sampling plan.Amend adds condition 51 to reflect concurrence w/proposed plan.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/22. HARDGROVE,T.W. Pathfinder Mines Corp. 6pp. A1789:276-A1789:290.

--**9801120257** Amend 45 to license SUA-442 for Pathfinder Mines Corp.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/22. 9pp. A1789:282-A1789:290.

9801280223 Forwards "Annual Technical Evaluation of Embankment 5 Pathfinder Mines Corp,Shirley Basin Mine," fulfilling requirement of condition 41 of SML SUA-442.
HARDGROVE,T.W. Pathfinder Mines Corp. 98/01/07. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. A1941:348-A1941:359.

--**9801280225** "Annual Technical Evaluation of Embankment 5 Pathfinder Mines Corp,Shirley Basin Mine."
HARDGROVE,T.W. Pathfinder Mines Corp. 97/12/18. 11pp. A1941:349-A1941:359.

9801290173 Forwards two copies of revised organizational chart for Shirley Basin Mine mill & tailings site & corporate mgt.
HARDGROVE,T.W. Pathfinder Mines Corp. 98/01/22. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. A1971:216-A1971:217.

DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY

9801120235 Forwards TER & amend 59 to license SUA-551 in response to 971015 request.Amend reflects acceptance of proposed gradation of large size riprap for tailing area reclamation.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/24. JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 4pp. A1789:240-A1789:254.

--**9801120238** Amend 59 to license SUA-0551 for Petrotomics Co.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/24. 7pp. A1789:244-A1789:250.

--**9801120243** Attaches review of Petrotomics request to modify riprap gradation testing.Evaluation is done in TER format,as amend is likely to be needed.
JOHNSON,T. NRC - No Detailed Affiliation Given. 97/12/22. HAQUE,M.W. NRC - No Detailed Affiliation Given. 3pp. A1789:251-A1789:253.

--**9801120250** Application for amend to license SUA-551.Amend would allow utilization of shape factor & actual weight of rock to determine gradation of large size riprap for tailings area reclamation.
JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 97/10/15. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. A1789:254-A1789:254.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. FLISZAR,R. Army, Dept. of, Armament Research, Development & Engineering Center. OLSEN,A.F. . 8pp. A1899:237-A1899:244.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. FLISZAR,R. Army, Dept. of, Armament Research, Development & Engineering Center. OLSEN,A.F. . 8pp. A1899:237-A1899:244.

DOCKET 40-7397 FOOTE MINERAL CO., EXTON, PA

9801070262 Documents NRC reviews on Cyprus Foote Mineral Co work to date,identifies outstanding items & proposes approach for resolving items,consistent w/Dec 1996 ltr.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/19. SUPPES,R. Ohio, State of. 11pp. A1747:292-A1747:303.

--**9801070278** Informs that JE Kennedy gave ltr to R Glinski & had no comments.
KENNEDY,J.E. NRC - No Detailed Affiliation Given. 97/10/08. NRC - No Detailed Affiliation Given. 1p. A1747:303-A1747:303.

DOCKET 40-7455 WHITTAKER CORP., LOS ANGELES, CA

9801050152 Submits rev to CAL 1-97-27 re insps performed at Pennsylvania site in Aug & Nov 1997,which revealed radioactive matl in form of solid thoriated slag migrated beyond fenced area.Licensee should take listed actions.
BLOUGH,A.R. Region 1 (Post 820201). 97/12/19. BRICKNER,L.M.O. Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.). 3pp. A1658:005-A1658:007.

9801280331 Expresses appreciation for taking time to speak w/licensee & representative of NES,Inc,re listed license conditions 14,20 & 21.
BRICKNER,L.M. Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.). 98/01/16. HUFFERT,A.M. NRC - No Detailed Affiliation Given. 5pp. A1968:021-A1968:025.

9801280032 Forwards amend 7 to license SMA-1018,replacing P Horkman w/ WC Needrith & LL Salinas as RSOs in license condition 14. Licensee should proceed promptly to comply w/CAL 1-97-27.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/21. BRICKNER,L.M. Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.). 5pp. A1966:304-A1966:325.

--**9801280034** Amend 7 to license SMA-1018 for Whittaker Corp,adding WC Needrith & LL Salinas to license condition 14,as RSOs.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/21. 5pp. A1966:309-A1966:313.

--**9801280040** Notes that proposed amend to SMA-1018,license condition 14, is an administrative change.Environ assessment or EIS is not warranted for this action.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/21. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. A1966:314-A1966:315.

--**9801280041** Requests concurrence on amend to license SMA-1018.
BELLAMY,R. NRC - No Detailed Affiliation Given. 98/01/21. HUFFERT,A.M. NRC - No Detailed Affiliation Given. 1p. A1966:316-A1966:316.

--**9801280043** Informs that Region I concurred on amend to Whittaker license amend.List of changes to be made to license, provided.
HUFFERT,A. NRC - No Detailed Affiliation Given. 98/01/21. FONNER,R.L. NRC - No Detailed Affiliation Given. 2pp. A1966:317-A1966:318.

--**9801280047** Requests deletion of condition 24 in Whittaker license amend.
FONNER,R. NRC - No Detailed Affiliation Given. 98/01/21. HUFFERT,A.M. NRC - No Detailed Affiliation Given. 2pp. A1966:319-A1966:320.

--**9801280056** Application for amend to license SMA-1018,designating WC Needrith & LL Salinas as RSOs & requesting exemption to license conditions 20 & 21.Resumes,encl.
BRICKNER,L.M. Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.). 98/01/16. HUFFERT,A.M. NRC - No Detailed Affiliation Given. 5pp. A1966:321-A1966:325.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9801060339 Forwards signed original of FONSI for LAR for Fansteel, Inc for transmittal to Ofc of FR for publication.
SCHWINK,W.S. Licensing Branch. 97/12/09. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 9pp. A1738:339-A1738:347.

9801060359 Forwards amend 1 to License SMB-911 to authorize processing wastewater treatment residues located in ponds 6,7,8 & 9 at facility & SER.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/18. HUNTER,J.J. Fansteel, Inc. 4pp. A1741:310-A1741:324.

--**9801070038** Amend 1 to license SMB-911 for Fansteel,Inc.
SCHWINK,W.S. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/12/18. 11pp. A1741:314-A1741:317.

--**9801070366** Safety evaluation accepting proposed change to proposed amend 1 of license SMB-911 re processing of calcium flouride wastewater treatment residues.
* Office of Nuclear Material Safety & Safeguards. 97/12/18. 7pp. A1741:318-A1741:324.

9801210319 Ack receipt of ltr dtd 971119,requesting authorization for onsite burial of contaminated soils IAW 10CFR20.2002.Info to demonstrate compliance w/provisions of 10CFR20.1403,which specify requirements for restricted release,requested.
CHOTOO,S.D. Licensing Branch. 98/01/10. HUNTER,J.J. Fansteel, Inc. 2pp. A1887:241-A1887:242.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

9801300193 Ack receipt of ltr dtd 980110,re assumption that Fansteel intends to decommission Muskogee site by constructing containment cell to stabilize radiologically affected matls. Propose that requested info be submitted by 981101.
HUNTER,J.J. Fansteel, Inc. 98/01/23. CHOTOO,S. Licensing Branch. 1p. A2008:330-A2008:330.

DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9801270169 Discusses insp rept 40-7604/97-02 on 970908-10 & 1008-10 & forwards notice of violation.Insp examined implementation of selected portions of QA/QC program relating to onsite waste disposal under Mixed Waste Pond Closure Project.
BEACH,A.B. Region 3 (Post 820201). 97/12/16. BLYTHE,H. BP Chemicals International. 4pp. A1934:250-A1934:257.

--**9801270181** Notice of violation from insp on 970908-10 & 1008-10. Violation noted:between Jan 1996 & Sept 1997,daily field logs were not kept by one engineer or by one contractor.
* Region 3 (Post 820201). 97/12/16. 4pp. A1934:254-A1934:257.

9801130221 Forwards insp rept 40-7604/97-03 on 971112-13 & 1223.No violations noted.Insp consisted of selective exams of procedures & representative records.
JORGENSEN,B.L. Region 3 (Post 820201). 98/01/08. BLYTHE,H. BP Chemicals International. 2pp. A1763:179-A1763:188.

--**9801130227** Insp rept 40-7604/97-03 on 971112-13 & 1223.No violations noted.Major areas inspected:implementation of license conditions.
* Region 3 (Post 820201). 98/01/08. 8pp. A1763:181-A1763:188.

9801270082 Responds to NRC ltr re violations noted in insp of license SUB-908 on 971216.Corrective actions:Section 1.2 of QA/QC Plan has been modified by means of field change submitted to NRC to allow use of contractors to perform insp activities.
WALPOLE,J.W. BP Chemicals International. 98/01/19. Document Control Branch (Document Control Desk). 10pp. A1932:247-A1932:256.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9801090014 Requests that encl financial documents,including summaries of cash transactions pertaining to escrow account,be treated as proprietary info.Ltr dtd 971117 from Bank of New York to NRC,encl.Proprietary encl withheld.
ELLIS,J.H. Sequoyah Fuels Corp. 97/11/24. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. A1809:272-A1809:274.

--**9801090025** Informs that Bank of New York completed purchase of corporate trust business of Boatmen Bancshares from NationsBank on 970825.
FERRISS,D.F. Affiliation Not Assigned. 97/11/17. Division of Waste Management (NMSS 940403). 1p. A1809:274-A1809:274.

9801130399 Forwards NRC staff comments re Sequoyah Fuel Corp response to 970423 questions re seismic conditions.Licensee needs to provide complete evaluation of tectonic setting & seismicity of site.
STABLEIN,K. Engineering & Geosciences Branch (NMSS 940403). 97/12/04. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 10pp. A1808:323-A1808:332.

9801060329 Informs that licensee needs to provide complete evaluation of tectonic setting & seismicity of site in order to fully evaluate potential for activity along faults near site. Comments encl.
HICKEY,J.W Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/15. ELLIS,J.H. Sequoyah Fuels Corp. 13pp. A1736:338-A1736:350.

DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

9801070305 Informs that NRC reviewed proposed field testing program required by License Condition 52.C,which Rio Algom Mining Corp submitted by ltr dtd 931231.Reissued license, incorporating change encl.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/19. GORANSON,W.P. Rio Algom Mining Corp. 3pp. A1744:261-A1744:276.

--**9801070312** Amend 55 to license SUA-1119 for Rio Algom Mining Corp, authorizing use of byproduct matl in form of U waste tailings.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/19. 13pp. A1744:264-A1744:276.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9801050249 Forwards all info that might possibly relate to questions re embankment stability.
CHASE,G. Bear Creek Uranium Co. 97/12/16. ABRAMS,C. Division of Waste Management (NMSS 940403). 17pp. A1709:285-A1709:301.

9801150163 Informs that US NRC staff completed review of annual surety update for Bear Creek U Co (BCUC) facility as submitted in ltr of 971015 & found proposed surety acceptable.TER & amended license encl.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/07. CHASE,G. Bear Creek Uranium Co. 6pp. A1841:094-A1841:106.

--**9801150231** Corrected amend 37 to license SUA-1310 for Bear Creek U Co.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/07. 7pp. A1841:100-A1841:106.

9801290159 Forwards appropriately identified amend 38 to license SUA-1310,reflecting NRC previous approval of surety update.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/15. CHASE,G. Bear Creek Uranium Co. 1p. A1971:281-A1971:289.

--**9801290160** Amend 38 to license SUA-1310 for Bear Creek U Co,reflecting approval of annual surety update.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/15. 8pp. A1971:282-A1971:289.

9801290155 Informs that no changes occurred in land use within two kilometers of any portion of restricted area boundary during past yr,per condition 21 of license SUA-1310.
CHASE,G. Bear Creek Uranium Co. 98/01/20. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. A1971:218-A1971:219.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9801230269 Forwards analysis data for tailings fluid in tailings impoundment at Sweetwater U project.
PAULSON,O. Kennecott Corp. 98/01/05. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. A1919:350-A1919:352.

9801230321 Forwards listed corrected pages for addendum to environ rept for Sweetwater U project on background groundwater quality & detection stds.
PAULSON,O. Kennecott Corp. 98/01/08. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. A1923:300-A1923:305.

--**9801230327** Rev 4 to addendum to environ rept, "Sweetwater U Project, Background Ground Water Quality & Detection Stds," consisting of corrected pages.
* Kennecott Corp. 98/01/09. 5pp. A1923:301-A1923:305.

9801290161 Provides outline of work proposed to further assess sediment yield at L-Bar project,per 980113 telcon.Summary & discussion of proposed work is attached.
TRUMMEL,J. Kennecott Corp. 98/01/22. ABRAMS,C. NRC - No Detailed Affiliation Given. 4pp. A1971:210-A1971:213.

DOCKET 40-8681 INTERNATIONAL URANIUM USA CORP.

9801090276 Forwards responses to 970819 & 1205 ltrs re NRC comments on White Mesa Reclamation Plan,submitted on 970228 by Intl U Corp.
ROBERTS,H.R. Affiliation Not Assigned. 97/12/16. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 73pp. A1817:037-A1817:108.

9801200040 Application for amend to license SUA-1358,amending requirements applicable to leak detection sys (LDS) at tailings ponds at White Mesa Mill to focus on LDS flow rate, rather than analyte concentrations.
REHMANN,M.R. International Utilities Corp. 98/01/09. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 6pp. A1842:350-A1842:355.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9801090126 Requests that encl Plateau Resources,Ltd, "Responses to NRC Comments dated 971020" & page changes to Shootaring Canyon Processing Facility Decommissioning & Reclamation Plan,dtd 971218,be docketed.
PARK,J. Division of Waste Management (NMSS 940403). 98/01/08. FRIDLEY,S. Information & Records Management Branch (Post 890827). 1p. A1757:001-A1757:146.

--**9801090131** "Responses to NRC Comments of 971020," re Shootaring Canyon U Processing Facility Site Reclamation Plan."
* Plateau Resources, Ltd. 97/12/17. 143pp. A1757:002-A1757:146.

9801140007 Forwards info requested in 971020 ltr re Shootaring Canyon Mill Reclamation Plan & revised pages pertaining to text of responses.W/o encls.
WEBBER,K. Plateau Resources, Ltd. 97/12/17. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. A1824:352-A1824:353.

--**9801140009** Requests that 971217 ltr to Plateau Resources Limited responses to NRC RAI on site reclamation plan be docketed.
FRIDLEY,S. Information & Records Management Branch (Post 890827). 98/01/09. PARK,J. Division of Waste Management (NMSS 940403). 1p. A1824:353-A1824:353.

9801090034 Forwards Rev 1 to AP-3, "Plateau Resources Limited Safety & Environ Review Panel."
WEBBER,K. U.S. Energy Corp. 97/12/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. A1758:275-A1758:278.

--**9801090041** Rev 1 to AP-3, "Plateau Resources Limited Safety & Environ Review Panel."
* U.S. Energy Corp. 97/06/30. 3pp. A1758:276-A1758:278.

9801280065 "Effluent Monitoring Rept for Shootaring Canyon U Mill,for period 970701-1231." W/980115 ltr.
JOHNSON,C. Utah, State of. 97/12/31. 7pp. A1940:199-A1940:205.

9801280163 Documents issues discussed & clarified during 980113 telcon. Revised pages to reclamation plan w/instruction sheet,encl.
WEBBER,K. Plateau Resources, Ltd. 98/01/14. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 4pp. A1967:357-A1967:360.

4 DOCKETED ITEMS

9801300003 Forwards amend 1 to license SUA-1371,revising license conditions 9.3,9.4 & 11.6 & adding license conditions 9.10 & 10.9.TER discussing details of amend requests also encl.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/16. WEBBER,K. Plateau Resources, Ltd. 5pp. A1975:188-A1975:199.

--9801300004 Amend 1 to license SUA-1371 for Plateau Resources,Inc.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/16. 7pp. A1975:193-A1975:199.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9801120185 Responds to 971114 ltr by enclosing responses to Ohio Environ Protection Agency comments on test pad data package transmitted on 971008 & "Test Pad Const Certificate for Rept for Bert Avenue Site."
ADAMS,T.G. B. Koh & Associates, Inc. 97/11/25. PARKER,J. Ohio, State of. 13pp. A1806:039-A1806:251.

--9801090148 "Test Pad Construction Certification Rept,Bert Avenue Site."
* Earth Science Consultants, Inc. 97/11/20. 147pp. A1806:052-A1806:251.

9801120036 Forwards Rev 0 to "Winter Shutdown Plan for Bert Avenue Site Remediation Project," which documents actions taken by licensee to shutdown subject site for winter,if necessary, per 971003 ltr.
KOH,B. Chemetron Corp. 97/11/26. JOHNSON,T.C. NRC - No Detailed Affiliation Given. 2pp. A1789:175-A1789:186.

9801150023 Informs that winter shutdown plan for Bert Avenue site acceptable,subject to resolution of listed questions.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/06. FANNIN,D.C. Chemetron Corp. 3pp. A1838:353-A1838:355.

9801220176 Ack receipt of 970915 ltr & check for $5,000 as agreed to in settlement for payment of civil penalty proposed in NRC ltr, dtd 940511.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/01/20. Chemetron Corp. 2pp. A1889:096-A1889:097.

DOCKET 40-8767 LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO

9801140040 Responds to 970919 ltr to J Cameron re necessity for Industrial Operations Command to secure license for conducting activities associated w/radioactive waste handling.No licensee is needed for subj activities.
PEDERSON,C.D. Region 3 (Post 820201). 97/12/31. MAPLEY,S.R. Army, Dept. of. 1p. A1806:001-A1806:003.

--9801140044 Requests interpretation of potential classification as waste collector.
MAPLEY,S.R. Army, Dept. of. 97/09/19. CAMERON,J. Region 3 (Post 820201). 2pp. A1806:002-A1806:003.

DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA

9801080381 Submits several points in review of draft EA.
DANIELS,J.C. Molycorp, Inc. 98/01/02. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A1753:358-A1753:358.

9801290186 Discusses 970120 telcon on monitoring of temporary storage of low level radioactive matl from York,PA plant.Permission has been requested to transport & temporarily store matl at Washington,PA site.
DANIELS,J.C. Molycorp, Inc. 98/01/20. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A1971:305-A1971:305.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9801280360 Requests to send correspondence for point of contact for change of RSO at Molycorp York,PA site to address as listed. Molycorp corporate ofc current mailing address listed also to assist in updating NRC records.
DANKMYER,B.K. Molycorp, Inc. 96/06/03. Region 1 (Post 820201). 1p. A1968:076-A1968:076.

9801080381 Submits several points in review of draft EA.
DANIELS,J.C. Molycorp, Inc. 98/01/02. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A1753:358-A1753:358.

9801290186 Discusses 970120 telcon on monitoring of temporary storage of low level radioactive matl from York,PA plant.Permission has been requested to transport & temporarily store matl at Washington,PA site.
DANIELS,J.C. Molycorp, Inc. 98/01/20. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A1971:305-A1971:305.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9801070187 Discusses discrepancies in records discovered in NRC routine insp 40-8857/97-02.Info on well casing,cementing & testing, provided.Procedure 2.35, "Well Casing," encl.
WITTRUP,M. Power Resources Corp. 97/12/10. EVANS,R.J. Region 4 (Post 820201). 2pp. A1744:299-A1744:303.

--9801070188 Revised SOP 2.35, "Well Casing."
* Power Resources Corp. 2.35. 94/11/04. 3pp. A1744:301-A1744:303.

9801070175 Forwards SOP 2.36, "Mechanical Integrity Testing," per 971211 telcon.
WITTRUP,M. Power Resources Corp. 97/12/11. EVANS,R.J. NRC - No Detailed Affiliation Given. 1p. A1747:239-A1747:244.

--9801070178 Revised SOP 2.36, "Mechanical Integrity Testing."
* Power Resources Corp. 97/02/19. 5pp. A1747:240-A1747:244.

9801140301 Forwards "Operation Insp Rept for NRC" for satellite number 2 dam at Highland U project site.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/31. KEARNEY,W.F. Power Resources Corp. 4pp. A1843:255-A1843:258.

9801230039 Forwards copy of "1997-1998 Reclamation/Restoration Surety Estimate Revision,Aug 1997 (Revised Dec 1997)" IAW license condition 9.5.Surety related correspondence w/State that Power Resources,Inc has received since 970630 also attached.
HILDENBRANK,P. Power Resources Corp. 98/01/08. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 77pp. A1897:242-A1897:318.

9801220340 Forwards insp rept 40-8857/97-02 on 971202-04,10 & 980108. NRC also reviewed actions taken by staff in response to 970729 NOV.Based on actions taken by staff,NRC plans to close four of six violations.
SCARANO,R.A. Region 4 (Post 820201). 98/01/16. SCHMITT,C. Power Resources Corp. 4pp. A1889:144-A1889:169.

--9801220342 Insp rept 40-8857/97-02 on 971202-04,10 & 980108.No violations noted.Major areas inspected:mgt organization & controls;operations review,radiation protection & environmental protection.
* Region 4 (Post 820201). 98/01/16. 22pp. A1889:148-A1889:169.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9801060033 Forwards lab analysis results for 1997 ground water sampling for PCBs at former ARCO Bluewater U mill site near Grants, NM.W/o encls.
EDGE,R.W. Energy, Dept. of. 97/12/16. DAVIS,A. Environmental Protection Agency. 1p. A1720:354-A1720:354.

9801060038 Forwards lab analysis results for 1997 ground water sampling for PCBs at former ARCO Bluewater U mill site near Grants, NM.W/o encl.
EDGE,R.W. Energy, Dept. of. 97/12/16. ZIEGLER,R. Atlantic Richfield Co. (ARCO). 1p. A1740:359-A1740:359.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9801120182 Amends license SUA-1471 by deleting McKinley County ion-exchange facility from license condition 9,per 10CFR40. Amend 29 to license SUA-1471 & TER,encl.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/22. CELLAN,R. Homestake Mining Co. 4pp. A1789:211-A1789:222.

--9801120192 Amend 29 to license SUA-1471 for Homestake Mining Company.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/22. 8pp. A1789:215-A1789:222.

9801230087 Application for amend to license SUA-1471,revising ground- water restoration plan.Encl contains "Evaluation of Injection of Reverse Osmosis Product Water," describing proposed reverse osmosis plant.
CELLAN,R.R. Homestake Mining Co. 98/01/15. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. A1900:240-A1900:267.

--9801230091 "Evaluation of Injection of Reverse Osmosis Product Water."
HOFFMAN,G.L. Hydro-Engineering. 98/01/15. 23pp. A1900:245-A1900:267.

9801300085 Application for amend to license SUA-1471,deleting last sentence of license condition 15 & amending license condition 35 as listed.Semi-Annual Environ Rept,encl.
CELLAN,R.R. Homestake Mining Co. 98/01/23. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. A2002:201-A2002:295.

DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT

9801060061 Forwards insp rept 40-8904/97-02 on 971203.No violations noted.Insp conducted to review activities re possession-only license which authorizes reclamation of U tailings,generated in past operations.
SCARANO,R.A. Region 4 (Post 820201). 97/12/29. TRUMMEL,J. Kennecott Corp. 4pp. A1680:070-A1680:081.

--9801060065 Insp rept 40-8904/97-02 on 971203.No violations noted.Major areas inspected:review of site status,mgt organization & controls,operations,radiation protection, radioactive waste mgt,environ monitoring & insp follow-up.
* Region 4 (Post 820201). 97/12/29. 8pp. A1680:074-A1680:081.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9801070054 Forwards response to NM Environ Dept 970613 RAI re evaporation pond 9 & mill reservoir.
LUTHIGER,P. Quivira Mining Co. 97/12/16. EVERETT,K. New Mexico, State of. 6pp. A1742:353-A1742:358.

9801070235 Answer of applicant Quivira Mining Co to appeal by Envirocare of Utah of memorandum & order denying request for hearing & petition for leave to intervene.* Request should be denied.W/Certificate of Svc.
WETTERHAHN,M.J. Quivira Mining Co. WETTERHAHN,M.J. Winston & Strawn. #198 18691. 97/12/22. Commissioners (Post 750119). 29pp. A1726:127-A1726:155.

9801070232 NRC response to Envirocare of Utah substitute appeal of decision of ASLBP.* Subj appeal should be denied. W/Certificate of Svc.
UTTAL,S.L. Office of the General Counsel (Post 860701). #198 18690. 97/12/23. Commissioners (Post 750119). 30pp. A1726:097-A1726:126.

9801130091 Informs that licensee has 10 ion exchange columns at main facility for use in recovering U from mine waters.
LUTHIGER,P. Quivira Mining Co. 97/12/29. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A1808:278-A1808:278.

9801230274 Forwards request to modify NRC source matl license SUA-1473 correcting & updating.Proposed changes would maintain health physics & environ unchanged.
GORANSON,W.P. Quivira Mining Co. 98/01/13. HOLONICH,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. A1923:306-A1923:323.

--9801230276 "Health Physics & Environ Programs."
* Quivira Mining Co. 98/01/13. 7pp. A1923:312-A1923:323.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

9801150001 Discusses revision of postmining,pretailings concentrations of nitrate,sulfate & TDS in ground water at United Nuclear Corp Church Rock site.
HANNING,M. New Mexico, State of. 98/01/06. LYSSY,G. Environmental Protection Agency. 2pp. A1843:340-A1843:341.

9801290214 Forwards electronic copy of well lists requested for Church Rock site.W/o encl.
DU PONT,S. Affiliation Not Assigned. 98/01/20. HOOKS,K. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. A1971:252-A1971:252.

DOCKET 40-8913 UNITED NUCLEAR CORP., GALLUP, NM

9801200011 Forwards well info NRC requested last month which will assist in development of list of wells that licensee may plug & abandon.
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 98/01/12. HOOKS,K. Division of Waste Management (NMSS 940403). 1p. A1843:152-A1843:167.

--9801200015 Forwards electronic & paper copies of well lists that NRC requested for United Nuclear Corp Church Rock site.Three lists prepared as listed.
DU PONT,S. United Nuclear Corp. (subs. of UNC, Inc.). 98/01/12. HOOKS,K. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 14pp. A1843:154-A1843:167.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9801140106 Informs that NRC staff does not consider licensee request acceptable & therefore,denies proposed amend request.Bases for denial discussed in detail in TER.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/23. COLLINGS,S.P. Affiliation Not Assigned. 7pp. A1820:349-A1820:354.

9801090033 Informs that licensee desires to sample monitor wells three times at two week intervals & analyze for UCL parameters only & not addl 30 parameters ref in Table 5.7-6 or Table 5.7-18.
COLLINGS,S.P. Affiliation Not Assigned. 97/12/29. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. A1758:260-A1758:260.

9801140141 Informs that NRC considering to proceed w/pre-licensing of commercial operations at Crow-Butte site based on results of 971209 telcon between NRC,State of NE officials & Crow-Butte Inc.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/31. SOMMER,L.J. Nebraska, State of. 3pp. A1823:330-A1823:333.

9801140004 Responds to 971208 ltr requesting comments re license renewal application from Crowe Butte Resources,Inc for in-situ leach U solution mine in Dawes County,Nebraska. Threatened & endangered species,not adversely affected.
* Interior, Dept. of, Fish & Wildlife Service. 98/01/05. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. A1824:354-A1824:355.

--9801140005 Requests that 980105 ltr from Nebraska Field Ofc of US Fish & Wildlife Svc be docketed.
FRIDLEY,S. Information & Records Management Branch (Post 890827). 98/01/09. PARK,J. Division of Waste Management (NMSS 940403). 1p. A1824:355-A1824:355.

9801150182 Informs that NRC staff review found proposed increase in surety amount to be appropriate & revised stated amount acceptable.License reissued to incorporate mods.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/07. COLLINGS,S.P. Affiliation Not Assigned. 3pp. A1843:342-A1843:357.

--9801150185 Amend 38 to license SUA-1534 for Crow Butte Resources,Inc, authorizing place of use as licensee Crow Butte facilities in Dawes County,NE.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/07. 10pp. A1843:345-A1843:354.

--9801150188 Discusses financial assurance info submitted by Crow Butte Resources,Inc,for Crow Butte Mine,in correspondence dtd 971031.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/11/13. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. A1843:355-A1843:355.

--9801150195 Informs that new revised surety cost estimate acceptable.
TURTIL,R. NRC - No Detailed Affiliation Given. 97/11/18. PARK,J.R. NRC - No Detailed Affiliation Given. 1p. A1843:356-A1843:356.

--9801150198 Submits response to Crow Butte surety technical review.
TINSLEY,J. NRC - No Detailed Affiliation Given. 97/11/19. PARK,J.R. NRC - No Detailed Affiliation Given. 1p. A1843:357-A1843:357.

9801280260 Informs that licensee initiated traditional cultural property survey by contacting Indian tribes in area,per 971205 telcon.Start-up of mine unit 6 should not be included in possible prohibition of new development.
COLLINGS,S.P. . 98/01/15. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. A1945:223-A1945:224.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9801290030 Forwards RESRAD summary repts used for "Technical Basis,Work Plan & Health/Safety Plan for Sale of East Pile Slag," rept 94005/G8154,dtd 971002,per 980112 telcon.
BERGER,C.D. Integrated Environmental Services. 98/01/12. THAGGARD,M. NRC - No Detailed Affiliation Given. 1p. A1968:169-A1968:217.

--9801290035 "Application of Exemption Principals to Recycle & Reuse of Matls from Nuclear Facilities."
* International Atomic Energy Agency. 111-P-1.1. 97/09/19. 47pp. A1968:170-A1968:217.

DOCKET 40-8964 RIO ALGOM MINING CORP., OKLAHOMA CITY, OK

9801220191 Informs of suspension of operation of "O" sand pilot, including bi-weekly sampling in mid to late Jan.Pilot will run again in mid April.
FRENCH,P.S. Rio Algom Mining Corp. 98/01/06. TRAYLER,C. Wyoming, State of. 1p. A1894:321-A1894:321.

9801220181 Application for amend to license SUA-1548,modifying "O" sand pilot operation during pre-startup activities for Wellfield 3.Proposed changes would maintain all health physics & environ programs.W/two oversize figures.
FRENCH,P.S. Rio Algom Mining Corp. 98/01/15. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. A1933:358-A1933:361.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9801300189 Hydro Resources,Inc,response to petitioners motion for stay.* Requests that Presiding Officer deny all relief sought in petitioners motion.
THOMPSON,A.J. HRI, Inc. (Hydro Resources, Inc.). THOMPSON,A.J. Shaw, Pittman, Potts & Trowbridge. #198 18766. 98/01/26. Atomic Safety & Licensing Board Panel. 11pp. A1965:123-A1965:257.

--9801300197 Affidavit of E Blinman.* Responds to Eastern Navajo Dine Against U Mining & Southwest Research & Info Ctr motion for stay,request for prior hearing & request for temporary stay.
BLINMAN,E. New Mexico, State of. 98/01/22. 33pp. A1965:134-A1965:166.

--9801300202 Affidavit of L Heartfield.* Responds to Eastern Navajo Dine Against U Mining & Southwest Research & Info Ctr motion for stay,request for prior hearing & request for temporary hearing,dtd 980115.
HEARTFIELD,L. Affiliation Not Assigned. 98/01/23. 19pp. A1965:167-A1965:185.

--9801300207 Affidavit of RF Clement.* Explains steps in identifying, developing & producing typical U recovery property using in-situ leach methods.
CLEMENT,R.F. HRI, Inc. (Hydro Resources, Inc.). 98/01/23. 9pp. A1965:186-A1965:194.

--9801300208 Affidavit of CS Bartels.* Notes that neither Abitz nor Wallace claim problems w/Church Rock Section 8.
BARTELS,C.S. Affiliation Not Assigned. 98/01/23. 12pp. A1965:195-A1965:206.

--9801300212 Affidavit of MS Pelizza.* Serves to present expert understanding of health,safety & environ effects of in situ leach (ISL) U development at Hydro Resources,Inc,NM properties.W/Certificate of Svc.
PELIZZA,M.S. Uranium Resources, Inc. 98/01/23. 51pp. A1965:207-A1965:257.

9801080219 Forwards response to request for addl info re sensitivity analysis of water transit times in vicinity of Hydro Resources,Inc,proposed Unit 1 ISL project.W/two oversize drawings.
BARTELS,C.S. HRI, Inc. (Hydro Resources, Inc.). 97/08/18. FORD,W.E. NRC - No Detailed Affiliation Given. 30pp. A1801:001-A1801:031.

9801070251 Hydro Resources,Inc response to ENDUAM & SRIC motion for housekeeping stay & request for briefing schedule for stay motion.* Requests that Presiding Officer deny all relief sought in petitioners motion.W/Certificate of Svc.
THOMPSON,A.J. HRI, Inc. (Hydro Resources, Inc.). THOMPSON,A.J. Shaw, Pittman, Potts & Trowbridge. #198 18698. 97/12/23. COTTER,B.P., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 9pp. A1726:331-A1726:339.

9801080266 Advises that Navajo Tribal Utility Authority Mgt Board has enacted resolution NTUA-11-97 opposing proposed in situ leach mining of U by Hydro Resources,Inc in Crownpoint,NM. Resolution encl.W/Certificate of Svc.Served on 980106.
DALTON,M.P. Navajo Tribal Utility Authority. #198 18717. 97/12/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. A1729:001-A1729:005.

9801080278 Advises NRC that licensee enacted Resolution NTUA-11-97, opposing proposed in situ leach mining of U of Hydro Resources,Inc,at Crownpoint,NM.
DALTON,M.P. Navajo Tribal Utility Authority. 97/12/23. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. A1762:093-A1762:095.

9801090016 Informs that NRC has not responded to 970820 ltr request for supplemental FEIS for Hydro Resources Inc project.Answers to listed questions,requested.
JORDAN,S.G. New Mexico, State of. 97/12/23. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. A1758:250-A1758:251.

9801230197 Advises NRC that Navajo Tribal Util Authority Mgt Board has enacted encl Resolution NTUA-11-97,opposing proposed in-situ leach mining of U by Hydro Resources,Inc at Crownpoint,NM. W/Certificate of Svc.Served on 980105.
DALTON,M.P. Navajo Tribal Utility Authority. #198 18723. 97/12/23. Docketing & Services Branch. 5pp. A1887:157-A1887:161.

9801070248 NRC Staff opposition to ENDAUM & SRIC motion for houskeeping stay & request for briefing schedule.* Motion should be denied.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #198 18709. 97/12/29. Atomic Safety & Licensing Board Panel. 11pp. A1726:320-A1726:330.

9801070231 Memorandum & order (Denying petitioners motion for housekeeping stay & request for briefing schedule for stay motion).* Orders that request for briefing schedule for stay motion,denied.W/Certificate of Svc.Served on 971231.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #198 18706. 97/12/31. Affiliation Not Assigned. 8pp. A1726:016-A1726:023.

9801080193 Informs that Staff issuing source matl license to Hydro Resources,Inc.NRC ltr to licensee dtd 980105 & copy of license encl.W/o svc list.
HULL,J.T. Office of the General Counsel (Post 860701). #198 18719. 98/01/05. COTTER,B.P., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 16pp. A1728:320-A1728:335.

9801080237 Forwards ltr received by Judge BP Cotter,Presiding Officer of Hydro Resources,Inc (HRI) case.Requests copy of ltr be served to all parties on HRI svc list.Served on 980106.
MARKS,S.A. Atomic Safety & Licensing Board Panel. #198 18718. 98/01/05. JULIAN,E.L. Office of the Secretary of the Commission. 1p. A1728:353-A1728:358.

--**9801080245** Advises ASLB that Navajo Tribal Utility Authority Mgt Board has enacted Resolution NTUA-11-97 opposing proposed in situ mining of U by Hydro Resources,Inc at Crownpoint, NM.W/Certificate of Svc.
DALTON,M.P. Navajo Tribal Utility Authority. 97/12/23. COTTER,B.P. Atomic Safety & Licensing Board Panel. 5pp. A1728:354-A1728:358.

9801230213 Petition for leave to intervene.* Informs that allottees request that petition for leave to intervene be granted. W/Certificate of Svc.
INDALL,J.J. Affiliation Not Assigned. INDALL,J.J. Affiliation Not Assigned. #198 18724. 98/01/05. Atomic Safety & Licensing Board Panel. 5pp. A1884:077-A1884:330.

9801160066 Transmits revised source matl license,SUA-1508,dtd 980105. Previous version was incorrectly paginated.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/08. CLEMENT,R.F. HRI, Inc. (Hydro Resources, Inc.). 5pp. A1836:340-A1836:359.

--**9801160071** Concurs w/new Hydro Resources,Inc,license.
DAMBLY,D. NRC - No Detailed Affiliation Given. 97/12/17. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 2pp. A1836:345-A1836:346.

--**9801160076** Revised source matl license SUA-1508,for Hydro Resources, Inc.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/05. 13pp. A1836:347-A1836:359.

9801230224 Entry of Appearance.* Informs that JJ Indall & JE Manges of Maldegen,Templeman & Indall,LLP have been engaged to represent Eastern Navajo Allottees Association in proceeding.W/Certificate of Svc.
INDALL,J.J. Affiliation Not Assigned. INDALL,J.J. Affiliation Not Assigned. 98/01/09. Atomic Safety & Licensing Board Panel. 4pp. A1884:082-A1884:085.

--**9801230230** Memorandum in support of petition of leave to intervene.* Informs that petition for leave to intervene excusable & will not prejudice or injure participating parties in proceeding & should be granted.
INDALL,J.J. Affiliation Not Assigned. INDALL,J.J. Affiliation Not Assigned. 98/01/09. Atomic Safety & Licensing Board Panel. 245pp. A1884:086-A1884:330.

9801230221 Informs that encl motion for stay,request for prior hearing & motion for temporary stay which seeks immediate stay of NRC staff 980105 issuance of license to Hydro Resources,Inc, for U,will be filed in in-situ leach mines as listed.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #198 18739. 98/01/15. COTTER,B.P. Atomic Safety & Licensing Board Panel. 1p. A1885:001-A1885:267.

--**9801230250** ENDAUM & SRIC motion for stay,request for prior hearing & request for temporary stay.*
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). JORDAN,S.G. New Mexico, State of. 98/01/15. Atomic Safety & Licensing Board Panel. 13pp. A1885:002-A1885:015.

--**9801230256** Affidavit of WA Dodge.* Describes incomplete status of NHPA section 106.
DODGE,W.A. Affiliation Not Assigned. 98/01/09. 30pp. A1885:016-A1885:045.

--**9801230258** Affidavit of KB Kelly re Hydro Resources,Inc (HRI).HRI cultural resources repts do not adequately assess significance of cultural resources in project area or in areas outside that project may affect.
KELLEY,K.B. Affiliation Not Assigned. 98/01/08. 37pp. A1885:046-A1885:086.

--**9801230259** Affidavit of RJ Abitz.* In Abitz prof opinion,Hydro Resources,Inc has not presented plan for extraction of U at Church Rock,Crowpoint & Unit 1 sites that can be judged protective of human health.Related correspondence encl.
ABITZ,R.J. Affiliation Not Assigned. 98/01/09. 58pp. A1885:087-A1885:144.

--**9801230261** Affidavit of MW Captain.* ENDAUM is authorized to represent MW Captain in administrative & judicial proceedings re permits,licenses & approvals for Hydro Resources,Inc.
CAPITAN,M.W. Affiliation Not Assigned. 98/01/07. 5pp. A1885:145-A1885:149.

--**9801230263** Affidavit of GA Tsosie.* Purpose of affidavit to reaffirm, update & correct certain info in previous affidavits in support of petitions filed by Eastern Navajo Dine Against U Mining.
TSOSIE,G.A. Affiliation Not Assigned. 98/01/11. 4pp. A1885:150-A1885:153.

--**9801230265** Affidavit of C Murphy.* Affidavit to reaffirm,update & correct certain info in previous affidavits of petitions filed by Eastern Navajo Dine Against U Mining.
MURPHY,C. Affiliation Not Assigned. 98/01/07. 20pp. A1885:156-A1885:175.

--**9801230311** Affidavit of H Enrico Sr.* Affidavit to reaffirm,update & correct certain info in previous affidavits in support of petitions filed by Eastern Navajo Dine Against U Mining.
ENRICO,H. Affiliation Not Assigned. 98/01/08. 2pp. A1885:176-A1885:177.

--**9801230324** Declaration of LJ King.* Author hereby authorizes ENDAUM to represent her in all administrative & judicial proceedings re any & all permits,licenses & approvals for Hydro Resources,Inc.
KING,L.J. Affiliation Not Assigned. 98/01/08. 8pp. A1885:178-A1885:185.

--**9801230330** Affidavit of MG Wallace.* Concludes that proposed Crowpoint U Solution Mining Project poses immediate threat of irreparable harm to drinking water supplies.
WALLACE,M.G. Affiliation Not Assigned. 98/01/13. 43pp. A1885:186-A1885:228.

--**9801230342** Affidavit of M Resnikoff.* Affidavit re Hydro Resources,Inc. W/Certificate of Svc.
RESNIKOFF,M. Affiliation Not Assigned. 98/01/13. 39pp. A1885:229-A1885:267.

9801300007 Responds to 971223 ltr re Hydro Resources,Inc,proposed U solution mining project at Crownpoint,NM.NRC position on matter is neutral.Two options listed which may be pursued re drinking water wells.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/15. DALTON,M.P. Navajo Tribal Utility Authority. 2pp. A1975:186-A1975:187.

9801230208 Forwards third amended request & petition to intervene re matter of application of Hydro Resources,Inc.
JORDAN,S.G. New Mexico, State of. #198 18743. 98/01/16. Office of the General Counsel (Post 860701). COTTER Atomic Safety & Licensing Board Panel. 1p. A1915:001-A1915:059.

--**9801230218** ENDAUM & SRIC third amended hearing request & petition to intervene.* Petitioners request that hearing be granted on 13 areas of concern stated in second amended request.
CURRAN,D. Affiliation Not Assigned. CURRAN,D. Southwest Research and Information Center. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 98/01/16. Atomic Safety & Licensing Board Panel. 21pp. A1915:002-A1915:022.

--**9801230231** Declaration of R Morgan.* Authorizes SRIC to represent author in matter re Hydro Resources,Inc.
MORGAN,R. Affiliation Not Assigned. 97/10/07. 37pp. A1915:023-A1915:053.

--**9801270117** Declaration of L Charles.* Authorizes SRIC to represent author in matter re Hydro Resources,Inc.W/Certificate of Svc.
CHARLES,L. Affiliation Not Assigned. 97/10/06. 6pp. A1915:054-A1915:059.

9801300216 Petitioner M Tilden notice of submission of second amended petition to intervene,statement of concerns,position statement & request for temporary restraining order.* Petitioner requests listed relief.
TILDEN,M. Affiliation Not Assigned. #198 18751. 98/01/16. 16pp. A1964:216-A1964:231.

9801230315 NRC request for extension of time.* Extension of time until 980220 to respond to Allottees 980105 petition for leave to intervene will allow staff adequate time to review matls. W/Certificate of Svc.
HULL,J.T. Office of the General Counsel (Post 860701). #198 18747. 98/01/20. Atomic Safety & Licensing Board Panel. 6pp. A1885:301-A1885:306.

9801300236 Eastern Navajo Dine Against U Mining & Southwest Research & Info Ctr motion for leave to respond to Eastern Navajo Allottees Assoc intervention petition & response to NRC Staff request for extension of time.* W/Certificate of Svc.
JORDAN,S.G. Southwest Research and Information Center. JORDAN,S.G. Affiliation Not Assigned. JORDAN,S.G. New Mexico, State of. #198 18753. 98/01/20. Atomic Safety & Licensing Board Panel. 9pp. A1966:043-A1966:051.

9801300240 Petitioner M Tilden opposition to & petition to deny,Eastern Navajo Allottee Association petition for leave to intervene & motion to deny attorney entry of appearance & second request for temporary restraining order.*
TILDEN,M. Affiliation Not Assigned. #198 18752. 98/01/20. Atomic Safety & Licensing Board Panel. 7pp. A1966:001-A1966:007.

9801300230 Memorandum & order (granting temporary stay of Staff licensing action & ruling on motions).* Effectiveness of NRC staff action in granting license to conduct in situ activities stayed.W/Certificate of Svc.Served on 980123.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #198 18760. 98/01/23. Office of the General Counsel (Post 860701). 14pp. A1964:232-A1964:245.

9801300214 Informs of difficult time experienced while trying to confirm receipt of second amended petition to intervene. Appreciation extended to E Julian & M Benson for assistance provided in confirming receipt of both petitions.
TILDEN,M. Affiliation Not Assigned. #198 18765. 98/01/27. COTTER,B.P., MURPHY,T.D. Atomic Safety & Licensing Board Panel. HOLONICH,J. NRC - No Detailed Affiliation Given. 1p. A1966:008-A1966:008.

DOCKET 40-8976 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J., HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withhdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

--**9801220023** Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9801060034 Forwards detailed technical review of Envirocare rept titled, "Evaluation of Analytical Procedures for Groundwater Monitoring" & copy of NRC guidance for alternate concentration limit applications.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/15. COPELAND,G. Envirocare of Utah, Inc. 12pp. A1725:161-A1725:205.

9801090149 Requests that plan for installation of two new groundwater monitoring wells along South side of LARW embankment be submitted within 10 days of ltr receipt.
SINCLAIR,W.J. Utah, State of. 97/12/19. ALKEMA,K. Envirocare of Utah, Inc. 3pp. A1804:358-A1804:360.

9801130407 Responds to 971212 petition to 10CFR2.206,which alleges that Envirocare "has & still is threatening to destroy financial well-being of any employee who provides any info about operations under NRC or state license....."
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/31. JUDD,C.A. Envirocare of Utah, Inc. 6pp. A1808:197-A1808:273.

--**9801130412** Advises that Envirocare will make suggested changes to whistleblower protection policy & employment agreement per NRC recommendations.
JUDD,C.A. Envirocare of Utah, Inc. 97/12/23. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. A1808:203-A1808:203.

--**9801130420** Requests that NRC order immediate suspension of Envirocare state license under section 274m(2) of AEA,in addition to EA requested.
COCHRAN,T.B. Natural Resources Defense Council. 97/12/12. CALLAN,J.K. Ofc of the Executive Director for Operations. 62pp. A1808:204-A1808:273.

9801160033 Forwards insp rept 40-8989/97-01 on 971027-30 & NOV.NRC determined that three violation of NRC requirement occurred.
SCARANO,R.A. Region 4 (Post 820201). 98/01/09. JUDD,C.A. Envirocare of Utah, Inc. 5pp. A1825:235-A1825:275.

--9801160038 Notice of violation from insp on 971027-30.Violation noted: licensee made change to facility IAW license condition 9.4(a) during March 1996.
* Region 4 (Post 820201). 98/01/09. 3pp. A1825:240-A1825:242.

--9801160041 Insp rept 40-8989/97-01 on 971027-30.Violations noted. Major areas inspected:review of site status,mgt organization & controls,site operations,radiation protection & licensee environ protection program.
* Region 4 (Post 820201). 98/01/09. 26pp. A1825:243-A1825:275.

9801260357 Application for amend to license SMC-1559,revising license condition 10.8(b) to increase permitted open cell area from 38,472 m2 to 55,472 M2.
ALKEMA,K. Envirocare of Utah, Inc. 98/01/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 34pp. A1910:296-A1910:345.

9801210053 Requests that statement of account for period 970101-1231, trust & investment mgt of Envirocare of UT,Inc from DM Turley to B Carlson of NRC be placed in PDR.
LEFEVRE,H.E. Division of Waste Management (NMSS 940403). 98/01/16. FRIDLEY,S. Information & Records Management Branch (Post 890827). 12pp. A1857:340-A1857:351.

9801280200 Forwards FR notice of receipt of petition for director decision under 10CFR2.206 byproduct matl license SMC-1559, Envirocare of UT,Inc.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/16. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. A1967:310-A1967:314.

--9801280206 Notice of receipt of petition for director decision under *10CFR2.206*.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 98/01/16. 3pp. A1967:312-A1967:314.

9801260282 *Forwards affidavit w/attachments & separate copies of revised Whistleblower Protection Policy,revised Environ & Nuclear Safety Compliance Program & revised Employment Agreement for review,per 971208 & 31 ltrs.*
JUDD,C.A. Envirocare of Utah, Inc. 98/01/21. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 17pp. A1911:278-A1911:356.

--9801260314 Responds to 971202 ltr sent by TB Cochran of NRDC making numerous false & misleading statements re Environcare of Utah,Inc.
JUDD,C.A. Envirocare of Utah, Inc. 97/12/23. BELL,H.T. Office of the Inspector General (Post 890417). 5pp. A1911:295-A1911:299.

--9801260320 Affidavit of CA Judd re NRDC petition filed under 10CFR2.206 dtd 971212.
JUDD,C.A. Envirocare of Utah, Inc. 98/01/21. 56pp. A1911:300-A1911:356.

DOCKET 40-9015 HARTLEY & HARTLEY LANDFILL (MDNR), BAY COUNTY, MI

9801290077 Forwards repts re results of Hartley & Hartley landfill radiologic analyses of leachate in Tobico Marsh State Game area.Third round of sampling results will be forwarded as soon as results are available.
GRUBEN,D. Michigan, State of. 97/05/01. PARROTT,J.D. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A1945:227-A1945:345.

--9801290078 "Evaluation of Analytical Results Groundwater/Leachate Samples from Tobico Marsh Site,Rounds I & II."
* Affiliation Not Assigned. 97/04/30. 36pp. A1945:228-A1945:263.

--9801290080 "Rept of Radiological Support Activities Tobico Marsh Groundwater/ Leachate Sampling Collection Project Sampling, Rounds I & II."
* Affiliation Not Assigned. 97/04/30. 122pp. A1945:264-A1945:345.

9801280330 Submits summary of site characteristics & scoping survey units.Site divided into two survey units.
GRUBEN,D. Michigan, State of. 97/10/23. PARROTT,J.D. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. A1936:259-A1936:264.

9801120226 Informs of change of NRC project manager of site located in Kawkawlin,MI.SC Wu replaces JD Prrott for NRC progect mgt activities at site.
WU,S.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/22. SOBEL,K. Michigan, State of. 4pp. A1789:236-A1789:239.

DOCKET 40-9024 ENERGY FUELS NUCLEAR

9801200288 Submits proposed schedule for submitting revisions to Reno Creek in situ permit to mine amend (#479) & source matls license providing wastewater mgt sys documentation for Reno Creek ISL Project.
PILLMORE,D.M. . 97/12/22. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. A1854:359-A1854:360.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

F. Security, medical, emergency & fire protection plans

9801270130 Forwards insp rept 50-002/98-201 on 980106-07.No violations noted.Insp consisted of routine secruity & matl control & accountability reviews.
WEISS,S.H. . 98/01/16. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 3pp. A1934:258-A1934:267.

--9801270132 Insp rept 50-002/98-201 on 980106-07.No violations noted. Major areas inspected:plans,procedures & reviews 81401, protection of safeguards info,81810 matl control & accounting of SNM & 85102 fixed site physical protection.
* . 98/01/16. 7pp. A1934:261-A1934:267.

Q. Inspection reports, IE Bulletins & correspondence

9801270130 Forwards insp rept 50-002/98-201 on 980106-07.No violations noted.Insp consisted of routine secruity & matl control & accountability reviews.
WEISS,S.H. . 98/01/16. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 3pp. A1934:258-A1934:267.

--9801270132 Insp rept 50-002/98-201 on 980106-07.No violations noted. Major areas inspected:plans,procedures & reviews 81401, protection of safeguards info,81810 matl control & accounting of SNM & 85102 fixed site physical protection.
* . 98/01/16. 7pp. A1934:261-A1934:267.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

W. Decommissioning Stage Documents & Correspondence

9801200263 Submits status of response to NRC request for addl info,dtd 971121 for licenses TR-3 & R-93.Request for commitment to complete decommissioning activities by 2007 has been persued up through NASA mgt.
* National Aeronautics & Space Administration. 98/01/20. NRC - No Detailed Affiliation Given. 2pp. A1860:360-A1860:361.

DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9801260076 Forwards response to 971119 RAI re proposed TS amend for Penn State Breazeale Reactor.Amend 32 of TS,encl w/changes marked w/bar in right-hand margin.
ERICKSON,R.A. Pennsylvania State Univ., University Park, PA. 98/01/19. Document Control Branch (Document Control Desk). 6pp. A1913:001-A1913:056.

--9801260081 Proposed amend 32 to TS containing changes to insp frequency of fuel & editorial changes.
* Pennsylvania State Univ., University Park, PA. 98/01/16. 50pp. A1913:007-A1913:056.

Q. Inspection reports, IE Bulletins & correspondence

9801260076 *Forwards response to 971119 RAI re proposed TS amend for Penn State* Breazeale Reactor.Amend 32 of TS,encl w/changes marked w/bar in right-hand margin.
ERICKSON,R.A. Pennsylvania State Univ., University Park, PA. 98/01/19. Document *Control Branch (Document Control Desk).* 6pp. A1913:001-A1913:056.

--9801260081 Proposed amend 32 to TS containing changes to insp frequency of fuel & editorial changes.
* Pennsylvania State Univ., University Park, PA. 98/01/16. 50pp. A1913:007-A1913:056.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--**9801070055** Rev 3j to "Com ED Generating Stations Emergency Plan (GSEP) Site Annex for Braidwood Nuclear Station."
* Commonwealth Edison Co. 97/12/30. 32pp. A1742:137-A1742:168.

--**9801070059** Rev 6k to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for LaSalle County Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 30pp. A1742:169-A1742:198.

--**9801070065** Rev 8n to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Quad Cities Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 28pp. A1742:199-A1742:226.

--**9801070083** Rev 6n to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Dresden Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 31pp. A1742:227-A1742:257.

--**9801070092** Rev 7n to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Zion Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 29pp. A1742:258-A1742:286.

--**9801070099** Rev 4m to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Byron Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 29pp. A1742:287-A1742:315.

9801020022 Forwards insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Noncited violation re failure to implement FFD provisions contained in plant procedure was identified.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. PERRY,J.S. Commonwealth Edison Co. 4pp. A1629:036-A1629:045.

--**9801020038** Insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Major areas inspected: selective review of plant support activities re FFD program, licensee procedures & implementation requirements.
* Region 3 (Post 820201). 97/12/23. 6pp. A1629:040-A1629:045.

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

H. General correspondence

9801280242 Requests that correspondence related only to Unit 1 at Dresden Nuclear Power Station,be addressed to KA Ainger at address shown on encl attachment.
AINGER,K. Commonwealth Edison Co. 97/01/22. Document Control Branch (Document Control Desk). 2pp. A1968:038-A1968:039.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020022 Forwards insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Noncited violation re failure to implement FFD provisions contained in plant procedure was identified.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. PERRY,J.S. Commonwealth Edison Co. 4pp. A1629:036-A1629:045.

--**9801020038** Insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Major areas inspected: selective review of plant support activities re FFD program, licensee procedures & implementation requirements.
* Region 3 (Post 820201). 97/12/23. 6pp. A1629:040-A1629:045.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801070148 Documents status of instrument out of tolerance program at plant.Update to docketed responses to violations noted in insp repts 50-237/94-02,50-249/94-02 & 50-010/95-05,50-237/95-05 & 50-249/95-05.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 4pp. A1747:261-A1747:264.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801160078 Responds to NRC 971204 ltr re violations noted in insp repts 50-010/97-19,50-237/97-19 & 50-249/97-19.Corrective actions: investigation revealed low speed problem & EDG was successfully tested & declared operable.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 17pp. A1836:323-A1836:339.

9801270060 Advises of planned insp effort resulting from Dresden plant performance review.Details of insp plan for next 6 months encl.
RING,M. Region 3 (Post 820201). 98/01/20. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1933:318-A1933:321.

R. Periodic operating reports & related correspondence

9801220146 Monthly operating repts for Dec 1997 for Dresden Nuclear Power Station.W/980113 ltr.
ABRELL,G.R., HEFFLEY,J.M. Commonwealth Edison Co. 97/12/31. 11pp. A1892:349-A1892:359.

9801220215 Fourth quarter rept of completed changes,tests & experiments per 10CFR50.59.W/980115 ltr.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/31. 20pp. A1895:100-A1895:119.

W. Decommissioning Stage Documents & Correspondence

9801200036 Revs to OCDM,including rev 1.3 to Chapter 11, "Radiologicial Environ Monitoring Program" & rev 1.6 to Chapter 12, "Radiological Effluent Technical Stds (RETS)."
* Commonwealth Edison Co. 97/12/18. 83pp. A1841:257-A1841:340.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

DOCKET 50-18 VALLECITOS BOILING WATER REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9801140354 Forwards insp repts 50-018/97-01,50-070-97-01 & 50-183/97-01 on 971204.No violations noted.One unresolved item identified & discussed in section 1.2 of encl rept.
SCARANO,R.A. Region 4 (Post 820201). 98/01/09. STIMMELL,G.L. General Electric Co. 3pp. A1791:048-A1791:058.

--**9801140356** Insp repts 50-018/97-01,50-070/97-01 & 50-183/97-01 on 971204.No violations noted.Major areas inspected:review of status of GETR,VBWR & ESADA Vallecitos Experimental Superheat Reactor.
* Region 4 (Post 820201). 98/01/09. 8pp. A1791:052-A1791:058.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9801200246 Forwards insp rept 50-020/97-202 on 971118-21.No violations noted.
WEISS,S.H. . 98/01/09. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 2pp. A1852:350-A1852:358.

--**9801200248** Insp rept 50-020/97-202 on 971118-21.No violations noted. Major areas inspected:organization & operations & maint activities,procedures & documentation,review & audit & design change functions & emergency preparedness.
WEISS,S.H. . 98/01/09. 6pp. A1852:353-A1852:358.

P. Operating license stage documents & correspondence

9801260070 Informs of plans to make 2 shipments of spent MITR-II fuel in early 1998.Shipments will be made to Savannah River Site using route approved in 1993.
NEWTON,T.H. Massachusetts Institute of Technology, Cambridge, MA. 97/11/21. Office of Nuclear Material Safety & Safeguards. 1p. A1919:071-A1919:071.

Q. Inspection reports, IE Bulletins & correspondence

9801200246 Forwards insp rept 50-020/97-202 on 971118-21.No violations noted.
WEISS,S.H. . 98/01/09. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 2pp. A1852:350-A1852:358.

--**9801200248** Insp rept 50-020/97-202 on 971118-21.No violations noted. Major areas inspected:organization & operations & maint activities,procedures & documentation,review & audit & design change functions & emergency preparedness.
WEISS,S.H. . 98/01/09. 6pp. A1852:353-A1852:358.

DOCKET 50-22 WESTINGHOUSE TEST REACTOR

P. Operating license stage documents & correspondence

9801080376 Submits request for withdrawal of application to transfer & amend license for Westinghouse test reactor facility.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. COLLINS,S.J. . 1p. A1756:358-A1756:358.

9801270172 Forwards request for addl info re review of Westinghouse Test Reactor Decommissioning Plan submitted by 970731 ltr. Response to encl RAI should be submitted within 60 days of ltr date.
MICHAELS,T.S. . 98/01/21. NARDI,A.J. Westinghouse Electric Corp. 5pp. A1934:243-A1934:247.

Q. Inspection reports, IE Bulletins & correspondence

9801280372 Forwards 1997 annual insp rept for retired Westinghouse test reactor.Status of retired facility remains same as time of last rept.
NARDI,J.A. Westinghouse Electric Corp. 98/01/20. MICHAELS,T.S. . 7pp. A1967:337-A1967:343.

R. Periodic operating reports & related correspondence

9801280372 Forwards 1997 annual insp rept for retired Westinghouse test reactor.Status of retired facility remains same as time of last rept.
NARDI,J.A. Westinghouse Electric Corp. 98/01/20. MICHAELS,T.S. . 7pp. A1967:337-A1967:343.

DOCKET 50-27 WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)

P. Operating license stage documents & correspondence

9801200116 Forwards RAI re licensee 950125,960108 & 970223 & 05 requests for amend to Washington State Univ research reactor TSs.Response requested within 60 days of date of ltr.
MENDONCA,M.M. . 98/01/09. TRIPARD,G.E. Washington State Univ., Pullman, WA. 5pp. A1860:316-A1860:320.

Q. Inspection reports, IE Bulletins & correspondence

9801230041 Forwards copy of results of operator initial exam conducted on 971204.W/ o encl.
WEISS,S.H. . 98/01/05. TRIPARD,G.E. Washington State Univ., Pullman, WA. 1p. A1901:244-A1901:244.

9801270218 Forwards insp rept 50-027/97-201 on 971027-31.No violations noted.Insp conducted at Washington State Univ TRIGA Reactor at Nuclear Radiation Center.No significant safetay issues were identified.
WEISS,S.H. . 98/01/16. TRIPARD,G.E. Washington State Univ., Pullman, WA. 3pp. A1934:268-A1934:283.

--9801270223 Insp rept 50-027/97-201 on 971027-31.No violations noted. Major areas inspected:operations,maint & engineering.One noncited violation issued for failure to list major isotopes on shipping papers & labels as determined in 49CFR173.433.
* . 98/01/16. 13pp. A1934:271-A1934:283.

V. Operator Examinations

9801060310 Informs that retake exam,rept 50-027/OF-97-12,administered on 971201 to employee who applied for license to operate univ reactor was conducted IAW NUREG-1478, "Non-Power Reactor Operator Licensing Examiner Stds," Rev 1.
WEISS,S.H. . 97/12/17. TRIPARD,G.E. Washington State Univ., Pullman, WA. 3pp. A1681:048-A1681:050.

9801230041 Forwards copy of results of operator initial exam conducted on 971204.W/ o encl.
WEISS,S.H. . 98/01/05. TRIPARD,G.E. Washington State Univ., Pullman, WA. 1p. A1901:244-A1901:244.

9801290149 Forwards RO certificate for KG Fox at Washington State Univ Nuclear Radiation Ctr.W/o encl.
ROE,J.W. . 98/01/22. TRIPARD,G.E. Washington State Univ., Pullman, WA. 1p. A1961:164-A1961:164.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

S. Reportable occurrences, LERs & related correspondence

9801280283 Special rept:on 980105,meteorological monnitoring instrumentation for air temp Delta T inoperable for more than 7 days.Caused by breakdown in wiring between junction box at 199 foot level.Wiring replaced.
WILLIAMS,F.N. Yankee Atomic Electric Co. 98/01/20. Document Control Branch (Document Control Desk). 2pp. A1936:254-A1936:255.

W. Decommissioning Stage Documents & Correspondence

9801270189 Notice of public info meeting on facility license termination plan (LTP) on 980113 in Buckland,MA.YAEC representatives will describe LTP & site release criteria for plant.
MASNIK,M.T. . 97/12/29. 1p. A1926:356-A1926:356.

9801290094 Supplements & clarifies 971218 responses to NRC 970907 RAI re YNPS license termination plan.
GRANT,J.M. Yankee Atomic Electric Co. 98/01/23. FAIRTILE,M.B. . 29pp. A1968:218-A1968:246.

DOCKET 50-30 PLUM BROOK RESEARCH REACTOR FACILITY

P. Operating license stage documents & correspondence

9801270209 Responds to e-mail from HG Pfanner re NASA proposed response date of 980331,to respond to NRC request for addl info. Date acceptable.
MENDONCA,M.M. . 98/01/21. CAMBELL,D.J. National Aeronautics & Space Administration. 3pp. A1927:332-A1927:334.

DOCKET 50-54 CINTICHEM

R. Periodic operating reports & related correspondence

9801080072 Forwards result of NRC "TLD Direct Radiation Monitoring Around Cintichem Facility," for third quarter of 1997.
STRUCKMEYER,R. Region 1 (Post 820201). 97/12/23. MCGOVERN,J.J. Cintichem, Inc. 4pp. A1728:069-A1728:072.

W. Decommissioning Stage Documents & Correspondence

9801290204 Responds to 971219 ltr concerning status of mixed-waste at Cintichem site.Attached table presents overview of radioactively contaminated waste that remains to be disposed of from decommissioning project.
MCGOVERN,J.J. Cintichem, Inc. 98/01/02. ALDRICH,R.L. New York, State of. 4pp. A1971:306-A1971:310.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9801290087 Revised EPIPs,including rev 23 to EPIP-5, "Response to General Emergency" & rev 23 to EPIP-6, "Notification of Emergency Response Personnel & Support Organizations." W/980124 ltr.
BENNECHE,P.E. Virginia, Univ. of, Charlottesville, VA. 98/01/24. ADAMS,A. Document Control Branch (Document Control Desk). 10pp. A1971:295-A1971:304.

DOCKET 50-70 GENERAL ELECTRIC NUCLEAR TEST REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9801140354 Forwards insp repts 50-018/97-01,50-070-97-01 & 50-183/97-01 on 971204.No violations noted.One unresolved item identified & discussed in section 1.2 of encl rept.
SCARANO,R.A. Region 4 (Post 820201). 98/01/09. STIMMELL,G.L. General Electric Co. 3pp. A1791:048-A1791:058.

--9801140356 Insp repts 50-018/97-01,50-070/97-01 & 50-183/97-01 on 971204.No violations noted.Major areas inspected:review of status of GETR,VBWR & ESADA Vallecitos Experimental Superheat Reactor.
* Region 4 (Post 820201). 98/01/09. 8pp. A1791:052-A1791:058.

DOCKET 50-89 GENERAL ATOMICS

I. Financial information

9801220121 Requests that described financial info submitted to NRC by various financial institutions be treated as proprietary info under provisions of 10CFR2.790.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 98/01/15. SHEPHERD,J. Document Control Branch (Document Control Desk). 2pp. A1895:120-A1895:121.

P. Operating license stage documents & correspondence

9801260294 Forwards request for addl info re licensee 970418 request for amends to licenses R-38 & R-67.Response requested within 90 days of ltr date.
ADAMS,A. . 98/01/16. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 6pp. A1933:344-A1933:349.

V. Operator Examinations

9801130327 Forwards RAI re revised reactor operator requalification program.Response requested within 60 days of date of ltr.
ADAMS,A. . 98/01/05. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. A1795:357-A1795:360.

DOCKET 50-113 UNIV. OF ARIZONA RESEARCH REACTOR

P. Operating license stage documents & correspondence

9801060230 Forwards amend 17 to license R-52 & safety evaluation.Amend updates reporting requirements for change in NRC organization & corrects typographical error.
MENDONCA,M.M. . 97/12/18. WILLIAMS,J.G. Arizona, Univ. of, Tucson, AZ. 3pp. A1667:206-A1667:221.

--9801060233 Amend 17 to license R-52,updating reporting requirements for change in NRC organization & correcting typos.
WEISS,S.H. . 97/12/18. 11pp. A1667:208-A1667:219.

--9801060234 Safety evaluation supporting amend 17 to license R-52.
* . 97/12/18. 2pp. A1667:220-A1667:221.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9801020045 Forwards three copies of updated TS section 1.0, "Definitions," for approval.Explanation of changes provided & additions are underlined.
WENDT,S.E. Iowa State Univ., Ames, IA. 97/12/22. Document Control Branch (Document Control Desk). 7pp. A1687:245-A1687:251.

V. Operator Examinations

9801230101 Forwards revised licensed operator requalification program for NRC approval,per 10CFR50.59.W/explanation for changes.
WENDT,S.E. Iowa State Univ., Ames, IA. 98/01/06. NRC - No Detailed Affiliation Given. 9pp. A1899:247-A1899:255.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9801290068 Application for amend to license R-83,changing TS to include listed paragraph,inserted as paragraph 3.6.2(c). Proprietary SER is forwarded for complete regulatory review of application.Proprietary encl withheld.
O'KELLY,S. Texas A&M Univ., College Station, TX. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A1963:361-A1963:362.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

P. Operating license stage documents & correspondence

9801140139 Informs that LL Wheeler assumed project mgt responsibilities for Humboldt Bay on 971229.LL Wheeler can be contacted at listed E-mail address.
WEISS,S.H. . 98/01/07. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. A1801:202-A1801:204.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

9801120268 Summary of 971204 meeting w/util re status of Saxton Nuclear Experimental Facilities (SNEF) site & licensee plans for decommissioning activities.List of attendees encl.
ADAMS,A. . 97/12/22. . 5pp. A1789:317-A1789:321.

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9801070208 Requests that 970815 ltr concerning Univ of Illinois,Urbana- Champaign Nuclear Reactor Laboratory Emergency Plan,be disregarded.Ltr was sent in error.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 97/12/23. ADAMS,A. NRC - No Detailed Affiliation Given. 1p. A1747:310-A1747:310.

9801150204 Discusses review of changes to Emergency Plan for Nuclear Reactor Lab at Univ of Illinois which were submitted on 970630 by R Holm.Rev 1 reflects guidance provided in IN 97-034.
ZALCMAN,B. . 98/01/07. ADAMS,A. . 3pp. A1817:359-A1817:361.

9801150212 Discusses review of changes to Ford Nuclear Reactor Emergency Plan,Rev 16,Univ of Michigan,submitted on 970702 by R Fleming.Changes included correction of minor typos, telephone number changes & several substantial issues.
ZALCMAN,B. . 98/01/07. MICHAELS,T.S. . 3pp. A1817:356-A1817:358.

9801270019 Ack receipt of 970630 ltr which transmitted changes to Univ of Illinois Nuclear Reactor Lab emergency plan, submitted under 10CFR5.54(q).
ADAMS,A. . 98/01/16. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 3pp. A1927:352-A1927:354.

V. Operator Examinations

9801120245 Discusses arrangements made for administration of operator licensing exams at Univ of Illinois reactor.Written & operating exams scheduled for wk of 980302.Ref matl for reactor/senior reactor operator licensing exams encl.
ISAAC,P. . 97/12/24. JONES,B.G. Illinois, Univ. of, Urbana, IL. 11pp. A1790:039-A1790:049.

9801230334 Discusses arrangements for administration of operator licensing exams at Univ of Illinois reactor scheduled for week of 980302.In order to meet schedule,furnish matl listed in encl 1 at least 30 days prior to exam date.
ISAAC,P. . 98/01/20. JONES,B.G. Illinois, Univ. of, Urbana, IL. 11pp. A1902:048-A1902:058.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9801120258 Forwards EA & Finding of No Significant Impact re application for exemption on 970717 & suppl or modified by 970805,0808,0904 & 1298 ltrs,involving one-time exemption from requirements to perform biennial emergency exercise.
HARRIS,P.W. . 97/12/19. POWERS,K.P. Consumers Energy Co. (formerly Consumers Power Co.),. 5pp. A1762:204-A1762:214.

--9801120262 Environ assessment & finding of no significant impact re issuance of exemption to allow one-time exemption from 10CFR50,App E,Section IV.F.2.c requirements re biennal exercise of offsite emergency plan.
WEISS,S.H. . 97/12/19. 6pp. A1762:209-A1762:214.

9801120211 Forwards exemption for 1997 offsite emergency preparedness exercise,10CFR50 App E,section IV.F.2c.Exemption granted for one-time 90 day schedular exemption to allow postponement of 1997 biennial exercise to date on or before 980331.
HARRIS,P.W. . 97/12/30. POWERS,K.P. Consumers Energy Co. (formerly Consumers Power Co.),. 4pp. A1762:141-A1762:151.

--9801120223 Exemption for 1997 offsite emergency preparedness exercise, 10CFR50,App E,Section IV.F.2.c.Exemption granted.
COLLINS,S.J. . 97/12/30. Consumers Energy Co. (formerly Consumers Power Co.),. 7pp. A1762:145-A1762:151.

9801230122 Forwards rev 32 of security plan.Change does not decrease safeguards effectivenss of plan.Plan withheld.
RANG,J.S. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/16. Document Control Branch (Document Control Desk). 1p. A1897:353-A1897:353.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801270164 EN-97-117:on 980105,informs Commission that order prohibiting involvement in NRC-licensed activities issued to DT Rich.Action based on investigation conducted by OI,which determined on 960721 & 0915,DT Rich falsified records.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/12/30. 1p. A1947:321-A1947:321.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801230338 Responds to NRC 971217 ltr re violations noted in insp rept 50-155/97-13.Corrective actions:removed two items from span 19 to reduce weight to 342 pounds & performed evaluation of effect of overloading of spans 18,19 & 20.
POWERS,K.P. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/15. Document Control Branch (Document Control Desk). 5pp. A1900:281-A1900:285.

W. Decommissioning Stage Documents & Correspondence

9801070336 Forwards order prohibiting involvement in NRC licensed activities.Order issued as consequence of findings that DT Rich deliberately falsified radiological survey records at plant on 960720 & 0915.Home address deleted.
KNAPP,M.R. Ofc of the Executive Director for Operations. 98/01/05. RICH,D.T. Affiliation Not Assigned. 2pp. A1728:001-A1728:017.

--**9801070342** Order prohibiting involvement in NRC-licensed activities. Order re finding that DT Rich deliberately falsified radiological survey records at plant on 960720 & 0915,by recording radiological survey results w/o performing survey.
KNAPP,M.R. Office of Nuclear Material Safety & Safeguards. 98/01/05. Affiliation Not Assigned. 8pp. A1728:005-A1728:017.

9801080180 Forwards signed original of Order Prohibiting Involvement In NRC-Licensed Activities for D Rich for transmittal to Ofc of Federal Register for publication.W/o encl.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 98/01/06. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1728:085-A1728:085.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9801080233 Informs that no entries were made in safeguards event log during Oct,Nov & Dec 1997,per 10CFR73.71(a) through (c).
HERTEL,N.E. Georgia Institute of Technology, Atlanta, GA. 98/01/01. Document Control Branch (Document Control Desk). 1p. A1785:354-A1785:354.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9801050166 Responds to 970915 ltr to Atlanta ofc of EPA re Georgia Tech Research Reactor.NRC evaluations will continue to ensure acceptable application of regulations to protect public health & safety,including decommissioning activities.
MENDONCA,M.M. . 97/12/12. BLOCKEY-O'BRIEN Affiliation Not Assigned. 1p. A1663:141-A1663:142.

P. Operating license stage documents & correspondence

9801130244 Forwards status rept for GA Tech Research Reactor decommissioning program for months of Nov & Dec 1997.
DAVIDSON,J.N. Georgia Institute of Technology, Atlanta, GA. 98/01/02. MENDONCA,M.M. . 3pp. A1792:338-A1792:340.

DOCKET 50-163 GENERAL ATOMICS

I. Financial information

9801220121 Requests that described financial info submitted to NRC by various financial institutions be treated as proprietary info under provisions of 10CFR2.790.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 98/01/15. SHEPHERD,J. Document Control Branch (Document Control Desk). 2pp. A1895:120-A1895:121.

P. Operating license stage documents & correspondence

9801260294 Forwards request for addl info re licensee 970418 request for amends to licenses R-38 & R-67.Response requested within 90 days of ltr date.
ADAMS,A. . 98/01/16. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 6pp. A1933:344-A1933:349.

V. Operator Examinations

9801130327 Forwards RAI re revised reactor operator requalification program.Response requested within 60 days of date of ltr.
ADAMS,A. . 98/01/05. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. A1795:357-A1795:360.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

DOCKET 50-183 VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9801140354 Forwards insp repts 50-018/97-01,50-070-97-01 & 50-183/97-01 on 971204.No violations noted.One unresolved item identified & discussed in section 1.2 of encl rept.
SCARANO,R.A. Region 4 (Post 820201). 98/01/09. STIMMELL,G.L. General Electric Co. 3pp. A1791:048-A1791:058.

--**9801140356** Insp repts 50-018/97-01,50-070/97-01 & 50-183/97-01 on 971204.No violations noted.Major areas inspected:review of status of GETR,VBWR & ESADA Vallecitos Experimental Superheat Reactor.
* Region 4 (Post 820201). 98/01/09. 8pp. A1791:052-A1791:058.

DOCKET 50-184 NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9801230290 Forwards insp rept 50-184/97-202 on 971006-09.No violations noted.
WEISS,S.H. . 98/01/16. ROWE,J.M. Commerce, Dept. of. 3pp. A1890:343-A1890:350.

--**9801230300** Insp rept 50-184/97-202 on 971006-09.No violations noted. Major areas inspected:program for physical protection of spent fuel.
* . 98/01/16. 5pp. A1890:346-A1890:350.

DOCKET 50-185 PLUM BROOK REACTOR - MOCK-UP

P. Operating license stage documents & correspondence

9801270209 Responds to e-mail from HG Pfanner re NASA proposed response date of 980331,to respond to NRC request for addl info. Date acceptable.
MENDONCA,M.M. . 98/01/21. CAMBELL,D.J. National Aeronautics & Space Administration. 3pp. A1927:332-A1927:334.

W. Decommissioning Stage Documents & Correspondence

9801200263 Submits status of response to NRC request for addl info,dtd 971121 for licenses TR-3 & R-93.Request for commitment to complete decommissioning activities by 2007 has been persued up through NASA mgt.
* National Aeronautics & Space Administration. 98/01/20. NRC - No Detailed Affiliation Given. 2pp. A1860:360-A1860:361.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

P. Operating license stage documents & correspondence

9801210101 Forwards curriculum vitae of EA Deutsch,appointed director of Univ of Missouri-Columbia Research Reactor on 971201.Encl shows strong background in business mgt & academic research.
CHARLSON,E. Missouri, Univ. of, Columbia, MO. 98/01/12. . 32pp. A1882:235-A1882:266.

9801290017 Application for amend to license R-103,revising TS 6.1.b, as part of follow-up actions to 971103-07 insp concern re procedures used for preparation of byproduct matl for shipping.
MEYER,W.A., MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 98/01/22. Document Control Branch (Document Control Desk). 1p. A1971:214-A1971:215.

--9801290019 Proposed tech specs page,revising TS 6.1.b re preparation of byproduct matl for shipping.
* Missouri, Univ. of, Columbia, MO. 98/01/22. 1p. A1971:215-A1971:215.

Q. Inspection reports, IE Bulletins & correspondence

9801150048 Documents 980105 telcon w/A Adams re request for two week extension to reporting requirement for NOV until 980125. Informed on 980107,by A Adams,that NRC had granted extension.
MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 98/01/09. WEISS,S.H. . 1p. A1843:360-A1843:360.

9801200283 Forwards corrected pages for page 1 of NOV & page 1 of insp rept 50-186/97-201.Insp rept forwarded on 971211.
WEISS,S.H. . 98/01/09. CHARLSEN,E. Missouri, Univ. of, Columbia, MO. 2pp. A1852:336-A1852:339.

--9801200286 Corrected page 1 of notice of violation from insp on 971103-07.Violation noted:licensee stored Pu-239 calibration source w/quantity 157 times that specified in App C in unposted room.
* . 98/01/09. 1p. A1852:338-A1852:338.

--9801200290 Corrected page 1 of details to insp rept 50-186/97-201 on 971103-07.Violations noted.
* . 98/01/09. 1p. A1852:339-A1852:339.

9801290017 Application for amend to license R-103,revising TS 6.1.b, as part of follow-up actions to 971103-07 insp concern re procedures used for preparation of byproduct matl for shipping.
MEYER,W.A., MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 98/01/22. Document Control Branch (Document Control Desk). 1p. A1971:214-A1971:215.

9801280340 Responds to NRC 971211 ltr re violations noted in insp rept 50-186/97-201.Corrective actions:calibr source stored in unposted area.
MCKIBBEN,J.C., DEUTSCH,E.A., CHARLSON,E.M. Missouri, Univ. of, Columbia, MO. 98/01/23. Document Control Branch (Document Control Desk). 3pp. A1936:256-A1936:258.

S. Reportable occurrences, LERs & related correspondence

9801150136 Special rept:on 971209,reactor shutdown by high power scram initiated by wide range monitor of nuclear instrument sys. Caused by unanticipated positive reactivity insertion. Reflector sample opened & inspected.
MEYER,W.A., MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 98/01/08. Document Control Branch (Document Control Desk). 10pp. A1843:319-A1843:328.

DOCKET 50-199 MANHATTAN COLLEGE RESEARCH REACTOR

P. Operating license stage documents & correspondence

9801160193 Informs that licensee wishes to terminate license to operate non-power reactor,IAW requirements of 10CFR50.82.Encl contains, "Decommissioning Plan Manhattan College Zero Power Reactor."
JACKSON,W. Manhattan College, Riverdale, NY. 97/12/18. MICHAELS,T.S. . 1p. A1833:135-A1833:253.

--9801160194 "Decommissioning Plan Manhattan College Zero Power Reactor."
STANTON,C.C. Manhattan College, Riverdale, NY. 97/12/31. 120pp. A1833:136-A1833:253.

R. Periodic operating reports & related correspondence

9801070199 "Manhattan College Zero Power Reactor Annual Reactor Operations Rept," for period 960901-970831.W/971217 ltr.
STANTON,C.C., PATTERSON,J.D. Manhattan College, Riverdale, NY. 97/08/31. DRAGOUN,T. NRC - No Detailed Affiliation Given. 3pp. A1744:354-A1744:356.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801070191 Forwards rev 18 to NRC approved Aug 1983, "Safeguards Contingency Plan for SONGS,Unit 1,2 & 3" and screening criteria forms IAW 10CFR50.54(p).Encls withheld,per 10CFR73.21.
KRIEGER,R.W. Southern California Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1762:091-A1762:092.

9801020073 Documents schedule change for ingestion pathway zone (IPZ) exercise,discussed during recent telcon w/B Murray of Region IV.Exercise originally planned for 1997 is now scheduled for 1999.
RAINSBERRY,J.L. Southern California Edison Co. 97/12/24. Document Control Branch (Document Control Desk). 2pp. A1670:345-A1670:346.

9801060174 Forwards revised EPIPs,including rev 7 to SO123-VIII-30.5, "Shift Communicator Duties" & rev 2,TCN to SO123-VIII-0.100, "Maint Control of Emergency Planning Documents." Encl lists current offsite emergency planning order.
GIBSON,G.T. Southern California Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 4pp. A1725:122-A1725:160.

--9801060175 Revised EPIPs,including rev 7 to SO123.VIII-30.5, "Shift Communicator Duties" & rev 2,TCN to SO123-VIII-0.100, "Maint & Control of Emergency Planning Documents."
* Southern California Edison Co. 97/12/30. 35pp. A1725:126-A1725:160.

9801220187 Submits rev 18 to NRC "Safeguards Contingency Plan,for San Onofre Nuclear Generating Station,Units 1,2 & 3." Changes do not reduce effectiveness of plan.W/o encl.
KRIEGER,R.W. Southern California Edison Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp.

9801220391 Forwards "SONGS Emergency Response Telephone Directory," for Jan-Mar 1998.
GIBSON,G.T. Southern California Edison Co. 98/01/15. Region 4 (Post 820201). 1p. A1893:322-A1893:341.

--9801220395 "SONGS Emergency Response Telephone Directory," for Jan-Mar 1998.
* Southern California Edison Co. 98/03/31. 19pp. A1893:323-A1893:341.

9801290110 Forwards rev 12 to "Updated Fire Hazards Analysis,SONGS Units 1,2 & 3," IAW requirements of 10CFR50.71(e).Rev submitted on replacement page basis & updates or clarifies existing info.
NUNN,D.E. Southern California Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A2060:001-A2061:054.

--9801290113 Rev 12 to "Updated Fire Hazards Analysis,SONGS Units 1,2 & 3."
* Southern California Edison Co. 98/01/21. 500pp. A2060:004-A2061:054.

H. General correspondence

9801220229 Comment on petition for rulemaking PRM 50-63A re aftermath of nuclear meltdown at San Onofre NPP & possibility of nuclear emergency caused by Navy proposed Mixed Waste facility & plans to homeport nuclear carriers in San Diego.
KRIPKE,Z. Affiliation Not Assigned. 98/01/11. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1875:196-A1875:196.

P. Operating license stage documents & correspondence

9801130302 Provides response to amend application 212,dtd 940906, requesting extension to expiration date for SONGS,Unit 1.
WHEELER,L.L. . 98/01/02. RAY,H.B. Southern California Edison Co. 3pp. A1796:112-A1796:114.

9801140154 Informs that LL Wheeler assumed project mgt responsibilities for plant,Unit 1 on 971229.
WEISS,S.H. . 98/01/07. RAY,H.B. Southern California Edison Co. 3pp. A1801:211-A1801:213.

9801150120 Forwards amend 19 to Topical Rept SCE-1-A, "Quality Assurance Program." Encl II includes summary of changes introduced in Topical Rept SCE-1-A,amend 19 as compared to amend 18.
RAINSBERRY,J.L. Southern California Edison Co. 98/01/13. Document Control Branch (Document Control Desk). 3pp. A1841:001-A1841:093.

--9801150126 Amend 19 to Topical Rept SCE-1-A, "Quality Assurance Program."
SLAGLE,K.A., RAY,H.B. Southern California Edison Co. 97/12/31. 89pp. A1841:004-A1841:093.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

R. Periodic operating reports & related correspondence

9801230301 Forwards "SONGS,Units 1,2 & 3,Facility Changes Implemented for Period from 950927-970121," per 10CFR5059(b)(2).
RAINSBERRY,J.L. Southern California Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 2pp. A1895:204-A1895:294.

--9801230305 "SONGS,Units 1,2 & 3 Facility Changes Implemented for Period from 950927-970721."
* Southern California Edison Co. 97/07/21. 88pp. A1895:206-A1895:294.

S. Reportable occurrences, LERs & related correspondence

9801050311 Forwards LER 97-003,providing 30-day follow-up rept required by 10CFR73.71(d) for security computer sys being inoperable for few minutes.
KRIEGER,R.W. Southern California Edison Co. 97/12/22. Document Control Branch (Document Control Desk). 1p. A1687:001-A1687:002.

--9801050316 LER 97-003-00:on 970520,SCE discovered security computer sys was out of svc.Caused by Unit 1 permanently shutdown,Unit 2 at 100% full power & Unit 3 shutdown.Computer sys was restored.
KRIEGER,R.W. Southern California Edison Co. 97/12/22. 1p. A1687:002-A1687:002.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9801050041 Discusses radiation protection improvement plan status re CAL-1-97-07.Attachment 1 contains pending commitments made within ltr.
MELLOR,R.A. Connecticut Yankee Atomic Power Co. 97/12/23. Document Control Branch (Document Control Desk). 5pp. A1709:243-A1709:247.

9801230413 Rev 3,Change 1 to NUC EPOP 4428E, "Post-Accident Release Rates." W/ index.
* Connecticut Yankee Atomic Power Co. 98/01/15. 36pp. A1898:214-A1898:249.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9801050194 Provides update of 10CFR2.206 Petition submitted on 970303 on behalf of AA Cizek.Petition requests that licenses for Millstone Nuclear Power Station & Haddam Neck Plant be modified by replacing certain condition on licenses.
DEMBEK,S. . 97/12/18. HADLEY,E.C. Affiliation Not Assigned. 2pp. A1662:346-A1662:347.

H. General correspondence

9801150200 Informs that since last telcon w/J Yankee addl locations off reactor site have been identified w/trace levels of contamination.Efforts to identify & survey offsite locations that received radioactive matl from HNNP continuing.
FREDICHS,T.L. . 98/01/07. YANKEE,J. Affiliation Not Assigned. 2pp. A1817:349-A1817:350.

P. Operating license stage documents & correspondence

9801140391 Final response to FOIA request for documents.Records in App A & B available in PDR.App C records withheld in part (ref FOIA Exemptions 4 & 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/31. GOLDMAN,J. Affiliation Not Assigned. 8pp. A1832:092-A1832:204.

--9801150062 Forwards inquiry re high level of tritium release for Haddam Neck NPP.Info partially withheld.
DODD,C.J. Senate. 96/04/17. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 3pp. A1832:202-A1832:204.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801080043 Forwards insp rept 50-213/97-11 on 971006-09 & 1103-07.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 97/12/29. FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. 3pp. A1728:159-A1728:180.

--9801080048 Insp rept 50-213/97-11 on 971006-09 & 1103-07.No violations noted.Major areas inspected:programs for radioactive liquid control.
* Region 1 (Post 820201). 97/12/29. 19pp. A1728:162-A1728:180.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801230165 Forwards insp rept 50-213/97-10 on 971008-1128.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 98/01/14. DAVIS,D.K., MELLOR,R.A. Connecticut Yankee Atomic Power Co. 3pp. A1889:191-A1889:267.

--9801230171 Insp rept 50-213/97-10 on 971008-1128.No violations noted. Major areas inspected:plant support.
* Region 1 (Post 820201). 98/01/14. 74pp. A1889:194-A1889:267.

9801230095 Forwards insp rept 50-213/97-12 on 970812-13 & 1006-09.No violations noted.Insp confirmed adequacy of CAs relative to specific deficiency.
WIGGINS,J.T. Region 1 (Post 820201). 98/01/15. DAVIS,D.K., MELLOR,R.A. Connecticut Yankee Atomic Power Co. 3pp. A1915:222-A1915:231.

--9801230100 Insp rept 50-213/97-12 on 970812-13 & 1006-09.No violations noted.Major areas inspected:status of RP&C facilities & equipment.
* Region 1 (Post 820201). 98/01/15. 7pp. A1915:225-A1915:231.

R. Periodic operating reports & related correspondence

9801210165 Monthly operating rept for Dec 1997 for Haddam Neck Plant. W/980115 ltr.
EMMONS,K.W., MELLOR,R.A. Connecticut Yankee Atomic Power Co. 97/12/31. 9pp. A1867:289-A1867:297.

S. Reportable occurrences, LERs & related correspondence

9801020109 LER 97-021-00:on 971124,contaminated matls were found offsite.Caused by breakdown of health physics program that was in effect at time matl was released from site.Revised procedures re release of contaminated matls.W/971219 ltr.
SEXTON,R., BOUCHARD,G.H. Connecticut Yankee Atomic Power Co. 97/12/19. 6pp. A1658:343-A1658:348.

V. Operator Examinations

9801280278 Provides notification that license,SOP-10589-2,for JC Banks has been discontinued due to operator's transfer to Millstone Station.
MELLOR,R.A. Connecticut Yankee Atomic Power Co. 98/01/20. Document Control Branch (Document Control Desk). 2pp. A1945:221-A1945:222.

W. Decommissioning Stage Documents & Correspondence

9801050146 Informs that effective 980105,TL Fredrichs will assume project mgt responsibilities for Haddam Neck Plant.
WEISS,S.H. . 97/12/11. MELLOR,R. Connecticut Yankee Atomic Power Co. 3pp. A1663:292-A1663:294.

9801050213 Responds to 971027 ltr re property located on site of Haddam Neck plant,licensed under regulations of Connecticut Yankee Atomic Power Co for eligibility for listing on Natl Register of Historic Places.
FAIRTILE,M.B. . 97/12/11. RODGERS,R.J. Advisory Council on Historic Preservation. 2pp. A1663:143-A1663:144.

9801050041 Discusses radiation protection improvement plan status re CAL-1-97-07.Attachment 1 contains pending commitments made within ltr.
MELLOR,R.A. Connecticut Yankee Atomic Power Co. 97/12/23. Document Control Branch (Document Control Desk). 5pp. A1709:243-A1709:247.

9801050047 Provides status of plant 970206 interim response to NRC 961009 request for info on configuration mgt project.
MELLOR,R.A. Connecticut Yankee Atomic Power Co. 97/12/24. Document Control Branch (Document Control Desk). 10pp. A1684:308-A1684:317.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9801300106 Rev 9 to EPIP 6630-ADM-4010.03, "Oyster Creek Emergency Dose Calculation Manual." W/980121 ltr.
ROCHE,M.B. General Public Utilities Corp. 98/01/21. 80pp. A2004:087-A2004:166.

P. Operating license stage documents & correspondence

9801020120 Application for amend to license DPR-16,consisting of TS change request 171,modifying TS pages 2.3-6,2.3-7,3.1-11, 3.1-14,3.1-16,3.4-8,3.8-2,3.8-3,4.3-1,4.5-13 & 6-1.
ROCHE,M.B. General Public Utilities Corp. 97/12/10. Document Control Branch (Document Control Desk). 13pp. A1687:147-A1687:171.

--9801020122 Proposed tech specs changing pages 2.3-6,2.3-7,3.1-11, 3.1-14,3.1-16,3.4-8,3.8-2,3.8-3,4.3-1,4.5-13 & 6-1.
* General Public Utilities Corp. 97/12/10. 12pp. A1687:149-A1687:171.

9801070207 Forwards annual update of integrated schedule re long range planning program,per condition 2.C(10) of OL DPR-16.
ROCHE,M.B. General Public Utilities Corp. 97/12/29. Document Control Branch (Document Control Desk). 15pp. A1743:339-A1743:353.

9801130387 Submits 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
ROCHE,M.B. General Public Utilities Corp. 98/01/05. Document Control Branch (Document Control Desk). 8pp. A1808:334-A1808:341.

9801230025 Forwards amend 194 to license DPR-16 & SE.Amend revises plant operating license & TS to reflect registered trade name of "GPU Energy."
SMITH,C.W. . 98/01/14. ROCHE,M.B. General Public Utilities Corp. 3pp. A1902:020-A1902:038.

--**9801230026** Amend 194 to license DPR-16,revising plant operating license & TS to reflect registered trade name of "GPU Energy" from GPU Nuclear Corp to GPU Nuclear,Inc.
EATON,R.B. . 98/01/14. 14pp. A1902:023-A1902:036.

--**9801230027** Safety evaluation supporting amend 194 to license DPR-16.
* . 94/01/14. 2pp. A1902:037-A1902:038.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9801050165 Advises that NRC 971106 ltr informing licensee that violation contested in 970806 correspondence was still under review & would be addressed by separate correspondence. Violation is withdrawn.
HEHL,C.W. Region 1 (Post 820201). 97/12/11. ROCHE,M.B. General Public Utilities Corp. 2pp. A1658:009-A1658:010.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801130314 Documents request & approval of extension to 980331,w/mutual understanding that realistic efforts would be made to docket submittal re insp rept 50-219/97-06 as soon as possible.
ROCHE,M.B. General Public Utilities Corp. 97/12/30. Document Control Branch (Document Control Desk). 1p. A1807:354-A1807:354.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801200278 Responds to NRC ltr re violations noted in insp rept 50-219/97-09.Corrective actions:STA instructed to follow procedural requirements & not to use computer steam tables.
ROCHE,M.B. General Public Utilities Corp. 98/01/09. Document Control Branch (Document Control Desk). 7pp. A1865:322-A1865:328.

9801260060 Ack receipt of 971217 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/97-06.Actions will be examined during future insp of licensed program.
ESELGROTH,P.W. Region 1 (Post 820201). 98/01/12. ROCHE,M.B. General Public Utilities Corp. 2pp. A1919:120-A1919:132.

9801260426 Ack receipt of 971204 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/97-07.
ESELGROTH,P.W. Region 1 (Post 820201). 98/01/12. ROCHE,M.B. General Public Utilities Corp. 7pp. A1919:091-A1919:097.

R. Periodic operating reports & related correspondence

9801220026 Monthly operating rept for Dec 1997 for Oyster Creek Nuclear Station.W/ 980112 ltr.
EGAN,D.M., ROCHE,M.B. General Public Utilities Corp. 97/12/31. 3pp. A1894:341-A1894:343.

S. Reportable occurrences, LERs & related correspondence

9801130374 LER 97-015-00:on 971204,static time delay units not mounted in conformance w/Seismic Qualification Criteria.Engineering direction developed for correction of deficiencies.W/980102 ltr.
BURKE,P., ROCHE,M.B. General Public Utilities Corp. 98/01/02. 5pp. A1806:308-A1806:312.

9801220232 LER 97-016-00:on 971212,monitors may not have operated for required time due to inadequate calculation.Increased low pressure limit of reagent gases & ensures that installed gas bottles had sufficient pressure.W/980112 ltr.
PANICKER,R., ROCHE,M.B. General Public Utilities Corp. 98/01/12. 6pp. A1893:086-A1893:091.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801090241 Forwards SALP repts 50-220/97-99 & 50-410/97-99 for Nine Mile Point Nuclear Station,Units 1 & 2,for period 960602- 971108.Mgt meeting scheduled for 980109 at Nine Mile Point site to discuss assessment & address weaknesses identified.
MILLER,H.J. Region 1 (Post 820201). 97/12/30. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. A1741:084-A1741:093.

--**9801090271** SALP repts 50-220/97-99 & 50-410/97-99 for 960602-971108.
* Region 1 (Post 820201). 97/12/30. 6pp. A1741:088-A1741:093.

9801270118 Revised EPIPs,including rev 13 to EPMP-EPP-2,rev 4 to EPMP-EPP-04,rev 4 to EPMP-EPP-08,rev 7 to EPIP-EPP-23 & rev 4 to EPIP-EPP-25.W/980116 ltr.
TERRY,C.D. Niagara Mohawk Power Corp. 98/01/16. 219pp. A1945:001-A1945:220.

P. Operating license stage documents & correspondence

9801020091 Revises original commitments contained in 970207 response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions."
CONWAY,J.T. Niagara Mohawk Power Corp. 97/12/16. Document Control Branch (Document Control Desk). 2pp. A1670:347-A1670:348.

9801020009 Forwards proposed changes to SPDES Permit NY001015,submitted to NY State Dept of Environ Conservation by licensee 971215 ltr.
TERRY,C.D. Niagara Mohawk Power Corp. 97/12/23. Document Control Branch (Document Control Desk). 11pp. A1679:236-A1679:246.

9801140172 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
CONWAY,J.T. Niagara Mohawk Power Corp. 98/01/05. Document Control Branch (Document Control Desk). 9pp. A1824:309-A1824:317.

9801140142 Notification of 980128 meeting w/NMP in Rockville,MD to discuss NRC position that exceeding relief pressure stated in FSAR design bases for blowout panels of reactor & turbine bldgs that should have been reported to NRC in 1993.
HOOD,D.S. . 98/01/06. BAJWA,S.S. . 4pp. A1806:355-A1806:358.

9801290119 Corrected notification of 980128 meeting w/NMP in Rockville, MD,to disduss NRC position that exceeding relief pressures stated in FSAR design bases for blowout panels of reactor & turbine bldgs should have been reported in 1993.
HOOD,D.S. . 98/01/23. BAJWA,S.S. . 3pp. A1961:161-A1961:163.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801080129 Notification of significant licensee meeting 97-128 w/util on 980109 to discuss SALP for period covering 960602-971108, as documented in SALP repts 50-220/97-99 & 50-410/97-99.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/12/24. Region 1 (Post 820201). 3pp. A1728:073-A1728:075.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801070213 Responds to NRC ltr re violations noted in insp repts 50-220/97-07 & 50-410/97-07.Corrective actions:TS 3.6.2.a was reviewed for impact on operability of control room ventilation sys & determined no impact.
CONWAY,J.T. Niagara Mohawk Power Corp. 97/12/29. Document Control Branch (Document Control Desk). 6pp. A1747:286-A1747:291.

9801080112 Forwards insp repts 50-220/97-11 & 50-410/97-11 & notice of violation.Staff identification of several tech spec surveillance requirement deficiencies indicate improved questioning attitude.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/12/29. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. A1728:227-A1728:270.

--**9801080117** Notice of violation from insp on 971005-1108.Violation noted:as of 970912,reactor protection sys logic sys functional tests of APRM channels "E" & "F" had not been performed since initial operation.
* Region 1 (Post 820201). 97/12/29. 2pp. A1728:230-A1728:231.

--**9801080126** Insp repts 50-220/97-11 & 50-410/97-11 on 971005-1108. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/12/29. 34pp. A1728:232-A1728:270.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801090241 Forwards SALP repts 50-220/97-99 & 50-410/97-99 for Nine Mile Point Nuclear Station,Units 1 & 2,for period 960602- 971108.Mgt meeting scheduled for 980109 at Nine Mile Point site to discuss assessment & address weaknesses identified.
MILLER,H.J. Region 1 (Post 820201). 97/12/30. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. A1741:084-A1741:093.

--9801090271 SALP repts 50-220/97-99 & 50-410/97-99 for 960602-971108.
* Region 1 (Post 820201). 97/12/30. 6pp. A1741:088-A1741:093.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801140253 Forwards response to request for plan of action re #11 concentrated waste tank as contained in NRC insp repts 50-220/97-07 & 50-410/97-07.
SYLVIA,B.R. Niagara Mohawk Power Corp. 98/01/05. Document Control Branch (Document Control Desk). 3pp. A1826:357-A1826:359.

9801160057 Discusses investigation rept 1-96-015 involving wrongdoing associated w/ FFD testing computer program at plant,enabling certain individuals to be excluded from random drug testing. Investigation synopsis encl.
HEHL,C.W. Region 1 (Post 820201). 98/01/08. JOHNSON,T.C. Affiliation Not Assigned. 41pp. A1825:296-A1825:337.

9801160067 Discusses investigation rept 1-96-015 involving wrongdoing associated w/ FFD testing computer program at plant,enabling certain individuals to be excluded from random drug testing. Investigation synopsis encl.
HEHL,C.W. Region 1 (Post 820201). 98/01/08. NARDSLICO,A.M. Affiliation Not Assigned. 44pp. A1826:049-A1826:091.

9801220061 Ack receipt of 971229 ltr informing NRC of steps taken to correct violations noted in insp rept 50-220/97-07 & 50-410/97-07.
DOERFLEIN,L.T. Region 1 (Post 820201). 98/01/12. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. A1877:030-A1877:038.

9801230079 Informs that 971223 request for extension to respond to violation or request predecisional enforcement conference, has been approved until 980130.
HEHL,C.W. Region 1 (Post 820201). 98/01/15. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. A1915:214-A1915:216.

9801280128 Discusses insp repts 50-220/97-07 & 50-410/97-07 on 970810-1004 & forwards NOV & imposition of civil penalty in amount of $55,000.Violation involved four shipments radioactive matl in manner contrary to NRC requirements.
MILLER,H.J. Region 1 (Post 820201). 98/01/22. SYLVIA,B.R. Niagara Mohawk Power Corp. 6pp. A1939:333-A1939:341.

--9801290032 Notice of violation & proposed imposition of civil penalty in amount of $55,000.Violation noted:on 970925,package containing metal samples removed from Unit 1 emergency cooling tube sheet was sent to listed company,not on list.
* Region 1 (Post 820201). 98/01/22. 3pp. A1939:339-A1939:341.

R. Periodic operating reports & related correspondence

9801260419 Monthly operating rept for Dec 1997 for Nine Mile Point Nuclear Station,Unit 1.W/980115 ltr.
COLEMAN,D.E., ABBOTT,R.B. Niagara Mohawk Power Corp. 97/12/31. 5pp. A1913:271-A1913:275.

S. Reportable occurrences, LERs & related correspondence

9801050326 LER 97-014-00:on 971125,vent & purge isolation during troubleshooting,was experienced.Caused by defective equipment.Cause of ESF actuation was verified,signal reset & drywell vent & purge valves were reopened.W/ 971226 ltr.
MAZZAFERRO,P.A., ABBOTT,R.B. Niagara Mohawk Power Corp. 97/12/26. 5pp. A1687:048-A1687:052.

9801130410 LER 97-015-00:on 971203,potential bypass leakage path between drywell & torus during vent & purge noted. Caused by filing & makeup failure to recognized bypass leakage paths.Revised operations procedures.W/980102 ltr.
RANDALL,R.G., ABBOTT,R.B. Niagara Mohawk Power Corp. 98/01/02. 5pp. A1806:303-A1806:307.

DOCKET 50-223 UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR

P. Operating license stage documents & correspondence

9801150193 Refers to 971218 ltr which informed of request for DOE to provide L Bettenhausen w/two replacement HEU fuel elements in Univ of Massachussetts Lowell Research Reactor core.Finds acceptance of fuel permissible since LEU fuel unavailable.
MICHAELS,T.S. . 97/07/15. BETTENHAUSEN,L. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 3pp. A1817:351-A1817:353.

9801060317 Requests that two replacement HEU fuel elements be provided so research can go forward w/o delay.
BETTENHAUSEN,L. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 97/12/18. MICHAELS,T.S. . 3pp. A1736:358-A1736:360.

9801090172 Informs of completion of remaining commitment re operation of Gamma Cave facility at Univ of MA Research Reactor. In-Cave monitor has been installed,tested & incorporated into cave safety interlock sys.
KEGEL,G.H. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 97/12/30. MICHAELS,T.S. . 2pp. A1786:357-A1786:358.

9801150197 Accepts replacement of high enriched fuel elements per 10CFR50.64(b)(2)(i).Inventory of unirradiated HEU fuel must conform to requirements of order entitled, "Reduction of Unirradiated HEU Fuel Holdings at Non-Power Reactors."
MICHEALS,T.S. . 98/01/08. BETTENHAUSEN,L. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 3pp. A1820:213-A1820:215.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--9801070083 Rev 6n to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Dresden Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 31pp. A1742:227-A1742:257.

9801020022 Forwards insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Noncited violation re failure to implement FFD provisions contained in plant procedure was identified.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. PERRY,J.S. Commonwealth Edison Co. 4pp. A1629:036-A1629:045.

--9801020038 Insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Major areas inspected: selective review of plant support activities re FFD program, licensee procedures & implementation requirements.
* Region 3 (Post 820201). 97/12/23. 6pp. A1629:040-A1629:045.

9801080022 Forwards final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents," per GL 88-20.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 3pp. A1749:001-A1753:151.

--9801080042 Final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents."
* Commonwealth Edison Co. 97/12/30. 1,607pp. A1749:004-A1753:151.

9801090198 Refers to fire protection insp conducted from 960708-1017 at Dresden & Quad Cities & violation noted re failure to protect MOVs from effects of hot shorts during postulated CR fire.No NOV issued & no civil penalty proposed.
BEACH,A.B. Region 3 (Post 820201). 97/12/30. KINGSLEY,O. Commonwealth Edison Co. 3pp. A1741:018-A1741:021.

9801130212 Forwards SALP 15 repts 50-237/97-01 & 50-249/97-01 for period 961229-971122 for review.Licensee should be prepared to discuss assessment & plans to improve performance in area of engineering at 980116 SALP meeting.
BEACH,A.B. Region 3 (Post 820201). 98/01/02. HEFFLEY,J.M. Commonwealth Edison Co. 4pp. A1791:001-A1791:009.

--9801140126 SALP repts 50-237/97-01 & 50-249/97-01 for 961229-971122.
* . 98/01/02. 5pp. A1791:005-A1791:009.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

P. Operating license stage documents & correspondence

9801200036 Revs to OCDM,including rev 1.3 to Chapter 11, "Radiologicial Environ Monitoring Program" & rev 1.6 to Chapter 12, "Radiological Effluent Technical Stds (RETS)."
* Commonwealth Edison Co. 97/12/18. 83pp. A1841:257-A1841:340.

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801080022 Forwards final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents," per GL 88-20.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 3pp. A1749:001-A1753:151.

--9801080042 Final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents."
* Commonwealth Edison Co. 97/12/30. 1,607pp. A1749:004-A1753:151.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--9801130014 "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801220251 Forwards request for addl info re 960628 plant-specific summary rept in accordance w/GL 87-02 for Dresden Nuclear Power Station,Units 2 & 3,for resolution of unresolved safety issues A-46.Response requested within 90 days.
STANG,J.F. . 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 8pp. A1880:337-A1880:344.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020022 Forwards insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Noncited violation re failure to implement FFD provisions contained in plant procedure was identified.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. PERRY,J.S. Commonwealth Edison Co. 4pp. A1629:036-A1629:045.

--9801020038 Insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Major areas inspected: selective review of plant support activities re FFD program, licensee procedures & implementation requirements.
* Region 3 (Post 820201). 97/12/23. 6pp. A1629:040-A1629:045.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801070148 Documents status of instrument out of tolerance program at plant.Update to docketed responses to violations noted in insp repts 50-237/94-02,50-249/94-02 & 50-010/95-05,50-237/95-05 & 50-249/95-05.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 4pp. A1747:261-A1747:264.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801080022 Forwards final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents," per GL 88-20.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 3pp. A1749:001-A1753:151.

9801090198 Refers to fire protection insp conducted from 960708-1017 at Dresden & Quad Cities & violation noted re failure to protect MOVs from effects of hot shorts during postulated CR fire.No NOV issued & no civil penalty proposed.
BEACH,A.B. Region 3 (Post 820201). 97/12/30. KINGSLEY,O. Commonwealth Edison Co. 3pp. A1741:018-A1741:021.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130212 Forwards SALP 15 repts 50-237/97-01 & 50-249/97-01 for period 961229-971122 for review.Licensee should be prepared to discuss assessment & plans to improve performance in area of engineering at 980116 SALP meeting.
BEACH,A.B. Region 3 (Post 820201). 98/01/02. HEFFLEY,J.M. Commonwealth Edison Co. 4pp. A1791:001-A1791:009.

--9801140126 SALP repts 50-237/97-01 & 50-249/97-01 for 961229-971122.
* . 98/01/02. 5pp. A1791:005-A1791:009.

9801150045 Informs of intent to implement recommendations of BWRVIP-18, "BWR Core Spray Internal Insp & Evaluation Guidelines," in core spray insp during upcoming D2R15 refueling outage.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/08. Document Control Branch (Document Control Desk). 8pp. A1841:155-A1841:162.

9801160078 Responds to NRC 971204 ltr re violations noted in insp repts 50-010/97-19,50-237/97-19 & 50-249/97-19.Corrective actions: investigation revealed low speed problem & EDG was successfully tested & declared operable.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 17pp. A1836:323-A1836:339.

9801270060 Advises of planned insp effort resulting from Dresden plant performance review.Details of insp plan for next 6 months encl.
RING,M. Region 3 (Post 820201). 98/01/20. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1933:318-A1933:321.

9801300175 Discusses investigation rept 3-96-023,completed on 970530 & forwards notice of violation based on info developed during investigation & info provided by staff.Licensee conference handout,NRC conference handout & list of attendees encl.
BEACH,A.B. Region 3 (Post 820201). 98/01/27. PERRY,J.S. Commonwealth Edison Co. 4pp. A1964:103-A1964:124.

--9801300176 Notice of violation from investigation completed on 970530. Violation noted:attachment to 960304 ltr from plant site Vice President to NRC,was not complete & accurate in all matl respects.
* Region 3 (Post 820201). 98/01/27. 18pp. A1964:107-A1964:124.

R. Periodic operating reports & related correspondence

9801220146 Monthly operating repts for Dec 1997 for Dresden Nuclear Power Station.W/980113 ltr.
ABRELL,G.R., HEFFLEY,J.M. Commonwealth Edison Co. 97/12/31. 11pp. A1892:349-A1892:359.

9801220215 Fourth quarter rept of completed changes,tests & experiments per 10CFR50.59.W/980115 ltr.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/31. 20pp. A1895:100-A1895:119.

S. Reportable occurrences, LERs & related correspondence

9801050058 Forwards LER 97-017-00 re potential vortex formation in CST to HPCI suction nozzle due to original design error. Commitments made in LER,listed.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/26. Document Control Branch (Document Control Desk). 2pp. A1687:074-A1687:081.

--9801050063 LER 97-017-00:on 971126,potential vortex formation in CST to HPCI suction nozzle,was discovered.Caused by original design error.Declared Unit 2 & 3 HPCI sys inoperable & entered LCO, per TS.
FOX,J. Commonwealth Edison Co. 97/12/26. 6pp. A1687:076-A1687:081.

9801270100 Forwards LER 97-018-00,submitted per 10CFR50.73(a)(2)(iv) which requires reporting of any event or condition,resulting in manual or automatic actuation of any ESF.Correspondence contains listed commitment.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 1p. A1947:315-A1947:319.

--9801270103 LER 97-018-00:on 971222,unexpected Group IV primary containment isolation signal received while testing HPCI steam line low pressure isolation circuitry.Cause of event unknown.Relays suspected replaced.
TIETZ,G. Commonwealth Edison Co. 98/01/21. 4pp. A1947:316-A1947:319.

9801270106 Forwards LER 97-019,submitted per 10CFR50.73(a)(2)(iv) which requires reporting of any event or condition,resulting in manual or automatic actuation of any ESF.Correspondance contains listed commitment.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/22. Document Control Branch (Document Control Desk). 2pp. A1947:302-A1947:309.

--9801270112 LER 97-019-00:on 971223,unexpected RPS Channel A half scram received from spiking LPRM.Caused by design/mfg deficiency of LPRM detector.Schedule for replacement of LPRMs w/ upgraded types will be reviewed.
WHALEN,R. Commonwealth Edison Co. 98/01/22. 6pp. A1947:304-A1947:309.

V. Operator Examinations

9801200139 Forwards actions addressing simulator issues discussed in initial operator licensing exams completed on 970806 at Dresden Station.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 5pp. A1891:330-A1891:334.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B., SCHMIDT,T.L. Commonwealth Edison Co. PALCHAK,J.F. Illinois Power Co. 3pp. A1960:072-A1960:074.

DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9801140371 Submits formal rept of changes IAW 10CFR50.54(q),as result of annual review of OSTR emergency response plan completed on 971219.
DODD,B. Oregon State Univ., Corvallis, OR. 97/12/29. Document Control Branch (Document Control Desk). 9pp. A1830:306-A1830:360.

--9801140375 Revised "OSTR Emergency Response Plan."
* Oregon State Univ., Corvallis, OR. 97/11/30. 23pp. A1830:314-A1830:360.

H. General correspondence

9801020030 Responds to RAI re proposed amends to OSTR TS.Replacement pages to amends proposed in 971125 ltr,encl.Changes to personnel shown in encl organization chart of OSTR TS,per TS 6.7.c.3,noted.
DODD,B. Oregon State Univ., Corvallis, OR. 97/12/19. Document Control Branch (Document Control Desk). 7pp. A1670:334-A1670:340.

P. Operating license stage documents & correspondence

9801050177 Forwards RAI re amend request for license R-106 for Oregon State Univ Research Reactor,submitted on 971125.
ADAMS,A. . 97/12/10. DODD,B. Oregon State Univ., Corvallis, OR. 4pp. A1663:273-A1663:276.

9801280024 Forwards original & 3 copies of summary of paper "Regulatory View of Non-Power Reactor License Renewal," to be presented at 1998 ANS annual meeting.W/o encl.
ADAMS,A. . 98/01/21. MILLER,L.F. American Nuclear Society. 1p. A1921:288-A1921:289.

V. Operator Examinations

9801130016 Informs that written & operating exams are scheduled for 980223.Matls listed in encl requested to be furnished in order to meet schedule.
DOYLE,P. . 97/12/24. DODD,B. Oregon State Univ., Corvallis, OR. 11pp. A1790:124-A1790:134.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801050158 Forwards insp rept 50-244/97-11 on 971014-1116.No violations noted.Inspector noted several ongoing examples where contamination boundary controls were not fully effective & continue to challenge radiological & health physics workers.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/12/19. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. A1658:103-A1658:151.

--**9801050160** Insp rept 50-244/97-11 on 971014-1116.No violations noted. Major areas inspected:operations,engineering,maintenance & plant support.
* Region 1 (Post 820201). 97/12/19. 46pp. A1658:105-A1658:151.

9801230068 Informs that util no longer requires exemption for absence of continuous fire-rated barrier at common boundary between fire areas ABI & ABBM at refueling water storage tank.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/13. VISSING,G.S. . 2pp. A1899:268-A1899:311.

9801280222 Forwards Rev "N" to plant security plan.Rev submitted in accordance w/ provisions of 10CFR50.54(p) since rev does not degrade physical security effectiveness.Encl withheld, per 10CFR73.21.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1936:269-A1936:269.

9801280224 Forwards Rev 5 to RE Ginna Nuclear Power Plant training & qualification plan for security officers,dtd 980115,per 10CFR50.54(p).Encl withheld.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1936:270-A1936:270.

9801220326 Revised EPIPs,including rev 11 to EPIP 2-11, "Onsite Surveys," rev 9 to EPIP 3-1, "Emergency Operations Facility (EOF) Activation" & rev 18 to EPIP 5-2, "Onsite Emergency Responsible Facilities & Equipment ..." W/980116 ltr.
POLFLEIT,P.S. Rochester Gas & Electric Corp. 98/01/16. VISSING,G.S. . 73pp. A1894:001-A1894:073.

P. Operating license stage documents & correspondence

9801050023 Notifies of completion of requested actions for 1996,testing of safety-related logic circuits IAW GL 96-01.
MECREDY,R.C. Rochester Gas & Electric Corp. 97/12/19. VISSING,G.S. . 2pp. A1684:265-A1684:266.

9801020155 Revises commitment made to perform "blackness testing" in 1997,in 961024 response to GL 96-04.Equipment & personnel were not available to perform testing in CY97.Performance of tests will now be conducted during first quarter of 1998.
MECREDY,R.C. Rochester Gas & Electric Corp. 97/12/22. VISSING,G.S. . 1p. A1687:252-A1687:252.

9801050006 Forwards responses to RAI re ALARA considerations related to spent fuel pool mods.
MECREDY,R.C. Rochester Gas & Electric Corp. 97/12/22. VISSING,G.S. . 5pp. A1679:353-A1679:357.

9801140043 Submits response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for Emergency Core Cooling & Containment Heat Removal Pumps," dtd 971007.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/06. VISSING,G.S. . 7pp. A1823:334-A1823:340.

9801140115 Forwards rev 2 to "RCS Pressure & Temp Limits Rept (PTLR)," per TS 5.6.6.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/06. VISSING,G.S. . 1p. A1801:326-A1801:340.

--**9801140119** Rev 2 to "RCS Pressure & Temp Limits Rept (PTLR)."
* Rochester Gas & Electric Corp. 97/12/23. 14pp. A1801:327-A1801:340.

9801220289 Informs that licensee discovered that 930805 submittal of QA program to NRC under 10CFR50.54(a)(3)(ii) was incomplete. Some administrative errors were made in Rev 20 of QA program for station operation.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/13. VISSING,G.S. . 2pp. A1893:354-A1893:355.

9801260112 Informs of completion of licensing action for GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110 for plant.
VISSING,G.S. . 98/01/14. MECREDY,R.C. Rochester Gas & Electric Corp. 5pp. A1902:240-A1902:244.

9801230117 Forwards proprietary response to RAI re structural aspects of spent fuel pool storage rack mod at Ginna Nuclear Power Plant.Proprietary response withheld (ref 10CFR2.790).
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/15. VISSING,G.S. . 13pp. A1900:211-A1900:222.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050158 Forwards insp rept 50-244/97-11 on 971014-1116.No violations noted.Inspector noted several ongoing examples where contamination boundary controls were not fully effective & continue to challenge radiological & health physics workers.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/12/19. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. A1658:103-A1658:151.

--**9801050160** Insp rept 50-244/97-11 on 971014-1116.No violations noted. Major areas inspected:operations,engineering,maintenance & plant support.
* Region 1 (Post 820201). 97/12/19. 46pp. A1658:105-A1658:151.

9801050157 Forwards insp rept 50-244/97-13 on 971027-31 & 1105-07 & notice of violation.NRC unable to reach closure re baseline GL 89-10 program.
WIGGINS,J.T. Region 1 (Post 820201). 97/12/24. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. A1634:001-A1634:025.

--**9801050164** Notice of violation from insp on 971027-31 & 1105-07. Violations noted:documentary evidence that vendor performed calculations used to establish basis for operation & operability of safety related MOVs were not available.
* Region 1 (Post 820201). 97/12/24. 3pp. A1634:004-A1634:006.

--**9801050169** Insp rept 50-244/97-13 on 971027-31 & 1105-07.Violations noted.Major areas inspected:reviewed status of MOV program for purpose of determining if RG&E had met commitments under GL 89-10.
* Region 1 (Post 820201). 97/12/24. 19pp. A1634:007-A1634:025.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

R. Periodic operating reports & related correspondence

9801210291 Monthly operating rept for Dec 1997 for RE Ginna Nuclear Power Plant.W/ 980109 ltr.
WALDEN,J.V., WIDAY,J.A. Rochester Gas & Electric Corp. 97/12/31. VISSING,G.S. . 5pp. A1891:358-A1891:362.

S. Reportable occurrences, LERs & related correspondence

9801220365 Deficiency rept re failure of shunt trip coil plunger to return to deenergized position resulting in breaker tripper bar being maintained in trip free position,preventing DB-75 air circuit breaker from closing.Failed assembly replaced.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/15. VISSING,G.S. . 4pp. A1901:026-A1901:029.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801050290 Forwards Rev 24 to Millstone Nuclear Power Station emergency plan to NRC staff for review & approval in accordance w/ 10CFR50.54(q).Synopsis of changes from Rev 21 to Rev 24 contained in Attachment 1.
AMERINE,D.B. Northeast Nuclear Energy Co. 97/12/30. Document Control Branch (Document Control Desk). 36pp. A1697:142-A1698:010.

--**9801050298** Rev 24 to "Millstone Power Station Emergency Plan."
* Northeast Nuclear Energy Co. 97/12/31. 197pp. A1697:178-A1698:010.

9801220011 Forwards insp repts 50-245/97-207,50-336/97-207 & 50-423/97-207 on 971002-1130.No violations noted.Insp consisted of selective reviews of procedures & records, inspector observations & interviews w/security personnel.
DURR,J.P. Region 1 (Post 820201). 98/01/09. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A1872:124-A1872:216.

9801270206 Notification of significant licensee meeting 98-04 w/util on 980129 to discuss training & emergency preparedness issues.
LANNING,W.D. Region 1 (Post 820201). 98/01/16. Region 1 (Post 820201). 3pp. A1933:289-A1933:291.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9801050194 Provides update of 10CFR2.206 Petition submitted on 970303 on behalf of AA Cizek.Petition requests that licenses for Millstone Nuclear Power Station & Haddam Neck Plant be modified by replacing certain condition on licenses.
DEMBEK,S. . 97/12/18. HADLEY,E.C. Affiliation Not Assigned. 2pp. A1662:346-A1662:347.

9801200163 Provides update of 10CFR2.206 petition submitted on 950821 & supplemented on 950828 on behalf of G Galatis & We the People (Petitioners).Staff has not completed review of remaining request for EA pursuant to 10CFR50.5 & 50.9.
DEMBEK,S. . 98/01/13. HADLEY,E.C. Affiliation Not Assigned. 2pp. A1850:353-A1850:354.

H. General correspondence

9801090019 Provides update of petition submitted pursuant to title 10 of code of FR,section 2.206,dtd 961125 & amend to petition dtd 961223.Partial Director's Decision (DD-97-21) provided by ltr dtd 970912 & followup correction ltr on 971020.
MCDONALD,D.G. . 98/01/06. KATZ,D. Citizens Awareness Network. GUNTER,P. Nuclear Information & Resource Service. 1p. A1747:177-A1747:177.

9801200209 Discusses 971213 ltr to Chairman Jackson repeating key points discussed during 971114 meeting & again requesting Chairman visit Millstone area.Chairman tentatively planning visit to Millstone site in early February.
ZWOLINSKI,J.A. . 98/01/13. BLANCH,P.M. Affiliation Not Assigned. 2pp. A1844:349-A1844:352.

--9801200213 Stresses several points discussed in 971114 meeting & requests Chairman visit Millstone in near future.
BLANCH,P.M. Affiliation Not Assigned. 97/12/13. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A1844:351-A1844:352.

P. Operating license stage documents & correspondence

9801060229 Provides response to Little Harbor Consultants,Inc recommendations included in 970825,0922 & 25 ltrs to NRC. Listing of commitments contained in ltr.
BROTHERS,M.H. Northeast Nuclear Energy Co. 97/12/29. Affiliation Not Assigned. 17pp. A1741:285-A1741:301.

9801060304 Cover sheet to rev 6 of MP 704.1, "Control Rod Drive HCU Water - Nitrogen Accumulator Maintenance."
* Northeast Nuclear Energy Co. 97/12/29. 2pp. A1754:091-A1754:092.

9801060341 Cancellation notice for Rev 0 to ODI 1.25.
* Northeast Nuclear Energy Co. 97/12/29. 2pp. A1733:333-A1733:334.

9801140259 Rev 1 to 1-OM-13.1, "Operations Work Observation Program."
* Northeast Nuclear Energy Co. 97/12/31. 29pp. A1832:320-A1832:348.

9801140391 Final response to FOIA request for documents.Records in App A & B available in PDR.App C records withheld in part (ref FOIA Exemptions 4 & 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/31. GOLDMAN,J. Affiliation Not Assigned. 8pp. A1832:092-A1832:204.

9801140297 Notification of significant licensee meeting 97-131 w/util on 980114 in Waterford,CT to discuss plans,schedules & progress toward recovery of plant units re status of restart activities,ICAVP & employee concerns program.
DURR,J. Region 1 (Post 820201). 98/01/02. Region 1 (Post 820201). 4pp. A1959:236-A1959:239.

9801270122 Notification of 980127 meeting 97-132 w/NNECO in Waterford, Connecticut to provide public w/update on status of Millstone Station recovery efforts.
DURR,J. Region 1 (Post 820201). 98/01/02. Region 1 (Post 820201). 3pp. A1933:055-A1933:057.

9801140386 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/01/05. Document Control Branch (Document Control Desk). 10pp. A1826:347-A1826:356.

9801130145 Rev 5 to MP 720.11, "Overhaul of Fuel Pool Cooling Pumps."
* Northeast Nuclear Energy Co. 98/01/07. 63pp. A1808:001-A1808:063.

9801130283 Notification of 980127 meeting w/util in Waterford,CT to discuss Millstone Employee Concerns Program,Safety Conscious Work Environ & Little Harbor Consultants findings & recommendations.
PASTIS,H.N. . 98/01/08. MCKEE,P.F. . 2pp. A1790:340-A1790:341.

9801130316 Notification of 980122 meeting w/util ini Watergord,CT to discuss exit meeting for NRC evaluation of plant Employee Concerns Program.
PASTIS,H.N. . 98/01/08. MCKEE,P.F. . 2pp. A1796:162-A1796:163.

9801160147 Forwards response to 970416 RAI info per 10CFR50.54(f) for each Millstone Station unit.Response includes listed items re restart issues.Commitment made by util,encl.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/09. Document Control Branch (Document Control Desk). 1,020pp. A1834:001-A1836:293.

9801200070 Provides util response to recommendations made by Little Harbor Consultants,Inc.Listed table identifies those actions committed by util in ltr.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/01/09. Document Control Branch (Document Control Desk). 4pp. A1843:123-A1843:126.

9801150128 Responds to 971214 ltr which requested listing of issues on Millstone Unit 3 & status of Seabrook Unit 1.NRC staff applying guidelines of MC 0350 to restart approvals of Millstone.Seabrook shutdown on 971205 to repair piping leak.
TRAVERS,W.D. . 98/01/12. DAVIS,E.S. Affiliation Not Assigned. 6pp. A1818:001-A1818:068.

--9801150133 Requests complete listing of all remaining problems on Millstone III & status of Seabrook.
DAVIS,E.S. Affiliation Not Assigned. 97/12/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. A1818:007-A1818:010.

--9801150137 "Restart Assessment Plan Millstone Station."
TRAVERS,W.D. NRC - No Detailed Affiliation Given. 97/07/22. 57pp. A1818:011-A1818:068.

9801200037 Provides staff update on status of GL 89-13 implementation, including discussion of five recommended actions.Actions util taken to date & actions which util will perform before GL 89-13 considered complete for Unit 1.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/01/12. Document Control Branch (Document Control Desk). 16pp. A1843:168-A1843:183.

9801260442 Rev 6 to Maint Procedure MP 703.8, "CRD Flush Procedure" & Do Not Use notice for rev 0 to MP 722.5, "Closed Cooling Water Pumps."
* Northeast Nuclear Energy Co. 98/01/16. 3pp. A1908:323-A1908:325.

9801270206 Notification of significant licensee meeting 98-04 w/util on 980129 to discuss training & emergency preparedness issues.
LANNING,W.D. Region 1 (Post 820201). 98/01/16. Region 1 (Post 820201). 3pp. A1933:289-A1933:291.

9801270097 Forwards util response to recommendations made by Little Harbor Consultants,Inc re employee concerns program.Encl table identifies actions committed by util.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/01/21. Affiliation Not Assigned. 14pp. A1922:288-A1922:301.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020018 Responds to NRC 971121 ltr re violations noted in insp repts 50-245/97-203,50-336/97-203 & 50-423/97-203,respectively. Corrective actions:counseled procedure writer on inattention to detail & revised procedure OP-2322.W/commitments.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/12/22. Document Control Branch (Document Control Desk). 7pp. A1672:346-A1672:352.

9801020110 Responds to NRC 971121 ltr re violations noted in insp rept 50-245/97-203 on 970722-1001.Corrective actions:QC reviewed automated work order package & work performed for acceptability prior to closing automated work order.
MCELWAIN,J.P., BROTHERS,M.H. Northeast Nuclear Energy Co. 97/12/23. Document Control Branch (Document Control Desk). 10pp. A1687:283-A1687:292.

9801060323 Responds to NRC 971121 ltr re violations noted in insp repts 50-245/97-203,50-336/97-203 & 50-423/97-203,respectively. Corrective actions:coached & counseled workers re wearing proper dosimetry & made several ergonomic enhancements.
BROTHERS,M.H. Northeast Nuclear Energy Co. 97/12/26. Document Control Branch (Document Control Desk). 12pp. A1733:335-A1733:346.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801090279 Discusses insp repts 50-245/97-81,50-336/97-81 & 50-423/97-81 on 970825-29 & predecisional enforcement conference on 971222.Based on info provided during insp & conference,NRC determined violations occurred.W/viewgraphs.
WIGGINS,J.T. Region 1 (Post 820201). 97/12/30. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. A1741:094-A1741:198.

--9801090286 Notice of violation from insp on 970825-29.Violation noted: as of 970829,adequate dose assessment methods were not in use.Page 23 of incoming submittal was not included.
* Region 1 (Post 820201). 97/12/30. 103pp. A1741:097-A1741:198.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220011 Forwards insp repts 50-245/97-207,50-336/97-207 & 50-423/97-207 on 971002-1130.No violations noted.Insp consisted of selective reviews of procedures & records, inspector observations & interviews w/security personnel.
DURR,J.P. Region 1 (Post 820201). 98/01/09. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A1872:124-A1872:216.

--9801220014 Insp repts 50-245/97-207,50-336/97-207 & 50-423/97-207 on 971002-1130.No violations noted.Major areas inspected: operations,maint,engineering & plant support.
DURR,J.P. Region 1 (Post 820201). 98/01/09. 89pp. A1872:128-A1872:216.

9801140321 Ack receipt of electronic funds transfer in listed amount on 971219 in payment for civil penalties proposed in 971210 ltr.Request for extension to respond to NOV,granted.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/01/12. KENYON,B.D. Northeast Nuclear Energy Co. 1p. A1791:310-A1791:310.

9801220401 Informs of scheduled on-site design insp of Quad Cities Nuclear Power Station during 980216-0327.Two mechanical sys selected will be RHR & CS including ADS.
CAPRA,R.A. . 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1877:268-A1877:271.

9801290207 Comment on draft RG DG-1063, "Approach for Plant Specific Decision-Making:Inservice Insp of Piping," & SRP Section 3.9.8, "SRP for Review of Risk-Informed Inservice Insp of Piping."
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/21. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 13pp. A2006:103-A2006:115.

R. Periodic operating reports & related correspondence

9801220316 Monthly operating rept for Dec 1997 for MNPS,Unit 1.W/980115 ltr.
NEWBURGH,G., HINNENKAMP,P.D. Northeast Nuclear Energy Co. 97/12/31. 6pp. A1893:254-A1893:259.

S. Reportable occurrences, LERs & related correspondence

9801090004 Part 21 rept re shipment by DuBose National Energy Svcs,Inc. of 40 pieces of 4 inch,90 degree elbows which did not meet ASME Section II SA-234 requirements.
DAILEY,J.N. . 98/01/07. Document Control Branch (Document Control Desk). 11pp. A1754:227-A1754:237.

T. Hearing transcripts on non-antitrust matters

9801210024 Transcript of 971217 public meeting in matter of Northeast Utils.W/Certificate.
* NRC - No Detailed Affiliation Given. 97/12/17. 188pp. A1866:046-A1866:233.

V. Operator Examinations

9801060051 Forwards revised schedule for completion of commitment re corrective action plan for training.
AMERINE,D.B. Northeast Nuclear Energy Co. 97/12/31. Document Control Branch (Document Control Desk). 5pp. A1724:351-A1724:355.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801200103 Submits 90-day written response to NRC GL 97-04, "Assurance of Sufficient Net Positive Suction Head for Emergency ECC & Containment Heat Removal Pumps."
KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 98/01/06. Document Control Branch (Document Control Desk). 9pp. A1843:215-A1843:223.

P. Operating license stage documents & correspondence

9801140411 Forwards rev 14 to "QA Program Description," per 10CFR50.54. Revs reflect current organization & assignment of responsibilities.
KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 97/12/22. Document Control Branch (Document Control Desk). 2pp. A1826:243-A1826:332.

--9801140413 Rev 14 to "QA Program Description."
* Consolidated Edison Co. of New York, Inc. 97/12/31. 88pp. A1826:245-A1826:332.

9801200103 Submits 90-day written response to NRC GL 97-04, "Assurance of Sufficient Net Positive Suction Head for Emergency ECC & Containment Heat Removal Pumps."
KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 98/01/06. Document Control Branch (Document Control Desk). 9pp. A1843:215-A1843:223.

9801290139 Discusses 970731 request for withholding "Response to NRC Questions on Indian Point Unit 2,P-T Limit Curves," from public disclosure.Determined submittal contains proprietary commercial info & will be withheld from public disclure.
HAROLD,J.F. . 98/01/23. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A1937:009-A1937:013.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801060135 Forwards insp rept 50-247/97-12 on 970930-1120 & NOV. Violations re informality in station process,including licensed operator not taking required procedural actions when RCS calculated leak rate exceeded TS limit.
HEHL,C.W. Region 1 (Post 820201). 97/12/23. KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 5pp. A1680:228-A1680:265.

--9801060144 Insp rept 50-247/97-12 on 970930-1120.Violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 1 (Post 820201). 97/12/23. 31pp. A1680:235-A1680:265.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220052 Ack receipt of 971128 ltr informing NRC of steps taken to correct violations noted in insp rept 50-247/97-11 on 970819-0929.
ROGGE,J.F. Region 1 (Post 820201). 98/01/09. KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 2pp. A1872:296-A1872:308.

R. Periodic operating reports & related correspondence

9801020019 Annual rept of changes,tests & experiments for plant for 950701-970731,per 10CFR50.59(b)(2).
KINKEL,P.H. Commonwealth Edison Co. 97/12/22. Document Control Branch (Document Control Desk). 28pp. A1687:253-A1687:280.

9801220025 Monthly operating rept for Dec 1997 for Indian Point Station,Unit 2.W/980115 ltr.
KRIEGER,K., KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 97/12/31. 5pp. A1887:302-A1887:307.

S. Reportable occurrences, LERs & related correspondence

9801080190 Interim Part 21 Rept re completion of nuclear seismic qualification testing of electronics module incorrectly sent to CENY & VYNP.Final formal rept will be issued by 980120.
KING,T.L. Foxboro Corp. 97/12/18. SAIDAN,S. NRC - No Detailed Affiliation Given. 5pp. A1796:014-A1796:019.

9801160144 Part 21 & deficiency rept re low trip bar forces & winding of trip pan spring contributing to breaker mis-operation Caused by breakers malfunctioning when called to perform. Plans to repair & test breakers prior to installation.
* Consolidated Edison Co. of New York, Inc. 98/01/14. NRC - No Detailed Affiliation Given. 2pp. A1840:073-A1840:074.

9801160158 Part 21 & deficiency rept re breakers being sent out to approved 10CFR50 App B qualified vendor & returned not meeting requirements.Breakers malfunctioned when called to perform.Plans to repair & replace breakers.
* Consolidated Edison Co. of New York, Inc. 98/01/14. NRC - No Detailed Affiliation Given. 2pp. A1840:071-A1840:072.

V. Operator Examinations

9801220240 Notifies that effective 971231,WE Watson,license SOP-1903, expired.Basis for expiration is permanent reassignment to duties not requiring license.
KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 98/01/15. MILLER,J.J. Region 1 (Post 820201). 2pp. A1895:193-A1895:194.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--9801070083 Rev 6n to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Dresden Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 31pp. A1742:227-A1742:257.

9801020022 Forwards insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Noncited violation re failure to implement FFD provisions contained in plant procedure was identified.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. PERRY,J.S. Commonwealth Edison Co. 4pp. A1629:036-A1629:045.

--9801020038 Insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Major areas inspected: selective review of plant support activities re FFD program, licensee procedures & implementation requirements.
* Region 3 (Post 820201). 97/12/23. 6pp. A1629:040-A1629:045.

9801080022 Forwards final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents," per GL 88-20.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 3pp. A1749:001-A1753:151.

--**9801080042** Final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents."
* Commonwealth Edison Co. 97/12/30. 1,607pp. A1749:004-A1753:151.

9801090198 Refers to fire protection insp conducted from 960708-1017 at Dresden & Quad Cities & violation noted re failure to protect MOVs from effects of hot shorts during postulated CR fire.No NOV issued & no civil penalty proposed.
BEACH,A.B. Region 3 (Post 820201). 97/12/30. KINGSLEY,O. Commonwealth Edison Co. 3pp. A1741:018-A1741:021.

9801130212 Forwards SALP 15 repts 50-237/97-01 & 50-249/97-01 for period 961229-971122 for review.Licensee should be prepared to discuss assessment & plans to improve performance in area of engineering at 980116 SALP meeting.
BEACH,A.B. Region 3 (Post 820201). 98/01/02. HEFFLEY,J.M. Commonwealth Edison Co. 4pp. A1791:001-A1791:009.

--**9801140126** SALP repts 50-237/97-01 & 50-249/97-01 for 961229-971122.
* . 98/01/02. 5pp. A1791:005-A1791:009.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

P. Operating license stage documents & correspondence

9801200036 Revs to OCDM,including rev 1.3 to Chapter 11, "Radiologicial Environ Monitoring Program" & rev 1.6 to Chapter 12, "Radiological Effluent Technical Stds (RETS)."
* Commonwealth Edison Co. 97/12/18. 83pp. A1841:257-A1841:340.

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801080022 Forwards final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents," per GL 88-20.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 3pp. A1749:001-A1753:151.

--**9801080042** Final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents."
* Commonwealth Edison Co. 97/12/30. 1,607pp. A1749:004-A1753:151.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--**9801130014** "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801220251 Forwards request for addl info re 960628 plant-specific summary rept in accordance w/GL 87-02 for Dresden Nuclear Power Station,Units 2 & 3,for resolution of unresolved safety issues A-46.Response requested within 90 days.
STANG,J.F. . 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 8pp. A1880:337-A1880:344.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020022 Forwards insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Noncited violation re failure to implement FFD provisions contained in plant procedure was identified.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. PERRY,J.S. Commonwealth Edison Co. 4pp. A1629:036-A1629:045.

--**9801020038** Insp repts 50-010/97-26,50-237/97-26 & 50-249/97-26 on 971029 & 1106.No violations noted.Major areas inspected: selective review of plant support activities re FFD program, licensee procedures & implementation requirements.
* Region 3 (Post 820201). 97/12/23. 6pp. A1629:040-A1629:045.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801070148 Documents status of instrument out of tolerance program at plant.Update to docketed responses to violations noted in insp repts 50-237/94-02,50-249/94-02 & 50-010/95-05,50-237/95-05 & 50-249/95-05.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 4pp. A1747:261-A1747:264.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801080022 Forwards final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents," per GL 88-20.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 3pp. A1749:001-A1753:151.

9801090198 Refers to fire protection insp conducted from 960708-1017 at Dresden & Quad Cities & violation noted re failure to protect MOVs from effects of hot shorts during postulated CR fire.No NOV issued & no civil penalty proposed.
BEACH,A.B. Region 3 (Post 820201). 97/12/30. KINGSLEY,O. Commonwealth Edison Co. 3pp. A1741:018-A1741:021.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130212 Forwards SALP 15 repts 50-237/97-01 & 50-249/97-01 for period 961229-971122 for review.Licensee should be prepared to discuss assessment & plans to improve performance in area of engineering at 980116 SALP meeting.
BEACH,A.B. Region 3 (Post 820201). 98/01/02. HEFFLEY,J.M. Commonwealth Edison Co. 4pp. A1791:001-A1791:009.

--**9801140126** SALP repts 50-237/97-01 & 50-249/97-01 for 961229-971122.
* . 98/01/02. 5pp. A1791:005-A1791:009.

9801160078 Responds to NRC 971204 ltr re violations noted in insp repts 50-010/97-19,50-237/97-19 & 50-249/97-19.Corrective actions: investigation revealed low speed problem & EDG was successfully tested & declared operable.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 17pp. A1836:323-A1836:339.

9801200105 Responds to NRC 971205 ltr re violations noted in insp rept 50-249/97-27.Corrective actions:quality control QCI was revised on 971219.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/12. Document Control Branch (Document Control Desk). 4pp. A1843:244-A1843:247.

9801270060 Advises of planned insp effort resulting from Dresden plant performance review.Details of insp plan for next 6 months encl.
RING,M. Region 3 (Post 820201). 98/01/20. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1933:318-A1933:321.

9801300175 Discusses investigation rept 3-96-023,completed on 970530 & forwards notice of violation based on info developed during investigation & info provided by staff.Licensee conference handout,NRC conference handout & list of attendees encl.
BEACH,A.B. Region 3 (Post 820201). 98/01/27. PERRY,J.S. Commonwealth Edison Co. 4pp. A1964:103-A1964:124.

--**9801300176** Notice of violation from investigation completed on 970530. Violation noted:attachment to 960304 ltr from plant site Vice President to NRC,was not complete & accurate in all matl respects.
* Region 3 (Post 820201). 98/01/27. 18pp. A1964:107-A1964:124.

R. Periodic operating reports & related correspondence

9801220146 Monthly operating repts for Dec 1997 for Dresden Nuclear Power Station.W/980113 ltr.
ABRELL,G.R., HEFFLEY,J.M. Commonwealth Edison Co. 97/12/31. 11pp. A1892:349-A1892:359.

9801220215 Fourth quarter rept of completed changes,tests & experiments per 10CFR50.59.W/980115 ltr.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/31. 20pp. A1895:100-A1895:119.

S. Reportable occurrences, LERs & related correspondence

9801070341 Forwards LER 94-011-01,updating corrective actions from original LER.Performance centered maintenance review completed & determination that more appropriate PM schedule would be necessary to support plant operations.
HEFFLEY,J.M. Commonwealth Edison Co. 97/12/31. Document Control Branch (Document Control Desk). 1p. A1754:178-A1754:182.

--**9801070344** LER 94-011-01:on 940325,loss of power to bus 34 resulted in auto start of Unit 3 EDG.Caused by lack of preventative maintenance.All Unit 2 & 3 bus pot stabs & cubicals were inspected,cleaned & contact stabs lubricated.
SPENCER,D. Commonwealth Edison Co. 97/12/31. 4pp. A1754:179-A1754:182.

V. Operator Examinations

9801200139 Forwards actions addressing simulator issues discussed in initial operator licensing exams completed on 970806 at Dresden Station.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 5pp. A1891:330-A1891:334.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B., SCHMIDT,T.L. Commonwealth Edison Co. PALCHAK,J.F. Illinois Power Co. 3pp. A1960:072-A1960:074.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9801070202 Forwards rev 11 of physical security plan & summary of changes,per 10CFR50.54(p).Plan withheld,per 10CFR2.790(a)(3).
HOVEY,R.J. Florida Power & Light Co. 97/12/19. Document Control Branch (Document Control Desk). 1p. A1762:090-A1762:090.

9801220111 Forwards insp repts 50-250/97-12 & 50-251/97-12 on 971102- 1213 & notice of violation.Expresses concern re violation identified for failure to comply w/ Tech Specs for AFW auto initiation logic for trip of main feedwater pump.
LANDIS,K.D. Region 2 (Post 820201). 98/01/09. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1875:127-A1875:178.

--9801220118 Notice of violation from insp on 971102-1213.Violation noted:Rev 32 to emergency plan decreased effectiveness of plan.
* Region 2 (Post 820201). 98/01/09. 3pp. A1875:131-A1875:133.

--9801220123 Insp repts 50-250/97-12 & 50-251/97-12 on 971102-1213. Violations noted.Major areas inspected:operations,maint, engineering & plant support re radiological emergency plan implementing procedures.
* Region 2 (Post 820201). 98/01/09. 45pp. A1875:134-A1875:178.

I. Financial Information

9801050228 Submits Price Anderson Guarantees annual financial rept per 10CFR140.21.Exhibit 1 submitted to satisfy annual financial reporting requirement of 10CFR50.71(b).
PADUANO,H.N. Florida Power & Light Co. 97/12/23. Document Control Branch (Document Control Desk). 62pp. A1720:289-A1720:353.

P. Operating license stage documents & correspondence

9801050246 Forwards SE denying licensee 970429 request for review & approval of proposed change to FPL topical quality assurance rept (FPLTQAR 176A).Changes considered as reduction in commitment per 10CFR50.54(a)(3).
HEBDON,F.J. . 97/12/15. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1663:148-A1663:156.

--9801050255 Safety evaluation denying 970429 request to revise FPL Topical QA Rept (FPLTQAR 1-76A).Concludes proposed rev does not adequately satisfy regulatory requirement to clearly delineate in writing functional responsibilities.
* . 97/12/15. 5pp. A1663:152-A1663:156.

9801120197 Forwards amends 195 & 189 to licenses DPR-31 & DPR-41 & SE. Amends consist of changes to TS in response to 970224 application supplemented by 970424 & 1204 ltrs re large break LOCA re-analysis.
CROTEAU,R.P. . 97/12/20. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1762:169-A1762:183.

--9801120204 Amends 195 & 189 to licenses DPR-31 & DPR-41,respectively, changing TS in response to 970224 application,as suppl by 970424 & 1204 ltrs re large break LOCA re-analysis.
HEBDON,F.J. . 97/12/20. 7pp. A1762:172-A1762:178.

--9801120206 Safety evaluation supporting amends 195 & 189 to licenses DPR-31 & DPR-41,respectively.
* . 97/12/20. 5pp. A1762:179-A1762:183.

9801060185 Application for amend to license NPF-16,modifying specifications for selected cycle-specific reactor physics parameters to provide reference to St Lucie Unit 2 COLR for limiting values.
STALL,J.A. Florida Power & Light Co. 97/12/29. Document Control Branch (Document Control Desk). 11pp. A1730:106-A1730:194.

--9801060194 Suppl 1 to NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie Nuclear Plants."
* Florida Power & Light Co. NF-TR-95-01 S01. 97/08/31. 31pp. A1730:164-A1730:194.

9801080094 Provides notification of completion of actions identified in IFI 50-250/97-08 & 50-251/97-08,per GL 89-10 closure insp.
HOVEY,R.J. Florida Power & Light Co. 97/12/30. REYES,L.A. Region 2 (Post 820201). 1p. A1785:334-A1785:334.

9801130281 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," per requirements of Section 182a of AEA of 1954,as amended & 10CFR50.54(f).
HOVEY,R.J. Florida Power & Light Co. 98/01/05. Document Control Branch (Document Control Desk). 11pp. A1791:346-A1791:356.

9801220099 Application for amends to licenses DPR-31 & DPR-41,modifying TS sections 5.3.1 & 6.9.1.7 to allow implementation of ZIRLO fuel rod cladding.
HOVEY,R.J. Florida Power & Light Co. 98/01/09. Document Control Branch (Document Control Desk). 7pp. A1888:322-A1888:332.

--9801220101 Proposed tech specs sections 5.3.1 & 6.9.1.7,,allowing implementation of ZIRLO fuel rod cladding.
* Florida Power & Light Co. 98/01/09. 4pp. A1888:329-A1888:332.

9801220106 Submits rept re changes to or errors discovered in ECCS evaluation models that affect PCT calculation & effect on limiting ECCS analysis,per 10CFR50.46.
HOVEY,R.J. Florida Power & Light Co. 98/01/12. Document Control Branch (Document Control Desk). 4pp. A1895:086-A1895:089.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801080094 Provides notification of completion of actions identified in IFI 50-250/97-08 & 50-251/97-08,per GL 89-10 closure insp.
HOVEY,R.J. Florida Power & Light Co. 97/12/30. REYES,L.A. Region 2 (Post 820201). 1p. A1785:334-A1785:334.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220111 Forwards insp repts 50-250/97-12 & 50-251/97-12 on 971102- 1213 & notice of violation.Expresses concern re violation identified for failure to comply w/ Tech Specs for AFW auto initiation logic for trip of main feedwater pump.
LANDIS,K.D. Region 2 (Post 820201). 98/01/09. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1875:127-A1875:178.

--9801220118 Notice of violation from insp on 971102-1213.Violation noted:Rev 32 to emergency plan decreased effectiveness of plan.
* Region 2 (Post 820201). 98/01/09. 3pp. A1875:131-A1875:133.

--9801220123 Insp repts 50-250/97-12 & 50-251/97-12 on 971102-1213. Violations noted.Major areas inspected:operations,maint, engineering & plant support re radiological emergency plan implementing procedures.
* Region 2 (Post 820201). 98/01/09. 45pp. A1875:134-A1875:178.

R. Periodic operating reports & related correspondence

9801220010 Monthly operating repts for Dec 1997 for Turkey Point,Unit 3 & 4.W/ 980112 ltr.
MOWREY,C.L., HOVEY,R.J. Florida Power & Light Co. 97/12/31. 9pp. A1895:122-A1895:130.

9801160026 Informs that util identified error in info used to prepare semi-annual FFD data repts required by 10CFR26.71(d). Corrected FFD repts for periods ending 960630,1231 & 970630, encl.
HOVEY,R.J. Florida Power & Light Co. 98/01/08. Document Control Branch (Document Control Desk). 9pp. A1844:282-A1844:290.

V. Operator Examinations

9801220094 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt,operations & training staff of NUREG 1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. PLUNKETT,T.F. Florida Power & Light Co. 5pp. A1877:189-A1877:193.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9801070202 Forwards rev 11 of physical security plan & summary of changes,per 10CFR50.54(p).Plan withheld,per 10CFR2.790(a)(3).
HOVEY,R.J. Florida Power & Light Co. 97/12/19. Document Control Branch (Document Control Desk). 1p. A1762:090-A1762:090.

9801220111 Forwards insp repts 50-250/97-12 & 50-251/97-12 on 971102- 1213 & notice of violation.Expresses concern re violation identified for failure to comply w/ Tech Specs for AFW auto initiation logic for trip of main feedwater pump.
LANDIS,K.D. Region 2 (Post 820201). 98/01/09. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1875:127-A1875:178.

--**9801220123** Insp repts 50-250/97-12 & 50-251/97-12 on 971102-1213. Violations noted.Major areas inspected:operations,maint, engineering & plant support re radiological emergency plan implementing procedures.
* Region 2 (Post 820201). 98/01/09. 45pp. A1875:134-A1875:178.

I. Financial information

9801050228 Submits Price Anderson Guarantees annual financial rept per 10CFR140.21.Exhibit 1 submitted to satisfy annual financial reporting requirement of 10CFR50.71(b).
PADUANO,H.N. Florida Power & Light Co. 97/12/23. Document Control Branch (Document Control Desk). 62pp. A1720:289-A1720:353.

P. Operating license stage documents & correspondence

9801050246 Forwards SE denying licensee 970429 request for review & approval of proposed change to FPL topical quality assurance rept (FPLTQAR 176A).Changes considered as reduction in commitment per 10CFR50.54(a)(3).
HEBDON,F.J. . 97/12/15. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1663:148-A1663:156.

--**9801050255** Safety evaluation denying 970429 request to revise FPL Topical QA Rept (FPLTQAR 1-76A).Concludes proposed rev does not adequately satisfy regulatory requirement to clearly delineate in writing functional responsibilities.
* . 97/12/15. 5pp. A1663:152-A1663:156.

9801120197 Forwards amends 195 & 189 to licenses DPR-31 & DPR-41 & SE. Amends consist of changes to TS in response to 970224 application supplemented by 970424 & 1204 ltrs re large break LOCA re-analysis.
CROTEAU,R.P. . 97/12/20. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1762:169-A1762:183.

--**9801120204** Amends 195 & 189 to licenses DPR-31 & DPR-41,respectively, changing TS in response to 970224 application,as suppl by 970424 & 1204 ltrs re large break LOCA re-analysis.
HEBDON,F.J. . 97/12/20. 7pp. A1762:172-A1762:178.

--**9801120206** Safety evaluation supporting amends 195 & 189 to licenses DPR-31 & DPR-41,respectively.
* . 97/12/20. 5pp. A1762:179-A1762:183.

9801060185 Application for amend to license NPF-16,modifying specifications for selected cycle-specific reactor physics parameters to provide reference to St Lucie Unit 2 COLR for limiting values.
STALL,J.A. Florida Power & Light Co. 97/12/29. Document Control Branch (Document Control Desk). 11pp. A1730:106-A1730:194.

--**9801060194** Suppl 1 to NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie Nuclear Plants."
* Florida Power & Light Co. NF-TR-95-01 S01. 97/08/31. 31pp. A1730:164-A1730:194.

9801080094 Provides notification of completion of actions identified in IFI 50-250/97-08 & 50-251/97-08,per GL 89-10 closure insp.
HOVEY,R.J. Florida Power & Light Co. 97/12/30. REYES,L.A. Region 2 (Post 820201). 1p. A1785:334-A1785:334.

9801130281 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," per requirements of Section 182a of AEA of 1954,as amended & 10CFR50.54(f).
HOVEY,R.J. Florida Power & Light Co. 98/01/05. Document Control Branch (Document Control Desk). 11pp. A1791:346-A1791:356.

9801220099 Application for amends to licenses DPR-31 & DPR-41,modifying TS sections 5.3.1 & 6.9.1.7 to allow implementation of ZIRLO fuel rod cladding.
HOVEY,R.J. Florida Power & Light Co. 98/01/09. Document Control Branch (Document Control Desk). 7pp. A1888:322-A1888:332.

--**9801220101** Proposed tech specs sections 5.3.1 & 6.9.1.7,,allowing implementation of ZIRLO fuel rod cladding.
* Florida Power & Light Co. 98/01/09. 4pp. A1888:329-A1888:332.

9801220106 Submits rept re changes to or errors discovered in ECCS evaluation models that affect PCT calculation & effect on limiting ECCS analysis,per 10CFR50.46.
HOVEY,R.J. Florida Power & Light Co. 98/01/12. Document Control Branch (Document Control Desk). 4pp. A1895:086-A1895:089.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801060277 Forwards "Turkey Point Unit 4 SG Insp Rept," conducted from 970918-22.No SG tubes plugged as result of insp.
HOVEY,R.J. Florida Power & Light Co. 97/12/30. REYES,L.A. Region 2 (Post 820201). 1p. A1727:328-A1727:335.

--**9801060282** "Turkey Point Unit 4 SG Insp Rept."
* Florida Power & Light Co. 97/10/13. 7pp. A1727:329-A1727:335.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130203 Forwards Form NIS-1, "Owners Data Rept for ISIs," Form NIS-2, "Owners Data Rept of Repairs & Replacements," Form NIS-BB, "Owners Data Rept of Eddy Current Exams," summaries of visual exams & functional testing of snubbers.
HOVEY,R.J. Florida Power & Light Co. 98/01/07. Document Control Branch (Document Control Desk). 166pp. A1792:165-A1792:332.

9801220111 Forwards insp repts 50-250/97-12 & 50-251/97-12 on 971102-1213 & notice of violation.Expresses concern re violation identified for failure to comply w/ Tech Specs for AFW auto initiation logic for trip of main feedwater pump.
LANDIS,K.D. Region 2 (Post 820201). 98/01/09. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1875:127-A1875:178.

--**9801220123** Insp repts 50-250/97-12 & 50-251/97-12 on 971102-1213. Violations noted.Major areas inspected:operations,maint, engineering & plant support re radiological emergency plan implementing procedures.
* Region 2 (Post 820201). 98/01/09. 45pp. A1875:134-A1875:178.

R. Periodic operating reports & related correspondence

9801220010 Monthly operating repts for Dec 1997 for Turkey Point,Unit 3 & 4.W/ 980112 ltr.
MOWREY,C.L., HOVEY,R.J. Florida Power & Light Co. 97/12/31. 9pp. A1895:122-A1895:130.

9801160026 Informs that util identified error in info used to prepare semi-annual FFD data repts required by 10CFR26.71(d). Corrected FFD repts for periods ending 960630,1231 & 970630, encl.
HOVEY,R.J. Florida Power & Light Co. 98/01/08. Document Control Branch (Document Control Desk). 9pp. A1844:282-A1844:290.

V. Operator Examinations

9801220094 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt,operations & training staff of NUREG 1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. PLUNKETT,T.F. Florida Power & Light Co. 5pp. A1877:189-A1877:193.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--**9801070065** Rev 8n to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Quad Cities Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 28pp. A1742:199-A1742:226.

9801090198 Refers to fire protection insp conducted from 960708-1017 at Dresden & Quad Cities & violation noted re failure to protect MOVs from effects of hot shorts during postulated CR fire.No NOV issued & no civil penalty proposed.
BEACH,A.B. Region 3 (Post 820201). 97/12/30. KINGSLEY,O. Commonwealth Edison Co. 3pp. A1741:018-A1741:021.

9801080345 Describes actions that plant taking to upgrade App R fire protection program safe shutdown analysis in support of plant restart.
KRAFT,E.S. Commonwealth Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 9pp. A1756:340-A1756:348.

9801130248 Revised EPIPs,including rev 27 to QEP 0100-00,rev 9 to QEP 0100-T02,rev 41 to QEP 0150-00 & rev 7 to QEP 0150-T09.
* Commonwealth Edison Co. 98/01/05. 9pp. A1793:112-A1793:120.

9801140102 Revised EPIPs including rev 44 to QEP 0300-00, "Notifications" & rev 7 to QEP 0300-03, "Activation of ERDS."
* Commonwealth Edison Co. 98/01/06. 6pp. A1800:341-A1800:346.

9801270064 Revised EPIPs,including rev 45 to QEP 0300-00, "Notifications" & rev 17 to QEP 0300-T01, "State of IL NARS Forms Instructions for Use."
* Commonwealth Edison Co. 98/01/09. 7pp. A1935:190-A1935:196.

9801160021 Informs that App R safe shutdown improvement project plan will now be completed & submitted to NRC by 980123.
KRAFT,E.S. Commonwealth Edison Co. 98/01/10. Document Control Branch (Document Control Desk). 2pp. A1836:360-A1836:361.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801230289 Revised EPIPs,including rev 46 to QEP 0300-00, "Notifications," rev 1 to QEP 0300-05, "Quarterly Test of Emergency Response Data Sys (ERDS)" & rev 1 to QEP 0300-S07, "ERDS Surveillance Test Record."
* Commonwealth Edison Co. 98/01/15. 8pp. A1900:320-A1900:327.

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

9801280207 Provides summary of meeting on 971219 in Lisle,IL, re status of licensee actions to improve FP at QCS.Unable to demonstrate that current safe shutdown analysis & procedures adequately reviewed.Meeting attendee list & viewgraphs encl.
GROBE,J.A. Region 3 (Post 820201). 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 24pp. A1959:335-A1959:358.

9801280279 Discusses CAL RIII-98-01 re post-fire shutdown procedures at plant,Units 1 & 2.Confirms actions ComEd will take to resolve 10CFR50,App R safe shutdown issues.
BEACH,A.B. Region 3 (Post 820201). 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1940:160-A1940:163.

9801290171 Provides detailed,resource-loaded project plan & schedule which enhance prior fire protection improvement processes. Attachment provides actions for App R safe shutdown improvement plan & schedule.
KRAFT,E.S. Commonwealth Edison Co. 98/01/23. Document Control Branch (Document Control Desk). 6pp. A1968:355-A1968:360.

P. Operating license stage documents & correspondence

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801080342 Submits actions that underway to achieve improvements in engineering at plant & provide status update of some recent engineering issues.
KRAFT,E.S. Commonwealth Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 9pp. A1758:300-A1758:308.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--9801130014 "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

9801270022 Forwards non-proprietary version of rev 1 to EMF-96-180, "Quad Cities Unit 2 Cycle 15 Plant Transient Analysis." Affidavit is provided to request that proprietary version, sent inadvertently w/971104 ltr,be withheld.
KRAFT,E.S. Commonwealth Edison Co. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1936:037-A1936:145.

--9801270030 Non-proprietary rev 1 to EMF-96-180, "Quad Cities Unit 2 Cycle 15 Plant Transient Analysis."
SCHNEPP,R.R. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. EMF-96-180 R01. 97/04/18. 107pp. A1936:039-A1936:145.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050242 Informs of change of committed due date to 980306 to allow util to complete training for individuals in Operations Dept who will be on vacation until 1998,in response to NOV contained in insp repts 50-254/97-13 & 50-265/97-13.
KRAFT,E.S. Commonwealth Edison Co. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1709:283-A1709:284.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801060032 Confirms 971224 discussion to change meeting date as referenced in repts 50-254/97-27 & 50-265/97-27 from 980108 to 980109.
GROBE,J.A. Region 3 (Post 820201). 97/12/30. PEARCE,L.W. Commonwealth Edison Co. 3pp. A1680:039-A1680:043.

--9801060040 Notification of significant licensee meeting w/util on 980109 in Lisle,IL to discuss apparent violations & other issues identified in NRC inspection repts 50-254/97-27 & 50-265/97-27.
GAVULA,J. Region 3 (Post 820201). 97/12/30. Region 3 (Post 820201). 2pp. A1680:042-A1680:043.

9801070212 Provides results of evaluation addressing fatigue cumulative usage factor of RPV closure studs,per 971210 response to violations noted in insp repts 50-254/97-18 & 50-265/97-18.
KRAFT,E.S. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1747:284-A1747:285.

9801090198 Refers to fire protection insp conducted from 960708-1017 at Dresden & Quad Cities & violation noted re failure to protect MOVs from effects of hot shorts *during postulated CR fire.No NOV issued & no civil penalty proposed.*
BEACH,A.B. Region 3 (Post 820201). 97/12/30. KINGSLEY,O. Commonwealth Edison Co. 3pp. A1741:018-A1741:021.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210109 Forwards insp repts 50-254/97-24 & 50-265/97-24 on 971124- 1202.No violations noted.Insp was to assess licensed operator requalification program.
GROBE,J.A. Region 3 (Post 820201). 98/01/13. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1855:054-A1855:068.

--9801210116 Insp repts 50-254/97-24 & 50-265/97-24 on 971124-1202.No violations noted.Major areas inspected:licensed RO & SRO requalification training programs.
* Region 3 (Post 820201). 98/01/13. 11pp. A1855:058-A1855:068.

9801280202 Advises of planned insp effort resulting from plant performance review on 971021.Provides details for insp plan for next six months.Resident insps not listed due to ongoing & continuous nature.
RING,M. Region 3 (Post 820201). 98/01/20. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1960:001-A1960:005.

9801270070 Forwards insp repts 50-254/97-26 & 50-265/97-26 on 971103- 1223 & notice of violation.
GRANT,G.E. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1933:129-A1933:167.

--9801270073 Notice of violation from insp on 971103-1223.Violation noted:licensee failed to promptly correct conditions adverse to quality & failed to take measures to assure that corrective actions were taken.
* Region 3 (Post 820201). 98/01/21. 4pp. A1933:134-A1933:137.

--9801270078 Insp repts 50-254/97-26 & 50-265/97-26 on 971103-1223. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/01/21. 30pp. A1933:138-A1933:167.

9801280089 Forwards response to violations noted in insp repts 50-254/97-27 & 50-265/97-27.Corrective actions:records in storage manually searched for original Q2R13 ISI leakage test documentation,QCOS 201-04,w/negative results.
KRAFT,E.S. Commonwealth Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 5pp. A1967:315-A1967:319.

9801280107 Forwards response to violations noted in insp repts 50-254/97-14 & 50-265/97-14.CAs:on 970906,operations directed chemistry to begin sampling at 4 h intervals & implemented measures to ensure hydrogen grab sample.
KRAFT,E.S. Commonwealth Edison Co. 98/01/22. Document Control Branch (Document Control Desk). 23pp. A1966:281-A1966:303.

R. Periodic operating reports & related correspondence

9801160081 Monthly operating repts for Dec 1997 for Quad Cities Nuclear Station,Units 1 & 2.W/980110 ltr.
STOCKMAN,D., COOK,D. Commonwealth Edison Co. 97/12/31. 20pp. A1833:336-A1833:355.

S. Reportable occurrences, LERs & related correspondence

9801020029 Forwards LER 97-021-01,dealing w/cause of discrepancies found between safe shutdown (SSD) procedures & fire protection rept,which led to declaration that nine SSD paths were inoperable.Commitments,listed.
COOK,D.B. Commonwealth Edison Co. 97/12/16. Document Control Branch (Document Control Desk). 2pp. A1658:304-A1658:312.

--9801020031 LER 97-021-01:on 970826,discrepancies found between safe shutdown (SSD) procedures & fire protecton rept which led t] declaration that nine SSD paths inoperable.Caused by lack of process.Performed PRA for fire.
PETERSON,C. Commonwealth Edison Co. 97/12/16. 7pp. A1658:306-A1658:312.

9801050279 Forwards LER 97-024-00 for Quad Cities Nuclear Power Station.Commitments made by ltr,submitted.
COOK,D.B. Commonwealth Edison Co. 97/12/22. Document Control Branch (Document Control Desk). 2pp. A1687:057-A1687:061.

--9801050293 LER 97-024-00:on 971201,required 10CFR50.59 summary evaluation for change to UFSAR not submitted to NRC due to an administrative oversight error.Revised Procedure QCAP 0500-01, "Processing 10CFR50.59 SEs."
PETERSON,C. Commonwealth Edison Co. 97/12/22. 3pp. A1687:059-A1687:061.

9801070201 Informs NRC of change of committed due date contained in LER 97-023.Station changing due date of commitments to 980331.
KRAFT,E.S. Commonwealth Edison Co. 97/12/26. Document Control Branch (Document Control Desk). 2pp. A1754:183-A1754:184.

9801140084 Forwards LER 97-012-01,re issue that it is physically possible for units 1 & 2 refuel bridge monorail auxiliary hoists to perform core alterations.Commitments made in rept, listed.
COOK,D.B. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1806:328-A1806:335.

--9801140092 LER 97-012-01:on 970410,noted that units 1 & 2 refuel bridge monorail hoists to perform core alterations w/o refuel bridge position interlock actuation is physically possible. Caused by personnel error.Placed monorail hoist out of svc.
PETERSON,C. Commonwealth Edison Co. 98/01/05. 6pp. A1806:330-A1806:335.

9801160042 Forwards LER 97-029-00 per 10CFR50.73(a)(2)(i)(B). Commitments made within ltr listed.
COOK,D.B. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1840:100-A1840:107.

--9801160051 LER 97-029-00:on 970316,Units 1 & 2 RBM channel functional testing were not accomplished within 7 days prior to startup required by TS due to misinterpretation of TS.Investigation (PIF 97-3147, NTS# 25420097SCAQ00088) was performed.
PETERSON,C. Commonwealth Edison Co. 98/01/09. 6pp. A1840:102-A1840:107.

9801260483 Forwards LER 97-027-00,per 10CFR50.73(a)(2)(v)(D). Commitments made by util,listed.
COOK,D.B. Commonwealth Edison Co. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1923:174-A1923:179.

--9801260484 LER 97-027-00:on 971218,EDGs were simultaneously inoperable while Unit 1 was at power due to time delay relay 2 failing to meet acceptance criteria.Unit 1/2 EDG TD2 relay was replaced & tested satisfactorily.
PETERSON,C. Commonwealth Edison Co. 98/01/16. 4pp. A1923:176-A1923:179.

9801260074 Forwards LER 94-002-01 re "B" CR HVAC inoperable,due to failure of compressor motor contactor.Listed commitments made by ltr.
KRAFT,E.S. Commonwealth Edison Co. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1963:198-A1963:203.

--9801280081 LER 94-002-01:on 940104,"B" CR HVAC declared inoperable. Caused by failure in contactor which resulted from cumulative cycling of compressor.Contactor replaced.
PETERSON,C. Commonwealth Edison Co. 98/01/19. 4pp. A1963:200-A1963:203.

9801280031 Forwards LER 97-030-00,re event determined reportable IAW 10CFR50.73(a)(2)(i)(B).Commitments made within ltr,listed.
KRAFT,E.S. Commonwealth Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 2pp. A1963:187-A1963:192.

--9801280048 LER 97-030-00:on 971223,instrument line EFCV testing performed at less than nominal RP.Caused by inadequate procedures.Appropriate corrective actions will be identified in supplemental rept to be submitted later.
PETERSON,C. Commonwealth Edison Co. 98/01/21. 4pp. A1963:189-A1963:192.

V. Operator Examinations

9801210109 Forwards insp repts 50-254/97-24 & 50-265/97-24 on 971124- 1202.No violations noted.Insp was to assess licensed operator requalification program.
GROBE,J.A. Region 3 (Post 820201). 98/01/13. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1855:054-A1855:068.

--9801210116 Insp repts 50-254/97-24 & 50-265/97-24 on 971124-1202.No violations noted.Major areas inspected:licensed RO & SRO requalification training programs.
* Region 3 (Post 820201). 98/01/13. 11pp. A1855:058-A1855:068.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B., SCHMIDT,T.L. Commonwealth Edison Co. PALCHAK,J.F. Illinois Power Co. 3pp. A1960:072-A1960:074.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9801050179 Rev 14,Section 5 to Site Emergency Plan "Organizational Control of Emergencies."
BRUNET,J.R. Consumers Energy Co. (formerly Consumers Power Co.),. 97/12/19. 18pp. A1701:329-A1701:351.

9801020092 Rev 4 to EI-2.2, "Emergency Staff Augmentation."
BRUNET,J.R. Consumers Energy Co. (formerly Consumers Power Co.),. 97/12/23. 2pp. A1679:261-A1679:262.

9801080188 Rev 9 to EPIP EI-6.13, "Protective Action Recommendations For Offsite Populations."
BRUNET,J.R. Commonwealth Edison Co. 97/12/30. 16pp. A1786:045-A1786:060.

9801080201 Rev 6 to EPIP EI-11, "Determination of Extent of Core Damage."
ERICHSON,R. Commonwealth Edison Co. 97/12/30. 2pp. A1785:332-A1785:333.

9801080204 Rev 4 to EPIP EI-7.0, "Emergency Post Accident Sampling Design Process."
ERICKSON,R. Commonwealth Edison Co. 97/12/30. 2pp. A1758:345-A1758:346.

9801080274 Rev 23 to Section 4, "Emergency Conditions."
BRUNET,J.R. Commonwealth Edison Co. 97/12/31. 46pp. A1753:152-A1753:197.

P. Operating license stage documents & correspondence

9801020157 Forwards "25 Year Tendon Surveillance Rept," which was completed on 970919,per TS 6.6.8.Regression analysis which was performed prior to 1997 surveillance,as recommended in 981028 NRC review of surveillance,encl.Commitment listed.
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1699:145-A1701:027.

--9801020159 Rev 0 to "Regression Analysis for Containment Prestressing Sys."
CHAO,K., JENKINS,R.B. Consumers Energy Co. (formerly Consumers Power Co.),. EA-KC-97-01 R00. 97/05/14. 18pp. A1699:147-A1699:164.

--9801020162 "25th Year Physical Surveillance of Palisades NPP."
SMITH,P.C., HOUGH,R.D. Affiliation Not Assigned. 97/12/18. 591pp. A1699:165-A1701:027.

9801020084 Informs NRC of completion of corrective action & of withdrawal of commitment re cable ampacity adjustment methodology.Commitments listed.Basis for withdrawal of 970710 commitment,encl.
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 97/12/19. Document Control Branch (Document Control Desk). 5pp. A1679:334-A1679:338.

9801130006 Notification of 980115 meeting w/util to discuss results of third-party reviews of reactor vessel fluence determination methodology.
SCHAAF,R.G. . 97/12/30. HANNON,J.N. . 3pp. A1790:121-A1790:123.

9801140203 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/05. Document Control Branch (Document Control Desk). 10pp. A1843:266-A1843:275.

9801280270 Notification of 980127 meeting w/Consumers Energy in Rockville,MD to discuss regulatory compliance aspects of licensee plans for DC electrical sys inverter & charger replacement.
SCHAAF,R.G. . 98/01/16. CARPENTER,C.A. . 4pp. A1963:166-A1963:169.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020084 Informs NRC of completion of corrective action & of withdrawal of commitment re cable ampacity adjustment methodology.Commitments listed.Basis for withdrawal of 970710 commitment,encl.
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 97/12/19. Document Control Branch (Document Control Desk). 5pp. A1679:334-A1679:338.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801130388 Discusses insp rept 50-255/97-201 on 970916-1114.Purpose of insp was to evaluate capability of selected sys to perform safety functions required by design bases & adherence of sys to respective design & licensing bases.
RICHARDS,S.A. . 97/12/30. PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 5pp. A1796:118-A1796:161.

--9801130395 Insp rept 50-255/97-201 on 970916-1114.Deficiencies identified in control & performance of calculations.Purpose of insp was to evaluate capability of selected sys to perform safety functions required by design bases.
* . 97/12/30. 39pp. A1796:123-A1796:161.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210265 Advises of planned insp effort resulting from plant performance review.Encl details NRC insp plan for approx next six months.
BURGESS,B.L. Region 3 (Post 820201). 98/01/09. PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 4pp. A1855:341-A1855:344.

9801200148 Forwards insp rept 50-255/97-17 on 971210-11.No violations noted.NRC completed follow-up insp of 10CFR50.65, "Requirements for Monitoring Effectiveness of Maint at NPP."
GROBE,J.A. Region 3 (Post 820201). 98/01/12. PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A1855:002-A1855:011.

--9801200150 *Insp rept 50-255/97-17 on 971210-11.No violations noted. Major areas* inspected:maint & matl condition of facilities & equipment,miscellaneous maint issues & mgt meetings.
GAVULA,J.A. Region 3 (Post 820201). 98/01/12. 8pp. A1855:004-A1855:011.

9801210275 Submits actions to be taken to address ALARA concerns noted in insp rept 50-255/97-08.Reviews associated w/post maint testing continuing & will be discussed w/NRC at later date.
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/13. Document Control Branch (Document Control Desk). 2pp. A1879:326-A1879:327.

9801290138 Responds to NRC ltr re violations noted in insp rept 50-255/97-15.Corrective actions:comprehensive walkdown of all status sheets was conducted to verify accuracy of status sheets w/actual room conditions.
PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/20. Document Control Branch (Document Control Desk). 15pp. A1969:346-A1969:360.

9801270066 Forwards insp rept 50-255/97-13 on 971018-1205 & notice of violation.Insp consisted of selective exam of procedures & representative records,interviews w/personnel & observation of activities in progress.
GRANT,G.E. Region 3 (Post 820201). 98/01/21. PALMISANO,T.J. Commonwealth Edison Co. 3pp. A1933:098-A1933:117.

--9801270075 Notice of violation from insp on 971018-1205.Violation noted:operations shift started first primary coolant pump, using sys operating procedure-1,rev 38,step 4.3.1.(c)2, inappropriate to circumstances.
* Region 3 (Post 820201). 98/01/21. 2pp. A1933:101-A1933:102.

--9801270083 Insp rept 50-255/97-13 on 971018-1205.Violations noted.Major areas inspected:aspects of licensee operations,maint, engineering & plant support.
BURGESS,B.L. Region 3 (Post 820201). 98/01/21. 15pp. A1933:103-A1933:117.

R. Periodic operating reports & related correspondence

9801130037 Revised monthly operating rept for Dec 1997 for Palisades Nuclear Plant.W/980106 ltr.
KOBIATA,K.A., HAWN,R.S. Consumers Energy Co. (formerly Consumers Power Co.),. 97/12/31. 5pp. A1793:043-A1793:047.

S. Reportable occurrences, LERs & related correspondence

9801130266 Part 21 rept re use of DELTSTRAT code for RCS flow rate determination.Code corrects for temps to determine hot leg bulk coolant temp.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 98/01/06. Document Control Branch (Document Control Desk). 6pp. A1796:042-A1796:047.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). SIMPKINS,R.A. Centerior Energy. 3pp. A1960:072-A1960:074.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801260205 Rev 37 to "Radiological Emergency Plan." W/980116 ltr & list of effective pages.
BAILEY,J.A., BURZYNSKI,M.J. Tennessee Valley Authority. 97/12/23. 69pp. A1929:064-A1929:132.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801260235 Rev 18 to CECC EPIP-9, "Emergency Environ Radiological Monitoring Procedures." W/list of effective pages & 980116 ltr.
BAILEY,J.A., BURZYNSKI,M.J., POGUE,J.E. Tennessee Valley Authority. 98/01/16. 55pp. A1929:009-A1929:063.

H. General correspondence

9801280258 Forwards updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.Changes effective immediately.
BURZYNSKI,M.J. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 7pp. A1936:281-A1936:287.

P. Operating license stage documents & correspondence

9801300149 Forwards proprietary supplemental info for review of TS-362 re basis for changes made in improved TS from current TS re extensions of instrumentation sys STIs & allowed out-of-svc times.Encl withheld,per 10CFR2.790(b)(1).
ABNEY,T.E. Tennessee Valley Authority. 97/12/11. Document Control Branch (Document Control Desk). 5pp. A2002:326-A2002:330.

9801050335 Provides supplemental info in support of TS-362 amend request re Section 3.8, "Electrical Power Sys." TS-362 util conversion package from current Tech Specs to improved TS & originally submitted to NRC on 960906.
ABNEY,T.E. Tennessee Valley Authority. 97/12/22. Document Control Branch (Document Control Desk). 8pp. A1719:001-A1720:063.

--9801050338 Proposed Tech Specs Section 3.8 re electrical power sys.
* Tennessee Valley Authority. 97/12/22. 419pp. A1719:009-A1720:063.

9801050320 Provides supplemental info in support of TS-362 amend request re Section 3.7, "Plant Sys." NRC questions on section included in RAI dtd 970612.
ABNEY,T.E. Tennessee Valley Authority. 97/12/23. Document Control Branch (Document Control Desk). 21pp. A1701:028-A1701:228.

--9801050325 Proposed Tech Specs Section 3.7 re plant sys.
* Tennessee Valley Authority. 97/12/23. 180pp. A1701:049-A1701:228.

9801050351 Responds to NRC ltr dtd 971027 re staff concern that Units 1,2 & 3 may not satisfy min wall thickness requirements for Mark I containment torus structure.
ABNEY,T.E. Tennessee Valley Authority. 97/12/23. Document Control Branch (Document Control Desk). 4pp. A1709:251-A1709:254.

9801120064 Forwards TS section 3.6 containing several proposed improved TS revs & changes to supporting documentation re addressing NRC comments,per 970612 & 0714 ltrs.
ABNEY,T.E. Tennessee Valley Authority. 97/12/29. Document Control Branch (Document Control Desk). 77pp. A1755:001-A1756:288.

--9801120066 Proposed tech specs section 3.6,containing proposed improved TS revs & changes to supporting documentation addressing NRC comments.
* Tennessee Valley Authority. 97/12/29. 575pp. A1755:078-A1756:288.

9801150071 Forwards supplemental info in support of TS-362 amend request re Section 3.3, "Instrumentation." NRC questions on section provided as ref in RAI dtd 970612.
ABNEY,T.E. Tennessee Valley Authority. 97/12/29. Document Control Branch (Document Control Desk). 85pp. A1821:001-A1823:109.

--9801150072 Proposed tech specs section 3.3, "Instrumentation," converting from current TS to improved TS.
* Tennessee Valley Authority. 97/12/29. 752pp. A1821:086-A1823:109.

9801090085 Application for amends to licenses DPR-33,DPR-52 & DPR-68, consisting of TS Change 395,removing non-conservatism associated w/LCO 3.5.C, "RHR Svc Water & EECW."
ABNEY,T.E. Tennessee Valley Authority. 97/12/30. Document Control Branch (Document Control Desk). 23pp. A1757:147-A1757:264.

--9801090088 Proposed tech specs re RHR SW pumps required for multi-unit operation & cold shutdown.
* Tennessee Valley Authority. 97/12/30. 100pp. A1757:170-A1757:264.

9801130288 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps." Rept provides assurance that NPSH issues are being adequately addressed by TVA.
ABNEY,T.E. Tennessee Valley Authority. 98/01/05. Document Control Branch (Document Control Desk). 15pp. A1793:144-A1793:158.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801200203 Notification of 980126 meeting w/TVA in Rockville,MD to discuss implementation of 10CFR50.65.
DE AGAZIO,A.W. . 98/01/12. HEBDON,F.J. . 3pp. A1850:359-A1850:361.

9801260073 Notification of 980126 meeting w/TVA in Rockville,MD to discuss technical discussion re to plant improved TSs.
DE AGAZIIO,A.W. . 98/01/14. HEBDON,F.J. . 3pp. A1902:256-A1902:258.

9801280050 Responds to 980114 e-mail sent to NRC re questions of fees charged to TVA for Browns Ferry Unit 1 due to Unit 1 being on administrative hold.Informs that TVA fully subj to all applicable fees per 10CFR170 & 10CFR171.
DEAGAZIO,A.W. . 98/01/20. LOCHBAUM,D.A. Union of Concerned Scientists. 8pp. A1947:339-A1947:346.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210263 Forwards insp repts 50-259/97-11,50-260/97-11 & 50-296/97-11 on 971026-1206 & notices of violation & deviation.Violation re failure to prepare procedurally required trend rept for GL 89-10 MOVs.
LESSER,M.S. Region 2 (Post 820201). 98/01/02. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1856:149-A1856:188.

--9801210267 Notice of violation from insp on 971026-1206.Violations noted:on 971119,trend rept required by procedure MMDP-5 & site std prace SSP-6.51 had not been prepared.
* Region 2 (Post 820201). 98/01/02. 2pp. A1856:154-A1856:155.

--9801210272 Notice of deviation from insp on 971026-1206.Deviation noted:on 971117:applicable instructions for certain valves were not revised to incorporate requirement.
* Region 2 (Post 820201). 98/01/02. 1p. A1856:156-A1856:156.

--9801210278 Insp repts 50-259/97-11,50-260/97-11 & 50-296/97-11 on 971026-1206.Violations & deviations noted.Major areas inspected:operations,engineering,maint & plant support.
* Region 2 (Post 820201). 98/01/02. 32pp. A1856:157-A1856:188.

9801220058 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/97-10, 50-260/97-10 & 50-296/97-10.
LESSER,M.S. Region 2 (Post 820201). 98/01/08. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A1872:358-A1872:360.

R. Periodic operating reports & related correspondence

9801260402 Monthly operating repts for Dec 1997 for Browns Ferry Nuclear Plant.W/ 980115 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 97/12/31. 13pp. A1908:337-A1908:349.

V. Operator Examinations

9801060215 Informs of change in medical status for GW Lee,license SOP-21339.Medical info & certification of medical exam for subject individual,encl.W/o encl.
CRANE,C.M. Tennessee Valley Authority. 97/12/29. COLLINS,S.J. . 3pp. A1741:342-A1741:344.

9801220079 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG 1021. Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1877:171-A1877:175.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801260205 Rev 37 to "Radiological Emergency Plan." W/980116 ltr & list of effective pages.
BAILEY,J.A., BURZYNSKI,M.J. Tennessee Valley Authority. 97/12/23. 69pp. A1929:064-A1929:132.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801260235 Rev 18 to CECC EPIP-9, "Emergency Environ Radiological Monitoring Procedures." W/list of effective pages & 980116 ltr.
BAILEY,J.A., BURZYNSKI,M.J., POGUE,J.E. Tennessee Valley Authority. 98/01/16. 55pp. A1929:009-A1929:063.

H. General correspondence

9801280258 Forwards updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.Changes effective immediately.
BURZYNSKI,M.J. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 7pp. A1936:281-A1936:287.

P. Operating license stage documents & correspondence

9801300149 Forwards proprietary supplemental info for review of TS-362 re basis for changes made in improved TS from current TS re extensions of instrumentation sys STIs & allowed out-of-svc times.Encl withheld,per 10CFR2.790(b)(1).
ABNEY,T.E. Tennessee Valley Authority. 97/12/11. Document Control Branch (Document Control Desk). 5pp. A2002:326-A2002:330.

9801050335 Provides supplemental info in support of TS-362 amend request re Section 3.8, "Electrical Power Sys." TS-362 util conversion package from current Tech Specs to improved TS & originally submitted to NRC on 960906.
ABNEY,T.E. Tennessee Valley Authority. 97/12/22. Document Control Branch (Document Control Desk). 8pp. A1719:001-A1720:063.

--9801050338 Proposed Tech Specs Section 3.8 re electrical power sys.
* Tennessee Valley Authority. 97/12/22. 419pp. A1719:009-A1720:063.

9801140013 Forwards amends 250 & 209 to licenses DPR-52 & DPR-68 & safety evaluation.Amends include licensee conditions to require implementation of compensatory measures,consistent w/comments made in application.
DEAGAZIO,A.W. . 97/12/22. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A1797:316-A1797:348.

--9801140018 Amends 250 & 209 to licenses DPR-52 & DPR-68,respectively, including license conditions to require implementation of compensatory measures,consistent w/ commitment made in application.
HEBDON,F.J. . 97/12/22. 22pp. A1797:319-A1797:340.

--9801140021 Safety evaluation supporting amends 250 & 209 to licenses DPR-52 & DPR-68,respectively.
* . 97/12/22. 8pp. A1797:341-A1797:348.

9801050320 Provides supplemental info in support of TS-362 amend request re Section 3.7, "Plant Sys." NRC questions on section included in RAI dtd 970612.
ABNEY,T.E. Tennessee Valley Authority. 97/12/23. Document Control Branch (Document Control Desk). 21pp. A1701:028-A1701:228.

--9801050325 Proposed Tech Specs Section 3.7 re plant sys.
* Tennessee Valley Authority. 97/12/23. 180pp. A1701:049-A1701:228.

9801050351 Responds to NRC ltr dtd 971027 re staff concern that Units 1,2 & 3 may not satisfy min wall thickness requirements for Mark I containment torus structure.
ABNEY,T.E. Tennessee Valley Authority. 97/12/23. Document Control Branch (Document Control Desk). 4pp. A1709:251-A1709:254.

9801120064 Forwards TS section 3.6 containing several proposed improved TS revs & changes to supporting documentation re addressing NRC comments,per 970612 & 0714 ltrs.
ABNEY,T.E. Tennessee Valley Authority. 97/12/29. Document Control Branch (Document Control Desk). 77pp. A1755:001-A1756:288.

--9801120066 Proposed tech specs section 3.6,containing proposed improved TS revs & changes to supporting documentation addressing NRC comments.
* Tennessee Valley Authority. 97/12/29. 575pp. A1755:078-A1756:288.

9801150071 Forwards supplemental info in support of TS-362 amend request re Section 3.3, "Instrumentation." NRC questions on section provided as ref in RAI dtd 970612.
ABNEY,T.E. Tennessee Valley Authority. 97/12/29. Document Control Branch (Document Control Desk). 85pp. A1821:001-A1823:109.

--9801150072 Proposed tech specs section 3.3, "Instrumentation," converting from current TS to improved TS.
* Tennessee Valley Authority. 97/12/29. 752pp. A1821:086-A1823:109.

9801090085 Application for amends to licenses DPR-33,DPR-52 & DPR-68, consisting of TS Change 395,removing non-conservatism associated w/LCO 3.5.C, "RHR Svc Water & EECW."
ABNEY,T.E. Tennessee Valley Authority. 97/12/30. Document Control Branch (Document Control Desk). 23pp. A1757:147-A1757:264.

--9801090088 Proposed tech specs re RHR SW pumps required for multi-unit operation & cold shutdown.
* Tennessee Valley Authority. 97/12/30. 100pp. A1757:170-A1757:264.

9801130288 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps." Rept provides assurance that NPSH issues are being adequately addressed by TVA.
ABNEY,T.E. Tennessee Valley Authority. 98/01/05. Document Control Branch (Document Control Desk). 15pp. A1793:144-A1793:158.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801260073 Notification of 980126 meeting w/TVA in Rockville,MD to discuss technical discussion re to plant improved TSs.
DE AGAZIIO,A.W. . 98/01/14. HEBDON,F.J. . 3pp. A1902:256-A1902:258.

9801260433 Forwards "BFNP Unit 2 Cycle 10 Power Ascension Test Program Start-Up Rept," for period 970929-1105.Cycle is first reload of GE GE13 fuel assemblies.
ABNEY,T.E. Tennessee Valley Authority. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1910:349-A1910:362.

--9801260436 "BFNP Unit 2 Cycle 10 Power Ascension Test Program Start-Up Rept," for period 970929-1105.
* Tennessee Valley Authority. 98/01/15. 12pp. A1910:351-A1910:362.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210263 Forwards insp repts 50-259/97-11,50-260/97-11 & 50-296/97-11 on 971026-1206 & notices of violation & deviation.Violation re failure to prepare procedurally required trend rept for GL 89-10 MOVs.
LESSER,M.S. Region 2 (Post 820201). 98/01/02. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1856:149-A1856:188.

--9801210267 Notice of violation from insp on 971026-1206.Violations noted:on 971119,trend rept required by procedure MMDP-5 & site std prace SSP-6.51 had not been prepared.
* Region 2 (Post 820201). 98/01/02. 2pp. A1856:154-A1856:155.

--9801210272 Notice of deviation from insp on 971026-1206.Deviation noted:on 971117:applicable instructions for certain valves were not revised to incorporate requirement.
* Region 2 (Post 820201). 98/01/02. 1p. A1856:156-A1856:156.

--9801210278 Insp repts 50-259/97-11,50-260/97-11 & 50-296/97-11 on 971026-1206.Violations & deviations noted.Major areas inspected:operations,engineering,maint & plant support.
* Region 2 (Post 820201). 98/01/02. 32pp. A1856:157-A1856:188.

9801220058 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/97-10, 50-260/97-10 & 50-296/97-10.
LESSER,M.S. Region 2 (Post 820201). 98/01/08. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A1872:358-A1872:360.

9801260103 Submits Unit 2 summary repts for NRC review.Encl 1 contains Unit 2 NIS-1 for Code Class 1 & 2 pressure retaining components & supports.Encl 2 contains repair & replacements rept for NIS-2 for Code Class 1 & 2 components & supports.
ABNEY,T.E. Tennessee Valley Authority. 98/01/15. Document Control Branch (Document Control Desk). 4pp. A1906:108-A1906:313.

--9801260111 "BFN Unit 2,Cycle 9 NIS-1 Owners Rept for ISI."
* Tennessee Valley Authority. 98/01/07. 202pp. A1906:112-A1906:313.

R. Periodic operating reports & related correspondence

9801260402 Monthly operating repts for Dec 1997 for Browns Ferry Nuclear Plant.W/ 980115 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 97/12/31. 13pp. A1908:337-A1908:349.

V. Operator Examinations

9801060215 Informs of change in medical status for GW Lee,license SOP-21339.Medical info & certification of medical exam for subject individual,encl.W/o encl.
CRANE,C.M. Tennessee Valley Authority. 97/12/29. COLLINS,S.J. . 3pp. A1741:342-A1741:344.

9801220079 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG 1021. Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1877:171-A1877:175.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801210150 Forwards insp rept 50-261/97-13 on 971117-21.No violations noted.Insp team observed selected portions of emergency organization response in key facilities during EP plume exposure exercise conducted on 971118.
BARR,K.P. Region 2 (Post 820201). 97/12/31. KEENAN,J.S. Carolina Power & Light Co. 3pp. A1855:233-A1855:261.

--9801210155 Insp rept 50-261/97-13 on 971117-21.No violations noted. Major areas inspected:biennal EP exercise for plant.
* Region 2 (Post 820201). 97/12/31. 26pp. A1855:236-A1855:261.

9801130100 Forwards replacement page that updates info in SBRSEP,Unit 2 Emergency Response Data Sys Data Point Library.Change implemented on 971208 & reflects mod of info used to calculate volume weighted containment average temperature.
WILKERSON,T.M. Carolina Power & Light Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1808:295-A1808:296.

P. Operating license stage documents & correspondence

9801060298 Forwards comments of CP&L on NRC proposed & direct final rules on 10CFR50.68 & 10CFR70.24 criticality accident requirements.
ALEXANDER,D.B. Carolina Power & Light Co. 97/12/24. Office of the Secretary of the Commission. 4pp. A1741:306-A1741:309.

9801160017 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
WILKERSON,T.M. Carolina Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 5pp. A1844:270-A1844:274.

9801230350 Informs that effective 971124 JW Shea became NRR licensing project manager for HB Robinson Steam Electric Plant,Unit 2.
BOGER,B.A. . 98/01/12. KEENAN,J.S. Carolina Power & Light Co. 2pp. A1901:245-A1901:246.

9801270056 Forwards corrections to amend 176 improved TS for mentioned plant,Unit 2.Corrected version of figure 3.4.3-2 reflects curves originally proposed by CP&L in 960827 application.
SHEA,J.W. . 98/01/16. KEENAN,J.S. Carolina Power & Light Co. 5pp. A1963:161-A1963:165.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801210298 Forwards insp rept 50-261/97-12 on 971012-1122 & notice of violation.Violations involves failure to adequately control post mod testing related to containment air recirculation cooling system.
SHYMLOCK,M.B. Region 2 (Post 820201). 97/12/22. KEENAN,J.S. Carolina Power & Light Co. 6pp. A1856:001-A1856:042.

--9801210299 Notice of violation from insp on 971012-1122.Violation noted:licensee failed to accomplish mod related activities as evidenced.On 971007,licensee did not evaluate post mod test acceptance criteria for measuring total air flow.
* Region 2 (Post 820201). 97/12/22. 2pp. A1856:007-A1856:008.

--9801210300 Insp rept 50-261/97-12 on 971012-1122.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 2 (Post 820201). 97/12/22. 34pp. A1856:009-A1856:042.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801070033 Responds to NRC 971205 ltr re violations noted in insp rept 50-261/97-11.Corrective actions:evaluated subject SSCs & determined to be within scope of NRC Maint Rule & will provide training to expert panel members.
KEENAN,J.S. Carolina Power & Light Co. 97/12/31. Document Control Branch (Document Control Desk). 5pp. A1747:256-A1747:260.

9801210150 Forwards insp rept 50-261/97-13 on 971117-21.No violations noted.Insp team observed selected portions of emergency organization response in key facilities during EP plume exposure exercise conducted on 971118.
BARR,K.P. Region 2 (Post 820201). 97/12/31. KEENAN,J.S. Carolina Power & Light Co. 3pp. A1855:233-A1855:261.

--9801210155 Insp rept 50-261/97-13 on 971117-21.No violations noted. Major areas inspected:biennal EP exercise for plant.
* Region 2 (Post 820201). 97/12/31. 26pp. A1855:236-A1855:261.

9801150063 Responds to NRC 971212 NOV & proposed imposition of civil penalty in amount of $55,000.Corrective actions:switch was examined & returned to normal on 970820.Check for $55,000 for payment of civil penalty encl.W/o encl.
KEENAN,J.S. Carolina Power & Light Co. 98/01/09. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 7pp. A1828:245-A1828:251.

9801280172 Ack receipt of 971231 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/97-11 issued on 971205.Corrective actions will be examined during future inspections.
FREDRICKSON,P. Region 2 (Post 820201). 98/01/14. KEENAN,J.S. Carolina Power & Light Co. 4pp. A1939:354-A1939:357.

9801270016 Responds to NRC 971222 ltr re violations noted in insp rept 50-261/97-12.Corrective actions:prepared & approved new mod to restore dampers for containment air recirculation cooling sys units & conducted real time testing for plant engineers.
KEENAN,J.S. Carolina Power & Light Co. 98/01/21. Document Control Branch (Document Control Desk). 4pp. A1932:243-A1932:246.

9801260131 Ack receipt of 980109 ltr & fee in amount of $55,000 in payment of civil penalty proposed by NRC in 971212 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/01/22. KEENAN,J.S. Carolina Power & Light Co. 2pp. A1919:077-A1919:078.

R. Periodic operating reports & related correspondence

9801210243 Monthly operating rept for Dec 1997 for HB Robinson Steam Electric Plant,Unit 2.W/980112 ltr.
GARDNER,D., WILKERSON,T.M. Carolina Power & Light Co. 97/12/31. 4pp. A1891:335-A1891:338.

S. Reportable occurrences, LERs & related correspondence

9801140112 LER 95-001-01:on 950214,safety injection pump testing requiring TS 3.0 entry determined.Caused by condition prohibited by TS.Check valve test frequency changed from quarterly to cold shutdown & refueling outage.W/980108 ltr.
CHERNOFF,H.K., MOYER,J.W. Carolina Power & Light Co. 98/01/08. 4pp. A1806:345-A1806:348.

V. Operator Examinations

9801220241 Extends invitation to Exam Writing Workshop in Atlanta,GA,on 980127-29.Workshop designed to inform mgt,operations & training staff of NUREG-1021 exam writing techniques for licensing of reactor plant operators.Agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. KEENAN,J.S. Carolina Power & Light Co. 5pp. A1875:199-A1875:203.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9801050094 Forwards Dec 1997 rev to "Evacuation Time Estimates for Plume Exposure Pathway Emergency Planning Zone at Monticello Nuclear Plant."
HAMMER,M.F. Northern States Power Co. 97/12/18. Document Control Branch (Document Control Desk). 1p. A1709:171-A1709:241.

--9801050102 Revised "Evacuation Time Estimates for Plume Exposure Pathway Emergency Planning Zone at Monticello Nuclear Power Plant." W/one oversize drawing.
* Earth Technology Co. 97/12/31. 70pp. A1709:172-A1709:241.

9801160107 Forwards emergency preparedness exercise insp rept 50-263/97-16 on 971118-21.No violations noted.Emergency response activities observed were effectively implemented.
GROBE,J.A. Region 3 (Post 820201). 97/12/22. WADLEY,M.D. Northern States Power Co. 2pp. A1826:155-A1826:171.

--9801160108 Insp rept 50-263/97-16 on 971118-21.No violations noted. Major areas inspected:evaluation of performance during plant biennial exercise of emergency plan by regional EP inspectors & resident inspector staff from plants.
* Region 3 (Post 820201). 97/12/22. 15pp. A1826:157-A1826:171.

9801130136 Ack receipt of ltr dtd 971204,which transmitted changes identified as rev 15 to Monticello Security Force Training & Qualification Plan,submitted under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 97/12/30. HAMMER,M. Northern States Power Co. 3pp. A1808:274-A1808:276.

9801120291 Forwards page 6 of NRC Monticello EP Exercise insp rept 50-263/97-16 which had been omitted from 971222 transmittal.
GROBE,J.A. Region 3 (Post 820201). 98/01/06. WADLEY,M.D. Northern States Power Co. 1p. A1754:049-A1754:050.

--9801120294 Page 6 of plant emergency preparedness exercise insp rept 50-263/97-16.Page inadvertently omitted w/rept transmitted by 971222 ltr.
* Region 4 (Post 820201). 98/01/06. 1p. A1754:050-A1754:050.

P. Operating license stage documents & correspondence

9801120267 Notification of 980107 meeting w/util in Rockville,MD to discuss plans for conversion to improved STS for plants.
WETZEL,B.A. . 97/12/23. HANNON,J.N. . 3pp. A1789:349-A1789:351.

9801200223 Discusses 971215-16 NRR audit of Monticello strainer test. Tests were established to develop data for strainer design installed in NPP.
KUDRICK,J. . 98/01/12. BERLINGER,C.H. . 9pp. A1860:321-A1860:329.

9801220363 Forwards nonproprietary version of Montecello & Cooper trip rept to PDR.
D'ANGELO,T. . 98/01/13. BERLINGER,C.H. . 14pp. A1880:323-A1880:336.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801160107 Forwards emergency preparedness exercise insp rept 50-263/97-16 on 971118-21.No violations noted.Emergency response activities observed were effectively implemented.
GROBE,J.A. Region 3 (Post 820201). 97/12/22. WADLEY,M.D. Northern States Power Co. 2pp. A1826:155-A1826:171.

--9801160108 Insp rept 50-263/97-16 on 971118-21.No violations noted. Major areas inspected:evaluation of performance during plant biennial exercise of emergency plan by regional EP inspectors & resident inspector staff from plants.
* Region 3 (Post 820201). 97/12/22. 15pp. A1826:157-A1826:171.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801120291 Forwards page 6 of NRC Monticello EP Exercise insp rept 50-263/97-16 which had been omitted from 971222 transmittal.
GROBE,J.A. Region 3 (Post 820201). 98/01/06. WADLEY,M.D. Northern States Power Co. 1p. A1754:049-A1754:050.

--9801120294 Page 6 of plant emergency preparedness exercise insp rept 50-263/97-16.Page inadvertently omitted w/rept transmitted by 971222 ltr.
* Region 4 (Post 820201). 98/01/06. 1p. A1754:050-A1754:050.

9801220300 Forwards operability determination for ISI components that were not fully examined in second ten-year ISI interval as requested by TS,for NRC info.
ANDERSON,R.O. Northern States Power Co. 98/01/13. Document Control Branch (Document Control Desk). 37pp. A1901:100-A1901:142.

R. Periodic operating reports & related correspondence

9801220037 Monthly operating rept for Dec 1997 for Monticello Nuclear Generating Plant.W/980112 ltr.
PAUSTIAN,H.H., VOTH,M.H. Northern States Power Co. 97/12/31. 5pp. A1888:336-A1888:340.

S. Reportable occurrences, LERs & related correspondence

9801060238 Forwards LER 97-013-00,re insertion of manual scram due to loss of condenser vacuum.Caused by electrical fault tripping recombiners.New commitments listed.
HAMMER,M.F. Northern States Power Co. 97/12/22. Document Control Branch (Document Control Desk). 1p. A1754:120-A1754:125.

--9801060259 LER 97-013-00:on 971125,manual scram was inserted due to loss of condenser vacuum.Caused by electrical fault tripping.Temporary cables were installed primarily above ground.
PARKER,T. Northern States Power Co. 97/12/22. 5pp. A1754:121-A1754:125.

9801220237 Forwards LER 97-014-00 re Div II ADS inhibit switch which was not tested as required by TS.Commitment,listed.
HAMMER,M.F. Northern States Power Co. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1893:105-A1893:108.

--9801220238 LER 97-014-00:on 971219,determined that Division II ADS inhibit switch was not tested as required by TS.Caused by cognitive error by revision preparer & reviewer of surveillance test.Temporary change in surveillance test.
PARKER,T. Northern States Power Co. 98/01/12. 3pp. A1893:106-A1893:108.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). SIMPKINS,R.A. Centerior Energy. 3pp. A1960:072-A1960:074.

DOCKET 50-264 DOW CHEMICAL CO.

F. Security, medical, emergency & fire protection plans

9801060311 Forwards insp rept 50-264/97-201 on 971202-03.No violations or deviations identified.Annual emergency plant drill acceptable demonstration of ability to respond & to mitigate consequences of reactor event.
WEISS,S.H. . 97/12/18. RIGOT,W.L. Dow Chemical Co. 3pp. A1667:175-A1667:185.

--9801060315 Insp rept 50-264/97-201 on 971202-03.No violations or deviations noted.Major areas inspected:aspects of surveillance,experiments,radiation controls,design change & emergency preparedness (69001).
* . 97/12/18. 8pp. A1667:178-A1667:185.

9801220248 Forwards proposed modified emergency plan for Dow TRIGA Reactor & responses to NRC 961003 ltr.
RIGOT,W.L. Dow Chemical Co. 98/01/15. ADAMS,A. . 63pp. A1894:231-A1894:293.

Q. Inspection reports, IE Bulletins & correspondence

9801060311 Forwards insp rept 50-264/97-201 on 971202-03.No violations or deviations identified.Annual emergency plant drill acceptable demonstration of ability to respond & to mitigate consequences of reactor event.
WEISS,S.H. . 97/12/18. RIGOT,W.L. Dow Chemical Co. 3pp. A1667:175-A1667:185.

--9801060315 Insp rept 50-264/97-201 on 971202-03.No violations or deviations noted.Major areas inspected:aspects of surveillance,experiments,radiation controls,design change & emergency preparedness (69001).
* . 97/12/18. 8pp. A1667:178-A1667:185.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--9801070065 Rev 8n to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Quad Cities Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 28pp. A1742:199-A1742:226.

9801090198 Refers to fire protection insp conducted from 960708-1017 at Dresden & Quad Cities & violation noted re failure to protect MOVs from effects of hot shorts during postulated CR fire.No NOV issued & no civil penalty proposed.
BEACH,A.B. Region 3 (Post 820201). 97/12/30. KINGSLEY,O. Commonwealth Edison Co. 3pp. A1741:018-A1741:021.

9801080345 Describes actions that plant taking to upgrade App R fire protection program safe shutdown analysis in support of plant restart.
KRAFT,E.S. Commonwealth Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 9pp. A1756:340-A1756:348.

9801130248 Revised EPIPs,including rev 27 to QEP 0100-00,rev 9 to QEP 0100-T02,rev 41 to QEP 0150-00 & rev 7 to QEP 0150-T09.
* Commonwealth Edison Co. 98/01/05. 9pp. A1793:112-A1793:120.

9801140102 Revised EPIPs including rev 44 to QEP 0300-00, "Notifications" & rev 7 to QEP 0300-03, "Activation of ERDS."
* Commonwealth Edison Co. 98/01/06. 6pp. A1800:341-A1800:346.

9801270064 Revised EPIPs,including rev 45 to QEP 0300-00, "Notifications" & rev 17 to QEP 0300-T01, "State of IL NARS Forms Instructions for Use."
* Commonwealth Edison Co. 98/01/09. 7pp. A1935:190-A1935:196.

9801160021 Informs that App R safe shutdown improvement project plan will now be completed & submitted to NRC by 980123.
KRAFT,E.S. Commonwealth Edison Co. 98/01/10. Document Control Branch (Document Control Desk). 2pp. A1836:360-A1836:361.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801230289 Revised EPIPs,including rev 46 to QEP 0300-00, "Notifications," rev 1 to QEP 0300-05, "Quarterly Test of Emergency Response Data Sys (ERDS)" & rev 1 to QEP 0300-S07, "ERDS Surveillance Test Record."
* Commonwealth Edison Co. 98/01/15. 8pp. A1900:320-A1900:327.

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

9801280207 Provides summary of meeting on 971219 in Lisle,IL, re status of licensee actions to improve FP at QCS.Unable to demonstrate that current safe shutdown analysis & procedures adequately reviewed.Meeting attendee list & viewgraphs encl.
GROBE,J.A. Region 3 (Post 820201). 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 24pp. A1959:335-A1959:358.

9801280279 Discusses CAL RIII-98-01 re post-fire shutdown procedures at plant,Units 1 & 2.Confirms actions ComEd will take to resolve 10CFR50,App R safe shutdown issues.
BEACH,A.B. Region 3 (Post 820201). 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1940:160-A1940:163.

9801290171 Provides detailed,resource-loaded project plan & schedule which enhance prior fire protection improvement processes. Attachment provides actions for App R safe shutdown improvement plan & schedule.
KRAFT,E.S. Commonwealth Edison Co. 98/01/23. Document Control Branch (Document Control Desk). 6pp. A1968:355-A1968:360.

P. Operating license stage documents & correspondence

9801020046 Forwards remaining ASME Code NIS-2 repts as committed to in 970919 ltr.Attachment contains amend to Table 3.1.1 of rept & remaining NIS-2 repts.
PEARCE,L.W. Commonwealth Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 28pp. A1679:093-A1679:120.

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801080342 Submits actions that underway to achieve improvements in engineering at plant & provide status update of some recent engineering issues.
KRAFT,E.S. Commonwealth Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 9pp. A1758:300-A1758:308.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--9801130014 "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

9801270022 Forwards non-proprietary version of rev 1 to EMF-96-180, "Quad Cities Unit 2 Cycle 15 Plant Transient Analysis." Affidavit is provided to request that proprietary version, sent inadvertently w/971104 ltr,be withheld.
KRAFT,E.S. Commonwealth Edison Co. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1936:037-A1936:145.

--9801270030 Non-proprietary rev 1 to EMF-96-180, "Quad Cities Unit 2 Cycle 15 Plant Transient Analysis."
SCHNEPP,R.R. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. EMF-96-180 R01. 97/04/18. 107pp. A1936:039-A1936:145.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020046 Forwards remaining ASME Code NIS-2 repts as committed to in 970919 ltr.Attachment contains amend to Table 3.1.1 of rept & remaining NIS-2 repts.
PEARCE,L.W. Commonwealth Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 28pp. A1679:093-A1679:120.

9801050242 Informs of change of committed due date to 980306 to allow util to complete training for individuals in Operations Dept who will be on vacation until 1998,in response to NOV contained in insp repts 50-254/97-13 & 50-265/97-13.
KRAFT,E.S. Commonwealth Edison Co. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1709:283-A1709:284.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801060032 Confirms 971224 discussion to change meeting date as referenced in repts 50-254/97-27 & 50-265/97-27 from 980108 to 980109.
GROBE,J.A. Region 3 (Post 820201). 97/12/30. PEARCE,L.W. Commonwealth Edison Co. 3pp. A1680:039-A1680:043.

--9801060040 Notification of significant licensee meeting w/util on 980109 in Lisle,IL to discuss apparent violations & other issues identified in NRC inspection repts 50-254/97-27 & 50-265/97-27.
GAVULA,J. Region 3 (Post 820201). 97/12/30. Region 3 (Post 820201). 2pp. A1680:042-A1680:043.

9801070212 Provides results of evaluation addressing fatigue cumulative usage factor of RPV closure studs,per 971210 response to violations noted in insp repts 50-254/97-18 & 50-265/97-18.
KRAFT,E.S. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1747:284-A1747:285.

9801090198 Refers to fire protection insp conducted from 960708-1017 at Dresden & Quad Cities & violation noted re failure to protect MOVs from effects of hot shorts during postulated CR fire.No NOV issued & no civil penalty proposed.
BEACH,A.B. Region 3 (Post 820201). 97/12/30. KINGSLEY,O. Commonwealth Edison Co. 3pp. A1741:018-A1741:021.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220401 Informs of scheduled on-site design insp of Quad Cities Nuclear Power Station during 980216-0327.Two mechanical sys selected will be RHR & CS including ADS.
CAPRA,R.A. . 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1877:268-A1877:271.

9801210109 Forwards insp repts 50-254/97-24 & 50-265/97-24 on 971124- 1202.No violations noted.Insp was to assess licensed operator requalification program.
GROBE,J.A. Region 3 (Post 820201). 98/01/13. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1855:054-A1855:068.

--9801210116 Insp repts 50-254/97-24 & 50-265/97-24 on 971124-1202.No violations noted.Major areas inspected:licensed RO & SRO requalification training programs.
* Region 3 (Post 820201). 98/01/13. 11pp. A1855:058-A1855:068.

9801280202 Advises of planned insp effort resulting from plant performance review on 971021.Provides details for insp plan for next six months.Resident insps not listed due to ongoing & continuous nature.
RING,M. Region 3 (Post 820201). 98/01/20. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1960:001-A1960:005.

9801270070 Forwards insp repts 50-254/97-26 & 50-265/97-26 on 971103- 1223 & notice of violation.
GRANT,G.E. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1933:129-A1933:167.

--9801270073 Notice of violation from insp on 971103-1223.Violation noted:licensee failed to promptly correct conditions adverse to quality & failed to take measures to assure that corrective actions were taken.
* Region 3 (Post 820201). 98/01/21. 4pp. A1933:134-A1933:137.

--9801270078 Insp repts 50-254/97-26 & 50-265/97-26 on 971103-1223. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/01/21. 30pp. A1933:138-A1933:167.

9801280089 Forwards response to violations noted in insp repts 50-254/97-27 & 50-265/97-27.Corrective actions:records in storage manually searched for original Q2R13 ISI leakage test documentation,QCOS 201-04,w/negative results.
KRAFT,E.S. Commonwealth Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 5pp. A1967:315-A1967:319.

9801280107 Forwards response to violations noted in insp repts 50-254/97-14 & 50-265/97-14.CAs:on 970906,operations directed chemistry to begin sampling at 4 h intervals & implemented measures to ensure hydrogen grab sample.
KRAFT,E.S. Commonwealth Edison Co. 98/01/22. Document Control Branch (Document Control Desk). 23pp. A1966:281-A1966:303.

R. Periodic operating reports & related correspondence

9801160081 Monthly operating repts for Dec 1997 for Quad Cities Nuclear Station,Units 1 & 2.W/980110 ltr.
STOCKMAN,D., COOK,D. Commonwealth Edison Co. 97/12/31. 20pp. A1833:336-A1833:355.

S. Reportable occurrences, LERs & related correspondence

9801020034 Forwards LER 97-012-00 IAW 10CFR50.73(a)(2)(iv),stating that licensee shall rept any event or condition that resulted in manual or automatic actuation of any ESF.Listed commitments are being made by ltr.
COOK,D.B. Commonwealth Edison Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1658:313-A1658:319.

--9801020040 LER 97-012-00:on 971121,loss of shutdown cooling due to loss of power to reactor protection bus 2B.Caused by undervoltage condition at RPS 2B bus when bus was loaded.Voltage regulating transformer cleaned & adjusted.
PETERSON,C. Commonwealth Edison Co. 97/12/18. 5pp. A1658:315-A1658:319.

V. Operator Examinations

9801210109 Forwards insp repts 50-254/97-24 & 50-265/97-24 on 971124- 1202.No violations noted.Insp was to assess licensed operator requalification program.
GROBE,J.A. Region 3 (Post 820201). 98/01/13. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1855:054-A1855:068.

--9801210116 Insp repts 50-254/97-24 & 50-265/97-24 on 971124-1202.No violations noted.Major areas inspected:licensed RO & SRO requalification training programs.
* Region 3 (Post 820201). 98/01/13. 11pp. A1855:058-A1855:068.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B., HOLBROOK,R.S. Commonwealth Edison Co. YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. A1960:072-A1960:074.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801090069 Forwards non-proprietary & proprietary versions of temporary change to rev 9 of EPIP 8.4.1, "Post-Accident Sampling & Analysis of Potentially High Activity Reactor Coolant." Proprietary version withheld.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/12/12. Document Control Branch (Document Control Desk). 1p. A1809:275-A1809:307.

--9801090076 Non-proprietary version of temporary change to rev 9 of EPIP 8.4.1, "Post-Accident Sampling & Analysis of Potentially High Activity Reactor Coolant."
* Wisconsin Electric Power Co. 97/11/19. 32pp. A1809:276-A1809:307.

9801020085 Ack receipt of 971114 ltr from DF Johnson,which transmitted change to physical security plan for PBNP submitted under provisions of 10CFR50.54(p).Plan withheld.
CREED,J.R. Region 3 (Post 820201). 97/12/23. PATULSKI,S.A. Wisconsin Electric Power Co. 4pp. A1670:341-A1670:344.

9801210241 Forwards SALP repts 50-266/97-01 & 50-301/97-01 for Point Beach NPP covering period of 960428-971129.Rept will be discussed w/utility at public meeting in Manitowoc,WI on 980128.
BEACH,A.B. Region 3 (Post 820201). 98/01/14. PATULSKI,S.A. Wisconsin Electric Power Co. 5pp. A1857:013-A1857:024.

--9801210244 SALP 13 repts 50-266/97-01 & 50-301/97-01 for period from 960428-971129.
* Region 3 (Post 820201). 98/01/14. 7pp. A1857:018-A1857:024.

H. General correspondence

9801050258 Responds to 971024 ltr to D Rathbun which forwarded 970927 ltr from constituent F Shillinglaw,expressing concern about various problems that have been identified during fabrication of VSC-24 dry storage casks.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/12. FEINGOLD,R.D. Senate. 2pp. A1662:229-A1662:279.

--9801050263 Forwards copy of F Shillinglaw 970927 ltr re problems concerning cask sys,especially VSC-24 type.
FEINGOLD,R.D. Senate. 97/10/24. RATHBUN,D. Office of Congressional Affairs (Post 911117). 1p. A1662:271-A1662:279.

P. Operating license stage documents & correspondence

9801080161 Forwards proprietary & non-proprietary slide presentation, "14 X 14,0.422 Inch OD,VANTAGE + (422V+) Fuel Design Application for Point Beach Units 1 & 2," used during 970805 meeting between licensee & NRC.Proprietary info withheld.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/12/16. Document Control Branch (Document Control Desk). 2pp. A1809:218-A1809:271.

--9801080166 Requests that proprietary slide presentation, "14 X 14,0.422 Inch OD,VANTAGE + (422V+) Fuel Design,Application for Point Beach Units 1 & 2," be withheld from public disclosure,per 10CFR2.790(b)(4).
SEPP,H.A. Westinghouse Electric Corp. 97/09/09. COLLINS,S.J. . 52pp. A1809:220-A1809:271.

9801080258 Requests extension to relief request VRR-4A for disassembly, insp & manual stroke testing of valve ISI-00876A.Extension would allow plant to operate until scheduled 1998 Unit 1 refueling outage.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/02. Document Control Branch (Document Control Desk). 4pp. A1762:112-A1762:115.

9801160032 Forwards SER granting 980102 request for relief VRR-4B from inservice testing for Point Beach Nuclear Plant,Units 1 & 2, pursuant to 10CFR50.55a(f)(6)(i) until end of 1998 Unit 1 refueling outage.
HANNON,J.N. . 98/01/02. GRIGG,R.R. Wisconsin Electric Power Co. 2pp. A1820:291-A1820:297.

--9801160037 SER approving request for relief VRR-4B to inservice testing program Wisconsin Electric Power Co,Point Beach Nuclear Plant,units 1 & 2.
* . 98/01/02. 5pp. A1820:293-A1820:297.

9801130300 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1793:159-A1793:164.

9801150170 Forwards SER re 960209,0717 & 0827 ltrs addressing GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Relief Valves," for Point Beach Nuclear Plant units 1 & 2.Response adequately addressed requested action.
GUNDRUM,L.L. . 98/01/08. GRIGG,R.R. Wisconsin Electric Power Co. 2pp. A1818:164-A1818:169.

--9801150172 SER accepting licensee response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," for Point Beach Nuclear Plant,units 1 & 2.
* . 98/01/08. 4pp. A1818:166-A1818:169.

9801220131 Discusses completion of NRC oversight panel for plant.NRC review has shown adequate progress made on improvement initiatives.
BEACH,A.B. Region 3 (Post 820201). 98/01/14. GRIGG,R.R. Wisconsin Electric Power Co. 2pp. A1875:244-A1875:245.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220083 Forwards insp repts 50-266/97-25 & 50-301/97-25 completed on 971215 & notice of violation.Purpose of insp to review implementation of 10CFR50.65, "Requirements for Monitoring Effectiveness of Maint at Nuclear Power Plants."
GROBE,J.A. Region 3 (Post 820201). 98/01/12. PATULSKI,S.A. Wisconsin Electric Power Co. 2pp. A1876:288-A1876:326.

--9801220104 Notice of violation from insp completed on 971215.Violations noted:licensee failed to include two safety-related structures,sys or components within scope of maint rule as required.
* Region 3 (Post 820201). 98/01/12. 4pp. A1876:290-A1876:293.

--9801220113 Insp repts 50-266/97-25 & 50-301/97-25 on 971015-16,1103-06, 1117-21 & 1215.Violations noted.Major areas inspected: licensee implementation of 10CFR50.65, "Requirements for Monitoring Effectiveness of Maint at Nuclear Power Plants."
GAVULA,J.A. Region 3 (Post 820201). 98/01/12. 33pp. A1876:294-A1876:326.

9801210241 Forwards SALP repts 50-266/97-01 & 50-301/97-01 for Point Beach NPP covering period of 960428-971129.Rept will be discussed w/utility at public meeting in Manitowoc,WI on 980128.
BEACH,A.B. Region 3 (Post 820201). 98/01/14. PATULSKI,S.A. Wisconsin Electric Power Co. 5pp. A1857:013-A1857:024.

--9801210244 SALP 13 repts 50-266/97-01 & 50-301/97-01 for period from 960428-971129.
* Region 3 (Post 820201). 98/01/14. 7pp. A1857:018-A1857:024.

9801280120 Forwards response to violations noted in insp rept 50-266/97-21 & 50-301/97-21.Corrective actions:on 971128, operability determination developed which provided reasonable assurance as to operability of CCW sys.
CAYIA,A.J. Wisconsin Electric Power Co. 98/01/21. Document Control Branch (Document Control Desk). 6pp. A1968:053-A1968:058.

R. Periodic operating reports & related correspondence

9801200025 Forwards monthly operating repts for Dec 1997 for Point Beach Nuclear Plant,Units 1 & 2.Corrected Units 1 & 2 operating data rept sheets & Unit 2 average daily power level summary sheet for Nov 1997,also encl.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/09. Document Control Branch (Document Control Desk). 1p. A1843:184-A1843:195.

--9801200028 Monthly operating repts for Dec 1997 for Point Beach Nuclear Plant,Units 1 & 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 97/12/31. 8pp. A1843:185-A1843:192.

--9801200030 Corrected monthly operating repts for Nov 1997 for Point Beach Nuclear Plant,Units 1 & 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 97/11/30. 3pp. A1843:193-A1843:195.

S. Reportable occurrences, LERs & related correspondence

9801020072 Special rept:on 971201,fire protection wrap required for svc water pump motor cables had been rendered inoperable for more than seven days.Caused by planned repair activity.Once- per-hour fire patrol established.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1679:275-A1679:276.

9801230110 Forwards LER 97-044-00 which describes discovery that inservice test procedure used dedicated operator to provide operability of containment spray additive sys while both redundant trains were isolated.No new commitments listed.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1893:148-A1893:154.

--9801230130 LER 97-044-00:on 971216,use of dedicated operators during IST of containment spray sys constituted operation prohibited by TS.Caused by improper consideration for use of dedicated operators.Revised procedures.
ADAMS,G.D. Wisconsin Electric Power Co. 98/01/15. 6pp. A1893:149-A1893:154.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B., HOLBROOK,R.S. Commonwealth Edison Co. YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. A1960:072-A1960:074.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9801120259 Informs that NRC staff completed preliminary review of proposed Issue 4 of physical security plan for Fort St Vrain & determined certain aspects of proposed rev not consistent w/current staff positions.
SHEA,J.W. Office of Nuclear Material Safety & Safeguards. 97/12/23. FISHER,M.J. Public Service Co. of Colorado. 2pp. A1789:223-A1789:224.

9801290158 Requests identification of safeguards issues & physical protection insp results per NRC insp performed on 970512-21. Prompt response is requested.
HAGERS,J. Energy, Dept. of, Idaho Operations Office. 98/01/15. SHEA,J. Office of Nuclear Material Safety & Safeguards. 3pp. A1971:266-A1971:268.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801290158 Requests identification of safeguards issues & physical protection insp results per NRC insp performed on 970512-21. Prompt response is requested.
HAGERS,J. Energy, Dept. of, Idaho Operations Office. 98/01/15. SHEA,J. Office of Nuclear Material Safety & Safeguards. 3pp. A1971:266-A1971:268.

R. Periodic operating reports & related correspondence

9801020104 Submits annual rept of changes,tests & experiments affecting FSV ISFSI per 10CFR72.48(b).Rept covers period from 961218- 971217.
BORST,F.J. Public Service Electric & Gas Co. of New Jersey. 97/12/17. Region 4 (Post 820201). 11pp. A1687:302-A1687:312.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801020125 Forwards sixth annual update to FSV ISFSI SAR which has been updated IAW 10CFR72.70,which requires SAR to be updated annually following first receipt of spent fuel or HLW for storage in ISFSI.
BORST,F.J. Public Service Co. of Colorado. 97/12/17. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1721:033-A1722:322.

--9801020126 Rev 9 to "ISFSI SAR."
* Public Service Co. of Colorado. 97/12/17. 400pp. A1721:037-A1722:322.

9801120259 Informs that NRC staff completed preliminary review of proposed Issue 4 of physical security plan for Fort St Vrain & determined certain aspects of proposed rev not consistent w/current staff positions.
SHEA,J.W. Office of Nuclear Material Safety & Safeguards. 97/12/23. FISHER,M.J. Public Service Co. of Colorado. 2pp. A1789:223-A1789:224.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801070071 Discusses integrated emergency power & engineered safeguards functional test performed on 970102-05.Rept titled, "CYME Modeling of Emergency Power & Engineered Safeguards Functional Tests 2,5 & 6," encl.
MCCOLLUM,W.R. Duke Power Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1743:001-A1743:198.

--9801070076 "CYME Modeling of Emergency Power & Engineered Safeguards Functional Tests 2,5 & 6."
BENGE,A., SCHAEFFER,C.E., STONER,J.E. Duke Power Co. 97/12/18. 192pp. A1743:003-A1743:198.

9801200055 Rev 97-02,Vol A to "Oconee Nuclear Site Emergency Plan." W/980113 ltr.
MCCOLLUM,W.R. Duke Power Co. 98/01/13. 183pp. A1842:001-A1842:183.

9801220268 Discusses 980108 meeting re SALP rept 50-269/97-99, 50-270/97-99 & 50-287/97-99 dtd 971219.List of attendees & presentation handout encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 11pp. A1875:215-A1875:225.

9801260098 Forwards RAI re Oconee emergency electrical distribution sys rept.Info requested within 30 days of date of ltr.
LABARGE,D.E. . 98/01/15. MCCOLLUM,W.R. Duke Power Co. 5pp. A1902:248-A1902:252.

9801270067 Forwards Rev 98-01,Vol B to "Oconee Nuclear Site Emergency Plan Implementing Procedures." Rev being submitted in accordance w/10CFR50.54(q) & does not decrease effectiveness of EPIPs.
MCCOLLUM,W.R. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1935:162-A1935:189.

--**9801270081** Rev 98-01,Vol B to "Oconee Nuclear Site Emergency Plan Implementing Procedures."
FOSTER,W.W. Duke Power Co. 98/01/15. 26pp. A1935:164-A1935:189.

9801270182 Forwards RAI re util response to NRR draft rept on plant emergency power sys.Response requested within 30 days of receipt of ltr.
LABARGE,D.E. . 98/01/22. MCCOLLUM,W.R. Duke Power Co. 8pp. A1927:344-A1927:351.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801230377 Provides schedule for UFSAR review which assures continuing accuracy & completeness of UFSAR for each of util sites.
TUCKMAN,M.S. Duke Power Co. 98/01/14. Document Control Branch (Document Control Desk). 3pp. A1923:273-A1923:275.

P. Operating license stage documents & correspondence

9801050148 Forwards revs to Oconee Nuclear Station, "Selected Licensee Commitments Manual," per 10CFR50.4 & 91.
MCCOLLUM,W.R. Duke Power Co. 97/12/03. Document Control Branch (Document Control Desk). 3pp. A1709:302-A1709:311.

--**9801050150** Revs to Oconee Nuclear Station, "Selected License Commitments Manual."
PEELE,B.L. Duke Power Co. 97/11/24. 5pp. A1709:307-A1709:311.

9801050222 Forwards revs to Oconee Selected Licensee Commitments Manual,per 10CFR50.4 & 50.71.Manual is intended to contain commitments & other station issues that warrant higher control.
MCCOLLUM,W.R. Duke Power Co. 97/12/08. Document Control Branch (Document Control Desk). 3pp. A1709:316-A1709:325.

--**9801050230** Revs to Oconee Nuclear Station "Selected Licensee Commitments."
PEELE,B.L. Duke Power Co. 97/12/03. 7pp. A1709:319-A1709:325.

9801020094 Forwards "Suppl IPEEE Submittal Rept," containing relay chatter analysis done in conjunction w/USI A-46 relay review & in response to GL 88-20,suppl 4.
MCCOLLUM,W.R. Duke Power Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1672:148-A1672:230.

--**9801020095** "Supplemental IPEEE Submittal Rept."
* Duke Power Co. 97/12/31. 80pp. A1672:150-A1672:230.

9801050274 Advises that info contained in 971113 ltr & 971125 affidavit re TR DPC-NE-2008P-A, "DPC Use of TACO-3 & Fuel Rod & Gas Pressure Criterion," for listed plants,will be withheld from public disclosure,per 10CFR2.790(b)(5).
TAM,P.S. . 97/12/18. TUCKMAN,M.S. Duke Power Co. 5pp. A1663:295-A1663:299.

9801050343 Forwards non-proprietary version of TR DPC-NE-3003-A & proprietary version TR DPC-NE-3003-PA, "Mass & Energy Release & Containment Response Methodology." Proprietary TR withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 2pp. A1685:196-A1686:286.

--**9801050345** Non-proprietary DPC-NE-3003-A, "Mass & Energy Release & Containment Response Methodology."
* Duke Power Co. DPC-NE-3003-A. 97/11/30. 600pp. A1685:198-A1686:286.

9801060001 Forwards RAI re licensee 970828 submittal of amends to plant TS to modify emergency condenser circulating water sys. Response requested within 30 days of ltr receipt.
LABARGE,D.E. . 97/12/22. MCCOLLUM,W.R. Duke Power Co. 6pp. A1667:229-A1667:234.

9801060211 Forwards description of status of actions completed per GL 96-04 & revised schedule for completion for actions.Catawba Nuclear Station's spent fuel racks do not contain boraflex.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 6pp. A1729:355-A1729:360.

9801060177 Forwards rev 2 to proprietary TR DPC-NE-3000-P,consisting of simulation model revs to reflect new Mk-B11 fuel assembly design,application of new critical heat flux correlation & several RETRAN model improvements.Proprietary TR withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/23. Document Control Branch (Document Control Desk). 3pp. A1722:339-A1722:341.

9801080227 Forwards special rept re Unit 1 Reactor Bldg Tendon #7, providing results of engineering review,performed to justify continued svc of Units 1 & 2.
MCCOLLUM,W.R. Duke Power Co. 97/12/31. Document Control Branch (Document Control Desk). 16pp. A1762:118-A1762:133.

9801140160 Forwards revs to Oconee Selected Licensee Commitments Manual,per 10CFR50.4 & 50.71.Manual is intended to contain commitments & other station issues that warrant higher control.
MCCOLLUM,W.R. Duke Power Co. 97/12/31. Document Control Branch (Document Control Desk). 1p. A1801:311-A1801:319.

--**9801140164** Revs to Oconee Nuclear Station "Selected Licensee Commitments."
PEELE,B.L. Duke Power Co. 97/12/31. 8pp. A1801:312-A1801:319.

9801140073 Forwards rev to TS Section 3.4 Bases.Change made to require both EFW flow & SG level indication for each SG to consider flowpath to each SG operable.
MCCOLLUM,W.R. Duke Power Co. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1801:341-A1801:345.

--**9801140078** Revised TS Section 3.4 Bases.
* Duke Power Co. 97/12/30. 4pp. A1801:342-A1801:345.

9801140227 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
TUCKMAN,M.S. Duke Power Co. 98/01/05. Document Control Branch (Document Control Desk). 20pp. A1832:300-A1832:319.

9801220100 Confirms conversation between B Jones & C Casto on 971230 re change in mgt meeting from 980112 to 0122 in Atlanta,GA. Meeting to discuss concerns re communication between NRC & plant training staff.
OGLE,C.R. Region 2 (Post 820201). 98/01/07. MCCOLLUM,W.R. Duke Power Co. 3pp. A1877:198-A1877:200.

9801130210 Forwards amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program." Amend 22 being submitted pursuant to 10CFR50.54(a)(3),contains changes necessary to reflect merger of Duke Power Co & PanEnergy Corp.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1795:272-A1795:334.

--**9801130228** Amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program."
COLEY,W.A., BAKER,P.A. Duke Power Co. 97/12/15. 58pp. A1795:275-A1795:334.

9801130236 Advises NRC of recent organizational & programmatic changes that affect QA program for nuclear power plants.Ltr being submitted in order to fulfill commitment contained in section of topical rept.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1793:070-A1793:072.

9801200115 Responds to request for withholding info from public disclosure re BAW-2303P,Rev 02 submitted on 971016 pursuant to 10CFR2.790.Review of application determined rept will be marked as proprietary pursuant to 10CFR2.790(b)(5).
LABARGE,D.E. . 98/01/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A1852:346-A1852:349.

9801200122 Informs that revised pps 16.6-11 to 15 of Selected Licensee Commitment Manual,containing post-tensioning surveillance criteria to support change to TS 4.4.2 structural integrity, satisfactory,per 971208 ltr.
LABARGE,D.E. . 98/01/12. MCCOLLUM,W.R. Duke Power Co. 3pp. A1852:359-A1852:361.

9801200168 Responds to request that rept,BAW-2303P,rev 3 be considered exempt from mandatory public disclosure.Determined that info sought to be withheld contains proprietary commercial info & will be withheld from public disclosure.
LABARGE,D.E. . 98/01/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A1850:349-A1850:352.

9801210152 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by Duke topical repts & submittals for Oconee to support critical heat flux correlations & UFSAR transient analysis methodology.
LABARGE,D.E. . 98/01/13. BERKOW,H.N. . 5pp. A1866:234-A1866:238.

9801220080 Sumbits summary of 980108 meeting re status of plant performance issues.List of attendees & presentation handouts encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 55pp. A1889:004-A1889:058.

9801260125 Provides responses to RAIs re plant license renewal project for OLRP-1001 license renewal technical info topical rept. Draft program description provided in Attachment 3.
MCCOLLUM,W.R. Duke Power Co. 98/01/14. Document Control Branch (Document Control Desk). 33pp. A1913:280-A1913:312.

9801260098 Forwards RAI re Oconee emergency electrical distribution sys rept.Info requested within 30 days of date of ltr.
LABARGE,D.E. . 98/01/15. MCCOLLUM,W.R. Duke Power Co. 5pp. A1902:248-A1902:252.

9801260130 Application for amends to licenses DPR-38,DPR-47 & DPR-55 to TS for plant.Amend consists of proposed one-time extension to instrument channel test frequency for wide range hot leg level,RV head level & subcooling monitors.
TUCKMAN,M.S. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 5pp. A1906:314-A1906:342.

--**9801260145** Proposed tech specs to licenses DPR-38,DPR-47 & DPR-55, consisting of proposed one-time extension to instrument channel test frequency for wide range hot leg level,RV head level & subcooling monitors.
* Duke Power Co. 98/01/15. 24pp. A1906:319-A1906:342.

9801280045 Forwards RAI re 970828 amends to plant,Units 1 & 2 TSs to modify emergency condenser circulating water sys.Response requested within 30 days of receipt of ltr.
LABARGE,D.E. . 98/01/20. MCCOLLUM,W.R. Duke Power Co. 4pp. A1921:300-A1921:303.

9801290090 Forwards response to NRC 971122 & 980120 RAIs re TS amend modifying emergency condenser cooling water sys.Response to remaining request will be submitted at later date.W/six oversize drawings.
MCCOLLUM,W.R. Duke Power Co. 98/01/22. Document Control Branch (Document Control Desk). 19pp. A2008:001-A2008:020.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050187 Forwards SE accepting licensee 970313 ltr & 970722 suppl, requesting relief per 10CFR50.55a(g)(5)(iii) re pressurizer spray & SG welds for plant.INEL technical ltr rept also encl.
BERKOW,H.N. . 97/12/18. MCCOLLUM,W.R. Duke Power Co. 3pp. A1663:108-A1663:122.

--**9801050192** Safety evaluation supporting third 10-year ISI request for relief 97-01 pressurizer spray & SG welds as submitted by Duke Energy Corp on 970313.Concludes that certain ISI exams cannot be performed to extent required by ASME code.
* . 97/12/18. 12pp. A1663:111-A1663:122.

9801130073 Confirms 971222 conversation between J Burchfield & G McCoy re change in time for 980108 meeting to provide update to Oconee Recovery Plan.
OGLE,C.R. Region 2 (Post 820201). 97/12/22. MCCOLLUM,W.R. Duke Power Co. 3pp. A1785:086-A1785:088.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801060213 Provides further addl info re NRC Bulletin 96-004, "Chemical,Galvanic,or Other Reactions Spent Fuel Storage & Transportation Casks," per 971205 ltr.
MCCOLLUM,W.R. Duke Power Co. 97/12/31. Document Control Branch (Document Control Desk). 3pp. A1736:351-A1736:353.

9801230093 Informs of util commitment to listed activities w/regard to exam of HPI sys nozzle components re rev to third ten-year ISI program.
MCCOLLUM,W.R. Duke Power Co. 98/01/07. Document Control Branch (Document Control Desk). 3pp. A1895:356-A1895:358.

9801220188 Ack receipt of 971217 ltr informing NRC of steps taken to correct violations noted in insp rept 50-269/97-14 & 50-270/97-14 & 50-287/97-14 on 971117.Finds response meets 10CFR2.201 requirements for violations 97-14-02,03 & 06-09.
LESSER,M. Region 2 (Post 820201). 98/01/08. MCCOLLUM,W.R. Duke Power Co. 3pp. A1877:101-A1877:103.

9801220268 Discusses 980108 meeting re SALP rept 50-269/97-99, 50-270/97-99 & 50-287/97-99 dtd 971219.List of attendees & presentation handout encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 11pp. A1875:215-A1875:225.

9801220159 Responds to NRC 971215 ltr re violations noted in insp repts 50-269/97-15,50-270/97-15 & 50-287/97-15.Corrective actions: performed review of sufficient number of other I&C related TS surveillances to determine if event was isolated case.
MCCOLLUM,W.R. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 12pp. A1887:345-A1887:356.

9801280150 Submits request to RAI re response to violations noted in insp repts 50-269/97-14,50-270/97-14 & 50-287/97-14,per 980107 telcon & 980108 ltr.
MCCOLLUM,W.R. Duke Power Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A1966:357-A1966:359.

R. Periodic operating reports & related correspondence

9801220067 Forwards MORs for month of Dec 1997 for Oconee Nuclear Station & rev 1 for month of Nov 1997 on Unit Shutdowns & Power Reductions page for Oconee 1.
DIMMERY,T. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1895:035-A1895:056.

--**9801220069** Monthly operating repts for Dec 1997 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 97/12/31. 16pp. A1895:037-A1895:054.

--**9801220077** Rev 1 to monthly operating rept for Nov 1997 for Oconee Nuclear Station,Unit Shutdowns & Power Reductions page for Oconee 1.
WILLIAMS,R.A. Duke Power Co. 97/11/30. 2pp. A1895:055-A1895:056.

S. Reportable occurrences, LERs & related correspondence

9801090132 PNO-II-97-065A:on 971228,SG 1A tube leak update made. Licensee also conducted base line pressure testing & insps of 1B SG on 980107,finding only minor leakage from welded tube plug.State of SC notified by NRC.
CARROLL,R. Region 2 (Post 820201). 98/01/08. 1p. A1796:034-A1796:034.

9801160119 Forwards LER 97-010-00 re potential inoperability of ECCS for all Oconee units.Operability analysis confirmed that ECCS were operable,therefore LER is considered voluntary.
MCCOLLUM,W.R. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1840:083-A1840:094.

--**9801160121** LER 97-010-00:on 971210,discovered inadequate analysis of ECCS sump inventory due to inadequate design analysis.Flow restricting flange & two basket strainers removed from reactor vessel cavity & FTC drain lines for NPSH margin.
BURCHFIELD,J.E. Duke Power Co. 98/01/08. 9pp. A1840:086-A1840:094.

V. Operator Examinations

9801220108 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. MCCOLLUM,W.R. Duke Power Co. 5pp. A1876:332-A1876:336.

9801220019 Confirms telcon on 980106 re workshop on operator licensing exam techniques scheduled for 980127-29.Purpose of workshop to discuss current operator licensing exam techniques.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/08. BUGERT,R.P. Duke Power Co. 7pp. A1877:142-A1877:148.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801150131 Ack receipt of 971218 ltr requesting exemption from 10CFR171 for ISFSI license SNM-2503 & general license provisions of 72.214.
DANDOIS,D.B. Division of Accounting & Finance (Post 890205). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 1p. A1819:342-A1819:351.

9801260107 Application for license amend request for Oconee Nuclear Station ISFSI,changing corporate name of licensee from Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 22pp. A1913:236-A1913:257.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801070071 Discusses integrated emergency power & engineered safeguards functional test performed on 970102-05.Rept titled, "CYME Modeling of Emergency Power & Engineered Safeguards Functional Tests 2,5 & 6," encl.
MCCOLLUM,W.R. Duke Power Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1743:001-A1743:198.

--**9801070076** "CYME Modeling of Emergency Power & Engineered Safeguards Functional Tests 2,5 & 6."
BENGE,A., SCHAEFFER,C.E., STONER,J.E. Duke Power Co. 97/12/18. 192pp. A1743:003-A1743:198.

9801200055 Rev 97-02,Vol A to "Oconee Nuclear Site Emergency Plan." W/980113 ltr.
MCCOLLUM,W.R. Duke Power Co. 98/01/13. 183pp. A1842:001-A1842:183.

9801220268 Discusses 980108 meeting re SALP rept 50-269/97-99, 50-270/97-99 & 50-287/97-99 dtd 971219.List of attendees & presentation handout encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 11pp. A1875:215-A1875:225.

9801260098 Forwards RAI re Oconee emergency electrical distribution sys rept.Info requested within 30 days of date of ltr.
LABARGE,D.E. . 98/01/15. MCCOLLUM,W.R. Duke Power Co. 5pp. A1902:248-A1902:252.

9801270067 Forwards Rev 98-01,Vol B to "Oconee Nuclear Site Emergency Plan Implementing Procedures." Rev being submitted in accordance w/10CFR50.54(q) & does not decrease effectiveness of EPIPs.
MCCOLLUM,W.R. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1935:162-A1935:189.

--**9801270081** Rev 98-01,Vol B to "Oconee Nuclear Site Emergency Plan Implementing Procedures."
FOSTER,W.W. Duke Power Co. 98/01/15. 26pp. A1935:164-A1935:189.

9801270182 Forwards RAI re util response to NRR draft rept on plant emergency power sys.Response requested within 30 days of receipt of ltr.
LABARGE,D.E. . 98/01/22. MCCOLLUM,W.R. Duke Power Co. 8pp. A1927:344-A1927:351.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801230377 Provides schedule for UFSAR review which assures continuing accuracy & completeness of UFSAR for each of util sites.
TUCKMAN,M.S. Duke Power Co. 98/01/14. Document Control Branch (Document Control Desk). 3pp. A1923:273-A1923:275.

P. Operating license stage documents & correspondence

9801050148 Forwards revs to Oconee Nuclear Station, "Selected Licensee Commitments Manual," per 10CFR50.4 & 91.
MCCOLLUM,W.R. Duke Power Co. 97/12/03. Document Control Branch (Document Control Desk). 3pp. A1709:302-A1709:311.

--**9801050150** Revs to Oconee Nuclear Station, "Selected License Commitments Manual."
PEELE,B.L. Duke Power Co. 97/11/24. 5pp. A1709:307-A1709:311.

9801050222 Forwards revs to Oconee Selected Licensee Commitments Manual,per 10CFR50.4 & 50.71.Manual is intended to contain commitments & other station issues that warrant higher control.
MCCOLLUM,W.R. Duke Power Co. 97/12/08. Document Control Branch (Document Control Desk). 3pp. A1709:316-A1709:325.

--**9801050230** Revs to Oconee Nuclear Station "Selected Licensee Commitments."
PEELE,B.L. Duke Power Co. 97/12/03. 7pp. A1709:319-A1709:325.

9801020094 Forwards "Suppl IPEEE Submittal Rept," containing relay chatter analysis done in conjunction w/USI A-46 relay review & in response to GL 88-20,suppl 4.
MCCOLLUM,W.R. Duke Power Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1672:148-A1672:230.

--**9801020095** "Supplemental IPEEE Submittal Rept."
* Duke Power Co. 97/12/31. 80pp. A1672:150-A1672:230.

9801050274 Advises that info contained in 971113 ltr & 971125 affidavit re TR DPC-NE-2008P-A, "DPC Use of TACO-3 & Fuel Rod & Gas Pressure Criterion," for listed plants,will be withheld from public disclosure,per 10CFR2.790(b)(5).
TAM,P.S. . 97/12/18. TUCKMAN,M.S. Duke Power Co. 5pp. A1663:295-A1663:299.

9801050343 Forwards non-proprietary version of TR DPC-NE-3003-A & proprietary version TR DPC-NE-3003-PA, "Mass & Energy Release & Containment Response Methodology." Proprietary TR withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 2pp. A1685:196-A1686:286.

--9801050345 Non-proprietary DPC-NE-3003-A, "Mass & Energy Release & Containment Response Methodology."
* Duke Power Co. DPC-NE-3003-A. 97/11/30. 600pp. A1685:198-A1686:286.

9801060001 Forwards RAI re licensee 970828 submittal of amends to plant TS to modify emergency condenser circulating water sys. Response requested within 30 days of ltr receipt.
LABARGE,D.E. . 97/12/22. MCCOLLUM,W.R. Duke Power Co. 6pp. A1667:229-A1667:234.

9801060211 Forwards description of status of actions completed per GL 96-04 & revised schedule for completion for actions.Catawba Nuclear Station's spent fuel racks do not contain boraflex.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 6pp. A1729:355-A1729:360.

9801060177 Forwards rev 2 to proprietary TR DPC-NE-3000-P,consisting of simulation model revs to reflect new Mk-B11 fuel assembly design,application of new critical heat flux correlation & several RETRAN model improvements.Proprietary TR withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/23. Document Control Branch (Document Control Desk). 3pp. A1722:339-A1722:341.

9801060227 Forwards special rept re Unit 1 Reactor Bldg Tendon #7, providing results of engineering review,performed to justify continued svc of Units 1 & 2.
MCCOLLUM,W.R. Duke Power Co. 97/12/31. Document Control Branch (Document Control Desk). 16pp. A1762:118-A1762:133.

9801140160 Forwards revs to Oconee Selected Licensee Commitments Manual,per 10CFR50.4 & 50.71.Manual is intended to contain commitments & other station issues that warrant higher control.
MCCOLLUM,W.R. Duke Power Co. 97/12/31. Document Control Branch (Document Control Desk). 1p. A1801:311-A1801:319.

--9801140164 Revs to Oconee Nuclear Station "Selected Licensee Commitments."
PEELE,B.L. Duke Power Co. 97/12/31. 8pp. A1801:312-A1801:319.

9801140073 Forwards rev to TS Section 3.4 Bases.Change made to require both EFW flow & SG level indication for each SG to consider flowpath to each SG operable.
MCCOLLUM,W.R. Duke Power Co. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1801:341-A1801:345.

--9801140078 Revised TS Section 3.4 Bases.
* Duke Power Co. 97/12/30. 4pp. A1801:342-A1801:345.

9801140227 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
TUCKMAN,M.S. Duke Power Co. 98/01/05. Document Control Branch (Document Control Desk). 20pp. A1832:300-A1832:319.

9801220100 Confirms conversation between B Jones & C Casto on 971230 re change in mgt meeting from 980112 to 0122 in Atlanta,GA. Meeting to discuss concerns re communication between NRC & plant training staff.
OGLE,C.R. Region 2 (Post 820201). 98/01/07. MCCOLLUM,W.R. Duke Power Co. 3pp. A1877:198-A1877:200.

9801130210 Forwards amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program." Amend 22 being submitted pursuant to 10CFR50.54(a)(3),contains changes necessary to reflect merger of Duke Power Co & PanEnergy Corp.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1795:272-A1795:334.

--9801130228 Amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program."
COLEY,W.A., BAKER,P.A. Duke Power Co. 97/12/15. 58pp. A1795:275-A1795:334.

9801130236 Advises NRC of recent organizational & programmatic changes that affect QA program for nuclear power plants.Ltr being submitted in order to fulfill commitment contained in section of topical rept.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1793:070-A1793:072.

9801200115 Responds to request for withholding info from public disclosure re BAW-2303P,Rev 02 submitted on 971016 pursuant to 10CFR2.790.Review of application determined rept will be marked as proprietary pursuant to 10CFR2.790(b)(5).
LABARGE,D.E. . 98/01/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A1852:346-A1852:349.

9801200122 Informs that revised pps 16.6-11 to 15 of Selected Licensee Commitment Manual,containing post-tensioning surveillance criteria to support change to TS 4.4.2 structural integrity, satisfactory,per 971208 ltr.
LABARGE,D.L. . 98/01/12. MCCOLLUM,W.R. Duke Power Co. 3pp. A1852:359-A1852:361.

9801200168 Responds to request that rept,BAW-2303P,rev 3 be considered exempt from mandatory public disclosure.Determined that info sought to be withheld contains proprietary commercial info & will be withheld from public disclosure.
LABARGE,D.E. . 98/01/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A1850:349-A1850:352.

9801210152 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by Duke topical repts & submittals for Oconee to support critical heat flux correlations & UFSAR transient analysis methodology.
LABARGE,D.E. . 98/01/13. BERKOW,H.N. . 5pp. A1866:234-A1866:238.

9801220080 Sumbits summary of 980108 meeting re status of plant performance issues.List of attendees & presentation handouts encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 55pp. A1889:004-A1889:058.

9801260125 Provides responses to RAIs re plant license renewal project for OLRP-1001 license renewal technical info topical rept. Draft program description provided in Attachment 3.
MCCOLLUM,W.R. Duke Power Co. 98/01/14. Document Control Branch (Document Control Desk). 33pp. A1913:280-A1913:312.

9801260098 Forwards RAI re Oconee emergency electrical distribution sys rept.Info requested within 30 days of date of ltr.
LABARGE,D.E. . 98/01/15. MCCOLLUM,W.R. Duke Power Co. 5pp. A1902:248-A1902:252.

9801260130 Application for amends to licenses DPR-38,DPR-47 & DPR-55 to TS for plant.Amend consists of proposed one-time extension to instrument channel test frequency for wide range hot leg level,RV head level & subcooling monitors.
TUCKMAN,M.S. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 5pp. A1906:314-A1906:342.

--9801260145 Proposed tech specs to licenses DPR-38,DPR-47 & DPR-55, consisting of proposed one-time extension to instrument channel test frequency for wide range hot leg level,RV head level & subcooling monitors.
* Duke Power Co. 98/01/15. 24pp. A1906:319-A1906:342.

9801280045 Forwards RAI re 970828 amends to plant,Units 1 & 2 TSs to modify emergency condenser circulating water sys.Response requested within 30 days of receipt of ltr.
LABARGE,D.E. . 98/01/20. MCCOLLUM,W.R. Duke Power Co. 4pp. A1921:300-A1921:303.

9801290090 Forwards response to NRC 971122 & 980120 RAIs re TS amend modifying emergency condenser cooling water sys.Response to remaining request will be submitted at later date.W/six oversize drawings.
MCCOLLUM,W.R. Duke Power Co. 98/01/22. Document Control Branch (Document Control Desk). 19pp. A2008:001-A2008:020.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050187 Forwards SE accepting licensee 970313 ltr & 970722 suppl, requesting relief per 10CFR50.55a(g)(5)(iii) re pressurizer spray & SG welds for plant.INEL technical ltr rept also encl.
BERKOW,H.N. . 97/12/18. MCCOLLUM,W.R. Duke Power Co. 3pp. A1663:108-A1663:122.

--9801050192 Safety evaluation supporting third 10-year ISI request for relief 97-01 pressurizer spray & SG welds as submitted by Duke Energy Corp on 970313.Concludes that certain ISI exams cannot be performed to extent required by ASME code.
* . 97/12/18. 12pp. A1663:111-A1663:122.

9801130073 Confirms 971222 conversation between J Burchfield & G McCoy re change in time for 980108 meeting to provide update to Oconee Recovery Plan.
OGLE,C.R. Region 2 (Post 820201). 97/12/22. MCCOLLUM,W.R. Duke Power Co. 3pp. A1785:086-A1785:088.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801060213 Provides further addl info re NRC Bulletin 96-004, "Chemical,Galvanic,or Other Reactions Spent Fuel Storage & Transportation Casks," per 971205 ltr.
MCCOLLUM,W.R. Duke Power Co. 97/12/31. Document Control Branch (Document Control Desk). 3pp. A1736:351-A1736:353.

9801230093 Informs of util commitment to listed activities w/regard to exam of HPI sys nozzle components re rev to third ten-year ISI program.
MCCOLLUM,W.R. Duke Power Co. 98/01/07. Document Control Branch (Document Control Desk). 3pp. A1895:356-A1895:358.

9801220188 Ack receipt of 971217 ltr informing NRC of steps taken to correct violations noted in insp rept 50-269/97-14 & 50-270/97-14 & 50-287/97-14 on 971117.Finds response meets 10CFR2.201 requirements for violations 97-14-02,03 & 06-09.
LESSER,M. Region 2 (Post 820201). 98/01/08. MCCOLLUM,W.R. Duke Power Co. 3pp. A1877:101-A1877:103.

9801220268 Discusses 980108 meeting re SALP rept 50-269/97-99, 50-270/97-99 & 50-287/97-99 dtd 971219.List of attendees & presentation handout encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 11pp. A1875:215-A1875:225.

9801220159 Responds to NRC 971215 ltr re violations noted in insp repts 50-269/97-15,50-270/97-15 & 50-287/97-15.Corrective actions: performed review of sufficient number of other I&C related TS surveillances to determine if event was isolated case.
MCCOLLUM,W.R. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 12pp. A1887:345-A1887:356.

9801280150 Submits request to RAI re response to violations noted in insp repts 50-269/97-14,50-270/97-14 & 50-287/97-14,per 980107 telcon & 980108 ltr.
MCCOLLUM,W.R. Duke Power Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A1966:357-A1966:359.

R. Periodic operating reports & related correspondence

9801220067 Forwards MORs for month of Dec 1997 for Oconee Nuclear Station & rev 1 for month of Nov 1997 on Unit Shutdowns & Power Reductions page for Oconee 1.
DIMMERY,T. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1895:035-A1895:056.

--9801220069 Monthly operating repts for Dec 1997 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 97/12/31. 16pp. A1895:037-A1895:054.

V. Operator Examinations

9801220108 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. MCCOLLUM,W.R. Duke Power Co. 5pp. A1876:332-A1876:336.

9801220019 Confirms telcon on 980106 re workshop on operator licensing exam techniques scheduled for 980127-29.Purpose of workshop to discuss current operator licensing exam techniques.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/08. BUGERT,R.P. Duke Power Co. 7pp. A1877:142-A1877:148.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801150131 Ack receipt of 971218 ltr requesting exemption from 10CFR171 for ISFSI license SNM-2503 & general license provisions of 72.214.
DANDOIS,D.B. Division of Accounting & Finance (Post 890205). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 1p. A1819:342-A1819:351.

9801260107 Application for license amend request for Oconee Nuclear Station ISFSI,changing corporate name of licensee from Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 22pp. A1913:236-A1913:257.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9801080086 Forwards rev 10 to vols 1-9 of State of NH emergency plans, vols 10-16 to Vermont Yankee Towns emergency plans & vols 20-40 to Seabrook Station Towns emergency plans.
* New Hampshire, State of. 97/12/01. Document Control Branch (Document Control Desk). 4pp. A1766:001-A1781:305.

--9801080122 Rev 10 to vols 2-4 of State of NH radiological emergency response plan, "Vermont Yankee Implementing Procedures."
* New Hampshire, State of. 97/12/01. 450pp. A1766:257-A1768:054.

--9801080158 Rev 10 to vol 10 of State of NH radiological emergency response plan, "Vermont Yankee Local Emergency Response Plan."
* New Hampshire, State of. 97/12/01. 124pp. A1771:247-A1772:011.

--9801080182 Rev 10 to vol 11 of State of NH radiological emergency response plan, "Town of Chesterfield,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 139pp. A1772:012-A1772:150.

--9801080184 Rev 10 to vol 12 of State of NH radiological emergency response plan, "Town of Hinsdale,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 119pp. A1772:151-A1772:270.

--9801080196 Rev 10 to vol 13 of State of NH radiological emergency response plan, "Town of Richmond,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 129pp. A1772:271-A1773:039.

--9801080202 Rev 10 to vol 14 of State of NH radiological emergency response plan, "Town of Swanzey,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 129pp. A1773:040-A1773:168.

--9801080205 Rev 10 to vol 15 of State of NH radiological emergency response plan, "Town of Winchester,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 142pp. A1773:169-A1773:310.

--9801080212 Rev 10 to vol 16 of State of NH radiological emergency response plan, "City of Keene,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 83pp. A1773:311-A1774:033.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9801150183 Responds to 961206 petition pursuant to 10CFR2.206 submitted on behalf of Citizens Awareness Network,Inc,& requested evaluation of two encl documents relating to Vermont Yankee Nuclear Power Station.W/final Director's Decision DD-97-26.
COLLINS,S.J. . 97/12/29. BLOCK,J.M. Affiliation Not Assigned. 4pp. A1820:228-A1820:243.

--9801150191 Final Director's Decision DD-97-26 pursuant to 10CFR2.206, granting in part petitioners request in that NRC evaluated all of issues raised in two memoranda & suppl ltr provided by petitioner to see if enforcement action warranted.
COLLINS,S.J. . 97/12/29. Citizens Awareness Network. 9pp. A1820:232-A1820:240.

--9801150196 Notice of final Director's Decision under 10CFR2.206 re petition dtd 961206 on behalf of Citizens Awareness Network Inc.Petition requested evaluation of certain memoranda re Utility to see if enforcement action warranted.
COLLINS,S.J. . 97/12/29. 3pp. A1820:241-A1820:243.

9801300188 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-97-26 has expired.Decison became final agency action on 980123. W/Certificate of Svc.Served on 980128.
VIETTI-COOK,A. Office of the Secretary of the Commission. #198 18767. 98/01/27. BLOCK,J. Affiliation Not Assigned. 2pp. A1965:350-A1965:351.

P. Operating license stage documents & correspondence

9801050193 Requests exemption from requirements of 10CFR70.24, "Criticality Accident Requirements," per 10CFR50.12, 10CFR70.14(a) & 10CFR70.24(d).
REID,D.A. Vermont Yankee Nuclear Power Corp. 97/12/16. Document Control Branch (Document Control Desk). 8pp. A1684:300-A1684:307.

9801020001 Informs that in order to properly prepare amend request re suppression pool normal operating temperature limit addl time will be necessary.Amend request will be submitted by 980119.
REID,D.A. Vermont Yankee Nuclear Power Corp. 97/12/19. Document Control Branch (Document Control Desk). 1p. A1670:359-A1670:359.

9712310297 Second partial response to FOIA request for documents. Documents listed in App B encl & being withheld in part (ref FOIA Exemption 7 & 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/23. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 3pp. A1657:188-A1657:356.

--9801020137 Partially deleted, "Interview Rept of D McElwee," on 961217 re allegation that former plant employee J Massey was discriminated against because he had raised concerns w/design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 1-96-005. 96/12/17. 6pp. A1657:286-A1657:291.

--9801020141 Partially deleted, "Interview Rept of M Gosekamp," on 970121 re allegation that former plant employee J Massey was discriminated against because he had raised concerns w/design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 1-96-005. 97/01/21. 8pp. A1657:292-A1657:299.

--9801020144 Partially deleted, "Interview Rept of R Clark," on 970128 re allegation that former plant employee J Massey was discriminated against because he had raised concerns w/design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 1-96-005. 97/01/28. 27pp. A1657:300-A1657:326.

--9801020152 Partially deleted, "Interview Rept of D Phillips," on 961217 re allegation that former plant employee J Massey was discriminated against because he had raised concerns about design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 1-96-005. 96/12/17. 20pp. A1657:327-A1657:346.

--9801020154 Partially deleted, "Interview Rept of B Wittmer," on 961217 re allegation that former plant employee J Massey was discriminated against because he raised concerns about design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 1-96-005. 96/12/17. 5pp. A1657:347-A1657:351.

--9801020158 Partially deleted, "Interview Rept of M Tessier," on 970122 re allegations that former plant employee J Massey was discriminated against because he raised concerns about design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 1-96-005. 97/01/22. 3pp. A1657:352-A1657:354.

--9801020160 Partially deleted, "Interview Rept of J Calchera," on 970123 re allegation that former plant employee J Massey was discriminated against because he had raised concerns w/design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 1-96-005. 97/01/23. 3pp. A1657:355-A1657:356.

9801060045 Forwards response to 971120 RAI re operability determination completed by util on EDG skid mounted piping.Analysis performed demonstrates operability & is supported by actual test data sampled from replace piping.
REID,D.A. Vermont Yankee Nuclear Power Corp. 97/12/23. Document Control Branch (Document Control Desk). 21pp. A1725:305-A1725:325.

9801060210 Informs that questions relating to sys classification w/ respect to Reg Guide 1.26 require more research to complete requested comparison.Util request addl 45-days to complete request.
REID,D.A. Vermont Yankee Nuclear Power Corp. 97/12/23. Document Control Branch (Document Control Desk). 1p. A1737:359-A1737:359.

9801060342 Constitutes required rept which summarizes evaluation for 1997 re rail shipments of bulk chlorine.Results, submitted.
REID,D.A. Vermont Yankee Nuclear Power Corp. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1733:359-A1733:360.

9801120255 Notification of meeting w/VYNPC on 980112 in Rockville,MD to discuss plans & activities re implementation of torus strainers at plant.Participants listed.Agenda encl.
JABBOUR,K.N. . 97/12/23. EATON,R.B. . 5pp. A1762:199-A1762:203.

9801150046 Third partial response to FOIA request for documents. Documents listed in App C being made available in PDR. PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/31. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 4pp. A1831:349-A1832:052.

--9801150065 Forwards 960619 interview rept & 960605 deposition providing info from EJ Massey re case 1-96-005.W/o encl.
MATAKAS,R.A. Region 1 (Post 820201). 96/07/10. SHAPIRO,D.M. Office of the General Counsel (Post 860701). 2pp. A1832:008-A1832:010.

--9801150067 Submits plants workers comp files from 1989 to current.Lists three incidents where shock was involved.
ORRIS NRC - No Detailed Affiliation Given. 96/12/18. GRIFFIN,L. NRC - No Detailed Affiliation Given. 3pp. A1832:011-A1832:012.

--9801150069 Submits conversation w/H Eichenholz.
TEATOR,J.A. Ofc of Investigations (Post 880201). 97/04/10. Ofc of Investigations (Post 880201). 24pp. A1832:013-A1832:036.

--9801150092 "Interview Rept of L Casey."
TEATOR,J.A. Ofc of Investigations (Post 880201). 97/01/27. 5pp. A1832:037-A1832:041.

--9801150103 Forwards listed documents re plant efforts to place M Massey in position in Maintenance Dept.
HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 97/06/16. TEATOR,J.A. Ofc of Investigations (Post 880201). 10pp. A1832:042-A1832:050.

--9801150109 Forwards OI Rept of investigation re discrimination against senior engineer for raising concerns over design change to advanced off gas sys,case 1-96-005.
LETTS,B.R. Region 1 (Post 820201). 97/06/23. MILLER,H.J. Region 1 (Post 820201). 1p. A1832:051-A1832:051.

--9801150114 Informs that enforcement action not appropriate for OI Rept 1-96-005, "Discrimination Against Senior Engineer for Raising Concerns Over Design Change to Advanced Off Gas Sys," because OI did not substantiate allegation.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/07/03. MILLER,H.J. Region 1 (Post 820201). COLLINS,S.J. . GOLDBERG,J.R. Office of the General Counsel (Post 860701). 1p. A1832:052-A1832:052.

9801130005 Informs that 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," will be submitted by 980119.
REID,D.A. Vermont Yankee Nuclear Power Corp. 98/01/02. Document Control Branch (Document Control Desk). 1p. A1808:342-A1808:342.

9801150201 Notification of 980112 meeting w/Utility in Rockville,MD to discuss utility plans & activities re implementation of torus strainers at Vermont Yankee Nuclear Power Station. Meeting Cancelled.
JABBOUR,K.N. . 98/01/08. EATON,R.B. . 4pp. A1818:160-A1818:163.

9801200158 Forwards "Environ Assessment & Finding of No Significant Impact." Requests exemption from 10CFR70.24, "Criticality Accident Requirements."
JABBOUR,K.N. . 98/01/09. REID,D.A. Vermont Yankee Nuclear Power Corp. 2pp. A1860:272-A1860:277.

--9801200159 Environ assessment & finding of no significant impact re exemption from requirements of 10CFR70.24, "Criticality Accident Requirements."
EATON,R.B. . 98/01/09. 4pp. A1860:274-A1860:277.

9801210093 Forwards supplemental info in support of 10CFR70.24 exemption request,dtd 971216.Addl info addresses applicability of seven criteria to Vermont Yankee Nuclear Power Station.
REID,D.A. Vermont Yankee Nuclear Power Corp. 98/01/13. Document Control Branch (Document Control Desk). 4pp. A1867:320-A1867:323.

9801220306 Forwards SE authorizing relief requests for third interval pump & valve inservice testing program,submitted by ltrs dtd 961219,970813 & 0910.
JABBOUR,K.N. . 98/01/15. REID,D.A. Vermont Yankee Nuclear Power Corp. 2pp. A1893:217-A1893:230.

--9801220309 SE authorizing relief requests for third interval pump & valve inservice testing program.
* . 98/01/15. 12pp. A1893:219-A1893:230.

9801220296 Informs of intent to notify NRC of new schedule to submit proposed TS amend request for normal suppression pool temp. Submittal will be provided after util establishes action plan.
REID,D.A. Vermont Yankee Nuclear Power Corp. 98/01/16. Document Control Branch (Document Control Desk). 1p. A1895:192-A1895:192.

9801230404 Provides 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
REID,D.A. Vermont Yankee Nuclear Power Corp. 98/01/19. Document Control Branch (Document Control Desk). 9pp. A1899:259-A1899:267.

9801270165 Forwards exemption from requirements of 10CFR70.24 re criticality monitors for plant.
JABBOUR,K.N. . 98/01/20. REID,D.A. Vermont Yankee Nuclear Power Corp. 2pp. A1927:290-A1927:297.

--9801270179 Exemption from requirements of 10CFR70.24 re criticality monitors to ensure that personnel would be alerted if criticality were to occur during handling of SNM.Exemption granted.
COLLINS,S.J. . 98/01/20. Vermont Yankee Nuclear Power Corp. 6pp. A1927:292-A1927:297.

9801280157 Provides responses to question 3 of 971120 NRC RAI re EDG skid mounted piping.
REID,D.A. Vermont Yankee Nuclear Power Corp. 98/01/21. Document Control Branch (Document Control Desk). 13pp. A1966:113-A1966:125.

9801280227 Forwards response to NRC 971124 RAI which resulted in review of responses to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
REID,D.A. Vermont Yankee Nuclear Power Corp. 98/01/23. Document Control Branch (Document Control Desk). 3pp. A1942:001-A1942:003.

9801300092 Fifth partial response to FOIA request for documents.Records in App E encl & will be available in PDR.App F records withheld in entirety (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/28. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 5pp. A1960:215-A1960:360.

--9801300104 Interview rept of P McKenney on 970121 re allegation that former Vermont Yankee employee J Massey was discriminated against re concerns raised w/ design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/21. 6pp. A1960:221-A1960:226.

--9801300108 "Interview Rept of R Rothier," on 970128 re allegation that former Vermont Yankee employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/28. 27pp. A1960:227-A1960:254.

--9801300111 Partially deleted, "Interview Rept of P Cornett," on 961219 re allegations that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/19. 13pp. A1960:255-A1960:267.

--9801300115 Partially deleted "Interview Rept of B Buteau," on 961218 re allegations that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/18. 40pp. A1960:268-A1960:307.

--9801300119 Partially deleted "Interview Rept of L Casey," on 961216 re allegations that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/16. 14pp. A1960:308-A1960:321.

--9801300121 Partially deleted "Interview Rept of J Osmond," on 970122 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/22. 3pp. A1960:322-A1960:324.

--9801300126 Partially deleted "Interview Rept of R Vibert," on 970129 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/29. 3pp. A1960:325-A1960:327.

--9801300127 Partially deleted "Interview Rept of G Wright," on 970121 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/21. 3pp. A1960:328-A1960:330.

--9801300128 Partially deleted, "Interview Rept for J Dayton," on 970122 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/22. 2pp. A1960:331-A1960:332.

--9801300131 Partially deleted "Interview Rept of P McKenney," on 961218 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/18. 4pp. A1960:333-A1960:336.

--9801300133 Partially deleted "Interview Rept of G Hengerle," on 970129 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/29. 3pp. A1960:337-A1960:339.

--9801300136 Partially deleted "Interview Rept of R Routhier," on 961218 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/18. 5pp. A1960:340-A1960:344.

--9801300138 Partially deleted "Interview Rept of J Orris," on 961217 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/17. 3pp. A1960:345-A1960:347.

--9801300141 Partially deleted "Interview Rept of D Houde," on 970121 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/21. 3pp. A1960:348-A1960:360.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712310297 Second partial response to FOIA request for documents. Documents listed in App B encl & being withheld in part (ref FOIA Exemption 7 & 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/23. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 3pp. A1657:188-A1657:356.

9801050382 Fulfills util commitment in response to violations noted in insp rept 50-271/97-201.
REID,D.A. Vermont Yankee Nuclear Power Corp. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1727:321-A1727:322.

9801220139 Forwards insp rept 50-271/97-11 on 971031-1206 & notice of violation.One violation identified.Violation involved licensee not providing effective direct oversight of switching orders initiated by Vermont Electric Power Co.
MILLER,H.J. Region 1 (Post 820201). 97/12/23. REID,D. Vermont Yankee Nuclear Power Corp. 4pp. A1877:110-A1877:140.

--9801220144 Notice of violation from insp on 971031-1206.Violation noted:plant auxiliary operators implemented unapproved Vermont Electric Power Co switching order on 971125 to open 345 KV Scobie Line 379-3.
* Region 1 (Post 820201). 97/12/23. 1p. A1877:114-A1877:114.

--9801220150 Insp rept 50-271/97-11 on 971031-1206.Violations noted. Major areas inspected:operations,engineering,maintenance & plant support.
* Region 1 (Post 820201). 97/12/23. 26pp. A1877:115-A1877:140.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801080234 Submits summary of current plans & schedules re min flow of RHR & CS pump issues,per NRC Bulletin 88-04, "Potential Safety Related Pump Loss."
REID,D.A. Vermont Yankee Nuclear Power Corp. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1762:116-A1762:117.

9801280068 Responds to NRC 971223 ltr re violations noted in insp rept 50-271/97-11.Corrective actions:operations staff placed plant in normal shutdown configuration.
REID,D.A. Vermont Yankee Nuclear Power Corp. 98/01/22. Document Control Branch (Document Control Desk). 3pp. A1968:050-A1968:052.

R. Periodic operating reports & related correspondence

9801060014 Submits annual 10CFR50.46(a)(3)(ii) rept for 1997,re acceptance criteria for ECCS for light-water cooled nuclear power reactors.
REID,D.A. Vermont Yankee Nuclear Power Corp. 97/12/24. Document Control Branch (Document Control Desk). 3pp. A1725:302-A1725:304.

9801160070 Monthly operating rept for Dec 1997 for VYNP Station. W/980110 ltr.
WALLIN,G.A., MARET,G.A. Vermont Yankee Nuclear Power Corp. 97/12/31. 6pp. A1844:298-A1844:303.

S. Reportable occurrences, LERs & related correspondence

9801080190 Interim Part 21 Rept re completion of nuclear seismic qualification testing of electronics module incorrectly sent to CENY & VYNP.Final formal rept will be issued by 980120.
KING,T.L. Foxboro Corp. 97/12/18. SAIDAN,S. NRC - No Detailed Affiliation Given. 5pp. A1796:014-A1796:019.

9801050010 LER 97-023-00:on 971125,plant trip occurred.Caused by failure of protective device in main generator protective circuitry.Operating staff placed plant in normal shutdown configuration.W/971223 ltr.
MARET,G.A. Vermont Yankee Nuclear Power Corp. 97/12/23. 9pp. A1659:001-A1659:009.

9801220221 LER 97-024-00:on 971216,plant alternate cooling sys was susceptible to failure in event of postulate seismic occurrence.Caused by failure of vertical support column repair in plant coolant tower.Completed insp.W/980114 ltr.
MARET,G.A. Vermont Yankee Nuclear Power Corp. 98/01/14. 4pp. A1893:082-A1893:085.

9801220222 LER 97-004-02:on 970307,deficiencies noted during internal flooding review by plant.Caused by inadequate licensing bases relative to internal flood protection.Rept on licensing bases under development.W/980114 ltr.
MARET,G.A. Vermont Yankee Nuclear Power Corp. 98/01/14. 7pp. A1893:109-A1893:115.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801060292 Voided rev 1 to EPIP-808, "Radiation Mgt Consultants Spokesperson Response - ENC." Procedure is superseded by NC.EP-EP.ZZ-0801(Q),rev 0.
* Public Service Electric & Gas Co. of New Jersey. 97/12/23. 4pp. A1729:265-A1729:268.

9801080036 Forwards insp repts 50-272/97-19 & 50-311/97-19 on 971020- 1130.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 97/12/24. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A1728:126-A1728:158.

--9801080038 Insp repts 50-272/97-19 & 50-311/97-19 on 971020-1130.No violations noted.Major areas inspected:operations, engineering,maintenance,plant support & security program.
* Region 1 (Post 820201). 97/12/24. 30pp. A1728:129-A1728:158.

9801060243 Rev 38 to EPIP-204S, "Emergency Response Callout/Personnel Recall" & rev 76 to EPIP table of contents.
* Public Service Electric & Gas Co. of New Jersey. 97/12/31. 44pp. A1730:303-A1730:346.

9801150052 Forwards rev 29 to emergency plan,consisting of revised Section 3, "Emergency Response Organization." Revs include administrative changes & changes to two emergency response organization positions.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1823:273-A1823:326.

9801160103 Rev 13 to EPIP-807, "Emergency News Ctr (ENC) Telephone Directory." W/rev 25 to table of contents.
* Public Service Electric & Gas Co. of New Jersey. 98/01/06. 10pp. A1840:297-A1840:306.

9801230235 Rev 20 to EPIP 1006, "Emergency Equipment Inventory Radiation Protection." W/rev 69 to table of contents.
* Public Service Electric & Gas Co. of New Jersey. 98/01/14. 50pp. A1923:223-A1923:272.

9801270125 Forwards proposed rev 11 to security plan & proposed rev 4 to training & qualifications plan for plants.Plan withheld.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/01/21. Document Control Branch (Document Control Desk). 1p. A1936:146-A1936:146.

9801290203 Forwards proprietary & non-proprietary revs to "SGS Event Classification Guide," including rev 7 to table of contents & rev 5 to Attachment 9.Proprietary info withheld.
* Public Service Electric & Gas Co. of New Jersey. 98/01/22. Document Control Branch (Document Control Desk). 1p. A1963:354-A1963:360.

--9801290206 Non-proprietary rev 7 to "SGS Event Classification Guide" & table of contents.
BANNER,C. Public Service Electric & Gas Co. of New Jersey. 98/01/22. 5pp. A1963:355-A1963:360.

P. Operating license stage documents & correspondence

9801140016 Forwards order approving application re merger agreement between Atlantic Energy,Inc,parent of ACE & DP&L affecting licenses DPR-70 & DPR-75 & staffs SE in support of order.
MILANO,P.D. . 97/12/18. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 4pp. A1796:337-A1796:349.

--9801140026 Order approving application re merger agreement between Atlantic Energy,Inc,parent of Atlantic Electric Co & DP&L.Orders that Commission approves application subj to listed conditions.
COLLINS,S.J. . 97/12/18. Atlantic Public Service Electric & Gas Co. 6pp. A1796:341-A1796:346.

--9801140028 Safety evaluation supporting proposed merger of Atlantic Energy,Inc,& DP&L affecting plants units 1 & 2.
* . 97/12/18. 3pp. A1796:347-A1796:349.

9801060231 Responds to 971117 ltr to LJ Callan expressing concerns re staff handling of three exigent TS amend requests.Contract w/outside communication facility to provide 24 h coverage for toll-free telephone numbers currently being established.
COLLINS,S.J. . 97/12/19. LOCHBAUM,D.A. Union of Concerned Scientists. 5pp. A1667:170-A1667:174.

9801060055 Informs that PSE&G is revising commitment to state that RWST low level back-up alarm will be set at same level as existing RWST low level alarm.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/12/22. Document Control Branch (Document Control Desk). 5pp. A1722:357-A1722:361.

9801130264 Forwards amend 202 to license DPR-70 & safety evaluation. Amend increases allowable band for control & shutdown rod demanded position versus indicated position from +12 steps to +18 steps when power level not greater than 85% rated.
MILANO,P.D. . 97/12/22. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A1790:322-A1790:338.

--9801130269 Amend 202 to license DPR-70,increasing allowable band for control & shutdown rod demanded position versus indicated position from +12 steps to +18 steps when power level not greater that 85% rated thermal power.
STOLZ,J.F. . 97/12/22. 9pp. A1790:325-A1790:333.

--9801130273 Safety evaluation supporting amend 202 to license DPR-70.
* . 97/12/22. 5pp. A1790:334-A1790:338.

9801130372 Notification of 980108 meeting w/util to discuss Salem Nuclear Generating Station,Unit 1,cable separation.
MILANO,P.D. . 97/12/24. STOLZ,J.F. . 4pp. A1790:255-A1790:258.

9801060221 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering has reviewed request proposes to permanently change TS 3/4.8.1 re EDG insp interval & has no comments.
TOSCH,K.W. New Jersey, State of. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1741:340-A1741:341.

9801140238 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1843:300-A1843:305.

9801230132 Responds to 971212 ltr to H Miller re possible restart of mentioned plant,Unit 1 & related questions from K Connor.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/06. TORRICELLI,R.G. Senate. 1p. A1901:143-A1901:218.

--**9801230167** Responds to 971205 ltr re questions on behalf of Board of Chosen Freeholders of County of Cape May re restart of mentioned plant,Unit 1.
MILLER,H.J. Region 1 (Post 820201). 97/12/24. CONNOR,K. Cape May,NJ. 2pp. A1901:144-A1901:217.

--**9801230184** Ack receipt of K Connor ltr on behalf of Cape May County Board of Freedholders re restart of unit 1 of mentioned plant.
TORRICELLI,R.G. Senate. 97/12/12. MILLER,H. Region 1 (Post 820201). 1p. A1901:218-A1901:218.

9801220315 Supplemental application for amends to licenses DPR-70 & DPR-75,respectively adding asterisk to word "operable" in LCO & associated note at bottom of page.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 98/01/08. Document Control Branch (Document Control Desk). 7pp. A1894:188-A1894:196.

--**9801220319** Proposed tech specs pages,adding asterisk to word operable in LCO & associated note at bottom of page.
* Public Service Electric & Gas Co. of New Jersey. 98/01/08. 2pp. A1894:195-A1894:196.

9801260307 Forwards amends 203 & 185 to licenses DPR-70 & DPR-75, respectively & SE.Amends revise TS 3/4.8.1 on EDGs to delete 18-month surveillance requirements 4.8.1.1.2.d.1 & eleminate accelerated testing requirement of table 4.8-1.
MILANO,P.D. . 98/01/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A1924:001-A1924:023.

--**9801260311** Amends 203 & 185 to licenses DPR-70 & DPR-75,respectively, deleting 18-month surveillance requirements 4.8.1.1.2.d.1 & eliminating accelerated testing requirement of table 4.8-1.
STOLZ,J.F. . 98/01/08. 16pp. A1924:004-A1924:019.

--**9801260312** Safety evaluation supporting amends 203 & 185 to licenses DPR-70 & DPR-75,respectively.
* . 98/01/08. 4pp. A1924:020-A1924:023.

9801230385 Forwards COLR IAW Section 6.9.1.9 of plant TS.Rept was received by util as part of reload safety evaluation.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1923:291-A1923:299.

--**9801230395** Rev 0 to NFS-0163, "COLR."
* Public Service Electric & Gas Co. of New Jersey. NFS-0163 R00. 97/12/17. 7pp. A1923:293-A1923:299.

9801230392 Provides notification that GL 96-01 actions have been completed as part of TS surveillance improvement program.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/01/15. Document Control Branch (Document Control Desk). 3pp. A1899:256-A1899:258.

9801220330 Forwards overview of steps PSE&G has & is taking to sustain continued improvement for future.Info is being provided to Commission as follow up to briefing provided in June 1997.
KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1893:260-A1893:275.

--**9801220333** "Nuclear Business Unit Future Objectives."
KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 98/01/19. 14pp. A1893:262-A1893:275.

9801270069 Discusses option chosen by util to resolve issues re spent fuel pool liner analysis.Util will seismically qualify spent fuel pool cooling sys which will eliminate need to postulate loss of forced cooling.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1936:147-A1936:148.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801080036 Forwards insp repts 50-272/97-19 & 50-311/97-19 on 971020- 1130.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 97/12/24. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A1728:126-A1728:158.

--**9801080038** Insp repts 50-272/97-19 & 50-311/97-19 on 971020-1130.No violations noted.Major areas inspected:operations, engineering,maintenance,plant support & security program.
* Region 1 (Post 820201). 97/12/24. 30pp. A1728:129-A1728:158.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801160030 Ack receipt of 971216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-272/97-18 & 50-311/97-18 on 971118.
LINVILLE,J.C. Region 1 (Post 820201). 98/01/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A1826:096-A1826:103.

9801220158 Informs that util will be prepared to enter Mode 4 during first week in Feb 1998 based on activities to be performed. Info is provided so that appropriate arrangements can be made for NRC Restart Assessment Team Insp.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1894:319-A1894:320.

R. Periodic operating reports & related correspondence

9801070176 Forwards "New Jersey NPDES Discharge Monitoring Rept for Salem Generating Station for Month of Nov 1997." Rept is required by & prepared specifically for EPA & New Jersey Dept of Environ Protection.
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/17. New Jersey, State of. 5pp. A1744:307-A1744:325.

--**9801070185** "New Jersey NPDES Discharge Monitoring Rept for Salem Generating Station for Month of Nov,1997."
KUBIAK,M.J., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/11/30. 13pp. A1744:312-A1744:325.

9801260429 Monthly operating rept for Dec 1997 for Salem Generating Station,Unit 1.W/980115 ltr.
KNIERIEM,R.B., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/31. 16pp. A1929:133-A1929:148.

9801270109 Forwards discharge monitoring repts for Salem Generating Station for Dec 1997,per requirements of permit NJ0005622. Rept required & prepared specifically for EPA & NJ Dept of Environ Protections.
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 98/01/20. New Jersey, State of. 5pp. A1932:265-A1932:283.

--**9801270111** "NPDES Discharge Monitoring Repts for Dec 1997 for Salem Generating Station."
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/31. 14pp. A1932:270-A1932:283.

S. Reportable occurrences, LERs & related correspondence

9801020108 LER 97-013-00:on 970702,determined that EDG should have been declared inoperable w/test instrumentation connected.Caused by personnel error.Performed satisfactory follow-up test, removed equipment & signed off procedure.W/971219 ltr.
VILLAR,E.H., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/19. 7pp. A1686:292-A1686:298.

9801050376 Forwards LER 97-011-00,re failure to test isolation of SG blowdown & sampling sys on automatic start of AFP,per 10CFR50.73(a)(2)(ii)(A).
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/19. Document Control Branch (Document Control Desk). 1p. A1687:068-A1687:073.

--**9801050381** LER 97-011-00:on 971119,failure to test isolation of SGB & SS on automatic start of AFPs was noted.Caused by inadequate incorporation of DBA mitigation features into plant TP.PSE&G committed to complete GL 96-01 evaluations by 971231.
THOMAS,B.J. Public Service Electric & Gas Co. of New Jersey. 97/12/19. 5pp. A1687:069-A1687:073.

9801130415 Forwards supplemental LER 95-023-01 re failure to plug SG tubes due to missed eddy current indications.Suppl being submitted to discuss cause & safety significance of event.
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1806:275-A1806:281.

--**9801130418** LER 95-023-01:on 940106,failed to plug SG tubes.Caused by lack of contractor oversight in area of eddy current testing.Analyst guidelines specific to Salem,Units 1 & 2 & performance demonstration program were developed.
DUCA,P.J. Public Service Electric & Gas Co. of New Jersey. 97/12/30. 5pp. A1806:277-A1806:281.

9801230403 Forwards LER 96-005-15, "Inadequate TS Testing - Feedwater Sys Isolation Functional Test/Component Cooling Water Heat Exchanger Service Water Flow Control Valves."
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 98/01/19. Document Control Branch (Document Control Desk). 1p. A1893:131-A1893:147.

--**9801230409** LER 96-005-15:on 971218,inadequate TS testing was identified.Caused by lack of adequate controls & understanding.TS surveillance Improvement Project initiated.
KNIERIEM,R. Public Service Electric & Gas Co. of New Jersey. 98/01/19. 16pp. A1893:132-A1893:147.

9801280189 LER 96-005-16:on 971224,inadequate TS testing of containment airlock door gasket leakage was noted.Caused by lack of adequate controls & understanding of development. Appropriate procedures reviewed.W/980121 ltr.
KNIERIEM,R., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 98/01/21. 18pp. A1963:204-A1963:221.

U. Congressional/Executive Correspondence

9801280054 Responds to 971229 ltr to Chairman Jackson re possible restart of Salem,Unit 1 & related questions received from K Connor,raised on behalf of Cape May County Board of Chosen Freeholders.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/14. LAUTENBERG,F.R. Senate. 2pp. A1934:357-A1934:358.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801070261 Forwards insp repts 50-275/97-22 & 50-323/97-22 on 971208-12 & NOV.Violation re failure to follow respiratory protection program procedure to provide prescription glasses for licensed operators to use w/selfcontained breathing.
MURRAY,B. Region 4 (Post 820201). 98/01/02. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A1727:103-A1727:125.

--**9801070273** Insp repts 50-275/97-22 & 50-323/97-22 on 971208-12. Violations noted.Major areas inspected:operational status of licensee emergency preparedness program.
* Region 4 (Post 820201). 98/01/02. 17pp. A1727:109-A1727:125.

9801280158 Forwards public update to EPIPs for DCPP Units 1 & 2 IAW Section V, "Implementating Procedures," of 10CFR50,App E. Administrative procedure OM10.DCI, "Emergency Preparedness Drills & Exercises," also included.W/980126 release memo.
HAYS,J.A. Public Service Electric & Gas Co. of New Jersey. 98/01/09. Document Control Branch (Document Control Desk). 4pp. A1980:067-A1980:194.

--**9801280170** Public revised EPIPs,including rev 0A to OM10.DCI, "Emergency Preparedness Drills & Exercises," rev 11C to EP RB-11, "Emergency Offsite Dose Calculations & rev 20 to EP-EF-1, "Activation & Operation of TSC."
* Public Service Electric & Gas Co. of New Jersey. 98/01/09. 120pp. A1980:071-A1980:194.

P. Operating license stage documents & correspondence

9801060016 Summarizes 971114 meeting w/listed attendees to discuss joint TS conversion status & schedule.Attendance list encl.
POLICH,T.J. . 97/12/12. . 9pp. A1663:333-A1663:341.

9801120202 Advises that document entitled, "PCS Pressurization Analysis for Diablo Canyon Shutdown Scenarios," marked as proprietary will be withheld from public disclosure,per 10CFR2.790(b) (5) & section 103(b).
BLOOM,S.D. . 97/12/19. SEPP,H.A. Westinghouse Electric Corp. 3pp. A1754:328-A1754:330.

9801020077 *Forwards addl info on radiological dose calculation which supports LAR 97-03 re voltage-based alternate SG tube repair limit for outside diameter stress corrosion cracking at tube support plate intersections,dtd 970226.*
RUEGER,G.M. Pacific Gas & Electric Co. 97/12/23. Document Control Branch (Document Control Desk). 39pp. A1679:295-A1679:333.

9801020098 Forwards LAR 97-06 to licenses DPR-80 & DPR-82,changing TS 3.7.1.1,Table 3.7-1, "Max Allowable Power Range NF High Setpoint w/Inoperable Steam Line Safety Valves" & TS Bases for MSSVs.
WOMACK,L.F. Pacific Gas & Electric Co. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1679:154-A1679:184.

--**9801020100** LAR 97-06 to licenses DPR-80 & DPR-82,revising TS 3.7.1.1, "Turbine Cycle - Safety Valves," Table 3.7-1, "Max Allowable Power Range Neutron Flux High Setpoint W/Inoperable Steam Line Safety Valves," & associated TS Bases.
WOMACK,L.F. Pacific Gas & Electric Co. 97/12/23. 9pp. A1679:156-A1679:164.

--**9801020101** Proposed tech specs 3.7.1.1,Table 3.7-1 & associated Bases re reduced power operation levels for inoperable MSSVs.
* Pacific Gas & Electric Co. 97/12/23. 20pp. A1679:165-A1679:184.

9801050366 Forwards update of environmental rept re chapter 1 changes in environment resulting from DCNPP discharge.Chapter 1 & 2 will complete PG&Es obligation for submittal of final thermal effects comprehensive assessment rept.
POWERS,R.P. Pacific Gas & Electric Co. 97/12/30. Document Control Branch (Document Control Desk). 13pp. A1714:051-A1718:350.

--**9801050384** "Diablo Canyon Power Plant Thermal Effects Monitoring Program Analysis Rept Chapter 1-Changes in Marine Environment Resulting from Diablo Canyon Power Plant Discharge." Pages C3-46,50,52 & 56 had data cut in margins.
* TENERA, L.P. (formerly TENERA Corp.). E7-204.7. 97/12/30. 1,743pp. A1714:064-A1718:350.

9801160077 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," 971007.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/05. Document Control Branch (Document Control Desk). 16pp. A1844:304-A1844:319.

9801130332 Forwards RAI re proposed Westinghouse SG tube repair criteria.Response requested within 60 days of receipt of ltr.
BLOOM,S.D. . 98/01/06. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. A1796:115-A1796:117.

9801140056 Informs that util fulfilled commitment w/implementation of listed actions.Util plans to enhance severe accident mgt capability in 1998,primarily in area of operator training.
WOMACK,L.F. Pacific Gas & Electric Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1799:360-A1799:361.

9801210282 Forwards errata to LAR 97-09,containing corrected pages to TS.Revised TS pages incorporating changes approved in LARs 119/117 & 118/116 on 24-month fuel cycle program encl,as discussed w/NRR project manager.
WOMACK,L.F. Pacific Gas & Electric Co. 98/01/09. Document Control Branch (Document Control Desk). 4pp. A1880:001-A1880:322.

--**9801210284** Corrected TS pages re LAR 97-09 & revised TS pages to LARs 119/117 & 118/116 re 24-month fuel cycle program.
* Pacific Gas & Electric Co. 98/01/09. 318pp. A1880:005-A1880:322.

9801220198 Forwards LAR 98-01 re implementation of 230 kV sys improvements to resolve voltage issues reported in LER 1-95-007.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1892:230-A1892:247.

--**9801220203** Application for amends to licenses DPR-80 & DPR-82 re replacement of startup transformers w/transformers having automatic load tap changers,installation of *shunt capacitor banks at DCPP switchyard & Mesa substation.*
POWERS,R.P. Pacific Gas & Electric Co. 98/01/14. NRC - No Detailed Affiliation Given. 15pp. A1892:232-A1892:247.

9801290116 Forwards request for addl info re TS change concerning voltage based SG tube repair criteria.
BLOOM,S.D. . 98/01/21. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. A1942:093-A1942:098.

9801280313 Confirms that util completed required actions in response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
RUEGER,G.M. Pacific Gas & Electric Co. 98/01/22. Document Control Branch (Document Control Desk). 2pp. A1936:293-A1936:294.

9801290091 *Forwards rev 13 to "IST Program Plan,Second Ten-Year Interval," per* NUREG-1482.Rev 13 includes three pump relief requests that are pending NRC approval.Detailed summary of changes encl.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/22. Document Control Branch (Document Control Desk). 5pp. *A1996:158-A1996:297.*

--**9801290092** Rev 13 to "IST Program,Second Ten-Year Interval," for plant.
HJALMARSON,J., EDWARDS,M.A., POWERS,R.P. Pacific Gas & Electric Co. 98/01/02. 134pp. A1996:163-A1996:297.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on *Power Distribution & Shutdown Margin."*
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 *NRC Info Notice 97-088, "Experiences During Recent Steam Generator* Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801060202 Forwards partial response to 971128 telcon RAI re certain ISI relief requests requested in support of Unit 2 eighth refueling outage.
POWERS,R.P. Pacific Gas & Electric Co. 97/12/24. Document Control Branch (Document Control Desk). 15pp. A1738:319-A1738:333.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801070261 Forwards insp repts *50-275/97-22 & 50-323/97-22 on 971208-12 &* NOV.Violation re failure to follow respiratory protection program procedure to provide prescription glasses for licensed operators to use w/selfcontained breathing.
MURRAY,B. Region 4 (Post 820201). 98/01/02. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A1727:103-A1727:125.

--**9801070266** Notice of violation from insp on 971208-12.Violation noted: on 971208,5 *of 5 members of Crew D would be required to use special respirator glasses were not* aware of existence &/or location of glasses.
* Region 4 (Post 820201). 98/01/02. 1p. A1727:108-A1727:108.

--**9801070273** Insp repts 50-275/97-22 & 50-323/97-22 on 971208-12. Violations noted.Major areas inspected:operational status of licensee emergency preparedness program.
* Region 4 (Post 820201). 98/01/02. 17pp. A1727:109-A1727:125.

9801070263 Forwards insp repts 50-275/97-20 & 50-323/97-20 on 971208-11.No violations noted.Insp reviewed radiological environ & meteorological monitoring programs.Programs were effectively implemented.
MURRAY,B. Region 4 (Post 820201). 98/01/02. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A1727:126-A1727:144.

--**9801070264** Insp repts 50-275/97-20 & 50-323/97-20 on 971208-11.No violations noted.Major areas inspected:implementation of radiological environ monitoring & meteorological monitoring programs.
* Region 4 (Post 820201). 98/01/02. 14pp. A1727:131-A1727:144.

9801200102 Responds to NRC 971113 ltr re violations noted in insp repts 50-275/97-202 & 50-323/97-202 on 970804-0911.Corrective actions:three calculations have been performed to determine max UHS temp which DCPP can be operated.
WOMACK,L.F. Pacific Gas & Electric Co. 98/01/12. Document Control Branch (Document Control Desk). 22pp. A1842:328-A1842:349.

9801270220 Forwards insp repts 50-275/98-03 & 50-323/98-03 on 980105- 09.No violations noted.Insp focused on solid radioactive waste mgt & radioactive matls transportation programs.
MURRAY,B. Region 4 (Post 820201). 98/01/23. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A1933:292-A1933:308.

--9801270225 Insp repts 50-275/98-03 & 50-323/98-03 on 980105-09.No violations noted.Major areas inspected:implementation of solid radioactive waste mgt & radioactive matls transportation.
MURRAY,B. Region 4 (Post 820201). 98/01/23. 13pp. A1933:297-A1933:308.

R. Periodic operating reports & related correspondence

9801220190 Monthly operating repts for Dec 1997 for Diablo Canyon,Units 1 & 2.W/ 980115 ltr.
EUBANKS,T., CLOSE,G., POWERS,R.P. Pacific Gas & Electric Co. 97/12/31. 8pp. A1887:283-A1887:290.

9801270021 Forwards "Fourth Quarter 1997 Rept on Discharge Monitoring at Diablo Canyon Power Plant," IAW Order 90-09,NPDES Number CA0003751.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/20. BRIGGS,R.W. California, State of. 3pp. A1929:149-A1929:278.

--9801270023 "Fourth Quarter 1997 Rept on Discharge Monitoring at Diablo Canyon Power Plant."
* Pacific Gas & Electric Co. 98/01/20. 125pp. A1929:152-A1929:278.

S. Reportable occurrences, LERs & related correspondence

9801020064 Forwards LER 97-011-01 re auxiliary saltwater systems being outside design basis for flooding due to inadequate corrective actions.Revised LER provides root cause,safety analysis & corrective actions to prevent recurrence.
POWERS,R.P. Pacific Gas & Electric Co. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1658:251-A1658:274.

--9801020066 LER 97-011-01:on 970703,determined that auxiliary saltwater systems were outside design basis.Caused by inadequate corrective due to personnel error.Flushed drain lines & repaired or replaced check valves.
BACKMAN,V.A. Pacific Gas & Electric Co. 97/12/23. 22pp. A1658:253-A1658:274.

9801080352 Forwards LER 95-013-02,re component cooling water sys which may have operated outside of design basis.
WOMACK,L.F. Pacific Gas & Electric Co. 97/12/23. Document Control Branch (Document Control Desk). 1p. A1754:201-A1754:216.

--9801080371 LER 95-013-02:on 951010,CCW sys may have operated outside of design basis due to limited capacity of auxiliary saltwater sys combined w/increases in calculated head load into CCW sys.STP R-20 has been revised.
BACKMAN,V.A. Pacific Gas & Electric Co. 97/12/23. 15pp. A1754:202-A1754:216.

V. Operator Examinations

9801140056 Informs that util fulfilled commitment w/implementation of listed actions.Util plans to enhance severe accident mgt capability in 1998,primarily in area of operator training.
WOMACK,L.F. Pacific Gas & Electric Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1799:360-A1799:361.

9801230345 Discusses details of arrangements made during 971104 telcon between T McKernon & R Jett for administration of licensing exams at DCNPP during wk of 980511.Exams based on guidelines of Rev 8 of NUREG-1021.Requests exam outlines by 980202.
PELLET,J.L. Region 4 (Post 820201). 98/01/20. RUEGER,G.M. Public Service Electric & Gas Co. of New Jersey. 6pp. A1915:104-A1915:109.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801220169 Confirms 980112 & 13 telcons W/NRC that response to 971114 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," will be submitted by 980316.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1895:033-A1895:034.

9801270131 Provides updated listing of data point library info previously submitted in 971006 ltr.Info contained in Attachment only includes data for data point,specifically added,replaced or changed,per NUREG-1394,Rev 1.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/16. Document Control Branch (Document Control Desk). 21pp. A1922:328-A1922:349.

P. Operating license stage documents & correspondence

9801140030 Forwards order approving application re merger agreement between Atlantic Energy,Inc,& Delmarva Power & Light Co & safety evaluation in support of order.
WILLIAMS,J.F. . 97/12/18. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 4pp. A1801:118-A1801:130.

--9801140036 Order approving application re merger between Atlantic Energy Inc,& Delmarva Power & Light Co.
COLLINS,S.J. . 97/12/18. Atlantic Energy, Inc. 6pp. A1801:122-A1801:127.

--9801150245 Safety evaluation supporting approval of proposed merger of Atlantic Energy,Inc,& Delmarva Power & Light Co.
* . 97/12/18. 3pp. A1801:128-A1801:130.

9801070035 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," dtd 971007.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/30. Document Control Branch (Document Control Desk). 14pp. A1741:345-A1741:358.

9801150207 Informs that util 960418 & 971126 ltrs in response to GL 96-01, "Testing of Safety-Related Logic Circuits" completes licensing action.
WILLIAMS,J.F. . 98/01/06. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. A1820:209-A1820:212.

9801230374 Provides notification that listed amendments have been implemented,as requested in NRC ltrs following issuance of TS amendments.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/13. Document Control Branch (Document Control Desk). 2pp. A1900:270-A1900:271.

9801220169 Confirms 980112 & 13 telcons W/NRC that response to 971114 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," will be submitted by 980316.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1895:033-A1895:034.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

R. Periodic operating reports & related correspondence

9801210245 Monthly operating repts for Dec 1997 for Peach Bottom,Units 2 & 3.W/ 980108 ltr.
KILGORE,D.M., WARNER,M.E. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. 11pp. A1882:295-A1882:305.

9801230386 Submits 1997 annual rept on safety relief challenges for PBAPS,per TMI Action Plan,Item II.K.3 & plant technical requirement manual App A Item 5.0 R17.One automatic actuation of MSRV occurred during 1997.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 1p. A1900:316-A1900:316.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9801220169 Confirms 980112 & 13 telcons W/NRC that response to 971114 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," will be submitted by 980316.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1895:033-A1895:034.

9801270131 Provides updated listing of data point library info previously submitted in 971006 ltr.Info contained in Attachment only includes data for data point,specifically added,replaced or changed,per NUREG-1394,Rev 1.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/16. Document Control Branch (Document Control Desk). 21pp. A1922:328-A1922:349.

P. Operating license stage documents & correspondence

9801140030 Forwards order approving application re merger agreement between Atlantic Energy,Inc,& Delmarva Power & Light Co & safety evaluation in support of order.
WILLIAMS,J.F. . 97/12/18. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 4pp. A1801:118-A1801:130.

--9801140036 Order approving application re merger between Atlantic Energy Inc,& Delmarva Power & Light Co.
COLLINS,S.J. . 97/12/18. Atlantic Energy, Inc. 6pp. A1801:122-A1801:127.

--9801150245 Safety evaluation supporting approval of proposed merger of Atlantic Energy,Inc,& Delmarva Power & Light Co.
* . 97/12/18. 3pp. A1801:128-A1801:130.

9801070035 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," dtd 971007.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/30. Document Control Branch (Document Control Desk). 14pp. A1741:345-A1741:358.

9801150207 Informs that util 960418 & 971126 ltrs in response to GL 96-01, "Testing of Safety-Related Logic Circuits" completes licensing action.
WILLIAMS,J.F. . 98/01/06. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. A1820:209-A1820:212.

9801230374 Provides notification that listed amendments have been implemented,as requested in NRC ltrs following issuance of TS amendments.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/13. Document Control Branch (Document Control Desk). 2pp. A1900:270-A1900:271.

9801220169 Confirms 980112 & 13 telcons W/NRC that response to 971114 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," will be submitted by 980316.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1895:033-A1895:034.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

R. Periodic operating reports & related correspondence

9801210245 Monthly operating repts for Dec 1997 for Peach Bottom,Units 2 & 3.W/ 980108 ltr.
KILGORE,D.M., WARNER,M.E. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. 11pp. A1882:295-A1882:305.

9801230386 Submits 1997 annual rept on safety relief challenges for PBAPS,per TMI Action Plan,Item II.K.3 & plant technical requirement manual App A Item 5.0 R17.One automatic actuation of MSRV occurred during 1997.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 1p. A1900:316-A1900:316.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801020041 Documents corrective action plan to ensure compliance w/App R requirements.License will implement design change packages to install non-combustible Thermo-Lag 330-1 radiant energy shields in containment during listed refueling outages.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 3pp. A1670:356-A1670:358.

9801230166 Forwards Rev 42 to "Surry Power Station Emergency Plan" & Rev 6 to "Corporate Emergency Response Plan," per 10CFR72.44(f).Plans are applicable to Surry ISFSI.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 97/12/19. Region 2 (Post 820201). 2pp. A1897:001-A1897:241.

9801210303 Discusses insp repts 50-280/97-09 & 50-281/97-09 on 970824-1004 & NOV & notice of deviation.Insp included review of 10CFR50,App R re electrical isolation & protection & circuit breaker coordination provided for vital electrical.
REYES,L.A. Region 2 (Post 820201). 97/12/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1856:043-A1856:084.

--9801210307 Notice of violation from insp on 970824-1004.Violation noted:licensee failed to identify fully & correct noncompliance w/App R requirements for CR associated w/vital bus isolation issue discovered by licensee in 1992.
* Region 2 (Post 820201). 97/12/24. 3pp. A1856:048-A1856:050.

--9801210311 Notice of deviation from insp on 970824-1004.Deviation noted:100 amp breakers were not replaced w/nonautomatic switches as committed to in App R rept to ensure compliance w/UFSAR Section 9.10.1.
* Region 2 (Post 820201). 97/12/24. 34pp. A1856:051-A1856:084.

9801160087 Informs that due to preparation & scheduling difficulties, multi-utility assessment of App R program can not be accomplished as previously scheduled.Util intends to reschedule App R program assessment for Apr 1998.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1840:341-A1840:342.

9801210253 Forwards revised EPIPs,including rev 11 to EPIP-4.08,rev 11 to EPIP-4.09,rev 39 to EPIP-1.01 & rev 21 to EPIP-3.02,per 10CFR50.54(q).No commitments contained in ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/01/13. Document Control Branch (Document Control Desk). 2pp. A1881:139-A1881:249.

--9801210270 Revised EPIPs,including rev 11 to EPIP-4.08,rev 11 to EPIP-4.09,rev 39 to EPIP-1.01 & rev 21 to EPIP-3.02.
* Virginia Power (Virginia Electric & Power Co.). 98/01/13. 109pp. A1881:141-A1881:249.

9801270034 Responds to NRC 971224 ltr re violations noted in insp repts 50-280/97-09 & 50-281/97-09.Corrective actions:Appendix R awareness training will be conducted for appropriate personnel in Nuclear Business Unit.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/20. Document Control Branch (Document Control Desk). 13pp. A1932:312-A1932:324.

J. Insurance & indemnity information

9801280287 Confirms that primary policy provided by Nuclear Mutual Limited re onsite property damage insurance for plant.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/20. Document Control Branch (Document Control Desk). 1p. A1945:226-A1945:226.

P. Operating license stage documents & correspondence

9801050358 Summary of 971119 meeting w/Westinghouse Owners Group re completion of WOG topical rept WCAP-14572,rev 1,conclusions from results of Surry pilot plant submittal & schedule for approving Surry submittal & associated WCAP.
GUTTMANN,J. Probabilistic Risk Analysis Branch (Post 941217). 97/12/04. Probabilistic Risk Analysis Branch (Post 941217). 86pp. A1662:143-A1662:228.

9801060131 Summary of 971125 meeting w/Transnuclear Inc re storing W upper head injection fuel in TN-32 spent fuel dry storage cask.
WHALEY,S. Office of Nuclear Material Safety & Safeguards. 97/12/16. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. A1727:325-A1727:327.

9801020023 Application for amends to licenses DPR-32 & DPR-37, clarifying terminology used for describing equipment surveillances conducted in refueling interval frequency. Amend consistent w/info provided in Rev 1 of NUREG-1431.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 11pp. A1672:106-A1672:147.

--9801020025 Proposed tech specs clarifying terminology used for describing equipment surveillances conducted on refueling interval frequency.Clarification consistent w/info contained in Rev 1 to NUREG-1431.
* Virginia Power (Virginia Electric & Power Co.). 97/12/18. 31pp. A1672:117-A1672:147.

9801020041 Documents corrective action plan to ensure compliance w/App R requirements.License will implement design change packages to install non-combustible Thermo-Lag 330-1 radiant energy shields in containment during listed refueling outages.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 3pp. A1670:356-A1670:358.

9801130017 Confirms 971007 telcon re meeting scheduled for 980115 in Atlanta,GA to discuss Surry self assessment.
HAAG,R.C. Region 2 (Post 820201). 97/12/22. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A1784:349-A1784:352.

9801060160 Forwards response to info requested in GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/29. Document Control Branch (Document Control Desk). 16pp. A1725:326-A1725:341.

9801220055 Confirms telcon between R Blount & R Haag on 980107,re rescheduled meeting to be held on 980116.Meeting to discuss Surry self assessment.
HAAG,R.C. Region 2 (Post 820201). 98/01/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A1872:322-A1872:324.

9801200173 Submits Title V operating permit application for Gravel Neck Combustion Turbine Station & Surry Power Station. W/5 oversized drawings.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 98/01/12. SEELEY,G. Virginia, Commonwealth of. 117pp. A1924:234-A1924:346.

9801220272 Submits revised request for exemption from 10CFR70.24(a), "Criticality Accident Monitoring Requirements." Revised request addresses increased fuel enrichment value of 4.3 weight % U-235.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/14. Document Control Branch (Document Control Desk). 8pp. A1887:326-A1887:333.

9801290015 Notifies that plant has not received copy of waste shipment record,signed by owner or operator of designated waste disposal site within 35 days since waste was shipped off- site & will not receive in 45 days.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 98/01/23. DALEY,J. Environmental Protection Agency. 6pp. A1946:219-A1946:224.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801120172 Forwards request for addl info re 971031 request for approval for implementation of risk-informed inservice inspection pilot program at Surry Unit 1.Staff also reviewing revised version of WOG topical rept WCAP-14572.
EDISON,G.E. . 97/12/23. SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 5pp. A1790:008-A1790:012.

9801210303 Discusses insp repts 50-280/97-09 & 50-281/97-09 on 970824-1004 & NOV & notice of deviation.Insp included review of 10CFR50,App R re electrical isolation & protection & circuit breaker coordination provided for vital electrical.
REYES,L.A. Region 2 (Post 820201). 97/12/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1856:043-A1856:084.

--9801210307 Notice of violation from insp on 970824-1004.Violation noted:licensee failed to identify fully & correct noncompliance w/App R requirements for CR associated w/vital bus isolation issue discovered by licensee in 1992.
* Region 2 (Post 820201). 97/12/24. 3pp. A1856:048-A1856:050.

--9801210311 Notice of deviation from insp on 970824-1004.Deviation noted:100 amp breakers were not replaced w/nonautomatic switches as committed to in App R rept to ensure compliance w/UFSAR Section 9.10.1.
* Region 2 (Post 820201). 97/12/24. 34pp. A1856:051-A1856:084.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220136 Responds to NRC 971215 ltr re violations noted in insp repts 50-280/97-10 & 50-281/97-10.Corrective actions:deviation rept was submitted to document deviating condition & to ensure appropriate corrective actions were implemented.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/14. Document Control Branch (Document Control Desk). 5pp. A1895:090-A1895:094.

9801270034 Responds to NRC 971224 ltr re violations noted in insp repts 50-280/97-09 & 50-281/97-09.Corrective actions:Appendix R awareness training will be conducted for appropriate personnel in Nuclear Business Unit.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/20. Document Control Branch (Document Control Desk). 13pp. A1932:312-A1932:324.

R. Periodic operating reports & related correspondence

9801210211 Monthly operating repts for Dec 1997 for Surry Power Station,Units 1 & 2.W/980113 ltr.
MASON,D.K., MARSHALL,G.N., CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 97/12/31. 18pp. A1882:178-A1882:195.

S. Reportable occurrences, LERs & related correspondence

9801210214 Forwards LER 97-012-01,per 10CFR50.73.Commitments made by util,listed.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/01/13. Document Control Branch (Document Control Desk). 2pp. A1893:029-A1893:036.

--9801210215 LER 97-012-01:on 971028,loss of power to latching mechanism on several doors occurred.Caused by tripping of two breakers in security distribution panel.Reset affected breakers which restored power to security systems & affected doors.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/01/13. 6pp. A1893:031-A1893:036.

9801210217 Forwards LER 97-009-01,per 10CFR50.73.Commitments made by util,listed.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/01/13. Document Control Branch (Document Control Desk). 2pp. A1893:022-A1893:028.

--9801210219 LER 97-009-01:on 971014,declared intake canal level probes inoperable due to marine growth.Caused by inadequate maint of intake canal level probes.Subject probes were cleaned, tested satisfactorily & returned to operable status.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/01/13. 5pp. A1893:024-A1893:028.

V. Operator Examinations

9801220090 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1876:327-A1876:331.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801230166 Forwards Rev 42 to "Surry Power Station Emergency Plan" & Rev 6 to "Corporate Emergency Response Plan," per 10CFR72.44(f).Plans are applicable to Surry ISFSI.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 97/12/19. Region 2 (Post 820201). 2pp. A1897:001-A1897:241.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801020041 Documents corrective action plan to ensure compliance w/App R requirements.License will implement design change packages to install non-combustible Thermo-Lag 330-1 radiant energy shields in containment during listed refueling outages.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 3pp. A1670:356-A1670:358.

9801230166 Forwards Rev 42 to "Surry Power Station Emergency Plan" & Rev 6 to "Corporate Emergency Response Plan," per 10CFR72.44(f).Plans are applicable to Surry ISFSI.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 97/12/19. Region 2 (Post 820201). 2pp. A1897:001-A1897:241.

9801210303 Discusses insp repts 50-280/97-09 & 50-281/97-09 on 970824-1004 & NOV & notice of deviation.Insp included review of 10CFR50,App R re electrical isolation & protection & circuit breaker coordination provided for vital electrical.
REYES,L.A. Region 2 (Post 820201). 97/12/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1856:043-A1856:084.

--9801210307 Notice of violation from insp on 970824-1004.Violation noted:licensee failed to identify fully & correct noncompliance w/App R requirements for CR associated w/vital bus isolation issue discovered by licensee in 1992.
* Region 2 (Post 820201). 97/12/24. 3pp. A1856:048-A1856:050.

--9801210311 Notice of deviation from insp on 970824-1004.Deviation noted:100 amp breakers were not replaced w/nonautomatic switches as committed to in App R rept to ensure compliance w/UFSAR Section 9.10.1.
* Region 2 (Post 820201). 97/12/24. 34pp. A1856:051-A1856:084.

9801160087 Informs that due to preparation & scheduling difficulties, multi-utility assessment of App R program can not be accomplished as previously scheduled.Util intends to reschedule App R program assessment for Apr 1998.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1840:341-A1840:342.

9801210253 Forwards revised EPIPs,including rev 11 to EPIP-4.08,rev 11 to EPIP-4.09,rev 39 to EPIP-1.01 & rev 21 to EPIP-3.02,per 10CFR50.54(q).No commitments contained in ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/01/13. Document Control Branch (Document Control Desk). 2pp. A1881:139-A1881:249.

--9801210270 Revised EPIPs,including rev 11 to EPIP-4.08,rev 11 to EPIP-4.09,rev 39 to EPIP-1.01 & rev 21 to EPIP-3.02.
* Virginia Power (Virginia Electric & Power Co.). 98/01/13. 109pp. A1881:141-A1881:249.

9801270034 Responds to NRC 971224 ltr re violations noted in insp repts 50-280/97-09 & 50-281/97-09.Corrective actions:Appendix R awareness training will be conducted for appropriate personnel in Nuclear Business Unit.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/20. Document Control Branch (Document Control Desk). 13pp. A1932:312-A1932:324.

J. Insurance & indemnity information

9801280287 Confirms that primary policy provided by Nuclear Mutual Limited re onsite property damage insurance for plant.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/20. Document Control Branch (Document Control Desk). 1p. A1945:226-A1945:226.

P. Operating license stage documents & correspondence

9801050358 Summary of 971119 meeting w/Westinghouse Owners Group re completion of WOG topical rept WCAP-14572,rev 1,conclusions from results of Surry pilot plant submittal & schedule for approving Surry submittal & associated WCAP.
GUTTMANN,J. Probabilistic Risk Analysis Branch (Post 941217). 97/12/04. Probabilistic Risk Analysis Branch (Post 941217). 86pp. A1662:143-A1662:228.

9801060131 Summary of 971125 meeting w/Transnuclear Inc re storing W upper head injection fuel in TN-32 spent fuel dry storage cask.
WHALEY,S. Office of Nuclear Material Safety & Safeguards. 97/12/16. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. A1727:325-A1727:327.

9801020023 Application for amends to licenses DPR-32 & DPR-37, clarifying terminology used for describing equipment surveillances conducted in refueling interval frequency. Amend consistent w/info provided in Rev 1 of NUREG-1431.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 11pp. A1672:106-A1672:147.

--9801020025 Proposed tech specs clarifying terminology used for describing equipment surveillances conducted on refueling interval frequency.Clarification consistent w/info contained in Rev 1 to NUREG-1431.
* Virginia Power (Virginia Electric & Power Co.). 97/12/18. 31pp. A1672:117-A1672:147.

9801020041 Documents corrective action plan to ensure compliance w/App R requirements.License will implement design change packages to install non-combustible Thermo-Lag 330-1 radiant energy shields in containment during listed refueling outages.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 3pp. A1670:356-A1670:358.

9801130017 Confirms 971007 telcon re meeting scheduled for 980115 in Atlanta,GA to discuss Surry self assessment.
HAAG,R.C. Region 2 (Post 820201). 97/12/22. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A1784:349-A1784:352.

9801060160 Forwards response to info requested in GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/29. Document Control Branch (Document Control Desk). 16pp. A1725:326-A1725:341.

9801220055 Confirms telcon between R Blount & R Haag on 980107,re rescheduled meeting to be held on 980116.Meeting to discuss Surry self assessment.
HAAG,R.C. Region 2 (Post 820201). 98/01/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A1872:322-A1872:324.

9801200173 Submits Title V operating permit application for Gravel Neck Combustion Turbine Station & Surry Power Station. W/5 oversized drawings.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 98/01/12. SEELEY,G. Virginia, Commonwealth of. 117pp. A1924:234-A1924:346.

9801220272 Submits revised request for exemption from 10CFR70.24(a), "Criticality Accident Monitoring Requirements." Revised request addresses increased fuel enrichment value of 4.3 weight % U-235.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/14. Document Control Branch (Document Control Desk). 8pp. A1887:326-A1887:333.

9801280175 Forwards rev 0 to NE-1148, "Surry Unit 2 Cycle 15 Startup Physics Test Rept," summarizing results of physics testing program performed after initial criticality of cycle 15 on 971030.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/22. REYES,L.A. Region 2 (Post 820201). 1p. A1966:209-A1966:268.

--9801280176 Rev 0 to NE-1148, "Surry Unit 2,Cycle 15 Startup Physics Test Rept."
BLOOM,D.T., PSUIK,T.S., LAWRENCE,D.C Virginia Power (Virginia Electric & Power Co.). NE-1148 R00. 98/01/05. 56pp. A1966:210-A1966:268.

9801290015 Notifies that plant has not received copy of waste shipment record,signed by owner or operator of designated waste disposal site within 35 days since waste was shipped off- site & will not receive in 45 days.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 98/01/23. DALEY,J. Environmental Protection Agency. 6pp. A1946:219-A1946:224.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801210303 Discusses insp repts 50-280/97-09 & 50-281/97-09 on 970824-1004 & NOV & notice of deviation.Insp included review of 10CFR50,App R re electrical isolation & protection & circuit breaker coordination provided for vital electrical.
REYES,L.A. Region 2 (Post 820201). 97/12/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1856:043-A1856:084.

--9801210307 Notice of violation from insp on 970824-1004.Violation noted:licensee failed to identify fully & correct noncompliance w/App R requirements for CR associated w/vital bus isolation issue discovered by licensee in 1992.
* Region 2 (Post 820201). 97/12/24. 3pp. A1856:048-A1856:050.

--9801210311 Notice of deviation from insp on 970824-1004.Deviation noted:100 amp breakers were not replaced w/nonautomatic switches as committed to in App R rept to ensure compliance w/UFSAR Section 9.10.1.
* Region 2 (Post 820201). 97/12/24. 34pp. A1856:051-A1856:084.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220136 Responds to NRC 971215 ltr re violations noted in insp repts 50-280/97-10 & 50-281/97-10.Corrective actions:deviation rept was submitted to document deviating condition & to ensure appropriate corrective actions were implemented.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/14. Document Control Branch (Document Control Desk). 5pp. A1895:090-A1895:094.

9801270034 Responds to NRC 971224 ltr re violations noted in insp repts 50-280/97-09 & 50-281/97-09.Corrective actions:Appendix R awareness training will be conducted for appropriate personnel in Nuclear Business Unit.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/20. Document Control Branch (Document Control Desk). 13pp. A1932:312-A1932:324.

9801300049 Forwards SPS Unit 2 ISI summary rept for 1997 refueling outage,including Form NIS-1, "Owner Rept for ISIs" & Form NIS-2, Owner Rept for Repairs or Replacements."
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/26. Document Control Branch (Document Control Desk). 2pp. A1981:038-A1981:227.

--9801300051 SPS Unit 2 ISI summary rept for 1997 refueling outage.
* Virginia Power (Virginia Electric & Power Co.). 98/01/26. 200pp. A1981:040-A1981:227.

R. Periodic operating reports & related correspondence

9801210211 Monthly operating repts for Dec 1997 for Surry Power Station,Units 1 & 2.W/980113 ltr.
MASON,D.K., MARSHALL,G.N., CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 97/12/31. 18pp. A1882:178-A1882:195.

S. Reportable occurrences, LERs & related correspondence

9801080100 Forwards LER 97-004-00,per plant TS.Commitments made within ltr,listed.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 97/12/31. Document Control Branch (Document Control Desk). 1p. A1796:020-A1796:026.

--9801080116 LER 97-004-00:on 971202,invalid MSTV indication results in manual reactor trip w/ESF actuation were noted.Caused by displaced open limit switch arms.Open limit switch for MSTV A was relocated closer to valve position bar.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 97/12/31. 6pp. A1796:021-A1796:026.

V. Operator Examinations

9801220090 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1876:327-A1876:331.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801230166 Forwards Rev 42 to "Surry Power Station Emergency Plan" & Rev 6 to "Corporate Emergency Response Plan," per 10CFR72.44(f).Plans are applicable to Surry ISFSI.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 97/12/19. Region 2 (Post 820201). 2pp. A1897:001-A1897:241.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801270061 Requests exemption from 10CFR50,App R,Section III.G, "Fire Protection of Safe Shutdown Capability," for use of Rockbestos Firezone R App R fireproof cables in listed fire areas.Related repts & copyright release included.
SORENSEN,J.P. Northern States Power Co. 97/08/14. Document Control Branch (Document Control Desk). 11pp. A1931:104-A1931:294.

--9801270087 "Rept on Fire Resistant Cables," for Rockbestos Co,New Haven,CT.
JOHNSON,C.J., BERHINIG,R.M., HOWELL,K.W. . R10925-1. 84/04/10. 77pp. A1931:115-A1931:191.

--9801270092 "FIREZONE R Single & Multi-Conductor High Temperature 600 Volt,14 AWG-4/0 AWG Specification."
* Rockbestos Co. RSS-5-144 I05. 95/03/31. 10pp. A1931:192-A1931:201.

--9801270098 Issue B to FTCR/94/0060, "Test Rept for 1 Hour Fire Hose Stream Tests on Darmatt KM1 Fire Protection Sys for Electrical Circuits Sys to ASTM E119 NRC GL 86-10 Suppl 1."
HOGG,P., GARDNER,M.R. Affiliation Not Assigned. * Darchem Engineering, Inc. FTCR/94/0060. 94/01/09. 93pp. A1931:202-A1931:294.

9801050364 Forwards insp repts 50-282/97-19 & 50-306/97-19 on 970929-1003 & 21-23 & 1202 & NOV.Violation re procedure inadequacy that circumvented proper performance of reactor trip & ATWS emergency operating procedures.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. WADLEY,M. Northern States Power Co. 2pp. A1658:038-A1658:063.

9801290141 Revised EPIPs,including rev 15 to F3-8, "Recommendations for Offsite Protective Actions," rev 8 to F3-14.1, "Onsite Radiological Monitoring," rev 5 to F3-20.1, "Determination Steam Line Dose Rates" & rev 6 to F3-20.2.
* Northern States Power Co. 98/01/21. 49pp. A1968:275-A1968:323.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9801130011 Informs that listed documents have been determined to relate to petition filed,per 10CFR2.206.W/o encl.
RECKLEY,W.D. . 97/12/29. CROCKER,G. Affiliation Not Assigned. 4pp. A1790:245-A1790:249.

P. Operating license stage documents & correspondence

9801290010 Grants conditional waiver of copyright restrictions for, "UL File R10925-1," rept,dtd 840410 for project 84NK2320. Waiver shall be in effect until 991231.
MICKELSON,S.R. Underwriters Laboratory, Inc. 97/09/15. GAMBIN,W. Northern States Power Co. 1p. A1942:168-A1942:168.

9801120267 Notification of 980107 meeting w/util in Rockville,MD to discuss plans for conversion to improved STS for plants.
WETZEL,B.A. . 97/12/23. HANNON,J.N. . 3pp. A1789:349-A1789:351.

9801120282 Forwards corrected amends 134 & 126 to licenses DPR-42 & DPR-60,respectively.Typographical error in part of TS not changed by amends inadvertently introduced into table TS 3.5-2B.Table number changed on TS page 5 of 9 as listed.
WETZEL,B.A. . 97/12/23. ANDERSON,R.O. Northern States Power Co. 3pp. A1762:284-A1762:288.

--9801120286 Errata to amends 134 & 126 of licenses DPR-42 & DPR-60, respectively.Table number changed on TS page 5 of 9 of Table 3.5-2 to read "TABLE TS.3.5-2B."
* . 97/12/23. 2pp. A1762:287-A1762:288.

9801060205 Forwards suppl application to LAR dtd 951214,incorporating changes to TS pages which have changed due to other license amends issued or other administrative corrections.Affidavit & marked-up TS pages attached.
SORENSEN,J.P. Northern States Power Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1729:269-A1729:330.

--9801060207 Application for amends to licenses DPR-42 & DPR-60, respectively.Amends provide changes to TS pages associated w/951214 LAR.
SORENSEN,J.P. Northern States Power Co. 97/12/29. 1p. A1729:271-A1729:271.

--9801060209 Proposed TS marked-up & revised pages,incorporating changes associated w/951214 LAR.
* Northern States Power Co. 97/12/29. 58pp. A1729:272-A1729:330.

9801060157 Submits updated response to GL 97-01 re degradation of control rod drive mechanism nozzle & other vessel closure head penetrations.NRC & Nuclear Energy Inst will decide date of submittal of detailed insp plans.
SORENSEN,J.P. Northern States Power Co. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1725:289-A1725:290.

9801130103 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
SORENSEN,J.P. Northern States Power Co. 98/01/05. Document Control Branch (Document Control Desk). 17pp. A1801:046-A1801:062.

9801130105 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
SORENSON,J. Northern States Power Co. 98/01/06. Document Control Branch (Document Control Desk). 2pp. A1807:359-A1807:360.

9801220001 Forwards suppl 5 to 951214 LAR re conformance of administrative controls Section 6 to guidance of STS.Marked up TS page,revised page,list of pages affected which identify source document re proposed license amend,encl.
SORENSEN,J.P. Northern States Power Co. 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1895:078-A1895:085.

--9801220002 Suppl 5 to 951214 LAR to licenses DPR-42 & DPR-60 re proposed changes to TS Section 6.
SORENSEN,J.P. Northern States Power Co. 98/01/08. 1p. A1895:080-A1895:080.

--9801220003 Proposed tech specs pages re suppl 5 to 951214 LAR on conformance of administrative controls Section 6 to guidance of STS.
* Northern States Power Co. 98/01/08. 5pp. A1895:081-A1895:085.

9801210236 Forwards revised ABB C-E affidavit which corrects date erroneously entered on rept CEN-620-P,Rev 04-P, "Series 44 & 51 Design SG Tube Repair Using Tube Rerolling Technique."
SORENSEN,J.P. Northern States Power Co. 98/01/09. Document Control Branch (Document Control Desk). 7pp. A1882:327-A1882:333.

9801210224 Forwards application for change to TS,App A of OLs DPR-42 & DPR-60,respectively,authorization ltr & accompanying affidavit.Non-proprietary & proprietary W rept "Thimble Deletion Study," encl.Proprietary encl withheld.
SORENSEN,J.P. Northern States Power Co. 98/01/15. Document Control Branch (Document Control Desk). 3pp. A1881:250-A1881:309.

--9801210227 Application for amends to licenses DPR-42 & DPR-60, respectively.Amends proposes one-time only changes allowing use of moveable incore detector thimble reduction for Unit 1 cycle 19.
SORENSEN,J.P. Northern States Power Co. 98/01/15. NRC - No Detailed Affiliation Given. 12pp. A1881:253-A1881:264.

--9801210228 Proposed tech specs pages allowing use of moveable incore detector thimble reduction for Unit 1,cycle 19.
* Northern States Power Co. 98/01/15. 13pp. A1881:265-A1881:277.

--9801210231 Non-proprietary version of "Prairie Island Unit 1 Cycle 19 Thimble Deletion Study."
SRINILTA,S., LESKO,J.R. Westinghouse Electric Corp. 98/01/06. 24pp. A1881:278-A1881:301.

--9801210234 Authorizes utilization of accompanying affidavit by NSP re LAR re movable incore detector thimble reduction for Prairie Island Unit 1,cycle 19.
SEPP,H.A. Westinghouse Electric Corp. 98/01/14. COLLINS,S.J. . 8pp. A1881:302-A1881:309.

9801220376 Requests exemption from requirements of 10CFR50.60 to allow application of ASME Code Case N-514, "Low Temp Overpressure Protection (LTOP)," in determining acceptable LTOP sys setpoint.
SORENSEN,J.P. Northern States Power Co. 98/01/15. Document Control Branch (Document Control Desk). 5pp. A1893:276-A1893:280.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050364 Forwards insp repts 50-282/97-19 & 50-306/97-19 on 970929-1003 & 21-23 & 1202 & NOV.Violation re procedure inadequacy that circumvented proper performance of reactor trip & ATWS emergency operating procedures.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. WADLEY,M. Northern States Power Co. 2pp. A1658:038-A1658:063.

--9801050368 Notice of violation from insp on 970929-1003.Violations noted:on 960724,licensee implemented procedure SWI O-10, "Operations Manual Usage," rev 28,section 6.11.9,which contained inadequate instructions.
* Region 3 (Post 820201). 97/12/23. 2pp. A1658:040-A1658:041.

--9801050372 Insp repts 50-282/97-19 & 50-306/97-19 on 970929-1003,21-23 & 1202.Violations noted.Major areas inspected:licensed reactor operator & SRO requalification training program.
* Region 3 (Post 820201). 97/12/23. 22pp. A1658:042-A1658:063.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801060157 Submits updated response to GL 97-01 re degradation of control rod drive mechanism nozzle & other vessel closure head penetrations.NRC & Nuclear Energy Inst will decide date of submittal of detailed insp plans.
SORENSEN,J.P. Northern States Power Co. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1725:289-A1725:290.

9801220300 Forwards operability determination for ISI components that were not fully examined in second ten-year ISI interval as requested by TS,for NRC info.
ANDERSON,R.O. Northern States Power Co. 98/01/13. Document Control Branch (Document Control Desk). 37pp. A1901:100-A1901:142.

9801290064 Responds to NRC 971223 ltr re violations noted in insp repts 50-282/97-19 & 50-306/97-19.Corrective actions:removed section 6.1.1.9 from Section Work Instruction SWI O-10 & informed personnel of change prior to distribution.
SORENSEN,J.P. Northern States Power Co. 98/01/21. Document Control Branch (Document Control Desk). 5pp. A1946:171-A1946:175.

9801290178 Updates 971020 response to 970919 ltr re violations noted in insp repts 50-282/97-15 & 50-306/97-15.Change to completion date for one commitment,from 971231 to 980106,reported.
SORENSEN,J.P. Northern States Power Co. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A1971:223-A1971:224.

R. Periodic operating reports & related correspondence

9801220020 Monthly operating repts for Dec 1997 for Prairie Island Nuclear Generating Plant,Unit 1 & 2.W/980113 ltr.
DUGSTAD,D., SORENSEN,J.P. Northern States Power Co. 97/12/31. 9pp. A1894:332-A1894:340.

S. Reportable occurrences, LERs & related correspondence

9801130135 Forwards LER 97-017-00 re separation of pressurizer level indication channels not in compliance w/10CFR50,App R, Section III.G.2.Util made one new NRC commitment indicated as corrective actions section statement in bold italics.
SORENSEN,J.P. Northern States Power Co. 98/01/02. Document Control Branch (Document Control Desk). 1p. A1806:263-A1806:268.

--9801130147 LER 97-017-00:on 971206,concluded that condition of cabling to 1LT-433 & 1LT-426 did not satisfy separation criteria of 10CFR50,App R,Section III.G.2.Caused by incorrect design documentation.Noncombustible radiant energy installed.
STANTON,J. Northern States Power Co. 98/01/05. 5pp. A1806:264-A1806:268.

9801130383 LER 97-018-00:on 971207,failure to test auto-start feature of CR ventilation sys air handlers determined.Caused by procedure deficiency.Procedure will be revised prior to next scheduled performance to test auto-start.W/980106 ltr.
LEVEILLE,J., SORENSEN,J.P. Northern States Power Co. 98/01/06. 6pp. A1806:297-A1806:302.

V. Operator Examinations

9801050364 Forwards insp repts 50-282/97-19 & 50-306/97-19 on 970929-1003 & 21-23 & 1202 & NOV.Violation re procedure inadequacy that circumvented proper performance of reactor trip & ATWS emergency operating procedures.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. WADLEY,M. Northern States Power Co. 2pp. A1658:038-A1658:063.

--9801050372 Insp repts 50-282/97-19 & 50-306/97-19 on 970929-1003,21-23 & 1202.Violations noted.Major areas inspected:licensed reactor operator & SRO requalification training program.
* Region 3 (Post 820201). 97/12/23. 22pp. A1658:042-A1658:063.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. DAVIS,J.W. Detroit Edison Co. BROWN,J.J. Wisconsin Public Service Corp. 3pp. A1960:072-A1960:074.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801230219 Forwards state of MN Dec 1997 rept which provides data on radiation levels inside Prairie Island ISFSI.
MCCLANAHAN,S. Minnesota, State of. 98/01/09. NRC - No Detailed Affiliation Given. 4pp. A1896:356-A1896:359.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801060237 Summary of 971113 meeting w/Omaha Public Power District in Rockville,MD re proposed TS submittals,status of USAR verification effort & results of recent fire protection program self-assessments.List of attendees & handouts encl.
WHARTON,L.R. . 97/12/22. . 36pp. A1667:123-A1667:158.

I. Financial information

9801280204 Forwards copy of Omaha Public Power District annual accounting for period of Jan-Dec 1997.W/o encl.
GAMBHIR,S.K. Omaha Public Power District. 98/01/20. WOOD,R.S. NRC - No Detailed Affiliation Given. 1p. A1936:268-A1936:268.

P. Operating license stage documents & correspondence

9801060237 Summary of 971113 meeting w/Omaha Public Power District in Rockville,MD re proposed TS submittals,status of USAR verification effort & results of recent fire protection program self-assessments.List of attendees & handouts encl.
WHARTON,L.R. . 97/12/22. . 36pp. A1667:123-A1667:158.

9801090037 Requests attached 4 pages be placed in docket file & PDR. Suppl dtd 970325 to 961120 application to amend Fort Calhoun license & TSs.Document faxed concurrence of license commitment re relocation of certain TS requirements.
KOTZALAS,M. . 97/12/30. MCKNIGHT,J. NRC - No Detailed Affiliation Given. 2pp. A1747:179-A1747:183.

--9801090038 Requests indication of agreement w/licensee condition & subsequent App C, "Addl Conditions."
WHARTON,R. NRC - No Detailed Affiliation Given. 97/03/25. MATTHEWS,T. Omaha Public Power District. 3pp. A1747:181-A1747:183.

9801140195 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
GAMBHIR,S.K. Omaha Public Power District. 97/12/31. Document Control Branch (Document Control Desk). 8pp. A1823:341-A1823:348.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050199 Provides clarification to response to violations noted in insp rept 50-285/97-13.Corrective actions:procedures will be performed in two parts by 980131.
GAMBHIR,S.K. Omaha Public Power District. 97/12/23. Document Control Branch (Document Control Desk). 1p. A1713:354-A1713:354.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220073 Ack receipt of 971103 ltr informing NRC of steps taken to correct violations noted in insp rept 50-285/97-13 on 970718.
STETKA,T.F. Region 4 (Post 820201). 98/01/13. GAMBHIR,S.K. Omaha Public Power District. 4pp. A1877:050-A1877:057.

9801230352 Responds to violations noted in insp rept 50-285/97-19. Corrective actions:added missing penetrations to operating instruction OI-CO-5,compared sampling of other revised procedures & will manually copy new or revised procedures.
GAMBHIR,S.K. Omaha Public Power District. 98/01/16. Document Control Branch (Document Control Desk). 5pp. A1899:346-A1899:350.

R. Periodic operating reports & related correspondence

9801060021 Forwards "Fort Calhoun Station Performance Indicators Rept for Nov 1997."
GAMBHIR,S.K. Omaha Public Power District. 97/12/22. Document Control Branch (Document Control Desk). 1p. A1725:001-A1725:089.

--9801060023 "Fort Calhoun Station Performance Indicators Rept for Nov 1997."
* Omaha Public Power District. 97/12/22. 88pp. A1725:002-A1725:089.

9801200004 Monthly operating rept for Dec 1997 for FCS,Unit 1.W/980114 ltr.
EDWARDS,M.L., GAMBHIR,S.K. Omaha Public Power District. 97/12/31. 3pp. A1839:358-A1839:360.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9801080360 Revised EPIPs,including table of contents,rev 4 to IP-2209, "OSC HP Technician," EP-forms & rev 15 to IP-1004, "Midas Computer Sys."
* Power Authority of the State of New York (New York Power Authority). 97/12/31. 62pp. A1753:198-A1753:259.

9801230172 Revised table of contents,dtd 980112,to Indian Point,Unit 3 emergency plan.
* Power Authority of the State of New York (New York Power Authority). 98/01/12. 3pp. A1898:324-A1898:326.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801020130 Forwards 1997 amend update to FSAR which incorporates info available as of 970621 & reflects changes to plant which occurred since 950627.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/12/19. Document Control Branch (Document Control Desk). 5pp. A1723:001-A1724:348.

--9801020133 "1997 Update to FSAR for Indian Point 3 NPP."
* Power Authority of the State of New York (New York Power Authority). 97/12/31. 706pp. A1723:007-A1724:348.

P. Operating license stage documents & correspondence

9801020007 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/12/23. Document Control Branch (Document Control Desk). 27pp. A1679:192-A1679:218.

9801210310 Requests approval of change modifying commitments in previously accepted QA program description.Proposed change replaces annual supplier evaluations w/ alternative evaluation process.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/01/08. Document Control Branch (Document Control Desk). 13pp. A1882:338-A1882:351.

9801220281 Submits request for addl info re proposed changes to pressure & temperature limit curves,submitted by 971103 ltr.
WUNDER,G.F. . 98/01/14. KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 5pp. A1890:320-A1890:324.

9801300152 Requests exemption from 10CFR50.60,allowing use of alternate methodology to calculate thermal stress intensity factor. Non-proprietary & proprietary versions of rev 0 to rept 063-PENG-ER-096 encl.Proprietary version withheld.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/01/28. Document Control Branch (Document Control Desk). 10pp. A1996:298-A1996:350.

--9801300156 Non-proprietary version of rev 0 to 063-PENG-ER-096, "Technical Methodology Paper Comparing ABB/CE PT Curve to ASME Section III,App G."
GHERGUROVICH,J., MENDRALA,C.L., HASLINGER,K.H. Power Authority of the State of New York (New York Power Authority). 063-PENG-ER-096 R00. 98/01/22. 43pp. A1996:308-A1996:350.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801200051 Forwards insp rept 50-286/97-10 on 971104-1215 & notice of violation re failure to appropriately enter identified deficiencies in work control process.
ROGGE,J.F. Region 1 (Post 820201). 98/01/07. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 4pp. A1828:274-A1828:317.

--9801200054 Notice of violation from insp on 971104-1215.Violation noted:licensee failed to promptly identify that placing 32 or 33 instrument bus on back up power supply would render 33 or 31 auxiliary boiler feed pump inoperable.
* Region 1 (Post 820201). 98/01/07. 3pp. A1828:278-A1828:280.

--9801200056 Insp rept 50-286/97-10 on 971104-1215.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 1 (Post 820201). 98/01/07. 37pp. A1828:281-A1828:317.

R. Periodic operating reports & related correspondence

9801080246 Forwards "1996 Annual Rept," which documents changes,tests & experiments conducted at Indian Point 3 Nuclear Power Plant, per 10CFR50.59(b)(2).Rept covers period of 960123-970122.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/12/17. Document Control Branch (Document Control Desk). 2pp. A1753:294-A1753:329.

--9801080247 "1996 Annual Rept."
* Power Authority of the State of New York (New York Power Authority). 97/01/22. 34pp. A1753:296-A1753:329.

9801260417 Monthly operating rept for Dec 1997 for Indian Point 3 Nuclear Power Plant.W/980114 ltr.
ORLANDO,T., BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/12/31. 6pp. A1913:321-A1913:326.

S. Reportable occurrences, LERs & related correspondence

9801220109 Forwards LER 97-031-00 re discovery of plant outside licensing design basis involving single failure criteria for AFW sys due to error in original design.Commitments made by util,encl.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/01/09. Document Control Branch (Document Control Desk). 3pp. A1893:048-A1893:054.

--9801220114 LER 97-031-00:on 971212,determined that plant was outside of design basis re single failure criteria for AFS.Caused by error in original design.Modified design configuration of affected pump control circuits.
WEINERT,F. Power Authority of the State of New York (New York Power Authority). 98/01/09. 4pp. A1893:051-A1893:054.

9801280072 Forwards LER 97-032-00 re inoperability of 480 volt bus due to failure of 32 RHR pump circuit breaker opening. Commitments made by util,encl.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/01/16. Document Control Branch (Document Control Desk). 3pp. A2000:209-A2000:219.

--9801280078 LER 97-032-00:on 971218,inoperability of 480 volt bus noted. Caused by failure of 32 RHR pump circuit breaker to open on demand.Breaker for 32 RHR pump replaced.
VAI,A. Power Authority of the State of New York (New York Power Authority). 98/01/16. 8pp. A2000:212-A2000:219.

V. Operator Examinations

9801020002 Forwards NRC Form 396, "Certification of Medical Exam by Facility Licensee," for M Tesoriero,license SOP-10988.Amend to license is requested to remove restriction requiring use of corrective lenses while performing licensed duties.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/12/17. MILLER,H.J. Region 1 (Post 820201). 3pp. A1670:351-A1670:353.

9801220242 Requests that J Dinelli,license SOP-11315,be amended to allow operator to direct licensed activities of licensed operators & manipulate all controls of Indian Point Unit 3 during all modes of operations (hot license).
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/01/12. MILLER,H.J. Region 1 (Post 820201). 2pp. A1887:357-A1887:358.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9801070071 Discusses integrated emergency power & engineered safeguards functional test performed on 970102-05.Rept titled, "CYME Modeling of Emergency Power & Engineered Safeguards Functional Tests 2,5 & 6," encl.
MCCOLLUM,W.R. Duke Power Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1743:001-A1743:198.

--9801070076 "CYME Modeling of Emergency Power & Engineered Safeguards Functional Tests 2,5 & 6."
BENGE,A., SCHAEFFER,C.E., STONER,J.E. Duke Power Co. 97/12/18. 192pp. A1743:003-A1743:198.

9801200055 Rev 97-02,Vol A to "Oconee Nuclear Site Emergency Plan." W/980113 ltr.
MCCOLLUM,W.R. Duke Power Co. 98/01/13. 183pp. A1842:001-A1842:183.

9801220268 Discusses 980108 meeting re SALP rept 50-269/97-99, 50-270/97-99 & 50-287/97-99 dtd 971219.List of attendees & presentation handout encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 11pp. A1875:215-A1875:225.

9801260098 Forwards RAI re Oconee emergency electrical distribution sys rept.Info requested within 30 days of date of ltr.
LABARGE,D.E. . 98/01/15. MCCOLLUM,W.R. Duke Power Co. 5pp. A1902:248-A1902:252.

9801270067 Forwards Rev 98-01,Vol B to "Oconee Nuclear Site Emergency Plan Implementing Procedures." Rev being submitted in accordance w/10CFR50.54(q) & does not decrease effectiveness of EPIPs.
MCCOLLUM,W.R. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1935:162-A1935:189.

--9801270081 Rev 98-01,Vol B to "Oconee Nuclear Site Emergency Plan Implementing Procedures."
FOSTER,W.W. Duke Power Co. 98/01/15. 26pp. A1935:164-A1935:189.

9801270182 Forwards RAI re util response to NRR draft rept on plant emergency power sys.Response requested within 30 days of receipt of ltr.
LABARGE,D.E. . 98/01/22. MCCOLLUM,W.R. Duke Power Co. 8pp. A1927:344-A1927:351.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801230377 Provides schedule for UFSAR review which assures continuing accuracy & completeness of UFSAR for each of util sites.
TUCKMAN,M.S. Duke Power Co. 98/01/14. Document Control Branch (Document Control Desk). 3pp. A1923:273-A1923:275.

P. Operating license stage documents & correspondence

9801050148 Forwards revs to Oconee Nuclear Station, "Selected Licensee Commitments Manual," per 10CFR50.4 & 91.
MCCOLLUM,W.R. Duke Power Co. 97/12/03. Document Control Branch (Document Control Desk). 3pp. A1709:302-A1709:311.

--9801050150 Revs to Oconee Nuclear Station, "Selected License Commitments Manual."
PEELE,B.L. Duke Power Co. 97/11/24. 5pp. A1709:307-A1709:311.

9801050222 Forwards revs to Oconee Selected Licensee Commitments Manual,per 10CFR50.4 & 50.71.Manual is intended to contain commitments & other station issues that warrant higher control.
MCCOLLUM,W.R. Duke Power Co. 97/12/08. Document Control Branch (Document Control Desk). 3pp. A1709:316-A1709:325.

--9801050230 Revs to Oconee Nuclear Station "Selected Licensee Commitments."
PEELE,B.L. Duke Power Co. 97/12/03. 7pp. A1709:319-A1709:325.

9801020094 Forwards "Suppl IPEEE Submittal Rept," containing relay chatter analysis done in conjunction w/USI A-46 relay review & in response to GL 88-20,suppl 4.
MCCOLLUM,W.R. Duke Power Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1672:148-A1672:230.

--9801020095 "Supplemental IPEEE Submittal Rept."
* Duke Power Co. 97/12/31. 80pp. A1672:150-A1672:230.

9801050274 Advises that info contained in 971113 ltr & 971125 affidavit re TR DPC-NE-2008P-A, "DPC Use of TACO-3 & Fuel Rod & Gas Pressure Criterion," for listed plants,will be withheld from public disclosure,per 10CFR2.790(b)(5).
TAM,P.S. . 97/12/18. TUCKMAN,M.S. Duke Power Co. 5pp. A1663:295-A1663:299.

9801050343 Forwards non-proprietary version of TR DPC-NE-3003-A & proprietary version TR DPC-NE-3003-PA, "Mass & Energy Release & Containment Response Methodology." Proprietary TR withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 2pp. A1685:196-A1686:286.

--9801050345 Non-proprietary DPC-NE-3003-A, "Mass & Energy Release & Containment Response Methodology."
* Duke Power Co. DPC-NE-3003-A. 97/11/30. 600pp. A1685:198-A1686:286.

9801060001 Forwards RAI re licensee 970828 submittal of amends to plant TS to modify emergency condenser circulating water sys. Response requested within 30 days of ltr receipt.
LABARGE,D.E. . 97/12/22. MCCOLLUM,W.R. Duke Power Co. 6pp. A1667:229-A1667:234.

9801060211 Forwards description of status of actions completed per GL 96-04 & revised schedule for completion for actions.Catawba Nuclear Station's spent fuel racks do not contain boraflex.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 6pp. A1729:355-A1729:360.

9801060177 Forwards rev 2 to proprietary TR DPC-NE-3000-P,consisting of simulation model revs to reflect new Mk-B11 fuel assembly design,application of new critical heat flux correlation & several RETRAN model improvements.Proprietary TR withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/23. Document Control Branch (Document Control Desk). 3pp. A1722:339-A1722:341.

9801140160 Forwards revs to Oconee Selected Licensee Commitments Manual,per 10CFR50.4 & 50.71.Manual is intended to contain commitments & other station issues that warrant higher control.
MCCOLLUM,W.R. Duke Power Co. 97/12/31. Document Control Branch (Document Control Desk). 1p. A1801:311-A1801:319.

--9801140164 Revs to Oconee Nuclear Station "Selected Licensee Commitments."
PEELE,B.L. Duke Power Co. 97/12/31. 8pp. A1801:312-A1801:319.

9801140073 Forwards rev to TS Section 3.4 Bases.Change made to require both EFW flow & SG level indication for each SG to consider flowpath to each SG operable.
MCCOLLUM,W.R. Duke Power Co. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1801:341-A1801:345.

--9801140078 Revised TS Section 3.4 Bases.
* Duke Power Co. 97/12/30. 4pp. A1801:342-A1801:345.

9801140227 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
TUCKMAN,M.S. Duke Power Co. 98/01/05. Document Control Branch (Document Control Desk). 20pp. A1832:300-A1832:319.

9801220100 Confirms conversation between B Jones & C Casto on 971230 re change in mgt meeting from 980112 to 0122 in Atlanta,GA. Meeting to discuss concerns re communication between NRC & plant training staff.
OGLE,C.R. Region 2 (Post 820201). 98/01/07. MCCOLLUM,W.R. Duke Power Co. 3pp. A1877:198-A1877:200.

9801130210 Forwards amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program." Amend 22 being submitted pursuant to 10CFR50.54(a)(3),contains changes necessary to reflect merger of Duke Power Co & PanEnergy Corp.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1795:272-A1795:334.

--9801130228 Amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program."
COLEY,W.A., BAKER,P.A. Duke Power Co. 97/12/15. 58pp. A1795:275-A1795:334.

9801130236 Advises NRC of recent organizational & programmatic changes that affect QA program for nuclear power plants.Ltr being submitted in order to fulfill commitment contained in section of topical rept.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1793:070-A1793:072.

9801200115 Responds to request for withholding info from public disclosure re BAW-2303P,Rev 02 submitted on 971016 pursuant to 10CFR2.790.Review of application determined rept will be marked as proprietary pursuant to 10CFR2.790(b)(5).
LABARGE,D.E. . 98/01/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A1852:346-A1852:349.

9801200122 Informs that revised pps 16.6-11 to 15 of Selected Licensee Commitment Manual,containing post-tensioning surveillance criteria to support change to TS 4.4.2 structural integrity, satisfactory,per 971208 ltr.
LABARGE,D.L. . 98/01/12. MCCOLLUM,W.R. Duke Power Co. 3pp. A1852:359-A1852:361.

9801200168 Responds to request that rept,BAW-2303P,rev 3 be considered exempt from mandatory public disclosure.Determined that info sought to be withheld contains proprietary commercial info & will be withheld from public disclosure.
LABARGE,D.E. . 98/01/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A1850:349-A1850:352.

9801210152 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by Duke topical repts & submittals for Oconee to support critical heat flux correlations & UFSAR transient analysis methodology.
LABARGE,D.E. . 98/01/13. BERKOW,H.N. . 5pp. A1866:234-A1866:238.

9801220080 Sumbits summary of 980108 meeting re status of plant performance issues.List of attendees & presentation handouts encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 55pp. A1889:004-A1889:058.

9801260125 Provides responses to RAIs re plant license renewal project for OLRP-1001 license renewal technical info topical rept. Draft program description provided in Attachment 3.
MCCOLLUM,W.R. Duke Power Co. 98/01/14. Document Control Branch (Document Control Desk). 33pp. A1913:280-A1913:312.

9801260098 Forwards RAI re Oconee emergency electrical distribution sys rept.Info requested within 30 days of date of ltr.
LABARGE,D.E. . 98/01/15. MCCOLLUM,W.R. Duke Power Co. 5pp. A1902:248-A1902:252.

9801260130 Application for amends to licenses DPR-38,DPR-47 & DPR-55 to TS for plant.Amend consists of proposed one-time extension to instrument channel test frequency for wide range hot leg level,RV head level & subcooling monitors.
TUCKMAN,M.S. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 5pp. A1906:314-A1906:342.

--9801260145 Proposed tech specs to licenses DPR-38,DPR-47 & DPR-55, consisting of proposed one-time extension to instrument channel test frequency for wide range hot leg level,RV head level & subcooling monitors.
* Duke Power Co. 98/01/15. 24pp. A1906:319-A1906:342.

9801280045 Forwards RAI re 970828 amends to plant,Units 1 & 2 TSs to modify emergency condenser circulating water sys.Response requested within 30 days of receipt of ltr.
LABARGE,D.E. . 98/01/20. MCCOLLUM,W.R. Duke Power Co. 4pp. A1921:300-A1921:303.

9801290090 Forwards response to NRC 971122 & 980120 RAIs re TS amend modifying emergency condenser cooling water sys.Response to remaining request will be submitted at later date.W/six oversize drawings.
MCCOLLUM,W.R. Duke Power Co. 98/01/22. Document Control Branch (Document Control Desk). 19pp. A2008:001-A2008:020.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050187 Forwards SE accepting licensee 970313 ltr & 970722 suppl, requesting relief per 10CFR50.55a(g)(5)(iii) re pressurizer spray & SG welds for plant.INEL technical ltr rept also encl.
BERKOW,H.N. . 97/12/18. MCCOLLUM,W.R. Duke Power Co. 3pp. A1663:108-A1663:122.

--9801050192 Safety evaluation supporting third 10-year ISI request for relief 97-01 pressurizer spray & SG welds as submitted by Duke Energy Corp on 970313.Concludes that certain ISI exams cannot be performed to extent required by ASME code.
* . 97/12/18. 12pp. A1663:111-A1663:122.

9801130073 Confirms 971222 conversation between J Burchfield & G McCoy re change in time for 980108 meeting to provide update to Oconee Recovery Plan.
OGLE,C.R. Region 2 (Post 820201). 97/12/22. MCCOLLUM,W.R. Duke Power Co. 3pp. A1785:086-A1785:088.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801060213 Provides further addl info re NRC Bulletin 96-004, "Chemical,Galvanic,or Other Reactions Spent Fuel Storage & Transportation Casks," per 971205 ltr.
MCCOLLUM,W.R. Duke Power Co. 97/12/31. Document Control Branch (Document Control Desk). 3pp. A1736:351-A1736:353.

9801230093 Informs of util commitment to listed activities w/regard to exam of HPI sys nozzle components re rev to third ten-year ISI program.
MCCOLLUM,W.R. Duke Power Co. 98/01/07. Document Control Branch (Document Control Desk). 3pp. A1895:356-A1895:358.

9801220188 Ack receipt of 971217 ltr informing NRC of steps taken to correct violations noted in insp rept 50-269/97-14 & 50-270/97-14 & 50-287/97-14 on 971117.Finds response meets 10CFR2.201 requirements for violations 97-14-02,03 & 06-09.
LESSER,M. Region 2 (Post 820201). 98/01/08. MCCOLLUM,W.R. Duke Power Co. 3pp. A1877:101-A1877:103.

9801220268 Discusses 980108 meeting re SALP rept 50-269/97-99, 50-270/97-99 & 50-287/97-99 dtd 971219.List of attendees & presentation handout encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 11pp. A1875:215-A1875:225.

9801220159 Responds to NRC 971215 ltr re violations noted in insp repts 50-269/97-15,50-270/97-15 & 50-287/97-15.Corrective actions: performed review of sufficient number of other I&C related TS surveillances to determine if event was isolated case.
MCCOLLUM,W.R. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 12pp. A1887:345-A1887:356.

9801280150 Submits request to RAI re response to violations noted in insp repts 50-269/97-14,50-270/97-14 & 50-287/97-14,per 980107 telcon & 980108 ltr.
MCCOLLUM,W.R. Duke Power Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A1966:357-A1966:359.

R. Periodic operating reports & related correspondence

9801220067 Forwards MORs for month of Dec 1997 for Oconee Nuclear Station & rev 1 for month of Nov 1997 on Unit Shutdowns & Power Reductions page for Oconee 1.
DIMMERY,T. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1895:035-A1895:056.

--9801220069 Monthly operating repts for Dec 1997 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 97/12/31. 16pp. A1895:037-A1895:054.

V. Operator Examinations

9801220108 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. MCCOLLUM,W.R. Duke Power Co. 5pp. A1876:332-A1876:336.

9801220019 Confirms telcon on 980106 re workshop on operator licensing exam techniques scheduled for 980127-29.Purpose of workshop to discuss current operator licensing exam techniques.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/08. BUGERT,R.P. Duke Power Co. 7pp. A1877:142-A1877:148.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801150131 Ack receipt of 971218 ltr requesting exemption from 10CFR171 for ISFSI license SNM-2503 & general license provisions of 72.214.
DANDOIS,D.B. Division of Accounting & Finance (Post 890205). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 1p. A1819:342-A1819:351.

9801260107 Application for license amend request for Oconee Nuclear Station ISFSI,changing corporate name of licensee from Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 22pp. A1913:236-A1913:257.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9801290127 Forwards insp rept 50-288/97-202 on 971215-18 & NOV.Insp included review of activities authorized for facility. Conserns expressed re lack of attention to detail.
WEISS,S.H. . 98/01/23. FRANTZ,S.G. Reed College, Portland, OR. 3pp. A1961:001-A1961:023.

--9801290135 Insp rept 50-288/97-202 on 971215-18.Violations noted. Major areas inspected:organization & staffing,review & audit functions,procedures,radiation protection & safeguards & security program.
* . 98/01/23. 17pp. A1961:007-A1961:023.

Q. Inspection reports, IE Bulletins & correspondence

9801290127 Forwards insp rept 50-288/97-202 on 971215-18 & NOV.Insp included review of activities authorized for facility. Conserns expressed re lack of attention to detail.
WEISS,S.H. . 98/01/23. FRANTZ,S.G. Reed College, Portland, OR. 3pp. A1961:001-A1961:023.

--9801290132 Notice of violation from insp on 971215-18.Violation noted: radiation safety committee met only once in 1997 in Sept & biweekly wipe test was completed on 970411,but not again until 970430.
* . 98/01/22. 3pp. A1961:004-A1961:006.

--9801290135 Insp rept 50-288/97-202 on 971215-18.Violations noted. Major areas inspected:organization & staffing,review & audit functions,procedures,radiation protection & safeguards & security program.
* . 98/01/23. 17pp. A1961:007-A1961:023.

R. Periodic operating reports & related correspondence

9801280231 Submits corrections to gaseous release values in most recent annual repts,which were inflated by three orders of magnitude.Gaseous release data between 950101 & 971231 were recalculated & correct values listed.
FRANTZ,S. Reed College, Portland, OR. 98/01/21. NRC - No Detailed Affiliation Given. 1p. A1968:042-A1968:042.

V. Operator Examinations

9801280110 Forwards RO certificate for JM Blaine & SRO certificates for SP Cook,CG Jouseau & GE Vanderbeek at Reed College Nuclear Reactor Facility.W/o encl.
ROE,J.W. . 98/01/16. KOBLIK,S.S. Reed College, Portland, OR. 1p. A1996:128-A1996:128.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801050120 Rev 7 to 6610-PLN-4200.02, "TMI Emergency Dose Calculation Manual (EDCM)."
* General Public Utilities Corp. 97/12/26. 72pp. A1720:156-A1720:228.

9801060204 Rev 4 to EPIP-TMI-.07, "Activation of RAC" & table of contents.
* General Public Utilities Corp. 97/12/29. 15pp. A1738:304-A1738:318.

9801060119 Provides itemized response to each of NRC questions in 970819 RAI & proprietary Applied Analysis Corp calculation C-9000-814-5310-002,rev 0.Affidavit certifying basis for withholding info is also attached.Proprietary encl withheld.
LANGENBACH,J.W. General Public Utilities Corp. 97/12/30. Document Control Branch (Document Control Desk). 16pp. A1722:323-A1722:338.

9801060201 Revised EPIPs,including EPIPs table of contents,rev 23 to EPIP-TMI-.03, "Emergency Notifications & Call Outs," rev 10 to EPIP-TMI-.29, "OSC Operations" & rev 2 to TEP-ADM-1300.01, "Maintaining Emergency Preparedness."
* General Public Utilities Corp. 97/12/31. 100pp. A1729:123-A1729:223.

9801070169 Rev 11 to EPIP-TMI-.27, "Emergency Operations Facility" & updated index.
* General Public Utilities Corp. 97/12/31. 88pp. A1743:199-A1743:286.

9801200032 Revised EPIPs,including rev 8 to EPIP-TMI-.28, "Activation of Technical Support Ctr." W/980115 release memo.
* General Public Utilities Corp. 97/12/31. 17pp. A1844:320-A1844:335.

9801130411 Forwards RAI re util 941229 response to GL 88-20,Suppl 4, "Individual Plant Exam of External Events for Severe Accident Vulnerabilities."
COLBURN,T.G. . 98/01/08. LANGENBACH,J.W. General Public Utilities Corp. 5pp. A1795:352-A1795:356.

9801130153 Rev 11 to EPIP-TMI-.02, "Emergency Direction" & index.
* General Public Utilities Corp. 98/01/09. 58pp. A1795:084-A1795:141.

9801260440 Rev 3 to TEP-ADM-1300.05, "Emergency Equipment Readiness" & index.
* General Public Utilities Corp. 98/01/19. 49pp. A1913:187-A1913:235.

P. Operating license stage documents & correspondence

9801020011 Notifies of completion of ISI of SG tubes IAW TS 4.19.5. Summary of 971009 telcon & eddy current exam results for two full length tubes that were removed from SGs during cycle 12 outage attached.
LANGENBACH,J.W. General Public Utilities Corp. 97/12/17. Document Control Branch (Document Control Desk). 6pp. A1679:289-A1679:294.

9801060119 Provides itemized response to each of NRC questions in 970819 RAI & proprietary Applied Analysis Corp calculation C-9000-814-5310-002,rev 0.Affidavit certifying basis for withholding info is also attached.Proprietary encl withheld.
LANGENBACH,J.W. General Public Utilities Corp. 97/12/30. Document Control Branch (Document Control Desk). 16pp. A1722:323-A1722:338.

9801090235 Submits status update of MOV program commitments,per close- out insp of GL 89-10 documented in insp rept 50-289/97-07. List of completed commitments,provided.
KEATEN,R.W. General Public Utilities Corp. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1786:353-A1786:354.

9801270065 "TMI-1 Cycle 12 Startup Rept." W/980119 ltr.
LANGENBACH,J. General Public Utilities Corp. 97/12/31. 31pp. A1922:257-A1922:287.

9801140190 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
LANGENBACH,J.W. General Public Utilities Corp. 98/01/06. Document Control Branch (Document Control Desk). 5pp. A1801:346-A1801:350.

9801160164 Final response to FOIA request for documents.Forwards documents listed in App A being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/07. CHAPMAN,N.G. Bechtel Power Corp. 2pp. A1832:205-A1832:267.

9801130411 Forwards RAI re util 941229 response to GL 88-20,Suppl 4, "Individual Plant Exam of External Events for Severe Accident Vulnerabilities."
COLBURN,T.G. . 98/01/08. LANGENBACH,J.W. General Public Utilities Corp. 5pp. A1795:352-A1795:356.

9801270096 Withdraws pending requests for changes to TSs submitted as TS Change Request (TSCR) 227 on 950116 & TSCR 258 on 961224 which are currently open issues w/NRC.
LANGENBACH,J.W. General Public Utilities Corp. 98/01/16. Document Control Branch (Document Control Desk). 1p. A1931:358-A1931:358.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020011 Notifies of completion of ISI of SG tubes IAW TS 4.19.5. Summary of 971009 telcon & eddy current exam results for two full length tubes that were removed from SGs during cycle 12 outage attached.
LANGENBACH,J.W. General Public Utilities Corp. 97/12/17. Document Control Branch (Document Control Desk). 6pp. A1679:289-A1679:294.

9801020003 Provides confirmation re ISI request for relief re semi- elliptical circumferential reactor vessel nozzle-to-pipe welds IAW SER based on review of topical rept BAW-2228P-A rev 1,dtd Sept 1996.Specific written relief is requested.
LANGENBACH,J.W. General Public Utilities Corp. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1687:281-A1687:282.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801090235 Submits status update of MOV program commitments,per close- out insp of GL 89-10 documented in insp rept 50-289/97-07. List of completed commitments,provided.
KEATEN,R.W. General Public Utilities Corp. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1786:353-A1786:354.

9801140376 Ack receipt of 971215 ltr & check in listed amount in payment for civil penalties proposed by NRC in 971008 ltr. Corrective actions will be examined during future insp.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/01/09. LANGENBACH,J.W. General Public Utilities Corp. 2pp. A1791:062-A1791:063.

9801210019 Forwards "Form NIS-1 Owners Data Rept for ISI," covering cycle 12 refueling outage OTSG exams & other ISI exams conducted during second 10-yr ISI interval between 951012 & 971031.
LANGENBACH,J.W. General Public Utilities Corp. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1867:001-A1867:288.

--9801210022 "Form NIS-1 Owners' Data Rept for ISI."
FREEMAN,R.H., NAVRATIL,G.J., BARLEY,R.O. General Public Utilities Corp. 98/01/12. 286pp. A1867:003-A1867:288.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801050215 Forwards insp rept 50-293/97-12 on 971006-10 & 1119 & NOV re unreviewed safety questions in replacement of safeguard control transformers in 1992 & subsequent mod of transformers in Apr 1997.
WIGGINS,J.T. Region 1 (Post 820201). 97/12/17. OLIVIER,L.J. Boston Edison Co. 4pp. A1634:026-A1634:042.

P. Operating license stage documents & correspondence

9801050200 Forwards RAI re licensee 960930 submittal of specific summary rept in response to USI A-46 program at Pilgrim Nuclear Power Station.
WANG,A.B. . 97/12/16. OLIVER,L.J. Boston Edison Co. 8pp. A1662:348-A1662:355.

9801050086 Informs that addl time is required to complete development of implementing procedures & begin implementation of verification program,per GL 96-05, "Periodic Verification of Design Basis Capability of Safety-Related MOVs."
OHEIM,H.V. Boston Edison Co. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1684:225-A1684:226.

9801060138 Submits clarifications & corrections associated w/amend 173 SER.
DESMOND,N.L. Boston Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 5pp. A1724:356-A1724:360.

9801260223 Requests NRC review of proposed second non-ASME pipe repair to previously repaired spool piece in SSW sys.NRC originally granted approval during 971118 telcon.
DESMOND,N.L. Boston Edison Co. 98/01/15. Document Control Branch (Document Control Desk). 5pp. A1907:356-A1907:360.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050215 Forwards insp rept 50-293/97-12 on 971006-10 & 1119 & NOV re unreviewed safety questions in replacement of safeguard control transformers in 1992 & subsequent mod of transformers in Apr 1997.
WIGGINS,J.T. Region 1 (Post 820201). 97/12/17. OLIVIER,L.J. Boston Edison Co. 4pp. A1634:026-A1634:042.

--9801050217 Notice of violation from insp on 971006-10 & 1119.Violation noted:nine penetrations were not qualified in that qualification methodology used by Boston Edison had not been validated by test results to be equivalent to type testing.
* Region 1 (Post 820201). 97/12/17. 2pp. A1634:030-A1634:031.

--9801050221 Insp rept 50-293/97-12 on 971006-10 & 1119.Violations noted. Major areas inspected:EQ documents for EQ equipment that required requalification due to containment environ changes resulting from CS flow rate reduction in 1988.
* Region 1 (Post 820201). 97/12/17. 11pp. A1634:032-A1634:042.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801070051 Submits supplemental response to violations noted in insp rept 50-293/97-02.Checklist or matrix for determining addl controls when special vendor oversight/ interface is required,will be completed on 980315,instead of 971231.
OHEIM,H.V. Boston Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1747:276-A1747:277.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220274 Responds to NRC ltr re violations noted in insp rept 50-293/97-11 on 970914-1110.Corrective actions:operations personnel will receive initial or refresher training in human error.Commitments made within ltr.
OLIVIER,L.J. Boston Edison Co. 98/01/12. Document Control Branch (Document Control Desk). 6pp. A1888:341-A1888:346.

9801230075 Informs that NRC has agreed to defer Architect/Engineer Insp planned for 980120.NRC will continue to monitor progress in both areas of design bases info & engineering support to plant.
WIGGINS,J.T. Region 1 (Post 820201). 98/01/15. OLIVIER,L.J. Boston Edison Co. 3pp. A1915:264-A1915:266.

9801210103 Responds to NRC ltr re violations noted in insp rept 50-293/97-12.Corrective actions:GE provided test rept for FO2 series of penetrations during on-going evaluation.
OLIVIER,L.J. Boston Edison Co. 98/01/16. Document Control Branch (Document Control Desk). 4pp. A1881:358-A1881:361.

R. Periodic operating reports & related correspondence

9801050003 Forwards "1998 Environmental Monitoring,Thermal Discharge Fish Surveillance & Dissolved N Saturation Reduction Programs & Plans," IAW NPDES Permit MA0003557 & Number 359.
DESMOND,N.L. Boston Edison Co. 97/12/22. Environmental Protection Agency. 6pp. A1684:267-A1684:272.

9801160114 Monthly operating rept for Dec 1997 for Pilgrim Nuclear Power Station.W/ 980114 ltr.
CANNON,R.L., DESMOND,N.L. Boston Edison Co. 97/12/31. 3pp. A1840:356-A1840:358.

9801260217 "NPDES Discharge Monitoring Rept for Dec 1997," for Pilgrim Nuclear Power Station.W/980119 ltr.
GODDARD,C.S., DESMOND,N.L. Boston Edison Co. 97/12/31. 10pp. A1906:351-A1906:360.

S. Reportable occurrences, LERs & related correspondence

9801050070 Forwards LER 97-025-00, "Completion of Required Shutdown Due to Two Inoperable MSIVs," IAW 10CFR50.73.Listed commitments contained in ltr.
OLIVIER,L.J. Boston Edison Co. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1658:349-A1658:360.

--9801050075 LER 97-025-00:on 971123,required shutdown was completed. Caused by two inoperable MSIVs.Work was performed on all eight MSIVs to improve design margin based on degradation of actuators in MSIVs AO-203-1C & -2B.
DICROCE,K.R. Boston Edison Co. 97/12/23. 10pp. A1658:351-A1658:360.

9801070172 Forwards LER 97-027-00 re EDG winter ambient air temp, submitted in accordance w/10CFR50.73.Ltr commits to compensatory measures should diesel generator room temps decrease to less than pre-determined levels.
OLIVIER,L.J. Boston Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 1p. A1754:173-A1754:177.

--9801070189 LER 97-027-00:on 971128,EDG winter ambient air temp occurred.Caused by ambiguity in FSAR.Compensatory measures will be instituted when diesel generators not running.
LENHART,M.T. Boston Edison Co. 97/12/29. 4pp. A1754:174-A1754:177.

9801070015 Forwards LER 97-011-02 re SSW sys single failure vulnerability IAW 10CFR50.73.Commitments made within ltr, submitted.
OHEIM,H.V. Boston Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1754:185-A1754:191.

--9801070019 LER 97-011-02:on 970701,svc water sys single failure vulnerability,was identified.Caused by single failure of 125 v dc battery.Implemented temporary mod that required closing one of division valves.
KEENE,J.W. Boston Edison Co. 97/12/30. 5pp. A1754:187-A1754:191.

9801130310 Discusses commitment made in LER 97-013-00.Deferral of target completion date to 980430 made.Mod will not be completed until Spring 1999 refueling outage 12.
OHEIM,H.V. Boston Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1807:352-A1807:353.

9801130243 LER 97-026-00:on 971206,automatic scram was initiated.Caused by high reactor water level during power ascension.Pilot valve clip was repositioned inside Bailey positioner & valve was stroked smoothly.W/980105 ltr.
DICROCE,K.R., DESMOND,N.L. Boston Edison Co. 98/01/05. 9pp. A1796:048-A1796:056.

9801210076 Forwards LER 97-028-00 re inconsistent intake structure in configuration w/tornado depressurization analysis assumptions," IAW 10CFR50.73.Commitments made within ltr, listed.
OLIVIER,L.J. Boston Edison Co. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1862:289-A1862:294.

--9801210090 LER 97-028-00:on 971217,intake structure in configuration was inconsistent w/tornado depressurization analysis assumptions.Caused by inadequate control of tornado barriers.Revised station tornado procedure.
KEENE,J.W. Boston Edison Co. 98/01/16. 4pp. A1862:291-A1862:294.

9801210181 Forwards LER 97-029-00, "SDC Suction Valves Vulnerable to Damage from Potential Failure Mode Involving Hot Shorts." Commitments made within ltr,listed.
OLIVIER,L.J. Boston Edison Co. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1893:009-A1893:016.

--9801210192 LER 97-029-00:on 971216,SDC suction valves were vulnerable to damage from potential failure mode involving hot shorts. Caused by failure to recognize new failure mode described in NRC IN 92-18.Implemented temporary mod.
KEENE,J.W. Boston Edison Co. 98/01/16. 6pp. A1893:011-A1893:016.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801210206 Rev to EPIP 180-1,consisting of rev 2 to Attachment C, "Simplified Gaseous Radwaste & Gaseous Effluent Flow Diagram."
* Commonwealth Edison Co. 97/01/13. 3pp. A1882:334-A1882:336.

9801050204 Revised EPIPs,including EPIPs index,rev 1 to EPIP 1301-1, "Technical Director," rev 2 to EPIP 180-2, "Environs Director" & rev 3 to EPIP 180-4, "ODCS Specialist."
* Commonwealth Edison Co. 97/12/22. 60pp. A1720:229-A1720:288.

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--9801070092 Rev 7n to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Zion Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 29pp. A1742:258-A1742:286.

9801140260 Rev 3 to EPIP 100-3, "Recovery & Termination," & EPIP index.
* Commonwealth Edison Co. 98/01/02. 19pp. A1832:281-A1832:299.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801150099 Forwards insp repts 50-295/97-29 & 50-304/97-29 on 971202-05.No violations identified.Insp consisted of selective exam of procedures & representative records, observation of performance & interviews w/staff.
GRANT,G.E. Region 3 (Post 820201). 98/01/09. BRONS,J. Commonwealth Edison Co. 4pp. A1806:022-A1806:038.

--9801150110 Insp repts 50-295/97-29 & 50-304/97-29 on 971202-05.No violations noted.Major areas inspected:licensee performance during plant biennial exercise of emergency plan.
CREED,J.R. Region 3 (Post 820201). 98/01/09. 13pp. A1806:026-A1806:038.

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

9801210242 Rev 5 to CEPIP-2032-01, "Emergency Response Data Sys Activation Procedure." W/2000 series table of contents.
* Commonwealth Edison Co. 98/01/16. 7pp. A1882:306-A1882:312.

9801270233 Rev 2 to CEPIP-2021-06, "Highland Park JPIC Activation" & table of contents.
* Commonwealth Edison Co. 98/01/22. 9pp. A1935:151-A1935:159.

P. Operating license stage documents & correspondence

9801050354 Forwards amends 178 & 165 to licenses DPR-39 & DPR-48 & SE. Amends replace in entirety,plant TSs w/set based on NUREG-1431,rev 1, "STSs-Westinghouse Plants," issued in April 1995.
SHIRAKI,C.Y. . 97/12/19. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A1649:001-A1652:325.

--9801050356 Amends 178 & 165 to licenses DPR-39 & DPR-48,respectively, replacing,in entirety,plant TSs w/set based on NUREG-1431, rev 1, "STSs-Westinghouse Plants," issued in April 1995 & guidance provided in Commission final policy statement.
SHIRAKI,C.Y. . 97/12/19. 1,099pp. A1649:007-A1652:014.

--9801050359 Safety evaluation supporting amends 178 & 165 to licenses DPR-39 & DPR-48,respectively.
* . 97/12/19. 307pp. A1652:015-A1652:322.

--9801060143 Notice of issuance of amends 178 & 165 to licenses DPR-39 & DPR-48,revising operating licenses & TSs for operation of Zion Nuclear Power Station,Units 1 & 2.
SHIRAKI,C.Y. . 97/12/19. 3pp. A1652:323-A1652:325.

9801060130 Submits supplemental response to NRC GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations," dtd 970401.
HOSMER,J.B. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 15pp. A1725:342-A1725:356.

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801060039 Notification of meeting w/util on 980113 in Zion,IL to discuss preparations to implement improved TSs.
SHIRAKI,C.Y. . 97/12/30. CAPRA,R.A. . 6pp. A1663:342-A1663:347.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--9801130014 "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801220264 Forwards SE accepting determination of zone of influence for coatings in containment of plant,units 1 & 2.
SHIRAKI,C.Y. . 98/01/09. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1893:192-A1893:202.

--9801220265 SER accepting determination of zone of influnce for coatings in containment of plant,units 1 & 2.
* . 98/01/09. 7pp. A1893:196-A1893:202.

9801220273 Forwards SE accepting licensee request for alternative insp requirements for augmented exam of reactor pressure vessels for Zion Nuclear Power Station,Units 1 & 2.
SHIRAKI,C.Y. . 98/01/09. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1875:226-A1875:234.

--9801220276 Safety evaluation accepting request for alternative insp requirements for augmented exam of reactor presure vessels for Zion Nuclear Power Station,Units 1 & 2.
* . 98/01/09. 4pp. A1875:231-A1875:234.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

9801270194 Notification of meeting w/CECO on 980203 in Rockville,MD to discuss preparations for decommissioning of plant.
SHIRAKI,C.Y. . 98/01/20. CAPRA,R.A. . 4pp. A1924:358-A1924:360.

9801270027 Confirms plans to conduct meeting on 980205 in Region III Ofc in Lisle,IL to discuss plans for plant transition to decommissioning.
GRANT,G.E. Region 3 (Post 820201). 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1933:060-A1933:063.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220255 Forwards SE accepting request for relief CR-27 for inservice insp program for plant,units 1 & 2.
CAPRA,R.A. . 98/01/08. KINGSLEY,O. Commonwealth Edison Co. 5pp. A1893:173-A1893:182.

--9801220257 SER accepting request for relief CR-27 for inservice insp program for plant,units 1 & 2.
* . 98/01/08. 5pp. A1893:178-A1893:182.

9801150099 Forwards insp repts 50-295/97-29 & 50-304/97-29 on 971202-05.No violations identified.Insp consisted of selective exam of procedures & representative records, observation of performance & interviews w/staff.
GRANT,G.E. Region 3 (Post 820201). 98/01/09. BRONS,J. Commonwealth Edison Co. 4pp. A1806:022-A1806:038.

--9801150110 Insp repts 50-295/97-29 & 50-304/97-29 on 971202-05.No violations noted.Major areas inspected:licensee performance during plant biennial exercise of emergency plan.
CREED,J.R. Region 3 (Post 820201). 98/01/09. 13pp. A1806:026-A1806:038.

9801220273 Forwards SE accepting licensee request for alternative insp requirements for augmented exam of reactor pressure vessels for Zion Nuclear Power Station,Units 1 & 2.
SHIRAKI,C.Y. . 98/01/09. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1875:226-A1875:234.

--9801220276 Safety evaluation accepting request for alternative insp requirements for augmented exam of reactor presure vessels for Zion Nuclear Power Station,Units 1 & 2.
* . 98/01/09. 4pp. A1875:231-A1875:234.

9801220140 Discusses insp repts 50-295/97-17 & 50-304/97-17 between 970619 & 0922 & forwards notice of violation & proposed imposition of civil penalty in amount of $110,000.
BEACH,A.B. Region 3 (Post 820201). 98/01/15. BRONS,J. Commonwealth Edison Co. 5pp. A1875:265-A1875:273.

--9801220152 Notice of violation & proposed imposition of civil penalty in amount of $110,000.Violations noted:three FFD trained supervisors failed to require for-cause test for employee w/smell of alcohol in protected area.
* Region 3 (Post 820201). 98/01/15. 4pp. A1875:270-A1875:273.

9801270059 Ack receipt of 971103 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/97-19 & 50-304/97-19.Info provided supports licensee characterization of occurrence & Violation 5 rescinded.
BEACH,A.B. Region 3 (Post 820201). 98/01/20. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1933:315-A1933:317.

9801270079 Ack receipt of 971222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/97-26 & 50-304/97-26.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1933:191-A1933:197.

9801270159 Forwards insp repts 50-295/97-25 & 50-304/97-25 on 971011- 1216 & notice of violations.
GRANT,G.E. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1933:219-A1933:255.

--9801270160 Notice of violation from insp on 971011-1216.Violations noted:procedures were not appropriate to circumstances in listed instances.
* Region 3 (Post 820201). 98/01/21. 3pp. A1933:223-A1933:225.

--9801270162 Insp repts 50-295/97-25 & 50-304/97-25 on 971011-1216. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/01/21. 30pp. A1933:226-A1933:255.

R. Periodic operating reports & related correspondence

9801220017 Monthly operating repts for Dec 1997 for Zion Station,Units 1 & 2.W/ 980115 ltr.
CYGAN,J., STARKEY,R.S. Commonwealth Edison Co. 97/12/31. 8pp. A1894:344-A1894:351.

S. Reportable occurrences, LERs & related correspondence

9801050297 Forwards LER 97-011-01,per 10CFR50.73(a)(2)(ii)(B) & 10CFR50.73(a)(2)(v)(A).Commitments made within ltr also encl.
STARKEY,R.S. Commonwealth Edison Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1687:023-A1687:034.

--9801050306 LER 97-011-01:on 970423,MS instruments were declared inoperable due to calculation error w/minimal safety impact. Caused by mgt deficiency.Revised instrument loop insulation resistance calculation.
SHEMLUCK,M. Commonwealth Edison Co. 97/12/18. 10pp. A1687:025-A1687:034.

9801130031 Forwards LER 97-026-00,per 10CFR50.73(a)(2)(i)(B) which requires 30-day written rept.Commitments associated w/correspondence,encl.
STARKEY,R. Commonwealth Edison Co. 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1796:062-A1796:068.

--9801130046 LER 97-026-00:on 971209,Unit 1 1B DG & 1C svc water pump became inoperable due to missed ESF load shed verification surveillance as result of scheduling error.Caused by improper spec.Surveillance testing (PT-431) was completed.
MCHALE,J.B. Commonwealth Edison Co. 98/01/08. 5pp. A1796:064-A1796:068.

9801210059 Forwards LER 94-005-01 per 10CFR50.73(a)(2)(iv),which requires 30 day written rept when any event or condition resulted in manual or automatic actuation of any ESF, including RPS.Commitments,encl.
STARKEY,R. Commonwealth Edison Co. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1862:295-A1862:305.

--9801210070 LER 94-005-01:on 940403,Unit 1 main reactor trip & subsequent start of 1A AFP following generator fire & isophase bus duct fault,occurred.Caused by main generator phase "C" bushing failure.Internal insp was performed.
BALITSKI,J. Commonwealth Edison Co. 98/01/16. 8pp. A1862:297-A1862:305.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9801260205 Rev 37 to "Radiological Emergency Plan." W/980116 ltr & list of effective pages.
BAILEY,J.A., BURZYNSKI,M.J. Tennessee Valley Authority. 97/12/23. 69pp. A1929:064-A1929:132.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801260235 Rev 18 to CECC EPIP-9, "Emergency Environ Radiological Monitoring Procedures." W/list of effective pages & 980116 ltr.
BAILEY,J.A., BURZYNSKI,M.J., POGUE,J.E. Tennessee Valley Authority. 98/01/16. 55pp. A1929:009-A1929:063.

H. General correspondence

9801280258 Forwards updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.Changes effective immediately.
BURZYNSKI,M.J. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 7pp. A1936:281-A1936:287.

P. Operating license stage documents & correspondence

9801300149 Forwards proprietary supplemental info for review of TS-362 re basis for changes made in improved TS from current TS re extensions of instrumentation sys STIs & allowed out-of-svc times.Encl withheld,per 10CFR2.790(b)(1).
ABNEY,T.E. Tennessee Valley Authority. 97/12/11. Document Control Branch (Document Control Desk). 5pp. A2002:326-A2002:330.

9801050335 Provides supplemental info in support of TS-362 amend request re Section 3.8, "Electrical Power Sys." TS-362 util conversion package from current Tech Specs to improved TS & originally submitted to NRC on 960906.
ABNEY,T.E. Tennessee Valley Authority. 97/12/22. Document Control Branch (Document Control Desk). 8pp. A1719:001-A1720:063.

--9801050338 Proposed Tech Specs Section 3.8 re electrical power sys.
* Tennessee Valley Authority. 97/12/22. 419pp. A1719:009-A1720:063.

9801140013 Forwards amends 250 & 209 to licenses DPR-52 & DPR-68 & safety evaluation.Amends include licensee conditions to require implementation of compensatory measures,consistent w/comments made in application.
DEAGAZIO,A.W. . 97/12/22. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A1797:316-A1797:348.

--9801140018 Amends 250 & 209 to licenses DPR-52 & DPR-68,respectively, including license conditions to require implementation of compensatory measures,consistent w/ commitment made in application.
HEBDON,F.J. . 97/12/22. 22pp. A1797:319-A1797:340.

--9801140021 Safety evaluation supporting amends 250 & 209 to licenses DPR-52 & DPR-68,respectively.
* . 97/12/22. 8pp. A1797:341-A1797:348.

9801050320 Provides supplemental info in support of TS-362 amend request re Section 3.7, "Plant Sys." NRC questions on section included in RAI dtd 970612.
ABNEY,T.E. Tennessee Valley Authority. 97/12/23. Document Control Branch (Document Control Desk). 21pp. A1701:028-A1701:228.

--9801050325 Proposed Tech Specs Section 3.7 re plant sys.
* Tennessee Valley Authority. 97/12/23. 180pp. A1701:049-A1701:228.

9801050351 Responds to NRC ltr dtd 971027 re staff concern that Units 1,2 & 3 may not satisfy min wall thickness requirements for Mark I containment torus structure.
ABNEY,T.E. Tennessee Valley Authority. 97/12/23. Document Control Branch (Document Control Desk). 4pp. A1709:251-A1709:254.

9801120064 Forwards TS section 3.6 containing several proposed improved TS revs & changes to supporting documentation re addressing NRC comments,per 970612 & 0714 ltrs.
ABNEY,T.E. Tennessee Valley Authority. 97/12/29. Document Control Branch (Document Control Desk). 77pp. A1755:001-A1756:288.

--9801120066 Proposed tech specs section 3.6,containing proposed improved TS revs & changes to supporting documentation addressing NRC comments.
* Tennessee Valley Authority. 97/12/29. 575pp. A1755:078-A1756:288.

9801150071 Forwards supplemental info in support of TS-362 amend request re Section 3.3, "Instrumentation." NRC questions on section provided as ref in RAI dtd 970612.
ABNEY,T.E. Tennessee Valley Authority. 97/12/29. Document Control Branch (Document Control Desk). 85pp. A1821:001-A1823:109.

--9801150072 Proposed tech specs section 3.3, "Instrumentation," converting from current TS to improved TS.
* Tennessee Valley Authority. 97/12/29. 752pp. A1821:086-A1823:109.

9801090085 Application for amends to licenses DPR-33,DPR-52 & DPR-68, consisting of TS Change 395,removing non-conservatism associated w/LCO 3.5.C, "RHR Svc Water & EECW."
ABNEY,T.E. Tennessee Valley Authority. 97/12/30. Document Control Branch (Document Control Desk). 23pp. A1757:147-A1757:264.

--9801090088 Proposed tech specs re RHR SW pumps required for multi-unit operation & cold shutdown.
* Tennessee Valley Authority. 97/12/30. 100pp. A1757:170-A1757:264.

9801130288 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps." Rept provides assurance that NPSH issues are being adequately addressed by TVA.
ABNEY,T.E. Tennessee Valley Authority. 98/01/05. Document Control Branch (Document Control Desk). 15pp. A1793:144-A1793:158.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801260073 Notification of 980126 meeting w/TVA in Rockville,MD to discuss technical discussion re to plant improved TSs.
DE AGAZIIO,A.W. . 98/01/14. HEBDON,F.J. . 3pp. A1902:256-A1902:258.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210263 Forwards insp repts 50-259/97-11,50-260/97-11 & 50-296/97-11 on 971026-1206 & notices of violation & deviation.Violation re failure to prepare procedurally required trend rept for GL 89-10 MOVs.
LESSER,M.S. Region 2 (Post 820201). 98/01/02. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1856:149-A1856:188.

--9801210267 Notice of violation from insp on 971026-1206.Violations noted:on 971119,trend rept required by procedure MMDP-5 & site std prace SSP-6.51 had not been prepared.
* Region 2 (Post 820201). 98/01/02. 2pp. A1856:154-A1856:155.

--9801210272 Notice of deviation from insp on 971026-1206.Deviation noted:on 971117:applicable instructions for certain valves were not revised to incorporate requirement.
* Region 2 (Post 820201). 98/01/02. 1p. A1856:156-A1856:156.

--9801210278 Insp repts 50-259/97-11,50-260/97-11 & 50-296/97-11 on 971026-1206.Violations & deviations noted.Major areas inspected:operations,engineering,maint & plant support.
* Region 2 (Post 820201). 98/01/02. 32pp. A1856:157-A1856:188.

9801220058 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/97-10, 50-260/97-10 & 50-296/97-10.
LESSER,M.S. Region 2 (Post 820201). 98/01/08. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A1872:358-A1872:360.

R. Periodic operating reports & related correspondence

9801260402 Monthly operating repts for Dec 1997 for Browns Ferry Nuclear Plant.W/ 980115 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 97/12/31. 13pp. A1908:337-A1908:349.

V. Operator Examinations

9801060215 Informs of change in medical status for GW Lee,license SOP-21339.Medical info & certification of medical exam for subject individual,encl.W/o encl.
CRANE,C.M. Tennessee Valley Authority. 97/12/29. COLLINS,S.J. . 3pp. A1741:342-A1741:344.

9801220079 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG 1021. Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1877:171-A1877:175.

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

V. Operator Examinations

9801220062 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. PEREZ,P. North Carolina State Univ., Raleigh, NC. 5pp. A1877:071-A1877:075.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9801210018 Transmits rev 32 to emergency plan,per requirements of 10CFR50.54(q).No commitments have been identified. Description of changes,encl.
GRAHAM,P.D. Nebraska Public Power District. 98/01/14. Document Control Branch (Document Control Desk). 14pp. A1873:001-A1873:269.

--9801210026 Rev 32 to "Emergency Plan for Cooper Nuclear Station."
KELSAY,J.G. Nebraska Public Power District. 97/12/29. 254pp. A1873:015-A1873:269.

H. General correspondence

9801230246 Supplemental comments opposing Final Rule 10CFR50.68 & 10CFR70.24.
DEWHIRST,L.R. Nebraska Public Power District. 98/01/08. GALLAGHER,C.A. NRC - No Detailed Affiliation Given. 3pp. A1914:350-A1914:351.

9801230115 Informs that effective 980202,JH Swailes will replace PD Graham as Vice President of Nuclear Energy at plant.
HOUSTON,B.L. Nebraska Public Power District. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1895:359-A1895:360.

P. Operating license stage documents & correspondence

9801050342 Forwards second RAI re util 970327 license amend request to convert current TSs for plant to format consistent w/NUREG-1433,Rev 1, "Std TSs for General Electric Plants, BWR/4." RAI addresses Section 3.3, "Instrumentation."
HALL,J.R. . 97/12/22. HORN,G.R. Nebraska Public Power District. 26pp. A1663:186-A1663:211.

9801060252 Forwards GE ltr DSB-97026 from DS Braden to JL Lewis of GE, providing resolution to error found in topical rept GENE-A13-00395-01.Corrected pages to rept included.
GRAHAM,P.D. Nebraska Public Power District. 97/12/26. Document Control Branch (Document Control Desk). 7pp. A1730:347-A1730:353.

9801080082 Requests confirmation on commitment to have essential electrical power installed to elevated release point sump pumps,within 30 days of date of ltr,per 971229 telcon.
GWYNN,T.P. Region 4 (Post 820201). 97/12/31. HORN,G.R. Nebraska Public Power District. 4pp. A1728:061-A1728:064.

9801130043 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
HORN,J.G. Nebraska Public Power District. 98/01/05. Document Control Branch (Document Control Desk). 13pp. A1793:165-A1793:177.

9801220363 Forwards nonproprietary version of Montecello & Cooper trip rept to PDR.
D'ANGELO,T. . 98/01/13. BERLINGER,C.H. . 14pp. A1880:323-A1880:336.

9801210276 Requests 60 days from date of issuance of proposed change to TS re BWR thermal hydraulic stability solution to provide for operator training & rev of station procedures.
GRAHAM,P.D. Nebraska Public Power District. 98/01/15. Document Control Branch (Document Control Desk). 3pp. A1882:352-A1882:354.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801070223 Responds to NRC 971201 ltr re NOV & proposed imposition of civil penalty in amount of $110,000 noted in insp repts 50-298/97-07 & 50-298/97-12 on 970629-0809 & 970708-0905. Corrective actions:installed pressure indication.
HORN,J.R. Nebraska Public Power District. 97/12/31. Ofc of Enforcement (Post 870413). 18pp. A1781:323-A1781:340.

9801140410 Confirms commitment as discussed during telcon btween E Collins (USNRC) & M Peckham (NPPD),that mod will be installed during midcycle outage scheduled to begin on 980228,or during unplanned outage should one occur before.
GRAHAM,P.D. Nebraska Public Power District. 98/01/09. Document Control Branch (Document Control Desk). 3pp. A1843:306-A1843:308.

9801150015 Submits relief request PR-10 for NRC review.Request supplements info previously provided to NRC concerning third ten-year ISI program for plant.Approval is requested by 980131 in order to support mid-cycle outage.
GRAHAM,P.D. Nebraska Public Power District. 98/01/09. Document Control Branch (Document Control Desk). 4pp. A1843:336-A1843:339.

9801150147 Forwards insp rept 50-298/97-10 on 971102-1213 & NOV. Violation involved surveillance procedure for determining standby gas treatment sys operability margin.Procedure did not calculate operability margin in conservative manner.
COLLINS,E.E. Region 4 (Post 820201). 98/01/12. HORN,G.R. Nebraska Public Power District. 5pp. A1809:158-A1809:192.

--9801150149 Notice of violation from insp on 971102-1213.Violation noted:as of 971213,Procedure 6.SC.502,Rev 2,was not appropriate to circumstances in that did not include appropriate acceptance criteria.
* Region 4 (Post 820201). 98/01/12. 2pp. A1809:163-A1809:164.

--9801150152 Insp rept 50-298/97-10 on 971102-1213.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 98/01/12. 28pp. A1809:165-A1809:192.

9801210013 Notification of 980130 meeting w/util in Arlington,TX to discuss lessons learned from design basis insp,overview of plans for engineering improvement & engineering performance indicators.
GWYNN,T.P. Region 4 (Post 820201). 98/01/15. Region 4 (Post 820201). 5pp. A1855:027-A1855:031.

9801210268 Responds to NRC 971217 ltr re violations noted in insp rept 50-298/97-18 on 971020-1117.Corrective actions:root cause assessment for SCAQ 97-1387 has been completed.
GRAHAM,P.D. Nebraska Public Power District. 98/01/15. Document Control Branch (Document Control Desk). 5pp. A1879:350-A1879:354.

9801280208 Ack receipt of 980115 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/97-18 on 971020-1117.Review of reply found to satisfy informational needs.
HOWELL,A.T. Region 4 (Post 820201). 98/01/23. HORN,G.R. Nebraska Public Power District. 5pp. A1940:095-A1940:099.

R. Periodic operating reports & related correspondence

9801210294 Revised monthly operating rept for Dec 1997 for Cooper Nuclear Station,consisting of operating data rept & unit shutdown rept,per GL 97-02.W/980115 ltr.
BALLINGER,P.L. Nebraska Public Power District. PECKHAM,M.F. Omaha Public Power District. 97/12/31. 4p. A1887:243-A1887:246.

S. Reportable occurrences, LERs & related correspondence

9801060340 LER 97-016-00:on 971210,DG test did not meet minimum time requirements.Caused by incorrect TS interpretation. Applicable surveillance procedures were put on administrative hold.W/971231 ltr.
MADSEN,D.N., PECKHAM,M.F. Nebraska Public Power District. 97/12/31. 5pp. A1754:126-A1754:129.

9801070013 LER 97-017-00:on 960724,plant was outside design basis. Caused by inadequate original design.Outboard valves were de-energized in closed position.W/971231 ltr.
RADLOFF,R.A., PECKHAM,M.F. Nebraska Public Power District. 97/12/31. 5pp. A1754:148-A1754:152.

9801160018 LER 97-018-00:on 971215,high pressure coolant injection sys isolation during surveillance testing,occurred.Caused by personnel error.Station operator involved has been temporarily removed from watch standing duties.W/980108 ltr.
MOELLER,C.R., PECKHAM,M.F. Nebraska Public Power District. 98/01/08. 5pp. A1840:095-A1840:099.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801090069 Forwards non-proprietary & proprietary versions of temporary change to rev 9 of EPIP 8.4.1, "Post-Accident Sampling & Analysis of Potentially High Activity Reactor Coolant." Proprietary version withheld.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/12/12. Document Control Branch (Document Control Desk). 1p. A1809:275-A1809:307.

--9801090076 Non-proprietary version of temporary change to rev 9 of EPIP 8.4.1, "Post-Accident Sampling & Analysis of Potentially High Activity Reactor Coolant."
* Wisconsin Electric Power Co. 97/11/19. 32pp. A1809:276-A1809:307.

9801020085 Ack receipt of 971114 ltr from DF Johnson,which transmitted change to physical security plan for PBNP submitted under provisions of 10CFR50.54(p).Plan withheld.
CREED,J.R. Region 3 (Post 820201). 97/12/23. PATULSKI,S.A. Wisconsin Electric Power Co. 4pp. A1670:341-A1670:344.

9801210241 Forwards SALP repts 50-266/97-01 & 50-301/97-01 for Point Beach NPP covering period of 960428-971129.Rept will be discussed w/utility at public meeting in Manitowoc,WI on 980128.
BEACH,A.B. Region 3 (Post 820201). 98/01/14. PATULSKI,S.A. Wisconsin Electric Power Co. 5pp. A1857:013-A1857:024.

--9801210244 SALP 13 repts 50-266/97-01 & 50-301/97-01 for period from 960428-971129.
* Region 3 (Post 820201). 98/01/14. 7pp. A1857:018-A1857:024.

H. General correspondence

9801050258 Responds to 971024 ltr to D Rathbun which forwarded 970927 ltr from constituent F Shillinglaw,expressing concern about various problems that have been identified during fabrication of VSC-24 dry storage casks.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/12. FEINGOLD,R.D. Senate. 2pp. A1662:229-A1662:279.

P. Operating license stage documents & correspondence

9801080161 Forwards proprietary & non-proprietary slide presentation, "14 X 14,0.422 Inch OD,VANTAGE + (422V+) Fuel Design Application for Point Beach Units 1 & 2," used during 970805 meeting between licensee & NRC.Proprietary info withheld.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/12/16. Document Control Branch (Document Control Desk). 2pp. A1809:218-A1809:271.

--9801080166 Requests that proprietary slide presentation, "14 X 14,0.422 Inch OD,VANTAGE + (422V+) Fuel Design,Application for Point Beach Units 1 & 2," be withheld from public disclosure,per 10CFR2.790(b)(4).
SEPP,H.A. Westinghouse Electric Corp. 97/09/09. COLLINS,S.J. . 52pp. A1809:220-A1809:271.

9801080258 Requests extension to relief request VRR-4A for disassembly, insp & manual stroke testing of valve ISI-00876A.Extension would allow plant to operate until scheduled 1998 Unit 1 refueling outage.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/02. Document Control Branch (Document Control Desk). 4pp. A1762:112-A1762:115.

9801160032 Forwards SER granting 980102 request for relief VRR-4B from inservice testing for Point Beach Nuclear Plant,Units 1 & 2, pursuant to 10CFR50.55a(f)(6)(i) until end of 1998 Unit 1 refueling outage.
HANNON,J.N. . 98/01/02. GRIGG,R.R. Wisconsin Electric Power Co. 2pp. A1820:291-A1820:297.

--9801160037 SER approving request for relief VRR-4B to inservice testing program Wisconsin Electric Power Co,Point Beach Nuclear Plant,units 1 & 2.
* . 98/01/02. 5pp. A1820:293-A1820:297.

9801130300 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1793:159-A1793:164.

9801150170 Forwards SER re 960209,0717 & 0827 ltrs addressing GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Relief Valves," for Point Beach Nuclear Plant units 1 & 2.Response adequately addressed requested action.
GUNDRUM,L.L. . 98/01/08. GRIGG,R.R. Wisconsin Electric Power Co. 2pp. A1818:164-A1818:169.

--9801150172 SER accepting licensee response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," for Point Beach Nuclear Plant,units 1 & 2.
* . 98/01/08. 4pp. A1818:166-A1818:169.

9801220131 Discusses completion of NRC oversight panel for plant.NRC review has shown adequate progress made on improvement initiatives.
BEACH,A.B. Region 3 (Post 820201). 98/01/14. GRIGG,R.R. Wisconsin Electric Power Co. 2pp. A1875:244-A1875:245.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9801050140 Forwards SE accepting licensee 950127 ltr & suppl,dtd 971020 re relief from performing inservice volumetric exams of inaccessible portions of RPV lower shell to lower head ring weld during 10-yr ISI interval of Unit 2.
HANNON,J.N. . 97/12/12. GRIGG,R.R. Wisconsin Electric Power Co. 2pp. A1663:286-A1663:291.

--9801050142 Safety evaluation accepting licensee request for relief from performing inservice volmetric exam of inaccessible portions of RPV lower shell to lower head ring weld during 10-yr ISI interval of plant,Unit 2.
* . 97/12/12. 4pp. A1663:288-A1663:291.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220083 Forwards insp repts 50-266/97-25 & 50-301/97-25 completed on 971215 & notice of violation.Purpose of insp to review implementation of 10CFR50.65, "Requirements for Monitoring Effectiveness of Maint at Nuclear Power Plants."
GROBE,J.A. Region 3 (Post 820201). 98/01/12. PATULSKI,S.A. Wisconsin Electric Power Co. 2pp. A1876:288-A1876:326.

--9801220104 Notice of violation from insp completed on 971215.Violations noted:licensee failed to include two safety-related structures,sys or components within scope of maint rule as required.
* Region 3 (Post 820201). 98/01/12. 4pp. A1876:290-A1876:293.

--9801220113 Insp repts 50-266/97-25 & 50-301/97-25 on 971015-16,1103-06, 1117-21 & 1215.Violations noted.Major areas inspected: licensee implementation of 10CFR50.65, "Requirements for Monitoring Effectiveness of Maint at Nuclear Power Plants."
GAVULA,J.A. Region 3 (Post 820201). 98/01/12. 33pp. A1876:294-A1876:326.

9801210241 Forwards SALP repts 50-266/97-01 & 50-301/97-01 for Point Beach NPP covering period of 960428-971129.Rept will be discussed w/utility at public meeting in Manitowoc,WI on 980128.
BEACH,A.B. Region 3 (Post 820201). 98/01/14. PATULSKI,S.A. Wisconsin Electric Power Co. 5pp. A1857:013-A1857:024.

--9801210244 SALP 13 repts 50-266/97-01 & 50-301/97-01 for period from 960428-971129.
* Region 3 (Post 820201). 98/01/14. 7pp. A1857:018-A1857:024.

9801280120 Forwards response to violations noted in insp rept 50-266/97-21 & 50-301/97-21.Corrective actions:on 971128, operability determination developed which provided reasonable assurance as to operability of CCW sys.
CAYIA,A.J. Wisconsin Electric Power Co. 98/01/21. Document Control Branch (Document Control Desk). 6pp. A1968:053-A1968:058.

R. Periodic operating reports & related correspondence

9801200025 Forwards monthly operating repts for Dec 1997 for Point Beach Nuclear Plant,Units 1 & 2.Corrected Units 1 & 2 operating data rept sheets & Unit 2 average daily power level summary sheet for Nov 1997,also encl.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/09. Document Control Branch (Document Control Desk). 1p. A1843:184-A1843:195.

--9801200028 Monthly operating repts for Dec 1997 for Point Beach Nuclear Plant,Units 1 & 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 97/12/31. 8pp. A1843:185-A1843:192.

--9801200030 Corrected monthly operating repts for Nov 1997 for Point Beach Nuclear Plant,Units 1 & 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 97/11/30. 3pp. A1843:193-A1843:195.

S. Reportable occurrences, LERs & related correspondence

9801020072 Special rept:on 971201,fire protection wrap required for svc water pump motor cables had been rendered inoperable for more than seven days.Caused by planned repair activity.Once- per-hour fire patrol established.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1679:275-A1679:276.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. DAVIS,J.W. Detroit Edison Co. BROWN,J.J. Wisconsin Public Service Corp. 3pp. A1960:072-A1960:074.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9801050083 Rev 8 to EPIP AR-901, "DGA Annuciator Response."
* Florida Power Corp. 97/12/20. 23pp. A1684:276-A1684:298.

9801050079 Rev 14 to EPIP EM-211, "Duties of CR-3 Nuclear Security Organization."
MARCUSSEN,F.E. Florida Power Corp. 97/12/21. 17pp. A1684:318-A1684:334.

9801050073 Rev 8 to EPIP AR-902, "DGB Annuciator Response."
* Florida Power Corp. 97/12/22. 23pp. A1684:242-A1684:264.

9801050044 Rev 30 to EPIP AR-403, "PSA H Annunciator Response."
* Florida Power Corp. 97/12/23. 195pp. A1685:001-A1685:195.

9801060241 Rev 17 to AR-304, "ESD Annunciator Response."
* Florida Power Corp. 97/12/25. 59pp. A1736:278-A1736:337.

9801060228 Rev 5 to AP-470, "Loss of Instrument Air."
* Florida Power Corp. 97/12/27. 28pp. A1730:195-A1730:222.

9801090284 Revised EPIPs,including rev 9 to AP-330, "Loss of Nuclear Svc Cooling," rev 7 to AP-581, "Loss of NNI-X" & rev 6 to AP-582, "Loss of NNI-Y."
* Florida Power Corp. 97/12/31. 114pp. A1786:211-A1786:324.

9801260456 Forwards rev 0 to AP-404, "Loss of Decay Heat Removal," rev 0 to AP-520, "Loss of RCS Coolant or Pressure" & rev 23 to AP-770, "Emergency Diesel Generator Actuation."
* Florida Power Corp. 98/01/09. Document Control Branch (Document Control Desk). 1p. A1907:001-A1907:302.

--9801260458 Rev 0 to AP-404, "Loss of Decay Heat Removal."
* Florida Power Corp. 98/01/08. 123pp. A1907:002-A1907:124.

--9801260465 Rev 0 to AP-520, "Loss of RCS Coolant or Pressure."
* Florida Power Corp. 98/01/09. 91pp. A1907:125-A1907:215.

--9801260467 Rev 23 to AP-770, "Emergency DG Actuation."
* Florida Power Corp. 98/01/10. 87pp. A1907:216-A1907:302.

9801210180 Rev 0 to EPIP EM-225B, "Post-Accident Boron Concentration Management."
* Florida Power Corp. 98/01/15. 17pp. A1882:161-A1882:177.

9801210187 Rev 10 to AP-990, "Shutdown From Outside Control Room."
* Florida Power Corp. 98/01/15. 138pp. A1881:001-A1881:138.

9801270013 Rev 1 to EPIP EM-225B, "Post-Accident Boron Concentration Mgt."
* Florida Power Corp. 98/01/16. 60pp. A1931:295-A1931:354.

9801270105 Rev 5 to EOP-06, "SG Tube Rupture."
* Florida Power Corp. 98/01/16. 136pp. A1932:001-A1932:138.

9801260418 Revised EPIPs,including rev 1 to EOP-11,rev 4 to EOP-2,rev 5 to EOP-3,rev 4 to EOP-4.rev 3 to EOP-5,rev 4 to EOP-7,rev 5 to EOP-8,rev 2 to EOP-9,rev 3 to EOP-10,rev 2 to EOP-12,rev 3 to EOP-13 & rev 2 to EOP-14.
* Florida Power Corp. 98/01/19. 835pp. A1904:001-A1906:107.

9801290137 Rev 2 to EPIP EM-225, "Duties of Technical Support Ctr Accident Assessment Team."
* Florida Power Corp. 98/01/20. 28pp. A1968:247-A1968:274.

9801290029 Rev 11 to EPIP EM-103, "Operation & Staffing of CR-3 Control Room During Emergency Classifications."
STEPHENSON,J.D. Florida Power Corp. 98/01/21. 10pp. A1945:346-A1945:355.

9801290050 Rev 0 to EPIP EM-225D, "Guidance for Dry OTSG Tube To Shell Delta T Monitoring & Control."
* Florida Power Corp. 98/01/23. 12pp. A1946:157-A1946:168.

9801300245 Notifies of change of range of signal for containment H concentration applicable to ERDS,in accordance w/10CFR50,App E,Section VI.3.a.Range change on 980106 from 0 to 100% H to 0 to 10% H.
RENCHECK,M.W. Florida Power Corp. 98/01/28. Document Control Branch (Document Control Desk). 3pp. A2002:323-A2002:325.

P. Operating license stage documents & correspondence

9801050171 Summary of 971120 meeting w/util in Rockville,MD re mgt corrective action & restart progress.List of attendees & meeting handout encl.
RAGHAVAN,L. . 97/12/05. . 69pp. A1663:001-A1663:070.

9801060236 Summary of 971202 meeting w/FPC in Rockville,MD re seismic qualification of mechanical & electrical equipment & large bore piping & pipe support calculations.List of attendees & meeting handout encl.
RAGHAVEN,L. . 97/12/11. . 70pp. A1681:055-A1681:125.

9801060347 Forwards amend 160 to license DPR-72 & safety evaluation. Amend revises FSAR & improved TS Bases to reflect change in design basis of emergency diesel generator air handling sys.
RAGHAVAN,L. . 97/12/12. ANDERSON,R.A. Florida Power Corp. 2pp. A1667:186-A1667:192.

--9801060348 Amend 160 to license DPR-72,approving changes to FSAR & improved TS Bases to reflect change in design basis of emergency diesel generator air handling sys.
HEBDON,F.J. . 97/12/12. 2pp. A1667:188-A1667:189.

--9801060349 Safety evaluation supporting amend 160 to license DPR-72.
* . 97/12/12. 3pp. A1667:190-A1667:192.

9801130175 Summarizes 971211-12 meetings w/util.Purpose of meeting to discuss status of actions to resolve technical issues & progress toward readiness for restart.List of attendees & util handouts encl.
JAUDON,J.P. Region 2 (Post 820201). 97/12/18. ANDERSON,R.A. Florida Power Corp. 135pp. A1763:001-A1763:135.

9801270232 Summary of 971215 meeting w/Florida Power Corp in Rockville, Maryland re TS Change Request Notice (TSCRN) 210, "Small Break Loss of Coolant Accident," for Crystal River Unit 3. List of meeting attendees & matl distributed encl.
FLANDERS,S.C. . 97/12/20. . 29pp. A1927:221-A1927:249.

9801120188 Forwards amend 162 to license DPR-72 & safety evaluation. Amend consists of changes to existing TS,in response to request dtd 970729,as suppl by 971029 ltr re post-accident monitoring instrumentation.
RAGHAVEN,L. . 97/12/22. ANDERSON,R.A. Florida Power Corp. 3pp. A1790:018-A1790:034.

--**9801120193** Amend 162 to license DPR-72,consists of changes to existing TS in response to 970729 request,as suppl by ltr dtd 971029 re post-accident monitoring instrumentation.
HEBDON,F.J. . 97/12/22. 10pp. A1790:021-A1790:030.

--**9801120194** Safety evaluation supporting amend 162 to license DPR-72.
* . 97/12/22. 4pp. A1790:031-A1790:034.

9801140010 Discusses plant protection against dynamic effects of LOCA. Based on evaluation,NRC find util SW piping operability determination to be acceptable.
RAGHAVAN,L. . 97/12/22. ANDERSON,R.A. Florida Power Corp. 3pp. A1797:349-A1797:351.

9801210132 Forwards amend 162 to license DPR-72 & safety evaluation. Amend establishes new low temperature overpressure TS.
RAGHAVAN,L. . 97/12/22. ANDERSON,R.A. Florida Power Corp. 3pp. A1866:003-A1866:041.

--**9801210135** Amend 161 to license DPR-72,establishing new low temperature overpressure TS.
HEBDON,F.J. . 97/12/22. 32pp. A1866:006-A1866:037.

--**9801210138** Safety evaluation supporting amend 161 to license DPR-72.
* . 97/12/22. 4pp. A1866:038-A1866:041.

9801020005 Forwards response to 971219 telcon requesting addl info re licensing basis for SG tube rupture accident w/no single active failures & no LOOP.
GRAZIO,R.E. Florida Power Corp. 97/12/23. Document Control Branch (Document Control Desk). 39pp. A1672:287-A1672:345.

9801130365 Discusses plant control complex habitability envelope justification for continued operation.
RAGHAVAN,L. . 97/12/24. ANDERSON,R.A. Florida Power Corp. 5pp. A1790:250-A1790:254.

9801080045 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," dtd 971007.No commitments made in submittal.
HOLDEN,J.J. Florida Power Corp. 98/01/05. Document Control Branch (Document Control Desk). 11pp. A1785:343-A1785:353.

9801270227 Notification of 980108 meeting w/util in Rockville,MD to discuss control complex habitability envelope including NRC staff assessment of FPC justification for continued operation (NRC ltr dated 971224).
RAGHAVAN,L. . 98/01/05. HEBDON,F.J. . 4pp. A1924:353-A1924:357.

9801130319 Addresses issues re emergency ventilation sys & control complex habitability envelope raised by NRC in 971224 ltr.
GRAZIO,R.E. Florida Power Corp. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1808:113-A1808:160.

--**9801130322** Rev 5 to "Justification for Continued Operation for CR Emergency Ventilation Sys & Control Complex Habitability Envelope."
* Florida Power Corp. 97/12/31. 43pp. A1808:117-A1808:160.

9801270228 Notification of 980112 meeting w/util in Rockville,MD to present status of resolution issues addressed in NRC CAL, dtd 970304.
RAGHAVAN,L. . 98/01/07. HEBDON,F.J. . 4pp. A1927:340-A1927:343.

9801140415 Provides addl info for LAR 224 re reactor bldg fan starting logic mod.
GRAZIO,R.E. Florida Power Corp. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1824:323-A1824:341.

--**9801140419** "Crystal River 3 Reactor Bldg Cooling Fan Logic Mod Failure Modes & Effects Analysis," rev 0.
* MPR Associates, Inc. MPR-1887 R00. 97/11/30. 22pp. A1824:325-A1824:341.

9801200124 Forwards notice of consideration of issuance of amend relating to 971205 application,proposing amend involving revisions to Crystal River 3 design basis relating to starting logic of reactor building fan coolers.
RAGHAVAN,L. . 98/01/09. ANDERSON,R.A. Florida Power Corp. 3pp. A1844:336-A1844:346.

--**9801200128** Notice of consideration of issuance of amend to license DPR-72 & proposed NSHC determination & opportunity for hearing.Amend involves revisions to Crystal River 3 design basis re starting logic of reactor bldg fan coolers.
RAGHAVAN,L. . 98/01/09. 8pp. A1844:339-A1844:346.

9801270128 Forwards SE re relief from ASME section XI,subsection IWE/IWL.Relief requested until 971231 or restart of unit 3 from current outage,whichever occurs first.
HEBDON,F.J. . 98/01/09. ANDERSON,R.A. Florida Power Corp. 4pp. A1934:232-A1934:239.

--**9801270129** Safety evaluation accepting relief request for delayed implementation of 10CFR50.55a,until 971231 or plant restart, whichever occurs first.
* . 98/01/09. 4pp. A1934:236-A1934:239.

9801140184 Provides outage assessment rept,which describes accomplishments during current outage,which began in Sept 1996.Rept includes broad restart readiness overview & individual repts for listed functional areas.
COWAN,J.P. Florida Power Corp. 98/01/10. Document Control Branch (Document Control Desk). 2pp. A1851:001-A1851:199.

--**9801140197** "Overall Restart Readiness."
HICKLE,B.J. Florida Power Corp. 98/01/10. 30pp. A1851:003-A1851:032.

--**9801140202** "Corrective Action Program Overview."
HOLDEN,J.J. Florida Power Corp. 98/01/10. 10pp. A1851:033-A1851:042.

--**9801140205** "System Readiness Review Plan."
TERRY,J.H. Florida Power Corp. 98/01/10. 13pp. A1851:043-A1851:055.

--**9801140209** "Design & Licensing Basis."
HOLDEN,J.J. Florida Power Corp. 98/01/10. 29pp. A1851:056-A1851:102.

--**9801140216** "Integrated Verification Team Rept."
HALNON,G., LUTZ,T., HEBB,G. Florida Power Corp. 98/01/10. 26pp. A1851:103-A1851:128.

--**9801140218** "Assessing Performance & Organizational Roles."
BAUMSTARK,J.S. Florida Power Corp. 98/01/10. 8pp. A1851:129-A1851:136.

--**9801140223** "Engineering."
RENCHECK,M.W. Florida Power Corp. 98/01/10. 12pp. A1851:137-A1851:148.

--**9801140226** "Operations."
DAVIS,R.W. Florida Power Corp. 98/01/10. 12pp. A1851:149-A1851:161.

--**9801140229** "Maintenance."
SCHIAVONI,M.A. Florida Power Corp. 98/01/10. 12pp. A1851:162-A1851:173.

--**9801140234** "Licensing."
GRAZIO,R.E. Florida Power Corp. 98/01/10. 9pp. A1851:174-A1851:182.

--**9801140236** "Training."
TAYLOR,T.H. Florida Power Corp. 98/01/10. 7pp. A1851:183-A1851:189.

--**9801140239** "Startup & Power Ascension Plan."
HICKLE,B.J. Florida Power Corp. 98/01/10. 11pp. A1851:190-A1851:199.

9801160127 Confirms 980108 meeting discussion between FPC & NRC re complex habitability envelope justification for continued operation issues at Crystal River,Unit 3.
RENCHECK,M.W. Florida Power Corp. 98/01/14. Document Control Branch (Document Control Desk). 4pp. A1840:352-A1840:355.

9801210086 Informs that util in conjunction w/Framatome Technologies Inc,completed confirmation which includes consideration of SG tube plugging levels specific for CR-3.Util verified that LOCA analyses of record does not require manual actuation.
RENCHECK,M.W. Florida Power Corp. 98/01/15. Document Control Branch (Document Control Desk). 6pp. A1867:311-A1867:316.

9801210066 Provides confirmation by util of actions completed re LAR 220 for Unit 3,as previously discussed in ltr dtd 971220.
HOLDEN,J.J. Florida Power Corp. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1857:357-A1857:358.

9801270085 Provides response to RAI dtd 971209,re LAR 218 concerning rev of makeup sys letdown line failure accident analysis.
RENCHECK,M.W. Florida Power Corp. 98/01/20. Document Control Branch (Document Control Desk). 8pp. A1932:235-A1932:242.

9801260341 Forwards complete updated TS & bases pages to TS change request notice 210 submitted on 970614.Updated pages reflect changes identified in licensee 971121 ltr,correction of typo & addition of footnotes.
RENCHECK,M.W. Florida Power Corp. 98/01/22. Document Control Branch (Document Control Desk). 2pp. A1912:001-A1912:138.

--**9801260342** Proposed tech specs consisting of rev 1 to TS change request 210,correction of typo & addition of footnotes.
* Florida Power Corp. 98/01/22. 134pp. A1912:003-A1912:138.

9801290083 Fowards rev 2 to AP-604, "Waterbox Tube Failure" & rev 11 to AP-660, "Turbine Trip."
* Florida Power Corp. 98/01/22. Document Control Branch (Document Control Desk). 1p. A1946:176-A1946:218.

--**9801290085** Rev 2 to AP-604, "Waterbox Tube Failure."
* Florida Power Corp. 98/01/21. 25pp. A1946:177-A1946:201.

--**9801290086** Rev 11 to AP-660, "Turbine Trip."
* Florida Power Corp. 98/01/22. 17pp. A1946:202-A1946:218.

9801270175 Confirms info provided to NRC in telcon between NRC & util mgt on 980123 re licensing basis of MU/HPI common discharge header.
RENCHECK,M.W. Florida Power Corp. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A1935:121-A1935:122.

9801280003 Forwards summary of evaluation of dynamic effects of pressurizer surge line LOCA other systems & components,in response to NRC 971222 RAI.Commitments made by util,encl.
RENCHECK,M.W. Florida Power Corp. 98/01/23. Document Control Branch (Document Control Desk). 5pp. A1968:044-A1968:048.

9801290033 Forwards rev 28 to Annunciator Response (AR) procedure AR-303, "ESC Annunciator Response" & rev 12 to AR-703, "SSF R Annunciator Response."
* Florida Power Corp. 98/01/23. Document Control Branch (Document Control Desk). 1p. A1946:001-A1946:156.

--**9801290034** Rev 28 to AR-303, "ESC Annunciator Response."
* Florida Power Corp. 98/01/23. 89pp. A1946:002-A1946:090.

--**9801290036** Rev 12 to AR-703, "SSF R Annunciator Response."
* Florida Power Corp. 98/01/23. 66pp. A1946:091-A1946:156.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera;to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801270150 EN-97-116:on 971229,informs Commission that staff intends to exercise enforcement discretion in accordance w/Section VII.B.2 of Enforcement Policy & not issue NOV or proposed imposition of civil penalty to util for violations.
NELSON,D., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/12/22. 1p. A1947:324-A1947:324.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801050007 Responds to NRC 971204 ltr re violations noted in insp rept 50-302/97-14.Corrective actions:Maint Procedure MP-402 series & Preventive Maint MP-178 series will be revised as appropriate,by 980331.
HOLDEN,J.J. Florida Power Corp. 97/12/29. Document Control Branch (Document Control Desk). 11pp. A1679:341-A1679:352.

9801210144 Forwards insp rept 50-302/97-17 on 971026-1129 & notice of violation.In area of engineering,one violation was identified for failure to perform adequate SE for functional test procedures for EDG power upgrade.
JAUDON,J.P. Region 2 (Post 820201). 97/12/29. ANDERSON,R.A. Florida Power Corp. 5pp. A1855:122-A1855:219.

--9801210147 Notice of violation from insp on 971026-1129.Violation noted:on 971105,licensee failed to perform adequate SE,per 10CFR50.59 for functional test procedure for "B" emergency diesel generator power upgrade & radiator replacement mods.
* Region 2 (Post 820201). 97/12/29. 2pp. A1855:127-A1855:128.

--9801210149 Insp rept 50-302/97-19 on 971026-1129.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 2 (Post 820201). 97/12/29. 95pp. A1855:129-A1855:219.

9801220016 Forwards insp rept 50-302/97-21 on 971203.Violations noted. Violations involve noncompliances in design control, 10CFR50.59 evaluations,procedural adequacy,reportability & corrective actions.
REYES,L.A. Region 2 (Post 820201). 97/12/29. ANDERSON,R.A. Florida Power Corp. 5pp. A1877:058-A1877:068.

--9801220038 Insp rept 50-302/97-21 on 971203.Violations noted.Major areas inspected:noncompliances in design control,10CFR50.59, procedural adequacy,reportability & corrective actions.No notice of violation being issued in this case.
* Region 2 (Post 820201). 97/12/29. 6pp. A1877:063-A1877:068.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220036 Forwards insp rept 50-302/97-18 on 971117-21 & 1201-12.No violations noted.Insp consisted of selective exams of procedures & representative records,interviews w/personnel & observation of activities in progress.
JAUDON,J.P. Region 2 (Post 820201). 98/01/06. ANDERSON,R.A. Florida Power Corp. 3pp. A1884:031-A1884:075.

--9801220041 Insp rept 50-302/97-18 on 971117-21 & 1201-12.No violations noted.Major areas inspected:plant support.
BELISLE,G.A. Region 2 (Post 820201). 98/01/06. 36pp. A1884:034-A1884:075.

9801130255 Assists NRC in completing review of issue re licensing basis of HPI protion of MU sys per 971006-10 & 20-24 insp. Descripion of development of licensing basis of issue contained in attachment.
GRAZIO,R.E. Florida Power Corp. 98/01/08. Document Control Branch (Document Control Desk). 12pp. A1819:001-A1819:012.

9801220091 Ack receipt of 971217 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/97-16.
JAUDON,J.P. Region 2 (Post 820201). 98/01/12. ANDERSON,R.A. Florida Power Corp. 3pp. A1875:236-A1875:238.

9801300187 Responds to NRC 971229 ltr re violations noted in insp rept 50-302/97-17.Corrective actions:revised B EDG functional test procedure safety assessment.
HOLDEN,J.J. Florida Power Corp. 98/01/27. Document Control Branch (Document Control Desk). 7pp. A2008:331-A2008:337.

R. Periodic operating reports & related correspondence

9801200068 Monthly operating rept for Dec 1997 for Crystal River,Unit 3.W/980115 ltr.
DAO,T.V., GRAZIO,R.E. Florida Power Corp. 97/12/31. 5pp. A1842:356-A1842:360.

S. Reportable occurrences, LERs & related correspondence

9801050013 Provides notification that due date for commitment re molded case circuit breaker instantaneous trip settings is being extended to prior to restart from next scheduled refueling outage (R11).
RENCHECK,M.W. Florida Power Corp. 97/12/28. Document Control Branch (Document Control Desk). 3pp. A1679:358-A1679:360.

9801060073 Forwards LER 97-045-00,discussing condition re two valves in CAS which did not meet seismic class I qualification requirement.No commitment made in LER.
RENCHECK,M.W. Florida Power Corp. 97/12/31. Document Control Branch (Document Control Desk). 1p. A1687:082-A1687:087.

--9801060075 LER 97-045-00:on 971205,discovered two valves in CAS which did not meet seismic class I qualification requirements. Caused by original construction error.Util installed necessary supports to return valves to seismic class I.
PETERSON,P.M. Florida Power Corp. 97/12/31. 5pp. A1687:083-A1687:087.

9801080324 Special Rept 97-08:on 971208,mid range & high range noble gas stack monitors found to be inoperable greater than seven days.Cables to low-medium-high valve controllers re-connected inside radiation monitoring panel.
GRAZIA,R.E. Florida Power Corp. 98/01/03. Document Control Branch (Document Control Desk). 4pp. A1753:349-A1753:352.

9801090109 Forwards LER 97-044-00,re condition where long-time overcurrent trip setpoint for feeder breaker to ES MCC 3AZ was set too low.
RENCHECK,M.W. Florida Power Corp. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1754:221-A1754:226.

--9801090115 LER 97-044-00:on 971209,breaker trip setpoint resulted in deenergizing of SRE.Caused by inadequate setpoint criteria. Revised Electrical Design Criteria for CR-3.
PETERSON,P.M. Florida Power Corp. 98/01/05. 5pp. A1754:222-A1754:226.

9801090231 Forwards LER 97-043-00,discussing condition where trip set points for control complex chiller motor overloads were set below vendor recommended set point.
RENCHECK,M.W. Florida Power Corp. 98/01/06. Document Control Branch (Document Control Desk). 1p. A1796:035-A1796:041.

--9801090232 LER 97-043-00:on 971208,deficiency in electrical design criteria resulted in control complex chiller motor trip set point set below full load ampere setting,was discovered. Caused by lack of effective CAP.Established improved CAP.
PETERSON,P.M. Florida Power Corp. 98/01/06. 6pp. A1796:036-A1796:041.

9801130286 Special rept 97-09:provides details of conditions found not meeting acceptance criteria during ongoing twentieth year tendon surveillance of containment post tensioning sys. Commitments encl.
GRAZIO,R.E. Florida Power Corp. 98/01/08. Document Control Branch (Document Control Desk). 4pp. A1791:342-A1791:345.

9801140398 Provides notification that due date for commitment re calibr of TS instruments is being extended.
RENCHECK,M.W. Florida Power Corp. 98/01/10. Document Control Branch (Document Control Desk). 2pp. A1826:345-A1826:346.

9801160130 Provides notification of retraction of commitment contained in LER 95-004-01 re inadvertent breaches in control complex habitability envelope (CCHE) caused by failure to assure CCHE doors remained properly closed.
RENCHECK,M.W. Florida Power Corp. 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1840:350-A1840:351.

9801200147 Forwards LER 97-031-01,discussing results of evaluation performed for cables identified in LER 97-031-00.
RENCHECK,M.W. Florida Power Corp. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1862:276-A1862:282.

--9801200151 LER 97-031-01:on 970926,inadequate cable sizing was discovered.Caused by nonconservative de-rating factors. Preliminary evaluation concluded that cables would perform intended function.
PETERSON,P.M. Florida Power Corp. 98/01/15. 6pp. A1862:277-A1862:282.

9801210071 Forwards LER 97-046-00,discussing condition where circuits required for operation of EDG exciters were not protected from effects of postulated App R fire in MCR or CSR.Rept submitted per 10CFR50.73.
RENCHECK,M.W. Florida Power Corp. 98/01/16. Document Control Branch (Document Control Desk). 1p. A1862:283-A1862:288.

--9801210095 LER 97-046-00:on 971220,circuits required for operation of EDG exciters were not protected from effects of postulated App R fire in MCR or CSR.Caused by engineering oversight. Individuals involved have been briefed & counseled on event.
PETERSON,P.M. Florida Power Corp. 98/01/16. 5pp. A1862:284-A1862:288.

9801230429 PNO-II-98-003:on 980120,licensee placed two reactor coolant pumps in operation to add heat to RCS.Licensee has not yet requested release from CAL.Licensee issued press release.
NINH,S. Region 2 (Post 820201). 98/01/22. 1p. A1901:035-A1901:035.

V. Operator Examinations

9801060010 Requests termination of license of JW Tinsley,SOP-20623-1, IAW 10CFR50.74(a).
COWAN,J.P. Florida Power Corp. 97/12/31. Document Control Branch (Document Control Desk). 1p. A1741:339-A1741:339.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801210206 Rev to EPIP 180-1,consisting of rev 2 to Attachment C, "Simplified Gaseous Radwaste & Gaseous Effluent Flow Diagram."
* Commonwealth Edison Co. 97/01/13. 3pp. A1882:334-A1882:336.

9801050204 Revised EPIPs,including EPIPs index,rev 1 to EPIP 1301-1, "Technical Director," rev 2 to EPIP 180-2, "Environs Director" & rev 3 to EPIP 180-4, "ODCS Specialist."
* Commonwealth Edison Co. 97/12/22. 60pp. A1720:229-A1720:288.

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--9801070092 Rev 7n to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Zion Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 29pp. A1742:258-A1742:286.

9801140260 Rev 3 to EPIP 100-3, "Recovery & Termination," & EPIP index.
* Commonwealth Edison Co. 98/01/02. 19pp. A1832:281-A1832:299.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801150099 Forwards insp repts 50-295/97-29 & 50-304/97-29 on 971202-05.No violations identified.Insp consisted of selective exam of procedures & representative records, observation of performance & interviews w/staff.
GRANT,G.E. Region 3 (Post 820201). 98/01/09. BRONS,J. Commonwealth Edison Co. 4pp. A1806:022-A1806:038.

--9801150110 Insp repts 50-295/97-29 & 50-304/97-29 on 971202-05.No violations noted.Major areas inspected:licensee performance during plant biennial exercise of emergency plan.
CREED,J.R. Region 3 (Post 820201). 98/01/09. 13pp. A1806:026-A1806:038.

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

9801210242 Rev 5 to CEPIP-2032-01, "Emergency Response Data Sys Activation Procedure." W/2000 series table of contents.
* Commonwealth Edison Co. 98/01/16. 7pp. A1882:306-A1882:312.

9801270233 Rev 2 to CEPIP-2021-06, "Highland Park JPIC Activation" & table of contents.
* Commonwealth Edison Co. 98/01/22. 9pp. A1935:151-A1935:159.

P. Operating license stage documents & correspondence

9801050354 Forwards amends 178 & 165 to licenses DPR-39 & DPR-48 & SE. Amends replace in entirety,plant TSs w/set based on NUREG-1431,rev 1, "STSs-Westinghouse Plants," issued in April 1995.
SHIRAKI,C.Y. . 97/12/19. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A1649:001-A1652:325.

--9801050356 Amends 178 & 165 to licenses DPR-39 & DPR-48,respectively, replacing,in entirety,plant TSs w/set based on NUREG-1431, rev 1, "STSs-Westinghouse Plants," issued in April 1995 & guidance provided in Commission final policy statement.
SHIRAKI,C.Y. . 97/12/19. 1,099pp. A1649:007-A1652:014.

--9801050359 Safety evaluation supporting amends 178 & 165 to licenses DPR-39 & DPR-48,respectively.
* . 97/12/19. 307pp. A1652:015-A1652:322.

--9801060143 Notice of issuance of amends 178 & 165 to licenses DPR-39 & DPR-48,revising operating licenses & TSs for operation of Zion Nuclear Power Station,Units 1 & 2.
SHIRAKI,C.Y. . 97/12/19. 3pp. A1652:323-A1652:325.

9801060130 Submits supplemental response to NRC GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations," dtd 970401.
HOSMER,J.B. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 15pp. A1725:342-A1725:356.

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801060039 Notification of meeting w/util on 980113 in Zion,IL to discuss preparations to implement improved TSs.
SHIRAKI,C.Y. . 97/12/30. CAPRA,R.A. . 6pp. A1663:342-A1663:347.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--9801130014 "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801220264 Forwards SE accepting determination of zone of influence for coatings in containment of plant,units 1 & 2.
SHIRAKI,C.Y. . 98/01/09. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1893:192-A1893:202.

--9801220265 SER accepting determination of zone of influnce for coatings in containment of plant,units 1 & 2.
* . 98/01/09. 7pp. A1893:196-A1893:202.

9801220273 Forwards SE accepting licensee request for alternative insp requirements for augmented exam of reactor pressure vessels for Zion Nuclear Power Station,Units 1 & 2.
SHIRAKI,C.Y. . 98/01/09. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1875:226-A1875:234.

--9801220276 Safety evaluation accepting request for alternative insp requirements for augmented exam of reactor presure vessels for Zion Nuclear Power Station,Units 1 & 2.
* . 98/01/09. 4pp. A1875:231-A1875:234.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

9801270194 Notification of meeting w/CECO on 980203 in Rockville,MD to discuss preparations for decommissioning of plant.
SHIRAKI,C.Y. . 98/01/20. CAPRA,R.A. . 4pp. A1924:358-A1924:360.

9801270027 Confirms plans to conduct meeting on 980205 in Region III Ofc in Lisle,IL to discuss plans for plant transition to decommissioning.
GRANT,G.E. Region 3 (Post 820201). 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1933:060-A1933:063.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220255 Forwards SE accepting request for relief CR-27 for inservice insp program for plant,units 1 & 2.
CAPRA,R.A. . 98/01/08. KINGSLEY,O. Commonwealth Edison Co. 5pp. A1893:173-A1893:182.

--9801220257 SER accepting request for relief CR-27 for inservice insp program for plant,units 1 & 2.
* . 98/01/08. 5pp. A1893:178-A1893:182.

9801150099 Forwards insp repts 50-295/97-29 & 50-304/97-29 on 971202-05.No violations identified.Insp consisted of selective exam of procedures & representative records, observation of performance & interviews w/staff.
GRANT,G.E. Region 3 (Post 820201). 98/01/09. BRONS,J. Commonwealth Edison Co. 4pp. A1806:022-A1806:038.

--9801150110 Insp repts 50-295/97-29 & 50-304/97-29 on 971202-05.No violations noted.Major areas inspected:licensee performance during plant biennial exercise of emergency plan.
CREED,J.R. Region 3 (Post 820201). 98/01/09. 13pp. A1806:026-A1806:038.

9801220273 Forwards SE accepting licensee request for alternative insp requirements for augmented exam of reactor pressure vessels for Zion Nuclear Power Station,Units 1 & 2.
SHIRAKI,C.Y. . 98/01/09. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1875:226-A1875:234.

--9801220276 Safety evaluation accepting request for alternative insp requirements for augmented exam of reactor presure vessels for Zion Nuclear Power Station,Units 1 & 2.
* . 98/01/09. 4pp. A1875:231-A1875:234.

9801220140 Discusses insp repts 50-295/97-17 & 50-304/97-17 between 970619 & 0922 & forwards notice of violation & proposed imposition of civil penalty in amount of $110,000.
BEACH,A.B. Region 3 (Post 820201). 98/01/15. BRONS,J. Commonwealth Edison Co. 5pp. A1875:265-A1875:273.

--9801220152 Notice of violation & proposed imposition of civil penalty in amount of $110,000.Violations noted:three FFD trained supervisors failed to require for-cause test for employee w/smell of alcohol in protected area.
* Region 3 (Post 820201). 98/01/15. 4pp. A1875:270-A1875:273.

9801270059 Ack receipt of 971103 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/97-19 & 50-304/97-19.Info provided supports licensee characterization of occurrence & Violation 5 rescinded.
BEACH,A.B. Region 3 (Post 820201). 98/01/20. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1933:315-A1933:317.

9801270079 Ack receipt of 971222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/97-26 & 50-304/97-26.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1933:191-A1933:197.

9801270159 Forwards insp repts 50-295/97-25 & 50-304/97-25 on 971011- 1216 & notice of violations.
GRANT,G.E. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1933:219-A1933:255.

--9801270160 Notice of violation from insp on 971011-1216.Violations noted:procedures were not appropriate to circumstances in listed instances.
* Region 3 (Post 820201). 98/01/21. 3pp. A1933:223-A1933:225.

--9801270162 Insp repts 50-295/97-25 & 50-304/97-25 on 971011-1216. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/01/21. 30pp. A1933:226-A1933:255.

R. Periodic operating reports & related correspondence

9801220017 Monthly operating repts for Dec 1997 for Zion Station,Units 1 & 2.W/ 980115 ltr.
CYGAN,J., STARKEY,R.S. Commonwealth Edison Co. 97/12/31. 8pp. A1894:344-A1894:351.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

P. Operating license stage documents & correspondence

9801130030 Forwards safety evaluation re high-thermal-performance departure from nucleate boiling correlation & associated 1.14 min DNB ratio safety limit for plant fuel.
LAUFER,R.J. . 97/12/30. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. A1790:112-A1790:120.

--9801130044 Safety evaluation accepting application of HTP correlation w/safety limit of 1.14 for plant DNB analysis using VIPRE-01 code.
* . 97/12/30. 5pp. A1790:116-A1790:120.

9801130122 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
STEINHARDT,C. Wisconsin Public Service Corp. 98/01/05. Document Control Branch (Document Control Desk). 9pp. A1808:279-A1808:287.

9801230339 Summary of 971209 meeting w/Wisconsin Public Service Corp re proposed hybrid expansion joint (HEJ) sleeved SG tube acceptance criterion & HEJ NDE method.
LAUFER,R. . 98/01/13. . 54pp. A1901:264-A1901:317.

9801230356 Forwards SE informing that responses adequately addressed requested actions discussed in GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," for Kewaunee Nuclear Power Plant.
LAUFER,R.J. . 98/01/13. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. A1901:252-A1901:260.

--9801230364 SER related to Wisconsin Public Service Corp response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," for Kewaunee Nuclear Power Plant.
* . 98/01/13. 5pp. A1901:256-A1901:260.

9801280154 Responds to 971125 RAI re proposed amend 148a to license DPR-43.
MARCHI,M.L. Wisconsin Public Service Corp. 98/01/23. Document Control Branch (Document Control Desk). 19pp. A1967:220-A1967:238.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020145 Responds to NRC 971121 ltr re violations noted in insp rept 50-305/97-15 on 970916-1027.Corrective actions:reviewed certifications of all positions/individuals listed in Figure NAD 1.14-1,required to wear respiratory equipment.
MARCHI,M.L. Wisconsin Public Service Corp. 97/12/22. Document Control Branch (Document Control Desk). 6pp. A1687:340-A1687:345.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801260379 Forwards NRC Operator Licensing Exam Rept 50-305/97-312OL (including completed & graded tests) for tests administered on 971215-18.
BIES,M.A. Region 3 (Post 820201). 98/01/20. Document Control Branch (Document Control Desk). 1p. A1918:001-A1918:257.

--9801260399 Forwards NRC Operator Licensing Exam Rept 50-305/97-312OL (including completed & graded tests) for tests administered on 971215-18.
GROBE,J.A. Region 3 (Post 820201). 98/01/16. MARCHI,M.L. Wisconsin Electric Power Co. 2pp. A1918:002-A1918:003.

--9801260408 NRC Operator Licensing Exam Rept 50-305/97-312OL (including completed & graded tests) for tests administered on 971215-18.
* Region 3 (Post 820201). 98/01/16. 254pp. A1918:004-A1918:257.

9801270033 Ack receipt of 971222 ltr informing NRC of steps taken to correct violations noted in insp rept 50-305/97-15.
LANKSBURY,R.D. Region 3 (Post 820201). 98/01/23. MARCHI,M.L. Wisconsin Electric Power Co. 2pp. A1933:066-A1933:067.

R. Periodic operating reports & related correspondence

9801160074 Monthly operating rept for Dec 1997 for Kewaunee Nuclear Power Plant.W/980108 ltr.
ANDERSON,M.L., MARCHI,M.L. Wisconsin Public Service Corp. 97/12/31. 5pp. A1840:331-A1840:335.

V. Operator Examinations

9801130075 Forwards individual exam results for applicants that took December 1997 initial license exam.Info considered proprietary & being withheld (ref 10CFR2.790).W/ o encl.
GROBE,J.A. Region 3 (Post 820201). 98/01/09. BROWN,J.J. Wisconsin Public Service Corp. 2pp. A1820:018-A1820:019.

9801260275 Forwards operator licensee exam info,including facility outline,initial exam & as given operating exam administered during wk of 971215.
BIES,M.A. Region 3 (Post 820201). 98/01/20. Document Control Branch (Document Control Desk). 642pp. A1916:001-A1917:278.

9801260379 Forwards NRC Operator Licensing Exam Rept 50-305/97-312OL (including completed & graded tests) for tests administered on 971215-18.
BIES,M.A. Region 3 (Post 820201). 98/01/20. Document Control Branch (Document Control Desk). 1p. A1918:001-A1918:257.

--9801260399 Forwards NRC Operator Licensing Exam Rept 50-305/97-312OL (including completed & graded tests) for tests administered on 971215-18.
GROBE,J.A. Region 3 (Post 820201). 98/01/16. MARCHI,M.L. Wisconsin Electric Power Co. 2pp. A1918:002-A1918:003.

--9801260408 NRC Operator Licensing Exam Rept 50-305/97-312OL (including completed & graded tests) for tests administered on 971215-18.
* Region 3 (Post 820201). 98/01/16. 254pp. A1918:004-A1918:257.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B., SANCHEZ,D.P. Commonwealth Edison Co. SAWATZKE,B.J. Northern States Power Co. 3pp. A1960:072-A1960:074.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801270061 Requests exemption from 10CFR50,App R,Section III.G, "Fire Protection of Safe Shutdown Capability," for use of Rockbestos Firezone R App R fireproof cables in listed fire areas.Related repts & copyright release included.
SORENSEN,J.P. Northern States Power Co. 97/08/14. Document Control Branch (Document Control Desk). 11pp. A1931:104-A1931:294.

--9801270087 "Rept on Fire Resistant Cables," for Rockbestos Co,New Haven,CT.
JOHNSON,C.J., BERHINIG,R.M., HOWELL,K.W. . R10925-1. 84/04/10. 77pp. A1931:115-A1931:191.

--9801270092 "FIREZONE R Single & Multi-Conductor High Temperature 600 Volt,14 AWG-4/0 AWG Specification."
* Rockbestos Co. RSS-5-144 I05. 95/03/31. 10pp. A1931:192-A1931:201.

--9801270098 Issue B to FTCR/94/0060, "Test Rept for 1 Hour Fire Hose Stream Tests on Darmatt KM1 Fire Protection Sys for Electrical Circuits Sys to ASTM E119 NRC GL 86-10 Suppl 1."
HOGG,P., GARDNER,M.R. Affiliation Not Assigned. * Darchem Engineering, Inc. FTCR/94/0060. 94/01/09. 93pp. A1931:202-A1931:294.

9801050364 Forwards insp repts 50-282/97-19 & 50-306/97-19 on 970929-1003 & 21-23 & 1202 & NOV.Violation re procedure inadequacy that circumvented proper performance of reactor trip & ATWS emergency operating procedures.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. WADLEY,M. Northern States Power Co. 2pp. A1658:038-A1658:063.

9801290141 Revised EPIPs,including rev 15 to F3-8, "Recommendations for Offsite Protective Actions," rev 8 to F3-14.1, "Onsite Radiological Monitoring," rev 5 to F3-20.1, "Determination Steam Line Dose Rates" & rev 6 to F3-20.2.
* Northern States Power Co. 98/01/21. 49pp. A1968:275-A1968:323.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9801130011 Informs that listed documents have been determined to relate to petition filed,per 10CFR2.206.W/o encl.
RECKLEY,W.D. . 97/12/29. CROCKER,G. Affiliation Not Assigned. 4pp. A1790:245-A1790:249.

P. Operating license stage documents & correspondence

9801290010 Grants conditional waiver of copyright restrictions for, "UL File R10925-1," rept,dtd 840410 for project 84NK2320. Waiver shall be in effect until 991231.
MICKELSON,S.R. Underwriters Laboratory, Inc. 97/09/15. GAMBIN,W. Northern States Power Co. 1p. A1942:168-A1942:168.

9801120267 Notification of 980107 meeting w/util in Rockville,MD to discuss plans for conversion to improved STS for plants.
WETZEL,B.A. . 97/12/23. HANNON,J.N. . 3pp. A1789:349-A1789:351.

9801120282 Forwards corrected amends 134 & 126 to licenses DPR-42 & DPR-60,respectively.Typographical error in part of TS not changed by amends inadvertently introduced into table TS 3.5-2B.Table number changed on TS page 5 of 9 as listed.
WETZEL,B.A. . 97/12/23. ANDERSON,R.O. Northern States Power Co. 3pp. A1762:284-A1762:288.

--9801120286 Errata to amends 134 & 126 of licenses DPR-42 & DPR-60, respectively.Table number changed on TS page 5 of 9 of Table 3.5-2 to read "TABLE TS.3.5-2B."
* . 97/12/23. 2pp. A1762:287-A1762:288.

9801060205 Forwards suppl application to LAR dtd 951214,incorporating changes to TS pages which have changed due to other license amends issued or other administrative corrections.Affidavit & marked-up TS pages attached.
SORENSEN,J.P. Northern States Power Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1729:269-A1729:330.

--9801060207 Application for amends to licenses DPR-42 & DPR-60, respectively.Amends provide changes to TS pages associated w/951214 LAR.
SORENSEN,J.P. Northern States Power Co. 97/12/29. 1p. A1729:271-A1729:271.

--9801060209 Proposed TS marked-up & revised pages,incorporating changes associated w/951214 LAR.
* Northern States Power Co. 97/12/29. 58pp. A1729:272-A1729:330.

9801060157 Submits updated response to GL 97-01 re degradation of control rod drive mechanism nozzle & other vessel closure head penetrations.NRC & Nuclear Energy Inst will decide date of submittal of detailed insp plans.
SORENSEN,J.P. Northern States Power Co. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1725:289-A1725:290.

9801130103 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
SORENSEN,J.P. Northern States Power Co. 98/01/05. Document Control Branch (Document Control Desk). 17pp. A1801:046-A1801:062.

9801130105 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
SORENSON,J. Northern States Power Co. 98/01/06. Document Control Branch (Document Control Desk). 2pp. A1807:359-A1807:360.

9801220001 Forwards suppl 5 to 951214 LAR re conformance of administrative controls Section 6 to guidance of STS.Marked up TS page,revised page,list of pages affected which identify source document re proposed license amend,encl.
SORENSEN,J.P. Northern States Power Co. 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1895:078-A1895:085.

--9801220002 Suppl 5 to 951214 LAR to licenses DPR-42 & DPR-60 re proposed changes to TS Section 6.
SORENSEN,J.P. Northern States Power Co. 98/01/08. 1p. A1895:080-A1895:080.

--9801220003 Proposed tech specs pages re suppl 5 to 951214 LAR on conformance of administrative controls Section 6 to guidance of STS.
* Northern States Power Co. 98/01/08. 5pp. A1895:081-A1895:085.

9801210238 Forwards revised ABB C-E affidavit which corrects date erroneously entered on rept CEN-620-P,Rev 04-P, "Series 44 & 51 Design SG Tube Repair Using Tube Rerolling Technique."
SORENSEN,J.P. Northern States Power Co. 98/01/09. Document Control Branch (Document Control Desk). 7pp. A1882:327-A1882:333.

9801210224 Forwards application for change to TS,App A of OLs DPR-42 & DPR-60,respectively,authorization ltr & accompanying affidavit.Non-proprietary & proprietary W rept "Thimble Deletion Study," encl.Proprietary encl withheld.
SORENSEN,J.P. Northern States Power Co. 98/01/15. Document Control Branch (Document Control Desk). 3pp. A1881:250-A1881:309.

--9801210227 Application for amends to licenses DPR-42 & DPR-60, respectively.Amends proposes one-time only changes allowing use of moveable incore detector thimble reduction for Unit 1 cycle 19.
SORENSEN,J.P. Northern States Power Co. 98/01/15. NRC - No Detailed Affiliation Given. 12pp. A1881:253-A1881:264.

--9801210228 Proposed tech specs pages allowing use of moveable incore detector thimble reduction for Unit 1,cycle 19.
* Northern States Power Co. 98/01/15. 13pp. A1881:265-A1881:277.

--9801210231 Non-proprietary version of "Prairie Island Unit 1 Cycle 19 Thimble Deletion Study."
SRINILTA,S., LESKO,J.R. Westinghouse Electric Corp. 98/01/06. 24pp. A1881:278-A1881:301.

--9801210234 Authorizes utilization of accompanying affidavit by NSP re LAR re movable incore detector thimble reduction for Prairie Island Unit 1,cycle 19.
SEPP,H.A. Westinghouse Electric Corp. 98/01/14. COLLINS,S.J. . 8pp. A1881:302-A1881:309.

9801220376 Requests exemption from requirements of 10CFR50.60 to allow application of ASME Code Case N-514, "Low Temp Overpressure Protection (LTOP)," in determining acceptable LTOP sys setpoint.
SORENSEN,J.P. Northern States Power Co. 98/01/15. Document Control Branch (Document Control Desk). 5pp. A1893:276-A1893:280.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050364 Forwards insp repts 50-282/97-19 & 50-306/97-19 on 970929-1003 & 21-23 & 1202 & NOV.Violation re procedure inadequacy that circumvented proper performance of reactor trip & ATWS emergency operating procedures.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. WADLEY,M. Northern States Power Co. 2pp. A1658:038-A1658:063.

--9801050368 Notice of violation from insp on 970929-1003.Violations noted:on 960724,licensee implemented procedure SWI O-10, "Operations Manual Usage," rev 28,section 6.11.9,which contained inadequate instructions.
* Region 3 (Post 820201). 97/12/23. 2pp. A1658:040-A1658:041.

--9801050372 Insp repts 50-282/97-19 & 50-306/97-19 on 970929-1003,21-23 & 1202.Violations noted.Major areas inspected:licensed reactor operator & SRO requalification training program.
* Region 3 (Post 820201). 97/12/23. 22pp. A1658:042-A1658:063.

9712220015 NRC Info.Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801060157 Submits updated response to GL 97-01 re degradation of control rod drive mechanism nozzle & other vessel closure head penetrations.NRC & Nuclear Energy Inst will decide date of submittal of detailed insp plans.
SORENSEN,J.P. Northern States Power Co. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1725:289-A1725:290.

9801220300 Forwards operability determination for ISI components that were not fully examined in second ten-year ISI interval as requested by TS,for NRC info.
ANDERSON,R.O. Northern States Power Co. 98/01/13. Document Control Branch (Document Control Desk). 37pp. A1901:100-A1901:142.

9801290064 Responds to NRC 971223 ltr re violations noted in insp repts 50-282/97-19 & 50-306/97-19.Corrective actions:removed section 6.1.1.9 from Section Work Instruction SWI O-10 & informed personnel of change prior to distribution.
SORENSEN,J.P. Northern States Power Co. 98/01/21. Document Control Branch (Document Control Desk). 5pp. A1946:171-A1946:175.

9801290178 Updates 971020 response to 970919 ltr re violations noted in insp repts 50-282/97-15 & 50-306/97-15.Change to completion date for one commitment,from 971231 to 980106,reported.
SORENSEN,J.P. Northern States Power Co. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A1971:223-A1971:224.

R. Periodic operating reports & related correspondence

9801220020 Monthly operating repts for Dec 1997 for Prairie Island Nuclear Generating Plant,Unit 1 & 2.W/980113 ltr.
DUGSTAD,D., SORENSEN,J.P. Northern States Power Co. 97/12/31. 9pp. A1894:332-A1894:340.

V. Operator Examinations

9801050364 Forwards insp repts 50-282/97-19 & 50-306/97-19 on 970929-1003 & 21-23 & 1202 & NOV.Violation re procedure inadequacy that circumvented proper performance of reactor trip & ATWS emergency operating procedures.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. WADLEY,M. Northern States Power Co. 2pp. A1658:038-A1658:063.

--9801050372 Insp repts 50-282/97-19 & 50-306/97-19 on 970929-1003,21-23 & 1202.Violations noted.Major areas inspected:licensed reactor operator & SRO requalification training program.
* Region 3 (Post 820201). 97/12/23. 22pp. A1658:042-A1658:063.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B., SANCHEZ,D.P. Commonwealth Edison Co. SAWATZKE,B.J. Northern States Power Co. 3pp. A1960:072-A1960:074.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801230219 Forwards state of MN Dec 1997 rept which provides data on radiation levels inside Prairie Island ISFSI.
MCCLANAHAN,S. Minnesota, State of. 98/01/09. NRC - No Detailed Affiliation Given. 4pp. A1896:356-A1896:359.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9801050238 Forwards insp rept 50-309/97-08 on 970908-1129 & NOV re failure to ensure that detection aids used to alert security force members posted in assessment towers were being controlled & maintained as required.
BLOUGH,A.R. Region 1 (Post 820201). 97/12/29. SELLMAN,M.B. Maine Yankee Atomic Power Co. 4pp. A1634:043-A1634:081.

--**9801050241** Notice of violation from insp on 970908-1129.Violation noted:on 971010,security force member circumvented reset button associated w/audible alarm in 1 of assessment towers.
* Region 1 (Post 820201). 97/12/29. 2pp. A1634:047-A1634:048.

--**9801050245** Insp rept 50-309/97-08 on 970908-1129.Violations noted.Major areas inspected:operations,maint,engineering & plant support re security & safeguards activities.
* Region 1 (Post 820201). 97/12/29. 33pp. A1634:049-A1634:081.

9801210239 Rev 6 to EPIP 2-50-14, "Off-Site Radiological Coordination."
* Maine Yankee Atomic Power Co. 97/12/30. 6pp. A1882:321-A1882:326.

9801210240 Rev 6 to EPIP 2-50-11, "Radiological Assessment."
* Maine Yankee Atomic Power Co. 97/12/31. 8pp. A1882:313-A1882:320.

9801210255 Attachment H,Periodic Review Date Extension to revised EPIPs including rev 9 to EPIP 2-50-8,rev 6 to EPIP 2-50-11,rev 7 to 2-50-13 & rev 6 to EPIP 2-50-14.
* Maine Yankee Atomic Power Co. 98/01/07. 5pp. A1879:342-A1879:346.

9801210250 Revised EPIPs,including rev 4 to 2-50-12, "Radiological Controls Coordination" & rev 9 to 2-50-25, "Emergency Equipment Readiness Check."
* Maine Yankee Atomic Power Co. 98/01/12. 58pp. A1882:001-A1882:059.

9801220225 Notification of 980121 meeting w/util in Rockville,MD to discuss proposed plant defueled security plan.
WEBB,M.K. . 98/01/12. WEISS,S.H. . 4pp. A1890:302-A1890:305.

H. General correspondence

9801280029 Responds to 971120 ltr to Chairman SA Jackson,expressing concern re asserted failure of NRC to identify longstanding deficiencies at plant & apparent failure of nuclear plants to update FSARs.Steps in improving program being taken.
BOGER,B.A. . 98/01/16. JOFFE,A.S. Affiliation Not Assigned. 6pp. A1937:001-A1937:008.

--**9801280037** Expresses concern re asserted failure of NRC to identify longstanding deficiencies at plant & apparent failure of nuclear plants to update FSARs.Copy of article on work of Union of Concerned Scientists encl.
JOFFE,A.S. Affiliation Not Assigned. 97/11/20. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A1937:007-A1937:008.

J. Insurance & Indemnity Information

9801280213 Forwards requests for exemptions from certain insurance coverage & financial protection requirements limits of 10CFR50.54(w) & 10CFR140.11,for approval.
MEISNER,M.J. Maine Yankee Atomic Power Co. 98/01/20. Document Control Branch (Document Control Desk). 7pp. A1968:061-A1968:067.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050020 Informs that response to position on pre-decisional enforcement conference will be made by 970109.Written response to apparent violations will be provided by 980212, should no enforcement conference be necessary.
MEISNER,M.J. Maine Yankee Atomic Power Co. 97/12/19. Document Control Branch (Document Control Desk). 1p. A1684:224-A1684:224.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801050238 Forwards insp rept 50-309/97-08 on 970908-1129 & NOV re failure to ensure that detection aids used to alert security force members posted in assessment towers were being controlled & maintained as required.
BLOUGH,A.R. Region 1 (Post 820201). 97/12/29. SELLMAN,M.B. Maine Yankee Atomic Power Co. 4pp. A1634:043-A1634:081.

--**9801050241** Notice of violation from insp on 970908-1129.Violation noted:on 971010,security force member circumvented reset button associated w/audible alarm in 1 of assessment towers.
* Region 1 (Post 820201). 97/12/29. 2pp. A1634:047-A1634:048.

--**9801050245** Insp rept 50-309/97-08 on 970908-1129.Violations noted.Major areas inspected:operations,maint,engineering & plant support re security & safeguards activities.
* Region 1 (Post 820201). 97/12/29. 33pp. A1634:049-A1634:081.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801150066 Confirms 980105 conversation re request for extension for response to demand for info in EA 97-387.Extension granted until 980220.
MCGARRY,J.M. Winston & Strawn. MCGARRY,J.M. Duke Engineering & Services. 98/01/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. A1841:146-A1841:146.

9801160047 Responds to 971231 ltr,requesting copies of OI repts 1-95-050,1-96-02 & 1-96-043.Request denied as stated in listed info.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/01/14. LYNCH,M.A. Maine Yankee Atomic Power Co. 3pp. A1825:343-A1825:345.

R. Periodic operating reports & related correspondence

9801290193 Monthly operating rept for Dec 1997 for Maine Yankee. W/980114 ltr.
BAILEY,S.J., ZINKE,G.A. Maine Yankee Atomic Power Co. 97/12/31. 5pp. A1971:232-A1971:236.

V. Operator Examinations

9801020076 Requests that OL for individuals identified in attachment be terminated & that termination be effective on 971226.
ZINKE,G.A. Maine Yankee Atomic Power Co. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1670:349-A1670:350.

W. Decommissioning Stage Documents & Correspondence

9801120249 Expresses appreciation for moderating two public meetings held in Wiscasset to discuss decommissioning of Maine Yankee Atomic Power Station.
ROE,J.W. . 97/12/22. KILKELLY,M.L. Affiliation Not Assigned. 2pp. A1790:013-A1790:014.

9801120221 Informs that util 970303 response to NRC 960331 RAI re integrated containment analysis - methods summary & identification of differences from SRP for plant will be withheld per 10CFR2.70(b)(5).
WEBB,M.K. . 97/12/29. SCHULTZ,S.P. Yankee Atomic Electric Co. 4pp. A1790:035-A1790:038.

9801150056 Second partial response to FOIA request for documents. Records in App B encl & will be availabe in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 98/01/12. CHRISTINE,K.L. Affiliation Not Assigned. 2pp. A1832:053-A1832:065.

--**9801150064** Discusses review re potentially incomplete & inaccurate info deliberately provided to NRC re emergency feedwater sys valves at facility.
YEROKUN,J.T. . 97/01/31. LETTS,B.R. Region 1 (Post 820201). 3pp. A1832:064-A1832:065.

9801260155 Informs of concurrence w/conclusions in 971106 ltr,stating that 10CFR26 no longer applies to MYAP.Part 26 no longer applicable to facility & exemption not needed.
WEBB,M.K. . 98/01/12. SELLMAN,M.B. Maine Yankee Atomic Power Co. 3pp. A1902:221-A1902:223.

9801260072 Provides support & concurrence to comments provided by counterparts in ME Dept of Human Svcs re post shutdown decommissioning activities rept.Continued scrutiny of decommissioning of plant,urged.
SULLIVAN,E.O. Maine, State of. 98/01/13. WEBB,M.K. . 2pp. A1913:334-A1913:335.

9801280216 Notification of significant licensee meeting 98-02 w/util on 980128 to discuss licensee approach to upcoming decontamination of reactor sys,design for SF island concept & use of 10CFR50.59 for sys safety re-classification.
BELLAMY,R.R. Region 1 (Post 820201). 98/01/13. Region 1 (Post 820201). 1p. A1940:106-A1940:106.

9801280127 Informs that util currently anticipates to submit licensing application for spent fuel storage in Jan 1999,for expedited review by NRC.
ZINKE,G.A. Maine Yankee Atomic Power Co. 98/01/20. RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 1p. A1968:077-A1968:077.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801060292 Voided rev 1 to EPIP-808, "Radiation Mgt Consultants Spokesperson Response - ENC." Procedure is superseded by NC.EP-EP.ZZ-0801(Q),rev 0.
* Public Service Electric & Gas Co. of New Jersey. 97/12/23. 4pp. A1729:265-A1729:268.

9801080036 Forwards insp repts 50-272/97-19 & 50-311/97-19 on 971020- 1130.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 97/12/24. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A1728:126-A1728:158.

--9801080038 Insp repts 50-272/97-19 & 50-311/97-19 on 971020-1130.No violations noted.Major areas inspected:operations, engineering,maintenance,plant support & security program.
* Region 1 (Post 820201). 97/12/24. 30pp. A1728:129-A1728:158.

9801060243 Rev 38 to EPIP-204S, "Emergency Response Callout/Personnel Recall" & rev 76 to EPIP table of contents.
* Public Service Electric & Gas Co. of New Jersey. 97/12/31. 44pp. A1730:303-A1730:346.

9801150052 Forwards rev 29 to emergency plan,consisting of revised Section 3, "Emergency Response Organization." Revs include administrative changes & changes to two emergency response organization positions.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1823:273-A1823:326.

9801160103 Rev 13 to EPIP-807, "Emergency News Ctr (ENC) Telephone Directory." W/rev 25 to table of contents.
* Public Service Electric & Gas Co. of New Jersey. 98/01/06. 10pp. A1840:297-A1840:306.

9801230235 Rev 20 to EPIP 1006, "Emergency Equipment Inventory Radiation Protection." W/rev 69 to table of contents.
* Public Service Electric & Gas Co. of New Jersey. 98/01/14. 50pp. A1923:223-A1923:272.

9801270125 Forwards proposed rev 11 to security plan & proposed rev 4 to training & qualifications plan for plants.Plan withheld.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/01/21. Document Control Branch (Document Control Desk). 1p. A1936:146-A1936:146.

9801290203 Forwards proprietary & non-proprietary revs to "SGS Event Classification Guide," including rev 7 to table of contents & rev 5 to Attachment 9.Proprietary info withheld.
* Public Service Electric & Gas Co. of New Jersey. 98/01/22. Document Control Branch (Document Control Desk). 1p. A1963:354-A1963:360.

--9801290206 Non-proprietary rev 7 to "SGS Event Classification Guide" & table of contents.
BANNER,C. Public Service Electric & Gas Co. of New Jersey. 98/01/22. 5pp. A1963:355-A1963:360.

P. Operating license stage documents & correspondence

9801140016 Forwards order approving application re merger agreement between Atlantic Energy,Inc,parent of ACE & DP&L affecting licenses DPR-70 & DPR-75 & staffs SE in support of order.
MILANO,P.D. . 97/12/18. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 4pp. A1796:337-A1796:349.

--9801140026 Order approving application re merger agreement between Atlantic Energy,Inc,parent of Atlantic Electric Co & DP&L.Orders that Commission approves application subj to listed conditions.
COLLINS,S.J. . 97/12/18. Atlantic Public Service Electric & Gas Co. 6pp. A1796:341-A1796:346.

--9801140028 Safety evaluation supporting proposed merger of Atlantic Energy,Inc,& DP&L affecting plants units 1 & 2.
* . 97/12/18. 3pp. A1796:347-A1796:349.

9801060231 Responds to 971117 ltr to LJ Callan expressing concerns re staff handling of three exigent TS amend requests.Contract w/outside communication facility to provide 24 h coverage for toll-free telephone numbers currently being established.
COLLINS,S.J. . 97/12/19. LOCHBAUM,D.A. Union of Concerned Scientists. 5pp. A1667:170-A1667:174.

9801060221 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering has reviewed request proposes to permanently change TS 3/4.8.1 re EDG insp interval & has no comments.
TOSCH,K.W. New Jersey, State of. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1741:340-A1741:341.

9801140238 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1843:300-A1843:305.

9801230132 Responds to 971212 ltr to H Miller re possible restart of mentioned plant,Unit 1 & related questions from K Connor.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/06. TORRICELLI,R.G. Senate. 1p. A1901:143-A1901:218.

--9801230167 Responds to 971205 ltr re questions on behalf of Board of Chosen Freeholders of County of Cape May re restart of mentioned plant,Unit 1.
MILLER,H.J. Region 1 (Post 820201). 97/12/24. CONNOR,K. Cape May,NJ. 2pp. A1901:144-A1901:217.

--9801230184 Ack receipt of K Connor ltr on behalf of Cape May County Board of Freedholders re restart of unit 1 of mentioned plant.
TORRICELLI,R.G. Senate. 97/12/12. MILLER,H. Region 1 (Post 820201). 1p. A1901:218-A1901:218.

9801220315 Supplemental application for amends to licenses DPR-70 & DPR-75,respectively adding asterisk to word "operable" in LCO & associated note at bottom of page.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 98/01/08. Document Control Branch (Document Control Desk). 7pp. A1894:188-A1894:196.

--9801220319 Proposed tech specs pages,adding asterisk to word operable in LCO & associated note at bottom of page.
* Public Service Electric & Gas Co. of New Jersey. 98/01/08. 2pp. A1894:195-A1894:196.

9801260307 Forwards amends 203 & 185 to licenses DPR-70 & DPR-75, respectively & SE.Amends revise TS 3/4.8.1 on EDGs to delete 18-month surveillance requirements 4.8.1.1.2.d.1 & eleminate accelerated testing requirement of table 4.8-1.
MILANO,P.D. . 98/01/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A1924:001-A1924:023.

--9801260311 Amends 203 & 185 to licenses DPR-70 & DPR-75,respectively, deleting 18-month surveillance requirements 4.8.1.1.2.d.1 & eliminating accelerated testing requirement of table 4.8-1.
STOLZ,J.F. . 98/01/08. 16pp. A1924:004-A1924:019.

--9801260312 Safety evaluation supporting amends 203 & 185 to licenses DPR-70 & DPR-75,respectively.
* . 98/01/08. 4pp. A1924:020-A1924:023.

9801230392 Provides notification that GL 96-01 actions have been completed as part of TS surveillance improvement program.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/01/15. Document Control Branch (Document Control Desk). 3pp. A1899:256-A1899:258.

9801220330 Forwards overview of steps PSE&G has & is taking to sustain continued improvement for future.Info is being provided to Commission as follow up to briefing provided in June 1997.
KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1893:260-A1893:275.

--9801220333 "Nuclear Business Unit Future Objectives."
KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 98/01/19. 14pp. A1893:262-A1893:275.

9801270069 Discusses option chosen by util to resolve issues re spent fuel pool liner analysis.Util will seismically qualify spent fuel pool cooling sys which will eliminate need to postulate loss of forced cooling.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1936:147-A1936:148.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801080036 Forwards insp repts 50-272/97-19 & 50-311/97-19 on 971020- 1130.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 97/12/24. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A1728:126-A1728:158.

--9801080038 Insp repts 50-272/97-19 & 50-311/97-19 on 971020-1130.No violations noted.Major areas inspected:operations, engineering,maintenance,plant support & security program.
* Region 1 (Post 820201). 97/12/24. 30pp. A1728:129-A1728:158.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801160030 Ack receipt of 971216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-272/97-18 & 50-311/97-18 on 971118.
LINVILLE,J.C. Region 1 (Post 820201). 98/01/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A1826:096-A1826:103.

R. Periodic operating reports & related correspondence

9801070176 Forwards "New Jersey NPDES Discharge Monitoring Rept for Salem Generating Station for Month of Nov 1997." Rept is required by & prepared specifically for EPA & New Jersey Dept of Environ Protection.
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/17. New Jersey, State of. 5pp. A1744:307-A1744:325.

--9801070185 "New Jersey NPDES Discharge Monitoring Rept for Salem Generating Station for Month of Nov,1997."
KUBIAK,M.J., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/11/30. 13pp. A1744:312-A1744:325.

9801260470 Monthly operating rept for Dec 1997 for Salem,Unit 2. W/980115 ltr.
KNIERIEM,R.B., TODD,F., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/31. 7pp. A1906:344-A1906:350.

9801270109 Forwards discharge monitoring repts for Salem Generating Station for Dec 1997,per requirements of permit NJ0005622. Rept required & prepared specifically for EPA & NJ Dept of Environ Protections.
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 98/01/20. New Jersey, State of. 5pp. A1932:265-A1932:283.

--9801270111 "NPDES Discharge Monitoring Repts for Dec 1997 for Salem Generating Station."
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/31. 14pp. A1932:270-A1932:283.

S. Reportable occurrences, LERs & related correspondence

9801060156 LER 97-016-00:on 971125,inadequate TS testing main steam isolation valve hydraulic unit override contacts were noted. Caused by lack of adequate controls.Operability of MSIV hydraulic unit will be verified.W/971224 ltr.
KNIERIEM,B., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/24. 5pp. A1687:105-A1687:109.

9801140146 LER 97-010-01:on 970819,CR operators initiated plant shutdown to comply w/requirements of TS.Caused by design, mfg const/installation deficiencies.Calibr procedure revised.W/980107 ltr.
VILLAR,E.H., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 98/01/05. 5pp. A1806:340-A1806:344.

9801210131 Forwards LER 97-018-00, "Inadequate TS Testing - Main Steam Isolation Valve Hydraulic Unit Override Contacts." LER was originally submitted on 971224 as LER 97-016.Number was already assigned to special rept.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/01/09. Document Control Branch (Document Control Desk). 1p. A1893:017-A1893:021.

--9801210136 LER 97-018-00:on 971125,inadequate TS testing of MSIV hydraulic unit override contacts,was identified.Caused by lack of adequate controls.Procedure S1(2).OP-ST.MS-0003(Q) revised to include testing of MSIV hydraulic unit override.
KNIERIEM,B. Public Service Electric & Gas Co. of New Jersey. 97/12/25. 4pp. A1893:018-A1893:021.

9801210258 LER 97-017-00:on 971212,discovered that non-essential heat loads for chilled water sys were not isolated IAW TS action statement 3.7.10.a.1.Caused by personnel error.Personnel involved held accountable & revised procedures.W/980112 ltr.
THOMAS,B.J., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 98/01/12. 5pp. A1893:004-A1893:008.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9801290147 Rev 9,Change 3 to Procedure/Work Plan 1903.066, "Emergency Response Facility - Operational Support Ctr (OSC)."
* Entergy Operations, Inc. 98/01/22. 5pp. A1971:227-A1971:231.

9801270102 Responds to NRC ltr re violations noted in insp repts 50-313/97-18 & 50-368/97-18.Corrective actions:50.59 Evaluation for rev 8 to 1000.120, "ANO Fire Watch Program," was approved by ANO Plant Safety Committee on 971209.
MIMS,D.C. Entergy Operations, Inc. 98/01/19. Document Control Branch (Document Control Desk). 7pp. A1921:352-A1921:358.

P. Operating license stage documents & correspondence

9801120215 Informs that effective 980105,W Reckley will be Project Manager PD IV-1,for ANO,Units 1 & 2.Reckley will be located as listed.
WIGGINTON,D. . 97/12/23. HUTCHINSON,C.R. Entergy Operations, Inc. 1p. A1762:152-A1762:154.

9801140080 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
MIMS,D.C. Entergy Operations, Inc. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1824:346-A1824:351.

9801200114 Forwards Rev 1 to "ANO-1 Cycle 14 COLR," per TS 6.12.3.4.
HUTCHINSON,C.R. Entergy Operations, Inc. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1887:190-A1887:195.

--9801200121 Rev 1 to "ANO-1 Cycle 14 to COLR."
* Entergy Operations, Inc. 95-R-1025-03 R01. 98/01/12. 4pp. A1887:192-A1887:195.

9801200134 Notification of 980122 meeting w/util in Rockville,MD to discuss site licensing status for listed plants & to explore ways to standardize licensing submittals & issuances.
WIGGINTON,D.L. . 98/01/12. HANNON,J.N. . 7pp. A1844:353-A1844:359.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020061 Responds to violations noted in insp repts 50-313/97-19 & 50-368/97-19.Corrective actions:analyzer containing source 1575 was removed from un-approved locker & returned to assigned storage area in chemistry count room.
MIMS,D.C. Entergy Operations, Inc. 97/12/18. Document Control Branch (Document Control Desk). 5pp. A1672:353-A1672:357.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801070252 Ack receipt of 971218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/97-19 & 50-368/97-19.
MURRAY,B. Region 4 (Post 820201). 98/01/02. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. A1726:340-A1726:348.

--9801080081 Forwards response to NOV identified during insp repts 50-313/97-19 & 50-368/97-19 activities associated w/radiation protection program,per provisions of 10CFR2.201.
MIMS,D.C. Entergy Operations, Inc. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1726:344-A1726:348.

9801140261 Ack receipt of 971218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/97-14 & 50-368/97-14.
HOWELL,A.T. Region 4 (Post 820201). 98/01/05. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. A1791:043-A1791:046.

9801270102 Responds to NRC ltr re violations noted in insp repts 50-313/97-18 & 50-368/97-18.Corrective actions:50.59 Evaluation for rev 8 to 1000.120, "ANO Fire Watch Program," was approved by ANO Plant Safety Committee on 971209.
MIMS,D.C. Entergy Operations, Inc. 98/01/19. Document Control Branch (Document Control Desk). 7pp. A1921:352-A1921:358.

9801300257 Forwards insp repts 50-313/97-08 & 50-368/97-08 on 971123-980103.Facility was in violation of 10CFR70.24 in that licensee did not have in place criticality monitoring sys for storage.Exercised enforcement discretion.
GWYNN,T.P. Region 4 (Post 820201). 98/01/23. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. A1964:246-A1964:267.

--9801300261 Insp repts 50-313/97-08 & 50-368/97-08 on 971123-980103.No violations noted.Major areas inspected:licensee operations, engineering,maint & plant support.
* Region 4 (Post 820201). 98/01/23. 17pp. A1964:251-A1964:267.

R. Periodic operating reports & related correspondence

9801020079 Monthly operating repts for Nov 1997 for ANO Units 1 & 2. W/971215 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 97/11/30. 14pp. A1679:247-A1679:260.

9801220040 Monthly operating repts for Dec 1997 for ANO Units 1 & 2. W/980115 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 97/12/31. 14pp. A1895:175-A1895:188.

S. Reportable occurrences, LERs & related correspondence

9801130061 PNO-IV-98-001:on 980105,unit 1 shutdown due to accumulation of debris at circulating water & svc water intake structure which damaged non-safety intake structure components.NRC resident inspectors closely monitoring activities.
COLLINS,E., KENNEDY,K. Region 4 (Post 820201). 98/01/09. 1p. A1806:318-A1806:318.

9801160170 PNO-IV-98-001A:on 980105,plant shutdown when heavy rains caused accumulation of debris at circulating & svc water intake structure.Debris damaged some intake structure components.Repairs to intake components completed on 980109.
COLLINS,E., KENNEDY,K. Region 4 (Post 820201). 98/01/13. 1p. A1840:076-A1840:076.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801160187 *Forwards response to violations noted in insp repts 50-315/97-19 & 50-316/97-19.Response withheld,per 10CFR73.21(c)(2).*
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/06. Document Control Branch (Document Control Desk). 1p. A1844:241-A1844:241.

9801210190 Forwards insp repts 50-315/97-18 & 50-316/97-18 on 970926- 1107 & notice of violations re examples of inadequate emergency operating procedures.
GRANT,G.E. Region 3 (Post 820201). 98/01/13. FITZPATRICK,E. American Electric Power Co., Inc. 4pp. A1855:308-A1855:340.

--9801210197 Notice of violation from insp on 970926-1107.Violation noted:inspectors identified that emergency operating procedure E-O,01[02]-OHP 4023.E-o,rev 14,was not appropriate to circumstances.
* Region 3 (Post 820201). 98/01/13. 2pp. A1855:312-A1855:313.

--9801210199 Insp repts 50-315/97-18 & 50-316/97-18 on 970926-1107. Violations noted.Major areas inspected:maint,engineering, plant support & operations re discrepancy as ref in emergency operating procedure E-0.
* Region 3 (Post 820201). 97/01/13. 27pp. A1855:314-A1855:340.

9801300151 Forwards fire protection insp repts 50-315/98-02 & 50-316/98-02 on 980105-09.No violations noted.
GROBE,J.A. Region 3 (Post 820201). 98/01/23. FITZPATRICK,E. American Electric Power Co., Inc. 2pp. A1964:268-A1964:277.

--9801300154 *Insp repts 50-315/98-02 & 50-316/98-02 on 980105-09.No violations* noted.Major areas inspected:fire protection program,aspect of plant support.
* Region 3 (Post 820201). 98/01/23. 8pp. A1964:270-A1964:277.

P. Operating license stage documents & correspondence

9801060231 Responds to 971117 ltr to LJ Callan expressing concerns re staff handling *of three exigent TS amend requests.Contract w/outside communication facility to* provide 24 h coverage for toll-free telephone numbers currently being established.
COLLINS,S.J. . 97/12/19. LOCHBAUM,D.A. Union of Concerned Scientists. 5pp. A1667:170-A1667:174.

9801050374 Documents info re three specific issues discussed at 971222 meeting.Attachment 1 to ltr contains root cause analysis & short term assessment program development.
FITZPATRICK,E. Indiana Michigan Power Co. 97/12/24. Document Control Branch (Document Control Desk). 91pp. A1720:064-A1720:155.

9801070361 *Provides addl info in response to requests made during 971222,public* meeting held in Lisle,IL re 10CFR50.59 program.
FITZPATRICK,E. Indiana Michigan Power Co. 97/12/31. Document Control Branch (Document Control Desk). 13pp. A1744:336-A1744:348.

9801090045 Confirms 980102 discussion w/AA Blind to conduct mgt meeting.Meeting scheduled on 980108 at Region III ofc to discuss issues re recent NRC architect engineering insp & confirmatory action ltr.
JACOBSON,J.M. Region 3 (Post 820201). 98/01/02. FITZPATRICK,E.E American Electric Power Co., Inc. 1p. A1754:001-A1754:001.

9801200119 Forwards amends 220 & 204 to licenses DPR-58 & DPR-74, respectively & SE.Amends increase both min required ice mass per ice basket & total min required ice mass & change basis for TS.
HICKMAN,J.B. . 98/01/02. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. A1860:334-A1860:357.

--9801200127 Amends 220 & 204 to licenses DPR-58 & DPR-74,respectively, increasing min required ice mass per ice basket & total min required ice mass & changing basis for TS.
HICKMAN,J.B. . 98/01/02. 14pp. A1860:339-A1860:352.

--9801200132 Safety evaluation supporting amends 220 & 204 to licenses DPR-58 & DPR-74,respectively.
* . 98/01/02. 5pp. A1860:353-A1860:357.

9801160182 Forwards SEA 97-3703-A:5, "TER Confirmatory Calculations of DC Cook Sump Water Level." *Rept documents licensee findings from confirmatory containment* response calculations focusing on rate of ice melting & resulting sump water level.
BRIDEAU,J.E. Science & Engineering Associates, Inc. 98/01/05. LOBEL,R. . 1p. A1833:254-A1833:299.

--9801160183 *"TER Confirmatory Calculations of DC Cook Sump Water Level."*
SHAFFER,C.J., RAO,D.V. Science & Engineering Associates, Inc. SEA 97-3703-A:5. 98/01/07. NRC - No Detailed Affiliation Given. 46pp. A1833:255-A1833:299.

9801140204 Withdraws TS change request to redefine pressure boundary for SG tubes w/installed W hybrid expansion joint sleeves.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/06. Document Control Branch (Document Control Desk). 1p. A1843:262-A1843:262.

9801140364 Notification of 980112 meeting w/util to discuss potential safety concerns re plant NPP.
HICKMAN,J.B. . 98/01/08. SAVIO,R.P. . 4pp. A1796:350-A1796:354.

9801200081 *Documents info util provided to NRC during 980108 public meeting in* Lisle,IL.Attachment 1 provides copies of overhead slides used during meeting.Attachment 2 provides copy of containment sump operability determination.
FITPATRICK,E. Indiana Michigan Power Co. 98/01/08. Document Control Branch (Document Control Desk). 47pp. A1843:001-A1843:058.

--9801200084 "Containment Sump Operability Determination."
* Indiana Michigan Power Co. 98/01/06. 11pp. A1843:048-A1843:058.

9801260120 Advises that info contained in 971008 application,marked as proprietary (attachment 5),will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954,as amended.
HICKMAN,J.B. . 98/01/14. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. A1902:235-A1902:239.

9801290140 Forwards second RAI on resolution of unresolved safety issue A-46 at plant,Units 1 & 2 re GL 87-02.
HICKMAN,J.B. . 98/01/23. FITZPATRICK,E. Indiana Michigan Power Co. 9pp. A1940:350-A1940:358.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801090045 Confirms 980102 discussion w/AA Blind to conduct mgt meeting.Meeting scheduled on 980108 at Region III ofc to discuss issues re recent NRC architect engineering insp & confirmatory action ltr.
JACOBSON,J.M. Region 3 (Post 820201). 98/01/02. FITZPATRICK,E.E American Electric Power Co., Inc. 1p. A1754:001-A1754:001.

9801130050 Provides results of flow-induced vibrational wear of bottom mounted instrumentation thimble tubes insp.Design change to replace all present-design thimble w/ chrome plated tubes will be implemented in 1999 during refueling outages.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1793:001-A1793:002.

9801160187 Forwards response to violations noted in insp repts 50-315/97-19 & 50-316/97-19.Response withheld,per 10CFR73.21(c)(2).
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/06. Document Control Branch (Document Control Desk). 1p. A1844:241-A1844:241.

9801210277 Advises of planned insp effort resulting from plant performance review.Info provided to enable appropriate consideration of resource impact on staff & to permit scheduling.
BURGESS,B.L. Region 3 (Post 820201). 98/01/09. FITZPATRICK,E. American Electric Power Co., Inc. 4pp. A1855:345-A1855:348.

9801210190 Forwards insp repts 50-315/97-18 & 50-316/97-18 on 970926- 1107 & notice of violations re examples of inadequate emergency operating procedures.
GRANT,G.E. Region 3 (Post 820201). 98/01/13. FITZPATRICK,E. American Electric Power Co., Inc. 4pp. A1855:308-A1855:340.

--9801210197 Notice of violation from insp on 970926-1107.Violation noted:inspectors identified that emergency operating procedure E-O,01[02]-OHP 4023.E-o,rev 14,was not appropriate to circumstances.
* Region 3 (Post 820201). 98/01/13. 2pp. A1855:312-A1855:313.

--9801210199 Insp repts 50-315/97-18 & 50-316/97-18 on 970926-1107. Violations noted.Major areas inspected:maint,engineering, plant support & operations re discrepancy as ref in emergency operating procedure E-0.
* Region 3 (Post 820201). 97/01/13. 27pp. A1855:314-A1855:340.

9801260067 Forwards RAI re third 10-yr interval ISI program plan requests for relief from ASME B&PV Code,Section XI requirements for plant,Units 1 & 2.Info requested within 60 days to meet staff ISI program plan review schedule.
HICKMAN,J.B. . 98/01/14. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 10pp. A1902:195-A1902:204.

9801270074 Ack receipt of 970926 ltr informing NRC of steps taken to correct violations noted in insp repts 50-315/97-02, 50-316/97-02,50-315/97-03 & 50-316/97-03.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. A1933:322-A1933:334.

9801280286 Forwards insp repts 50-315/97-23 & 50-316/97-23 on 971104-21 & NOV.Self-assessment found that issues identified several yrs earlier during internal audits had not yet been corrected.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. FITZPATRICK,E. American Electric Power Co., Inc. 2pp. A1940:164-A1940:182.

--9801280290 Insp repts 50-315/97-23 & 50-316/97-23 on 971104-21. Violations noted.Major areas inspected:assessment of effectiveness of organizations process for promptly & effectively responding to deficiencies.
* Region 3 (Post 820201). 98/01/21. 17pp. A1940:166-A1940:182.

9801300151 Forwards fire protection insp repts 50-315/98-02 & 50-316/98-02 on 980105-09.No violations noted.
GROBE,J.A. Region 3 (Post 820201). 98/01/23. FITZPATRICK,E. American Electric Power Co., Inc. 2pp. A1964:268-A1964:277.

--9801300154 Insp repts 50-315/98-02 & 50-316/98-02 on 980105-09.No violations noted.Major areas inspected:fire protection program,aspect of plant support.
* Region 3 (Post 820201). 98/01/23. 8pp. A1964:270-A1964:277.

R. Periodic operating reports & related correspondence

9801140246 Monthly operating rept for Dec 1997 for Donald C Cook Nuclear Plant,Unit 1.W/980108 ltr.
CENTER,J.F., MINOR,J.W., SAMPSON,J.R. Indiana Michigan Power Co. 97/12/31. 5pp. A1843:283-A1843:287.

S. Reportable occurrences, LERs & related correspondence

9801070196 LER 97-024-02:on 970917,matl discovered in containment degrades recirculation sump resulted in condition outside design basis.Caused by inadequate specifications & procedures.Removed Fiberfrax matl.W/971231 ltr.
SCHOEPF,P., BLIND,A.A. Indiana Michigan Power Co. 97/12/31. 6pp. A1754:162-A1754:167.

9801070226 LER 97-014-02:on 970829,potential for operation in unanalyzed condition,was determined.Caused by postulated elevated control room temperatures.Placed restrictions on plant operation.W/971231 ltr.
KINGSEED,J., BLIND,A.A. Indiana Michigan Power Co. 97/12/31. 6pp. A1754:141-A1754:146.

9801070234 LER 97-010-02:on 970808,unit operation w/lake temperature in excess of design basis value,was determined.Caused by failure to recognize UFSAR value & other design aspects. Placed restrictions on plant operation.W/971231 ltr.
KINGSEED,J., BLIND,A.A. Indiana Michigan Power Co. 97/12/31. 9pp. A1754:153-A1754:161.

9801230308 LER 97-027-01:on 971028,both units had potential to be outside design basis & possibly in noncompliance w/ 10CFR50.46(b)(2).Cause is under investigation.Comprehensive plan developed.W/980116 ltr.
MALIN,D., SAMPSON,J.R. Indiana Michigan Power Co. 98/01/16. 4pp. A1923:121-A1923:124.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. HAAS,K.M. Consumers Energy Co. (formerly Consumers Power Co.),. ROOT,E.M. Cleveland Electric Illuminating Co. 3pp. A1960:072-A1960:074.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801160187 Forwards response to violations noted in insp repts 50-315/97-19 & 50-316/97-19.Response withheld,per 10CFR73.21(c)(2).
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/06. Document Control Branch (Document Control Desk). 1p. A1844:241-A1844:241.

9801210190 Forwards insp repts 50-315/97-18 & 50-316/97-18 on 970926- 1107 & notice of violations re examples of inadequate emergency operating procedures.
GRANT,G.E. Region 3 (Post 820201). 98/01/13. FITZPATRICK,E. American Electric Power Co., Inc. 4pp. A1855:308-A1855:340.

--9801210197 Notice of violation from insp on 970926-1107.Violation noted:inspectors identified that emergency operating procedure E-O,01[02]-OHP 4023.E-o,rev 14,was not appropriate to circumstances.
* Region 3 (Post 820201). 98/01/13. 2pp. A1855:312-A1855:313.

--9801210199 Insp repts 50-315/97-18 & 50-316/97-18 on 970926-1107. Violations noted.Major areas inspected:maint,engineering, plant support & operations re discrepancy as ref in emergency operating procedure E-0.
* Region 3 (Post 820201). 97/01/13. 27pp. A1855:314-A1855:340.

9801300151 Forwards fire protection insp repts 50-315/98-02 & 50-316/98-02 on 980105-09.No violations noted.
GROBE,J.A. Region 3 (Post 820201). 98/01/23. FITZPATRICK,E. American Electric Power Co., Inc. 2pp. A1964:268-A1964:277.

--9801300154 Insp repts 50-315/98-02 & 50-316/98-02 on 980105-09.No violations noted.Major areas inspected:fire protection program,aspect of plant support.
* Region 3 (Post 820201). 98/01/23. 8pp. A1964:270-A1964:277.

P. Operating license stage documents & correspondence

9801060231 Responds to 971117 ltr to LJ Callan expressing concerns re staff handling of three exigent TS amend requests.Contract w/outside communication facility to provide 24 h coverage for toll-free telephone numbers currently being established.
COLLINS,S.J. . 97/12/19. LOCHBAUM,D.A. Union of Concerned Scientists. 5pp. A1667:170-A1667:174.

9801050374 Documents info re three specific issues discussed at 971222 meeting.Attachment 1 to ltr contains root cause analysis & short term assessment program development.
FITZPATRICK,E. Indiana Michigan Power Co. 97/12/24. Document Control Branch (Document Control Desk). 91pp. A1720:064-A1720:155.

9801070224 Forwards rev 1 to "DC Cook Nuclear Plant Unit 2 Cycle 12 COLR."
FITZPATRICK,E. Indiana Michigan Power Co. 97/12/30. Document Control Branch (Document Control Desk). 1p. A1744:285-A1744:298.

--9801080350 Rev 1 to "DC Cook Nuclear Plant Unit 2 Cycle 12 COLR."
* Indiana Michigan Power Co. 97/12/31. 13pp. A1744:286-A1744:298.

9801070361 Provides addl info in response to requests made during 971222,public meeting held in Lisle,IL re 10CFR50.59 program.
FITZPATRICK,E. Indiana Michigan Power Co. 97/12/31. Document Control Branch (Document Control Desk). 13pp. A1744:336-A1744:348.

9801090045 Confirms 980102 discussion w/AA Blind to conduct mgt meeting.Meeting scheduled on 980108 at Region III ofc to discuss issues re recent NRC architect engineering insp & confirmatory action ltr.
JACOBSON,J.M. Region 3 (Post 820201). 98/01/02. FITZPATRICK,E.E American Electric Power Co., Inc. 1p. A1754:001-A1754:001.

9801200119 Forwards amends 220 & 204 to licenses DPR-58 & DPR-74, respectively & SE.Amends increase both min required ice mass per ice basket & total min required ice mass & change basis for TS.
HICKMAN,J.B. . 98/01/02. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. A1860:334-A1860:357.

--9801200127 Amends 220 & 204 to licenses DPR-58 & DPR-74,respectively, increasing min required ice mass per ice basket & total min required ice mass & changing basis for TS.
HICKMAN,J.B. . 98/01/02. 14pp. A1860:339-A1860:352.

--9801200132 Safety evaluation supporting amends 220 & 204 to licenses DPR-58 & DPR-74,respectively.
* . 98/01/02. 5pp. A1860:353-A1860:357.

9801160182 Forwards SEA 97-3703-A:5, "TER Confirmatory Calculations of DC Cook Sump Water Level." Rept documents licensee findings from confirmatory containment response calculations focusing on rate of ice melting & resulting sump water level.
BRIDEAU,J.E. Science & Engineering Associates, Inc. 98/01/05. LOBEL,R. . 1p. A1833:254-A1833:299.

--9801160183 "TER Confirmatory Calculations of DC Cook Sump Water Level."
SHAFFER,C.J., RAO,D.V. Science & Engineering Associates, Inc. SEA 97-3703-A:5. 98/01/07. NRC - No Detailed Affiliation Given. 46pp. A1833:255-A1833:299.

9801140364 Notification of 980112 meeting w/util to discuss potential safety concerns re plant NPP.
HICKMAN,J.B. . 98/01/08. SAVIO,R.P. . 4pp. A1796:350-A1796:354.

9801200081 Documents info util provided to NRC during 980108 public meeting in Lisle,IL.Attachment 1 provides copies of overhead slides used during meeting.Attachment 2 provides copy of containment sump operability determination.
FITPATRICK,E. Indiana Michigan Power Co. 98/01/08. Document Control Branch (Document Control Desk). 47pp. A1843:001-A1843:058.

--9801200084 "Containment Sump Operability Determination."
* Indiana Michigan Power Co. 98/01/06. 11pp. A1843:048-A1843:058.

9801260120 Advises that info contained in 971008 application,marked as proprietary (attachment 5),will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954,as amended.
HICKMAN,J.B. . 98/01/14. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. A1902:235-A1902:239.

9801290140 Forwards second RAI on resolution of unresolved safety issue A-46 at plant,Units 1 & 2 re GL 87-02.
HICKMAN,J.B. . 98/01/23. FITZPATRICK,E. Indiana Michigan Power Co. 9pp. A1940:350-A1940:358.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801090045 Confirms 980102 discussion w/AA Blind to conduct mgt meeting.Meeting scheduled on 980108 at Region III ofc to discuss issues re recent NRC architect engineering insp & confirmatory action ltr.
JACOBSON,J.M. Region 3 (Post 820201). 98/01/02. FITZPATRICK,E.E American Electric Power Co., Inc. 1p. A1754:001-A1754:001.

9801130050 Provides results of flow-induced vibrational wear of bottom mounted instrumentation thimble tubes insp.Design change to replace all present-design thimble w/ chrome plated tubes will be implemented in 1999 during refueling outages.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1793:001-A1793:002.

9801160187 Forwards response to violations noted in insp repts 50-315/97-19 & 50-316/97-19.Response withheld,per 10CFR73.21(c)(2).
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/06. Document Control Branch (Document Control Desk). 1p. A1844:241-A1844:241.

9801210277 Advises of planned insp effort resulting from plant performance review.Info provided to enable appropriate consideration of resource impact on staff & to permit scheduling.
BURGESS,B.L. Region 3 (Post 820201). 98/01/09. FITZPATRICK,E. American Electric Power Co., Inc. 4pp. A1855:345-A1855:348.

9801210190 Forwards insp repts 50-315/97-18 & 50-316/97-18 on 970926- 1107 & notice of violations re examples of inadequate emergency operating procedures.
GRANT,G.E. Region 3 (Post 820201). 98/01/13. FITZPATRICK,E. American Electric Power Co., Inc. 4pp. A1855:308-A1855:340.

--9801210197 Notice of violation from insp on 970926-1107.Violation noted:inspectors identified that emergency operating procedure E-O,01[02]-OHP 4023.E-o,rev 14,was not appropriate to circumstances.
* Region 3 (Post 820201). 98/01/13. 2pp. A1855:312-A1855:313.

--9801210199 Insp repts 50-315/97-18 & 50-316/97-18 on 970926-1107. Violations noted.Major areas inspected:maint,engineering, plant support & operations re discrepancy as ref in emergency operating procedure E-0.
* Region 3 (Post 820201). 97/01/13. 27pp. A1855:314-A1855:340.

9801260067 Forwards RAI re third 10-yr interval ISI program plan requests for relief from ASME B&PV Code,Section XI requirements for plant,Units 1 & 2.Info requested within 60 days to meet staff ISI program plan review schedule.
HICKMAN,J.B. . 98/01/14. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 10pp. A1902:195-A1902:204.

9801270074 Ack receipt of 970926 ltr informing NRC of steps taken to correct violations noted in insp repts 50-315/97-02, 50-316/97-02,50-315/97-03 & 50-316/97-03.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. A1933:322-A1933:334.

9801280286 Forwards insp repts 50-315/97-23 & 50-316/97-23 on 971104-21 & NOV.Self-assessment found that issues identified several yrs earlier during internal audits had not yet been corrected.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. FITZPATRICK,E. American Electric Power Co., Inc. 2pp. A1940:164-A1940:182.

--9801280290 Insp repts 50-315/97-23 & 50-316/97-23 on 971104-21. Violations noted.Major areas inspected:assessment of effectiveness of organizations process for promptly & effectively responding to deficiencies.
* Region 3 (Post 820201). 98/01/21. 17pp. A1940:166-A1940:182.

9801300151 Forwards fire protection insp repts 50-315/98-02 & 50-316/98-02 on 980105-09.No violations noted.
GROBE,J.A. Region 3 (Post 820201). 98/01/23. FITZPATRICK,E. American Electric Power Co., Inc. 2pp. A1964:268-A1964:277.

--9801300154 Insp repts 50-315/98-02 & 50-316/98-02 on 980105-09.No violations noted.Major areas inspected:fire protection program,aspect of plant support.
* Region 3 (Post 820201). 98/01/23. 8pp. A1964:270-A1964:277.

R. Periodic operating reports & related correspondence

9801140262 Forwards MOR for Dec 1997 for Donald C Cook Nuclear Plant, Unit 2 & revised MOR for Nov 1997.
SAMPSON,J.R. Indiana Michigan Power Co. 98/01/08. Document Control Branch (Document Control Desk). 1p. A1826:333-A1826:337.

--9801140266 Monthly operating rept for Dec 1997 for Donald C Cook Nuclear Plant,Unit 2.
MINOR,J.W Indiana Michigan Power Co. 97/12/31. 2pp. A1826:334-A1826:335.

--9801140267 Revised monthly operating rept for Nov 1997 for DC Cook Nuclear Station,Unit 2.
CENTER,J.F. Indiana Michigan Power Co. 97/11/30. 2pp. A1826:336-A1826:337.

S. Reportable occurrences, LERs & related correspondence

9801020028 LER 97-009-00:on 971126,blockage of containment air recirculation inlet line was noted.Caused by concrete which entered line during repair.Blockage was removed & procedures were implemented to preclude future blockages.W/971224 ltr.
SCHOEPF,P., BLIND,A.A. Indiana Michigan Power Co. 97/12/24. 4pp. A1658:295-A1658:298.

9801140065 LER 97-010-00:on 971210,use of teflon packing on containment airlock door interlock shaft results in potentially degraded condition.Cause is still under investigation.Telfon packing rings have been replaced w/ERDM o-rings.W/980109 ltr.
SCHOEPF,P., BLIND,A.A. Indiana Michigan Power Co. 98/01/09. 4pp. A1806:336-A1806:339.

9801230332 LER 97-007-01:on 971014,contract worker received exposure in excess of 10CFR20.2202 limits.Cause of contamination is unknown.Particles were removed from workers shoe.Attachment 1 withheld.W/980116 ltr.
NOBLE,D., SAMPSON,J.R. Indiana Michigan Power Co. 98/01/16. 3pp. A1923:117-A1923:119.

9801280276 LER 97-004-02 re analysis which demonstrates design basis impact of inadequate refueling outage SE negligible.LER 97-004-01 retracted.W/980122 ltr.
KINGSEED,J., SAMPSON,J.R. American Electric Power Co., Inc. 98/01/22. 4pp. A1963:235-A1963:238.

9801290073 LER 97-003-03:on 970826,determined that inadequacy of manual actions were outside plant design basis due to performance of dual train CCW outage during 1996 refueling outage. Revised outage review process.W/980123 ltr.
KINGSEED,J., SAMPSON,J.R. Indiana Michigan Power Co. 98/01/23. 4pp. A1963:258-A1963:261.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. HAAS,K.M. Consumers Energy Co. (formerly Consumers Power Co.),. ROOT,E.M. Cleveland Electric Illuminating Co. 3pp. A1960:072-A1960:074.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801020139 Rev 6 to ERPIP-900, "Preparation & Control of Emergency Response Plan & Emergency Response Plan Implementation Procedures." W/971223 ltr.
SINGER,T.W., WOODS,R., FORGETE,T.E. Baltimore Gas & Electric Co. 97/07/16. 30pp. A1687:117-A1687:146.

9801050039 Forwards Calvert Cliffs security plan,rev 36 revising audit frequency of contractor access authorization programs. Revision submitted under provision of 10CFR50.54(p) & does not decrease effectiveness of plan.Plan withheld.
GIBBS,L.P. Baltimore Gas & Electric Co. 97/12/29. Document Control Branch (Document Control Desk). 1p. A1684:175-A1684:175.

9801150141 Forwards rev 21 to ERPIP-3.0, "Immediate Actions" & rev 25 to "Emergency Response Plan."
FORGETTE,T.E. Baltimore Gas & Electric Co. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1828:134-A1828:224.

--9801150142 Rev 21 to ERPIP-3.0, "Immediate Actions."
FORGETTE,T.E., PRINGLE,P.A. Baltimore Gas & Electric Co. 97/12/31. 49pp. A1828:135-A1828:183.

--9801150146 Rev 25 to "CCNPP Emergency Response Plan."
* Baltimore Gas & Electric Co. 98/01/12. 41pp. A1828:184-A1828:224.

9801280326 Rev 3 to ERPIP 107, "Interim Radiological Assessment." W/ 980123 ltr.
PRINGLE,P.A., GARY,T.A., FORGETTE,T.E. Baltimore Gas & Electric Co. 98/01/23. 10pp. A1936:271-A1936:280.

J. Insurance & indemnity information

9801150129 Forwards copies of listed nuclear liability policy endorsements,per 10CFR140.15(e).
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/12. Document Control Branch (Document Control Desk). 13pp. A1841:133-A1841:145.

P. Operating license stage documents & correspondence

9801050250 Summary of 971112,13 & 18 meeting w/Baltimore Gas & Electric in Rockville,MD re clarification of Calvert Cliffs improved TSs.List of meeting attendees encl.
DROMERICK,A.W. . 97/12/15. . 5pp. A1663:127-A1663:131.

9801060318 Forwards corrected page 3 of safety evaluation to reflect that consequences of previously analyzed accident will be significantly decreased,per Amends 222 & 198 to licenses DPR-53 & DPR-69.
DROMERICK,A.W. . 97/12/15. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. A1667:193-A1667:197.

--9801060325 Corrected page 3 of SE for amends 222 & 198 issued to FOLs DPR-53 & DPR-69,respectively,on 971002.Page 3 revised to state that consequences of previously analyzed accident will be significantly decreased.
* . 97/12/15. 1p. A1667:197-A1667:197.

9801060273 Forwards order being issued in response to request of 971121 from Baltimore Gas & Electric for extension of effectiveness of order of 961018,approving transfers of licenses from BGE to Constellation Energy Corp.
DROMERICK,A.W. . 97/12/19. CRUSE,C.H. Baltimore Gas & Electric Co. 5pp. A1667:198-A1667:205.

--9801060280 Order extending effectiveness of approval of transfer of licenses.Pursuant to sections 161B & 161I of Atomic Energy Act,as amended,hereby order that effectiveness of order of 961018 be extended.
COLLINS,S.J. . PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/19. Baltimore Gas & Electric Co. 3pp. A1667:203-A1667:205.

9801060303 Forwards RAI re licensee 960628 submittal of plant specific summary rept in response to USI A-46 program at plant.
DROMERICK,A.W. . 97/12/19. CRUSE,C.H. Baltimore Gas & Electric Co. 8pp. A1680:305-A1680:312.

9801130064 Forwards environ assesment & finding of no significant impact re exemption request relating to 10CFR50,App A, general design criterion 2, "Design Bases for Protection Against Natural Phenomenon."
DROMERICK,A.W. . 97/12/23. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1790:315-A1790:321.

--9801130068 Environ assessment & finding of no significant impact re 10CFR50,App A,General Design Criterion 2.Proposed exemption would allow relief from general design criterion 2 during upgrading of Unit 1 EDG 1B.
HOOD,D.S. . 97/12/23. 4pp. A1790:318-A1790:321.

9801130367 Notification of meeting w/util on 980114 in Rockville,MD to discuss matters re plant improved TSs.
DROMERICK,A.W. . 97/12/31. BAJWA,S.S. . 4pp. A1790:192-A1790:195.

9801130278 Summary of 971208 meeting w/BG&E in Rockville,MD re plant PRA.List of attendees & viewgraphs encl.
DROMERICK,A.W. . 98/01/05. . 33pp. A1796:079-A1796:111.

9801150032 Forwards amend 224 to license DPR-53 & safety evaluation. Amend consists of changes to TSs 4.8.1.1.2.a.5,4.8.1.1.2.d.4 & 4.8.1.1.2.d.5,in response to application transmitted by 971002 ltr.
DROMERICK,A.W. . 98/01/05. CRUSE,C.H. Baltimore Gas & Electric Co. 6pp. A1818:173-A1818:186.

--9801150035 Amend 224 to license DPR-53,consisting of changes to TSs 4.8.1.1.2.a.5,4.8.1.1.2.d.4 & 4.8.1.1.2.d.5,in response to application transmitted by 971002 ltr.
BAJWA,S.S. . 98/01/05. 5pp. A1818:179-A1818:183.

--9801150038 Safety evaluation supporting amend 224 to license DPR-53.
* . 98/01/05. 3pp. A1818:184-A1818:186.

9801090217 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/06. Document Control Branch (Document Control Desk). 5pp. A1785:355-A1785:359.

9801140048 Responds to RAI re EDG upgrade project.Installation time for missile shield is considered sufficient since plant procedures require that missile shield be reinstalled on adverse weather watch.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1824:358-A1824:359.

9801150219 Discusses issuance of amends 223 & 199 to licenses DPR-53 & DPR-69.Amends allowed use of C-E steam generator tube sleeves.Staff has revised SE to delete erroneous statement that previous C-E TR was being deleted.
DROMERICK,A.W. . 98/01/08. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. A1818:195-A1818:200.

--9801150223 Correction to SE supporting amends 223 & 199 to license DPR-53 & DPR-69 re rev to error on pages 1 & 5.
* . 98/01/08. 2pp. A1818:199-A1818:200.

9801150138 Rev 11 to 961204 application for amends to licenses DPR-53 & DPR-69,converting to improved STS,per NUREG-1432.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/12. Document Control Branch (Document Control Desk). 18pp. A1837:001-A1838:352.

--9801150143 Rev 11 to proposed Tech Specs,reflecting conversion to improved STS,per NUREG-1432.
* Baltimore Gas & Electric Co. 98/01/12. 698pp. A1837:019-A1838:352.

9801230070 Notification of 980126 meeting w/BG&E in Rockville,MD re Calvert Cliffs Nuclear Power,Units 1 & 2 improved TS.
DROMERICK,A.W. . 98/01/12. BAJWA,S.S. . 4pp. A1901:339-A1901:342.

9801280271 Summary of 980114 meeting w/BG&E in Rockville,MD re Calvert Cliffs Nuclear Power Plant,Units 1 & 2,improved TSs.List of attendees encl.
DROMERICK,A.W. . 98/01/20. . 7pp. A1934:350-A1934:356.

9801270121 Forwards integrated plant assessment (IPA) commodity & sys repts for review & approval IAW 10CFR54.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/21. Document Control Branch (Document Control Desk). 103pp. A1931:001-A1931:103.

9801280363 Provides supplementary responses to NRC 970422 & 0725 requests for addl info for LAR re change to reactor coolant sys flow requirements to allow increased SG tube plugging.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/22. Document Control Branch (Document Control Desk). 54pp. A1967:131-A1967:185.

9801290162 Discusses review of Containment Tendon Evaluation Rept for plant.Licensee should have long-term action plan w/clearly defined & scheduled actions in place prior to restart from Unit 1 Spring 1998 refueling outage.
DROMERICK,A.W. . 98/01/23. CRUSE,C.H. Baltimore Gas & Electric Co. 7pp. A1942:177-A1942:183.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801060020 Discusses exercise enforcement insp repts 50-317/96-08 & 50-318/96-08 issued on 961220 & NOV re failure to meet requirements of 10CFR70.24, "Criticality Accident Requirements."
HEHL,C.W. Region 1 (Post 820201). 97/12/22. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1680:001-A1680:003.

9801090256 Provides addl info for insp repts 50-317/97-07 & 50-318/97-07 per verbal agreement made w/RL Nimitz during 971208-12 insp.Description of planned refresher training for SR Sanders,General Supervisor-Radiation Safety.
KATZ,P.E. Baltimore Gas & Electric Co. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 2pp. A1788:359-A1788:360.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801090221 Responds to NRC 971205 ltr re violations noted in insp repts 50-317/97-06 & 50-318/97-06.Corrective actions:detailed SE performed to ensure that ammonia tank does not represent USQ & pending changes to updated FSAR Figure 1-2,issued.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/05. Document Control Branch (Document Control Desk). 15pp. A1786:338-A1786:352.

9801140179 Forwards SE accepting licensee 971014 request for relief from ASME Boiler & Pressure Vessel Code requirements to use performance demonstration initiative program - reactor pressure second 10-yr ISI interval for plant.
BAJWA,S.S. . 98/01/05. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1801:147-A1801:153.

--9801140396 Safety evaluation authorizing second 10-yr ISI interval for plant,Units 1 & 2 relief request from ASME Boiler & Pressure Vessel code requirements to use performance demonstration initiative program.
* . 98/01/05. 4pp. A1801:150-A1801:153.

9801160045 Forwards operator exam repts 50-317/97-10OL & 50-318/97-10OL administered during wk of 971112-21.Three RO applicants & two of four SRO applicants passed all portions of exams. Remaining applicants did not pass exams.
MEYER,G.W. Region 1 (Post 820201). 98/01/08. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1825:001-A1825:082.

--9801160055 NRC operator licensing exam repts 50-317/97-10OL & 50-318/97-10OL (including completed & graded tests) for tests administered on 971112-21.
MEYER,G.W. Region 1 (Post 820201). 98/01/08. 78pp. A1825:004-A1825:082.

R. Periodic operating reports & related correspondence

9801090215 Changes in facility,procedures & tests & experiments for period 970101-1215,per 10CFR50.59.W/980106 ltr.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/12/15. 47pp. A1789:001-A1789:047.

9801210269 Monthly operating repts for Dec 1997 for Calvert Cliffs Nuclear Power Plant,Units 2 & 3.W/980115 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 97/12/31. 7pp. A1879:328-A1879:334.

V. Operator Examinations

9801160045 Forwards operator exam repts 50-317/97-10OL & 50-318/97-10OL administered during wk of 971112-21.Three RO applicants & two of four SRO applicants passed all portions of exams. Remaining applicants did not pass exams.
MEYER,G.W. Region 1 (Post 820201). 98/01/08. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1825:001-A1825:082.

--**9801160055** NRC operator licensing exam repts 50-317/97-10OL & 50-318/97-10OL (including completed & graded tests) for tests administered on 971112-21.
MEYER,G.W. Region 1 (Post 820201). 98/01/08. 78pp. A1825:004-A1825:082.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801020139 Rev 6 to ERPIP-900, "Preparation & Control of Emergency Response Plan & Emergency Response Plan Implementation Procedures." W/971223 ltr.
SINGER,T.W., WOODS,R., FORGETE,T.E. Baltimore Gas & Electric Co. 97/07/16. 30pp. A1687:117-A1687:146.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801020139 Rev 6 to ERPIP-900, "Preparation & Control of Emergency Response Plan & Emergency Response Plan Implementation Procedures." W/971223 ltr.
SINGER,T.W., WOODS,R., FORGETE,T.E. Baltimore Gas & Electric Co. 97/07/16. 30pp. A1687:117-A1687:146.

9801050039 Forwards Calvert Cliffs security plan,rev 36 revising audit frequency of contractor access authorization programs. Revision submitted under provision of 10CFR50.54(p) & does not decrease effectiveness of plan.Plan withheld.
GIBBS,L.P. Baltimore Gas & Electric Co. 97/12/29. Document Control Branch (Document Control Desk). 1p. A1684:175-A1684:175.

9801150141 Forwards rev 21 to ERPIP-3.0, "Immediate Actions" & rev 25 to "Emergency Response Plan."
FORGETTE,T.E. Baltimore Gas & Electric Co. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1828:134-A1828:224.

--**9801150142** Rev 21 to ERPIP-3.0, "Immediate Actions."
FORGETTE,T.E., PRINGLE,P.A. Baltimore Gas & Electric Co. 97/12/31. 49pp. A1828:135-A1828:183.

--**9801150146** Rev 25 to "CCNPP Emergency Response Plan."
* Baltimore Gas & Electric Co. 98/01/12. 41pp. A1828:184-A1828:224.

9801280326 Rev 3 to ERPIP 107, "Interim Radiological Assessment." W/ 980123 ltr.
PRINGLE,P.A., GARY,T.A., FORGETTE,T.E. Baltimore Gas & Electric Co. 98/01/23. 10pp. A1936:271-A1936:280.

J. Insurance & Indemnity information

9801150129 Forwards copies of listed nuclear liability policy endorsements,per 10CFR140.15(e).
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/12. Document Control Branch (Document Control Desk). 13pp. A1841:133-A1841:145.

P. Operating license stage documents & correspondence

9801050250 Summary of 971112,13 & 18 meeting w/Baltimore Gas & Electric in Rockville,MD re clarification of Calvert Cliffs improved TSs.List of meeting attendees encl.
DROMERICK,A.W. . 97/12/15. . 5pp. A1663:127-A1663:131.

9801060318 Forwards corrected page 3 of safety evaluation to reflect that consequences of previously analyzed accident will be significantly decreased,per Amends 222 & 198 to licenses DPR-53 & DPR-69.
DROMERICK,A.W. . 97/12/15. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. A1667:193-A1667:197.

--**9801060325** Corrected page 3 of SE for amends 222 & 198 issued to FOLs DPR-53 & DPR-69,respectively,on 971002.Page 3 revised to state that consequences of previously analyzed accident will be significantly decreased.
* . 97/12/15. 1p. A1667:197-A1667:197.

9801060273 Forwards order being issued in response to request of 971121 from Baltimore Gas & Electric for extension of effectiveness of order of 961018,approving transfers of licenses from BGE to Constellation Energy Corp.
DROMERICK,A.W. . 97/12/19. CRUSE,C.H. Baltimore Gas & Electric Co. 5pp. A1667:198-A1667:205.

--**9801060280** Order extending effectiveness of approval of transfer of licenses.Pursuant to sections 161B & 161I of Atomic Energy Act,as amended,hereby order that effectiveness of order of 961018 be extended.
COLLINS,S.J. . PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/19. Baltimore Gas & Electric Co. 3pp. A1667:203-A1667:205.

9801060303 Forwards RAI re licensee 960628 submittal of plant specific summary rept in response to USI A-46 program at plant.
DROMERICK,A.W. . 97/12/19. CRUSE,C.H. Baltimore Gas & Electric Co. 8pp. A1680:305-A1680:312.

9801130064 Forwards environ assesment & finding of no significant impact re exemption request relating to 10CFR50,App A, general design criterion 2, "Design Bases for Protection Against Natural Phenomenon."
DROMERICK,A.W. . 97/12/23. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1790:315-A1790:321.

--**9801130068** Environ assessment & finding of no significant impact re 10CFR50,App A,General Design Criterion 2.Proposed exemption would allow relief from general design criterion 2 during upgrading of Unit 1 EDG 1B.
HOOD,D.S. . 97/12/23. 4pp. A1790:318-A1790:321.

9801130367 Notification of meeting w/util on 980114 in Rockville,MD to discuss matters re plant improved TSs.
DROMERICK,A.W. . 97/12/31. BAJWA,S.S. . 4pp. A1790:192-A1790:195.

9801130278 Summary of 971208 meeting w/BG&E in Rockville,MD re plant PRA.List of attendees & viewgraphs encl.
DROMERICK,A.W. . 98/01/05. . 33pp. A1796:079-A1796:111.

9801090217 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/06. Document Control Branch (Document Control Desk). 5pp. A1785:355-A1785:359.

9801140048 Responds to RAI re EDG upgrade project.Installation time for missile shield is considered sufficient since plant procedures require that missile shield be reinstalled on adverse weather watch.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1824:358-A1824:359.

9801150219 Discusses issuance of amends 223 & 199 to licenses DPR-53 & DPR-69.Amends allowed use of C-E steam generator tube sleeves.Staff has revised SE to delete erroneous statement that previous C-E TR was being deleted.
DROMERICK,A.W. . 98/01/08. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. A1818:195-A1818:200.

--**9801150223** Correction to SE supporting amends 223 & 199 to license DPR-53 & DPR-69 re rev to error on pages 1 & 5.
* . 98/01/08. 2pp. A1818:199-A1818:200.

9801150138 Rev 11 to 961204 application for amends to licenses DPR-53 & DPR-69,converting to improved STS,per NUREG-1432.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/12. Document Control Branch (Document Control Desk). 18pp. A1837:001-A1838:352.

--**9801150143** Rev 11 to proposed Tech Specs,reflecting conversion to improved STS,per NUREG-1432.
* Baltimore Gas & Electric Co. 98/01/12. 698pp. A1837:019-A1838:352.

9801230070 Notification of 980126 meeting w/BG&E in Rockville,MD re Calvert Cliffs Nuclear Power,Units 1 & 2 improved TS.
DROMERICK,A.W. . 98/01/12. BAJWA,S.S. . 4pp. A1901:339-A1901:342.

9801280271 Summary of 980114 meeting w/BG&E in Rockville,MD re Calvert Cliffs Nuclear Power Plant,Units 1 & 2,improved TSs.List of attendees encl.
DROMERICK,A.W. . 98/01/20. . 7pp. A1934:350-A1934:356.

9801270121 Forwards integrated plant assessment (IPA) commodity & sys repts for review & approval IAW 10CFR54.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/21. Document Control Branch (Document Control Desk). 103pp. A1931:001-A1931:103.

9801280363 Provides supplementary responses to NRC 970422 & 0725 requests for addl info for LAR re change to reactor coolant sys flow requirements to allow increased SG tube plugging.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/22. Document Control Branch (Document Control Desk). 54pp. A1967:131-A1967:185.

9801290162 Discusses review of Containment Tendon Evaluation Rept for plant.Licensee should have long-term action plan w/clearly defined & scheduled actions in place prior to restart from Unit 1 Spring 1998 refueling outage.
DROMERICK,A.W. . 98/01/23. CRUSE,C.H. Baltimore Gas & Electric Co. 7pp. A1942:177-A1942:183.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801060020 Discusses exercise enforcement insp repts 50-317/96-08 & 50-318/96-08 issued on 961220 & NOV re failure to meet requirements of 10CFR70.24, "Criticality Accident Requirements."
HEHL,C.W. Region 1 (Post 820201). 97/12/22. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1680:001-A1680:003.

9801090256 Provides addl info for insp repts 50-317/97-07 & 50-318/97-07 per verbal agreement made w/RL Nimitz during 971208-12 insp.Description of planned refresher training for SR Sanders,General Supervisor-Radiation Safety.
KATZ,P.E. Baltimore Gas & Electric Co. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 2pp. A1788:359-A1788:360.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801090221 Responds to NRC 971205 ltr re violations noted in insp repts 50-317/97-06 & 50-318/97-06.Corrective actions:detailed SE performed to ensure that ammonia tank does not represent USQ & pending changes to updated FSAR Figure 1-2,issued.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/05. Document Control Branch (Document Control Desk). 15pp. A1786:338-A1786:352.

9801140179 Forwards SE accepting licensee 971014 request for relief from ASME Boiler & Pressure Vessel Code requirements to use performance demonstration initiative program - reactor pressure second 10-yr ISI interval for plant.
BAJWA,S.S. . 98/01/05. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1801:147-A1801:153.

--9801140396 Safety evaluation authorizing second 10-yr ISI interval for plant,Units 1 & 2 relief request from ASME Boiler & Pressure Vessel code requirements to use performance demonstration initiative program.
* . 98/01/05. 4pp. A1801:150-A1801:153.

9801160045 Forwards operator exam repts 50-317/97-10OL & 50-318/97-10OL administered during wk of 971112-21.Three RO applicants & two of four SRO applicants passed all portions of exams. Remaining applicants did not pass exams.
MEYER,G.W. Region 1 (Post 820201). 98/01/08. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1825:001-A1825:082.

--9801160055 NRC operator licensing exam repts 50-317/97-10OL & 50-318/97-10OL (including completed & graded tests) for tests administered on 971112-21.
MEYER,G.W. Region 1 (Post 820201). 98/01/08. 78pp. A1825:004-A1825:082.

R. Periodic operating reports & related correspondence

9801090215 Changes in facility,procedures & tests & experiments for period 970101-1215,per 10CFR50.59.W/980106 ltr.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/12/15. 47pp. A1789:001-A1789:047.

9801210269 Monthly operating repts for Dec 1997 for Calvert Cliffs Nuclear Power Plant,Units 2 & 3.W/980115 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 97/12/31. 7pp. A1879:328-A1879:334.

V. Operator Examinations

9801160045 Forwards operator exam repts 50-317/97-10OL & 50-318/97-10OL administered during wk of 971112-21.Three RO applicants & two of four SRO applicants passed all portions of exams. Remaining applicants did not pass exams.
MEYER,G.W. Region 1 (Post 820201). 98/01/08. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1825:001-A1825:082.

--9801160055 NRC operator licensing exam repts 50-317/97-10OL & 50-318/97-10OL (including completed & graded tests) for tests administered on 971112-21.
MEYER,G.W. Region 1 (Post 820201). 98/01/08. 78pp. A1825:004-A1825:082.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801020139 Rev 6 to ERPIP-900, "Preparation & Control of Emergency Response Plan & Emergency Response Plan Implementation Procedures." W/971223 ltr.
SINGER,T.W. Baltimore Gas & Electric Co. 97/07/16. 30pp. A1687:117-A1687:146.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801050120 Rev 7 to 6610-PLN-4200.02, "TMI Emergency Dose Calculation Manual (EDCM)."
* General Public Utilities Corp. 97/12/26. 72pp. A1720:156-A1720:228.

9801060204 Rev 4 to EPIP-TMI-.07, "Activation of RAC" & table of contents.
* General Public Utilities Corp. 97/12/29. 15pp. A1738:304-A1738:318.

9801060201 Revised EPIPs,including EPIPs table of contents,rev 23 to EPIP-TMI-.03, "Emergency Notifications & Call Outs," rev 10 to EPIP-TMI-.29, "OSC Operations" & rev 2 to TEP-ADM-1300.01, "Maintaining Emergency Preparedness."
* General Public Utilities Corp. 97/12/31. 100pp. A1729:123-A1729:223.

9801070169 Rev 11 to EPIP-TMI-.27, "Emergency Operations Facility" & updated index.
* General Public Utilities Corp. 97/12/31. 68pp. A1743:199-A1743:286.

9801200032 Revised EPIPs,including rev 8 to EPIP-TMI-.28, "Activation of Technical Support Ctr." W/980115 release memo.
* General Public Utilities Corp. 97/12/31. 17pp. A1844:320-A1844:335.

9801130153 Rev 11 to EPIP-TMI-.02, "Emergency Direction" & index.
* General Public Utilities Corp. 98/01/09. 58pp. A1795:084-A1795:141.

9801260440 Rev 3 to TEP-ADM-1300.05, "Emergency Equipment Readiness" & index.
* General Public Utilities Corp. 98/01/19. 49pp. A1913:187-A1913:235.

P. Operating license stage documents & correspondence

9801270101 Provides summary of activities at TMI-2 during fourth quarter of 1997.No adverse trends of radiological conditions were identified during 971209 insp of TMI-2 reactor bldg.
LANGENBACH,J.W. General Public Utilities Corp. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1932:284-A1932:285.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801270101 Provides summary of activities at TMI-2 during fourth quarter of 1997.No adverse trends of radiological conditions were identified during 971209 insp of TMI-2 reactor bldg.
LANGENBACH,J.W. General Public Utilities Corp. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1932:284-A1932:285.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801270198 Forwards ERDS implementaion documents,including Data Point Library 246 for Hatch,246 for McGuire & 247 for WNP2.Changes should be made as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 98/01/21. SAUL,K.L. SCIENTECH, Inc. 1p. A1934:211-A1934:211.

H. General correspondence

9801070329 Comment supporting proposed rule & direct final rule on 10CFR50.68 & 10CFR70.24, "Criticality Accident Requirements."
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/31. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1726:359-A1726:360.

9801230092 Comment supporting NEI comments on PRM 50-63A by P Crane recommending emergency planning standard for protective actions be changed to require explicit consideration of prophylactic use of potassium iodide for general public.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:220-A1915:221.

P. Operating license stage documents & correspondence

9801020065 Application for amends to licenses DPR-57 & NPF-5, respectively.Amends remove/modify existing license conditions,surveillance requirements that have been completed & exemptions that are no longer in effect.
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/18. Document Control Branch (Document Control Desk). 10pp. A1667:297-A1667:344.

--9801050243 Marked-up pages to licenses DPR-57 & NPF-5,respectively. Proposed changes delete or modify existing license conditions,surveillance requirements that have been completed & exemptions that are no longer in effect.
* Southern Nuclear Operating Co. 97/12/18. 38pp. A1667:307-A1667:344.

9801060165 Provides 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 11pp. A1722:342-A1722:352.

9801060198 Forwards response to request for addl info re USI A-46.Util response to remaining requests will be provided by 980213.
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 4pp. A1722:353-A1722:356.

9801220049 Confirms telcon in mid-Dec 1997 re informational meeting scheduled for 980218 to discuss plans for onsite dry cask storage at Hatch facility.
SKINNER,P.H. Region 2 (Post 820201). 98/01/08. SUMNER,H.L. Southern Nuclear Operating Co. 3pp. A1872:293-A1872:295.

9801220175 Confirms Dec 1997 telcon w/S Tipps re informational meeting scheduled for 980223.Purpose of meeting will be to discuss plant performance at Hatch facility.
SKINNER,P.H. Region 2 (Post 820201). 98/01/08. SUMNER,H.L. Southern Nuclear Operating Co. 3pp. A1877:098-A1877:100.

9801160079 Submits summary re estimation of impact of changes & error in ECCS evaluation models,per 10CFR50.46(a)(3)(1).
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/12. Document Control Branch (Document Control Desk). 3pp. A1840:336-A1840:338.

9801230066 Provides forecast of products which might be submitted to NRC during 1998 re license renewal.Update will be provided during year should program changes occur that might affect list.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/15. Document Control Branch (Document Control Desk). 3pp. A1900:237-A1900:239.

9801280169 Informs that util reviewed attached Rev 0 to GE-NE-B13-01869-122, "Jet Pump Riser Weld Flaw Evaluation Handbook for Hatch Unit 1" & concurs w/analysis & conclusions.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 4pp. A1967:186-A1967:219.

--9801280173 Rev 0 GE-NE-B13-01869-122, "Jet Pump Riser Weld Flaw Evaluation Handbook for Hatch Unit 1."
HERLEKAR,A., MEHTA,H., CAINE,T.A. General Electric Co. GE-NE-B13-0186-122. 97/12/31. 30pp. A1967:190-A1967:219.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham *Model 660 Series Radiographic Exposure Devices.*"
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220098 *Ack receipt of 971229 ltr informing NRC of steps taken to correct violations* noted in insp repts 50-321/97-03 & 50-366/97-03 & OI rept 2-97-014.
SKINNER,P.H. Region 2 (Post 820201). 98/01/08. TILLMAN,L.R. Affiliation Not Assigned. 4pp. A1877:194-A1877:197.

9801160062 Responds to NRC 971215 ltr re violations noted in insp repts 50-321/97-10 & 50-366/97-10.Corrective actions:involved licensed individual has been counseled re event.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/12. Document Control Branch (Document Control Desk). 8pp. A1840:285-A1840:292.

R. Periodic operating reports & related correspondence

9801160064 Monthly operating repts for Dec 1997 for El Hatch Nuclear Plant,Units 1 & 2.W/980112 ltr.
BEARD,R.M., SUMNER,H.L. Southern Nuclear Operating Co. 97/12/31. 7pp. A1844:244-A1844:250.

V. Operator Examinations

9801220092 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt,operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. HINNANT,C.S. Carolina Power & Light Co. WOODWARD,J.D. Southern Nuclear Operating Co. 7pp. A1877:182-A1877:188.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham *Model 660 Series Radiographic Exposure Devices.*"
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801070261 Forwards insp repts 50-275/97-22 & 50-323/97-22 on 971208-12 & NOV.Violation re failure to follow respiratory protection program procedure to provide prescription glasses for licensed operators to use w/selfcontained breathing.
MURRAY,B. Region 4 (Post 820201). 98/01/02. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A1727:103-A1727:125.

--9801070273 *Insp repts* 50-275/97-22 & 50-323/97-22 on 971208-12. Violations noted.Major areas inspected:operational status of licensee emergency preparedness program.
* Region 4 (Post 820201). 98/01/02. 17pp. A1727:109-A1727:125.

9801280158 Forwards public update to EPIPs for DCPP Units 1 & 2 IAW Section V, "Implementating Procedures," of 10CFR50,App E. Administrative procedure OM10.DCI, "Emergency Preparedness Drills & Exercises," also included.W/980126 *release memo.*
HAYS,J.A. Public Service Electric & Gas Co. of New Jersey. 98/01/09. Document Control Branch (Document Control Desk). 4pp. A1980:067-A1980:194.

--9801280170 Public revised *EPIPs,including* rev 0A to OM10.DCI, "Emergency Preparedness Drills & Exercises," rev 11C to EP RB-11, "Emergency Offsite Dose Calculations & rev 20 to EP-EF-1, "Activation & Operation of TSC."
* Public Service Electric & Gas Co. of New Jersey. 98/01/09. 120pp. A1980:071-A1980:194.

P. Operating license stage documents & correspondence

9801060016 Summarizes 971114 meeting w/listed attendees to discuss joint TS conversion status & schedule.Attendance list encl.
POLICH,T.J. . 97/12/12. . 9pp. A1663:333-A1663:341.

9801120202 Advises that document entitled, "PCS Pressurization Analysis for Diablo Canyon Shutdown Scenarios," marked as proprietary will be withheld from public *disclosure,per 10CFR2.790(b) (5) & section 103(b).*
BLOOM,S.D. . 97/12/19. SEPP,H.A. Westinghouse Electric Corp. 3pp. A1754:328-A1754:330.

9801020077 Forwards addl info on radiological dose calculation which supports LAR 97-03 re voltage-based alternate SG tube repair limit for outside diameter stress corrosion cracking at tube support plate intersections,dtd 970226.
RUEGER,G.M. Pacific Gas & Electric Co. 97/12/23. Document Control Branch (Document Control Desk). 39pp. A1679:295-A1679:333.

9801020098 Forwards LAR 97-06 to licenses DPR-80 & DPR-82,changing TS 3.7.1.1,Table 3.7-1, "Max Allowable Power Range NF High Setpoint w/Inoperable Steam Line Safety Valves" & TS Bases for MSSVs.
WOMACK,L.F. Pacific Gas & Electric Co. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1679:154-A1679:184.

--9801020100 LAR 97-06 to licenses DPR-80 & DPR-82,revising TS 3.7.1.1, "Turbine Cycle - Safety Valves," Table 3.7-1, "Max Allowable Power Range Neutron Flux High Setpoint W/Inoperable Steam Line Safety Valves," & associated TS Bases.
WOMACK,L.F. Pacific Gas & Electric Co. 97/12/23. 9pp. A1679:156-A1679:164.

--9801020101 Proposed tech specs 3.7.1.1,Table 3.7-1 & associated Bases re reduced power operation levels for inoperable MSSVs.
* Pacific Gas & Electric Co. 97/12/23. 20pp. A1679:165-A1679:184.

9801050366 Forwards update of environmental rept re chapter 1 changes in environment resulting from DCNPP discharge.Chapter 1 & 2 will complete PG&Es obligation *for submittal of final thermal effects comprehensive assessment rept.*
POWERS,R.P. Pacific Gas & Electric Co. 97/12/30. Document Control Branch (Document Control Desk). 13pp. A1714:051-A1718:350.

9801070323 *Provides summary of 971216 meeting w/NRC & util re staff approach to* conduct of on-line maint,lessons learned during preparations for & conduct of recent replacement of Unit 2 startup transformer & plans for upcoming refueling outage.
GWYNN,T.P. Region 4 (Post 820201). 97/12/31. RUEGER,G.M. Pacific Gas & Electric Co. *36pp. A1727:066-A1727:102.*

9801160077 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," 971007.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/05. Document Control Branch (Document Control Desk). 16pp. A1844:304-A1844:319.

9801130332 Forwards RAI re proposed Westinghouse SG tube repair criteria.Response requested within 60 days of receipt of ltr.
BLOOM,S.D. . 98/01/06. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. A1796:115-A1796:117.

9801140056 Informs that util fulfilled commitment w/implementation of listed actions.Util plans to enhance severe accident mgt capability in 1998,primarily in area of operator training.
WOMACK,L.F. Pacific Gas & Electric Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1799:360-A1799:361.

9801210282 Forwards errata to LAR 97-09,containing corrected pages to TS.Revised TS pages incorporating changes approved in LARs 119/117 & 118/116 on 24-month fuel cycle program encl,as discussed w/NRR project manager.
WOMACK,L.F. Pacific Gas & Electric Co. 98/01/09. Document Control Branch (Document Control Desk). 4pp. A1880:001-A1880:322.

--9801210284 Corrected TS pages re LAR 97-09 & revised TS pages to LARs 119/117 & 118/116 re 24-month fuel cycle program.
* Pacific Gas & Electric Co. 98/01/09. 318pp. A1880:005-A1880:322.

9801220198 Forwards LAR 98-01 re implementation of 230 kV sys improvements to resolve voltage issues reported in LER 1-95-007.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1892:230-A1892:247.

--9801220203 Application for amends to licenses DPR-80 & DPR-82 re replacement of startup transformers w/transformers having automatic load tap changers,installation of shunt capacitor banks at DCPP switchyard & Mesa substation.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/14. NRC - No Detailed Affiliation Given. 15pp. A1892:232-A1892:247.

9801290116 Forwards request for addl info re TS change concerning voltage based SG tube repair criteria.
BLOOM,S.D. . 98/01/21. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. A1942:093-A1942:098.

9801280313 Confirms that util completed required actions in response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
RUEGER,G.M. Pacific Gas & Electric Co. 98/01/22. Document Control Branch (Document Control Desk). 2pp. A1936:293-A1936:294.

9801290091 Forwards rev 13 to "IST Program Plan,Second Ten-Year Interval," per NUREG-1482.Rev 13 includes three pump relief requests that are pending NRC approval.Detailed summary of changes encl.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/22. Document Control Branch (Document Control Desk). 5pp. A1996:158-A1996:297.

--9801290092 Rev 13 to "IST Program,Second Ten-Year Interval," for plant.
HJALMARSON,J., EDWARDS,M.A., POWERS,R.P. Pacific Gas & Electric Co. 98/01/02. 134pp. A1996:163-A1996:297.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801060202 Forwards partial response to 971128 telcon RAI re certain ISI relief requests requested in support of Unit 2 eighth refueling outage.
POWERS,R.P. Pacific Gas & Electric Co. 97/12/24. Document Control Branch (Document Control Desk). 15pp. A1738:319-A1738:333.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801070261 Forwards insp repts 50-275/97-22 & 50-323/97-22 on 971208-12 & NOV.Violation re failure to follow respiratory protection program procedure to provide prescription glasses for licensed operators to use w/selfcontained breathing.
MURRAY,B. Region 4 (Post 820201). 98/01/02. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A1727:103-A1727:125.

--9801070266 Notice of violation from insp on 971208-12.Violation noted: on 971208,5 of 5 members of Crew D would be required to use special respirator glasses were not aware of existence &/or location of glasses.
* Region 4 (Post 820201). 98/01/02. 1p. A1727:108-A1727:108.

--9801070273 Insp repts 50-275/97-22 & 50-323/97-22 on 971208-12. Violations noted.Major areas inspected:operational status of licensee emergency preparedness program.
* Region 4 (Post 820201). 98/01/02. 17pp. A1727:109-A1727:125.

9801070263 Forwards insp repts 50-275/97-20 & 50-323/97-20 on 971208-11.No violations noted.Insp reviewed radiological environ & meteorological monitoring programs.Programs were effectively implemented.
MURRAY,B. Region 4 (Post 820201). 98/01/02. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A1727:126-A1727:144.

--9801070264 Insp repts 50-275/97-20 & 50-323/97-20 on 971208-11.No violations noted.Major areas inspected:implementation of radiological environ monitoring & meteorological monitoring programs.
* Region 4 (Post 820201). 98/01/02. 14pp. A1727:131-A1727:144.

9801200102 Responds to NRC 971113 ltr re violations noted in insp repts 50-275/97-202 & 50-323/97-202 on 970804-0911.Corrective actions:three calculations have been performed to determine max UHS temp which DCPP can be operated.
WOMACK,L.F. Pacific Gas & Electric Co. 98/01/12. Document Control Branch (Document Control Desk). 22pp. A1842:328-A1842:349.

9801270220 Forwards insp repts 50-275/98-03 & 50-323/98-03 on 980105- 09.No violations noted.Insp focused on solid radioactive waste mgt & radioactive matls transportation programs.
MURRAY,B. Region 4 (Post 820201). 98/01/23. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A1933:292-A1933:308.

--9801270225 Insp repts 50-275/98-03 & 50-323/98-03 on 980105-09.No violations noted.Major areas inspected:implementation of solid radioactive waste mgt & radioactive matls transportation.
MURRAY,B. Region 4 (Post 820201). 98/01/23. 13pp. A1933:297-A1933:308.

R. Periodic operating reports & related correspondence

9801220190 Monthly operating repts for Dec 1997 for Diablo Canyon,Units 1 & 2.W/ 980115 ltr.
EUBANKS,T., CLOSE,G., POWERS,R.P. Pacific Gas & Electric Co. 97/12/31. 8pp. A1887:283-A1887:290.

9801270021 Forwards "Fourth Quarter 1997 Rept on Discharge Monitoring at Diablo Canyon Power Plant," IAW Order 90-09,NPDES Number CA0003751.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/20. BRIGGS,R.W. California, State of. 3pp. A1929:149-A1929:278.

--9801270023 "Fourth Quarter 1997 Rept on Discharge Monitoring at Diablo Canyon Power Plant."
* Pacific Gas & Electric Co. 98/01/20. 125pp. A1929:152-A1929:278.

S. Reportable occurrences, LERs & related correspondence

9801200092 LER 97-006-00:on 971211,nuclear fuel sys was noted outside design basis due to fuel pellet-to-clad gap reopening.Caused by Zirc-4 cladding matl higher than expected on high duty fuel rods.Performed operability evaluation.W/980112 ltr.
BACKMAN,V.A., WOMACK,L.F. Pacific Gas & Electric Co. 98/01/12. 11pp. A1840:115-A1840:125.

V. Operator Examinations

9801140056 Informs that util fulfilled commitment w/implementation of listed actions.Util plans to enhance severe accident mgt capability in 1998,primarily in area of operator training.
WOMACK,L.F. Pacific Gas & Electric Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1799:360-A1799:361.

9801230345 Discusses details of arrangements made during 971104 telcon between T McKernon & R Jett for administration of licensing exams at DCNPP during wk of 980511.Exams based on guidelines of Rev 8 of NUREG-1021.Requests exam outlines by 980202.
PELLET,J.L. Region 4 (Post 820201). 98/01/20. RUEGER,G.M. Public Service Electric & Gas Co. of New Jersey. 6pp. A1915:104-A1915:109.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801230396 Rev 34 to OPEP-02.6.21, "Emergency Communicator."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/19. 34pp. A1899:312-A1899:345.

9801230402 Rev 42 to OPEP-02.1, "Initial Emergency Actions."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/19. 34pp. A1897:319-A1897:352.

9801260051 Rev 20 to OPEP-02.6.12, "Activation & Operation of Operational Support Ctr."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/19. 44pp. A1913:143-A1913:186.

9801260052 Revised EPIPs,including rev 2 to OPEP-02.1.1,rev 5 to OPEP-02.6.26,rev 5 to OPEP-02.6.28 & rev 9 to OPEP-03.1.3.
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/19. 114pp. A1908:208-A1908:322.

P. Operating license stage documents & correspondence

9801050219 Notification of meeting w/CP&L on 980108 in Rockville,MD to discuss staff questions re plant conversions to improved TSs.
TRIMBLE,D. . 97/12/15. LYONS,J. . 3pp. A1663:145-A1663:147.

9801020027 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
HINNANT,C.S. Carolina Power & Light Co. 97/12/22. Document Control Branch (Document Control Desk). 6pp. A1679:230-A1679:235.

9801060298 Forwards comments of CP&L on NRC proposed & direct final rules on 10CFR50.68 & 10CFR70.24 criticality accident requirements.
ALEXANDER,D.B. Carolina Power & Light Co. 97/12/24. Office of the Secretary of the Commission. 4pp. A1741:306-A1741:309.

9801130002 Forwards RAI re TS change request to allow 3 DG surveillance tests to be performed during plant operational conditions 1 & 2.Response requested within 30 days of receipt of this ltr.
TRIMBLE,D.C. . 97/12/29. HINNANT,C.S. Carolina Power & Light Co. 4pp. A1762:316-A1762:319.

9801150210 Summary of 971202 meeting w/util in Rockville,MD re changes proposed by licensee to TS for BSEP 1 & 2 allowing installation of improvements to CREVS w/ both plant units operating.List of attendees & slides encl.
TRIMBLE,D.C. . 98/01/05. . 24pp. A1818:130-A1818:153.

9801230304 Notification of 980128 meeting w/Carolina Power & Light Co in Rockville,MD to discuss NRC staff questions re Brunswick Steam Electric Plant conversion to improved TSs.
TRIMBLE,D. . 98/01/16. EDISON,G. . 3pp. A1902:045-A1902:047.

9801270024 Forwards "Brunswick Unit 2,Cycle 13 Neutronics Startup Rept" & "BSEP Unit 2 Power Uprate Startup Test Rept for Cycle 13," per TS 6.9.1.1.Repts are being submitted due to change in max licensed power level from 2436 to 2558 Mwt
JURY,K.R. Carolina Power & Light Co. 98/01/19. Document Control Branch (Document Control Desk). 3pp. A1932:192-A1932:234.

--9801270025 Rev 0 to B2C13, "Brunswick Unit 2,Cycle 13 Neutronics Startup Rept."
THOMAS,R.L., LABELLE,D., SIPHERS,J.T. Carolina Power & Light Co. B2C13 R00. 97/11/24. 11pp. A1932:195-A1932:205.

--9801270026 "BSEP Unit 2 Power Uprate Startup Test Rept for Cycle 13."
STECKEL,R., POTEATE,B., HELME,R.E. Carolina Power & Light Co. 97/11/07. 28pp. A1932:206-A1932:234.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801210305 Discusses insp repts 50-324/97-12 & 50-325/97-12 completed on 971113 & forwards NOV.Enforcement conference held on 971219 to discuss violations noted.List of attendees & presentation matls also encl.
REYES,L.A. Region 2 (Post 820201). 97/12/23. HINNANT,C.S. Carolina Power & Light Co. 46pp. A1856:085-A1856:132.

--9801210317 NOV from insp completed on 971113.Violation noted:licensee failed to promptly correct condition adverse to quality re unit 1 high drywell temp condition.
* Region 2 (Post 820201). 97/12/23. 2pp. A1856:089-A1856:132.

9801130063 Ack receipt of 971126 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/97-11 & 50-325/97-11 on 971027.Finds response meets requirements of 10CFR2.201.
SHYMLOCK,M.B. Region 2 (Post 820201). 97/12/24. HINNANT,C.S. Carolina Power & Light Co. 2pp. A1785:072-A1785:074.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801210154 Forwards insp repts 50-324/97-14 & 50-325/97-14 on 971209- 12 & NOV.Violations cited in encl NOV & circumstances surrounding violations described in detail in encl rept.
BARR,K.P. Region 2 (Post 820201). 97/12/30. HINNANT,C.S. Carolina Power & Light Co. 3pp. A1855:295-A1855:306.

--9801210156 Notice of violation from insp on 971209-12.Violation noted: on 971118,locked high radiation area was left unattended & entrance was not secured w/designated special cal-core locks prior to leaving area unguarded.
* Region 2 (Post 820201). 97/12/30. 2pp. A1855:298-A1855:299.

--9801210160 Insp repts 50-324/97-14 & 50-325/97-14 on 971209-12. Violations noted.Major areas inspected:radiation protection & chemistry controls,miscellaneous radiation protection & chemistry issues & mgt meetings.
* Region 2 (Post 820201). 97/12/30. 7pp. A1855:300-A1855:306.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801090228 Responds to NRC 971208 ltr re violations noted in insp repts 50-324/97-12 & 50-325/97-12 on 970928-1108.Corrective actions:review performed to determine if other potential areas existed where water could be introduced.
LYASH,J.J. Carolina Power & Light Co. 98/01/07. Document Control Branch (Document Control Desk). 15pp. A1789:048-A1789:062.

9801270046 Responds to NRC 971208 & 23 ltr re violations noted in insp repts 50-324/97-12 & 50-325/97-12.Corrective actions: snubber seal life program will be evaluated & program will be revised as necessary.
JURY,K.R. Carolina Power & Light Co. 98/01/22. Document Control Branch (Document Control Desk). 6pp. A1922:350-A1922:355.

R. Periodic operating reports & related correspondence

9801220185 Monthly operating repts for Dec 1997 for Brunswick Steam Electric Plant,Unit 1 & 2.W/980114 ltr.
JEFFERSON,F., JURY,K.R. Carolina Power & Light Co. 97/12/31. 8pp. A1887:275-A1887:282.

V. Operator Examinations

9801020021 Notification that individual holding license SOP-20430-2, has experienced change in medical status.Copy of proprietary revised NRC Form 396 is attached.Encl withheld.
HINNANT,C.S. Carolina Power & Light Co. 97/12/22. REYES,L.A. Region 2 (Post 820201). 2pp. A1679:339-A1679:340.

9801220092 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt,operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. HINNANT,C.S. Carolina Power & Light Co. WOODWARD,J.D. Southern Nuclear Operating Co. 7pp. A1877:182-A1877:188.

9801280164 Discusses 980107 telcon between R Edens & R Baldwin where arrangements made for administration for licensing exams during wks of 980504 & 18.Requests proposed written exams, operating test & supporting ref matls by 980320.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/14. HINNANT,C.S. Carolina Power & Light Co. 4pp. A1996:124-A1996:127.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801230396 Rev 34 to OPEP-02.6.21, "Emergency Communicator."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/19. 34pp. A1899:312-A1899:345.

9801230402 Rev 42 to OPEP-02.1, "Initial Emergency Actions."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/19. 34pp. A1897:319-A1897:352.

9801260051 Rev 20 to OPEP-02.6.12, "Activation & Operation of Operational Support Ctr."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/19. 44pp. A1913:143-A1913:186.

9801260052 Revised EPIPs,including rev 2 to OPEP-02.1.1,rev 5 to OPEP-02.6.26,rev 5 to OPEP-02.6.28 & rev 9 to OPEP-03.1.3.
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/19. 114pp. A1908:208-A1908:322.

P. Operating license stage documents & correspondence

9801050219 Notification of meeting w/CP&L on 980108 in Rockville,MD to discuss staff questions re plant conversions to improved TSs.
TRIMBLE,D. . 97/12/15. LYONS,J. . 3pp. A1663:145-A1663:147.

9801020027 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
HINNANT,C.S. Carolina Power & Light Co. 97/12/22. Document Control Branch (Document Control Desk). 6pp. A1679:230-A1679:235.

9801060298 Forwards comments of CP&L on NRC proposed & direct final rules on 10CFR50.68 & 10CFR70.24 criticality accident requirements.
ALEXANDER,D.B. Carolina Power & Light Co. 97/12/24. Office of the Secretary of the Commission. 4pp. A1741:306-A1741:309.

9801130002 Forwards RAI re TS change request to allow 3 DG surveillance tests to be performed during plant operational conditions 1 & 2.Response requested within 30 days of receipt of this ltr.
TRIMBLE,D.C. . 97/12/29. HINNANT,C.S. Carolina Power & Light Co. 4pp. A1762:316-A1762:319.

9801150210 Summary of 971202 meeting w/util in Rockville,MD re changes proposed by licensee to TS for BSEP 1 & 2 allowing installation of improvements to CREVS w/ both plant units operating.List of attendees & slides encl.
TRIMBLE,D.C. . 98/01/05. . 24pp. A1818:130-A1818:153.

9801230304 Notification of 980128 meeting w/Carolina Power & Light Co in Rockville,MD to discuss NRC staff questions re Brunswick Steam Electric Plant conversion to improved TSs.
TRIMBLE,D. . 98/01/16. EDISON,G. . 3pp. A1902:045-A1902:047.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801210305 Discusses insp repts 50-324/97-12 & 50-325/97-12 completed on 971113 & forwards NOV.Enforcement conference held on 971219 to discuss violations noted.List of attendees & presentation matls also encl.
REYES,L.A. Region 2 (Post 820201). 97/12/23. HINNANT,C.S. Carolina Power & Light Co. 46pp. A1856:085-A1856:132.

--9801210317 NOV from insp completed on 971113.Violation noted:licensee failed to promptly correct condition adverse to quality re unit 1 high drywell temp condition.
* Region 2 (Post 820201). 97/12/23. 2pp. A1856:089-A1856:132.

9801130063 Ack receipt of 971126 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/97-11 & 50-325/97-11 on 971027.Finds response meets requirements of 10CFR2.201.
SHYMLOCK,M.B. Region 2 (Post 820201). 97/12/24. HINNANT,C.S. Carolina Power & Light Co. 2pp. A1785:072-A1785:074.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801210154 Forwards insp repts 50-324/97-14 & 50-325/97-14 on 971209- 12 & NOV.Violations cited in encl NOV & circumstances surrounding violations described in detail in encl rept.
BARR,K.P. Region 2 (Post 820201). 97/12/30. HINNANT,C.S. Carolina Power & Light Co. 3pp. A1855:295-A1855:306.

--9801210156 Notice of violation from insp on 971209-12.Violation noted: on 971118,locked high radiation area was left unattended & entrance was not secured w/designated special cal-core locks prior to leaving area unguarded.
* Region 2 (Post 820201). 97/12/30. 2pp. A1855:298-A1855:299.

--9801210160 Insp repts 50-324/97-14 & 50-325/97-14 on 971209-12. Violations noted.Major areas inspected:radiation protection & chemistry controls,miscellaneous radiation protection & chemistry issues & mgt meetings.
* Region 2 (Post 820201). 97/12/30. 7pp. A1855:300-A1855:306.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801090228 Responds to NRC 971208 ltr re violations noted in insp repts 50-324/97-12 & 50-325/97-12 on 970928-1108.Corrective actions:review performed to determine if other potential areas existed where water could be introduced.
LYASH,J.J. Carolina Power & Light Co. 98/01/07. Document Control Branch (Document Control Desk). 15pp. A1789:048-A1789:062.

9801270046 Responds to NRC 971208 & 23 ltr re violations noted in insp repts 50-324/97-12 & 50-325/97-12.Corrective actions: snubber seal life program will be evaluated & program will be revised as necessary.
JURY,K.R. Carolina Power & Light Co. 98/01/22. Document Control Branch (Document Control Desk). 6pp. A1922:350-A1922:355.

9801280123 Provides plans for re-inspection of core shroud for Unit 1. Reinspections planned for upcoming refueling outage 11,which is presently scheduled to begin on 980425,per GL 94-03.
JURY,K.R. Carolina Power & Light Co. 98/01/23. Document Control Branch (Document Control Desk). 3pp. A1973:001-A1973:013.

--9801280124 "Core Shroud Insp Plan Unit 1 B112R1 Outage April 1998."
GORE,P., LANGDON,J., YEMMA,L. Carolina Power & Light Co. 98/01/22. 9pp. A1973:004-A1973:013.

R. Periodic operating reports & related correspondence

9801220185 Monthly operating repts for Dec 1997 for Brunswick Steam Electric Plant,Unit 1 & 2.W/980114 ltr.
JEFFERSON,F., JURY,K.R. Carolina Power & Light Co. 97/12/31. 8pp. A1887:275-A1887:282.

V. Operator Examinations

9801020021 Notification that individual holding license SOP-20430-2, has experienced change in medical status.Copy of proprietary revised NRC Form 396 is attached.Encl withheld.
HINNANT,C.S. Carolina Power & Light Co. 97/12/22. REYES,L.A. Region 2 (Post 820201). 2pp. A1679:339-A1679:340.

9801220092 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt,operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. HINNANT,C.S. Carolina Power & Light Co. WOODWARD,J.D. Southern Nuclear Operating Co. 7pp. A1877:182-A1877:188.

9801280164 Discusses 980107 telcon between R Edens & R Baldwin where arrangements made for administration for licensing exams during wks of 980504 & 18.Requests proposed written exams, operating test & supporting ref matls by 980320.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/14. HINNANT,C.S. Carolina Power & Light Co. 4pp. A1996:124-A1996:127.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801260205 Rev 37 to "Radiological Emergency Plan." W/980116 ltr & list of effective pages.
BAILEY,J.A. Tennessee Valley Authority. 97/12/23. 69pp. A1929:064-A1929:132.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801260235 Rev 18 to CECC EPIP-9, "Emergency Environ Radiological Monitoring Procedures." W/list of effective pages & 980116 ltr.
BAILEY,J.A. Tennessee Valley Authority. 98/01/16. 55pp. A1929:009-A1929:063.

H. General correspondence

9801280258 Forwards updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.Changes effective immediately.
BURZYNSKI,M.J. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 7pp. A1936:281-A1936:287.

P. Operating license stage documents & correspondence

9801020102 Provides util's 90-day response for SQN Units 1 & 2 & WBN Unit 1 to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," re amount of available suction head to certain safety pumps.
BURZYNSKI,M.J. Tennessee Valley Authority. 97/12/22. Document Control Branch (Document Control Desk). 15pp. A1679:121-A1679:136.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801220277 Forwards amend 230 to license DPR-77 & safety evaluation. Amend revises TS SR 4.43.2.1.b for remainder of cycle 9 to perform stroke testing of power-operated relief valves in mode 5 rather than mode 4.
HERNAN,R.W. . 98/01/13. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A1893:183-A1893:191.

--9801220290 Amend 230 to license DPR-77,revising TS SR 4.4.3.2.1.b for remainder of cycle 9 to perform stroke testing of power-operated relief valves in mode 5 rather than mode 4.
HEBDON,F.J. . 98/01/13. 4pp. A1893:186-A1893:189.

--9801220292 Safety evaluation supporting amend 230 to license DPR-77.
* . 98/01/13. 1p. A1893:190-A1893:191.

9801270044 Requests permission to move front insulator saw,Certificate of Operation 4150-30700804-07C,from present location to same location as back mod insulator saw,Certificate of Operation 4150-30700804-06C.
BODINE,D.J. Tennessee Valley Authority. 98/01/21. FRAZIER,J.A. Tennessee, State of. 1p. A1931:360-A1931:360.

9801270052 Suppl TS Change 95-19 to licenses DPR-77 & DPR-79,revising title for President,TVA Nuclear & Chief Nuclear Officer to generic title of Chief Nuclear Officer.
SMITH,J.D. Tennessee Valley Authority. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A1935:133-A1935:143.

--9801270054 Proposed tech specs re new position title & update of description of nuclear organization.
* Tennessee Valley Authority. 98/01/21. 7pp. A1935:136-A1935:143.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801150053 Responds to NRC 971108 NOV & proposed imposition of civil penalty re violations noted in insp repts 50-327/97-13 & 50-328/97-13.Corrective actions:issued "Caution Order" warning of multiple breakers w/107 label.
BAJESTANI,M. Tennessee Valley Authority. 98/01/07. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 14pp. A1828:252-A1828:265.

R. Periodic operating reports & related correspondence

9801020082 Monthly operating repts for Nov 1997 for Sequoyah Nuclear Plant,Units 1 & 2.W/971215 ltr.
HOLLOMON,T.J., SALAS,P. Tennessee Valley Authority. 97/11/30. 10pp. A1679:263-A1679:272.

9801200003 Monthly operating repts for Dec 1997 for Sequoyah Nuclear Plant,Units 1 & 2.W/980112 ltr.
HOLLOMON,T.J., SALAS,P. Tennessee Valley Authority. 97/12/31. 10pp. A1887:196-A1887:205.

9801270166 Forwards revised MOR for Dec 1997 for Sequoyah Nuclear Plant.Administrative error was identified on Unit 1 data rept.
SALAS,P. Tennessee Valley Authority. 98/01/20. Document Control Branch (Document Control Desk). 2pp. A1922:318-A1922:327.

--9801270171 Revised monthly operating rept for Dec 1997 for Sequoyah Nuclear Plant,Units 1 & 2.
HOLLOMON,T.J. Tennessee Valley Authority. 97/12/31. 8pp. A1922:320-A1922:327.

S. Reportable occurrences, LERs & related correspondence

9801220116 Part 21 rept re solid state protection sys circuits that were not fully tested during semi-automatic testing of sys. Circuit mods not required to test both parallel inputs. Pressing of reset switch to confirm functioning of inputs.
SEPP,H.A. Westinghouse Electric Corp. 98/01/15. Document Control Branch (Document Control Desk). 12pp. A1893:064-A1893:075.

V. Operator Examinations

9801130152 Confirms telcon between P Salas & T Peebles re meeting scheduled for 980121 to be held in Atlanta,GA to discuss operator training programs.
LESSER,M.S. Region 2 (Post 820201). 97/12/31. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A1763:175-A1763:177.

9801220079 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG 1021. Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1877:171-A1877:175.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801260205 Rev 37 to "Radiological Emergency Plan." W/980116 ltr & list of effective pages.
BAILEY,J.A. Tennessee Valley Authority. 97/12/23. 69pp. A1929:064-A1929:132.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801260235 Rev 18 to CECC EPIP-9, "Emergency Environ Radiological Monitoring Procedures." W/list of effective pages & 980116 ltr.
BAILEY,J.A. Tennessee Valley Authority. 98/01/16. 55pp. A1929:009-A1929:063.

H. General correspondence

9801280258 Forwards updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.Changes effective immediately.
BURZYNSKI,M.J. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 7pp. A1936:281-A1936:287.

P. Operating license stage documents & correspondence

9801020102 Provides util's 90-day response for SQN Units 1 & 2 & WBN Unit 1 to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," re amount of available suction head to certain safety pumps.
BURZYNSKI,M.J. Tennessee Valley Authority. 97/12/22. Document Control Branch (Document Control Desk). 15pp. A1679:121-A1679:136.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801270044 Requests permission to move front insulator saw,Certificate of Operation 4150-30700804-07C,from present location to same location as back mod insulator saw,Certificate of Operation 4150-30700804-06C.
BODINE,D.J. Tennessee Valley Authority. 98/01/21. FRAZIER,J.A. Tennessee, State of. 1p. A1931:360-A1931:360.

9801270052 Suppl TS Change 95-19 to licenses DPR-77 & DPR-79,revising title for President,TVA Nuclear & Chief Nuclear Officer to generic title of Chief Nuclear Officer.
SMITH,J.D. Tennessee Valley Authority. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A1935:133-A1935:143.

--9801270054 Proposed tech specs re new position title & update of description of nuclear organization.
* Tennessee Valley Authority. 98/01/21. 7pp. A1935:136-A1935:143.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801150053 Responds to NRC 971108 NOV & proposed imposition of civil penalty re violations noted in insp repts 50-327/97-13 & 50-328/97-13.Corrective actions:issued "Caution Order" warning of multiple breakers w/107 label.
BAJESTANI,M. Tennessee Valley Authority. 98/01/07. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 14pp. A1828:252-A1828:265.

R. Periodic operating reports & related correspondence

9801020082 Monthly operating repts for Nov 1997 for Sequoyah Nuclear Plant,Units 1 & 2.W/971215 ltr.
HOLLOMON,T.J., SALAS,P. Tennessee Valley Authority. 97/11/30. 10pp. A1679:263-A1679:272.

9801200003 Monthly operating repts for Dec 1997 for Sequoyah Nuclear Plant,Units 1 & 2.W/980112 ltr.
HOLLOMON,T.J., SALAS,P. Tennessee Valley Authority. 97/12/31. 10pp. A1887:196-A1887:205.

9801270166 Forwards revised MOR for Dec 1997 for Sequoyah Nuclear Plant.Administrative error was identified on Unit 1 data rept.
SALAS,P. Tennessee Valley Authority. 98/01/20. Document Control Branch (Document Control Desk). 2pp. A1922:318-A1922:327.

--9801270171 Revised monthly operating rept for Dec 1997 for Sequoyah Nuclear Plant,Units 1 & 2.
HOLLOMON,T.J. Tennessee Valley Authority. 97/12/31. 8pp. A1922:320-A1922:327.

S. Reportable occurrences, LERs & related correspondence

9801220116 Part 21 rept re solid state protection sys circuits that were not fully tested during semi-automatic testing of sys. Circuit mods not required to test both parallel inputs. Pressing of reset switch to confirm functioning of inputs.
SEPP,H.A. Westinghouse Electric Corp. 98/01/15. Document Control Branch (Document Control Desk). 12pp. A1893:064-A1893:075.

V. Operator Examinations

9801130152 Confirms telcon between P Salas & T Peebles re meeting scheduled for 980121 to be held in Atlanta,GA to discuss operator training programs.
LESSER,M.S. Region 2 (Post 820201). 97/12/31. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A1763:175-A1763:177.

9801220079 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG 1021. Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1877:171-A1877:175.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9801090239 Forwards addl changes to plant security plan.Encl withheld, per 10CFR73.21.
FRANZ,J.F. Commonwealth Edison Co. 97/12/19. COLLINS,S.J. . 2pp. A1762:134-A1762:135.

9801070043 Forwards response to 971115 RAI re fire,high winds,external flooding & other external events re plant IPEEE.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/12/29. . 35pp. A1744:130-A1744:164.

9801290144 Rev 17 to EPIP 2.2, "Activation & Operation of Tech Support Ctr." W/rev 106 to index.Rev 6 to EPIP 7.1 deleted.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/13. 16pp. A1969:329-A1969:345.

9801280086 Forwards rev 108 to EPIP index,rev 23 to EPIP 1.2, "Notification" & rev 7,App 1 to "EPIP Forms."
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/19. Document Control Branch (Document Control Desk). 3pp. A1966:175-A1966:208.

-9801280090 Revised EPIPs,including rev 108 to EPIP index,rev 23 to EPIP 1.2, "Notification" & rev 7,App 1 to "EPIP Forms."
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/19. 31pp. A1966:178-A1966:208.

P. Operating license stage documents & correspondence

9801020026 Requests approval of relief request MC-R001 prior to upcoming refueling outage (RFO 15) currently scheduled to start on 980402.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/12/19. . 4pp. A1679:277-A1679:280.

9801060003 Forwards info which documents series of conference calls & fax between NRC & IES Utils,Inc re DAEC responses to staff requests for info on section 3.8 of DAEC improved TS submittal.
KELLY,G.B. . 97/12/19. Information & Records Management Branch (Post 890827). 7pp. A1663:348-A1663:354.

9801060004 Summarizes 971217-18 meeting w/IES Utils,Inc to address responses provided by licensee re RAIs on DAEC improved TS. Discussions resulted in or documented closure of most RAIs. List of attendees & handouts encl.
KELLY,G.B. . 97/12/19. . 20pp. A1663:313-A1663:332.

9801070043 Forwards response to 971115 RAI re fire,high winds,external flooding & other external events re plant IPEEE.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/12/29. . 35pp. A1744:130-A1744:164.

9801130077 Responds to NRC RAIs on DAEC improved TS by providing complete responses to questions on Section 3.3 & summary matrix showing proposed destination of items categorized as "relocated items". W/o encls.
PEVELER,K.P. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/02. . 3pp. A1793:050-A1793:052.

9801130082 Responds to NRC GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/05. . 13pp. A1808:343-A1808:355.

9801160015 Provides status of generic changes incorporated in improved TS conversion to STS (NUREG-1433).
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/05. . 3pp. A1844:260-A1844:262.

9801200157 Transmits change to rev 9 of IES Util,Inc QA program description for Duane Arnold Energy Center.Changes to rev 19 of QAPD submitted.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/05. COLLINS,S. . 7pp. A1843:138-A1843:144.

9801200194 Requests encl info documenting conference call between NRC & IES Utilities re Duane Arnold Energy Center responses to staff requests for info on section 3.6 of improved TS be placed on the DAEC docket.
KELLY,G.B. . 98/01/09. Information & Records Management Branch (Post 890827). 4pp. A1833:356-A1833:359.

9801220280 Application for amend to license DPR-49,revising LCO for PCIVs in TS section 3.7.B to allow 72 hours to isolate failed valve associated w/closed sys,per NUREG-1433.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/09. . 5pp. A1888:350-A1888:361.

-9801220282 Proposed tech specs section 3.7.B LCO for PCIVs revised to allow 72 hours to isolate failed valve associated w/closed sys.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/09. 7pp. A1888:355-A1888:361.

9801260259 Comment on draft standard review plan 3.9.8, "For Review of Risked-Informed Inservice Insp of Piping" & Draft Reg Guide DG-1063, "Approach for Plant-Specific,Risked-Informed Decisionmaking:Inservice Insp of Piping."
HUTING,M. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/09. Rules & Directives Review Branch (Post 920323). 5pp. A1926:252-A1926:256.

9801220338 Forwards pages omitted from 971208 ltr re response to questions on Section 3.6 of DAEC improved TS conversion.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/12. . 21pp. A1893:300-A1893:320.

9801280309 Forwards response to 971118 RAI re resolution of USI A-46 at DAEC.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/16. . 24pp. A1942:004-A1942:027.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801020068 Forwards planned insp effort resulting from plants PPR. Details of insp plan for approx next 6 months also encl.
LANKSBURY,R.D. Region 3 (Post 820201). 97/12/24. FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. A1629:059-A1629:061.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801070163 Forwards response to violations noted in insp rept 50-331/97-16.Corrective actions:shift orders were issued to control operating crews to reiterate requirements of ACP 1408.12.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/12/30. Document Control Branch (Document Control Desk). 4pp. A1747:280-A1747:283.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801060067 Ack receipt of 971205 ltr informing NRC of steps taken to correct violations noted in insp rept 50-331/97-15.
GROBE,J.A. Region 3 (Post 820201). 97/12/31. FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. A1680:082-A1680:090.

9801270174 Notification of 980204 meeting w/util in Rockville,MD to discuss util resolution to NRC Bulletin 96-003.
KELLY,G.B. . 98/01/21. SAVIO,R.P. . 5pp. A1963:156-A1963:160.

R. Periodic operating reports & related correspondence

9801200022 Monthly operating rept for Dec 1997 for Duane Arnold Energy Center.W/ 980115 ltr.
WOODWARD,R., VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/12/31. BEACH,A.B. Region 3 (Post 820201). 7pp. A1843:201-A1843:207.

S. Reportable occurrences, LERs & related correspondence

9801020115 LER 97-013-00:on 971119,noted that inoperable primary containment isolation valves exceeded TS LCO.Caused by misinterpretation of two TS definitions.Revised appropriate plant procedures to provide correct guidance.W/ 971219 ltr.
MURRELL,B., MIDDLESWORTH,V. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/12/19. 5pp. A1686:287-A1686:291.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. WALKER,W.P. Wisconsin Electric Power Co. LADD,M.J. Northern States Power Co. 3pp. A1960:072-A1960:074.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9801130271 Revised EPIPs,including revised Vol 2 update list,rev 39 to EAP-1.1, "Off-site Notifications," rev 78 to EAP-17, "Emergency Organization Staffing," revised Vol 3 update list & rev 14 to SAP-20, "Emergency Plan Assignments."
* Power Authority of the State of New York (New York Power Authority). 98/01/05. 117pp. A1818:205-A1818:323.

9801270195 Discusses insp rept 50-333/97-201 on 970915-18 & informs that security force demonstrated effective contingency response capability.Overall,security force acceptable,per 10CFR73.55(a).Encl contains safeguards info & withheld.
ROSANO,R.P. . 98/01/22. KNUBEL,J. New York, State of. 3pp. A1927:306-A1927:308.

P. Operating license stage documents & correspondence

9801050227 Forwards amend 241 to license DPR-59 & SE.Amend proposes to change JA Fitzpatrick TSs to incorporate inservice testing requirements of section XI of ASME code.
COTTON,K.R. . 97/12/02. KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 5pp. A1662:280-A1662:313.

--9801050231 Amend 241 to license DPR-59,proposing to change JA Fitzpatrick TSs to incorporate inservice testing requirments of section XI of ASME code.
BAJWA,S.S. . 97/12/02. 26pp. A1662:285-A1662:310.

--9801050234 Safety evaluation supporting amend 241 to license DPR-59.
* . 97/12/02. 3pp. A1662:311-A1662:313.

9801020007 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/12/23. Document Control Branch (Document Control Desk). 27pp. A1679:192-A1679:218.

9801140161 Notifies Commission of change in commitment made to NRC that amplified requirement of TS amend 148 which clarified use of terms "demonstrate" & "verify" used throughout TS to specify requirements of various surveillance tests.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1801:353-A1801:354.

9801210310 Requests approval of change modifying commitments in previously accepted QA program description.Proposed change replaces annual supplier evaluations w/ alternative evaluation process.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/01/08. Document Control Branch (Document Control Desk). 13pp. A1882:338-A1882:351.

9801260139 Forwards SE accepting 950629 & 971114 requests for deviations from RG 1.97,rev 2 recommendations for containment isolation valve position indication instrumentation at NPP.
DORMAN,D.H. . 98/01/14. KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 4pp. A1902:224-A1902:229.

--9801260143 Supplemental SE accepting RG 1.97,rev 2 recommendations for containment isolation valve position indication instrumentation at NPP.
* . 98/01/14. 2PP. A1902:228-A1902:229.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801060009 Responds to NRC 971117 ltr re violations noted in insp rept 50-333/97-07.Corrective actions:generated work requests, completed oil replacement on pumps 10P-2A,20P-4 & 20P-8 & contacted equipment manufacturers re using wrong oil.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/12/23. Document Control Branch (Document Control Desk). 5pp. A1720:355-A1720:359.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801160113 Forwards insp rept 50-333/97-80 on 970929-1003.No violations noted.Insp was to review implementation of maint rule program under 10CFR50.65 at plant.
WIGGINS,J.T. Region 1 (Post 820201). 98/01/07. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 3pp. A1826:174-A1826:199.

--9801160115 Insp rept 50-333/97-80 on 970929-1003.No violations noted. Major areas inspected:review of plant implementation of maint rule program,per 10CFR50.65.
* Region 1 (Post 820201). 98/01/07. 23pp. A1826:177-A1826:199.

9801270195 Discusses insp rept 50-333/97-201 on 970915-18 & informs that security force demonstrated effective contingency response capability.Overall,security force acceptable,per 10CFR73.55(a).Encl contains safeguards info & withheld.
ROSANO,R.P. . 98/01/22. KNUBEL,J. New York, State of. 3pp. A1927:306-A1927:308.

R. Periodic operating reports & related correspondence

9801200007 Monthly operating rept for Dec 1997 for JA FitzPatrick Nuclear Power Plant.W/980107 ltr.
GAO,Y., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/12/31. 5pp. A1843:196-A1843:200.

S. Reportable occurrences, LERs & related correspondence

9801220305 LER 97-012-00:on 971214,drywell personnel airlock outer door seals local leak rate test was not properly performed.Caused by inattention to detail on part of mechanic who installed label.Removed incorrect label.W/980113 ltr.
PLASSE,R.A., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 98/01/13. 7pp. A1901:012-A1901:018.

9801220350 Forwards LER 97-013-00 re high pressure coolant injection sys which was declared inoperable due to instrument malfunction during surveillance testing.No commitments made.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 98/01/15. Document Control Branch (Document Control Desk). 1p. A1901:001-A1901:005.

--9801220354 LER 97-013-00:on 971216,high pressure coolant sys was declared inoperable.Caused by instrument malfunction during surveillance testing.Completed repair activities to correct adjustments to master trip unit.
BROWNELL,G.J. Power Authority of the State of New York (New York Power Authority). 98/01/15. 4pp. A1901:002-A1901:005.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801050336 Forwards RAI re licensee 950630 ltr involving seismic & fire analyses in IPEEE.Response requested within 60 days of receipt of ltr.
BRINKMAN,D.S. . 97/12/08. CROSS,J.E. Duquesne Light Co. 8pp. A1663:305-A1663:312.

9801300077 Forwards Rev 10,Vol 1 to "BVPS Emergency Preparedness Plan." Changes do not decrease effectiveness of plan & plan,as changed,continues to meet requirements of App E of 10CFR50.
JAIN,S.C. Duquesne Light Co. 98/01/22. Document Control Branch (Document Control Desk). 7pp. A2003:001-A2004:086.

--9801300081 Rev 10,Vol 1 to "BVPS Emergency Preparedness Plan."
* Duquesne Light Co. 97/12/19. 188pp. A2003:008-A2004:086.

9801300201 Forwards revised EPIPs,Vols 2 & 3 to appropriate NRC parties.Changes do not decrease effectiveness of plan & plan,as changed,continues to meet requirements of App E of 10CFR50.Changes submitted for info per 10CFR50.54(q).
JAIN,S.C. Duquesne Light Co. 98/01/22. Document Control Branch (Document Control Desk). 6pp. A2008:021-A2008:329.

--9801300205 Revised EPIPs,including EPP/IP index,rev 17 to EPP/IP 1.1, rev 11 to EPP/IP 1.4,rev 10 to EPP/IP 1.6,rev 9 to EPP/IP 4.1,rev 8 EPP/IP 6.2,rev 3 to EPP/IP 9.4,rev 3 to EPP/IP 9.5,rev 2 to EPP/IP 10.1 & rev 8 to EPP/IP Annex B.
* Duquesne Light Co. 98/01/31. 302pp. A2008:028-A2008:329.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801270217 Requests NRC review & approval of proposed change to BVPS Unit 1 UFSAR.Proposed rev to UFSAR change to address recent rev to CR radiological dose calculations.
JAIN,S.C. Duquesne Light Co. 98/01/17. Document Control Branch (Document Control Desk). 3pp. A1921:325-A1921:351.

--9801270221 Change to BVPS-1,UFSAR.
* Duquesne Light Co. 97/09/30. 24pp. A1921:328-A1921:351.

P. Operating license stage documents & correspondence

9801050336 Forwards RAI re licensee 950630 ltr involving seismic & fire analyses in IPEEE.Response requested within 60 days of receipt of ltr.
BRINKMAN,D.S. . 97/12/08. CROSS,J.E. Duquesne Light Co. 8pp. A1663:305-A1663:312.

9801050151 Forwards amends 209 & 87 to licenses DPR-66 & NPF-73 & SE. Amends relocate certain administrative control TSs from licensse operational QAP description,presented in Section 17.2 of BVPS-2 UFSAR.
BRINKMAN,D.S. . 97/12/10. CROSS,J.E. Duquesne Light Co. 4pp. A1663:223-A1663:262.

--9801050156 Amends 209 & 87 to licenses DPR-66 & NPF-73,respectively, relocating certain administrative control TSs to licensee operational QAP,presented in Section 17.2 of BVPS-2 UFSAR.
STOLZ,J.F. . 97/12/10. 31pp. A1663:227-A1663:257.

--9801050159 Safety evaluation supporting amends 209 & 87 to licenses DPR-66 & NPF-73,respectively.
* . 97/12/10. 5pp. A1663:258-A1663:262.

9801080206 Application for amend,consisting of proposed change requests 218 & 85,modifying source range neutron flux requirements to allow use of alternate detectors.
JAIN,S.C. Duquesne Light Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1756:292-A1756:334.

--9801080209 Proposed tech specs,modifying neutron flux requirements to allow use of alternate detectors.
* Duquesne Light Co. 97/12/19. 41pp. A1756:294-A1756:334.

9801070130 Forwards "Cycle 13 Reload & COLR," updated to include new radial peaking factor at rated thermal power limits for unrodded core planes.Cycle 13 reload design,discussed.
JAIN,S.C. Duquesne Light Co. 97/12/22. Document Control Branch (Document Control Desk). 5pp. A1747:245-A1747:255.

--9801070131 "Cycle 13 Reload & COLR."
* Duquesne Light Co. 97/12/22. 6pp. A1747:250-A1747:255.

9801130320 Discusses response to request for relief from ASME code section III requirements for plant,Unit 1.
STOLZ,J.F. . 97/12/31. CROSS,J.E. Duquesne Light Co. 4pp. A1790:275-A1790:278.

9801140243 Discusses inconsistency between NRC SER supplied to util on implementation of ATWS Rule & design of ATWS AMSAC submitted by util,per 10CFR50.62.
JAIN,S.C. Duquesne Light Co. 98/01/05. Document Control Branch (Document Control Desk). 3pp. A1843:297-A1843:299.

9801080356 Forwards response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
CROSS,J.E. Duquesne Light Co. 98/01/06. Document Control Branch (Document Control Desk). 16pp. A1762:096-A1762:111.

9801210159 Responds to NRC 971208 request for addl info re individual plant exam of external events for facility.Requests that addl 60 days be provided in order to respond to questions. Response will be provided by 980411.
JAIN,S.C. Duquesne Light Co. 98/01/09. Document Control Branch (Document Control Desk). 1p. A1882:293-A1882:293.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801270133 EN-97-119:on 980106,notice of proposed imposition of civil penalty in amount of $55,000 issued to licensee.Action based on violation involving failure to take adequate action to correct significant condition adverse to quality.
HOLODY,D. Region 1 (Post 820201). SATORIUS,M. Ofc of Enforcement (Post 870413). 97/12/31. 1p. A1947:323-A1947:323.

9801150003 Discusses insp repts 50-334/97-07,50-412/97-07,50-334/97-08 & 50-412/97-08 on 970831-1004 & 1005-1115 & forwards notice of violation & proposed imposition of civil penalty in amount of $55,000.
MILLER,H.J. Region 1 (Post 820201). 98/01/06. CROSS,J.E. Duquesne Light Co. 5pp. A1809:073-A1809:080.

--9801150006 Notice of violation & proposed imposition of civil penalty in amount of $55,000.Violation noted:between 1988 & 970912, condition adverse to quality existed at Unit 1 & 2,when excessive gas accumulated in HHSI pumps suction lines.
* Region 1 (Post 820201). 98/01/06. 3pp. A1809:078-A1809:080.

9801160024 Responds to NRC 971126 ltr re violations noted in insp repts 50-334/97-08 & 50-412/97-08.Corrective actions:issued standard of wk that included expectation that workers are responsible to be knowledgeable of conditions.W/980109 ltr.
LEGRAND,R.L. Duquesne Light Co. 98/01/09. Document Control Branch (Document Control Desk). 7pp. A1844:275-A1844:281.

9801160109 Forwards findings of senior reactor license exam 50-334/97-10OL conducted during week of 971215-18 at Beaver Valley Unit 1 Nuclear Power Plant.All SRO applicants passed all portions of exams.
MEYER,G.W. Region 1 (Post 820201). 98/01/09. CROSS,J.E. Duquesne Light Co. 3pp. A1825:083-A1825:194.

--9801160116 NRC Operator Licensing Exam Rept 50-334/97-10OL (including completed & graded tests) for tests administered on 971215- 18.
* Region 1 (Post 820201). 98/01/09. 109pp. A1825:086-A1825:194.

9801230159 Ack receipt of 971208 ltr informing NRC of steps taken to correct violations noted in insp repts 50-334/97-07 & 50-412/97-07.
ESELGROTH,P.W. Region 1 (Post 820201). 98/01/12. CROSS,J.E. Duquesne Light Co. 2pp. A1913:355-A1913:360.

R. Periodic operating reports & related correspondence

9801070297 "NPDES Discharge Monitoring Rept for Nov 1997," for BVPS units 1 & 2.W/971222 ltr.
ORNDORF,D.A., LEGRAND,R.L. Duquesne Light Co. 97/11/30. 34pp. A1744:165-A1744:198.

9801160019 Monthly operating repts for Dec 1997 for Beaver Valley Power Station,Units 1 & 2.W/980107 ltr.
JONES,D.T., LEGRAND,R.L. Duquesne Light Co. 97/12/31. 9pp. A1844:251-A1844:259.

S. Reportable occurrences, LERs & related correspondence

9801130354 LER 97-038-00:on 970524,degraded penetration seal associated w/drain line located in floor of main steam valve cubicle discovered in field.Cause of penetration seal could not be determined.Seal replaced.W/980105 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 98/01/05. 6pp. A1806:269-A1806:274.

9801130101 Forwards LER 97-039-00,per 10CFR50.73(a)(2)(ii) & 10CFR50.73(a)(2)(v),re gas accumulation in charging/high head safety injection pump piping.
LEGRAND,R.L. Duquesne Light Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1793:014-A1793:020.

--9801130109 LER 97-039-00:on 971208,gas accumulated in charging/high safety injection pump piping.Caused by HHSI pump minimum flow recirculation line orifices.Flow orifices are being replaced at Unit 1 & 2,to reduce generation of gas bubbles.
HART,R.D. Duquesne Light Co. 98/01/07. 5pp. A1793:016-A1793:020.

9801160020 LER 97-040-00:on 971210,inadequate testing of reactor protection sys P-8 interlock,was identified.Caused by vendor design error.Applicable surveillance test procedures were revised to include manual test.W/980109 ltr.
HART,R.D., LEGRAND,R.L. Duquesne Light Co. 98/01/09. 6pp. A1840:077-A1840:082.

9801260022 LER 97-042-00:on 971215,failure to perform axial flux difference monitor surveillance as required by TS noted. Caused by misunderstood instructions.Revised procedures & reviewed TS interpretations.W/980114 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 98/01/14. 6pp. A1923:139-A1923:144.

9801260031 LER 97-041-00:on 971215,failed to remove power from isolated RCS loop isolation valve operators within one hour as required by TS.Caused by inadequate actions taken to control & implement change.Revised procedures.W/980114 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 98/01/14. 6pp. A1923:145-A1923:150.

V. Operator Examinations

9801050170 Discusses 971215 telcon re arrangements made for administration of licensing exams at Beaver Valley during week of 980420.To meet schedule,exam outline requested by 980220.
MEYER,G.W. Region 1 (Post 820201). 97/12/22. CROSS,J.E. Duquesne Light Co. 3pp. A1658:152-A1658:154.

9801090296 Informs of individual results for applicants on initial exam conducted on 971215-17.Info considered proprietary in accordance w/10CFR2.790 & supplements info contained in related exam rept to be issued soon.W/o encls.
MEYER,G.W. Region 1 (Post 820201). 98/01/06. BURNS,T.W. Duquesne Light Co. 2pp. A1741:217-A1741:218.

9801160109 Forwards findings of senior reactor license exam 50-334/97-10OL conducted during week of 971215-18 at Beaver Valley Unit 1 Nuclear Power Plant.All SRO applicants passed all portions of exams.
MEYER,G.W. Region 1 (Post 820201). 98/01/09. CROSS,J.E. Duquesne Light Co. 3pp. A1825:083-A1825:194.

--9801160116 NRC Operator Licensing Exam Rept 50-334/97-10OL (including completed & graded tests) for tests administered on 971215- 18.
* Region 1 (Post 820201). 98/01/09. 109pp. A1825:086-A1825:194.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801090074 Informs that State of FL,St Lucie County & Martin County emergency response agencies will conduct exercise of emergency plan for plant on 980318.Objectives,encl.
STALL,J.A. Florida Power & Light Co. 97/12/31. Document Control Branch (Document Control Desk). 6pp. A1758:268-A1758:274.

9801140264 Forwards rev 50 to security plan.Rept describing rev & PSLPSP-R50-03 through PSLPSP-R50-06 encl.Rev withheld,per 10CFR2.790(a)(3).
STALL,J.A. Florida Power & Light Co. 98/01/08. Document Control Branch (Document Control Desk). 1p. A1843:263-A1843:263.

9801200094 Forwards Rev 0 to EPIP-12, "Maintaining Emergency Preparedness Radiological Emergency Plan Training." Procedure upgrade in progress for EPIPs.Procedure completely replaces EPIP 3100034E which deleted on 971231.
STALL,J.A. Florida Power & Light Co. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1839:318-A1839:347.

--9801200100 Rev 0 to EPIP-12, "Maintaining Emergency Preparedness Radiological Emergency Plan Training."
SCAROLA,J. Florida Power & Light Co. 97/12/15. 29pp. A1839:319-A1839:347.

9801200210 Forwards request for rescheduling of fire protection functional insp.NRC determined that it is necessary to conduct pilot fire protection functional insp as presently scheduled,after careful consideration of issues discussed.
WIENS,L.A. . 98/01/12. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1860:258-A1860:261.

I. Financial information

9801050228 Submits Price Anderson Guarantees annual financial rept per 10CFR140.21.Exhibit 1 submitted to satisfy annual financial reporting requirement of 10CFR50.71(b).
PADUANO,H.N. Florida Power & Light Co. 97/12/23. Document Control Branch (Document Control Desk). 62pp. A1720:289-A1720:353.

P. Operating license stage documents & correspondence

9801050246 Forwards SE denying licensee 970429 request for review & approval of proposed change to FPL topical quality assurance rept (FPLTQAR 176A).Changes considered as reduction in commitment per 10CFR50.54(a)(3).
HEBDON,F.J. . 97/12/15. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1663:148-A1663:156.

--9801050255 Safety evaluation denying 970429 request to revise FPL Topical QA Rept (FPLTQAR 1-76A).Concludes proposed rev does not adequately satisfy regulatory requirement to clearly delineate in writing functional responsibilities.
* . 97/12/15. 5pp. A1663:152-A1663:156.

9801050181 Notification of 980120 meeting w/FPL in Jensen Beach,Florida to discuss endangered & threatened species info & development at plant.
WIENS,L.A. . 97/12/18. HEBDON,F.J. . 5pp. A1662:341-A1662:345.

9801060248 Discusses response schedule to GL 97-04, "Assurance of Sufficient Net Postitive Suction Head for ECC Containment Heat Removal Pumps." Licensee proposal to submit requested info by 980206 acceptable.
WIENS,L.A. . 97/12/18. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1680:301-A1680:304.

9801060185 Application for amend to license NPF-16,modifying specifications for selected cycle-specific reactor physics parameters to provide reference to St Lucie Unit 2 COLR for limiting values.
STALL,J.A. Florida Power & Light Co. 97/12/29. Document Control Branch (Document Control Desk). 11pp. A1730:106-A1730:194.

--9801060194 Suppl 1 to NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie Nuclear Plants."
* Florida Power & Light Co. NF-TR-95-01 S01. 97/08/31. 31pp. A1730:164-A1730:194.

9801230051 Forwards procedures ADM-17.11,Rev 0 & QI-5-PSL-1,Rev 4 on plant dockets to be placed in PDR.
WIENS,L. . 98/01/02. . 2pp. A1891:130-A1891:257.

--9801230059 Rev 0 to Procedure ADM-17.11, "10CFR500.59 Screening."
SCAROLA,J. Florida Power & Light Co. 97/09/18. 20pp. A1891:132-A1891:151.

--9801230064 Rev 4 to Procedure QI-5-PSL-1, "Preparation,Rev,Review/ Approval of Procedures."
SCAROLA,J. Florida Power & Light Co. 97/09/26. 106pp. A1891:152-A1891:257.

9801130326 Notifies NRC that commitment to install redundant wide range SG level instrument w/independent lower tap on plant during SG replacement outage was completed.
STALL,J.A. Florida Power & Light Co. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1792:352-A1792:354.

--9801130344 Confirms completion of NRC GL 96-01 review & procedure changes for St Lucie,Unit 1.Changes were completed during Spring 1997 refueling outage.
STALL,J.A. Florida Power & Light Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1792:353-A1792:354.

9801200156 Provides info requested by NRC during 971219 telcon re containment construction hatch removal/replacement.
STALL,J.A. Florida Power & Light Co. 98/01/10. Document Control Branch (Document Control Desk). 5pp. A1843:133-A1843:137.

9801200042 Forwards Rev 0 to ADM-29.01, "IST Program for Pumps & Valves," for St Lucie Units 1 & 2.Summary of relief related IST programs,encl.
STALL,J.A. Florida Power & Light Co. 98/01/12. Document Control Branch (Document Control Desk). 7pp. A1839:002-A1839:233.

--9801200047 Rev 0 to ADM-29.01, "IST Program for Pumps & Valves."
SCAROLA,J. Florida Power & Light Co. 97/12/12. 225pp. A1839:009-A1839:233.

9801280354 Forwards comments re St Lucie Unit 1 Mid-Cycle Analysis,per ltr dated 961024.NRC will arrange call w/appropriate NRC reviewer to discuss encl questions.
WIENS,L.A. . 98/01/14. PLUNKETT,T.F. Florida Power & Light Co. 6pp. A1947:349-A1947:354.

Q. Inspection reports, IE Bulletins & correspondence

9712090145 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801060352 Forwards revised drawing 2998-G-389 sheet 49,rev 1 which reflects as-built configuration of rod barrier sys between perimeter gates P12 & P13,per NRC insp repts 50-335/97-12 & 50-389/97-12.W/one oversize drawing.
STALL,J.A. Florida Power & Light Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1754:093-A1754:094.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130049 Ack receipt of 971210 & 971219 responses informing NRC of steps taken to correct violations noted in insp repts 50-335/97-11 & 50-389/97-11 on 971110.Finds response meets requirements of 10CFR2.201.
LANDIS,K.D. Region 2 (Post 820201). 97/12/31. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1785:059-A1785:062.

9801140201 Responds to violations noted in insp repts 50-335/97-15 & 50-389/97-15.Corrective actions:completed temporary sys alteration that reversed two of three power leads to low speed winding of fan motor at motor control center.
PLUNKETT,T.F. Florida Power & Light Co. 98/01/02. Document Control Branch (Document Control Desk). 8pp. A1832:349-A1832:356.

9801200210 Forwards request for rescheduling of fire protection functional insp.NRC determined that it is necessary to conduct pilot fire protection functional insp as presently scheduled,after careful consideration of issues discussed.
WIENS,L.A. . 98/01/12. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1860:258-A1860:261.

9801220117 Responds to violations noted in insp repts 50-335/97-13 & 50-389/97-13.Corrective actions:initiated work package change notice to change step to match field conditions & provided addl levels of contractor oversight.
PLUNKETT,T.F. Florida Power & Light Co. 98/01/14. Document Control Branch (Document Control Desk). 7pp. A1892:342-A1892:348.

R. Periodic operating reports & related correspondence

9801160016 Monthly operating repts for Dec 1997 for St Lucie,Units 1 & 2.W/980108 ltr.
ROGERS,J.A., STALL,J.A. Florida Power & Light Co. 97/12/31. 7pp. A1844:263-A1844:269.

S. Reportable occurrences, LERs & related correspondence

9801130266 Part 21 rept re use of DELTSTRAT code for RCS flow rate determination.Code corrects for temps to determine hot leg bulk coolant temp.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 98/01/06. Document Control Branch (Document Control Desk). 6pp. A1796:042-A1796:047.

9801160029 NPDES noncompliance notification:on 971214,discovered partially entangled mantee in sea turtle capture nets.Caused by large openings in concrete velocity caps.Addl insp of caps will be made.
STALL,J.A. Florida Power & Light Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1844:291-A1844:293.

V. Operator Examinations

9801060199 Requests termination of SOLs SOP-20047 for GJ Imbriale & SOP-21280 for J Giles.Individuals are no longer employed w/util effective 971217 & 1222.
STALL,J.A. Florida Power & Light Co. 97/12/30. Document Control Branch (Document Control Desk). 1p. A1737:360-A1737:360.

9801220094 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt,operations & training staff of NUREG 1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. PLUNKETT,T.F. Florida Power & Light Co. 5pp. A1877:189-A1877:193.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801050290 Forwards Rev 24 to Millstone Nuclear Power Station emergency plan to NRC staff for review & approval in accordance w/ 10CFR50.54(q).Synopsis of changes from Rev 21 to Rev 24 contained in Attachment 1.
AMERINE,D.B. Northeast Nuclear Energy Co. 97/12/30. Document Control Branch (Document Control Desk). 36pp. A1697:142-A1698:010.

--**9801050298** Rev 24 to "Millstone Power Station Emergency Plan."
* Northeast Nuclear Energy Co. 97/12/31. 197pp. A1697:178-A1698:010.

9801220011 Forwards insp repts 50-245/97-207,50-336/97-207 & 50-423/97-207 on 971002-1130.No violations noted.Insp consisted of selective reviews of procedures & records, inspector observations & interviews w/security personnel.
DURR,J.P. Region 1 (Post 820201). 98/01/09. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A1872:124-A1872:216.

9801270206 Notification of significant licensee meeting 98-04 w/util on 980129 to discuss training & emergency preparedness issues.
LANNING,W.D. Region 1 (Post 820201). 98/01/16. Region 1 (Post 820201). 3pp. A1933:289-A1933:291.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9801050194 Provides update of 10CFR2.206 Petition submitted on 970303 on behalf of AA Cizek.Petition requests that licenses for Millstone Nuclear Power Station & Haddam Neck Plant be modified by replacing certain condition on licenses.
DEMBEK,S. . 97/12/18. HADLEY,E.C. Affiliation Not Assigned. 2pp. A1662:346-A1662:347.

H. General correspondence

9801090019 Provides update of petition submitted pursuant to title 10 of code of FR,section 2.206,dtd 961125 & amend to petition dtd 961223.Partial Director's Decision (DD-97-21) provided by ltr dtd 970912 & followup correction ltr on 971020.
MCDONALD,D.G. . 98/01/06. KATZ,D. Citizens Awareness Network. GUNTER,P. Nuclear Information & Resource Service. 1p. A1747:177-A1747:177.

9801200209 Discusses 971213 ltr to Chairman Jackson repeating key points discussed during 971114 meeting & again requesting Chairman visit Millstone area.Chairman tentatively planning visit to Millstone site in early February.
ZWOLINSKI,J.A. . 98/01/13. BLANCH,P.M. Affiliation Not Assigned. 2pp. A1844:349-A1844:352.

--**9801200213** Stresses several points discussed in 971114 meeting & requests Chairman visit Millstone in near future.
BLANCH,P.M. Affiliation Not Assigned. 97/12/13. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A1844:351-A1844:352.

P. Operating license stage documents & correspondence

9801140070 Forwards notice of withdrawal of license amendment request re meteorological instrumentation.Proposed changes would have modified accuracy requirements of meteorological instrumentation & supporting bases.
MCDONALD,D.G. . 97/12/16. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A1801:205-A1801:210.

--**9801140089** Notice of withdrawal of application for amend to license DPR-65.Amend would have revised accuracy requirements of meteorological instrumentation & supporting bases.
MCDONALD,D.G. . 97/12/16. 2pp. A1801:209-A1801:210.

9801050220 Discusses proposed treatment of level 4 DRs identified during Independent Corrective Action Verification Program for Millstone Units 2 & 3.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/12/17. Document Control Branch (Document Control Desk). 4pp. A1709:312-A1709:315.

9801120214 Forwards corrected 970819 ltr & SER indicating that continued operation of plant,unit 2,w/o SUR trip,acceptable. Safety analysis for cycles 1 & 2 should read cycles 2 & 3. In SER word "maximizes" should be "minimizes."
MCDONALD,D.G. . 97/12/18. BOWLING,M.L. Northeast Nuclear Energy Co. 6pp. A1789:352-A1789:357.

9801050018 Ltr contract:mod 3 to task order 127 entitled, "Millstone, Units 2 & 3 Independent Corrective Action Verification Program Oversight Team Technical Support," under contract NRC-03-93-026.Statement of work encl.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-93-026. 97/12/23. LOFY,R.A. PARAMETER, Inc. 7pp. A1663:263-A1663:269.

9801130094 Notification of 980113 meeting w/util in Waterford,CT to provide status of plant,Units 2 & 3 independent corrective action verification program.
ANDERSON,J.W. . 97/12/23. MCKEE,P.F. . 5pp. A1790:293-A1790:297.

9801060229 Provides response to Little Harbor Consultants,Inc recommendations included in 970825,0922 & 25 ltrs to NRC. Listing of commitments contained in ltr.
BROTHERS,M.H. Northeast Nuclear Energy Co. 97/12/29. Affiliation Not Assigned. 17pp. A1741:285-A1741:301.

9801060304 Cover sheet to rev 6 of MP 704.1, "Control Rod Drive HCU Water - Nitrogen Accumulator Maintenance."
* Northeast Nuclear Energy Co. 97/12/29. 2pp. A1754:091-A1754:092.

9801060316 Forwards calculation 97-SDS-1760-M2,rev 1, "Millstone 2:Pressure/Temperature Limit Curves for 20 EFPY," supporting LAR dtd 971113.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/12/29. Document Control Branch (Document Control Desk). 4pp. A1729:224-A1729:264.

--**9801060319** Rev 1 to calculation 97-SDS-1760-M2, "Millstone 2:Pressure/ Temperature Limit Curves for 20 EFPY."
STEAHR,T.A., STEWART,C.D., AZEVEDO,N.F. Northeast Nuclear Energy Co. 97-SDS-1760-M2 R01. 97/10/17. 37pp. A1729:227-A1729:264.

9801070135 Forwards Millstone,Unit 2 Independent Corrective Action Verification Program bi-weekly rept for week ending 971226. W/summary.
CURRY,D.L. . 97/12/29. Document Control Branch (Document Control Desk). 6pp. A1747:265-A1747:270.

9801070149 Forwards summaries of telcons between Parsons Power Group, Inc,NRC,NNECO & NEAC on 971118,20,25 & 971203,04,09 & 11 re Independent Corrective Action Verification Program.
CURRY,D.L. . 97/12/30. Document Control Branch (Document Control Desk). 28pp. A1744:199-A1744:226.

9801140391 Final response to FOIA request for documents.Records in App A & B available in PDR.App C records withheld in part (ref FOIA Exemptions 4 & 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/31. GOLDMAN,J. Affiliation Not Assigned. 8pp. A1832:092-A1832:204.

--**9801150016** Discusses constituent ME Marucci ltr re issuance of design change in spent fuel pool for facility.Review requested for encl State of CT dept of health svcs memo.Info partially withheld.
DODD,C.J., LIEBERMAN,J.I. Senate. 92/09/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. A1832:138-A1832:140.

--**9801150028** Forwards LER 92-012-00 required to be submitted within 30 days per 10CFR50,50.73(a)((2)(iv) & 50.73(a)(2)(v).
DACIMO,F.R. Northeast Nuclear Energy Co. 92/08/05. Document Control Branch (Document Control Desk). 9pp. A1832:185-A1832:193.

--**9801150047** Ack receipt of 920910 ltr re issuance of design change in spent fuel pool for Millestone,Unit 2.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 92/09/23. LIEBERMAN,J.I. Senate. 1p. A1832:194-A1832:194.

--**9801150050** Ack receipt of 920910 ltr re issuance of design change in spent fuel pool for Millstone,Unit 2.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 92/09/23. DODD,C.J. Senate. 1p. A1832:195-A1832:195.

9801140297 Notification of significant licensee meeting 97-131 w/util on 980114 in Waterford,CT to discuss plans,schedules & progress toward recovery of plant units re status of restart activities,ICAVP & employee concerns program.
DURR,J. Region 1 (Post 820201). 98/01/02. Region 1 (Post 820201). 4pp. A1959:236-A1959:239.

9801270122 Notification of 980127 meeting 97-132 w/NNECO in Waterford, Connecticut to provide public w/update on status of Millstone Station recovery efforts.
DURR,J. Region 1 (Post 820201). 98/01/02. Region 1 (Post 820201). 3pp. A1933:055-A1933:057.

9801140213 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/05. Document Control Branch (Document Control Desk). 9pp. A1843:288-A1843:296.

9801130145 Rev 5 to MP 720.11, "Overhaul of Fuel Pool Cooling Pumps."
* Northeast Nuclear Energy Co. 98/01/07. 63pp. A1808:001-A1808:063.

9801150025 Discusses status change re need for reactor core safety limits TS change.NRC will remove item as potential licensing issue during next update of restart plan.
MCDONALD,D.G. . 98/01/07. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A1818:187-A1818:190.

9801130283 Notification of 980127 meeting w/util in Waterford,CT to discuss Millstone Employee Concerns Program,Safety Conscious Work Environ & Little Harbor Consultants findings & recommendations.
PASTIS,H.N. . 98/01/08. MCKEE,P.F. . 2pp. A1790:340-A1790:341.

9801130316 Notification of 980122 meeting w/util ini Watergord,CT to discuss exit meeting for NRC evaluation of plant Employee Concerns Program.
PASTIS,H.N. . 98/01/08. MCKEE,P.F. . 2pp. A1796:162-A1796:163.

9801160147 Forwards response to 970416 RAI info per 10CFR50.54(f) for each Millstone Station unit.Response includes listed items re restart issues.Commitment made by util,encl.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/09. Document Control Branch (Document Control Desk). 1,020pp. A1834:001-A1836:293.

9801200070 Provides util response to recommendations made by Little Harbor Consultants,Inc.Listed table identifies those actions committed by util in ltr.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/01/09. Document Control Branch (Document Control Desk). 4pp. A1843:123-A1843:126.

9801150090 Forwards Millstone Unit 2 Independent Corrective Action Verification Program bi-weekly rept for wk ending 980109.
CURRY,D.L. Affiliation Not Assigned. 98/01/12. Document Control Branch (Document Control Desk). 6pp. A1843:329-A1843:334.

9801150098 Forwards rev 4 to project procedure PP-03, "Process Review, CMP Horizontal Slice." Revs incorporate changes to sample plan for tier 3 process review.
CURRY,D.L. Affiliation Not Assigned. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1823:236-A1823:272.

--9801150102 Rev 4 to Project Procedure PP-03, "Process Review,CMP Horizontal Slice."
* Affiliation Not Assigned. 98/01/12. 36pp. A1823:237-A1823:272.

9801150128 Responds to 971214 ltr which requested listing of issues on Millstone Unit 3 & status of Seabrook Unit 1.NRC staff applying guidelines of MC 0350 to restart approvals of Millstone.Seabrook shutdown on 971205 to repair piping leak.
TRAVERS,W.D. . 98/01/12. DAVIS,E.S. Affiliation Not Assigned. 6pp. A1818:001-A1818:068.

--9801150133 Requests complete listing of all remaining problems on Millstone III & status of Seabrook.
DAVIS,E.S. Affiliation Not Assigned. 97/12/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. A1818:007-A1818:010.

--9801150137 "Restart Assessment Plan Millstone Station."
TRAVERS,W.D. NRC - No Detailed Affiliation Given. 97/07/22. 57pp. A1818:011-A1818:068.

9801230001 Forwards supplemental safety evaluation re NUREG-0737,item II.F.2 instrumentation for detection of inadequate core cooling, & RG 1.97,Rev 2 re core exit thermocouples.
MCDONALD,D.G. . 98/01/12. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A1900:350-A1900:355.

--9801230002 SER accepting justification for deviation from guidance provided in NUREG-0737,item II.F.2 & RG 1.97,rev 2.
* . 98/01/12. 2pp. A1900:354-A1900:355.

9801260442 Rev 6 to Maint Procedure MP 703.8, "CRD Flush Procedure" & Do Not Use notice for rev 0 to MP 722.5, "Closed Cooling Water Pumps."
* Northeast Nuclear Energy Co. 98/01/16. 3pp. A1908:323-A1908:325.

9801270206 Notification of significant licensee meeting 98-04 w/util on 980129 to discuss training & emergency preparedness issues.
LANNING,W.D. Region 1 (Post 820201). 98/01/16. Region 1 (Post 820201). 3pp. A1933:289-A1933:291.

9801220313 Transmits rev 5 Project Procedure PP-7, "Discrepancy Repts." Revs incorporate changes to procedure to delineate closure process,per 971106 request.
CURRY,D.L. . 98/01/20. Document Control Branch (Document Control Desk). 1p. A1894:146-A1894:159.

--9801220316 Rev 5 to PP-7 "Discrepancy Reports."
* . 98/01/20. 13pp. A1894:147-A1894:159.

9801230341 Forwards sample plans for Independent Corrective Action Verification Program for facility.
CURRY,D.L. . 98/01/21. Document Control Branch (Document Control Desk). 1p. A1897:354-A1897:360.

--9801230349 Rev 1 to "Piping & Structural Design Review Criteria for Millstone Unit 2,Independent Corrective Action Verification Program."
* . 98/01/12. 3pp. A1897:355-A1897:357.

--9801230355 Rev 0 to "Field Instrument Terminal/Junction Box Separation Sampling Criteria for Millstone Unit 2 Independent Corrective Action Verification Program."
* . 98/01/17. 3pp. A1897:358-A1897:360.

9801270097 Forwards util response to recommendations made by Little Harbor Consultants,Inc re employee concerns program.Encl table identifies actions committed by util.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/01/21. Affiliation Not Assigned. 14pp. A1922:288-A1922:301.

9801290128 Requests addl info related to request to withdraw ATWS test commitment for MNPS,Unit 2.
MCDONALD,D.G. . 98/01/23. BOWLING,M.L. Northeast Nuclear Energy Co. 7pp. A1942:039-A1942:045.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020018 Responds to NRC 971121 ltr re violations noted in insp repts 50-245/97-203,50-336/97-203 & 50-423/97-203,respectively. Corrective actions:counseled procedure writer on inattention to detail & revised procedure OP-2322.W/commitments.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/12/22. Document Control Branch (Document Control Desk). 7pp. A1672:346-A1672:352.

9801060323 Responds to NRC 971121 ltr re violations noted in insp repts 50-245/97-203,50-336/97-203 & 50-423/97-203,respectively. Corrective actions:coached & counseled workers re wearing proper dosimetry & made several ergonomic enhancements.
BROTHERS,M.H. Northeast Nuclear Energy Co. 97/12/26. Document Control Branch (Document Control Desk). 12pp. A1733:335-A1733:346.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801090279 Discusses insp repts 50-245/97-81,50-336/97-81 & 50-423/97-81 on 970825-29 & predecisional enforcement conference on 971222.Based on info provided during insp & conference,NRC determined violations occurred.W/viewgraphs.
WIGGINS,J.T. Region 1 (Post 820201). 97/12/30. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. A1741:094-A1741:198.

--9801090286 Notice of violation from insp on 970825-29.Violation noted: as of 970829,adequate dose assessment methods were not in use.Page 23 of incoming submittal was not included.
* Region 1 (Post 820201). 97/12/30. 103pp. A1741:097-A1741:198.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220011 Forwards insp repts 50-245/97-207,50-336/97-207 & 50-423/97-207 on 971002-1130.No violations noted.Insp consisted of selective reviews of procedures & records, inspector observations & interviews w/security personnel.
DURR,J.P. Region 1 (Post 820201). 98/01/09. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A1872:124-A1872:216.

--9801220014 Insp repts 50-245/97-207,50-336/97-207 & 50-423/97-207 on 971002-1130.No violations noted.Major areas inspected: operations,maint,engineering & plant support.
DURR,J.P. Region 1 (Post 820201). 98/01/09. 89pp. A1872:128-A1872:216.

9801140321 Ack receipt of electronic funds transfer in listed amount on 971219 in payment for civil penalties proposed in 971210 ltr.Request for extension to respond to NOV,granted.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/01/12. KENYON,B.D. Northeast Nuclear Energy Co. 1p. A1791:310-A1791:310.

9801290207 Comment on draft RG DG-1063, "Approach for Plant Specific Decision-Making:Inservice Insp of Piping," & SRP Section 3.9.8, "SRP for Review of Risk-Informed Inservice Insp of Piping."
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/21. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 13pp. A2006:103-A2006:115.

R. Periodic operating reports & related correspondence

9801210289 Monthly operating rept for Dec 1997 for Millstone Nuclear Power Station Unit 2.W/980109 ltr.
STARK,S., PRICE,J.A. Northeast Nuclear Energy Co. 97/12/31. 7pp. A1887:225-A1887:231.

S. Reportable occurrences, LERs & related correspondence

9801020097 Forwards LER 97-037-00,documenting event that occurred at MNPS,Unit 2,on 971126.Commitments made by util,encl.
PRICE,J.A. Northeast Nuclear Energy Co. 97/12/22. Document Control Branch (Document Control Desk). 3pp. A1658:280-A1658:285.

--9801020099 LER 97-037-00:on 971126,reduced flow to heat exchangers due to svc water piping liner matl lodged in strainer for EDG. Will perform svc water piping internal inspections to locate source of piping liner matl & will perform repairs on liner.
JOSHI,R.G. Northeast Nuclear Energy Co. 97/12/22. 3pp. A1658:283-A1658:285.

9801090004 Part 21 rept re shipment by DuBose National Energy Svcs,Inc, of 40 pieces of 4 inch,90 degree elbows which did not meet ASME Section II SA-234 requirements.
DAILEY,J.N. . 98/01/07. Document Control Branch (Document Control Desk). 11pp. A1754:227-A1754:237.

T. Hearing transcripts on non-antitrust matters

9801210024 Transcript of 971217 public meeting in matter of Northeast Utils.W/Certificate.
* NRC - No Detailed Affiliation Given. 97/12/17. 188pp. A1866:046-A1866:233.

V. Operator Examinations

9801060219 Submits annual rept required under restrictions imposed on operator license OP-11224 issued to RR Goldsmith.W/o encl.
PRICE,J.A. Northeast Nuclear Energy Co. 97/11/28. MILLER,H.J. Region 1 (Post 820201). 2pp. A1738:350-A1738:351.

9801060051 Forwards revised schedule for completion of commitment re corrective action plan for training.
AMERINE,D.B. Northeast Nuclear Energy Co. 97/12/31. Document Control Branch (Document Control Desk). 5pp. A1724:351-A1724:355.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801020041 Documents corrective action plan to ensure compliance w/App R requirements.License will implement design change packages to install non-combustible Thermo-Lag 330-1 radiant energy shields in containment during listed refueling outages.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 3pp. A1670:356-A1670:358.

9801160049 Rev 18 to EPIP 3.02, "Activation of Technical Support Center." W/980108 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 98/01/08. 29pp. A1836:294-A1836:322.

J. Insurance & indemnity information

9801280287 Confirms that primary policy provided by Nuclear Mutual Limited re onsite property damage insurance for plant.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/20. Document Control Branch (Document Control Desk). 1p. A1945:226-A1945:226.

P. Operating license stage documents & correspondence

9801060008 Advises that Rev 1 to WCAP-14732, "Probabilistic Analysis of Reduction in Turbine Valve Test Frequency for Nuclear Plants W/W BB-296 Turbines W/Steam Chests" will be withheld from public disclosure (10CFR2.790),per 971010 & 1118 requests.
KALYANAM,N. . 97/12/15. SEPP,H.A. Westinghouse Electric Corp. 3pp. A1667:238-A1667:240.

9801020041 Documents corrective action plan to ensure compliance w/App R requirements.License will implement design change packages to install non-combustible Thermo-Lag 330-1 radiant energy shields in containment during listed refueling outages.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 3pp. A1670:356-A1670:358.

9801020049 Submits relief request NDE-46 from ASME Code requirements, paragraph IWA-5250(a)(2) for period of 971021-1104,when last weld was repaired.Commitments,encl.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 13pp. A1679:141-A1679:153.

9801050229 Forwards SER granting 970919 relief request NDE-43 & NDE-38 re svc water sys leaks per 10CFR50.55a(a)(3)(ii) for plant.
LYONS,J.E. . 97/12/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A1663:100-A1663:107.

--9801050235 SER granting request for approval to repair flaws in accordance w/GL 90-05 for ASME code class 3 service water piping for North Anna Power Station,per util 970919 submittal.
* . 97/12/18. 5pp. A1663:103-A1663:107.

9801060160 Forwards response to info requested in GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/29. Document Control Branch (Document Control Desk). 16pp. A1725:326-A1725:341.

9801220279 Submits application for exclusionary general permit for plant.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 98/01/12. DARTON,T. Virginia, Commonwealth of. 9pp. A1895:195-A1895:203.

9801260274 Forwards SE accepting licensee 971013 submittal re request for approval to repair flaws IAW GL-90-05 for ASME Code Class 2 svc water piping.
EDISON,G.E. . 98/01/15. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A1924:026-A1924:033.

--9801260277 Safety evaluation accepting licensee request for approval to repair flaws IAW GL-90-05 for ASME Code Class 3 svc water piping.
* . 98/01/15. 5pp. A1924:029-A1924:033.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020151 Forwards relief requests NDE-37 through NDE-41,providing basis of request for relief from ASME Section XI Code associated w/partial exams conducted during 1997 North Anna Unit 1 refueling outage.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 22pp. A1699:123-A1699:144.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801280181 Forwards insp repts 50-338/97-11,50-339/97-11 & 72-0016/97-04 on 971102-13.No violations identified,but discrepancies identified in construction practices related to correct placement of rebar.
HAAG,R.C. Region 2 (Post 820201). 98/01/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A1996:129-A1996:157.

--9801280185 Insp repts 50-338/97-11,50-339/97-11 & 72-0016/97-04 on 971102-1213.No violations noted.Major areas inspected: operations,engineering,maintenance & plant support.
* Region 2 (Post 820201). 98/01/12. 25pp. A1996:133-A1996:157.

R. Periodic operating reports & related correspondence

9801220015 Monthly operating repts for Dec 1997 for North Anna Power Station,Units 1 & 2.W/980112 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 97/12/31. 10pp. A1895:001-A1895:010.

V. Operator Examinations

9801220090 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1876:327-A1876:331.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801130385 Forwards RAI re application for North Anna ISFSI for fuel assemblies to be stored in plant ISFSI.
SHEA,J.W. Office of Nuclear Material Safety & Safeguards. 97/12/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A1808:358-A1808:360.

9801270230 Forwards RAI which addresses thermal design criteria of fuel assemblies to be stored in North Anna ISFSI & concrete pad static analysis.
SHEA,J.W. Office of Nuclear Material Safety & Safeguards. 98/01/16. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1966:086-A1966:090.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801020041 Documents corrective action plan to ensure compliance w/App R requirements.License will implement design change packages to install non-combustible Thermo-Lag 330-1 radiant energy shields in containment during listed refueling outages.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 3pp. A1670:356-A1670:358.

9801160049 Rev 18 to EPIP 3.02, "Activation of Technical Support Center." W/980108 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 98/01/08. 29pp. A1836:294-A1836:322.

J. Insurance & indemnity information

9801280287 Confirms that primary policy provided by Nuclear Mutual Limited re onsite property damage insurance for plant.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/20. Document Control Branch (Document Control Desk). 1p. A1945:226-A1945:226.

P. Operating license stage documents & correspondence

9801060008 Advises that Rev 1 to WCAP-14732, "Probabilistic Analysis of Reduction in Turbine Valve Test Frequency for Nuclear Plants W/W BB-296 Turbines W/Steam Chests" will be withheld from public disclosure (10CFR2.790),per 971010 & 1118 requests.
KALYANAM,N. . 97/12/15. SEPP,H.A. Westinghouse Electric Corp. 3pp. A1667:238-A1667:240.

9801020041 Documents corrective action plan to ensure compliance w/App R requirements.License will implement design change packages to install non-combustible Thermo-Lag 330-1 radiant energy shields in containment during listed refueling outages.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/18. Document Control Branch (Document Control Desk). 3pp. A1670:356-A1670:358.

9801050229 Forwards SER granting 970919 relief request NDE-43 & NDE-38 re svc water sys leaks per 10CFR50.55a(a)(3)(ii) for plant.
LYONS,J.E. . 97/12/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A1663:100-A1663:107.

--**9801050235** SER granting request for approval to repair flaws in accordance w/GL 90-05 for ASME code class 3 service water piping for North Anna Power Station,per util 970919 submittal.
* . 97/12/18. 5pp. A1663:103-A1663:107.

9801060160 Forwards response to info requested in GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/12/29. Document Control Branch (Document Control Desk). 16pp. A1725:326-A1725:341.

9801130329 Forwards SE re request for approval of ASME case N-498,Rev 1 as alternative to required hydrostatic pressure test for plant,Unit 2.
LYONS,J.E. . 97/12/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. A1790:259-A1790:264.

--**9801130337** SER accepting request for approval of ASME case N-498,rev 1, as an alternative to required hydrostatic pressure test for plant,unit 2.
* . 97/12/29. 4pp. A1790:261-A1790:264.

9801220279 Submits application for exclusionary general permit for plant.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 98/01/12. DARTON,T. Virginia, Commonwealth of. 9pp. A1895:195-A1895:203.

9801260274 Forwards SE accepting licensee 971013 submittal re request for approval to repair flaws IAW GL-90-05 for ASME Code Class 2 svc water piping.
EDISON,G.E. . 98/01/15. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A1924:026-A1924:033.

--**9801260277** Safety evaluation accepting licensee request for approval to repair flaws IAW GL-90-05 for ASME Code Class 3 svc water piping.
* . 98/01/15. 5pp. A1924:029-A1924:033.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801280181 Forwards insp repts 50-338/97-11,50-339/97-11 & 72-0016/97-04 on 971102-13.No violations identified,but discrepancies identified in construction practices related to correct placement of rebar.
HAAG,R.C. Region 2 (Post 820201). 98/01/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A1996:129-A1996:157.

--**9801280185** Insp repts 50-338/97-11,50-339/97-11 & 72-0016/97-04 on 971102-1213.No violations noted.Major areas inspected: operations,engineering,maintenance & plant support.
* Region 2 (Post 820201). 98/01/12. 25pp. A1996:133-A1996:157.

R. Periodic operating reports & related correspondence

9801220015 Monthly operating repts for Dec 1997 for North Anna Power Station,Units 1 & 2.W/980112 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 97/12/31. 10pp. A1895:001-A1895:010.

V. Operator Examinations

9801220090 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1876:327-A1876:331.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801130385 Forwards RAI re application for North Anna ISFSI for fuel assemblies to be stored in plant ISFSI.
SHEA,J.W. Office of Nuclear Material Safety & Safeguards. 97/12/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A1808:358-A1808:360.

9801270230 Forwards RAI which addresses thermal design criteria of fuel assemblies to be stored in North Anna ISFSI & concrete pad static analysis.
SHEA,J.W. Office of Nuclear Material Safety & Safeguards. 98/01/16. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1966:086-A1966:090.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801050198 Revised EPIPs,including rev 20 to EP-292, "Emergency Call Out - Backup Method" & rev 9 to EP-608, "Joint Public Ctr Operation."
SHELTON,D. Detroit Edison Co. 97/12/22. 21pp. A1701:308-A1701:328.

9801140265 Forwards rev 30 to physical security plan,per 10CFR50.54(p)(2).Rev withheld.
PETERSON,N.K. Detroit Edison Co. 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1843:264-A1843:265.

H. General correspondence

9801230105 Comment opposing proposed rule 10CFR50 & 70 re "Exemption From Criticality Accident Requirements." Detroit Edison concerned that proposed changes will not provide sufficient flexibility meeting regulations to criticality monitoring.
PETERSON,N.K. Detroit Edison Co. 98/01/02. Office of the Secretary of the Commission. 4pp. A1915:234-A1915:237.

9801230226 Comment opposing PRM 50-63A by P Crane re prophylactic use of potassium iodide for general public.
PETERSON,N.K. Detroit Edison Co. 98/01/16. Office of the Secretary of the Commission. 2pp. A1914:340-A1914:341.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801050244 Forwards "Approved UFSAR LCRS That Have Not Been Incorporated Into Hardcopy (Sorted by UFSAR Section)."
CAPPS,C. Detroit Edison Co. 97/12/18. Document Control Branch (Document Control Desk). 16pp. A1709:267-A1709:282.

9801050139 Forwards "Approved UFSAR LCRS That Have Not Been Incorporated Into UFSAR Hardcopy (Sorted By UFSAR Section)."
CAPPS,C.D. Detroit Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 16pp. A1727:161-A1727:176.

9801080287 Forwards "Approved UFSAR LCRS That Have Not Been Incorporated Into UFSAR HardCopy (Sorted By UFSAR Section)."
CAPPS,C.S. Detroit Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 16pp. A1758:347-A1758:362.

9801130137 Forwards "Approved UFSAR LCRS That Have Not Been Incorporated Into UFSAR Hardcopy (Sorted By UFSAR Section)."
CAPPS,C.S. Detroit Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 18pp. A1793:053-A1793:069.

9801210208 Forwards "Approved UFSAR LCRS That Have Not Been Incorporated Into UFSAR Hardcopy (Sorted By UFSAR Section).
CAPPS,C.S. Detroit Edison Co. 98/01/12. Document Control Branch (Document Control Desk). 17pp. A1882:204-A1882:220.

P. Operating license stage documents & correspondence

9801120210 Forwards RAI related to FERMI-2 amend request to extend EDG allowed outage times.Response requested within 30 days.
KUGLER,A.J. . 97/12/23. GIPSON,D.R. Detroit Edison Co. 3pp. A1789:358-A1789:360.

9801060216 Provides 90 day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
GIPSON,D.R. Detroit Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 8pp. A1733:351-A1733:358.

9801160022 Forwards SE accepting licensee 970501 request re proposed rev 2 to relief request VR-51 under Fermi 2 pump & valve inservice testing program per 10CFR50.55a(f)(6)(i) for first 10-yr interval.
CARPENTER,C.A. . 98/01/08. GIPSON,D.R. Detroit Edison Co. 2pp. A1820:298-A1820:303.

--**9801160027** Safety evaluation accepting proposed rev 2 to relief request VR-51 under Fermi 2 pump & valve inservice testing program per 10CFR50.55a(f)(6)(i) for first 10-yr interval.
* . 98/01/08. 4pp. A1820:300-A1820:303.

9801220148 Requests NRC review & approval of change to QA program as contained in Section 17.2 of plant UFSAR.Proposed change deletes "Fitness for Duty Lab" from list of nuclear generation areas that will be audited on periodic basis.
BORER,P.J. Detroit Edison Co. 98/01/14. Document Control Branch (Document Control Desk). 5pp. A1895:011-A1895:015.

9801220271 Provides committed written justification for operating w/replacement pilot assemblies for duration of operating cycle.
BORER,P.J. Detroit Edison Co. 98/01/14. Document Control Branch (Document Control Desk). 4pp. A1887:334-A1887:337.

9801280118 Notification of 980130 meeting w/Detroit Edison Co in Rockville,MD to discuss licensee amend submittal for Fermi-2 plant,particularly those necessary to support next refueling outage & meet new DEC licensing personnel.
KUGLER,A.J. . 98/01/15. CARPENTER,C.A. . 4pp. A1920:347-A1920:350.

9801270063 Informs that util intends to submit response to 971205 RAI re IPEEE rept,by 980403.Subject rept submitted in response to GL 88-20,Suppl 4, "Individual Plan Exams for Severe Accident Vulnerabilities."
GIPSON,D.R. Detroit Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 2pp. A1935:160-A1935:161.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801270076 Forwards insp rept 50-341/97-17 on 971201-05.No violations noted.Insp included observation of certified evaluators & licensed operators during administration of requalification exam & observation of conduct of control room activities.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. GIPSON,D.R. Detroit Edison Co. 3pp. A1933:168-A1933:190.

--9801270080 Insp rept 50-341/97-17 on 971201-05.No violations noted. Major areas inspected:conduct of operations,operator training & qualification & miscellaneous operations issues.
LEACH,M. Region 3 (Post 820201). 98/01/21. 20pp. A1933:171-A1933:190.

R. Periodic operating reports & related correspondence

9801210169 Monthly operating rept for Dec 1997 for Fermi 2.W/980112 ltr.
GILES,H.B., PETERSON,N.K. Detroit Edison Co. 97/12/31. 4pp. A1867:307-A1867:310.

V. Operator Examinations

9801210102 Confirms telcon on 980112 between L Sanders & H Peterson re arrangements made to revise dates for administration of licensing exam at facility during weeks of 980406-13.NRC will make exam validation visit to facility week of 980323.
LEACH,M.N. Region 3 (Post 820201). 98/01/14. GIPSON,D.R. Detroit Edison Co. 3pp. A1855:047-A1855:049.

9801270076 Forwards insp rept 50-341/97-17 on 971201-05.No violations noted.Insp included observation of certified evaluators & licensed operators during administration of requalification exam & observation of conduct of control room activities.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. GIPSON,D.R. Detroit Edison Co. 3pp. A1933:168-A1933:190.

--9801270080 Insp rept 50-341/97-17 on 971201-05.No violations noted. Major areas inspected:conduct of operations,operator training & qualification & miscellaneous operations issues.
LEACH,M. Region 3 (Post 820201). 98/01/21. 20pp. A1933:171-A1933:190.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. WALKER,W.P. Wisconsin Electric Power Co. LADD,M.J. Northern States Power Co. 3pp. A1960:072-A1960:074.

DOCKET 50-344 TROJAN NUCLEAR PLANT

H. General correspondence

9801230102 Comment on proposed rule 10CFR50 & 70 re "Criticality Accident Requirements." Trojan staff recommends proposed rule be revised to clarify applicability for plants that received NRC staff actions.
STEPHENSON,C. Portland General Electric Co. 98/01/13. Office of the Secretary of the Commission. 2pp. A1915:232-A1915:233.

J. Insurance & Indemnity Information

9801280311 Forwards Endorsements 135,136 & 137 to NELIA Policy NF-0225 & certificate of insurance & Endorsement 1 to Policy NW-0602.
QUENNOZ,S.M. Portland General Electric Co. 98/01/21. Document Control Branch (Document Control Desk). 8pp. A1936:295-A1936:302.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801120139 Ack receipt of 971126 ltr informing NRC of steps taken to correct violations noted in insp rept 50-344/97-03. Implementation of corrective actions will be reviewed during future insp to determine that compliance achieved.
SCARANO,R.A. Region 4 (Post 820201). 98/01/07. QUENNOZ,S.M. Portland General Electric Co. 4pp. A1754:017-A1754:027.

9801300272 Forwards omitted cover page for insp rept 50-344/97-05 on 971201-03.
SPITZBERG,D.B. Region 4 (Post 820201). 98/01/23. QUENNOZ,S.M. Pacific Gas & Electric Co. 4pp. A1965:342-A1965:346.

--9801300273 Cover page for insp rept 50-344/97-05 on 971201-03, inadvertently omitted in original submittal.
* Region 4 (Post 820201). 98/01/23. 1p. A1965:346-A1965:346.

W. Decommissioning Stage Documents & Correspondence

9801270113 Forwards rev 21 to PGE-8010, "Portland General Electric Nuclear Quality Assurance Program (QA) for Trojan Nuclear Plant." Rev reflects administrative & corporate position title changes that meet requirements of 10CFR50,App B.
QUENNOZ,S.M. Portland General Electric Co. 98/01/19. Office of Nuclear Material Safety & Safeguards. 6pp. A1932:286-A1932:307.

--9801270116 Rev 21 to PGE-8010, "Portland General Electric (PGE) Nuclear Quality Assurance Program for Trojan Nuclear Plant."
* Portland General Electric Co. 98/01/19. 16pp. A1932:292-A1932:307.

9801300224 Notification of licensee meeting w/util on 980209 in Arlington,TX to discuss changes to protected area for plant to facilitate ongoing decommissioning of site.
SCARANO,R.A. Region 4 (Post 820201). 98/01/26. Region 4 (Post 820201). 3pp. A1964:356-A1964:358.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801260392 Forwards PGE-1069, "Revs to Trojan ISFSI SAR," reflecting info submitted by PGE,including resolution of number of technical issues discussed at 970226 meeting w/NRC & info re revised design of ISFSI transfer station.Revised TSs,encl.
QUENNOZ,S.M. Portland General Electric Co. 97/12/18. REID,D.G. Office of Nuclear Material Safety & Safeguards. 18pp. A1928:001-A1928:264.

--9801260396 "Revs to Trojan ISFSI SAR."
* Portland General Electric Co. PGE-1069. 97/12/18. 263pp. A1928:019-A1928:254.

--9801260407 Proposed revs to Trojan ISFSI tech specs.
* Portland General Electric Co. 97/12/18. 10pp. A1928:255-A1928:264.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9801120263 Summary of 971215 meeting w/util in Rockville,MD to discuss quality programs at Davis-Besse Nuclear Power Station.List of meeting participants & meeting handouts encl.
HANSEN,A.G. . 97/12/18. Toledo Edison Co. 32pp. A1762:215-A1762:246.

9801130368 Requests relief per 10CFR50.55a(3) & (g)(5)(iii) from certain requirements of Section XI of ASME Boiler & Pressure Code re ISI at plant.
WOOD,J.K. Centerior Energy. 97/12/22. Document Control Branch (Document Control Desk). 27pp. A1807:318-A1807:344.

9801020119 Forwards application for amend to license NPF-3.Amend changes involve TS Definition 1.12,TS 3/4.9.5 & new TS 3.0.6.TS index is proposed for revision to reflect change to TS 3/4.9.5 & Bases.
WOOD,J.K. Centerior Energy. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1687:172-A1687:221.

--9801020121 Application for amend to license NPF-3.Amend changes TS Definitions 1.12,TS 3/4.9.5 & new TS 3.0.6.
WOOD,J.K. Centerior Energy. 97/12/23. 14pp. A1687:174-A1687:187.

--9801020124 Proposed tech specs pages re changes to TS Definition 1.2, TS 3/4/9.5 & new TS 3.0.6 & associated Bases.TS index rev to reflect change to TS 3/4.9.5,included.
* Centerior Energy. 97/12/23. 34pp. A1687:188-A1687:221.

9801050029 Forwards application for amend to license NPF-3,revising TS surveillance requirements for ISI requirements of internal auxiliary feedwater header,header to shroud attachment welds & external header thermal sleeves.
WOOD,J.K. Centerior Energy. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1684:198-A1684:220.

--9801050031 Application for amend to license NPF-3,revising TS surveillance requirements for ISI requirements of internal auxiliary feedwater header,header to shroud attachment welds & external header thermal sleeves.
WOOD,J.K. Centerior Energy. 97/12/23. 9pp. A1684:200-A1684:208.

--9801050033 Proposed tech specs pages,revising TS surveillance requirements for ISI requirements of internal auxiliary feedwater header,header to shroud attachment welds & external header thermal sleeves.
* Centerior Energy. 97/12/23. 12pp. A1684:209-A1684:220.

9801140177 Forwards response to NRC GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containing Heat Removal Pumps."
WOOD,J.K. Centerior Energy. 97/12/29. Document Control Branch (Document Control Desk). 6pp. A1823:349-A1823:354.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801130368 Requests relief per 10CFR50.55a(3) & (g)(5)(iii) from certain requirements of Section XI of ASME Boiler & Pressure Code re ISI at plant.
WOOD,J.K. Centerior Energy. 97/12/22. Document Control Branch (Document Control Desk). 27pp. A1807:318-A1807:344.

9801050029 Forwards application for amend to license NPF-3,revising TS surveillance requirements for ISI requirements of internal auxiliary feedwater header,header to shroud attachment welds & external header thermal sleeves.
WOOD,J.K. Centerior Energy. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1684:198-A1684:220.

--9801050031 Application for amend to license NPF-3,revising TS surveillance requirements for ISI requirements of internal auxiliary feedwater header,header to shroud attachment welds & external header thermal sleeves.
WOOD,J.K. Centerior Energy. 97/12/23. 9pp. A1684:200-A1684:208.

--9801050033 Proposed tech specs pages,revising TS surveillance requirements for ISI requirements of internal auxiliary feedwater header,header to shroud attachment welds & external header thermal sleeves.
* Centerior Energy. 97/12/23. 12pp. A1684:209-A1684:220.

9801020088 Ack receipt of 971204 ltr informing NRC of steps taken to correct violations noted in insp rept 50-346/97-12 on 971104.Reviewed C/As & have no further questions.C/As will be examined during future insps.
GROBE,J.A. Region 3 (Post 820201). 97/12/24. WOOD,J.K. Centerior Service Co. 2pp. A1629:074-A1629:079.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210247 Advises of planned insp effort resulting from plant performance review.Encl details NRC insp plan for approx next six months.
KOZAK,T.J. Region 3 (Post 820201). 98/01/09. WOOD,J.K. Centerior Service Co. 4pp. A1857:025-A1857:028.

9801230323 Forwards SER approving 970307 & 1118 relief requests from exam requirements of applicable ASME code,section XI,for second inservice inspection interval exams.Relief requests RR-A13,A14 & B8 granted pursuant to 10CFR50.55a(a)(3)(i).
SAVIO,R.P. . 98/01/13. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 4pp. A1901:318-A1901:334.

--9801230328 SER approving second 10-year interval inservice inspection program plan requests for relief for Davis-Besse Nuclear Power Station,Unit 1.
* . 98/01/13. 13pp. A1901:322-A1901:334.

R. Periodic operating reports & related correspondence

9801150100 Monthly operating rept for Dec 1997 for Davis-Besse Nuclear Power Station,Unit 1.W/980113 ltr.
MATRANGA,E.C., LASH,J.H. Centerior Energy. 97/12/31. 3pp. A1844:183-A1844:185.

S. Reportable occurrences, LERs & related correspondence

9801050261 Forwards LER 97-005-01 to document completion of corrective actions taken re 970212 event.Changes are marked w/rev bar in right margin.
LASH,J.H. Centerior Energy. 97/12/19. Document Control Branch (Document Control Desk). 1p. A1687:035-A1687:040.

--9801050270 LER 97-005-01:on 970212,TS surveillance requirement had not been fulfilled during last plant startup due to inadequate SE.Personnel entered containment & verified that "Kamlock" cover was properly installed.
WOLF,G.M. Centerior Energy. 97/12/19. 5pp. A1687:036-A1687:040.

9801050195 Forwards rev 8 to LER 97-008,submitted to provide addl info re event which occurred on 970318.Changes marked w/rev bar in margin.
LASH,J.H. Centerior Energy. 97/12/21. Document Control Branch (Document Control Desk). 1p. A1686:335-A1686:358.

--9801050196 LER 97-008-08:on 970318,inadequate testing of safety-related logic was noted.Caused by personnel error.Testing was performed to verify equipment operability & appropriate testing will continue to be performed at required frequency.
WOLF,G.M. Centerior Energy. 97/12/26. 23pp. A1686:336-A1686:358.

9801220179 LER 97-015-00:on 971212,discovered that EDG tachometer circuit was outside of 10CFR50 App R design basis.Caused by inadequate development & review of Mod 84-0183.Hourly fire watch established & mod to EDG tachometer made.W/980112 ltr.
WOLF,G.M., LASH,J.H. Centerior Energy. 98/01/12. 9pp. A1893:055-A1893:063.

9801230434 LER 97-016-00:on 971217,monthly ECCS valve position SR was missed.Caused by flow path that was not part of contiguous ECCS flow path envisioned for compliance w/TS 4.5.2.Verified valves open on 971222.W/980116 ltr.
MILLER,D.L., LASH,J.H. Toledo Edison Co. 98/01/16. 6pp. A2042:342-A2042:347.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B., TSAKERES,F.S. Commonwealth Edison Co. 3pp. A1960:072-A1960:074.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801120271 Forwards request for addl info re Kaowool fire barriers installed at Farley Nuclear Plant,identified in insp repts 50-348/96-09 & 50-364/96-09 & subsequent insp repts 50-348/97-12 & 50-364/97-12.
ZIMMERMAN,J.I. . 97/12/24. MOREY,D.N. Southern Nuclear Operating Co. 8pp. A1762:247-A1762:254.

9801210062 Rev 37 to EPIP GO-EIP-111, "Corporate Activation & Notification." W/980112 ltr.
MOREY,D. Southern Nuclear Operating Co. 98/01/12. 28pp. A1857:267-A1857:294.

H. General correspondence

9801070329 Comment supporting proposed rule & direct final rule on 10CFR50.68 & 10CFR70.24, "Criticality Accident Requirements."
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/31. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1726:359-A1726:360.

9801230092 Comment supporting NEI comments on PRM 50-63A by P Crane recommending emergency planning standard for protective actions be changed to require explicit consideration of prophylactic use of potassium iodide for general public.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:220-A1915:221.

P. Operating license stage documents & correspondence

9801080332 Provides 120-day response to GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations."
MOREY,D. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1753:359-A1753:360.

9801090059 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps." Changes to existing calculations will correct errors & provide more accurate calculations.
MOREY,D. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 5pp. A1758:222-A1758:226.

9801090061 Application for amends to licenses NPF-2 & NPF-8,changing requirements for auxiliary bldg & svc water bldg batteries, per NRC staff concerns as described in URI 50-348/97-201 & 50-364/97-201 & NOV 50-348/97-11 & 50-364/97-11.
MOREY,D. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1757:322-A1757:347.

--9801090066 Proposed tech specs re auxiliary bldg & svc water bldg battery surveillances.
* Southern Nuclear Operating Co. 97/12/30. 24pp. A1757:324-A1757:347.

9801140024 Advises that info submitted in application,dtd 971118 will be withheld from public disclosure,per 10CFR2.790.
ZIMMERMAN,J.I. . 97/12/30. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1796:358-A1796:361.

9801080314 Forwards response to RAI related to power uprate facility operating licenses & TSs change request.
MOREY,D. Southern Nuclear Operating Co. 97/12/31. Document Control Branch (Document Control Desk). 5pp. A1753:353-A1753:357.

9801090182 Application for amends to licenses NPF-2 & NPF-8,changing NIS IR neutron flux reactor trip setpoint & allowable value to be consistent w/W std TS,NUREG-1431,Rev 1.Proprietary safety analysis,encl.Proprietary info withheld.
MOREY,D. Southern Nuclear Operating Co. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1809:308-A1809:350.

--9801090184 Proposed tech specs changing NIS IR neutron flux reactor trip setpoint & allowable value.
* Southern Nuclear Operating Co. 97/12/31. 20pp. A1809:310-A1809:329.

--9801090187 Requests that proprietary rev 1 to NSA-SSO-96-524, "JM Farley Nuclear Plant IR Neutron Flux Reactor Trip Setpoint Change," be withheld from public disclosure,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 97/02/10. COLLINS,S.L. Document Control Branch (Document Control Desk). 9pp. A1809:330-A1809:338.

--9801090233 Non-proprietary Rev 1 to NSA-SSO-96-525, "JM Farley Nuclear Safety Analysis IR Neutron Flux Reactor Trip Setpoint Change."
* Westinghouse Electric Corp. NSA-SSO-96-525 R01. 96/12/31. 12pp. A1809:339-A1809:350.

9801130265 Application for amends to licenses NPF-2 & NPF-8,adding note to TS to specifically indicate normal or emergency power supply may be inoperable in Modes 5 or 6 provided that requirements of TS 3.8.1.2 are satisified.
MOREY,D. Southern Nuclear Operating Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1791:319-A1791:329.

--9801130267 Proposed tech specs pages,adding note to specifically indicate normal or emergency power supply may be inoperable in Modes 5 or 6 provided that requirements of TS 3.8.1.2 are satisfied.
* Southern Nuclear Operating Co. 98/01/07. 9pp. A1791:321-A1791:329.

9801200200 Forwards request for addl info related to use of smaller diameter probe when implementing GL 95-05 for Joseph M Farley Nuclear Plant,units 1 & 2.
ZIMMERMAN,J.I. . 98/01/09. MOREY,D.N. Southern Nuclear Operating Co. 6pp. A1852:340-A1852:345.

9801210075 Provides notification of completion of implementation of severe accident mgt,per NRC request.
MOREY,D.N. Southern Nuclear Operating Co. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1857:359-A1857:359.

9801200233 Forwards notice of withdrawal of applications for amend to licenses NPF-2 & NPF-8.Proposed change would have modified TSs as stated.
ZIMMERMAN,J.I. . 98/01/13. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A1850:355-A1850:358.

--9801200237 Notice of withdrawal of application for amends to licenses NPF-2 & NPF-8.Proposed amends would have revised TS 3.9.13 by extending completion time allowed for returning one out- of-service PRF sys from 48 h to 7 days.
ZIMMERMAN,J.L. . 98/01/13. 1p. A1850:358-A1850:358.

9801230010 Ack receipt of 10CFR50.54(a) submittal,dtd 971118,which proposed changes to QA program description.Based on current review schedule it will require more than 60 days to complete evaluation.
ZIMMERMAN,J.I. . 98/01/16. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A1901:347-A1901:349.

9801270095 Requests exemption from requirements of 10CFR50.71(e)(4) re submission of revs to UFSAR for plant.Exemption will allow periodic updates of Farley UFSAR once per fuel cycle,within 6 months following completion of each refueling outage.
MOREY,D. Southern Nuclear Operating Co. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1930:359-A1930:360.

9801290093 Forwards summary by relief request of NRC questions/comments & util response & specific relief request action licensee is taking as result,per 971118 & 1217 telcons re 970703 submittal of updated IST programs for plant.
MOREY,D. Southern Nuclear Operating Co. 98/01/22. Document Control Branch (Document Control Desk). 39pp. A1969:290-A1969:328.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801130042 Ack receipt of 971105 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/97-10 & 50-364/97-10 on 971006.Finds response meets requirements of 10CFR2.201.
JOHNSON,J.R. Region 2 (Post 820201). 97/12/18. MOREY,D.N. Southern Nuclear Operating Co. 6pp. A1785:041-A1785:046.

9801120271 Forwards request for addl info re Kaowool fire barriers installed at Farley Nuclear Plant,identified in insp repts 50-348/96-09 & 50-364/96-09 & subsequent insp repts 50-348/97-12 & 50-364/97-12.
ZIMMERMAN,J.I. . 97/12/24. MOREY,D.N. Southern Nuclear Operating Co. 8pp. A1762:247-A1762:254.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801210252 Forwards integrated insp repts 50-348/97-14,50-364/97-14 & investigation rept 2-97-005 on 971019-1129 & notice of violation.Violation identified w/plant operation outside design basis due to degraded flooding barrier.
JOHNSON,J.R. Region 2 (Post 820201). 97/12/29. MOREY,D.N. Southern Nuclear Operating Co. 5pp. A1856:189-A1856:231.

--9801210271 Notice of violation from insp on 971019-1129.Violation noted:as early as June 1985,licensee identified degradation of cork seal between containment & auxiliary bldg walls, condition adverse to quality.
* Region 2 (Post 820201). 97/12/29. 2pp. A1856:194-A1856:195.

--9801210292 Insp repts 50-348/97-14 & 50-364/97-14 on 971019-1129. Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
* Region 2 (Post 820201). 97/12/29. 36pp. A1856:196-A1856:231.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801090061 Application for amends to licenses NPF-2 & NPF-8,changing requirements for auxiliary bldg & svc water bldg batteries, per NRC staff concerns as described in URI 50-348/97-201 & 50-364/97-201 & NOV 50-348/97-11 & 50-364/97-11.
MOREY,D. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1757:322-A1757:347.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220075 Ack receipt of 971217 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/97-11 & 50-364/97-11.
SKINNER,P.H. Region 2 (Post 820201). 98/01/12. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A1889:001-A1889:003.

9801270188 Forwards SE accepting request for relief (RR-27) for plant, Units 1 & 2 from certain provisions of section XI to ASME boiler & pressure vessel code.Relief will remove insulation on ASME Code Class 1 sys during insp.
BERKOW,H.N. . 98/01/22. MOREY,D.N. Southern Nuclear Operating Co. 4pp. A1934:212-A1934:218.

--9801280166 SER accepting request for relief (RR-27) for plant,units 1 & 2 from certain provisions of section XI to ASME boiler & pressure vessel code.Relief will remove insulation on ASME Code Class 1 sys during Inservice insp.
* . 98/01/22. 3pp. A1934:216-A1934:218.

R. Periodic operating reports & related correspondence

9801160073 Monthly operating repts for Dec 1997 for JM Farley Nuclear Plant,Units 1 & 2.W/980112 ltr.
MCANULTY,M.W., MOREY,D. Southern Nuclear Operating Co. 97/12/31. 5pp. A1840:326-A1840:330.

V. Operator Examinations

9801220244 Extends invitation to Exam Writing Workshop in Atlanta,GA,on 980127-29.Workshop designed to inform mgt,operations & training staff of NUREG-1021 exam writing techniques for licensing of reactor plant operators.Agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. MOREY,D.N. Southern Nuclear Operating Co. 5pp. A1875:204-A1875:208.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801220169 Confirms 980112 & 13 telcons W/NRC that response to 971114 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," will be submitted by 980316.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1895:033-A1895:034.

9801280373 Forwards rev 8 to Emergency Response Procedures ERP-101, "Classification of Emergencies." Copy of computer generated rept index identifying latest revs of LGS ERPs also encl.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/20. Document Control Branch (Document Control Desk). 2pp. A1966:126-A1966:145.

-9801300023 Rev 8 to ERP-101, "Classification of Emergencies."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. 18pp. A1966:128-A1966:145.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801070346 Forwards Rev 7 to UFSAR for Limerick Generating Station, Units 1 & 2.Attachment 1 provides listing of changes which have been made since previous submittal in accordance w/ 10CFR50.54(a)(3)(ii).
COTTON,J.B. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. Document Control Branch (Document Control Desk). 10pp. A1759:001-A1762:088.

-9801070352 Rev 7 to UFSAR for Limerick Generating Station,Units 1 & 2.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. 1,171pp. A1759:010-A1762:088.

P. Operating license stage documents & correspondence

9801050012 Forwards completed NPDES permit application for Bradshaw Reservoir,application general info,evidence of municipal & county notification & check for application fee.Change to current monitoring requirements requested.
CESAREO,D.J. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/23. ROTH,J. Pennsylvania, Commonwealth of. 57pp. A1701:249-A1701:307.

9801070035 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," dtd 971007.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/30. Document Control Branch (Document Control Desk). 14pp. A1741:345-A1741:358.

9801120184 Forwards request for addl info re 971006 request for review & approval of implementation of plant mod to support installation of replacement suction strainers for ECCS pumps at Limerick Generating Station,Units 1 & 2.
BUCKLEY,B.C. . 97/12/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. A1790:004-A1790:007.

9801150027 Withdraws portion of change request 96-06-0 re ref noted as change 29 in 970225 request.Attachment 1 contains marked-up page 5 of facility OL,reflecting partial withdrawal. W/affidavit.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/08. Document Control Branch (Document Control Desk). 5pp. A1841:167-A1841:171.

9801200113 TS Change Request 97-02-1 to license NPF-39,revising TS Table 4.4.6.1.3-1 to change withdrawal schedule for first capsule to be withdrawn from 10 effective full power yrs to 15 EFPY.GE Rept GE-NE-B1100786-01,Rev 1 encl.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/12. Document Control Branch (Document Control Desk). 3pp. A1843:059-A1843:121.

-9801200120 Proposed Tech Specs Table 4.4.6.1.3-1 re surveillance specimen program evaluation for Limerick Generating Station, Unit 1.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/12. 14pp. A1843:062-A1843:075.

-9801200131 Rev 1 to GE-NE-B1100786-01, "Surveillance Specimen Program Evaluation for Limerick Generating Station,Unit 1."
FREW,B.D., TILLY,L.J., CAINE,T.A. General Electric Co. GE-NE-B1100786-01. 98/12/31. 46pp. A1843:076-A1843:121.

9801210220 Forwards proposed study plan to evaluate effects of water diversion sys discharge on fecal coliform levels in East Branch Perkiomen Creek.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. NEWBOLD,J. Pennsylvania, Commonwealth of. 2pp. A1887:206-A1887:213.

-9801210221 NPDES Permit PA-0052221 "Study Plan for Fecal Coliform Bacteria in Pont Pleasant Water Diversion Sys During May- Sept 1998."
* Normandeau Associates, Inc. 97/12/31. 6pp. A1887:208-A1887:213.

9801220169 Confirms 980112 & 13 telcons W/NRC that response to 971114 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," will be submitted by 980316.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1895:033-A1895:034.

9801220201 Submits info update re 80 ex-Shoreham fuel assemblies to be inserted in core at LGS,Unit 1,for Cycle 8 operation. Location & description of assemblies shown in encl IAW commitment described in 960703 ltr to NRC.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 3pp. A1894:294-A1894:296.

9801280217 Informs that util extending use of chemical additive WCT FERROQUEST LP7200 to support cleaning of equipment in secondary cooling water sys at Units 1 & 2.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/20. Document Control Branch (Document Control Desk). 3pp. A1968:031-A1968:033.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in *Safety-Related Pump Surveillance Tests.*"
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

R. Periodic operating reports & related correspondence

9801060267 Forwards "Annual 10CFR50.59 & Commitment Rev Rept for 960701-970630," for Limerick Generation Station,Units 1 & 2.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. Document Control Branch (Document Control Desk). 1p. A1729:331-A1729:354.

-9801060271 "Annual 10CFR50.59 & Commitment Rev Rept for 960701-970630," for Limerick Generating Station,Units 1 & 2.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 97/06/30. 23pp. A1729:332-A1729:354.

9801200018 Monthly operating repts for Dec 1997 for Limerick Generating Station.W/ 980114 ltr.
ANGUS,V.T., GRIMES,J.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. 7pp. A1843:145-A1843:151.

S. Reportable occurrences, LERs & related correspondence

9801130359 LER 97-013-00:on 971205,discovered that various PCIVs had not been tested,per TS 4.6.3.2.Caused by error in original installation design documents.Will revise identified document deficiencies & PCIV surveillance test.W/980105 ltr.
MOORE,T.A., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/05. 6pp. A1806:291-A1806:296.

9801230118 Part 21 rept re failed operation of Agastat EGPI004 relay on 971129,as reported by Limerick Station.Caused by insufficient soldering.Will notify customers who purchased EPI004 & ETR14XXX004 relays during June 1996.
SOUDEN,R. Affiliation Not Assigned. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1901:041-A1901:041.

9801280284 Forwards LER 97-014-00 re trip of RHRSW sys due to spurious trip signal generated by "B" radiation monitor.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/21. Document Control Branch (Document Control Desk). 1p. A1963:241-A1963:244.

-9801280289 LER 97-014-00:on 971222,RHRSW sys pump tripped due to spurious trip signal generated by "B" radiation monitor. Replaced preamplifier cable for "B" radiation monitor, cleaned signal connectors & generated CM action request.
MOORE,T.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/21. 3pp. A1963:242-A1963:244.

V. Operator Examinations

9801090290 Provides authorization to administer initial written licensing exams to listed applicants on 980116.NRC Region I operator licensing staff will administer operating tests wk of 980119.
MEYER,G.W. Region 1 (Post 820201). 98/01/06. HOPKINS,L.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. A1741:215-A1741:216.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801220169 Confirms 980112 & 13 telcons W/NRC that response to 971114 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," will be submitted by 980316.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1895:033-A1895:034.

9801280373 Forwards rev 8 to Emergency Response Procedures ERP-101, "Classification of Emergencies." Copy of computer generated rept index identifying latest revs of LGS ERPs also encl.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/20. Document Control Branch (Document Control Desk). 2pp. A1966:126-A1966:145.

-9801300023 Rev 8 to ERP-101, "Classification of Emergencies."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. 18pp. A1966:128-A1966:145.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801070346 Forwards Rev 7 to UFSAR for Limerick Generating Station, Units 1 & 2.Attachment 1 provides listing of changes which have been made since previous submittal in accordance w/ 10CFR50.54(a)(3)(ii).
COTTON,J.B. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. Document Control Branch (Document Control Desk). 10pp. A1759:001-A1762:088.

--9801070352 Rev 7 to UFSAR for Limerick Generating Station,Units 1 & 2.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. 1,171pp. A1759:010-A1762:088.

P. Operating license stage documents & correspondence

9801050012 Forwards completed NPDES permit application for Bradshaw Reservoir,application general info,evidence of municipal & county notification & check for application fee.Change to current monitoring requirements requested.
CESAREO,D.J. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/23. ROTH,J. Pennsylvania, Commonwealth of. 57pp. A1701:249-A1701:307.

9801070035 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," dtd 971007.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/30. Document Control Branch (Document Control Desk). 14pp. A1741:345-A1741:358.

9801120184 Forwards request for addl info re 971006 request for review & approval of implementation of plant mod to support installation of replacement suction strainers for ECCS pumps at Limerick Generating Station,Units 1 & 2.
BUCKLEY,B.C. . 97/12/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. A1790:004-A1790:007.

9801150027 Withdraws portion of change request 96-06-0 re ref noted as change 29 in 970225 request.Attachment 1 contains marked-up page 5 of facility OL,reflecting partial withdrawal. W/affidavit.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/08. Document Control Branch (Document Control Desk). 5pp. A1841:167-A1841:171.

9801210220 Forwards proposed study plan to evaluate effects of water diversion sys discharge on fecal coliform levels in East Branch Perkiomen Creek.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. NEWBOLD,J. Pennsylvania, Commonwealth of. 2pp. A1887:206-A1887:213.

--9801210221 NPDES Permit PA-0052221 "Study Plan for Fecal Coliform Bacteria in Pont Pleasant Water Diversion Sys During May- Sept 1998."
* Normandeau Associates, Inc. 97/12/31. 6pp. A1887:208-A1887:213.

9801220169 Confirms 980112 & 13 telcons W/NRC that response to 971114 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," will be submitted by 980316.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1895:033-A1895:034.

9801280217 Informs that util extending use of chemical additive WCT FERROQUEST LP7200 to support cleaning of equipment in secondary cooling water sys at Units 1 & 2.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/20. Document Control Branch (Document Control Desk). 3pp. A1968:031-A1968:033.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

R. Periodic operating reports & related correspondence

9801060267 Forwards "Annual 10CFR50.59 & Commitment Rev Rept for 960701-970630," for Limerick Generation Station,Units 1 & 2.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. Document Control Branch (Document Control Desk). 1p. A1729:331-A1729:354.

--9801060271 "Annual 10CFR50.59 & Commitment Rev Rept for 960701-970630," for Limerick Generating Station,Units 1 & 2.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 97/06/30. 23pp. A1729:332-A1729:354.

9801200018 Monthly operating repts for Dec 1997 for Limerick Generating Station.W/ 980114 ltr.
ANGUS,V.T., GRIMES,J.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. 7pp. A1843:145-A1843:151.

S. Reportable occurrences, LERs & related correspondence

9801230118 Part 21 rept re failed operation of Agastat EGPI004 relay on 971129,as reported by Limerick Station.Caused by insufficient soldering.Will notify customers who purchased EPI004 & ETR14XXX004 relays during June 1996.
SOUDEN,R. Affiliation Not Assigned. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1901:041-A1901:041.

V. Operator Examinations

9801090290 Provides authorization to administer initial written licensing exams to listed applicants on 980116.NRC Region I operator licensing staff will administer operating tests wk of 980119.
MEYER,G.W. Region 1 (Post 820201). 98/01/06. HOPKINS,L.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. A1741:215-A1741:216.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801060292 Voided rev 1 to EPIP-808, "Radiation Mgt Consultants Spokesperson Response - ENC." Procedure is superseded by NC.EP-EP.ZZ-0801(Q),rev 0.
* Public Service Electric & Gas Co. of New Jersey. 97/12/23. 4pp. A1729:265-A1729:268.

9801060312 Revised EPIPs,including rev 76 to TOC & rev 38 to EPIP 204H, "Emergency Response Callout/Personnel Recall."
THOMSEN,G. Public Service Electric & Gas Co. of New Jersey. 97/12/31. 44pp. A1730:259-A1730:302.

9801150052 Forwards rev 29 to emergency plan,consisting of revised Section 3, "Emergency Response Organization." Revs include administrative changes & changes to two emergency response organization positions.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1823:273-A1823:326.

9801160103 Rev 13 to EPIP-807, "Emergency News Ctr (ENC) Telephone Directory." W/rev 25 to table of contents.
* Public Service Electric & Gas Co. of New Jersey. 98/01/06. 10pp. A1840:297-A1840:306.

9801230235 Rev 20 to EPIP 1006, "Emergency Equipment Inventory Radiation Protection." W/rev 69 to table of contents.
* Public Service Electric & Gas Co. of New Jersey. 98/01/14. 50pp. A1923:223-A1923:272.

9801270125 Forwards proposed rev 11 to security plan & proposed rev 4 to training & qualifications plan for plants.Plan withheld.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/01/21. Document Control Branch (Document Control Desk). 1p. A1936:146-A1936:146.

P. Operating license stage documents & correspondence

9801070097 Forwards non-proprietary version of NFS-0162,rev 0, "HCGS COLR,Cycle 8/Reload 7" & proprietary rept 24A5392AA,rev 0, "Lattice-Dependent MAPLHGR Rept for HCGS,Reload 7,Cycle 8." Proprietary encl withheld.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/12/17. Document Control Branch (Document Control Desk). 25pp. A1809:193-A1809:217.

9801130400 Forwards correction to SE issued in support of amend 63 to license NPF-57.Corrected error re description of min core thermal power & flow conditions that must be achieved under single recirculation loop operating conditions.
JAFFE,D.H. . 97/12/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A1790:135-A1790:139.

--9801130401 Corrected safety evaluation supporting amend 63 to license NPF-57,correcting error re description of min core thermal power & flow conditions to avoid thermal stratification.
* . 97/12/18. 2pp. A1790:138-A1790:139.

9801140027 Forwards order approving application re merger agreement between Atlantic Energy Inc,parent of ACE & DP&L affecting license NPF-57 & staff SE in support of order.
MOZAFARI,B.L. . 97/12/18. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 3pp. A1820:115-A1820:126.

--9801140029 Order approving application re merger agreement between Atlantic Energy,Inc,& Delmarva Power & Light Co.Orders that Commission approves application,subj to listed conditions.
COLLINS,S.J. . 97/12/18. Commissioners (Post 750119). 6pp. A1820:118-A1820:123.

--9801140032 SE supporting proposed merger of Atlantic Energy Inc,& DP&L, affecting plant.
* . 97/12/18. 3pp. A1820:124-A1820:126.

9801020013 Forwards HCGS IST program for second interval per 10CFR50.55a(f)(4)(ii) & 10CFR50.55a(f)(5)(i).Second interval is being reduced to nine years w/end date of Dec 20,2006 & requirements will be phased in by 960331 IAW NUREG-1482.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/12/22. Document Control Branch (Document Control Desk). 3pp. A1670:042-A1670:333.

--9801020015 Rev 0 to "IST Program Submittal Interval 2,Dec 21,1997 Through Dec 20,2006."
FORBIS,E.D., BINZ,R., LAKE,L. Public Service Electric & Gas Co. of New Jersey. 97/12/08. 289pp. A1670:045-A1670:333.

9801130309 Forwards 90-day response to GL 97-04, "Assurance for Sufficient NPSH for ECC & Containment Heat Removal Pumps."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/12/30. Document Control Branch (Document Control Desk). 8pp. A1793:136-A1793:143.

9801220330 Forwards overview of steps PSE&G has & is taking to sustain continued improvement for future.Info is being provided to Commission as follow up to briefing provided in June 1997.
KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1893:260-A1893:275.

--**9801220333** "Nuclear Business Unit Future Objectives."
KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 98/01/19. 14pp. A1893:262-A1893:275.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801080133 Notification of significant licensee meeting 97-129 w/util on 980114 to conduct pre-decisional enforcement conference to discuss violation for failure to follow reactivity manipulation procedures for control rod movements.
LINVILLE,J.C. Region 1 (Post 820201). 97/12/24. Region 1 (Post 820201). 2pp. A1728:281-A1728:282.

9801080137 Notification of significant licensee meeting 97-130 w/util on 980114 to conduct pre-decisional enforcement conference to discuss two violations re performance criteria for sys & components associated w/maint rule program.
LINVILLE,J.C. Region 1 (Post 820201). 97/12/24. Region 1 (Post 820201). 2pp. A1728:283-A1728:284.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210251 Responds to NRC 971113 ltr re violations noted in insp rept 50-354/97-07.Corrective actions:completed 10CFR50.59 SE & UFSAR change for addition of HPCI & RCIC time delay relay additions & discussed event in PSE&G 10CFR50.59 newsletter.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/01/12. Document Control Branch (Document Control Desk). 8pp. A1887:232-A1887:239.

R. Periodic operating reports & related correspondence

9801270037 Forwards MOR for Hope Creek Nuclear Generating Station,Unit 1 for Dec 1997 & summary of changes,tests & experiments during Nov 1997.
BEZILLA,M.B. Public Service Electric & Gas Co. of New Jersey. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1922:243-A1922:256.

--**9801270039** Monthly operating rept for Dec 1997 for Hope Creek Nuclear Generating Station,Unit 1.
TODD,F., RITZMAN,R. Public Service Electric & Gas Co. of New Jersey. 97/12/31. 5pp. A1922:245-A1922:249.

--**9801270050** Revised MOR for Nov 1997 for Hope Creek Nuclear Generating Station,Unit 1.Summary of changes,tests,experiments & refueling info,encl.
RITZMAN,R. Public Service Electric & Gas Co. of New Jersey. 97/11/30. 7pp. A1922:250-A1922:256.

S. Reportable occurrences, LERs & related correspondence

9801060336 LER 97-028-00:on 971117,failure to perform secondary containment isolation actuation sys surveillances was noted. Caused by personnel error.Performed overdue surveillance. W/971217 ltr.
PRIEST,J., BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 97/12/17. 5pp. A1754:135-A1754:140.

9801020054 LER 97-030-00:on 971122,inoperability of CAC sys vacuum breaker isolation valves noted.Caused by failure to review accumulator sizing calculation.Repaired subject valves, revised procedures & updated IST program.W/971219 ltr.
RITZMAN,R., BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 97/12/19. 5pp. A1658:275-A1658:279.

9801060225 Forwards LER 97-031-00 re reactor core isolation cooling sys isolation.Commitments made by util also encl.
BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 97/12/24. Document Control Branch (Document Control Desk). 2pp. A1754:130-A1754:134.

--**9801060227** LER 97-031-00:on 971130,automatic isolation signal was noted during warm-up of RCIC sys.Caused by spurious steam line pressure perturbations.Re-set isolation signal & completed warm-up of RCIC steam lines.
PRIEST,J. Public Service Electric & Gas Co. of New Jersey. 97/12/24. 3pp. A1754:132-A1754:134.

9801140215 Forwards LER 97-032-00 re inoperability of HPCI & RCIC. Commitments made by util,encl.
BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 98/01/02. Document Control Branch (Document Control Desk). 2pp. A1840:036-A1840:044.

--**9801140220** LER 97-032-00:on 971205,inoperability of HPCI & RCIC noted. Caused by unsuitability of replacement governor valve stem, over-compression of valve stem spring & misalignment of remote servo-governor lever.Procedures revised.
MANGES,C. Public Service Electric & Gas Co. of New Jersey. 98/01/02. 7pp. A1840:038-A1840:044.

9801220163 LER 97-033-00:on 971210,failure to perform secondary containment isolation actuation instrumention channel checks,was noted.Caused by personnel error.Personnel involved was held accountable.W/980109 ltr.
PRIEST,J., BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 98/01/09. 6pp. A1893:076-A1893:081.

DOCKET 50-355 HOPE CREEK NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801060292 Voided rev 1 to EPIP-808, "Radiation Mgt Consultants Spokesperson Response - ENC." Procedure is superseded by NC.EP-EP.ZZ-0801(Q),rev 0.
* Public Service Electric & Gas Co. of New Jersey. 97/12/23. 4pp. A1729:265-A1729:268.

DOCKET 50-356 UNIV. OF ILLINOIS RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9801150204 Discusses review of changes to Emergency Plan for Nuclear Reactor Lab at Univ of Illinois which were submitted on 970630 by R Holm.Rev 1 reflects guidance provided in IN 97-034.
ZALCMAN,B. . 98/01/07. ADAMS,A. . 3pp. A1817:359-A1817:361.

9801150212 Discusses review of changes to Ford Nuclear Reactor Emergency Plan,Rev 16,Univ of Michigan,submitted on 970702 by R Fleming.Changes included correction of minor typos, telephone number changes & several substantial issues.
ZALCMAN,B. . 98/01/07. MICHAELS,T.S. . 3pp. A1817:356-A1817:358.

V. Operator Examinations

9801120245 Discusses arrangements made for administration of operator licensing exams at Univ of Illinois reactor.Written & operating exams scheduled for wk of 980302.Ref matl for reactor/senior reactor operator licensing exams encl.
ISAAC,P. . 97/12/24. JONES,B.G. Illinois, Univ. of, Urbana, IL. 11pp. A1790:039-A1790:049.

9801230334 Discusses arrangements for administration of operator licensing exams at Univ of Illinois reactor scheduled for week of 980302.In order to meet schedule,furnish matl listed in encl 1 at least 30 days prior to exam date.
ISAAC,P. . 98/01/20. JONES,B.G. Illinois, Univ. of, Urbana, IL. 11pp. A1902:048-A1902:058.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801070191 Forwards rev 18 to NRC approved Aug 1983, "Safeguards Contingency Plan for SONGS,Unit 1,2 & 3" and screening criteria forms IAW 10CFR50.54(p).Encls withheld,per 10CFR73.21.
KRIEGER,R.W. Southern California Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1762:091-A1762:092.

9801020073 Documents schedule change for ingestion pathway zone (IPZ) exercise,discussed during recent telcon w/B Murray of Region IV.Exercise originally planned for 1997 is now scheduled for 1999.
RAINSBERRY,J.L. Southern California Edison Co. 97/12/24. Document Control Branch (Document Control Desk). 2pp. A1670:345-A1670:346.

9801050370 Responds to NRC 971125 ltr re violations noted in insp repts 50-361/97-21 & 50-362/97-21 on 971027-1031.Corrective actions:survey of 5 emergency kit locations was performed, following exercise.
NUNN,D.E. Southern California Edison Co. 97/12/24. Document Control Branch (Document Control Desk). 4pp. A1713:350-A1713:353.

9801060174 Forwards revised EPIPs,including rev 7 to SO123-VIII-30.5, "Shift Communicator Duties" & rev 2,TCN to SO123-VIII-0.100, "Maint Control of Emergency Planning Documents." Encl lists current offsite emergency planning order.
GIBSON,G.T. Southern California Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 4pp. A1725:122-A1725:160.

--**9801060175** Revised EPIPs,including rev 7 to SO123.VIII-30.5, "Shift Communicator Duties" & rev 2,TCN to SO123-VIII-0.100, "Maint & Control of Emergency Planning Documents."
* Southern California Edison Co. 97/12/30. 35pp. A1725:126-A1725:160.

9801070281 Forwards insp rept 50-361/97-26 & 50-362/97-26 on 971208-12. No violations noted.Inspectors reviewed operational status of emergency preparedness program & determined that program was properly implemented.
MURRAY,B. Region 4 (Post 820201). 98/01/05. RAY,H.B. Southern California Edison Co. 5pp. A1727:014-A1727:030.

--**9801070286** Insp repts 50-361/97-26 & 50-362/97-26 on 971208-12.No violations noted.Major areas inspected:operationsl status of licensee emergency preparedness program.Emphasis was placed on changes occurred since last emergency preparedness insp.
* Region 4 (Post 820201). 98/01/05. 12pp. A1727:019-A1727:030.

9801140155 Notification of licensee meeting w/util on 980120 to discuss apparent violations involving physical security program. Meeting not open to public.
HOWELL,A.T. Region 4 (Post 820201). 98/01/07. Region 4 (Post 820201). 6pp. A1791:120-A1791:125.

9801220187 Submits rev 18 to NRC "Safeguards Contingency Plan,for San Onofre Nuclear Generating Station,Units 1,2 & 3." Changes do not reduce effectiveness of plan.W/o encl.
KRIEGER,R.W. Southern California Edison Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp.

9801210006 Ack receipt of 971224 ltr responding to exercise weakness identified in insp repts 50-361/97-21 & 50-362/97-21 on 971125.
MURRAY,B. Region 4 (Post 820201). 98/01/14. RAY,H.B. Southern California Edison Co. 4pp. A1855:012-A1855:019.

9801220391 Forwards "SONGS Emergency Response Telephone Directory," for Jan-Mar 1998.
GIBSON,G.T. Southern California Edison Co. 98/01/15. Region 4 (Post 820201). 1p. A1893:322-A1893:341.

--**9801220395** "SONGS Emergency Response Telephone Directory," for Jan-Mar 1998.
* Southern California Edison Co. 98/03/31. 19pp. A1893:323-A1893:341.

9801290110 Forwards rev 12 to "Updated Fire Hazards Analysis,SONGS Units 1,2 & 3," IAW requirements of 10CFR50.71(e).Rev submitted on replacement page basis & updates or clarifies existing info.
NUNN,D.E. Southern California Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A2060:001-A2061:054.

--**9801290113** Rev 12 to "Updated Fire Hazards Analysis,SONGS Units 1,2 & 3."
* Southern California Edison Co. 98/01/21. 500pp. A2060:004-A2061:054.

9801280101 Ack receipt of 970116 ltr transmitting rev 6.5 to San Onofre emergency plan,submitted under provisions of 10CFR50.54(q). Based on determination that changes continue to meet standards of 10CFR50.47(b),NRC approval not required.
MURRAY,B. Region 4 (Post 820201). 98/01/24. RAY,H.B. Southern California Edison Co. 4pp. A1940:066-A1940:069.

9801300040 Submits response to comments re NRC SALP repts 50-361/97-99 & 50-362/97-99,dtd 970729.SALP Board concluded that no change to maint category rating or engineering category rating was appropriate.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/26. RAY,H.B. Southern California Edison Co. 9pp. A1964:049-A1964:066.

H. General correspondence

9801220229 Comment on petition for rulemaking PRM 50-63A re aftermath of nuclear meltdown at San Onofre NPP & possibility of nuclear emergency caused by Navy proposed Mixed Waste facility & plans to homeport nuclear carriers in San Diego.
KRIPKE,Z. Affiliation Not Assigned. 98/01/11. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1875:196-A1875:196.

9801230154 Comment opposing PRM 50-63A by PG Crane amending petition for rulemaking re use of Potassium Iode.
* Southern California Edison Co. 98/01/15. Office of the Secretary of the Commission. 2pp. A1913:353-A1913:354.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801300072 Forwards rev 13 to "Updated Final Safety Analysis Rept, SONGS Units 2 & 3," IAW requirements of 10CFR50.71(e).Rev 13 submitted on replacement pages basis & updates or clarifies existing info.
NUNN,D.E. Southern California Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A2105:001-A2122:216.

--**9801300107** Rev 13 to "Updated Final Safety Analysis Rept,SONGS Units 2 & 3."
* Southern California Edison Co. 98/01/21. 7,400pp. A2105:004-A2122:216.

P. Operating license stage documents & correspondence

9801050292 Forwards amends 138 & 130 to licenses NPF-10 & NFP-15 & SE. Amends delete physical protection program reporting requirement from license condition 2.G & clarify license condition 2.E.
FIELDS,M.B. . 97/12/16. RAY,H.B. Southern California Edison Co. 2pp. A1652:348-A1652:359.

--**9801050317** Amends 138 & 130 to licenses NPF-10 & NPF-15,respectively, deleting physical protection program reporting requirement from license condition 2.G & clarifying license condition 2.E.
FIELDS,M.B. . 97/12/16. 7pp. A1652:350-A1652:356.

--**9801050321** Safety evaluation supporting amends 138 & 130 to licenses NPF-10 & NPF-15,respectively.
* . 97/12/16. 3pp. A1652:357-A1652:359.

9801120196 Informs that on 970304,San Onofre,Unit 2,pressurizer vessel experienced cooldown transient at rate greater than 200 F/hr limit specified in TSs.Fracture mechanics evaluation of pressurizer transient met criteria in App G of ASME Code.
WICHMAN,K.R. . 97/12/22. FIELDS,M.B. . 3pp. A1790:001-A1790:003.

9801080052 Forwards response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps." Info based on review of current SONGS,Units 2 & 3 design-basis analysis used to determine available NPSH for heat removal pumps.
RAINSBERRY,J.L. Southern California Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 8pp. A1785:335-A1785:342.

9801090153 Forwards amend application numbers 174 & 160 to licenses NPF-10 & NPF-15,respectively.Amend applications consists of proposed change 482,revising TS 3.7.5 & Bases to indicate turbine driven AFW pump is operable.
NUNN,D.E. Southern California Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 1p. A1758:152-A1758:182.

--**9801090159** Proposed change number 482 to application for amends 174 & 160 to licenses NPF-10 & NPF-15.Amends revise TS 3.7.5, "AFW Sys" & Bases to indicate turbine driven AFW pump is operable when running in manual mode to shutdowns & testing.
NUNN,D.E. Southern California Edison Co. 98/01/05. NRC - No Detailed Affiliation Given. 10pp. A1758:153-A1758:162.

--**9801090161** Proposed tech specs pages,revising TS 3.7.5 & Bases to indicate turbine driven AFW pump is operable when running in manual mode to support plant startups,shutdowns & testing.
* Southern California Edison Co. 98/01/02. 20pp. A1758:163-A1758:182.

9801090103 Forwards response to RAI re mechanical nozzle seal assembly (MNSA).Response provides sufficient documentation to show that using MNSA as alternative repair method does provide acceptable level of quality & safety.Seminar info encl.
RAINSBERRY,J.L. Southern California Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 16pp. A1758:197-A1758:221.

--**9801090106** "Valve Manufacturers Assoc Seminar Flexible Graphite Non- Asbestos Gasketing Matl."
PETRUNICH,P.S. Union Carbide Corp. 86/08/08. 9pp. A1758:213-A1758:221.

9801130349 Forwards Suppl 1 to application for amends 152 & 136 to licenses NPF-10 & NPF-15,modifying TS 3.5.1 to extend completion time for single inoperable safety injection tank from 1 h to 24 h.
NUNN,D.E. Southern California Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1807:251-A1807:296.

--**9801130363** Suppl 1 to application to amends 152 & 136 to licenses NPF-10 & NPF-15,revising TS 3.5.1, "Safety Injection Tanks," to extend,in general,completion time for single inoperable safety injection tank from 1 h to 24 h.
NUNN,D. Southern California Edison Co. 98/01/09. 13pp. A1807:253-A1807:265.

--**9801130369** Proposed Tech Specs 3.5.1 re extension of completion time for safety injection tanks.
* Southern California Edison Co. 98/01/09. 31pp. A1807:266-A1807:296.

9801130378 Forwards Suppl 1 to application for amends 150 & 134 to licenses NPF-10 & NPF-15,modifying TS 3.8.1 to extend offsite circuit completion time from 72 h & 6 days from discovery of failure to meet LCO to 72 h & 10 days.
NUNN,D. Southern California Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 3pp. A1807:152-A1807:250.

--**9801130386** Suppl 1 to application for amends 150 & 134 to licenses NPF-10 & NPF-15,revising TS 3.8.1, "AC Sources - Operating," to extend offsite circuit completion time from 72 h & 6 days from discovery of failure to meet LCO to 72 h & 17 days.
NUNN,D. Southern California Edison Co. 98/01/09. 17pp. A1807:155-A1807:171.

--**9801130390** Proposed Tech Specs 3.8.1 re extension of EDG completion time.
* Southern California Edison Co. 98/01/09. 79pp. A1807:172-A1807:250.

9801130403 Forwards Suppl 1 to application for amends 151 & 135 to licenses NPF-10 & NPF-15,modifying TS 3.5.2 to extend allowed outage time 72 h to 7 days for single low pressure safety injection train.
NUNN,D.E. Southern California Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1808:064-A1808:112.

--**9801130406** Suppl 1 to application for amends 151 & 135 to licenses NPF-10 & NPF-15,revising TS 3.5.2, "ECCS-Operating," to extend allowed outage time from 72 h to 7 days for single low pressure safety injection train.
NUNN,D. Southern California Edison Co. 98/01/09. 12pp. A1808:066-A1808:077.

--**9801130408** Proposed Tech Specs 3.5.2 re extension of completion time for low pressure safety injection train.
* Southern California Edison Co. 98/01/09. 35pp. A1808:078-A1808:112.

9801150120 Forwards amend 19 to Topical Rept SCE-1-A, "Quality Assurance Program." Encl II includes summary of changes introduced in Topical Rept SCE-1-A,amend 19 as compared to amend 18.
RAINSBERRY,J.L. Southern California Edison Co. 98/01/13. Document Control Branch (Document Control Desk). 3pp. A1841:001-A1841:093.

--**9801150126** Amend 19 to Topical Rept SCE-1-A, "Quality Assurance Program."
SLAGLE,K.A., RAY,H.B. Southern California Edison Co. 97/12/31. 89pp. A1841:004-A1841:093.

9801230198 Forwards Cycle 9 update to SONGS,Units 2 & 3 TS Bases. Changes to TS Bases implemented without prior NRC approval provided to NRC on frequency consistent w/10CFR50.71(e).
RAINSBERRY,J.L. Southern California Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A1896:001-A1896:355.

--**9801230201** Proposed tech specs re revised Bases pages for SONGS,Units 2 & 3.
* Southern California Edison Co. 97/05/30. 352pp. A1896:004-A1896:355.

9801300021 Forwards request for addl info re proposed SG sleeving TS amend for plant.Util 970916 ltr requested NRC approval to use ASEA Brown Boveri/Combustion Engineering leak tight sleeving as alternative SG tube repair to plugging.
FIELDS,M.B. . 98/01/21. RAY,H.B. Southern California Edison Co. 3pp. A1961:187-A1961:189.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050370 Responds to NRC 971125 ltr re violations noted in insp repts 50-361/97-21 & 50-362/97-21 on 971027-1031.Corrective actions:survey of 5 emergency kit locations was performed, following exercise.
NUNN,D.E. Southern California Edison Co. 97/12/24. Document Control Branch (Document Control Desk). 4pp. A1713:350-A1713:353.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801060129 Forwards insp repts 50-361/97-25 & 50-362/97-25 on 971109-1220 & NOV.Conduct of activities was generally characterized by safety-conscious operation,sound engineering & maint practices.
KIRSCH,D.F. Region 4 (Post 820201). 97/12/30. RAY,H.B. Southern California Edison Co. 4pp. A1680:203-A1680:227.

--9801060133 Notice of violation from insp on 971109-1220.Violation noted:Valves S2(3)1201MU021,Units 2 & 3 charging to loop 1A check valves,installed in 1985 & 1993,respectively,were not tested adequately to demonstrate satisfactory performance.
* Region 4 (Post 820201). 97/12/30. 2pp. A1680:207-A1680:208.

--9801060137 Insp repts 50-361/97-25 & 50-362/97-25 on 971109-1220. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 4 (Post 820201). 97/12/30. 19pp. A1680:209-A1680:227.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130285 Forwards addl info re proposed violations identified in insp repts 50-361/97-22 & 50-362/97-22 & enhancements to SONGS maint rule program taken subsequent to insp.
NUNN,D.E. Southern California Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 12pp. A1791:330-A1791:341.

9801070281 Forwards insp rept 50-361/97-26 & 50-362/97-26 on 971208-12. No violations noted.Inspectors reviewed operational status of emergency preparedness program & determined that program was properly implemented.
MURRAY,B. Region 4 (Post 820201). 98/01/05. RAY,H.B. Southern California Edison Co. 5pp. A1727:014-A1727:030.

--9801070286 Insp repts 50-361/97-26 & 50-362/97-26 on 971208-12.No violations noted.Major areas inspected:operationsl status of licensee emergency preparedness program.Emphasis was placed on changes occurred since last emergency preparedness insp.
* Region 4 (Post 820201). 98/01/05. 12pp. A1727:019-A1727:030.

9801210006 Ack receipt of 971224 ltr responding to exercise weakness identified in insp repts 50-361/97-21 & 50-362/97-21 on 971125.
MURRAY,B. Region 4 (Post 820201). 98/01/14. RAY,H.B. Southern California Edison Co. 4pp. A1855:012-A1855:019.

9801260243 Discusses 971024 ltr which denied violation of 10CFR50.65, issued on 970910,in conjunction w/insp repts 50-361/97-15 & 50-362/97-15.NRC decided not to pursue enforcement action relative to apparent Criterion XVI violation.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/15. RAY,H.B. Southern California Edison Co. 6pp. A1926:226-A1926:251.

9801300060 Refers to predecisional enforcement conference conducted on 980120 re apparent violations identified in NRC insp repts 50-361/97-24 & 50-362/97-24.List of attendees & presentation matl encl.
HOWELL,A.T. Region 4 (Post 820201). 98/01/23. RAY,H.B. Southern California Edison Co. 88pp. A1965:258-A1965:341.

9801300177 Forwards results of ISI of SG tubes during SONGS Unit 2 Cycle 9 refueling outage completed on 970124.
GIBSON,G.T. Southern California Edison Co. 98/01/23. Document Control Branch (Document Control Desk). 62pp. A1972:293-A1972:354.

9801300040 Submits response to comments re NRC SALP repts 50-361/97-99 & 50-362/97-99,dtd 970729.SALP Board concluded that no change to maint category rating or engineering category rating was appropriate.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/26. RAY,H.B. Southern California Edison Co. 9pp. A1964:049-A1964:066.

R. Periodic operating reports & related correspondence

9801220035 Forwards monthly operating repts for Dec 1997 for San Onofre Nuclear Generating Station Units 2 & 3.No challenges to pressurizer safety valves for either Unit 2 or 3.
GIBSON,G.T. Southern California Edison Co. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1887:291-A1887:299.

--9801230111 Monthly operating repts for Dec 1997 for San Onofre Nuclear Generating Station Units 2 & 3.
WILLIAMS,C.E. Southern California Edison Co. 97/12/31. 8pp. A1887:292-A1887:299.

9801230301 Forwards "SONGS,Units 1,2 & 3,Facility Changes Implemented for Period from 950927-970121," per 10CFR5059(b)(2).
RAINSBERRY,J.L. Southern California Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 2pp. A1895:204-A1895:294.

--9801230305 "SONGS,Units 1,2 & 3 Facility Changes Implemented for Period from 950927-970721."
* Southern California Edison Co. 97/07/21. 88pp. A1895:206-A1895:294.

S. Reportable occurrences, LERs & related correspondence

9801130071 Forwards LER 97-016 re 30-day written rept for occurrence involving unsurveilled fire damper.Neither health nor safety of plant personnel or public affected by occurrence.
KRIEGER,R.W. Southern California Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 1p. A1796:057-A1796:061.

--9801130084 LER 97-016-00:on 971202,SONGS personnel recognized that fire damper SARW504165001FD was not in licensee controlled specification surveillance procedure.Caused by cognitive personnel error.Occurrence reviewed w/appropriate personnel.
KRIEGER,R.W. Southern California Edison Co. 98/01/02. 4pp. A1796:058-A1796:061.

9801130266 Part 21 rept re use of DELTSTRAT code for RCS flow rate determination.Code corrects for temps to determine hot leg bulk coolant temp.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 98/01/06. Document Control Branch (Document Control Desk). 6pp. A1796:042-A1796:047.

9801210078 Forwards LER 97-017-00,for occurrence involving self- contained breathing apparatus & STA respirator qualifications.
KRIEGER,R.W. Southern California Edison Co. 98/01/13. Document Control Branch (Document Control Desk). 1p. A1862:312-A1862:315.

--9801210087 LER 97-017-00:on 971216,STAs were questioned re respirator qualifications & requirements re corrective lense wearers. Cause not determined.Util has requalified & certified all STAs for respirator use.
KRIEGER,R.W. Southern California Edison Co. 98/01/13. 3pp. A1862:313-A1862:315.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9801070191 Forwards rev 18 to NRC approved Aug 1983, "Safeguards Contingency Plan for SONGS,Unit 1,2 & 3" and screening criteria forms IAW 10CFR50.54(p).Encls withheld,per 10CFR73.21.
KRIEGER,R.W. Southern California Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1762:091-A1762:092.

9801020073 Documents schedule change for ingestion pathway zone (IPZ) exercise,discussed during recent telcon w/B Murray of Region IV.Exercise originally planned for 1997 is now scheduled for 1999.
RAINSBERRY,J.L. Southern California Edison Co. 97/12/24. Document Control Branch (Document Control Desk). 2pp. A1670:345-A1670:346.

9801050370 Responds to NRC 971125 ltr re violations noted in insp repts 50-361/97-21 & 50-362/97-21 on 971027-1031.Corrective actions:survey of 5 emergency kit locations was performed, following exercise.
NUNN,D.E. Southern California Edison Co. 97/12/24. Document Control Branch (Document Control Desk). 4pp. A1713:350-A1713:353.

9801060174 Forwards revised EPIPs,including rev 7 to SO123-VIII-30.5, "Shift Communicator Duties" & rev 2,TCN to SO123-VIII-0.100, "Maint Control of Emergency Planning Documents." Encl lists current offsite emergency planning order.
GIBSON,G.T. Southern California Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 4pp. A1725:122-A1725:160.

--9801060175 Revised EPIPs,including rev 7 to SO123.VIII-30.5, "Shift Communicator Duties" & rev 2,TCN to SO123-VIII-0.100, "Maint & Control of Emergency Planning Documents."
* Southern California Edison Co. 97/12/30. 35pp. A1725:126-A1725:160.

9801070281 Forwards insp rept 50-361/97-26 & 50-362/97-26 on 971208-12. No violations noted.Inspectors reviewed operational status of emergency preparedness program & determined that program was properly implemented.
MURRAY,B. Region 4 (Post 820201). 98/01/05. RAY,H.B. Southern California Edison Co. 5pp. A1727:014-A1727:030.

--9801070286 Insp repts 50-361/97-26 & 50-362/97-26 on 971208-12.No violations noted.Major areas inspected:operationsl status of licensee emergency preparedness program.Emphasis was placed on changes occurred since last emergency preparedness insp.
* Region 4 (Post 820201). 98/01/05. 12pp. A1727:019-A1727:030.

9801140155 Notification of licensee meeting w/util on 980120 to discuss apparent violations involving physical security program. Meeting not open to public.
HOWELL,A.T. Region 4 (Post 820201). 98/01/07. Region 4 (Post 820201). 6pp. A1791:120-A1791:125.

9801220187 Submits rev 18 to NRC "Safeguards Contingency Plan,for San Onofre Nuclear Generating Station,Units 1,2 & 3." Changes do not reduce effectiveness of plan.W/o encl.
KRIEGER,R.W. Southern California Edison Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp.

9801210006 Ack receipt of 971224 ltr responding to exercise weakness identified in insp repts 50-361/97-21 & 50-362/97-21 on 971125.
MURRAY,B. Region 4 (Post 820201). 98/01/14. RAY,H.B. Southern California Edison Co. 4pp. A1855:012-A1855:019.

9801220391 Forwards "SONGS Emergency Response Telephone Directory," for Jan-Mar 1998.
GIBSON,G.T. Southern California Edison Co. 98/01/15. Region 4 (Post 820201). 1p. A1893:322-A1893:341.

--9801220395 "SONGS Emergency Response Telephone Directory," for Jan-Mar 1998.
* Southern California Edison Co. 98/03/31. 19pp. A1893:323-A1893:341.

9801290110 Forwards rev 12 to "Updated Fire Hazards Analysis,SONGS Units 1,2 & 3," IAW requirements of 10CFR50.71(e).Rev submitted on replacement page basis & updates or clarifies existing info.
NUNN,D.E. Southern California Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A2060:001-A2061:054.

--9801290113 Rev 12 to "Updated Fire Hazards Analysis,SONGS Units 1,2 & 3."
* Southern California Edison Co. 98/01/21. 500pp. A2060:004-A2061:054.

9801280101 Ack receipt of 970116 ltr transmitting rev 6.5 to San Onofre emergency plan,submitted under provisions of 10CFR50.54(q). Based on determination that changes continue to meet standards of 10CFR50.47(b),NRC approval not required.
MURRAY,B. Region 4 (Post 820201). 98/01/24. RAY,H.B. Southern California Edison Co. 4pp. A1940:066-A1940:069.

9801300040 Submits response to comments re NRC SALP repts 50-361/97-99 & 50-362/97-99,dtd 970729.SALP Board concluded that no change to maint category rating or engineering category rating was appropriate.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/26. RAY,H.B. Southern California Edison Co. 9pp. A1964:049-A1964:066.

H. General correspondence

9801220229 Comment on petition for rulemaking PRM 50-63A re aftermath of nuclear meltdown at San Onofre NPP & possibility of nuclear emergency caused by Navy proposed Mixed Waste facility & plans to homeport nuclear carriers in San Diego.
KRIPKE,Z. Affiliation Not Assigned. 98/01/11. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1875:196-A1875:196.

9801230154 Comment opposing PRM 50-63A by PG Crane amending petition for rulemaking re use of Potassium Iode.
* Southern California Edison Co. 98/01/15. Office of the Secretary of the Commission. 2pp. A1913:353-A1913:354.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801300072 Forwards rev 13 to "Updated Final Safety Analysis Rept, SONGS Units 2 & 3," IAW requirements of 10CFR50.71(e).Rev 13 submitted on replacement pages basis & updates or clarifies existing info.
NUNN,D.E. Southern California Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A2105:001-A2122:216.

--9801300107 Rev 13 to "Updated Final Safety Analysis Rept,SONGS Units 2 & 3."
* Southern California Edison Co. 98/01/21. 7,400pp. A2105:004-A2122:216.

P. Operating license stage documents & correspondence

9801050292 Forwards amends 138 & 130 to licenses NPF-10 & NFP-15 & SE. Amends delete physical protection program reporting requirement from license condition 2.G & clarify license condition 2.E.
FIELDS,M.B. . 97/12/16. RAY,H.B. Southern California Edison Co. 2pp. A1652:348-A1652:359.

--9801050317 Amends 138 & 130 to licenses NPF-10 & NPF-15,respectively, deleting physical protection program reporting requirement from license condition 2.G & clarifying license condition 2.E.
FIELDS,M.B. . 97/12/16. 7pp. A1652:350-A1652:356.

--9801050321 Safety evaluation supporting amends 138 & 130 to licenses NPF-10 & NPF-15,respectively.
* . 97/12/16. 3pp. A1652:357-A1652:359.

9801080052 Forwards response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps." Info based on review of current SONGS,Units 2 & 3 design-basis analysis used to determine available NPSH for heat removal pumps.
RAINSBERRY,J.L. Southern California Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 8pp. A1785:335-A1785:342.

9801090153 Forwards amend application numbers 174 & 160 to licenses NPF-10 & NPF-15,respectively.Amend applications consists of proposed change 482,revising TS 3.7.5 & Bases to indicate turbine driven AFW pump is operable.
NUNN,D.E. Southern California Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 1p. A1758:152-A1758:182.

--9801090159 Proposed change number 482 to application for amends 174 & 160 to licenses NPF-10 & NPF-15.Amends revise TS 3.7.5, "AFW Sys" & Bases to indicate turbine driven AFW pump is operable when running in manual mode to shutdowns & testing.
NUNN,D.E. Southern California Edison Co. 98/01/05. NRC - No Detailed Affiliation Given. 10pp. A1758:153-A1758:162.

--9801090161 Proposed tech specs pages,revising TS 3.7.5 & Bases to indicate turbine driven AFW pump is operable when running in manual mode to support plant startups,shutdowns & testing.
* Southern California Edison Co. 98/01/02. 20pp. A1758:163-A1758:182.

9801090103 Forwards response to RAI re mechanical nozzle seal assembly (MNSA).Response provides sufficient documentation to show that using MNSA as alternative repair method does provide acceptable level of quality & safety.Seminar info encl.
RAINSBERRY,J.L. Southern California Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 16pp. A1758:197-A1758:221.

--9801090106 "Valve Manufacturers Assoc Seminar Flexible Graphite Non- Asbestos Gasketing Matl."
PETRUNICH,P.S. Union Carbide Corp. 86/08/08. 9pp. A1758:213-A1758:221.

9801130349 Forwards Suppl 1 to application for amends 152 & 136 to licenses NPF-10 & NPF-15,modifying TS 3.5.1 to extend completion time for single inoperable safety injection tank from 1 h to 24 h.
NUNN,D.E. Southern California Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1807:251-A1807:296.

--9801130363 Suppl 1 to application to amends 152 & 136 to licenses NPF-10 & NPF-15,revising TS 3.5.1, "Safety Injection Tanks," to extend,in general,completion time for single inoperable safety injection tank from 1 h to 24 h.
NUNN,D. Southern California Edison Co. 98/01/09. 13pp. A1807:253-A1807:265.

--9801130369 Proposed Tech Specs 3.5.1 re extension of completion time for safety injection tanks.
* Southern California Edison Co. 98/01/09. 31pp. A1807:266-A1807:296.

9801130378 Forwards Suppl 1 to application for amends 150 & 134 to licenses NPF-10 & NPF-15,modifying TS 3.8.1 to extend offsite circuit completion time from 72 h & 6 days from discovery of failure to meet LCO to 72 h & 10 days.
NUNN,D. Southern California Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 3pp. A1807:152-A1807:250.

--9801130386 Suppl 1 to application for amends 150 & 134 to licenses NPF-10 & NPF-15,revising TS 3.8.1, "AC Sources - Operating," to extend offsite circuit completion time from 72 h & 6 days from discovery of failure to meet LCO to 72 h & 17 days.
NUNN,D. Southern California Edison Co. 98/01/09. 17pp. A1807:155-A1807:171.

--9801130390 Proposed Tech Specs 3.8.1 re extension of EDG completion time.
* Southern California Edison Co. 98/01/09. 79pp. A1807:172-A1807:250.

9801130403 Forwards Suppl 1 to application for amends 151 & 135 to licenses NPF-10 & NPF-15,modifying TS 3.5.2 to extend allowed outage time 72 h to 7 days for single low pressure safety injection train.
NUNN,D.E. Southern California Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1808:064-A1808:112.

--9801130406 Suppl 1 to application for amends 151 & 135 to licenses NPF-10 & NPF-15,revising TS 3.5.2, "ECCS-Operating," to extend allowed outage time from 72 h to 7 days for single low pressure safety injection train.
NUNN,D. Southern California Edison Co. 98/01/09. 12pp. A1808:066-A1808:077.

--9801130408 Proposed Tech Specs 3.5.2 re extension of completion time for low pressure safety injection train.
* Southern California Edison Co. 98/01/09. 35pp. A1808:078-A1808:112.

9801150120 Forwards amend 19 to Topical Rept SCE-1-A, "Quality Assurance Program." Encl II includes summary of changes introduced in Topical Rept SCE-1-A,amend 19 as compared to amend 18.
RAINSBERRY,J.L. Southern California Edison Co. 98/01/13. Document Control Branch (Document Control Desk). 3pp. A1841:001-A1841:093.

--9801150126 Amend 19 to Topical Rept SCE-1-A, "Quality Assurance Program."
SLAGLE,K.A., RAY,H.B. Southern California Edison Co. 97/12/31. 89pp. A1841:004-A1841:093.

9801230198 Forwards Cycle 9 update to SONGS,Units 2 & 3 TS Bases. Changes to TS Bases implemented without prior NRC approval provided to NRC on frequency consistent w/10CFR50.71(e).
RAINSBERRY,J.L. Southern California Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A1896:001-A1896:355.

--9801230201 Proposed tech specs re revised Bases pages for SONGS,Units 2 & 3.
* Southern California Edison Co. 97/05/30. 352pp. A1896:004-A1896:355.

9801300021 Forwards request for addl info re proposed SG sleeving TS amend for plant.Util 970916 ltr requested NRC approval to use ASEA Brown Boveri/Combustion Engineering leak tight sleeving as alternative SG tube repair to plugging.
FIELDS,M.B. . 98/01/21. RAY,H.B. Southern California Edison Co. 3pp. A1961:187-A1961:189.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050370 Responds to NRC 971125 ltr re violations noted in insp repts 50-361/97-21 & 50-362/97-21 on 971027-1031.Corrective actions:survey of 5 emergency kit locations was performed, following exercise.
NUNN,D.E. Southern California Edison Co. 97/12/24. Document Control Branch (Document Control Desk). 4pp. A1713:350-A1713:353.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801060129 Forwards insp repts 50-361/97-25 & 50-362/97-25 on 971109-1220 & NOV.Conduct of activities was generally characterized by safety-conscious operation,sound engineering & maint practices.
KIRSCH,D.F. Region 4 (Post 820201). 97/12/30. RAY,H.B. Southern California Edison Co. 4pp. A1680:203-A1680:227.

--9801060133 Notice of violation from insp on 971109-1220.Violation noted:Valves S2(3)1201MU021,Units 2 & 3 charging to loop 1A check valves,installed in 1985 & 1993,respectively,were not tested adequately to demonstrate satisfactory performance.
* Region 4 (Post 820201). 97/12/30. 2pp. A1680:207-A1680:208.

--9801060137 Insp repts 50-361/97-25 & 50-362/97-25 on 971109-1220. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 4 (Post 820201). 97/12/30. 19pp. A1680:209-A1680:227.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130285 Forwards addl info re proposed violations identified in insp repts 50-361/97-22 & 50-362/97-22 & enhancements to SONGS maint rule program taken subsequent to insp.
NUNN,D.E. Southern California Edison Co. 98/01/02. Document Control Branch (Document Control Desk). 12pp. A1791:330-A1791:341.

9801070281 Forwards insp rept 50-361/97-26 & 50-362/97-26 on 971208-12. No violations noted.Inspectors reviewed operational status of emergency preparedness program & determined that program was properly implemented.
MURRAY,B. Region 4 (Post 820201). 98/01/05. RAY,H.B. Southern California Edison Co. 5pp. A1727:014-A1727:030.

--9801070286 Insp repts 50-361/97-26 & 50-362/97-26 on 971208-12.No violations noted.Major areas inspected:operationsl status of licensee emergency preparedness program.Emphasis was placed on changes occurred since last emergency preparedness insp.
* Region 4 (Post 820201). 98/01/05. 12pp. A1727:019-A1727:030.

9801210006 Ack receipt of 971224 ltr responding to exercise weakness identified in insp repts 50-361/97-21 & 50-362/97-21 on 971125.
MURRAY,B. Region 4 (Post 820201). 98/01/14. RAY,H.B. Southern California Edison Co. 4pp. A1855:012-A1855:019.

9801260243 Discusses 971024 ltr which denied violation of 10CFR50.65, issued on 970910,in conjunction w/insp repts 50-361/97-15 & 50-362/97-15.NRC decided not to pursue enforcement action relative to apparent Criterion XVI violation.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/15. RAY,H.B. Southern California Edison Co. 6pp. A1926:226-A1926:251.

9801300060 Refers to predecisional enforcement conference conducted on 980120 re apparent violations identified in NRC insp repts 50-361/97-24 & 50-362/97-24.List of attendees & presentation matl encl.
HOWELL,A.T. Region 4 (Post 820201). 98/01/23. RAY,H.B. Southern California Edison Co. 88pp. A1965:258-A1965:341.

9801300123 Forwards special rept,providing results of ISI of SG tubes during SONGS Unit 3 Cycle 9 refueling outage completed on 970522.
GIBSON,G.T. Southern California Edison Co. 98/01/23. Document Control Branch (Document Control Desk). 39pp. A1971:311-A1971:349.

9801300040 Submits response to comments re NRC SALP repts 50-361/97-99 & 50-362/97-99,dtd 970729.SALP Board concluded that no change to maint category rating or engineering category rating was appropriate.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/26. RAY,H.B. Southern California Edison Co. 9pp. A1964:049-A1964:066.

R. Periodic operating reports & related correspondence

9801220035 Forwards monthly operating repts for Dec 1997 for San Onofre Nuclear Generating Station Units 2 & 3.No challenges to pressurizer safety valves for either Unit 2 or 3.
GIBSON,G.T. Southern California Edison Co. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1887:291-A1887:299.

--9801230111 Monthly operating repts for Dec 1997 for San Onofre Nuclear Generating Station Units 2 & 3.
WILLIAMS,C.E. Southern California Edison Co. 97/12/31. 8pp. A1887:292-A1887:299.

9801230301 Forwards "SONGS,Units 1,2 & 3,Facility Changes Implemented for Period from 950927-970121," per 10CFR5059(b)(2).
RAINSBERRY,J.L. Southern California Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 2pp. A1895:204-A1895:294.

--9801230305 "SONGS,Units 1,2 & 3 Facility Changes Implemented for Period from 950927-970721."
* Southern California Edison Co. 97/07/21. 88pp. A1895:206-A1895:294.

S. Reportable occurrences, LERs & related correspondence

9801130346 Forwards LER 97-004-00 for occurrence involving typo in TS. Health & safety of public or plant personnel was not affected.
KRIEGER,R.W. Southern California Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1806:313-A1806:317.

--9801130351 LER 97-004-00:on 971205,typo in TS was found.Caused by personnel error.Tendon surveillance procedure correctly referenced Tendon 88-154 & not 38-154.
KRIEGER,R.W. Southern California Edison Co. 98/01/05. 3pp. A1806:315-A1806:317.

9801130266 Part 21 rept re use of DELTSTRAT code for RCS flow rate determination.Code corrects for temps to determine hot leg bulk coolant temp.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 98/01/06. Document Control Branch (Document Control Desk). 6pp. A1796:042-A1796:047.

9801280274 Forwards LER 97-003-00 re out of tolerance condition identified during testing of pressurizer safety valve setpoints.Neither health nor safety of plant personnel or public affected by occurence.
KRIEGER,R.W. Southern California Edison Co. 98/01/19. Document Control Branch (Document Control Desk). 1p. A1963:173-A1963:174.

--9801290026 LER 97-003-00:on 971218,determined that pressurizer safety valve setpoints were out of tolerance.Caused by setpoint drift.Valves will be disassembled,inspected,reassembled & reset by proper personnel.
KRIEGER,R.W. Southern California Edison Co. 98/01/19. 1p. A1963:174-A1963:174.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801120271 Forwards request for addl info re Kaowool fire barriers installed at Farley Nuclear Plant,identified in insp repts 50-348/96-09 & 50-364/96-09 & subsequent insp repts 50-348/97-12 & 50-364/97-12.
ZIMMERMAN,J.I. . 97/12/24. MOREY,D.N. Southern Nuclear Operating Co. 8pp. A1762:247-A1762:254.

9801210062 Rev 37 to EPIP GO-EIP-111, "Corporate Activation & Notification." W/ 980112 ltr.
MOREY,D. Southern Nuclear Operating Co. 98/01/12. 28pp. A1857:267-A1857:294.

H. General correspondence

9801070329 Comment supporting proposed rule & direct final rule on 10CFR50.68 & 10CFR70.24, "Criticality Accident Requirements."
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/31. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1726:359-A1726:360.

9801230092 Comment supporting NEI comments on PRM 50-63A by P Crane recommending emergency planning standard for protective actions be changed to require explicit consideration of prophylactic use of potassium iodide for general public.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:220-A1915:221.

P. Operating license stage documents & correspondence

9801080332 Provides 120-day response to GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations."
MOREY,D. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1753:359-A1753:360.

9801090059 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps." Changes to existing calculations will correct errors & provide more accurate calculations.
MOREY,D. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 5pp. A1758:222-A1758:226.

9801090061 Application for amends to licenses NPF-2 & NPF-8,changing requirements for auxiliary bldg & svc water bldg batteries, per NRC staff concerns as described in URI 50-348/97-201 & 50-364/97-201 & NOV 50-348/97-11 & 50-364/97-11.
MOREY,D. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1757:322-A1757:347.

--9801090066 Proposed tech specs re auxiliary bldg & svc water bldg battery surveillances.
* Southern Nuclear Operating Co. 97/12/30. 24pp. A1757:324-A1757:347.

9801140024 Advises that info submitted in application,dtd 971118 will be withheld from public disclosure,per 10CFR2.790.
ZIMMERMAN,J.I. . 97/12/30. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1796:358-A1796:361.

9801080314 Forwards response to RAI related to power uprate facility operating licenses & TSs change request.
MOREY,D. Southern Nuclear Operating Co. 97/12/31. Document Control Branch (Document Control Desk). 5pp. A1753:353-A1753:357.

9801090182 Application for amends to licenses NPF-2 & NPF-8,changing NIS IR neutron flux reactor trip setpoint & allowable value to be consistent w/W std TS,NUREG-1431,Rev 1.Proprietary safety analysis,encl.Proprietary info withheld.
MOREY,D. Southern Nuclear Operating Co. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1809:308-A1809:350.

--9801090184 Proposed tech specs changing NIS IR neutron flux reactor trip setpoint & allowable value.
* Southern Nuclear Operating Co. 97/12/31. 20pp. A1809:310-A1809:329.

--9801090187 Requests that proprietary rev 1 to NSA-SSO-96-524, "JM Farley Nuclear Plant IR Neutron Flux Reactor Trip Setpoint Change," be withheld from public disclosure,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 97/02/10. COLLINS,S.L. Document Control Branch (Document Control Desk). 9pp. A1809:330-A1809:338.

--9801090233 Non-proprietary Rev 1 to NSA-SSO-96-525, "JM Farley Nuclear Safety Analysis IR Neutron Flux Reactor Trip Setpoint Change."
* Westinghouse Electric Corp. NSA-SSO-96-525 R01. 96/12/31. 12pp. A1809:339-A1809:350.

9801130265 Application for amends to licenses NPF-2 & NPF-8,adding note to TS to specifically indicate normal or emergency power supply may be inoperable in Modes 5 or 6 provided that requirements of TS 3.8.1.2 are satisified.
MOREY,D. Southern Nuclear Operating Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1791:319-A1791:329.

--9801130267 Proposed tech specs pages,adding note to specifically indicate normal or emergency power supply may be inoperable in Modes 5 or 6 provided that requirements of TS 3.8.1.2 are satisfied.
* Southern Nuclear Operating Co. 98/01/07. 9pp. A1791:321-A1791:329.

9801200200 Forwards request for addl info related to use of smaller diameter probe when implementing GL 95-05 for Joseph M Farley Nuclear Plant,units 1 & 2.
ZIMMERMAN,J.I. . 98/01/09. MOREY,D.N. Southern Nuclear Operating Co. 6pp. A1852:340-A1852:345.

9801210075 Provides notification of completion of implementation of severe accident mgt,per NRC request.
MOREY,D.N. Southern Nuclear Operating Co. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1857:359-A1857:359.

9801200233 Forwards notice of withdrawal of applications for amend to licenses NPF-2 & NPF-8.Proposed change would have modified TSs as stated.
ZIMMERMAN,J.I. . 98/01/13. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A1850:355-A1850:358.

--9801200237 Notice of withdrawal of application for amends to licenses NPF-2 & NPF-8.Proposed amends would have revised TS 3.9.13 by extending completion time allowed for returning one out- of-service PRF sys from 48 h to 7 days.
ZIMMERMAN,J.L. . 98/01/13. 1p. A1850:358-A1850:358.

9801230010 Ack receipt of 10CFR50.54(a) submittal,dtd 971118,which proposed changes to QA program description.Based on current review schedule it will require more than 60 days to complete evaluation.
ZIMMERMAN,J.I. . 98/01/16. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A1901:347-A1901:349.

9801270095 Requests exemption from requirements of 10CFR50.71(e)(4) re submission of revs to UFSAR for plant.Exemption will allow periodic updates of Farley UFSAR once per fuel cycle,within 6 months following completion of each refueling outage.
MOREY,D. Southern Nuclear Operating Co. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1930:359-A1930:360.

9801290093 Forwards summary by relief request of NRC questions/comments & util response & specific relief request action licensee is taking as result,per 971118 & 1217 telcons re 970703 submittal of updated IST programs for plant.
MOREY,D. Southern Nuclear Operating Co. 98/01/22. Document Control Branch (Document Control Desk). 39pp. A1969:290-A1969:328.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801130042 Ack receipt of 971105 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/97-10 & 50-364/97-10 on 971006.Finds response meets requirements of 10CFR2.201.
JOHNSON,J.R. Region 2 (Post 820201). 97/12/18. MOREY,D.N. Southern Nuclear Operating Co. 6pp. A1785:041-A1785:046.

9801120271 Forwards request for addl info re Kaowool fire barriers installed at Farley Nuclear Plant,identified in insp repts 50-348/96-09 & 50-364/96-09 & subsequent insp repts 50-348/97-12 & 50-364/97-12.
ZIMMERMAN,J.I. . 97/12/24. MOREY,D.N. Southern Nuclear Operating Co. 8pp. A1762:247-A1762:254.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801210252 Forwards integrated insp repts 50-348/97-14,50-364/97-14 & investigation rept 2-97-005 on 971019-1129 & notice of violation.Violation identified w/plant operation outside design basis due to degraded flooding barrier.
JOHNSON,J.R. Region 2 (Post 820201). 97/12/29. MOREY,D.N. Southern Nuclear Operating Co. 5pp. A1856:189-A1856:231.

--9801210271 Notice of violation from insp on 971019-1129.Violation noted:as early as June 1985,licensee identified degradation of cork seal between containment & auxiliary bldg walls, condition adverse to quality.
* Region 2 (Post 820201). 97/12/29. 2pp. A1856:194-A1856:195.

--9801210292 Insp repts 50-348/97-14 & 50-364/97-14 on 971019-1129. Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
* Region 2 (Post 820201). 97/12/29. 36pp. A1856:196-A1856:231.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801090061 Application for amends to licenses NPF-2 & NPF-8,changing requirements for auxiliary bldg & svc water bldg batteries, per NRC staff concerns as described in URI 50-348/97-201 & 50-364/97-201 & NOV 50-348/97-11 & 50-364/97-11.
MOREY,D. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1757:322-A1757:347.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220075 Ack receipt of 971217 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/97-11 & 50-364/97-11.
SKINNER,P.H. Region 2 (Post 820201). 98/01/12. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A1889:001-A1889:003.

9801270188 Forwards SE accepting request for relief (RR-27) for plant, Units 1 & 2 from certain provisions of section XI to ASME boiler & pressure vessel code.Relief will remove insulation on ASME Code Class 1 sys during insp.
BERKOW,H.N. . 98/01/22. MOREY,D.N. Southern Nuclear Operating Co. 4pp. A1934:212-A1934:218.

--9801280166 SER accepting request for relief (RR-27) for plant,units 1 & 2 from certain provisions of section XI to ASME boiler & pressure vessel code.Relief will remove insulation on ASME Code Class 1 sys during Inservice insp.
* . 98/01/22. 3pp. A1934:216-A1934:218.

R. Periodic operating reports & related correspondence

9801160073 Monthly operating repts for Dec 1997 for JM Farley Nuclear Plant,Units 1 & 2.W/980112 ltr.
MCANULTY,M.W., MOREY,D. Southern Nuclear Operating Co. 97/12/31. 5pp. A1840:326-A1840:330.

V. Operator Examinations

9801220244 Extends invitation to Exam Writing Workshop in Atlanta,GA,on 980127-29.Workshop designed to inform mgt,operations & training staff of NUREG-1021 exam writing techniques for licensing of reactor plant operators.Agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. MOREY,D.N. Southern Nuclear Operating Co. 5pp. A1875:204-A1875:208.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801270198 Forwards ERDS implementaion documents,including Data Point Library 246 for Hatch,246 for McGuire & 247 for WNP2.Changes should be made as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 98/01/21. SAUL,K.L. SCIENTECH, Inc. 1p. A1934:211-A1934:211.

H. General correspondence

9801070329 Comment supporting proposed rule & direct final rule on 10CFR50.68 & 10CFR70.24, "Criticality Accident Requirements."
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/31. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1726:359-A1726:360.

9801230092 Comment supporting NEI comments on PRM 50-63A by P Crane recommending emergency planning standard for protective actions be changed to require explicit consideration of prophylactic use of potassium iodide for general public.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:220-A1915:221.

P. Operating license stage documents & correspondence

9801020065 Application for amends to licenses DPR-57 & NPF-5, respectively.Amends remove/modify existing license conditions,surveillance requirements that have been completed & exemptions that are no longer in effect.
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/18. Document Control Branch (Document Control Desk). 10pp. A1667:297-A1667:344.

--9801050243 Marked-up pages to licenses DPR-57 & NPF-5,respectively. Proposed changes delete or modify existing license conditions,surveillance requirements that have been completed & exemptions that are no longer in effect.
* Southern Nuclear Operating Co. 97/12/18. 38pp. A1667:307-A1667:344.

9801060165 Provides 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 11pp. A1722:342-A1722:352.

9801060198 Forwards response to request for addl info re USI A-46.Util response to remaining requests will be provided by 980213.
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/30. Document Control Branch (Document Control Desk). 4pp. A1722:353-A1722:356.

9801220049 Confirms telcon in mid-Dec 1997 re informational meeting scheduled for 980218 to discuss plans for onsite dry cask storage at Hatch facility.
SKINNER,P.H. Region 2 (Post 820201). 98/01/08. SUMNER,H.L. Southern Nuclear Operating Co. 3pp. A1872:293-A1872:295.

9801220175 Confirms Dec 1997 telcon w/S Tipps re informational meeting scheduled for 980223.Purpose of meeting will be to discuss plant performance at Hatch facility.
SKINNER,P.H. Region 2 (Post 820201). 98/01/08. SUMNER,H.L. Southern Nuclear Operating Co. 3pp. A1877:098-A1877:100.

9801160079 Submits summary re estimation of impact of changes & error in ECCS evaluation models,per 10CFR50.46(a)(3)(1).
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/12. Document Control Branch (Document Control Desk). 3pp. A1840:336-A1840:338.

9801230020 Requests exemption from requirements of GDC 56 for Unit 2 reactor building-to-suppression chamber vacuum relief sys for reasons listed.
SUMNER,L. Southern Nuclear Operating Co. 98/01/14. Document Control Branch (Document Control Desk). 4pp. A1895:352-A1895:355.

9801230066 Provides forecast of products which might be submitted to NRC during 1998 re license renewal.Update will be provided during year should program changes occur that might affect list.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/15. Document Control Branch (Document Control Desk). 3pp. A1900:237-A1900:239.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220098 Ack receipt of 971229 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/97-03 & 50-366/97-03 & OI rept 2-97-014.
SKINNER,P.H. Region 2 (Post 820201). 98/01/08. TILLMAN,L.R. Affiliation Not Assigned. 4pp. A1877:194-A1877:197.

9801160062 Responds to NRC 971215 ltr re violations noted in insp repts 50-321/97-10 & 50-366/97-10.Corrective actions:involved licensed individual has been counseled re event.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/12. Document Control Branch (Document Control Desk). 8pp. A1840:285-A1840:292.

R. Periodic operating reports & related correspondence

9801160064 Monthly operating repts for Dec 1997 for El Hatch Nuclear Plant,Units 1 & 2.W/980112 ltr.
BEARD,R.M., SUMNER,H.L. Southern Nuclear Operating Co. 97/12/31. 7pp. A1844:244-A1844:250.

V. Operator Examinations

9801220092 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt,operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. HINNANT,C.S. Carolina Power & Light Co. 7pp. A1877:182-A1877:188.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9801270102 Responds to NRC ltr re violations noted in insp repts 50-313/97-18 & 50-368/97-18.Corrective actions:50.59 Evaluation for rev 8 to 1000.120, "ANO Fire Watch Program," was approved by ANO Plant Safety Committee on 971209.
MIMS,D.C. Entergy Operations, Inc. 98/01/19. Document Control Branch (Document Control Desk). 7pp. A1921:352-A1921:358.

9801290147 Rev 9,Change 3 to Procedure/Work Plan 1903.066, "Emergency Response Facility - Operational Support Ctr (OSC)."
* Entergy Operations, Inc. 98/01/22. 5pp. A1971:227-A1971:231.

P. Operating license stage documents & correspondence

9801120215 Informs that effective 980105,W Reckley will be Project Manager PD IV-1,for ANO,Units 1 & 2.Reckley will be located as listed.
WIGGINTON,D. . 97/12/23. HUTCHINSON,C.R. Entergy Operations, Inc. 1p. A1762:152-A1762:154.

9801120222 Forwards amend 187 to license NPF-6 & safety evaluation. Amend revises ISI requirements associated w/SG tube sleeves.
KALMAN,G. . 97/12/23. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. A1789:322-A1789:337.

--9801120228 Amend 187 to license NPF-6,revises ISI requirements associated w/SG tube sleeves.
KALMAN,G. . 97/12/23. 11pp. A1789:325-A1789:335.

--9801120236 Safety evaluation supporting amend 187 to license NPF-6.
* . 97/12/23. 2pp. A1789:336-A1789:337.

9801140080 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
MIMS,D.C. Entergy Operations, Inc. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1824:346-A1824:351.

9801200134 Notification of 980122 meeting w/util in Rockville,MD to discuss site licensing status for listed plants & to explore ways to standardize licensing submittals & issuances.
WIGGINTON,D.L. . 98/01/12. HANNON,J.N. . 7pp. A1844:353-A1844:359.

9801220125 Requests authorization to perform alternative to requirements of ASME Section XI,Subarticle IWA-5242(a).Encl request proposes alternative to removing insulation for exams specified in IWA-5242(a).
DEWEASE,J.G. Entergy Operations, Inc. 98/01/14. Document Control Branch (Document Control Desk). 5pp. A1895:095-A1895:099.

Q. Inspection reports, IE Bulletins & correspondence

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020061 Responds to violations noted in insp repts 50-313/97-19 & 50-368/97-19.Corrective actions:analyzer containing source 1575 was removed from un-approved locker & returned to assigned storage area in chemistry count room.
MIMS,D.C. Entergy Operations, Inc. 97/12/18. Document Control Branch (Document Control Desk). 5pp. A1672:353-A1672:357.

9801120222 Forwards amend 187 to license NPF-6 & safety evaluation. Amend revises ISI requirements associated w/SG tube sleeves.
KALMAN,G. . 97/12/23. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. A1789:322-A1789:337.

--9801120228 Amend 187 to license NPF-6,revises ISI requirements associated w/SG tube sleeves.
KALMAN,G. . 97/12/23. 11pp. A1789:325-A1789:335.

--9801120236 Safety evaluation supporting amend 187 to license NPF-6.
* . 97/12/23. 2pp. A1789:336-A1789:337.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801070252 Ack receipt of 971218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/97-19 & 50-368/97-19.
MURRAY,B. Region 4 (Post 820201). 98/01/02. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. A1726:340-A1726:348.

--9801080081 Forwards response to NOV identified during insp repts 50-313/97-19 & 50-368/97-19 activities associated w/radiation protection program,per provisions of 10CFR2.201.
MIMS,D.C. Entergy Operations, Inc. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1726:344-A1726:348.

9801140261 Ack receipt of 971218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/97-14 & 50-368/97-14.
HOWELL,A.T. Region 4 (Post 820201). 98/01/05. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. A1791:043-A1791:046.

9801270102 Responds to NRC ltr re violations noted in insp repts 50-313/97-18 & 50-368/97-18.Corrective actions:50.59 Evaluation for rev 8 to 1000.120, "ANO Fire Watch Program," was approved by ANO Plant Safety Committee on 971209.
MIMS,D.C. Entergy Operations, Inc. 98/01/19. Document Control Branch (Document Control Desk). 7pp. A1921:352-A1921:358.

9801300257 Forwards insp repts 50-313/97-08 & 50-368/97-08 on 971123-980103.Facility was in violation of 10CFR70.24 in that licensee did not have in place criticality monitoring sys for storage.Exercised enforcement discretion.
GWYNN,T.P. Region 4 (Post 820201). 98/01/23. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. A1964:246-A1964:267.

--9801300261 Insp repts 50-313/97-08 & 50-368/97-08 on 971123-980103.No violations noted.Major areas inspected:licensee operations, engineering,maint & plant support.
* Region 4 (Post 820201). 98/01/23. 17pp. A1964:251-A1964:267.

R. Periodic operating reports & related correspondence

9801020079 Monthly operating repts for Nov 1997 for ANO Units 1 & 2. W/971215 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 97/11/30. 14pp. A1679:247-A1679:260.

9801220040 Monthly operating repts for Dec 1997 for ANO Units 1 & 2. W/980115 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 97/12/31. 14pp. A1895:175-A1895:188.

9801130055 Forwards "10CFR50.59 Rept for 1997 for ANO,Unit 2", containing brief description of changes in procedures & in facility as described in SAR,tests & experiments conducted which were not described in SAR & other changes to SAR.
MIMS,D.C. Entergy Operations, Inc. 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1792:001-A1792:164.

--9801130062 "10CFR50.59 Rept for 1997 for ANO,Unit 2," for period 951120-970609.
* Entergy Operations, Inc. 97/06/09. 162pp. A1792:003-A1792:164.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801080217 Rev 2 to EPIP HP/0/B/1009/006, "Procedure for Quantifying High Level Radioactivity Release During Accident Conditions" & revised index pages 1 & 2,dtd 971218.W/971231 ltr.
BARRON,H.B. Duke Power Co. 97/12/31. 20pp. A1758:279-A1758:299.

9801270198 Forwards ERDS implementaion documents,including Data Point Library 246 for Hatch,246 for McGuire & 247 for WNP2.Changes should be made as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 98/01/21. SAUL,K.L. SCIENTECH, Inc. 1p. A1934:211-A1934:211.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801230377 Provides schedule for UFSAR review which assures continuing accuracy & completeness of UFSAR for each of util sites.
TUCKMAN,M.S. Duke Power Co. 98/01/14. Document Control Branch (Document Control Desk). 3pp. A1923:273-A1923:275.

P. Operating license stage documents & correspondence

9801060131 Summary of 971125 meeting w/Transnuclear Inc re storing W upper head injection fuel in TN-32 spent fuel dry storage cask.
WHALEY,S. Office of Nuclear Material Safety & Safeguards. 97/12/16. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. A1727:325-A1727:327.

9801130328 Informs of determination that compliance w/ASME Section XI requirements for insp of safety related Class 1,2 & 3 snubbers is hardship for McGuire Nuclear Station.Request for relief 97-005 is enclosed for NRC review & approval.
BARRON,H.B. Duke Power Co. 97/12/17. Document Control Branch (Document Control Desk). 5pp. A1818:324-A1818:351.

--9801130333 Tech Spec pages for TS 3/4.7.8 for use in lieu of ASME Section XI requirements.
* Duke Power Co. 97/12/17. 4pp. A1818:337-A1818:340.

--9801130334 Submits relief request for NRC review & approval per NRC GL 90-09, "Alternative Requirements for Snubber Visual Insp Intervals & Corrective Actions." Request seeks relief from impractical snubber insp frequencies.
MCMEEKIN,T.C. Duke Power Co. 95/02/11. Document Control Branch (Document Control Desk). 6pp. A1818:341-A1818:351.

9801020138 Forwards proprietary & non-proprietary versions of approved TR DPC-NE-3004-A & DPC-NE-3004-PA, "Mass & Energy Release & Containment Response Methodology," per NUREG-0390. Proprietary rept,withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1698:011-A1699:122.

--9801020142 Non-proprietary TR DPC-NE-3004-A, "Mass & Energy Release & Containment Response Methodology."
* Duke Power Co. DPC-NE-3004-A. 97/11/30. 400pp. A1698:013-A1699:122.

9801050274 Advises that info contained in 971113 ltr & 971125 affidavit re TR DPC-NE-2008P-A, "DPC Use of TACO-3 & Fuel Rod & Gas Pressure Criterion," for listed plants,will be withheld from public disclosure,per 10CFR2.790(b)(5).
TAM,P.S. . 97/12/18. TUCKMAN,M.S. Duke Power Co. 5pp. A1663:295-A1663:299.

9801060211 Forwards description of status of actions completed per GL 96-04 & revised schedule for completion for actions.Catawba Nuclear Station's spent fuel racks do not contain boraflex.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 6pp. A1729:355-A1729:360.

9801120273 Summary of 971118 meeting w/Duke Energy Corp in Rockville, MD,re nonvital electrical bus,KXA,dual unit reactor trip on 970906.List of meeting attendees & licensee handout encl.
NERSES,V. . 97/12/23. . 22pp. A1762:255-A1762:278.

9801080024 Ltr contract:mod 1 to task 218, "Review McGuire,Units 1 & 2 Conversion of Current TSs to Improved TS Based on Std TS."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 98/01/05. AUFMUTH,M.H. SCIENTECH, Inc. 2pp. A1739:344-A1739:345.

9801140227 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
TUCKMAN,M.S. Duke Power Co. 98/01/05. Document Control Branch (Document Control Desk). 20pp. A1832:300-A1832:319.

9801220266 Clarifies that info contained in handouts presented at 971112 plant performance update,was not intended to represent any regulatory commitments.
BARRON,H.B. Duke Power Co. 98/01/07. OGLE,C.R. Region 2 (Post 820201). 2pp. A1887:343-A1887:344.

9801130210 Forwards amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program." Amend 22 being submitted pursuant to 10CFR50.54(a)(3),contains changes necessary to reflect merger of Duke Power Co & PanEnergy Corp.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1795:272-A1795:334.

--9801130228 Amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program."
COLEY,W.A. Duke Power Co. 97/12/15. 58pp. A1795:275-A1795:334.

9801130236 Advises NRC of recent organizational & programmatic changes that affect QA program for nuclear power plants.Ltr being submitted in order to fulfill commitment contained in section of topical rept.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1793:070-A1793:072.

9801200153 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by DEC TR in support of future transition from Framatome to Westinghouse fuel.
TAM,P.S. . 98/01/12. BERKOW,H.N. . 5pp. A1860:291-A1860:295.

9801210152 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by Duke topical repts & submittals for Oconee to support critical heat flux correlations & UFSAR transient analysis methodology.
LABARGE,D.E. . 98/01/13. BERKOW,H.N. . 5pp. A1866:234-A1866:238.

9801260168 Forwards info to support determination that it is impractical to comply w/ exam requirements of ASME Section XI for plant,Unit 1.Info to support determination & request for relief from applicable ASME Section requirements,encl.
BARRON,H.B. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 88pp. A1908:120-A1908:207.

9801230028 Forwards RAI re proposed amends to revise listed facilities TSs to be consistent w/improved std TSs conveyed by NUREG-1431,dtd Apr 1995.
TAM,P.S. . 98/01/16. TUCKMAN,M.S. Duke Power Co. 19pp. A1902:001-A1902:019.

9801270226 Notification of 980204 meeting w/util in Rockville,MD to discuss staff recent RAI re snubbers.
RINALDI,F. . 98/01/22. BERKOW,H.N. . 4pp. A1924:349-A1924:352.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801130328 Informs of determination that compliance w/ASME Section XI requirements for insp of safety related Class 1,2 & 3 snubbers is hardship for McGuire Nuclear Station.Request for relief 97-005 is enclosed for NRC review & approval.
BARRON,H.B. Duke Power Co. 97/12/17. Document Control Branch (Document Control Desk). 5pp. A1818:324-A1818:351.

--9801130334 Submits relief request for NRC review & approval per NRC GL 90-09, "Alternative Requirements for Snubber Visual Insp Intervals & Corrective Actions." Request seeks relief from impractical snubber insp frequencies.
MCMEEKIN,T.C. Duke Power Co. 95/02/11. Document Control Branch (Document Control Desk). 6pp. A1818:341-A1818:351.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801280187 Forwards insp repts 50-369/97-19 & 50-370/97-19 on 971205-06 & notice of violation.Inspection conducted to review adequacy of investigation of 971202 event involving seal damage to four air lock doors at Unit 2 containment bldg.
BELISLE,G.A. Region 2 (Post 820201). 98/01/05. BARRON,B. Duke Power Co. 4pp. A1940:071-A1940:090.

--9801280191 Notice of violation from insp on 971205-06.Violation noted: an event occurred on 971202 in which person or persons made credible threat to commit or cause significant physical damage to power reactor & not reported within one hour.
* Region 2 (Post 820201). 98/01/05. 2pp. A1940:075-A1940:076.

--9801280193 Insp repts 50-369/97-19 & 50-370/97-19 on 971205-06. Violations noted.Major areas inspected:licensee response to 971202 event involving seal damage event at four air lock doors of Unit 2 containment bldg.
* Region 2 (Post 820201). 98/01/05. 14pp. A1940:077-A1940:090.

9801220082 Forwards insp repts 50-369/97-18 & 50-370/97-18 on 971102-1213 & NOV.NRC will determine whether further enforcement action necessary to ensure compliance w/regulatory requirements.
OGLE,C.R. Region 2 (Post 820201). 98/01/12. BARRON,H.B. Duke Power Co. 4pp. A1875:079-A1875:126.

--9801220093 Notice of violation from insp on 971102-1213.Violation noted:inadequate measures were provided for verification or checking adequacy of design documents.
* Region 2 (Post 820201). 98/01/12. 2pp. A1875:083-A1875:084.

--9801220095 Insp repts 50-369/97-18 & 50-370/97-18 on 971102-1213. Violations noted.Major areas inspected:integrated insp included aspects of licensee operation,maint,engineering & plant support.
* Region 2 (Post 820201). 98/01/12. 42pp. A1875:085-A1875:126.

9801260050 Notifies Commission of completion of CAs associated w/weaknesses w/ exception of Group H valves re insp repts 50-369/96-11 & 50-370/96-11.
BARRON,H.B. Duke Power Co. 98/01/16. Document Control Branch (Document Control Desk). 1p. A1913:349-A1913:349.

R. Periodic operating reports & related correspondence

9801060169 Forwards 1996 annual 10CFR40.46 rept of changes affecting peak clad temperature & margin utilization sheets.
TUCKMAN,M.S. Duke Power Co. 97/12/19. Document Control Branch (Document Control Desk). 14pp. A1725:237-A1725:250.

9801220047 Monthly operating repts for Dec 1997 for McGuire Nuclear Station.W/ 980115 ltr.
WILLIAMS,R.A., DIMMERY,T. Duke Power Co. 97/12/31. 13pp. A1895:154-A1895:166.

9801210309 Forwards Lake Norman environ summary rept for 1996 per NPDES permit NC0024392,including detailed results & data comparable to previous years.W/Lake Norman Creel survey.
BARRON,H.B. Duke Power Co. 98/01/13. Document Control Branch (Document Control Desk). 1p. A1879:189-A1879:313.

--9801210314 "Lake Norman:1996 Summary,Maintenance Monitoring Program McGuire Nuclear Station:NPDES NC0024392."
* Duke Power Co. 97/12/31. 99pp. A1879:190-A1879:289.

--9801210315 "Lake Norman Creel Survey."
* Duke Power Co. 97/12/31. 24pp. A1879:290-A1879:313.

V. Operator Examinations

9801220115 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. BARRON,H.B. Duke Power Co. 5pp. A1876:337-A1876:341.

9801220019 Confirms telcon on 980106 re workshop on operator licensing exam techniques scheduled for 980127-29.Purpose of workshop to discuss current operator licensing exam techniques.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/08. BUGERT,R.P. Duke Power Co. 7pp. A1877:142-A1877:148.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801080217 Rev 2 to EPIP HP/0/B/1009/006, "Procedure for Quantifying High Level Radioactivity Release During Accident Conditions" & revised index pages 1 & 2,dtd 971218.W/971231 ltr.
BARRON,H.B. Duke Power Co. 97/12/31. 20pp. A1758:279-A1758:299.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801230377 Provides schedule for UFSAR review which assures continuing accuracy & completeness of UFSAR for each of util sites.
TUCKMAN,M.S. Duke Power Co. 98/01/14. Document Control Branch (Document Control Desk). 3pp. A1923:273-A1923:275.

P. Operating license stage documents & correspondence

9801060131 Summary of 971125 meeting w/Transnuclear Inc re storing W upper head injection fuel in TN-32 spent fuel dry storage cask.
WHALEY,S. Office of Nuclear Material Safety & Safeguards. 97/12/16. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. A1727:325-A1727:327.

9801130328 Informs of determination that compliance w/ASME Section XI requirements for insp of safety related Class 1,2 & 3 snubbers is hardship for McGuire Nuclear Station.Request for relief 97-005 is enclosed for NRC review & approval.
BARRON,H.B. Duke Power Co. 97/12/17. Document Control Branch (Document Control Desk). 5pp. A1818:324-A1818:351.

--9801130333 Tech Spec pages for TS 3/4.7.8 for use in lieu of ASME Section XI requirements.
* Duke Power Co. 97/12/17. 4pp. A1818:337-A1818:340.

--9801130334 Submits relief request for NRC review & approval per NRC GL 90-09, "Alternative Requirements for Snubber Visual Insp Intervals & Corrective Actions." Request seeks relief from impractical snubber insp frequencies.
MCMEEKIN,T.C. Duke Power Co. 95/02/11. Document Control Branch (Document Control Desk). 6pp. A1818:341-A1818:351.

9801020138 Forwards proprietary & non-proprietary versions of approved TR DPC-NE-3004-A & DPC-NE-3004-PA, "Mass & Energy Release & Containment Response Methodology," per NUREG-0390. Proprietary rept,withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1698:011-A1699:122.

--9801020142 Non-proprietary TR DPC-NE-3004-A, "Mass & Energy Release & Containment Response Methodology."
* Duke Power Co. DPC-NE-3004-A. 97/11/30. 400pp. A1698:013-A1699:122.

9801050274 Advises that info contained in 971113 ltr & 971125 affidavit re TR DPC-NE-2008P-A, "DPC Use of TACO-3 & Fuel Rod & Gas Pressure Criterion," for listed plants,will be withheld from public disclosure,per 10CFR2.790(b)(5).
TAM,P.S. . 97/12/18. TUCKMAN,M.S. Duke Power Co. 5pp. A1663:295-A1663:299.

9801060211 Forwards description of status of actions completed per GL 96-04 & revised schedule for completion for actions.Catawba Nuclear Station's spent fuel racks do not contain boraflex.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 6pp. A1729:355-A1729:360.

9801120273 Summary of 971118 meeting w/Duke Energy Corp in Rockville, MD,re non-vital electrical bus,KXA,dual unit reactor trip on 970906.List of meeting attendees & licensee handout encl.
NERSES,V. . 97/12/23. . 22pp. A1762:255-A1762:278.

9801080024 Ltr contract:mod 1 to task 218, "Review McGuire,Units 1 & 2 Conversion of Current TSs to Improved TS Based on Std TS."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 98/01/05. AUFMUTH,M.H. SCIENTECH, Inc. 2pp. A1739:344-A1739:345.

9801140227 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
TUCKMAN,M.S. Duke Power Co. 98/01/05. Document Control Branch (Document Control Desk). 20pp. A1832:300-A1832:319.

9801220266 Clarifies that info contained in handouts presented at 971112 plant performance update,was not intended to represent any regulatory commitments.
BARRON,H.B. Duke Power Co. 98/01/07. OGLE,C.R. Region 2 (Post 820201). 2pp. A1887:343-A1887:344.

9801130210 Forwards amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program." Amend 22 being submitted pursuant to 10CFR50.54(a)(3),contains changes necessary to reflect merger of Duke Power Co & PanEnergy Corp.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1795:272-A1795:334.

--9801130228 Amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program."
COLEY,W.A. Duke Power Co. 97/12/15. 58pp. A1795:275-A1795:334.

9801130236 Advises NRC of recent organizational & programmatic changes that affect QA program for nuclear power plants.Ltr being submitted in order to fulfill commitment contained in section of topical rept.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1793:070-A1793:072.

9801200153 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by DEC TR in support of future transition from Framatome to Westinghouse fuel.
TAM,P.S. . 98/01/12. BERKOW,H.N. . 5pp. A1860:291-A1860:295.

9801210152 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by Duke topical repts & submittals for Oconee to support critical heat flux correlations & UFSAR transient analysis methodology.
LABARGE,D.E. . 98/01/13. BERKOW,H.N. . 5pp. A1866:234-A1866:238.

9801230028 Forwards RAI re proposed amends to revise listed facilities TSs to be consistent w/improved std TSs conveyed by NUREG-1431,dtd Apr 1995.
TAM,P.S. . 98/01/16. TUCKMAN,M.S. Duke Power Co. 19pp. A1902:001-A1902:019.

9801260142 Confirms completion of requested actions of GL 96-01 on Unit 2.Plant evaluating possible enhancements & will implement as appropriate.
BARRON,H.B. Duke Power Co. 98/01/16. Document Control Branch (Document Control Desk). 1p. A1906:343-A1906:343.

9801270198 Forwards ERDS implementaion documents,including Data Point Library 246 for Hatch,246 for McGuire & 247 for WNP2.Changes should be made as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 98/01/21. SAUL,K.L. SCIENTECH, Inc. 1p. A1934:211-A1934:211.

9801270226 Notification of 980204 meeting w/util in Rockville,MD to discuss staff recent RAI re snubbers.
RINALDI,F. . 98/01/22. BERKOW,H.N. . 4pp. A1924:349-A1924:352.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801130328 Informs of determination that compliance w/ASME Section XI requirements for insp of safety related Class 1,2 & 3 snubbers is hardship for McGuire Nuclear Station.Request for relief 97-005 is enclosed for NRC review & approval.
BARRON,H.B. Duke Power Co. 97/12/17. Document Control Branch (Document Control Desk). 5pp. A1818:324-A1818:351.

--9801130334 Submits relief request for NRC review & approval per NRC GL 90-09, "Alternative Requirements for Snubber Visual Insp Intervals & Corrective Actions." Request seeks relief from impractical snubber insp frequencies.
MCMEEKIN,T.C. Duke Power Co. 95/02/11. Document Control Branch (Document Control Desk). 6pp. A1818:341-A1818:351.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801280187 Forwards insp repts 50-369/97-19 & 50-370/97-19 on 971205-06 & notice of violation.Inspection conducted to review adequacy of investigation of 971202 event involving seal damage to four air lock doors at Unit 2 containment bldg.
BELISLE,G.A. Region 2 (Post 820201). 98/01/05. BARRON,B. Duke Power Co. 4pp. A1940:071-A1940:090.

--9801280191 Notice of violation from insp on 971205-06.Violation noted: an event occurred on 971202 in which person or persons made credible threat to commit or cause significant physical damage to power reactor & not reported within one hour.
* Region 2 (Post 820201). 98/01/05. 2pp. A1940:075-A1940:076.

--9801280193 Insp repts 50-369/97-19 & 50-370/97-19 on 971205-06. Violations noted.Major areas inspected:licensee response to 971202 event involving seal damage event at four air lock doors of Unit 2 containment bldg.
* Region 2 (Post 820201). 98/01/05. 14pp. A1940:077-A1940:090.

9801220082 Forwards insp repts 50-369/97-18 & 50-370/97-18 on 971102-1213 & NOV.NRC will determine whether further enforcement action necessary to ensure compliance w/regulatory requirements.
OGLE,C.R. Region 2 (Post 820201). 98/01/12. BARRON,H.B. Duke Power Co. 4pp. A1875:079-A1875:126.

--9801220093 Notice of violation from insp on 971102-1213.Violation noted:inadequate measures were provided for verification or checking adequacy of design documents.
* Region 2 (Post 820201). 98/01/12. 2pp. A1875:083-A1875:084.

--9801220095 Insp repts 50-369/97-18 & 50-370/97-18 on 971102-1213. Violations noted.Major areas inspected:integrated insp included aspects of licensee operation,maint,engineering & plant support.
* Region 2 (Post 820201). 98/01/12. 42pp. A1875:085-A1875:126.

9801260050 Notifies Commission of completion of CAs associated w/weaknesses w/ exception of Group H valves re insp repts 50-369/96-11 & 50-370/96-11.
BARRON,H.B. Duke Power Co. 98/01/16. Document Control Branch (Document Control Desk). 1p. A1913:349-A1913:349.

R. Periodic operating reports & related correspondence

9801060169 Forwards 1996 annual 10CFR40.46 rept of changes affecting peak clad temperature & margin utilization sheets.
TUCKMAN,M.S. Duke Power Co. 97/12/19. Document Control Branch (Document Control Desk). 14pp. A1725:237-A1725:250.

9801220047 Monthly operating repts for Dec 1997 for McGuire Nuclear Station.W/ 980115 ltr.
WILLIAMS,R.A., DIMMERY,T. Duke Power Co. 97/12/31. 13pp. A1895:154-A1895:166.

9801210309 Forwards Lake Norman environ summary rept for 1996 per NPDES permit NC0024392,including detailed results & data comparable to previous years.W/Lake Norman Creel survey.
BARRON,H.B. Duke Power Co. 98/01/13. Document Control Branch (Document Control Desk). 1p. A1879:189-A1879:313.

--9801210314 "Lake Norman:1996 Summary,Maintenance Monitoring Program McGuire Nuclear Station:NPDES NC0024392."
* Duke Power Co. 97/12/31. 99pp. A1879:190-A1879:289.

--9801210315 "Lake Norman Creel Survey."
* Duke Power Co. 97/12/31. 24pp. A1879:290-A1879:313.

S. Reportable occurrences, LERs & related correspondence

9801080271 Forwards LER 97-004(S),rev 0 re damage to Unit 2 personnel airlock door seals.
BARRON,H.B. Duke Power Co. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1796:006-A1796:013.

--9801080276 LER 97-04(S)-00:on 971204,discovered deliberate damage to Unit 2 personnel airlock door seals.Caused by tampering. Immediately placed security personnel at containment access & personnel asked to heighten awareness of surroundings.
RYAN,T.E. Duke Power Co. 97/12/31. 6pp. A1796:008-A1796:013.

V. Operator Examinations

9801220115 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. BARRON,H.B. Duke Power Co. 5pp. A1876:337-A1876:341.

9801220019 Confirms telcon on 980106 re workshop on operator licensing exam techniques scheduled for 980127-29.Purpose of workshop to discuss current operator licensing exam techniques.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/08. BUGERT,R.P. Duke Power Co. 7pp. A1877:142-A1877:148.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--9801070059 Rev 6k to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for LaSalle County Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 30pp. A1742:169-A1742:198.

9801150074 Revised EPIPs,including rev 17 to LZP-1210-1,rev 3 to LZP- 1220-1,rev 8 to LZP-1380-1,rev 1 to LZP-1380-10,rev 6 to LZP-1380-2,rev 7 to LZP-1380-3,rev 2 to LZP-1380-4,rev 3 to LZP-1380-5,rev 1 to LZP-1380-6 & rev 2 to LZP-1380-7.
* Commonwealth Edison Co. 97/12/31. 20pp. A1828:225-A1828:244.

9801220293 Rev 8 to EPIP LZP-1210-2, "Nuclear Accident Reporting Sys (NARS) Form." W/index.
* Commonwealth Edison Co. 98/01/09. 21pp. A1895:057-A1895:077.

9801200033 Informs that Region III emergency preparedness inspectors will be provided one copy of Com Ed exercise evaluation objectives for 980318,annual exercise at LaSalle Station as encl to ltr for review as specified.W/o encl.
KOVACH,T.J. Commonwealth Edison Co. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1843:122-A1843:122.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

P. Operating license stage documents & correspondence

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--9801130014 "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801210173 Forwards updated info re accumulation of absolute magnitude of changes in ECCS evaluation models which resulted in estimated PCT difference if more than 50 F for Unit 2.Info fulfills annual reporting requirement for 10CFR50.46.
SUBALUSKY,W.T. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 10pp. A1867:333-A1867:342.

9801210151 Submits NRC oversight panel meeting summary on 971217.Mgt meeting open to public observation.Encl 1 contains associated meeting summary.Encl 2 contains handout provided to NRC oversight panel by util during meeting.
GRANT,G.E. Region 3 (Post 820201). 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 33pp. A1855:262-A1855:294.

9801210218 Confirms rev to time of NRC oversight panel meeting for LaSalle County Station.Meeting will be conducted on 980126 in Lisle,IL to discuss status & effectiveness of restart plan plant performance improvement actions.
GRANT,G.E. Region 3 (Post 820201). 98/01/13. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1857:005-A1857:008.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801060141 Discusses 971212 request to reschedule Maint Rule Baseline Insp at LaSalle.Concludes insp should proceed as scheduled since rescheduling would severely impact resource loading of already rigorous maint rule insp schedule.
GROBE,J.A. Region 3 (Post 820201). 97/12/31. SUBALUSKY,W.T. Commonwealth Edison Co. 3pp. A1680:266-A1680:268.

9801270035 Forwards insp repts 50-373/97-21 & 50-374/97-21 on 971215-17 & NOV re failure to contact radiation protection prior to commencing certain potentially high radiological risk activities.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1933:068-A1933:083.

--9801270040 Notice of violation from insp on 971215-17.Violation noted:on 971201 contract workers failed to contact radiation protection prior to cutting grinding & welding activities on reactor water cleanup sys piping respectively.
* Region 3 (Post 820201). 98/01/21. 2pp. A1933:071-A1933:072.

--9801270042 Insp repts 50-373/97-21 & 50-374/97-21 on 971215-17. Violations noted.Major areas inspected:review of ALARA planning,radiological controls & radiation protection oversight for ongoing Unit 1 RWCU.
* Region 3 (Post 820201). 98/01/21. 11pp. A1933:073-A1933:083.

9801270119 Ack receipt of 971114 ltr informing NRC of steps taken to correct violations noted in insp repts 50-373/97-11 & 50-374/97-11.Reviewed C/As & have no further questions.C/As will be examined during future insps.
O'BRIEN,K.G. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1933:200-A1933:203.

9801300166 Forwards insp repts 50-373/97-18 & 50-374/97-18 on 971024-1218.No violations identified w/one exception re some administrative weaknesses.
LEACH,M. Region 3 (Post 820201). 98/01/26. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1964:278-A1964:305.

--9801300173 Insp repts 50-373/97-18 & 50-374/97-18 on 971024-1218.No violations noted.Major areas inspected:initial operability evaluation of potential DG cooling water piping waterhammer.
LOUGHEED,V.P. Region 3 (Post 820201). 98/01/26. 24pp. A1964:281-A1964:305.

R. Periodic operating reports & related correspondence

9801020086 Monthly operating repts for Nov 1997 for LaSalle County Station,Units 1 & 2.W/971215 ltr.
CALFA,L., DACIMO,F. Commonwealth Edison Co. 97/11/30. 8pp. A1687:293-A1687:301.

9801220013 Monthly operating repts for Dec 1997 for LaSalle County Station,Unit 1 & 2.W/980114 ltr.
CALFA,L., DACIMO,F. Commonwealth Edison Co. 97/12/31. 9pp. A1895:131-A1895:139.

S. Reportable occurrences, LERs & related correspondence

9801020087 Forwards LER 97-043-00 IAW 10CFR50.73(a)(2)(i).Commitments made in LER,listed.
DACIMO,F. Commonwealth Edison Co. 97/12/23. Document Control Branch (Document Control Desk). 1p. A1658:328-A1658:333.

--9801020089 LER 97-043-00:on 971125,incomplete TS surveillance on Div III EDGs,was determined.Caused by inadequate procedure review.DGs declared inoperable until methodology developed to adequately satisfy surveillance requirements of TS.
BUKANTIS,L. Commonwealth Edison Co. 97/12/23. 5pp. A1658:329-A1658:333.

9801070024 LER 97-044-00:on 971205,potentially unanalyzed condition for automatic depressurization sys accumulator capacity,was identified.Caused by lack of design basis info.Determined licensing basis for ADS accumulator capacity.W/980102 ltr.
DAVENPORT,B., DACIMO,F. Commonwealth Edison Co. 98/01/02. 5pp. A1754:168-A1754:172.

9801220160 Informs that inconsistencies in documentation describing initial problem identified in corrective actions associated w/LER 373/97-021, "Undrainable Low Areas in Drywell Floor Resulting...." Necessary work will be completed by 980227.
DACIMO,F. Commonwealth Edison Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1895:016-A1895:017.

9801230366 Forwards LER 97-046-00,being submitted to NRC,per 10CFR50.73(a)(2)(ii).Rept contains listed commitments.
DACIMO,F. Commonwealth Edison Co. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1893:166-A1893:172.

--9801230382 LER 97-046-00:on 971216,determined that MS high energy line break,turbine bldg ventilation isolation dampers,would not close fast enough to prevent pressure from exceeding.Cause of error cannot be determined.Plant FSAR revised.
HALL,R. Commonwealth Edison Co. 98/01/15. 5pp. A1893:168-A1893:172.

9801260086 Special rept:on 971222-980120,fire detection zones 1-16, 1-16P,1-22P,1-31,2-36 & 2-37 had been OOS for period greater than 14 days.Zones were taken OOS to prevent false alarms during hot work activities.Established fire patrols.
DACIMO,F. Commonwealth Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A1911:358-A1911:360.

9801270094 Forwards LER 97-045-00,being submitted IAW 10CFR50.73(a)(2)(ii).Commitments made within ltr,listed.
DACIMO,F. Commonwealth Edison Co. 98/01/22. Document Control Branch (Document Control Desk). 1p. A1947:295-A1947:299.

--9801270099 LER 97-045-00:on 971223,PAMS instrumentation was noted outside design basis.Caused by personnel error.Revised EQ Life Calculation for affected components.
OSTROWSKI,S. Commonwealth Edison Co. 98/01/22. 4pp. A1947:296-A1947:299.

V. Operator Examinations

9801260206 Informs that LR Lundborg,license OP-30267-3,no longer requires use of NRC license.Termination of subject license, requested.
DACIMO,F. Commonwealth Edison Co. 98/01/20. Document Control Branch (Document Control Desk). 1p. A1913:338-A1913:338.

9801260250 Informs that RC Schultz,license OP-30424-2,no longer requires use of NRC license.
DACIMO,F. Commonwealth Edison Co. 98/01/20. Document Control Branch (Document Control Desk). 1p. A1911:357-A1911:357.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B., TSAKERES,F.S. Commonwealth Edison Co. 3pp. A1960:072-A1960:074.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--9801070059 Rev 6k to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for LaSalle County Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 30pp. A1742:169-A1742:198.

9801150074 Revised EPIPs,including rev 17 to LZP-1210-1,rev 3 to LZP- 1220-1,rev 8 to LZP-1380-1,rev 1 to LZP-1380-10,rev 6 to LZP-1380-2,rev 7 to LZP-1380-3,rev 2 to LZP-1380-4,rev 3 to LZP-1380-5,rev 1 to LZP-1380-6 & rev 2 to LZP-1380-7.
* Commonwealth Edison Co. 97/12/31. 20pp. A1828:225-A1828:244.

9801220293 Rev 8 to EPIP LZP-1210-2, "Nuclear Accident Reporting Sys (NARS) Form." W/index.
* Commonwealth Edison Co. 98/01/09. 21pp. A1895:057-A1895:077.

9801200033 Informs that Region III emergency preparedness inspectors will be provided one copy of Com Ed exercise evaluation objectives for 980318,annual exercise at LaSalle Station as encl to ltr for review as specified.W/o encl.
KOVACH,T.J. Commonwealth Edison Co. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1843:122-A1843:122.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

P. Operating license stage documents & correspondence

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--9801130014 "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801210173 Forwards updated info re accumulation of absolute magnitude of changes in ECCS evaluation models which resulted in estimated PCT difference if more than 50 F for Unit 2.Info fulfills annual reporting requirement for 10CFR50.46.
SUBALUSKY,W.T. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 10pp. A1867:333-A1867:342.

9801210151 Submits NRC oversight panel meeting summary on 971217.Mgt meeting open to public observation.Encl 1 contains associated meeting summary.Encl 2 contains handout provided to NRC oversight panel by util during meeting.
GRANT,G.E. Region 3 (Post 820201). 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 33pp. A1855:262-A1855:294.

9801210218 Confirms rev to time of NRC oversight panel meeting for LaSalle County Station.Meeting will be conducted on 980126 in Lisle,IL to discuss status & effectiveness of restart plan plant performance improvement actions.
GRANT,G.E. Region 3 (Post 820201). 98/01/13. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1857:005-A1857:008.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801060141 Discusses 971212 request to reschedule Maint Rule Baseline Insp at LaSalle.Concludes insp should proceed as scheduled since rescheduling would severely impact resource loading of already rigorous maint rule insp schedule.
GROBE,J.A. Region 3 (Post 820201). 97/12/31. SUBALUSKY,W.T. Commonwealth Edison Co. 3pp. A1680:266-A1680:268.

9801270035 Forwards insp repts 50-373/97-21 & 50-374/97-21 on 971215-17 & NOV re failure to contact radiation protection prior to commencing certain potentially high radiological risk activities.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1933:068-A1933:083.

--9801270040 Notice of violation from insp on 971215-17.Violation noted:on 971201 contract workers failed to contact radiation protection prior to cutting grinding & welding activities on reactor water cleanup sys piping respectively.
* Region 3 (Post 820201). 98/01/21. 2pp. A1933:071-A1933:072.

--9801270042 Insp repts 50-373/97-21 & 50-374/97-21 on 971215-17. Violations noted.Major areas inspected:review of ALARA planning,radiological controls & radiation protection oversight for ongoing Unit 1 RWCU.
* Region 3 (Post 820201). 98/01/21. 11pp. A1933:073-A1933:083.

9801270119 Ack receipt of 971114 ltr informing NRC of steps taken to correct violations noted in insp repts 50-373/97-11 & 50-374/97-11.Reviewed C/As & have no further questions.C/As will be examined during future insps.
O'BRIEN,K.G. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1933:200-A1933:203.

9801300166 Forwards insp repts 50-373/97-18 & 50-374/97-18 on 971024-1218.No violations identified w/one exception re some administrative weaknesses.
LEACH,M. Region 3 (Post 820201). 98/01/26. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1964:278-A1964:305.

--9801300173 Insp repts 50-373/97-18 & 50-374/97-18 on 971024-1218.No violations noted.Major areas inspected:initial operability evaluation of potential DG cooling water piping waterhammer.
LOUGHEED,V.P. Region 3 (Post 820201). 98/01/26. 24pp. A1964:281-A1964:305.

R. Periodic operating reports & related correspondence

9801020086 Monthly operating repts for Nov 1997 for LaSalle County Station,Units 1 & 2.W/971215 ltr.
CALFA,L., DACIMO,F. Commonwealth Edison Co. 97/11/30. 8pp. A1687:293-A1687:301.

9801220013 Monthly operating repts for Dec 1997 for LaSalle County Station,Unit 1 & 2.W/980114 ltr.
CALFA,L., DACIMO,F. Commonwealth Edison Co. 97/12/31. 9pp. A1895:131-A1895:139.

S. Reportable occurrences, LERs & related correspondence

9801150020 Part 21 rept re transient analyses at exposures prior to end of cycle.Caused by component defect.Notified Commonwealth Edison of defect & provided revised limits by Siemens Power Corp.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/01/06. NRC - No Detailed Affiliation Given. 3pp. A1840:045-A1840:047.

9801260086 Special rept:on 971222-980120,fire detection zones 1-16, 1-16P,1-22P,1-31,2-36 & 2-37 had been OOS for period greater than 14 days.Zones were taken OOS to prevent false alarms during hot work activities.Established fire patrols.
DACIMO,F. Commonwealth Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 3pp. A1911:358-A1911:360.

V. Operator Examinations

9801260206 Informs that LR Lundborg,license OP-30267-3,no longer requires use of NRC license.Termination of subject license, requested.
DACIMO,F. Commonwealth Edison Co. 98/01/20. Document Control Branch (Document Control Desk). 1p. A1913:338-A1913:338.

9801260250 Informs that RC Schultz,license OP-30424-2,no longer requires use of NRC license.
DACIMO,F. Commonwealth Edison Co. 98/01/20. Document Control Branch (Document Control Desk). 1p. A1911:357-A1911:357.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. 3pp. A1960:072-A1960:074.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9801070307 Forwards insp rept 50-382/97-18 on 971104-07.Violations noted.Insp included implementation of emergency plan & procedures during biennial EP exercise.Understands that util will conduct remedial drill for OSC in Feb 1998.
HOWELL,A.T. Region 4 (Post 820201). 97/12/05. DUGGER,C.M. Entergy Operations, Inc. 4pp. A1727:031-A1727:056.

--9801070317 Insp rept 50-382/97-18 on 971104-07.Violations noted.Major areas inspected:licensee performance & capabilities during full-scale,biennial exercise of emergency plan & implementing procedures performed.
* Region 4 (Post 820201). 97/12/05. 22pp. A1727:035-A1727:056.

9801150095 Forwards rev 23 of Waterford Emergency Plan IAW 10CFR5.54(q).Affidavit encl.
DUGGER,C.M. Entergy Operations, Inc. 98/01/12. Document Control Branch (Document Control Desk). 4pp. A1827:001-A1828:118.

--9801150117 Rev 23 of "Waterford 3 SES Emergency Plan."
PERQUE,G.P. Entergy Operations, Inc. 97/12/12. 478pp. A1827:005-A1828:118.

9801200142 Responds to emergency preparedness weaknesses documented in insp rept 50-382/97-18.Corrective actions:ltr from General Manager Plant Operations reiterating mgt expectations for emergency response activities,sent to all employees.
EWING,E.C. Entergy Operations, Inc. 98/01/15. Document Control Branch (Document Control Desk). 17pp. A1841:341-A1841:357.

9801220337 Ack receipt of 961219 ltr transmitting rev 22 to licensee emergency plan,submitted under provisions of 10CFR50.54(q).
MURRAY,B. Region 4 (Post 820201). 98/01/16. DUGGER,C.M. Entergy Operations, Inc. 5pp. A1889:126-A1889:130.

9801220285 Submits temporary addendum "A" of rev 17 of PSP.Addendum was prepared in support of activities associated w/scheduled replacement of plant security computer.W/o encl.
EWING,E.C. Entergy Operations, Inc. 98/01/19. Document Control Branch (Document Control Desk). 3pp. A1893:356-A1893:358.

9801260228 Revised EPIPs,including rev 23 to EP-002-11, "Operational Support Ctr (OSC) Activation,Operation & Deactivation" & rev 20,change 1 to EP-003-040, "Emergency Equipment Inventory." W/980122 ltr.
EWING,E.C. Entergy Operations, Inc. 98/01/22. 88pp. A1912:234-A1912:321.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801200137 Provides schedule & describes program for completing review of Waterford 3 UFSAR.Background for program,briefly describes program & elements & identifies overall schedule for completion of UFSAR review initatives.
EWING,E.C. Entergy Operations, Inc. 98/01/15. Document Control Branch (Document Control Desk). 5pp. A1843:250-A1843:254.

P. Operating license stage documents & correspondence

9801060276 Forwards amend 137 to license NPF-38 & safety evaluation. Amend changes App A TS 3.7.1.3 by increasing min required contained water volume in condensate storage pool from 82% to 91% indicated level.
PATEL,C.P. . 97/12/18. DUGGER,C.M. Entergy Operations, Inc. 4pp. A1680:315-A1680:329.

--9801060279 Amend 137 to license NPF-38,changing App A TS 3.7.1.3 by increasing minimum required contained water volume in condensate storage pool from 82% to 91% indicated level.
PATEL,C.P. . 97/12/18. 7pp. A1680:319-A1680:325.

--9801060283 Safety evaluation supporting amend 137 to license NPF-38.
* . 97/12/18. 4pp. A1680:326-A1680:329.

9801120189 Forwards corrected pp 3 re amend 134 to license NPF-38.Amend revised license to reflect change in name of licensee owning facility from Louisiana Power & Light Co to Entergy Louisiana,Inc.
PATEL,C.P. . 97/12/31. DUGGER,C.M. Entergy Operations, Inc. 3pp. A1762:155-A1762:158.

--9801130127 Errata to amend 134 to license NPF-38,changing word contained in first sentence of paragraph 7(a) of operating license from "less" to "lease".
PATEL,C.P. . 97/12/31. 1p. A1762:158-A1762:158.

9801130257 Forwards request for addl info re 970327 & 1023 requests to increase spent fuel storage capacity at Waterford Steam Electric Station,Unit 3.
PATEL,C.P. . 97/12/31. DUGGER,C.M. Entergy Operations, Inc. 5pp. A1793:355-A1793:359.

9801080236 Provides 90-day response to NRC GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
EWING,E.C. Entergy Operations, Inc. 98/01/05. Document Control Branch (Document Control Desk). 7pp. A1756:349-A1756:355.

9801130004 Notification of licensee meeting w/util on 980123 in Arlington,TX to discuss details re valve ACC-126A being left in manual position.
GWYNN,T.P. Region 4 (Post 820201). 98/01/06. Region 4 (Post 820201). 6pp. A1763:136-A1763:141.

9801200134 Notification of 980122 meeting w/util in Rockville,MD to discuss site licensing status for listed plants & to explore ways to standardize licensing submittals & issuances.
WIGGINTON,D.L. . 98/01/12. HANNON,J.N. . 7pp. A1844:353-A1844:359.

9801220125 Requests authorization to perform alternative to requirements of ASME Section XI,Subarticle IWA-5242(a).Encl request proposes alternative to removing insulation for exams specified in IWA-5242(a).
DEWEASE,J.G. Entergy Operations, Inc. 98/01/14. Document Control Branch (Document Control Desk). 5pp. A1895:095-A1895:099.

9801230295 Forwards amend 138 to license NPF-38 & safety evaluation. Amend changes App A TS by adopting Model TS wording that licensee took exception to during previous App J,Option B amend request.
PATEL,C.P. . 98/01/15. DUGGER,C.M. Entergy Operations, Inc. 4pp. A1901:230-A1901:243.

--9801230298 Amend 138 to license NPF-38,changes App A TS by adopting Model TS wording that licensee took exception to during previous App J,Option B amend request.
PATEL,C.P. . 98/01/15. 7pp. A1901:234-A1901:240.

--9801230299 Safety evaluation supporting amend 138 to license NPF-38.
* . 98/01/15. 3pp. A1901:241-A1901:243.

9801230211 Forwards errata to TS change request NPF-38-196,correcting Attachment B to be used by NRC in place of existing Attachment B contained in original submittal,per NRC review.
EWING,E.C. Entergy Operations, Inc. 98/01/21. Document Control Branch (Document Control Desk). 2pp. A1923:276-A1923:284.

--9801230225 Corrections to proposed tech spec 3/4.1 re Reactivity Control Sys.
* Entergy Operations, Inc. 98/01/21. 7pp. A1923:278-A1923:284.

9801230242 Forwards info omitted from TS Change Request NPF-38-184 which changed testing requirement for shutdown cooling sys suction line relief valves.
EWING,E.C. Entergy Operations, Inc. 98/01/21. Document Control Branch (Document Control Desk). 2pp. A1923:285-A1923:290.

--9801230279 Errata to proposed TS Change Request NPF-38-196 which changed TS 3.1.1.1,3.1.1.2,3.10.1 & Figure 3.1.-1 by removing cycle dependent B concentration & boration flow rate from action statements.
EWING,E.C. Entergy Operations, Inc. 98/01/21. 4pp. A1923:287-A1923:290.

9801260019 Provides addl info re thermal-hydraulic analysis of Waterford 3 spent fuel pool & affidavit.Proprietary rev 2 to HI-961586,encl.Proprietary encl withheld.
DUGGER,C.M. Entergy Operations, Inc. 98/01/21. Document Control Branch (Document Control Desk). 8pp. A1929:001-A1929:008.

9801290075 Forwards "QAP Program Manual" updates for period 960502- 971201,for plant.W/summary description of changes relating to each TOC revision.
DUGGER,C.M. Entergy Operations, Inc. 98/01/27. Document Control Branch (Document Control Desk). 6pp. A1962:001-A1963:155.

--9801290076 "QA Program Manual," updates for period 960502-971231.
* Entergy Operations, Inc. 98/01/27. 513pp. A1962:007-A1963:155.

Q. Inspection reports, IE Bulletins & correspondence

9801070307 Forwards insp rept 50-382/97-18 on 971104-07.Violations noted.Insp included implementation of emergency plan & procedures during biennial EP exercise.Understands that util will conduct remedial drill for OSC in Feb 1998.
HOWELL,A.T. Region 4 (Post 820201). 97/12/05. DUGGER,C.M. Entergy Operations, Inc. 4pp. A1727:031-A1727:056.

--9801070317 Insp rept 50-382/97-18 on 971104-07.Violations noted.Major areas inspected:licensee performance & capabilities during full-scale,biennial exercise of emergency plan & implementing procedures performed.
* Region 4 (Post 820201). 97/12/05. 22pp. A1727:035-A1727:056.

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801070274 Forwards insp rept 50-382/97-27 on 971117-1205 & notice of violation.Two violations identified.First violation involved failure to properly implement design control measures for refueling water storage pool level indication.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/02. DUGGER,C.M. Entergy Operations, Inc. 5pp. A1727:001-A1727:013.

--9801070279 Notice of violation from insp on 971117-1205.Violation noted:on 970224,individual,who identified adverse condition affecting safety-related sys,failed to promptly identify nonconformance that called into question operability of sys.
* Region 4 (Post 820201). 98/01/02. 2pp. A1727:006-A1727:007.

--9801070284 Insp rept 50-382/97-27 on 971117-1205.Violations noted. Major areas inspected:review of licensee identification that plant ventilation sys could adversely affect level indication for refueling water storage pool.
* Region 4 (Post 820201). 98/01/02. 6pp. A1727:008-A1727:013.

9801080075 Forwards insp rept 50-382/97-26 on 971117-1205.Apparent violations re failure to comply w/requirements of TS 3.7.3 in that 2 trains of auxiliary component CWS were inoperable at same time,being considered for escalated EA.
GWYNN,T.P. Region 4 (Post 820201). 98/01/05. DUGGER,C.M. Entergy Operations, Inc. 5pp. A1728:045-A1728:060.

--**9801080078** Insp rept 50-382/97-26 on 971117-1205.No violations noted. Major areas inspected:operator activities re failure to return valve ACC-126A,auxiliary component CWS flow control valve,to automatic operation when restoring CWS.
* Region 1 (Post 820201). 98/01/05. 11pp. A1728:050-A1728:060.

9801120248 Notification of significant licensee meeting w/util on 980206 in Arlington,TX to discuss engineering issues & process that were evaluated during insp in Dec 1997.
* Region 4 (Post 820201). 98/01/07. Region 4 (Post 820201). 5pp. A1754:051-A1754:055.

9801200059 Forwards insp rept 50-382/97-24 on 971102-1213 & notice of violation re failure to adequately test valve CC-835B after maint had been completed.
HARRELL,P.H. Region 4 (Post 820201). 98/01/12. DUGGER,C.M. Entergy Operations, Inc. 5pp. A1828:323-A1828:351.

--**9801200060** Notice of violation from insp on 971102-1213.Violation noted:licensee failed to require adequate postmaintenance testing to insure that equipment or sys capable of performing intended safety function.
* Region 4 (Post 820201). 98/01/12. 2pp. A1828:328-A1828:329.

--**9801200061** Insp rept 50-382/97-24 on 971102-1213.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 98/01/12. 22pp. A1828:330-A1828:351.

9801160184 Informs NRC that util is withdrawing relief request ISI-017, rev 1,in which alternative exam was requested.
EWING,E.C. Entergy Operations, Inc. 98/01/13. Document Control Branch (Document Control Desk). 2pp. A1840:339-A1840:340.

9801210256 Revised notification of meeting w/util in Arlington,TX re enforcement conference to discuss details re valve ACC-126A being left in manual position.Purpose of meeting revised.
GWYNN,T.P. Region 4 (Post 820201). 98/01/13. Region 4 (Post 820201). 5pp. A1856:341-A1856:345.

9801200142 Responds to emergency preparedness weaknesses documented in insp rept 50-382/97-18.Corrective actions:ltr from General Manager Plant Operations reiterating mgt expectations for emergency response activities,sent to all employees.
EWING,E.C. Entergy Operations, Inc. 98/01/15. Document Control Branch (Document Control Desk). 17pp. A1841:341-A1841:357.

9801220156 Ack receipt of 971124 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/97-16.Example 1 of Violation 50-382/9716-01 is withdrawn.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/15. DUGGER,C.M. Entergy Operations, Inc. 6pp. A1889:059-A1889:064.

9801270009 Responds to violations noted in insp rept 50-382/97-21. Corrective actions:initiated technical requirements manual change request 98-001 & reviewed & discussed event to accentuate importance of action item tracking & completion.
EWING,E.C. Entergy Operations, Inc. 98/01/22. Document Control Branch (Document Control Desk). 8pp. A1932:257-A1932:264.

9801280152 Ack receipt of 971124 ltr,in response to 971024 request for confirmation of commitment made to NRC at exit meeting for insp rept 50-382/97-19 on 970926.Reply found to be responsive to request.
MURRAY,B. Region 4 (Post 820201). 98/01/23. DUGGER,C.M. Entergy Operations, Inc. 5pp. A1960:064-A1960:068.

9801290047 Forwards rev 7 of relief request ISI-001 re limited exam of welds/components for info per 10CFR50.55a(g)(5)(iii).
EWING,E.C. Entergy Operations, Inc. 98/01/27. Document Control Branch (Document Control Desk). 9pp. A1971:253-A1971:261.

R. Periodic operating reports & related correspondence

9801200029 Monthly operating rept for Dec 1997 for Waterford 3 SES. W/980115 ltr.
FREEMAN,D.S., EWING,E.C. Entergy Operations, Inc. 97/12/31. 7pp. A1843:208-A1843:214.

S. Reportable occurrences, LERs & related correspondence

9801050173 Forwards LER 97-032-00,providing details of noncompliance w/plant TS due to failure to meet general design criteria 54.
EWING,E.C. Entergy Operations, Inc. 97/12/26. Document Control Branch (Document Control Desk). 1p. A1686:328-A1686:334.

--**9801050182** LER 97-032-00:on 971126,hydrogen analyzer noncompliance w/general design criteria 54,was determined.Investigation of condition not complete.Hydrogen analyzer 109 A(B(,110 A(B) & 126 A(B) were reclassified under provisions of 10CFR50.59.
GAUDET,T.J. Entergy Operations, Inc. 97/12/26. 5pp. A1686:329-A1686:334.

9801090064 Forwards LER 97-033-00 re discovery in which application of changed input to previously approved ECCS Model resulted in exceeding 10CFR50.46 acceptance criteria.
EWING,E.C. Entergy Operations, Inc. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1754:238-A1754:244.

--**9801090071** LER 97-033-00:on 971205,change in HPSI flow measurement exceeded 10CFR50.46 acceptance criteria.Caused by inadequate procedures.SBLOCA ECCS performance analysis was performed using S2M evaluation model.
GAUDET,T. Entergy Operations, Inc. 98/01/05. 6pp. A1754:239-A1754:244.

9801130266 Part 21 rept re use of DELTSTRAT code for RCS flow rate determination.Code corrects for temps to determine hot leg bulk coolant temp.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 98/01/06. Document Control Branch (Document Control Desk). 6pp. A1796:042-A1796:047.

9801140395 Forwards LER 97-S05-00,concerning event wherein personnel & vehicles from two local fire departments were granted access to protected area w/o first being searched by security personnel.
EWING,E.C. Entergy Operations, Inc. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1840:017-A1840:024.

--**9801140401** LER 97-S05-00:on 971210,emergency vehicles entered into protected area w/o proper security search.Caused by misinterpretation of security procedure requirement.Security personnel searched areas where drill occurred.
BECKENDORF,E.G. Entergy Operations, Inc. 98/01/12. 6pp. A1840:019-A1840:024.

9801160134 Forwards LER 95-002-01 providing details of design change 3448 installed during refueling outage 8 as result of 950610 reactor trip,partial loss of offsite power & fire.Revised info identified by vertical line in right-hand margin.
EWING,E.C. Entergy Operations, Inc. 98/01/13. Document Control Branch (Document Control Desk). 2pp. A1840:048-A1840:066.

--**9801160136** LER 95-002-01:on 950610,reactor trip,partial loss of offsite power & nonsafety related switchgear fire occurred.Caused by improper automatic bus transfer.New automatic bus transfer scheme installed.
GUADET,T.J. Entergy Operations, Inc. 98/01/13. 16pp. A1840:050-A1840:066.

9801200117 Forwards LER 97-034-00 IAW 10CFR50.73(a)(2)(i)(B) due to failure to perform snubber functional test as required by TS.
EWING,E.C. Entergy Operations, Inc. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1840:132-A1840:139.

--**9801200129** LER 97-034-00:on 971217,missed mechanical snubber surveillance was revealed.Caused by failure to perform snubber functional test.Spare PSA-100 snubber was satisfactorily tested & installed.
GAUDET,T.J. Entergy Operations, Inc. 98/01/16. 5pp. A1840:133-A1840:139.

V. Operator Examinations

9801220048 Notification of significant licensee meeting w/util on 980120-21 in Arlington,TX to review examination for operator licensing.
HOWELL,A.T. Region 4 (Post 820201). 98/01/12. Region 4 (Post 820201). 5pp. A1872:288-A1872:292.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801050174 Forwards 971107 ltr from FEMA notifying NRC of two deficiencies identified during 971028 exercise.First deficiency assessed against Columbia County Emergency Operations Ctr under objective 10,alert & notification.
MODES,M.C. Region 1 (Post 820201). 97/12/22. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A1658:155-A1658:160.

--**9801050180** Informs of identification of two deficiencies during SSES radiological emergency preparedness exercise conducted on 971028.First deficiency being assessed against Columbia County EOC.
LAMB,J.E. Federal Emergency Management Agency. 97/11/07. MILLER,H.J. Region 1 (Post 820201). 3pp. A1658:158-A1658:160.

9801140382 Forwards insp repts 50-387/97-09 & 50-388/97-09 on 971021-1208 & NOV.Violation concerns adequacy of procedures used to control maint on RCS valve bonnet veny line.
ANDERSON,C.J. Region 1 (Post 820201). 97/12/31. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A1791:065-A1791:110.

--**9801140387** Insp repts 50-387/97-09 & 50-388/97-09 on 971021-1208. Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.Also includes results of insp by regional physical security inspector.
* Region 1 (Post 820201). 97/12/31. 41pp. A1791:070-A1791:110.

9801130417 Provides results of destructive exams performed by util for confirming details of construction of Thermo-Lag raceway fire barriers used at plant.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 15pp. A1808:300-A1808:314.

P. Operating license stage documents & correspondence

9801060268 Expresses appreciation for support received by former Project Manager C Poslusny.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/12/29. STOLZ,J. NRC - No Detailed Affiliation Given. 1p. A1741:263-A1741:263.

9801060272 Documents PP&L's understanding of preferred schedule for modifying TSs to cite used charcoal filter testing,based upon discussions w/NRC.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1754:089-A1754:090.

9801130341 Forwards 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/05. Document Control Branch (Document Control Desk). 7pp. A1793:124-A1793:130.

9801130282 Forwards application for proposed amend 203 to license NPF-14,incorporating long term plant stability solution into Tech Specs,per final response to GL 94-02.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 3pp. A1793:255-A1793:302.

--**9801130294** Application for proposed amend 203 to license NPF-14, incorporating long term plant stability solution into Tech Specs.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. 10pp. A1793:258-A1793:267.

--**9801130298** Proposed tech specs re long term stability solution.
* Pennsylvania Power & Light Co. 98/01/06. 35pp. A1793:268-A1793:302.

9801130417 Provides results of destructive exams performed by util for confirming details of construction of Thermo-Lag raceway fire barriers used at plant.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 15pp. A1808:300-A1808:314.

9801140015 Provides responses to improved TS Section 3.8 per 970324 NRC RAI.Schedule 980628 for improved TS implementation. Submittal of revised specifications is planned for Jan 1998.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 228pp. A1800:001-A1800:228.

9801260386 Forwards monthly operating repts for Dec 1997 for SSES,Units 1 & 2.Format & contents of rept changed to comply w/guidance in GL 97-02.Procedure encl.
KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 98/01/09. Document Control Branch (Document Control Desk). 1p. A1907:303-A1907:352.

--9801260411 Rev 0 to DCP 95-3014N, "Condensate Filtration (CFS) Final Tie-Ins."
NACHTWAY,J., KOCH,D.A. Pennsylvania Power & Light Co. 97/11/21. 42pp. A1907:311-A1907:352.

9801270104 Responds to NRC 971219 telcon RAI re util identification of inconsistencies between FSAR,TS & NRC SER for plants.Util's view of licensing basis & action plan to resolve issues, discussed.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/20. Document Control Branch (Document Control Desk). 16pp. A1922:302-A1922:317.

9801290123 Notification of 980130 meeting w/util in Rockville,MD to discuss matters re improved Tech Specs.
NERSES,V. . 98/01/23. STOLZ,J.F. . 4pp. A1961:157-A1961:160.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050016 Resolves commitments made in response to NOV issued as part of NRC insp repts 50-387/97-04 & 50-388/97-04 dtd 970805. Proposed FSAR QA program description changes,reason for changes & basis included for approval.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/12/22. Document Control Branch (Document Control Desk). 15pp. A1684:227-A1684:241.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801140382 Forwards insp repts 50-387/97-09 & 50-388/97-09 on 971021-1208 & NOV.Violation concerns adequacy of procedures used to control maint on RCS valve bonnet veny line.
ANDERSON,C.J. Region 1 (Post 820201). 97/12/31. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A1791:065-A1791:110.

--9801140384 Notice of violation from insp on 971021-1208.Violation noted:on 970323,maintenance procedure for replacement of bonnet vent line for reactor recirculation sys valve HV-2FO31B inadequate.
* Region 1 (Post 820201). 97/12/31. 2pp. A1791:068-A1791:069.

--9801140387 Insp repts 50-387/97-09 & 50-388/97-09 on 971021-1208. Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.Also includes results of insp by regional physical security inspector.
* Region 1 (Post 820201). 97/12/31. 41pp. A1791:070-A1791:110.

9801130413 Provides updated response to violations noted in insp repts 50-387/97-03 & 50-388/97-03.Corrective actions:util currently scheduling issuance of all procedural revs by end of first quarter 1998.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 2pp. A1807:347-A1807:348.

9801140023 Forwards Rev 1 to IST-T-119.0/219.0, "ISI Technical Document for Sys Pressure Test Program Class 1,2 & 3 Sys & Components for Second ISI Interval."
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 2pp. A1801:257-A1801:301.

--9801140025 Rev 1 to ISI-T-119.0/219.0, "ISI Technical Document for Sys Pressure Test Program Class 1,2 & 3 Sys & Components for Second ISI Interval."
RITTER,D.B. Pennsylvania Power & Light Co. 97/11/07. 45pp. A1801:258-A1801:301.

9801220066 Ack receipt of 971201 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/97-07 & 50-388/97-07 on 971030.
ANDERSON,C.J. Region 1 (Post 820201). 98/01/07. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. A1877:160-A1877:166.

9801220137 Ack receipt of 971222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/97-04 & 50-388/97-04 on 970805.Actions will be examined during future insp of licensed program.
ANDERSON,C.J. Region 1 (Post 820201). 98/01/07. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. A1877:081-A1877:097.

9801220056 Ack receipt of 971126 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/97-06 & 50-388/97-06.
ANDERSON,C.J. Region 1 (Post 820201). 98/01/08. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A1872:325-A1872:341.

9801200005 Discusses insp repts 50-387/97-06 & 50-388/97-06 conducted 970701 & 0816 & forwards NOV & proposed imposition of civil penalty in amount of $55,000.Violation re failure to establish adequate controls for alignment of EDG controls.
MILLER,H.J. Region 1 (Post 820201). 98/01/09. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. A1828:352-A1828:359.

--9801200008 Notice of violation & proposed imposition of civil penalty in amount of $55,000.Violation noted:as of 970711,licensee failed to establish adequate controls for activities affecting quality of EDGs.
* Region 1 (Post 820201). 98/01/09. 3pp. A1828:357-A1828:359.

9801140377 Ack receipt of 971113 ltr.Corrective actions will be examined during future insp.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 98/01/13. BYRAM,R.G. Pennsylvania Power & Light Co. 1p. A1791:064-A1791:064.

R. Periodic operating reports & related correspondence

9801260386 Forwards monthly operating repts for Dec 1997 for SSES,Units 1 & 2.Format & contents of rept changed to comply w/guidance in GL 97-02.Procedure encl.
KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 98/01/09. Document Control Branch (Document Control Desk). 1p. A1907:303-A1907:352.

--9801260400 Monthly operating repts for Dec 1997 for SSES,Units 1 & 2.
YOUNG,K.A. Pennsylvania Power & Light Co. 97/12/31. 7pp. A1907:304-A1907:310.

--9801260411 Rev 0 to DCP 95-3014N, "Condensate Filtration (CFS) Final Tie-Ins."
NACHTWAY,J., KOCH,D.A. Pennsylvania Power & Light Co. 97/11/21. 42pp. A1907:311-A1907:352.

S. Reportable occurrences, LERs & related correspondence

9801080367 Forwards LER 97-025-00 re loss of both trains of standby liquid control.Inoperability of both trains of standby liquid control sys considered to be loss of safety sys needed to mitigate consequences of accident.
KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 98/01/02. Document Control Branch (Document Control Desk). 1p. A1754:217-A1754:220.

--9801080370 LER 97-025-00:on 971202,determined that both standby liquid control pumps had been inoperable at same time.Caused by over tightening fill valve cap.Appropriate procedures revised.
ELLIS,S.J. Pennsylvania Power & Light Co. 98/01/02. 3pp. A1754:218-A1754:220.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801050174 Forwards 971107 ltr from FEMA notifying NRC of two deficiencies identified during 971028 exercise.First deficiency assessed against Columbia County Emergency Operations Ctr under objective 10,alert & notification.
MODES,M.C. Region 1 (Post 820201). 97/12/22. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A1658:155-A1658:160.

--9801050180 Informs of identification of two deficiencies during SSES radiological emergency preparedness exercise conducted on 971028.First deficiency being assessed against Columbia County EOC.
LAMB,J.E. Federal Emergency Management Agency. 97/11/07. MILLER,H.J. Region 1 (Post 820201). 3pp. A1658:158-A1658:160.

9801140382 Forwards insp repts 50-387/97-09 & 50-388/97-09 on 971021-1208 & NOV.Violation concerns adequacy of procedures used to control maint on RCS valve bonnet veny line.
ANDERSON,C.J. Region 1 (Post 820201). 97/12/31. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A1791:065-A1791:110.

--9801140387 Insp repts 50-387/97-09 & 50-388/97-09 on 971021-1208. Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.Also includes results of insp by regional physical security inspector.
* Region 1 (Post 820201). 97/12/31. 41pp. A1791:070-A1791:110.

9801130417 Provides results of destructive exams performed by util for confirming details of construction of Thermo-Lag raceway fire barriers used at plant.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 15pp. A1808:300-A1808:314.

P. Operating license stage documents & correspondence

9801060268 Expresses appreciation for support received by former Project Manager C Poslusny.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/12/29. STOLZ,J. NRC - No Detailed Affiliation Given. 1p. A1741:263-A1741:263.

9801060272 Documents PP&L's understanding of preferred schedule for modifying TSs to cite used charcoal filter testing,based upon discussions w/NRC.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1754:089-A1754:090.

9801130341 Forwards 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/05. Document Control Branch (Document Control Desk). 7pp. A1793:124-A1793:130.

9801130417 Provides results of destructive exams performed by util for confirming details of construction of Thermo-Lag raceway fire barriers used at plant.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 15pp. A1808:300-A1808:314.

9801140015 Provides responses to improved TS Section 3.8 per 970324 NRC RAI.Schedule 980628 for improved TS implementation. Submittal of revised specifications is planned for Jan 1998.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 228pp. A1800:001-A1800:228.

9801260386 Forwards monthly operating repts for Dec 1997 for SSES,Units 1 & 2.Format & contents of rept changed to comply w/guidance in GL 97-02.Procedure encl.
KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 98/01/09. Document Control Branch (Document Control Desk). 1p. A1907:303-A1907:352.

-9801260411 Rev 0 to DCP 95-3014N, "Condensate Filtration (CFS) Final Tie-Ins."
NACHTWAY,J., KOCH,D.A. Pennsylvania Power & Light Co. 97/11/21. 42pp. A1907:311-A1907:352.

9801270104 Responds to NRC 971219 telcon RAI re util identification of inconsistencies between FSAR,TS & NRC SER for plants.Util's view of licensing basis & action plan to resolve issues, discussed.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/20. Document Control Branch (Document Control Desk). 16pp. A1922:302-A1922:317.

9801290123 Notification of 980130 meeting w/util in Rockville,MD to discuss matters re improved Tech Specs.
NERSES,V. . 98/01/23. STOLZ,J.F. . 4pp. A1961:157-A1961:160.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050016 Resolves commitments made in response to NOV issued as part of NRC insp repts 50-387/97-04 & 50-388/97-04 dtd 970805. Proposed FSAR QA program description changes,reason for changes & basis included for approval.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/12/22. Document Control Branch (Document Control Desk). 15pp. A1684:227-A1684:241.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801140382 Forwards insp repts 50-387/97-09 & 50-388/97-09 on 971021-1208 & NOV.Violation concerns adequacy of procedures used to control maint on RCS valve bonnet veny line.
ANDERSON,C.J. Region 1 (Post 820201). 97/12/31. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A1791:065-A1791:110.

-9801140384 Notice of violation from insp on 971021-1208.Violation noted:on 970323,maintenance procedure for replacement of bonnet vent line for reactor recirculation sys valve HV-2FO31B inadequate.
* Region 1 (Post 820201). 97/12/31. 2pp. A1791:068-A1791:069.

-9801140387 Insp repts 50-387/97-09 & 50-388/97-09 on 971021-1208. Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.Also includes results of insp by regional physical security inspector.
* Region 1 (Post 820201). 97/12/31. 41pp. A1791:070-A1791:110.

9801130413 Provides updated response to violations noted in insp repts 50-387/97-03 & 50-388/97-03.Corrective actions:util currently scheduling issuance of all procedural revs by end of first quarter 1998.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 2pp. A1807:347-A1807:348.

9801140023 Forwards Rev 1 to IST-T-119.0/219.0, "ISI Technical Document for Sys Pressure Test Program Class 1,2 & 3 Sys & Components for Second ISI Interval."
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/06. Document Control Branch (Document Control Desk). 2pp. A1801:257-A1801:301.

-9801140025 Rev 1 to ISI-T-119.0/219.0, "ISI Technical Document for Sys Pressure Test Program Class 1,2 & 3 Sys & Components for Second ISI Interval."
RITTER,D.B. Pennsylvania Power & Light Co. 97/11/07. 45pp. A1801:258-A1801:301.

9801220066 Ack receipt of 971201 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/97-07 & 50-388/97-07 on 971030.
ANDERSON,C.J. Region 1 (Post 820201). 98/01/07. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. A1877:160-A1877:166.

9801220137 Ack receipt of 971222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/97-04 & 50-388/97-04 on 970805.Actions will be examined during future insp of licensed program.
ANDERSON,C.J. Region 1 (Post 820201). 98/01/07. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. A1877:081-A1877:097.

9801220056 Ack receipt of 971126 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/97-06 & 50-388/97-06.
ANDERSON,C.J. Region 1 (Post 820201). 98/01/08. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A1872:325-A1872:341.

9801200005 Discusses insp repts 50-387/97-06 & 50-388/97-06 conducted 970701 & 0816 & forwards NOV & proposed imposition of civil penalty in amount of $55,000.Violation re failure to establish adequate controls for alignment of EDG controls.
MILLER,H.J. Region 1 (Post 820201). 98/01/09. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. A1828:352-A1828:359.

-9801200008 Notice of violation & proposed imposition of civil penalty in amount of $55,000.Violation noted:as of 970711,licensee failed to establish adequate controls for activities affecting quality of EDGs.
* Region 1 (Post 820201). 98/01/09. 3pp. A1828:357-A1828:359.

9801140377 Ack receipt of 971113 ltr.Corrective actions will be examined during future insp.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 98/01/13. BYRAM,R.G. Pennsylvania Power & Light Co. 1p. A1791:064-A1791:064.

R. Periodic operating reports & related correspondence

9801260386 Forwards monthly operating repts for Dec 1997 for SSES,Units 1 & 2.Format & contents of rept changed to comply w/guidance in GL 97-02.Procedure encl.
KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 98/01/09. Document Control Branch (Document Control Desk). 1p. A1907:303-A1907:352.

-9801260400 Monthly operating repts for Dec 1997 for SSES,Units 1 & 2.
YOUNG,K.A. Pennsylvania Power & Light Co. 97/12/31. 7pp. A1907:304-A1907:310.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801090074 Informs that State of FL,St Lucie County & Martin County emergency response agencies will conduct exercise of emergency plan for plant on 980318.Objectives,encl.
STALL,J.A. Florida Power & Light Co. 97/12/31. Document Control Branch (Document Control Desk). 6pp. A1758:268-A1758:274.

9801140264 Forwards rev 50 to security plan.Rept describing rev & PSLPSP-R50-03 through PSLPSP-R50-06 encl.Rev withheld,per 10CFR2.790(a)(3).
STALL,J.A. Florida Power & Light Co. 98/01/08. Document Control Branch (Document Control Desk). 1p. A1843:263-A1843:263.

9801200094 Forwards Rev 0 to EPIP-12, "Maintaining Emergency Preparedness Radiological Emergency Plan Training." Procedure upgrade in progress for EPIPs.Procedure completely replaces EPIP 3100034E which deleted on 971231.
STALL,J.A. Florida Power & Light Co. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1839:318-A1839:347.

-9801200100 Rev 0 to EPIP-12, "Maintaining Emergency Preparedness Radiological Emergency Plan Training."
SCAROLA,J. Florida Power & Light Co. 97/12/15. 29pp. A1839:319-A1839:347.

9801200210 Forwards request for rescheduling of fire protection functional insp.NRC determined that it is necessary to conduct pilot fire protection functional insp as presently scheduled,after careful consideration of issues discussed.
WIENS,L.A. . 98/01/12. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1860:258-A1860:261.

I. Financial information

9801050228 Submits Price Anderson Guarantees annual financial rept per 10CFR140.21.Exhibit 1 submitted to satisfy annual financial reporting requirement of 10CFR50.71(b).
PADUANO,H.N. Florida Power & Light Co. 97/12/23. Document Control Branch (Document Control Desk). 62pp. A1720:289-A1720:353.

P. Operating license stage documents & correspondence

9801050246 Forwards SE denying licensee 970429 request for review & approval of proposed change to FPL topical quality assurance rept (FPLTQAR 176A).Changes considered as reduction in commitment per 10CFR50.54(a)(3).
HEBDON,F.J. . 97/12/15. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1663:148-A1663:156.

-9801050255 Safety evaluation denying 970429 request to revise FPL Topical QA Rept (FPLTQAR 1-76A).Concludes proposed rev does not adequately satisfy regulatory requirement to clearly delineate in writing functional responsibilities.
* . 97/12/15. 5pp. A1663:152-A1663:156.

9801050224 Summary of 971125 meeting w/Florida Power & Light Co re plans to request NRC approval of license amend to allow credit for soluble boron in Unit 2 SFP in order to increase pool storage capacity.List of attendees & handouts encl.
WIENS,L.A. . 97/12/16. . 29pp. A1663:071-A1663:099.

9801050181 Notification of 980120 meeting w/FPL in Jensen Beach,Florida to discuss *endangered & threatened species info & development at plant.*
WIENS,L.A. . 97/12/18. HEBDON,F.J. . 5pp. A1662:341-A1662:345.

9801060248 Discusses response schedule to GL 97-04, "Assurance of Sufficient Net Postitive Suction Head for ECC Containment Heat Removal Pumps." Licensee proposal to submit requested info by 980206 acceptable.
WIENS,L.A. . 97/12/18. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1680:301-A1680:304.

9801060185 Application for amend to license NPF-16,modifying specifications for selected *cycle-specific reactor physics parameters to provide reference to St Lucie Unit 2* COLR for limiting values.
STALL,J.A. Florida Power & Light Co. 97/12/29. Document Control Branch (Document Control Desk). 11pp. A1730:106-A1730:194.

--9801060187 Proposed tech specs modifying specifications for selected cycle-specific reactor physics parameters to provide reference to St Lucie Unit 2 COLR for limiting values.
* Florida Power & Light Co. 97/12/29. 33pp. A1730:117-A1730:149.

--9801060191 *Rev 0 to "St Lucie Unit 2,Cycle 10 COLR."*
* Florida Power & Light Co. 97/12/29. 14pp. A1730:150-A1730:163.

--9801060194 Suppl 1 to NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie Nuclear Plants."
* Florida Power & Light Co. NF-TR-95-01 S01. 97/08/31. 31pp. A1730:164-A1730:194.

9801070046 Application for amend to license NPF-16 by incorporating attached TS rev.Amend will modify TS 5.6.1 & associated Figure 5.6-1 & TS 5.6.3 to accomodate *increase in allowed SFP storage capacity.*
STALL,J.A. Florida Power & Light Co. 97/12/31. Document Control Branch (Document Control Desk). 41pp. A1787:001-A1787:140.

--9801070050 Proposed tech specs pages modifying TS 5.6.1 & associated Figure 5.6-1 & TS 5.6.3 to accomodate increase in allowed SFP storage capacity.
* Florida Power & Light Co. 97/12/31. 11pp. A1787:042-A1787:052.

--9801070057 "Criticality Safety Analysis for Spent Fuel Storage Rack Using Soluble Boron Credit."
* *ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).* CENPD-387. 97/10/31. 54pp. A1787:053-A1787:106.

--9801070061 Rev 0 to PSL-ENG-SENS-97-068, "Spent Fuel Pool Dilution Analysis."
* Florida Power & Light Co. PSL-ENG-SENS-97-068. 97/11/26. 33pp. A1787:107-A1787:140.

9801230051 Forwards procedures ADM-17.11,Rev 0 & QI-5-PSL-1,Rev 4 on plant dockets to be placed in PDR.
WIENS,L. . 98/01/02. . 2pp. A1891:130-A1891:257.

--9801230059 Rev 0 to Procedure ADM-17.11, "10CFR500.59 Screening."
SCAROLA,J. Florida Power & Light Co. 97/09/18. 20pp. A1891:132-A1891:151.

--9801230064 Rev 4 to Procedure QI-5-PSL-1, "Preparation,Rev,Review/ Approval of Procedures."
SCAROLA,J. Florida Power & Light Co. 97/09/26. 106pp. A1891:152-A1891:257.

9801200042 Forwards Rev 0 to ADM-29.01, "IST Program for Pumps & Valves," for St Lucie Units 1 & 2.Summary of relief related IST programs,encl.
STALL,J.A. Florida Power & Light Co. 98/01/12. Document Control Branch (Document Control Desk). 7pp. A1839:002-A1839:233.

--9801200047 Rev 0 to ADM-29.01, "IST Program for Pumps & Valves."
SCAROLA,J. Florida Power & Light Co. 97/12/12. 225pp. A1839:009-A1839:233.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801060352 Forwards revised drawing 2998-G-389 sheet 49,rev 1 which reflects as-built configuration of rod barrier sys between perimeter gates P12 & P13,per NRC insp repts 50-335/97-12 & 50-389/97-12.W/one oversize drawing.
STALL,J.A. Florida Power & Light Co. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1754:093-A1754:094.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130049 Ack receipt of 971210 & 971219 responses informing NRC of steps taken to correct violations noted in insp repts 50-335/97-11 & 50-389/97-11 on 971110.Finds response meets requirements of 10CFR2.201.
LANDIS,K.D. Region 2 (Post 820201). 97/12/31. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1785:059-A1785:062.

9801140361 Responds to violations noted in insp repts 50-335/97-15 & 50-389/97-15.Corrective actions:completed temporary sys alteration that reversed two of three power leads to low speed winding of fan motor at motor control center.
PLUNKETT,T.F. Florida Power & Light Co. 98/01/02. Document Control Branch (Document Control Desk). 8pp. A1832:349-A1832:356.

9801140123 Corrects info submitted to NRC by ltr dtd 970313 re suppl to ISI relief request 14.
STALL,J.A. Florida Power & Light Co. 98/01/08. Document Control Branch (Document Control Desk). 1p. A1824:357-A1824:357.

9801200210 Forwards request for rescheduling of fire protection functional insp.NRC determined that it is necessary to conduct pilot fire protection functional insp as presently scheduled,after careful consideration of issues discussed.
WIENS,L.A. . 98/01/12. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1860:258-A1860:261.

9801220117 Responds to violations noted in insp repts 50-335/97-13 & 50-389/97-13.Corrective actions:initiated work package change notice to change step to match field conditions & provided addl levels of contractor oversight.
PLUNKETT,T.F. Florida Power & Light Co. 98/01/14. Document Control Branch (Document Control Desk). 7pp. A1892:342-A1892:348.

R. Periodic operating reports & related correspondence

9801160016 Monthly operating repts for Dec 1997 for St Lucie,Units 1 & 2.W/980108 ltr.
ROGERS,J.A., STALL,J.A. Florida Power & Light Co. 97/12/31. 7pp. A1844:263-A1844:269.

S. Reportable occurrences, LERs & related correspondence

9801130266 Part 21 rept re use of DELTSTRAT code for RCS flow rate determination.Code corrects for temps to determine hot leg bulk coolant temp.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 98/01/06. Document Control Branch (Document Control Desk). 6pp. A1796:042-A1796:047.

9801160029 NPDES noncompliance notification:on 971214,discovered partially entangled mantee in sea turtle capture nets.Caused by large openings in concrete velocity *caps.Addl insp of caps will be made.*
STALL,J.A. Florida Power & Light Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1844:291-A1844:293.

V. Operator Examinations

9801060199 Requests termination of SOLs SOP-20047 for GJ Imbriale & SOP-21280 for J Giles.Individuals are no longer employed w/util effective 971217 & 1222.
STALL,J.A. Florida Power & Light Co. 97/12/30. Document Control Branch (Document Control Desk). 1p. A1737:360-A1737:360.

9801220004 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt,operations & training staff of NUREG 1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. PLUNKETT,T.F. Florida Power & Light Co. 5pp. A1877:189-A1877:193.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801260205 Rev 37 to "Radiological Emergency Plan." W/980116 ltr & list of effective pages.
BAILEY,J.A. Tennessee Valley Authority. 97/12/23. 69pp. A1929:064-A1929:132.

9801130025 *Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.*
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801220317 Forwards suppl SE re ampacity issues related to Thermo-Lag fire barriers for facility.
MARTIN,R.E. . 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 4pp. A1890:168-A1890:301.

--9801220321 Supplemental SE supporting ampacity issues re Thermo-Lag fire barriers for facility.
* . 98/01/06. 7pp. A1890:172-A1890:178.

--9801220327 Rev 0 to ltr rept, "Technical Evaluation Rept on Watts Bar Fire Barrier Ampacity Derating Tests & Applications."
NOWLEN,S., TANAKA,T. Sandia National Laboratories. FIN J-2503. 97/02/21. JENKINS,R. . 11pp. A1890:179-A1890:189.

--9801220336 Rev 0 to ltr rept, "Review of Watts Bar Fire Barrier Ampacity Derating Tests & Applications."
NOWLEN,S., TANAKA,T. Sandia National Laboratories. 96/04/05. JENKINS,R. . 24pp. A1890:190-A1890:216.

--**9801220341** Rev 0 to ltr rept, "Suppl Evaluation of Three Special Issues & Watts Bar Fire Barrier Ampacity Derating Tests & Applications."
NOWLEN,S., TANAKA,T. Sandia National Laboratories. FIN J-2503. 97/10/23. JENKINS,R. . 17pp. A1890:217-A1890:301.

9801260235 Rev 18 to CECC EPIP-9, "Emergency Environ Radiological Monitoring Procedures." W/list of effective pages & 980116 ltr.
BAILEY,J.A. Tennessee Valley Authority. 98/01/16. 55pp. A1929:009-A1929:063.

H. General correspondence

9801280258 Forwards updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.Changes effective immediately.
BURZYNSKI,M.J. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 7pp. A1936:281-A1936:287.

P. Operating license stage documents & correspondence

9801020102 Provides util's 90-day response for SQN Units 1 & 2 & WBN Unit 1 to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," re amount of available suction head to certain safety pumps.
BURZYNSKI,M.J. Tennessee Valley Authority. 97/12/22. Document Control Branch (Document Control Desk). 15pp. A1679:121-A1679:136.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801220317 Forwards suppl SE re ampacity issues related to Thermo-Lag fire barriers for facility.
MARTIN,R.E. . 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 4pp. A1890:168-A1890:301.

--**9801220321** Supplemental SE supporting ampacity issues re Thermo-Lag fire barriers for facility.
* . 98/01/06. 7pp. A1890:172-A1890:178.

--**9801220327** Rev 0 to ltr rept, "Technical Evaluation Rept on Watts Bar Fire Barrier Ampacity Derating Tests & Applications."
NOWLEN,S., TANAKA,T. Sandia National Laboratories. FIN J-2503. 97/02/21. JENKINS,R. . 11pp. A1890:179-A1890:189.

--**9801220336** Rev 0 to ltr rept, "Review of Watts Bar Fire Barrier Ampacity Derating Tests & Applications."
NOWLEN,S., TANAKA,T. Sandia National Laboratories. 96/04/05. JENKINS,R. 24pp. A1890:190-A1890:216.

--**9801220341** Rev 0 to ltr rept, "Suppl Evaluation of Three Special Issues & Watts Bar Fire Barrier Ampacity Derating Tests & Applications."
NOWLEN,S., TANAKA,T. Sandia National Laboratories. FIN J-2503. 97/10/23. JENKINS,R. . 17pp. A1890:217-A1890:301.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130162 Confirms telcon between P Pace & MS Lesser re predecisional enforcement conference scheduled for 980113.Meeting will be held in Atlanta,GA to discuss apparent violations re unplanned personnel exposurediscussed in listed insp repts.
LESSER,M.S. Region 2 (Post 820201). 97/12/31. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A1763:201-A1763:203.

9801140249 Addresses application of portion of NRC "General Statement of Policy & Procedure for NRC EAs," per predecisional enforcement conference scheduled on 980113.
SCALICE,J.A. Tennessee Valley Authority. 98/01/07. Document Control Branch (Document Control Desk). 5pp. A1826:338-A1826:342.

9801280159 Forwards SALP rept 50-390/97-99 on 961110-971206.Rept will be discussed at public meeting at Watts Bar site on 980129.
REYES,L.A. Region 2 (Post 820201). 98/01/14. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1959:320-A1959:329.

--**9801280160** SALP rept 50-390/97-99 for 961110-971206.Major areas assessed:plant operations,maint,engineering & plant support.
* Region 2 (Post 820201). 98/01/14. 5pp. A1959:325-A1959:329.

9801260234 Forwards "ASME Section XI ISI Summary Rept WBNP Unit 1 First Refueling Cycle." Commitments made by util,encl.
SCALICE,J.A. Tennessee Valley Authority. 98/01/16. Document Control Branch (Document Control Desk). 3pp. A1910:120-A1910:295.

--**9801260237** "ASME Section XI ISI Summary Rept WBNP Unit 1 First Refueling Cycle."
CASEY,K.E., HALE,T.L., JOHNSON,G.L. Tennessee Valley Authority. 97/12/19. 173pp. A1910:123-A1910:295.

R. Periodic operating reports & related correspondence

9801210264 Monthly operating rept for Dec 1997 for Watts Bar Nuclear Plant.W/ 980112 ltr.
TOLLEY,R.D., SCALICE,J.A. Tennessee Valley Authority. 97/12/31. 7pp. A1879:335-A1879:341.

S. Reportable occurrences, LERs & related correspondence

9801050339 Forwards LER 97-011-05 re GL 96-01 review completion. Response dtd 971105,confirming completion of GL 96-01 reviews,amended.
SCALICE,J.A. Tennessee Valley Authority. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1687:003-A1687:022.

--**9801050348** LER 97-011-05:on 970428,incomplete surveillance instruction was noted.Caused by inadequate technical reviews.Completed reviews,informed technical reviewers of requirements of GL 96-01 & corrected any hardware deficiencies found.
STOCKTON,R.A. Tennessee Valley Authority. 97/12/19. 18pp. A1687:005-A1687:022.

9801060189 Forwards LER 97-016-00,involving condition re as-found position of two DG fuel oil transfer handswitches on 971205.
SCALICE,J.A. Tennessee Valley Authority. 97/12/24. Document Control Branch (Document Control Desk). 2pp. A1687:088-A1687:104.

--**9801060196** LER 97-016-00:on 971205,DG fuel oil transfer handswitches were found in "OFF" position.Cause not determined.DG 2B-B fuel oil transfer pump handswitches were placed in "AUTO" position.
STOCKTON,R.A. Tennessee Valley Authority. 97/12/24. 14pp. A1687:091-A1687:104.

9801220116 Part 21 rept re solid state protection sys circuits that were not fully tested during semi-automatic testing of sys. Circuit mods not required to test both parallel inputs. Pressing of reset switch to confirm functioning of inputs.
SEPP,H.A. Westinghouse Electric Corp. 98/01/15. Document Control Branch (Document Control Desk). 12pp. A1893:064-A1893:075.

V. Operator Examinations

9801220079 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG 1021. Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1877:171-A1877:175.

9801260422 Provides notification of change in status of operator JH Bowman,license OP-21079.Medical info supporting proposed license condition sent to Region II.
PURCELL,R.T. Tennessee Valley Authority. 98/01/16. Document Control Branch (Document Control Desk). 3pp. A1913:318-A1913:320.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/Construction Stage Documents and Related Correspondence

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

F. Security, medical, emergency & fire protection plans

9801260205 Rev 37 to "Radiological Emergency Plan." W/980116 ltr & list of effective pages.
BAILEY,J.A. Tennessee Valley Authority. 97/12/23. 69pp. A1929:064-A1929:132.

9801130025 Confirms postponement of 980114 meeting to 980128 in Atlanta,GA to discuss initiatives to reconstitute health physics records.
LESSER,M.S. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1785:001-A1785:005.

9801260235 Rev 18 to CECC EPIP-9, "Emergency Environ Radiological Monitoring Procedures." W/list of effective pages & 980116 ltr.
BAILEY,J.A. Tennessee Valley Authority. 98/01/16. 55pp. A1929:009-A1929:063.

H. General correspondence

9801280258 Forwards updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.Changes effective immediately.
BURZYNSKI,M.J. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 7pp. A1936:281-A1936:287.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130162 Confirms telcon between P Pace & MS Lesser re predecisional enforcement conference scheduled for 980113.Meeting will be held in Atlanta,GA to discuss apparent violations re unplanned personnel exposurediscussed in listed insp repts.
LESSER,M.S. Region 2 (Post 820201). 97/12/31. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A1763:201-A1763:203.

S. Reportable occurrences, LERs & related correspondence

9801220116 Part 21 rept re solid state protection sys circuits that were not fully tested during semi-automatic testing of sys. Circuit mods not required to test both parallel inputs. Pressing of reset switch to confirm functioning of inputs.
SEPP,H.A. Westinghouse Electric Corp. 98/01/15. Document Control Branch (Document Control Desk). 12pp. A1893:064-A1893:075.

V. Operator Examinations

9801220079 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG 1021. Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1877:171-A1877:175.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801210167 Forwards insp rept 50-395/97-13 on 971019-1129 & notice of violation.First violation dealt w/individual using chewing tobacco in radiation control area contrary to posted instructions.
HAAG,R.C. Region 2 (Post 820201). 97/12/23. TAYLOR,G.J. South Carolina Electric & Gas Co. 4pp. A1856:283-A1856:334.

--9801210172 Notice of violation from insp on 971019-1129.Violation noted:on 971019,licensee employee failed to adhere to posted HP instructions in that individual observed using chewing tobacco product in B chiller unit room.
* Region 2 (Post 820201). 97/12/23. 2pp. A1856:287-A1856:288.

--9801210176 Insp rept 50-395/97-13 on 971019-1129.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 2 (Post 820201). 97/12/23. 46pp. A1856:289-A1856:334.

9801070359 Submits fourteenth annual rept pursuant to 10CFR50.59(b) & 10CFR50.54(a) for VC Summer Nuclear Station.Rept contains brief description of changes & mods made to facility,as described in FSAR & fire protection evaluation rept.
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/12/30. Document Control Branch (Document Control Desk). 10pp. A1744:326-A1744:335.

P. Operating license stage documents & correspondence

9801130020 Confirms 971218 telcon re meeting scheduled for 980114 in Atlanta,GA to discuss results of recent refueling outage & operations improvement initiatives at VC Summer Plant.
HAAG,R.C. Region 2 (Post 820201). 97/12/22. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. A1784:353-A1784:355.

9801060214 Forwards supplemental response to GL 95-07 to address pressure locking & thermal binding issues identified in NRC Integrated insp rept 50-395/97-01.
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/12/29. Document Control Branch (Document Control Desk). 4pp. A1733:347-A1733:350.

9801130251 Submits response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
TAYLOR,G.J. South Carolina Electric & Gas Co. 98/01/05. Document Control Branch (Document Control Desk). 11pp. A1793:101-A1793:111.

9801150215 Informs that effective 980101,LM Padovan became NRR licensing project manager for VC Summer Nuclear Station,
BOGER,B.A. . 98/01/07. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. A1818:154-A1818:155.

9801280117 Informs of util's intention to adopt & implement rev 1 to NUREG-1431,W standardized TS.Initiation of project will commence in 1998,w/implementation projected for refuel outage 12 scheduled for fall of 2000.
TAYLOR,G.J. South Carolina Electric & Gas Co. 98/01/22. Document Control Branch (Document Control Desk). 2pp. A1967:300-A1967:301.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801210167 Forwards insp rept 50-395/97-13 on 971019-1129 & notice of violation.First violation dealt w/individual using chewing tobacco in radiation control area contrary to posted instructions.
HAAG,R.C. Region 2 (Post 820201). 97/12/23. TAYLOR,G.J. South Carolina Electric & Gas Co. 4pp. A1856:283-A1856:334.

--9801210172 Notice of violation from insp on 971019-1129.Violation noted:on 971019,licensee employee failed to adhere to posted HP instructions in that individual observed using chewing tobacco product in B chiller unit room.
* Region 2 (Post 820201). 97/12/23. 2pp. A1856:287-A1856:288.

--9801210176 Insp rept 50-395/97-13 on 971019-1129.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 2 (Post 820201). 97/12/23. 46pp. A1856:289-A1856:334.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801060214 Forwards supplemental response to GL 95-07 to address pressure locking & thermal binding issues identified in NRC Integrated insp rept 50-395/97-01.
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/12/29. Document Control Branch (Document Control Desk). 4pp. A1733:347-A1733:350.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801280228 Forwards exam rept 50-395/97-300 administered on 971201-05 & 1212.Numerous deficiencies in initial written exam identified.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/14. TAYLOR,G.J. South Carolina Electric & Gas Co. 4pp. A1939:001-A1939:174.

--9801280230 NRC Operator Licensing Exam Rept 50-395/97-300 (including completed & graded tests) for tests administered on 971201- 05 & 1212.
MUNRO,J., PEEBLES,T.A. Region 2 (Post 820201). 98/01/14. 170pp. A1939:005-A1939:174.

9801290002 Responds to two questions on leak detection sys delineated in NRC insp rept 50-395/97-13.Response addresses questions raised during review of unresolved item associated w/auxiliary building leak detection sys.
TAYLOR,G.J. South Carolina Electric & Gas Co. 98/01/21. Document Control Branch (Document Control Desk). 12pp. A1971:269-A1971:280.

9801280351 Forwards response to violations noted in insp rept 50-395/97-13.Corrective actions:review made of plant training program to determine means to better define expectations on prohibited activities in RCA.
TAYLOR,G.J. South Carolina Electric & Gas Co. 98/01/22. Document Control Branch (Document Control Desk). 5pp. A1936:288-A1936:292.

R. Periodic operating reports & related correspondence

9801070359 Submits fourteenth annual rept pursuant to 10CFR50.59(b) & 10CFR50.54(a) for VC Summer Nuclear Station.Rept contains brief description of changes & mods made to facility,as described in FSAR & fire protection evaluation rept.
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/12/30. Document Control Branch (Document Control Desk). 10pp. A1744:326-A1744:335.

9801270029 Monthly operating rept for Dec 1997 for Virgil C Summer Nuclear Station.W/980115 ltr.
BELL,W.H., TAYLOR,G.J. South Carolina Electric & Gas Co. 97/12/31. 7pp. A1935:144-A1935:150.

V. Operator Examinations

9801220064 Informs that Region II will conduct Exam Writing Workshop in Atlanta,GA,on 980121 & 28.Workshop designed to inform mgt & operations & training staff of NUREG 1021 exam writing techniques for licensing of plant operators.Agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. TAYLOR,G.J. South Carolina Electric & Gas Co. 5pp. A1877:039-A1877:043.

9801280228 Forwards exam rept 50-395/97-300 administered on 971201-05 & 1212.Numerous deficiencies in initial written exam identified.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/14. TAYLOR,G.J. South Carolina Electric & Gas Co. 4pp. A1939:001-A1939:174.

--9801280230 NRC Operator Licensing Exam Rept 50-395/97-300 (including completed & graded tests) for tests administered on 971201- 05 & 1212.
MUNRO,J., PEEBLES,T.A. Region 2 (Post 820201). 98/01/14. 170pp. A1939:005-A1939:174.

DOCKET 50-396 UNIV. OF VIRGINIA CAVALIER REACTOR

F. Security, medical, emergency & fire protection plans

9801290087 Revised EPIPs,including rev 23 to EPIP-5, "Response to General Emergency" & rev 23 to EPIP-6, "Notification of Emergency Response Personnel & Support Organizations." W/980124 ltr.
BENNECHE,P.E. Virginia, Univ. of, Charlottesville, VA. 98/01/24. ADAMS,A. Document Control Branch (Document Control Desk). 10pp. A1971:295-A1971:304.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801060288 Forwards hardware or software changes which affect transmitted data points identified in ERDS data point library,per 10CFR50 App E,Section VI.3a.
COLEMAN,D.W. Washington Public Power Supply System. 97/12/23. Document Control Branch (Document Control Desk). 36pp. A1730:223-A1730:258.

9801130270 Informs that testing of Whittaker fire-rated cables will take place during week of 980302,at stated facility.
COLEMAN,D.W. Washington Public Power Supply System. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1818:360-A1818:360.

9801270198 Forwards ERDS implementaion documents,including Data Point Library 246 for Hatch,246 for McGuire & 247 for WNP2.Changes should be made as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 98/01/21. SAUL,K.L. SCIENTECH, Inc. 1p. A1934:211-A1934:211.

I. Financial Information

9801200107 "Washington Public Power Supply Sys Annual Rept for 1997." W/980108 ltr.
CARTER,D., PARRISH,V., KUCERA,G.J. Washington Public Power Supply System. 97/12/31. 40pp. A1842:288-A1842:327.

P. Operating license stage documents & correspondence

9801060222 Discusses 10CFR50.54(f) response commitment mod.Expectation to complete requirements tracking database in 1997 has been delayed due to current staffing allocation to other major projects.Task to be completed on level of effort basis.
PARRISH,J.V. Washington Public Power Supply System. 97/12/23. Document Control Branch (Document Control Desk). 2pp. A1754:087-A1754:088.

9801070140 Confirms that response to 971202 RAI re plant response GL 88-20,Suppl 4, "IPEEE," will be submitted on or before 980330.
BEMIS,P.R. Washington Public Power Supply System. 97/12/23. Document Control Branch (Document Control Desk). 1p. A1747:279-A1747:279.

9801130304 Submits commitments made in response to NUREG-0619,re "BWR Feedwater Nozzle & CR Drive Return Line Nozzle Cracking." WNP-2 Feedwater Nozzle insp rept for R-12 maintenance & refueling outage attached.
BEMIS,P.R. Washington Public Power Supply System. 98/01/02. Document Control Branch (Document Control Desk). 4pp. A1807:355-A1807:358.

9801130225 Forwards 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head For ECC & Containment Heat Removal Pumps."
PARRISH,J.V. Washington Public Power Supply System. 98/01/05. Document Control Branch (Document Control Desk). 7pp. A1818:352-A1818:358.

9801130270 Informs that testing of Whittaker fire-rated cables will take place during week of 980302,at stated facility.
COLEMAN,D.W. Washington Public Power Supply System. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1818:360-A1818:360.

9801270018 Provides info re intended scope & methodolody of core shroud & insp,per GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
BEMIS,P.R. Washington Public Power Supply System. 98/01/16. Document Control Branch (Document Control Desk). 4pp. A1932:338-A1932:341.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co *IR100* Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801060305 Provides amended response to violations noted in insp rept 50-397/96-11.Corrective actions:portions of RCIC sys required to support reactor vessel inventory makeup will be reclassified as safety-related & seismic category I.
BEMIS,P.R. Washington Public Power Supply System. 97/12/23. Document Control Branch (Document Control Desk). 6pp. A1741:272-A1741:276.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801140147 Ack receipt of 971217 ltr informing NRC of steps taken to correct violations noted in insp rept 50-397/97-07.Actions will be reviewed during future insp to determine that full compliance has been achieved & will be maintained.
MURRAY,B. Region 4 (Post 820201). 98/01/07. PARRISH,J.V. Washington Public Power Supply System. 4pp. A1791:113-A1791:119.

9801220164 Forwards insp rept 50-397/97-18 on 971109-1220 & notice of violation re control of transient equipment & combustibles.
GWYNN,T.P. Region 4 (Post 820201). 98/01/15. PARRISH,J.V. Washington Public Power Supply System. 5pp. A1889:065-A1889:095.

--9801220168 Notice of violation from insp on 971109-1220.Violation noted:licensee failed to implement requirements of PPM 10.2.53 as evidenced by listed examples.
* Region 4 (Post 820201). 98/01/15. 3pp. A1889:070-A1889:072.

--9801220170 Insp rept 50-397/97-18 on 971109-1220.Violations noted:major areas inspected:operations,maint,engineering,& plant support.
* Region 4 (Post 820201). 98/01/15. 23pp. A1889:073-A1889:095.

9801220253 Forwards corrected pp re insp rept 50-397/97-16.Error was found in insp follow-up sys numbers associated w/items described in rept details.
MURRAY,B. Region 4 (Post 820201). 98/01/16. PARRISH,J.V. Washington Public Power Supply System. 4pp. A1877:210-A1877:216.

--9801230164 Errata to insp rept 50-397/97-19.Error was found in insp follow-up sys numbers associated w/items described in rept details.
* Region 4 (Post 820201). 98/01/16. 3pp. A1877:214-A1877:216.

9801270018 Provides info re intended scope & methodolody of core shroud & insp,per GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
BEMIS,P.R. Washington Public Power Supply System. 98/01/16. Document Control Branch (Document Control Desk). 4pp. A1932:338-A1932:341.

9801290057 Responds to NRC 971218 ltr re violations noted in insp rept 50-397/97-17.Corrective actions:technician visually verified area to be clear of personnel & immediately locked gate & performed walkdown to verify locked status of similar areas.
BEMIS,P.R. Washington Public Power Supply System. 98/01/19. Document Control Branch (Document Control Desk). 4pp. A1945:356-A1945:359.

9801270091 Responds to NRC 971203 ltr re violations noted in insp rept 50-397/96-22 on 960924-0926.CAs:Supply Sys was granted notice of enforcement discretion not to enforce compliance w/actions in TS SR 3.3.1.1.15,3.3.6.1.7 & 3.3.5.1.7.
BEMIS,P.R. Washington Public Power Supply System. 98/01/20. Document Control Branch (Document Control Desk). 9pp. A1929:352-A1929:360.

R. Periodic operating reports & related correspondence

9801220032 Monthly operating rept for Dec 1997 for WNP-2.W/980115 ltr.
KASKO,B., SMITH,G.O. Washington Public Power Supply System. 97/12/31. 3pp. A1895:189-A1895:191.

S. Reportable occurrences, LERs & related correspondence

9801090004 Part 21 rept re shipment by DuBose National Energy Svcs,Inc, of 40 pieces of 4 inch,90 degree elbows which did not meet ASME Section II SA-234 requirements.
DAILEY,J.N. . 98/01/07. Document Control Branch (Document Control Desk). 11pp. A1754:227-A1754:237.

9801220259 Informs of unexpected change in feedwater temperature & flow indication used to calculate plant heat balance during routine trending of plant computer feedwater temperatures on 980112.Corrective actions reduced reactor power to 99%.
BEMIS,P.R. Washington Public Power Supply System. 98/01/14. MERSCHOFF,E.W. Region 4 (Post 820201). 2pp. A1887:359-A1887:360.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801130112 Forwards response to exercise weakness identified in paragraph P4.8 of NRC insp rept 50-400/97-11 transmitted by ltr dtd 971124.
ROBINSON,W.R. Carolina Power & Light Co. 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1792:336-A1792:337.

P. Operating license stage documents & correspondence

9801060298 Forwards comments of CP&L on NRC proposed & direct final rules on 10CFR50.68 & 10CFR70.24 criticality accident requirements.
ALEXANDER,D.B. Carolina Power & Light Co. 97/12/24. Office of the Secretary of the Commission. 4pp. A1741:306-A1741:309.

9801130179 Summarizes 971211 meeting w/util in Atlanta,GA to discuss plant self-assessment prior to cycle 13 SALP.List of attendees & plant handouts encl.
SHYMLOCK,M.B. Region 2 (Post 820201). 97/12/24. ROBINSON,W.R. Carolina Power & Light Co. 120pp. A1784:200-A1784:319.

9801150186 Informs that effective 980104,S Flanders became NRR licensing project manager for Shearon Harris NPP.
BOGER,B.A. . 98/01/07. ROBINSON,W.R. Carolina Power & Light Co. 2pp. A1818:201-A1818:202.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 *NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on* Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 *NRC Info Notice 97-086, "Additional Controls for Transport of Amersham* Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801130179 Summarizes 971211 meeting w/util in Atlanta,GA to discuss plant self-assessment prior to cycle 13 SALP.List of attendees & plant handouts encl.
SHYMLOCK,M.B. Region 2 (Post 820201). 97/12/24. ROBINSON,W.R. Carolina Power & Light Co. 120pp. A1784:200-A1784:319.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in *Safety-Related Pump Surveillance Tests.*"
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on *Amersham Model 660 Posilock Radiography Sys.*"
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210166 Forwards insp rept 50-400/97-12 on 971026-1206 & NOV. Violations cited in encl NOV & circumstances surrounding violations described in detail in encl rept.
SHYMLOCK,M.B. Region 2 (Post 820201). 97/12/31. ROBINSON,W.R. Carolina Power & Light Co. 6pp. A1856:232-A1856:282.

--9801210175 Notice of violation from insp on 971026-1206.Violation noted:licensee did not adequately develop,maintain or implement procedures for controlling computer software development & plant configuration during mod process.
* Region 2 (Post 820201). 97/12/31. 3pp. A1856:238-A1856:241.

--9801210182 Insp rept 50-400/97-12 on 971026-1206.Violations noted.Major areas inspected:licensee operations,engineering,maint & plant support.
* Region 2 (Post 820201). 97/12/31. 42pp. A1856:242-A1856:282.

9801130112 Forwards response to exercise weakness identified in paragraph P4.8 of NRC insp rept 50-400/97-11 transmitted by ltr dtd 971124.
ROBINSON,W.R. Carolina Power & Light Co. 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1792:336-A1792:337.

9801220012 Ack receipt of 971216 ltr informing NRC of steps taken to correct violations noted in insp rept 50-400/97-10 issued on 971120.Response meets requirements of 10CFR2.201.Corrective actions will be examined during future inspections.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/01/08. ROBINSON,W.R. Carolina Power & Light Co. 3pp. A1872:217-A1872:219.

R. Periodic operating reports & related correspondence

9801210266 Monthly operating rept for Dec 1997 for Shearon Harris Nuclear Plant,Unit 1.W/980114 ltr.
ROGERS,S., DONAHUE,J.W. Carolina Power & Light Co. 97/12/31. 3pp. A1879:347-A1879:349.

V. Operator Examinations

9801220078 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ROBINSON,W.R. Carolina Power & Light Co. 5pp. A1877:076-A1877:080.

9801130155 Forwards proprietary notification of changes in RO & SRO status.Encl withheld per 10CFR2.790(a)(6).
ROBINSON,W.R. Carolina Power & Light Co. 98/01/08. Document Control Branch (Document Control Desk). 1p. A1818:359-A1818:359.

DOCKET 50-401 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 2

A. Application/Construction Stage Documents and Related Correspondence

9801060298 Forwards comments of CP&L on NRC proposed & direct final rules on 10CFR50.68 & 10CFR70.24 criticality accident requirements.
ALEXANDER,D.B. Carolina Power & Light Co. 97/12/24. Office of the Secretary of the Commission. 4pp. A1741:306-A1741:309.

DOCKET 50-402 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 3

A. Application/Construction Stage Documents and Related Correspondence

9801060298 Forwards comments of CP&L on NRC proposed & direct final rules on 10CFR50.68 & 10CFR70.24 criticality accident requirements.
ALEXANDER,D.B. Carolina Power & Light Co. 97/12/24. Office of the Secretary of the Commission. 4pp. A1741:306-A1741:309.

DOCKET 50-403 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 4

A. *Application/Construction Stage Documents and Related Correspondence*

9801060298 Forwards comments of CP&L on NRC proposed & direct final rules on 10CFR50.68 & 10CFR70.24 criticality accident requirements.
ALEXANDER,D.B. Carolina Power & Light Co. 97/12/24. Office of the Secretary of *the Commission. 4pp. A1741:306-A1741:309.*

DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

P. Operating license stage documents & correspondence

9801200293 Informs of continuance of review of 971205 requests for amend of Univ of Utah Research Reactor TS.Forwards request for addl info re reactor.
MENDONCA,M.M. . 98/01/09. SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 3pp. A1850:345-A1850:348.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

F. Security, medical, emergency & fire protection plans

9801070229 Issue 17 to EPP-1, "Emergency Conditions & Response."
* Dairyland Power Cooperative. 97/12/30. 15pp. A1781:308-A1781:322.

9801220132 Submits quarterly submittal of safeguards event log for quarter ending 971231.No safeguards events occurred during last quarter.
BERG,W.L. Dairyland Power Cooperative. 98/01/12. . 1p. A1894:318-A1894:318.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. *Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-*A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. *Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.*

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801280125 Forwards insp rept 50-409/97-01 on 971209-11 & 980107.No violations noted.Activities in areas of facility mgt, decommissioning support,spent fuel safety & radiological safety were examined during insp.
JORGENSEN,B.L. Region 3 (Post 820201). 98/01/19. BERG,W.L. Dairyland Power Cooperative. 2pp. A1939:319-A1939:332.

--9801280130 Insp rept 50-409/97-01 on 971209-980107.No violations noted. Major areas inspected:licensee mgt & control,decommissioning support activities,spent fuel safety & radiological safety.
* Region 3 (Post 820201). 98/01/19. 12pp. A1939:321-A1939:332.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801090241 Forwards SALP repts 50-220/97-99 & 50-410/97-99 for Nine Mile Point Nuclear Station,Units 1 & 2,for period 960602- 971108.Mgt meeting scheduled for 980109 at Nine Mile Point site to discuss assessment & address weaknesses identified.
MILLER,H.J. Region 1 (Post 820201). 97/12/30. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. A1741:084-A1741:093.

--9801090271 SALP repts 50-220/97-99 & 50-410/97-99 for 960602-971108.
* Region 1 (Post 820201). 97/12/30. 6pp. A1741:088-A1741:093.

9801270118 Revised EPIPs,including rev 13 to EPMP-EPP-2,rev 4 to EPMP-EPP-04,rev 4 to EPMP-EPP-08,rev 7 to EPIP-EPP-23 & rev 4 to EPIP-EPP-25.W/980116 ltr.
TERRY,C.D. Niagara Mohawk Power Corp. 98/01/16. 219pp. A1945:001-A1945:220.

P. Operating license stage documents & correspondence

9801020091 Revises original commitments contained in 970207 response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions."
CONWAY,J.T. Niagara Mohawk Power Corp. 97/12/16. Document Control Branch (Document Control Desk). 2pp. A1670:347-A1670:348.

9801020009 Forwards proposed changes to SPDES Permit NY001015,submitted to NY State Dept of Environ Conservation by licensee 971215 ltr.
TERRY,C.D. Niagara Mohawk Power Corp. 97/12/23. Document Control Branch (Document Control Desk). 11pp. A1679:236-A1679:246.

9801140011 Forwards order approving application re Long Island Power Authority acquisition of Long Island Lighting Co affecting license NPF-69 & safety evaluation in support of order.
HOOD,D.S. . 97/12/29. LEONARD,J.D. Long Island Lighting Co. 5pp. A1820:127-A1820:140.

--9801140014 Order approving application re acquisition of Long Island Lighting Co by Long Island Power Authority.Orders that Commission approves application,subj to listed conditions.
COLLINS,S.J. . 97/12/29. Commissioners (Post 750119). 5pp. A1820:132-A1820:136.

--9801140017 SE supporting approval of application re Long Island Power Authority aquisition of Long Island Lighting Co,subject to discussed condition.
* . 97/12/29. 4pp. A1820:137-A1820:140.

9801130072 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
CONWAY,J.T. Niagara Mohawk Power Corp. 97/12/30. Document Control Branch (Document Control Desk). 6pp. A1793:037-A1793:042.

9801090052 Requests that NRC act on NYSEG 970908 application approving transfer control over NYSEG interest in OL NPF-69.FERC order authorizing corporate reorganization encl.
BORKOWSKY,T.G. Affiliation Not Assigned. BORKOWSKY,T.G. New York State Electric & Gas Corp. 98/01/06. Document Control Branch (Document Control Desk). 9pp. A1757:348-A1757:356.

9801140117 Informs of sample plan selected for use during refueling outage RFO6 scheduled to begin in May 1998.
CONWAY,J.T. Niagara Mohawk Power Corp. 98/01/06. Document Control Branch (Document Control Desk). 2pp. A1820:359-A1820:360.

9801140152 Documents basis of 980107 verbal request for enforcement discretion to TS 3.0.3 & TS 3.8.1.1 Action e requirements. Written confirmation of enforcement discretion that was granted,requested.
SYLVIA,B.R. Niagara Mohawk Power Corp. 98/01/08. Document Control Branch (Document Control Desk). 9pp. A1799:351-A1799:359.

9801220143 Responds to 980108 ltr requesting notice of enforcement discretion be issued pursuant to NRC policy re exercise of discretion for operating facility.Action will normally be taken to extent violations involved.
HEHL,C.W. Region 1 (Post 820201). 98/01/09. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. A1876:342-A1876:345.

9801220303 Forwards environ assessment & findings of no significant impact for proposed indirect transfer of control of NYSEG interest in mentioned NMPNS,unit 2.
HOOD,D.S. . 98/01/12. RAFFERTY,S.J. New York State Electric & Gas Corp. 4pp. A1880:353-A1880:360.

--9801220312 Environ assessment & finding of no significant impact re proposed indirect transfer of control of ownership & possessory rights held by NYSEG Corp under operating license for NMPNS,Unit 2.
BAJWA,S.S. . 98/01/12. 4pp. A1880:357-A1880:360.

9801280180 Informs of no interim change in status of Unit 2 power uprate power ascension test program.
CONWAY,J.T. Niagara Mohawk Power Corp. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1967:333-A1967:334.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801080129 Notification of significant licensee meeting 97-128 w/util on 980109 to discuss SALP for period covering 960602-971108, as documented in SALP repts 50-220/97-99 & 50-410/97-99.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/12/24. Region 1 (Post 820201). 3pp. A1728:073-A1728:075.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801070213 Responds to NRC ltr re violations noted in insp repts 50-220/97-07 & 50-410/97-07.Corrective actions:TS 3.6.2.a was reviewed for impact on operability of control room ventilation sys & determined no impact.
CONWAY,J.T. Niagara Mohawk Power Corp. 97/12/29. Document Control Branch (Document Control Desk). 6pp. A1747:286-A1747:291.

9801080112 Forwards insp repts 50-220/97-11 & 50-410/97-11 & notice of violation.Staff identification of several tech spec surveillance requirement deficiencies indicate improved questioning attitude.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/12/29. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. A1728:227-A1728:270.

--9801080117 Notice of violation from insp on 971005-1108.Violation noted:as of 970912,reactor protection sys logic sys functional tests of APRM channels "E" & "F" had not been performed since initial operation.
* Region 1 (Post 820201). 97/12/29. 2pp. A1728:230-A1728:231.

--9801080126 Insp repts 50-220/97-11 & 50-410/97-11 on 971005-1108. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/12/29. 34pp. A1728:232-A1728:270.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801090241 Forwards SALP repts 50-220/97-99 & 50-410/97-99 for Nine Mile Point Nuclear Station,Units 1 & 2,for period 960602- 971108.Mgt meeting scheduled for 980109 at Nine Mile Point site to discuss assessment & address weaknesses identified.
MILLER,H.J. Region 1 (Post 820201). 97/12/30. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. A1741:084-A1741:093.

--9801090271 SALP repts 50-220/97-99 & 50-410/97-99 for 960602-971108.
* Region 1 (Post 820201). 97/12/30. 6pp. A1741:088-A1741:093.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801140253 Forwards response to request for plan of action re #11 concentrated waste tank as contained in NRC insp repts 50-220/97-07 & 50-410/97-07.
SYLVIA,B.R. Niagara Mohawk Power Corp. 98/01/05. Document Control Branch (Document Control Desk). 3pp. A1826:357-A1826:359.

9801160057 Discusses investigation rept 1-96-015 involving wrongdoing associated w/ FFD testing computer program at plant,enabling certain individuals to be excluded from random drug testing. Investigation synopsis encl.
HEHL,C.W. Region 1 (Post 820201). 98/01/08. JOHNSON,T.C. Affiliation Not Assigned. 41pp. A1825:296-A1825:337.

9801160067 Discusses investigation rept 1-96-015 involving wrongdoing associated w/ FFD testing computer program at plant,enabling certain individuals to be excluded from random drug testing. Investigation synopsis encl.
HEHL,C.W. Region 1 (Post 820201). 98/01/08. NARDSLICO,A.M. Affiliation Not Assigned. 44pp. A1826:049-A1826:091.

9801200125 Informs that in response to violation re wrongdoing involving computer program associated w/fitness for duty could be delayed until 980130,due to holidays & preparation for SALP meeting on 980109.
SYLVIA,B.R. Niagara Mohawk Power Corp. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1887:189-A1887:189.

9801220061 Ack receipt of 971229 ltr informing NRC of steps taken to correct violations noted in insp rept 50-220/97-07 & 50-410/97-07.
DOERFLEIN,L.T. Region 1 (Post 820201). 98/01/12. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. A1877:030-A1877:038.

9801230079 Informs that 971223 request for extension to respond to violation or request predecisional enforcement conference, has been approved until 980130.
HEHL,C.W. Region 1 (Post 820201). 98/01/15. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. A1915:214-A1915:216.

9801280128 Discusses insp repts 50-220/97-07 & 50-410/97-07 on 970810-1004 & forwards NOV & imposition of civil penalty in amount of $55,000.Violation involved four shipments radioactive matl in manner contrary to NRC requirements.
MILLER,H.J. Region 1 (Post 820201). 98/01/22. SYLVIA,B.R. Niagara Mohawk Power Corp. 6pp. A1939:333-A1939:341.

--9801290032 Notice of violation & proposed imposition of civil penalty in amount of $55,000.Violation noted:on 970925,package containing metal samples removed from Unit 1 emergency cooling tube sheet was sent to listed company,not on list.
* Region 1 (Post 820201). 98/01/22. 3pp. A1939:339-A1939:341.

R. Periodic operating reports & related correspondence

9801260423 Monthly operating rept for Dec 1997 for Nine Mile Point Nuclear Station,Unit 2.W/980114 ltr.
CAROCCIO,C., DAHLBERG,K.A. Niagara Mohawk Power Corp. 97/12/31. 6pp. A1913:265-A1913:270.

S. Reportable occurrences, LERs & related correspondence

9801130124 LER 97-016-00:on 971203,missed TS SR 4.3.4.1.2 for ATWS RPT trip of low frequency motor generator noted.Caused by misintepretation of ATWS RPT regulatory requirements.Will revise logic sys functional test procedure.W/980102 ltr.
DEAN,R.J., TERRY,C.D. Niagara Mohawk Power Corp. 98/01/02. 5pp. A1806:286-A1806:290.

9801140049 Informs NRC that suppl to LER 97-006 will be delayed until 980315,due to *increased sample population required to clearly determine cause of failed flex hose* noted in LER 97-006-00.
DAHLBERG,K.A. Niagara Mohawk Power Corp. 98/01/07. Document Control Branch (Document Control Desk). 1p. A1806:349-A1806:349.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801300077 Forwards Rev 10,Vol 1 to "BVPS Emergency Preparedness Plan." Changes do not decrease effectiveness of plan & plan,as changed,continues to meet requirements of App E of 10CFR50.
JAIN,S.C. Duquesne Light Co. 98/01/22. Document Control Branch (Document Control Desk). 7pp. A2003:001-A2004:086.

--9801300081 Rev 10,Vol 1 to "BVPS Emergency Preparedness Plan."
* Duquesne Light Co. 97/12/19. 188pp. A2003:008-A2004:086.

9801300201 Forwards revised EPIPs,Vols 2 & 3 to appropriate NRC parties.Changes do not decrease effectiveness of plan & plan,as changed,continues to meet requirements of App E of 10CFR50.Changes submitted for info per 10CFR50.54(q).
JAIN,S.C. Duquesne Light Co. 98/01/22. Document Control Branch (Document Control Desk). 6pp. A2008:021-A2008:329.

--9801300205 Revised EPIPs,including EPP/IP index,rev 17 to EPP/IP 1.1, rev 11 to EPP/IP 1.4,rev 10 to EPP/IP 1.6,rev 9 to EPP/IP 4.1,rev 8 EPP/IP 6.2,rev 3 to EPP/IP 9.4,*rev 3 to EPP/IP 9.5,rev 2 to EPP/IP 10.1 & rev 8 to EPP/IP Annex B.*
* Duquesne Light Co. 98/01/31. 302pp. A2008:028-A2008:329.

P. Operating license stage documents & correspondence

9801050151 Forwards amends 209 & 87 to licenses DPR-66 & NPF-73 & SE. Amends relocate certain administrative control TSs from licensse operational QAP description,presented in Section 17.2 of BVPS-2 UFSAR.
BRINKMAN,D.S. . 97/12/10. CROSS,J.E. Duquesne Light Co. 4pp. A1663:223-A1663:262.

--9801050156 Amends 209 & 87 to licenses DPR-66 & NPF-73,respectively, relocating certain administrative control TSs to licensee operational QAP,presented in Section 17.2 of BVPS-2 UFSAR.
STOLZ,J.F. . 97/12/10. 31pp. A1663:227-A1663:257.

--9801050159 Safety evaluation supporting amends 209 & 87 to licenses DPR-66 & NPF-73,respectively.
* . 97/12/10. 5pp. A1663:258-A1663:262.

9801080206 Application for amend,consisting of proposed change requests 218 & 85,modifying source range neutron flux requirements to allow use of alternate detectors.
JAIN,S.C. Duquesne Light Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1756:292-A1756:334.

--9801080209 Proposed tech specs,modifying neutron flux requirements to allow use of alternate detectors.
* Duquesne Light Co. 97/12/19. 41pp. A1756:294-A1756:334.

9801080250 Provides conclusion of plant-specific analysis re fuel rod internal pressure issue.Notification satisfies agreement reached at WOG & NRC 971113 mgt meeting.
JAIN,S.C. Duquesne Light Co. 97/12/23. Document Control Branch (Document Control Desk). 1p. A1756:356-A1756:356.

9801140243 Discusses inconsistency between NRC SER supplied to util on implementation of ATWS Rule & design of ATWS AMSAC submitted by util,per 10CFR50.62.
JAIN,S.C. Duquesne Light Co. 98/01/05. Document Control Branch (Document Control Desk). 3pp. A1843:297-A1843:299.

9801080356 Forwards response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
CROSS,J.E. Duquesne Light Co. 98/01/06. Document Control Branch (Document Control Desk). 16pp. A1762:096-A1762:111.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. *Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.*

9801270133 EN-97-119:on 980106,notice of proposed imposition of civil penalty in amount of $55,000 issued to licensee.Action based on violation involving failure to take adequate action to correct significant condition adverse to quality.
HOLODY,D. Region 1 (Post 820201). SATORIUS,M. Ofc of Enforcement (Post 870413). 97/12/31. 1p. A1947:323-A1947:323.

9801150003 Discusses insp repts 50-334/97-07,50-412/97-07,50-334/97-08 & 50-412/97-08 on 970831-1004 & 1005-1115 & forwards notice of violation & proposed imposition of civil penalty in amount of $55,000.
MILLER,H.J. Region 1 (Post 820201). 98/01/06. CROSS,J.E. Duquesne Light Co. 5pp. A1809:073-A1809:080.

--9801150006 Notice of violation & proposed imposition of civil penalty in amount of $55,000.Violation noted:between 1988 & 970912, condition adverse to quality existed at Unit 1 & 2,when excessive gas accumulated in HHSI pumps suction lines.
* Region 1 (Post 820201). 98/01/06. 3pp. A1809:078-A1809:080.

9801160024 Responds to NRC 971126 ltr re violations noted in insp repts 50-334/97-08 & 50-412/97-08.Corrective actions:issued standard of wk that included expectation that workers are responsible to be knowledgeable of conditions.W/980109 ltr.
LEGRAND,R.L. Duquesne Light Co. 98/01/09. Document Control Branch (Document Control Desk). 7pp. A1844:275-A1844:281.

9801230159 Ack receipt of 971208 ltr informing NRC of steps taken to correct violations noted in insp repts 50-334/97-07 & 50-412/97-07.
ESELGROTH,P.W. Region 1 (Post 820201). 98/01/12. CROSS,J.E. Duquesne Light Co. 2pp. A1913:355-A1913:360.

R. Periodic operating reports & related correspondence

9801070297 "NPDES Discharge Monitoring Rept for Nov 1997," for BVPS units 1 & 2.W/971222 ltr.
ORNDORF,D.A., LEGRAND,R.L. Duquesne Light Co. 97/11/30. 34pp. A1744:165-A1744:198.

9801160019 Monthly operating repts for Dec 1997 for Beaver Valley Power Station,Units 1 & 2.W/980107 ltr.
JONES,D.T., LEGRAND,R.L. Duquesne Light Co. 97/12/31. 9pp. A1844:251-A1844:259.

S. Reportable occurrences, LERs & related correspondence

9801060127 LER 97-006-00:on 971201,TS requirements for 4.16 KV bus undervoltage trip feeder breaker function ESF response time were not met.Caused by inadequate relay calibr procedures. Recalibrated time delays.W/971223 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 97/12/23. 7pp. A1687:110-A1687:116.

9801080092 LER 97-007-00:on 971205,routine surveillance testing of PR neutron flux high positive rate RT function was inadequate. Caused by lack of awareness during procedural development to ensure adequate overlap.Procedure revised.W/971230 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 97/12/30. 7pp. A1796:027-A1796:033.

9801220328 LER 97-008-00:on 971216,CR emergency ventilation sys did not meet single active failure criteria specified in UFSAR & design bases.Caused by less than adequate specification for pressure differential switch.Performed review.W/970116 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 98/01/16. 7pp. A1901:019-A1901:025.

9801220359 LER 97-010-00:on 971219,lack of electrical isolation in Unit 2 EDG room ventilation sys temperature control circuits was noted.Caused by inadequate design.Temporary mods 2-97-22 & 2-97-23 were completed on 971220.W/980116 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 98/01/16. 6pp. A1901:006-A1901:011.

9801270057 LER 97-009-01:on 971218,surveillance of gaseous waste storage tank radioactive matl quantity determination was missed.Caused by personnel error.Operating Manual procedure 2OM-19.4.G was implemented.W/980120 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 98/01/20. 5pp. A1947:310-A1947:314.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801230012 Informs that info submitted in ltr,dtd 971208 re rev to several plant emergency plan implementing procedures will be withheld from public disclosure.
TAM,P.S. . 98/01/16. PETERSON,G.R. Duke Power Co. 4pp. A1900:342-A1900:346.

9801280036 Forwards SE re licensee 960829 ltr,as supplemented by 970329 & 1021 ltrs,proposing changes to plant EALs.Changes meet requirements of 10CFR50.47(b)(4) & Ap E to 10CFR50.
TAM,P.S. . 98/01/22. PETERSON,G.R. Duke Power Co. 4pp. A1934:320-A1934:331.

--9801280042 Safety evaluation accepting proposed EALs changes for plant, Units 1 & 2.Concludes that changes consistent w/guidance in NUMARC/NESP-007,w/variations as identified & accepted in review & meets requirements of 10CFR50.47(b)(4).
* . 98/01/22. 8pp. A1934:324-A1934:331.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801230377 Provides schedule for UFSAR review which assures continuing accuracy & completeness of UFSAR for each of util sites.
TUCKMAN,M.S. Duke Power Co. 98/01/14. Document Control Branch (Document Control Desk). 3pp. A1923:273-A1923:275.

P. Operating license stage documents & correspondence

9801020136 Forwards proprietary & non-proprietary versions of approved TR DPC-NE-3004-A & DPC-NE-3004-PA, "Mass & Energy Release & Containment Response Methodology," per NUREG-0390. Proprietary rept,withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1698:011-A1699:122.

--9801020142 Non-proprietary TR DPC-NE-3004-A, "Mass & Energy Release & Containment Response Methodology."
* Duke Power Co. DPC-NE-3004-A. 97/11/30. 400pp. A1698:013-A1699:122.

9801050274 Advises that info contained in 971113 ltr & 971125 affidavit re TR DPC-NE-2008P-A, "DPC Use of TACO-3 & Fuel Rod & Gas Pressure Criterion," for listed plants,will be withheld from public disclosure,per 10CFR2.790(b)(5).
TAM,P.S. . 97/12/18. TUCKMAN,M.S. Duke Power Co. 5pp. A1663:295-A1663:299.

9801060211 Forwards description of status of actions completed per GL 96-04 & revised schedule for completion for actions.Catawba Nuclear Station's spent fuel racks do not contain boraflex.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 6pp. A1729:355-A1729:360.

9801090003 Ltr contract:mod 1 to task order 219, "Review Catawba,Units 1 & 2 Conversion of Current TSs to Improved TS Bases on Std TS" under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 98/01/05.
AUFMUTH,M.H. SCIENTECH, Inc. 2pp. A1747:214-A1747:215.

9801130331 Informs that encl two page document signifies implementation of operating license amend 158 on 971222.
TAM,P.S. . 98/01/05. . 3pp. A1801:063-A1801:065.

9801140227 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
TUCKMAN,M.S. Duke Power Co. 98/01/05. Document Control Branch (Document Control Desk). 20pp. A1832:300-A1832:319.

9801130210 Forwards amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program." Amend 22 being submitted pursuant to 10CFR50.54(a)(3),contains changes necessary to reflect merger of Duke Power Co & PanEnergy Corp.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1795:272-A1795:334.

--9801130228 Amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program."
COLEY,W.A. Duke Power Co. 97/12/15. 58pp. A1795:275-A1795:334.

9801130236 Advises NRC of recent organizational & programmatic changes that affect QA program for nuclear power plants.Ltr being submitted in order to fulfill commitment contained in section of topical rept.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1793:070-A1793:072.

9801150013 Forwards two-page document that contains all actions that NRR currently handling.
TAM,P.S. . 98/01/08. . 3pp. A1818:170-A1818:172.

9801200153 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by DEC TR in support of future transition from Framatome to Westinghouse fuel.
TAM,P.S. . 98/01/12. BERKOW,H.N. . 5pp. A1860:291-A1860:295.

9801210152 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by Duke topical repts & submittals for Oconee to support critical heat flux correlations & UFSAR transient analysis methodology.
LABARGE,D.E. . 98/01/13. BERKOW,H.N. . 5pp. A1866:234-A1866:238.

9801220291 Submits number of tubes that were removed from service by plugging,per TS 4.4.5.5.Info should be reported to Commission per 10CFR50.4 at completion of ISI of SG tubes.
PETERSON,G.R. Duke Power Co. 98/01/13. Document Control Branch (Document Control Desk). 3pp. A1888:347-A1888:349.

9801230028 Forwards RAI re proposed amends to revise listed facilities TSs to be consistent w/improved std TSs conveyed by NUREG-1431,dtd Apr 1995.
TAM,P.S. . 98/01/16. TUCKMAN,M.S. Duke Power Co. 19pp. A1902:001-A1902:019.

9801280015 Forwards SE re 960213 submittal of 180-day response to GL 95-07, "Pressure Locking & Thermal Binding of Safety Related Power Operated Gate Valves." Util adequately addressed requested actions in GL 95-07.
TAM,P.S. . 98/01/22. PETERSON,G.R. Duke Power Co. 4pp. A1921:290-A1921:298.

--9801280019 Safety evaluation re licensee response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," for CNS,Units 1 & 2.
* . 98/01/22. 5pp. A1921:294-A1921:298.

9801280038 Forwards SE re licensee 960829 ltr,as supplemented by 970329 & 1021 ltrs,proposing changes to plant EALs.Changes meet requirements of 10CFR50.47(b)(4) & Ap E to 10CFR50.
TAM,P.S. . 98/01/22. PETERSON,G.R. Duke Power Co. 4pp. A1934:320-A1934:331.

--9801280042 Safety evaluation accepting proposed EALs changes for plant, Units 1 & 2.Concludes that changes consistent w/guidance in NUMARC/NESP-007,w/variations as identified & accepted in review & meets requirements of 10CFR50.47(b)(4).
* . 98/01/22. 8pp. A1934:324-A1934:331.

9801280070 Responds to 971209 RAI re design basis accident,dropping spent fuel pool Weir gate onto spent fuel assemblies.
PETERSON,G.R. Duke Power Co. 98/01/22. Document Control Branch (Document Control Desk). 7pp. A1968:078-A1968:084.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090206 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801070129 Informs that commitment date to complete evaluation of condensate feedwater isolation valve low N pressure alarm setpoint by 970930,was missed.Evaluation was completed by 971030.
PETERSON,G.R. Duke Power Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1747:351-A1747:352.

9801070136 Informs that review of commitment date extension has taken longer than originally planned.Overall completion of commitment will be delayed until 980228 & will be documented in problem investigation process O-C97-1860.
PETERSON,G.R. Duke Power Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1747:308-A1747:309.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130377 Forwards draft ltr transmitting FERC operation insp rept dtd 970821 of 970226 insp of Standby Nuclear Svc Water Pond Dam at plant to licensee.No conditions observed that would impair immediate safety & permanence of developed works.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/31.
BERKOW,H. . 5pp. A1790:140-A1790:188.

--9801130381 Forwards final version of operation insp rept for Standby Nuclear Svc Water Pond Dam at plant,per 970804 request.
GOTZMER,J.W. Federal Energy Regulatory Commission. 97/08/21. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 44pp. A1790:145-A1790:188.

9801200243 Forwards results of dam safety insp re category 1 standby nuclear svc water pond dam.
TAM,P.S. . 98/01/13. PETERSON,G.R. Duke Power Co. 4p. A1850:293-A1850:340.

9801220291 Submits number of tubes that were removed from service by plugging,per TS 4.4.5.5.Info should be reported to Commission per 10CFR50.4 at completion of ISI of SG tubes.
PETERSON,G.R. Duke Power Co. 98/01/13. Document Control Branch (Document Control Desk). 3pp. A1888:347-A1888:349.

9801260302 Forwards response to violations & deviations noted in insp repts 50-413/97-14 & 50-414/97-14.Corrective actions:Nuclear Sys Directive 214, "Commitment Mgt," requirements were discussed w/individuals responsible for review.
PETERSON,G.R. Entergy Operations, Inc. 98/01/15. Document Control Branch (Document Control Desk). 7pp. A1913:258-A1913:264.

R. Periodic operating reports & related correspondence

9801090189 Forwards 1996 annual 10CFR40.46 rept of changes affecting peak clad temperature & margin utilization sheets.
TUCKMAN,M.S. Duke Power Co. 97/12/19. Document Control Branch (Document Control Desk). 14pp. A1725:237-A1725:250.

9801220063 Forwards monthly operating repts for Dec 1997 for Catawba Nuclear Station,Units 1 & 2 & revised MOR for Nov 1997,Unit 1.
DIMMERY,T. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1895:140-A1895:153.

--9801220076 Monthly operating rept for Dec 1997 for Catawba Nuclear Station,Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 97/12/31. 11pp. A1895:142-A1895:152.

--9801220084 Revised MOR for Nov 1997 for Catawba Nuclear Station,Unit 1.
WILLIAMS,R.A. Duke Power Co. 97/11/30. 1p. A1895:153-A1895:153.

S. Reportable occurrences, LERs & related correspondence

9801070257 *Notifies of missed commitment & change in commitment re LER 90-025 &* insp repts 50-413/90-09 & 50-414/90-09.Prior commitment is being changed to allow continued use of vendor methodology.
PETERSON,G.R. Duke Power Co. 97/12/24. Document Control Branch (Document Control Desk). 2pp. A1754:199-A1754:200.

9801070128 PNO-II-97-066:on 971230,RCS leakage requiring forced unit cooldown occurred.No radioactive release outside of reactor containment facilities due to leakage.Licensee informed States on NC & SC.
LESSER,M.S. Region 2 (Post 820201). 97/12/31. 1p. A1754:147-A1754:147.

9801260170 Forwards LER 97-009-01 re unanalyzed postulated single failure affecting SG tube rupture analysis.Event considered to be of no significance w/respect to health & safety of public.
PETERSON,G.R. Duke Power Co. 98/01/19. Document Control Branch (Document Control Desk). 1p. A1923:151-A1923:159.

--9801260182 LER 97-009-01:on 971118,unanalyzed postulated single failure affecting SG tube rupture analysis was noted.Caused by less than adequate review when implementing generic W SGTR analysis methodology in 1987.Placed administrative limits.
BAIN,R.L. Duke Power Co. 98/01/19. 8pp. A1923:152-A1923:159.

V. Operator Examinations

9801220074 Extends invitation to Exam Writing Workshop in Atlanta,GA,on 980127-29.Workshop designed to inform mgt,operations & training staff of NUREG-1021 exam writing techniques for licensing of reactor plant operators.Agenda encl.W/encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. PETERSON,G.R. Duke Power Co. 4pp. A1877:167-A1877:170.

9801220019 *Confirms telcon on 980106 re workshop on operator licensing exam techniques scheduled for 980127-29.Purpose of workshop to discuss current operator licensing exam techniques.*
PEEBLES,T.A. Region 2 (Post 820201). 98/01/08. BUGERT,R.P. Duke Power Co. 7pp. A1877:142-A1877:148.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801230012 Informs that info submitted in ltr,dtd 971208 re rev to several plant emergency plan implementing procedures will be withheld from public disclosure.
TAM,P.S. . 98/01/16. PETERSON,G.R. Duke Power Co. 4pp. A1900:342-A1900:346.

9801280038 Forwards SE re licensee 960829 ltr,as supplemented by 970329 & 1021 ltrs,proposing changes to plant EALs.Changes meet requirements of 10CFR50.47(b)(4) & Ap E to 10CFR50.
TAM,P.S. . 98/01/22. PETERSON,G.R. Duke Power Co. 4pp. A1934:320-A1934:331.

--9801280042 Safety evaluation accepting proposed EALs changes for plant, Units 1 & 2.Concludes that changes consistent w/guidance in NUMARC/NESP-007,w/variations as identified & accepted in review & meets requirements of 10CFR50.47(b)(4).
* . 98/01/22. 8pp. A1934:324-A1934:331.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801230377 Provides schedule for UFSAR review which assures continuing accuracy & completeness of UFSAR for each of util sites.
TUCKMAN,M.S. Duke Power Co. 98/01/14. Document Control Branch (Document Control Desk). 3pp. A1923:273-A1923:275.

P. Operating license stage documents & correspondence

9801020138 Forwards proprietary & non-proprietary versions of approved TR DPC-NE-3004-A & DPC-NE-3004-PA, "Mass & Energy Release & Containment Response Methodology," per NUREG-0390. *Proprietary rept,withheld.*
TUCKMAN,M.S. Duke Power Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1698:011-A1699:122.

--9801020142 Non-proprietary TR DPC-NE-3004-A, "Mass & Energy Release & Containment Response Methodology."
* Duke Power Co. DPC-NE-3004-A. 97/11/30. 400pp. A1698:013-A1699:122.

9801050274 Advises that info contained in 971113 ltr & 971125 affidavit re TR DPC-NE-2008P-A, "DPC Use of TACO-3 & Fuel Rod & Gas Pressure Criterion," for listed plants,will be withheld from public disclosure,per 10CFR2.790(b)(5).
TAM,P.S. . 97/12/18. TUCKMAN,M.S. Duke Power Co. 5pp. A1663:295-A1663:299.

9801060211 Forwards description of status of actions completed per GL 96-04 & revised schedule for completion for actions.Catawba Nuclear Station's spent fuel racks do not contain boraflex.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 6pp. A1729:355-A1729:360.

9801090003 Ltr contract:mod 1 to task order 219, "Review Catawba,Units 1 & 2 Conversion of Current TSs to Improved TS Bases on Std TS" under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 98/01/05. AUFMUTH,M.H. SCIENTECH, Inc. 2pp. A1747:214-A1747:215.

9801140227 Forwards 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
TUCKMAN,M.S. Duke Power Co. 98/01/05. Document Control Branch (Document Control Desk). 20pp. A1832:300-A1832:319.

9801130210 *Forwards amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA* Program." Amend 22 being submitted pursuant to 10CFR50.54(a)(3),contains changes necessary to reflect merger of Duke Power Co & PanEnergy Corp.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1795:272-A1795:334.

--9801130228 Amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program."
COLEY,W.A. Duke Power Co. 97/12/15. 58pp. A1795:275-A1795:334.

9801130236 Advises NRC of recent organizational & programmatic changes that affect QA program for nuclear power plants.Ltr being submitted in order to fulfill commitment contained in section of topical rept.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1793:070-A1793:072.

9801150013 Forwards two-page document that contains all actions that NRR currently handling.
TAM,P.S. . 98/01/08. . 3pp. A1818:170-A1818:172.

9801200153 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by DEC TR in support of future transition from Framatome to Westinghouse fuel.
TAM,P.S. . 98/01/12. BERKOW,H.N. . 5pp. A1860:291-A1860:295.

9801210152 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by Duke topical repts & submittals for Oconee to support critical heat flux correlations & UFSAR transient analysis methodology.
LABARGE,D.E. . 98/01/13. BERKOW,H.N. . 5pp. A1866:234-A1866:238.

9801230028 Forwards RAI re proposed amends to revise listed facilities TSs to be consistent w/improved std TSs conveyed by NUREG-1431,dtd Apr 1995.
TAM,P.S. . 98/01/16. TUCKMAN,M.S. Duke Power Co. 19pp. A1902:001-A1902:019.

9801280015 Forwards SE re 960213 submittal of 180-day response to GL 95-07, "Pressure Locking & Thermal Binding of Safety Related Power Operated Gate Valves." Util *adequately addressed requested actions in GL 95-07.*
TAM,P.S. . 98/01/22. PETERSON,G.R. Duke Power Co. 4pp. A1921:290-A1921:298.

--9801280019 Safety evaluation re licensee response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," for CNS,Units 1 & 2.
* . 98/01/22. 5pp. A1921:294-A1921:298.

9801280038 Forwards SE re licensee 960829 ltr,as supplemented by 970329 & 1021 ltrs,proposing changes to plant EALs.Changes meet requirements of 10CFR50.47(b)(4) & Ap E to 10CFR50.
TAM,P.S. . 98/01/22. PETERSON,G.R. Duke Power Co. 4pp. A1934:320-A1934:331.

--9801280042 Safety evaluation accepting proposed EALs changes for plant, Units 1 & 2.Concludes that changes consistent w/guidance in NUMARC/NESP-007,w/variations as identified & accepted in review & meets requirements of 10CFR50.47(b)(4).
* . 98/01/22. 8pp. A1934:324-A1934:331.

9801280070 Responds to 971209 RAI re design basis accident,dropping spent fuel pool Weir gate onto spent fuel assemblies.
PETERSON,G.R. Duke Power Co. 98/01/22. Document Control Branch (Document Control Desk). 7pp. A1968:078-A1968:084.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801070129 Informs that commitment date to complete evaluation of condensate feedwater isolation valve low N pressure alarm setpoint by 970930,was missed.Evaluation was completed by 971030.
PETERSON,G.R. Duke Power Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1747:351-A1747:352.

9801070136 Informs that review of commitment date extension has taken longer than originally planned.Overall completion of commitment will be delayed until 980228 & will be documented in problem investigation process O-C97-1860.
PETERSON,G.R. Duke Power Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1747:308-A1747:309.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130377 Forwards draft ltr transmitting FERC operation insp rept dtd 970821 of 970226 insp of Standby Nuclear Svc Water Pond Dam at plant to licensee.No conditions observed that would impair immediate safety & permanence of developed works.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/31.
BERKOW,H. . 5pp. A1790:140-A1790:188.

--9801130391 Forwards final version of operation insp rept for Standby Nuclear Svc Water Pond Dam at plant,per 970804 request.
GOTZMER,J.W. Federal Energy Regulatory Commission. 97/08/21. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 44pp. A1790:145-A1790:188.

9801200243 Forwards results of dam safety insp re category 1 standby nuclear svc water pond dam.
TAM,P.S. . 98/01/13. PETERSON,G.R. Duke Power Co. 4p. A1850:293-A1850:340.

9801220298 Forwards SE granting Relief Request 97-03 for second 10-yr interval ISI program,requested by 970729 ltr.
BERKOW,H.N. . 98/01/15. PETERSON,G.R. Duke Power Co. 4pp. A1893:204-A1893:216.

--9801220302 SE granting Relief Request 97-03 for second 10-yr interval inservice insp program.
* . 98/01/15. 9pp. A1893:208-A1893:216.

9801260302 Forwards response to violations & deviations noted in insp repts 50-413/97-14 & 50-414/97-14.Corrective actions:Nuclear Sys Directive 214, "Commitment Mgt." requirements were discussed w/individuals responsible for review.
PETERSON,G.R. Entergy Operations, Inc. 98/01/15. Document Control Branch (Document Control Desk). 7pp. A1913:258-A1913:264.

R. Periodic operating reports & related correspondence

9801060169 Forwards 1996 annual 10CFR40.46 rept of changes affecting peak clad temperature & margin utilization sheets.
TUCKMAN,M.S. Duke Power Co. 97/12/19. Document Control Branch (Document Control Desk). 14pp. A1725:237-A1725:250.

9801220063 Forwards monthly operating repts for Dec 1997 for Catawba Nuclear Station,Units 1 & 2 & revised MOR for Nov 1997,Unit 1.
DIMMERY,T. Duke Power Co. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1895:140-A1895:153.

--9801220076 Monthly operating rept for Dec 1997 for Catawba Nuclear Station,Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 97/12/31. 11pp. A1895:142-A1895:152.

S. Reportable occurrences, LERs & related correspondence

9801070257 Notifies of missed commitment & change in commitment re LER 90-025 & insp repts 50-413/90-09 & 50-414/90-09.Prior commitment is being changed to allow continued use of vendor methodology.
PETERSON,G.R. Duke Power Co. 97/12/24. Document Control Branch (Document Control Desk). 2pp. A1754:199-A1754:200.

V. Operator Examinations

9801220074 Extends invitation to Exam Writing Workshop in Atlanta,GA,on 980127-29.Workshop designed to inform mgt,operations & training staff of NUREG-1021 exam writing techniques for licensing of reactor plant operators.Agenda encl.W/encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. PETERSON,G.R. Duke Power Co. 4pp. A1877:167-A1877:170.

9801220019 Confirms telcon on 980106 re workshop on operator licensing exam techniques scheduled for 980127-29.Purpose of workshop to discuss current operator licensing exam techniques.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/08. BUGERT,R.P. Duke Power Co. 7pp. A1877:142-A1877:148.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801130421 Revised EPIPs including rev 102 to 01-S-04-21,rev 5 to 01-S-10-3,rev 5 to 01-S-10-4,rev 9 to 01-S-10-6,rev 30 to 10-S-01-6 & rev 22 to 10-S-01-12.W/980108 ltr.
HUGHEY,W.K. Entergy Operations, Inc. 98/01/08. 151pp. A1807:001-A1807:151.

9801200058 Ack receipt of 961010 ltr,which transmitted rev 31 to plant emergency plan,submitted under provisions of 10CFR50.54(q).
MURRAY,B. Region 4 (Post 820201). 98/01/12. HAGAN,J.J. Entergy Operations, Inc. 5pp. A1828:318-A1828:322.

9801200112 Notification of meeting w/Entergy Operations,Inc,on 980123 in Rockville,MD to discuss plans to change radiological emergency response plan.
DONOHEW,J.N. . 98/01/12. HANNON,J.N. . 4pp. A1860:330-A1860:333.

9801210260 Submits response to violations noted in insp rept 50-416/97-18.Util denies violations & lists bases for denial.
HAGAN,J.J. Entergy Operations, Inc. 98/01/14. Document Control Branch (Document Control Desk). 10pp. A1879:316-A1879:325.

P. Operating license stage documents & correspondence

9801140373 Discusses graded QA initiative for plant,Unit 1.Interactions between NRC & licenses & listing of correspondence & meeting held between NRC & Entergy Operations,Inc,staff during initiative encl.
DONOHEW,J.N. . 98/01/07. HAGAN,J.J. Entergy Operations, Inc. 5pp. A1809:351-A1809:355.

9801140107 Revised application for amend to license NPF-29,providing clarifications to amend & adding restriction to allowed interval extensions re option B of 10CFR50,app J.
HAGAN,J.J. Entergy Operations, Inc. 98/01/09. Document Control Branch (Document Control Desk). 4pp. A1801:320-A1801:325.

--9801140110 Proposed tech specs,providing certain clarifications to amend & adding restriction to allowed interval extensoions.
* Entergy Operations, Inc. 98/01/09. 2pp. A1801:324-A1801:325.

9801200134 Notification of 980122 meeting w/util in Rockville,MD to discuss site licensing status for listed plants & to explore ways to standardize licensing submittals & issuances.
WIGGINTON,D.L. . 98/01/12. HANNON,J.N. . 7pp. A1844:353-A1844:359.

9801280135 Informs that plant specific assessment of RPV integrity is not necessary & will not be performed,as requested in 960822 NRC ltr closing out response to GL 92-01,rev 1,suppl 1.
HUGHEY,W.K. Entergy Operations, Inc. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1966:360-A1966:361.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9801280238 Forwards insp rept 50-416/97-22 on 971130-980110.No violations noted.Activities at facility was characterized by safety-conscious operations,sound engineering & maint practices & careful radiological work controls.
KIRSCH,D.F. Region 4 (Post 820201). 97/12/15. HAGAN,J.J. Entergy Operations, Inc. 4pp. A1960:046-A1960:063.

--9801280250 Insp rept 50-416/97-22 on 971130-980110.No violations noted. Major areas inspected:operations,maint,engineering.
* Region 4 (Post 820201). 97/12/15. 14pp. A1960:050-A1960:063.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020161 Ack receipt of 971013 ltr informing NRC of steps taken to correct violations noted in insp rept 50-416/97-19 on 970912.
KIRSCH,D.F. Region 4 (Post 820201). 97/12/17. HAGAN,J.J. Entergy Operations, Inc. 4pp. A1629:103-A1629:106.

9801020163 Ack receipt of 971124 ltr informing NRC of steps taken to correct violations noted in insp rept 50-416/97-20 on 971031.Reviewed reply & finds reply responsive to concerns raised in NOV.C/As will be reviewed during future insp.
KIRSCH,D.F. Region 4 (Post 820201). 97/12/17. HAGAN,J.J. Entergy Operations, Inc. 4pp. A1629:107-A1629:110.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210023 Forwards Rev 11 to GGNS-M-489.1, "Program Plan for ASME Section XI ISI Plan." Program complies w/1992 edition w/ portions of 1993 addenda of ASME & Pressure Vessel Code, Section XI.
HAGAN,J.J. Entergy Operations, Inc. 98/01/14. Document Control Branch (Document Control Desk). 3pp. A1854:188-A1854:358.

--9801210029 Rev 11 to GGNS-M-489.1, "Program Plan for ASME Section XI ISI Plan."
* Entergy Operations, Inc. 97/11/06. 168pp. A1854:191-A1854:358.

9801210260 Submits response to violations noted in insp rept 50-416/97-18.Util denies violations & lists bases for denial.
HAGAN,J.J. Entergy Operations, Inc. 98/01/14. Document Control Branch (Document Control Desk). 10pp. A1879:316-A1879:325.

R. Periodic operating reports & related correspondence

9801230078 Forwards MOR for Dec 1997 for GGNS,Unit 1 IAW requirement of TS 5.6.4.Monthly net electrical energy generated was reported incorrectly in Nov 1997 MOR.Net should be reported as 899,549.
EATON,B. Entergy Operations, Inc. 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1882:355-A1882:359.

--9801220009 Monthly operating rept for Dec 1997 for Grand Gulf Nuclear Station,Unit 1.
LIN,S.D. Entergy Operations, Inc. 97/12/31. 3pp. A1882:357-A1882:359.

S. Reportable occurrences, LERs & related correspondence

9801200076 LER 97-006-00:on 971121,release of contaminated liquid outside of controlled access area was noted.Caused by lack of administrative control of hydrolazing inside controlled access area.Secured & cleaned spill area.W/980106 ltr.
OWENS,J.E., HAGAN,J.J. Entergy Operations, Inc. 98/01/06. 6pp. A1840:126-A1840:131.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9801050290 Forwards Rev 24 to Millstone Nuclear Power Station emergency plan to NRC staff for review & approval in accordance w/ 10CFR50.54(q).Synopsis of changes from Rev 21 to Rev 24 contained in Attachment 1.
AMERINE,D.B. Northeast Nuclear Energy Co. 97/12/30. Document Control Branch (Document Control Desk). 36pp. A1697:142-A1698:010.

--9801050298 Rev 24 to "Millstone Power Station Emergency Plan."
* Northeast Nuclear Energy Co. 97/12/31. 197pp. A1697:178-A1698:010.

9801220011 Forwards insp repts 50-245/97-207,50-336/97-207 & 50-423/97-207 on 971002-1130.No violations noted.Insp consisted of selective reviews of procedures & records, inspector observations & interviews w/security personnel.
DURR,J.P. Region 1 (Post 820201). 98/01/09. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A1872:124-A1872:216.

9801260393 Rev 4 to EPIP 4400-3, "Millstone Unit 3 Emergency Action Levels."
* Northeast Nuclear Energy Co. 98/01/15. 4pp. A1921:314-A1921:324.

9801270206 Notification of significant licensee meeting 98-04 w/util on 980129 to discuss training & emergency preparedness issues.
LANNING,W.D. Region 1 (Post 820201). 98/01/16. Region 1 (Post 820201). 3pp. A1933:289-A1933:291.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9801050194 Provides update of 10CFR2.206 Petition submitted on 970303 on behalf of AA Cizek.Petition requests that licenses for Millstone Nuclear Power Station & Haddam Neck Plant be modified by replacing certain condition on licenses.
DEMBEK,S. . 97/12/18. HADLEY,E.C. Affiliation Not Assigned. 2pp. A1662:346-A1662:347.

H. General correspondence

9801090019 Provides update of petition submitted pursuant to title 10 of code of FR,section 2.206,dtd 961125 & amend to petition dtd 961223.Partial Director's Decision (DD-97-21) provided by ltr dtd 970912 & followup correction ltr on 971020.
MCDONALD,D.G. . 98/01/06. KATZ,D. Citizens Awareness Network. GUNTER,P. Nuclear Information & Resource Service. 1p. A1747:177-A1747:177.

9801200209 Discusses 971213 ltr to Chairman Jackson repeating key points discussed during 971114 meeting & again requesting Chairman visit Millstone area.Chairman tentatively planning visit to Millstone site in early February.
ZWOLINSKI,J.A. . 98/01/13. BLANCH,P.M. Affiliation Not Assigned. 2pp. A1844:349-A1844:352.

--9801200213 Stresses several points discussed in 971114 meeting & requests Chairman visit Millstone in near future.
BLANCH,P.M. Affiliation Not Assigned. 97/12/13. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A1844:351-A1844:352.

P. Operating license stage documents & correspondence

9801050220 Discusses proposed treatment of level 4 DRs identified during Independent Corrective Action Verification Program for Millstone Units 2 & 3.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/12/17. Document Control Branch (Document Control Desk). 4pp. A1709:312-A1709:315.

9801130074 Forwards amend 154 to license NPF-49 & safety evaluation. Amend modifies list of valves that can be opened in modes 1 through 4.
ANDERSEN,J.W. . 97/12/18. CARNS,N.S., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A1790:298-A1790:314.

--9801130079 Amend 154 to license NPF-49,modifying list of valves that can be opened in Modes 1 through 4.
* . 97/12/18. 10pp. A1790:302-A1790:311.

--9801130080 Safety evaluation supporting amend 154 to license NPF-49.
* . 97/12/18. 3pp. A1790:312-A1790:314.

9801020117 Forwards response to request for addl info on erosion of cement from underlying porous concrete drainage sys.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 97/12/19. Document Control Branch (Document Control Desk). 11pp. A1679:219-A1679:229.

9801020150 Ltr contract:mod 1 to task order 128, "Millstone Units 3 Independent C/A Verification Program (ICAVP) Oversight Team Technical Support," under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2407-08. 97/12/23. LOFY,R.A. Paramount Supply Co. 7pp. A1600:020-A1600:026.

9801050018 Ltr contract:mod 3 to task order 127 entitled, "Millstone, Units 2 & 3 Independent Corrective Action Verification Program Oversight Team Technical Support," under contract NRC-03-93-026.Statement of work encl.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-93-026. 97/12/23. LOFY,R.A. PARAMETER, Inc. 7pp. A1663:263-A1663:269.

9801130094 Notification of 980113 meeting w/util in Waterford,CT to provide status of plant,Units 2 & 3 independent corrective action verification program.
ANDERSON,J.W. . 97/12/23. MCKEE,P.F. . 5pp. A1790:293-A1790:297.

9801220286 Forwards amend 155 to license NPF-49 & safety evaluation. Amend replaces specific surveillance pump pressure w/statement that test be conducted IAW spec 4.0.5,IST program.
ANDERSEN,J.W. . 97/12/24. CARNS,N.S., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A1893:231-A1893:247.

--9801220297 Amend 155 to license NPF-49,replacing specific surveillance pump pressure w/statement that test be conducted in accordance w/Specification 4.0.5,Inservice Testing Program.
* . 97/12/24. 9pp. A1893:235-A1893:243.

--9801220299 Safety evaluation supporting amend 155 to license NPF-49.
* . 97/12/24. 4pp. A1893:244-A1893:247.

9801060229 Provides response to Little Harbor Consultants,Inc recommendations included in 970825,0922 & 25 ltrs to NRC. Listing of commitments contained in ltr.
BROTHERS,M.H. Northeast Nuclear Energy Co. 97/12/29. Affiliation Not Assigned. 17pp. A1741:285-A1741:301.

9801060304 Cover sheet to rev 6 of MP 704.1, "Control Rod Drive HCU Water - Nitrogen Accumulator Maintenance."
* Northeast Nuclear Energy Co. 97/12/29. 2pp. A1754:091-A1754:092.

9801090096 Requests NRC approval for sampling some calculation types for Tier 1 sys IAW Subsection 4.3a of Independent CA Verification Program audit plan,rev 3.Sampling of listed calculations addressed.
SCHOPFER,D.K. Sargent & Lundy, Inc. 97/12/30. Document Control Branch (Document Control Desk). 14pp. A1758:183-A1758:196.

9801140297 Notification of significant licensee meeting 97-131 w/util on 980114 in Waterford,CT to discuss plans,schedules & progress toward recovery of plant units re status of restart activities,ICAVP & employee concerns program.
DURR,J. Region 1 (Post 820201). 98/01/02. Region 1 (Post 820201). 4pp. A1959:236-A1959:239.

9801270122 Notification of 980127 meeting 97-132 w/NNECO in Waterford, Connecticut to provide public w/update on status of Millstone Station recovery efforts.
DURR,J. Region 1 (Post 820201). 98/01/02. Region 1 (Post 820201). 3pp. A1933:055-A1933:057.

9801080060 Forwards nine discrepancy repts (DRs) identified during review activities for Independent Corrective Action Verification Program.Ten DRs determined invalid,encl.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/01/05. Document Control Branch (Document Control Desk). 31pp. A1786:001-A1786:031.

9801140224 Provides 30-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps." Final response to GL 97-04 will be submitted by 980119.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/01/05. Document Control Branch (Document Control Desk). 4pp. A1832:277-A1832:280.

9801090243 Forwards ninety-three DRs identified during review activities for Independent Corrective Action Verification Program.Three DRs determined to be invalid encl.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/01/07. Document Control Branch (Document Control Desk). 151pp. A1758:001-A1758:151.

9801130145 Rev 5 to MP 720.11, "Overhaul of Fuel Pool Cooling Pumps."
* Northeast Nuclear Energy Co. 98/01/07. 63pp. A1808:001-A1808:063.

9801130283 Notification of 980127 meeting w/util in Waterford,CT to discuss Millstone Employee Concerns Program,Safety Conscious Work Environ & Little Harbor Consultants findings & recommendations.
PASTIS,H.N. . 98/01/08. MCKEE,P.F. . 2pp. A1790:340-A1790:341.

9801130316 Notification of 980122 meeting w/util ini Watergord,CT to discuss exit meeting for NRC evaluation of plant Employee Concerns Program.
PASTIS,H.N. . 98/01/08. MCKEE,P.F. . 2pp. A1796:162-A1796:163.

9801140095 Requests one time relief from requirements of 10CFR50.55A(f) for performing required IST of certain Class 2 components IAW ASME Section XI for Millstone Unit 3.Approval requested to support mode 4 operations scheduled for Jan 1998.
HICKS,G.D. Northeast Nuclear Energy Co. 98/01/08. Document Control Branch (Document Control Desk). 5pp. A1800:355-A1800:359.

9801150124 Submits approval of proposed criteria for selection & review of analyzed & field routed piping & pipe,tubing,conduit, cable tray & duct work supports.Reply w/any rev to sample plan needed to address availability of calculations.
IMBRO,E. . 98/01/08. CURRY,D. . 5pp. A1820:250-A1820:254.

9801160147 Forwards response to 970416 RAI info per 10CFR50.54(f) for each Millstone Station unit.Response includes listed items re restart issues.Commitment made by util,encl.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/09. Document Control Branch (Document Control Desk). 1,020pp. A1834:001-A1836:293.

9801200070 Provides util response to recommendations made by Little Harbor Consultants,Inc.Listed table identifies those actions committed by util in ltr.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/01/09. Document Control Branch (Document Control Desk). 4pp. A1843:123-A1843:126.

9801150128 Responds to 971214 ltr which requested listing of issues on Millstone Unit 3 & status of Seabrook Unit 1.NRC staff applying guidelines of MC 0350 to restart approvals of Millstone.Seabrook shutdown on 971205 to repair piping leak.
TRAVERS,W.D. . 98/01/12. DAVIS,E.S. Affiliation Not Assigned. 6pp. A1818:001-A1818:068.

--9801150133 Requests complete listing of all remaining problems on Millstone III & status of Seabrook.
DAVIS,E.S. Affiliation Not Assigned. 97/12/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. A1818:007-A1818:010.

--9801150137 "Restart Assessment Plan Millstone Station."
TRAVERS,W.D. NRC - No Detailed Affiliation Given. 97/07/22. 57pp. A1818:011-A1818:068.

9801220372 Informs of intent to modify licensing basis of plant to remove option of N-1 loop operation due to Unit 3 never needing or utilizing N-1 loop operation.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/01/12. Document Control Branch (Document Control Desk). 4pp. A1893:296-A1893:299.

9801260025 Forwards SER accepting 960213,0822 & 970623 ltrs from licensee addressing GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," for Millstone,Unit 3.
ANDERSEN,J.W. . 98/01/13. BOWLING,M.L. Northeast Nuclear Energy Co. 4pp. A1924:140-A1924:147.

--9801260030 SER accepting licensee response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," for Millstone Nuclear Power Station,Unit 3.
* . 98/01/13. 4pp. A1924:144-A1924:147.

9801200041 Forwards 43 DRs identified during review activities for Independent C/A Verification Program.One DR determined to be invalid,listed.Fourteen DRs which NU resolutions have been reviewed & accepted by S&L & 2 which have not,encl.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/01/14. Document Control Branch (Document Control Desk). 105pp. A1842:184-A1842:287.

9801210100 Forwards thirty-one discrepancy repts (DRs) identified during review activities for Independent Corrective Action Verification Program.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/01/16. Document Control Branch (Document Control Desk). 63pp. A1882:060-A1882:122.

9801260442 Rev 6 to Maint Procedure MP 703.8, "CRD Flush Procedure" & Do Not Use notice for rev 0 to MP 722.5, "Closed Cooling Water Pumps."
* Northeast Nuclear Energy Co. 98/01/16. 3pp. A1908:323-A1908:325.

9801270206 Notification of significant licensee meeting 98-04 w/util on 980129 to discuss training & emergency preparedness issues.
LANNING,W.D. Region 1 (Post 820201). 98/01/16. Region 1 (Post 820201). 3pp. A1933:289-A1933:291.

9801260136 Informs that util will be ready for insp on 980209 re effective of licensee controls in identifying,resolving & preventing problems.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/17. Document Control Branch (Document Control Desk). 4pp. A1913:345-A1913:348.

9801210098 Forwards thirty-one discrepancy repts (DRs) identified during review activities for Independent Corrective Action Verification Program & three DRs for which resolutions have been reviewed but not accepted.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/01/19. Document Control Branch (Document Control Desk). 69pp. A1857:197-A1857:266.

9801230319 Submits fifth status rept of status & expected completion of Millstone Unit 3 Independent Corrective Action Verification Program.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/01/19. Document Control Branch (Document Control Desk). 12pp. A1900:191-A1900:202.

9801230291 Provides 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/01/21. Document Control Branch (Document Control Desk). 8pp. A1900:334-A1900:341.

9801270086 Documents util response to NRC request for addl info re Unit 3 EDG exhaust stack.Expected results of addl analyses will be forwarded to NRC by 980215.Rev 1 to Calculation NUC-176 encl.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/21. Document Control Branch (Document Control Desk). 8pp. A1963:267-A1963:306.

--9801270090 Rev 1 to Calculation NUC-176, "DG Tornado Missile Evaluation." W/ three oversize drawings.
O'HARA,T.F., HARPER,G.A., JACOBSON,J.P. Northeast Nuclear Energy Co. NUC-176 R01. 97/12/16. 30pp. A1963:275-A1963:306.

9801270097 Forwards util response to recommendations made by Little Harbor Consultants,Inc re employee concerns program.Encl table identifies actions committed by util.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/01/21. Affiliation Not Assigned. 14pp. A1922:288-A1922:301.

9801260272 Forwards 19 disrepancy repts indentified during review activities for Independent Corrective Action Verification Program.One rept determined to be invalid listed.
SCHOPFER,D.K. Sargent & Lundy, Inc. 9583-100. 98/01/22. Document Control Branch (Document Control Desk). 32pp. A1912:322-A1912:353.

9801270173 Forwards thirty-nine discripancy repts (DRs) identified during review activities for Independent Corrective Action Program,three DRs for which resolutions have been reviewed & accepted & two DRs for which resolutions were not accepted.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/01/23. Document Control Branch (Document Control Desk). 73pp. A1929:279-A1929:351.

9801290039 Forwards five DRs identified during review activities for ICAVP,one DR that has been determined invalid,six DRs for which NU resolutions have been reviewed & accepted & two DRs which have not been accepted.
SCHOPFER,D.K. Sargent & Lundy, Inc. 9583-100. 98/01/27. Document Control Branch (Document Control Desk). 31pp. A1968:324-A1968:354.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020018 Responds to NRC 971121 ltr re violations noted in insp rapts 50-245/97-203,50-336/97-203 & 50-423/97-203,respectively. Corrective actions:counseled procedure writer on inattention to detail & revised procedure OP-2322.W/commitments.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/12/22. Document Control Branch (Document Control Desk). 7pp. A1672:346-A1672:352.

9801120177 Notification of 980113 meeting w/Northeast Nuclear Energy Co in Waterford,CT re predecisional enforcement conference concerning insp rept 50-423/97-206.
ANDERSEN,J.W. . 97/12/23. MCKEE,P.F. . 5pp. A1789:344-A1789:348.

9801120278 Notification of 980115 meeting w/NNECO,S&L & NRC in Waterford,Connecticut to discuss Millstone Unit 3 Independent C/A Verification Program Tier 2/3 insp.
ANDERSEN,J.W. . 97/12/23. MCKEE,P.F. . 5pp. A1762:279-A1762:283.

9801160065 Revised notification of meeting originally scheduled for 980115 re Millstone Unit 3 Independent C/A Verification Program Tier 2/3 insp.Meeting rescheduled to 980128.
ANDERSEN,J.W. . 97/12/23. MCKEE,P.F. . 3pp. A1830:081-A1830:083.

9801060323 Responds to NRC 971121 ltr re violations noted in insp repts 50-245/97-203,50-336/97-203 & 50-423/97-203,respectively. Corrective actions:coached & counseled workers re wearing proper dosimetry & made several ergonomic enhancements.
BROTHERS,M.H. Northeast Nuclear Energy Co. 97/12/26. Document Control Branch (Document Control Desk). 12pp. A1733:335-A1733:346.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801070364 Informs that util has continued to assess progress in regards to key associated w/insp readiness & based upon assessments & determined insp will not start on scheduled date of 980105.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/12/30. Document Control Branch (Document Control Desk). 4pp. A1747:304-A1747:307.

9801090279 Discusses insp repts 50-245/97-81,50-336/97-81 & 50-423/97-81 on 970825-29 & predecisional enforcement conference on 971222.Based on info provided during insp & conference,NRC determined violations occurred.W/viewgraphs.
WIGGINS,J.T. Region 1 (Post 820201). 97/12/30. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. A1741:094-A1741:198.

--9801090286 Notice of violation from insp on 970825-29.Violation noted: as of 970829,adequate dose assessment methods were not in use.Page 2 of incoming submittal was not included.
* Region 1 (Post 820201). 97/12/30. 103pp. A1741:097-A1741:198.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801220011 Forwards insp repts 50-245/97-207,50-336/97-207 & 50-423/97-207 on 971002-1130.No violations noted.Insp consisted of selective reviews of procedures & records, inspector observations & interviews w/security personnel.
DURR,J.P. Region 1 (Post 820201). 98/01/09. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A1872:124-A1872:216.

--9801220014 Insp repts 50-245/97-207,50-336/97-207 & 50-423/97-207 on 971002-1130.No violations noted.Major areas inspected: operations,maint,engineering & plant support.
DURR,J.P. Region 1 (Post 820201). 98/01/09. 89pp. A1872:128-A1872:216.

9801140321 Ack receipt of electronic funds transfer in listed amount on 971219 in payment for civil penalties proposed in 971210 ltr.Request for extension to respond to NOV,granted.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/01/12. KENYON,B.D. Northeast Nuclear Energy Co. 1p. A1791:310-A1791:310.

9801260025 Forwards SER accepting 960213,0822 & 970623 ltrs from licensee addressing GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," for Millstone,Unit 3.
ANDERSEN,J.W. . 98/01/13. BOWLING,M.L. Northeast Nuclear Energy Co. 4pp. A1924:140-A1924:147.

9801230388 Requests that submittal date for response to two potential escalated enforcement items identified in insp rept 50-423/97-206,be extended to 980130.Additional time is required to assemble,review & validate additional info.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1900:317-A1900:317.

9801260136 Informs that util will be ready for insp on 980209 re effective of licensee controls in identifying,resolving & preventing problems.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/17. Document Control Branch (Document Control Desk). 4pp. A1913:345-A1913:348.

9801290207 Comment on draft RG DG-1063, "Approach for Plant Specific Decision-Making:Inservice Insp of Piping," & SRP Section 3.9.8, "SRP for Review of Risk-Informed Inservice Insp of Piping."
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/21. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 13pp. A2006:103-A2006:115.

R. Periodic operating reports & related correspondence

9801220007 Monthly operating rept for Dec 1997 for MNPS,Unit 3.W/980113 ltr.
EMMONS,K.W., HICKS,G.D. Northeast Nuclear Energy Co. 97/12/31. 8pp. A1894:310-A1894:317.

S. Reportable occurrences, LERs & related correspondence

9801050015 Forwards LER 97-059-00 which documents condition that was determined reportable at Millstone Unit 3 on 971125,per 10CFR50.73(a)(2)(ii)(B).Commitments made within ltr,encl.
HICKS,G.D. Northeast Nuclear Energy Co. 97/12/22. Document Control Branch (Document Control Desk). 4pp. A1727:312-A1727:320.

--9801050019 LER 97-059-00:on 970910,error was identified in BTP 9.5-1 Compliance Rept during preparation of design change to upgrade pilot solenoid valve associated w/AF.Caused by design deficiency.Design mod implemented.
SMITH,D.A. Northeast Nuclear Energy Co. 97/12/22. 5pp. A1727:317-A1727:320.

9801090004 Part 21 rept re shipment by DuBose National Energy Svcs,Inc, of 40 pieces of 4 inch,90 degree elbows which did not meet ASME Section II SA-234 requirements.
DAILEY,J.N. . 98/01/07. Document Control Branch (Document Control Desk). 11pp. A1754:227-A1754:237.

9801140103 Forwards LER 97-060-00,documenting condition that was determined reportable at Millstone Unit 3 on 971209. Commitments in response to event encl.
HICKS,G.D. Northeast Nuclear Energy Co. 98/01/08. Document Control Branch (Document Control Desk). 5pp. A1806:319-A1806:327.

--9801140120 LER 97-060-00:on 971209,ineffective implementation of PASS program was noted.Caused by failure of mgt to implement effective PASS program.Enhancements to PASS program elements to ensure compliance w/TS made.
SMITH,D.A. Northeast Nuclear Energy Co. 98/01/08. 4pp. A1806:324-A1806:327.

9801260247 Forwards LER 97-062-00 re event determined to be reportable at Millstone Unit 3 on 971219.Commitments made within ltr encl.
HICKS,G.D. Northeast Nuclear Energy Co. 98/01/16. Document Control Branch (Document Control Desk). 5pp. A1923:160-A1923:168.

--9801260260 LER 97-062-00:on 971219,failure to meet TS definition of ACOT was noted.Caused by test methods that were historically considered in compliance w/ intent philosophy.Revised procedures & surveillance tests for RMS ACOT.
SMITH,D.A. Northeast Nuclear Energy Co. 98/01/16. 4pp. A1923:165-A1923:168.

9801230358 Forwards LER 97-061-00,documenting condition determined reportable at Millstone,Unit 3,on 971218.Commitments made by util,encl.
HICKS,G.D. Northeast Nuclear Energy Co. 98/01/17. Document Control Branch (Document Control Desk). 5pp. A1893:155-A1893:163.

--9801230362 LER 97-061-00:on 971218,determined that TS 6.8.4 leakage reduction program does not address all leakage paths.Caused by failure to assign ownership for implementation of section 6.0 programs.Will test potential leak paths
SMITH,D.A. Northeast Nuclear Energy Co. 98/01/17. 4pp. A1893:160-A1893:163.

T. Hearing transcripts on non-antitrust matters

9801210024 Transcript of 971217 public meeting in matter of Northeast Utils.W/Certificate.
* NRC - No Detailed Affiliation Given. 97/12/17. 188pp. A1866:046-A1866:233.

V. Operator Examinations

9801060051 Forwards revised schedule for completion of commitment re corrective action plan for training.
AMERINE,D.B. Northeast Nuclear Energy Co. 97/12/31. Document Control Branch (Document Control Desk). 5pp. A1724:351-A1724:355.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801020063 Rev 21 to EPIP 91704-C, "Actions for Security During Radiological Emergency." W/971222 ltr.
GREEN,L.G., BEASLEY,J.B. Southern Nuclear Operating Co. 97/12/22. 16pp. A1687:324-A1687:339.

9801220380 Rev 8 to EPIP 91301-C, "Emergency Exposure Guidelines." W/980114 ltr.
BEASLEY,J.B. Southern Nuclear Operating Co. 98/01/14. 12pp. A1894:134-A1894:145.

H. General correspondence

9801070329 Comment supporting proposed rule & direct final rule on 10CFR50.68 & 10CFR70.24, "Criticality Accident Requirements."
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/31. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1726:359-A1726:360.

9801230092 Comment supporting NEI comments on PRM 50-63A by P Crane recommending emergency planning standard for protective actions be changed to require explicit consideration of prophylactic use of potassium iodide for general public.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:220-A1915:221.

P. Operating license stage documents & correspondence

9801050248 Discusses completion of licensing action for GL 96-01, "Testing of Safety-Related Logic Circuits," for Vogtle Electric Generating Plant,Unit 1.Ltrs dtd 960412 & 971120 provided both info requested & responses required.
JAFFE,D.H. . 97/12/16. MCCOY,C.K. Southern Nuclear Operating Co. 4pp. A1663:123-A1663:126.

9801060002 Discusses completion of review of licensing basis for containment isolation valves in closed sys.NRC considers issue resolved.
JAFFE,D.H. . 97/12/22. MCCOY,C.K. Southern Nuclear Operating Co. 3pp. A1663:355-A1663:357.

9801060125 Provides 30-day response to GL 97-04 re performance of ECCS & containment heat removal sys.
MCCOY,C.K. Southern Nuclear Operating Co. 97/12/26. Document Control Branch (Document Control Desk). 11pp. A1725:291-A1725:301.

9801130028 Provides supplemental response to GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations." Revised schedule to complete detailed insp plans will be provided by Nuclear Energy Inst.
WOODARD,J.D. Southern Nuclear Operating Co. 98/01/02. Document Control Branch (Document Control Desk). 2pp. A1793:048-A1793:049.

9801200191 Notification of 980128 meeting w/util in Rockville,MD to discuss plant TSs re reactor trip setpoints & associated application for license amend,dtd 971120.
JAFFE,D.H. . 98/01/13. BERKOW,H.N. . 4pp. A1860:283-A1860:286.

9801220212 Provides addl info & analysis of potential for dilution of fuel storage pool in response to NRC questions.Revised "Spent Fuel Pool Boron Dilution Analysis," included.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/16. Document Control Branch (Document Control Desk). 8pp. A1894:197-A1894:230.

--9801220214 Revised "Spent Fuel Pool Boron Dilution Analysis."
* Southern Nuclear Operating Co. 98/01/16. 26pp. A1894:205-A1894:230.

9801270208 Application for amends to licenses NPF-68 & NPF-81,adding conditions for DGs for extended DG completion time of fourteen days.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/22. Document Control Branch (Document Control Desk). 31pp. A1940:206-A1940:284.

--9801270210 Proposed tech specs adding conditions for DG for extended DG completion time of fourteen days.
* Southern Nuclear Operating Co. 98/01/22. 48pp. A1940:237-A1940:284.

9801280220 Forwards corrected addl info re requested TS changes to allow credit for soluble boron concentration in fuel storage pools.Second page of Attachment 1,inadvertently omitted.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 6pp. A1936:215-A1936:246.

9801290001 Requests exemption from requirements of 10CFR50.71(e)(4) re submission of revisions to UFSAR for plant.Requested exemption would allow periodic updates of UFSAR once per fuel cycle.
MCCOY,M.K. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A1971:225-A1971:226.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130028 Provides supplemental response to GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations." Revised schedule to complete detailed insp plans will be provided by Nuclear Energy Inst.
WOODARD,J.D. Southern Nuclear Operating Co. 98/01/02. Document Control Branch (Document Control Desk). 2pp. A1793:048-A1793:049.

9801130276 Informs that util will include 4-hour hold time at nominal operating pressure in future as addition to alternative exam for Class I pressure testing shown in revised request for relief RR-26.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1807:345-A1807:346.

9801220022 Ack receipt of 971222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/97-10 & 50-425/97-10.
SKINNER,P.H. Region 2 (Post 820201). 98/01/06. MCCOY,C.K. Southern Nuclear Operating Co. 3pp. A1872:242-A1872:244.

9801200069 Forwards insp repts 50-424/97-11 & 50-425/97-11 on 971102- 1213 & notices of violation & deviation.
SKINNER,P.H. Region 2 (Post 820201). 98/01/12. MCCOY,C.K. Southern Nuclear Operating Co. 5pp. A1829:001-A1829:026.

--9801200077 Notice of violation from insp on 971102-1213.Violation noted:since initial startup of both Units 1 & 2,procedures 14420-1/2 & 14421-1/2 inadequate.
* Region 2 (Post 820201). 98/01/12. 2pp. A1829:006-A1829:007.

--9801200086 Notice of deviation from insp on 971102-1213.Deviation noted:since initial startup of both units 1 & 2,licensee failed to perform 18-month surveillance testing on reactor coolant pump 125V direct current non-1E control breakers.
* Region 2 (Post 820201). 98/01/12. 1p. A1829:008-A1829:008.

--9801200087 Insp repts 50-424/97-11 & 50-425/97-11 on 971102-1213. Violations noted.Major areas inspected:operations & maint.
* Region 2 (Post 820201). 98/01/12. 18pp. A1829:009-A1829:026.

9801260450 Forwards "Owner's Rept for ISI (Form NIS-1)," for ISI activities conducted at VEGP Unit 1 during Fall 1997 maint/refueling outage.Summary rept,discussed.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/16. Document Control Branch (Document Control Desk). 4pp. A1911:001-A1911:277.

--9801260463 "Owners Rept for Inservice Inspection for Seventh Maintenance/Refueling Outage."
* Southern Nuclear Operating Co. 98/01/31. 272pp. A1911:006-A1911:277.

R. Periodic operating reports & related correspondence

9801160083 Monthly operating repts for Dec 1997 for Vogtle Electric Generating Plant,Units 1 & 2.W/980112 ltr.
HARGIS,T.S., MCCOY,C.K. Southern Nuclear Operating Co. 97/12/31. 7pp. A1840:343-A1840:349.

V. Operator Examinations

9801220070 Informs that Region II will conduct Exam Writing Workshop in Atlanta,GA,on 980127 & 28.Workshop designed to inform mgt & operations & training staff of NUREG 1021 exam writing techniques for licensing of plant operators.Agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. MCCOY,C.K. Southern Nuclear Operating Co. 5pp. A1877:044-A1877:048.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801020063 Rev 21 to EPIP 91704-C, "Actions for Security During Radiological Emergency." W/971222 ltr.
GREEN,L.G., BEASLEY,J.B. Southern Nuclear Operating Co. 97/12/22. 16pp. A1687:324-A1687:339.

9801220380 Rev 8 to EPIP 91301-C, "Emergency Exposure Guidelines." W/980114 ltr.
BEASLEY,J.B. Southern Nuclear Operating Co. 98/01/14. 12pp. A1894:134-A1894:145.

H. General correspondence

9801070329 Comment supporting proposed rule & direct final rule on 10CFR50.68 & 10CFR70.24, "Criticality Accident Requirements."
SUMNER,H.L. Southern Nuclear Operating Co. 97/12/31. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1726:359-A1726:360.

9801230092 Comment supporting NEI comments on PRM 50-63A by P Crane recommending emergency planning standard for protective actions be changed to require explicit consideration of prophylactic use of potassium iodide for general public.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:220-A1915:221.

P. Operating license stage documents & correspondence

9801060002 Discusses completion of review of licensing basis for containment isolation valves in closed sys.NRC considers issue resolved.
JAFFE,D.H. . 97/12/22. MCCOY,C.K. Southern Nuclear Operating Co. 3pp. A1663:355-A1663:357.

9801060125 Provides 30-day response to GL 97-04 re performance of ECCS & containment heat removal sys.
MCCOY,C.K. Southern Nuclear Operating Co. 97/12/26. Document Control Branch (Document Control Desk). 11pp. A1725:291-A1725:301.

9801130028 Provides supplemental response to GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations." Revised schedule to complete detailed insp plans will be provided by Nuclear Energy Inst.
WOODARD,J.D. Southern Nuclear Operating Co. 98/01/02. Document Control Branch (Document Control Desk). 2pp. A1793:048-A1793:049.

9801200191 Notification of 980128 meeting w/util in Rockville,MD to discuss plant TSs re reactor trip setpoints & associated application for license amend,dtd 971120.
JAFFE,D.H. . 98/01/13. BERKOW,H.N. . 4pp. A1860:283-A1860:286.

9801220212 Provides addl info & analysis of potential for dilution of fuel storage pool in response to NRC questions.Revised "Spent Fuel Pool Boron Dilution Analysis," included.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/16. Document Control Branch (Document Control Desk). 8pp. A1894:197-A1894:230.

--9801220214 Revised "Spent Fuel Pool Boron Dilution Analysis."
* Southern Nuclear Operating Co. 98/01/16. 26pp. A1894:205-A1894:230.

9801270208 Application for amends to licenses NPF-68 & NPF-81,adding conditions for DGs for extended DG completion time of fourteen days.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/22. Document Control Branch (Document Control Desk). 31pp. A1940:206-A1940:284.

--9801270210 Proposed tech specs adding conditions for DG for extended DG completion time of fourteen days.
* Southern Nuclear Operating Co. 98/01/22. 48pp. A1940:237-A1940:284.

9801280220 Forwards corrected addl info re requested TS changes to allow credit for soluble boron concentration in fuel storage pools.Second page of Attachment 1,inadvertently omitted.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 6pp. A1936:215-A1936:246.

9801290001 Requests exemption from requirements of 10CFR50.71(e)(4) re submission of revisions to UFSAR for plant.Requested exemption would allow periodic updates of UFSAR once per fuel cycle.
MCCOY,M.K. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A1971:225-A1971:226.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130028 Provides supplemental response to GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations." Revised schedule to complete detailed insp plans will be provided by Nuclear Energy Inst.
WOODARD,J.D. Southern Nuclear Operating Co. 98/01/02. Document Control Branch (Document Control Desk). 2pp. A1793:048-A1793:049.

9801130276 Informs that util will include 4-hour hold time at nominal operating pressure in future as addition to alternative exam for Class I pressure testing shown in revised request for relief RR-26.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1807:345-A1807:346.

9801220022 Ack receipt of 971222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/97-10 & 50-425/97-10.
SKINNER,P.H. Region 2 (Post 820201). 98/01/06. MCCOY,C.K. Southern Nuclear Operating Co. 3pp. A1872:242-A1872:244.

9801200069 Forwards insp repts 50-424/97-11 & 50-425/97-11 on 971102- 1213 & notices of violation & deviation.
SKINNER,P.H. Region 2 (Post 820201). 98/01/12. MCCOY,C.K. Southern Nuclear Operating Co. 5pp. A1829:001-A1829:026.

--**9801200077** Notice of violation from insp on 971102-1213.Violation noted:since initial startup of both Units 1 & 2,procedures 14420-1/2 & 14421-1/2 inadequate.
* Region 2 (Post 820201). 98/01/12. 2pp. A1829:006-A1829:007.

--**9801200086** Notice of deviation from insp on 971102-1213.Deviation noted:since initial startup of both units 1 & 2,licensee failed to perform 18-month surveillance testing on reactor coolant pump 125V direct current non-1E control breakers.
* Region 2 (Post 820201). 98/01/12. 1p. A1829:008-A1829:008.

--**9801200087** Insp repts 50-424/97-11 & 50-425/97-11 on 971102-1213. Violations noted.Major areas inspected:operations & maint.
* Region 2 (Post 820201). 98/01/12. 18pp. A1829:009-A1829:026.

R. Periodic operating reports & related correspondence

9801160083 Monthly operating repts for Dec 1997 for Vogtle Electric Generating Plant,Units 1 & 2.W/980112 ltr.
HARGIS,T.S., MCCOY,C.K. Southern Nuclear Operating Co. 97/12/31. 7pp. A1840:343-A1840:349.

V. Operator Examinations

9801220070 Informs that Region II will conduct Exam Writing Workshop in Atlanta,GA,on 980127 & 28.Workshop designed to inform mgt & operations & training staff of NUREG 1021 exam writing techniques for licensing of plant operators.Agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. MCCOY,C.K. Southern Nuclear Operating Co. 5pp. A1877:044-A1877:048.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

H. General correspondence

9801280258 Forwards updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.Changes effective immediately.
BURZYNSKI,M.J. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 7pp. A1936:281-A1936:287.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

V. Operator Examinations

9801220079 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG 1021. Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1877:171-A1877:175.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

H. General correspondence

9801280258 Forwards updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.Changes effective immediately.
BURZYNSKI,M.J. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 7pp. A1936:281-A1936:287.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

V. Operator Examinations

9801220079 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG 1021. Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1877:171-A1877:175.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801210115 Forwards insp rept 50-440/97-20 on 971202-05.No violations noted.Maint support for security program was professional, timely & thorough.
GROBE,J.A. Region 3 (Post 820201). 98/01/12. MYERS,L.W. Centerior Service Co. 2pp. A1855:069-A1855:081.

--**9801210119** Insp rept 50-440/97-20 on 971202-05.No violations noted. Major areas inspected:review of physical security program.
* Region 3 (Post 820201). 98/01/12. 11pp. A1855:071-A1855:081.

9801210246 Submits update of resolution of GL 92-08, "Thermo-Lag 330-1 Fire Barriers." No regulatory commitments being initiated by ltr.
MYERS,L.W. Centerior Energy. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1887:250-A1887:250.

9801270126 Forwards NRC Emergency Preparedness Insp Rept 50-440/97-17 on 971103-07 & 971215-18.No violations identified.During insp observation of activities showed EP program to be effectively implemented.Staff reduction will be monitored.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. MYERS,L.W. Centerior Service Co. 2pp. A1933:204-A1933:216.

--9801270127 Insp rept 50-440/97-17 on 971103-07 & 971215-18.No violations noted.Major areas inspected:EP program.
* Region 3 (Post 820201). 98/01/21. 11pp. A1933:206-A1933:216.

P. Operating license stage documents & correspondence

9801130230 Responds to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," dtd 971007.
MYERS,L.W. Centerior Energy. 98/01/05. Document Control Branch (Document Control Desk). 5pp. A1793:131-A1793:135.

9801200287 Forwards "Cleveland Electric Illuminating Co Perry Nuclear Power Plant Unit 1,Post-Refueling Startup Test Summary Rept, Cycle 7."
MYERS,L.W. Centerior Energy. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1862:334-A1862:354.

--9801200291 "Cleveland Electric Illuminating Co Perry Nuclear Power Plant,Unit 1 Post-Refueling Startup Test Summary Rept Cycle 7."
OROGVANY,C.S., BORDLEY,P.W., MOFFITT,S.P. Centerior Energy. 98/01/12. 20pp. A1862:335-A1862:354.

9801210246 Submits update of resolution of GL 92-08, "Thermo-Lag 330-1 Fire Barriers." No regulatory commitments being initiated by ltr.
MYERS,L.W. Centerior Energy. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1887:250-A1887:250.

9801280282 Expresses appreciation for NRC visit on 971218 & speaking at all hands meeting.Comments for info,along w/Perry 1997 accomplishments & 1998 initiatives encl.
MYERS,L.W. Centerior Energy. 98/01/12. BEACH,A.B. Region 3 (Post 820201). 5pp. A1940:285-A1940:293.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801020114 Forwards insp rept 50-440/97-15 on 970922-1023.No violations noted.ISI activities were effectively implemented w/several aspects demonstrating good safety focus.Strainer execution well executed w/active oversight by mgt & engineering.
GROBE,J.A. Region 3 (Post 820201). 97/12/21. MYERS,L.W. Centerior Service Co. 2pp. A1629:088-A1629:102.

--9801020116 Insp rept 50-440/97-15 on 970922-1023.No violations noted. Major areas inspected:ISI efforts & installation activities of suppression pool suction strainer mod.
* Region 3 (Post 820201). 97/12/21. 13pp. A1629:090-A1629:102.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210226 Advises of planned insp effort resulting from plant performance review.Encl details NRC insp plan for approx next six months.
KOZAK,T. Region 3 (Post 820201). 98/01/09. MYERS,L.W. Centerior Service Co. 4pp. A1857:009-A1857:012.

9801210115 Forwards insp rept 50-440/97-20 on 971202-05.No violations noted.Maint support for security program was professional, timely & thorough.
GROBE,J.A. Region 3 (Post 820201). 98/01/12. MYERS,L.W. Centerior Service Co. 2pp. A1855:069-A1855:081.

--9801210119 Insp rept 50-440/97-20 on 971202-05.No violations noted. Major areas inspected:review of physical security program.
* Region 3 (Post 820201). 98/01/12. 11pp. A1855:071-A1855:081.

9801220004 Forwards sixth ISI summary for PNPP,documenting ISI exam activities conducted from return to commercial operation from fifth refueling outage until completion of sixth refueling outage.
MYERS,L.W. Centerior Energy. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1883:001-A1884:030.

--9801220005 "ISI Summary Rept,Results for Outage 6 (1997) Third Period, First Interval for PNPP."
* Centerior Energy. NP0059-0006. 97/12/22. 393pp. A1883:002-A1884:030.

9801220262 Submits supplemental response to NOV EA-96-253.Util accepts DOL Administrative Review Board ruling as further clarification on issue of what does & does not constitute protected activity under section 211 of ERA.
MYERS,L.W. Centerior Energy. 98/01/15. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 7pp. A1887:319-A1887:325.

9801280183 Forwards insp rept 50-440/98-04 on 980105-09.No violations noted.Insp was exam of activities conducted under license re chemistry,radiological monitoring & post accident sampling & to compliance w/Commission rules & regulations.
GROBE,J.A. Region 3 (Post 820201). 98/01/16. MYERS,L.W. Centerior Service Co. 2pp. A1960:006-A1960:019.

--9801280188 Insp rept 50-440/98-04 on 980105-09.No violations noted. Major areas inspected:Radiolological,Environ & Chemistry Sections programs.
* Region 3 (Post 820201). 98/01/16. 12pp. A1960:008-A1960:019.

9801270126 Forwards NRC Emergency Preparedness Insp Rept 50-440/97-17 on 971103-07 & 971215-18.No violations identified.During insp observation of activities showed EP program to be effectively implemented.Staff reduction will be monitored.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. MYERS,L.W. Centerior Service Co. 2pp. A1933:204-A1933:216.

--9801270127 Insp rept 50-440/97-17 on 971103-07 & 971215-18.No violations noted.Major areas inspected:EP program.
* Region 3 (Post 820201). 98/01/21. 11pp. A1933:206-A1933:216.

R. Periodic operating reports & related correspondence

9801210106 "NPDES Monthly Discharge Rept for Dec 1997 for Perry Nuclear Power Plant." W/980112 ltr.
MYERS,L.W. Centerior Energy. 97/12/31. 5pp. A1857:335-A1857:339.

9801210281 Forwards revised operating rept for Dec 1997 for Perry Nuclear Power Plant Unit 1,consisting of Page 1 for operating data rept & page 2 for unit shutdowns & power reductions chart,per TS 5.6.4 & GL 97-02.
HEGRAT,H.L. Centerior Energy. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1887:247-A1887:249.

--9801210286 Monthly operating rept for Dec 1997 for Perry Nuclear Power Plant Unit 1,consisting of revised page 1 for operating data rept & page 2 for unit shutdowns & power reductions chart.
COON,H.M. Centerior Energy. 97/12/31. 2pp. A1887:248-A1887:249.

S. Reportable occurrences, LERs & related correspondence

9801230393 Forwards LER 97-016-00, "Vibration-Induced Turbine Electro- Hydraulic Control Sys Fluid Leak Results in Reactor Protection Sys & ESF Actuation."
MYERS,L.W. Centerior Energy. 98/01/20. Document Control Branch (Document Control Desk). 1p. A1901:036-A1901:040.

--9801230398 LER 97-016-00:on 971219,vibration-induced turbine electro- hydraulic control sys fluid leak resulted in reactor protection sys & ESF.Caused by vibration-induced fatigue failure.EHC tubing compression fittings,replaced.
HENDERSON,T.A. Centerior Energy. 98/01/20. 4pp. A1901:037-A1901:040.

9801280093 LER 97-017-00:on 970715,HPCS suppression pool water level- high logic actuation occurred.Caused by incomplete assessment of suppression pool level instrumentation channels.Discussed event w/SROs involved.W/980122 ltr.
HENDERSON,T.A., MYERS,L.W. Centerior Energy. 98/01/22. 5pp. A1963:193-A1963:197.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. 3pp. A1960:072-A1960:074.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801080086 Forwards rev 10 to vols 1-9 of State of NH emergency plans, vols 10-16 to Vermont Yankee Towns emergency plans & vols 20-40 to Seabrook Station Towns emergency plans.
* New Hampshire, State of. 97/12/01. Document Control Branch (Document Control Desk). 4pp. A1766:001-A1781:305.

--9801080128 Rev 10 to vols 5-7 of State of NH radiological emergency response plan, "Seabrook Station Implementing Procedures" & vols 8-9, "State & Local Functional Implementing Procedures & Appendices."
* New Hampshire, State of. 97/12/01. 1,100pp. A1768:055-A1771:246.

--9801080213 Rev 10 to vol 20 of State of NH radiological emergency response plan, "Seabrook Station Local Radiological Emergency Response Plan."
* New Hampshire, State of. 97/12/01. 131pp. A1774:034-A1774:164.

--9801080216 Rev 10 to vol 21 of State of NH radiological emergency response plan, "Town of Brentwood,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1774:165-A1774:301.

--9801080221 Rev 20 to vol 22 of State of NH radiological emergency response plan, "Town of East Kingston,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 143pp. A1774:302-A1775:085.

--9801080223 Rev 10 to vol 23 of State of NH radiological emergency response plan, "Town of Exeter,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 168pp. A1775:086-A1775:254.

--9801080225 Rev 10 to vol 24 of State of NH radiological emergency response plan, "Town of Greenland,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 146pp. A1775:255-A1776:040.

--9801080228 Rev 10 to vol 25 of State of NH radiological emergency response plan, "Town of Hampton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 144pp. A1776:041-A1776:186.

--9801080231 Rev 10 to vol 26 of State of NH radiological emergency response plan, "Town of Hampton Falls,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1776:187-A1776:323.

--9801080232 Rev 10 to vol 27 of State of NH radiological emergency response plan, "Town of Kensington,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 134pp. A1776:324-A1777:098.

--9801080235 Rev 10 to vol 28 of State of NH radiological emergency response plan, "Town of Kingston,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 157pp. A1777:099-A1777:256.

--9801080238 Rev 10 to vol 29 of State of NH radiological emergency response plan, "Town of New Castle,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1777:257-A1778:036.

--9801080242 Rev 10 to vol 30 of State of NH radiological emergency response plan, "Town of Newfields,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1778:037-A1778:173.

--9801080244 Rev 10 to vol 31 of State of NH radiological emergency response plan, "Town of Newton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 145pp. A1778:174-A1778:318.

--9801080248 Rev 10 to vol 32 of State of NH radiological emergency response plan, "Town of North Hampton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 145pp. A1778:319-A1779:103.

--9801080249 Rev 10 to vol 33 of State of NH radiological emergency response plan, "City of Portsmouth,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 160pp. A1779:104-A1779:263.

--9801080252 Rev 10 to vol 34 of State of NH radiological emergency response plan, "Town of Rye,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 145pp. A1779:264-A1780:045.

--9801080255 Rev 10 to vol 35 of State of NH radiological emergency response plan, "Town of Seabrook,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 165pp. A1780:046-A1780:212.

--9801080265 Rev 10 to vol 36 of State of NH radiological emergency response plan, "Town of South Hampton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 135pp. A1780:213-A1780:346.

--9801080270 Rev 10 to vol 37 of State of NH radiological emergency response plan, "Town of Stratham,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 155pp. A1780:347-A1781:140.

--9801080275 Rev 10 to vol 38 of State of NH radiological emergency response plan, "City of Dover,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 56pp. A1781:141-A1781:196.

--9801080277 Rev 10 to vol 39 of State of NH radiological emergency response plan, "City of Manchester,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 58pp. A1781:197-A1781:254.

--9801080282 Rev 10 to vol 40 of State of NH radiological emergency response plan, "City of Rochester,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 51pp. A1781:255-A1781:305.

9801160063 Forwards insp rept 50-443/97-07 on 971005-1206.No violations noted.Licensed operator requalification program observed to be effective & emergency feedwater sys review indicated that response to 10CFR50.54(f) request was comprehensive.
COWGILL,C.J. Region 1 (Post 820201). 98/01/07. FEIGENBAUM,T.C., HARPSTER,T.L. North Atlantic Energy Service Corp. (NAESCO). 3pp. A1826:001-A1826:048.

--9801160068 Insp rept 50-443/97-07 on 971005-1206.No violations noted. Major areas inspected:operations,engineering,maint & plant support re implementation of security program.
* Region 1 (Post 820201). 98/01/07. 45pp. A1826:004-A1826:048.

9801160031 Rev 21 to ER 3.3, "Emergency Operations Facility Operations." W/980112 ltr.
PESCHEL,J.M. North Atlantic Energy Service Corp. (NAESCO). 98/01/12. 132pp. A1833:001-A1833:134.

9801220165 Forwards rev 22 to Seabrook Station Physical Security Plan. Rev withheld from public disclosure IAW 10CFR73.21.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 98/01/12. Document Control Branch (Document Control Desk). 1p. A1877:265-A1877:265.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9801220386 Forwards FR notice re receipt of petition for Director's Decision under 10CFR2.206,being filed for publication. Pamphlet on public petition process not encl.
MIRAGLIA,F.J. . 98/01/15. DOUGHTY,J. Seacoast Anti-Pollution League. 6pp. A1880:345-A1880:352.

--9801220390 Notice of receipt of petition for Director's Decision under 10CFR2.206.Petitioner requests that operating license for plant be suspended until such time as thorough root cause analysis conducted.
MIRAGLIA,F.J. . 98/01/15. 2pp. A1880:351-A1880:352.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801090095 Rev 5 to updated FSAR for Seabrook Station.
* North Atlantic Energy Service Corp. (NAESCO). 97/12/24. 698pp. A1745:087-A1747:056.

P. Operating license stage documents & correspondence

9801140232 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
DRAWBRIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO). 98/01/05. Document Control Branch (Document Control Desk). 7pp. A1843:276-A1843:282.

9801150214 Summary of 971219 meeting w/util in Rockville,MD re decommissioning funding assurance.List of attendees encl.
SMITH,C.W. . 98/01/05. . 6pp. A1820:244-A1820:249.

9801220275 Acknowledges receipt of 971218 ltr to Chairman Jackson concerning efforts underway to find means of assuring decommissioning obligations of Great Bay Corp,owner of 12.13240 percent of Seabrook Station will be fulfilled.
BANGART,R.L. Office of State Programs (Post 911117). 98/01/05. HOLLINGWORTH,B. New Hampshire, State of. 3pp. A1889:183-A1889:190.

--9801220307 Forwards legislation to provide necessary assurance in form of proportional guarantee of Great Bay Power Corp decommissioning obligation by joint-owners of Seabrook Station,effective July 1998 when extension expires.
HOLLINGWORTH,B. New Hampshire, State of. 97/12/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. A1889:186-A1889:190.

9801200219 Forwards draft rept,dtd 980107,to docket for Seabrook Station,Unit 1.Draft rept provides licensee preliminary root cause analysis for leaks in piping of "B" train of RHR system.Leakage reported by licensee on 971205.
SMITH,C.W. . 98/01/09. . 104pp. A1852:229-A1852:332.

9801150128 Responds to 971214 ltr which requested listing of issues on Millstone Unit 3 & status of Seabrook Unit 1.NRC staff applying guidelines of MC 0350 to restart approvals of Millstone.Seabrook shutdown on 971205 to repair piping leak.
TRAVERS,W.D. . 98/01/12. DAVIS,E.S. Affiliation Not Assigned. 6pp. A1818:001-A1818:068.

--9801150133 Requests complete listing of all remaining problems on Millstone III & status of Seabrook.
DAVIS,E.S. Affiliation Not Assigned. 97/12/14. THE CHAIRMAN Commissioners (Post 750119). 4pp. A1818:007-A1818:010.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050324 Responds to violations noted in insp rept 50-443/97-06. Corrective actions:individuals involved have been coached & counseled.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 97/12/19. Document Control Branch (Document Control Desk). 6pp. A1709:345-A1709:350.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801160063 Forwards insp rept 50-443/97-07 on 971005-1206.No violations noted.Licensed operator requalification program observed to be effective & emergency feedwater sys review indicated that response to 10CFR50.54(f) request was comprehensive.
COWGILL,C.J. Region 1 (Post 820201). 98/01/07. FEIGENBAUM,T.C., HARPSTER,T.L. North Atlantic Energy Service Corp. (NAESCO). 3pp. A1826:001-A1826:048.

--9801160068 Insp rept 50-443/97-07 on 971005-1206.No violations noted. Major areas inspected:operations,engineering,maint & plant support re implementation of security program.
* Region 1 (Post 820201). 98/01/07. 45pp. A1826:004-A1826:048.

9801200111 Clarifies commitment made in 970829 response to NOV noted in insp rept 50-443/97-03.Due to delays in mainframe computer programming necessary to implement sys,real-time indication sys will be available by mid 1998.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 98/01/12. Document Control Branch (Document Control Desk). 1p. A1865:332-A1865:332.

R. Periodic operating reports & related correspondence

9801090095 Rev 5 to updated FSAR for Seabrook Station.
* North Atlantic Energy Service Corp. (NAESCO). 97/12/24. 698pp. A1745:087-A1747:056.

9801210177 Monthly operating rept for Dec 1997 for Seabrook Station, Unit 1.W/ 980109 ltr.
NARDONE,P.E., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 97/12/31. 5pp. A1867:343-A1867:347.

S. Reportable occurrences, LERs & related correspondence

9801050334 LER 97-017-00:on 971118,inadequate SSPS surveillance testing was noted.Caused by inadequacy of internal logic test scheme of SSPS as supplied by vendor.TS 4.0.3 was entered & revised SSPS SPs IX1680.921 & IX1680.922.W/ 971218 ltr.
PESCHEL,J.M., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 97/12/18. 4pp. A1687:053-A1687:056.

9801230325 LER 97-018-00:on 971216,CRACS inoperability was noted.Caused by liquid refrigerant carryover to suction of compressors. Event evaluation team was formed to investigate CRACS compressor failures.W/980115 ltr.
PESCHEL,J.M., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 98/01/15. 5pp. A1901:030-A1901:034.

V. Operator Examinations

9801160063 Forwards insp rept 50-443/97-07 on 971005-1206.No violations noted.Licensed operator requalification program observed to be effective & emergency feedwater sys review indicated that response to 10CFR50.54(f) request was comprehensive.
COWGILL,C.J. Region 1 (Post 820201). 98/01/07. FEIGENBAUM,T.C., HARPSTER,T.L. North Atlantic Energy Service Corp. (NAESCO). 3pp. A1826:001-A1826:048.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/Construction Stage Documents and Related Correspondence

9801220275 Acknowledges receipt of 971218 ltr to Chairman Jackson concerning efforts underway to find means of assuring decommissioning obligations of Great Bay Corp,owner of 12.13240 percent of Seabrook Station will be fulfilled.
BANGART,R.L. Office of State Programs (Post 911117). 98/01/05. HOLLINGWORTH,B. New Hampshire, State of. 3pp. A1889:183-A1889:190.

--9801220307 Forwards legislation to provide necessary assurance in form of proportional guarantee of Great Bay Power Corp decommissioning obligation by joint-owners of Seabrook Station,effective July 1998 when extension expires.
HOLLINGWORTH,B. New Hampshire, State of. 97/12/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. A1889:186-A1889:190.

F. Security, medical, emergency & fire protection plans

9801080086 Forwards rev 10 to vols 1-9 of State of NH emergency plans, vols 10-16 to Vermont Yankee Towns emergency plans & vols 20-40 to Seabrook Station Towns emergency plans.
* New Hampshire, State of. 97/12/01. Document Control Branch (Document Control Desk). 4pp. A1766:001-A1781:305.

--9801080128 Rev 10 to vols 5-7 of State of NH radiological emergency response plan, "Seabrook Station Implementing Procedures" & vols 8-9, "State & Local Functional Implementing Procedures & Appendices."
* New Hampshire, State of. 97/12/01. 1,100pp. A1768:055-A1771:246.

--9801080213 Rev 10 to vol 20 of State of NH radiological emergency response plan, "Seabrook Station Local Radiological Emergency Response Plan."
* New Hampshire, State of. 97/12/01. 131pp. A1774:034-A1774:164.

--9801080216 Rev 10 to vol 21 of State of NH radiological emergency response plan, "Town of Brentwood,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1774:165-A1774:301.

--9801080221 Rev 20 to vol 22 of State of NH radiological emergency response plan, "Town of East Kingston,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 143pp. A1774:302-A1775:085.

--9801080223 Rev 10 to vol 23 of State of NH radiological emergency response plan, "Town of Exeter,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 168pp. A1775:086-A1775:254.

--9801080225 Rev 10 to vol 24 of State of NH radiological emergency response plan, "Town of Greenland,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 146pp. A1775:255-A1776:040.

--9801080228 Rev 10 to vol 25 of State of NH radiological emergency response plan, "Town of Hampton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 144pp. A1776:041-A1776:186.

--9801080231 Rev 10 to vol 26 of State of NH radiological emergency response plan, "Town of Hampton Falls,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1776:187-A1776:323.

--9801080232 Rev 10 to vol 27 of State of NH radiological emergency response plan, "Town of Kensington,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 134pp. A1776:324-A1777:098.

--9801080235 Rev 10 to vol 28 of State of NH radiological emergency response plan, "Town of Kingston,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 157pp. A1777:099-A1777:256.

--9801080238 Rev 10 to vol 29 of State of NH radiological emergency response plan, "Town of New Castle,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1777:257-A1778:036.

--9801080242 Rev 10 to vol 30 of State of NH radiological emergency response plan, "Town of Newfields,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1778:037-A1778:173.

--9801080244 Rev 10 to vol 31 of State of NH radiological emergency response plan, "Town of Newton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 145pp. A1778:174-A1778:318.

--9801080248 Rev 10 to vol 32 of State of NH radiological emergency response plan, "Town of North Hampton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 145pp. A1778:319-A1779:103.

--9801080252 Rev 10 to vol 34 of State of NH radiological emergency response plan, "Town of Rye,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 145pp. A1779:264-A1780:045.

--9801080255 Rev 10 to vol 35 of State of NH radiological emergency response plan, "Town of Seabrook,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 165pp. A1780:046-A1780:212.

--9801080265 Rev 10 to vol 36 of State of NH radiological emergency response plan, "Town of South Hampton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 135pp. A1780:213-A1780:346.

--9801080270 Rev 10 to vol 37 of State of NH radiological emergency response plan, "Town of Stratham,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 155pp. A1780:347-A1781:140.

--9801080275 Rev 10 to vol 38 of State of NH radiological emergency response plan, "City of Dover,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 56pp. A1781:141-A1781:196.

--9801080277 Rev 10 to vol 39 of State of NH radiological emergency response plan, "City of Manchester,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 58pp. A1781:197-A1781:254.

--9801080282 Rev 10 to vol 40 of State of NH radiological emergency response plan, "City of Rochester,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 51pp. A1781:255-A1781:305.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801130292 Summary of 971112 meeting w/util at NRC ofcs to discuss 970228 responses to 960522 cable functionality safety evaluation.Licensee briefly described revised response to open item re fire stops.List of attendees encl.
POLICH,T.J. . 97/12/24. . 25pp. A1796:258-A1796:282.

9801230361 Discusses insp repts 50-445/97-19 & 50-446/97-19 on 970922-25 & predecisional enforcement conference on 971031 & forwards NOV.Insp included review of changes that TUEC made to CPSES Emergency Plan under 10CFR50.54(q) provisions.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. A1915:110-A1915:118.

--9801230372 Notice of violation from insp on 970922-25.Violation noted: on 961029,licensee made changes to emergency plan,w/o Commission approval,that decreased effectiveness of plan & did not continue to meet Planning Standard 50.47(b)(2).
* Region 4 (Post 820201). 98/01/16. 3pp. A1915:116-A1915:118.

H. General correspondence

9801210262 Requests change in distribution list for transmittals re Public Util Commission of TX.Names & addresses,listed.
PAYTON,V. Texas, State of. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1887:240-A1887:240.

9801230052 Comment opposing PRM 50-63A by P Crane that requests NRC amend regulations re emergency planning to require consideration of sheltering,evacuation & prophylactic use of potassium iodide for general public.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:182-A1915:183.

P. Operating license stage documents & correspondence

9801060016 Summarizes 971114 meeting w/listed attendees to discuss joint TS conversion status & schedule.Attendance list encl.
POLICH,T.J. . 97/12/12. . 9pp. A1663:333-A1663:341.

9801020113 Forwards draft "Risk-Informed IST Program Description," which will be resubmitted after final resolution of comments,per 971208 meeting & telcons.Commitments re CPSES Units 1 & 2 also encl.
KELLEY,J.J. Texas Utilities Electric Co. (TU Electric). 97/12/18. Document Control Branch (Document Control Desk). 13pp. A1667:345-A1667:357.

9801130292 Summary of 971112 meeting w/util at NRC ofcs to discuss 970228 responses to 960522 cable functionality safety evaluation.Licensee briefly described revised response to open item re fire stops.List of attendees encl.
POLICH,T.J. . 97/12/24. . 25pp. A1796:258-A1796:282.

9801120176 Forwards amends 56 & 42 to licenses NPF-87 & NPF-89 & SE. Amends change TS Table 3.3-3, "ESFAS Instrumentation Trip Setpoints," in response to 960709 (LAR 96-003) ltr & 971212 suppl.
POLICH,T.J. . 97/12/30. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. A1762:184-A1762:198.

--9801120186 Amends 56 & 42 to licenses NPF-87 & NPF-89,respectively, changing TS Table 3.3-3, "ESFAS Instrumentation Trip Setpoints."
POLICH,T.J. . 97/12/30. 9pp. A1762:187-A1762:195.

--9801120190 Safety evaluation supporting amends 56 & 42 to licenses NPF-87 & NPF-89,respectively.
* . 97/12/30. 3pp. A1762:196-A1762:198.

9801070145 Submits response to 970828 RAI re rev 1,suppl 1 to GL 92-01, "Reactor Vessel Structural Integrity." Commitments made by util,encl.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/12/31. Document Control Branch (Document Control Desk). 4pp. A1747:316-A1747:319.

9801130032 Forwards summary of changes or errors discovered in ECCS evaluation model used to calculate PCT,IAW requirements of 10CFR50.46(a)(3)(ii).
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1792:355-A1792:357.

9801210223 Forwards 90-day partial response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps." Util will provide further clarifying info by 980407,as agreed to by NRR in 971212 telcon.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/14. Document Control Branch (Document Control Desk). 12pp. A1891:346-A1891:357.

9801210225 Provides notification of snubber functional testing sample plan selected for use to CPSES during sixth refueling outage for Unit 1,per technical requirments manual section 3.1e. Sample plan for each type of snubber,detailed.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/14. MERSCHOFF,E.W. Region 4 (Post 820201). 1p. A1882:294-A1882:294.

Q. Inspection reports, IE Bulletins & correspondence

9801120131 Discusses investigation conducted by OI re TU Electric decision to deny individual access to plant.Investigation completed 970606 to determine whether recipient violated NRC deliberate misconduct rule.NOV encl.
MERSCHOFF,E.W. Region 4 (Post 820201). 97/09/12. HOLYBEE,J.W. Affiliation Not Assigned. 3pp. A1754:002-A1754:007.

--9801120132 Notice of violation from investigation completed on 970606. Violation noted:JW Holybee,employee of contractor,submitted inaccurate info to NRC.
* Region 4 (Post 820201). 97/09/12. 3pp. A1754:005-A1754:007.

9801120254 Discusses investigation rept 4-97-020 & forwards NOV.Based on review of util documents,NRC concluded that recipient deliberately falsified info on 10CFR26 inquiry form which was completed in May 1996.
MERSCHOFF,E.W. Region 4 (Post 820201). 97/09/12. SHOOK,M.N. Affiliation Not Assigned. 3pp. A1754:043-A1754:048.

--9801120266 Notice of violation from investigation on 970606.Violation noted:MN Shook submitted falsified info to NRC re being denied access to nuclear power plant as result of fitness-for-duty policy.
* Region 4 (Post 820201). 97/09/12. 3pp. A1754:046-A1754:048.

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801200289 Ack receipt of 971003 & 15 ltrs,informing NRC of steps taken to correct violations noted in insp repts 50-445/97-15 & 50-446/97-15 issued on 970805.Violation A meets concerns raised.Violation B,withdrawn & superseded w/encl NOV.
DYER,J.E. Region 4 (Post 820201). 98/01/14. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. A1829:043-A1829:049.

--9801200292 Notice of violation from insp on 970608-0719 & subsequent inoffice reviews concluded on 971114.Violation noted: procedures OPT-102A & 102B did not include appropriate quantitative acceptance criteria.
* Region 4 (Post 820201). 98/01/14. 2pp. A1829:047-A1829:049.

9801220247 Ack receipt of 970915 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/97-16 & 50-446/97-16.
MURRAY,B. Region 4 (Post 820201). 98/01/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. A1877:201-A1877:209.

9801230361 Discusses insp repts 50-445/97-19 & 50-446/97-19 on 970922-25 & predecisional enforcement conference on 971031 & forwards NOV.Insp included review of changes that TUEC made to CPSES Emergency Plan under 10CFR50.54(q) provisions.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. A1915:110-A1915:118.

--9801230372 Notice of violation from insp on 970922-25.Violation noted: on 961029,licensee made changes to emergency plan,w/o Commission approval,that decreased effectiveness of plan & did not continue to meet Planning Standard 50.47(b)(2).
* Region 4 (Post 820201). 98/01/16. 3pp. A1915:116-A1915:118.

9801260061 Ack receipt of 971219 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/97-18 & 50-446/97-18.
TAPIA,J.I. Region 4 (Post 820201). 98/01/16. TERRY,C.L. Texas Utilities Co. 4pp. A1918:350-A1918:361.

9801260095 Forwards insp repts 50-445/97-20 & 50-446/97-20 on 971012- 1122 & notice of violation.Three violations identified.In first instance,unfamiliarity w/sys operating parameters by senior reactor operator.
TAPIA,J.I. Region 4 (Post 820201). 98/01/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. A1919:015-A1919:043.

--**9801260100** Notice of violation from insp on 971012-1122.Violation noted:procedure IPO-005B,rev 2,not appropriate to circumstances in that procedure did not require pressure be maintained below RC system pressure & temp limits.
* Region 4 (Post 820201). 98/01/16. 2pp. A1919:020-A1919:021.

--**9801260102** Insp repts 50-445/97-20 & 50-446/97-20 on 971012-1122. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 4 (Post 820201). 98/01/16. 20pp. A1919:022-A1919:043.

R. Periodic operating reports & related correspondence

9801050282 Forwards MOR for Nov 1997,per TS 6.9.1.5 contained in App A to CPSES,Units 1 & 2.Typo re LER 445 97-008 was made in Oct 1997 MOR.LER should have been LER 445/97-009.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/12/16. Document Control Branch (Document Control Desk). 1p. A1684:176-A1684:184.

--**9801020081** Monthly operating repts for Nov 1997 for CPSES Units 1 & 2.
REIBLE,B. Texas Utilities Electric Co. (TU Electric). 97/11/30. 8pp. A1684:177-A1684:184.

9801210184 Monthly operating repts for Dec 1997 for CPSES,Units 1 & 2. W/980114 ltr.
REIBLE,B., TERRY,C.L., WALKER,R.D. Texas Utilities Co. 97/12/31. 9pp. A1867:298-A1867:306.

S. Reportable occurrences, LERs & related correspondence

9801090004 Part 21 rept re shipment by DuBose National Energy Svcs,Inc, of 40 pieces of 4 inch,90 degree elbows which did not meet ASME Section II SA-234 requirements.
DAILEY,J.N. . 98/01/07. Document Control Branch (Document Control Desk). 11pp. A1754:227-A1754:237.

9801200097 LER 97-010-00:on 971212,TS required shutdown due to inoperable solid state safeguards sequencer.Caused by output relay coil continuity failed.Failed lamp was replaced & sys was declared operable on 971213.W/980112 ltr.
FLORES,R., TERRY,C.L. Texas Utilities Co. 98/01/12. 7pp. A1840:108-A1840:114.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801230361 Discusses insp repts 50-445/97-19 & 50-446/97-19 on 970922-25 & predecisional enforcement conference on 971031 & forwards NOV.Insp included review of changes that TUEC made to CPSES Emergency Plan under 10CFR50.54(q) provisions.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. A1915:110-A1915:118.

--**9801230372** Notice of violation from insp on 970922-25.Violation noted: on 961029,licensee made changes to emergency plan,w/o Commission approval,that decreased effectiveness of plan & did not continue to meet Planning Standard 50.47(b)(2).
* Region 4 (Post 820201). 98/01/16. 3pp. A1915:116-A1915:118.

H. General correspondence

9801210262 Requests change in distribution list for transmittals re Public Util Commission of TX.Names & addresses,listed.
PAYTON,V. Texas, State of. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1887:240-A1887:240.

9801230052 Comment opposing PRM 50-63A by P Crane that requests NRC amend regulations re emergency planning to require consideration of sheltering,evacuation & prophylactic use of potassium iodide for general public.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:182-A1915:183.

P. Operating license stage documents & correspondence

9801060016 Summarizes 971114 meeting w/listed attendees to discuss joint TS conversion status & schedule.Attendance list encl.
POLICH,T.J. . 97/12/12. . 9pp. A1663:333-A1663:341.

9801020113 Forwards draft "Risk-Informed IST Program Description," which will be resubmitted after final resolution of comments,per 971208 meeting & telcons.Commitments re CPSES Units 1 & 2 also encl.
KELLEY,J.J. Texas Utilities Electric Co. (TU Electric). 97/12/18. Document Control Branch (Document Control Desk). 13pp. A1667:345-A1667:357.

9801120176 Forwards amends 56 & 42 to licenses NPF-87 & NPF-89 & SE. Amends change TS Table 3.3-3, "ESFAS Instrumentation Trip Setpoints," in response to 960709 (LAR 96-003) ltr & 971212 suppl.
POLICH,T.J. . 97/12/30. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. A1762:184-A1762:198.

--**9801120186** Amends 56 & 42 to licenses NPF-87 & NPF-89,respectively, changing TS Table 3.3-3, "ESFAS Instrumentation Trip Setpoints."
POLICH,T.J. . 97/12/30. 9pp. A1762:187-A1762:195.

--**9801120190** Safety evaluation supporting amends 56 & 42 to licenses NPF-87 & NPF-89,respectively.
* . 97/12/30. 3pp. A1762:196-A1762:198.

9801070145 Submits response to 970828 RAI re rev 1,suppl 1 to GL 92-01, "Reactor Vessel Structural Integrity." Commitments made by util,encl.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/12/31. Document Control Branch (Document Control Desk). 4pp. A1747:316-A1747:319.

9801130032 Forwards summary of changes or errors discovered in ECCS evaluation model used to calculate PCT,IAW requirements of 10CFR50.46(a)(3)(ii).
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1792:355-A1792:357.

9801210223 Forwards 90-day partial response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps." Util will provide further clarifying info by 980407,as agreed to by NRR in 971212 telcon.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/14. Document Control Branch (Document Control Desk). 12pp. A1891:346-A1891:357.

Q. Inspection reports, IE Bulletins & correspondence

9801120131 Discusses investigation conducted by OI re TU Electric decision to deny individual access to plant.Investigation completed 970606 to determine whether recipient violated NRC deliberate misconduct rule.NOV encl.
MERSCHOFF,E.W. Region 4 (Post 820201). 97/09/12. HOLYBEE,J.W. Affiliation Not Assigned. 3pp. A1754:002-A1754:007.

--**9801120132** Notice of violation from investigation completed on 970606. Violation noted:JW Holybee,employee of contractor,submitted inaccurate info to NRC.
* Region 4 (Post 820201). 97/09/12. 3pp. A1754:005-A1754:007.

9801120254 Discusses investigation rept 4-97-020 & forwards NOV.Based on review of util documents,NRC concluded that recipient deliberately falsified info on 10CFR26 inquiry form which was completed in May 1996.
MERSCHOFF,E.W. Region 4 (Post 820201). 97/09/12. SHOOK,M.N. Affiliation Not Assigned. 3pp. A1754:043-A1754:048.

--**9801120266** Notice of violation from investigation on 970606.Violation noted:MN Shook submitted falsified info to NRC re being denied access to nuclear power plant as result of fitness-for-duty policy.
* Region 4 (Post 820201). 97/09/12. 3pp. A1754:046-A1754:048.

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801200289 Ack receipt of 971003 & 15 ltrs,informing NRC of steps taken to correct violations noted in insp repts 50-445/97-15 & 50-446/97-15 issued on 970805.Violation A meets concerns raised.Violation B,withdrawn & superseded w/encl NOV.
DYER,J.E. Region 4 (Post 820201). 98/01/14. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. A1829:043-A1829:049.

--**9801200292** Notice of violation from insp on 970608-0719 & subsequent inoffice reviews concluded on 971114.Violation noted: procedures OPT-102A & 102B did not include appropriate quantitative acceptance criteria.
* Region 4 (Post 820201). 98/01/14. 2pp. A1829:047-A1829:049.

9801220247 Ack receipt of 970915 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/97-16 & 50-446/97-16.
MURRAY,B. Region 4 (Post 820201). 98/01/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. A1877:201-A1877:209.

9801230361 Discusses insp repts 50-445/97-19 & 50-446/97-19 on 970922-25 & predecisional enforcement conference on 971031 & forwards NOV.Insp included review of changes that TUEC made to CPSES Emergency Plan under 10CFR50.54(q) provisions.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. A1915:110-A1915:118.

--**9801230372** Notice of violation from insp on 970922-25.Violation noted: on 961029,licensee made changes to emergency plan,w/o Commission approval,that decreased effectiveness of plan & did not continue to meet Planning Standard 50.47(b)(2).
* Region 4 (Post 820201). 98/01/16. 3pp. A1915:116-A1915:118.

9801260061 Ack receipt of 971219 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/97-18 & 50-446/97-18.
TAPIA,J.I. Region 4 (Post 820201). 98/01/16. TERRY,C.L. Texas Utilities Co. 4pp. A1918:350-A1918:361.

9801260095 Forwards insp repts 50-445/97-20 & 50-446/97-20 on 971012- 1122 & notice of violation.Three violations identified.In first instance,unfamiliarity w/sys operating parameters by senior reactor operator.
TAPIA,J.I. Region 4 (Post 820201). 98/01/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. A1919:015-A1919:043.

--**9801260100** Notice of violation from insp on 971012-1122.Violation noted:procedure IPO-005B,rev 2,not appropriate to circumstances in that procedure did not require pressure be maintained below RC system pressure & temp limits.
* Region 4 (Post 820201). 98/01/16. 2pp. A1919:020-A1919:021.

--**9801260102** Insp repts 50-445/97-20 & 50-446/97-20 on 971012-1122. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 4 (Post 820201). 98/01/16. 20pp. A1919:022-A1919:043.

R. Periodic operating reports & related correspondence

9801050282 Forwards MOR for Nov 1997,per TS 6.9.1.5 contained in App A to CPSES,Units 1 & 2.Typo re LER 445 97-008 was made in Oct 1997 MOR.LER should have been LER 445/97-009.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/12/16. Document Control Branch (Document Control Desk). 1p. A1684:176-A1684:184.

--**9801020081** Monthly operating repts for Nov 1997 for CPSES Units 1 & 2.
REIBLE,B. Texas Utilities Electric Co. (TU Electric). 97/11/30. 8pp. A1684:177-A1684:184.

9801210184 Monthly operating repts for Dec 1997 for CPSES,Units 1 & 2. W/980114 ltr.
REIBLE,B., TERRY,C.L., WALKER,R.D. Texas Utilities Co. 97/12/31. 9pp. A1867:298-A1867:306.

S. Reportable occurrences, LERs & related correspondence

9801090004 Part 21 rept re shipment by DuBose National Energy Svcs,Inc, of 40 pieces of 4 inch,90 degree elbows which did not meet ASME Section II SA-234 requirements.
DAILEY,J.N. . 98/01/07. Document Control Branch (Document Control Desk). 11pp. A1754:227-A1754:237.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--**9801070099** Rev 4m to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Byron Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 29pp. A1742:287-A1742:315.

9801140318 Revised EPIPs,including EPIP index,rev 10 to BZP 100-1,rev 0 to BZP 100-1A1,rev 21 to BZP 100-T1,rev 10 to BZP 100-T2,rev 12 to BZP 100-T3,rev 6 to BZP 100-T4,rev 7 to BZP 100-T6,rev 11 to BZP 100-T7 & rev 13 to BZP 100-T8.
* Commonwealth Edison Co. 98/01/07. 280pp. A1824:001-A1824:280.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801270045 Forwards insp repts 50-454/98-02 & 50-455/98-02 on 980105- 09.No violations noted.Areas in emergency preparedness program were examined during insp.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1933:085-A1933:097.

--**9801270048** Insp repts 50-454/98-02 & 50-455/98-02 on 980105-09.No violations noted.Major areas inspected:review of emergency preparedness program & aspect of plant support.
* Region 3 (Post 820201). 98/01/21. 11pp. A1933:087-A1933:097.

P. Operating license stage documents & correspondence

9801200052 Revs to Offsite Dose Calculation Manual,consisting of Rev 1.5 to Chapter 11 & Rev 1.5 to Chapter 12.W/971217 ltr.
* Commonwealth Edison Co. 97/10/31. 85pp. A1839:234-A1839:317.

9801130247 Discusses 940428 submittal of IPE for plant,Units 1 & 2,in response to GL 88-02, "IPE for Severe Accident Vulnerabilities." Concludes that ComEd has met intent of GL-88-20 for plant.
DICK,G.F. . 97/12/03. JOHNSON,I.M. Commonwealth Edison Co. 4pp. A1796:164-A1796:257.

--**9801130254** Safety evaluation re licensee submittal of IPE for plant, Units 1 & 2,in response to GL 88-02, "IPE for Severe Accident Vulnerabilities."
* . 97/12/03. 7pp. A1796:168-A1796:257.

9801060006 Discusses installation of C&D Charter Power Sys batteries. NRC finds that design margin of 5% for C&D batteries acceptable,per review of util 971024 ltr & 971202 discussion w/licensee.
DICK,G.F. . 97/12/12. JOHNSON,I.M. Commonwealth Edison Co. 3pp. A1667:235-A1667:237.

9801070003 Forwards amends 95 & 95 to licenses NPF-37 & NPF-66 & SE. Amends will change TS 3/4.7.5, "UHS" & associated bases to support SG replacement & incorporate recent UHS design evaluations.
DICK,G.F. . 97/12/12. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1681:263-A1681:284.

--**9801070005** Amends 95 & 95 to licenses NPF-37 & NPF-66,respectively, changing TS 3/4.7.5, "UHS" & associated bases to support SG replacement & incorporate recent UHS design evaluations.
DICK,G.F. . 97/12/12. 12pp. A1681:268-A1681:279.

--**9801070007** Safety evaluation supporting amends 95 & 95 to licenses NPF-37 & NPF-66,respectively.
* . 97/12/12. 5pp. A1681:280-A1681:284.

9801130299 Forwards notice of consideration of issuance of amend re Byron Station,units 1 & 2 & Braidwood Station,units 1 & 2 primary containment & reactor coolant volume.
DICK,G.F. . 97/12/15. JOHNSON,I. Commonwealth Edison Co. 5pp. A1790:279-A1790:292.

9801020050 Discusses CEs plan to resolve spurious safety injection at power accident.CE has decided to pursue revising UFSAR & TS Bases for Byron & Braidwood Stations.Safety analysis & evaluations will be completed by 970430.
HOSMER,J.B. Commonwealth Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1679:287-A1679:288.

9801020057 Supplements response to RAI re revised SG tube rupture analysis dtd 970320.Operating crews at Byron & Braidwood have received subject training & successfully met specified acceptance criteria as of 971217.
HOSMER,J.B. Commonwealth Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1679:273-A1679:274.

9801060130 Submits supplemental response to NRC GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations," dtd 970401.
HOSMER,J.B. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 15pp. A1725:342-A1725:356.

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801130384 Forwards errata to amends 94 & 94 to licenses NPF-37 & NPF-66.Typo was inadvertently introduced on TS page 5-5.
DICK,G.F. . 97/12/29. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1790:346-A1790:350.

--**9801130389** Errata to amend 94 & 94 to licenses NPF-37 & NPF-66, correcting typo that was inadvertently introduced on TS page 5-5.
* . 97/12/29. 1p. A1790:350-A1790:350.

9801070243 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS 3.7.1.3, "Condensate Storage Tank" & associated bases for plants to raise min allowable CST level.
GRAESSER,K.L. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 9pp. A1742:316-A1742:348.

--**9801070246** Proposed Tech Specs 3.7.1.3 re condensate storage tank.
* Commonwealth Edison Co. 97/12/30. 24pp. A1742:323-A1742:348.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--**9801130014** "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801130392 Provides addl info indicating evaluation of potential for gas intrusion into crossover piping & plans for ensuring any gas intrusion into piping is detected.
GRAESSER,K.L. Commonwealth Edison Co. 98/01/06. Document Control Branch (Document Control Desk). 3pp. A1808:297-A1808:299.

9801130123 Provides clarification to primary containment & RCS amend re equipment qualification per 971219 & 980105 telcons.
JOHNSON,I.M. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1791:359-A1791:360.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801140035 Forwards supplemental info pertaining to tech spec amend re pressure temp curves for Byron & Braidwood Nuclear Power Stations.
STANLEY,H.G. Commonwealth Edison Co. 98/01/08. Document Control Branch (Document Control Desk). 63pp. A1819:021-A1819:201.

--**9801140145** "Byron Unit 1 Pressure Temp Limits Rept (PTLR)."
* Commonwealth Edison Co. 98/01/07. 24pp. A1819:085-A1819:108.

--**9801140149** "Byron Unit 2 Pressure Temp Limits Rept (PTLR)."
* Commonwealth Edison Co. 98/01/07. 24pp. A1819:109-A1819:132.

--**9801140158** "Braidwood - Unit 1 Pressure & Temp Limits Rept."
* Commonwealth Edison Co. 98/01/07. 24pp. A1819:133-A1819:156.

--**9801140162** "Braidwood - Unit 2 Pressure & Temp Limits Rept."
* Commonwealth Edison Co. 98/01/07. 44pp. A1819:157-A1819:201.

9801220246 Forwards environ assessment & finding of no significant impact re 970403 application for exemption & suppl ltr dtd 970619 to permit use of 1996 addenda to ASME boiler & pressure vessel code,section XI,App G.
DICK,G.F. . 98/01/08. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1887:263-A1887:274.

--9801220249 Environ assessment & finding of no significant impact re proposed action to permit licensee to use 1996 addenda to ASME boiler & pressure vessel code,section XI,app G,to determine reactor vessel pressure-temp limits.
DICK,G.F. . 98/01/09. 7pp. A1887:268-A1887:274.

9801280007 Forwards notice of withdrawal of 970131 amends request for licenses NPF-37 & NPF-66.Proposed change would have reduce Byron,Unit 1,limiting TS value for primary coolant dose equivalent I-131 concentration from 0.35 to 0.20 uCi.
LYNCH,M.D. . 98/01/08. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1921:275-A1921:280.

--9801280012 Notice of withdrawal of applicatoin for amend to licenses NPF-37 & NPF-66,respectively.Amend involves limiting TS value for primary coolant dose equivalent I-131 concentration being reduce from 0.35 to 0.20 uCi per gram.
LYNCH,M.D. . 98/01/08. 2pp. A1921:279-A1921:280.

9801200155 Clarifies info discussed in 980108 telcon re containment vessel structural integrity TS amend.
JOHNSON,I.M. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1843:131-A1843:132.

9801210232 Forwards suppl info pertaining to TS amend re pressure temperature curves,per 980109 telcon.
STANLEY,H.G. Commonwealth Edison Co. 98/01/13. Document Control Branch (Document Control Desk). 5pp. A1887:214-A1887:218.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

9801290146 Forwards amends 96,96,87 & 87 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively.Amends change TS requirements for SG water level to support SG replacement at Byron Unit 1 & Braidwood Unit 1.
DICK,G.F. . 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1942:054-A1942:089.

--9801290150 Amends 96 & 96 to licenses NPF-37 & NPF-66,respectively, changing TS requirements for SG water level to support SG replacement at plant.
DICK,G.F. . 98/01/15. 12pp. A1942:058-A1942:071.

--9801300171 Amends 87 & 87 to licenses NPF-72 & NPF-77,respectively, changing TS requirements for SG water level to support SG replacement.
DICK,G.F. . 98/01/15. 14pp. A1942:072-A1942:085.

--9801290154 Safety evaluation supporting amends 96,96,87 & 87 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/15. 4pp. A1942:086-A1942:089.

9801280046 Forwards exemption from requirements for 10CFR50.60, "Acceptance Criteria for Fracture Prevention..." related to util 970403 request as supplemented on 970619.SE containing basis & conclusions for granting exemption also encl.
DICK,G.F. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 7pp. A1934:332-A1934:349.

--9801280055 Exemption from requirements of 10CFR50.60,permitting use of safety margins recommended in 1996 Addenda to ASME B&P Vessel Code,Section XI,App G,in lieu of safety margins required by 10CFR50,App G.
MIRAGLIA,F.J. . 98/01/16. Commonwealth Edison Co. 6pp. A1934:339-A1934:344.

--9801280060 SER approving exemption from requirements of 10CFR50.60 for Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
* . 98/01/16. 5pp. A1934:345-A1934:349.

9801280122 Forwards request for addl info re 961213 proposal to amend TS for Byron Station,Units 1 & 2 & Braidwood Stations,Units 1 & 2 to be consistent w/improved TS in NUREG-1431.
ASSA,R.R. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A1920:341-A1920:346.

9801290133 Forwards SE accepting request to integrate reactor vessel weld metal surveillance program for Byron,units 1 & 2 & Braidwood,units 1 & 2,per 10CFR50.
CAPRA,R.A. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1942:031-A1942:038.

--9801290142 SER accepting request to integrate reactor vessel weld metal surveillance program for Byron,units 1 & 2 & Braidwood,units 1 & 2 per 10CFR50.
* . 98/01/16. 3pp. A1942:035-A1942:038.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 8pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801070243 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS 3.7.1.3, "Condensate Storage Tank" & associated bases for plants to raise min allowable CST level.
GRAESSER,K.L. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 9pp. A1742:316-A1742:348.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801070156 Responds to NRC 971204 ltr re violations noted in insp repts 50-454/97-20 & 50-455/97-20.Corrective actions:amends were on-site reviewed & sent to central file for distribution to station copies of TS on 971027 & 1103.
GRAESSER,K.L. Commonwealth Edison Co. 97/12/31. Document Control Branch (Document Control Desk). 5pp. A1747:271-A1747:275.

9801210287 Ack receipt of 970819 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/97-05 & 50-455/97-05.
JORDAN,M.J. Region 3 (Post 820201). 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1855:349-A1855:352.

9801210293 Ack receipt of 970825 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/97-08 & 50-455/97-08.
JORDAN,M.J. Region 3 (Post 820201). 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1855:353-A1855:356.

9801290124 Forwards safety evaluation re second 10-yr interval inservice insp program plan.
CAPRA,R.A. . 98/01/13. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1942:099-A1942:147.

--9801290136 Safety evaluation granting second 10-yr inservice insp program plan relief request.
* . 98/01/13. 44pp. A1942:103-A1942:147.

9801210201 Forwards insp repts 50-454/97-23 & 50-455/97-23 on 971117- 1218 & NOV.Insp determined that ALARA program effectively implemented during SG replacement project & dose maintained reasonably low.
GROBE,J.A. Region 3 (Post 820201). 98/01/14. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1856:346-A1856:360.

--9801210205 Notice of violation from insp on 971117-1218.Violation noted:on 971123,several workers were loitering in radiation field on 426 foot level within Unit 1 containment,including one worker sleeping.
* Region 3 (Post 820201). 98/01/14. 2pp. A1856:349-A1856:350.

--9801210207 Insp repts 50-454/97-23 & 50-455/97-23 on 971117-1218. Violations noted.Major areas inspected:radiological protection & chemistry (RP&C) controls & staff knowledge & performance in RP&C.
* Region 3 (Post 820201). 98/01/14. 10pp. A1856:351-A1856:360.

9801270045 Forwards insp repts 50-454/98-02 & 50-455/98-02 on 980105- 09.No violations noted.Areas in emergency preparedness program were examined during insp.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1933:085-A1933:097.

--9801270048 Insp repts 50-454/98-02 & 50-455/98-02 on 980105-09.No violations noted.Major areas inspected:review of emergency preparedness program & aspect of plant support.
* Region 3 (Post 820201). 98/01/21. 11pp. A1933:087-A1933:097.

9801280295 Forwards response to violations noted in insp repts 50-454/97-22 & 50-455/97-22.Corrective actions:mods installed on 1A & 1B CV pump casings that add suction header vent valves.
GRAESSER,K.L. Commonwealth Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 5pp. A1968:009-A1968:013.

R. Periodic operating reports & related correspondence

9801220043 Monthly operating repts for Dec 1997 for Byron Nuclear Power Station,Units 1 & 2.W/980109 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 97/12/31. 8pp. A1895:167-A1895:174.

S. Reportable occurrences, LERs & related correspondence

9801050080 LER 97-019-01:on 971028,potential failure of W fuel were noted.Caused by inadequate methods & incorrect assumptions in fuel rod design code.W has developed comprehensive plan to resolve fuel rod internal pressure issue.W/971221 ltr.
KOVAR,K., KOFRON,K.L. Commonwealth Edison Co. 97/12/21. 7pp. A1686:303-A1686:309.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. 3pp. A1960:072-A1960:074.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--9801070099 Rev 4m to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex for Byron Nuclear Power Station."
* Commonwealth Edison Co. 97/12/30. 29pp. A1742:287-A1742:315.

9801140318 Revised EPIPs,including EPIP index,rev 10 to BZP 100-1,rev 0 to BZP 100-1A1,rev 21 to BZP 100-T1,rev 10 to BZP 100-T2,rev 12 to BZP 100-T3,rev 6 to BZP 100-T4,rev 7 to BZP 100-T6,rev 11 to BZP 100-T7 & rev 13 to BZP 100-T8.
* Commonwealth Edison Co. 98/01/07. 280pp. A1824:001-A1824:280.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801270045 Forwards insp repts 50-454/98-02 & 50-455/98-02 on 980105- 09.No violations noted.Areas in emergency preparedness program were examined during insp.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1933:085-A1933:097.

--9801270048 Insp repts 50-454/98-02 & 50-455/98-02 on 980105-09.No violations noted.Major areas inspected:review of emergency preparedness program & aspect of plant support.
* Region 3 (Post 820201). 98/01/21. 11pp. A1933:087-A1933:097.

P. Operating license stage documents & correspondence

9801200052 Revs to Offsite Dose Calculation Manual,consisting of Rev 1.5 to Chapter 11 & Rev 1.5 to Chapter 12.W/971217 ltr.
* Commonwealth Edison Co. 97/10/31. 85pp. A1839:234-A1839:317.

9801130247 Discusses 940428 submittal of IPE for plant,Units 1 & 2,in response to GL 88-02, "IPE for Severe Accident Vulnerabilities." Concludes that ComEd has met intent of GL-88-20 for plant.
DICK,G.F. . 97/12/03. JOHNSON,I.M. Commonwealth Edison Co. 4pp. A1796:164-A1796:257.

--9801130254 Safety evaluation re licensee submittal of IPE for plant, Units 1 & 2,in response to GL 88-02, "IPE for Severe Accident Vulnerabilities."
* . 97/12/03. 7pp. A1796:168-A1796:257.

9801060006 Discusses installation of C&D Charter Power Sys batteries. NRC finds that design margin of 5% for C&D batteries acceptable,per review of util 971024 ltr & 971202 discussion w/licensee.
DICK,G.F. . 97/12/12. JOHNSON,I.M. Commonwealth Edison Co. 3pp. A1667:235-A1667:237.

9801070003 Forwards amends 95 & 95 to licenses NPF-37 & NPF-66 & SE. Amends will change TS 3/4.7.5, "UHS" & associated bases to support SG replacement & incorporate recent UHS design evaluations.
DICK,G.F. . 97/12/12. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1681:263-A1681:284.

--9801070005 Amends 95 & 95 to licenses NPF-37 & NPF-66,respectively, changing TS 3/4.7.5, "UHS" & associated bases to support SG replacement & incorporate recent UHS design evaluations.
DICK,G.F. . 97/12/12. 12pp. A1681:268-A1681:279.

--9801070007 Safety evaluation supporting amends 95 & 95 to licenses NPF-37 & NPF-66,respectively.
* . 97/12/12. 5pp. A1681:280-A1681:284.

9801130299 Forwards notice of consideration of issuance of amend re Byron Station,units 1 & 2 & Braidwood Station,units 1 & 2 primary containment & reactor coolant volume.
DICK,G.F. . 97/12/15. JOHNSON,I. Commonwealth Edison Co. 5pp. A1790:279-A1790:292.

9801020050 Discusses CEs plan to resolve spurious safety injection at power accident.CE has decided to pursue revising UFSAR & TS Bases for Byron & Braidwood Stations.Safety analysis & evaluations will be completed by 970430.
HOSMER,J.B. Commonwealth Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1679:287-A1679:288.

9801020057 Supplements response to RAI re revised SG tube rupture analysis dtd 970320.Operating crews at Byron & Braidwood have received subject training & successfully met specified acceptance criteria as of 971217.
HOSMER,J.B. Commonwealth Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1679:273-A1679:274.

9801060130 Submits supplemental response to NRC GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations," dtd 970401.
HOSMER,J.B. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 15pp. A1725:342-A1725:356.

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801130384 Forwards errata to amends 94 & 94 to licenses NPF-37 & NPF-66.Typo was inadvertently introduced on TS page 5-5.
DICK,G.F. . 97/12/29. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1790:346-A1790:350.

--9801130389 Errata to amend 94 & 94 to licenses NPF-37 & NPF-66, correcting typo that was inadvertently introduced on TS page 5-5.
* . 97/12/29. 1p. A1790:350-A1790:350.

9801070243 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS 3.7.1.3, "Condensate Storage Tank" & associated bases for plants to raise min allowable CST level.
GRAESSER,K.L. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 9pp. A1742:316-A1742:348.

--9801070246 Proposed Tech Specs 3.7.1.3 re condensate storage tank.
* Commonwealth Edison Co. 97/12/30. 24pp. A1742:323-A1742:348.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--9801130014 "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801130392 Provides addl info indicating evaluation of potential for gas intrusion into crossover piping & plans for ensuring any gas intrusion into piping is detected.
GRAESSER,K.L. Commonwealth Edison Co. 98/01/06. Document Control Branch (Document Control Desk). 3pp. A1808:297-A1808:299.

9801130123 Provides clarification to primary containment & RCS amend re equipment qualification per 971219 & 980105 telcons.
JOHNSON,I.M. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1791:359-A1791:360.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801140035 Forwards supplemental info pertaining to tech spec amend re pressure temp curves for Byron & Braidwood Nuclear Power Stations.
STANLEY,H.G. Commonwealth Edison Co. 98/01/08. Document Control Branch (Document Control Desk). 63pp. A1819:021-A1819:201.

--9801140149 "Byron Unit 2 Pressure Temp Limits Rept (PTLR)."
* Commonwealth Edison Co. 98/01/07. 24pp. A1819:109-A1819:132.

9801220246 Forwards environ assessment & finding of no significant impact re 970403 application for exemption & suppl ltr dtd 970619 to permit use of 1996 addenda to ASME boiler & pressure vessel code,section XI,App G.
DICK,G.F. . 98/01/08. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1887:263-A1887:274.

--9801220249 Environ assessment & finding of no significant impact re proposed action to permit licensee to use 1996 addenda to ASME boiler & pressure vessel code,section XI,app G,to determine reactor vessel pressure-temp limits.
DICK,G.F. . 98/01/09. 7pp. A1887:268-A1887:274.

9801280007 Forwards notice of withdrawal of 970131 amends request for licenses NPF-37 & NPF-66.Proposed change would have reduce Byron,Unit 1,limiting TS value for primary coolant dose equivalent I-131 concentration from 0.35 to 0.20 uCi.
LYNCH,M.D. . 98/01/08. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1921:275-A1921:280.

--9801280012 Notice of withdrawal of applicatoin for amend to licenses NPF-37 & NPF-66,respectively.Amend involves limiting TS value for primary coolant dose equivalent I-131 concentration being reduce from 0.35 to 0.20 uCi per gram.
LYNCH,M.D. . 98/01/08. 2pp. A1921:279-A1921:280.

9801200155 Clarifies info discussed in 980108 telcon re containment vessel structural integrity TS amend.
JOHNSON,I.M. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1843:131-A1843:132.

9801210232 Forwards suppl info pertaining to TS amend re pressure temperature curves,per 980109 telcon.
STANLEY,H.G. Commonwealth Edison Co. 98/01/13. Document Control Branch (Document Control Desk). 5pp. A1887:214-A1887:218.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

9801290146 Forwards amends 96,96,87 & 87 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively.Amends change TS requirements for SG water level to support SG replacement at Byron Unit 1 & Braidwood Unit 1.
DICK,G.F. . 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1942:054-A1942:089.

--9801290150 Amends 96 & 96 to licenses NPF-37 & NPF-66,respectively, changing TS requirements for SG water level to support SG replacement at plant.
DICK,G.F. . 98/01/15. 12pp. A1942:058-A1942:071.

--9801290154 Safety evaluation supporting amends 96,96,87 & 87 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/15. 4pp. A1942:086-A1942:089.

9801280046 Forwards exemption from requirements for 10CFR50.60, "Acceptance Criteria for Fracture Prevention..." related to util 970403 request as supplemented on 970619.SE containing basis & conclusions for granting exemption also encl.
DICK,G.F. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 7pp. A1934:332-A1934:349.

--9801280055 Exemption from requirements of 10CFR50.60,permitting use of safety margins recommended in 1996 Addenda to ASME B&P Vessel Code,Section XI,App G,in lieu of safety margins required by 10CFR50,App G.
MIRAGLIA,F.J. . 98/01/16. Commonwealth Edison Co. 6pp. A1934:339-A1934:344.

--9801280060 SER approving exemption from requirements of 10CFR50.60 for Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
* . 98/01/16. 5pp. A1934:345-A1934:349.

9801280122 Forwards request for addl info re 961213 proposal to amend TS for Byron Station,Units 1 & 2 & Braidwood Stations,Units 1 & 2 to be consistent w/improved TS in NUREG-1431.
ASSA,R.R. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A1920:341-A1920:346.

9801290133 Forwards SE accepting request to integrate reactor vessel weld metal surveillance program for Byron,units 1 & 2 & Braidwood,units 1 & 2,per 10CFR50.
CAPRA,R.A. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1942:031-A1942:038.

--9801290142 SER accepting request to integrate reactor vessel weld metal surveillance program for Byron,units 1 & 2 & Braidwood,units 1 & 2 per 10CFR50.
* . 98/01/16. 3pp. A1942:035-A1942:038.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801070243 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS 3.7.1.3, "Condensate Storage Tank" & associated bases for plants to raise min allowable CST level.
GRAESSER,K.L. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 9pp. A1742:316-A1742:348.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801070156 Responds to NRC 971204 ltr re violations noted in insp repts 50-454/97-20 & 50-455/97-20.Corrective actions:amends were on-site reviewed & sent to central file for distribution to station copies of TS on 971027 & 1103.
GRAESSER,K.L. Commonwealth Edison Co. 97/12/31. Document Control Branch (Document Control Desk). 5pp. A1747:271-A1747:275.

9801210287 Ack receipt of 970819 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/97-05 & 50-455/97-05.
JORDAN,M.J. Region 3 (Post 820201). 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1855:349-A1855:352.

9801210293 Ack receipt of 970825 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/97-08 & 50-455/97-08.
JORDAN,M.J. Region 3 (Post 820201). 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1855:353-A1855:356.

9801290124 Forwards safety evaluation re second 10-yr interval inservice insp program plan.
CAPRA,R.A. . 98/01/13. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1942:099-A1942:147.

--9801290136 Safety evaluation granting second 10-yr inservice insp program plan relief request.
* . 98/01/13. 44pp. A1942:103-A1942:147.

9801210201 Forwards insp repts 50-454/97-23 & 50-455/97-23 on 971117- 1218 & NOV.Insp determined that ALARA program effectively implemented during SG replacement project & dose maintained reasonably low.
GROBE,J.A. Region 3 (Post 820201). 98/01/14. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1856:346-A1856:360.

--9801210205 Notice of violation from insp on 971117-1218.Violation noted:on 971123,several workers were loitering in radiation field on 426 foot level within Unit 1 containment,including one worker sleeping.
* Region 3 (Post 820201). 98/01/14. 2pp. A1856:349-A1856:350.

--9801210207 Insp repts 50-454/97-23 & 50-455/97-23 on 971117-1218. Violations noted.Major areas inspected:radiological protection & chemistry (RP&C) controls & staff knowledge & performance in RP&C.
* Region 3 (Post 820201). 98/01/14. 10pp. A1856:351-A1856:360.

9801270045 Forwards insp repts 50-454/98-02 & 50-455/98-02 on 980105- 09.No violations noted.Areas in emergency preparedness program were examined during insp.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1933:085-A1933:097.

--9801270048 Insp repts 50-454/98-02 & 50-455/98-02 on 980105-09.No violations noted.Major areas inspected:review of emergency preparedness program & aspect of plant support.
* Region 3 (Post 820201). 98/01/21. 11pp. A1933:087-A1933:097.

9801280295 Forwards response to violations noted in insp repts 50-454/97-22 & 50-455/97-22.Corrective actions:mods installed on 1A & 1B CV pump casings that add suction header vent valves.
GRAESSER,K.L. Commonwealth Edison Co. 98/01/21. Document Control Branch (Document Control Desk). 5pp. A1968:009-A1968:013.

R. Periodic operating reports & related correspondence

9801220043 Monthly operating repts for Dec 1997 for Byron Nuclear Power Station,Units 1 & 2.W/980109 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 97/12/31. 8pp. A1895:167-A1895:174.

V. Operator Examinations

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. 3pp. A1960:072-A1960:074.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801130178 Revised EPIPs,including rev 5 to EPIP BwZP 1000-1,rev 1 to EPIP BwZP 1000-4A1,rev 3 to EPIP BwZP 1000-5A1,rev 2 to EPIP BwZP 2000-2 & rev 1 to EPIP BwZP 2000-3.
* Commonwealth Edison Co. 97/12/20. 13pp. A1793:073-A1793:085.

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--9801070055 Rev 3j to "Com ED Generating Stations Emergency Plan (GSEP) Site Annex for Braidwood Nuclear Station."
* Commonwealth Edison Co. 97/12/30. 32pp. A1742:137-A1742:168.

9801120247 Forwards physical security insp repts 50-456/97-20 & 50-457/97-20 on 971117-21 & notice of violation.Violation based on failure of security force members to rept to supervisor when conditions existed.NOV withheld.
GROBE,J.A. Region 3 (Post 820201). 98/01/07. TULON,T. Commonwealth Edison Co. 3pp. A1754:038-A1754:042.

--9801120252 Partially withheld insp repts 50-456/97-20 & 50-457/97-20 on 971117-21 (ref 10CFR73.21).Violations noted.Major areas inspected:plant support performance involving evaluation of effectiveness of physical protection program.
* Region 3 (Post 820201). 98/01/07. 2pp. A1754:041-A1754:042.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801230019 Discusses operational safeguards response evaluation on 970714-17 re insp repts 50-456/97-201 & 50-457/97-201. Overall,security force demonstrated effective contingency response capability.
ROSANO,R.P. . 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1901:343-A1901:346.

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

P. Operating license stage documents & correspondence

9801130299 Forwards notice of consideration of issuance of amend re Byron Station,units 1 & 2 & Braidwood Station,units 1 & 2 primary containment & reactor coolant volume.
DICK,G.F. . 97/12/15. JOHNSON,I. Commonwealth Edison Co. 5pp. A1790:279-A1790:292.

9801020050 Discusses CEs plan to resolve spurious safety injection at power accident.CE has decided to pursue revising UFSAR & TS Bases for Byron & Braidwood Stations.Safety analysis & evaluations will be completed by 970430.
HOSMER,J.B. Commonwealth Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1679:287-A1679:288.

9801020057 Supplements response to RAI re revised SG tube rupture analysis dtd 970320.Operating crews at Byron & Braidwood have received subject training & successfully met specified acceptance criteria as of 971217.
HOSMER,J.B. Commonwealth Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1679:273-A1679:274.

9801060130 Submits supplemental response to NRC GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations," dtd 970401.
HOSMER,J.B. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 15pp. A1725:342-A1725:356.

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801070243 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS 3.7.1.3, "Condensate Storage Tank" & associated bases for plants to raise min allowable CST level.
GRAESSER,K.L. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 9pp. A1742:316-A1742:348.

--9801070246 Proposed Tech Specs 3.7.1.3 re condensate storage tank.
* Commonwealth Edison Co. 97/12/30. 24pp. A1742:323-A1742:348.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--9801130014 "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801130392 Provides addl info indicating evaluation of potential for gas intrusion into crossover piping & plans for ensuring any gas intrusion into piping is detected.
GRAESSER,K.L. Commonwealth Edison Co. 98/01/06. Document Control Branch (Document Control Desk). 3pp. A1808:297-A1808:299.

9801130123 Provides clarification to primary containment & RCS amend re equipment qualification per 971219 & 980105 telcons.
JOHNSON,I.M. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1791:359-A1791:360.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801140035 Forwards supplemental info pertaining to tech spec amend re pressure temp curves for Byron & Braidwood Nuclear Power Stations.
STANLEY,H.G. Commonwealth Edison Co. 98/01/08. Document Control Branch (Document Control Desk). 63pp. A1819:021-A1819:201.

--9801140158 "Braidwood - Unit 1 Pressure & Temp Limits Rept."
* Commonwealth Edison Co. 98/01/07. 24pp. A1819:133-A1819:156.

9801220246 Forwards environ assessment & finding of no significant impact re 970403 application for exemption & suppl ltr dtd 970619 to permit use of 1996 addenda to ASME boiler & pressure vessel code,section XI,App G.
DICK,G.F. . 98/01/08. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1887:263-A1887:274.

--9801220249 Environ assessment & finding of no significant impact re proposed action to permit licensee to use 1996 addenda to ASME boiler & pressure vessel code,section XI,app G,to determine reactor vessel pressure-temp limits.
DICK,G.F. . 98/01/09. 7pp. A1887:268-A1887:274.

9801200155 Clarifies info discussed in 980108 telcon re containment vessel structural integrity TS amend.
JOHNSON,I.M. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1843:131-A1843:132.

9801210232 Forwards suppl info pertaining to TS amend re pressure temperature curves,per 980109 telcon.
STANLEY,H.G. Commonwealth Edison Co. 98/01/13. Document Control Branch (Document Control Desk). 5pp. A1887:214-A1887:218.

9801160125 Application for amends to licenses NPF-72 & NPF-77, revising TS to reduce dose equivalent I-131 activity from requested 0.1 microCuries/gram to 0.05 based on revised total end-of-cycle 7 projected leak rate value.
TULON,T.J. Commonwealth Edison Co. 98/01/14. Document Control Branch (Document Control Desk). 20pp. A1841:179-A1841:256.

--9801160128 Proposed tech specs pages revising TS 3.4.8, "Specific Activity," Figure 3.4-1,Table 4.4-4 & TS Bases 3.4.8.
* Commonwealth Edison Co. 98/01/14. 20pp. A1841:199-A1841:218.

--9801160129 Rev 5 to calculation 95-011, "Control Room Thyroid Dose from Main Steam Line Break Event."
CHRISTIANA,D. Commonwealth Edison Co. 95-011 R05. 97/12/10. 11pp. A1841:219-A1841:229.

--9801160132 Rev 4 to calculation BRW-97-0798-M, "Allowable Leak Rate Calculation for SG Interim Plugging Criteria."
LAUNI,C.M. Commonwealth Edison Co. BRW-97-6798-M R04. 97/12/10. 27pp. A1841:230-A1841:256.

9801160139 Application for amends to licenses NPF-72 & NPF-77, respectively.Proposed amends revise TS Section 3/4.8.2 & Bases,to allow replacement of 125 volt dc AT&T batteries w/new Charter Power Sys,Inc (C&D) batteries.
TULON,T.J. Commonwealth Edison Co. 98/01/14. Document Control Branch (Document Control Desk). 8pp. A1840:307-A1840:325.

--9801160141 Proposed tech specs pages,revising TS Section 3/4.8.2 & Bases,to allow replacement of 125 volt dc AT&T batteries w/new Charter Power Sys,Inc (C&D) batteries.
* Commonwealth Edison Co. 98/01/14. 11pp. A1840:315-A1840:325.

9801210249 Forwards rept providing justification for not conducting mid-cycle insp at Braidwood Unit 1 of outer diameter stress corrosion cracking indications left in svc.
STANLEY,H.G. Commonwealth Edison Co. 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1882:123-A1882:157.

--9801220207 "Braidwood Unit 1 3.0 Volt IPC Full Cycle Operation Technical Basis Supplement to 'Braidwood Unit 1 Cycle 7 Interim Plugging Criteria Rept,Aug 1997.'"
* Commonwealth Edison Co. 97/12/31. 33pp. A1882:125-A1882:157.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

9801290146 Forwards amends 96,96,87 & 87 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively.Amends change TS requirements for SG water level to support SG replacement at Byron Unit 1 & Braidwood Unit 1.
DICK,G.F. . 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1942:054-A1942:089.

--9801300171 Amends 87 & 87 to licenses NPF-72 & NPF-77,respectively, changing TS requirements for SG water level to support SG replacement.
DICK,G.F. . 98/01/15. 14pp. A1942:072-A1942:085.

--9801290154 Safety evaluation supporting amends 96,96,87 & 87 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/15. 4pp. A1942:086-A1942:089.

9801270234 Summary of 971211 meeting w/ComEd in Rockville,Maryland re additional justification for proposed methodology for estimating voltage-dependent growth rates of outer diameter stress corrosion crack indications left in service.
LYNCH,D.M. . 98/01/16. . 37pp. A1927:250-A1927:286.

9801280046 Forwards exemption from requirements for 10CFR50.60, "Acceptance Criteria for Fracture Prevention..." related to util 970403 request as supplemented on 970619.SE containing basis & conclusions for granting exemption also encl.
DICK,G.F. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 7pp. A1934:332-A1934:349.

--9801280055 Exemption from requirements of 10CFR50.60,permitting use of safety margins recommended in 1996 Addenda to ASME B&P Vessel Code,Section XI,App G,in lieu of safety margins required by 10CFR50,App G.
MIRAGLIA,F.J. . 98/01/16. Commonwealth Edison Co. 6pp. A1934:339-A1934:344.

--9801280060 SER approving exemption from requirements of 10CFR50.60 for Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
* . 98/01/16. 5pp. A1934:345-A1934:349.

9801280122 Forwards request for addl info re 961213 proposal to amend TS for Byron Station,Units 1 & 2 & Braidwood Stations,Units 1 & 2 to be consistent w/improved TS in NUREG-1431.
ASSA,R.R. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A1920:341-A1920:346.

9801290133 Forwards SE accepting request to integrate reactor vessel weld metal surveillance program for Byron,units 1 & 2 & Braidwood,units 1 & 2,per 10CFR50.
CAPRA,R.A. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1942:031-A1942:038.

--9801290142 SER accepting request to integrate reactor vessel weld metal surveillance program for Byron,units 1 & 2 & Braidwood,units 1 & 2 per 10CFR50.
* . 98/01/16. 3pp. A1942:035-A1942:038.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801280023 Forwards insp repts 50-456/97-16 & 50-457/97-16 on 970923- 1103 & notice of violation.Six violations identified.Two violations were cited for failure ro take effective corrective actions to address previously cited violations.
GRANT,G.E. Region 3 (Post 820201). 97/12/17. TULON,T. Commonwealth Edison Co. 5pp. A1939:226-A1939:264.

--9801280025 Notice of violation from insp on 970923-1103.Violation noted:on 971014,licensee instrument technician made error when changing setpoints on Unit 2 containment area radiation monitor 2AR11J.Error resulted in high radiation alarm.
* Region 3 (Post 820201). 97/12/17. 5pp. A1939:231-A1939:235.

--9801280028 Insp repts 50-456/97-16 & 50-457/97-16 on 970923-1103. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 3 (Post 820201). 97/12/17. 29pp. A1939:236-A1939:264.

9801020096 Responds to NRC 970922 ltr re violations noted in insp repts 50-456/97-15 & 50-457/97-15.Corrective actions:two operators dispatched to place valve in locked closed as required by procedure BwOP CS-M2, "Operating Mechanical Lineup Unit 2."
TULON,T.J. Commonwealth Edison Co. 97/12/23. Document Control Branch (Document Control Desk). 4pp. A1679:137-A1679:140.

9801020090 Ack receipt of 971215 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/97-17 & 50-457/97-17 on 971117.Reviewed C/As & have no further questions.C/As will be examined during future insps.
GROBE,J.A. Region 3 (Post 820201). 97/12/24. TULON,T. Commonwealth Edison Co. 2pp. A1629:080-A1629:087.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801060054 Forwards operator licensing exam repts 50-456/97-310OL & 50-457/97-310OL on 971006-1107.Three senior reactor operator applicants & one reactor operator passed exams.One senior reactor operator failed operating exam.
GROBE,J.A. Region 3 (Post 820201). 97/12/29. TULON,T. Commonwealth Edison Co. 3pp. A1680:053-A1680:069.

--9801060063 NRC Operator Licensing Exam Repts 50-456/97-310OL & 50-457/97-310OL for tests administered on 971006-1107.Three senior reactor operators & one reactor operator passed exam. One senior reactor & one reactor operator failed.
* Region 3 (Post 820201). 97/12/29. 14pp. A1680:056-A1680:069.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801070243 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS 3.7.1.3, "Condensate Storage Tank" & associated bases for plants to raise min allowable CST level.
GRAESSER,K.L. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 9pp. A1742:316-A1742:348.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801120247 Forwards physical security insp repts 50-456/97-20 & 50-457/97-20 on 971117-21 & notice of violation.Violation based on failure of security force members to rept to supervisor when conditions existed.NOV withheld.
GROBE,J.A. Region 3 (Post 820201). 98/01/07. TULON,T. Commonwealth Edison Co. 3pp. A1754:038-A1754:042.

--9801120252 Partially withheld insp repts 50-456/97-20 & 50-457/97-20 on 971117-21 (ref 10CFR73.21).Violations noted.Major areas inspected:plant support performance involving evaluation of effectiveness of physical protection program.
* Region 3 (Post 820201). 98/01/07. 2pp. A1754:041-A1754:042.

9801140189 Forwards NRC operator licensing exam rept w/as-given written exam for tests administered during wk of 971006 at plant.
BIES,M.A. Region 3 (Post 820201). 98/01/07. Document Control Branch (Document Control Desk). 257pp. A1798:052-A1798:308.

9801210249 Forwards rept providing justification for not conducting mid-cycle insp at Braidwood Unit 1 of outer diameter stress corrosion cracking indications left in svc.
STANLEY,H.G. Commonwealth Edison Co. 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1882:123-A1882:157.

--9801220207 "Braidwood Unit 1 3.0 Volt IPC Full Cycle Operation Technical Basis Supplement to 'Braidwood Unit 1 Cycle 7 Interim Plugging Criteria Rept,Aug 1997.'"
* Commonwealth Edison Co. 97/12/31. 33pp. A1882:125-A1882:157.

9801230019 Discusses operational safeguards response evaluation on 970714-17 re insp repts 50-456/97-201 & 50-457/97-201. Overall,security force demonstrated effective contingency response capability.
ROSANO,R.P. . 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1901:343-A1901:346.

9801220226 Responds to NRC 971217 ltr re violations noted in insp repts 50-456/97-16 & 50-457/97-16.Corrective actions:LER was submitted within 30 days from date of actuation,thus meeting time requirements of 10CFR50.73.
TULON,T.J. Commonwealth Edison Co. 98/01/16. Document Control Branch (Document Control Desk). 15pp. A1895:018-A1895:032.

R. Periodic operating reports & related correspondence

9801140193 Monthly operating repts for Dec 1997 for Braidwood Generating Station,units 1 & 2.W/980107 ltr.
HILDEBRANT,D., SCHWARTZ,G.K. Commonwealth Edison Co. 97/12/31. 9pp. A1801:302-A1801:310.

V. Operator Examinations

9801060054 Forwards operator licensing exam repts 50-456/97-310OL & 50-457/97-310OL on 971006-1107.Three senior reactor operator applicants & one reactor operator passed exams.One senior reactor operator failed operating exam.
GROBE,J.A. Region 3 (Post 820201). 97/12/29. TULON,T. Commonwealth Edison Co. 3pp. A1680:053-A1680:069.

--9801060063 NRC Operator Licensing Exam Repts 50-456/97-310OL & 50-457/97-310OL for tests administered on 971006-1107.Three senior reactor operators & one reactor operator passed exam. One senior reactor & one reactor operator failed.
* Region 3 (Post 820201). 97/12/29. 14pp. A1680:056-A1680:069.

9801130048 Forwards facility submitted outline,initial exam submittal & as given operating exam for test administered during wk of 971006 at plant.
BIES,M.A. Region 3 (Post 820201). 98/01/07. Document Control Branch (Document Control Desk). 927pp. A1782:001-A1784:199.

9801140189 Forwards NRC operator licensing exam rept w/as-given written exam for tests administered during wk of 971006 at plant.
BIES,M.A. Region 3 (Post 820201). 98/01/07. Document Control Branch (Document Control Desk). 257pp. A1798:052-A1798:308.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. 3pp. A1960:072-A1960:074.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801130178 Revised EPIPs,including rev 5 to EPIP BwZP 1000-1,rev 1 to EPIP BwZP 1000-4A1,rev 3 to EPIP BwZP 1000-5A1,rev 2 to EPIP BwZP 2000-2 & rev 1 to EPIP BwZP 2000-3.
* Commonwealth Edison Co. 97/12/20. 13pp. A1793:073-A1793:085.

9801070034 Forwards annual certification of generating stations emergency plan.Generating Stations Emergency Plan Change Request 96-G1 pending NRC approval also.
VONK,M.J. Commonwealth Edison Co. 97/12/22. NRC - No Detailed Affiliation Given. 2pp. A1742:135-A1742:315.

--9801070055 Rev 3j to "Com ED Generating Stations Emergency Plan (GSEP) Site Annex for Braidwood Nuclear Station."
* Commonwealth Edison Co. 97/12/30. 32pp. A1742:137-A1742:168.

9801120247 Forwards physical security insp repts 50-456/97-20 & 50-457/97-20 on 971117-21 & notice of violation.Violation based on failure of security force members to rept to supervisor when conditions existed.NOV withheld.
GROBE,J.A. Region 3 (Post 820201). 98/01/07. TULON,T. Commonwealth Edison Co. 3pp. A1754:038-A1754:042.

--9801120252 Partially withheld insp repts 50-456/97-20 & 50-457/97-20 on 971117-21 (ref 10CFR73.21).Violations noted.Major areas inspected:plant support performance involving evaluation of effectiveness of physical protection program.
* Region 3 (Post 820201). 98/01/07. 2pp. A1754:041-A1754:042.

9801160168 Revised EPIPs,including 2000 Series TOC,rev 2 to CEPIP-2221-01,rev 5 to CEPIP-2322-01 & rev 2 to CEPIP-2334-02.
* Commonwealth Edison Co. 98/01/15. 36pp. A1833:300-A1833:335.

9801230019 Discusses operational safeguards response evaluation on 970714-17 re insp repts 50-456/97-201 & 50-457/97-201. Overall,security force demonstrated effective contingency response capability.
ROSANO,R.P. . 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1901:343-A1901:346.

9801230394 Rev 9 to CEPIP 3151-01, "GSEP Environs Group Transfer or Shipment of Environ Radiological Samples to Radioanalytical Labs." W/revised table of contents.
* Commonwealth Edison Co. 98/01/15. 8pp. A1919:353-A1919:360.

P. Operating license stage documents & correspondence

9801050264 Forwards exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Lightwater Nuclear Power Reactors for Normal Operation." Exemption permits licensee to use safety margins,per Code Case N-514.
DICK,G.F. . 97/12/12. JOHNSON,I.M. Commonwealth Edison Co. 4pp. A1663:212-A1663:222.

--9801050266 Exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention Measures for Lightwater Nuclear Power Reactors for Normal Operation."
MIRAGLIA,F.J. . 97/12/12. Commonwealth Edison Co. 7pp. A1663:216-A1663:222.

9801130299 Forwards notice of consideration of issuance of amend re Byron Station,units 1 & 2 & Braidwood Station,units 1 & 2 primary containment & reactor coolant volume.
DICK,G.F. . 97/12/15. JOHNSON,I. Commonwealth Edison Co. 5pp. A1790:279-A1790:292.

9801020050 Discusses CEs plan to resolve spurious safety injection at power accident.CE has decided to pursue revising UFSAR & TS Bases for Byron & Braidwood Stations.Safety analysis & evaluations will be completed by 970430.
HOSMER,J.B. Commonwealth Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1679:287-A1679:288.

9801020057 Supplements response to RAI re revised SG tube rupture analysis dtd 970320.Operating crews at Byron & Braidwood have received subject training & successfully met specified acceptance criteria as of 971217.
HOSMER,J.B. Commonwealth Edison Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1679:273-A1679:274.

9801060130 Submits supplemental response to NRC GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations," dtd 970401.
HOSMER,J.B. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 15pp. A1725:342-A1725:356.

9801070155 Provides notification of two fossil stations.Ownership of State Line Station & Knicaid Station will be transferred to listed organizations.
WALLACE,M.J. Commonwealth Edison Co. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:359-A1741:360.

9801070243 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS 3.7.1.3, "Condensate Storage Tank" & associated bases for plants to raise min allowable CST level.
GRAESSER,K.L. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 9pp. A1742:316-A1742:348.

--**9801070246** Proposed Tech Specs 3.7.1.3 re condensate storage tank.
* Commonwealth Edison Co. 97/12/30. 24pp. A1742:323-A1742:348.

9801080402 Confirms plans to conduct routine mgt meeting on 980122 in Region III ofc.Purpose of meeting to discuss engineering self-assessment efforts.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. HOSMER,J.B. Commonwealth Edison Co. 2pp. A1728:118-A1728:119.

9801120277 Communicates strategic priorities & mgt process established for Nuclear Generation Group of Comm Ed.Strategic priorities,processes or strategic reform initiatives will serve as focus for Nuclear Generation Group.
KINGSLEY,O.D. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 6pp. A1789:093-A1789:164.

--**9801130014** "Nuclear Generation Group Strategic Reform Initiatives."
* Commonwealth Edison Co. 98/01/05. 66pp. A1789:099-A1789:164.

9801130092 Provides required 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," issued on 971007.
HOSMER,J. Commonwealth Edison Co. 98/01/05. Document Control Branch (Document Control Desk). 23pp. A1795:249-A1795:271.

9801130392 Provides addl info indicating evaluation of potential for gas intrusion into crossover piping & plans for ensuring any gas intrusion into piping is detected.
GRAESSER,K.L. Commonwealth Edison Co. 98/01/06. Document Control Branch (Document Control Desk). 3pp. A1808:297-A1808:299.

9801130123 Provides clarification to primary containment & RCS amend re equipment qualification per 971219 & 980105 telcons.
JOHNSON,I.M. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 2pp. A1791:359-A1791:360.

9801160043 Provides supplemental info re CE's response to RAI per 10CFR50.54(f) re safety performance at CE.Summary of revs to definitions of three indicators & changes to threshold values for two indicators,encl.
WALLACE,M.J. Commonwealth Edison Co. 98/01/07. Document Control Branch (Document Control Desk). 4pp. A1844:294-A1844:297.

9801140035 Forwards supplemental info pertaining to tech spec amend re pressure temp curves for Byron & Braidwood Nuclear Power Stations.
STANLEY,H.G. Commonwealth Edison Co. 98/01/08. Document Control Branch (Document Control Desk). 63pp. A1819:021-A1819:201.

--**9801140162** "Braidwood - Unit 2 Pressure & Temp Limits Rept."
* Commonwealth Edison Co. 98/01/07. 44pp. A1819:157-A1819:201.

9801220246 Forwards environ assessment & finding of no significant impact re 970403 application for exemption & suppl ltr dtd 970619 to permit use of 1996 addenda to ASME boiler & pressure vessel code,section XI,App G.
DICK,G.F. . 98/01/08. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1887:263-A1887:274.

--**9801220249** Environ assessment & finding of no significant impact re proposed action to permit licensee to use 1996 addenda to ASME boiler & pressure vessel code,section XI,app G,to determine reactor vessel pressure-temp limits.
DICK,G.F. . 98/01/09. 7pp. A1887:268-A1887:274.

9801200155 Clarifies info discussed in 980108 telcon re containment vessel structural integrity TS amend.
JOHNSON,I.M. Commonwealth Edison Co. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1843:131-A1843:132.

9801210232 Forwards suppl info pertaining to TS amend re pressure temperature curves,per 980109 telcon.
STANLEY,H.G. Commonwealth Edison Co. 98/01/13. Document Control Branch (Document Control Desk). 5pp. A1887:214-A1887:218.

9801160125 Application for amends to licenses NPF-72 & NPF-77, revising TS to reduce dose equivalent I-131 activity from requested 0.1 microCuries/gram to 0.05 based on revised total end-of-cycle 7 projected leak rate value.
TULON,T.J. Commonwealth Edison Co. 98/01/14. Document Control Branch (Document Control Desk). 20pp. A1841:179-A1841:256.

--**9801160128** Proposed tech specs pages revising TS 3.4.8, "Specific Activity," Figure 3.4-1,Table 4.4-4 & TS Bases 3.4.8.
* Commonwealth Edison Co. 98/01/14. 20pp. A1841:199-A1841:218.

--**9801160129** Rev 5 to calculation 95-011, "Control Room Thyroid Dose from Main Steam Line Break Event."
CHRISTIANA,D. Commonwealth Edison Co. 95-011 R05. 97/12/10. 11pp. A1841:219-A1841:229.

--**9801160132** Rev 4 to calculation BRW-97-0798-M, "Allowable Leak Rate Calculation for SG Interim Plugging Criteria."
LAUNI,C.M. Commonwealth Edison Co. BRW-97-6798-M R04. 97/12/10. 27pp. A1841:230-A1841:256.

9801160139 Application for amends to licenses NPF-72 & NPF-77, respectively.Proposed amends revise TS Section 3/4.8.2 & Bases,to allow replacement of 125 volt dc AT&T batteries w/new Charter Power Sys,Inc (C&D) batteries.
TULON,T.J. Commonwealth Edison Co. 98/01/14. Document Control Branch (Document Control Desk). 8pp. A1840:307-A1840:325.

--**9801160141** Proposed tech specs pages,revising TS Section 3/4.8.2 & Bases,to allow replacement of 125 volt dc AT&T batteries w/new Charter Power Sys,Inc (C&D) batteries.
* Commonwealth Edison Co. 98/01/14. 11pp. A1840:315-A1840:325.

9801210185 Discusses conversation between I Johnson & J Gavula re cancellation of planned routine mgt meeting on 980122 in Lisle,IL.
GROBE,J.A. Region 3 (Post 820201). 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1857:030-A1857:031.

9801290146 Forwards amends 96,96,87 & 87 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively.Amends change TS requirements for SG water level to support SG replacement at Byron Unit 1 & Braidwood Unit 1.
DICK,G.F. . 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1942:054-A1942:089.

--**9801300171** Amends 87 & 87 to licenses NPF-72 & NPF-77,respectively, changing TS requirements for SG water level to support SG replacement.
DICK,G.F. . 98/01/15. 14pp. A1942:072-A1942:085.

--**9801290154** Safety evaluation supporting amends 96,96,87 & 87 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/15. 4pp. A1942:086-A1942:089.

9801280046 Forwards exemption from requirements for 10CFR50.60, "Acceptance Criteria for Fracture Prevention..." related to util 970403 request as supplemented on 970619.SE containing basis & conclusions for granting exemption also encl.
DICK,G.F. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 7pp. A1934:332-A1934:349.

--**9801280055** Exemption from requirements of 10CFR50.60,permitting use of safety margins recommended in 1996 Addenda to ASME B&P Vessel Code,Section XI,App G,in lieu of safety margins required by 10CFR50,App G.
MIRAGLIA,F.J. . 98/01/16. Commonwealth Edison Co. 6pp. A1934:339-A1934:344.

--**9801280060** SER approving exemption from requirements of 10CFR50.60 for Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
* . 98/01/16. 5pp. A1934:345-A1934:349.

9801280122 Forwards request for addl info re §61213 proposal to amend TS for Byron Station,Units 1 & 2 & Braidwood Stations,Units 1 & 2 to be consistent w/improved TS in NUREG-1431.
ASSA,R.R. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A1920:341-A1920:346.

9801290133 Forwards SE accepting request to integrate reactor vessel weld metal surveillance program for Byron,units 1 & 2 & Braidwood,units 1 & 2,per 10CFR50.
CAPRA,R.A. . 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1942:031-A1942:038.

--**9801290142** SER accepting request to integrate reactor vessel weld metal surveillance program for Byron,units 1 & 2 & Braidwood,units 1 & 2 per 10CFR50.
* . 98/01/16. 3pp. A1942:035-A1942:038.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801280023 Forwards insp repts 50-456/97-16 & 50-457/97-16 on 970923- 1103 & notice of violation.Six violations identified.Two violations were cited for failure ro take effective corrective actions to address previously cited violations.
GRANT,G.E. Region 3 (Post 820201). 97/12/17. TULON,T. Commonwealth Edison Co. 5pp. A1939:226-A1939:264.

--**9801280025** Notice of violation from insp on 970923-1103.Violation noted:on 971014,licensee instrument technician made error when changing setpoints on Unit 2 containment area radiation monitor 2AR11J.Error resulted in high radiation alarm.
* Region 3 (Post 820201). 97/12/17. 5pp. A1939:231-A1939:235.

--**9801280028** Insp repts 50-456/97-16 & 50-457/97-16 on 970923-1103. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 3 (Post 820201). 97/12/17. 29pp. A1939:236-A1939:264.

9801020096 Responds to NRC 970922 ltr re violations noted in insp repts 50-456/97-15 & 50-457/97-15.Corrective actions:two operators dispatched to place valve in locked closed as required by procedure BwOP CS-M2, "Operating Mechanical Lineup Unit 2."
TULON,T.J. Commonwealth Edison Co. 97/12/23. Document Control Branch (Document Control Desk). 4pp. A1679:137-A1679:140.

9801020090 Ack receipt of 971215 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/97-17 & 50-457/97-17 on 971117.Reviewed C/As & have no further questions.C/As will be examined during future insps.
GROBE,J.A. Region 3 (Post 820201). 97/12/24. TULON,T. Commonwealth Edison Co. 2pp. A1629:080-A1629:087.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801060054 Forwards operator licensing exam repts 50-456/97-310OL & 50-457/97-310OL on 971006-1107.Three senior reactor operator applicants & one reactor operator passed exams.One senior reactor operator failed operating exam.
GROBE,J.A. Region 3 (Post 820201). 97/12/29. TULON,T. Commonwealth Edison Co. 3pp. A1680:053-A1680:069.

--**9801060063** NRC Operator Licensing Exam Repts 50-456/97-310OL & 50-457/97-310OL for tests administered on 971006-1107.Three senior reactor operators & one reactor operater passed exam. One senior reactor & one reactor operator failed.
* Region 3 (Post 820201). 97/12/29. 14pp. A1680:056-A1680:069.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801070243 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS 3.7.1.3, "Condensate Storage Tank" & associated bases for plants to raise min allowable CST level.
GRAESSER,K.L. Commonwealth Edison Co. 97/12/30. Document Control Branch (Document Control Desk). 9pp. A1742:316-A1742:348.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801120247 Forwards physical security insp repts 50-456/97-20 & 50-457/97-20 on 971117-21 & notice of violation.Violation based on failure of security force members to rept to supervisor when conditions existed.NOV withheld.
GROBE,J.A. Region 3 (Post 820201). 98/01/07. TULON,T. Commonwealth Edison Co. 3pp. A1754:038-A1754:042.

--9801120252 Partially withheld insp repts 50-456/97-20 & 50-457/97-20 on 971117-21 (ref 10CFR73.21).Violations noted.Major areas inspected:plant support performance involving evaluation of effectiveness of physical protection program.
* Region 3 (Post 820201). 98/01/07. 2pp. A1754:041-A1754:042.

9801140189 Forwards NRC operator licensing exam rept w/as-given written exam for tests administered during wk of 971006 at plant.
BIES,M.A. Region 3 (Post 820201). 98/01/07. Document Control Branch (Document Control Desk). 257pp. A1798:052-A1798:308.

9801230019 Discusses operational safeguards response evaluation on 970714-17 re insp repts 50-456/97-201 & 50-457/97-201. Overall,security force demonstrated effective contingency response capability.
ROSANO,R.P. . 98/01/15. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1901:343-A1901:346.

9801220226 Responds to NRC 971217 ltr re violations noted in insp repts 50-456/97-16 & 50-457/97-16.Corrective actions:LER was submitted within 30 days from date of actuation,thus meeting time requirements of 10CFR50.73.
TULON,T.J. Commonwealth Edison Co. 98/01/16. Document Control Branch (Document Control Desk). 15pp. A1895:018-A1895:032.

R. Periodic operating reports & related correspondence

9801140193 Monthly operating repts for Dec 1997 for Braidwood Generating Station,units 1 & 2.W/980107 ltr.
HILDEBRANT,D., SCHWARTZ,G.K. Commonwealth Edison Co. 97/12/31. 9pp. A1801:302-A1801:310.

V. Operator Examinations

9801060054 Forwards operator licensing exam repts 50-456/97-310OL & 50-457/97-310OL on 971006-1107.Three senior reactor operator applicants & one reactor operator passed exams.One senior reactor operator failed operating exam.
GROBE,J.A. Region 3 (Post 820201). 97/12/29. TULON,T. Commonwealth Edison Co. 3pp. A1680:053-A1680:069.

--9801060063 NRC Operator Licensing Exam Repts 50-456/97-310OL & 50-457/97-310OL for tests administered on 971006-1107.Three senior reactor operators & one reactor operator passed exam. One senior reactor & one reactor operator failed.
* Region 3 (Post 820201). 97/12/29. 14pp. A1680:056-A1680:069.

9801130048 Forwards facility submitted outline,initial exam submittal & as given operating exam for test administered during wk of 971006 at plant.
BIES,M.A. Region 3 (Post 820201). 98/01/07. Document Control Branch (Document Control Desk). 927pp. A1782:001-A1784:199.

9801140189 Forwards NRC operator licensing exam rept w/as-given written exam for tests administered during wk of 971006 at plant.
BIES,M.A. Region 3 (Post 820201). 98/01/07. Document Control Branch (Document Control Desk). 257pp. A1798:052-A1798:308.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. 3pp. A1960:072-A1960:074.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801280370 Ack receipt of 961227 ltr which transmitted Rev 14 to RBS Emergency Plan,submitted under provisions of 10CFR50.54(q). Submittal discussed during 980115 & 20 telcons.No NRC approval needed since effectivenesss of plan not decreased.
MURRAY,B. Region 4 (Post 820201). 98/01/23. MCGAHA,J.R. Entergy Operations, Inc. 5pp. A1959:289-A1959:293.

I. Financial information

9801140390 Informs that Entergy Operations,Inc will no longer submit annual financial repts for Cajun Electric Power Cooperative, Inc.Entergy Gulf States has been awarded thirty percent share of River Bend,previously owned by Cajun Electric.
KING,R.J. Entergy Operations, Inc. 98/01/06. Document Control Branch (Document Control Desk). 2pp. A1826:343-A1826:344.

P. Operating license stage documents & correspondence

9801120207 Forwards amend 101 to license NPF-47 & safety evaluation. Amend revises license to reflect transfer of 30-percent ownership interest in River Bend from Cajun Electric Power Cooperative,Inc to Entergy Gulf States,Inc.
WIGGINTON,D.L. . 97/12/23. MCGAHA,J.R. Entergy Operations, Inc. 3pp. A1762:159-A1762:168.

--9801120213 Amend 101 to license NPF-47,revising license to reflect transfer of 30-percent ownership interest in River Bend from Cajun Electric Power Cooperative,Inc to Entergy Gulf States, Inc.
WIGGINTON,D.L. . 97/12/23. 3pp. A1762:162-A1762:163.

--9801120216 Safety evaluation supporting amend 101 to license NPF-47.
* . 97/12/23. 4pp. A1762:164-A1762:168.

9801150122 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
KING,R.J. Entergy Operations, Inc. 98/01/05. Document Control Branch (Document Control Desk). 8pp. A1844:189-A1844:196.

9801130089 Requests relief from certain ASME Code,Section XI,IST reqirements for second 10-year interval which began 971201. Relief requests attached for cases where full compliance w/ASME Code,Section XI,requirements is not practical.
KING,R.J. Entergy Operations, Inc. 98/01/06. Document Control Branch (Document Control Desk). 9pp. A1793:026-A1793:036.

9801130129 Forwards supporting info for requesting approval of proposed alternative to 10CFR50.55a(g)(6)(ii)(A) requirements re augmented exam of reactor vessel.
KING,R.J. Entergy Operations, Inc. 98/01/07. Document Control Branch (Document Control Desk). 8pp. A1791:311-A1791:318.

9801200149 Submits response to NRC staff inquiries re LAR 96-23 for change to TS concerning LPRM calibr.
KING,R.J. Entergy Operations, Inc. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1843:128-A1843:130.

9801200134 Notification of 980122 meeting w/util in Rockville,MD to discuss site licensing status for listed plants & to explore ways to standardize licensing submittals & issuances.
WIGGINTON,D.L. . 98/01/12. HANNON,J.N. . 7pp. A1844:353-A1844:359.

9801280174 "River Bend Station Unit 1 Cycle 8 Startup Physics Test Summary." W/ 980119 ltr.
KING,R.J. Entergy Operations, Inc. 98/01/19. 8pp. A1967:344-A1967:351.

9801290167 Addresses current status of efforts to implement long term stability solution at plant.Final solution for reactor stability to be implemented after NRC review & approval of rev 1 to NEDO-32339,rev 1,is proposed.
KING,R.J. Entergy Operations, Inc. 98/01/20. Document Control Branch (Document Control Desk). 3pp. A1971:247-A1971:249.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801270137 EN-97-115:on 971223,notice of proposed imposition of civil penalty in amount of $55,000 issued to licensee.Action based on Severity Level III problem involving several violations re two separate events.
REIS,T., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/12/18. 1p. A1963:170-A1963:170.

9801050346 Discusses insp rept 50-458/97-15 on 970922-1017 & forwards notice of violation & proposed inposition of civil penalty in amount of $55,000.Violation involves failure to meet TS requirements that prohibit mode changes.
MERSCHOFF,E.W. Region 4 (Post 820201). 97/12/23. MCGAHA,J.R. Entergy Operations, Inc. 6pp. A1658:180-A1658:188.

--9801050357 Notice of violation & proposed imposition of civil penalty in amount of $55,000.Violations noted:on 970913,adequate procedures covering operation of shutdown cooling were not maintained.
* Region 4 (Post 820201). 97/12/23. 3pp. A1658:186-A1658:188.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801130066 Ack receipt of 971215 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/97-14.
COLLINS,E.E. Region 4 (Post 820201). 98/01/05. MCGAHA,J.R. Entergy Operations, Inc. 5pp. A1785:075-A1785:085.

9801130089 Requests relief from certain ASME Code,Section XI,IST reqirements for second 10-year interval which began 971201. Relief requests attached for cases where full compliance w/ASME Code,Section XI,requirements is not practical.
KING,R.J. Entergy Operations, Inc. 98/01/06. Document Control Branch (Document Control Desk). 9pp. A1793:026-A1793:036.

9801140114 Forwards insp rept 50-458/97-18 on 971208-1212.No violations noted.
POWERS,D.A. Region 4 (Post 820201). 98/01/06. MCGAHA,J.R. Entergy Operations, Inc. 5pp. A1798:001-A1798:015.

--9801140129 Insp rept 50-458/97-18 on 971208-12.No violations noted. Major areas inspected:maint & engineering.
* Region 4 (Post 820201). 98/01/06. 10pp. A1798:006-A1798:015.

9801130140 Requests relief from certain ASME Code,Section XI,ISI requirements for second 10-yr interval which began 971201. W/requests for relief where full compliance w/ASME Code, Section XI,requirements not practical.
KING,R.J. Entergy Operations, Inc. 98/01/07. Document Control Branch (Document Control Desk). 12pp. A1793:089-A1793:100.

9801280103 Submits response to violations noted in insp rept 50-458/97-15 & payment of $55,000 for proposed civil penalty.Corrective actions:condition rept generated to document event & root cause analysis team to investigate.
KING,R.J. Entergy Operations, Inc. 98/01/21. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 11pp. A1966:102-A1966:112.

9801290070 Responds to NRC ltr re violations noted in insp rept 50-458/97-17.Corrective actions:on 971030,TS 3.6.1.2 Condition "C" Actions were entered.
KING,R.J. Entergy Operations, Inc. 98/01/23. Document Control Branch (Document Control Desk). 5pp. A1971:290-A1971:294.

R. Periodic operating reports & related correspondence

9801140191 Monthly operating rept for Dec 1997 for River Bend Station, Unit 1.W/ 980109 ltr.
WILLIAMSON,D.H., KING,R.J. Entergy Operations, Inc. 97/12/31. 4pp. A1800:351-A1800:354.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

G. Non-Antitrust Legal and Adjudicatory Correspondence

9801230199 Submits on behalf of Washington Public Power Supply Sys quarterly status rept re deferred WNP-1 project,in accordance w/931014 Memo & Order.Status of WNP-1 project has not change since 971003 rept.
REYNOLDS,N.S. Washington Public Power Supply System. REYNOLDS,N.S. Winston & Strawn. #198 18725. 98/01/06. BLOCH,P.B. Atomic Safety & Licensing Board Panel. SCHINK,D.R. Texas A&M Univ., College Station, TX. 1p. A1886:358-A1886:358.

I. Financial information

9801200107 "Washington Public Power Supply Sys Annual Rept for 1997." W/980108 ltr.
CARTER,D., PARRISH,V., KUCERA,G.J. Washington Public Power Supply System. 97/12/31. 40pp. A1842:288-A1842:327.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801060353 Requests schedular exemption from requirements of 10CFR50,App E for performance of next biennial full- participation exercise for CPS in Jan 1999.
COOK,J.G. Illinois Power Co. 97/12/19. Document Control Branch (Document Control Desk). 10pp. A1741:327-A1741:336.

9801130125 Forwards insp rept 50-461/97-24 on 971201-05.No violations noted.Areas within util security program were examined.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. COOK,J.G. Illinois Power Co. 2pp. A1763:164-A1763:174.

--9801130128 Insp rept 50-461/97-24 on 971201-05.No violations noted. Major areas inspected:plant support activities.Selective elements of access authorization program,security communication sys & testing were reviewed & evaluated.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. 2pp. A1763:166-A1763:174.

9801150206 Forwards special evaluation team insp rept for Clinton Power Station conducted on 970923-1003 & 1020-31.Significant weaknesses identified in operations,engineering,maintenance & plant support.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/02. HAAB,L. Illinois Power Co. 6pp. A1817:245-A1817:330.

--9801150213 Insp rept for Clinton Power Station on 970923-1003 & 1020-31.Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
PERKINS,K.E. NRC - No Detailed Affiliation Given. COLLINS,S.J. . 97/12/22. 80pp. A1817:251-A1817:330.

9801140268 Submits addl info to 960622 ltr from Region III re 4 issues identified in 960417 ltr,which transmitted rev 22 to security plan.Region believes that issues may not meet criteria for changes under provisions of 10CFR50.54(p).
HOPKINS,J.B. . 98/01/06. SIPEK,J. Illinois Power Co. 5pp. A1806:350-A1806:354.

9801270089 Informs that NRC completed semiannual plant performance review of plant on 971031.NRC specialist insps shown on encl insp plan.Util 970926 response will be evaluated for demand- for-info re corrective action program performance at plant.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. COOK,J.G. Illinois Power Co. 5pp. A1933:335-A1933:339.

H. General correspondence

9801130058 Informs that on 980105,ILPR entered into mgt svcs agreement w/PECO Energy.Agreement will provide senior mgt oversight for plant & intended as long-term arrangement.
MACFARLAND,W.G. Illinois Power Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1791:357-A1791:358.

P. Operating license stage documents & correspondence

9801060258 Provides 90-day response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
COOK,J.G. Illinois Power Co. 97/12/29. Document Control Branch (Document Control Desk). 5pp. A1727:336-A1727:340.

9801230343 Notification of 980127 meeting w/Illinois Power Co in Rockville,MD to discuss potential fix for issue of degraded voltage.
HOPKINS,J.B. . 98/01/16. SAVIO,R.P. . 5pp. A1901:247-A1901:251.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801060116 Responds to NRC ltr re violations noted in insp rept 50-461/97-15.Corrective actions:Procedure CPS 1014.6, "Operability Determinations" will be revised by 980131.
COOK,J.G. Illinois Power Co. 97/12/19. Document Control Branch (Document Control Desk). 14pp. A1725:275-A1725:288.

9801060123 Responds to NRC ltr re violations noted in insp rept 50-461/97-19.Corrective actions:PM tasks will be revised by 980630,to provide direction on proper method of lubricating motor bearings.
COOK,J.G. Illinois Power Co. 97/12/19. Document Control Branch (Document Control Desk). 12pp. A1718:351-A1718:362.

9801270200 Forwards insp rept 50-461/97-22 on 971007-1124 & notice of violation.Improvements were noted in quality of audits conducted by QA personnel.
GROBE,J.A. Region 3 (Post 820201). 97/12/22. COOK,J.G. Illinois Power Co. 4pp. A1933:256-A1933:288.

--9801270202 Notice of violation from insp on 971007-1124.Violations noted:as of 971124,measures were not established to control issuance of documents which prescribe activities affecting quality.
* Region 3 (Post 820201). 97/12/22. 2pp. A1933:260-A1933:261.

--9801270205 Insp rept 50-461/97-22 on 971007-1124.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
KOZAK,T.J. Region 3 (Post 820201). 97/12/22. 27pp. A1933:262-A1933:288.

9801020070 Forwards insp rept 50-461/97-23 on 971103-07.No violations noted.Purpose of insp to review licensed operator requalification program.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. COOK,J.G. Illinois Power Co. 3pp. A1629:062-A1629:073.

--9801020071 Insp rept 50-461/97-23 on 971103-07.No violations noted. Major areas inspected:findings & conclusions from insp of licensed RO & SRO requalification training programs.
* Region 3 (Post 820201). 97/12/23. 9pp. A1629:065-A1629:073.

9801050295 Describes actions that util has taken or plans to take to address issues re corrective action program performance of CPS.Comprehensive plan for excellence that util intends to implement,described.
COOK,J.G. Illinois Power Co. 97/12/23. BEACH,A.B. Region 3 (Post 820201). 12pp. A1709:255-A1709:266.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801270170 EN-97-120:on 980108,informs Commission staff intends to exercise enforcement discretion per Section VII.B.6 of Enforcement Policy & not issue citation or propose civil penalty for 21 violations identified at plant.
NELSON,D., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/12/31. 1p. A1947:325-A1947:325.

9801130125 Forwards insp rept 50-461/97-24 on 971201-05.No violations noted.Areas within util security program were examined.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. COOK,J.G. Illinois Power Co. 2pp. A1763:164-A1763:174.

--9801130128 Insp rept 50-461/97-24 on 971201-05.No violations noted. Major areas inspected:plant support activities.Selective elements of access authorization program,security communication sys & testing were reviewed & evaluated.
GROBE,J.A. Region 3 (Post 820201). 98/01/02. 2pp. A1763:166-A1763:174.

9801150206 Forwards special evaluation team insp rept for Clinton Power Station conducted on 970923-1003 & 1020-31.Significant weaknesses identified in operations,engineering,maintenance & plant support.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/02. HAAB,L. Illinois Power Co. 6pp. A1817:245-A1817:330.

--9801150213 Insp rept for Clinton Power Station on 970923-1003 & 1020-31.Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
PERKINS,K.E. NRC - No Detailed Affiliation Given. COLLINS,S.J. . 97/12/22. 80pp. A1817:251-A1817:330.

9801200085 Ack receipt of 980102 ltr in response to NRC ltr dtd 970806 re confirmatory action ltr which involved breaker issues at Clinton Power Station.No further questions.
GROBE,J.A. Region 3 (Post 820201). 98/01/12. COOK,J.G. Illinois Power Co. 1p. A1829:030-A1829:032.

--9801200088 Submits revisions to 971113 interim response to 970806 confirmatory action ltr on circuit breaker failures at Clinton Power Station.
COOK,J.G. Illinois Power Co. 98/01/02. BEACH,A.B. Region 3 (Post 820201). 2pp. A1829:031-A1829:032.

9801270187 Discusses allegation of employment discrimination by ILPR at plant.Investigation conducted & concluded that based on info developed,allegation could not be substantiated.
GROBE,J.A. Region 3 (Post 820201). 98/01/14. COOK,J.G. Illinois Power Co. 4pp. A1933:340-A1933:343.

9801210084 Forwards check for $450,000 to replace original check sent on 970709 for payment of civil penalty,NOV & proposed imposition of penalties.Util has stopped payment on original check.
SIPEK,J.V. Illinois Power Co. 98/01/15. TREMPER,L. Division of Accounting & Finance (Post 890205). 1p. A1857:354-A1857:354.

9801270089 Informs that NRC completed semiannual plant performance review of plant on 971031.NRC specialist insps shown on encl insp plan.Util 970926 response will be evaluated for demand- for-info re corrective action program performance at plant.
GROBE,J.A. Region 3 (Post 820201). 98/01/21. COOK,J.G. Illinois Power Co. 5pp. A1933:335-A1933:339.

9801280303 Submits response to violations noted in insp rept 50-461/97-22.Corrective actions:component cooling water sys alignment changed to provide cooling to "A" RWCU non- regenerative heat exchanger.
MACFARLAND,W.G. Illinois Power Co. 98/01/22. Document Control Branch (Document Control Desk). 12pp. A1966:269-A1966:280.

9801270031 Ack receipt of 971219 ltr informing NRC of steps taken to correct violations noted in insp rept 50-461/97-15.
KOZAK,T.J. Region 3 (Post 820201). 98/01/23. COOK,J.G. Illinois Power Co. 2pp. A1933:064-A1933:065.

R. Periodic operating reports & related correspondence

9801130036 Monthly operating rept for Dec 1997 for Clinton Power Station,Unit 1.W/ 980106 ltr.
DEMARK,W.E., SIPEK,J.V. Illinois Power Co. 97/12/31. 5pp. A1793:021-A1793:025.

S. Reportable occurrences, LERs & related correspondence

9801020037 PNO-III-96-026:on 960409,Unit 1 reactor shut down automatically when maint activities in switchyard resulted in partial loss of offsite power.On 960410 second unusual event declared due to heatup rate in excess of TS.
ROTON,J.R., CLAYTON,B. Region 3 (Post 820201). 96/04/11. 1p. A1600:028-A1600:028.

9801020165 Discusses 10CFR21 interim rept 21-97-051, "Improper Cable Resistance Values Used in Design of AC & DC Electrical Distribution Sys." Evaluation of issue has not been completed & no firm date set.Update will be sent by 980119.
COOK,J.G. Illinois Power Co. 97/12/22. Document Control Branch (Document Control Desk). 2pp. A1686:299-A1686:300.

9801070006 Forwards LER 97-032-00,plant was outside design basis due to inadequate tornado missile protection caused by design error,IAW 10CFR50.73 & 10CFR21.21.Commitments made in rept, listed.
COOK,J.G. Illinois Power Co. 98/01/02. Document Control Branch (Document Control Desk). 1p. A1754:192-A1754:198.

--9801070010 LER 97-032-00:on 860929,plant was outside design basis due to inadequate tornado missile protection.Caused by design error.Provided missile protection for portions of HPCS & RCIC pump suction piping,per 10CFR21.
MCMILLAN,D.L. Illinois Power Co. 98/01/02. 5pp. A1754:194-A1754:198.

9801130192 LER 96-008-01:on 960613,reactor recirculation pumps tripped from fast to slow.Caused by loose connection.Revised preventive maint work document & held briefing on event w/ technicians re contributing factors & CAs.W/980107 ltr.
FORBES,D.K., MACFARLAND,W.G. Illinois Power Co. 98/01/07. 4pp. A1806:282-A1806:285.

9801220097 Forwards LER 97-034-00 & Part 21 Rept 21-97-051 re incorrect cable resistance & brake horsepower data used in design of divisions 1 & 2 EDG vent fans results in design of fan motors being outside design basis of plant.
MACFARLAND,W.G. Illinois Power Co. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1893:098-A1893:104.

--9801220103 LER 97-034-00:on 860929,incorrect cable resistance & brake horsepower data used in design of divisions 1 & 2 EDG vent fans results in design of fan motors being outside design basis.Cause under investigation.
HAUMANN,A.B. Illinois Power Co. 98/01/16. 5pp. A1893:099-A1893:104.

9801280083 Forwards LER 97-035-00 re discovery of divisions 1 & 2 battery chargers being incapable of supplying full rated voltage & current flow at degraded voltage trip setpoint. Commitments made by util,listed.
MACFARLAND,W.G. Illinois Power Co. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1963:181-A1963:186.

--9801280087 LER 97-035-00:on 860929,noted that divisions 1 & 2 battery chargers were incapable of supplying full rated voltage & current flow at degraded voltage trip.Cause evaluation for event has not been completed.Battery charger modified.
HAUMANN,A.B. Illinois Power Co. 98/01/16. 4pp. A1963:183-A1963:186.

9801280131 Forwards LER 97-033-00 re misinterpretation of Tech Specs Bases results in failure to meet required Tech Specs for two inoperable ECC subsystems.LER contains listed commitments.
MACFARLAND,W. Illinois Power Co. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1963:175-A1963:180.

--9801280140 LER 97-033-00:on 971218,shift supervisor recognized that containment bldg fuel transfer pool ventilation plenum exhaust radiation monitors declared inoperable.Caused by misinterpretation of Tech Specs.Operations on TS revised.
BEECHER,A.K. Illinois Power Co. 98/01/16. 4pp. A1963:177-A1963:180.

9801280333 Part 21 interim rept 21-97-055,identified adverse trend in auxiliary switch operating assembly anomalies in W DHP circuit breakers on 971120.Condition rept 1-97-11-388 initiated to track investigation & resolution.
MACFARLAND,W.G. Illinois Power Co. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1963:239-A1963:240.

9801260190 Forwards LER 97-036-00 & 10CFR21 Rept 21-98-002 re failure of cooling unit mfg to install motor shaft key leads to inoperability of shutdown svc water pump room cooling unit. Rept submitted in accordance w/requirements of 10CFR50.73.
MACFARLAND,W. Illinois Power Co. 98/01/19. Document Control Branch (Document Control Desk). 1p. A1923:169-A1923:173.

--9801260201 LER 97-036-00:on 971222,engineering completed evaluation of missing motor shaft key that connects motor to fan hub of Div II shutdown SW pump room cooler.Caused by inoperability of room cooler.Cooling fan restored,per 10CFR21.
O'RILEY,S.P. Illinois Power Co. 98/01/19. 4pp. A1923:170-A1923:173.

V. Operator Examinations

9801020070 Forwards insp rept 50-461/97-23 on 971103-07.No violations noted.Purpose of insp to review licensed operator requalification program.
GROBE,J.A. Region 3 (Post 820201). 97/12/23. COOK,J.G. Illinois Power Co. 3pp. A1629:062-A1629:073.

--9801020071 Insp rept 50-461/97-23 on 971103-07.No violations noted. Major areas inspected:findings & conclusions from insp of licensed RO & SRO requalification training programs.
* Region 3 (Post 820201). 97/12/23. 9pp. A1629:065-A1629:073.

9801290055 Informs that NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions on GFES registration process & forwards sample registration ltr.
LEACH,M.N. Region 3 (Post 820201). 98/01/26. WALKER,J.B. Commonwealth Edison Co. 3pp. A1960:072-A1960:074.

DOCKET STN-50-477 ATLANTIC GENERATING STATION, UNIT 1, PUBLIC SERVICE

F. Security, medical, emergency & fire protection plans

9801060292 Voided rev 1 to EPIP-808, "Radiation Mgt Consultants Spokesperson Response - ENC." Procedure is superseded by NC.EP-EP.ZZ-0801(Q),rev 0.
* Public Service Electric & Gas Co. of New Jersey. 97/12/23. 4pp. A1729:265-A1729:268.

DOCKET STN-50-478 ATLANTIC GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801060292 Voided rev 1 to EPIP-808, "Radiation Mgt Consultants Spokesperson Response - ENC." Procedure is superseded by NC.EP-EP.ZZ-0801(Q),rev 0.
* Public Service Electric & Gas Co. of New Jersey. 97/12/23. 4pp. A1729:265-A1729:268.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9801070198 Submits rev 29 to WCGS physical security plan,safeguards contingency plan & training & qualification plan,per 10CFR50.54(p).Plans withheld,per 10CFR73.21.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/12/19. Document Control Branch (Document Control Desk). 1p. A1762:089-A1762:089.

9801210030 Forwards revs 57 & 58 to WCGS "Radiological Emergency Response Plan" & revs to EPIPs,including rev 15 to EPP 01-1.0,rev 15 to EPP 01.10.1,rev 10 to EPP 01.12.1,rev 0 to EPP 06-007 & rev 4 to EPP 01-13.1.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1853:001-A1854:187.

--9801210031 Rev 57 to "Radiological Emergency Response Plan."
* Wolf Creek Nuclear Operating Corp. 97/12/16. 185pp. A1853:002-A1853:186.

--**9801210032** Rev 58 to "Radiological Emergency Response Plan."
* Wolf Creek Nuclear Operating Corp. 97/12/23. 191pp. A1853:187-A1854:013.

--**9801210033** Revised EPIPs,including rev 15 to EPP 01-1.0,rev 15 to EPP 01-10.1,rev 10 to EPP 01-12.1,rev 0 to EPP 06-007 & rev 4 to EPP 01-13.1.
* Wolf Creek Nuclear Operating Corp. 97/12/16. 174pp. A1854:014-A1854:187.

9801230139 Provides notification of changes affecting WCGS physical security plan,IAW 10CFR50.54(p)(2).Change increases retention time of security procedures from three years to five years.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/01/15. Document Control Branch (Document Control Desk). 2pp. A1899:245-A1899:246.

9801280229 Forwards insp rept 50-482/98-01 on 980112-16.No violations noted.Insp included portions of physical security program. NRC determined that physical security program was properly implemented.
MURRAY,B. Region 4 (Post 820201). 98/01/23. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. A1940:115-A1940:128.

--**9801280232** Insp rept 50-482/98-01 on 980112-16.No violation noted. Major areas inspected:licensee physical security program, including protected area barriers & detection aids,vital area barriers & detection aids & compensatory measures.
* Region 4 (Post 820201). 98/01/23. 10pp. A1940:119-A1940:128.

P. Operating license stage documents & correspondence

9801060016 Summarizes 971114 meeting w/listed attendees to discuss joint TS conversion status & schedule.Attendance list encl.
POLICH,T.J. . 97/12/12. . 9pp. A1663:333-A1663:341.

9801020093 Forwards response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/12/18. Document Control Branch (Document Control Desk). 6pp. A1679:281-A1679:286.

9801060231 Responds to 971117 ltr to LJ Callan expressing concerns re staff handling of three exigent TS amend requests.Contract w/outside communication facility to provide 24 h coverage for toll-free telephone numbers currently being established.
COLLINS,S.J. . 97/12/19. LOCHBAUM,D.A. Union of Concerned Scientists. 5pp. A1667:170-A1667:174.

9801020111 Forwards summary of presentations made by util at mgt 971114 meeting on human performance improvement.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 97/12/23. Document Control Branch (Document Control Desk). 6pp. A1687:316-A1687:321.

9801220239 Provides suppl response to GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 98/01/05. Document Control Branch (Document Control Desk). 3pp. A1893:359-A1893:361.

9801220135 Provides response to 971210 RAI for 970902 LAR re auxiliary feedwater sys.Attachment 1 provides response to specific questions provided in 971210 ltr.Attachment 2 provides replacement pages,clarifying Bases for 970902 LAR.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 98/01/15. Document Control Branch (Document Control Desk). 5pp. A1892:334-A1892:341.

--**9801220138** Proposed tech specs replacement pages clarifying Bases in 970-902 LAR re auxiliary feedwater sys.
* Wolf Creek Nuclear Operating Corp. 98/01/15. 2pp. A1892:340-A1892:341.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801050388 Responds to NRC 971125 ltr re violations noted in insp rept 50-482/97-19.Corrective actions:Rev 1 to EID-0003 was issued on 971103.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 97/12/23. Document Control Branch (Document Control Desk). 10pp. A1709:351-A1709:360.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9801060072 Forwards insp rept 50-482/97-22 on 971102-1213 & NOV. Violation re operators failure to ensure that preparations for midloop operation were completed IAW plant procedure.
JOHNSON,W.D. Region 4 (Post 820201). 97/12/29. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. A1680:107-A1680:132.

--**9801060076** Notice of violation from insp on 971102-1213.Violations noted:on 971113,inspectors noted that containment coordinator had been assigned duty of closing containment hatch while retaining balance of coordinator duties.
* Region 4 (Post 820201). 97/12/29. 2pp. A1680:112-A1680:113.

--**9801060079** Insp rept 50-482/97-22 on 971102-1213.Violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 97/12/29. 19pp. A1680:114-A1680:132.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801200294 Ack receipt of 971212 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/97-20 issued on 971114.Actions responsive to concerns raised.Corrective actions will be examined during future inspections.
MURRAY,B. Region 4 (Post 820201). 98/01/14. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. A1829:050-A1829:062.

9801280229 Forwards insp rept 50-482/98-01 on 980112-16.No violations noted.Insp included portions of physical security program. NRC determined that physical security program was properly implemented.
MURRAY,B. Region 4 (Post 820201). 98/01/23. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. A1940:115-A1940:128.

--**9801280232** Insp rept 50-482/98-01 on 980112-16.No violation noted. Major areas inspected:licensee physical security program, including protected area barriers & detection aids,vital area barriers & detection aids & compensatory measures.
* Region 4 (Post 820201). 98/01/23. 10pp. A1940:119-A1940:128.

R. Periodic operating reports & related correspondence

9801020056 Monthly operating rept for Nov 1997 for Wolf Creek Generating Station.W/ 971218 ltr.
DAMASHEK,T., WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/11/30. 3pp. A1667:358-A1667:360.

9801220029 Monthly operating rept for Dec 1997 for Wolf Creek Generating Station.W/ 980115 ltr.
DAMASHEK,T., WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/12/31. 3pp. A1888:333-A1888:335.

S. Reportable occurrences, LERs & related correspondence

9801020053 Forwards LER 97-021-00,which documents violation of TS re inadequate SSPS surveillance testing,per 10CFR50.73(a)(2)(i) (B).
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/12/19. Document Control Branch (Document Control Desk). 1p. A1658:323-A1658:327.

--**9801020055** LER 97-021-00:on 971119,inadequate SSPS surveillance testing was noted.Caused by inadequate original test design supplied by vendor.Performed complete review of SSPS for similar memory configurations of unique logic circuit design.
ANGUS,M.J. Wolf Creek Nuclear Operating Corp. 97/12/19. 4pp. A1658:324-A1658:327.

9801060262 Forwards AEOD 6th yr engineering evaluation ""NPP Cold Weather Problems & Protective Measures." Evaluation initiated as result of 960130 event at WCGS re icing of cold water intake trash racks & other complications.
ROSSI,C.E. Division of Safety Programs (Post 870413). 97/12/19. GILLESPIE,F.P., HOLAHAN,G.M., LAINAS,G.C. . 2pp. A1681:001-A1681:040.

--**9801060269** "Engineering Evaluation Rept,NPP Cold Weather Problems & Protective Measures."
PADOVAN,L.M. Reactor Operations Analysis Branch. 97/12/31. 38pp. A1681:003-A1681:040.

9801210035 Forwards LER 97-016-01,documenting violation of plant OL & TS re use of fire protection sys pumps for non-fire protection purposes.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/12/19. Document Control Branch (Document Control Desk). 1p. A1862:306-A1862:311.

--**9801210037** LER 97-016-01:on 970903,use of fire protection pumps for non-fire protection purposes constituted significant degradation of fire protection sys.Caused by inadequate fire protection program mgt.Initiated interim actions.
ANGUS,M.J. Wolf Creek Nuclear Operating Corp. 97/12/19. 5pp. A1862:307-A1862:311.

9801020033 Forwards LER 97-022-00,re violation of WCGS TS involving not meeting requirements for performing TT testing prior to startup.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/12/22. Document Control Branch (Document Control Desk). 1p. A1658:299-A1658:303.

--**9801020039** LER 97-022-00:on 971121,TT instrumentation surveillance testing was not performed prior to startup.Caused by historical mindset of personnel involved in development of procedures.New procedure,STS AC-003 was written.
ANGUS,M.J. Wolf Creek Nuclear Operating Corp. 97/12/22. 4pp. A1658:300-A1658:303.

9801020146 Forwards LER 97-023-00 which documents violation of WCGS TS involving failure to maintain both containment personnel hatch doors closed,per 10CFR50.73(a)(2)(i)(B).
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/12/23. Document Control Branch (Document Control Desk). 1p. A1658:286-A1658:289.

--**9801020147** LER 97-023-00:on 971124,failure to maintain both containment personnel hatch air lock doors closed was noted.Caused by inadequate communications due to insufficient detail in procedures.Closed door & revised procedures.
ANGUS,M.J. Wolf Creek Nuclear Operating Corp. 97/12/23. 3pp. A1658:287-A1658:289.

9801020148 Forwards LER 97-024-00 re ESFs & RPS actuations which were caused by spike on ex-core neutron monitoring sys nuclear instrument NI-35 intermediate range channel.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/12/23. Document Control Branch (Document Control Desk). 1p. A1658:290-A1658:294.

--**9801020149** LER 97-024-00:on 971129,ESFs & RPS actuations occurred due to spike on ex-core neutron monitoring sys nuclear instrument NI-35 intermediate range channel.Investigated causes & stabilized plant.
ANGUS,M.J. Wolf Creek Nuclear Operating Corp. 97/12/23. 4pp. A1658:291-A1658:294.

9801220096 LER 97-025-00:on 971218,failure to meet breaker historical TS frequency testing noted.Caused by inadequate procedure. Revised breaker testing procedure to correct testing frequency discrepancy.W/980115 ltr.
ANGUS,M.J., WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/01/15. 6pp. A1893:092-A1893:097.

V. Operator Examinations

9801050303 Notification of meeting w/licensee on 980209-10 in Arlington,TX to review exam for operator licensing.Meeting not open to general public,due to subj matter & nature of meeting.
HOWELL,A.T. Region 4 (Post 820201). 97/12/31. Region 4 (Post 820201). 4pp. A1634:094-A1634:097.

9801060050 Notification of 980122-23 licensee meeting w/util in Arlington,TX to review exam for operator licensing.
HOWELL,A.T. Region 4 (Post 820201). 97/12/31. Region 4 (Post 820201). 5pp. A1680:048-A1680:052.

9801220112 Requests that written examinations for RO & SRO for WCGS be administered during week of 980216,to personnel listed in encl.Waiver for medical certifications as permitted by NUREG 1021, "Operator Licensing Exam Stds...," requested.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/01/15. Document Control Branch (Document Control Desk). 10pp. A1894:322-A1894:331.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801060343 Discusses operational safeguards response evaluation rept 50-483/97-201 on 970818-21.Purpose of program was to evaluate ability to respond to external threats re operations & security.Encl withheld.
CUNNINGHAM,L.J. . 97/12/17. RANDOLPH,G.L. Union Electric Co. 4pp. A1680:291-A1680:292.

9801050125 Rev 5,Temporary Change Notice 97-0785 to EIP-ZZ-03010, "Hazardous Chemical/Oil Spill Response/Spill Cleanup Implementing Procedure."
RIGGS,C.A. Union Electric Co. 97/12/19. 2pp. A1701:360-A1701:362.

9801140137 Discusses meeting conducted on 980106 in Region IV ofc to discuss emergency preparedness program status & direction. Specific topics covered included:1997 exercise performance & lessons learned & Nov 1997 unusual event declaration.
MURRAY,B. Region 4 (Post 820201). 98/01/07. RANDOLPH,G.L. Union Electric Co. 18pp. A1798:031-A1798:048.

H. General correspondence

9801200282 Informs that w/completion of merger,NRC may now issue license amend which will recognize,Union Electric Co wholly- owned subsidiary of American Corp.
PASSWATER,A.C. Union Electric Co. 98/01/09. Document Control Branch (Document Control Desk). 3pp. A1865:329-A1865:331.

P. Operating license stage documents & correspondence

9801060016 Summarizes 971114 meeting w/listed attendees to discuss joint TS conversion status & schedule.Attendance list encl.
POLICH,T.J. . 97/12/12. . 9pp. A1663:333-A1663:341.

9801050201 Forwards request for addl info re Union Electric Company 960412 application & supplements to change TSs & bases to allow installation of Framatome Electrosleeves in Callaway Plant Unit 1 SGs.
THOMAS,K.M. . 97/12/18. RANDOLPH,G.L. Union Electric Co. 6pp. A1662:356-A1662:361.

9801120275 Summary of 971120 meeting w/util in Rockville,MD,re electrosleeving process in support of UE-proposed TS amend that would allow electrosleeving of steam generator tubes at Callaway plant.List of attendees encl.
WESTREICH,B.C. . 97/12/22. . 3pp. A1790:015-A1790:017.

9801130340 Summary of 971209 meeting w/Union Electric & Framatome Technologies,Inc in Rockville,MD re electrosleeving process in support of Union Electric proposed TS amend that would allow electrosleeving of SG tubes at plant.
WESTREICH,B.C. . 97/12/31. . 3pp. A1790:189-A1790:191.

9801070256 Notification of licensee meeting w/util on 980121 to discuss radiation protection activities.
HOWELL,A.T. Region 4 (Post 820201). 98/01/02. Region 4 (Post 820201). 5pp. A1726:349-A1726:353.

9801140037 Responds to 970611 & 18 ltrs informing of change in medical condition for two licensed operators.Upon review of info supplied,NRC determined that no change in current license conditions was warranted for individuals.
PELLET,J.L. Region 4 (Post 820201). 98/01/08. RANDOLPH,G.L. Union Electric Co. 3pp. A1791:010-A1791:012.

9801260087 Forwards RAI re 960412 application & suppls,to change TSs & bases to allow installation of Framatome Electrosleeves in plant,Unit 1 SGs.
WESTREICH,B.C. . 98/01/09. RANDOLPH,G.L. Union Electric Co. 3pp. A1902:253-A1902:255.

9801220322 Forwards rev 9 to Callaway Plant Cycle 9 COLR,which has been updated to provide modified rod insertion limits for Cycle 9 operation to provide operational flexibility.
PASSWATER,A.C. Union Electric Co. 98/01/14. Document Control Branch (Document Control Desk). 2pp. A1894:160-A1894:187.

--**9801220324** Rev 9 to "Callaway Cycle 9 COLR."
* Union Electric Co. 97/12/31. 26pp. A1894:162-A1894:187.

9801270026 Forwards Tech Specs 3/4.3,revising MS feedwater isolation sys slave relay surveillance from quarterly actuation logic test to monthly actuation logic relay on staggered test basis.
PASSWATER,A.C. Union Electric Co. 98/01/16. Document Control Branch (Document Control Desk). 3pp. A1932:308-A1932:311.

--**9801270038** Proposed Tech Specs 3/4.3,revising MS & feedwater isolation sys slave relay surveillance from quarterly actuation logic test to monthly actuation logic test on staggered test basis.
* Union Electric Co. 98/01/16. 1p. A1932:311-A1932:311.

9801290145 Notification of 980129 meeting w/util in Rockville,MD to discuss NRC staff questions re licensee interpretation of TS required shutdown surveillance testing.
WESTREICH,B.C. . 98/01/16. BATEMAN,W.H. . 3pp. A1942:028-A1942:030.

9801280218 Forwards response to request for addl info re MSSV setpoint tolerance change.
RANDOLPH,G.L. Union Electric Co. 98/01/20. Document Control Branch (Document Control Desk). 8pp. A1967:302-A1967:309.

9801280119 Confirms results of teleconference between Union Electric & NRC in which Union Electric requested enforcement discretion from TS 3.8.1.1,Action d requirements.
RANDOLPH,G.L. Union Electric Co. 98/01/22. Document Control Branch (Document Control Desk). 10pp. A1966:146-A1966:155.

9801290143 Notice of relocation of local PDR for records pertaining to Union Electric Co plant,Unit 1 from Callaway County public library,Fulton,MO to Univ of Missouri Columbia, Ellis Library,Columbia,MO.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/27. 1p. A1940:359-A1940:359.

9801300037 Refers to 980121 meeting in Region IV ofc re radiation protection,chemistry & radwaste program activities,per licensee request.Specific topics included 1997 performance indicators & improvement opportunities.Attendance list encl.
MURRAY,B. Region 4 (Post 820201). 98/01/28. RANDOLPH,G.L. Union Electric Co. 48pp. A1964:001-A1964:048.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9801060343 Discusses operational safeguards response evaluation rept 50-483/97-201 on 970818-21.Purpose of program was to evaluate ability to respond to external threats re operations & security.Encl withheld.
CUNNINGHAM,L.J. . 97/12/17. RANDOLPH,G.L. Union Electric Co. 4pp. A1680:291-A1680:292.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801210320 Ack receipt of 971120 ltr informing NRC of steps taken to correct violations noted in insp rept 50-483/97-05.
STETKA,T.F. Region 4 (Post 820201). 98/01/09. RANDOLPH,G.L. Union Electric Co. 5pp. A1856:133-A1856:148.

9801210057 Responds to NRC 971216 ltr re violations noted in insp rept 50-483/97-20.Corrective actions:removed differential pressure gauge & restored sys test connections & valves to normal positions on 971029 & revised PM task.
LAUX,J.V. Union Electric Co. 98/01/13. Document Control Branch (Document Control Desk). 4pp. A1867:329-A1867:332.

R. Periodic operating reports & related correspondence

9801140186 Monthly operating rept for Dec 1997 for Callaway Plant,Unit 1.W/980107 ltr.
HOLMES,M.A., AFFOLTER,R.D. Union Electric Co. 97/12/31. 6pp. A1823:355-A1823:360.

S. Reportable occurrences, LERs & related correspondence

9801050385 LER 97-010-00:on 971118,inadequate testing of SSPS was noted.Caused by inadequate vendor testing design/ instructions of subject SSPS circuitry.Work instructions were written to test affected logic circuits.W/971215 ltr.
BONO,H.D., AFFOLTER,R.D. Union Electric Co. 97/12/15. 6pp. A1687:062-A1687:067.

9801050361 Forwards LER 97-005-05,re situation in which surveillances required by TS were missed due to misintepretation of SR, per 10CFR50.73(a)(2)(i)(B).
AFFOLTER,R.D. Union Electric Co. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1754:095-A1754:106.

--**9801050365** LER 97-005-05:on 971119,missed TS 4.3.2.1, "Emergency Safety Features Actuation Sys," missed surveillance.Caused by indequate sys design & inadequate TP.Revised procedures to incorporate method proving overlap exists.
BONO,H.D. Union Electric Co. 97/12/19. 10pp. A1754:097-A1754:106.

9801060335 LER 97-011-00:on 971029,failure to enter TS action statement 3.8.1.1.b during "A" train EDG heat exchanger test,was discovered.Caused by PM work package.Differential pressure gauge removed.W/971230 ltr.
BONO,H.D., AFFOLTER,R.D. Union Electric Co. 97/12/30. 5pp. A1754:107-A1754:111.

9801230032 Provides correction to cover ltrs submitted for LERs 97-009-00,97-010-00 & 97-011-00 submitted via ltrs dtd 971113,1215 & 30,respectively.
BONO,H.D. Union Electric Co. 98/01/13. Document Control Branch (Document Control Desk). 1p. A1901:042-A1901:043.

9801280062 LER 97-005-06:on 971217,identified addl TS testing deficiencies.Caused by inadequate sys design.Procedures revised.W/980115 ltr.
BONO,H.D., AFFOLTER,R.D. Union Electric Co. 98/01/15. 13pp. A1963:222-A1963:234.

9801260244 RO:on 980121,determined that plant shutdown would be required IAW TS 3.8.1.1,Action d.Caused by 'B' train EES charcoal absorber being determined inoperable.Requested 24 hour extension to allow restoration of EDG & ESW train.
RANDOLPH,G.L. Union Electric Co. 98/01/22. Document Control Branch (Document Control Desk). 11pp. A1908:350-A1908:360.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9801130029 Forwards FEMA final rept for 971112-13 plant medical & unannounced/off-hours drills.Rept indicates no deficiencies & one area requiring corrective actions.
MURRAY,B. Region 4 (Post 820201). 98/01/06. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A1785:006-A1785:040.

--**9801130038** "Final Radiological Emergency Preparedness Drill Rept,South Texas Project Nuclear Operating Co," conducted on 971112-13.
* Federal Emergency Management Agency. 97/11/13. 31pp. A1785:011-A1785:040.

9801160122 Forwards rev 4A of STP security personnel training & qualification plan,per 10CFR50.54(p)(2).Plan withheld.
SHEPPARD,J.J. Houston Lighting & Power Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1844:240-A1844:240.

9801160185 Forwards rev 2A to safeguards contingency plan.Rev withheld, per 10CFR50.54(p)(2).
SHEPPARD,J.J. Houston Lighting & Power Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1844:242-A1844:243.

9801220178 Forwards rev 11A of STP physical security plan,per 10CFR73.21.Rev withheld.
SHEPPARD,J.J. Houston Lighting & Power Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1877:266-A1877:267.

9801210114 Forwards interim change notice 18-1 to STP Emergency Plan. W/summary of changes.
SERRA,P.L. Houston Lighting & Power Co. 98/01/14. Document Control Branch (Document Control Desk). 4pp. A1882:267-A1882:292.

--**9801210123** Interim change notice 18-1 to "STP Emergency Plan."
* Houston Lighting & Power Co. 98/01/05. 21pp. A1882:271-A1882:292.

P. Operating license stage documents & correspondence

9801130041 Summary of 971210 meeting w/licensee re SG replacement for unit 1.List of attendees & handout matls provided by licensee encl.
ALEXION,T.W. . 97/12/19. . 62pp. A1790:050-A1790:111.

9801070039 Submits 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
CLONINGER,T.H. Houston Lighting & Power Co. 97/12/30. Document Control Branch (Document Control Desk). 7pp. A1747:344-A1747:350.

9801070253 Application for amends to licenses NPF-76 & NPF-80,revising TS Sections 2.1,2.2 & 3/4.2.5 by including alternate operating criteria to allow continued plant operation w/ reduced measured RCS flow rate if necessary.
CLONINGER,T.H. Houston Lighting & Power Co. 97/12/31. Document Control Branch (Document Control Desk). 23pp. A1744:227-A1744:260.

--**9801070255** Proposed Tech Specs 2.1,2.2 & 3/4.2.5 for alternate operation w/reduced measured RCS flow.
* Houston Lighting & Power Co. 97/12/31. 11pp. A1744:250-A1744:260.

9801130330 Notification of meeting w/STP Nuclear Operating Co on 980115 in Rockville,MD to discuss schedule for NRC review of licensee application for conversion to improved std TSs.
ALEXION,T.W. . 97/12/31. WIGGINTON,D.L. . 4pp. A1790:241-A1790:244.

9801220228 Notification of 980115 meeting w/util in Rockville,MD to discuss schedule for NRC review of licensee application for conversion to improved std TSs.Meeting cancelled.
ALEXION,T.W. . 97/12/31. WIGGINTON,D.L. . 4pp. A1890:316-A1890:319.

9801140240 Forwards summary rept of test results taken during startup & power ascension following installation of fuel that has different design.
LEAZAR,D.A. Houston Lighting & Power Co. 98/01/06. Document Control Branch (Document Control Desk). 7pp. A1830:299-A1830:305.

9801150189 Expresses appreciation for 971204 ltr from L Martin re 971113 trip rept documenting new facts obtained during site visit.No significant conditions adverse to quality found by STP QAP in area of engineering in last 18 months.
HANNON,J.N. . 98/01/08. COTTLE,W.T. Houston Lighting & Power Co. 4pp. A1818:156-A1818:159.

9801230055 Grants request to withhold "Responses to Second Round NRC RAI on STP Elbow Tap Submittal," submitted by 971124 application from public disclosure per 10CFR2.790.
ALEXION,T.W. . 98/01/13. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1901:335-A1901:338.

9801210108 Informs that util has reviewed SE for graded QA program. Summary encl confirming util understanding of text in SE to ensure implementation of graded QA to be consistent w/NRC expectations & util agreements.
MARTIN,L.E. Houston Lighting & Power Co. 98/01/14. Document Control Branch (Document Control Desk). 6pp. A1887:219-A1887:224.

9801260299 Notification of 980121 meeting w/STP Nuclear Operating Co in Rockville,MD to discuss schedule for NRC review of licensee application for conversion to improved standard TSs.
ALEXION,T.W. . 98/01/16. HANNON,J.N. . 4pp. A1923:357-A1923:360.

9801280291 Requests that NRC take actions originally requested by util re licensing processing of amends.
MCBURNETT,M.A. Houston Lighting & Power Co. 98/01/20. Document Control Branch (Document Control Desk). 2pp. A1968:059-A1968:060.

Q. Inspection reports, IE Bulletins & correspondence

9801090272 Forwards insp rept 50-498/97-06 & 50-499/97-06 on 970810-1004 & NOV.Violation re 2 examples of inappropriate use of equipment clearance orders to perform work requiring use of written proccedures.
GWYNN,T.P. Region 4 (Post 820201). 97/12/08. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A1741:023-A1741:083.

--**9801090280** Notice of violation from insp on 970810-1004.Violation noted:on 970820,written procedures were not maintained covering operational valve alignment of chemical & vol CS in that operators had utilized equipment clearance order tag.
* Region 4 (Post 820201). 97/12/08. 3pp. A1741:028-A1741:030.

--**9801090283** Insp repts 50-498/97-06 & 50-499/97-06 on 970810-1004. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 4 (Post 820201). 97/12/08. 53pp. A1741:031-A1741:083.

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801150106 Responds to NRC 971208 ltr re violations noted in insp repts 50-498/96-06 & 50-499/96-06.Corrective actions:performed USQ Evaluation 97-0018,changed UFSAR to reflect addition of advanced liquid processing sys & will revise procedure.
MARTIN,L.E. Houston Lighting & Power Co. 98/01/07. Document Control Branch (Document Control Desk). 8pp. A1828:266-A1828:273.

9801120136 Discusses investigations of complaints of retaliation against employees who engaged in protected activities.Based on NRC review of all info & per 10CFR50.7,violation may have occurred.Synopses of OI repts 4-96-035 & 4-96-059 encl.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/08. COTTLE,W.T. Houston Lighting & Power Co. 9pp. A1754:008-A1754:016.

9801260226 Informs that insp repts 50-498/97-09 & 50-499/97-09 will not be issued as result of extension to previous insp rept periods.Repts have been cancelled.
TAPIA,J.I. Region 4 (Post 820201). 98/01/15. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A1926:218-A1926:222.

9801260498 Informs that util prepared to respond to info provided in NRC ltr dtd 980108 & believe,util will show info does not support finding,individuals subj to any adverse action, raised safety-concern.
COTTLE,W.T. Houston Lighting & Power Co. 98/01/19. MERSCHOFF,E.W. Region 4 (Post 820201). 4pp. A1913:276-A1913:279.

9801280161 Forwards response to violations noted in insp repts 50-498/97-24 & 50-499/97-24.Corrective actions:scheduled setpoint improvement program safety related & important to safety scope of work will be completed by 981231.
THOMAS,S.E. Houston Lighting & Power Co. 98/01/21. Document Control Branch (Document Control Desk). 13pp. A1967:250-A1967:262.

9801280195 Refers to 971208 meeting w/recipient conducted in Region IV ofc to discuss seven apparent violations re corrective action,design control & 10CFR50.59 safety evaluations per insp repts 50-498/97-24 & 50-499/97-24.
HOWELL,A.T. Region 4 (Post 820201). 98/01/22. COTTLE,W.T. Affiliation Not Assigned. 51pp. A1939:175-A1939:225.

9801300137 Forwards insp repts 50-498/97-08 & 50-499/97-08 on 971116- 980103.No violations noted.
TAPIA,J.I. Region 4 (Post 820201). 98/01/23. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A1964:084-A1964:102.

--9801300142 Insp repts 50-498/97-08 & 50-499/97-08 on 971116-980103.No violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 4 (Post 820201). 98/01/23. 14pp. A1964:089-A1964:102.

R. Periodic operating reports & related correspondence

9801210301 Monthly operating repts for Dec 1997 for South Texas Project Electric Generating Station.W/980113 ltr.
HILL,R.L., MALLEN,F.H. Houston Lighting & Power Co. 97/12/31. 14pp. A1882:221-A1882:234.

V. Operator Examinations

9801220033 Notification of meeting w/licensee in Arlington,TX to discuss upcoming exams.
HOWELL,A.T. Region 4 (Post 820201). 98/01/12. Region 4 (Post 820201). 5pp. A1877:154-A1877:158.

9801280171 Notification of 980210 meeting w/South Texas Nuclear Operating Corp in Arlington,TX to discuss changes in licensee exam development process.
HOWELL,A.T. Region 4 (Post 820201). 98/01/23. Region 4 (Post 820201). 5pp. A1959:330-A1959:334.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801130029 Forwards FEMA final rept for 971112-13 plant medical & unannounced/off-hours drills.Rept indicates no deficiencies & one area requiring corrective actions.
MURRAY,B. Region 4 (Post 820201). 98/01/06. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A1785:006-A1785:040.

--9801130038 "Final Radiological Emergency Preparedness Drill Rept,South Texas Project Nuclear Operating Co," conducted on 971112-13.
* Federal Emergency Management Agency. 97/11/13. 31pp. A1785:011-A1785:040.

9801160122 Forwards rev 4A of STP security personnel training & qualification plan,per 10CFR50.54(p)(2).Plan withheld.
SHEPPARD,J.J. Houston Lighting & Power Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1844:240-A1844:240.

9801160185 Forwards rev 2A to safeguards contingency plan.Rev withheld, per 10CFR50.54(p)(2).
SHEPPARD,J.J. Houston Lighting & Power Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1844:242-A1844:243.

9801220178 Forwards rev 11A of STP physical security plan,per 10CFR73.21.Rev withheld.
SHEPPARD,J.J. Houston Lighting & Power Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1877:266-A1877:267.

9801210114 Forwards interim change notice 18-1 to STP Emergency Plan. W/summary of changes.
SERRA,P.L. Houston Lighting & Power Co. 98/01/14. Document Control Branch (Document Control Desk). 4pp. A1882:267-A1882:292.

--9801210123 Interim change notice 18-1 to "STP Emergency Plan."
* Houston Lighting & Power Co. 98/01/05. 21pp. A1882:271-A1882:292.

P. Operating license stage documents & correspondence

9801070039 Submits 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
CLONINGER,T.H. Houston Lighting & Power Co. 97/12/30. Document Control Branch (Document Control Desk). 7pp. A1747:344-A1747:350.

9801070253 Application for amends to licenses NPF-76 & NPF-80,revising TS Sections 2.1,2.2 & 3/4.2.5 by including alternate operating criteria to allow continued plant operation w/ reduced measured RCS flow rate if necessary.
CLONINGER,T.H. Houston Lighting & Power Co. 97/12/31. Document Control Branch (Document Control Desk). 23pp. A1744:227-A1744:260.

--9801070255 Proposed Tech Specs 2.1,2.2 & 3/4.2.5 for alternate operation w/reduced measured RCS flow.
* Houston Lighting & Power Co. 97/12/31. 11pp. A1744:250-A1744:260.

9801130330 Notification of meeting w/STP Nuclear Operating Co on 980115 in Rockville,MD to discuss schedule for NRC review of licensee application for conversion to improved std TSs.
ALEXION,T.W. . 97/12/31. WIGGINTON,D.L. . 4pp. A1790:241-A1790:244.

9801220228 Notification of 980115 meeting w/util in Rockville,MD to discuss schedule for NRC review of licensee application for conversion to improved std TSs.Meeting cancelled.
ALEXION,T.W. . 97/12/31. WIGGINTON,D.L. . 4pp. A1890:316-A1890:319.

9801150007 Summary of 971204 meeting w/licensee & representatives from W re proposed 3 volt alternate repair criteria for plants unit 2 SG.List of attendees & handout encl.
ALEXION,T.W. . 98/01/06. . 73pp. A1817:172-A1817:244.

9801150189 Expresses appreciation for 971204 ltr from L Martin re 971113 trip rept documenting new facts obtained during site visit.No significant conditions adverse to quality found by STP QAP in area of engineering in last 18 months.
HANNON,J.N. . 98/01/08. COTTLE,W.T. Houston Lighting & Power Co. 4pp. A1818:156-A1818:159.

9801230055 Grants request to withhold "Responses to Second Round NRC RAI on STP Elbow Tap Submittal," submitted by 971124 application from public disclosure per 10CFR2.790.
ALEXION,T.W. . 98/01/13. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1901:335-A1901:338.

9801210108 Informs that util has reviewed SE for graded QA program. Summary encl confirming util understanding of text in SE to ensure implementation of graded QA to be consistent w/NRC expectations & util agreements.
MARTIN,L.E. Houston Lighting & Power Co. 98/01/14. Document Control Branch (Document Control Desk). 6pp. A1887:219-A1887:224.

9801260299 Notification of 980121 meeting w/STP Nuclear Operating Co in Rockville,MD to discuss schedule for NRC review of licensee application for conversion to improved standard TSs.
ALEXION,T.W. . 98/01/16. HANNON,J.N. . 4pp. A1923:357-A1923:360.

9801280291 Requests that NRC take actions originally requested by util re licensing processing of amends.
MCBURNETT,M.A. Houston Lighting & Power Co. 98/01/20. Document Control Branch (Document Control Desk). 2pp. A1968:059-A1968:060.

9801300120 Forwards TR WCAP-14978, "Analysis of Capsule Y from HLP South TX Unit 2 Reactor Vessel Radiation Surveillance Program," per 10CFR50,App H.
JORDAN,T.J. Houston Lighting & Power Co. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A1973:014-A1973:253.

--9801300125 "Analysis of Capsule Y From HLP South TX Unit 2 Reactor Vessel Radiation Surveillance Program."
TEREK,R., PEROCK,J.D., WILLIAMS,J.F. Westinghouse Electric Corp. WCAP-14978. 97/12/31. 238pp. A1973:016-A1973:253.

Q. Inspection reports, IE Bulletins & correspondence

9801090272 Forwards insp rept 50-498/97-06 & 50-499/97-06 on 970810-1004 & NOV.Violation re 2 examples of inappropriate use of equipment clearance orders to perform work requiring use of written proccedures.
GWYNN,T.P. Region 4 (Post 820201). 97/12/08. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A1741:023-A1741:083.

--9801090280 Notice of violation from insp on 970810-1004.Violation noted:on 970820,written procedures were not maintained covering operational valve alignment of chemical & vol CS in that operators had utilized equipment clearance order tag.
* Region 4 (Post 820201). 97/12/08. 3pp. A1741:028-A1741:030.

--9801090283 Insp repts 50-498/97-06 & 50-499/97-06 on 970810-1004. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 4 (Post 820201). 97/12/08. 53pp. A1741:031-A1741:083.

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801150106 Responds to NRC 971208 ltr re violations noted in insp repts 50-498/96-06 & 50-499/96-06.Corrective actions:performed USQ Evaluation 97-0018,changed UFSAR to reflect addition of advanced liquid processing sys & will revise procedure.
MARTIN,L.E. Houston Lighting & Power Co. 98/01/07. Document Control Branch (Document Control Desk). 8pp. A1828:266-A1828:273.

9801120136 Discusses investigations of complaints of retaliation against employees who engaged in protected activities.Based on NRC review of all info & per 10CFR50.7,violation may have occurred.Synopses of OI repts 4-96-035 & 4-96-059 encl.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/01/08. COTTLE,W.T. Houston Lighting & Power Co. 9pp. A1754:008-A1754:016.

9801260226 Informs that insp repts 50-498/97-09 & 50-499/97-09 will not be issued as result of extension to previous insp rept periods.Repts have been cancelled.
TAPIA,J.I. Region 4 (Post 820201). 98/01/15. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A1926:218-A1926:222.

9801260498 Informs that util prepared to respond to info provided in NRC ltr dtd 980108 & believe,util will show info does not support finding,individuals subj to any adverse action, raised safety-concern.
COTTLE,W.T. Houston Lighting & Power Co. 98/01/19. MERSCHOFF,E.W. Region 4 (Post 820201). 4pp. A1913:276-A1913:279.

9801280161 Forwards response to violations noted in insp repts 50-498/97-24 & 50-499/97-24.Corrective actions:scheduled setpoint improvement program safety related & important to safety scope of work will be completed by 981231.
THOMAS,S.E. Houston Lighting & Power Co. 98/01/21. Document Control Branch (Document Control Desk). 13pp. A1967:250-A1967:262.

9801280195 Refers to 971208 meeting w/recipient conducted in Region IV ofc to discuss seven apparent violations re corrective action,design control & 10CFR50.59 safety evaluations per insp repts 50-498/97-24 & 50-499/97-24.
HOWELL,A.T. Region 4 (Post 820201). 98/01/22. COTTLE,W.T. Affiliation Not Assigned. 51pp. A1939:175-A1939:225.

9801300137 Forwards insp repts 50-498/97-08 & 50-499/97-08 on 971116- 980103.No violations noted.
TAPIA,J.I. Region 4 (Post 820201). 98/01/23. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A1964:084-A1964:102.

--9801300142 Insp repts 50-498/97-08 & 50-499/97-08 on 971116-980103.No violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 4 (Post 820201). 98/01/23. 14pp. A1964:089-A1964:102.

R. Periodic operating reports & related correspondence

9801210301 Monthly operating repts for Dec 1997 for South Texas Project Electric Generating Station.W/980113 ltr.
HILL,R.L., MALLEN,F.H. Houston Lighting & Power Co. 97/12/31. 14pp. A1882:221-A1882:234.

V. Operator Examinations

9801220033 Notification of meeting w/licensee in Arlington,TX to discuss upcoming exams.
HOWELL,A.T. Region 4 (Post 820201). 98/01/12. Region 4 (Post 820201). 5pp. A1877:154-A1877:158.

9801280171 Notification of 980210 meeting w/South Texas Nuclear Operating Corp in Arlington,TX to discuss changes in licensee exam development process.
HOWELL,A.T. Region 4 (Post 820201). 98/01/23. Region 4 (Post 820201). 5pp. A1959:330-A1959:334.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

I. Financial Information

9801200107 "Washington Public Power Supply Sys Annual Rept for 1997." W/980108 ltr.
CARTER,D., PARRISH,V., KUCERA,G.J. Washington Public Power Supply System. 97/12/31. 40pp. A1842:288-A1842:327.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9801050050 Provides summary of major work activities that have recently been completed to resolve remaining open actions re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/24. Document Control Branch (Document Control Desk). 3pp. A1684:273-A1684:275.

9801300086 Rev 5 to EPIP 16DP-OEP11, "Emergency Planning Administration." W/980109 ltr & NRC 980128 release memo.
BIELING,H. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/09. 33pp. A1961:234-A1961:268.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801070333 Forwards Rev 9 to UFSAR for PVNGS Units 1,2 & 3.QA program changes made in accordance w/10CFR50.54(a)(3),which do not reduce commitments previously accepted by NRC,included in Rev 9.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. Document Control Branch (Document Control Desk). 33pp. A1810:001-A1817:015.

--9801070338 Rev 9 to UFSAR for PVNGS Units 1,2 & 3.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/06/30. 2,563pp. A1810:034-A1817:015.

P. Operating license stage documents & correspondence

9801020127 Application for amends to licenses NPF-41,NPF-51 & NPF-74, respectively.Amends change TS 3/4.8.2 & associated Bases 3/4.8,allowing replacement of existing Class 1E,125 volt dc batteries w/low specific gravity cell batteries.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. Document Control Branch (Document Control Desk). 11pp. A1687:222-A1687:244.

--9801020129 Proposed tech specs pages re changes to TS 3/4.8.2 & associated Bases 3/4.8,allowing replacement of existing Class 1E,125 volt dc batteries w/low specific gravity cell batteries manufactured by vendors other than specified.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. 12pp. A1687:233-A1687:244.

9801020170 Informs of no adverse impact on operator training due to delay of implementing pressurizer safety valve setpoint changes in simulators from 971025 to 971231.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. Document Control Branch (Document Control Desk). 2pp. A1687:322-A1687:323.

9801050050 Provides summary of major work activities that have recently been completed to resolve remaining open actions re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/24. Document Control Branch (Document Control Desk). 3pp. A1684:273-A1684:275.

9801070174 Provides APS 90 day response to NRC GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/30. Document Control Branch (Document Control Desk). 8pp. A1744:277-A1744:284.

9801260133 Responds to 971114 ltr from LJ Callan,commenting on change in NRC schedule for issuing improved TS conversion for PVNGS.Staff currently reevaluating resource utilization in attempt to improve upon current review schedule.
COLLINS,S.J. . 98/01/12. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A1902:230-A1902:234.

9801210044 Informs that plant updating IST program to ASME Boiler & Pressure Vessel Code,1989 Edition.Updated program will take effect on 980115.Second 10-yr IST program encl.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/13. Document Control Branch (Document Control Desk). 4pp. A1857:055-A1857:196.

--9801210045 "Second 10-Yr IST Program."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/06. 140pp. A1857:059-A1857:196.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801050350 Informs that insp repts 50-528/97-27,50-529/97-27 & 50-530/97-27 has been cancelled.No insp rept will be issued for rept numbers.
MURRAY,B. Region 4 (Post 820201). 97/12/30. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. A1658:189-A1658:192.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801150085 Ack receipt of 971126 ltr,responding to 971029 ltr & notice of violation re shutdown cooling flow Unit 2 identified in insp repts 50-528/97-16,50-529/97-16 & 50-530/97-16.Revised notice of violation encl,no response from utility required.
DYER,J.E. Region 4 (Post 820201). 98/01/12. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. A1809:120-A1809:128.

--9801150088 Revised notice of violation from insp on 970907-1018. Violation noted:from approx 8pm on 971005 until about 11:55 am on 971006,Unit 2 operated in mode 5 w/RC loops filled, w/approx 3,380 gpm of shutdown cooling flow,less than 3,780.
* Region 4 (Post 820201). 98/01/12. 3pp. A1809:126-A1809:128.

R. Periodic operating reports & related correspondence

9801220031 Forwards MOR for Dec 1997 for PVNGS,Units 1,2 & 3 & revised MOR for Nov 1997 for PVNGS,Unit 3.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/14. Document Control Branch (Document Control Desk). 1p. A1887:338-A1887:342.

--9801220042 Monthly operating repts for Dec 1997 for Palo Verde Nuclear Generating Station,Units 1,2 & 3.
FULTON,J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/31. 3pp. A1887:339-A1887:341.

--9801220051 Revised monthly operating rept for Nov 1997 for Palo Verde Nuclear Generating Station,Unit 3.
FULTON,J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/11/30. 1p. A1887:342-A1887:342.

V. Operator Examinations

9801220371 Informs that FW Riedel,license SOP-43727 no longer needs to maintain license due to permanent reassignment.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/15. Document Control Branch (Document Control Desk). 1p. A1893:321-A1893:321.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801050050 Provides summary of major work activities that have recently been completed to resolve remaining open actions re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/24. Document Control Branch (Document Control Desk). 3pp. A1684:273-A1684:275.

9801300086 Rev 5 to EPIP 16DP-OEP11, "Emergency Planning Administration." W/ 980109 ltr & NRC 980128 release memo.
BIELING,H. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/09. 33pp. A1961:234-A1961:268.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801070333 Forwards Rev 9 to UFSAR for PVNGS Units 1,2 & 3.QA program changes made in accordance w/10CFR50.54(a)(3),which do not reduce commitments previously accepted by NRC,included in Rev 9.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. Document Control Branch (Document Control Desk). 33pp. A1810:001-A1817:015.

--9801070338 Rev 9 to UFSAR for PVNGS Units 1,2 & 3.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/06/30. 2,563pp. A1810:034-A1817:015.

P. Operating license stage documents & correspondence

9801020127 Application for amends to licenses NPF-41,NPF-51 & NPF-74, respectively.Amends change TS 3/4.8.2 & associated Bases 3/4.8,allowing replacement of existing Class 1E,125 volt dc batteries w/low specific gravity cell batteries.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. Document Control Branch (Document Control Desk). 11pp. A1687:222-A1687:244.

--9801020129 Proposed tech specs pages re changes to TS 3/4.8.2 & associated Bases 3/4.8,allowing replacement of existing Class 1E,125 volt dc batteries w/low specific gravity cell batteries manufactured by vendors other than specified.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. 12pp. A1687:233-A1687:244.

9801020170 Informs of no adverse impact on operator training due to delay of implementing pressurizer safety valve setpoint changes in simulators from 971025 to 971231.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. Document Control Branch (Document Control Desk). 2pp. A1687:322-A1687:323.

9801050050 Provides summary of major work activities that have recently been completed to resolve remaining open actions re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/24. Document Control Branch (Document Control Desk). 3pp. A1684:273-A1684:275.

9801070174 Provides APS 90 day response to NRC GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/30. Document Control Branch (Document Control Desk). 8pp. A1744:277-A1744:284.

9801260133 Responds to 971114 ltr from LJ Callan,commenting on change in NRC schedule for issuing improved TS conversion for PVNGS.Staff currently reevaluating resource utilization in attempt to improve upon current review schedule.
COLLINS,S.J. . 98/01/12. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A1902:230-A1902:234.

9801210044 Informs that plant updating IST program to ASME Boiler & Pressure Vessel Code,1989 Edition.Updated program will take effect on 980115.Second 10-yr IST program encl.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/13. Document Control Branch (Document Control Desk). 4pp. A1857:055-A1857:196.

--9801210045 "Second 10-Yr IST Program."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/06. 140pp. A1857:059-A1857:196.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801050350 Informs that insp repts 50-528/97-27,50-529/97-27 & 50-530/97-27 has been cancelled.No insp rept will be issued for rept numbers.
MURRAY,B. Region 4 (Post 820201). 97/12/30. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. A1658:189-A1658:192.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Positock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801140086 Forwards "PVNGS Unit 2 ISI Rept,Seventh Refueling Outage."
IDE,W.E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1799:248-A1799:313.

--9801140091 "PVNGS Unit 2 ISI Rept,Seventh Refueling Outage."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/07. 59pp. A1799:250-A1799:313.

9801150085 Ack receipt of 971126 ltr,responding to 971029 ltr & notice of violation re shutdown cooling flow Unit 2 identified in insp repts 50-528/97-16,50-529/97-16 & 50-530/97-16.Revised notice of violation encl,no response from utility required.
DYER,J.E. Region 4 (Post 820201). 98/01/12. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. A1809:120-A1809:128.

--9801150088 Revised notice of violation from insp on 970907-1018. Violation noted:from approx 8pm on 971005 until about 11:55 am on 971006,Unit 2 operated in mode 5 w/RC loops filled, w/approx 3,380 gpm of shutdown cooling flow,less than 3,780.
* Region 4 (Post 820201). 98/01/12. 3pp. A1809:126-A1809:128.

R. Periodic operating reports & related correspondence

9801220031 Forwards MOR for Dec 1997 for PVNGS,Units 1,2 & 3 & revised MOR for Nov 1997 for PVNGS,Unit 3.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/14. Document Control Branch (Document Control Desk). 1p. A1887:338-A1887:342.

--9801220042 Monthly operating repts for Dec 1997 for Palo Verde Nuclear Generating Station,Units 1,2 & 3.
FULTON,J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/31. 3pp. A1887:339-A1887:341.

S. Reportable occurrences, LERs & related correspondence

9801270155 PNO-IV-98-006:on 980124,spill of sulfuric acid in & outside Unit 2 turbine bldg occurred.Licensee initiated top-level site problem report to investigate root causes for spills & assign corrective actions.
KIRSCH,D. Region 4 (Post 820201). 98/01/27. 2pp. A1947:300-A1947:301.

V. Operator Examinations

9801220371 Informs that FW Riedel,license SOP-43727 no longer needs to maintain license due to permanent reassignment.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/15. Document Control Branch (Document Control Desk). 1p. A1893:321-A1893:321.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9801050050 Provides summary of major work activities that have recently been completed to resolve remaining open actions re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/24. Document Control Branch (Document Control Desk). 3pp. A1684:273-A1684:275.

9801300086 Rev 5 to EPIP 16DP-OEP11, "Emergency Planning Administration." W/ 980109 ltr & NRC 980128 release memo.
BIELING,H. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/09. 33pp. A1961:234-A1961:268.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9801070333 Forwards Rev 9 to UFSAR for PVNGS Units 1,2 & 3.QA program changes made in accordance w/10CFR50.54(a)(3),which do not reduce commitments previously accepted by NRC,included in Rev 9.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. Document Control Branch (Document Control Desk). 33pp. A1810:001-A1817:015.

--9801070338 Rev 9 to UFSAR for PVNGS Units 1,2 & 3.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/06/30. 2,563pp. A1810:034-A1817:015.

P. Operating license stage documents & correspondence

9801020127 Application for amends to licenses NPF-41,NPF-51 & NPF-74, respectively.Amends change TS 3/4.8.2 & associated Bases 3/4.8,allowing replacement of existing Class 1E,125 volt dc batteries w/low specific gravity cell batteries.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. Document Control Branch (Document Control Desk). 11pp. A1687:222-A1687:244.

--9801020129 Proposed tech specs pages re changes to TS 3/4.8.2 & associated Bases 3/4.8,allowing replacement of existing Class 1E,125 volt dc batteries w/low specific gravity cell batteries manufactured by vendors other than specified.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. 12pp. A1687:233-A1687:244.

9801020170 Informs of no adverse impact on operator training due to delay of implementing pressurizer safety valve setpoint changes in simulators from 971025 to 971231.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/17. Document Control Branch (Document Control Desk). 2pp. A1687:322-A1687:323.

9801050050 Provides summary of major work activities that have recently been completed to resolve remaining open actions re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/24. Document Control Branch (Document Control Desk). 3pp. A1684:273-A1684:275.

9801070174 Provides APS 90 day response to NRC GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/30. Document Control Branch (Document Control Desk). 8pp. A1744:277-A1744:284.

9801260133 Responds to 971114 ltr from LJ Callan,commenting on change in NRC schedule for issuing improved TS conversion for PVNGS.Staff currently reevaluating resource utilization in attempt to improve upon current review schedule.
COLLINS,S.J. . 98/01/12. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A1902:230-A1902:234.

9801210044 Informs that plant updating IST program to ASME Boiler & Pressure Vessel Code,1989 Edition.Updated program will take effect on 980115.Second 10-yr IST program encl.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/13. Document Control Branch (Document Control Desk). 4pp. A1857:055-A1857:196.

--9801210045 "Second 10-Yr IST Program."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/06. 140pp. A1857:059-A1857:196.

Q. Inspection reports, IE Bulletins & correspondence

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801050350 Informs that insp repts 50-528/97-27,50-529/97-27 & 50-530/97-27 has been cancelled.No insp rept will be issued for rept numbers.
MURRAY,B. Region 4 (Post 820201). 97/12/30. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. A1658:189-A1658:192.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801150085 Ack receipt of 971126 ltr,responding to 971029 ltr & notice of violation re shutdown cooling flow Unit 2 identified in insp repts 50-528/97-16,50-529/97-16 & 50-530/97-16.Revised notice of violation encl,no response from utility required.
DYER,J.E. Region 4 (Post 820201). 98/01/12. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. A1809:120-A1809:128.

R. Periodic operating reports & related correspondence

9801220031 Forwards MOR for Dec 1997 for PVNGS,Units 1,2 & 3 & revised MOR for Nov 1997 for PVNGS,Unit 3.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/14. Document Control Branch (Document Control Desk). 1p. A1887:338-A1887:342.

--9801220042 Monthly operating repts for Dec 1997 for Palo Verde Nuclear Generating Station,Units 1,2 & 3.
FULTON,J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/12/31. 3pp. A1887:339-A1887:341.

--9801220051 Revised monthly operating rept for Nov 1997 for Palo Verde Nuclear Generating Station,Unit 3.
FULTON,J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/11/30. 1p. A1887:342-A1887:342.

V. Operator Examinations

9801220371 Informs that FW Riedel,license SOP-43727 no longer needs to maintain license due to permanent reassignment.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/15. Document Control Branch (Document Control Desk). 1p. A1893:321-A1893:321.

DOCKET 50-602 UNIV. OF TEXAS RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9801200238 Forwards insp rept 50-602/97-201 on 970929-1003.No violations noted.Previous level IV violation was closed.
WEISS,S.H. . 98/01/09. WEHRING,B.W. Texas, Univ. of, Austin, TX. 3pp. A1840:001-A1840:016.

--9801200242 Insp rept 50-302/97-201 on 970929-1003.No violations noted. Major areas inspected:review of selected conditions & records since last insp,verification of CAs previously committed by licensee & related discussion w/personnel.
* . 98/01/09. 13pp. A1840:004-A1840:016.

DOCKET 50-607 AIR FORCE, DEPT. OF

A. Application/Construction Stage Documents and Related Correspondence

9801090008 Requests that encl TSs be docketed under 50-607 for McClellan AFB.
ERESIAN,W. NRC - No Detailed Affiliation Given. 97/12/30. Document Control Branch (Document Control Desk). 1p. A1757:265-A1757:321.

--9801090010 Proposed tech specs for McClellan Nuclear Radiation Ctr.
* Air Force, Dept. of. 97/12/30. 56pp. A1757:266-A1757:321.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9801150164 Forwards updated version (Sept 1996) of rept entitled, "Assessment of Ex-Vessel Steam Explosions in AP600 Advanced Pressurized Water Reactor." Staff concludes that encl rept does not contain those portions of info exempt from public.
SEBROSKY,J.M. . 97/11/06. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1829:113-A1830:039.

--9801150168 Revised, "Assessment of Ex-Vessel Steam Explosions in AP600 Advanced Pressurized Water Reactor."
ESMAILI,H., VIJAYKUMAR,R., KHATIB-RAHBAR Energy Research, Inc. ERI/NRC 95-211. 97/11/06. Office of Nuclear Regulatory Research (Post 941217). 288pp. A1829:116-A1830:039.

9801130272 Notification of 980115 meeting w/task group for AP600 in Rockville,MD to perform task group review of insp,tests, analyses & acceptance criteria for reactor sys for AP600. Meeting rescheduled from 980105.
WILSON,J.N. . 97/12/08. QUAY,T.R. . 3pp. A1790:265-A1790:267.

9801050254 Notification of 980106 meeting w/Westinghouse in Rockville, MD to perform task group review of insps,tests,analyses & acceptance criteria for AP600 design.
WILSON,J.N. . 97/12/17. QUAY,T.R. . 3pp. A1663:132-A1663:134.

9801050256 Notification of 980106 meeting w/Westinghouse in Rockville, MD to perform task group review of insps,tests,analyses & acceptance criteria for AP600 design.
WILSON,J.N. . 97/12/17. QUAY,T.R. . 3pp. A1663:135-A1663:137.

9801080315 Forwards non proprietary & proprietary versions of presentation matls from 971209-12 ACRS meeting.W/request for withholding proprietary info,affidavit,copyright & proprietary info notices.Proprietary encls withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/12/17. LARKINS,J. Document Control Branch (Document Control Desk). 4pp. A1787:141-A1788:275.

--9801080321 Requests that proprietary presentation matls from 971209-12 ACRS meeting be withheld from public disclosure.Non proprietary version of presentation matls included.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/12/17. LARKINS,J. Document Control Branch (Document Control Desk). 495pp. A1787:145-A1788:275.

9801130280 Notification of 980116 meeting w/task group in Rockville,MD to perform task group review of insp,tests,analyses & acceptance criteria for AP600 design.Meeting rescheduled from 980106 to 980116.
WILSON,J.N. . 97/12/17. QUAY,T.R. . 3pp. A1790:272-A1790:274.

9801140316 Informs of cancellation of 980106 Task Group Meetings for AP600 in Rockville,Maryland.
WILSON,J.N. . 97/12/17. QUAY,T.R. . 3pp. A1809:356-A1809:358.

9801050305 Summary of 971117 meeting w/Westinghouse in Rockville,MD re design certification schedule for AP600.List of attendees & handouts provided during meeting encl.
SEBROSKY,J.M. . 97/12/18. . 27pp. A1662:314-A1662:340.

9801140081 Forwards proprietary revs re AP600 PCS PIRT/Scaling closure 970916 meeting.Encl completes W commitment from subject meeting.Encl withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/12/18. Document Control Branch (Document Control Desk). 4pp. A1820:355-A1820:358.

9801140171 Forwards W revised responses to RAIs 640.138,640.139,640.140 & 640.148 re comments from Civil & Geosciences Branch re rev 3 of AP600 certified design matl including ITAAC.W status column will be changed to "Confirm N" in OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/12/19. QUAY,T.R Document Control Branch (Document Control Desk). 28pp. A1824:281-A1824:308.

9801140033 Submits RAI re open items in AP600 design certification review.
SCALETTI,D.C. . 97/12/22. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1796:355-A1796:357.

9801140363 Provides Commission w/revised schedule for staff review of AP600 design certification application.
CALLAN,L.J. Ofc of the Executive Director for Operations. SECY-97-298. 97/12/24. 6pp. A1809:029-A1809:035.

9801050014 Ltr contract:Mod 8 to task order 201 entitled, "Review of W WGothic Code for AP600 PCCS DBA Evaluations," under contract NRC-03-95-026.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-95-026. 97/12/28. KNIGHT,D. SCIENTECH, Inc. 2pp. A1663:270-A1663:271.

9801140031 Forwards open item associated w/SER on AP600 TSs for containment isolation.
HUFFMAN,W.C. . 97/12/30. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1830:040-A1830:042.

9801130053 Forwards responses prepared for clarification of five RAIs specified in NRC ltr dtd 971208,re technical adequacy of AP600 PCS heat & mass transfer correlations & evaporated flow calculation procedure.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/06. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. A1793:003-A1793:007.

9801130120 Forwards response to ltr dtd 970620,requesting update of 921215 comparison of AP600 design to NRC reviewed version of ALWR URD for passive plants.Findings have been identified to document features of plant that are different from URD.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/06. ROE,J.W. Document Control Branch (Document Control Desk). 8pp. A1819:013-A1819:020.

9801130160 Forwards rev 1 to TR WCAP-13856, "AP600 Implementation of Regulatory Treatment of Nonsafety-Related Systems Process."
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/06. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. A1795:142-A1795:248.

--9801130166 Rev 1 to WCAP-13856, "AP600 Implementation of Regulatory Treatment of Nonsafety-Related Systems Process."
* Westinghouse Electric Corp. WCAP-13856 R01. 98/01/05. 102pp. A1795:144-A1795:248.

9801130336 Forwards status rept on AP600 initial test program.Rept identifies nine open items & one confirmatory item that require resolution by Westinghouse before NRC can complete review of AP600 design certification application.
WILSON,J.N. . 98/01/07. LIPARULO,N.J. Westinghouse Electric Corp. 38pp. A1801:066-A1801:101.

9801130339 Summary of 971218 meeting w/Westinghouse in Rockville,MD to discuss design certification schedule for AP600 review.
SEBROSKY,J.M. . 98/01/07. . 17pp. A1795:335-A1795:351.

9801200062 Forwards request for addl info re Rev 3 of AP600 Tier 1 info including ITAAC.Review of rev 3 should include verification that all Tier 1 info was extracted from AP600 std safety analysis.
WILSON,J.N. . 98/01/09. LIPARULO,N.J. Westinghouse Electric Corp. 7pp. A1860:309-A1860:315.

9801220353 Summary of 971104 meeting w/Westinghouse in Rockville,MD re AP600 Nuclear Island Basemat design,configuration of shear stirrups & shear capacity of deep slabs.List of attendees & handouts encl.
SEBROSKY,J.M. . 98/01/13. . 78pp. A1889:268-A1889:339.

9801260104 Notification of 980115-16 meeting w/Westinghouse in Rockville,MD to discuss & resolve issues re review of Westinghouse AP600 design certification application.Issues from AP600 SSAR chaper 3,5,6,9,10,11 & 20.
SCALETTI,D. . 98/01/15. QUAY,T.R. . 3pp. A1902:245-A1902:247.

9801220348 Notification of 980122 meeting w/licensee in Rockville,MD to discuss progress of AP600 design certification review.
SEBROSKY,J.M. . 98/01/16. QUAY,T.R. . 3pp. A1879:355-A1879:357.

9801230153 Forwards rev 4 to WCAP-12600, "AP600 QA Program Plan," which has been updated to reflect current project position on QA requirements for sys,structures & components to which regulatory treatment on non-safety sys criteria apply.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/20. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. A1900:159-A1900:188.

--9801230176 "AP600 Quality Assurance Program Plan," rev 4.
ALSING,D.N., CUMMINS,W.E. Westinghouse Electric Corp. WCAP-12600 R04. 98/01/16. 27pp. A1900:160-A1900:188.

9801260077 Forwards Vol 3 of DOE rept entitled "Addenda to DOE/ID-10503,-10504," dtd 971225.Encl provided to support NRC review of in-vessel steam explosion topic for AP600.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/20. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. A1924:148-A1924:233.

--9801260085 Vol 3,to "Addenda to DOE/ID-10503,10504."
THEOFANOUS,T.G. California, Univ. of, Santa Barbara, CA. 97/12/25. 84pp. A1924:150-A1924:233.

9801270203 Requests addl info re figures 1.2-18 & 1.2.2-20 of Section 9.1.4 of SSAR.Figures related to light load handling equipment.
SCALETTI,D.C. . 98/01/20. LIPARULO,N.J. Westinghouse Electric Corp. 2pp. A1924:347-A1924:348.

9801280194 Forwards RAI 480.945,rev 1 which clarifies accumulator modeling in calculation of mass & energy release to containment during large break LOCAs,as requested by E Throm by telcon.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/20. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. A1968:034-A1968:037.

9801270107 Forwards correspondence previously sent informally over period 971027-980108.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/21. QUAY,T.R. Document Control Branch (Document Control Desk). 244pp. A1930:001-A1930:244.

9801270229 Notification of 980122 meeting w/util in Rockville,MD to discuss & resolve issues related to review of Westinghouse AP600 design certification application.Issues from AP600 SSAR Chapters 6,15 & 19.
HUFFMAN,W. . 98/01/21. QUAY,T.R. . 3pp. A1934:219-A1934:221.

9801280203 Forwards rev to AP600 Certified Design Matl,Section 2.2.4, "Steam Generator Sys." Revs made to be consistent w/TS, Section 3.7.2 & IST requirements to SSAR Section 3.9 for turbine stop valves & turbine control valves.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/21. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. A1968:068-A1968:071.

9801300047 Forwards Westinghouse responses to five open items re AP600 SSAR Chapter 14, "Initial Test Program," as requested in ltr from staff dtd 980107.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/23. QUAY,T.R. Document Control Branch (Document Control Desk). 18pp. A1975:149-A1975:166.

9801200184 Forwards open items associated w/chapter 20 of AP600 SER.
SEBROSKY,J.M. . 97/11/07. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1860:287-A1860:290.

9801200165 Discusses confirmatory items associated w/Chapter 3.9.3 of AP600 safety evaluation rept.
SEBROSKY,J.M. . 97/11/17. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1850:341-A1850:344.

9801210157 Forwards open items associated w/chapter 19 of AP600 SER.
SEBROSKY,J.M. . 97/11/19. LIPARULO,N.J. Westinghouse Electric Corp. 11pp. A1866:247-A1866:257.

9801150176 Forwards RAI re control room habitability on AP600.Staff concludes that encl does not contain portions of info for which exemption sought.
KENYON,T.J. . 97/12/02. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1820:255-A1820:258.

9801150181 Forwards RAI re instrumentation & controls for AP600.Staff concludes that encl does not contain portions of info for which exemption is sought.
KENYON,T.J. . 97/12/02. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1817:345-A1817:348.

9801200167 Forwards open items associated w/chapter 3.2 of AP600 safety evaluation rept.
SEBROSKY,J.M. . 97/12/04. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A1860:262-A1860:266.

9801260083 Forwards open items associated w/external reactor vessel cooling SER for AP600.
SEBROSKY,J.M. . 97/12/08. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1902:136-A1902:139.

9801260092 Forwards open items associated w/chapter 2.5 of AP600 SER.
SEBROSKY,J.M. . 97/12/08. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A1902:140-A1902:144.

9801260256 Forwards open items associated w/ex vessel steam explosion SER for AP600.
SEBROSKY,J.M. . 97/12/08. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A1934:187-A1934:191.

9801260075 Forwards open items associated w/chapter 3.7.2,3.8.2,3.8.3 & 3.8.4 of AP600 SER.
SEBROSKY,J.M. . 97/12/09. LIPARULO,N.J. Westinghouse Electric Corp. 15pp. A1902:121-A1902:135.

9801260106 Forwards open items associated w/AP600 SER section 3.4.1 "Water Level (Flood) Design."
SEBROSKY,J.M. . 97/12/09. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A1902:145-A1902:149.

9801230288 Forwards open items associated w/seismic margins SER.
SEBROSKY,J.M. . 97/12/11. LIPARULO,N.J. Westinghouse Electric Corp. 11pp. A1901:219-A1901:229.

9801230293 Forwards open items associated w/AP600 SER section 3.5.1, "Missile Protection."
SEBROSKY,J.M. . 97/12/12. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A1902:039-A1902:044.

9801260261 Forwards open items associated w/chapter 20 of AP600 SER.
SEBROSKY,J.M. . 97/12/12. LIPARULO,N.J. Westinghouse Electric Corp. 14pp. A1934:192-A1934:205.

9801050175 Forwards Reactor Sys Branch SER input which has open items that have been extracted & designated as final SER open items.
HUFFMAN,W.C. . 97/12/16. LIPARULO,N.J. Westinghouse Electric Corp. 6pp. A1663:277-A1663:282.

9801050178 Forwards input which has open items that have been extracted & designated as final SER open items.Open items pertain to pH adjustment & passive autocatalytic recombiner TSs.
HUFFMAN,W.C. . 97/12/17. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1663:283-A1663:285.

9801050300 Forwards input of partial SER open item associated w/AP600 TS on main control room habitability.Input was provided w/mark-up of W TS 3.7.6.
HUFFMAN,W.C. . 97/12/17. LIPARULO,N.J. Westinghouse Electric Corp. 14pp. A1663:172-A1663:185.

9801140316 Informs of cancellation of 980106 Task Group Meetings for AP600 in Rockville,Maryland.
WILSON,J.N. . 97/12/17. QUAY,T.R. . 3pp. A1809:356-A1809:358.

9801050272 Forwards open items associated w/applicability of WCOBRA/ TRAC for analyses of AP600 large break LOCAs,FSER Chapter 21.
HUFFMAN,W.C. . 97/12/18. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A1663:164-A1663:168.

9801050284 Forwards input of open items associated w/AP600 ERGs SER.
HUFFMAN,W.C. . 97/12/18. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1663:169-A1663:171.

9801050331 Forwards input of SER open items & restrictions associated w/applicability of NOTRUMP for analyses of AP600 SBLOCA accidents,FSER section 21.
HUFFMAN,W.C. . 97/12/18. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A1663:300-A1663:304.

9801140171 Forwards W revised responses to RAIs 640.138,640.139,640.140 & 640.148 re comments from Civil & Geosciences Branch re rev 3 of AP600 certified design matl including ITAAC.W status column will be changed to "Confirm N" in OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/12/19. QUAY,T.R Document Control Branch (Document Control Desk). 28pp. A1824:281-A1824:308.

9801130262 Forwards open items associated w/AP600 SER on regulatory treatment of nonsafety related sys.Input has open items, which have been extracted & designated as final SER open items in encl to this ltr.
HUFFMAN,W.C. . 97/12/22. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1790:342-A1790:345.

9801140033 Submits RAI re open items in AP600 design certification review.
SCALETTI,D.C. . 97/12/22. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1796:355-A1796:357.

9801140042 Forwards W responses to FSER open items re AP600.NRC should review encl table & inform W of status to be designated in "NRC Status" column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/12/22. QUAY,T.R. Document Control Branch (Document Control Desk). 25pp. A1799:314-A1799:338.

9801140182 Forwards W responses to FSER open items on AP600.Summary of encl responses also encl.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/12/23. QUAY,T.R. Document Control Branch (Document Control Desk). 40pp. A1800:301-A1800:340.

9801140150 Forwards W responses to FSER open items re AP600.NRC should review encl table & inform W of status to be designated in "NRC Status" column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/12/29. QUAY,T.R. Document Control Branch (Document Control Desk). 43pp. A1801:214-A1801:256.

9801130290 Discusses open item on AP600 design of core makeup tank instrumentation & controls.In 971202 ltr staff issued open item 420.127F documenting concern.Westinghouse responded in 971211 ltr & open item 420.127F considered resolved.
HUFFMAN,W.C. . 97/12/30. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1790:268-A1790:271.

9801140031 Forwards open item associated w/SER on AP600 TSs for containment isolation.
HUFFMAN,W.C. . 97/12/30. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1830:040-A1830:042.

9801140047 Forwards W responses to FSER open items re AP600.NRC should review encl & inform W of status to be designated in "NRC Status" column of OITS.
MCINTRYRE,B.A Westinghouse Electric Corp. 97/12/30. QUAY,T.R. Document Control Branch (Document Control Desk). 12pp. A1799:339-A1799:350.

9801140124 Forwards W responses to FSER open items on A600.Summary of encl responses & markup of PRA App D also encl.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/05. QUAY,T.R. Document Control Branch (Document Control Desk). 110pp. A1799:138-A1799:247.

9801130110 Forwards W responses to FSER open items on AP600.Summary of encl responses is provided in Table 1,including FSER open item number,associated OITS number & status to be designated in W status column.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/06. QUAY,T.R. Document Control Branch (Document Control Desk). 6pp. A1793:008-A1793:013.

9801130177 Provides responses to FSER open items on AP600 & W response to FSER open item 720.431F.W status column in OITS will be changed to "Confirm W."
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/07. QUAY,T.R. Document Control Branch (Document Control Desk). 298pp. A1794:001-A1794:298.

9801130223 Forwards W response to RAI 640.159 re comments on AP600 inspections,tests,analyses & acceptance criteria.Response closes open item 6059.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/07. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. A1807:349-A1807:351.

9801130336 Forwards status rept on AP600 initial test program.Rept identifies nine open items & one confirmatory item that require resolution by Westinghouse before NRC can complete review of AP600 design certification application.
WILSON,J.N. . 98/01/07. LIPARULO,N.J. Westinghouse Electric Corp. 38pp. A1801:066-A1801:101.

9801150205 Forwards documentation of AP600 informal correspondence to W re shutdown probabilistic risk assessment & severe accident issues.
SEBROSKY,J.M. . 98/01/07. . 7pp. A1818:104-A1818:129.

--**9801150209** Submits response to NRC comments on PRA attachment 54B.
HAAG,C. Westinghouse Electric Corp. 97/10/01. SEBROSKY,J. NRC - No Detailed Affiliation Given. 19pp. A1818:111-A1818:129.

9801140157 Forwards W responses to FSER open items re AP600.NRC should review encl & inform W of status to be designated in "NRC Status" column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/08. QUAY,T.R. Document Control Branch (Document Control Desk). 72pp. A1800:229-A1800:300.

9801150055 Provides W response to FSER open items on AP600.Summary of encl provided in Table 1.W status will be changed to confirm W.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/09. QUAY,T.R. Document Control Branch (Document Control Desk). 126pp. A1823:110-A1823:235.

9801160023 Forwards Westinghouse AP600 final safety evaluation rept Chapter 21, "Testing & Computer Code Validation," Section 21.7, "Quality Assurance Insp."
BLACK,S.C. . 98/01/09. QUAY,T,R. . 13pp. A1830:084-A1830:096.

9801230223 Provides Westinghouse responses to FSER open items on AP600. Summary of encl responses provided in Table 1.NRC should review encls & inform Westinghouse of status to be designated in "NRC Status" column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/12. QUAY,TR. Document Control Branch (Document Control Desk). 24pp. A1899:213-A1899:236.

9801200228 Forwards open items on piping classification of AP600 chemical & volume control sys.Open items designated as FSER rept open items.
HUFFMAN,W.C. . 98/01/13. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A1860:253-A1860:257.

9801220301 Notification of meeting w/W on 980120-22 in Upton,NY to review calculations for structural modules for seismic category I structures in order to resolve final SE rept open items sent to Westinghouse in 971217 ltr.
SEBROSKY,J.M. . 98/01/13. QUAY,T.R. . 3pp. A1879:358-A1879:360.

9801230146 Provides W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS, included in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/13. QUAY,T.R. Document Control Branch (Document Control Desk). 10pp. A1899:351-A1899:360.

9801230046 Forwards issue extracted from SER & designated FSER open item associated w/AP600 SER on validation of WCOBRA/TRAC for long term cooling analyses.
HUFFMAN,W.C. . 98/01/14. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1900:358-A1900:360.

9801230160 Provides W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS, included in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/14. QUAY,T.R. Document Control Branch (Document Control Desk). 57pp. A1895:295-A1895:351.

9801230244 Forwards open items associated w/pressure isolation valve leak testing.
HUFFMAN,W.C. . 98/01/14. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1891:323-A1891:326.

9801230174 Provides W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS, included in Table 1.Rev 4 to WCAP-13914 encl.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/15. QUAY,T.R. Document Control Branch (Document Control Desk). 82pp. A1900:002-A1900:158.

--9801230193 Rev 4 to "Framework for AP600 Severe Accident Mgt Guidance."
* Westinghouse Electric Corp. WCAP-13914 R04. 98/01/15. 63pp. A1900:092-A1900:158.

9801230138 Provides W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/16. QUAY,T.R. Document Control Branch (Document Control Desk). 44p. A1898:250-A1898:293.

9801230156 Provides proprietary Westinghouse responses to NRC FSER open items 480.1085F (OITS 6187) & 480.1086F (OITS 6188) re WGOTHIC evaluation model.Proprietary responses withheld,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/16. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. A1902:059-A1902:120.

--9801230162 Requests that proprietary AP600 response to FSER open items, be withheld,per 10CFR2.790.
SEPP,H.A. Westinghouse Electric Corp. 98/01/16. QUAY,T.R. Document Control Branch (Document Control Desk). 58pp. A1902:063-A1902:120.

9801230249 Forwards RAI associated w/review of AP600 TSs SER shutdown conditions.
QUAY,T.R. . 98/01/16. LIPARULO,N.J. Westinghouse Electric Corp. 9pp. A1890:332-A1890:342.

9801260241 Forwards open items associated w/AP600 SER on AP600 containment design & accident analyses.
HUFFMAN,W.C. . 98/01/16. LIPARULO,N.J. Westinghouse Electric Corp. 8pp. A1902:187-A1902:194.

9801230006 Forwards W responses to FSER open items re AP600.NRC should review encl & inform W of status to be designated in "NRC Status" column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/19. QUAY,T.R. Document Control Branch (Document Control Desk). 27pp. A1900:286-A1900:312.

9801280205 Forwards W response to NRC FSER open item 480.1114F related to WGOTHIC evaluation model.Response closes,from W perspective,item.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/20. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. A1968:072-A1968:075.

9801270062 Forwards three copies of W response to RAI 640.156 related to comments on radiologically controlled area ventilation sys from Radiation Branch re rev 3 of AP600 Certified Design Matl including ITAAC.Open items 5107 & 6056,closed.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/21. QUAY,T.R. Document Control Branch (Document Control Desk). 13pp. A1932:325-A1932:337.

9801280203 Forwards rev to AP600 Certified Design Matl,Section 2.2.4, "Steam Generator Sys." Revs made to be consistent w/TS, Section 3.7.2 & IST requirements to SSAR Section 3.9 for turbine stop valves & turbine control valves.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/21. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. A1968:068-A1968:071.

9801280063 Provides W responses to FSER open items on AP600.Summary of enclosed responses is provided in Table 1.FSER open item number,associated OITS number & status to be designated in W status column of OITS is also included in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/22. QUAY,T.R. Document Control Branch (Document Control Desk). 21pp. A1967:279-A1967:299.

9801280108 Forwards revised response to FSER open item 480.1084F related to comments on passive containment cooling sys from Containment Sys Branch re rev 3 of AP600 certified design matl,including ITAAC.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/22. QUAY,T.R. Document Control Branch (Document Control Desk). 22pp. A1966:326-A1966:347.

9801300041 Provides Westinghouse responses to FSER open items on AP600. Summary of encl responses provided in Table 1.NRC should review encls & inform Westinghouse of status to be designated in "NRC Status" column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/23. QUAY,T.R. Document Control Branch (Document Control Desk). 103pp. A1973:254-A1973:356.

9801300047 Forwards Westinghouse responses to five open items re AP600 SSAR Chapter 14, "Initial Test Program," as requested in ltr from staff dtd 980107.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/23. QUAY,T.R. Document Control Branch (Document Control Desk). 18pp. A1975:149-A1975:168.

9801050284 Forwards input of open items associated w/AP600 ERGs SER.
HUFFMAN,W.C. . 97/12/18. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1663:169-A1663:171.

9801140328 Forwards Rev 19 to GW-GL-021, "AP600 SSAR," in form of replacement sections to be inserted into SSAR binders to replace superseded pages,per 10CFR50.30(b).
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/09. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. A1863:001-A1865:186.

--9801140332 Rev 19 to GW-GL-021, "AP600 SSAR," Vols I-II.
LINDGREN,D.A., MCINTYRE,B.A. Westinghouse Electric Corp. GW-GL-021 R19. 98/01/09. 910pp. A1863:005-A1865:186.

9801130272 Notification of 980115 meeting w/task group for AP600 in Rockville,MD to perform task group review of insp,tests, analyses & acceptance criteria for reactor sys for AP600. Meeting rescheduled from 980105.
WILSON,J.N. . 97/12/08. QUAY,T.R. . 3pp. A1790:265-A1790:267.

9801050254 Notification of 980106 meeting w/Westinghouse in Rockville, MD to perform task group review of insps,tests,analyses & acceptance criteria for AP600 design.
WILSON,J.N. . 97/12/17. QUAY,T.R. . 3pp. A1663:132-A1663:134.

9801050256 Notification of 980106 meeting w/Westinghouse in Rockville, MD to perform task group review of insps,tests,analyses & acceptance criteria for AP600 design.
WILSON,J.N. . 97/12/17. QUAY,T.R. . 3pp. A1663:135-A1663:137.

9801050259 Forwards RAI associated w/technical issues identified during AP600 QA insp during wk of 971117-21.
QUAY,T.R. . 97/12/17. LIPARULO,N.J. Westinghouse Electric Corp. 7pp. A1663:157-A1663:163.

9801130280 Notification of 980116 meeting w/task group in Rockville,MD to perform task group review of insp,tests,analyses & acceptance criteria for AP600 design.Meeting rescheduled from 980106 to 980116.
WILSON,J.N. . 97/12/17. QUAY,T.R. . 3pp. A1790:272-A1790:274.

9801130223 Forwards W response to RAI 640.159 re comments on AP600 inspections,tests,analyses & acceptance criteria.Response closes open item 6059.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/07. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. A1807:349-A1807:351.

9801160023 Forwards Westinghouse AP600 final safety evaluation rept Chapter 21, "Testing & Computer Code Validation," Section 21.7, "Quality Assurance Insp."
BLACK,S.C. . 98/01/09. QUAY,T,R. . 13pp. A1830:084-A1830:096.

DOCKET DOCKET UNKNOWN

9801060321 Ack receipt of license application for docket 7003095,dtd 971205.Administrative review of application will be completed by Feb 1998.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/16. ALKEMA,K. Envirocare of Utah, Inc. 2pp. A1738:348-A1738:349.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9801260290 Notification of shipment of DOT 6M,Type B,approx 1,850 lbs, solid from Lynchburg,VA to Columbia,MO.
BURNETTE,D. Babcock & Wilcox Co. 97/11/05. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. Region 2 (Post 820201). 2pp. A1926:261-A1926:262.

9801260264 Notifies of upcoming shipmennt of DOT 6M,type B,approx 1,850 lbs,from Lynchburg,VA to Columbia,MO.
BURNETTE,D. Babcock & Wilcox Co. 97/12/09. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. Region 2 (Post 820201). 2pp. A1926:259-A1926:260.

9801060197 Forwards insp rept 70-0027/97-205 on 971119-21. No violations noted.
TING,P. Operations Branch. 97/12/17. CONNER,J.A. Affiliation Not Assigned. 2pp. A1754:112-A1754:119.

--9801060200 Insp rept 70-0027/97-205 on 971119-21.No violations noted. Major areas inspected:safety basis for high risk chemicals associated w/high level dissolvers.
* Office of Nuclear Material Safety & Safeguards. 97/12/17. 6pp. A1754:114-A1754:119.

9801210280 Forwards insp rept 70-0027/97-12 on 971102-1206.No violations or deviations identified.
MCALPINE,E.J. Region 2 (Post 820201). 97/12/31. CONNER,J.A. Affiliation Not Assigned. 2pp. A1857:037-A1857:054.

--9801210285 Insp rept 70-0027/97-12 on 971102-1206.No violations noted. Major areas inspected:interviews w/personnel & direct observation of work activities in area of facility operations.
* Region 2 (Post 820201). 97/12/31. 16pp. A1857:039-A1857:054.

9801210008 Forwards fitness for duty program rept for BWX Technologies, Inc,for period of 970701-1231,per 10CFR26.
DAVIS,W.H. Affiliation Not Assigned. 98/01/07. WEBER,M.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. A1857:352-A1857:353.

9801230047 Forwards insp rept 70-0027/97-206 on 971215-19 & notice of violation.Violation is of NRC concern because operating procedure was released & used w/o having required safety review by Nuclear Criticality Safety Section.
TING,P. Operations Branch. 98/01/12. CONNER,J.A. . 2pp. A1893:116-A1893:130.

--9801230054 Notice of violation from insp on 971215-19.Violation noted: work procedure involving licensed matl in radiologically controlled area,was released for use in U recovery area w/o having required safety review.
* Operations Branch. 98/01/12. 3pp. A1893:118-A1893:120.

--9801230058 Insp rept 70-0027/97-206 on 971215-19.Violation noted.Major areas inspected:flowdown of controls from analysis to operations in high risk areas,control of work procedures & adherence to operational controls in plant activities.
* Operations Branch. 98/01/12. 10pp. A1893:121-A1893:130.

9801280168 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0027/97-08 on 971128.Finds response meets requirements of 10CFR2.201.C/As will be examined during future insps.
COLLINS,D.M. Region 2 (Post 820201). 98/01/12. CONNER,J.A. Affiliation Not Assigned. 2pp. A1960:020-A1960:028.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

9801220374 Informs that licensee intends to terminate ltr of credit & to amend schedule A of Standby Trust Agreement,Chapter 7,App 7-9 of license application.
WEBER,M.F. Licensing Branch. 98/01/15. OLSEN,A.F. Affiliation Not Assigned. 2pp. A1893:352-A1893:353.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9801060290 Confirms agreement to make presentation to NRC on 980113 re chemical safety questions on HF absorber sys.Submission of any written matl in response to RAI dtd 971125 should be delayed until after 980113 meeting.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 97/12/19. CHOTOO,S.D. Licensing Branch. 1p. A1754:086-A1754:086.

9801070309 Forwards responses to questions posed in 971121 ltr re amend request to update decommissioning plan for evaporation ponds.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 97/12/19. SOONG,S. Licensing Branch. 3pp. A1747:313-A1747:315.

9801120179 Notification of 980113 meeting w/NRC & C-E in Rockville,MD to discuss chemical safety issues associated w/pending license amend request to release hydrofluoric acid for unrestricted use.
SOONG,S. Office of Nuclear Material Safety & Safeguards. 97/12/22. Office of Nuclear Material Safety & Safeguards. 2pp. A1789:303-A1789:304.

9801120280 Forwards partially withheld insp rept 70-0036/97-203 on 971117-1121,One non-cited violation was identified,one violation & six inspector follow-up items were closed.Rept details withheld (ref 10CFR2.790).
TING,P. Operations Branch. 97/12/24. KAISER,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. A1817:109-A1817:112.

--**9801120283** Partially withheld insp rept 70-0036/97-203 on 971117-1121. Violations noted.Details withheld,per 10CFR2.790.
* Office of Nuclear Material Safety & Safeguards. 97/12/24. 2pp. A1817:111-A1817:112.

9801130104 Forwards insp rept 70-0036/97-04 on 971201-05.No violations noted.Insp consisted of selective exam of procedures & representative records,interviews w/personnel & observations of activities in progress.
HILAND,P.L. Region 3 (Post 820201). 98/01/05. KAISER,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. A1763:142-A1763:163.

--**9801130108** Insp rept 70-0036/97-04 on 971201-05.No violations noted. Major areas inspected:review & observation of selected license activities for operation of processes,maint program, mgt organization,radiation protection program & waste mgt.
* Region 3 (Post 820201). 98/01/05. 20pp. A1763:144-A1763:163.

9801140368 Revised notification of meeting w/Combustion Engineering,Inc in Rockville,MD to discuss chemical safety issues associated w/pending license amend request to release hydrofluoric acid for unrestricted use.Meeting changed from 980113 to 980115.
* NRC - No Detailed Affiliation Given. 98/01/08. NRC - No Detailed Affiliation Given. 2pp. A1832:357-A1832:358.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-0048 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J., HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withhdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

--**9801220023** Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

DOCKET 70-0113 PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9801080098 Submits results of NRC TLD direct radiation monitoring around B&W Pennsylvania operations facility for third quarter of 1997.
STRUCKMEYER,R. Region 1 (Post 820201). 97/12/23. YOUNG,D. Babcock & Wilcox Co. 4pp. A1728:065-A1728:068.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9801130083 Informs of licensee readiness for pre-operational insp of U-Al Recovery project to be conducted on 971201.
FERGUSON,D.B. Nuclear Fuel Services, Inc. 97/11/24. COLLINS,D.M. Region 2 (Post 820201). 4pp. A1792:358-A1792:361.

9801060326 Forwards response to NRC SER for UF cylinder washing & U/ aluminum alloy projects.Proposed corrections to SER will not affect relevant conclusions set forth in document.
BAER,T.S. Nuclear Fuel Services, Inc. 97/12/17. WEBER,M.F. Licensing Branch. 5pp. A1730:354-A1730:358.

9801060308 Confirms Nuclear Fuel Svcs,Inc completion of items identified by NRC staff as being required for startup of U- aluminum alloy processing & to confirm licensee readiness to commence U-aluminum alloy processing operations.
BAER,T.S. Nuclear Fuel Services, Inc. 97/12/18. COLLINS,D.M. Region 2 (Post 820201). 4pp. A1741:268-A1741:271.

9801120171 Forwards request for addl info identified in encl to ltr re fire protection amend & unclassified portions of license renewal.
COX,T.H. Licensing Branch. 97/12/22. BAER,T. Nuclear Fuel Services, Inc. 9pp. A1789:196-A1789:204.

9801120191 Forwards RAI re chemical safety function contained in license renewal application dtd 960724.
COX,T.H. Licensing Branch. 97/12/22. BAER,T.S. Nuclear Fuel Services, Inc. 8pp. A1789:295-A1789:302.

9801060334 Informs that due to vol of info requested,holiday schedules & start-up of HEU operations,licensee currently unable to provide info within requested time frame.Extension to allow submittal of info by 980202,requested.
BAER,T.S. Nuclear Fuel Services, Inc. 97/12/23. COX,T.H. Licensing Branch. 2pp. A1730:359-A1730:360.

9801120198 Forwards RAI re license renewal application dtd 960426,1984 ER dtd 840727,1996 ER dtd 970502,NRC RAIs dtd 970425 & license response to 970425 RAI.Addl info needed to complete environ SER for renewal of license SNM-124.
COX,T.S. Licensing Branch. 97/12/23. BAER,T.S. Nuclear Fuel Services, Inc. 4pp. A1789:291-A1789:294.

9801120253 Informs that NRC completed review of submittal & determined licensee proposed changes do not decrease effectiveness of emergency plan,per 10CFR70.32(i).No action by NRC required prior to affecting changes.
SCHWINK,W.S. Licensing Branch. 97/12/23. BAER,T.S. Nuclear Fuel Services, Inc. 3pp. A1789:205-A1789:207.

9801070204 Responds to violations noted in insp rept 70-0143/97-11. Corrective actions:issued ltr of reprimand to employee involved & retrained all 200 complex operators on safety requirements prohibiting eating or chewing.
BAER,T.S. Nuclear Fuel Services, Inc. 98/01/02. Document Control Branch (Document Control Desk). 5pp. A1747:234-A1747:238.

9801160190 Informs that licensee is unable to provide info requested in NRC 971003 ltr.Extension until 980131,requested to submit info.
BAER,T.S. Nuclear Fuel Services, Inc. 98/01/02. WEBER,M.F. Licensing Branch. 2pp. A1860:251-A1860:252.

9801220089 Informs that licensee is unable to provide info requested in NRC 971205 ltr.Extension requested until 980302 to submit info on Chapter 4 of license renewal application for NFS commitments re nuclear criticality safety.
BAER,T.S. Nuclear Fuel Services, Inc. 98/01/02. COX,T.H. Licensing Branch. 2pp. A1887:300-A1887:301.

9801220397 Notification of 980114 meeting w/licensee in Rockville,MD to discuss current activities & future projects.
COX,T.H. Office of Nuclear Material Safety & Safeguards. 98/01/09. Office of Nuclear Material Safety & Safeguards. 3pp. A1894:131-A1894:133.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

9801300167 Forwards Rev 3 to "Spill Prevention Control & Countermeasure (SPCC) Plan." Document supersedes spill prevention control countermeasure plan dtd Dec 1996,Rev 2.
BAER,T.S. Nuclear Fuel Services, Inc. 98/01/16. WEBER,M. Licensing Branch. 1p. A1987:109-A1987:199.

--**9801300172** Rev 3 to "Spill Prevention Control & Countermeasure (SPCC) Plan."
BAER,T.S. Nuclear Fuel Services, Inc. 97/11/30. 90pp. A1987:110-A1987:199.

9801300210 Informs that NFS reviewed 971222 RAI re chemical safety & since requested info substantial,responses to listed items will be provided by 980220.Questions & responses that appear to have licensing impact for KAST being identified.
BAER,T.S. Nuclear Fuel Services, Inc. 98/01/21. WEBER,M.F. Licensing Branch. 3pp. A2002:315-A2002:317.

9801300241 Informs that NFS reviewed 971222 RAI re fire protection & since requested info substantial,responses to listed items will be provided by 980220.
BAER,T.S. Nuclear Fuel Services, Inc. 98/01/21. WEBER,M.F. Licensing Branch. 3pp. A2002:318-A2002:320.

DOCKET 70-0152 PURDUE UNIV., WEST LAFAYETTE, IN

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-0157 TEXAS, UNIV. OF, AUSTIN, TX

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9801080098 Submits results of NRC TLD direct radiation monitoring around B&W Pennsylvania operations facility for third quarter of 1997.
STRUCKMEYER,R. Region 1 (Post 820201). 97/12/23. YOUNG,D. Babcock & Wilcox Co. 4pp. A1728:065-A1728:068.

DOCKET 70-0398 COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-0600 SEATTLE UNIV., SEATTLE, WA

9801210162 Safety insp on 971218 of license SNM-589.Insp findings:no violations noted.
GARCIA,E.M. Region 4 (Post 820201). * Seattle Univ., Seattle, WA. 97/12/18. 1p. A1855:307-A1855:307.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-0622 ARMY, DEPT. OF, DOVER, NJ

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9801070277 Responds to 971203 ltr requesting amend to condition H of radioactive matls license.Amend 9 to matls license SNM-639, encl.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/16. MCGOVERN,J.J. Cintichem, Inc. 3pp. A1747:329-A1747:337.

--9801070282 Amend 9 to license SNM-639 for Cintichem,Inc.
HICKEY,J.W Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/16. 6pp. A1747:332-A1747:337.

9801080072 Forwards result of NRC "TLD Direct Radiation Monitoring Around Cintichem Facility," for third quarter of 1997.
STRUCKMEYER,R. Region 1 (Post 820201). 97/12/23. MCGOVERN,J.J. Cintichem, Inc. 4pp. A1728:069-A1728:072.

DOCKET 70-0698 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J., HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

--9801220023 Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9801060297 Appeals for assistance in obtaining priority required by NRC staff to finish nearly completed & urgently needed,approval of licensee decommissioning plan.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 97/12/09. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. A1741:262-A1741:262.

9801050034 Responds to NRC 971204 ltr re violations noted in insp rept 70-0734/97-05.Corrective actions:addl comprehensive training was conducted for personnel working at facility on 971210 & HCF personnel will be retrained upon issue of procedure.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 97/12/18. Document Control Branch (Document Control Desk). 3pp. A1684:221-A1684:223.

9801070306 Forwards partially withheld insp rept 70-0734/97-201.No violation noted.
TING,P. Operations Branch. 97/12/19. EDWARDS,J.R. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. A1796:003-A1796:005.

--9801070325 Partially withheld insp rept 70-0734/97-201.No violations noted.Details withheld,per 10CFR2.790.
* Operations Branch. 97/12/19. 3pp. A1796:005-A1796:005.

9801120200 Anticipates final licensing action associated w/review to be completed by end of Jan 1998,in response to 971209 ltr requesting timely approval of General Atomics site decommissioning plan.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/12/19. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. A1789:208-A1789:210.

9801140125 Ack receipt of 971218 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0734/97-05.
WENSLAWSKI,F.A. Walnut Creek Field Ofc, R4 (Post 940404). 97/12/29. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. A1791:111-A1791:112.

9801130259 Notification of 980114-16 meeting w/General Atomics,Inc in San Diego,CA to discuss site decommissioning & licensing activities.
GASKIN,C.E. Licensing Branch. 98/01/08. Licensing Branch. 1p. A1808:333-A1808:333.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

9801220121 Requests that described financial info submitted to NRC by various financial institutions be treated as proprietary info under provisions of 10CFR2.790.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 98/01/15. SHEPHERD,J. Document Control Branch (Document Control Desk). 2pp. A1895:120-A1895:121.

9801230307 Forwards Jan 1998 revised pages to Sept 1996 site decommissioning plan.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 98/01/15. GASKIN,C.E. Licensing Branch. 1p. A1900:328-A1900:333.

--9801230314 Jan 1998 revised pages to Sept 1996 site decommissioning plan.
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 98/01/31. 5pp. A1900:329-A1900:333.

9801260310 Informs that Section 2.3.1 of General Atomics hot cell decommissioning plan document revised so as to make it consistent w/other documents.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 98/01/19. GASKIN,C.E. Licensing Branch. 1p. A1910:348-A1910:348.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9801070067 Forwards partially withheld insp rept 70-0754/97-201 on 971117-18.No violations noted.Rept details withheld (ref 10CFR73.21).
TING,P. Operations Branch. 97/12/17. STIMMEL,G.R. General Electric Co. 2pp. A1860:188-A1860:190.

--9801070073 Partially withheld insp rept 70-0754/97-201 on 971117-18.No violations noted.Details withheld,per 10CFR2.790.
* Office of Nuclear Material Safety & Safeguards. 97/12/17. 6pp. A1860:190-A1860:191.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-0820 UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER

9801090269 "1997 Groundwater Monitoring Rept United Nuclear Corp Charleston,RI."
KLINE,S.M., POWERS,M.A., HARTLEY,J.P. GZA GeoEnvironmental, Inc. (formerly Goldberg-Zoino & Associates, Inc. & Goldber. 97/12/31. 64pp. A1788:276-A1788:337.

DOCKET 70-0864 RIPON COLLEGE, RIPON, WI

9801280293 Discusses onsite insp of license SNM-798 on 971216 & 980115 telcon re licensed activities at facility & results of insp findings.No violations noted.
MADERA,J.R. Region 3 (Post 820201). 98/01/23. SELIGMAN,D. Ripon College, Ripon, WI. 1p. A1940:183-A1940:183.

DOCKET 70-0893 FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9801060309 Forwards summary notes from 971208,meeting of NRC & Cimarron Corp.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/16. LARSEN,J. Cimarron Corp. 6pp. A1741:277-A1741:284.

--9801080018 Informs that K Kalman has no legal objection to Cimarron ltrs including Subarea J.
FONNER,R. NRC - No Detailed Affiliation Given. 97/12/15. KALMAN,L. NRC - No Detailed Affiliation Given. 1p. A1741:283-A1741:283.

--9801080026 Concurs meeting summary & ensuing ltr re groundwater standards.
CAIN,C. NRC - No Detailed Affiliation Given. 97/12/15. KALMAN,L. NRC - No Detailed Affiliation Given. 1p. A1741:284-A1741:284.

9801120251 Provides guidance on whether 4 mrem/yr limit for technetium & 30 pCi/l limit for U are additive or separate from each other,per request during 971208 meeting.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/18. LARSEN,J. Cimarron Corp. 4pp. A1789:230-A1789:235.

9801050262 Forwards 971224 ltr from J Larsen to KL Kalman,responding to NRC staff comments on Cimarron Plan titled, "Radiological Characterization of Asphalt - U Yard Area."
HODO,M. Cimarron Corp. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1713:355-A1713:360.

--**9801050265** Responds to NRC staff comments on Cimarron Plan titled, "Radiological Characterization of Asphalt - U Yard Area," as listed in NRC ltr dtd 971107.
LARSEN,J. Cimarron Corp. 97/12/24. KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. A1713:357-A1713:360.

9801150177 Submits comments re "Final Status Survey Rept for Phase II- Subarea J," dtd 970905.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/09. LARSEN,J. Cimarron Corp. 7pp. A1841:124-A1841:132.

--**9801160123** Informs that K Kalman concurs on Subarea J comments to Cimarron.
CAIN,C. NRC - No Detailed Affiliation Given. 97/12/15. KALMAN,K.L. NRC - No Detailed Affiliation Given. 1p. A1841:132-A1841:132.

9801290197 Application for amend to license SNM-928,to incorporate changes to organizational structure,following retirement of J Kegin as Site Manager.Elimination of redundancy in license concerning organization tie-down,also requested.
LARSEN,J. Cimarron Corp. 98/01/23. KALMAN,K. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 5pp. A1971:237-A1971:241.

DOCKET 70-0938 MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-1068 FLORIDA, UNIV. OF, GAINESVILLE, FL

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9801060150 *Forwards insp rept 70-1100/97-02 on 971118-20.No violations* noted.Licensee maintained effective control of radioactive matl in storage & control of facility activities to maintain worker radiation protection.
BELLAMY,R. Region 1 (Post 820201). 97/12/10. CONANT,J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. A1680:269-A1680:277.

--**9801060154** *Insp rept 70-1100/97-02 on 971118-20.No violations noted. Major areas* inspected:radwaste storage,radiation protection & mgt controls.
KOTTAN,J., BELLAMY,R. Region 1 (Post 820201). 97/12/04. 6pp. A1680:272-A1680:277.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9801280267 Forwards insp rept 70-1113/97-08 on 971208-12.No violations or deviations noted.Purpose of insp was to determine whether activitieds authorized conducted safely & per NRC requirements.
MCALPINE,E.J. Region 2 (Post 820201). 98/01/06. KIPP,C.P. General Electric Co. 2pp. A1959:273-A1959:287.

--**9801280269** Insp rept 70-1113/97-08 on 971208-12.No violations noted. Major areas inspected:licensee conduct of plant operations & maint.
MCALPINE,E.J. Region 2 (Post 820201). 98/01/06. 13pp. A1959:275-A1959:287.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

9801220323 *Informs that NRC completed review of licensee submittal re revs to emer*gency plan & determined proposed changes do not decrease effectiveness of EP,per 10CFR70.32(i),no action by NRC required prior to GE affecting changes.
HRABAL,C. Licensing Branch. 98/01/15. VAUGHAN,C. General Electric Co. 2pp. A1894:116-A1894:117.

DOCKET 70-1143 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withhdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

--**9801220023** Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9801070275 Forwards proprietary proposed changes to Fundamental Nuclear Matl Control Plan,rev 28.Attachment provides explanation of changes incorporated within revised FNMC Plan.Encl withheld.
WILLIAMS,R.A. Westinghouse Electric Corp. 97/12/18. WEBER,M.F. Licensing Branch. 1p. A1781:348-A1781:348.

9801150111 *Forwards revised page 4 of Westinghouse submittal dtd 971212.Statement* in parantheses,under initiative 6,second paragraph,should read (see SMIP initiative for "Enhance Compliance QA").
GOODWIN,W.L. Westinghouse Electric Corp. 97/12/16. TEN EYCK,E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 3pp. A1844:186-A1844:188.

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801260236 Withdraws application for transfer & amendment of license SNM-1107 for W Commercial Fuel Fabrication facility. Withdrawal necessitated as former plans to separate corp broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. REYES,L.A. Region 2 (Post 820201). 1p. A1913:344-A1913:344.

9801120265 Informs that NRC reviewed licensee submittal & determined addl financial costs required in order to meet guidelines discussed in NUREG/CR-1266, "Technology,Safety & Costs of Decommissioning Ref U Fuel Fabrication Plant."
GASKIN,C.E. Licensing Branch. 97/12/19. NARDI,A.J. Westinghouse Electric Corp. 2pp. A1789:194-A1789:195.

9801210273 Application for amend to License SNM-1107,changing name of licensee from "Westinghouse Electric Corp" to "Westinghouse Electric Co,Div of CBS Corp."
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. REYES,L.A. Region 2 (Post 820201). 2pp. A1882:337-A1882:337.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withhdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

--**9801220023** Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

9801220387 Forwards amend 9 to license SNM-1107 & SER.Amend allow delay in submitted of summary of criticality safety evaluation for ventilation sys from 971231 to 980331.
SCHWINK,W.S. Licensing Branch. 97/12/30. GOODWIN,W.L. General Electric Co. 3pp. A1894:118-A1894:130.

--**9801220389** Amend 9 to license SNM-1107 for Westinghouse Electric Corp.
SCHWINK,W.S. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/12/30. 8pp. A1894:121-A1894:128.

--**9801220392** *Safety evaluation supporting amend 9 to license SNM-1107.*
GASKIN,C.E. NRC - No Detailed Affiliation Given. 97/12/30. 2pp. A1894:129-A1894:130.

9801270139 EN-97-118:on 980105,notice of proposed imposition of civil penalty in amount of $13,750 issued to licensee.Action based on eight violations involving criticality safety controls considered in aggregate to represent Severity Level III.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/12/30. 1p. A1947:322-A1947:322.

9801130356 Discusses insp rept 70-1151/97-205 on 970825-29 & forwards NOV & proposed imposition of civil penalty in amount of $13,750.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/06. ALLEN,J.B. Westinghouse Electric Corp. 6pp. A1763:189-A1763:200.

--**9801130362** Notice of violation & proposed imposition of civil penalty in amount of $13,750 from insp conducted on 970825-29. Violations noted:licensee failed to conduct adequate incident investigation & followup actions.
* Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/06. 6pp. A1763:195-A1763:200.

9801200274 *Submits minor revs to prior requests for changes to approved application* for renewal of SNM license for Commercial Nuclear Fuel Div at Columbia,SC fuel fabrication facility.
WILLIAMS,R.A. Westinghouse Electric Corp. 98/01/09. GASKIN,C. Licensing Branch. 13pp. A1862:321-A1862:333.

9801230310 Requests that new revised license amend be issued to address *oversight,extending schedule for completing "Scrubber Sys"* CSE to 980331,as documented during discussion w/NRC last wk.
GOODWIN,W.L. Westinghouse Electric Corp. 98/01/12. GASKIN,C. Licensing Branch. 1p. A1900:313-A1900:313.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. *Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14.* KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-1201 FRAMATOME COGEMA FUELS, LYNCHBURG, VA.

9801070238 Forwards proprietary rev 12 to "Fundamental Nuclear Control Plan," which incorporates NRC requested addl info contained in 971113 ltr.Proprietary info withheld.
ELLIOT,G.F Framatome Cogema Fuels (formerly B&W Fuel Co.),. 97/12/13. LAMASTRA,M.A. Licensing Branch. 2pp. A1781:341-A1781:342.

9801130027 Refers to 971219 meeting at facility re NRC evaluation of performance in five major areas of safety operations, safeguards,radiological controls,facility support & licensing activities.List of attendees & presentation encl.
MCALPINE,E.J. Region 2 (Post 820201). 97/12/30. MATHESON,J.E. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 30pp. A1784:320-A1784:348.

9801090227 Forwards response to violations noted in insp rept 70-1201/97-06.Corrective actions:NRC insp rept & NOV reviewed w/designated auditor of health physics & nuclear criticality audits for first half of 1998.
ELLIOTT,G.F. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/01/05. Document Control Branch (Document Control Desk). 3pp. A1786:332-A1786:334.

9801220361 Forwards insp rept 70-1201/97-205 on 971217.No violations noted.
TING,P. Operations Branch. 98/01/12. CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 2pp. A1893:037-A1893:047.

--9801220368 Insp rept 70-1201/97-205 on 971217.No violations noted.Major areas inspected:receiving & storage vault areas,pellet loading room,fuel rod processing area & fuel bundle assembly & storage areas.
* Operations Branch. 98/01/12. 9pp. A1893:039-A1893:047.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9801150087 Submits revised schedule for completion of category III Criticality Safety Analyses updates.
VAUGHAN,R.E. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/12/16. WEBER,M.F. Licensing Branch. 1p. A1844:177-A1844:177.

9801060108 Ack receipt of ltr dtd 971210,for license SNM-1227 re use of operations scrap warehouse as temporary storage facility.
HARDIN,K.J. Licensing Branch. 97/12/18. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. A1727:323-A1727:324.

9801150039 Forwards requested info re temporary storage in planar arrays as reported during 971219 telcon w/M Adams & H Felsher.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/12/22. MOREY,D.C. Operations Branch. 4pp. A1841:163-A1841:166.

9801090002 Responds to violations noted in insp rept 70-1257/97-07 on 971218.Corrective actions:licensee will submit amend request authorizing storage of wider range of U bearing compounds in temporary storage.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/12/29. SCARANO,R.A. Region 4 (Post 820201). 2pp. A1757:357-A1757:358.

9801150115 Submits annual update to Financial Assurance Instruments of Decommissioning Funding Plan.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/12/29. SCHWINK,W.S. Licensing Branch. 8pp. A1841:147-A1841:154.

9801150104 Forwards number of questions & responses during 971223 telcon,per review of licensee request for license amend for Operations Scrap Warehouse.Tables revised to include powder density along w/container loading info,encl.
EDGAR,J.B. Siemens Corp. 97/12/30. SCHWINK,W.S. Licensing Branch. 5pp. A1844:178-A1844:182.

9801130114 Informs NRC that actions requested in Item 3 of NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," not required.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1808:277-A1808:277.

9801230271 Provides relevant assumptions re criticality safety calculations for operations scrap warehouse per 980109 telcon.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/01/12. SCHWINK,W.S. Licensing Branch. 1p. A1900:314-A1900:314.

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

9801220349 Forwards Amend 9 to license SNM-1227 & SER.Amend authorizes use of operations scrap warehouse.
SCHWINK,W.S. Licensing Branch. 98/01/15. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. A1893:342-A1893:351.

--9801220352 Amend 9 to license SNM-1227 for Siemens Power Corp.
SCHWINK,W.S. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/15. 8pp. A1893:344-A1893:347.

--9801220358 Safety evaluation supporting amend 9 to license SNM-1227.
FELSHER,H.D. NRC - No Detailed Affiliation Given. 98/01/15. 4pp. A1893:348-A1893:351.

9801260193 Forwards insp rept 70-1257/97-07 on 971215-19 & 971222-24 & NOV.Insp included review of selected activities at facility in Richland,Washington.Noted staff implemented effective programs in EP & areas of operation reviewed during insp.
SCARANO,R.A. Region 4 (Post 820201). 98/01/16. FEMREITE,B.N. Siemens Corp. 4pp. A1917:336-A1917:357.

--9801260199 Notice of violation from insp on 971215-19 & 971222-24. Violation noted:on 971218,licensee discovered that U compounds other than oxide pellets were being stored in temporary storage locations.
* Region 4 (Post 820201). 98/01/16. 2pp. A1917:340-A1917:341.

--9801260207 Insp rept 70-1257/97-07 on 971215-19 & 971222-24.Violations noted.Major areas inspected:EP,operations & followup on open items from previous insps.
* Region 4 (Post 820201). 98/01/16. 16pp. A1917:342-A1917:357.

DOCKET 70-1362 HAHNEMANN MEDICAL COLLEGE & HOSP., PHILADELPHIA, PA

9801050355 Discusses insp repts 30-34066/97-01,70-1362/97-01 & 70-3077/97-01 on 971021-22 & forwards NOV.Insp was exam of licensed activities re radiation safety & compliance w/Commission regulations & license conditions.
SHANBAKY,M.M. Region 1 (Post 820201). 97/12/12. NEZU,C. Affiliation Not Assigned. 2pp. A1658:205-A1658:209.

--9801050360 Notice of violation from insp on 971021-22.Violation noted: licensee did not perform measurements of thyroid burden within three days after administration of dosage.
* Region 1 (Post 820201). 97/12/12. 2pp. A1658:208-A1658:209.

DOCKET 70-1374 IDAHO STATE UNIV., POCATELLO, ID

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

9801260296 Notification of advance shipment of 4 model 30B cylinders in overpacks containing:RQ,U hexafluoride,fissile (containing more than 1% U235),7,UN2977,radioactive matl (U235,U238) solid,UF6.
MCLAUGHLIN,J. Transnuclear, Inc. 97/11/18. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A1926:263-A1926:264.

DOCKET 70-1503 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withhdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

--9801220023 Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

DOCKET 70-1703 EASTMAN KODAK CO., ROCHESTER, NY

9801230009 Discusses facilitating communications w/NRC & role of Project Manager in facilities.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/14. KOSMIDER,M.D. Allied-Signal Corp. 8pp. A1899:237-A1899:244.

DOCKET 70-1733 ALLEGHENY HEALTH, ED. & RESEARCH CORP., PITTSBURGH, PA

9801050327 Discusses insp rept 70-1733/97-01 on 970919.No violations noted.Insp limited to review of reported lost Pu-238 pacemaker & actions taken as submitted in 971022 corrrespondence.
SHANBAKY,M.M. Region 1 (Post 820201). 97/12/12. KING,G.C. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 3pp. A1658:032-A1658:034.

9801260110 Discusses 971022 ltr in response to CAL-1-97-24,dtd 970925. Based on response ltr,NRC has found that all commitments listed in CAL have been met.
BLOUGH,A.R. Region 1 (Post 820201). 97/12/17. KING,G.C. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 3pp. A1918:258-A1918:349.

--9801260115 Responds to CAL 1-97-24,dtd 970925.Particular actions items are addressed within encl matl.
KING,G. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 97/10/22. BROUGH,A.R. Region 1 (Post 820201). 89pp. A1918:261-A1918:349.

DOCKET 70-2996 VETERANS ADMIN. MEDICAL CENTER, NEW ORLEANS, LA

9801280165 Refers to telcon on 971215 re exam of activities conducted under license re radiation safety & compliance w/Commission rules & regulations & conditions of license.No regulatory concerns identified.
SPITZBERG,D.B. Region 4 (Post 820201). 98/01/21. Veterans Admin. Medical Center, New Orleans, LA. 3pp. A1959:250-A1959:252.

DOCKET 70-3020 NUCLEAR ASSURANCE CORP., NORCROSS, GA

9801260059 Requests approval of spent fuel route for rail movement between NWS & INEEL.Cargo will consist of TRIGA fuel elements containing highly enriched U.Shipment scheduled to arrive at NWS during first wk of April,1998.
WILLIAMS,B.R. NAC International Inc. (formerly Nuclear Assurance Corp.),. 97/12/05. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. A1919:072-A1919:074.

9801260065 Withdraws request for route approval,dtd 971205,for shipment between California & Idaho,per customer request.Request will be resubmitted as soon as routes & schedule,finalized.
WILLIAMS,B.R. NAC International Inc. (formerly Nuclear Assurance Corp.),. 97/12/09. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A1919:070-A1919:070.

DOCKET 70-3061 IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY

9801140314 Forwards insp rept 70-3061/97-01 on 970917-18 & NOV. Insp consisted of exam of licensed activities as relate to radiation safety & to compliance w/Commission regulations & license conditions.
KINNEMAN,J.D. Region 1 (Post 820201). 98/01/06. BINETTI,L. Imaging & Sensing Technology Corp. 3pp. A1791:295-A1791:309.

--9801140407 Notice of violation from insp on 970917-19.Violation noted: on 970918,licensee did not make surveys to assure compliance w/10CFR20.1201,which limits radiation exposure to occupational workers & 10CFR20.1101(d).
* Region 1 (Post 820201). 98/01/06. 2pp. A1791:298-A1791:299.

--9801140416 Insp rept 70-3061/97-01 on 970917-18.Violations noted.Major areas inspected:review of organization & scope of program for control of licensed matl,licensee mgt oversight of licensed matl program & licensee facilities & equipment.
BROWN,K.D., KINNEMAN,J.D. Region 1 (Post 820201). 98/01/06. 10pp. A1791:300-A1791:309.

9801280307 Ack receipt of ltrs dtd 971120,971216 & 971222,in response to CAL 1-97-25,dtd 970926.Based on response ltrs,NRC has found that no further response required re CAL.
BLOUGH,A.R. Region 1 (Post 820201). 98/01/20. BINETTI,L. Imaging & Sensing Technology Corp. 2pp. A1959:299-A1959:316.

--9801280317 Responds to CAL dtd 970926 by forwarding evaluations of air emissions,showing compliance w/10CFR20.1101(d) & bioassays, showing dose to each worker,to satisfy Items 2 & 3 of action ltr.
MIKE,T.M. Imaging & Sensing Technology Corp. 97/12/22. BROWN,K.D. Region 1 (Post 820201). 3pp. A1959:301-A1959:304.

--9801280322 Forwards 971120 "Radiation Safety Program Audit for Imaging & Sensing Technology Corp." Suggestions necessary will be implemented to improve Radiation Protection Program. Remaining issues of CAL essentially complete.
MIKE,T.M. Imaging & Sensing Technology Corp. 97/11/20. BROWN,K.D. Region 1 (Post 820201). 1p. A1959:305-A1959:305.

--9801280329 "Radiation Protection Program Audit for Imaging & Sensing Technology Corp."
MCGIFF,T. Imaging & Sensing Technology Corp. 97/11/20. 11pp. A1959:306-A1959:316.

DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9801090287 Forwards insp rept 70-3073/97-02 on 971014-21 & NOV. Violation re failure to collect & analyze soil & groundwater environ samples for radioactivity.
SCARANO,R.A. Region 4 (Post 820201). 97/12/05. LARSEN,S.J. Kerr-McGee Corp. 3pp. A1741:199-A1741:214.

--9801090289 Notice of violation from insp on 971014-21.Violation noted:during 1996,licensee failed to collect soil samples at eight locations to determine concentration of licensed matl.
* Region 4 (Post 820201). 97/12/05. 2pp. A1741:202-A1741:203.

--9801090293 Insp rept 70-3073/97-02 on 971014-21.Violations noted. Major areas inspected:review of site status,mgt organization & controls,QA program,waste mgt & effluents & environ monitoring.
* Region 4 (Post 820201). 97/12/05. 11pp. A1741:204-A1741:214.

9801140060 Responds to NRC ltr re violations noted in insp rept 70-3073/97-02.Corrective actions:modified form to list groundwater & suface water samples separately.
LUX,J. Kerr-McGee Corp. 98/01/06. CAIN,C.L. Region 4 (Post 820201). 1p. A1824:356-A1824:356.

DOCKET 70-3077 MEDICAL COLLEGE HOSPS., PHILADELPHIA, PA

9801050355 Discusses insp repts 30-34066/97-01,70-1362/97-01 & 70-3077/97-01 on 971021-22 & forwards NOV.Insp was exam of licensed activities re radiation safety & compliance w/Commission regulations & license conditions.
SHANBAKY,M.M. Region 1 (Post 820201). 97/12/12. NEZU,C. Affiliation Not Assigned. 2pp. A1658:205-A1658:209.

DOCKET 70-3078 ATLANTIC RICHFIELD CO., LOS ANGELES, CA

9801220054 Discusses insp rept 70-3078/97-01 on 971211 & forwards notice of violation.
KINNEMAN,J.D. Region 1 (Post 820201). 98/01/12. MCANULTY,M.C. Atlantic Richfield Co. (ARCO). 3pp. A1872:310-A1872:321.

--9801220059 Notice of violation from insp on 971211.Violations noted: licensee did not rept to NRC at no more than 12 month intervals.NRC received 960209 rept & at time of insp,970502 rept provided,an interval greater than 12 months.
* Region 1 (Post 820201). 98/01/12. 3pp. A1872:313-A1872:315.

--9801220072 Submits info as follow up to audit.Licensee unable to verify that quarterly survey was conducted for third quarter of 1997.Front page of quarterly storage room monitoring & survey results & fax from M McAnulty encl.
SMITH,L.C. Roy F. Weston, Inc. 97/12/12. HENDERSON,P.J. Region 1 (Post 820201). 4pp. A1872:316-A1872:319.

--9801220081 Forwards rept, "Radioisotope Powered Cardiac Pacemaker Program Technical Memorandum Rept XXXI on Status of Clinical Studies of Nuclear Pacemaker Model NU-5." Rept satisfies condition 12 of matl license SNM-1993.W/o rept.
MCANULTY,M.C. Atlantic Richfield Co. (ARCO). 97/05/02. KENNEMAN,J. Region 1 (Post 820201). 2pp. A1872:320-A1872:321.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9801140198 Forwards rev 21 to USEC-01 re application for NRC certification for Paducah Gaseous Diffusion Plant.Rev 21 incorporates changes to emergency plan,FNMCP,physical protection plan & transportation security plan.
MILLER,J.M. United States Enrichment Corp. (USEC). 97/12/24. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 3pp. A1959:085-A1959:235.

--9801140210 Rev 21 to USEC-01,application for NRC certification for Paducah Gaseous Diffusion Plant,consisting of changes to emergency plan,FNMCP,physical protection plan,transportation security plan & classified matter protection plan.
* United States Enrichment Corp. (USEC). 97/12/15. 140pp. A1959:088-A1959:235.

9801150159 Transmits final design info for planned structural mods to Buildings C-331 & C-335.Encl provides listing of design documents included w/ltr & design documents not included,but are available at site for review.W/87 oversize drawings.
TOELLE,S.A. United States Enrichment Corp. (USEC). 97/07/31. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 7pp. A1828:119-A1828:133.

9801130201 Forwards requested addl info re appropriateness of changes made to certification application under 10CFR76.68,per ltr dtd 971107.Commitments contained in submittal,encl.
TOELLE,S.A. United States Enrichment Corp. (USEC). 97/12/08. HORN,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 11pp. A1792:341-A1792:351.

9801130239 Responds to NRC ltr dtd 971208,informing of NRC perception that potential "chilling effect" environment has developed or may be developed at Paducah & Portsmouth Gaseous Diffusion Plants.
TIMBERS,W.H. United States Enrichment Corp. (USEC). 97/12/17. BEACH,A.B. Region 3 (Post 820201). 3pp. A1793:121-A1793:123.

9801050275 Documents understanding that NRC has agreed to extend due date from 980102 to 980123,for response to NOV re insp repts 99901322/97-01 & 71-0832/97-214.Extension allows sufficient time to provide more complete response.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/18. SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 1p. A1709:242-A1709:242.

9801060114 Provides info relevant to two apparent violations identified in 971027 & 1126 ltrs re info relevant to SAR update for Paducah & Portsmouth Gaseous Diffusion Plants.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/24. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 31pp. A1725:206-A1725:236.

9801090259 Forwards NRC 21 to certification application documents for Paducah,KY Gaseous Diffusion Plant.Encl withheld,per 10CFR2.790(d)(1).
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/24. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A1781:354-A1781:356.

9801050332 Responds to NRC 971128 ltr re violations noted in insp rept 70-7001/97-208.Corrective actions:performed preliminary review to determine scope of operations which could be performed at assays between 5.0 & 5.5 wt%.
POLSTON,S. United States Enrichment Corp. (USEC). 97/12/29. Document Control Branch (Document Control Desk). 15pp. A1711:343-A1711:358.

9801070244 Forwards petition requesting Commission review of Director's Decision denying in part USEC certificate amend request re Paducah plant seismic upgrades.
MILLER,J.H. United States Enrichment Corp. (USEC). #198 18703. 97/12/30. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1726:300-A1726:319.

--9801070254 US Enrichment Corp petition requesting Commission review of Director's Decision denying in part USEC certificate amend request re Paducah Plant seismic upgrades.* NRC determined that plan & mod appropriate & necessary.
MILLER,J.H. NRC - No Detailed Affiliation Given. 97/12/30. Commissioners (Post 750119). 18pp. A1726:302-A1726:319.

9801080351 Advises that compliance plan issue 44 re operational/safety sys trip redundancy contains stated required action.
TOELLE,S.A. United States Enrichment Corp. (USEC). 97/12/31. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 5pp. A1756:335-A1756:339.

9801140098 Forwards Annual Rept covering period 970303-0930 on Gaseous Diffusion Plants located in Paducah,KY & Portsmouth,OH.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/05. MURKOWSKI,F. Senate, Energy & Natural Resources. INHOFE,J.M. Senate, Environment & Public Works. DOMENICI,P.V. Senate, Appropriations. 5pp. A1796:283-A1796:336.

9801200144 Forwards report filed for wk ending at midnight of 980104, per 10CFR95.57(b) granted to licensee by ltr dtd 971028.
POLSTON,S. United States Enrichment Corp. (USEC). 98/01/06. Region 3 (Post 820201). 2pp. A1843:248-A1843:249.

9801120033 Responds to NRC 971208 ltr re violations noted in insp rept 70-7001/97-007 on 971009.Corrective actions:classified material found outside controlled access area was immediately moved inside & placed under proper control.
MILLER,J.H. United States Enrichment Corp. (USEC). 98/01/07. Ofc of Enforcement (Post 870413). 11pp. A1876:001-A1876:011.

9801130198 Ack receipt of 971222 ltr informing NRC of steps taken to correct violations noted in insp rept 70-7001/97-08 on 971120.
HILAND,P.L. Region 3 (Post 820201). 98/01/08. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A1785:093-A1785:105.

9801200162 Documents licensee understanding that due date for response has been extended from 980108 to 980209 re Compliance Plan Issue 3,Action 9,ASME Code interpretation & assessment results.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/08. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. A1865:338-A1865:339.

9801230137 Withdraws request to review compliance plan changes as changes not necessary.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/08. DEVAULT,R.M. Energy, Dept. of. 2pp. A1900:235-A1900:236.

9801200258 Forwards updated proprietary & non-proprietary quarterly repts on implementation status of Compliance Plans for period 970901-1130.Ltr supercedes previous version submitted on 971215.Proprietary info withheld per 10CFR2.790.
TOELLE,S.A United States Enrichment Corp. (USEC). 98/01/12. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. A1879:142-A1879:188.

--9801200260 Non-proprietary "Quarterly Compliance Plan Rept."
* United States Enrichment Corp. (USEC). 98/01/12. 45pp. A1879:144-A1879:188.

9801280285 Submits Form 790 classification records for Paducah & Portsmouth Gaseous Diffusion plants,generated during month of Dec 1997.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 98/01/12. BRADY,R.J. Document Control Branch (Document Control Desk). 8pp. A1936:247-A1936:253.

9801230280 Forwards partially withheld insp rept 70-7001/97-210 on 971215-19.No violations noted.Rept details withheld,per 10CFR2.790.
TING,P. Operations Branch. 98/01/13. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A1900:227-A1900:229.

--9801230282 Paritally withheld insp rept 70-7001/97-210 on 971215-19. Details withheld per 10CFR2.790.
TING,P. Office of Nuclear Material Safety & Safeguards. 98/01/13. 1p. A1900:229-A1900:229.

9801280209 Forwards weekly summary of 10CFR95.57(b) repts for wk ending at midnight on 980111.
POLSTON,S. United States Enrichment Corp. (USEC). 98/01/13. Region 3 (Post 820201). 2pp. A1968:029-A1968:030.

9801230371 Informs that review will not be completed by 980115 due to other activities.Review should now be completed by 980331.
HORN,M. Office of Nuclear Material Safety & Safeguards. 98/01/14. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. A1900:315-A1900:315.

9801210142 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp rept 70-7001/97-12.
HILAND,P.L. Region 3 (Post 820201). 98/01/15. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. A1855:114-A1855:121.

9801230207 Notifies NRC of change in regulatory commitment.Specifics of commitment change provided listed.
MILLER,J.H. United States Enrichment Corp. (USEC). 98/01/16. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. A1900:318-A1900:319.

9801270185 Forwards first Annual Rept to Congress on gaseous diffusion plants which discusses status of health,safety & environmental conditions at plants located near Paducah,KY & Portsmouth,OH for period 970303-0930 for info.W/o encls.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/16. HOOKS,C. Environmental Protection Agency. 1p. A1931:355-A1931:355.

9801270216 Forwards Annual Rept to Congress on gaseous diffusion plants which discusses status of health,safety & environmental conditions at plants located near Paducah,KY & Portsmouth,OH for period from 970303-0930 for info.W/o encl.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/16. PARKS,J. Oak Ridge, TN. 1p. A1931:356-A1931:356.

9801270219 Forwards Annual Rept to Congress on gaseous diffusion plants which discusses status of health,safety & environment conditions at plants located near Paducah,KY & Portsmouth,OH for period from 970303-0930 for info.W/o encl.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/16. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. A1931:357-A1931:357.

9801280210 Forwards final rept for C-310 power losses which resulted in disabling of high voltage UF6 release detection sys. Supplemental info designated by rev bar in right margin of rept.Attachment 2 list commitments made in rept.
POLSTON,S. United States Enrichment Corp. (USEC). 98/01/16. Document Control Branch (Document Control Desk). 7pp. A1968:014-A1968:020.

9801290181 Forwards amend 13 to COC GDP-1,revising technical safety requirement (TSR) 2.3.4.7 & TSR 2.4.4.2,providing cross reference for required actions.Condition 9 also revised to include date of 971006.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/21. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. A1971:242-A1971:246.

--9801290184 Amend 13 to COC GDP-1 for Paducah Gaseous Diffusion Plant.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/21. 2pp. A1971:245-A1971:246.

9801300180 Forwards response to violations noted in insp rept 70-7001/97-11.Corrective actions:on 911021,Shift Operations implemented long term order requiring oncoming shift to review previous shift report reportability evaluations.
POLSTON,S. United States Enrichment Corp. (USEC). 98/01/22. Document Control Branch (Document Control Desk). 12pp. A1971:350-A1971:361.

9801280179 Ack receipt of 980107 ltr & fee in amount of $55,000 in payment for civil penalty proposed by NRC in 971208 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/01/23. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. A1939:360-A1939:360.

9801290040 Provides notification of change in two regulatory commitments contained in encl to licensee 970301 ltr. Commitments,listed w/revised completion date for actions.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/23. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. A1946:169-A1946:170.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9801050105 Responds to NRC 971020 ltr re violations noted in insp rept 70-7002/97-09.Corrective actions:to communicate mgt's expectations re accountability reporting requiremets via publication of Lessons Learned Summary Newsletter.
MORGAN,J.B. United States Enrichment Corp. (USEC). 97/11/19. Region 3 (Post 820201). 7pp. A1701:352-A1701:358.

9801230142 Informs that DOE recommends approval of review of changes to Portsmouth compliance plan,issue 24.Final approval to be made by NRC.
DEVAULT,R.M. Energy, Dept. of. 97/12/08. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. A1900:189-A1900:190.

9801060188 Informs that COC GDP-2 is amended by adding addl commitment to TSR 3.11.1,to identify SSCs & support sys necessary to meet NCS double contingency principle IAW 970616 application & per 10CFR76.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A1727:345-A1727:348.

--9801060195 Certificate of compliance GDP-2,issued to US Enrichment Corp,Portsmouth Gaseous Diffusion Plant,Piketon,OH.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. 2pp. A1727:347-A1727:348.

9801060136 Requests enforcement discretion for completion dates in Portsmouth Gaseous Diffusion Plant compliance plan issue 24 that are addressed in 971021 certificate amend request.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/17. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 8pp. A1725:251-A1725:258.

9801130239 Responds to NRC ltr dtd 971208,informing of NRC perception that potential "chilling effect" environment has developed or may be developed at Paducah & Portsmouth Gaseous Diffusion Plants.
TIMBERS,W.H. United States Enrichment Corp. (USEC). 97/12/17. BEACH,A.B. Region 3 (Post 820201). 3pp. A1793:121-A1793:123.

9801050275 Documents understanding that NRC has agreed to extend due date from 980102 to 980123,for response to NOV re insp repts 99901322/97-01 & 71-0832/97-214.Extension allows sufficient time to provide more complete response.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/18. SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 1p. A1709:242-A1709:242.

9801060203 Provides notification of deletion of regulatory commitment concerning autoclave containment valves.Commitment & justification for deletion listed.
TOELLE,S.A. United States Enrichment Corp. (USEC). 97/12/22. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. A1733:331-A1733:332.

9801120229 Forwards notice of amend re addl hypothetical criticality scenario dose for bldg X-333 to Ofc of FR for publication.
FARAZ,Y.H. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/12/22. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A1789:187-A1789:193.

--9801120246 Notice of receipt of amend application to COC GDP-2 for US Enrichment Corp Portsmouth Gaseous Diffusion Plant, Portsmouth,OH.
KANE,W. Office of Nuclear Material Safety & Safeguards. 97/12/22. 5pp. A1789:189-A1789:193.

9801130222 Forwards revised corrective action plan as requested in 971201 ltr.Plan integrates USEC ltrs dtd 971107 & 10 & incorporates specific commitments,including schedules & completion dates,made during 971112 & 18 telcons.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 97/12/22. PEDERSON,C. Region 3 (Post 820201). 30pp. A1793:303-A1793:332.

9801050026 Responds to NRC 971124 ltr re violations noted in insp rept 70-7002/97-10.Corrective actions:guidance will be developed for evaluating safety sys actuations & to properly determine reason for actuation prior to returning sys to service.
MORGAN,J.B. United States Enrichment Corp. (USEC). 97/12/23. Document Control Branch (Document Control Desk). 13pp. A1684:185-A1684:197.

9801230150 Forwards proprietary security plan for plant re X-705 HEU cylinder valve replacement activities.Document received from S Toelle for signature & return.Encl withheld.
DEVAULT,R.M. Energy, Dept. of. 97/12/23. GASTON,R.W. United States Enrichment Corp. (USEC). 1p. A1900:205-A1900:205.

9801060114 Provides info relevant to two apparent violations identified in 971027 & 1126 ltrs re info relevant to SAR update for Paducah & Portsmouth Gaseous Diffusion Plants.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/24. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 31pp. A1725:206-A1725:236.

9801070029 Forwards affidavit & proprietary rev 15 changes to Portsmouth Certification Application - Fundamental Nuclear Matls Control Plan & Transportation Security Plan. Proprietary encl withheld.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/24. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. A1781:343-A1781:347.

9801070111 Submits rev 15 to USEC-02,application for NRC certification for Portsmouth Gaseous Diffusion Plant.Rev incorporates changes to emergency plan,Fundamental Nuclear Matl Control Plan (FNMCP) & Physical Protection Plan.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/24. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 51pp. A1743:287-A1743:338.

9801090254 Forwards NRC Rev 15 to certification application documents for Portsmouth,OH,Gaseous Diffusion plant.Encl withheld,per 10CFR2.790(d)(1).
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/24. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. A1781:351-A1781:353.

9801020042 Ack receipt of 971126 ltr informing NRC of steps taken to correct violations noted in insp rept 70-7002/97-08 on 971028 & cited violations 70-7002/97-08-01 70-7002/97-08-02 70-7002/97-08-03 & 70-7002/97-08-04.
HILAND,P.L. Region 3 (Post 820201). 97/12/29. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. A1629:046-A1629:058.

9801060013 Transmits revised corrective action plan for Portsmouth nuclear criticality safety program,per request of NRC 971201 ltr.Response supersedes previous version submitted on 971222 due incorrect US Enrichment Corp ltr number on front page.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/29. PEDERSON,C. NRC - No Detailed Affiliation Given. 32pp. A1725:090-A1725:121.

9801130232 Corrects 971222 ltr transmitting revised corrective action plan,integrating ltrs dtd 971107 & 10 & incorporating specific commitments,including schedules & completion dates, made during 971112 & 18 telcons.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/29. PEDERSON,C. Region 3 (Post 820201). 32pp. A1793:223-A1793:254.

9801140064 Forwards certificate of compliance 7002,revising justification for continued operation of issue 3 of DOE/ORO- 2027/R3,for Portsmouth Gaseous Diffusion Plant.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/29. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A1824:342-A1824:345.

--**9801140067** Certificate of compliance 7002,amend 8 for Portsmouth Gaseous Diffusion Plant.
* Office of Nuclear Material Safety & Safeguards. 97/12/29. 2pp. A1824:344-A1824:345.

9801060112 Forwards SAR,rev 16 & Plan for Achieving Compliance at Portsmouth Gaseous Diffusion Plant (Compliance Plan),rev 5. Both documents are part of USEC-02 application for NRC certification.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/30. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 16pp. A1725:259-A1725:274.

9801120260 Clarifies commitments & completion date extension re Issue 24 of "Plan for Achieving Compliance w/NRC Regulations at Portsmouth Gaseous Diffusion Plant DOE/ORO-2027/R3."
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/30. MILLER,J.H. United States Enrichment Corp. (USEC). 5pp. A1806:252-A1806:256.

9801130260 Responds to NRC 971205 ltr re violations noted in insp rept 70-7002/97-11.Corrective actions:work restrictions have been issued to individuals w/deficient non-nuclear safety related training requirements.
MORGAN,J.B. United States Enrichment Corp. (USEC). 98/01/05. Document Control Branch (Document Control Desk). 5pp. A1807:297-A1807:301.

9801140098 Forwards Annual Rept covering period 970303-0930 on Gaseous Diffusion Plants located in Paducah,KY & Portsmouth,OH.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/05. MURKOWSKI,F. Senate, Energy & Natural Resources. INHOFE,J.M. Senate, Environment & Public Works. DOMENICI,P.V. Senate, Appropriations. 5pp. A1796:283-A1796:336.

9801230212 Final rept PORTS Emergency Mgt Drill & Exercise Program, "Emergency Teamwork 1997 Full Participation Exercise," conducted on 970912.
ARNOLD,S., REDDEN,M.W. United States Enrichment Corp. (USEC). 97-170-IE0045. 98/01/06. 9pp. A1900:272-A1900:280.

9801200162 Documents licensee understanding that due date for response has been extended from 980108 to 980209 re Compliance Plan Issue 3,Action 9,ASME Code interpretation & assessment results.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/08. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. A1865:338-A1865:339.

9801230137 Withdraws request to review compliance plan changes as changes not necessary.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/08. DEVAULT,R.M. Energy, Dept. of. 2pp. A1900:235-A1900:236.

9801130229 Forwards insp rept 70-7002/97-12 on 971103-1214 & NOV. Violations continue to indicate weakness in implementation of nuclear criticality safety & C/A programs.No response required for Violation 70-7002/97-12-01.
HILAND,P.L. Region 3 (Post 820201). 98/01/09. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. A1785:106-A1785:123.

--**9801130234** Notice of violation from insp on 971103-1214.Violation noted:on 971107,inspectors identified that one non-empty F-can,located X-344 Building was in storage & uncapped.
* Region 3 (Post 820201). 98/01/09. 3pp. A1785:109-A1785:111.

--**9801130238** Insp rept 70-7002/97-12 on 971103-1214.Violations noted. Major areas inspected:plant operations & engineering.
* Region 3 (Post 820201). 98/01/09. 12pp. A1785:112-A1785:123.

9801200258 Forwards updated proprietary & non-proprietary quarterly repts on implementation status of Compliance Plans for period 970901-1130.Ltr supercedes previous version submitted on 971215.Proprietary info withheld per 10CFR2.790.
TOELLE,S.A United States Enrichment Corp. (USEC). 98/01/12. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. A1879:142-A1879:188.

--**9801200260** Non-proprietary "Quarterly Compliance Plan Rept."
* United States Enrichment Corp. (USEC). 98/01/12. 45pp. A1879:144-A1879:188.

9801280285 Submits Form 790 classification records for Paducah & Portsmouth Gaseous Diffusion plants,generated during month of Dec 1997.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 98/01/12. BRADY,R.J. Document Control Branch (Document Control Desk). 8pp. A1936:247-A1936:253.

9801160102 Responds to NRC questions re revised corrective action plan for Portsmouth Nuclear Criticality Safety Program,per 980109 telcon between NRC & USEC.
MILLER,J.H. United States Enrichment Corp. (USEC). 98/01/13. PEDERSON,C. NRC - No Detailed Affiliation Given. 6pp. A1841:173-A1841:178.

9801210065 Provides revised response to util 971126 ltr re violations noted in insp rept 70-7002/97-203,per 971208 meeting w/NRC. Corrective actions:corrective steps to be taken has been revised to reflect that SCALE code validation rept updated.
MORGAN,J.B. United States Enrichment Corp. (USEC). 98/01/14. Document Control Branch (Document Control Desk). 4pp. A1867:324-A1867:328.

9801210145 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp rept 70-7002/97-10. Corrective actions will be examined during future insp.
HILAND,P.L. Region 3 (Post 820201). 98/01/14. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. A1855:220-A1855:232.

9801230357 Forwards partially withheld insp rept 70-7002/97-211 on 971215-19.No violations identified.Rept details withheld (ref 10CFR2.790).
TING,P. Operations Branch. 98/01/14. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A1900:223-A1900:226.

--**9801230363** Insp rept 70-7002/97-211 on 971215-19.No violations noted. Details withheld,per 10CFR2.790.
* Operations Branch. 98/01/14. 1p. A1900:226-A1900:226.

9801210134 Ack receipt of 971119 response to weakness in emergency plan knowledge & training transmitted on 971020.Corrective actions will be examined during future insp.
HILAND,P.L. Region 3 (Post 820201). 98/01/15. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. A1855:106-A1855:113.

9801270185 Forwards first Annual Rept to Congress on gaseous diffusion plants which discusses status of health,safety & environmental conditions at plants located near Paducah,KY & Portsmouth,OH for period 970303-0930 for info.W/o encls.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/16. HOOKS,C. Environmental Protection Agency. 1p. A1931:355-A1931:355.

9801270211 Refers to 970506 application for amend to COC for Portsmouth Gaseous Diffusion Plant to delete technical safety requirement 2.2.4.1 concerning seal exhaust pump oil overflows.Addl info specified in encl is required.
FARAZ,Y.H. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/16. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. A1936:212-A1936:214.

9801270216 Forwards Annual Rept to Congress on gaseous diffusion plants which discusses status of health,safety & environmental conditions at plants located near Paducah,KY & Portsmouth,OH for period from 970303-0930 for info.W/o encl.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/16. PARKS,J. Oak Ridge, TN. 1p. A1931:356-A1931:356.

9801270219 Forwards Annual Rept to Congress on gaseous diffusion plants which discusses status of health,safety & environment conditions at plants located near Paducah,KY & Portsmouth,OH for period from 970303-0930 for info.W/o encl.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/16. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. A1931:357-A1931:357.

9801260213 Forwards required 30-day event rept ER-97-23 re high condensate level shutoff actuation at Portsmouth Gaseous Diffusion Plant.Commitments made by licensee,encl.
MORGAN,J. United States Enrichment Corp. (USEC). 98/01/20. Document Control Branch (Document Control Desk). 5pp. A1913:339-A1913:343.

9801280006 Forwards rev 17 to US Enrichment Corp application for NRC certification for Portsmouth Gaseous Diffusion Plant.Rev incorporates changes to SAR & technical safety requirements, previously submitted & approved as amend 7 to COC GDP-2.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 98/01/20. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 19pp. A1966:156-A1966:174.

9801260277 Ack receipt of 980105 ltr informing NRC of steps taken to correct violations noted in insp rept 70-7002/97-11.
HILAND,P.L. Region 3 (Post 820201). 98/01/20. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. A1940:154-A1940:159.

9801280300 Summarizes actions taken as result of discovery of unattened security container found opened.Encl 1 lists actions taken to prevent recurrence.
MORGAN,J.B. United States Enrichment Corp. (USEC). 98/01/22. Region 3 (Post 820201). 3pp. A1968:026-A1968:028.

DOCKET DOCKET UNKNOWN

9801060103 Forwards IN Univ of PA,docket 7100889,QA program for shipment of 239 Plutonium-Beryllium neutron sources in model DOT 6M packaging.
WIJEKUMAR,V. Indiana Univ. of Pennsylvania, Indiana, PA. 97/12/18. ENG,P. Office of Nuclear Material Safety & Safeguards. 1p. A1725:358-A1725:361.

--**9801060104** IN Univ of PA,docket 7100889, "10CFR71 QA Program for Shipment of 239 Plutonium-Beryllium Neutron Sources."
WIJEKUMAR,V. Indiana Univ. of Pennsylvania, Indiana, PA. 97/12/18. 3pp. A1725:359-A1725:361.

9801060086 Forwards Univ of Pittsburgh,docket 7100888,QA program for shipment of 239 Plutonium-Beryllium neutron sources in model DOT 6M packaging.
ROSEN,J.C. Pittsburgh, Univ. of, Pittsburgh, PA. 97/12/19. ENG,P. Office of Nuclear Material Safety & Safeguards. 1p. A1738:352-A1738:355.

--**9801060093** Univ of Pittsburgh,docket 7100888, "10CFR71 QA Program for Shipment of 239 Plutonium-Beryllium Neutron Sources."
ROSEN,J.C. Pittsburgh, Univ. of, Pittsburgh, PA. 97/12/22. 3pp. A1738:353-A1738:355.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0062 INDUSTRIAL NUCLEAR CO.

9801260475 Informs that if location where QA records or conduct transportation activities has changed,amend should be requested indicating change of address.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/14. HUDDLESTON,B. Industrial Nuclear Co. 1p. A1908:334-A1908:334.

9801290190 Application for amend of QA program for radioactive matl package:0062,to reflect address change.
CUTHBERTSON,T.W Industrial Nuclear Co. 98/01/21. ENG,P. Office of Nuclear Material Safety & Safeguards. 1p. A1971:251-A1971:251.

DOCKET 71-0088 BABCOCK & WILCOX CO.

9801120233 Requests that amend to QA progarm approval 0088,rev 10,be submitted indicating change of address.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 97/12/23. OLSEN,A. Affiliation Not Assigned. 1p. A1799:135-A1799:135.

DOCKET 71-0102 SOURCE PRODUCTION & EQUIPMENT CO., INC.

9801120183 Ack receipt of 971028 ltr informing NRC of steps taken to correct nonconformance noted in insp rept 70-0102/97-211. Receipt of QA plan,dtd 971125,which provided plan for implementing revised QA procedures,ack.
WARD,W., ENG,P., SHANKMAN,S. Office of Nuclear Material Safety & Safeguards. 97/12/30. DICHARRY,R.D. Source Production & Equipment Co., Inc. 1p. A1799:134-A1799:134.

DOCKET 71-0227 TENNESSEE VALLEY AUTHORITY

9801200285 Responds to 970630 reply to 970422 ltr which forwarded revised invoice AM2558-97 for FY97 annual fee for QAP approval number 0227.Addl payment for invoice,due & payable within 30 days of ltr.
TURDICI,J. Division of Accounting & Finance (Post 890205). 98/01/16. BURZYNSKI,M.J. Tennessee Valley Authority. 2pp. A1865:344-A1865:345.

DOCKET 71-0231 CHEM-NUCLEAR SYSTEMS, INC.

9801130345 Forwards QA program approval for radioactive matl packages: 0231,rev 8,as amended.QA program approval sent of 971205 contained typo.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 97/12/31. CAMPBELL,R.E. Chem-Nuclear Systems, Inc. 1p. A1808:317-A1808:318.

--9801130347 QA program approval for radioactive matl package:0231,Rev 8.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 97/12/31. 1p. A1808:318-A1808:318.

DOCKET 71-0249 NUCLEAR FUEL SERVICES, INC.

9801020132 Provides rept confirming completion of review of puncture test assessment for Model FL 10-1 radioactive matls shipping package,COC number USA/9009/B()F per commitment made in 971107 response to GL 97-02.
BAER,T.S. Nuclear Fuel Services, Inc. 97/12/19. Document Control Branch (Document Control Desk). 3pp. A1687:313-A1687:315.

DOCKET 71-0489 SACRAMENTO MUNICIPAL UTILITY DISTRICT

9801060220 Application for renewal of QA program approval for radioactive matl package:0489.
REDEKER,S.J. Sacramento Municipal Utility District. 97/12/29. Document Control Branch (Document Control Desk). 2pp. A1741:325-A1741:326.

DOCKET 71-0551 SIEMENS MEDICAL SYSTEMS, INC.

9801070206 Advises that QA program approval for radioactive matl package: 0551 expires on 971130.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 97/12/18. WILLEY,C. Siemens Medical Systems, Inc. (subs. of Siemens Capital Corp.). 1p. A1743:359-A1743:359.

DOCKET 71-0638 WESTINGHOUSE ELECTRIC CORP.

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withhdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

--9801220023 Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

DOCKET 71-0703 NORDION INTERNATIONAL, INC.

9801070214 Forwards QAP approval for radioactive material packages 0703,rev 3,as amended,per 10CFR71.12(b).Util must be registered for use of packaging w/NRC if util is planning to use NRC-approved packaging.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 97/12/18. STIRLING,J. Nordion International, Inc. 1p. A1743:357-A1743:358.

--9801070216 QA program approval for radioactive matl package:0703,rev 3.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 97/12/18. 1p. A1743:358-A1743:358.

DOCKET 71-0708 WESTINGHOUSE ELECTRIC CORP.

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withhdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

--9801220023 Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

DOCKET 71-0755 ARMY, DEPT. OF

9801130402 Forwards QA program approval for radioactive matl package: 0755,rev 1.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/02. HORNE,S.A. Army, Dept. of. 1p. A1808:319-A1808:320.

--9801130405 QA program approval for radioactive matl package:0755,Rev 1.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/02. 1p. A1808:320-A1808:320.

DOCKET 71-0784 HOLTEC INTERNATIONAL

9801290183 Application for amend of QA program for radioactive matl package:0784,to reflect address change.Fee paid.
GUPTA,V. Holtec International. 98/01/13. ENG,P. Office of Nuclear Material Safety & Safeguards. 1p. A1971:250-A1971:250.

DOCKET 71-0832 UNITED STATES ENRICHMENT CORPORATION

9801050275 Documents understanding that NRC has agreed to extend due date from 980102 to 980123,for response to NOV re insp repts 99901322/97-01 & 71-0832/97-214.Extension allows sufficient time to provide more complete response.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/18. SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 1p. A1709:242-A1709:242.

9801300213 Responds to NRC 971203 ltr re violations noted in insp repts 99901322/97-01 & 71-0832/97-214.Corrective actions:Westerman ASL status was changed to "Hold" which prohibited new purchases of cylinders from vendor.
MILLER,J.H. United States Enrichment Corp. (USEC). 98/01/23. Document Control Branch (Document Control Desk). 19pp. A2002:296-A2002:314.

DOCKET 71-0887 WASHINGTON UNIVERSITY

9801120175 Forwards QA program approval for radioactive matl package: 0887,rev 0.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 97/12/24. SZATKOWSKI,D.J. Washington Univ., St. Louis, MO. 1p. A1799:132-A1799:133.

--9801120178 QA program approval for radioactive matl package:0887,Rev 0.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 97/12/24. 1p. A1799:133-A1799:133.

DOCKET 71-0888 UNIVERSITY OF PITTSBURGH

9801130348 Forwards QA program approval for radioactive matl packages: 0888,rev 0.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 97/12/31. ROSEN,J.C. Pittsburgh, Univ. of, Pittsburgh, PA. 1p. A1808:315-A1808:316.

--9801130350 QA program approval for radioactive matl package:0888,Rev 0.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 97/12/31. 1p. A1808:316-A1808:316.

DOCKET 71-0889 INDIANA UNIVERSITY OF PITTSBURGH

9801260449 Forwards QAP approval for radioactive matl packages 0889, rev 0,satisfying requirements of 10CFR71.12(b).
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/16. WIJEKUMAR,V. Indiana Univ. of Pennsylvania, Indiana, PA. 2pp. A1912:356-A1912:357.

--9801260453 QA program approval for radioactive matl package:0889,Rev 0.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/16. 1p. A1912:357-A1912:357.

DOCKET 71-3010 MODEL: NT-IX, TRANSPORTATION, DEPT. OF

9801160154 Requests review of enclosed Japanese Package Design Certificate J/113/AF-85,rev 4,for NT-IX oxide package & recommendation re revalidation of package for import & export shipments w/restricted content.
BOYLE,R. Transportation, Dept. of. 97/11/25. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 15pp. A1851:200-A1852:228.

--9801160155 "Rept of NT - IX Drop Test."
* Nuclear Fuel Services, Inc. NFK-MM-961023. 96/10/25. 34pp. A1851:215-A1852:228.

DOCKET 71-3038 MODEL: TN 6/3 (FRENCH) CASK

9801290096 Requests that NMSS review encl French Package Design certificate F/239/B(U)F for TN 6/3 shipping cask & make recommendation concerning revalidation of certificate for import & export shipments.French SAR enclosed.
BOYLE,R. Transportation, Dept. of. 97/06/25. KANE,W. Office of Nuclear Material Safety & Safeguards. 35pp. A1969:001-A1969:289.

--9801290097 Safety Analysis Rept on "Type B(U) Fissile II Package Consisting of Design Package TN6-3 Loaded w/Experimental Nuclear Fuel."
* France. TN6-3/EXP/00. 78/02/03. 254pp. A1969:036-A1969:289.

DOCKET 71-4909 MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.

9801070162 Informs that GE believes that responses in 971120 ltr, complete all actions requested in NRC Bulletin 97-002.
VAUGHAN,C.M. General Electric Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1747:342-A1747:343.

DOCKET 71-4986 MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.

9801120205 Advises that info contained in 8x8,9x9 & 10x10 fuel designs & criticality safety analyses info for Model RA-2/RA-3 will be withheld from public disclosure ref 10CFR2.790,per 970910 request.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/22. VAUGHAN,C.M. General Electric Co. 3pp. A1799:129-A1799:131.

9801070162 Informs that GE believes that responses in 971120 ltr, complete all actions requested in NRC Bulletin 97-002.
VAUGHAN,C.M. General Electric Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1747:342-A1747:343.

DOCKET 71-5149 MODEL: 814A, BABCOCK & WILCOX CO.

9801080210 Informs that container would not be used until question re puncture testing of shipping packages under 10CFR71 resolution is reached.
OLSEN,A.F. Affiliation Not Assigned. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1756:360-A1756:360.

DOCKET 71-5362 MODEL: NATICK IRRADIATOR, AGRICULTURE, DEPT. OF

9801060058 Informs that COC 5362,for model Natrick Irradiator package is terminated.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/22. JENSEN,J.T. Energy, Dept. of. 1p. A1740:358-A1740:358.

DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9801060350 Informs that COC 5957 for model BMI-1 package is amended to authorize contents & transport index for critically control listed per 10CFR71 961008 application.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/11. WANGLER,M.E. Energy, Dept. of. 5pp. A1738:334-A1738:338.

DOCKET 71-6003 MODEL: M-130, ENERGY, DEPT. OF

9801270231 Informs that application dtd 971219 contains necessary info to begin review of revised SAR for packaging for M-130 shipping container.
WHALEY,S. Office of Nuclear Material Safety & Safeguards. 98/01/16. ENGEL,W.P. Energy, Dept. of. 1p. A1931:359-A1931:359.

DOCKET 71-6078 MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.

9801130216 Responds to NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71." Subj packages have been adequately tested & meet intended requirements of 10CFR71.73.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1808:356-A1808:357.

9801280126 Requests registration as user of radioactive matl shipping cask,package USA/6078/AF.
ZINKE,G.A. Maine Yankee Atomic Power Co. 98/01/12. SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 1p. A1968:043-A1968:043.

DOCKET 71-6206 MODEL: MODEL B, B&W FUEL CO.

9801090288 Informs that response to requested action specified in item (ii) of NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," was submitted on 971120.
ELLIOTT,G.F. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1799:136-A1799:137.

9801270007 Application for amend to COC 6206 for model B package.Rev incorporates revision of drawing 1215465,sheet 1 of 2.W/one oversize drawing.
ELLIOT,G.F. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/01/20. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 3pp. A1961:024-A1961:026.

DOCKET 71-6294 MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.

9801070304 Requests that expiration date of COC 6294 for model UNC-2901 be extended to 990331.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 97/12/19. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A1742:359-A1742:360.

9801130216 Responds to NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71." Subj packages have been adequately tested & meet intended requirements of 10CFR71.73.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1808:356-A1808:357.

9801260389 Advises that certificate of compliance 6294 for model UNC-2901 package is amended as listed.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/16. RICKARD,I. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. A1912:358-A1912:360.

DOCKET 71-6400 MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801140068 Requests exemption from requirements of paragraphs 5.(b)(2) & 5.(b)(4) of COC.Info supporting request encl for review & approval.
BAER,T.S. Nuclear Fuel Services, Inc. 97/12/22. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 5pp. A1824:318-A1824:322.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withhdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

--9801220023 Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

DOCKET 71-6581 MODEL: 51032-1 & 51032-1A, ADVANCED NUCLEAR FUELS CORP.

9801130114 Informs NRC that actions requested in Item 3 of NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," not required.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1808:277-A1808:277.

DOCKET 71-6613 MODEL: 702, AMERSHAM CORP.

9801200251 Application for renewal of certificate of compliance 6613 for model 702.
OKVIST,E. Amersham Corp. 98/01/09. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. A1862:319-A1862:319.

DOCKET 71-9001 MODEL: IF-300, VECTRA TECHNOLOGIES, INC.

9801200270 Requests that COCs for UX-30 overpack & IF-300 cask be transferred to Chem-Nuclear Sys,Inc to support licensee future activities w/respect to noted items.
FRANCESCHI,V. Vectra Technologies, Inc. 97/11/25. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. A1862:318-A1862:318.

9801260041 Requests that COC 9001 be issued to Chem-Nuclear Systems in conjuction w/971125 ltr from VECTRA.Licensee accepts responsibility for accuracy & completeness of statements & representations of previous certificate holder for design.
HOUSE,W.B. Chem-Nuclear Systems, Inc. 98/01/09. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. A1913:336-A1913:337.

DOCKET 71-9009 MODEL: FL 10-1, GENERAL ELECTRIC CO.

9801060085 Forwards COC 9009,rev 17,for model FL 10-1 package as requested by ltr dtd 971106.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/22. BAER,T.S. Nuclear Fuel Services, Inc. 1p. A1727:354-A1727:359.

--9801060087 Certificate of compliance 9009,rev 17,for model FL 10-1.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/22. 5pp. A1727:355-A1727:359.

9801070162 Informs that GE believes that responses in 971120 ltr, complete all actions requested in NRC Bulletin 97-002.
VAUGHAN,C.M. General Electric Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1747:342-A1747:343.

DOCKET 71-9015 MODEL: TN 8/TN 8-L TRANSNUCLEAR, INC.

9801090081 Informs that Transnuclear has reviewed puncture test assessment for certified packages TN-8 & TN-8L,TN-9 & TN-RAM in response to IEB 97-002, "Puncture Testing of Shipping Packages Under 10CFR71."
NEIDER,T Transnuclear, Inc. 97/10/13. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. A1758:262-A1758:262.

9801090087 Forwards affidavit stating that response submitted in ltr E-15866 to NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," is true.
NEIDER,T. Transnuclear, Inc. 97/11/11. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 2pp. A1758:257-A1758:259.

DOCKET 71-9016 MODEL: TN-9, TRANSNUCLEAR, INC.

9801090081 Informs that Transnuclear has reviewed puncture test assessment for certified packages TN-8 & TN-8L,TN-9 & TN-RAM in response to IEB 97-002, "Puncture Testing of Shipping Packages Under 10CFR71."
NEIDER,T Transnuclear, Inc. 97/10/13. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. A1758:262-A1758:262.

9801090087 Forwards affidavit stating that response submitted in ltr E-15866 to NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," is true.
NEIDER,T. Transnuclear, Inc. 97/11/11. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 2pp. A1758:257-A1758:259.

DOCKET 71-9019 MODEL: BU-7, GENERAL ELECTRIC CO.

9801070162 Informs that GE believes that responses in 971120 ltr, complete all actions requested in NRC Bulletin 97-002.
VAUGHAN,C.M. General Electric Co. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1747:342-A1747:343.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9801080240 Submits response to NRC Bulletin 97-002,dtd 970923 & rev to bulletin.
ROUGHAN,C. Amersham Corp. 97/11/07. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 1p. A1756:359-A1756:359.

9801260496 Application for amend to COC 9033,requesting that listed wording be added to most recent rev conditions 9 & 10 for model 660 Type B(U) packages,per 971120 visit.
ROUGHAN,C. Amersham Corp. 97/11/21. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. A1913:332-A1913:333.

9801260494 Requests termination of request for revisions to model 660 Type B(U) package submitted on 970528.Revisions will be addressed in consolidated SAR.
ROUGHAN,C. Amersham Corp. 97/12/08. OSGOOD,N. Office of Nuclear Material Safety & Safeguards. 1p. A1908:326-A1908:326.

9801120212 Summary of 971209 meeting w/Amersham Corp in Rockville,MD re licensee test plans for model 660 radiography device.Meeting handouts,encl.
BROWN,C. Office of Nuclear Material Safety & Safeguards. 97/12/22. CHAPPELL,R. Office of Nuclear Material Safety & Safeguards. 24pp. A1799:105-A1799:128.

9801280096 Provides listed info for hypothetical accident condition testing of Amersham 660 series projectors w/stainless steel screws performed in Dec 1997 under Test Plan 74.
MCDANIEL,W.M. Amersham Corp. 98/01/09. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 5pp. A1967:352-A1967:356.

9801260462 Responds to 971204 ltr requesting renewal of user registration for IAEA Certificate of Competent Authority USA/5800/B.Registration w/NRC is not required,user of package must register w/US Dept of Transportation.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/16. HUMBERT,P.V. EG&G Florida, Inc. 1p. A1928:265-A1928:265.

DOCKET 71-9069 MODEL: MO-1, WESTINGHOUSE ELECTRIC CORP.

9801060096 Forwards COC 9069,rev 11,for model MO-1 package as requested by application dtd 961224,as supplemented 971107 & 971010 & W application dtd 961231.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/16. WANGLER,M.E. Energy, Dept. of. 1p. A1738:356-A1738:360.

--9801060101 Certificate of compliance 9069,rev 11,for model MO-1.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/16. 4pp. A1738:357-A1738:360.

DOCKET 71-9081 MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.

9801260329 Forwards certificate of compliance 9081,rev 11 for model CNS 1-13C package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/16. PAQUIN,P.L. Chem-Nuclear Systems, Inc. 1p. A1913:313-A1913:317.

--9801260337 Certificate of compliance 9081,rev 11,for model CNS 1-13C.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/16. 5pp. A1913:314-A1913:317.

DOCKET 71-9098 MODEL: CI-20WC-2 & CI-20WC-2A, CINTICHEM, INC.

9801280116 Application for renewal of certificate of compliance 9098 for CI-2OWC-2/2A packagings.
WANGLER,M.E. Energy, Dept. of. 98/01/20. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. A1967:331-A1967:332.

DOCKET 71-9128 MODEL: C-8, AMERSHAM CORP.

9801060060 Forwards COC 9128,rev 7,for model C-8 package as requested by application dtd 951106,as supplemented on 960816 & 970521.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/22. ROUGHAN,C. Amersham Corp. 1p. A1727:349-A1727:353.

--9801060070 Certificate of compliance 9128,rev 7,for model C-8.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/22. 4pp. A1727:350-A1727:353.

DOCKET 71-9145 MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC

9801230203 Requests registration as user of models 50-1.5l,50-2.5l, 50-3.0l & 50-4.0l.
EWING,E.C. Entergy Operations, Inc. 98/01/20. Document Control Branch (Document Control Desk). 2pp. A1896:360-A1896:361.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9801080033 Application for renewal of COCs 9156,9157 & 9185.Test copies of NRC COC recent correspondences,test documentation,revs & drawings re packages encl.Address for new facility,effective 971215,listed.
HUDDLESTON,B. Industrial Nuclear Co. 97/12/29. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. A1785:162-A1785:306.

--9801080040 Rev 1 to "Operating Procedures Acceptance Test & Maint Program," Source Changer,IR-50.
CUTHBERTSON,T.W, HUDDLESTON,E.W. Industrial Nuclear Co. 97/12/29. 24pp. A1785:165-A1785:201.

--9801080049 Submits info re puncture assessment test for IR-100 exposure device,IR-50 source changer & overpack in response to NRC Bulletin 97-002,telcon of 971113,fax transmittal dtd 971114 & 971202 telcon.
HUDDLESTON,B. Industrial Nuclear Co. 97/12/03. TIKTINSKY,D. Transportation Branch (Post 930207). 1p. A1785:202-A1785:205.

--9801080057 Rev 2 to "Operating Procedures,Acceptance Test & Maint Program," Exposure Device,IR-100.
CUTHBERTSON,T.W, HUDDLESTON,B. Industrial Nuclear Co. 97/12/29. 38pp. A1785:206-A1785:247.

--9801080062 "IR-100 Portable Exposure Sys Horizontal Shock Test."
CUTHBERSTON,T.W Industrial Nuclear Co. ANSI N432-1980. 96/09/29. 35pp. A1785:248-A1785:285.

--9801080071 Rev 1 to "Operating Procedures,Acceptance Test & Maint Program," Protective Overpack,OP-100.
CUTHBERTSON,T.W, HUDDLESTON,E.W. Industrial Nuclear Co. 97/12/29. 20pp. A1785:286-A1785:306.

9801080307 Forwards documentation for puncture assessment test for IR-100 exposure device,IR-50 source changer & overpack,in response to NRC Bulletin 97-002.
CUTHBERTSON,T. Industrial Nuclear Co. 97/11/14. TIKTINSKY,D. NRC - No Detailed Affiliation Given. 6pp. A1758:314-A1758:328.

9801080292 Submits documentation submitted for puncture assessment test for IR-100 exposure device,IR-50 source changer & overpack, in response to NRC Bulletin 97-002.
HUDDLESTON,B., CUTHBERTSON,T. Industrial Nuclear Co. 97/12/03. TIKTINSKY,D. Transportation Branch (870413-930206). 1p. A1758:329-A1758:344.

9801120261 Informs that Norfolk Shipbuilding & Drydock Corp has been registered as user of COCs 9156 & 9269,as requested in 971211 ltr.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/30. EURE,L.T. Norfolk Shipbuilding & Drydock Corp. 1p. A1799:104-A1799:104.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9801080033 Application for renewal of COCs 9156,9157 & 9185.Test copies of NRC COC recent correspondences,test documentation,revs & drawings re packages encl.Address for new facility,effective 971215,listed.
HUDDLESTON,B. Industrial Nuclear Co. 97/12/29. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. A1785:162-A1785:306.

--9801080049 Submits info re puncture assessment test for IR-100 exposure device,IR-50 source changer & overpack in response to NRC Bulletin 97-002,telcon of 971113,fax transmittal dtd 971114 & 971202 telcon.
HUDDLESTON,B. Industrial Nuclear Co. 97/12/03. TIKTINSKY,D. Transportation Branch (Post 930207). 1p. A1785:202-A1785:205.

--9801080057 Rev 2 to "Operating Procedures,Acceptance Test & Maint Program," Exposure Device,IR-100.
CUTHBERTSON,T.W, HUDDLESTON,B. Industrial Nuclear Co. 97/12/29. 38pp. A1785:206-A1785:247.

--9801080062 "IR-100 Portable Exposure Sys Horizontal Shock Test."
CUTHBERSTON,T.W Industrial Nuclear Co. ANSI N432-1980. 96/09/29. 35pp. A1785:248-A1785:285.

9801080307 Forwards documentation for puncture assessment test for IR-100 exposure device,IR-50 source changer & overpack,in response to NRC Bulletin 97-002.
CUTHBERTSON,T. Industrial Nuclear Co. 97/11/14. TIKTINSKY,D. NRC - No Detailed Affiliation Given. 6pp. A1758:314-A1758:328.

9801080292 Submits documentation submitted for puncture assessment test for IR-100 exposure device,IR-50 source changer & overpack, in response to NRC Bulletin 97-002.
HUDDLESTON,B., CUTHBERTSON,T. Industrial Nuclear Co. 97/12/03. TIKTINSKY,D. Transportation Branch (870413-930206). 1p. A1758:329-A1758:344.

DOCKET 71-9166 MODEL: 864, AMERSHAM CORP.

9801200255 Application for renewal of certificate of compliance 9166 for model 864.
OKVIST,E. Amersham Corp. 98/01/09. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. A1862:320-A1862:320.

DOCKET 71-9185 MODEL: OP-100, INDUSTRIAL NUCLEAR CO.

9801080033 Application for renewal of COCs 9156,9157 & 9185.Test copies of NRC COC recent correspondences,test documentation,revs & drawings re packages encl.Address for new facility,effective 971215,listed.
HUDDLESTON,B. Industrial Nuclear Co. 97/12/29. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. A1785:162-A1785:306.

--9801080049 Submits info re puncture assessment test for IR-100 exposure device,IR-50 source changer & overpack in response to NRC Bulletin 97-002,telcon of 971113,fax transmittal dtd 971114 & 971202 telcon.
HUDDLESTON,B. Industrial Nuclear Co. 97/12/03. TIKTINSKY,D. Transportation Branch (Post 930207). 1p. A1785:202-A1785:205.

--9801080071 Rev 1 to "Operating Procedures,Acceptance Test & Maint Program," Protective Overpack,OP-100.
CUTHBERTSON,T.W, HUDDLESTON,E.W. Industrial Nuclear Co. 97/12/29. 20pp. A1785:286-A1785:306.

9801080307 Forwards documentation for puncture assessment test for IR-100 exposure device,IR-50 source changer & overpack,in response to NRC Bulletin 97-002.
CUTHBERTSON,T. Industrial Nuclear Co. 97/11/14. TIKTINSKY,D. NRC - No Detailed Affiliation Given. 6pp. A1758:314-A1758:328.

9801080292 Submits documentation submitted for puncture assessment test for IR-100 exposure device,IR-50 source changer & overpack, in response to NRC Bulletin 97-002.
HUDDLESTON,B., CUTHBERTSON,T. Industrial Nuclear Co. 97/12/03. TIKTINSKY,D. Transportation Branch (870413-930206). 1p. A1758:329-A1758:344.

DOCKET 71-9196 MODEL: UX-30, NUCLEAR PACKAGING, INC.

9801200270 Requests that COCs for UX-30 overpack & IF-300 cask be transferred to Chem-Nuclear Sys,Inc to support licensee future activities w/respect to noted items.
FRANCESCHI,V. Vectra Technologies, Inc. 97/11/25. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. A1862:318-A1862:318.

9801200297 Requests to have COC 9196 issued to Chem-Nuclear Sys in conjunction w/971125 ltr from Vectra.Licensee accepts responsibility for accuracy & completeness of statements & representations of previous certificate holder for design.
HOUSE,W.B. Chem-Nuclear Systems, Inc. 98/01/09. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. A1862:317-A1862:317.

DOCKET 71-9203 MODEL: DHTF, B&W FUEL CO.

9801090288 Informs that response to requested action specified in item (ii) of NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," was submitted on 971120.
ELLIOTT,G.F. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1799:136-A1799:137.

DOCKET 71-9216 MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.

9801120167 Forwards certificate of compliance 9216,rev 5,for model CNS 1-13G package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/29. PAQUIN,P.L. Chem-Nuclear Systems, Inc. 1p. A1806:257-A1806:262.

--9801120170 Certificate of compliance 9216,rev 5,for model CNS 1-13G package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/29. 5pp. A1806:258-A1806:262.

DOCKET 71-9217 MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.

9801130114 Informs NRC that actions requested in Item 3 of NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," not required.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1808:277-A1808:277.

DOCKET 71-9225 MODEL: NAC-LWT, NAC INTERNATIONAL

9801060164 Forwards COC 9225,rev 11,for model NAC-LWT IAW application dtd 970429,supplemented 971204 & 1205,per 10CFR71.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/18. THOMPSON,T.C. NAC International Inc. (formerly Nuclear Assurance Corp.),. 2pp. A1737:347-A1737:358.

--9801060173 Certificate of compliance 9225,rev 11,for model NAC-LWT.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/18. 10pp. A1737:349-A1737:358.

9801150019 Withdraws 971111 request for three-month extension of 970715 amend to NAC LWT Cask COC,authorizing shipment of HEU MTR fuel assemblies from Greek Research Reactor.
THOMPSON,T.C. NAC International Inc. (formerly Nuclear Assurance Corp.),. 98/01/06. Document Control Branch (Document Control Desk). 1p. A1843:335-A1843:335.

9801210099 Forwards Rev 21 changed pages to update NAC-LWT SAR.Changed pages incorporate Rev 11 of COC 9225,per ltr dtd 971218, which authorizes transport of variable burn-up/cool-time HEU MTR fuel elements,preferentially loaded in NAC LWT cask.
THOMPSON,T.C. NAC International Inc. (formerly Nuclear Assurance Corp.),. 98/01/16. Document Control Branch (Document Control Desk). 1p. A1865:187-A1865:321.

--9801210112 Rev 21 to "NAC-LWT Cask SAR."
* NAC International Inc. (formerly Nuclear Assurance Corp.),. 97/12/31. 134pp. A1865:188-A1865:321.

9801270235 Submits addl rev 21 changed pages to update NAC-LWT SAR,ref 2.Addl changed pages inadvertently omitted from NAC LWT SAR rev 21 changed pages submitted on 980116.
THOMPSON,T.C. NAC International Inc. (formerly Nuclear Assurance Corp.),. 98/01/22. Document Control Branch (Document Control Desk). 1p. A1936:198-A1936:211.

--9801270236 Rev 21 to "SAR for NAC Legal Weight Truck Cask."
* NAC International Inc. (formerly Nuclear Assurance Corp.),. T-88004-01 R21. 97/12/31. 5pp. A1936:199-A1936:211.

DOCKET 71-9233 MODEL: TN-RAM, TRANSNUCLEAR, INC.

9801090081 Informs that Transnuclear has reviewed puncture test assessment for certified packages TN-8 & TN-8L,TN-9 & TN-RAM in response to IEB 97-002, "Puncture Testing of Shipping Packages Under 10CFR71."
NEIDER,T Transnuclear, Inc. 97/10/13. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. A1758:262-A1758:262.

9801090087 Forwards affidavit stating that response submitted in ltr E-15866 to NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," is true.
NEIDER,T. Transnuclear, Inc. 97/11/11. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 2pp. A1758:257-A1758:259.

9801270177 Forwards certificate of compliance 9233,rev 3,for model TN-RAM package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/19. MASON,M. Transnuclear, Inc. 1p. A1922:356-A1922:360.

--9801270178 Certificate of compliance 9233,rev 3,for model TN-RAM package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/19. 4pp. A1922:357-A1922:360.

DOCKET 71-9235 MODEL: NAC-STC, NAC INTERNATIONAL

9801130380 Forwards info identified in encl RAI re application to amend certificate of compliance 9235 for NAC-STC package.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 97/12/30. THOMPSON,T.C. NAC International Inc. (formerly Nuclear Assurance Corp.),. 16pp. A1807:302-A1807:317.

DOCKET 71-9239 MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.

9801140076 Forwards corrected copies of pages in current COC 9239,which were inadvertently omitted from previous submittals.
GANTT,G.S. Westinghouse Electric Corp. 97/12/15. WHITE,B. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. A1823:327-A1823:329.

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withhdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

--9801220023 Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

DOCKET 71-9248 MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.

9801130114 Informs NRC that actions requested in Item 3 of NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," not required.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1808:277-A1808:277.

DOCKET 71-9251 MODEL: BW-2901, B&W FUEL CO.

9801090288 Informs that response to requested action specified in item (ii) of NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," was submitted on 971120.
ELLIOTT,G.F. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1799:136-A1799:137.

DOCKET 71-9252 MODEL: 51032-2, B&W FUEL CO.

9801090288 Informs that response to requested action specified in item (ii) of NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71," was submitted on 971120.
ELLIOTT,G.F. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1799:136-A1799:137.

DOCKET 71-9255 MODEL: MP-187, VECTRA TECHNOLOGIES

9801280053 Summary of 971210 & 11 meetings w/DOE & NRC re opportunity for DOE to obtain clarification of staff questions in 971112 request for RAI.Attendees lists & meeting handout encl.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 98/01/23. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 16pp. A1967:263-A1967:278.

DOCKET 71-9261 MODEL: HI-STAR 100, HOLTEC INTERNATIONAL

9801080019 Forwards proprietary response to second round RAIs transmitted through ltrs dtd 970818 & 0915 on HI-STAR TSAR & SAR documents & associated calculation packages. Proprietary info withheld,per 10CFR2.790(b)(4).
GILLIGAN,B. Holtec International. 97/11/28. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 8pp. A1785:307-A1785:314.

9801090263 Informs of completion of series of four 30-foot drop tests of quarter-scale model of HI-STAR 100 packaging at ORNL. Final confirmatory side drop test will be performed at ORNL by end of Jan 1998 to complete design documentation process.
TJERSLAND,G.T. Holtec International. 98/01/07. NRC - No Detailed Affiliation Given. 1p. A1786:359-A1786:360.

DOCKET 71-9269 MODEL: 650L

9801090039 Requests registration as user of Amersham model 650L IAW old requirements of 10CFR71.13(c)(3).
HOWERTON,H.K. CBI Services, Inc. (formerly Chicago Bridge & Iron Co.). 97/12/18. BAER,R.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. A1758:261-A1758:261.

9801120261 Informs that Norfolk Shipbuilding & Drydock Corp has been registered as user of COCs 9156 & 9269,as requested in 971211 ltr.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/12/30. EURE,L.T. Norfolk Shipbuilding & Drydock Corp. 1p. A1799:104-A1799:104.

9801260491 Requests registration as user of Amersham Corp Model 650L, package USA/9269/B(U).
HOLLANDER,W.D. Harrison Steel Castings Co. 98/01/14. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. A1910:346-A1910:347.

DOCKET 71-9272 COMBUSTION ENGINEERING, INC.

9801130216 Responds to NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71." Subj packages have been adequately tested & meet intended requirements of 10CFR71.73.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1808:356-A1808:357.

DOCKET 71-9274 ABB-CE 2901

9801130216 Responds to NRC Bulletin 97-002, "Puncture Testing of Shipping Packages Under 10CFR71." Subj packages have been adequately tested & meet intended requirements of 10CFR71.73.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 98/01/05. Document Control Branch (Document Control Desk). 2pp. A1808:356-A1808:357.

DOCKET 71-9280 MODEL: UBE-1

9801270072 Forwards COC 9280,Rev 0,for model UBE-1 package,per request by application dtd 970820,as supplemented 971006 & 1208. BWX Technologies,Inc has been registered as user of package under general license provisions of 10CFR71.12.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/15. OLSEN,A.F. . 2pp. A1935:123-A1935:132.

--9801270077 Certificate of compliance 9280,rev 0,for model UBE-1.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/15. 8pp. A1935:125-A1935:132.

DOCKET 71-9792 MODEL: 1 DIG CORE BASKET - THERMAL SHIPPING/STORAGE

9801260278 Forwards certificate of compliance 9792,rev 5,for Model 1 D1G core basket thermal shield shipping & storage container.
CHAPPEL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/16. MILES,B.K. Energy, Dept. of. 1p. A1913:327-A1913:331.

--9801260287 Certificate of compliance 9792,rev 5,for model 1 D1G core basket-thermal shield shipping & storage container.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/16. 4pp. A1913:328-A1913:331.

DOCKET DOCKET UNKNOWN

9801290103 Requests review,for docket 7201027,enclosed non-proprietary & proprietary versions of SAR & issue COC for TN-68 cask under Subparts K & L of 10CFR72.Request for withholding proprietary info included.Proprietary version withheld.
NEIDER,T.J. Transnuclear, Inc. 98/01/23. LEEDS,E. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. A2001:001-A2002:200.

--9801290111 Requests,for docket 7201027,that proprietary version of rev 0 to SAR be withheld from public disclosure.Info is commercially important to Transnuclear & is customarily held in confidence.
NEIDER,T. Transnuclear, Inc. 98/01/23. HAUGHNEY,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. A2001:003-A2001:007.

--9801290118 Non-proprietary rev 0,for docket 7201027,to SAR for "TN-68 Dry Storage Cask."
* Transnuclear, Inc. 98/01/23. 193pp. A2001:008-A2002:200.

9801150225 Notification of 980122 meeting for docket 7201027 w/NRC & licensee in Rockville,MD to discuss TN-68 dry storage cask contents & design.
* Office of Nuclear Material Safety & Safeguards. 97/12/29. Office of Nuclear Material Safety & Safeguards. 2pp. A1843:358-A1843:359.

9801200280 Responds to 980107 ltr from P&A Engineers,docket 7200023,re continued interest in spent nuclear fuel storage in Box Elder County,UT.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/13. PETERSON,W.D. Affiliation Not Assigned. 1pp. A1862:316-A1862:316.

9801230089 Forwards info for docket 7201027 on neutron poison matls & sample of matl.
BRACEY,W. Transnuclear, Inc. 98/01/14. WHALEY,S. Office of Nuclear Material Safety & Safeguards. 3pp. A1898:327-A1898:354.

--9801230097 "Boralyn Proprieties & Specifications," for docket 7201027.
HARRIGAN,W.C. . 98/01/14. 24pp. A1898:331-A1898:354.

9801300135 Requests that NRC grant docket 7201027 exemption from requirements of 10CFR72.234(c) which states that fabrication of casks must not start prior to receipt of COC.
NEIDER,T. Transnuclear, Inc. 98/01/23. LEEDS,E. NRC - No Detailed Affiliation Given. 3pp. A1975:169-A1975:171.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0002 SURRY ISFSI 50-280 & 50-281

9801230166 Forwards Rev 42 to "Surry Power Station Emergency Plan" & Rev 6 to "Corporate Emergency Response Plan," per 10CFR72.44(f).Plans are applicable to Surry ISFSI.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 97/12/19. Region 2 (Post 820201). 2pp. A1897:001-A1897:241.

DOCKET 72-0004 OCONEE ISFSI, 50-269, 50-270 & 50-287

9801060213 Provides further addl info re NRC Bulletin 96-004, "Chemical,Galvanic,or Other Reactions Spent Fuel Storage & Transportation Casks," per 971205 ltr.
MCCOLLUM,W.R. Duke Power Co. 97/12/31. Document Control Branch (Document Control Desk). 3pp. A1736:351-A1736:353.

9801150131 Ack receipt of 971218 ltr requesting exemption from 10CFR171 for ISFSI license SNM-2503 & general license provisions of 72.214.
DANDOIS,D.B. Division of Accounting & Finance (Post 890205). 98/01/13. MCCOLLUM,W.R. Duke Power Co. 1p. A1819:342-A1819:351.

9801260107 Application for license amend request for Oconee Nuclear Station ISFSI,changing corporate name of licensee from Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 22pp. A1913:236-A1913:257.

DOCKET 72-0005 POINT BEACH ISFSI GEN LIC, 50-266 & 50-301

9801050258 Responds to 971024 ltr to D Rathbun which forwarded 970927 ltr from constituent F Shillinglaw,expressing concern about various problems that have been identified during fabrication of VSC-24 dry storage casks.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/12. FEINGOLD,R.D. Senate. 2pp. A1662:229-A1662:279.

DOCKET 72-0008 CALVERT CLIFFS ISFSI, 50-317 & 50-318

9801020139 Rev 6 to ERPIP-900, "Preparation & Control of Emergency Response Plan & Emergency Response Plan Implementation Procedures." W/971223 ltr.
SINGER,T.W. Baltimore Gas & Electric Co. 97/07/16. 30pp. A1687:117-A1687:146.

9801060273 Forwards order being issued in response to request of 971121 from Baltimore Gas & Electric for extension of effectiveness of order of 961018,approving transfers of licenses from BGE to Constellation Energy Corp.
DROMERICK,A.W. . 97/12/19. CRUSE,C.H. Baltimore Gas & Electric Co. 5pp. A1667:198-A1667:205.

--9801060280 Order extending effectiveness of approval of transfer of licenses.Pursuant to sections 161B & 161I of Atomic Energy Act,as amended,hereby order that effectiveness of order of 961018 be extended.
COLLINS,S.J. . PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/19. Baltimore Gas & Electric Co. 3pp. A1667:203-A1667:205.

9801150141 Forwards rev 21 to ERPIP-3.0, "Immediate Actions" & rev 25 to "Emergency Response Plan."
FORGETTE,T.E. Baltimore Gas & Electric Co. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1828:134-A1828:224.

--9801150142 Rev 21 to ERPIP-3.0, "Immediate Actions."
FORGETTE,T.E., PRINGLE,P.A. Baltimore Gas & Electric Co. 97/12/31. 49pp. A1828:135-A1828:183.

--9801150146 Rev 25 to "CCNPP Emergency Response Plan."
* Baltimore Gas & Electric Co. 98/01/12. 41pp. A1828:184-A1828:224.

9801280326 Rev 3 to ERPIP 107, "Interim Radiological Assessment." W/ 980123 ltr.
PRINGLE,P.A., GARY,T.A., FORGETTE,T.E. Baltimore Gas & Electric Co. 98/01/23. 10pp. A1936:271-A1936:280.

DOCKET 72-0009 FORT ST. VRAIN ISFSI, 50-267

9801020125 Forwards sixth annual update to FSV ISFSI SAR which has been updated IAW 10CFR72.70,which requires SAR to be updated annually following first receipt of spent fuel or HLW for storage in ISFSI.
BORST,F.J. Public Service Co. of Colorado. 97/12/17. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1721:033-A1722:322.

--9801020126 Rev 9 to "ISFSI SAR."
* Public Service Co. of Colorado. 97/12/17. 400pp. A1721:037-A1722:322.

9801020104 Submits annual rept of changes,tests & experiments affecting FSV ISFSI per 10CFR72.48(b).Rept covers period from 961218- 971217.
BORST,F.J. Public Service Electric & Gas Co. of New Jersey. 97/12/17. Region 4 (Post 820201). 11pp. A1687:302-A1687:312.

9801120259 Informs that NRC staff completed preliminary review of proposed Issue 4 of physical security plan for Fort St Vrain & determined certain aspects of proposed rev not consistent w/current staff positions.
SHEA,J.W. Office of Nuclear Material Safety & Safeguards. 97/12/23. FISHER,M.J. Public Service Co. of Colorado. 2pp. A1789:223-A1789:224.

9801290158 Requests identification of safeguards issues & physical protection insp results per NRC insp performed on 970512-21. Prompt response is requested.
HAGERS,J. Energy, Dept. of, Idaho Operations Office. 98/01/15. SHEA,J. Office of Nuclear Material Safety & Safeguards. 3pp. A1971:266-A1971:268.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9801130011 Informs that listed documents have been determined to relate to petition filed,per 10CFR2.206.W/o encl.
RECKLEY,W.D. . 97/12/29. CROCKER,G. Affiliation Not Assigned. 4pp. A1790:245-A1790:249.

9801230219 Forwards state of MN Dec 1997 rept which provides data on radiation levels inside Prairie Island ISFSI.
MCCLANAHAN,S. Minnesota, State of. 98/01/09. NRC - No Detailed Affiliation Given. 4pp. A1896:356-A1896:359.

DOCKET 72-0016 NORTH ANNA ISFSI - 50-338 & 50-339

9801130385 Forwards RAI re application for North Anna ISFSI for fuel assemblies to be stored in plant ISFSI.
SHEA,J.W. Office of Nuclear Material Safety & Safeguards. 97/12/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A1808:358-A1808:360.

9801280181 Forwards insp repts 50-338/97-11,50-339/97-11 & 72-0016/97-04 on 971102-13.No violations identified,but discrepancies identified in construction practices related to correct placement of rebar.
HAAG,R.C. Region 2 (Post 820201). 98/01/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A1996:129-A1996:157.

--**9801280185** Insp repts 50-338/97-11,50-339/97-11 & 72-0016/97-04 on 971102-1213.No violations noted.Major areas inspected: operations,engineering,maintenance & plant support.
* Region 2 (Post 820201). 98/01/12. 25pp. A1996:133-A1996:157.

9801270230 *Forwards RAI which addresses thermal design criteria of fuel assemblies to be stored in North Anna ISFSI & concrete pad static analysis.*
SHEA,J.W. *Office of Nuclear Material Safety & Safeguards.* 98/01/16. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1966:086-A1966:090.

DOCKET 72-0017 TROJAN ISFSI, 50-344

9801260392 Forwards PGE-1069, "Revs to Trojan ISFSI SAR," reflecting info submitted by PGE,including resolution of number of technical issues discussed at 970226 meeting w/NRC & info re revised design of ISFSI transfer station.Revised TSs,encl.
QUENNOZ,S.M. Portland General Electric Co. 97/12/18. REID,D.G. Office of Nuclear Material Safety & Safeguards. 18pp. A1928:001-A1928:264.

--**9801260396** "Revs to Trojan ISFSI SAR."
* *Portland General Electric Co.* PGE-1069. 97/12/18. 263pp. A1928:019-A1928:254.

--**9801260407** Proposed revs to Trojan ISFSI tech specs.
* Portland General Electric Co. 97/12/18. 10pp. A1928:255-A1928:264.

9801270113 Forwards rev 21 to PGE-8010, "Portland General Electric Nuclear Quality Assurance Program (QA) for Trojan Nuclear Plant." Rev reflects administrative & corporate position title changes that meet requirements of 10CFR50,App B.
QUENNOZ,S.M. Portland General Electric Co. 98/01/19. Office of Nuclear Material Safety & Safeguards. 6pp. A1932:286-A1932:307.

--**9801270116** Rev 21 to PGE-8010, "Portland General Electric (PGE) Nuclear Quality Assurance Program for Trojan Nuclear Plant."
* Portland General Electric Co. 98/01/19. 16pp. A1932:292-A1932:307.

DOCKET 72-0020 INEL TMI-2 ISFSI

9801280053 Summary of 971210 & 11 meetings w/DOE & NRC re opportunity for DOE to obtain clarification of staff questions in 971112 request for RAI.Attendees lists & meeting handout encl.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 98/01/23. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 16pp. A1967:263-A1967:278.

DOCKET 72-0022 MODEL: PRIVATE FUEL STORAGE FACILITY

9801140269 Forwards non proprietary Vol III & proprietary Vol IV, "Calculation Package," for Private Fuel Storage Facility. Original affidavits from Holtec International & Sierra Nuclear Corp also encl.Proprietary encl withheld.
DONNELL,J.L. Stone & Webster Engineering Corp. 97/07/28. DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 11pp. A1844:001-A1844:176.

--**9801140272** Non-proprietary version of HI-971631, "Multi-Cask Seismic Response at Private Fuel Storage ISFSI for Private Fuel Storage L.L.C."
SOLER,A. Holtec International. HI-971631. 97/05/19. 85pp. A1844:017-A1844:100.

--**9801140276** Non-proprietary version of HI-961574, "Scoping Seismic Analyses of HI-Storm on Western Area ISFSI."
SOLER,A. Holtec International. HI-961574. 96/11/25. 25pp. A1844:101-A1844:124.

--**9801140279** Non-proprietary version of HI-971645, "Radiation Shielding Analysis for Private Fuel Storage Facility for Private Fuel Storage L.L.C."
REDMOND,E. Holtec International. HI-971645. 97/03/12. 54pp. A1844:125-A1844:176.

9801070236 Applicant answer to petitioner contentions.* For stated reasons related to each contention,applicant respectfully submits that contentions be admitted in part,or denied as appropriate.W/Certificate of Svc.
SILBERG,J.E. . SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #198 18699. 97/12/24. Atomic Safety & Licensing Board Panel. 697pp. A1710:024-A1711:342.

9801070303 NRC Staff response to contentions filed by State of UT,Skull Valley Band of Goshute Indians,Ohngo Gaudadeh Devia,Castle Rock Land & Livestock LC,et al & Confederated Tribes of Goshute Reservation & D Pete.* W/Certificate of Svc.
TURK,S.E., MARCO,C.L. Office of the General Counsel (Post 860701). #198 18695. 97/12/24. Atomic Safety & Licensing Board Panel. 139pp. A1726:156-A1726:293.

9801300191 Petition of Castle Rock Land & Livestock,LC,Skull Valley Co, LTD & Ensign Ranches of Utah,LC for non-application or waiver of Commission regulations,rules & general distribution.* W/Certificate of Mailing.
LATER,M.M. Affiliation Not Assigned. LATER,M.M. Affiliation Not Assigned. #198 18757. 98/01/21. Commissioners (Post 750119). 26pp. A1965:005-A1965:122.

--**9801300200** Affidavit of BT Allen.* Affidavit re application of Private Fuel Storage LLC for license to store spent nuclear fuel at Private Fuel Storage Facility in Skull Valley Indian Reservation in Tooele County,UT.
ALLEN,B.T. *Affiliation Not Assigned.* 98/01/21. 92pp. A1965:031-A1965:122.

9801230205 *Submits listed requested info re Private Fuel Storage site visit.*
KENNEDY,J.P. Affiliation Not Assigned. #198 18722. 97/12/18. BOLLWERK,G.P., KLINE,J.R., LAM,P.S. *Atomic Safety & Licensing Board Panel. 2pp.* A1887:180-A1887:181.

9801070260 Notice of appearance & name change.* Informs that name of law firm representing Castle Rock has been changed from "Kimball,Parr,Waddoups,Brown & Gee" to "Parr,Waddoups,Brown, Gee & Loveless".W/Certificate of Svc.Served on 971219.
ALLEN,B.T., ALLEN,B.T. Affiliation Not Assigned. ALLEN,B.T. Affiliation Not Assigned. #198 18692. 97/12/19. 4pp. A1726:037-A1726:040.

9801070296 Notice of appearance.* Informs that DE Allen to appear as counsel for Castle Rock Land & Livestock,LC,Skull Valley Co, Ltd & Ensign Ranches of Utah per 10CFR2.713(b). W/Certificate of Mailing.
ALLEN,D.E. Affiliation Not Assigned. ALLEN,D.E. Skull Valley Band of Goshute Indians. ALLEN,D.E. . #198 18694. 97/12/19. 6pp. A1726:046-A1726:051.

9801070265 NRC Staff response to supplemental memo filed by Confederated Tribes of Goshute Reservation & David Pete in support of their petition to intervene.* Tribes not eligible to participate as interested entity.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #198 18693. 97/12/23. Atomic Safety & Licensing Board Panel. 16pp. A1727:145-A1727:160.

9801070288 State of Utah request for consideration of late-filed contentions EE & FF.* State submits criteria satisfied for late-filing of contentions under 10CFR2.714(A)(1). W/Certificate of Svc.
NELSON,F.G. Utah, State of. #198 18696. 97/12/23. Atomic Safety & Licensing Board Panel. 22pp. A1726:052-A1726:070.

9801120209 Forwards list of ref documents needed by NRC as part of review of Private Fuel Storage,LLC application.Documents should be forwarded to listed address by 980115.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 97/12/23. NORTHARD,S. . NORTHARD,S. Northern States Power Co. 5pp. A1789:225-A1789:229.

9801070228 Further supplemental memo in support of petition of Confederated Tribes of Goshute Reservation & D Pete to intervene & for hearing.* Respectfully submits that petition be granted.W/Certificate of Svc.
KENNEDY,J.P. Affiliation Not Assigned. #198 18700. 97/12/29. Atomic Safety & Licensing Board Panel. 6pp. A1726:010-A1726:015.

9801070272 Applicant motion for leave to file response to State of Utah contentions Z through DD.* Requests leave to file answers to State of Utah contentions Z through DD on or before 980106 for listed reasons.W/Certificate of Svc.
SILBERG,J.E. . SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #198 18701. 97/12/29. Atomic Safety & Licensing Board Panel. 5pp. A1726:041-A1726:045.

9801080226 Forwards nondisclosure affidavits for FG Nelson,JV Braxton & KL Pathakis.*Affidavits executed in accordance w/971217 & 971223 memos & orders.*
CHANCELLOR,D. Utah, State of. #198 18710. 97/12/29. BOLLWERK,G.P., KLINE,J.R., LAM,P.S. Atomic Safety & Licensing Board Panel. 28pp. A1728:086-A1728:113.

9801070240 NRC Staff response to Licensing Board question re authority to issue final *initial decision prior to issuance of NRC safety & environ rept.* Board may not issue* final initial decision on proceeding.W/Certificate of Svc.
TURK,S.E. *Office of the General Counsel (Post 860701).* #198 18705. 97/12/30. Atomic Safety & Licensing Board Panel. 6pp. A1726:294-A1726:299.

9801070249 Applicant memo on ASLB authority to issue partial initial decisions prior to *issuance of SER or EIS.* W/reasons stated above,ASLB has authority to schedule* orderly consideration & resolution of contested health issues.W/Certificate of Svc.
GAUKLER,P.A. . GAUKLER,P.A. Shaw, Pittman, Potts & Trowbridge. #198 18702. 97/12/30. 13pp. A1726:024-A1726:036.

9801080197 State of UT's motion for leave to reply to NRC staff's & Private Fuel *Storage,LLC's responses to petitioners' contentions.* State requests leave to reply* to be filed on or before 980122.W/Certificate of Svc.
CHANCELLOR,D. *Utah, State of.* #198 18713. 97/12/30. *Atomic Safety & Licensing* Board Panel. 3pp. A1728:340-A1728:343.

9801070221 Order (Schedule for responses to motion for leave to file reply).* Orders that any written responses to motion shall be filed on or before 980105.W/Certificate of Svc.Served on 971231.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18707. 97/12/31. Utah, State of. 4pp. A1710:015-A1710:018.

9801070222 Order (Granting leave to file response to contentions & schedule for responses to late-filed contentions).* Orders that licensee motion for leave to file response granted. W/Certificate of Svc.Served on 971231.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18708. 97/12/31. Affiliation Not Assigned. 4pp. A1710:019-A1710:023.

9801080208 Applicant's answer to State of UT's late-filed contentions.* State attempts to add new contentions is well outside deadline set by Board & fails to make good cause showing for nontimely filings & should be rejected.W/Certificate of Svc.
SILBERG,J.E. . SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #198 18712. 97/12/31. Atomic Safety & Licensing Board Panel. 4pp. A1729:027-A1729:030.

9801080257 Motion of petitioners Castle Rock Land & Livestock L.C. & Skull Valley Co,Ltd for leave to reply to NRC Staff & Private Fuel Storage,Livestock,L.C. response to petitioner contentions.* W/Certificate of mailing.
ALLEN,B.T., ALLEN,B.T. . ALLEN,B.T. Affiliation Not Assigned. #198 18720. 97/12/31. Commissioners (Post 750119). 4pp. A1728:114-A1728:117.

9801080268 Forwards corrected pages 7 & 14 to response filed on 971224.
MARCO,C.L. Office of the General Counsel (Post 860701). #198 18711. 97/12/31. BOLLWERK,G.P., KLINE,J.R., LAM,P.S. Atomic Safety & Licensing Board Panel. 1p. A1729:006-A1729:008.

--**9801080281** Corrected pages 7 & 14 to response filed on 971224.
* Office of the General Counsel (Post 860701). 97/12/31. Atomic Safety & Licensing Board Panel. 2pp. A1729:007-A1729:008.

9801230195 State of UT contentions security-A through security-1 based on applicant confidential safeguards security plan.* W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18728. 98/01/03. Atomic Safety & Licensing Board Panel. 7pp. A1885:287-A1885:293.

9801080192 Applicant opposition to State of UT & Castle Rock motions for leave to reply to NRC Staff & Private Fuel Storage LLC response to petitioners contentions.* Board should deny both motions to file reply.W/Certificate of Svc.
SILBERG,J.E. . SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #198 18714. 98/01/05. Atomic Safety & Licensing Board Panel. 9pp. A1729:018-A1729:026.

9801080200 NRC Staff response to State of UT motion for leave to reply to NRC Staff & Private Fuel Storage,LLC responses to petitioners contentions.* State motion should be denied.W/ Certificate of Svc.
MARCO,C.L. Office of the General Counsel (Post 860701). #198 18715. 98/01/05. Atomic Safety & Licensing Board Panel. 7pp. A1728:344-A1728:350.

9801080286 Memorandum & Order (granting leave to file reply pleadings & requesting info).* Board grants request of State & Castle Rock/Skull Valley for leave to file reply.W/Certificate of Svc.Served on 980106.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18716. 98/01/06. Utah, State of. 7pp. A1729:038-A1729:044.

9801230206 Applicant supplemental answer to State of UT contentions Z to DD.* Applicant respectfully submits that contentions be denied.W/Certificate of Svc.
SILBERG,J.E. Affiliation Not Assigned. SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #198 18726. 98/01/06. Atomic Safety & Licensing Board Panel. 74pp. A1887:072-A1887:145.

9801080195 Notice (initial prehearing conference schedule).* Proceedings will be held in Moot Courtroom of Univ of Utah College of Law,Salt Lake City,UT on 980127 & will continue until completed.W/Certificate of Svc.Served on 980107.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18721. 98/01/07. 4pp. A1728:336-A1728:339.

9801230245 Response to Skull Valley Band of Goshutes to further supplemental memorandum in support of petition of Confederated Tribes of Goshute Reservation & D Pete to intervene & for hearing.* W/Certificate of Svc.
QUINTANA,D. Skull Valley Band of Goshute Indians. QUINTANA,D. Affiliation Not Assigned. #198 18736. 98/01/07. Atomic Safety & Licensing Board Panel. 7pp. A1885:294-A1885:300.

9801230294 State of UT response to applicant & NRC Staff pleadings on Licensing Board authority to issue final initial decision prior to issuance of NRC Staff draft or final EIS & SER.* W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18734. 98/01/07. Atomic Safety & Licensing Board Panel. 15pp. A1884:349-A1884:363.

9801230200 State of Utah request for consideration of late-filed contention GG.* Contention addresses issues raised by vendor proprietary repts on seismic stability for Sierra Nuclear Corp TranStor storage cask.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18729. 98/01/08. Atomic Safety & Licensing Board Panel. 18pp. A1886:312-A1886:329.

9801230202 NRC Staff response to State of UT request for consideration of late-filed contentions EE & FF.* Staff submits that State has not demonstrated good cause for filing contentions late. W/Certificate of Svc.
MARCO,C.L. Office of the General Counsel (Post 860701). #198 18731. 98/01/09. Atomic Safety & Licensing Board Panel. 13pp. A1885:268-A1885:280.

9801230210 Forwards declaration of LA White to replace fax copies submitted w/ 980108 pleading entitled, "State of Utah Request for Consideration of Late-Filed Contention GG."
BRAXTON,J.V. Utah, State of. #198 18732. 98/01/09. JULIAN,E.L. Office of the Secretary of the Commission. 3pp. A1886:359-A1886:361.

9801230216 Applicant answer to State of Utah request for consideration of late-filed contentions EE & FF.* Applicant opposes State request to file late-filed contentions & sets forth legal basis why request should be denied.W/Certificate of Svc.
GAUKLER,P. . GAUKLER,P. Shaw, Pittman, Potts & Trowbridge. #198 18730. 98/01/09. Atomic Safety & Licensing Board Panel. 71pp. A1887:001-A1887:071.

9801230204 Order (response schedule for further suppl petition & addl late-filed contention).* Responses to Confederated Tribes/Pete 971229 suppl memorandum shall be filed on or before 980114.W/Certificate of Svc.Served on 980112.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18733. 98/01/12. Office of the General Counsel (Post 860701). 6pp. A1886:306-A1886:311.

9801230209 NRC Staff response to "Further Supplemental Memorandum in Support of Petition of Confederated Tribes of Goshute Reservation & D Pete to Intervene & for Hearing."* Staff withdraws opposition to petition.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #198 18738. 98/01/14. Atomic Safety & Licensing Board Panel. 6pp. A1885:281-A1885:286.

9801230240 Forwards corrected table of contents to Applicant 971224 answer to petitioners contentions re Private Fuel Storage, LLC (Private Spent Fuel Storage Installation).
GAUKLER,P.A. Shaw, Pittman, Potts & Trowbridge. #198 18737. 98/01/14. BOLLWERK,G.P., KLINE,J.R., LAM,P.S. Atomic Safety & Licensing Board Panel. 7pp. A1884:342-A1884:348.

9801230248 Forwards rev 0 to calculation PFS 01.10.02.04 & rev 0 to calculation PFS 01.10.02.05.Calculations should be inserted into Vol III of calculation package,Tabs 26 & 27, respectively.
HENNESSY,W.P. Stone & Webster, Inc. 98/01/15. DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 1p. A1898:294-A1898:323.

-9801230251 "Soil-Structure Interaction Analysis for Evaluation of Transtor Storage Cask Seismic Stability," rev 0.
* Sierra Nuclear, Inc. PFS01-10.02.04 R00. 97/07/24. 7pp. A1898:295-A1898:301.

-9801230253 "Transtor Storage Cask Seismic Stability Analysis for PFS Site," rev 0.
* Sierra Nuclear, Inc. PFS01-10.02.05 R00. 97/07/24. 3pp. A1898:302-A1898:304.

-9801230257 Rev 0 to "Private Util Fuel Storage Project Seismic Tipover Analysis."
CHOI,K., SHULMAN,J. Affiliation Not Assigned. 97/01/18. 18pp. A1898:305-A1898:323.

9801230152 State of Utah reply to NRC Staff & applicant response to State of Utah contentions A through DD.* Time does not permit State to address all of applicants issues.Reply limited to key points of NRC responses.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18746. 98/01/16. Atomic Safety & Licensing Board Panel. 133pp. A1886:173-A1886:305.

9801230155 Classification of contentions on behalf of Confederated Tribes of Goshute Reservation & D Pete.* Responds to 980106 Order by submitting classification of contentions.Objects to proposed redrafting of contentions.W/Certificate of Svc.
KENNEDY,J.P. Affiliation Not Assigned. KENNEDY,J.P. Affiliation Not Assigned. #198 18741. 98/01/16. 5pp. A1887:146-A1887:150.

9801230173 Reply of petitioners Castle Rock Land & Livestock,LC,Skull Valley,Co LTD & Ensign Ranchers of UT,LC to responses of NRC staff & applicant.* W/Certificate of Mailing.
LATER,M.M., LATER,M.M., LATER,M.M. Affiliation Not Assigned. #198 18745. 98/01/16. Commissioners (Post 750119). 172pp. A1886:001-A1886:172.

9801230186 Ohngo Gaudadeh Devia response to memorandum & order,dtd 980106,granting leave to file reply pleading & requesting info.* W/Certificate of Svc.
BELILLE,J. Affiliation Not Assigned. BELILLE,J. Affiliation Not Assigned. #198 18742. 98/01/16. Commissioners (Post 750119). 15pp. A1887:162-A1887:176.

9801300190 Informs that NRC filing for copies of listed documents re NRC response to State of UT request for consideration of late filed contention GG & security plan contentions. W/Certificate of Svc.
MARCO,G.L. Office of the General Counsel (Post 860701). #198 18754. 98/01/20. BOLLWERK,G.P., KLINE,J., MURPHY,D.D. Atomic Safety & Licensing Board Panel. 2pp. A1965:353-A1965:354.

9801300219 Applicant answer to State of UT request for consideration of late-filed contention GG.* Informs that applicant respectfully submits that Utah contention GG be denied. W/Certificate of Svc.
GAUKLER,P.A. Affiliation Not Assigned. GAUKLER,P.A. Shaw, Pittman, Potts & Trowbridge. #198 18755. 98/01/20. Atomic Safety & Licensing Board Panel. 16pp. A1966:060-A1966:075.

9801300223 Licensing hearing on proposal of Private Fuel Storage LLC.* Submits request for leave to intervene in hearing,on behalf of listed petitioners.W/Certificate of Svc.
WILSON,R. Harvard Univ., Cambridge, MA. #198 18763. 98/01/20. Office of the Secretary of the Commission. 5pp. A1966:009-A1966:013.

9801300228 Applicant answer to State of UT contentions security-A through security-I based on applicant confidential safeguards security plan.* Security contentions submitted by state relying on Sinclair,inadmissible.W/Certificate of Svc.
GAUKLER,P.A. Affiliation Not Assigned. GAUKLER,P.A. Shaw, Pittman, Potts & Trowbridge. #198 18756. 98/01/20. Atomic Safety & Licensing Board Panel. 8pp. A1966:052-A1966:059.

9801230179 Memorandum & order (Prehearing conference agenda & schedule for replies).* Prehearing conference scheduled to begin 980127 re application of Private Fuel Storage,LLC.W/ Certificate of Svc.Served on 980121.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18750. 98/01/21. Utah, State of. 11pp. A1884:331-A1884:341.

9801230190 Informs that State of Utah has submitted for filing, documents containing proprietary & safeguards info re Private Fuel Storage application.W/Certificate of Svc. Served on 980121.
JULIAN,E.L. Docketing & Services Branch. #198 18749. 98/01/21. Atomic Safety & Licensing Board Panel. 3pp. A1887:177-A1887:179.

9801300220 Licensing hearing on proposal of Private Fuel Storage LLC.* Corrects 980120 ltr submitting request for leave to intervene in licensing hearing,on behalf of listed petitioners.W/Certificate of Svc.
WILSON,R. Harvard Univ., Cambridge, MA. #198 18764. 98/01/22. Office of the Secretary of the Commission. 5pp. A1966:014-A1966:018.

DOCKET 72-1001 CASK: MC-10, WESTINGHOUSE ELECTRIC CORP.

9801060146 Requests withdrawal of 970818 application for transfer & amend to W QA program approvals & certificates of compliance.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A1727:341-A1727:344.

9801220030 Application for amends to listed licenses in encl Exhibit A to change name of licensee from W to W Electric Co,div of CBS Corp.Application dtd 971218 was formally withhdrawn by AJ Nardi 971218 ltr to HJ Miller of NRC.
NARDI,A.J. Westinghouse Electric Corp. 97/12/22. MILLER,H.J. Region 1 (Post 820201). 5pp. A1894:352-A1894:360.

-9801220023 Withdraws application for transfer & amend of W matls licenses listed on attached Exhibit A.Withdrawal necessitated as former plans to separate corporation broadcasting & industrial businesses will not occur.
NARDI,A.J. Westinghouse Electric Corp. 97/12/18. MILLER,H.J. Region 1 (Post 820201). 4pp. A1894:357-A1894:360.

DOCKET 72-1004 CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.

9801270186 Forwards insp rept 72-1004/97-209 on 971027-1106.Four significant concerns that must be resolved prior to resumption of any fabrication activities,identified.
SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 98/01/20. DAWSON,D. Transnuclear, Inc. 3pp. A1936:149-A1936:197.

-9801270191 Insp rept 72-1004/97-209 on 971027-1106.No violations noted. Major areas inspected:mgt controls,quality assurance,design & configuration control programs & regulatory compliance ltr programs.
* Office of Nuclear Material Safety & Safeguards. 98/01/20. 46pp. A1936:152-A1936:197.

DOCKET 72-1007 CASK: VSC-24, SIERRA NUCLEAR, INC.

9801050258 Responds to 971024 ltr to D Rathbun which forwarded 970927 ltr from constituent F Shillinglaw,expressing concern about various problems that have been identified during fabrication of VSC-24 dry storage casks.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/12. FEINGOLD,R.D. Senate. 2pp. A1662:229-A1662:279.

9801070063 Submits response to demand for info which was issued as result of numerous NRC insp findings involving significant failures of licensee QA & CA programs to identify & correct design & fabrication deficiencies.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/19. MASSEY,J.V. Sierra Testing, Inc. 5pp. A1744:349-A1744:353.

9801070164 Forwards program milestone schedule for development & qualification of proposed UT process.Schedule includes description of activities necessary for insertion of flaws into mock-up,qualification of UT process & next UT loading.
MOECKEL,K. Sierra Nuclear, Inc. 97/12/23. KOBETZ,T. NRC - No Detailed Affiliation Given. 4pp. A1742:349-A1742:352.

9801070215 Provides summary of 971216 telcon between NRC & VSC-24 Owners Group re matls testing program proposed by VSC-24 Owners Group.
MOECKEL,K. Sierra Nuclear, Inc. 97/12/23. KOBETZ,T. NRC - No Detailed Affiliation Given. 2pp. A1747:311-A1747:312.

9801260268 Forwards uncontrolled copy of DGS mock-up flaw size/location matrix & flawed specimen drawing as prepared by flaw tech & approved by CE.Documents include changes made on advise of EPRI UT consultants.
MOECKEL,K. Sierra Nuclear, Inc. 98/01/14. KOBETZ,T. NRC - No Detailed Affiliation Given. 4pp. A1921:308-A1921:313.

9801260269 Identifies team members that will support team leaders during performance of independent reviews & assessments outlined in Sections III A (1) & (2) of OFI.Checklist used as applicable for conducting assessments & resumes encl.
DIXON,G.N. Sierra Nuclear, Inc. 98/01/20. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 95pp. A1912:139-A1912:233.

DOCKET 72-1008 CASK: HI-STAR 100, HOLTEC INTERNATIONAL

9801080019 Forwards proprietary response to second round RAIs transmitted through ltrs dtd 970818 & 0915 on HI-STAR TSAR & SAR documents & associated calculation packages. Proprietary info withheld,per 10CFR2.790(b)(4).
GILLIGAN,B. Holtec International. 97/11/28. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 8pp. A1785:307-A1785:314.

9801090263 Informs of completion of series of four 30-foot drop tests of quarter-scale model of HI-STAR 100 packaging at ORNL. Final confirmatory side drop test will be performed at ORNL by end of Jan 1998 to complete design documentation process.
TJERSLAND,G.T. Holtec International. 98/01/07. NRC - No Detailed Affiliation Given. 1p. A1786:359-A1786:360.

DOCKET 72-1015 CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC.

9801060044 Informs that application for review & approval of Universal Storage Topical Safety Analysis Rept contained necessary info to begin review.
MCGINTY,T.J. Office of Nuclear Material Safety & Safeguards. 97/12/18. THOMPSON,T.C. NAC International Inc. (formerly Nuclear Assurance Corp.),. 1p. A1740:360-A1740:360.

DOCKET 72-1021 CASK: TN-32 DRY STORAGE CASK, TRANSNUCLEAR, INC.

9801060131 Summary of 971125 meeting w/Transnuclear Inc re storing W upper head injection fuel in TN-32 spent fuel dry storage cask.
WHALEY,S. Office of Nuclear Material Safety & Safeguards. 97/12/16. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. A1727:325-A1727:327.

DOCKET 72-1023 CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP.

9801130394 Requests addl info to complete review re licensee request that certificate of compliance be issued for TranStor storage cask,IAW 10CFR72.
REID,D.G. Office of Nuclear Material Safety & Safeguards. 97/12/29. MASSEY,J.V. Sierra Nuclear, Inc. 36pp. A1808:161-A1808:196.

DOCKET 72-1024 CASK: EPRI DRY TRANSFER SYSTEM

9801280053 Summary of 971210 & 11 meetings w/DOE & NRC re opportunity for DOE to obtain clarification of staff questions in 971112 request for RAI.Attendees lists & meeting handout encl.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 98/01/23. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 16pp. A1967:263-A1967:278.

DOCKET 72-1026 MODEL: MPC-TRANSPORTABLE STORAGE SYSTEM DESIGN

9801200045 Documents W understanding of NRC position re requirement of Section 13 & App A of dry cask storage sys SRP.W is not going to include detailed description of QA program in Chapter 13 of Wesflex storage SAR.
QUINN,R.D. Westinghouse Electric Corp. 97/12/30. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A1862:355-A1862:356.

4

NONDOCKETED ITEMS

10CFR9.7 COMMISSION MEETING TRANSCRIPTS AND REPORTS

9801090005 Staff requirements memo re SECY-97-254, "Pilot Program W/State of Arizona."
HOYLE,J.C. Office of the Secretary of the Commission. 97/12/24. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1747:233-A1747:233.

9801090020 Commission voting record on SECY-97-254 re pilot program w/State of Arizona.
HOYLE,J.C. Office of the Secretary of the Commission. 97/12/24. 2pp. A1747:223-A1747:230.

9801130181 Staff requirements memo re meeting w/Northeast Nuclear on 971212 in Rockville,MD about plant,SECY-97-283.Meeting open to public attendance.
HOYLE,J.C. Office of the Secretary of the Commission. M971212. 98/01/09. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1790:339-A1790:339.

9801140096 Staff requirements memo re briefing on integration & evaluation of results from recent lesson learned reviews. Commission indicated that guidance to staff would be provided on issues re SECY-97-205.
HOYLE,J.C. Office of the Secretary of the Commission. M971217. 98/01/09. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1797:352-A1797:352.

9801140361 Transcript of NRC/Nuclear Pharmacy & Radioactive Drug Manufacturer Workshop in Rockville,Maryland on 971121. Pp 1-312.W/Certificate.
* NRC - No Detailed Affiliation Given. 97/11/21. 314pp. A1797:001-A1797:315.

9801160097 Staff requirements memo re briefing on EEO program. Commission requested that staff provide info comparing relative success of other technical agencies,such as DOE, EPA & NASA.
HOYLE,J.C. Office of the Secretary of the Commission. M971014A. 98/01/14. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. A1820:311-A1820:312.

9801220122 Staff requirements memo re SECY 97-225, "Enhancing NRC Effectiveness & Efficiency." Commission has not objected to proposed development of detailed plans to implement strategies included in FY 98.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/14. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. A1877:356-A1877:357.

9801220197 Staff requirements memo re SECY-97-279, "Generic & Cumulative Environ Impacts of Transportation of HLW In Vicinity of HLW Repository." Commission approved staff proposal to implement Option 3 to amend 10CFR51.53.
HOYLE,J.C. Office of the Secretary of the Commission. M970612. 98/01/13. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1877:286-A1877:286.

9801220204 Commission voting record on SECY-97-279 re generic & cumulative environ impacts of transportation of HLW in vicinity of HLW repository (SRM M970612).
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/13. 2pp. A1890:325-A1890:331.

9801260171 Staff requirements memo re SECY-97-253, "Policy Options for Nuclear Power Reactor Financial Qualifications in Response to Restructuring of Electric Utility Industry."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/15. CALLAN,L.J. Ofc of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 860701). 2pp. A1923:340-A1923:341.

9801260180 Commission voting record on SECY-97-253 re policy options for nuclear power reactor financial qualifications in response to restructuring of electric utility industry.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/15. 2pp. A1924:117-A1924:127.

9801260197 Transcript of 980121 briefing on operating reactors & fuel facilities in Rockville,MD.Pp 1-72.Related correspondence encl.
* Commissioners (Post 750119). 98/01/21. 83pp. A1924:034-A1924:116.

9801270238 Transcript of 980121 public meeting in Rockville,Maryland re briefing on matl control of generally licensed devices. Pp 1-109.Meeting viewgraphs encl.
* Commissioners (Post 750119). 98/01/21. 124pp. A1927:096-A1927:220.

9801280030 Package consisting of viewgraphs from NRC Commission briefing on 980121 re Agreement State perspectives on regulation of generally & specifically licensed devices.
FLETCHER,R.G. Organization of Agreement States. 98/01/21. 3pp. A1935:111-A1935:113.

9801280039 Testimony of J Lipoti re improving NRC control over & licensee accountability for,generally & specifically licensed devices.
LIPOTI,J. Conference of Radiation Control Program Directors, Inc. 98/01/21. 5pp. A1921:281-A1921:285.

9801280052 Statement of M Mattia re metal composition of housing for devices that contain radioactive matl & brought to scrap recycling facilities.
MATTIA,M. Institute of Scrap Recycling Industries, Inc. (formerly of Institute of Scrap &. 98/01/21. 12pp. A1940:309-A1940:320.

9801280057 Statement of J Collins re need for effective monitoring program to control radioactive sources in US economy.
COLLINS,J.F. Affiliation Not Assigned. 98/01/21. 13pp. A1940:296-A1940:308.

9801280350 Staff requirements memo re SECY-97-275, "Guidelines for Providing Assistance to Agreement States & Alternatives for Training."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/16. CALLAN,L.J. Ofc of the Executive Director for Operations. GALANTE,A.J. NRC - No Detailed Affiliation Given. 2pp. A1940:294-A1940:295.

9801290012 Commission voting record on SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/16. 1p. A1942:159-A1942:167.

-9801290016 Notation vote approving SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1942:160-A1942:160.

-9801290020 Notation vote approving w/comments SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
DICUS,G.J. Commissioners (Post 750119). 97/12/17. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1942:161-A1942:162.

-9801290023 Notation vote approving w/comments SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
DIAZ,N.J. Commissioners (Post 750119). 97/12/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1942:163-A1942:163.

-9801290024 Notation vote approving w/comments SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1942:164-A1942:167.

9801300183 Staff requirements memo re SECY-97-260, "Resolution of Public Comments in FRN, 'Safety Conscious Work Environ.'"
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1961:186-A1961:186.

9801300194 Commission voting record on SECY-97-260 re resolution of public comments in FR notice "Safety Conscious Work Environment."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. 2pp. A1961:193-A1961:201.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

9801050167 Responds to 971031 ltr to Chairman Jackson which provided ACNW observations & recommendations on application of PRA in HLW program.
CALLAN,L.J. Ofc of the Executive Director for Operations. HLWR. 97/12/17. GARRICK,B.J. Advisory Committee on Nuclear Waste. 14pp. A1686:310-A1686:327.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

9801090013 Ack receipt of 971008 ltr which submitted comments & recommendations re Human Performance & Reliability Implementation Plan (HP&RIP).
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/11/26. SEALE,R.L. ACRS - Advisory Committee on Reactor Safeguards. 4pp. A1747:205-A1747:211.

9801220129 Transcript of 971211 ACRS Thermal-Hydraulic & Severe-Accident Phenomena meeting in Rockville,MD.Pp 1-83 & 137-370.Closed session.Pp 84-136.
* ACRS - Advisory Committee on Reactor Safeguards. 97/12/11. 321pp. A1888:001-A1888:321.

9801220195 Transcript of 971210 ACRS meeting re Thermal-Hydraulic & Severe Accident Phenomena.Pp 324-344 & 314-663.Closed session.Pp 345-613.
* ACRS - Advisory Committee on Reactor Safeguards. 97/12/10. 86pp. A1892:248-A1892:333.

9801300054 Requests that G Wallis be appointed to 4-yr term on ACRS. Commission offers appointment based on understanding not to advise ACRS on any particular matter that would directly & predictably affect financial interest of entities listed.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/20. WALLIS,G. Affiliation Not Assigned. 1p. A1961:170-A1961:170.

ADVCM NRC ADVISORY COMMITTEES

9801050167 Responds to 971031 ltr to Chairman Jackson which provided ACNW observations & recommendations on application of PRA in HLW program.
CALLAN,L.J. Ofc of the Executive Director for Operations. HLWR. 97/12/17. GARRICK,B.J. Advisory Committee on Nuclear Waste. 14pp. A1686:310-A1686:327.

COMMISSION NRC COMMISSIONER CORRESPONDENCE

9711190191 Affirmation vote response sheet approving SECY-97-232, "Final Rule on Exempt Distribution & Use of Radioactive Drug Containing One Microcurie of Carbon 14 Urea." W/comments.
MCGAFFIGAN,E. Commissioners (Post 750119). 62FR63634. 97/10/23. HOYLE,J.C. Office of the Secretary of the Commission. 24pp. A1208:008-A1208:031.

9801050344 Responds to 970908 request to relinquish New Mexico authority to evaluate & approve sealed source & device applications.Commission decided to reassume authority for sealed source & devices evaluation,effective 980101.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/18. JOHNSON,G.E. New Mexico, State of. 2pp. A1658:168-A1658:179.

9801060025 SECY-97-297 Weekly info rept for wk ending 971219.
BLAHA,J.L. Assistant for Operations (Post 890205). 97/12/29. 28pp. A1680:010-A1680:037.

9801080147 SECY-97-292 Weekly info rept for wk ending 971212.
BLAHA,J.L. Ofc of the Executive Director for Operations. 97/12/18. 27pp. A1728:285-A1728:311.

9801080241 Accepts 971120 invitation to be keynote speaker at intl conference on fire protection in nuclear installations, "Fire Safety-98."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/17. CHIDAMBARAM,R. India. 1p. A1781:306-A1781:307.

--**9801080243** Extends invitation to be keynote speaker at 980415-17 intl conference on fire protection in nuclear installations, "Fire Safety-98."
CHIDAMBARAM,R. India. 97/11/20. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A1781:307-A1781:307.

9801080279 Ack receipt of 971031 ltr.Statement of Facts identifies some of issues re recovery of power reactor decommissioning costs in economically regulated environ.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/18. BACKUS,R.A. Backus, Meyer & Solomon. 1p. A1739:331-A1739:343.

--**9801080284** Ack receipt of 971020 ltr.Disappointed that NRC decided to uphold staff decision to grant one yr exemption for Great Bay Power from decommission funding assurance requirements of 10CFR50.75.Forwards Statement of Facts from stakeholders.
BACKUS,R.A. Backus, Meyer & Solomon. 97/10/31. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 12pp. A1739:332-A1739:343.

9801090020 Commission voting record on SECY-97-254 re pilot program w/State of Arizona.
HOYLE,J.C. Office of the Secretary of the Commission. 97/12/24. 2pp. A1747:223-A1747:230.

--**9801090021** Notation vote disapproving SECY-97-254 re pilot program w/State of Arizona.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/11/14. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1747:225-A1747:225.

--**9801090022** Notation vote approving SECY-97-254 re pilot program w/State of Arizona.
DICUS,G.J. Commissioners (Post 750119). 97/11/10. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1747:226-A1747:226.

--**9801090026** Notation vote approving SECY-97-254 re pilot program w/State of Arizona.
DIAZ,N.J. Commissioners (Post 750119). 97/11/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1747:227-A1747:227.

--**9801090027** Notation vote disapproving w/comments SECY-97-254 re pilot program w/State of Arizona.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/11/13. Office of the Secretary of the Commission. 2pp. A1747:228-A1747:230.

9801090188 Provides NRC FY97 Program Plan Update & Accomplishment Rept on Affirmative Action Program Plan for Hiring,Placement & Advancement of Individuals w/ Handicaps.Plan Update covers 971001-980930 & Rept of Accomplishment covers 961001-970930.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/23. CASELLAS,G.F. Equal Employment Opportunity Commission. 15pp. A1747:190-A1747:204.

9801090192 Requests continued participation of Commonwealth of Pennsylvania in USNRC State Liaison Officer program. Understands that most recent State Liaison Officer, W Dornsife left position.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/23. RIDGE,T. Pennsylvania, Commonwealth of. 1p. A1747:178-A1747:178.

9801140098 Forwards Annual Rept covering period 970303-0930 on Gaseous Diffusion Plants located in Paducah,KY & Portsmouth,OH.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/05. MURKOWSKI,F. Senate, Energy & Natural Resources. INHOFE,J.M. Senate, Environment & Public Works. DOMENICI,P.V. Senate, Appropriations. 5pp. A1796:283-A1796:336.

--**9801140113** "Annual Rept to Congress on Gaseous Diffusion Plants Located Near Paducah,KY & Portsmouth,OH," covering period 970303-0930.
* NRC - No Detailed Affiliation Given. 97/12/31. 49pp. A1796:288-A1796:336.

9801140116 Responds to 971029 ltr requesting status on implementation of recommendation that appeared in General Accounting Ofc rept, "Nuclear Employee Safety Concerns:Allegation Sys Offers Better Protection but Important Issues Remain."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/05. LIEBERMAN,J.I. Senate. DINGELL,J. House of Rep. 5pp. A1801:139-A1801:144.

--**9801140121** Requests rept on status of implementing GAO recommendations from GAO rept, "Nuclear Employee Safety Concerns:Allegation Sys Offers Better Protection,but Important Issues Remain."
LIEBERMAN,J.I., DINGELL,J.D. Congress (Joint & Rotating Committees, etc.). 97/10/29. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A1801:144-A1801:144.

9801140194 Ack receipt of 971125 ltr which proposed assignment of K Shimomura to NRC for 12-month period.Shimomura technical experience being reviewed & assignment proposal will be developed.Assignment will be scheduled to begin April 1998.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/05. IKEDA,K. Japan. 1p. A1809:359-A1809:360.

--**9801140208** Discusses sending K Shimomura to USNRC for one year in order to make cooperation under new arrangement substantial.
IKEDA,K. Japan. 97/11/25. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A1809:360-A1809:360.

9801140200 Provides comments on S.981,Regulatory Improvement Act of 1997 (RIA) & on new subchapter, "Executive Oversight," which Section 3 of RIA would add to Administrative Procedure Act.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/05. THOMPSON,F. Senate, Governmental Affairs. 2pp. A1801:145-A1801:146.

9801140217 Forwards third Annual Rept of NRC OE,prepared IAW recommendation II.G-2 of NUREG-1525, "Assessment of NRC Enforcement Program" & SECY-95-084.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/31. THE CHAIRMAN, JACKSON,S.A., DICUS,G.J. Commissioners (Post 750119). 1p. A1791:128-A1791:294.

--**9801140225** "Office of Enforcement Annual Rept FY 1997."
* Ofc of Enforcement (Post 870413). 97/12/31. 165pp. A1791:129-A1791:294.

9801140237 Nominates NRC High-Level Waste Program for 1998 Innovations in American Govt Awards.Nomination application encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/05. PARENT,W. Harvard Univ., Cambridge, MA. 17pp. A1817:155-A1817:171.

9801160035 SECY-98-004 Weekly info rept for wk ending 971226 & 980102.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/01/08. 20pp. A1825:276-A1825:295.

9801220133 SECY-98-004 Weekly info rept for wk ending 971226-980102.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/01/08. 19pp. A1875:246-A1875:264.

9801220204 Commission voting record on SECY-97-279 re generic & cumulative environ impacts of transportation of HLW in vicinity of HLW repository (SRM M970612).
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/13. 2pp. A1890:325-A1890:331.

--**9801220208** Notation vote approving w/comments SECY-97-279 re generic & cumulative environ impacts of transportation of HLW in vicinity of HLW repository (SRM M970612).
DICUS,G.J. Commissioners (Post 750119). 97/12/22. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1890:327-A1890:328.

--**9801220220** Notation vote approving w/comments SECY-97-279 re generic & cumulative environ impacts of transportation of HLW in vicinity of HLW repository (SRM M970612).
DIAZ,N.J. Commissioners (Post 750119). 97/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1890:329-A1890:329.

--**9801220224** Notation vote approving w/comments SECY-97-279 re generic & cumulative environ impacts of transportation of HLW in vicinity of HLW repository (SRM M970612).
MCGAFFIGAN,E. Commissioners (Post 750119). 97/12/16. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1890:330-A1890:331.

9801230056 SECY-98-008 Weekly info rept for wk ending 980109.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/01/15. 26pp. A1915:184-A1915:209.

9801260175 Notation vote approving w/comments SECY-97-249, "Recovering Budgeted Costs re Federal Agencies,Nonprofit Educational Insts,Small Entities,Regulatory Support to Agreement States, Site Decommissioning Mgt Program & Generic...."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/11/20. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. A1924:128-A1924:135.

9801260180 Commission voting record on SECY-97-253 re policy options for nuclear power reactor financial qualifications in response to restructuring of electric utility industry.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/15. 2pp. A1924:117-A1924:127.

--**9801260184** Notation vote approving w/comments SECY-97-253, "Policy Options for Nuclear Power Reactor Financial Qualifications in Response to Restructuring of Electric Utility Industry."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/11/26. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1924:119-A1924:120.

--**9801260187** Notation vote disapproving w/comments SECY-97-253, "Policy Options for Nuclear Power Reactor Financial Qualification in Response to Restructuring of Electric Utility Industry."
DICUS,G.J. Commissioners (Post 750119). 97/12/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1924:121-A1924:122.

--**9801260189** Notation vote disapproving w/comments SECY-97-253, "Policy Options for Nuclear Power Reactor Financial Qualifications in Response to Restructuring of Electric Utility Industry."
DIAZ,N.J. Commissioners (Post 750119). 97/12/23. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1924:123-A1924:124.

--**9801260192** Notation vote approving w/comments SECY-97-253, "Policy Options for Nuclear Power Reactor Financial Qualifications to Restructuring of Electric Utility Industry."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1924:125-A1924:127.

9801280051 SECY-98-009 Weekly info rept for wk ending 980116.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/01/22. 25pp. A1939:265-A1939:289.

9801290012 Commission voting record on SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/16. 1p. A1942:159-A1942:167.

--**9801290016** Notation vote approving SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1942:160-A1942:160.

--**9801290020** Notation vote approving w/comments SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
DICUS,G.J. Commissioners (Post 750119). 97/12/17. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1942:161-A1942:162.

--**9801290023** Notation vote approving w/comments SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
DIAZ,N.J. Commissioners (Post 750119). 97/12/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1942:163-A1942:163.

--**9801290024** Notation vote approving w/comments SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1942:164-A1942:167.

9801300038 Informs that Commission concurs w/view that NRC-NNSA protocol on cooperation on nuclear safety matters has been successful safety info collaboration & accepts suggestion to continue cooperation until recipient visit this summer.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/22. QITAO,H. China, Peoples Republic of. 1p. A1961:167-A1961:169.

--**9801300042** Proposes protocol between Natl Safety Administration of Peoples Republic of China & NRC on Cooperation in Nuclear Safety Matters be effective after validity until formally extended in June 1998.
QITAO,H. China, Peoples Republic of. 97/12/29. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A1961:168-A1961:169.

9801300039 Expresses appreciation for 970821 ltr re annual meeting of Agreement States in Los Angeles,CA & leadership over past year.Issues raised re proposal of company to use multiple exempt sources in gauging device discussed.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/12. QUILLIN,R.M. Organization of Agreement States. 2pp. A1961:210-A1961:216.

--**9801300045** Expresses appreciation for time Chairman took to attend annual meeting of Agreement States & NRC re number of issues specifically facing NRC today.Comments appreciated & helped set tone of meeting.
QUILLIN,R.M. Organization of Agreement States. 97/11/21. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. A1961:212-A1961:216.

9801300054 Requests that G Wallis be appointed to 4-yr term on ACRS. Commission offers appointment based on understanding not to advise ACRS on any particular matter that would directly & predictably affect financial interest of entities listed.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/20. WALLIS,G. Affiliation Not Assigned. 1p. A1961:170-A1961:170.

9801300083 Responds to 971108 ltr raising concerns re proposed reclamation of 10.5 million tons of uranium mill tailings located near Colorado River in Moab,UT.NUREG-1531, NUREG-1532 & NRC response to Draft Biological Opinion encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/16. REID,H. Senate. 3pp. A1943:001-A1944:192.

--**9801300087** Expresses concerns re proposed remediation of residual uranium tailings produced by Atlas Minerals near Moab,Utah.
REID,H. Senate. 97/11/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A1943:004-A1944:192.

9801300102 Forwards NRC rept on administration of FOIA for first three quarters of 1997,per Public Law 93-502 of 741121.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/15. GORE,A. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. 10pp. A1961:171-A1961:180.

9801300114 Informs that in response to 971208 request to relinquish Oregons authority to evaluate & approve sealed source & device applications,S Jackson asked NRC staff to prepare paper on issue so Commission can act on request.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/15. KITZHABER,J.A. Oregon, State of. 1p. A1961:202-A1961:203.

--**9801300124** Requests relinquishment of sealed source & device evaluation authority & assumption of authority by NRC.Recommends effective date of 980101 in order to provide for orderly changeover of authority.
KITZHABER,J.A. Oregon, State of. 97/12/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A1961:203-A1961:203.

9801300194 Commission voting record on SECY-97-260 re resolution of public comments in FR notice "Safety Conscious Work Environment."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. 2pp. A1961:193-A1961:201.

--**9801300195** Notation vote approving w/comments SECY-97-260 re resolution of public comments in response to request for public comments in FR "Safety Conscious Work Environment."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1961:195-A1961:196.

--**9801300198** Notation vote approving w/comments,SECY-97-260 re resolution of public comments in response to request for public comments in FRN, "Safety Conscious Work Environ."
DICUS,G.J. Commissioners (Post 750119). 97/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1961:197-A1961:197.

--**9801300204** Notation vote approving in part & disapproving in part w/ comments,SECY-97-260 re resolution of public comments in response to request for public comments in FRN, "Safety Conscious Work Environ."
DIAZ,N.J. Commissioners (Post 750119). 97/11/14. Office of the Secretary of the Commission. 2pp. A1961:198-A1961:199.

--**9801300206** Notation vote approving w/o comments,SECY-97-260 re resolution of public comments in response to request for public comments in FRN, "Safety Conscious Work Environ."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/11/17. Office of the Secretary of the Commission. 1p. A1961:200-A1961:201.

CONTRACT NRC CONTRACTS AND GRANTS

9801020150 Ltr contract:mod 1 to task order 128, "Millstone Units 3 Independent C/A Verification Program (ICAVP) Oversight Team Technical Support," under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2407-08. NRC-03-93-026. 97/12/23. LOFY,R.A. Paramount Supply Co. 7pp. A1600:020-A1600:026.

9801020153 Mod 11 to contract NRC-04-94-052.
MAGRUM,E. Maryland, Univ. of, College Park, MD. MACE,M.H. Division of Contracts (Post 940714). 97/12/23. 2pp. A1600:018-A1600:019.

9801020156 Ltr contract:mod 2 to task order 304, "PTS Study In Suppport of Regulatory Guide Changes," under contract NRC-03-95-026.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-95-026. 97/12/29. KNIGHT,D. SCIENTECH, Inc. 2pp. A1600:016-A1600:017.

9801050009 Mod 7 to contract NRC-04-94-036.
PERKL,R.H. Wisconsin, Univ. of, Madison, WI. MACE,M.H. Division of Contracts (Post 940714). 97/12/18. 1p. A1663:272-A1663:272.

9801050014 Ltr contract:Mod 8 to task order 201 entitled, "Review of W WGothic Code for AP600 PCCS DBA Evaluations," under contract NRC-03-95-026.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-95-026. 97/12/28. KNIGHT,D. SCIENTECH, Inc. 2pp. A1663:270-A1663:271.

9801050018 Ltr contract:mod 3 to task order 127 entitled, "Millstone, Units 2 & 3 Independent Corrective Action Verification Program Oversight Team Technical Support," under contract NRC-03-93-026.Statement of work encl.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-93-026. FIN J-2407-07. 97/12/23. LOFY,R.A. PARAMETER, Inc. 7pp. A1663:263-A1663:269.

9801060071 Mod 1 to grant NRC-G-04-94-102.
DENMING,D.E. Virginia Polytechnic Institute & State Univ., Blacksburg, VA. WIGGINS,E.J. Division of Contracts (Post 940714). 97/12/29. 1p. A1667:228-A1667:228.

9801070052 Ltr contract:mod 6 to task order 2 under contract NRC-02-95-001.
WIGGINS,E. Division of Contracts (Post 940714). NRC-02-95-001. 97/12/29. PARKER,S.C. Jupiter Corp. (formerly Jupiter Associates, Inc.). 3pp. A1681:339-A1681:341.

9801080024 Ltr contract:mod 1 to task 218, "Review McGuire,Units 1 & 2 Conversion of Current TSs to Improved TS Based on Std TS."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 98/01/05. AUFMUTH,M.H. SCIENTECH, Inc. 2pp. A1739:344-A1739:345.

9801080030 Ltr contract:mod 3 to task order 8, "Further Phenomenological Review," under contract NRC-04-92-045.
POOL,S.M. Division of Contracts (Post 940714). NRC-04-92-045. 97/12/29. KHATIB-RAHBAR Energy Research, Inc. 2pp. A1701:245-A1701:246.

9801080261 Mod 10 to contract NRC-26-93-288.
* Chem-Nuclear Systems, Inc. MEARSE,S.D. Division of Contracts (Post 940714). FIN E-8210. 97/12/24. 2pp. A1701:247-A1701:248.

9801080301 Mod 62 to contract NRC-02-87-004.
STRIKE,N. Science Applications International Corp. (formerly Science Applications, Inc.). POOL,S.M. Division of Contracts (Post 940714). 98/01/06. 3pp. A1739:326-A1739:328.

9801080334 Mod 1 to contract NRC-04-98-041.
* Pennsylvania State Univ., Harrisburg, PA. MACE,M. Division of Contracts (Post 940714). FIN W-6855. 98/01/06. 2pp. A1701:234-A1701:235.

9801080338 Ltr contract:task order 6 to mod 8, "Addl Independent Assessment of Direct Containment Heating Research," under contact NRC-04-92-046.
POOL,S.M. Office of Administration, Director (Post 940714). NRC-04-92-046. 97/12/29. KHATIB-RAHBAR Energy Research Group, Inc. 2pp. A1701:232-A1701:233.

9801080369 Contract: "Nationwide Recruitment Advertising," awarded to Bernard Hodes Advertising,Inc.
SWIREIDAK,J. Affiliation Not Assigned. POOL,S.M. Division of Contracts (Post 940714). FIN A-8405. 98/01/05. 36pp. A1740:294-A1740:330.

9801080372 Mod 1 to contract NRC-26-97-265.
* . MEARSE,S.D. Division of Contracts (Post 940714). FIN J-8237. 97/12/24. 2pp. A1739:317-A1739:318.

9801080390 Mod 11 to contract NRC-33-95-173.
RULAND,J.K. . MEARSE,S.D. Division of Contracts (Post 940714). FIN D-1387. 97/12/29. 3pp. A1739:321-A1739:323.

9801090001 Ltr contract:task order 5,mod 6, "Hydrogen Combustion" under contract NRC-04-92-046.
POOL,S.M. Division of Contracts (Post 940714). NRC-04-92-046. 97/12/29. KHATIB-RAHBAR Energy Research Group, Inc. 2pp. A1747:212-A1747:213.

9801090003 Ltr contract:mod 1 to task order 219, "Review Catawba,Units 1 & 2 Conversion of Current TSs to Improved TS Bases on Std TS" under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 98/01/05. AUFMUTH,M.H. SCIENTECH, Inc. 2pp. A1747:214-A1747:215.

9801090015 Mod 11 to contract NRC-03-94-034.
ALLEN,S.A. Small Business Administration. ALLEN,S.A. The KEVRIC Company, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 98/01/05. 2pp. A1747:216-A1747:217.

9801090024 Ltr contract:mod 2 to task order 11, "Technical Assistance in Review of VSC-24 Cask,rev 1," under contract NRC-02-95-003.
WIGGINS,E.J. Division of Contracts (Post 940714). 98/01/05. STRIKE,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. A1762:136-A1762:137.

9801090032 Ltr contract:mod 4 to task order 15, "Technical Assistance in Review of Vectra Technologies,Inc,License Amend of Standardized Nuhoms Horizontal Modular Storage Sys," under contract NRC-02-95-003.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-02-95-003. 98/01/05. STRIKE,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. A1762:138-A1762:139.

9801090042 Mod 13 to contract NRC-39-89-168.
NGAI,J.Y. Portland State Univ., Portland, OR. MEARSE,S.D. Division of Contracts (Post 940714). FIN D-2416. 97/12/11. 2pp. A1747:218-A1747:219.

9801090044 Ltr contract:mod 2 to task order 4 entitled "Criticality Safety Insp Assistance" under contract NRC-02-95-003.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-02-95-003. 98/01/05. STRIKE,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. A1747:231-A1747:232.

9801090251 Mod 4 to contract NRC-10-97-145.
HARWIG,D. Affiliation Not Assigned. MEARSE,S.D. Division of Contracts (Post 940714). FIN B-1458. 97/12/29. 3pp. A1747:220-A1747:222.

9801120099 Ltr contract,mod 3 to task order 5,under contract NRC-02-95-002.
MACE,M. Office of Administration, Director (Post 940714). NRC-02-95-002. FIN J-5054. 98/01/08. ALERS,P. ICF, Inc. 1p. A1839:001-A1839:001.

9801120106 Ltr contract,mod 6 to task order 19,under contract NRC-02-95-003.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-02-95-003. FIN J-5074. 98/01/08. STRIKE,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. A1756:289-A1756:290.

9801120108 Ltr contract,mod 3 to task order 7,under contract NRC-04-95-065.
MACE,M. Division of Contracts (Post 940714). NRC-04-95-065. FIN W-6295. 98/01/08. ALERS,P. ICF, Inc. 1p. A1756:291-A1756:291.

9801120114 Ltr contract,mod 9 to task order 2 to contract NRC-02-95-002.
MACE,M. Division of Contracts (Post 940714). NRC-02-95-002. FIN J-5054. 98/01/08. ALERS,P. ICF, Inc. 1p. A1762:140-A1762:140.

9801130233 Submits 38th monthly ltr status rept on contract NRC-02-95-003.Rept covers activities performed between 971129-1226.
PRICE,J.D. Science Applications International Corp. (formerly Science Applications, Inc.). 98/01/09. HUGHES,A. Division of Contracts (Post 940714). 44pp. A1790:196-A1790:240.

9801140104 Ltr contract:mod 5 to task order 5 under contract NRC-33-93-225.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-33-93-225. 97/12/23. COOR-BARRY,S. Adsytech, Inc. 4pp. A1801:135-A1801:138.

9801140345 Mod 3 to contract NRC-04-96-074.
MAGRUM,E. Maryland, Univ. of, College Park, MD. MACE,M.H. Division of Contracts (Post 940714). 98/01/08. 2pp. A1817:153-A1817:154.

9801140352 Mod 1 to contract NRC-26-96-264.
CONYELL,K.U. Hellier Associates, Inc. MEARSE,S.D. Division of Contracts (Post 940714). FIN E-8296. 98/01/06. 2pp. A1860:186-A1860:187.

9801140353 Mod 19 to contract NRC-02-91-007.
BROWN,J.F. Colorado State Univ., Fort Collins, CO. MACE,M.H. Division of Contracts (Post 940714). FIN L-1410. 98/01/07. 2pp. A1801:133-A1801:134.

9801140361 Mod 2 to contract NRC-04-96-059.
KUENSTLER,W.K. Texas, Univ. of, Austin, TX. MACE,M.H. Division of Contracts (Post 940714). 98/01/06. 2pp. A1801:131-A1801:132.

9801140365 Mod 12 to contract NRC-10-94-148.
PARTRIDGE,W. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2316. 98/01/09. 3pp. A1820:112-A1820:114.

9801150105 Mod 7 to contract NRC-26-95-353.
KOONTZ,C Science Applications International Corp. (formerly Science Applications, Inc.). POOL,S.M. Division of Contracts (Post 940714). FIN U-9700. FIN R-9603. 98/01/06. 3pp. A1817:331-A1817:333.

9801150123 Mod 6 to contract NRC-04-96-037.
* Risk Engineering, Inc. MACE,M. Division of Contracts (Post 940714). FIN W-6248. 98/01/12. 2pp. A1817:334-A1817:335.

9801150127 Ltr contract:task order 3, "Regulatory Assistance to Countries Operating Soviet Design Reactors," under contract NRC-008-97-302.
WIGGINS,E. Office of Administration, Director (Post 940714). FIN E-70617. FIN E-70947. 98/01/06. RICHARDSON,E.M. SCIENTECH, Inc. 9pp. A1817:336-A1817:344.

9801150250 Ltr contract:mod 3 to task order 20 entitled "Environmental Assessment for License Renewal of Nulear Fuel Services,Inc. Erwin,TN," under contract NRC-02-95-003.
WIGGINS,E.J. Division of Contracts (Post 940714). 98/01/12. STRIKE,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. A1817:354-A1817:355.

9801160004 Ltr contract,mod 1 to task order 31,under contract NRC-02-95-003.
WIGGINS,E.J. Office of Administration, Director (Post 940714). FIN J-5073. NRC-02-95-003. 98/01/12. STRIKE,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. A1830:098-A1830:099.

9801160005 Ltr contract,mod 2 to task order 27,under contract NRC-02-95-003.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-02-95-003. 98/01/12. STRIKE,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. A1866:328-A1866:329.

9801160006 Ltr contract,mod 5 to task order 2,under contract NRC-02-95-003.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-02-95-003. 98/01/12. STRIKE,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. A1866:330-A1866:331.

9801160095 Mod 1 to contract NRC-04-97-044.
* Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). FIN W-6758. 98/01/14. 2pp. A1820:272-A1820:273.

9801160100 Mod 4 to contract NRC-02-97-004.
* Southwest Research Institute. MEARSE,S. Division of Contracts (Post 940714). FIN J-5184. 98/01/14. 2pp. A1820:309-A1820:310.

9801200066 Mod 28 to contract NRC-10-93-133.
* Affiliation Not Assigned. MEARSE,S.D. Division of Contracts (Post 940714). FIN E-8268. 98/01/14. 2pp. A1860:307-A1860:308.

9801200067 Mod 16 to contract NRC-33-94-197.
MEARSE,S.D. Bell Atlantic Corp. ASHCRAFT,L.N. Division of Contracts (Post 940714). 98/01/06. 2pp. A1844:347-A1844:348.

9801200072 Mod 3 to contract NRC-09-97-205.
O'NEILL,M.W. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). 97/12/19. 8pp. A1832:268-A1832:275.

9801200075 Mod 7 to contract NRC-04-94-076.
SOMERVILLE,P.G. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). 98/01/12. 2pp. A1860:296-A1860:297.

9801200141 Mod 6 to contract NRC-26-95-264.
SACKETT,M. . MEARSE,S.D. Division of Contracts (Post 940714). FIN E-8277. 98/01/06. 5pp. A1860:267-A1860:271.

9801210001 Mod 1 to contract NRC-04-97-056.
* Arizona, Univ. of, Tucson, AZ. MACE,M.H. Division of Contracts (Post 940714). FIN W-6790. 98/01/15. 2pp. A1866:258-A1866:259.

9801220006 Mod 4 to contract NRC-27-95-361.
* Oak Ridge Associated Universities. WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-2284. 98/01/16. 2pp. A1860:358-A1860:359.

9801230148 Ltr contract:mod 3 to task order 2,under contract NRC-02-97-001.
MEARSE,S. Division of Contracts (Post 940714). NRC-02-97-001. 98/01/13. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 2pp. A1900:356-A1900:357.

9801230241 Forwards property certification,patents,copyrights & royalties forms re contract NRC-04-88-072.W/o encl.
MCCUBBIN,S. Office of Administration, Director (Post 940714). NRC-04-88-072. 98/01/20. LOSS,F. Materials Engineering Associates, Inc. 2pp. A1890:359-A1890:360.

9801230312 Mod 7 to contract NRC-04-96-046.
WEBB,P.A. California, Univ. of, Santa Barbara, CA. POOL,S.M. Division of Contracts (Post 940714). FIN W-6412. 98/01/14. 3pp. A1890:351-A1890:353.

9801260117 Contract NRC-02-98-001, "Nuclear Byproduct Matl Risk Review" awarded to Scientech,Inc.
KNIGHT,D.A. SCIENTECH, Inc. POOL,S. Division of Contracts (Post 940714). FIN J-5215. 97/12/30. 37pp. A1902:150-A1902:186.

9801260149 Forwards mod 5 to task order 5 for contract NRC-02-96-004.
KALMBACH,R.B. Southwest Research Institute. NRC-02-96-004. 20-8265-005. 98/01/06. NEFF,D. NRC - No Detailed Affiliation Given. 1p. A1923:348-A1923:350.

-9801260154 Ltr contract:Mod 5 to task order 5 under contract NRC-02-96-004.
MACE,M.H. Office of Administration, Director (Post 940714). FIN J-5147. NRC-02-96-004. 98/01/06. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 2pp. A1923:349-A1923:350.

9801260157 Ltr contract:mod 6 to task order 9(B) under contract NRC-02-96-004.
MACE,M.H. Office of Administration, Director (Post 940714). FIN J-5147. NRC-02-96-004. 98/01/06. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 2pp. A1933:350-A1933:351.

9801260160 Ltr contract:mod 5 to task order 17 under contract NRC-02-96-004.
MACE,M.H. Office of Administration, Director (Post 940714). FIN J-5147. NRC-02-96-004. 98/01/06. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 2pp. A1924:138-A1924:139.

9801260164 Ltr contract:mod 4 to task order 15(D) under contract NRC-02-96-004.
MACE,M.H. Office of Administration, Director (Post 940714). FIN J-5147. NRC-02-96-004. 98/01/06. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 2pp. A1923:346-A1923:347.

9801260167 Ltr contract:mod 5 to task order 10 under contract NRC-02-96-004.
MACE,M.H. Office of Administration, Director (Post 940714). FIN J-5147. NRC-02-96-004. 98/01/06. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 2pp. A1924:136-A1924:137.

9801260242 Mod 3 to contract NRC-33-97-171.
BOREY,J. Data General Corp. MEARSE,S.D. Division of Contracts (Post 940714). FIN B-1663. 98/01/12. 16pp. A1923:324-A1923:339.

9801260301 Ltr contract,mod 2 to task order 2 under contract NRC-04-94-045.
MACE,M.H. Division of Contracts (Post 940714). 98/01/16. AFABLE,S., AUFMUTH,M.H. SCIENTECH, Inc. 2pp. A1924:024-A1924:025.

9801260476 Ltr contract:mod 7 to task order 12 under contract NRC-33-92-203.
MEARSE,S.D. Office of Administration, Director (Post 940714). FIN E-70478. NRC-33-92-203. 98/01/09. HUTCHINSON,M. Applied Management Systems, Inc. 2pp. A1923:353-A1923:354.

9801260486 Ltr contract:mod 6 to task order 14, "Develop SECY Tracking & Reporting Sys (STARS)," under Contract NRC-33-92-203.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-33-92-203. 98/01/09. HUTCHINSON,M. Applied Management Systems, Inc. 2pp. A1923:342-A1923:343.

9801260492 Mod 5 to contract NRC-26-96-263,to provide incremental funding,to allow for presentation of FY 98 courses.
* Oak Ridge Associated Universities. MEARSE,S.D. Division of Contracts (Post 940714). FIN E-8295. 98/01/22. 2pp. A1923:355-A1923:356.

9801260501 Mod 14 to contract NRC-33-92-203.
ENGER,N.L. . MEARSE,S.D. Division of Contracts (Post 940714). 98/01/09. 2pp. A1923:351-A1923:352.

9801260505 Ltr contract:mod 4 to task order 16(G) under contract NRC-02-96-004.
MACE,M.H. Office of Administration, Director (Post 940714). FIN J-5147. 98/01/19. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 2pp. A1923:344-A1923:345.

9801270010 Mod 10 to contract NRC-04-93-049.
PELLEGRINO,L. Purdue Research Foundation. MACE,M.H. Division of Contracts (Post 940714). FIN L-2202. 98/01/16. 5pp. A1934:227-A1934:231.

9801270138 Mod 6 to contract NRC-04-96-060.
AUFMOTH,M.H. SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). 98/01/19. 2pp.

9801270140 Mod 2 to contract NRC-10-96-162.
PRYOR,P. Pennsylvania, Commonwealth of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2316. 98/01/15. 3pp. A1927:335-A1927:337.

9801270145 Mod 2 to contract NRC-31-97-246.
* Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). 98/01/23. 2pp. A1927:287-A1927:289.

9801270153 Mod 6 to contract NRC-33-96-200.Mod revises remittance address IAW PrintVest Corp (Assignee) ltr to NRC dtd 971216.
* Small Business Administration. * Affiliation Not Assigned. MEARSE,S. Division of Contracts (Post 940714). 98/01/23. 2pp. A1926:357-A1926:359.

-9801280234 Informs that PrinVest Corp was granted irrevocable assignment of all monies due or to become due to Interior Sys,Inc w/respect to NRC-33-96-200.
WILSON,P.K. . NRC-33-96-200. 97/12/16. DUBOSE,B. Division of Contracts (Post 940714). 1p. A1926:359-A1926:359.

9801270157 Mod 15 to contract NRC-04-94-043.
CHAN,W. Small Business Administration. * Affiliation Not Assigned. MACE,M. Division of Contracts (Post 940714). 97/12/20. 2pp. A1967:001-A1967:002.

9801270163 Mod 5 to contract NRC-38-95-284.
HUMMER,J.J. Affiliation Not Assigned. WIGGINS,E. Division of Contracts (Post 940714). FIN A-8410. 98/01/15. 2pp. A1927:338-A1927:339.

9801280026 Ltr contract:mod 24 to task order 1 under contract NRC-33-92-203.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-33-92-203. 98/01/09. HUTCHINSON,M. Applied Management Systems, Inc. 2pp. A1935:114-A1935:115.

9801280061 Mod 12 to contract NRC-10-94-142.
* . WIGGINS,E. Division of Contracts (Post 940714). 98/01/23. 2pp. A1947:337-A1947:338.

9801280071 Ltr contract:task order 2, "Financial Statement Compilation & Audit Interface" under contract NRC-09-97-205.
WIGGINS,E.J. Office of Administration, Director (Post 940714). FIN L-1965. NRC-09-97-205. 98/01/08. O'NEILL,M. Affiliation Not Assigned. 6pp. A1947:331-A1947:336.

9801280100 Ltr contract:task order 3, "Account Reconciliation" under contract NRC-09-97-205.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-1965. NRC-09-97-205. 98/01/08. O'NEILL,M. Affiliation Not Assigned. 8pp. A1920:333-A1920:340.

9801280113 Mod 20 to contract NRC-04-94-053.
YOUNG,B.J. . MACE,M.H. Division of Contracts (Post 940714). FIN W-6089. NRC-04-94-053. 98/01/15. 3pp. A1947:328-A1947:330.

9801280136 Ltr contract,task order 1 entitled, "Financial Management Advice & Guidance," under contract NRC-09-97-205.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-1965. NRC-09-97-205. 98/01/08. O'NEILL,M. Affiliation Not Assigned. 9pp. A1936:007-A1936:015.

9801280192 Ltr contract:task order 4,entitled "Travel Support" under contract NRC-09-97-205.
WIGGINS,E.J. Office of Administration, Director (Post 940714). FIN L-1965. 98/01/07. O'NEILL,M. Affiliation Not Assigned. 5pp. A1936:001-A1936:005.

9801280288 Forwards reports of funds expended pursuant to Contract NRC-30-83-644 for fourth calendar quarter of 1997.Standard Voucher Form 1034 encl.
JURGENSEN,K. Michigan, State of. 98/01/16. Division of Contracts (Post 940714). 7pp. A1936:030-A1936:036.

9801290061 Mod 1 to contract NRC-26-97-262.
* General Electric Co. MEARSE,S.D. Division of Contracts (Post 940714). 98/01/26. 3pp. A1942:051-A1942:053.

9801300036 Informs that mod 1 to task order 1 under contract NRC-26-92-267 expired on 950816.NRC initiating closeout action.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-26-92-267. 98/01/28. HODGE,D. Sonalysts, Inc. 3pp. A1961:190-A1961:192.

9801300044 Informs that ltr contract,mod 4 to task order 2 under contract NRC-33-93-182 expired on 970131.NRC initiating closeout action.Encl for review & execution,three signed copies of subj mod deobligating excess funds.W/o encl.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-33-93-182. 98/01/28. BILGER,S. Data Computer Corp. of America. 3pp. A1961:231-A1961:233.

9801300053 Informs that ltr contract,mod 1 to task order 3 under contract NRC-26-92-267 expired on 950816 & NRC initiating closeout action.Encl for review & execution,three signed copies of subject mod deobligating excess funds.W/o encl.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-26-92-267. 98/01/28. HODGE,D. Sonalysts, Inc. 3pp. A1961:207-A1961:209.

9801300226 Informs that ltr contract,mod 2 to task order 2 under NRC-26-92-267 expired on 950816 & NRC initiating closeout action.Encl for review & execution,three signed copies of subject mod deobligating excess funds.W/o encl.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-26-92-267. 98/01/28. HODGE,D. Sonalysts, Inc. 3pp. A1961:204-A1961:206.

9801300227 Mod 46 to contract NRC-10-96-155.
SCHLOSSER,A. Affiliation Not Assigned. WEBBER,R.B. Division of Contracts (Post 940714). FIN D-2318. 98/01/26. 2pp. A1961:181-A1961:182.

9801300235 Informs that ltr contract,mod 1 to task order 20 under contract NRC 26-91-290 expired on 951105.NRC initiating closeout action.Encl for review & execution,three signed copies of subj mod deobligation excess funds.W/o encl.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-26-91-290. 98/01/28. HODGE,D. Sonalysts, Inc. 3pp. A1961:183-A1961:185.

9801300237 Informs that ltr contract,mod 1 to task order 27 under contract NRC-26-91-290 expired on 951105 & NRC initiating closeout action.Encl for review & execution,three signed copies of subject mod deobligating excess funds.W/o encl.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-26-91-290. 98/01/28. HODGE,D. Sonalysts, Inc. 3pp. A1961:228-A1961:230.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND APPEALS

9603210422 Forwards ltr from constituent WA Fry,expressing concern re length of time involved in reviewing safety of radioactive isotope necessary for diagnostic testing for comments.
MEYERS,J. House of Rep. AF70-1 085. 96/01/16. THE CHAIRMAN Commissioners (Post 750119). 3pp. 89199:090-89199:095.

9712310297 Second partial response to FOIA request for documents. Documents listed in App B encl & being withheld in part (ref FOIA Exemption 7 & 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/23. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 3pp. A1657:188-A1657:356.

-9801020131 Partially deleted transcript of interview of EJ Massey in Brattleboro,VT.
FARLEY,M.T. Ofc of Investigations (Post 880201). 97/06/05. 79pp. A1657:192-A1657:285.

-9801020137 1-96-005 Partially deleted, "Interview Rept of D McElwee," on 961217 re allegation that former plant employee J Massey was discriminated against because he had raised concerns w/design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/17. 6pp. A1657:286-A1657:291.

-9801020141 1-96-005 Partially deleted, "Interview Rept of M Gosekamp," on 970121 re allegation that former plant employee J Massey was discriminated against because he had raised concerns w/design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/21. 8pp. A1657:292-A1657:299.

-9801020144 1-96-005 Partially deleted, "Interview Rept of R Clark," on 970128 re allegation that former plant employee J Masset was discriminated against because he had raised concerns w/design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/28. 27pp. A1657:300-A1657:326.

-9801020152 1-96-005 Partially deleted, "Interview Rept of D Phillips," on 961217 re allegation that former plant employee J Massey was discriminated against because he had raised concerns about design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/17. 20pp. A1657:327-A1657:346.

-9801020154 1-96-005 Partially deleted, "Interview Rept of B Wittmer," on 961217 re allegation that former plant employee J Massey was discriminated against because he raised concerns about design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/17. 5pp. A1657:347-A1657:351.

-9801020158 1-96-005 Partially deleted, "Interview Rept of M Tessier," on 970122 re allegations that former plant employee J Massey was discriminated against because he raised concerns about design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/22. 3pp. A1657:352-A1657:354.

-9801020160 1-96-005 Partially deleted, "Interview Rept of J Calchera," on 970123 re allegation that former plant employee J Massey was discriminated against because he had raised concerns w/design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/23. 3pp. A1657:355-A1657:356.

9801050001 First partial response to FOIA request for documents.Records subj to request encl & identified in App A.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/17. RESNIKOFF,M. Radioactive Waste Management Associates. 5pp. A1712:001-A1713:349.

-9801050002 FOIA request for documents re review of adequacy of previous prepared environ impact statement on transportation of irradiated fuel,including telephone & meeting notes & repts & documents by or between NRC & SNL.
RESNIKOFF,M. Radioactive Waste Management Associates. 97/10/24. Division of Freedom of Information & Publications Services (Post 940714). 2pp. A1712:007-A1712:008.

-9801050004 Forwards NRC form 173, "Std Order for Work" for listed amount,providing authorization to perform task order 95-1, "Technical Assistance in Review of Holtec Intl Storage, Transport & Repository 100 Sys Topical SAR Submitted...."
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN A-0295. 95/09/08. CASTRO,G. Energy, Dept. of. 5pp. A1712:009-A1712:014.

-9801050008 Requests RES assistance to determine whether transportation impacts in NUREG-0170 bound those associated w/anticipated spent fuel transportation activities.Results will be used to determine need for any further NRC action.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/02/20. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1712:015-A1712:015.

-9801050011 Responds to 960703 memo which identified & provided recommendations on critical factors that should be considered in upcoming revalidation of generic environ impact statement (NUREG-0170) re shipment of spent fuel.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/07/29. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1712:016-A1712:016.

-9801050017 Forwards preliminary draft of section 3.0,truck & train accident statistics,of what will become final rept for NRC project titled, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates Program," (JCN J5160).
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/04/06. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 11pp. A1712:017-A1712:027.

-9801050021 Forwards partial preliminary draft of section 4.0,route characteristics,of what will become final rept in NRC project titled, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates Program," (JCN J5160).
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/07/11. HUANG,D.T. Office of Nuclear Material Safety & Safeguards. 24pp. A1712:028-A1712:051.

-9801050025 Forwards complete preliminary draft of section 4.0 route characteristics,of what will become final rept for NUREG 0170.This submission replaces partial preliminary draft submitted last month & fulfills 4th milestone for program.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/08/05. HUANG,D. Office of Nuclear Material Safety & Safeguards. 16pp. A1712:052-A1712:067.

-9801050037 Requests preliminary proposal for performance of encl SOW under Job Code J5160.SOW details required work & should be used as basis for proposal preparation.Proposal should be faxed within 30 days.
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 96/08/16. YOSHIMURA,R. Sandia National Laboratories. 35pp. A1712:068-A1712:125.

-9801050043 Forwards original & 2 copies of preliminary proposal for Job Code J5160,rev 0, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," for consideration.
YOSHIMURA,R. Sandia National Laboratories. FIN J-5160. 96/09/24. LINEHAN,J.J., TIKTINSKY,D. Program Management, Policy Development & Analysis Staff (Post 870413). 52pp. A1712:126-A1712:176.

-9801050053 Forwards info discussed at 960723 meeting w/Sandia re possible work on NUREG-0170 revalidation.
TIKTINSKY,D. NRC - No Detailed Affiliation Given. FIN J-5160. 96/09/27. NRC - No Detailed Affiliation Given. 39pp. A1712:177-A1712:215.

-9801050060 Submits corrections to original proposal estimated program costs for FY97,FY98 & FY99.
SPRUNG,J. Sandia National Laboratories. FIN J-5160. 96/09/26. TITKINSKY,D. Office of Nuclear Material Safety & Safeguards. 1p. A1712:216-A1712:216.

-9801050077 Forwards NRC form 173, "Std Order for DOE Work" for project entitled, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Assessments" & fee in listed amount for DOE acceptance.
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 96/10/10. LOWREY,R.Y. Energy, Dept. of. 4pp. A1712:217-A1712:220.

-9801050085 Forwards SNL work for others proposal including,JCN J5160, rev 0, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates" & NRC form 173.Administrative for submission of interagency agreements for reimbursable work encl.
KELLY,J.E. Sandia National Laboratories. FIN J-5160. 96/10/14. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 22pp. A1712:221-A1712:242.

-9801050091 Informs that DOE has accepted encl funding document subj to terms & conditions described herein.
ASCHENBRENNER, Energy, Dept. of. FIN J-5160. STTD: DC7-0003. 96/11/12. SASH,M.S. Office of the Controller (Post 890205). 2pp. A1712:243-A1712:245.

-9801050104 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly status rept for Nov 1996.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/11/30. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 11pp. A1712:246-A1712:256.

-9801050127 Forwards preliminary drafts of table of contents & sections 1.0,introduction & 2.0,evaluation of RADTRAN 4 input parameters of what will become final rept for "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates Program."
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/12/20. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 49pp. A1712:257-A1712:305.

-9801050129 SAND85-1001 "Demonstration Sensitivity Analysis for RADTRAN III."
NEUHAUSER,K.S., REARDON,P.C. Sandia National Laboratories. 86/11/30. 38pp. A1712:306-A1712:343.

-9801050136 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly status rept for Dec 1996.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/12/31. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 7pp. A1712:344-A1712:350.

-9801050141 Forwards NRC Form 173, "Std Order for DOE Work," in listed amount,for DOE acceptance.Order provides authorization to perform NRC project, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Assessemnts."
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 97/01/21. LOWREY,R.Y. Energy, Dept. of. 2pp. A1712:351-A1712:352.

-9801050144 Forwards accepted referenced funding document subj to terms & conditions described herein.Commencement of work contigent upon DOE approved NEPA determination.
ASCHENBRENNER, Energy, Dept. of. FIN J-5160. STTD: DC7-0046. 96/02/03. SASH,M.S. Office of the Controller (Post 890205). 2pp. A1712:353-A1712:356.

-9801060110 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for Jan 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/01/31. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 12pp. A1712:357-A1713:007.

-9801060113 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for Feb 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/02/28. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 11pp. A1713:008-A1713:018.

-9801060117 Requests preliminary proposal for performance of mod to job code J5160, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," for NRC.
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 97/03/20. YOSHIMURA,R. Sandia National Laboratories. 6pp. A1713:019-A1713:024.

-9801060121 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for March 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/03/31. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 23pp. A1713:025-A1713:057.

-9801060132 Forwards preliminary proposal for job code J5160,rev 1, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates" for consideration.
YOSHIMURA,R. Sandia National Laboratories. FIN J-5160. 97/04/23. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 24pp. A1713:058-A1713:081.

-9801060145 Forwards title pp for rept on cask properties,2 tables from that rept that lists casks for which rept gives data & 2 tables from from rept for "MPC" cask.
SPRUNG,J. Sandia National Laboratories. 97/04/24. COOK,J. Office of Nuclear Material Safety & Safeguards. 15pp. A1713:082-A1713:092.

-9801060148 Forwards NRC form 173, "Std Order for DOE Work" for listed amount for acceptance by execution of encl form.Order provides authorization to perform NRC project, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Assessments,"
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 97/04/30. DENHAM,D.R. Energy, Dept. of. 3pp. A1713:093-A1713:095.

-9801060152 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for April 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/04/30. HUANG,D. Office of Nuclear Material Safety & Safeguards. 9pp. A1713:096-A1713:104.

-9801060159 Forwards SANL work for others proposal including JCN J5160, rev 1, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates" & NRC Form 173.
KELLY,J.E. Sandia National Laboratories. FIN J-5160. 97/05/12. LINEHAN,J.J., HUANG,D.T. Program Management, Policy Development & Analysis Staff (Post 870413). 26pp. A1713:105-A1713:130.

-9801060162 Requests proposal for performance of addl work under job code J5160.Encl SOW details required work & should be used as basis for proposal preparation.
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 97/05/17. DENHAM,D.R. Energy, Dept. of. 4pp. A1713:131-A1713:134.

-9801060171 Forwards accepted referenced funding document subj to terms & conditions described herein.Proposal has been reviewed & found acceptable by DOE.
ASCHENBRENNER, Energy, Dept. of. FIN J-5160. LPD: DC7-0113. 97/05/22. SASH,M.S. Office of the Controller (Post 890205). 2pp. A1713:135-A1713:138.

-9801060180 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for May 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/05/31. HUANG,D. Office of Nuclear Material Safety & Safeguards. 30pp. A1713:139-A1713:168.

-9801060186 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for June 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/06/30. HUANG,D. Office of Nuclear Material Safety & Safeguards. 48pp. A1713:169-A1713:216.

-9801060190 "revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for July 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/07/31. HUANG,D. Office of Nuclear Material Safety & Safeguards. 8pp. A1713:217-A1713:240.

-9801070080 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for Aug 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/08/31. HUANG,D. Office of Nuclear Material Safety & Safeguards. 63pp. A1713:241-A1713:303.

-9801070085 Forwards preliminary draft of section 5.0,structural response of casks to impact accidents,of what will become final rept for revalidation of NUREG-0170 spent fuel shipment risks estimates program (Job Code J5160).
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/10/09. MATTIA,M.J. Office of Nuclear Material Safety & Safeguards. 12pp. A1713:304-A1713:315.

-9801070087 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates Program," monthly ltr status rept for Sept 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/09/30. MATTIA,M.J. Office of Nuclear Material Safety & Safeguards. 34pp. A1713:316-A1713:349.

9801060011 Second final response to FOIA request for documents.Record identified on encl App B is remaining record subj to request.App B record being withheld in entirety (ref FOIA Exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/12/24. RESNIKOFF,M. Radioactive Waste Management Associates. 3pp. A1667:241-A1667:245.

9801140333 Final response to FOIA request for documents.No agency records subject to request have been located.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 98/01/08. RIVERA,M. Affiliation Not Assigned. 1p. A1796:001-A1796:002.

-9801140335 FOIA request for documents re characterization study rept for TCAAP Depleted Uranium Facilities.
RIVERA,M. Affiliation Not Assigned. 97/12/26. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. A1796:002-A1796:002.

9801140391 Final response to FOIA request for documents.Records in App A & B available in PDR.App C records withheld in part (ref FOIA Exemptions 4 & 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/31. GOLDMAN,J. Affiliation Not Assigned. 8pp. A1832:092-A1832:204.

-9801140397 FOIA request for documents re telephone log entries,message receipts,notations of conversations,meeting notes,ltrs, memos,e-mail messages,facisimile cover sheets & transmitted documents, & calendar entries.
GOLDMAN,J. Affiliation Not Assigned. 97/09/29. POWELL,R. NRC - No Detailed Affiliation Given. 1p. A1832:100-A1832:100.

-9801140400 Forwards correspondence from WA Smith Teleco Oilfield Svcs, Inc,re proposed increase in NRC fee schedules ref in FR notice.WA Smith requests extension of comment period for 180 days & reconsideration of 100% cost recovery assumption.
DODD,C.J. Senate. 91/08/08. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. A1832:101-A1832:104.

-9801140403 Discusses drug testing for workers at NPP.Requests info re current status of programs.Info partially withheld.
DODD,C.J. Senate. 88/12/04. Office of Congressional Affairs (Post 911117). 2pp. A1832:105-A1832:130.

-9801140406 Discusses dumping of waste in South Dakota.Info partially withheld.
DODD,C.J. Senate. 91/07/29. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 3pp. A1832:131-A1832:133.

-9801140408 Forwards correspondence to ofc re Rocky Flats.Info partially withheld.
DODD,C.J. Senate. 91/10/03. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. A1832:134-A1832:137.

-9801150016 Discusses constituent ME Marucci ltr re issuance of design change in spent fuel pool for facility.Review requested for encl State of CT dept of health svcs memo.Info partially withheld.
DODD,C.J., LIEBERMAN,J.I. Senate. 92/09/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. A1832:138-A1832:140.

--**9801150024** Provides NRC w/results of recent evaluations re accuracy of fuel storage rack criticality calculations performed by C-E.
TOELLE,S.A. ASEA Brown Boveri, Inc. 92/02/28. JONES,R.C. Reactor Systems Branch. 5pp. A1832:178-A1832:184.

--**9801150028** Forwards LER 92-012-00 required to be submitted within 30 days per 10CFR50,50.73(a)((2)(iv) & 50.73(a)(2)(v).
DACIMO,F.R. Northeast Nuclear Energy Co. 92/08/05. Document Control Branch (Document Control Desk). 9pp. A1832:185-A1832:193.

--**9801150047** Ack receipt of 920910 ltr re issuance of design change in spent fuel pool for Millestone,Unit 2.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 92/09/23. LIEBERMAN,J.I. Senate. 1p. A1832:194-A1832:194.

--**9801150050** Ack receipt of 920910 ltr re issuance of design change in spent fuel pool *for Millstone,Unit 2.*
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 92/09/23. DODD,C.J. Senate. 1p. A1832:195-A1832:195.

--**9801150054** *Forwards ltr re rept of NRC findings of certain harassment charges.Info* partially withheld.
DODD,C.J. Senate. 92/10/16. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. A1832:196-A1832:197.

--**9801150057** Forwards correspondence re possible faulty equipment in nuclear power plants.Info partially withheld.
DODD,C.J. Senate. 93/01/08. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. A1832:198-A1832:199.

--**9801150060** Forwards ltr re poison pin placement in spent fuel assemblies & spent fuel pool safety issues.Info partially withheld.
DODD,C.J. Senate. 96/01/29. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. A1832:200-A1832:201.

--**9801150062** Forwards inquiry re high level of tritium release for Haddam Neck NPP.Info partially withheld.
DODD,C.J. Senate. 96/04/17. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 3pp. A1832:202-A1832:204.

9801150046 Third partial response to FOIA request for documents. Documents listed in App C being made available in PDR. PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/31. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 4pp. A1831:349-A1832:052.

--**9801150058** "Interview Rept of EJ Massey." Telephonically interviewed on 960619 to obtain clarifying info re 960605 interview.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 96/06/19. 12pp. A1831:355-A1832:007.

--**9801150065** Forwards 960619 interview rept & 960605 deposition providing info from EJ Massey re case 1-96-005.W/o encl.
MATAKAS,R.A. Region 1 (Post 820201). 96/07/10. SHAPIRO,D.M. Office of the General Counsel (Post 860701). 2pp. A1832:008-A1832:010.

--**9801150067** Submits plants workers comp files from 1989 to current.Lists three incidents *where shock was involved.*
ORRIS NRC - No Detailed Affiliation Given. 96/12/18. GRIFFIN,L. NRC - No Detailed Affiliation Given. 3pp. A1832:011-A1832:012.

--**9801150069** Submits conversation w/H Eichenholz.
TEATOR,J.A. Ofc of Investigations (Post 880201). 97/04/10. Ofc of Investigations (Post 880201). 24pp. A1832:013-A1832:036.

--**9801150092** "Interview Rept of L Casey."
TEATOR,J.A. Ofc of Investigations (Post 880201). 97/01/27. 5pp. A1832:037-A1832:041.

--**9801150103** Forwards listed documents re plant efforts to place M Massey in position in Maintenance Dept.
HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 97/06/16. TEATOR,J.A. Ofc of Investigations (Post 880201). 10pp. A1832:042-A1832:050.

--**9801150109** Forwards OI Rept of investigation re discrimination against senior engineer for raising concerns over design change to advanced off gas sys,case 1-96-005.
LETTS,B.R. Region 1 (Post 820201). 97/06/23. MILLER,H.J. Region 1 (Post 820201). 1p. A1832:051-A1832:051.

--**9801150114** Informs that enforcement action not appropriate for OI Rept 1-96-005, "Discrimination Against Senior Engineer for Raising Concerns Over Design Change to Advanced Off Gas Sys," because OI did not substantiate allegation.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/07/03. MILLER,H.J. Region 1 (Post 820201). COLLINS,S.J. . GOLDBERG,J.R. Office of the General Counsel (Post 860701). 1p. A1832:052-A1832:052.

9801150056 *Second partial response to FOIA request for documents. Records in App B* encl & will be availabe in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 98/01/12. CHRISTINE,K.L. Affiliation Not Assigned. 2pp. A1832:053-A1832:065.

--**9801150064** Discusses review re potentially incomplete & inaccurate info deliberately provided to NRC re emergency feedwater sys valves at facility.
YEROKUN,J.T. . 97/01/31. LETTS,B.R. Region 1 (Post 820201). 3pp. A1832:064-A1832:065.

9801150130 Fourth partial response to FOIA request for documents. Documents listed in App D being released in entirety.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/13. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 2pp. A1832:066-A1832:091.

9801150218 Final response to FOIA request for documents.Records in App A encl & being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/31. HENDRICKSON,L. Isotope Products Laboratories. 2pp. A1817:016-A1817:036.

--**9801150228** FOIA request for documents re registrations for North American Scientific Model MED 3601,logold iodine seed & Theragenic Model 200 (GA-0645-S-101-S).
HENDRICKSON,L. Isotope Products Laboratories. 97/12/11. Division of Freedom of Information & Publications Services (Post 940714). 1p. A1817:018-A1817:019.

9801160164 Final response to FOIA request for documents.Forwards documents listed in App A being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/07. CHAPMAN,N.G. Bechtel Power Corp. 2pp. A1832:205-A1832:267.

--**9801160169** FOIA request that refs 11,12,25,28 & 34,as listed in encl pages,be placed in PDR.
CHAPMAN,N.G. Bechtel Power Corp. 97/11/12. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 11pp. A1832:207-A1832:222.

--**9801160172** Forwards revised RETS.Interim changes will be incorporated in next rev of NUREG-0472 & NUREG-0473.
CONGEL,F.J. Radiological Assessment Branch. 82/08/09. Radiological Assessment Branch. 21pp. A1832:223-A1832:243.

--**9801160175** Discusses plan for addressing explosive gas issue in RETS review.Action on subj issue will be deferred in order to avoid delaying TS implementation.
KREGER,W.E. Assistant Director for Radiation Protection. FIN A-6460. FIN A-6459. *81/12/14. MATTSON,R.J. Division of Systems Integration (811005-851124).* 1p. A1832:244-A1832:244.

--**9801160177** Discusses current position on radiological effluent TSs including explosive *gas controls.Further discussion on subj issue & summary of current staff position encl.*
GAMMIL,W.P. Effluent Treatment Systems Branch. 81/10/07. WAGNER,P.C. Operating Reactors Branch 4. 14pp. A1832:245-A1832:258.

--**9801160180** Submits bases for plant TSs on control of explosive gas mixtures in waste gas sys in order to aid w/solution of related problems elsewhere.
WILLIS,C.A., BOEGLI,J.S. Effluent Treatment Systems Branch. 81/07/22. GAMMILL,W.P. Effluent Treatment Systems Branch. 9pp. A1832:259-A1832:267.

9801210039 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/14. DAVIS,D. Affiliation Not Assigned. 2pp. A1860:217-A1860:241.

--**9801210041** FOIA request for documents re violations issued on any level to Schlumberger Co.
DAVIS,D. Affiliation Not Assigned. 97/12/04. Division of Freedom of Information & Publications Services (Post 940714). 1p. A1860:219-A1860:219.

--**9801220367** Draft insp rept 30-03766/96-01 on 960512.No violations noted.Major areas inspected:insp history & organization & scope of program.
* Region 1 (Post 820201). 96/07/22. 13pp. A1860:220-A1860:241.

9801230063 Final response to FOIA request for documents.Records subj to request encl & identified in App A.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/21. WILLIAMS,O.G. JRA Associates. 2pp. A1890:058-A1890:167.

--**9801230074** FOIA request for records re weekly info rept for wk ending 971205,which discusses maint rule training.Training was held at NRC Headquarters over 3 day period of 971202-04.Listed items requested to be placed in PDR.
WILLIAMS,O.G. JRA Associates. OGW-97-189. 97/12/17. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 107pp. A1890:060-A1890:167.

9801300092 *Fifth partial response to FOIA request for documents.Records in App E* encl & will be available in PDR.App F records withheld in entirety (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/28. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 5pp. A1960:215-A1960:360.

--**9801300104** Interview rept of P McKenney on 970121 re allegation that former Ver*mont Yankee employee J Massey was discriminated against re concerns raised w/* design change for plant advanced off gas sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/21. 6pp. A1960:221-A1960:226.

--**9801300108** *"Interview Rept of R Rothier," on 970128 re allegation that former* Vermont Yankee employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/28. 27pp. A1960:227-A1960:254.

--**9801300111** Partially deleted, "Interview Rept of P Cornett," on 961219 re allegations that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/19. 13pp. A1960:255-A1960:267.

--**9801300115** Partially deleted "Interview Rept of B Buteau," on 961218 re allegations that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/18. 40pp. A1960:268-A1960:307.

--**9801300119** Partially deleted "Interview Rept of L Casey," on 961216 re allegations that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/16. 14pp. A1960:308-A1960:321.

--**9801300121** Partially deleted "Interview Rept of J Osmond," on 970122 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/22. 3pp. A1960:322-A1960:324.

--**9801300126** Partially deleted "Interview Rept of R Vibert," on 970129 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/29. 3pp. A1960:325-A1960:327.

--**9801300127** Partially deleted "Interview Rept of G Wright," on 970121 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/21. 3pp. A1960:328-A1960:330.

--**9801300128** Partially deleted, "Interview Rept for J Dayton," on 970122 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/22. 2pp. A1960:331-A1960:332.

--**9801300131** Partially deleted "Interview Rept of P McKenney," on 961218 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/18. 4pp. A1960:333-A1960:336.

--**9801300133** Partially deleted "Interview Rept of G Hengerle," on 970129 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/29. 3pp. A1960:337-A1960:339.

--**9801300136** Partially deleted "Interview Rept of R Routhier," on 961218 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/18. 5pp. A1960:340-A1960:344.

--**9801300138** Partially deleted "Interview Rept of J Orris," on 961217 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 96/12/17. 3pp. A1960:345-A1960:347.

--**9801300141** Partially deleted "Interview Rept of D Houde," on 970121 re allegation that former plant employee J Massey was discriminated against because of raised concerns w/design change for plant Advanced Off Gas Sys.
TEATOR,J.A. Region 1 (Post 820201). 97/01/21. 3pp. A1960:348-A1960:360.

9801300140 Final response to FOIA request for documents.Records in App A already available in PDR.App B records being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/27. MONIAK,D. Affiliation Not Assigned. 4pp. A1960:153-A1960:214.

--**9801300146** FOIA request for documents on behalf of STAND (Serious Texans Against Nuclear Dumping) of Amarillo re Waste Control Specialists,Inc,proposed low-level radwaste disposal site in Andrews,Texas.
MONIAK,D. Serious Texans Against Nuclear Dumping. 97/12/30. Division of Freedom of Information & Publications Services (Post 940714). 2pp. A1960:157-A1960:158.

--**9801300164** Responds to inquiry re NRC licensing authority under AEA & NRC regulations over private entity disposing of DOE low-level radwaste under DOE contract on non-DOE site.
MALSCH,M.G. Office of the General Counsel (Post 860701). 96/11/21. EGAN,J. Affiliation Not Assigned. 2pp. A1960:159-A1960:160.

--**9801300179** Expresses appreciation for 971006 meeting w/K Bigham,E Peus, J Egan & D Ferraro re LLW options under consideration. Discusses NRC Final Staff TP, "Disposition of Ce-137 Contaminated Emission Control Dust."
FERRARO,D.P. Affiliation Not Assigned. 97/10/27. REAMER,W.C. Office of the General Counsel (Post 860701). 3pp. A1960:180-A1960:182.

--**9801300242** Refers to 971027 ltr re 971006 meeting between NRC & Waste Control Specialists,LLC.Requests that statement "Privileged & Confidential,Attorney-Client Communication" be disregarded.
FERRARO,D.P. Affiliation Not Assigned. 97/11/27. REAMER,W.C. Office of the General Counsel (Post 860701). 1p. A1960:183-A1960:183.

--**9801300244** Forwards for review Waste Control Specialists Petition for Adoption of Rules,filed on 971204 w/Texas Dept of Health.
FERRARO,D. Affiliation Not Assigned. 97/12/08. REAMER,B. Office of the General Counsel (Post 860701). 7pp. A1960:184-A1960:190.

--**9801300246** Responds to 971027 ltr re questions re NRC Final Staff TP, entitled "Disposition of Ce-137 Contaminated Emission Control Dust & Other Incident-Related Matl."
REAMER,C.W. Office of the General Counsel (Post 860701). 97/12/19. FERRARO,D.P. Affiliation Not Assigned. 4pp. A1960:191-A1960:212.

--**9801300248** Expresses appreciation for efforts in responding to 971027 ltr re Cs-137 contaminated emission control dust & other incident-related matl.Informs of Waste Control Specialists plans re mixed waste disposal problem.
EGAN,J.R. Affiliation Not Assigned. 98/01/05. REAMER,W.C. Office of the General Counsel (Post 860701). 2pp. A1960:213-A1960:214.

9801300147 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.
POWER,R. Division of Freedom of Information & Publications Services (Post 940714). 98/01/27. GARDNER,S.K. Heller, Ehrman, White & McAuliffe. 2pp. A1960:075-A1960:152.

--**9801300150** FOIA request for documents re Congressional consideration or adoption of subsection 151(a)(b)(c) to Act,42 USC,any applications under 42 USC & any evaluations conducted by NRC of applicability of 42 USC.
GARDNER,S.K. Heller, Ehrman, White & McAuliffe. 97/12/19. POWER,R. Division of Freedom of Information & Publications Services (Post 940714). 6pp. A1960:077-A1960:089.

--**9801300158** "Interim Site Stabilization & Closure Plan for Barnwell Low-Level Radwaste Disposal Facility 1994 Closure Plan."
* Chem-Nuclear Systems, Inc. 94/12/31. 20pp. A1960:090-A1960:109.

--**9801300162** "Site Stabilization & Closure Plan for Low-Level Radwaste Disposal Facility," Vol 1-Closure Plan.
* Affiliation Not Assigned. * U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 96/07/30. 37pp. A1960:110-A1960:150.

--**9801300170** Informs that DOE & NRC in process of negotiating MOU defining requirements to determine whether Dept will assume federal ownership & mgt of certain low-level radwaste sites.
FIORE,J.J. Energy, Dept. of. 97/02/19. GREEVES,J.T. Division of Waste Management (NMSS 940403). 2pp. A1960:151-A1960:152.

GEN TEC IS GENERIC TECHNICAL ISSUES

9801020094 Forwards "Suppl IPEEE Submittal Rept," containing relay chatter analysis done in conjunction w/USI A-46 relay review & in response to GL 88-20,suppl 4.
MCCOLLUM,W.R. Duke Power Co. GL-88-20. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1672:148-A1672:230.

--**9801020095** "Supplemental IPEEE Submittal Rept."
* Duke Power Co. 97/12/31. 80pp. A1672:150-A1672:230.

9801050200 Forwards RAI re licensee 960930 submittal of specific summary rept in response to USI A-46 program at Pilgrim Nuclear Power Station.
WANG,A.B. . TAC M69471. 97/12/16. OLIVER,L.J. Boston Edison Co. 8pp. A1662:348-A1662:355.

9801060198 Forwards response to request for addl info re USI A-46.Util response to remaining requests will be provided by 980213.
SUMNER,H.L. Southern Nuclear Operating Co. HL-5538. 97/12/30. Document Control Branch (Document Control Desk). 4pp. A1722:353-A1722:356.

9801060236 Summary of 971202 meeting w/FPC in Rockville,MD re seismic qualification of mechanical & electrical equipment & large bore piping & pipe support calculations.List of attendees & meeting handout encl.
RAGHAVEN,L. . 97/12/11. . 70pp. A1681:055-A1681:125.

9801060303 Forwards RAI re licensee 960628 submittal of plant specific summary rept in response to USI A-46 program at plant.
DROMERICK,A.W. . TAC M69435. 97/12/19. CRUSE,C.H. Baltimore Gas & Electric Co. 8pp. A1680:305-A1680:312.

9801080022 Forwards final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents," per GL 88-20.
HEFFLEY,J.M. Commonwealth Edison Co. IEB-80-011. 97/12/30. Document Control Branch (Document Control Desk). 3pp. A1749:001-A1753:151.

--**9801080042** Final rept Vols I,II & III, "IPEEE for Seismic Fire High Winds/Tornadoes External Floods Transportation Accidents."
* Commonwealth Edison Co. GL-88-20. 97/12/30. 1,607pp. A1749:004-A1753:151.

9801130175 Summarizes 971211-12 meetings w/util.Purpose of meeting to discuss status of actions to resolve technical issues & progress toward readiness for restart.List of attendees & util handouts encl.
JAUDON,J.P. Region 2 (Post 820201). 97/12/18. ANDERSON,R.A. Florida Power Corp. 135pp. A1763:001-A1763:135.

9801140109 SECY-98-001 Informs Commission of staff progress on actions in response to staff requirements memo,dtd 960119 re mechanisms for addressing GSIs.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/02. 4pp. A1801:102-A1801:106.

9801220251 Forwards request for addl info re 960628 plant-specific summary rept in accordance w/GL 87-02 for Dresden Nuclear Power Station,Units 2 & 3,for resolution of unresolved safety issues A-46.Response requested within 90 days.
STANG,J.F. . TAC M69442. 98/01/12. KINGSLEY,O.D. Commonwealth Edison Co. 8pp. A1880:337-A1880:344.

9801280309 Forwards response to 971118 RAI re resolution of USI A-46 at DAEC.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-98-0068. 98/01/16. . 24pp. A1942:004-A1942:027.

9801290140 Forwards second RAI on resolution of unresolved safety issue A-46 at plant,Units 1 & 2 re GL 87-02.
HICKMAN,J.B. . TAC M69437. 98/01/23. FITZPATRICK,E. Indiana Michigan Power Co. 9pp. A1940:350-A1940:358.

I&E INSPECTION AND ENFORCEMENT ISSUANCES

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). IEIN-97-035. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . GL-95-05. 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). IEIN-96-004. 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801020037 PNO-III-96-026:on 960409,Unit 1 reactor shut down automatically when maint activities in switchyard resulted in partial loss of offsite power.On 960410 second unusual event declared due to heatup rate in excess of TS.
ROTON,J.R., CLAYTON,B. Region 3 (Post 820201). 96/04/11. 1p. A1600:028-A1600:028.

9801020044 PNO-II-96-051:on 960716,ADRC notified Region II that general licensee had reported missing fixed gauging device,Kay Ray, Model 7062 PB,serial number 18096.Licensee conducting interviews of personnel & reviewing records.
WOODRUFF,R. Region 2 (Post 820201). 96/07/16. 1p. A1600:015-A1600:015.

9801020171 Forwards draft enforcement guidance memo interim guidance for "Timeliness in Decommissioning of Matl Facilities," rule,for NMSS review.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/23. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 18pp. A1672:231-A1672:249.

9801070128 PNO-II-97-066:on 971230,RCS leakage requiring forced unit cooldown occurred.No radioactive release outside of reactor containment facilities due to leakage.Licensee informed States on NC & SC.
LESSER,M.S. Region 2 (Post 820201). 97/12/31. 1p. A1754:147-A1754:147.

9801090121 PNO-II-98-001:on 980106,licensee reported to FL Bureau of Radiological Health that Troxler,Model 3430,moisture density gauge stolen from licensee pick-up truck.State will require licensee to issue press release.
WOODRUFF,R.L. Region 2 (Post 820201). 98/01/07. 1p. A1754:245-A1754:245.

9801090132 PNO-II-97-065A:on 971228,SG 1A tube leak update made. Licensee also conducted base line pressure testing & insps of 1B SG on 980107,finding only minor leakage from welded tube plug.State of SC notified by NRC.
CARROLL,R. Region 2 (Post 820201). 98/01/08. 1p. A1796:034-A1796:034.

9801090307 Forwards documents associated w/GL 97-06, "Degradation of SG Internals," to be placed in public document room & made available to public.
SHAPAKER,J.W. . GL-97-06. 98/01/08. Document Control Branch (Document Control Desk). 7pp. A1747:153-A1747:176.

9801120105 Forwards documents associated w/GL 97-05, "Steam Generator Tube Insp Techniques," to be placed in public document room & made available to public.
SHAPAKER,J.W. . TAC M96401. 98/01/08. Document Control Branch (Document Control Desk). 1p. A1754:308-A1754:327.

9801130061 PNO-IV-98-001:on 980105,unit 1 shutdown due to accumulation of debris at circulating water & svc water intake structure which damaged non-safety intake structure components.NRC resident inspectors closely monitoring activities.
COLLINS,E., KENNEDY,K. Region 4 (Post 820201). 98/01/09. 1p. A1806:318-A1806:318.

9801140309 Enforcement Guidance Memo 97-020,modifying std forms for notice of violation to make clear that challenge to assigned Severity Level should be treated as contested violation & modifying EGM 97-018.Revised forms 4-I,4-II & 4-III encl.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). EGM-97-018. 97/12/17. MILLER,H.J. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 8pp. A1798:352-A1798:359.

9801160145 PNO-IV-98-002:on 980113,Troxler moisture density gauge Model 3430,serial Number 26221,containing 8 mCi of Cs-137 & 40 mCi of Am-241/beryllium stolen w/company vehicle.CO Dept of Public Health & Environ issued press release.
HACKNEY,C., HOWELL,L.L. Region 4 (Post 820201). 98/01/14. 1p. A1840:067-A1840:067.

9801160166 PNO-II-98-002:on 980113,licensee reported to FL Bureau of Radiological Health that Model 3430,moisture density gauge stolen from pick-up truck.Device contained approximately 8 mCi of Cs-137 & 40 mCi of Am-241.Theft under investigation.
WOODRUFF,R.L. Region 2 (Post 820201). 98/01/14. 1p. A1840:068-A1840:068.

9801160170 PNO-IV-98-001A:on 980105,plant shutdown when heavy rains caused accumulation of debris at circulating & svc water intake structure.Debris damaged some intake structure components.Repairs to intake components completed on 980109.
COLLINS,E., KENNEDY,K. Region 4 (Post 820201). 98/01/13. 1p. A1840:076-A1840:076.

9801160174 PNO-I-98-001A:on 980112,damaged portable gauge at temporary jobsite in Exton,PA update made.Region I inspector arrived on site to monitor licensee efforts to secure damaged gauge on 980113.Gauge removed from site & brought to facility.
COURTEMANCHE,S., JOHANSEN,J. Region 1 (Post 820201). 98/01/13. 2pp. A1840:069-A1840:070.

9801160178 PNO-I-98-001:on 980112,licensee RSO contacted Region I ofc re incident involving damaged portable nuclear moisture/ density gauge at temporary jobsite in Exton,PA.Licensee contacted mfg for addl assistance.
AMATO,C., COURTEMANCHE,S. Region 1 (Post 820201). 98/01/12. 1p. A1840:075-A1840:075.

9801200073 Forwards list of generic communications under present consideration pursuant to 971206 telcon requesting list of generic communications currently in planning or in development stage.
RICHARDS,S.A. . 98/01/13. FADER,G. Institute of Nuclear Power Operations. 7pp. A1860:298-A1860:304.

9801220127 Forwards signed copy of notice to cancel proposed generic communication re control rod insertion problems for transmittal to Office of FR for publication.
ROE,J.W. . TAC M97396. 98/01/13. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1877:352-A1877:353.

–9801220130 Notice of cancellation of proposed generic communication re control rod insertion problem.
MATTHEWS,D.B. . 98/01/13. 1p. A1877:353-A1877:353.

9801230429 PNO-II-98-003:on 980120,licensee placed two reactor coolant pumps in operation to add heat to RCS.Licensee has not yet requested release from CAL.Licensee issued press release.
NINH,S. Region 2 (Post 820201). CAL. 98/01/22. 1p. A1901:035-A1901:035.

9801260405 Discusses EGM,enforcement discretion re violations of 10CFR70.24, "Criticality Accident Requirements at Commerical NPPs." EGM provides instructions for withdrawing issued NOVs & NCVs & dispositioning of open USIs.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). EGM 97-017. 97/10/10. MILLER,H.J. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 9pp. A1919:079-A1919:087.

9801260445 Submits EGM re coordination of disputed enforcement actions w/OE.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). EGM-97-018. 97/10/10. MILLER,H.J. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 3pp. A1917:332-A1917:334.

9801270133 EN-97-119:on 980106,notice of proposed imposition of civil penalty in amount of $55,000 issued to licensee.Action based on violation involving failure to take adequate action to correct significant condition adverse to quality.
HOLODY,D. Region 1 (Post 820201). SATORIUS,M. Ofc of Enforcement (Post 870413). EA-97-517. 97/12/31. 1p. A1947:323-A1947:323.

9801270134 EN-97-114:on 971217,notice of proposed imposition of civil penalty in amount of $55,000 issued to licensee.Action based on Severity Level II problem involving failure to limit annual shallow-dose equivalent of occupational worker.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-97-342. 97/12/17. 1p. A1963:171-A1963:171.

9801270137 EN-97-115:on 971223,notice of proposed imposition of civil penalty in amount of $55,000 issued to licensee.Action based on Severity Level III problem involving several violations re two separate events.
REIS,T., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-97-497. 97/12/18. 1p. A1963:170-A1963:170.

9801270139 EN-97-118:on 980105,notice of proposed imposition of civil penalty in amount of $13,750 issued to licensee.Action based on eight violations involving criticality safety controls considered in aggregate to represent Severity Level III.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-97-442. 97/12/30. 1p. A1947:322-A1947:322.

9801270144 EN-97-113:on 971219,notice of proposed imposition of civil penalty in amount of $4,400 issued to licensee.Action based on disposal of generally licensed gauge by transferring gauge to scrap recycler.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-97-486. 97/12/16. 1p. A1963:172-A1963:172.

9801270150 EN-97-116:on 971229,informs Commission that staff intends to exercise enforcement discretion in accordance w/Section VII.B.2 of Enforcement Policy & not issue NOV or proposed imposition of civil penalty to util for violations.
NELSON,D., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-97-565. 97/12/22. 1p. A1947:324-A1947:324.

9801270155 PNO-IV-98-006:on 980124,spill of sulfuric acid in & outside Unit 2 turbine bldg occurred.Licensee initiated top-level site problem report to investigate root causes for spills & assign corrective actions.
KIRSCH,D. Region 4 (Post 820201). 98/01/27. 2pp. A1947:300-A1947:301.

9801270164 EN-97-117:on 980105,informs Commission that order prohibiting involvement in NRC-licensed activities issued to DT Rich.Action based on investigation conducted by OI,which determined on 960721 & 0915,DT Rich falsified records.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-97-074. 97/12/30. 1p. A1947:321-A1947:321.

9801270170 EN-97-120:on 980108,informs Commission staff intends to exercise enforcement discretion per Section VII.B.6 of Enforcement Policy & not issue citation or propose civil penalty for 21 violations identified at plant.
NELSON,D., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-97-133. 97/12/31. 1p. A1947:325-A1947:325.

9801270183 PNO-IV-98-003:on 980115,high dose rate brachytherapy misadministration occurred.Error identified by radiation therapy technologist approximately 30 minutes after therapy session taken place.State of OK informed.
SPITZBERG,J.C. Region 4 (Post 820201). 98/01/26. 1p. A1947:327-A1947:327.

9801270192 PNO-IV-98-004:on 980123,representative of Terraco Co,Inc notified NRC Operations Ctr of theft of portable moisture/ density gauge in Tulsa,OK.Operator secured gauge within transport container to bed of truck using chain & padlock.
SPITZBERG,D.B., RICE,D. Region 4 (Post 820201). 98/01/26. 1p. A1947:320-A1947:320.

9801270199 PNO-IV-98-005:on 980116,Troxler Model 3411B,containing 40 mCi of Am-241 & 8 mCi of Cs-137 stolen from State of WA licensee.Gauge taken from bed of pickup truck parked in front of authorized gauge user house in Tacoma.
HACKNEY,C.A., SHAFFER,M.R. Region 4 (Post 820201). 98/01/26. 1p. A1947:326-A1947:326.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9801020013 Forwards HCGS IST program for second interval per 10CFR50.55a(f)(4)(ii) & 10CFR50.55a(f)(5)(i).Second interval is being reduced to nine years w/end date of Dec 20,2006 & requirements will be phased in by 960331 IAW NUREG-1482.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. LR-N970808. 97/12/22. Document Control Branch (Document Control Desk). 3pp. A1670:042-A1670:333.

9801020023 Application for amends to licenses DPR-32 & DPR-37, clarifying terminology used for describing equipment surveillances conducted in refueling interval frequency. Amend consistent w/info provided in Rev 1 of NUREG-1431.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97-653. 97/12/18. Document Control Branch (Document Control Desk). 11pp. A1672:106-A1672:147.

–9801020025 Proposed tech specs clarifying terminology used for describing equipment surveillances conducted on refueling interval frequency.Clarification consistent w/info contained in Rev 1 to NUREG-1431.
* Virginia Power (Virginia Electric & Power Co.). 97/12/18. 31pp. A1672:117-A1672:147.

9801020138 Forwards proprietary & non-proprietary versions of approved TR DPC-NE-3004-A & DPC-NE-3004-PA, "Mass & Energy Release & Containment Response Methodology," per NUREG-0390. Proprietary rept,withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1698:011-A1699:122.

9801050001 First partial response to FOIA request for documents.Records subj to request encl & identified in App A.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/17. RESNIKOFF,M. Radioactive Waste Management Associates. 5pp. A1712:001-A1713:349.

--9801050008 Requests RES assistance to determine whether transportation impacts in NUREG-0170 bound those associated w/anticipated spent fuel transportation activities.Results will be used to determine need for any further NRC action.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/02/20. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1712:015-A1712:015.

--9801050011 Responds to 960703 memo which identified & provided recommendations on critical factors that should be considered in upcoming revalidation of generic environ impact statement (NUREG-0170) re shipment of spent fuel.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/07/29. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1712:016-A1712:016.

--9801050017 Forwards preliminary draft of section 3.0,truck & train accident statistics,of what will become final rept for NRC project titled, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates Program," (JCN J5160).
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/04/06. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 11pp. A1712:017-A1712:027.

--9801050021 Forwards partial preliminary draft of section 4.0,route characteristics,of what will become final rept in NRC project titled, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates Program," (JCN J5160).
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/07/11. HUANG,D.T. Office of Nuclear Material Safety & Safeguards. 24pp. A1712:028-A1712:051.

--9801050025 Forwards complete preliminary draft of section 4.0 route characteristics,of what will become final rept for NUREG 0170.This submission replaces partial preliminary draft submitted last month & fulfills 4th milestone for program.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/08/05. HUANG,D. Office of Nuclear Material Safety & Safeguards. 16pp. A1712:052-A1712:067.

--9801050037 Requests preliminary proposal for performance of encl SOW under Job Code J5160.SOW details required work & should be used as basis for proposal preparation.Proposal should be faxed within 30 days.
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 96/08/16. YOSHIMURA,R. Sandia National Laboratories. 35pp. A1712:068-A1712:125.

--9801050043 Forwards original & 2 copies of preliminary proposal for Job Code J5160,rev 0, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," for consideration.
YOSHIMURA,R. Sandia National Laboratories. FIN J-5160. 96/09/24. LINEHAN,J.J., TIKTINSKY,D. Program Management, Policy Development & Analysis Staff (Post 870413). 52pp. A1712:126-A1712:176.

--9801050053 Forwards info discussed at 960723 meeting w/Sandia re possible work on NUREG-0170 revalidation.
TIKTINSKY,D. NRC - No Detailed Affiliation Given. FIN J-5160. 96/09/27. NRC - No Detailed Affiliation Given. 39pp. A1712:177-A1712:215.

--9801050077 Forwards NRC form 173, "Std Order for DOE Work" for project entitled, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Assessments" & fee in listed amount for DOE acceptance.
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 96/10/10. LOWREY,R.Y. Energy, Dept. of. 4pp. A1712:217-A1712:220.

--9801050085 Forwards SNL work for others proposal including,JCN J5160, rev 0, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates" & NRC form 173.Administrative for submission of interagency agreements for reimbursable work encl.
KELLY,J.E. Sandia National Laboratories. FIN J-5160. 96/10/14. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 22pp. A1712:221-A1712:242.

--9801050104 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly status rept for Nov 1996.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/11/30. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 11pp. A1712:246-A1712:256.

--9801050127 Forwards preliminary drafts of table of contents & sections 1.0,introduction & 2.0,evaluation of RADTRAN 4 input parameters of what will become final rept for "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates Program."
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/12/20. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 49pp. A1712:257-A1712:305.

--9801050136 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly status rept for Dec 1996.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 96/12/31. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 7pp. A1712:344-A1712:350.

--9801050141 Forwards NRC Form 173, "Std Order for DOE Work," in listed amount,for DOE acceptance.Order provides authorization to perform NRC project, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Assessemnts."
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 97/01/21. LOWREY,R.Y. Energy, Dept. of. 2pp. A1712:351-A1712:352.

--9801060110 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for Jan 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/01/31. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 12pp. A1712:357-A1713:007.

--9801060113 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for Feb 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/02/28. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 11pp. A1713:008-A1713:018.

--9801060117 Requests preliminary proposal for performance of mod to job code J5160, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," for NRC.
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 97/03/20. YOSHIMURA,R. Sandia National Laboratories. 6pp. A1713:019-A1713:024.

--9801060121 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for March 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/03/31. TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 23pp. A1713:025-A1713:057.

--9801060132 Forwards preliminary proposal for job code J5160,rev 1, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates" for consideration.
YOSHIMURA,R. Sandia National Laboratories. FIN J-5160. 97/04/23. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). TIKTINSKY,D. Office of Nuclear Material Safety & Safeguards. 24pp. A1713:058-A1713:081.

--9801060148 Forwards NRC form 173, "Std Order for DOE Work" for listed amount for acceptance by execution of encl form.Order provides authorization to perform NRC project, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Assessments,"
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 97/04/30. DENHAM,D.R. Energy, Dept. of. 3pp. A1713:093-A1713:095.

--9801060152 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for April 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/04/30. HUANG,D. Office of Nuclear Material Safety & Safeguards. 9pp. A1713:096-A1713:104.

--9801060159 Forwards SANL work for others proposal including JCN J5160, rev 1, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates" & NRC Form 173.
KELLY,J.E. Sandia National Laboratories. FIN J-5160. 97/05/12. LINEHAN,J.J., HUANG,D.T. Program Management, Policy Development & Analysis Staff (Post 870413). 26pp. A1713:105-A1713:130.

--9801060162 Requests proposal for performance of addl work under job code J5160.Encl SOW details required work & should be used as basis for proposal preparation.
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 97/05/17. DENHAM,D.R. Energy, Dept. of. 4pp. A1713:131-A1713:134.

--9801060171 Forwards accepted referenced funding document subj to terms & conditions described herein.Proposal has been reviewed & found acceptable by DOE.
ASCHENBRENNER, Energy, Dept. of. FIN J-5160. LPD: DC7-0113. 97/05/22. SASH,M.S. Office of the Controller (Post 890205). 2pp. A1713:135-A1713:138.

--9801060180 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for May 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/05/31. HUANG,D. Office of Nuclear Material Safety & Safeguards. 30pp. A1713:139-A1713:168.

--9801060186 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for June 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/06/30. HUANG,D. Office of Nuclear Material Safety & Safeguards. 48pp. A1713:169-A1713:216.

--9801060190 "revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for July 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/07/31. HUANG,D. Office of Nuclear Material Safety & Safeguards. 8pp. A1713:217-A1713:240.

--9801070080 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly ltr status rept for Aug 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/08/31. HUANG,D. Office of Nuclear Material Safety & Safeguards. 63pp. A1713:241-A1713:303.

--9801070085 Forwards preliminary draft of section 5.0,structural response of casks to impact accidents,of what will become final rept for revalidation of NUREG-0170 spent fuel shipment risks estimates program (Job Code J5160).
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/10/09. MATTIA,M.J. Office of Nuclear Material Safety & Safeguards. 12pp. A1713:304-A1713:315.

--9801070087 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates Program," monthly ltr status rept for Sept 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/09/30. MATTIA,M.J. Office of Nuclear Material Safety & Safeguards. 34pp. A1713:316-A1713:349.

9801050260 Responds to ltr dtd 971120,received at NRC on 971208.Ltr contained request to extend public comment period on draft std review plan for in-situ U extraction license applications.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). HLWR. 97/12/10. GORANSON,W.P. Rio Algom Mining Corp. 3pp. A1686:359-A1686:361.

9801050342 Forwards second RAI re util 970327 license amend request to convert current TSs for plant to format consistent w/NUREG-1433,Rev 1, "Std TSs for General Electric Plants, BWR/4." RAI addresses Section 3.3, "Instrumentation."
HALL,J.R. . TAC M98317. 97/12/22. HORN,G.R. Nebraska Public Power District. 26pp. A1663:186-A1663:211.

9801050354 Forwards amends 178 & 165 to licenses DPR-39 & DPR-48 & SE. Amends replace in entirety,plant TSs w/set based on NUREG-1431,rev 1, "STSs-Westinghouse Plants," issued in April 1995.
SHIRAKI,C.Y. . TAC M94267. 97/12/19. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A1649:001-A1652:325.

--9801050356 Amends 178 & 165 to licenses DPR-39 & DPR-48,respectively, replacing,in entirety,plant TSs w/set based on NUREG-1431, rev 1, "STSs-Westinghouse Plants," issued in April 1995 & guidance provided in Commission final policy statement.
SHIRAKI,C.Y. . DPR-48 A 165. 97/12/19. 1,099pp. A1649:007-A1652:014.

--9801050359 Safety evaluation supporting amends 178 & 165 to licenses DPR-39 & DPR-48,respectively.
* . 97/12/19. 307pp. A1652:015-A1652:322.

--9801060143 Notice of issuance of amends 178 & 165 to licenses DPR-39 & DPR-48,revising operating licenses & TSs for operation of Zion Nuclear Power Station,Units 1 & 2.
SHIRAKI,C.Y. . 97/12/19. 3pp. A1652:323-A1652:325.

9801060002 Discusses completion of review of licensing basis for containment isolation valves in closed sys.NRC considers issue resolved.
JAFFE,D.H. . TAC M94881. 97/12/22. MCCOY,C.K. Southern Nuclear Operating Co. 3pp. A1663:355-A1663:357.

9801060185 *Application for amend to license NPF-16,modifying specifications for selected cycle-specific reactor physics parameters to provide reference to St Lucie Unit 2 COLR for limiting values.*
STALL,J.A. Florida Power & Light Co. GL-88-16. 97/12/29. Document Control Branch (Document Control Desk). 11pp. A1730:106-A1730:194.

9801060310 *Informs that retake exam,rept 50-027/OF-97-12,administered on 971201 to* employee who applied for license to operate univ reactor was conducted IAW NUREG-1478, "Non-Power Reactor Operator Licensing Examiner Stds," Rev 1.
WEISS,S.H. . 50-027/OF-97-02. 97/12/17. TRIPARD,G.E. Washington State Univ., Pullman, WA. 3pp. A1681:048-A1681:050.

9801090182 Application for amends to licenses NPF-2 & NPF-8,changing NIS IR neutron flux reactor trip setpoint & allowable value to be consistent w/W std TS,NUREG-1431,Rev 1.Proprietary safety analysis,encl.Proprietary info withheld.
MOREY,D. Southern Nuclear Operating Co. 97/12/31. Document Control Branch (Document Control Desk). 2pp. A1809:308-A1809:350.

9801090240 Comment on NUREG 1556,Vol 5,re self shielded irradiator to irradiate blood re blood transfussions.Requests that issue re self-shielded irradiators being used for human use as blood irradiator be addressed.
WISSUCHEK,C.A. Western Reserve Care System, Youngstown, OH (formerly Youngstown Hosp. Associati. 62FR67100 00001. 97/12/23. Rules & Directives Review Branch (Post 920323). 1p. A1741:022-A1741:022.

9801120057 *NUREG-1415 V10 N01 OFFICE OF THE INSPECTOR* GENERAL.Semiannual Report To Congress,April 1, 1997 - September 30, 1997.
* Office of the Inspector General (Post 890417). 97/11/30. 46pp. A1733:228-A1733:275.

9801120063 NUREG-0540 V19 N10 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE.October 1-31, 1997.
* NRC - No Detailed Affiliation Given. 97/12/31. 343pp. A1737:001-A1737:346.

9801120071 NUREG/CR-6586 HORIZONTAL VELOCITIES IN THE CENTRAL AND EASTERN UNITED STATES FROM GPS SURVEYS DURING THE 1987-1996 INTERVAL.
SNAY,R.A., STRANGE,W.E. Commerce, Dept. of, National Oceanic & Atmospheric Administration. FIN J-6031. 97/12/31. Division of Engineering Technology (Post 941217). 37pp. A1738:266-A1738:303.

9801120074 NUREG/CR-6547 DOSFAC2 USER'S GUIDE.
YOUNG,M.L. Sandia National Laboratories. CHANIN,D.I. Technadyne Engineering Consultants, Inc. FIN W-6231. SAND97-2776. 97/12/31. Division of Systems Technology (Post 941217). 55pp. A1733:276-A1733:330.

9801120078 NUREG/CR-6534 V01 FRAPCON-3: MODIFICATIONS TO FUEL ROD MATERIAL PROPERTIES AND PERFORMANCE MODELS FOR HIGH-BURNUP APPLICATION.
LANNING,D.D., BEYER,C.E., PAINTER,C.L. Battelle Memorial Institute, Pacific Northwest National Laboratory. FIN W-6200. *PNNL-11513. 97/12/31. Division of Systems* Technology (Post 941217). 131pp. A1744:001-A1744:129.

9801120086 NUREG/CR-6533 CODE MANUAL FOR CONTAIN 2.0: A COMPUTER CODE FOR NUCLEAR CONTAINMENT ANALYSIS.
MURATA,K.K., WILLIAMS,D.C. Sandia National Laboratories. TILLS,J. Affiliation Not Assigned. FIN A-1198. SAND97-1735. 97/12/31. Division of Systems Technology (Post 941217). 955pp. A1731:001-A1733:227.

9801120265 Informs that NRC reviewed licensee submittal & determined addl financial costs required in order to meet guidelines discussed in NUREG/CR-1266, "Technology,Safety & Costs of Decommissioning Ref U Fuel Fabrication Plant."
GASKIN,C.E. Licensing Branch. 97/12/19. NARDI,A.J. Westinghouse Electric Corp. 2pp. A1789:194-A1789:195.

9801120269 NUREG-1556 V3 DRF FC CONSOLIDATED GUIDANCE ABOUT MATERIALS LICENSES.Applications for Sealed Source And Device Evaluation And Registration. Draft Report For Comment.
LUBINSKI,J., BAGGETT,S., BROADDUS,D. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/09/30. 134pp. A1740:160-A1740:293.

9801120274 NUREG-1556 V4 DRF FC CONSOLIDATED GUIDANCE ABOUT MATERIALS LICENSES.Program Specific Guidance About Fixed Gauge Licenses.Draft Report For Comment.
HENDERSON,P.J., KIRKWOOD,A.S., LEWIS,S.H. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/10/31. 190pp. A1739:001-A1739:173.

9801120276 NUREG-1556 V5 DRF FC CONSOLIDATED GUIDANCE ABOUT MATERIALS LICENSES.Program- Specific Guidance About Self-Shielded Irradiator Licenses. Draft Report For Comment.
VACCA,P.C., COLLINS,D.J., MITCHELL,M.W. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/10/31. 180pp. A1740:001-A1740:159.

9801120281 NUREG-1609 DRFT FC STANDARD REVIEW PLAN FOR TRANSPORTATION PACKAGES FOR RADIOACTIVE MATERIAL.Draft Report For Comment.
* Office of Nuclear Material Safety & Safeguards. 97/11/30. 132pp. A1739:174-A1739:305.

9801120284 *NUREG-1569 DRFT DRAFT STANDARD REVIEW PLAN FOR IN SITU* LEACH URANIUM EXTRACTION LICENSE APPLICATIONS.
* Division of Waste Management (NMSS 940403). 97/10/31. 250pp. A1738:001-A1738:265.

9801120289 NUREG-1555 DRFT ENVIRONMENTAL STANDARD REVIEW PLAN.Standard Review Plans For Environmental Reviews For Nuclear Power Plants.
* Office of Nuclear Reactor Regulation (Post 941001). 97/08/31. 650pp. A1734:001-A1736:277.

9801130012 NUREG-0325 R22 U.S. NUCLEAR REGULATORY COMMISSION ORGANIZATION CHARTS AND FUNCTIONAL STATEMENTS.November 1997.
* NRC - No Detailed Affiliation Given. 97/11/30. 78pp. A1763:204-A1763:282.

9801130019 NUREG-0750 V46 N01 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR JULY 1997.Pages 1-20.
* NRC - No Detailed Affiliation Given. 97/12/31. 27pp. A1762:289-A1762:315.

9801130304 Submits commitments made in response to NUREG-0619,re "BWR Feedwater Nozzle & CR Drive Return Line Nozzle Cracking." WNP-2 Feedwater Nozzle insp rept for R-12 maintenance & refueling outage attached.
BEMIS,P.R. Washington Public Power Supply System. GO2-98-001. 98/01/02. Document Control Branch (Document Control Desk). 4pp. A1807:355-A1807:358.

9801140351 NUREG/CR-6581 CONSIDERATIONS IN THE APPLICATION OF THE ELECTRONIC DOSIMETER TO DOSE OF RECORD.
SWINTH,K.L. . FIN W-6761. 97/12/31. Division of Regulatory Applications (Post 941217). 70pp. A1799:012-A1799:080.

9801150101 Comment on NUREG-1569, "Draft Std Review Plan for In Situ U Extraction License Application." Recommends that NRC in cooperation w/U mining industry,as well as state regulators revise draft SRP.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR54885 00014. 98/01/07. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 3pp. A1809:151-A1809:153.

9801150138 Rev 11 to 961204 application for amends to licenses DPR-53 & DPR-69,converting to improved STS,per NUREG-1432.
CRUSE,C.H. Baltimore Gas & Electric Co. TAC M97363. 98/01/12. Document Control Branch (Document Control Desk). 18pp. A1837:001-A1838:352.

--9801150143 Rev 11 to proposed Tech Specs,reflecting conversion to improved STS,per NUREG-1432.
* Baltimore Gas & Electric Co. 98/01/12. 698pp. A1837:019-A1838:352.

9801160015 Provides status of generic changes incorporated in improved TS conversion to STS (NUREG-1433).
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-97-2158. 98/01/05. . 3pp. A1844:260-A1844:262.

9801160025 Comment on draft reg guide DG-1063 & draft SRP chapter 3.9.8 dealing with risk-informed in-service inspection of piping systems.
GILMAN,J. Electric Power Research Institute. 62FR53663 00006. 98/01/12. Rules & Directives Review Branch (Post 920323). 40pp. A1825:195-A1825:234.

9801160085 Comment on RG DG-1063 & SRP 3.9.8, "Risk-informed ISI of Piping (MUHP-6071)."
GREENE,T.V. Westinghouse Electric Corp. 62FR53663 00005. 98/01/13. Rules & Directives Review Branch (Post 920323). 25pp. A1826:104-A1826:128.

9801160142 Comment re RG DG-1063: "Approach For Plant-Specific, Risk-Informed Decisionmaking," & SRP 3.9.8., "Risk-Informed ISI." Proposed RG & SRP provide adequate technical direction for risk informed decisionmaking.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 62FR53663 00009. 98/ 01/09. Rules & Directives Review Branch (Post 920323). 4pp. A1826:212-A1826:215.

9801160148 Comment on RG DG-1063 & SRP 3.8.9, "Risk-Informed ISI of piping."
SEPP,H.A. Westinghouse Electric Corp. 62FR53663 00008. 98/01/13. Rules & Directives Review Branch (Post 920323). 27pp. A1826:216-A1826:242.

9801160164 Final response to FOIA request for documents.Forwards documents listed in App A being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/07. CHAPMAN,N.G. Bechtel Power Corp. 2pp. A1832:205-A1832:267.

--9801160172 Forwards revised RETS.Interim changes will be incorporated in next rev of NUREG-0472 & NUREG-0473.
CONGEL,F.J. Radiological Assessment Branch. 82/08/09. Radiological Assessment Branch. 21pp. A1832:223-A1832:243.

9801200273 *Comment on draft RG DG-1063 & draft SRP Chapter 3.9.8, addressing* risk-informed ISI of piping.Draft RG believed to be voluminous,highly prescriptive & need for extensive quantitative analysis to support conclusion suggested.
PIETRANGELO,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR53663 00010. 98/01/14. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 7pp. A1829:081-A1829:087.

9801210044 Informs that plant updating IST program to ASME Boiler & Pressure Vessel Code,1989 Edition.Updated program will take effect on 980115.Second 10-yr IST program encl.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). GL-89-04. 98/01/13. Document Control Branch (Document Control Desk). 4pp. A1857:055-A1857:196.

9801220062 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. PEREZ,P. North Carolina State Univ., Raleigh, NC. 5pp. A1877:071-A1877:075.

9801220064 Informs that Region II will conduct Exam Writing Workshop in Atlanta,GA,on 980121 & 28.Workshop designed to inform mgt & operations & training staff of NUREG 1021 exam writing techniques for licensing of plant operators.Agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. TAYLOR,G.J. South Carolina Electric & Gas Co. 5pp. A1877:039-A1877:043.

9801220070 Informs that Region II will conduct Exam Writing Workshop in Atlanta,GA,on 980127 & 28.Workshop designed to inform mgt & operations & training staff of NUREG 1021 exam writing techniques for licensing of plant operators.Agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. MCCOY,C.K. Southern Nuclear Operating Co. 5pp. A1877:044-A1877:048.

9801220074 Extends invitation to Exam Writing Workshop in Atlanta,GA,on 980127-29.Workshop designed to inform mgt,operations & training staff of NUREG-1021 exam writing techniques for licensing of reactor plant operators.Agenda encl.W/encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. PETERSON,G.R. Duke Power Co. 4pp. A1877:167-A1877:170.

9801220078 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ROBINSON,W.R. Carolina Power & Light Co. 5pp. A1877:076-A1877:080.

9801220079 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG 1021. Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1877:171-A1877:175.

9801220090 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. A1876:327-A1876:331.

9801220092 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt,operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. HINNANT,C.S. Carolina Power & Light Co. 7pp. A1877:182-A1877:188.

9801220094 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,GA on 980127-29.Workshop designed to inform facilities mgt,operations & training staff of NUREG 1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. PLUNKETT,T.F. Florida Power & Light Co. 5pp. A1877:189-A1877:193.

9801220108 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. MCCOLLUM,W.R. Duke Power Co. 5pp. A1876:332-A1876:336.

9801220112 Requests that written examinations for RO & SRO for WCGS be administered during week of 980216,to personnel listed in encl.Waiver for medical certifications as permitted by NUREG 1021, "Operator Licensing Exam Stds....," requested.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. WO 98-0001. 98/01/15. Document Control Branch (Document Control Desk). 10pp. A1894:322-A1894:331.

9801220115 Extends invitation to attend Region II Exam Writing Workshop in Atlanta,Georgia on 980127-29.Workshop designed to inform facilities mgt & operations & training staff of NUREG-1021 exam writing techniques.Workshop agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. BARRON,H.B. Duke Power Co. 5pp. A1876:337-A1876:341.

9801220173 Informs that Region II will conduct exam writing workshop in Altanta,GA,on 980127-28.Workshop designed to inform mgt & operations & training staff of NUREG-1021 exam writing techniques for licensing of reactor plant operators.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. WHITE R.A. Institute of Nuclear Power Operations. 5pp. A1877:229-A1877:233.

9801220186 Comment supporting draft NUREG 1556 Vol 4 & urges NRC to consider circumstances surrounding emergency process disruptions reguiring relocation.
MCGIVERN,M. Homestake Mining Co. 62FR67100 00001. 98/01/12. Rules & Directives Review Branch (Post 920323). 1p. A1877:109-A1877:109.

9801220241 Extends invitation to Exam Writing Workshop in Atlanta,GA,on 980127-29.Workshop designed to inform mgt,operations & training staff of NUREG-1021 exam writing techniques for licensing of reactor plant operators.Agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. KEENAN,J.S. Carolina Power & Light Co. 5pp. A1875:199-A1875:203.

9801220244 Extends invitation to Exam Writing Workshop in Atlanta,GA,on 980127-29.Workshop designed to inform mgt,operations & training staff of NUREG-1021 exam writing techniques for licensing of reactor plant operators.Agenda encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. MOREY,D.N. Southern Nuclear Operating Co. 5pp. A1875:204-A1875:208.

9801220280 Application for amend to license DPR-49,revising LCO for PCIVs in TS section 3.7.B to allow 72 hours to isolate failed valve associated w/closed sys,per NUREG-1433.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-98-0016. 98/01/09. . 5pp. A1888:350-A1888:361.

9801220335 Forwards NUREG-1497, "Interim Licensing Criteria for Physical Protection of Certain Storage of Spent Fuel," in response to recent e-mail request.
DROGGITIS,S.C. Office of State Programs (Post 911117). 98/01/07. SINCLAIR,W.J. Utah, State of. 3pp. A1877:241-A1877:243.

9801220339 Notice of amend to NUREG-1600, "General Statement of Policy & Procedure for NRC Enforcement Actions," to conform to mods to deliberate misconduct rule.
HOYLE,J.C. Office of the Secretary of the Commission. 62FR1982. 98/01/06. 13pp. A1889:131-A1889:143.

9801230001 Forwards supplemental safety evaluation re NUREG-0737,item II.F.2 instrumentation for detection of inadequate core cooling, & RG 1.97,Rev 2 re core exit thermocouples.
MCDONALD,D.G. . TAC M99613. 98/01/12. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A1900:350-A1900:355.

--9801230002 SER accepting justification for deviation from guidance provided in NUREG-0737,item II.F.2 & RG 1.97,rev 2.
* . 98/01/12. 2pp. A1900:354-A1900:355.

9801230028 Forwards RAI re proposed amends to revise listed facilities TSs to be consistent w/improved std TSs conveyed by NUREG-1431,dtd Apr 1995.
TAM,P.S. . TAC M95299. 98/01/16. TUCKMAN,M.S. Duke Power Co. 19pp. A1902:001-A1902:019.

9801230345 Discusses details of arrangements made during 971104 telcon between T McKernon & R Jett for administration of licensing exams at DCNPP during wk of 980511.Exams based on guidelines of Rev 8 of NUREG-1021.Requests exam outlines by 980202.
PELLET,J.L. Region 4 (Post 820201). 50-275/98-301. 98/01/20. RUEGER,G.M. Public Service Electric & Gas Co. of New Jersey. 6pp. A1915:104-A1915:109.

9801260109 NUREG-0750 V46 N02 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR AUGUST 1997. Pages 21-46.
* NRC - No Detailed Affiliation Given. 97/12/31. 34pp. A1879:108-A1879:141.

9801260119 NUREG-0837 V17 N03 NRC TLD DIRECT RADIATION MONITORING NETWORK.Progress Report. July-September 1997.
STRUCKMEYER,R. Region 1 (Post 820201). 98/01/31. 229pp. A1892:001-A1892:229.

9801260178 NUREG/CR-6526 V01 PROBABILISTIC ACCIDENT CONSEQUENCE UNCERTAINTY ANALYSIS. Uncertainty Assessment For Deposited Material And External Doses.Main Report.
GOOSSENS,L.H.J., KRAAN,B.C.P. Netherlands, Govt. of. BOARDMAN,J. AEA Technology. FIN W-6352. EUR 16772. 97/12/31. Division of Systems Technology (Post 941217). 66pp. A1879:040-A1879:107.

9801260185 NUREG/CR-6526 V02 PROBABILISTIC ACCIDENT CONSEQUENCE UNCERTAINTY ANALYSIS. UNCERTAINTY ASSESSMENT FOR DEPOSITED MATERIAL AND EXTERNAL DOSES.Appendices.
GOOSSENS,L.H.J., KRAAN,B.C.P Netherlands, Govt. of. BOARDMAN,J. AEA Technology. FIN W-6352. EUR 16772. 97/12/31. Division of Systems Technology (Post 941217). 403pp. A1878:001-A1879:039.

9801260259 Comment on draft standard review plan 3.9.8, "For Review of Risked-Informed Inservice Insp of Piping" & Draft Reg Guide DG-1063, "Approach for Plant-Specific,Risked-Informed Decisionmaking:Inservice Insp of Piping."
HUTING,M. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 62FR53663 00011. 98/01/09. Rules & Directives Review Branch (Post 920323). 5pp. A1926:252-A1926:256.

9801260262 Comment on NUREG-1569 including suggestion for improvements of draft.NUREG-1569 should likewise refer to computer program CAP88PC as acceptable program to use for calculating doses at locations in environ from airborne emissions.
SAVIGNAC,N. Affiliation Not Assigned. 62FR54885 00015. 98/01/19. Rules & Directives Review Branch (Post 920323). 2pp. A1926:257-A1926:258.

9801270004 Comment on NUREG-1556,Vol 2.NUREG does not request applicant to provide description of internal insp program for job performance as specified in 10CFR34.13(e).
CAMPBELL,V. NRC - No Detailed Affiliation Given. 62FR48904 00003. 97/09/17.
LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. A1933:058-A1933:058.

9801270104 Responds to NRC 971219 telcon RAI re util identification of inconsistencies between FSAR,TS & NRC SER for plants.Util's view of licensing basis & action plan to resolve issues, discussed.
BYRAM,R.G. Pennsylvania Power & Light Co. PLA-4831. 98/01/20. Document Control Branch (Document Control Desk). 16pp. A1922:302-A1922:317.

9801270131 Provides updated listing of data point library info previously submitted in 971006 ltr.Info contained in Attachment only includes data for data point,specifically added,replaced or changed,per NUREG-1394,Rev 1.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/16. Document Control Branch (Document Control Desk). 21pp. A1922:328-A1922:349.

9801270156 Responds to e-mail request of 980112 to extend comment period for NUREG-1555, "Environmental Standard Review Plan," beyond current 4-month period.NRC will not extend comment period at this time.
ESSIG,T.H. . 98/01/22. CUDWORTH,J. Affiliation Not Assigned. 3pp. A1934:240-A1934:242.

9801280073 Forwards copy of draft NUREG rept, "Assessment of Pressurized Water Reactor Primary Sys Leaks," NUREG/CR-6582, for info & comments.
ROSSI,C.E. Division of Safety Programs (Post 870413). 98/01/23. LOCHBAUM,D.A. Union of Concerned Scientists. 274pp. A1921:001-A1921:274.

9801280082 Responds to 980110 request for info on multi-purpose canister sys.Encl matl includes NUREG-1571,NUREG/CR-6407 & NUREG-1536.Similar std review plan being developed for spent fuel transportation casks.W/o encl.
WATERS,M.D. Office of Nuclear Material Safety & Safeguards. 98/01/22.
SHELTON,J. Affiliation Not Assigned. 2pp. A1940:329-A1940:330.

9801280117 Informs of util's intention to adopt & implement rev 1 to NUREG-1431,W standardized TS.Initiation of project will commence in 1998,w/implementation projected for refuel outage 12 scheduled for fall of 2000.
TAYLOR,G.J. South Carolina Electric & Gas Co. RC-98-0011. 98/01/22. Document Control Branch (Document Control Desk). 2pp. A1967:300-A1967:301.

9801280119 Confirms results of teleconference between Union Electric & NRC in which Union Electric requested enforcement discretion from TS 3.8.1.1,Action d requirements.
RANDOLPH,G.L. Union Electric Co. ULNRC-3720. 98/01/22. Document Control Branch (Document Control Desk). 10pp. A1966:146-A1966:155.

9801280122 Forwards request for addl info re 961213 proposal to amend TS for Byron Station,Units 1 & 2 & Braidwood Stations,Units 1 & 2 to be consistent w/improved TS in NUREG-1431.
ASSA,R.R. . TAC M97549. 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A1920:341-A1920:346.

9801300083 Responds to 971108 ltr raising concerns re proposed reclamation of 10.5 million tons of uranium mill tailings located near Colorado River in Moab,UT.NUREG-1531, NUREG-1532 & NRC response to Draft Biological Opinion encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/16. REID,H. Senate. 3pp. A1943:001-A1944:192.

9801300103 Comment on NUREG-1556,Vol 2.Suggests that fourth option be added to response section.
CAMPBELL,V. NRC - No Detailed Affiliation Given. 62FR48904 00004. 98/01/23.
LESAR,M.T. NRC - No Detailed Affiliation Given. 3pp. A1966:019-A1966:021.

ORG ORGANIZATIONS

9712090146 NRC Info Notice 97-085, "Effects of Crud Buildup & Boron Deposition on Power Distribution & Shutdown Margin."
ROE,J.W. . 97/12/11. Consolidated Edison Co. of New York, Inc. 10pp. A1919:338-A1919:347.

9712090208 NRC Info Notice 97-086, "Additional Controls for Transport of Amersham Model 660 Series Radiographic Exposure Devices."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:331-A1919:337.

9712090210 NRC Info Notice 97-087, "Second Retrofit Industrial Nuclear Co IR100 Radiography Camera,to Correct Inconsistency in 10CFR34 Compatibility."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). IEIN-97-035. 97/12/12. Consolidated Edison Co. of New York, Inc. 7pp. A1919:324-A1919:330.

9712120012 NRC Info Notice 97-088, "Experiences During Recent Steam Generator Insps."
ROE,J.W. . GL-95-05. 97/12/16. Consolidated Edison Co. of New York, Inc. 11pp. A1919:313-A1919:323.

9712220015 NRC Info Notice 97-089, "Distribution of Sources & Devices W/o Authorization."
COOL,D.A. . 97/12/29. Consolidated Edison Co. of New York, Inc. 6pp. A1890:052-A1890:057.

9712290018 NRC Info Notice 97-090, "Use of Nonconservative Acceptance Criteria in Safety-Related Pump Surveillance Tests."
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 17pp. A1919:296-A1919:312.

9712310254 NRC Info Notice 97-091, "Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Sys."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/31. Consolidated Edison Co. of New York, Inc. 9pp. A1919:287-A1919:295.

9801020017 Submits comments on preliminary draft work plan re pilot program on external regulation.
NOLAN,R.H., MCGRAW,D. Energy, Dept. of. 97/09/03. PAPERIELLO,C. NRC - No Detailed Affiliation Given. 3pp. A1600:046-A1600:048.

9801020167 Informs that C Cain did an outstanding job in workshop on U recovery insps w/staff from U Recovery Branch,Div of Waste Mgt.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 97/12/19. SCARANO,R.A. Region 4 (Post 820201). 1p. A1658:250-A1658:250.

9801020169 Forwards monthly progress rept for Consolidated Document Applications Sys (CDOCS),per 971202 request.Deletion of CDOCS from future monthly progress repts,recommended because validation & implementation are 100% complete.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 97/12/08. SURMEIER,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 3pp. A1658:320-A1658:322.

9801050174 Forwards 971107 ltr from FEMA notifying NRC of two deficiencies identified during 971028 exercise.First deficiency assessed against Columbia County Emergency Operations Ctr under objective 10,alert & notification.
MODES,M.C. Region 1 (Post 820201). 97/12/22. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A1658:155-A1658:160.

--9801050180 Informs of identification of two deficiencies during SSES radiological emergency preparedness exercise conducted on 971028.First deficiency being assessed against Columbia County EOC.
LAMB,J.E. Federal Emergency Management Agency. 97/11/07. MILLER,H.J. Region 1 (Post 820201). 3pp. A1658:158-A1658:160.

9801050347 Summary of 971203 meeting w/representatives of nuclear power industry in Rockville,MD to discuss issues re SG tube database for voltage-based alternate tube repair criteria for outside diameter stress corrosion cracking in W plants.
SULLIVAN,E.J. . 97/12/29. MAGRUDER,S.L. . 22pp. A1652:326-A1652:347.

9801060080 Forwards section 2.206 of code of federal regulations & list of senior managers,per request.
WUNDER,G.F. . 2.206. 97/12/31. RIDDELL,M. Affiliation Not Assigned. 5pp. A1667:159-A1667:163.

9801060262 Forwards AEOD 6th yr engineering evaluation ""NPP Cold Weather Problems & Protective Measures." Evaluation initiated as result of 960130 event at WCGS re icing of cold water intake trash racks & other complications.
ROSSI,C.E. Division of Safety Programs (Post 870413). AEOD/E97-03. 97/12/19. GILLESPIE,F.P., HOLAHAN,G.M., LAINAS,G.C. . 2pp. A1681:001-A1681:040.

--9801060269 "Engineering Evaluation Rept,NPP Cold Weather Problems & Protective Measures."
PADOVAN,L.M. Reactor Operations Analysis Branch. AEOD/E97-03. 97/12/31. 38pp. A1681:003-A1681:040.

9801070001 Discusses ASME code revs to design rules for piping sys. Believes that NRC liaison activities has accomplished intended purpose & that valuable technical insights developed by NRC have been provided to working group.
SHERON,B.W. . 97/12/23. EISENBERG,G.M. American Society of Mechanical Engineers. 4pp. A1681:260-A1681:262.

9801070154 Expresses appreciation for opportunity to discuss remaining concerns re US EPA proposed publication of Federal Guidance Rept 13, "Health Risks from Low-Level Environ Exposure to Radionuclides."
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 97/12/31. WEINSTOCK,L. Environmental Protection Agency. 4pp. A1681:285-A1681:288.

9801070245 Responds to 971205 ltr,informing that EPA has begun work on rulemaking which will explore options for regulatory relief for mixed waste storage & disposal.NRC staff will support effort to degree budget allows.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/30. COTSWORTH,E. Environmental Protection Agency. 3pp. A1743:354-A1743:356.

9801090009 Forwards list of Naval Reactors packages which have NRC COCs & packages which base puncture test assessment on physical tests,for info,per 971020 telcon.
MILES,B.K. Energy, Dept. of. 97/10/30. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 2pp. A1789:315-A1789:316.

9801090147 Provides comments on Dec 1997 guidance for reporting reliability data to Equipment Performance & Information Exchange (EPX) Sys & apps attached to earlier guidance.
BARANOWSKY,P.W. Division of Safety Programs (Post 870413). 97/12/31. MCHENRY,T.J. Institute of Nuclear Power Operations. 10pp. A1754:263-A1754:272.

9801090183 General distribution ACAD 97-014, "Guidelines for Instructor Training & Qualification."
* Institute of Nuclear Power Operations. 97/12/31. 41pp. A1727:193-A1727:234.

9801090189 General distribution ACAD 97-012, "Guidelines for Training & Qualification of Chemistry Technicians."
* Institute of Nuclear Power Operations. 97/12/31. 76pp. A1727:235-A1727:311.

9801090191 General distribution rev 2 to ACAD 90-010, "Guidelines for Maint Supervisor,Training & Development."
* Institute of Nuclear Power Operations. 97/12/31. 56pp. A1729:045-A1729:101.

9801130029 Forwards FEMA final rept for 971112-13 plant medical & unannounced/off-hours drills.Rept indicates no deficiencies & one area requiring corrective actions.
MURRAY,B. Region 4 (Post 820201). 98/01/06. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A1785:006-A1785:040.

--9801130038 "Final Radiological Emergency Preparedness Drill Rept,South Texas Project Nuclear Operating Co," conducted on 971112-13.
* Federal Emergency Management Agency. 97/11/13. 31pp. A1785:011-A1785:040.

9801140274 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.Info pertaining to requirement collection:NRC Form 366, "LER."
SHELTON,B.J. NRC - No Detailed Affiliation Given. 98/01/08. 11pp. A1919:276-A1919:286.

9801140295 Submits status of NRR PRA training program.It should be noted that basic PRA training courses held prior to Oct 1997 have not included discussions on risk informed regulatory guidance documented in RGs & SRPs.
HOLAHAN,G.M. . 98/01/05. COLLINS,S.J. . 4pp. A1801:111-A1801:114.

9801140341 Responds to 971210 ltr,inviting W Lahs to DOD low-level radwaste meeting to be held on 980217-18 in Santa Barbara, CA.W Lahs retired from Federal svc in 1996 & unfortunately, unable to send alternate to meeting because of resources.
NELSON,R.A. Division of Waste Management (NMSS 940403). 98/01/05. MAPLEY,S.R. Army, Dept. of. 2pp. A1824:360-A1824:361.

9801140379 Requests extension of 60 days for comment period on proposal for NRC to oversee certain DOE facilities.
KEENE,J. Berkeley, CA. 98/01/05. PENA,F. Energy, Dept. of. 1p. A1841:360-A1841:360.

9801140383 Forwards comments in regards to joint US DOE,NRC pilot project plan for "external" regulation of LBNL.
BRECHIN,V.J. Affiliation Not Assigned. 98/01/02. NOLAN,R. Energy, Dept. of. 9pp. A1860:242-A1860:250.

9801150004 Forwards NRR response to DOI Federal Archeology Program Survey for use in preparing NRC response to DOI survey.
ESSIG,T.H. . 98/01/09. VIRGILIO,R. Office of State Programs (Post 911117). 6pp. A1829:091-A1829:112.

--9801200161 Requests participation in reporting to Congress on Federal archeological activities that agency conducted in FY97 by completing & submitting encl questionnaire.
MCMAMAMON,F.P. Interior, Dept. of. A2621(2275). 97/09/10. CALLAN,L.J. Ofc of the Executive Director for Operations. 15pp. A1829:098-A1829:112.

9801150018 Informs that in order to address follow-up items related to assessing licensees commitment mgt sys,Division of Reactor Projects should perform audits of eight licensee programs & mgt commitments in accordance w/attached documents.
COLLINS,S.J. . 98/01/05. ZIMMERMAN,R.P. . 8pp. A1818:069-A1818:103.

--9801150021 "Guidance for NRR Audit of Licensee Programs for Managing Commitments Made to NRC," rev 971110.
* . 97/11/10. 18pp. A1818:077-A1818:103.

9801150022 Discusses Headquarters Operator Licensing Branch visit to General Physics Corp on 971216 to exchange info & obtain industry feedback re operator licensing exam process & proposed part 55 rule change.
GALLO,R.M. . 98/01/07. SPESSARD,R.L. . 4pp. A1818:191-A1818:194.

9801200071 Expresses desire to nominate RJ Albert as addition to IIT roster in area of power reactor safeguards.
COLLINS,S.J. . 98/01/13. MARTIN,T.T. Office for Analysis & Evaluation of Operational Data, Director. 2pp. A1860:305-A1860:306.

9801200073 Forwards list of generic communications under present consideration pursuant to 971206 telcon requesting list of generic communications currently in planning or in development stage.
RICHARDS,S.A. . 98/01/13. FADER,G. Institute of Nuclear Power Operations. 7pp. A1860:298-A1860:304.

9801200090 Informs that NRC does not plan to continue $10,000 funding commitment for annual involvement in ICODS,since Natl Dam Safety Program Implementation Plan will authorize $2.9 million to support dam safety initiative.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/14. ANDRESS,H.W. Federal Emergency Management Agency. 1p. A1843:127-A1843:127.

9801200135 Provides update of developments re MOU,dtd 911023,between US EPA,NRC & states of CO,TX & WA,re Clean Air Act stds for radon releases from U mill tailings site.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/09. WEINSTOCK,L. Environmental Protection Agency. 5pp. A1839:348-A1839:357.

9801200190 Forwards proposed revised table for NRC fuel cycle regulatory program annual effort/fee determination.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/12/29. SEELIG,C. Program Analysis Branch. 3pp. A1852:333-A1852:335.

9801210028 Supports efforts to implement broad health & safety oversight of all US DOE nuclear facilities.Comments listed.
BRECHIN,V.J. Affiliation Not Assigned. 98/01/02. AUSTIN,J. NRC - No Detailed Affiliation Given. 2pp. A1857:355-A1857:356.

9801210316 Accepts 971222 invitation to present paper at 1998 American Nuclear Society meeting.Paper will be entitled "Regulatory View of Nonpower Reactor License Renewal."
ADAMS,A. . 98/01/16. APLEY,W.J. American Nuclear Society. 2pp. A1866:042-A1866:043.

9801220110 Forwards copy of financial assurance instrument security evaluation performed by TC Johnson & table that outlines items & needed CAs.Corrective actions requested by 980213.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/15. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. A1894:297-A1894:309.

--9801220128 Submits results of evaluation of financial assurance instruments held within NMSS headquarters in instruments safe.Evaluation also provides verification that current financial assurance info is in Licensing Tracking Sys.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/14. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 10pp. A1894:300-A1894:309.

9801220155 Summary of 980114 meeting w/B&W Owners Group Steering Committee re recently completed & currently ongoing studies in Safety Program Division.Copy of handout used at meeting & list of attendees encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 98/01/20. MARTIN,T.T. Office for Analysis & Evaluation of Operational Data, Director. 65pp. A1877:287-A1877:351.

9801220173 Informs that Region II will conduct exam writing workshop in Altanta,GA,on 980127-28.Workshop designed to inform mgt & operations & training staff of NUREG-1021 exam writing techniques for licensing of reactor plant operators.
PEEBLES,T.A. Region 2 (Post 820201). 98/01/06. WHITE R.A. Institute of Nuclear Power Operations. 5pp. A1877:229-A1877:233.

9801230008 Responds to 971219 ltr to SA Jackson,Chairman re concerns about recent accident (partial sinking of MSC Carla) involving loss of radioactive cesium.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/14. CLEMENTS,T. Greenpeace International. 3pp. A1900:347-A1900:349.

9801230125 Informs that DOE OCRWM seeking proposals for acquisition of commercial SF acceptance & transportation svcs,including provision of storage equipment in accordance w/draft RFP. Draft RFP encl.
BARRETT,L. Energy, Dept. of. 97/11/24. Affiliation Not Assigned. 11pp. A1914:001-A1914:240.

--9801230141 DE-RP01-98RW00320 Draft RFP "Acquisition of Waste Acceptance & Transportation Svcs for OCWRM."
* Energy, Dept. of. 97/11/24. 206pp. A1914:012-A1914:240.

9801260445 Submits EGM re coordination of disputed enforcement actions w/OE.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). EGM-97-018. 97/10/10. MILLER,H.J. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 3pp. A1917:332-A1917:334.

9801280077 Forwards advance copy of latest Performance Indicator Rept containing data through Sept 1997.W/o encl.
MAYS,S.E. Division of Safety Programs (Post 870413). 98/01/23. YEATES,E.J. NRC - No Detailed Affiliation Given. 1p. A1934:359-A1934:359.

9801280082 Responds to 980110 request for info on multi-purpose canister sys.Encl matl includes NUREG-1571,NUREG/CR-6407 & NUREG-1536.Similar std review plan being developed for spent fuel transportation casks.W/o encl.
WATERS,M.D. Office of Nuclear Material Safety & Safeguards. 98/01/22. SHELTON,J. Affiliation Not Assigned. 2pp. A1940:329-A1940:330.

9801280094 Forwards notice of opportunity for public comment for proposed generic communication re year 2000 readiness of computer sys at NPPs,for transmittal to Ofc of FR for publication.
ROE,J.W. . TAC MA0138. 98/01/23. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1936:016-A1936:029.

--9801280098 Notice of opportunity for public comment on proposed generic communication "Yr 2000 Readiness of Computer Sys at NPPs (MA0138)."
ROE,J.W. . TAC MA0138. 98/01/23. 13pp. A1936:017-A1936:029.

9801280141 Requests call on 980121 ltr,re Federal Guidance 13.Ltr must be withdrawn & another response sent.
PAPERIELLO,C. NRC - No Detailed Affiliation Given. 98/01/23. WEINSTOCK,L. Environmental Protection Agency. 1p. A1921:299-A1921:299.

9801280145 Informs that based on further discussions w/Commission, author withdrawing ltr of 980121,re Federal Guidance 13. Another ltr will be forthcoming.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/23. WEINSTOCK,L. Environmental Protection Agency. 4pp. A1920:357-A1920:360.

9801280155 Forwards copy of draft rept, "Evaluation of Loss of Offsite Power Events at NPPs:1980-1996," INEEL/EXT-97-00887 for info & comments.
ROSSI,C.E. Division of Safety Programs (Post 870413). 98/01/22. LOCHBAUM,D.A. Union of Concerned Scientists. 2pp. A1935:001-A1935:110.

--9801290081 INEEL/EXT-97-00887 Final draft rept INEEL/EXT-97-00887, "Evaluation of Loss of Offsite Power Events at NPPs:1980-1996."
ATWOOD,C.L., KELLY,D.L., MARSHALL,F.M. Idaho National Engineering & Environmental Laboratory. 97/11/30. Division of Safety Programs (Post 870413). 105pp. A1935:003-A1935:110.

9801280273 Forwards for info & comments draft rept, "Auxiliary/Emergency Feedwater System Reliability, 1987-95," INEEL/EXT-97-00740.
ROSSI,C.E. Division of Safety Programs (Post 870413). 98/01/22. LOCHBAUM,D.A. Union of Concerned Scientists. 2pp. A1920:001-A1920:332.

--9801280280 INEL/EXT-97-00740 Draft, "Auxiliary/Emergency Feedwater System Reliability, 1987-1995," INEL/EXT 97-00740.
POLOSKI,J.P., GRANT,G.M., GENTILLON,C.D. Idaho National Engineering & Environmental Laboratory. FIN E-8246. 97/12/31. Division of Safety Programs (Post 870413). 330pp. A1920:003-A1920:332.

9801280281 Confirms that US EPA plans to issue Federal Guidance Rept 13 (FGR 13), "Health Risks from Low-Level Environ Exposure to Radionuclides," for interim use & comment.Supports approach as discussed in 971231 ltr.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/21. WEINSTOCK,L. Environmental Protection Agency. 2pp. A1935:116-A1935:120.

9801280353 Ack receipt of 980102 ltr re NRC pilot at Lawrence Berkeley Natl Lab.
GROVES,K.L. South Carolina, Univ. of, Columbia, SC. 98/01/20. BRECHIN,V.J. California, State of. 1p. A1968:049-A1968:049.

9801290027 Forwards financial assurance instrument security recently performed by TC Johnson.Evaluation indicates number of items applicable to Licensing Branch projects that need to be corrected.Corrective actions requested by 980213.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/16. SCHWINK,W. Licensing Branch. 3pp. A1946:225-A1946:237.

9801290194 Forwards monthly rept on status of 10CFR2.206 petitions as of end of Dec 1997.Attachment 1 gives status of petitions before NOMA & NRR.Attachment 2 lists decisions before Commission & courts.Attachment 3 filed in Central Files.
ZIMMERMAN,R.P. . 2.206. 98/01/26. CALLAN,L.J. Ofc of the Executive Director for Operations. 19pp. A1940:331-A1940:349.

9801290216 Discusses 960513 ltr from BW Sheron re certain sections of ASME stds.JC Atkins,Chairman of ASME B18.3,responded to 960513 ltr stating that NRC request was nonpersuasive.
LAINAS,G.C. . 98/01/22. EISENBERG,G.M. American Society of Mechanical Engineers. 3pp. A1944:196-A1944:208.

--9801290218 Informs that gaging requirements was reviewed & found to be nonpersuasive,per 960513 ltr.
AKINS,J.C. Affiliation Not Assigned. 97/11/10. SHERON,B. . 1p. A1944:208-A1944:208.

9801300129 Forwards tables of statistics on allegations requested during 980123 telcon.Tables include allegations received, discrimination allegations received,substantiated allegations & allegations still open.
BAKER,E.T. . 98/01/27. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 9pp. A1961:219-A1961:227.

PR PROPOSED AND FINAL RULES

9006250160 Comment opposing proposed rules 10CFR30,40,50,60,61,70,72, 110 & 150 re willful misconduct by unlicensed persons.NRC cites no evidence in support of premise that absence of makes agency unable to satisfy statutory responsibilities.
COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 57FR1890. 90/06/18. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 54242:355-54242:358.

9612230058 Comment opposing proposed rule 10CFR30 & 32 re deliberate misconduct by unlicensed personnel.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). AF35-2 024. 96/12/18. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91180:001-91180:003.

9701090025 Comment supporting PR 10CFR30 & 32 re deliberate misconduct by unlicensed persons.
DICHARRY,R.D. Source Production & Equipment Co., Inc. 57FR1690. 96/12/18. Office of the Secretary of the Commission. 2pp. 91322:136-91322:137.

9801020014 Comment on proposed rules 100CFR50 & 70 re criticality accident requirements.
KOVACH,T.J. Commonwealth Edison Co. 62FR63825 00001. 97/12/22. Docketing & Services Branch. 5pp. A1629:031-A1629:035.

9801050310 Comment on proposed rule 10CFR35 re rulemaking activities involved w/ medical use of radioisotopes.
RATLIFF,R.A. Texas, State of. 62FR42219 00002. 97/12/22. Office of the Secretary of the Commission. 2pp. A1658:161-A1658:162.

9801050378 Comment supporting proposed & direct final rules on 10CFR50.68 & 10CFR70.24, "Criticality Accident Requiremnts."
ALEXANDER,D.B. Carolina Power & Light Co. 62FR63825 00002. 97/12/24. Office of the Secretary of the Commission. 4pp. A1658:094-A1658:097.

9801060107 Comments supporting PR 35 re medical use regulation w/respect to clinical practice of brachytherapy.
WALLNER,K. Affiliation Not Assigned. 62FR42219 00003. 97/12/24. Office of the Secretary of the Commission. 9pp. A1680:134-A1680:142.

9801070314 Comment on proposed & direct final rulemaking 10CFR50 & 70 re criticality accident requirements.Requests that NRC not proceed w/direct final rule,but instead follow expedited schedule for resolving comments on subj rules.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR63825 00004. 98/01/02. Office of the Secretary of the Commission. 9pp. A1727:057-A1727:065.

9801070329 Comment supporting proposed rule & direct final rule on 10CFR50.68 & 10CFR70.24, "Criticality Accident Requirements."
SUMNER,H.L. Southern Nuclear Operating Co. 62FR63911 00003. 97/12/31. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1726:359-A1726:360.

9801080028 Withdrawal of direct final rule that would have amended Commission regulations to incorporate by ref most recent published version of IEEE Std 603-1991.Withdrawal due to NRC receiving significant adverse comments.
HOYLE,J.C. Office of the Secretary of the Commission. 62FR53932. 97/12/16. 2pp. A1728:026-A1728:027.

9801080077 Comment on proposed rule 10CFR50 & 70 re proposed changes to criticality accident requirements,10CFR50.68 & 70.24.
VOTH,M.H. Northern States Power Co. 62FR63825 00005. 98/01/02. Office of the Secretary of the Commission. 2pp. A1728:198-A1728:199.

9801080224 Comment on Section 50.55a,Section 2.5.1.1.1., "Engineering Judgment." Informs that provision of satisfactory operating pump depends on many factors other than pressure boundary.
NICKERSON,D.B. ASME Operations & Maintenance Working Group on Inservice Testing of Pumps & Valv. 63FR63892 00001. 97/12/19. CHERNY,F.C. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1728:351-A1728:352.

9801130343 Forwards documents & index for regulatory history file of proposed rule entitled, "Exempt Distribution of Radioactive Drug Containing One Microcurie of Carbon-14 Urea," 10CFR30 & 32.
TSE,A.N. Radiation Protection & Health Effects Branch (Post 941217). AF70-1 001. 98/01/09. . 5pp. A1858:001-A1860:185.

--9801130352 Lists action taken on request for approval of rev of info collection received on 970606 in accordance w/Paperwork Reduction Act.Regulatory analysis for proposed rulemaking & supporting documentation encl.
ARBUCKLE,D.R. Office of Management & Budget. AF70-1 002. 97/08/13. SHELTON,B.J. NRC - No Detailed Affiliation Given. 22pp. A1858:006-A1858:031.

--9801130364 *Request for OMB review & supporting statement re application for matl* license.Estimated respondent burden is 72,987 h.
TSE,A.N. NRC - No Detailed Affiliation Given. OMB 3150-0120. 97/06/05. 12pp. A1858:032-A1858:047.

--9801130379 Forwards marked-up copies of FRN,congressional ltrs & public announcement re proposed rule revising 10CFR30 & 32, "Exempt Distribution & Use of Radioactive Drug Containing One Microcurie of Carbon Urea," encl.
TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). AF70-1 006. 97/06/04. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 72pp. A1858:048-A1858:135.

--9801130393 Responds to 970418 ltr re petition for rulemaking submitted by Tri-Med Specialties,Inc.Specifically,concerns regarding, why NRC changed process & decided to proceed w/publication of proposed rule instead of direct final rule.
CALLAN,L.J. Ofc of the Executive Director for Operations. AF70-1 014. 97/05/20. BURTON,D. House of Rep. 2pp. A1858:136-A1858:137.

--9801130398 Informs that Carbon 14 Urea Breath Test from Tri-Med Specialties,Inc,received final NDA approval from FDA on 970509.
HOFFMAN,S.R. Affiliation Not Assigned. AF70-1 015. 97/05/19. THOMPSON,H. Office of Nuclear Regulatory Research (Post 941217). 1p. A1858:138-A1858:138.

--9801130404 Forwards comments on SECY-97-090 which presents proposed rule on exempt distribution of radioactive drug containing one microcurie of Carbon-14 urea.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF70-1 016. 97/05/02. JONES,S.Z. Division of Regulatory Applications (Post 941217). 30pp. A1858:139-A1858:226.

--9801130409 *Forwards info on behalf of Tri-Med Specialties,Inc, in effort to receive rule* change for 14C-urea Breath Test petition submitted to NRC in 1994 & expresses concern w/ increasingly inordinate amount of time taken for approval.
BURTON,D. House of Rep. AF70-1 018. 97/04/18. THOMPSON,H. Office of Nuclear *Regulatory Research (Post 941217). 2pp. A1858:227-A1858:228.*

--9801130414 Forwards for signature,SECY paper transmitting proposed rule to Commission to amend parts 30 & 32 to permit exempt distribution & use of one uCi capsules of carbon-14 urea for in vivo diagnostic use.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 019. 97/04/17. CALLAN,L.J. Ofc of the Executive Director for Operations. 58pp. A1858:229-A1858:286.

--9801130416 Informs that State of MS would probally be willing to allow FDA & Pharmacy Board decide question of administration of C-14 urea.State of MS not aware of any other regulations concerning use & distribution of test.
SMITH,B.J. Mississippi, State of. AF70-1 020. 97/04/08. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1858:287-A1858:287.

--9801130419 Informs that ltr being sent at request of S Hoffman who expressed concern during telcon re Tri-Med petition not tracking draft schedule that NRC provided to Congressman Burton in fall of 1996.
MORRIS,B.M. Division of Regulatory Applications (Post 941217). AF70-1 021. 97/04/04. FRY,W.A. Affiliation Not Assigned. 1p. A1858:288-A1859:007.

--9801130422 Forwards for action FR notice & supporting statement to be submitted to OMB for approval re proposed rule, "Exempt Distribution of Radioactive Drug Containing One uCi of Carbon-14 urea," (parts 30 & 32).
TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). AF70-1 027. 97/04/01. *SHELTON,B.J. Information & Records Management Branch (Post* 890827). 14pp. A1859:008-A1859:021.

--9801130423 Submits comments on two specific questions asked in SP-97-015 ltr.State of WA position on "not limiting receipt of physicians," either alternative 2 or 3 (exempt of general license distribution) could be handled as stated.
FRAZEE,T. Washington, State of. SP-97-015. 97/04/01. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:022-A1859:023.

--9801140034 Submits addl comments re SP-97-015 on proposed exemption for 1 microCi C-14 drug issue.North Dakota has same restrictions as many other states w/ regard to not allowing licensing exemptions to apply to RAM that goes into drugs.
WANGLER,K.W. North Dakota, State of. SP-97-015. 97/03/25. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:024-A1859:024.

--9801140039 Responds to SP-97-015.North Dakota does not have any problem w/ exempt distribution of capsules containing one microcurie of C-14 Urea for diagnostic testing.
WANGLER,K.W. North Dakota, State of. SP-97-015. 97/03/24. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:025-A1859:025.

--9801140041 *Forwards comments in response to 970228 memo requesting concur*rence on Commission paper responding to Tri-Med Specialties,Inc Petition for rulemaking.Concur w/Commission paper.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. AF70-1 032. 97/03/24. MORRISON,D.L. *Office of Nuclear Regulatory Research (Post 941217). 6pp.* A1859:026-A1859:034.

--9801140045 Informs that Kentucky has no objection to C-14 urea capsule being distributed as exempt.
JEFFS,V. Kentucky, Commonwealth of. SP-97-015. 97/03/20. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:035-A1859:035.

--9801140051 Submits changes on proposed rule, "Exempt Distribution of Radioactive Drug Containing one uCi of C-14 Urea (Parts 30 & 32)." OMB clearance package for *compliance w/Paperwork Reduction Act of 1995 encl.*
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF70-1 036. 97/03/20. TSE,A.N. Radiation Protection & Health Effects Branch (Post 941217). 19pp. A1859:036-A1859:061.

--9801140062 Informs that Ofc of Admin concurs in proposed rule & accompanying documents that would permit NRC licensees to distribute capsules containing 1 uCi C-14 urea for "in vivo" diagnostic use.Marked-up proposed rule includes changes.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF70-1 041. 97/03/ 13. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 44pp. A1859:062-A1859:105.

--9801140072 Informs that OCFO reviewed & concurs w/draft Commission paper on proposed rule, "Exempt Distribution & Use of Radioactive Drug Containing one uCi of C-14 Urea (parts 30 & 32)."
HEAVEY,T. NRC - No Detailed Affiliation Given. AF70-1 042. 97/03/12. JONES,S.Z. NRC - No Detailed Affiliation Given. 1p. *A1859:106-A1859:108.*

--9801140082 Informs that review of proposed rule, "Exempt Distribution of Radioactive Drug Containing One uCi of C-14 Urea (Parts 30 & 32)," completed.No comments.Copies of comments received in response to FR notice to proposed rule requested.
BELL,H.T. Office of the Inspector General (Post 890417). AF70-1 044. 97/03/11. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1859:109-A1859:109.

--9801140087 Concurs w/proposed rule 10CFR30 & 32, "Exempt Distribution of Radioactive Drug Containing 1 uCi C-14 Urea." Offers revs to Section IV Agreement State Compatibility.
BANGART,R.L. Office of State Programs (Post 911117). AF70-1 045. 97/03/07. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1859:110-A1859:113.

--9801140094 Informs that OE,J Lieberman,concurs on proposed rule, "Exempt Distribution of Radioactive Drug...."
SUMMERS,B. NRC - No Detailed Affiliation Given. AF70-1 047. 97/03/05. JONES,S.Z. NRC - No Detailed Affiliation Given. 1p. A1859:114-A1859:114.

--9801140100 Requests ltr explaining why rulemaking being further delayed re Tri-Med proposed rule.
TROTTIER,C. NRC - No Detailed Affiliation Given. AF70-1 048. 97/03/05. TSE,A.N. NRC - No Detailed Affiliation Given. 1p. A1859:115-A1859:116.

--9801140122 Forwards Commission paper w/enclosures,on proposed rule, "Exempt Distribution of Radioactive Drug Containing One uCi of C-14 Urea (Parts 30 & 32)," for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 050. 97/02/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. OLMSTEAD,W.J. Office of the General Counsel (Post 860701). GALANTE,A.J. Office of State Programs (Post 911117). 53pp. A1859:117-A1859:201.

--9801140128 Forwards memo to Commission w/encls,including final rulemaking plan, "Exempt Distribution & Use of Radioactive Drug Containing One uCi of C-14 Urea (Parts 30 & 32)," for review.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 051. 97/01/30. THOMPSON,H.L. Ofc of the Executive Director for Operations. 52pp. A1859:202-A1859:253.

--9801140133 Informs that state of OR does not intend to authorize in vivo diagnostic procedures under general license.Diagnostic procedure must be specifically authorized under 35.100 or equivalent regulations.
DIBBLEE,M.G. Oregon, State of. AF70-1 052. 96/12/06. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:254-A1859:257.

--9801140143 Supports Option 3 of draft rulemaking plan for medical use of capsules containing C-14 as outlined in predecisional rulemaking plan.W/B Spell comments.
JONES,C. Utah, State of. SP-96-107. 96/10/24. BOLLING,L.A. NRC - No Detailed Affiliation Given. 2pp. A1859:258-A1859:259.

--9801140153 Submits comments on draft rulemaking plan 10CFR35 in predecisional form concerning "Medical User of Capsules containing 1 uCi of C-14" & based on PRM-35-12.Support Alternative 3 which would establish general license.
FRAZEE,T. Louisiana, State of. SP-96-107. 96/10/22. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:260-A1859:260.

--9801140165 *Informs that proposed rule re "Medical Use of Capsules Containing One* uCi of C-14", PRM-35-12,appears appropriate & should go forward.
JACOBI,J. Colorado, State of. AF70-1 057. 96/10/21. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:261-A1859:261.

--9801140170 Concurs w/daft rulemaking plan (10CFR35) & concurs w/ Alternative 3.
DAVIDSON,J. Nebraska, State of. AF70-1 058. 96/10/17. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:262-A1859:266.

--9801140180 Confirms 960927 telcon.Discusses proposed schedule sent to Congressman D Burton.Notes points re worst case schedule NRC can commit to.Also,statement "Assuming staff wil start work" should be changed to "staff will *start work."*
HOFFMAN,S.R. Affiliation Not Assigned. AF70-1 061. 96/10/04. JONES,S. NRC - No Detailed Affiliation Given. 2pp. A1859:267-A1859:269.

--9801140183 *Advises that draft rulemaking plan, "Medical Use of Capsules Containing* One uCi of C-14," forwarded to Agreement States for input,per 960611 SRM.Two 960919 wire svc articles encl.W/o encls.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF70-1 063. 96/10/02. *THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119).* 1p. A1859:270-A1859:270.

--9801140199 Forwards,for transmittal to Commission,for info draft rulemaking plan entitled, "Medical Use of Capsules Containing One uCi of C-14," in accordance w/SRM COMSECY 96-035,dtd 960611.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 064. 96/09/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. A1859:271-A1859:271.

--9801140207 Forwards draft rulemaking plan entitled, "Medical Use of Capsules Containing One uCi of Carbon-14," for Agreement State input.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 065. 96/09/30. BANGART,R.L. Office of State Programs (Post 911117). 23pp. A1859:272-A1859:295.

--9801140214 Responds to 960903 ltr re petition for rulemaking from Tri-Med Specialties,Inc.NRC staff working to resolve petition as soon as possible.Safety analysis & other evaluations that form technical bases completed.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF70-1 066. 96/09/25. BURTON,D. House of Rep. 2pp. A1859:296-A1859:297.

--9801140222 Offers no legal objection to rulemaking plan for amend of 10CFR35 to provide general license for physicians to use capsules containing one uCi of diagnostic.Submits two paragraphs to be added as separate section.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. AF70-1 067. 96/09/20. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1859:298-A1859:312.

--9801140231 Concurs w/rulemaking package,10CFR35, "Medical Use of Capsules Containing One uCi of C-14 (PRM-35-12)," subj to consideration of attached comments,in response to rulemaking plan,received 960916.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. AF70-1 068. 96/09/19. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 16pp. A1859:313-A1859:328.

--9801140241 Requests assistance in matter re Tri-Med Specialties request for rule change or exemption from licensing for C-14 urea16 Breath Test.Expresses concern over inordinate length of time taken for decision to be made.
BURTON,D. House of Rep. AF70-1 069. 96/09/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1859:329-A1859:330.

--9801140248 Concurs on rulemaking plan, "Medical Use of Capsules Containing One uCi of C-14 (PRM-35-12)," w/comments.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). AF70-1 070. 96/08/27. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1859:331-A1859:331.

--9801140277 Informs that OC reviewed rulemaking plan, "Medical Use of Capsules Containing One uCi of C-14 (PRM-35-12)," to issue direct final rule amending 10CFR35 (adding Subpart D). Review of budget shows resources available to proceed.
ABBOTT,C. Division of Budget & Analysis (Post 890205). AF70-1 071. 96/08/23. JONES,S. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1859:332-A1859:333.

--9801140282 Concurs on final rulemaking plan entitled, "Medical Use of Capsules Containing One uCi of C-14," that amends part 35.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF70-1 072. 96/08/20. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 10pp. A1859:334-A1859:346.

--9801140284 Forwards rulemaking plan, "Medical Use of Capsules Containing One uCi of C-14 (PRM 35-12)," for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 074. 96/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. OLMSTEAD,W.J. Office of the General Counsel (Post 860701). BANGART,R.L. Office of State Programs (Post 911117). 11pp. A1859:347-A1859:357.

--9801140285 Forwards final deliverable repts which address/incorporate 960517 comments of NRC staff.Safety rept for use of C-14 urea capsules for detection of helicobacter pylori bacteria in human alimentary tract,encl.
ZEITOUN,A. Science Applications International Corp. (formerly Science Applications, Inc.). AF70-1 075. 96/05/30. JONES,S. NRC - No Detailed Affiliation Given. 1p. A1859:358-A1860:040.

--9801140290 "Analysis of Costs & Benefits for Use of C-14 Urea Breath Test."
CHERNOFF,H., KING,W.R. Science Applications International Corp. (formerly Science Applications, Inc.). AF70-1 076. 96/05/31. NRC - No Detailed Affiliation Given. 8pp. A1860:041-A1860:048.

--9801140292 Submits comments on draft safety rept,environ assessment & cost benefits analysis associated w/Tri-Med petition for rulemaking.
CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. AF70-1 077. 96/05/10. GLENN,J.E. Radiation Protection & Health Effects Branch (Post 941217). 2pp. A1860:049-A1860:050.

--9801140299 Forwards revised "Analysis of Costs & Benefits for Use of C-14 Urea Breath Test" prepared under task 4 of NRC contract NRC-04-95-065.Version incorporates comments from NRC on first draft delivered on 960329.
WYNGARDEN,S. ICF, Inc. NRC-04-95-065. AF70-1 078. 96/05/09. MATE,J. Office of Nuclear Regulatory Research (Post 941217). 1p. A1860:051-A1860:051.

--9801140306 "Analysis of Costs & Benefits for Use of C-14 Urea Breath Test," Tri-Med Specialties,Inc,Charlottesville,VA.Draft 960325.
* Medical, Academic & Commercial Use Safety Branch. AF70-1 079. 96/04/30. 12pp. A1860:052-A1860:063.

--9801140310 Discusses initiation of rulemaking plan on C-14 for in vivo diagnostic testing,10CFR35 (PRM-35-12) in response to petition filed by Tri-Med Specialties,Inc.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 080. 96/04/11. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. A1860:064-A1860:064.

--9801140315 Forwards draft safety rept,draft environ assessment,draft analysis of public comments & draft analysis of costs & benefits prepared under task 4 of contract NRC-04-95-065, addressing petition for rulemaking by Tri-Med Specialties.
WYNGARDEN,S. ICF, Inc. NRC-04-95-065. AF70-1 081. 96/03/29. MATE,J. Office of Nuclear Regulatory Research (Post 941217). 1p. A1860:065-A1860:065.

--9801140319 Draft safety rept for, "C-14 Urea Capsules for Detection of Helicobacter Pylori Bacteria in Human Alimentary Tract."
GOTCHY,R.L., BATTIST,L., KARIMI,R. Science Applications International Corp. (formerly Science Applications, Inc.). AF70-1 082. 96/03/31. NRC - No Detailed Affiliation Given. 31pp. A1860:066-A1860:097.

--9801140324 "Environ Assessment for Use of C-14 Urea Breath Test," for Tri-Med Specialties,Inc,Charlottesville,VA.Draft 960325.
* Medical, Academic & Commercial Use Safety Branch. AF70-1 083. 96/04/30. 13pp. A1860:098-A1860:121.

--9801140330 Responds to 951019 ltr to J Piccone re personal experience w/C-14 breath test.NRC evaluating comments along w/over 300 public comments received on petition for rulemaking.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF70-1 086. 95/11/22. BURTON,D. House of Rep. 1p. A1860:122-A1860:150.

--9801140337 Requests that NRC give serious consideration to petition that allows C-14 breath test to be distributed to physicians w/o NRC or Agreement State license.
BURTON,D. House of Rep. AF70-1 088. 95/10/19. PICCONE,J. Office of Nuclear Material Safety & Safeguards. 3pp. A1860:151-A1860:153.

--9801140340 Forwards for further action docket file on petition for rulemaking filed by Tri-Med Specialties,Inc,(PRM-35-12).
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF70-1 089. 95/04/12. JONES,S.Z. Office of Nuclear Regulatory Research (Post 941217). 1p. A1860:154-A1860:171.

--9801140348 Informs that petition for rulemaking (PRM-35-12) filed by Tri-Med Specialties,Inc does not qualify for special handling as fast-track petition for rulemaking as specified in 10CFR2.802(e) of Commission regulations.
BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217). AF70-1 094. 94/11/02. NORRY,P.G. Office of Administration, Director (Post 940714). 13pp. A1860:172-A1860:185.

--9801130352 Lists action taken on request for approval of rev of info collection received on 970606 in accordance w/Paperwork Reduction Act.Regulatory analysis for proposed rulemaking & supporting documentation encl.
ARBUCKLE,D.R. Office of Management & Budget. AF70-1 002. 97/08/13. SHELTON,B.J. NRC - No Detailed Affiliation Given. 22pp. A1858:006-A1858:031.

--9801130364 Request for OMB review & supporting statement re application for matl license.Estimated respondent burden is 72,987 h.
TSE,A.N. NRC - No Detailed Affiliation Given. OMB 3150-0120. 97/06/05. 12pp. A1858:032-A1858:047.

--9801130379 Forwards marked-up copies of FRN,congressional ltrs & public announcement re proposed rule revising 10CFR30 & 32, "Exempt Distribution & Use of Radioactive Drug Containing One Microcurie of Carbon Urea," encl.
TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). AF70-1 006. 97/06/04. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 72pp. A1858:048-A1858:135.

--9801130393 Responds to 970418 ltr re petition for rulemaking submitted by Tri-Med Specialties,Inc.Specifically,concerns regarding, why NRC changed process & decided to proceed w/publication of proposed rule instead of direct final rule.
CALLAN,L.J. Ofc of the Executive Director for Operations. AF70-1 014. 97/05/20. BURTON,D. House of Rep. 2pp. A1858:136-A1858:137.

--9801130398 Informs that Carbon 14 Urea Breath Test from Tri-Med Specialties,Inc,received final NDA approval from FDA on 970509.
HOFFMAN,S.R. Affiliation Not Assigned. AF70-1 015. 97/05/19. THOMPSON,H. Office of Nuclear Regulatory Research (Post 941217). 1p. A1858:138-A1858:138.

--9801130404 Forwards comments on SECY-97-090 which presents proposed rule on exempt distribution of radioactive drug containing one microcurie of Carbon-14 urea.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF70-1 016. 97/05/02. JONES,S.Z. Division of Regulatory Applications (Post 941217). 30pp. A1858:139-A1858:226.

--9801130409 Forwards info on behalf of Tri-Med Specialties,Inc, in effort to receive rule change for 14C-urea Breath Test petition submitted to NRC in 1994 & expresses concern w/ increasingly inordinate amount of time taken for approval.
BURTON,D. House of Rep. AF70-1 018. 97/04/18. THOMPSON,H. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1858:227-A1858:228.

--9801130414 Forwards for signature,SECY paper transmitting proposed rule to Commission to amend parts 30 & 32 to permit exempt distribution & use of one uCi capsules of carbon-14 urea for in vivo diagnostic use.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 019. 97/04/17. CALLAN,L.J. Ofc of the Executive Director for Operations. 58pp. A1858:229-A1858:286.

--9801130416 Informs that State of MS would probally be willing to allow FDA & Pharmacy Board decide question of administration of C-14 urea.State of MS not aware of any other regulations concerning use & distribution of test.
SMITH,B.J. Mississippi, State of. AF70-1 020. 97/04/08. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1858:287-A1858:287.

--9801130419 Informs that ltr being sent at request of S Hoffman who expressed concern during telcon re Tri-Med petition not tracking draft schedule that NRC provided to Congressman Burton in fall of 1996.
MORRIS,B.M. Division of Regulatory Applications (Post 941217). AF70-1 021. 97/04/04. FRY,W.A. Affiliation Not Assigned. 1p. A1858:288-A1859:007.

--9801130422 Forwards for action FR notice & supporting statement to be submitted to OMB for approval re proposed rule, "Exempt Distribution of Radioactive Drug Containing One uCi of Carbon-14 urea," (parts 30 & 32).
TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). AF70-1 027. 97/04/01. SHELTON,B.J. Information & Records Management Branch (Post 890827). 14pp. A1859:008-A1859:021.

--9801130423 Submits comments on two specific questions asked in SP-97-015 ltr.State of WA position on "not limiting receipt of physicians," either alternative 2 or 3 (exempt of general license distribution) could be handled as stated.
FRAZEE,T. Washington, State of. SP-97-015. 97/04/01. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:022-A1859:023.

--**9801140034** Submits addl comments re SP-97-015 on proposed exemption for 1 microCi C-14 drug issue.North Dakota has same restrictions as many other states w/ *regard to not allowing licensing exemptions to apply to RAM that goes into drugs.*
WANGLER,K.W. North Dakota, State of. SP-97-015. 97/03/25. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:024-A1859:024.

--**9801140039** Responds to SP-97-015.North Dakota does not have any problem w/ exempt distribution of capsules containing one microcurie of C-14 Urea for diagnostic testing.
WANGLER,K.W. North Dakota, State of. SP-97-015. 97/03/24. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:025-A1859:025.

--**9801140041** Forwards comments in response to 970228 memo requesting concurrence on Commission paper responding to Tri-Med Specialties,Inc Petition for rulemaking.Concur w/Commission paper.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. AF70-1 032. 97/03/24. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 6pp. A1859:026-A1859:034.

--**9801140045** Informs that Kentucky has no objection to C-14 urea capsule being distributed as exempt.
JEFFS,V. Kentucky, Commonwealth of. SP-97-015. 97/03/20. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:035-A1859:035.

--**9801140051** Submits changes on proposed rule, "Exempt Distribution of Radioactive Drug Containing one uCi of C-14 Urea (Parts 30 & 32)." OMB clearance package for compliance w/Paperwork Reduction Act of 1995 encl.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF70-1 036. 97/03/20. TSE,A.N. Radiation Protection & Health Effects Branch (Post 941217). 19pp. A1859:036-A1859:061.

--**9801140062** Informs that Ofc of Admin concurs in proposed rule & accompanying documents that would permit NRC licensees to distribute capsules containing 1 uCi C-14 urea for "in vivo" diagnostic use.Marked-up proposed rule includes changes.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF70-1 041. 97/03/13. MORRISON,D.L. *Office of Nuclear Regulatory Research* (Post 941217). 44pp. A1859:062-A1859:105.

--**9801140072** Informs that OCFO reviewed & concurs w/draft Commission paper on proposed rule, "Exempt Distribution & Use of Radioactive Drug Containing one uCi of C-14 Urea (parts 30 & 32)."
HEAVEY,T. NRC - No Detailed Affiliation Given. AF70-1 042. 97/03/12. JONES,S.Z. NRC - No Detailed Affiliation Given. 1p. A1859:106-A1859:108.

--**9801140082** Informs that review of proposed rule, "Exempt Distribution of Radioactive Drug Containing One uCi of C-14 Urea (Parts 30 & 32)," completed.No comments.Copies of comments received in response to FR notice to proposed rule requested.
BELL,H.T. Office of the Inspector General (Post 890417). AF70-1 044. 97/03/11. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1859:109-A1859:109.

--**9801140087** Concurs w/proposed rule 10CFR30 & 32, "Exempt Distribution of Radioactive Drug Containing 1 uCi C-14 Urea." Offers revs to Section IV Agreement State Compatibility.
BANGART,R.L. Office of State Programs (Post 911117). AF70-1 045. 97/03/07. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1859:110-A1859:113.

--**9801140094** Informs that OE,J Lieberman,concurs on proposed rule, "Exempt Distribution of Radioactive Drug...."
SUMMERS,B. NRC - No Detailed Affiliation Given. AF70-1 047. 97/03/05. JONES,S.Z. NRC - No Detailed Affiliation Given. 1p. A1859:114-A1859:114.

--**9801140100** Requests ltr explaining why rulemaking being further delayed re Tri-Med proposed rule.
TROTTIER,C. NRC - No Detailed Affiliation Given. AF70-1 048. 97/03/05. TSE,A.N. NRC - No Detailed Affiliation Given. 1p. A1859:115-A1859:116.

--**9801140122** Forwards Commission paper w/enclosures,on proposed rule, "Exempt Distribution of Radioactive Drug Containing One uCi of C-14 Urea (Parts 30 & 32)," for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 050. 97/02/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. OLMSTEAD,W.J. Office of the General Counsel (Post 860701). GALANTE,A.J. Office of State Programs (Post 911117). 53pp. A1859:117-A1859:201.

--**9801140128** Forwards memo to Commission w/encls,including final rulemaking plan, "Exempt Distribution & Use of Radioactive Drug Containing One uCi of C-14 Urea (Parts 30 & 32)," for review.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 051. 97/01/30. THOMPSON,H.L. Ofc of the Executive Director for Operations. 52pp. A1859:202-A1859:253.

--**9801140133** Informs that state of OR does not intend to authorize in vivo diagnostic *procedures under general license.Diagnostic procedure must be specifically authorized* under 35.100 or equivalent regulations.
DIBBLEE,M.G. Oregon, State of. AF70-1 052. 96/12/06. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:254-A1859:257.

--**9801140143** Supports Option 3 of draft rulemaking plan for medical use of capsules containing C-14 as outlined in predecisional rulemaking plan.W/B Spell comments.
JONES,C. Utah, State of. SP-96-107. 96/10/24. BOLLING,L.A. NRC - No Detailed Affiliation Given. 2pp. A1859:258-A1859:259.

--**9801140153** Submits comments on draft rulemaking plan 10CFR35 in predecisional form concerning "Medical User of Capsules containing 1 uCi of C-14" & based on PRM-35-12.Support Alternative 3 which would establish general license.
FRAZEE,T. Louisiana, State of. SP-96-107. 96/10/22. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:260-A1859:260.

--**9801140165** Informs that proposed rule re "Medical Use of Capsules Containing One uCi of C-14", PRM-35-12,appears appropriate & should go forward.
JACOBI,J. Colorado, State of. AF70-1 057. 96/10/21. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:261-A1859:261.

--**9801140170** Concurs w/daft rulemaking plan (10CFR35) & concurs w/ Alternative 3.
DAVIDSON,J. Nebraska, State of. AF70-1 058. 96/10/17. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:262-A1859:266.

--**9801140180** Confirms 960927 telcon.Discusses proposed schedule sent to Congressman D Burton.Notes points re worst case schedule NRC can commit to.Also,statement "Assuming staff wil start work" should be changed to "staff will start work."
HOFFMAN,S.R. Affiliation Not Assigned. AF70-1 061. 96/10/04. JONES,S. NRC - No Detailed Affiliation Given. 2pp. A1859:267-A1859:269.

--**9801140183** Advises that draft rulemaking plan, "Medical Use of Capsules Containing One uCi of C-14," forwarded to Agreement States for input,per 960611 SRM.Two 960919 wire svc articles encl.W/o encls.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF70-1 063. 96/10/02. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 1p. A1859:270-A1859:270.

--**9801140199** Forwards,for transmittal to Commission,for info draft rulemaking plan entitled, "Medical Use of Capsules Containing One uCi of C-14," in accordance w/SRM COMSECY 96-035,dtd 960611.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 064. *96/09/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. A1859:271-*A1859:271.

--**9801140207** Forwards draft rulemaking plan entitled, "Medical Use of Capsules Containing One uCi of Carbon-14," for Agreement State input.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 065. 96/09/30. BANGART,R.L. Office of State Programs (Post 911117). 23pp. A1859:272-A1859:295.

--**9801140214** Responds to 960903 ltr re petition for rulemaking from Tri-Med Specialties,Inc.NRC staff working to resolve petition as soon as possible.Safety analysis & other evaluations that form technical bases completed.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF70-1 066. 96/09/25. BURTON,D. House of Rep. 2pp. A1859:296-A1859:297.

--**9801140222** Offers no legal objection to rulemaking plan for amend of 10CFR35 to provide general license for physicians to use capsules containing one uCi of diagnostic.Submits two paragraphs to be added as separate section.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. AF70-1 067. 96/09/20. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1859:298-A1859:312.

--**9801140231** Concurs w/rulemaking package,10CFR35, "Medical Use of Capsules Containing One uCi of C-14 (PRM-35-12)," subj to consideration of attached comments,in response to rulemaking plan,received 960916.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. AF70-1 068. 96/09/19. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 16pp. A1859:313-A1859:328.

--**9801140241** Requests assistance in matter re Tri-Med Specialties request for rule change or exemption from licensing for C-14 urea16 Breath Test.Expresses concern *over inordinate length of time taken for decision to be made.*
BURTON,D. House of Rep. AF70-1 069. 96/09/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1859:329-A1859:330.

--**9801140248** Concurs on rulemaking plan, "Medical Use of Capsules Containing One uCi of C-14 (PRM-35-12)," w/comments.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). AF70-1 070. 96/08/27. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1859:331-A1859:331.

--**9801140277** Informs that OC reviewed rulemaking plan, "Medical Use of Capsules Containing One uCi of C-14 (PRM-35-12)," to issue direct final rule amending 10CFR35 (adding Subpart D). Review of budget shows resources available to proceed.
ABBOTT,C. Division of Budget & Analysis (Post 890205). AF70-1 071. 96/08/23. JONES,S. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1859:332-A1859:333.

--**9801140282** Concurs on final rulemaking plan entitled, "Medical Use of Capsules Containing One uCi of C-14," that amends part 35.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF70-1 072. 96/08/20. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 10pp. A1859:334-A1859:346.

--**9801140284** Forwards rulemaking plan, "Medical Use of Capsules Containing One uCi of C-14 (PRM 35-12)," for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 074. 96/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. OLMSTEAD,W.J. Office of the General Counsel (Post 860701). BANGART,R.L. Office of State Programs (Post 911117). 11pp. A1859:347-A1859:357.

--**9801140285** Forwards final deliverable repts which address/incorporate 960517 comments of NRC staff.Safety rept for use of C-14 urea capsules for detection of helicobacter pylori bacteria in human alimentary tract,encl.
ZEITOUN,A. Science Applications International Corp. (formerly Science Applications, Inc.). AF70-1 075. 96/05/30. JONES,S. NRC - No Detailed Affiliation Given. 1p. A1859:358-A1860:040.

--**9801140290** "Analysis of Costs & Benefits for Use of C-14 Urea Breath Test."
CHERNOFF,H., KING,W.R. Science Applications International Corp. (formerly Science Applications, Inc.). AF70-1 076. 96/05/31. NRC - No Detailed Affiliation Given. 8pp. A1860:041-A1860:048.

--**9801140292** Submits comments on draft safety rept,environ assessment & cost benefits analysis associated w/Tri-Med petition for rulemaking.
CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. AF70-1 077. 96/05/10. GLENN,J.E. Radiation Protection & Health Effects Branch (Post 941217). 2pp. A1860:049-A1860:050.

--**9801140299** Forwards revised "Analysis of Costs & Benefits for Use of C-14 Urea Breath Test" prepared under task 4 of NRC contract NRC-04-95-065.Version incorporates comments from NRC on first draft delivered on 960329.
WYNGARDEN,S. ICF, Inc. NRC-04-95-065. AF70-1 078. 96/05/09. MATE,J. Office of Nuclear Regulatory Research (Post 941217). 1p. A1860:051-A1860:051.

--**9801140306** "Analysis of Costs & Benefits for Use of C-14 Urea Breath Test," Tri-Med Specialties,Inc,Charlottesville,VA.Draft 960325.
* Medical, Academic & Commercial Use Safety Branch. AF70-1 079. 96/04/30. 12pp. A1860:052-A1860:063.

--**9801140310** Discusses initiation of rulemaking plan on C-14 for in vivo diagnostic testing,10CFR35 (PRM-35-12) in response to petition filed by Tri-Med Specialties,Inc. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF70-1 080. 96/04/11. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. A1860:064-A1860:064.

--**9801140315** Forwards draft safety rept,draft environ assessment,draft analysis of public comments & draft analysis of costs & benefits prepared under task 4 of contract NRC-04-95-065, addressing petition for rulemaking by Tri-Med Specialties.
WYNGARDEN,S. ICF, Inc. NRC-04-95-065. AF70-1 081. 96/03/29. MATE,J. Office of Nuclear Regulatory Research (Post 941217). 1p. A1860:065-A1860:065.

--**9801140319** Draft safety rept for, "C-14 Urea Capsules for Detection of Helicobacter Pylori Bacteria in Human Alimentary Tract."
GOTCHY,R.L., BATTIST,L., KARIMI,R. Science Applications International Corp. (formerly Science Applications, Inc.). AF70-1 082. 96/03/31. NRC - No Detailed Affiliation Given. 31pp. A1860:066-A1860:097.

--**9801140324** "Environ Assessment for Use of C-14 Urea Breath Test," for Tri-Med Specialties,Inc,Charlottesville,VA.Draft 960325.
* Medical, Academic & Commercial Use Safety Branch. AF70-1 083. 96/04/30. 13pp. A1860:098-A1860:121.

--**9801140330** Responds to 951019 ltr to J Piccone re personal experience w/C-14 breath test.NRC evaluating comments along w/over 300 public comments received on petition for rulemaking.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF70-1 086. 95/11/22. BURTON,D. House of Rep. 1p. A1860:122-A1860:150.

--**9801140337** Requests that NRC give serious consideration to petition that allows C-14 breath test to be distributed to physicians w/o NRC or Agreement State license.
BURTON,D. House of Rep. AF70-1 088. 95/10/19. PICCONE,J. Office of Nuclear Material Safety & Safeguards. 3pp. A1860:151-A1860:153.

--**9801140340** Forwards for further action docket file on petition for rulemaking filed by Tri-Med Specialties,Inc,(PRM-35-12).
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF70-1 089. 95/04/12. JONES,S.Z. Office of Nuclear Regulatory Research (Post 941217). 1p. A1860:154-A1860:171.

--**9801140348** Informs that petition for rulemaking (PRM-35-12) filed by Tri-Med Specialties,Inc does not qualify for special handling as fast-track petition for rulemaking as specified in 10CFR2.802(e) of Commission regulations.
BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217). AF70-1 094. 94/11/02. NORRY,P.G. Office of Administration, Director (Post 940714). 13pp. A1860:172-A1860:185.

9801150026 Forwards index & documents for regulatory history file of final rule entitled, "Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea," 10CFR30 & 32,published on 971202 (62FR63634).
TSE,A.N. Radiation Protection & Health Effects Branch (Post 941217). AF70-2 001. 98/01/09. Document Control Branch (Document Control Desk). 3pp. A1831:001-A1831:347.

--**9801150031** Informs that Commission has considered & approved final amends to 10CFR30 & 32,per 940823 ltr.Amends will become effective on 980102.
TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). AF70-2 002. 97/12/05. FRY,W.A. Tri-Med, Inc. 21pp. A1831:004-A1831:024.

--**9801150041** Forwards final rule re distribution of radioactive drug containing 1 uCi of C-14 urea to any person for "in vivo" diagnostic use for humans.Determined that rule not "major rule" as defined in 5 USC 804(2).
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). AF70-2 003. 97/12/01. GORE,A. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. MURPHY,R.P. General Accounting Office. 3pp. A1831:025-A1831:027.

--**9801150044** Forwards public announcement & FRN re final amend to 10CFR30 & 32.Amends makes drug more widely available,thus reduces costs to patients,insurers & health care industry.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). AF70-2 004. 97/12/01. INHOFE,J.M. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. A1831:028-A1831:030.

--**9801150061** Requests that Commission action be implemented by arranging for publication of encl final rule on exempt distribution & use of radioactive drug containing 1 uCi C-14 urea as set out in SECY-97-232 in FRN.
TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). AF70-2 005. 97/11/17. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 132pp. A1831:031-A1831:245.

--**9801160010** Informs of concurrence on "Final Rule:Exemption of Radioactive Drug Containing 1 uCi of C-14 Urea (Parts 30 & 32)." Press release 97-176, "NRC Changes Regulations to Permit Exempt Distribution of Radioactive ...," encl
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. AF70-2 013. 97/09/17. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 3pp. A1831:246-A1831:248.

--**9801160013** Informs that OCFO concurrence was e-mailed to T Tse on 970827.
HEAVEY,T. NRC - No Detailed Affiliation Given. AF70-2 014. 97/09/17. TROTTIER,C.A. NRC - No Detailed Affiliation Given. 1p. A1831:249-A1831:249.

--**9801160028** Informs of concurrence on "Final Rule:Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea (Parts 30 & 32)."
SATORIUS,M.A. Ofc of Enforcement (Post 870413). AF70-2 015. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 26pp. A1831:250-A1831:275.

--**9801160036** Forwards brief descriptions of final statements that NRC may issue in next 30 to 90 days.Concurrence requested if Ofc of Mgt & Budget agrees w/ determination.W/o encl.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF70-2 016. 97/09/03. MICHLOVICH,E. Office of Management & Budget. 1p. A1831:276-A1831:276.

--**9801160040** Informs of concurrence on "Final Rule:Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea (Parts 30 & 32)," subj to incorporation of comments noted as markups on encl pps 18 & 19.
BANGART,R.L. Office of State Programs (Post 911117). AF70-2 017. 97/09/03. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 4pp. A1831:277-A1831:280.

--**9801160044** Informs of concurrence on final issuance & publication of "Final Rule:Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea (Parts 30 & 32)," provided Paperwork Reduction Act Statement,modified as annotated.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF70-2 018. 97/09/02. TSE,A.N. Radiation Protection & Health Effects Branch (Post 941217). 2pp. A1831:281-A1831:282.

--**9801160048** Provides comments on final rule 10CFR30 & 32, "Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea," per request.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF70-2 019. 97/09/02. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. A1831:283-A1831:284.

--**9801160050** Requests concurrence on encl Commission paper "Final Rule: Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea (Parts 30 & 32)." W/ encl,including FRN.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). AF70-2 020. 97/08/25. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. OLMSTEAD,W.J. Office of the General Counsel (Post 860701). GALANTE,A.J. Office of Information Resources Management (Post 890205). 63pp. A1831:285-A1831:347.

--**9801150031** Informs that Commission has considered & approved final amends to 10CFR30 & 32,per 940823 ltr.Amends will become effective on 980102.
TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). AF70-2 002. 97/12/05. FRY,W.A. Tri-Med, Inc. 21pp. A1831:004-A1831:024.

--**9801150041** Forwards final rule re distribution of radioactive drug containing 1 uCi of C-14 urea to any person for "in vivo" diagnostic use for humans.Determined that rule not "major rule" as defined in 5 USC 804(2).
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). AF70-2 003. 97/12/01. GORE,A. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. MURPHY,R.P. General Accounting Office. 3pp. A1831:025-A1831:027.

--**9801150044** Forwards public announcement & FRN re final amend to 10CFR30 & 32.Amends makes drug more widely available,thus reduces costs to patients,insurers & health care industry.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). AF70-2 004. 97/12/01. INHOFE,J.M. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. A1831:028-A1831:030.

--**9801150061** Requests that Commission action be implemented by arranging for publication of encl final rule on exempt distribution & use of radioactive drug containing 1 uCi C-14 urea as set out in SECY-97-232 in FRN.
TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). AF70-2 005. 97/11/17. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 132pp. A1831:031-A1831:245.

--**9801160010** Informs of concurrence on "Final Rule:Exemption of Radioactive Drug Containing 1 uCi of C-14 Urea (Parts 30 & 32)." Press release 97-176, "NRC Changes Regulations to Permit Exempt Distribution of Radioactive ...," encl
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. AF70-2 013. 97/09/17. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 3pp. A1831:246-A1831:248.

--**9801160013** Informs that OCFO concurrence was e-mailed to T Tse on 970827.
HEAVEY,T. NRC - No Detailed Affiliation Given. AF70-2 014. 97/09/17. TROTTIER,C.A. NRC - No Detailed Affiliation Given. 1p. A1831:249-A1831:249.

--**9801160028** Informs of concurrence on "Final Rule:Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea (Parts 30 & 32)."
SATORIUS,M.A. Ofc of Enforcement (Post 870413). AF70-2 015. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 26pp. A1831:250-A1831:275.

--**9801160036** Forwards brief descriptions of final statements that NRC may issue in next 30 to 90 days.Concurrence requested if Ofc of Mgt & Budget agrees w/ determination.W/o encl.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF70-2 016. 97/09/03. MICHLOVICH,E. Office of Management & Budget. 1p. A1831:276-A1831:276.

--**9801160040** Informs of concurrence on "Final Rule:Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea (Parts 30 & 32)," subj to incorporation of comments noted as markups on encl pps 18 & 19.
BANGART,R.L. Office of State Programs (Post 911117). AF70-2 017. 97/09/03. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 4pp. A1831:277-A1831:280.

--**9801160044** Informs of concurrence on final issuance & publication of "Final Rule:Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea (Parts 30 & 32)," provided Paperwork Reduction Act Statement,modified as annotated.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF70-2 018. 97/09/02. TSE,A.N. Radiation Protection & Health Effects Branch (Post 941217). 2pp. A1831:281-A1831:282.

--**9801160048** Provides comments on final rule 10CFR30 & 32, "Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea," per request.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF70-2 019. 97/09/02. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. A1831:283-A1831:284.

--**9801160050** Requests concurrence on encl Commission paper "Final Rule: Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea (Parts 30 & 32)." W/ encl,including FRN.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). AF70-2 020. 97/08/25. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. OLMSTEAD,W.J. Office of the General Counsel (Post 860701). GALANTE,A.J. Office of Information Resources Management (Post 890205). 63pp. A1831:285-A1831:347.

9801160090 Forwards regulatory documents comprising regulatory history of notice of final rulemaking entitled, "Deliberate Misconduct by Unlicensed Persons," which amends 10CFR30,32, 40,50,52,60,61,70,71,72,110 & 150.
DIPALO,A. Operations Branch. 57FR1890. 98/01/14. LANHAM,D.H. Document Control Branch (Document Control Desk). 3pp. A1861:001-A1862:275.

--9801200019 Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 8pp. A1862:232-A1862:239.

--9801160181 Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--9801160112 Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 57FR1890. 97/10/02. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--9801160143 Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/30. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--9801160146 Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 97/10/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--9801160149 Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--9801160160 Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 013. 97/09/03. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--9801160161 Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 57FR1890. 97/08/29. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--9801160163 Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . 57FR1890. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--9801160165 Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--9801160167 Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--9801160173 Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). 57FR1890. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--9801160176 Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). 57FR1890. 97/08/28. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--9801160186 Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--9801160188 Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). 96/06/11. LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--9801160191 Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--9801160196 Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--9801200001 Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 96/06/14. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--9801200002 Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/25. MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--9801200006 Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--9801200026 Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 95/05/19. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--9801220320 Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). AF35-2 030. 96/09/25. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

--9801200019 Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 8pp. A1862:232-A1862:239.

--9801160181 Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--9801160112 Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 57FR1890. 97/10/02. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--9801160143 Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/30. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--9801160146 Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 97/10/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--9801160149 Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--9801160160 Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 013. 97/09/03. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--9801160161 Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 57FR1890. 97/08/29. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--9801160163 Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . 57FR1890. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--9801160165 Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--9801160167 Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--9801160173 Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). 57FR1890. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--9801160176 Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). 57FR1890. 97/08/28. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--9801160186 Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--9801160188 Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). 96/06/11. LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--9801160191 Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--9801160196 Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--9801200001 Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 96/06/14. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--9801200002 Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/25. MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--9801200006 Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--9801200026 Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 95/05/19. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--9801220320 Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). AF35-2 030. 96/09/25. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

--9801160112 Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). AF35-2 009. 97/10/02. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--9801160143 Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). AF35-2 010. 97/09/30. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--9801160146 Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). AF35-2 011. 97/10/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--9801160149 Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). AF35-2 012. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--9801160160 Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 97/09/03. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--9801160161 Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. AF35-2 014. 97/08/29. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--9801160163 Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . AF35-2 015. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--9801160165 Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. AF35-2 016. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--9801160167 Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. AF35-2 017. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--9801160173 Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF35-2 018. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--9801160176 Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). AF35-2 019. 97/08/28. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--9801160181 Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). AF35-2 020. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--9801160186 Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF35-2 033. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--9801160188 Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). AF35-2 034. 96/06/11. LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--9801160191 Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF35-2 035. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--9801160196 Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). AF35-2 036. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--9801200001 Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 037. 96/06/14. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--9801200002 Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. AF35-2 040. 96/07/25. MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--9801200006 Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. AF35-2 041. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--9801200019 Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF35-2 044. 95/11/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). LIEBERMAN,J. Ofc of Enforcement (Post 870413). 8pp. A1862:232-A1862:239.

--9801200026 Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). AF35-2 045. 95/05/19. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--9801220320 Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). AF35-2 030. 96/09/25. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

--9801160181 Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--9801160112 Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 57FR1890. 97/10/02. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--9801160143 Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/30. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--9801160146 Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 97/10/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--9801160149 Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--9801160160 Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 013. 97/09/03. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--**9801160161** Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 57FR1890. 97/08/29. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--**9801160163** Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . 57FR1890. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--**9801160165** Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--**9801160167** Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--**9801160173** Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). 57FR1890. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--**9801160176** Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). 57FR1890. 97/08/28. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--**9801160186** Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--**9801160188** Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). 96/06/11. LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--**9801160191** Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--**9801160196** Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--**9801200001** Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 96/06/14. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--**9801200002** Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/25. MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--**9801200006** Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--**9801200019** Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 8pp. A1862:232-A1862:239.

--**9801200026** Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 95/05/19. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--**9801220320** Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). AF35-2 030. 96/09/25. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:14R-A1862:208.

--**9801160112** Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). AF35-2 009. 97/10/02. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--**9801160143** Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). AF35-2 010. 97/09/30. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--**9801160146** Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). AF35-2 011. 97/10/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--**9801160149** Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). AF35-2 012. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--**9801160160** Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 97/09/03. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--**9801160161** Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. AF35-2 014. 97/08/29. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--**9801160163** Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . AF35-2 015. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--**9801160165** Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. AF35-2 016. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--**9801160167** Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. AF35-2 017. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--**9801160173** Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF35-2 018. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--**9801160176** Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). AF35-2 019. 97/08/28. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--**9801160181** Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). AF35-2 020. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--**9801160186** Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF35-2 033. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--**9801160188** Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). AF35-2 034. 96/06/11. LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--**9801160191** Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF35-2 035. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--**9801160196** Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). AF35-2 036. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--**9801200001** Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 037. 96/06/14. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--**9801200002** Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. AF35-2 040. 96/07/25. MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--**9801200006** Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. AF35-2 041. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--**9801200019** Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF35-2 044. 95/11/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). LIEBERMAN,J. Ofc of Enforcement (Post 870413). 8pp. A1862:232-A1862:239.

--**9801200026** Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). AF35-2 045. 95/05/19. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--**9801220320** Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). AF35-2 030. 96/09/25. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

--**9801160112** Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). AF35-2 009. 97/10/02. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--**9801160143** Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). AF35-2 010. 97/09/30. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--**9801160146** Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). AF35-2 011. 97/10/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--**9801160149** Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). AF35-2 012. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--**9801160160** Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 97/09/03. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--**9801160161** Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. AF35-2 014. 97/08/29. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--**9801160163** Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . AF35-2 015. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--**9801160165** Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. AF35-2 016. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--**9801160167** Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. AF35-2 017. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--**9801160173** Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF35-2 018. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--**9801160176** Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). AF35-2 019. 97/08/28. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--**9801160181** Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). AF35-2 020. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--**9801160186** Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF35-2 033. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--**9801160188** Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). AF35-2 034. 96/06/11. LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--**9801160191** Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF35-2 035. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--**9801160196** Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). AF35-2 036. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--**9801200001** Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 037. 96/06/14. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--**9801200002** Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. AF35-2 040. 96/07/25. MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--**9801200006** Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. AF35-2 041. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--**9801200019** Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF35-2 044. 95/11/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). LIEBERMAN,J. Ofc of Enforcement (Post 870413). 8pp. A1862:232-A1862:239.

--**9801200026** Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). AF35-2 045. 95/05/19. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--**9801220320** Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). AF35-2 030. 96/09/25. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

--**9801200019** Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 95/11/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 8pp. A1862:232-A1862:239.

--**9801160181** Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--**9801160112** Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 57FR1890. 97/10/02. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--**9801160143** Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/30. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--**9801160146** Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/10/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--**9801160149** Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--**9801160160** Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 013. 97/09/03. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--**9801160161** Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 57FR1890. 97/08/29. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--**9801160163** Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . 57FR1890. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--**9801160165** Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--**9801160167** Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--**9801160173** Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). 57FR1890. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--**9801160176** Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). 57FR1890. 97/08/28. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--**9801160186** Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--**9801160188** Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). 57FR1890. 96/06/11. LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--**9801160191** Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--**9801160196** Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--**9801200001** Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 96/06/14. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--**9801200002** Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/25. MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--**9801200006** Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--**9801200026** Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 95/05/19. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--**9801220320** Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). 57FR1890. 96/09/25. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

--**9801200019** Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 95/11/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 8pp. A1862:232-A1862:239.

--**9801160181** Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--**9801160112** Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 57FR1890. 97/10/02. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--**9801160143** Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/30. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--**9801160146** Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/10/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--**9801160149** Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--**9801160160** Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 013. 97/09/03. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--**9801160161** Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 57FR1890. 97/08/29. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--**9801160163** Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . 57FR1890. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--**9801160165** Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--**9801160167** Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--**9801160173** Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). 57FR1890. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--**9801160176** Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). 57FR1890. 97/08/28. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--**9801160186** Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--**9801160188** Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). 57FR1890. 96/06/11. LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--**9801160191** Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--**9801160196** Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--**9801200001** Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 96/06/14. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--**9801200002** Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/25. MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--**9801200006** Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--**9801200026** Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. *Ofc of Enforcement (Post 870413).* 57FR1890. 95/05/19. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--**9801220320** Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). 57FR1890. 96/09/25. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

--**9801200019** Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 8pp. A1862:232-A1862:239.

--**9801160181** Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--**9801160112** Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 57FR1890. 97/10/02. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--**9801160143** Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/30. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--**9801160146** Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 97/10/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--**9801160149** Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/09. KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--**9801160160** Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 013. 97/09/03.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--**9801160161** Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 57FR1890. 97/08/29.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--**9801160163** Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . 57FR1890. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--**9801160165** Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--**9801160167** Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--**9801160173** Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). 57FR1890. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--**9801160176** Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). 57FR1890. 97/08/28.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--**9801160186** Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--**9801160188** Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). 96/06/11.
LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--**9801160191** Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 57FR1890. 96/06/12.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--**9801160196** Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). 57FR1890. 96/06/12.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--**9801200001** Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 96/06/14.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--**9801200002** Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/25.
MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--**9801200006** Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--**9801200026** Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 95/05/19.
MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--**9801220320** Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). AF35-2 030. 96/09/25.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

--**9801200019** Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 8pp. A1862:232-A1862:239.

--**9801160181** Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--**9801160112** Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 57FR1890. 97/10/02.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--**9801160143** Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/30.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--**9801160146** Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 97/10/06.
CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--**9801160149** Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/09.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--**9801160160** Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 013. 97/09/03.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--**9801160161** Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 57FR1890. 97/08/29.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--**9801160163** Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . 57FR1890. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--**9801160165** Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--**9801160167** Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--**9801160173** Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). 57FR1890. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--**9801160176** Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). 57FR1890. 97/08/28.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--**9801160186** Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--**9801160188** Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). 96/06/11.
LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--**9801160191** Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 57FR1890. 96/06/12.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--**9801160196** Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). 57FR1890. 96/06/12.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--**9801200001** Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 96/06/14.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--**9801200002** Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/25.
MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--**9801200006** Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--**9801200026** Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 95/05/19.
MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--**9801220320** Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). AF35-2 030. 96/09/25.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

--**9801200019** Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 8pp. A1862:232-A1862:239.

--**9801160181** Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--**9801160112** Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 57FR1890. 97/10/02.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--**9801160143** Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/30.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--**9801160146** Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 97/10/06.
CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--**9801160149** Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/09.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--**9801160160** Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 013. 97/09/03.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--**9801160161** Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 57FR1890. 97/08/29.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--**9801160163** Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . 57FR1890. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--**9801160165** Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--**9801160167** Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--**9801160173** Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). 57FR1890. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--**9801160176** Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). 57FR1890. 97/08/28.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--**9801160186** Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--**9801160188** Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). 96/06/11.
LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--**9801160191** Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 57FR1890. 96/06/12.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--**9801160196** Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). 57FR1890. 96/06/12.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--**9801200001** Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 96/06/14.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--**9801200002** Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/25.
MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--**9801200006** Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--**9801200026** Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 95/05/19.
MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--**9801220320** Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). AF35-2 030. 96/09/25.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

--**9801200019** Forwards rulemaking plan re deliberate misconduct,for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 8pp. A1862:232-A1862:239.

--**9801160181** Forwards Commission paper re delibrate misconduct by unlicensed persons,for concurrence.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 97/08/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 102pp. A1861:328-A1862:147.

--**9801160112** Discusses final rule amending deliberate misconduct rule. OGC has no legal objection to amended rule.
OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 57FR1890. 97/10/02.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 20pp. A1861:100-A1861:119.

--**9801160143** Informs of concurrence in final rule, "Deliberate Misconduct by Unlicensed Persons," w/changes noted in encl pages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/30.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 23pp. A1861:120-A1861:143.

--**9801160146** Forwards Commission paper final rule, "Deliberate Misconduct by Unlicensed Persons," & change to NRC enforcement policy, provided for review & transmittal to Commission.
KNAPP,M. Office of Nuclear Regulatory Research (Post 941217). 97/10/06.
CALLAN,L.J. Ofc of the Executive Director for Operations. 87pp. A1861:144-A1861:232.

--**9801160149** Submits comments on final rule re deliberate misconduct by unlicensed persons.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 57FR1890. 97/09/09.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 15pp. A1861:233-A1861:248.

--**9801160160** Discusses final rule, "Deliberate Misconduct by Unlicensed Persons." Section in final rule entitled, "Compatibility of Agreement State Regulations," recommended to be revised as listed if Commission paper is delayed until issuance of SRM.
BANGART,R.L. Office of State Programs (Post 911117). AF35-2 013. 97/09/03.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:249-A1861:250.

--**9801160161** Forwards comments on final rule re deliberate misconduct by unlicensed persons.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 57FR1890. 97/08/29.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 2pp. A1861:251-A1861:252.

--**9801160163** Forwards correction to final rule re deliberate misconduct by unlicensed persons.
ROE,J.W. . 57FR1890. 97/08/28. BAHADUR,S. Regulation Development Branch (Post 941217). 2pp. A1861:253-A1861:254.

--**9801160165** Informs of concurrence w/draft final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 57FR1890. 97/08/25. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:255-A1861:255.

--**9801160167** Informs that OCFO reviewing final rule re deliberate misconduct by unlicensed persons.
HEAVEY,T. NRC - No Detailed Affiliation Given. 97/08/20. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1861:256-A1861:256.

--**9801160173** Informs of concurrence on final rule re deliberate misconduct by unlicensed persons.
SHELTON,B.J. Information & Records Management Branch (Post 890827). 57FR1890. 97/08/25. DIPALO,A.J. Division of Regulatory Applications (Post 941217). 1p. A1861:257-A1861:257.

--**9801160176** Forwards comments re final rule re deliberate misconduct by unlicensed persons.
HALMAN,E.L. Office of Administration, Director (Post 940714). 57FR1890. 97/08/28.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 69pp. A1861:258-A1861:327.

--**9801160186** Transmits Commission paper re deliberate misconduct by unlicensed persons.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 57FR1890. 96/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. A1862:209-A1862:210.

--**9801160188** Responds to request for comments & concurrence on proposed rule re deliberate miscoduct by unlicensed persons.
SHELTON,B. Information & Records Management Branch (Post 890827). 96/06/11. LESAR,M. Rules & Directives Review Branch (Post 920323). 1p. A1862:211-A1862:211.

--**9801160191** Submits comments on proposed rule re deliberate misconduct by unlicensed persons.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:212-A1862:212.

--**9801160196** Informs that Inspector General Ofc has no comments re re changes to deliberate misconduct rule.
NORTON,L.J. Office of the Inspector General (Post 890417). 57FR1890. 96/06/12. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:213-A1862:213.

--**9801200001** Submits comments re changes to deliberate misconduct rule, 10CFR30.10,40.10,50.5,60.11,61.9b,70.10,72.12,110.7b & parts 52 & 71.
BANGART,R.L. Office of State Programs (Post 911117). 57FR1890. 96/06/14. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. A1862:214-A1862:216.

--**9801200002** Informs that OGC has no legal objection to draft proposed rule re amends to deliberate misconduct rule.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/25. MORRIS,B.M. NRC - No Detailed Affiliation Given. 1p. A1862:217-A1862:217.

--**9801200005** Submits addition to Deliberate Misconduct Rule package.
CANT,G. NRC - No Detailed Affiliation Given. 57FR1890. 96/07/31. DI PALO,A.J. NRC - No Detailed Affiliation Given. 1p. A1862:218-A1862:231.

--**9801200026** Discusses initiation of deliberate misconduct rule.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 57FR1890. 95/05/19. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 35pp. A1862:240-A1862:275.

--**9801220320** Requests that Commission action be implemented by arranging for publication of encl proposed rule, "Deliberate Misconduct by Unlicensed Persons," in FR,allowing 75 days for public comment.
BAHADUR,S. Regulation Development Branch (Post 941217). AF35-2 030. 96/09/25. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A1862:148-A1862:208.

9801220339 Notice of amend to NUREG-1600, "General Statement of Policy & Procedure for NRC Enforcement Actions," to conform to mods to deliberate misconduct rule.
HOYLE,J.C. Office of the Secretary of the Commission. 62FR1982. 98/01/06. 13pp. A1889:131-A1889:143.

9801220357 Comment supporting proposed rule 10CFR50 & 70, "Criticality Accident Requirements."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 62FR63825 00008. 98/01/07. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1889:171-A1889:172.

9801230011 Comment on proposed rule 10CFR2 re resolution of licensing support sys issues & draft proposed rule.
BECHTEL,D. Clark County, NV. 62FR60789. 97/12/31. HOYLE,J. Office of the Secretary of the Commission. 2pp. A1915:170-A1915:171.

9801230022 Direct final rule 10CFR50, "Codes & Stds;IEEE Natl Consensus Std,Withdrawal;Correction." Rule corrects notice appearing on 971223.
LESAR,M.T. Rules & Directives Review Branch (Post 920323). 62FR53932. 98/01/06. 1p. A1915:172-A1915:172.

9801230035 Comment supporting proposed rules 10CFR50 & 140 re "Financial Protection Requirements for Permanently Shutdown Nuclear Power Reactors."
* Portland General Electric Co. 62FR58690 00003. 98/01/13. Office of the Secretary of the Commission. 2pp. A1915:179-A1915:180.

9801230042 Comment opposing proposed rule 10CFR50 re "Industry Codes & Stds;Amended Requirements."
FORBIS,D. Affiliation Not Assigned. 62FR63892 00002. 98/01/15. Office of the Secretary of the Commission. 1p. A1915:181-A1915:181.

9801230071 Comment supporting proposed rule 10CFR35 re maint of current training requirements for teletherapy or brachytherapy.
HEIMBURGER,D.K. Affiliation Not Assigned. 62FR42219 00248. 97/12/30. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1889:348-A1889:348.

9801230077 Comment opposing proposed rule 10CFR35 re training requirements for physicians who wish to use radiation for therapy.
ENNIS,R.D. Columbia Univ., New York, NY. 62FR42219 00249. 98/01/05. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:213-A1915:213.

9801230084 Requests that there be no changes in training requirements for teletherapy or brachytherapy in rev of 10CFR35.
CLINE,H.D. Affiliation Not Assigned. 62FR42219 00059. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:278-A1915:278.

9801230085 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy.
SAFER,M.L. Affiliation Not Assigned. 62FR42219 00250. 97/12/09. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1889:349-A1889:349.

9801230102 Comment on proposed rule 10CFR50 & 70 re "Criticality Accident Requirements." Trojan staff recommends proposed rule be revised to clarify applicability for plants that received NRC staff actions.
STEPHENSON,C. Portland General Electric Co. 62FR63825 00009. 98/01/13. Office of the Secretary of the Commission. 2pp. A1915:232-A1915:233.

9801230104 Comment opposing proposed rule 10CFR35 re use of teletherapy equipment & brachytherapy sources.
DHALIWAL,R.S. Affiliation Not Assigned. 62FR42219 00251. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:279-A1915:279.

9801230105 Comment opposing proposed rule 10CFR50 & 70 re "Exemption From Criticality Accident Requirements." Detroit Edison concerned that proposed changes will not provide sufficient flexibility meeting regulations to criticality monitoring.
PETERSON,N.K. Detroit Edison Co. 62FR63825 00007. 98/01/02. Office of the Secretary of the Commission. 4pp. A1915:234-A1915:237.

9801230106 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy & brachytherapy.
MARKETTE,K.L. Affiliation Not Assigned. 62FR42219 00060. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:280-A1915:281.

9801230108 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy.
ASSAD,W. Affiliation Not Assigned. 62FR42219 00253. 97/12/19. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1889:350-A1889:351.

9801230112 Comment opposing proposed rule 10CFR35 re training requirements for physician to practice brachytherapy or teletherapy.
WHITTINGTON,R. Pennsylvania, Univ. of, Philadelphia, PA. 62FR42219 00050. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:151-A1915:152.

9801230113 Comment on proposed rules 10CFR50 & 140, "Financial Protection Requirements for Permanently Shutdown Nuclear Power Reactors"
HENDRICKS,L. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR58690 00002. 98/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1915:148-A1915:150.

9801230114 Comment on proposed rule 10CFR35 re brachytherapy.
AYGUN,C. Affiliation Not Assigned. 62FR42219 00070. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:282-A1915:282.

9801230120 Comment on proposed rule 10CFR35 re framework for regulation of nuclear medicine.
* American College of Nuclear Physicians. 62FR42219 00239. 97/12/18. NRC - No Detailed Affiliation Given. 68pp. A1914:241-A1914:329.

9801230121 Comment on proposed rule 10CFR35 re time-tested guidelines, use of teletherapy equipment & brachytherapy sources & who qualified to administer treatment w/types of equipment.
MARKOE,A.M. Univ. of Miami School of Medicine, Miami, FL. 62FR42219 00254. 97/12/29. NRC - No Detailed Affiliation Given. 2pp. A1889:352-A1889:353.

9801230124 Comment on proposed rule 10CFR35 re brachytherapy.
BLUM,J. Affiliation Not Assigned. 62FR42219 00071. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:283-A1915:283.

9801230126 Comment opposing proposed rule 10CFR35 re limited use of teletherapy equipment & brachytherapy equipment by physicians not specially trained in all aspects of radiation therapy.
ALBRECHT,C.H. Affiliation Not Assigned. 62FR42219 00051. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:284-A1915:284.

9801230127 Comment opposing proposed rule 10CFR35 re potential change in training requirements for use of teletherapy equipment & brachytherapy sources.
PERCARPIO,B. Waterbury Hosp. Health Center, Waterbury, CT. 62FR42219 00240. 97/12/18. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1913:350-A1913:350.

9801230131 Comment opposing proposed rule 10CFR35 re training requirements of operation of teletherapy of brachytherapy.
TERRY,L.N. Affiliation Not Assigned. 62FR42219 00255. 97/12/31. COOL,D. NRC - No Detailed Affiliation Given. 1p. A1889:354-A1889:354.

9801230133 Comment opposing proposed rule 10CFR35 re changing training requirements for teletherapy & brachytherapy.
YOUNG,J.A. Maine Medical Center, Portland, ME. 62FR42219 00235. 97/12/17. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1914:330-A1914:331.

9801230135 Comment opposing proposed rule 10CFR35 re delivering radiation therapy w/o benefit of radiation oncologist involvement.
FOWLER,P.B. Affiliation Not Assigned. 62FR42219 00052. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:285-A1915:285.

9801230136 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy or brachytherapy.
MUDD,K.J. Affiliation Not Assigned. 62FR42219 00241. 97/12/23. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:286-A1915:286.

9801230140 Comment opposing proposed rule 10CFR35 re training of individuals who carry out brachytherapy.
GLATSTEIN,E. Affiliation Not Assigned. 62FR42219 00053. 97/12/02. NRC - No Detailed Affiliation Given. 3pp. A1915:287-A1915:289.

9801230143 Comment on proposed rule 10CFR35 re training requirements for physicians to use certain brachytherapy & teletherapy equipment.
BAUER,J.E. Indiana Regional Cancer Treatment Center, Indiana, PA. 62FR42219 00244. 97/12/24. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1889:355-A1889:355.

9801230144 Comment opposing proposed rule 10CFR35 re training requirments for use of teletherapy & brachytherapy.
CURRAN,W.J. American College of Radiology. 62FR42219 00242. 97/12/24. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1913:351-A1913:351.

9801230147 Comment opposing proposed rule 10CFR35 re training requirements for physicians to use certain brachytherapy & teletherapy equipment.
APPLEGATE,G.L. Indiana Regional Cancer Treatment Center, Indiana, PA. 62FR42219 00243. 97/12/24. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1913:352-A1913:352.

9801230157 Comment opposing proposed rule 10CFR35 re aspects of diagnostic radiology,nuclear medicine & therapeutic radiology.
DICKERSON,G.A. Affiliation Not Assigned. 62FR42219 00047. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:290-A1915:291.

9801230161 Comment opposing proposed rule 10CFR35 re changes to training requirements for use of Teletherapy equipment & Brachytherapy Sources.
ZOLLINGER,W. Affiliation Not Assigned. 62FR42219 00048. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:292-A1915:293.

9801230169 Comment opposing proposed rule 10CFR35 re changes being made to training requirements for teletherapy & brachytherapy.
DELAND,M.M. Affiliation Not Assigned. 62FR42219 00049. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:294-A1915:295.

9801230170 Comment on proposed rule 10CFR35 re possibility of changing training re*quirements for teletherapy & brachytherapy.*
MULLEN,J.R. Affiliation Not Assigned. 62FR42219 00233. 97/12/17. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:296-A1915:297.

9801230175 Comment opposing rev of 10CFR35 w/regard to training requirements for teletherapy & brachytherapy.
KEITH,J. West Jersey Cancer Center at Voorhees, Voorhees, NJ. 62FR42219 00033. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:146-A1915:147.

9801230180 Comment opposing proposed rule 10CFR35 re radiation therapy w/o benefit of radiation oncologist involvement.
KONCHAN,D. Affiliation Not Assigned. 62FR42219 00072. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:298-A1915:298.

9801230187 Comment opposing proposed revs to 10CFR35 re medical use of radiation equipment & sources.
FERNANDEZ Affiliation Not Assigned. 62FR42219 00035. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:299-A1915:300.

9801230189 Comment opposing proposed rule 10CFR35 re maint of current training requirements for teletherapy & brachytherapy treatment administration.
AHMAD,N.R. Thomas Jefferson Univ. Hosp., Philadelphia, PA. 62FR42219 00041. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1914:334-A1914:334.

9801230194 Comment opposing proposed rule 10CFR35 re training requirements for usage of teletherapy or brachytherapy by authorized users.
VINCE,M.A. Altoona Hosp., Altoona, PA. 62FR42219 00042. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1914:336-A1914:336.

9801230215 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy or brachytherapy.
BRIONES,T.S. Affiliation Not Assigned. 62FR42219 00258. 98/01/06. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1914:337-A1914:337.

9801230220 Comment on proposed rule 10CFR35 re possible revision of authorized users for brachytherapy.
EVANS,R.F. Marin General Hosp., San Rafael, CA. 62FR42219 00237. 98/01/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1914:338-A1914:338.

9801230222 Comment on proposed rule 10CFR35 re revisions to training in radiation therapy & radiation safety procedures.
OKUNIEFF,P. Rochester, Univ. of, Medical Center, Rochester, NY. 62FR42219 00238. 97/12/17. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1914:339-A1914:339.

9801230227 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy or brachytherapy.
TILMANS,A.S. Affiliation Not Assigned. 62FR42219 00259. 98/01/06. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1914:342-A1914:342.

9801230236 Comment opposing proposed rule 10CFR35 re changes in training requirements for teletherapy or brachytherapy.
GANDLE,L. Affiliation Not Assigned. 62FR42219 00227. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1914:347-A1914:348.

9801230238 Comment opposing proposed rule 10CFR35 re training of physicians in therapeutic uses of radiation.
CURRAN,W.J. Affiliation Not Assigned. 62FR42219 00245. 97/12/24. COOL,D.A. NRC - *No Detailed Affiliation Given.* 1p. A1915:301-A1915:301.

9801230239 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy & brachytherapy.
WATSON,M.R. Affiliation Not Assigned. 62FR42219 00256. 98/01/05. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1914:349-A1914:349.

9801230243 Comment supporting proposed rule 10CFR35 re practice of radiation therapy in United States.
SEITZ,C.B. Affiliation Not Assigned. 62FR42219 00246. 97/12/26. COOL,D.A. NRC - *No Detailed Affiliation Given.* 1p. *A1915:239-A1915:239.*

9801230246 Supplemental comments opposing Final Rule 10CFR50.68 & 10CFR70.24.
DEWHIRST,L.R. Nebraska Public Power District. 62FR63825 00006. 98/01/08. GALLAGHER,C.A. NRC - No Detailed Affiliation Given. 3pp. A1914:350-A1914:351.

9801230252 Comment supporting proposed rule 10CFR35 re training therapeutic radiology.
SAFA,A.A., GOY,B., DOLKAR,D. California, Univ. of, Los Angeles, CA. 62FR42219 00247. 97/12/29. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:240-A1915:241.

9801230262 Comment opposing proposed rule 10CFR35 re changes in training requirements for use of teletherapy equipment & brachytherapy sources.
HUGHES,E.N. Kettering Medical Center, Adventist Health Systems-Eastern Middle America, Kette. 62FR42219 00018. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1914:353-A1914:354.

9801230266 Comment oppposing proposed rule 10CFR35 re proposed change in NRC training guidelines for practice of teletherapy or brachytherapy.
KIEL,K.D. Affiliation Not Assigned. 62FR42219 00017. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1914:357-A1914:358.

9801230267 Comment on proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy.
SALAZAR,O.M. Affiliation Not Assigned. 62FR42219 00252. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:305-A1915:306.

9801230268 Comment opposing proposed rule 10CFR35 re changing training requirements for teletherapy & brachytherapy.
PRYZANT,R.M. Maine Medical Center, Portland, ME. 62FR42219 00234. 97/12/17. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1914:359-A1914:360.

9801230270 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy.
HARRISON,G.L. Affiliation Not Assigned. 62FR42219 00016. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:307-A1915:307.

9801230273 Comment opposing proposed rule 10CFR35 changing way in which it regu*lates medical use of radiation equipment & sources.*
LUTZ,S.T. Methodist Hosps. of Memphis, Memphis, TN. 62FR42219 00219. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 3pp. A1915:066-A1915:068.

9801230275 Comment opposing proposed rule 10CFR35 re training in teletherapy & brachytherapy.
DABNEY,C.A. Affiliation Not Assigned. 62FR42219 00232. 97/12/17. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:308-A1915:308.

9801230317 Comment supporting proposed rule 10CFR35 re current training requirements for use of teletherapy equipment & brachytherapy sources.
MEALOR,R.S. Affiliation Not Assigned. 62FR42219 00260. 98/01/08. NRC - No Detailed Affiliation Given. 1p. A1915:302-A1915:302.

9801230336 Comment supporting proposed rules 10CFR50 & 140 re financial protection requirements for permanently shutdown nuclear power reactors.
DEWEASE,J.G. Entergy Operations, Inc. 62FR58690 00004. 98/01/13. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:244-A1915:245.

9801230344 Comment supporting proposed rules 10CFR50 & 140 re financial protection requirements for permanently shutdown nuclear power reactors.
AINGER,K.A. Commonwealth Edison Co. 62FR58690 00006. 98/01/13. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:246-A1915:247.

9801230346 "Deliberate Misconduct by Unlicensed Persons." Amend would subj categories of persons to enforcement action for deliberate misconduct,per 10CFR30,32,40,50,52,60,61,70,71, 72,110 & 150.
HOYLE,J.C. Office of the Secretary of the Commission. 62FR51835. 98/01/06. 51pp. A1890:001-A1890:051.

9801230348 Comments on PR 10CFR35 re regulations by which NRC control medical use of radiation equipment & sources.Recommends that current training requirements for authorized use of brachytherapy sources & teletherapy be maintained.
SPIEGEL,J.F. Affiliation Not Assigned. 62FR42219 00202. 97/12/11. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1889:345-A1889:345.

9801230351 Comment opposing proposed rule 10CFR35 re proposed change in NRC training guidelines for practice of teletherapy or brachytherapy.
MITTAL,B.B. Affiliation Not Assigned. 62FR42219 00029. 97/12/01. NRC - No Detailed Affiliation Given. *2pp. A1915:309-A1915:310.*

9801230353 Comment on proposed rules 10CFR50 & 140 re financial protection for permanently shutdown nuclear power reactor.
KNOTTS,J.B., HORIN,W.A., TEMPLE,R.K. Winston & Strawn. 62FR58690 00005. 98/01/16. NRC - No Detailed Affiliation Given. 8pp. A1915:248-A1915:255.

9801230354 Comment opposing proposed rule 10CFR35 re rev to regulations for use of teletherapy & brachytherapy.
MEHTA,Y. Affiliation Not Assigned. 62FR42219 00166. 97/12/08. COOL,D.A. NRC - *No Detailed Affiliation Given. 1p. A1915:303-A1915:303.*

9801230359 Comment opposing proposed rule 10CFR35 re rev of regulations for use of teletherapy & brachytherapy.
MEHTA,Y. Affiliation Not Assigned. 62FR42219 00165. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:304-A1915:304.

9801230360 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy or brachytherapy.
DAVIS,B.J. Affiliation Not Assigned. 62FR42219 00158. 97/12/08. COOL,D.A. NRC - *No Detailed Affiliation Given.* 1p. *A1915:267-A1915:267.*

9801230367 Comment opposing proposed rule 10CFR35 re change in training requirement for teletherapy or brachytherapy.
PAESSUN,R.J. Affiliation Not Assigned. 62FR42219 00157. 97/12/08. NRC - No Detailed Affiliation Given. 2pp. A1915:119-A1915:120.

9801230368 Comment on PR 10CFR35 re maintaining safety of patients & public when it comes to delivery of radiation therapy.
KACZOR,J.G. Affiliation Not Assigned. 62FR42219 00203. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:311-A1915:312.

9801230370 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy equipment & brachtherapy sources.
BURTON,S. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 62FR42219 00197. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:121-A1915:121.

9801230373 Comment opposing proposed rule 10CFR35 re changes in training in handling of nuclear matl.
CARDINALE,J.G. Hosp. of St. Raphael, New Haven, CT. 62FR42219 00178. 97/12/09. COOL,R.A. NRC - No Detailed Affiliation Given. 2pp. A1915:122-A1915:123.

9801230375 Comment opposing proposed rule 10CFR35 re changes in training requirements for teletherapy & brachytherapy.
PAST,L.R. Medical X-Ray Center Sioux Falls,SD. 62FR42219 00179. 97/12/09. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:124-A1915:124.

9801230376 Comment on PR 10CFR35 re training requirements for physicians who use *radiation for clinical medical use.*
LU,J.J. Affiliation Not Assigned. 62FR42219 00035. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:313-A1915:313.

9801230378 Comment opposing proposed rule 10CFR35 re changes in training requirements for teleradiotherapy & brachytherapy.
SMITH,C.E. Mountain States Tumor Institute, Boise, ID. 62FR42219 00180. 97/12/09. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:125-A1915:126.

9801230381 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy or brachytherapy.
KADEMIAN,M.T. Affiliation Not Assigned. 62FR42219 00159. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:127-A1915:127.

9801230383 Comment opposing proposed rule 10CFR35 re changes in training requirements for authorized user of radiation sources.
SPEISER,B.L. Affiliation Not Assigned. 62FR42219 00181. 97/12/09. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:314-A1915:314.

9801230384 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy.
BROOKLAND,R.K. Affiliation Not Assigned. 62FR42219 00205. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:315-A1915:315.

9801230387 Comment opposing proposed rule 10CFR35 re changing training requirements for use of teletherapy equipment & brachytherapy sources.
LEVITT,S.H. Minnesota, Univ. of, Minneapolis, MN. 62FR42219 00182. 97/12/09. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:128-A1915:129.

9801230389 Comment on PR 10CFR35 re training requirements for use of teletherapy equipment & brachytherapy sources.
CHEN,A. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 62FR42219 00194. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:256-A1915:256.

9801230390 Comment on future revs of 10CFR35 re training requirements for teletherapy or brachytherapy.
DITZEL,D.W. Affiliation Not Assigned. 62FR42219 00163. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:316-A1915:316.

9801230391 Comment opposing proposed rule 10CFR35 re changing of training requirements for use of teletherapy equipment & brachytherapy sources.
WU,A. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 62FR42219 00184. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:130-A1915:130.

9801230397 Comment opposing proposed rule 10CFR35 re changing of training requirements in teletherapy & brachytherapy.
MOORE,T.N. Affiliation Not Assigned. 62FR42219 00175. 97/12/09. COOL,D.A. NRC - No Detailed Affiliation Given. 3pp. A1915:317-A1915:319.

9801230399 Comment opposing 10CFR35 re medical use of radioisotopes. 10CFR35 believed to be appropriate way it is currently written.
HERSHATTER,B.W. Affiliation Not Assigned. 62FR42219 00195. 97/12/10. COOL,D. NRC - No Detailed Affiliation Given. 1p. A1915:320-A1915:320.

9801230401 Comment opposing proposed rule 10CFR35 re training requirements.
SMITH,D.E. Affiliation Not Assigned. 62FR42219 00191. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:321-A1915:321.

9801230405 Comment opposing proposed rule 10CFR35 re changing of requirements of authorized user of brachytherapy sources.
NAGEL,D.B. Affiliation Not Assigned. 62FR42219 00172. 97/12/09. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:322-A1915:322.

9801230408 Comment opposing proposed rule 10CFR35 re medical use of radiation equipment & sources.
KURUP,P. Affiliation Not Assigned. 62FR42219 00192. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:131-A1915:131.

9801230410 Comment opposing proposed rule 10CFR35 re training requirements for use of ionizing radiation as brachytherapy or teletherapy sources.
TURRISI,A.T. Affiliation Not Assigned. 62FR42219 00193. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:323-A1915:324.

9801230415 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy.
BLUMBERG,A.L. Affiliation Not Assigned. 62FR42219 00190. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:325-A1915:325.

9801230416 Comment opposing proposed rule 10CFR35 re changing regulations which control medical use of radiation equipment & sources.
PETTY,A.M. Affiliation Not Assigned. 62FR42219 00098. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:326-A1915:326.

9801230417 Comment opposing proposed revs to 10CFR35 re control of use of medical radiation therapy equipment & sources.
SCHOCKER,J.D. Altoona Hosp., Altoona, PA. 62FR42219 00035. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:261-A1915:261.

9801230418 Comment opposing proposed rule 10CFR35 re training requirements.
LAPORTE,R.M. Radiation Oncology Center, Inc., San Juan, PR. 62FR42219 00189. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:132-A1915:132.

9801230419 Comment opposing proposed rule 10CFR35 re possible rev dealing w/ training requirements for use teletherapy equipment & brachytherapy sources.
KALNICKI,S. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 62FR42219 00185. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:133-A1915:133.

9801230420 Comment opposing proposed rule 10CFR35 re change to decrease requirements to perform Gamma knife radiotherapy & cardiac brachytherapy.
ROGERS,J.D. St. Johns Regional Health Center, Springfield, MO. 62FR42219 00152. 97/12/05. KUHL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:134-A1915:134.

9801230421 Comment opposing proposed rule 10CFR35 re changing training requirements for teletherapy or brachytherapy.
KROCHAK,R.J. Affiliation Not Assigned. 62FR42219 00100. 97/12/03. KUHL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:327-A1915:328.

9801230422 Comment on proposed rule 10CFR35 re possible revs related to regulation of authorized users of brachytherapy,sources & required training requirements.
NIGH,S.S. Baptist Medical Center, Kansas City, MO. 62FR42219 00061. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:257-A1915:257.

9801230423 Comment opposing proposed rule 10CFR35 re NRC training requirements for teletherapy & brachytherapy administration.
JACKSON,J.M. Affiliation Not Assigned. 62FR42219 00187. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:329-A1915:329.

9801230424 Comment opposing proposed rule 10CFR35 re possible change to training requirements for use of teletherapy equipment & brachytherapy sources.
BYLAND,R.Y. Affiliation Not Assigned. 62FR42219 00039. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1889:347-A1889:347.

9801230425 Comment opposing proposed rule 10CFR35 re changing training requirements in therapeutic radiology.
CHUBA,P.J. Affiliation Not Assigned. 62FR42219 00101. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:330-A1915:330.

9801230426 Comment opposing proposed rule 10CFR35 re plans for rev which include therapeutic radiology.
KURUP,P. Affiliation Not Assigned. 62FR42219 00186. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:331-A1915:331.

9801230427 Comment opposing rev of 10CFR35 re medical use of radiation equipment & sources.Recommends current training requirements for teletherapy & brachytherapy be maintained.
OLESON,J.R. Arizona, Univ. of, Tucson, AZ. 62FR42219 00037. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:258-A1915:258.

9801230428 Comment opposing PR 10CFR35 re training requirements for handling brachytherapy sources & for delivering teletherapy.
THOMAS,D.S. Affiliation Not Assigned. 62FR42219 00141. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:259-A1915:260.

9801230430 Comment opposing proposed rule 10CFR35 re changing training requirements for medical use of teletherapy & brachytherapy.
COLVERT,K.T. Affiliation Not Assigned. 62FR42219 00102. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:135-A1915:136.

9801230431 Comment opposing proposed rule 10CFR35 re changing training requirements for teletherapy or brachytherapy.
BRASCHO,D.J. Affiliation Not Assigned. 62FR42219 00015. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:332-A1915:332.

9801230432 Comment opposing PR 10CFR35 re training requirements for use of teletherapy equipment & brachytherapy sources.
LACOMBE,M.A. Evanston & Glenbrook Hosps., Evanston, IL. 62FR42219 00142. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:262-A1915:263.

9801230433 Discusses concerns re two issues:broad based discussion about what needs to be discussed & areas NRC believes need to be addressed.Provides list of questions considered essential to include as discussion topics during workshops.
NICHOLS,D.C. American College of Nuclear Physicians. NICHOLS,D.C. Society of Nuclear Medicine. 62FR42219. 97/10/10. THOMPSON,H.L. Ofc of the Executive Director for Operations. 2pp. A1915:137-A1915:138.

9801230435 Comment opposing proposed rule 10CFR35 re changing training requirements for use of teletherapy equipment & brachytherapy sources.
ECHT,G.A. Affiliation Not Assigned. 62FR42219 00014. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:333-A1915:334.

9801230436 Comment opposing proposed rule 10CFR35 re changing training requirements for physicians engaged in radiation oncology utilizing either external beam or brachytherapy sources.
ORNITZ,R.D. Triangle Radiation Oncology Associates, Inc. 62FR42219 00104. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:139-A1915:139.

9801230437 Comment opposing proposed rule,10CFR35 re change in training requirements for teletherapy & brachytherapy.
TOWLINSON,W.V. Affiliation Not Assigned. 62FR42219 00109. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:140-A1915:140.

9801230438 Comment opposing proposed rule 10CFR35 re changing training requirements for teletherapy or brachytherapy.
STOKES,S.H. Affiliation Not Assigned. 62FR42219 00105. 97/12/03. COOL,D. NRC - No Detailed Affiliation Given. 2pp. A1915:335-A1915:336.

9801230439 Comment opposing proposed rule 10CFR35 re proposed change in NRC training guidelines for practice of teletherapy or brachytherapy.
MARYMONT,M.H. Northwestern Univ., Evanston, IL. 62FR42219 00028. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:141-A1915:142.

9801230440 Comment opposing proposed rule 10CFR35 re possible revs by NRC to training requirements.
OWENS,D.T. Immanuel-St. Joseph's Hosp., Mankato, MN. 62FR42219 00005. 97/11/28. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:143-A1915:143.

9801230441 Comment opposing proposed rule 10CFR35 re changing training requirements for use of teletherapy equipment & brachytherapy sources.
PEREZ-TAMAYO,C. Affiliation Not Assigned. 62FR42219 00106. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:337-A1915:337.

9801230442 Comment opposing PR 10CFR35 re change in training requirements for use of teletherapy equipment & brachytherapy sources.
GREENLEAF,E.C. Affiliation Not Assigned. 62FR42219 00073. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:338-A1915:338.

9801230443 Comment opposing proposed rule 10CFR35 re loosening training requirements associated w/teletherapy & brachytherapy.
POLLOCK,J. Affiliation Not Assigned. 62FR42219 00006. 97/11/28. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:339-A1915:339.

9801230444 Comment opposing proposed rule 10CFR35 re changing training requirements for administering radiation therapy.
KHARKAR,B.R. Bloomington Hosp., Bloomington, IN. 62FR42219 00107. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:144-A1915:144.

9801230445 Comment opposing proposed rule 10CFR35 re changing current training requirements for therapeutic use of radiation sources.
ELLIS,R. Case Western Reserve Univ., Cleveland, OH. EELIS,R. Affiliation Not Assigned. 62FR42219 00007. 97/11/29. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:340-A1915:340.

9801230446 Comment opposing proposed rule 10CFR35 re changing training requirements for teletherapy or brachytherapy.
BUTLER,D.F. Affiliation Not Assigned. 62FR42219 00108. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:145-A1915:145.

9801230447 Comment opposing proposed rule 10CFR35 re impetus to change regulations re training requirements for physicians who use radiation for clinical medical use.
HAN,H. Affiliation Not Assigned. 62FR42219 00008. 98/01/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:341-A1915:341.

9801230448 Comment opposing proposed rule 10CFR35 re impetus to change regulations re training requirements for physicians who use radiation for clinical medical use.
BRANDON,A.H. Affiliation Not Assigned. 62FR42219 00009. 98/01/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:342-A1915:342.

9801230449 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy or brachytherapy.
KOS,M.F. Affiliation Not Assigned. 62FR42219 00183. 97/12/09. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:343-A1915:343.

9801260001 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy & brachytherapy.
WIDMAN,D.W. Bloomington Hosp., Bloomington, IN. 62FR42219 00116. 97/12/03. COOL,D.E. NRC - No Detailed Affiliation Given. 1p. A1919:137-A1919:137.

9801260002 Comment on proposed rule 10CFR35 re training requirements for cardiologists,neuosurgeons & other non-radiation oncologists.
* Lahey Clinic Medical Center, Burlington, MA. 62FR42219 00236. 97/12/17. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:113-A1919:114.

9801260003 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy & brachytherapy.
SPEARS,W.T. Methodist Hops., St. Louis Park, MN. 62FR42219 00117. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:138-A1919:138.

9801260004 Comment on proposed rule 10CFR35 re proposed changes in regulations WRT therapeutic use of radiation.
HOLLINGS,E.F. Senate. 62FR42219. 97/12/16. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:150-A1919:151.

--9801260006 Comments on 10CFR35 re therapeutic use of radiation & consideration to lessen stds & criteria for licensure.
FITZGERALD,R.H. Affiliation Not Assigned. 62FR42219. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:151-A1919:151.

9801260005 Comment opposing proposed rule 10CFR35 re training requirements for external radiation therapy & brachytherapy.
MONSON,K.J. Affiliation Not Assigned. 62FR42219 00118. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:143-A1919:143.

9801260008 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy & brachytherapy.
WENDT,C.D. Affiliation Not Assigned. 62FR42219 00119. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:146-A1919:147.

9801260009 Comment opposing changes to proposed rule 10CFR35 re teletherapy & brachytherapy training requirements.
KHANDELWAL,S.R. Affiliation Not Assigned. 62FR42219 00127. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1917:283-A1917:284.

9801260010 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy & brachytherapy.
NAG,S. Affiliation Not Assigned. 62FR42219 11120. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:315-A1917:315.

9801260014 Comment on proposed rule 10CFR35 re std training in radiation biology & physics including practical training & use of brachytherapy & teletherapy sources.
MONAGHAN,T.W. Methodist Hosps. of Memphis, Memphis, TN. 62FR42219 00128. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:149-A1919:149.

9801260016 Comment opposing proposed rule 10CFR35 re training requirements for ionizing radiations in health care, including brachytherapy in coronary artery disease or use of gamma-knife by Neurosurgeons.
FARHATAZIZ Affiliation Not Assigned. 62FR42219 00140. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:277-A1926:277.

9801260017 Comment on proposed rule 10CFR35 re use of radiation therapy by non-radiation oncologists.
PACELLA,M.A, Affiliation Not Assigned. 62FR42219 00221. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:302-A1917:302.

9801260018 Comment opposing proposed rule 10CFR35 re teletherapy & brachytherapy training requirements.
CORWIN,J.A. Affiliation Not Assigned. 62FR42219 00129. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:303-A1917:303.

9801260020 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy.
REGINE,W.F. Kentucky, Univ. of, Lexington, KY. 62FR42219 00136. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:001-A1919:001.

9801260021 Comment on proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy.
STOCKSTILL,T.F. Methodist Hosps. of Memphis, Memphis, TN. 62FR42219 00220. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:115-A1919:115.

9801260023 Comment opposing proposed rule 10CFR35 re teletherapy & brachytherapy training requirements.
MEDBERY,C.A. Southwest Medical Center of Oklahoma, Oklahoma City, OK (formerly South Communit. 62FR42219 00130. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:069-A1919:069.

9801260024 Comment opposing proposed rule 10CFR35 re regulations on radiation therapy.
HERSHATTER,B.W. Affiliation Not Assigned. 62FR42219 00122. 97/12/03. COOL,D. NRC - No Detailed Affiliation Given. 1p. A1919:145-A1919:145.

9801260026 Comment opposing proposed rule 10CFR35 re teletherapy & brachytherapy training requirements.
SCHMUTZ,D.A. Affiliation Not Assigned. 62FR42219 00131. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:293-A1917:293.

9801260027 Comment opposing proposed rule 10CFR35 re non-radiotherapy specialists attempt to have certain training stds lessened for prescribing therapeutic radiation in certain situations.
FULLER,D.B. Affiliation Not Assigned. 62FR42219 00137. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1926:278-A1926:279.

9801260029 Comment opposing porposed rule 10CFR35 re training requirements for teletherapy & brachytherapy.
ESHAM,J.C Affiliation Not Assigned. 62FR42219 00123. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:144-A1919:144.

9801260032 Comment opposing proposed rule 10CFR35 re proposal to reduce training requirements for physician to be authorized user of brachytherapy sources.
HASELOW,R.E. Methodist Hops., St. Louis Park, MN. 62FR42219 00134. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:280-A1926:280.

9801260033 Comment opposing proposed rule 10CFR35 re change in training requirements for both types of brachytherapy & Leksell gamma unit for stereotactic radiation.
STAFFORD,S.L. Mayo Clinic, Rochester, MN. 62FR42219 00110. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:136-A1919:136.

9801260034 Comment opposing proposed rule 10CFR35 re changing training requirements w/respect to use of radioactive matls by physicians.
MACKLIS,R. Cleveland Clinic Foundation, Cleveland, OH. 62FR42219 00111. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:006-A1919:007.

9801260035 Comment opposing PR 10CFR35 re use of teletherapy equipment & brachytherapy sources.
BAINS,Y.S. Affiliation Not Assigned. 62FR42219 00196. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:287-A1917:287.

9801260036 Comment opposing proposed rule 10CFR35 re training requirements for use of brachytherapy.
WILCOX,J.L. Piedmont Oncology Associates, P.A. 62FR42219 00135. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:281-A1926:281.

9801260037 Comment opposing proposed rule 10CFR35 re changing training requirements for physicians engaged in radiation oncology utilizing either external beam or brachytherapy sources.
HOFFMAN,P. Triangle Radiation Oncology Associates, Inc. 62FR42219 00112. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:005-A1919:005.

9801260038 Comment on PR 10CFR35,urging NRC not to change training requirements for teletherapy & brachytherapy.
SCHWARZ,D.E. Affiliation Not Assigned. 62FR42219 00229. 97/12/16. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1917:281-A1917:282.

9801260040 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy equipment & brachytherapy.
CASSADY,J.R., HEALEY,G.A., LEVENTHAL,H.H. Lahey Clinic Medical Center, Burlington, MA. 62FR42219 00124. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:139-A1919:140.

9801260042 Comment opposing proposed rule 10CFR35 re teletherapy & brachytherapy training requirements.
WEEMS,D.H. Affiliation Not Assigned. 62FR42219 00132. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:294-A1917:294.

9801260043 Comment opposing proposed rule 10CFR35 re changing training requirements to practice therapeutic radiology.
DACONCEICAO,A. Affiliation Not Assigned. 62FR42219 00115. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:282-A1926:282.

9801260044 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy & brachytherapy.
LAMM,F. Affiliation Not Assigned. 62FR42219 00125. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:314-A1917:314.

9801260046 Comment opposing proposed rule 10CFR35 re teletherapy & brachytherapy training requirements.
KAHN,R. Affiliation Not Assigned. 62FR42219 00084. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1917:295-A1917:296.

9801260047 Comment opposing proposed rule 10CFR35 re changing training requirements for use of radioactive matls.
JONES,N.E. Affiliation Not Assigned. 62FR42219 00174. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:283-A1926:283.

9801260048 Comment on proposed rule 10CFR35 re training requirement for both teletherapy & brachytherapy.Recommends NRC maintain current training requirements for teletherapy & brachytherapy.
DRAGUN,J.B. Affiliation Not Assigned. 62FR42219 00036. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1917:279-A1917:280.

9801260049 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy & brachytherapy.
HUNTER,T.A. Affiliation Not Assigned. 62FR42219 00207. 97/12/12. COOL,D. NRC - No Detailed Affiliation Given. 2pp. A1926:284-A1926:285.

9801260053 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy & brachytherapy.
JOHNSON,J.S. John D. Archbold Memorial Hosp., Thomasville, GA. 62FR42219 00126. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:141-A1919:142.

9801260055 Comment opposing proposed rule 10CFR35 re teletherapy & brachytherapy stds & requirements for training programs.
TEWFIK,H.H. Affiliation Not Assigned. 62FR42219 00082. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1917:298-A1917:299.

9801260056 Comment opposing proposed rule 10CFR35 re stds for credentialing authorized users.
CRAWFORD,J.N. Affiliation Not Assigned. 62FR42219 00143. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1917:285-A1917:286.

9801260057 Comment opposing proposed rule 10CFR35 re changing training requirements for use of radioactive matls.
SCHWAIBOLD,F.P. Affiliation Not Assigned. 62FR42219 00173. 97/12/09. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:286-A1926:286.

9801260058 Comment opposing proposed rule 10CFR35 re teletherapy & brachytherapy training requirements.
MEYER,J.T. Affiliation Not Assigned. 62FR42219 00083. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:297-A1917:297.

9801260062 Comment opposing proposed rule 10CFR35 re changing training requirements allowing non-radiologist to use & supervise treatment w/radiation sources.
STROUP,S.L. Affiliation Not Assigned. 62FR42219 00170. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:287-A1926:287.

9801260063 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy & brachytherapy.
SKOWRONSKI,M.G. Affiliation Not Assigned. 62FR42219 00206. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:135-A1919:135.

9801260064 Comment opposing proposed rule 10CFR35 re teletherapy & brachytherapy training requirements.
BARTHOLD,H.J. Affiliation Not Assigned. 62FR42219 00081. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1917:300-A1917:301.

9801260066 Comment opposing proposed rule 10CFR35 re changing training requirements regulations for teletherapy or brachytherapy.
KROT,A. X-Ray Treatment Center. 62FR42219 00171. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:288-A1926:288.

9801260069 Comment opposing proposed rule 10CFR35 re teletherapy & brachytherapy training requirements.
MARGER,D. Affiliation Not Assigned. 62FR42219 00080. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1917:291-A1917:292.

9801260071 Comment opposing proposed rule 10CFR35 re changing training requirements for physicians ordering & performing therapies involving use of ionizing radiation.
NICHOLS,T.D. Affiliation Not Assigned. 62FR42219 00168. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1917:304-A1917:305.

9801260074 Comment opposing PR 10CFR35 re change in training requirements for teletherapy or brachytherapy.
NUESCH,C.E. Affiliation Not Assigned. 62FR42219 00153. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:288-A1917:288.

9801260078 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy equipment & brachytherapy sources.
BADER,J.L. Affiliation Not Assigned. 62FR42219 00078. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:289-A1917:289.

9801260079 Comment opposing proposed rule 10CFR35 re changing training requirements for use of teletherapy equipment & brachytherapy sources.
BELGRAD,R. Johnston-Willis Hosp. Richmond,VA. 62FR42219 00167. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:004-A1919:004.

9801260084 Comment opposing proposed rule 10CFR35 re training requirements for brachytherapy & teletherapy.
HALBERG,F. Marin General Hosp., San Rafael, CA. 62FR42219 00162. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:116-A1919:117.

9801260088 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy & brachytherapy.
ANDERSON,R.F. Triangle Radiation Oncology Associates, Inc. 62FR42219 00113. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:134-A1919:134.

9801260089 Comment opposing proposed rule 10CFR35 re changing training requirements for use of teletherapy & brachytherapy.
JENRETTE,J.M. Medical Univ. of South Carolina, Charleston, SC. 62FR42219 00145. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:289-A1926:289.

9801260090 Comment on PR 10CFR35 re training & experience for authorized users.
AMUNDSEN,J. St. Patrick Hosp., Missoula, MT. 62FR42219 00154. 97/12/07. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:118-A1919:119.

9801260093 Comment opposing proposed rule 10CFR35 re training requirements for administering teletherapy & brachytherapy.
ERICKSON,K.R. Medical X-Ray Center Sioux Falls,SD. 62FR42219 00160. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:290-A1917:290.

9801260094 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy equipment & brachytherapy sources.
ROTMAN,M. Affiliation Not Assigned. 62FR42219 00133. 97/12/04. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:326-A1917:326.

9801260097 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy & brachytherapy.
SCARANTINO,C.W. Triangle Radiation Oncology Associates, Inc. 62FR42219 00114. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:133-A1919:133.

9801260108 Comment opposing proposed rule 10CFR35 re interest shown by cardiologists & neurosurgeons in delivering radiation therapy w/o benefit of radiation oncologist involvement.
SCHARF,L. Affiliation Not Assigned. 62FR42219 00085. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:068-A1919:068.

9801260113 Comment opposing proposed rule 10CFR35 re regulations by which NRC controls medical use of radiation equipment & sources.
GALINSKY,D.L. Du Page Oncology Center, Winfield, IL. 62FR42219 00087. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:320-A1917:320.

9801260118 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy equipment & brachytherapy.
LAL,R. Centre Community Hosp., State College, PA. 62FR42219 00088. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1917:321-A1917:321.

9801260122 Comment opposing proposed rule 10CFR35 re change in NRC training guidelines for practice of teletherapy or brachytherapy.
SMALL,W. Affiliation Not Assigned. 62FR42219 00030. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:066-A1919:067.

9801260127 Comment opposing proposed rule 10CFR35 re change in NRC training guidelines for practice of teletherapy or brachytherapy.
KALAPURAKAL,J. Affiliation Not Assigned. 62FR42219 00031. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:064-A1919:065.

9801260134 Comment opposing proposed rule 10CFR35 re revs to training requirements for medical use of teletherapy & brachytherapy.
YAEGER,T. Affiliation Not Assigned. 62FR42219 00086. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:063-A1919:063.

9801260137 Comment opposing proposed rule 10CFR35 re changing training requirements for medical use of radiation equipment & sources.
NEGLIA,W.J. Affiliation Not Assigned. 62FR42219 00090. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:061-A1919:062.

9801260138 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy & brachytherapy.
DEVEREUX,C. Clara Maass Memorial Hosp., Belleville, NJ. 62FR42219 00013. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1933:001-A1933:001.

9801260144 Comment opposing proposed rule 10CFR35 re changing training requirements for use of radiation therapy including teletherapy equipment & brachytherapy sources.
CRAWFORD,J.S. Affiliation Not Assigned. 62FR42219 00043. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:060-A1919:060.

9801260146 Comment opposing proposed rule 10CFR35 re training requirements.
SANDS,M.E. Affiliation Not Assigned. 62FR42219 00024. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:058-A1919:058.

9801260147 Comment opposing proposed rule 10CFR35 re changes in training requirements for use of teletherapy equipment & brachytherapy sources.
SPENCER,T.R. Affiliation Not Assigned. 62FR42219 00012. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:059-A1919:059.

9801260148 Comment opposing proposed rule 10CFR35 re changing training requirements for teletherapy & brachytherapy.
SCICUTELLA,C.J. Affiliation Not Assigned. 62FR42219 00044. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:057-A1919:057.

9801260150 Comment opposing proposed rule 10CFR35 re changing training requirements for use of teletherapy equipment & brachytherapy sources.
MACDONALD,K. Affiliation Not Assigned. 62FR42219 00228. 97/12/16. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:056-A1919:056.

9801260152 Comment opposing proposed rule 10CFR35 concerning possible change in training requirements for teletherapy & brachytherapy.
COOPER,J.S. New York Univ. Medical Center, New York, NY. 62FR42219 00011. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:290-A1926:290.

9801260153 Comment on PR 10CFR35 re required training to be authorized to use teletheraphy & brachytherapy sources.
FRANK,A.H. Affiliation Not Assigned. 62FR42219 00074. 97/12/02. COOL,D. NRC - No Detailed Affiliation Given. 1p. A1919:055-A1919:055.

9801260156 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy equipment brachytherapy sources.
BARKER,J.L. Affiliation Not Assigned. 62FR42219 00010. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:054-A1919:054.

9801260158 Comment opposing proposed rule 10CFR35 re changing training requirements for use of radiation therapy.
JACKSON,W. Affiliation Not Assigned. 62FR42219 00069. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:053-A1919:053.

9801260161 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy.
BLOM,J.G. Affiliation Not Assigned. 62FR42219 00188. 97/12/10. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:212-A1926:212.

9801260162 Comment opposing proposed rule 10CFR35 re training requirements for authorized users of brachytherapy sources.
SHINA,D.C. University Hosps. of Cleveland, Cleveland, OH. 62FR42219 00209. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1926:291-A1926:292.

9801260163 Comment opposing proposed rule 10CFR35 re changing training requirements for teletherapy & brachytherapy.
O'CONNOR,T.P. Affiliation Not Assigned. 62FR42219 00068. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:293-A1926:293.

9801260166 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy equipment & brachytherapy sources.
KARLOVITS,S. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 62FR42219 00210. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:294-A1926:294.

9801260169 Comment opposing proposed rule 10CFR35 re changing training requirements for use of radiation equipment & sources.
DAWSON,G.A. Affiliation Not Assigned. 62FR42219 00067. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:295-A1926:295.

9801260172 Comment opposing proposed rule 10CFR35 re brachytherapy & teletherapy authorized user credentialling.
BREWER,J.H. Affiliation Not Assigned. 62FR42219 00211. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:296-A1926:296.

9801260173 Comment opposing proposed rule 10CFR35 re changing training requirements for administering radiation.
MEYER,J.T. Affiliation Not Assigned. 42FR42216 00066. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:297-A1926:297.

9801260176 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy equipment & brachytherapy sources.
COLONIAS,A. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 62FR42219 00212. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:213-A1926:213.

9801260179 Comment opposing proposed rule 10CFR35 re training requirements.Retraining requirements for adequate training is paramount for patient safety.
FORREST,M.R. Affiliation Not Assigned. 62FR42219 00023. 97/12/01. COOL,D. NRC - No Detailed Affiliation Given. 1p. A1919:052-A1919:052.

9801260183 Comment opposing proposed rule 10CFR35 re changing training requirements governing use of teletherapy & brachytherapy.
MOON,S.D. Affiliation Not Assigned. 62FR42219 00065. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:298-A1926:298.

9801260186 Comment opposing proposed rule 10CFR35 re therapeutic use of radiation.
FITZGERALD,R.H. Affiliation Not Assigned. 62FR42219 00022. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:051-A1919:051.

9801260188 Comment opposing proposed rule 10CFR35 re changes in training requirements for teletherapy or brachytherapy.
RAVITA,J.S. Affiliation Not Assigned. 62FR42219 00177. 97/12/09. COOL,D. NRC - No Detailed Affiliation Given. 1p. A1926:299-A1926:299.

9801260191 Comment opposing proposed rule 10CFR35 re possible rev of training requirements for teletherapy & brachytherapy.
ARSHOUN,Y. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 62FR42219 00213. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:214-A1926:214.

9801260196 Comment opposing proposed rule 10CFR35 re changes in training requirements for radiation therapy.
SCHEER,T.F. Affiliation Not Assigned. 62FR42219 00176. 97/12/09. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1926:300-A1926:301.

9801260198 Comment opposing proposed rule 10CFR35 re possible rev to training requirements for teletherapy equipment & brachytherapy sources.
GALLOWAY,M. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 62FR42219 00214. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:355-A1926:355.

9801260202 Comment on PR 10CFR35 re physician use of therapeutic radiation.
SPENCER,S. Alabama, Univ. of, Birmingham, AL. 62FR42219 00230. 97/12/16. COOL,D. NRC - No Detailed Affiliation Given. 1p. A1919:050-A1919:050.

9801260203 Comment opposing PR 10CFR35 re possible changes to training requirements for teletherapy or brachytherapy.
NORDSTROM,D.G. Affiliation Not Assigned. 62FR42219 00208. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:049-A1919:049.

9801260208 Comment on proposed rule 10CFR35 re changes in training requirements for administering radiation therapy & forwards draft ltr addressing discussion at Oct 1997 annual meeting on N13/HPSSC operating relationship & standards development.
FORBES,J.L. Health Physics Society. 62FR42219 00004. 97/11/24. Health Physics Society. 4pp. A1917:322-A1917:325.

9801260210 Comment opposing proposed rule 10CFR35 re changes w/respect to training requirements for teletherapy & brachytherapy.
BERGMAN,K.S. Affiliation Not Assigned. 62FR42219 00215. 97/12/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:215-A1926:215.

9801260211 Comment opposing PR 10CFR35 re proposed revs to guidelines re use of teletherapy equipment & brachytherapy sources.
OSSI,P.B. Affiliation Not Assigned. 62FR42219 00231. 97/12/17. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:048-A1919:048.

9801260215 Comment opposing proposed rule 10CFR35 re rev to training requirements for teletherapy or brachytherapy.
MYERS,D.E. Affiliation Not Assigned. 62FR42219 00198. 97/12/11. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:047-A1919:047.

9801260221 Comment opposing PR 10CFR35 re possible changes to training requirements for teletherapy & brachytherapy.
SYLVESTER,J. Affiliation Not Assigned. 62FR42219 00199. 97/12/11. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:216-A1926:216.

9801260224 Comment opposing PR 10CFR35 re training requirements for teletherapy or brachytherapy.
SPERDUTO,P.W. Minneapolis Radiation Oncology, P.A., St. Louis Park, MN. 62FR42219 00217. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:217-A1926:217.

9801260230 Comment opposing PR 10CFR35 re possible changes to training requirements for teletherapy & brachytherapy.
HAERR,R.W. Union Hosp., Terre Haute, IN. 62FR42219 00200. 97/12/11. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1926:223-A1926:224.

9801260231 Comment opposing proposed rule 10CFR35 re changes in training requirements for use of teletherapy & brachytherapy.
DERDEL,J. Centre Community Hosp., State College, PA. 62FR42219 00099. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:302-A1926:302.

9801260233 Comment opposing proposed rule 10CFR35 re changes in training requirements for use of teletherapy equipment & brachytherapy sources.
SHANAHAN,T.G. Illinois, Univ. of, Urbana, IL. 62FR42219 00095. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1926:303-A1926:304.

9801260238 Comments opposing proposed rule 10CFR35 re rev to training requirements to teletherapy & brachytherapy.Believes that reporting requirements to patient to be unnecessary & potentially damaging.
MEREDITH,R.F. Alabama, Univ. of, Birmingham, AL. 62FR42219 00201. 97/12/11. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:225-A1926:225.

9801260245 Comment opposing proposed rule 10CFR35 re change to current training requirements for use of all brachytherapy sources.
GILLETTE,A.W. Community Hosp. of Indianapolis, Inc., Indianapolis, IN. 62FR42219 00139. 97/12/04. KOOL,D. NRC - No Detailed Affiliation Given. 1p. A1926:305-A1926:305.

9801260253 Comment opposing proposed rule 10CFR35 re requirements for practitioners practicing teletherapy or brachytherapy.
NOVAK,L.J. Affiliation Not Assigned. 62FR42219 00027. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:046-A1919:046.

9801260255 Comment re proposed rule 10CFR35.Believes there are too many unqualified physicians practicing nuclear medicine & that problem can be corrected via JCAHO stds for credentialing & priviledging.Forwards newsletter article on subj.
COHEN,M.B. American College of Nuclear Physicians. 62FR42219 00138. 97/12/04.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. A1926:306-A1926:310.

9801260263 Comment opposing proposed rule 10CFR35 re training requirements for radioactive matls or substances.
WEIL,M.D. Colorado, Univ. of, Health Sciences Center, Denver, CO. 62FR42219 00148. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:311-A1926:311.

9801260271 Comment opposing PR 10CFR35 re proposed changes to current training requirements for brachytherapy sources.
REGE,S. Affiliation Not Assigned. 62FR42219 00021. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:044-A1919:045.

9801260276 Comment on proposed rule 10CFR35 re revs of training requirement for use of teletherapy equipment & brachytherapy sources.Concurs w/advisability of retaining current training requirements for authorized use of brachytherapy sources.
ABITBOL,A.A. Affiliation Not Assigned. 62FR42219 00057. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:360-A1915:360.

9801260279 Comment opposing proposed rule 10CFR35 re revs to requirements for use of radiation therapy,teletherapy or brachytherapy.
SCHREIBER,G.J. St. Francis Hosp., Evanston, IL. 62FR42219 00058. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:100-A1919:100.

9801260280 Comment opposing proposed rule 10CFR35 re requirements for training in order to be authorized to use brachytherapy sources.
GAINES,L.S. Affiliation Not Assigned. 62FR42219 00026. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:359-A1915:359.

9801260281 Comment opposing proposed rule 10CFR35,recommending that there be no change in training requirements for teletherapy & brachytherapy.
MARVEL,J.E. Marion General Hosp., Marion, IN. 62FR42219 00045. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:312-A1926:312.

9801260284 Comment on PR 10CFR35 re possible change to training requirements for medical byproduct use.Licensee concern that other alternatives suggested for training & experience increase barriers to licensor.
BASKIN,H.J. American Association of Clinical Endocrinologists (AACE). 62FR42219 00019. 97/10/28. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. A1919:105-A1919:109.

9801260285 Comment opposing proposed rule 10CFR35,recommending that current regulations re training requirements for teletherapy & brachytherapy not be altered.
SMORON,G.L. St. Joseph Hosp., Elgin, IL. 62FR42219 00046. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:313-A1926:313.

9801260289 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy or brachytherapy.
PINCUS,M.H. St Luke's Medical Center, Milwaukee, WI (formerly St. Luke's Hosp.). 62FR42219 00064. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:314-A1926:314.

9801260291 Comment opposing proposed rule 10CFR35 re rev to rules relating to qualifications of personnel handling radioisotopes.
LARAMORE,G.E. Washington, Univ. of, Medical Center, Seattle, WA. 62FR42219 00063. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:315-A1926:315.

9801260292 Comment opposing proposed rule 10CFR35 re potential changes in training requirements for use of teletherapy equipment & brachytherapy sources.
FEINSTEIN,J.M., FISCHER,W.G. Hinsdale Hosp., Hinsdale, IL. 62FR42219 00062. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1926:316-A1926:317.

9801260295 Comment opposing proposed rule 10CFR35 re change in medical training requirements for authorized use of brachytherapy sources.
LEWIS,A.M. Affiliation Not Assigned. 62FR42219 00062. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1926:318-A1926:319.

9801260297 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy & brachytherapy.
GRAY,J.R. Affiliation Not Assigned. 62FR42219 00096. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:356-A1915:357.

9801260300 Comment opposing proposed rule 10CFR35 re change in training requirements for use of teletherapy & brachytherapy sources.
AMOS,W.R. Affiliation Not Assigned. 62FR42219 00094. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:320-A1926:320.

9801260304 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy & brachytherapy.
SHABAZIAN,A.A. Affiliation Not Assigned. 62FR42219 00035. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:321-A1926:321.

9801260305 Comment opposing proposed rule 10CFR35 re change in current training requirements for handling of therapy isotopes.
LESTER,S.G. Affiliation Not Assigned. 62FR42219 00092. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:355-A1915:355.

9801260308 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy.
ACKER,S.E. Affiliation Not Assigned. 62FR42219 00155. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:003-A1919:003.

9801260309 Comment opposing proposed rule 10CFR35 re change in training requirements for teletherapy & brachytherapy use.
TAYLOR,M.A. Affiliation Not Assigned. 62FR42219 00091. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:322-A1926:322.

9801260313 Comment opposing proposed rule 10CFR35 re possible changes to training requirements for use of teletherapy equipment & brachytherapy sources.
VEERLING,J.P. Affiliation Not Assigned. 62FR42219 00156. 97/12/08. COOL,D.A. NRC - No Detailed Affiliation Given. 3pp. A1926:265-A1926:267.

9801260318 Comment opposing proposed rule 10CFR35 re possible changes to regulations on medical use of byproduct matl.
BRADY,L.W. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 62FR42219 00149. 97/12/05. CAMERON,C. NRC - No Detailed Affiliation Given. 6pp. A1926:268-A1926:273.

9801260323 Comment opposing PR 10CFR35 re potential changes in training requirements for use of teletherapy equipment & brachytherapy sources.
HLA,O, SIDRYS,J. Affiliation Not Assigned. 62FR42219 00150. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:274-A1926:274.

9801260330 Comment opposing PR 10CFR35 re rev to training requirements for radiation therapy & brachytherapy.
SHERMAN,D.M. St. Joseph's Hosp., Milwaukee, WI. 62FR42219 00079. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1926:275-A1926:275.

9801260340 Comment opposing PR 10CFR35 re possible rev to training requirements for use of teletherapy equipment & brachytherapy sources.
BROWN,D.M. Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &. 62FR42219 00075. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:002-A1919:002.

9801260346 Comment opposing proposed rule 10CFR35 re medical requirement for radiation equipment & deivery.
GATES,J.O. Parkview Memorial Hosp., Ft. Wayne, IN. 62FR42219 00025. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1917:327-A1917:328.

9801260347 Comment opposing PR 10CFR35 re possible changes to training requirements of teletherapy or brachytherapy.
VAN WEY,C.C. Affiliation Not Assigned. 62FR42219 00076. 97/12/02. COOL,D. NRC - No Detailed Affiliation Given. 1p. A1919:148-A1919:148.

9801260352 Comment opposing proposed rule 100CFR re training requirements for brachytherapy sources & for delivering teletherapy.
THOMAS,D.S. Affiliation Not Assigned. 62FR42219 00146. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1915:353-A1915:354.

9801260360 Comment opposing proposed rule 10CFR35 re training requirements for medical use of radioactive matl.
RABINOVITCH,R. Affiliation Not Assigned. 62FR42219 00147. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:352-A1915:352.

9801260361 Comment opposing PR 10CFR35 re changes to training requirements for teletherapy or brachytherapy.
RASP,G. Affiliation Not Assigned. 62FR42219 00216. 98/01/12. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:351-A1915:351.

9801260364 Comment opposing proposed rule 10CFR35 re training requirements for radiation safety.
ZIMMERMAN,R.P. Scott & White Clinic, Temple, TX. 62FR42219 00144. 97/12/05. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:099-A1919:099.

9801260367 Comment opposing PR 10CFR35 re loosening of training requirement.
GRIFFETH,J.T. Affiliation Not Assigned. 62FR42219 00226. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:350-A1915:350.

9801260373 Comment opposing proposed rule 10CFR35 re training requirements for use of teletherapy equipment & brachytherapy sources.
KRUEGER,J.B. Affiliation Not Assigned. 62FR42219 00038. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:349-A1915:349.

9801260387 Comment opposing PR 10CFR35 re weakening of requirements re handling & utilization of radioactive matls.
GLASSBURN,J.R. Affiliation Not Assigned. 62FR42219 00225. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:348-A1915:348.

9801260403 Comment opposing PR 10CFR35 re ionizing radiations.
PARKER,R. California, Univ. of, Los Angeles, CA. 62FR42219 00224. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:098-A1919:098.

9801260413 Comment opposing PR 10CFR35 re change in teletherapy or brachytherapy.
PRUITT,D. Affiliation Not Assigned. 62FR42219 00223. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:347-A1915:347.

9801260421 Comment opposing PR 10CFR35 re lessening of training requirements for handling & administration of radioactive matls.
RUBENSTEIN,J.H. Affiliation Not Assigned. 62FR42219 00222. 97/12/15. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:346-A1915:346.

9801260432 Comment opposing PR 10CFR35 re changes in training requirments for teletherapy or brachytherapy.
WIGGERS,N.H. Affiliation Not Assigned. 62FR42219 00077. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:345-A1915:345.

9801260447 Comment opposing PR 10CFR35 re consideration for rewriting regulations.
TERRY,J.G. Northern Rockies Regional Cancer Center, Billings, MT. 62FR42219 00032. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1919:089-A1919:090.

9801260479 Comment opposing proposed rule 10CFR35 re training requirements for teletherapy or brachytherapy rev.
HEUVELEN,G.V. Affiliation Not Assigned. 62FR42219 00054. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1919:088-A1919:088.

9801260482 Comment opposing PR10CFR35 re changes in training requirements for teletherapy or brachytherapy.
SANKEY,R.R. Affiliation Not Assigned. 62FR42219 00055. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1915:344-A1915:344.

9801260489 Comment on proposed rule 10CFR50.Nuclear Energy Inst requested extension on public comment period until 980403. Request for 30 day extension granted.
HOYLE,J.C. Office of the Secretary of the Commission. 62FR63892. 98/01/16.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. A1926:276-A1926:276.

9801270002 Comment opposing PR 10CFR35 re change in training requirements for teletherapy & brachytherapy.
BOWIE,C.R. Affiliation Not Assigned. 62FR42219 00056. 97/12/02. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1933:003-A1933:003.

9801270015 Comment opposing PR 10CFR35 re change in training requirements for teletherapy or brachytherapy.
HOCHMAN,L.D. Affiliation Not Assigned. 62FR42219 00020. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1933:004-A1933:005.

9801270049 Final rule 10CFR9, "Electronic Freedom of Information Act: Implementation," amending regulations to implement Electronic FOIA amendments of 1996.
SCATTOLINI,L.B. . 62FR46922. 97/12/31. 49pp. A1933:006-A1933:054.

9801280132 Comments opposing proposed rule 10CFR50 re "Industry Codes & Stds;Amended Requirements."
COWFER,C.D. Affiliation Not Assigned. 62FR63892 00003. 98/01/19. Office of the Secretary of the Commission. 10pp. A1959:240-A1959:249.

9801280201 Comment on proposed rule 10CFR50 re codes & standards, "IEEE National Consensus Standard."
STENGER,D.F., FITZGERALD,J.R. Winston & Strawn. STENGER,D.F. Nuclear Utility Backfitting & Reform Group. 62FR53932 00030. 98/01/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1940:093-A1940:094.

PRM PETITION FOR RULEMAKING

9801060122 Notice of receipt of petition for rulemaking PRM 40-26,dtd 970717,requesting amend to licensing exemptions to establish exemption from licensing requirements to include M1A1 Battle Tank Engine AGT 1500 which contains Ni-Th.
HOYLE,J.C. Office of the Secretary of the Commission. 62FR65039. 97/12/03. 6pp. A1680:101-A1680:105.

9801070322 Comment on petition for rulemaking PRM 50-63A re stocks of potassium iodide for public protection.Supports petition.
KING,J.O. Affiliation Not Assigned. 62FR66038 00001. 97/12/20. Office of the Secretary of the Commission. 1p. A1726:358-A1726:358.

9801150226 Forwards comments on review of final rule to amend 10CFR71, "Requirements for Shipping Packages used to Transport Vitrified High-Level Waste." Spent Fuel Project Office,NMSS concurs w/final rule.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/08.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. A1866:260-A1866:327.

-9801160162 Forwards Commission paper package for final rule to remove plutonium from double containment requirement for sealed canisters containing vitrified high level waste,for concurrence.
PICCONE,J.M. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/23. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729).
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 66pp. A1866:262-A1866:327.

9801220229 Comment on petition for rulemaking PRM 50-63A re aftermath of nuclear meltdown at San Onofre NPP & possibility of nuclear emergency caused by Navy proposed Mixed Waste facility & plans to homeport nuclear carriers in San Diego.
KRIPKE,Z. Affiliation Not Assigned. 62FR66038 00026. 98/01/11. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1875:196-A1875:196.

9801220230 Comment supporting petition for rulemaking PRM 50-63A re petition to use potassium iodide (KI) as one action to be considered in event of nuclear reactor accident.
JAHNKOW,C. Affiliation Not Assigned. 62FR66038 00025. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1875:197-A1875:198.

9801220263 Comment on petiton for rulemaking PRM 50-63A filed by PG Crane.Duke Power believes that state & local authorities should be left free to determine whether stockpiling needed for particular site.
TUCKMAN,M.S. Duke Power Co. 62FR66038 00033. 98/01/05. Docketing & Services Branch. 2pp. A1875:213-A1875:214.

9801220346 Comment supporting petition 50-63A of PG Crane & agrees that potassium iodide should be part of emergency plan.
LEWIS,M.I. Affiliation Not Assigned. 62FR66038 00022. 97/12/27. Office of the Secretary of the Commission. 1p. A1889:170-A1889:170.

9801220360 Comment opposing amended petition for rulemaking by PG Crane re amend to emergency planning standard re potassium iodide.
WALLACE,M.J. Commonwealth Edison Co. 62FR66038 00010. 98/01/08. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1901:050-A1901:050.

9801220364 Comment supporting petition being heard at current time requiring stockpiling of potassium iodide as prophylactic against thyroid cancer that will occur as result of releasing radioactive iodine into atmosphere.
STEPHENS,B. Affiliation Not Assigned. 62FR66038 00032. 98/01/20. Office of the Secretary of the Commission. 1p. A1875:333-A1875:333.

9801220370 Comment supporting petition 50-63A by PG Crane re emergency planning regulation for prophylactic use of potassium iodide.
SHILLINGLAW,F. Affiliation Not Assigned. 62FR66038 00011. 98/01/09. Office of the Secretary of the Commission. 2pp. A1889:174-A1889:175.

9801220373 *Comment supporting PRM 50-63A by P Crane re stockpiling of potassium* iodide.
PHOENIX,E.O. Affiliation Not Assigned. 62FR66038 00018. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1889:176-A1889:176.

9801220377 Comment supporting petition PRM 50-63A by P Crane re stockpiling of potassium iodide.
MULLEY,M. Affiliation Not Assigned. 62FR66038 00016. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1889:177-A1889:177.

9801220379 Comment supporting petition PRM 50-63A by P Crane re stockpiling of potassium iodide.
NISSLEY,J. Affiliation Not Assigned. 62FR66038 00017. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1889:178-A1889:178.

9801220381 Comment supporting PRM 50-63A by P Crane re stockpiling of potassium iodide.
SENDI,D. Affiliation Not Assigned. 62FR66038 00020. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1889:179-A1889:179.

9801220383 Comment supporting PRM 50-63A by P Crane re stockpiling of potassium iodide.
RUDOLPH,S., RUDOLPH,A. Affiliation Not Assigned. 62FR66038 00019. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1889:180-A1889:180.

9801220385 Comment supporting PRM 50-63A by P Crane re stockpiling of potassium iodide.
COBERLY,R. Affiliation Not Assigned. 62FR66038 00012. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1889:181-A1889:181.

9801220388 Comment supporting PRM 50-63A by P Crane re stockpiling of potassium iodide.
GARNETT,D.J. Affiliation Not Assigned. 62FR66038 00013. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1889:182-A1889:182.

9801220394 Comment supporting PRM 50-63A by P Crane re stockpiling of potassium iodide.
INTRIEN,J. Affiliation Not Assigned. 62FR66038 00014. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1877:250-A1877:250.

9801220396 Comment supporting PRM 50-63A by P Crane re stockpiling of potassium iodide.
LAZORCIK,D. Affiliation Not Assigned. 62FR66038 00015. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1877:251-A1877:251.

9801220399 *Comment opposing PRM-50-63A by P Crane re prophylactic use of potas*sium iodide.
DOUGHTY,J. Seacoast Anti-Pollution League. 62FR66038 00009. 98/01/13. Office of the Secretary of the Commission. 2pp. A1877:252-A1877:253.

9801220402 Comment opposing PRM 50-63A by PG Crane amending petition for rulemaking re use of potassium iodide.
ORTCIGER,T.W. Illinois, State of. 62FR66038 00005. 98/01/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1877:254-A1877:256.

9801220404 Comment supporting PRM 50-63A by P Crane re stockpiling of potassium iodide.
SURKS,M.I. American Thyroid Association. 62FR66038 00006. 98/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1877:257-A1877:259.

9801220406 Comment supporting petition for rulemaking PRM-50-63A re stockpiling potassium iodide (KI).
GERSHENSON,B.A. Affiliation Not Assigned. 62FR66038 00031. 98/01/14. Office of the Secretary of the Commission. 1p. A1877:260-A1877:260.

9801220407 Comment supporting PRM 50-63A by P Crane re stockpiling of potassium iodide.
PORTZLINE,S.D. Three Mile Island Alert. 62FR66038 00008. 98/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1877:261-A1877:263.

9801220408 Comment supporting petition for rulemaking PRM-50-63A re stockpiling of potassium iodide by various states being made mandatory.
ETHRIDGE,E. Affiliation Not Assigned. 62FR66038 00027. 98/01/13. Rules & Directives Review Branch (Post 920323). 1p. A1877:264-A1877:264.

9801230024 Requests extension by 30 days,comment period for P Crane petition 50-63A stockpiling potassium iodide.
PORTZLINE,S.D. Three Mile Island Alert. 62FR66038. 98/01/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1915:173-A1915:173.

9801230031 Comment on petition for rulemaking PRM-50-63A re stockpiling of potassium iodide for radiological emergency planning.NRC staff failed to issue press release *or other public announcement that might alert public.*
CRANE,P.G. Affiliation Not Assigned. 62FR66038. 98/01/08. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:176-A1915:177.

9801230038 *Comment supporting PRM 50-63A by P Crane re stockpiling of potassium* iodide for protection of thyroid gland during nuclear accident.
THOMAS,E. Affiliation Not Assigned. 62FR66038 00007. 98/01/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1915:277-A1915:277.

9801230052 Comment opposing PRM 50-63A by P Crane that requests NRC amend regulations re emergency planning to require consideration of sheltering,evacuation & prophylactic use of potassium iodide for general public.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 62FR66038 00030. 98/01/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:182-A1915:183.

9801230060 Comment opposing PRM 50-63A by P Crane re stockpiling or predistribution of potassium iodide to general public during emergency.Believes current policy provides adequate opportunity for use of potassium iodide.
DEWEASE,J.G. Entergy Operations, Inc. 62FR66038 00029. 98/01/14. Office of the Secretary of the Commission. 2pp. A1915:210-A1915:211.

9801230076 Comment supporting PRM 50-63A by P Crane re stockpiling of potassium iodide.
GOITEIN,E. Affiliation Not Assigned. 62FR66038 00028. 98/01/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1915:212-A1915:212.

9801230080 *Comment opposing PRM 50-63A by P Crane re prophylactic use of potas*sium iodide as protective action for general public.
ALEXANDER,D.B. Carolina Power & Light Co. 62FR66038 00023. 98/01/14. Office of the Secretary of the Commission. 2pp. A1915:217-A1915:218.

9801230082 Comment supporting PRM 50-63A by P Crane re stockpiling of potassium iodide.
SWARTZ,L.C. Affiliation Not Assigned. 62FR66038 00021. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1915:219-A1915:219.

9801230092 Comment supporting NEI comments on PRM 50-63A by P Crane recommending emergency planning standard for protective actions be changed to require explicit consideration of prophylactic use of potassium iodide for general public.
SUMNER,H.L. Southern Nuclear Operating Co. 62FR66038 00024. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1915:220-A1915:221.

9801230107 Comment supporting PRM 50-63A re stockpiling of Potassium Iodide.
SMITH,B. Pennsylvania, Commonwealth of. 62FR66038 00036. 98/01/14. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1915:238-A1915:238.

9801230154 Comment opposing PRM 50-63A by PG Crane amending petition for rulemaking re use of Potassium Iode.
* Southern California Edison Co. 62FR66038 00037. 98/01/15. Office of the Secretary of the Commission. 2pp. A1913:353-A1913:354.

9801230178 Comment supporting PRM-50-63A by PG Crane amending petition for rulemaking re Potassium Iodide.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 62FR66038 00038. 98/01/15. Office of the Secretary of the Commission. 2pp. A1914:332-A1914:333.

9801230192 *Comment opposing PRM 50-63A by PG Crane amending petition for rule*making re use of Potassium Iodide.
MCNUTT,G.W. Missouri, State of. 62FR66038 00041. 97/12/17. Office of the Secretary of the Commission. 1p. A1914:335-A1914:335.

9801230226 Comment opposing PRM 50-63A by P Crane re prophylactic use of potassium iodide for general public.
PETERSON,N.K. Detroit Edison Co. 62FR66038 00042. 98/01/16. Office of the Secretary of the Commission. 2pp. A1914:340-A1914:341.

9801230229 Comment opposing PRM 50-63A by P Crane requesting NRC amend regulations re emergency planning corrective actions to require explicit consideration of prophylactic use of potassium iodide.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 62FR66038 00043. 98/01/12. Office of the Secretary of the Commission. 3pp. A1914:343-A1914:345.

9801230232 Comment supporting PRM 50-63A by PG Crane requesting amend to regulations re potassium iodide.
SCHLET,D. Affiliation Not Assigned. 62FR66038 00044. 98/01/14. NRC - No Detailed Affiliation Given. 1p. A1914:346-A1914:346.

9801230264 Comment supporting petition for rulemaking PRM-50-63A re amend to NRC Emergency Planning Regulations to require consideration of sheltering,evacuation & prophylactic use of Potassium Iodide for general public.
LAMPERT,M.E. Massachusetts, Commonwealth of. 62FR66038 00003. 98/01/09. Office of the Secretary of the Commission. 2pp. A1914:355-A1914:356.

9801230272 Comment supporting petition for rulemaking PRM-50-63A re P Crane amended petition for rulemaking.
KLINE,C. Affiliation Not Assigned. 62FR66038 00002. 98/01/04. Office of the Secretary of the Commission. 6pp. A1915:060-A1915:065.

9801230277 Comment opposing PRM 50-63A by PG Crane re potassium iodide in radiological emergency plans.
BURZYNSKI,M.J. Tennessee Valley Authority. 62FR66038 00035. 98/01/14. NRC - No Detailed Affiliation Given. 2pp. A1915:268-A1915:269.

9801230286 Comment supporting PRM 50-63A amending petition for rulemaking re use of Potassium Iodide.
HUNTER,L. Affiliation Not Assigned. 62FR66038 00040. 98/01/16. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1915:095-A1915:097.

9801230292 Comment opposing PRM-50-63A amending petition for rulemaking re use of Potassium Iodide.
OSBORN,M.S. Affiliation Not Assigned. 62FR66038 00039. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. A1915:098-A1915:103.

9801230296 *Submits comments on amended petition for rulemaking for* 10CFR50.47, "Emergency Plans."
BURZYNSKI,M.J. Tennessee Valley Authority. 62FR66038. 98/01/14. NRC - No Detailed Affiliation Given. 2pp. A1919:348-A1919:349.

9801230297 Comment on petition for rulemaking PRM-50-63A re use of potassium iodide.
HIATT,S.L. Ohio Citizens for Responsible Energy. 62FR66038 00034. 98/01/13. NRC - No Detailed Affiliation Given. 2pp. A1915:242-A1915:243.

9801260232 Comment opposing petition for rulemaking PRM-50-63A re amend to emergency planning std in 10CFR50.47.
HENDRICKS,L. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR66038 00004. 98/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. A1919:101-A1919:104.

9801280197 Comment supporting PRM 50-63A by PG Crane re stockpiling of potassium iodide for emergency use.
PHILLIPS,E.B. Affiliation Not Assigned. 62FR66038 00045. 98/01/15. Office of the Secretary of the Commission. 1p. A1940:091-A1940:091.

9801280199 Comment supporting PRM 50-63A by P Crane re making K1 part of nuclear emergency plan.
BRAASCH,L. Affiliation Not Assigned. 62FR66038 00046. 98/01/17. Office of the Secretary of the Commission. 1p. A1940:092-A1940:092.

9801280221 Notice of extension of comment period on amended petition for rulemaking PRM-50-63A by PG Crane re emergency planning requlations to require consideration of sheltering, evacuation & prophylactic use of potassium iodide.
VIETTI-COOK,A. Office of the Secretary of the Commission. 62FR66038. 98/01/14. 3pp. A1940:109-A1940:111.

PROJ PROJECTS

9801020180 Forwards memo from Nuclear Energy Inst to Chairman S Jackson re proposed revised language for 10CFR50.59.
BERGMAN,T.A. . 97/12/29. . 5pp. A1648:335-A1648:339.

9801060062 Forwards proprietary response to 971113 RAI re Supp 1,App D to TR ANFB-1125(P), "ANFB Critical Power Correlation Uncertainty for Limited Data Sets." Proprietary info withheld,per 10CFR2.790(b).
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. HDC:97:147. 97/12/22. . 1p. A1724:349-A1724:349.

9801060232 Forwards final draft of EPRI rept titled, "Guidelines on Elements of Nuclear Safety-Related Coatings Program." Rept is currently being reviewed by EPRI & nuclear utility personnel & will be subject of 980122-23 meeting.
BUTLER,J.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/01/02. DAVIS,J.A. . 1p. A1742:001-A1742:134.

-9801060235 "Guidelines on Elements of Nuclear Safety-Related Coatings Program," final draft rept.
ROSCH,F. Electric Power Research Institute. 97/12/12. 133pp. A1742:002-A1742:134.

9801060301 Submits status info re potential safety concern 1-95 re ability to control nuclear reaction of PWRs during recovery from some SBLOCAs.
SCHOMAKER,R.J. Babcock & Wilcox Operating Plants Owners Group. OG-1690. 97/12/30. ATTARD,A.C., WEISS,E.W. NRC - No Detailed Affiliation Given. 4pp. A1741:302-A1741:305.

9801070060 Informs of rev to list of plants affected by fuel rod internal pressure issue.Corrosion accumulation curve indicates that Callaway plant will not reach screening criteria until at least 980202,not 980101.
GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-97-129. 97/12/29. Document Control Branch (Document Control Desk). 1p. A1747:278-A1747:278.

9801070141 Summary of public portion of 971202 meeting w/Nuclear Energy Institute re GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," dtd 971007.W/slides & list of attendees.
LOBEL,R. . GL-97-04. 97/12/17. BERLINGER,C. . 51pp. A1681:289-A1681:338.

9801090154 Rev 0 to EMIP-101, "General Instructions." Page 17 of 20 of incoming submittal was not included.
HORTON,D.L. Energy, Dept. of. 97/12/10. 23pp. A1860:192-A1860:214.

9801090160 Rev 2,Change 3 to "Emergency Operations Mgt."
HORTON,D.L. Energy, Dept. of. 97/12/23. 92pp. A1786:061-A1786:154.

9801090165 Notification of 980112-13 meeting w/Nuclear Energy Institute (NEI) in Miami,Florida to discuss licensing issues,including proposed industry guidance for implementation of 10CFR50.59 & 10CFR50.71(e).
MCKENNA,E.M. . 97/12/30. ESSIG,T.H. . 6pp. A1747:184-A1747:189.

9801090166 Forwards recommendation adopted at 971118 meeting in Barnwell,SC re West Valley vitrified high level waste.
LOADHOLT,A. Affiliation Not Assigned. 97/12/10. HOLLAND,M. Affiliation Not Assigned. 4pp. A1788:355-A1788:358.

9801090253 Presentation matl entitled, "Application of NRC Criteria to West Valley Draft EIS Alternative."
HAMMELMAN,J.E. Science Applications International Corp. (formerly Science Applications, Inc.). 97/11/17. 17pp. A1788:338-A1788:354.

9801090304 Summary of 971210 meeting w/util in Rockville,MD to discuss issues related to ATRIUM-10 ECCS tests.Purpose of meeting to inform staff of SPC intent to proceed w/ECCS testing & test stragedy.Attendance list & slides encl.
WANG,E. . 97/12/29. ESSIG,T.H. . 70pp. A1747:084-A1747:152.

9801090309 Summary of 971124 meeting w/NEI in Rockville,MD re issues concerning updated FSARs & to provide preliminary staff comments for NEI draft guidance on updated FSARs.List of attendees encl.
BERGMAN,T.A. . 98/01/06. ESSIG,T.H. . 3pp. A1754:246-A1754:248.

9801130295 Forwards EPRI rept TR-107330,Final Rept, "Generic Requirements Specification for Qualifying Commercially Available PLC for Safety-Related Applications in Nuclear Power Plants," for NRC review.
NASER,J. Electric Power Research Institute. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1794:299-A1795:083.

-9801130303 EPRI TR-107330 "Generic Requirements Specification for Qualifying Commercially Available PLC for Safety-Related Applications in Nuclear Power Plants," final rept.
* Electric Power Research Institute. OSTENSO,A., MAY,R. S. Levy, Inc. 96/12/31. 147pp. A1794:301-A1795:083.

9801140251 Summary of 971217 meeting w/Nuclear Energy Inst in Rockville,MD re decommissioning funding assurance.List of attendees encl.
MAGRUDER,S.L. . 98/01/07. ESSIG,T.H. . 15pp. A1817:117-A1817:130.

9801140286 Notification of 980121 meeting w/Siemens representatives in Rockville,MD to discuss issues identified during last insp.
WANG,E.Y. . 98/01/07. ESSIG,T.H. . 3pp. A1801:115-A1801:117.

9801140311 Notification of 980129 meeting w/Nuclear Energy Inst in Rockville,MD to discuss industry proposals re PRA quality.
MAGRUDER,S.L. . 98/01/07. ESSIG,T.H. . 4pp. A1801:107-A1801:110.

9801140326 Forwards upcoming ltr from Nuclear Energy Inst w/submitted rev & copy of original plan,for use.Draft comments from Owners Group Project Managers also encl.Comments on proposed rev to regulatory response group plan requested by 980131.
ESSIG,T.H. . 98/01/08. BOGER,B., ADENSAM,E.G., LAINAS,G.C. . 2pp. A1817:131-A1817:152.

-9801140334 Transmits revised NSSS Owners Groups Regulatory Response Group Plan for review.Believes revised plan captures actions necessary to ensure adequate owners group response to NRC/NRR requests within RRG.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 97/10/07. ROE,J.W. . 9pp. A1817:133-A1817:152.

9801140424 Summary of 971203 meeting w/Nuclear Energy Institute in Rockville,Maryland re issues related to SG tube database for voltage-based alternate tube repair criteria for outside diameter stress corrosion cracking in Westinghouse plants.
MAGRUDER,S.L. . 98/01/07. ESSIG,T.H. . 48pp. A1801:154-A1801:201.

9801150096 Comment on draft reg guide DG-1063, "Approach for Plant Specific,Risk-Informed Decision Making:Inservice Inspection of Piping,October 1997."
EPLING,M.W. Babcock & Wilcox Operating Plants Owners Group. 62FR53663 00003. 97/01/06. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 6pp. A1809:144-A1809:149.

9801160001 Notification of 980123 meeting w/Nuclear Energy Inst in Rockville,MD to discuss industry proposals concerning emergency plan changes described in 970925 ltr.Proposed agenda encl.
MAGRUDER,S.L. . 98/01/12. ESSIG,T.H. . 5pp. A1820:304-A1820:308.

9801160056 Forwards SE on joint owners group program on periodic verification of motor operated valves.NRC considers MOV periodic verification acceptable to GL 96-05.Advise within 30 day if any matl encl in SE considered proprietary.
ESSIG,T.H. . GL-96-05. 97/10/30. PILMER,D.F. C-E Operating Plants Owners Group. PILMER,D.F. Southern California Edison Co. 2pp. A1830:043-A1830:059.

-9801160059 SER accepting response to GL 96-05 for valve age related degradation.Submits listed acceptance.
* . GL-96-05. 97/10/30. 15pp. A1830:045-A1830:059.

9801160080 Forwards SE on joint owner group program on periodic verification of motor-operated valves described in TR NEDC-32719,rev 2.Joint OG program on MOV periodic verification serves as acceptable response to GL 96-05.
ESSIG,T.H. . GL-96-05. 97/10/30. RAUSCH,T.J. BWR Owners Group. RAUSCH,T.J. Commonwealth Edison Co. RAUSCH,T.J. Nuclear Fuel Services, Inc. 2pp. A1820:274-A1820:290.

-9801160091 Safety evaluation accepting joint OG program on MOV periodic verification,which provides industry-wide response to GL 96-05 for valve age-related degradation.
* . GL-96-05. 97/10/30. 15pp. A1820:276-A1820:290.

9801160151 Forwards SE on Joint OG program on periodic verification of MOV described in TR MPR-1807,rev 2.Subj program serves as acceptable industry-wide response to GL 96-05.
ESSIG,T.H. . GL-96-05. 97/10/30. GREENE,T.V. Westinghouse Operating Plants Owners Group. GREENE,T.V. Georgia Power Co. 2pp. A1830:060-A1830:076.

-9801160152 Safety evaluation accepting joint OG program on MOV periodic verification which provides industry-wide response to GL 96-05 for valve age-related degradation.
* . GL-96-05. 97/10/30. 15pp. A1830:062-A1830:076.

9801160171 Notification of 970226 meeting w/Westinghouse Owners Group (WOG) in Rockville,MD to discuss WOG baffle barrel bolting program.
CRAIG,C.M. . 98/01/09. ESSIG,T.H. . 4pp. A1830:077-A1830:080.

9801210163 Requests that NRC ltr which is being prepared re Suppl 2 to TR NEDC-32339P-A,address both errata to TR & change notification to provide approved documentation for use as plant specific ref.
RAUSCH,T.J. BWR Owners Group. RAUSCH,T.J. Commonwealth Edison Co. BWROG-98003. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1882:158-A1882:160.

9801210171 Forwards final rept EPRI TR-109014, "Analysis of Loss of Decay Heat Removal Trends (1989-96) Outage Risk Assessment & Mgt (ORAM) Technology."
BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 97/12/12. COLLINS,S.J. . 2pp. A1857:295-A1857:334.

-9801210194 EPRI TR-109014 Final rept EPRI TR-109014, "Analysis of Loss of Decay Heat Removal Trends (1989-96) Outage Risk Assessment & Mgt (ORAM) Technology."
WELLS,J. Affiliation Not Assigned. 97/10/31. 38pp. A1857:297-A1857:334.

9801220235 Notification of 980129 meeting w/util in Rockville,MD to discuss CEOG activities re analysis of moisture carryover during MSLB accident.Proposed agenda encl
MAGRUDER,S.L. . 98/01/21. ESSIG,T.H. . 4pp. A1890:306-A1890:309.

9801230004 Responds to 971028 ltr re EPRI rept, "SG Tubing Outside Diameter Stress Corrosion Cracking at Tube Support Plates Database for Alternate Repair Limits," NP-7480-L,Addendum 1. Correct database for GL 95-05 requested.
SULLIVAN,E.J. . GL-95-05. 98/01/20. MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. A1901:352-A1901:355.

9801260335 Forwards non proprietary & proprietary versions of presentation matls to 971210 meeting in Rockville,MD re ATRIUM-10 ECCS Tests.Proprietary version withheld.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. HDC:97:146. 97/12/17. WANG,E.Y. NRC - No Detailed Affiliation Given. 68pp. A1928:266-A1928:333.

9801270149 Summary of 971106 meeting w/WOG in Rockville,MD re issues related to 10CFR50.46.List of participants & presentation matl encl.
CRAIG,C.M. . 98/01/15. ESSIG,T.H. . 97pp. A1927:001-A1927:095.

9801280080 Summary of 980112-13 workshop w/NEI re NEI initiatives on development of guidance documents for various licensing issues.Agenda for workshop,list of attendees & NRC presentation encl.
MCKENNA,E.M. . 98/01/22. ESSIG,T.H. . 18pp. A1934:284-A1934:319.

9801280162 Forwards edited page 2-9 & page 10 of proprietary topical rept EMF-1997(P),which includes incorporation of changes to clarify quantitative RATIO for ATRIUM-10 fuel.Encl withheld, per 10CFR2.790(b).
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:005. 98/01/19. . 2pp. A1963:307-A1963:308.

9801280254 Submits interm rept on issues that will not be completed within 60 days of discovery.Interim rept for issue under evaluation by Siemens Power Corp encl.
HOLM,J.S. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:001. 98/01/15. . 3pp. A1966:354-A1966:356.

9801290005 Forwards proprietary rept WCAP-14036-P,rev 1 & non- proprietary rept WCAP-14037-NP,rev 1,each entitled, "Elimination of Periodic Protection Channel Response Time Tests." Proprietary encl withheld.
GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-98-005. 98/01/22. NRC - No Detailed Affiliation Given. 2pp. A1968:085-A1968:168.

--9801290007 Requests that rev 1 to WCAP-14036, "Elimination of Periodic Channel Response Time Tests," be withheld from public disclosure,per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. CAW-98-1198. 98/01/22. COLLINS,S.J. Document Control Branch (Document Control Desk). 8pp. A1968:087-A1968:094.

--9801290009 WCAP-14037-NP R01 Rev 1 to non-proprietary rept WCAP-14037-NP, "Elimination of Periodic Protection Channel Response Time Tests."
HOWARD,R.C. Westinghouse Electric Corp. 95/12/31. 70pp. A1968:095-A1968:168.

PT21 10 CFR PART 21 DEFICIENCY REPORTS

9801020165 Discusses 10CFR21 interim rept 21-97-051, "Improper Cable Resistance Values Used in Design of AC & DC Electrical Distribution Sys." Evaluation of issue has not been completed & no firm date set.Update will be sent by 980119.
COOK,J.G. Illinois Power Co. U-602897. 97/12/22. Document Control Branch (Document Control Desk). 2pp. A1686:299-A1686:300.

9801070006 Forwards LER 97-032-00,plant was outside design basis due to inadequate tornado missile protection caused by design error,IAW 10CFR50.73 & 10CFR21.21.Commitments made in rept, listed.
COOK,J.G. Illinois Power Co. U-602900. 98/01/02. Document Control Branch (Document Control Desk). 1p. A1754:192-A1754:198.

--9801070010 LER 97-032-00:on 860929,plant was outside design basis due to inadequate tornado missile protection.Caused by design error.Provided missile protection for portions of HPCS & RCIC pump suction piping,per 10CFR21.
MCMILLAN,D.L. Illinois Power Co. 98/01/02. 5pp. A1754:194-A1754:198.

9801080190 Interim Part 21 Rept re completion of nuclear seismic qualification testing of electronics module incorrectly sent to CENY & VYNP.Final formal rept will be issued by 980120.
KING,T.L. Foxboro Corp. 97/12/18. SAIDAN,S. NRC - No Detailed Affiliation Given. 5pp. A1796:014-A1796:019.

9801090004 Part 21 rept re shipment by DuBose National Energy Svcs,Inc, of 40 pieces of 4 inch,90 degree elbows which did not meet ASME Section II SA-234 requirements.
DAILEY,J.N. . 98/01/07. Document Control Branch (Document Control Desk). 11pp. A1754:227-A1754:237.

9801130183 Part 21 rept for DuBose National Energy Services,Inc,re parent heat that was found at Tube Forgings,due to alloying elements yield,tensile & elongation.Costs will be reimbursed,per US Steel ltr.
DAILEY,J.N. . 98/01/07. Document Control Branch (Document Control Desk). 10pp. A1796:069-A1796:078.

9801130266 Part 21 rept re use of DELTSTRAT code for RCS flow rate determination.Code corrects for temps to determine hot leg bulk coolant temp.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). IEIN-97-008. 98/01/06. Document Control Branch (Document Control Desk). 6pp. A1796:042-A1796:047.

9801140175 Forwards error notices received from former software suppliers.Listed former customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Co. 98/01/08. Document Control Branch (Document Control Desk). 4pp. A1800:347-A1800:350.

9801150020 Part 21 rept re transient analyses at exposures prior to end of cycle.Caused by component defect.Notified Commonwealth Edison of defect & provided revised limits by Siemens Power Corp.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. LJM:98:001. 98/01/06. NRC - No Detailed Affiliation Given. 3pp. A1840:045-A1840:047.

9801160144 Part 21 & deficiency rept re low trip bar forces & winding of trip pan spring contributing to breaker mis-operation Caused by breakers malfunctioning when called to perform. Plans to repair & test breakers prior to installation.
* Consolidated Edison Co. of New York, Inc. 98/01/14. NRC - No Detailed Affiliation Given. 2pp. A1840:073-A1840:074.

9801160158 Part 21 & deficiency rept re breakers being sent out to approved 10CFR50 App B qualified vendor & returned not meeting requirements.Breakers malfunctioned when called to perform.Plans to repair & replace breakers.
* Consolidated Edison Co. of New York, Inc. 98/01/14. NRC - No Detailed Affiliation Given. 2pp. A1840:071-A1840:072.

9801220097 Forwards LER 97-034-00 & Part 21 Rept 21-97-051 re incorrect cable resistance & brake horsepower data used in design of divisions 1 & 2 EDG vent fans results in design of fan motors being outside design basis of plant.
MACFARLAND,W.G. Illinois Power Co. U-602908. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1893:098-A1893:104.

--9801220103 LER 97-034-00:on 860929,incorrect cable resistance & brake horsepower data used in design of divisions 1 & 2 EDG vent fans results in design of fan motors being outside design basis.Cause under investigation.
HAUMANN,A.B. Illinois Power Co. 98/01/16. 5pp. A1893:099-A1893:104.

9801220116 Part 21 rept re solid state protection sys circuits that were not fully tested during semi-automatic testing of sys. Circuit mods not required to test both parallel inputs. Pressing of reset switch to confirm functioning of inputs.
SEPP,H.A. Westinghouse Electric Corp. NSD-NRC-98-5516. 98/01/15. Document Control Branch (Document Control Desk). 12pp. A1893:064-A1893:075.

9801220365 Deficiency rept re failure of shunt trip coil plunger to return to deenergized position resulting in breaker tripper bar being maintained in trip free position,preventing DB-75 air circuit breaker from closing.Failed assembly replaced.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/15. VISSING,G.S. . 4pp. A1901:026-A1901:029.

9801230118 Part 21 rept re failed operation of Agastat EGPI004 relay on 971129,as reported by Limerick Station.Caused by insufficient soldering.Will notify customers who purchased EPI004 & ETR14XXX004 relays during June 1996.
SOUDEN,R. Affiliation Not Assigned. 98/01/12. Document Control Branch (Document Control Desk). 1p. A1901:041-A1901:041.

9801260011 Forwards error notices received from former software suppliers IAW 920812 & 31 ltrs & 10CFR21.Listed former customers were not notified because of unknown current addresses.
ANDREWS,S.J. Boeing Co. 98/01/15. Document Control Branch (Document Control Desk). 4pp. A1923:135-A1923:138.

9801260190 Forwards LER 97-036-00 & 10CFR21 Rept 21-98-002 re failure of cooling unit mfg to install motor shaft key leads to inoperability of shutdown svc water pump room cooling unit. Rept submitted in accordance w/requirements of 10CFR50.73.
MACFARLAND,W. Illinois Power Co. U-602909. 98/01/19. Document Control Branch (Document Control Desk). 1p. A1923:169-A1923:173.

--9801260201 LER 97-036-00:on 971222,engineering completed evaluation of missing motor shaft key that connects motor to fan hub of Div II shutdown SW pump room cooler.Caused by inoperability of room cooler.Cooling fan restored,per 10CFR21.
O'RILEY,S.P. Illinois Power Co. 98/01/19. 4pp. A1923:170-A1923:173.

9801280333 Part 21 interim rept 21-97-055,identified adverse trend in auxiliary switch operating assembly anomalies in W DHP circuit breakers on 971120.Condition rept 1-97-11-388 initiated to track investigation & resolution.
MACFARLAND,W.G. Illinois Power Co. U-602910. 98/01/16. Document Control Branch (Document Control Desk). 2pp. A1963:239-A1963:240.

9801290049 Forwards error notice received from former software suppliers.Listed customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Co. G-1151-SJA-98-0. 98/01/22. Document Control Branch (Document Control Desk). 4pp. A1971:262-A1971:265.

QA999 VENDOR QUALITY ASSURANCE INSPECTIONS

9801050275 Documents understanding that NRC has agreed to extend due date from 980102 to 980123,for response to NOV re insp repts 99901322/97-01 & 71-0832/97-214.Extension allows sufficient time to provide more complete response.
MILLER,J.H. United States Enrichment Corp. (USEC). 99901322/97-01. 97/12/18. SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 1p. A1709:242-A1709:242.

9801090278 Confirms dates of 980112-13 for NRC staff to conduct insp of Westinghouse Electric Corp facility in Cheswick per 971229 telcon.Insp will relate to implementation of quality assurance program.
BLACK,S.C. . 9990404/98-01. 98/01/08. MOSER,T. Westinghouse Electric Corp. 1p. A1741:219-A1741:219.

9801140136 Forwards insp rept 99901326/97-01 on 971027-31 & notice of nonconformance re failure to adequately implement quality assurance program criteria for control of special processes to comply w/NRC & customer requirements.
BLACK,S.C. . 99901326/97-01. 98/01/02. TYNELL,M. Sweden, Govt. of. 3pp. A1798:016-A1798:030.

--9801140148 Notice of nonconformance from insp on 971027-31. Nonconformance noted:inspectors identified on 971029 that five meter long load thermocouple was not being inserted from front end of furnace during thermal treatment SG tube.
* . 98/01/02. 2pp. A1798:019-A1798:020.

--9801140167 Insp rept 99901326/97-01 on 971027-31.Nonconformance noted. Major areas inspected:manufacturing process control,control of special process & matl traceability & identification.
* . 98/01/02. 10pp. A1798:021-A1798:030.

9801140175 Forwards error notices received from former software suppliers.Listed former customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Co. 98/01/08. Document Control Branch (Document Control Desk). 4pp. A1800:347-A1800:350.

9801140188 Confirms dates of 980114-16,for US NRC to conduct insp of Nuclear Logistics,Inc,facility in Fort Worth,Texas.Insp re implementation of QAP established to control svcs related to refurbishment of 480 Volt circuit breakers.
BLACK,S.C. . 99901298/98-01. 98/01/09. BELL,A.C. Nuclear Logistics, Inc. (NLI). 4pp. A1809:019-A1809:022.

9801160034 Responds to violations noted in insp rept 99900732/97-01. Corrective actions:notified CE of nonconformance by 971217 registered ltr & notified customers that have purchased steel parts during past yr to evaluate usage for impact.
HEID,J.F. Goulds Pumps, Inc. 99900732/97-01. 98/01/08. Document Control Branch (Document Control Desk). 2pp. A1840:293-A1840:296.

9801210036 Discusses investigation rept 1-93-027R completed on 970923 & forwards notice of violation.Violation involves failure of Construction Products Research,Inc & Five Star Products,Inc to adhere to requirements of 10CFR50.7.
COLLINS,S.J. . EA-97-471. 98/01/16. BABCOCK,H.N. Construction Products Research, Inc. BABCOCK,H.N. Five Star Products, Inc. 4pp. A1855:033-A1855:039.

--9801210040 Notice of violation from investigation on 970923.Violation noted:in Dec 1992 & Jan 1993,Construction Products Research, Inc & Five Star Products,Inc,discriminated against EP Holub, as result of engaging in protected activities.
* . EA-97-471. 98/01/16. 3pp. A1855:036-A1855:039.

9801210096 Ack receipt of American Natl Can 971209 ltr informing NRC of steps taken to correct violations noted in insp of license 10CFR31.5 on 971121.
PEDERSON,C.D. Region 3 (Post 820201). 9990003. 98/01/13. WRIGHT,J. . 1p. A1872:114-A1872:123.

9801260011 Forwards error notices received from former software suppliers IAW 920812 & 31 ltrs & 10CFR21.Listed former customers were not notified because of unknown current addresses.
ANDREWS,S.J. Boeing Co. 98/01/15. Document Control Branch (Document Control Desk). 4pp. A1923:135-A1923:138.

9801280177 Ack receipt of 971114 ltr informing NRC of steps taken to correct violations noted in NOV on 971024.Refers to 971203 telcon w/W Peters re two addl lost static eliminators reported in 971114 ltr.
PEDERSON,C.D. Region 3 (Post 820201). 98/01/15. CLARK,R. Affiliation Not Assigned. 1p. A1960:029-A1960:029.

9801290049 Forwards error notice received from former software suppliers.Listed customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Co. G-1151-SJA-98-0. 98/01/22. Document Control Branch (Document Control Desk). 4pp. A1971:262-A1971:265.

9801290208 Forwards insp rept 99901323/97-01 for Westlectric Castings, Inc,on 971117-19,notice of violation & notice of nonconformance.Inspectors found that certain avtivities appeared to be in violation of 10CFR21.21.
BLACK,S.C. . 99901323/97-01. 98/01/26. HEINE,J.R. Affiliation Not Assigned. 3pp. A2006:116-A2006:137.

--9801290212 Notice of violation from insp on 971117-19,for Westlectric Castings,Inc.Violations noted:QA procedure QA104, "Part 21 - Reporting of Defects & Noncompliance," rev A,dtd 960126 failed to address evaluation of deviations.
* . 98/01/26. 1p. A2006:119-A2006:119.

--9801290215 Notice of nonconformance from insp on 971117-19 for Westlectric Castings,Inc.Nonconformance/Deviation noted: authority & duties of all Westlectric QA dept personnel not accurately delineated in Westlectric QA manual,rev K.
* . 98/01/26. 3pp. A2006:120-A2006:122.

--9801290217 Insp rept 99901323/97-01 Westlectic Castings,Inc on 971117- 19.Violations & deviations/noncompliance noted.Major areas inspected:selected portions of Westlectic Castings,Inc,QA program & activities associated w/manufacture of low carbon.
* . 98/01/26. 15pp. A2006:123-A2006:137.

9801300213 Responds to NRC 971203 ltr re violations noted in insp repts 99901322/97-01 & 71-0832/97-214.Corrective actions:Westerman ASL status was changed to "Hold" which prohibited new purchases of cylinders from vendor.
MILLER,J.H. United States Enrichment Corp. (USEC). 99901322/97-01. 98/01/23. Document Control Branch (Document Control Desk). 19pp. A2002:296-A2002:314.

REGGD REGULATORY GUIDES

9801050193 Requests exemption from requirements of 10CFR70.24, "Criticality Accident Requirements," per 10CFR50.12, 10CFR70.14(a) & 10CFR70.24(d).
REID,D.A. Vermont Yankee Nuclear Power Corp. BVY 97-168. 97/12/16. Document Control Branch (Document Control Desk). 8pp. A1684:300-A1684:307.

9801060210 Informs that questions relating to sys classification w/ respect to Reg Guide 1.26 require more research to complete requested comparison.Util request addl 45-days to complete request.
REID,D.A. Vermont Yankee Nuclear Power Corp. BVY 97-176. 97/12/23. Document Control Branch (Document Control Desk). 1p. A1737:359-A1737:359.

9801080144 Forwards revised copy of "Std Format & Content of License Termination Plan for Power Reactors (10CFR50.82(a)(9)," for review.Comments requested by 980114.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/12/30. BLOUGH,A.R. Region 1 (Post 820201). MALLETT,B.A. Region 2 (Post 820201). PEDERSON,C.D. Region 3 (Post 820201). 17pp. A1785:315-A1785:331.

9801080239 "For comment" issue of draft reg guide,DG-1071, "Std Format & Content for Post-Shutdown Decommissioning Activities Rept."
* Office of Nuclear Regulatory Research (Post 941217). 97/12/31. 16pp. A1739:346-A1739:361.

9801080296 "For comment" issue of draft reg guide DG-5008 (proposed rev 2 of RG 5.62), "Reporting of Safeguards Events."
* Office of Nuclear Regulatory Research (Post 941217). 97/12/31. 27pp. A1747:057-A1747:083.

9801090265 Forwards comments on NRC draft regulatory guide DG-3010, "Spent Fuel Heat Generation in ISFSI."
ALEXANDER,D.B. Carolina Power & Light Co. PE&RAS-98-001. 98/01/02. Rules & Directives Review Branch (Post 920323). 3pp. A1786:335-A1786:337.

9801090300 Comment supporting draft RG DG-3010, "Spent Fuel Heat Generation in ISFSI."
ALEXANDER,D.D. Carolina Power & Light Co. 62FR52599 00001. 97/10/08. Office of Administration, Director (Post 940714). 3pp. A1741:223-A1741:226.

9801120146 Reg guide 01.172, "Software Requirements Specifications for Digital Computer Software Used in Safety Systems of Nuclear Power Plants."
* Office of Nuclear Regulatory Research (Post 941217). 97/09/30. 8pp. A1754:292-A1754:299.

9801120147 Reg guide 01.171, "Software Unit Testing for Digital Computer Software Used in Safety Systems of Nuclear Power Plants."
* Office of Nuclear Regulatory Research (Post 941217). 97/09/30. 8pp. A1754:300-A1754:307.

9801120148 Forwards working paper, "Reg Guide:Demonstrating Compliance W/Radiological Criteria for Decommissioning," for public access.
MCGUIRE,S.A. Office of Nuclear Regulatory Research (Post 941217). 97/09/11. NRC - No Detailed Affiliation Given. 1p. A1754:331-A1754:361.

--9801120151 "Working Paper Reg Guide:Demonstrating Compliance W/ Radiological Criteria for Decommissioning Section C.3: Regulatory Position:License Termination Under Restricted Conditions."
* Office of Nuclear Regulatory Research (Post 941217). 97/09/11. 28pp. A1754:332-A1754:361.

9801120149 Reg guide 01.168, "Verification Validation Reviews & Audits for Digital Computer Software Used in Safety Systems of Nuclear Power Plants."
* Office of Nuclear Regulatory Research (Post 941217). 97/09/30. 8pp. A1754:284-A1754:291.

9801120161 Reg guide 01.173, "Developing Software Life Cycle Processes for Digital Computer Software Used in Safety Sys of NPP."
* Office of Nuclear Regulatory Research (Post 941217). 97/09/30. 7pp. A1754:276-A1754:283.

9801130326 Notifies NRC that commitment to install redundant wide range SG level instrument w/independent lower tap on plant during SG replacement cutage was completed.
STALL,J.A. Florida Power & Light Co. L-98-7. 98/01/05. Document Control Branch (Document Control Desk). 1p. A1792:352-A1792:354.

9801130329 Forwards SE re request for approval of ASME case N-498,Rev 1 as alternative to required hydrostatic pressure test for plant,Unit 2.
LYONS,J.E. . TAC M99807. 97/12/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. A1790:259-A1790:264.

9801140217 Forwards third Annual Rept of NRC OE,prepared IAW recommendation II.G-2 of NUREG-1525, "Assessment of NRC Enforcement Program" & SECY-95-084.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/31. THE CHAIRMAN, JACKSON,S.A., DICUS,G.J. Commissioners (Post 750119). 1p. A1791:128-A1791:294.

9801150084 Comment re reg guide DG-1063 & SRP 3.9.8, "Risk-Informed ISI of Piping." Recommends that approved ASME Code cases be ref as "THE" risk-informed ISI requirements for operating nuclear power plants.
ROWLEY,C.W. Affiliation Not Assigned. 62FR53663 00002. 97/12/31. Rules & Directives Review Branch (Post 920323). 3pp. A1809:117-A1809:119.

9801150096 Comment on draft reg guide DG-1063, "Approach for Plant Specific,Risk-Informed Decision Making:Inservice Inspection of Piping,October 1997."
EPLING,M.W. Babcock & Wilcox Operating Plants Owners Group. 62FR53663 00003. 97/01/06. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 6pp. A1809:144-A1809:149.

9801160025 Comment on draft reg guide DG-1063 & draft SRP chapter 3.9.8 dealing with risk-informed in-service inspection of piping systems.
GILMAN,J. Electric Power Research Institute. 62FR53663 00006. 98/01/12. Rules & Directives Review Branch (Post 920323). 40pp. A1825:195-A1825:234.

9801160052 Comment on draft RG DG-1063, "Approach for Plant-Specific Risk-Informed Decision Making:ISI of Piping."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 62FR53663 00007. 97/10/15. NRC - No Detailed Affiliation Given. 2pp. A1825:346-A1825:348.

--9801160054 Forwards comment ltr on DG-1063 received via rulemaking website from R Weston,ABB Combustion Engineering.
GALLAGHER,C. NRC - No Detailed Affiliation Given. 98/01/14. GUTTMAN,J. NRC - No Detailed Affiliation Given. 1p. A1825:348-A1825:348.

9801160061 Comment on RG DG-1063 & SRP 3.9.8, "Risk-informed ISI." Amount of detail in RG should not be so great as to preclude use of other acceptable alternative methods.
WIGHT,R.R. Illinois, State of. 62FR53663 00004. 98/01/08. Rules & Directives Review Branch (Post 920323). 7pp. A1825:353-A1825:359.

9801160085 Comment on RG DG-1063 & SRP 3.9.8, "Risk-informed ISI of Piping (MUHP-6071)."
GREENE,T.V. Westinghouse Electric Corp. 62FR53663 00005. 98/01/13. Rules & Directives Review Branch (Post 920323). 25pp. A1826:104-A1826:128.

9801160142 Comment re RG DG-1063: "Approach For Plant-Specific, Risk-Informed Decisionmaking," & SRP 3.9.8., "Risk-Informed ISI." Proposed RG & SRP provide adequate technical direction for risk informed decisionmaking.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 62FR53663 00009. 98/01/09. Rules & Directives Review Branch (Post 920323). 4pp. A1826:212-A1826:215.

9801200273 Comment on draft RG DG-1063 & draft SRP Chapter 3.9.8, addressing risk-informed ISI of piping.Draft RG believed to be voluminous,highly prescriptive & need for extensive quantitative analysis to support conclusion suggested.
PIETRANGELO,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR53663 00010. 98/01/14. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 7pp. A1829:081-A1829:087.

9801210020 "For comment" issue of draft reg guide DG-3013, "Nuclear Criticality Safety Stds for Fuels & Matl Facilities."
* Office of Nuclear Regulatory Research (Post 941217). 98/01/31. 8pp. A1866:239-A1866:246.

9801210245 Monthly operating repts for Dec 1997 for Peach Bottom,Units 2 & 3.W/ 980108 ltr.
KILGORE,D.M., WARNER,M.E. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/31. 11pp. A1882:295-A1882:305.

9801220160 Informs that inconsistencies in documentation describing initial problem identified in corrective actions associated w/LER 373/97-021, "Undrainable Low Areas In Drywell Floor Resulting...." Necessary work will be completed by 980227.
DACIMO,F. Commonwealth Edison Co. 98/01/12. Document Control Branch (Document Control Desk). 2pp. A1895:016-A1895:017.

9801230001 Forwards supplemental safety evaluation re NUREG-0737,item II.F.2 instrumentation for detection of inadequate core cooling, & RG 1.97,Rev 2 re core exit thermocouples.
MCDONALD,D.G. . TAC M99613. 98/01/12. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A1900:350-A1900:355.

--9801230002 SER accepting justification for deviation from guidance provided in NUREG-0737,item II.F.2 & RG 1.97,rev 2.
* . 98/01/12. 2pp. A1900:354-A1900:355.

9801260139 Forwards SE accepting 950629 & 971114 requests for deviations from RG 1.97,rev 2 recommendations for containment isolation valve position indication instrumentation at NPP.
DORMAN,D.H. . TAC M92780. 98/01/14. KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 4pp. A1902:224-A1902:229.

--9801260143 Supplemental SE accepting RG 1.97,rev 2 recommendations for containment isolation valve position indication instrumentation at NPP.
* . 98/01/14. 2PP. A1902:228-A1902:229.

9801260249 Comment re Draft Reg Guide DG-5008, "Reporting of Safeguards Events." COOPER,V.L. Kansas, State of. 63FR275 00001. 98/01/13. Rules & Directives Review Branch (Post 920323). 1p. A1933:002-A1933:002.

9801260259 Comment on draft standard review plan 3.9.8, "For Review of Risked-Informed Inservice Insp of Piping" & Draft Reg Guide DG-1063, "Approach for Plant-Specific,Risked-Informed Decisionmaking:Inservice Insp of Piping."
HUTING,M. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 62FR53663 00011. 98/01/09. Rules & Directives Review Branch (Post 920323). 5pp. A1926:252-A1926:256.

9801290207 Comment on draft RG DG-1063, "Approach for Plant Specific Decision-Making:Inservice Insp of Piping," & SRP Section 3.9.8, "SRP for Review of Risk-Informed Inservice Insp of Piping."
BOWLING,M.L. Northeast Nuclear Energy Co. 62FR53663 00012. 98/01/21. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 13pp. A2006:103-A2006:115.

9801300211 Submits question as to whether reg guide 1.120 re fire guidelines for NPPs has been approved & implemented in NPPs especially in USA.Response requested.
KOTHARI,C.M. India. 98/01/09. THADANI,S.A. NRC - No Detailed Affiliation Given. 2pp. A2002:321-A2002:322.

REVIEW GRP REVIEW GROUPS

9801020080 Forwards documents that were distributed or produced during Working Group Session III on Fuel Facility Integrated Safety Analyses & Licensee Performance Reviews as requested prior to NRC/Utility Workshop on 971208-10.
WEBER,M.F. Licensing Branch. 97/12/29. KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 15pp. A1600:030-A1600:045.

9801020180 Forwards memo from Nuclear Energy Inst to Chairman S Jackson re proposed revised language for 10CFR50.59.
BERGMAN,T.A. . 97/12/29. . 5pp. A1648:335-A1648:339.

9801050189 Informs of NEI Nuclear Strategic Issues Advisory Committee adoption of listed formal industry position re steam generator program.Copy of NEI-97-06, "Steam Generator Program Guidelines," attached.
BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 97/12/16. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1721:001-A1721:032.

--9801050190 "Steam Generator Program Guidelines."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 97/12/31. 30pp. A1721:003-A1721:032.

9801050362 Submits conclusion on EPRI fire implementation guide & EPRI fire PRA implementation guide.Copy of rept encl for info & distribution.W/o encl.
HODGES,M.W. Division of Systems Technology (Post 941217). GL-88-20. 97/12/03. MODEEN,D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 3pp. A1663:138-A1663:140.

9801060224 Transmits summary of joint NRC/TSs Task Force Owners Group meeting held in Rockville,MD on 971202 & 03.
BECKNER,W.D. . 97/12/24. DAVIS,J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 7pp. A1681:041-A1681:047.

9801060232 Forwards final draft of EPRI rept titled, "Guidelines on Elements of Nuclear Safety-Related Coatings Program." Rept is currently being reviewed by EPRI & nuclear utility personnel & will be subject of 980122-23 meeting.
BUTLER,J.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/01/02. DAVIS,J.A. . 1p. A1742:001-A1742:134.

--9801060235 "Guidelines on Elements of Nuclear Safety-Related Coatings Program," final draft rept.
ROSCH,F. Electric Power Research Institute. 97/12/12. 133pp. A1742:002-A1742:134.

9801070141 Summary of public portion of 971202 meeting w/Nuclear Energy Institute re GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps," dtd 971007.W/slides & list of attendees.
LOBEL,R. . GL-97-04. 97/12/17. BERLINGER,C. . 51pp. A1681:289-A1681:338.

9801070314 Comment on proposed & direct final rulemaking 10CFR50 & 70 re criticality accident requirements.Requests that NRC not proceed w/direct final rule,but instead follow expedited schedule for resolving comments on subj rules.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR63911 00004. 98/01/02. Office of the Secretary of the Commission. 9pp. A1727:057-A1727:065.

9801090165 Notification of 980112-13 meeting w/Nuclear Energy Institute (NEI) in Miami,Florida to discuss licensing issues,including proposed industry guidance for implementation of 10CFR50.59 & 10CFR50.71(e).
MCKENNA,E.M. . 97/12/30. ESSIG,T.H. . 6pp. A1747:184-A1747:189.

9801090309 Summary of 971124 meeting w/NEI in Rockville,MD re issues concerning updated FSARs & to provide preliminary staff comments for NEI draft guidance on updated FSARs.List of attendees encl.
BERGMAN,T.A. . 98/01/06. ESSIG,T.H. . 3pp. A1754:246-A1754:248.

9801140251 Summary of 971217 meeting w/Nuclear Energy Inst in Rockville,MD re decommissioning funding assurance.List of attendees encl.
MAGRUDER,S.L. . 98/01/07. ESSIG,T.H. . 15pp. A1817:117-A1817:130.

9801140311 Notification of 980129 meeting w/Nuclear Energy Inst in Rockville,MD to discuss industry proposals re PRA quality.
MAGRUDER,S.L. . 98/01/07. ESSIG,T.H. . 4pp. A1801:107-A1801:110.

9801140326 Forwards upcoming ltr from Nuclear Energy Inst w/submitted rev & copy of original plan,for use.Draft comments from Owners Group Project Managers also encl.Comments on proposed rev to regulatory response group plan requested by 980131.
ESSIG,T.H. . 98/01/08. BOGER,B., ADENSAM,E.G., LAINAS,G.C. . 2pp. A1817:131-A1817:152.

--9801140334 Transmits revised NSSS Owners Groups Regulatory Response Group Plan for review.Believes revised plan captures actions necessary to ensure adequate owners group response to NRC/NRR requests within RRG.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 97/10/07. ROE,J.W. . 9pp. A1817:133-A1817:152.

9801140424 Summary of 971203 meeting w/Nuclear Energy Institute in Rockville,Maryland re issues related to SG tube database for voltage-based alternate tube repair criteria for outside diameter stress corrosion cracking in Westinghouse plants.
MAGRUDER,S.L. . 98/01/07. ESSIG,T.H. . 48pp. A1801:154-A1801:201.

9801150101 Comment on NUREG-1569, "Draft Std Review Plan for In Situ U Extraction License Application." Recommends that NRC in cooperation w/U mining industry,as well as state regulators revise draft SRP.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR54885 00014. 98/01/07. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 3pp. A1809:151-A1809:153.

9801160001 Notification of 980123 meeting w/Nuclear Energy Inst in Rockville,MD to discuss industry proposals concerning emergency plan changes described in 970925 ltr.Proposed agenda encl.
MAGRUDER,S.L. . 98/01/12. ESSIG,T.H. . 5pp. A1820:304-A1820:308.

9801160179 Meeting notes of 971023 meeting w/NEI & EPRI on implementation of containment insp rule 10CFR50.55a.Meeting announcement,agenda & list of attendees encl.
ASHAR,H. . 98/01/13. BAGCHI,G. . 13pp. A1820:259-A1820:271.

9801200109 Submits agenda for 980113 CRGR meeting number 313 to be held in Rockville,MD.
MARTIN,T.T. Committee to Review Generic Requirements. 98/01/12. MIRAGLIA,F.J. . MURPHY,J.A. Office of Nuclear Regulatory Research (Post 941217). KANE,W.F. Office of Nuclear Material Safety & Safeguards. 2pp. A1841:358-A1841:359.

9801200273 Comment on draft RG DG-1063 & draft SRP Chapter 3.9.8, addressing risk-informed ISI of piping.Draft RG believed to be voluminous,highly prescriptive & need for extensive quantitative analysis to support conclusion suggested.
PIETRANGELO,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR53663 00010. 98/01/14. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 7pp. A1829:081-A1829:087.

9801210171 Forwards final rept EPRI TR-109014, "Analysis of Loss of Decay Heat Removal Trends (1989-96) Outage Risk Assessment & Mgt (ORAM) Technology."
BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 97/12/12. COLLINS,S.J. . 2pp. A1857:295-A1857:334.

--9801210194 EPRI TR-109014 Final rept EPRI TR-109014, "Analysis of Loss of Decay Heat Removal Trends (1989-96) Outage Risk Assessment & Mgt (ORAM) Technology."
WELLS.J. Affiliation Not Assigned. 97/10/31. 38pp. A1857:297-A1857:334.

9801210209 Forwards EPRI TR-108812, "Response of Isolated Piping to Thermally Induced Overpressurization During Loss of Coolant Accident (GL 96-06)." Meeting w/ NRC requested in late-Feb or early March to discuss subj rept.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). GL-96-06. 98/01/15. MARSH,L.B. . 2pp. A1901:052-A1901:099.

--9801210213 EPRI TR-108812 Non-proprietary "Response of Isolated Piping to Thermally Induced Overpressurization During Loss of Coolant Accident (GL 96-06)."
GOSSELIN,S.R. Electric Power Research Institute. GL-96-06. 97/12/31. 45pp. A1901:054-A1901:099.

9801230004 Responds to 971028 ltr re EPRI rept, "SG Tubing Outside Diameter Stress Corrosion Cracking at Tube Support Plates Database for Alternate Repair Limits," NP-7480-L,Addendum 1. Correct database for GL 95-05 requested.
SULLIVAN,E.J. . GL-95-05. 98/01/20. MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. A1901:352-A1901:355.

9801230113 Comment on proposed rules 10CFR50 & 140, "Financial Protection Requirements for Permanently Shutdown Nuclear Power Reactors"
HENDRICKS,L. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR58690 00002. 98/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1915:148-A1915:150.

9801260232 Comment opposing petition for rulemaking PRM-50-63A re amend to emergency planning std in 10CFR50.47.
HENDRICKS,L. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR66038 00004. 98/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. A1919:101-A1919:104.

9801260489 Comment on proposed rule 10CFR50.Nuclear Energy Inst requested extension on public comment period until 980403. Request for 30 day extension granted.
HOYLE,J.C. Office of the Secretary of the Commission. 62FR63892. 98/01/16. MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. A1926:276-A1926:276.

9801280080 Summary of 980112-13 workshop w/NEI re NEI initiatives on development of guidance documents for various licensing issues.Agenda for workshop,list of attendees & NRC presentation encl.
MCKENNA,E.M. . 98/01/22. ESSIG,T.H. . 18pp. A1934:284-A1934:319.

9801290213 Notification of Senior Mgt Meeting w/Nuclear Energy Institute & Industry on 980227 in Rockville,Maryland to discuss status of staff efforts to issue GL on SG tube integrity & recent industry initiative.
REED,T.A. . 98/01/22. SULLIVAN,E.J. . 3pp. A1942:090-A1942:092.

SECY STAFF POSITION PAPERS PREPARED FOR THE COMMISSION

9801060025 SECY-97-297 Weekly info rept for wk ending 971219.
BLAHA,J.L. Assistant for Operations (Post 890205). 97/12/29. 28pp. A1680:010-A1680:037.

9801080023 SECY-97-296 Informs Commission of staff activities & progress w/respect to ASP program & related initiatives & to present results of final ASP analyses of 1996 operational events & results of preliminary analyses of 1997 operational events.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/23. 8pp. A1728:018-A1728:025.

9801080088 SECY-97-254 Request Commission approval of draft agreement between NRC & State of Arizona to initiate pilot program which would allow State to conduct insp on behalf of NRC at certain Federal materials licensees in Arizona.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/10/27. 17pp. A1728:200-A1728:216.

9801080132 SECY-97-294 Responds to staff requirements memo of 971024 requesting that staff provide paper describing how staff intends to use info such as performance trends & economic plots to reach decisions at SMMs.
CALLAN,L.J. Ofc of the Executive Director for Operations. M970919C. 97/12/19. 6pp. A1728:076-A1728:081.

9801090005 Staff requirements memo re SECY-97-254, "Pilot Program W/State of Arizona."
HOYLE,J.C. Office of the Secretary of the Commission. 97/12/24. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1747:233-A1747:233.

9801090020 Commission voting record on SECY-97-254 re pilot program w/State of Arizona.
HOYLE,J.C. Office of the Secretary of the Commission. 97/12/24. 2pp. A1747:223-A1747:230.

--9801090021 Notation vote disapproving SECY-97-254 re pilot program w/State of Arizona.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/11/14. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1747:225-A1747:225.

--9801090022 Notation vote approving SECY-97-254 re pilot program w/State of Arizona.
DICUS,G.J. Commissioners (Post 750119). 97/11/10. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1747:226-A1747:226.

--9801090026 Notation vote approving SECY-97-254 re pilot program w/State of Arizona.
DIAZ,N.J. Commissioners (Post 750119). 97/11/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1747:227-A1747:227.

--9801090027 Notation vote disapproving w/comments SECY-97-254 re pilot program w/State of Arizona.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/11/13. Office of the Secretary of the Commission. 2pp. A1747:228-A1747:230.

9801090307 Forwards documents associated w/GL 97-06, "Degradation of SG Internals," to be placed in public document room & made available to public.
SHAPAKER,J.W. . GL-97-06. 98/01/08. Document Control Branch (Document Control Desk). 7pp. A1747:153-A1747:176.

9801130181 Staff requirements memo re meeting w/Northeast Nuclear on 971212 in Rockville,MD about plant,SECY-97-283.Meeting open to public attendance.
HOYLE,J.C. Office of the Secretary of the Commission. M971212. 98/01/09. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1790:339-A1790:339.

9801130404 Forwards comments on SECY-97-090 which presents proposed rule on exempt distribution of radioactive drug containing one microcurie of Carbon-14 urea.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF70-1 016. 97/05/02. JONES,S.Z. Division of Regulatory Applications (Post 941217). 30pp. A1858:139-A1858:226.

9801140096 Staff requirements memo re briefing on integration & evaluation of results from recent lesson learned reviews. Commission indicated that guidance to staff would be provided on issues re SECY-97-205.
HOYLE,J.C. Office of the Secretary of the Commission. M971217. 98/01/09. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1797:352-A1797:352.

9801140109 SECY-98-001 Informs Commission of staff progress on actions in response to staff requirements memo,dtd 960119 re mechanisms for addressing GSIs.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/02. 4pp. A1801:102-A1801:106.

9801140217 Forwards third Annual Rept of NRC OE,prepared IAW recommendation II.G-2 of NUREG-1525, "Assessment of NRC Enforcement Program" & SECY-95-084.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/31. THE CHAIRMAN, JACKSON,S.A., DICUS,G.J. Commissioners (Post 750119). 1p. A1791:128-A1791:294.

9801140360 SECY-97-302 Informs Commission of plans for improving access to research info during early phases of work.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/29. 6pp. A1809:023-A1809:028.

9801140363 SECY-97-298 Provides Commission w/revised schedule for staff review of AP600 design certification application.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/24. 6pp. A1809:029-A1809:035.

9801140369 SECY-97-301 Informs Commission of status of work of NRC Task Force on formed to identify,in conjunction w/DOE,policy & regulatory issues needing analysis & resolution,before seeking NRC oversight responsibility for DOE nuclear facilities.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/29. 34pp. A1809:036-A1809:072.

9801150026 Forwards index & documents for regulatory history file of final rule entitled, "Exempt Distribution of Radioactive Drug Containing 1 uCi of C-14 Urea," 10CFR30 & 32,published on 971202 (62FR63634).
TSE,A.N. Radiation Protection & Health Effects Branch (Post 941217). AF70-2 001. 98/01/09. Document Control Branch (Document Control Desk). 3pp. A1831:001-A1831:347.

--9801150061 Requests that Commission action be implemented by arranging for publication of encl final rule on exempt distribution & use of radioactive drug *containing* 1 uCi C-14 urea as set out in SECY-97-232 in FRN.
TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). AF70-2 005. 97/11/17. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 132pp. A1831:031-A1831:245.

9801160035 SECY-98-004 Weekly info rept for wk ending 971226 & 980102.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/01/08. 20pp. A1825:276-A1825:295.

9801210127 SECY-98-003 Informs Commission of organizational conflict of interest issues that have been identified re USNRC use of DOE labs for technical assistance & research.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/06. 18pp. A1855:088-A1855:105.

9801220122 Staff requirements memo re SECY 97-225, "Enhancing NRC Effectiveness & Efficiency." Commission has not objected to proposed development of detailed plans to implement strategies included in FY 98.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/14. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. A1877:356-A1877:357.

9801220133 SECY-98-004 Weekly info rept for wk ending 971226-980102.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/01/08. 19pp. A1875:246-A1875:264.

9801220147 SECY-98-007 Informs Commission of status of NRR licensing actions & NRR progress in meeting age goals for licensing action inventory.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/09. 5pp. A1875:190-A1875:195.

9801220153 SECY-97-225 Responds to Commission request to broaden approach to Direction Setting Issue-23,enhancing regulator excellence, beyond option 2 & provide recommendation on how broadly & quickly NRC can realistically undertake agency-wide effort.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/10/02. 34pp. A1875:274-A1875:304.

9801220161 SECY-97-279 Provides Commission w/regulatory options for license renewal applicants to address cumulative & generic environ impacts of transportation of HLW activities in vicinity of HLW repository.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/03. 5pp. A1875:305-A1875:309.

9801220197 Staff requirements memo re SECY-97-279, "Generic & Cumulative Environ Impacts of Transportation of HLW In Vicinity of HLW Repository." Commission approved staff proposal to implement Option 3 to amend 10CFR51.53.
HOYLE,J.C. Office of the Secretary of the Commission. M970612. 98/01/13. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1877:286-A1877:286.

9801220204 Commission voting record on SECY-97-279 re generic & cumulative environ impacts of transportation of HLW in vicinity of HLW repository (SRM M970612).
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/13. 2pp. A1890:325-A1890:331.

--9801220208 Notation vote approving w/comments SECY-97-279 re generic & cumulative environ impacts of transportation of HLW in vicinity of HLW repository (SRM M970612).
DICUS,G.J. Commissioners (Post 750119). 97/12/22. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1890:327-A1890:328.

--9801220220 Notation vote approving w/comments SECY-97-279 re generic & cumulative environ impacts of transportation of HLW in vicinity of HLW repository (SRM M970612).
DIAZ,N.J. Commissioners (Post 750119). 97/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1890:329-A1890:329.

--9801220224 Notation vote approving w/comments SECY-97-279 re generic & cumulative environ impacts of transportation of HLW in vicinity of HLW repository (SRM M970612).
MCGAFFIGAN,E. Commissioners (Post 750119). 97/12/16. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1890:330-A1890:331.

9801230056 SECY-98-008 Weekly info rept for wk ending 980109.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/01/15. 26pp. A1915:184-A1915:209.

9801260140 SECY-97-253 Provides Commission w/discussion of policy options re financial qualifications of power reactor licensees to operate facilities safely in light of restructuring activities.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/10/24. 32pp. A1926:323-A1926:354.

9801260171 Staff requirements memo re SECY-97-253, "Policy Options for Nuclear Power Reactor Financial Qualifications in Response to Restructuring of Electric Utility Industry."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/15. CALLAN,L.J. Ofc of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 860701). 2pp. A1923:340-A1923:341.

9801260175 Notation vote approving w/comments SECY-97-249, "Recovering Budgeted Costs re Federal Agencies,Nonprofit Educational Insts,Small Entities,Regulatory Support to Agreement States, Site Decommissioning Mgt Program & Generic...."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/11/20. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. A1924:128-A1924:135.

9801260180 Commission voting record on SECY-97-253 re policy options for nuclear power reactor financial qualifications in response to restructuring of electric utility industry.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/15. 2pp. A1924:117-A1924:127.

--**9801260184** Notation vote approving w/comments SECY-97-253, "Policy Options for Nuclear Power Reactor Financial Qualifications in Response to Restructuring of Electric Utility Industry."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/11/26. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1924:119-A1924:120.

--**9801260187** Notation vote disapproving w/comments SECY-97-253, "Policy Options for Nuclear Power Reactor Financial Qualification in Response to Restructuring of Electric Utility Industry."
DICUS,G.J. Commissioners (Post 750119). 97/12/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1924:121-A1924:122.

--**9801260189** Notation vote disapproving w/comments SECY-97-253, "Policy Options for Nuclear Power Reactor Financial Qualifications in Response to Restructuring of Electric Utility Industry."
DIAZ,N.J. Commissioners (Post 750119). 97/12/23. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1924:123-A1924:124.

--**9801260192** Notation vote approving w/comments SECY-97-253, "Policy Options for Nuclear Power Reactor Financial Qualifications to Restructuring of Electric Utility Industry."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1924:125-A1924:127.

9801280051 SECY-98-009 Weekly info rept for wk ending 980116.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/01/22. 25pp. A1939:265-A1939:289.

9801280076 SECY-97-275 Provides for Commission consideration & endorsement of staff actions to address specific guidance & info requested in COMSECY-96-054 on NRC relationship w/Agreement States.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/11/28. 65pp. A1940:001-A1940:065.

9801280350 Staff requirements memo re SECY-97-275, "Guidelines for Providing Assistance to Agreement States & Alternatives for Training."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/16. CALLAN,L.J. Ofc of the Executive Director for Operations. GALANTE,A.J. NRC - No Detailed Affiliation Given. 2pp. A1940:294-A1940:295.

9801290012 Commission voting record on SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/16. 1p. A1942:159-A1942:167.

--**9801290016** Notation vote approving SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1942:160-A1942:160.

--**9801290020** Notation vote approving w/comments SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
DICUS,G.J. Commissioners (Post 750119). 97/12/17. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1942:161-A1942:162.

--**9801290023** Notation vote approving w/comments SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
DIAZ,N.J. Commissioners (Post 750119). 97/12/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1942:163-A1942:163.

--**9801290024** Notation vote approving w/comments SECY-97-275 re guidelines for providing assistance to Agreement States & alternatives for training.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1942:164-A1942:167.

9801300183 Staff requirements memo re SECY-97-260, "Resolution of Public Comments in FRN, 'Safety Conscious Work Environ.'"
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A1961:186-A1961:186.

9801300192 SECY-97-260 Provides Commission w/staff response to public comments on FRN "Safety Conscious Work Environment," & to publish FRN withdrawing proposal outlined in notice.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/11/04. 37pp. A1964:306-A1964:355.

9801300194 Commission voting record on SECY-97-260 re resolution of public comments in FR notice "Safety Conscious Work Environment."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. 2pp. A1961:193-A1961:201.

--**9801300195** Notation vote approving w/comments SECY-97-260 re resolution of public comments in response to request for public comments in FR "Safety Conscious Work Environment."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1961:195-A1961:196.

--**9801300198** Notation vote approving w/comments,SECY-97-260 re resolution of public comments in response to request for public comments in FRN, "Safety Conscious Work Environ."
DICUS,G.J. Commissioners (Post 750119). 97/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1961:197-A1961:197.

--**9801300204** Notation vote approving in part & disapproving in part w/ comments,SECY-97-260 re resolution of public comments in response to request for public comments in FRN, "Safety Conscious Work Environ."
DIAZ,N.J. Commissioners (Post 750119). 97/11/14. Office of the Secretary of the Commission. 2pp. A1961:198-A1961:199.

--**9801300206** Notation vote approving w/o comments,SECY-97-260 re resolution of public comments in response to request for public comments in FRN, "Safety Conscious Work Environ."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/11/17. Office of the Secretary of the Commission. 1p. A1961:200-A1961:201.

STATE PROG STATE PROGRAMS

9801020166 Forwards listed background matls associated w/Interagency Steering Committee on Radiation Stds.W/o encls.
SOBEL,P. Division of Waste Management (NMSS 940403). 97/12/23. LIPOTI,J. New Jersey, State of. 2pp. A1670:354-A1670:355.

9801050012 Forwards completed NPDES permit application for Bradshaw Reservoir,application general info,evidence of municipal & county notification & check for application fee.Change to current monitoring requirements requested.
CESAREO,D.J. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/12/23. ROTH,J. Pennsylvania, Commonwealth of. 57pp. A1701:249-A1701:307.

9801050289 *Requests info re target date,in particular,for submitting complete draft application* package for NRC staff review & formal request for Agreement from Governor to Chairman to support fiscal year 2000 budget.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/12/19. BRODERICK,M. Oklahoma, State of. SUPPES,R.L. Ohio, State of. KERNS,K. Pennsylvania, Commonwealth of. 11pp. A1634:082-A1634:092.

9801050310 Comment on proposed rule 10CFR35 re rulemaking activities involved w/ medical use of radioisotopes.
RATLIFF,R.A. Texas, State of. 62FR42219 00002. 97/12/22. Office of the Secretary of the Commission. 2pp. A1658:161-A1658:162.

9801050314 Ack receipt of 971216 ltr re review of Kentucky administrative regulations 902 KAR 100:010,015,019 & 021.
VOLPE,J.A. Kentucky, Commonwealth of. 97/12/24. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. A1658:166-A1658:166.

9801050328 Responds to 971114 ltr re sites formerly licensed by NRC & assumption that state radiation control programs will want to ensure protection of public & undefined unfunded mandate being foisted on states.
MOBLEY,M.H. Tennessee, State of. SP-97-080. 97/12/17. BANGART,R.L. Office of State Programs (Post 911117). 1p. A1658:167-A1658:167.

9801050337 Safety & compliance insp on 971126 of license CA-4424-48. Insp findings:no violations identified.
* Region 4 (Post 820201). * NorCal Testing, Inc. 97/12/04. 1p. A1672:085-A1672:085.

9801050344 Responds to 970908 request to relinquish New Mexico authority to evaluate & approve sealed source & device applications.Commission decided to reassume authority for sealed source & devices evaluation,effective 980101.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/18. JOHNSON,G.E. New Mexico, State of. 2pp. A1658:168-A1658:179.

9801050363 Requests publication of encl FRN, "State of NM Relinquishment of Sealed Source & Device Evaluation & Approval Authority & Reassumption by Commission," IAW SRM, dtd 971202.
BANGART,R.L. Office of State Programs (Post 911117). 97/12/10. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 7pp. A1634:102-A1634:108.

9801050367 Confirms 971219 telcon,where invitation was extended to participate in 980121 briefing of US NRC.Requests comments on current regulation of generally & specifically licensed devices.Name & title of representatives requested by 980106.
BANGART,R.L. Office of State Programs (Post 911117). 97/12/23. LIPOTI,J. New Jersey, State of. 1p. A1634:109-A1634:111.

9801050369 Responds to 971010 ltr re Nevada administrative code 459.120(3)(a),equivalent of 10CFR30.12, "Persons Using Byproduct Matl under Certain DOE & NRC Contracts."
BANGART,R.L. Office of State Programs (Post 911117). 97/12/24. MARSHALL,S.R. Nevada, State of. 9pp. A1741:248-A1741:261.

--**9801050373** Forwards for review & interpretation of regulatory language, Nevada administrative code 459.120(3)(a).
MARSHALL,S.R. Nevada, State of. 97/10/10. BANGART,R.L. Office of State Programs (Post 911117). 5pp. A1741:257-A1741:261.

9801050377 Informs that 971124 comments re Florida part 20 equivalent rules for compatibility w/10CFR20 reviewed.Discrepancies in section 10D-91.102(66) & *10D91.435(2),identified in encl 3, inadvertent oversights.*
PASSETTI,W.A. Florida, State of. 97/12/23. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. A1658:193-A1658:193.

9801050380 Forwards exams for two members of Dept of Environment & Conservation staff who attended listed course.Course exam results indicate that individuals did not meet minimum standard for successful completion of courses.W/o encls.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-06-118. 97/12/29. MOBLEY,M.H. Tennessee, State of. 5pp. A1658:194-A1658:198.

9801050386 Forwards copy of two volume ORNL rept,dtd 950228,documenting staff review of Kansas final part 20 equivalent rule for info & use.Response requested in writing describing actions State of KS plans to take to address comments in encl 3.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/12/30. COOPER,V.L. Kansas, State of. 10pp. A1671:001-A1672:083.

--**9801060074** Acks NRC responses to draft comments of Kansas final Part 20 rule.Comment number 2 re control of access to very high radiation areas-irradiators has been resolved in that Kansas will apply regulatory requirements equivalent to 10CFR36.
COOPER,V.L. Kansas, State of. 97/12/23. SALOMON,S. Office of State Programs (Post 911117). 22pp. A1671:011-A1671:032.

--**9801060084** ORNL/M-3937 "Regulation Review Rept of Kansas Dept of Health & Environ, Div of Environ,Bureau of Air & Radiation,Radiation Control Program,RP Regulations,Kansas Administrative Regulations, Agency 28,Article 35,Part 1 & Part 4."
SHOLLY,J.T., KILBY,M.A., COMPSON,A.E. Oak Ridge National Laboratory. 95/02/28. Office of State Programs (Post 911117). 95pp. A1671:033-A1671:127.

--**9801060100** ORNL/M-3938 "ORNL Internal Regulation Review Rept of Kansas Dept of Health & Environ,Div of Environ,Bureau of Air & Radiation, Radiation Control Program,RP Regulations,Kansas Administrative Regulations,Agency 28,Article 35,Part 1 & 4."
SHOLLY,J.T., KILBY,M.A., COMPSON,M.A. Oak Ridge National Laboratory. 95/02/28. Office of State Programs (Post 911117). 315pp. A1671:128-A1672:083.

9801060022 Forwards ltr received from M Broderick on 971110,which identifies specific licenses that contain provision for use of source matl as ancillary part of byproduct matl license for review & comments by 970131.
BANGART,R.L. Office of State Programs (Post 911117). 97/12/20. CAMERON,F.X. Office of the General Counsel (Post 860701). 4pp. A1680:004-A1680:009.

--**9801060024** Submits license categories that include source matl for specific ancillary purpose & licenses that specifically cover source matl.Review conclusions & ensure that NRC & State of OK are in agreement.
BRODERICK,M. Oklahoma, State of. 97/12/20. BANGART,R. Office of State Programs (Post 911117). 2pp. A1680:008-A1680:009.

9801060120 Responds to 971105 ltr which transmitted revised draft of "Texas Final Rept." Explanations for encl suggested changes has been added,following change.
PEARSON,D. Texas, State of. 97/12/18. BANGART,R.L. Office of State Programs (Post 911117). 9pp. A1680:092-A1680:100.

9801060126 Forwards press packet made available at 971029 news conference to announce release of Nebraska LLRW Programs technical analysis of US Ecology license application for LLRW disposal facility proposed in Boyd County,NE.
RINGENBERG,J.D. Nebraska, State of. 97/10/30. BANGART,R. Office of State Programs (Post 911117). 61pp. A1680:143-A1680:202.

9801060221 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering has reviewed request proposes to permanently change TS 3/4.8.1 re EDG insp interval & has no comments.
TOSCH,K.W. New Jersey, State of. 97/12/30. Document Control Branch (Document Control Desk). 2pp. A1741:340-A1741:341.

9801060251 Confirms 971217 conversation during monthly NRC & Organization of Agreement States conference call which extended invitation to participate in 980121 briefing. Name & title of representative requested by 980106.
BANGART,R.L. Office of State Programs (Post 911117). 97/12/23. FLETCHER,R. Maryland, State of. 2pp. A1680:278-A1680:280.

9801060256 Transmits State Agreement Program Info (SP-97-088) re acceptance to internal dosimetry & whole body counting course (H-312).
BANGART,R.L. Office of State Programs (Post 911117). SP-97-088. 97/12/23. General. 10pp. A1680:281-A1680:290.

9801060270 Responds to 971030 ltr,inviting JT Greeves to attend FL Nuclear Stakeholders meeting to be held on 980204,in Tallahassee,FL.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/12/30. CLARK,S.F., HUNTER,R.G. Florida, State of. 4pp. A1741:264-A1741:267.

9801070054 Forwards response to NM Environ Dept 970613 RAI re evaporation pond 9 & mill reservoir.
LUTHIGER,P. Quivira Mining Co. 97/12/16. EVERETT,K. New Mexico, State of. 6pp. A1742:353-A1742:358.

9801070176 Forwards "New Jersey NPDES Discharge Monitoring Rept for Salem Generating Station for Month of Nov 1997." Rept is required by & prepared specifically for EPA & New Jersey Dept of Environ Protection.
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 97/12/17. New Jersey, State of. 5pp. A1744:307-A1744:325.

9801070262 Documents NRC reviews on Cyprus Foote Mineral Co work to date,identifies outstanding items & proposes approach for resolving items,consistent w/Dec 1996 ltr.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/19. SUPPES,R. Ohio, State of. 11pp. A1747:292-A1747:303.

9801080086 Forwards rev 10 to vols 1-9 of State of NH emergency plans, vols 10-16 to Vermont Yankee Towns emergency plans & vols 20-40 to Seabrook Station Towns emergency plans.
* New Hampshire, State of. 97/12/01. Document Control Branch (Document Control Desk). 4pp. A1766:001-A1781:305.

--**9801080096** Rev 10 to vol 1 of State of NH radiological emergency response plan.
* New Hampshire, State of. 97/12/01. 200pp. A1766:005-A1766:256.

--**9801080122** Rev 10 to vols 2-4 of State of NH radiological emergency response plan, "Vermont Yankee Implementing Procedures."
* New Hampshire, State of. 97/12/01. 450pp. A1766:257-A1768:054.

--**9801080128** Rev 10 to vols 5-7 of State of NH radiological emergency response plan, "Seabrook Station Implementing Procedures" & vols 8-9, "State & Local Functional Implementing Procedures & Appendices."
* New Hampshire, State of. 97/12/01. 1,100pp. A1768:055-A1771:246.

--**9801080158** Rev 10 to vol 10 of State of NH radiological emergency response plan, "Vermont Yankee Local Emergency Response Plan."
* New Hampshire, State of. 97/12/01. 124pp. A1771:247-A1772:011.

--**9801080182** Rev 10 to vol 11 of State of NH radiological emergency response plan, "Town of Chesterfield,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 139pp. A1772:012-A1772:150.

--**9801080184** Rev 10 to vol 12 of State of NH radiological emergency response plan, "Town of Hinsdale,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 119pp. A1772:151-A1772:270.

--**9801080196** Rev 10 to vol 13 of State of NH radiological emergency response plan, "Town of Richmond,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 129pp. A1772:271-A1773:039.

--**9801080202** Rev 10 to vol 14 of State of NH radiological emergency response plan, "Town of Swanzey,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 129pp. A1773:040-A1773:168.

--**9801080205** Rev 10 to vol 15 of State of NH radiological emergency response plan, "Town of Winchester,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 142pp. A1773:169-A1773:310.

--**9801080212** Rev 10 to vol 16 of State of NH radiological emergency response plan, "City of Keene,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 83pp. A1773:311-A1774:033.

--**9801080213** Rev 10 to vol 20 of State of NH radiological emergency response plan, "Seabrook Station Local Radiological Emergency Response Plan."
* New Hampshire, State of. 97/12/01. 131pp. A1774:034-A1774:164.

--**9801080216** Rev 10 to vol 21 of State of NH radiological emergency response plan, "Town of Brentwood,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1774:165-A1774:301.

--**9801080221** Rev 20 to vol 22 of State of NH radiological emergency response plan, "Town of East Kingston,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 143pp. A1774:302-A1775:085.

--**9801080223** Rev 10 to vol 23 of State of NH radiological emergency response plan, "Town of Exeter,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 168pp. A1775:086-A1775:254.

--**9801080225** Rev 10 to vol 24 of State of NH radiological emergency response plan, "Town of Greenland,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 146pp. A1775:255-A1776:040.

--**9801080228** Rev 10 to vol 25 of State of NH radiological emergency response plan, "Town of Hampton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 144pp. A1776:041-A1776:186.

--**9801080231** Rev 10 to vol 26 of State of NH radiological emergency response plan, "Town of Hampton Falls,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1776:187-A1776:323.

--**9801080232** Rev 10 to vol 27 of State of NH radiological emergency response plan, "Town of Kensington,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 134pp. A1776:324-A1777:098.

--**9801080235** Rev 10 to vol 28 of State of NH radiological emergency response plan, "Town of Kingston,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 157pp. A1777:099-A1777:256.

--**9801080238** Rev 10 to vol 29 of State of NH radiological emergency response plan, "Town of New Castle,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1777:257-A1778:036.

--**9801080242** Rev 10 to vol 30 of State of NH radiological emergency response plan, "Town of Newfields,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 137pp. A1778:037-A1778:173.

--**9801080244** Rev 10 to vol 31 of State of NH radiological emergency response plan, "Town of Newton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 145pp. A1778:174-A1778:318.

--**9801080248** Rev 10 to vol 32 of State of NH radiological emergency response plan, "Town of North Hampton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 145pp. A1778:319-A1779:103.

--**9801080249** Rev 10 to vol 33 of State of NH radiological emergency response plan, "City of Portsmouth,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 160pp. A1779:104-A1779:263.

--**9801080252** Rev 10 to vol 34 of State of NH radiological emergency response plan, "Town of Rye,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 145pp. A1779:264-A1780:045.

--**9801080255** Rev 10 to vol 35 of State of NH radiological emergency response plan, "Town of Seabrook,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 165pp. A1780:046-A1780:212.

--**9801080265** Rev 10 to vol 36 of State of NH radiological emergency response plan, "Town of South Hampton,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 135pp. A1780:213-A1780:346.

--**9801080270** Rev 10 to vol 37 of State of NH radiological emergency response plan, "Town of Stratham,NH,Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 155pp. A1780:347-A1781:140.

--**9801080275** Rev 10 to vol 38 of State of NH radiological emergency response plan, "City of Dover,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 56pp. A1781:141-A1781:196.

--**9801080277** Rev 10 to vol 39 of State of NH radiological emergency response plan, "City of Manchester,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 58pp. A1781:197-A1781:254.

--**9801080282** Rev 10 to vol 40 of State of NH radiological emergency response plan, "City of Rochester,NH,HOST Plan Info & Implementing Procedures."
* New Hampshire, State of. 97/12/01. 51pp. A1781:255-A1781:305.

9801080088 SECY-97-254 Request Commission approval of draft agreement between NRC & State of Arizona to initiate pilot program which would allow State to conduct insp on behalf of NRC at certain Federal materials licensees in Arizona.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/10/27. 17pp. A1728:200-A1728:216.

9801080197 State of UT's motion for leave to reply to NRC staff's & Private Fuel Storage,LLC's responses to petitioners' contentions.* State requests leave to reply to be filed on or before 980122.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18713. ISFSI. 97/12/30. Atomic Safety & Licensing Board Panel. 3pp. A1728:340-A1728:343.

9801080226 Forwards nondisclosure affidavits for FG Nelson,JV Braxton & KL Pathakis.Affidavits executed in accordance w/971217 & 971223 memos & orders.
CHANCELLOR,D. Utah, State of. #198 18710. ISFSI. 97/12/29. BOLLWERK,G.P., KLINE,J.R., LAM,P.S. Atomic Safety & Licensing Board Panel. 28pp. A1728:086-A1728:113.

9801080286 Memorandum & Order (granting leave to file reply pleadings & requesting info).* Board grants request of State & Castle Rock/Skull Valley for leave to file reply.W/Certificate of Svc.Served on 980106.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18716. ISFSI. 98/01/06. Utah, State of. 7pp. A1729:038-A1729:044.

9801090016 Informs that NRC has not responded to 970820 ltr request for supplemental FEIS for Hydro Resources Inc project.Answers to listed questions,requested.
JORDAN,S.G. New Mexico, State of. 97/12/23. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. A1758:250-A1758:251.

9801090121 PNO-II-98-001:on 980106,licensee reported to FL Bureau of Radiological Health that Troxler,Model 3430,moisture density gauge stolen from licensee pick-up truck.State will require licensee to issue press release.
WOODRUFF,R.L. Region 2 (Post 820201). 98/01/07. 1p. A1754:245-A1754:245.

9801090132 PNO-II-97-065A:on 971228,SG 1A tube leak update made. Licensee also conducted base line pressure testing & insps of 1B SG on 980107,finding only minor leakage from welded tube plug.State of SC notified by NRC.
CARROLL,R. Region 2 (Post 820201). 98/01/08. 1p. A1796:034-A1796:034.

9801090149 Requests that plan for installation of two new groundwater monitoring wells along South side of LARW embankment be submitted within 10 days of ltr receipt.
SINCLAIR,W.J. Utah, State of. 97/12/19. ALKEMA,K. Envirocare of Utah, Inc. 3pp. A1804:358-A1804:360.

9801090257 Submits info required under 10CFR32.52 for transfer of devices containing radioactive matl to persons for use under general license.Locations of transfer listed.
PLUISTER,J.W. Affiliation Not Assigned. 98/01/02. Office of Nuclear Material Safety & Safeguards. 3pp. A1741:220-A1741:222.

9801120185 Responds to 971114 ltr by enclosing responses to Ohio Environ Protection Agency comments on test pad data package transmitted on 971008 & "Test Pad Const Certificate for Rept for Bert Avenue Site."
ADAMS,T.G. B. Koh & Associates, Inc. 97/11/25. PARKER,J. Ohio, State of. 13pp. A1806:039-A1806:251.

9801120226 Informs of change of NRC project manager of site located in Kawkawlin,MI.SC Wu replaces JD Prrott for NRC progect mgt activities at site.
WU,S.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/22. SOBEL,K. Michigan, State of. 4pp. A1789:236-A1789:239.

9801140165 Informs that proposed rule re "Medical Use of Capsules Containing One uCi of C-14", PRM-35-12,appears appropriate & should go forward.
JACOBI,J. Colorado, State of. AF70-1 057. 96/10/21. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:261-A1859:261.

--9801140045 Informs that Kentucky has no objection to C-14 urea capsule being distributed as exempt.
JEFFS,V. Kentucky, Commonwealth of. SP-97-015. 97/03/20. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:035-A1859:035.

--9801140153 Submits comments on draft rulemaking plan 10CFR35 in predecisional form concerning "Medical User of Capsules containing 1 uCi of C-14" & based on PRM-35-12.Support Alternative 3 which would establish general license.
FRAZEE,T. Louisiana, State of. SP-96-107. 96/10/22. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:260-A1859:260.

--9801130416 Informs that State of MS would probally be willing to allow FDA & Pharmacy Board decide question of administration of C-14 urea.State of MS not aware of any other regulations concerning use & distribution of test.
SMITH,B.J. Mississippi, State of. AF70-1 020. 97/04/08. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1858:287-A1858:287.

--9801140034 Submits addl comments re SP-97-015 on proposed exemption for 1 microCi C-14 drug issue.North Dakota has same restrictions as many other states w/ regard to not allowing licensing exemptions to apply to RAM that goes into drugs.
WANGLER,K.W. North Dakota, State of. SP-97-015. 97/03/25. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:024-A1859:024.

--9801140039 Responds to SP-97-015.North Dakota does not have any problem w/ exempt distribution of capsules containing one microcurie of C-14 Urea for diagnostic testing.
WANGLER,K.W. North Dakota, State of. SP-97-015. 97/03/24. BOLLING,L. NRC - No Detailed Affiliation Given. 1p. A1859:025-A1859:025.

--9801140170 Concurs w/daft rulemaking plan (10CFR35) & concurs w/ Alternative 3.
DAVIDSON,J. Nebraska, State of. AF70-1 058. 96/10/17. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:262-A1859:266.

--9801140133 Informs that state of OR does not intend to authorize in vivo diagnostic procedures under general license.Diagnostic procedure must be specifically authorized under 35.100 or equivalent regulations.
DIBBLEE,M.G. Oregon, State of. AF70-1 052. 96/12/06. BOLLING,L.A. NRC - No Detailed Affiliation Given. 1p. A1859:254-A1859:257.

--9801140143 Supports Option 3 of draft rulemaking plan for medical use of capsules containing C-14 as outlined in predecisional rulemaking plan.W/B Spell comments.
JONES,C. Utah, State of. SP-96-107. 96/10/24. BOLLING,L.A. NRC - No Detailed Affiliation Given. 2pp. A1859:258-A1859:259.

9801140141 Informs that NRC considering to proceed w/pre-licensing of commercial operations at Crow-Butte site based on results of 971209 telcon between NRC,State of NE officials & Crow-Butte Inc.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/31. SOMMER,L.J. Nebraska, State of. 3pp. A1823:330-A1823:333.

9801140233 Discusses insp rept 15000038/97-02 conducted on 971219.Insp examined licensed activities re radiation safety & compliance w/Commission regulations & license conditions.No violations were identified.
JOHANSEN,J.M. Region 1 (Post 820201). 15000038/97-02. 98/01/05. MCCANN,F. Affiliation Not Assigned. 2pp. A1799:005-A1799:006.

9801140366 Discusses insp 15000019/97-07 on 971218.No violations identified.Insp was limited to interviews w/personnel & selective exam of records related to activities within NRC jurisdiction.
COSTELLO,F.M. Region 1 (Post 820201). 15000019/97-007. 98/01/06. OSBORNE,T.W. Affiliation Not Assigned. 3pp. A1791:059-A1791:061.

9801140374 Requests change to distribution list for transmittals re Public Util Commission of TX.Names & addresses,listed.
PAYTON,V. Texas, State of. 98/01/08. Document Control Branch (Document Control Desk). 1p. A1832:276-A1832:276.

9801140378 Forwards NRR responses to DOI questionaire on Federal Archeological activities,for use in preparing NRC response to DOI survey.
ESSIG,T.H. . 98/01/09. VIRGILIO,R. Office of State Programs (Post 911117). 6pp. A1820:091-A1820:111.

9801150001 Discusses revision of postmining,pretailings concentrations of nitrate,sulfate & TDS in ground water at United Nuclear Corp Church Rock site.
HANNING,M. New Mexico, State of. 98/01/06. LYSSY,G. Environmental Protection Agency. 2pp. A1843:340-A1843:341.

9801150042 Submits updated project schedule & overall budget analysis for American Nuclear Tailings Reclamation Project.
MOXLEY,M. Wyoming, State of. 98/01/12. HOOKS,K. NRC - No Detailed Affiliation Given. 1p. A1841:172-A1841:172.

9801150108 Informs that NRC staff completed review of US DOE final completion rept & associated documents pertinent to UMTRA project inactive U mill tailings site at Rifle,CO.NRC staff review documented in encl final completion review rept.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/08. RAEL,G. New Mexico, State of. 3pp. A1844:199-A1844:233.

9801150200 Informs that since last telcon w/J Yankee addl locations off reactor site have been identified w/trace levels of contamination.Efforts to identify & survey offsite locations that received radioactive matl from HNNP continuing.
FREDICHS,T.L. . 98/01/07. YANKEE,J. Affiliation Not Assigned. 2pp. A1817:349-A1817:350.

9801150218 Final response to FOIA request for documents.Records in App A encl & being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/12/31. HENDRICKSON,L. Isotope Products Laboratories. 2pp. A1817:016-A1817:036.

9801160061 Comment on RG DG-1063 & SRP 3.9.8, "Risk-informed ISI." Amount of detail in RG should not be so great as to preclude use of other acceptable alternative methods.
WIGHT,R.R. Illinois, State of. 62FR53663 00004. 98/01/08. Rules & Directives Review Branch (Post 920323). 7pp. A1825:353-A1825:359.

9801160110 Forwards insp rept 15000038/97-01 on 971218.No violations noted.Insp was exam of licensed activities re radiation safety.
JOHANSEN,J.M. Region 1 (Post 820201). 15000038/97-01. 98/01/08. GIARRUSSO,J.J. Affiliation Not Assigned. 2pp. A1826:172-A1826:173.

9801160126 Forwards insp rept 15000020/97-01 on 971208.No violations noted.Insp was exam of licensed activities re radiation safety & to compliance w/Commission regulations & license conditions.
COSTELLO,F.M. Region 1 (Post 820201). 15000020/97-01. 98/01/08. OKVIST,E. Amersham Corp. 3pp. A1826:200-A1826:207.

--9801160135 Insp rept 15000020/97-01 on 971208.No violations noted.Major areas inspected:use of byproduct matl & licensee source recovery procedures re MQS Insp Svcs,Inc radiography source disconnect on 971208.
COURTEMANCHE, JOHANSEN,J.M. Region 1 (Post 820201). 98/01/08. 5pp. A1826:203-A1826:207.

9801160137 Forwards insp rept 15000019/97-06 on 971218.No violations noted.Discusses licensee reciprocity request on 970515 re work at Compton & Knowles Colors,Inc,which was based on amend 33 to license MD-33-021-02.
COSTELLO,F.M. Region 1 (Post 820201). 15000019/97-06. 98/01/08. SMITH,G.D. . 2pp. A1826:208-A1826:209.

9801160140 Forwards insp rept 15000038/97-03 on 971218.No violations noted.Insp was exam of licensed activities re radiation safety & to compliance w/Commission regulations & license conditions.
JOHANSEN,J.M. Region 1 (Post 820201). 15000038/97-03. 98/01/08. GRIMES,T. Affiliation Not Assigned. 2pp. A1826:210-A1826:211.

9801160145 PNO-IV-98-002:on 980113,Troxler moisture density gauge Model 3430,serial Number 26221,containing 8 mCi of Cs-137 & 40 mCi of Am-241/beryllium stolen w/company vehicle.CO Dept of Public Health & Environ issued press release.
HACKNEY,C., HOWELL,L.L. Region 4 (Post 820201). 98/01/14. 1p. A1840:067-A1840:067.

9801160166 PNO-II-98-002:on 980113,licensee reported to FL Bureau of Radiological Health that Model 3430,moisture density gauge stolen from pick-up truck.Device contained approximately 8 mCi of Cs-137 & 40 mCi of Am-241.Theft under investigation.
WOODRUFF,R.L. Region 2 (Post 820201). 98/01/14. 1p. A1840:068-A1840:068.

9801200173 Submits Title V operating permit application for Gravel Neck Combustion Turbine Station & Surry Power Station. W/5 oversized drawings.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 98/01/12. SEELEY,G. Virginia, Commonwealth of. 117pp. A1924:234-A1924:346.

9801210009 Discusses apparent violation of reciprocity requirements. Apparent violation being considered for escalated enforcement action.
SCARANO,R.A. Region 4 (Post 820201). EA-98-017. 98/01/13. ROSEL,G.F. Rosel Co. (formerly Rosel Well Perforators, Inc.). 5pp. A1855:021-A1855:025.

9801210220 Forwards proposed study plan to evaluate effects of water diversion sys discharge on fecal coliform levels in East Branch Perkiomen Creek.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/14. NEWBOLD,J. Pennsylvania, Commonwealth of. 2pp. A1887:206-A1887:213.

9801210262 Requests change in distribution list for transmittals re Public Util Commission of TX.Names & addresses,listed.
PAYTON,V. Texas, State of. 98/01/15. Document Control Branch (Document Control Desk). 1p. A1887:240-A1887:240.

9801220045 Discusses annual meeting w/SC Bureau of Radiological Health on 971216 to review & discuss status of SC Agreement State program.Copy of meeting summary encl.
WOODRUFF,R.L. Region 2 (Post 820201). 98/01/09. BATAVIA,M.K. South Carolina, State of. 6pp. A1872:282-A1872:287.

9801220088 Forwards listed info re CY98 filing of NRC form 241, "Rept of Proposed Activities in Areas of Exclusive Federal Jurisdiction,Non-Agreement States & Offshore Waters." W/o encl.
COLLINS,D.J. Region 2 (Post 820201). 97/12/12. LEDDUX,M., KELLY,M.S. Affiliation Not Assigned. STEWART,W.H. Code Services, Inc. 6pp. A1877:176-A1877:181.

9801220191 Informs of suspension of operation of "O" sand pilot, including bi-weekly sampling in mid to late Jan.Pilot will run again in mid April.
FRENCH,P.S. Rio Algom Mining Corp. 98/01/06. TRAYLER,C. Wyoming, State of. 1p. A1894:321-A1894:321.

9801220205 Submits event rept LA-09-97 re 971209 irretrievable well-logging source event involving Haliburton in Houston, TX.
HENRY,M. Louisiana, State of. 98/01/05. Office of State Programs (Post 911117). 3pp. A1877:104-A1877:106.

9801220209 Submits comments on SP-97-079,revised IMPEP questionnaire.
KLINGER,J.G. Illinois, State of. SP-97-079. 97/12/24. SCHNEIDER,K.N. Office of State Programs (Post 911117). 2pp. A1877:107-A1877:108.

9801220213 Submits proposed revisions of licensing program codes & inspection priorities for comment.
LOHAUS,K.M. Office of State Programs (Post 911117). SP-97-086. 97/12/16. General. 16pp. A1875:334-A1875:356.

--9801220216 Discusses proposed revisions of licensing program codes & inspection priorities.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 97/12/05. BANGART,R.L. Office of State Programs (Post 911117). TURDICI,J. Division of Accounting & Finance (Post 890205). BLOUGH,R. Region 1 (Post 820201). 7pp. A1875:350-A1875:356.

9801220243 Transmitts State Agreement program info SP-97-089 re rev to Mgt Directive 5.6 "IMPEP "
BANGART,R.L. Office of State Programs (Post 911117). SP-97-089. 97/12/24. General. 4pp. A1873:270-A1873:358.

--9801220254 Revised Directive & Handbook 5.6, "Integrated Matls Performance Evaluation Program."
* Office of State Programs (Post 911117). * Office of Nuclear Material Safety & Safeguards. 97/11/25. 84pp. A1873:274-A1873:358.

9801220250 Responds to 971104,ltr which identified several problems w/handling of sealed source & device registry info.Steps being implemented to improve quality control of reproduction & mailing of SS&D certificates to Agreement States.
LOHAUS,P.H. Office of State Programs (Post 911117). 98/01/05. WANGLER,K.W. North Dakota, State of. 5pp. A1877:234-A1877:240.

9801220261 Forwards certificates & exams for staff that successfully completed Health Physics Technology Course (H-201), Chattanooga,TN,971027-1107.W/o encls.
LOHAUS,P.H. Office of State Programs (Post 911117). 98/01/02. General. QUILLIN,R.M. Colorado, State of. SUPPES,R.L. Ohio, State of. 7pp. A1876:347-A1876:353.

9801220267 Discusses access to NRC technical conferencing forum & revisions to respiratory protection rule.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-084. 97/12/09. General. 5pp. A1876:354-A1876:358.

9801220270 Requests S Simpson be added to State Agreements Program info mailing list.
QUILLIN,R.M. Colorado, State of. 97/12/30. BANGART,R. Office of State Programs (Post 911117). 1p. A1876:359-A1876:359.

9801220275 Acknowledges receipt of 971218 ltr to Chairman Jackson concerning efforts underway to find means of assuring decommissioning obligations of Great Bay Corp,owner of 12.13240 percent of Seabrook Station will be fulfilled.
BANGART,R.L. Office of State Programs (Post 911117). 98/01/05. HOLLINGWORTH,B. New Hampshire, State of. 3pp. A1889:183-A1889:190.

9801220279 Submits application for exclusionary general permit for plant.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 98/01/12. DARTON,T. Virginia, Commonwealth of. 9pp. A1895:195-A1895:203.

9801220283 Responds to 971219 ltr requesting schedule to enter into Agreement w/ NRC.Target date for submitting completed draft application package Fall of 1998 but not before 981001. Formal request will be submitted during Spring of 1999.
KERNS,K.C. Pennsylvania, Commonwealth of. 97/12/31. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. A1876:360-A1876:360.

9801220287 Discusses review of draft revisions to 30 TAC 39,305 & 336 submitted w/ 971114 ltr from Rogers.Regulations reviewed by comparison to equivalent NRC regulations in 10CFR20 sections 20.1003,20.1009,20.1101 & 20.1401-1406.
LOHAUS,P.H. Office of State Programs (Post 911117). 98/01/14. VAIL,K. Texas, State of. 5pp. A1876:022-A1876:287.

--9801220295 Forwards copy of draft revisions of several Texas Natural Resource Conservation Commission administrative & radioactive substance rules for comment & permission to publish proposal in Texas Register for public comment.
ROGERS,A.H. Texas, State of. 97/11/14. LOHAUS,P.H. Office of State Programs (Post 911117). 263pp. A1876:027-A1876:287.

9801220308 Forwards "Regulation Review Rept of Washington,TITLE 246 Dept of Health Rule Regulations for Radiation Protection, Chapters 246-220,246-221 & 246-249." NRC review focused on provisions of rules that should be adopted IAW new adequacy.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/12/18. ERICKSON,J.L. Washington, State of. 11pp. A1874:001-A1875:078.

--9801220311 ORNL/M-4270 "Regulation Review Rept of Washington,TITLE 246 Dept of Health Rules & Regulations for Radiation Protection,Chapters 246-220,246-221 & 246-249."
SHOLLY,J.T., COMPSON,A.E., HITCH,J.P. Oak Ridge National Laboratory. 95/05/19. Office of Nuclear Regulatory Research (Post 941217). 108pp. A1874:012-A1874:121.

--9801230329 ORNL/M-4269 "Oak Ridge Natl Lab,Internal Regulation Review Rept of Washington,TITLE 246 Dept of Health Rules & Regulations for Radiation Protection,Chapters 246-220,246-221 & 246-249."
SHOLLY,J.T., COMPSON,A.E., HITCH,J.P. Oak Ridge National Laboratory. 95/05/19. 321pp. A1874:122-A1875:078.

9801220325 Forwards info re public workshop on working paper on "Analyses to Demonstrate ALARA,Net Public or Environ Harm, Not Technically Achievable & Prohibitively Expensive" & FR notice.Workshop scheduled for 980126.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-98-002. 98/01/12. General. 2pp. A1889:098-A1889:125.

--9801220334 Notice of public workshop on 980126 re working paper "Analyses to Demonstrate ALARA,Net Public Harm,Not Technically Achievable & Prohibitively Expensive."
CARDILE,F. Radiation Protection & Health Effects Branch (Post 941217). 97/12/31. 9pp. A1889:100-A1889:108.

--9801220344 Working paper entitled, "Demonstrating Compliance W/Radiological Criteria for Decommissioning Section C.4: Regulatory Position:Alternative Position," for future regulatory guide.
* Office of Nuclear Regulatory Research (Post 941217). 98/01/06. 3pp. A1889:109-A1889:111.

--9801220347 Working paper entitled, "Demonstrating Compliance W/Radiological Criteria for Decommissioning Section C.4: Regulatory Position:ALARA Analyses," for future regulatory guide.
* Office of Nuclear Regulatory Research (Post 941217). 98/01/08. 14pp. A1889:112-A1889:125.

9801220335 Forwards NUREG-1497, "Interim Licensing Criteria for Physical Protection of Certain Storage of Spent Fuel," in response to recent e-mail request.
DROGGITIS,S.C. Office of State Programs (Post 911117). 98/01/07. SINCLAIR,W.J. Utah, State of. 3pp. A1877:241-A1877:243.

9801220366 Informs recipient of being assigned lead reviewer for common performance indicator for Technical Quality of Insp Program. Instructions for travel encl.
SCHNEIDER,K.N. Office of State Programs (Post 911117). 97/12/23. SILVA,W. Texas, State of. 6pp. A1877:244-A1877:249.

9801220378 Discusses review of Part Q Licensing & Radiation Safety Requirements for Irradiators,per 970807 request. Offers no comments re regulation.Regulation meets compatibility,health & safety categories.
LOHAUS,P.H. Office of State Programs (Post 911117). 98/01/09. HIRSCHLER Conference of Radiation Control Program Directors, Inc. 6pp. A1877:001-A1877:029.

--9801220384 Forwards finished copy of latest state regulation from Conference for Radiation Control Program Directors, "Part Q Licensing & Radiation Safety Requirements for Irradiators," adopted by Board of Directors of CRCPD on 970728.
HIRSCHLER,B. Conference of Radiation Control Program Directors, Inc. 97/08/07. LOHAUS,P. Office of State Programs (Post 911117). 23pp. A1877:007-A1877:029.

9801220393 Discusses US EPA Federal Guidance Rept 13, "Health Risks from Low-Level Environ Exposure to Radionuclides." Finds rept unacceptable w/o changes.Provides recommendations to improve quality of guidance.
COLLINS,S.C. Illinois, State of. 98/01/08. WEINSTOCK,L. Environmental Protection Agency. 2pp. A1875:331-A1875:332.

9801220398 Discusses 971212 petition filed by NRDC filed w/USNRC pursuant to 10CFR2.206 requesting NRC take EA against Envirocare of Utah,Inc.Requests provision of any info re issues identified in petition.
BANGART,R.L. Office of State Programs (Post 911117). 98/01/14. SINCLAIR,W.J. Utah, State of. 17pp. A1875:310-A1875:330.

9801220402 Comment opposing PRM 50-63A by PG Crane amending petition for rulemaking re use of potassium iodide.
ORTCIGER,T.W. Illinois, State of. 62FR66038 00005. 98/01/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1877:254-A1877:256.

9801220403 Informs Illinois Dept of Nuclear Safety has been actively pursuing close out of 54 Illinois sites formerly licensed by USNRC.W/one exception all questions re license termination have been resolved.Remaining site awaiting Dept survey.
KLINGER,J.G. Illinois, State of. 97/12/30. BANGART,R.L. Office of State Programs (Post 911117). 2pp. A1873:359-A1873:360.

9801220405 Informs that L Bolling will be team leader for IMPEP review of Arkansas program scheduled for wk of 980323.Forwards document, "IMPEP Questionnaire." Requests responses by 980220.
BOLLING,L. Office of State Programs (Post 911117). 98/01/09. SNELLINGS,D. Arkansas, State of. 12pp. A1877:217-A1877:228.

9801230029 Summary of 971210 monthly telcon w/State of NE re status of corrective actions pending from July 1996 IMPEP review & Sept 1997 follow-up IMPEP review.
LARKINS,P.M. Office of State Programs (Post 911117). 97/12/10. Office of State Programs (Post 911117). 2pp. A1915:174-A1915:175.

9801230067 Responds to concerns raised by P Haney in several letters relating to potential of migration of Colorado River & appropriate armoring of Atlas tailings pile to prevent erosion should river come into direct contact w/pile.
SINCLAIR,W.J. Utah, State of. 98/01/13. HOLONICH,J.J. Uranium Recovery Licensing Branch. 2pp. A1900:268-A1900:269.

9801230107 Comment supporting PRM 50-63A re stockpiling of Potassium Iodide.
SMITH,B. Pennsylvania, Commonwealth of. 62FR66038 00006. 98/01/14. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1915:238-A1915:238.

9801230152 State of Utah reply to NRC Staff & applicant response to State of Utah contentions A through DD.* Time does not permit State to address all of applicants issues.Reply limited to key points of NRC responses.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18746. ISFSI. 98/01/16. Atomic Safety & Licensing Board Panel. 133pp. A1886:173-A1886:305.

9801230179 Memorandum & order (Prehearing conference agenda & schedule for replies).* Prehearing conference scheduled to begin 980127 re application of Private Fuel Storage,LLC.W/ Certificate of Svc.Served on 980121.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18750. ISFSI. 98/01/21. Utah, State of. 11pp. A1884:331-A1884:341.

9801230190 Informs that State of Utah has submitted for filing, documents containing proprietary & safeguards info re Private Fuel Storage application.W/Certificate of Svc. Served on 980121.
JULIAN,E.L. Docketing & Services Branch. #198 18749. ISFSI. 98/01/21. Atomic Safety & Licensing Board Panel. 3pp. A1887:177-A1887:179.

9801230192 Comment opposing PRM 50-63A by PG Crane amending petition for rulemaking re use of Potassium Iodide.
MCNUTT,G.W. Missouri, State of. 62FR66038 00041. 97/12/17. Office of the Secretary of the Commission. 1p. A1914:335-A1914:335.

9801230195 State of UT contentions security-A through security-1 based on applicant confidential safeguards security plan.* W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18728. ISFSI. 98/01/03. Atomic Safety & Licensing Board Panel. 7pp. A1885:287-A1885:293.

9801230200 State of Utah request for consideration of late-filed contention GG.* Contention addresses issues raised by vendor proprietary repts on seismic stability for Sierra Nuclear Corp TranStor storage cask.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18729. ISFSI. 98/01/08. Atomic Safety & Licensing Board Panel. 18pp. A1886:312-A1886:329.

9801230208 Forwards third amended request & petition to intervene re matter of application of Hydro Resources,Inc.
JORDAN,S.G. New Mexico, State of. #198 18743. ML. 98/01/16. Office of the General Counsel (Post 860701). COTTER Atomic Safety & Licensing Board Panel. 1p. A1915:001-A1915:059.

9801230210 Forwards declaration of LA White to replace fax copies submitted w/ 980108 pleading entitled, "State of Utah Request for Consideration of Late-Filed Contention GG."
BRAXTON,J.V. Utah, State of. #198 18732. ISFSI. 98/01/09. JULIAN,E.L. Office of the Secretary of the Commission. 3pp. A1886:359-A1886:361.

9801230219 Forwards state of MN Dec 1997 rept which provides data on radiation levels inside Prairie Island ISFSI.
MCCLANAHAN,S. Minnesota, State of. 98/01/09. NRC - No Detailed Affiliation Given. 4pp. A1896:356-A1896:359.

9801230221 Informs that encl motion for stay,request for prior hearing & motion for temporary stay which seeks immediate stay of NRC staff 980105 issuance of license to Hydro Resources,Inc, for U,will be filed in in-situ leach mines as listed.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #198 18739. ML. 98/01/15. COTTER,B.P. Atomic Safety & Licensing Board Panel. 1p. A1885:001-A1885:267.

--9801230250 ENDAUM & SRIC motion for stay,request for prior hearing & request for temporary stay.*
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). JORDAN,S.G. New Mexico, State of. ML. 98/01/15. Atomic Safety & Licensing Board Panel. 13pp. A1885:002-A1885:015.

9801230294 State of UT response to applicant & NRC Staff pleadings on Licensing Board authority to issue final initial decision prior to issuance of NRC Staff draft or final EIS & SER.* W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18734. ISFSI. 98/01/07. Atomic Safety & Licensing Board Panel. 15pp. A1884:349-A1884:363.

9801260072 Provides support & concurrence to comments provided by counterparts in ME Dept of Human Svcs re post shutdown decommissioning activities rept.Continued scrutiny of decommissioning of plant,urged.
SULLIVAN,E.O. Maine, State of. 98/01/13. WEBB,M.K. . 2pp. A1913:334-A1913:335.

9801260249 Comment re Draft Reg Guide DG-5008, "Reporting of Safeguards Events."
COOPER,V.L. Kansas, State of. 63FR275 00001. 98/01/13. Rules & Directives Review Branch (Post 920323). 1p. A1933:002-A1933:002.

9801270044 Requests permission to move front insulator saw,Certificate of Operation 4150-30700804-07C,from present location to same location as back mod insulator saw,Certificate of Operation 4150-30700804-06C.
BODINE,D.J. Tennessee Valley Authority. 98/01/21. FRAZIER,J.A. Tennessee, State of. 1p. A1931:360-A1931:360.

9801270088 Responds to violations noted in insp rept 150-00019/97-01. Corrective actions:NRC radiation specialist clarified reciprocity requirements for APL RSO & APL assistant RSO & APL utilized lab in Region I to conduct reliability tests.
SUESS,R.P. Johns Hopkins Univ., Baltimore, MD. 15000019/97-01. 98/01/15. REYES,L.A. Region 2 (Post 820201). 2pp. A1966:082-A1966:085.

9801270109 Forwards discharge monitoring repts for Salem Generating Station for Dec 1997,per requirements of permit NJ0005622. Rept required & prepared specifically for EPA & NJ Dept of Environ Protections.
BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 98/01/20. New Jersey, State of. 5pp. A1932:265-A1932:283.

9801270140 Mod 2 to contract NRC-10-96-162.
PRYOR,P. Pennsylvania, Commonwealth of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2316. 98/01/15. 3pp. A1927:335-A1927:337.

9801270183 PNO-IV-98-003:on 980115,high dose rate brachytherapy misadministration occurred.Error identified by radiation therapy technologist approximately 30 minutes after therapy session taken place.State of OK informed.
SPITZBERG,J.C. Region 4 (Post 820201). 98/01/26. 1p. A1947:327-A1947:327.

9801270192 PNO-IV-98-004:on 980123,representative of Terraco Co,Inc notified NRC Operations Ctr of theft of portable moisture/ density gauge in Tulsa,OK.Operator secured gauge within transport container to bed of truck using chain & padlock.
SPITZBERG,D.B., RICE,D. Region 4 (Post 820201). 98/01/26. 1p. A1947:320-A1947:320.

9801270199 PNO-IV-98-005:on 980116,Troxler Model 3411B,containing 40 mCi of Am-241 & 8 mCi of Cs-137 stolen from State of WA licensee.Gauge taken from bed of pickup truck parked in front of authorized gauge user house in Tacoma.
HACKNEY,C.A., SHAFFER,M.R. Region 4 (Post 820201). 98/01/26. 1p. A1947:326-A1947:326.

9801280065 "Effluent Monitoring Rept for Shootaring Canyon U Mill,for period 970701-1231." W/980115 ltr.
JOHNSON,C. Utah, State of. 97/12/31. 7pp. A1940:199-A1940:205.

9801280088 Forwards insp rept 15000019/97-04 on 971120 & 21.No violations noted.Insp consisted of observation by inspector & radiation measurements during removal of Co-60 sources from pool irradiator within NRC jurisdictions.
JOHANSEN,J. Region 1 (Post 820201). 15000019/97-04. 98/01/20. WILLIAMS,J.D. Neutron Products, Inc. 3pp. A1960:036-A1960:045.

--9801280092 Insp rept 15000019/97-04 on 971120 & 21.No violations noted. Major areas inspected:observation of records related to activities within NRC jurisdiction.Surveys were performed on package & vehicle & for labeling of package.
GIBSON,R., JOHANSEN,J. Region 1 (Post 820201). 98/01/20. 7pp. A1960:039-A1960:045.

9801280211 Refers to 971211 fax requesting confirmation of understanding of distribution of exempt quantities of licensed matl.Also refers to 971210 & 11 telcons re transfer of exempt quantities of licensed matl.
KINNEMAN,J.D. Region 1 (Post 820201). 97/12/30. RAIG,W.D. Affiliation Not Assigned. 3pp. A1940:195-A1940:198.

--9801280214 Requests confirmation on legality of sending exempt quantities of Carbon-14 to nonlicensed business for purpose of collaboration.
RAIG,W. Affiliation Not Assigned. 97/12/11. ULLRICH,B., GIBSON,R. Region 1 (Post 820201). 1p. A1940:198-A1940:198.

9801280288 Forwards reports of funds expended pursuant to Contract NRC-30-83-644 for fourth calendar quarter of 1997.Standard Voucher Form 1034 encl.
JURGENSEN,K. Michigan, State of. 98/01/16. Division of Contracts (Post 940714). 7pp. A1936:030-A1936:036.

9801280330 Submits summary of site characteristics & scoping survey units.Site divided into two survey units.
GRUBEN,D. Michigan, State of. 97/10/23. PARROTT,J.D. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. A1936:259-A1936:264.

9801290077 Forwards repts re results of Hartley & Hartley landfill radiologic analyses of leachate in Tobico Marsh State Game area.Third round of sampling results will be forwarded as soon as results are available.
GRUBEN,D. Michigan, State of. 97/05/01. PARROTT,J.D. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A1945:227-A1945:345.

--9801290078 "Evaluation of Analytical Results Groundwater/Leachate Samples from Tobico Marsh Site,Rounds I & II."
* Affiliation Not Assigned. 97/04/30. 36pp. A1945:228-A1945:263.

--9801290080 "Rept of Radiological Support Activities Tobico Marsh Groundwater/ Leachate Sampling Collection Project Sampling, Rounds I & II."
* Affiliation Not Assigned. 97/04/30. 122pp. A1945:264-A1945:345.

9801290204 Responds to 971219 ltr concerning status of mixed-waste at Cintichem site.Attached table presents overview of radioactively contaminated waste that remains to be disposed of from decommissioning project.
MCGOVERN,J.J. Cintichem, Inc. 98/01/02. ALDRICH,R.L. New York, State of. 4pp. A1971:306-A1971:310.

9801300039 Expresses appreciation for 970821 ltr re annual meeting of Agreement States in Los Angeles,CA & leadership over past year.Issues raised re proposal of company to use multiple exempt sources in gauging device discussed.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/12. QUILLIN,R.M. Organization of Agreement States. 2pp. A1961:210-A1961:216.

--9801300045 Expresses appreciation for time Chairman took to attend annual meeting of Agreement States & NRC re number of issues specifically facing NRC today.Comments appreciated & helped set tone of meeting.
QUILLIN,R.M. Organization of Agreement States. 97/11/21., THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. A1961:212-A1961:216.

9801300114 Informs that in response to 971208 request to relinquish Oregons authority to evaluate & approve sealed source & device applications,S Jackson asked NRC staff to prepare paper on issue so Commission can act on request.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/15. KITZHABER,J.A. Oregon, State of. 1p. A1961:202-A1961:203.

--9801300124 Requests relinquishment of sealed source & device evaluation authority & assumption of authority by NRC.Recommends effective date of 980101 in order to provide for orderly changeover of authority.
KITZHABER,J.A. Oregon, State of. 97/12/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A1961:203-A1961:203.

9801300189 Hydro Resources,Inc,response to petitioners motion for stay.* Requests that Presiding Officer deny all relief sought in petitioners motion.
THOMPSON,A.J. HRI, Inc. (Hydro Resources, Inc.). THOMPSON,A.J. Shaw, Pittman, Potts & Trowbridge. #198 18766. ML. 98/01/26. Atomic Safety & Licensing Board Panel. 11pp. A1965:123-A1965:257.

--9801300197 Affidavit of E Blinman.* Responds to Eastern Navajo Dine Against U Mining & Southwest Research & Info Ctr motion for stay,request for prior hearing & request for temporary stay.
BLINMAN,E. New Mexico, State of. ML. 98/01/22. 33pp. A1965:134-A1965:166.

9801300236 Eastern Navajo Dine Against U Mining & Southwest Research & Info Ctr motion for leave to respond to Eastern Navajo Allottees Assoc intervention petition & response to NRC Staff request for extension of time.* W/Certificate of Svc.
JORDAN,S.G. Southwest Research and Information Center. JORDAN,S.G. Affiliation Not Assigned. JORDAN,S.G. New Mexico, State of. #198 18753. ML. 98/01/20. Atomic Safety & Licensing Board Panel. 9pp. A1966:043-A1966:051.

TOPREP TOPICAL REPORTS AND RELATED CORRESPONDENCE

9801020003 Provides confirmation re ISI request for relief re semi- elliptical circumferential reactor vessel nozzle-to-pipe welds IAW SER based on review of topical rept BAW-2228P-A rev 1,dtd Sept 1996.Specific written relief is requested.
LANGENBACH,J.W. General Public Utilities Corp. 6710-97-2098. 97/12/19. Document Control Branch (Document Control Desk). 2pp. A1687:281-A1687:282.

9801020078 Discusses 971217 application & affidavit by Siemens Power Corp for proprietary & nonproprietary versions of "Siemens Power Corp Atrium-10," presentation slides & request that data in proprietary version be withheld.Grants request.
ESSIG,T.H. . 97/12/29. CURET,D.H. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. A1600:012-A1600:014.

9801020138 Forwards proprietary & non-proprietary versions of approved TR DPC-NE-3004-A & DPC-NE-3004-PA, "Mass & Energy Release & Containment Response Methodology," per NUREG-0390. Proprietary rept,withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/18. Document Control Branch (Document Control Desk). 2pp. A1698:011-A1699:122.

--9801020142 DPC-NE-3004-A Non-proprietary TR DPC-NE-3004-A, "Mass & Energy Release & Containment Response Methodology."
* Duke Power Co. 97/11/30. 400pp. A1698:013-A1699:122.

9801050343 Forwards non-proprietary version of TR DPC-NE-3003-A & proprietary version TR DPC-NE-3003-PA, "Mass & Energy Release & Containment Response Methodology." Proprietary TR withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/22. Document Control Branch (Document Control Desk). 2pp. A1685:196-A1686:286.

--9801050345 DPC-NE-3003-A Non-proprietary DPC-NE-3003-A, "Mass & Energy Release & Containment Response Methodology."
* Duke Power Co. 97/11/30. 600pp. A1685:198-A1686:286.

9801050358 Summary of 971119 meeting w/Westinghouse Owners Group re completion of WOG topical rept WCAP-14572,rev 1,conclusions from results of Surry pilot plant submittal & schedule for approving Surry submittal & associated WCAP.
GUTTMANN,J. Probabilistic Risk Analysis Branch (Post 941217). 97/12/04. Probabilistic Risk Analysis Branch (Post 941217). 86pp. A1662:143-A1662:228.

9801060008 Advises that Rev 1 to WCAP-14732, "Probabilistic Analysis of Reduction in Turbine Valve Test Frequency for Nuclear Plants W/W BB-296 Turbines W/Steam Chests" will be withheld from public disclosure (10CFR2.790),per 971010 & 1118 requests.
KALYANAM,N. . TAC MA0172. 97/12/15. SEPP,H.A. Westinghouse Electric Corp. 3pp. A1667:238-A1667:240.

9801060031 Notification of 980127 meeting w/Westinghouse in Rockville, MD to discuss update on status of activities re low & medium voltage circuit breakers.
CRAIG,C.M. . 97/12/30. ESSIG,T.H. . 4pp. A1667:222-A1667:225.

9801060046 Notification of significant licensee meeting w/util on 980115 to discuss ABB nuclear activities.
HOWELL,A.T. Region 4 (Post 820201). 97/12/30. Region 4 (Post 820201). 4pp. A1680:044-A1680:047.

9801060062 Forwards proprietary response to 971113 RAI re Supp 1,App D to TR ANFB-1125(P), "ANFB Critical Power Correlation Uncertainty for Limited Data Sets." Proprietary info withheld,per 10CFR2.790(b).
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. HDC:97:147. 97/12/22. . 1p. A1724:349-A1724:349.

9801060177 Forwards rev 2 to proprietary TR DPC-NE-3000-P,consisting of simulation model revs to reflect new Mk-B11 fuel assembly design,application of new critical heat flux correlation & several RETRAN model improvements.Proprietary TR withheld.
TUCKMAN,M.S. Duke Power Co. 97/12/23. Document Control Branch (Document Control Desk). 3pp. A1722:339-A1722:341.

9801060252 Forwards GE ltr DSB-97026 from DS Braden to JL Lewis of GE, providing resolution to error found in topical rept GENE-A13-00395-01.Corrected pages to rept included.
GRAHAM,P.D. Nebraska Public Power District. NLS970228. 97/12/26. Document Control Branch (Document Control Desk). 7pp. A1730:347-A1730:353.

9801060301 Submits status info re potential safety concern 1-95 re ability to control nuclear reaction of PWRs during recovery from some SBLOCAs.
SCHOMAKER,R.J. Babcock & Wilcox Operating Plants Owners Group. OG-1690. 97/12/30. ATTARD,A.C., WEISS,E.W. NRC - No Detailed Affiliation Given. 4pp. A1741:302-A1741:305.

9801070046 Application for amend to license NPF-16 by incorporating attached TS rev.Amend will modify TS 5.6.1 & associated Figure 5.6-1 & TS 5.6.3 to accomodate increase in allowed SFP storage capacity.
STALL,J.A. Florida Power & Light Co. L-97-325. 97/12/31. Document Control Branch (Document Control Desk). 41pp. A1787:001-A1787:140.

--9801070050 Proposed tech specs pages modifying TS 5.6.1 & associated Figure 5.6-1 & TS 5.6.3 to accomodate increase in allowed SFP storage capacity.
* Florida Power & Light Co. 97/12/31. 11pp. A1787:042-A1787:052.

--9801070057 CENPD-387 "Criticality Safety Analysis for Spent Fuel Storage Rack Using Soluble Boron Credit."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 97/10/31. 54pp. A1787:053-A1787:106.

--9801070061 PSL-ENG-SENS-97-068 Rev 0 to PSL-ENG-SENS-97-068, "Spent Fuel Pool Dilution Analysis."
* Florida Power & Light Co. 97/11/26. 33pp. A1787:107-A1787:140.

9801070060 Informs of rev to list of plants affected by fuel rod internal pressure issue.Corrosion accumulation curve indicates that Callaway plant will not reach screening criteria until at least 980202,not 980101.
GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-97-129. 97/12/29. Document Control Branch (Document Control Desk). 1p. A1747:278-A1747:278.

9801070062 Forwards draft SE of topical rept NEDO-32686,rev 0, "Util Resolution Guidance for ECCS Suction Strainer Blockage," per NRC Bulletin 96-003.Open issues identified in draft SER. Response to open items requested by 980302.
BERLINGER,C.H. . IEB-96-003. 97/12/31. SGARRO,R. Pennsylvania Power & Light Co. 1p. A1681:126-A1681:259.

--9801070066 Draft SE of topical rept NEDO-32686,Rev 0, "Util Resolution Guidance for ECCS Suction Strainer Blockage."
* . IEB-96-003. 97/12/30. 133pp. A1681:127-A1681:259.

9801090304 Summary of 971210 meeting w/util in Rockville,MD to discuss issues related to ATRIUM-10 ECCS tests.Purpose of meeting to inform staff of SPC intent to proceed w/ECCS testing & test stragedy.Attendance list & slides encl.
WANG,E. . 97/12/29. ESSIG,T.H. . 70pp. A1747:084-A1747:152.

9801120027 Forwards non-proprietary & proprietary EPRI TR-108727, "BWR Vessel & Internals Project BWR Lower Plenum Insp & Flaw Evaluation Guidelines (BWRVIP-47)." Proprietary rept withheld.
TERRY,C. Affiliation Not Assigned. TERRY,C. Niagara Mohawk Power Corp. 97-963. 97/12/30. CARPENTER,C.E. Document Control Branch (Document Control Desk). 1p. A1801:032-A1801:045.

--9801120053 Requests that proprietary TR-108727, "BWRVIP Vessel & Internals Project BWR Lower Plenum Insp & Flaw Evaluation Guidelines (BWRVIP-47)," be withheld ref 10CFR2.790(a)(4).
FOX,M.D. Electric Power Research Institute. 97/12/17. Document Control Branch (Document Control Desk). 3pp. A1801:033-A1801:035.

--9801120059 EPRI TR-108727NP Non-proprietary final rept "BWR Vessel & Internals Project BWR Lower Plenum Insp & Flaw Evaluation Guidelines (BWRVIP-47)."
* General Electric Co. 97/12/31. 10pp. A1801:036-A1801:045.

9801120172 Forwards request for addl info re 971031 request for approval for implementation of risk-informed inservice inspection pilot program at Surry Unit 1.Staff also reviewing revised version of WOG topical rept WCAP-14572.
EDISON,G.E. . TAC MA0125. 97/12/23. SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 5pp. A1790:008-A1790:012.

9801120227 Forwards proprietary EPRI TR-108727, "BWR Vessel & Internals Project BWR Lower Plenum Insp & Flaw Evaluation Guidelines (BWRVIP-47)." Proprietary rept withheld.
TERRY,C. Affiliation Not Assigned. TERRY,C. Niagara Mohawk Power Corp. 97-963. 97/12/30. CARPENTER,C.E. Document Control Branch (Document Control Desk). 2pp. A1817:113-A1817:116.

9801130160 Forwards rev 1 to TR WCAP-13856, "AP600 Implementation of Regulatory Treatment of Nonsafety-Related Systems Process."
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-98-5509. 98/01/06. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. A1795:142-A1795:248.

--9801130166 WCAP-13856 R01 Rev 1 to WCAP-13856, "AP600 Implementation of Regulatory Treatment of Nonsafety-Related Systems Process."
* Westinghouse Electric Corp. 98/01/05. 102pp. A1795:144-A1795:248.

9801130210 Forwards amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program." Amend 22 being submitted pursuant to 10CFR50.54(a)(3),contains changes necessary to reflect merger of Duke Power Co & PanEnergy Corp.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1795:272-A1795:334.

--9801130228 Amend 22 to Duke Energy Corp Topical Rept Duke-1-A, "QA Program."
COLEY,W.A. Duke Power Co. 97/12/15. 58pp. A1795:275-A1795:334.

9801130211 Requests NRC assistance in acquiring access to data & drawings from FIST & posssibly other experimental programs in order to extend evaluation model verification & validation.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:002. 98/01/09. COLLINS,T.E. . 44pp. A1793:178-A1793:222.

9801130236 Advises NRC of recent organizational & programmatic changes that affect QA program for nuclear power plants.Ltr being submitted in order to fulfill commitment contained in section of topical rept.
TUCKMAN,M.S. Duke Power Co. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1793:070-A1793:072.

9801130295 Forwards EPRI rept TR-107330,Final Rept, "Generic Requirements Specification for Qualifying Commercially Available PLC for Safety-Related Applications in Nuclear Power Plants," for NRC review.
NASER,J. Electric Power Research Institute. 98/01/09. Document Control Branch (Document Control Desk). 2pp. A1794:299-A1795:083.

--9801130303 EPRI TR-107330 "Generic Requirements Specification for Qualifying Commercially Available PLC for Safety-Related Applications in Nuclear Power Plants," final rept.
* Electric Power Research Institute. OSTENSO,A., MAY,R. S. Levy, Inc. 96/12/31. 147pp. A1794:301-A1795:083.

9801140286 Notification of 980121 meeting w/Siemens representatives in Rockville,MD to discuss issues identified during last insp.
WANG,E.Y. . 98/01/07. ESSIG,T.H. . 3pp. A1801:115-A1801:117.

9801150034 Forwards SER on TR BAW-10167,Suppl 3, "Justification for Increasing Reactor Trip Sys On-Line Test Intervals." B&WOG requested to accept revs of subj TR within 3 months of receipt of ltr.
ESSIG,T.H. . 98/01/07. KELLY,J.J. Affiliation Not Assigned. 3pp. A1820:216-A1820:227.

--9801150040 Safety evaluation of TR BAW-10167,Suppl 3, "Justification for Increasing Reactor Trip Sys On-Line Test Interval." Rept acceptable.
* . 98/01/07. 9pp. A1820:219-A1820:227.

9801150049 Discusses discrepancies found when reviewing EQE correspondence 50120.02-0-002, "EQE Database Power Plant Site Ground Motion Estimates," dtd 970922.
STOLZ,J.F. . 98/01/05. GREEN,T.A. General Electric Co. 2pp. A1818:203-A1818:204.

9801150077 Forwards proprietary response to NRC RAI on BWR Vessels & Internal Project rept, "BWR Vessel & Internal Project,BWR Reactor Pressure Vessel Shell Weld Insp Recommendations (BWRVIP-05)." Encl withheld.
WAGONER,V. Affiliation Not Assigned. WAGONER,V. Carolina Power & Light Co. 98-019. 98/01/13. CARPENTER,C.E. Document Control Branch (Document Control Desk). 1p. A1843:318-A1843:318.

9801150240 Forwards ten copies of proprietary page A-11 for insertion into "BWRVIP Response to NRC RAI on BWRVIP-05," dtd 971218. Proprietary info withheld.
WAGONER,V. Affiliation Not Assigned. 98-015. 98/01/12. CARPENTER,C.E. Document Control Branch (Document Control Desk). 1p. A1843:317-A1843:317.

9801160056 Forwards SE on joint owners group program on periodic verification of motor operated valves.NRC considers MOV periodic verification acceptable to GL 96-05.Advise within 30 day if any matl encl in SE considered proprietary.
ESSIG,T.H. . GL-96-05. 97/10/30. PILMER,D.F. C-E Operating Plants Owners Group. PILMER,D.F. Southern California Edison Co. 2pp. A1830:043-A1830:059.

--9801160059 SER accepting response to GL 96-05 for valve age related degradation.Submits listed acceptance.
* . GL-96-05. 97/10/30. 15pp. A1830:045-A1830:059.

9801160080 Forwards SE on joint owner group program on periodic verification of motor-operated valves described in TR NEDC-32719,rev 2.Joint OG program on MOV periodic verification serves as acceptable response to GL 96-05.
ESSIG,T.H. . GL-96-05. 97/10/30. RAUSCH,T.J. BWR Owners Group. RAUSCH,T.J. Commonwealth Edison Co. RAUSCH,T.J. Nuclear Fuel Services, Inc. 2pp. A1820:274-A1820:290.

--9801160091 Safety evaluation accepting joint OG program on MOV periodic verification,which provides industry-wide response to GL 96-05 for valve age-related degradation.
* . GL-96-05. 97/10/30. 15pp. A1820:276-A1820:290.

9801160151 Forwards SE on Joint OG program on periodic verification of MOV described in TR MPR-1807,rev 2.Subj program serves as acceptable industry-wide response to GL 96-05.
ESSIG,T.H. . GL-96-05. 97/10/30. GREENE,T.V. Westinghouse Operating Plants Owners Group. GREENE,T.V. Georgia Power Co. 2pp. A1830:060-A1830:076.

--9801160152 Safety evaluation accepting joint OG program on MOV periodic verification which provides industry-wide response to GL 96-05 for valve age-related degradation.
* . GL-96-05. 97/10/30. 15pp. A1830:062-A1830:076.

9801160171 Notification of 970226 meeting w/Westinghouse Owners Group (WOG) in Rockville,MD to discuss WOG baffle barrel bolting program.
CRAIG,C.M. . 98/01/09. ESSIG,T.H. . 4pp. A1830:077-A1830:080.

9801160179 Meeting notes of 971023 meeting w/NEI & EPRI on implementation of containment insp rule 10CFR50.55a.Meeting announcement,agenda & list of attendees encl.
ASHAR,H. . 98/01/13. BAGCHI,G. . 13pp. A1820:259-A1820:271.

9801200115 Responds to request for withholding info from public disclosure re BAW-2303P,Rev 02 submitted on 971016 pursuant to 10CFR2.790.Review of application determined rept will be marked as proprietary pursuant to 10CFR2.790(b)(5).
LABARGE,D.E. . TAC M99780. 98/01/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A1852:346-A1852:349.

9801200153 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by DEC TR in support of future transition from Framatome to Westinghouse fuel.
TAM,P.S. . TAC MA0229. 98/01/12. BERKOW,H.N. . 5pp. A1860:291-A1860:295.

9801200168 Responds to request that rept,BAW-2303P,rev 3 be considered exempt from mandatory public disclosure.Determined that info sought to be withheld contains proprietary commercial info & will be withheld from public disclosure.
LABARGE,D.E. . TAC M99780. 98/01/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A1850:349-A1850:352.

9801200169 Summary of 971209 meeting w/Bechtel Power Corp & US Generating Co in Rockville,MD re potential regulatory considerations re establishing fossil fueled power plants at decommissioning NPP sites.
WHEELER,L.L. . 98/01/09. . 4pp. A1901:045-A1901:049.

--9801270114 Requests meeting w/NRC staff to discuss regulatory requirements,processes & reviews re potential construction & operations of fossil fired generation plant on NRC licensed nuclear power reactor site.
FOSSUM,L.K. Bechtel Group, Inc. 97/10/22. WEISS,S.H. . 1p. A1901:049-A1901:049.

9801210148 Forwards proprietary series of preliminary responses to RAI on WCAP-14449-P, "Application of Best Estimate Large Break LOCA Methodology to W PWRs w/Upper Plenum Injection." Proprietary encl withheld.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-98-5520. 98/01/13. Document Control Branch (Document Control Desk). 2pp. A1879:314-A1879:315.

9801210152 Notification of 980127 meeting w/util in Rockville,MD to discuss technical issues covered by Duke topical repts & submittals for Oconee to support critical heat flux correlations & UFSAR transient analysis methodology.
LABARGE,D.E. . 98/01/13. BERKOW,H.N. . 5pp. A1866:234-A1866:238.

9801210163 Requests that NRC ltr which is being prepared re Suppl 2 to TR NEDC-32339P-A,address both errata to TR & change notification to provide approved documentation for use as plant specific ref.
RAUSCH,T.J. BWR Owners Group. RAUSCH,T.J. Commonwealth Edison Co. BWROG-98003. 98/01/08. Document Control Branch (Document Control Desk). 3pp. A1882:158-A1882:160.

9801210171 Forwards final rept EPRI TR-109014, "Analysis of Loss of Decay Heat Removal Trends (1989-96) Outage Risk Assessment & Mgt (ORAM) Technology."
BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 97/12/12. COLLINS,S.J. . 2pp. A1857:295-A1857:334.

--9801210194 EPRI TR-109014 Final rept EPRI TR-109014, "Analysis of Loss of Decay Heat Removal Trends (1989-96) Outage Risk Assessment & Mgt (ORAM) Technology."
WELLS.J. Affiliation Not Assigned. 97/10/31. 38pp. A1857:297-A1857:334.

9801210209 Forwards EPRI TR-108812, "Response of Isolated Piping to Thermally Induced Overpressurization During Loss of Coolant Accident (GL 96-06)." Meeting w/ NRC requested in late-Feb or early March to discuss subj rept.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). GL-96-06. 98/01/15. MARSH,L.B. . 2pp. A1901:052-A1901:099.

--9801210213 EPRI TR-108812 Non-proprietary "Response of Isolated Piping to Thermally Induced Overpressurization During Loss of Coolant Accident (GL 96-06)."
GOSSELIN,S.R. Electric Power Research Institute. GL-96-06. 97/12/31. 45pp. A1901:054-A1901:099.

9801210238 Forwards revised ABB C-E affidavit which corrects date erroneously entered on rept CEN-620-P,Rev 04-P, "Series 44 & 51 Design SG Tube Repair Using Tube Rerolling Technique."
SORENSEN,J.P. Northern States Power Co. 98/01/09. Document Control Branch (Document Control Desk). 7pp. A1882:327-A1882:333.

9801210295 Advises that info submitted by 970117 ltr (AW-97-1062), marked proprietary,will be withheld from public disclosure, per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954,as amended.
CRAIG,C.M. . 98/01/15. SEPP,H.A. Westinghouse Electric Corp. 2pp. A1866:001-A1866:002.

9801210306 Forwards draft rept, "Auxiliary/Emergency Feedwater Sys Reliability,1987-1995," INEEL/EXT-97-00740.Object of study, to assess auxiliary feedwater sys performance in 72 PWRs based on operating experience from 1987-1995.W/o encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 98/01/15. DRAKE,A. Westinghouse Electric Corp. 2pp. A1866:044-A1866:045.

9801220155 Summary of 980114 meeting w/B&W Owners Group Steering Committee re recently completed & currently ongoing studies in Safety Program Division.Copy of handout used at meeting & list of attendees encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 98/01/20. MARTIN,T.T. Office for Analysis & Evaluation of Operational Data, Director. 65pp. A1877:287-A1877:351.

9801220233 Notification of 980127 meeting w/util in Washington,DC to discuss GE TR on design & installation of ECCS strainers in BWRs.
LYNCH,M.D. . 98/01/20. CAPRA,R.A. . 3pp. A1890:313-A1890:315.

9801220235 Notification of 980129 meeting w/util in Rockville,MD to discuss CEOG activities re analysis of moisture carryover during MSLB accident.Proposed agenda encl
MAGRUDER,S.L. . 98/01/21. ESSIG,T.H. . 4pp. A1890:306-A1890:309.

9801220351 Forwards proprietary response to RAI re GE TR NEDC-32601P, "Methodology & Uncertainties for Safety Limit MCPR." Proprietary response withheld,per 10CFR2.790.
WATFORD,G.A. General Electric Co. GAW-98-002. 98/01/08. HUANG,T.L., WILSON,J.H. Document Control Branch (Document Control Desk). 5pp. A1893:249-A1893:253.

9801230016 Forwards proprietary response to RAI re GE TR NEDC-32694P, "Powers Distribution Uncertainties for Safety Limit MCPR Evaluations." Proprietary info withheld,per 10CFR2.790,as indicated in encl affidavit.
WATFORD,G.A. General Electric Co. GAW-98-003. 98/01/09. HUANG,T.L., WILSON,J.H. Document Control Branch (Document Control Desk). 5pp. A1900:206-A1900:210.

9801230088 Forwards proprietary response to request for addl info re implementation of improved GE steady-state nuclear methods. Proprietary response withheld (ref 10CFR2.790).
WATFORD,G.A. General Electric Co. GAW-98-001. 98/01/08. KENDRICK,E.D. Document Control Branch (Document Control Desk). 2pp. A1900:203-A1900:204.

9801230153 Forwards rev 4 to WCAP-12600, "AP600 QA Program Plan," which has been updated to reflect current project position on QA requirements for sys,structures & components to which regulatory treatment on non-safety sys criteria apply.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-98-5527. 98/01/20. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. A1900:159-A1900:188.

--9801230176 WCAP-12600 R04 "AP600 Quality Assurance Program Plan," rev 4.
ALSING,D.N., CUMMINS,W.E. Westinghouse Electric Corp. 98/01/16. 27pp. A1900:160-A1900:188.

9801230174 Provides W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS, included in Table 1.Rev 4 to WCAP-13914 encl.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-98-5524. 98/01/15. QUAY,T.R. Document Control Branch (Document Control Desk). 82pp. A1900:002-A1900:158.

--9801230193 WCAP-13914 R04 Rev 4 to "Framework for AP600 Severe Accident Mgt Guidance."
* Westinghouse Electric Corp. 98/01/15. 63pp. A1900:092-A1900:158.

9801260007 Provides info in response to NRC questions re NRC oversight pilot program at DOE.Proposed Savannah River Site Transfer Spent Fuel Storage Facility,discussed.
RAHE,E.P. Westinghouse Electric Corp. WSMS-98-0002. 98/01/13. AUSTIN,J. NRC - No Detailed Affiliation Given. 3pp. A1907:353-A1907:355.

9801260141 Forwards BWROG response to RAI issued on BWROG Emergency Procedures & Severe Accident Guidelines (EPG/SAG).Rev 1 to BWROG EPG/SAG,App B & C,encl.
RAUSCH,T.J. BWR Owners Group. RAUSCH,T.J. Commonwealth Edison Co. BWROG-98001. 98/01/09. WILSON,J. Document Control Branch (Document Control Desk). 28pp. A1928:334-A1928:361.

9801260335 Forwards non proprietary & proprietary versions of presentation matls to 971210 meeting in Rockville,MD re ATRIUM-10 ECCS Tests.Proprietary version withheld.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. HDC:97:146. 97/12/17. WANG,E.Y. NRC - No Detailed Affiliation Given. 68pp. A1928:266-A1928:333.

9801260366 Informs that licensee will include enhancement in RODEX2A calculations for corrosion analysis & fuel temp analysis,per review of TR Rev 0,Suppl 1 to EMF-85-74(P) & TR Rev 0,Suppl 2 to EMF-85-74(P).
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:004. 98/01/16. . 2pp. A1908:335-A1908:336.

9801270012 Forwards proprietary responses to Rev 1 to NEDC-32505P, "R-Factor Calculation Method." Proprietary responses withheld (ref 10CFR2.790).
WATFORD,G.A. Westinghouse Electric Corp. MFN-006-98. 98/01/17. COLLINS,T.E. Document Control Branch (Document Control Desk). 5pp. A1938:003-A1938:007.

9801270022 Forwards non-proprietary version of rev 1 to EMF-96-180, "Quad Cities Unit 2 Cycle 15 Plant Transient Analysis." Affidavit is provided to request that proprietary version, sent inadvertently w/971104 ltr,be withheld.
KRAFT,E.S. Commonwealth Edison Co. SVP-98-013. 98/01/19. Document Control Branch (Document Control Desk). 2pp. A1936:037-A1936:145.

--9801270030 EMF-96-180 R01 Non-proprietary rev 1 to EMF-96-180, "Quad Cities Unit 2 Cycle 15 Plant Transient Analysis."
SCHNEPP,R.R. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/04/18. 107pp. A1936:039-A1936:145.

9801270149 Summary of 971106 meeting w/WOG in Rockville,MD re issues related to 10CFR50.46.List of participants & presentation matl encl.
CRAIG,C.M. . 98/01/15. ESSIG,T.H. . 97pp. A1927:001-A1927:095.

9801270193 Refers to 970807 ltr which transmitted responses to RAI for Siemens Topical Rept ANF-1125(P),Supplement 1,App D,for staff review.Requests addl info in order to complete review.
WANG,E.Y. . TAC M98478. 97/11/13. CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 6pp. A1927:355-A1927:360.

9801280162 Forwards edited page 2-9 & page 10 of proprietary topical rept EMF-1997(P),which includes incorporation of changes to clarify quantitative RATIO for ATRIUM-10 fuel.Encl withheld, per 10CFR2.790(b).
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:005. 98/01/19. . 2pp. A1963:307-A1963:308.

9801280251 Forwards proprietary response to question on EMF-92-116(P) re licensee prediction of PWR corrosion data in ltr dtd 970630.Response withheld (ref 10CFR2.790(b)).
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:003. 98/01/14. . 1p. A1963:309-A1963:309.

9801280254 Submits interm rept on issues that will not be completed within 60 days of discovery.Interim rept for issue under evaluation by Siemens Power Corp encl.
HOLM,J.S. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:001. 98/01/15. . 3pp. A1966:354-A1966:356.

9801280310 Forwards proprietary Rev 15 to EMF-538(P), "Physical Protection Plan for SNM of Low Strategic Significance." Encl which does not decrease effectiveness of plan,submitted under provisions of 10CFR70.32(e).Encl withheld.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. JBE:98:017. 98/01/22. Office of Nuclear Material Safety & Safeguards. 2pp. A1938:001-A1938:002.

9801280338 Provides info re possible failure of certain GE Type SBM control switches w/spring return function to reset properly after operation.
SMITH,M.A. General Electric Co. MFN 011-98. 98/01/23. Document Control Branch (Document Control Desk). 3pp. A1936:265-A1936:267.

9801290005 Forwards proprietary rept WCAP-14036-P,rev 1 & non- proprietary rept WCAP-14037-NP,rev 1,each entitled, "Elimination of Periodic Protection Channel Response Time Tests." Proprietary encl withheld.
GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-98-005. 98/01/22. NRC - No Detailed Affiliation Given. 2pp. A1968:085-A1968:168.

--9801290007 Requests that rev 1 to WCAP-14036, "Elimination of Periodic Channel Response Time Tests," be withheld from public disclosure,per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. CAW-98-1198. 98/01/22. COLLINS,S.J. Document Control Branch (Document Control Desk). 8pp. A1968:087-A1968:094.

--9801290009 WCAP-14037-NP R01 Rev 1 to non-proprietary rept WCAP-14037-NP, "Elimination of Periodic Protection Channel Response Time Tests."
HOWARD,R.C. Westinghouse Electric Corp. 95/12/31. 70pp. A1968:095-A1968:168.

9801290018 Forwards proprietary (CE NPSD-831-P) & non-proprietary (CE NPSD-831) versions of slides re OPTIN cladding high burnup licensing plan presented at 970515 meeting w/NRC. Proprietary version of slides withheld,per 10CFR2.790.
RICKARD,J.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,J.C. ASEA Brown Boveri, Inc. LD-98-002. 98/01/21. Document Control Branch (Document Control Desk). 8pp. A1963:310-A1963:353.

--9801290021 CE NPSD-831 Non-proprietary CE NPSD-831,"OPTIN Cladding High Burnup Licensing Plan," slides used at 970515 meeting w/NRC.
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 98/01/21. 36pp. A1963:319-A1963:353.

9801290220 Notification of 980206 meeting w/BWROG in Bethesda,MD to discuss NRC position related to BWROG Util Resolution Guidance on design & installation of ECCS strainers in boiling water reactors documented in draft SE on 971230.
SKAY,D.M. . 98/01/26. CAPRA,R.A. . 3pp. A1944:193-A1944:195.

9801300120 Forwards TR WCAP-14978, "Analysis of Capsule Y from HLP South TX Unit 2 Reactor Vessel Radiation Surveillance Program," per 10CFR50,App H.
JORDAN,T.J. Houston Lighting & Power Co. NOC-AE-000056. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A1973:014-A1973:253.

--9801300125 WCAP-14978 "Analysis of Capsule Y From HLP South TX Unit 2 Reactor Vessel Radiation Surveillance Program."
TEREK,R., PEROCK,J.D., WILLIAMS,J.F. Westinghouse Electric Corp. 97/12/31. 238pp. A1973:016-A1973:253.

9801300196 Forwards info re two BWR control blade failures experienced in Japanese reactors.Further recommendations will be made to US BWR control blade customers as ABB Combustion Engineering monitors info developed from Japanese control blade problem.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. LD-98-008. 98/01/21. Document Control Branch (Document Control Desk). 6pp. A1972:355-A1972:360.

9801300251 Forwards proprietary TR BAW-10231P & nonproprietary TR BAW-10231, "COPERNIC Fuel Rod Design Computer Code." W/o non-proprietary rept.Proprietary rept withheld.
COLEMAN,T.A. Framatome Cogema Fuels (formerly B&W Fuel Co.),. GRO74.DOC. 98/01/22. Document Control Branch (Document Control Desk). 8pp. A1996:353-A1996:360.

9801300259 Forwards proprietary TR BAW-10231P & nonproprietary TR BAW-10231, "COPERNIC Fuel Rod Design Computer Code." W/o proprietary rept.
COLEMAN,T.A. Framatome Cogema Fuels (formerly B&W Fuel Co.),. GRO74.DOC. 98/01/22. Document Control Branch (Document Control Desk). 6pp. A2009:001-A2009:187.

--9801300262 BAW-10231 R00 Non-proprietary TR BAW-10231, "COPERNIC Fuel Rod Design Computer Code," Rev 0.
* Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/01/31. 181pp. A2009:007-A2009:187.

WM WASTE MANAGEMENT DOCUMENTS

9801020166 Forwards listed background matls associated w/Interagency Steering Committee on Radiation Stds.W/o encls.
SOBEL,P. Division of Waste Management (NMSS 940403). 97/12/23. LIPOTI,J. New Jersey, State of. 2pp. A1670:354-A1670:355.

9801020167 Informs that C Cain did an outstanding job in workshop on U recovery insps w/staff from U Recovery Branch,Div of Waste Mgt.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 97/12/19. SCARANO,R.A. Region 4 (Post 820201). 1p. A1658:250-A1658:250.

9801020169 Forwards monthly progress rept for Consolidated Document Applications Sys (CDOCS),per 971202 request.Deletion of CDOCS from future monthly progress repts,recommended because validation & implementation are 100% complete.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 97/12/08. SURMEIER,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 3pp. A1658:320-A1658:322.

9801020171 Forwards draft enforcement guidance memo interim guidance for "Timeliness in Decommissioning of Matl Facilities," rule,for NMSS review.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/23. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 18pp. A1672:231-A1672:249.

9801050056 Informs that NRC has reviewed 1997 annual insp rept for Shiprock,NM title site.Based on review,insps & remedial measures being performed are acceptable.Biointrusion study to determine effects of deep-rooted species,recommended.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/12/12. EDGE,R. Energy, Dept. of. 3pp. A1709:248-A1709:250.

9801050112 Informs that NRC will review "Remediation Work Plan for Ameristeel Incident-Related Matls Remediation at Clearfield & Wendover,UT," in response to 971105 ltr.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/12/19. MCCLOSKEY,J.F. Affiliation Not Assigned. 2pp. A1684:335-A1684:336.

9801050167 Responds to 971031 ltr to Chairman Jackson which provided ACNW observations & recommendations on application of PRA in HLW program.
CALLAN,L.J. Ofc of the Executive Director for Operations. HLWR. 97/12/17. GARRICK,B.J. Advisory Committee on Nuclear Waste. 14pp. A1686:310-A1686:327.

9801050197 Forwards qualification board recommendation for KR Hooks.U Recovery Branch considers KR Hooks completed all necessary training qualification cards in IM Chapter 1246.W/o encl.
CAIN,C.L., SPITZBERG,D.B. Region 4 (Post 820201). HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. HLWR. 97/12/22. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A1686:301-A1686:302.

9801050260 Responds to ltr dtd 971120,received at NRC on 971208.Ltr contained request to extend public comment period on draft std review plan for in-situ U extraction license applications.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). HLWR. 97/12/10. GORANSON,W.P. Rio Algom Mining Corp. 3pp. A1686:359-A1686:361.

9801050268 Discusses public meeting on 971211 at DOE Oakland Operations ofc in Oakland,CA.Copied pages of CERCLA law from US Code encl.
BRECHIN,V.J. Affiliation Not Assigned. HLWR. 97/12/13. AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 7pp. A1687:041-A1687:047.

9801050286 Forwards 1997 annual prelicensing insp rept for Slickrock,CO disposal site.Insp was performed by DOE/Grand Junction Ofc.
ARP,S.J. Energy, Dept. of. 97/12/22. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 2pp. A1754:063-A1754:085.

--9801050291 "1997 Annual Prelicensing Insp Rept for Slickrock,CO Disposal Site." W/ one oversize drawing.
* Energy, Dept. of. 97/12/22. 20pp. A1754:065-A1754:085.

9801050307 Submits response to NRC questions re application for suppl standards for former Public Svc Co bldg located at 531 South Ave,Grand Junction,CO.
VIRGONA,J.E. Energy, Dept. of. 97/12/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 8pp. A1709:326-A1709:333.

9801060270 Responds to 971030 ltr,inviting JT Greeves to attend FL Nuclear Stakeholders meeting to be held on 980204,in Tallahassee,FL.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/12/30. CLARK,S.F., HUNTER,R.G. Florida, State of. 4pp. A1741:264-A1741:267.

9801070245 Responds to 971205 ltr,informing that EPA has begun work on rulemaking which will explore options for regulatory relief for mixed waste storage & disposal.NRC staff will support effort to degree budget allows.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/12/30. COTSWORTH,E. Environmental Protection Agency. 3pp. A1743:354-A1743:356.

9801080144 Forwards revised copy of "Std Format & Content of License Termination Plan for Power Reactors (10CFR50.82(a)(9)," for review.Comments requested by 980114.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/12/30. BLOUGH,A.R. Region 1 (Post 820201). MALLETT,B.A. Region 2 (Post 820201). PEDERSON,C.D. Region 3 (Post 820201). 17pp. A1785:315-A1785:331.

9801080393 Provides certification that surface remedial action for Rifle CO,U Mill Tailings Remedial Action Project complete.
RAEL,G.J. Energy, Dept. of. 97/11/17. WILLIAMS,J.D. Office of Nuclear Material Safety & Safeguards. 5pp. A1758:309-A1758:313.

9801090036 Informs of revised health risk assessment for application of supplemental stds for bldg located at 531 South Grand Ave, Grand Junction,CO.Encl table indicates assumption used to build model.
VIRGONA,J.E. Energy, Dept. of. 97/12/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. A1758:252-A1758:256.

9801140341 Responds to 971210 ltr,inviting W Lahs to DOD low-level radwaste meeting to be held on 980217-18 in Santa Barbara, CA.W Lahs retired from Federal svc in 1996 & unfortunately, unable to send alternate to meeting because of resources.
NELSON,R.A. Division of Waste Management (NMSS 940403). 98/01/05. MAPLEY,S.R. Army, Dept. of. 2pp. A1824:360-A1824:361.

9801140347 Requests assistance in reviewing attached rept on, "Summary of Base Assumptions in Low-Level Radioactive Waste Classification Sys-10CFR61.55" & providing comments by 980116.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/09. BELL,M.J. Division of Waste Management (NMSS 940403). 5pp. A1843:309-A1843:313.

9801150068 Forwards two copies of "License Termination/Site Transfer Protocol between DOE & NRC." Drafts of protocol were provided to DOE.Both NRC & DOE agreed w/protocol.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/07. TILLMAN,J. Energy, Dept. of. 8pp. A1844:234-A1844:239.

--9801150082 Informs of no legal objection to Title II license termination protocol.
FONNER,R. NRC - No Detailed Affiliation Given. 98/01/06. PARK,J. NRC - No Detailed Affiliation Given. 1p. A1844:238-A1844:239.

9801150108 Informs that NRC staff completed review of US DOE final completion rept & associated documents pertinent to UMTRA project inactive U mill tailings site at Rifle,CO.NRC staff review documented in encl final completion review rept.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/08. RAEL,G. New Mexico, State of. 3pp. A1844:199-A1844:233.

--9801150113 "Completion Review Rept for Remedial Action at Rifle,CO U Mill Tailings Site."
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/31. 32pp. A1844:202-A1844:233.

9801200090 Informs that NRC does not plan to continue $10,000 funding commitment for annual involvement in ICODS,since Natl Dam Safety Program Implementation Plan will authorize $2.9 million to support dam safety initiative.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/14. ANDRESS,H.W. Federal Emergency Management Agency. 1p. A1843:127-A1843:127.

9801200096 Accepts US DOE long-term surveillance plan,dtd Nov 1997,for Estes Gulch disposal site near Rifle,CO.Acceptance establishes Rifle site under general license in 10CFR40.27.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/13. RAEL,G. Energy, Dept. of. 5pp. A1843:239-A1843:243.

9801200104 Discusses results of Lakeview rock gradation testing of side slope riprap,performed in 1997 to compare current condition of rock to design specification.Conference call,requested.
EDGE,R.W. Energy, Dept. of. 98/01/05. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 15pp. A1843:224-A1843:238.

9801200135 Provides update of developments re MOU,dtd 911023,between US EPA,NRC & states of CO,TX & WA,re Clean Air Act stds for radon releases from U mill tailings site.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/09. WEINSTOCK,L. Environmental Protection Agency. 5pp. A1839:348-A1839:357.

9801200221 Forwards supporting viability assessment documentation available through Dec 1997,per 971119 video conference. Addl relevant documentation will be submitted when available.
BROCOUM,S. Energy, Dept. of. HLWR. 98/01/12. GREEVES,J.T. Division of Waste Management (NMSS 940403). 9pp. A1951:001-A1959:074.

--9801200229 Rev 0 to YMP/97-02, "Mgt Plan for Development of License Application for HLW Repository at Yucca Mountain." Page "2-16" of incoming submittal was not included.
BROCOUM,S.J., BARNES,W.E. Energy, Dept. of. HLWR. 97/09/30. 70pp. A1951:010-A1951:079.

--9801200235 B00000000-01717-2200 Rev 1 to B00000000-01717-2200-00193, "Total Sys Performance Assessment - Viability Assessment (TSPA-VA) Methods & Assumptions." Pages 6-2,6-58 & 6-146 of incoming submittal not included.
ANDREWS,R.W., BARNARD,R.W., DOCKERY,H.A. TRW Environmental Safety Systems, Inc. HLWR. 97/11/07. 300pp. A1951:080-A1952:045.

--9801200239 UCRL-LR-107476 R01 Rev 1 to UCRL-LR-107476, "Near-Field & Altered-Zone Environ Rept Vol I:Technical Bases for EBS Design." Pages 46 thru 68 & figures 4-9 thru 5-14 of incoming submittal were not included.
WILDER,D.G. Lawrence Livermore National Laboratory. HLWR. 97/08/31. 137pp. A1952:046-A1952:356.

--9801200256 "1997 Milestone Rept SP24CBM3 - Preliminary Saturated-Zone Flow Model."
CZARNECKI,J.B. Interior, Dept. of, Geological Survey. HLWR. 97/12/31. 45pp. A1952:357-A1953:042.

--9801200269 "First Interim Rept - Total Sys Performance Assessment Peer Review Panel."
BUDNITZ,B., EWING,R., MOELLER,D. . HLWR. 97/06/19. 89pp. A1953:043-A1953:131.

--9801200275 "Civilian RadWaste Mgt Sys Mgt & Operating Contractor - Waste Package Degradation Expert Elicitation Project," Rev 0.Pages 2-3 of 16 thru 2-6 of 16 of incoming submittal not included.
* TRW, Inc. COPPERSMITH,K., PERMAN,R.C. Affiliation Not Assigned. HLWR. 97/08/15. 200pp. A1953:132-A1954:007.

--9801210002 SP25BM3 "Site-Scale Unsaturated Zone Transport Model of Yucca Mountain." Pages 3-11 thru 3-16 of incoming submittal not included.
ROBINSON,B.A., WOLFSBERG,A.V., VISWANATHAN,H. Los Alamos National Laboratory. HLWR. 97/09/29. 450pp. A1954:008-A1955:164.

--9801210003 SP25CM3A "Saturated Zone Radionuclide Transport Model."
ZYVOLOSKI,G.A., ROBINSON,B.A., BIRDSELL,K.H. Los Alamos National Laboratory. HLWR. 97/09/29. 150pp. A1955:165-A1955:338.

--9801210005 "Civilian RadWaste Mgt Sys Mgt & Operating Contractor Saturated Zone Flow & Transport Expert Elicitation Project." Numerous even numbered pages throughout of incoming submittal not included.
COPPERSMITH,K., PERMAN,R.C. . * TRW, Inc. HLWR. 97/10/30. 275pp. A1955:001-A1956:303.

--9801210010 Rev 1,change 1 to B00000000-01717-4600-00070, "Civilian RadWaste Mgt Sys Mgt & Operating Contractor Viability Assessment Design & Review Plan."
HASTINGS,C., DULOCK,V. TRW Environmental Safety Systems, Inc. HLWR. 97/05/22. 275pp. A1956:304-A1957:217.

--9801210012 Rev 1,change 2 to B00000000-01717-4600-00070, "Viability Assessment Design & Review Plan." Pages L-9 & L-10 of incoming submittal not included.
HASTINGS,C., DULOCK,V. TRW Environmental Safety Systems, Inc. HLWR. 97/08/11. 250pp. A1957:218-A1958:142.

--9801210017 Version 1.2 of "Waste Form Characteristics Rept." W/21 oversize drawings.
STOUT,R.B., LEIDER,H.R. Lawrence Livermore National Laboratory. HLWR. 97/04/04. 150pp. A1958:143-A1958:342.

--9801210021 BBA000000-01717 R00 Rev 0 to BBA000000-01717-0200-00055, "Waste Package Supports & Sorptive Inverts-Matls Selection."
PASUPATHI,V., THORNTON,T.A., BENTON,H.A. TRW Environmental Safety Systems, Inc. HLWR. 97/08/05. 30pp. A1958:343-A1959:012.

--9801210025 B00000000-01717 R01 Rev 1 to B00000000-01717-5707000002, "Reference Design Description for Geologic Repository."
* TRW Environmental Safety Systems, Inc. HLWR. 97/09/30. 59pp. A1959:013-A1959:074.

9801200276 Forwards four copies of 1997 annual insp rept re Mexican Hat,UT,title I site,per 10CFR40.27.No maint is identified for disposal site & no condition warrants follow-up insp.
EDGE,R.W. Energy, Dept. of. 97/12/19. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 4pp. A1865:334-A1865:337.

9801210302 Notification of meeting w/DOE & NRC in Rockville,MD & Las Vegas,NV to discuss mutual items of interest re QA videoconference.
RAMIREZ,A. Division of Waste Management (NMSS 940403). HLWR. 98/01/08. BELL,M.J. Division of Waste Management (NMSS 940403). 3pp. A1893:001-A1893:003.

9801210304 Submits invitation to attend next meeting of ISCORS Sewage Subcommittee on 980205 in Washington,DC to discuss progress on sewage sludge/ash survey & guidance document for POTW operators.W/agenda & summary of 971205 meeting.
SOBEL,P. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/07. BASTIAN,R., SETLOW,L., LLOYD,V. Environmental Protection Agency. 7pp. A1891:339-A1891:345.

9801220110 Forwards copy of financial assurance instrument security evaluation performed by TC Johnson & table that outlines items & needed CAs.Corrective actions requested by 980213.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/15. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. A1894:297-A1894:309.

--9801220128 Submits results of evaluation of financial assurance instruments held within NMSS headquarters in instruments safe.Evaluation also provides verification that current financial assurance info is in Licensing Tracking Sys.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/14. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 10pp. A1894:300-A1894:309.

9801230316 Forwards draft proposed field plan for Cheney site.
METZLER,D.R. Energy, Dept. of. 98/01/09. LAYTON,M.C. NRC - No Detailed Affiliation Given. 3pp. A1898:355-A1898:360.

--9801230320 Draft "Statement of Work for Monitoring Well Installation at Cheney U Mill tailings Repository,Mesa County,CO."
* Energy, Dept. of. 98/01/08. 3pp. A1898:358-A1898:360.

9801230400 Notification of 980115 meeting w/NRC & licensee in Rockville,MD to discuss HLW Repository program.
RAMIREZ,A. Division of Waste Management (NMSS 940403). HLWR. 98/01/06. BELL,M.J. Division of Waste Management (NMSS 940403). 2pp. A1893:164-A1893:165.

9801230407 Notification of 980114 meeting w/NRC & DOE in Rockville,MD to discuss DOE viability assessment documents re product info & status.
RAMIREZ,A. Division of Waste Management (NMSS 940403). HLWR. 98/01/06. BELL,M.J. Division of Waste Management (NMSS 940403). 4pp. A1923:125-A1923:128.

9801260251 Forwards ctr program manager periodic rept (PMPR) for period 971122-1219.
STILTENPOLE,B. NRC - No Detailed Affiliation Given. HLWR. 98/01/09. BELL,M. Division of Waste Management (NMSS 940403). STABLEIN,K., BRADBURY,J. Engineering & Geosciences Branch (NMSS 940403). 2pp. A1947:001-A1947:044.

--**9801260266** Forwards PMPR 98-3, "CNWRA Program Manager Periodic Rept on Activities of CNWRA," for fiscal reporting period of 971122- 1219.
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-97-009. HLWR. 98/01/09. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. A1947:003-A1947:003.

--**9801260283** PMPR 98-3 "CNWRA Program Manager Periodic Rept on Activities of CNWRA," for fiscal reporting period of 971122-1219.
* Center for Nuclear Waste Regulatory Analyses. HLWR. 98/01/09. NRC - No Detailed Affiliation Given. 41pp. A1947:004-A1947:044.

9801260339 Forwards listed 1997 UMTRA Ground Water Project Repts.
METZLER,D.R. Energy, Dept. of. HLWR. 97/09/15. LAYTON,M.C. NRC - No Detailed Affiliation Given. 1p. A1947:045-A1947:294.

--**9801260344** "Data Validation for Gunnison,Co UMTRA Site," for June 1997.
* Energy, Dept. of. HLWR. 97/06/30. 65pp. A1947:046-A1947:250.

--**9801260358** "UMTRA Ground Water Project FY97 Sampling Frequencies & Analyses."
* Energy, Dept. of. HLWR. 97/04/30. 44pp. A1947:251-A1947:294.

9801280033 Forwards comments on review of all pages relevant to decommissioning in draft NUREG rept, "Frequently Asked Questions on Decommissioning of Power Reactors," dtd 980108. W/o encl.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/20. WEISS,S.H. . 4pp. A1968:005-A1968:008.

9801280044 Recommends Sequoyah Fuels Corp,located in Gore,OK as candidate site to be considered for inclusion within geographic info sys pilot project.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/21. GREEVES,J.T. Division of Waste Management (NMSS 940403). 4pp. A1968:001-A1968:004.

9801280064 Forwards financial assurance instrument security evaluation recently performed by TC Johnson.Evaluation indicates number of items applicable to matls decommissioning section projects,need to be corrected.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/16. BELL,L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. A1966:091-A1966:101.

9801280075 Forwards financial instrument security evaluation recently performed by TC Johnson.Evaluation indicates number of items applicable to Regulatory Issues Section projects,need to be corrected.Corrective actions requested by 980213.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/16. NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. A1967:320-A1967:330.

9801280085 Forwards financial assurance instrument security evaluation recently performed by TC Johnson.Evaluation indicates number of items applicable to facilities decommissioning section projects,need to be corrected.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/16. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. A1967:239-A1967:249.

9801280139 Informs of completion of review of DOE April 1996 site observation work plan for groundwater remedial action at two Rifle,CO UMTRA project processing sites.List of technical suggestions,provided.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/16. PLIENESS,R. Energy, Dept. of. 2pp. A1967:335-A1967:336.

9801280151 Forwards draft comments on high-level legislation passed in Senate (S 104) & House (HR 1270).Comments should be forwarded to legislative conference.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. HLWR. 98/01/16. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CYR,K.D. Office of the General Counsel (Post 860701). 5pp. A2000:220-A2000:224.

9801280294 Forwards summary of 970721-22,technical exchange meeting w/ DOE & NRC re respective staff approaches to performance assessments of Yucca Mountain,NV.
BELL,M.J. Division of Waste Management (NMSS 940403). HLWR. 97/12/17. MILNER,R.A. Energy, Dept. of. 6pp. A1941:001-A1941:347.

--**9801280301** Summary of 970721-22 technical exchange meeting w/DOE & NRC re respective staff approaches to performance assessments for Yucca Mountain,NV.
LEE,M.P. Division of Waste Management (NMSS 940403). RODGERS,F.C. Energy, Dept. of. HLWR. 97/07/22. Division of Waste Management (NMSS 940403). 341pp. A1941:007-A1941:347.

9801290003 Forwards list of key supporting documents which will facilitate review of DOE viability assessment to be issued late FY98.Schedule of availability of documents,provided.
BROCOUM,S.J. Energy, Dept. of. HLWR. 98/01/08. GREEVES,J.T. Division of Waste Management (NMSS 940403). 13pp. A1963:245-A1963:257.

9801290013 Forwards "Info Digest," to assist in understanding mission of NRC efforts to ensure adequate safety measures are taken to protect public & environment,in response to ltr.
BELL,M.J. Office of Nuclear Material Safety & Safeguards. HLWR. 98/01/16. SWIGGETT,D. Affiliation Not Assigned. 2pp. A2000:225-A2000:226.

9801290027 Forwards financial assurance instrument security recently performed by TC Johnson.Evaluation indicates number of items applicable to Licensing Branch projects that need to be corrected.Corrective actions requested by 980213.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/16. SCHWINK,W. Licensing Branch. 3pp. A1946:225-A1946:237.

9801300094 Responds to 971215 ltr to JT Greeves re comment on App 7 discussions held in Oct 1997 on mapping subsurface facilities.Trip rept dtd 980123 re App 7 meeting in Las Vegas,NV on 971015-16 encl.
STABLEIN,N.K. Engineering & Geosciences Branch (NMSS 940403). HLWR. 98/01/23. BROCOUM,S.J. Energy, Dept. of. 4pp. A2000:241-A2000:256.

--**9801300098** Trip rept of 971015-16 App 7 meeting in Las Vegas,NV on DOE plans for mapping subsurface facilities at Yucca Mountain. List of attendees & *plans for mapping* of subsurface facilities,encl.
JUSTUS,P.S. Engineering & Geosciences Branch (NMSS 940403). MCKAGUE,H.L., GHOSH,A. Center for Nuclear Waste Regulatory Analyses. HLWR. 98/01/23. STABLEIN,N.K. Engineering & Geosciences Branch (NMSS 940403). BELL,M.J. Division of Waste Management (NMSS 940403). SAGAR,G. Center for Nuclear Waste Regulatory Analyses. 11pp. A2000:246-A2000:256.

9801300095 Responds to 970921 & 24 ltrs commenting on matters addressed in JT Greeves 970916 ltr & RC Vaughan 971116 ltr,commenting on NRC comments to DOE on two DOE issue papers re West Valley.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/01/22. VAUGHAN,R.C. Coalition on West Valley Nuclear Wastes. 9pp. A1975:200-A1975:220.

--**9801300099** Responds to 970921 & 24 ltrs commenting on matters addressed in JT Greeves ltr of 970916 & RC Vaughan 971116 ltr, commenting on NRC comments to DOE on two DOE issue papers re West Valley.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/01/15. VAUGHAN,R.C. Coalition on West Valley Nuclear Wastes. 1p. A1975:209-A1975:220.

9801300105 Expresses appreciation for Environ Evaluation Group (EEG) sending latest rept EEG-65, "Probability of Failure of Waste Hoist Brake Sys at WIPP," which keeps NRC informed of EEG issues that may have relevance in NRC repository program.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). HLWR. 98/01/23. NEILL,R.H. Affiliation Not Assigned. 2pp. A2000:227-A2000:228.

XPORTLIC EXPORT AND IMPORT LICENSES

9801070259 Petition of Nuclear Control Inst for leave to intervene & request for hearing.* Respectfully petitions Commission for leave to intervene as party in opposition to following export license application.W/Certificate of Svc.
GREENBERG,E.V. Nuclear Control Institute. GREENBERG,E.V. Garvey, Schubert, Adams & Barer. #198 18697. 97/12/29. Commissioners (Post 750119). 26pp. A1726:071-A1726:096.

9801080051 Forwards repts listing all NRC export & import cases which were completed,received or pending during month of Nov 1997.
HAUBER,R.D. Office of International Programs (Post 911117). 97/12/16. DELABARRE,R. State, Dept. of. 6pp. A1739:306-A1739:316.

9801080063 Responds to 971023 ltr requesting assistance of DOS in notifying authorities on Taiwan of proposed low-level radioactive scrap import as described.
STRATFORD,R.J. State, Dept. of. 97/12/10. STOIBER,C.R. Office of International Programs (Post 911117). 6pp. A1701:236-A1701:241.

9801080074 Forwards signed copy of FRN "US NRC Application for License to Import Nuclear Facilities or Matls," for transmission to Ofc of FR for filing & publication.
HAUBER,R.D. Office of International Programs (Post 911117). 97/12/23. MOSSBURG,D. Correspondence & Records Branch. 1p. A1701:229-A1701:231.

--**9801090018** Notice of application for license to import radioactive waste.
HAUBER,R.D. Office of International Programs (Post 911117). 97/12/23. 2pp. A1701:230-A1701:231.

9801080079 Forwards application for export license (XSNM-3019),recently received by NRC,for export of low-enriched U,in form of UF6, to Japan for use as reload fuel in Genkai Unit 1.Assurances from Japan required.
HAUBER,R.D. Office of International Programs (Post 911117). 97/12/16. DELABARRE,R. State, Dept. of. 1p. A1739:324-A1739:325.

9801080111 Forwards 971118 application from Allied Technology Group,Inc for license to import low-level radioactive waste from Taiwan.
HAUBER,R.D. Office of International Programs (Post 911117). 97/12/23. DELABARRE,R. State, Dept. of. 1p. A1701:242-A1701:244.

9801080382 Application for specific license to import radwaste in form of 626,000 kg of aluminum-bronze & nickel-copper condensor tubing,to Taipei,Taiwan.
HEWITT,W.M. Taiwan Power Co. 97/11/18. 2pp. A1739:329-A1739:330.

9801080401 Forwards facsimile from Westinghouse requesting amend to export license application XSNM-3014 to remove ref to Canada as possible supplier of portion of source matl.
HAUBER,R.D. Office of International Programs (Post 911117). 97/12/16. DELABARRE,R. State, Dept. of. 2pp. A1739:319-A1739:320.

9801090179 Forwards application IW005 from Chem-Nuclear Sys,Barnwell,SC for import of radioactively contaminated metals from Taiwan. Advice & assistance in review of application requested.
HAUBER,R.D. Office of State Programs (Post 911117). 97/12/23. GREEVES,J.T. Division of Waste Management (NMSS 940403). 2pp. A1754:249-A1754:262.

9801220134 Forwards application from ABB C-E,requesting license for export to North Korea of components for two NPP.Application requests authority to export all NSSS components designed for use in nuclear reactor described in App A to 10CFR110.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/16. DELABARRE,R. State, Dept. of. 1p. A1890:310-A1890:312.

9801220151 Refers to 970716 ltr requesting views of Executive Branch as to whether issuance of export license IAW application hereinafter described meets applicable criteria of AEC of 1954.Executive Branch recommends that license be issued.
STRATFORD,R.J. State, Dept. of. 97/12/02. STOIBER,C.R. Office of International Programs (Post 911117). 3pp. A1877:358-A1877:360.

9801220157 Informs that Ofc of Arms Control & Nonproliferation has received prior consent for exports of Australian origin matl to Japan which allows such exports for conversion,enrichment up to 20% U-235,fuel fabrication,use in reactor.
LEE,T.T. Energy, Dept. of. 98/01/09. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. A1893:203-A1893:203.

9801220162 Forwards analysis covering proposed export to Brazil of 100,000 kg of U enriched to max of 5% in U-235 for reload of Unit 1 & initial core of Unit 2 of Angra Nuclear Power Station.Concludes that requirements have been met.
STRATFORD,R. State, Dept. of. 97/12/15. STOIBER,C.R. NRC - No Detailed Affiliation Given. 12pp. A1887:251-A1887:262.

9801220166 *Informs that as of 970909,Western Atlas Logging Svcs has new President & rest of Corporate structure remains same.*
STOEHR Western Atlas International, Inc. (formerly Dresser Atlas Export Sales). 97/12/09. HUBER,R. Office of International Programs (Post 911117). 1p. A1893:248-A1893:248.

9801220171 Responds to requests for GOJ assurance for nuclear exports under US-Japan agreement cooperation.
* U.S. Embassies. 98/01/31. State, Dept. of. 1p. A1877:355-A1877:355.

9801220174 *Responds to requests for GOJ assurance for nuclear exports under US-*Japan agreement for cooperation.
* U.S. Embassies. 98/01/31. State, Dept. of. 1p. A1877:354-A1877:354.

9801220211 Forwards request for issuance of export license to authorize shipment of enriched uranium,in form of approx 56,000 kgs of UO2 powder to NFI for fabrication into reload fuel for Takahama,Unit 1,Ohi Unit 4 & Mihama Unit 2.
NOSS,D.L. Siemens Corp. DLN:97:102. 97/12/18. HAUBER,R.D. Office of International Programs (Post 911117). 1p. A1877:272-A1877:274.

--9801220217 *Application for license to export Enriched UO2 powder for fuel fabrication* into Reload 21 for Takahama Unit 1,Reload 8 for Ohi Unit 4 & Reload 23 for Mihama Unit 2.
NOSS,D.L. Siemens Corp. 97/12/18. 2pp. A1877:273-A1877:274.

9801220227 Forwards application for export license (XSNM03020),recently received by NRC for export of low-enriched U,in form of U dioxide,to Japan for use as reload fuel in Takahama,Ohi & Mihama.Assurances from Japan required.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/09. DELABARRE,R. State, Dept. of. 1p. A1877:282-A1877:285.

9801220234 Forwards application from Honeywell requesting license for export of Honeywell Total Plant Solution Sys for use in Empresa Neuquina de Servicios De Ingeniera heavy water plant in Argentina.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/09. DELABARRE,R. State, Dept. of. 1p. A1877:275-A1877:281.

9801230003 License for Mitsubishi Intl Corp to export 793.0 kg U-235 contained in 19,104.0 kg U,enriched to 4.15 w/o max,as UF6 to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). HSA 5497-12. 98/01/09. 2pp. A1890:354-A1890:355.

9801230005 License for Mitsui & Co (USA),Inc,to export 662.0 kg U-235 contained in 19,073.0 kg natural U & U enriched to 4.95 w/o max as U02 to Japan.Actual number: MBK-F1-R19/2F4-R9.
HAUBER,R.D. Office of International Programs (Post 911117). MBK-F1-R19/2F4-. 98/01/09. 3pp. A1890:356-A1890:358.

9801230007 License for Aeroject Ordnance Tennessee,Inc,to export 130.0 kg contained in depleted U in form of bars to United Kingdom.
HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. DRA-1. 98/01/09. 1p. A1901:360-A1901:360.

9801230013 Application for license to export U as UF6 to Republic of Korea.
FISK,R.H. Edlow International Co. SAM-LIC-3. 97/12/31. 2pp. A1901:358-A1901:359.

9801230015 Application for license to export U dioxide pellets, encapsulated in sealed fuel rods & assembled into completed fuel assemblies to Brazil.
MCDONOUGH,E.F. Affiliation Not Assigned. EFM-97-0094. 97/12/31. 1p. A1901:357-A1901:357.

9801230021 Application for license to export enriched UF6 to Japan.
* Mitsubishi International Corp. 98/01/06. 1p. A1901:356-A1901:356.

9801230036 Forwards application for export license (XSNM-3021),recently recieved by NRC for export of low-enriched U in form of UF6 to South Korea for use as reload fuel in Kori,units 2 & 4. Assurances from Korea required.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/09. DEDIK.T. Energy, Dept. of. 1p. A1891:320-A1891:322.

9801230040 Forwards application for export license (XSNM-3022),recently received by NRC for export of low-enriced U,in form of U dioxide pellets in completed fuel assemblies to Brazil for use as replacement core & reload fuel in Angra,unit 1.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/14. DELABARRE,R. State, Dept. of. 1p. A1901:350-A1901:351.

9801230228 Forwards for transmission to Ofc of FR for filing & publication one signed copy of FRN "USNRC Application for License to Export Nuclear Facilities or Matls."
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/16. MOSSBURG,D. Correspondence & Records Branch. 1p. A1901:261-A1901:263.

--9801230237 Notice of receipt of application for license for Combustion Engineering to export nuclear matl to North Korea.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/15. 2pp. A1901:262-A1901:263.

9801260039 Confirms that U02 shipment of U 2F1-R13T(1)/2F1-R13G(1)/ F3-R18(2) arrived at JNF on 980120 as scheduled.
SVEJKOVSKY,J. Mitsui & Co. (USA), Inc. 98/01/21. BENNINGTON,G. NRC - No Detailed Affiliation Given. HOLDEN,D.W., BRECHTLEIN,T. General Electric Co. 1p. A1917:335-A1917:335.

9801260045 Notification of export shipment of special nuclear matl of low strategic significance (category III),not to exceed 769.47620 kgs U-235 contained in 20,704.9458 kgs of U enriched not exceeding 5% to Japan.
SVEJKOVSKY,J. Mitsui & Co. (USA), Inc. JPN-52775-F. 97/12/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. HOLDEN,D. General Electric Co. 2pp. A1919:075-A1919:076.

9801260080 Submits advance notification of temporary import shipment of 423 packages of UO2 pellets in sealed sea containers to Korea.
RUTLEDGE,R. Affiliation Not Assigned. 1097-880. 97/10/13. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A1917:316-A1917:317.

9801260096 Notifies of shipment of low enriched UF6 & assay,U quantity & U-235 quantity as listed to Tokyo Seaport on 971215.
ASAMI,K. Affiliation Not Assigned. 97/10/27. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 4pp. A1917:308-A1917:313.

9801260101 Submits advance notification of temporary import shipment of 422 BU-D containers of UO2 powder in sealed sea containers to be shipped to Pusan,Korea on 971204.
RUTLEDGE,R. Affiliation Not Assigned. 1097-880. 97/10/29. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A1917:318-A1917:319.

9801260105 Submits rev 1 to advance notification of export shipment of special nuclear matl of low strategic significance to be shipped to Cadiz,Spain on 971230.
HOLDEN,D.W. General Electric Co. SPN-52745-F. 97/12/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. A1919:110-A1919:112.

9801260123 Submits advance notification of import shipment of three cylinders of UF6 in sealed overpacks to be from Sails Rotterdam,Netherlands on 971223 to Norfolk,VA on 980103.
RUTLEDGE,R. Affiliation Not Assigned. 1197-891. 97/12/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A1917:306-A1917:307.

9801260174 Forwards application to export license to cover Honeywell TPS process automation equipment to be exported to heavy water facility in Argentina.
HOUGH,C.R. Honeywell, Inc. 97/12/23. HAUBER,R. Office of International Programs (Post 911117). 5pp. A1933:352-A1933:357.

--9801220180 Application for license to export Honeywell TPS process automation sys to Argentina.
HOUGH,C.R. Honeywell, Inc. ARN-C03/97. 97/12/23. 1p. A1933:357-A1933:357.

9801270011 Confirms that UO2 for U F2-R17/SPC shipment arrived at NFI in Japan on 971216 in good condition.
SVEJKOVSKY,J. Mitsui & Co. (USA), Inc. 97/12/17. BENNINGTON,G. NRC - No Detailed Affiliation Given. GENTZ,R. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. A1933:059-A1933:059.

9801270036 Submits revised notification of upcoming shipment of 160 drums on pallets.Schedule of dates revised due to strike in Los Angeles.
VANDERMEER,J. Cameco (formerly Eldorado Nuclear, Ltd./Eldorado Resources, Ltd. 97/11/04. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. A1933:084-A1933:084.

9801270093 Submits advance notification of export shipment of special nuclear matl of low strategic significance not to exceed 454.58237 kgs,U-235 contained in 13,710.4160 kgs of U enriched not exceeding 5% to Japan.
SVEJKOVSKY,J. Mitsui & Co. (USA), Inc. JPN-52720-F. 97/11/13. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. HOLDEN,D. General Electric Co. 2pp. A1933:198-A1933:199.

9801270143 Submits advance notice of export shipment of special nuclear matl of low strategic significance category 3,not to exceed 125.8423 kgs U-235 contained in 5,170.000 kgs of U enriched not exceeding 5% in form of U02 packed in 103 containers.
HOLDEN,D.W. General Electric Co. SPN-52745-F. 97/09/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A1933:217-A1933:218.

9801280306 Forwards application for license XSNM-3025 for export of low-enriched U,for use as reload fuel in Fukushima I,Unit 6 & Fukushima II,Units 1 & 2,reactors in Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/26. DELABARRE,R. State, Dept. of. 1p. A1940:326-A1940:328.

--9801280315 Application for license to export natural & enriched U02 to Japan.
*COLFORD,C. Mitsui & Co. (USA), Inc. MBK-2F2-R12. 98/01/14. 2pp. A1940:327-*A1940:328.

9801280318 Forwards 980113 ltr from Alaron Corp requesting withdrawal of import license application IW-0003.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/26. DELABARRE,R. State, Dept. of. 1p. A1947:358-A1947:359.

--9801280324 Withdraws application for specific license to import radioactive matl,originally submitted in 970418 ltr & revised in 970902 ltr.
HARVERSON,J. ALARON Corp. WL-0198-01. 98/01/13. HAUBER,R.D. Office of International Programs (Post 911117). 1p. A1947:359-A1947:359.

9801280320 Forwards application to export U as UF6 to Japan for use as reload fuel in Genkai Nuclear Power Station.
FISK,R. Edlow International Co. 98/01/13. WRIGHT,B. Office of International Programs (Post 911117). 1p. A1940:321-A1940:322.

--9801280365 Application for license to export UF6 to Japan.
MANN,M. Edlow International Co. KLK-125. 98/01/13. 1p. A1940:322-A1940:322.

9801280321 Forwards application for license XSNM-3023 for export of low-enriched U,for use as reload fuel in Takahama Unit 2, reactor in Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/26. DELABARRE,R. State, Dept. of. 1p. A1920:351-A1920:356.

--9801280328 Application for license to export enriched UF6 to Japan.
* Mitsui & Co. (USA), Inc. 98/01/06. 3pp. A1920:352-A1920:354.

--9801290131 Forwards application for license to export enriched UF6,to Japan.
AUTAR,C. Mitsui & Co. (USA), Inc. HSA 5498-04. 98/01/06. HAUBER,R. NRC - No Detailed Affiliation Given. 2pp. A1920:355-A1920:356.

9801280325 License for Nissho Iwai American Corp to export 7.280 kgs U-235,contained in 37.238 kgs U,enriched to 19.95 w/o max,in form of metal,contained in 35 nuclear fuel elements to Tokyo,Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/26. 2pp. A1921:286-A1921:287.

9801280335 License for Siemens Power Corp to export 1,670.0 kg U-235 contained in 44,903.0 kg U as uranium dioxide,to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). DLN:97:087. 98/01/23. 3pp. A1947:355-A1947:357.

9801280369 Forwards application for export license XSNM-3024,recently received for export of low-enriched U,for use as reload fuel in Genkai Nuclear Power Station in Japan for obtaining necessary assurances.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/26. DELABARRE,R. State, Dept. of. 1p. A1940:323-A1940:325.

9801280374 License for CBS Corp to export 23,678 kg U containing U-235 to Taiwan.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/20. 2pp. A1947:347-A1947:348.

9801290004 Forwards FRN re application for license to export nuclear utilization facility,for transmission to Ofc of FR for filing & publication.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/21. MOSSBURG,D. Correspondence & Records Branch. 1p. A1942:174-A1942:176.

-9801290006 Federal register notice of receipt of application for license to export utilization facility.Request for hearing or petition for leave to intervene may be filed within 30 days after publication of notice.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/21. 2pp. A1942:175-A1942:176.

9801290008 Ack receipt of Embassy Note 817,dtd 971113 re notification of intended transfer of items under Agreement for Cooperation between Govt of Japan & Govt of USA re peaceful uses of nuclear energy.
* Japan. 97/11/17. NRC - No Detailed Affiliation Given. 4pp. A1942:169-A1942:173.

9801290028 Forwards 980115 assurance ltr from Taipei Economic & Cultural Representative Office for W application XSNM-3014 for LEU export to Taiwan for reload of Maanshan,Units 1 & 2.
DELABARRE,R. State, Dept. of. 98/01/16. HAUBER,R. NRC - No Detailed Affiliation Given. 2pp. A1996:351-A1996:352.

9801290042 Confirms that items listed in attachment to note 788 dtd 971104 will be held subj to agreement upon their entries into territorial jurisdiction of Japan.
UYEHARA,M.A. U.S. Embassies. 97/12/19. Japan. 5pp. A1942:046-A1942:050.

5

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT,C.	9801140277*	PR
ABBOTT,R.B.	9801050326	50-220 S
ABBOTT,R.B.	9801130410	50-220 S
ABBOTT,R.B.	9801260419	50-220 R
ABITBOL,A.A.	9801260276	PR
ABITZ,R.J.	9801230259*	40-8968
ABNEY,T.E.	9801050320	50-259 P
ABNEY,T.E.	9801050335	50-259 P
ABNEY,T.E.	9801050351	50-259 P
ABNEY,T.E.	9801090085	50-259 P
ABNEY,T.E.	9801120064	50-259 P
ABNEY,T.E.	9801130288	50-259 P
ABNEY,T.E.	9801150071	50-259 P
ABNEY,T.E.	9801260103	50-260 Q
ABNEY,T.E.	9801260402	50-259 R
ABNEY,T.E.	9801260433	50-260 P
ABNEY,T.E.	9801300149	50-259 P
ABRELL,G.R.	9801220146	50-10 R
ACKER,S.E.	9801260308	PR
ADAMS,A.	9801050177	50-243 P
ADAMS,A.	9801120268	50-146 P
ADAMS,A.	9801130327	50-89 V
ADAMS,A.	9801210316	ORG
ADAMS,A.	9801260294	50-89 P
ADAMS,A.	9801270019	50-151 F
ADAMS,A.	9801280024	50-243 P
ADAMS,G.D.	9801230130*	50-266 S
ADAMS,T.G.	9801120185	40-8724
AFFOLTER,R.D.	9801050361	50-483 S
AFFOLTER,R.D.	9801050385	50-483 S
AFFOLTER,R.D.	9801060335	50-483 S
AFFOLTER,R.D.	9801140186	50-483 R
AFFOLTER,R.D.	9801280062	50-483 S
AHMAD,N.R.	9801230189	PR
AINGER,K.	9801280242	50-10 H
AINGER,K.A.	9801230344	PR
AKINS,J.C.	9801290218*	ORG
ALBRECHT,C.H.	9801230126	PR
ALEXANDER,D.B.	9801050378	PR
ALEXANDER,D.B.	9801060298	50-261 P
ALEXANDER,D.B.	9801090265	REGGD
ALEXANDER,D.B.	9801230080	PRM
ALEXANDER,D.D.	9801090300	REGGD
ALEXION,T.W.	9801130041	50-498 P
ALEXION,T.W.	9801130330	50-498 P
ALEXION,T.W.	9801150007	50-499 P
ALEXION,T.W.	9801220228	50-498 P
ALEXION,T.W.	9801230055	50-498 P
ALEXION,T.W.	9801260299	50-498 P
ALKEMA,K.	9801260357	40-8989
ALLEN,B.T.	9801070260	72-22
ALLEN,B.T.	9801070260	72-22
ALLEN,B.T.	9801080257	72-22
ALLEN,B.T.	9801080257	72-22
ALLEN,B.T.	9801300200*	72-22
ALLEN,D.E.	9801070296	72-22
ALLEN,D.E.	9801070296	72-22
ALLEN,D.E.	9801070296	72-22
ALLEN,D.E.	9801070296	72-22
ALLEN,S.A.	9801090015	CONTRACT
ALLEN,S.A.	9801090015	CONTRACT
ALSING,D.N.	9801230176*	52-3
AMATO,C.	9801160178	I&E
AMERINE,D.B.	9801050290	50-245 F
AMERINE,D.B.	9801060051	50-245 V
AMOS,W.R.	9801260300	PR
AMUNDSEN,J.	9801260090	PR
ANDERSEN,J.W.	9801120177	50-423 Q
ANDERSEN,J.W.	9801120278	50-423 Q
ANDERSEN,J.W.	9801130074	50-423 P
ANDERSEN,J.W.	9801160065	50-423 Q
ANDERSEN,J.W.	9801220286	50-423 P
ANDERSEN,J.W.	9801260025	50-423 P
ANDERSON,C.J.	9801140382	50-387 Q
ANDERSON,C.J.	9801220056	50-387 Q
ANDERSON,C.J.	9801220066	50-387 Q
ANDERSON,C.J.	9801220137	50-387 Q
ANDERSON,J.W.	9801130094	50-336 P
ANDERSON,M.L.	9801160074	50-305 R
ANDERSON,R.F.	9801260088	PR
ANDERSON,R.O.	9801220300	50-263 Q
ANDREWS,R.W.	9801200235*	WM
ANDREWS,S.J.	9801140175	QA999
ANDREWS,S.J.	9801260011	QA999
ANDREWS,S.J.	9801290049	QA999
ANGUS,M.J.	9801020039*	50-482 S
ANGUS,M.J.	9801020055*	50-482 S
ANGUS,M.J.	9801020147*	50-482 S
ANGUS,M.J.	9801020149*	50-482 S
ANGUS,M.J.	9801210037*	50-482 S
ANGUS,M.J.	9801220096	50-482 S
ANGUS,V.T.	9801200018	50-352 R
APPLEGATE,G.L.	9801230147	PR
ARBUCKLE,D.R.	9801130352*	PR
ARNOLD,S.	9801230212	70-7002
ARP,S.J.	9801050286	WM
ARSHOUN,Y.	9801260191	PR
ASAMI,K.	9801260096	XPORTLIC
ASCHENBRENNER,	9801050091*	FOIA
ASCHENBRENNER,	9801050144*	FOIA
ASCHENBRENNER,	9801060171*	FOIA
ASHAR,H.	9801160179	REVIEW GR P
ASHCRAFT,L.N.	9801200067	CONTRACT
ASMUSSEN,K.E.	9801050034	70-734
ASMUSSEN,K.E.	9801060297	70-734
ASMUSSEN,K.E.	9801220121	50-89 I
ASMUSSEN,K.E.	9801230307	70-734
ASMUSSEN,K.E.	9801260310	70-734
ASSA,R.R.	9801280122	50-454 P
ASSAD,W.	9801230108	PR
ATWOOD,C.L.	9801290081*	ORG
AUFMOTH,M.H.	9801270138	CONTRACT
AUTAR,C.	9801290131*	XPORTLIC
AYGUN,C.	9801230114	PR
AZEVEDO,N.F.	9801060319*	50-336 P
BACKMAN,V.A.	9801020066*	50-275 S
BACKMAN,V.A.	9801080371*	50-275 S
BACKMAN,V.A.	9801200092	50-323 S
BACKUS,R.A.	9801080284*	COMMISSIO N
BADER,J.L.	9801260078	PR
BAER,T.S.	9801020132	71-249
BAER,T.S.	9801060308	70-143
BAER,T.S.	9801060326	70-143
BAER,T.S.	9801060334	70-143
BAER,T.S.	9801070204	70-143
BAER,T.S.	9801140068	71-6400
BAER,T.S.	9801160190	70-143
BAER,T.S.	9801220089	70-143
BAER,T.S.	9801300167	70-143
BAER,T.S.	9801300172*	70-143
BAER,T.S.	9801300210	70-143
BAER,T.S.	9801300241	70-143
BAGGETT,S.	9801120269	NUREG
BAHADUR,S.	9801220320*	PR
BAILEY,J.A.	9801260205	50-259 F
BAILEY,J.A.	9801260235	50-259 F
BAILEY,M.G.	9801130380	71-9235
BAILEY,S.J.	9801290193	50-309 R
BAIN,R.L.	9801260182*	50-413 S
BAINS,Y.S.	9801260035	PR
BAJESTANI,M.	9801150053	50-327 Q
BAJWA,S.S.	9801050231*	50-333 P
BAJWA,S.S.	9801140179	50-317 Q
BAJWA,S.S.	9801150035*	50-317 P
BAJWA,S.S.	9801220312*	50-410 P
BAKER,E.T.	9801300129	ORG
BAKER,P.A.	9801130228*	50-269 P
BAKER,S.J.	9801080262	40-1162
BAKER,S.J.	9801090139	40-1162
BAKER,S.J.	9801150030	40-1162
BAKKEN,A.C.	9801020108	50-272 S
BAKKEN,A.C.	9801050376	50-272 S
BAKKEN,A.C.	9801060156	50-311 S
BAKKEN,A.C.	9801070176	50-272 R
BAKKEN,A.C.	9801070185*	50-272 R
BAKKEN,A.C.	9801130415	50-272 S
BAKKEN,A.C.	9801140146	50-311 S
BAKKEN,A.C.	9801210258	50-311 S
BAKKEN,A.C.	9801230403	50-272 S
BAKKEN,A.C.	9801260429	50-272 R
BAKKEN,A.C.	9801260470	50-311 R
BAKKEN,A.C.	9801270109	50-272 R
BAKKEN,A.C.	9801270111*	50-272 R
BAKKEN,A.C.	9801280189	50-272 S
BALITSKI,J.	9801210070*	50-295 S
BALLINGER,P.L.	9801210294	50-298 R
BANGART,R.L.	9801050363	STATE PRO G
BANGART,R.L.	9801050367	STATE PRO G
BANGART,R.L.	9801050369	STATE PRO G
BANGART,R.L.	9801060022	STATE PRO G
BANGART,R.L.	9801060251	STATE PRO G
BANGART,R.L.	9801060256	STATE PRO G
BANGART,R.L.	9801140087*	PR
BANGART,R.L.	9801160040*	PR
BANGART,R.L.	9801160160*	PR
BANGART,R.L.	9801200001*	PR
BANGART,R.L.	9801220243	STATE PRO G
BANGART,R.L.	9801220275	50-443 P
BANGART,R.L.	9801220398	STATE PRO G
BANNER,C.	9801290206*	50-272 F
BARANOWSKY,P.W.	9801090147	ORG
BARKER,J.L.	9801260156	PR
BARLEY,R.O.	9801210022*	50-289 Q
BARNARD,R.W.	9801200235*	WM
BARNES,W.E.	9801200229*	WM
BARR,K.P.	9801210150	50-261 Q
BARR,K.P.	9801210154	50-324 Q
BARRETT,L.	9801230125	ORG
BARRETT,R.J.	9801020002	50-286 V

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BARRETT,R.J.	9801020130	50-286 K
BARRETT,R.J.	9801080246	50-286 R
BARRETT,R.J.	9801220109	50-286 S
BARRETT,R.J.	9801220242	50-286 V
BARRETT,R.J.	9801260417	50-286 R
BARRETT,R.J.	9801280072	50-286 S
BARRON,H.B.	9801080217	50-369 F
BARRON,H.B.	9801080271	50-370 S
BARRON,H.B.	9801130328	50-369 P
BARRON,H.B.	9801210309	50-369 R
BARRON,H.B.	9801220266	50-369 P
BARRON,H.B.	9801260050	50-369 Q
BARRON,H.B.	9801260142	50-370 P
BARRON,H.B.	9801260168	50-369 P
BARTELS,C.S.	9801080219	40-8968
BARTELS,C.S.	9801300208*	40-8968
BARTHOLD,H.J.	9801260064	PR
BASKIN,H.J.	9801260284	PR
BATTIST,L.	9801140319*	PR
BAUER,J.E.	9801230143	PR
BAUMSTARK,J.S.	9801140218*	50-302 P
BEACH,A.B.	9801090198	50-237 Q
BEACH,A.B.	9801130212	50-237 Q
BEACH,A.B.	9801210241	50-266 Q
BEACH,A.B.	9801220131	50-266 P
BEACH,A.B.	9801220140	50-295 Q
BEACH,A.B.	9801270059	50-295 Q
BEACH,A.B.	9801270169	40-7604
BEACH,A.B.	9801280279	50-254 F
BEACH,A.B.	9801300175	50-237 Q
BEARD,R.M.	9801160064	50-321 R
BEASLEY,J.B.	9801020063	50-424 F
BEASLEY,J.B.	9801220380	50-424 F
BECHTEL,D.	9801230011	PR
BECKENDORF,E.G.	9801140401*	50-382 S
BECKJORD,E.S.	9801140348*	PR
BECKNER,W.D.	9801060224	REVIEW GR P
BEECHER,A.K.	9801280140*	50-461 S
BEEDLE,R.E.	9801050189	REVIEW GR P
BEEDLE,R.E.	9801210171	TOPREP
BELGRAD,R.	9801260079	PR
BELILLE,J.	9801230186	72-22
BELILLE,J.	9801230186	72-22
BELISLE,G.A.	9801220041*	50-302 Q
BELISLE,G.A.	9801280187	50-369 Q
BELL,H.T.	9801140082*	PR
BELL,M.J.	9801280294	WM
BELL,M.J.	9801290013	WM
BELL,W.H.	9801270029	50-395 R
BELLAMY,R.	9801060150	70-1100
BELLAMY,R.	9801060154*	70-1100
BELLAMY,R.	9801280041*	40-7455
BELLAMY,R.R.	9801050329	40-*****
BELLAMY,R.R.	9801280216	50-309 W
BEMIS,P.R.	9801060305	50-397 Q
BEMIS,P.R.	9801070140	50-397 P
BEMIS,P.R.	9801130304	50-397 P
BEMIS,P.R.	9801220259	50-397 S
BEMIS,P.R.	9801270018	50-397 P
BEMIS,P.R.	9801270091	50-397 Q
BEMIS,P.R.	9801290057	50-397 Q
BENGE,A.	9801070076*	50-269 F
BENNECHE,P.E.	9801290087	50-62 F
BENTON,H.A.	9801210021*	WM
BERG,W.L.	9801220132	50-409 F
BERGER,C.D.	9801290030	40-8948
BERGMAN,K.S.	9801260210	PR
BERGMAN,T.A.	9801020180	REVIEW GR P
BERGMAN,T.A.	9801090309	REVIEW GR P
BERHINIG,R.M.	9801270087*	50-282 F
BERKOW,H.N.	9801050187	50-269 Q
BERKOW,H.N.	9801220298	50-414 Q
BERKOW,H.N.	9801270188	50-348 Q
BERLINGER,C.H.	9801070062	TOPREP
BETTENHAUSEN,L.	9801060317	50-223 P
BEYER,C.E.	9801120078	NUREG
BEZILLA,M.	9801020054	50-354 S
BEZILLA,M.	9801060225	50-354 S
BEZILLA,M.	9801060336	50-354 S
BEZILLA,M.	9801140215	50-354 S
BEZILLA,M.	9801220163	50-354 S
BEZILLA,M.B.	9801270037	50-354 R
BIELING,H.	9801300086	50-528 F
BIES,M.A.	9801130048	50-456 V
BIES,M.A.	9801140189	50-456 V
BIES,M.A.	9801260275	50-305 V
BIES,M.A.	9801260379	50-305 V
BINZ,R.	9801020015*	50-354 P
BIRDSELL,K.H.	9801210003*	WM
BISHOP,R.W.	9612230058	PR
BLACK,S.C.	9801090278	QA999
BLACK,S.C.	9801140136	QA999
BLACK,S.C.	9801140188	QA999
BLACK,S.C.	9801160023	52-3
BLACK,S.C.	9801290208	QA999
BLAHA,J.L.	9801060025	COMMISSIO N
BLAHA,J.L.	9801080147	COMMISSIO N
BLAHA,J.L.	9801160035	COMMISSIO N
BLAHA,J.L.	9801220133	COMMISSIO N
BLAHA,J.L.	9801230056	COMMISSIO N
BLAHA,J.L.	9801280051	COMMISSIO N
BLANCH,P.M.	9801200213*	50-245 H
BLIND,A.A.	9801020028	50-316 S
BLIND,A.A.	9801070196	50-315 S
BLIND,A.A.	9801070226	50-315 S
BLIND,A.A.	9801070234	50-315 S
BLIND,A.A.	9801140065	50-316 S
BLINMAN,E.	9801300197*	40-8968
BLOM,J.G.	9801260161	PR
BLOOM,D.T.	9801280176*	50-281 P
BLOOM,S.D.	9801120202	50-275 P
BLOOM,S.D.	9801130332	50-275 P
BLOOM,S.D.	9801290116	50-275 P
BLOUGH,A.R.	9801050152	40-7455
BLOUGH,A.R.	9801050238	50-309 Q
BLOUGH,A.R.	9801260110	70-1733
BLOUGH,A.R.	9801280307	70-3061
BLUBAUGH,R.	9801080076	40-3453
BLUBAUGH,R.E.	9801080214	40-3453
BLUBAUGH,R.E.	9801120219*	40-3453
BLUM,J.	9801230124	PR
BLUMBERG,A.L.	9801230415	PR
BOARDMAN,J.	9801260178	NUREG
BOARDMAN,J.	9801260185	NUREG
BODINE,D.J.	9801270044	50-327 P
BOEGLI,J.S.	9801160180*	FOIA
BOGER,B.A.	9801150186	50-400 P
BOGER,B.A.	9801150215	50-395 P
BOGER,B.A.	9801230350	50-261 P
BOGER,B.A.	9801280029	50-309 H
BOLLING,L.	9801220405	STATE PRO G
BOLLWERK,G.P.	9801070221	72-22
BOLLWERK,G.P.	9801070222	72-22
BOLLWERK,G.P.	9801080195	72-22
BOLLWERK,G.P.	9801080286	72-22
BOLLWERK,G.P.	9801230179	72-22
BOLLWERK,G.P.	9801230204	72-22
BONO,H.D.	9801050365*	50-483 S
BONO,H.D.	9801050385	50-483 S
BONO,H.D.	9801060335	50-483 S
BONO,H.D.	9801230032	50-483 S
BONO,H.D.	9801280062	50-483 S
BORDINE,T.C.	9801020084	50-255 P
BORDINE,T.C.	9801020157	50-255 P
BORDINE,T.C.	9801210275	50-255 Q
BORDLEY,P.W.	9801200291*	50-440 P
BORER,P.J.	9801220148	50-341 P
BORER,P.J.	9801220271	50-341 P
BOREY,J.	9801260242	CONTRACT
BORKOWSKY,T.G.	9801090052	50-410 P
BORKOWSKY,T.G.	9801090052	50-410 P
BORST,F.J.	9801020104	50-267 R
BORST,F.J.	9801020125	50-267 Y
BOUCHARD,G.H.	9801020109	50-213 S
BOWIE,C.R.	9801270002	PR
BOWLING,M.L.	9801020018	50-245 Q
BOWLING,M.L.	9801050220	50-336 P
BOWLING,M.L.	9801060316	50-336 P
BOWLING,M.L.	9801070364	50-423 Q
BOWLING,M.L.	9801140213	50-336 P
BOWLING,M.L.	9801160147	50-245 P
BOWLING,M.L.	9801230388	50-423 Q
BOWLING,M.L.	9801260136	50-423 P
BOWLING,M.L.	9801270086	50-423 P
BOWLING,M.L.	9801290207	50-245 Q
BOYCE,R.W.	9801060267	50-352 R
BOYCE,R.W.	9801130359	50-352 S
BOYCE,R.W.	9801280284	50-352 S
BOYLE,R.	9801160154	71-3010
BOYLE,R.	9801290096	71-3038
BRAASCH,L.	9801280199	PRM
BRACEY,W.	9801230089	72-*****
BRADY,L.W.	9801260318	PR
BRANDON,A.H.	9801230448	PR
BRASCHO,D.J.	9801230431	PR
BRAXTON,J.V.	9801230210	72-22
BRECHIN,V.J.	9801050268	WM
BRECHIN,V.J.	9801140383	ORG
BRECHIN,V.J.	9801210028	ORG
BREWER,J.H.	9801260172	PR
BRICKNER,L.M.	9801280056*	40-7455
BRICKNER,L.M.	9801280331	40-7455
BRIDEAU,J.E.	9801160182	50-315 P
BRINKMAN,C.B.	9801300196	TOPREP
BRINKMAN,C.B.	9801300196	TOPREP
BRINKMAN,D.S.	9801050151	50-334 P
BRINKMAN,D.S.	9801050336	50-334 P
BRIONES,T.S.	9801230215	PR
BROADDUS,D.	9801120269	NUREG
BROCOUM,S.	9801200221	WM
BROCOUM,S.J.	9801200229*	WM
BROCOUM,S.J.	9801290003	WM
BRODERICK,M.	9801060024*	STATE PRO G
BROOKLAND,R.K.	9801230384	PR
BROTHERS,M.H.	9801020110	50-245 Q
BROTHERS,M.H.	9801060229	50-245 P
BROTHERS,M.H.	9801060323	50-245 Q
BROTHERS,M.H.	9801200070	50-245 P
BROTHERS,M.H.	9801270097	50-245 P
BROWN,C.	9801120212	71-9033
BROWN,D.M.	9801260340	PR
BROWN,J.F.	9801140353	CONTRACT
BROWN,K.D.	9801140416*	70-3061
BROWNELL,G.J.	9801220354*	50-333 S
BRUNET,J.R.	9801020092	50-255 F
BRUNET,J.R.	9801050179	50-255 F
BRUNET,J.R.	9801080188	50-255 F
BRUNET,J.R.	9801080274	50-255 F
BUCKLEY,B.C.	9801120184	50-352 P
BUDNITZ,B.	9801200269*	WM
BUKANTIS,L.	9801020089*	50-373 S
BURCHFIELD,J.E.	9801160121*	50-269 S
BURGESS,B.L.	9801210265	50-255 Q
BURGESS,B.L.	9801210277	50-315 Q
BURGESS,B.L.	9801270083*	50-255 Q
BURGESS,M.	9801120269	NUREG
BURKE,P.	9801130374	50-219 S
BURNETTE,D.	9801260264	70-27
BURNETTE,D.	9801260290	70-27
BURTON,D.	9801130409*	PR
BURTON,D.	9801140241*	PR
BURTON,D.	9801140337*	PR
BURTON,S.	9801230370	PR
BURZYNSKI,M.J.	9801020102	50-327 P
BURZYNSKI,M.J.	9801230277	PRM
BURZYNSKI,M.J.	9801230296	PRM
BURZYNSKI,M.J.	9801260205	50-259 F
BURZYNSKI,M.J.	9801260235	50-259 F
BURZYNSKI,M.J.	9801280258	50-259 H
BUTLER,D.F.	9801230446	PR
BUTLER,J.C.	9801060232	REVIEW GR P
BYLAND,R.Y.	9801230424	PR
BYRAM,R.G.	9801050016	50-387 Q
BYRAM,R.G.	9801060268	50-387 P
BYRAM,R.G.	9801060272	50-387 P
BYRAM,R.G.	9801130282	50-387 P
BYRAM,R.G.	9801130294*	50-387 P
BYRAM,R.G.	9801130341	50-387 P
BYRAM,R.G.	9801130413	50-387 Q
BYRAM,R.G.	9801130417	50-387 P
BYRAM,R.G.	9801140015	50-387 P
BYRAM,R.G.	9801140023	50-387 Q
BYRAM,R.G.	9801270104	50-387 P
CAIN,C.	9801080026*	70-925
CAIN,C.	9801160123*	70-925
CAIN,C.L.	9801050197	WM
CAINE,T.A.	9801200131*	50-352 P
CAINE,T.A.	9801280173*	50-321 P
CALFA,L.	9801020086	50-373 R
CALFA,L.	9801220013	50-373 R
CALLAN,L.J.	9801050167	ADVCM
CALLAN,L.J.	9801050258	50-266 H
CALLAN,L.J.	9801080023	SECY
CALLAN,L.J.	9801080088	SECY
CALLAN,L.J.	9801080132	SECY
CALLAN,L.J.	9801090013	ACRS
CALLAN,L.J.	9801130393*	PR
CALLAN,L.J.	9801140109	SECY
CALLAN,L.J.	9801140217	COMMISSIO N
CALLAN,L.J.	9801140360	SECY
CALLAN,L.J.	9801140363	52-3
CALLAN,L.J.	9801140369	SECY
CALLAN,L.J.	9801150206	50-461 Q
CALLAN,L.J.	9801210127	SECY

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CALLAN,L.J.	9801220147	SECY
CALLAN,L.J.	9801220153	SECY
CALLAN,L.J.	9801220161	SECY
CALLAN,L.J.	9801230132	50-272 P
CALLAN,L.J.	9801260140	SECY
CALLAN,L.J.	9801280054	50-272 U
CALLAN,L.J.	9801280076	SECY
CALLAN,L.J.	9801300192	SECY
CAMPBELL,V.	9801270004	NUREG
CAMPBELL,V.	9801300103	NUREG
CAMPER,L.W.	9801140292*	PR
CANNON,R.L.	9801160114	50-293 R
CANT,G.	9801200006*	PR
CANT,G.	9801270144	I&E
CAPITAN,M.W.	9801230261*	40-8968
CAPPS,C.	9801050244	50-341 K
CAPPS,C.D.	9801050139	50-341 K
CAPPS,C.S.	9801080287	50-341 K
CAPPS,C.S.	9801130137	50-341 K
CAPPS,C.S.	9801210208	50-341 K
CAPRA,R.A.	9801220255	50-295 Q
CAPRA,R.A.	9801220401	50-245 Q
CAPRA,R.A.	9801290124	50-454 Q
CAPRA,R.A.	9801290133	50-454 P
CARDILE,F.	9801220334*	STATE PRO G
CARDINALE,J.G.	9801230373	PR
CAROCCIO,C.	9801260423	50-410 R
CARPENTER,C.A.	9801160022	50-341 P
CARROLL,R.	9801090132	50-269 S
CARTER,D.	9801200107	50-397 I
CASEY,K.E.	9801260237*	50-390 Q
CASSADY,J.R.	9801260040	PR
CAYIA,A.J.	9801280120	50-266 Q
CELLAN,R.R.	9801230087	40-8903
CELLAN,R.R.	9801300085	40-8903
CENTER,J.F.	9801140246	50-315 R
CENTER,J.F.	9801140267*	50-316 R
CESAREO,D.J.	9801050012	50-352 P
CHAN,W.	9801270157	CONTRACT
CHANCELLOR,D.	9801080197	72-22
CHANCELLOR,D.	9801080226	72-22
CHANCELLOR,D.	9801230152	72-22
CHANCELLOR,D.	9801230195	72-22
CHANCELLOR,D.	9801230200	72-22
CHANCELLOR,D.	9801230294	72-22
CHANIN,D.I.	9801120074	NUREG
CHAO,K.	9801020159*	50-255 P
CHAPMAN,N.G.	9801160169*	FOIA
CHAPPEL,C.R.	9801260278	71-9792
CHAPPELL,C.R.	9801060058	71-5362
CHAPPELL,C.R.	9801060060	71-9128
CHAPPELL,C.R.	9801060070*	71-9128
CHAPPELL,C.R.	9801060085	71-9009
CHAPPELL,C.R.	9801060087*	71-9009
CHAPPELL,C.R.	9801060096	71-9069
CHAPPELL,C.R.	9801060101*	71-9069
CHAPPELL,C.R.	9801060350	71-5957
CHAPPELL,C.R.	9801060359	40-7580
CHAPPELL,C.R.	9801120167	71-9216
CHAPPELL,C.R.	9801120170*	71-9216
CHAPPELL,C.R.	9801120261	71-9156
CHAPPELL,C.R.	9801260287*	71-9792
CHAPPELL,C.R.	9801260329	71-9081
CHAPPELL,C.R.	9801260337*	71-9081
CHAPPELL,C.R.	9801260389	71-6294
CHAPPELL,C.R.	9801260462	71-9033
CHAPPELL,C.R.	9801270072	71-9280
CHAPPELL,C.R.	9801270077*	71-9280
CHAPPELL,C.R.	9801270177	71-9233
CHAPPELL,C.R.	9801270178*	71-9233
CHARLES,L.	9801270117*	40-8968
CHARLSON,E.	9801210101	50-186 P
CHARLSON,E.M.	9801280340	50-186 Q
CHASE,G.	9801050249	40-8452
CHASE,G.	9801290155	40-8452
CHEN,A.	9801230389	PR
CHERNOFF,H.	9801140290*	PR
CHERNOFF,H.K.	9801140112	50-261 S
CHIDAMBARAM,R.	9801080243*	COMMISSIO N
CHOI,K.	9801230257*	72-22
CHOTOO,S.D.	9801210319	40-7580
CHRISTIAN,D.A.	9801080100	50-281 S
CHRISTIAN,D.A.	9801080116*	50-281 S
CHRISTIAN,D.A.	9801210211	50-280 R
CHRISTIAN,D.A.	9801210214	50-280 S
CHRISTIAN,D.A.	9801210215*	50-280 S
CHRISTIAN,D.A.	9801210217	50-280 S
CHRISTIAN,D.A.	9801210219*	50-280 S
CHRISTIAN,D.A.	9801210253	50-280 F
CHRISTIANA,D.	9801160129*	50-456 P
CHUBA,P.J.	9801230425	PR
CLAYTON,B.	9801020037	50-461 S
CLEMENT,R.F.	9801300207*	40-8968
CLINE,H.D.	9801230084	PR
CLONINGER,T.H.	9801070039	50-498 P
CLONINGER,T.H.	9801070253	50-498 P
CLOSE,G.	9801220190	50-275 R
COBERLY,R.	9801220385	PRM
COCHRAN,T.B.	9801130420*	40-8989
COHEN,M.B.	9801260255	PR
COLBURN,T.G.	9801130411	50-289 P
COLEMAN,D.E.	9801260419	50-220 R
COLEMAN,D.W.	9801060288	50-397 F
COLEMAN,D.W.	9801130270	50-397 P
COLEMAN,T.A.	9801300251	TOPREP
COLEMAN,T.A.	9801300259	TOPREP
COLEY,W.A.	9801130228*	50-269 P
COLFORD,C.	9801280315*	XPORTLIC
COLLINGS,S.P.	9801090033	40-8943
COLLINGS,S.P.	9801280260	40-8943
COLLINS,D.J.	9801120276	NUREG
COLLINS,D.J.	9801220088	STATE PRO G
COLLINS,D.M.	9801280168	70-27
COLLINS,E.	9801130061	50-313 S
COLLINS,E.	9801160170	50-313 S
COLLINS,E.E.	9801130066	50-458 Q
COLLINS,E.E.	9801150147	50-298 Q
COLLINS,J.F.	9801280057	10CFR9.7
COLLINS,S.C.	9801220393	STATE PRO G
COLLINS,S.J.	9801060231	50-272 P
COLLINS,S.J.	9801060280*	50-317 P
COLLINS,S.J.	9801120223*	50-155 F
COLLINS,S.J.	9801140014*	50-410 P
COLLINS,S.J.	9801140026*	50-272 P
COLLINS,S.J.	9801140029*	50-354 P
COLLINS,S.J.	9801140036*	50-277 P
COLLINS,S.J.	9801150018	ORG
COLLINS,S.J.	9801150183	50-271 G
COLLINS,S.J.	9801150191*	50-271 G
COLLINS,S.J.	9801150196*	50-271 G
COLLINS,S.J.	9801150213*	50-461 Q
COLLINS,S.J.	9801200071	ORG
COLLINS,S.J.	9801210036	QA999
COLLINS,S.J.	9801260133	50-528 P
COLLINS,S.J.	9801270179*	50-271 P
COLOMB,M.J.	9801060009	50-333 Q
COLOMB,M.J.	9801140161	50-333 P
COLOMB,M.J.	9801200007	50-333 R
COLOMB,M.J.	9801220305	50-333 S
COLOMB,M.J.	9801220350	50-333 S
COLONIAS,A.	9801260176	PR
COLVERT,K.T.	9801230430	PR
COLVIN,J.F.	9006250160	PR
COMPSON,A.E.	9801060084*	STATE PRO G
COMPSON,A.E.	9801220311*	STATE PRO G
COMPSON,A.E.	9801230329*	STATE PRO G
COMPSON,M.A.	9801060100*	STATE PRO G
COMPTON,E.	9801120269	NUREG
CONGEL,F.J.	9801160172*	FOIA
CONWAY,J.T.	9801020091	50-220 P
CONWAY,J.T.	9801070213	50-220 Q
CONWAY,J.T.	9801130072	50-410 P
CONWAY,J.T.	9801140117	50-410 P
CONWAY,J.T.	9801140172	50-220 P
CONWAY,J.T.	9801280180	50-410 P
CONYELL,K.U.	9801140352	CONTRACT
COOK,D.	9801160081	50-254 R
COOK,D.B.	9801020029	50-254 S
COOK,D.B.	9801020034	50-265 S
COOK,D.B.	9801050279	50-254 S
COOK,D.B.	9801140084	50-254 S
COOK,D.B.	9801160042	50-254 S
COOK,D.B.	9801260483	50-254 S
COOK,J.G.	9801020165	50-461 S
COOK,J.G.	9801050295	50-461 Q
COOK,J.G.	9801060116	50-461 Q
COOK,J.G.	9801060123	50-461 Q
COOK,J.G.	9801060258	50-461 P
COOK,J.G.	9801060353	50-461 F
COOK,J.G.	9801070006	50-461 S
COOK,J.G.	9801200088*	50-461 Q
COOKE,R.M.	9801260178	NUREG
COOKE,R.M.	9801260185	NUREG
COOL,D.A.	9712090210	50-3 Q
COOL,D.A.	9712220015	50-3 Q
COOL,D.A.	9712310254	50-3 Q
COOL,D.A.	9801220216*	STATE PRO G
COON,H.M.	9801210286*	50-440 R
COOPER,J.S.	9801260152	PR
COOPER,V.L.	9801060074*	STATE PRO G
COOPER,V.L.	9801260249	REGGD
COPPERSMITH,K.	9801200275*	WM
COPPERSMITH,K.	9801210005*	WM
CORWIN,J.A.	9801260018	PR
COSTELLO,F.M.	9801140366	STATE PRO G
COSTELLO,F.M.	9801160126	STATE PRO G
COSTELLO,F.M.	9801160137	STATE PRO G
COTTER,B.P.	9801070231	40-8968
COTTER,B.P.	9801300230	40-8968
COTTLE,W.T.	9801260498	50-498 Q
COTTON,J.B.	9801070346	50-352 K
COTTON,K.R.	9801050227	50-333 P
COURTEMANCHE	9801160135*	STATE PRO G
COURTEMANCHE,S.	9801160174	I&E
COURTEMANCHE,S.	9801160178	I&E
COWAN,J.P.	9801060010	50-302 V
COWAN,J.P.	9801140184	50-302 P
COWFER,C.D.	9801280132	PR
COWGILL,C.J.	9801160063	50-443 Q
COX,T.H.	9801120171	70-143
COX,T.H.	9801120191	70-143
COX,T.H.	9801220397	70-143
COX,T.S.	9801120198	70-143
CRAIG,C.M.	9801060031	TOPREP
CRAIG,C.M.	9801160171	TOPREP
CRAIG,C.M.	9801210295	TOPREP
CRAIG,C.M.	9801270149	TOPREP
CRANE,C.M.	9801060215	50-259 V
CRANE,P.G.	9801230031	PRM
CRAWFORD,J.N.	9801260056	PR
CRAWFORD,J.S.	9801260144	PR
CREED,J.R.	9801020085	50-266 F
CREED,J.R.	9801130136	50-263 F
CREED,J.R.	9801150110*	50-295 Q
CROSS,J.E.	9801080356	50-334 P
CROTEAU,R.P.	9801120197	50-250 P
CRUSE,C.H.	9801090215	50-317 R
CRUSE,C.H.	9801090217	50-317 P
CRUSE,C.H.	9801090221	50-317 Q
CRUSE,C.H.	9801140048	50-317 P
CRUSE,C.H.	9801150129	50-317 J
CRUSE,C.H.	9801150138	50-317 P
CRUSE,C.H.	9801270121	50-317 P
CRUSE,C.H.	9801280363	50-317 P
CUMMINS,W.E.	9801230176*	52-3
CUNNINGHAM,L.J.	9801060343	50-483 Q
CURET,H.D.	9801060062	TOPREP
CURET,H.D.	9801130211	TOPREP
CURET,H.D.	9801260335	TOPREP
CURET,H.D.	9801260366	TOPREP
CURET,H.D.	9801280162	TOPREP
CURET,H.D.	9801280251	TOPREP
CURRAN,D.	9801230218*	40-8968
CURRAN,D.	9801230218*	40-8968
CURRAN,D.	9801230218*	40-8968
CURRAN,D.	9801230221	40-8968
CURRAN,D.	9801230250*	40-8968
CURRAN,D.	9801300236	40-8968
CURRAN,D.	9801300236	40-8968
CURRAN,D.	9801300236	40-8968
CURRAN,W.J.	9801230144	PR
CURRAN,W.J.	9801230238	PR
CURRY,D.L.	9801070135	50-336 P
CURRY,D.L.	9801070149	50-336 P
CURRY,D.L.	9801150090	50-336 P
CURRY,D.L.	9801150098	50-336 P
CURRY,D.L.	9801220313	50-336 P
CURRY,D.L.	9801230341	50-336 P
CUTHBERSTON,T.W	9801080062*	71-9156
CUTHBERTSON,T.	9801080292	71-9156
CUTHBERTSON,T.	9801080307	71-9156
CUTHBERTSON,T.W	9801080040*	71-9156
CUTHBERTSON,T.W	9801080057*	71-9156
CUTHBERTSON,T.W	9801080071*	71-9156
CUTHBERTSON,T.W	9801290190	71-62
CYGAN,J.	9801220017	50-295 R
CZARNECKI,J.B.	9801200256*	WM
D'ANGELO,T.	9801220363	50-263 P
DABNEY,C.A.	9801230275	PR
DACIMO,F.	9801020086	50-373 R
DACIMO,F.	9801020087	50-373 S
DACIMO,F.	9801070024	50-373 S
DACIMO,F.	9801220013	50-373 R
DACIMO,F.	9801220160	50-373 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DACIMO,F.	9801230366	50-373 S
DACIMO,F.	9801260086	50-373 S
DACIMO,F.	9801260206	50-373 V
DACIMO,F.	9801260250	50-373 V
DACIMO,F.	9801270094	50-373 S
DACIMO,F.R.	9801150028*	50-336 P
DACONCEICAO,A.	9801260043	PR
DAHLBERG,K.A.	9801140049	50-410 S
DAHLBERG,K.A.	9801260423	50-410 R
DAILEY,J.N.	9801090004	50-245 S
DAILEY,J.N.	9801130183	PT21
DALTON,M.P.	9801080245*	40-8968
DALTON,M.P.	9801080266	40-8968
DALTON,M.P.	9801080278	40-8968
DALTON,M.P.	9801230197	40-8968
DAMASHEK,T.	9801020056	50-482 R
DAMASHEK,T.	9801220029	50-482 R
DAMBLY,D.	9801160071*	40-8968
DANDOIS,D.B.	9801150131	50-269 Y
DANIELS,J.C.	9801080381	40-8778
DANIELS,J.C.	9801290186	40-8778
DANKMYER,B.K.	9801280360	40-8794
DAO,T.V.	9801200068	50-302 R
DAVENPORT,B.	9801070024	50-373 S
DAVENPORT,J.W.	9801260402	50-259 R
DAVIDSON,J.	9801140170*	PR
DAVIDSON,J.N.	9801130244	50-160 P
DAVIS,B.J.	9801230360	PR
DAVIS,D.	9801210041*	FOIA
DAVIS,E.S.	9801150133*	50-245 P
DAVIS,F.J.	9801120086	NUREG
DAVIS,R.W.	9801140226*	50-302 P
DAVIS,W.H.	9801210008	70-27
DAWSON,G.A.	9801260169	PR
DE AGAZIIO,A.W.	9801260073	50-259 P
DE AGAZIO,A.W.	9801200203	50-259 P
DEAGAZIO,A.W.	9801140013	50-260 P
DEAGAZIO,A.W.	9801280050	50-259 P
DEAN,R.J.	9801130124	50-410 S
DELABARRE,R.	9801290028	XPORTLIC
DELAND,M.M.	9801230169	PR
DELLIGATTI,M.S.	9801120209	72-22
DELMEDICO,J.	9801270139	70-1151
DEMARK,W.E.	9801130036	50-461 R
DEMBEK,S.	9801050194	50-213 G
DEMBEK,S.	9801200163	50-245 G
DENMING,D.E.	9801060071	CONTRACT
DERDEL,J.	*9801260231*	*PR*
DESMOND,N.L.	9801050003	50-293 R
DESMOND,N.L.	9801060138	50-293 P
DESMOND,N.L.	9801130243	50-293 S
DESMOND,N.L.	9801160114	50-293 R
DESMOND,N.L.	9801260217	50-293 R
DESMOND,N.L.	9801260223	50-293 P
DEUTSCH,E.A.	9801280340	50-186 Q
DEVAULT,R.M.	9801230142	70-7002
DEVAULT,R.M.	9801230150	70-7002
DEVEREUX,C.	9801260138	PR
DEWEASE,J.G.	9801220125	50-368 P
DEWEASE,J.G.	9801230060	PRM
DEWEASE,J.G.	9801230336	PR
DEWHIRST,L.R.	9801230246	PR
DHALIWAL,R.S.	9801230104	PR
DIAZ,N.J.	9801090026*	COMMISSIO N
DIAZ,N.J.	9801220220*	COMMISSIO N
DIAZ,N.J.	9801260189*	COMMISSIO N
DIAZ,N.J.	9801290023*	COMMISSIO N
DIAZ,N.J.	9801300204*	COMMISSIO N
DIBBLEE,M.G.	9801140133*	PR
DICHARRY,R.D.	9701090025	PR
DICK,G.F.	9801050264	50-457 P
DICK,G.F.	9801060006	50-454 P
DICK,G.F.	9801070003	50-454 P
DICK,G.F.	9801070005*	50-454 P
DICK,G.F.	9801130247	50-454 P
DICK,G.F.	9801130299	50-454 P
DICK,G.F.	9801130384	50-454 P
DICK,G.F.	9801220246	50-454 P
DICK,G.F.	9801220249*	50-454 P
DICK,G.F.	9801280046	50-454 P
DICK,G.F.	9801290146	50-454 P
DICK,G.F.	9801290150*	50-454 P
DICK,G.F.	9801300171*	50-454 P
DICKERSON,G.A.	9801230157	PR
DICROCE,K.R.	9801050075*	50-293 S
DICROCE,K.R.	9801130243	50-293 S
DICUS,G.J.	9801090022*	COMMISSIO N
DICUS,G.J.	9801220208*	COMMISSIO N
DICUS,G.J.	9801260187*	COMMISSIO N
DICUS,G.J.	9801290020*	COMMISSIO N
DICUS,G.J.	9801300198*	COMMISSIO N
DIMMERY,T.	9801220047	50-369 R
DIMMERY,T.	9801220063	50-413 R
DIMMERY,T.	9801220067	50-269 R
DINGELL,J.D.	9801140121*	COMMISSIO N
DIPALO,A.	9801160090	PR
DIPROFIO,W.A.	9801050334	50-443 S
DIPROFIO,W.A.	9801210177	50-443 R
DIPROFIO,W.A.	9801220165	50-443 F
DIPROFIO,W.A.	9801230325	50-443 S
DITZEL,D.W.	9801230390	PR
DIXON,G.N.	9801260269	72-1007
DOCKERY,H.A.	9801200235*	WM
DODD,B.	9801020030	50-243 H
DODD,B.	9801140371	50-243 F
DODD,C.J.	9801140400*	FOIA
DODD,C.J.	9801140403*	FOIA
DODD,C.J.	9801140406*	FOIA
DODD,C.J.	9801140408*	FOIA
DODD,C.J.	9801150016*	50-336 P
DODD,C.J.	9801150054*	FOIA
DODD,C.J.	9801150057*	FOIA
DODD,C.J.	9801150060*	FOIA
DODD,C.J.	9801150062*	50-213 P
DODGE,W.A.	9801230256*	40-8968
DOERFLEIN,L.T.	9801050158	50-244 Q
DOERFLEIN,L.T.	9801080112	50-220 Q
DOERFLEIN,L.T.	9801080129	50-220 Q
DOERFLEIN,L.T.	9801220061	50-220 Q
DOLKAR,D.	9801230252	PR
DONAHUE,J.W.	9801210266	50-400 R
DONNELL,J.L.	9801140269	72-22
DONOHEW,J.N.	9801140373	50-416 P
DONOHEW,J.N.	9801200112	50-416 F
DORMAN,D.H.	9801260139	50-333 P
DOUGHTY,J.	9801220399	PRM
DOYLE,P.	9801130016	50-243 V
DRAGUN,J.B.	9801260048	PR
DRAWBRIDGE,B.L.	9801140232	50-443 P
DROGGITIS,S.C.	9801220335	NUREG
DROMERICK,A.W.	9801050250	50-317 P
DROMERICK,A.W.	9801060273	50-317 P
DROMERICK,A.W.	9801060303	50-317 P
DROMERICK,A.W.	9801060318	50-317 P
DROMERICK,A.W.	9801130064	50-317 P
DROMERICK,A.W.	9801130278	50-317 P
DROMERICK,A.W.	9801130367	50-317 P
DROMERICK,A.W.	9801150032	50-317 P
DROMERICK,A.W.	9801150219	50-317 P
DROMERICK,A.W.	9801230070	50-317 P
DROMERICK,A.W.	9801280271	50-317 P
DROMERICK,A.W.	9801290162	50-317 P
DU PONT,S.	9801200015*	40-8913
DU PONT,S.	9801290214	40-8907
DUCA,P.J.	9801130418*	50-272 S
DUGGER,C.M.	9801150095	50-382 F
DUGGER,C.M.	9801260019	50-382 P
DUGGER,C.M.	9801290075	50-382 P
DUGSTAD,D.	9801220020	50-282 R
DULOCK,V.	9801210010*	WM
DULOCK,V.	9801210012*	WM
DURR,J.	9801140297	50-245 P
DURR,J.	9801270122	50-245 P
DURR,J.P.	9801220011	50-245 Q
DURR,J.P.	9801220014*	50-245 Q
DYER,J.E.	9801150085	50-528 Q
DYER,J.E.	9801200289	50-445 Q
EATON,B.	9801230078	50-416 R
EATON,R.B.	9801200159*	50-271 P
EATON,R.B.	9801230026*	50-219 P
ECHT,G.A.	9801230435	PR
EDGAR,J.B.	9801130114	70-1257
EDGAR,J.B.	9801150039	70-1257
EDGAR,J.B.	9801150104	70-1257
EDGAR,J.B.	9801230271	70-1257
EDGAR,J.B.	9801280310	TOPREP
EDGE,R.W.	9801060033	40-8902
EDGE,R.W.	9801060038	40-8902
EDGE,R.W.	9801200104	WM
EDGE,R.W.	9801200276	WM
EDISON,G.E.	9801120172	50-280 Q
EDISON,G.E.	9801260274	50-338 P
EDWARDS,G.D.	9801230374	50-277 P
EDWARDS,M.A.	9801290092*	50-275 P
EDWARDS,M.L.	9801200004	50-285 R
EELIS,R.	9801230445	PR
EGAN,D.M.	9801220026	50-219 R
EGAN,J.R.	9801300248*	FOIA
ELIASON,L.R.	9801220158	50-272 Q
ELLIOT,G.F	9801070238	70-1201
ELLIOT,G.F.	9801270007	71-6206
ELLIOTT,G.F.	9801090227	70-1201
ELLIOTT,G.F.	9801090288	71-6206
ELLIS,J.H.	9801090014	40-8027
ELLIS,R.	9801230445	PR
ELLIS,S.J.	9801080370*	50-387 S
EMMONS,K.W.	9801210165	50-213 R
EMMONS,K.W.	9801220007	50-423 R
ENG,P.	9801120183	71-102
ENG,P.L.	9801070206	71-551
ENG,P.L.	9801070214	71-703
ENG,P.L.	9801070216*	71-703
ENG,P.L.	9801120175	71-887
ENG,P.L.	9801120178*	71-887
ENG,P.L.	9801120233	71-88
ENG,P.L.	9801130345	71-231
ENG,P.L.	9801130347*	71-231
ENG,P.L.	9801130348	71-888
ENG,P.L.	9801130350*	71-888
ENG,P.L.	9801130402	71-755
ENG,P.L.	9801130405*	71-755
ENG,P.L.	9801260449	71-889
ENG,P.L.	9801260453*	71-889
ENG,P.L.	9801260475	71-62
ENGER,N.L.	9801260501	CONTRACT
ENNIS,R.D.	9801230077	PR
ENRICO,H.	9801230311*	40-8968
EPLING,M.W.	9801150096	REGGD
ERESIAN,W.	9801090008	50-607 A
ERICHSON,R.	9801080201	50-255 F
ERICKSON,K.R.	9801260093	PR
ERICKSON,R.	9801080204	50-255 F
ERICKSON,R.A.	9801260076	50-5 P
ESELGROTH,P.W.	9801230159	50-334 Q
ESELGROTH,P.W.	9801260060	50-219 Q
ESELGROTH,P.W.	9801260426	50-219 Q
ESHAM,J.C	9801260029	PR
ESMAILI,H.	9801150168*	52-3
ESSIG,T.H.	9801020078	TOPREP
ESSIG,T.H.	9801140326	REVIEW GR P
ESSIG,T.H.	9801140378	STATE PRO G
ESSIG,T.H.	9801150004	ORG
ESSIG,T.H.	9801150034	TOPREP
ESSIG,T.H.	*9801160056*	*TOPREP*
ESSIG,T.H.	9801160080	TOPREP
ESSIG,T.H.	9801160151	TOPREP
ESSIG,T.H.	9801270156	NUREG
ETHRIDGE,E.	9801220408	PRM
EUBANKS,T.	9801220190	50-275 R
EVANS,R.F.	9801230220	PR
EWING,E.C.	9801050173	50-382 S
EWING,E.C.	9801080236	50-382 P
EWING,E.C.	9801090064	50-382 S
EWING,E.C.	9801140395	50-382 S
EWING,E.C.	9801160134	50-382 S
EWING,E.C.	9801160184	50-382 Q
EWING,E.C.	9801200029	50-382 R
EWING,E.C.	9801200117	50-382 S
EWING,E.C.	9801200137	50-382 K
EWING,E.C.	9801200142	50-382 Q
EWING,E.C.	9801220285	50-382 F
EWING,E.C.	9801230203	71-9145
EWING,E.C.	9801230211	50-382 P
EWING,E.C.	9801230242	50-382 P
EWING,E.C.	9801230279*	50-382 P
EWING,E.C.	9801260228	50-382 F
EWING,E.C.	9801270009	50-382 Q
EWING,E.C.	9801290047	50-382 Q
EWING,R.	9801200269*	WM
FAIRTILE,M.B.	9801050213	50-213 W
FARAZ,Y.H.	9801120229	70-7002
FARAZ,Y.H.	9801270211	70-7002
FARHATAZIZ	9801260016	PR
FARLEY,M.T.	9801020131*	FOIA
FEDERLINE,M.V.	9801300105	WM
FEIGENBAUM,T.C.	9801050324	50-443 Q
FEIGENBAUM,T.C.	9801200111	50-443 Q
FEIGENBAUM,T.C.	9801230178	PRM
FEINGOLD,R.D.	9801050263*	50-266 H
FEINSTEIN,J.M.	9801260292	PR
FELSHER,H.D.	9801220358*	70-1257
FERGUSON,D.B.	9801130083	70-143
FERNANDEZ	9801230187	PR
FERRARO,D.	9801300244*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
FERRARO,D.P.	9801300179*	FOIA		GASKIN,C.E.	9801220392*	70-1151		GREENBERG,E.V.	9801070259	XPORTLIC	
FERRARO,D.P.	9801300242*	FOIA		GATES,J.O.	9801260346	PR		GREENE,T.V.	9801070060	TOPREP	
FERRISS,D.F.	9801090025*	40-8027		GAUDET,T.	9801090071*	50-382	S	GREENE,T.V.	9801160085	NUREG	
FIELDS,M.B.	9801050292	50-361	P	GAUDET,T.J.	9801050182*	50-382	S	GREENE,T.V.	9801290005	TOPREP	
FIELDS,M.B.	9801050317*	50-361	P	GAUDET,T.J.	9801200129*	50-382	S	GREENLEAF,E.C.	9801230442	PR	
FIELDS,M.B.	9801300021	50-361	P	GAUKLER,P.	9801230216	72-22		GREEVES,J.T.	9801020167	ORG	
FIORE,J.J.	9801300170*	FOIA		GAUKLER,P.	9801230216	72-22		GREEVES,J.T.	9801020169	ORG	
FISCHER,W.G.	9801260292	PR		GAUKLER,P.A.	9801070249	72-22		GREEVES,J.T.	9801060270	WM	
FISK,R.	9801280320	XPORTLIC		GAUKLER,P.A.	9801070249	72-22		GREEVES,J.T.	9801080144	REGGD	
FISK,R.H.	9801230013	XPORTLIC		GAUKLER,P.A.	9801230240	72-22		GREEVES,J.T.	9801300095	WM	
FITPATRICK,E.	9801200081	50-315	P	GAUKLER,P.A.	9801300219	72-22		GREEVES,J.T.	9801300099*	WM	
FITZGERALD,J.R.	9801280201	PR		GAUKLER,P.A.	9801300219	72-22		GRIFFETH,J.T.	9801260367	PR	
FITZGERALD,R.H.	9801260006*	PR		GAUKLER,P.A.	9801300228	72-22		GRIFFITH,R.O.	9801120086	NUREG	
FITZGERALD,R.H.	9801260186	PR		GAUKLER,P.A.	9801300228	72-22		GRIMES,J.P.	9801200018	50-352	R
FITZPATRICK,E.	9801050374	50-315	P	GAVULA,J.	9801060040*	50-254	Q	GROBE,J.A.	9801020022	50-10	Q
FITZPATRICK,E.	9801070224	50-316	P	GAVULA,J.A.	9801200150*	50-255	Q	GROBE,J.A.	9801020070	50-461	Q
FITZPATRICK,E.	9801070361	50-315	P	GAVULA,J.A.	9801220113*	50-266	Q	GROBE,J.A.	9801020088	50-346	Q
FITZPATRICK,E.	9801130050	50-315	Q	GENTILLON,C.D.	9801280280*	ORG		GROBE,J.A.	9801020090	50-456	Q
FITZPATRICK,E.	9801140204	50-315	P	GERSHENSON,B.A.	9801220406	PRM		GROBE,J.A.	9801020114	50-440	Q
FITZPATRICK,E.	9801160187	50-315	Q	GHERGUROVICH,J.	9801300156*	50-286	P	GROBE,J.A.	9801050364	50-282	Q
FLANDERS,S.C.	9801270232	50-302	P	GHOSH,A.	9801300098*	WM		GROBE,J.A.	9801060032	50-254	Q
FLETCHER,R.G.	9801280030	10CFR9.7		GIBBS,L.P.	9801050039	50-317	F	GROBE,J.A.	9801060054	50-456	V
FLORES,R.	9801200097	50-445	S	GIBSON,G.T.	9801060174	50-206	F	GROBE,J.A.	9801060067	50-331	Q
FONNER,R.	9801080018*	70-925		GIBSON,G.T.	9801220035	50-361	R	GROBE,J.A.	9801060141	50-373	Q
FONNER,R.	9801150082*	WM		GIBSON,G.T.	9801220391	50-206	F	GROBE,J.A.	9801080402	50-237	P
FONNER,R.	9801280047*	40-7455		GIBSON,G.T.	9801300123	50-362	Q	GROBE,J.A.	9801120247	50-456	Q
FORBES,D.K.	9801130192	50-461	S	GIBSON,G.T.	9801300177	50-361	Q	GROBE,J.A.	9801120291	50-263	Q
FORBES,J.L.	9801260208	PR		GIBSON,R.	9801280092*	STATE PRO	G	GROBE,J.A.	9801130075	50-305	V
FORBIS,D.	9801230042	PR		GIDO,R.G.	9801120086	NUREG		GROBE,J.A.	9801130125	50-461	Q
FORBIS,E.D.	9801020015*	50-354	P	GIECK,T.E.	9801230073	40-299		GROBE,J.A.	9801130128*	50-461	Q
FORGETE,T.E.	9801020139	50-317	F	GILDERSLEEVE,T.	9801230396	50-324	F	GROBE,J.A.	9801160107	50-263	Q
FORGETTE,T.E.	9801150141	50-317	F	GILDERSLEEVE,T.	9801230402	50-324	F	GROBE,J.A.	9801200085	50-461	Q
FORGETTE,T.E.	9801150142*	50-317	F	GILDERSLEEVE,T.	9801260051	50-324	F	GROBE,J.A.	9801200148	50-255	Q
FORGETTE,T.E.	9801280326	50-317	F	GILDERSLEEVE,T.	9801260052	50-324	F	GROBE,J.A.	9801210109	50-254	Q
FORREST,M.R.	9801260179	PR		GILES,H.B.	9801210169	50-341	R	GROBE,J.A.	9801210115	50-440	Q
FOSSUM,L.K.	9801270114*	TOPREP		GILLETTE,A.W.	9801260245	PR		GROBE,J.A.	9801210185	50-10	W
FOSTER,W.W.	9801270081*	50-269	F	GILLIGAN,B.	9801080019	71-9261		GROBE,J.A.	9801210201	50-454	Q
FOWLER,P.B.	9801230135	PR		GILMAN,J.	9801160025	NUREG		GROBE,J.A.	9801220083	50-266	Q
FOX,J.	9801050063*	50-237	S	GIPSON,D.R.	9801060216	50-341	P	GROBE,J.A.	9801260399*	50-305	V
FOX,M.D.	9801120053*	TOPREP		GIPSON,D.R.	9801270063	50-341	P	GROBE,J.A.	9801270035	50-373	Q
FRANCESCHI,V.	9801200270	71-9001		GLASSBURN,J.R.	9801260387	PR		GROBE,J.A.	9801270045	50-454	Q
FRANK,A.H.	9801260153	PR		GLATSTEIN,E.	9801230140	PR		GROBE,J.A.	9801270074	50-315	Q
FRANTZ,S.	9801280231	50-288	R	GODDARD,C.S.	9801260217	50-293	R	GROBE,J.A.	9801270076	50-341	Q
FRANZ,J.F.	9801070163	50-331	Q	GOITEIN,E.	9801230076	PRM		GROBE,J.A.	9801270079	50-295	Q
FRANZ,J.F.	9801090239	50-331	F	GOLDMAN,J.	9801140397*	FOIA		GROBE,J.A.	9801270089	50-461	Q
FRANZ,J.F.	9801130082	50-331	P	GOODWIN,W.L.	9801150111	70-1151		GROBE,J.A.	9801270126	50-440	Q
FRANZ,J.F.	9801200157	50-331	P	GOODWIN,W.L.	9801230310	70-1151		GROBE,J.A.	9801270187	50-461	Q
FRANZ,J.F.	9801220280	50-331	P	GOOSSENS,L.H.J.	9801260178	NUREG		GROBE,J.A.	9801270200	50-461	Q
FRANZ,J.F.	9801280309	50-331	P	GOOSSENS,L.H.J.	9801260185	NUREG		GROBE,J.A.	9801280183	50-440	Q
FRAZEE,T.	9801130423*	PR		GORANSON,W.P.	9801230274	40-8905		GROBE,J.A.	9801280207	50-254	F
FRAZEE,T.	9801140153*	PR		GORE,P.	9801280124*	50-325	Q	GROBE,J.A.	9801280286	50-315	Q
FREDICHS,T.L.	9801150200	50-213	H	GOSSELIN,S.R.	9801210213*	TOPREP		GROBE,J.A.	9801300151	50-315	Q
FREDRICKSON,P.	9801280172	50-261	Q	GOTCHY,R.L.	9801140319*	PR		GROVES,K.L.	9801280353	ORG	
FREEMAN,D.S.	9801200029	50-382	R	GOTZMER,J.W.	9801130391*	50-413	Q	GRUBEN,D.	9801280330	40-9015	
FREEMAN,R.H.	9801210022*	50-289	Q	GOY,B.	9801230252	PR		GRUBEN,D.	9801290077	40-9015	
FRENCH,P.S.	9801220181	40-8964		GRAESSER,K.L.	9801070156	50-454	Q	GUADET,T.J.	9801160136*	50-382	S
FRENCH,P.S.	9801220191	40-8964		GRAESSER,K.L.	9801070243	50-454	P	GUNDRUM,L.L.	9801150170	50-266	P
FREW,B.D.	9801200131*	50-352	P	GRAESSER,K.L.	9801130392	50-454	P	GUPTA,V.	9801290183	71-784	
FRIDLEY,S.	9801140005*	40-8943		GRAESSER,K.L.	9801280295	50-454	Q	GUTTMANN,J.	9801050358	50-280	P
FRIDLEY,S.	9801140009*	40-8698		GRAHAM,P.D.	9801060252	50-298	P	GWYNN,T.P.	9801070323	50-323	P
FULLER,D.B.	9801260027	PR		GRAHAM,P.D.	9801140410	50-298	Q	GWYNN,T.P.	9801080075	50-382	Q
FULTON,J.D.	9801220042*	50-528	R	GRAHAM,P.D.	9801150015	50-298	Q	GWYNN,T.P.	9801080082	50-298	P
FULTON,J.D.	9801220051*	50-528	R	GRAHAM,P.D.	9801210018	50-298	F	GWYNN,T.P.	9801090272	50-498	Q
GAINES,L.S.	9801260280	PR		GRAHAM,P.D.	9801210268	50-298	Q	GWYNN,T.P.	9801130004	50-382	P
GALINSKY,D.L.	9801260113	PR		GRAHAM,P.D.	9801210276	50-298	P	GWYNN,T.P.	9801210013	50-298	Q
GALLAGHER,C.	9801160054*	REGGD		GRANT,G.E.	9801150099	50-295	Q	GWYNN,T.P.	9801210256	50-382	Q
GALLO,R.M.	9801150022	ORG		GRANT,G.E.	9801210151	50-373	P	GWYNN,T.P.	9801220164	50-397	Q
GALLOWAY,M.	9801260198	PR		GRANT,G.E.	9801210190	50-315	Q	GWYNN,T.P.	9801300257	50-313	Q
GAMBHIR,S.K.	9801050199	50-285	Q	GRANT,G.E.	9801210218	50-373	P	HAAG,C.	9801150209*	52-3	
GAMBHIR,S.K.	9801060021	50-285	R	GRANT,G.E.	9801270027	50-295	P	HAAG,R.C.	9801130017	50-280	P
GAMBHIR,S.K.	9801140195	50-285	P	GRANT,G.E.	9801270066	50-255	Q	HAAG,R.C.	9801130020	50-395	P
GAMBHIR,S.K.	9801200004	50-285	R	GRANT,G.E.	9801270070	50-254	Q	HAAG,R.C.	9801210167	50-395	Q
GAMBHIR,S.K.	9801230352	50-285	Q	GRANT,G.E.	9801270159	50-295	Q	HAAG,R.C.	9801220055	50-280	P
GAMBHIR,S.K.	9801280204	50-285	I	GRANT,G.E.	9801280023	50-456	Q	HAAG,R.C.	9801280181	50-338	Q
GAMMIL,W.P.	9801160177*	FOIA		GRANT,G.M.	9801280280*	ORG		HACKNEY,C.	9801160145	I&E	
GANDLE,L.	9801230236	PR		GRANT,J.M.	9801290094	50-29	W	HACKNEY,C.A.	9801270199	I&E	
GANTT,G.S.	9801140076	71-9239		GRAY,J.R.	9801260297	PR		HADDER,A.W.	9801200173	50-280	P
GAO,Y.	9801200007	50-333	R	GRAZIA,R.E.	9801080324	50-302	S	HADDER,A.W.	9801220279	50-338	P
GARCIA,E.M.	9801210162	70-600		GRAZIO,R.E.	9801020005	50-302	P	HADDER,A.W.	9801290015	50-280	P
GARDNER,D.	9801210243	50-261	R	GRAZIO,R.E.	9801130255	50-302	Q	HAERR,R.W.	9801260230	PR	
GARDNER,F.	9801230247	40-3453		GRAZIO,R.E.	9801130286	50-302	S	HAGAN,J.J.	9801140107	50-416	P
GARDNER,F.	9801230260	40-3453		GRAZIO,R.E.	9801130319	50-302	P	HAGAN,J.J.	9801200076	50-416	S
GARDNER,M.R.	9801270098*	50-282	F	GRAZIO,R.E.	9801140234*	50-302	P	HAGAN,J.J.	9801210023	50-416	Q
GARDNER,S.K.	9801300150*	FOIA		GRAZIO,R.E.	9801140415	50-302	P	HAGAN,J.J.	9801210260	50-416	Q
GARNETT,D.J.	9801220388	PRM		GRAZIO,R.E.	9801200068	50-302	R	HAGERS,J.	9801290158	50-267	F
GARY,T.A.	9801280326	50-317	F	GRAZIO,R.E.	9801260341	50-302	P	HALBERG,F.	9801260084	PR	
GASKIN,C.E.	9801120265	70-1151		GREEN,L.G.	9801020063	50-424	F	HALE,T.L.	9801260237*	50-390	Q
GASKIN,C.E.	9801130259	70-734		GREENBERG,E.V.	9801070259	XPORTLIC		HALL,J.R.	9801050342	50-298	P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HALL,R.	9801230382*	50-373 S
HALMAN,E.L.	9801160176*	PR
HALNON,G.	9801140216*	50-302 P
HAMMELMAN,J.E.	9801090253	PROJ
HAMMER,M.F.	9801050094	50-263 F
HAMMER,M.F.	9801060238	50-263 S
HAMMER,M.F.	9801220237	50-263 S
HAN,H.	9801230447	PR
HANNING,M.	9801150001	40-8907
HANNON,J.N.	9801050140	50-301 Q
HANNON,J.N.	9801150189	50-498 P
HANNON,J.N.	9801160032	50-266 P
HANSEN,A.G.	9801120263	50-346 P
HARDGROVE,T.W.	9801130263	40-6622
HARDGROVE,T.W.	9801280223	40-6622
HARDGROVE,T.W.	9801280225*	40-6622
HARDGROVE,T.W.	9801290152	40-2259
HARDGROVE,T.W.	9801290173	40-6622
HARDIN,K.J.	9801060108	70-1257
HARGIS,T.S.	9801160083	50-424 R
HAROLD,J.F.	9801290139	50-247 P
HARPER,F.T.	9801260178	NUREG
HARPER,F.T.	9801260185	NUREG
HARPER,G.A.	9801270090*	50-423 P
HARRELL,P.H.	9801200059	50-382 Q
HARRIGAN,W.C.	9801230097*	72-*****
HARRIS,P.W.	9801120211	50-155 F
HARRIS,P.W.	9801120258	50-155 F
HARRISON,G.L.	9801230270	PR
HART,R.D.	9801060127	50-412 S
HART,R.D.	9801080092	50-412 S
HART,R.D.	9801130109*	50-334 S
HART,R.D.	9801130354	50-334 S
HART,R.D.	9801160020	50-334 S
HART,R.D.	9801220328	50-412 S
HART,R.D.	9801220359	50-412 S
HART,R.D.	9801260022	50-334 S
HART,R.D.	9801260031	50-334 S
HART,R.D.	9801270057	50-412 S
HARTLEY,J.P.	9801090269	70-820
HARVERSON,J.	9801280324*	XPORTLIC
HARWIG,D.	9801090251	CONTRACT
HASELOW,R.E.	9801260032	PR
HASLINGER,K.H.	9801300156*	50-286 P
HASTINGS,C.	9801210010*	WM
HASTINGS,C.	9801210012*	WM
HAUBER,R.D.	9801080051	XPORTLIC
HAUBER,R.D.	9801080074	XPORTLIC
HAUBER,R.D.	9801080079	XPORTLIC
HAUBER,R.D.	9801080111	XPORTLIC
HAUBER,R.D.	9801080401	XPORTLIC
HAUBER,R.D.	9801090018*	XPORTLIC
HAUBER,R.D.	9801090179	XPORTLIC
HAUBER,R.D.	9801220134	XPORTLIC
HAUBER,R.D.	9801220227	XPORTLIC
HAUBER,R.D.	9801220234	XPORTLIC
HAUBER,R.D.	9801230003	XPORTLIC
HAUBER,R.D.	9801230005	XPORTLIC
HAUBER,R.D.	9801230007	XPORTLIC
HAUBER,R.D.	9801230036	XPORTLIC
HAUBER,R.D.	9801230040	XPORTLIC
HAUBER,R.D.	9801230228	XPORTLIC
HAUBER,R.D.	9801230237*	XPORTLIC
HAUBER,R.D.	9801280306	XPORTLIC
HAUBER,R.D.	9801280318	XPORTLIC
HAUBER,R.D.	9801280321	XPORTLIC
HAUBER,R.D.	9801280325	XPORTLIC
HAUBER,R.D.	9801280335	XPORTLIC
HAUBER,R.D.	9801280369	XPORTLIC
HAUBER,R.D.	9801280374	XPORTLIC
HAUBER,R.D.	9801290004	XPORTLIC
HAUBER,R.D.	9801290006*	XPORTLIC
HAUGHNEY,C.J.	9712090208	50-3 Q
HAUGHNEY,C.J.	9801060164	71-9225
HAUGHNEY,C.J.	9801060173*	71-9225
HAUGHNEY,C.J.	9801070063	72-1007
HAUGHNEY,C.J.	9801120205	71-4986
HAUGHNEY,C.J.	9801150226	PRM
HAUGHNEY,C.J.	9801200280	72-*****
HAUMANN,A.B.	9801220103*	50-461 S
HAUMANN,A.B.	9801280087*	50-461 S
HAWN,R.S.	9801130037	50-255 R
HAYS,J.A.	9801280158	50-275 F
HEALEY,G.A.	9801260040	PR
HEARTFIELD,L.	9801300202*	40-8968
HEAVEY,T.	9801140072*	PR
HEAVEY,T.	9801160013*	PR
HEAVEY,T.	9801160165*	PR
HEAVEY,T.	9801160167*	PR
HEBB,G.	9801140216*	50-302 P
HEBDON,F.J.	9801050246	50-250 P
HEBDON,F.J.	9801060348*	50-302 P
HEBDON,F.J.	9801120193*	50-302 P
HEBDON,F.J.	9801120204*	50-250 P
HEBDON,F.J.	9801140018*	50-260 P
HEBDON,F.J.	9801210135*	50-302 P
HEBDON,F.J.	9801220290*	50-327 P
HEBDON,F.J.	9801270128	50-302 P
HEFFLEY,J.M.	9801050058	50-237 S
HEFFLEY,J.M.	9801070148	50-10 Q
HEFFLEY,J.M.	9801070341	50-249 S
HEFFLEY,J.M.	9801080022	50-237 P
HEFFLEY,J.M.	9801150045	50-237 Q
HEFFLEY,J.M.	9801160078	50-10 Q
HEFFLEY,J.M.	9801200105	50-249 Q
HEFFLEY,J.M.	9801200139	50-237 V
HEFFLEY,J.M.	9801220146	50-10 R
HEFFLEY,J.M.	9801220215	50-10 R
HEFFLEY,J.M.	9801270100	50-237 S
HEFFLEY,J.M.	9801270106	50-237 S
HEGRAT,H.L.	9801210281	50-440 R
HEHL,C.W.	9801050165	50-219 Q
HEHL,C.W.	9801060020	50-317 Q
HEHL,C.W.	9801060135	50-247 Q
HEHL,C.W.	9801160057	50-220 Q
HEHL,C.W.	9801160067	50-220 Q
HEHL,C.W.	9801220143	50-410 P
HEHL,C.W.	9801230079	50-220 Q
HEID,J.F.	9801160034	QA999
HEIMBURGER,D.K.	9801230071	PR
HELME,R.E.	9801270028*	50-324 P
HENDERSON,J.W.	9801090174	40-2384
HENDERSON,J.W.	9801090181	40-2384
HENDERSON,J.W.	9801090186	40-2384
HENDERSON,J.W.	9801090190	40-2384
HENDERSON,J.W.	9801090193	40-2384
HENDERSON,J.W.	9801090274	40-2384
HENDERSON,J.W.	9801280001	40-2384
HENDERSON,J.W.	9801280304	40-2384
HENDERSON,P.J.	9801120274	NUREG
HENDERSON,T.A.	9801230398*	50-440 S
HENDERSON,T.A.	9801280093	50-440 S
HENDRICKS,L.	9801230113	PR
HENDRICKS,L.	9801260232	PRM
HENDRICKSON,L.	9801150228*	FOIA
HENNESSY,W.P.	9801230248	72-22
HENRY,M.	9801220205	STATE PRO G
HERLEKAR,A.	9801280173*	50-321 P
HERNAN,R.W.	9801220277	50-327 P
HERSHATTER,B.W.	9801230399	PR
HERSHATTER,B.W.	9801260024	PR
HERTEL,N.E.	9801080233	50-160 F
HEUVELEN,G.V.	9801260479	PR
HEWITT,W.M.	9801080382	XPORTLIC
HIATT,S.L.	9801230297	PRM
HICKEY,J.P.	9801150103*	50-271 P
HICKEY,J.W	9801060329	40-8027
HICKEY,J.W	9801070282*	70-687
HICKEY,J.W.	9801020171	I&E
HICKEY,J.W.	9801060321	70-*****
HICKEY,J.W.	9801070262	40-7397
HICKEY,J.W.	9801070277	70-687
HICKEY,J.W.	9801140347	WM
HICKEY,J.W.	9801150188*	40-8943
HICKEY,J.W.	9801220110	ORG
HICKEY,J.W.	9801280032	40-7455
HICKEY,J.W.	9801280033	WM
HICKEY,J.W.	9801280034*	40-7455
HICKEY,J.W.	9801280040*	40-7455
HICKEY,J.W.	9801280044	WM
HICKEY,J.W.	9801280064	WM
HICKEY,J.W.	9801280075	WM
HICKEY,J.W.	9801280085	WM
HICKEY,J.W.	9801290027	ORG
HICKLE,B.J.	9801140197*	50-302 P
HICKLE,B.J.	9801140239*	50-302 P
HICKMAN,J.B.	9801140364	50-315 P
HICKMAN,J.B.	9801200119	50-315 P
HICKMAN,J.B.	9801200127*	50-315 P
HICKMAN,J.B.	9801260067	50-315 Q
HICKMAN,J.B.	9801260120	50-315 P
HICKMAN,J.B.	9801290140	50-315 P
HICKS,G.D.	9801050015	50-423 S
HICKS,G.D.	9801140095	50-423 P
HICKS,G.D.	9801140103	50-423 S
HICKS,G.D.	9801220007	50-423 R
HICKS,G.D.	9801230358	50-423 S
HICKS,G.D.	9801260247	50-423 S
HILAND,P.L.	9801020042	70-7002
HILAND,P.L.	9801130104	70-36
HILAND,P.L.	9801130198	70-7001
HILAND,P.L.	9801130229	70-7002
HILAND,P.L.	9801210134	70-7002
HILAND,P.L.	9801210142	70-7001
HILAND,P.L.	9801210145	70-7002
HILAND,P.L.	9801280277	70-7002
HILDEBRANT,D.	9801140193	50-456 R
HILDENBRANK,P.	9801230039	40-8857
HILL,R.L.	9801210301	50-498 R
HINNANT,C.S.	9801020021	50-324 V
HINNANT,C.S.	9801020027	50-324 P
HINNENKAMP,P.D.	9801220318	50-245 R
HIRSCHLER,B.	9801220384*	STATE PRO G
HITCH,J.P.	9801220311*	STATE PRO G
HITCH,J.P.	9801230329*	STATE PRO G
HJALMARSON,J.	9801290092*	50-275 P
HLA,O	9801260323	PR
HOCHMAN,L.D.	9801270015	PR
HODGES,M.W.	9801050362	REVIEW GR P
HODO,M.	9801050262	70-925
HOFFMAN,G.L.	9801230091*	40-8903
HOFFMAN,P.	9801260037	PR
HOFFMAN,S.R.	9801130398*	PR
HOFFMAN,S.R.	9801140180*	PR
HOGG,P.	9801270098*	50-282 F
HOLAHAN,G.M.	9801140295	ORG
HOLDEN,D.W.	9801260105	XPORTLIC
HOLDEN,D.W.	9801270143	XPORTLIC
HOLDEN,J.J.	9801050007	50-302 Q
HOLDEN,J.J.	9801080045	50-302 P
HOLDEN,J.J.	9801140202*	50-302 P
HOLDEN,J.J.	9801140209*	50-302 P
HOLDEN,J.J.	9801210066	50-302 P
HOLDEN,J.J.	9801300187	50-302 Q
HOLLANDER,W.D.	9801260491	71-9269
HOLLINGS,E.F.	9801260004	PR
HOLLINGWORTH,B.	9801220307*	50-443 P
HOLLOMON,T.J.	9801020082	50-327 R
HOLLOMON,T.J.	9801200003	50-327 R
HOLLOMON,T.J.	9801270171*	50-327 R
HOLM,J.S.	9801280254	TOPREP
HOLM,R.L.	9801070208	50-151 F
HOLMES,M.A.	9801140186	50-483 R
HOLODY,D.	9801270133	50-334 Q
HOLONICH,J.J.	9801050056	WM
HOLONICH,J.J.	9801050197	WM
HOLONICH,J.J.	9801050260	NUREG
HOLONICH,J.J.	9801060034	40-8989
HOLONICH,J.J.	9801070114	40-299
HOLONICH,J.J.	9801070267	40-299
HOLONICH,J.J.	9801070305	40-8084
HOLONICH,J.J.	9801070312*	*40-8084*
HOLONICH,J.J.	9801120182	40-8903
HOLONICH,J.J.	9801120192*	40-8903
HOLONICH,J.J.	9801120203	40-3453
HOLONICH,J.J.	9801120208*	40-3453
HOLONICH,J.J.	9801120235	40-6659
HOLONICH,J.J.	9801120238*	40-6659
HOLONICH,J.J.	9801120256	40-6622
HOLONICH,J.J.	9801120257*	40-6622
HOLONICH,J.J.	9801130377	50-413 Q
HOLONICH,J.J.	9801140106	40-8943
HOLONICH,J.J.	9801140141	40-8943
HOLONICH,J.J.	9801140301	40-8857
HOLONICH,J.J.	9801150068	WM
HOLONICH,J.J.	9801150108	WM
HOLONICH,J.J.	9801150113*	WM
HOLONICH,J.J.	9801150163	40-8452
HOLONICH,J.J.	9801150182	40-8943
HOLONICH,J.J.	9801150185*	40-8943
HOLONICH,J.J.	9801150202	40-3453
HOLONICH,J.J.	9801150231*	40-8452
HOLONICH,J.J.	9801160066	40-8968
HOLONICH,J.J.	9801160076*	40-8968
HOLONICH,J.J.	9801200090	ORG
HOLONICH,J.J.	9801200096	WM
HOLONICH,J.J.	9801280139	WM
HOLONICH,J.J.	9801280200	40-8989
HOLONICH,J.J.	9801290159	40-8452
HOLONICH,J.J.	9801290160*	40-8452
HOLONICH,J.J.	9801300001	40-4492
HOLONICH,J.J.	9801300002*	40-4492
HOLONICH,J.J.	9801300003	40-8698
HOLONICH,J.J.	9801300004*	40-8698

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HOLONICH,J.J.	9801300007	40-8968
HOOD,D.S.	9801130068*	50-317 P
HOOD,D.S.	9801140011	50-410 P
HOOD,D.S.	9801140142	50-220 P
HOOD,D.S.	9801220303	50-410 P
HOOD,D.S.	9801290119	50-220 P
HOPKINS,J.B.	9801140268	50-461 F
HOPKINS,J.B.	9801230343	50-461 P
HORA,S.C.	9801260178	NUREG
HORA,S.C.	9801260185	NUREG
HORIN,W.A.	9801230353	PR
HORN,J.G.	9801130043	50-298 P
HORN,J.R.	9801070223	50-298 Q
HORN,M.	9801230371	70-7001
HORTON,D.L.	9801090154	PROJ
HORTON,D.L.	9801090160	PROJ
HOSMER,J.	9801130092	50-237 P
HOSMER,J.B.	9801020050	50-454 P
HOSMER,J.B.	9801020057	50-454 P
HOSMER,J.B.	9801060130	50-295 P
HOUGH,C.R.	9801220180*	XPORTLIC
HOUGH,C.R.	9801260174	XPORTLIC
HOUGH,R.D.	9801020162*	50-255 P
HOUSE,W.B.	9801200297	71-9196
HOUSE,W.B.	9801260041	71-9001
HOUSTON,B.L.	9801230115	50-298 H
HOVEY,R.J.	9801060277	50-251 Q
HOVEY,R.J.	9801070202	50-250 F
HOVEY,R.J.	9801080094	50-250 P
HOVEY,R.J.	9801130203	50-251 Q
HOVEY,R.J.	9801130281	50-250 P
HOVEY,R.J.	9801160026	50-250 R
HOVEY,R.J.	9801220010	50-250 R
HOVEY,R.J.	9801220099	50-250 P
HOVEY,R.J.	9801220106	50-250 P
HOWARD,R.C.	9801290009*	TOPREP
HOWELL,A.T.	9801050303	50-482 V
HOWELL,A.T.	9801060046	TOPREP
HOWELL,A.T.	9801060050	50-482 V
HOWELL,A.T.	9801070256	50-483 P
HOWELL,A.T.	9801070307	50-382 Q
HOWELL,A.T.	9801140155	50-361 F
HOWELL,A.T.	9801140261	50-313 Q
HOWELL,A.T.	9801220033	50-498 V
HOWELL,A.T.	9801220048	50-382 V
HOWELL,A.T.	9801280171	50-498 V
HOWELL,A.T.	9801280195	50-498 Q
HOWELL,A.T.	9801280208	50-298 Q
HOWELL,A.T.	9801300060	50-361 Q
HOWELL,K.W.	9801270087*	50-282 F
HOWELL,L.L.	9801160145	I&E
HOWERTON,H.K.	9801090039	71-9269
HOYLE,J.C.	9801060122	PRM
HOYLE,J.C.	9801080028	PR
HOYLE,J.C.	9801090005	10CFR9.7
HOYLE,J.C.	9801090020	COMMISSIO N
HOYLE,J.C.	9801130181	10CFR9.7
HOYLE,J.C.	9801140096	10CFR9.7
HOYLE,J.C.	9801160097	10CFR9.7
HOYLE,J.C.	9801220122	10CFR9.7
HOYLE,J.C.	9801220197	10CFR9.7
HOYLE,J.C.	9801220204	COMMISSIO N
HOYLE,J.C.	9801220339	NUREG
HOYLE,J.C.	9801230346	PR
HOYLE,J.C.	9801260171	10CFR9.7
HOYLE,J.C.	9801260180	COMMISSIO N
HOYLE,J.C.	9801260489	PR
HOYLE,J.C.	9801280350	10CFR9.7
HOYLE,J.C.	9801290012	COMMISSIO N
HOYLE,J.C.	9801300183	10CFR9.7
HOYLE,J.C.	9801300194	COMMISSIO N
HRABAL,C.	9801220323	70-1113
HUDDLESTON,B.	9801080033	71-9156
HUDDLESTON,B.	9801080049*	71-9156
HUDDLESTON,B.	9801080057*	71-9156
HUDDLESTON,B.	9801080292	71-9156
HUDDLESTON,E.W.	9801080040*	71-9156
HUDDLESTON,E.W.	9801080071*	71-9156
HUFFERT,A.	9801280043*	40-7455
HUFFMAN,W.	9801270229	52-3
HUFFMAN,W.C.	9801050175	52-3
HUFFMAN,W.C.	9801050178	52-3
HUFFMAN,W.C.	9801050272	52-3
HUFFMAN,W.C.	9801050284	52-3
HUFFMAN,W.C.	9801050300	52-3
HUFFMAN,W.C.	9801050331	52-3
HUFFMAN,W.C.	9801130262	52-3
HUFFMAN,W.C.	9801130290	52-3
HUFFMAN,W.C.	9801140031	52-3
HUFFMAN,W.C.	9801200228	52-3
HUFFMAN,W.C.	9801230046	52-3
HUFFMAN,W.C.	9801230244	52-3
HUFFMAN,W.C.	9801260241	52-3
HUGHES,E.N.	9801230262	PR
HUGHEY,W.K.	9801130421	50-416 F
HUGHEY,W.K.	9801280135	50-416 P
HULL,J.T.	9801080193	40-8968
HULL,J.T.	9801230315	40-8968
HUMMER,J.J.	9801270163	CONTRACT
HUNGER,G.A.	9801070035	50-277 P
HUNGER,G.A.	9801150027	50-352 P
HUNGER,G.A.	9801200113	50-352 P
HUNGER,G.A.	9801220169	50-277 P
HUNGER,G.A.	9801220201	50-352 P
HUNGER,G.A.	9801220357	PR
HUNGER,G.A.	9801270131	50-277 F
HUNGER,G.A.	9801280217	50-352 P
HUNGER,G.A.	9801280373	50-352 F
HUNTER,J.J.	9801300193	40-7580
HUNTER,L.	9801230286	PRM
HUNTER,T.A.	9801260049	PR
HUTCHINSON,C.R.	9801200114	50-313 P
HUTING,M.	9801260259	50-331 P
IDE,W.E.	9801140086	50-529 Q
IKEDA,K.	9801140208*	COMMISSIO N
IMBRO,E.	9801150124	50-423 P
INDALL,J.J.	9801230213	40-8968
INDALL,J.J.	9801230213	40-8968
INDALL,J.J.	9801230224*	40-8968
INDALL,J.J.	9801230224*	40-8968
INDALL,J.J.	9801230230*	40-8968
INDALL,J.J.	9801230230*	40-8968
INTRIEN,J.	9801220394	PRM
ISAAC,P.	9801120245	50-151 V
ISAAC,P.	9801230334	50-151 V
JABBOUR,K.N.	9801120255	50-271 P
JABBOUR,K.N.	9801150201	50-271 P
JABBOUR,K.N.	9801200158	50-271 P
JABBOUR,K.N.	9801220306	50-271 P
JABBOUR,K.N.	9801270165	50-271 P
JACKSON,J.M.	9801230423	PR
JACKSON,S.A.	9801050344	COMMISSIO N
JACKSON,S.A.	9801080241	COMMISSIO N
JACKSON,S.A.	9801080279	COMMISSIO N
JACKSON,S.A.	9801090021*	COMMISSIO N
JACKSON,S.A.	9801090188	COMMISSIO N
JACKSON,S.A.	9801090192	COMMISSIO N
JACKSON,S.A.	9801140098	70-7001
JACKSON,S.A.	9801140116	COMMISSIO N
JACKSON,S.A.	9801140194	COMMISSIO N
JACKSON,S.A.	9801140200	COMMISSIO N
JACKSON,S.A.	9801140237	COMMISSIO N
JACKSON,S.A.	9801260184*	COMMISSIO N
JACKSON,S.A.	9801290016*	COMMISSIO N
JACKSON,S.A.	9801300038	COMMISSIO N
JACKSON,S.A.	9801300039	COMMISSIO N
JACKSON,S.A.	9801300054	COMMISSIO N
JACKSON,S.A.	9801300083	COMMISSIO N
JACKSON,S.A.	9801300102	COMMISSIO N
JACKSON,S.A.	9801300114	COMMISSIO N
JACKSON,S.A.	9801300195*	COMMISSIO N
JACKSON,W.	9801160193	50-199 P
JACKSON,W.	9801260158	PR
JACOBI,J.	9801140165*	PR
JACOBSON,J.M.	9801090045	50-315 P
JACOBSON,J.P.	9801270090*	50-423 P
JAFFE,D.H.	9801050248	50-424 P
JAFFE,D.H.	9801060002	50-424 P
JAFFE,D.H.	9801130400	50-354 P
JAFFE,D.H.	9801200191	50-424 P
JAHNKOW,C.	9801220230	PRM
JAIN,S.C.	9801060127	50-412 S
JAIN,S.C.	9801070130	50-334 P
JAIN,S.C.	9801080092	50-412 S
JAIN,S.C.	9801080206	50-334 P
JAIN,S.C.	9801080250	50-412 P
JAIN,S.C.	9801130354	50-334 S
JAIN,S.C.	9801140243	50-334 P
JAIN,S.C.	9801210159	50-334 P
JAIN,S.C.	9801220328	50-412 S
JAIN,S.C.	9801220359	50-412 S
JAIN,S.C.	9801260022	50-334 S
JAIN,S.C.	9801260031	50-334 S
JAIN,S.C.	9801270057	50-412 S
JAIN,S.C.	9801270217	50-334 K
JAIN,S.C.	9801300077	50-334 F
JAIN,S.C.	9801300201	50-334 F
JAUDON,J.P.	9801130175	50-302 P
JAUDON,J.P.	9801210144	50-302 Q
JAUDON,J.P.	9801220036	50-302 Q
JAUDON,J.P.	9801220091	50-302 Q
JEFFERSON,F.	9801220185	50-324 R
JEFFS,V.	9801140045*	PR
JENKINS,R.B.	9801020159*	50-255 P
JENRETTE,J.M.	9801260089	PR
JENSEN,E.N.	9801200002*	PR
JOFFE,A.S.	9801280037*	50-309 H
JOHANSEN,J.	9801160174	I&E
JOHANSEN,J.	9801280088	STATE PRO G
JOHANSEN,J.	9801280092*	STATE PRO G
JOHANSEN,J.M.	9801140233	STATE PRO G
JOHANSEN,J.M.	9801160110	STATE PRO G
JOHANSEN,J.M.	9801160135*	STATE PRO G
JOHANSEN,J.M.	9801160140	STATE PRO G
JOHNSON,C.	9801280065	40-8698
JOHNSON,C.J.	9801270087*	50-282 F
JOHNSON,D.F.	9801020072	50-266 S
JOHNSON,D.F.	9801080161	50-266 P
JOHNSON,D.F.	9801080258	50-266 P
JOHNSON,D.F.	9801090069	50-266 F
JOHNSON,D.F.	9801130300	50-266 P
JOHNSON,D.F.	9801200025	50-266 R
JOHNSON,D.F.	9801230110	50-266 S
JOHNSON,G.L.	9801260237*	50-390 Q
JOHNSON,I.M.	9801130123	50-454 P
JOHNSON,I.M.	9801200155	50-454 P
JOHNSON,J.R.	9801130042	50-348 Q
JOHNSON,J.R.	9801210252	50-348 Q
JOHNSON,J.S.	9801260053	PR
JOHNSON,T.	9801120243*	40-6659
JOHNSON,T.C.	9801150023	40-8724
JOHNSON,T.C.	9801220128*	ORG
JOHNSON,W.D.	9801060072	50-482 Q
JOLICOEUR,J.R.	9801270198	50-321 F
JONES,C.	9801140143*	PR
JONES,D.T.	9801160019	50-334 R
JONES,J.A.	9801260178	NUREG
JONES,J.A.	9801260185	NUREG
JONES,N.E.	9801260047	PR
JORDAN,M.J.	9801210287	50-454 Q
JORDAN,M.J.	9801210293	50-454 Q
JORDAN,S.G.	9801090016	40-8968
JORDAN,S.G.	9801230208	40-8968
JORDAN,S.G.	9801230218*	40-8968
JORDAN,S.G.	9801230250*	40-8968
JORDAN,S.G.	9801300236	40-8968
JORDAN,S.G.	9801300236	40-8968
JORDAN,S.G.	9801300236	40-8968
JORDAN,T.J.	9801300120	50-499 P
JORGENSEN,B.L.	9801120237	40-17
JORGENSEN,B.L.	9801130221	40-7604
JORGENSEN,B.L.	9801280125	50-409 Q
JOSHI,R.G.	9801020099*	50-336 S
JUDAY,R.A.	9801120250*	40-6659
JUDD,C.A.	9801130412*	40-8989
JUDD,C.A.	9801260282	40-8989
JUDD,C.A.	9801260314*	40-8989
JUDD,C.A.	9801260320*	40-8989
JULIAN,E.L.	9801230190	72-22
JURGENSEN,K.	9801280288	STATE PRO G
JURY,K.R.	9801220185	50-324 R
JURY,K.R.	9801270024	50-324 P
JURY,K.R.	9801270046	50-324 Q
JURY,K.R.	9801280123	50-325 Q
JUSTUS,P.S.	9801300098*	WM
KACZOR,J.G.	9801230368	PR
KADEMIAN,M.T.	9801230381	PR
KAHN,R.	9801260046	PR
KALAPURAKAL,J.	9801260127	PR
KALMAN,G.	9801120222	50-368 P
KALMAN,G.	9801120228*	50-368 P
KALMAN,K.L.	9801060309	70-925
KALMAN,K.L.	9801120251	70-925
KALMAN,K.L.	9801150177	70-925
KALMBACH,R.B.	9801260149	CONTRACT
KALNICKI,S.	9801230419	PR
KALYANAM,N.	9801060008	50-338 P
KANE,W.	9801120246*	70-7002
KANE,W.F.	9801070154	ORG
KANE,W.F.	9801160161*	PR
KANSLER,M.R.	9801230166	50-280 F
KARIMI,R.	9801140319*	PR
KARLOVITS,S.	9801260166	PR
KASKO,B.	9801220032	50-397 R

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KATZ,P.E.	9801090256	50-317 Q
KATZ,P.E.	9801210269	50-317 R
KEATEN,R.W.	9801090235	50-289 P
KEENAN,J.S.	9801070033	50-261 Q
KEENAN,J.S.	9801150063	50-261 Q
KEENAN,J.S.	9801270016	50-261 Q
KEENE,J.	9801140379	ORG
KEENE,J.W.	9801070019*	50-293 S
KEENE,J.W.	9801210090*	50-293 S
KEENE,J.W.	9801210192*	50-293 S
KEGEL,G.H.	9801090172	50-223 P
KEISER,H.W.	9801220330	50-272 P
KEISER,H.W.	9801220333*	50-272 P
KEITH,J.	9801230175	PR
KELLEY,J.J.	9801020113	50-445 P
KELLEY,K.B.	9801230258*	40-8968
KELLY,D.L.	9801290081*	ORG
KELLY,G.B.	9801060003	50-331 P
KELLY,G.B.	9801060004	50-331 P
KELLY,G.B.	9801200194	50-331 P
KELLY,G.B.	9801270174	50-331 Q
KELLY,J.E.	9801050085*	FOIA
KELLY,J.E.	9801060159*	FOIA
KELSAY,J.G.	9801210026*	50-298 F
KENNEDY,J.E.	9801070278*	40-7397
KENNEDY,J.P.	9801070228	72-22
KENNEDY,J.P.	9801230155	72-22
KENNEDY,J.P.	9801230155	72-22
KENNEDY,J.P.	9801230205	72-22
KENNEDY,K.	9801130061	50-313 S
KENNEDY,K.	9801160170	50-313 S
KENYON,T.J.	9801150176	52-3
KENYON,T.J.	9801150181	52-3
KERNS,K.C.	9801220283	STATE PRO G
KHANDELWAL,S.R.	9801260009	PR
KHARKAR,B.R.	9801230444	PR
KHATIB-RAHBAR	9801150168*	52-3
KIEL,K.D.	9801230266	PR
KILBY,M.A.	9801060084*	STATE PRO G
KILBY,M.A.	9801060100*	STATE PRO G
KILGORE,D.M.	9801210245	50-277 R
KILLAR,F.M.	9801150101	NUREG
KING,G.	9801260115*	70-1733
KING,J.O.	9801070322	PRM
KING,L.J.	9801230324*	40-8968
KING,R.J.	9801130089	50-458 P
KING,R.J.	9801130129	50-458 P
KING,R.J.	9801130140	50-458 Q
KING,R.J.	9801140191	50-458 R
KING,R.J.	9801140390	50-458 I
KING,R.J.	9801150122	50-458 P
KING,R.J.	9801200149	50-458 P
KING,R.J.	9801280103	50-458 Q
KING,R.J.	9801280174	50-458 P
KING,R.J.	9801290070	50-458 Q
KING,R.J.	9801290167	50-458 P
KING,T.L.	9801080190	50-247 S
KING,W.R.	9801140290*	PR
KINGSEED,J.	9801070226	50-315 S
KINGSEED,J.	9801070234	50-315 S
KINGSEED,J.	9801280276	50-316 S
KINGSEED,J.	9801290073	50-316 S
KINGSLEY,O.D.	9801120277	50-237 P
KINKEL,P.H.	9801020019	50-247 R
KINKEL,P.H.	9801140411	50-247 P
KINKEL,P.H.	9801200103	50-247 P
KINKEL,P.H.	9801220025	50-247 R
KINKEL,P.H.	9801220240	50-247 V
KINNEMAN,J.D.	9801140314	70-3061
KINNEMAN,J.D.	9801140416*	70-3061
KINNEMAN,J.D.	9801220054	70-3078
KINNEMAN,J.D.	9801280211	STATE PRO G
KIRKWOOD,A.S.	9801120274	NUREG
KIRSCH,D.	9801270155	50-529 S
KIRSCH,D.F.	9801020161	50-416 Q
KIRSCH,D.F.	9801020163	50-416 Q
KIRSCH,D.F.	9801060129	50-361 Q
KIRSCH,D.F.	9801280238	50-416 Q
KITZHABER,J.A.	9801300124*	COMMISSIO N
KLINE,C.	9801230272	PRM
KLINE,S.M.	9801090269	70-820
KLINGER,J.G.	9801220209	STATE PRO G
KLINGER,J.G.	9801220403	STATE PRO G
KNAPP,M.	9801160146*	PR
KNAPP,M.	9801160181*	PR
KNAPP,M.R.	9801070336	50-155 W
KNAPP,M.R.	9801070342*	50-155 W
KNAPP,M.R.	9801160050*	PR
KNIERIEM,B.	9801060156	50-311 S
KNIERIEM,B.	9801210136*	50-311 S
KNIERIEM,R.	9801230409*	50-272 S
KNIERIEM,R.	9801280189	50-272 S
KNIERIEM,R.B.	9801260429	50-272 R
KNIERIEM,R.B.	9801260470	50-311 R
KNIGHT,D.A.	9801260117	CONTRACT
KNOTTS,J.B.	9801230353	PR
KNUBEL,J.	9801020007	50-286 P
KNUBEL,J.	9801210310	50-286 P
KNUBEL,J.	9801300152	50-286 P
KOBIATA,K.A.	9801130037	50-255 R
KOCH,D.A.	9801260411*	50-387 R
KOFRON,K.L.	9801050080	50-454 S
KOFRON,K.L.	9801220043	50-454 R
KOH,B.	9801120036	40-8724
KONCHAN,D.	9801230180	PR
KOONTZ,C	9801150105	CONTRACT
KOS,M.F.	9801230449	PR
KOTHARI,C.M.	9801300211	REGGD
KOTTAN,J.	9801060154*	70-1100
KOTZALAS,M.	9801090037	50-285 P
KOUDELKA,M.B.	9801200028*	50-266 R
KOUDELKA,M.B.	9801200030*	50-266 R
KOVACH,T.J.	9801020014	PR
KOVACH,T.J.	9801200033	50-373 F
KOVAR,K.	9801050080	50-454 S
KOZAK,T.	9801210226	50-440 Q
KOZAK,T.J.	9801210247	50-346 Q
KOZAK,T.J.	9801270031	50-461 Q
KOZAK,T.J.	9801270205*	50-461 Q
KRAAN,B.C.P	9801260185	NUREG
KRAAN,B.C.P.	9801260178	NUREG
KRAFT,E.S.	9801050242	50-254 Q
KRAFT,E.S.	9801070201	50-254 S
KRAFT,E.S.	9801070212	50-254 Q
KRAFT,E.S.	9801080342	50-254 P
KRAFT,E.S.	9801080345	50-254 F
KRAFT,E.S.	9801160021	50-254 F
KRAFT,E.S.	9801270022	50-254 P
KRAFT,E.S.	9801280031	50-254 S
KRAFT,E.S.	9801280074	50-254 S
KRAFT,E.S.	9801280089	50-254 Q
KRAFT,E.S.	9801280107	50-254 Q
KRAFT,E.S.	9801290171	50-254 F
KREGER,W.E.	9801160175*	FOIA
KRIEGER,K.	9801220025	50-247 R
KRIEGER,R.W.	9801050311	50-206 S
KRIEGER,R.W.	9801050316*	50-206 S
KRIEGER,R.W.	9801070191	50-206 F
KRIEGER,R.W.	9801130071	50-361 S
KRIEGER,R.W.	9801130084*	50-361 S
KRIEGER,R.W.	9801130346	50-362 S
KRIEGER,R.W.	9801130351*	50-362 S
KRIEGER,R.W.	9801210078	50-361 S
KRIEGER,R.W.	9801210087*	50-361 S
KRIEGER,R.W.	9801220187	50-206 F
KRIEGER,R.W.	9801280274	50-362 S
KRIEGER,R.W.	9801290026*	50-362 S
KRIPKE,Z.	9801220229	50-206 H
KROCHAK,R.J.	9801230421	PR
KROT,A.	9801260066	PR
KRUEGER,J.B.	9801260373	PR
KUBIAK,M.J.	9801070185*	50-272 R
KUCERA,G.J.	9801200107	50-397 I
KUCZYNSKI,G.J.	9801080367	50-387 S
KUCZYNSKI,G.J.	9801260386	50-387 R
KUDRICK,J.	9801200223	50-263 P
KUENSTLER,W.K.	9801140361	CONTRACT
KUGLER,A.J.	9801120210	50-341 P
KUGLER,A.J.	9801280118	50-341 P
KURUP,P.	9801230408	PR
KURUP,P.	9801230426	PR
LABARGE,D.E.	9801060001	50-269 P
LABARGE,D.E.	9801200115	50-269 P
LABARGE,D.E.	9801200168	50-269 P
LABARGE,D.E.	9801210152	50-269 P
LABARGE,D.E.	9801260098	50-269 P
LABARGE,D.E.	9801270182	50-269 F
LABARGE,D.E.	9801280045	50-269 P
LABARGE,D.L.	9801200122	50-269 P
LABELLE,D.	9801270025*	50-324 P
LACOMBE,M.A.	9801230432	PR
LAINAS,G.C.	9801290216	ORG
LAKE,L.	9801020015*	50-354 P
LAL,R.	9801260118	PR
LAMB,J.E.	9801050180*	50-387 F
LAMM,F.	9801260044	PR
LAMPERT,M.E.	9801230264	PRM
LANDIS,K.D.	9801130049	50-335 Q
LANDIS,K.D.	9801220111	50-250 Q
LANGDON,J.	9801280124*	50-325 Q
LANGENBACH,J.	9801270065	50-289 P
LANGENBACH,J.W.	9801020003	50-289 Q
LANGENBACH,J.W.	9801020011	50-289 P
LANGENBACH,J.W.	9801060119	50-289 P
LANGENBACH,J.W.	9801140190	50-289 P
LANGENBACH,J.W.	9801210019	50-289 Q
LANGENBACH,J.W.	9801270096	50-289 P
LANGENBACH,J.W.	9801270101	50-320 P
LANKSBURY,R.D.	9801020068	50-331 Q
LANKSBURY,R.D.	9801270033	50-305 Q
LANNING,D.D.	9801120078	NUREG
LANNING,W.D.	9801270206	50-245 P
LAPORTE,R.M.	9801230418	PR
LARAMORE,G.E.	9801260291	PR
LARKINS,P.M.	9801230029	STATE PRO G
LARSEN,J.	9801050265*	70-925
LARSEN,J.	9801290197	70-925
LASH,J.H.	9801050195	50-346 S
LASH,J.H.	9801050261	50-346 S
LASH,J.H.	9801150100	50-346 R
LASH,J.H.	9801220179	50-346 S
LASH,J.H.	9801230434	50-346 S
LATER,M.M.	9801230173	72-22
LATER,M.M.	9801230173	72-22
LATER,M.M.	9801300191	72-22
LATER,M.M.	9801300191	72-22
LAUFER,R.	9801230339	50-305 P
LAUFER,R.J.	9801130030	50-305 P
LAUFER,R.J.	9801230356	50-305 P
LAUNI,C.M.	9801160132*	50-456 P
LAUX,J.V.	9801210057	50-483 Q
LAWRENCE,D.C	9801280176*	50-281 P
LAZORCIK,D.	9801220396	PRM
LEACH,M.	9801270080*	50-341 Q
LEACH,M.	9801300166	50-373 Q
LEACH,M.N.	9801210102	50-341 V
LEACH,M.N.	9801290055	50-237 V
LEAZAR,D.A.	9801140240	50-498 P
LEE,M.P.	9801280301*	WM
LEE,T.T.	9801220157	XPORTLIC
LEFEVRE,H.E.	9801210053	40-8989
LEGRAND,R.L.	9801070297	50-334 R
LEGRAND,R.L.	9801130101	50-334 S
LEGRAND,R.L.	9801160019	50-334 R
LEGRAND,R.L.	9801160020	50-334 S
LEGRAND,R.L.	9801160024	50-334 Q
LEIDER,H.R.	9801210017*	WM
LENHART,M.T.	9801070189*	50-293 S
LESAR,M.T.	9801140340*	PR
LESAR,M.T.	9801230022	PR
LESKO,J.R.	9801210231*	50-282 P
LESSER,M.	9801220188	50-269 Q
LESSER,M.S.	9801070128	50-413 S
LESSER,M.S.	9801130025	50-259 P
LESSER,M.S.	9801130152	50-327 V
LESSER,M.S.	9801130162	50-390 Q
LESSER,M.S.	9801210263	50-259 Q
LESSER,M.S.	9801220058	50-259 Q
LESTER,S.G.	9801260305	PR
LETTS,B.R.	9801150109*	50-271 P
LEVEILLE,J.	9801130383	50-282 S
LEVENTHAL,H.H.	9801260040	PR
LEVINE,J.M.	9801020170	50-528 P
LEVINE,J.M.	9801050050	50-528 P
LEVINE,J.M.	9801070174	50-528 P
LEVINE,J.M.	9801070333	50-528 K
LEVINE,J.M.	9801210044	50-528 P
LEVITT,S.H.	9801230387	PR
LEWIS,A.M.	9801260295	PR
LEWIS,M.I.	9801220346	PRM
LEWIS,S.H.	9801120274	NUREG
LIEBERMAN,J.	9801140248*	PR
LIEBERMAN,J.	9801140309	I&E
LIEBERMAN,J.	9801140321	50-245 Q
LIEBERMAN,J.	9801140376	50-289 Q
LIEBERMAN,J.	9801150114*	50-271 P
LIEBERMAN,J.	9801160047	50-309 Q
LIEBERMAN,J.	9801160143*	PR
LIEBERMAN,J.	9801200026*	PR
LIEBERMAN,J.	9801220176	40-8724
LIEBERMAN,J.	9801260131	50-261 Q
LIEBERMAN,J.	9801260405	I&E
LIEBERMAN,J.	9801260445	I&E
LIEBERMAN,J.	9801270134	I&E

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LIEBERMAN,J.	9801270137	50-458 Q
LIEBERMAN,J.	9801270139	70-1151
LIEBERMAN,J.	9801270144	I&E
LIEBERMAN,J.	9801270150	50-302 Q
LIEBERMAN,J.	9801270164	50-155 Q
LIEBERMAN,J.	9801270170	50-461 Q
LIEBERMAN,J.	9801280179	70-7001
LIEBERMAN,J.I.	9801140121*	COMMISSIO N
LIEBERMAN,J.I.	9801150016*	50-336 P
LIN,S.D.	9801220009*	50-416 R
LINDGREN,D.A.	9801140332*	52-3
LINEHAN,J.J.	9801050004*	FOIA
LINEHAN,J.J.	9801050037*	FOIA
LINEHAN,J.J.	9801050077*	FOIA
LINEHAN,J.J.	9801050141*	FOIA
LINEHAN,J.J.	9801060117*	FOIA
LINEHAN,J.J.	9801060148*	FOIA
LINEHAN,J.J.	9801060162*	FOIA
LINVILLE,J.C.	9801080036	50-272 Q
LINVILLE,J.C.	9801080133	50-354 Q
LINVILLE,J.C.	9801080137	50-354 Q
LINVILLE,J.C.	9801160030	50-272 Q
LIPARULO,N.J.	9801090187*	50-348 P
LIPARULO,N.J.	9801210148	TOPREP
LIPARULO,N.J.	9801290007*	TOPREP
LIPOTI,J.	9801280039	10CFR9.7
LOADHOLT,A.	9801090166	PROJ
LOBEL,R.	9801070141	REVIEW GR P
LOHAUS,K.M.	9801220213	STATE PRO G
LOHAUS,P.H.	9801050289	STATE PRO G
LOHAUS,P.H.	9801050380	STATE PRO G
LOHAUS,P.H.	9801050386	STATE PRO G
LOHAUS,P.H.	9801220250	STATE PRO G
LOHAUS,P.H.	9801220261	STATE PRO G
LOHAUS,P.H.	9801220267	STATE PRO G
LOHAUS,P.H.	9801220287	STATE PRO G
LOHAUS,P.H.	9801220308	STATE PRO G
LOHAUS,P.H.	9801220325	STATE PRO G
LOHAUS,P.H.	9801220378	STATE PRO G
LOUGHEED,V.P.	9801300173*	50-373 Q
LU,J.J.	9801230376	PR
LUBINSKI,J.	9801120269	NUREG
LUTHIGER,P.	9801070054	40-8905
LUTHIGER,P.	9801130091	40-8905
LUTZ,S.T.	9801230273	PR
LUTZ,T.	9801140216*	50-302 P
LUX,J.	9801140060	70-3073
LYASH,J.J.	9801090228	50-324 Q
LYNCH,D.M.	9801270234	50-456 P
LYNCH,M.D.	9801220233	TOPREP
LYNCH,M.D.	9801280007	50-454 P
LYNCH,M.D.	9801280012*	50-454 P
LYONS,J.E.	9801050229	50-338 P
LYONS,J.E.	9801130329	50-339 P
MAAS,L.J.	9801090002	70-1257
MAAS,L.J.	9801150020	50-374 S
MAAS,L.J.	9801150115	70-1257
MACDONALD,K.	9801260150	PR
MACE,M.	9801080334	CONTRACT
MACE,M.	9801120099	CONTRACT
MACE,M.	9801120108	CONTRACT
MACE,M.	9801120114	CONTRACT
MACE,M.	9801150123	CONTRACT
MACE,M.	9801270157	CONTRACT
MACE,M.H.	9801020153	CONTRACT
MACE,M.H.	9801050009	CONTRACT
MACE,M.H.	9801140345	CONTRACT
MACE,M.H.	9801140353	CONTRACT
MACE,M.H.	9801140361	CONTRACT
MACE,M.H.	9801160095	CONTRACT
MACE,M.H.	9801200075	CONTRACT
MACE,M.H.	9801210001	CONTRACT
MACE,M.H.	9801260154*	CONTRACT
MACE,M.H.	9801260157	CONTRACT
MACE,M.H.	9801260160	CONTRACT
MACE,M.H.	9801260164	CONTRACT
MACE,M.H.	9801260167	CONTRACT
MACE,M.H.	9801260301	CONTRACT
MACE,M.H.	9801260505	CONTRACT
MACE,M.H.	9801270010	CONTRACT
MACE,M.H.	9801270138	CONTRACT
MACE,M.H.	9801280113	CONTRACT
MACFARLAND,W.	9801260190	50-461 S
MACFARLAND,W.	9801280131	50-461 S
MACFARLAND,W.G.	9801130058	50-461 H
MACFARLAND,W.G.	9801130192	50-461 S
MACFARLAND,W.G.	9801220097	50-461 S
MACFARLAND,W.G.	9801280083	50-461 S
MACFARLAND,W.G.	9801280303	50-461 Q
MACFARLAND,W.G.	9801280333	50-461 S
MACKLIS,R.	9801260034	PR
MADERA,J.R.	9801280293	70-864
MADSEN,D.N.	9801060340	50-298 S
MAGRUDER,S.L.	9801140251	REVIEW GR P
MAGRUDER,S.L.	9801140311	REVIEW GR P
MAGRUDER,S.L.	9801140424	REVIEW GR P
MAGRUDER,S.L.	9801160001	REVIEW GR P
MAGRUDER,S.L.	9801220235	TOPREP
MAGRUM,E.	9801020153	CONTRACT
MAGRUM,E.	9801140345	CONTRACT
MALIN,D.	9801230308	50-315 S
MALLEN,F.H.	9801210301	50-498 R
MALSCH,M.G.	9801300164*	FOIA
MAMISH,N.	9801270134	I&E
MANGES,C.	9801140220*	50-354 S
MANN,M.	9801280365*	XPORTLIC
MAPLEY,S.R.	9801140044*	40-8767
MARCHI,M.L.	9801020145	50-305 Q
MARCHI,M.L.	9801160074	50-305 R
MARCHI,M.L.	9801280154	50-305 P
MARCO,C.L.	9801070303	72-22
MARCO,C.L.	9801080200	72-22
MARCO,C.L.	9801080268	72-22
MARCO,C.L.	9801230202	72-22
MARCO,G.L.	9801300190	72-22
MARCUSSEN,F.E.	9801050079	50-302 F
MARET,G.A.	9801050010	50-271 S
MARET,G.A.	9801160070	50-271 R
MARET,G.A.	9801220221	50-271 S
MARET,G.A.	9801220222	50-271 S
MARGER,D.	9801260069	PR
MARION,A.	9801140334*	REVIEW GR P
MARKETTE,K.L.	9801230106	PR
MARKOE,A.M.	9801230121	PR
MARKS,S.A.	9801080237	40-8968
MARSH,E.P.	9801280002*	40-2384
MARSHALL,F.M.	9801290081*	ORG
MARSHALL,G.N.	9801210211	50-280 R
MARSHALL,S.R.	9801050373*	STATE PRO G
MARTIN,L.E.	9801150106	50-498 Q
MARTIN,L.E.	9801210108	50-498 P
MARTIN,R.E.	9801220317	50-390 P
MARTIN,T.T.	9801200109	REVIEW GR P
MARTINEZ,G.M.	9801120086	NUREG
MARVEL,J.E.	9801260281	PR
MARYMONT,M.H.	9801230439	PR
MASNIK,M.T.	9801270189	50-29 W
MASON,D.K.	9801210211	50-280 R
MATAKAS,R.A.	9801150058*	FOIA
MATAKAS,R.A.	9801150065*	50-271 P
MATRANGA,E.C.	9801150100	50-346 R
MATTHEWS,D.B.	9801220130*	I&E
MATTHEWS,W.R.	9801160049	50-338 F
MATTHEWS,W.R.	9801220015	50-338 R
MATTIA,M.	9801280052	10CFR9.7
MATTY,R.M.	9801210220	50-352 P
MAY,R.	9801130303*	TOPREP
MAYNARD,O.L.	9801020111	50-482 P
MAYNARD,O.L.	9801050388	50-482 Q
MAYNARD,O.L.	9801220135	50-482 P
MAYS,S.E.	9801280077	ORG
MAZZAFERRO,P.A.	9801050326	50-220 S
MCALPINE,E.J.	9801130027	70-1201
MCALPINE,E.J.	9801210280	70-27
MCALPINE,E.J.	9801280267	70-1113
MCALPINE,E.J.	9801280269*	70-1113
MCANULTY,M.C.	9801220081*	70-3078
MCANULTY,M.W.	9801160073	50-348 R
MCBURNETT,M.A.	9801280291	50-498 P
MCCARTHY,J.H.	9801280175	50-281 P
MCCARTHY,J.H.	9801280287	50-280 J
MCCLANAHAN,S.	9801230219	50-282 Y
MCCOLLUM,W.R.	9801020094	50-269 P
MCCOLLUM,W.R.	9801050148	50-269 P
MCCOLLUM,W.R.	9801050222	50-269 P
MCCOLLUM,W.R.	9801060213	50-269 Q
MCCOLLUM,W.R.	9801070071	50-269 F
MCCOLLUM,W.R.	9801080227	50-269 P
MCCOLLUM,W.R.	9801140073	50-269 P
MCCOLLUM,W.R.	9801140160	50-269 P
MCCOLLUM,W.R.	9801160119	50-269 S
MCCOLLUM,W.R.	9801200055	50-269 F
MCCOLLUM,W.R.	9801220159	50-269 Q
MCCOLLUM,W.R.	9801230093	50-269 Q
MCCOLLUM,W.R.	9801260107	50-269 Y
MCCOLLUM,W.R.	9801260125	50-269 P
MCCOLLUM,W.R.	9801270067	50-269 F
MCCOLLUM,W.R.	9801280150	50-269 Q
MCCOLLUM,W.R.	9801290090	50-269 P
MCCOY,C.K.	9801060125	50-424 P
MCCOY,C.K.	9801130276	50-424 Q
MCCOY,C.K.	9801160083	50-424 R
MCCOY,C.K.	9801220212	50-424 P
MCCOY,C.K.	9801260450	50-424 Q
MCCOY,C.K.	9801270208	50-424 P
MCCOY,C.K.	9801280220	50-424 P
MCCOY,M.K.	9801290001	50-424 P
MCCUBBIN,S.	9801230241	CONTRACT
MCDANIEL,W.M.	9801280096	71-9033
MCDONALD,D.G.	9801090019	50-245 H
MCDONALD,D.G.	9801120214	50-336 P
MCDONALD,D.G.	9801140070	50-336 P
MCDONALD,D.G.	9801140089*	50-336 P
MCDONALD,D.G.	9801150025	50-336 P
MCDONALD,D.G.	9801230001	50-336 P
MCDONALD,D.G.	9801290128	50-336 P
MCDONOUGH,E.F.	9801230015	XPORTLIC
MCELWAIN,J.P.	9801020110	50-245 Q
MCELWAIN,J.P.	9801020117	50-423 P
MCELWAIN,J.P.	9801140224	50-423 P
MCELWAIN,J.P.	9801140386	50-245 P
MCELWAIN,J.P.	9801200037	50-245 P
MCELWAIN,J.P.	9801220372	50-423 P
MCELWAIN,J.P.	9801230291	50-423 P
MCGAFFIGAN,E.	9711190191*	COMMISSIO N
MCGAFFIGAN,E.	9801090027*	COMMISSIO N
MCGAFFIGAN,E.	9801220224*	COMMISSIO N
MCGAFFIGAN,E.	9801260175	COMMISSIO N
MCGAFFIGAN,E.	9801260192*	COMMISSIO N
MCGAFFIGAN,E.	9801290024*	COMMISSIO N
MCGAFFIGAN,E.	9801300206*	COMMISSIO N
MCGARRY,J.M.	9801150066	50-309 Q
MCGARRY,J.M.	9801150066	50-309 Q
MCGIFF,T.	9801280329*	70-3061
MCGINTY,T.J.	9801060044	72-1015
MCGIVERN,M.	9801220186	NUREG
MCGOVERN,J.J.	9801290204	50-54 W
MCGRAW,D.	9801020017	ORG
MCGUIRE,S.A.	9801120148	REGGD
MCHALE,J.B.	9801130046*	50-295 S
MCINTRYRE,B.A	9801140047	52-3
MCINTYRE,B.A.	9801080315	52-3
MCINTYRE,B.A.	9801080321*	52-3
MCINTYRE,B.A.	9801130053	52-3
MCINTYRE,B.A.	9801130110	52-3
MCINTYRE,B.A.	9801130120	52-3
MCINTYRE,B.A.	9801130160	52-3
MCINTYRE,B.A.	9801130177	52-3
MCINTYRE,B.A.	9801130223	52-3
MCINTYRE,B.A.	9801140042	52-3
MCINTYRE,B.A.	9801140081	52-3
MCINTYRE,B.A.	9801140124	52-3
MCINTYRE,B.A.	9801140150	52-3
MCINTYRE,B.A.	9801140157	52-3
MCINTYRE,B.A.	9801140171	52-3
MCINTYRE,B.A.	9801140182	52-3
MCINTYRE,B.A.	9801140328	52-3
MCINTYRE,B.A.	9801140332*	52-3
MCINTYRE,B.A.	9801150055	52-3
MCINTYRE,B.A.	9801230006	52-3
MCINTYRE,B.A.	9801230138	52-3
MCINTYRE,B.A.	9801230146	52-3
MCINTYRE,B.A.	9801230153	52-3
MCINTYRE,B.A.	9801230156	52-3
MCINTYRE,B.A.	9801230160	52-3
MCINTYRE,B.A.	9801230174	52-3
MCINTYRE,B.A.	9801230223	52-3
MCINTYRE,B.A.	9801260077	52-3
MCINTYRE,B.A.	9801270062	52-3
MCINTYRE,B.A.	9801270107	52-3
MCINTYRE,B.A.	9801280063	52-3
MCINTYRE,B.A.	9801280108	52-3
MCINTYRE,B.A.	9801280194	52-3
MCINTYRE,B.A.	9801280203	52-3
MCINTYRE,B.A.	9801280205	52-3
MCINTYRE,B.A.	9801300041	52-3
MCINTYRE,B.A.	9801300047	52-3
MCKAGUE,H.L.	9801300098*	WM
MCKENNA,E.M.	9801090165	REVIEW GR P
MCKENNA,E.M.	9801280080	REVIEW GR P
MCKIBBEN,J.C.	9801150048	50-186 Q
MCKIBBEN,J.C.	9801150136	50-186 S
MCKIBBEN,J.C.	9801280340	50-186 Q
MCKIBBEN,J.C.	9801290017	50-186 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MCLAUGHLIN,J.	9801260296	70-1426
MCMAMAMON,F.P.	9801200161*	ORG
MCMEEKIN,T.C.	9801130334*	50-369 P
MCMILLAN,D.L.	9801070010*	50-461 S
MCNUTT,G.W.	9801230192	PRM
MEALOR,R.S.	9801230317	PR
MEARSE,S.	9801160100	CONTRACT
MEARSE,S.	9801230148	CONTRACT
MEARSE,S.	9801270153	CONTRACT
MEARSE,S.D.	9801080261	CONTRACT
MEARSE,S.D.	9801080372	CONTRACT
MEARSE,S.D.	9801080390	CONTRACT
MEARSE,S.D.	9801090042	CONTRACT
MEARSE,S.D.	9801090251	CONTRACT
MEARSE,S.D.	9801140104	CONTRACT
MEARSE,S.D.	9801140352	CONTRACT
MEARSE,S.D.	9801200066	CONTRACT
MEARSE,S.D.	9801200067	CONTRACT
MEARSE,S.D.	9801200141	CONTRACT
MEARSE,S.D.	9801260242	CONTRACT
MEARSE,S.D.	9801260476	CONTRACT
MEARSE,S.D.	9801260486	CONTRACT
MEARSE,S.D.	9801260492	CONTRACT
MEARSE,S.D.	9801260501	CONTRACT
MEARSE,S.D.	9801280026	CONTRACT
MEARSE,S.D.	9801290061	CONTRACT
MEARSE,S.D.	9801300036	CONTRACT
MEARSE,S.D.	9801300044	CONTRACT
MEARSE,S.D.	9801300053	CONTRACT
MEARSE,S.D.	9801300226	CONTRACT
MEARSE,S.D.	9801300235	CONTRACT
MEARSE,S.D.	9801300237	CONTRACT
MECREDY,R.C.	9801020155	50-244 P
MECREDY,R.C.	9801050006	50-244 P
MECREDY,R.C.	9801050023	50-244 P
MECREDY,R.C.	9801140043	50-244 P
MECREDY,R.C.	9801140115	50-244 P
MECREDY,R.C.	9801220289	50-244 P
MECREDY,R.C.	9801220365	50-244 S
MECREDY,R.C.	9801230068	50-244 F
MECREDY,R.C.	9801230117	50-244 P
MECREDY,R.C.	9801280222	50-244 F
MECREDY,R.C.	9801280224	50-244 F
MEDBERY,C.A.	9801260023	PR
MEHTA,H.	9801280173*	50-321 P
MEHTA,Y.	9801230354	PR
MEHTA,Y.	9801230359	PR
MEISNER,M.J.	9801050020	50-309 Q
MEISNER,M.J.	9801280213	50-309 J
MELLOR,R.A.	9801050041	50-213 W
MELLOR,R.A.	9801050047	50-213 W
MELLOR,R.A.	9801210165	50-213 R
MELLOR,R.A.	9801280278	50-213 V
MENDONCA,M.M.	9801050166	50-160 G
MENDONCA,M.M.	9801060230	50-113 P
MENDONCA,M.M.	9801200116	50-27 P
MENDONCA,M.M.	9801200293	50-407 P
MENDONCA,M.M.	9801270209	50-30 P
MENDRALA,C.L.	9801300156*	50-286 P
MEREDITH,R.F.	9801260238	PR
MERSCHOFF,E.W.	9801050346	50-458 Q
MERSCHOFF,E.W.	9801070274	50-382 Q
MERSCHOFF,E.W.	9801120131	50-445 Q
MERSCHOFF,E.W.	9801120136	50-498 Q
MERSCHOFF,E.W.	9801120254	50-445 Q
MERSCHOFF,E.W.	9801220156	50-382 Q
MERSCHOFF,E.W.	9801230361	50-445 Q
MERSCHOFF,E.W.	9801260243	50-361 Q
MERSCHOFF,E.W.	9801300040	50-361 Q
METZLER,D.R.	9801230316	WM
METZLER,D.R.	9801260339	WM
MEYER,D.L.	9801130404*	PR
MEYER,D.L.	9801140062*	PR
MEYER,D.L.	9801140282*	PR
MEYER,D.L.	9801160036*	PR
MEYER,D.L.	9801160191*	PR
MEYER,G.W.	9801050170	50-334 V
MEYER,G.W.	9801090290	50-352 V
MEYER,G.W.	9801090296	50-334 V
MEYER,G.W.	9801160045	50-317 V
MEYER,G.W.	9801160055*	50-317 V
MEYER,G.W.	9801160109	50-334 V
MEYER,J.T.	9801260058	PR
MEYER,J.T.	9801260173	PR
MEYER,W.A.	9801150136	50-186 S
MEYER,W.A.	9801290017	50-186 P
MEYERS,J.	9603210422*	FOIA
MICHAELS,T.S.	9801150193	50-223 P
MICHAELS,T.S.	9801270172	50-22 P
MICHEALS,T.S.	9801150197	50-223 P
MICKELSON,S.R.	9801290010	50-282 P
MIDDLESWORTH,V.	9801020115	50-331 S
MIKE,T.M.	9801280317*	70-3061
MIKE,T.M.	9801280322*	70-3061
MILANO,P.D.	9801130264	50-272 P
MILANO,P.D.	9801130372	50-272 P
MILANO,P.D.	9801140016	50-272 P
MILANO,P.D.	9801260307	50-272 P
MILES,B.K.	9801090009	ORG
MILLER,D.L.	9801230434	50-346 S
MILLER,H.J.	9801090241	50-220 Q
MILLER,H.J.	9801150003	50-334 Q
MILLER,H.J.	9801200005	50-387 Q
MILLER,H.J.	9801220139	50-271 Q
MILLER,H.J.	9801230167*	50-272 P
MILLER,H.J.	9801280128	50-220 Q
MILLER,J.H.	9801050275	70-7001
MILLER,J.H.	9801060013	70-7002
MILLER,J.H.	9801060112	70-7002
MILLER,J.H.	9801060114	70-7001
MILLER,J.H.	9801060136	70-7002
MILLER,J.H.	9801070029	70-7002
MILLER,J.H.	9801070111	70-7002
MILLER,J.H.	9801070244	70-7001
MILLER,J.H.	9801070254*	70-7001
MILLER,J.H.	9801090254	70-7002
MILLER,J.H.	9801090259	70-7001
MILLER,J.H.	9801120033	70-7001
MILLER,J.H.	9801130232	70-7002
MILLER,J.H.	9801160102	70-7002
MILLER,J.H.	9801230207	70-7001
MILLER,J.H.	9801300213	71-832
MILLER,J.M.	9801140198	70-7001
MIMS,D.C.	9801020061	50-313 Q
MIMS,D.C.	9801020079	50-313 R
MIMS,D.C.	9801080081*	50-313 Q
MIMS,D.C.	9801130055	50-368 R
MIMS,D.C.	9801140080	50-313 P
MIMS,D.C.	9801220040	50-313 R
MIMS,D.C.	9801270102	50-313 Q
MINOR,J.W	9801140266*	50-316 R
MINOR,J.W.	9801140246	50-315 R
MIRAGLIA,F.J.	9801050266*	50-457 P
MIRAGLIA,F.J.	9801220386	50-443 G
MIRAGLIA,F.J.	9801220390*	50-443 G
MIRAGLIA,F.J.	9801280055*	50-454 P
MITCHELL,M.	9801200082	40-*****
MITCHELL,M.W.	9801120276	NUREG
MITCHELL,T.N.	9801230386	50-277 R
MITTAL,B.B.	9801230351	PR
MOBLEY,M.H.	9801050328	STATE PRO G
MODEEN,D.J.	9801070314	PR
MODEEN,D.J.	9801210209	TOPREP
MODES,M.C.	9801050174	50-387 F
MOECKEL,K.	9801070164	72-1007
MOECKEL,K.	9801070215	72-1007
MOECKEL,K.	9801260268	72-1007
MOELLER,C.R.	9801160018	50-298 S
MOELLER,D.	9801200269*	WM
MOFFITT,S.P.	9801200291*	50-440 P
MONAGHAN,T.W.	9801260014	PR
MONIAK,D.	9801300146*	FOIA
MONSON,K.J.	9801260005	PR
MOON,S.D.	9801260183	PR
MOORE,T.A.	9801130359	50-352 S
MOORE,T.A.	9801280289*	50-352 S
MOORE,T.N.	9801230397	PR
MOREY,D.	9801080314	50-348 P
MOREY,D.	9801080332	50-348 P
MOREY,D.	9801090059	50-348 P
MOREY,D.	9801090061	50-348 P
MOREY,D.	9801090182	50-348 P
MOREY,D.	9801130265	50-348 P
MOREY,D.	9801160073	50-348 R
MOREY,D.	9801210062	50-348 F
MOREY,D.	9801270095	50-348 P
MOREY,D.	9801290093	50-348 P
MOREY,D.N.	9801210075	50-348 P
MORGAN,J.	9801260213	70-7002
MORGAN,J.B.	9801050026	70-7002
MORGAN,J.B.	9801050105	70-7002
MORGAN,J.B.	9801130260	70-7002
MORGAN,J.B.	9801210065	70-7002
MORGAN,J.B.	9801280300	70-7002
MORGAN,R.	9801230231*	40-8968
MORRIS,B.M.	9801130419*	PR
MORRISON,D.L.	9801130414*	PR
MORRISON,D.L.	9801140122*	PR
MORRISON,D.L.	9801140128*	PR
MORRISON,D.L.	9801140199*	PR
MORRISON,D.L.	9801140207*	PR
MORRISON,D.L.	9801140284*	PR
MORRISON,D.L.	9801140310*	PR
MORRISON,D.L.	9801160186*	PR
MORRISON,D.L.	9801200019*	PR
MOWREY,C.L.	9801220010	50-250 R
MOXLEY,M.	9801150042	40-4492
MOYER,J.W.	9801140112	50-261 S
MOZAFARI,B.L.	9801140027	50-354 P
MUDD,K.J.	9801230136	PR
MUENCH,R.A.	9801020093	50-482 P
MUENCH,R.A.	9801220239	50-482 P
MULLEN,J.R.	9801230170	PR
MULLEY,M.	9801220377	PRM
MUNRO,J.	9801280230*	50-395 V
MURATA,K.K.	9801120086	NUREG
MURPHY,C.	9801230265*	40-8968
MURRAY,B.	9801050350	50-528 Q
MURRAY,B.	9801070252	50-313 Q
MURRAY,B.	9801070261	50-275 Q
MURRAY,B.	9801070263	50-275 Q
MURRAY,B.	9801070281	50-361 Q
MURRAY,B.	9801130029	50-498 F
MURRAY,B.	9801140137	50-483 F
MURRAY,B.	9801140147	50-397 Q
MURRAY,B.	9801200058	50-416 F
MURRAY,B.	9801200294	50-482 Q
MURRAY,B.	9801210006	50-361 Q
MURRAY,B.	9801220247	50-445 Q
MURRAY,B.	9801220253	50-397 Q
MURRAY,B.	9801220337	50-382 F
MURRAY,B.	9801270220	50-275 Q
MURRAY,B.	9801270225*	50-275 Q
MURRAY,B.	9801280101	50-361 F
MURRAY,B.	9801280152	50-382 Q
MURRAY,B.	9801280229	50-482 Q
MURRAY,B.	9801280370	50-458 F
MURRAY,B.	9801300037	50-483 P
MURRELL,B.	9801020115	50-331 S
MYERS,D.E.	9801260215	PR
MYERS,L.W.	9801130230	50-440 P
MYERS,L.W.	9801200287	50-440 P
MYERS,L.W.	9801210106	50-440 R
MYERS,L.W.	9801210246	50-440 P
MYERS,L.W.	9801220004	50-440 Q
MYERS,L.W.	9801220262	50-440 Q
MYERS,L.W.	9801230393	50-440 S
MYERS,L.W.	9801280093	50-440 S
MYERS,L.W.	9801280282	50-440 P
NACHTWAY,J.	9801260411*	50-387 R
NAG,S.	9801260010	PR
NAGEL,D.B.	9801230405	PR
NARDI,A.J.	9801060146	40-8976
NARDI,A.J.	9801080376	50-22 P
NARDI,A.J.	9801210273	70-1151
NARDI,A.J.	9801220023*	40-8976
NARDI,A.J.	9801220030	40-8976
NARDI,A.J.	9801260236	70-1151
NARDI,J.A.	9801280372	50-22 R
NARDONE,P.E.	9801210177	50-443 R
NASER,J.	9801130295	TOPREP
NAVRATIL,G.J.	9801210022*	50-289 Q
NEGLIA,W.J.	9801260137	PR
NEIDER,T	9801090081	71-9015
NEIDER,T.	9801090087	71-9015
NEIDER,T.	9801290111*	72-*****
NEIDER,T.	9801300135	72-*****
NEIDER,T.J.	9801290103	72-*****
NELSON,D.	9801270150	50-302 Q
NELSON,D.	9801270170	50-461 Q
NELSON,F.G.	9801070288	72-22
NELSON,R.A.	9801140341	ORG
NERSES,V.	9801120273	50-369 P
NERSES,V.	9801290123	50-387 P
NEUHAUSER,K.S.	9801050129*	FOIA
NEWBURGH,G.	9801220318	50-245 R
NEWTON,T.H.	9801260070	50-20 P
NGAI,J.Y.	9801090042	CONTRACT
NICHOLS,D.C.	9801230433	PR
NICHOLS,D.C.	9801230433	PR
NICHOLS,T.D.	9801260071	PR
NICKERSON,D.B.	9801080224	PR
NIGH,S.S.	9801230422	PR
NINH,S.	9801230429	50-302 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
NISSLEY,J.	9801220379	PRM
NOBLE,D.	9801230332	50-316 S
NOLAN,R.H.	9801020017	ORG
NORDSTROM,D.G.	9801260203	PR
NORTON,L.J.	9801160196*	PR
NOSS,D.L.	9801220211	XPORTLIC
NOSS,D.L.	9801220217*	XPORTLIC
NOVAK,L.J.	9801260253	PR
NOWLEN,S.	9801220327*	50-390 P
NOWLEN,S.	9801220336*	50-390 P
NOWLEN,S.	9801220341*	50-390 P
NUESCH,C.E.	9801260074	PR
NUNN,D.	9801130363*	50-361 P
NUNN,D.	9801130378	50-361 P
NUNN,D.	9801130386*	50-361 P
NUNN,D.	9801130406*	50-361 P
NUNN,D.E.	9801050370	50-361 Q
NUNN,D.E.	9801090153	50-361 P
NUNN,D.E.	9801090159*	50-361 P
NUNN,D.E.	9801130285	50-361 Q
NUNN,D.E.	9801130349	50-361 P
NUNN,D.E.	9801130403	50-361 P
NUNN,D.E.	9801290110	50-206 F
NUNN,D.E.	9801300072	50-361 K
O'BRIEN,K.G.	9801270119	50-373 Q
O'CONNOR,T.P.	9801260163	PR
O'HANLON,J.P.	9801020023	50-280 P
O'HANLON,J.P.	9801020041	50-280 P
O'HANLON,J.P.	9801060160	50-280 P
O'HANLON,J.P.	9801160087	50-280 F
O'HANLON,J.P.	9801160142	NUREG
O'HANLON,J.P.	9801220136	50-280 Q
O'HANLON,J.P.	9801220272	50-280 P
O'HANLON,J.P.	9801230229	PRM
O'HANLON,J.P.	9801270034	50-280 Q
O'HARA,T.F.	9801270090*	50-423 P
O'KELLY,S.	9801290068	50-128 P
O'NEILL,M.W.	*9801200072*	*CONTRACT*
O'RILEY,S.P.	9801260201*	50-461 S
OGLE,C.R.	9801130073	50-269 Q
OGLE,C.R.	9801220080	50-269 P
OGLE,C.R.	9801220082	50-369 Q
OGLE,C.R.	9801220100	50-269 P
OGLE,C.R.	9801220268	50-269 Q
OHEIM,H.V.	9801050086	50-293 P
OHEIM,H.V.	9801070015	50-293 S
OHEIM,H.V.	9801070051	50-293 Q
OHEIM,H.V.	9801130310	50-293 S
OKUNIEFF,P.	9801230222	PR
OKVIST,E.	9801200251	71-6613
OKVIST,E.	9801200255	71-9166
OLESON,J.R.	9801230427	PR
OLIVIER,L.J.	9801050070	50-293 S
OLIVIER,L.J.	9801070172	50-293 S
OLIVIER,L.J.	9801210076	50-293 S
OLIVIER,L.J.	9801210103	50-293 Q
OLIVIER,L.J.	9801210181	50-293 S
OLIVIER,L.J.	9801220274	50-293 Q
OLMSTEAD,W.J.	9801160112*	PR
OLSEN,A.F.	9801080210	71-5149
OLSEN,H.O.	9801210269	50-317 R
ORLANDO,D.A.	9801050112	WM
ORLANDO,T.	9801260417	50-286 R
ORNDORF,D.A.	9801070297	50-334 R
ORNITZ,R.D.	9801230436	PR
OROGVANY,C.S.	9801200291*	50-440 P
ORRIS	9801150067*	50-271 P
ORTCIGER,T.W.	9801220402	PRM
OSBORN,M.S.	9801230292	PRM
OSSI,P.B.	9801260211	PR
OSTENSO,A.	9801130303*	TOPREP
OSTROWSKI,S.	9801270099*	50-373 S
OVERBECK,G.R.	9801020127	50-528 P
OVERBECK,G.R.	9801220031	50-528 R
OVERBECK,G.R.	9801220371	50-528 V
OWENS,D.T.	9801230440	PR
OWENS,J.E.	9801200076	50-416 S
PACELLA,M.A.	9801260017	PR
PADOVAN,L.M.	*9801060269**	*50-462 S*
PADUANO,H.N.	9801050228	50-250 I
PAESSUN,R.J.	9801230367	PR
PAINTER,C.L.	9801120078	NUREG
PALMISANO,T.J.	9801140203	50-255 P
PALMISANO,T.J.	9801290138	50-255 Q
PANICKER,R.	9801220232	50-219 S
PAPERIELLO,C.	9801280141	ORG
PAPERIELLO,C.	9801280206*	40-8989
PAPERIELLO,C.J.	9801050008*	FOIA
PAPERIELLO,C.J.	9801050011*	FOIA
PAPERIELLO,C.J.	9801060188	70-7002
PAPERIELLO,C.J.	9801060195*	70-7002
PAPERIELLO,C.J.	9801060280*	50-317 P
PAPERIELLO,C.J.	9801070245	ORG
PAPERIELLO,C.J.	9801120260	70-7002
PAPERIELLO,C.J.	9801130407	40-8989
PAPERIELLO,C.J.	9801140041*	PR
PAPERIELLO,C.J.	9801140064	70-7002
PAPERIELLO,C.J.	9801140231*	PR
PAPERIELLO,C.J.	9801160010*	PR
PAPERIELLO,C.J.	9801200135	ORG
PAPERIELLO,C.J.	9801230008	ORG
PAPERIELLO,C.J.	9801280145	ORG
PAPERIELLO,C.J.	9801280151	WM
PAPERIELLO,C.J.	9801280281	ORG
PAPERIELLO,C.J.	9801290181	70-7001
PAPERIELLO,C.J.	9801290184*	70-7001
PARK,J.	9801090126	40-8698
PARKER,R.	9801260403	PR
PARKER,T.	9801060259*	50-263 S
PARKER,T.	9801220238*	50-263 S
PARRISH,J.V.	9801060222	50-397 P
PARRISH,J.V.	9801130225	50-397 P
PARRISH,V.	9801200107	50-397 I
PARTRIDGE,W.	9801140365	CONTRACT
PASSETTI,W.A.	9801050377	STATE PRO G
PASSWATER,A.C.	9801200262	50-483 H
PASSWATER,A.C.	9801220322	50-483 P
PASSWATER,A.C.	9801270026	50-483 P
PAST,L.R.	9801230375	PR
PASTIS,H.N.	9801130283	50-245 P
PASTIS,H.N.	9801130316	50-245 P
PASUPATHI,V.	9801210021*	WM
PATEL,C.P.	9801060276	50-382 P
PATEL,C.P.	9801060279*	50-382 P
PATEL,C.P.	9801120189	50-382 P
PATEL,C.P.	9801130127*	50-382 P
PATEL,C.P.	9801130257	50-382 P
PATEL,C.P.	9801230295	50-382 P
PATEL,C.P.	9801230298*	50-382 P
PATRICK,W.C.	9801260266*	WM
PATTERSON,J.D.	9801070199	50-199 R
PAULSON,O.	9801230269	40-8584
PAULSON,O.	9801230321	40-8584
PAUSTIAN,H.H.	9801220037	50-263 R
PAYTON,V.	9801140374	STATE PRO G
PAYTON,V.	*9801210262*	*50-445 H*
PEARCE,L.W.	9801020046	50-265 P
PEARSON,D.	9801060120	STATE PRO G
PECKHAM,M.F.	9801060340	50-298 S
PECKHAM,M.F.	9801070013	50-298 S
PECKHAM,M.F.	9801160018	50-298 S
PECKHAM,M.F.	9801210294	50-298 R
PEDERSON,C.D.	9801140040	40-8767
PEDERSON,C.D.	9801210096	QA999
PEDERSON,C.D.	9801280177	QA999
PEEBLES,T.A.	9801220019	50-269 V
PEEBLES,T.A.	9801220062	50-297 V
PEEBLES,T.A.	9801220064	50-395 V
PEEBLES,T.A.	9801220070	50-424 V
PEEBLES,T.A.	9801220074	50-413 V
PEEBLES,T.A.	9801220078	50-400 V
PEEBLES,T.A.	9801220079	50-259 V
PEEBLES,T.A.	9801220090	50-280 V
PEEBLES,T.A.	9801220092	50-321 V
PEEBLES,T.A.	9801220094	50-250 V
PEEBLES,T.A.	9801220108	50-269 V
PEEBLES,T.A.	9801220115	50-369 V
PEEBLES,T.A.	9801220173	ORG
PEEBLES,T.A.	9801220241	50-261 V
PEEBLES,T.A.	9801220244	50-348 V
PEEBLES,T.A.	9801280164	50-324 V
PEEBLES,T.A.	9801280228	50-395 V
PEEBLES,T.A.	9801280230*	50-395 V
PEELE,B.L.	9801050150*	50-269 P
PEELE,B.L.	9801050230*	50-269 P
PEELE,B.L.	9801140164*	50-269 P
PELIZZA,M.S.	9801300212*	40-8968
PELLEGRINO,L.	9801270010	CONTRACT
PELLET,J.L.	9801140037	50-483 P
PELLET,J.L.	9801230345	50-275 V
PERCARPIO,B.	9801230127	PR
PEREZ-TAMAYO,C.	9801230441	PR
PERKINS,K.E.	9801150213*	50-461 Q
PERKL,R.H.	9801050009	CONTRACT
PERMAN,R.C.	9801200275*	WM
PERMAN,R.C.	9801210005*	WM
PEROCK,J.D.	9801300125*	50-499 P
PERQUE,G.P.	9801150117*	50-382 F
PESCHEL,J.M.	9801050334	50-443 S
PESCHEL,J.M.	9801160031	50-443 F
PESCHEL,J.M.	9801230325	50-443 S
PETERSON,C.	9801020031*	50-254 S
PETERSON,C.	9801020040*	50-265 S
PETERSON,C.	9801050293*	50-254 S
PETERSON,C.	9801140092*	50-254 S
PETERSON,C.	9801160051*	50-254 S
PETERSON,C.	9801260484*	50-254 S
PETERSON,C.	9801280048*	50-254 S
PETERSON,C.	9801280081*	50-254 S
PETERSON,G.R.	9801070129	50-413 Q
PETERSON,G.R.	9801070136	50-413 Q
PETERSON,G.R.	9801070257	50-413 S
PETERSON,G.R.	9801220291	50-413 P
PETERSON,G.R.	9801260170	50-413 S
PETERSON,G.R.	9801260302	50-413 Q
PETERSON,G.R.	9801280070	50-413 P
PETERSON,N.K.	9801140265	50-341 F
PETERSON,N.K.	9801210169	50-341 R
PETERSON,N.K.	9801230105	PR
PETERSON,N.K.	9801230226	50-341 H
PETERSON,P.M.	9801060075*	50-302 S
PETERSON,P.M.	9801090115*	50-302 S
PETERSON,P.M.	9801090232*	50-302 S
PETERSON,P.M.	9801200151*	50-302 S
PETERSON,P.M.	9801210095*	50-302 S
PETRUNICH,P.S.	9801090106*	50-361 P
PETTY,A.M.	9801230416	PR
PEVELER,K.E.	9801020026	50-331 P
PEVELER,K.E.	9801070043	50-331 P
PEVELER,K.E.	9801160015	50-331 P
PEVELER,K.E.	9801220338	50-331 P
PEVELER,K.P.	9801130077	50-331 P
PHILLIPS,E.B.	9801280197	PRM
PHOENIX,E.O.	*9801220373*	*PRM*
PICCONE,J.M.	9801160162*	PRM
PIERSON,R.C.	9801270185	70-7001
PIERSON,R.C.	9801270216	70-7001
PIERSON,R.C.	9801270219	70-7001
PIETRANGELO,A.	9801200273	NUREG
PILLMORE,D.M.	9801200288	40-9024
PINCUS,M.H.	9801260289	PR
PLASSE,R.A.	9801220305	50-333 S
PLUISTER,J.W.	9801090257	STATE PRO G
PLUNKETT,T.F.	9801140201	50-335 Q
PLUNKETT,T.F.	9801220117	50-335 Q
POGUE,J.E.	9801260235	50-259 F
POLFLEIT,P.S.	9801220326	50-244 F
POLICH,T.J.	9801060016	50-275 P
POLICH,T.J.	9801120176	50-445 P
POLICH,T.J.	9801120186*	50-445 P
POLICH,T.J.	9801130292	50-445 P
POLLOCK,J.	9801230443	PR
POLOSKI,J.P.	9801280280*	ORG
POLSTON,S.	9801050332	70-7001
POLSTON,S.	9801200144	70-7001
POLSTON,S.	9801280209	70-7001
POLSTON,S.	9801280210	70-7001
POLSTON,S.	9801300180	70-7001
POOL,S.	9801260117	CONTRACT
POOL,S.M.	9801080030	CONTRACT
POOL,S.M.	9801080301	CONTRACT
POOL,S.M.	9801080338	CONTRACT
POOL,S.M.	9801080369	CONTRACT
POOL,S.M.	9801090001	CONTRACT
POOL,S.M.	9801150105	CONTRACT
POOL,S.M.	9801230312	CONTRACT
PORTZLINE,S.D.	9801220407	PRM
PORTZLINE,S.D.	9801230024	PRM
POTEATE,B.	9801270028*	50-324 P
POWELL,D.R.	9801150052	50-272 F
POWELL,D.R.	9801210131	50-311 S
POWELL,D.R.	9801270125	50-272 F
POWELL,R.	9801060011	FOIA
POWELL,R.	9801140333	FOIA
POWELL,R.	*9801150056*	*50-309 W*
POWELL,R.A.	9712310297	50-271 Q
POWELL,R.A.	9801050001	FOIA
POWELL,R.A.	9801140391	50-213 P
POWELL,R.A.	9801150046	50-271 P
POWELL,R.A.	9801150130	FOIA
POWELL,R.A.	9801150218	FOIA
POWELL,R.A.	9801160164	50-289 P
POWELL,R.A.	9801210039	FOIA
POWELL,R.A.	9801230063	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
POWELL,R.A.	9801290143	50-483 P
POWELL,R.A.	9801300092	50-271 P
POWELL,R.A.	9801300140	FOIA
POWER,R.	9801300147	27-47
POWERS,D.A.	9801140114	50-458 Q
POWERS,K.P.	9801230338	50-155 Q
POWERS,M.A.	9801090269	70-820
POWERS,R.P.	9801020064	50-275 S
POWERS,R.P.	9801050366	50-275 P
POWERS,R.P.	9801060202	50-275 Q
POWERS,R.P.	9801160077	50-275 P
POWERS,R.P.	9801220190	50-275 R
POWERS,R.P.	9801220198	50-275 P
POWERS,R.P.	9801220203*	50-275 P
POWERS,R.P.	9801270021	50-275 R
POWERS,R.P.	9801290091	50-275 P
POWERS,R.P.	9801290092*	50-275 P
PRICE,J.A.	9801020097	50-336 S
PRICE,J.A.	9801060219	50-336 V
PRICE,J.A.	9801210289	50-336 R
PRICE,J.D.	9801130233	CONTRACT
PRIEST,J.	9801060227*	50-354 S
PRIEST,J.	9801060336	50-354 S
PRIEST,J.	9801220163	50-354 S
PRINGLE,P.A.	9801150142*	50-317 F
PRINGLE,P.A.	9801280326	50-317 F
PRUITT,D.	9801260413	PR
PRYOR,P.	9801270140	CONTRACT
PRYZANT,R.M.	9801230268	PR
PSUIK,T.S.	9801280176*	50-281 P
PUETT,M.	9801090167	40-6563
PURCELL,R.T.	9801260422	50-390 V
QITAO,H.	9801300042*	COMMISSIO N
QUAY,T.R.	9801050259	52-3
QUAY,T.R.	9801230249	52-3
QUENNOZ,S.M.	9801260392	50-344 Y
QUENNOZ,S.M.	9801270113	50-344 W
QUENNOZ,S.M.	9801280311	50-344 J
QUILLIN,R.M.	9801220270	STATE PRO G
QUILLIN,R.M.	9801300045*	COMMISSIO N
QUINN,R.D.	9801200045	72-1026
QUINTANA,D.	9801230245	72-22
QUINTANA,D.	9801230245	72-22
RABINOVITCH,R.	9801260360	PR
RADCLIFFE,W.H.	9801120274	NUREG
RADCLIFFE,W.H.	9801120276	NUREG
RADDATZ,M.G.	9801280053	71-9255
RADLOFF,R.A.	9801070013	50-298 S
RAEL,G.J.	9801080393	WM
RAGHAVAN,L.	9801050171	50-302 P
RAGHAVAN,L.	9801060347	50-302 P
RAGHAVAN,L.	9801130365	50-302 P
RAGHAVAN,L.	9801140010	50-302 P
RAGHAVAN,L.	9801200124	50-302 P
RAGHAVAN,L.	9801200128*	50-302 P
RAGHAVAN,L.	9801210132	50-302 P
RAGHAVAN,L.	9801270227	50-302 P
RAGHAVAN,L.	9801270228	50-302 P
RAGHAVEN,L.	9801060236	50-302 P
RAGHAVEN,L.	9801120188	50-302 P
RAHE,E.P.	9801260007	TOPREP
RAIG,W.	9801280214*	STATE PRO G
RAINSBERRY,J.L.	9801020073	50-206 F
RAINSBERRY,J.L.	9801080052	50-361 P
RAINSBERRY,J.L.	9801090103	50-361 P
RAINSBERRY,J.L.	9801150120	50-206 P
RAINSBERRY,J.L.	9801230198	50-361 P
RAINSBERRY,J.L.	9801230301	50-206 R
RAMIREZ,A.	9801210302	WM
RAMIREZ,A.	9801230400	WM
RAMIREZ,A.	9801230407	WM
RANDALL,K.	9801120269	NUREG
RANDALL,R.G.	9801130410	50-220 S
RANDOLPH,G.L.	9801260244	50-483 S
RANDOLPH,G.L.	9801280119	50-483 P
RANDOLPH,G.L.	9801280218	50-483 P
RANG,J.S.	9801230122	50-155 F
RAO,D.V.	9801160183*	50-315 P
RASP,G.	9801260361	PR
RATHBUN,D.K.	9801150041*	PR
RATHBUN,D.K.	9801150044*	PR
RATHBUN,D.K.	9801150047*	50-336 P
RATHBUN,D.K.	9801150050*	50-336 P
RATLIFF,R.A.	9801050310	PR
RAUSCH,T.J.	9801210163	TOPREP
RAUSCH,T.J.	9801210163	TOPREP
RAUSCH,T.J.	9801260141	TOPREP
RAUSCH,T.J.	9801260141	TOPREP
RAVITA,J.S.	9801260188	PR
RAY,H.B.	9801150126*	50-206 P
REAMER,C.W.	9801300246*	FOIA
REARDON,P.C.	9801050129*	FOIA
RECKLEY,W.D.	9801130011	50-282 G
REDDEN,M.W.	9801230212	70-7002
REDEKER,S.J.	9801060220	71-489
REDMOND,E.	9801140279*	72-22
REED,T.A.	9801290213	REVIEW GR P
REGE,S.	9801260271	PR
REGINE,W.F.	9801260020	PR
REHMANN,M.R.	9801200040	40-8681
REIBLE,B.	9801020081*	50-445 R
REIBLE,B.	9801210184	50-445 R
REID,D.A.	9801020001	50-271 P
REID,D.A.	9801050193	50-271 P
REID,D.A.	9801050382	50-271 Q
REID,D.A.	9801060014	50-271 R
REID,D.A.	9801060045	50-271 P
REID,D.A.	9801060210	50-271 P
REID,D.A.	9801060342	50-271 P
REID,D.A.	9801080234	50-271 Q
REID,D.A.	9801130005	50-271 P
REID,D.A.	9801210093	50-271 P
REID,D.A.	9801220296	50-271 P
REID,D.A.	9801230404	50-271 P
REID,D.A.	9801280068	50-271 Q
REID,D.A.	9801280157	50-271 P
REID,D.A.	9801280227	50-271 P
REID,D.G.	9801130394	72-1023
REID,H.	9801300087*	COMMISSIO N
REIS,T.	9801270137	50-458 Q
RENCHECK,M.W.	9801050013	50-302 S
RENCHECK,M.W.	9801060073	50-302 S
RENCHECK,M.W.	9801090109	50-302 S
RENCHECK,M.W.	9801090231	50-302 S
RENCHECK,M.W.	9801140223*	50-302 P
RENCHECK,M.W.	9801140398	50-302 S
RENCHECK,M.W.	9801160127	50-302 P
RENCHECK,M.W.	9801160130	50-302 S
RENCHECK,M.W.	9801200147	50-302 S
RENCHECK,M.W.	9801210071	50-302 S
RENCHECK,M.W.	9801210086	50-302 P
RENCHECK,M.W.	9801270085	50-302 P
RENCHECK,M.W.	9801270175	50-302 P
RENCHECK,M.W.	9801280003	50-302 P
RENCHECK,M.W.	9801300245	50-302 F
RESNIKOFF,M.	9801050002*	FOIA
RESNIKOFF,M.	9801230342*	40-8968
REYES,L.A.	9801210303	50-280 Q
REYES,L.A.	9801210305	50-324 Q
REYES,L.A.	9801220016	50-302 Q
REYES,L.A.	9801280159	50-390 Q
REYNOLDS,N.S.	9801230199	50-460 G
REYNOLDS,N.S.	9801230199	50-460 G
RICE,D.	9801270192	I&E
RICH,T.	9801120269	NUREG
RICHARDS,S.A.	9801130388	50-255 Q
RICHARDS,S.A.	9801200073	I&E
RICKARD,I.C.	9801070304	71-6294
RICKARD,I.C.	9801070304	71-6294
RICKARD,I.C.	9801130266	50-255 S
RICKARD,I.C.	9801130266	50-255 S
RICKARD,J.C.	9801290018	TOPREP
RICKARD,J.C.	9801290018	TOPREP
RIFAKES,G.P.	9801130222	70-7002
RIFAKES,G.P.	9801280006	70-7002
RIFAKES,G.P.	9801280285	70-7001
RIGGS,C.A.	9801050125	50-483 F
RIGOT,W.L.	9801220248	50-264 F
RINALDI,F.	9801270226	50-369 P
RING,M.	9801270060	50-10 Q
RING,M.	9801280202	50-254 Q
RINGENBERG,J.D.	9801060126	STATE PRO G
RITTER,D.B.	9801140025*	50-387 Q
RITZMAN,R.	9801020054	50-354 S
RITZMAN,R.	9801270039*	50-354 R
RITZMAN,R.	9801270050*	50-354 R
RIVERA,M.	9801140335*	FOIA
ROBERTS,H.R.	9801090276	40-8681
ROBINSON,B.A.	9801210002*	WM
ROBINSON,B.A.	9801210003*	WM
ROBINSON,W.R.	9801130112	50-400 Q
ROBINSON,W.R.	9801130155	50-400 V
ROCHE,M.B.	9801020120	50-219 P
ROCHE,M.B.	9801070207	50-219 P
ROCHE,M.B.	9801130314	50-219 Q
ROCHE,M.B.	9801130374	50-219 S
ROCHE,M.B.	9801130387	50-219 P
ROCHE,M.B.	9801200278	50-219 Q
ROCHE,M.B.	9801220026	50-219 R
ROCHE,M.B.	9801220232	50-219 S
ROCHE,M.B.	9801300106	50-219 F
RODGERS,F.C.	9801280301*	WM
ROE,J.W.	9712090146	50-3 Q
ROE,J.W.	9712120012	50-3 Q
ROE,J.W.	9712290018	50-3 Q
ROE,J.W.	9801120249	50-309 W
ROE,J.W.	9801160163*	PR
ROE,J.W.	9801220127	I&E
ROE,J.W.	9801280094	ORG
ROE,J.W.	9801280098*	ORG
ROE,J.W.	9801280110	50-288 V
ROE,J.W.	9801290149	50-27 V
ROGERS,A.H.	9801220295*	STATE PRO G
ROGERS,J.A.	9801160016	50-335 R
ROGERS,J.D.	9801230420	PR
ROGERS,S.	9801210266	50-400 R
ROGGE,J.F.	9801200051	50-286 Q
ROGGE,J.F.	9801220052	50-247 Q
ROSANO,R.P.	9801230019	50-456 Q
ROSANO,R.P.	9801270195	50-333 Q
ROSCH,F.	9801060235*	REVIEW GR P
ROSEN,J.C.	9801060086	71-*****
ROSEN,J.C.	9801060093*	71-*****
ROSSI,C.E.	9801060262	50-482 S
ROSSI,C.E.	9801210306	TOPREP
ROSSI,C.E.	9801220155	ORG
ROSSI,C.E.	9801280073	NUREG
ROSSI,C.E.	9801280155	ORG
ROSSI,C.E.	9801280273	ORG
ROTMAN,M.	9801260094	PR
ROTON,J.R.	9801020037	50-461 S
ROUGHAN,C.	9801080240	71-9033
ROUGHAN,C.	9801260494	71-9033
ROUGHAN,C.	9801260496	71-9033
ROWLEY,C.W.	9801150084	REGGD
RUBENSTEIN,J.H.	9801260421	PR
RUDOLPH,S.	9801220383	PRM
RUEGER,G.M.	9801020077	50-275 P
RUEGER,G.M.	9801280313	50-275 P
RULAND,J.K.	9801080390	CONTRACT
RUTLEDGE,R.	9801260080	XPORTLIC
RUTLEDGE,R.	9801260101	XPORTLIC
RUTLEDGE,R.	9801260123	XPORTLIC
RYAN,T.E.	9801080276*	50-370 S
SACKETT,M.	9801200141	CONTRACT
SAFA,A.A.	9801230252	PR
SAFER,M.L.	9801230085	PR
SALAS,P.	9801020082	50-327 R
SALAS,P.	9801200003	50-327 R
SALAS,P.	9801270166	50-327 R
SALAZAR,O.M.	9801230267	PR
SAMPSON,J.R.	9801140246	50-315 R
SAMPSON,J.R.	9801140262	50-316 R
SAMPSON,J.R.	9801230308	50-315 S
SAMPSON,J.R.	9801230332	50-316 S
SAMPSON,J.R.	9801280276	50-316 S
SAMPSON,J.R.	9801290073	50-316 S
SANDS,M.E.	9801260146	PR
SANKEY,R.R.	9801260482	PR
SATORIUS,M.	9801270133	50-334 Q
SATORIUS,M.	9801270164	50-155 Q
SATORIUS,M.A.	9801080180	50-155 W
SATORIUS,M.A.	9801140377	50-387 Q
SATORIUS,M.A.	9801160028*	PR
SATORIUS,M.A.	9801160149*	PR
SAUNDERS,R.F.	9801020049	50-338 P
SAUNDERS,R.F.	9801020151	50-338 Q
SAUNDERS,R.F.	9801300049	50-281 Q
SAVIGNAC,N.	9801260262	NUREG
SAVIO,R.P.	9801230323	50-346 Q
SCALETTI,D.	9801260104	52-3
SCALETTI,D.C.	9801140033	52-3
SCALETTI,D.C.	9801270203	52-3
SCALICE,J.A.	9801050339	50-390 S
SCALICE,J.A.	9801060189	50-390 S
SCALICE,J.A.	9801140249	50-390 Q
SCALICE,J.A.	9801210264	50-390 R
SCALICE,J.A.	9801260234	50-390 Q
SCARANO,R.A.	9801060061	40-8904
SCARANO,R.A.	9801090287	70-3073
SCARANO,R.A.	9801120139	50-344 Q
SCARANO,R.A.	9801140354	50-18 Q
SCARANO,R.A.	9801160033	40-8989
SCARANO,R.A.	9801210009	STATE PRO G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SCARANO,R.A.	9801220340	40-8857
SCARANO,R.A.	9801260193	70-1257
SCARANO,R.A.	9801300224	50-344 W
SCARANTINO,C.W.	9801260097	PR
SCAROLA,J.	9801200047*	50-335 P
SCAROLA,J.	9801200100*	50-335 F
SCAROLA,J.	9801230059*	50-335 P
SCAROLA,J.	9801230064*	50-335 P
SCATTOLINI,L.B.	9801270049	PR
SCHAAF,R.G.	9801130006	50-255 P
SCHAAF,R.G.	9801260270	50-255 P
SCHAEFFER,C.E.	9801070076*	50-269 F
SCHARF,L.	9801260108	PR
SCHEER,T.F.	9801260196	PR
SCHIAVONI,M.A.	9801140229*	50-302 P
SCHLET,D.	9801230232	PRM
SCHLOSSER,A.	9801300227	CONTRACT
SCHMUTZ,D.A.	9801260026	PR
SCHNEIDER,K.N.	9801220366	STATE PRO G
SCHNEPP,R.R.	9801270030*	50-254 P
SCHOCKER,J.D.	9801230417	PR
SCHOEPF,P.	9801020028	50-316 S
SCHOEPF,P.	9801070196	50-315 S
SCHOEPF,P.	9801140065	50-316 S
SCHOMAKER,R.J.	9801060301	TOPREP
SCHOPFER,D.K.	9801080060	50-423 P
SCHOPFER,D.K.	9801090096	50-423 P
SCHOPFER,D.K.	9801090243	50-423 P
SCHOPFER,D.K.	9801200041	50-423 P
SCHOPFER,D.K.	9801210098	50-423 P
SCHOPFER,D.K.	9801210100	50-423 P
SCHOPFER,D.K.	9801230319	50-423 P
SCHOPFER,D.K.	9801260272	50-423 P
SCHOPFER,D.K.	9801270173	50-423 P
SCHOPFER,D.K.	9801290039	50-423 P
SCHREIBER,G.J.	9801260279	PR
SCHWAIBOLD,F.P.	9801260057	PR
SCHWARTZ,G.K.	9801140193	50-456 R
SCHWARTZ,M.E.	9801120276	NUREG
SCHWARZ,D.E.	9801260038	PR
SCHWINK,W.S.	9801060339	40-7580
SCHWINK,W.S.	9801070038*	40-7580
SCHWINK,W.S.	9801120253	70-143
SCHWINK,W.S.	9801220349	70-1257
SCHWINK,W.S.	9801220352*	70-1257
SCHWINK,W.S.	9801220387	70-1151
SCHWINK,W.S.	9801220389*	70-1151
SCICUTELLA,C.J.	9801260148	PR
SEBROSKY,J.M.	9801050305	52-3
SEBROSKY,J.M.	9801130339	52-3
SEBROSKY,J.M.	9801150164	52-3
SEBROSKY,J.M.	9801150205	52-3
SEBROSKY,J.M.	9801200165	52-3
SEBROSKY,J.M.	9801200167	52-3
SEBROSKY,J.M.	9801200184	52-3
SEBROSKY,J.M.	9801210157	52-3
SEBROSKY,J.M.	9801220301	52-3
SEBROSKY,J.M.	9801220348	52-3
SEBROSKY,J.M.	9801220353	52-3
SEBROSKY,J.M.	9801230288	52-3
SEBROSKY,J.M.	9801230293	52-3
SEBROSKY,J.M.	9801260075	52-3
SEBROSKY,J.M.	9801260083	52-3
SEBROSKY,J.M.	9801260092	52-3
SEBROSKY,J.M.	9801260106	52-3
SEBROSKY,J.M.	9801260256	52-3
SEBROSKY,J.M.	9801260261	52-3
SEITZ,C.B.	9801230243	PR
SENDI,D.	9801220381	PRM
SEPP,H.A.	9801080166*	50-266 P
SEPP,H.A.	9801160148	NUREG
SEPP,H.A.	9801210234*	50-282 P
SEPP,H.A.	9801220116	50-327 S
SEPP,H.A.	9801230162*	52-3
SERRA,P.L.	9801210114	50-498 F
SEXTON,R.	9801020109	50-213 S
SHABAZIAN,A.A.	9801260304	PR
SHAFFER,C.J.	9801160183*	50-315 P
SHAFFER,M.R.	9801270199	I&E
SHANAHAN,T.G.	9801260233	PR
SHANBAKY,M.M.	9801050327	70-1733
SHANBAKY,M.M.	9801050355	70-1362
SHANKMAN,S.	9801120183	71-102
SHANKMAN,S.F.	9801270186	72-1004
SHAPAKER,J.W.	9801090307	I&E
SHAPAKER,J.W.	9801120105	I&E
SHARKEY,R.W.	9801060290	70-36
SHARKEY,R.W.	9801060290	70-36
SHARKEY,R.W.	9801070309	70-36
SHARKEY,R.W.	9801070309	70-36
SHARKEY,R.W.	9801130216	71-6078
SHARKEY,R.W.	9801130216	71-6078
SHEA,J.W.	9801120259	50-267 Y
SHEA,J.W.	9801130385	50-338 Y
SHEA,J.W.	9801270056	50-261 P
SHEA,J.W.	9801270230	50-338 Y
SHELTON,B.	9801160188*	PR
SHELTON,B.J.	9801140051*	PR
SHELTON,B.J.	9801140274	ORG
SHELTON,B.J.	9801160044*	PR
SHELTON,B.J.	9801160048*	PR
SHELTON,B.J.	9801160173*	PR
SHELTON,D.	9801050198	50-341 F
SHEMLUCK,M.	9801050306*	50-295 S
SHEPPARD,J.J.	9801160122	50-498 F
SHEPPARD,J.J.	9801160185	50-498 F
SHEPPARD,J.J.	9801220178	50-498 F
SHERMAN,D.M.	9801260330	PR
SHERON,B.W.	9801070001	ORG
SHILLINGLAW,F.	9801220370	PRM
SHINA,D.C.	9801260162	PR
SHIRAKI,C.Y.	9801050354	50-295 P
SHIRAKI,C.Y.	9801050356*	50-295 P
SHIRAKI,C.Y.	9801060039	50-295 P
SHIRAKI,C.Y.	9801060143*	50-295 P
SHIRAKI,C.Y.	9801220264	50-295 P
SHIRAKI,C.Y.	9801220273	50-295 P
SHIRAKI,C.Y.	9801270194	50-295 P
SHOLLY,J.T.	9801060084*	STATE PRO G
SHOLLY,J.T.	9801060100*	STATE PRO G
SHOLLY,J.T.	9801220311*	STATE PRO G
SHOLLY,J.T.	9801230329*	STATE PRO G
SHULMAN,J.	9801230257*	72-22
SHYMLOCK,M.B.	9801130063	50-324 Q
SHYMLOCK,M.B.	9801130179	50-400 P
SHYMLOCK,M.B.	9801210166	50-400 Q
SHYMLOCK,M.B.	9801210298	50-261 Q
SHYMLOCK,M.B.	9801220012	50-400 Q
SIDRYS,J.	9801260323	PR
SILBERG,J.E.	9801070236	72-22
SILBERG,J.E.	9801070236	72-22
SILBERG,J.E.	9801070272	72-22
SILBERG,J.E.	9801070272	72-22
SILBERG,J.E.	9801080192	72-22
SILBERG,J.E.	9801080192	72-22
SILBERG,J.E.	9801080208	72-22
SILBERG,J.E.	9801080208	72-22
SILBERG,J.E.	9801230206	72-22
SILBERG,J.E.	9801230206	72-22
SIMPSON,E.C.	9801020013	50-354 P
SIMPSON,E.C.	9801060055	50-272 P
SIMPSON,E.C.	9801070097	50-354 P
SIMPSON,E.C.	9801130309	50-354 P
SIMPSON,E.C.	9801140238	50-272 P
SIMPSON,E.C.	9801210251	50-354 Q
SIMPSON,E.C.	9801230392	50-272 P
SIMPSON,E.C.	9801270069	50-272 P
SINCLAIR,W.J.	9801090149	40-8989
SINCLAIR,W.J.	9801230067	40-3453
SINGER,T.W.	9801020139	50-317 F
SIPEK,J.V.	9801130036	50-461 R
SIPEK,J.V.	9801210084	50-461 Q
SIPHERS,J.T.	9801270025*	50-324 P
SKAY,D.M.	9801290220	TOPREP
SKINNER,P.H.	9801200069	50-424 Q
SKINNER,P.H.	9801220022	50-424 Q
SKINNER,P.H.	9801220049	50-321 P
SKINNER,P.H.	9801220075	50-348 Q
SKINNER,P.H.	9801220098	50-321 Q
SKINNER,P.H.	9801220175	50-321 P
SKOWRONSKI,M.G.	9801260063	PR
SLAGLE,K.A.	9801150126*	50-206 P
SMALL,W.	9801260122	PR
SMITH,B.	9801120269	NUREG
SMITH,B.	9801230107	PRM
SMITH,B.J.	9801130416*	PR
SMITH,C.E.	9801230378	PR
SMITH,C.W.	9801150214	50-443 P
SMITH,C.W.	9801200219	50-443 P
SMITH,C.W.	9801230025	50-219 P
SMITH,D.A.	9801050019*	50-423 S
SMITH,D.A.	9801140120*	50-423 S
SMITH,D.A.	9801230362*	50-423 S
SMITH,D.A.	9801260260*	50-423 S
SMITH,D.E.	9801230401	PR
SMITH,G.O.	9801220032	50-397 R
SMITH,J.D.	9801270052	50-327 P
SMITH,L.C.	9801220072*	70-3078
SMITH,M.A.	9801280338	TOPREP
SMITH,P.C.	9801020162*	50-255 P
SMORON,G.L.	9801260285	PR
SNAY,R.A.	9801120071	NUREG
SOBEL,P.	9801020166	STATE PRO G
SOBEL,P.	9801210304	WM
SOLER,A.	9801140272*	72-22
SOLER,A.	9801140276*	72-22
SOMERVILLE,P.G.	9801200075	CONTRACT
SOONG,S.	9801120179	70-36
SORENSEN,J.P.	9801060157	50-282 P
SORENSEN,J.P.	9801060205	50-282 P
SORENSEN,J.P.	9801060207*	50-282 P
SORENSEN,J.P.	9801130103	50-282 P
SORENSEN,J.P.	9801130135	50-282 S
SORENSEN,J.P.	9801130383	50-282 S
SORENSEN,J.P.	9801210224	50-282 P
SORENSEN,J.P.	9801210227*	50-282 P
SORENSEN,J.P.	9801210238	50-282 P
SORENSEN,J.P.	9801220001	50-282 P
SORENSEN,J.P.	9801220002*	50-282 P
SORENSEN,J.P.	9801220020	50-282 R
SORENSEN,J.P.	9801220376	50-282 P
SORENSEN,J.P.	9801270061	50-282 F
SORENSEN,J.P.	9801290064	50-282 Q
SORENSEN,J.P.	9801290178	50-282 Q
SORENSON,J.	9801130105	50-282 P
SOUDEN,R.	9801230118	50-352 S
SPEARS,W.T.	9801260003	PR
SPEISER,B.L.	9801230383	PR
SPENCER,D.	9801070344*	50-249 S
SPENCER,S.	9801260202	PR
SPENCER,T.R.	9801260147	PR
SPERDUTO,P.W.	9801260224	PR
SPIEGEL,J.F.	9801230348	PR
SPITZBERG,D.B.	9801050197	WM
SPITZBERG,D.B.	9801270192	I&E
SPITZBERG,D.B.	9801280165	70-2996
SPITZBERG,D.B.	9801300272	50-344 Q
SPITZBERG,J.C.	9801270183	I&E
SPRUNG,J.	9801050060*	FOIA
SPRUNG,J.	9801060145*	FOIA
SPRUNG,J.L.	9801050017*	FOIA
SPRUNG,J.L.	9801050021*	FOIA
SPRUNG,J.L.	9801050025*	FOIA
SPRUNG,J.L.	9801050104*	FOIA
SPRUNG,J.L.	9801050127*	FOIA
SPRUNG,J.L.	9801050136*	FOIA
SPRUNG,J.L.	9801060110*	FOIA
SPRUNG,J.L.	9801060113*	FOIA
SPRUNG,J.L.	9801060121*	FOIA
SPRUNG,J.L.	9801060152*	FOIA
SPRUNG,J.L.	9801060180*	FOIA
SPRUNG,J.L.	9801060186*	FOIA
SPRUNG,J.L.	9801060190*	FOIA
SPRUNG,J.L.	9801070080*	FOIA
SPRUNG,J.L.	9801070085*	FOIA
SPRUNG,J.L.	9801070087*	FOIA
SRINILTA,S.	9801210231*	50-282 P
STABLEIN,K.	9801130399	40-8027
STABLEIN,N.K.	9801300094	WM
STAFFORD,S.L.	9801260033	PR
STALL,J.A.	9801060185	50-389 P
STALL,J.A.	9801060199	50-335 V
STALL,J.A.	9801060352	50-335 Q
STALL,J.A.	9801070046	50-389 P
STALL,J.A.	9801090074	50-335 F
STALL,J.A.	9801130326	50-335 P
STALL,J.A.	9801130344*	50-335 P
STALL,J.A.	9801140123	50-389 Q
STALL,J.A.	9801140264	50-335 F
STALL,J.A.	9801160016	50-335 R
STALL,J.A.	9801160029	50-335 S
STALL,J.A.	9801200042	50-335 P
STALL,J.A.	9801200094	50-335 F
STALL,J.A.	9801200156	50-335 P
STANG,J.F.	9801220251	50-237 P
STANLEY,H.G.	9801140035	50-454 P
STANLEY,H.G.	9801210232	50-454 P
STANLEY,H.G.	9801210249	50-456 P
STANTON,C.C.	9801070199	50-199 R
STANTON,C.C.	9801160194*	50-199 P
STANTON,J.	9801130147*	50-282 S
STARK,S.	9801210289	50-336 R
STARKEY,R.	9801130031	50-295 S
STARKEY,R.	9801210059	50-295 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
STARKEY,R.S.	9801050297	50-295	S	TAYLOR,G.J.	9801270029	50-395	R	THOMPSON,A.J.	9801300189	40-8968	
STARKEY,R.S.	9801220017	50-295	R	TAYLOR,G.J.	9801280117	50-395	P	THOMPSON,A.J.	9801300189	40-8968	
STEAHR,T.A.	9801060319*	50-336	P	TAYLOR,G.J.	9801280351	50-395	Q	THOMPSON,T.C.	9801150019	71-9225	
STECKEL,R.	9801270028*	50-324	P	TAYLOR,G.J.	9801290002	50-395	Q	THOMPSON,T.C.	9801210099	71-9225	
STEINHARDT,C.	9801130122	50-305	P	TAYLOR,J.M.	9801140183*	PR		THOMPSON,T.C.	9801270235	71-9225	
STENGER,D.F.	9801280201	PR		TAYLOR,J.M.	9801140214*	PR		THOMSEN,G.	9801060312	50-354	F
STENGER,D.F.	9801280201	PR		TAYLOR,J.M.	9801140330*	PR		THORNTON,T.A.	9801210021*	WM	
STEPHENS,B.	9801220364	PRM		TAYLOR,M.A.	9801260309	PR		TIETZ,G.	9801270103*	50-237	S
STEPHENSON,C.	9801230102	PR		TAYLOR,T.H.	9801140236*	50-302	P	TIKTINSKY,D.	9801050053*	FOIA	
STEPHENSON,J.D.	9801290029	50-302	F	TEATOR,J.A.	9801020137*	50-271	P	TILDEN,M.	9801300214	40-8968	
STETKA,T.F.	9801210320	50-483	Q	TEATOR,J.A.	9801020141*	50-271	P	TILDEN,M.	9801300216	40-8968	
STETKA,T.F.	9801220073	50-285	Q	TEATOR,J.A.	9801020144*	50-271	P	TILDEN,M.	9801300240	40-8968	
STEUDLER,J.M.	9801280002*	40-2384		TEATOR,J.A.	9801020152*	50-271	P	TILLS,J.	9801120086	NUREG	
STEWART,C.D.	9801060319*	50-336	P	TEATOR,J.A.	9801020154*	50-271	P	TILLY,L.J.	9801200131*	50-352	P
STILTENPOLE,B.	9801260251	WM		TEATOR,J.A.	9801020158*	50-271	P	TILMANS,A.S.	9801230227	PR	
STOCKMAN,D.	9801160081	50-254	R	TEATOR,J.A.	9801020160*	50-271	P	TIMBERS,W.H.	9801130239	70-7001	
STOCKSTILL,T.F.	9801260021	PR		TEATOR,J.A.	9801150069*	50-271	P	TING,P.	9801060197	70-27	
STOCKTON,R.A.	9801050348*	50-390	S	TEATOR,J.A.	9801150092*	50-271	P	TING,P.	9801070067	70-754	
STOCKTON,R.A.	9801060196*	50-390	S	TEATOR,J.A.	9801300104*	50-271	P	TING,P.	9801070306	70-734	
STOEHR	9801220166	XPORTLIC		TEATOR,J.A.	9801300108*	50-271	P	TING,P.	9801120280	70-36	
STOKES,S.H.	9801230438	PR		TEATOR,J.A.	9801300111*	50-271	P	TING,P.	9801220361	70-1201	
STOLZ,J.F.	9801050156*	50-334	P	TEATOR,J.A.	9801300115*	50-271	P	TING,P.	9801230047	70-27	
STOLZ,J.F.	9801130269*	50-272	P	TEATOR,J.A.	9801300119*	50-271	P	TING,P.	9801230280	70-7001	
STOLZ,J.F.	9801130320	50-334	P	TEATOR,J.A.	9801300121*	50-271	P	TING,P.	9801230282*	70-7001	
STOLZ,J.F.	9801150049	TOPREP		TEATOR,J.A.	9801300126*	50-271	P	TING,P.	9801230357	70-7002	
STOLZ,J.F.	9801260311*	50-272	P	TEATOR,J.A.	9801300127*	50-271	P	TINSLEY,J.	9801150198*	40-8943	
STONER,J.E.	9801070076*	50-269	F	TEATOR,J.A.	9801300128*	50-271	P	TJERSLAND,G.T.	9801090263	71-9261	
STORZ,L.F.	9801220315	50-272	P	TEATOR,J.A.	9801300131*	50-271	P	TODD,F.	9801260470	50-311	R
STORZ,L.F.	9801230385	50-272	P	TEATOR,J.A.	9801300133*	50-271	P	TODD,F.	9801270039*	50-354	R
STOUT,R.B.	9801210017*	WM		TEATOR,J.A.	9801300136*	50-271	P	TOELLE,S.A	9801200258	70-7001	
STRANGE,W.E.	9801120071	NUREG		TEATOR,J.A.	9801300138*	50-271	P	TOELLE,S.A.	9801060203	70-7002	
STRATFORD,R.	9801220162	XPORTLIC		TEATOR,J.A.	9801300141*	50-271	P	TOELLE,S.A.	9801080351	70-7001	
STRATFORD,R.J.	9801080063	XPORTLIC		TEMPLE,R.K.	9801230353	PR		TOELLE,S.A.	9801130201	70-7001	
STRATFORD,R.J.	9801220151	XPORTLIC		TEN EYCK,E.Q.	9801120200	70-734		TOELLE,S.A.	9801150024*	FOIA	
STRIKE,N.	9801080301	CONTRACT		TEN EYCK,E.Q.	9801130356	70-1151		TOELLE,S.A.	9801150159	70-7001	
STROUP,S.L.	9801260062	PR		TEN EYCK,E.Q.	9801200190	ORG		TOELLE,S.A.	9801200162	70-7001	
STRUCKMEYER,R.	9801080072	50-54	R	TEN EYCK,E.Q.	9801230009	40-3392		TOELLE,S.A.	9801230137	70-7001	
STRUCKMEYER,R.	9801080098	70-135		TEREK,R.	9801300125*	50-499	P	TOELLE,S.A.	9801290040	70-7001	
STRUCKMEYER,R.	9801260119	NUREG		TERRY,C.	9801120027	TOPREP		TOLLEY,R.D.	9801210264	50-390	R
SUBALUSKY,W.T.	9801210173	50-373	P	TERRY,C.	9801120027	TOPREP		TORRICELLI,R.G.	9801230184*	50-272	P
SUESS,R.P.	9801270088	STATE PRO	G	TERRY,C.	9801120227	TOPREP		TOSCH,K.W.	9801060221	50-272	P
SULLIVAN,E.J.	9801050347	ORG		TERRY,C.	9801120227	TOPREP		TOWLINSON,W.V.	9801230437	PR	
SULLIVAN,E.J.	9801230004	REVIEW GR	P	TERRY,C.D.	9801020009	50-220	P	TRAVERS,W.D.	9801150128	50-245	P
SULLIVAN,E.O.	9801260072	50-309	W	TERRY,C.D.	9801130124	50-410	S	TRAVERS,W.D.	9801150137*	50-245	P
SUMMERS,B.	9801140094*	PR		TERRY,C.D.	9801270118	50-220	F	TREBY,S.A.	9801140222*	PR	
SUMNER,H.L.	9801020065	50-321	P	TERRY,C.L.	9801050282	50-445	R	TRIMBLE,D.	9801050219	50-324	P
SUMNER,H.L.	9801060165	50-321	P	TERRY,C.L.	9801070145	50-445	P	TRIMBLE,D.	9801230304	50-324	P
SUMNER,H.L.	9801060198	50-321	P	TERRY,C.L.	9801130032	50-445	P	TRIMBLE,D.C.	9801130002	50-324	P
SUMNER,H.L.	9801070329	PR		TERRY,C.L.	9801200097	50-445	S	TRIMBLE,D.C.	9801150210	50-324	P
SUMNER,H.L.	9801160062	50-321	Q	TERRY,C.L.	9801210184	50-445	R	TROTTIER,C.	9801140100*	PR	
SUMNER,H.L.	9801160064	50-321	R	TERRY,C.L.	9801210223	50-445	P	TROTTIER,C.A.	9801130379*	PR	
SUMNER,H.L.	9801160079	50-321	P	TERRY,C.L.	9801210225	50-445	P	TROTTIER,C.A.	9801130422*	PR	
SUMNER,H.L.	9801230066	50-321	P	TERRY,C.L.	9801230052	50-445	H	TROTTIER,C.A.	9801150031*	PR	
SUMNER,H.L.	9801230092	50-321	H	TERRY,J.G.	9801260447	PR		TROTTIER,C.A.	9801150061*	PR	
SUMNER,H.L.	9801280169	50-321	P	TERRY,J.H.	9801140205*	50-302	P	TRUMMEL,J.	9801290161	40-8584	
SUMNER,L.	9801230020	50-366	P	TERRY,L.N.	9801230131	PR		TSE,A.N.	9801130343	PR	
SURKS,M.I.	9801220404	PRM		TEWFIK,H.H.	9801260055	PR		TSE,A.N.	9801130364*	PR	
SVEJKOVSKY,J.	9801260039	XPORTLIC		THE CHAIRMAN	9801050344	COMMISSIO	N	TSE,A.N.	9801150026	PR	
SVEJKOVSKY,J.	9801260045	XPORTLIC		THE CHAIRMAN	9801080241	COMMISSIO	N	TSOSIE,G.A.	9801230263*	40-8968	
SVEJKOVSKY,J.	9801270011	XPORTLIC		THE CHAIRMAN	9801080279	COMMISSIO	N	TUCKMAN,M.S.	9801020138	50-369	P
SVEJKOVSKY,J.	9801270093	XPORTLIC		THE CHAIRMAN	9801090021*	COMMISSIO	N	TUCKMAN,M.S.	9801050343	50-269	P
SWARTZ,L.C.	9801230082	PRM		THE CHAIRMAN	9801090188	COMMISSIO	N	TUCKMAN,M.S.	9801060169	50-369	R
SWINTH,K.L.	9801140351	NUREG		THE CHAIRMAN	9801090192	COMMISSIO	N	TUCKMAN,M.S.	9801060177	50-269	P
SWIREIDAK,J.	9801080369	CONTRACT		THE CHAIRMAN	9801140098	70-7001		TUCKMAN,M.S.	9801060211	50-269	P
SYLVESTER,J.	9801260221	PR		THE CHAIRMAN	9801140116	COMMISSIO	N	TUCKMAN,M.S.	9801130210	50-269	P
SYLVIA,B.R.	9801140152	50-410	P	THE CHAIRMAN	9801140194	COMMISSIO	N	TUCKMAN,M.S.	9801130236	50-269	P
SYLVIA,B.R.	9801140253	50-220	Q	THE CHAIRMAN	9801140200	COMMISSIO	N	TUCKMAN,M.S.	9801140227	50-269	P
SYLVIA,B.R.	9801200125	50-410	Q	THE CHAIRMAN	9801140237	COMMISSIO	N	TUCKMAN,M.S.	9801220263	PRM	
TADIOS,E.L.	9801120086	NUREG		THE CHAIRMAN	9801260184*	COMMISSIO	N	TUCKMAN,M.S.	9801230377	50-269	K
TAM,P.S.	9801050274	50-269	P	THE CHAIRMAN	9801290016*	COMMISSIO	N	TUCKMAN,M.S.	9801260130	50-269	P
TAM,P.S.	9801130331	50-413	P	THE CHAIRMAN	9801300038	COMMISSIO	N	TULON,T.J.	9801020096	50-456	Q
TAM,P.S.	9801150013	50-413	P	THE CHAIRMAN	9801300039	COMMISSIO	N	TULON,T.J.	9801160125	50-456	P
TAM,P.S.	9801200153	50-369	P	THE CHAIRMAN	9801300054	COMMISSIO	N	TULON,T.J.	9801160139	50-456	P
TAM,P.S.	9801200243	50-413	Q	THE CHAIRMAN	9801300083	COMMISSIO	N	TULON,T.J.	9801220226	50-456	Q
TAM,P.S.	9801230012	50-413	F	THE CHAIRMAN	9801300102	COMMISSIO	N	TURDICI,J.	9801200285	71-227	
TAM,P.S.	9801230028	50-369	P	THE CHAIRMAN	9801300114	COMMISSIO	N	TURK,S.E.	9801070240	72-22	
TAM,P.S.	9801280015	50-413	P	THE CHAIRMAN	9801300195*	COMMISSIO	N	TURK,S.E.	9801070265	72-22	
TAM,P.S.	9801280038	50-413	P	THEOFANOUS,T.G.	9801260085*	52-3		TURK,S.E.	9801070303	72-22	
TANAKA,T.	9801220327*	50-390	P	THOMAS,B.J.	9801050381*	50-272	S	TURK,S.E.	9801230209	72-22	
TANAKA,T.	9801220336*	50-390	P	THOMAS,B.J.	9801210258	50-311	S	TURRISI,A.T.	9801230410	PR	
TANAKA,T.	9801220341*	50-390	P	THOMAS,D.S.	9801230428	PR		TURTIL,R.	9801150195*	40-8943	
TAPIA,J.I.	9801260061	50-445	Q	THOMAS,D.S.	9801260352	PR		UTTAL,S.L.	9801070232	40-8905	
TAPIA,J.I.	9801260095	50-445	Q	THOMAS,E.	9801230038	PRM		UYEHARA,M.A.	9801290042	XPORTLIC	
TAPIA,J.I.	9801260226	50-498	Q	THOMAS,K.M.	9801050201	50-483	P	VACCA,P.C.	9801120276	NUREG	
TAPIA,J.I.	9801300137	50-498	Q	THOMAS,R.L.	9801270025*	50-324	P	VAI,A.	9801280078*	50-286	S
TAYLOR,G.J.	9801060214	50-395	P	THOMAS,S.E.	9801280161	50-498	Q	VAN WEY,C.C.	9801260347	PR	
TAYLOR,G.J.	9801070359	50-395	R	THOMPSON,A.J.	9801070251	40-8968		VANDERMEER,J.	9801270036	XPORTLIC	
TAYLOR,G.J.	9801130251	50-395	P	THOMPSON,A.J.	9801070251	40-8968		VANMIDDLESWORTH	9801200022	50-331	R

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
VAUGHAN,C.M.	9801070162	71-4909
VAUGHAN,R.E.	9801150087	70-1257
VEERLING,J.P.	9801260313	PR
VELASQUEZ,J.R.	9801200011	40-8913
VIETTI-COOK,A.	9801280221	PRM
VIETTI-COOK,A.	9801300188	50-271 G
VIJAYKUMAR,R.	9801150168*	52-3
VILLAR,E.H.	9801020108	50-272 S
VILLAR,E.H.	9801140146	50-311 S
VINCE,M.A.	9801230194	PR
VIRGONA,J.E.	9801050307	WM
VIRGONA,J.E.	9801090036	WM
VISSING,G.S.	9801260112	50-244 P
VISWANATHAN,H.	9801210002*	WM
VOGL,J.	9801220043	50-454 R
VOLPE,J.A.	9801050314	STATE PRO G
VONK,M.J.	9801070034	50-10 F
VOTH,M.H.	9801080077	PR
VOTH,M.H.	9801220037	50-263 R
WAGONER,V.	9801150077	TOPREP
WAGONER,V.	9801150077	TOPREP
WAGONER,V.	9801150240	TOPREP
WALDEN,J.V.	9801210291	50-244 R
WALKER,R.D.	9801050282	50-445 R
WALKER,R.D.	9801070145	50-445 P
WALKER,R.D.	9801130032	50-445 P
WALKER,R.D.	9801210184	50-445 R
WALKER,R.D.	9801210223	50-445 P
WALKER,R.D.	9801210225	50-445 P
WALKER,R.D.	9801230052	50-445 H
WALLACE,M.G.	9801230330*	40-8968
WALLACE,M.J.	9801070155	50-237 P
WALLACE,M.J.	9801160043	50-237 P
WALLACE,M.J.	9801220360	PRM
WALLIN,G.A.	9801160070	50-271 R
WALLNER,K.	9801060107	PR
WALPOLE,J.W.	9801270082	40-7604
WANG,A.B.	9801050200	50-293 P
WANG,E.	9801090304	TOPREP
WANG,E.Y.	9801140286	TOPREP
WANG,E.Y.	9801270193	TOPREP
WANGLER,K.W.	9801140034*	PR
WANGLER,K.W.	9801140039*	PR
WANGLER,M.E.	9801280116	71-9098
WARD,W.	9801120183	71-102
WARNER,M.E.	9801210245	50-277 R
WARREN,C.C.	9801020033	50-482 S
WARREN,C.C.	9801020053	50-482 S
WARREN,C.C.	9801020056	50-482 R
WARREN,C.C.	9801020146	50-482 S
WARREN,C.C.	9801020148	50-482 S
WARREN,C.C.	9801070198	50-482 F
WARREN,C.C.	9801210030	50-482 F
WARREN,C.C.	9801210035	50-482 S
WARREN,C.C.	9801220029	50-482 R
WARREN,C.C.	9801220096	50-482 S
WARREN,C.C.	9801220112	50-482 V
WARREN,C.C.	9801230139	50-482 F
WASHINGTON,K.E.	9801120086	NUREG
WATERS,M.D.	9801280082	ORG
WATFORD,G.A.	9801220351	TOPREP
WATFORD,G.A.	9801230016	TOPREP
WATFORD,G.A.	9801230088	TOPREP
WATFORD,G.A.	9801270012	TOPREP
WATSON,G.M.	9801120274	NUREG
WATSON,M.R.	9801230239	PR
WEBB,M.K.	9801120221	50-309 W
WEBB,M.K.	9801220225	50-309 F
WEBB,M.K.	9801260155	50-309 W
WEBB,P.A.	9801230312	CONTRACT
WEBBER,K.	9801090034	40-8698
WEBBER,K.	9801140007	40-8698
WEBBER,K.	9801280163	40-8698
WEBBER,R.B.	9801300227	CONTRACT
WEBER,M.F.	9801020080	REVIEW GR P
WEBER,M.F.	9801220374	70-27
WEEMS,D.H.	9801260042	PR
WEIL,M.D.	9801260263	PR
WEINERT,F.	9801220114*	50-286 S
WEISS,S.H.	9801050146	50-213 W
WEISS,S.H.	9801060233*	50-113 P
WEISS,S.H.	9801060310	50-27 V
WEISS,S.H.	9801060311	50-264 Q
WEISS,S.H.	9801120262*	50-155 F
WEISS,S.H.	9801140139	50-133 P
WEISS,S.H.	9801140154	50-206 P
WEISS,S.H.	9801200238	50-602 Q
WEISS,S.H.	9801200246	50-20 Q
WEISS,S.H.	9801200248*	50-20 Q
WEISS,S.H.	9801200283	50-186 Q
WEISS,S.H.	9801230041	50-27 V
WEISS,S.H.	9801230290	50-184 Q
WEISS,S.H.	9801270130	50-2 Q
WEISS,S.H.	9801270218	50-27 Q
WEISS,S.H.	9801290127	50-288 Q
WELLS,J.	9801210194*	TOPREP
WENDT,C.D.	9801260008	PR
WENDT,S.E.	9801020045	50-116 P
WENDT,S.E.	9801230101	50-116 V
WENSLAWSKI,F.A.	9801140125	70-734
WESTREICH,B.C.	9801120275	50-483 P
WESTREICH,B.C.	9801130340	50-483 P
WESTREICH,B.C.	9801260087	50-483 P
WESTREICH,B.C.	9801290145	50-483 P
WETTERHAHN,M.J.	9801070235	40-8905
WETTERHAHN,M.J.	9801070235	40-8905
WETZEL,B.A.	9801120267	50-263 P
WETZEL,B.A.	9801120282	50-282 P
WHALEN,R.	9801270112*	50-237 S
WHALEY,S.	9801060131	50-280 P
WHALEY,S.	9801270231	71-6003
WHARTON,L.R.	9801060237	50-285 P
WHARTON,R.	9801090038*	50-285 P
WHEELER,L.L.	9801130302	50-206 P
WHEELER,L.L.	9801200169	TOPREP
WHITE,J.R.	9801080043	50-213 Q
WHITE,J.R.	9801230165	50-213 Q
WHITT,M.S.	9801020079	50-313 R
WHITT,M.S.	9801220040	50-313 R
WHITTINGTON,R.	9801230112	PR
WICHMAN,K.R.	9801120196	50-361 P
WIDAY,J.A.	9801210291	50-244 R
WIDMAN,D.W.	9801260001	PR
WIENS,L.	9801230051	50-335 P
WIENS,L.A.	9801050181	50-335 P
WIENS,L.A.	9801050224	50-389 P
WIENS,L.A.	9801060248	50-335 P
WIENS,L.A.	9801200210	50-335 Q
WIENS,L.A.	9801280354	50-335 P
WIGGERS,N.H.	9801260432	PR
WIGGINS,E.	9801070052	CONTRACT
WIGGINS,E.	9801150127	CONTRACT
WIGGINS,E.	9801270163	CONTRACT
WIGGINS,E.	9801280061	CONTRACT
WIGGINS,E.J.	9801020150	50-423 P
WIGGINS,E.J.	9801020156	CONTRACT
WIGGINS,E.J.	9801050014	52-3
WIGGINS,E.J.	9801050018	50-336 P
WIGGINS,E.J.	9801060071	CONTRACT
WIGGINS,E.J.	9801080024	50-369 P
WIGGINS,E.J.	9801090003	50-413 P
WIGGINS,E.J.	9801090015	CONTRACT
WIGGINS,E.J.	9801090024	CONTRACT
WIGGINS,E.J.	9801090032	CONTRACT
WIGGINS,E.J.	9801090044	CONTRACT
WIGGINS,E.J.	9801120106	CONTRACT
WIGGINS,E.J.	9801140365	CONTRACT
WIGGINS,E.J.	9801150250	CONTRACT
WIGGINS,E.J.	9801160004	CONTRACT
WIGGINS,E.J.	9801160005	CONTRACT
WIGGINS,E.J.	9801160006	CONTRACT
WIGGINS,E.J.	9801200072	CONTRACT
WIGGINS,E.J.	9801220006	CONTRACT
WIGGINS,E.J.	9801270140	CONTRACT
WIGGINS,E.J.	9801270145	CONTRACT
WIGGINS,E.J.	9801280071	CONTRACT
WIGGINS,E.J.	9801280100	CONTRACT
WIGGINS,E.J.	9801280136	CONTRACT
WIGGINS,E.J.	9801280192	CONTRACT
WIGGINS,J.T.	9801050157	50-244 Q
WIGGINS,J.T.	9801050215	50-293 Q
WIGGINS,J.T.	9801090279	50-245 Q
WIGGINS,J.T.	9801160113	50-333 Q
WIGGINS,J.T.	9801230075	50-293 Q
WIGGINS,J.T.	9801230095	50-213 Q
WIGGINTON,D.	9801120215	50-313 P
WIGGINTON,D.L.	9801120207	50-458 P
WIGGINTON,D.L.	9801120213*	50-458 P
WIGGINTON,D.L.	9801200134	50-313 P
WIGHT,R.R.	9801160061	REGGD
WIJEKUMAR,V.	9801060103	71-*****
WIJEKUMAR,V.	9801060104*	71-*****
WILCOX,J.L.	9801260036	PR
WILDER,D.G.	9801200239*	WM
WILKERSON,T.M.	9801130100	50-261 F
WILKERSON,T.M.	9801160017	50-261 P
WILKERSON,T.M.	9801210243	50-261 R
WILLIAMS,B.R.	9801260059	70-3020
WILLIAMS,B.R.	9801260065	70-3020
WILLIAMS,C.E.	9801230111*	50-361 R
WILLIAMS,D.C.	9801120086	NUREG
WILLIAMS,F.N.	9801280283	50-29 S
WILLIAMS,J.F.	9801140030	50-277 P
WILLIAMS,J.F.	9801150207	50-277 P
WILLIAMS,J.F.	9801300125*	50-499 P
WILLIAMS,O.G.	9801230074*	FOIA
WILLIAMS,R.A.	9801070275	70-1151
WILLIAMS,R.A.	9801200274	70-1151
WILLIAMS,R.A.	9801220047	50-369 R
WILLIAMS,R.A.	9801220069*	50-269 R
WILLIAMS,R.A.	9801220076*	50-413 R
WILLIAMS,R.A.	9801220077*	50-269 R
WILLIAMS,R.A.	9801220084*	50-413 R
WILLIAMSON,D.H.	9801140191	50-458 R
WILLIS,C.A.	9801160180*	FOIA
WILSON,J.N.	9801050254	52-3
WILSON,J.N.	9801050256	52-3
WILSON,J.N.	9801130272	52-3
WILSON,J.N.	9801130280	52-3
WILSON,J.N.	9801130336	52-3
WILSON,J.N.	9801140316	52-3
WILSON,J.N.	9801200062	52-3
WILSON,P.K.	9801280234*	CONTRACT
WILSON,R.	9801300220	72-22
WILSON,R.	9801300223	72-22
WISSUCHEK,C.A.	9801090240	NUREG
WITTRUP,M.	9801070175	40-8857
WITTRUP,M.	9801070187	40-8857
WOLF,G.M.	9801050196*	50-346 S
WOLF,G.M.	9801050270*	50-346 S
WOLF,G.M.	9801220179	50-346 S
WOLFSBERG,A.V.	9801210002*	WM
WOMACK,L.F.	9801020098	50-275 P
WOMACK,L.F.	9801020100*	50-275 P
WOMACK,L.F.	9801080352	50-275 S
WOMACK,L.F.	9801140056	50-275 P
WOMACK,L.F.	9801200092	50-323 S
WOMACK,L.F.	9801200102	50-275 Q
WOMACK,L.F.	9801210282	50-275 P
WOOD,J.K.	9801020119	50-346 P
WOOD,J.K.	9801020121*	50-346 P
WOOD,J.K.	9801050029	50-346 P
WOOD,J.K.	9801050031*	50-346 P
WOOD,J.K.	9801130368	50-346 P
WOOD,J.K.	9801140177	50-346 P
WOODARD,J.D.	9801130028	50-424 P
WOODRUFF,R.	9801020044	I&E
WOODRUFF,R.L.	9801090121	I&E
WOODRUFF,R.L.	9801160166	I&E
WOODRUFF,R.L.	9801220045	STATE PRO G
WOODS,R.	9801020139	50-317 F
WOODWARD,R.	9801200022	50-331 R
WU,A.	9801230391	PR
WU,S.C.	9801120226	40-9015
WUNDER,G.F.	9801060080	ORG
WUNDER,G.F.	9801220281	50-286 P
WYNGARDEN,S.	9801140299*	PR
WYNGARDEN,S.	9801140315*	PR
YAEGER,T.	9801260134	PR
YEMMA,L.	9801280124*	50-325 Q
YEROKUN,J.T.	9801150064*	50-309 W
YOSHIMURA,R.	9801050043*	FOIA
YOSHIMURA,R.	9801060132*	FOIA
YOUNG,B.J.	9801280113	CONTRACT
YOUNG,J.A.	9801230133	PR
YOUNG,K.A.	9801260400*	50-387 R
YOUNG,M.A.	9801070248	40-8968
YOUNG,M.L.	9801120074	NUREG
YOUNG,M.L.	9801260178	NUREG
YOUNG,M.L.	9801260185	NUREG
ZALCMAN,B.	9801150204	50-151 F
ZALCMAN,B.	9801150212	50-151 F
ZEITOUN,A.	9801140285*	PR
ZIMMERMAN,J.I.	9801120271	50-348 Q
ZIMMERMAN,J.I.	9801140024	50-348 P
ZIMMERMAN,J.I.	9801200200	50-348 P
ZIMMERMAN,J.I.	9801200233	50-348 P
ZIMMERMAN,J.I.	9801230010	50-348 P
ZIMMERMAN,J.L.	9801200237*	50-348 P
ZIMMERMAN,R.P.	9801260364	PR
ZIMMERMAN,R.P.	9801290194	ORG
ZINKE,G.A.	9801020076	50-309 V
ZINKE,G.A.	9801280126	71-6078
ZINKE,G.A.	9801280127	50-309 W

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
ZINKE,G.A.	9801290193	50-309	R	ZOLLINGER,W.	9801230161	PR		ZWOLINSKI,J.A.	9801200209	50-245	H
								ZYVOLOSKI,G.A.	9801210003*	WM	

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9801060290	70-36	
	9801070057*	50-389	P
	9801070304	71-6294	
	9801070309	70-36	
	9801130216	71-6078	
	9801130266	50-255	S
	9801160052	REGGD	
	9801290018	TOPREP	
	9801290021*	TOPREP	
	9801300196	TOPREP	
AEA Technology	9801260178	NUREG	
	9801260185	NUREG	
ALARON Corp.	9801280324*	XPORTLIC	
ASEA Brown Boveri, Inc.	9801060290	70-36	
	9801070304	71-6294	
	9801070309	70-36	
	9801130216	71-6078	
	9801130266	50-255	S
	9801150024*	FOIA	
	9801290018	TOPREP	
	9801290021*	TOPREP	
	9801300196	TOPREP	
ASME Operations & Maintenance Working Group on Inservice Testing of Pumps &	9801080224	PR	
Air Force, Dept. of	9801090010*	50-607	A
Alabama, Univ. of, Birmingham, AL	9801260202	PR	
	9801260238	PR	
Allegheny General Hosp., Pittsburgh, PA (formerly Allegheny Health, Education &	9801230370	PR	
	9801230389	PR	
	9801230391	PR	
	9801230419	PR	
	9801260115*	70-1733	
	9801260166	PR	
	9801260176	PR	
	9801260191	PR	
	9801260198	PR	
	9801260318	PR	
	9801260340	PR	
Altoona Hosp., Altoona, PA	9801230194	PR	
	9801230417	PR	
American Association of Clinical Endocrinologists (AACE)	9801260284	PR	
American College of Nuclear Physicians	9801230120	PR	
	9801230433	PR	
	9801260255	PR	
American College of Radiology	9801230144	PR	
American Electric Power Co., Inc.	9801280276	50-316	S
American Thyroid Association	9801220404	PRM	
Amersham Corp.	9801080240	71-9033	
	9801200251	71-6613	
	9801200255	71-9166	
	9801260494	71-9033	
	9801260496	71-9033	
	9801280096	71-9033	
Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9801020127	50-528	P
	9801020127	50-528	P
	9801020127	50-528	P
	9801020129*	50-528	P
	9801020129*	50-528	P
	9801020129*	50-528	P
	9801020170	50-528	P
	9801020170	50-528	P
	9801020170	50-528	P
	9801050050	50-528	P
	9801070174	50-528	P
	9801070333	50-528	K
	9801070333	50-528	K
	9801070333	50-528	K
	9801070338*	50-528	K
	9801140086	50-529	Q
	9801140091*	50-529	Q
	9801210044	50-528	P
	9801210045*	50-528	P
	9801220031	50-528	R
	9801220042*	50-528	R
	9801220051*	50-528	R
	9801220371	50-528	V
	9801300086	50-528	F
Arizona, Univ. of, Tucson, AZ	9801210001	CONTRACT	
	9801230427	PR	
Army, Dept. of	9801140044*	40-8767	
Atlantic Richfield Co. (ARCO)	9801220081*	70-3078	
Atlas Corp.	9801080076	40-3453	
	9801080214	40-3453	
	9801120219*	40-3453	
B. Koh & Associates, Inc.	9801120185	40-8724	
BP Chemicals International	9801270082	40-7604	
BWR Owners Group	9801210163	TOPREP	
	9801260141	TOPREP	
Babcock & Wilcox Co.	9801260264	70-27	
	9801260290	70-27	
Babcock & Wilcox Operating Plants Owners Group	9801060301	TOPREP	
	9801150096	REGGD	
Backus, Meyer & Solomon	9801080284*	COMMISSIO	N
Baltimore Gas & Electric Co.	9801020139	50-317	F
	9801050039	50-317	F
	9801090215	50-317	R
	9801090217	50-317	P
	9801090221	50-317	Q
	9801090256	50-317	Q
	9801140048	50-317	P
	9801150129	50-317	J
	9801150129	50-317	J
	9801150138	50-317	P
	9801150138	50-317	P
	9801150141	50-317	F
	9801150141	50-317	F
	9801150141	50-317	F
	9801150142*	50-317	F
	9801150142*	50-317	F
	9801150142*	50-317	F
	9801150143*	50-317	P
	9801150143*	50-317	P
	9801150146*	50-317	F
	9801150146*	50-317	F
	9801150146*	50-317	F
	9801210269	50-317	R
	9801210269	50-317	R
	9801270121	50-317	P
	9801280326	50-317	F
	9801280363	50-317	P
Baptist Medical Center, Kansas City, MO	9801230422	PR	
Battelle Memorial Institute, Pacific Northwest National Laboratory	9801120078	NUREG	
Bear Creek Uranium Co.	9801050249	40-8452	
	9801290155	40-8452	
Bechtel Group, Inc.	9801270114*	TOPREP	
Bechtel Power Corp.	9801160169*	FOIA	
Bell Atlantic Corp.	9801200067	CONTRACT	
Berkeley, CA	9801140379	ORG	
Bloomington Hosp., Bloomington, IN	9801230444	PR	
	9801260001	PR	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Boeing Co.	9801140175	QA999	
	9801260011	QA999	
	9801290049	QA999	
Boston Edison Co.	9801050003	50-293	R
	9801050070	50-293	S
	9801050075*	50-293	S
	9801050086	50-293	P
	9801060138	50-293	P
	9801070015	50-293	S
	9801070019*	50-293	S
	9801070051	50-293	Q
	9801070172	50-293	S
	9801070189*	50-293	S
	9801130243	50-293	S
	9801130310	50-293	S
	9801160114	50-293	R
	9801210076	50-293	S
	9801210090*	50-293	S
	9801210103	50-293	Q
	9801210181	50-293	S
	9801210192*	50-293	S
	9801220274	50-293	Q
	9801260217	50-293	R
	9801260223	50-293	P
CBI Services, Inc. (formerly Chicago Bridge & Iron Co.)	9801090039	71-9269	
California, Univ. of, Los Angeles, CA	9801230252	PR	
	9801260403	PR	
California, Univ. of, Santa Barbara, CA	9801230312	CONTRACT	
	9801260085*	52-3	
Cameco (formerly Eldorado Nuclear, Ltd./Eldorado Resources, Ltd.	9801270036	XPORTLIC	
Carolina Power & Light Co.	9801020021	50-324	V
	9801020021	50-324	V
	9801020027	50-324	P
	9801020027	50-324	P
	9801050378	PR	
	9801060298	50-261	P
	9801070033	50-261	Q
	9801090228	50-324	Q
	9801090265	REGGD	
	9801090300	REGGD	
	9801130100	50-261	F
	9801130112	50-400	Q
	9801130155	50-400	V
	9801140112	50-261	S
	9801150063	50-261	Q
	9801150077	TOPREP	
	9801160017	50-261	P
	9801210243	50-261	R
	9801210266	50-400	R
	9801220185	50-324	R
	9801230080	PRM	
	9801230396	50-324	F
	9801230396	50-324	F
	9801230402	50-324	F
	9801230402	50-324	F
	9801260051	50-324	F
	9801260051	50-324	F
	9801260052	50-324	F
	9801260052	50-324	F
	9801270016	50-261	Q
	9801270024	50-324	P
	9801270025*	50-324	P
	9801270028*	50-324	P
	9801270046	50-324	Q
	9801280123	50-325	Q
	9801280124*	50-325	Q
Case Western Reserve Univ., Cleveland, O	9801230445	PR	
Center for Nuclear Waste Regulatory Analyses	9801260266*	WM	
	9801260283*	WM	
	9801300098*	WM	
Centerior Energy	9801020119	50-346	P
	9801020121*	50-346	P
	9801020124*	50-346	P
	9801050029	50-346	P
	9801050031*	50-346	P
	9801050033*	50-346	P
	9801050195	50-346	S
	9801050196*	50-346	S
	9801050261	50-346	S
	9801050270*	50-346	S
	9801130230	50-440	P
	9801130368	50-346	P
	9801140177	50-346	P
	9801150100	50-346	R
	9801200287	50-440	P
	9801200291*	50-440	P
	9801210106	50-440	R
	9801210246	50-440	P
	9801210281	50-440	R
	9801210286*	50-440	R
	9801220004	50-440	Q
	9801220005*	50-440	Q
	9801220179	50-346	S
	9801220262	50-440	Q
	9801230393	50-440	S
	9801230398*	50-440	S
	9801280093	50-440	S
	9801280282	50-440	P
Centre Community Hosp., State College, P	9801260118	PR	
	9801260231	PR	
Chem-Nuclear Systems, Inc.	9801080261	CONTRACT	
	9801200297	71-9196	
	9801260041	71-9001	
	9801300158*	27-47	
Chemetron Corp.	9801120036	40-8724	
China, Peoples Republic of	9801300042*	COMMISSIO	N
Cimarron Corp.	9801050262	70-925	
	9801050265*	70-925	
	9801290197	70-925	
Cintichem, Inc.	9801290204	50-54	W
Clara Maass Memorial Hosp., Belleville, NJ	9801260138	PR	
Clark County, NV	9801230011	PR	
Cleveland Clinic Foundation, Cleveland, OH	9801260034	PR	
Colorado State Univ., Fort Collins, CO	9801140353	CONTRACT	
Colorado, State of	9801140165*	PR	
	9801220270	STATE PRO	G
Colorado, Univ. of, Health Sciences Center, Denver, CO	9801260263	PR	
Columbia Univ., New York, NY	9801230077	PR	
Commerce, Dept. of, National Oceanic & Atmospheric Administration	9801120071	NUREG	
Commonwealth Edison Co.	9801020014	PR	
	9801020019	50-247	R
	9801020029	50-254	S
	9801020031*	50-254	S
	9801020034	50-265	S
	9801020040*	50-265	S
	9801020046	50-265	P
	9801020050	50-454	P
	9801020050	50-454	P
	9801020050	50-454	P
	9801020050	50-454	P
	9801020057	50-454	P
	9801020057	50-454	P
	9801020057	50-454	P
	9801020057*	50-454	P
	9801020057	50-454	P
	9801020086	50-373	R
	9801020087	50-373	S
	9801020089*	50-373	S
	9801020096	50-456	Q
	9801050058	50-237	S
	9801050063*	50-237	S
	9801050080	50-454	S
	9801050204	50-295	F
	9801050204	50-295	F
	9801050242	50-254	Q
	9801050279	50-254	S
	9801050293*	50-254	S
	9801050297	50-295	S
	9801050306*	50-295	S
	9801060130	50-295	P
	9801060130	50-295	P
	9801060130	50-295	P
	9801060130	50-295	P
	9801060130	50-295	P
	9801060130	50-295	P
	9801070024	50-373	S
	9801070034	50-10	F
	9801070034	50-10	F
	9801070034	50-10	F
	9801070034	50-10	F
	9801070034	50-10	F
	9801070055*	50-10	F
	9801070055*	50-10	F
	9801070059*	50-10	F
	9801070065*	50-10	F
	9801070065*	50-10	F
	9801070083*	50-10	F
	9801070083*	50-10	F
	9801070092*	50-10	F
	9801070099*	50-10	F
	9801070099*	50-10	F
	9801070148	50-10	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801070148	50-10	Q
	9801070155	50-237	P
	9801070155	50-237	P
	9801070155	50-237	P
	9801070155	50-237	P
	9801070155	50-237	P
	9801070155	50-237	P
	9801070155	50-237	P
	9801070155	50-237	P
	9801070156	50-454	Q
	9801070156	50-454	Q
	9801070201	50-254	S
	9801070212	50-254	Q
	9801070212	50-254	Q
	9801070243	50-454	P
	9801070243	50-454	P
	9801070243	50-454	P
	9801070243	50-454	P
	9801070246*	50-454	P
	9801070246*	50-454	P
	9801070246*	50-454	P
	9801070246*	50-454	P
	9801070341	50-249	S
	9801070344*	50-249	S
	9801080022	50-237	P
	9801080022	50-237	P
	9801080042*	50-237	P
	9801080042*	50-237	P
	9801080188	50-255	F
	9801080201	50-255	F
	9801080204	50-255	F
	9801080274	50-255	F
	9801080342	50-254	P
	9801080342	50-254	P
	9801080345	50-254	F
	9801080345	50-254	F
	9801090239	50-331	F
	9801120277	50-237	P
	9801120277	50-237	P
	9801120277	50-237	P
	9801120277	50-237	P
	9801120277	50-237	P
	9801120277	50-237	P
	9801120277	50-237	P
	9801120277	50-237	P
	9801120277	50-237	P
	9801130014*	50-237	P
	9801130014*	50-237	P
	9801130014*	50-237	P
	9801130014*	50-237	P
	9801130014*	50-237	P
	9801130014*	50-237	P
	9801130014*	50-237	P
	9801130014*	50-237	P
	9801130014*	50-237	P
	9801130031	50-295	S
	9801130046*	50-295	S
	9801130092	50-237	P
	9801130092	50-237	P
	9801130092	50-237	P
	9801130092	50-237	P
	9801130092	50-237	P
	9801130092	50-237	P
	9801130092	50-237	P
	9801130092	50-237	P
	9801130092	50-237	P
	9801130123	50-454	P
	9801130123	50-454	P
	9801130123	50-454	P
	9801130123	50-454	P
	9801130178	50-456	F
	9801130248	50-254	F
	9801130248	50-254	F
	9801130392	50-454	P
	9801140035	50-454	P
	9801140084	50-254	S
	9801140092*	50-254	S
	9801140102	50-254	F
	9801140145*	50-454	P
	9801140149*	50-454	P
	9801140158*	50-454	P
	9801140162*	50-454	P
	9801140193	50-456	R
	9801140193	50-456	R
	9801140260	50-295	F
	9801140318	50-454	F
	9801140318	50-454	F
	9801150045	50-237	Q
	9801150074	50-373	F
	9801150074	50-373	F
	9801160021	50-254	F
	9801160042	50-254	S
	9801160043	50-237	P
	9801160043	50-237	P
	9801160043	50-237	P
	9801160043	50-237	P
	9801160043	50-237	P
	9801160051*	50-254	S
	9801160078	50-10	Q
	9801160078	50-10	Q
	9801160081	50-254	R
	9801160081	50-254	R
	9801160125	50-456	P
	9801160125	50-456	P
	9801160128*	50-456	P
	9801160128*	50-456	P
	9801160129*	50-456	P
	9801160129*	50-456	P
	9801160132*	50-456	P
	9801160132*	50-456	P
	9801160139	50-456	P
	9801160139	50-456	P
	9801160141*	50-456	P
	9801160141*	50-456	P
	9801160168	50-237	F
	9801160168	50-237	F
	9801160168	50-237	F
	9801160168	50-237	F
	9801160168	50-237	F
	9801160168	50-237	F
	9801160168	50-237	F
	9801160168	50-237	F
	9801160168	50-237	F
	9801160168	50-237	F
	9801200033	50-373	F
	9801200033	50-373	F
	9801200036	50-10	W
	9801200052	50-454	P
	9801200105	50-249	Q
	9801200139	50-237	V
	9801200139	50-237	V
	9801200155	50-454	P
	9801210059	50-295	S
	9801210070*	50-295	S
	9801210163	TOPREP	
	9801210173	50-373	P
	9801210173	50-373	P
	9801210206	50-295	F
	9801210232	50-454	P
	9801210242	50-295	F
	9801210249	50-456	P
	9801220013	50-373	R
	9801220013	50-373	R
	9801220017	50-295	R
	9801220043	50-454	R
	9801220043	50-454	R
	9801220146	50-10	R
	9801220146	50-10	R
	9801220146	50-10	R
	9801220160	50-373	S
	9801220207*	50-456	P
	9801220215	50-10	R
	9801220215	50-10	R
	9801220215	50-10	R
	9801220226	50-456	Q
	9801220293	50-373	F
	9801220293	50-373	F
	9801220360	PRM	
	9801230289	50-254	F
	9801230289	50-254	F
	9801230344	PR	
	9801230366	50-373	S
	9801230382*	50-373	S
	9801230394	50-10	F
	9801230394	50-10	F
	9801230394	50-10	F
	9801230394	50-10	F
	9801230394	50-10	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801230394	50-10	F
	9801230394	50-10	F
	9801230394	50-10	F
	9801230394	50-10	F
	9801230394	50-10	F
	9801230394	50-10	F
	9801230394	50-10	F
	9801260086	50-373	S
	9801260141	TOPREP	
	9801260206	50-373	V
	9801260206	50-373	V
	9801260250	50-373	V
	9801260250	50-373	V
	9801260483	50-254	S
	9801260484*	50-254	S
	9801270022	50-254	P
	9801270022	50-254	P
	9801270064	50-254	F
	9801270094	50-373	S
	9801270099*	50-373	S
	9801270100	50-237	S
	9801270103*	50-237	S
	9801270106	50-237	S
	9801270112*	50-237	S
	9801270233	50-295	F
	9801280031	50-254	S
	9801280048*	50-254	S
	9801280074	50-254	S
	9801280081*	50-254	S
	9801280089	50-254	Q
	9801280107	50-254	Q
	9801280242	50-10	H
	9801280295	50-454	Q
	9801290171	50-254	F
Community Hosp. of Indianapolis, Inc., Indianapolis, IN	9801260245	PR	
Conference of Radiation Control Program Directors, Inc.	9801220384*	STATE PRO	G
	9801280039	10CFR9.7	
Congress (Joint & Rotating Committees, etc.)	9801140121*	COMMISSIO	N
Connecticut Yankee Atomic Power Co.	9801020109	50-213	S
	9801050041	50-213	W
	9801050047	50-213	W
	9801210165	50-213	R
	9801230413	50-213	F
	9801280278	50-213	V
Consolidated Edison Co. of New York, Inc	9801140411	50-247	P
	9801140413*	50-247	P
	9801160144	50-247	S
	9801160158	50-247	S
	9801200103	50-247	P
	9801220025	50-247	R
	9801220240	50-247	V
Consumers Energy Co. (formerly Consumers Power Co.),	9801020084	50-255	P
	9801020092	50-255	F
	9801020157	50-255	P
	9801020159*	50-255	P
	9801050179	50-255	F
	9801130037	50-255	R
	9801140203	50-255	P
	9801210275	50-255	Q
	9801230122	50-155	F
	9801230338	50-155	Q
	9801290138	50-255	Q
Dairyland Power Cooperative	9801070229	50-409	F
	9801220132	50-409	F
Darchem Engineering, Inc.	9801270098*	50-282	F
Data General Corp.	9801260242	CONTRACT	
Detroit Edison Co.	9801050139	50-341	K
	9801050198	50-341	F
	9801050244	50-341	K
	9801060216	50-341	P
	9801080287	50-341	K
	9801130137	50-341	K
	9801140265	50-341	F
	9801210169	50-341	R
	9801210208	50-341	K
	9801220148	50-341	P
	9801220271	50-341	P
	9801230105	PR	
	9801230226	50-341	H
	9801270063	50-341	P
Dow Chemical Co.	9801220248	50-264	F
Du Page Oncology Center, Winfield, IL	9801260113	PR	
Duke Engineering & Services	9801150066	50-309	Q
Duke Power Co.	9801020094	50-269	P
	9801020094	50-269	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801020094	50-269	P
	9801020095*	50-269	P
	9801020095*	50-269	P
	9801020095*	50-269	P
	9801020138	50-369	P
	9801020142*	50-369	P
	9801020142*	50-369	P
	9801050148	50-269	P
	9801050148	50-269	P
	9801050148	50-269	P
	9801050150*	50-269	P
	9801050222	50-269	P
	9801050230*	50-269	P
	9801050230*	50-269	P
	9801050230*	50-269	P
	9801050343	50-269	P
	9801050343	50-269	P
	9801050343	50-269	P
	9801050345*	50-269	P
	9801050345*	50-269	P
	9801060169	50-369	R
	9801060177	50-269	P
	9801060211	50-269	P
	9801060211	50-269	P
	9801060211	50-269	P
	9801060213	50-269	Q
	9801060213	50-269	Q
	9801060213	50-269	Q
	9801060213	50-269	Q
	9801070071	50-269	F
	9801070071	50-269	F
	9801070071	50-269	F
	9801070076*	50-269	F
	9801070076*	50-269	F
	9801070076*	50-269	F
	9801070129	50-413	Q
	9801070129	50-413	Q
	9801070136	50-413	Q
	9801070136	50-413	Q
	9801070257	50-413	S
	9801080217	50-369	F
	9801080217	50-369	F
	9801080227	50-269	P
	9801080227	50-269	P
	9801080271	50-370	S
	9801080276*	50-370	S
	9801130210	50-269	P
	9801130210	50-269	P
	9801130210	50-269	P
	9801130210	50-269	P
	9801130210	50-269	P
	9801130210	50-269	P
	9801130210	50-269	P
	9801130228*	50-269	P
	9801130236	50-269	P
	9801130236	50-269	P
	9801130236	50-269	P
	9801130236	50-269	P
	9801130236	50-269	P
	9801130236	50-269	P
	9801130328	50-369	P
	9801130328	50-369	P
	9801130333*	50-369	P
	9801130333*	50-369	P
	9801130334*	50-369	P
	9801140073	50-269	P
	9801140073	50-269	P
	9801140073	50-269	P
	9801140078*	50-269	P
	9801140078*	50-269	P
	9801140078*	50-269	P
	9801140160	50-269	P
	9801140160	50-269	P
	9801140160	50-269	P
	9801140164*	50-269	P
	9801140164*	50-269	P
	9801140164*	50-269	P
	9801140227	50-269	P
	9801140227	50-269	P
	9801140227	50-269	P
	9801160119	50-269	S
	9801160121*	50-269	S
	9801200055	50-269	F
	9801210309	50-369	R
	9801210314*	50-369	R
	9801210314*	50-369	R
	9801210315*	50-369	R
	9801210315*	50-369	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801220047	50-369	R
	9801220047	50-369	R
	9801220063	50-413	R
	9801220067	50-269	R
	9801220067	50-269	R
	9801220067	50-269	R
	9801220069*	50-269	R
	9801220069*	50-269	R
	9801220069*	50-269	R
	9801220076*	50-413	R
	9801220077*	50-269	R
	9801220084*	50-413	R
	9801220159	50-269	Q
	9801220159	50-269	Q
	9801220159	50-269	Q
	9801220263	PRM	
	9801220266	50-369	P
	9801220291	50-413	P
	9801230093	50-269	Q
	9801230377	50-269	K
	9801230377	50-269	K
	9801230377	50-269	K
	9801230377	50-269	K
	9801260050	50-369	Q
	9801260107	50-269	Y
	9801260107	50-269	Y
	9801260125	50-269	P
	9801260125	50-269	P
	9801260125	50-269	P
	9801260130	50-269	P
	9801260130	50-269	P
	9801260130	50-269	P
	9801260142	50-370	P
	9801260145*	50-269	P
	9801260145*	50-269	P
	9801260145*	50-269	P
	9801260168	50-369	P
	9801260170	50-413	S
	9801260182*	50-413	S
	9801270067	50-269	F
	9801270067	50-269	F
	9801270067	50-269	F
	9801270081*	50-269	F
	9801270081*	50-269	F
	9801270081*	50-269	F
	9801280070	50-413	P
	9801280150	50-269	Q
	9801290090	50-269	P
Duquesne Light Co.	9801060127	50-412	S
	9801070130	50-334	P
	9801070131*	50-334	P
	9801070297	50-334	R
	9801080092	50-412	S
	9801080206	50-334	P
	9801080206	50-334	P
	9801080209*	50-334	P
	9801080209*	50-334	P
	9801080250	50-412	P
	9801080356	50-334	P
	9801130101	50-334	S
	9801130109*	50-334	S
	9801130354	50-334	S
	9801140243	50-334	P
	9801160019	50-334	R
	9801160020	50-334	S
	9801160024	50-334	Q
	9801160024	50-334	Q
	9801210159	50-334	P
	9801220328	50-412	S
	9801220359	50-412	S
	9801260022	50-334	S
	9801260031	50-334	S
	9801270057	50-412	S
	9801270217	50-334	K
	9801270221*	50-334	K
	9801300077	50-334	F
	9801300077	50-334	F
	9801300081*	50-334	F
	9801300081*	50-334	F
	9801300201	50-334	F
	9801300201	50-334	F
	9801300205*	50-334	F
Earth Science Consultants, Inc.	9801090148*	40-8724	
Earth Technology Co.	9801050102*	50-263	F
Edlow International Co.	9801230013	XPORTLIC	
	9801280320	XPORTLIC	
	9801280365*	XPORTLIC	
Electric Power Research Institute	9801060235*	REVIEW GR	P
	9801120053*	TOPREP	
	9801130295	TOPREP	
	9801130303*	TOPREP	
	9801160025	NUREG	
	9801210213*	TOPREP	
Energy Research, Inc.	9801150168*	52-3	
Energy, Dept. of	9801020017	ORG	
	9801050091*	FOIA	
	9801050144*	FOIA	
	9801050286	WM	
	9801050291*	WM	
	9801050307	WM	
	9801060033	40-8902	
	9801060038	40-8902	
	9801060171*	FOIA	
	9801080393	WM	
	9801090009	ORG	
	9801090036	WM	
	9801090154	PROJ	
	9801090160	PROJ	
	9801200104	WM	
	9801200221	WM	
	9801200229*	WM	
	9801200276	WM	
	9801220157	XPORTLIC	
	9801230125	ORG	
	9801230141*	ORG	
	9801230142	70-7002	
	9801230150	70-7002	
	9801230316	WM	
	9801230320*	WM	
	9801260339	WM	
	9801260344*	WM	
	9801260358*	WM	
	9801280116	71-9098	
	9801280301*	WM	
	9801290003	WM	
	9801300170*	FOIA	
Energy, Dept. of, Idaho Operations Offic	9801290158	50-267	F
Entergy Operations, Inc.	9801020061	50-313	Q
	9801020061	50-313	Q
	9801020079	50-313	R
	9801050173	50-382	S
	9801050182*	50-382	S
	9801080081*	50-313	Q
	9801080081*	50-313	Q
	9801080236	50-382	P
	9801090064	50-382	S
	9801090071*	50-382	S
	9801130055	50-368	R
	9801130062*	50-368	R
	9801130089	50-458	P
	9801130129	50-458	P
	9801130140	50-458	Q
	9801130421	50-416	F
	9801140080	50-313	P
	9801140107	50-416	P
	9801140110*	50-416	P
	9801140191	50-458	R
	9801140390	50-458	I
	9801140395	50-382	S
	9801140401*	50-382	S
	9801150095	50-382	F
	9801150117*	50-382	F
	9801150122	50-458	P
	9801160134	50-382	S
	9801160136*	50-382	S
	9801160184	50-382	Q
	9801200029	50-382	R
	9801200076	50-416	S
	9801200114	50-313	P
	9801200117	50-382	S
	9801200121*	50-313	P
	9801200129*	50-382	S
	9801200137	50-382	K
	9801200142	50-382	Q
	9801200149	50-458	P
	9801210023	50-416	Q
	9801210029*	50-416	Q
	9801210260	50-416	Q
	9801220009*	50-416	R
	9801220040	50-313	R
	9801220125	50-368	P
	9801220285	50-382	F
	9801230060	PRM	
	9801230078	50-416	R
	9801230203	71-9145	
	9801230211	50-382	P
	9801230225*	50-382	P
	9801230242	50-382	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801230279*	50-382	P
	9801230336	PR	
	9801260019	50-382	P
	9801260228	50-382	F
	9801260302	50-413	Q
	9801270009	50-382	Q
	9801270102	50-313	Q
	9801280103	50-458	Q
	9801280135	50-416	P
	9801280174	50-458	P
	9801290047	50-382	Q
	9801290070	50-458	Q
	9801290075	50-382	P
	9801290076*	50-382	P
	9801290147	50-313	F
	9801290167	50-458	P
Envirocare of Utah, Inc.	9801130412*	40-8989	
	9801260282	40-8989	
	9801260314*	40-8989	
	9801260320*	40-8989	
	9801260357	40-8989	
Evanston & Glenbrook Hosps., Evanston, I	9801230432	PR	
Fansteel, Inc.	9801300193	40-7580	
Federal Emergency Management Agency	9801050180*	50-387	F
	9801130038*	50-498	F
Federal Energy Regulatory Commission	9801130391*	50-413	Q
Florida Power & Light Co.	9801050228	50-250	I
	9801060185	50-389	P
	9801060187*	50-389	P
	9801060191*	50-389	P
	9801060194*	50-389	P
	9801060199	50-335	V
	9801060199	50-335	V
	9801060277	50-251	Q
	9801060282*	50-251	Q
	9801060352	50-335	Q
	9801060352	50-335	Q
	9801070046	50-389	P
	9801070050*	50-389	P
	9801070061*	50-389	P
	9801070202	50-250	F
	9801080094	50-250	P
	9801080094	50-250	P
	9801090074	50-335	F
	9801090074	50-335	F
	9801130203	50-251	Q
	9801130281	50-250	P
	9801130326	50-335	P
	9801130344*	50-335	P
	9801140123	50-389	Q
	9801140201	50-335	Q
	9801140264	50-335	F
	9801140264	50-335	F
	9801160016	50-335	R
	9801160016	50-335	R
	9801160026	50-250	R
	9801160029	50-335	S
	9801160029	50-335	S
	9801200042	50-335	P
	9801200042	50-335	P
	9801200047*	50-335	P
	9801200094	50-335	F
	9801200094	50-335	F
	9801200100*	50-335	F
	9801200156	50-335	P
	9801220010	50-250	R
	9801220099	50-250	P
	9801220099	50-250	P
	9801220101*	50-250	P
	9801220101*	50-250	P
	9801220106	50-250	P
	9801220117	50-335	Q
	9801230059*	50-335	P
	9801230064*	50-335	P
Florida Power Corp.	9801020005	50-302	P
	9801050007	50-302	Q
	9801050013	50-302	S
	9801050044	50-302	F
	9801050073	50-302	F
	9801050079	50-302	F
	9801050083	50-302	F
	9801060010	50-302	V
	9801060073	50-302	S
	9801060075*	50-302	S
	9801060228	50-302	F
	9801060241	50-302	F
	9801080045	50-302	P
	9801080324	50-302	S
	9801090109	50-302	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801090115*	50-302	S
	9801090231	50-302	S
	9801090232*	50-302	S
	9801090284	50-302	F
	9801130255	50-302	Q
	9801130286	50-302	S
	9801130319	50-302	P
	9801130322*	50-302	P
	9801140184	50-302	P
	9801140197*	50-302	P
	9801140202*	50-302	P
	9801140205*	50-302	P
	9801140209*	50-302	P
	9801140216*	50-302	P
	9801140218*	50-302	P
	9801140223*	50-302	P
	9801140226*	50-302	P
	9801140229*	50-302	P
	9801140234*	50-302	P
	9801140236*	50-302	P
	9801140239*	50-302	P
	9801140398	50-302	S
	9801140415	50-302	P
	9801160127	50-302	P
	9801160130	50-302	S
	9801200068	50-302	R
	9801200147	50-302	S
	9801200151*	50-302	S
	9801210066	50-302	P
	9801210071	50-302	S
	9801210086	50-302	P
	9801210095*	50-302	S
	9801210180	50-302	F
	9801210187	50-302	F
	9801260341	50-302	P
	9801260342*	50-302	P
	9801260418	50-302	F
	9801260456	50-302	F
	9801260458*	50-302	F
	9801260465*	50-302	F
	9801260467*	50-302	F
	9801270013	50-302	F
	9801270085	50-302	P
	9801270105	50-302	F
	9801270175	50-302	P
	9801280003	50-302	P
	9801290029	50-302	F
	9801290033	50-302	P
	9801290034*	50-302	P
	9801290036*	50-302	P
	9801290050	50-302	F
	9801290083	50-302	P
	9801290085*	50-302	P
	9801290086*	50-302	P
	9801290137	50-302	F
	9801300187	50-302	Q
	9801300245	50-302	F
Florida, State of	9801050377	STATE PRO	G
Foxboro Corp.	9801080190	50-247	S
Framatome Cogema Fuels (formerly B&W Fue	9801070238	70-1201	
Co.),	9801090227	70-1201	
	9801090288	71-6206	
	9801270007	71-6206	
	9801300251	TOPREP	
	9801300259	TOPREP	
	9801300262*	TOPREP	
France	9801290097*	71-3038	
GZA GeoEnvironmental, Inc. (formerly	9801090269	70-820	
Goldberg-Zoino & Associates, Inc. &			
Garvey, Schubert, Adams & Barer	9801070259	XPORTLIC	
General Atomics (formerly GA Technologie	9801050034	70-734	
s, Inc./General Atomic Co.)	9801060297	70-734	
	9801220121	50-89	I
	9801230307	70-734	
	9801230314*	70-734	
	9801260310	70-734	
General Electric Co.	9801070162	71-4909	
	9801120059*	TOPREP	
	9801200131*	50-352	P
	9801220351	TOPREP	
	9801230016	TOPREP	
	9801230088	TOPREP	
	9801260105	XPORTLIC	
	9801270143	XPORTLIC	
	9801280173*	50-321	P
	9801280338	TOPREP	
	9801290061	CONTRACT	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
General Public Utilities Corp.	9801020003	50-289	Q
	9801020011	50-289	P
	9801020120	50-219	P
	9801020122*	50-219	P
	9801050120	50-289	F
	9801060119	50-289	P
	9801060201	50-289	F
	9801060201	50-289	F
	9801060204	50-289	F
	9801070169	50-289	F
	9801070169	50-289	F
	9801070207	50-219	P
	9801090235	50-289	P
	9801130153	50-289	F
	9801130314	50-219	Q
	9801130374	50-219	S
	9801130387	50-219	P
	9801140190	50-289	P
	9801200032	50-289	F
	9801200032	50-289	F
	9801200278	50-219	Q
	9801210019	50-289	Q
	9801210022*	50-289	Q
	9801220026	50-219	R
	9801220232	50-219	S
	9801260440	50-289	F
	9801270065	50-289	P
	9801270096	50-289	P
	9801270101	50-320	P
	9801300106	50-219	F
Georgia Institute of Technology, Atlanta GA	9801080233	50-160	F
	9801130244	50-160	P
Goulds Pumps, Inc.	9801160034	QA999	
HRI, Inc. (Hydro Resources, Inc.)	9801070251	40-8968	
	9801080219	40-8968	
	9801300189	40-8968	
	9801300207*	40-8968	
Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley)	9801230218*	40-8968	
	9801230221	40-8968	
	9801230250*	40-8968	
	9801300236	40-8968	
Harrison Steel Castings Co.	9801260491	71-9269	
Harvard Univ., Cambridge, MA	9801300220	72-22	
	9801300223	72-22	
Hawaii, Univ. of, Hilo, HI	*9801260178*	NUREG	
	9801260185	NUREG	
Health Physics Society	9801260208	PR	
Heller, Ehrman, White & McAuliffe	9801300150*	FOIA	
Hellier Associates, Inc.	9801140352	CONTRACT	
Hinsdale Hosp., Hinsdale, IL	9801260292	PR	
Holtec International	9801080019	71-9261	
	9801090263	71-9261	
	9801140272*	72-22	
	9801140276*	72-22	
	9801140279*	72-22	
	9801290183	71-784	
Homestake Mining Co.	9801220186	NUREG	
	9801230087	40-8903	
	9801300085	40-8903	
Honeywell, Inc.	9801220180*	XPORTLIC	
	9801260174	XPORTLIC	
Hosp. of St. Raphael, New Haven, CT	9801230373	PR	
House of Rep.	9603210422*	FOIA	
	9801130409*	PR	
	9801140241*	PR	
	9801140337*	PR	
Houston Lighting & Power Co.	9801070039	50-498	P
	9801070253	50-498	P
	9801070253	50-498	P
	9801070255*	50-498	P
	9801070255*	50-498	P
	9801140240	50-498	P
	9801150106	50-498	Q
	9801160122	50-498	F
	9801160122	50-498	F
	9801160185	50-498	F
	9801160185	50-498	F
	9801210108	50-498	P
	9801210108	50-498	P
	9801210114	50-498	F
	9801210114	50-498	F
	9801210123*	50-498	F
	9801210301	50-498	R
	9801210301	50-498	R
	9801220178	50-498	F
	9801220178	50-498	F
	9801260498	50-498	Q
	9801280161	50-498	Q
	9801280291	50-498	P
	9801300120	50-499	P
Hydro-Engineering	9801230091*	40-8903	
ICF, Inc.	9801140299*	PR	
	9801140315*	PR	
IES Utilities Inc., (formerly Iowa Electric Light & Power Co)	9801020026	50-331	P
	9801020115	50-331	S
	9801070043	50-331	P
	9801070163	50-331	Q
	9801130077	50-331	P
	9801130082	50-331	P
	9801160015	50-331	P
	9801200022	50-331	R
	9801200157	50-331	P
	9801220280	50-331	P
	9801220282*	50-331	P
	9801220338	50-331	P
	9801260259	50-331	P
	9801280086	50-331	F
	9801280090*	50-331	F
	9801280309	50-331	P
	9801290144	50-331	F
Idaho National Engineering & Environment al Laboratory	9801280280*	ORG	
	9801290081*	ORG	
Illinois Power Co.	9801020165	50-461	S
	9801050295	50-461	Q
	9801060116	50-461	Q
	9801060123	50-461	Q
	9801060258	50-461	P
	9801060353	50-461	F
	9801070006	50-461	S
	9801070010*	50-461	S
	9801130036	50-461	R
	9801130058	50-461	H
	9801130192	50-461	S
	9801200088*	50-461	Q
	9801210084	50-461	Q
	9801220097	50-461	S
	9801220103*	50-461	S
	9801260190	50-461	S
	9801260201*	50-461	S
	9801280083	50-461	S
	9801280087*	50-461	S
	9801280131	50-461	S
	9801280140*	50-461	S
	9801280303	50-461	Q
	9801280333	50-461	S
Illinois, State of	9801160061	REGGD	
	9801220209	STATE PRO	G
	9801220393*	STATE PRO	G
	9801220402	PRM	
	9801220403	STATE PRO	G
Illinois, Univ. of, Urbana, IL	9801070208	50-151	F
	9801260233	PR	
Imaging & Sensing Technology Corp.	9801280317*	70-3061	
	9801280322*	70-3061	
	9801280329*	70-3061	
Immanuel-St. Joseph's Hosp., Mankato, MN	9801230440	PR	
India	9801080243*	COMMISSIO	N
	9801300211	REGGD	
Indiana Michigan Power Co.	9801020028	50-316	S
	9801050374	50-315	P
	9801050374	50-315	P
	9801070196	50-315	S
	9801070224	50-316	P
	9801070226	50-315	S
	9801070234	50-315	S
	9801070361	50-315	P
	9801070361	50-315	P
	9801080350*	50-316	P
	9801130050	50-315	Q
	9801140065	50-316	S
	9801140204	50-315	P
	9801140246	50-315	R
	9801140262	50-316	R
	9801140266*	50-316	R
	9801140267*	50-316	R
	9801160187	50-315	Q
	9801160187	50-315	Q
	9801200081	50-315	P
	9801200081	50-315	P
	9801200084*	50-315	P
	9801200084*	50-315	P
	9801230308	50-315	S
	9801230332	50-316	S
	9801290073	50-316	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Indiana Regional Cancer Treatment Center Indiana, PA	9801230143	PR	
	9801230147	PR	
Indiana Univ. of Pennsylvania, Indiana, PA	9801060103	71-*****	
	9801060104*	71-*****	
Industrial Nuclear Co.	9801080033	71-9156	
	9801080033	71-9156	
	9801080033	71-9156	
	9801080040*	71-9156	
	9801080049*	71-9156	
	9801080049*	71-9156	
	9801080049*	71-9156	
	9801080057*	71-9156	
	9801080062*	71-9156	
	9801080071*	71-9156	
	9801080292	71-9156	
	9801080292	71-9156	
	9801080292	71-9156	
	9801080307	71-9156	
	9801290190	71-62	
Institute of Nuclear Power Operations	9801090183	ORG	
	9801090189	ORG	
	9801090191	ORG	
Institute of Scrap Recycling Industries,	9801280052	10CFR9.7	
Inc. (formerly of Institute of Scrap &			
Integrated Environmental Services	9801290030	40-8948	
Interior, Dept. of	9801200161*	ORG	
Interior, Dept. of, Fish & Wildlife Service	9801140004	40-8943	
Interior, Dept. of, Geological Survey	9801200256*	WM	
International Atomic Energy Agency	9801290035*	40-8948	
International Utilities Corp.	9801200040	40-8681	
Iowa State Univ., Ames, IA	9801020045	50-116	P
	9801230101	50-116	V
Isotope Products Laboratories	9801150228*	FOIA	
JRA Associates	9801230074*	FOIA	
Japan	9801140208*	COMMISSIO	N
	9801290008	XPORTLIC	
John D. Archbold Memorial Hosp., Thomasville, GA	9801260053	PR	
Johns Hopkins Univ., Baltimore, MD	9801270088	STATE PRO	G
Johnston-Willis Hosp. Richmond,VA	9801260079	PR	
Kansas, State of	9801060074*	STATE PRO	G
	9801260249	REGGD	
Kennecott Corp.	9801230269	40-8584	
	9801230321	40-8584	
	9801230327*	40-8584	
	9801290161	40-8584	
Kentucky, Commonwealth of	9801050314	STATE PRO	G
	9801140045*	PR	
Kentucky, Univ. of, Lexington, KY	9801260020	PR	
Kerr-McGee Corp.	9801140060	70-3073	
Kettering Medical Center, Adventist Health Systems-Eastern Middle America,	9801230262	PR	
Lahey Clinic Medical Center, Burlington, MA	9801260002	PR	
	9801260040	PR	
Lawrence Livermore National Laboratory	9801200239*	WM	
	9801210017*	WM	
Los Alamos National Laboratory	9801210002*	WM	
	9801210003*	WM	
Louisiana, State of	9801140153*	PR	
	9801220205	STATE PRO	G
MPR Associates, Inc.	9801140419*	50-302	P
Maine Medical Center, Portland, ME	9801230133	PR	
	9801230268	PR	
Maine Yankee Atomic Power Co.	9801020076	50-309	V
	9801050020	50-309	Q
	9801210239	50-309	F
	9801210240	50-309	F
	9801210250	50-309	F
	9801210255	50-309	F
	9801280126	71-6078	
	9801280127	50-309	W
	9801280213	50-309	J
	9801290193	50-309	R
Maine, State of	9801260072	50-309	W
Mallinckrodt, Inc.	9801090167	40-6563	
Manhattan College, Riverdale, NY	9801070199	50-199	R
	9801160193	50-199	P
	9801160194*	50-199	P
Marin General Hosp., San Rafael, CA	9801230220	PR	
	9801260084	PR	
Marion General Hosp., Marion, IN	9801260281	PR	
Maryland, Univ. of, College Park, MD	9801020153	CONTRACT	
	9801140345	CONTRACT	
Massachusetts Institute of Technology, Cambridge, MA	9801260070	50-20	P
Massachusetts, Commonwealth of	9801230264	PRM	
Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of)	9801060317	50-223	P
	9801090172	50-223	P
Mayo Clinic, Rochester, MN	9801260033	PR	
Medical Univ. of South Carolina, Charleston, SC	9801260089	PR	
Medical X-Ray Center Sioux Falls,SD	9801230375	PR	
	9801260093	PR	
Methodist Hops., St. Louis Park, MN	9801260003	PR	
	9801260032	PR	
Methodist Hosps. of Memphis, Memphis, TN	9801230273	PR	
	9801260014	PR	
	9801260021	PR	
Michigan, State of	9801280288	STATE PRO	G
	9801280330	40-9015	
	9801290077	40-9015	
Minneapolis Radiation Oncology, P.A., St Louis Park, MN	9801260224	PR	
Minnesota, State of	9801230219	50-282	Y
Minnesota, Univ. of, Minneapolis, MN	9801230387	PR	
Mississippi, State of	9801130416*	PR	
Missouri, State of	9801230192	PRM	
Missouri, Univ. of, Columbia, MO	9801150048	50-186	Q
	9801150136	50-186	S
	9801210101	50-186	P
	9801280340	50-186	Q
	9801290017	50-186	P
	9801290019*	50-186	P
Mitsubishi International Corp.	9801230021	XPORTLIC	
Mitsui & Co. (USA), Inc.	9801260039	XPORTLIC	
	9801260045	XPORTLIC	
	9801270011	XPORTLIC	
	9801270093	XPORTLIC	
	9801280315*	XPORTLIC	
	9801280328*	XPORTLIC	
	9801290131*	XPORTLIC	
Molycorp, Inc.	9801080381	40-8778	
	9801280360	40-8794	
	9801290186	40-8778	
Mountain States Tumor Institute, Boise, ID	9801230378	PR	
NAC International Inc. (formerly Nuclear Assurance Corp.),	9801150019	71-9225	
	9801210099	71-9225	
	9801210112*	71-9225	
	9801260059	70-3020	
	9801260065	70-3020	
	9801270235	71-9225	
	9801270236*	71-9225	
National Aeronautics & Space Administration	9801200263	50-3	W
Natural Resources Defense Council	9801130420*	40-8939	
Navajo Tribal Utility Authority	9801080245*	40-8968	
	9801080266	40-8968	
	9801080278	40-8968	
	9801230197	40-8968	
Nebraska Public Power District	9801060252	50-298	P
	9801060340	50-298	S
	9801070013	50-298	S
	9801070223	50-298	Q
	9801130043	50-298	P
	9801140410	50-298	Q
	9801150015	50-298	Q
	9801160018	50-298	S
	9801210018	50-298	F
	9801210026*	50-298	F
	9801210268	50-298	Q
	9801210276	50-298	P
	9801210294	50-298	R
	9801230115	50-298	H
	9801230246	PR	
Nebraska, State of	9801060126	STATE PRO	G
	9801140170*	PR	
Netherlands, Govt. of	9801260178	NUREG	
	9801260185	NUREG	
Nevada, State of	9801050373*	STATE PRO	G
New Hampshire, State of	9801080086	50-271	F
	9801080086	50-271	F
	9801080086	50-271	F
	9801080096*	STATE PRO	G
	9801080122*	50-271	F
	9801080128*	50-443	F
	9801080128*	50-443	F
	9801080158*	50-271	F
	9801080182*	50-271	F
	9801080184*	50-271	F
	9801080196*	50-271	F
	9801080202*	50-271	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801080205*	50-271	F
	9801080212*	50-271	F
	9801080213*	50-443	F
	9801080213*	50-443	F
	9801080216*	50-443	F
	9801080216*	50-443	F
	9801080221*	50-443	F
	9801080221*	50-443	F
	9801080223*	50-443	F
	9801080223*	50-443	F
	9801080225*	50-443	F
	9801080225*	50-443	F
	9801080228*	50-443	F
	9801080228*	50-443	F
	9801080231*	50-443	F
	9801080231*	50-443	F
	9801080232*	50-443	F
	9801080232*	50-443	F
	9801080235*	50-443	F
	9801080235*	50-443	F
	9801080238*	50-443	F
	9801080238*	50-443	F
	9801080242*	50-443	F
	9801080242*	50-443	F
	9801080244*	50-443	F
	9801080244*	50-443	F
	9801080248*	50-443	F
	9801080248*	50-443	F
	9801080249*	50-443	F
	9801080249*	50-443	F
	9801080252*	50-443	F
	9801080252*	50-443	F
	9801080255*	50-443	F
	9801080255*	50-443	F
	9801080265*	50-443	F
	9801080265*	50-443	F
	9801080270*	50-443	F
	9801080270*	50-443	F
	9801080275*	50-443	F
	9801080275*	50-443	F
	9801080277*	50-443	F
	9801080277*	50-443	F
	9801080282*	50-443	F
	9801080282*	50-443	F
	9801220307*	50-443	P
New Jersey, State of	9801060221	50-272	P
New Mexico, State of	9801090016	40-8968	
	9801150001	40-8907	
	9801230208	40-8968	
	9801230218*	40-8968	
	9801230250*	40-8968	
	9801300197*	40-8968	
	9801300236	40-8968	
New York State Electric & Gas Corp.	9801090052	50-410	P
New York Univ. Medical Center, New York, NY	9801260152	PR	
Niagara Mohawk Power Corp.	9801020009	50-220	P
	9801020091	50-220	P
	9801050326	50-220	S
	9801070213	50-220	Q
	9801120027	TOPREP	
	9801120227	TOPREP	
	9801130072	50-410	P
	9801130124	50-410	S
	9801130410	50-220	S
	9801140049	50-410	S
	9801140117	50-410	P
	9801140152	50-410	P
	9801140172	50-220	P
	9801140253	50-220	Q
	9801200125	50-410	Q
	9801260419	50-220	R
	9801260423	50-410	R
	9801270118	50-220	F
	9801280180	50-410	P
NorCal Testing, Inc.	9801050337	STATE PRO	G
Normandeau Associates, Inc.	9801210221*	50-352	P
North Atlantic Energy Service Corp. (NAESCO)	9801050324	50-443	Q
	9801050334	50-443	S
	9801090095*	50-443	K
	9801140232	50-443	P
	9801160031	50-443	F
	9801200111	50-443	Q
	9801210177	50-443	R
	9801220165	50-443	F
	9801230178	PRM	
	9801230325	50-443	S
North Dakota, State of	9801140034*	PR	
	9801140039*	PR	
Northeast Nuclear Energy Co.	9801020018	50-245	Q
	9801020018	50-245	Q
	9801020097	50-336	S
	9801020099*	50-336	S
	9801020110	50-245	Q
	9801020117	50-423	P
	9801050015	50-423	S
	9801050019*	50-423	S
	9801050220	50-336	P
	9801050290	50-245	F
	9801050298*	50-245	F
	9801050298*	50-245	F
	9801050298*	50-245	F
	9801060051	50-245	V
	9801060051	50-245	V
	9801060051	50-245	V
	9801060219	50-336	V
	9801060229	50-245	P
	9801060229	50-245	P
	9801060229	50-245	P
	9801060304	50-245	P
	9801060304	50-245	P
	9801060304	50-245	P
	9801060316	50-336	P
	9801060319*	50-336	P
	9801060323	50-245	Q
	9801060341	50-245	P
	9801070364	50-423	Q
	9801130145	50-245	P
	9801140095	50-423	P
	9801140103	50-423	S
	9801140120*	50-423	S
	9801140213	50-336	P
	9801140224	50-423	P
	9801140259	50-245	P
	9801140386	50-245	P
	9801150028*	50-336	P
	9801160147	50-245	P
	9801160147	50-245	P
	9801160147	50-245	P
	9801200037	50-245	P
	9801200070	50-245	P
	9801200070	50-245	P
	9801200070	50-245	P
	9801210289	50-336	R
	9801220007	50-423	R
	9801220318	50-245	R
	9801220372	50-423	P
	9801230291	50-423	P
	9801230358	50-423	S
	9801230362*	50-423	S
	9801230388	50-423	Q
	9801260136	50-423	P
	9801260247	50-423	S
	9801260260*	50-423	S
	9801260393	50-423	F
	9801260442	50-245	P
	9801260442	50-245	P
	9801270086	50-423	P
	9801270090*	50-423	P
	9801270097	50-245	P
	9801270097	50-245	P
	9801270097	50-245	P
	9801290207	50-245	Q
	9801290207	50-245	Q
	9801290207	50-245	Q
Northern Rockies Regional Cancer Center, Billings, MT	9801260447	PR	
Northern States Power Co.	9801050094	50-263	F
	9801060157	50-282	P
	9801060157	50-282	P
	9801060205	50-282	P
	9801060205	50-282	P
	9801060207*	50-282	P
	9801060207*	50-282	P
	9801060209*	50-282	P
	9801060209*	50-282	P
	9801060238	50-263	S
	9801060259*	50-263	S
	9801080077	PR	
	9801130103	50-282	P
	9801130103	50-282	P
	9801130105	50-282	P
	9801130105	50-282	P
	9801130135	50-282	S
	9801130147*	50-282	S
	9801130383	50-282	S
	9801210224	50-282	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801210224	50-282	P
	9801210227*	50-282	P
	9801210227*	50-282	P
	9801210228*	50-282	P
	9801210228*	50-282	P
	9801210238	50-282	P
	9801220001	50-282	P
	9801220001	50-282	P
	9801220002*	50-282	P
	9801220002*	50-282	P
	9801220003*	50-282	P
	9801220003*	50-282	P
	9801220020	50-282	R
	9801220020	50-282	R
	9801220037	50-263	R
	9801220237	50-263	S
	9801220238*	50-263	S
	9801220300	50-263	Q
	9801220376	50-282	P
	9801220376	50-282	P
	9801270061	50-282	F
	9801290064	50-282	Q
	9801290064	50-282	Q
	9801290141	50-282	F
	9801290141	50-282	F
	9801290178	50-282	Q
Northwestern Univ., Evanston, IL	9801230439	PR	
Nuclear Control Institute	9801070259	XPORTLIC	
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council)	9006250160	PR	
	9612230058	PR	
	9801050189	REVIEW GR	P
	9801050190*	REVIEW GR	P
	9801060232	REVIEW GR	P
	9801070314	PR	
	9801140334*	REVIEW GR	P
	9801150101	NUREG	
	9801200273	NUREG	
	9801210171	TOPREP	
	9801210209	TOPREP	
	9801230113	PR	
	9801260232	PRM	
Nuclear Fuel Services, Inc.	9801020132	71-249	
	9801060308	70-143	
	9801060326	70-143	
	9801060334	70-143	
	9801070204	70-143	
	9801130083	70-143	
	9801140068	71-6400	
	9801160155*	71-3010	
	9801160190	70-143	
	9801220089	70-143	
	9801300167	70-143	
	9801300172*	70-143	
	9801300210	70-143	
	9801300241	70-143	
Nuclear Utility Backfitting & Reform Group	9801280201	PR	
Oak Ridge Associated Universities	9801220006	CONTRACT	
	9801260492	CONTRACT	
Oak Ridge National Laboratory	9801060084*	STATE PRO	G
	9801060100*	STATE PRO	G
	9801220311*	STATE PRO	G
	9801220314	40-3453	
	9801230043	40-3453	
	9801230247	40-3453	
	9801230260	40-3453	
	9801230329*	STATE PRO	G
Office of Management & Budget	9801130352*	PR	
Ohio Citizens for Responsible Energy	9801230297	PRM	
Oklahoma, State of	9801060024*	STATE PRO	G
Omaha Public Power District	9801050199	50-285	Q
	9801060021	50-285	R
	9801060023*	50-285	R
	9801140195	50-285	P
	9801200004	50-285	R
	9801210294	50-298	R
	9801230352	50-285	Q
	9801280204	50-285	I
Oregon State Univ., Corvallis, OR	9801020030	50-243	H
	9801140371	50-243	F
	9801140375*	50-243	F
Oregon, State of	9801140133*	PR	
	9801300124*	COMMISSIO	N
Organization of Agreement States	9801280030	10CFR9.7	
	9801300045*	COMMISSIO	N
PECO Energy Co., (formerly Philadelphia Electric Co.)	9801050012	50-352	P
	9801060267	50-352	R
	9801060267	50-352	R
	9801060271*	50-352	R
	9801070035	50-277	P
	9801070346	50-352	K
	9801070346	50-352	K
	9801070352*	50-352	K
	9801070352*	50-352	K
	9801130359	50-352	S
	9801150027	50-352	P
	9801200018	50-352	R
	9801200018	50-352	R
	9801200113	50-352	P
	9801200120*	50-352	P
	9801210220	50-352	P
	9801210220	50-352	P
	9801210245	50-277	R
	9801220169	50-277	P
	9801220169	50-277	P
	9801220169	50-277	P
	9801220169	50-277	P
	9801220201	50-352	P
	9801220357	PR	
	9801230374	50-277	P
	9801230386	50-277	R
	9801230386	50-277	R
	9801270131	50-277	F
	9801280217	50-352	P
	9801280217	50-352	P
	9801280284	50-352	S
	9801280289*	50-352	S
	9801280373	50-352	F
	9801280373	50-352	F
	9801300023*	50-352	F
	9801300023*	50-352	F
Pacific Gas & Electric Co.	9801020064	50-275	S
	9801020066*	50-275	S
	9801020077	50-275	P
	9801020077	50-275	P
	9801020098	50-275	P
	9801020098	50-275	P
	9801020100*	50-275	P
	9801020100*	50-275	P
	9801020101*	50-275	P
	9801020101*	50-275	P
	9801050366	50-275	P
	9801060202	50-275	Q
	9801080352	50-275	S
	9801080352	50-275	S
	9801080371*	50-275	S
	9801140056	50-275	P
	9801160077	50-275	P
	9801200092	50-323	S
	9801200102	50-275	Q
	9801200102	50-275	Q
	9801210282	50-275	P
	9801210282	50-275	P
	9801210284*	50-275	P
	9801210284*	50-275	P
	9801220190	50-275	R
	9801220198	50-275	P
	9801220198	50-275	P
	9801220203*	50-275	P
	9801220203*	50-275	P
	9801270021	50-275	R
	9801270021	50-275	R
	9801270023*	50-275	R
	9801270023*	50-275	R
	9801280313	50-275	P
	9801280313	50-275	P
	9801290091	50-275	P
	9801290091	50-275	P
	9801290092*	50-275	P
Parkview Memorial Hosp., Ft. Wayne, IN	9801260346	PR	
Pathfinder Mines Corp.	9801130263	40-6622	
	9801280223	40-6622	
	9801280225*	40-6622	
	9801290152	40-2259	
	9801290173	40-6622	
Pennsylvania Power & Light Co.	9801050016	50-387	Q
	9801060268	50-387	P
	9801060268	50-387	P
	9801060272	50-387	P
	9801060272	50-387	P
	9801080367	50-387	S
	9801080370*	50-387	S
	9801130282	50-387	P
	9801130294*	50-387	P
	9801130298*	50-387	P
	9801130341	50-387	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801130413	50-387	Q
	9801130413	50-387	Q
	9801130417	50-387	P
	9801130417	50-387	P
	9801140015	50-387	P
	9801140015	50-387	P
	9801140023	50-387	Q
	9801140023	50-387	Q
	9801140025*	50-387	Q
	9801260386	50-387	R
	9801260400*	50-387	R
	9801260411*	50-387	R
	9801270104	50-387	P
Pennsylvania State Univ., Harrisburg, PA	9801080334	CONTRACT	
Pennsylvania State Univ., University Park, PA	9801260076	50-5	P
	9801260081*	50-5	P
Pennsylvania, Commonwealth of	9801220283	STATE PRO	G
	9801230107	PRM	
	9801270140	CONTRACT	
Pennsylvania, Univ. of, Philadelphia, PA	9801230112	PR	
Petrotomics Co. (formerly Getty/Petrotomics Co.)	9801120250*	40-6659	
Piedmont Oncology Associates, P.A.	9801260036	PR	
Pittsburgh, Univ. of, Pittsburgh, PA	9801060086	71-*****	
	9801060093*	71-*****	
Plateau Resources, Ltd.	9801090131*	40-8698	
	9801140007	40-8698	
	9801280163	40-8698	
Portland General Electric Co.	9801230035	PR	
	9801230102	PR	
	9801260392	50-344	Y
	9801260392	50-344	Y
	9801260396*	50-344	Y
	9801260396*	50-344	Y
	9801260407*	50-344	Y
	9801260407*	50-344	Y
	9801270113	50-344	W
	9801270113	50-344	W
	9801270116*	50-344	W
	9801270116*	50-344	W
	9801280311	50-344	J
Portland State Univ., Portland, OR	9801090042	CONTRACT	
Power Authority of the State of New York (New York Power Authority)	9801020002	50-286	V
	9801020007	50-286	P
	9801020130	50-286	K
	9801020133*	50-286	K
	9801060009	50-333	Q
	9801080246	50-286	R
	9801080247*	50-286	R
	9801080360	50-286	F
	9801130271	50-333	F
	9801140161	50-333	P
	9801200007	50-333	R
	9801210310	50-286	P
	9801220109	50-286	S
	9801220114*	50-286	S
	9801220242	50-286	V
	9801220305	50-333	S
	9801220350	50-333	S
	9801220354*	50-333	S
	9801230172	50-286	F
	9801260417	50-286	R
	9801280072	50-286	S
	9801280078*	50-286	S
	9801300152	50-286	P
	9801300156*	50-286	P
Power Resources Corp.	9801070175	40-8857	
	9801070178*	40-8857	
	9801070187	40-8857	
	9801070188*	40-8857	
	9801230039	40-8857	
Public Service Co. of Colorado	9801020125	50-267	Y
	9801020125	50-267	Y
	9801020126*	50-267	Y
	9801020126*	50-267	Y
Public Service Electric & Gas Co. of New Jersey	9801020013	50-354	P
	9801020015*	50-354	P
	9801020054	50-354	S
	9801020104	50-267	R
	9801020104	50-267	R
	9801020108	50-272	S
	9801050376	50-272	S
	9801050381*	50-272	S
	9801060055	50-272	P
	9801060156	50-311	S
	9801060225	50-354	S
	9801060227*	50-354	S
	9801060243	50-272	F
	9801060243	50-272	F
	9801060292	50-272	F
	9801060312	50-354	F
	9801060336	50-354	S
	9801070097	50-354	P
	9801070176	50-272	R
	9801070176	50-272	R
	9801070185*	50-272	R
	9801130309	50-354	P
	9801130415	50-272	S
	9801130418*	50-272	S
	9801140146	50-311	S
	9801140215	50-354	S
	9801140220*	50-354	S
	9801140238	50-272	P
	9801140238	50-272	P
	9801150052	50-272	F
	9801150052	50-272	F
	9801160103	50-272	F
	9801210131	50-311	S
	9801210136*	50-311	S
	9801210251	50-354	Q
	9801210258	50-311	S
	9801220158	50-272	Q
	9801220163	50-354	S
	9801220315	50-272	P
	9801220315	50-272	P
	9801220319*	50-272	P
	9801220319*	50-272	P
	9801220330	50-272	P
	9801220330	50-272	P
	9801220330	50-272	P
	9801220333*	50-272	P
	9801220333*	50-272	P
	9801220333*	50-272	P
	9801230235	50-272	F
	9801230385	50-272	P
	9801230392	50-272	P
	9801230395*	50-272	P
	9801230403	50-272	S
	9801230409*	50-272	S
	9801260429	50-272	R
	9801260470	50-311	R
	9801270037	50-354	R
	9801270039*	50-354	R
	9801270050*	50-354	R
	9801270069	50-272	P
	9801270069	50-272	P
	9801270109	50-272	R
	9801270111*	50-272	R
	9801270111*	50-272	R
	9801270125	50-272	F
	9801270125	50-272	F
	9801280158	50-275	F
	9801280158	50-275	F
	9801280170*	50-275	F
	9801280170*	50-275	F
	9801280189	50-272	S
	9801290203	50-272	F
	9801290203	50-272	F
	9801290206*	50-272	F
	9801290206*	50-272	F
Purdue Research Foundation	9801270010	CONTRACT	
Quivira Mining Co.	9801070054	40-8905	
	9801070235	40-8905	
	9801130091	40-8905	
	9801230274	40-8905	
	9801230276*	40-8905	
RMI Co.	9801090174	40-2384	
	9801090181	40-2384	
	9801090186	40-2384	
	9801090190	40-2384	
	9801090193	40-2384	
	9801090274	40-2384	
	9801280001	40-2384	
	9801280002*	40-2384	
	9801280304	40-2384	
Radiation Oncology Center, Inc., San Juan, PR	9801230418	PR	
Radioactive Waste Management Associates	9801050002*	FOIA	
Reed College, Portland, OR	9801280231	50-288	R
Rio Algom Mining Corp.	9801220181	40-8964	
	9801220191	40-8964	
Risk Engineering, Inc.	9801150123	CONTRACT	
Rochester Gas & Electric Corp.	9801020155	50-244	P
	9801050006	50-244	P
	9801050023	50-244	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801140043	50-244	P
	9801140115	50-244	P
	9801140119*	50-244	P
	9801210291	50-244	R
	9801220289	50-244	P
	9801220326	50-244	F
	9801220365	50-244	S
	9801230068	50-244	F
	9801230117	50-244	P
	9801280222	50-244	F
	9801280224	50-244	F
Rochester, Univ. of, Medical Center, Rochester, NY	9801230222	PR	
Rockbestos Co.	9801270092*	50-282	F
Roy F. Weston, Inc.	9801220072*	70-3078	
S. Levy, Inc.	9801130303*	TOPREP	
SCIENTECH, Inc.	9801260117	CONTRACT	
	9801270138	CONTRACT	
Sacramento Municipal Utility District	9801060220	71-489	
Sandia National Laboratories	9801050017*	FOIA	
	9801050021*	FOIA	
	9801050025*	FOIA	
	9801050043*	FOIA	
	9801050060*	FOIA	
	9801050085*	FOIA	
	9801050104*	FOIA	
	9801050127*	FOIA	
	9801050129*	FOIA	
	9801050136*	FOIA	
	9801060110*	FOIA	
	9801060113*	FOIA	
	9801060121*	FOIA	
	9801060132*	FOIA	
	9801060145*	FOIA	
	9801060152*	FOIA	
	9801060159*	FOIA	
	9801060180*	FOIA	
	9801060186*	FOIA	
	9801060190*	FOIA	
	9801070080*	FOIA	
	9801070085*	FOIA	
	9801070087*	FOIA	
	9801120074	NUREG	
	9801120086	NUREG	
	9801220327*	50-390	P
	9801220336*	50-390	P
	9801220341*	50-390	P
	9801260178	NUREG	
	9801260185	NUREG	
Sargent & Lundy, Inc.	9801080060	50-423	P
	9801090096	50-423	P
	9801090243	50-423	P
	9801200041	50-423	P
	9801210098	50-423	P
	9801210100	50-423	P
	9801230319	50-423	P
	9801260272	50-423	P
	9801270173	50-423	P
	9801290039	50-423	P
Science & Engineering Associates, Inc.	9801160182	50-315	P
	9801160183*	50-315	P
Science Applications International Corp. (formerly Science Applications, Inc.)	9801080301	CONTRACT	
	9801090253	PROJ	
	9801130233	CONTRACT	
	9801140285*	PR	
	9801140290*	PR	
	9801140319*	PR	
	9801150105	CONTRACT	
Scott & White Clinic, Temple, TX	9801260364	PR	
Seacoast Anti-Pollution League	9801220399	PRM	
Seattle Univ., Seattle, WA	9801210162	70-600	
Senate	9801050263*	50-266	H
	9801140400*	FOIA	
	9801140403*	FOIA	
	9801140406*	FOIA	
	9801140408*	FOIA	
	9801150016*	50-336	P
	9801150054*	FOIA	
	9801150057*	FOIA	
	9801150060*	FOIA	
	9801150062*	50-213	P
	9801230184*	50-272	P
	9801260004	PR	
	9801300087*	COMMISSIO	N
Sequoyah Fuels Corp.	9801090014	40-8027	
Serious Texans Against Nuclear Dumping	9801300146*	FOIA	
Shaw, Pittman, Potts & Trowbridge	9801070236	72-22	
	9801070249	72-22	
	9801070251	40-8968	
	9801070272	72-22	
	9801080192	72-22	
	9801080208	72-22	
	9801150103*	50-271	P
	9801230206	72-22	
	9801230216	72-22	
	9801230240	72-22	
	9801300189	40-8968	
	9801300219	72-22	
	9801300228	72-22	
Shepherd Miller, Inc.	9801150033*	40-1162	
Siemens Corp.	9801150104	70-1257	
	9801220211	XPORTLIC	
	9801220217*	XPORTLIC	
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear	9801060062	TOPREP	
	9801090002	70-1257	
	9801130114	70-1257	
	9801130211	TOPREP	
	9801150020	50-374	S
	9801150039	70-1257	
	9801150087	70-1257	
	9801150115	70-1257	
	9801230271	70-1257	
	9801260335	TOPREP	
	9801260366	TOPREP	
	9801270030*	50-254	P
	9801280162	TOPREP	
	9801280251	TOPREP	
	9801280254	TOPREP	
	9801280310	TOPREP	
Sierra Nuclear, Inc.	9801070164	72-1007	
	9801070215	72-1007	
	9801230251*	72-22	
	9801230253*	72-22	
	9801260268	72-1007	
	9801260269	72-1007	
Skull Valley Band of Goshute Indians	9801070296	72-22	
	9801230245	72-22	
Small Business Administration	9801090015	CONTRACT	
	9801270153	CONTRACT	
	9801270157	CONTRACT	
Society of Nuclear Medicine	9801230433	PR	
Source Production & Equipment Co., Inc.	9701090025	PR	
South Carolina Electric & Gas Co.	9801060214	50-395	P
	9801070359	50-395	R
	9801130251	50-395	P
	9801270029	50-395	R
	9801280117	50-395	P
	9801280351	50-395	Q
	9801290002	50-395	Q
South Carolina, Univ. of, Columbia, SC	9801280353	ORG	
Southern California Edison Co.	9801020073	50-206	F
	9801020073	50-206	F
	9801050311	50-206	S
	9801050311	50-206	S
	9801050316*	50-206	S
	9801050370	50-361	Q
	9801050370	50-361	Q
	9801060174	50-206	F
	9801060174	50-206	F
	9801060174	50-206	F
	9801060175*	50-206	F
	9801060175*	50-206	F
	9801060175*	50-206	F
	9801070191	50-206	F
	9801080052	50-361	P
	9801080052	50-361	P
	9801090103	50-361	P
	9801090103	50-361	P
	9801090153	50-361	P
	9801090153	50-361	P
	9801090159*	50-361	P
	9801090159*	50-361	P
	9801090161*	50-361	P
	9801090161*	50-361	P
	9801130071	50-361	S
	9801130084*	50-361	S
	9801130285	50-361	Q
	9801130285	50-361	Q
	9801130346	50-362	S
	9801130349	50-361	P
	9801130349	50-361	P
	9801130351*	50-362	S
	9801130363*	50-361	P
	9801130363*	50-361	P
	9801130369*	50-361	P
	9801130369*	50-361	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801130378	50-361	P
	9801130378	50-361	P
	9801130386*	50-361	P
	9801130386*	50-361	P
	9801130390*	50-361	P
	9801130390*	50-361	P
	9801130403	50-361	P
	9801130403	50-361	P
	9801130406*	50-361	P
	9801130406*	50-361	P
	9801130408*	50-361	P
	9801130408*	50-361	P
	9801150120	50-206	P
	9801150120	50-206	P
	9801150126*	50-206	P
	9801150126*	50-206	P
	9801210078	50-361	S
	9801210087*	50-361	S
	9801220035	50-361	R
	9801220035	50-361	R
	9801220187	50-206	F
	9801220391	50-206	F
	9801220391	50-206	F
	9801220391	50-206	F
	9801220395*	50-206	F
	9801230111*	50-361	R
	9801230111*	50-361	R
	9801230154	50-361	H
	9801230154	50-361	H
	9801230198	50-361	P
	9801230198	50-361	P
	9801230201*	50-361	P
	9801230301	50-206	R
	9801230301	50-206	R
	9801230301	50-206	R
	9801230305*	50-206	R
	9801280274	50-362	S
	9801290026*	50-362	S
	9801290110	50-206	F
	9801290110	50-206	F
	9801290110	50-206	F
	9801290113*	50-206	F
	9801290113*	50-206	F
	9801290113*	50-206	F
	9801300072	50-361	K
	9801300072	50-361	K
	9801300107*	50-361	K
	9801300107*	50-361	K
	9801300123	50-362	Q
	9801300177	50-361	Q
Southern Nuclear Operating Co.	9801020063	50-424	F
	9801020065	50-321	P
	9801020065	50-321	P
	9801050243*	50-321	P
	9801050243*	50-321	P
	9801060125	50-424	P
	9801060165	50-321	P
	9801060165	50-321	P
	9801060198	50-321	P
	9801060198	50-321	P
	9801070329	50-321	H
	9801070329	50-321	H
	9801070329	50-348	H
	9801070329	PR	
	9801070329	PR	
	9801070329	PR	
	9801080314	50-348	P
	9801080314	50-348	P
	9801080332	50-348	P
	9801080332	50-348	P
	9801090059	50-348	P
	9801090059	50-348	P
	9801090061	50-348	P
	9801090061	50-348	P
	9801090066*	50-348	P
	9801090066*	50-348	P
	9801090182	50-348	P
	9801090182	50-348	P
	9801090184*	50-348	P
	9801090184*	50-348	P
	9801130028	50-424	P
	9801130265	50-348	P
	9801130265	50-348	P
	9801130267*	50-348	P
	9801130267*	50-348	P
	9801130276	50-424	Q
	9801160062	50-321	Q
	9801160062	50-321	Q
	9801160064	50-321	R
	9801160064	50-321	R
	9801160073	50-348	R
	9801160073	50-348	R
	9801160079	50-321	P
	9801160079	50-321	P
	9801160083	50-424	R
	9801160083	50-424	R
	9801210062	50-348	F
	9801210062	50-348	F
	9801210075	50-348	P
	9801210075	50-348	P
	9801220212	50-424	P
	9801220212	50-424	P
	9801220214*	50-424	P
	9801220214*	50-424	P
	9801220380	50-424	F
	9801230020	50-366	P
	9801230066	50-321	P
	9801230066	50-321	P
	9801230092	50-321	H
	9801230092	50-364	H
	9801260450	50-424	Q
	9801260463*	50-424	Q
	9801270095	50-348	P
	9801270208	50-424	P
	9801270208	50-424	P
	9801270210*	50-424	P
	9801270210*	50-424	P
	9801280169	50-321	P
	9801280220	50-424	P
	9801280220	50-424	P
	9801290001	50-424	P
	9801290001	50-424	P
	9801290093	50-348	P
Southwest Medical Center of Oklahoma,	9801260023	PR	
Oklahoma City, OK (formerly South Southwest Research Institute	9801160100	CONTRACT	
	9801260149	CONTRACT	
Southwest Research and Information Cente	9801230218*	40-8968	
	9801300236	40-8968	
St Luke's Medical Center, Milwaukee, WI (formerly St. Luke's Hosp.)	9801260289	PR	
St. Francis Hosp., Evanston, IL	9801260279	PR	
St. Johns Regional Health Center, Springfield, MO	9801230420	PR	
St. Joseph Hosp., Elgin, IL	9801260285	PR	
St. Joseph's Hosp., Milwaukee, WI	9801260330	PR	
St. Patrick Hosp., Missoula, MT	9801260090	PR	
State, Dept. of	9801080063	XPORTLIC	
	9801220151	XPORTLIC	
	9801220162	XPORTLIC	
	9801290028	XPORTLIC	
Stone & Webster Engineering Corp.	9801140269	72-22	
Stone & Webster, Inc.	9801230248	72-22	
TENERA, L.P. (formerly TENERA Corp.)	9801050384*	50-275	P
TRW Environmental Safety Systems, Inc.	9801200235*	WM	
	9801210010*	WM	
	9801210012*	WM	
	9801210021*	WM	
	9801210025*	WM	
TRW, Inc.	9801200275*	WM	
	9801210005*	WM	
Taiwan Power Co.	9801080382	XPORTLIC	
Technadyne Engineering Consultants, Inc.	9801120074	NUREG	
Tennessee Valley Authority	9801020082	50-327	R
	9801020102	50-327	P
	9801050320	50-259	P
	9801050320	50-259	P
	9801050320	50-259	P
	9801050325*	50-259	P
	9801050325*	50-259	P
	9801050325*	50-259	P
	9801050335	50-259	P
	9801050335	50-259	P
	9801050335	50-259	P
	9801050338*	50-259	P
	9801050338*	50-259	P
	9801050338*	50-259	P
	9801050339	50-390	S
	9801050348*	50-390	S
	9801050351	50-259	P
	9801050351	50-259	P
	9801050351	50-259	P
	9801060189	50-390	S
	9801060196*	50-390	S
	9801060215	50-259	V
	9801060215	50-259	V
	9801060215	50-259	V
	9801090085	50-259	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801090085	50-259	P
	9801090085	50-259	P
	9801090088*	50-259	P
	9801090088*	50-259	P
	9801090088*	50-259	P
	9801120064	50-259	P
	9801120064	50-259	P
	9801120064	50-259	P
	9801120066*	50-259	P
	9801120066*	50-259	P
	9801120066*	50-259	P
	9801130288	50-259	P
	9801140249	50-390	Q
	9801150053	50-327	Q
	9801150071	50-259	P
	9801150071	50-259	P
	9801150071	50-259	P
	9801150072*	50-259	P
	9801150072*	50-259	P
	9801150072*	50-259	P
	9801200003	50-327	R
	9801200003	50-327	R
	9801210264	50-390	R
	9801230277	PRM	
	9801230296	PRM	
	9801260103	50-260	Q
	9801260111*	50-260	Q
	9801260205	50-259	F
	9801260205	50-259	F
	9801260205	50-259	F
	9801260234	50-390	Q
	9801260235	50-259	F
	9801260235	50-259	F
	9801260235	50-259	F
	9801260237*	50-390	Q
	9801260402	50-259	R
	9801260422	50-390	V
	9801260433	50-260	P
	9801260436*	50-260	P
	9801270044	50-327	P
	9801270044	50-327	P
	9801270052	50-327	P
	9801270052	50-327	P
	9801270054*	50-327	P
	9801270054*	50-327	P
	9801270166	50-327	R
	9801270171*	50-327	R
	9801270171*	50-327	R
	9801280258	50-259	H
	9801300149	50-259	P
Tennessee, State of	9801050328	STATE PRO	G
Texas A&M Univ., College Station, TX	9801290068	50-128	P
Texas Utilities Co.	9801200097	50-445	S
	9801210184	50-445	R
Texas Utilities Electric Co. (TU Electric)	9801020081*	50-445	R
	9801020113	50-445	P
	9801050282	50-445	R
	9801070145	50-445	P
	9801130032	50-445	P
	9801210223	50-445	P
	9801210223	50-445	P
	9801210225	50-445	P
	9801230052	50-445	H
Texas, State of	9801050310	PR	
	9801060120	STATE PRO	G
	9801140374	STATE PRO	G
	9801210262	50-445	H
	9801220295*	STATE PRO	G
Texas, Univ. of, Austin, TX	9801140361	CONTRACT	
The KEVRIC Company, Inc.	9801090015	CONTRACT	
Thomas Jefferson Univ. Hosp., Philadelphia, PA	9801230189	PR	
Three Mile Island Alert	9801220407	PRM	
	9801230024	PRM	
Toledo Edison Co.	9801230434	50-346	S
Transnuclear, Inc.	9801090081	71-9015	
	9801090087	71-9015	
	9801230089	72-*****	
	9801260296	70-1426	
	9801290103	72-*****	
	9801290111*	72-*****	
	9801290118*	72-*****	
	9801300135	72-*****	
Transportation, Dept. of	9801160154	71-3010	
	9801290096	71-3038	
Triangle Radiation Oncology Associates, Inc.	9801230436	PR	
	9801260037	PR	
	9801260088	PR	
	9801260097	PR	
U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.)	9801300162*	FOIA	
U.S. Embassies	9801220171	XPORTLIC	
	9801220174	XPORTLIC	
	9801290042	XPORTLIC	
U.S. Energy Corp.	9801090034	40-8698	
	9801090041*	40-8698	
UMETCO Minerals Corp.	9801230073	40-299	
Underwriters Laboratory, Inc.	9801290010	50-282	P
Union Carbide Corp.	9801090106*	50-361	P
Union Electric Co.	9801050125	50-483	F
	9801050361	50-483	S
	9801050365*	50-483	S
	9801050385	50-483	S
	9801060335	50-483	S
	9801140186	50-483	R
	9801200282	50-483	H
	9801210057	50-483	Q
	9801220322	50-483	P
	9801220324*	50-483	P
	9801230032	50-483	S
	9801260244	50-483	S
	9801270026	50-483	P
	9801270038*	50-483	P
	9801280062	50-483	S
	9801280119	50-483	P
	9801280218	50-483	P
Union Hosp., Terre Haute, IN	9801260230	PR	
United Kingdom	9801260178	NUREG	
	9801260185	NUREG	
United Nuclear Corp. (subs. of UNC, Inc.	9801200011	40-8913	
	9801200015*	40-8913	
United States Enrichment Corp. (USEC)	9801050026	70-7002	
	9801050105	70-7002	
	9801050275	70-7001	
	9801050332	70-7001	
	9801060013	70-7002	
	9801060112	70-7002	
	9801060114	70-7001	
	9801060114	70-7001	
	9801060136	70-7002	
	9801060203	70-7002	
	9801070029	70-7002	
	9801070111	70-7002	
	9801070244	70-7001	
	9801080351	70-7001	
	9801090254	70-7002	
	9801090259	70-7001	
	9801120033	70-7001	
	9801130201	70-7001	
	9801130222	70-7002	
	9801130232	70-7002	
	9801130239	70-7001	
	9801130239	70-7001	
	9801130260	70-7002	
	9801140198	70-7001	
	9801140210*	70-7001	
	9801150159	70-7001	
	9801160102	70-7002	
	9801200144	70-7001	
	9801200162	70-7001	
	9801200162	70-7001	
	9801200258	70-7001	
	9801200258	70-7001	
	9801200260*	70-7001	
	9801200260*	70-7001	
	9801210065	70-7002	
	9801230137	70-7001	
	9801230137	70-7001	
	9801230207	70-7001	
	9801230212	70-7002	
	9801260213	70-7002	
	9801280006	70-7002	
	9801280209	70-7001	
	9801280210	70-7001	
	9801280285	70-7001	
	9801280285	70-7001	
	9801280300	70-7002	
	9801290040	70-7001	
	9801300180	70-7001	
	9801300213	71-832	
Univ. of Miami School of Medicine, Miami FL	9801230121	PR	
University Hosps. of Cleveland, Cleveland, OH	9801260162	PR	
Uranium Resources, Inc.	9801300212*	40-8968	
Utah, State of	9801070288	72-22	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801080197	72-22	
	9801080226	72-22	
	9801090149	40-8989	
	9801140143*	PR	
	9801230067	40-3453	
	9801230152	72-22	
	9801230195	72-22	
	9801230200	72-22	
	9801230210	72-22	
	9801230294	72-22	
	9801280065	40-8698	
Vectra Technologies, Inc.	9801200270	71-9001	
Vermont Yankee Nuclear Power Corp.	9801020001	50-271	P
	9801050010	50-271	S
	9801050193	50-271	P
	9801050382	50-271	Q
	9801060014	50-271	R
	9801060045	50-271	P
	9801060210	50-271	P
	9801060342	50-271	P
	9801080234	50-271	Q
	9801130005	50-271	P
	9801160070	50-271	R
	9801210093	50-271	P
	9801220221	50-271	S
	9801220222	50-271	S
	9801220296	50-271	P
	9801230404	50-271	P
	9801280068	50-271	Q
	9801280157	50-271	P
	9801280227	50-271	P
Virginia Polytechnic Institute & State Univ., Blacksburg, VA	9801060071	CONTRACT	
Virginia Power (Virginia Electric & Powe Co.)	9801020023	50-280	P
	9801020023	50-280	P
	9801020025*	50-280	P
	9801020025*	50-280	P
	9801020041	50-280	P
	9801020041	50-280	P
	9801020041	50-280	P
	9801020049	50-338	P
	9801020151	50-338	Q
	9801060160	50-280	P
	9801080100	50-281	S
	9801080116*	50-281	S
	9801160049	50-338	F
	9801160087	50-280	F
	9801160142	NUREG	
	9801200173	50-280	P
	9801210211	50-280	R
	9801210211	50-280	R
	9801210214	50-280	S
	9801210215*	50-280	S
	9801210217	50-280	S
	9801210219*	50-280	S
	9801210253	50-280	F
	9801210253	50-280	F
	9801210270*	50-280	F
	9801210270*	50-280	F
	9801220015	50-338	R
	9801220136	50-280	Q
	9801220136	50-280	Q
	9801220272	50-280	P
	9801220272	50-280	P
	9801220279	50-338	P
	9801230166	50-280	F
	9801230229	PRM	
	9801270034	50-280	Q
	9801270034	50-280	Q
	9801280175	50-281	P
	9801280176*	50-281	P
	9801280287	50-280	J
	9801280287	50-280	J
	9801290015	50-280	P
	9801300049	50-281	Q
	9801300051*	50-281	Q
Virginia, Univ. of, Charlottesville, VA	9801290087	50-62	F
Washington Public Power Supply System	9801060222	50-397	P
	9801060288	50-397	F
	9801060305	50-397	Q
	9801070140	50-397	P
	9801130225	50-397	P
	9801130270	50-397	P
	9801130304	50-397	P
	9801200107	50-397	I
	9801200107	50-397	I
	9801220032	50-397	R
	9801220259	50-397	S
	9801230199	50-460	G
	9801270018	50-397	P
	9801270091	50-397	Q
	9801290057	50-397	Q
Washington, State of	9801130423*	PR	
Washington, Univ. of, Medical Center, Seattle, WA	9801260291	PR	
Waterbury Hosp. Health Center, Waterbury CT	9801230127	PR	
West Jersey Cancer Center at Voorhees, Voorhees, NJ	9801230175	PR	
Western Atlas International, Inc. (formerly Dresser Atlas Export Sales)	9801220166	XPORTLIC	
Western Nuclear, Inc.	9801080262	40-1162	
	9801090139	40-1162	
	9801090145*	40-1162	
	9801150030	40-1162	
Western Reserve Care System, Youngstown, OH (formerly Youngstown Hosp. Associati	9801090240	NUREG	
Westinghouse Electric Corp.	9801060146	40-8976	
	9801060146	40-8976	
	9801060146	40-8976	
	9801060146	40-8976	
	9801060146	40-8976	
	9801060146	40-8976	
	9801060146	40-8976	
	9801060146	40-8976	
	9801060146	40-8976	
	9801060146	40-8976	
	9801060146	40-8976	
	9801070275	70-1151	
	9801080166*	50-266	P
	9801080315	52-3	
	9801080321*	52-3	
	9801080376	50-22	P
	9801090187*	50-348	P
	9801090233*	50-348	P
	9801130053	52-3	
	9801130110	52-3	
	9801130120	52-3	
	9801130160	52-3	
	9801130166*	52-3	
	9801130177	52-3	
	9801130223	52-3	
	9801140042	52-3	
	9801140047	52-3	
	9801140076	71-9239	
	9801140081	52-3	
	9801140124	52-3	
	9801140150	52-3	
	9801140157	52-3	
	9801140171	52-3	
	9801140182	52-3	
	9801140328	52-3	
	9801140332*	52-3	
	9801150055	52-3	
	9801150111	70-1151	
	9801150209*	52-3	
	9801160085	NUREG	
	9801160148	NUREG	
	9801200045	72-1026	
	9801200274	70-1151	
	9801210148	TOPREP	
	9801210231*	50-282	P
	9801210234*	50-282	P
	9801210273	70-1151	
	9801220023*	40-8976	
	9801220023*	40-8976	
	9801220023*	40-8976	
	9801220023*	40-8976	
	9801220023*	40-8976	
	9801220023*	40-8976	
	9801220023*	40-8976	
	9801220023*	40-8976	
	9801220023*	40-8976	
	9801220023*	40-8976	
	9801220030	40-8976	
	9801220030	40-8976	
	9801220030	40-8976	
	9801220116	50-327	S
	9801230006	52-3	
	9801230138	52-3	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801230146	52-3	
	9801230153	52-3	
	9801230156	52-3	
	9801230160	52-3	
	9801230162*	52-3	
	9801230174	52-3	
	9801230176*	52-3	
	9801230193*	52-3	
	9801230223	52-3	
	9801230310	70-1151	
	9801260007	TOPREP	
	9801260077	52-3	
	9801260236	70-1151	
	9801270012	TOPREP	
	9801270062	52-3	
	9801270107	52-3	
	9801280063	52-3	
	9801280108	52-3	
	9801280194	52-3	
	9801280203	52-3	
	9801280205	52-3	
	9801280372	50-22	R
	9801290007*	TOPREP	
	9801290009*	TOPREP	
	9801300041	52-3	
	9801300047	52-3	
	9801300125*	50-499	P
Westinghouse Operating Plants Owners Group	9801070060	TOPREP	
	9801290005	TOPREP	
Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.)	9801280056*	40-7455	
	9801280331	40-7455	
Winston & Strawn	9801070235	40-8905	
	9801150066	50-309	Q
	9801230199	50-460	G
	9801230353	PR	
	9801280201	PR	
Wisconsin Electric Power Co.	9801020072	50-266	S
	9801080161	50-266	P
	9801080258	50-266	P
	9801090069	50-266	F
	9801090076*	50-266	F
	9801130300	50-266	P
	9801200025	50-266	R
	9801200028*	50-266	R
	9801200030*	50-266	R
	9801230110	50-266	S
	9801230130*	50-266	S
	9801280120	50-266	Q
Wisconsin Public Service Corp.	9801020145	50-305	Q
	9801130122	50-305	P
	9801160074	50-305	R
	9801280154	50-305	P
Wisconsin, Univ. of, Madison, WI	9801050009	CONTRACT	
Wolf Creek Nuclear Operating Corp.	9801020033	50-482	S
	9801020039*	50-482	S
	9801020053	50-482	S
	9801020055*	50-482	S
	9801020056	50-482	R
	9801020093	50-482	P
	9801020111	50-482	P
	9801020146	50-482	S
	9801020147*	50-482	S
	9801020148	50-482	S
	9801020149*	50-482	S
	9801050388	50-482	Q
	9801070198	50-482	F
	9801210030	50-482	F
	9801210031*	50-482	F
	9801210032*	50-482	F
	9801210033*	50-482	F
	9801210035	50-482	S
	9801210037*	50-482	S
	9801220029	50-482	R
	9801220096	50-482	S
	9801220112	50-482	V
	9801220135	50-482	P
	9801220138*	50-482	P
	9801220239	50-482	P
	9801230139	50-482	F
Wyoming, State of	9801150042	40-4492	
X-Ray Treatment Center	9801260066	PR	
Yankee Atomic Electric Co.	9801280283	50-29	S
	9801290094	50-29	W

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY		OTHER REPORT NUMBER
063-PENG-ER-096 R00	9801300156*	50-286	P	
1-96-005	9801020137*	50-271	P	
1-96-005	9801020141*	50-271	P	
1-96-005	9801020144*	50-271	P	
1-96-005	9801020152*	50-271	P	
1-96-005	9801020154*	50-271	P	
1-96-005	9801020158*	50-271	P	
1-96-005	9801020160*	50-271	P	
111-P-1.1	9801290035*	40-8948		
2.35	9801070188*	40-8857		
95-011 R05	9801160129*	50-456	P	NEP-12-02
95-R-1025-03 R01	9801200121*	50-313	P	
97-170-IE0045	9801230212	70-7002		
97-SDS-1760-M2 R01	9801060319*	50-336	P	
ANSI N432-1980	9801080062*	71-9156		
B00000000-01717 R01	9801210025*	WM		HLWR
B00000000-01717-2200	9801200235*	WM		HLWR
B2C13 R00	9801270025*	50-324	P	
BAW-10231 R00	9801300262*	TOPREP		
BBA000000-01717 R00	9801210021*	WM		HLWR
BRW-97-6798-M R04	9801160132*	50-456	P	
CE NPSD-831	9801290021*	TOPREP		
CENPD-387	9801070057*	50-389	P	
DE-RP01-98RW00320	9801230141*	ORG		
DPC-NE-3003-A	9801050345*	50-269	P	
DPC-NE-3004-A	9801020142*	50-369	P	
E7-204.7	9801050384*	50-275	P	
EA-KC-97-01 R00	9801020159*	50-255	P	
EMF-96-180 R01	9801270030*	50-254	P	
EPRI TR-107330	9801130303*	TOPREP		
EPRI TR-108727NP	9801120059*	TOPREP		
EPRI TR-108812	9801210213*	TOPREP		GL-96-06
EPRI TR-109014	9801210194*	TOPREP		
ERI/NRC 95-211	9801150168*	52-3		
FTCR/94/0060	9801270098*	50-282	F	GL-86-10
GE-NE-B1100786-01	9801200131*	50-352	P	
GE-NE-B13-0186-122	9801280173*	50-321	P	
GW-GL-021 R19	9801140332*	52-3		
HI-961574	9801140276*	72-22		
HI-971631	9801140272*	72-22		
HI-971645	9801140279*	72-22		
INEEL/EXT-97-00887	9801290081*	ORG		
INEL/EXT-97-00740	9801280280*	ORG		
MPR-1887 R00	9801140419*	50-302	P	
NE-1148 R00	9801280176*	50-281	P	
NF-TR-95-01 S01	9801060194*	50-389	P	
NFK-MM-961023	9801160155*	71-3010		
NFS-0163 R00	9801230395*	50-272	P	
NP0059-0006	9801220005*	50-440	Q	
NSA-SSO-96-525 R01	9801090233*	50-348	P	
NUC-176 R01	9801270090*	50-423	P	
NUREG-0325 R22	9801130012	NUREG		
NUREG-0540 V19 N10	9801120063	NUREG		
NUREG-0750 V46 N01	9801130019	NUREG		
NUREG-0750 V46 N02	9801260109	NUREG		
NUREG-0837 V17 N03	9801260119	NUREG		
NUREG-1415 V10 N01	9801120057	NUREG		
NUREG-1555 DRFT	9801120289	NUREG		
NUREG-1556 V3 DRF FC	9801120269	NUREG		
NUREG-1556 V4 DRF FC	9801120274	NUREG		
NUREG-1556 V5 DRF FC	9801120276	NUREG		
NUREG-1569 DRFT	9801120284	NUREG		
NUREG-1609 DRFT FC	9801120281	NUREG		
NUREG/CR-6526 V01	9801260178	NUREG		EUR 16772
NUREG/CR-6526 V02	9801260185	NUREG		EUR 16772
NUREG/CR-6533	9801120086	NUREG		SAND97-1735
NUREG/CR-6534 V01	9801120078	NUREG		PNNL-11513
NUREG/CR-6547	9801120074	NUREG		SAND97-2776
NUREG/CR-6581	9801140351	NUREG		
NUREG/CR-6586	9801120071	NUREG		
ORNL/M-3937	9801060084*	STATE PRO	G	
ORNL/M-3938	9801060100*	STATE PRO	G	
ORNL/M-4269	9801230329*	STATE PRO	G	
ORNL/M-4270	9801220311*	STATE PRO	G	
PFS01-10.02.04 R00	9801230251*	72-22		
PFS01-10.02.05 R00	9801230253*	72-22		
PGE-1069	9801260396*	50-344	Y	
PMPR 98-3	9801260283*	WM		HLWR
PSL-ENG-SENS-97-068	9801070061*	50-389	P	
R10925-1	9801270087*	50-282	F	
RSS-5-144 I05	9801270092*	50-282	F	
SAND85-1001	9801050129*	FOIA		
SEA 97-3703-A:5	9801160183*	50-315	P	
SECY-97-225	9801220153	SECY		
SECY-97-253	9801260140	SECY		
SECY-97-254	9801080088	SECY		
SECY-97-260	9801300192	SECY		
SECY-97-275	9801280076	SECY		
SECY-97-279	9801220161	SECY		
SECY-97-292	9801080147	COMMISSIO	N	
SECY-97-294	9801080132	SECY		M970919C
SECY-97-296	9801080023	SECY		
SECY-97-297	9801060025	COMMISSIO	N	
SECY-97-298	9801140363	52-3		
SECY-97-301	9801140369	SECY		
SECY-97-302	9801140360	SECY		
SECY-98-001	9801140109	SECY		
SECY-98-003	9801210127	SECY		
SECY-98-004	9801160035	COMMISSIO	N	
SECY-98-004	9801220133	COMMISSIO	N	
SECY-98-007	9801220147	SECY		
SECY-98-008	9801230056	COMMISSIO	N	
SECY-98-009	9801280051	COMMISSIO	N	
SP25BM3	9801210002*	WM		HLWR
SP25CM3A	9801210003*	WM		HLWR
T-88004-01 R21	9801270236*	71-9225		
TN6-3/EXP/00	9801290097*	71-3038		
UCRL-LR-107476 R01	9801200239*	WM		HLWR
WCAP-12600 R04	9801230176*	52-3		
WCAP-13856 R01	9801130166*	52-3		
WCAP-13914 R04	9801230193*	52-3		
WCAP-14037-NP R01	9801290009*	TOPREP		
WCAP-14978	9801300125*	50-499	P	

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document,the date issued,and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9603210422	9607300389	96/07/19	FOIA	9801050136	9801050001	97/12/17	FOIA
9711190191	9711190175	97/11/05	COMMISSIO N	9801050141	9801050001	97/12/17	FOIA
9801020015	9801020013	97/12/22	50-354 P	9801050142	9801050140	97/12/12	50-301 Q
9801020025	9801020023	97/12/18	50-280 P	9801050144	9801050001	97/12/17	FOIA
9801020031	9801020029	97/12/16	50-254 S	9801050150	9801050148	97/12/03	50-269 P
9801020038	9801020022	97/12/23	50-10 Q	9801050156	9801050151	97/12/10	50-334 P
9801020039	9801020033	97/12/22	50-482 S	9801050159	9801050151	97/12/10	50-334 P
9801020040	9801020034	97/12/18	50-265 S	9801050160	9801050158	97/12/19	50-244 Q
9801020055	9801020053	97/12/19	50-482 S	9801050164	9801050157	97/12/24	50-244 Q
9801020066	9801020064	97/12/23	50-275 S	9801050169	9801050157	97/12/24	50-244 Q
9801020071	9801020070	97/12/23	50-461 Q	9801050180	9801050174	97/12/22	50-387 F
9801020081	9801050282	97/12/16	50-445 R	9801050182	9801050173	97/12/26	50-382 S
9801020089	9801020087	97/12/23	50-373 S	9801050190	9801050189	97/12/16	REVIEW GR P
9801020095	9801020094	97/12/18	50-269 P	9801050192	9801050187	97/12/18	50-269 Q
9801020099	9801020097	97/12/22	50-336 S	9801050196	9801050195	97/12/21	50-346 S
9801020100	9801020098	97/12/23	50-275 P	9801050217	9801050215	97/12/17	50-293 Q
9801020101	9801020098	97/12/23	50-275 P	9801050221	9801050215	97/12/17	50-293 Q
9801020116	9801020114	97/12/21	50-440 Q	9801050230	9801050222	97/12/08	50-269 P
9801020121	9801020119	97/12/23	50-346 P	9801050231	9801050227	97/12/02	50-333 P
9801020122	9801020120	97/12/10	50-219 P	9801050234	9801050227	97/12/02	50-333 P
9801020124	9801020119	97/12/23	50-346 P	9801050235	9801050229	97/12/18	50-338 P
9801020126	9801020125	97/12/17	50-267 Y	9801050241	9801050238	97/12/29	50-309 Q
9801020129	9801020127	97/12/17	50-528 P	9801050243	9801020065	97/12/18	50-321 P
9801020131	9712310297	97/12/23	FOIA	9801050245	9801050238	97/12/29	50-309 Q
9801020133	9801020130	97/12/19	50-286 K	9801050255	9801050246	97/12/15	50-250 P
9801020137	9712310297	97/12/23	50-271 P	9801050263	9801050258	97/12/12	50-266 H
9801020141	9712310297	97/12/23	50-271 P	9801050265	9801050262	97/12/29	70-925
9801020142	9801020138	97/12/18	50-369 P	9801050266	9801050264	97/12/12	50-457 P
9801020144	9712310297	97/12/23	50-271 P	9801050270	9801050261	97/12/19	50-346 S
9801020147	9801020146	97/12/23	50-482 S	9801050291	9801050286	97/12/22	WM
9801020149	9801020148	97/12/23	50-482 S	9801050293	9801050279	97/12/22	50-254 S
9801020152	9712310297	97/12/23	50-271 P	9801050298	9801050290	97/12/30	50-245 F
9801020154	9712310297	97/12/23	50-271 P	9801050306	9801050297	97/12/18	50-295 S
9801020158	9712310297	97/12/23	50-271 P	9801050316	9801050311	97/12/22	50-206 S
9801020159	9801020157	97/12/18	50-255 P	9801050317	9801050292	97/12/16	50-361 P
9801020160	9712310297	97/12/23	50-271 P	9801050321	9801050292	97/12/16	50-361 P
9801020162	9801020157	97/12/18	50-255 P	9801050325	9801050320	97/12/23	50-259 P
9801050002	9801050001	97/12/17	FOIA	9801050338	9801050335	97/12/22	50-259 P
9801050004	9801050001	97/12/17	FOIA	9801050345	9801050343	97/12/22	50-269 P
9801050008	9801050001	97/12/17	FOIA	9801050348	9801050339	97/12/19	50-390 S
9801050011	9801050001	97/12/17	FOIA	9801050356	9801050354	97/12/19	50-295 P
9801050017	9801050001	97/12/17	FOIA	9801050357	9801050346	97/12/23	50-458 Q
9801050019	9801050015	97/12/22	50-423 S	9801050359	9801050354	97/12/19	50-295 P
9801050021	9801050001	97/12/17	FOIA	9801050360	9801050355	97/12/12	70-1362
9801050025	9801050001	97/12/17	FOIA	9801050365	9801050361	97/12/19	50-483 S
9801050031	9801050029	97/12/23	50-346 P	9801050368	9801050364	97/12/23	50-282 Q
9801050033	9801050029	97/12/23	50-346 P	9801050372	9801050364	97/12/23	50-282 Q
9801050037	9801050001	97/12/17	FOIA	9801050373	9801050369	97/12/24	STATE PRO G
9801050043	9801050001	97/12/17	FOIA	9801050381	9801050376	97/12/19	50-272 S
9801050053	9801050001	97/12/17	FOIA	9801050384	9801050366	97/12/30	50-275 P
9801050060	9801050001	97/12/17	FOIA	9801060023	9801060021	97/12/22	50-285 R
9801050063	9801050058	97/12/26	50-237 S	9801060024	9801060022	97/12/20	STATE PRO G
9801050075	9801050070	97/12/23	50-293 S	9801060040	9801060032	97/12/30	50-254 Q
9801050077	9801050001	97/12/17	FOIA	9801060063	9801060054	97/12/29	50-456 V
9801050085	9801050001	97/12/17	FOIA	9801060065	9801060061	97/12/29	40-8904
9801050091	9801050001	97/12/17	FOIA	9801060070	9801060060	97/12/22	71-9128
9801050102	9801050094	97/12/18	50-263 F	9801060074	9801050386	97/12/30	STATE PRO G
9801050104	9801050001	97/12/17	FOIA	9801060075	9801060073	97/12/31	50-302 S
9801050127	9801050001	97/12/17	FOIA	9801060076	9801060072	97/12/29	50-482 Q
9801050129	9801050001	97/12/17	FOIA	9801060079	9801060072	97/12/29	50-482 Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9801060084	9801050386	97/12/30	STATE PRO	G	9801070286	9801070281	98/01/05	50-361	Q
9801060087	9801060085	97/12/22	71-9009		9801070312	9801070305	97/12/19	40-8084	
9801060093	9801060086	97/12/19	71-*****		9801070317	9801070307	97/12/05	50-382	Q
9801060100	9801050386	97/12/30	STATE PRO	G	9801070325	9801070306	97/12/19	70-734	
9801060101	9801060096	97/12/16	71-9069		9801070338	9801070333	97/12/17	50-528	K
9801060104	9801060103	97/12/18	71-*****		9801070342	9801070336	98/01/05	50-155	W
9801060110	9801050001	97/12/17	FOIA		9801070344	9801070341	97/12/31	50-249	S
9801060113	9801050001	97/12/17	FOIA		9801070352	9801070346	97/12/31	50-352	K
9801060117	9801050001	97/12/17	FOIA		9801070366	9801060359	97/12/18	40-7580	
9801060121	9801050001	97/12/17	FOIA		9801080018	9801060309	97/12/16	70-925	
9801060132	9801050001	97/12/17	FOIA		9801080026	9801060309	97/12/16	70-925	
9801060133	9801060129	97/12/30	50-361	Q	9801080038	9801080036	97/12/24	50-272	Q
9801060137	9801060129	97/12/30	50-361	Q	9801080040	9801080033	97/12/29	71-9156	
9801060143	9801050354	97/12/19	50-295	P	9801080042	9801080022	97/12/30	50-237	P
9801060144	9801060135	97/12/23	50-247	Q	9801080048	9801080043	97/12/29	50-213	Q
9801060145	9801050001	97/12/17	FOIA		9801080049	9801080033	97/12/29	71-9156	
9801060148	9801050001	97/12/17	FOIA		9801080057	9801080033	97/12/29	71-9156	
9801060152	9801050001	97/12/17	FOIA		9801080062	9801080033	97/12/29	71-9156	
9801060154	9801060150	97/12/10	70-1100		9801080071	9801080033	97/12/29	71-9156	
9801060159	9801050001	97/12/17	FOIA		9801080078	9801080075	98/01/05	50-382	Q
9801060162	9801050001	97/12/17	FOIA		9801080081	9801070252	98/01/02	50-313	Q
9801060171	9801050001	97/12/17	FOIA		9801080096	9801080086	97/12/01	STATE PRO	G
9801060173	9801060164	97/12/18	71-9225		9801080116	9801080100	97/12/31	50-281	S
9801060175	9801060174	97/12/30	50-206	F	9801080117	9801080112	97/12/29	50-220	Q
9801060180	9801050001	97/12/17	FOIA		9801080122	9801080086	97/12/01	50-271	F
9801060186	9801050001	97/12/17	FOIA		9801080126	9801080112	97/12/29	50-220	Q
9801060187	9801060185	97/12/29	50-389	P	9801080128	9801080086	97/12/01	50-443	F
9801060190	9801050001	97/12/17	FOIA		9801080158	9801080086	97/12/01	50-271	F
9801060191	9801060185	97/12/29	50-389	P	9801080166	9801080161	97/12/16	50-266	P
9801060194	9801060185	97/12/29	50-389	P	9801080182	9801080086	97/12/01	50-271	F
9801060195	9801060188	97/12/12	70-7002		9801080184	9801080086	97/12/01	50-271	F
9801060196	9801060189	97/12/24	50-390	S	9801080196	9801080086	97/12/01	50-271	F
9801060200	9801060197	97/12/17	70-27		9801080202	9801080086	97/12/01	50-271	F
9801060207	9801060205	97/12/29	50-282	P	9801080205	9801080086	97/12/01	50-271	F
9801060209	9801060205	97/12/29	50-282	P	9801080209	9801080206	97/12/19	50-334	P
9801060227	9801060225	97/12/24	50-354	S	9801080212	9801080086	97/12/01	50-271	F
9801060233	9801060230	97/12/18	50-113	P	9801080213	9801080086	97/12/01	50-443	F
9801060234	9801060230	97/12/18	50-113	P	9801080216	9801080086	97/12/01	50-443	F
9801060235	9801060232	98/01/02	REVIEW GR	P	9801080221	9801080086	97/12/01	50-443	F
9801060259	9801060238	97/12/22	50-263	S	9801080223	9801080086	97/12/01	50-443	F
9801060269	9801060262	97/12/19	50-482	S	9801080225	9801080086	97/12/01	50-443	F
9801060271	9801060267	97/12/31	50-352	R	9801080228	9801080086	97/12/01	50-443	F
9801060279	9801060276	97/12/18	50-382	P	9801080231	9801080086	97/12/01	50-443	F
9801060280	9801060273	97/12/19	50-317	P	9801080232	9801080086	97/12/01	50-443	F
9801060282	9801060277	97/12/30	50-251	Q	9801080235	9801080086	97/12/01	50-443	F
9801060283	9801060276	97/12/18	50-382	P	9801080238	9801080086	97/12/01	50-443	F
9801060315	9801060311	97/12/18	50-264	Q	9801080242	9801080086	97/12/01	50-443	F
9801060319	9801060316	97/12/29	50-336	P	9801080243	9801080241	97/12/17	COMMISSIO	N
9801060325	9801060318	97/12/15	50-317	P	9801080244	9801080086	97/12/01	50-443	F
9801060348	9801060347	97/12/12	50-302	P	9801080245	9801080237	98/01/05	40-8968	
9801060349	9801060347	97/12/12	50-302	P	9801080247	9801080246	97/12/17	50-286	R
9801070005	9801070003	97/12/12	50-454	P	9801080248	9801080086	97/12/01	50-443	F
9801070007	9801070003	97/12/12	50-454	P	9801080249	9801080086	97/12/01	50-443	F
9801070010	9801070006	98/01/02	50-461	S	9801080252	9801080086	97/12/01	50-443	F
9801070019	9801070015	97/12/30	50-293	S	9801080255	9801080086	97/12/01	50-443	F
9801070038	9801060359	97/12/18	40-7580		9801080265	9801080086	97/12/01	50-443	F
9801070050	9801070046	97/12/31	50-389	P	9801080270	9801080086	97/12/01	50-443	F
9801070055	9801070034	97/12/22	50-10	F	9801080275	9801080086	97/12/01	50-443	F
9801070057	9801070046	97/12/31	50-389	P	9801080276	9801080271	97/12/31	50-370	S
9801070059	9801070034	97/12/22	50-10	F	9801080277	9801080086	97/12/01	50-443	F
9801070061	9801070046	97/12/31	50-389	P	9801080281	9801080268	97/12/31	72-22	
9801070065	9801070034	97/12/22	50-10	F	9801080282	9801080086	97/12/01	50-443	F
9801070066	9801070062	97/12/31	TOPREP		9801080284	9801080279	97/12/18	COMMISSIO	N
9801070073	9801070067	97/12/17	70-754		9801080321	9801080315	97/12/17	52-3	
9801070076	9801070071	97/12/30	50-269	F	9801080350	9801070224	97/12/30	50-316	P
9801070080	9801050001	97/12/17	FOIA		9801080370	9801080367	98/01/02	50-387	S
9801070083	9801070034	97/12/22	50-10	F	9801080371	9801080352	97/12/23	50-275	S
9801070085	9801050001	97/12/17	FOIA		9801090010	9801090008	97/12/30	50-607	A
9801070087	9801050001	97/12/17	FOIA		9801090018	9801080074	97/12/23	XPORTLIC	
9801070092	9801070034	97/12/22	50-10	F	9801090021	9801090020	97/12/24	COMMISSIO	N
9801070099	9801070034	97/12/22	50-10	F	9801090022	9801090020	97/12/24	COMMISSIO	N
9801070131	9801070130	97/12/22	50-334	P	9801090025	9801090014	97/11/24	40-8027	
9801070178	9801070175	97/12/11	40-8857		9801090026	9801090020	97/12/24	COMMISSIO	N
9801070185	9801070176	97/12/17	50-272	R	9801090027	9801090020	97/12/24	COMMISSIO	N
9801070188	9801070187	97/12/10	40-8857		9801090038	9801090037	97/12/30	50-285	P
9801070189	9801070172	97/12/29	50-293	S	9801090041	9801090034	97/12/19	40-8698	
9801070216	9801070214	97/12/18	71-703		9801090066	9801090061	97/12/30	50-348	P
9801070246	9801070243	97/12/30	50-454	P	9801090071	9801090064	98/01/05	50-382	S
9801070254	9801070244	97/12/30	70-7001		9801090076	9801090069	97/12/12	50-266	F
9801070255	9801070253	97/12/31	50-498	P	9801090088	9801090085	97/12/30	50-259	P
9801070264	9801070263	98/01/02	50-275	Q	9801090095	9801090090	97/12/24	50-443	K
9801070266	9801070261	98/01/02	50-275	Q	9801090106	9801090103	98/01/05	50-361	P
9801070273	9801070261	98/01/02	50-275	Q	9801090115	9801090109	98/01/05	50-302	S
9801070278	9801070262	97/12/19	40-7397		9801090131	9801090126	98/01/08	40-8698	
9801070279	9801070274	98/01/02	50-382	Q	9801090145	9801090139	97/12/30	40-1162	
9801070282	9801070277	97/12/16	70-687		9801090148	9801120185	97/11/25	40-8724	
9801070284	9801070274	98/01/02	50-382	Q	9801090159	9801090153	98/01/02	50-361	P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9801090161	9801090153	98/01/02	50-361	P	9801130391	9801130377	97/12/31	50-413	Q
9801090184	9801090182	97/12/31	50-348	P	9801130393	9801130343	98/01/09	PR	
9801090187	9801090182	97/12/31	50-348	P	9801130395	9801130388	97/12/30	50-255	Q
9801090232	9801090231	98/01/06	50-302	S	9801130398	9801130343	98/01/09	PR	
9801090233	9801090182	97/12/31	50-348	P	9801130401	9801130400	97/12/18	50-354	P
9801090271	9801090241	97/12/30	50-220	Q	9801130404	9801130343	98/01/09	PR	
9801090280	9801090272	97/12/08	50-498	Q	9801130405	9801130402	98/01/02	71-755	
9801090283	9801090272	97/12/08	50-498	Q	9801130406	9801130403	98/01/09	50-361	P
9801090286	9801090279	97/12/30	50-245	Q	9801130408	9801130403	98/01/09	50-361	P
9801090289	9801090287	97/12/05	70-3073		9801130409	9801130343	98/01/09	PR	
9801090293	9801090287	97/12/05	70-3073		9801130412	9801130407	97/12/31	40-8989	
9801120053	9801120027	97/12/30	TOPREP		9801130414	9801130343	98/01/09	PR	
9801120059	9801120027	97/12/30	TOPREP		9801130416	9801130343	98/01/09	PR	
9801120066	9801120064	97/12/29	50-259	P	9801130418	9801130415	97/12/30	50-272	S
9801120132	9801120131	97/09/12	50-445	Q	9801130419	9801130343	98/01/09	PR	
9801120151	9801120148	97/09/11	REGGD		9801130420	9801130407	97/12/31	40-8989	
9801120170	9801120167	97/12/29	71-9216		9801130422	9801130343	98/01/09	PR	
9801120178	9801120175	97/12/24	71-887		9801130423	9801130343	98/01/09	PR	
9801120186	9801120176	97/12/30	50-445	P	9801140005	9801140004	98/01/05	40-8943	
9801120190	9801120176	97/12/30	50-445	P	9801140009	9801140007	97/12/17	40-8698	
9801120192	9801120182	97/12/22	40-8903		9801140014	9801140011	97/12/29	50-410	P
9801120193	9801120188	97/12/22	50-302	P	9801140017	9801140011	97/12/29	50-410	P
9801120194	9801120188	97/12/22	50-302	P	9801140018	9801140013	97/12/22	50-260	P
9801120204	9801120197	97/12/20	50-250	P	9801140021	9801140013	97/12/22	50-260	P
9801120206	9801120197	97/12/20	50-250	P	9801140025	9801140023	98/01/06	50-387	Q
9801120208	9801120203	97/12/24	40-3453		9801140026	9801140016	97/12/18	50-272	P
9801120213	9801120207	97/12/23	50-458	P	9801140028	9801140016	97/12/18	50-272	P
9801120216	9801120207	97/12/23	50-458	P	9801140029	9801140027	97/12/18	50-354	P
9801120219	9801120203	97/12/24	40-3453		9801140032	9801140027	97/12/18	50-354	P
9801120223	9801120211	97/12/30	50-155	F	9801140034	9801130343	98/01/09	PR	
9801120228	9801120222	97/12/23	50-368	P	9801140036	9801140030	97/12/18	50-277	P
9801120236	9801120222	97/12/23	50-368	P	9801140039	9801130343	98/01/09	PR	
9801120238	9801120235	97/12/24	40-6659		9801140041	9801130343	98/01/09	PR	
9801120240	9801120237	98/01/07	40-17		9801140044	9801140040	97/12/31	40-8767	
9801120243	9801120235	97/12/24	40-6659		9801140045	9801130343	98/01/09	PR	
9801120246	9801120229	97/12/22	70-7002		9801140051	9801130343	98/01/09	PR	
9801120250	9801120235	97/12/24	40-6659		9801140062	9801130343	98/01/09	PR	
9801120252	9801120247	98/01/07	50-456	Q	9801140067	9801140064	97/12/29	70-7002	
9801120257	9801120256	97/12/22	40-6622		9801140072	9801130343	98/01/09	PR	
9801120262	9801120258	97/12/19	50-155	F	9801140078	9801140073	98/01/05	50-269	P
9801120266	9801120254	97/09/12	50-445	Q	9801140082	9801130343	98/01/09	PR	
9801120283	9801120280	97/12/24	70-36		9801140087	9801130343	98/01/09	PR	
9801120286	9801120282	97/12/23	50-282	P	9801140089	9801140070	97/12/16	50-336	P
9801120294	9801120291	98/01/06	50-263	Q	9801140091	9801140086	98/01/08	50-529	Q
9801130014	9801120277	98/01/05	50-237	P	9801140092	9801140084	98/01/05	50-254	S
9801130038	9801130029	98/01/06	50-498	F	9801140094	9801130343	98/01/09	PR	
9801130044	9801130030	97/12/30	50-305	P	9801140100	9801130343	98/01/09	PR	
9801130046	9801130031	98/01/08	50-295	S	9801140110	9801140107	98/01/09	50-416	P
9801130062	9801130055	98/01/08	50-368	R	9801140113	9801140098	98/01/05	COMMISSIO	N
9801130068	9801130064	97/12/23	50-317	P	9801140119	9801140115	98/01/06	50-244	P
9801130079	9801130074	97/12/18	50-423	P	9801140120	9801140103	98/01/08	50-423	S
9801130080	9801130074	97/12/18	50-423	P	9801140121	9801140116	98/01/05	COMMISSIO	N
9801130084	9801130071	98/01/02	50-361	S	9801140122	9801130343	98/01/09	PR	
9801130108	9801130104	98/01/05	70-36		9801140126	9801130212	98/01/02	50-237	Q
9801130109	9801130101	98/01/07	50-334	S	9801140128	9801130343	98/01/09	PR	
9801130127	9801120189	97/12/31	50-382	P	9801140129	9801140114	98/01/06	50-458	Q
9801130128	9801130125	98/01/02	50-461	Q	9801140133	9801130343	98/01/09	PR	
9801130147	9801130135	98/01/02	50-282	S	9801140143	9801130343	98/01/09	PR	
9801130166	9801130160	98/01/06	52-3		9801140145	9801140035	98/01/08	50-454	P
9801130227	9801130221	98/01/08	40-7604		9801140148	9801140136	98/01/02	QA999	
9801130228	9801130210	98/01/08	50-269	P	9801140149	9801140035	98/01/08	50-454	P
9801130234	9801130229	98/01/09	70-7002		9801140153	9801130343	98/01/09	PR	
9801130238	9801130229	98/01/09	70-7002		9801140158	9801140035	98/01/08	50-454	P
9801130254	9801130247	97/12/03	50-454	P	9801140162	9801140035	98/01/08	50-454	P
9801130267	9801130265	98/01/07	50-348	P	9801140164	9801140160	97/12/31	50-269	P
9801130269	9801130264	97/12/22	50-272	P	9801140165	9801130343	98/01/09	PR	
9801130273	9801130264	97/12/22	50-272	P	9801140167	9801140136	98/01/02	QA999	
9801130294	9801130282	98/01/06	50-387	P	9801140170	9801130343	98/01/09	PR	
9801130298	9801130282	98/01/06	50-387	P	9801140180	9801130343	98/01/09	PR	
9801130303	9801130295	98/01/09	TOPREP		9801140183	9801130343	98/01/09	PR	
9801130322	9801130319	98/01/07	50-302	P	9801140197	9801140184	98/01/10	50-302	P
9801130333	9801130328	97/12/17	50-369	P	9801140199	9801130343	98/01/09	PR	
9801130334	9801130328	97/12/17	50-369	P	9801140202	9801140184	98/01/10	50-302	P
9801130337	9801130329	97/12/29	50-339	P	9801140205	9801140184	98/01/10	50-302	P
9801130344	9801130326	98/01/05	50-335	P	9801140207	9801130343	98/01/09	PR	
9801130347	9801130345	97/12/31	71-231		9801140208	9801140194	98/01/05	COMMISSIO	N
9801130350	9801130348	97/12/31	71-888		9801140209	9801140184	98/01/10	50-302	P
9801130351	9801130346	98/01/05	50-362	S	9801140210	9801140198	97/12/24	70-7001	
9801130352	9801130343	98/01/09	PR		9801140214	9801130343	98/01/09	PR	
9801130362	9801130356	98/01/06	70-1151		9801140216	9801140184	98/01/10	50-302	P
9801130363	9801130349	98/01/09	50-361	P	9801140218	9801140184	98/01/10	50-302	P
9801130364	9801130343	98/01/09	PR		9801140220	9801140215	98/01/02	50-354	S
9801130369	9801130349	98/01/09	50-361	P	9801140222	9801130343	98/01/09	PR	
9801130379	9801130343	98/01/09	PR		9801140223	9801140184	98/01/10	50-302	P
9801130386	9801130378	98/01/09	50-361	P	9801140225	9801140217	97/12/31	COMMISSIO	N
9801130389	9801130384	97/12/29	50-454	P	9801140226	9801140184	98/01/10	50-302	P
9801130390	9801130378	98/01/09	50-361	P	9801140229	9801140184	98/01/10	50-302	P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9801140231	9801130343	98/01/09	PR		9801150152	9801150147	98/01/12	50-298	Q
9801140234	9801140184	98/01/10	50-302	P	9801150168	9801150164	97/11/06	52-3	
9801140236	9801140184	98/01/10	50-302	P	9801150172	9801150170	98/01/08	50-266	P
9801140239	9801140184	98/01/10	50-302	P	9801150185	9801150182	98/01/07	40-8943	
9801140241	9801130343	98/01/09	PR		9801150188	9801150182	98/01/07	40-8943	
9801140248	9801130343	98/01/09	PR		9801150191	9801150183	97/12/29	50-271	G
9801140266	9801140262	98/01/08	50-316	R	9801150195	9801150182	98/01/07	40-8943	
9801140267	9801140262	98/01/08	50-316	R	9801150196	9801150183	97/12/29	50-271	G
9801140272	9801140269	97/07/28	72-22		9801150198	9801150182	98/01/07	40-8943	
9801140276	9801140269	97/07/28	72-22		9801150209	9801150205	98/01/07	52-3	
9801140277	9801130343	98/01/09	PR		9801150213	9801150206	98/01/02	50-461	Q
9801140279	9801140269	97/07/28	72-22		9801150223	9801150219	98/01/08	50-317	P
9801140282	9801130343	98/01/09	PR		9801150228	9801150218	97/12/31	FOIA	
9801140284	9801130343	98/01/09	PR		9801150231	9801150163	98/01/07	40-8452	
9801140285	9801130343	98/01/09	PR		9801150245	9801140030	97/12/18	50-277	P
9801140290	9801130343	98/01/09	PR		9801160010	9801150026	98/01/09	PR	
9801140292	9801130343	98/01/09	PR		9801160013	9801150026	98/01/09	PR	
9801140299	9801130343	98/01/09	PR		9801160027	9801160022	98/01/08	50-341	P
9801140306	9801130343	98/01/09	PR		9801160028	9801150026	98/01/09	PR	
9801140310	9801130343	98/01/09	PR		9801160036	9801150026	98/01/09	PR	
9801140315	9801130343	98/01/09	PR		9801160037	9801160032	98/01/02	50-266	P
9801140319	9801130343	98/01/09	PR		9801160038	9801160033	98/01/09	40-8989	
9801140324	9801130343	98/01/09	PR		9801160040	9801150026	98/01/09	PR	
9801140330	9801130343	98/01/09	PR		9801160041	9801160033	98/01/09	40-8989	
9801140332	9801140328	98/01/09	52-3		9801160044	9801150026	98/01/09	PR	
9801140334	9801140326	98/01/08	REVIEW GR	P	9801160048	9801150026	98/01/09	PR	
9801140335	9801140333	98/01/08	FOIA		9801160050	9801150026	98/01/09	PR	
9801140337	9801130343	98/01/09	PR		9801160051	9801160042	98/01/09	50-254	S
9801140340	9801130343	98/01/09	PR		9801160054	9801160052	97/10/15	REGGD	
9801140348	9801130343	98/01/09	PR		9801160055	9801160045	98/01/08	50-317	V
9801140356	9801140354	98/01/09	50-18	Q	9801160059	9801160056	97/10/30	TOPREP	
9801140375	9801140371	97/12/29	50-243	F	9801160068	9801160063	98/01/07	50-443	Q
9801140384	9801140382	97/12/31	50-387	Q	9801160071	9801160066	98/01/08	40-8968	
9801140387	9801140382	97/12/31	50-387	Q	9801160076	9801160066	98/01/08	40-8968	
9801140396	9801140179	98/01/05	50-317	Q	9801160091	9801160080	97/10/30	TOPREP	
9801140397	9801140391	97/12/31	FOIA		9801160108	9801160107	97/12/22	50-263	Q
9801140400	9801140391	97/12/31	FOIA		9801160112	9801160090	98/01/14	PR	
9801140401	9801140395	98/01/12	50-382	S	9801160115	9801160113	98/01/07	50-333	Q
9801140403	9801140391	97/12/31	FOIA		9801160116	9801160109	98/01/09	50-334	V
9801140406	9801140391	97/12/31	FOIA		9801160121	9801160119	98/01/08	50-269	S
9801140407	9801140314	98/01/06	70-3061		9801160123	9801150177	98/01/09	70-925	
9801140408	9801140391	97/12/31	FOIA		9801160128	9801160125	98/01/14	50-456	P
9801140413	9801140411	97/12/22	50-247	P	9801160129	9801160125	98/01/14	50-456	P
9801140416	9801140314	98/01/06	70-3061		9801160132	9801160125	98/01/14	50-456	P
9801140419	9801140415	98/01/09	50-302	P	9801160135	9801160126	98/01/08	STATE PRO	G
9801150006	9801150003	98/01/06	50-334	Q	9801160136	9801160134	98/01/13	50-382	S
9801150016	9801140391	97/12/31	50-336	P	9801160141	9801160139	98/01/14	50-456	P
9801150021	9801150018	98/01/05	ORG		9801160143	9801160090	98/01/14	PR	
9801150024	9801140391	97/12/31	FOIA		9801160146	9801160090	98/01/14	PR	
9801150028	9801140391	97/12/31	50-336	P	9801160149	9801160090	98/01/14	PR	
9801150031	9801150026	98/01/09	PR		9801160152	9801160151	97/10/30	TOPREP	
9801150033	9801150030	97/12/19	40-1162		9801160155	9801160154	97/11/25	71-3010	
9801150035	9801150032	98/01/05	50-317	P	9801160160	9801160090	98/01/14	PR	
9801150038	9801150032	98/01/05	50-317	P	9801160161	9801160090	98/01/14	PR	
9801150040	9801150034	98/01/07	TOPREP		9801160162	9801150226	98/01/08	PRM	
9801150041	9801150026	98/01/09	PR		9801160163	9801160090	98/01/14	PR	
9801150044	9801150026	98/01/09	PR		9801160165	9801160090	98/01/14	PR	
9801150047	9801140391	97/12/31	50-336	P	9801160167	9801160090	98/01/14	PR	
9801150050	9801140391	97/12/31	50-336	P	9801160169	9801160164	98/01/07	FOIA	
9801150054	9801140391	97/12/31	FOIA		9801160172	9801160164	98/01/07	FOIA	
9801150057	9801140391	97/12/31	FOIA		9801160173	9801160090	98/01/14	PR	
9801150058	9801150046	97/12/31	FOIA		9801160175	9801160164	98/01/07	FOIA	
9801150060	9801140391	97/12/31	FOIA		9801160176	9801160090	98/01/14	PR	
9801150061	9801150026	98/01/09	PR		9801160177	9801160164	98/01/07	FOIA	
9801150062	9801140391	97/12/31	50-213	P	9801160180	9801160164	98/01/07	FOIA	
9801150064	9801150056	98/01/12	50-309	W	9801160181	9801160090	98/01/14	PR	
9801150065	9801150046	97/12/31	50-271	P	9801160183	9801160182	98/01/05	50-315	P
9801150067	9801150046	97/12/31	50-271	P	9801160186	9801160090	98/01/14	PR	
9801150069	9801150046	97/12/31	50-271	P	9801160188	9801160090	98/01/14	PR	
9801150072	9801150071	97/12/29	50-259	P	9801160191	9801160090	98/01/14	PR	
9801150082	9801150068	98/01/07	WM		9801160194	9801160193	97/12/18	50-199	P
9801150088	9801150085	98/01/12	50-528	Q	9801160196	9801160090	98/01/14	PR	
9801150092	9801150046	97/12/31	50-271	P	9801200001	9801160090	98/01/14	PR	
9801150102	9801150098	98/01/12	50-336	P	9801200002	9801160090	98/01/14	PR	
9801150103	9801150046	97/12/31	50-271	P	9801200006	9801160090	98/01/14	PR	
9801150109	9801150046	97/12/31	50-271	P	9801200008	9801200005	98/01/09	50-387	Q
9801150110	9801150099	98/01/09	50-295	Q	9801200015	9801200011	98/01/12	40-8913	
9801150113	9801150108	98/01/08	WM		9801200019	9801160090	98/01/14	PR	
9801150114	9801150046	97/12/31	50-271	P	9801200026	9801160090	98/01/14	PR	
9801150117	9801150095	98/01/12	50-382	F	9801200028	9801200025	98/01/09	50-266	R
9801150126	9801150120	98/01/13	50-206	P	9801200030	9801200025	98/01/09	50-266	R
9801150133	9801150128	98/01/12	50-245	P	9801200047	9801200042	98/01/12	50-335	P
9801150137	9801150128	98/01/12	50-245	P	9801200054	9801200051	98/01/07	50-286	Q
9801150142	9801150141	98/01/12	50-317	F	9801200056	9801200051	98/01/07	50-286	Q
9801150143	9801150138	98/01/12	50-317	P	9801200060	9801200059	98/01/12	50-382	Q
9801150146	9801150141	98/01/12	50-317	F	9801200061	9801200059	98/01/12	50-382	Q
9801150149	9801150147	98/01/12	50-298	Q	9801200077	9801200069	98/01/12	50-424	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9801200084	9801200081	98/01/08	50-315	P	9801210272	9801210263	98/01/02	50-259	Q
9801200086	9801200069	98/01/12	50-424	Q	9801210278	9801210263	98/01/02	50-259	Q
9801200087	9801200069	98/01/12	50-424	Q	9801210284	9801210282	98/01/09	50-275	P
9801200088	9801200085	98/01/12	50-461	Q	9801210285	9801210280	97/12/31	70-27	
9801200100	9801200094	98/01/12	50-335	F	9801210286	9801210281	98/01/12	50-440	R
9801200120	9801200113	98/01/12	50-352	P	9801210292	9801210252	97/12/29	50-348	Q
9801200121	9801200114	98/01/12	50-313	P	9801210299	9801210298	97/12/22	50-261	Q
9801200127	9801200119	98/01/02	50-315	P	9801210300	9801210298	97/12/22	50-261	Q
9801200128	9801200124	98/01/09	50-302	P	9801210307	9801210303	97/12/24	50-280	Q
9801200129	9801200117	98/01/15	50-382	S	9801210311	9801210303	97/12/24	50-280	Q
9801200131	9801200113	98/01/12	50-352	P	9801210314	9801210309	98/01/13	50-369	R
9801200132	9801200119	98/01/02	50-315	P	9801210315	9801210309	98/01/13	50-369	R
9801200150	9801200148	98/01/12	50-255	Q	9801210317	9801210305	97/12/23	50-324	Q
9801200151	9801200147	98/01/15	50-302	S	9801220002	9801220001	98/01/08	50-282	P
9801200159	9801200158	98/01/09	50-271	P	9801220003	9801220001	98/01/08	50-282	P
9801200161	9801150004	98/01/09	ORG		9801220005	9801220004	98/01/15	50-440	Q
9801200213	9801200209	98/01/13	50-245	H	9801220009	9801230078	98/01/14	50-416	R
9801200229	9801200221	98/01/12	WM		9801220014	9801220011	98/01/09	50-245	Q
9801200235	9801200221	98/01/12	WM		9801220023	9801220030	97/12/22	40-8976	
9801200237	9801200233	98/01/13	50-348	P	9801220038	9801220016	97/12/29	50-302	Q
9801200239	9801200221	98/01/12	WM		9801220041	9801220036	98/01/06	50-302	Q
9801200242	9801200238	98/01/09	50-602	Q	9801220042	9801220031	98/01/14	50-528	R
9801200248	9801200246	98/01/09	50-20	Q	9801220051	9801220031	98/01/14	50-528	R
9801200256	9801200221	98/01/12	WM		9801220059	9801220054	98/01/12	70-3078	
9801200260	9801200258	98/01/12	70-7001		9801220069	9801220067	98/01/15	50-269	R
9801200269	9801200221	98/01/12	WM		9801220072	9801220054	98/01/12	70-3078	
9801200275	9801200221	98/01/12	WM		9801220076	9801220063	98/01/15	50-413	R
9801200286	9801200283	98/01/09	50-186	Q	9801220077	9801220067	98/01/15	50-269	R
9801200290	9801200283	98/01/09	50-186	Q	9801220081	9801220054	98/01/12	70-3078	
9801200291	9801200287	98/01/12	50-440	P	9801220084	9801220063	98/01/15	50-413	R
9801200292	9801200289	98/01/14	50-445	Q	9801220093	9801220082	98/01/12	50-369	Q
9801210002	9801200221	98/01/12	WM		9801220095	9801220082	98/01/12	50-369	Q
9801210003	9801200221	98/01/12	WM		9801220101	9801220099	98/01/09	50-250	P
9801210005	9801200221	98/01/12	WM		9801220103	9801220097	98/01/16	50-461	S
9801210010	9801200221	98/01/12	WM		9801220104	9801220083	98/01/12	50-266	Q
9801210012	9801200221	98/01/12	WM		9801220113	9801220083	98/01/12	50-266	Q
9801210017	9801200221	98/01/12	WM		9801220114	9801220109	98/01/09	50-286	S
9801210021	9801200221	98/01/12	WM		9801220118	9801220111	98/01/09	50-250	Q
9801210022	9801210019	98/01/12	50-289	Q	9801220123	9801220111	98/01/09	50-250	Q
9801210025	9801200221	98/01/12	WM		9801220128	9801220110	98/01/15	ORG	
9801210026	9801210018	98/01/14	50-298	F	9801220130	9801220127	98/01/13	I&E	
9801210029	9801210023	98/01/14	50-416	Q	9801220138	9801220135	98/01/15	50-482	P
9801210031	9801210030	98/01/15	50-482	F	9801220144	9801220139	97/12/23	50-271	Q
9801210032	9801210030	98/01/15	50-482	F	9801220150	9801220139	97/12/23	50-271	Q
9801210033	9801210030	98/01/15	50-482	F	9801220152	9801220140	98/01/15	50-295	Q
9801210037	9801210035	97/12/19	50-482	S	9801220168	9801220164	98/01/15	50-397	Q
9801210040	9801210036	98/01/16	QA999		9801220170	9801220164	98/01/15	50-397	Q
9801210041	9801210039	98/01/14	FOIA		9801220180	9801260174	97/12/23	XPORTLIC	
9801210045	9801210044	98/01/13	50-528	P	9801220203	9801220198	98/01/14	50-275	P
9801210070	9801210059	98/01/16	50-295	S	9801220207	9801210249	98/01/14	50-456	P
9801210087	9801210078	98/01/13	50-361	S	9801220208	9801220204	98/01/13	COMMISSIO	N
9801210090	9801210076	98/01/16	50-293	S	9801220214	9801220212	98/01/16	50-424	P
9801210095	9801210071	98/01/16	50-302	S	9801220216	9801220213	97/12/16	STATE PRO	G
9801210112	9801210099	98/01/16	71-9225		9801220217	9801220211	97/12/18	XPORTLIC	
9801210116	9801210109	98/01/13	50-254	Q	9801220220	9801220204	98/01/13	COMMISSIO	N
9801210119	9801210115	98/01/12	50-440	Q	9801220224	9801220204	98/01/13	COMMISSIO	N
9801210123	9801210114	98/01/14	50-498	F	9801220238	9801220237	98/01/12	50-263	S
9801210135	9801210132	97/12/22	50-302	P	9801220249	9801220246	98/01/08	50-454	P
9801210136	9801210131	98/01/09	50-311	S	9801220254	9801220243	97/12/24	STATE PRO	G
9801210138	9801210132	97/12/22	50-302	P	9801220257	9801220255	98/01/08	50-295	Q
9801210147	9801210144	97/12/29	50-302	Q	9801220265	9801220264	98/01/09	50-295	P
9801210149	9801210144	97/12/29	50-302	Q	9801220276	9801220273	98/01/09	50-295	P
9801210155	9801210150	97/12/31	50-261	Q	9801220282	9801220280	98/01/09	50-331	P
9801210156	9801210154	97/12/30	50-324	Q	9801220290	9801220277	98/01/13	50-327	P
9801210160	9801210154	97/12/30	50-324	Q	9801220292	9801220277	98/01/13	50-327	P
9801210172	9801210167	97/12/23	50-395	Q	9801220295	9801220287	98/01/14	STATE PRO	G
9801210175	9801210166	97/12/31	50-400	Q	9801220297	9801220286	97/12/24	50-423	P
9801210176	9801210167	97/12/23	50-395	Q	9801220299	9801220286	97/12/24	50-423	P
9801210182	9801210166	97/12/31	50-400	Q	9801220302	9801220298	98/01/15	50-414	Q
9801210192	9801210181	98/01/16	50-293	S	9801220307	9801220275	98/01/05	50-443	P
9801210194	9801210171	97/12/12	TOPREP		9801220309	9801220306	98/01/15	50-271	P
9801210197	9801210190	98/01/13	50-315	Q	9801220311	9801220308	97/12/18	STATE PRO	G
9801210199	9801210190	98/01/13	50-315	Q	9801220312	9801220303	98/01/12	50-410	P
9801210205	9801210201	98/01/14	50-454	Q	9801220316	9801220313	98/01/20	50-336	P
9801210207	9801210201	98/01/14	50-454	Q	9801220319	9801220315	98/01/08	50-272	P
9801210213	9801210209	98/01/15	TOPREP		9801220320	9801160090	98/01/14	PR	
9801210215	9801210214	98/01/13	50-280	S	9801220321	9801220317	98/01/06	50-390	P
9801210219	9801210217	98/01/13	50-280	S	9801220324	9801220322	98/01/14	50-483	P
9801210221	9801210220	98/01/14	50-352	P	9801220327	9801220317	98/01/06	50-390	P
9801210227	9801210224	98/01/15	50-282	P	9801220333	9801220330	98/01/19	50-272	P
9801210228	9801210224	98/01/15	50-282	P	9801220334	9801220325	98/01/12	STATE PRO	G
9801210231	9801210224	98/01/15	50-282	P	9801220336	9801220317	98/01/06	50-390	P
9801210234	9801210224	98/01/15	50-282	P	9801220341	9801220317	98/01/06	50-390	P
9801210244	9801210241	98/01/14	50-266	Q	9801220342	9801220340	98/01/16	40-8857	
9801210267	9801210263	98/01/02	50-259	Q	9801220344	9801220325	98/01/12	STATE PRO	G
9801210270	9801210253	98/01/13	50-280	F	9801220347	9801220325	98/01/12	STATE PRO	G
9801210271	9801210252	97/12/29	50-348	Q	9801220352	9801220349	98/01/15	70-1257	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9801220354	9801220350	98/01/15	50-333	S	9801260189	9801260180	98/01/15	COMMISSIO	N
9801220358	9801220349	98/01/15	70-1257		9801260192	9801260180	98/01/15	COMMISSIO	N
9801220367	9801210039	98/01/14	FOIA		9801260199	9801260193	98/01/16	70-1257	
9801220368	9801220361	98/01/12	70-1201		9801260201	9801260190	98/01/19	50-461	S
9801220384	9801220378	98/01/09	STATE PRO	G	9801260207	9801260193	98/01/16	70-1257	
9801220389	9801220387	97/12/30	70-1151		9801260237	9801260234	98/01/16	50-390	Q
9801220390	9801220386	98/01/15	50-443	G	9801260260	9801260247	98/01/16	50-423	S
9801220392	9801220387	97/12/30	70-1151		9801260266	9801260251	98/01/09	WM	
9801220395	9801220391	98/01/15	50-206	F	9801260277	9801260274	98/01/15	50-338	P
9801230002	9801230001	98/01/12	50-336	P	9801260283	9801260251	98/01/09	WM	
9801230026	9801230025	98/01/14	50-219	P	9801260287	9801260278	98/01/16	71-9792	
9801230027	9801230025	98/01/14	50-219	P	9801260311	9801260307	98/01/08	50-272	P
9801230054	9801230047	98/01/12	70-27		9801260312	9801260307	98/01/08	50-272	P
9801230058	9801230047	98/01/12	70-27		9801260314	9801260282	98/01/21	40-8989	
9801230059	9801230051	98/01/02	50-335	P	9801260320	9801260282	98/01/21	40-8989	
9801230064	9801230051	98/01/02	50-335	P	9801260337	9801260329	98/01/16	71-9081	
9801230074	9801230063	98/01/21	FOIA		9801260342	9801260341	98/01/22	50-302	P
9801230091	9801230087	98/01/15	40-8903		9801260344	9801260339	97/09/15	WM	
9801230097	9801230089	98/01/14	72-*****		9801260358	9801260339	97/09/15	WM	
9801230100	9801230095	98/01/15	50-213	Q	9801260396	9801260392	97/12/18	50-344	Y
9801230111	9801220035	98/01/15	50-361	R	9801260399	9801260379	98/01/20	50-305	V
9801230130	9801230110	98/01/15	50-266	S	9801260400	9801260386	98/01/09	50-387	R
9801230141	9801230125	97/11/24	ORG		9801260407	9801260392	97/12/18	50-344	Y
9801230162	9801230156	98/01/16	52-3		9801260408	9801260379	98/01/20	50-305	V
9801230164	9801220253	98/01/16	50-397	Q	9801260411	9801260386	98/01/09	50-387	R
9801230167	9801230132	98/01/06	50-272	P	9801260436	9801260433	98/01/15	50-260	P
9801230171	9801230165	98/01/14	50-213	Q	9801260453	9801260449	98/01/16	71-889	
9801230176	9801230153	98/01/20	52-3		9801260458	9801260456	98/01/09	50-302	F
9801230184	9801230132	98/01/06	50-272	P	9801260463	9801260450	98/01/16	50-424	Q
9801230193	9801230174	98/01/15	52-3		9801260465	9801260456	98/01/09	50-302	F
9801230201	9801230198	98/01/21	50-361	P	9801260467	9801260456	98/01/09	50-302	F
9801230218	9801230208	98/01/16	40-8968		9801260484	9801260483	98/01/16	50-254	S
9801230224	9801230213	98/01/09	40-8968		9801270023	9801270021	98/01/20	50-275	R
9801230225	9801230211	98/01/21	50-382	P	9801270025	9801270024	98/01/19	50-324	P
9801230230	9801230213	98/01/09	40-8968		9801270028	9801270024	98/01/19	50-324	P
9801230231	9801230208	98/01/16	40-8968		9801270030	9801270022	98/01/19	50-254	P
9801230237	9801230228	98/01/16	XPORTLIC		9801270038	9801270026	98/01/16	50-483	P
9801230250	9801230221	98/01/15	40-8968		9801270039	9801270037	98/01/15	50-354	R
9801230251	9801230248	98/01/15	72-22		9801270040	9801270035	98/01/21	50-373	Q
9801230253	9801230248	98/01/15	72-22		9801270042	9801270035	98/01/21	50-373	Q
9801230256	9801230221	98/01/15	40-8968		9801270048	9801270045	98/01/21	50-454	Q
9801230257	9801230248	98/01/15	72-22		9801270050	9801270037	98/01/15	50-354	R
9801230258	9801230221	98/01/15	40-8968		9801270054	9801270052	98/01/21	50-327	P
9801230259	9801230221	98/01/15	40-8968		9801270073	9801270070	98/01/21	50-254	Q
9801230261	9801230221	98/01/15	40-8968		9801270075	9801270066	98/01/21	50-255	Q
9801230263	9801230221	98/01/15	40-8968		9801270077	9801270072	98/01/15	71-9280	
9801230265	9801230221	98/01/15	40-8968		9801270078	9801270070	98/01/21	50-254	Q
9801230276	9801230274	98/01/13	40-8905		9801270080	9801270076	98/01/21	50-341	Q
9801230279	9801230242	98/01/21	50-382	P	9801270081	9801270067	98/01/15	50-269	F
9801230282	9801230280	98/01/13	70-7001		9801270083	9801270066	98/01/21	50-255	Q
9801230298	9801230295	98/01/15	50-382	P	9801270087	9801270061	97/08/14	50-282	F
9801230299	9801230295	98/01/15	50-382	P	9801270090	9801270086	98/01/21	50-423	P
9801230300	9801230290	98/01/16	50-184	Q	9801270092	9801270061	97/08/14	50-282	F
9801230305	9801230301	98/01/21	50-206	R	9801270098	9801270061	97/08/14	50-282	F
9801230311	9801230221	98/01/15	40-8968		9801270099	9801270094	98/01/22	50-373	S
9801230314	9801230307	98/01/15	70-734		9801270103	9801270100	98/01/21	50-237	S
9801230320	9801230316	98/01/09	WM		9801270111	9801270109	98/01/20	50-272	R
9801230324	9801230221	98/01/15	40-8968		9801270112	9801270106	98/01/22	50-237	S
9801230327	9801230321	98/01/08	40-8584		9801270114	9801200169	98/01/09	TOPREP	
9801230328	9801230323	98/01/13	50-346	Q	9801270116	9801270113	98/01/19	50-344	W
9801230329	9801220308	97/12/18	STATE PRO	G	9801270117	9801230208	98/01/16	40-8968	
9801230330	9801230221	98/01/15	40-8968		9801270127	9801270126	98/01/21	50-440	Q
9801230342	9801230221	98/01/15	40-8968		9801270129	9801270128	98/01/09	50-302	P
9801230349	9801230341	98/01/21	50-336	P	9801270132	9801270130	98/01/16	50-2	Q
9801230355	9801230341	98/01/21	50-336	P	9801270160	9801270159	98/01/21	50-295	Q
9801230362	9801230358	98/01/17	50-423	S	9801270162	9801270159	98/01/21	50-295	Q
9801230363	9801230357	98/01/14	70-7002		9801270171	9801270166	98/01/20	50-327	R
9801230364	9801230356	98/01/13	50-305	P	9801270178	9801270177	97/12/19	71-9233	
9801230372	9801230361	98/01/16	50-445	Q	9801270179	9801270165	98/01/20	50-271	P
9801230382	9801230366	98/01/15	50-373	S	9801270181	9801270169	97/12/16	40-7604	
9801230395	9801230385	98/01/15	50-272	P	9801270191	9801270186	98/01/20	72-1004	
9801230398	9801230393	98/01/20	50-440	S	9801270202	9801270200	97/12/22	50-461	Q
9801230409	9801230403	98/01/19	50-272	S	9801270205	9801270200	97/12/22	50-461	Q
9801260006	9801260004	97/12/16	PR		9801270210	9801270208	98/01/22	50-424	P
9801260030	9801260025	98/01/13	50-423	P	9801270221	9801270217	98/01/17	50-334	K
9801260081	9801260076	98/01/19	50-5	P	9801270223	9801270218	98/01/16	50-27	Q
9801260085	9801260077	98/01/20	52-3		9801270225	9801270220	98/01/23	50-275	Q
9801260100	9801260095	98/01/16	50-445	Q	9801270236	9801270235	98/01/22	71-9225	
9801260102	9801260095	98/01/16	50-445	Q	9801280002	9801280001	97/12/12	40-2384	
9801260111	9801260103	98/01/15	50-260	Q	9801280012	9801280007	98/01/08	50-454	P
9801260115	9801260110	97/12/17	70-1733		9801280019	9801280015	98/01/22	50-413	P
9801260143	9801260139	98/01/14	50-333	P	9801280025	9801280023	97/12/17	50-456	Q
9801260145	9801260130	98/01/15	50-269	P	9801280028	9801280023	97/12/17	50-456	Q
9801260154	9801260149	98/01/06	CONTRACT		9801280034	9801280032	98/01/21	40-7455	
9801260182	9801260170	98/01/19	50-413	S	9801280037	9801280029	98/01/16	50-309	H
9801260184	9801260180	98/01/15	COMMISSIO	N	9801280040	9801280032	98/01/21	40-7455	
9801260187	9801260180	98/01/15	COMMISSIO	N	9801280041	9801280032	98/01/21	40-7455	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9801280042	9801280038	98/01/22	50-413	P	9801290135	9801290127	98/01/23	50-288	Q
9801280043	9801280032	98/01/21	40-7455		9801290136	9801290124	98/01/13	50-454	Q
9801280047	9801280032	98/01/21	40-7455		9801290142	9801290133	98/01/16	50-454	P
9801280048	9801280031	98/01/21	50-254	S	9801290150	9801290146	98/01/15	50-454	P
9801280055	9801280046	98/01/16	50-454	P	9801290154	9801290146	98/01/15	50-454	P
9801280056	9801280032	98/01/21	40-7455		9801290160	9801290159	98/01/15	40-8452	
9801280060	9801280046	98/01/16	50-454	P	9801290184	9801290181	98/01/21	70-7001	
9801280078	9801280072	98/01/16	50-286	S	9801290206	9801290203	98/01/22	50-272	F
9801280081	9801280074	98/01/19	50-254	S	9801290212	9801290208	98/01/26	QA999	
9801280087	9801280083	98/01/16	50-461	S	9801290215	9801290208	98/01/26	QA999	
9801280090	9801280086	98/01/19	50-331	F	9801290217	9801290208	98/01/26	QA999	
9801280092	9801280088	98/01/20	STATE PRO	G	9801290218	9801290216	98/01/22	ORG	
9801280098	9801280094	98/01/23	ORG		9801300002	9801300001	98/01/22	40-4492	
9801280124	9801280123	98/01/23	50-325	Q	9801300004	9801300003	98/01/16	40-8698	
9801280130	9801280125	98/01/19	50-409	Q	9801300023	9801280373	98/01/20	50-352	F
9801280140	9801280131	98/01/16	50-461	S	9801300042	9801300038	98/01/22	COMMISSIO	N
9801280160	9801280159	98/01/14	50-390	Q	9801300045	9801300039	98/01/12	COMMISSIO	N
9801280166	9801270188	98/01/22	50-348	Q	9801300051	9801300049	98/01/26	50-281	Q
9801280170	9801280158	98/01/09	50-275	F	9801300081	9801300077	98/01/22	50-334	F
9801280173	9801280169	98/01/23	50-321	P	9801300087	9801300083	98/01/16	COMMISSIO	N
9801280176	9801280175	98/01/22	50-281	P	9801300098	9801300094	98/01/23	WM	
9801280185	9801280181	98/01/12	50-338	Q	9801300099	9801300095	98/01/22	WM	
9801280188	9801280183	98/01/16	50-440	Q	9801300104	9801300092	98/01/28	50-271	P
9801280191	9801280187	98/01/05	50-369	Q	9801300107	9801300072	98/01/21	50-361	K
9801280193	9801280187	98/01/05	50-369	Q	9801300108	9801300092	98/01/28	50-271	P
9801280206	9801280200	98/01/16	40-8989		9801300111	9801300092	98/01/28	50-271	P
9801280214	9801280211	97/12/30	STATE PRO	G	9801300115	9801300092	98/01/28	50-271	P
9801280225	9801280223	98/01/07	40-6622		9801300119	9801300092	98/01/28	50-271	P
9801280230	9801280228	98/01/14	50-395	V	9801300121	9801300092	98/01/28	50-271	P
9801280232	9801280229	98/01/23	50-482	Q	9801300124	9801300114	98/01/15	COMMISSIO	N
9801280234	9801270153	98/01/23	CONTRACT		9801300125	9801300120	98/01/26	50-499	P
9801280250	9801280238	97/12/15	50-416	Q	9801300126	9801300092	98/01/28	50-271	P
9801280269	9801280267	98/01/06	70-1113		9801300127	9801300092	98/01/28	50-271	P
9801280280	9801280273	98/01/22	ORG		9801300128	9801300092	98/01/28	50-271	P
9801280289	9801280284	98/01/21	50-352	S	9801300131	9801300092	98/01/28	50-271	P
9801280290	9801280286	98/01/21	50-315	Q	9801300133	9801300092	98/01/28	50-271	P
9801280301	9801280294	97/12/17	WM		9801300136	9801300092	98/01/28	50-271	P
9801280315	9801280306	98/01/26	XPORTLIC		9801300138	9801300092	98/01/28	50-271	P
9801280317	9801280307	98/01/20	70-3061		9801300141	9801300092	98/01/28	50-271	P
9801280322	9801280307	98/01/20	70-3061		9801300142	9801300137	98/01/23	50-498	Q
9801280324	9801280318	98/01/26	XPORTLIC		9801300146	9801300140	98/01/27	FOIA	
9801280328	9801280321	98/01/26	XPORTLIC		9801300150	9801300147	98/01/27	FOIA	
9801280329	9801280307	98/01/20	70-3061		9801300154	9801300151	98/01/23	50-315	Q
9801280365	9801280320	98/01/13	XPORTLIC		9801300156	9801300152	98/01/28	50-286	P
9801290006	9801290004	98/01/21	XPORTLIC		9801300158	9801300147	98/01/27	27-47	
9801290007	9801290005	98/01/22	TOPREP		9801300162	9801300147	98/01/27	FOIA	
9801290009	9801290005	98/01/22	TOPREP		9801300164	9801300140	98/01/27	FOIA	
9801290016	9801290012	98/01/16	COMMISSIO	N	9801300170	9801300147	98/01/27	FOIA	
9801290019	9801290017	98/01/22	50-186	P	9801300171	9801290146	98/01/15	50-454	P
9801290020	9801290012	98/01/16	COMMISSIO	N	9801300172	9801300167	98/01/16	70-143	
9801290021	9801290018	98/01/21	TOPREP		9801300173	9801300166	98/01/26	50-373	Q
9801290023	9801290012	98/01/16	COMMISSIO	N	9801300176	9801300175	98/01/27	50-237	Q
9801290024	9801290012	98/01/16	COMMISSIO	N	9801300179	9801300140	98/01/27	FOIA	
9801290026	9801280274	98/01/19	50-362	S	9801300195	9801300194	98/01/22	COMMISSIO	N
9801290032	9801280128	98/01/22	50-220	Q	9801300197	9801300189	98/01/26	40-8968	
9801290034	9801290033	98/01/23	50-302	P	9801300198	9801300194	98/01/22	COMMISSIO	N
9801290035	9801290030	98/01/12	40-8948		9801300200	9801300191	98/01/21	72-22	
9801290036	9801290033	98/01/23	50-302	P	9801300202	9801300189	98/01/26	40-8968	
9801290076	9801290075	98/01/27	50-382	P	9801300204	9801300194	98/01/22	COMMISSIO	N
9801290078	9801290077	97/05/01	40-9015		9801300205	9801300201	98/01/22	50-334	F
9801290080	9801290077	97/05/01	40-9015		9801300206	9801300194	98/01/22	COMMISSIO	N
9801290081	9801280155	98/01/22	ORG		9801300207	9801300189	98/01/26	40-8968	
9801290085	9801290083	98/01/22	50-302	P	9801300208	9801300189	98/01/26	40-8968	
9801290086	9801290083	98/01/22	50-302	P	9801300212	9801300189	98/01/26	40-8968	
9801290092	9801290091	98/01/22	50-275	P	9801300242	9801300140	98/01/27	FOIA	
9801290097	9801290096	97/06/25	71-3038		9801300244	9801300140	98/01/27	FOIA	
9801290111	9801290103	98/01/23	72-*****		9801300246	9801300140	98/01/27	FOIA	
9801290113	9801290110	98/01/21	50-206	F	9801300248	9801300140	98/01/27	FOIA	
9801290118	9801290103	98/01/23	72-*****		9801300261	9801300257	98/01/23	50-313	Q
9801290131	9801280321	98/01/26	XPORTLIC		9801300262	9801300259	98/01/22	TOPREP	
9801290132	9801290127	98/01/23	50-288	Q	9801300273	9801300272	98/01/23	50-344	Q

APPENDIX A

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 27 – Low-Level Radioactive Waste Disposal Sites

The Docket 27 series contains documentation concerning the licensing of land disposal of low-level radioactive wastes. In the past, waste disposal licensees were assigned unique Docket 27 numbers. Unlike the other docket series, the first two digits of these docket numbers do not correspond to the part of 10 CFR that specifies NRC's authority for issuing these licenses and the regulations that these licensees must follow. The Docket 27 licenses were issued in accordance with Parts 30, 40, and 70 of 10 CFR in the absence of any final regulations governing the licensing of land disposal low-level radioactive wastes.

In the future, these licensing actions will be governed by 10 CFR Part 61, "Licensing Requirements for Land Disposal of Radioactive Waste." The prefix will then become Docket 61 followed by assigned numbers identifying a specific facility. Documents in these files include:

- Application for land disposal of low-level radioactive waste and supporting documents
- License and amendments
- Correspondence to and from the applicant regarding the application, license, and amendments
- Environmental report and supporting documents
- Inspection and enforcement reports and related correspondence
- Adjudicatory documents relating to proceedings before the Licensing Board and the Commission

DOCKET 30 – Byproduct Material Licenses

The Docket 30 series contains documentation on the possession or use of nuclear byproduct materials for medical, industrial, and academic purposes. **These documents are maintained in the PDR on microfiche only.**

Documents in this series include:

- Application for a license, license amendments, and license renewals or modifications to the byproduct material license and related correspondence
- Denial, revocation, and suspension of a license and related correspondence

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 30 – Byproduct Material Licenses (continued)

- Records related to the NRC inspection program and related correspondence
- Preliminary Notifications of Occurrences (PNOs), enforcement actions, civil penalties, and related correspondence
- Event reports, misadministration reports, and related correspondence
- Correspondence to and from local and State governments
- Adjudicatory documentation relating to proceedings before the Licensing Board and the Commission
- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties
- Periodic reports from licensees and related correspondence

DOCKET 40 – Nuclear Source Material Facilities

The Docket 40 series contains documentation concerning the domestic licensing of nuclear byproduct materials relating to source material licenses. Licenses issued in accordance with 10 CFR Part 40 cover the possession, use, and processing of ores (uranium and thorium) and possession and use of uranium and thorium in a refined form. Each license application is assigned a unique Docket 40 number.

Paper files are maintained in the PDR for only those Docket 40 licensees involved in the nuclear fuel cycle; that is, mines, mills, and research and development facilities. Material on other licensees, such as those for possession of material for medical and industrial uses, are available **on microfiche only**. Documents in these files include:

- Application for a license, license amendments and license renewals for source material license
- Source material license and license amendments
- Licensee-issued Environmental Report (ER) for those license applications that must comply with the National Environmental Policy Act (NEPA)
- NRC-issued Draft and Final Environmental Statements (DES and FES) for license applications that must comply with NEPA
- Site visits and related correspondence
- Inspection reports and related correspondence
- Environmental monitoring reports
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board and the Commission

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 40 – Nuclear Source Material Facilities (continued)

- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties

NOTE: For transcripts of Commission meetings and papers submitted for Commission consideration on a specific docket, see the 10 CFR 9.7 and SECY nondocketed files.

DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants

The Docket 50 series contains documentation concerning the domestic licensing of production and utilization facilities. Licenses issued in accordance with 10 CFR Part 50 cover commercial nuclear power plants; experimental, research, and test reactors; and fuel fabrication facilities. The NRC staff assigns Docket 50 number when it considers that the application and the Preliminary Safety Analysis Report (PSAR) submitted are complete for staff review. "Pre-docketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of a facility, each Docket 50 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types.

A. Application/Construction Stage Documents and Related Correspondence

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

C. Utility Environmental Report (ER), Amendments, and Related Correspondence

D. NRC Draft and Final Environmental Statements (DES and FES), Supplements, and Related Correspondence

E. NRC Safety Evaluation Report (SER), Supplements, and Related Correspondence

F. Security, Medical, Emergency, and Fire Protection Plans

G. Non-Antitrust Legal and Adjudicatory Correspondence

H. General Correspondence

I. Financial Information

J. Insurance and Indemnity Information

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence

M. Antitrust Reviews and Related Correspondence

N. Antitrust Transcripts, Testimony, and Briefings

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants (continued)

P. Operating License Stage Documents and Related Correspondence

Q. Inspection Reports, Civil Penalties, Responses to Bulletins and Information Notices, and Related Correspondence

R. Periodic Operating Reports and Related Correspondence

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notifications of Occurrences (PNOs), Preliminary Notifications of Safeguards Events (PNSs), and Related Correspondence

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters

U. Executive, Congressional, and State Government Correspondence

V. Licensing of Operators and Related Correspondence

W. Decommissioning Stage Documents and Related Correspondence

X. Onsite Storage of Low-Level Waste and Related Correspondence

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence

A detailed description of each category and the documents included in the files for each category follows.

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE

Documents in this category track the application from submittal to the day preceding the issuance of an operating license. It contains all correspondence and other documents with substantive technical content that are not in other specific categories. Included are:

- Application for construction permit
- General information submitted with the construction permit application
- Amendments and changes to the application
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Early site reviews
- Correspondence and documents relating to unresolved design and construction issues
- Meeting announcements and summaries of the meetings
- Correspondence relating to the utility's Preliminary Safety Analysis Report (PSAR).

DEFINITIONS OF DOCKET CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Construction permit, amendments, related correspondence, and orders issued by the Office of Nuclear Reactor Regulation (NRR) show-cause and modification orders which do not involve the former Atomic Safety Licensing and Appeal Board
- Scheduling of license application, amendments, and reviews
- Environmental review information (other environmental documents are filed in categories C, D, P, R, or W)
- Seismic qualification review team (SQRT) reports and related correspondence
- Application for operating license
- General information submitted with the Operating License application
- Amendments and changes to the application for Operating License
- Correspondence related to the utility's Final Safety Analysis Report (FSAR) and Updated Safety Analysis Report (USAR)
- Generic and administrative communications and related documentation that may affect the subject facility and which are *not covered by a bulletin or notice*
- Safety evaluation reports (SER) issued by the NRC on specific generic issues
- Reports on site visits
- Backup technical documents (e.g., topical reports) submitted in support of the application
- Probabilistic risk assessment (PRA) and related documentation
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Documents relating to possible equipment failure and emergency instructions
- NRC's changes in internal organizational structure

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS

This category contains the Preliminary Safety Analysis Report (PSAR) submitted by the utility (formerly called Hazards Summary report or Safety Analysis Reports) and the following related material:

DEFINITIONS OF DOCKET CATEGORIES

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS (CONTINUED)

- Amendments and changes to the PSAR
- Transmittal and acknowledgment letters
- Certificates of service to the PSAR

NOTE: All related correspondence is filed in category A.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS, AND RELATED CORRESPONDENCE

The category contains the Environmental Report (ER) submitted by the utility and the following related material:

- Amendments and supplements to the ER
- *Federal Register* notices citing the availability of the ER and amendments
- Transmittal and acknowledgment letters
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs and applicant responses
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE

This category contains Draft and Final Environmental Statements (DES and FES) prepared by NRC, and the following related material:

- Supplements to the DES and FES
- *Federal Register* notices announcing the availability of the DES, FES, and supplements
- Correspondence relating to the DES and FES

DEFINITIONS OF DOCKET CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE (CONTINUED)

- Comments from other Federal, State and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER for purposes of preparing the environmental statements
- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meeting which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND RELATED CORRESPONDENCE

This category contains the formal Safety Evaluation Report (SER) prepared by the NRC staff (formerly called NRC–AEC hazard analysis report) in review of PSAR, and the following related material:

- Supplements to the SER
- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER; and responses to such requests
- Meeting announcements and meeting summaries at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individually submitted by the applicant or licensee. Emergency and fire protection plans submitted as part of the licensing application are filed in this category.

- Fire hazard protection plan and surveys
- Plant evacuation correspondence
- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plan
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgment letters
- Meeting announcements and meeting summaries at which the primary subject of discussion is related to the aforementioned plans and topics

G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR), and not before the licensing board, are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors

DEFINITIONS OF DOCKET CATEGORIES

G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (CONTINUED)

- Board orders and decisions
- Formal petitions for Commission action
- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

H. GENERAL CORRESPONDENCE

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change–of–address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the facility, and NRC response
- Correspondence on purely administrative matters
- Letters of support, concern, or opposition to the facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational, or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by State and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

I. FINANCIAL INFORMATION

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

DEFINITIONS OF DOCKET CATEGORIES

I. FINANCIAL INFORMATION (CONTINUED)

- Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

J. INSURANCE AND INDEMNITY INFORMATION

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

K. UTILITY FINAL AND UPDATED SAFETY ANALYSIS REPORTS (FSAR AND USAR) AND AMENDMENTS

This category contains the following utility documents:

- Final Safety Analysis Report (FSAR), formerly called Final Hazards Summary Report
- Updated Safety Analysis Report (USAR) periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSAR and USAR
- *Federal Register* notices announcing the availability of the FSAR and amendments
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence is filed in category A or P. Emergency and fire protection plans submitted as part of the licensing application are filed in category F.

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE

This category contains documents pertaining to the limited work authorization (LWA) whereby applicants can conduct limited site preparation and construction before the NRC grants a construction permit.

- Limited Work Authorization (LWA) and amendments

DEFINITIONS OF DOCKET CATEGORIES

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (CONTINUED)

- Correspondence pertaining to work performed under the LWA

M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE

This category contains documents submitted as part of the application for a construction permit and operating license that are entitled "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion concerns antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

N. ANTITRUST TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains verbatim transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence is filed in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to facility license applications
- Announcements of ACRS meetings relating to facility license applications, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to both facility license applications and safety-related matters

DEFINITIONS OF DOCKET CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (CONTINUED)

- Technical correspondence and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS non-docket file.

P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical documents dated from the issuance of the operating license until the order for termination of the license. Included are:

- Operating license, amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the operating license
- Correspondence regarding the utility's Final and Updated Safety Analysis Report (FSAR and USAR)
- *Federal Register* notices announcing availability of operating license, amendments, FSAR and USAR
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., topical reports) submitted in support of the aforementioned items
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the operating license, or technical issues arising after the issuance of the operating license
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers), regulations, laws, and changes in policy that may affect plant operation or the operating license
- NRC questions, RAIs, and licensee responses
- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Correspondence relating to NRC's Systematic Evaluation Program (SEP)
- Owners' group meeting announcements and reports

DEFINITIONS OF DOCKET CATEGORIES

P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Emergency core cooling system documents
- Radioactive waste information excluding onsite storage of low-level waste (filed in category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of the spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility but is *not covered by a Bulletin or Notice*
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inservice inspections, which are filled in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license and to dismantle and dispose of component parts
- Information on changes in NRC's internal organizational structure

DEFINITIONS OF DOCKET CATEGORIES

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE

This category contains the following applicant/licensee material:

- Inspection reports
- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Circulars (discontinued in 1981) and Information Notices, and related correspondence
- Applicant/licensee determinations of the proprietary nature of inspection reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demands for Information (DFIs)
- Correspondence and orders relating to the imposition and payment of civil penalties, including Enforcement Notifications (ENs) and Significant Enforcement Actions (EAs)
- Notices of deviation and related correspondence
- Notices of enforcement conferences, meetings, and related reports
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk–based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (ITT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification Program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see non-docket I&E file.

DEFINITIONS OF DOCKET CATEGORIES

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommissioning stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic personnel exposure reports
- Periodic fitness for duty performance data
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with licensing board orders)
- Operational logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence and other documents relating to the aforementioned items

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, special reports, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a Preliminary Notification of Occurrence (PNO), Preliminary Notification of Safeguards Events (PNS), and related correspondence
- Environmental technical specifications violation reports and environmental event reports

DEFINITIONS OF DOCKET CATEGORIES

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (CONTINUED)

- Part 21 reports of defects and noncompliance
- Correspondence and other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E non-docket file.

T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) transcripts
- Testimony and statements submitted to ASLB and the former ASLAB
- Transcripts of Commission meeting
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in ACRS and 9.7 nondocket files.

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches
- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned

DEFINITIONS OF DOCKET CATEGORIES

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (CONTINUED)

- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical items dated from the order to terminate the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling and Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning
- All documentation relating to the ongoing operation of the plant which was formerly filed in category P

DEFINITIONS OF DOCKET CATEGORIES

X. ONSITE STORAGE OF LOW-LEVEL WASTE AND RELATED CORRESPONDENCE

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store LLW at a commercial reactor site
- Technical reports and related correspondence

NOTE: The documents in this category will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSIs) AND RELATED CORRESPONDENCE

This category contains material related to license applications, license, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such ISFSIs may be on a reactor site or at a separate site.)

- All related correspondence and reports to the aforementioned items

NOTE: The documents in this category will have an NMSS Docket 72 license number. For these installations on a reactor site, the associated Docket 50 number also has been referenced.

Docket 52 – Standard Design Certification, Early Site Permit, and Combined Licenses for Nuclear Power Plants

The Docket 52 series contains documentation on the domestic licensing of production facilities. Licenses issued in accordance with 10 CFR Part 52 cover preliminary and final design approval of standard designs, early site permits, and combined licenses for nuclear power plants. A Docket 52 number is assigned when the NRC considers that the application submitted is complete for staff review. "Predocketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of an application, each Docket 52 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types. These categories are similar to those used for the Docket 50 files, but have been modified to reflect the special requirements of Docket 52 applications.

DEFINITIONS OF DOCKET CATEGORIES

A. Application for Preliminary Design Approval (PDA), Final Design Approval and Design Certification (FDA/DC), Early Site Permit, Combined Construction/ Operating License (COL), and Related Correspondence

B. Vendor Preliminary Standard Safety Analysis Report (PSSAR–PDA stage), Utility Preliminary Safety Analysis Report (PSAR–COL stage), and Amendments

C. Severe Accident Mitigation Design Alternative Analysis (SAMDA–PDA andFDA/DC stages), Environmental Reports (ERs–Early Site Permit and COL stages), Amendments, and Related Correspondence

D. NRC Draft and Final Environmental Statements (DES and FES), Supplements, and Related Correspondence (Early Site Permit and COL stages)

E. NRC Safety Evaluation Report (SER), Supplements, and Related Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

F. Reliability Assurance Program (RAP), Security, Medical, Emergency, and Fire Protection Plans (PDA, FDA/DC, and COL stages)

G. Non-Antitrust Legal and Adjudicatory Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

H. General Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

I. Financial Information (COL stage)

J. Insurance and Indemnity Information (COL stage)

K. Vendor Final Standard Safety Analysis Report (FSSAR–FDA/DC Stage), Utility Final Safety Analysis Report (FSAR–COL Stage), Updated Safety Analysis Report (USAR–COL Stage), and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence (COL Stage)

M. Antitrust Reviews and Related Correspondence (COL Stage)

N. Antitrust Hearing Transcripts, Testimony, and Briefings (COL Stage)

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

P. Post-Combined Construction/Operating License Stage Documents and Related Correspondence (COL Stage)

Q. Inspection Reports, Civil Penalties, Responses to Bulletins and Information Notices, and Related Correspondence (COL Stage)

R. Periodic Operating Reports and Related Correspondence (COL Stage)

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notifications of Occurrences (PNOs), Preliminary Notifications of Safeguards Events (PNSs), and Related Correspondence (COL Stage)

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters (Early Site Permit, PDA, FDA/DC, and COL Stages)

DEFINITIONS OF DOCKET CATEGORIES (CONTINUED)

U. Executive, Congressional, and State Government Correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

V. Licensing of Operators and Related Correspondence (COL Stage)

W. Decommissioning Stage Documents and Related Correspondence (COL Stage)

X. Onsite Storage of Low-Level Waste and Related Correspondence (COL and Decommissioning Stages)

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence (COL and Decommissioning Stages)

A detailed description of each category and the documents included in each category follows.

A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE

Documents in this category track the application for Preliminary Design Approval (PDA) or Final Design Approval and Design Certification (FDA/DC) to the issuance of the PDA or FDA, respectively, or the application of the early site permit until issuance of the permit. It contains all correspondence and documents with substantive technical content that are not in other specific categories. Included are:

- Application for preliminary design approval
- Application for final design approval and design certification
- Application for early site permit
- General information submitted with the application
- Amendments and changes submitted by applicants
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Meeting announcements and summaries of the meetings
- Correspondence relating to the Preliminary or Final Standard Safety Analysis Report (SSAR)
- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Preliminary Design Approval (PDA), and amendments and correspondence relating to the PDA
- Final Design Approval (FDA), and amendments and correspondence relating to the FDA
- Early site permit, amendments and related correspondence
- Scheduling documentation
- Backup technical documents (e.g., topical reports) submitted in support of the application

DEFINITIONS OF DOCKET CATEGORIES

A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT, COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE (CONTINUED)

- The design-specific Probabilistic Risk Assessment (PRA), and related documentation
- Proposed tests, analyses, and acceptance criteria and related documentation
- Design Acceptance Criteria (DAC) and related correspondence
- Documents addressing policy issues raised to the Commission via Commission papers
- Documents addressing resolution of issues for the application
- Generic and administrative communications and related documentation which may affect the subject facility and which are *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- NRC's changes in internal organizational structure

B. VENDOR PRELIMINARY STANDARD SAFETY ANALYSIS REPORT (PSSAR–PDA STAGE), UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR–COL STAGE), AND AMENDMENTS

This category contains the following documents:

- Preliminary Standard Safety Analysis Report (PSSAR) submitted by vendor
- Amendments and changes to the PSSAR
- Preliminary Safety Analysis Report (PSAR) submitted by the utility
- Amendments and changes to the PSAR
- Transmittal and acknowledgement letters

NOTE: All related correspondence is filed in category A

C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA-PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (ERs-EARLY SITE PERMIT AND COL STAGES), AMENDMENTS, AND RELATED CORRESPONDENCE

This category contains the following documents:

- Severe Accident Mitigation Design Alternatives Analysis (SAMDAs) required under the National Environmental Policy Act (NEPA) submitted by vendor

DEFINITIONS OF DOCKET CATEGORIES

C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA-PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (ERs-EARLY SITE PERMIT AND COL STAGES), AMENDMENTS, AND RELATED CORRESPONDENCE (CONTINUED)

- NRC questions, RAIs, and applicant responses relating to SAMDAS analysis review
- Correspondence relating to the SAMDAS analysis review
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SAMDAS analysis
- Environmental Report (ER) submitted by utility
- Amendments and supplements to the ER
- *Federal Register* notices announcing the availability of the ER and amendments
- Transmittal and acknowledgment letters of ER
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs, and applicant responses relating to review of ER
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the ER
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES)

This category contains the Draft and Final Environmental Impact Statements (DES and FES) prepared by NRC, and supplements to the DES and FES, as well as:

- *Federal Register* notices announcing the availability of the DES and FES
- Correspondence relating to the DES and FES
- Comments from other Federal, State, and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER obtained for purposes of preparing the environmental statements

DEFINITIONS OF DOCKET CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES) (CONTINUED)

- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W.

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains the formal Safety Evaluation Report (SER) prepared by NRC in review of the early site permit application, PSSAR (PDA stage), FSSAR (FDA/DC stage), PSAR (COL stage), or FSAR (COL stage) and, Supplements to the SER, as well as:

- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER and responses to such requests
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES)

The plans in this category may be individual submissions or may be combined under the Reliability Assurance Program. These plans may be submitted during the review of the PDA, the FDA/DC, and COL applications. Included are:

- Reliability Assurance Program (RAP)
- Plant evacuation correspondence

DEFINITIONS OF DOCKET CATEGORIES

F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plans
- Fire hazard protection plans and surveys
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgement letters
- Meeting announcements and summaries of meetings at which the primary subject of discussion is related to the aforementioned plans

G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) and not before the Licensing Board are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) hearing related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors
- Board orders and decisions
- Formal petitions for Commission action

DEFINITIONS OF DOCKET CATEGORIES

G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

H. GENERAL CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change of address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the site, design, or facility, and NRC responses
- Correspondence on purley administrative mattters
- Letters of support, concern or opposition to the site, design, or facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by state and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

I. FINANCIAL INFORMATION (COL STAGE)

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

DEFINITIONS OF DOCKET CATEGORIES

I. FINANCIAL INFORMATION (COL STAGE) (CONTINUED)

- Company annual reports, auditor statements and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

J. INSURANCE AND INDEMNITY INFORMATION (COL STAGE)

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

K. VENDOR FINAL STANDARD SAFETY ANALYSIS REPORT (FSSAR-FDA/DC STAGE), UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR-COL STAGE), UPDATED FINAL SAFETY ANALYSIS REPORT (USAR-COL STAGE), AND AMENDMENTS

This category contains the following vendor and utility documents:

- Final Standard Safety Analysis Report (FSSAR) submitted by the vendor
- Final Safety Analysis Report (FSAR) submitted by the utility
- Updated Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSSAR, FSAR, and USAR
- *Federal Register* notices announcing the availability of the FSSAR and FSAR
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence falls in category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in category F

DEFINITIONS OF DOCKET CATEGORIES

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (COL STAGE)

This category is limited to documents pertaining to Limited work Authorization (LWA) whereby applicants can conduct limited site preparation and construction before NRC grants a combined construction/operating license.

- Limited Work Authorization (LWA) and amendments
- Correspondence pertaining to work performed under LWAs

M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains documents submitted as part of the application for a combined construction/operating license entitled, "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion is antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS (COL STAGE)

This category contains verbatim transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence is filed in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains project-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to a PDA or FDA/DC application, early site review, or facility license application

DEFINITIONS OF DOCKET CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Announcements of ACRS meetings relating to a PDA or FDA/DC application, early site review, or facility license application, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to a PDA or FDA/DC application, early site review, facility license application, and safety-related matters
- Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgement letters relating to a PDA or FDA/DC application, early site review, or facility license application

NOTE: For generic and document-specific safety related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract and letter), see ACRS non-docket file.

P. POST-COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains general technical documents dated from the combined construction/operating license until the order for termination of the license. Included are:

- The combined construction/operating license (COL), amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the COL
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., Topical Reports) submitted in support of the aforementioned items
- *Federal Register* notices announcing the availability of the COL, FSAR, and amendments
- Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Safety Analysis Report (USAR)
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the COL, or technical issues arising after the issuance of the COL
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers) regulations, laws, and changes in policy that may affect plant operation or bear on the COL
- NRC questions, RAIs, and licensee responses

DEFINITIONS OF DOCKET CATEGORIES

P. POST–COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Owners group meeting announcements and reports
- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Radioactive waste information, excluding onsite storage of low-level waste (filed category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility; *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, and T)
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inspections which are filed in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (Other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license, and to dismantle, and dispose of component parts
- Information on changes in NRC's internal organizational structure

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE)

This category contains the following applicant/license material:

- Inspection reports

DEFINITIONS OF DOCKET CATEGORIES

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Information Notices, and related correspondence
- Applicant licensee determination of the proprietary nature of Inspection Reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demand for Information (DFIs)
- Correspondence and orders relating to the opposition and payment of civil penalties, including Enforcement Notification (EN) and Significant Enforcement actions (EA)
- Notices of deviation and related correspondence
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk-based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (IIT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see nondocket I&E file.

DEFINITIONS OF DOCKET CATEGORIES

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommission stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic fitness for duty performance data
- Periodic personnel exposure reports
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with Licensing Board orders)
- Operational Logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence or other documents relating to the items listed

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE)

This category contains all materials relating to abnormal, unusual, reportable and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs) and related correspondence

DEFINITIONS OF DOCKET CATEGORIES

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Environmental technical specifications violation reports and environmental event reports
- Part 21 reports of defects and noncompliance
- Correspondence or other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E nondocket files.

T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) transcripts
- Testimony and statements submitted to ASLB
- Transcripts of Commission meetings
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of vendor or utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in the ACRS and 10 CFR 9.7 nondocket files.

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches

DEFINITIONS OF DOCKET CATEGORIES

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned
- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains general technical items dated from the order for terminating the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling, and the Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning

DEFINITIONS OF DOCKET CATEGORIES

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- All documentation relating to the ongoing operation of the plant formerly filed in category P

X. ONSITE STORAGE OF LOW-LEVEL WASTE AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store low-level waste at a commercial reactor
- All related correspondence and reports

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 52 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSIs) AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to:

- License applications, license, amendments, and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)
- All related correspondence and reports to the above

NOTE: The documents in this category will have an NMSS Docket 72 number license. For these installations on a reactor site, the associated Docket 52 number also has been referenced.

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 70 – Special Nuclear Materials

The Docket 70 files contain documentation concerning the domestic licensing of special nuclear material (SNM). Each SNM license application is assigned a unique Docket 70 number. SNM licenses cover the possession and use of radioactive material, including plutonium-enriched uranium. Paper files are maintained in the PDR only for Docket 70 licensees that possess more than 350 grams of uranium-235 or 200 grams of plutonium. Material on other licensees is available on microfiche only. Documents in these files include:

- Applications for licenses, license amendments, and license renewals for Special Nuclear Material licenses
- Special Nuclear Material licenses and license amendments
- Applicant technical reports concerning the facility, including Safety Analysis Reports (SARs), Environmental Reports (ERs) and amendments
- NRC technical reports concerning the facility
- Emergency and radiological health plans
- Inspection reports and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board
- Other technical, legal, and licensing correspondence between NRC and the licensee or other interested parties

DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

The Docket 71 files contain documentation concerning the design of radioactive material transport packages and quality assurance (QA) programs for designers, manufacturers, and users of such packages. Each package design and each QA program is individually assigned a unique Docket 71 number.

All NRC licensees who design, manufacture, or use radioactive material packages must comply with NRC-approved package designs and QA programs for these packages. Agreement State licensees who design, manufacture, or use radioactive material packages do not need a QA program approval, but the Department of Transportation requires that NRC approve the package design.

Agreement State licensees who wish to use their packages in States under NRC jurisdiction, or who design and manufacture packages for NRC licensees, must obtain approval for their QA programs. Documents in these files include:

- Application for QA program approval and amendments to the application
- Application for package design approval, including the Safety Analysis Report (SAR), amendments, and engineering drawings

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs (continued)

- Certificate of compliance (NRC approval) for the package design and revisions
- Approval of the QA program
- Correspondence between NRC and the designer and the manufacturer concerning particular package designs
- Requests to be registered as a user of a particular package
- Inspection reports and related correspondence

DOCKET 72 – Independent Spent Fuel Storage Installations

The Docket 72 series contains documentation concerning certification of storage casks and the licensing of independent spent fuel storage installations. These installations store reactor spent fuel and may be on a reactor site or at a separate site. Each installation is assigned a unique Docket 72 number. Documents in these files include:

- Application for license
- Safety Analysis Reports (SAR) and annual updates
- Certification of completion for vendor design of dry cask storage and related correspondence
- Licensee issued Environmental Report (ER) and amendments
- Emergency plan and amendments
- Inspection reports and related correspondence
- Reports on accidental criticality or loss of special nuclear material
- QA plan and amendments
- Correspondence relating to the physical security plan
- Decommissioning plan and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings between the NRC and the applicant

NOTE: Additional nondocketed information concerning spent fuel storage is available in the Project M nondocket file. For installations on reactor sites, see category Y in the Docket 50 or 52 series and Docket 70 for NMSS licenses.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

NONDOCKET FILES

Materials that are not docket-specific are arranged according to the following classification scheme. The capitalized abbreviation is a shorthand description of each topic and corresponds to the way that it appears on the PDR Accession List.

10 CFR 9.7—Commission Meeting Transcripts and Reports

ACRS—Advisory Committee on Reactor Safeguards Documents

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Appeals

GEN TECH IS—Generic Technical Issues

I&E—Inspection and Enforcement Issuances

I&E Manual—NRC Inspection Manual

I&E MISC—Draft Generic Communications

MISC—Public Document Room Miscellaneous

NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

ORG—Organizations

PR—Proposed and Final Rules

PRESS—Press Releases

PRM—Petitions for Rulemaking

PROJ—Projects

PT 21—10 CFR Part 21 Deficiency Reports

QA 999—Vendor Quality Assurance Inspections

RCSSD—Registration of Certificates for Sealed Sources and Devices

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports (1974 through 1988)

REVIEW GRP—Review Groups

DEFINITIONS OF NONDOCKETED CATEGORIES

NONDOCKET FILES (CONTINUED)

RM—Rulemakings

SAI — Strategic Assessment Issue Papers

SECY—Staff Position Papers Prepared for the Commission

SPCH—Speeches

STATE PROG—State Programs

TOPREP—Topical Reports and Related Correspondence

WASH—AEC-Issued Formal Reports and Related Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Research Documents

XPORTLIC—Export and Import Licenses

10 CFR 9.7 – Commission Meeting Transcripts and Reports

This file contains documents relating to open and closed Commission Meetings.

- Sunshine Federal Register notices
- Full written explanation of closed meetings
- Certification by the General Counsel on closed meetings
- Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings
- Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with the Sunshine Act and Commission policies
- Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence
- Staff Requirements Memoranda for open meetings, memoranda of record, record of votes of Commissioners on items under consideration at meetings

ACRS – Advisory Committee on Reactor Safeguards Documents

Documents in this file pertain to safety–related areas reviewed by the ACRS. ACRS serves as an independent advisory committee to the Commission.

ACRS – Advisory Committee on Reactor Safeguards Documents (continued)

- ACRS reports relating to safety–related matters
- Announcements of ACRS meetings relating to safety-related matters, including meeting agenda
- Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety–related matters
- Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both vendor or facility license applications and safety-related matters
- Minutes of ACRS subcommittee and full committee meetings relating to both vendor or facility license application and safety-related matters
- ACRS consultant reports, comments, and related correspondence relating to both vendor or facility license applications and safety–related matters
- Technical correspondence and memoranda to and from ACRS pertaining to safety-related matters
- General correspondence and related material about ACRS, but not prepared by ACRS or its consultants

NOTE: For docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 and 52.

ADVCM – NRC Advisory Committees

Documents in this file pertain to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards, including:

- Charters of each advisory committee
- Meeting announcements and meeting agenda
- Minutes and verbatim transcripts of committee meetings
- Committee-generated reports, memoranda, and correspondence that are publicly available
- Committee-related correspondence

DEFINITIONS OF NONDOCKETED CATEGORIES

COMMISSION – NRC Commissioner Correspondence

Documents in this file pertain to the daily conduct of Commission business in the Office of the Commission, including:

- Incoming and outgoing Commission–level correspondence relating to official NRC business, including reports and other enclosures to the aforementioned correspondence
- Travel vouchers, telephone logs, and official appointment calendars of participating Commissioners. (These are placed in the PDR at the discretion of individual Commissioners.)
- Speeches, interviews and testimony given by Commissioners at meetings, symposia, and congressional hearings
- Vote sheets
- Weekly information reports (numbered as part of the SECY series) prepared for the Commissioners by the Executive Director for Operations (EDO) summarizing key events and items of interest undertaken by individual staff and program offices

NOTE: For transcripts of Commission meetings, see nondocket File 10 CFR 9.7. For all other staff papers with the SECY-series designation prepared for Commission review, see the SECY nondocket file.

CONTRACT – NRC Contracts and Grants

Documents in this file pertain to AEC and NRC contracts, grants and interagency agreements, including:

- Notification of contracts and grants execution that specifies contract number, project title, contractor name, contract type, funding, and period of performance
- Contractual documents and modifications to contracts

DEFINITIONS OF NONDOCKETED CATEGORIES

FOIA – Freedom of Information Act Requests and Appeals

Documents in this file include requests, denials, and appeals for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA). Each is assigned a sequential identification number based on the year the request is made, for example, 95–110 refers to the 110th FOIA request made in 1995.

- Requests made under the FOIA for NRC records
- Correspondence between NRC and the requester relevant to the processing, granting, denial, and appeal of an FOIA request
- Records or portions thereof released in response to FOIA requests or made under FOIA appeals

GEN TECH IS – Generic Technical Issues

Documents in this file pertain to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR), including:

- Draft reports of action plans to accomplish generic tasks in the NRR program
- Correspondence with industry and within NRC discussing methodologies, analyses, the program, and technical aspects of issues
- Meeting notifications and minutes
- Interim findings and status reports on generic tasks addressing related aspects of generic technical issues

I&E – Inspection and Enforcement Issuances

Documents in this file include bulletins and information notices that are issued by the NRC Office of Nuclear Reactor Regulation. These issuances describe some event that has occurred at a facility and that may require some follow–up action by the licensee. Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), Enforcement Notifications (ENs) and significant Enforcement Actions (EAs).

- Circulars, that describe an event at a licensed facility and are informational in nature (these were discontinued in 1981)

I&E – Inspection and Enforcement Issuances (continued)

- Information Notices, that are similar to Circulars but are preliminary in nature and are issued shortly after an event has occurred
- Bulletins describing an event at a licensed facility and requesting that all recipients perform certain actions as a result of that event
- Preliminary Notification of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest
- Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance
- Enforcement Notifications (ENs) and significant Enforcement Actions (EAs), which provide information on a notice of violation and proposed imposition of civil penalties

NOTE: For utility/vendor responses to such issuances and related correspondence, see categories Q and S in Dockets 50 and 52.

I&E MANUAL – NRC Inspection Manual

This file contains drafts, finals, revisions, *Federal Register* notices and related correspondence to the NRC Inspection Manual.

I&E MISC – Draft Generic Communications

Documents in this file include drafts of Generic Letters, Bulletins, Information Notices and other generic communications issued by the NRC Office of Nuclear Reactor Regulation.

- Draft Bulletins and Information Notices that are being considered for issuance, related comments, and evaluations

I&E MISC – Draft Generic Communications (continued)

- Draft Generic Letters and other generic communications that are being considered for issuance, related comments, and correspondence

MISC – Public Document Room Miscellaneous

This file contains documents about topics not included in the scope of the other nondocketed categories.

NUREG – NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

This file contains formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other governmental entities, and the public which are published in the NUREG series.

- Results of licensing studies of specific plants or facilities preliminary to licensing actions
- Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry
- Action and review plans, as well as guidance, for complying with NRC requirements
- Task force reports on specific topics
- Proceedings of conferences and workshops
- Management and program analysis reports
- Statistical analyses that are of interest to the staff, the industry, and the public
- Administrative reports that are of interest to the staff, the industry, and the public
- Correspondence from industry, government, and the public commenting on NUREG series reports
- Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the NUREG reports series

NOTE: NUREG reports on plants or facilities are filed according to each plant's specific docket number.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG – Organizations

This file contains correspondence with professional organizations, government agencies, and associations with which NRC is in contact; records pertaining to specific NRC offices; and petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on a generic issue.

- Meeting summaries and technical correspondence between the NRC and professional associations
- Correspondence between NRC and other government agencies in which both parties have joint regulatory responsibility, e.g., EPA which has authority to control all radioactive pollutants emitted into the air
- Correspondence and technical information between NRC and Congress
- Reports, technical information, and correspondence between NRC, foreign governments and international organizations
- Internal memoranda, trip reports, and scientific papers pertaining to specific NRC offices

PR – Proposed and Final Rules

This file contains documents of NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive, a staff proposal, or a Commission determination that sufficient grounds exist for it to proceed with a Petition for change in an NRC regulation (PRM) filed by an outside party.

- *Federal Register* notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved
- Text of the Proposed Rule (PR)
- Draft and generic Proposed Rules and *Federal Register* notices
- Comments, statements, information, opinions, or arguments on the proposed change to a part of the *Code of Federal Regulations*
- Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR
- Final rules and *Federal Register* notices

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY nondocket file. For Commission review of staff recommendations, see the 10 CFR 9.7 nondocket file.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRESS – Press Releases

This file contains press releases issued by the Office of Public Affairs Headquarters and Regional offices relating to the NRC's regulatory policy and programs, public hearings, and workshops. Press releases are also issued on major licensee programs, changes, proposed fines, and issues effecting the status of licenses.

PRM – Petitions for Rulemaking

This file contains documents of petitions filed with the Commission by an outside party to issue, amend, or rescind an NRC regulation.

- Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation
- *Federal Register* notice of the filing of the petition
- Correspondence between NRC and the petitioner relevant to the status and substance of the petition
- Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM
- Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a proposed rule, see the SECY nondocket file. For Commission review of staff recommendations, see the 10 CFR 9.7 nondocket file.

PROJ – Projects

This file contains documents pertaining to four classes of projects: (1) commercial nuclear power plants (Docket 50) for which NRC has full review and licensing responsibilities; (2) Government-owned reactors (also Docket 50) for which NRC provides technical expertise and occasional review; (3) design certification and combined licensing (Docket 52) for which NRC has full review and licensing responsibilities; (4) monitored retrieval storage and Topical Reports for storage casks (Project M's) for which NRC has full review and licensing responsibilities. Each class is identified with a P prefix, followed by a series of numbers.

PROJ – Projects (continued)

These files contain all documentation up to the time NRC considers the application and the preliminary technical reports complete for review. The project is then assigned a docket number and the file is transferred to a docket series.

- Applications submitted by the vendors or utility
- Backup technical documents and topical reports submitted in support of the application, and related correspondence
- Preliminary Safety Analysis Report (PSAR), amendments, and related correspondence (Docket 50)
- Preliminary Standard Safety Analysis Report (PSSAR), amendments, and related correspondence (Docket 52)
- Application for Preliminary and Final Design Approval and design certification (Docket 52 and Project M), and related correspondence
- Early site review information
- Meeting notices, summaries, and correspondence
- NRC's or the applicant's changes in internal organizational structure
- Reliability Assurance Program and related correspondence (Docket 52)
- Documentation and technical correspondence between NRC and other government agencies relating to the application
- Adjudicatory correspondence
- Quality Assurance documentation, notices of deviation, and related correspondence

PT 21 – 10 CFR Part 21 Deficiency Reports

This file contains deficiency reports submitted in compliance with Part 21 of Title 10 of the *Code of Federal Regulations.*

- Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects that could create a substantial safety hazard
- Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects
- NRC inspection reports of defects cited

PT 21 – 10 CFR Part 21 Deficiency Reports (continued)

- Correspondence specifying appropriate followup actions to be taken by the agency

QA 999 – Vendor Quality Assurance Inspections

This file contains inspection reports of the vendor/licensee interface from the vendor's view, the vendor's products, and the vendor's programs including equipment environmental qualification testing, and followup correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

- Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of nuclear components or in supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, the PSAR and FSAR submitted by utilities for specific facilities, and vendor QA topical reports.
- NRC inspection reports of vendor facilities that cover the design, fabrication, and testing of components for use in nuclear facilities and related correspondence
- Civil penalties notices
- Notices of deviation
- Vendor corrective actions and other followup correspondence associated with resolution of inspection findings

NOTE: For vendor/licensee inspections from the licensee's view, see category Q in Docket 50 and 52.

RCSSD – Registration of Certificates for Sealed Sources and Devices Change

This file contains documents and related correspondence on radiation sources and device designs. Manufactures and distributors applying for registration of their products must submit for review all safety related information, design specifications, QA programs and amendments. **These documents are maintained in the PDR on microfiche only.**

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD – Regulatory Guides

This file contains new and revised regulatory guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

- *Federal Register* notices announcing the issuance and availability of a proposed Regulatory Guide and revisions
- Revised or newly issued regulatory guides
- Drafts of proposed regulatory guides or proposed revisions
- NRC value/impact assessment
- Comments submitted by the nuclear industry and interested members of the public regarding a proposed regulatory guide
- Summaries of meetings held in the NRC to discuss proposed regulatory guides

NOTE: Industry codes and standards cited in regulatory guides are available for reference use only in the NRC's Technical Library.

RES – Research and Technical Assistance Reports (1974 through 1988)

This file contains reports and technical letters submitted by NRC contractors providing research and technical assistance to the Commission. It also includes research information letters and conference proceedings pertaining to research activities of the Commission.

For final reports of research conducted by contractors, and for conference proceedings, see the NUREG-series nondocket file. See also the WMRES file for research reports on disposal of high-level waste.

REVIEW GRP – Review Groups

This file contains documents pertaining to the activities of internal and external research review groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results, possible redirection of research projects, new research projects, and priorities within the technical areas covered by the research review group.

REVIEW GRP – Review Groups (continued)

- Agenda for quarterly review group meetings
- Summary minutes of review group meetings representing views expressed, including dissenting views
- Research plans and predicted results of major experiments and presentations by research contractors
- Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies
- Internal memoranda relating to topics under discussion
- Correspondence related to the aforementioned items

RM – Rulemakings

This file contains documents pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission, based on the importance and the magnitude of the subject being considered.

- Designation of the presiding officer and any special directions for the conduct of the hearing
- Notifications of Hearing Board meetings
- Petitions, motions, testimony, and statements submitted by parties to the hearings
- Transcripts of the proceedings
- Hearing Board orders and rulings
- Technical reports submitted as evidence in the proceedings
- Reports, if any, of the special Board to the Commission regarding the subject proceeding

DEFINITIONS OF NONDOCKETED CATEGORIES

SAI – Strategic Assessment Issue Papers

This file contains documents pertaining to NRC policy options for assessment and rebaselining for future decisionmaking and regulatory activities.

- Strategic assessment issue papers
- Strategic process and framework papers
- Comments from Congress, other Federal agencies, agreement and nonagreement states, NRC licensees, industry organizations, foreign governments, NRC employees, public interest groups, and the general public (all affected parties are known as stakeholders)
- Transcripts of stakeholder meetings

SECY – Staff Position Papers Prepared for the Commission

This file contains staff papers (generally referred to as SECY Papers) prepared for the information or approval of the Commission. They are assigned a SECY report number.

- Policy issue papers are used to present matters relating to policy formulation
- Rulemaking issue papers are used to present rulemaking activities of the Commission
- Adjudicatory issue papers are used to present matters relating to the granting, suspending, revoking, or amending of licenses, or relating to construction permits for nuclear power plants, and activities in which the Commission has an interest
- Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provides general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication

These categories of staff papers may be issued as one of the following: (a) a Commission meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper that does not require interactive discussion among the Commissioners in a Commission meeting but by law must be voted upon by the Commissioners in the presence of each other; (c) a notation vote paper that does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a negative consent paper that contains issues which the Commission would like brought to its attention before action is taken but which does not require the formality of a Commission vote; and (e) information papers that provide information to the Commission and do not call for any action by the Commission.

SECY – Staff Position Papers Prepared for the Commission (continued)

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports (WIR) prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence nondocket file.

SPCH – Speeches

This file contains speeches by the Chairman and Commissioners presented at National and international regulatory information conferences, industrial forums, advisory committees, symposiums, workshops, and energy policy groups.

STATE PROG – State Programs

This file contains documents that pertain to the Commission's relations with State governments. Areas covered include: (1) the NRC and State Agreement and its amendments, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing, inspection procedures, and waste disposal.

- Correspondence between the NRC Office of State Programs and State officials, State liaison officers and radiation control management health officials, regarding:
  - Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance
  - NRC reviews of Agreement State radiation control programs
  - Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and other areas
- Notices prohibiting involvement in NRC-licensed activities
- Agenda, reports, and transcripts of regional workshops

STATE PROG – State Programs (continued)

- Training programs on current matters of policy and regulations; i.e., decommissioning and radioactive waste disposal
- State legislative reports (discontinued in December 1984)
- Agreement State licensing statistics reports (discontinued in December 1984)

NOTE: For specific uranium milling and mining projects in which the NRC is providing technical assistance to States, see the Project nondocket file.

TOPREP – Topical Reports and Related Correspondence

This file contains Topical Reports, generally of a generic technical nature, submitted by vendors; and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket specific and documents generated by vendor-related owners groups are also included in this file.

- Topical reports dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers, and other vendors
- Revisions, modifications, and amendments to topical reports
- Correspondence between NRC and vendors pertaining to the review of submittals
- Meeting agenda, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria
- Vendor-related Owners' Group meeting announcements, agenda, summaries, reports and correspondence

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the file categories for the docket series.

WASH – AEC–Issued Formal Reports and Related Correspondence

This file contains formal reports that were issued by the U.S. Atomic Energy Commission (AEC) headquarters staff and related correspondence. The WASH reports, which consisted of administrative, scientific, and technical information, ended in 1975, but correspondence occasionally refers to WASH reports. Post–1975 NRC-issued formal reports carry the NUREG-series designation.

DEFINITIONS OF NONDOCKETED CATEGORIES

WM – Waste Management Documents

This file contains documents related to the activities of the NRC Division of Waste Management. Each topic has been assigned a unique number, prefixed by the letters WM. Documents in these files include:

- NRC and DOE prelicensing activities regarding the disposal of high-level waste in geologic repositories, in accordance with the Nuclear Waste Policy Act of 1982 as follows:
  - Technical high-level waste site prelicensing documentation
  - Meeting agenda, minutes and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories
  - Briefings by DOE on current research on nuclear waste management
- NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, in accordance with the Uranium Mill Tailings Radiation Control Act of 1978
- Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high–level waste standard
- NRC topical report reviews and associated correspondence
- Correspondence from the public and other nongovernment organizations for the aforemention items

NOTE: For contractor research on waste management activities, see the WMRES nondocket file.

WMRES – Waste Management Contract Research Documents

This file contains interim and final reports and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level waste disposal in geologic repositories, including:

- Periodic contractor progress reports
- Trip reports
- Draft and final reports submitted for NRC review or information

WMRES – Waste Management Contract Research Documents (continued)

- Correspondence between NRC staff and contractors related to technical questions or issues to be resolved

XPORTLIC – Export and Import Licenses

This file contains records relating to the issuance of licenses to export or import nuclear facilities and materials, including:

- License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials
- Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment
- Commission letters requesting Executive Branch (e.g., U.S. Department of State) views
- Review and findings of the Executive Branch on whether issuance of license would be inimical to the common defense and security of the United States
- Correspondence to and from foreign governments, international organizations, and members of the public
- Hearing records and decisions
- Memoranda from the Office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission's decision on issuing a proposed license
- Licenses, license amendments, and license renewals
- Periodic report on export actions

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.7 and the SECY nondocket file.

NRC FORM 335 (2-89) NRCM 1102, 3201, 3202

U.S. NUCLEAR REGULATORY COMMISSION

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER (Assigned by NRC, Add Vol., Supp., Rev., and Addendum Numbers, if any.)

NUREG-0540
Vol. 20, No. 1

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

January 1 - 31, 1998

3. DATE REPORT PUBLISHED

MONTH	YEAR
March	1998

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Reference

7. PERIOD COVERED *(Inclusive Dates)*

8. PERFORMING ORGANIZATION - NAME AND ADDRESS *(If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)*

Office of the Chief Information Officer
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS *(If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)*

Same as 8, above.

10. SUPPLEMENTARY NOTES

E. B. Morris, NRC Project Manager

11. ABSTRACT *(200 words or less)*

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS *(List words or phrases that will assist researchers in locating the report.)*

title list
NRC Reports
NUREG-Series Reports
docketed material
nondocketed material

13. AVAILABILITY STATEMENT

unlimited

14. SECURITY CLASSIFICATION

(This Page)

unclassified

(This Report)

unclassified

15. NUMBER OF PAGES

16. PRICE