

September 1987

Materials Sciences Programs

Fiscal Year 1987



U.S. Department of Energy
Office of Energy Research
Office of Basic Energy Sciences
Division of Materials Sciences

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

This report has been reproduced directly from the best available copy.

Available from the National Technical Information Service, U. S. Department of Commerce, Springfield, Virginia 22161.

Price: Printed Copy A10
Microfiche A01

Codes are used for pricing all publications. The code is determined by the number of pages in the publication. Information pertaining to the pricing codes can be found in the current issues of the following publications, which are generally available in most libraries: *Energy Research Abstracts*, (ERA); *Government Reports Announcements and Index* (GRA and I); *Scientific and Technical Abstract Reports* (STAR); and publication, NTIS-PR-360 available from (NTIS) at the above address.

September 1987

Materials Sciences Programs

Fiscal Year 1987



U.S. Department of Energy
Office of Energy Research
Office of Basic Energy Sciences
Division of Materials Sciences
Washington, D.C. 20545

FOREWORD

The Division of Materials Sciences is located within the Department of Energy in the Office of Basic Energy Sciences. The Office of Basic Energy Sciences reports to the Director of the Office of Energy Research. The Director of this Office is appointed by the President with Senate consent. The Director advises the Secretary on the physical research program; monitors the Department's R&D programs; advises the Secretary on management of the multipurpose laboratories under the jurisdiction of the Department, excluding laboratories that constitute part of the nuclear weapon complex; and advises the Secretary on basic and applied research activities of the Department.

The Materials Sciences Division constitutes one portion of a wide range of research supported by the DOE Office of Basic Energy Sciences. Other programs are administered by the Office's Chemical Sciences, Biological Energy Research, Engineering and Geosciences, Advanced Energy Projects, and Carbon Dioxide Research Divisions. Materials Sciences research is supported primarily at DOE National Laboratories and Universities. The research covers a spectrum of scientific and engineering areas of interest to the Department of Energy and is conducted generally by personnel trained in the disciplines of Solid State Physics, Metallurgy, Ceramics, Chemistry, and Materials Science. The structure of the Division is given in an accompanying chart.

The Materials Sciences Division supports basic research on materials properties and phenomena important to all energy systems. The aim is to provide the necessary base of materials knowledge required to advance the nation's energy programs.

This report contains a listing of research underway in FY 1987 together with a convenient index to the Division's programs. Recent publications from Division-sponsored panel meetings and workshops are listed on the next page.

Iran L. Thomas, Director
Division of Materials Sciences
Office of Basic Energy Sciences

RECENT DIVISION SPONSORED PUBLICATIONS

Topical and Workshop Reports^a

- Basic Research in Ceramic and Semiconductor Science at Selected Japanese Laboratories (1987)
- Molecular Monolayers and Films (1986)
- Final Report the Workshop on Conductive Polymers (1985)
- Micromechanisms of Fracture (1985)
- Polymer Research at Synchrotron Radiation Sources (1985)
- Bonding and Adhesion at Interfaces (1985)
- Corrosion-Resistant Scales in Advanced Coal Combustion Systems (1985)
- Novel Methods for Materials Synthesis (1984)^c
- Theory and Computer Simulation of Materials Structures and Imperfections (1984)
- Materials Preparation and Characterization Capabilities (1983)
- Critical and Strategic Materials (1983)
- Coatings and Surface Modifications (1983)^c
- High Pressure Science and Technology (1982)
- Scientific Needs of the Technology of Nuclear Waste Containment (1982)
- Radiation Effects (1981)
- Condensed Matter Theory and the Role of Computation (1981)
- Research Opportunities in New Energy-Related Materials (1981)^c
- Aqueous Corrosion Problems in Energy Systems (1981)^c
- High Temperature Corrosion in Energy Systems (1981)^c
- Basic Research Needs and Opportunities on Interfaces in Solar Materials (1981)^c
- Basic Research Needs on High Temperature Ceramics for Energy Applications (1980)^c

Summary Research Bulletins (of Work in Progress)^a

- Ceramic Processing
- Non-Destructive Evaluation
- Sulfur Attack
- Welding

Description of Research Facilities, Plans, and Associated Programs

- Centers for Collaborative Research^a
- Materials Sciences Division - Long Range Plan (1984)^a
- Office of Basic Energy Sciences 1986 Summary Report (1986)

^a Available in limited quantities from the Division of Materials Sciences.

^b To be published.

^c Also published in Materials Science and Engineering.

OFFICE OF BASIC ENERGY SCIENCES
Division of Materials Sciences Structure

Division of Materials Sciences

Director: I. L. Thomas

(Secretary)
(301) 353-3427

Metallurgy and Ceramics
Branch

Chief: F. V. Nolfi, Jr.

(Taree Thompson-Secretary)
(301) 353-3428

R. J. Gottschall
J. B. Darby
C. C. Herrick 1/
R. W. Heckel 2/

Solid State Physics and
Materials Chemistry Branch

Chief: B. C. Frazer

(Kathy Paulsgrove-Secretary)
(301) 353-3426

R. D. Kelley
J. E. Robinson 3/
D. H. Liebenberg 4/
P. N. Ross 5/

Notes: 1/ On Detail from Los Alamos National Laboratory
2/ On Assignment from Michigan Technological University
3/ On Detail from Argonne National Laboratory (deceased)
4/ On Detail from Los Alamos National Laboratory
5/ On Detail from Lawrence Berkeley Laboratory

INTRODUCTION

The purpose of this report is to provide a convenient compilation and index of the DOE Materials Sciences Division programs. This compilation is primarily intended for use by administrators, managers, and scientists to help coordinate research.

The report is divided into seven sections. Section A contains all Laboratory projects, Section B has all contract research projects, Section C has projects funded under the Small Business Innovation Research Program, Sections D and E have information on DOE collaborative research centers, Section F gives distribution of funding, and Section G has various indexes.

The FY 1987 funding level, title, personnel, budget activity number (e.g., 01-2) and key words and phrases accompany the project number. The first two digits of the budget number refer to either Metallurgy and Ceramics (01), Solid State Physics (02), Materials Chemistry (03), or Facility Operations (04). The budget numbers carry the following titles:

01-1 - Structure of Materials	02-1 - Neutron Scattering
01-2 - Mechanical Properties	02-2 - Experimental Research
01-3 - Physical Properties	02-3 - Theoretical Research
01-4 - Radiation Effects	02-4 - Particle-Solid Interactions
01-5 - Engineering Materials	02-5 - Engineering Physics
03-1 - Synthesis & Chemical Structure	04-1 - Facility Operation
03-2 - Polymer & Engineering Chemistry	
03-3 - High Temperature & Surface Chemistry	

Sections D and E contain information on special DOE centers that are operated for collaborative research with outside participation. Section F summarizes the total funding level. In Section G the references are to the project numbers appearing in Sections A, B, and C and are grouped by (1) investigators, (2) materials, (3) techniques, (4) phenomena, and (5) environment.

It is impossible to include in this report all the technical data available for the program in the succinct form of this Summary. To obtain more detailed information about a given research project, please contact directly the investigators listed.

Preparation of this FY 1987 summary report was coordinated by I. L. Thomas. Though the effort required time by every member of the Division, much of the work was done by K. Paulsgrove.

TABLE OF CONTENTS

SECTION A - LABORATORIES

	Page
Ames Laboratory.....	A-1
Argonne National Laboratory.....	A-12
Brookhaven National Laboratory.....	A-25
Idaho National Engineering Laboratory.....	A-34
Illinois, University of.....	A-35
Lawrence Berkeley Laboratory.....	A-45
Lawrence Livermore National Laboratory.....	A-61
Los Alamos National Laboratory.....	A-63
Oak Ridge National Laboratory.....	A-69
Oak Ridge Associated Universities.....	A-84
Pacific Northwest Laboratory.....	A-85
Sandia National Laboratories, Albuquerque.....	A-88
Sandia National Laboratories, Livermore.....	A-92
Solar Energy Research Institute.....	A-94
Stanford Synchrotron Radiation Laboratory.....	A-95

SECTION B - Grant and Contract Research

Alphabetical Listing.....	B-1
---------------------------	-----

SECTION C - Small Business Innovation Research

Alphabetical Listing.....	C-1
---------------------------	-----

SECTION D - Major User Facilities

National Synchrotron Light Source (BNL).....	D-1
High Flux Beam Reactor (BNL).....	D-5
Neutron Scattering at the High Flux Isotope Reactor (ORNL).....	D-7
Intense Pulsed Neutron Source (ANL).....	D-9
Los Alamos Neutron Scattering Center (LANL).....	D-11
Stanford Synchrotron Radiation Laboratory (Stanford U).....	D-13

SECTION E - Other User Facilities

National Center for Small-Angle Scattering Research (ORNL).....	E-1
Electron Microscopy Center for Materials Research (ANL).....	E-3
Shared Research Equipment Program (ORNL).....	E-5
Center for Microanalysis of Materials (U of Illinois).....	E-7
Surface Modification and Characterization Laboratory (ORNL).....	E-11
Combustion Research Facility - Materials Program (SNL-L).....	E-13
Materials Preparation Center (Ames).....	E-15
National Center for Electron Microscopy (LBL).....	E-17
Low Temperature Neutron Irradiation Facility (ORNL).....	E-19

SECTION F - Funding Levels

Region of the Country.....	F-1
Discipline.....	F-2
University, DOE Laboratory, and Industry.....	F-3
DOE Laboratory and Contract and Grant Research.....	F-3

SECTION G - Index

Investigators.....	G-1
Materials.....	G-10
Techniques.....	G-16
Phenomena.....	G-23
Environment.....	G-31
Major Facilities: Operations.....	G-33

SECTION A

Laboratories

The information in this section was provided by the Laboratories. Most project are of a continuing nature. However, some projects were concluded and others initiated this fiscal year.

AMES LABORATORY
Iowa State University
Ames, IA 50011

D. K. Finnemore - Phone (515) 294-4037

Metallurgy and Ceramics - 01 -

R. B. Thompson - Phone (515) 294-4446

001. MATERIALS SCIENCE OF INTERFACES

A. J. Bevolo
Phone: (515) 294-5414

\$130,000 01-1

Studies of interface structure and composition using Auger, ELS, and SIMS surface analytical techniques in combination with ion etching. Auger and reflection electron loss spectroscopy of metallic hydrides for phase identification and mapping. Scanning Auger microprobe analysis of effects of radiation on the competition between C and P grain boundary segregation in iron. Local chemical state information from Auger lineshape analysis in metallic glasses. Electronic structure of heavy fermion metals and binary transition metal alloys. Oxidation and corrosion of ternary rare earth transition metal permanent magnet materials.

002. SURFACES AND SOLIDIFICATION

R. K. Trivedi, J. T. Mason, V. K. Seetharaman, J. A. Sckhar
Phone: (515) 294-5869

\$270,000 01-1

Theoretical and experimental studies of the effect of temperature gradient, growth rate and composition on the stability and steady-state shape of solid-liquid interfaces obtained during controlled solidification. Study of morphological transition from dendritic to cellular to eutectic structure. Experimental work on primary dendrite spacing, eutectic spacing and interface structures in Pb-Sn, Pb-Au, Pb-Pd and Pb-Bi systems. Study of interface stability and morphological characteristics in model transparent material such as succinonitrile and acetone mixture. Microstructure development during amorphous to crystalline transition.

AMES LABORATORY (continued)

003. MICROSTRUCTURAL CONTROL IN METALS

J. D. Verhoeven, L. S. Chumbley, R. W. McCallum, E. D. Gibson,
 F. C. Laabs
 Phone: (515) 294-9471

\$602,000 01-1

Production of composite alloys by the in situ process and properties of in situ prepared Cu-base composite alloys. Problems in the diffusion of Sn and Ga to form Nb_3Sn and Nb_3Ga . Directional solidification studies on segregation and morphology in gray, nodular, and white cast iron. Evaluation of microstructural changes in the austempering of nodular cast irons. Microstructure evolution under solidification conditions typical of welding processes. Solidification processing of $(Dy,Tb)Fe_2$ magnetostrictive alloys. Processing and characterization of high coercivity, permanent magnet materials, and copper-oxide-based high T_c superconducting materials.

004. MECHANICAL METALLURGY

W. A. Spitzig, J. Kameda, A. Chatterjee
 Phone: (515) 294-5082

\$458,000 01-2

Effects of hydrogen on crack initiation in refractory alloys under uniaxial and cyclic loading conditions. Interstitial effects on strength and ductility in both nonhydrogenated and hydrogenated V, Nb, and Ta. Investigation of hydrogen diffusion in vanadium-base alloys by internal friction. Hydrogen-induced brittle cracking in both low and high hydrogen solubility bcc metals and alloys. Effects of radiation-induced defects and solute segregation on intergranular embrittlement. Modeling of hydrogen embrittlement. Description of three dimensional arrays of defects and relationship of arrangement to ductility and mechanical properties. Correlation between defect structure and nondestructive measurement. Evaluation of origin of strengthening in heavily deformed in situ composites.

005. STRUCTURE AND PROPERTY RELATIONS IN METALS

J. F. Smith
 Phone: (515) 294-5083

\$16,000 01-3

Thermodynamic functions in Y-Fe, Y-Co, and Y-Ni systems from electromotive force measurements. Computer analysis of thermodynamic data for the prediction of stable and metastable phase equilibria, metallic glass formation, and control of microstructures. Ultrasonic measurements of stress and texture in solids.

AMES LABORATORY (continued)

006. TRANSPORT STUDIES

O. N. Carlson
 Phone: (515) 294-2375

\$72,000 01-3

Study of fast diffusion and electrotransport of iron, cobalt and nickel in scandium and thorium. Determination of activation energies, mechanism and defect responsible for fast diffusion. Thermotransport and diffusion of interstitial solutes in vanadium-titanium and vanadium-niobium alloys. Determination of solid solubility of interstitial solutes in vanadium.

007. HYDROGEN IN METALLIC SOLIDS

D. T. Peterson
 Phone: (515) 294-6585

\$142,000 01-3

Diffusion, thermotransport, and solubility of H and D in V alloys with Ti, Nb, Al or O. Photoelectron spectroscopy, and metallography of metal hydrides and solid solutions of H in vanadium-base alloys. Local mode energies for hydrogen in metals and metallic solids.

008. RARE EARTH MATERIALS

K. A. Gschneidner Jr., M. A. Damento
 Phone: (515) 294-2272

\$337,000 01-3

Quenching of spin fluctuations and other magnetic phenomena in: (1) highly enhanced paramagnets RCo_2 ($R=Sc$, Y and Lu), Sc and $Pd-Ni$ alloys, (2) valence fluctuation materials $CeSn_x$ and $CeSi_x$ alloys, and (3) itinerant ferromagnets Sc_3In and $ZrZn_2$. Low-temperature, high-field heat capacity, magnetic susceptibility, electrical resistance and lattice parameters are used to characterize the behaviors. Nonequilibrium phases resulting from solidification and phase transformations in rare-earth-based alloys.

AMES LABORATORY (continued)

009. NDE MEASUREMENT TECHNIQUES

O. Buck, R. B. Thompson, J. F. Smith, C. V. Owen, D. K. Rehbein
Phone: (515) 294-3930

\$587,000 01-5

Techniques to measure failure-related material properties to improve understanding of failure mechanisms and inspection reliability. Ultrasonic measurement of internal stresses, texture, and porosity. Ultrasonic scattering and harmonic generation studies of fatigue cracks to provide information about closure near crack tip and its influence on crack growth rate and detectability. Acoustic microscopy techniques for high resolution studies of elastic and anelastic structure. Relationship between fatigue damage, stress and microstructure to magnetic properties.

010. ADVANCED MATERIALS AND PROCESSES

F. A. Schmidt
Phone: (515) 294-5236

\$207,000 01-5

Development of new melting procedures for preparing Cu-Nb, Cu-Ta and Cu-Mo alloys. New thermite reduction process for preparing rare earth-iron alloys and for producing oriented crystallites of magnetostrictive compounds. Processing of stoichiometric and non-stoichiometric materials by an inductively coupled plasma. Electrotransport and zone melting for maximum purification of rare earth and refractory metals. Processing of single crystals of congruent melting and peritectic materials by levitation zone melting, free-standing vertical zone melting, Bridgman, Czochralski and strain-anneal recrystallization. Above research being conducted in the Materials Preparation Center described in the Section-Collaborative Research Centers.

AMES LABORATORY (continued)

Solid State Physics - 02 -

B. N. Harmon - Phone: (515) 294-7712

011. NEUTRON SCATTERING

W. A. Kamitakahara, C. Stassis, J. Zarestky
Phone: (515) 294-4224

\$350,000

02-1

Study of the lattice dynamics, thermodynamic properties, and structural transformations of metals at high temperatures (bcc and fcc La), structure and diffusion in metal hydrides (ScH_x , LaH_x), dynamics and phase transitions of alkali-graphite intercalation compounds, electronic structure and phonon spectra of mixed valence compounds (CePd_3 , α -Ce, YbAl_{12}), relation of electron-phonon interaction to superconductivity (La, LaSn_3). High pressure studies (α -Ce, La). Study of the magnetic properties of heavy fermion superconductors (CeCu_2Si_2 , UPt_3 , UBe_{13}).

012. SEMICONDUCTOR PHYSICS

H. R. Shanks, J. Shinar
Phone: (515) 294-6816

\$225,000

02-2

Preparation and characterization of thin films, rf sputter desposition of amorphous semiconductors including aSi, aSi-C, aGe, aGe-C and crystalline AlN. Heteroepitaxy on compound substrates, and quantum well structures. Surface and interface characterization with LEED, Auger, LEELS, photodeflection and IR absorption spectroscopy. Measurements of gap state densities using DLTS, SCLC, ODMR, and C-V on Schottky barriers.

AMES LABORATORY (continued)

013. SUPERCONDUCTIVITY

D. K. Finnemore, J. R. Ostenson, E. L. Wolf, T. P. Chen
 Phone: (515) 294-3455

\$300,000

02-2

Point contact Josephson effect in heavy fermion superconductors UBe_{13} , $CeCu_2Si_2$. Electron tunneling spectroscopy and surface physics studies of strong coupled transition metal superconductors. Proximity electron tunneling spectroscopy (PETS) of the electron-phonon spectrum $\alpha^2 F(\omega)$. Auger electron spectroscopy (AES), electron energy loss spectroscopy (ELS) and ultraviolet photoemission spectroscopy (UPS). Fundamental studies of superconductivity in metal-metal composites, use of Josephson junctions to study flux pinning of isolated vortices, development of materials with very low pinning, development of superconducting composites suitable for large scale magnets in the 8 to 16 Tesla range, practical studies to improve wire fabrication techniques, development of magnetic shielding devices, study of magnetostrictive materials.

Preparation, characterization, and study of the fundamental properties of copper oxide superconductors; search for new superconducting materials; current transfer and the proximity effect near superconductor normal metal interfaces, interaction between superconducting and magnetic properties, studies of single quantized vortices for use in microprocessors and logic devices; development of superconducting composites for large scale magnets.

014. OPTICAL, SPECTROSCOPIC, AND SURFACE PROPERTIES OF SOLIDS

D. W. Lynch, C. G. Olson, M. Tringides
 Phone: (515) 294-3476

\$400,000

02-2

Electron photoemission and optical properties (transmission, reflection, ellipsometry) of solids in the visible, vacuum ultraviolet and soft X-ray region using synchrotron radiation; low energy electron diffraction, scanning tunnelling microscopy. Ce and Ce- compounds (e.g., $CeSn_3$) heavy Fermion systems, e.g., UPt_3 , Fe-based alloys with Si, FeRh, copper-oxide-based superconductors, photon- and electron-stimulated desorption of neutral atoms from insulators; O on W.

AMES LABORATORY (continued)

015. NEW MATERIALS AND PHASES

D. C. Johnston, M. S. Anderson, R. G. Barnes, P. Klavins,
 R. Shelton, C. A. Swenson, D. R. Torgeson,
 Phone: (515) 294-5435

\$570,000 02-2

Synthesis and characterization of new high T_c superconductors as well as ternary compounds such as Chevrel phases, ternary transition metal borides and rare-earth transition metal silicides and phosphides. Study of the physical properties of these new materials, such as microhardness, phase equilibria, their refractory nature, and high temperature behavior. Properties of new ternary phases at low temperatures, including magnetic susceptibility, transport properties, heat capacity, crystallographic phase transformations, coexistence of superconductivity and long range magnetic order. High pressure equations of state of new materials, elementary solids (ternary compounds and alloys, and alkaline earth metals), low temperature expansivity and heat capacity of materials (Lu) containing hydrogen. Applications of NMR to hydrogen embrittlement of refractory metals (V, Nb, Ta) and alloys (V-Ti, Nb-V), trapping of hydrogen by interstitial impurities in these metals, structural and electronic characterization of hydrogenated amorphous Si, Ge, SiC, and GeC films.

016. MATERIALS FOR HYDROGEN STORAGE

R. G. Barnes, K.-M. Ho, D. T. Peterson
 Phone: (515) 294-4754 or (515) 294-1560

\$35,000 02-2

Multiprogram effort focused toward understanding hydrogen and other interstitial-metal interactions. Phase diagram studies of ternary systems (e.g., Nb-O-H, Y-O-H). The solubility limits of interstitials in alloys (e.g., H in BnB-v, v-tI). Interstitial-interstitial interactions (trapping effects). Modification of interstitial diffusion by other interstitials. Interstitial effects on lattice vibrational behavior and mechanical properties. Influence of interstitials on electronic structure. Experimental approaches include thermodynamics and kinetics, specific heat, elastic and inelastic neutron scattering, XPS, UPS, and Auger spectroscopy, NMR, embrittlement and mechanical properties. Band theoretical methods are applied to electronic structure and diffusion.

AMES LABORATORY (continued)

017. X-RAY DIFFRACTION PHYSICS

A. Goldman, J.-L. Staudenmann,
 Phone: (515) 295-3585 or 294-9614

\$200,000 02-2

X-ray diffraction studies of semiconducting compounds, epitaxial layers, and superlattices as a function of the temperature. In-situ diffusion studies between layers in superlattices. X-ray studies of La at high pressures. X-ray Debye temperature and electron charge density studies of V₃Si and Fe-Ni-C in the vicinity of the martensitic phase transition. Active participation in the MATRIX PRT beam line at NSLS.

018. ELECTRONIC AND MAGNETIC PROPERTIES

B. N. Harmon, K.-M. Ho, M. Luban, C. T. Chan, C. Soukoulis,
 J. Luscombe
 Phone: (515) 294-7712

\$480,000 02-3

Theoretical studies of bulk and lattice dynamical properties of materials using first principles total energy calculation. Anharmonic interaction, lattice instabilities, phase transformation, electron-phonon interaction, and superconductivity. Equations of state (pressure and temperature). Hydrogen-metal interactions. Electron localization in disordered materials. Magnetism in spin glasses and ternary compounds. Electronic structure of rare earth compounds and transition metal sulfides and hydrides. Theory of amorphous semiconductors, and nuclear magnetic ordering in metals.

019. OPTICAL AND SURFACE PHYSICS THEORY

R. Fuchs, K.-M. Ho
 Phone: (515) 294-3675

\$150,000 02-3

Optical properties of metals, semiconductors, and insulators, studies of surfaces, thin films, layered systems, small particles, and powders. Differential surface reflectance spectroscopy. Raman scattering from molecules adsorbed on metal surfaces. Surface electronic structure of metal electrodes (e.g., Ag), electroreflectance, and microscopic properties of the metal-electrolyte interface. Photoemission into liquid electrolytes and related catalytic, electrochemical, adsorption, and corrosion effects, anodic photocurrents, the liquid-metal interface. First principles calculation of lattice relaxation, reconstruction and phonons at single crystal surfaces (Al, Au, W, Mo).

AMES LABORATORY (continued)

020. SUPERCONDUCTIVITY THEORY

J. R. Clem, V. G. Kogan
Phone: (515) 294-4223

\$130,000

02-3

Electrodynamic behavior of current-carrying CuO-based high T_c superconductors containing magnetic flux. Flux-line cutting and flux pinning in arrays of nonparallel vortices. Superconducting magnetic shielding. Critical fields and critical currents of proximity-coupled superconducting-normal (SN) multi-layers and composites. Properties of Josephson and SNS junction arrays. 1/f noise and sensitivity to trapped magnetic flux in SQUIDS.

021. SYNTHESIS AND CHARACTERIZATION OF NEW MATERIALS

J. D. Corbett, R. E. McCarley, R. A. Jacobson
Phone: (515) 294-3086

\$480,000

03-1

Synthesis, structure and bonding in intermetallic systems-new Zintl phases, new ternary compounds stabilized by interstitials. Reactions and stabilities of phases in the system CsI-Zr-ZrI₄-ZrO₂, effects of common impurities, the fate of the important fission products. Synthesis, structure and properties of new ternary oxide phases containing heavy transition elements, especially metal-metal bonded structures stable at high temperatures. Low temperature routes to new metal oxide, sulfide and nitride compounds. Correlation of structure and bonding with d-electron count and physical properties. Development of diffraction techniques for single crystal and non-single crystal specimens, techniques for pulsed-neutron and synchrotron radiation facilities, and use of Patterson superposition methods. Experimental methods include X-ray diffraction, photoelectron spectroscopy, resistivity and magnetic susceptibility measurements, high temperature reactions and synthesis of molecular precursors.

AMES LABORATORY (continued)

022. CERAMIC MATERIALS

T. J. Barton, L. E. Burkhart, G. Burnet, M. J. Murtha
Phone: (515) 294-7655

\$442,000

03-2

Synthesis of silicon-nitrogen polymers. Study of controlled thermal decomposition of preceramic polymers. Development of thermal and photochemical routes to transient compounds containing silicon-nitrogen multiple bonds as route to preceramic materials. Kinetics and mechanisms of thermal decomposition of variously substituted silylamines. Techniques include plasma-induced polymerization, flash vacuum pyrolysis, solution photochemistry, condensation polymerization. Synthesis and characterization of materials (metal oxides and sulfides, silicon nitride precursors) for ceramic powders and thin films, with emphasis on liquid-phase methods such as homogeneous precipitation and microemulsion techniques, preparation and use of monodisperse powders in ceramics and catalysis. Studies of nucleation, growth, and agglomeration phenomena for control of precipitation and film deposition. Theoretical studies include DLVO theory for particle-particle interactions, coagulation and population balance equations for agglomeration kinetics. Investigation of reaction mechanisms and kinetics for high temperature reactions in the carbochlorination and carbonitrification processes to produce non-oxide ceramics.

023. HIGH TEMPERATURE CHEMISTRY OF REFRactory MATERIALS

H. F. Franzen, J. W. Anderegg
Phone: (515) 294-5773

\$195,000

03-3

Study of refractory and corrosion-resistant materials such as transition metal aluminides (Zr-Al, Ta-Al), phosphides and sulfides by both experimental and theoretical techniques to understand the relationships among crystal structure, chemical bonding, and electronic structure as they affect high temperature stability, phase equilibria, and order-disorder transitions. Experimental methods include X-ray and electron diffraction for structure analysis, computer automated simultaneous mass loss-mass spectrometry for high temperature vaporization reactions related to stability, and photoelectron spectroscopy for the electronic structure of solids. Electronic structure studies also include a program of band structure calculations.

AMES LABORATORY (continued)

024. ELECTRONIC AND MAGNETIC PROPERTIES

R. S. Hansen, K. G. Baikerikar, D. C. Johnson, P. A. Thiel
Phone: (515) 294-2770

\$485,000

03-3

Evaluation of mechanisms of catalytic reactions, especially hydrogenation, hydrogenolysis, methanation, and hydrodesulfurization reactions, by surface characterization and kinetic techniques, with emphasis on single crystal and evaporated film catalysts. Study of lubrication phenomena: decomposition pathways and products of fluorinated organic molecules at surfaces.

Mechanisms of corrosive oxidation of metals. Chemistry of electrode reactions, including electrocatalysis and corrosion reactions. Characterization of electrocatalytic materials by modulated hydrodynamic voltammetry. Reactivity of oxidized and doped electrode surfaces, including characterization of oxygen mobility and defect density at such electrodes. Surface chemistry of nucleation and flocculation applied to ceramic processing. Techniques used include low energy electron diffraction, Auger and scanning Auger electron spectroscopy, infra-red emission and electron energy loss spectroscopies, ring-disk and modulated hydrodynamic voltammetry.

ARGONNE NATIONAL LABORATORY
9700 S. Cass Avenue
Argonne, IL 60439

F. Y. Fradin - Phone (FTS) 972-3504 or (312) 972-3504

Metallurgy and Ceramics - 01 -

H. Wiedersich - Phone (FTS) 972-5079 or (312) 972-5079

040. ELECTRON MICROSCOPY CENTER FOR MATERIALS RESEARCH

N. J. Zaluzec, C. W. Allen, C. R. Bradley
Phone: (312) 972-5075

\$1,511,000 01-1

Development and use of high-voltage and high-spatial resolution analytical microscopy for materials research. Operation and development of the Center's 1.2 MeV High-Voltage Electron Microscope-Tandem Facility with in-situ capability for direct observation of ion-solid interactions. The HVEM is currently being utilized for research programs in advanced materials, mechanical properties, irradiation effects, oxidation and hydrogenation effects. HVEM specimen stages are available for heating (1300 K), cooling (10 K), straining, and gaseous environments. Ion-beam interface with 300 kV ion accelerator and 2 MV tandem accelerator available for in-situ implantations and irradiations. A 600 kV ion accelerator is being procured as a replacement for the 300 kV instrument. Approximately 50% of HVEM usage is by non-ANL scientists on research proposals approved by the Steering Committee for the Center that meets every six months. A state-of-the-art, medium-voltage, ultra-high vacuum, field-emission gun, Analytical Electron Microscope is being procured. Its design is directed toward the attainment of the highest microanalytical resolution and sensitivity. Fundamental studies of electron-solid interactions and micro-characterization of materials, using TEM, STEM, XEDS, and EELS are conducted at present on lower-voltage conventional electron microscopes.

ARGONNE NATIONAL LABORATORY (continued)

041. BASIC CERAMICS

D. J. Lam, S. K. Chan, K. L. Merkle, J. N. Mundy, M. V. Nevitt,
 J. L. Routbort, S. J. Rothman, B. W. Veal
 Phone: (312) 972-4966

\$1,822,000 01-3

Experimental and theoretical studies of electronic and atomic structure, phase stability, phase transformation kinetics, electronic and ionic transport, and mechanical properties in multicomponent (including high T_c superconducting) oxides. X-ray photoelectron (XPS) and X-ray absorption (XANES and EXAFS) spectrosopic studies of structural and electronic properties. Thermal and lattice property studies using heat capacity, EXAFS, Billouin scattering, and ultrasonic measurements. Crystal chemistry and structural phase transformation studies of high T_c superconducting oxides using X-ray and neutron diffraction, electrical conductivity, and Meissner effect measurements. Diffusion mechanisms and point defect studies in oxides as a function of oxygen partial pressure at high temperature using cation and oxygen tracer diffusion, electrical conductivity and SIMS. Development of the embedded molecular cluster code to calculate electronic structure, cohesive energy, and defect interaction energy of complex oxides. Development of non-classical theory of nucleation for martensitic transformations in oxide systems. Preparation of single crystals of high T_c superconducting oxides and monoclinic phase of ZrO_2 with and without dopants.

042. IRRADIATION AND KINETIC EFFECTS

L. E. Rehn, R. S. Averback, R. C. Birtcher, M. A. Kirk, N. Q. Lam,
 P. R. Okamoto, H. Hahn, U. Scheuer, F.-R. Ding, A. Liu
 Phone: (312) 972-5021

\$1,171,000 01-4

Investigations of mechanisms leading to the formation of defect aggregates, precipitates, and other inhomogeneous distributions of atoms in solids with and without displacement-producing irradiation. Surface layer modification of alloys by ion implantation, ion-beam mixing, and sputtering. Radiation-induced segregation to internal and external defect sinks. Radiation-enhanced diffusion. Effects of irradiation on alloy composition, microstructure, and amorphization. Displacement cascades. Inert-gases in solids. In situ studies of ion and electron bombardment in the High-Voltage Electron Microscope. Neutron and dual-beam ion irradiation. Computer modeling of irradiation-induced microstructural changes. Ion-beam analysis. Radiation sources include HVEM-2MV Tandem facility and two 300-kV ion accelerators.

ARGONNE NATIONAL LABORATORY (continued)

043. OXIDATION STUDIES

W. E. King, J. H. Park, S. J. Rothman, J. N. Mundy, D. Wolf
Phone: (312) 972-5205

\$457,000 01-5

Cation and anion transport processes in pure and doped protective-oxide material using tracer diffusion and secondary-ion mass spectrometry techniques. Impurity ion location, adhesion and morphology of oxide scales on Y- and Zr-doped Fe-Cr and Fe-Cr-Ni alloys using analytical electron microscopy and HVEM techniques. Mechanisms and kinetics of oxide film breakdown in bioxidant atmospheres. Deformation properties of alloy-scale composite systems. Scale microcracking and decohesion observed by acoustic emission techniques. X-ray photoelectron spectroscopic studies of the chemical aspects of scale development and breakdown.

044. AMORPHOUS AND NANOPHASE MATERIALS

L. E. Rehn, P. R. Okamoto, R. S. Averback, J. Eastman, R. Siegel,
H. Hahn, F. R. Ding, S. Ramasamy
Phone: (312) 972-5021

\$720,000 01-5

Investigations of the synthesis of amorphous and nanophase materials by inert-gas condensation and subsequent compaction. Amorphization by isothermal solid-state reactions at the interfaces of vapor-deposited multilayer films and mixed metal powders, by ion-beam mixing of multilayer films, and by displacement damage of intermetallic compounds by electron and ion beams. Tracer diffusion measurements in amorphous alloys. In-situ high-voltage electron microscopy studies of the morphology and kinetics of the crystalline-to-amorphous transformations. Mechanical properties and sintering characteristics of nanophase ceramics. Investigations of the relationship between the atomic structure of amorphous alloys and their magnetic properties. Synthesis of ultra-fine metallic powders. Materials characterization methods include X-ray diffraction, electron microscopy, electrical resistivity, Rutherford back-scattering, AES, EELS, and EXAFS.

ARGONNE NATIONAL LABORATORY (continued)

045. HIGH T_c CONDUCTOR DEVELOPMENT PROGRAM

M. B. Brodsky, D. W. Capone, R. B. Poeppel
Phone: (312)-972-5016

D. Finnemore, J. Verhoven (Ames Laboratory)

M. Suenaga, D. Welch (Brookhaven National Laboratory)

\$360,000

01-5

Development of a short length, current-carrying, ceramic superconductor made by tape-casting, extrusion, powder-in-tubes, thick-film techniques, co-evaporation, plasma and flame spraying, and/or reactive sputtering. Studies of scaling-up of powder preparation. Mechanisms and improvements of flux pinning and J_c enhancement in applied fields will be studied and used to reach stated goal of 10,000 A/CM² at 77K and 2T applied fields. Collaborative research with scientists at Ames Laboratory and Brookhaven National Laboratory.

Solid State Physics - 02 -

M. B. Brodsky - Phone (FTS) 972-5016 or (312) 972-5016

046. NEUTRON AND X-RAY SCATTERING

J. D. Jorgensen, T. O. Brun, J. E. Epperson, J. Faber, G. P. Felcher,
D. L. Price, S. Susman, R. Dejus
Phone: (312) 972-5513

\$1,700,000

02-1

Exploitation of neutron and X-ray scattering techniques in the study of the properties of condensed matter. Instrument development and interactions with university and industrial users at IPNS and NSLS. Investigations of the structure and defects of intermetallic and oxide superconductors, structure and dynamics of chalcogenide and oxide glasses, surface magnetism, alloy decomposition and mixing, defects in nonstoichiometric oxides, spectroscopy of hydrocarbons, atomic momentum distributions with deep in elastic scattering, and fast ion transport in solids.

ARGONNE NATIONAL LABORATORY (continued)

047. SUPERCONDUCTIVITY AND MAGNETISM

B. D. Dunlap, G. W. Crabtree, K. E. Gray, D. G. Hinks,
D. W. Capone II, A. J. Fedro, S. K. Malik, M. Slaski, M. E. Hawley
Phone: (312) 972-5538

\$1,562,000 02-2

Experimental and theoretical investigations of the magnetic and superconducting properties of materials. Strong emphasis is being placed on studies of high- T_c oxide superconductors. Other programs include: rare-earth rhodium boride materials. Electronic and transport studies of organic superconductors. Studies of the electronic properties of mixed valence, heavy fermion and other narrow-band materials containing rare-earth and actinide elements. Experimental techniques include the de Haas-van Alphen effect, Mossbauer spectroscopy, transport and magnetic measurements, electron tunneling, EELS, NMR, EXAFS and XANES, heat capacity, materials preparation, and characterization.

048. LAYERED AND THIN FILM MATERIALS

I. K. Schuller, S. D. Bader, M. B. Brodsky, M. Grimsditch,
E. Moog, C. Liu
Phone: (312) 972-5469

\$685,000 02-2

Research on the growth and physical properties obtained by thin film techniques--epitaxial films and sandwiches, metallic superlattices, amorphous metals, and superconductors. Preparation techniques include molecular beam epitaxy, and evaporation. Materials characterization methods include X-ray scattering, low- and high-energy electron diffraction, for structural studies. Low temperature transport, superconductivity, and magnetism. Electronic structure studies via AES, UPS, and XPS in conjunction with theoretical band structures. Elastic, magnetic, and vibrational properties using Brillouin and Raman scattering. Magnetic studies using the magneto-optic Kerr effect.

ARGONNE NATIONAL LABORATORY (continued)

049. LOW DIMENSIONAL AND INTERFACE MATERIALS

I. K. Schuller, K. Yang, H. Homma, M. Schneider
 Phone: (312) 972-5469

\$489,000 02-2

Research on the properties of interfaces and low dimensional materials. Monolayers, superlattices, and epitaxial films are being prepared by molecular beam epitaxy and sputter deposition. Characterization is performed using high- and low-energy electron diffraction, X-ray and neutron diffraction, X-ray photoelectron and Auger spectroscopy. Physical properties are being studied using low temperature magnetotransport and magnetic measurements. Growth phenomena and interfacial structure are being studied using Molecular Dynamics simulation.

050. PHOTON SCIENCE AT SYNCHROTRONS

G. K. Shenoy, E. E. Alp, S. D. Bader, J. M. Bloch, J. C. Campuzano
 Phone: (312) 972-5537

\$431,000 02-2

Experimental investigations using various synchrotron radiation sources of electronic properties of materials. Understanding of the narrow-band phenomenon and spin polarized photoemission from magnetic materials. Measurements of the structure of surfaces and interfaces using surface scattering techniques. Study of amorphous and glassy materials and high T_c oxide superconductors using X-ray absorption spectroscopy.

051. CONDENSED MATTER THEORY

D. D. Koelling, R. Benedek, R.K. Kalia, P. Vashishta, M. Norman
 Phone: (312) 972-5507

\$940,000 02-3

Condensed matter theory in statistical physics, electronic band structure, and many body effects. Molecular-dynamics modeling of microclusters and glasses. Spatrical and electronic structure of covalent glasses. Transport in ionic conductors. Fragmentation of clusters. Electronic structure calculations of narrow-band metal and alloy systems. Phenomenological incorporation of fluctuation phenomenon generating mass enhancement and mechanism of superconductivity in heavy fermion materials. Studies of the new copper oxide based superconductors. Systems incorporating both atomic motion and electronic structure utilizing simulated annealing and other new optimization techniques.

ARGONNE NATIONAL LABORATORY (continued)

052. MODELING AND THEORY OF INTERFACES

D. Wolf, J. Lutsko, S. Phillpot, J. Rest, A. J. Freeman, S. Yip
 Phone: (312) 972-5205

\$290,000 02-3

Computer simulation of the physical properties of interphase boundaries between dissimilar materials, involving both atomistic simulation methods (lattice statics and dynamics, molecular dynamics, Monte-Carlo) and electronic structure calculations. The latter are aimed at calculating certain relatively simple bulk and defect properties directly (i.e., without assumption of potentials) which can then compared with atomistic-simulation results of the same property. The atomistic simulations are used to determine, for example, the structure and free energy of solid interfaces as a function of temperature, the point-defect properties of interfaces (such as impurity segregation and diffusion), mechanical properties (such as elastic constants and fracture), and the properties of voids in grain boundaries and in the bulk. Materials considered involve metals, semiconductors and ceramics as well as interfaces between them.

053. SYNCHROTRON RADIATION STUDIES

G. K. Shenoy, E. E. Alp, S. D. Bader, A. R. Krauss, R. K. Smither,
 M. G. Strauss, P. J. Viccaro, C. E. Young
 Phone: (312) 972-5537

\$1,136,000 02-4

Design studies of the components of the insertion devices, beam line, optics, and detectors suitable for 7-GeV Advanced Photon Source. Methodology to calculate the angular distributions and polarization of insertion device radiation. Theoretical calculations of the optical constants and surface reflectances in the 0.5 to 30 keV range for metals and modeling of multilayer optics. Development of a facility to perform photodegradation studies of multilayer optics exposed to high brilliance of future SR sources. Surface segregation methods to produce self-sustaining surfaces of low desorption materials to be used in strategic locations in synchrotron storage rings. Design of a linear CCD/scintillation detector for X-ray range and readout procedures to perform time development studies. Design and construction of a beam line for installation at the Synchrotron radiation Source, Wisconsin, and at the National Synchrotron Light Source - X-ray ring, to carry out angle resolved photoelectron spectroscopy and X-ray scattering studies.

ARGONNE NATIONAL LABORATORY (continued)

054. 7-GeV ADVANCED PHOTON SOURCE RESEARCH AND DEVELOPMENT

Y. Cho
Phone: (312) 972-6616
\$854,000 02-4

Further refinement of the conceptual design of the Advanced Photon Source, new design of a 7-GeV storage ring complex facilitating wide ranges of tunability of insertion devices, and capable of instrumenting about 35 insertion device beamlines compared to 28 insertion device beamlines of 6-GeV design. To illustrate the undulator tunability, when the first and third harmonics of the undulator radiation are utilized, one undulator can cover the photon energy range from a few keV to several tens of keV. Construction of the facility would start in FY 1989 according to current estimates.

055. ULTRA-HIGH FIELD SUPERCONDUCTORS

K. E. Gray, R. T. Kampwirth, D. W. Capone II
Phone: (312) 972-5525
\$384,000 02-5

Emphasis has shifted to develop a high-rate sputtering process for the new high- T_c , high-field oxide superconductors. Co-evaporated films of $\text{YBa}_2\text{Cu}_3\text{O}_7$ have exhibited the high critical current densities necessary for applications, but the commercially viable sputtering process has not. Effort includes the effects of preparation conditions, substrate type, annealing steps and target composition on the superconducting properties. Material characterization by X-ray, SEM, RBS. Recent demonstration of 4-5 times higher critical current density in layered NbN/AlN will also be addressed.

ARGONNE NATIONAL LABORATORY (continued)

Materials Chemistry - 03 -

D. M. Gruen - Phone (FTS) 972-3513 or (312) 972-3513

056. CHEMICAL AND ELECTRONIC STRUCTURE

J. M. Williams, M. A. Beno, C. D. Carlson, A. J. Schultz,
 H. H. Wang, R. J. Thorn, U. Geiser, L. C. Porter
 Phone: (312) 972-3464

\$1,116,000 03-1

New materials synthesis and characterization focusing on synthetic organic metals and superconductors based on BEDT-TTF (bis-ethylenedithiotetrathio-fulvalene) and inorganic oxide (high- T_c) superconductors. Development of structure-property relationships. Electrical properties measurements. Development of improved crystal growth techniques. Continuing development of the neutron time-of-flight single-crystal diffractometer (SCD) at the Intense Pulsed Neutron Source (IPNS). Phase transition and crystal structure studies as a function of temperature (10-300 K) using the IPNS-SCD and a low-temperature (10 K) X-ray instrument.

057. THERMODYNAMICS OF ORDERED AND METASTABLE MATERIALS

M. Blander, R. A. Blomquist, L. A. Curtiss, V. A. Maroni,
 M.-L. Saboungi, S. Von Winbush
 Phone: (312) 972-4548

\$527,000 03-2

Experimental and theoretical investigations of important thermodynamic and structural properties of ordered and associated solutions and amorphous (metastable) materials. Thermodynamic and structural measurements (e.g., emf, vapor pressure, neutron diffraction) are combined with theoretical calculations (e.g., molecular dynamics, statistical mechanics) to determine the fundamental characteristics of ordered and associated solutions (e.g., chloroaluminates, ionic alloys, silicates). Other techniques such as small angle neutron scattering, and inelastic neutron scattering are used to obtain data relating to valence states, ordering and clustering of atoms and ions in solution. The extension of our theories and concepts for pyrometallurgy is explored.

ARGONNE NATIONAL LABORATORY (continued)

058. INTERFACIAL MATERIALS CHEMISTRY

D. M. Gruen, V. A. Maroni, L. A. Curtiss, L. Iton, S. A. Johnson,
M. Blander, M. J. Pellin,
Phone: (312) 972-3513

\$510,000

03-2

Complementary fundamental research activities that focus on the structural, electronic, and catalytic properties of macro-molecular and cluster-type systems such as zeolites and transition metal clusters. Studies of new transition metal-containing zeolites by extended X-ray absorption fine structure, electron paramagnetic resonance, nuclear magnetic resonance, Mössbauer, and infrared spectroscopies, as well as by high-voltage electron microscopy, neutron inelastic scattering spectroscopy and ab initio molecular orbital theory, with the aim of elucidating the relationship between zeolite structure and catalytic activity/selectivity. Examinations of ligand-free transition metal clusters formed in low-temperature rare gas matrices by time resolved laser fluorescence, laser Raman, optical-optical double resonance, excited state absorption spectroscopy, and X-ray absorption fine structure methods to gain knowledge of the bonding properties and molecular/electronic structure of metal cluster systems. Ab initio molecular orbital calculations, alone or in combination with statistical mechanical analyses, on polynuclear metal clusters and on molecule/surface interactions in zeolite-like environments that yield incisive knowledge of adsorbate-substrate interactions on a molecular level.

ARGONNE NATIONAL LABORATORY (continued)

059. AQUEOUS CORROSION

D. M. Gruen, V. A. Maroni, L. A. Curtiss, C. A. Melendres, Z. Nagy,
M. J. Pellin, R. M. Yonco, B. M. Biwer, M. W. Schauer, N. C. Hung
Phone: (312) 972-3513

\$652,000

03-2

Basic research aimed at elucidating fundamental aspects of aqueous corrosion under conditions of temperature and pressure (300°C and 10 MPa) relevant to light water fission reactor environments. Investigations of the mechanisms responsible for passivation on iron and nickel-based alloys and for crack and pit propagation in these same alloys. Studies of the details that connect surface adsorption, electron transfer, and electrolyte chemistry with passive film structure using a combination of in situ surface sensitive spectroscopic methods and transient electrochemical techniques. In situ measurements of metal/solution interfaces using laser Raman, Ramn-gain, and second harmonic generation spectroscopies. The application of synchrotron-based diffraction and fluorescence methods to probe the structure of interfacial corrosion layers. Investigations of the key features of the interfacial chemistry associated with passivation processes (including charge transfer kinetics) using pulsed galvanostatic/potentiostatic, dc polarization, and ac impedance through the application of molecular dynamics methods in combination with ab initio molecular orbital theory.

ARGONNE NATIONAL LABORATORY (continued)

060. PARTICLE AND PHOTON INTERACTIONS WITH SURFACES

D. M. Gruen, B. M. Biwer, W. F. Calaway, A. R. Krauss,
G. J. Lamich, M. J. Pellin, C. E. Young
Phone: (312) 972-3513

\$985,000

03-3

Development of multiphoton resonance ionization methods combined with energy and angle refocusing time-of-flight mass spectroscopy for ultrasensitive detection of sputtered species. Application of this technique to studies of (1) fundamental problems in surface science (depth of origin of sputtered species; sputtering of metal clusters; adsorbate structures; strong metal support interactions; mechanisms of oxidation; surface segregation), (2) electron- and photon-induced desorption cross sections and mechanisms for neutral species with particular reference to synchrotron radiation, (3) trace analysis for selected systems of special significance such as impurities in semiconductors, (4) fundamental damage mechanisms in optical materials exposed to high power laser fluxes.

Surface composition, structure and radiation-enhanced segregation in strongly segregating alloy systems using recoil sputtering, ion-scattering, SIMS, Auger, XPS, UPS, and LEED techniques. Preparation and characterization of dense high-temperature superconducting films by sputtering of bulk superconductors.

ARGONNE NATIONAL LABORATORY (continued)

Intense Pulsed Neutron Source Division - 04 -

B. S. Brown - Phone (FTS) 972-5518 or (312) 972-5518

061. INTENSE PULSED NEUTRON SOURCE PROGRAM

B. S. Brown, J. M. Carpenter, C. W. Potts, A. W. Schulke,
T. G. Worlton, R. K. Crawford, F. J. Rotella, C. K. Loong,
P. Thiagarajan, J. Richardson

Phone: (312) 972-5518

\$4,875,000

04-1

Operation and development of IPNS, an intermediate-flux pulsed spallation neutron source for condensed matter research with neutron scattering techniques. The facility is equipped with 8 instruments which are regularly scheduled for users and 4 beam tubes which are for special experiments or developing instruments. The facility has been run since 1981 as a national facility in which experiments are selected on the basis of scientific merit by a nationally constituted Program Committee. Approximately 200 experiments, involving about 130 outside visitors from universities and other institutions are performed annually. Industrial Research on a proprietary basis, which allows the company to retain full patent rights, has been initiated with a number of companies (e.g., Schlumberger-Doll, Amoco, Sohio, Ontario Hydro) and is encouraged. Relevant Argonne research programs appear under the neutron activities of the Materials Science and Technology Division of Argonne National Laboratory.

BROOKHAVEN NATIONAL LABORATORY
Upton, NY 11973

M. Blume - Phone (FTS) 666-3735 or (516) 282-3735

Metallurgy and Ceramics - 01 -

A. N. Goland - Phone (FTS) 666-3819 or (516) 282-3819
K. G. Lynn - Phone (FTS) 666-3501 or (516) 282-3501

070. COLLABORATIVE PROGRAM ON STRUCTURE AND PROPERTIES OF SURFACE MODIFIED MATERIALS AND INTERFACES

S. M. Heald, M. W. Ruckman, D. O. Welch, B. Nielsen, K. G. Lynn,
M. Strongin

Phone: (FTS) 666-2861 or 516-282-2861

\$496,000

01-1

Experimental and theoretical studies of the fundamental factors which influence the microstructure and chemical bonding at interfaces between dissimilar materials and of surface layers of materials which have been modified by various means to have properties different from those within the bulk of the materials. Systems include metal-metal interfaces, multilayers and grain boundaries. The structural and chemical characterization is carried out using techniques such as glancing angle X-ray reflection and absorption, photoemission, positron annihilation and transmission electron microscopy.

071. FIRST PRINCIPLES THEORY OF HIGH AND LOW TEMPERATURE PHASES

J. W. Davenport, G. Fernando, G.-X. Qian, R. E. Watson, M. Weinert
Phone: (FTS) 666-3789 or (516) 282-3789

\$250,000

01-1

Utilization of molecular dynamics and Monte Carlo methods coupled with electronic structure calculations based on the density functional method to predict the degree of order and thermodynamic properties of large unit cell alloys and disordered metals from first principles.

BROOKHAVEN NATIONAL LABORATORY (continued)

072. MECHANISMS OF METAL-ENVIRONMENT INTERACTIONS

H. S. Isaacs, K. Sieradzki, A. J. Davenport

Phone: (FTS) 666-4516 or (516) 282-4516

\$435,000

01-2

Experimental studies of the role of composition and morphology of passive oxides and surface layers produced by environmental interactions in the subsequent mechanical and corrosion stability. Analysis of breakdown events and transients associated with initial stages of localized corrosion induced by intrinsic, pulsed thermal and electrochemical initiation events. Mechanism of formation of dealloyed surface layers on Au-Ag and Ag-Zn alloys, their mechanical properties and their role in stress-corrosion cracking, molecular dynamics and analytical modeling of environmentally induced fracture processes. Comparison of observed and theoretical modeling of passivation of Fe-Cr and Ni-Cr alloys. Studies of composition and structure of passive films using EXAFS and EXANES.

073. SUPERCONDUCTING MATERIALS

D. O. Welch, M. Suenaga, R. R. Corderman, T. Asano, V. Ghosh

Phone: (FTS) 666-3517 or (516) 282-3517

\$675,000

01-3

Fundamental properties of high critical temperature and critical field superconductors, mechanical properties, theoretical models of interatomic forces, lattice defects, and diffusion kinetics in superconducting oxides, studies by electron microscopy of lattice defects in superconducting compounds, flux pinning, properties of composite superconductors, new methods of fabricating superconducting materials.

BROOKHAVEN NATIONAL LABORATORY (continued)

074. PHYSICAL PROPERTIES OF METAL-INTERSTITIAL SYSTEMS

B. Nielsen, S. M. Heald, D. O. Welch
Phone: (FTS) 666-3525 or (516) 282-3525

\$496,000

01-3

Studies of physical and metallurgical factors which influence the behavior of interstitial solutes in metals and alloys, studies of the role of microstructure, lattice defects, alloying effects, and surface properties on the thermodynamics, kinetics, and mechanisms of hydrogen uptake and release in transition metals, solid solutions, and intermetallic compounds, effect of dissolved hydrogen upon fracture strength, structural and microstructural studies of metal-interstitial systems using X-ray diffraction, and EXAFS, electron microscopic, and surface sensitive techniques, statistical mechanics of metal-interstitial systems. This program will be terminated in FY 1988.

Solid State Physics -02 -

M. Strongin - Phone (FTS) 666-3763 or (516) 282-3763

075. MAGNETIC AND STRUCTURAL PHASE TRANSITIONS

S. M. Shapiro, T. Freltoft, A. I. Goldman, Y. J. Uemura, B. Yang
Phone: (FTS) 666-3822 or (516) 282-3822

\$1,110,000

02-1

The principal objective of this program is the fundamental study of structural phase transitions and magnetism by elastic and inelastic neutron scattering. In the area of structural phase transitions, the program emphasizes determination of structural rearrangements and study of dynamical fluctuations in the ordering parameters. The particular emphases are on transformations involving intercalated compounds, systems displaying instabilities at wave vectors which are incommensurate with the lattice, and nonequilibrium effects. The neutron is a unique probe in studying both static and dynamical critical phenomena in magnetic materials. Primary interest is in studies of magnetic ordering, collective magnetic excitations and short-range correlations in all types of magnetic systems. Recent areas of activity involve such systems as La_2CuO_4 , a prototype of the high T_c superconductors, substitutionally disordered magnetic materials, spin glasses, and low-dimensional systems.

BROOKHAVEN NATIONAL LABORATORY (continued)

076. ELEMENTARY EXCITATIONS AND NEW TECHNIQUES

G. Shirane, P. Boni, J. Z. Larese, C. F. Majkrzak, S. Mitsuda,
L. Passell

Phone: (FTS) 666-3732 or (516) 282-3732

\$1,368,000

02-1

The principal objective of this program is the investigation of the structures and dynamics of ordered and partially ordered condensed matter systems using elastic and inelastic neutron spectroscopy. Currently the lattice dynamics of high T_c superconducting materials is the major area of interest. The program has two other objectives as well: (i) the development and evaluation of new techniques for neutron scattering measurements and (ii) the replacement of certain existing High Flux Beam Reactor (HFBR) instruments with new instruments of improved capability. In regard to the latter category, a polarized neutron, triple-axis spectrometer has been completed as part of a joint US-Japan collaborative program and priority is now being given to the development of a time-of-flight mode of operation. Plans are also being formulated to construct a spin echo spectrometer.

077. EXPERIMENTAL RESEARCH - X-RAY SCATTERING

J. D. Axe, L. D. Gibbs, B. Ocko, D. Osterman, H. D. Yu

Phone: (FTS) 666-3821 or (516) 282-3821

\$1,054,000

02-2

Structural and dynamical properties of condensed matter systems, studied by X-ray and neutron scattering, phase transitions and new states of matter, including two-dimensional (2D) systems, commensurate-incommensurate transformations and surface reconstruction and the structure of buried interfaces. Extension to single crystal interfaces under ultra high vacuum conditions is in progress. X-ray studies of magnetic and magnetoelastic phenomena and the influence of surfaces on phase transformations. New emphasis is on structural phase transformations in high T_c oxide superconductors. Research and development studies of synchrotron instrumentation for NSLS experiments.

BROOKHAVEN NATIONAL LABORATORY (continued)

078. LOW ENERGY - PARTICLE INVESTIGATIONS OF SOLIDS

K. G. Lynn, R. Mayer, J. Throwe, E. Gramsch

Phone: (FTS) 666-3710 or (516) 282-3710

\$982,000

02-2

Investigations of perfect and imperfect solids, solid and liquid interfaces and their surfaces by newly developed experimental methods using variable energy positron and positronium beams coupled with standard surface analysis tools (Auger Electron Spectroscopy, Low Energy Electron Diffraction, Thermal Desorption Spectroscopy). These tools include two-dimensional angular correlation of annihilation radiation, positronium scattering, positron diffusion lengths, positron work functions, positronium formation with measurement of its emitted energy distribution on surfaces, metal-metal and metal-semiconductor interfaces, ion implanted, strained layer superlattices. Bulk positron lifetime and Doppler broadening measurements are being performed on various systems including high temperature superconductors, and some metallic alloys.

079. STRUCTURAL CHARACTERIZATION OF MATERIALS USING POWDER DIFFRACTION TECHNIQUES

D. E. Cox, K. G. Lynn, A. Moodenbaugh

Phone: (FTS) 666-3818/3870 or (516) 282-3818/3870

\$335,000

02-2

Application of synchrotron X-ray and neutron powder diffraction techniques to structural analysis of materials, including mixed metal oxides, zeolites, and high T_c superconductors. Phase transition studies at high and low temperatures, including magnetic ordering. High pressure studies in diamond-anvil cells by synchrotron energy-dispersive diffraction techniques. Development of instrumentation and software for powder diffraction analysis. Planning and design of a new high resolution neutron powder diffractometer. Preparation and characterization of bulk samples of inorganic materials, especially high- T_c metal oxide superconductors, including T_c measurements. Orientation and cutting of crystals.

BROOKHAVEN NATIONAL LABORATORY (continued)

080. THEORETICAL RESEARCH

J. W. Davenport, P. Bak, V. J. Emery, C. Tang, R. E. Watson,
M. Weinert, K. Wiesenfeld
Phone: (FTS) 666-3789 or (516) 282-3789
\$866,000

02-3

Theory of superconductivity in organic metals and oxides, phase transitions, phenomena in magnetic systems, incommensurate structures, properties of one- and two-dimensional materials by analytical and numerical methods, nonlinear systems, metal surfaces and adsorbed films, surface states, electronic structure of metals and alloy, using density functional theory, X-ray and neutron scattering, photoemission and inverse photoemission.

081. SURFACE PHYSICS RESEARCH

M. Strongin, S. L. Qui, P. D. Johnson, J. Tranquada, M. L. Shek,
Phone: (FTS) 666-3763 or (516) 282-3763
\$907,000

02-5

Synchrotron Radiation as a technique to study the geometrical and electronic properties of surfaces and interfaces. The use of new spectroscopies such as inverse photoemission, and the use of an undulator beam line at the NSLS to enable spin polarized photoemission experiments for studies of the magnetic properties of surfaces. Support has also been given to the development of low-temperature techniques which can be used at the NSLS. The problems presently being studied include: a) electronic properties of overlayers, clean metal surfaces and interfaces; valence band photoemission, inverse photoemission and core level spectroscopy are used as tools in this area, b) studies of the electronic properties above and below the T_c of "High Transition Temperature" superconductors, c) surface metallurgy and surface compounds, d) cooperative effects and phase transitions in adsorbate layers on metal surfaces, e) studies of metals in rare gases and on solid ammonia, f) studies of oxidation and other chemical reactions at low temperatures, and g) studies of surface magnetism.

BROOKHAVEN NATIONAL LABORATORY (continued)

Chemical Structure - 03 -

A. P. Wolf - Phone (FTS) 666-4397 or (516) 282-4397

082. NEUTRON SCATTERING

J. M. Hastings, J. Z. Larese

Phone: (FTS) 666-4377 or (516) 282-4377

\$440,000

03-1

Neutron scattering is used in this program to study the statistical mechanics of phase transitions, the dynamical properties of solids, characteristics and spin configurations of magnetic materials, physical adsorption, martensitic alloys and crystal structures. The strong interaction of neutrons with vibrational, rotational, and diffusive modes in crystals makes inelastic neutron scattering an excellent probe of atomic motion in solids and particularly phonons and hydrogen motion. In magnetic systems one can measure the spatial distribution of magnetization and the behavior of spontaneous fluctuations, both of which are essential to understanding magnetic phase diagrams and their associated first- and second-order transitions. Information gained from magnetic systems can therefore be readily transferred to the study of other systems exhibiting second-order phase transformations, such as simple and multicomponent liquids, alloy systems, and superfluids via universality.

Engineering Chemistry - 03 -

A. N. Goland - Phone (FTS) 666-3819 or (516) 282-3819

K. G. Lynn - Phone (FTS) 666-3501 or (516) 282-3501

083. SYNTHESIS AND STRUCTURES OF NEW CONDUCTING POLYMERS

T. A. Skotheim, Y. Okamoto, C. Yang

Phone: (FTS) 666-4490 or (516) 282-4490

\$398,000

03-2

Development of a fundamental understanding of ionically and electronically conducting polymers for development of tailor made materials. Research consists of the synthesis of new conducting polymers, the exploration of their physical properties, and the structural characterization by X-ray fast-scan Fourier transform-infrared spectroscopy, electron microscopy, magnetic susceptibility, and electrical resistivity measurements. Also included are theoretical studies of the electronic structure and phase transitions of low-dimensional solids and the charge-transfer properties of new conducting polymers. The materials of interest are linear polyethers, polypyrrole, polysilane, etc. This is a collaborative program between Brookhaven National Laboratory and the Polytechnic Institute of New York.

BROOKHAVEN NATIONAL LABORATORY (continued)

High Flux Beam Reactor - 04 -

M. H. Brooks - Phone (FTS) 666-4061 or (516) 282-4061

084. EXPERIMENTAL RESEARCH-HIGH FLUX BEAM REACTOR - OPERATIONS

M. H. Brooks, D. C. Rorer, R. C. Karol, L. Junker, J. Petro, O. Jacobi,
S. Protter, R. Reyer, P. Tichler, J. Destweiler, W. Brynda
Phone: (FTS) 666-4061 or (516) 282-4061

\$10,640,000 04-1

Operation of the High Flux Beam Reactor, including routine operation and maintenance of the reactor, procurement of the fuel, training of operators, operation and maintenance of a liquid hydrogen moderated cold neutron source, and irradiation of samples for activation analysis, isotope production, positron source production, and radiation damage studies. Technical assistance provided for experimental users, especially with regard to radiation shielding and safety review of proposed experiments. Additionally, planning and engineering assistance provided for projects for upgrading the reactor.

BROOKHAVEN NATIONAL LABORATORY (continued)

National Synchrotron Light Source - 04 -

M. Knotek - Phone (FTS) 666-4966 or (516) 282-4966

085. NATIONAL SYNCHROTRON LIGHT SOURCE, OPERATIONS AND DEVELOPMENT

M. Knotek, S. Krinsky, B. Craft, J. Galayda, J. Godel, J. Hastings,
R. Heese, H. Hsieh, R. Klaffky, C. Pellegrini, W. Thomlinson,
G. Vignola, G. Williams

Phone: (FTS) 666-4966 or (516) 282-4966

\$11,940,000

04-1

The objective of this program is to support operations and development of the National Synchrotron Light Source (NSLS). The operations aspect covers operation and maintenance of the two NSLS electron storage rings and the associated injector combination of linear accelerator-booster synchrotron, operation and maintenance of the photon beamlines of the vacuum ultraviolet (VUV) and X-ray storage rings, and the technical support of experimental users. The development of the NSLS encompasses the further improvement of the storage rings to achieve maximum brightness photon sources and the further development of the photon beam lines of the facility by means of new developments in high resolution photon optics, state-of-the-art monochromators, X-ray mirror systems, detectors, and so on. The NSLS storage rings provide extremely bright photon sources, several orders of magnitude more intense in the VUV and X-ray regions than conventional sources. While the original design has been solidly based on well developed principles of accelerator technology, this facility is the first in this country to be designed expressly for use of synchrotron radiation, and the objectives in machine performance are quite different from those of importance in high energy physics applications. An extensive research and development (R&D) program is, therefore, necessary in order to optimize performance characteristics and also to develop new beamline instrumentation which will permit users to take full advantage of the unique research capabilities offered by this facility. This R&D effort also supports the construction of the beam lines and devices funded under Phase II construction project.

IDAHO NATIONAL ENGINEERING LABORATORY
550 2nd Street
Idaho Falls, ID 83401

V. Storhok - Phone (FTS) 583-8135 or (208) 526-8135

Metals Joining Unit

H.B. Smartt - Phone (FTS) 583-8333 or (208) 526-8333

100. MATERIALS SCIENCE WELDING RESEARCH

H. B. Smartt, S. A. Chavez

Phone: (FTS) 583-8333 or (208) 526-8333

\$90,000

01-5

Establishment of quantitative relationships between materials and processes used to weld them. Emphasis on predicting structure and properties of a weldment from process parameters and materials chemistry. Solidification and microstructure/properties correlations utilizing infrared thermography, moire interferometry, optical and electron microscopy, calorimetry, and computer modeling. Technology transfer through American Welding Institute.

UNIVERSITY OF ILLINOIS MRL
104 S. Goodwin Avenue
Urbana, IL 61801

H. K. Birnbaum - Phone (217) 333-1370

Metallurgy and Ceramics - 01 -

H. K. Birnbaum - Phone (217) 333-1370

105. TRANSPORT PROCESSES ON LOCALIZED CORROSION

R. C. Alkire
Phone: (217) 333-3640

\$105,000 01-1

Corrosion of passivating systems. Transport, reaction, and convective diffusion at localized corrosion sites. Initiation at inclusions; corrosion pit growth; corrosion of cracks in static and dynamically loaded systems; corrosion inhibition.

106. DEFECT, DIFFUSION, AND NON-EQUILIBRIUM PROCESSING OF MATERIALS

R. S. Averback
Phone: (217) 333-4302

\$160,000 01-1

Ion beam studies of interfaces and diffusion; Rutherford backscattering studies of ion beam effects in solids; crystalline and amorphous transitions; formal properties of nanophase metals and alloys; radiation damage due to ion beams.

107. CENTER FOR MICROANALYSIS OF MATERIALS

J. A. Eades, C. Loxton, J. Woodhouse
Phone: (217) 333-8396, (217) 333-0386, or (217) 333-3888
\$237,000 01-1

Chemical, physical and structural characterization of materials. Surface and bulk microanalysis. Electron microscopy, X-ray diffraction, Auger spectroscopy, SIMS and other techniques. Collaborative research programs.

UNIVERSITY OF ILLINOIS MRL (continued)

108. MICROANALYSIS OF DEFECTS AND INTERFACES

J. A. Eades
Phone: (217) 333-8396

\$125,000 01-1

Defects, interfaces, segregation are studied by cathodoluminescence and x-ray microanalysis in the transmission electron microscope and by Rutherford backscattering and channeling. Surface convergent-beam diffraction is developed as an analytical technique. An environmental cell for transmission electron microscopy is under construction.

109. GROWTH AND TRANSPORT AT METAL AND SEMICONDUCTOR INTERFACES

G. Ehrlich
Phone: (217) 333-6448

\$140,000 01-1

Atomic processes important in the growth of crystals and thin films are being characterized on the atomic level using field ion microscopic methods. The diffusivity of single metal atoms will be explored on different planes of the same crystal, as well as on different substrates, in order to establish the importance of structure and chemistry in affecting atomic transport and incorporation.

110. RAPID SOLIDIFICATION PROCESSING AND MATERIALS INTERFACES

H. L. Fraser
Phone: (217) 333-1975

\$200,000 01-1

Development of rapid solidification processing of alloys with powder preparation by laser, spin and centrifugal atomization and subsequent consolidation by dynamic compaction techniques. Characterization of microstructure and measurement of properties developed by heat treatments. Understanding structure-property relationships, mechanisms of metastable phase formation and transformations.

UNIVERSITY OF ILLINOIS MRL (continued)

111. CRYSTAL GROWTH AND PHYSICAL PROPERTIES OF SINGLE CRYSTAL
METASTABLE SEMICONDUCTORS

J. E. Greene
Phone: (217) 333-0747

\$210,000 01-1

Mechanisms and kinetics of crystal growth. Metastable single crystal alloys for solar and optical applications. Ion-beam sputtering, molecular-beam epitaxy, laser heating and low-energy ion bombardment methods applied to III-V based compounds and III-IV-V₂ chalcopyrite systems.

112. MICROCHEMISTRY OF SOLIDS

C. A. Wert
Phone: (217) 244-0998

\$75,000 01-1

Development of microanalytic methods for sulfur in coal. Studies of changes in pyrite, pyrrhotite and organic sulfur content during coal treatment and conversion. Internal friction and dielectric loss applications to coal and kerogen structure.

113. PROCESSING AND MICROSTRUCTURE OF COMPLEX CERAMIC SYSTEMS

A. Zangvil
Phone: (217) 333-6829

\$150,000 01-1

Microstructure and microchemistry of SiC with covalent additives, such as AlN, BN and BeO; solid solution formation in SiC based systems; effect of processing variables and additives on polytypism and microchemistry. Interfaces and toughening mechanisms in SiC- and mullite-matrix composites.

114. SOLUTE EFFECTS ON MECHANICAL PROPERTIES OF GRAIN BOUNDARIES

H. K. Birnbaum
Phone: (217) 333-1370

\$170,000 01-2

Hydrogen effects on deformation and fracture; effects of hydrogen on dislocation mobilities; theoretical model of hydrogen embrittlement; interaction of dislocations with grain boundaries; solute effects on the response of grain boundaries to stress.

UNIVERSITY OF ILLINOIS MRL (continued)

115. MICROMECHANICS AND MICROMECHANISMS OF FRACTURE

H. K. Birnbaum, C. J. Alstetter, F. A. Leckie, W. M. Kriven,
D. Socie, J. F. Stubbins, I. Robertson
Phone: (217) 333-1370

\$430,000

01-2

Fracture mechanics and microstructural studies of the fundamental mechanisms of fracture are applied to metals and ceramics. Environmental effects on the fracture of alloys of Fe, Ni, Al, Ti, Al_2O_3 - ZrO_2 , MgO using HVEM. Role of phase transitions in fracture of hydride forming systems and stainless steels. Effects of environment on dislocation behavior and plasticity related fracture. High-temperature corrosion and scaling. Fatigue and fracture under multiaxial loading and the role of microstructural changes. Development of damage and failure criteria for systems undergoing phase transitions and enhanced plasticity.

116. COUNCIL ON MATERIALS SCIENCE

C. P. Flynn
Phone: (217) 244-6297

\$98,000

01-2

Study and analysis of current and proposed basic research programs on materials and assessment of their relevance to problems of energy utilization. Consideration of national facilities needs. Convening of panel studies on selected topics.

UNIVERSITY OF ILLINOIS MRL (continued)

117. MECHANICAL PROPERTIES OF INTERMETALLIC COMPOUNDS

C. Loxton, I. M. Robertson

Phone: (217) 333-0386 or 333-6776

\$115,000

01-2

Studies have been made of dislocation/grain-boundary interactions, hydrogen effects and surface oxidation in Ni₃Al. Grain boundaries can pose barriers to slip, causing extensive dislocation pile-ups at the boundary and considerable local elastic strain in the adjacent grain. Strain relief occurs in Ni-rich B-doped material by a sudden and massive generation of dislocations from a length of the boundary into the second grain; in other compositions and in all tests in H atmospheres, strain relief occurs by intergranular failure. Boron appears to enhance boundary cohesion in Ni-rich Ni₃Al and perhaps to facilitate dislocation generation from boundary sources, but only in the absence of H. Oxidation studies indicate the formation of Al₂O₃ at low partial pressures of oxygen (10⁻⁷ torr); the nature of the phase varies with temperature: phase at 973 K, and an intermediate unstable phase plus an amorphous phase at 773K. At atmospheric pressure the oxide is mixed Al₂O₃ and NiAl₂O₄ plus an outer layer of NiO.

118. STRUCTURES AND PROPERTIES OF SILICATE GLASSES AND SILICIDE THIN FILMS

H. Chen

Phone: (217) 333-7636

\$60,000

01-3

Investigation of the kinetics and mechanisms of thermally induced structural transformation in amorphous silicate glasses and crystalline silicide thin films. Emphasis is placed on the devitrification behavior and silicide layer growth kinetics and interface characterization using X-ray diffraction techniques in an in-situ manner.

119. MOLECULAR BUILDING-BLOCK APPROACHES TO CERAMIC MATERIALS

W. F. Klemperer

Phone: (217) 333-2995

\$95,000

01-3

Low-temperature synthesis of oxide gels and glasses using a step-wise approach. Polynuclear molecular building-blocks are first assembled and then polymerized into solid materials using sol-gel methods. Silicate cage, ring, and chain alkoxides and their polymerization reactions are studied using multinuclear NMR spectroscopic and gas chromatographic techniques.

UNIVERSITY OF ILLINOIS MRL (continued)

120. SYNTHESIS AND PROPERTIES OF DIELECTRIC SOLIDS

D. A. Payne
Phone: (217) 333-2937

\$155,000 01-3

Synthesis, powder preparation, crystal growth, forming methods, materials characterization and property measurements on electrical and structural ceramics. Sol-gel processing of thermal barriers and mechanical coatings. Chemical, electrical and mechanical boundary conditions in polarizable deformable solids, twin and domain structures, ferroelasticity and crack propagation. Amorphous ferroelectrics.

121. MICROWAVE STUDIES OF TUNNELING STATES IN DISORDERED MATERIALS

H. J. Stapleton
Phone: (217) 333-0037

\$50,000 01-3

Effects of tunneling states and disorder in amorphous semiconductors, fast ionic conductors, glasses, and crystals using electron spin relaxation, electron spin resonance, electron-nuclear double resonance, and microwave susceptibility in the 0.25-25 K temperature range.

122. PROCESSING OF MONODISPERSE CERAMIC POWDERS

C. Zukoski
Phone: (217)-333-7379

\$105,000 01-3

Low temperature processing of ceramics including precipitation of monodisperse oxide powders, rheology of monodisperse powders and mixtures, and studies of forces in colloidal suspensions, for the purpose of forming low flaw density, high performance ceramics.

UNIVERSITY OF ILLINOIS MRL (continued)

123. RADIATION DAMAGE IN METALS AND SEMICONDUCTORS

I. M. Robertson
Phone: (217) 333-6776

\$94,000 01-4

Investigations of vacancy dislocation loop formation and displacement cascades in Fe, Ni, Cu with irradiations and high voltage electron microscopy (at ANL) at 10K to 800K; and of amorphous zones produced in Si, GaAs and GaP by heavy ion irradiation.

Solid State Physics - 02 -

H. Zabel - Phone (217) 333-2514

124. LOW-TEMPERATURE STUDIES OF DEFECTS IN SOLIDS

A. C. Anderson
Phone: (217) 333-2866

\$120,000 02-2

Experimental studies of glassy metals, of fast ion conductors, of polymers, composites and ceramics, and of irradiated or deformed ionic and other crystals, influence of defects and disorder on macroscopic properties including specific heat, magnetic susceptibility, thermal and electrical transport, thermal expansion, and ultrasonic and dielectric dispersion at 0.02-200K.

125. ELECTRONIC PROPERTIES OF SEMICONDUCTOR SURFACES AND INTERFACES

T.-C. Chiang
Phone: (217) 333-2593

\$150,000 02-2

Synchrotron radiation photoemission studies of electronic properties and growth behaviors of semiconductor surfaces and interfaces prepared in-situ by molecular beam epitaxy; properties and atomic structure of alloy surfaces.

UNIVERSITY OF ILLINOIS MRL (continued)

126. INVESTIGATIONS OF CRYSTAL GROWTH BY MOLECULAR BEAM EPITAXY

H. Morkoc

Phone: (217) 333-0722

\$370,000

02-2

Establishment and operation of a facility for molecular beam epitaxial growth of materials including ceramics, metals and semiconductor single crystals, heterojunction assemblies and superlattices, and for the in situ investigation of epitaxial behavior.

127. PROPERTIES OF CRYSTALLINE AND LIQUID CONDENSED GASES

R. O. Simmons, V. R. Pandharipande

Phone: (217) 333-4170 or (217) 333-8079

\$220,000

02-2

Measurement and theory of momentum density in bcc, hcp, and liquid helium, pulsed neutron scattering, phase transitions and structure determination in solid hydrogen by neutron diffraction, isotopic phase separation in solid helium, thermal and isotopic defects in helium crystals, quantum effects in diffusion.

128. NUCLEAR MAGNETIC RESONANCE IN SOLIDS

C. P. Slichter

Phone: (217) 333-3834

\$200,000

02-2

Investigations of layered materials and one dimensional conductors with charge density waves, of Group VIII metal-alumina catalysts, and of spin glasses using nuclear magnetic resonance methods.

UNIVERSITY OF ILLINOIS MRL (continued)

129. STRUCTURE AND DYNAMICS OF SURFACES, INTERFACES AND HETEROSTRUCTURES

H. Zabel
Phone: (217) 333-2514

\$150,000 02-2

X-ray and neutron scattering investigations of structural, thermal and vibrational properties of alkali metal graphite-intercalation compounds, staging, dislocations, point defects, phonon dispersion, order-disorder transformations, and diffusion. Microstructural properties of metal and semiconductor MBE grown superlattices.

130. PRESSURE TUNING SPECTROSCOPY

H. G. Drickamer
Phone: (217) 333-0025

\$200,000 03-1

Studies of the pressure tuning of electronic energy levels with emphasis on optical absorption measurements including absorption edges, metal cluster compounds and charge transfer phenomena, as well as semiconductor-metal interfaces.

131. EXCITON COLLECTION FROM ANTENNA SYSTEMS INTO ACCESSIBLE TRAPS

L. R. Faulkner
Phone: (217) 333-8306

\$124,000 03-1

Exciton propagation from absorbing chromophores in polymer films to trapping sites on film surfaces at monolayer coverage. Controlled molecular assemblies of three dimensional reaction systems.

UNIVERSITY OF ILLINOIS MRL (continued)

132. SURFACE STUDIES OF BOUNDARY LAYER FILMS

A. J. Gellman

Phone: (217) 244-5810

\$ 50,000

03-01

The long term goal of this program is the understanding of the mechanical properties of interfaces. We will investigate the role of surface structure, and the role of adsorbed species in determining both the adhesive and frictional properties of interfaces between pairs of surfaces. Initial measurements will be made on a macroscopic scale (gram level forces) between pairs of surfaces that have been prepared under vacuum conditions. These will include perfectly clean metal surfaces of varying structure brought together in well defined relative orientations. A second class of interfaces will be formed from surfaces covered with monolayer amounts of adsorbed species. The intention is to study the adsorbate characteristics important in determining mechanical properties, in particular the role of the mode of adsorption. In the first system to be studied we will discriminate between the properties of carboxylic acids adsorbed molecularly or as carboxylate anions.

LAWRENCE BERKELEY LABORATORY
1 Cyclotron Road
Berkeley, CA 94720

G. Rosenblatt - Phone (FTS) 451-6606 or (415) 486-6606

Materials and Chemical Sciences Division

Norman E. Phillips - Phone (FTS) 451-6063 or (415) 486-6063

Metallurgy and Ceramics - 01 -

140. STRUCTURE AND PROPERTIES OF TRANSFORMATION INTERFACES

R. Gronsky

Phone: (FTS) 451-5674 or (415) 486-5674

\$176,000

01-1

Transformation interfaces: homophase boundaries, heterophase boundaries, "free" surfaces at which solid-state reactions are either initiated or propagated. Atomic configurations of such interfaces and the relationship between structure and relevant interfacial properties. Transmission electron microscopy, including energy-dispersive X-ray and electron-energy-loss spectroscopies. Correlation with theoretical predictions of interfacial phenomena.

141. MICROSTRUCTURE, PROPERTIES, ALLOY DESIGN: INORGANIC MATERIALS

G. Thomas

Phone: (FTS) 451-5656 or (415) 486-5656

\$502,000

01-1

Fundamental electron microscopic studies of structure-composition-processing-property relationships in metallic, ceramic, magnetic materials. Specific tasks: a) ferrite-martensite steels for rod and wire: microstructure and processing, solute partitioning, fatigue (with Prof. R. Ritchie); b) martensitic steels: relation to wear, microalloying; c) electronic magnetic materials: recording media, heads, thin films, and rare-earth permanent magnet alloys.

LAWRENCE BERKELEY LABORATORY (continued)

142. SOLID-STATE PHASE TRANSFORMATION MECHANISMS

K. H. Westmacott
 Phone: (FTS) 451-5663 or (415) 486-5663
 \$176,000 01-1

Factors that govern phase stability in order to facilitate first-principle alloy design. Advanced electron-optical techniques, especially high-voltage and high-resolution electron microscopy. The relationship between lattice defects and precipitate phase growth. Crystallographic theory of precipitation with a parallel experimental program.

143. NATIONAL CENTER FOR ELECTRON MICROSCOPY

G. Thomas
 Phone: (FTS) 451-5656 or (415) 486-5656
 R. Gronsky
 Phone: (FTS) 451-5674 or (415) 486-5674
 K. H. Westmacott
 Phone: (FTS) 451-5663 or (415) 486-5663
 \$1,445,000 01-1

Organization and operation of a national, user-oriented resource for transmission electron microscopy. Maintenance, development, and application of specialized instrumentation including an Atomic Resolution Microscope 1.5A point-to-point (ARM) for ultrahigh-resolution imaging a 1.5-MeV High Voltage Electron Microscope (HVEM) with capabilities for dynamic in-situ observations, analytical electron microscopes for microchemical analysis, and support facilities for specimen preparation, image analysis, image simulation, and instrument development.

144. IN-SITU INVESTIGATIONS OF GAS-SOLID REACTIONS BY ELECTRON MICROSCOPY

J. W. Evans
 Phone: (415) 642-3807
 \$65,000 01-1

Microstructural aspects of reactions between gases and solids. Principal experimental tools are the high-voltage transmission electron microscopy. Environmental cells permit reactions between gases and solids (including oxidation of semiconductor materials) to be observed at full magnification.

LAWRENCE BERKELEY LABORATORY (continued)

145. LOCAL ATOMIC CONFIGURATIONS IN SOLID SOLUTIONS

D. de Fontaine
Phone: (415) 642-8177

\$126,000 01-1

Calculations of long-period superstructures in two dimensions using the ANNNI (axial next-nearest-neighbor Ising) model. Experimental elucidation of atomic rearrangements in periodic antiphase structures in Cu₃Pd and Ag₃Mg using atomic resolution and high-voltage electron microscopy.

146. ALLOY THEORY

D. de Fontaine, L. M. Falicov
Phone: (415) 642-8177

\$190,000 01-1

The object of this program is to obtain theoretically the temperature-composition phase diagrams of alloys. The approach must combine three different problems into one: (1) accurate band structure calculations; (2) reasonable inclusion of alloy many-body effects; and (3) statistical thermodynamics. Every one of these aspects requires sophisticated theoretical concepts, intensive numerical manipulation, and deep physical insight. Various approximations and computational methods will be tested for each step, and computer codes developed and integrated into a whole, self-consistent algorithm. Important decisions concerning method, input information and desired accuracy must be made all stages. Comparison with experimental data will serve as a guide.

LAWRENCE BERKELEY LABORATORY (continued)

147. ENVIRONMENTALLY AFFECTED CRACK GROWTH IN ENGINEERING MATERIALS

R. O. Ritchie

Phone: (FTS) 451-5798 or (415) 486-5798

\$255,000

01-2

To examine, from both macroscopic and microscopic perspectives, the mechanics and micro-mechanisms of the sub-critical and critical growth of cracks in engineering materials. Current emphasis is devoted i) to the statistical modelling of crack initiation and crack growth toughness; ii) to defining the role of crack tip shielding in influencing crack initiation and growth in transforming metals and ceramics and brittle composites under monotonic and cyclic conditions, iii) to examining crack propagation and shielding behavior of long and small flaws in dual-phase and cryogenic alloys, and iv) to identifying mechanisms of sub-critical crack growth at ceramic-metal interfaces. The aim of the work is to develop a mechanistic understanding of fracture processes in order to provide guidelines for improved life prediction and the alloy design of superior fracture-critical materials.

148. HIGH-TEMPERATURE REACTIONS

A. W. Searcy

Phone: (FTS) 451-5900 or (415) 486-5900

\$272,000

01-3

Sintering studies with crystalline and glassy oxides using TEM, BET, and weight-loss measurements. Surface thermodynamic theory and theory of time-independent distributions of matter in temperature gradients and application of these theories to sintering and grain growth. Experimental and theoretical studies of solid state reactions.

149. STRUCTURE-PROPERTY RELATIONSHIPS IN SEMICONDUCTOR MATERIALS

J. Washburn

Phone: (FTS) 451-6254 or (415) 486-6254

\$272,000

01-3

Semiconductor/metal and semiconductor/insulator interfaces with particular emphasis on ohmic and rectifying contacts to GaAs and other 3-5 compounds. Identification of interface phase formation. Study of factors affecting lateral uniformity and correlation with electrical behavior. High resolution transmission electron microscopy and microanalytical techniques are combined with complementary observations on the same specimens such as electron paramagnetic resonance, secondary ion mass spectroscopy, X-ray diffraction and optical or electrical measurements.

LAWRENCE BERKELEY LABORATORY (continued)

150. CHEMICAL PROPERTIES AND PROCESSING OF ADVANCED STRUCTURAL CERAMICS

L. C. De Jonghe

Phone: (FTS) 451-6138 or (415) 486-6138

\$462,000

01-3

Fundamentals of densification of homogeneous and heterogeneous powder compacts. Simultaneous study of creep and densification using loading dilatometry. Surface chemistry characterization and manipulation, and densification of silicon carbide and silicon nitride powders. Polymer/powder methods. Densification of particulate composites. Sol-gel powders. Use of electron microscope methods, photo-electron spectroscopy, Auger analysis, infrared spectroscopy.

151. STRUCTURE AND ELECTRICAL PROPERTIES OF COMPOSITE MATERIALS

R. H. Bragg

Phone: (415) 642-7393

\$75,000

01-3

Kinetics and mechanism of graphitization, i.e., the ordering of carbonaceous precursors when heated in inert atmospheres above 2000°C. Characterization is by wide range X-ray and neutron diffraction, small angle scattering and transmission electron microscopy. Measurements of electronic properties and magnetic susceptibility down to 1.4 K in fields to 6T. Emphasis on the role of carbon interstitials grafted covalently on graphite layer planes.

152. CERAMIC INTERFACES

A. M. Glaeser

Phone: (415) 642-3821

\$140,000

01-3

Development of model experiments that facilitate investigation of fundamental aspects of microstructural development, and their application of model ceramic systems. Current efforts are directed at: the development of controlled geometry pore arrays at grain boundaries in sapphire/alumina for studies of pore coarsening, morphological stability and surface energy anisotropy, the identification of pore-boundary separation conditions in alumina from controlled-pore-structure sapphire-seeded abnormal grain growth studies, the characterization of particle substructure in chemically synthesized titania, and investigation of particle substructure effects on coarsening and sintering behavior of compacts consisting of monosized powders.

LAWRENCE BERKELEY LABORATORY (continued)

Solid State Physics - 02 -

153. FAR-INFRARED SPECTROSCOPY

P. L. Richards
Phone: (415) 642-3027

\$194,000 02-2

Improved infrared detectors, mixers, and spectrometers are developed and used in experiments in important areas of fundamental and applied physics. Technological developments include a liquid-helium-cooled grating spectrometer for emission spectroscopy, ultrasensitive photoconductive detectors for the 50-200 μm wavelength range, improved fabrication techniques for bolometric detectors, development of a microcalorimeter for two-dimensional systems and production of tunable picosecond far-infrared pulses by difference frequency generation. Experiments include measurements of the infrared spectra of molecules adsorbed on metal surfaces, and of one-dimensional charge-density wave conductors, measurements of the heat capacity of adsorbed monolayers, measurements of the infrared photoconductivity of impurities in semiconductors, and a test of the Planck theory of thermal radiation with unprecedented accuracy.

154. EXPERIMENTAL SOLID-STATE PHYSICS AND QUANTUM ELECTRONICS

Y. R. Shen
Phone: (415) 642-4856

\$234,000 02-2

Development of linear and nonlinear optical methods for material studies and applications of these methods to probe properties of gases, liquids, and solids. Theoretical and experimental investigation of various aspects of laser interaction with matter are pursued. New nonlinear optical techniques are applied to the studies of isotope separation, photochemistry, molecular clusters, phase transitions, surfaces and interfaces.

LAWRENCE BERKELEY LABORATORY (continued)

155. EXCITATIONS IN SOLIDS

C. D. Jeffries
Phone: (415) 642-3382

\$156,000 02-2

One area of study is nonlinear dynamics and instabilities in solid state systems. The objectives are detailed experimental studies of driven plasma instabilities in semiconductors and spin wave instabilities in magnetic materials. These display period-doubling bifurcation, quasi-periodic behavior, and onset of aperiodic noise-like behavior, controlled by a fractal attractor. The observed behavior is compared to various theoretical models. Another area of study is high temperature superconductivity using microwave methods to probe magnetic properties, dynamics of the metastable states, and vortex line instabilities. The project is a basic science effort with results bearing directly on the technology of plasmas, solid state devices, superconductivity, and magnetic materials.

156. TIME-RESOLVED SPECTROSCOPIES IN SOLIDS

P. Y. Yu
Phone: (415) 642-8087

\$110,000 02-2

The main objective of this project is to utilize picosecond and subpicosecond laser sources to study the ultrafast relaxation processes that occur in semiconductors. The processes under investigation include electron-phonon interactions, phonon-phonon interactions, and electron-electron interactions. The experiments involve exciting dense electron-hole plasmas in semiconductors such as GaAs and monitoring the time evolution of the electron and phonon distribution functions by Raman scattering and photoluminescence. Another area of investigation involves the study of optical properties of semiconductor superlattices, quantum wells and solids under high pressure.

LAWRENCE BERKELEY LABORATORY (continued)

157. SUPERCONDUCTIVITY, SUPERCONDUCTING DEVICES, AND 1/F NOISE

J. Clarke
 Phone: (415) 642-3069

\$234,000

02-2

DC Superconducting Quantum Interference Devices (SQUIDs) developed and used in a wide variety of applications, including geophysical measurements, noise thermometry in the milliKelvin temperature range, and the measurement of electrical noise. An ultralow-noise SQUID amplifier operating at frequencies of up to 200 MHz used to improve the sensitivity of nuclear magnetic resonance and nuclear quadrupole resonance measurements. SQUIDs operating at temperatures down to 20 mK used to study their ultimate noise limitations for such applications as transducers for gravity-wave antennas. Novel experiments to investigate macroscopic quantum tunneling and microwave-induced transitions between quantum states in Josephson tunnel junctions at milliKelvin temperatures. A detailed study of the excess noise induced in metal films by electron bombardment in an electron microscope.

Materials Chemistry - 03 -

158. QUANTUM THEORY OF MATERIALS

M. L. Cohen, L. M. Falicov, S. G. Louie
 Phone: (415) 642-4753

\$236,000

02-3

Research to further basic understanding of the physical properties of materials and materials systems such as surfaces and interfaces. Emphasis on carrying out quantum-mechanical calculations on realistic systems so that a microscopic understanding may be obtained from first principles. Studies include bulk materials, surface and chemisorbed systems, interfaces, and defects in solids and clusters. Comparisons with experiment showing that the calculations are accurate and of predictive power. Bulk materials research focused on: electronic, magnetic, structural, and vibrational properties; crystal-structure determination; solid-solid phase transformations at high pressure; and defect properties. Surface and interface research focused on atomic, electronic, and magnetic structures.

LAWRENCE BERKELEY LABORATORY (continued)

159. LOW-TEMPERATURE PROPERTIES OF MATERIALS

N. E. Phillips

Phone: (FTS) 451-6063, (415) 486-6063, or (415) 642-4855

\$150,000

03-1

Measurements of the low-temperature properties of materials, particularly specific heats, to contribute to the understanding of their behavior. Related work on the temperature scale in the region below 1K where the scale is not well established. Specific heat measurements between 5mK and 100K, at pressures to 20kbar and fields to 9T. Current emphasis is on heavy-fermion compounds, especially heavy-fermion superconductors, and high critical temperature superconductors.

160. ADVANCED CONCEPTS FOR THE PROTECTION OF METALS AND SEMICONDUCTORS

R. H. Muller, J. D. Porter, G. M. Rosenblatt, P. N. Ross,
C. W. Tobias

Phone: (FTS) 451-6079 or (415) 486-6079

\$205,000

03-2

Basic research aimed at elucidating the role of inhibitors and surface films in the protection of metals and semiconductors from corrosion in aggressive environments. Studies to connect detailed processes of adsorption of inhibitor molecules (or ions) and formation of surface films with kinetics of dissolution, rate of evolution of pits, and rate of crack initiation and propagation. Different photon sources used to probe in-situ structure of the interface via excitation of molecular vibrations (infrared reflectance, Raman scattering), plasmon excitation (second harmonic generation), and elastic scattering (surface X-ray diffraction). Scanning tunneling microscopy used in-situ to study crack (and pit) initiation and the morphological breakdown of surface films.

LAWRENCE BERKELEY LABORATORY (continued)

161. HIGH-TEMPERATURE THERMODYNAMICS

L. Brewer

Phone: (FTS) 451-5946 or (415) 486-5946

\$131,000

03-3

Models to predict the behavior of gases, refractory containment materials, and many metallic systems are being developed and expanded. A thermodynamic data compilation for all elements from H to Lr and their oxides in solid, liquid, and gaseous states from 298 to 3000 K is being completed. The main thrust of the experimental program is to provide quantitative predictive models for the strongly interacting alloys exhibiting generalized Lewis Acid-Base behavior. High-temperature solid-electrolyte EMF measurements, vapor pressure measurements, and equilibration with carbides, nitrides, and oxides are being used to characterize the thermodynamics of these systems.

162. CHEMISTRY AND MATERIALS PROBLEMS IN ENERGY PRODUCTION TECHNOLOGIES

D. R. Olander

Phone: (415) 642-7055

\$224,000

03-3

To characterize the chemical and physical behavior of materials in the high temperature, radiation environment of fission and fusion reactors. The materials of the uranium-based fuels and the zirconium-based cladding materials of light-water nuclear reactors of principal interest. The processes and properties studied include rapid transient vaporization of fuel materials by laser pulsing, high temperature corrosion of zirconium by steam, and the release of volatile fission products from irradiated UO₂. Molecular beam studies of the chemical kinetics of gas-solid reactions, including hydrogen atom reactions with silicon and its compounds and the etching of metals by halogens.

LAWRENCE BERKELEY LABORATORY (continued)

163. SOLID-STATE AND SURFACE REACTIONS

G. A. Somorjai
Phone: (415) 642-4053

\$308,000 03-3

Studies of catalyzed surface reactions and investigations of the atomic structure of solid surfaces and adsorbed monolayers. The kinetics and mechanisms of catalytic surface reactions studied using well-characterized crystal surfaces at low and high pressures by using a combination of surface science techniques. Focus on platinum, rhodium, iron and its compounds, rhenium, molybdenum, alkali metals and bimetallic alloys. The adsorbates and reactants are mostly hydrocarbons, oxygen, hydrogen and water. Investigation directed toward an atomic scale understanding of the structure and catalytic behavior of metal surfaces, and at developing new catalysts which substitute for precious metals and exhibit high rates and selectivity.

164. NUCLEAR MAGNETIC RESONANCE

A. Pines
Phone: (FTS) 451-6097 or (415) 486-6097

\$617,000 03-3

Research on methods in magnetic resonance spectroscopy and study of molecular behavior in condensed phases. Novel techniques developed include multiple quantum spectroscopy, high resolution solid-state NMR, magic angle spinning, zero field NMR, pulsed laser nuclear double resonance for enhanced NMR surfaces, and non-invasive materials imaging. Theoretical topics include iterative mapping, quantum adiabatic phases and 2d NMR studies of molecular dynamics. These methods applied to determination of molecular structure and dynamics, including atomic clustering in condensed matter, in systems such as ferroelectrics, liquid crystals, polymers, organic crystals, zeolites, and surfaces. New methods of detection developed to increase the sensitivity of detection, in particular rapidly switched superconducting fields and Josephson junction devices such as SQUIDS.

LAWRENCE BERKELEY LABORATORY (continued)

165. SYNTHESIS OF NOVEL SOLIDS

A. M. Stacy
Phone: (415) 642-3450

\$44,000 03-3

Research on new synthetic procedures for the preparation of advanced materials with novel properties. Initial studies focused on transition-metal chalcogenides, since these materials have a variety of interesting electronic properties and uses in energy applications. To overcome the limitations of high-temperature synthetic techniques, procedures involving the modification of various reactants at room temperature are being developed. Such synthetic studies will lead to numerous new classes of materials with novel optical, magnetic, electronic, and surface properties.

Accelerator and Fusion Research Division

K. Berkner - Phone (FTS) 451-5501 or (415) 486-5501

166. R&D FOR ADVANCED PHOTON SYSTEMS

M. R. Howells, D. T. Attwood
Phone: (FTS) 451-4949

\$880,000 02-2

The synchrotron radiation community is now on the threshold of developing a new generation of X-ray facilities that will produce radiation which is extremely bright, powerful, and in some cases partially coherent. In the past, this program has addressed design studies of next-generation undulators and the design and fabrication of high-thermal-loading beamline hardware. Current activities focus on the design, fabrication, commissioning, and operations support of beamlines and beamline components at SSRL and NSLS.

LAWRENCE BERKELEY LABORATORY (continued)

167. CENTER FOR X-RAY OPTICS

D. Attwood

Phone: (FTS) 451-4463 or (415) 486-4463

\$1,162,000

02-2

The Center for X-Ray Optics focuses on the development of technologies required for the utilization of emerging sources of XUV radiation in applications to science and industry. The Center has organized laboratories and collaborations that have led to the development and broad utilization of new technologies for the production, efficient transport, focusing, dispersion and detection of radiation with photon energies extending from several eV to many keV. Studies have included the development of coherent XUV radiation sources based on modern electron storage rings and the use of permanent-magnet periodic structures. The activities of the Center have the common goal of extending the use of XUV radiation for basic and applied research.

168. 1-2 GeV SYNCHROTRON LIGHT SOURCE R&D

J. N. Marx

Phone: (FTS) 451-5244 or (415) 486-5244

\$1,498,000

03-4

The 1-2 GeV Synchrotron Light Source will be next-generation source in which high spectral brightness is achieved by a combination of long magnetic insertion devices (wiggler and undulators) driven by a low-emittance electron beam in the storage ring. R&D activities include accelerator physics studies of effects of multiple insertion devices, conceptual studies of feedback control of instabilities, and general consultation related to the basic concepts underlying the injector and storage ring, and development of engineering models of critical components for the injector, storage ring, and beamlines.

LAWRENCE BERKELEY LABORATORY (continued)

Center for Advanced Materials

R. O. Ritchie - Phone (FTS) 451-5798 or (415) 486-5798

169. CERAMIC AND METAL INTERFACES PROGRAM

R. M. Cannon, R. M. Fisher
Phone: (415) 642-9338

\$54,000 01-1

The broad purposes are to develop a combined mechanical and microstructural theory of interface adhesion, and to apply it to provide means of improving representative technological systems that rely on interfaces between dissimilar materials. Specific objectives are to model the energy for fracture at or near ceramic-metal interfaces, and to develop and apply experimental techniques to determine these energies. Delamination of thin films and stress development within and mechanical degradation of oxide coatings are also being studied within this context, including assessing the effects of novel compositions and improved deposition methods. Advanced characterization techniques assist in relating preparation conditions, composition and post-preparation processing with both interfacial microstructure and bond strength parameters.

170. CAM STRUCTURAL MATERIALS PROGRAM: PROBLEMS IN ALLOY DESIGN

J. W. Morris, Jr.
Phone: (415) 486-6482 or (FTS) 451-6482
\$561,000

01-1

Multifaceted program of metallurgical research that is concerned with the science of alloy design. Current research includes work on the following material types: (1) carbon steels with exceptional formability; (2) fatigue-resistant Pb-Sn solder contacts; (3) high field superconducting wire. Each of these alloy design efforts is supported by theoretical and experimental research on the relevant structure-property and structure-processing relations.

171. CAM STRUCTURAL MATERIALS PROGRAM: LIGHT ALLOYS

J. W. Morris, Jr., T. Devine, R. O. Ritchie, G. Thomas
Phone: (FTS) 451-6482 or (415) 486-6482
\$284,000

01-1

Multi-investigator program concerned with the properties and development of advanced Al-Li alloys. Tasks include theory, characterization, mechanical properties, chemical properties and alloy design. Alloy design objectives include alloys for cryogenic use, formable alloys, and ultralight alloys.

LAWRENCE BERKELEY LABORATORY (continued)

172. CAM ELECTRONIC MATERIALS PROGRAM

Eugene Haller

Phone: (FTS) 451-5294 or (415) 486-5294
\$863,000

01-3

Basic theoretical and experimental research to: gain understanding and control of the parameters that affect the quality of large-diameter III-V compound semiconductor single crystals and interfaces. Develop and implement novel and advanced characterization techniques. Further the understanding of the large variety of defects and defect interactions on an atomic scale. Effort in bulk crystal growth includes growth of large diameter, low dislocation density GaAs crystals in horizontal and vertical configurations using electro dynamic gradient type of Bridgman furnace. Characterization effort includes atomic resolution microscopy of GaAs lattice, synchrotron radiation studies of dislocations, stacking faults, and precipitates in GaAs wafers, electron paramagnetic resonance spectroscopy to record antisite spectra in neutron-irradiated and pure, semi-insulating material.

173. CAM INSTRUMENTATION FOR SURFACE SCIENCE PROGRAM

J. Clarke

Phone: (415) 642-3069

\$472,000

02-5

Development of scanning tunneling microscope for study of surface reconstruction, location of absorbed atoms and molecules, the structure of as-grown semiconductors, and the effects of laser annealing. Development of theoretical techniques for interpretation of scanning tunneling microscope results and determination of surface structures. Linear and nonlinear optical studies of organic and polymeric materials on metal, metal-oxide, and organic surfaces using surface plasmon, total reflection, second- and third-harmonic generation, sum- and difference-frequency generation and coherent antiStokes Ramon spectroscopy techniques. Development of a system for the study of far-infrared absorption by atomic and molecular adsorbates deposited on substrates attached to doped Ge thermometers and mounted in a vacuum can at liquid-helium temperatures.

LAWRENCE BERKELEY LABORATORY (continued)

174. CAM POLYMERS AND POLYMER COMPOSITES PROGRAM

M. M. Denn
Phone: (415) 642-0176

\$566,000

03-2

Development of scientific basis for prediction and control of microstructure in processing high-performance polymeric materials. Goal is microstructure control and production of shaped objects with sufficient strength, thermal stability, and chemical resistance to allow their use as lightweight structural elements in a variety of environments. Focus on liquid-crystal anisotropic materials, including polymers, and short-fiber polymer composites and on coprocessing, structure control through polymer-solvent-nonsolvent interaction, and molecular-weight distribution control through polymerization reaction engineering. Techniques include liquid and solid-state NMR, dynamic light scattering X-ray diffraction, rheological characterization, a new laser-speckle method, microscopy, classical lubrication theory, statistical mechanics and the development of new finite-element methods.

175. CAM SURFACE SCIENCE AND CATALYSIS PROGRAM

G. A. Somorjai
Phone: (415) 642-4053

\$792,000

03-3

Synthesis, characterization, and evaluation of surface materials: catalysts, coatings interface compounds and bio-compatible surfaces. Emphases are on microporous solids, metal-oxide interfaces, plasma deposited layers and anchored organometallic molecules to polymer surfaces in the liquid phase. Techniques and instrumentation developments include solid state NMR, scanning tunnel microscopy, electron and laser spectroscopies. The materials under investigation include transition metal carbides, nitrides, alumina silicates, bimetallic (Re-Rt, Su-Pd) systems, oxide-metal (TiO_2 -M, Al_2O_3 -M, SiO_2 -M) interfaces and oxide-oxide interfaces (MoO_x - Al_2O_3 , V_2O_x - SiO_2). Discovery of new, lower cost catalysts with increased selectivity and resistance to degradation in industrial conditions.

LAWRENCE LIVERMORE NATIONAL LABORATORY
P. O. Box 808
Livermore, CA 94550

T. Sugihara - Phone (FTS) 543-8351 or (415) 423-8351

190. ADVANCED ALLOY PROCESSING: STRUCTURE, PHASE RELATIONS AND PHASE TRANSFORMATIONS

L. Tanner
Phone: (415) 423-2653

\$245,000 01-1

Preparation of rapidly quenched alloys by arc-hammer splat, ribbon-spinning and electron beam surface melting to form stable and metastable crystalline phases. Solid state thermal and mechanical treatment of metals and alloys to form metallic glasses. Characterization of microstructures by optical and electron microscopy, high-resolution TEM. Correlation of results with current thermodynamic and kinetic models for solidification and solid state amorphization.

191. METASTABLE ALLOY SURFACES PRODUCED BY DIRECTED ENERGY LASERS, ELECTRON AND ION BEAMS

E. N. Kaufmann, J. S. Huang
Phone: (415) 423-2640

\$180,000 01-1

Investigations of microstructures produced in alloy layers created by rapid heating and cooling via electron- or laser-beams and by atomic mixing via ion-beams. Studies of the dependence of crystalline phase and glass formation as a function of binary phase relationships, epitaxial relationships, and resolidification velocity. Studies of the morphology of layers formed from film-on-substrate and bulk alloy starting geometries. Comparisons of laser- and electron-beam processing modes. Analysis using electron microscopy, optical microscopy, X-ray diffraction, Auger and ion-beam spectroscopies, as well as computer simulation of the processes.

LAWRENCE LIVERMORE NATIONAL LABORATORY (continued)

192. OPTICAL MATERIALS RESEARCH

L. L. Chase, S. Payne, W. Siekhaus, N. Winter
Phone: (415) 422-6151

\$737,000

02-2

New optical materials suitable for active laser media or transmitting optics in high-power laser systems are prepared and characterized. Properties measured include absorption and emission spectra and cross-sections, lifetimes, nonlinear refractive index, and nonlinear absorption. Ab initio theoretical calculations of energy levels and optical properties of ion-host systems are performed. Physical and chemical mechanisms for optical surface damage are investigated using spatially and temporally resolved photoemission of electrons and ions, time-of-flight mass spectroscopy, surface chemical analysis, and optical emission from laser-excited surfaces.

LOS ALAMOS NATIONAL LABORATORY
P. O. Box 1663
Los Alamos, NM 87545

F.A. Morse - Phone (FTS) 843-1600 or (505) 667-1600

Metallurgy and Ceramics

D. M. Parkin - Phone (FTS) 843-8455 or (505) 667-8455

200. IRRADIATION-INDUCED METASTABLE STRUCTURES IN METALS AND CERAMICS

F. W. Clinard, Jr., R. J. Livak, D. M. Parkin
Phone: (505) 667-5102

\$307,000

01-4

Metastable and topologically-disoriented structures produced in metals, ceramics, and oxide superconductors by nuclear (neutron, fission fragment, and alpha-recoil) and charged particle irradiation. Thorium silicate, UFe, NiTi, and Cu-O based superconductors. Effect of irradiation temperature, damage rate, particle mass, and energy. Common effects and intrinsic differences in damage response and recovery mechanisms for these materials. Role of starting composition, crystal structure, and a degree of ionicity. Evolution of the amorphous state, localized and global disorder, and crystallization. Modeling of damage microstructures and their dependence on damage rate and temperature. Implications for the effect of non-irradiation-induced defects on physical properties. Characterization by X-ray and electron diffraction, electron microscopy, EXAFS, dilatometry, calorimetry, and resistivity. Superconducting transition temperature, critical current, critical field, and Meissner effect.

LOS ALAMOS NATIONAL LABORATORY (continued)

201. MECHANICAL PROPERTIES

M. G. Stout, U. F. Kocks, R. B. Schwarz
Phone: (505) 667-4665

\$827,000

01-5

Response of metals to multiaxial loading and large strains, yield surfaces, multiaxial stress-strain relationships, stress path changes, Bauschinger effects. Characteristics of and mechanisms controlling the large strain deformation of aluminum, nickel, copper, brass, substructural and textural evolution with strain, strain state, and strain rate. Predictions of texture evolution using crystal plasticity and strain-rate sensitivity. Kinetics of plastic flow at room and elevated temperatures. Response of metals to high strain rates, Hopkinson split-pressure bar experiments dislocation dynamics, threshold stress at 0 K, viscous drag. Dynamics of microstructural evolution, Frenkel-Kontorova model of dislocation cores. Self-consistent model of phonon radiation field of moving dislocations. Model includes edge dislocations, screw dislocations, nucleation of dislocation loops. Synthesis and characterization of amorphous alloys. Study of phase equilibria, transformation kinetics of solid-state amorphizing reactions, mechanical alloying, sintering dynamic compaction. Characterization of atomic structure, thermal stability resistance to oxidation and corrosion, magnetic susceptibility.

202. STRUCTURAL CERAMICS

D. S. Phillips, T. N. Taylor, J. J. Petrovic, P. D. Shalek
Phone: (505) 667-5128

\$349,000

01-5

Reactivity and electrophoretic mobility of selected SiC powders and whiskers in aqueous and alcoholic media. Modification of those reactivities by annealing under controlled atmospheres. Correlation of reactivity with UHV surface chemistry and with powder microstructure. Colloidal processing of model SiC (w) - SiO₂ and SiC (w) - graphite composites based on these reactivities. Mechanics of crack-whisker interactions in resulting composite materials.

LOS ALAMOS NATIONAL LABORATORY (continued)

Solid State Physics - 02 -

D. M. Parkin - Phone (FTS) 843-8455 or (505) 667-8455

203. CONDENSED MATTER RESEARCH WITH THE LANSCE FACILITY

R. Pynn

Phone: (505) 667-6069

\$2,088,000

02-1

Neutron scattering research in condensed matter using the pulsed spallation neutron source at the Los Alamos Neutron Scattering Center (LANSCE).

Studies in most areas of condensed matter, currently metal hydrides, catalysts, liquids, metallic glasses, magnetism, crystal structure, and chemical spectroscopy. LANSCE is a national facility for neutron scattering research in solid-state physics, chemistry, materials science, biology, and polymers with the following time-of-flight spectrometers: single-crystal diffractometer, filter difference spectrometer, 32-m neutron powder diffractometer, high-intensity powder diffractometer, constant-Q spectrometer, low-Q diffractometer and, in the near future, chopper spectrometer.

204. MATERIALS UNDER EXTREME CONDITIONS

R. LeSar, D. Schiferl, D. Taylor

Phone: (505) 665-0420

\$235,000

02-2

Studies of solidification, crystal structures, phase transformations, and thermodynamics of simple molecular systems from low to high temperatures (10 to 1300K) in high-pressure diamond anvil cells (DACs) (up to 500 Kbar) using UV, IR, and Raman spectroscopy and laser-beam, neutron, and X-ray scattering. Develop theories of phase transformations, structural behavior, and chemical reaction kinetics. Use DACs to prepare and characterize exotic materials including rare-gas and hydrogen-containing molecules.

LOS ALAMOS NATIONAL LABORATORY (continued)

205. CORRELATED ELECTRONS IN METALS

J. L. Smith, Z. Fisk, J. D. Thompson, A. Arko
 Phone: (505) 667-9243

\$235,000 02-2

Experimental and theoretical investigations of the electronic, magnetic and superconducting properties of binary and ternary alloys and compounds with highly-correlated electrons. Studies of exotic properties in heavy Fermion and other narrow-band materials, including valence and spin fluctuations, crystallographic instabilities, catalytic behavior, unconventional magnetism and superconductivity. Experimental techniques include susceptibility, resistivity, specific heat, crystallography, muon spin rotation, neutron scattering and sample preparation, chemical and structural characterization. Environments are pressures to 50 GPa, temperatures from 0.01 to 300 K and magnetic fields to 20 T.

206. INVESTIGATIONS OF SUPERCONDUCTORS WITH HIGH CRITICAL TEMPERATURES

J. L Smith
 Phone: (505) 667-8455

\$70,000 02-2

This project is a collaborative effort with ORNL and LBL on the investigation of high-temperature oxide superconductors. The efforts will focus on synthesis of new materials, characterization and analysis, then films, and high current conductors.

207. LANSCE BEAM DELIVERY

R. Pynn and R. Macek
 Phone: (505) 667-6069 and (505) 667-8877

\$700,000 02-3

The LANSCE Beam Delivery Project, which is partially funded by BES, covers the development and operation of the H-Source/Injector System, H-beam transport to the Proton Storage Ring (PSR), the PSR, and the transport of extracted beam to the LANSCE neutron production target. The primary goal of the development effort is to achieve design performance capabilities by FY-89. These include 100- μ A average current on the LANSCE neutron target, 80% beam availability for LANSCE production, and hands-on maintainability of the beam delivery system. Operations for LANSCE production between now and FY-89 will be at increasing levels of average current, beam availability, and fraction of time devoted to LANSCE production.

LOS ALAMOS NATIONAL LABORATORY (continued)

208. THERMAL PHYSICS: NONLINEAR, NONEQUILIBRIUM BEHAVIOR OF MATERIALS/HEAT ENGINES

G. W. Swift, R. Ecke
 Phone: (505) 665-0640

\$227,000 02-5

Natural or intrinsically irreversible engines: acoustic engines using liquids, gases, and superfluids, heat pumps and prime movers; liquid propylene heat engine: regenerators, heat exchangers, mechanicals, seals; thermal convection in dilute solutions of ^3He in superfluid ^4He near 1 K: steady and oscillatory, nonlinear dynamics, coherence and chaos NMR microtomographic imaging; superfluid liquid ^3He : A-->B phase transition dynamics.

Materials Chemistry - 03 -

D. M. Parkin - Phone (FTS) 843-8455 or (505) 667-8455

209. CONDUCTING POLYMERS AS SYNMETALS

M. Aldissi, A. R. Bishop, D. K. Campbell, B. S. Jorgensen
 Phone: (505) 667-1290

\$278,000 03-2

Investigation of synthesis-structure-property relations are studied by iterative application of rigorously controlled synthesis of conducting polymers, detailed physical and chemical characterization of their properties, and detailed theoretical modeling and comparisons with a spectrum of materials and experimental data. Polyacetylene and other analog materials are studied as a class, investigating new synthesis and controlled doping methods.

210. ORIGINATING SUPER-STRONG LIQUID-CRYSTALLINE POLYMERS

F. Dowell, R. Liepins, B. C. Benicewicz
 Phone: (505) 667-8765

\$445,000 03-2

This project is directed at developing the next generation of liquid-crystalline polymers (LCP) that will have three-dimensional strength on a molecular level. The program involves the theoretical design of LCPs through the chemical syntheses and characterization phases. There is close iterative feed-back between the theoretical design and chemical syntheses. Both new theoretical models and chemical syntheses routes are developed.

LOS ALAMOS NATIONAL LABORATORY (continued)

211. LANSCE OPERATIONS SUPPORT, SPECTROMETER DEVELOPMENT, AND USER SUPPORT

R. Pynn
Phone: (505) 667-6069

\$600,000

04-1

There are continual gains to be made in neutron production by optimization of the LANSCE target/moderator/reflector system. In particular, the moderation systems must be matched to the needs of neutron spectrometers by selection of appropriate materials, geometry, and operating temperatures.

The intense neutron flux at LANSCE will provide higher data rates than have ever been seen before from the neutron scattering instruments. To meet this need, we have developed a new generation of ultra-fast computer-based data acquisition systems using the international standard FASTBUS framework.

To make optimum use of the source characteristics made available by the PSR and the advanced target/moderator system, suitable time-of-flight spectrometers are required. During the next three to four years, several new spectrometers will be installed at LANSCE, including: a chopper spectrometer for inelastic scattering measurements and Brillouin scattering; a neutron reflectometer with a polarized-neutron option; and a back-scattering spectrometer with a resolution of 10 eV or better.

A national user program requires LANSCE support personnel to assist in the operation of the instruments and to familiarize users with the operation of the facility. A scientific coordination and liaison office has been established with responsibility for dissemination of information about the facility and the coordination of the user program.

OAK RIDGE NATIONAL LABORATORY
P. O. Box X
Oak Ridge, TN 37831

A. Zucker - Phone (FTS) 624-4321 or (615) 574-4321

Metallurgy and Ceramics - 01 -

J. O. Stiegler - Phone (FTS) 624-4065 or (615) 574-4065

220. THEORETICAL STUDIES OF METALS AND ALLOYS

W. H. Butler, C. L. Fu, G. S. Painter, G. M. Stocks, Nancy F. Wright
Phone: (615) 574-4845

\$806,000 01-1

Use of density functional theory to calculate the properties of materials. Use of KKR-CPA to calculate such properties of alloys as phase diagrams, thermodynamic properties, magnetic properties, lattice constants, short-range order parameters, electrical and thermal resistivities. Use of high-speed band theory (QKKR) to calculate total energies of metals and intermetallic compounds. Calculation of electron-phonon interactions, electrical resistivities and superconducting properties for metals and alloys. Use of density functional theory and LCAO method to calculate the properties of clusters of atoms. Application of cluster calculations to materials problems such as impurity effects, grain boundary cohesion and grain boundary segregation. Calculation of structures and properties of oxides.

221. X-RAY RESEARCH USING SYNCHROTRON RADIATION

C. J. Sparks Jr., G. E. Ice, L. D. Specht
Phone: (615) 574-6996 ORNL, (516) 282-5614 NSLS
\$592,000

01-1

Use of synchrotron radiation as a probe for the study of metal alloy and ceramic systems. Emphasis on the ability to select a particular X-ray energy from the synchrotron radiation spectrum to selectively highlight specific elements. Thus, the atomic arrangements among the various elements forming the materials can be unraveled and related to the materials' physical and chemical properties. Have operational X-ray beam line on the National Synchrotron Light Source at Brookhaven National Laboratory. Important materials' problems under study include: (1) effects of short-range order among atoms on radiation induced swelling and mechanical behavior and atomic displacements, (2) studies of the distribution of vacancies and other defects associated with nonstoichiometry and element substitution in long-range ordered alloys which affect ductility, ordering temperature and phase stability, (3) structural changes accompanying ion implantation, surface and interface structures.

OAK RIDGE NATIONAL LABORATORY (continued)

222. MICROSCOPY AND MICROANALYSIS

J. Bentley, E.A. Kenik, M. K. Miller, D. C. Joy
Phone: (615) 574-5067

\$777,000

01-1

Development and application of analytical electron microscopy (AEM) and atom-probe field-ion microscopy (APFIM) to determine the microstructure and microchemistry of materials. Equilibrium and radiation-induced segregation at grain boundaries and interfaces by APFIM/AEM, correlation of GB structure and segregation. Standardless EELS analysis, cross-section measurements for $E_0 < 300$ kV. Secondary fluorescence in EDS. Lattice site location in alloys by electron channeling microanalysis. APFIM characterization of modulated structures, spinodals, and early stages of phase transformations. APFIM characterization of irradiated pressure vessel steels. GB phases and segregation in structural ceramics, ion-implanted ceramics, SiC creep, boron segregation and dislocations in Ni₃Al, short and long-range order in Ni₄Mo.

223. RADIATION EFFECTS

L. K. Mansur, R. A. Buhl, R. E. Clausing, K. Farrell, L. Heatherly Jr., L. L. Horton, E. H. Lee, M. B. Lewis, N. H. Packan, D. F. Pedraza, R. E. Stoller
Phone: (615) 574-4797

\$1,181,000

01-4

Theoretical and experimental research on defects and microstructures produced by irradiation, ion beam treatment and other processes. Studies using multiple simultaneous ion beams. Ion beam modification of phase relationships and surface-sensitive mechanical properties; new materials by ion beam processing. Neutron damage in pure metals, alloys, and ceramics irradiated in ORR, HFIR, EBR-II and FFTF. Effect of alloying additions; impurities and microstructure on dimensional instability and embrittlement; phase stability under irradiation; relationship between ion and neutron damage; effect of helium and other gases on microstructure and microcomposition; theory of void swelling and irradiation creep; solute-defect interactions; cascade diffusion theory, Fe, Al, Zr, Ni, and austenitic Fe-Cr-Ni alloys; ferritic alloys; MgO, Al₂O₃, MgAl₂O₄.

OAK RIDGE NATIONAL LABORATORY (continued)

224. HIGH TEMPERATURE ALLOY DESIGN

C. T. Liu, M. H. Yoo, J. H. Schneibel, D. M. Kroeger,
J. A. Horton, W. C. Oliver, E. P. George, R. K. Williams,
D. S. Easton
Phone: (615) 574-4459

\$1,271,000 01-5

Design of ordered intermetallic alloys based on Ni₃Al and other aluminides. Study of the effect of alloy stoichiometry on structure and properties of grain boundaries, nature and effects of point defects, and microalloying and grain-boundary segregation. Study of superlattice dislocation structure, solid-solution hardening, mechanistic modeling of anomalous temperature dependence of yield stress, and deformation and fracture behavior of aluminides in controlled environments at elevated temperatures. Study of superplastic behavior, grain-boundary cavitation, and theoretical modeling of creep behavior of Ni₃Al alloys. Experimental work on structure and properties of rapidly solidified materials and thermal and physical properties of aluminides. Establishment of correlation between mechanical properties, microstructural features, and defect structures in aluminides.

225. TOUGHENING AND RELATED PROCESSING MECHANISMS IN CERAMICS

P. F. Becher, P. Angelini, A. Bleier, C.-H. Hsueh
Phone: (615) 574-5157

\$945,000 01-5

Experimental and theoretical approaches are being developed to provide new insights into mechanisms which improve the toughness, strength, and elevated temperature mechanical performance of ceramics with companion studies in ceramic processing leading to controlled densification, microstructures and compositions, in such toughened systems. The pertinent micro- and macroscopic characteristics are directly related to phenomena that are controlled during powder synthesis, powder processing, and densification. Thus, this task incorporates interdisciplinary studies of the fundamental descriptions of powder synthesis and processing and their influence on densification mechanisms and microstructure evolution during densification. These are directly coupled with studies of the role of microstructure, composition, and defects in the mechanical behavior of ceramics and descriptions of toughening-strengthening and related mechanisms. A primary consideration of these studies is providing the fundamental insights for design and fabrication of ceramics and ceramic composites (e.g., transformation and second phase toughening behaviors).

OAK RIDGE NATIONAL LABORATORY (continued)

226. FUNDAMENTALS OF WELDING AND JOINING

S. A. David, J. M. Vitek
Phone: (615) 574-4804

\$475,000

01-5

Correlation between solidification parameters and weld microstructure, distribution, and stability of microphases, microstructure of laser-produced welds, hot cracking, modeling of weld solidification processes, structure-property correlations, austenitic and ferritic stainless steels, electron beam welding, American Welding Institute (AWI), university collaborations.

227. STRUCTURE AND PROPERTIES OF SURFACES AND INTERFACES

C. J. McHargue, P. S. Sklad, C. S. Yust, M. B. Lewis,
R. A. McKee, F. A. List
Phone: (615) 574-4344

\$960,000

01-5

Structure of ion-implanted Al_2O_3 , SiC , and TiB_2 by backscattering-channeling and TEM, hardening, surface fracture toughening and wear of ion-implanted ceramics, structure and properties studied as a function of implantation parameters (temperature, fluence, energy, ion species) and annealing (temperature and environment). Mechanical behavior of thin films and interfaces, stress relaxation and dissipation. Adherence of oxide films. Ion beam mixing and amorphization of multi-layer metallic alloys, mechanical properties.

OAK RIDGE NATIONAL LABORATORY (continued)

Solid State Division - 02 -

B. R. Appleton - Phone (FTS) 624-6151 or (615) 574-6151

228. INTERATOMIC INTERACTIONS IN CONDENSED SYSTEMS

R. M. Moon, J. W. Cable, H. R. Child, J. Fernandez-Baca, B. D. Gaulin,
M. Hagen, J. B. Hayter, H. A. Mook, R. M. Nicklow, H. G. Smith,
Phone: (615) 574-5234

\$855,000 02-1

Inelastic neutron scattering studies of phonons, magnons, and single-particle excitations in condensed matter, elastic and inelastic scattering of polarized and unpolarized neutrons by magnetic materials, lattice dynamics of I_2 , Sm, UBe_{13} , and graphite intercalation compounds, magnetic excitations in spin glasses, USb , paramagnetic Ni, Fe, Gd, Sm, and $KMn(Ni)F_3$, phase transitions in Ni_3Mn , $Cu(Fe)$, and random-field systems, nuclear spin ordering in Pr, $PrCu_2$, and $Cs_2NaHoCl_6$ momentum distributions in 3He and 4He . New research directions will include more emphasis on materials properties under extreme environments of high pressures, high temperatures, or ultralow temperatures.

229. PROPERTIES OF DEFECTS, SUPERCONDUCTORS, AND HYDRIDES

R. M. Moon, J. W. Cable, H. R. Child, J. Fernandez-Baca,
B. D. Gaulin, J. B. Hayter, H. A. Mook, R. M. Nichlow,
H. G. Smith, S. Spooner, G. D. Wignall
Phone: 615) 574-5234

\$676,000 02-1

Elastic, inelastic, and small-angle scattering of neutrons by superconductors metal hydrides, and defects in single crystals, lattice dynamics of CeD_2 , $Fe(Cr)$ alloys, and $KCl(CN)$, magnetic excitations in CeD_2 , PrD_2 , and $K_2(Co)FeF_4$, phase transitions in metal alloys, $CoCr_2O_4$, ZrO_2 , heavy fermion superconductors and reentrant superconductors, SANS from ferrofluids, micelles under shear, polymers and polymer blends, metal alloys, and biological systems, kinetics of first-order phase transitions.

OAK RIDGE NATIONAL LABORATORY (continued)

230. SUPPORT FOR NEUTRON USERS' PROGRAM

R. M. Nicklow, J. W. Cable, H. R. Child, J. Fernandez-Baca,
B. D. Gaulin, H. A Mook, R. M. Moon, H. G. Smith
Phone: (615) 574-5240

\$780,000 02-1

ORNL neutron scattering facilities are available to outside scientists through Neutron Users' Program, recent investigations include lattice dynamics and magnetic properties of intercalated graphite, NiAl, LiAl, structure and dynamics of spin glasses, random field systems, polarized-beam studies of paramagnetism, heavy fermion superconductors, quasicrystals, amorphous magnetic materials, proton diffusion in biological systems, and collagen periodicity in bones.

231. PHYSICAL PROPERTIES OF ADVANCED CERAMICS

J. B. Bates, F. A. Modine, S. T. Sekula, C. Y. Allison,
D. K. Christen, Y. T. Chu, N. J. Dudney, G. R. Gruzalski,
E. Sonder, J. R. Thompson, J. C. Wang
Phone: (615) 574-6280

\$1,345,000 02-2

Physical and chemical properties of advanced ceramics including single-phase and composite materials as well as solid-solid interfaces and surface-modified materials. Included in the investigations are refractory materials such as transition metal carbides and nitrides; solid ionic conductors such as silver halide-aluminum oxide composites, beta-alumina, and stabilized zirconia; electronic materials such as zinc oxide and high T_c superconducting oxides; and surface modified and interface structures such as amorphous alumina on single crystal aluminum oxide and metal-electrolyte interfaces. Electrical, dielectric, magnetic, and optical properties, impurity diffusion, defect structure, phase segregation, effects of high temperature and irradiation are emphasized. Techniques include impedance spectroscopy, transient signal analysis, small-angle neutron and micro-Raman scattering, infrared attenuated total reflectance, dc magnetization, ac magnetic response, ion and fast neutron irradiation, model calculations and computer simulations.

OAK RIDGE NATIONAL LABORATORY (continued)

232. SEMICONDUCTOR PHYSICS AND PHOTOPHYSICAL PROCESSES OF SOLAR ENERGY CONVERSION

D. H. Lowndes, D. J. Eres, D. B. Geohegan, G. E. Jellison,
D. N. Mashburn, S. J. Pennycock, R.F. Wood
Phone: (615) 574-6306

\$970,000

02-2

Picosecond laser spectroscopy, time-resolved reflectivity, transmissivity, and ellipsometric measurements, time-resolved transient electrical conductivity light-assisted chemical vapor deposition of thin films, modulated layered structures, and superlattices, laser-induced recrystallization of amorphous layers, thermal and laser annealing of lattice damage in Si, Ge, and GaAs, fabrication of high-efficiency solar cells by laser techniques, investigations of thermophovoltaic systems, effects of point defects, and impurities on electrical and optical properties of single-crystal and polycrystalline Si, electrical, optical (including infrared and luminescence spectroscopy), transmission electron microscopy, X-ray scattering, surface photovoltage, secondary ion mass spectrometry, and Rutherford ion back-scattering measurements, dopant concentration profile, deep-level transient spectroscopy, and absolute quantum efficiency measurements.

233. FUNDAMENTAL ASPECTS OF METAL FRACTURE

F. W. Young
Phone: (615) 574-5501

\$25,000

02-2

Experimental and theoretical studies of microscopic fracture phenomena by transmission electron microscopy and continuum fracture mechanics, in situ TEM observations of crack propagation in metals (bcc and fcc), alloys and ceramics, investigation of the geometry of plastic deformation occurring ahead of crack tip, dislocation model of fracture toughness, theories of plastic zones with a dislocation-free zone ahead of wedge or blunted cracks, direct observations of crack propagation in bcc metals at low temperatures, mechanism of ductile vs brittle fracture of bcc metals, dislocation model of fatigue crack propagation, in situ TEM studies of crack propagation in hydrogen environment, crack tip deformation and crack propagation in neutron irradiated metals and alloys.

OAK RIDGE NATIONAL LABORATORY (continued)

234. SYNTHESIS AND PROPERTIES OF NOVEL MATERIALS

L. A. Boatner, M. M. Abraham, Y. K. Chang,
C. B. Finch, J. O. Ramey, B. C. Sales
Phone: (615) 574-5492

\$1,175,000 02-2

Preparation and characterization of advanced materials including the growth of single crystals and the development of new crystal growth techniques; development of new materials through the application of enriched isotopes; investigations of the physical, chemical, and thermal properties of novel materials using the techniques of thermal analysis, X-ray diffraction, Mossbauer spectroscopy, ion implantation and ion channeling, optical absorption, high performance liquid chromatography, EPR, and neutron scattering; application of materials sciences techniques to the resolution of basic research problems; preparation and characterization of high T_c superconducting oxides; synthesis and investigation of phosphate glasses; development and characterization of advanced ceramics; studies of solid state epitaxial regrowth; rf-induction growth of transition metal carbides; growth of perovskite structure oxides, high-temperature materials (MgO , CaO , Y_2O_3), refractory metal single crystals (Ir, Nb, Ta, V), fast ion conductors, stainless steels.

235. SMALL-ANGLE X-RAY SCATTERING

G. D. Wignall, J. S. Lin, S. Spooner
Phone: (615) 574-5237

\$160,000 02-2

Small-angle X-ray scattering of metals, metallic glasses, precipitates, alloys, polymers, and surfactants, fractal structures in polymers and oxide sols, surface modification under ion bombardment, domain structures in composites, dynamic deformation studies of polymers, time-slicing studies of phase transformation. Facilities are available to users through National Center for Small-Angle Scattering Research (NCSASR).

OAK RIDGE NATIONAL LABORATORY (continued)

236. THEORY OF CONDENSED MATTER

J. F. Cooke, J. H. Barrett, H. L. Davis, L. J. Gray, T. Kaplan,
 S. H. Liu, G. D. Mahan, D. E. Meltzer, M. E. Mostoller, O. S. Oen,
 M. Rasolt, M. T. Robinson, B. Sernelius, G. D. Vignale, J. C. Wang,
 R. F. Wood, D. Zimmerman
 Phone: (615) 574-5787

\$1,191,000 02-3

Theory of laser annealing, laser-induced diffusion, and nonequilibrium solidification in semiconductors, lattice vibrations in metals and alloys, lattice dynamics and potential energy calculations of ionic crystals, computer simulation of radiation damage, sputtering, and ion implantation surface studies with backscattered ions, development of LEED theory and interpretation of LEED data, surface vibrations and relaxation, theory of angular effects in photoemission, electronic structure of metal surfaces, magnetism in transition metals and local moment systems, electronic properties of mixed-valent and heavy fermion systems, critical phenomena and phase transitions quantum Hall effect, diffusion and elastic vibrations of fractal systems. New directions include: neutron scattering at high energies, development and application of SPLEED theory, basic mechanism and phenomenology of high-temperature superconductivity.

237. X-RAY DIFFRACTION AND ELECTRON MICROSCOPY

B. C. Larson, J. D. Budai, D. Fathy, S. Pennycook, J. Z. Tischler
 Phone: (615) 574-5506

\$1,080,000 02-4

Microstructure and properties of defects in solids, transmission electron microscopy, synchrotron X-ray scattering, time-resolved X-ray scattering, X-ray diffuse scattering, X-ray topography, neutron and ion irradiation induced defect clusters in metals, pulsed-laser-induced melting and crystal growth, enhanced diffusion in semiconductors, defects associated with laser and thermal processing of pure and ion-implanted semiconductors, grain boundaries in semiconductors, high-resolution atomic imaging of defects, direct imaging and microscopic lattice location of dopants in semiconductors, solid-phase recrystallization in semiconductors, structure of high-temperature metal carbides, anisotropic elastic theory of dislocation loops, computer simulation of electron microscopy images, development of analytical techniques of electron microscopy, calculation of diffuse scattering from dislocation loops and solute precipitates, energy-resolved X-ray scattering, quasi-elastic scattering, phase transformations, theory of scattering of electrons and X-rays from defects in solids.

OAK RIDGE NATIONAL LABORATORY (continued)

238. RESEARCH USE OF THE LOW-TEMPERATURE IRRADIATION FACILITY

H. R. Kerchner, C. E. Klabunde
Phone: (615) 574-6270

\$1,150,000 02-4

Operate for users a Low-Temperature Neutron Irradiation Facility (LTNIF) at ORNL Bulk Shielding Reactor. Determine neutronics characteristics in the irradiation cryostat for use at an in-core position and with several radiation modifying devices. Design and construct specialized cryogenic test equipment. Equipment and procedures for the transfer of irradiated specimens at 4.2 K. Development of a transmission electron microscopy facility for study of solids irradiated at low temperatures without warmup. Radiation effects in high T_c superconductors.

239. SURFACE PHYSICS AND CATALYSIS

D. M. Zehner, H. L. Davis, G. R. Gruzalski, J. R. Noonan,
J. F. Wendelken
Phone: (615) 574-6291

\$900,000 02-5

Studies of crystallographic and electronic structure of clean and adsorbate-covered metallic and semiconductor surfaces, combined techniques of low-energy electron diffraction (LEED), photoelectron spectroscopy (PES) using synchrotron radiation, and computer simulations for surface crystallography studies with emphasis on surfaces which either reconstruct or have interplanar spacings different from those of the bulk, LEED, PES, and Auger electron spectroscopy (AES) combined with in situ laser annealing of semiconductors, lineshape analysis of Auger spectra, LEED, AES and X-ray photoelectron spectroscopy (XPS) studies of both clean and adsorbate-covered surfaces of metals, intermetallic compounds and carbides, determination of effects of intrinsic and extrinsic surface defects on surface properties using LEED, vibronic structure of adsorbates examined by high-resolution electron energy loss spectroscopy (EELS), examination of surface electronic and geometric structures with respect to solid state aspects of heterogeneous catalysis.

OAK RIDGE NATIONAL LABORATORY (continued)

240. SURFACE MODIFICATION AND CHARACTERIZATION FACILITY AND
COLLABORATIVE RESEARCH CENTER

C. W. White, J. B. Roberto, O. E. Schow III, T. P. Sjoreen,
S. P. Withrow
Phone: (615) 574-6295

\$960,000 02-5

The SMAC Collaborative Research Center provides facilities for materials alteration and characterization in a UHV environment. Methods which can be used for alteration include ion implantation, ion beam mixing, and pulsed laser irradiation. In situ characterization methods include Rutherford backscattering, ion channeling, low-energy nuclear reaction analysis, and surface analysis techniques. The facility supports research in the Ion Beam Analysis and Ion Implantation Program and research carried out by other ORNL divisions. These facilities are available to scientists from industrial laboratories, universities, other national laboratories, and foreign institutions for collaborative research projects.

241. ION BEAM ANALYSIS AND ION IMPLANTATION

C. W. White, B. R. Appleton, M. J. Aziz, J. H. Barrett,
R. J. Culbertson, G. C. Farlow, D. Fathy, O. W. Hollard,
C. J. McHargue, D. B. Poker, O. E. Schow, J. M. Williams,
S. Withrow
Phone: (615) 574-6295

\$1,080,000 02-5

Studies of ion implantation damage and annealing in a variety of crystalline materials (semiconductors, metals, insulators, etc.), formation of buried amorphous or insulating layers by high dose ion implantation, fundamental studies of ion beam mixing in metal/semiconductor, metal/metal, and metal/insulator systems, applications of ion beam mixing and ion implantation to corrosion/catalysis studies, to reduction of friction and wear of metal surfaces, to changes in mechanical and optical properties of ceramics and insulators, to reduction of corrosive wear of surgical alloys, diffusion in amorphous semiconductors, pulsed-laser annealing and rapid solidification, high speed crystal growth phenomena, solute trapping and solute segregation at ultra rapid growth velocities, formation of supersaturated alloys, formation of epitaxial thin films by direct ion beam deposition, studies of ion-channeling phenomena.

OAK RIDGE NATIONAL LABORATORY (continued)

242. ION BEAM DEPOSITION

J. B. Roberto, B. R. Appleton, R. A. Zuhr
Phone: (615) 576-0227

\$395,000

02-5

Direct ion beam deposition of isotopically pure thin films on metal and semiconductor substrates using decelerated ion beams from an ion implantation accelerator, use of low-energy (10-200 eV) ion beams to alter surface atom mobilities and phase formation, fabrication of epitaxial layers and heterostructures by ion beam deposition at low temperatures, production of oxides and thin magnetic films, investigation of low-energy ion-solid interactions including ion beam etching and damage processes.

243. RESEARCH AND DEVELOPMENT - ISOTOPE RESEARCH MATERIALS PREPARATION

W. S. Aaron, H. L. Adair, M. Petek, J. R. Gibson
Phone: (615) 574-5916

\$340,000

02-5

Research and development of preparative techniques applicable to isotopic materials. Stable and radioactive isotopes are prepared in the form of ultra-thin films (supported and self-supported), coatings, wires, rods, cast shapes, alloys, compounds, ceramics, cermets, and distilled metals; techniques of preparation include vapor deposition, sputtering (rf, dc, planar magnetron, and ion beam), rolling, electrodeposition, molecular plating, liquid phase and conventional sintering, hot pressing, reduction/ distillation, conversion of organic precursors to oxide films and solid forms, He implantation in metals, and general inorganic chemical processing. In-house characterization methods include X-ray diffraction and fluorescence, metallographic and ceramographic sample preparation, optical microscopy, scanning electron microscopy with energy dispersion X-ray spectrometry, differential thermal analysis, microgravimetric determinations, thermal conductivity determination, in situ film thickness monitoring, and sophisticated radiation counting methods.

OAK RIDGE NATIONAL LABORATORY (continued)

244. INVESTIGATIONS OF SUPERCONDUCTORS WITH HIGH CRITICAL TEMPERATURES

F. W. Young, Jr., L. A. Boatner, W. L. Bond, J. Brynstead,
 W. H. Butler, D.K. Christen, D. M. Kroeger, S. H. Liu, H. A. Mook,
 S. T. Sekula, B. C. Sales, J. R. Thompson
 Phone: (615) 574-5501
 N. E. Phillips (Lawrence Berkeley Laboratory)
 J. L. Smith (Los Alamos National Laboratory)
 \$240,000 02-5

Studies of a new class of perovskite-type oxides with high superconducting transition temperatures. Synthesis, characterization, and analysis, thin films and devices, and high current conductors. Magnetization measurements of $\text{ReBa}_2\text{Cu}_3\text{O}_7$ superconductors. Collaborative research with scientists at Lawrence Berkeley Laboratory and Los Alamos National Laboratory.

Materials Chemistry - 03 -

M. L. Poutsma - Phone (FTS) 624-5028 or (615) 574-5028

245. CHEMISTRY OF ADVANCED INORGANIC MATERIALS

E. J. Kelly, C. E. Bamberger, G. M. Begun, G(ilbert) M. Brown,
 J. Brynestad, L. Maya, C. E. Vallet
 Phone: (FTS) 624-5024 or (615) 574-5024
 \$1,191,000 03-1

Application of ion implantation and ion beam mixing to the generation and systematic study of surface-modified materials of interest as catalysts, e.g., for electrocatalysis of Cl_2 and $\text{M}_x\text{T}_{1-x}\text{O}_2/\text{Ti}$ ($\text{M}=\text{Ru, Ir, Rh, etc.}$) O_2 evolution; determination of the mechanism of the catalyzed reaction, nature of the catalyst, and its specific mode of operation via electrochemical, Rutherford backscattering, and in situ photoacoustic and photocurrent spectroscopic techniques. Development of new generalized methodologies for the synthesis of nonoxidic ceramic materials (BN, Si_3N_4 , SiC, C-B-N ternaries, and the borides, carbides, carbonitrides, and nitrides of the transition metals of groups 4, 5 and 6) in powder, fiber, film, or whisker forms: pyrolysis or photolysis of inorganic or organometallic precursors (e.g., synthesis of Ti, Zr, and Nb nitrides and carbonitrides via pyrolysis of the ammonolysis products of the transition metal halides or dealkylamides; synthesis of semiconducting C-N-B thin films via pyrolysis of borazine derivatives); synthesis of BN, SiC, and TiN (whiskers) via reactions of molten NaCN with BPO_4 , SiO_2 , and TiO_2 , respectively. Synthesis and characterization of superconducting oxides in the Y-Ba-Cu-O System.

OAK RIDGE NATIONAL LABORATORY (continued)

246. STRUCTURE AND DYNAMICS OF ADVANCED POLYMERIC MATERIALS

A. H. Narten, B. K. Annis, G(eorge) M. Brown, W. R. Busing,
E. Johnson, D. W. Noid, W. E. Thiessen
Phone: (FTS) 624-4974 or (615) 574-4974

\$1,059,000

03-2

Characterization of polymers and composites at the molecular level by neutron and X-ray scattering studies; prediction of conformational, thermodynamic, and dynamics properties through advanced computing and statistical mechanical techniques; relationship of structure to physical properties; development of synchrotron radiation scattering and neutron spectroscopic techniques. Materials studied include high-performance crystalline fibers and composites, conducting polymers and small-molecule models for polymers.

247. THERMODYNAMICS AND KINETICS OF ENERGY-RELATED MATERIALS

T. B. Lindemer, A. L. Sutton
Phone: FTS 624-6850 or (615) 574-6850

\$350,000

03-2

Determination and modeling of phase equilibria and other thermochemical data, and reaction kinetics important to energy-related ceramic systems. One emphasis is the measurement and application of such data for the actinide oxides used as nuclear fuels, but the methodology is applicable to any oxide solid solution. Current studies involve nonstoichiometric dioxides in the system of elements U, O, and either Y, Ce, Nd, Gd, or Eu. Experimental data are obtained under conditions generally not previously investigated. Adaptations of chemical-mathematical models from the literature are used to represent the chemical thermodynamic interrelationship of temperature, oxygen chemical potential, lanthanide content, and nonstoichiometry. These efforts provide a heretofore unavailable, generalized chemical thermodynamic description of the actinide-lanthanide dioxide solutions. A second emphasis is the experimental determination of the chemical kinetics of silicon nitride decomposition at 1500-1900 K in the presence of carbon under controlled chemical potentials of N₂, O₂, and/or H₂, particularly those typical for internal combustion engines.

OAK RIDGE NATIONAL LABORATORY (continued)

248. NUCLEATION, GROWTH, AND TRANSPORT PHENOMENA IN HOMOGENEOUS PRECIPITATION

C. H. Byers, M. T. Harris

Phone: (FTS) 624-4653 or (615) 574-4653

\$320,000

03-2

Fundamental laser light-scattering spectroscopic studies and theoretical framework for liquid-phase homogeneous nucleation and growth of monodisperse metal oxide particles which are precursor materials in ultra fine processing for the production of a new generation of ceramic materials. Investigation of reactants-solvent interactions (i.e. short range bonding) which affect the characteristics of the particles formed. Determination of transport properties (i.e. viscosity and diffusivity) which provide important clues to the behavior of the fluid media in which particle growth occurs. Methods development (including alternative methods for metal oxide powder synthesis, optical spectroscopic measurements, dispersion stabilization, and mathematical analysis).

249. ADVANCED NEUTRON SOURCE

C. D. West, J. L. Anderson, D. G. Cacuci, G. L. Copeland, R. M. Moon
R. E. Pawel, D. L. Selby, M. K. Wilkinson

Phone: (615) 574-0370

\$1,990,000

03-4

Preconstruction R&D associated with the Advanced Neutron Source (ANS) at ORNL. Core physics, neutronics, and thermal hydraulics for preconceptual core design. Construction of corrosion and thermal-hydraulic test loop to study oxide formation and growth. U_3Si_2 fuel experiments and evaluations of new fuel plate designs. Preconceptual design of a cold source. Safety investigations, risk analyses, project planning, and preliminary building design. Planning of facilities for neutron scattering, isotope production, and materials irradiation.

OAK RIDGE ASSOCIATED UNIVERSITIES
Oak Ridge, TN 37831

Metallurgy and Ceramics - 01 -

Keith Newport - Phone (FTS) 626-3422 or (615) 576-3422

255. OAK RIDGE SYNCHROTRON ORGANIZATION FOR ADVANCED RESEARCH

T. A. Habenschuss, C. J. Sparks, R. DeAngelis, S. Moss, R. Young

Phone: (615) 574-6996

\$105,000 01-1

A synchrotron radiation beam line installed by the Oak Ridge National Laboratory at the National Synchrotron Light Source at Brookhaven is made available to interested users from university and industrial laboratories. University staff and industrial scientists are invited to join in collaborative research in materials science of importance to DOE programs at a large and unique research facility not available at their home institutions. More than twenty institutions are presently members. The beam line will supply focused x-radiation spanning the energy spectrum from 3 to 40 KeV at energy resolutions of $\Delta E/E = 2 \times 10^{-4}$. One Oak Ridge Associated University staff member is stationed at the NSLS to interface with the users and to develop computer programs for data acquisition and analysis. Among the research capabilities available on this beam line are: crystallography on small samples, structure of amorphous materials both liquid and solid, diffuse X-ray scattering from crystalline defects, short- range order and atomic displacements, and X-ray spectroscopy of electron rearrangements.

256. SHARED RESEARCH EQUIPMENT PROGRAM (SHARE)

E. A. Kenik, K. More

Phone: (615) 574-5066

\$100,000 01-1

Application of microanalysis facilities for collaborative research in materials science by members of universities or industry with ORNL staff members. Facilities include state-of-the-art analytical transmission electron microscopy, high voltage electron microscopy, field ion microscopy/ atom probe surface analysis, and nuclear microanalysis instrumentation. Electron microscopy capabilities include analytical electron microscopy [energy dispersive X-ray spectroscopy (EDXS), electron energy loss spectroscopy (EELS) and convergent beam electron diffraction (CBED)], high voltage electron microscope in situ studies, and high resolution electron microscopy. Surface analysis facilities include four Auger electron spectroscopy (AES) systems and two Van de Graaff accelerators for Rutherford back-scattering and nuclear reaction techniques.

PACIFIC NORTHWEST LABORATORY
P. O. Box 999
Richland, WA 99352

G. L. McVay, Materials Sciences Coordinator

Metallurgy and Ceramics - 01 -

G. L. McVay - Phone (FTS) 444-7511 or (509) 375-3762

260. HIGH-TEMPERATURE CORROSION AND ELECTROCHEMICAL INTERACTIONS IN CERAMICS

J. L. Bates, C. F. Windisch
Phone: (509) 375-2579

\$ 82,000 01-1

Mechanisms and kinetics of high-temperature reactions for refractory metal oxides with molten silicates, molten salts, and gases. Dissolution of oxides such as $MgAl_2O_4$, Al_2O_3 , MgO , and $Y_3Al_5O_12$ with Ca-Al-silicate containing Mg and Fe in oxidizing, reducing, and sulfur-containing atmospheres. Electrochemical interaction and decomposition of oxides such as ZrO_2 in molten salts and silicates. Effects of grain boundary chemistry and structure, crystallographic structure and electrical characteristics on dissolution and electrochemical reactions. Mass transport near-reaction interfaces and in-grain boundaries from elemental distribution using high resolution, quantitative EDX, electron microprobe, STEM coupled with optical microscopy, TEM, SEM, and AES. Direct in-situ observation of reaction interfaces using laser Raman spectroscopy.

261. MICROSTRUCTURAL MODIFICATION IN CERAMIC PROCESSING USING INORGANIC POLYMER DISPERSANTS

G. J. Exarhos, D. M. Friedrich (PNL); I. A. Aksay (University of Washington)
Phone: (509) 375-2440

\$230,000 01-1

The goal of this program is to develop a fundamental understanding of structure-property relationships for inorganic polymers so that they can be tailored as dispersion agents for ceramic powder. The near-term goals are to investigate the structural effects on polymer-ceramic and polymer-solvent interactions. Alterations of inorganic polymers on ceramic surfaces as a function of temperature are also being investigated. Improvements in the consolidated ceramic mechanical properties are being measured as well as defect concentrations and distributions.

PACIFIC NORTHWEST LABORATORY (continued)

262. FUNDAMENTAL STUDIES OF STRESS CORROSION AND CORROSION FATIGUE MECHANISMS

R. H. Jones, D. R. Baer, M. J. Danielson, M. A. Friesel
Phone: (509) 376-4276

\$439,000

01-2

Investigations of the mechanisms controlling intergranular and transgranular stress corrosion and corrosion fatigue cracking of iron, iron-chromium nickel, and nickel-based alloys in gaseous and aqueous environments with and without gamma radiolysis. Relationships between grain boundary chemistry, hydrogen embrittlement, and intergranular stress corrosion cracking investigated with surface analytical tools, electrochemical polarization, straining electrode tests, subcritical crack growth tests, and crack-tip and fracture surface analysis. Modeling of the electrochemical conditions at the tip of a growing crack and evaluation of the electrochemical behavior of sulfur and phosphorus in the grain boundaries of nickel. Acoustic emission analysis of stress corrosion cracking processes. Effect of plastic strain and gaseous environments (O_2 , H_2O , and H_2O+Cl) on adsorption processes studied with an in-situ Auger electron spectroscopy straining stage.

263. LEACHING OF GLASS AND CERAMICS

L. R. Pederson, K. F. Ferris
Phone: (509) 375-2731

\$368,000

01-3

Mechanistic studies of the interactions of silicate glasses and crystalline ceramics with aqueous environments, by systematic variation of bulk structure, surface properties, and solution chemistry. Structural studies consider the influence of bridging/nonbridging oxygen ratios, extent of polymerization, and redox effects on leachability. Surface electrical properties in solution, sorption phenomena, and the nature of an altered surface layer are included in studies of the effects of surface properties on leaching. Solution chemistry parameters of interest include pH, Eh, ionic strength, saturation with respect to key glass components, and the use of isotopically-labelled water.

PACIFIC NORTHWEST LABORATORY (continued)

264. IRRADIATION-ASSISTED STRESS CORROSION CRACKING

R. H. Jones, E. P. Simonen
Phone: (509) 376-4276

\$200,000

01-4

The effects of radiation on material microstructure/microchemistry and water chemistry is being evaluated with respect to the mechanisms of stress corrosion in a radiation environment. Research includes radiation effects on segregation, sensitization, crack-tip phenomena, and water chemistry. The effect of radiation on crack-tip chemistry is being evaluated using a combination of crack-tip chemistry and radiolysis computer codes.

Solid State Physics - 02 -

G. L. McVay - Phone (FTS) 444-7511 or (509) 375-3762

265. THIN FILM OPTICAL MATERIALS

W. S. Frydrych, G. J. Exarhos, D. M. Friedrich,
C. B. Duke (Xerox Webster Research Center)
Phone: (509) 375-2440

\$184,000

02-2

Theoretical and experimental study of basic physical properties that control the optical behavior of dielectric materials in thin-film form. Measure, model, and understand how the behavior of thin-film optical structures depends on materials properties. Materials studied include elemental semiconductors and their oxides and nitrides. Materials properties studied include composition, stoichiometry, phase structure, strain, and stress. Optical and material characterization techniques include Raman spectroscopy, X-ray diffraction, laser interferometry, total integrated and angular scattering, and resonant cavity reflectometry.

SANDIA NATIONAL LABORATORIES
P. O. Box 5800
Albuquerque, NM 87185

F. L. Vook, Materials Sciences Coordinator - Phone (FTS) 844-9304
or (505) 844-9304
Metallurgy and Ceramics - 01 -

R. J. Eagan - Phone (FTS) 844-4069 or (505) 844-4069

275. PHYSICS AND CHEMISTRY OF CERAMICS

T. A. Michalske, A. Hurd, B. C. Bunker, K. D. Keefer,
D. W. Schaefer, C. J. Brinker, P. Ho, B. D. Kay, C. H. F. Pedan
Phone: (505) 846-3551

\$1,224,000 01-2

Multidisciplinary studies to relate molecular structure of ceramics to physical properties. Develop models for environment/strained solid interactions. Model systems to study strain-enhanced chemistry, Raman studies of strained fibers to relate strain enhanced chemistry and stress corrosion fracture. Characterize sol-to-gel and gel-to-glass transitions in the silica system using SAXS, NMR, and light scattering to determine structures of the pre-gel phase, random colloidal aggregates, and the gel-to-glass conversion; model structure of porous materials using concepts of fractal geometry to predict structure from solution chemistry, and model sintering and absorption characteristics of random porous materials. New program thrust to prepare ceramic superconductors by novel solution processing.

P. S. Peercy, Phone (FTS) 844-4309 or (505) 844-4309

276. STRAINED-LAYER SUPERLATTICE MATERIALS SCIENCE

P. L. Gourley, R. M. Biefeld, L. R. Dawson, I. J. Fritz,
D. R. Myer, G. C. Osbourn
Phone: (505) 844-1556

\$420,000 01-2

Study and application of strained-layer superlattices and heterojunction materials to explore solutions to new and existing semiconductor materials problems. The program is a coordination of semiconductor physics (theory and experiment) and materials science. This program investigates fundamental material properties including band structure, electronic transport, crystal stability, and linear and nonlinear optical properties. The materials under study have a wide range of applications for high speed and microwave technology, optical detectors, lasers, and optical modulation and switching.

SANDIA NATIONAL LABORATORIES (continued)

S. T. Picraux - Phone (FTS) 844-7681 or (505) 844-7681

277. ION IMPLANTATION AND DEFECTS IN MATERIALS

S. T. Picraux, S. M. Myers, K. L. Brower, B. L. Doyle,
H. J. Stein, D. M. Follstaedt, J. A. Knapp, W. R. Wampler,
L. E. Pope, R. B. Diegle, N. R. Sorensen
Phone: (505) 844-7681

\$983,000 01-3

Ion implantation and ion beam mixing used with laser and electron-beam heating to form novel metastable and equilibrium microstructures in solids. Characterization of the evolution and final states of these systems by ion-beam analysis, TEM, EPR, optical absorption, X-ray scattering, AES, XPS, time-resolved reflectivity, time-resolved electrical conductivity, and mechanical and electrochemical testing. Utilization of such methods for fundamental studies of metastable amorphous and crystalline alloys, superlattices, defects in semiconductors, synthesis of novel layered structures, rapid-solidification processes in semiconductors and metals, properties of hydrogen in metals, diffusion in amorphous alloys, and mechanical and chemical effects of ion implantation. Investigation of consequences for semiconductor-device development, fusion energy, hydrogen storage, coatings technology and corrosion.

F. L. Vook, Phone (FTS) 844-9304 or (505) 844-9304

278. ADVANCED GROWTH TECHNIQUES FOR IMPROVED SEMICONDUCTOR STRUCTURES

S. T. Picraux, A. W. Johnson, J. Y. Tsao, K. P. Killeen,
B. W. Dodson, T. J. Drummond, I. J. Fritz
Phone: (505) 844-7681

\$378,000 01-3

Advanced growth techniques are studied for the synthesis of new and improved epitaxial semiconductor heterostructures. The primary growth techniques of molecular beam epitaxy (MBE) and metallorganic chemical vapor deposition (MOCVD) are used in conjunction with laser and ion beam stimulation to develop new crystal growth techniques. Initial studies concentrate on layered III-V compounds and Si/Ge strained layer structures, with emphasis on beam-enhanced techniques to allow a wider range of nonequilibrium growth conditions and thus to widen the window of compositions and combinations that can be grown. Theoretical studies using atomistic and continuum modeling address stability limits, beam deposition and beam-enhanced growth in conjunction with the above experimental studies.

SANDIA NATIONAL LABORATORIES (continued)

Solid State Physics - 02 -

G. A. Samara - Phone (FTS) 844-6653 or (505) 844-6653

279. SURFACE PHYSICS RESEARCH AND STIMULATED DESORPTION

J. E. Houston, G. L. Kellogg, R. R. Rye, J. W. Rogers, Jr.,
 N. D. Shinn, P. J. Feibelman
 Phone: (505) 844-6653

\$633,000 02-2

The goal of this program is to develop a fundamental understanding of the physics underlying the modification and control of surfaces by studying their electronic and structural properties. The near term emphasis is on exploring the exciting properties of strained-metal overlayers and on issues related to the important technological areas of oxidation, adhesion, and the sintering and fracture of ceramic materials. Strong features of this program are the ability (1) to apply techniques which probe the properties of modified surfaces at the local atomic level, (2) to couple this with theoretical support, and (3) to have direct working relationships with applied programs in a multidisciplinary approach which ensures technological impact. The program encompasses experimental and theoretical efforts in ultra-violet photoemission spectroscopy (UPS), low energy electron loss spectroscopy (LEELS), imaging and pulsed-laser atom-probe mass spectroscopy, field ion microscopy, and Auger lineshape analysis.

J. E. Schirber - Phone (FTS) 844-8134 or (505) 844-8134

280. PHYSICS AND CHEMISTRY OF NOVEL SUPERCONDUCTORS

L. J. Azevedo, D. S. Ginley, J. F. Kwak, P. F. Nigrey,
 J. E. Schirber
 Phone: (505) 846-2529

\$340,000 02-2

The fundamental physical properties of the copper oxide based high temperature superconductors. Directed toward understanding the detailed band structure, doping, and carrier transport in these materials, especially as they pertain to understanding metal-insulator transitions, superconductivity, and the role of oxygen disorder in determining transport properties. Unique and specialized instrumental capabilities including high frequency magnetic resonance, conductivity, photoconductivity, thermal conductivity, heat capacity, magnetotransport, de Haas van Alphen, thermopower and tunneling. Experiments at temperatures as low as 0.05 K, magnetic fields up to 120 kOe and hydrostatic pressure to 10 kbar in various combinations. An active in-house synthesis program.

SANDIA NATIONAL LABORATORIES (continued)

281. VERY HIGH TEMPERATURE SEMICONDUCTING BORIDES

D. Emin, T. L. Aselage, A. N. Campbell, B. Morosin, C. H. Seager,
 H. J. Stein, A. G. Switendick, D. R. Tallant, E. L. Venturini
 Phone: (505) 844-3431

\$250,000 02-5

Electronic, magnetic, optical, vibrational, and structural properties of very high temperature semiconducting borides. To understand fundamental properties of these materials sufficiently well for use as innovative electronic and optical semiconductor devices for use at exceptionally high temperatures. Materials synthesis with variety of techniques. Materials to be studies as to macro- and micro-structure with HRTEM, X-ray and neutron scattering, and Auger analysis. Very high temperature electronic transport studies (conductivity, Hall effect and Seebeck coefficient measurements) in collaboration with JPL. Pressure dependence of conductivity and Hall mobility to be studied. Magnetic susceptibility and ESR will be investigated. Thermal conductivity, specific heat, velocity of sound and thermal properties measurements.

Materials Chemistry - 03 -

J. B. Gerardo - Phone (FTS) 844-3871 or (505) 844-3871

282. CHEMICAL VAPOR DEPOSITION AND SURFACE PHOTOKINETIC RESEARCH

A. W. Johnson, W. G. Breiland, P. Ho, M. E. Coltrin,
 J. R. Creighton, C. I. H. Ashby, M. E. Riley
 Phone: (505) 844-8782

\$454,000 03-3

Studies of important vapor-phase reactions and nucleation processes during CVD deposition under conditions used to fabricate photovoltaic cells, corrosion-resistant coatings, and semiconductor devices. Measurements of major and minor species densities, gas temperatures, fluid flows, and gas-phase particulate distributions using laser Raman and Mie scattering and laser induced fluorescence. Test of our predictive model, which includes chemical and fluid dynamics. Study and development of laser CVD, laser photochemical deposition and etching, and laser-based fabrication of small-dimension structures. Application of our laser-based measurement capabilities to the study of vapor phase reactions of these laser processing techniques and application of surface measurement techniques to study the product materials. Fundamental study of the interactions of photons and molecules near and on surfaces. Auger, Sims, and laser-based measurements of surfaces in situ to deposition and etching. Development of model for combined laser, admolecule, and surface dynamics.

SANDIA NATIONAL LABORATORIES
Livermore, CA 94550

Metallurgy and Ceramics - 01 -

P. L. Mattern - Phone (FTS) 532-2520

290. FORMATION AND ANALYSIS OF HIGH-TEMPERATURE INTERFACES AND THIN FILMS

M. Lapp, K. F. McCarty, J. C. Hamilton.
Phone: (415) 422-2435

\$294,000

01-1

Laser-based diagnostic studies of interfacial phenomena occurring during the growth and processing of thin films. Emphasis is on the phase composition and structure of thin films, and the study of solid-state reactions occurring between interfaces. Material systems studies include multicomponent oxide films, thin-film protective coatings, and metal-dielectric interfaces. Formation techniques include high-temperature oxidation, reactive sputtering, plasma processing, and combustion deposition. In situ laser-based diagnostics are used to study film growth and post-growth processing, and to characterize the evolution of interfaces with changing conditions (e.g., temperature), in real time and with high temporal resolution. Raman scattering is used to determine phase composition, and nonlinear optical spectroscopies, primarily surface second harmonic generation, are utilized to determine the symmetry and electronic structure of extremely thin films and buried interfaces.

291. GASES IN METALS/COMPUTATIONAL MATERIALS/VISITING SCIENTIST PROGRAM

M. I. Baskes, G. J. Thomas, M. S. Daw, S. M. Foiles, W. G. Wolfer,
S. Robinson, S. Goods, C. M. Rohlffing
Phone: (FTS) 532-3226 or (415) 422-3226

\$875,000

01-2

Investigations of the behavior of hydrogen, tritium and helium in metals involving joint theoretical and experimental research. Experimental techniques include mechanical property measurements, electron microscopy, positron annihilation, and small angle neutron scattering, applied to tritiated metals and also metals implanted with helium below the damage threshold. A new theoretical method (Embedded Atom Method) developed to calculate the cohesive energy of metals and alloys with chemically active impurities which is being used to investigate the atomistic processes of fracture, dislocation motion, and chemistry at surfaces and grain boundaries. Investigate equilibrium structure of alloys, such as Ni₃Al, both in the bulk and at interfaces including the effects of adsorbates and alloying additions. Joint collaboration on the theoretical aspects of this program with visitors to Sandia, Livermore.

SANDIA NATIONAL LABORATORIES - LIVERMORE (continued)

292. THIN SURFACE LAYER REACTIONS

M. Lapp, R. J. Anderson, J. C. Hamilton
Phone: (415) 422-2435

\$235,000

02-2

Develop and evaluate advanced, nonperturbing, interface-sensitive diagnostic techniques for materials research to produce data in real time and in situ. Focus on initial surface effects during exposures to reactive atmospheres, often at high temperature. Probe surface and near-surface layers with spontaneous Raman scattering, including the capability for Raman microprobe spectroscopy with a controlled-atmosphere environmental hot stage. Nonlinear optical spectroscopies, in particular second harmonic generation, are exploited to study surface processes at submonolayer coverages. The dynamics of surface reactions will be investigated using ultrafast spectroscopic techniques. Recent results include real-time studies of species and reactions at interfaces, focusing on oxygen and hydrogen adsorption and on surface segregation.

SOLAR ENERGY RESEARCH INSTITUTE
1617 Cole Boulevard
Golden, CO 80401

D. Feucht - Phone (FTS) 327-7718 or (303) 231-7718

Solid State Research Branch - 02 -

S. Deb - Phone (FTS) 327-1105 or (303) 231-1105

296. SEMICONDUCTOR THEORY

A. Zunger

Phone: (303) 231-1172 or (FTS) 327-1172

\$185,000

02-3

First-principles band structure, total energy, and statistical mechanical (cluster variation) methods are used to predict electronic and structural properties of ordered and disordered semiconductors and their alloys, including chemical trends and properties of new materials (structural parameters, relative stabilities, etc.). Current work includes (i) first-principles prediction of alloy excess thermodynamic quantities (e.g., enthalpies of formation, etc.) and complete temperature-composition phase diagrams for $A_xB_{a-x}C$ semiconductor alloys (e.g., $Ga_{1-x}In_xP$), including order/disorder transitions, miscibility gaps, and ordered stoichiometric compounds. These methods have also been applied to a metallic case, Cu_xAu_{1-x} ; (ii) novel orderings of familiar ternary compounds (e.g., $(GaAs)_m$ or $HgTe/CdTe$ superlattices) and potential stabilization of metastable compounds by epitaxial growth (e.g., Si_nGe_n superlattices, or rhombohedral $SeGe$); (iii) calculation of valence band offsets between (II-VI and III-V) semiconductors; (iv) prediction of properties of unusual ternary materials, e.g., ordered vacancy $A_{II}^{II}B_2^{III}C_4^{VI}$ compounds (e.g., $CdIn_2Se_4$), and filled tetrahedral compounds $A_1^{I}B_1^{II}C_4^{V}$ (e.g., $LiZnAs$). Theoretical tools include (a) the total energy non-local pseudopotential method, (b) the all-electron Mixed Basis Potential Variation band structure method, (c) the total energy full-potential linearized augmented plane wave method, and (d) the cluster variation approach to the Ising problem, applied to binary or pseudobinary phase diagrams. Our work also includes study of deep defects in semiconductors, e.g., chemical trends for 3d impurities in different hosts (including alloys), prediction of impurity levels and excited states, understanding of impurity-induced host lattice distortions, and clarification of likely effects on device characteristics. Impurity studies use the Quasi-Band Crystal Field Green's function method.

STANFORD SYNCHROTRON RADIATION LABORATORY
Stanford University
P. O. Box 4349, Bin 69
Stanford, CA 94305

Solid State Physics - 02 -

A. I. Bienenstock - Phone (FTS) 461-9300 or (415) 854-3300, X 3153

298. RESEARCH AND DEVELOPMENT OF SYNCHROTRON RADIATION FACILITIES

A. I. Bienenstock, H. Winick
Phone: (415) 854-3300 Ext. 3153

\$1,800,000 02-2

Support of materials research utilizing synchrotron radiation, as well as operations and development of the Stanford Synchrotron Radiation Laboratory (SSRL). Development and utilization of new methods for determining atomic arrangements in amorphous materials, static and time-resolved studies of highly perfect semiconductor crystals using X-ray topography, photoemission studies of semiconductor interfaces (e.g., heterojunctions and Schottky barriers), metal surfaces (especially catalytic reactions on surfaces) and development of techniques such as surface EXAFS, photoelectron diffraction, photon stimulated desorption and interface studies using core level spectroscopy.

Development of techniques for the non-invasive visualization of the human circulatory system, particularly of the coronary arteries. Development of techniques for inelastic X-ray scattering to measure the dynamic structure factor of condensed matter excitations, including phonons and electronic excitations. Development of ultra-high resolution scattering techniques, by means of resonant nuclear scattering.

SECTION B

Grant Research (Primarily Universities)

The information in this Section was prepared by the DOE project monitors of the Division of Materials. There is considerable turnover in the Grant Research program, and some of the projects will not be continued beyond the current period.

ARIZONA STATE UNIVERSITY
Tempe, AZ 85287

350. HIGH RESOLUTION ENERGY LOSS RESEARCH: Si COMPOUND CERAMICS AND COMPOSITES

R. W. Carpenter

Solid State Science and Engineering Division

Phone: (602) 965-4544

S. H. Lin

Dept. of Chemistry

Phone: (602) 965-4544

\$120,000

01-1

High spatial resolution analytical electron investigation microscopy with a field emission source of the elemental composition and local electronic structure of small amorphous and crystalline regions in SiC and Si_3M_4 and in interfacial reaction zones of metal/ceramic and ceramic/ceramic composites. Development of theoretical methods for EELS spectral analysis. Quantitative analysis of small-probe current distribution in real and reciprocal space for field emission gun analytical electron microscopes to permit quantitative analysis of compositional gradients.

351. SURFACE STRUCTURES AND REACTIONS OF CERAMICS AND METALS

J. M. Cowley

Dept. of Physics

Phone: (602) 965-6459

\$104,440

02-2

Studies of surface structures of small crystals of oxides and metals and of reaction of metals with oxides under the influence of intense ionizing radiation and heat using advanced electro-optical techniques; high resolution electron microscopy (HREM), microdiffraction, and electron energy loss spectroscopy (EELS). Measurements in ultra-high vacuum environment in which the specimen may be prepared and treated. The metal oxide specimens include samples with particle diameter of <1 nm, important for catalytic systems and thin surface layers significant for bonding. Investigation of effects of ionizing radiation and the presence of surface layers of water, oxygen, or other gases. Excited states of small particles and the modification of the energetics as a function of particle environment are also studied.

UNIVERSITY OF ARIZONA
Tucson, AZ 85721

352. GRAIN BOUNDARY PHASE EQUILIBRIUM IN METALLIC SYSTEMS

P. A. Deymier

Department of Materials Science and Engineering
Phone: (602) 621-6080

\$123,407

01-1

Study of properties of grain boundaries in pure metallic and alloy systems. Experiments coupled with dynamical atomistic computer simulations. Measurement and calculation of excess free energy of anisotropic interfaces. Description of the grain boundary phase equilibrium diagram. Study of phase transitions of grain boundaries. Examination of solute atom segregation at boundaries in alloys and effect on interfacial properties. Mg, Al, and Mg-Al alloys.

353. ARTIFICIALLY STRUCTURED SUPERCONDUCTORS

C. M. Falco

Dept. of Physics
Phone: (602) 621-6771

\$100,649

02-2

Investigation of the nature of artificial metallic multilayer systems, their electronic and superconducting properties including their weak-link characteristics. Production of superlattices with greater perfection than heretofore, and understanding of the important preparation parameters. Fabrication of layered materials both with a three-gun magnetron sputtering system, and by molecular beam epitaxy. Use of X-ray diffraction, resistance, Rutherford backscattering (RBS), TEM, Mossbauer spectroscopy, and electron tunneling to characterize samples. Emphasis on the superconducting properties of the superlattice system to develop weak links and microbridges with increased range of operating conditions.

ATLANTA UNIVERSITY
Atlanta, GA 30314-4381

354. CERAMIC MATERIALS FROM PRECERAMIC ORGANOMETALLIC COPOLYMERS

Y. H. Mariam
Dept. of Chemistry
Phone: (404) 681-0251 x414
G. Collins
Celanese Research
Phone: (201) 761-6364

\$ 84,967 01-3

Preparation of new ceramics having enhanced physical properties through polymer chemistry. Chemical manipulation of derived copolymers with reactive functional groups leads to in-situ bulk state cross-linking and metal incorporation process operations. Curing, thermolysis and pyrolysis reactions monitored using conventional (IR, ESCA, EM, etc.) and cross polarization/magic angle spinning NMR techniques admits composition, structure and elemental constitution evaluations along the reaction path. Correlation of chemical intermediate characteristics with ceramic microstructural, chemical and -mechanical properties determines the utility of selected reactions toward designing the final product.

BOEING AEROSPACE COMPANY
Seattle, WA 98124

355. X-RAY SPECTROSCOPIC INVESTIGATION OF RADIATION DAMAGED MATERIALS

R. B. Greegor
Phone: (206) 655-0514
F. W. Lytle
Phone: (206) 655-5574

\$ 89,073 01-1

EXAFS/XANES techniques are used to determine the structural arrangements in minerals naturally occurring in a metamict state: titanates, zircons, thorites, monazites, buttonites, fergusonites, and perovskites. Comparison is made to the synthetic mineral actinide-doped (e.g., Pu in thorite, ThSiO_4) or ion-implanted, or otherwise radiation damaged. Assessment is made of the long term stability of titanate, phosphate and silicate radioactive wasteforms which would be subject to the same processes of radiation damage and geochemical alteration in waste containment applications as metamict minerals.

BOSTON UNIVERSITY
Boston, MA 02215

356. THE GEOMETRY OF DISORDER: THEORETICAL INVESTIGATIONS OF
QUASICRYSTALS AND FRUSTRATED MAGNETS

C. H. Henley
Physics Department
Phone: (617) 353-2600

\$ 70,672

02-3

Develop complete atomic structural models for quasicrystals and systematically fit them to available diffraction data (in collaboration with AT&T Bell Labs) for the two known structural types, Al-Mn and Al-Zn-Mg, using appropriate geometric framework and atom decoration. Develop quantitative predictions for low-temperature specific heat, tunneling dynamics and spin-wave excitations in spin glass models. Study diluted frustrated system relations to spin glasses for uniformly frustrated vector-spin systems and continue efforts to understand low-temperature, slow dynamics due to barrier activation of spin systems at percolation.

357. ATOMIC BEAM STUDIES OF THE INTERACTION OF HYDROGEN WITH TRANSITION
METAL SURFACES

M. M. El-Batanouny
Dept. of Physics
Phone: (617) 353-4721

\$101,010

02-4

Use of inelastic surface scattering of neutral atomic and molecular beams to investigate 1.) the different mechanisms for hydrogen exchange between particular crystal faces and the bulk and the relationship between these mechanisms and the rate of hydrogen uptake into the bulk in niobium, palladium, and tantalum, and 2.) energy exchange on transition metal crystal faces between rotational and translational excitations. A study of hydrogen, deuterium, and hydrogen-deuterium beam scattering from the (100), (110), and (111) faces of iron and copper, prototypical of ferromagnetic and nonmagnetic metals.

BRANDEIS UNIVERSITY
415 South Street
Waltham, MA 02254

358. SYNTHESIS AND PROPERTIES OF NOVEL, ELECTROACTIVE ORGANOMETALLIC POLYMERS

M. Rosenblum
Dept. of Chemistry
Phone: (617) 647-2807

\$ 82,124 03-1

Synthesis of organometallic polymers based on transition metal complexation of rigidly held aromatic five and six membered rings. The aromatic ring will be held in a framework such that electron or hole conduction should occur through overlap of the pi-orbitals on contiguous facing aromatic rings. The C₆-based polymers will be derived from paracyclophe nes and the C₅ polymers from cyclopentadienyl naphthalene.

BRIGHAM YOUNG UNIVERSITY
Provo, UT 84602

359. INFLUENCE OF GRAIN BOUNDARY STRUCTURE DISTRIBUTION AND PROCESSING HISTORY IN INTERGRANULAR CREEP CAVITATION

B. L. Adams
Dept. of Mechanical Engineering
Phone: (801) 378-3843

\$ 54,833 01-2

Studies of intergranular creep cavitation in alloy 304 stainless steel as a function of a) grain boundary misorientation angle, b) grain boundary surface orientation, and c) multiaxial stress state. SEM and TEM diffraction characterizations of boundary structure and cavitation damage. Processing effects on grain boundary structure distribution and damage susceptibility.

BROWN UNIVERSITY
Providence, RI 02912

360. FATIGUE CRACK GROWTH UNDER FAR-FIELD CYCLIC COMPRESSION

S. Suresh
Div. of Engineering
Phone: (401) 863-2626

\$117,463 (6 months) 01-2

Experimental and theoretical investigation of crack growth under far-field cyclic compression at both ambient and elevated temperatures in single phase ceramics, transformation-toughened ceramics (partially-stabilized zirconia), a ceramic-matrix composite and model metallic systems. A detailed investigation of the compression fatigue behavior at elevated temperatures, representative of potential in-service applications, is planned. Secondarily, investigate the feasibility of controlled crack growth in compression fatigue as a pre-cracking technique for the fracture testing of a variety of ceramic materials. Program will lead toward a fundamental understanding of the mechanics and mechanisms of fatigue crack growth at ambient and elevated temperatures from which guidelines for fatigue design involving advanced engineering materials will evolve.

361. SURFACES AND THIN FILMS STUDIED BY PICOSECOND ULTRASONICS

H. J. Maris
Dept. of Physics
Phone: (401) 863-2185
J. Tauc
Dept. of Physics
Phone: (401) 863-2318

\$216,000 (17 months) 02-2

Thin films, interfaces, coatings and other surface layers investigated using very high frequency (10 - 500 GHz) sound. The ultrasound will be produced by light pulses with duration of less than one picosecond. Fundamental studies of lattice dynamics and the propagation of sound under conditions of high damping. The method will be developed into a nondestructive testing technique of the mechanical properties of films and interfaces and the detection of structural flaws with significantly better resolution than presently available.

CALIFORNIA INSTITUTE OF TECHNOLOGY
Pasadena, CA 91125

362. THE KINETICS OF SHORT RANGE ORDERING IN UNDERCOOLED ALLOYS

B. T. Fultz
Materials Science Department
Phone: (818) 356-2170

\$112,954

01-1

Study of kinetics of short range order in undercooled alloys of Fe-Al, Fe-Si, and Fe-Co having highly disordered states. Ordering at low temperatures characterized by Mossbauer and EXAFS spectrometries. Comparison of experimental results with Monte Carlo computer simulations of short range order kinetics. Study of short range order in alloys with dilute ternary additions to determine effects of ternary solutes on kinetics and thermodynamics of ordering.

363. STUDIES OF ALLOY STRUCTURE AND PROPERTIES

W. L. Johnson
Div. of Engineering and Applied Science
Phone: (818) 356-4433

\$289,065

01-1

Research on the synthesis, structure, and properties of amorphous alloys, the principal aim of which is to understand the thermodynamics and kinetics of phase transformations in and the structure of noncrystalline materials. Characterization of the electronic structure of metallic glasses and its relation to atomic structure; investigations of the formation of glassy materials prepared by solid state reactions, ion-beam mixing, and rapid quenching. Atomic structure studies include use of EXAFS, XANES, SAXS, SANS, Mossbauer spectroscopy, and NMR. Electronic structure is probed by measuring specific heats, transport properties, and superconductivity.

CALIFORNIA INSTITUTE OF TECHNOLOGY (continued)

364. MELTING IN ADSORBED FILMS

D. L. Goodstein

Div. of Physics, Mathematics, and Astronomy

Phone: (818) 356-4319

\$103,527

02-2

Study of adsorbed films by thermodynamic methods, combining heat capacity and vapor pressure measurements on a systematic grid of points in the coverage (N) versus temperature (T) plane. From these measurements the appropriate thermodynamic free energy may be constructed as a function of its proper variables N and T, and from the tabulated free energy all thermodynamic quantities (i.e. entropy, compressibility, etc.) may be obtained. Pulsed NMR studies of the dynamics to supplement the thermodynamic measurements, particularly for features for which the latter are inconclusive or insensitive.

UNIVERSITY OF CALIFORNIA/DAVIS
Davis, CA 95616

365. CHEMICAL DECOMPOSITION OF CERAMICS UNDER IRRADIATION

D. G. Howitt

Dept. of Mechanical Engineering

Phone: (916) 752-0580

\$112,000

01-4

Investigation of electron and ion irradiation induced ionization, displacement damage, diffusion, and stimulated desorption by means of in situ electron microscopy and mass spectroscopy. Study of ion mixing effects under ion irradiation. Finite difference solutions to a two dimensional diffusion equation for the irradiation and desorption process. Materials: Na- α Al₂O₃, Na borosilicate glass, TiC.

UNIVERSITY OF CALIFORNIA/DAVIS (continued)

366. AN INVESTIGATION OF THE MECHANISMS OF SOLID STATE POWDER REACTIONS
IN THE COMBUSTION SYNTHESIS AND SINTERING OF HIGH TEMPERATURE
MATERIALS

Z. A. Munir
Dept. of Mechanical Engineering
Phone: (916) 752-0559

\$ 86,000 01-5

Reaction mechanisms in powder synthesis with emphasis on the process of combustion synthesis and the concomitant sintering. Low-temperature diffusional processes and their effect on the combustion process. Powder interactions and their effect on the sintering of the product phase. Combustion wave velocities and activation energies. Effects of powder particle size and distribution, surface layers and contamination, and thermal history. Materials investigated: Al and Ni alloys, silicides.

UNIVERSITY OF CALIFORNIA/IRVINE
Irvine, CA 92717

367. RAMAN SPECTROSCOPY OF MOLECULAR ADSORBATES

J. C. Hemminger
Dept. of Chemistry
Phone: (714) 833-6020
S. Ushioda
Dept. of Physics
Phone: (714) 833-6619

\$154,200 02-2

Investigation, by means of Raman scattering spectroscopy, of the molecular adsorbates on well characterized metal surfaces to further elucidate the origin of the surface enhanced scattering, and in conjunction with other surface science probes to study surface chemistry. Determination of the active form of of corrosive agents. Bonding of corrosive inhibitors to metal surfaces. Correlation of Raman enhancement with the electronic energy levels of the metal-adsorbate system that will be determined with high resolution electron energy loss spectroscopy and photoemission. Use of ultra-high-vacuum surface apparatus with computer controlled Raman scattering spectrometer.

B-10

UNIVERSITY OF CALIFORNIA/IRVINE (continued)

368. SURFACE EXCITATIONS AND THEIR INTERACTION WITH LOW ENERGY ELECTRONS

D. L. Mills
Dept. of Physics
Phone: (714) 856-5148

\$128,640 02-3

Theory of the inelastic scattering of electron, ions, and neutral atoms from elementary excitations at surfaces, and the development of theoretical descriptions of these excitations. Emphasis on electron energy loss from surface phonons at both clean and adsorbate-covered surfaces. Studies of spin-slip scattering of low energy electrons from magnetic excitations at surfaces, and excitation of surface phonons by helium atoms. Strong emphasis on the quantitative comparison between the results of this program and experimental data. Tightly coupled effort between Professor Mills and Professor Tong at the University of Wisconsin at Milwaukee.

UNIVERSITY OF CALIFORNIA/LOS ANGELES
Los Angeles, CA 90024

369. AMORPHIZATION OF METALLIC ALLOYS UNDER PROTON AND NEUTRON IRRADIATION

A. J. Ardell
Dept. of Materials Science and Engineering
Phone: (213) 825-7011
C. N. J. Wagner
Dept. of Materials Science and Engineering
Phone: (213) 825-6265

\$118,882 01-4

Investigation of the crystalline to amorphous transformation in proton and neutron irradiated intermetallic compounds. Effects of dose, temperature, and irradiating particle. Transformation monitored by TEM, X-ray diffraction, and DSC.

UNIVERSITY OF CALIFORNIA/LOS ANGELES (continued)

370. RESEARCH ON THE THERMOPHYSICAL PROPERTIES OF MATERIALS

G. A. Williams
Dept. of Physics
Phone: (213) 825-8536

\$182,780

02-5

Investigation of the nonlinear nonequilibrium properties of materials including quantum fluids. Localization of vibrational energy in condensed matter, especially in discreet classical models consisting of chains of simple coupled nonlinear vibrators. Acoustic models of nonlinear systems such as high-amplitude vibrations of flat plates and cylindrical shells. Nonlinear dynamical effects in convecting dilute solutions of ^3He in superfluid ^4He including mode-locking between two intrinsic oscillatory modes and investigation of generalized scaling laws. Quantum fluids including the nucleation of the $\text{A} \rightarrow \text{B}$ transition of ^3He and spin-polarized hydrogen isotopes.

UNIVERSITY OF CALIFORNIA/SAN DIEGO
La Jolla, CA 92037

371. INVESTIGATION OF SUPERCONDUCTIVITY AND MAGNETISM IN D- AND F- ELECTRICAL MATERIALS

M. B. Maple
Dept. of Physics
Phone: (619) 534-3969

\$336,700

02-2

Investigations on a variety of rare earth and actinide compounds, including studies of superconductivity, magnetism, and effects that arise from their mutual interaction, as well as the anomalous behavior exhibited by heavy electron (or "heavy Fermion") materials that is associated with valence fluctuations and the Kondo effect. Measurements of ac and dc magnetic susceptibility, specific heat, and electrical resistivity under conditions of temperature between 80 milliKelvin and 300 K, magnetic fields to 10 Tesla, and pressures to 160 kbar.

B-12

UNIVERSITY OF CALIFORNIA/SAN DIEGO (continued)

372. PREPARATION AND CHARACTERIZATION OF SUPERLATTICES

I. K. Schuller
Dept. of Physics
Phone: (312) 972-5469

\$170,758 02-2

Preparation and Characterization of superlattices with constituents that do not form solid solutions in their binary phase diagrams. Search for new superlattices; study relationship between epitaxial and superlattice growth; compare samples prepared by sputtering and thermal evaporation. Use of molecular beam epitaxy (MBE), sputtering. Growth studies with Nb/Cu. Roughness measurements with Ge/Pb multilayers. Characterization of samples by X-ray diffraction, electron microscopy, and in-situ high energy electron diffraction. Measurement of other properties, i.e., transport, magnetic, optical, superconducting, etc. in collaboration with others.

373. ION MIXING AND SURFACE MODIFICATION IN METAL SEMICONDUCTOR SYSTEMS

S. S. Lau
Dept. of Electrical Engineering and Computer Sciences
Phone: (619) 534-3097
J. Mayer
Dept. of Materials Science and Engineering (Cornell University)
Phone: (607) 255-7273

\$180,000 (15 months) 02-4

Experimental investigation of the ion mixing during and following ion implantation. Metal-semiconductor bilayer samples. Nickel-silicon system with silicide formation. Germanium-silicon alloys in contact with near noble metals. Ion mixing and thermal annealing process comparison.

UNIVERSITY OF CALIFORNIA/SANTA BARBARA
Santa Barbara, CA 93106

374. EXPERIMENTAL STUDIES OF CRITICAL BEHAVIOR IN SYSTEMS WITH QUENCHED DISORDER

D. Belanger
Dept. of Physics
Phone: (408) 429-2871

\$120,000 02-1

Understand phase transitions and critical phenomena in systems with random, quenched disorder. Dilute cubic systems under uniaxial pressure and magnetic fields. Compare with random anisotropy and $q = 3$ random field Potts models. Techniques of quasielastic and Bragg neutron scattering, spin echo neutron scattering, and optical linear birefringence. Improve high magnetic field and low temperature capabilities of birefringence equipment. Prepare and characterize samples including epitaxial thin films.

375. CONDENSED MATTER RESEARCH USING THE UCSB FREE ELECTRON LASER

V. Jaccarino
Dept. of Physics
Phone: (805) 961-2121
L. Elias
Dept. of Physics
Phone: (805) 961-4387

\$130,000 02-2

Development of a free electron laser. Optical, magnon or phonon sideband determination including magnons of an antiferromagnetic MnF_2 host and impurity V or Fe ions. Nanosecond switch for far infrared radiation. Dynamic studies of coherent magnon and phonon lifetimes. Non-linear excitation of magnons, magnetic instabilities, generation of high frequency phonons, non-linear excitation of two-dimensional electron systems, and dynamics of impurity associated local modes.

UNIVERSITY OF CALIFORNIA/SANTA BARBARA (continued)

376. RESEARCH IN THEORIES OF PATTERN FORMATION AND NONEQUILIBRIUM PROCESSES

J. S. Langer
 Dept. of Physics
 Phone: (805) 961-4111

\$127,432 02-3

Theoretical studies of pattern-forming processes primarily of importance to the solidification of metallurgical and other technological materials. Specific studies of boundary-layer models of dendritic solidification and generalization of these to realistic models, including effects of impurities and of "noisy" perturbations. Theory of pattern selection in directional solidification in alloys, of precipitation kinetics and statistical theory of the kinetics of phase separation. Development of new theoretical techniques, and investigation of their applicability to other phenomena, e.g. in fracture mechanics, in biological materials.

377. NUMERICAL SIMULATION OF QUANTUM MANY-BODY SYSTEMS

D. J. Scalapino
 Physics Dept.
 Phone: (805) 961-2871
 J. R. Schrieffer
 Physics Dept.
 Phone: (805) 961-2800
 R. L. Sugar
 Physics Dept.
 Phone: (805) 961-3469

\$121,729 02-3

Development of stochastic numerical techniques for simulating many-body systems containing particles that obey Fermi statistics, and application of these techniques to problems of strongly interacting fermions. One-dimensional and quasi-one-dimensional systems, arrays of these and extensions to higher dimensions. Investigations with various electron-phonon interactions to further the fundamental understanding of conducting polymers, spin glasses, and pseudo-random spin systems such as CeNiF. Non-phonon pairing models (e.g., excitonic, localized spin fluctuations). Consideration of correlation effects and frequency dependent transport to test the validity of theoretical approximations. Investigations of many-fermion systems in two and higher dimensions.

UNIVERSITY OF CALIFORNIA/SANTA BARBARA (continued)

378. MOLECULAR PROPERTIES OF THIN ORGANIC INTERFACIAL FILMS

J. Israelachvili

Dept. of Chemical and Nuclear Engineering

Phone: (805) 961-2902

\$128,795

03-1

Fundamental measurements of structural, adhesive and tribological properties of thin organic films on solid surfaces. Film deposition by Langmuir-Blodgett method. Measurements emphasize the use of a Surface Forces Apparatus (SFA) for measuring directly the forces acting between solid surfaces as a function of separation with a distance resolution of 0.1 nm. Adhesion and surface energy of metals coated with surfactant and polymer films are measured by SFA in both gaseous and liquid environments. New measurements of dynamic forces acting on two laterally moving surfaces, recording the normal (compressive) and tangential (frictional) forces while simultaneously monitoring the plastic deformation.

379. POLYMERS AT SURFACES

P. A. Pincus

College of Engineering

Phone: (805) 961-4362

\$100,000

03-2

Theoretical research on the interaction of polymers with surfaces. Effects of long rearrangement times leading to quasi-irreversibility and hysteresis in the force between polymer clad surfaces. Polymer adsorption on rough surfaces. Spreading pressure of macromolecules adsorbed on fluid-fluid interfaces. Dispersion stability of suspended colloids with adsorbed polymers. Interaction of charged polymers with surfaces. Effects of adsorbed polymer layers on the spectrum and damping of capillary waves at the fluid-fluid interface.

CARNEGIE MELLON UNIVERSITY
Pittsburgh, PA 15213

380. THE EFFECTS OF APPLIED STRESS ON MICROSTRUCTURAL EVOLUTION

W. C. Johnson

Dept. of Metallurgical Engineering and Materials Science
Phone: (412) 268-8785

D. E. Laughlin

Dept. of Metallurgical Engineering and Materials Science
Phone: (412) 268-2706

\$134,012 (17 months) 01-1

Theoretical and experimental study of second phase morphology changes in alloys due to the influence of an applied stress field. Morphological characteristics include precipitate shape, size and distribution. Theoretical studies to identify the relative effects of elastic misfit, elastic inhomogeneity, precipitate interaction and the nature of the applied stress field on precipitate size and the evolution of precipitate shape. Computer simulations of the effect of the elastic interaction of precipitates on coarsening under applied stress fields. Experimental studies on Ni-Al and Ni-Al-X two-phase alloys of the effects of stress on microstructure to compare to theoretical predictions and to document effects of precipitate interactions on precipitate shape.

381. PHASE SEPARATION AND ORDERING IN InGaAsP AND InGaAs MATERIALS

S. Mahajan

Dept. of Metallurgical Engineering and Materials Science
Phone: (412) 268-2702

D. E. Laughlin

Dept. of Metallurgical Engineering and Materials Science
Phone: (412) 268-2706

\$250,000 01-1

Experimental study (X-ray diffraction and transmission electron microscopy) of phase separation, ordering and coarsening in InGaAs and InGaAsP grown by liquid phase epitaxy and given thermal treatments. Evaluation of electrical mobilities (using the technique of vander Pauw) and optical properties (assessed by photoluminescence). Studies of the influence of microstructural features on dislocation grids (with and without optical pumping) for correlation with degradation resistance of InP/(In,Ga)(As,P) and GaAs/(Ga,Al)As light emitting devices.

CARNEGIE MELLON UNIVERSITY (continued)

382. THE ROLE OF PASSIVE SURFACE FILMS ON CORROSION FATIGUE CRACK INITIATION

I. M. Bernstein

Dept. of Metallurgical Engineering and Materials Science

Phone: (412) 268-2700

A. W. Thompson

Dept. of Metallurgical Engineering and Materials Science

Phone: (412) 268-2700

\$239,139 (23 months) 01-2

Experimentally measure and model the roles of a passive surface layer and the underlying microstructure in controlling corrosion fatigue crack initiation and subsequent lifetimes. Investigate titanium containing varying amounts of solute oxygen in which key parameters can be controlled and independently measured in order to advance both the model and the general understanding of corrosion fatigue initiation under passive conditions. Develop a predictive electromechanical test to assess a particular alloy's susceptibility to corrosion fatigue.

CASE WESTERN RESERVE UNIVERSITY
Cleveland, OH 44106

383. MICROSTRUCTURE-MECHANICAL PROPERTY RELATIONSHIPS IN
TRANSFORMATION-TOUGHENED CERAMICS

A. H. Heuer

Dept. of Metallurgy and Materials Science

Phone: (216) 368-3868

\$ 56,325

01-2

Ostwald ripening in ZrO_2 toughened Al_2O_3 . Plastic deformation in two phase "single crystal" Ca partially-stabilized ZrO_2 , and in 100 percent tetragonal ZrO_2 polycrystals. Stress-induced transformation in Y-TZP and ZTA. The focus of these studies is the nature and extent of the transformation zone associated with propagating cracks and the critical factors involved in processing strong and tough polycrystalline tetragonal ZrO_2 . Correlation of TEM analysis with mechanical properties.

UNIVERSITY OF CHICAGO
5801 S. Ellis Avenue
Chicago, IL 60639

384. THEORY OF CONDENSED MATTER AND ELEMENTARY PARTICLES

L. P. Kadanoff
The James Franck Institute
Phone: (312) 962-7189
Y. Nambu
The James Franck Institute
Phone: (312) 962-7286
D. Friedan
Dept. of Physics
Phone: (312) 962-7119
S. Shenker
Dept. of Physics
Phone: (312) 962-7187

\$181,670

02-3...

Theoretical research on problems relevant to both quantum field theory and statistical mechanics. Topics to be considered include: Conformal field theory and two dimensional critical phenomena, including new reformulations and their use to classify all 2D critical phenomena. Macroscopic structure in dynamical systems (pattern formation). String theory and random surfaces in high energy physics and statistical mechanics. Fermion-boson mass relations in Bardeen-Cooper-Schrieffer type theories. Motion of charged particles in presence of many unquantized magnetic fluxes.

UNIVERSITY OF CINCINNATI
Cincinnati, OH 45221

385. SURFACE CHEMISTRY OF ELECTROCATALYSIS

A. Hubbard
Dept. of Chemistry
Phone: (513) 559-1090

\$ 86,670 (10 months) 03-2

Determination of the structure, composition, and electrochemical reactivity of electrocatalyst surfaces after various stages of pretreatment and use in solutions containing hydrocarbon reactants. Electrode surfaces removed from solution are characterized by LEED, AES, XPS, and vibrational spectroscopy obtained by HEELS. Objectives of the study emphasize the comparison of the mode of adsorption of various hydrocarbons, poisons, and promoters on surfaces of copper, silver, gold, platinum and alloys of these elements.

CLARK COLLEGE
Atlanta, GA 30314

386. INVESTIGATIONS OF POLING PROCESSES, CHARGE TRAPPING AND
PRESERVATION IN SOME FERROELECTRIC AND POLYMERIC MATERIALS

O. P. Puri
Dept. of Natural Sciences and Mathematics
Phone: (404) 681-3080, x200

\$ 92,150

01-3

Investigation of the mechanism of formation and relaxation of electrets in nonpolar inorganic single crystals, polycrystalline and amorphous dielectrics. Experimental characterization of electret formation as a function of sample temperature polarization field, cooling rate, and electret decay in the open and closed circuit condition. Extension of Swann-Gubkin theory by considering the nonpolar part of electret polarization through ion displacement. Charge transport, space charge and defect diagnoses on oxides, chalcogenide glass and elemental Si samples.

COLORADO SCHOOL OF MINES
Golden, CO 80401

387. THE ROLE OF COMPOSITION AND MICROSTRUCTURE GRADIENTS ON WELD METAL
PROPERTIES AND BEHAVIOR

D. L. Olson
Center for Welding Research
Phone: (303) 273-3787
D. K. Matlock
Center for Welding Research
Phone: (303) 273-3775

\$167,161

01-5

The effects of weld metal compositional and microstructural gradients on phase transformations, microstructural stability, and mechanical properties considered on a fundamental basis in weld metal alloys that are primarily austenitic (e.g., stainless steels). Models, which incorporate compositional gradients, developed to predict the resulting weld metal properties. The mechanical properties of weld metals modeled based on composite theory in which individual weld metal zones are considered as discrete elements within a composite structure.

COLORADO SCHOOL OF MINES (continued)

388. PHOTON SCATTERING AND INTERACTION ANALYSIS OF INTERFACIAL CORROSION AND CATALYSIS

T. E. Furtak
Dept. of Physics
Phone: (303) 273-3843

\$144,000 02-2

Development of techniques for study of electrochemical environment, electrolyte-solid surface interface. In situ optical experiments. Dynamics and structure of the prototypical electrolyte-solid system. Interpretations from ab initio theories of metal surfaces, competitive adsorption, and liquid state. New instrumentation - second harmonic generation spectroscopy with a tunable laser source to identify surface non-linear effects and relate to recent theories of second harmonic generation in thin films. Variation of incident photon energy is essential to probe the relative cross section of the electronic excitations.

COLORADO STATE UNIVERSITY
Fort Collins, CO 80523

389. PROPERTIES OF MOLECULAR SOLIDS AND FLUIDS AT HIGH PRESSURE AND TEMPERATURE

R. D. Etters
Dept. of Physics
Phone: (303) 491-5374

\$ 73,129 02-3

Theoretical calculation of the properties of molecular solids and fluids over broad ranges of high temperatures and pressures. Properties of interest are as follows. Solids: equilibrium structures and orientations, lattice vibrational and vibrational mode frequencies, intramolecular vibron frequencies, sound velocities, equations of state, compressibilities, and structural and orientational phase transitions. Fluid phase: equations of state, vibron frequencies, the melting transition, specific heats, compressibilities, second virial coefficients, viscosities and other transport properties, and the nature of orientational and magnetic correlations. Techniques used include multi-dimensional optimization strategies, self-consistent lattice dynamics, constant pressure and constant volume Monte Carlo (i.e., variable metric) computation, mean field and classical perturbation methods. Systems studied include N₂, O₂, CO, CO₂, F₂, N₂O, benzene, nitro-methane, HCl, HBr, and H₂. Attention is given to connections to combustion and detonation phenomena, and to synthesis of new materials. Collaboration with theoretical work and close correlation with experimental programs at LANL.

UNIVERSITY OF COLORADO
Boulder, CO 80309

390. STUDIES OF MELTING, CRYSTALLIZATION, AND COMMENSURATE-INCOMMENSURATE TRANSITIONS IN TWO DIMENSIONS

W. J. O'Sullivan
Dept. of Physics
Phone: (303) 492-7457
R. C. Mockler
Dept. of Physics
Phone: (303) 492-8511

\$118,274 02-2

Preparation and study of systems of synthetic colloidal microspheres that exhibit the primary phenomena of physical interest in lower dimensional systems. Use of e-beam lithography and film deposition to construct substrate particle-traps in extended or local patterns, to provide potential fields acting on the colloidal particles. Quasi-elastic light scattering microscopy combined with digital image processing, and various other optical techniques, applied to study colloidal particles in suspension films, monolayers, and bilipid membranes. Melting, crystallization, solid-solid transitions, fractal scale invariant coagulation, response of monolayer crystals to the equivalent of ultra high pressures, experimental and computer simulation of particles distributions and dynamics --including collapse of distributions on quenching electrostatic interparticle forces, critical diffusion rates in thin binary liquid films.

COLUMBIA UNIVERSITY
New York, NY 10027

391. PROTONIC AND OXYGEN-ION CONDUCTION IN SOLID OXIDE ELECTROLYTES

A. S. Nowick
Henry Krumb School of Mines
Phone: (212) 280-2921

\$146,412 01-3

Ion transport processes in perovskite-structured oxides which can be converted into high-temperature protonic conductors by treatment in water vapor. Determination of the manner in which protons enter the host crystal and the appropriate kinetic parameters (e.g., activation energies and association energies) that determine the rate of migration. Monitoring of proton content by observation of intensity of infrared absorption due to the OH⁻ stretching mode. Investigative techniques include ionic conductivity (complex impedance as a function of frequency), diffusion measurements (including H <--> D interchange), dielectric and anelastic relaxation, electrolyte cell measurements, EPR, NMR, and HADES type computer simulations. Materials of investigation: single crystal KTaO₃, sintered polycrystal SrCeO₃, SrTiO₃, and other perovskite oxides.

UNIVERSITY OF CONNECTICUT
Storrs, CT 06268

392. A COHERENT MODEL OF MARTENSITIC NUCLEATION AND GROWTH

P. C. Clapp
Dept. of Metallurgy
Phone: (203) 486-4714

\$ 98,137

01-1

Development of a model of coherent martensitic nucleation for a variety of transformation symmetries using a non-linear, non-local strain free energy similar to the Ginzburg-Landau form. Fourth order gradient terms are included to deal with the large number of real systems showing negative second order strain gradient coefficients; heterogeneous defects of varying potencies are included; the dynamics of the transformation instabilities are analyzed for specific cases. One, two, and three dimensional cases are studied and matched with the parameters of real systems. Point, line, and surface defects are considered and their effects, both local and global, on the transformation are examined. The model contains a self-consistency check on the coherency hypothesis; cases that fail this test are considered separately as this indicates an essential role for interface dislocations in the nucleation process.

393. FATIGUE OF FERRITIC AND AUSTENITIC STEELS AT ELEVATED TEMPERATURES

A. J. McEvily
Metallurgy Dept.
Phone: (203) 486-2941

\$ 59,697

01-2

Studies of the load interaction effects in the near threshold region of ferritic steels. Study of the behavior of austenitic stainless steels at elevated temperatures in order to understand the nature of creep fatigue interaction in an alloy system prone to cavitation, a tendency absent in the ferritic steels.

UNIVERSITY OF CONNECTICUT (continued)

394. ENERGY TRANSFER & NONLINEAR OPTICAL PROPERTIES AT NEAR ULTRAVIOLET WAVELENGTHS: RARE EARTH 4F->5D TRANSITIONS IN CRYSTALS & GLASSES

D. S. Hamilton
Dept. of Physics and Institute of Materials Science
Phone: (203) 486-3856

\$ 85,400 02-2

Investigation of optical properties of rare earth ions, substitutionally doped into host crystals and glasses, especially near ultraviolet transitions, 4f to 5d, of these ions. Non-radiative relaxation processes, two step photoionization, and laser-induced diffraction gratings and phase conjugate wave generation.

CORNELL UNIVERSITY
Ithaca, NY 14853

395. UHV-STEM STUDIES OF NUCLEATION AND GROWTH OF THIN METAL AND SILICIDE FILMS ON SILICON

J. Silcox
School of Applied and Engineering Physics
Phone: (607) 255-3332
E. J. Kirkland
School of Applied and Engineering Physics
Phone: (607) 255-0648

\$180,000 01-1

Investigation of initial stages of thin film formation on silicon by UHV STEM techniques to determine the changes in atomic, chemical and electronic structure as compound formation proceeds. Initial systems chosen for study are the heavy transition metals, platinum, tungsten, and gold on silicon (111). Establishment of single atom visibility (and resolution) using annular dark field techniques and a new UHV method of preparation of single crystal, defect-free thin films of silicon. Computer based image simulation and enhancement techniques, together with electron microdiffraction. Experimental studies of films within the same microscope chamber will include AES, EELS, and XMPA spectroscopy to monitor chemical and electronic structure.

CORNELL UNIVERSITY (continued)

396. THE MIGRATION OF GRAIN BOUNDARIES IN CERAMICS WITH PARTICULAR
REFERENCE TO THE SINTERING PROCESS

C. B. Carter

Dept. of Materials Science and Engineering

Phone: (607) 255-4797

\$110,000

01-1

Study of the effect of geometry and composition of interfaces on interfacial mobility in ionic-covalent solids. Concerns include (1) misorientation between grains and boundary plane orientation, (2) geometry of interfacial dislocations and steps, (3) interfacial chemistry including local segregation and nonstoichiometry, and (4) interfacial pinning by pores or crystalline or amorphous pockets or films of a second phase. Materials of investigation include Al_2O_3 , ZnO , Mg-Al spinel, Si, and Ge. Studies on both powder compacts and bicrystals involve visible light microscopy, electron microprobe analysis, and strong- and weak-beam, lattice fringe, X-ray energy dispersive and electron energy loss TEM analysis. Bicrystals of controlled orientation produced by hot pressing.

397. EXPERIMENTAL AND THEORETICAL STUDIES OF THE STRUCTURE OF GRAIN BOUNDARIES

S. L. Sass

Dept. of Materials Sciences and Engineering

Phone: (607) 255-5239

N. W. Ashcroft

Dept. of Physics

Phone: (607) 255-8613

\$305,000

01-1

Investigation of grain boundary structure of BCC metals, ceramics, and intermetallic compounds using transmission electron microscopy and electron diffraction, and X-ray diffraction techniques, study of the influence of segregation on the structure of grain boundaries in Fe-base alloys, $MgO + Fe$ and Ni_3Al , determination of grain boundary region in order to obtain structural information, study theoretically the structure of crystalline defects including grain boundaries, and the interatomic potentials needed to calculate their structure.

CORNELL UNIVERSITY (continued)

398. STRONG FIBERS

H. H. Johnson
Dept. of Materials Science and Engineering
Phone: (607) 255-2323

\$170,000 01-1

Use of microfabrication technology to produce fibers of metals, ceramics and ductile intermetallic compounds. Deposition processes such as coevaporation, reactive evaporation, sputtering, ion beam mixing, etc., will be integrated with pattern generation by optical lithography to produce fibers with transverse dimensions in the micrometer range, and lengths from a few millimeters to several centimeters. Rutherford backscattering spectroscopy, X-ray diffraction, transmission electron microscopy and electron diffraction to characterize fiber composition and structure. Correlations between structure and deposition techniques and parameters, and also post deposition heat treatments. Crystalline, amorphous and nanoscale structures will be produced and characterized. Room and elevated temperature mechanical property characterization. Mixed oxide ceramic fibers and fibers of ductile intermetallic alloys.

399. STUDIES OF THE III-V COMPOUNDS IN THE MEGABAR REGIME

A. L. Ruoff
Dept. of Materials Science and Engineering
Phone: (607) 255-4161, -9617

\$165,000 01-1

Crystal structure changes in III-V compounds as a function of pressure to 200-300 GPa (2-3 Mbar) with emphasis on the transformation from four-fold to six-fold coordination and on identifying the various phases present with six-, eight-, and twelve-fold coordination. Acquisition of data over a broad range of pressure, coordination number, and interatomic spacing to test and promote the development of theoretical models. Development of energy dispersive X-ray analytical techniques in conjunction with a wiggler at the CHESS facility to obtain diffraction patterns to 100 keV. Development of diamond anvil cell techniques to 300 MPa and improved monochromatic powder diffraction.

CORNELL UNIVERSITY (continued)

400. AN INVESTIGATION OF MECHANICAL BEHAVIOR OF POLYCRYSTALLINE SOLIDS

C-Y. Li

Dept. of Materials Science and Engineering

Phone: (607) 255-4349

\$100,000

01-2

State-variable description of creep deformation and related phenomena in polycrystalline intermetallic alloys. Load relaxation experiments used over a wide range of strain rates. Mechanism of grain boundary sliding is emphasized. Approaches to be developed to improve the creep strength of intermetallic alloys.

401. INTERFACE SCIENCE IN DEFORMATION PROCESSING OF CERAMICS

R. Raj

Dept. of Materials Science and Engineering

Phone: (607) 255-4040

\$195,037

01-2

Investigation of interfacial interactions occurring when alumina, zirconia and their mixtures are processed at temperatures permitting superplastic behavior. In-house-processed materials will be monitored for structural changes at grain boundaries over appropriate stoichiometric and applied stress intervals. Theoretical modeling of chemical diffusion and deformation processes will utilize data derived from experimental tests.

CORNELL UNIVERSITY (continued)

402. DEFECT STUDIES IN III-V THIN FILM SEMICONDUCTORS

D. G. Ast

Dept. of Materials Science and Engineering
Phone: (607) 255-4140

\$114,000

01-3

Study the correlation between the electronic properties, atomic structure, and local chemistry of defects in GaAs, GaAs-based ternaries and at the interface between GaAs, GaAs-based ternaries and Si. The main objectives of the proposed research: Clarify the core structure of clean and decorated defects. Investigate relation between decoration state and electrical activity using a combination of TEM, in situ EBIC, CL, PL, and DLTS. Investigate changes in the electrical activity and structure of defects as a function of annealing conditions using capped anneals, non-capped anneals (vacuum), annealing with InGaAs and annealing under very slow CVD growth conditions. Investigate the structure of grain boundaries, with particular attention to the possible dissociation of asymmetric grain boundaries into subsets of symmetric boundaries. Investigate the electrical activity of anti-phase boundaries in GaAs on Si and Ge as a function of their structure. Investigate the origin of CL contrast of Si-GaAs and its connection to the spatial variation of deep states, using a combination of EBIC, CL, TEM, and spatially resolved PL.

403. SURFACE PHASES AND THEIR INFLUENCE ON METAL-OXIDE INTERFACES

J. M. Blakely

Dept. of Materials Science and Engineering
Phone: (607) 255-5149

\$136,029

01-3

Determination of phase diagrams for binary 2-dimensional adsorbed systems, such as S + O, on transition metals and effect of adsorbed phases on growth and morphological stability of oxide layers on these materials. Determination of long range order and transitions in the adsorbate phases by LEED and surface X-ray diffraction. Composition and bonding information from Auger and photoemission spectroscopy. Spectroscopic ellipsometry for oxide thickness determination and scanning tunneling microscopy for the study of surface phase morphology, interphase boundaries, and heterogeneous oxide-adsorbate surfaces.

CORNELL UNIVERSITY (continued)

404. STRONGLY INTERACTING FERMION SYSTEMS: EMPHASES ON HEAVY FERMIONS

J. W. Wilkins
 Dept. of Physics
 Phone: (607) 255-5193

\$120,000 (15 months) 02-3

Theory of heavy fermion behaviour in lanthanide and actinide compounds, and more generally of systems with f and/or d electrons that are strongly interacting or correlated. Aims at understanding the occurrence or absence of heavy fermions in such systems, the nature of the low temperature coherent state and the transition to a Kondo-like state at higher temperatures, and of course, at an account of the unusual magnetic and superconducting properties of heavy fermion. Extension to magnetically concentrated systems of approaches known from experience with magnetically dilute alloys, including renormalization study of two-impurity models. Close interaction with ongoing experimental programs at DOE laboratories and elsewhere. Exploration and development of new theoretical and computational methods, for example utilizing functional-integral formulations, discretizing on a lattice in space and temperature, renormalization transformations, and Monte Carlo technique with a Langevin equation for non-perturbative calculation of properties.

405. SYNTHESIS AND PROPERTIES OF NOVEL CLUSTER PHASES

F. J. Di Salvo
 Dept. of Chemistry
 Phone: (607) 255-7238

\$162,872 03-1

Synthesis of new cluster compounds containing Nb, Ta, or Mo. Included are reactions with solvated halide clusters of both M_6X_8 and M_6X_{12} types concentrating on Nb_6I_{11} and solid state synthesis reactions at temperatures above 800°C. Study of Mo_3X_3 infinite chain clusters and polymer blends of these inorganic polymers with organic polymers. Synthesis of complexes of Nb_6I_8 with bifunctional ligands or with square planar metal organic or coordination complexes. Characterization by X-ray diffraction, Faraday balance for magnetic measurements, four probe resistance for conductivity, Hall effect, and magneto-resistance measurements.

DARTMOUTH COLLEGE
Hanover, NH 03755

406. THE STRUCTURE AND PROPERTIES OF GRAIN BOUNDARIES IN B2
ORDERED ALLOYS

I. Baker

Thayer School of Engineering
Phone: (603) 646-2184

\$118,287

01-2

A study of the structure and properties of grain boundaries of the B2 ordered alloys FeAl and NiAl. Grain size and composition variations; compression and tension testing at room temperature. Grain boundary structure and chemistry determined by transmission electron microscopy and atom probe field ion microscopy; in-situ straining during microscopy to determine dislocation/bonding interactions; grain boundary structure determined by X-ray diffractometry and selected area channeling patterns. Geometric modeling of grain boundaries in B2 structures correlated with experimental results.

407. THE ROLE OF GRAIN BOUNDARIES ON THE STRENGTH, DUCTILITY, AND
TOUGHNESS OF $L1_2$ INTERMEDIATE COMPOUNDS

E. M. Schulson

Thayer School of Engineering
Phone: (603) 646-2888

\$132,125

01-2

Examine dislocation pileup/grain boundary accommodation model in more detail; carry out systematic in situ TEM deformation studies on Ni-rich, stoichiometric and Ni-lean Ni_3Al both with (0.35at%) and without boron; investigate grain boundary sliding in Ni_3Al by systematic experiments on the effects of grain size on high-temperature deformation (800-1200K) of Ni_3Al with (0.35at%) and without boron; investigate grain size effects on the strength and ductility of Ni_3Si by systematic experiments on the effects of grain size on the mechanical properties and resultant deformation structure; improve the toughness of Ni_3Al through grain shape control, i.e., generate equiaxed fine grain structure with simultaneous increase of aspect ratio; comparative tests (fibrous vs. equiaxed microstructures) performed at RT using Charpy impact technique. Subsequent fracture toughness measurements using standard ASTM procedures.

DARTMOUTH COLLEGE (continued)

408. EXCITONS IN SEMICONDUCTOR SUPERLATTICES, QUANTUM WELLS, AND TERNARY ALLOYS

M. D. Sturge
 Dept. of Physics
 Phone: (603) 646-2528

\$82,000 02-2

Improve the understanding of optically excited states of "quantum well" and "superlattice" structures in which semiconductors with quite different band gaps are interleaved. Time-resolved tunable laser spectroscopy will be used to study phenomena such as: (1) The effect of atomic disorder on exciton dynamics. (2) The nature of excitons and their phonon interactions in short period superlattices (SPS), both strained and unstrained. (3) The exciton-exciton interaction. When the excitons are indirect, both in real and momentum space, (as in GaAs/AlAs SPS), this interaction may lead to a new type of electron-hole liquid. (4) Exciton-exciton interactions in superlattices. (5) New materials for quantum wells and superlattices.

UNIVERSITY OF DELAWARE
 Newark, DE 19716

409. NEUTRON STUDIES OF LIQUID AND SOLID HELIUM

H. R. Glyde
 Dept. of Physics
 Phone: (302) 451-2904

\$ 75,700 02-1

Theoretical calculations of properties of liquid and solid helium for direct comparison with neutron measurements. The aim is to interpret neutron scattering data, to investigate implications of experiments in terms of extant and new models, and to propose new experiments. Specific examples are: direct calculation of the dynamic form factor $S(Q,w)$ in liquid ^3He for comparison with existing data to test models of the effective interactions between atoms in the liquid, calculations of the momentum distribution in liquid ^3He and in solid ^4He for comparison with experiments at IPNS(ANL), and to test the impulse approximation using models appropriate to solid ^4He . Development of a microscopic theory of liquid ^3He based on Green's function methods (a long term project). Study of the dynamics and phase transitions in adsorbed rare gas monolayers, particularly for the light rare gases exhibiting prominent quantum effects which cannot yet be treated by molecular dynamics.

UNIVERSITY OF DENVER
Denver, CO 80208

410. RESIDUAL STRESSES AND THERMAL EXPANSION IN FIBER REINFORCED CERAMIC COMPOSITES

P. K. Predecki
Dept. of Engineering
Phone: (303) 871-2102

\$ 67,000

01-2

Investigation of residual stresses and strains in ceramic fiber/ceramic matrix composites by X-ray diffraction to obtain the near surface stresses and neutron diffraction to obtain the bulk microstresses in each crystalline phase. Diffraction measurements as a function of temperature on well-characterized specimens--initially from other laboratories--in which either the thermal expansion of the matrix or the fiber surface treatment systematically varied. Materials investigated include Al_2O_3 fibers in silicate glasses and glass ceramics, and SiC whiskers in Al_2O_3 . Noyan-Cohen analysis accounting for 3-dimensional nature of stresses and including, where possible, separation of macrostress and microstress components in each phase. Results correlated with mechanical properties and thermal expansion via existing models for composite behavior. The objective is to provide a test for such models and to see if the techniques used are useful for predicting the strength, toughness, and thermal expansion of these materials.

411. DETECTING AND MONITORING CRACK INITIATION AND GROWTH IN AUSTENITIC AND FERRITIC STEELS

S. H. Carpenter
Dept. of Physics
Phone: (303) 871-2176

\$73,913

01-5

Experimental investigation of new techniques to study the initiation and growth of cracks in hydrogen environment, techniques include continuous measurement of elastic modulus and acoustic emission, materials investigated include pure iron and a number of stainless steels, measurements are carried out at zero load as well as under applied stress, additional measurements of the internal friction provide insight and information on hydrogen-dislocation interactions, acoustic emission tests on small pressure vessels to determine if acoustic emission monitoring can be used on real structure exposed to hydrogen environments.

FLORIDA STATE UNIVERSITY
Tallahassee, FL 32306

412. HE-ATOM SCATTERING APPARATUS FOR STUDIES OF CRYSTALLINE SURFACE DYNAMICS

J. G. Skofronik
Dept. of Physics
Phone: (904) 644-5497
S. A. Safron
Dept. of Chemistry
Phone: (904) 644-5239

\$110,000 02-4

Construction of a He atom-surface scattering instrument and the study of the dynamics of crystalline surfaces by low energy He-atom scattering. Extraction from surface phonon data of information on the interactions between surface species and hence on their physical and chemical properties. Surface phonon dispersion curves obtained by time-of-flight methods from inelastic single atom-surface encounters. Corrugation of and energy levels in the He-surface potential, obtained from elastic specular and diffractive scattering. Information on relaxation phenomena obtained from measurements of phonon lifetimes. Studies envisaged include: (110) surfaces of Au, Pt, and Ir, which reconstruct as a function of temperature. Surfaces of active metals (Ni, Cu), both clean and with physisorbed or chemisorbed layers. Surface phonon anomalies in high T_c superconductors. Surfaces of layered dichalcogenide compounds (e.g., TaSe₂, NbSe₂), which exhibit a variety of transitions with decreasing temperature -- including charge density wave formation.

UNIVERSITY OF FLORIDA
Gainesville, FL 32611

413. THE COUPLING OF THERMOCHEMISTRY AND PHASE DIAGRAMS FOR GROUP III-V SEMICONDUCTOR SYSTEMS

T. J. Anderson
Dept. of Chemical Engineering
Phone: (904) 392-2591

\$80,554 01-3

Solid state galvanic cell measurements and high temperature micro-calorimeter measurements to determine thermodynamic properties of Al_xGa_{1-x}Sb and Al_xIn_{1-x}Sb alloys. Liquid phase component activities measured to determine the appropriateness of several solution models. The ternary Al-Ga-Sb phase diagram will be computed and compared to experimental data. The Al-In-Sb and Al-Ga-In-Sb phase diagrams will be predicted. Defect structure of the material will be investigated.

UNIVERSITY OF FLORIDA (continued)

414. MODERATE AND LOW TEMPERATURE OXIDATION OF CLEAN NICKEL, CHROMIUM, AND Ni-Cr ALLOYS

P. H. Holloway

Dept. of Materials Science and Engineering
Phone: (904) 392-6664

C. D. Batich

Dept. of Materials Science and Engineering
Phone: (904) 392-6630

\$ 54,038

01-3

Investigation of low to moderate temperature ($100K < T < 500K$) oxidation of pure nickel, chromium and nickel-chromium alloy surfaces using Auger electron spectroscopy, angle-resolved X-ray photoelectron spectroscopy and ion scattering spectroscopy. Specific aspects of the oxidation to be studied include initial oxide nucleation, lateral oxide growth to form a coal-scattered layer, dissolution of the oxygen into the bulk and the effect of the initial oxide microstructure on the multilayer growth at high temperature.

415. WETTING AND DISPERSION IN CERAMIC/POLYMER MELT INJECTION MOLDING SYSTEMS

M. D. Sacks

Dept. of Materials Science and Engineering
Phone: (904) 392-6676

J. W. Williams

Dept. of Materials Science and Engineering
Phone: (904) 392-6698

C. D. Batich

Dept. of Materials Science and Engineering
Phone: (904) 392-6630

\$119,255

01-3

Wetting and dispersion behavior in ceramic/polymer melt injection molding systems. Contact angle measurements by the sessile drop method on polymer melts on bulk silica substrates and on model powder compacts formed with monosized, spherical particles of silica. Investigation of a range of wetting conditions by varying substrate (bulk powder compact) surface chemistry (e.g., surface hydroxylation), altering polymer chemistry (e.g., ethylene:vinyl acetate ratio in EVA copolymers), and coating substrates (bulk and powder compact) with "processing aids" (i.e., surfactants and silane coating agents). Relationship of wetting behavior to the state of dispersion in powder/polymer mixes prepared with monosized, spherical particles. Rheological characterization of the state of dispersion and relationships to injection molding behavior. Particle coagulation, steric stabilization, and dispersion stability phenomena. XPS, FTIR, and photon correlation spectroscopies and ellipsometry.

UNIVERSITY OF FLORIDA (continued)

416. X-RAY SCATTERING STUDIES OF NON-EQUILIBRIUM ORDERING PROCESSES

S. E. Nagler
Dept. of Physics
Phone: (904) 392-8842

\$ 78,000 (15 months) 02-2

A study of the kinetics of first order phase transitions in thin films of alloys using time resolved X-ray scattering to follow the development of order in films quenched from high temperatures. Effects of dimensionality on the kinetics and role of topological defects in the growth of ordered domains in the thin film samples.

417. STUDIES OF HEAVY FERMION SYSTEMS

G. R. Stewart
Dept. of Physics
Phone: (904) 392-9263, 0521

\$185,000 (18 months) 02-2

Experimental investigations of "heavy fermion" system such as UBe₁₃ and UPt₃ (irradiated), mainly through low temperature calorimetry, but also with electrical resistivity and magnetic susceptibility techniques. The goals of this research: examination of the interactions between f-electron sites and comparison with theoretical models proposed to explain the highly correlated high effective mass observed in heavy fermion systems; observation of the interplay between superconductivity, magnetism, and non-ordered behavior.

418. SYNTHESIS OF MODEL POLYMERS AND RELATED STRUCTURES IN SUPPORT OF VINYL MONOMER GRAFTING STUDIES

T. E. Hogen-Esch
Dept. of Chemistry
Phone: (904) 392-2011
G. B. Butler
Dept. of Chemistry
Phone: (904) 392-2012

\$ 98,911 03-1

Synthesis of graft copolymers based on polysaccharides and polysaccharide derivatives and synthesis of model polymers including water-soluble block copolymers, star polymers, and cyclic polymers. Grafting by redox initiation, thermal decomposition, or nucleophilic displacement. Characterization by IR, NMR, size exclusion chromatography, viscometry, and osmometry. Studies of structure-rheology relationships.

GENERAL ELECTRIC RESEARCH AND DEVELOPMENT
Schenectacy, NY 12301

419. DEFORMATION AND DEFECTS IN LAVES-PHASE INTERMETALLIC COMPOUNDS

J. D. Livingston
Materials Laboratory, Alloy Properties Branch
Phone: (518) 387-6465

\$ 95,924

01-2

Explore the microscopic mechanical behavior of the largest class of intermediate phases--Laves phases. To develop understanding of the strength, toughness, and ductility of representative Laves phases, and, by extension, other intermetallic compounds with complex crystal structures. Measurements of mechanical properties are coupled with TEM studies of defects in deformed samples and detailed consideration of dislocation energies and mobilities. Deformation and fracture modes studied by SEM to characterize fracture modes. Markings around hardness impressions at various temperatures examined for evidence of slip, twinning, and fracture.

GEORGIA TECH RESEARCH CORPORATION
Atlanta, GA 30332-3368

420. A STUDY OF HARDENING MECHANISMS IN BIAXIAL NONPROPORTIONAL LOADING
OF TYPE 304 STAINLESS STEEL

A. Saxena
Fracture and Fatigue Research Laboratory
Phone: (404) 894-2888

\$109,537

01-2

Creep and creep-fatigue crack growth experiments at elevated temperature on characterization of the crack tip damage mechanisms including cavity sizes and distribution by use of techniques such as TEM, SANS, X-ray and electron radiography; characterization of the influence of loading transients.

GEORGIA TECH RESEARCH CORPORATION (continued)

421. CRYSTALLINE METAL-SEMICONDUCTOR SUPERLATTICES

A. Erbil
School of Physics
Phone: (404) 894-5207

\$125,000 (18 months) 02-2

Emphasis on the growth of LaTe/PbTe superlattices using metallorganic chemical vapor deposition techniques. Superlattice characterization by secondary ion mass spectroscopy, X-ray diffraction, optical spectroscopy and electrical transport techniques. The goal is to develop a growth process for superior superlattice materials which can be used with reproducible results. The conducting and superconducting (if any) properties of LaTe/PbTe superlattices will be examined.

422. THE STRUCTURE AND REACTIVITY OF HETEROGENEOUS SURFACES AND STUDY OF THE GEOMETRY OF SURFACE CLUSTERS

U. Landman
School of Physics
Phone: (404) 894-3368

\$184,500 02-3

Theoretical investigation of the fundamental processes that determine the structure, transformations, growth, electronic properties, and reactivity of materials and material surfaces. Analytical methods and molecular dynamics simulation development and application to phase transformations, including melting and solidification, laser annealing, defect formation, transport phenomena, and chemical reactivity with emphasis on systems relevant to energy technologies.

GEORGIA TECH RESEARCH CORPORATION (continued)

423. LOCAL MANY-BODY EFFECTS IN THE OPTICAL RESPONSE OF NARROW BAND SOLIDS

A. Zangwill
 Dept. of Physics
 Phone: (404) 894-7333

D. Liberman
 Lawrence Livermore National Laboratory
 Phone: (415) 423-0505

\$ 54,478 02-3

Theoretical study of many-body effects on the optical response of systems in which local descriptions and real space (as opposed to k-space) formulations and methods are advantageous or essential. Calculation of photoelectric partial cross sections that apply realistically to narrow band solids, e.g. to late 3d transition metals, cerium, light actinides, and to intermetallic compounds of all of these. Such calculations supply guidance to interpreting and planning experiments involving photo-absorption and photo-emission at energies near core and deep core thresholds. Final-state wave functions calculated in the presence of a core-hole, and special care given to the interplay between dielectric and core-hole many-body effects. Both atomic and solid state many-body effects will be incorporated in treatment of embedded cluster models. Computational methods combine RPA-like extension of density functional theory, self-consistent multiple-scattering techniques. Calculations of the wavenumber and frequency-dependent dielectric response, combined with structural studies, that apply realistically to inhomogeneous systems such as metallic clusters and artificial multilayers.

424. A CARBANION APPROACH TO POLYACETYLENE

L. M. Tolbert
 Dept. of Chemistry
 Phone: (404) 894-4002

\$ 79,850 03-1

Synthesis of conducting polymers by forming charge carriers directly by deprotonation of the requisite carbon acids. The anions generated will be of two classes. The first class consists of discrete anions of known chain lengths whose magnetic and spectroscopic properties can be compared to those of the n-type soliton. The second class consists of anions embedded in an acetylene copolymer chain containing acidic methylene units. The transition to the conducting regime upon exhaustive deprotonation and polyene chain length extension will be determined. In related experiments, the role of radical anion disproportionation in formation of the carbanions will be investigated.

UNIVERSITY OF GEORGIA
Athens, GA 30602

425. OPTICAL STUDIES OF DYNAMICAL PROCESSES IN DISORDERED MATERIALS

W. M. Yen
Dept. of Physics & Astronomy
Phone: (404) 542-2485

\$134,584

02-2

Comprehensive and detailed study of relaxation and energy transfer in and among optically excited states in disordered or amorphous systems and in certain ceramics. Application of new spectroscopic techniques to provide more fundamental understanding of prototypical transport processes, e.g. in rare earth-doped glasses or in mullites containing variable size crystallites. Advanced laser techniques, fluorescence line narrowing (FLN) and time-resolved FLN, measurement of coherent optical transients, photoacoustic and photocaloric methods, far infrared study using a free electron laser. Measurement and analysis of linewidths and lineshapes and of their temperature dependence, testing of models for the underlying mechanisms (e.g., ion-phonon interactions, two-level system model).

HARVARD UNIVERSITY
Cambridge, MA 02138

426. FUNDAMENTAL PROPERTIES OF SPIN-POLARIZED QUANTUM SYSTEMS

I. F. Silvera
Dept. of Physics
Phone: (617) 495-9075, 2872

\$238,300

02-2

Investigation of spin-polarized atomic hydrogen including the two-dimensional system of spin-polarized hydrogen adsorbed on a helium film surface. Attempt to directly observe the surface atoms and the expected superfluidity in the two-dimensional spin-polarized hydrogen. Compression of the bulk spin-polarized atomic hydrogen and measure onset of super-fluidity; determine identical particle effects and interactions by atomic scattering at low temperatures. Cryogenic hydrogen maser development as the most stable short term clock; an expected three orders of magnitude improvement over the present cesium clock stability.

UNIVERSITY OF HOUSTON
Houston, TX 77004

427. DIFFRACTION STUDIES OF THE STRUCTURE OF GLASSES AND LIQUIDS

S. Moss

Dept. of Physics

Phone: (713) 749-2840

\$153,000 (9 months) 02-1

Development of a dedicated glass and liquid neutron diffractometer for use at the Intense Pulsed Neutron Source (IPNS) of Argonne National Laboratory with support and collaboration with Argonne. Design will optimize the need for required resolution and the ideal angular range appropriate to both high and low momentum transfer. High intensity, unique instrument. Usable wavelength range from 0.1 to 4 Angstroms with the solid methane moderator at 30 Kelvin temperature. Provide greater real space resolution. Structure and modelling of amorphous silicon, germanium, Si-Ge alloys with hydrogen. Tailoring of band gap state. Neutron studies of the glass transition. Structure of amorphous melanin, a biopolymer. Structure of SiO_2 , SnO_2 , and IrO_2 .

UNIVERSITY OF ILLINOIS/CHICAGO CIRCLE
Chicago, IL 60680

428. CORROSION OF IRON, NICKEL, AND COBALT BASE ALLOYS IN ENVIRONMENTS
CONTAMINATED WITH CHLORINE

M. McNallan

Dept. of Civil Engineering, Mechanics and Metallurgy

Phone: (312) 996-2436

\$ 29,934 01-3

This project addresses corrosion of structural alloys in mixed gases. Emphasis will be placed on elucidating the effects of (1) alloying elements Cr and Al on the corrosion behavior of Fe-, Co-, and Ni-base alloys, (2) transients in the O_2 and Cl_2 potentials during corrosion, and (3) additions of S (as SO_2) as a third oxidizing species during corrosion.

INDIANA UNIVERSITY
Bloomington, IN 47402

429. HIGH-RESOLUTION ELECTRON ENERGY LOSS STUDIES OF SURFACE VIBRATIONS

L. L. Kesmodel
Dept. of Physics
Phone: (812) 335-0776

\$ 65,000 02-2

Investigation of surface vibrational properties of clean surfaces and of metal-adsorbate systems, principally by high-resolution (3-7 meV) electron energy loss spectroscopy (EELS). Detailed phonon dispersion information is to be obtained on copper surfaces and on copper with adsorbates such as sulfur. The goal is a better understanding of the interaction between metal atoms at surfaces and the modifications which accompany adsorption phenomena.

KANSAS STATE UNIVERSITY
Manhattan, KS 66506

430. MAGNETIC STUDIES OF IRON:RARE-EARTH:METALLOID ALLOYS

G. C. Hadjipanayis
Dept. of Physics
Phone: (913) 532-6786

\$ 43,960 (24 months) 02-2

Investigation of the new iron:rare-earth:metalloid alloys with high potential for permanent magnetic applications including $Fe_{77}R_{15}M_8$ and $Fe_{82}R_{12}M_6$ where R is primarily a rare-earth and M is a metalloid such as B, C, and Si. Main emphasis on preparation techniques, correlation of magnetic properties of sputtering films with sputtering parameters, exploration of dependence of the magnetic properties on the electronic factors and atomic spacings in Fe-Nd-B alloys, and a detailed study of the relationship of microstructure, secondary phases and defects on the magnetization reversal and hysteresis. Work in collaboration with the University of Nebraska.

UNIVERSITY OF KENTUCKY
Lexington, KY 40506

431. STUDIES OF THE MICROSCOPIC PHYSICAL AND CHEMICAL PROPERTIES OF
GRAPHITE INTERCALATION COMPOUNDS

P. C. Eklund
Dept. of Physics and Astronomy
Phone: (606) 257-6719

\$ 76,401 (9 months) 02-2

Investigation of physical and chemical properties of well-staged graphite intercalation compounds (GIC). Samples synthesis via vapor phase and electrochemical intercalation, characterization (e.g., staging & in-plane order) using X-ray diffraction and Raman spectroscopy. Electronic transport and optical properties, lattice structural and dynamical properties of donor- and acceptor-type GIC's. Optical reflectance measurements over the range 0.05-10 eV. Extensive and continuing collaborations with scientists at other institutions, including complementary Mossbauer and neutron scattering research. In situ kinetic studies, both surface specific (Raman) and bulk specific (X-ray and neutron) measurements, e.g. following evolution of the different compound stages that occur during the intercalation process. Recent initiation of study of semiconducting V_2O_5 -gels that can be viewed as H_2O intercalated V_2O_5 .

432. STRUCTURE AND CATALYTIC ACTIVITY OF DISPERSED METAL PARTICLES AND
METAL SURFACES

P. J. Reucroft
Dept. of Metallurgical Engineering and Material Science
Phone: (606) 257-8723

R. J. De Angelis
Dept. of Metallurgical Engineering and Material Science
Phone: (606) 257-3238

\$105,300 (18 months) 03-3

Detailed structural and compositional characterization of metallic catalyst particles dispersed on porous oxide supports. Techniques such as analytical electron microscopy, X-ray diffraction, and energy dispersive and ion scattering spectroscopies will be used to examine the dispersed metal catalysts at various stages in their preparation to elucidate the role of strong and weak metal-support interactions on particle morphological development and particle thermal stability.

LEHIGH UNIVERSITY
Bethlehem, PA 18015

433. ANALYTICAL ELECTRON MICROSCOPY OF CATALYST PROMOTERS, POISONS,
AND ACTIVE SPECIES

C. E. Lyman

Dept. of Metallurgy and Materials Engineering
Phone: (215) 861-4249

\$ 82,001

01-1

Application of analytical, high resolution, controlled atmosphere, and high voltage electron microscopies to understand mechanisms of catalyst promotion and poisoning, and to locate particular species with respect to crystallographic site and surface topographic specifics in the support phase. Systems of interest include the Cu/ZnO and Cs/MoS₂ catalyst systems, Cs promoters, and Tl poisons. Near edge fine structure electron energy loss spectroscopy.

434. ANALYTICAL ELECTRON MICROSCOPY STUDIES OF INTERFACES AND PHASE
TRANSFORMATIONS IN ZIRCONIA CERAMIC SYSTEMS

M. R. Notis

Dept. of Metallurgy and Materials Science
Phone: (215) 758-4225

D. B. Williams

Materials Research Center
Phone: (215) 861-4220

C. E. Lyman

Materials Research Center
Phone: (215) 861-4249

\$137,000

01-1

Structural studies of solid-state phase transformations and phase equilibria in binary and ternary ceramic systems which have potential for transformation toughening. Crystal structure and microchemistry determination by analytical electron microscopy (AEM), convergent beam electron diffraction (CBED), and high-resolution electron microscopy (HREM). Interphase interface structure and microchemistry in ZrO₂-CaZrO₃, ZrO₂-SrZrO₃, ZrO₂-NiO, ZrO₂-MgO, ZrO₂-Y₂O₃, and ZrO₂-mullite. AEM studies of stabilized cubic ZrO₂ systems to confirm existence of microdomains of ordered cations and anion vacancies. AEM, CBED, and HREM studies of phase transformations in ZrO₂-Y₂O₃-TiO₂, and ZrO₂-MgO-TiO₂ systems.

LEHIGH UNIVERSITY (continued)

435. THE EFFECT OF POINT DEFECTS ON STRUCTURAL PHASE TRANSITIONS

J. Toulouse
Dept. of Physics
Phone: (215) 758-3960

\$ 75,000 01-1

Study of the coupling of the Li defect to the B_{1g} soft phonon mode in $MnF_2:Li$ and $MgF_2:Li$ by Raman scattering and infrared absorption. Measurement of ultrasonic attenuation as a function of temperature from 4.2K so as to estimate the coupling of the Li defect relaxation to the B_{1g} soft phonon mode. Raman frequency shift, acoustic and dielectric measurements in $KMnF_3:Li$ at temperatures spanning the cubic-tetragonal phase transition so as to identify the Li defect. Neutron scattering measurements in the constant Q-mode and as a function of temperature in Q range centered on the transition temperature with the triple axis spectrometer at the BNL-HFBR. Similar ultrasonic, Raman, and neutron scattering studies on $KTa(Nb,Sc)O_3$ and $PbZr(Sc,Mg)O_3$.

436. CORROSION FATIGUE OF SMALL CRACKS: MECHANICS AND CHEMISTRY

R. P. Wei
Dept. of Mechanical Engineering and Mechanics
Phone: (215) 861-3587

\$ 66,814 (5 months) 01-2

Experimental and theoretical study of corrosion fatigue of NiCrMoV and 304 stainless steels in aqueous solutions, kinetics of growth of small fatigue cracks as a function of frequency, solution chemistry, temperature and crack length, electrochemical reaction kinetics as a function of temperature in the same environment, relating fatigue crack growth response to the electrochemical reaction kinetics, modelling of electrochemical conditions near the crack tip and of the electrochemical and micromechanics aspects of small-crack growth.

437. GRAIN BOUNDARY DIFFUSION IN ORIENTED Ni_3Al BICRYSTALS CONTAINING BORON

Y-T. Chou
Division of Metallurgy and Materials Engineering
Phone: (215) 758-4235

\$ 89,500 01-3

Measurement of grain boundary diffusion coefficients in B doped and undoped [001]/[100] tilt bicrystals of Ni_3Al . Preparation of such crystals.

UNIVERSITY OF MARYLAND
College Park, MD 20742

438. GASES ON METAL SURFACES: ADSORPTION AND PHASE TRANSITIONS

T. L. Einstein
Dept. of Physics
Phone: (301) 454-3419
R. E. Glover III
Dept. of Physics
Phone: (301) 454-3417
R. L. Park
Dept. of Physics
Phone: (301) 454-4127

\$ 39,100 (15 months) 02-2

Joint theoretical/experimental investigation of surface interactions and imperfections which have an important influence on surface reactivity. Studies of oxygen and carbon monoxide adsorption and reaction at low temperatures on polycrystalline films and single crystal surfaces. Controlled variation of substrate and beam temperatures to probe reaction barriers. Measurements of adatom-adatom interactions with high resolution LEED/Auger to examine long- and short-range order of chemisorbed layers. Monte Carlo simulations and transfer-matrix-scaling calculations of phase diagrams to obtain interaction parameters. Experimental determination of critical exponents associated with two-dimensional phase transitions and comparison with phase transition theory.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY
Cambridge, MA 02139

439. GRAIN BOUNDARIES

R. W. Balluffi
Dept. of Materials Science and Engineering
Phone: (617) 253-3349
P. D. Bristow
Dept. of Materials Science and Engineering
Phone: (617) 253-3326

\$441,788 01-1

A broad-based, fundamental investigation of the structure and properties of grain boundaries consisting essentially of combined computer simulation and experimental attacks on the problem of determining the atomic structure and corresponding properties of high-angle grain boundaries. Materials studied include Ag, Al, and Ge. Experimental techniques employed include X-ray diffraction experiments at the NSLS, high-resolution and conventional electron microscopy and computer simulation.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY (continued)

440. BASIC RESEARCH IN CRYSTALLINE AND NONCRYSTALLINE CERAMIC SYSTEMS

W. D. Kingery
Dept. of Ceramics
Phone: (617) 253-3319

\$158,000

01-1

Electrical and optical behavior of Al_2O_3 and MgO including vacuum ultraviolet spectroscopy characterization of band gaps. Float zone laser crystal growth and zone refining in Al_2O_3 . Grain boundary migration in high purity powder and bicrystals of Al_2O_3 . Kinetic studies include oxygen diffusion measurements in MgO by gas exchange and SIMS, reaction processes and microstructure development in low-temperature sub-solidus systems, rapid quenching effects in a eutectic Ca-Mg-silicate liquid phase and the Fe-Cu two phase system, suppression of insulator charging in SEM and SIMS measurements, grain boundary diffusion in SrTiO_3 , and Bi and O grain boundary diffusion in ZnO . Defect structures, defect interaction, grain boundary and surface studies including point defects in SiC , B, and C distribution in doped SiC , grain boundary microchemistry and slow crack growth in SiC , influence of microstructure and grain boundary segregation on electrical properties of polycrystalline ZnO , grain boundary segregation in polycrystalline Al_2O_3 , segregation at special grain boundaries in MgO , influence of grain boundary composition on grain boundary diffusion, structure of a migrating low angle tilt grain boundary in SrTiO_3 , and role of grain boundary segregation on high temperature deformation in SiC and Al_2O_3 . Sintering studies include atom transport, processing and sintering of SiC , grain boundary mobility in alkali halides, test of the applicability of Herring's scaling law, the effect of MgO on sintering of Al_2O_3 , and orientation effects on the grain boundary migration of high purity Al_2O_3 .

MASSACHUSETTS INSTITUTE OF TECHNOLOGY (continued)

441. BRITTLE-TO-DUCTILE TRANSITION IN CLEAVAGE FRACTURE

A. S. Argon
Dept. of Mechanical Engineering
Phone: (617) 253-2217

\$100,000 01-2

Investigate the rate controlling processes that control the brittle to ductile transition in cleavage fracture, namely (a) the emission of dislocations from atomically sharp cracks, (b) the moving away from the crack tip of the emitted dislocations against strong lattice drag. Instrumented cleavage crack propagation experiments at several temperatures to determine the critical velocities below which the cracks become abruptly arrested in LiF, Fe-3%Si, W, MgO, Si, and Zn--all in either nearly perfect form, or containing some strongly misfitting solute that can be used to lock existing dislocations. Dislocation arrangements investigated by etching, X-ray topography, and TEM. Experimental velocity dependence of the brittle-to-ductile transition temperature compared with improved crack tip emission models. Quasi-static experiments to explore dislocation mobility away from the crack tip as a function of temperature and loading rates to determine the dependence of the T_{B-D} on loading rate. The experiments on Fe-3%Si and W with constant stress intensity geometry compared with models of time dependent crack-tip shielding governed by dislocation mobility.

442. GRAIN BOUNDARY NONSTOICHIOMETRY IN MULTICOMPONENT CERAMICS

Y-M. Chiang
Materials Science and Engineering/Ceramics Division
Phone: (617) 253-6471

\$107,560 01-2

Investigation of grain boundary nonstoichiometry and its relation to grain boundary mobility and grain boundary effects on electrical conductivity. Systems to be examined are lead-zirconium-titanate, lead-lanthanum-zirconium-titanate and the simple perovskites, strontium and barium titanates. DC conductivity and AC frequency-dependent complex impedance measurements will monitor electrical behavior of samples with equilibrium and steady-state grain boundaries as determined by STEM light-element microanalysis and Auger spectroscopy.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY (continued)

443. MECHANISMS OF TRANSFORMATION TOUGHENING

G. B. Olson
 Dept. of Materials Science and Engineering
 Phone: (617) 253-6901
 D. M. Parks
 Dept. of Materials Science and Engineering
 Phone: (617) 253-6901

\$321,599 (19 months) 01-2

Mechanisms of transformation toughening in ductile solids investigated by (a) detailed observations of crack-tip processes, and (b) numerical modeling with experimentally-derived constitutive relations. Model alloy steels (γ -strengthened and phosphocarbide strengthened steels) used to study room temperature transformation toughening and constitutive behavior. Shear-instability-controlled fracture observed at sectional crack tips with and without transformation plasticity interactions using alloy composition to vary phase stability. Quantitative constitutive relations for experimental alloys applied to crack-tip and notch fields to study transformation plasticity interaction with various models of microvoid-softening-induced shear localization.

444. RAPID SOLIDIFICATION OF CERAMICS: PROCESSING, STRUCTURE, AND MAGNETIC PROPERTIES

G. Kalonji
 Dept. of Materials Science and Engineering
 Phone: (617) 253-6863
 R. O'Handley
 Dept. of Materials Science and Engineering
 Phone: (617) 253-6913

\$125,000 01-3

Rapid solidification studies of ZrO_2 systems ($Al_2O_3-ZrO_2$, $Al_2O_3-Y_2O_3-ZrO_2$, and $MgAl_2O_4-ZrO_2$) and ferrites ($MnFe_2O_4-SiO_2$, $CoFe_2O_4SiO_2$, $CoFe_2O_4-O_2O_5$, and $CoO-Fe_2O_3-P_2O_5$). Systematic studies of phase transitions which occur in ZrO_2 and its alloys. Ferrite studies to understand effects of atomic level structural disorder on the magnetic properties of oxide mixtures. Sample preparation techniques include piston and anvil splat quenching, single wheel melt spinning, gas atomization, and melt extraction. Sample characterization techniques include STEM, high resolution TEM, DTA, XRD, saturation magnetization measurements, and room and low-temperature Mossbauer spectroscopy. Microstructural analysis of as-solidified and heat-treated specimens.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY (continued)

445. STRUCTURAL DISORDER AND TRANSPORT IN TERNARY OXIDES WITH PYROCHLORE STRUCTURE

H. L. Tuller

Dept. of Materials Science and Engineering

Phone: (617) 253-6890

\$100,000

01-3

Relationship of electrical and optical properties to the defect structure in ternary compounds with a pyrochlore structure. Characterization of AC complex impedance of rare earth titanate and zirconate pyrochlores under conditions of controlled composition, temperature, and chemical environment. Optical absorption and emission measurements to monitor the degree of disorder. Preparation of single and polycrystalline samples of known cation-anion ratio by pyrolysis of metal-citrate complex precursors. Complementary sample characterization by thermogravimetric analysis, X-ray diffraction, and Raman spectroscopy. Specific pyrochlores to be investigated are $Gd_2Zr_2O_7$ and solid solutions in the $Gd_2Zr_2O_7$ - $Dy_2Zr_2O_7$ and $Gd_2Zr_2O_7$ - $Gd_2Ti_2O_7$ systems.

446. MECHANISMS OF THE OXIDATION OF METALS AND ALLOYS

G. J. Yurek

Dept. of Materials Science and Engineering

Phone: (617) 253-3239

\$192,080

01-3

This research project will investigate the mechanisms of oxidation and oxidation/sulfidation of metals at elevated temperatures. Emphasis will be placed on behavior of alloys which form protective refractory oxide scales, such as Cr_2O_3 and Al_2O_3 during oxidation and on factors controlling scale degradation in gas mixtures having a high sulfur to oxygen activity. In addition, the influence of very fine-grained microstructures of the substrate on mechanisms of oxide formation and breakdown in gas mixtures will be examined.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY (continued)

447. IRRADIATION DAMAGE MICROSTRUCTURES IN NUCLEAR CERAMICS WITH
APPLICATION IN FUSION ENERGY TECHNOLOGY AND NUCLEAR WASTE DISPOSAL

L. W. Hobbs

Dept. of Materials Science and Engineering

Phone: (617) 253-6835

\$118,460

01-4

Fundamental research to characterize the irradiation stability and radiation damage regarding microstructures of crystalline ceramic solids with application to nuclear energy production and disposal of high-level nuclear waste. The principal experimental mode of investigation is transmission electron microscopy. Specific emphasis will be on (1) radiolysis and Frenkel pair stabilization in BeO, (2) perovskite metamictization by ion implantation, (3) nanostructure of pyrochlore-phase ceramics, and (4) computer simulation of network silicates.

448. IDENTIFICATION OF NITRIDING MECHANISMS IN HIGH PURITY REACTION
BONDED SILICON NITRIDE

J. Haggerty

Division of Materials Sciences

Phone: (617) 253-2129

\$116,938

01-5

Nitriding studies on silicon powders and single crystals to identify the rate controlling mechanisms and examination of samples along the reaction path to elucidate the relationships between reaction kinetics and microstructural features. In house preparation and characterization of laser synthesized silicon powder for reaction bonded silicon nitride (RBSN) experiments. Investigation of nitriding process will determine effect of solvent exposure, partial densification, variations in gas composition, temperature gradients, particle size, particle distribution, and temperature cycles. Experimental data to elucidate silicon nitride layer formation, heterogeneous reaction rate, dependence on particle coarsening, vapor phase species, and gaseous diffusion through pore structure of solid.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY (continued)

449. SUBMICRON LAYERS OF Nb-Al

S. Foner

Francis Bitter National Magnet Laboratory
Phone: (617) 253-5572

\$130,460

02-2

Basic studies of thin layers of superconducting materials to understand the limits on critical transition temperature, critical current and upper critical field. Determine optimum layer thickness for complete conversion to Al5 structure. Examine possible elemental additions to improve the transition temperature and assist in approaching stoichiometry. Microcomposite ultra-thin film multilayers for increased mechanical strength.

450. IMPROVEMENT IN HIGH MAGNETIC FIELD BEHAVIOR OF VANADIUM-GALLIUM SUPERCONDUCTORS BY ENHANCEMENT OF SPIN-ORBIT SCATTERING

R. H. Meservey

Francis Bitter National Magnet Laboratory
Phone: (617) 253-5578

P. M. Tedrow

Francis Bitter National Magnet Laboratory
Phone: (617) 253-0281

\$ 25,000

02-2

Development of a tunneling technique to measure density of states in V₃Ga. Determination of spin-orbit scattering in this material. Understand the relation between spin-orbit scattering and critical magnetic field in this superconductor. Spin-polarized tunneling.

451. THE MATHEMATICAL MODELLING OF ARC WELDING OPERATIONS

J. Szekely

Department of Materials Science and Engineering
Phone: (617) 253-3236

\$110,950

01-5

This project carries out mathematical modelling with the main focus on: study spot welding, use of three-dimensional models to study continuous welding, assess the effect of the thermal history of the system on the microstructure of the welds produced and initiate an assessment of weldpool-free surface deformation and surface waves, and their effect on weld quality. The modelling efforts interact with an experimental program at Oak Ridge National Laboratory.

MIAMI UNIVERSITY
Oxford, OH 45056

452. INVESTIGATION OF MAGNETIC ANISOTROPY AND SPIN WAVE MODES IN
TRANSITION METAL MULTILAYERS

M. J. Pechan
Dept. of Physics
Phone: (513) 529-4518

\$ 62,000 02-2

Investigation of magnetic multilayers (Ni/Mo and Ni/V) using ferromagnetic resonance. Measurements of the frequency dependence of the anisotropy and spectral lineshapes. Collaborators are fabricating and structurally characterizing the multilayer samples for study.

MICHIGAN STATE UNIVERSITY
East Lansing, MI 48824

453. DYNAMIC RECRYSTALLIZATION DURING HIGH-TEMPERATURE LOW-CYCLE
FATIGUE OF NICKEL

G. Gottstein
Dept. of Metallurgy, Mechanics, and Materials Science
Phone: (517) 353-9767

\$ 75,907 01-2

Investigation to establish the conditions, limits, and criteria for the occurrence of dynamic recrystallization and its impact on materials performance during low cycle fatigue of Ni and Ni₃Al. Analysis of dislocation structure, subboundary misorientation and internal stresses at subboundary joints. Correlation of dislocation substructure and dynamic recovery kinetics with nucleation of dynamic recrystallization. Dependence and impact of dynamic recrystallization on strain localization, crack nucleation, and crack growth. Development and control of dynamically recrystallized structure, grain size and texture. Characterization techniques include mechanical testing, TEM, and STEM, X-ray pole figure measurements and X-ray micro-Laue diffraction.

MICHIGAN TECHNOLOGICAL UNIVERSITY
Houghton, MI 49931

454. EFFECTS OF GRADIENTS ON BOUNDARY STABILITY

S. Hackney
Metallurgical Engineering Dept.
Phone: (906) 487-2170

\$121,693

01-1

Study of diffusion induced grain boundary migration from a microscopic point of view. Time and concentration dependence of the initiation of migration. Grain boundary morphology studies by in-situ hot stage electron microscopy. Effects of diffusion-induced grain boundary migration on the morphological development of second phase precipitates. Thermotransport-induced grain boundary migration. Effects of elastic strain gradient on interface migration.

455. STRESS CORROSION CRACKING AND METAL INDUCED EMBRITTLEMENT

L. A. Heldt
Dept. of Metallurgical Eng.
Phone: (906) 487-2630
M. B. Hintz
Dept. of Metallurgical Eng.
Phone: (906) 487-2630

\$ 95,000

01-2

Parallel studies of stress corrosion cracking (SCC) and metal induced embrittlement (MIE), with emphasis on the kinetics of the cracking process and the nature of the chemical interactions causing embrittlement. Experimental tasks include (1) surface chemical analysis near the tips of SCC and MIE cracks, (2) simulation of the solution chemistry within SCC cracks, (3) measurement of crack propagation velocities as influenced by the chemical/electrochemical environment, stress intensity, and temperature, and (4) detailed microscopic studies of resultant fracture surfaces.

MICHIGAN TECHNOLOGICAL UNIVERSITY (continued)

456. THEORY OF DEFECTS IN NON-METALLIC SOLIDS

A. B. Kunz

Dept. of Physics and Institute of Condensed Matter Studies
Phone: (906) 487-2277

D. R. Beck

Dept. of Physics and Institute of Condensed Matter Studies
Phone: (906) 487-2019

\$ 91,238

02-3

Calculations for impurities in oxides and other ceramic or ionic solids to support studies of effects of point defects on mechanical properties and electronic structure. Fully self-consistent correlated electronic structure computation for a central cluster containing the impurity combined with shell-model calculation of host polarization and distortion. Absolute energies of the impurity ions for each of their pertinent charge states in a given host are calculated, and the electric structure and lattice ion relaxations are determined self-consistently to obtain interatomic interactions adequate for a broad range of applications (mechanical properties as well as electronic structure). Emphasis on quantum mechanical treatment of cases in which conventional empirical methods are inadequate. Various defect and impurity centers, mainly in oxides, including transition metal ions, anion defects, and H and C.

UNIVERSITY OF MICHIGAN
Ann Arbor, MI 48109

457. MICROMECHANICAL AND MICROSTRUCTURAL STUDIES OF CERAMIC SUPERPLASTICITY

I-W. Chen

Dept. of Materials Sciences and Engineering
Phone: (313) 764-7237

\$124,261

01-2

Pressure-aided superplasticity in single and poly-phase ceramics. Experiments with dense isostructural ceramics (ZrO_2 - CeO_2 , CaF_2 - SrF_2 , $BaTiO_3$, and $BaTiO_3$ - TiO_2) employed (1) to define constitutive relations under stress, (2) to determine pressure effects on ductility and (3) to monitor concurrent deformation-induced and deformation-enhanced microstructural and microchemical evolutions that impact the micromechanics of ceramic superplasticity. Testing modes include tension-compression, tension-torsion and pressure-assisted tension-compression. Grain growth, cavitation, phase and compositional segregation will be constantly examined.

UNIVERSITY OF MICHIGAN (continued)

458. THE INFLUENCE OF GRAIN BOUNDARY CHEMISTRY AND STRUCTURE ON THE INTERGRANULAR ATTACK AND INTERGRANULAR STRESS CORROSION CRACKING OF AUSTENITIC ALLOYS

G. S. Was
 Dept. of Nuclear Engineering
 Phone: (313) 763-4675

\$124,898 01-2

The work will focus on constant extension rate testing of controlled purity Ni-Cr-Fe alloys in deaerated, high temperature, high purity water. The program is designed to identify the grain boundary chemistries responsible for IGSCC susceptibility. A second effort will focus on atomistic and electronic modeling of hydrogen embrittlement at the grain boundaries of Ni-Cr-Fe alloys doped with C, B, S, and P. Accompanying experiments are planned to test the model generated results in an effort to determine the mechanism by which hydrogen weakens grain boundary cohesion. The final program will focus on the effect of B and N on grain boundary chemistry and chromium depletion in these same controlled-purity alloys. The program consists of thermodynamic and kinetic modeling and is accompanied by experimentation to verify model predictions.

459. INVESTIGATIONS ON THE MBE GROWTH AND PROPERTIES OF AlGaInAs/InP AND InGaAs-InAlAs SUPERLATTICES

P. K. Bhattacharya
 Dept. of Electrical Engineering and Computer Science
 Phone: (313) 763-6678

A. Brown
 Dept. of Electrical Engineering and Computer Science
 Phone: (313) 763-3350

R. Gibala
 Dept. of Materials and Metallurgical Engineering
 Phone: (313) 763-4970

\$127,000 01-3

Molecular beam epitaxial growth and in situ RHEED studies of single layers, heterostructures, and superlattices of In containing ternary and quaternary compounds and superlattices lattice matched to InP. Investigation of the role of growth conditions (substrate temperature, arsenic specie, fluxes) on the surface kinetics operative for 2-dimensional layer by layer growth. Computer simulations based upon Monte Carlo methods. Structural characterization of crystals and interfaces by TEM, CBED, HVEM, XRD, and etching. Optical and impurity characterization by high-resolution Raman, photoluminescence, high magnetic field FTIR spectroscopies. Electrically active defect characterization by DLTS.

UNIVERSITY OF MICHIGAN (continued)

460. GROWTH AND DYNAMICS OF SCALE INVARIANT MATTER

L. M. Sander
Dept. of Physics
Phone: (313) 764-4471

R. Savit
Dept. of Physics
Phone: (313) 764-3426

\$145,000 02-3

Theory of the growth, morphology and dynamics of systems having significant scale-invariant fractal-like structures. Such structures have been found to occur over a broad range of materials, for example, in smoke, colloids, deposition of electrolytes, and percolation clusters. Both analytical techniques and numerical simulations are applied. Primary concentration on (1) what properties of growth process determine universality classes, (2) relation of non-equilibrium to equilibrium growth processes, (3) systematic description of growth and reliable calculation of large-scale structures, (4) dynamics on fully developed structures, e.g. diffusion and statistical behavior.

UNIVERSITY OF MINNESOTA
Minneapolis, MN 55455

461. CORROSION RESEARCH CENTER

R. A. Oriani
Dept. of Chemical Engineering and Materials Science
Phone: (612) 625-5862

\$425,000 (6 months) 01-1

Interactive fundamental research in two areas: high temperature corrosion and aqueous corrosion. Emphasis in the former area on characterizing the development of stresses and cracks in oxide scales formed on metals and ceramics as well as on identifying the role of processes other than bulk diffusion in complex scales exposed to corrosive gaseous and molten salt environments. Aqueous corrosion research includes both modeling and experimental efforts in the evaluation of corrosion in systems where protective films do not form as well as in those where passive films control corrosion.

UNIVERSITY OF MINNESOTA (continued)

462. MICROMECHANICS OF BRITTLE FRACTURE: ACOUSTIC EMISSION AND ELECTRON CHANNELING ANALYSES

W. W. Gerberich

Dept. of Chemical Engineering and Materials Science

Phone: (612) 625-8548

\$112,338 (18 months) 01-2

Research to address (1) crack dynamics and inherent plasticity effects, (2) ligament contributions to fracture resistance and (3) micromechanics of final instability. Polycrystalline and single crystal materials investigated as a function of temperature, grain size and material thickness. Materials: high-strength, low-alloy (HSLA) steel, Fe-3wt%Si and zinc single crystals. Techniques include detailed fractography, acoustic emission, selected area channeling pattern (SACP) evaluation, cleavage modeling, TEM, impact and mechanical studies.

463. VERY LOW TEMPERATURE STUDIES OF HYPERFINE EFFECTS IN METALS

W. Weyhmann

School of Physics and Astronomy

Phone: (612) 373-5481

\$ 78,000 02-2

Investigation of hyperfine effects in metals at very low temperatures, especially near the superconducting/ferromagnetic transition temperature of some compounds in single crystal form. Measurements including the magnetization, magnetostriction, specific heat, susceptibility, and expansion coefficient. Magnetic ordering in alloys and diluted metals and development of these materials for use in a multistage refrigerator for temperatures below one milliKelvin.

UNIVERSITY OF MISSOURI/COLUMBIA
Columbia, MO 65211

464. INTRINSIC AND EXTRINSIC ENERGY STATES OF SEMICONDUCTORS AND
HETEROSTRUCTURES USING NOVEL TECHNIQUES

H. R. Chandrasekhar
Dept. of Physics and Astronomy
Phone: (314) 882-6086

\$ 55,396 02-2

Modulated reflectance and photoemission spectroscopy of $\text{GaAs}-\text{Al}_x\text{Ga}_{1-x}\text{As}$ semiconductor material. Donor and acceptor impurity states will be studied. Semiconducting superlattices with quantized energy levels due to hole or electron confinement in potential wells determined. Photoluminescence and photoreflectance techniques coupled with diamond anvil cell high pressure techniques.

465. INELASTIC SCATTERING IN CONDENSED MATTER WITH HIGH INTENSITY
MOSSBAUER RADIATION

W. B. Yelon
Dept. of Physics
Phone: (314) 882-4211

G. Schupp
Dept. of Physics
Phone: (314) 882-4211

\$ 82,225 02-2

Development of new Mossbauer techniques with a microfoil electron detector, LiF monochromator, and high intensity sources. Accurate measurement of the Mossbauer isomer for the 46.5 keV transition in ^{183}W . Test of time reversal invariance in gamma emission accompanying nuclear decay to an order of magnitude greater accuracy than previously attained. Resonance scattering from $\text{TaS}_2\text{-1T}$ that permits study of the charge density wave phenomena in this material. Thermal diffuse scattering and Debye-Waller factor scattering between temperatures of 77 and 295 Kelvin (room temperature). Attempted measurement of inelastic scattering, resulting from one phonon processes near the edge of the Brillouin zone.

UNIVERSITY OF MISSOURI/KANSAS CITY
1110 E. 48th Street
Kansas City, MO 64110

466. THEORETICAL STUDIES ON THE ELECTRONICS STRUCTURE AND PROPERTIES OF COMPLEX CERAMIC CRYSTALS AND GLASSES

W-Y. Ching
Dept. of Physics
Phone: (816) 276-1604

\$ 96,201 01-1

To extract from electronic structure calculations on crystalline and vitreous ceramics information leading to property determinations. Studies of ZrO_2 , SiO_2 , Si_3N_4 , α - Al_2O_3 , α - Si_3N_4 , various spinel-structured oxides, metallic and insulating glasses will use a first-principles LCAO method. A sequential four-part approach (1) performs accurate full-potential, self-consistent calculations of electronic structure and total energy of crystalline ceramics, (2) uses the direct-space orthogonal LCAO approach for spinels, (3) continues current study on ceramic glasses, and (4) extracts interatomic potentials from key crystal calculations for phase stability and other thermodynamic property predictions.

UNIVERSITY OF MISSOURI/ROLLA
Rolla, MO 65401

467. CHARACTERIZATION OF THE REDOX BEHAVIOR AND STABILITY OF ELECTRICALLY CONDUCTING OXIDES

H. U. Anderson
Dept. of Ceramic Engineering
Phone: (314) 341-4886

\$125,000 01-3

Interrelationships between electrical conductivity, oxidation-reduction kinetics, defect structure, and composition for n- and p-type binary, ternary transition metal oxides, and superconducting layered perovskites. Focus on the influence of electric fields and oxygen activity gradients on oxide-electrode stability, oxygen transport through oxides, and dopant energy levels in oxides. Experiments include specimen preparation, thermogravimetric characterization, optical microscopy, X-ray diffraction, TEM, electrical conductivity, EPR, thermally stimulated current, optical absorption, and oxygen diffusion.

MONTANA STATE UNIVERSITY
Bozeman, MT 59717

468. STUDIES OF PIEZOELECTRIC POLYMERS

V. H. Schmidt
Dept. of Physics
Phone: (406) 994-6173

\$ 44,248

03-2

Study of chain conformation, rotations, and other motions in the piezoelectric polymers polyvinylidene fluoride and its copolymer with trifluoroethylene by NMR and optical techniques. Pressure and temperature dependence on the nonferroelectric to ferroelectric phase transitions. NMR of deutreated samples and optical studies involving birefringence, small angle light scattering, and Brillouin scattering to measure degree of chain alignment and sound velocity and attenuation as affected by polymer processing and by temperature and pressure induced phase transitions.

UNIVERSITY OF NEBRASKA
Lincoln, NE 68588-0111

469. MAGNETIC STUDIES OF IRON:RARE-EARTH:METALLOID ALLOYS

D. J. Sellmyer
Dept. of Physics
Phone: (402) 472-2407

\$ 54,139

02-2

Investigation of the new iron:rare-earth:metalloid alloys with high potential for permanent magnetic applications including $Fe_{77}R_{15}M_8$ and $Fe_{82}R_{12}M_6$ where R is primarily a rare-earth and M is a metalloid such as B, C, and Si. Main emphasis on preparation techniques, correlation of magnetic properties of sputtering films with sputtering parameters, exploration of dependence of the magnetic properties on the electronic factors and atomic spacings in Fe-Nd-B alloys, and a detailed study of the relationship of microstructure, secondary phases and defects on the magnetization reversal and hysteresis. Work in collaboration with Kansas State University.

UNIVERSITY OF NEVADA
Reno, NV 89557

470. ENERGY TRANSFER BY TRIPLET EXCITON MIGRATION IN POLYMERIC SYSTEMS

R. D. Burkhart
Dept. of Chemistry
Phone: (702) 784-6041

\$ 95,000 03-1

Studies of triplet-triplet annihilation and rate of triplet exciton diffusion in polymers. Direct excitation of ground state polymer chromophores to lowest triplet state through dye laser pumping. Investigation of the rate of triplet exciton migration in polymers having pendant groups which are sterically crowded and non-planar to asses the extent to which structural modifications can influence rates of exciton migration.

UNIVERSITY OF NEW MEXICO
Albuquerque, NM 97131

471. RADIATION EFFECTS AND ANNEALING KINETICS IN CRYSTALLINE COMPLEX Nb-Ta-Ti OXIDES, PHOSPHATES, AND SILICATES

R. C. Ewing
Dept. of Geology
Phone: (505) 277-4163

\$102,700 01-1

Investigation of metamict mineral/ion implanted ceramics concerning (1) periodic aperiodic reaction paths, (2) retained structures in fully damaged materials and (3) recrystallization products accompanying the annealing process. Techniques include X-ray diffraction, high resolution transmission electron microscopy (HRTEM) and extended X-ray absorption fine structure spectroscopy (EXAFS)/near-edge spectroscopy (XANES). Ta-rich pyrochlores, ABO_4 structured materials zircon ($ZrSiO_4$), thorite ($ThSiO_4$) and its polymorph buttonite, monazite ($CePO_4$) and fergusonite ($YNbO_4$) plus titanite ($CaTiOSiO_4$) are to be examined in their natural and synthesized states.

UNIVERSITY OF NEW MEXICO (continued)

472. ICOSAHEDRAL BORON-RICH SOLIDS AS VERY-HIGH TEMPERATURE
THERMOELECTRICS AND SEMICONDUCTORS

C. L. Beckel
Dept. of Physics
Phone: (505) 277-2449
V. M. Kenkre
Dept. of Physics
Phone: (505) 277-2616
D. Emin
Dept. of Physics
Phone: (505) 277-8602

\$176,000 (2 years) 02-3

Theoretical studies of boron-rich solids with structures typically consisting of boron icosahedra strongly linked by two or three atom chains, and stable to very high temperatures. Examples: pure and doped $B_{12}C_2$, $B_{12}P_2$, $B_{12}As_2$, and other compositions such as B_4C . Focus on test of theoretical models through prediction of electronic, vibrational, heat transfer and optical properties. Theoretical studies directed toward understanding and controlling these properties at a microscopic level. Polaron theory, cluster-based electronic calculation, classical force field calculations, transport of electronic and vibrational excitation by diffusion of extended excitations and/or by hopping of localized excitations. Soluble models of primary physical mechanisms. Quantitative theoretical descriptions, but generally not ab initio computation (due to complexity of the systems), with self-consistency both in electronic structure and of equilibrium geometry. Significant technological as well as scientific interest, primarily in potential use of borides in very-high temperature semiconductor and/or thermoelectric applications. Theoretical effort strongly interactive with a major experimental program involving SNL/A, JPL, and UNM.

CITY UNIVERSITY OF NEW YORK/CITY COLLEGE
New York, NY 10031

473. INVESTIGATIONS OF SURFACE COATINGS BASED ON SILICON AND NITROGEN:
FROM AMORPHOUS Si TO SILICON NITRIDE

F. W. Smith
Dept. of Physics
Phone: (212) 690-6963

\$112,753 01-3

Preparation of thin-film surface coatings by glow discharge of disordered alloys of silicon, nitrogen and hydrogen ($a\text{-Si}_x\text{N}_{1-x}\text{:H}$). Characterization using Auger depth profiling, measurements of density and optical constants (n , k , ϵ_1 , and ϵ_2), IR spectroscopy and core-level spectroscopy. Valence band spectra and binding energy determinations using synchrotron radiation at the NSLS.

474. DYNAMICS AND PATTERN SELECTION AT THE CRYSTAL-MELT INTERFACE

H. Z. Cummins
Dept. of Physics
Phone: (212) 690-6921

\$138,000 02-2

Dynamics at the crystal-melt interface, especially the unexpected critical growth velocity for light scattering at the interface. Instabilities at the interface using videomicroscopy and image processing. Oscillations near the dendrite tip associated with the launching of side branches. Further development of the light scattering techniques to provide increased resolution and more accurate comparison with theory.

475. MAGNETIC PROPERTIES OF DOPED SEMICONDUCTORS

M. Sarachik
Dept. of Physics
Phone: (212) 690-8206

\$102,000 02-2

A precise systematic study of the magnetic properties of homogeneous, well-characterized samples of heavily doped semiconductors as a function of impurity concentration across the metal-nonmetal transition. Faraday balance measurements as a function of temperature (from 1.25 K to 300 K) and of magnetic field (to 50 kG) to separate various contributions to the total susceptibility. The measurements will be extended to 50 mK and 190 kG at the National Magnet Laboratory. The role percolation has in the transition will be determined.

CITY UNIVERSITY OF NEW YORK/CITY COLLEGE (continued)

476. CONDUCTION AND PROPAGATION IN DISORDERED SYSTEMS

M. Lax

Dept. of Physics

Phone: (212) 690-6864, (201) 582-6527

\$110,700

02-3

Theoretical research on transport and optical properties of random systems and of semiconductor heterojunctions. Sophisticated use of both analytical (e.g., multiple scattering theory) and numerical (e.g., Monte Carlo) techniques, and including exact solutions of models. 3D systems, quasi-2D systems (e.g., in layered compounds), quasi-1D systems (e.g., polyacetylene, or even DNA), and coupled combinations of these. Work done over a wide range of topics, including hot electron transport in semiconductor quantum wells, scattering from rough surfaces, transport through a random particulate medium such as an aerosol cloud, hydrodynamic effects in a droplet struck by a strong laser pulse, transport in liquids, exciton-breather (soliton) states in polyacetylene, thermal emission from periodic gratings, and phonon production and transport in GaAs at low temperatures. Some emphasis on transport in small systems whose size may be comparable to the pertinent mean free paths.

CITY UNIVERSITY OF NEW YORK/QUEENS COLLEGE
Flushing, NY 11367

477. DIRECT SYNTHESIS AND OPTIMIZATION OF Fe-BASED, RARE-EARTH,
TRANSITION METAL PERMANENT MAGNET SYSTEMS

F. J. Cadieu

Dept. of Physics

Phone: (718) 520-5000

\$175,111

01-1

Prepare and characterize polycomponent metal films of $Nd_2Fe_{14}B$, and related $R_2Fe_{14}B$ systems, $(Sm + Ti)Fe_5$, $Sm(Ti,Fe)_2$, and $Sm_2(Co,Fe,Zr)_{17}$ under a variety of conditions by RF sputtering. Films made with and without a composition gradient along the length of the substrates. Selectively thermalized sputtering emp

STATE UNIVERSITY OF NEW YORK/BUFFALO
BUFFALO, NY 14214

478. CONSTRUCTION AND OPERATIONS OF SUNY FACILITIES AT THE NATIONAL
SYNCHROTRON LIGHT SOURCE

P. Coppens
Dept. of Chemistry
Phone: (716) 831-3911

\$430,229

02-2

Development of facilities at the National Synchrotron Light Source for X-ray diffraction, X-ray absorption spectroscopy, and other X-ray scattering techniques by a participating research team composed of professors from many of the State University of New York campuses, Alfred University, Roswell Park Memorial Institutions, Cortland State College, Geneseo, the University of New Orleans and Allied Corporation. The research interests are: structure of materials, electronic structure of materials, surface physics, compositional analysis, and time-dependent biological phenomena.

STATE UNIVERSITY OF NEW YORK/STONY BROOK
Stony Brook, NY 11794

479. INTERFACE PROPERTIES AND CRYSTAL-GROWTH MECHANISMS

J. Q. Broughton
Dept. of Materials Science and Engineering
Phone: (516) 516-6754

\$ 76,975

01-1

Use of computer simulation methods to examine synergistic effects of roughening and surface melting in crystal-vapor systems; mechanism of impurity incorporation in rapidly growing crystals; anisotropy of growth velocity with different crystal faces in crystal-melt systems; incidence of melt regions forming in grain boundaries at high temperatures; rough-smooth transitions observed in MBE grown crystal-vapor systems; influence of directional bonding (e.g., in network formers like Si) on interface width, growth, velocity, impurity trapping, and roughening temperature.

STATE UNIVERSITY OF NEW YORK/STONY BROOK (continued)

480. RESEARCH CONSORTIUM FOR X-RAY TOPOGRAPHY ON LINE X-19 AT NSLS

M. Dudley
Dept. of Materials Science
Phone: (516) 246-6778

\$125,000 (7 months) 01-1

Implementation of facilities and research for the Synchrotron Topography Project beamline X-19C at the National Synchrotron Light Source Brookhaven National Laboratory under the auspices of a national consortium headed by the SUNY Stony Brook group. The consortium is working on a wide range of problems where the special properties of synchrotron radiation are particularly suited including: studies of the factors controlling elastic-plastic crack propagation, real-time slip initiation observations, quality assessment of crystal growth, mechanical integrity of thin film-substrate interfaces, thermal decomposition mechanisms for inorganic single crystals, in situ measurements of the film stresses accompanying film deposition for refractory metal silicides on silicon, detailed studies of the interaction of acoustic waves with microstructural constituents, morphology of pressure quenched CdS and X-ray topography and microradiography aimed at understanding high temperature deformation mechanisms of steels.

481. DETERMINATION OF ATOMIC AND ELECTRONIC STRUCTURE OF CLEAN SURFACES AND CHEMISORBED LAYERS

F. P. Jona
Dept. of Materials Science and Engineering
Phone: (516) 246-7649, 6759

\$151,601 02-2

Chemisorbed metal adsorbates on metal surfaces. Investigate structure with low energy electron diffraction (LEED). Determine electron band structure, including valence band shifts with layer thickness, with ultraviolet photo-emission spectroscopy (UPS) on the U-7 beam line at the National Synchrotron Light Source at the Brookhaven National Laboratory. Alloy formation on the gold-copper and gold-palladium systems. Surface reactivity on the gold-platinum and gold-palladium systems. An initial experiment with the rare earth erbium. Understand the process of alloy formation and chemisorption from correlation of the atomic and electronic structures.

STATE UNIVERSITY OF NEW YORK/STONY BROOK (continued)

482. X-RAY STUDIES OF STRAIN, INTERFACE AND IMPURITY IN SEMICONDUCTORS

Y. H. Kao
Dept. of Physics
Phone: (516) 246-7046

\$ 90,000 02-2

Investigation of the short range order structure in semiconductors, including strained-layer superlattices, interface in heterojunctions, and ion-implanted impurities in silicon. Experimental methods: extended X-ray absorption fine structure, fluorescence-yield measurement of atomic profile, and reflectivity measurements using synchrotron radiation at the National Synchrotron Light Source at Brookhaven National Laboratory and the Cornell High Energy Synchrotron Source. High quality samples prepared and characterized by collaborators at IBM and Philips Laboratories.

483. KINETICS OF PHASE SEPARATION IN POLYMER SOLUTIONS AND BLENDS

B. Chu
Dept. of Chemistry
Phone: (516) 246-7792

\$ 86,770 03-2

Kinetics of phase separation in polymer solutions and blends. Structure of phase separated droplets. Size, shape, and distribution of micro domains measured using light and X-ray scattering, excimer fluorescence, and optical microscopy. Phase separation kinetics measured using time-resolved, small-angle X-ray scattering at the National Synchrotron Light Source. Studies of polymer-solvent systems, such as polystyrene-methylacetate, and polymer-polymer blends, such as polystyrene blended with polyvinyl methyl ether, polyisoprene, or polyorthochlorostyrene.

STATE UNIVERSITY OF NEW YORK/STONY BROOK (continued)

484. RADIATION EMBRITTLEMENT IN BCC METALS

S. Michael Ohr

Department of Materials Science and Engineering

Phone: (516) 632-8485

\$112,291

01-4

Study the mechanism of radiation embrittlement in bcc metals by closely examining the relationship between the nature, the density, and the size distribution of defect clusters introduced by neutron irradiation and the mode of plastic deformation and fracture. Polycrystalline samples of molybdenum and niobium with controlled amounts of impurities, particularly carbon, irradiated at the NLTNIF at temperatures between 4 and 500 K. The nature and size distribution of defect clusters determined as a function of neutron fluence, irradiation temperature, and impurity content by cold-transferring samples and performing TEM electron microscopy. Tensile samples irradiated simultaneously with the TEM samples. The extent of radiation hardening determined from the increase in yield stress. The sensitivity to radiation embrittlement measured in terms of the reduction in area and the strain to fracture. Neutron-irradiated samples deformed in an electron microscope to observe directly the motion of dislocations and the formation of dislocation channels as a function of neutron temperatures. In situ TEM fracture experiment to observe directly the difference in the way the defect clusters interact with cracks and the presence, or absence, of crack tip deformation during tensile deformation.

485. THEORETICAL STUDIES OF CHEMISORPTION AND SURFACE REACTIONS ON NICKEL AND SILICON

J. L. Whitten

Dept. of Chemistry

Phone: (516) 246-6068

\$102,580

03-3

Theoretical studies of the adsorption of small molecules and molecular fragments on the surfaces of nickel and silicon using the embedding formulation of ab initio calculations. Energy contours and preferred surface adsorption sites are calculated along with vibrational frequencies for adsorbates. In some cases, excited electronic states will be calculated to help sort out the direct ionization vs. Auger processes that relate to electron or photon stimulated desorption from silicon surfaces. The embedding scheme is uniquely suited to these computations.

NORTH CAROLINA CENTRAL UNIVERSITY
Durham, NC 27707

486. VIBRATIONAL PROPERTIES OF DISORDERED SOLIDS: FAR INFRARED STUDIES

J. M. Dutta
Dept. of Physics
Phone: (919) 683-6452

C. R. Jones
Dept. of Physics
Phone: (919) 683-6452

\$ 63,177 02-2

Measurements of low-frequency vibrational properties of disordered solids in the far infrared region (5 cm^{-1} to 150 cm^{-1}) as a function of temperature using laser techniques. Materials studied: various forms of quartz and fused silica, alumina and magnesia. Other materials of interest: BeO, BN, and Si_3N_4 . Effects on dielectric properties due to the presence and concentration of impurities and sintering acids, and to microstructural properties, investigated in selected materials. Experimental data compared with existing theoretical models.

NORTH CAROLINA STATE UNIVERSITY
Raleigh, NC 27695

487. FUNDAMENTAL ASPECTS OF EROSION AND IMPACT DAMAGE

R. O. Scattergood
Dept. of Materials Science and Engineering
Phone: (919) 737-7843

\$124,185 01-5

Systematic study of fundamental aspects of erosion and impact damage in brittle materials and advanced ceramic systems. Materials investigated include aluminas, fiber-reinforced ceramics, transformation-toughened ceramics and various model brittle materials. New or modified apparatus designed and constructed for particle properties and threshold effects. Experimental results on erosion behavior and impact damage utilized for new fracture-mechanics analyses and erosion models development. Erosion rates vs. particle sizes, velocities and impact angles. Characterization of microstructural, strength and fracture properties. Erodent particle properties influence on nature of threshold effects.

NORTH CAROLINA STATE UNIVERSITY (continued)

488. RESEARCH AT AND OPERATION OF THE MATERIAL SCIENCE X-RAY ABSORPTION BEAMLINE (X-11) AT THE NSLS

D. E. Sayers
Dept. of Physics
Phone: (919) 737-2512

\$340,000 02-2

Development of the beam line X-11 A & B at the Brookhaven National Laboratory National Synchrotron Light Source. Improvement on beam line A by the installation of a focusing crystal and a collimating mirror. Construction on beam line B of the monochromator and a turbo-pumped soft X-ray backend. Transmission, fluorescence, and electron-yield measurements for a variety of materials: interfaces, including deposited metal-metal and metal-semiconductor systems; multilayers and ion implanted layers; electrochemical systems, including platinum electrode fuel cells, nickel oxide battery electrodes, conducting polymers, passivation and corrosion; catalysts, including highly-dispersed supported metal catalysts and zeolite systems; quasicrystals, heavy fermion systems, uranium and neptunium compounds, rare gas clusters, disordered metals and semiconductors, ferroelectric transition; and biological systems. The structural, defect, and grain boundary studies in these materials and interfaces address important issues in materials sciences.

489. BAND ELECTRONIC STRUCTURES AND CRYSTAL PACKING FORCES

M. H. Whangbo
Department of Chemistry
Phone: (919) 737-3616

\$ 89,001 03-1

Theoretical studies of superconducting and conducting, organic charge transfer salts. Tight-binding band electronic structure calculations on bis(ethylenedithio)tetrathiafulvalene (ET) salts using extended Huckel method. SCF-MO calculations on neutral and charged ET. Calculation of crystal packing energies, stabilities of different crystal phases, and magnitudes of electron-phonon coupling constants of various ET salts.

UNIVERSITY OF NORTH CAROLINA
Chapel Hill, NC 27514

490. SOLID-STATE VOLTAMMETRY AND SENSORS IN GASES AND OTHER NON-IONIC MEDIA

R. W. Murray
Dept. of Chemistry
Phone: (919) 962-6295

\$ 84,000	02-2
56,000	03-2

Preparation and electrochemical properties of systems in which a solid state polymer comprises the electrolyte between the electrodes. Observe electrochemical reactions in the absence of a liquid solution of electrolyte. The characteristics of electrocatalyzed reactions will be studied and the design of solid state sensors for gas phase measurements will be investigated.

NORTHEASTERN UNIVERSITY
Boston, MA 02115

491. POSITRON STUDIES OF DEFECTED METALS AND METALLIC SURFACES

A. Bansil
Dept. of Physics
Phone: (617) 437-2902

\$ 84,200	02-3
-----------	------

Quantitative theoretical study of the behavior of positrons, and of the electronic structure, in imperfect metallic systems and at metallic surfaces. Systems studied include concentrated alloys -- both ordered and disordered -- and metallic glasses; and defect configurations include vacancies and vacancy-impurity complexes. Use of KKR and KKR-CPA and other multiple-scattering theoretic methods, including extensions to accommodate clusters and introduction of newer tools (such as complex energy integration) to enhance computational efficiency. Calculation of the observable characteristic features of the positron-electron annihilation process, and continuing interactions with experimentalists (including those at BNL, ANL, LLL) to optimize both theoretical and experimental efforts. Complementary studies of electronic structure and of other processes such as Compton scattering.

NORTHWESTERN UNIVERSITY
Evanston, IL 60201

492. ELECTRONIC AND STRUCTURAL PROPERTIES OF SEMICONDUCTOR
HETEROJUNCTIONS

Y. W. Chung
Dept. of Materials Science and Engineering
Phone: (312) 491-3112

\$ 46,623 01-1

Comprehensive investigation of -Sn fibers deposited in UHV on single crystal CdTe substrate including the study of the quantum size effect using high-resolution electron energy loss spectroscopy and optical absorption, determination of the relationship between thermal degradation and interfacial diffusion in heterojunctions, determination of film growth characteristics using a site-specific xenon probe technique, and determination of structural and transformation characteristics using surface XRD at the NSLS, electron reflectivity techniques, and SIMS.

493. DEFECT CLUSTERING AND RELATED PROPERTIES OF OXIDES

J. B. Cohen
Dept. of Materials Science and Engineering
Phone: (312) 491-3665

D. E. Ellis
Dept. of Physics and Astronomy
Phone: (312) 491-3665

T. O. Mason
Dept. of Materials Science and Engineering
Phone: (312) 491-3198

\$190,000 01-1

Study of defect clustering and related properties of oxides involving transport and nonstoichiometry measurements, diffraction, microscopy, and quantum theoretical methods. Oxides of interest include highly defective transition metal nonoxides (FeO, MnO, CoO, NiO), transition metal spinels (Fe_3O_4 and Mn_3O_4), stabilized ZrO_2 , and ternary systems, e.g., $Ca_xNi_{1-x}O$. Transport and nonstoichiometry studies in a high oxygen potential cell at oxygen pressures of 1 to 100 atm. which permits substantially higher defect contents to be achieved. Structural and valence studies by X-ray and neutron diffraction, electron microscopy, and near edge absorption spectroscopy, utilizing select facilities at Argonne and Brookhaven National Laboratories. The theoretical program employs local density theory to calculate the charge distribution and local-site cohesion in defect oxides, describe phase stability (ternary oxides) and defect migration (stabilized zirconia), partly in conjunction with work at Argonne National Laboratory.

NORTHWESTERN UNIVERSITY (continued)

494. NUCLEATION MAGNETIC RESONANCE CHARACTERIZATION OF POROUS STRUCTURES:
CERAMICS AND SANDSTONES

W. P. Halperin
 Physics and Astronomy Department
 Phone: (312) 491-3686

\$ 94,000 01-1

Application of nuclear magnetic resonance measurements (spin-lattice relaxation and variable length scale diffusion) using a variable length scale pulsed field gradient method (VLS/PFG) to filler fluid nuclei intruded into the pore space of porous materials to give specific information concerning void space microstructure. Experiments with model materials including leached borosilicate (vycor) glasses and packings of monodisperse glass spheres. Investigations of fractal sandstones to define fractal dimension, minimum and maximum fractal length scales, and random-walk dimension for dynamics confined to a fractal. Non-fractal sandstones also investigated to obtain structural parameters and clarify the distinction between dynamics in fractal and non-fractal geometries. Investigation of pore structure evolution in the early and the intermediate stages of sintering of alumina by NMR methods giving direct information on the pore size distribution, throat size, maximum extent of the pore distribution and the distribution of pore surface-to-volume ratios. Evolution of these parameters studies as a function of heating rate and initial compact conditions. Experiments to help to refine sintering models and define relevant processing parameters for attainment of high density.

495. CERAMIC SURFACES AND SINTERING

L. D. Marks
 Dept. of Materials Sciences and Engineering
 Phone: (312) 491-3996

D. L. Johnson
 Dept. of Materials Sciences and Engineering
 Phone: (312) 491-3996

\$118,675 01-1

Atomistic investigation of ceramic particle sintering. High resolution phase contrast profile imaging of smoke particles agglomerated on gas columns for various times. Particle formation by vapor condensation and arc discharge in reactive gases. Chemical modifiers introduced by electrode and gas doping. Sintering experiments using Al_2O_3 , oxide-free SiC , Si_3N_4 , AlN and with selected ceramics modified by MgO , B and H_2O reactions. The atomic structure of particle surfaces and coalescent necks will be determined providing surface energy anisotropy, step distribution and chemical modifier information. Information to be input for atomistic model which will coalesce into a macroscopic continuum model.

NORTHWESTERN UNIVERSITY (continued)

496. USE OF ANOMALOUS SMALL ANGLE X-RAY SCATTERING TO INVESTIGATE
MICROSTRUCTURAL FEATURES IN COMPLEX ALLOYS

J. R. Weertman

Dept. of Materials Science and Engineering

Phone: (312) 491-5353

\$ 74,572

01-2

An investigation is being carried out on the use of anomalous small angle X-ray scattering (ASAXS) to break down the scattering from a complex alloy into the components arising from each of the different scattering species, thereby making it possible to use the ASAXS data to obtain quantitative information about the size and number density of each species. Synchrotron radiation is used to provide X-rays which can be tuned to the absorption edge of elements in the alloy. ASAXS will be used to characterize the various scattering species in systems of interest and to study the changes in these scatterers produced by exposure to high temperature and deformation. The first system being studied is the ferritic stainless steel, modified Fe-9%Cr-1%Mo, which has already been examined by small angle neutron scattering. The value of ASAXS as a method of NDE will be investigated.

497. PLASMA, PHOTON, AND BEAM SYNTHESIS OF DIAMOND FILMS AND MULTILAYERED
STRUCTURES

R. P. H. Chang

Dept. of Materials Sciences and Engineering

Phone: (312) 491-3537

\$ 97,631

01-3

Investigation of the synthesis of high quality thick (m to mm) films of diamond at substrate temperatures below 1000°C. Enhanced chemical vapor deposition experiments will invoke photon beams, charged particles, and magnetically confined plasmas. Analytical characterization of gas phase chemistry, surface reaction(s), and growth chemistry. Hetero-epitaxial growth of diamond films by a combination of growth techniques in an ultra-high vacuum environment. Investigation of multilayered and superlattice structures of metallic to insulating and semiconducting diamond films. Mass spectroscopy, Auger, and RHEED analysis.

NORTHWESTERN UNIVERSITY (continued)

498. DEFECT STRUCTURE OF SEMICONDUCTING AND INSULATING OXIDES

B. W. Wessels

Dept. of Materials Science and Engineering

Phone: (312) 491-3219

\$ 72,266

01-3

Use of space charge spectroscopy techniques to explore the deep level electronic defect structure and its role in charge transport for several semiconducting and semi-insulating oxide compounds. Single crystalline oxide layers prepared by organometallic chemical vapor deposition. Defect phenomena investigated include mechanisms of deep level defect formation, thermal stability of native point defects, and the electrical and optical characterization of deep level defects in as-grown undoped and doped material. Deep level defects formed by high energy electron and proton irradiation. Isochronal annealing. Experimental point defect characterization includes temperature dependent conductivity and photoluminescence measurements. Specific systems to be examined include ZnO , TiO_2 , and $SrTiO_3$.

499. STRUCTURAL AND FAST ION TRANSPORT PROPERTIES OF GLASSY AND AMORPHOUS MATERIALS

D. H. Whitmore

Dept. of Materials Science and Engineering

Phone: (312) 491-3533

P. Georgopoulos

Dept. of Materials Science and Engineering

Phone: (312) 491-3243

\$120,000

01-3

Detailed structural and ionic transport studies of fast ion conducting glasses including mixed valence, proton conducting and selenide based glasses and amorphous polyphosphazine polymer complexes. Investigation parameters include temperature, glass composition, and conditions of glass synthesis. Computer simulations of ionic transport in glassy electrolytes. Differential anomalous X-ray scattering, EXAFS, Raman and infrared spectroscopies, complex impedance analysis (of conductivity data) and pulsed field gradient NMR (to obtain ionic diffusivities). Mixed valence glasses synthesized by doping glass network formers with appropriate amounts of transition metal compounds investigated for the chemical diffusion coefficient, solid-state redox reactions accompanying the insertion of electroactive alkali ion species into the mixed valence glass and the electronic transference number as a function of glass composition and temperature.

NORTHWESTERN UNIVERSITY (continued)

500. LOCAL DENSITY THEORY OF PHASE STABILITY AND PHASE DIAGRAMS FOR
SUBSTITUTIONALLY DISORDERED ALLOYS

A. J. Freeman
 Dept. of Physics and Astronomy
 Phone: (312) 491-3343, 3644
 A. Gonis
 Dept. of Physics and Astronomy
 Phone: (312) 491-3644

\$ 88,354 02-3

Determination of thermodynamic properties and, ultimately, phase diagrams of ordered and substitutionally disordered alloys from all-electron calculations that utilize fully relativistic energy band programs and that take into account lattice structure and statistical fluctuations. Particular emphasis is given to heats of formation, to short-range order parameters, and to polyatomic interaction energies. Densities of states, total energies, and thermodynamic potentials obtained using recently developed methods based on local density theory, with continuing development of computational power and precision. Such methods include embedded cluster generalizations (ECM) of the coherent potential approximation (CPA), a generalized perturbation method (GPM), and full potential linearized augmented plane wave (FLAPW) in a supercell framework. Multi-site potentials obtained are to be used, e.g., in cluster variation method computations to construct alloy phase diagrams for transition metals (and, perhaps, actinides).

501. INTERFACIAL ELECTROCHEMICAL TRANSPORT IN BATTERIES

M. A. Ratner
 Dept. of Chemistry
 Phone: (312) 491-5655
 D. F. Shriver
 Dept. of Chemistry
 Phone: (312) 491-5655

\$ 93,000 03-2

This proposal is an investigation of ionic transport along and through interfaces, both within a given solid electrode or electrolyte and between solid electrodes and electrolytes. The objective is mechanistic understanding of which processes result in overpotential, degradation, charge accumulation, and enhanced mobility at such interfaces. Two general classes of materials will be investigated: siloxane based polymer electrolytes, and layered chalcogenide cathodes. Experiments will include synthesis and surface modification of electrolyte films, bulk and interfacial impedance measurements, and simulation of interfacial transport phenomena by Monte Carlo and percolation theory techniques.

NORTHWESTERN UNIVERSITY (continued)

502. STUDIES OF THE STRUCTURE AND PROPERTIES OF ORGANIC MONOLAYERS,
MULTILAYERS AND SUPERLATTICES

P. Dutta

Dept. of Physics and Astronomy
Phone: (312) 491-5465

J. B. Ketterson

Dept. of Physics and Astronomy
Phone: (312) 491-5468

\$ 96,010 (6 Months) 03-3

Study the mechanical properties of organic monolayers on the surface of water (Langmuir films). Determine the microscopic structure of such films and of multilayers formed on repeatedly dipped substrates (Langmuir-Blodgett films) using ellipsometry, conventional and synchrotron X-rays. Mechanical property studies directed toward shear response, an important but previously neglected structural property. Diffraction technique, involving external reflection at the monolayer surface, used to determine film structure. Finally, the loss of certain symmetry elements of surface phases studied by observing the rotation of plane polarized light incident normal to the surface. A search for this effect within the so-called liquid expanded-liquid condensed region, may indicate a liquid crystal phase.

OHIO STATE UNIVERSITY
Columbus, OH 43210

503. THE HYDROGEN-INDUCED STRESS CORROSION CRACKING OF NICKEL-BASE ALLOYS
IN HIGH-TEMPERATURE WATER

P. G. Shewmon
Dept. of Metallurgical Engineering
Phone: (614) 292-5864
S. Smialowska
Dept. of Metallurgical Engineering
Phone: (614) 292-5864

\$149,227 01-5

Research on the mechanism of the hydrogen induced intergranular stress corrosion cracking (IGSCC) of Alloy 600, of austenitic Cr-Ni steels, and of other Ni-containing alloys on exposure to deaerated water at 300-363°C. Determination of the electrochemical conditions under which hydrogen induced IGSCC occurs in materials of different composition and microstructure. Determine crack growth rates as a function of environmental parameters such as electrolyte composition, pH, electrochemical potential, temperature and partial pressure of hydrogen. Examine the composition and protective properties of oxide films that form on fcc nickel-base alloys under various environmental conditions and evaluate the effect of those films on IGSCC and hydrogen absorption. Study the micromechanism of fracture with emphasis on the possible role of grain boundary bubbles of methane.

504. INVESTIGATIONS OF ULTRASONIC WAVE INTERACTIONS AT BOUNDARIES
SEPARATING ANISOTROPIC MATERIALS

L. Adler
Dept. of Welding Engineering
Phone: (614) 292-1974

\$113,986 01-5

This is a basic research program on non-destructive characterization of polycrystalline anisotropic materials. Specific activities will include modeling and measurement of ultrasonic wave propagation in bicrystals of Ni and austenitic stainless steel as well as fabrication of specimens and development of techniques.

OHIO STATE UNIVERSITY (continued)

505. THEORETICAL STUDIES OF DYNAMICS AND CORRELATIONS IN HEAVY-ELECTRON MATERIALS

D. Cox

Dept. of Physics

Phone: (614) 292-0620

\$ 48,516

02-3

Examine the universality of the Anderson model for heavy-electron metals, specifically a form of the Anderson impurity model for a single U impurity, and analysis of magnetic susceptibility of UBe₁₃ in terms of a quadrupolar Kondo effect. Study coherence and the transport properties of the Anderson lattice; a model for transport properties that predicts ac and dc conductivities and tunneling and point contact spectra in Ce compounds. Understanding intersite correlations between f-electrons and the relation to magnetic ordering and heavy fermion superconductivity.

506. MOLECULAR FERROMAGNETISM

A. J. Epstein

Dept. of Physics

Phone: (614) 292-1133

\$126,000

03-1

Study of magnetism in molecular ferromagnets and origins of the ferromagnetic exchange. Synthesis of $[M(C_5(CH_3)_5)_2]^+$ and $[M(C_6R_6)]^+$ (M=Cr, Fe, Ru, and Ni) salts of planar radical anions 7,7,8,8-tetracyano-p-quinodimethane (TCNQ), tetracyanoethylene (TCNE), and 2, 3-dichloro-5,6-dicyanobenzoquinone (DDQ). Measurements of magnetism as a function of field, temperature, and pressure and comparison of results with models of one-dimensional ferro- and ferri- magnetism. Mossbauer spectroscopy measurements for internal magnetic fields, spectroscopic measurements for charge transfer bands and inelastic neutron scattering measurements for magnetic structure.

OHIO UNIVERSITY
Athens, OH 45701

507. ELECTRONIC STATES IN TUNNELING SEMICONDUCTOR SUPERLATTICES

S. E. Ulloa
Dept. of Physics and Astronomy
Phone: (614) 593-1729

\$ 31,945 02-3

Theory of semiconductor interfaces, specifically the electronic states in doped semiconductor superlattices which allow tunneling along the direction of modulated growth, perpendicular to the composing layers. Work includes self-consistent calculations of the electronic structure and the resulting effects on transport properties. This research is focused on the properties of levels associated with depletion regions near the top and bottom layers of the superlattices. These defect- and impurity-associated levels will have important implications for a variety of other experimental arrangements. It may be possible to use the physical responses to external perturbations as a novel and potentially powerful tool in the detailed experimental mapping of the electronic level structures of these systems.

OREGON STATE UNIVERSITY
Corvallis, OR 97331

508. PERTURBED ANGULAR CORRELATIONS IN ZR-CONTAINING CERAMICS

J. A. Gardner
Dept. of Physics
Phone: (503) 754-4631

\$ 72,296 01-1

Perturbed angular correlation (PAC) spectroscopy of nuclear gamma rays to investigate Zr-containing ceramics. PAC characterization of free energies and transformation mechanisms in ZrO_2 based materials. Measurement of ZrO_2 equilibrium phase boundaries and their dependence on purity and stabilizing elements. Analysis of relaxation models and diffusion mechanisms in ZrO_2 - Y_2O_3 alloys, short range order and order-disorder reactions, and high-temperature time-dependent effects in various stabilized zirconias. Design and construction of a pressure cell for operation at 200 MPa and 2000°C.

UNIVERSITY OF OREGON
Eugene, OR 97403

509. SURFACE AND INTERFACE ELECTRONIC STRUCTURE

S. D. Kevan
Dept. of Physics
Phone: (503) 686-4742

\$143,500 (16 months) 02-2

An experimental investigation of the electronic structure of surfaces and interfaces including studies of angle-resolved photoemission at the National Synchrotron Light Source. Emphasis on high resolution studies of novel surface phenomena such as phase transitions, small perturbations of the ground state electronic structure by defects and impurities, and initial stages of epitaxial interface formation between metals and semiconductors.

510. MONITORING INTERFACIAL DYNAMICS BY PULSED LASER TECHNIQUES

G. L. Richmond
Dept. of Chemistry
Phone: (503) 686-4635

\$ 79,167 03-2

Studies of interfacial structure and dynamics using second harmonic generation (SHG) and hyper-Raman scattering. Development of SHG for monitoring electrochemical reactions on a nanosecond timescale, correlation of surface structure with electron transfer kinetics, thin-film nucleation and growth, and the analyses of the structure and reactive role of surface defects.

PENNSYLVANIA STATE UNIVERSITY
University Park, PA 16802

511. VIBRATIONAL AND OPTICAL STUDIES OF AMORPHOUS METALS

J. S. Lannin
Dept. of Physics
Phone: (814) 865-9231

\$118,247 01-1

Research in which the method of interference enhanced Raman scattering (IERS) is used to study the structure, bonding, the stability of amorphous metal alloys. The basis of the IERS technique is to fabricate thin film trilayer structures of the materials to be studied which include a dielectric layer and a reflecting layer to produce a minimum in the reflectance and thus reduce the background light when measuring the Raman scattered light. Focus is initially on metalloid alloys and will subsequently be extended to amorphous metals in general. Complementary inelastic neutron scattering measurements are also employed for structure, bonding, and short-range order determinations.

512. THE MECHANICAL BEHAVIOR OF SURFACE MODIFIED CERAMICS

D. J. Green
College of Earth and Mineral Sciences
Phone: (814) 863-2011

\$ 81,694 01-2

Modification of surface layers of ceramics to introduce surface compression and increase hardness and fracture toughness of transformation-toughened ZrO_2 and Al_2O_3 . Surface infiltration when ceramic is pressed or partially sintered. Development of a second phase surface layer during final densification. Indentation cracking used to study crack nucleation and growth and determine fracture toughness. Stress and composition profiles determined by NSLS X-ray diffraction data.

PENNSYLVANIA STATE UNIVERSITY (continued)

513. TWIN BOUNDARIES AND HETEROPHASE INTERFACES IN FERROELASTIC MARTENSITES

G. R. Barsch
 Materials Research Laboratory
 Phone: (814) 865-1657

\$135,000 01-3

Theoretical study with concurrent supporting experimental investigations on coherent and semicoherent interfaces in ferroelastic martensites, including twin boundaries and twin bands, heterophase parent/product ISP interfaces and inclusions, and transformation precursors. Motivation is the need for a new theoretical basis for investigating the martensite nucleation mechanism and for establishing the conditions for nonclassical nucleation. Study of soliton-like solutions of a dynamic Ginzburg-Landau continuum theory for ferroelastic martensites in order to determine the strain distribution and strain energy for various geometric configurations as a function of the material parameters, temperature and external stress. Model parameters of the theory consist of the second and higher order elastic constants and the harmonic strain gradient coefficients in the parent phase. X-ray measurements of the transformation strain versus temperature, and simultaneous ultrasonic velocity and attenuation measurements on biaxially stressed crystals in $In_{1-x}Tl_x$ alloys in order to determine the second and higher order elastic constants in the single domain tetragonal state. Special attention is given to transformation precursors in the cubic parent phase in order to eliminate their effect on the model parameters.

514. GRAIN BOUNDARY AND SURFACE DIFFUSION IN OXIDE SYSTEMS

V. S. Stubican
 Dept. of Materials Science and Engineering
 Phone: (814) 865-9921

\$ 61,211 01-3

This research addresses diffusional transport phenomena on ionic surfaces and in grain boundaries. Specifically, studies of surface diffusion of ^{51}Cr on MgO and ^{57}Co on MgO and NiO , and grain boundary diffusion of ^{59}Fe in Fe_3O_4 .

PENNSYLVANIA STATE UNIVERSITY (continued)

515. MASS TRANSFER DURING LASER WELDING

T. DebRoy

Dept. of Materials Science and Engineering
Phone: (814) 865-1974

\$117,601 (17 months) 01-5

Modeling of solute loss, heat transfer and fluid flow during laser welding of stainless steels. Calculation of local temperature profile, weld pool velocity and vaporization of alloying elements, correlative experimental determination of weld microstructure and chemistry, time resolved emission spectroscopic measurements to determine composition of metal vapors.

516. NEW LOW TEMPERATURE (HYDROXYLATED) MATERIALS

R. Roy

Materials Research Laboratory
Phone: (814) 865-3421

\$ 76,000 03-2

Synthesis and characterization of crystalline materials formed at low temperatures. The objective is to apply some of the very new and exciting advances in chemically-bonded ceramics to making much stronger and more impermeable materials that can be processed at low temperatures. The material have potential application as low-level radioactive waste hosts.

UNIVERSITY OF PENNSYLVANIA
Philadelphia, PA 19104

517. STAGING IN LAYER INTERCALATES

J. E. Fischer

Dept. of Materials Science and Engineering
Phone: (215) 898-6924

\$109,500 01-1

Study of the staging phenomenon in graphite intercalation compounds (principally with Li) and other layer systems by X-ray and neutron diffraction. Independent variables are temperature, hydrostatic pressure and concentration of alkali metal intercalate. Experimental determination of the staging temperature vs. concentration phase diagram. Elucidation of new high-pressure phases. Determination of the nature, origin, and consequences of stage disorder. Investigation of kinetics of staging transitions with emphasis on identifying metastable structures.

UNIVERSITY OF PENNSYLVANIA (continued)

518. MECHANISMS OF DIFFUSION CONTROLLED BRITTLE FRACTURE

C. J. McMahon

Department of Materials Science and Engineering
Phone: (215) 898-7979

\$ 99,546

01-2

Study of the mechanisms of diffusion-controlled intergranular brittle fracture of metallic materials due to surface-adsorbed impurities. Measurement of the kinetics of intergranular crack growth in polycrystals and bicrystals with controlled surface coverages of impurities, carried out in UHV. Major experimental variables are: impurity coverage, temperature, alloy strength, and applied stress or loading rate. Measurements of the plastic behavior of the alloy, surface and grain boundary diffusion rates, and grain boundary/surface dihedral angles will be used to test models proposed to explain this phenomenon.

519. ATOMISTIC STUDIES OF GRAIN BOUNDARIES IN ALLOYS AND COMPOUNDS

V. Vitek

Dept. of Materials Science and Engineering
Phone: (215) 898-7883

\$135,258

01-1

Atomistic computer simulation studies of grain boundaries in binary ordered and disordered alloys. Investigation of grain boundaries with segregated solutes. Examination of the relationship between grain boundary structure and surfaces formed by fracturing along these boundaries. Study of grain boundary electronic structure. Methods of calculation of interatomic forces. Cu-Bi, Cu-Ag, Ag-Au, Ni-S, Fe-P, Fe-Sb, and Fe-Sn are candidate alloys to be studied.

UNIVERSITY OF PENNSYLVANIA (continued)

520. LOW STRESS BRITTLE FRACTURE IN POLYMERS

N. Brown

Dept. of Materials Science and Engineering

Phone: (215) 898-8506

\$127,814 (18 months) 01-2

Research on polyethylene, copolymers and representative crystalline polymers. Measurement under plane strain of rate of formation of damaged zone at root of a notch as a function of stress, time, temperature, notch depth, specimen geometry. Characterization of extent of porous, fibrillated and fractured regions which constitute the damaged zone using optical microscopy, SEM, and TEM. Determination of constitutive equations for various regions of damaged zone. Use of data to construct a mathematical model based on the micro-mechanics of fracture for predicting long time failure in engineering structures.

521. FUNDAMENTALS OF HARDENING AND DECOHESION BEHAVIOR IN TIME-DEPENDENT CYCLIC DEFORMATION

C. Laird

Dept. of Materials Science and Engineering

Phone: (215) 898-6664

J. L. Bassani

Dept. of Materials Science and Engineering

Phone: (215) 898-6664

\$119,554 01-2

Role of hardening on active and latent slip systems on the deformation of metals under monotonic and cyclic loading; characterization of dislocation structure developed in Cu during time-dependent and time-independent deformation; formulation of a physically realistic micromechanical description of the deformation; single crystal behavior followed by polycrystalline materials studies on Cu, Cu-O, and Cu-Pb alloys; cyclic creep deformation and fracture and the role of non-metallic particles on cavity formation and linkage.

UNIVERSITY OF PENNSYLVANIA (continued)

522. INTRINSIC PHONONS ON RECONSTRUCTED SEMICONDUCTOR SURFACES

E. J. Mele
Dept. of Physics
Phone: (215) 898-3135

\$ 56,923

02-3

Theoretical study of the lattice dynamics of reconstructed semiconductor surfaces. Relation between localized surface electronic structure and surface structural and vibrational properties. Computation scheme combining a short-range elastic Hamiltonian with a static electronic polarization extracted from a tight-binding representation of the valence electronic bands, and explicitly coupling electronic density to structural degrees of freedom. Applications include models of Si(100) 2x1 and Si(111) 2x1 surfaces, extensions to higher order reconstructions (4x2, 2x2), and generalizations of the results to derive a structural Hamiltonian for Ge.

UNIVERSITY OF PITTSBURGH
Pittsburgh, PA 15261

523. MICROCHEMISTRY ANALYSIS OF POLYCRYSTALLINE Ni₃Al AND OTHER ORDERED ALLOYS USING THE FIELD-ION MICROSCOPE ATOM PROBE

S. S. Brenner
Dept. of Metallurgical and Materials Engineering
Phone: (412) 624-5445

\$127,000

01-1

Investigation of structure and microchemistry of grain boundaries in Ni₃Al containing different Ni/Al stoichiometric ratios, substitutional solutes, and grain boundary B concentrations. Principal analytical methods involve the field-ion microscope atom probe. Other variable parameters include grain-boundary orientation, bulk B concentration, Al substoichiometry, and comparison between cast and melt-spun Ni₃Al-B material.

UNIVERSITY OF PITTSBURGH (continued)

524. THE PHYSICS OF PATTERN FORMATION AT LIQUID INTERFACES

J. V. Maher
Dept. of Physics and Astronomy
Phone: (412) 624-0872

\$ 96,178 02-2

Studies of the physics of binary liquid and liquid gel interfaces. Experiments on onset and nonlinear growth of hydrodynamic instabilities and nonlinear pattern formation. The diffusion-driven instability of a quenched liquid interface and the Saffman-Taylor instability (viscous fingering) investigated with careful control over such parameters as density difference, viscosity difference, and the interfacial tension. Light scattering investigations of the dynamics of phase separation for a binary liquid mixture imprisoned in a gel to understand the role of hydrodynamics.

POLYTECHNIC UNIVERSITY
333 Jay Street
Brooklyn, NY 11201

525. SCANNING TUNNELING MICROSPECTROSCOPY OF SOLID AND SURFACES

E. Wolf
Dept. of Physics
Phone: (718) 643-5000

\$135,000 02-2

Development of Scanning Tunneling Microscopy (STM) techniques as applied to the study of solids and surfaces. Probe both normal and superconducting states of materials. Basic information about the new class of many-body states in heavy fermion materials. Pairing symmetry study of $\text{La}_{1.8}\text{Sr}_{0.2}\text{CuO}_4$ a new high temperature superconductor. Basic superconducting tunneling phenomena; Josephson and proximity effects. Importance of spin-orbit coupling arising from the f electron character of the heavy quasiparticles in heavy fermion materials. Quasiparticle spectroscopy of exotic conductors including organic superconductors.

POLYTECHNIC UNIVERSITY (continued)

526. MIXED VALENT BEHAVIOR IN ACTINIDES AND RELATIONSHIP TO CERIUM

P. S. Riseborough
 Dept. of Physics
 Phone: (718) 643-5011

\$ 59,324 02-3

Theoretical research on the many-body aspects of materials containing early actinide elements or cerium. Principal subject areas: the direct relationships between the magnetic properties, conduction electron - spin scattering effects in transport properties, effects of strong electron-phonon coupling, and the single-particle excitation spectrum as seen in photoemission and Bremmstrahlung Isochromat spectroscopies (BIS). Primary theoretical model: the Anderson Lattice, a lattice of magnetic ions in which the magnetic f-electrons can be delocalized both by direct f-f overlap and by hybridization with the valence band. Further, study of phonon-mediated electron couplings and other possible exotic coupling mechanisms in heavy fermion superconductors (CeCu_2Si_2 , UBe_3 , UPt_3).

PRINCETON UNIVERSITY
 Princeton, NJ 08544

527. THE FORMATION OF ORDERED MICROSTRUCTURES BY SLIP CASTING AND RELATED PROCESSES

W. B. Russel
 Dept. of Chemical Engineering
 Phone: (609) 452-4590

\$ 72,432 01-3

The dynamics of three processes (sedimentation, ultrafiltration, and slip casting) which concentrate small particles from a dilute solution, with particular emphasis on the structure of the resulting dense phase as a function of the processing conditions. Objectives are to define the range of conditions which produce an ordered casting, develop process models, and perform measurements of diffusion models in dense suspensions. Modeling to involve the formulation and solution of a macroscopic conservation equation governing the mean volume fraction, coupled to a microstructural equation describing the relaxation of imperfections enroute to the equilibrium ordered state. Dynamic light scattering experiments on concentrated silica dispersions to determine diffusion coefficients. Sedimentation and ultrafiltration experiments following the formation of both disordered and ordered phases.

PRINCETON UNIVERSITY (continued)

528. PHOTOIONIZATION AND ELECTRON TRANSFER IN IONIC CRYSTALS

D. S. McClure
Dept. of Chemistry
Phone: (609) 452-4980

\$115,103 03-1

Research on the mechanisms by which impurity ions in host ionic crystals lose electron when photo-excited. A newly developed tunable infrared laser is used in two-photon pump-probe type experiments to determine how the impurity ion and host lattice change as the photoelectron is lost or regained. Phototransfer of electrons from one impurity ion to another is studied as a function of separation in the host lattice. New compounds are synthesized with the impurity ion in an octahedral rather than cubic environment, which should raise the photoemission threshold. New lasing media tunable in the VUV are a possibility.

PURDUE UNIVERSITY
West Lafayette, IN 47907

529. THE ROLE OF MOBILE IONS IN FAST ION CONDUCTING SYSTEMS AND HIGH-IMPACT CERAMICS

C. A. Angell
Dept. of Chemistry
Phone: (317) 494-5256

\$121,190 01-1

Seek novel materials exhibiting fast ion transport and high rates of energy dissipation on impact. Distinct investigations to study record anionic conductivities in lead-halide-rich inorganic glasses, mixed anion-cation conducting glasses, mixed ionic-electronic conductivity tellurovanadate glasses with record high Na^+ transport and new organic cation containing plastic crystal conductors. Objectives are clarification of mobile cation-anion coupling in conducting glasses, exploitation of Na^+ transport in an oxygen-fugacity-controlled electronic oxide conducting glass, development and optimization of rotator phase ionic conductors. Secondarily, explore possibility that fast processes can provide fast energy dissipation and utilize computer simulation calculations to study fast processes by dynamic graphics methods.

PURDUE UNIVERSITY (continued)

530. MATERIALS RESEARCH AND BEAM LINE OPERATION UTILIZING NSLS

G. L. Liedl
School of Materials Engineering
Phone: (317) 494-4095

\$500,000 01-1

This proposal is for a grant to support MATRIX, a group of scientists from two institutions who have common interests in upgrading and in utilizing X-ray synchrotron radiation for unique materials research. This group has available to it a specialized beam line at the National Synchrotron Light Source (NSLS). A unique and versatile monochromator provides radiation to a four-circle Huber diffractometer for the basic system. Multiple counting systems are available as well as a low temperature stage, a high temperature stage, and a specialized surface diffraction chamber. The funds requested are to cover the operational expenses and system upgrade of this beam line at NSLS for all MATRIX members and to support part of the research on phase transformation studies and X-ray surface and interface studies.

531. STUDY OF MULTICOMPONENT DIFFUSION AND TRANSPORT PHENOMENA

H. Sato
School of Materials Engineering
Phone: (317) 494-4099

R. Kikuchi
School of Materials Engineering
Phone: (317) 494-4099

\$108,894 01-3

Research on multicomponent diffusion under general thermodynamical potential gradients. Chemical diffusion processes in alloys--diffusion path, zero flux planes, and Kirkendall effect--analytically based on an atomistic model. Investigation of diffusion paths through a different phase between diffusion couples and in demixing profiles. Interdiffusion at boundaries. Interdiffusion in artificial superlattices in semiconductors. Continued examination of demixing phenomena.

PURDUE UNIVERSITY (continued)

532. INELASTIC SCATTERING IN CONDENSED MATTER WITH HIGH INTENSITY
MOSSBAUER RADIATION

J. G. Mullen
Dept. of Physics
Phone: (317) 494-3031

\$ 50,830 02-2

Development of new Mossbauer techniques with a microfoil electron detector, LiF monochromator, and high intensity sources. Accurate measurement of the Mossbauer isomer for the 46.5 keV transition in ^{183}W . Test of time reversal invariance in gamma emission accompanying nuclear decay to an order of magnitude greater accuracy than previously attained. Resonance scattering from TaS_2 -1T that permits study of the charge density wave phenomena in this material. Thermal diffuse scattering and Debye-Waller factor scattering between temperatures of 77 and 295 Kelvin (room temperature). Attempted measurement of inelastic scattering, resulting from one phonon processes near the edge of the Brillouin zone.

533. A STUDY OF THE INTERACTION OF LIGHT WITH SUB-MICRON METALLIC
SURFACES

R. G. Reifenberger
Dept. of Physics.
Phone: (317) 494-3032

\$ 55,400 02-2

Investigation of the photoexcitation process at low photon energies. Techniques under development directly measure the excited state energy distribution of electrons that are emitted through the surface potential barrier. The fundamental process; photoexcitation of electrons from field emission tips by a focussed argon-ion laser beam tuned to operate at a specific photon energy. Measurement of localized surface states of tungsten W(100), molybdenum Mo(100), and iridium Ir(111) surfaces.

RENSSELAER POLYTECHNIC INSTITUTE
Troy, NY 12181

534. MECHANISM OF MECHANICAL FATIGUE IN FUSED SILICA

M. Tomozawa
Dept. of Materials Engineering
Phone: (518) 276-6451

\$103,000 01-2

Mechanism of static fatigue and analysis of fatigue kinetics in fused silica. Measurement of diffusion coefficient and solubility of water into silica glass as a function of stress, temperature and water vapor pressure. Preparation of silica glass containing various water contents. Effect of water content on swelling and mechanical property alteration. Estimation of mechanical (static) fatigue kinetics by combining stress-accelerated diffusion and swelling data.

RICE UNIVERSITY
P. O. Box 1892
Houston, TX 77251

535. APPLICATION OF SPIN-SENSITIVE ELECTRON SPECTROSCOPIES TO INVESTIGATIONS OF ELECTRONIC AND MAGNETIC PROPERTIES OF SOLID SURFACES AND EPITAXIAL SYSTEMS

G. K. Walters
Physics Dept.
Phone: (713) 527-4937
F. B. Dunning
Dept. of Physics
Phone: (713) 527-8101

\$230,000 02-4

Spin polarized beams of electrons and metastable $\text{He}(2^3\text{S})$ atoms used in studies of surface magnetic behavior, dynamics of metastable deexcitation at surfaces, electronic properties of adsorbed layers. Spin Polarized Low Energy Electron Diffraction (SPLLED) and Metastable Deexcitation Spectroscopy (MDS) investigations of magnetic properties of epitaxial systems at the monolayer level. Emphasis on monolayers of Cr on $\text{Au}(110)$, and monolayers of V and Fe on $\text{Ag}(001)$ for which theory predicts strongly enhanced two-dimensional ferromagnetic moments on metallic overlayers, interfaces, and superlattices.

UNIVERSITY OF ROCHESTER
Rochester, NY 14627

536. MICROSTRUCTURAL BEHAVIOR OF NON-EQUILIBRIUM SYSTEMS

J. C. M. Li
Dept. of Mechanical Engineering
Phone: (716) 275-4038

\$129,983 01-2

Coupled theoretical and experimental research on amorphous metals. Topics include: a) vacancies and interstitials introduced by energetic atoms, b) negative creep induced by a positive stress, c) crack extension and dislocation emission, and d) nucleation events in melting. Research also includes studies of rapidly crystallized structures.

ROCKWELL INTERNATIONAL SCIENCE CENTER
1049 Camino Dos Rios/Box 1085
Thousand Oaks, CA 91360

537. ADVANCED Si_3N_4 SYSTEM STUDIES

P. E. D. Morgan
Phone: (805) 373-4273

\$157,985 01-5

Investigations of Si-S chemistry to provide starting points for the preparation of Si_3N_4 and SiC in various forms such as powder, whiskers, fibers, etc. Room temperature reactions of SiS_2 with hydrazine. TGA, XRD, TEM, NMR, IR, fracture toughness.

SETON HALL UNIVERSITY
South Orange, NJ 07079

538. SYSTEMMATIC PREPARATION OF SELECTIVE HETEROGENEOUS CATALYSTS

R. L. Augustine
Dept. of Chemistry
Phone: (201) 761-9033

\$ 70,000 03-3

Apply previously developed single-turnover titration method for characterizing the active site distribution on metal surfaces to supported metal catalysts such as $\text{Pt}/\text{Al}_2\text{O}_3$, Pt/SiO_2 , and Pt/TiO_2 . Examine change in site distribution with method of preparation, metal particle size, and type of support. Modify the site distribution with chiral ligands such as phosphines, sulfides and/or carbonyls. Optimize chiral modifiers to produce highly selective hydrocarbon catalysis.

SOUTHWEST RESEARCH INSTITUTE
6220 Culebra Road
San Antonio, TX 78284

539. CHARACTERIZATION OF PORE EVOLUTION IN CERAMICS DURING CREEP
FAILURE AND DENSIFICATION

R. A. Page
Dept. of Materials Science
Phone: (515) 684-5111 X3252
J. Lankford
Dept. of Materials Science
Phone: (515) 684-5111 X2317

\$154,148 01-2

Characterization of pore evolution during sintering and cavitation during creep. Creep studies concerned with the effect of grain size, grain boundary phases, and choice of ceramic material with emphasis on compressive creep cavitation. Characterization of the effect of grain size and grain boundary chemistry upon the cavitation of pure Al_2O_3 subject to uniaxial tensile stress. Characterization of cavity development and breakaway conditions during the final stage sintering of Al_2O_3 . Small angle neutron scattering to yield cavity nucleation and growth rates and average pore size, distribution, and morphology. TEM and precision density characterization. Modeling of cavitation and sintering behavior. Principal experimental materials: Al_2O_3 , SiC.

SRI INTERNATIONAL
Menlo Park, CA 94025

540. MINOR ALLOYING ELEMENTS IN THE PITTING BEHAVIOR OF METALS AND ALLOYS

D. D. MacDonald
Chemistry and Chemical Laboratories
Phone: (415) 859-3195

\$ 68,329 (6 months) 01-3

Experimental and theoretical investigation of pitting in austenitic stainless steels (Fe-Cr-X-base composition). Extension of the solute/ vacancy interaction model to consider breakdown of passive films and role of minor alloying elements thereon; modeling rate of generation of cation vacancies at the film/solution interface; interaction between the solutes and vacancies for various solute types (effective valence and concentration). Experimental studies of breakdown characteristics of various alloys in aqueous chloride solutions and possibly other electrolytes. Application of results to alloy design.

STANFORD UNIVERSITY
STANFORD, CA 94305

541. INTERNAL-VARIABLE BASED MODELS FOR ELEVATED TEMPERATURE FATIGUE
AND DEFORMATION

A. K. Miller
Dept. of Materials Science and Engineering
Phone: (415) 723-3732

\$171,000 01-2

A program of research to develop a new, unified computer-based model for the behavior of materials. Model will be based upon explicit representations of the controlling internal processes and will be completely quantitative. Emphasis directed to prediction of strength of ceramics containing surface damage due to machining and to prediction of the fracture behavior of transformation-toughened ceramics. Research will extend prior modeling advances in the areas of deformation and behavior of metals and alloys.

542. MECHANISMS OF HIGH TEMPERATURE CRACK GROWTH IN METALS AND ALLOYS

W. D. Nix
Dept. of Materials Science and Engineering
Phone: (415) 725-2605

\$136,011 (17 months) 01-2

Study of the processes of creep crack extension in simple metals (Cu and Ni), examination of cavitation damage at crack tips using implanted intergranular cavities and intergranular segregation of Sb in Cu to permit grain boundary fracture in post-creep impact tests, study of the driving forces for crack growth and the temperature dependence of the growth process, examination of the effects of environments on creep crack growth in Ni alloys containing carbon, study of creep crack growth in 304 stainless steel containing different intergranular carbide distributions, theoretical studies of cavitation and crack growth.

STANFORD UNIVERSITY (continued)

543. PHOTOELECTRONIC PROPERTIES OF II-VI HETEROJUNCTIONS

R. H. Bube

Dept. of Materials Science and Engineering

Phone: (415) 497-2534

\$108,052 (8 months) 01-3

Interactions occurring at the interface between CdTe with other materials, and the role of interfacial microstructure and microchemistry on the electrical properties of such CdTe containing heterojunctions. Effects of etching and heat treatment on surfaces, Schottky barriers, and heterojunctions formed on CdTe, and the preparation and behavior of polycrystalline films of CdTe. Grain boundary characterization and passivation. Measurements include I-V curves in dark and light; junction capacitance; surface photovoltage; Schottky-barrier formation; spectral response; and diffusion lengths. Scanning transmission electron microscopy and high resolution and electron microdiffraction; XPS, Auger analysis; vacuum evaporation; spray pyrolysis; rf sputter deposition; magnetron sputtering; and chemical vapor deposition; and closed-space vapor transport techniques.

544. A STUDY OF MECHANICAL PROCESSING DAMAGE IN BRITTLE MATERIALS

B. T. Khuri-Yakub

Dept. of Electrical Engineering

Phone: (415) 723-0718

\$155,817 (18 months) 01-5

The proposed research will investigate machining damage in brittle materials, initially hot-pressed Si_3N_4 , and the associated residual surface stresses. Nondestructive evaluation (NDE) techniques will be developed and applied to the measurement of the depth of shallow cracks, simulating machining damage, and local stress fields. An attempt will be made to correlate the damage with microstructural features and to determine a quantitative relation between damage and remaining strength.

STANFORD UNIVERSITY (continued)

545. A QUEST FOR A NEW SUPERCONDUCTING STATE

J. P. Collman
Dept. of Chemistry
Phone: (415) 497-4648

W. A. Little
Dept. of Physics
Phone: (415) 497-4233

\$103,700 03-1

Synthesis and characterization of organic conductors in which the conducting spine is encompassed by macrocyclic dyes. Experimental tests of excitonic superconductivity. Preparation of polymeric materials consisting of stacked or bridged-stacked metalloporphyrin or metallophthalocyanine complexes. Structural characterization using EXAFS and XANES at the Stanford Synchrotron Radiation Laboratory and X-ray powder and single crystal crystallography. Measurements of conductivity, photoconductivity, and magnetic susceptibility. Calculations using extended Huckel molecular and band theory.

STEVENS INSTITUTE OF TECHNOLOGY
Hoboken, NJ 07030

546. MAGNETISM AND MOLECULAR INTERACTIONS AT SOLID SURFACES

G. M. Rothberg
Dept. of Materials and Metallurgical Engineering
Phone: (201) 420-5269

\$110,000 02-2

Continued development of the spin polarized extended X-ray absorption fine structure (SPEXAFS) measurements of magnetic properties of solids. Direct determination of the distance and temperature dependences of spin-spin correlations in bulk magnetic solids and on surfaces. Attempt to study electronic structure of magnetic superlattice films.

B-98

SYRACUSE UNIVERSITY
Syracuse, NY 13210

547. THE CATALYTIC REACTIVITY TO THIN FILM CRYSTAL SURFACES

R. W. Vook
Dept. of Physics
Phone: (315) 423-2564

\$164,049 (17 months) 01-1

Investigate chemical reactions on heterogeneous thin-film surfaces consisting of a thick epitaxial film on which fractional to several average monolayers of another metal have been deposited. Use (111) Pd substrates with epitaxial (111) Cu as films and vice versa. Catalytic activity at high pressure as a function of overgrowth thickness. Desorption energies and desorption kinetics for the gaseous reactants, CO and O. Surface characterization by AES, LEED, and TEM/TED studies of film microstructure. Nature of the electronic structure of the thin film surfaces with and without gaseous adsorbates.

TEMPLE UNIVERSITY
Philadelphia, PA 19122

548. MIXED VALENT AND HEAVY-FERMIONS AND RELATED SYSTEMS

P. Schlottman
Dept. of Physics
Phone: (215) 787-7655

\$ 79,275 02-3

Theoretical study of highly correlated Fermion systems. Bethe-Ansatz is used to solve the orbitally degenerate Anderson impurity model with finite Coulomb repulsion. The low temperature resistivity of a pair of impurities and the Kondo lattice, as well as the Kondo hole, is studied within a Fermi liquid approach. The generalization of Migdal-Kadanoff's renormalization group to heavy fermion systems is used to study the interplay of interactions leading to ordered phases in U and Ce compounds.

UNIVERSITY OF TENNESSEE
Knoxville, TN 37996-1600

549. STATISTICAL MECHANICS OF POLYMER SYSTEMS

J. Kovac
Dept. of Chemistry
Phone: (615) 974-3444

\$ 89,999 03-1

Theoretical investigation of the equilibrium and dynamic behavior of high polymer systems over a broad range of concentration, temperature, and molecular weight. Particular areas of interest are the effect of excluded volume and entanglements on polymer dynamics and the origin of glass transitions. Methods of analysis include non-equilibrium thermodynamics, equilibrium and non-equilibrium statistical mechanics, and computer simulation.

UNIVERSITY OF UTAH
Salt Lake City, UT 84112

550. FABRICATION, PHASE TRANSFORMATION STUDIES AND, CHARACTERIZATION OF SIC-ALN- Al_2OC CERAMICS

A. V. Virkar
Dept. of Materials Science and Engineering
Phone: (801) 581-5396

\$113,148 01-1

Evaluation of phase equilibria and determination of phase transformation kinetics in the SiC-AlN- Al_2OC system. Processing including hot pressing to achieve controlled precipitate morphology. X-ray diffraction and STEM analysis concerning phase equilibria, precipitate morphology, spinodal decompositions, grain boundaries, and the nucleation and growth of grain boundary phases. Establishment of relationship between composition and microstructure to creep behavior and fracture toughness.

B-100

UNIVERSITY OF UTAH (continued)

551. THEORETICAL AND EXPERIMENTAL STUDY OF SOLID PHASE MISCIBILITY GAPS
IN III/V QUATERNARY ALLOYS

G. B. Stringfellow

Dept. of Materials Science and Electrical Engineering

Phone: (801) 581-8387

\$ 97,369

01-1

Detailed exploration of the phenomenon of ordering in III/V alloys with large positive enthalpies of mixing with emphasis on expanding the ordered structure domain size and increasing the degree of ordering. Electron microscopy characterization invoking lattice imaging and reflection electron microscopy. Microprobe analysis. Photoluminescence. Raman scattering. Hall effect. OMVPE. Candidate materials include $\text{GaAs}_{0.5}\text{Sb}_{0.5}$ and $\text{Ga}_{0.75}\text{In}_{0.25}\text{As}_{0.75}\text{Sb}_{0.25}$ (both grown on InP substrates), $\text{Ga}_{0.5}\text{In}_{0.5}\text{As}_{0.5}\text{Sb}_{0.5}$ (grown on InAs substrates), and superlattice structures between InAs and $\text{InP}_x\text{Sb}_{1-x}$ and between GaPSb and GaInPSb.

552. ALUMINA REINFORCED TETRAGONAL ZIRCONIA (TZP) COMPOSITES

D. K. Shetty

Materials Science and Engineering Division

Phone: (801) 581-6449

\$109,483

01-2

Study combined effects of transformation toughening and fiber reinforcement in the single ceramic-composite $\text{Al}_2\text{O}_3\text{-ZrO}_2$. Fabricate, process, and characterize Al_2O_3 fiber reinforced tetragonal ZrO_2 . Independent variables are temperature, pressure and fiber mixing. Elucidate composite microstructures, phase compositions and physicochemical properties. Use fiber coatings to alter interface bonding and electrical-mechanical analog technique to track fracture problems unique to ceramic composite systems.

B-101

VIRGINIA COMMONWEALTH UNIVERSITY
Richmond, VA 23284

553. ELECTRONIC STRUCTURE AND GEOMETRIES OF SMALL COMPOUND METAL CLUSTERS

B. K. Rao
Physics Dept.
Phone: (804) 257-1313
S. N. Khanna
Physics Dept.
Phone: (804) 257-1313

\$126,469 01-3

Theoretical studies of the structural and electronic properties of small atomic clusters of transition metal elements (Fe, Ni, V) interacting with H₂, O₂, CO, and NH₃ molecules as well as compound clusters involving alkali atoms, Al, Mg, and Cu. Studies of the equilibrium geometries, electronic charge and spin density distribution, local density of states, magnetic moment per atom, binding energies, and ionization potentials of "naked" homo-nuclear clusters using theoretical techniques (with atomic numbers of the constituent atoms as the only input) and following a total energy minimization procedure. Changes in these properties due to adsorption of H₂, O₂, CO, and NH₃. The results, with insights into the evolution of bulk and surface properties as clusters grow, compared with experimental data. Exploration of the influence of results on technological developments in the fields of catalysis, photochemical reactions, and production of new materials.

UNIVERSITY OF VIRGINIA
Charlottesville, VA 22901

554. STUDY OF THE EMBEDDED ATOM METHOD OF ATOMISTIC CALCULATIONS FOR METALS AND ALLOYS

R. A. Johnson
Department of Materials Science
Phone: (804) 924-6356

\$ 77,120 01-1

Theoretical studies to (1) obtain a better physical insight into the relationship between the input data and the EAM model parameters, (2) study the effects which variation of the EAM model parameters have on predicted material properties, and (3) use these results to assess the range of applicability of the EAM model and to improve its reliability within this range.

UNIVERSITY OF VIRGINIA (continued)

555. MICROSTRUCTURAL EFFECTS ON THE FATIGUE BEHAVIOR OF FE-C-X ALLOYS

G. L. Shiflet
 Dept. of Materials Science
 Phone: (804) 924-6340

R. P. Gangloff
 Dept. of Materials Science
 Phone: (804) 924-6340

\$ 83,676 01-2

This research project addresses the cyclic fatigue behavior of low alloy multiphase steels. This work will aim to establish the effect of microstructure on crack initiations and propagation in tensile and fatigue tests of steel with well-controlled and characterized microstructures. Parallel modelling of the phase stability and crack propagation is planned.

556. SURFACE STRUCTURE AND ANALYSIS WITH SCANNING TUNNELING MICROSCOPY AND ELECTRON TUNNELING SPECTROSCOPY

R. V. Coleman
 Dept. of Physics
 Phone: (804) 924-3781

\$125,000 02-2

Development of scanning tunneling microscopes operating at liquid nitrogen and liquid helium temperatures. Observation and surface analysis of charge density waves. Superconductivity and charge density wave coexistence. Inelastic electron tunneling spectroscopy and imaging of surface molecules. Thin oxide films and tunnel junction barriers. Development of a high magnetic field scanning tunneling microscope.

557. SUPERCONDUCTING MATERIALS

J. Ruvalds
 Dept. of Physics
 Phone: (804) 924-6569

\$ 83,500 02-3

Theoretical investigation of the phenomena of superconductivity. High temperature superconductors with $T_c > 77$ Kelvin. Alloys, including the Y-Ba-Cu-O series of materials. Reduced dimensionality study of electron-phonon coupling mechanisms. Electronic structure calculations, high magnetic critical field calculations. Possible metallic hydrogen theory with corrections for exchange and correlation contributions to physical properties. Development of models to guide the materials development.

B-103

WASHINGTON STATE UNIVERSITY
Pullman, WA 99164-2920

558. METAL INDUCED EMBRITTLEMENT

R. G. Hoagland
Department of Mechanical and Metallurgical Engineering
Phone: (505) 335-8654

\$ 76,262 01-2

Study of metal-induced embrittlement. Crack growth measurements combined with microscopic examinations of fracture mechanics specimens to establish the relationship between crack extension and crystallographic orientation, to characterize competing crack tip reactions, and to assess plastic wake effects. Computer simulations of embrittlement mechanisms on an atomic scale. Aluminum, zinc, and cadmium embrittled by mercury, gallium, and indium.

WASHINGTON UNIVERSITY
St. Louis, MO 63130

559. NON-EMPIRICAL INTERATOMIC POTENTIALS FOR TRANSITION METALS

A. E. Carlsson
Dept. of Physics
Phone: (314) 889-5739

\$ 70,000 02-3

Development of interatomic potentials that are soundly based theoretically and that can be used in computations for transition metals, transition metal alloys, and alloys of transition metals with simple metals. Effective pair interactions (EPI), angle-dependent interactions, and inclusion in these of effects of multi-atomic correlations. Use of self-consistent supercell and other modern band calculations, together with tests against experimental data, to fix parameters needed for tight-binding-like computations. Emphasis on realistic modelling of physical processes, but without insisting on full quantitative accuracy. Subsequent calculation of properties of grain boundaries and dislocations, investigation of phase stability and of dependence of local structure on composition.

B-104

UNIVERSITY OF WASHINGTON
Seattle, WA 98195

560. CONTROLLED PRODUCTION AND CHARACTERIZATION OF METASTABLE
INTERMETALLICS

M. J. Kaufman
Dept. of Materials Science and Eng.
Phone: (206) 543-7161

\$100,000 01-1

Production and characterization of metastable intermetallic phases produced by non-equilibrium processing methods such as rapid solidification. Identification and development of processing strategies for controlled processing subsequent to metastable phase formation. Emphasis on rapidly solidified, melt-spun ribbons and submicron powder particles; analysis carried out by electron microscopy, X-ray diffraction, differential scanning calorimetry, and differential thermal analysis. Alloy systems selected for study include Ge-Al, Ti-Al, Hf-Al, and Zr-Al.

561. X-RAY SPECTROSCOPY OF SOLIDS UNDER PRESSURE

R. L. Ingalls
Dept. of Physics
Phone: (206) 543-5900

\$ 96,000 02-2

Investigation of the structure and behavior of materials at high pressure by measuring the Extended X-Ray Absorption Fine Structure (EXAFS) utilizing synchrotron radiation. Focus on the behavior of materials exhibiting the mixed valent insulator-to-metal transformation, clearly apparent in their X-ray absorption spectra. Examination of the X-ray Absorption Near Edge Structure (XANES) in such materials, as well as others with pressure-sensitive phase transformations. Experiments at the Stanford Synchrotron Radiation Laboratory.

B-105

UNIVERSITY OF WASHINGTON (continued)

562. FUNDAMENTAL STUDIES OF ELASTOMERS

B. E. Eichinger
Dept. of Chemistry
Phone: (206) 543-1653

\$110,000 03-1

Chemistry and physics of elasticity aimed towards an improved understanding of the properties of elastomers. The approach uses experimental, computational, and theoretical methods to investigate the relationship between network structure, viscoelastic behavior, and equilibrium properties. Networks that are cross-linked through coordination complexes are being produced, they will be used for a variety of studies, including small angle X-ray scattering and stress-strain measurements. Computer simulations of network formation are used to investigate the statistics that govern the microstructural features of elastomers. The theory of the shape distribution of polymer molecules is being developed in conjunction with a theory of the elastic free energy.

WEST VIRGINIA UNIVERSITY
Morgantown, WV 26506

563. ELECTRON HYBRIDIZATION EFFECTS AND THE CRYSTAL STRUCTURE OF PLUTONIUM

B. R. Cooper
Dept. of Physics
Phone: (304) 293-3423

\$ 75,401 03-1

Investigation of the crystallographic allotropes of elemental plutonium with detailed calculations of the electronic structure, including correlation effects and contributions to the lattice energy. Theoretical model based on hybridization of the 5f electrons with the band electrons. Studies of plutonium monopnictides and monochalcogenides, the plutonium alpha distorted fcc phase, magnetic ordering, electrical resistivity, and self-consistent surface electronic structure.

B-106

UNIVERSITY OF WISCONSIN/MADISON
Madison, WI 53706

564. STUDIES OF ALTERNATIVE-CRYSTALLIZATION-PHASE NUCLEATION

T. F. Kelly
Dept. of Metallurgical Engineering
Phone: (608) 263-1073

\$ 70,940

01-1

This research will be directed toward understanding phase nucleation during rapid solidification of metallic alloys. Characterization of as-solidified structures will be conducted with electron and X-ray diffraction methods and coupled with analyses of solidification phenomena in order to elucidate thermodynamic and kinetic factors dominating homogeneous and heterogeneous phase nucleation. Initial studies will address binary Fe-base alloys.

565. THE STABILITY OF AMORPHOUS METALS ON SEMICONDUCTOR SUBSTRATES

J. D. Wiley
Dept. of Electrical and Computer Engineering
Phone: (608) 263-1643
J. H. Perepezko
Dept. of Metallurgy and Mineral Engineering
Phone: (608) 263-1678

\$ 71,880

01-1

Stability of amorphous alloy films during diffusion and interdiffusion treatments. Atomic transport measurements by a combination of RBS and AES. Structural analysis by XRD and TEM. Electrical behavior of amorphous metal/semiconductor contacts including both interfacial electrical (Schottky barrier and ohmic) behavior and the stability of amorphous metallization against current induced degradation by electromigration. Examination of structural relaxation during post-deposition annealing.

UNIVERSITY OF WISCONSIN/MADISON (continued)

566. THERMODYNAMICS AND KINETICS OF PHASE FORMATION OF THIN-FILM METAL
ON GALLIUM ARSENIDE

Y. A. Chang

Dept. of Metallurgical and Mineral Engineering
Phone: (608) 262-1821

M. G. Lagally

Dept. of Metallurgical and Mineral Engineering
Phone: (608) 262-1821

\$108,570

01-3

Investigate the thermodynamics and kinetics of phase formation for metal films deposited on GaAs. Investigation consists of (1) bulk phase equilibrium and thermodynamic determinations of selected Ga-As-M ternaries and the associated thermodynamics modelling and phase diagram calculations; (2) bulk diffusion-couple measurements of GaAs-M; and (3) lateral thin-film diffusion couple measurements of GaAs-M and thin-film studies of M on GaAs and of GaAs on M. Systems under investigation are Ga-As-Os, Ga-As-Pd, and Ga-As-W. Phase equilibrium determinations using X-ray diffraction, metallography, microprobe, differential thermal analysis (DTA) and differential scanning calorimetry (DSC). Thermodynamic properties for Ga-M compound phases measured using a solid-state emf method. Diffusion paths in GaAs-M determined by means of microprobe analysis with bulk diffusion couples. The thin-film lateral diffusion couples characterized primarily by electron microscopy. Reactions and phase formation in thin films of metal on GaAs and of GaAs on metal characterized by electron microscopy and a variety of thin-film compositional, microstructural, and crystallographic analysis.

567. FUNDAMENTAL STUDIES OF NEW MAGNETIC HETEROSTRUCTURES: THEIR GROWTH,
CRYSTALLOGRAPHIC STRUCTURE, MAGNETIC, AND ELECTRONIC PROPERTIES

M. Onellion

Dept. of Physics
Phone: (608) 262-3822

\$115,000

02-2

Development of Magneto-Optic Kerr Effect (MOKE) instrument using time resolved synchrotron light for surface studies. Prepare thin Heusler alloy films, rare-earth films with epitaxial techniques. Characterize the films with angle-resolved photoemission and electron microscopy. Low and High Energy Electron Diffraction (HEED, LEED) techniques. Electron spin and energy analysis. Development of a scanning tunneling microscope.

B-108

UNIVERSITY OF WISCONSIN/MILWAUKEE
Milwaukee, WI 53201

569. SURFACE EXCITATIONS AND THEIR INTERACTION WITH LOW ENERGY ELECTRONS

S. Y. Tong

Dept. of Physics and Surface Studies Laboratory
Phone: (414) 963-4474

\$ 94,520

02-3

Theory of the inelastic scattering of electron, ions, and neutral atoms from elementary excitations at surfaces, and the development of theoretical descriptions of these excitations. Emphasis on electron energy loss from surface phonons at both clean and adsorbate-covered surfaces. Studies of spin-flip scattering of low energy electrons from magnetic excitations at surfaces, and excitation of surface phonons by helium atoms. Strong emphasis on the quantitative comparison between the results of this program and experimental data. Tightly coupled effort between Professor Mills and Professor Tong at the University of Wisconsin at Milwaukee.

SECTION C

Small Business Innovation Research

PHASE I SBIR PROJECTS

The goal of the Phase I projects is to determine the technical feasibility of the ideas proposed.

ADVANCED RESEARCH AND APPLICATIONS CORP.
425 Lakeside Drive
Sunnyvale, CA 94086-4701

600. PREMONOCHROMATOR X-RAY OPTIC SUBSTRATE DEVELOPMENT FOR NEW GENERATION SYNCHROTRON SOURCE BEAMLINES

W. Warburton
Phone: (408) 733-7780

\$ 49,124 (6 months) SBIR

The new generation of synchrotron radiation (SR) sources promises to extend significantly the regimes of photon energy and intensity available to materials scientists and other researchers. A key challenge to developing these new SR sources is the constructin of premonochromator X-ray beamline optics that survive and function under the intense heat loading produced by these machines. An efficiently cooled, mechanically stabilized substrate assembly is planned, which will complement the use of layered synthetic microstructure X-ray interference mirror as a premonochromator element. The outcome of Phase I will be the design of a feasible substrate assembly that employs heat-pipe technology to effect efficient heat extraction from the optically active surface of the premonochromator.

ADVANCED TECHNOLOGY MATERIALS, INC.
520-B Danbury Road
New Milford, CT 06776

601. PREPARATION OF HIGH TEMPERATURE INTERMETALLIC COMPOUNDS AT LOW TEMPERATURES

W. Stevens
Phone: (203) 355-2681

\$ 49,913 (6 months) SBIR

Intermetallic compounds, in particular aluminides, silicides, and beryllides, are known for their high melting points and corrosion and oxidation resistance. Many of these compounds have low densities and very high strengths and, therefore, are of interest for high temperature applications. Recent work on low temperature chemical vapor deposition (CVD) of metals from organometallic compounds for electronics applications suggests the possibility of fabricating certain intermetallic compounds by CVD. In the Phase I study, a low temperature CVD technique will be used to apply coatings and to infiltrate a fiber preform with NiAl. Materials made by these techniques have potential uses as structural alloys in fusion energy systems, erosion resistant alloys for fossil energy systems, and intermetallic coatings for a variety of high temperature heat engine materials.

CERAMATEC, INC.
2425 South 900 West
Salt Lake City, UT 84119

602. HIGH THERMAL CONDUCTIVITY SINTERED AlN

R. A. Cutler
Phone: (801) 972-2455

\$ 49,950 (6 months) SBIR

Aluminum nitride (AlN) is an important candidate material for advanced packaging of integrated circuits as a high thermal conductivity alternative to beryllium oxide that could potentially be made available at low cost. Advances are needed especially in sintering technology and in tailoring the microstructural/phase composition to optimize thermal conductivity, dielectric properties, and ease of metallization. A combination of thermodynamics and experimentation will be used to achieve an improved fundamental understanding of the interrelationships between the densification, composition, microstructure, and properties. Specifically, preliminary analysis and previous experience working with the University of Utah indicate that oxide additions can be developed for AlN that provide a liquid phase during sintering and at the same time act as a getter to remove oxygen dissolved in the AlN--thus increasing thermal conductivity.

CERAMATEC, INC. (continued)

603. NEW LOW THERMAL EXPANSION STRUCTURAL CERAMICS

S. Y. Limaye

Phone: (801) 972-2455

\$ 49,994 (6 months) SBIR

Over the past few years, a new family of materials called NZP ($\text{NaZr}_2(\text{PO}_4)_3$ and its analogs) has become well known for its low thermal expansion behavior. Recently, it has been shown that $\text{Zr}_4(\text{PO}_4)_6$ and $\text{SrZr}_4(\text{PO}_4)_6$ have opposite anisotropy in thermal expansion as well as opposite bulk thermal expansion and that their solid solution results in lower anisotropy and near zero thermal expansion. The reduced anisotropy reflects the advantage over some materials, such as aluminum titanate, cordierite, and others, that are currently used in high temperature applications. The major advantages of these materials are their flexibility towards ionic substitution, their tailorability of the bulk and axial thermal expansion, and their ability to operate safely and reliably over a wide range of severe thermal shock and temperature cycling. The Phase I efforts should demonstrate the feasibility of the concept of fabricating dense ceramic bodies of various different compositions having low thermal expansion, high thermal shock resistance, and adequate mechanical strength.

PLASMA PHYSICS CORP.

P.O. Box 548

Locust Valley, NY 11560

604. HIGH DENSITY SILICON NITRIDE CERAMIC MATERIALS

J. H. Coleman

Phone: (516) 676-8468

\$ 49,782 (6 months) SBIR

Silicon nitride powder has substantial advantages over other ceramic powder for applications such as cutting tool inserts, rotary shafts for turbines, and engine valves. A novel, supersonic, two-stage plasma reactor is planned for efficiently producing high density silicon nitride powder from silane and ammonia. Ammonia is dissociated in the first novel reactor by a high current, low pressure plasma, and dissociated fragments are injected into the second stage through the nozzle at near Mach 1 velocities to convert thermal energy of the fragments into directed kinetic energy. A second plasma region activates the reaction between the activated ammonia fragments and the silane. The long reaction zone will favor homogeneous reactions in the gas phase and nucleation favoring the formation of particles.

SPIRE CORP.
Patriots Park
Bedford, MA 01730

605. DEPOSITION OF METASTABLE THIN FILM MATERIALS BY LIGHT-ASSISTED
METALORGANIC CHEMICAL VAPOR DEPOSITION

C. Keavney
Phone: (617) 275-6000

\$ 49,821 (6 months) SBIR

It is planned to grow metastable semiconducting phases, including alpha-tin and cubic tin-germanium alloys by light-assisted metalorganic chemical vapor deposition. Precursors such as tetramethyl tin, germane, or tetramethyl germanium will be introduced into a reactor. As the gases flow past the substrate, ultraviolet light will illuminate them through a quartz window, and the photolysis will generate free radicals that will deposit on the substrate. The use of light to dissociate the gas molecules will allow epitaxy to be carried out at a lower temperature than would normally be the case for chemical vapor deposition. This lower temperature may be crucial for maintaining metastable materials in the desired phases. The photolysis of various metalorganic compounds will be investigated to establish the feasibility of the process. The influence of light intensity, substrate temperature, and other variables will be established.

UNIVERSAL ENERGY SYSTEMS, INC.
4401 Dayton-Xenia Road
Dayton, OH 45432

606. SYNTHESIS OF INORGANIC FILMS BY ION BEAM IRRADIATION OF ORGANOSILICON POLYMER FILMS

D. Y-F. Yu

Phone: (513) 426-6900

\$ 49,904 (6 months) SBIR

This research program is directed toward a novel technique to convert organometallic polymer films into useful ceramic films by ion beam irradiation. A select group of organosilicon polymers that can be converted into SiC, Si_3N_4 , Si_2ON_2 , and SiO_2 will be synthesized. Thin polymer film on silicon substrate will be prepared by spin-on methods. This process has several advantages over other conventional deposition methods. The viscosity of polymer solution can be adjusted easily by solvents so as to be ideal for thin film preparation. These polymeric materials can be initially processed like an organic polymer and subsequently converted to inorganic films. The resultant film compositions can be modified easily by using various organometallic polymers. The thin polymer film will be subjected to ion beam irradiation. High energy ion beam irradiation of the polymer film can dissociate the polymer into smaller fragments, and organic volatile fragments will diffuse through the film and escape. Any element that is not removed in the form of volatile species is subsequently enriched with respect to the other elements. The conversion (removal of volatile organic component) can be accomplished at relatively low processing temperatures. Inorganic films prepared by this method are expected to be denser and more adherent to the substrate than those produced by conventional thin film techniques.

XI MAGNETICS, INC.
R. D. 4, Box 457
Coatesville, PA 19320

607. AMORPHOUS FERROMAGNETIC MATERIAL WITH ULTRA-LOW EDDY CURRENT LOSSES

J. L. Wallace
Phone: (215) 347-1768

\$ 50,000 (6 months) SBIR

Many prior workers have used sputtering to deposit small samples of amorphous thin films, but the required targets containing large amounts of metalloids tend to be fragile and expensive. An alternative method of thin film deposition will be developed, which will be well suited to reliable manufacturing. This method can be used to deposit amorphous magnetic materials directly onto substrates for monolithic integrated devices, but it will also lend itself to the deposition of thick multilayered stacks on thin substrate tapes. These tapes could then be wound into toroids and used for fast risetime magnetic modulators, VHF/UHF inductors, and the like. The Phase I effort will set up the necessary equipment, deposit thin multilayered samples with chemical composition similar to Metglas^R, measure the high frequency magnetic properties of the samples, and determine their physical structure and chemical composition.

PHASE II SBIR PROJECTS

The Phase II projects are a continuation of the successful Phase I projects. The goal of the Phase II projects is to determine commercial feasibility.

ADELPHI TECHNOLOGY
13800 Skyline Blvd.
Woodside, CA 94062

608. THE CONSTRUCTION OF A SOFT X-RAY SOURCE USING TRANSITION RADIATION FOR LITHOGRAPHY

M. A. Piestrup
President
Phone: (415) 851-0633

\$478,564 (24 months) SBIR

Development of transition radiators with high average photon flux for X-ray sources. Investigation of the use of these sources for X-ray lithography in the production of integrated circuits. Measurement of total photon flux from several foil stacks using a newly developed high-average-current, 50 Mev accelerator. The radiators will be tested at full beam current for maximum flux and target lifetime.

ANALYSIS CONSULTANTS
21831 Zuni Drive
El Toro, CA 92630

609. THE DESIGN AND FABRICATION OF FLAT PANELS WITH HIGH ACOUSTIC TRANSMISSIVITY

B. G. Martin
President
Phone: (714) 380-1204

\$490,000 (24 months) SBIR

Feasibility of constructing media with high acoustic transmissivity for all frequencies. Program objectives are to determine theoretically the acoustic velocity profile which gives maximum transmissivity, to design flat test panels based on the theoretical results, and to fabricate test panels and measure the transmissivity vs. frequency from 0.5 MHz to 5MHz.

AMERICAN RESEARCH CORPORATION OF VIRGINIA
642 First St., P.O. Box 3406
Radford, VA 24143-3406

610. EDDY CURRENT NONDESTRUCTIVE EVALUATION OF LASER GLAZED METALLIC SURFACES

R. J. Churchill
President
Phone: (703) 639-9542

\$245,132 SBIR

Eddy current nondestructive evaluation techniques to characterize melt depth and to detect flaws in laser glazed metallic surfaces. Principal Phase I findings include a correlation between blaze depth and eddy current impedance plane phase angle, flaw detection using split core differential probe designs, and temperature effect characterization during on-line processing. Phase II objectives include an extension of eddy current/material interaction theory, development of high temperature eddy current probe systems, design of rapid scanning laser glazing apparatus, establishment of signal processing techniques, finite element modeling, and the design, test, and optimization of a laser glazing prototype system. Findings will be incorporated in a closed loop laser processing system having multi-variable control based on eddy current NDE sensor technology.

CERAMATEC INC.
163 West 1700 South
Salt Lake City, UT 84115

611. PROCESSING AND CHARACTERIZATION OF SiCALON CERAMICS

Raymond A. Cutler
Program Manager
Phone: (801) 486-5071

\$232,486 SBIR

Liquid phase sintering of SiAlON ceramics, with improved processing and compositional control, to yield ceramics with smaller critical flaws and higher strengths. Investigation of physical properties as a function of Al₂OC content to demonstrate the ceramic engineering possible with SiAl₂OC. Novel sintering techniques to show economical densification of SiAlON ceramics. Elevated temperature strength and creep measurements to determine the temperature range where liquid phase sintered SiAlON can be applied. Investigation of the stability of the solid solution in air, N₂, and Ar at temperatures up to 1700°C.

CERAMATEC INC. (continued)

612. FABRICATION AND CHARACTERIZATION OF CERAMIC MATRIX-CERAMIC WHISKER COMPOSITES WITH RANDOM ORIENTATION OF THE WHISKERS

L. Viswanathan
Senior Research Scientist
Phone: (801) 486-5071

\$498,816 (24 months) SBIR

Fabrication and characterization of ceramic matrix-SiC whisker composites by pressureless sintering for advanced heat engines. Development of powder processing methods that yield randomly oriented whiskers. The materials to be studied are $Al_2O_3 + SiC$ and $Si-Al_2O_3 + SiC$. The former is expected to retain toughness in excess of $8 MPa (m)^{1/2}$ in excess of $1000^{\circ}C$ and the latter to $1300^{\circ}C$.

KJS ASSOCIATES
1616 Hillrose Place
Fairborn, OH 45342

613. DEVELOPMENT OF ND-FE-B METAL-MATRIX MAGNETS

Reinhold M. W. Strnat
Research Engineer
Phone: (513) 299-0313, 2717

\$171,149 SBIR

Heat-bonded composites of hard magnetic alloy powders in a ductile metal matrix fabricated and characterized for potential high energy permanent magnet applications. Refinement of techniques of comminuting, aligning, pressing, and bonding to produce good physical compacts that also have optimized magnetic properties. To prevent corrosion, grinding under protective gas and liquid will be tried with emphasis on minimizing the production of very fine particles. Methods to coat powders with elements like Zn, Sn, and Cu will be investigated. Modified magnetic materials such as Co- and Dy- containing Nd-Fe-B will be studied. Measurement of short-term reversible and long-term irreversible flux losses, long-term elevated temperature stability of magnetic flux, coercivity, and hysteresis loop shape. SEM and optical microscopy to characterize the bond between matrix and metal and magnetic constituent after aging.

MATERIALS & ELECTROCHEMICAL RESEARCH CORP.
4660 N. Via Madre
Tucson, AZ 85749

614. THE DIRECT PRODUCTION OF INTERMETALLIC COMPOUND POWDER

J. C. Withers
Technical Manager
Phone: (602) 749-3257

\$500,000 (24 months) SBIR

Examination of the feasibility of producing nickel and titanium aluminide intermetallic alloy powder by the direct reduction of metal chloride precursors. Definition of optimal operating conditions for producing Ni₃Al micro-alloyed with boron with and without hafnium and with uniform inter and intra-particle composition in a particle size useful in current powder-metallurgy processing. A continuous quartz reactor will be designed and operated for the purpose of establishing technical feasibility. The technical issues are to determine thermodynamically the most favorable operating conditions for phase control and material balance, to determine experimentally the optimum operating parameters for enhancing the nucleation of alloyed particles, to establish the need for microscopic mixing of product, and to develop an empirical model to describe nucleation kinetics.

PHOTOGRAPHIC SCIENCES CORP.
770 Basket Road
Box 338
Webster, NY 14580

615. SURFACE FIGURE MEASUREMENTS OF X-RAY OPTICS

T. C. Bristow
Phone: (716) 265-1600

\$49,867 SBIR

This project involved the development of a compact optical profiling head for the measurement of the surface figure and surface profile of X-ray optical components. The Phase II effort should result in the construction of a prototype head and evaluation of its performance on typical X-ray optical components as well as selected precision machined surfaces and computer hard disks. The compact head will allow the measurement of X-ray optics with small radii or other limiting dimensions. The goal will be to achieve a scan length of 100 cm and slope resolution in the range of 0.1 microradians. The profiling head will be computer controlled and will have a variety of data-analysis options available to the user. It is anticipated that the optical head will be capable of operating under the conditions of a typical optical fabrication shop, and that the result of the Phase II effort will be the development of a practical prototype optical profiling head capable of measuring a variety of precision surfaces, including X-ray optical components, conventional optical surfaces, precision machined surfaces, and computer hard disks.

SECTION D

Major User Facilities
(Large Capital Investment)

NATIONAL SYNCHROTRON LIGHT SOURCE

Brookhaven National Laboratory
Upton, NY 11973

The National Synchrotron Light Source (NSLS) is the nation's largest facility dedicated solely to the production of synchrotron radiation. The facility has two electron storage rings: a vacuum ultraviolet (VUV) ring which operates at an electron energy of 750 MeV designed for optimum radiation at energies between 10 eV and 1 keV, and an X-ray ring which operates at 2.5 GeV to optimize radiation between 1 keV and 20 keV. With each of the 30 X-ray and 17 VUV beam ports being further split into two to four beam lines it will be possible, when the NSLS becomes fully operational, to have as many as 100 experiments running simultaneously.

A total of six insertion devices will be installed on the X-ray and VUV rings. These devices, known as either wigglers or undulators, are special magnets which produce synchrotron radiation orders of magnitude brighter than is available from the conventional bending magnets. The insertion devices will be used for microscopy, medical research, materials sciences, spectroscopy, and Transverse Optical Klystron (TOK) experiments.

The NSLS is a facility where a wide range of research techniques are being used by biologists, chemists, solid state physicists, metallurgists, and engineers for basic and applied studies. Among the techniques are EXAFS (extended X-ray absorption fine structure), scattering, diffraction, topography, radiography, fluorescence, interferometry, gas phase spectroscopy, crystallography, photoemission, radiometry, lithography, microscopy, circular dichroism, photoabsorption, and infrared vibrational spectroscopy.

Proprietary research can be performed at the NSLS. The DOE has granted the NSLS a Class Waiver under whose terms the Proprietary User is obligated to pay the full cost recovery rate for NSLS usage. In return, the user has the option to take title to any inventions made during the proprietary research program and to treat as proprietary all technical data generated during the proprietary research program.

USER MODES

The policy for experimental utilization of the NSLS is designed to enable the scientific community to cooperate in establishment of a comprehensive long-range experimental programs. In addition to the beam lines constructed by the NSLS staff for general usage, a large number of beam lines have been designed and instrumented by Participating Research Teams (PRTs). The PRTs are entitled to up to 75% of their beam line(s) operational time for a three-year term.

Insertion Device Teams (IDTs) have been formed to design, fabricate, commission, and use wiggler and undulator beam lines. The conditions and terms are similar to that of the PRTs.

NATIONAL SYNCHROTRON LIGHT SOURCE (continued)

General users are scientists interested in using existing NSLS facilities for experimental programs. They are scheduled by an independent beam time allocation committee for a percentage of operating time for each beam line. Liaison and utilization support is provided to the General User by the cognizant beam line.

A program is available to support faculty/student research groups performing experiments at the NSLS as General Users, or performing neutron experiments at the BNL High Flux Beam Reactor (HFBR). The program is designed to encourage new users to these facilities and defray expenses incurred during exploratory visits to BNL, and while conducting initial experiments at the NSLS and HFBR. It is aimed at university users having only limited grant support for their research.

PERSON TO CONTACT FOR INFORMATION

Susan White-DePace	(516) 282-7114
NSLS, Bldg. 725B	(FTS) 666-7114
Brookhaven National Laboratory	
Upton, NY 11973	

NATIONAL SYNCHROTRON LIGHT SOURCE

TECHNICAL DATA

STORAGE RINGS	KEY FEATURES	OPERATING CHARACTERISTICS
VUV	High brightness; continuous wavelength range ($\lambda > 5\text{\AA}$); 17 ports	0.75 GeV electron energy
X-ray	High brightness; continuous wavelength range ($\lambda > 0.5\text{\AA}$); 30 beam ports	2.5 GeV electron energy
RESEARCH AREA	WAVELENGTH RANGE (Å)	NUMBER OF INSTRUMENTS
Circular Dichroism	1400 - 6000	1
Energy Dispersive Diffraction	0.5 - 2.5	2
EXAFS, NEXAFS, SEXAFS	0.3 - 120	25
Gas Phase Spectroscopy/ Atomic Physics	0.6 - 14.5	3
Infrared Spectroscopy	2.5 x 10 - 1.2 x 10	2
Lithography/Microscopy	0.6 - 70	5
Medical Research	0.37	1
Nuclear Physics	2.5 x 10 - 2.5 x 10	1
Photoionization	0.6 - 12500	5
Radiometry		1
Reflectometry	7 - 6000	2
Research & Development/ Diagnostics	white beam	6
Time Resolved Fluorescence	1000 - 12500	2
Topography	0.3 - 3	3
Transverse Optical Klystron	12.5 - 1250	1
VUV & X-ray Photoemission Spectroscopy	0.3 - 1.5	26

NATIONAL SYNCHROTRON LIGHT SOURCE (continued)

TECHNICAL DATA

RESEARCH AREA	WAVELENGTH RANGE (Å)	NUMBER OF INSTRUMENTS
X-ray Crystallography	0.3 - 4	9
X-ray Fluorescence	0.6 - 6000	3
X-ray Scattering/ Diffraction	0.3 - 6000	20

HIGH FLUX BEAM REACTOR

Brookhaven National Laboratory
Upton, New York 11973

The Brookhaven High Flux Beam Reactor (HFBR) operates at a power of 60 megawatts and provides an intense source of thermal neutrons (total thermal flux = 1.0×10^{15} neutrons/cm²-sec). The HFBR was designed to provide particularly pure beams of thermal neutrons, uncontaminated by fast neutrons and by gamma rays. A cold source (liquid hydrogen moderator) provides enhanced flux at long wavelengths (> 4 Å). A polarized beam spectrometer, triple-axis spectrometers and small-angle scattering facilities are among the available instruments. Special equipment for experiments at high and low temperatures, high magnetic fields, and high pressure is also available. The emphasis of the research efforts at the HFBR has been on the study of fundamental problems in the fields of solid state and nuclear physics and in structural chemistry and biology.

USER MODE

Experiments are selected on the basis of scientific merit by a Program Advisory Committee (PAC), composed of the specialists in relevant disciplines from both within and outside BNL. Use of the facilities is divided between Participating Research Teams (PRT's) and general users. PRT's consist of scientists from BNL or other government laboratories, universities, and industrial labs who have a common interest in developing and using beam facilities at the HFBR. In return for their development and management of these facilities, each PRT is assigned up to 75% of the available beam time, with the remainder being reserved for general users. The PAC reviews the use of the facilities by the PRT's and general users and assigns priorities as required.

A limited amount of funding will be available to scientists from U.S. institutions of higher education under the NSLS-HFBR Faculty/Student Support Program. The program is designed to defray expenses incurred by faculty/student research groups performing experiments at the National Synchrotron Light Source or at the HFBR. It is aimed at university users having limited grant support for their research, and will be used to support only the most deserving cases.

PERSON TO CONTACT FOR INFORMATION

D. Rorer (516) 282-4056
HFBR - Bldg. 750 FTS 666-4056
Brookhaven National Laboratory

HIGH FLUX BEAM REACTOR

TECHNICAL DATA

<u>Instruments</u>	<u>Purpose and Description</u>
<u>Solid State Physics</u>	
4 Triple-axis Spectrometers	Inelastic scattering; diffuse scattering; powder diffractometer; polarized beam. Energy range: $2.5 \text{ MeV} < E_0 < 200 \text{ MeV}$ Q range: $0.03 < Q < 10 \text{ \AA}^{-1}$
<u>Biology</u>	
Small Angle Neutron Scattering	Studies of large molecules. Located on cold source with $20 \times 20 \text{ cm}^2$ position-sensitive area detector. Sample detector distance $L < 2 \text{ meter}$. Incident wavelength $4 \text{ \AA} < \lambda_0 < 10 \text{ \AA}$
Diffractometer	Protein crystallography. $20 \times 20 \text{ cm}^2$ area detector $\lambda_0 = 1.57 \text{ \AA}$
<u>Chemistry</u>	
2 Diffractometers	Single-crystal elastic scattering 4-circle goniometer $1.69 \text{ \AA} < \lambda_0 < 0.65 \text{ \AA}$
1 Triple-axis Spectrometer	Inelastic scattering Diffuse scattering Powder diffractometry
<u>Nuclear Physics</u>	
2 Spectrometers	Neutron capture studies Energy range: $0.025 \text{ eV} < E_0 < 25 \text{ KeV}$
<u>TRISTAN II (Isotope Separator)</u>	Spectroscopic study of neutron-rich unstable isotopes produced from U-235 fission
<u>Irradiation Facilities</u>	
7 Vertical Thimbles	Neutron activation; production of isotopes; thermal flux: $8.3 \times 10^{14} \text{ neutrons/cm}^2\text{-sec}$; fast ($> 1.0 \text{ MeV}$) flux: $3 \times 10^{14} \text{ neutrons/cm}^2\text{-sec}$.

NEUTRON SCATTERING AT THE HIGH FLUX ISOTOPE REACTOR

Solid State and Chemistry Divisions
Oak Ridge National Laboratory
Oak Ridge, Tennessee 37831

The neutron scattering facilities at the High Flux Isotope Reactor (HFIR) are used for long-range basic research on the structure and dynamics of condensed matter. Active programs exist on the magnetic properties of matter, lattice dynamics, defect-phonon interactions, fluxoid lattices in superconductors, liquid structures, and crystal structures. The HFIR is a 100-MW, light-water moderated reactor. The central flux is 5×10^{15} neutrons/cm²-sec, and the flux at the inner end of the beam tubes is slightly greater than 10^{15} neutrons/cm²-sec. A wide variety of neutron scattering instruments have been constructed with the support of the Division of Materials Sciences. Three of these are unique within this country: the double-crystal small-angle diffractometer, the correlation chopper, and the wide-angle time-slicing diffractometer.

USER MODE

These facilities are open for use by outside scientists on problems of high scientific merit. Written proposals are reviewed for scientific feasibility by an external review committee. It is expected that all accepted experiments will be scheduled within six months of the receipt of the proposal. No charges for the use of the beams will be assessed for research to be published in the open literature. The cost of extensive use of ORNL shop or computer facilities must be borne by the user. Financial assistance is available for the travel and living expenses of users from U.S. universities. Inexperienced users will normally collaborate with an ORNL staff member. Proprietary experiments can be carried out after a contract has been arranged based on full cost recovery, including a charge for beam time. A brochure describing the facilities and a booklet giving user procedures is available on request.

PERSON TO CONTACT FOR INFORMATION

R. M. Nicklow
Solid State Division
Oak Ridge National Laboratory
Oak Ridge, Tennessee 37831-6031

(615) 574-5240
FTS 624-5240

NEUTRON SCATTERING AT THE HIGH FLUX ISOTOPE REACTOR

Technical Data

Beam No.	Instrument	Operating Characteristics
HB-1	Triple-axis polarized-beam	Beam size - 2.5 by 3 cm max Flux - 2.6×10^6 neut/cm ² s at sample (polarized) Vertical magnetic fields to 5 T Horizontal fields to 2 T Variable E_o
HB-1A	Triple-axis, fixed E_o	E_o = 14.7 MeV, 2.353 angstroms Beam size - 5 by 3.7 cm max Flux - 9×10^6 neut/cm ² s at sample with 40 ft collimation
HB-2A	Liquid diffractometer with linear position sensitive detector	Beam size - 1 by 3.4 cm max Detector covers 130° scattering angle; Wavelength = 0.89 angstrom Flux - 6.8×10^5 neut/cm ² s at sample with 20 min collimation
HB-2, HB-3	Triple-axis, variable E_o	Beam size - 5 by 3.7 cm max Flux - 10^7 neut/cm ² s at sample with 40 min collimation
HB-3A	Double-crystal small-angle diffractometer	Beam size - 4 x 2 cm max Flux - 10^4 neut/cm ² s Wavelength = 2.6 angstroms Resolution - 4×10^{-5} angstroms ⁻¹
HB-4A	Four-circle diffractometer	Beam size - 5 x 5 mm Flux - 2×10^6 neut/cm ² s with 9 min collimation Wavelength = 1.015 angstrom
	Wide-angle time-slicing diffractometer	Beam size - 2 x 3.7 cm max Flux - 2×10^6 neut/cm ² s with 9 min collimation Wavelength = 1.015 angstrom Curved linear position sensitive detector covering 130°
HB-4	Correlation chopper	Beam size - 5 x 3.7 cm Flight path - 1.5 m 70 detectors covering 130° Variable E_o Variable pulse width

INTENSE PULSED NEUTRON SOURCE

Argonne National Laboratory
Argonne, Illinois 60439

IPNS is an intermediate level pulsed spallation source dedicated to research on condensed matter. The peak thermal flux is about 4×10^{14} n/cm² sec. The source has some unique characteristics that promise to open up new scientific opportunities:

- . high fluxes of epithermal neutrons (0.1-10 eV)
- . pulsed nature, suitable for real-time studies and measurements under extreme environment

Two principal types of scientific activity are underway at IPNS: neutron diffraction, concerned with the structural arrangement of atoms (and sometimes magnetic moments) in a material and the relation of this arrangement to its physical and chemical properties, and inelastic neutron scattering, concerned with processes where the neutron exchanges energy and momentum with the system under study and thus probes the dynamics of the system at a microscopic level. At the same time, it is expected that the facilities will be used for fundamental physics measurements as well as for technological applications, such as stress distribution in materials and characterization of zeolites, ceramics, and hydrocarbons.

USER MODE

IPNS is available without charge to qualified scientists doing fundamental research. Selection of experiments is made on the basis of scientific merit by a Program Committee consisting of eminent scientists, mostly from outside Argonne. Scientific proposals (2 pages long) are submitted twice a year and judged by the Program Committee. Full details, including a User's Handbook, Proposal and Experimental Report Forms, can be obtained from the Scientific Secretary, Dr. T. G. Worrton, IPNS, Building 360, Argonne National Laboratory.

PERSONS TO CONTACT FOR INFORMATION

B. S. Brown, Division Director (312) 972-4999
FTS 972-4999

T. G. Worrton, Scientific Secretary (312) 972-8755
FTS 972-8755

Argonne National Laboratory
9700 South Cass Avenue
Argonne, Illinois 60439

IPNS EXPERIMENTAL FACILITIES

Facility (Instrument Scientist)	Wave-vector	Range Energy	Wave-vector	Resolution Energy
Special Environment Powder Diffractometer (J. D. Jorgensen, K. Volin)	0.5-50 \AA^{-1}	*	0.35%	*
General Purpose Powder Diffractometer (J. Faber, Jr., R. Hitterman)	0.5-100 \AA^{-1}	*	0.25%	*
Single Crystal Diffractometer (A. J. Schultz)	2-20 \AA^{-1}	*	2%	*
Low-Resolution Medium-Energy Chopper Spectrometer (C.-K. Loong)	0.1-30 \AA^{-1}	0-0.6 ev	0.02 k_o	0.05 E_o
High-Resolution Medium-Energy Chopper Spectrometer (D. L. Price)	0.3-9 \AA^{-1}	0-0.4 eV	0.01 k_o	0.02 E_o
Small-Angle Scattering Diffractometer (J. E. Epperson, P. Thiagarajan)	0.006- 0.35 \AA^{-1}	*	0.004 \AA^{-1}	*

* No energy analysis

† Wave-vector, $K = 4\pi \sin\theta/\lambda$

NEUTRON BEAMS FOR SPECIAL EXPERIMENTS

Instrument	Flight Path Length (m)
eV Spectrometer	10
Polarized Neutron Reflectometer	10
Low Temperature Chopper Spectrometer	10
Glass, Liquids and Amorphous Materials Diffractometer	7
Quasielastic Neutron Scattering Spec- trometer	7
Second Small Angle Diffractometer	8

LOS ALAMOS NEUTRON SCATTERING CENTER

Los Alamos National Laboratory
Los Alamos, New Mexico 87545

The Los Alamos Neutron Scattering Center (LANSCE) facility is a pulsed spallation neutron source equipped with time-of-flight (TOF) spectrometers for condensed-matter research. Neutrons are produced by spallation when a pulsed 800-MeV proton beam, provided by the Los Alamos Meson Physics Facility (LAMPF) and an associated Proton Storage Ring (PSR), impinges on a tungsten target. To date, the PSR has achieved 65% of its design goal of 100- A average proton current at 12-Hz repetition rate. When full current is achieved, LANSCE will have the world's highest, peak thermal flux for neutron scattering research.

Current research programs at LANSCE use the following instruments: a filter difference spectrometer (FDS) for vibrational spectroscopy by inelastic neutron scattering; a Laue-TOF single-crystal diffractometer (SCD); a high-intensity powder diffractometer (HIPD) for structural studies of liquids, amorphous materials, and crystalline powders; a neutron powder diffractometer (NPD) with the highest resolution in the U.S.; a constant-Q spectrometer (CQS) for the study of collective excitations, such as phonons and nagnons; and a low-Q diffractometer (LQD) for small-angle scattering studies.

During the next three to four years, several new spectrometers will be installed at LANSCE, including: a chopper spectrometer for inelastic scattering measurements and Brillouin scattering; a neutron reflectometer with a polarized-neutron option; and a back-scattering spectrometer with a resolution of 10 eV or better.

USER MODE

LANSCE provides neutron scattering facilities for several communities. At least 80% available beam time is used for condensed-matter research, while the remaining 20% is intended for internal use in support of the Laboratory's programmatic mission. Of the time available for condensed-matter work, most will be distributed to a formal user program, which will start in April 1988. Advice on experiments to be performed in this category will be provided by a Program Advisory Committee (PAC) held jointly with the Intense Pulsed Neutron Source (IPNS) at Argonne National Laboratory. Scientists based at universities, national laboratories, and industry may apply for beam time by submitting short proposals for scrutiny by the PAC. No charge will be made for non-proprietary research.

CONTACT FOR USER INFORMATION

Dianne K. Hyer (505) 667-6069 or
LANSCE Scientific Coordination and Liaison Office (FTS) 843-6069
MS H805
Los Alamos National Laboratory
Los Alamos, New Mexico 87545

D-12

LANSCE

TECHNICAL DATA (at design level)

Proton Source	LAMPF + PSR
Proton Source Current	1000 A
Proton Source Energy	800 MeV
LANSCE Proton Current	100 A
Proton Pulse Width	0.27 s
Repetition Rate	12 Hz
Epithermal Neutron Current (n/eV.Sr.S)	$3.2 \times 10^{12}/E$
Peak Thermal Flux (n/cm ² .S)	1.7×10^{16}

INSTRUMENTS

32-m Neutron Powder Diffractometer (J. Goldstone, Responsible)	Powder Diffraction Wave vector 0.3-50 Å ⁻¹ Resolution 0.13%
Single Crystal Diffractometer (P. Vergamini, Responsible)	Laue time-of-flight diffractometer Wave vectors 1-15 Å ⁻¹ Resolution 2% typical
Filter Difference Spectrometer (J. Eckert, Responsible)	Inelastic neutron Scattering, vibrational spectroscopy Energy trans. 15-600 meV Resolution 5-7%
High Intensity Powder Diffractometer (A. Williams, Responsible)	Powder diffraction .7% resolution; liquids and amorphous materials diffraction 2% resolution
Constant-Q Spectrometer (R. Robinson, Responsible)	Elementary excitations in single crystal samples Energy resolution 1-3%
Low Q Diffractometer (P. A. Seeger, Responsible)	Small angle scattering at a liquid hydrogen cold source Wave vectors 0.003-1.0 Å ⁻¹

STANFORD SYNCHROTRON RADIATION LABORATORY

Stanford University
Stanford, California 94305

SSRL is a National Users' Research Laboratory for the application of synchrotron radiation to research in biology, chemistry, engineering, geology, materials science, medicine and physics. In addition to scientific research utilizing synchrotron radiation the Laboratory program includes the development of advanced sources of synchrotron radiation (e.g., insertion devices for the enhancement of synchrotron radiation as well as modifications of SPEAR and PEP). SSRL presently has 22 experimental stations. The radiation on nine stations is enhanced by insertion devices providing the world's most intense X-ray sources.

Commissioned in 1985 was the first experimental station on the 16 GeV storage ring, PEP. This line provides the world's brightest continuous X-ray beam, and will serve as a research tool and development center for future high-brightness beam line concepts. A second PEP beam line will be commissioned in the fall of 1987.

The primary research activities at SSRL are:

X-ray absorption, small and large angle scattering as well as topographic studies of atomic arrangements in complex materials systems, including surfaces, extremely dilute constituents, amorphous materials and biological materials.

Soft X-ray and VUV photoemission and photoelectron diffraction studies of electronic states and atomic arrangements in condensed and gaseous matter.

Non-invasive angiography. X-ray lithography and microscopy. SSRL serves approximately 500 scientists from 101 institutions working on over 170 active proposals. A wide variety of experimental equipment is available for the user and there are no charges either for use of the beam or for the facility-owned support equipment. Proprietary research may be performed on a cost-recovery basis by special arrangement.

USER MODE

SSRL is a user-oriented facility which welcomes proposals for experiments from all qualified scientists. Over 75% of the beam time is available for the general user. Access is gained through proposal submittal and peer review. In the course of a year approximately 70% of all active proposals receive beam time. An annual Activity Report is available on request. It includes progress reports on about 100 experiments plus descriptions of recent facility developments. The booklet "SSRL User Guide" and includes information on proposal submittal and experimental station characteristics.

PERSON TO CONTACT FOR INFORMATION

K. M. Cantwell
SSRL, Bldg 69 PO Box 4349
STANFORD, CA 94305

(415) 854-3300 ext. 3191
(FTS) 461-9300 ext. 3191

CHARACTERISTICS OF SSRL EXPERIMENTAL STATIONS

SSRL presently has 22 experimental stations 21 of which are located on SPEAR and one on PEP. Nine of these stations are based on insertion devices while the remainder use bending magnet radiation.

Horizontal Angular Acceptance (Mrad)	Mirror Cutoff (keV)	Monochromator	Energy Range (eV)	Resolution ΔE	Approximate Spot Size Hgt x Wdth (mm)	Dedicated Instrumentation
INSERTION DEVICE STATIONS						
<u>WIGGLER LINES - X-RAY</u>						
<u>End Stations</u>						
IV-2 (8 pole)						
Focused	4.6	10.2	Double Crystal	2800-10200	$\sim 5 \times 10^{-4}$	2 x 6
Unfocused	1.0	-	Double Crystal	2800-45000	$\sim 10^{-4}$	2.0 x 20.0
VI-2 (5 $\frac{1}{2}$ pole)						
Focused	2.3	22	Double Crystal	2800-21000	$\sim 5 \times 10^{-4}$	2.0 x 6.0
Unfocused	1.0	-	Double Crystal	2800-45000	$\sim 10^{-4}$	2.0 x 20.0
VII-2 (8 pole)						
Focused	4.6	10.2	Double Crystal	2800-10200	$\sim 5 \times 10^{-4}$	2 x 6
<u>Side Stations</u>						
IV-1	1.0	-	Double Crystal	2800-45000	$\sim 5 \times 10^{-4}$	2.0 x 20.0
IV-3	1.0	-	Double Crystal	2800-45000	$\sim 10^{-4}$	2.0 x 20.0
VII-1	1.0	-	Curved Crystal	6000-13000	$\sim 8 \times 10^{-4}$	0.6 x 3.0
VII-3	1.0	-	Double Crystal	2800-45000	$\sim 10^{-4}$	2.0 x 20.0
<u>UNDULATOR LINES - VUV/SOFT X-RAY</u>						
V-2	1.5	-	Rowland Circle-Multiple Grating	10-1200	$\geq 7\%$	6.0 x 8.0
<u>UNDULATOR LINES - X-RAY</u>						
PEP 5B	Full	15.0	Double Crystal	12000-20000	$\sim 10^{-4}$	0.6 x 6.0
BENDING MAGNET LINES						
<u>X-RAY</u>						
I-4	2.0	-	Curved Crystal	6700-10800	0.3×10^{-3}	0.25 x 0.5
I-5	1.0	-	Double Crystal	2800-30000	$\sim 10^{-4}$	3 x 20
II-2 (focused)	4.8	8.9	Double Crystal	2800-8900	$\sim 5 \times 10^{-4}$	1 x 4
II-3	1.0	-	Double Crystal	2800-30000	$\sim 5 \times 10^{-4}$	3 x 20
II-4	1.0	-	None	3200-30000		3.5 x 18
Lifetimes Port	1.8	-	None	1-6	Bandpass >10Å	4.0 x .4
<u>VUV/SOFT X-RAY</u>						
I-1	2.0	-	Grasshopper	32-1000	$\Delta \lambda = .1 - .2 \text{ \AA}$	1.0 x 1.0
I-2	4.0	-	6m TGM	8-180	$\Delta \lambda = .06 - 3 \text{ \AA}$	TBD
III-1	2.0	-	Grasshopper	25-1200	$\Delta \lambda = .05 - 2 \text{ \AA}$	1.0 x 1.0
III-2	4.0	-	Seya-Namioka	5-50	$\Delta \lambda = .2 - 6 \text{ \AA}$	TBD
III-3	8-10	4.5	UHV Double Crystal (Jumbo)	800-4500	0.35-7 eV	2.0 x 4.0
III-4	0.6	-	Multilayer	0-3000	$\Delta \lambda / \lambda = .3\%$	Vacuum Diffractometer/ Lithography Exposure Station
VIII-1	12	-	6m TGM	8-180	$\Delta K = .06 - 3 \text{ \AA}$	Angle Resolved e ⁻ Spectrometer

SECTION E

Other User Facilities

NATIONAL CENTER FOR SMALL-ANGLE SCATTERING RESEARCH

Solid State Division
Oak Ridge National Laboratory
Oak Ridge, Tennessee 37831

The National Center for Small-Angle Scattering Research (NCSASR) is supported by the National Science Foundation and the Department of Energy under an interagency agreement. The two main instruments available to users are the NSF-constructed 30-m small-angle neutron scattering facility (SANS) and the DOE-constructed 10-m small-angle X-ray scattering camera (SAXS). These instruments are intended to provide state-of-the-art capability for investigating structures of condensed matter on a global scale, e.g., from a few tens to several hundreds of angstroms. They are intended to serve the needs of scientists in the areas of biology, polymer science, chemistry, metallurgy and materials science, and solid state physics.

USER MODE

Beam time on these instruments is assigned, in general, on the basis of proposals submitted in advance. These are then reviewed by a panel of experts external to the Laboratory and are rated on the basis of scientific merit. When a favorable review has been received, a staff member of the NCSASR and the user agree, usually by telephone, on a time and duration for the experiment. Ordinary charges are borne by the Center, but extensive use of support facilities (shops, computing, etc.) must be paid by the user. Users may work in collaboration with one or more staff members if they wish, but such collaboration is not required. Proprietary experiments can be carried out after contractual agreement has been reached.

PERSONS TO CONTACT FOR INFORMATION

G. D. Wignall, SANS-NCSASR Oak Ridge National Laboratory Oak Ridge, Tennessee 37831-6031	(615) 574-5237 FTS 624-5237
J. S. Lin, SAXS-NCSASR Oak Ridge National Laboratory Oak Ridge, Tennessee 37831-6031	(615) 574-4534 FTS 624-4534
G. J. Bunick, SANS-NCSASR Oak Ridge National Laboratory Oak Ridge, Tennessee 37831-6031	(615) 576-2685 FTS 626-2685
M. Gillespie, Secretary NCSASR Oak Ridge National Laboratory Oak Ridge, Tennessee 37831-6031	(615) 574-5231 FTS 624-5231

NATIONAL CENTER FOR SMALL-ANGLE SCATTERING RESEARCH

Technical Data30-m SANS Instrument Specifications

Monochromator: six pairs of pyrolytic graphite crystals
Incident wavelength: 4.75 angstroms or 2.38 angstroms
Wavelength resolution: $\Delta \lambda/\lambda = 6\%$
Source-to-sample distance: 10 m
Beam size at specimen: 0.5-3.0 cm diam
Sample-to-detector distance: 1.5-18.5 m
 K range: $5 \times 10^{-3} \leq K \leq 0.6 \text{ angstroms}^{-1}$
Detector: 64 by 64 cm^2
Flux at specimen: 10^4 - 10^6 neutrons/ $\text{cm}^2 \text{ s}$ depending on slit sizes and wavelength

10-m SAXS Instrument Specifications

Monochromator: hot-pressed pyrolytic graphite
Incident wavelengths: 1.542 angstroms (CuK α) or 0.707 angstroms (MoK α)
Source-to-sample distances: 0.5, 1.0, 1.5 . . . , 5.0 m
Beam size at specimen: 0.1 by 0.1 cm (fixed)
Sample-to-detector distances: 1, 1.5, 2.0 . . . , 5 m
 K range covered: $3 \times 10^{-3} \leq K \leq 0.3 \text{ angstroms}^{-1}$ (CuK α)
 $6 \times 10^{-3} \leq K \leq 0.6 \text{ angstroms}^{-1}$ (MoK α)
Maximum flux at specimen: 10^6 photons per second on sample-irradiated area 0.1 by 0.1 cm
Detector: 20- by 20- cm^2 (electronic resolution 0.1 by 0.1 cm^2)
Special features: deformation device for dynamic scattering experiments (time slicing in periods as short as 100 microseconds for oscillatory experiments or 10 s for transient relaxation experiments) and interactive graphics for data analysis

ELECTRON MICROSCOPY CENTER FOR MATERIALS RESEARCH

Argonne National Laboratory
Argonne, Illinois 60439

The Argonne National Laboratory Electron Microscopy Center for Materials Research provides unique facilities which combine the techniques of high-voltage electron microscopy, ion-beam modification, and ion-beam analysis, along with analytical electron microscopy.

The cornerstone of the Center is a High Voltage Electron Microscope (an improved Kratos/AEI EM7) with a maximum voltage of 1.2 MV. This HVEM is interfaced to two accelerators, a National Electrostatics 2 MV Tandem Ion Accelerator and a Texas Nuclear 300 kV ion accelerator, which can produce ion beams from 10 keV to 8 MeV of most stable elements in the periodic table. Procurement of a 600 kV injector is underway as a replacement for the 300 kV accelerator. These instruments together comprise the unique High-Voltage Electron Microscope-Tandem Accelerator Facility. The available ion beams can be transported into the HVEM to permit direct observation of the effects of ions and electrons on materials. In addition to the ion-beam interface, the HVEM has a number of specialized features (see following page), which allow for a wide range of in situ experiments on materials under a variety of conditions.

In addition to the HVEM-Tandem Facility, the Center's facilities include a JEOL 100 CXII transmission and scanning transmission electron microscope (TEM/STEM), equipped with an X-ray energy dispersive spectrometer (XEDS), a Philips EM 420 TEM/STEM equipped with XEDS and an electron energy loss spectrometer (EELS) and a Philips CM30 with an XEDS. Procurement of an advanced Analytical Electron Microscope (AEM) is underway. This state-of-the-art, field emission gun ultra-high vacuum AEM will operate up to 300 keV and have the highest available microanalytical resolution with capabilities for XEDS, EELS, and AES. As such, it will have substantially increased analytical capabilities for materials research over present-day instruments.

USER MODE

The Center is operated as a national resource for materials research. Qualified scientists wishing to conduct experiments using the HVEM/TANDEM facilities of the Center should submit a proposal to the person(s) named below. Experiments are approved by a Steering Committee following peer evaluation of the proposals. There are no use charges for basic research of documented interest to DOE. Use charges will be levied for proprietary investigations.

PERSON(S) TO CONTACT FOR INFORMATION

E. A. Ryan and N. J. Zaluzec	(312) 972-5222
Electron Microscopy Center for Materials Research	FTS 972-5222
Materials Science and Technology Division	(312) 972-5075
Argonne National Laboratory	FTS 972-5075
9700 South Cass Avenue	
Argonne, Illinois 60439	

ELECTRON MICROSCOPY CENTER FOR MATERIALS RESEARCH

TECHNICAL DATAElectron Microscopes

	<u>Key Features</u>
High-Voltage Electron Microscope Kratos/AEI EM7 (1.2 MeV)	Resolution 3.5 Å lattice Continuous voltage selection (100-1200 kV) Current density 15 A/cm ² High-vacuum specimen chamber Negative-ion trap Electron and ion dosimetry systems Video recording system Ion-beam interface Specimen stages 10 - 1300 K Straining and environmental stages
Transmission Electron Microscope Philips EM 420 (120 keV)	Resolution 2.0 Å lattice Equipped with EELS, XEDS Specimen stages 15 - 300 K
Transmission Electron Microscope Philips CM 30 (300 keV)	Resolution 1.4 Å lattice Equipped with XEDS Specimen stages 15 - 300 K
Transmission Electron Microscope JEOL 100 CX (100 keV)	Resolution 2.0 Å lattice Equipped with STEM, XEDS Specimen stages 300 - 900 K
Analytical Electron Microscope Being acquired (300 keV)	State-of-the-art resolution Ultra-high vacuum, Field Emission Gun Equipped with EELS, XEDS, etc.

Accelerators

NEC Model 2 UDHS	Terminal voltage 2 MV Energy stability ± 250 eV Current density: H^+ , 10 A/cm ² (typical) Ni^+ , 3 A/cm ²
Texas Nuclear 300-kV	Terminal voltage 300 kV Energy stability ± 300 eV Current density: He^+ , 200 A/cm ² (typical) Ni^+ , 2 A/cm ²
NEC 600 kV Injector Being acquired	Terminal voltage 600 kV Energy stability ± 60 eV Current density: He^+ , 100 A/cm ² (typical) Ar^+ , 10 A/cm ²

SHARED RESEARCH EQUIPMENT PROGRAM (SHaRE)

Metals and Ceramics Division
Oak Ridge National Laboratory
Oak Ridge, Tennessee 37831

A wide range of facilities for use in materials science are available for collaborative research by members of universities or industry with ORNL staff members. The facilities include state-of-the-art electron microscopy, high voltage electron microscopy, field ion microscopy/atom probe, surface analysis, and nuclear microanalysis. The electron microscopy capabilities include analytical electron microscopy [energy dispersive X-ray spectroscopy (EDS), electron energy loss spectroscopy (EELS), and convergent beam electron diffraction (CBED)]. Surface analysis facilities include four Auger electron spectroscopy (AES) systems, and 0.4 and 5.0 Van de Graaff accelerators for Rutherford back-scattering and nuclear reaction techniques. Other equipment includes a mechanical properties microprobe (Nanoindenter), x-ray diffraction systems rapid solidification apparatus, and various other facilities in the Metals and Ceramics Division.

USER MODE

User interactions are through collaborative research projects between users and researchers on the Materials Sciences Program at ORNL. Proposals are reviewed by an executive committee which consists of ORAU, ORNL, and university members. Current members are Drs. E. A. Kenik, Chairman, P. S. Sklad, R. J. Bayuzick, C. B. Carter and K. Newport. Proposals are evaluated on the basis of scientific excellence and relevance to DOE needs and current ORNL research. One ORNL staff member must be identified who is familiar with required techniques and will share responsibility for the project.

The SHaRE program provides technical help and limited travel expenses for academic participants through the Oak Ridge Associated Universities (ORAU).

PERSONS TO CONTACT FOR INFORMATION

E. A. Kenik Metals and Ceramics Division Oak Ridge National Laboratory Oak Ridge, Tennessee 37831	(615) 574-5066 FTS 624-5066
A. Wohlpart Oak Ridge Associated Universities P. O. Box 117 Oak Ridge, Tennessee 37831	(615) 576-3422 FTS 626-3422

SHARED RESEARCH EQUIPMENT PROGRAM (SHaRE)

Technical Data

Facilities	Key Features	Operating Characteristics*
Hitachi HU-1000 High Voltage Electron Microscope	Heating stages; in situ deformation stages; videorecording system; environmental cell	0.3-1.0 MeV; in situ studies electron irradiation studies; ten 4-h shifts per week
Philips EM400T/ FEG Analytical Electron Microscope (AEM)	EDS, EELS, CBED, STEM; minimum probe diameter ~1 nm	120 kV; ten 4-h shifts per week; structural and elemental microanalysis
JEM 120C TEM	Polepiece for TEM of ferromagnetic materials	120 kV; ten 4-h shifts per week; structural microanalysis
PHI 590 Scanning Auger Electron Spectroscopy System	200 nm beam; fracture stage; RGA; depth profiling; elemental mapping	Surface analytical and segregation studies
Varian Scanning Auger Electron Spectroscopy System	5 micrometer beam; hot- cold fracture stage; RGA; depth profiling; elemental mapping	Surface analytical and segregation studies; gas- solid interaction studies
Dual Ion-Beam Accelerator Facilities	400 kV, 4 MV Van de Graaf accelerator; sputter profiling	Nuclear microanalysis; Rutherford backscattering; elemental analysis
Philips EM430T AEM	300 kV, STEM, EDS, EELS, CBED	Ten 4 h shifts/week; structural and elemental microanalysis
Atom Probe Field Ion Microscope	FOF atom probe, imaging atom probe, FIM, pulsed laser atom probe	Atomic resolution imaging; single atom analysis;

*Many instruments available off-hours (evenings, weekends) to qualified users.

CENTER FOR MICROANALYSIS OF MATERIALS

Materials Research Laboratory
University of Illinois
Urbana-Champaign, Illinois 61801

The Center operates a wide range of advanced surface chemistry, X-ray and electron-beam microanalytical equipment for the benefit of the University of Illinois materials research community and for the DOE Laboratories and Universities Programs. Equipment is selected to provide a spectrum of advanced microcharacterization techniques including microchemistry, micro-cry-stallography, surface analysis, etc. A team of professionals runs the facility and its members facilitate the research.

USER MODE

Most of the research in the facility is funded from the MRL contracts of U of Illinois faculty, and is carried out by graduate students, post-doctoral and faculty researchers and by the Center's own professional staff.

For the benefit of external users the system retains as much flexibility as possible. The preferred form of external usage is collaborative research through a contract with a faculty member associated with the MRL, or by direct negotiation with the management of the Center. Direct user access to the equipment is also possible, for trained individuals. In all cases, the research carried out by users of the Center has to be in the furtherance of DOE objectives.

The equipment is made available on a flexible week-by-week booking scheme; if professional help is required, operating hours are 8-5, except by special arrangement. Fully qualified users can and do use the equipment at any time of day. Several of the instruments are maintained in almost continuous (24 hour) use.

The Center staff maintain training programs in the use of the equipment and teach associated techniques. An increasing part of the Center's activity is concerned with the development of new instruments and instrumentation.

PERSON TO CONTACT FOR INFORMATION

Dr. J. A. Eades, Coordinator (217)-333-8396
Center for Microanalysis of Materials
Materials Research Laboratory
University of Illinois
104 S. Goodwin
Urbana, Illinois 61801

CENTER FOR MICROANALYSIS OF MATERIALS (continued)

In addition to the main items listed opposite, the Center also has other equipment: an electron microprobe, optical microscopes, a surface profiler, a microhardness tester, etc. Dark rooms and full specimen preparation facilities are available, including seven ion-milling stations, a micro-ion mill, electropolishing units, sputter coaters, a spark cutter, ultrasonic cutter, diamond saw, dimpler, etc.

CENTER FOR MICROANALYSIS OF MATERIALS

<u>Instruments</u>	<u>"Acronym"</u>	<u>Features and Characteristics</u>
Imaging Secondary Ion Microprobe Cameca IMS 3f	SIMS	Dual ion sources (C_s^+ , O_2^+). 1 μ m resolution.
Secondary Neutral Mass Spectrometer Leybold Heraeus INA 3	SNMS	Quantitative analysis, Depth profiling.
Scanning Auger Microprobe Physical Electronics 595	Auger	Resolution: SEM 30 nm, Auger 70 nm. Windowless X-ray detector.
Scanning Auger Microprobe Physical Electronics 545	Auger	Resolution: SEM 3 μ m.
X-ray Photoelectron Spectrometer Physical Electronics 5400	XPS	Resolution: 50 meV, 180° spherical analyzer, Mg/Al and Mg/Ag anodes
X-ray Photoelectron Spectrometer Physical Electronics 548	XPS	Double pass CMA. ESCA and Auger Specimen temp. to 1550K
Transmission Electron Microscope Philips EM430 (300kV)	TEM	EDS, EELS, STEM
Transmission Electron Microscope Philips EM420 (120kV) Stage (30K).	TEM	EDS (windowless), EELS, STEM, Cathodoluminescence, Cold
Transmission Electron Microscope Philips EM400T (120kV)	TEM	EDS. Heating, cooling stages.
Transmission Electron Microscope JEOL 4000EX (400 kV)	TEM	For environmental cell use.
Scanning Transmission E.M. Vacuum Generators HB5 (100kV)	STEM	0.5 nm probe, field emission gun, EDS, EELS.
Scanning Electronic Microscope Hitachi S800	SEM	Field Emission Gun Resolution 2nm, EDX
Scanning Electron Microscope JEOL JSM 35C (35kV)	SEM	5 nm resolution, EDX, channeling and backscattering patterns.

CENTER FOR MICROANALYSIS OF MATERIALS (continued)

<u>Instruments</u>	<u>"Acronym"</u>	<u>Features and Characteristics</u>
Rutherford Backscattering (in-house construction) (3 MeV)	RBS	Two work stations, channeling
X-ray Equipment	X-ray	
Elliott 14 kW high brilliance source		4-circle diffractometer.
Rigaku 12 kW source		Small angle camera. EXAFS.
Several conventional sources		Lang topography, Powder cameras, etc.
Rigaku D/Max-11B Computer Controlled Powder Diffractometer		

SURFACE MODIFICATION AND CHARACTERIZATION
COLLABORATIVE RESEARCH CENTER

Solid State Division
Oak Ridge National Laboratory
Oak Ridge, Tennessee 37831

This program utilizes a new approach for fundamental materials research. The combined techniques of ion implantation doping, ion-induced mixing, and pulsed-laser processing are utilized to alter the near-surface properties of a wide range of solids in ultrahigh vacuum. Through in situ analysis by ion beam, surface, and bulk properties techniques, the fundamental materials interactions leading to these property changes are determined. Since both ion implantation doping and pulsed-laser annealing are nonequilibrium processing techniques, they can be used to produce new and often unique materials properties not possible with equilibrium fabrication techniques. This makes them ideal tools for fundamental materials research. They are equally useful for modifying surface properties for practical applications in areas such as friction, wear, corrosion, catalysis, surface hardness, solar cells, semiconducting devices, superconductors, etc.

This program has emphasis on long-range basic research. Consequently, most collaborative research involving scientists from industries, universities, and other laboratories has been the investigation of new materials properties possible with these processing techniques or the determination of the mechanisms responsible for observed property changes. In most instances such research projects identify definite practical applications and accelerate the transfer of these materials alteration techniques to processing applications.

COLLABORATIVE RESEARCH

User interactions are through mutually agreeable collaborative research projects between users and research scientists at ORNL which utilize the unique alteration/analysis capabilities of the SMAC facility. It should be emphasized that the goal of these interactions is to demonstrate the usefulness or feasibility of these techniques for a particular materials application and not to provide routine service alterations or analyses.

PERSON TO CONTACT FOR INFORMATION

S. P. Withrow
Solid State Division
Oak Ridge National Laboratory
Oak Ridge, Tennessee 37831-6048

(615) 576-6719
FTS 626-6719

SURFACE MODIFICATION AND CHARACTERIZATION
COLLABORATIVE RESEARCH CENTER

Technical Data

Accelerators	Operating Characteristics
2.5-MV positive ion Van de Graaff	0.1-3.2 MeV; H, D, ^4He , ^3He , and selected gases. Beam current ~50 microamps
1.7-MV tandem	0.2-3.5 MeV H; 0.2-5.1 MeV ^3He , ^4He ; negative ion sputtering source for heavy ion beams of most species to 7 MeV
10-200-KV high-current ion Implantation Accelerator	Essentially any species of ion; 1-3 mamps singly charged, ~100 microamps doubly and triply charged
0.1-10-KeV Ion Gun	Gaseous species; ~20 microamps
<u>Lasers</u>	
Pulsed Ruby Laser (0.6943 micrometer)	$15-30 \times 10^{-9}$ s pulse duration time; 10 joule/pulse output multimode; 2 joule/pulse output single mode (TEM_{00})
Pulsed Ruby Laser (0.6943 micrometer)	$15-30 \times 10^{-9}$ s pulse duration time; 8 joule/pulse output single mode (TEM_{00})
Pulsed Excimer Laser (0.249 micrometer)	20×10^{-9} s; 1.0 joule/pulse
<u>Facilities</u>	
UHV surface and near-surface analysis chambers	Several chambers; vacuums 10^{-6} - 10^{-11} torr; multiple access ports; liquid helium cryostat; UHV goniometers (4-1300 K)
In situ analysis capabilities	Ion scattering, ion channeling, ion-induced nuclear reactions and characteristic X-rays; LEED, Auger, ion-induced Auger; electrical resistivity vs temperature
Combined ion-beam and laser processing	Laser and ion beams integrated into same UHV chambers
Dual simultaneous ion-beam irradiations	Combined accelerator irradiations

COMBUSTION RESEARCH FACILITY - MATERIALS PROGRAM

Sandia National Laboratories
Livermore, California 94550

Optical techniques, primarily Raman spectroscopy and nonlinear optical spectroscopy, are being developed and used to study high-temperature interactions of materials exposed to combustion environments. Emphasis is on the *in situ* use of these techniques to identify chemical species present on surfaces during attack and the resultant effects on structural phases of the material under study. Both pulsed and continuous-wave lasers at various wavelengths throughout the visible and ultraviolet regions are available for excitation of Raman scattering, which can be analyzed with 1 and 2 dimensional photon counting detectors, multichannel diode array detectors, and gated detection. Ultrahigh vacuum chambers, laboratory furnaces, and combustion flow reactors are available that are equipped with convenient optical access provide realistic environments for *in situ* measurements. Real-time measurements are complemented by post-exposure techniques such as Raman spectroscopy with sputtering and low-energy electron diffraction.

Nonlinear optical spectroscopies, in particular second harmonic generation, are being developed for the detection of monolayer and submonolayer coverages of surfaces. Picosecond Nd:YAG and dye lasers (10 pps) and a high repetition rate (1kHz) Nd:YAG laser provide pulsed excitation at a variety of wavelengths. Analysis of samples in UHV-based systems provides careful control over the high temperature modification of surfaces.

USER MODE

Interactions include: (1) collaborative research projects with outside users, and (2) technology transfer of new diagnostic approaches for the study of material attack. In initiating collaborative research projects, it is desirable to perform preliminary Raman analyses of typical samples and of reference materials to determine the suitability of Raman spectroscopy to the user's particular application. Users interested in exploring potential collaborations should contact the persons listed below. If further investigations appear reasonable, a brief written proposal is requested. Generally, visits of a week or more for external users provide an optimum period for information exchange and joint research efforts. Users from industrial, university, and government laboratories have been involved in these collaborative efforts. Results of these research efforts are published in the open literature.

PERSONS TO CONTACT FOR INFORMATION

Marshall Lapp, High Temp. Interfaces Div. (8342) (415) 422-2435
FTS 532-2435

Gary B. Drummond, Ass't to the Director (8301) (415) 422-2697
FTS 532-2697

Sandia National Laboratories
Livermore, California 94550

COMBUSTION RESEARCH FACILITY - MATERIALS PROGRAM

Technical Data

Instruments	Key Features	Comments
Raman Surface Analysis System	UHV Chamber; Raman system with Ar laser; triple spectrograph, diode array detector and 2-D imaging photon counting detector; Auger; sputtering capability	Simultaneous Raman and sputtering. Raman system capable of detecting 2 nm thick oxides. Sample heating up to 1100 C.
Raman Microprobe	Hot stage; Raman system with Ar, Kr lasers; scanning triple spectrometer.	1-2 micron spatial resolution. Hot stage can handle corrosive gases.
Raman High-Temperature Corrosion System	Furnace; Raman system with Ar, Kr, Cu-vapor lasers Nd:YAG; triple spectrograph and diode array detector.	Pulsed lasers gated detection for blackbody background rejection. Furnace allows exposure to oxidizing, reducing, and sulfidizing environments.
Combustion Flow Reactors	Raman system with Ar, Kr, Cu-vapor lasers; triple spectrograph and diode array detector.	Vapor and particulate injection into flames. Real-time measurements of deposit formation.
Electrochemical Surface Modification System	Electrochemical cell; Raman system with Ar, Kr, Cu-vapor lasers; triple spectrograph and diode array detector.	Electrochemical cell with recirculating pump and nitrogen purge.
Nonlinear Optical Spectroscopy of Surfaces System	Picosecond Nd:YAG and dye lasers, 10 pps; UHV chamber equipped with LEED, Auger, sputtering, and quad. mass spectroscopy.	Monolayer and submonolayer detection of high temperature hydrogen and oxygen adsorption and nitrogen segregation on alloys.
Nonlinear Optical Spectroscopy of Electrochemical Systems	Nd:YAG laser, 1kHz rep rate; electrochemical cell.	Monolayer and submonolayer detection of lead, oxygen, and hydrogen adsorption at electrodes.

MATERIALS PREPARATION CENTER

Ames Laboratory
Iowa State University
Ames, Iowa 50011

The Materials Preparation Center was established because of the unique capabilities for preparation, purification, fabrication and characterization of certain metals and materials that have been developed by investigators at the Ames Laboratory during the course of their basic research. Individuals within the Laboratory's Metallurgy and Ceramics Program are widely recognized for their work with very pure rare-earth, alkaline-earth and refractory metals. Besides strengthening materials research and development at the Ames Laboratory, the Center increases awareness by the research community of the scope and accessibility of this resource to universities, other government and private laboratories and provides appropriate transfer of unique technologies developed at the Center to private, commercial organizations.

Through these research efforts at Ames, scientists are now able to acquire very high-purity metals and alloys in single and polycrystalline forms, as well as the sophisticated technology necessary to satisfy many needs for special preparations of rare-earth, alkaline-earth, refractory and some actinide metals. The materials in the form and/or purity are not available from commercial suppliers, and through its activities the Center helps assure the research community access to materials of the highest possible quality for their research programs.

The Center consists of a Materials Preparation Section, an Analytical Section and the Materials Referral System and Hotline (MRSH). The Analytical Section has extensive expertise and capabilities for the characterization of materials, including complete facilities for chemical and spectrographic analyses, and selected services of this section are available to the research community. The purpose of MRSH is to accumulate information from all known National Laboratory sources regarding the preparation and characterization of materials and to make this information available to the scientific community.

USER MODE

Materials Preparation and Analytical Sections

Quantities of ultrapure rare-earth metals and alloys in single and polycrystalline forms are available. Special preparations of high-purity oxides and compounds are also available in limited quantities. Unique technologies developed at Ames Laboratory are used to prepare refractory metals in single and polycrystalline forms. In addition, certain alkaline-earth metals used as reducing agents are available. Complete characterization of these materials are provided by the Analytical Section. Materials availability and characterization information can be obtained from Frederick A. Schmidt, Director, Materials Preparation Center.

Materials Referral System and Hotline

The services of the Materials Referral System are available to the scientific community and inquiries should be directed to Tom Wessels, MRS Manager, (515) 294-8900 or FTS 865-8900.

TECHNICAL DATAMaterials

Scandium	Titanium	Magnesium	Thorium
Yttrium	Vanadium	Calcium	Uranium
Lanthanum	Chromium	Strontium	
Cerium	Manganese	Barium	
Praseodymium	Zirconium		
Neodymium	Niobium		
Samarium	Molybdenum		
Europium	Hafnium		
Gadolinium	Tantalum		
Terbium	Tungsten		
Dysprosium	Rhenium		
Holmium			
Erbium			
Thulium			
Ytterbium			
Lutetium			

PERSON TO CONTACT FOR INFORMATION

Frederick A. Schmidt, Director
Materials Preparation Center
121 Metals Development Building
Ames Laboratory
Ames, Iowa 50011

(515) 294-5236

NATIONAL CENTER FOR ELECTRON MICROSCOPY

Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

The National Center for Electron Microscopy (NCEM) was formally established in the fall of 1981 as a component of the Materials and Molecular Research Division, Lawrence Berkeley Laboratory.

The NCEM provides unique facilities and advanced research programs in the United States for electron microscopy characterization of materials. Its mission is to carry out fundamental research and maintain state-of-the-art facilities and expertise. Present instrumentation at the Center includes a conventional 650-kV Hitachi electron microscope installed in 1969 in the Hearst Mining Building on the University of California Berkeley campus, a 1.6-MeV Kratos microscope dedicated largely for in-situ work, a 1-MeV JOEL atomic resolution microscope at 1.5 angstrom point-to-point (ARM), a high-resolution feeder microscope (JEOL 200 CX), and a 200-kV analytical microscope (JEOL 200 CX) equipped with a thin window, high-angle X-ray detector, and an energy loss spectrometer. Facilities for image simulation, analysis and interpretation are also available to users.

USER MODE

Qualified microscopists with appropriate research projects of documented interest to DOE may use the Center without charge. Proprietary studies may be carried out on payment of full costs. Access to the Center may be obtained by submitting research proposals, which will be reviewed for Center justification by a Steering Committee (present external members are Drs. J. J. Hren, Chairman; J. M. Gibson, D. A. Howitt, F. Ponce, J. Barry, C. W. Allen, and L. E. Thomas; internal members are G. Thomas, T. L. Hayes, R. Gronsky, and K. H. Westmacott). A limited number of studies judged by the Steering Committee to be a sufficient merit can be carried out as a collaborative effort between a Center postdoctoral fellow, the outside proposer, and a member of the Center staff.

PERSON TO CONTACT FOR INFORMATION

Ms. Madeline Moore	(FTS) 451-5006, or
National Center for Electron Microscopy	(415) 486-5006
Mail Stop: 72-150	
Lawrence Berkeley Laboratory	
University of California	
Berkeley, California 94720	

NATIONAL CENTER FOR ELECTRON MICROSCOPY

TECHNICAL DATA

Instruments	Key Features	Characterization
KRATOS 1.5-MeV Electron Microscope	Resolution 3 Å (pt-pt) environmental cell; hot, cold, straining stages, CBED, video camera.	50-80 hrs/week 150-1500 kV range in 100 kV steps and continuously variable. LaB ₆ filament. Max. beam current 70 amp/cm ² . 3-mm diameter specimens.
JEOL 1-MeV Atomic Resolution Microscope	Resolution < 1.5 Å (pt-pt) over full voltage range. Ultrahigh resolution goniometer stage, +40° biaxial tilt with height control.	50-80 hrs/week, 400 kV-1 MeV, LaB ₆ filament, 3-mm diameter specimens.
Hitachi 650-kV Electron Microscope	General purpose resolution 20 Å environmental cell, straining stage.	Installed in 1969. Max. voltage 650 kV conventional HVEM, 3-mm diameter specimens.
JEOL 200 CX Electron Microscope	Dedicated high-resolution 2.4 Å (pt-pt) U.H. resolution goniometer stage only.	200 kV only, LaB ₆ filament, 2.3-mm or 3-mm diameter specimens.
JEOL 200 CX dedicated Analytical Electron Microscope	Microdiffraction, CBED, UTW X-ray detector, high-angle X-ray detector, EELS spectrometer.	100 kV-200 kV LaB ₆ filament, state-of-the-art resolution; 3-mm diameter specimens.

LOW-TEMPERATURE NEUTRON IRRADIATION FACILITY

Solid State Division
Oak Ridge National Laboratory
Oak Ridge, Tennessee 37831

The Low-Temperature Neutron Irradiation Facility (LTNIF) is a user-oriented facility for the study of radiation effects in materials. It is available for qualified experiments at no cost to users. The LTNIF provides a combination of high radiation intensities and special environmental and testing conditions that have not been previously available in the U.S. A closed-cycle liquid-helium refrigerator and other cooling equipment allows samples to be held at temperatures between 3.2 and 800 K during irradiations and tests. The irradiation chamber fits into a vacant fuel element position in the reactor core to optimize fast neutron flux. Spectrum modifiers will be designed and constructed as needed to optimize gamma-ray or thermal-neutron flux. In many cases, experimental characterizations can be carried out in the irradiation cryostat. Alternatively, cold transfer to auxiliary equipment is available. The conditions available in the LTNIF are useful in a wide variety of radiation effects studies, ranging from measurements of defect production and characterization in materials to the production of nonequilibrium phases of solids and the evaluation of structural materials for use in fusion reactors.

USER MODE

The LTNIF is operated as a user-oriented facility. In addition, a limited number of collaborative research projects will be undertaken by the staff. Time on the facility is assigned on the basis of proposals submitted in advance. Staff members are aided in the selection of user experiments by an advisory/program committee. Because of the special safety requirements of operating in a reactor, acceptance of proposals requires an evaluation by appropriate ORNL safety personnel in addition to the usual evaluation for scientific merit. Use of the reactor and cryostat is at no cost to users, but extensive use of shops and other support facilities must be paid by the user.

PERSONS TO CONTACT FOR INFORMATION

H. R. Kerchner
Solid State Division
Oak Ridge National Laboratory
P. O. Box X
Oak Ridge, Tennessee 37831-6030

(615) 574-6270
FTS 624-6270

NATIONAL LOW-TEMPERATURE NEUTRON IRRADIATION FACILITY

Technical Data

Refrigeration: Minimum temperature, 3.2 K (low reactor power)
Capacity at 5 K, 70 W (removes nuclear heat generated in cryostat and a 100 g experiment at full reactor power)

Radiation (preliminary): Fast neutrons, ($E > 0.1$ MeV) 2×10^{17} n/m²s
Thermal neutrons, 1.5×10^{17} n/m²s
Gamma rays, 0.3 w/g (in Al)

Dimensions: Irradiation chamber, 38 mm diam x 250 mm long
Test chamber, 198 mm diam x 300 mm long

SECTION F

Summary of Funding Levels

SUMMARY OF
FUNDING LEVELS

During the fiscal year ending September 30, 1987, the Materials Sciences total support level amounted to about \$155 million in operating funds (budget outlays) and \$15.5 million in equipment funds. The following analysis of costs is concerned only with operating funds (including SBIR) i.e., equipment funds which are expended primarily at Laboratories are not shown in the analysis. Equipment support for the Contract and Grant Research projects is included as part of the operating budget.

1. By Region of the Country

	<u>Contract and Grant Research (% by \$)</u>	<u>Total Program (% by \$)</u>
(a) Northeast..... (CT, DC, DE, MA, MD, ME, NJ, NH, NY, PA, RI, VT)	38.4	28.7
(b) South..... (AL, AR, FL, GA, KY, LA, MS, NC, SC, TN, VA, WV)	11.7	18.5
(c) Midwest..... (IA, IL, IN, MI, MN, MO, OH, WI)	18.7	25.9
(d) West..... (AZ, CO, KS, MT, NE, ND, NM, OK, SD, TX, UT, WY, AK, CA, HI, ID, NV, OR, WA)	31.2	26.9
	100.0	100.0

2. By Discipline:

	<u>Contract and Grant Research (% by \$)</u>	<u>Total Program (% by \$)</u>
(a) Metallurgy, Materials Science, Ceramics (Budget Activity Number 01-)	64.1	35.3
(b) Physics, Solid State Science, Solid State Physics (Budget Activity Numbers 02-)	27.2	32.0
(c) Materials Chemistry (Budget Activity Numbers 03-)	8.7	10.3
(d) Facility Operations	---	22.4
	100.0	100.0

3. By University, DOE Laboratory, and Industry:

	<u>Total</u> <u>Program (% by \$)</u>
(a) University Programs (including laboratories where graduate students are involved in research to a large extent, i.e., LBL, Ames and IL)...	34.9
(b) DOE Laboratory Programs.....	63.3
(c) Industry and Other.....	1.8
	<hr/>
	100.0

4. By Laboratory and Contract and Grant Research:

	<u>Total</u> <u>Program (%)</u>
Ames Laboratory	5.0
Argonne National Laboratory	15.0
Brookhaven National Laboratory	20.7
Idaho National Engineering Laboratory	0.1
Illinois, University of (Materials Research Laboratory)	2.8
Lawrence Berkeley Laboratory	9.3
Lawrence Livermore National Laboratory	1.5
Los Alamos National Laboratory	4.3
Oak Ridge National Laboratory	16.5
Pacific Northwest Laboratory	1.0
Sandia National Laboratory	3.9
Solar Energy Research Institute	0.1
Stanford Synchrotron Radiation Laboratory	1.2
Contract and Grant Research	18.5
	<hr/>
	100.0

SECTION G

Index of Investigators,
Materials, Techniques,
Phenomena, and Environment

Aaron, W. S.	243	Batich, C. D.	415, 414
Abraham, M. M.	234	Becher, P. F.	225
Adair, H. L.	243	Beck, D. R.	456
Adams, B. L.	359	Beckel, C. L.	472
Adler, L.	504	Begun, G. M.	245
Aksay, I. A.	261	Belanger, D.	374
Aldissi, M.	209	Benedek, R.	051
Alkire, R. C.	105	Benicewicz, B. C.	210
Allen, C. W.	040	Beno, M. A.	056
Allison, C. Y.	231	Bentley, J.	222
Alp, E. E.	053, 050	Bernstein, I. M.	382
Alstetter, C. J.	115	Bevolo, A. J.	001
Anderegg, J. W.	023	Bhattacharya, P. K.	459
Anderson, T. J.	413	Biefeld, R. M.	276
Anderson, H. U.	467	Bienenstock, A. I.	298
Anderson, M. S.	015	Birnbaum, H. K.	114, 115
Anderson, A. C.	124	Birtcher, R. C.	042
Anderson, R. J.	292	Bishop, A. R.	209
Anderson, J. L.	246	Biwer, B. M.	059
Angelini, P.	225	Biwer, M. B.	060
Angell, C. A.	529	Blakely, J. M.	403
Annis, B. K.	243	Blander, M.	057, 058
Appleton, B. R.	241, 242	Bleier, A.	225
Ardell, A. J.	369	Bloch, J. M.	050
Argon, A. S.	441	Blomquist, R. A.	057
Arko, A.	205	Boatner, L. A.	234, 244
Aselage, T. L.	281	Bond, W. L.	244
Ashby, C. I. H.	282	Boni, P.	076
Ashcroft, N. W.	397	Bradley, C. R.	040
Ast, D.	402	Bragg, R. H.	151
Attwood, D. T.	166, 167	Breiland, W. G.	282
Augustine, R.	538	Brenner, S. S.	523
Averback, R. S.	042, 044, 106	Brewer, L.	166
Axe, J. D.	077	Brimhall, J. L.	263
Azevedo, L. J.	280	Brinker, C. J.	275
Aziz, M. J.	241	Bristow, T. C.	615
Bader, S. D.	048, 053, 050	Bristowe, P. D.	439
Baer, D. R.	262	Brodsky, M. B.	048, 045
Baikerikar, K. G.	024	Brooks, M. H.	084
Bak, P.	080, 080	Broughton, J. Q.	479
Baker, I.	406	Brower, K. L.	277
Balluffi, R. W.	439	Brown, A.	459
Bamberger, C. E.	245	Brown, N.	520
Bansil, A.	491	Brown, B. S.	061
Barnes, R. G.	015, 016	Brown, G(ilbert)	245
Barrett, J. H.	236, 241	Brown, G(eorge)	243
Barsch, G. R.	513	Brun, T. O.	046
Barton, T. J.	022	Brynda, W.	084
Baskes, M. I.	291	Brynestad, J.	245
Bassani, J.	521	Brynstead, J.	244
Bates, J. L.	260	Bube, R. H.	543
Bates, J. B.	231	Buck, O.	009

Budai, J. D.	237	Clarke, John	173
Buhl, R. A.	223	Clausing, R. E.	223
Bunker, B. C.	275	Clem, J. R.	020
Burkhart, R. D.	470	Clinard, Jr., F. W.	200
Burkhart, L. E.	022	Cohen, J. B.	493
Burnet, G.	022	Cohen, M. L.	158
Busing, W. R.	243	Coleman, R. V.	556
Butler, G. B.	418	Coleman, J. H.	604
Butler, W. H.	220, 244	Collman, J. P.	545
Byers, C. H.	245	Coltrin, M. E.	282
Cable, J. W.	228, 229, 230	Conrad, H.	487
Cacuci, D. G.	246	Cooke, J. F.	236
Cadieu, F. J.	477	Cooper, E. I.	529
Calaway, W. F.	060	Cooper, B. R.	563
Campbell, D. K.	209	Copeland, G. L.	246
Campbell, A. N.	281	Coppens, P.	478
Campuzano, J. C.	050	Corbett, J. D.	021
Cannon, R. M.	169	Cowley, J. M.	351
Capone II, D. W.	055, 045	Cox, D.	505
Capone III, D. W.	047	Cox, D. E.	079
Carlson, O. N.	006	Crabtree, G. W.	047
Carlson, C. D.	056	Craft, B.	085
Carlsson, A. E.	559	Crawford, R. K.	061
Carpenter, S. H.	411	Creighton, J. R.	282
Carpenter, R. W.	350	Culbertson, R. J.	241
Carpenter, J. M.	061	Cummins, H. Z.	474
Carter, C. B.	396	Curtiss, L. A.	057, 058, 059
Chan, C. T.	018	Cutler, R. A.	602, 611
Chan, J. K.	041	Czanderna, A. W.	295
Chandrasekhar, H. R.	464	D. Emin, D.	472
Chang, Y. A.	566	Damento, M. A.	008
Chang, R. P. H.	497	Danielson, M. J.	262
Chang, Y. K.	234	DasGupta, A.	224
Chase, L. L.	192	Davenport, J.	080
Chatterjee, A.	004	Davenport, J. W.	071, 080
Chavez, S. A.	100	David, S. A.	226
Chen, I-W.	457	Davis, H. L.	236, 239
Chen, H.	118	Daw, M. S.	291
Chiang, Y-M.	442	Dawson, L. R.	276
Chiang, T.-C.	125	De Angelis, R. J.	432
Child, H. R.	228, 229, 230	De Jonghe, L. C.	150
Ching, W-Y.	466	DeAngelis, R.	255
Cho, Y.	054	DebRoy, T.	515
Chou, Y. T.	437	DeJesus, R. E.	046
Christen, D. K.	231, 244	Denn, M. M.	177
Chu, B.	483	Detweiler, J.	084
Chu, Y. T.	231	Devine, T.	171
Chumbley, L. S.	003	Deymier, P. A.	352
Chung, Y. W.	492	Di Salvo, F. J.	405
Churchill, R. J.	610	Diegle, R. B.	277
Clapp, P. C.	392	Dienes, G. J.	080
Clarke, J.	157	Ding, F. -R.	042

Dirs, F. R.	044	Flynn, C. P.	116
Dodson, B.	278	Foiles, S. M.	291
Dowell, F.	210	Follstaedt, D. M.	277
Doyle, B. L.	277	Foner, S.	449
Drickamer, H. G.	130	Franzen, H. F.	023
Drummond, T. J.	278	Fraser, H. L.	110
Dudley, M. H.	480	Freeman, A. J.	500, 052
Dudney, N. J.	231	Freltoft, T.	075
Duke, C. B.	265	Friedrich, D. M.	265, 261
Dunlap, B. D.	047	Friesel, M. A.	262
Dunning, F. B.	535	Fritz, I. J.	276, 278
Dutta, J. M.	486	Frydrych, W. S.	265
Dutta, P.	502	Fu, C. L.	220
Eades, J. A.	107, 108	Fuchs, R.	019
Eastman, J.	044	Fultz, B. T.	362
Easton, D. S.	224	Furtak, T.	388
Ecke, R.	208	Galayda, J.	085
Ehrlich, G.	109	Gangloff, R. P.	555
Eichinger, B. E.	562	Gardner, J. A.	508
Einstein, T. L.	438	Gaulin, B. D.	228, 229, 230
Eklund, P. C.	431	Geiser, U.	056
El-Batanouny, M. M.	357	Gellman, A. J.	132
Elias, L.	375	Geohegan, D. B.	232
Emery, V. J.	080, 080	Georgopoulos, P.	499
Emin, D.	281	Gerberich, W. W.	462
Epperson, J. E.	046	Gibbs, L. D.	077
Epstein, A. J.	506	Gibson, E. D.	003
Erbil, A.	421	Gibson, J. R.	243
Eres, D. J.	232	Ginley, D. S.	280
Etters, R. D.	389	Glaeser, A. M.	152
Evans, J. W.	144	Glyde, H. R.	409
Ewing, R. C.	471	Godel, J.	085
Exarhos, G. J.	265, 261	Goldman, A.	017, 075
Faber, J. P.	046	Gonis, A.	500
Falco, C. M.	353	Goods, S.	291
Falicov, L. M.	158	Goodstein, D. L.	364
Farlow, G. C.	241	Gottstein, G.	453
Farrell, K.	223	Gourley, P. L.	276
Fathy, D.	237, 241	Gray, K. E.	047, 055
Faulkner, L. R.	131	Gray, L. J.	236
Fedro, A. J.	047	Greegor, R. B.	355
Felcher, G. P.	046	Green, D. J.	512
Fernandez-Baca, J.	228	Greene, J. E.	111
Fernandez-Baca, J. B.	229, 230	Grimsditch, M.	048
Fernando, G.	071	Gronsky, R.	140, 143
Ferris, K. F.	263	Gruen, D. M.	058, 059, 060
Fiebelman, P. J.	279	Gruzalski, G. R.	239, 231
Finch, C. B.	234	Gschneidner, Jr., K. A.	008
Finnemore, D. K.	013	Haaland, D.	275
Fischer, J. E.	517	Habenschuss, T. A.	255
Fisher, R. M.	169	Hackney, S.	454
Fisk, Z.	205	Hadjipanayis, G. C.	430

Haggerty, J.	448	Johnson, W. C.	380
Hahn, H.	042	Johnson, R. A.	554
Hahn, H. R.	044	Johnson, D. L.	495
Haller, E.	172	Johnson, H. H.	398
Halperin, W. P.	494	Johnson, D. C.	024
Hamilton, D. S.	394	Johnson, S. A.	058
Hamilton, J. C.	290, 292	Johnson, P. D.	081
Hansen, R. S.	024	Johnson, E.	243
Harmon, B. N.	018	Johnson, A. W.	282, 278
Harris, M. T.	245	Johnston, D. C.	015
Hastings, J. M.	082, 085	Jona, F. P.	481
Hawley, M. E.	047	Jones, C. R.	486
Hayter, J. B.	228, 229	Jones, R. H.	262, 264
Heald, S. M.	074, 070	Jorgensen, J. D.	046
Heatherly, Jr., L.	223	Jorgensen, B. S.	209
Heese, R.	085	Joy, D. C.	222
Heldt, L. A.	455	Junker, J.	084
Hemminger, J. C.	367	Kadanoff, L.	384
Henley, C. L.	356	Kalia, R. K.	051
Heuer, A. H.	383	Kalonji, G.	444
Hinks, D. G.	047	Kameda, J.	004
Ho, K.-M.	016, 018, 019	Kamitakahara, W. A.	011
Ho, P.	275, 282	Kampwirth, R. T.	055
Hoagland, R. G.	558	Kao, Y. H.	482
Hobbs, L. W.	447	Kaplan, T.	236
Hogen-Esch, T. E.	418	Karol, R. C.	084
Holland, O. W.	241	Kaufman, M. J.	560
Holloway, P. H.	414	Kaufmann, E. N.	191
Homma, H.	049	Keavney, C.	605
Horton, L. L.	223	Keefer, K. D.	275
Horton, J. A.	224	Kellogg, G. L.	279
Houston, J. E.	279	Kelly, T. F.	564
Howells, M. R.	166	Kelly, E. J.	245
Howitt, D. G.	365	Kenik, E. A.	222, 256
Hsieh, H.	085	Kerchner, H. R.	238
Hsueh, C.-H.	225	Kesmodel, L. L.	429
Huang, J. S.	191	Ketterson, J. B.	502
Hubbard, A.	385	Kevan, S. D.	509
Hulbert, S.	081	Khanna, S. N.	553
Hung, N. C.	059	Khuri-Yakub, B. T.	544
Hurd, A.	275	Kikuchi, R.	531
Ice, G. E.	221	Killeen, K. P.	278
Ingalls, R. L.	561	King, W. E.	043
Isaacs, H. S.	072	Kingery, W. D.	440
Israelachvili, J.	378	Kirk, M. A.	042
Iton, L.	058	Kirkland, E. J.	395
Jaccarino, V.	375	Klabunde, C. E.	238
Jacobi, O.	084	Klaffky, R.	085
Jacobson, R. A.	021	Klavins, P. S.	015
Jeffries, C. D.	155	Klemperer, W. F.	119
Jellison, G. E.	232	Knapp, J. A.	277
Johnson, W. L.	363	Knotek, M.	085

Kocks, U. F.	201	Luscombe, J.	018
Koelling, D. D.	051	Lutsko, J.	052
Kogan, V. G.	020	Lyman, C. E.	433, 434
Kovac, J.	549	Lynch, D. W.	014
Krauss, A. R.	053, 060	Lynn, K. G.	078, 079, 070
Krinsky, S.	085	Lytle, F. W.	355
Kroeger, D. M.	224, 244	MacDonald, D. D.	540
Kunz, A. B.	456	Macek, R.	207
Kwak, J. F.	280	Mahajan, S.	381
Laabs, F. C.	003	Mahan, G. D.	236
Lagally, M. G.	566	Maher, J. V.	524
Laird, C.	521	Majkrzak, C. F.	076
Lam, D. J.	041	Malik, S. K.	047
Lam, N. Q.	042	Mansur, L. K.	223
Lamich, G. J.	060	Maple, M. B.	371
Landman, U.	422	Mariam, Y. H.	354
Langer, J. S.	376	Maris, H. J.	361
Lankford, J.	539	Marks, L. D.	495
Lannin, J. S.	511	Maroni, V. A.	057, 058, 059
Lapp, M.	290, 292	Martin, B. G.	609
Larese, J. Z.	082, 076	Marx, J. N.	168
Larson, B. C.	237	Mason, T. O.	493
Lau, S. S.	373	Mason, J. T.	002
Laughlin, D. E.	380, 381	Matlock, D. K.	387
Lax, M.	476	Maya, L.	245
LeSar, R.	204	Mayer, J.	373
Leckie, F. A.	115	Mayer, R.	078
Lee, E. H.	223	McCallum, R. W.	003
Lewis, M. B.	223, 227	McCarley, R. E.	021
Li, C-Y.	400	McCarty, K. F.	290
Li, J. C. M.	536	McClure, D. S.	528
Liberman, D.	423	McEvily, A. J.	393
Liedl, G. L.	530	McHargue, C. J.	227, 241
Liepens, R.	210	McKee, R. A.	227
Limaye, S. Y.	603	McMahon, C. J.	518
Lin, S. H.	350	McMeeking, R. M.	115
Lin, J. S.	235	McNallan, M.	428
Lindemer, T. B.	244	Mele, E. J.	522
List, F. A.	227	Melendres, C. A.	059
Little, W. A.	545	Meltzer, D. E.	236
Liu, A.	042	Merkle, K. L.	041
Liu, C.	048	Meservey, R. H.	450
Liu, C. T.	224	Michalske, T. A.	275
Liu, S. H.	236, 244	Miller, A. K.	541
Livak, R. J.	200	Miller, M. K.	222
Livingston, J. D.	419	Mills, D. L.	368
Loehman, R. E.	275	Mitsuda, S.	076
Loong, C. K.	061	Mockler, R. C.	390
Louie, S. G.	158	Modine, F. A.	232, 231
Lowndes, D. H.	232	Moodenbaugh, A.	079
Loxton, C.	107, 117	Moog, E.	048
Luban, M.	018	Mook, H. A.	228, 229, 230, 244

Moon, R. M.	228, 228, 229, 230,	Park, R. L.	438
More, K.	256	Park, J. H.	043
Morgan, P. E. D.	537	Park, C. G.	233
Morkoc, H.	126	Parkin, D. M.	200
Morosin, B.	281	Parks, D. M.	443
Morris, Jr., J. W.	171	Passell, L.	076
Morris, Jr.,, J. W.	170	Pawel, R. E.	246
Moss, S.	427, 255	Payne, D. A.	120
Mostoller, M. E.	236	Payne, S.	192
Mullen, J. G.	532	Pechan, M. J.	452
Muller, R. H.	160	Peden, C. H. F.	275
Mundy, J. N.	041, 043	Pederson, L. R.	263
Munir, Z. A.	366	Pedraza, D.	223
Murray, R. W.	490	Peercy, P. S.	277
Murtha, M. J.	022	Pellegrini, C.	085
Muttalib, K. A.	080	Pellin, M. J.	058, 059, 060
Myers, S. M.	277	Pennycook, S. J.	232, 237
Myers, D. R.	276	Perepezko, J. H.	565
Nagler, S. E.	416	Petek, M.	243
Nagy, Z.	059	Peterson, D. T.	007, 016
Narten, A. H.	243	Petro, J.	084
Nevitt, M. V.	041	Petrovic, J. J.	202
Nicklow, R. M.	229, 230	Phillips, N. E.	159
Nielsen, B.	074, 070	Phillips, D. S.	202
Nigrey, P. F.	280	Phillpot, S.	052
Nix, W. D.	542	Picraux, S. T.	277, 278
Noid, D. W.	243	Piestrup, M. A.	608
Noonan, J. R.	239	Pincus, P. A.	379
Norman, M.	051	Pines, A.	164
Notis, M. R.	434	Pitts, J. R.	295
Nowick, A. S.	391	Poeppel, R. B.	045
O'Handley, R. D.	444	Poker, D. B.	241
O'Sullivan, W. J.	390	Pope, L. E.	277
Ocko, B.	077	Porter, L. C.	056
Oen, O. S.	236	Potts, C. W.	061
Ohr, S. M.	484	Predecki, P. K.	410
Okamoto, P. R.	042, 044	Price, D. L.	046
Okamoto, Y.	083	Protter, S.	084
Olander, D. R.	162	Puri, O. P.	386
Oliver, W. C.	224	Pynn, R.	211, 207, 203
Olson, G. B.	443	Qian, G.-X.	071
Olson, D. L.	387	Qui, S. L.	081
Olson, C. G.	014	Raj, Rishi	401
Onellion, M.	567	Ramasamy, S.	044
Oriani, R. A.	461	Ramey, J. O.	234
Osbourn, G. C.	276	Rao, B. K.	553
Ostenson, J. R.	013	Rasolt, M.	236
Owen, C. V.	009	Ratner, M. A.	501
Packan, N. H.	223	Rehbein, D. K.	009
Page, R. A.	539	Rehn, L. E.	042, 044
Painter, G. S.	220	Reifenburger, R. G.	533
Pandharipande, V. R.	127	Rest, J.	052

INVESTIGATORS

G-7

Reucroft, P. J.	432	Schow, III, O. E.	240
Reyer, R.	084	Schulke, A. W.	061
Richards, P. L.	153	Schuller, I. K.	372, 048, 049
Richardson, J.	061	Schulson, E. M.	407
Richmond, G. L.	510	Schultz, A. J.	056
Riley, M. E.	282	Schupp, G.	465
Riseborough, P.	526	Schwarz, R. B.	201
Ritchie, R. O.	147, 171	Seager, C. H.	281
Roberto, J. B.	240, 242	Searcy, A. W.	148
Robertson, I.	115	Seetharaman, V. K.	002
Robertson, I. M.	123, 117	Sekhar, J. A.	002
Robinson, M. T.	236	Sekula, S. T.	231, 244
Robinson, S.	291	Selby, D. L.	246
Rogers, J. W.	279	Sellmyer, D. J.	469
Rohlfing, C. M.	291	Sernelius, B.	236
Rorer, D. C.	084	Shalek, P. D.	202
Rosenblum, M.	358	Shanks, H. R.	012
Rotella, F. J.	061	Shapiro, S. M.	075
Rothberg, G. M.	546	Shek, M. L.	081
Rothman, S. J.	041, 043	Shelton, R.	015
Routbort, J. L.	041	Shen, Y. R.	154
Roy, R.	516	Shenker, S.	384
Ruckman, M. W.	070	Shenoy, G. K.	053, 050
Ruoff, A. L.	399	Shetty, D. K.	552
Russel, W. B.	527	Shewmon, P. G.	503
Ruvalds, J.	557	Shiflet, G. T.	555
Rye, R. R.	279	Shinar, J.	012
Saboungi, M.-L.	057	Shinn, N. D.	279
Sacks, M. D.	415	Shirane, G.	076
Sadakata, N.	073	Shriver, D. F.	501
Safron, S. A.	412	Siekhaus, W.	192
Sales, B. C.	234, 244	Sieradzki, K.	072
Sander, L. M.	460	Silcox, J.	395
Sarachik, M.	475	Silver, R. N.	203
Sass, S. L.	397	Silvera, I. F.	426
Sato, H.	531	Simmons, R. O.	127
Savit, R.	460	Simonen, E. P.	263, 264
Saxena, A.	420	Sjoreen, T. P.	240
Sayers, D. E.	488	Sklad, P. S.	227
Scalapino, D. J.	377	Skofronick, J. G.	412
Scattergood, R. O.	487	Skotheim, T. A.	083
Schaefer, D. W.	275	Slaski, M.	047
Schauer, M. W.	059	Slichter, C. P.	128
Scheuerl, U.	042	Smartt, H. B.	100
Schiferl, D.	204	Smialowska, S.	503
Schirber, J. E.	280	Smith, F. W.	473
Schlottman, P.	548	Smith, J. F.	005, 009
Schmidt, V. H.	468	Smith, H. G.	228, 229, 230
Schmidt, F. A.	010	Smith, J. L.	205, 206
Schneibel, J. H.	224	Smith, R. K.	053
Schneider, M.	049	Socie, D.	115
Schow, O. E.	241	Somorjai, G. A.	163, 174

INVESTIGATORS

G-8

Sonder, E.	231	Thompson, R. B.	009
Sorensen, N. R.	277	Thompson, J. D.	205
Soukoulis, C.	018	Thompson, J. R.	231, 244
Sparks, Jr., C. J.	255	Thorn, R. J.	056
Sparks, Jr., C. J.	221	Throwe, J.	078
Specht, E. D.	221	Tichler, P.	084
Spitzig, W. A.	004	Tischler, J. Z.	237
Spooner, S.	229, 235	Tolbert, L. M.	424
Stacy, A. M.	165	Tomozawa, M.	534
Stapleton, H. J.	121	Tong, D. S. R.	568
Stassis, C.	011, 016	Torgeson, D. R.	015
Staudenmann, J.-L.	017	Toulouse, J.	435
Stein, H. J.	277, 281	Trimgides, M.	014
Sternheimer, R. M.	080	Trivedi, R. K.	002
Stevens, W.	601	Tsao, J. Y.	278
Stewart, G. R.	417	Tuller, H. L.	445
Stocks, G. M.	220	Uemura, Y. J.	075
Stoller, R. E.	223	Ulloa, S. E.	507
Stout, M. G.	201	Urquidi-MacDonald, M.	540
Strauss, M. G.	053	Ushioda, S.	367
Stringfellow, G. B.	551	Vallet, C. E.	245
Strnat, R. M. W.	613	Vashishta, P.	051
Strongin, M.	081, 070	Veal, B. W.	041
Stubbins, J. F.	115	Venturini, E. L.	281
Stubican, V. S.	514	Verhoeven, J. D.	003
Sturge, M. D.	408	Viccaro, P. J.	053
Suenaga, M.	073	Vignale, G. D.	236
Sugar, R. L.	377	Vignola, G.	085
Suresh, S.	360	Vineyard, G.	080
Susman, S.	046	Virkar, A. V.	550
Sutton, A. L.	244	Viswanathan, L.	612
Swenson, C. A.	015	Vitek, V.	519
Swift, G. W.	208	Vitek, J. M.	226
Switendick, A. G.	281	VonWinbush, S.	057
Szekely, J.	451	Vook, R. W.	547
Tafto, J.	073	Wagner, C. N. J.	369
Tallant, D. R.	281	Wallace, J. L.	607
Tang, C.	080	Walters, G. K.	535
Tanner, L.	190	Wampler, W. R.	277
Tauc, J.	361	Wang, H. H.	056
Taylor, T. N.	202	Wang, J. C.	236, 231
Taylor, D.	204	Warburton, W.	600
Tedrow, P. M.	450	Was, G. S.	458
Thiel, P. A.	024	Washburn, J.	149
Thiessen, W. E.	243	Washburn, D. N.	232
Thiyagarajan, P.	061	Watson, R. E.	080, 071
Thomas, G.	141, 143	Webb, J. D.	295
Thomas, G. J.	291	Weertman, J. R.	496
Thomas, T. M.	295	Wei, R. P.	436
Thomas, G.	171	Weinert, M.	080, 071, 080
Thomlinson, W.	085	Welch, D. O.	073, 074, 070
Thompson, A. W.	382	Wendelken, J. F.	239

Wert, C. A.	112	Zaluzec, N. J.	040
Wessels, B. W.	498	Zangvil, A.	113
West, C. D.	246	Zangwill, A.	423
Westbrook, R. D.	232	Zarestky, J.	011
Westmacott, K. H.	142, 143	Zehner, D. M.	239
Weyhmann, W.	463	Zolliker, P.	079
Whangbo, M. H.	489	Zuhr, R. A.	242
White, C. L.	224	Zukoski, C.	122
White, C. W.	240, 241	Zunger, A.	296
Whitmore, D. H.	499		
Whitten, J. L.	485		
Wiesenfeld, K.	080, 080		
Wignall, G. D.	229, 235		
Wiley, J. D.	565		
Wilkins, J. W.	404		
Wilkinson, M. K.	246		
Williams, G. A.	370		
Williams, J. M.	056		
Williams, G.	085		
Williams, R. K.	224		
Williams, J. M.	241		
Windisch, C. F.	260		
Winick, H.	298		
Winter, N.	192		
Wisiegel, R.	044		
Withers, J. C.	614		
Withrow, S.	241		
Wolf, E.	525		
Wolf, D.	043, 052		
Wolfer, W. G.	291		
Wood, R. F.	232		
Woodhouse, J.	107		
Worlton, T. G.	061		
Wright, N.	220		
Yang, B.	075		
Yang, K.	049		
Yang, C.	083		
Yelon, W. B.	465		
Yen, W. M.	425		
Yip, S.	052		
Yonco, R. M.	059		
Yoo, M. H.	224		
You, H. D.	077		
Young, C. E.	053, 060		
Young, F. W.	233		
Young, R.	255		
Young, Jr., F. W.	244		
Yu, D. Y-F.	606		
Yu, P. Y.	156		
Yurek, G. J.	446		
Yust, C. S.	227		
Zabel, H.	129		

MATERIALS, TECHNIQUES, PHENOMENA, AND ENVIRONMENT

The numbers in parenthesis at the end of each listing of Abstract numbers gives for each topic the percentage of prorated projects, the percentage of funding, and the percentage of individual projects respectively. The prorated projects and the funding levels are based on estimates of the fractions of a given project devoted to the topic. The operating funds for this fiscal year were \$154,991,000. The number of projects is 432.

MATERIALS

Actinides-Metals, Alloys and Compounds

006, 008, 014, 047, 050, 051, 076, 159, 200, 205, 243, 244, 255, 355
371, 404, 423, 505, 526, 548, 563
(1.50, 1.06, 4.86)

Aluminum and its Alloys

019, 078, 107, 110, 114, 115, 117, 142, 171, 201, 223, 235, 291, 352
366, 369, 398, 407, 413, 420, 487, 497, 500, 518, 558, 560, 601, 602
(1.78, 1.02, 6.48)

Alkali and Alkaline Earth Metals and Alloys

081, 166, 208, 243, 431, 441, 480
(0.28, 0.22, 1.62)

Amorphous State: Liquids

057, 127, 130, 203, 245, 260, 298, 409, 427, 474, 488, 524
(0.90, 0.97, 2.78)

Amorphous State: Metallic Glasses

001, 040, 044, 075, 078, 106, 107, 110, 124, 140, 155, 190, 191, 200
201, 203, 223, 228, 235, 255, 277, 298, 363, 369, 422, 466, 491, 511
536, 565, 607
(2.29, 2.28, 7.18)

Amorphous State: Non-Metallic Glasses (other than Silicates)

046, 051, 120, 121, 151, 200, 201, 232, 277, 298, 350, 365, 368, 386
394, 425, 427, 466, 471, 476, 478, 484, 486, 499, 529, 549
(1.64, 1.26, 6.02)

Amorphous State: Non-Metallic Glasses (Silicates)

012, 051, 118, 260, 263, 275, 298, 350, 425, 425, 427, 450, 478, 483
499, 511, 534
(1.11, 1.30, 3.94)

Carbides

012, 113, 160, 164, 174, 202, 231, 234, 237, 239, 245, 350, 365, 389
398, 410, 425, 439, 440, 447, 472, 473, 487, 537, 539, 550, 555, 612
(1.57, 1.69, 6.48)

Cement and Concrete

448
(0.05, 0.02, 0.23)

Carbon and Graphite

151, 158, 173, 235, 290, 364, 410, 431, 517
(0.51, 0.21, 2.08)

Coal

112, 229
(0.28, 0.14, 0.46)

Composite Materials--Structural

013, 124, 147, 150, 202, 225, 228, 235, 261, 350, 351, 360, 410, 425
487, 537, 552, 609
(1.04, 0.96, 4.17)

Copper and its Alloys

001, 003, 009, 010, 013, 045, 060, 070, 072, 105, 123, 140, 142, 146
164, 170, 201, 237, 238, 291, 357, 369, 412, 416, 420, 441, 446, 454
455, 472, 481, 509, 518, 519, 521, 542, 554
(2.94, 2.48, 8.56)

Dielectrics

012, 017, 120, 124, 156, 231, 234, 290, 386, 391, 435, 450, 498
(0.81, 0.57, 3.01)

Fast Ion Conductors (use Solid Electrolytes if more appropriate)

046, 051, 124, 391, 445, 499, 529
(0.37, 0.39, 1.62)

Iron and its Alloys

001, 003, 004, 005, 014, 043, 059, 072, 075, 100, 105, 114, 115, 123
141, 142, 144, 147, 170, 201, 220, 221, 223, 226, 233, 255, 262, 263
264, 290, 353, 357, 359, 360, 362, 378, 382, 387, 393, 397, 403, 406
411, 428, 430, 436, 439, 440, 441, 441, 443, 446, 451, 461, 462, 469
472, 480, 492, 496, 503, 515, 518, 519, 530, 540, 542, 555, 561, 564
613
(7.15, 4.01, 16.44)

Glasses (use terms under Amorphous State)

192, 494, 501
(0.28, 0.28, 0.69)

Hydrides

001, 007, 016, 021, 074, 076, 081, 114, 203, 229, 243, 291
(0.65, 1.10, 2.78)

Intercalation Compounds

011, 024, 075, 075, 129, 151, 158, 228, 230, 431, 465, 488, 501, 517
532
(1.00, 0.84, 3.47)

Intermetallic Compounds

005, 008, 010, 011, 015, 017, 021, 023, 024, 043, 070, 073, 111, 149
158, 159, 160, 166, 170, 171, 201, 205, 221, 223, 224, 228, 229, 230
243, 356, 366, 369, 400, 406, 407, 419, 423, 437, 450, 453, 463, 491
497, 505, 548, 560, 601, 614
(3.29, 3.08, 11.11)

Ionic Compounds

041, 057, 121, 124, 158, 192, 220, 394, 441, 456, 480, 490, 516, 528
561
(0.88, 0.86, 3.47)

Layered Materials (including Superlattice Materials)

012, 013, 015, 016, 017, 044, 048, 049, 050, 051, 053, 070, 076, 106
108, 114, 126, 149, 160, 220, 242, 265, 276, 277, 278, 298, 377, 408
421, 452, 459, 490, 502, 507, 509, 517, 531, 535, 551
(2.52, 2.53, 9.03)

Liquids (use Amorphous State: Liquids)

130, 173, 208, 209, 375, 376, 390, 455, 474
(0.76, 0.37, 2.08)

Metals and Alloys (other than those listed separately in this index)

014, 017, 019, 042, 050, 052, 053, 057, 060, 075, 081, 109, 125, 126
128, 132, 141, 142, 145, 147, 157, 158, 160, 163, 164, 166, 170, 173
174, 190, 191, 201, 205, 220, 222, 223, 237, 239, 241, 246, 256, 264
277, 295, 351, 352, 372, 374, 376, 385, 423, 429, 432, 439, 451, 481
491, 492, 500, 510, 513, 519, 531, 536, 546, 558, 560, 605, 610
(5.88, 5.77, 15.97)

Molecular Solids

056, 076, 119, 127, 130, 204, 243, 281, 370, 389, 405, 465, 472, 499
506, 532
(1.34, 0.93, 3.70)

Nickel and its Alloys

005, 040, 059, 072, 075, 100, 105, 107, 110, 114, 115, 117, 123, 140
153, 201, 223, 235, 239, 262, 290, 291, 366, 369, 372, 380, 397, 398
400, 403, 406, 407, 414, 423, 428, 432, 437, 441, 451, 453, 458, 461
471, 472, 485, 504, 523, 530, 542, 614
(3.75, 2.54, 11.57)

Nitrides

012, 021, 022, 055, 121, 150, 166, 174, 204, 231, 245, 265, 350, 397
401, 440, 447, 466, 472, 473, 537, 544, 550, 602, 604
(1.41, 1.09, 5.79)

Oxides: Binary

021, 041, 046, 052, 057, 079, 081, 119, 120, 122, 144, 148, 149, 150
162, 163, 204, 223, 225, 231, 244, 245, 260, 292, 350, 351, 360, 365
383, 386, 389, 396, 397, 398, 401, 403, 410, 415, 432, 433, 434, 440
441, 444, 446, 447, 456, 457, 461, 464, 466, 467, 471, 473, 476, 480
483, 487, 493, 494, 495, 498, 508, 512, 514, 527, 530, 539, 541, 543
546, 552, 612
(5.16, 3.27, 16.90)

Oxides: Non-Binary, Crystalline

021, 041, 043, 045, 047, 079, 118, 119, 126, 144, 148, 149, 150, 153
206, 220, 223, 231, 244, 245, 245, 260, 263, 292, 350, 386, 391, 396
398, 401, 410, 414, 434, 435, 442, 444, 445, 447, 448, 455, 456, 457
467, 471, 493, 498, 508, 525, 541, 602, 603, 611
(3.54, 2.40, 12.04)

Polymers

022, 083, 131, 173, 177, 204, 209, 210, 229, 235, 238, 243, 255, 261
295, 351, 354, 358, 377, 378, 379, 405, 415, 418, 424, 467, 468, 470
478, 483, 490, 499, 501, 502, 513, 520, 545, 549, 562, 606
(4.38, 2.53, 9.26)

Platinum Metal Alloys (Platinum, Palladium, Rhodium, Iridium, Osmium, Ruthenium)

002, 015, 109, 128, 142, 163, 166, 291, 388, 395, 404, 412, 463, 478
483, 500, 547, 566
(1.41, 0.77, 4.17)

Quantum Fluids and Solids

013, 046, 051, 076, 127, 155, 157, 158, 208, 228, 364, 370, 384, 408
409, 426, 450, 463
(1.39, 1.13, 4.17)

Radioactive Waste Storage Materials (Hosts, Canister, Barriers)

118, 200, 263, 355, 445, 447, 448, 471, 483, 516
(0.63, 0.22, 2.31)

Rare Earth Metals and Compounds

001, 002, 003, 005, 006, 008, 010, 011, 014, 015, 018, 047, 051, 075
076, 141, 155, 159, 166, 205, 228, 230, 243, 371, 394, 430, 463, 469
477, 484, 505, 525, 528, 548, 557, 561, 567
(2.36, 1.96, 8.56)

Refractory Metals (Groups VB and VI B)

003, 004, 006, 007, 010, 015, 016, 018, 021, 023, 040, 074, 078, 109
 140, 166, 191, 233, 234, 237, 353, 405, 480, 484
 (1.50, 1.59, 5.56)

Semiconductor Materials - Elemental (including doped and amorphous phases)

012, 052, 078, 108, 109, 121, 123, 125, 126, 140, 149, 154, 156, 158
 167, 173, 232, 237, 239, 241, 242, 277, 278, 282, 298, 373, 395, 396
 402, 408, 464, 475, 476, 480, 482, 485, 497, 509, 544, 561
 (2.85, 3.03, 9.49)

Semiconductor Materials - Multicomponent (III-Vs, II-VIs, including doped and amorphous forms)

012, 017, 018, 108, 111, 114, 123, 125, 126, 129, 130, 149, 154, 158
 172, 232, 276, 278, 282, 296, 368, 381, 399, 402, 408, 412, 413, 459
 461, 467, 472, 473, 475, 476, 478, 492, 498, 507, 522, 530, 543, 551
 566
 (3.96, 2.64, 9.95)

Solid Electrolytes

076, 079, 083, 121, 166, 391, 445, 490, 501, 529
 (0.56, 0.41, 2.31)

Structural Ceramics (Si-N, SiC, SIALON, Zr-O (transformation toughened))

022, 024, 113, 115, 120, 122, 147, 150, 202, 222, 225, 227, 245, 245
 255, 256, 350, 354, 383, 389, 397, 401, 434, 448, 457, 464, 473, 480
 508, 512, 537, 539, 541, 544, 550, 603, 606
 (2.57, 1.85, 8.56)

Superconductors (also see Superconductivity in the Phenomena index and Theory in the Techniques index)

003, 013, 015, 020, 041, 045, 046, 047, 050, 055, 056, 073, 075, 077
 079, 081, 150, 155, 157, 158, 159, 170, 200, 201, 206, 220, 228, 229
 231, 234, 244, 245, 280, 353, 371, 372, 404, 412, 417, 421, 449, 450
 505, 525, 545, 548, 557
 (3.40, 4.01, 10.88)

Surfaces and Interfaces

002, 013, 014, 019, 024, 043, 044, 048, 049, 050, 051, 058, 060, 070
 076, 077, 078, 081, 106, 108, 109, 114, 117, 126, 132, 148, 149, 150
 152, 155, 158, 160, 163, 169, 173, 202, 209, 220, 221, 223, 225, 227
 241, 242, 245, 246, 255, 260, 261, 263, 264, 265, 279, 290, 291, 292
 295, 298, 350, 352, 361, 366, 375, 378, 395, 396, 397, 403, 406, 422
 433, 437, 448, 454, 455, 456, 457, 459, 474, 478, 482, 485, 488, 490
 (7.71, 6.97, 22.69)

Synthetic Metals

056, 209, 358, 421, 424, 452, 489, 545
(0.86, 0.46, 1.85)

Transition Metals and Alloys (other than those listed separately in
this index)

013, 018, 021, 023, 040, 082, 146, 160, 163, 166, 173, 220, 223, 357
371, 419, 423, 441, 511, 614
(1.25, 1.30, 4.63)

TECHNIQUES

Acoustic Emission

072, 262, 411, 536
(0.30, 0.22, 0.93)

Auger Electron Spectroscopy

001, 004, 012, 016, 024, 048, 049, 059, 060, 073, 074, 078, 107, 110
111, 113, 114, 117, 132, 147, 150, 153, 163, 223, 224, 239, 240, 260
262, 264, 279, 282, 352, 353, 373, 395, 403, 414, 438, 442, 446, 457
458, 473, 481, 492, 495, 497, 497, 535, 547, 565
(2.87, 2.52, 12.04)

Bulk Analysis Methods (other than those listed separately in this index, e.g., ENDOR, muon spin rotation, etc.)

006, 007, 010, 060, 155, 200, 205, 209, 449, 459, 497
(0.65, 0.42, 2.55)

Computer Simulation

005, 018, 048, 049, 051, 052, 057, 072, 106, 149, 155, 156, 158, 163
168, 170, 171, 201, 204, 210, 221, 223, 233, 236, 243, 245, 255, 263
275, 291, 350, 362, 368, 376, 377, 380, 384, 389, 391, 395, 396, 404
422, 438, 439, 450, 451, 456, 459, 460, 466, 476, 479, 483, 499, 507
519, 531, 536, 541, 543, 551, 554, 558, 566
(4.26, 3.31, 15.05)

Chemical Vapor Deposition (all types)

149, 201, 223, 276, 278, 281, 282, 402, 421, 497, 498, 567, 601, 605
(1.16, 0.58, 3.24)

Dielectric Relaxation

231, 391, 423, 435, 602
(0.28, 0.21, 1.16)

Deep Level Transient Spectroscopy

149, 402, 459, 467, 498
(0.21, 0.07, 1.16)

Electron Diffraction (Technique development, not usage, for all types--LEED, RHEED, etc.)

024, 040, 107, 108, 110, 111, 113, 143, 163, 202, 222, 239, 256, 279
351, 368, 372, 395, 438, 525, 535, 547, 551, 567, 568
(1.41, 1.34, 5.79)

Electron Energy Loss Spectroscopy (EELS)

001, 012, 024, 040, 043, 047, 107, 108, 110, 113, 132, 140, 141, 143
149, 163, 222, 239, 256, 279, 350, 351, 367, 368, 385, 395, 397, 429
432, 433, 459, 477, 492, 497, 533, 543, 568
(2.25, 1.91, 8.56)

Elastic Constants

041, 048, 073, 171, 201, 389, 410, 411, 435, 478, 504, 513
(0.56, 0.50, 2.78)

Electrochemical Methods

005, 024, 056, 057, 058, 059, 105, 130, 131, 160, 164, 166, 167, 245
260, 262, 264, 280, 292, 382, 390, 391, 413, 436, 455, 458, 461, 490
499, 501, 510, 540, 566
(2.25, 1.58, 7.64)

Electron Microscopy (technique development for all types)

002, 003, 004, 040, 043, 055, 070, 107, 108, 110, 112, 113, 114, 115
117, 123, 140, 141, 142, 143, 147, 170, 171, 172, 190, 200, 201, 202
202, 209, 222, 223, 224, 225, 232, 233, 237, 242, 256, 260, 350, 351
372, 381, 395, 406, 407, 419, 420, 433, 439, 441, 441, 442, 457, 472
480, 484, 493, 495, 552
(4.19, 3.92, 14.12)

Electron Spectroscopy for Chemical Analysis (ESCA)

023, 024, 048, 049, 111, 114, 132, 147, 150, 163, 202, 264, 448, 497
(0.46, 0.39, 3.24)

Electron Spin Resonance or Electron Paramagnetic Resonance

058, 119, 121, 149, 155, 172, 234, 280, 281, 356, 391, 452, 467, 484
(0.90, 0.80, 3.24)

Extended X-Ray Absorption Fine Structure (EXAFS and XANES)

023, 041, 050, 070, 072, 073, 074, 083, 118, 167, 174, 200, 255, 298
355, 362, 363, 391, 423, 433, 471, 478, 481, 482, 483, 484, 488, 493
497, 499, 513, 545, 546, 561
(1.67, 1.55, 7.87)

Field Emission and Field Ion Microscopy

024, 109, 222, 256, 279, 456, 523
(0.56, 0.37, 1.62)

High Pressure (Technique development of all types)

015, 046, 059, 163, 201, 204, 205, 245, 280, 281, 457, 484
(0.42, 0.69, 2.78)

Ion or Molecular Beams

040, 106, 111, 149, 206, 223, 227, 240, 242, 244, 357, 373, 412, 606
(1.04, 0.93, 3.24)

Ion Channeling, or Ion Scattering (including Rutherford and other
ion scattering methods)

040, 042, 043, 044, 106, 108, 114, 117, 149, 223, 227, 234, 240, 241
242, 277, 295, 353, 373, 432, 449, 565
(1.30, 2.20, 5.09)

Internal Friction (also see Ultrasonic Testing and Wave Propagation)

004, 006, 007, 016, 112, 391, 435, 513, 529
(0.46, 0.19, 2.08)

Infrared Spectroscopy (also see Raman Spectroscopy)

024, 058, 059, 083, 119, 154, 173, 204, 231, 232, 275, 277, 295, 391
415, 418, 424, 431, 435, 445, 448, 450, 459, 467, 486, 499, 529, 537
(1.46, 1.19, 6.48)

Laser Spectroscopy (scattering and diagnostics)

060, 100, 131, 154, 173, 177, 192, 204, 232, 245, 261, 276, 278, 282
290, 292, 295, 375, 390, 394, 408, 425, 464, 468, 470, 474, 483, 486
510, 524, 528, 536, 544, 610
(2.85, 1.64, 7.87)

Magnetic Susceptibility

008, 009, 013, 015, 041, 047, 048, 049, 056, 165, 205, 206, 244, 280
281, 371, 417, 444, 450, 452, 475, 478, 505, 545, 548
(1.74, 1.63, 5.79)

Molecular Beam Epitaxy

048, 049, 111, 125, 126, 149, 276, 278, 353, 372, 374, 459, 479, 482
(0.67, 0.46, 3.24)

Mossbauer Spectroscopy

047, 058, 147, 170, 362, 363, 431, 465, 484, 506, 532, 561
(0.65, 0.41, 2.78)

Neutron Scattering: Elastic (Diffraction)

011, 016, 017, 046, 049, 056, 057, 075, 076, 079, 082, 127, 129, 203
205, 228, 229, 230, 243, 244, 246, 374, 390, 409, 410, 427, 449, 493
511, 517
(1.85, 3.05, 6.94)

Neutron Scattering: Inelastic

007, 011, 016, 046, 057, 058, 074, 075, 076, 082, 127, 129, 151, 203
228, 229, 230, 243, 246, 374, 409, 431, 435, 506, 511, 513, 563
(1.81, 2.84, 6.25)

Neutron Scattering: Small Angle

046, 129, 164, 203, 229, 243, 246, 291, 363, 378, 420, 467, 494, 539
(1.09, 1.56, 3.24)

Nuclear Magnetic Resonance and Ferromagnetic Resonance

016, 058, 119, 128, 155, 156, 157, 174, 177, 280, 354, 363, 364, 391
418, 424, 463, 494, 499, 529, 537, 557
(1.78, 0.89, 5.09)

Optical Absorption

014, 024, 058, 192, 209, 265, 276, 470, 600, 615
(0.88, 0.41, 2.31)

Perturbed Angular Correlation and Nuclear Orientation

508
(0.23, 0.05, 0.23)

Photoluminescence

130, 131, 149, 192, 276, 381, 394, 402, 425, 450, 459, 498, 528, 551
(0.86, 0.39, 3.24)

Positron Annihilation (including slow positrons)

078, 291, 491
(0.23, 0.37, 0.69)

Powder Consolidation (including sintering, hot pressing, dynamic compaction, laser assisted, etc., of metals and ceramics, use this item in the Phenomena index)

079, 120, 122, 150, 152, 201, 202, 206, 225, 243, 261, 430, 469, 495
(0.79, 0.58, 3.24)

Powder Synthesis (including preparation, characterization, or pre-consolidation behavior, use this item in the Phenomena index)

023, 044, 045, 073, 079, 106, 120, 122, 201, 202, 206, 225, 245, 354
442, 443, 448, 450, 457, 564, 604
(1.20, 0.87, 4.86)

Raman Spectroscopy (also see Infrared Spectroscopy)

024, 058, 059, 147, 173, 192, 204, 231, 245, 260, 263, 264, 265, 290
292, 367, 388, 408, 424, 431, 445, 459, 461, 484, 499, 510, 511, 551
(1.60, 1.19, 6.48)

Rapid Solidification Processing (also see Solidification: Rapid in the Phenomena index)

002, 047, 107, 110, 190, 191, 232, 241, 277, 362, 369, 416, 422, 443
455
(0.97, 0.99, 3.47)

Surface Analysis Methods (other than those listed separately in this index, e.g., ESCA, Slow Positrons, X-Ray, etc.)

001, 004, 014, 024, 049, 050, 053, 060, 070, 078, 111, 114, 117, 126
131, 149, 160, 163, 169, 173, 192, 221, 240, 241, 255, 263, 275, 352
357, 361, 367, 388, 403, 429, 448, 481, 492, 495, 509, 535, 552, 556
567
(2.71, 2.19, 9.95)

Specific Heat

008, 015, 016, 041, 047, 159, 205, 206, 244, 280, 363, 364, 417, 426
484
(1.09, 0.96, 3.47)

Spinodal Decomposition

170, 171, 222, 256, 381, 416, 550, 551
(0.44, 0.29, 1.85)

Sputtering

001, 012, 045, 048, 050, 053, 060, 076, 079, 111, 157, 243, 353, 372
430, 449, 469, 477, 511, 525, 565
(1.09, 0.98, 4.86)

Synchrotron Radiation

007, 014, 017, 024, 047, 050, 053, 054, 070, 077, 079, 081, 083, 125
166, 172, 204, 221, 237, 243, 255, 275, 298, 355, 386, 399, 416, 423
427, 439, 471, 473, 478, 480, 481, 483, 483, 492, 493, 499, 509, 530
545, 546, 561, 567, 608
(2.94, 3.34, 10.88)

Surface Treatment and Modification (including ion implantation,
laser processing, electron beam processing, sputtering, etc., see
Chemical Vapour Deposition)

044, 049, 078, 081, 105, 107, 110, 149, 152, 153, 163, 190, 191, 192
202, 223, 227, 231, 232, 240, 241, 242, 245, 246, 264, 276, 277, 361
365, 373, 381, 429, 440, 444, 447, 448, 455, 473, 482, 501, 512, 538
543
(2.71, 2.81, 9.95)

Synthesis

021, 022, 023, 045, 056, 058, 079, 083, 126, 166, 174, 206, 209, 245
245, 261, 280, 281, 358, 366, 371, 405, 430, 445, 448, 469, 516, 545
604
(2.20, 1.61, 6.71)

Theory: Defects and Radiation Effects

042, 052, 073, 106, 149, 168, 200, 223, 233, 236, 263, 264, 296, 355
365, 391, 420, 456, 464, 471, 472, 486, 498
(1.37, 1.51, 5.32) ,

Theory: Electronic and Magnetic Structure

008, 016, 018, 023, 041, 051, 052, 058, 071, 080, 080, 146, 158, 166
192, 205, 220, 236, 276, 280, 296, 350, 356, 377, 404, 423, 456, 466
472, 476, 491, 493, 497, 500, 505, 506, 507, 522, 526, 548, 553, 557
559, 563
(2.50, 1.77, 10.19)

Theory: Non-Destructive Evaluation

009, 361, 504, 609, 610
(0.44, 0.43, 1.16)

Theory: Surface

019, 019, 052, 060, 071, 080, 080, 109, 148, 163, 167, 173, 220, 225
236, 368, 379, 422, 438, 442, 479, 483, 485, 490, 495, 502, 522, 543
553, 568
(2.06, 1.49, 6.94)

Theory: Structural Behavior

019, 072, 115, 127, 146, 147, 158, 158, 170, 171, 209, 210, 224, 275
296, 351, 352, 360, 380, 389, 393, 397, 400, 410, 435, 436, 443, 457
462, 467, 468, 472, 479, 487, 489, 493, 499, 500, 502, 513, 517, 518
519, 520, 521, 539, 542, 544, 553, 558, 559
(4.77, 2.36, 11.81)

Theory: Superconductivity

020, 045, 047, 051, 080, 080, 155, 157, 158, 205, 206, 220, 236, 244
280, 404, 489, 505, 545, 548, 557
(1.20, 1.08, 4.86)

Theory: Thermodynamics, Statistical Mechanics, and Critical Phenomena

005, 057, 058, 080, 080, 127, 145, 146, 149, 166, 170, 171, 177, 201
208, 225, 232, 233, 236, 243, 244, 245, 356, 359, 376, 377, 383, 384
389, 391, 397, 404, 409, 422, 428, 438, 458, 466, 478, 480, 490, 500
513, 531, 549, 551, 562
(2.96, 1.72, 10.88)

Theory: Transport, Kinetics, Diffusion

002, 003, 006, 007, 041, 080, 080, 105, 106, 109, 145, 153, 160, 164
170, 220, 223, 231, 232, 236, 245, 246, 276, 282, 362, 365, 376, 377
380, 392, 422, 428, 448, 450, 460, 471, 472, 476, 490, 499, 501, 507
514, 515, 522, 524, 526, 527, 531, 540, 542, 564, 565
(3.91, 2.62, 12.27)

Thermal Conductivity

124, 208, 246, 370, 455, 602, 603
(0.90, 0.48, 1.62)

Ultrasonic Testing and Wave Propagation

005, 009, 100, 105, 370, 391, 492, 504, 513, 544, 609
(0.72, 0.48, 2.55)

Vacuum Ultraviolet Spectroscopy

014, 050, 053, 167, 431, 440, 481, 546
(0.42, 0.43, 1.85)

Work Functions

492

(0.02, 0.00, 0.23)

X-Ray Scattering and Diffraction (wide angle crystallography)

017, 021, 023, 041, 048, 049, 050, 055, 056, 074, 077, 079, 083, 118
127, 129, 149, 151, 165, 177, 200, 201, 204, 221, 237, 243, 255, 263
353, 356, 372, 373, 381, 397, 399, 403, 405, 406, 410, 419, 427, 430
431, 432, 441, 444, 445, 448, 449, 453, 455, 459, 467, 469, 476, 477
478, 480, 481, 492, 498, 512, 517, 537, 545, 550, 565, 566

(3.84, 2.67, 15.74)

X-Ray Scattering (small angle)

048, 118, 151, 167, 235, 255, 298, 363, 478, 483, 496, 496, 562

(0.93, 0.60, 3.01)

X-Ray Scattering (other than crystallography)

017, 046, 050, 053, 077, 167, 221, 243, 255, 298, 416, 420, 432, 441
465, 472, 477, 482, 502, 513, 530, 532, 608

(1.32, 1.51, 5.32)

X-Ray Photoelectron Spectroscopy

007, 016, 021, 023, 024, 041, 053, 059, 070, 081, 083, 117, 132, 149
163, 167, 239, 263, 295, 298, 385, 414, 415, 423, 450, 455, 473, 478
493, 497, 497, 543

(1.53, 1.52, 7.41)

PHENOMENA

Catalysis

024, 046, 058, 081, 128, 158, 163, 174, 203, 235, 239, 241, 245, 245
255, 295, 298, 351, 385, 422, 429, 432, 433, 483, 485, 500, 530, 538
547
(1.83, 2.59, 6.71)

Channeling

003, 106, 108, 149, 223, 236, 241, 277, 353
(0.51, 0.57, 2.08)

Coatings (also see Surface Phenomena in this index)

024, 044, 158, 160, 167, 243, 265, 378, 379, 395, 415, 473, 497
(0.83, 0.94, 3.01)

Colloidal Suspensions

119, 122, 150, 202, 225, 261, 389, 390, 401, 415, 527, 537
(0.65, 0.46, 2.78)

Conduction: Electronic

041, 056, 057, 078, 083, 128, 130, 149, 155, 209, 220, 238, 276, 280
353, 358, 368, 377, 381, 402, 404, 405, 424, 440, 442, 457, 459, 464
467, 475, 476, 489, 490, 493, 498, 522, 526, 528, 529, 543, 545, 551
565
(2.78, 1.76, 9.95)

Conduction: Ionic

041, 057, 083, 231, 391, 440, 445, 467, 490, 499, 501, 513, 529, 531
(1.04, 1.36, 3.24)

Constitutive Equations

201
(0.02, 0.05, 0.23)

Corrosion: Aqueous (e.g., crevice corrosion, pitting, etc., also
see Stress Corrosion)

009, 059, 072, 105, 160, 171, 246, 262, 263, 264, 277, 382, 388, 436
440, 455, 458, 461
(1.11, 1.55, 4.17)

Corrosion: Gaseous (e.g., oxidation, sulfidation, etc.)

023, 043, 057, 072, 117, 144, 153, 162, 221, 246, 255, 290, 367, 414
428, 429, 440, 441, 446, 461, 464
(1.57, 1.38, 4.86)

Corrosion: Molten Salt

057, 260, 464
 (0.14, 0.07, 0.69)

Critical Phenomena (including order-disorder, also see Thermodynamics and Phase Transformations in this index)

016, 051, 057, 075, 077, 079, 146, 149, 200, 234, 243, 245, 255, 356
 362, 364, 370, 374, 376, 381, 384, 389, 390, 409, 416, 435, 438, 463
 468, 475, 483, 513, 517, 524, 527, 549
 (2.50, 1.48, 8.33)

Crystal Structure and Periodic Atomic Arrangements

021, 052, 056, 075, 077, 079, 142, 143, 145, 149, 158, 163, 170, 171
 203, 204, 222, 223, 234, 255, 256, 280, 281, 298, 350, 355, 356, 365
 383, 386, 391, 395, 396, 397, 397, 399, 427, 433, 434, 444, 445, 447
 448, 450, 455, 459, 467, 471, 476, 479, 480, 483, 488, 492, 493, 497
 498, 499, 500, 513, 517, 529, 530, 537, 539, 543, 550, 551, 553, 561
 563, 565
 (4.49, 4.09, 16.67)

Diffusion: Bulk

006, 007, 016, 041, 043, 079, 105, 106, 129, 149, 162, 223, 243, 245
 260, 277, 280, 298, 363, 365, 380, 391, 440, 448, 454, 464, 467, 471
 472, 472, 478, 483, 499, 531, 534, 565, 566
 (1.71, 1.30, 8.56)

Diffusion: Interface

017, 043, 070, 073, 106, 109, 114, 149, 160, 164, 223, 260, 263, 290
 292, 352, 363, 373, 376, 437, 439, 440, 446, 448, 454, 459, 471, 476
 494, 508, 514, 518, 524, 531
 (1.81, 1.14, 7.87)

Diffusion: Surface

109, 132, 148, 149, 163, 279, 292, 390, 422, 429, 448, 456, 514, 518
 547
 (0.65, 0.37, 3.47)

Dislocations

004, 017, 114, 115, 117, 124, 142, 149, 170, 171, 172, 201, 222, 223
 233, 256, 276, 291, 381, 382, 402, 406, 419, 441, 480, 480, 484, 495
 536, 547, 552, 555
 (1.48, 1.21, 7.41)

Dynamic Phenomena

051, 052, 076, 155, 208, 228, 229, 230, 236, 243, 264, 290, 292, 368
 378, 384, 390, 394, 408, 412, 422, 425, 435, 460, 465, 472, 483, 513
 524, 527, 530, 532, 568
 (2.48, 1.94, 7.64)

Electronic Structure - Metals including amorphous forms

007, 014, 016, 018, 021, 023, 047, 050, 051, 078, 081, 125, 128, 166
201, 205, 206, 220, 236, 298, 363, 388, 404, 423, 430, 469, 481, 491
500, 500, 509, 526, 557, 559, 567
(2.15, 1.82, 8.10)

Electronic Structure - Non-metals including amorphous forms

041, 078, 111, 121, 125, 130, 158, 296, 350, 377, 389, 394, 417, 425
456, 464, 466, 472, 475, 476, 490, 493, 498, 507, 509, 545, 559
(1.94, 0.89, 6.25)

Erosion

439, 487
(0.12, 0.08, 0.46)

Grain Boundaries

002, 004, 043, 055, 070, 072, 073, 114, 117, 120, 149, 170, 171, 201
220, 222, 223, 224, 233, 237, 256, 260, 262, 290, 291, 350, 352, 359
396, 397, 397, 400, 402, 406, 407, 414, 419, 430, 434, 437, 439, 440
442, 454, 458, 469, 476, 479, 480, 504, 514, 518, 519, 523, 530, 539
543, 550
(3.31, 2.44, 13.43)

Hydrogen Attack

113, 114, 115, 117, 277, 357, 456, 503
(0.49, 0.33, 1.85)

Ion Beam Mixing

040, 042, 044, 106, 149, 191, 223, 227, 240, 241, 245, 365
(0.72, 1.75, 2.78)

Laser Radiation Heating (annealing, solidification, surface treatment)

060, 105, 111, 141, 191, 192, 232, 237, 240, 241, 277, 278, 422, 440
444, 455
(1.02, 1.76, 3.70)

Magnetism

003, 008, 011, 013, 015, 018, 047, 049, 050, 051, 075, 077, 081, 121
151, 155, 159, 206, 220, 228, 230, 236, 356, 371, 374, 377, 404, 405
417, 430, 444, 450, 452, 463, 469, 475, 505, 506, 525, 526, 535, 546
548, 567, 607, 613
(3.47, 2.83, 10.65)

Martensitic Transformations and Transformation Toughening

011, 017, 041, 147, 170, 392, 435, 443, 488
(0.49, 0.44, 2.08)

Mechanical Properties and Behavior: Constitutive Equations

100, 115, 177, 201, 378, 400, 401, 410, 443, 457, 457, 487, 520, 534
541, 542
(0.95, 0.53, 3.70)

Mechanical Properties and Behavior: Creep

043, 223, 263, 359, 378, 387, 393, 397, 400, 420, 496, 521, 539, 542
550
(0.76, 0.35, 3.47)

Mechanical Properties and Behavior: Fatigue

009, 115, 147, 170, 171, 223, 233, 360, 393, 425, 436, 439, 453, 462
492, 496, 521, 534, 555
(1.11, 0.53, 4.40)

Mechanical Properties and Behavior: Flow Stress

004, 170, 171, 201, 351, 400, 407, 425, 443, 462, 467, 480, 487, 520
(0.63, 0.36, 3.24)

Mechanical Properties and Behavior: Fracture and Fracture Toughness

004, 009, 041, 045, 100, 114, 115, 117, 141, 147, 153, 169, 170, 171
202, 223, 225, 233, 275, 351, 360, 378, 382, 393, 397, 398, 406, 410
411, 419, 420, 425, 439, 440, 441, 441, 443, 455, 457, 462, 480, 484
487, 512, 518, 520, 536, 539, 541, 544, 552, 558, 603
(3.10, 1.78, 12.27)

Materials Preparation and Characterization: Ceramics

021, 043, 045, 079, 113, 120, 122, 126, 141, 148, 150, 152, 201, 202
206, 222, 225, 234, 235, 244, 245, 245, 256, 275, 354, 366, 383, 386
389, 396, 397, 398, 401, 415, 425, 434, 442, 444, 445, 448, 448, 450
455, 467, 471, 473, 476, 483, 486, 495, 498, 512, 516, 527, 529, 534
537, 539, 550, 552, 602, 603, 604, 606, 611, 612
(4.12, 2.54, 15.28)

Materials Preparation and Characterization: Glasses

050, 234, 275, 361, 401, 499, 534
(0.32, 0.43, 1.62)

Materials Preparation and Characterization: Metals

003, 010, 013, 017, 021, 040, 055, 060, 079, 100, 106, 126, 141, 142
145, 164, 165, 166, 170, 171, 190, 191, 201, 222, 224, 234, 235, 243
256, 353, 361, 363, 366, 371, 372, 398, 407, 419, 420, 421, 430, 437
441, 469, 500, 560, 565, 607, 613
(2.92, 2.52, 11.34)

Materials Preparation and Characterization: Polymers

083, 173, 177, 209, 210, 243, 261, 483, 490, 499, 502, 545
(0.83, 0.80, 2.78)

Materials Preparation and Characterization: Semiconductors

012, 017, 125, 126, 149, 155, 165, 172, 276, 278, 361, 368, 373, 381
402, 459, 464, 482, 492, 497, 498, 543, 551, 566
(1.41, 0.87, 5.56)

Nondestructive Testing and Evaluation

005, 009, 151, 173, 361, 411, 480, 492, 496, 504, 610
(0.90, 0.42, 2.55)

Phonons

011, 013, 018, 076, 121, 124, 129, 154, 228, 229, 230, 236, 361, 368
389, 412, 429, 431, 435, 450, 472, 486, 513, 522, 533, 568
(1.55, 1.50, 6.02)

Photothermal Effects

282, 464
(0.09, 0.10, 0.46)

Photovoltaic Effects

012, 130, 149, 232, 282, 402, 528, 543
(0.60, 0.59, 1.85)

Phase Transformations (also see Thermodynamics and Critical Phenomena in this index)

003, 005, 008, 018, 041, 056, 075, 077, 079, 082, 113, 128, 129, 130
142, 145, 149, 158, 163, 166, 170, 171, 190, 201, 204, 221, 222, 223
226, 229, 230, 256, 280, 364, 370, 374, 375, 381, 387, 389, 392, 399
412, 416, 431, 432, 434, 435, 443, 463, 468, 474, 480, 481, 488, 492
508, 509, 513, 524, 530, 550, 560, 561, 564
(3.82, 2.94, 15.05)

Precipitation

002, 003, 006, 016, 122, 123, 141, 142, 170, 171, 190, 222, 223, 233
235, 256, 263, 380, 383, 389, 396, 434, 447, 450, 454, 458, 496, 503
550, 555, 560
(1.48, 0.73, 7.18)

Point Defects

016, 041, 042, 043, 052, 078, 123, 127, 148, 157, 172, 192, 221, 223
224, 237, 238, 263, 391, 402, 433, 434, 442, 456, 459, 472, 478, 484
486, 493, 498, 508, 514, 536, 540
(1.85, 2.31, 8.10)

Powder Consolidation (including sintering, hot pressing, dynamic compaction, laser assisted, etc., of metals and ceramics)

045, 079, 106, 107, 110, 120, 152, 202, 206, 225, 350, 366, 386, 389
401, 401, 440, 445, 455, 486, 537, 539, 552
(1.04, 0.53, 5.32)

Powder Synthesis (including preparation, characterization, or pre-consolidation behavior, see same item under Technique index)

021, 022, 045, 045, 079, 106, 107, 110, 120, 152, 202, 206, 225, 234
245, 366, 389, 415, 444, 445, 448, 450, 455, 494, 527, 537, 550, 552
560, 564
(1.48, 1.09, 6.94)

Radiation Effects (use specific effects, e.g., Point Defects and Environment index)

042, 044, 055, 060, 106, 123, 157, 200, 222, 223, 236, 237, 238, 256
263, 351, 464, 484, 498, 536
(0.93, 1.45, 4.63)

Recrystallization and Recovery

118, 127, 241, 263, 390, 400, 421, 453, 521, 565
(0.81, 0.38, 2.31)

Residual Stress

009, 410, 492, 497, 512, 522, 544
(0.44, 0.17, 1.62)

Rheology

122, 177, 418
(0.35, 0.20, 0.69)

Stress-Corrosion

001, 009, 059, 072, 105, 147, 171, 262, 264, 440, 455, 458, 461, 534
(0.79, 0.70, 3.24)

Solidification (conventional)

002, 010, 100, 364, 375, 376, 387, 390, 474, 515
(0.72, 0.30, 2.31)

SOL-GEL Systems

119, 225, 235, 244, 275
(0.32, 0.43, 1.16)

Solidification (rapid)

002, 046, 107, 110, 190, 191, 236, 241, 363, 369, 376, 444, 446, 455
536, 560, 565
(1.00, 0.98, 3.94)

Surface Phenomena: Chemisorption (binding energy greater than 1eV)

001, 014, 074, 078, 081, 125, 128, 132, 148, 160, 162, 163, 164, 174
220, 239, 351, 357, 367, 368, 379, 385, 415, 422, 426, 456, 459, 461
478, 479, 481, 485, 495, 502, 509, 510, 533, 535, 538, 556, 568
(2.62, 1.91, 9.49)

Surface Phenomena: Physiosorption (binding energy less than 1eV)
019, 048, 060, 077, 081, 082, 132, 163, 279, 282, 364, 367, 385, 415
459, 479, 492, 495, 502, 510, 533
(1.20, 1.10, 4.86)

Surface Phenomena: Structure
013, 019, 050, 052, 058, 109, 126, 128, 158, 163, 173, 174, 236, 239
262, 279, 291, 351, 368, 385, 395, 403, 412, 414, 415, 416, 433, 444
455, 478, 479, 481, 482, 491, 492, 495, 502, 512, 522, 530, 547, 556
559, 568
(2.62, 1.93, 10.19)

Surface Phenomena: Thin Films (also see Coatings in this index)
046, 048, 049, 050, 053, 055, 070, 081, 111, 125, 131, 132, 154, 158
160, 167, 169, 173, 227, 242, 245, 265, 279, 290, 292, 295, 351, 353
361, 364, 368, 378, 390, 395, 415, 450, 459, 473, 477, 483, 497, 511
514, 535, 540, 543, 547, 565, 567, 568, 605, 606
(3.87, 3.75, 12.04)

Short-range Atomic Ordering
050, 163, 173, 220, 221, 243, 261, 263, 362, 488, 502, 511, 546, 551
556
(0.88, 0.63, 3.47)

Superconductivity
003, 013, 015, 020, 041, 045, 047, 048, 050, 055, 056, 073, 154, 155
157, 158, 159, 170, 201, 205, 206, 236, 238, 353, 363, 371, 399, 404
405, 417, 449, 450, 505, 525, 526, 545, 548, 557
(2.55, 2.35, 8.80)

Thermodynamics (also see Critical Phenomena and Phase Transformations in this index)
005, 023, 057, 074, 140, 145, 146, 159, 164, 170, 190, 201, 208, 244
364, 376, 380, 381, 383, 384, 387, 389, 397, 413, 426, 448, 450, 451
472, 478, 480, 508, 517, 537, 549, 550, 551, 557, 562, 564, 566, 603
(2.94, 1.50, 9.72)

Transformation Toughening (metals and ceramics - see Martensitic Transformation and Transformation Toughening in this index)
141, 383, 419, 434, 435, 443, 480, 508, 537
(0.32, 0.15, 2.08)

Valence Fluctuations
014, 047, 155, 159, 166, 205, 371, 404, 484
(0.53, 0.53, 2.08)

Wear

132, 141, 227, 378
(0.16, 0.27, 0.93)

Welding

100, 171, 226, 387, 451, 503, 515
(0.53, 0.30, 1.62)

ENVIRONMENT

Aqueous

059, 105, 119, 122, 160, 171, 246, 262, 263, 275, 351, 351, 378, 382
390, 436, 455, 502, 516, 540
(3.59, 2.61, 4.63)

Gas: Hydrogen

004, 007, 016, 074, 113, 114, 115, 117, 144, 147, 162, 233, 290, 291
292, 411, 426, 432, 441, 464, 478, 503
(3.82, 2.44, 5.09)

Gas: Oxidizing

043, 117, 147, 224, 260, 290, 292, 295, 351, 366, 367, 393, 414, 428
429, 441, 446, 461, 464, 473, 611
(2.85, 1.57, 4.86)

Gas: Sulphur-Containing

043, 260, 290, 461, 464
(0.44, 0.36, 1.16)

High Pressure

011, 015, 017, 018, 059, 075, 076, 079, 130, 159, 163, 204, 230, 246
276, 371, 389, 399, 401, 450, 471, 478, 484, 488, 508, 517, 561
(3.17, 3.03, 6.25)

Magnetic Fields

008, 015, 020, 041, 045, 047, 054, 073, 075, 076, 082, 121, 155, 156
159, 168, 170, 209, 230, 238, 371, 374, 444, 449, 450, 459, 475, 477
557
(3.63, 3.94, 6.71)

Radiation: Electrons

078, 123, 143, 157, 168, 263, 351, 365, 447, 498, 533
(1.27, 1.78, 2.55)

Radiation: Gamma Ray and Photons

017, 050, 053, 054, 056, 060, 166, 168, 192, 221, 238, 246, 264, 295
365, 368, 425, 464, 478, 615
(2.18, 2.76, 4.63)

Radiation: Ions

060, 106, 200, 223, 227, 240, 241, 263, 277, 355, 369, 373, 447, 498
536
(2.22, 3.38, 3.47)

Radiation: Neutrons

004, 055, 056, 106, 127, 172, 200, 203, 221, 223, 238, 244, 246, 263
264, 369, 417, 447, 471, 493, 539
(2.62, 4.16, 4.86)

Radiation: Theory (use Theory: Defects and Radiation Effects in the Techniques index)

042, 106, 263, 491
(0.58, 0.89, 0.93)

Temperatures: Extremely High (above 1200degK)

003, 006, 010, 011, 021, 022, 041, 046, 079, 150, 153, 154, 156, 166
204, 224, 245, 260, 290, 292, 360, 366, 389, 397, 401, 440, 442, 471
472, 473, 478, 508, 539, 550, 552
(5.32, 5.04, 8.10)

Temperatures: Cryogenic (below 77degK)

008, 011, 015, 020, 041, 046, 047, 048, 049, 055, 056, 058, 073, 075
076, 077, 078, 079, 081, 121, 123, 124, 127, 128, 129, 155, 157, 158
159, 170, 171, 204, 206, 208, 230, 238, 246, 276, 353, 364, 370, 371
374, 390, 409, 426, 431, 450, 463, 475, 478, 484, 525, 546
(7.45, 8.08, 12.50)

Vacuum: High (better than 10**9 Torr)

010, 014, 041, 048, 049, 050, 053, 054, 060, 109, 125, 163, 168, 173
192, 239, 240, 279, 395, 412, 429, 438, 459, 492, 495, 556
(4.21, 4.72, 6.02)

MAJOR FACILITIES: OPERATIONS

Pulsed Neutron Sources (Operations)

061, 203, 207, 211
(0.93, 5.15, 0.93)

Steady State Neutron Sources (Operations)

084, 246
(0.46, 8.15, 0.46)

Synchrotron Radiation Sources (Operations)

050, 085
(0.46, 7.98, 0.46)

UNITED STATES
DEPARTMENT OF ENERGY
WASHINGTON, D.C. 20545

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

ER-13