NUREG-0540
Vol. 20, No. 2

Title List of Documents Made Publicly Available

RECEIVED
MAY 0 5 1998
OSTI

February 1–28, 1998

U.S. Nuclear Regulatory Commission

Office of the Chief Information Officer

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555-0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402-9328
3. The National Technical Information Service, Springfield, VA 22161-0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852-2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.

A year's subscription of this report consists of 12 monthly issues.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible electronic image products. Images are produced from the best available original document.

NUREG-0540
Vol. 20, No. 2

Title List of Documents Made Publicly Available

February 1–28, 1998

Date Published: April 1998

E. B. Morris, NRC Project Manager

Office of the Chief Information Officer
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001



CONTENTS

Page

Preface v
Arrangement of Items by Docket Number xi
Alphabetic Arrangement of Docket Items by Facility Name xvii
Docketed Items 1
- Domestic Licensing of Source Material — Docket 40 1
- Domestic Licensing of Production and Utilization Facilities —Docket 50 7
- Standardized Nuclear Power Plant Design — Docket 52 140
- Domestic Licensing of Special Nuclear Material —Docket 70 139
- Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 147
- Licensing of Independent Spent Fuel Storage — Docket 72 149

Nondocketed Items 155
- 10 CFR — Commission Meeting Transcripts and Reports 155
- ACRS — Advisory Committee on Reactor Safeguards Documents 155
- ADVCM — NRC Advisory Committees 156
- COMMISSION — NRC Commissioner Correspondence 156
- CONTRACT — NRC Contracts and Grants 157
- FOIA — Freedom of Information Act Requests and Appeals 159
- GEN TECH IS — Generic Technical Issues 162
- I&E — Inspection and Enforcement Issuances 162
- MISC— Public Document Room Miscellaneous 163
- NUREG—NUREG Reports and Related Correspondence 163
- ORG — Organizations 165
- PR — Proposed and Final Rules 168
- PRM — Petition for Rulemaking 169
- PROJ — Projects 170
- PT21 — 10 CFR Part 21 Deficiency Reports 171
- QA999 — Vendor Quality Assurance Inspections 172
- REG CERT — Registration of Certificates for Sealed Sources and Devices 172
- REGGD — Regulatory Guides 172
- REVIEW GRP — Review Groups 173
- SECY — Staff Position Papers Prepared for the Commission 174
- STATE PROG — State Programs 175

CONTENTS

Page

TOPREP — Topical Reports and Related Correspondence 180
WASTE MGMT — Waste Management Documents 182
XPORT — Export and Import Licenses 184
Personal Author Index 187
Corporate Source Index 201
Report Number Index 215
Cross Reference of Enclosures to Principal Documents 217
Appendix A — Definitions of Docket 50 Categories . . . . . A - 1
Appendix B — Definitions of Nondocketed Categories . . . . . B - 1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It describes the information received and published by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and published by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR). Duplicate copies in paper, microfiche, or (selectively) diskette, may be obtained for a fee.

Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System (BRS), which is accessible both at the PDR and remotely. BRS also has some types of documents in full text. Other recent, selected documents, as well as information about the PDR, may be viewed/downloaded from an electronic bulletin board. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the database. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS


Each utility or institution engaged in a nuclear activity licensed and regulated by the U.S. Nuclear Regulatory Commission (NRC) is assigned a docket number. As used by NRC, docket numbers refer to the particular system by which NRC maintains its regulatory records, not to law court dockets. The first two digits of a docket number identify the type of nuclear activity that NRC regulates. These docket categories are as follows:

- 27 – Low-Level Radioactive Waste Disposal Sites
- 30 – Nuclear or Byproduct Material Licenses
- 40 – Nuclear Source Material Facilities
- 50 – Nuclear Reactors and Fuel Reprocessing Plants
- 52 – Standard Design Certifications, Early Site Permits, and Combined Licenses for Nuclear Power Plants
- 70 – Special Nuclear Materials

71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

72 – Independent Spent Fuel Storage Installations

Except for Docket 27, these numbers correspond to the parts of Title 10 in the *Code of Federal Regulations* (10 CFR) that cover regulations pertaining to those types of licenses. The remaining digits of a docket number uniquely identify a specific facility or institution. For example, Docket 50-317 identifies the Calvert Cliffs Nuclear Power Plant, Unit 1.



1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.
11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (job code) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are as follows:

10CFR—Commission Meeting Records

ACRS—Advisory Committee on Reactor Safeguards

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Releases

GEN TECH IS—Generic Technical Issues

IE—Inspection and Enforcement Issuances

MISC—Public Document Room Miscellaneous

NUREG—NRC-Issued Formal Reports and Related Correspondence

ORG—Organizational File

PR—Proposed Rules

PRESS—Press Releases

PRM—Petitions for Rulemaking

PROJ—Projects

PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections

RC—Registry Certificate SSD

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports

REVIEW GRP—Research Review Groups

RM—Rulemakings

SECY—Staff Position Papers Before the Commission

SPEECHES—Speeches

STATE PROG—State Programs

TOPREP—Vendor Topical Reports and Correspondence

WASH—AEC-Issued Formal Reports and Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Documents

XPORTLIC—Exports and Import Licenses

Appendix B lists these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are—

(1) NUREG—NRC-Issued Formal Reports and Related Correspondence

(2) 8910100307 (3) NUREG/CR-5340 (4) DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2

(5) OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. (6) Oak Ridge National Laboratory.

(7) FIN B-0127. (8) ORNL/TM-11105. (9) 89/09/30. (10) Division of Systems Research (Post 880717). (11) 69 pp.

(12) 51409:065-(13) 51409:134. (14) (15)

NONDOCKETED ITEMS (cont.)

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

Ordering and Viewing Documents:

1. The address for GPO is:

   Superintendent of Documents
   U.S. Government Printing Office
   P.O. Box 37082
   Washington, DC 20402–9328

To place orders, send a check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202–512–2249.

2. The address for NTIS is:

   National Technical Information Service
   5285 Port Royal Road
   Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at 703–487–4650. Specify the NRC report number and title when you place your order. You may charge publications to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is:

   2120 L Street, NW.
   Washington, DC

   The mailing address is:

   U.S. Nuclear Regulatory Commission
   Public Document Room
   Mail Stop LL–6
   Washington, DC 20555–0001

   Telefacsimile

   202–634–3343

   Telephone

   202–634–3273 or 1–800–397–4209

   Internet e-mail

   PDR@NRC.GOV

For more information about PDR services, for reference assistance, to place an order for

documents, or to arrange for access to the PDR computer retrieval system, write, e–mail, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, may be obtained from the PDR.

To access the PDR electronic bulletin board on FedWorld, contact the FedWorld Help Desk at 703–487–4086.

1

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page
DOCKET	UNKNOWN	1
Domestic Licensing of Source Material - Docket 40		
40-0235	FROME INVESTMENT CO. (BROOKS & PERKINS CORP.) -	1
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	1
40-2061	KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK	1
40-2384	RMI CO., ASHTABULA, OH	1
40-3453	ATLAS CORP., DENVER, CO	1
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	2
40-6377	ARMY, DEPT. OF, DOVER, NJ	2
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	2
40-6940	CABOT CORP., BOYERTOWN, PA	2
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	2
40-7397	FOOTE MINERAL CO., EXTON, PA	2
40-7455	WHITTAKER CORP., LOS ANGELES, CA	2
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	2
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	2
40-8027	SEQUOYAH FUELS CORP., GORE, OK	2
40-8084	RIO ALGOM MINING CORP., MOAB, UT	2
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	2
40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	2
40-8681	INTERNATIONAL URANIUM USA CORP.	2
40-8698	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	3
40-8702	ARMY, DEPT. OF, ROCK ISLAND, IL	3
40-8724	CHEMETRON CORP., PROVIDENCE, RI	3
40-8767	LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO	3
40-8857	POWER RESOURCES, INC., GLENROCK, WY	3
40-8903	HOMESTAKE MINING CO., GRANTS, NM	3
40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	3
40-8905	QUIVIRA MINING CO., GRANTS, NM	3
40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	3
40-8940	ALPHA Q, INC., COLCHESTER, CT	3
40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	4
40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	4
40-8964	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	4
40-8968	HYDRO RESOURCES, INC., DALLAS, TX	4
40-8976	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	6
40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	6
40-8994	ARMY, DEPT. OF, WARREN, MI	6
40-9015	HARTLEY & HARTLEY LANDFILL (MDNR), BAY COUNTY, MI	6
40-9024	ENERGY FUELS NUCLEAR	7
Domestic Licensing of Production and Utilization Facilities - Docket 50		
50-2	FORD NUCLEAR REACTOR	7
50-3	INDIAN POINT STATION, UNIT 1	7
50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	7
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	7
50-16	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	7
50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	8
50-22	WESTINGHOUSE TEST REACTOR	8
50-29	YANKEE-ROWE NUCLEAR POWER STATION	8
50-30	PLUM BROOK RESEARCH REACTOR FACILITY	8
50-54	CINTICHEM	8
50-57	BUFFALO MATERIALS RESEARCH CENTER	9
50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	9
50-116	IOWA STATE UNIV. RESEARCH REACTOR	9
50-128	TEXAS A&M TRIGA RESEARCH REACTOR	9
50-131	OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR	9
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	9
50-134	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	9
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	9
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	9
50-155	BIG ROCK POINT NUCLEAR PLANT	10

Docket	Name	Page
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	10
50-166	UNIV. OF MARYLAND RESEARCH REACTOR	10
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	10
50-184	NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	10
50-185	PLUM BROOK REACTOR - MOCK-UP	11
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	11
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	11
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	11
50-213	HADDAM NECK PLANT	11
50-219	OYSTER CREEK NUCLEAR POWER PLANT	13
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	13
50-223	UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	14
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	14
50-243	OREGON STATE UNIV. RESEARCH REACTOR	15
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	15
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	16
50-247	INDIAN POINT STATION, UNIT 2	19
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	20
50-250	TURKEY POINT PLANT, UNIT 3	21
50-251	TURKEY POINT PLANT, UNIT 4	22
50-254	QUAD-CITIES STATION, UNIT 1	22
50-255	PALISADES NUCLEAR PLANT	24
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	25
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	26
50-261	H.B. ROBINSON PLANT, UNIT 2	27
50-263	MONTICELLO NUCLEAR GENERATING PLANT	27
50-264	DOW CHEMICAL CO.	28
50-265	QUAD-CITIES STATION, UNIT 2	28
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	30
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	31
50-269	OCONEE NUCLEAR STATION, UNIT 1	32
50-270	OCONEE NUCLEAR STATION, UNIT 2	34
50-271	VERMONT YANKEE NUCLEAR POWER STATION	35
50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	36
50-274	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	37
50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	37
50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	38
50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	39
50-280	SURRY POWER STATION, UNIT 1	40
50-281	SURRY POWER STATION, UNIT 2	40
50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	41
50-285	FORT CALHOUN STATION, UNIT 1	42
50-286	INDIAN POINT STATION, UNIT 3	44
50-287	OCONEE NUCLEAR STATION, UNIT 3	45
50-288	REED COLLEGE RESEARCH REACTOR	46
50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	46
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	47
50-295	ZION NUCLEAR POWER STATION, UNIT 1	47
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	49
50-298	COOPER NUCLEAR STATION	49
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	50
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	51
50-304	ZION NUCLEAR POWER STATION, UNIT 2	54
50-305	KEWAUNEE NUCLEAR POWER PLANT	55
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	55
50-309	MAINE YANKEE ATOMIC POWER PLANT	56
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	57
50-312	RANCHO SECO NUCLEAR GENERATING STATION	58
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	59
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	60
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	61
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	61
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	62
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	63
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	64
50-322	SHOREHAM NUCLEAR POWER STATION	64

Docket	Name	Page
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	65
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	65
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	67
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	68
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	69
50-329	MIDLAND PLANT, UNIT 1	70
50-330	MIDLAND PLANT, UNIT 2	70
50-331	DUANE ARNOLD ENERGY CENTER	71
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	71
50-334	BEAVER VALLEY POWER STATION, UNIT 1	73
50-335	ST. LUCIE PLANT, UNIT 1	74
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	75
50-338	NORTH ANNA POWER STATION, UNIT 1	79
50-339	NORTH ANNA POWER STATION, UNIT 2	80
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	81
50-344	TROJAN NUCLEAR PLANT	82
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	83
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	84
50-352	LIMERICK GENERATING STATION, UNIT 1	86
50-353	LIMERICK GENERATING STATION, UNIT 2	87
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	87
50-355	HOPE CREEK NUCLEAR STATION, UNIT 2	88
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	88
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	89
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	90
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	91
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	92
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	93
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	93
50-373	LASALLE COUNTY STATION, UNIT 1	94
50-374	LASALLE COUNTY STATION, UNIT 2	96
50-382	WATERFORD GENERATING STATION, UNIT 3	98
50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	99
50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	100
50-389	ST. LUCIE PLANT, UNIT 2	101
50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	102
50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	103
50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	104
50-397	WPPSS NUCLEAR PROJECT, UNIT 2	105
50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	105
50-407	UNIV. OF UTAH RESEARCH REACTOR	106
50-409	LA CROSSE BOILING WATER REACTOR	106
50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	107
50-412	BEAVER VALLEY POWER STATION, UNIT 2	108
50-413	CATAWBA NUCLEAR STATION, UNIT 1	109
50-414	CATAWBA NUCLEAR STATION, UNIT 2	110
50-416	GRAND GULF NUCLEAR STATION, UNIT 1	111
50-417	GRAND GULF NUCLEAR STATION, UNIT 2	112
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	112
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	116
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	117
STN-50-437	FLOATING NUCLEAR PLANT	118
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	118
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	118
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	118
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	119
50-443	SEABROOK NUCLEAR STATION, UNIT 1	120
50-444	SEABROOK NUCLEAR STATION, UNIT 2	121
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	121
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	122
STN-50-454	BYRON STATION, UNIT 1	123
STN-50-455	BYRON STATION, UNIT 2	124
STN-50-456	BRAIDWOOD STATION, UNIT 1	126
STN-50-457	BRAIDWOOD STATION, UNIT 2	127
50-458	RIVER BEND STATION, UNIT 1	129
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	130
50-461	CLINTON POWER STATION, UNIT 1	130

Docket	Name	Page
STN-50-482	WOLF CREEK GENERATING STATION	131
STN-50-483	CALLAWAY PLANT, UNIT 1	132
STN-50-485	STERLING POWER NUCLEAR PROJECT, UNIT 1	133
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	133
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	134
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	136
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	136
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	137
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	138
50-537	CLINCH RIVER BREEDER REACTOR	138
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	139
DOCKET	UNKNOWN	140

Domestic Licensing of Special Nuclear Material - Docket 70

70-0026	WESTINGHOUSE ELECTRIC CO.	141
70-0027	BMX TECHNOLOGIES, INC.	141
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	141
70-0048	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	141
70-0133	CLEVITE CORP., CLEVELAND, OH	141
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	141
70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	142
70-0368	NAVY, DEPT. OF, ANNAPOLIS, MD	142
70-0638	CARLETON COLLEGE, NORTHFIELD, MN	142
70-0687	CINTICHEM, INC., TUXEDO, NY	142
70-0698	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	142
70-0701	XAVIER UNIV., CINCINNATI, OH	142
70-0734	GENERAL ATOMICS, SAN DIEGO, CA	142
70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	143
70-0893	FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL	143
70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	143
70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	143
70-1143	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	143
70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	143
70-1201	FRAMATOME COGEMA FUELS, LYNCHBURG, VA.	144
70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	144
70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	144
70-1278	ARMY, DEPT. OF, DENVER, CO	144
70-1362	HAHNEMANN MEDICAL COLLEGE & HOSP., PHILADELPHIA, PA	144
70-1503	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	145
70-1795	GEORGE WASHINGTON UNIV., WASHINGTON, DC	145
70-2427	JOHN F. KENNEDY MEMORIAL HOSP., STRATFORD, NJ	145
70-2928	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	145
70-3020	NUCLEAR ASSURANCE CORP., NORCROSS, GA	145
70-3061	IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY	145
70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	145
70-3077	MEDICAL COLLEGE HOSPS., PHILADELPHIA, PA	145
70-3085	B&W SHALLOW LAND DISPOSAL AREA (SLDA), PARKS TOWNSHIP,	145
70-3091	DOE HANFORD TANK WASTE REMEDIATION SYSTEM	145
70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	145
70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	146
DOCKET	UNKNOWN	147

Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71

71-0003	SIEMENS NUCLEAR POWER CORP.	147
71-0102	SOURCE PRODUCTION & EQUIPMENT CO., INC.	147
71-0192	PACIFIC NUCLEAR SYSTEMS, INC.	147
71-0231	CHEM-NUCLEAR SYSTEMS, INC.	147
71-0250	TRANSNUCLEAR, INC.	147
71-0545	TN TECHNOLOGIES, INC.	147
71-0638	WESTINGHOUSE ELECTRIC CORP.	147
71-0641	UNITED STATES TESTING CO., INC.	147
71-0708	WESTINGHOUSE ELECTRIC CORP.	147
71-0755	ARMY, DEPT. OF	147
71-0757	WELDTEK TESTING LABS., INC.	147
71-0784	HOLTEC INTERNATIONAL	147
71-0844	UNIVERSITY OF MISSOURI-ROLLA	147
71-3010	MODEL: NT-IX, TRANSPORTATION, DEPT. OF	147

Docket	Name	Page
71-3035	MODEL: JRC-80Y-20T (JAPANESE) CASK, TRANSPORTATION,	147
71-3042	MODEL: NF1-V	148
71-4909	MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	148
71-5149	MODEL: 814A, BABCOCK & WILCOX CO.	148
71-6078	MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	148
71-6206	MODEL: MODEL B, B&W FUEL CO.	148
71-6400	MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.	148
71-9010	MODEL: NLI-1/2, NAC INTERNATIONAL	148
71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	148
71-9070	MODEL: N-55, NUCLEAR PACKAGING, INC.	148
71-9143	MODEL: 920, AMERSHAM CORP.	148
71-9145	MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC	148
71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	148
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	148
71-9167	MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.	148
71-9184	MODEL: PAS-1, NUCLEAR PACKAGING, INC.	148
71-9185	MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	148
71-9196	MODEL: UX-30, NUCLEAR PACKAGING, INC.	148
71-9217	MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	148
71-9225	MODEL: NAC-LWT, NAC INTERNATIONAL	149
71-9228	MODEL: 2000, GENERAL ELECTRIC CO.	149
71-9233	MODEL: TN-RAM, TRANSNUCLEAR, INC.	149
71-9235	MODEL: NAC-STC, NAC INTERNATIONAL	149
71-9239	MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	149
71-9249	MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,	149
71-9250	MODEL: NNFD 5X22, BABCOCK & WILCOX CO.	149
71-9255	MODEL: MP-187, VECTRA TECHNOLOGIES	149
71-9261	MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	149
71-9268	MODEL: TRANSTOR SIERRA NUCLEAR CORP.	149
71-9269	MODEL: 650L	149
71-9280	MODEL: UBE-1	149
DOCKET	UNKNOWN	149

Licensing of Independent Spent Fuel Storage - Docket 72

72-0002	SURRY ISFSI 50-280 & 50-281	149
72-0004	OCONEE ISFSI, 50-269, 50-270 & 50-287	150
72-0005	POINT BEACH ISFSI GEN LIC, 50-266 & 50-301	150
72-0007	PALISADES ISFSI GEN LIC, 50-255	150
72-0008	CALVERT CLIFFS ISFSI, 50-317 & 50-318	150
72-0009	FORT ST. VRAIN ISFSI, 50-267	150
72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	150
72-0013	ARKANSAS NUCLEAR ONE, ISFSI GEN LIC, 50-313 & 50-368	150
72-0014	DAVIS BESSE ISFSI GEN LIC, 50-346	150
72-0016	NORTH ANNA ISFSI - 50-338 & 50-339	150
72-0017	TROJAN ISFSI, 50-344	151
72-0020	INEL TMI-2 ISFSI	151
72-0022	MODEL: PRIVATE FUEL STORAGE FACILITY	151
72-1001	CASK: MC-10, WESTINGHOUSE ELECTRIC CORP.	152
72-1004	CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.	152
72-1007	CASK: VSC-24, SIERRA NUCLEAR, INC.	152
72-1008	CASK: HI-STAR 100, HOLTEC INTERNATIONAL	153
72-1014	CASK: HI-STORM 100, HOLTEC INTERNATIONAL	153
72-1015	CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC.	153
72-1022	CASK: NUHOMS-7P, VECTRA TECHNOLOGIES, INC.	153
72-1023	CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP.	153
72-1025	CASK: NAC-MPC	153
72-1026	MODEL: MPC-TRANSPORTABLE STORAGE SYSTEM DESIGN	153

2

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page
Domestic Licensing of Source Material - Docket 40		
ALPHA Q, INC., COLCHESTER, CT	40-8940	3
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	2
ARMY, DEPT. OF, DOVER, NJ	40-6377	2
ARMY, DEPT. OF, ROCK ISLAND, IL	40-8702	3
ARMY, DEPT. OF, WARREN, MI	40-8994	6
ATLAS CORP., DENVER, CO	40-3453	1
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	2
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	2
CABOT CORP., BOYERTOWN, PA	40-6940	2
CHEMETRON CORP., PROVIDENCE, RI	40-8724	3
ENERGY FUELS NUCLEAR	40-9024	7
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	6
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	2
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	4
FOOTE MINERAL CO., EXTON, PA	40-7397	2
FROME INVESTMENT CO. (BROOKS & PERKINS CORP.) -	40-0235	1
HARTLEY & HARTLEY LANDFILL (MDNR), BAY COUNTY, MI	40-9015	6
HOMESTAKE MINING CO., GRANTS, NM	40-8903	3
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	4
INTERNATIONAL URANIUM USA CORP.	40-8681	2
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	2
KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK	40-2061	1
LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO	40-8767	3
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	2
PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8698	3
POWER RESOURCES, INC., GLENROCK, WY	40-8857	3
QUIVIRA MINING CO., GRANTS, NM	40-8905	3
RIO ALGOM MINING CORP., MOAB, UT	40-8084	2
RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	40-8964	4
RMI CO., ASHTABULA, OH	40-2384	1
SEQUOYAH FUELS CORP., GORE, OK	40-8027	2
SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	4
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	2
SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	3
UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	3
WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	1
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	40-8976	6
WHITTAKER CORP., LOS ANGELES, CA	40-7455	2
Domestic Licensing of Production and Utilization Facilities - Docket 50		
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	116
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	117
ARKANSAS NUCLEAR ONE, UNIT 1	50-313	59
ARKANSAS NUCLEAR ONE, UNIT 2	50-368	92
BEAVER VALLEY POWER STATION, UNIT 1	50-334	73
BEAVER VALLEY POWER STATION, UNIT 2	50-412	108
BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	118
BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	118
BIG ROCK POINT NUCLEAR PLANT	50-155	10
BRAIDWOOD STATION, UNIT 1	STN-50-456	126
BRAIDWOOD STATION, UNIT 2	STN-50-457	127
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	25
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	26
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	49
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	67
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	65
BUFFALO MATERIALS RESEARCH CENTER	50-57	9
BYRON STATION, UNIT 1	STN-50-454	123
BYRON STATION, UNIT 2	STN-50-455	124
CALLAWAY PLANT, UNIT 1	STN-50-483	132
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	61
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	62
CATAWBA NUCLEAR STATION, UNIT 1	50-413	109
CATAWBA NUCLEAR STATION, UNIT 2	50-414	110
CINTICHEM	50-54	8
CLINCH RIVER BREEDER REACTOR	50-537	138
CLINTON POWER STATION, UNIT 1	50-461	130
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	121
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	122

Name	Docket	Page
COOPER NUCLEAR STATION	50-298	49
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	51
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	83
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	37
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	65
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	60
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	61
DOW CHEMICAL CO.	50-264	28
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	7
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	14
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	20
DUANE ARNOLD ENERGY CENTER	50-331	71
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	64
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	91
ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	50-16	7
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	81
FLOATING NUCLEAR PLANT	STN-50-437	118
FORD NUCLEAR REACTOR	50-2	7
FORT CALHOUN STATION, UNIT 1	50-285	42
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	31
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	9
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	10
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	111
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	112
H.B. ROBINSON PLANT, UNIT 2	50-261	27
HADDAM NECK PLANT	50-213	11
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	87
HOPE CREEK NUCLEAR STATION, UNIT 2	50-355	88
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	9
INDIAN POINT STATION, UNIT 1	50-3	7
INDIAN POINT STATION, UNIT 2	50-247	19
INDIAN POINT STATION, UNIT 3	50-286	44
IOWA STATE UNIV. RESEARCH REACTOR	50-116	9
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	71
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	84
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	90
KEWAUNEE NUCLEAR POWER PLANT	50-305	55
LA CROSSE BOILING WATER REACTOR	50-409	106
LASALLE COUNTY STATION, UNIT 1	50-373	94
LASALLE COUNTY STATION, UNIT 2	50-374	96
LIMERICK GENERATING STATION, UNIT 1	50-352	86
LIMERICK GENERATING STATION, UNIT 2	50-353	87
MAINE YANKEE ATOMIC POWER PLANT	50-309	56
MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	8
MIDLAND PLANT, UNIT 1	50-329	70
MIDLAND PLANT, UNIT 2	50-330	70
MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	16
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	75
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	112
MONTICELLO NUCLEAR GENERATING PLANT	50-263	27
NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	50-184	10
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	13
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	107
NORTH ANNA POWER STATION, UNIT 1	50-338	79
NORTH ANNA POWER STATION, UNIT 2	50-339	80
OCONEE NUCLEAR STATION, UNIT 1	50-269	32
OCONEE NUCLEAR STATION, UNIT 2	50-270	34
OCONEE NUCLEAR STATION, UNIT 3	50-287	45
OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR	50-131	9
OREGON STATE UNIV. RESEARCH REACTOR	50-243	15
OYSTER CREEK NUCLEAR POWER PLANT	50-219	13
PALISADES NUCLEAR PLANT	50-255	24
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	136
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	137
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	138
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	10
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	38
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	39
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	7
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	118
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	119

Name	Docket	Page
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	47
PLUM BROOK REACTOR - MOCK-UP	50-185	11
PLUM BROOK RESEARCH REACTOR FACILITY	50-30	8
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	30
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	50
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	41
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	55
QUAD-CITIES STATION, UNIT 1	50-254	22
QUAD-CITIES STATION, UNIT 2	50-265	28
RANCHO SECO NUCLEAR GENERATING STATION	50-312	58
REED COLLEGE RESEARCH REACTOR	50-288	46
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	11
RIVER BEND STATION, UNIT 1	50-458	129
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	15
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	36
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	57
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	11
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	88
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	89
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	9
SEABROOK NUCLEAR STATION, UNIT 1	50-443	120
SEABROOK NUCLEAR STATION, UNIT 2	50-444	121
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	68
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	69
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	105
SHOREHAM NUCLEAR POWER STATION	50-322	64
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	133
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	134
ST. LUCIE PLANT, UNIT 1	50-335	74
ST. LUCIE PLANT, UNIT 2	50-389	101
STERLING POWER NUCLEAR PROJECT, UNIT 1	STN-50-485	133
SURRY POWER STATION, UNIT 1	50-280	40
SURRY POWER STATION, UNIT 2	50-281	40
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	99
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	100
TEXAS A&M TRIGA RESEARCH REACTOR	50-128	9
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	46
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	63
TROJAN NUCLEAR PLANT	50-344	82
TURKEY POINT PLANT, UNIT 3	50-250	21
TURKEY POINT PLANT, UNIT 4	50-251	22
U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	50-274	37
UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	9
UNIV. OF MARYLAND RESEARCH REACTOR	50-166	10
UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	11
UNIV. OF UTAH RESEARCH REACTOR	50-407	106
UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	50-223	14
VERMONT YANKEE NUCLEAR POWER STATION	50-271	35
VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	104
WATERFORD GENERATING STATION, UNIT 3	50-382	98
WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	102
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	103
WESTINGHOUSE TEST REACTOR	50-22	8
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	93
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	93
WOLF CREEK GENERATING STATION	STN-50-482	131
WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	50-134	9
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	130
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	105
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	136
YANKEE-ROWE NUCLEAR POWER STATION	50-29	8
ZION NUCLEAR POWER STATION, UNIT 1	50-295	47
ZION NUCLEAR POWER STATION, UNIT 2	50-304	54
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	139

Domestic Licensing of Special Nuclear Material - Docket 70

ARMY, DEPT. OF, DENVER, CO	70-1278	144
B&W SHALLOW LAND DISPOSAL AREA (SLDA), PARKS TOWNSHIP,	70-3085	145
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	142
BMX TECHNOLOGIES, INC.	70-0027	141
CARLETON COLLEGE, NORTHFIELD, MN	70-0638	142
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	143

Name	Docket	Page
CINTICHEM, INC., TUXEDO, NY	70-0687	142
CLEVITE CORP., CLEVELAND, OH	70-0133	141
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	141
DOE HANFORD TANK WASTE REMEDIATION SYSTEM	70-3091	145
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	144
FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL	70-0893	143
FRAMATOME COGEMA FUELS, LYNCHBURG, VA.	70-1201	144
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	142
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	143
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	143
GEORGE WASHINGTON UNIV., WASHINGTON, DC	70-1795	145
HAHNEMANN MEDICAL COLLEGE & HOSP., PHILADELPHIA, PA	70-1362	144
IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY	70-3061	145
JOHN F. KENNEDY MEMORIAL HOSP., STRATFORD, NJ	70-2427	145
KERR-MCGEE CORP., OKLAHOMA CITY, OK	70-3073	145
MEDICAL COLLEGE HOSPS., PHILADELPHIA, PA	70-3077	145
NAVY, DEPT. OF, ANNAPOLIS, MD	70-0368	142
NUCLEAR ASSURANCE CORP., NORCROSS, GA	70-3020	145
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	141
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	144
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2928	145
U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	145
U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	70-7002	146
WESTINGHOUSE ELECTRIC CO.	70-0026	141
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1143	143
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	143
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1503	145
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0698	142
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0048	141
XAVIER UNIV., CINCINNATI, OH	70-0701	142

Name	Docket	Page
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
ARMY, DEPT. OF	71-0755	147
CHEM-NUCLEAR SYSTEMS, INC.	71-0231	147
HOLTEC INTERNATIONAL	71-0784	147
MODEL: 2000, GENERAL ELECTRIC CO.	71-9228	149
MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.	71-9167	148
MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.	71-6400	148
MODEL: 650L	71-9269	149
MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	148
MODEL: 814A, BABCOCK & WILCOX CO.	71-5149	148
MODEL: 920, AMERSHAM CORP.	71-9143	148
MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	71-6078	148
MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	71-9217	148
MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,	71-9249	149
MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	71-4909	148
MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	71-9261	149
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	148
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	148
MODEL: JRC-80Y-20T (JAPANESE) CASK, TRANSPORTATION,	71-3035	147
MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	71-9239	149
MODEL: MODEL B, B&W FUEL CO.	71-6206	148
MODEL: MP-187, VECTRA TECHNOLOGIES	71-9255	149
MODEL: N-55, NUCLEAR PACKAGING, INC.	71-9070	148
MODEL: NAC-LWT, NAC INTERNATIONAL	71-9225	149
MODEL: NAC-STC, NAC INTERNATIONAL	71-9235	149
MODEL: NF1-V	71-3042	148
MODEL: NLI-1/2, NAC INTERNATIONAL	71-9010	148
MODEL: NNFD 5X22, BABCOCK & WILCOX CO.	71-9250	149
MODEL: NT-IX, TRANSPORTATION, DEPT. OF	71-3010	147
MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC	71-9145	148
MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	71-9185	148
MODEL: PAS-1, NUCLEAR PACKAGING, INC.	71-9184	148
MODEL: TN-RAM, TRANSNUCLEAR, INC.	71-9233	149
MODEL: TRANSTOR SIERRA NUCLEAR CORP.	71-9268	149

Name	Docket	Page
MODEL: UBE-1	71-9280	149
MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-9196	148
PACIFIC NUCLEAR SYSTEMS, INC.	71-0192	147
SIEMENS NUCLEAR POWER CORP.	71-0003	147
SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-0102	147
TN TECHNOLOGIES, INC.	71-0545	147
TRANSNUCLEAR, INC.	71-0250	147
UNITED STATES TESTING CO., INC.	71-0641	147
UNIVERSITY OF MISSOURI-ROLLA	71-0844	147
WELDTEK TESTING LABS., INC.	71-0757	147
WESTINGHOUSE ELECTRIC CORP.	71-0638	147
WESTINGHOUSE ELECTRIC CORP.	71-0708	147
Licensing of Independent Spent Fuel Storage - Docket 72		
ARKANSAS NUCLEAR ONE, ISFSI GEN LIC, 50-313 & 50-368	72-0013	150
CALVERT CLIFFS ISFSI, 50-317 & 50-318	72-0008	150
CASK: HI-STAR 100, HOLTEC INTERNATIONAL	72-1008	153
CASK: HI-STORM 100, HOLTEC INTERNATIONAL	72-1014	153
CASK: MC-10, WESTINGHOUSE ELECTRIC CORP.	72-1001	152
CASK: NAC-MPC	72-1025	153
CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.	72-1004	152
CASK: NUHOMS-7P, VECTRA TECHNOLOGIES, INC.	72-1022	153
CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP.	72-1023	153
CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC.	72-1015	153
CASK: VSC-24, SIERRA NUCLEAR, INC.	72-1007	152
DAVIS BESSE ISFSI GEN LIC, 50-346	72-0014	150
FORT ST. VRAIN ISFSI, 50-267	72-0009	150
INEL TMI-2 ISFSI	72-0020	151
MODEL: MPC-TRANSPORTABLE STORAGE SYSTEM DESIGN	72-1026	153
MODEL: PRIVATE FUEL STORAGE FACILITY	72-0022	151
NORTH ANNA ISFSI - 50-338 & 50-339	72-0016	150
OCONEE ISFSI, 50-269, 50-270 & 50-287	72-0004	150
PALISADES ISFSI GEN LIC, 50-255	72-0007	150
POINT BEACH ISFSI GEN LIC, 50-266 & 50-301	72-0005	150
PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	150
SURRY ISFSI 50-280 & 50-281	72-0002	149
TROJAN ISFSI, 50-344	72-0017	151
UNKNOWN	DOCKET	149
UNKNOWN	DOCKET	147
UNKNOWN	DOCKET	1
UNKNOWN	DOCKET	140

3

DOCKETED ITEMS

DOCKET DOCKET UNKNOWN

9802200098 Final response to FOIA request for documents.Records subj to request encl & identified in App A,being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/06. SHARP,M. Affiliation Not Assigned. 2pp. A2255:347-A2255:355.

--9802200136 Forwards amend 3 to license 04-00580-06,for docket 2700007. Amend authorizes transfer of radwaste to AEC designated land burial sites for disposal.
PRICE,H.L. Atomic Energy Commission (Pre 750119). 60/12/01. GRENDON,A. California, State of. 1p. A2255:350-A2255:351.

--9802230272 Matls licensing package for amend 3 to license 04-00580-06, for docket 02700007,authorizing addition of listed info.
KIRK,R.L. Atomic Energy Commission (Pre 750119). 60/12/01. 3pp. A2255:352-A2255:355.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0235 FROME INVESTMENT CO. (BROOKS & PERKINS CORP.) -

9802240041 Requests clarification of issues identified in attachment re revised "Site Remediation Plan for Former Brooks & Perkins, Inc Site," submitted 971014.
BUCKLEY,J.T. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/05. KOH,B. B. Koh & Associates, Inc. 5pp. A2350:334-A2350:337.

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9802170018 Forwards rept entitled "Class III Cultural Resource Inventory for 535 Acre Block Survey Located in Sections 10, 11,T33N,R89W,Natrona County,WY,Jul 1997," in response to request for info on 980128.
GIECK,T.E. UMETCO Minerals Corp. 98/02/04. HOLONICH,J.J. Division of Waste Management (NMSS 940403). BRUMMETT,E. NRC - No Detailed Affiliation Given. 5pp. A2217:001-A2218:011.

--9802170020 "Class III Cultural Resource Inventory for 535 Acre Block Survey Located in Sections 10,11,T33N,R89W,Natrona Country, WY,Jul 1997." Data in left margin area missing from various pages throughout incoming submittal.
HATCHER,J., MACCHER,P.A. . 97/07/31. 370pp. A2217:006-A2218:011.

9802060160 Forwards "1997 NESHAPs Radon Flux Measurement Program at East Gas Hills Millsite,Natrona County,Wyoming."
SEALY,C.O. UMETCO Minerals Corp. 98/01/29. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. A2164:139-A2164:197.

--9802060163 "1997 NESHAPs Radon Flux Measurement Program,East Gas Hills Millsite,Natrona County,Wyoming." W/one oversize drawing.
* . 97/12/11. 57pp. A2164:140-A2164:197.

9802190217 Forwards four copies of drawings showing site project area, potential windblown contamination area & identified cultural localities as requested during telcon.
GIECK,T.E. UMETCO Minerals Corp. 98/02/06. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. A2268:349-A2268:352.

9802190100 Forwards response to three verbal comments on Heap Leach GHP 2/mill area pond as discussed during telcon w/E Brummett & B Jagannath on 980202.
GIECK,T.E. UMETCO Minerals Corp. 98/02/11. HOLONICH,J.J., BRUMMETT,E. Division of Waste Management (NMSS 940403). 12pp. A2244:331-A2244:342.

9802190258 Forwards revised pages 2-5 & 3-19 to be substituted in response to verbal comments transmitted by 980211 ltr. Appropriate frequency for testing is min of 1 test per 1000 CYD of radon barrier placed.
GIECK,T.E. UMETCO Minerals Corp. 98/02/13. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 4pp. A2258:223-A2258:226.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9802060181 Informs that NRC staff denying licensee request at this time,in response to submittal dtd 971230.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/27. BAKER,S.J. Western Nuclear, Inc. 1p. A2148:361-A2148:361.

9802240406 Denies 970814,1001 & 1201 requests for amend to license SUA-56.TER,documenting review & conclusions encl.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/06. BAKER,S.J. Western Nuclear, Inc. 7pp. A2366:066-A2366:072.

DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK

9802020260 Forwards copy of environ analysis rept phase IV for operations anticipated in next two years at Kerr-McGee Corp West Chicago facility.
COLLINS,S.C. Illinois, State of. 98/01/26. BANGART,R. Office of State Programs (Post 911117). 1p. A2061:055-A2062:005.

--9802020262 "Environ Analysis Phase IV for Decommissioning of Kerr-McGee,West Chicago Rare Earths Facility."
* Hanson Engineers, Inc.,. * Rogers & Associates Engineering Corp. * Duke Engineering & Services. 98/01/31. 314pp. A2061:056-A2062:005.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9802090215 Submits results for Th-232 & 228 coinciding w/Th-230 results reported in 911222 ltr to R Uleck addressing license Condition 2(e),per 980105 telcon.
HENDERSON,J.W. RMI Co. 98/01/09. LEE,P. Region 3 (Post 820201). 2pp. A2160:277-A2160:278.

9802120055 Forwards insp rept 40-2384/98-01 on 980114-15 & 0504.No violations noted.Purpose of insp was to evaluate licensee decontamination surveys,analytical procedures & remediation activities.
JORGENSEN,B.L. Region 3 (Post 820201). 98/02/04. HENDERSON,J.W. RMI Co. 2pp. A2164:001-A2164:012.

--9802120062 Insp rept 40-2384/98-01 on 980114-0204.No violations noted. Major areas inspected:review of licensee revised final survey program,performance of confirmatory surveys & review of licensee respiratory protection plan.
JORGENSEN,B.L. Region 3 (Post 820201). 98/02/04. 10pp. A2164:003-A2164:012.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9802050035 Forwards "CO River Sampling Rept Atlas U Mill & Tailings Site Moab,UT." Rept includes description of sampling protocol & lab procedures used for project & evaluation of lab results.
BLUBAUGH,R.E. Atlas Corp. 98/01/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. A2104:179-A2104:291.

--9802050048 "CO River Sampling Rept Atlas U Mill & Tailings Site Moab, UT."
* Harding-Lawson Associates. 98/01/23. 112pp. A2104:180-A2104:291.

9802250199 Submits concerns re U mill tailings,Moab,Utah ESA studies. Agree to participate in 980205 meeting w/Fish & Wildlife Svc.
BLUBAUGH,R.E. Atlas Corp. 98/01/03. CAMPBELL,B. . 2pp. A2372:046-A2372:047.

9802250201 Forwards five copies of rept, "Limited Groundwater Investigation of Atlas Corp Moab Mill,Moab,Utah." W/o encl.
GARDNER,F. Oak Ridge National Laboratory. 98/01/09. FLIEGEL,M. NRC - No Detailed Affiliation Given. 1p. A2360:310-A2360:310.

9802230043 Submits comments re Colorado River sampling rept.
KORTE,N., GARDNER,F. Oak Ridge National Laboratory. 98/01/27. OHLAND,G. Harding-Lawson Associates. 1p. A2327:352-A2327:352.

9802060167 Informs that NRC has agreed to addl one week extension & states that extension may be for longer period after planned 980205 meeting.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 98/02/02. HARRIS,R. Interior, Dept. of, Fish & Wildlife Service. 1p. A2098:334-A2098:336.

--9802060173 Informs that Atlas Corp grants one week extension of consultation plan for Atlas Mill & tailings site in Utah. Consent may be extended after meeting on 970205.
BLUBAUGH,R.E. Atlas Corp. 98/01/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. A2098:335-A2098:335.

--9802060176 Informs that R Fonner has no legal objection to ltr & requests to know what meeting is on 970205.
FONNER,R. NRC - No Detailed Affiliation Given. 98/02/02. FLIEGEL,M. NRC - No Detailed Affiliation Given. 1p. A2098:336-A2098:336.

9802230119 Notifies that GB Shafter was appointed to position of President of Corp.W/ copy of news release.
BLUBAUGH,R.E. Atlas Corp. 98/02/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. A2327:354-A2327:357.

9802190052 Final response to FOIA request for documents.Records in App A encl & available in PDR.Records in App B being released in entirety.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 98/02/13. FIELDS,S.M. Affiliation Not Assigned. 3pp. A2279:027-A2279:061.

--9802190057 FOIA request for documents re docket number 40-3453,license SUA-917.
FIELDS,S.M. Affiliation Not Assigned. 98/01/14. Division of Freedom of Information & Publications Services (Post 940714). 2pp. A2279:030-A2279:048.

--9802190059 Forwards FR notice of issuance of amend 21 to license SUA-917.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/06/01. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A2279:049-A2279:050.

--9802190061 Notice of issuance of amend 21 to license SUA-917.Amend changes date for completion of placement of interim cover on tailings pond from 940430 to 950215.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/06/01. 3pp. A2279:051-A2279:053.

--9802190063 Notice of receipt of application from Atlas Corp to amend condition 55 of source matl license SUS-917,revising dates for several site reclamation milestones.
HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/05/03. 5pp. A2279:054-A2279:058.

--9802190070 Forwards notice of receipt of request from Atlas Corp to revise site-reclamation Milestone in license SUA-917 for transmittal to Ofc of FR for publication.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/29. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 3pp. A2279:059-A2279:061.

9802230040 Submits five questions re 980123 ltr from Vice President, Environ & Governmental Affairs,Atlas Corp,Figure 2 of licensee contractor rept dtd Jan 1998.
DARKE,J.F. Affiliation Not Assigned. 98/02/13. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. A2328:259-A2328:264.

9802230103 Forwards Harding Lawson Associates comments addressing Atlas concerns w/conclusions & assumptions employed in recent testing & modeling performed by ORNL,Grand Junction.
BLUBAUGH,R.E. Atlas Corp. 98/02/13. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 20pp. A2328:302-A2328:322.

9802260241 Forwards "NRC Views on Issues,Atlas Moab Mill Reclamation." Rept provides details of NRC staff views for FWS consideration in FWS evaluations related to DBO.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/13. HARRIS,R. Interior, Dept. of, Fish & Wildlife Service. 13pp. A2373:256-A2373:268.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9802260220 Discusses final reclamation plan for pond #2,Gas Hills site. TER,which is NRC staff formal documentation of acceptability of final reclamation plan for pond #2,as revised.NRC comments on preliminary design for Bullrush Heap Leach.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/13. MOXLEY,M. Wyoming, State of. 23pp. A2373:201-A2373:223.

DOCKET 40-6377 ARMY, DEPT. OF, DOVER, NJ

9802100194 Forwards insp repts 30-05215/97-02 & 40-6377/97-02 on 970930-1001.No violations identified.Insp limited to observations by inspector,interviews w/personnel & selective exam of records & confirmatory surveys.
KINNEMAN,J.D. Region 1 (Post 820201). 98/02/04. PAP,G. Army, Dept. of, Armament Research, Development & Engineering Center. 3pp. A2095:212-A2095:226.

--9802100199 Insp repts 30-05215/97-02 & 40-6377/97-02 on 970930-1001. Violations noted.Major areas inspected:surveys performed to independently evaluate facilities & areas for residual removable contamination prior to release for restricted use.
GIBSON,R., KINNEMAN,J.D. Region 1 (Post 820201). 98/01/30. 12pp. A2095:215-A2095:226.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9802260248 Requests postponement of submittal of annual ground water rept until 980401.
HARDGROVE,T.W. Pathfinder Mines Corp. 98/02/19. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. A2373:277-A2373:277.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9802230017 Application for amend to license SMB-920,removing Boyertown site from site decommissioning mgt plan.W/1997 annual rept.
HOLSOPPLE,K.L. Cabot Corp. 98/02/13. Office of Nuclear Material Safety & Safeguards. 2pp. A2345:043-A2345:108.

--9802230020 "Cabot Corp 1997 Annual Rept."
BODMAN,S.W., BURNES,K.F. Cabot Corp. 97/12/31. 65pp. A2345:044-A2345:108.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9802240112 Requests to provide info specified in Part II of encl re review of bioassay program.NRC will examine licensee bioassay program at future NRC insp.
ASTWOOD,H. Licensing Branch. 98/01/28. SMITH,D.R. Shieldalloy Metallurgical Corp. 5pp. A2354:348-A2354:352.

DOCKET 40-7397 FOOTE MINERAL CO., EXTON, PA

9802200014 Informs that OH Dept of Health,Bureau of Radiation Protection fully supports cooperative approach between NRC & state of OH,in response to 961213 ltr.
SUPPES,R.L. Ohio, State of. 97/02/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. A2270:126-A2270:126.

9802200051 Informs of state of OH EPA current understanding re off-site radioactive slag contamination from Shieldalloy facility in Guernsey County.
CARLSON,J. Ohio, State of. 97/02/20. SUPPES,R. Ohio, State of. 2pp. A2270:326-A2270:327.

9802200025 Requests clarification of one issue discussed in 971020 ltr re properties containing slag from former Foote Mineral Co Plant in Cambridge,OH.
MONTGOMERY,B.D., SHIMEALL,K.M. Ohio, State of. 97/11/25. PATTERSON,D.J. Beveridge, Fairbanks & Diamond. 2pp. A2270:095-A2270:096.

DOCKET 40-7455 WHITTAKER CORP., LOS ANGELES, CA

9802030047 Discusses insp rept 40-7455/97-02 on 971104 & forwards NOV. Insp was exam of licensed activities re radiation safety & compliance w/NRC regulations & license conditions.Particular attention paid to five areas of concern noted in 971022 ltr.
BELLAMY,R.R. Region 1 (Post 820201). 98/01/23. BRICKNER,L.M. Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.). 4pp. A1980:013-A1980:020.

--9802030048 Notice of violation from insp on 971104.Violation noted: licensed matl found outside of licensee fenced controlled area.Licensed matl in unrestricted area was not secured from access or unauthorized removal.Groundwater monitoring encl.
* Region 1 (Post 820201). 98/01/23. 4pp. A1980:017-A1980:020.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9802250243 Notification of 980226 meeting w/Fansteel,Inc in Rockville MD,to discuss decommissioning issues associated with implementation of 10CFR20.1403 at Fansteel facility.
CHOTOO,S. Licensing Branch. 98/02/19. Licensing Branch. 1p. A2360:301-A2360:301.

DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9802060129 Provides followup to insp rept 40-7604/97-03 dtd 980108. Discusses results of two water samples collected during insp that were sent to Oak Ridge Institute for Science & Education for analysis.
JORGENSEN,B.L. Region 3 (Post 820201). 98/02/02. BLYTHE,H. BP Chemicals International. 2pp. A2039:097-A2039:098.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9802180189 Application for amend to license SUB-1010,to remove references in Condition 9,Form 374A,that no longer apply to or have been superseded by more recent amends.Proposed text to replace current Condition 9 encl.
HARLIN,C.L. Sequoyah Fuels Corp. 97/12/03. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 10pp. A2243:213-A2243:222.

9802230099 Requests meeting w/NMSS to discuss decommissioning plans. Objectives would be to assess current status of decommissioning related submittals,including status of NRC safety review,identify steps remaining.
ELLIS,J.H. Sequoyah Fuels Corp. 98/02/02. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 17pp. A2330:001-A2330:017.

9802240203 Forwards amend 25 to license SUB-1010,removing outdated refs from paragraph 9.Condition 9 revised to remove 51 refs dated prior to Jan 1993 & to include date of 971203.SER & categorical exclusion included.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/12. ELLIS,J.H. Sequoyah Fuels Corp. 4pp. A2333:165-A2333:180.

--9802240206 Amend 25 to license SUB-1010 for Sequoyah Fuels Corp.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/12. 5pp. A2333:169-A2333:173.

--9802240213 Safety evaluation approving amend 25 to license SUB-1010.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/12. 5pp. A2333:174-A2333:178.

--9802240217 Informs that EIS & EA not warranted for amend to license SUB-1010.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/12. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. A2333:179-A2333:180.

DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

9802230107 Informs that land use survey was conducted in area within five mile radius of company controlled boundary in 971231, fulfilling requirements of license condition 21.
FOSSEY,F.G. Rio Algom Mining Corp. 98/01/30. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 1p. A2327:350-A2327:350.

9802230112 Forwards new cover ltr for 980130 land use submittal.Cover ltr for submittal contains inadvertently misused term "restricted area" instead of "company controlled area". W/o encl.
FOSSEY,F.G. Rio Algom Mining Corp. 98/02/04. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 1p. A2327:351-A2327:351.

9802260010 Forwards insp rept 40-8084/98-01 on 980202-03.No violations noted.Insp disclosed that decommissioning activities at site have been conducted IAW NRC regulations & conditions of license.
SCARANO,R.A. Region 4 (Post 820201). 98/02/20. FREEMAN,M.D. Rio Algom Mining Corp. 4pp. A2344:004-A2344:022.

--9802260016 Insp rept 40-8084/98-01 on 980202-03.No violations noted. Major areas inspected:review of site status & decommissioning,mgt organization & control,radiation protection,waste mgt & environ protection.
* Region 4 (Post 820201). 98/02/20. 15pp. A2344:008-A2344:022.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9802180187 Environmental monitoring data for Bear Creek Uranium Company during 970701-971231.W/980109 ltr.
CHASE,G. Bear Creek Uranium Co. 97/12/31. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 14pp. A2243:126-A2243:139.

9802060124 Informs that NRC has completed its review of Bear Creek U Companys amend request of 971024,to modify NRC SML SUA-1310 for Bear Creek,WY uranium mill site.SML SUA-1310 hereby amended by revising LCOs 47,18 & 49,per 10CFR40.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/28. CHASE,G. Bear Creek Uranium Co. 5pp. A2098:319-A2098:330.

--9802060133 Amend 39 to license SUA-1310 for Bear Creek Uranium Company.
HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 98/01/28. 7pp. A2098:324-A2098:330.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9802180131 Forwards 980127 ltr from LD Hayden-Wing re threatened & endangered species for Sweetwater U Project & map entitled, "Sweetwater U Facility-Limit of 1997 Wildlife Survey." W/one oversize drawing.
PAULSON,C. Kennecott Corp. 98/01/29. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. A2279:356-A2279:358.

DOCKET 40-8681 INTERNATIONAL URANIUM USA CORP.

9802260263 Submits calculation for inflation,based on Dec 1996 rate of 158.6 & Dec 1997 rate of 161.3 from Consumer Price Index.
BERG,R.E. . 98/01/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 8pp. A2373:295-A2373:302.

9802170038 Forwards insp rept 40-8681/98-01 on 980113-15.No violations noted.Insp consisted of selective exam of procedures & representative records,interviews w/personnel & observations of activities in progress.
SCARANO,R.A. Region 4 (Post 820201). 98/02/05. HOELLEN,E.E. Affiliation Not Assigned. 4pp. A2170:271-A2170:294.

--9802170047 Insp rept 40-8681/98-01 on 980113-15.No violations noted. Major areas inspected:mgt organization & controls,site operations,radioactive waste mgt,radiation protection & environ protection programs.
CAIN,C.L. Region 4 (Post 820201). 98/02/05. 20pp. A2170:275-A2170:294.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9802230128 Forwards resignation of agent & appointment of successor agent ltr dtd 950119,as requested by J Parks,completing financial surety paper work.
CRAFT,F.R. Plateau Resources, Ltd. 98/02/04. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. A2328:351-A2328:352.

9802270154 Forwards corrected of section 9-5b re Shootaring Canyon Mill,per 980220 telcon.
WEBBER,K. Plateau Resources, Ltd. 98/02/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. A2420:195-A2420:198.

DOCKET 40-8702 ARMY, DEPT. OF, ROCK ISLAND, IL

9802020233 Informs that US Army was authorized to conduct licensed activities from 1961-1981 in Philadelphia,PA.License was terminated 810819,following completion of decommissioning activities.
BELLAMY,R.R. Region 1 (Post 820201). 98/01/21. BECKER,L. Army, Dept. of, Headquarters Materiel Development & Readiness Command. 3pp. A2006:270-A2006:272.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9802100025 Forwards rev 1 to "Winter Shutdown Plan Bert Avenue Site Remediation Project Chemetron Corp Newburgh Heights,OH," modified per NRC comments.Response to comments,discussed.
KOH,B. Chemetron Corp. 98/01/19. JOHNSON,T.C. Division of Waste Management (NMSS 940403). 4pp. A2166:240-A2166:254.

-9802100031 Rev 1 to "Winter Shutdown Plan Bert Avenue Site Remediation Project Chemetron Corp Newburgh Heights,OH."
* B. Koh & Associates, Inc. 98/01/16. 11pp. A2166:244-A2166:254.

9802100004 Forwards matl re review of test pad construction certification data package for Bert Avenue Landfill.
PARKER,J.L. Ohio, State of. 98/01/23. ADAMS,T.G. B. Koh & Associates, Inc. 15pp. A2166:185-A2166:199.

9802260181 Informs that OPEA-DSIWM-NEDO has completed review of request & has concluded that proposed alterations are acceptable.
PARKER,J.L., PRINCIC,K. Ohio, State of. 98/02/17. ADAMS,T.G. B. Koh & Associates, Inc. 2pp. A2373:311-A2373:312.

DOCKET 40-8767 LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO

9802240138 Informs that NRC has reviewed 971104 response to 971017 RAI. Discussed questions to several responses during 980126 telcon & lists info that Army will provide.
BROWN,S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/30. MAPLEY,S. Army, Dept. of. 3pp. A2350:347-A2350:349.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9802230062 Forwards application to modify permit UIC 89-030 to allow addition of two more injection wells,draft permit UIC 98-001 & public notice to be published on 980123.Comments on proposed permit,requested.W/field log & oversize drawings.
LUCHT,R. Wyoming, State of. 98/01/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 205pp. A2432:001-A2432:211.

9802060057 Recommends that name of dam be revised to read "Highland U Project,Satellite Number 2 Purge Storage Reservoir Dam," in response to request to revise "Pertinent Data Sheet" of FERS.Items contained in list of actions will be provided.
KEARNEY,W.F. Power Resources Corp. 98/01/27. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. A2150:361-A2150:361.

9802230289 Informs that corrective actions re revision of section 6.3 of operations plan SOP 2.35 to more accurately reflect all current well construction procedures will be completed by 980228.
KEARNEY,W.F. Power Resources Corp. 98/02/12. Power Resources Corp. 2pp. A2329:271-A2329:272.

9802230323 Provides written notification that well M-43 located in B- Wellfield & monitors 30-Sand at Highland U on excursion status on 980204.
HILDENBRAND,P. Power Resources Corp. 98/02/12. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 6pp. A2327:344-A2327:349.

9802260250 Forwards amend 5 to license SUA-1511,which corrects printing error which caused license condition 9.4 item (2) to be dropped from license.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/13. HILDENBRAND,P. Power Resources Corp. 2pp. A2373:244-A2373:255.

-9802260257 Amend 5 to license SUA-1511 for Power Resources,Inc.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/13. 10pp. A2373:246-A2373:255.

9802260082 Responds to NRC ref to Power Resources,Inc (PRI) & application for permit to insitu mine U in Gas Hills U District,Fremont County,WY.
KELLY,J. Interior, Dept. of, Bureau of Land Management. 98/02/18. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. A2373:274-A2373:276.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9802200411 Forwards insp rept 40-8903/98-01 on 980112-14.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 98/02/13. CELLAN,R.R. Homestake Engineering. 4pp. A2252:129-A2252:150.

-9802200413 Insp rept 40-8903/98-01 on 980112-14.No violations noted. Major areas inspected:site status,decommissioning,mgt organization & control.
* Region 4 (Post 820201). 98/02/13. 18pp. A2252:133-A2252:150.

9802270083 Forwards seimi-annual environ monitoring rept for second half of 1997 for Homestake Grants Project,per 10CFR40.65 & 10CFR20.
CELLAN,R.R. Homestake Mining Co. 98/02/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. A2378:077-A2378:142.

-9802270087 "Semi-Annual Environmental Rept for 970701-1231."
* Homestake Mining Co. 97/12/31. 65pp. A2378:078-A2378:142.

DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT

9802200415 Forwards "1997 L-Bar Corrective Action Program Report."
TRUMMEL,J. Kennecott Corp. 98/02/13. ABRAMS,C. NRC - No Detailed Affiliation Given. 1p. A2342:219-A2342:249.

-9802200418 "1997 L-Bar Corrective Action Program Rept."
* Duke Engineering & Services. 98/02/13. 26pp. A2342:220-A2342:249.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9802020257 Forwards "1997 ALARA Rept for Quivira Mining Co." Summary reviews actions taken to maintain occupational exposures as low as reasonably achievable.
LUTHIGER,P. Quivira Mining Co. 98/01/23. HOLONICH,J. Division of Waste Management (NMSS 940403). 1p. A2006:327-A2006:349.

-9802020259 "1997 ALARA Rept for Quivira Mining Co."
* Quivira Mining Co. 97/12/31. 22pp. A2006:328-A2006:349.

9802050096 Forwards groundwater monitoring rept & monitoring well analytical results for 971001-1231,as required by Discharge Plan 362.
LUTHIGER,P. Quivira Mining Co. 98/01/23. EVERETT,K.Y. New Mexico, State of. 3pp. A2085:358-A2085:360.

9802050103 Forwards semi-annual monitoring rept for alluvial monitoring sys covering second half of 1997,as required by Discharge Plan 169.
LUTHIGER,P. Quivira Mining Co. 98/01/23. EVERETT,K.Y. New Mexico, State of. 2pp. A2078:356-A2078:357.

9802060154 Informs that staff found results of radon flux tests on tailings impoundments 1 & 2 of Ambrosia Lake,acceptable, subject to verification of test data sheets during future insp.TER documenting evaluation,encl.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/23. FREEMAN,M. Quivira Mining Co. 3pp. A2150:349-A2150:351.

9802050172 Notifies that monthly sample from MW-24-01 has exceeded one of upper control limits.MW-24-01 will continue to be sampled weekly until sulfate levels are demonstrated to remain under upper control limits.
GORANSON,W.P. Quivira Mining Co. 98/01/26. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 1p. A2078:355-A2078:355.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

9802040417 Forwards "1997 Ground Water Corrective Action Annual Review United Nuclear Corp,Church Rock Mill & Tailings Facility Gallup,NM."
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 98/01/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 12pp. A2064:275-A2066:069.

-9802040422 "1997 Ground Water Corrective Action Annual Review United Nuclear Corp,Church Rock Mill & Tailings Facility Gallup, NM."
* RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 98/01/31. 509pp. A2064:288-A2066:069.

9802060168 Provides answers to requests by E Brummett re radon emanation testing on Church Rock tailings site.Signed copy of procedure encl to replace copy submitted w/970103 radon emanation testing rept included.W/one oversize drawing.
MORALES,E.M. United Nuclear Corp. (subs. of UNC, Inc.). 98/01/13. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. A2164:101-A2164:138.

-9802060172 Standard operating procedure SOP ELI-C-50-907-01, "Radon Flux Measurement EPA Method 115,Large Area Activated Charcoal Collectors (LAACC)."
* Affiliation Not Assigned. 97/06/11. 32pp. A2164:107-A2164:138.

9802060015 Forwards results of ALARA audit conducted on 971229,per license condition 28A of license SUA-1475.
MORALES,E.M. United Nuclear Corp. (subs. of UNC, Inc.). 98/01/28. SCARANO,R. Region 4 (Post 820201). 23pp. A2152:324-A2152:346.

9802230313 Informs that action on amend request re completion date for groundwater corrective action program,Church Rock U mill & tailings site will be delayed until determination of realistic date for completion of groundwater CAP.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/11. VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 3pp. A2342:290-A2342:296.

9802250391 Submits quarterly analysis of reclamation costs as required in license Condition 25 of License SUA-1475 for Church Rock site.
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 98/02/17. HOLONICH,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. A2367:357-A2367:359.

DOCKET 40-8940 ALPHA Q, INC., COLCHESTER, CT

9802200362 Safety & compliance insp on 980204 of license STB-1504.Insp findings:no violations identified.
HENDERSON,P.J. Region 1 (Post 820201). * ALPHA Q, Inc. (formerly REB Industries, Inc.). 98/02/04. 1p. A2264:236-A2264:236.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9802230156 Addresses understanding of licensing for Crow Butte Resources,Inc license SUA-1534.Appreciated opportunity to consult on cultural resources within purview of licensing.
PUSCHENDORF,L. Nebraska, State of. 98/01/30. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. A2327:353-A2327:353.

9802250234 Forwards notice of FONSI for proposed license renewal of source matl License SUA-1534,Crow Butte Resources,Inc Crow Butte In-Situ Leach U facility.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/13.
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. A2360:322-A2360:331.

-9802250241 Final FONSI notice of opportunity for hearing.
GILLEN,D.M. Division of Waste Management (NMSS 940403). 98/02/13. 8pp. A2360:324-A2360:331.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9802180165 Forwards Microshield summary repts used for "Technical Basis, Work Plan & Health/Safety Plan for Sale of East Pile Slag," rept 94005/G8154,dtd 971002,per 980121 telcon.
BERGER,C.D. Integrated Environmental Services. 98/01/22. KENNEDY,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 31pp. A2240:295-A2240:325.

DOCKET 40-8964 RIO ALGOM MINING CORP., OKLAHOMA CITY, OK

9802230021 Forwards "Rio Algom Mining Corp,Smith Ranch Permit to Mine #633,Response to WDEQ/LQD Ltr of 970506,TNF 3 4/126," dtd 970515.
FERDINAND,B. Rio Algom Mining Corp. 97/05/20. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A2355:001-A2355:102.

-9802230024 "Rio Algom Mining Corp,Smith Ranch Permit to Mine #633 Response to WDEQ/LQD Ltr of 970506,TFN 3 4/126," dtd 970515.W/17 oversize drawings.
* Rio Algom Mining Corp. 97/05/15. 200pp. A2355:003-A2355:102.

9708280036 "Rio Algom Mining Corp Semi-Annual Effluent Monitoring Rept, Smith Ranch Facility Jan-June 1997." W/970819 ltr.
FRENCH,P.S. Rio Algom Mining Corp. 97/06/30. 41pp. A0243:001-A0243:041.

9802230137 Forwards comments & responses to first round of comments on submittal TFN 3 6/142,non-significant rev,Rio Algom Mining Corp.
CASH,G.A. Wyoming, State of. 97/10/22. FRENCH,P. Rio Algom Mining Corp. 11pp. A2328:323-A2328:333.

9802130130 Application for amend to license SUA-1548,correcting & updating several license conditions which contain references to expired requlations & outdated wording.
GORANSON,W.P. Rio Algom Mining Corp. 97/12/31. HOLONICH,J. Uranium Recovery Branch (Post 901230). 18pp. A2231:085-A2231:102.

9802040383 Forwards fourth quarter "Smith Ranch Uranium Project Permit 633 Quarterly MIT/Water Quality Rept,"for Oct-Dec 1997.
FRENCH,P.S. Rio Algom Mining Corp. 98/01/27. TRAYLER,C. Wyoming, State of. 59pp. A2034:275-A2034:333.

9802060223 Forwards 1997 fourth quarter/annual rept for Rio Algom Mining Corp deep disposal well.Pressure falloff bottom hole survey & pressure falloff survey analysis forwarded per 971219 request.
FERDINAND,B. Rio Algom Mining Corp. 98/01/27. LUCHT,R. Wyoming, State of. 1p. A2138:275-A2138:285.

-9802060225 Rio Algom Mining Corp deep disposal well 1997 4th quarter/ annual rept.
FERDINAND,B. Rio Algom Mining Corp. 97/12/31. 4pp. A2138:276-A2138:285.

9802060139 Informs that NMSS finds Rio Algom Mining Corp Smith Ranch Facility proposed amend acceptable,based on review of info. Amend 11 to SUA-1548,encl.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 98/01/28. GORANSON,W.P. Rio Algom Mining Corp. 4pp. A2095:338-A2095:353.

-9802060145 Amend 11 to license SUA-1548 for Rio Algom Mining Corp.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 98/01/28. 12pp. A2095:342-A2095:353.

9802060209 Forwards spill rept for spill which occurred on 980121.Spill reported to P Burns by telephone on 980122.
FRENCH,P.S. Rio Algom Mining Corp. 98/01/28. HARMON,L. Wyoming, State of. 2pp. A2136:358-A2136:359.

9802060212 Forwards spill rept for spill which occurred on 980122.Spill reported by B Barns by telephone on 980123.
FRENCH,P.S. Rio Algom Mining Corp. 98/01/28. HARMON,L. Wyoming, State of. 2pp. A2135:359-A2135:360.

9802250080 Responds to Dept of Environ Quality NOV dtd 980107 re insp of Smith Ranch project on 971205.Corrective actions:routes to water loading facility & header house will continue to be used & completed stripping & placement of topsoil.
FERDINAND,B. Rio Algom Mining Corp. 98/02/09. CASH,G. Wyoming, State of. 2pp. A2358:360-A2358:361.

9802240426 Forwards spill rept for estimated release of 2242 gallons of injection fluid.Caused by mechanical failure at wellhead. Conducted investigation,review & determination of facts.
FRENCH,P.S. Rio Algom Mining Corp. 98/02/12. HARMON,L. Wyoming, State of. 2pp. A2366:020-A2366:021.

9802240393 Forwards spill rept to WY Dept of Environ Quality re spill that occurred on 980205.Corrective action currently under internal evaluation & includes actual implementation activities coupled w/further investigation.
GORANSON,W.P. Rio Algom Mining Corp. 98/02/13. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. A2366:022-A2366:023.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9802250230 HRI response to petitions to intervene.* Several petitioners failed to demonstrate standing to request hearing. Petitioners failed to show how any of areas of concern germane to proceeding.Hearing requests should be denied.
THOMPSON,A.J. HRI, Inc. (Hydro Resources, Inc.). THOMPSON,A.J., GORMLEY,P. Shaw, Pittman, Potts & Trowbridge. #198 18820. 98/02/19. Atomic Safety & Licensing Board Panel. 50pp. A2288:003-A2288:265.

-9802250248 Affidavit of RF Clement.* Explains steps identifying, developing & producing at typical U recovery property using in situ leach methods.W/leaching rept & HRI video.
CLEMENT,R.F. HRI, Inc. (Hydro Resources, Inc.). 98/02/17. 43pp. A2288:053-A2288:098.

-9802250253 Affidavit of MS Pelizza.* Personally supervised all radiological & non-radiological health,safety & environ permitting activities associated w/HRI since company & Crownpoint U project conceived.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 98/02/19. 9pp. A2288:099-A2288:107.

-9802250260 Affidavit of CS Bartels.* Reviewed affidavits prepared by RJ Abitz & MG Wallace attached to petitioner stay request.
BARTELS,C.S. HRI, Inc. (Hydro Resources, Inc.). 98/02/17. 28pp. A2288:108-A2288:135.

-9802250294 Affidavit of EC Becenti,T Johnson & AW Yazzie.* As medicine man representing Navajo Tribe,believes that common statement most appropriate way to show solidarity & common purpose in refuting M Tildens negative statement re HRI project.
BECENTI,E.C., JOHNSON,T., YAZZIE,A.W. HRI, Inc. (Hydro Resources, Inc.). 98/02/02. 9pp. A2288:136-A2288:144.

-9802250300 Affidavit.* Affidavit of DB Chambers re Resnikoff analysis on HRI project.Resnikoff analysis flawed in that assumed concentrations of radionuclides in groundwater remain constant irrespective of pore volume exchange.
CHAMBERS,D.B. HRI, Inc. (Hydro Resources, Inc.). CHAMBERS,D.B. SENES Consultants, Ltd. 98/02/19. 21pp. A2288:145-A2288:165.

-9802250302 Affidavit of I Julian.* As owner of allotted lands containing U deposits,Author feels right to develop asset. HRI in-situ leach operation vastly preferable to underground or surface mining operations conducted in area in past.
JULIAN,I. HRI, Inc. (Hydro Resources, Inc.). JULIAN,I. Navajo Nation. 98/02/03. 19pp. A2288:166-A2288:179.

-9802250311 Affidavit of B Johnson.* Witnessed that HRI only company that will do everything possible to inform affected people, regulatory Navajo Nation agencies & other State & federal agencies in obtaining project approval.
JOHNSON,B. HRI, Inc. (Hydro Resources, Inc.). 98/02/11. 5pp. A2288:180-A2288:184.

-9802250315 Affidavit of SM Chavez.* Refutes statements that Hydro Resources,Inc had not made info about mining available to involved communities.
CHAVEZ,S.M. HRI, Inc. (Hydro Resources, Inc.). 98/01/30. 7pp. A2288:185-A2288:191.

-9802250322 Affidavit of LD Arviso.* Supports licensing of operations as proposed by Hydro Resources,Inc as well as allottees who have agreed to lease land to HRI & rebuts affidavit statement of ENDAUM members used by outside interest groups.
ARVISO,L.D. HRI, Inc. (Hydro Resources, Inc.). ARVISO,L.D. Navajo Nation. 98/01/29. 19pp. A2288:192-A2288:209.

-9802250325 Affidavit of BA House.* Disproves statement that HRI failed to inform Navajo communities & people of info on proposed in situ leach U mine.
HOUSE,B.A. HRI, Inc. (Hydro Resources, Inc.). 98/02/11. 13pp. A2288:210-A2288:223.

-9802250330 Affidavit of SL Albrecht.* General conclusions re proposed Crownpoint U Project that FEIS & supporting matls appropriately address environ justice considerations as required.W/Certificate of Svc.
ALBRECHT,S.L. HRI, Inc. (Hydro Resources, Inc.). ALBRECHT,S.L. Florida, Univ. of, Gainesville, FL. 98/02/18. 42pp. A2288:224-A2288:265.

9802120128 Informs that author,petitioner to intervene in matter of Hydro Resources,Inc,did in fact make every extended effort to file "on time," second amended petition & response to Eastern Navajo Allotees Association.
TILDEN,M. Affiliation Not Assigned. #198 18779. 98/01/23. Office of the General Counsel (Post 860701). 3pp. A2135:137-A2135:139.

9802120071 Red Devils entry of appearance.* Red Devil has been engaged to represent & defend US Constitution,Bill of Rights,Holy Bible & other "sacred" documents of dominant society against elastic & racist rule.
TILDEN,M. Navajo Nation. #198 18769. 98/01/24. 2pp. A2099:335-A2099:356.

-9802120083 Red Devil's petition for leave to intervene.* Red Devil casts in lot & petitions for leave to intervene in matter of Hydro Resources,Inc,& prays that petition be immediately granted.
TILDEN,M. Navajo Nation. TILDEN,M. Affiliation Not Assigned. 98/01/24. Atomic Safety & Licensing Board Panel. 3pp. A2099:337-A2099:339.

-9802120093 Affidavit.* Affidavit of K Sinili in matter of Hydro Resources,Inc.W/Certificate of Svc.
SINILI,K. Affiliation Not Assigned. 98/01/22. 17pp. A2099:340-A2099:356.

9802120060 Forwards Hydro Resources,Inc,(HRI) request for extension of time.HRI requests Presiding Officer to rule on matter so counsel can plan accordingly.
GORMLEY,P.J. HRI, Inc. (Hydro Resources, Inc.). GORMLEY,P.J. Shaw, Pittman, Potts & Trowbridge. #198 18770. 98/01/27. COTTER,B.P. Atomic Safety & Licensing Board Panel. 1p. A2135:131-A2135:136.

-9802120072 Request for extension of time.* Hydro Resources,Inc, requests that Presiding Officer not alter 980220 date w/respect to NRC Staff response to petitioners stay request. W/Certificate of Svc.
THOMPSON,A.J. HRI, Inc. (Hydro Resources, Inc.). THOMPSON,A.J. Shaw, Pittman, Potts & Trowbridge. 98/01/27. Atomic Safety & Licensing Board Panel. 5pp. A2135:132-A2135:136.

9802120089 Petitioners Eastern Navajo Dine Against U Mining & Southwest Research & Info Ctr response to Hydro Resources,Inc,request for extension of time.* Requests that Presiding Officer deny Hydro Resources,Inc,request.W/Certificate of Svc.
JORDAN,S.G. Southwest Research and Information Center. JORDAN,S.G. Affiliation Not Assigned. JORDAN,S.G. New Mexico, State of. #198 18771. 98/01/28. Atomic Safety & Licensing Board Panel. 7pp. A2135:155-A2135:161.

9802120121 Request for extension of time.* Board granted request for extension of time to Hydro Resorces,Inc,for filing response to petitioner hearing request.W/Certificate of Svc.Served on 980202.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #198 18772. 98/02/02. Office of the General Counsel (Post 860701). 3pp. A2135:140-A2135:142.

9802050329 Ack receipt of correspondence to Chairman Jackson re Crownpoint uranium project.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/03. TALLEY,P. Affiliation Not Assigned. 1p. A2010:186-A2010:187.

-9802050334 Requests rejection of farther activities re proposed mining & processing at Crownpoint & Church Rock.Postcard undtd.
TALLEY,P. Affiliation Not Assigned. 98/02/03. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2010:187-A2010:187.

9802120082 NRC Staff request for clarification & for extension of time.* Requests clarification as to whether scheduling order applies to Tilden & other petitioners & extension of time to 980306 to file response.W/Certificate of Svc.
HULL,J.T. Office of the General Counsel (Post 860701). #198 18786. 98/02/04. Atomic Safety & Licensing Board Panel. 6pp. A2135:112-A2135:117.

9802230186 Memorandum & order (denying petition to intervene & setting schedules).* Orders that Red Devil petition for leave to intervene & affidavit should be denied & filings shall be stricken from record.W/Certificate of Svc.Served on 980209.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #198 18788. 98/02/09. Affiliation Not Assigned. 11pp. A2253:297-A2253:307.

9802190012 Ack receipt of correspondence to Chairman Jackson re Hydro Resources application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/12. ERGO,D.C. Affiliation Not Assigned. 1p. A2229:105-A2229:107.

-9802190014 Expresses concern & opposition re Hydro Resources Inc plans to mine U on Navajo land.
ERGO,D.C. Affiliation Not Assigned. 98/01/29. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A2229:106-A2229:107.

9802250210 Informs that law firm,formerly Harmon,Curran & Spielberg,has changed to Harmon,Curran,Spielberg & Eisenberg,LLP.Other info remain unchanged.Board & parties requested to change svc list accordingly.
CURRAN,D. Harmon, Curran, Spielberg & Eisenberg, LLP. #198 18815. 98/02/17. COTTER,B.P. Atomic Safety & Licensing Board Panel. 1p. A2279:272-A2279:272.

9802230033 Informs that Hydro Resources application has been forwarded to NRC staff for appropriate consideration & being placed in agency records on Hydro Resources Application w/this reply.
JULIAN,E.L. Docketing & Services Branch. 98/02/18. KONIG,M. Germany, Federal Republic of. 1p. A2274:261-A2274:263.

-9802230037 Opposes NRC recommendation that Hydro Resources,Inc,be allowed to build & operate three U mines & U processing plant in close proximity to Navajo communities of Church Rock & Crownpoint NM.
KONIG,M. Germany, Federal Republic of. 98/02/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A2274:262-A2274:263.

9802230049 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/18. ROSA,M. Affiliation Not Assigned. 1p. A2264:351-A2264:352.

-9802230056 Expresses opposition that NRC recommend that Hydro Resources Inc,be allowed to build & operate three U mines & U processing plant in close proximity to Navajo communities of Church Rock & Crowpoint,NM.
ROSA,M., DE MANI,G., ALBERTO,C. Affiliation Not Assigned. 98/02/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2264:352-A2264:352.

9802230058 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/18. ALBERTO,C. Affiliation Not Assigned. 2pp. A2264:353-A2264:354.

9802230066 Informs that ltr sent to Chairman Jackson re Hydro Resources application has been forwarded to NRC staff for appropriate consideration.Correspondence & reply placed in Agency records on Hydro Resources Application.
JULIAN,E.L. Docketing & Services Branch. 98/02/18. GEHRING,Y. Germany, Democratic Republic. 1p. A2274:264-A2274:266.

-9802230071 Opposes NRC recommendation that Hydro Resources,Inc be allowed to build & operate three U mines & U processing plant in close proximity to Navajo communities of Church Rock & Crownpoint,NM.
GEHRING,Y. Germany, Democratic Republic. 98/02/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A2274:265-A2274:266.

9802230083 Informs that ltr sent to Chairman Jackson re Hydro Resources Application has been forwarded to NRC staff for appropriate consideration.Correspondence & reply being placed in Agency records on Hydro Resources Application.
JULIAN,E.L. Docketing & Services Branch. 98/02/18. PRIMON,P. Italy, Govt. of. 1p. A2274:299-A2274:300.

9802230140 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Applecation.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/18. SHIN,R. Germany, Democratic Republic. 1p. A2274:292-A2274:293.

-9802230146 Opposes NRC recommendation that Hydro Resources,Inc,be allowed to build & operate three U mines & U processing plant in close proximity to Navajo communities of Church Rock & Crownpoint,NM.
JACKSON,S. Germany, Democratic Republic. 98/02/06. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2274:293-A2274:293.

9802230152 Ack receipt of ltr sent to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/18. KONIG,N. Germany, Democratic Republic. 1p. A2274:294-A2274:296.

-9802230154 Opposes NRC recommendation that Hydro Resources,Inc,be allowed to build & operate three U mines & U processing plant in close proximity to Navajo communities of Church Rock & Crownpoint,NM.
KONIG,N. Germany, Democratic Republic. 98/02/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A2274:295-A2274:296.

9802230159 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/18. ODETTE,G. France. 1p. A2274:297-A2274:298.

-9802230160 Opposes NRC recommendation that Hydro Resources,Inc,be allowed to build & operate three U mines & U processing plant in close proximity to Navajo communities of Church Rock & Crownpoint,NM.
ODETTE,G. France. 98/02/05. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2274:298-A2274:298.

9802230166 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/18. CUZZOLIN,L. Italy, Govt. of. 1p. A2268:145-A2268:146.

9802230047 Informs that ltr sent to Chairman Jackson re Hydro Resources Application has been forwarded to NRC staff for appropriate consideration & being placed in agency records on Hydro Resources Application w/reply.
JULIAN,E.L. Docketing & Services Branch. 98/02/19. SCALZOLARO,C. Italy, Govt. of. 2pp. A2288:327-A2288:328.

-9802230054 Opposes NRC recommendation that Hydro Resources,Inc,be allowed to build & operate three U & U processing plant in close proximity to Navajo communities of Church Rock & Crowpoint,NM.
ROSA,M., DE MANI,G., ALBERTO,C. Italy, Govt. of. 98/02/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2288:328-A2288:328.

9802230092 Informs that ltr sent to Chairman Jackson re Hydro Resources Application has been forwarded to NRC staff for appropriate consideration & being placed in agency records on Hydro Resources Application w/reply.
JULIAN,E.L. Docketing & Services Branch. 98/02/19. KONIG,C. Germany, Democratic Republic. 1p. A2274:301-A2274:303.

-9802230098 Opposes NRC recommendation that Hydro Resources,Inc,be allowed to build & operate three U mines & U processing plant in close proximity to Navajo communities of Church Rock & Crownpoint,NM.
KONIG,C. Germany, Democratic Republic. 98/02/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A2274:302-A2274:303.

9802230163 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/19. DEMANI,G. Italy, Govt. of. 1p. A2268:143-A2268:144.

9802250236 ENDAUM & SRIC opposition to Eastern Navajo Allottees Assoc petition to intervene.* ENDAUM & SRIC requests that Presiding Officer deny Allottees Assoc petition,for listed reasons.W/Certificate of Svc.
JORDAN,S.G. Southwest Research and Information Center. CURRAN,D. Affiliation Not Assigned. CURRAN,D. Harmon, Curran, Spielberg & Eisenberg, LLP. #198 18818. 98/02/19. Atomic Safety & Licensing Board Panel. 32pp. A2327:076-A2327:132.

9802250213 Petitioner M Tilden opposition to & petition to deny,Eastern Navajo Allottee Assoc petition for leave to intervene & motion to deny attorney entry of appearance & second request for temporary restraining order.*
TILDEN,M. Affiliation Not Assigned. #198 18813. 98/02/20. Atomic Safety & Licensing Board Panel. 7pp. A2279:288-A2279:296.

-9802250221 Affidavit.* Affidavit of M Tilden re financial costs in attempt to become Petitioner & Intervenor in matter of Hydro Resources,Inc.
TILDEN,M.C. Affiliation Not Assigned. 98/02/20. 2pp. A2279:295-A2279:296.

9802250238 NRC Staff response to motion for stay,request for prior hearing & request for temporary stay.* Staff requests that Presiding Officer lift temporary stay imposed by stay order & deny petitioner request.W/Certificate of Svc.
HULL,J.T. Office of the General Counsel (Post 860701). #198 18819. 98/02/20. Atomic Safety & Licensing Board Panel. 30pp. A2327:133-A2327:262.

-9802250247 Affidavit of RD Carlson.* Provides statements re Hydro Resource,Inc.
CARLSON,R.D. Division of Waste Management (NMSS 940403). 98/02/20. 32pp. A2327:163-A2327:195.

-9802250249 Affidavit of WH Ford.Provides statements re Hydro Resource, Inc.
FORD,W. Office of Nuclear Material Safety & Safeguards. 98/02/20. 31pp. A2327:196-A2327:226.

-9802250251 Affidavit of CA McKenney.Provides statements re Hydro Resource,Inc.
MCKENNEY,C. Office of Nuclear Material Safety & Safeguards. 98/02/20. 21pp. A2327:227-A2327:248.

-9802250255 Affidavit of SN Schexnayder.Provides statements re Hydro Resource,Inc.
SCHEXNAYDER,S. Tennessee, Univ. of, Knoxville, TN. 98/02/20. 13pp. A2327:249-A2327:262.

9802250242 Petitioner M Tilden notice of submission of second amended petition to intervene,statement of concerns,position statement & request for temporary restraining order.*
TILDEN,M. Affiliation Not Assigned. #198 18814. 98/02/20. Atomic Safety & Licensing Board Panel. 13pp. A2279:248-A2279:264.

-9802250264 Affidavit.* Affidivit of M Tilden re Hydro Resources,Inc proposed ISL U mining project.
TILDEN,M. Affiliation Not Assigned. 98/02/20. 2pp. A2279:263-A2279:264.

9802250224 ENDAUM & SRIC motion to strike NRC Staff response to stay motion.* Petitioners respectfully request that Presiding Officer strike NRC Staff response to Petitioners stay motion from offical record of proceeding.W/Certificate of Svc.
JORDAN,S.G. New Mexico, State of. CURRAN,D. Harmon, Curran, Spielberg & Eisenberg, LLP. #198 18823. 98/02/23. Atomic Safety & Licensing Board Panel. 7pp. A2279:331-A2279:337.

9802270241 ENDAUM & SRIC motion to strike NRC Staff response to stay motion.* Requests that Presiding Officer strike staff response because response was served late,in violation of 980123 Presiding Officer Order.W/Certificate of Svc.
JORDAN,S.G. Southwest Research and Information Center. JORDAN,S.G. Affiliation Not Assigned. JORDAN,S.G. New Mexico, State of. #198 18829. 98/02/23. Atomic Safety & Licensing Board Panel. 7pp. A2349:196-A2349:202.

9802260270 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/24. Affiliation Not Assigned. 1p. A2337:180-A2337:181.

-9802260272 Expresses concern re Hydro Resources application for new U mine.
* Affiliation Not Assigned. 98/02/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2337:181-A2337:181.

9802260274 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/24. HEIDE,A. Affiliation Not Assigned. 1p. A2337:182-A2337:183.

-9802260277 Expresses concern over Hydro Resources application for new U mining at Crown Point or Church Rock,NM.
HEIDE,A. Affiliation Not Assigned. 98/02/24. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2337:183-A2337:183.

9802260278 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/24. HARRISON,P. Affiliation Not Assigned. 1p. A2337:184-A2337:185.

-9802260280 Expresses concern re possibility of more U mining on Navajo lands.
HARRISON,P. Affiliation Not Assigned. 98/02/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2337:185-A2337:185.

9802260283 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/24. ANDERSON,P. Affiliation Not Assigned. 1p. A2337:186-A2337:187.

-9802260285 Informs that Navajo Nation needs to have full jurisdiction over proposed U mining sites at Crownpoint & Churh Rock in NM.
ANDERSON,P. Affiliation Not Assigned. 98/02/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2337:187-A2337:187.

9802260294 Ack receipt of correspondence to Chairman Jackson re Hydro Resources Application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/24. BOUCHARD,A. Affiliation Not Assigned. 1p. A2370:322-A2370:323.

-9802260295 Expresses concern about Hydro Resources Application.
BOUCHARD,A. Affiliation Not Assigned. 98/02/19. THE CHAIRMAN Commissioners (Post 750119). 1p. A2370:323-A2370:323.

9802270101 Ack receipt of correspondence to Chairman Jackson re Hydro Resources application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/24. DAGGETT,P. Affiliation Not Assigned. 1p. A2370:324-A2370:325.

-9802270116 Advises that there is no need for new U mines & that there would be enough existing fuel for next 20 years.Expresses concern that mining in Crownpoint & Churchrock,New Mexico, threatens water supply for over 10,000 Navajo people.
DAGGETT,P. Affiliation Not Assigned. 98/02/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2370:325-A2370:325.

9802270121 Ack receipt of correspondence to Chairman Jackson re Hydro Resources application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/24. REILY,S.P. Affiliation Not Assigned. 1p. A2349:116-A2349:117.

-9802270129 Expresses concern re Hydro Resource Inc,plans to create U mills near Crownpoint & Church Rock,New Mexico.Advises that ventures would exploit sovereignty of Navajo people & threaten water supply.
REILY,S.P. Affiliation Not Assigned. 98/02/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2349:117-A2349:117.

9802270133 Ack receipt of correspondence to Chairman Jackson re Hydro Resources application.Correspondence forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 98/02/24. BECKWITH,R. Affiliation Not Assigned. 1p. A2349:118-A2349:119.

-9802270143 Expresses opposition to prospective U mining activities at Crown Rock,New Mexico by Hydro Resources Inc.
BECKWITH,R. Affiliation Not Assigned. 98/02/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2349:119-A2349:119.

9802260115 NRC Staff response to motion to strike.* Staff requests Presiding Officer to deny Eastern Navajo Dine Against U Mining & SRIC motion to strike NRC 980220 response to stay motion.W/Certificate of Svc.
HULL,J.T. Office of the General Counsel (Post 860701). #198 18828. 98/02/25. Atomic Safety & Licensing Board Panel. 6pp. A2327:267-A2327:272.

DOCKET 40-8976 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9802190129 Provides comments on 940308 liner compatibility rept submitted in compliance w/part I.I.8 of ground water discharge permit.
MORTON,L.B. Utah, State of. 98/01/06. COPELAND,G. Envirocare of Utah, Inc. 5pp. A2258:073-A2258:077.

9802060001 Requests that NRC review summary of characterization data & waste history & issue ltr ack that if matl were to be certified by DOE as 11e(2),matl could be received & disposed at Envirocare facility.
ALKEMA,K.L. Envirocare of Utah, Inc. 98/01/23. LEFEVRE,H., HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 10pp. A2135:346-A2135:355.

9802100157 Responds to 971215 ltr which clarifies UT position in allowing receipt of low-level & mixed radioactive waste from DOE at Envirocare of UT,Inc,facility in Clive,UT.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/27. LEAVITT,M.O. Utah, State of. 8pp. A2166:335-A2166:349.

-9802100164 Clarifies UT position in allowing receipt of low-level & mixed low-level radwaste from DOE at Envirocare of UT,Inc facility in Clive,UT.
LEAVITT,M.O. Utah, State of. 97/12/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. A2166:343-A2166:349.

9802060156 Dissusses insp rept 40-8989/97-01 on 971027-30.Listed info re groundwater monitoring sys performance,requested within 45 days of ltr date.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/28. JUDD,C.A. Envirocare of Utah, Inc. 1p. A2150:354-A2150:354.

9802060157 Responds to 980123 ltr requesting NRC to review documents encl w/ltr re approval of waste proposed for disposal as 11e.(2) matl at licensee Clive facility.Comments on documents,provided.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/28. ALKEMA,K.L. Envirocare of Utah, Inc. 2pp. A2149:360-A2149:361.

9802020084 Requests that ltr dtd 980121 to CJ Paperiello re 10CFR2.206 petition concerning Envirocare of UT,Inc,be placed in PDR.
FRIDLEY,S. Information & Records Management Branch (Post 890827). 98/01/29. LEFEVRE,H.E. Division of Waste Management (NMSS 940403). 1p. A2015:190-A2015:193.

-9802020092 Submits response to 980116 ltr re 10CFR2.206 petition concerning Envirocare of UT,Inc.NRC has responsibility to insure that UT regulations & enforcement compatible w/that of NRC.
COCHRAN,T.B. Natural Resources Defense Council. 98/01/21. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 3pp. A2015:191-A2015:193.

9802190123 Submits rev to author 980203 ltr sent via facsimile re Zhagrus Environ.Ltr formally notifies of situation where employee was notified to leave site,which is against policy. Strongly reprimanded Senior Project Manager.
PRESTON,S.J. Affiliation Not Assigned. PRESTON,S.J. . 98/02/04. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. A2258:071-A2258:072.

9802190176 Forwards info re Zhagrus Environ,Inc,as requested.Info includes statement of qualifications,firm overview & project approach.
HELLSTROM,G.W. Envirocare of Utah, Inc. 98/02/06. LAFEVRE,H. NRC - No Detailed Affiliation Given. 52pp. A2244:197-A2244:246.

9802120079 Responds to NRC 980109 ltr re violations noted in insp rept 40-8989/97-01.Corrective actions:revised 1996 Annual Radiological Monitoring Rept submitted to NRC by 971031 ltr. Rev 1 to "Safety & Environ Review Panel...Procedure" encl.
LEDOUX,M.R. Envirocare of Utah, Inc. 98/02/09. Document Control Branch (Document Control Desk). 5pp. A2233:095-A2233:111.

-9802120090 "Safety & Environmental Review Panel Administrative Procedure," rev 1.
* Envirocare of Utah, Inc. 98/02/06. 10pp. A2233:100-A2233:111.

9802240399 Informs that response to NRC 971208 ltr acceptable.Review of NRDC 2.206 petition & Enviorcare of Utah,Inc response is continuing.Inform NRC of any nuclear safety concern bought to attention within one year by current or former employee.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/09. JUDD,C.A. Envirocare of Utah, Inc. 4pp. A2366:062-A2366:065.

9802190153 Forwards encl 2,notice of deviation dtd 980109 to insp rept 40-8989/97-01 issued on 980109.Encl was omitted due to distribution error.Due date for response to original NOV reset to 980109 & notice of deviation to stated date.
SCARANO,R.A. Region 4 (Post 820201). 98/02/11. JUDD,C.A. Envirocare of Utah, Inc. 3pp. A2230:001-A2230:004.

-9802190157 Notice of deviation from insp on 971027-30.Deviation noted: as of 971030,formal procedures had not been established & implemented.
* Region 4 (Post 820201). 98/01/09. 1p. A2230:004-A2230:004.

DOCKET 40-8994 ARMY, DEPT. OF, WARREN, MI

9802190114 Safety & compliance insp on 971009 of licenses 21-01222-05 & SUB-1536.Insp findinds:no violations identified.
CAMERON,J. Region 3 (Post 820201). * Army, Dept. of. 97/10/09. 1p. A2229:289-A2229:289.

DOCKET 40-9015 HARTLEY & HARTLEY LANDFILL (MDNR), BAY COUNTY, MI

9802040349 Informs of cancellation of statement of intent,dtd 950905, accompanying amended license application for MDNR-owned portion of Hartley & Hartley Landfill.
WU,C.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/21. SOBEL,K. Michigan, State of. 5pp. A2031:207-A2031:211.

DOCKET 40-9024 ENERGY FUELS NUCLEAR

9802200118 Application for amend to license SUA-1558,requesting termination of Reno Creek possession-only license SUA-1558.
REHMANN,M.R. . 98/01/28. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 24pp. A2320:136-A2320:159.

9802250153 Submits request to docket NRC internal ltr dtd 970630,not entered into PDR following distribution.
LEFEVRE,H.E. Division of Waste Management (NMSS 940403). 98/02/20. FRIDLEY,S. Information & Records Management Branch (Post 890827). 1p. A2360:313-A2360:314.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

F. Security, medical, emergency & fire protection plans

9802040113 Ack receipt of 970702 ltr re rev 16 to Univ of Michigan Ford Nuclear Reactor Emergency Plan.NRC approval not required,based on determination that changes do not decrease effectiveness of subj plan.
MICHAELS,T.S. . 98/01/27. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 4pp. A2004:357-A2004:360.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

W. Decommissioning Stage Documents & Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

S. Reportable occurrences, LERs & related correspondence

9802230223 RO:on 980209,CR was unoccupied by licensed operator for about five seconds while reactor was not secure.Caused by personnel error.Will counsel involved individuals & will review & strengthen overall turnover process.
SEARS,C.F. Pennsylvania State Univ., University Park, PA. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2329:360-A2329:361.

9802240321 Special repton 980209,SRO realized that violation of TS occurred.Caused by lack of formal turnover between two SROs, inattention on part of second SRO.SROs counseled.
ERICKSON,R.A. Pennsylvania State Univ., University Park, PA. 98/02/20. Document Control Branch (Document Control Desk). 3pp. A2355:337-A2355:339.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020178 Provides response to violations noted in insp repts 50-010/97-24,50-237/97-24 & 50-249/97-24.Corrective actions: heat trace controller setting increased to heat suction temp above 83 F.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 8pp. A2015:180-A2015:187.

9802120043 Ack receipt of 980126 ltr informing NRC of steps taken to correct violations noted in insp repts 50-010/97-24, 50-237/97-24 & 50-249/97-24.Actions will be examined during future insp.
RING,M. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2142:164-A2142:165.

9802130024 Ack receipt of 980109 ltr informing NRC of steps taken to correct violations noted in insp repts 50-010/97-19, 50-237/97-19 & 50-249/97-19.Corrective actions will be examined during future insp.
RING,M. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2164:066-A2164:068.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240237 Provides plant response to NRC Region III SALP 15 rept dtd 980102.Response summarizes actions taking to address weaknesses noted in SALP 15 rept,w/ specific focus on Engineering issues.
HEFFLEY,J.M. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 9pp. A2350:290-A2350:298.

R. Periodic operating reports & related correspondence

9802190296 Monthly operating repts for Jan 1998 for Dresden Nuclear Power Station.W/980206 ltr.
ABRELL,G.A., HEFFLEY,J.M. Commonwealth Edison Co. 98/01/31. 11pp. A2258:129-A2258:139.

W. Decommissioning Stage Documents & Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802020177 Forwards 1997 rept of revs to commitments made in docketed correspondence for DNPS.Revs processed using NEI guidance for "Managing NRC Commitments," rev 2,dtd 951219.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A1981:356-A1981:357.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

--9802060120 Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802240218 Informs that effective 980209 R Burrows has been assigned as Project Manager for plant,unit 1.
ROE,J.W. . 98/02/09. AINGER,K.A. Commonwealth Edison Co. 3pp. A2335:351-A2335:353.

DOCKET 50-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802040039 Application for amend to license DPR-9,changing TS on access control to provide flexibility while maintaining similar controls over access.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 10pp. A2136:050-A2136:064.

–**9802040453** Proposed tech specs re access control to provide flexibility while maintaining similar control over access.
* Detroit Edison Co. 98/01/28. 5pp. A2136:060-A2136:064.

P. Operating license stage documents & correspondence

9802040039 Application for amend to license DPR-9,changing TS on access control to provide flexibility while maintaining similar controls over access.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 10pp. A2136:050-A2136:064.

–**9802040453** Proposed tech specs re access control to provide flexibility while maintaining similar control over access.
* Detroit Edison Co. 98/01/28. 5pp. A2136:060-A2136:064.

9802040058 Application for amend to license DPR-9,allowing util to possess contaminated apparatus & equipment & radioactive sources at Fermi 1 containing byproduct matl not produced by operation of plant reactor.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 8pp. A2034:334-A2034:341.

9802040290 Application for amend to license DPR-6,modifying Sections F & I of plant TS to include requirements for control of effluents,dose limits & annual reporting per 10CFR50.36a.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 8pp. A2136:038-A2136:049.

–**9802040452** Proposed tech specs,modifying Sections F & I of plant TS to include requirements for control of effluents,dose limits & annual requirements per 10CFR50.36a.
* Detroit Edison Co. 98/01/28. 4pp. A2136:046-A2136:049.

9802240251 Informs that NRC plans to hold public meeting on 980422 in Monroe,MI.Requests that encl 2 copies of Fermi 1 SAR be made available for public review until May 1998.W/o encl.
BROWN,S.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/12. NORTHERN,S.S. Freedom of Information & Local Public Document Room Branch. 2pp. A2333:356-A2333:357.

9802250246 Requests that county of Monroe allow NRC to hold public meeting in commission meeting room,county court house on 980422 at listed time.
BROWN,S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/12. LONDO,C. Monroe, MI. 2pp. A2360:336-A2360:337.

9802240270 Informs NRC of planned activity at plant based on discussion between L Goodman & S Brown,NRC Project Manager.Plant Review Committee reviewed & approved design change & SE.
BORER,P.J. Detroit Edison Co. 98/02/18. Document Control Branch (Document Control Desk). 3pp. A2343:157-A2343:159.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

P. Operating license stage documents & correspondence

9802270315 Notifies that in notification of shipment of spent fuel on 980130,incorrect shipment identification number was given. Correct shipment number would be R37-02/02/98.
NEWTON,T.H. Massachusetts Institute of Technology, Cambridge, MA. 98/02/02. Office of Nuclear Material Safety & Safeguards. 1p. A2349:250-A2349:250.

9802240330 Responds to 971121 request for approval of route to be used for transport of spent fuel.Encl route meets regulatory requirements of 10CFR73.37.Approval for route also encl.
SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 98/02/05. NEWTON,T.H. Massachusetts Institute of Technology, Cambridge, MA. 4pp. A2287:063-A2287:066.

V. Operator Examinations

9802200335 Forwards results of operator initial examination conducted at Massachusetts Inst of Technology on 980130.W/o encl.
MASNIK,M.T. . 98/02/17. BERNARD,J. Massachusetts Institute of Technology, Cambridge, MA. 1p. A2255:070-A2255:070.

DOCKET 50-22 WESTINGHOUSE TEST REACTOR

P. Operating license stage documents & correspondence

9802040378 Permits withdrawal of 970618 application to transfer & amend license for Westinghouse test reactor facility. Withdrawal notice encl.
MICHAELS,T.S. . 98/01/20. NARDI,A.J. Westinghouse Electric Corp. 3pp. A2004:338-A2004:342.

–**9802040380** Notice of withdrawal of application for consent to transfer facility license TR-2 for Westinghouse Test Reactor & conforming amend.
WEISS,S.H. . 98/01/20. 2pp. A2004:341-A2004:342.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

H. General correspondence

9802200023 Requests that NRC external distribution lists be modified to indicate FN Williams as licensee contact for Yankee Nuclear Power Station correspondence.JA Kay should also be added to list.
GRANT,J.M. Yankee Atomic Electric Co. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2270:123-A2270:123.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802250317 "Person-Rem Final End of Yr Rept for 1997." W/980216 ltr.
KAY,J.A. Yankee Atomic Electric Co. 97/12/31. FAIRTILE,M.B. . 2pp. A2360:355-A2360:356.

W. Decommissioning Stage Documents & Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802240442 Forwards copy of FR notice published on 980128 providing opportunity to either make comments on proposed Yankee Atomic Electric Co license termination plan or to request hearing on plan.
FAIRTILE,M.B. . 98/02/05. NRC - No Detailed Affiliation Given. 7pp. A2280:355-A2280:361.

9802270178 Informs that staff completed review of "Yankee License Termination Plan," dtd 970515,supplemented 971218 & 980123. Inspection of licensee matls & effluents records, recommended.Supporting SE,encl.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/12. WEISS,S. . 6pp. A2420:199-A2420:204.

DOCKET 50-30 PLUM BROOK RESEARCH REACTOR FACILITY

Q. Inspection reports, IE Bulletins & correspondence

9802260222 Forwards insp repts 50-030/98-201 & 50-185/98-201 on 980128- 29.No violations noted.
WEISS,S.H. . 98/02/13. KOZAR,R.P. National Aeronautics & Space Administration. 3pp. A2347:037-A2347:044.

–**9802260225** Insp repts 50-030/98-201 & 50-185/98-201 on 980128-29.No violations noted.Major areas inspected:maint & radiation controls.
* . 98/02/13. 5pp. A2347:040-A2347:044.

DOCKET 50-54 CINTICHEM

W. Decommissioning Stage Documents & Correspondence

9802180159 Forwards Cintichem final status survey plan & rept,per section 7 of licensee radiopharmaceutical facilities decommissioning plan.W/o encl.
MCGOVERN,J.J Cintichem, Inc. 98/01/19. ALDRICH,R. New York, State of. 1p. A2243:023-A2243:023.

9802180090 Forwards revised tables including Sr-90 analytical results. Five individual samples from adjacent locations consolidated into one sample for Sr-90 analysis.
MCGOVERN,J.J. Cintichem, Inc. 98/01/28. DRAGOUN,T. Region 1 (Post 820201). 4pp. A2244:015-A2244:018.

9802180092 Forwards amended table which includes Sr-90 data re final survey of soils at 001 outfall.Conclusion that survey results meet soils acceptance criteria has not changed.
MCGOVERN,J.J. Cintichem, Inc. 98/01/28. YOUNGBERG,B. New York, State of. 3pp. A2241:353-A2241:357.

9802100172 Forwards amend 10 to license SNM-639,in resonse to 971204 request to amend decommissioning plan for Tuxedo,NY facility to reduce off-site environ monitoring program.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/02. MCGOVERN,J.J. Cintichem, Inc. 3pp. A2166:350-A2166:357.

–**9802100174** Amend 10 to license SNM-639 for Cintichem,Inc.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/02. 5pp. A2166:353-A2166:357.

DOCKET 50-57 BUFFALO MATERIALS RESEARCH CENTER

F. Security, medical, emergency & fire protection plans

9802120087 Forwards rev 7 to physical security plan for protection of special nuclear matl of low strategic significance,per 10CFR50.54(p)(2).Encl withheld per 10CFR2.790.
ADAMS,M.S. New York, State Univ. of, Buffalo, NY. 98/01/23. Document Control Branch (Document Control Desk). 1p. A2182:341-A2182:341.

DOCKET 50-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

F. Security, medical, emergency & fire protection plans

9802240194 Recommends that encl form ltr be sent to licensee indicating findings of review of Vallecitos Nuclear Ctr Reactor Facilities radiological emergency plan..
ZALCMAN,B. . 98/02/10. MENDONZA,M.M. . 4pp. A2325:243-A2325:246.

9802230142 Ack receipt of 971105 ltr which transmitted changes to Emergency Plan under provisions of 10CFR50.54(q).Informs that NRC approval not required based on determinations that changes do not decrease effectiveness of Emergency Plan.
MENDONCA,M.M. . 98/02/17. STIMMELL,G.L. General Electric Co. 3pp. A2258:321-A2258:323.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9802190284 Forwards rev to request for update of TS which was submitted on 971222.Rev is result of several telcons w/T Michaels & is submitted for approval.
WENDT,S.E. Iowa State Univ., Ames, IA. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2318:231-A2318:246.

–9802230162 Proposed tech specs revising "Definitions" section of TS for Iowa State Univ Reactor Facility.
* Iowa State Univ., Ames, IA. 98/02/10. 15pp. A2318:232-A2318:246.

DOCKET 50-128 TEXAS A&M TRIGA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9802020014 Forwards revised safeguard contingency plan for Nuclear Science Ctr at TX A&M Univ,per 10CFR50.54(p).Changes do not reduce effectiveness of security plan.W/o encl.
O'KELLY,S.O. Texas A&M Univ., College Station, TX. 98/01/23. Document Control Branch (Document Control Desk). 1p. A2015:242-A2015:242.

P. Operating license stage documents & correspondence

9802060203 Forwards revised TS,including minor changes made to Sections 3.5.2,6.6.1.f.1 & 6.6.2.
O'KELLY,S. Texas A&M Univ., College Station, TX. 98/01/29. Document Control Branch (Document Control Desk). 1p. A2150:261-A2150:306.

–9802060206 Revised "TS for Texas Engineering Experiment Station,Texas Univ Sys,Nuclear Science Ctr,Reactor Facility." Revised through amend 14.
* Texas A&M Univ., College Station, TX. 98/01/15. 45pp. A2150:262-A2150:306.

9802200085 Requests that specific parts of SE accompanying 980126 request for amend to TS be withheld from public disclosure per 10CFR9.17 & 10CFR2.790.
O'KELLY,S. Texas A&M Univ., College Station, TX. 98/02/08. MICHAELS,T. . 16pp. A2398:236-A2398:252.

V. Operator Examinations

9802050275 Transmits SRO license certificate to TH Fisher.W/o encl.
ROE,J.W. . 98/01/29. RUSSELL,B.D. Texas A&M Univ., College Station, TX. 1p. A2012:258-A2012:258.

DOCKET 50-131 OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9802250154 Informs that wording of section 10.1.2 of emergency plan for Omaha Dept of Veterans Affairs Medical Ctr has been changed, IAW 10CFR50.54(q).Change allows more leeway time to schedule training sessions w/outside agencies.
PHILLIPS,J.J. Dept. of Veterans Affairs Medical Center, Omaha, NE (formerly Veterans Admin. Me. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2360:338-A2360:338.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040332 Informs that existing HBPP PM Program adequately meets requirements of Maint Rule.Summary of program & basis for determining Maint Rule compliance at plant,encl.
MOULIA,T.A. Pacific Gas & Electric Co. 98/01/26. Document Control Branch (Document Control Desk). 5pp. A2020:140-A2020:144.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

DOCKET 50-134 WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9802190177 "1997 Annual Operating Rept for Worcester Polytechnic Inst, Nuclear Reactor Facility." W/980128 ltr.
BOBECK,L.M. Worcester Polytechnic Institute, Worcester, MA. 97/12/31. 3pp. A2253:349-A2253:351.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

9802030106 Forwards request for addl info re amend to license DPR-4. Responses requested to be provided within 30 days of dtd ltr.
ADAMS,A. . 98/01/27. KUEHN,G.A. General Public Utilities Corp. 7pp. A1976:071-A1976:077.

9802110150 Responds to 980128 RAI re TS change request 59.Response includes proposed revised pages to facility license,TS, updated SAR,decommissioning QA plan & figures to post shutdown activities rept.W/Certificate of Svc.
KUEHN,G.A. General Public Utilities Corp. 98/02/03. Document Control Branch (Document Control Desk). 12pp. A2177:296-A2177:354.

–9802110152 Proposed revised TS in response to 980127 RAI re TS change request 59.
* General Public Utilities Corp. 98/02/03. 25pp. A2177:308-A2177:332.

–9802110153 Rev 1 to "Saxton Nuclear Experimental Corp Facility Decommissioning QA Plan."
* General Public Utilities Corp. 1000-PLN-3000.05 R01. 98/02/02. 22pp. A2177:333-A2177:354.

9802190279 Provides response to questions re apparent undocumented changes to Saxton Nuclear Experimental Corp decommissioning QA plan.
KUEHN,G.A. General Public Utilities Corp. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2258:017-A2258:036.

–9802190282 Rev 1 to 1000-PLN-3000.05, "Saxton Nuclear Experimental Corp Facility Decommissioning QA Plan."
* General Public Utilities Corp. 98/02/02. 18pp. A2258:019-A2258:036.

9802240064 Forwards RAI re amend request for license DPR-4 submitted 981125.Response requested to be provided within 30 days of date of ltr.
ADAMS,A. . 98/02/09. KUEHN,G.A. General Public Utilities Corp. 6pp. A2325:265-A2325:270.

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR

P. Operating license stage documents & correspondence

9802060013 Informs NRC in writing of discovery of procedural & TS violation on 971117 & 21 re fuel temperature & power indications.Corrective actions:procedure will be out & observed for all operations regardless of simplicity.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 98/01/12. ADAMS,A. NRC - No Detailed Affiliation Given. 5pp. A2095:354-A2095:358.

R. Periodic operating reports & related correspondence

9802190214 "Annual Rept 970101-1231 IL Advance TRIGA." W/980216 ltr.
HOLM,R.L., JONES,B.G. Illinois, Univ. of, Urbana, IL. 97/12/31. 9pp. A2258:090-A2258:098.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9802240126 Forwards RAI concerning proposed changes to defueled emergency plan as detailed in 970919 ltr.Response requested within 30 days of date of ltr.
HARRIS,P.W. . 98/02/02. POWERS,K.P. Consumers Energy Co. (formerly Consumers Power Co.),. 12pp. A2325:128-A2325:139.

9802170172 Ack receipt of ltr dtd 980116,which transmitted changes identified as rev 32 to Big Rock Point Security Plan, submitted per 10CFR50.54(p).Changes do not decrease effectiveness of plan.
CREED,J.R. Region 3 (Post 820201). 98/02/08. RANG,J.S. Consumers Energy Co. (formerly Consumers Power Co.),. 3pp. A2231:338-A2231:340.

9802230228 Forwards insp rept 50-155/97-15 on 971205-980202 & notice of violation.Activities in areas of facility mgt & control, decommissioning support & spent fuel safety.
JORGENSEN,B.L. Region 3 (Post 820201). 98/02/14. POWERS,K.P. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A2268:149-A2268:175.

–**9802230240** Insp rept 50-155/97-15 on 971205-980202.Violations noted. Major areas inspected:facility management & control, decommissioning support activities,spent fuel safety & radiological safety.
* Region 3 (Post 820201). 98/02/14. 24pp. A2268:152-A2268:175.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802200075 Forwards rev 7 to "Updated Final Hazards Summary Rept for Big Rock Point Plant." W/list of effective pages & index of chapters.
POWERS,K.P. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/12. Document Control Branch (Document Control Desk). 26pp. A2269:001-A2270:038.

–**9802200081** Rev 7 to "Updated Final Hazards Summary Rept for Big Rock Point Plant."
* Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/12. 377pp. A2269:026-A2270:038.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020271 Ack receipt of 980115 ltr informing NRC of steps taken to correct violations noted in insp rept 50-155/97-13 on 971217.Reviewed C/As & have no further questions.
JORGENSEN,B.L. Region 3 (Post 820201). 98/01/27. POWERS,K.P. Consumers Energy Co. (formerly Consumers Power Co.),. 1p. A1985:154-A1985:154.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802230228 Forwards insp rept 50-155/97-15 on 971205-980202 & notice of violation.Activities in areas of facility mgt & control, decommissioning support & spent fuel safety.
JORGENSEN,B.L. Region 3 (Post 820201). 98/02/14. POWERS,K.P. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A2268:149-A2268:175.

–**9802230235** Notice of violation from insp on 971205-980202.Violation noted:chemical decontamination worker working under RWP B982035 in high radiation area for approx 55 minutes & did not monitor dosimetry time.
* Region 3 (Post 820201). 98/02/14. 1pp. A2268:151-A2268:151.

–**9802230240** Insp rept 50-155/97-15 on 971205-980202.Violations noted. Major areas inspected:facility management & control, decommissioning support activities,spent fuel safety & radiological safety.
* Region 3 (Post 820201). 98/02/14. 24pp. A2268:152-A2268:175.

R. Periodic operating reports & related correspondence

9802240164 Forwards semi-annual fitness for duty program performance for reporting period for Jul-Dec 1997,IAW 10CFR26.71(d).
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/18. Document Control Branch (Document Control Desk). 11pp. A2333:196-A2333:206.

W. Decommissioning Stage Documents & Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802240382 Provides twenty-eighth update of Big Rock Point integrated plan.Operating license & Tech Specs for defueled configuration being reviewed by NRC,currently.
RANG,J.S. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/13. Document Control Branch (Document Control Desk). 1p. A2366:061-A2366:061.

9802260253 Informs that on 980331 & 0401,NRR will be holding 1998 decommissioning power reactor counterparts meeting in Arlington,TX.Recipient requested to make presentation at subj meeting.Meeting agenda encl.
MASNIK,M.T. . 98/02/13. HART,P.W. Energy, Dept. of. 3pp. A2346:357-A2346:359.

9802240376 Requests exemption from certain requirements of 10CFR50.54 for conditions of license.
POWERS,K.P. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/19. Document Control Branch (Document Control Desk). 6pp. A2355:350-A2355:355.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

P. Operating license stage documents & correspondence

9802190202 Forwards addl info in support of possession-only-license amend application dtd 970807.Revised TS re rev to facilitate decommissioning,encl.
DAVIDSON,J.N. Georgia Institute of Technology, Atlanta, GA. 98/02/04. MENDONCA,M.M. . 6pp. A2244:292-A2244:314.

–**9802190205** Proposed tech specs re rev to facilitate decommissioning.
* Georgia Institute of Technology, Atlanta, GA. 98/02/04. 17pp. A2244:298-A2244:314.

DOCKET 50-166 UNIV. OF MARYLAND RESEARCH REACTOR

P. Operating license stage documents & correspondence

9802110140 Informs that effective 980217,new Interim Reactor Director will be Professor Pertmer & effective 980204,new Operation Manager will be J Floyd.Remainder of staff will include listed individuals.
CHRISTOU,A. Maryland, Univ. of, College Park, MD. 98/02/04. ADAMS,A. NRC - No Detailed Affiliation Given. 1p. A2212:248-A2212:248.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802240055 Summary of 980122 meeting w/Transnuclear,Inc re TN-68 spent fuel dry storage cask contents & design.List of attendees & meeting handouts,encl.
WHALEY,S. Office of Nuclear Material Safety & Safeguards. 98/02/04. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 7pp. A2333:189-A2333:195.

DOCKET 50-184 NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR

P. Operating license stage documents & correspondence

9802050352 Informs that funding for conversion of NIST reactor to LEU will not be available at any time in foreseeable future.
ROWE,J.M. Commerce, Dept. of. 98/01/21. . 1p. A2135:282-A2135:282.

DOCKET 50-185 PLUM BROOK REACTOR - MOCK-UP

Q. Inspection reports, IE Bulletins & correspondence

9802260222 Forwards insp repts 50-030/98-201 & 50-185/98-201 on 980128- 29.No violations noted.
WEISS,S.H. . 98/02/13. KOZAR,R.P. National Aeronautics & Space Administration. 3pp. A2347:037-A2347:044.

-9802260225 Insp repts 50-030/98-201 & 50-185/98-201 on 980128-29.No violations noted.Major areas inspected:maint & radiation controls.
* . 98/02/13. 5pp. A2347:040-A2347:044.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

P. Operating license stage documents & correspondence

9802230130 Forwards ballots for ANS-10.4, "Guidance for Verification & Validation of Scientific & Engineering Computer Programs for Nuclear Industry." Voted "Approved W/Comments."
ADAMS,A. . 98/02/17. RABY,T.M. National Institute of Standards & Technology (formerly National Bureau of Standa. 6pp. A2271:198-A2271:203.

Q. Inspection reports, IE Bulletins & correspondence

9802060036 Forwards insp rept 50-186/98-201 on 980112-15 & notice of violation.Purpose of insp to determine whether activities authorized by license were conducted safely & in accordance w/NRC requirements.
WEISS,S.H. . 98/02/02. CHARLSEN,E. Missouri, Univ. of, Columbia, MO. 5pp. A2038:274-A2038:294.

-9802060049 Notice of violation from insp on 980112-15.Violation noted: 1997 annual operating tests were administered to reactor operations engineer & one SRO by persons other than those individuals authorized.
* . 98/02/02. 2pp. A2038:279-A2038:280.

-9802060050 Insp rept 50-186/98-201 on 980112-15.Violations noted.Major areas inspected:aspects of organization,operations & maint activities.
WEISS,S.H. . 98/02/02. 14pp. A2038:281-A2038:294.

9802230326 Ack receipt of 980123 ltr in response to 971211 ltr transmitting NOV.Corrective actions will be examined during future insp.
WEISS,S.H. . 98/02/05. CHARLSON,E. Missouri, Univ. of, Columbia, MO. 4pp. A2280:156-A2280:159.

R. Periodic operating reports & related correspondence

9802230087 Monthly operating rept for Sept 1997 for Univ of Missouri Research Reactor.
* Missouri, Univ. of, Columbia, MO. 97/09/30. 2pp. A2342:313-A2342:315.

9802230086 Monthly operating rept for Oct 1997 for Univ of Missouri Research Reactor.
* Missouri, Univ. of, Columbia, MO. 97/10/31. 2pp. A2342:300-A2342:301.

9802200376 Monthly operating rept for Nov 1997 for Univ of MO Research Reactor.
* Missouri, Univ. of, Columbia, MO. 97/11/30. 2pp. A2319:360-A2319:361.

9802200383 Monthly operating rept for Dec 1997 for Univ of MO Research Reactor.
* Missouri, Univ. of, Columbia, MO. 97/12/31. 3pp. A2320:176-A2320:178.

V. Operator Examinations

9802090149 Requests reinstatement of senior operator license for PJ Muren.Physical exam for Muren scheduled for 980130. Written exam w/scope as biennial exam administered in Oct/ Nov 1997 will also be administered.
MEYER,W.A. Missouri, Univ. of, Columbia, MO. 98/01/27. WEISS,S.H. Document Control Branch (Document Control Desk). 1p. A2164:352-A2164:352.

DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

Q. Inspection reports, IE Bulletins & correspondence

9802260240 Forwards insp rept 50-193/98-201 on 980113-15.No noncompliance or safety concerns were identified.
WEISS,S.H. . 98/02/13. TEHAN,T. Rhode Island, State of. 3pp. A2347:086-A2347:095.

-9802260245 Insp rept 50-193/98-201 on 980113-15.No violations noted. Major areas inspected:protection of public safety.
* . 98/02/13. 7pp. A2347:089-A2347:095.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802050258 Forwards Rev 10 to EPIP SO123-VIII-1, "Recognition & Classification of Emergencies." Encl also lists current offsite emergency planning order & emergency plan training program description,ref in emergency plan.
GIBSON,G.T. Southern California Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 5pp. A2086:194-A2086:268.

-9802050269 Rev 10 to EPIP SO123-VIII-1, "Recognition & Classification of Emergencies."
* Southern California Edison Co. 97/12/29. 69pp. A2086:200-A2086:268.

9802040448 Rev 8 to "Emergency Plan for SONGS,Units 1,2 & 3."
* Southern California Edison Co. 98/02/03. 8pp. A2036:155-A2036:162.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802110048 Forwards for review & approval,change notice 43 to SCE QA topical rept SCE-1-A,amend 19 dtd Dec 1997,requesting use of alternate criteria for certifying lead QA auditor instead of criteria in ANSI N45.2,23-978.
RAINSBERRY,J.L. Southern California Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 3pp. A2182:332-A2182:340.

-9802110052 Change notice 43 to amend 19 of topical rept SCE-1-A, "QA Program."
SLAGLE,K.A., RAY,H.B. Southern California Edison Co. 98/02/06. 6pp. A2182:335-A2182:340.

9802200311 Provides statistical summary by work & job functions of personnel who received greater than 100 mRem of exposure in 1997 IAW regulatory guide 1.16 section D 6.9.1.2 of Unit 1 permanently defueled TS.
GIBSON,G.T. Southern California Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2283:312-A2283:313.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

S. Reportable occurrences, LERs & related correspondence

9802190164 Forwards LER 98-001-00 which provides 30-day follow-up rept required by 10CFR73.71(d) for security computer sys being inoperable for few minutes.
KRIEGER,R.W. Southern California Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2255:303-A2255:306.

-9802190203 LER 98-001-00:on 980114,loss of security computers was noted.Caused by equipment failure.Rebooting of primary or backup servers will be manually monitored to prevent failure.
KRIEGER,R.W. Southern California Edison Co. 98/02/12. 3pp. A2255:304-A2255:306.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9802030035 Provides response to 971223 & 980108 telcon RAIs re proposed defueled emergency plan for HNP.Revised pages,denoted by rev bars in right-hand margin,encl.
MELLOR,R.A. Connecticut Yankee Atomic Power Co. 98/01/22. Document Control Branch (Document Control Desk). 48pp. A2017:311-A2017:358.

9802240278 Discusses licensee request for approval of 3 month extension in conducting training of plant emergency response organization.Licensee request for 3 month extension granted.
FREDRICHS,T.L. . 98/02/10. MELLOR,R. Connecticut Yankee Atomic Power Co. 5pp. A2335:340-A2335:344.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9802260260 Responds to petitioner request to have listed license conditions imposed on operating licenses of Millstone & Haddam Neck plants.Petitioner request denied for reasons given in encl Director's Decision DD-98-01.FRN also encl.
COLLINS,S.J. . 98/02/11. HADLEY,E.C. Hadley, E.C. 7pp. A2366:157-A2366:221.

-9802270017 Director's Decision DD-98-01,per 10CFR2.206.Petitioner request for specific enforcement-related license conditions at Millstone & Haddam Neck facilities denied.
COLLINS,S.J. . 98/02/11. Northeast Utilities. 17pp. A2366:165-A2366:181.

-9802270028 Notice of issuance of Director's Decision,per 10CFR2.206 WRT 970303 petition filed by AA Cizek re Millstone & Haddam Neck plants.Petitioner requests listed.
COLLINS,S.J. . 98/02/11. 4pp. A2366:182-A2366:221.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802040177 Forwards Volumes 1-3 to "Decommissioning UFSAR," which accurately presents changes completed since previous submittal.UFSAR will be updated IAW 10CFR50.71(e)(4),as plant continues to recategorize structures,sys & components.
MELLOR,R.A. Connecticut Yankee Atomic Power Co. 98/01/26. Document Control Branch (Document Control Desk). 3pp. A2066:070-A2068:266.

-9802040193 Chapter 1, "Introduction & General Description of Plant," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 48pp. A2066:089-A2066:119.

-9802040199 Chapter 2, "Site Characteristics," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 117pp. A2066:120-A2066:239.

-9802040205 Chapter 3," Design of Structures,Components,Equipment & Sys," to Haddam Neck Plant for decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 114pp. A2066:240-A2066:353.

-9802040212 Chapter 4, "Reactor," to Haddam Neck Plant for decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 42pp. A2066:354-A2067:038.

-9802040218 Chapter 5, "RCS & Connected Sys," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 52pp. A2067:039-A2067:095.

-9802040230 Chapter 6, "Engineered Safety Features," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 33pp. A2067:096-A2067:126.

-9802040236 Chapter 7, "Instrumentation & Controls" to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 10pp. A2067:127-A2067:136.

-9802040238 Chapter 8, "Electric Power," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 52pp. A2067:137-A2067:188.

-9802040241 Chapter 9, "Auxiliary Sys," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 400pp. A2067:189-A2068:055.

-9802040248 Chapter 10, "Steam & Power Conversion Sys," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 82pp. A2068:056-A2068:140.

-9802040250 Chapter 11, "Radioactive Waste Mgt," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 46pp. A2068:141-A2068:188.

-9802040252 Chapter 12, "Radiation Protection" to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 23pp. A2068:189-A2068:211.

-9802040255 Chapter 13, "Conduct of Operations," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 22pp. A2068:212-A2068:234.

-9802040257 Chapter 14, "Initial Test Program," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 2pp. A2068:235-A2068:236.

-9802040260 Chapter 15, "Accident Analysis," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 28pp. A2068:237-A2068:262.

-9802040262 Chapter 16, "TS," to Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 2pp. A2068:263-A2068:264.

-9802040264 Chapter 17, "QA" for Haddam Neck Plant decommissioning updated FSAR.
* Connecticut Yankee Atomic Power Co. 98/01/31. 2pp. A2068:265-A2068:266.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040223 Ack receipt of 971205 ltr informing NRC of steps taken to correct violations noted in insp rept 50-213/97-08 on 970703 & 0811-0919.Violation involved failure to follow radiation protection procedures.
WHITE,J.R. Region 1 (Post 820201). 98/01/29. DAVIS,D.K., MELLOR,R.A. Connecticut Yankee Atomic Power Co. 3pp. A1997:335-A1997:349.

9802090231 Discusses inspection rept 50-213/97-10 & forwards worker dose assessment.Insp rept provides analysis of occupational dose assessment for workers involved in 961102 airborne radioactivity event.No exposures in excess identified.
WHITE,J.R. Region 1 (Post 820201). 98/02/02. DAVIS,D.K. Connecticut Yankee Atomic Power Co. 3pp. A2039:168-A2039:297.

-9802090233 Forwards final rept for task 3,subtask 15 of contract, namely, "Independent Analysis & Evaluation of AM-241 & Transuranics & Subsequent Dose to Two Male Workers at Connecticut Yankee Atomic Power Plant."
TOOHEY,R.E. Oak Ridge Associated Universities. 97/12/24. HOWE,D.B. Office of Nuclear Material Safety & Safeguards. 2pp. A2039:171-A2039:172.

-9802090236 "Independent Analysis & Evaluation of AM-241 & Transuranics & Subsequent Dose to Two Male Workers at Connecticut Yankee Atomic Power Plant."
TOOHEY,R.E. Oak Ridge Associated Universities. 97/12/24. 124pp. A2039:173-A2039:297.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802270077 Forwards correction to insp rept 50-213/97-09.Two lines on first page of rept cover ltr were omitted prior to reproduction & transmittal.Rept being reissued including minor formatting changes in entirety.
BELLAMY,R.R. Region 1 (Post 820201). 98/02/17. DAVIS,D.K. Connecticut Yankee Atomic Power Co. 3pp. A2370:007-A2370:051.

-9802270103 Forwards insp rept 50-213/97-09 on 971001-980112 & NOV.Violation involved discovery of old design issue associated w/spent fuel bldg ventilation sys.
BELLAMY,R.R. Region 1 (Post 820201). 98/02/09. DAVIS,D.K. Connecticut Yankee Atomic Power Co. 3pp. A2370:010-A2370:012.

-9802270105 Notice of violation from insp on 971012-980112.Violation noted:licensee did not provide for verifying or checking adequacy of design for listed sys & components.
* Region 1 (Post 820201). 98/02/17. 2pp. A2370:013-A2370:013.

-9802270108 Insp rept 50-213/97-09 on 971012-980112.Violations noted. Major areas inspected:decommissioning operations & planning & included aspects of engineering,maint & plant support.
* Region 1 (Post 820201). 98/02/17. 23pp. A2370:014-A2370:051.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

R. Periodic operating reports & related correspondence

9802270114 "Haddam Neck Plant Annual Rept for 10CFR50.59,Jan-Dec,1997." W/ 980223 ltr.
MELLOR,R.A. Connecticut Yankee Atomic Power Co. 97/12/31. 233pp. A2408:099-A2408:331.

9802190309 Monthly operating rept for Jan 1998 for Connecticut Yankee Haddam Neck Plant.W/980215 ltr.
EMMONS,K.W., MELLOR,R.A. Connecticut Yankee Atomic Power Co. 98/01/31. 9pp. A2258:257-A2258:265.

9802250327 Forwards annual rept re occupational radiation exposure. Summaries of challenges to safety & relief valves & primary coolant specific activity analysis.encl.
MELLOR,R.A. Connecticut Yankee Atomic Power Co. 98/02/18. Document Control Branch (Document Control Desk). 2pp. A2372:043-A2372:045.

-9802250328 "Occupational Radiation Exposure."
* Connecticut Yankee Atomic Power Co. 97/12/31. 1p. A2372:045-A2372:045.

S. Reportable occurrences, LERs & related correspondence

9802050327 Forwards copy of final ASP analysis of operational condition at Haddam Neck Plant reported in LER 213/96-016.Responses to specific comments also encl.
FREDRICHS,T.L. . 98/01/29. MELLOR,R. Connecticut Yankee Atomic Power Co. 14pp. A2012:147-A2012:160.

W. Decommissioning Stage Documents & Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040220 Discusses Connecticut Yankee Atomic Power Co post-shutdown decommissioning activities rept.
FAIRTILE,M.B. . 98/01/28. WEISS,S.H. . 2pp. A2006:319-A2006:320.

9802200323 Provides update on status of work related to draining & repair of RWST at Haddam Neck Plant.
MELLOR,R.A. Connecticut Yankee Atomic Power Co. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2320:243-A2320:245.

9802270258 Ack receipt of 971231 ltr to Chairman Jackson re Nuclear Energy Advisory Council unanimous support of Community Decommissioning Advisory Committee,created to oversee decommissioning of Connecticut Yankee at Haddam Neck.
BANGART,R.L. Office of State Programs (Post 911117). 98/02/03. CONCANNON,T., WOOLLACOTT,E.W. Connecticut, State of. 4pp. A2349:217-A2349:222.

-9802270260 Expresses support of Community Decommissioning Advisory Committee created to oversee decommissioning of Connecticut Yankee at Haddam Neck.
CONCANNON,T., WOOLLACOTT,E.W. Connecticut, State of. 97/12/31. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A2349:221-A2349:222.

9802240155 Notification of significant licensee meeting 98-14 w/util on 980311 in East Hampton,CT to discuss licensee approach to upcoming decontamination of reactor sys,design for SF island concept & use of 10CFR50.59.
BELLAMY,R.R. Region 1 (Post 820201). 98/02/18. Region 1 (Post 820201). 3pp. A2287:038-A2287:040.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

-9802240427 Informs that MAP has scheduled meeting on 930113 w/NEUT at Millstone site to discuss progress on implementing PEP & other performance improvements noted to date & work since Oct 1992 in areas of developing validation criteria.
WIGGINS,J.T. Region 1 (Post 820201). 92/12/28. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. A2336:154-A2336:155.

-9802240434 Provides summary of MAP meeting on 930113 w/NEUT at Millstone site re PEP.Meeting presentation slides encl.
WIGGINS,J.T. Region 1 (Post 820201). 93/02/09. OPEKA,J.F. Northeast Utilities. 61pp. A2336:156-A2336:216.

-9802250159 Summary of 950105 MAP meeting held onsite at Millstone re current plant status,insp initiatives,open item status, enforcement strategy for severity level V violations, allegations,SMM recommendations & future MAP actions.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/05. NRC - No Detailed Affiliation Given. 24pp. A2336:237-A2336:260.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9802040320 Revised EPIPs,including rev 3 to OEP-ADM-1319.01 "Oyster Creek Emergency Preparedness Program" & rev 2 to OEP-ADM-1319.02, "Emergency Response Facilities & Equipment Maint." W/980127 ltr.
* General Public Utilities Corp. 98/01/27. 105pp. A2035:238-A2035:342.

9802240231 Rev 14 to Corporate Emergency Plan 1000-PLN-1300.01, "GPU Nuclear Corp Emergency Plan for TMI & Oyster Creek Nuclear Station."
MARSHBANK,D. General Public Utilities Corp. 98/02/23. 202pp. A2348:001-A2348:207.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802120153 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering staff reviewed request,seeking changes to various sections of App A TS Change Request 171 & has no comments.
TOSCH,K. New Jersey, State of. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2216:255-A2216:256.

9802110119 Provides updated status of ongoing OCNGS activities related to GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance," as committed in 970805 ltr.
ROCHE,M.B. General Public Utilities Corp. 98/02/03. Document Control Branch (Document Control Desk). 6pp. A2212:242-A2212:247.

9802240247 "10CFR50.59(b) Rept of Changes to Oyster Creek Systems & Procedures." W/980216 ltr.
ROCHE,M.B. General Public Utilities Corp. 98/02/16. 59pp. A2332:237-A2332:295.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802170030 Forwards insp rept 50-219/97-10 on 971117-1228 & notice of violation re failure to perform safety evaluations prior to downgrading quality classifications of plant components & sys that were described in FSAR.
MILLER,H.J. Region 1 (Post 820201). 98/02/08. ROCHE,M.B. General Public Utilities Corp. 4pp. A2170:088-A2170:137.

-9802170034 Notice of violation from insp on 971117-1228.Violation noted:licensee failed to assure that deviation from appropriate quality stds were controlled,in that they downgraded quality qualification of number of sys.
* Region 1 (Post 820201). 98/02/08. 4pp. A2170:092-A2170:095.

-9802170040 Insp rept 50-219/97-10 on 971117-1228.Violations noted. Major areas inspected:plant operations,maint,engineering & plant support.
* Region 1 (Post 820201). 98/02/08. 41pp. A2170:096-A2170:137.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802240024 Monthly operating rept for Jan 1998 for Oyster Creek Nuclear Generation Station.W/980211 ltr.
EGAN,D.M., ROCHE,M.B. General Public Utilities Corp. 98/01/31. 3pp. A2333:186-A2333:188.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802030050 Ack receipt of 970811 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/97-02 & 50-410/97-02 on 970710.Issues new NOV against NMP2 license NPF-69,Item 2.G,re implementing FP program.
HEHL,C.W. Region 1 (Post 820201). 98/01/23. MUELLER,J.H. Niagara Mohawk Power Corp. 3pp. A1980:021-A1980:032.

9802240124 Revised EPIPs,including rev 3 to EPIP-EPP-04,rev 4 to EPOP-EPP-12,rev 4 to EPIP-EPP-17,rev 6 to EPIP-EPP-18 & rev 4 to EPIP-EPP-19.W/980220 ltr.
ABBOTT,R.B., DAHLBERG,K.A., TERRY,C.D. Niagara Mohawk Power Corp. 98/02/20. 80pp. A2333:211-A2333:288.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802110082 Forwards non-proprietary & proprietary calculations & repts documenting neutron fluence measurements performed on NMP Unit 1 core shroud vertical weld V9 & V10 boat sample matl. Proprietary info withheld,per 10CFR2.790.
CONWAY,J.T. Niagara Mohawk Power Corp. 98/01/30. Document Control Branch (Document Control Desk). 9pp. A2169:103-A2169:151.

-9802110093 Non-proprietary Calculational Summary Sheet,86-1266298-01, "Fluence Analysis Rept for Boat Samples - NMP Unit 1."
KING,S.Q., WORSHAM,J.R. FRAMATOME. 86-1266298-01. 98/01/28. 17pp. A2169:112-A2169:128.

-9802110102 "Niagara Mohawk's NMP Unit 1 Boat Sample Analyses Part II: Dosimetry," RDD:98:55863-003-000-02.
HOUR,K.Y., FERRELL,L.J. . RDD:98:55863-003-000. 97/12/31. 23pp. A2169:129-A2169:151.

9802120257 Withdraws 960926 application for amend to license DPR-63, adding TS 3.7.2/4.7.2, "Special Test Exception - Sys Leakage & Hydrostatic Testing."
MUELLER,J.H. Niagara Mohawk Power Corp. 98/02/02. Document Control Branch (Document Control Desk). 2pp. A2216:253-A2216:254.

9802130116 Forwards revised page 349 adding clarification to TS section 6.2.2i to address NRC staff concerns w/unclear wording contained in licensee 971021 submittal of proposed changes to TS.
TERRY,C.D. Niagara Mohawk Power Corp. 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2234:018-A2234:023.

-9802130117 Proposed tech specs section 6.2.2i clarifying SRO license requirements for manager operations & general supervisor operations.
* Niagara Mohawk Power Corp. 98/02/03. 4pp. A2234:020-A2234:023.

9802230335 Notification of 980224 meeting w/Niagara Mohawk Power Corp in Rockville,MD to discuss schedules for current & projected licensing actions & licensing activities for project mgt purposes.
HOOD,D.S. . 98/02/06. BAJWA,S.S. . 4pp. A2270:356-A2270:359.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802030050 Ack receipt of 970811 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/97-02 & 50-410/97-02 on 970710.Issues new NOV against NMP2 license NPF-69,Item 2.G,re implementing FP program.
HEHL,C.W. Region 1 (Post 820201). 98/01/23. MUELLER,J.H. Niagara Mohawk Power Corp. 3pp. A1980:021-A1980:032.

-9802030051 Notice of violation from insp on 970406-0517.Violation noted:from July 1987 to May 1997,actual design & installation of eight-hour battery-pack emergency lighting was different from that described in NMPS UFSAR.
* Region 1 (Post 820201). 98/01/23. 2pp. A1980:024-A1980:032.

9802040004 Responds to NRC 971212 ltr re violations noted in OI rept 1-96-015 on 960513.Corrective actions:individual contractors responsible for or aware of corruption of computer code still working for NMP were terminated.
MUELLER,J.H. Niagara Mohawk Power Corp. 98/01/27. Document Control Branch (Document Control Desk). 8pp. A2020:131-A2020:138.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200162 Ack receipt of 971120 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/97-80 & 50-410/97-80 issued on 971024.Actions will be examined during future inspection of licensed program.
DOERFLEIN,L.T. Region 1 (Post 820201). 98/02/09. MUELLER,J.H. Niagara Mohawk Power Corp. 3pp. A2252:001-A2252:006.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802270035 Forwards exam rept 50-220/98-03OL on 980120-23.No violations identified.NRC concerned w/apparent ineffective CAs to improve quality of initial exam submittals that resulted in postponement of exam.
CONTE,R.J. Region 1 (Post 820201). 98/02/17. MUELLER,J.H. Niagara Mohawk Power Corp. 3pp. A2369:208-A2369:317.

--9802270043 Exam rept 50-220/98-03OL on 980120-23.No violations noted. Major areas inspected:assessment review of initial exam submittal of 971119 consisting of written job performance measures.Test found that exam was postponed until 980120.
* Region 1 (Post 820201). 98/02/17. 107pp. A2369:211-A2369:317.

9802260261 Provides followup to meeting w/util & NRC on 980128 re reportability of blowout panel deficiencies.
MUELLER,J.H. Niagara Mohawk Power Corp. 98/02/19. COLLINS,S.J. . 3pp. A2373:326-A2373:328.

9802270316 Forwards response to violations noted in insp repts 50-220/97-07 & 50-410/97-07 & civil penalty in amount of $55,000.Corrective actions:personnel involved w/shipment, including mgt & technical staff,were counseled.
MUELLER,J.H. Niagara Mohawk Power Corp. 98/02/23. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 10pp. A2412:006-A2412:015.

R. Periodic operating reports & related correspondence

9802230337 Monthly operating rept for Jan 1998 for Nine Mile Point Nuclear Station,Unit 1.W/980206 ltr.
COLEMAN,D.E., ABBOTT,R.B. Niagara Mohawk Power Corp. 98/01/31. 5pp. A2342:316-A2342:320.

S. Reportable occurrences, LERs & related correspondence

9802060147 Part 21 rept re PYCO RTD assemblies manufactured using cover made from aluminum instead of cast iron as specified. Cast iron enclosure & installation instructions were provided to util for replacment.
METZGER,J.V. Affiliation Not Assigned. 98/01/30. Document Control Branch (Document Control Desk). LOSTURDO,D. Niagara Mohawk Power Corp. 7pp. A2135:187-A2135:193.

9802130023 LER 97-010-01:on 970911,personnel observed increased steaming from emergency cooling loop 12 vent to atmosphere. Caused by original design deficiency.Emergency cooling condensers replaced.W/980130 ltr.
MAZZAFERRO,P., ABBOTT,R.B. Niagara Mohawk Power Corp. 98/01/30. 7pp. A2231:229-A2231:235.

9802200320 Forwards LER 97-014-01 re vent & purge sys isolation during troubleshooting due to insufficient precautions applied,IAW 10CFR50.73(a)(2)(iv).Failure modes analysis was not performed due to insp of degraded power supply.
ABBOTT,R.B. Niagara Mohawk Power Corp. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2288:345-A2288:349.

--9802200351 LER 97-014-01:on 971125,unexpected isolation of containment vent & purge sys occurred.Caused by insufficent precautions applied during troubleshooting activities.Cause of ESF was verified,signal was reset & valves reopened.
MAZZAFERRO,P.A. Niagara Mohawk Power Corp. 98/02/06. 4pp. A2288:346-A2288:349.

T. Hearing transcripts on non-antitrust matters

9802240284 Forwards transcript,titled "Niagara Mohawk Corp Public Meeting w/NRR Office Director Re Enforcement Decision On NMPNS Unit 1," which will represent official record of 980128 meeting held in Rockville,Maryland.
HOOD,D.S. . 98/02/05. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. A2280:280-A2280:354.

--9802240295 Transcript of NMP Corp public meeting on 980128 w/NRR Office Director re enforcement decision on NMPNS Unit 1 blowdown panels.Pp 1-57.Supporting documentation encl.
* NRC - No Detailed Affiliation Given. 98/01/28. 71pp. A2280:283-A2280:354.

V. Operator Examinations

9802270035 Forwards exam rept 50-220/98-03OL on 980120-23.No violations identified.NRC concerned w/apparent ineffective CAs to improve quality of initial exam submittals that resulted in postponement of exam.
CONTE,R.J. Region 1 (Post 820201). 98/02/17. MUELLER,J.H. Niagara Mohawk Power Corp. 3pp. A2369:208-A2369:317.

--9802270043 Exam rept 50-220/98-03OL on 980120-23.No violations noted. Major areas inspected:assessment review of initial exam submittal of 971119 consisting of written job performance measures.Test found that exam was postponed until 980120.
* Region 1 (Post 820201). 98/02/17. 107pp. A2369:211-A2369:317.

DOCKET 50-223 UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9802230284 Forwards SER determining that access controls meet requirements of 10CFR20.1601 & 20.1602, "Control of Access of High Radiation Areas" & "Control of Access to Very High Radiation Areas," respectively.
MICHAELS,T.S. . 98/02/05. KEGEL,G. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 4pp. A2280:077-A2280:114.

--9802230288 SER re Gamma Cave facility at Univ of MA at Lowell,license R-125.Staff finds existing UML configuration for controlling access to high & very high radiation areas adequately addresses requirements of 10CFR20.1601 & 20.1602.
* . 98/02/05. 34pp. A2280:081-A2280:114.

P. Operating license stage documents & correspondence

9802230284 Forwards SER determining that access controls meet requirements of 10CFR20.1601 & 20.1602, "Control of Access of High Radiation Areas" & "Control of Access to Very High Radiation Areas," respectively.
MICHAELS,T.S. . 98/02/05. KEGEL,G. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 4pp. A2280:077-A2280:114.

--9802230288 SER re Gamma Cave facility at Univ of MA at Lowell,license R-125.Staff finds existing UML configuration for controlling access to high & very high radiation areas adequately addresses requirements of 10CFR20.1601 & 20.1602.
* . 98/02/05. 34pp. A2280:081-A2280:114.

9802200026 Advises that L Bettenhausen has resigned position as Supervisor of Univ of Massachusetts,Lowell as of 971220. DC Medich appointed Acting Reactor Supervisor,as of 980101 until permanent supervisor is appointed.
KEGEL,G.H. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 98/02/12. MICHAELS,T.S. . 3pp. A2270:086-A2270:088.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802200066 Forwards insp repts 50-237/97-28 & 50-249/97-28 on 971123- 980112 & NOV.On 971206,efforts to restore Unit 3 A train of offgas sys resulted in offgas sys fire.
GRANT,G.E. Region 3 (Post 820201). 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2252:035-A2252:070.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802180099 Forwards amends 164,159,179 & 177 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively & SE.Amends would add new TS section 3/4.12.C & associated bases to allow certain RC pressure tests to be performed in MODE 4.
PULSIFER,R.M. . 98/01/05. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2195:259-A2195:292.

--9802180110 Amends 164,159,179 & 177 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,adding new TS section 3/4.12.C & associated bases to allow certain RC pressure tests to be preformed in MODE 4.
STANG,J.F. . 98/01/05. 26pp. A2195:264-A2195:289.

--9802180115 Safety evaluation supporting amends 164,159,179 & 177 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 98/01/05. 3pp. A2195:290-A2195:292.

9802050260 Informs that on 980106-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees.Summary of each site performance submitted.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 10pp. A2007:318-A2007:327.

9802030068 Discusses completion of licensing action for GL 96-01, "Testing of Safety-Related Logic Circuits," to all holders of operating licenses or CPs.Subj GL issued for three listed reasons.
STANG,J.F. . 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1976:054-A1976:057.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802020177 Forwards 1997 rept of revs to commitments made in docketed correspondence for DNPS.Revs processed using NEI guidance for "Managing NRC Commitments," rev 2,dtd 951219.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A1981:356-A1981:357.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

-9802060120 Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802020072 Provides list of summarized completed commitments re SPF safety issues.Util has no further actions re NRC known concerns re SFPC sys safety.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2015:223-A2015:224.

9802100141 Provides new submittal date of Mar 1998 for license amend addressing design basis initiative issues re CCSW & LPCI. Date rescheduled to facilitate completion of probabilistic safety assessment & associated engineering reviews.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2167:004-A2167:004.

9802240306 Informs that NRC project mgt responsibility for listed CECO nuclear power stations being modified as listed.
CAPRA,R.A. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2335:335-A2335:339.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802240178 Notification of 980305 meeting w/util in Rockville,MD to discuss Comm Ed engineering issues such as Design Basis Initiative & 10CFR50.59 process.
PULSIFER,R.M. . 98/02/11. CAPRA,R.A. . 7pp. A2283:035-A2283:041.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020178 Provides response to violations noted in insp repts 50-010/97-24,50-237/97-24 & 50-249/97-24.Corrective actions: heat trace controller setting increased to heat suction temp above 83 F.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 8pp. A2015:180-A2015:187.

9802120043 Ack receipt of 980126 ltr informing NRC of steps taken to correct violations noted in insp repts 50-010/97-24, 50-237/97-24 & 50-249/97-24.Actions will be examined during future insp.
RING,M. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2142:164-A2142:165.

9802130024 Ack receipt of 980109 ltr informing NRC of steps taken to correct violations noted in insp repts 50-010/97-19, 50-237/97-19 & 50-249/97-19.Corrective actions will be examined during future insp.
RING,M. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2164:066-A2164:068.

9802110075 Forwards insp repts 50-237/98-04 & 50-249/98-04 on 980120-21.No violations noted.Insp conducted to review unconditional matl release program & effectiveness of actions taken on previous open items & violations.
GROBE,J.A. Region 3 (Post 820201). 98/02/05. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2133:353-A2133:361.

-9802110080 Insp repts 50-237/98-04 & 50-249/98-04 on 980120-21.No violations noted.Major areas inspected:review of matl unconditional release program & actions taken in response to previous open items & violations.
* Region 3 (Post 820201). 98/02/05. 7pp. A2133:355-A2133:361.

9802200066 Forwards insp repts 50-237/97-28 & 50-249/97-28 on 971123- 980112 & NOV.On 971206,efforts to restore Unit 3 A train of offgas sys resulted in offgas sys fire.
GRANT,G.E. Region 3 (Post 820201). 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2252:035-A2252:070.

-9802200074 Notice of violation from insp on 971123-980112.Violations noted:licensee had failed to generate feedback forms to PIF originators as specified in NSWP-A-15.
* Region 3 (Post 820201). 98/02/06. 3pp. A2252:038-A2252:040.

-9802200080 Insp repts 50-237/97-28 & 50-249/97-28 on 971123-980112. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/06. 30pp. A2252:041-A2252:070.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240237 Provides plant response to NRC Region III SALP 15 rept dtd 980102.Response summarizes actions taking to address weaknesses noted in SALP 15 rept,w/ specific focus on Engineering issues.
HEFFLEY,J.M. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 9pp. A2350:290-A2350:298.

R. Periodic operating reports & related correspondence

9802190296 Monthly operating repts for Jan 1998 for Dresden Nuclear Power Station.W/980206 ltr.
ABRELL,G.A., HEFFLEY,J.M. Commonwealth Edison Co. 98/01/31. 11pp. A2258:129-A2258:139.

S. Reportable occurrences, LERs & related correspondence

9802200312 Revises commitments made in LERs 90-021 & 96-004,rev 1. Guidance specified in NUREG-1022 will be incorporated into current program & procedure which governs testing of MSSVs will be revised.
HEFFLEY,J.M. Commonwealth Edison Co. 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2288:350-A2288:351.

9802120312 Forwards LER 98-001-00,which describes potential for post- LOCA temperatures in secondary containment to be higher than those values used for environmental qualification of electrical equipment.Commitments made within ltr,listed.
HEFFLEY,J.M. Commonwealth Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 2pp. A2213:244-A2213:254.

-9802120317 LER 98-001-00:on 980107,post-LOCA temp in secondary containment was higher than valves used for UFSAR Section 3.11.Caused by original design error.Tarpaulin used to close equipment hatches at 613 level of reactor bldg were removed.
MAHENDRANATHAN Commonwealth Edison Co. 98/02/06. 9pp. A2213:246-A2213:254.

9802190158 Forwards LER 98-002-00,which describes automatic reactor scram resulting from main TT during performance of instrument surveillance.Commitments made within ltr,listed.
HEFFLEY,J.M. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 2pp. A2255:307-A2255:314.

-9802190170 LER 98-002-00:on 980113,main TT resulted in reactor scram. Caused by inadequate design review performed during mod. DIS 263-14 has been revised to be performed as off-line activity only.
JACKSON,R. Commonwealth Edison Co. 98/02/12. 6pp. A2255:309-A2255:314.

DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9802260091 Forwards revisions & updates to OSTR physical security plan IAW 10CFR50.54(p).Encl withheld.
DODD,B. Oregon State Univ., Corvallis, OR. 98/02/20. Document Control Branch (Document Control Desk). 3pp. A2373:152-A2373:154.

P. Operating license stage documents & correspondence

9802040183 Forwards amend 16 to license R-106 & safety evaluation. Amend removes gender-specific wording from TS 6.1a,updates organizational titles in TS 6.1 & removes references to Region V from TS reporting requirements.
ADAMS,A. . 98/01/28. DODD,B. Oregon State Univ., Corvallis, OR. 3pp. A2000:341-A2000:351.

-9802040190 Amend 16 to license R-106,removing gender-specific wording from TS 6.1.a,updating organizational titles in TS 6.1 & removing references to Region V from TS reporting requirements.
WEISS,S.H. . 98/01/28. 6pp. A2000:344-A2000:349.

-9802040197 Safety evaluation supporting amend 16 to license R-106.
* . 98/01/28. 2pp. A2000:350-A2000:351.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802200133 Forwards insp rept 50-244/97-12 on 971117-980104 & NOV re out-of-specification test data for B-EDG which was accepted satisfactory during last two refueling outages.Security & safeguards program found to be adequate.
DOERFLEIN,L.T. Region 1 (Post 820201). 98/02/09. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. A2251:302-A2251:343.

-9802200151 Insp rept 50-244/97-12 on 971117-980104.Violations noted. Major areas inspected:licensee operations,engineering,maint, & plant support.Licensee maintained adequate security & safeguards program.
* Region 1 (Post 820201). 98/02/09. 37pp. A2251:307-A2251:343.

9802200047 Revised EPIPs,including rev 6 to EPIP 1-7,rev 3 to EPIP 1-8, rev 11 to EPIP 1-9,rev 4 to EPIP 1-16,rev 9 to EPIP 2-2,rev 5 to EPIP 2-5,rev 9 to EPIP 2-6,rev 5 to EPIP 2-7,rev 7 to EPIP 2-13 & rev 8 to EPIP 2-16.W/980213 ltr.
POLFLEIT,P.S. Rochester Gas & Electric Corp. 98/02/13. VISSING,G.S. . 135pp. A2270:127-A2270:263.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030049 Forwards rev 1 to "IST Program," including test requirements for components added under mods performed in response to GL 96-06 & improvements in periodic IST resulting from insp.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/23. VISSING,G.S. . 5pp. A2018:001-A2018:187.

--9802020239 Rev 1 to "Inservice Testing Program."
MULLER,K.A., DAVIS,R.T. Rochester Gas & Electric Corp. 97/12/31. 181pp. A2018:006-A2018:187.

9802040410 Forwards non-proprietary & proprietary response to question 1 to 971216 RAI re structural aspects of SFP storage rack mod at plant.Proprietary encl withheld.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/27. VISSING,G.S. . 18pp. A2079:216-A2079:233.

9802240116 Forwards RAI re cooling aspects of spent fuel pool storage rack mod at RE Ginna NPP.
VISSING,G.S. . 98/02/02. MECREDY,R.C. Rochester Gas & Electric Corp. 5pp. A2337:274-A2337:278.

9802120158 Requests one-time exemption from requirements of 10CFR50.71(e)(4) to file within 6 months of plant last refueling outage & obtain approval to submit next FSAR update by 981216.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/02/03. VISSING,G.S. . 4pp. A2232:355-A2232:358.

9802120041 Forwards response to request for addl info re util 970929 request for amend to license DPR-18,revising TS on main steam line isolation signal set point.Design analysis DA EE-92-089-21,Rev 1 encl.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/02/06. VISSING,G.S. . 4pp. A2232:293-A2232:348.

--9802120053 Rev 1 to DA EE-92-089-21, "Design Analysis Ginna Station Instrument Loop Performance Evaluation & Setpoint Verification."
BAKER,R.A. Rochester Gas & Electric Corp. 97/09/16. 52pp. A2232:297-A2232:348.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020111 Discusses 980115 telcon re arrangements made for NRC to conduct baseline insp of maint rule program at plant during wk of 980316.
MEYER,G.W. Region 1 (Post 820201). 98/01/15. MECREDY,R.C. Rochester Gas & Electric Corp. 4pp. A1978:312-A1978:315.

9802030049 Forwards rev 1 to "IST Program," including test requirements for components added under mods performed in response to GL 96-06 & improvements in periodic IST resulting from insp.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/23. VISSING,G.S. . 5pp. A2018:001-A2018:187.

9802050198 Documents telcon concurrence w/J Wiggins for 30-day extension to submit response to violations noted in insp rept 50-244/97-13.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/01/30. VISSING,G.S. . 1p. A2087:131-A2087:131.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200063 Notification of significant licensee meeting 98-11 w/util on 980226 in King of Prussia,PA to discuss completion of plant GL-89-10 MOV program & related technical concerns documented in NRC insp rept 50-244/97-13.
DOERFLEIN,L.T. Region 1 (Post 820201). 98/02/09. Region 1 (Post 820201). 3pp. A2264:001-A2264:003.

9802200133 Forwards insp rept 50-244/97-12 on 971117-980104 & NOV re out-of-specification test data for B-EDG which was accepted satisfactory during last two refueling outages.Security & safeguards program found to be adequate.
DOERFLEIN,L.T. Region 1 (Post 820201). 98/02/09. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. A2251:302-A2251:343.

--9802200146 Notice of violation from insp on 971117-980104.Violations noted:acceptance criteria in maint procedure were not met during post-maint test of B-EDG.
* Region 1 (Post 820201). 98/02/09. 2pp. A2251:305-A2251:306.

--9802200151 Insp rept 50-244/97-12 on 971117-980104.Violations noted. Major areas inspected:licensee operations,engineering,maint, & plant support.Licensee maintained adequate security & safeguards program.
* Region 1 (Post 820201). 98/02/09. 37pp. A2251:307-A2251:343.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200102 Monthly operating rept for Jan 1998 for RE Ginna Nuclear Power Plant.W/ 980211 ltr.
WALDEN,J.V., WIDAY,J.A. Rochester Gas & Electric Corp. 98/01/31. VISSING,G.S. . 3pp. A2283:296-A2283:298.

9802130060 Forwards FFD Performance Data for Ginna Station for six months ending 971231.
HESSLER,N.D., MECREDY,R.C. Rochester Gas & Electric Corp. 98/02/04. . 4pp. A2231:104-A2231:107.

S. Reportable occurrences, LERs & related correspondence

9802170127 Forwards LER 97-006-01,re verification of B concentration which was not performed due to misinterpretation of event sequence.Rev clarifies role of Operations as part of cause & includes addl CAs that address cause.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/02/06. VISSING,G.S. . 1p. A2231:274-A2231:280.

--9802170156 LER 97-006-01:on 971103,verification of B concentration was not performed due to misinterpretation of event sequence. Audible count rate function was restored to operable status.
MARTIN,J.T. Rochester Gas & Electric Corp. 98/02/06. 6pp. A2231:275-A2231:280.

9802180021 Forwards LER 97-007-01,re RT instrumentation which would have been in condition prohibited by TS.Rev 1 corrects typo on page 6 & clarifies content of training which will be conducted.
MECREDY,R.C. Rochester Gas & Electric Corp. 98/02/06. VISSING,G.S. . 1p. A2231:281-A2231:288.

--9802180030 LER 97-007-01:on 971117,reactor engineer recognized that neutron flux low range trip circuitry for channel was not in tripped condition as required.Caused by technical inadequacies.Channel defeat will be identified.
ST MARTIN,J.T. Rochester Gas & Electric Corp. 98/02/06. 7pp. A2231:282-A2231:288.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802040449 Rev 1 to EPOP 4445, "Unit 1 RX Coolant and Liquid Waste Pass."
BLOUNT,T. Northeast Nuclear Energy Co. 98/01/26. 2pp. A2035:360-A2035:361.

9802060221 Advises that 970731 revs 29 & 30 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
MODES,M.C. Region 1 (Post 820201). 98/01/27. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A2150:343-A2150:346.

9802110001 Forwards 971229 ltr from J Bean,transmitting FEMA final exercise rept for 1997,for Millstone Nuclear Power Station radiological emergency preparedness exercises of 970808 full participation plume pathway & 971008-10 ingestion pathway.
MODES,M.C. Region 1 (Post 820201). 98/02/02. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 3pp. A2135:001-A2135:108.

--9802110002 Forwards final exercise rept for 970808,full-participation plume pathway exercise & 971008-10 ingestion pathway exercise of offsite radiological emergency response plans site-specific to Millstone Nuclear Power Station.
BEAN,J.A. Federal Emergency Management Agency. 97/12/29. ROE,J.W. NRC - No Detailed Affiliation Given. 1p. A2135:004-A2135:004.

--9802110003 "Final Exercise Rept for 970821 Plume Pathway Exercise & 971008-10 Ingestion Pathway Exercise at Millstone Nuclear Power Station."
* Federal Emergency Management Agency. 97/12/23. 98pp. A2135:005-A2135:108.

9802090239 Expresses appreciation for beneficial meeting between NRC & Northeast Utility personnel on 980129.Subjects of emergency preparedness & operations training covered per encl info. Also encl list of attendees.
NICHOLSON,L.E. Region 1 (Post 820201). 98/02/03. BOWLING,M.L. Northeast Nuclear Energy Co. 43pp. A2039:298-A2039:340.

9802100179 Responds to NRC 971124 ltr re violations noted in insp repts 50-245/97-81,50-336/97-81 & 50-423/97-81 of Emergency Preparedness Program on 971222.Corrective actions:management ownership of & involvement in dose has been established.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/05. Document Control Branch (Document Control Desk). 16pp. A2166:275-A2166:290.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

--9802250215 Summary of 950613 MAP meeting re status of emergency operating procedure update & associated operator performance issues.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. A2336:333-A2336:335.

–**9802250231** Summary of 961007 MOT meeting re accoutability for line items in Restart Assessment Plan.Discussed need for meeting w/NEUT recovery managers to establish course of action & schedules & need to update FSAR before restart.
* NRC - No Detailed Affiliation Given. 96/10/07. NRC - No Detailed Affiliation Given. 3pp. A2336:338-A2336:343.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9802260260 Responds to petitioner request to have listed license conditions imposed on operating licenses of Millstone & Haddam Neck plants.Petitioner request denied for reasons given in encl Director's Decision DD-98-01.FRN also encl.
COLLINS,S.J. . 98/02/11. HADLEY,E.C. Hadley, E.C. 7pp. A2366:157-A2366:221.

–**9802270017** Director's Decision DD-98-01,per 10CFR2.206.Petitioner request for specific enforcement-related license conditions at Millstone & Haddam Neck facilities denied.
COLLINS,S.J. . 98/02/11. Northeast Utilities. 17pp. A2366:165-A2366:181.

–**9802270028** Notice of issuance of Director's Decision,per 10CFR2.206 WRT 970303 petition filed by AA Cizek re Millstone & Haddam Neck plants.Petitioner requests listed.
COLLINS,S.J. . 98/02/11. 4pp. A2366:182-A2366:221.

H. General correspondence

9802270134 Responds to ltr to Chairman Jackson re concern that Long Island Sound may contain unexpected radioactivity since dredging sediment removed from Millstone intake structure found to contain trace concentrations of radioactivity.
TRAVERS,W.D. . 98/02/25. CLARK,T. Affiliation Not Assigned. 4pp. A2352:202-A2352:206.

–**9802270145** Expresses concern re recent sludge taken from Millstone intake pipes,containing radioactivity & whether NRC examining potential health hazards.
CLARK,T. Affiliation Not Assigned. 98/02/10. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2352:206-A2352:206.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802190003 Informs that NRC considered request proposed in util 971125 ltr & determine that proposal for providing future updates to plant readiness milestones acceptable.
TRAVERS,W.D. . 98/01/08. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A2213:169-A2213:172.

9802040345 Provides summary info re offsite baseball field survey results from various recreational ballfields located in Waterford,CT.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/15. WHITE,J.R. Region 1 (Post 820201). 14pp. A2030:260-A2031:206.

–**9802040347** "Radiological Survey for Waterford Town Landfill,Waterford, CT."
* Northeast Nuclear Energy Co. 98/01/31. 157pp. A2030:274-A2031:066.

–**9802040348** "Radiological Survey for Equestrian Ctr Harkness State Park Waterford,CT."
* Northeast Nuclear Energy Co. 97/11/30. 140pp. A2031:067-A2031:206.

9802040392 Forwards revised Operations Manual (OM) index,rev 1 to 1-OM-5.4, "Document Acknowledgment Sheets" & rev 0 to 1-OM-6.4, "Comsumables & Svc."
SCHMIDTKNECHT Northeast Nuclear Energy Co. 98/01/15. Northeast Nuclear Energy Co. 4pp. A2031:313-A2031:327.

–**9802040394** Rev 1 to 1-OM-5.4, "Document Acknowledgement Sheets."
SCHILKE,P. Northeast Nuclear Energy Co. 98/01/15. 5pp. A2031:317-A2031:321.

–**9802040395** Rev 0 to 1-OM-6.4, "Consumables & Svc."
MEEKHOFF,D.J. Northeast Nuclear Energy Co. 98/01/15. 6pp. A2031:322-A2031:327.

9802020243 Discusses 980106-07 semiannual meeting to determine if safety performance of various licensees exhibits sufficient weaknesses to warrant increased NRC attention or if it is trending adversely & requires steps be taken re concerns.
CALLAN,L.J. Region 4 (Post 820201). 98/01/16. KENYON,B.D. Northeast Utilities Service Co. 5pp. A1966:076-A1966:080.

9802030107 Summary of 980114 meeting w/NNECO re licensee progress in facilitating restart of plant.List of attendees & handout encl.
MCDONALD,D.G. . 98/01/23. . 17pp. A1985:315-A1985:331.

9802050004 Provides updated info on licensee 971213 ltr re evaluation for cause for degraded matl condition of liquid radwaste bldg through level "B" adverse condition rept.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2038:132-A2038:133.

9802050067 Forwards rev 0 to 1-OM-3.8, "Maint of Operator Licenses" & rev 2 to 1-OM-4.4, "Notifications."
* Northeast Nuclear Energy Co. 98/01/27. Document Control Branch (Document Control Desk). 1p. A2038:081-A2038:098.

–**9802050072** Rev 0 to 1-OM-3.8, "Maint of Operator Licenses."
* Northeast Nuclear Energy Co. 98/01/23. 10pp. A2038:082-A2038:091.

–**9802050074** Rev 2 to 1-OM-4.4, "Notifications."
* Northeast Nuclear Energy Co. 98/01/26. 7pp. A2038:092-A2038:098.

9802090127 Forwards rev 1 to OM 6.4, "Consumables & Svc" & rev 1 to 1-OM-Index, "Unit Operations Dept OM Index."
* Northeast Nuclear Energy Co. 98/01/28. Document Control Branch (Document Control Desk). 1p. A2164:295-A2164:305.

–**9802090130** Rev 1 to OM 6.4, "Consumables & Svc."
MEEKHOFF,D.J. Northeast Nuclear Energy Co. 98/01/27. 6pp. A2164:296-A2164:302.

–**9802090132** Revised 1-OM-Index, "Unit 1 Operations Dept OM Index."
* Northeast Nuclear Energy Co. 98/01/28. 3pp. A2164:303-A2164:305.

9802250095 Submits amended Rev 19 to Northeast Utils QA Program (NUQAP) topical rept,previously submitted to NRC for review on 970603.Change revises Exception 12 in previous submittal re Section 2.1 of ANSI N45.2.3.
KENYON,B.D. Northeast Nuclear Energy Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2360:295-A2360:300.

–**9802250102** Amended Rev 19 to "Northeast Utils QA Program (NUQAP) Topical Rept."
* Northeast Nuclear Energy Co. 98/01/31. 4pp. A2360:297-A2360:300.

9802100118 Provides info to explain & specify process by which staff will assess results of independent corrective action verification program.
TRAVERS,W.D. . 98/01/30. BOWLING,M.L. Northeast Nuclear Energy Co. 7pp. A2095:259-A2095:265.

9802100130 Provides info to explain & specify process by which staff will assess results of independent corrective action verification program.
TRAVERS,W.D. . 98/01/30. CONCANNON,T., WOOLLACOTT,E. Connecticut, State of. 7pp. A2095:266-A2095:272.

9802240036 Forwards rev 1 to 1-OM-0.01, "Control of Operations Manual" & rev 1 to memo dtd 980129 re issuance of MP1 operations manual sections,MP1-OPS OM-98-006,including title page & index.
* Northeast Nuclear Energy Co. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2330:352-A2330:360.

–**9802240038** Rev 1 to 1-OM-0.1, "Control of Operations Manual" & rev 1 to memo dtd 980129 re issuance of MP1 operations manual sections,MP1-OPS OM-98-006,including title page & index.
* Northeast Nuclear Energy Co. 98/01/30. 3pp. A2330:353-A2330:360.

9802230101 Forwards util response to recommendations made by Little Harbor Consultants,Inc re commitment schedular change.Encl table identifies actions committed by util.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/01/31. Affiliation Not Assigned. 4pp. A2330:149-A2330:152.

9802090239 Expresses appreciation for beneficial meeting between NRC & Northeast Utility personnel on 980129.Subjects of emergency preparedness & operations training covered per encl info. Also encl list of attendees.
NICHOLSON,L.E. Region 1 (Post 820201). 98/02/03. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 43pp. A2039:298-A2039:340.

9802260269 Forwards safety evaluation accepting 950926 ltr re approval of realistic,median centered spectra generated for resolution of USI A-46.
DEMBEK,S. . 98/02/09. BOWLING,M.L. Northeast Nuclear Energy Co. 6pp. A2351:344-A2351:349.

–**9802260289** Safety evaluation accepting 950926 ltr re approval of realistic,median centered spectra generated for resolution of USI-A-46.
* . 98/02/09. 4pp. A2351:346-A2351:349.

9802250092 Informs that util has determined that SRV license amend request which has been submitted to NRC for review & approved,should be placed on hold.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/02/11. Document Control Branch (Document Control Desk). 1p. A2398:291-A2398:291.

9802240375 Provides preliminary results of independent,third party oversight program or Little Harbor Consultants,Inc which oversees implementation of Employee Concerns Program & safety-conscious work environ at plant.
MCKEE,P.F. . 98/02/18. BECK,J. Affiliation Not Assigned. 3pp. A2333:358-A2333:360.

9802260052 Revised 1-OM-index "Unit 1 Operations Dept OM Index" & rev 2 to OM 3.8, "Millstone Unit 1 Operations Manual."
* Northeast Nuclear Energy Co. 98/02/18. 11pp. A2411:004-A2411:014.

9802260282 Cancelled rev 26 to 1-OPS-10.11, " Locked Valve List."
SCHMIDTKNECHT Northeast Nuclear Energy Co. 98/02/19. 4pp. A2373:304-A2373:307.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

–**9802240372** FOIA request for all documents re NRC Millstone Assessment Panel (MAP) from inception to present time.
O'MEALIA,M.K. Affiliation Not Assigned. 97/12/01. KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 1p. A2336:130-A2336:131.

–**9802240385** Summary of 920720 meeting w/Millstone Assessment Panel (MAP) re plant status,MAP issues list,content of evaluation rept on PEP,PEP review & agenda for subsequent meeting w/utlity.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/08/27. NRC - No Detailed Affiliation Given. 3pp. A2336:132-A2336:134.

–**9802240403** Provides outline of tentative plan for reviewing NEUT PEP as requested by MAP.
BARKLEY,R. NRC - No Detailed Affiliation Given. 92/08/28. WIGGINS,J.T. NRC - No Detailed Affiliation Given. 7pp. A2336:135-A2336:141.

-9802240407 Summary of fourth MAP meeting on 920901 in Region I re plant status,schedule for PEP review activities,proposed insp plan for PEP review,proposed ltrs to State & local communities, verification & validation process.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/09. NRC - No Detailed Affiliation Given. 5pp. A2336:142-A2336:146.

-9802240417 Summary of fifth MAP meeting on 921007 in Region I re plant status,PEP Review Team findings to date,remaining PEP Review Team activities,921105 public meeting preparations,Unit 2 S/G replacement outage progress & insp results.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/14. NRC - No Detailed Affiliation Given. 4pp. A2336:147-A2336:150.

-9802240421 Summary of sixth MAP meeting on 921105 in Millstone Resident Inspectors Office re plant status,recent NRC activities, future MAP activities,public meeting on PEP following MAP meeting.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/12/10. NRC - No Detailed Affiliation Given. 3pp. A2336:151-A2336:153.

-9802240427 Informs that MAP has scheduled meeting on 930113 w/NEUT at Millstone site to discuss progress on implementing PEP & other performance improvements noted to date & work since Oct 1992 in areas of developing validation criteria.
WIGGINS,J.T. Region 1 (Post 820201). 92/12/28. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. A2336:154-A2336:155.

-9802240434 Provides summary of MAP meeting on 930113 w/NEUT at Millstone site re PEP.Meeting presentation slides encl.
WIGGINS,J.T. Region 1 (Post 820201). 93/02/09. OPEKA,J.F. Northeast Utilities. 61pp. A2336:156-A2336:216.

-9802240440 Notification of MAP meeting on 940420 in Waterford, Connecticut.Provides list of tentative activities for day.
DOERFLEIN,L.T. NRC - No Detailed Affiliation Given. 94/04/13. NRC - No Detailed Affiliation Given. 2pp. A2336:217-A2336:218.

-9802240443 Summary of 940525 MAP meeting re acceptance of proposed charter,current Unit 2 problems identified w/mispositioned control rod & incorrect emergency action level categorizations.
DURR,J. NRC - No Detailed Affiliation Given. 94/05/25. NRC - No Detailed Affiliation Given. 7pp. A2336:219-A2336:225.

-9802240447 Summary of 941102 MAP meeting held on site re general direction of MAP efforts,NRC actions re recent Unit 2 work standown by NEUT resulting from 4160V switchgear washdown & hydrogen piping events & Unit 2 insp efforts for SMM.
DURR,J. NRC - No Detailed Affiliation Given. 94/11/02. NRC - No Detailed Affiliation Given. 2pp. A2336:226-A2336:227.

-9802250126 Summary of 940420 MAP meeting at Millstone site re purpose of panel & licensees progress on previous PEP.
DURR,J. NRC - No Detailed Affiliation Given. 98/02/20. NRC - No Detailed Affiliation Given. 2pp. A2336:228-A2336:230.

-9802250152 Forwards outline of final MAP safety evaluation as requested during last MAP meeting.
JAFFE,D.H. NRC - No Detailed Affiliation Given. 98/02/20. STOLZ,J. NRC - No Detailed Affiliation Given. 7pp. A2336:231-A2336:236.

-9802250159 Summary of 950105 MAP meeting held onsite at Millstone re current plant status,insp initiatives,open item status, enforcement strategy for severity level V violations, allegations,SMM recommendations & future MAP actions.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/05. NRC - No Detailed Affiliation Given. 24pp. A2336:237-A2336:260.

-9802250179 Refers to 950221 NRC meeting w/Millstone officials.Provides comments re Millstone.Advises that Millstone has become very good neighborhood to East Lyme & have been on-going & continuing part of community.
CINI,D.K. Affiliation Not Assigned. 95/02/23. SWETLAND,P. NRC - No Detailed Affiliation Given. 2pp. A2336:314-A2336:315.

-9802250187 Summary of 950504 MAP meeting re plant status,current restart planning & scheduling,current status of RATI,status of licensing issues that impact restart,restart meeting details & developing criteria for improving performance.
* NRC - No Detailed Affiliation Given. 95/05/04. NRC - No Detailed Affiliation Given. 6pp. A2336:321-A2336:326.

-9802250215 Summary of 950613 MAP meeting re status of emergency operating procedure update & associated operator performance issues.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. A2336:333-A2336:335.

-9802250231 Summary of 961007 MOT meeting re accountability for line items in Restart Assessment Plan.Discussed need for meeting w/NEUT recovery managers to establish course of action & schedules & need to update FSAR before restart.
* NRC - No Detailed Affiliation Given. 96/10/07. NRC - No Detailed Affiliation Given. 3pp. A2336:338-A2336:343.

-9802250245 Summary of 970205 RAP meeting re insp program for restart of three Millstone units.
* NRC - No Detailed Affiliation Given. 97/02/05. NRC - No Detailed Affiliation Given. 2pp. A2336:345-A2336:346.

-9802250259 Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802100179 Responds to NRC 971124 ltr re violations noted in insp repts 50-245/97-81,50-336/97-81 & 50-423/97-81 of Emergency Preparedness Program on 971222.Corrective actions:management ownership of & involvement in dose has been established.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/05. Document Control Branch (Document Control Desk). 16pp. A2166:275-A2166:290.

9802120142 Requests addl three weeks,until 980301,to ensure response to NOV & proposed imposition of civil penalties is complete & accurate in all matl respects.
KENYON,B.D. Northeast Nuclear Energy Co. 98/02/06. Ofc of Enforcement (Post 870413). 2pp. A2216:243-A2216:244.

9802190264 Forwards insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Insp was to evaluate performance of licensed operators during simulator portion of annual operating tests.
WIGGINS,J.T. Region 1 (Post 820201). 98/02/06. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. A2230:006-A2230:021.

-9802190274 Insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Major areas inspected:simulator portion of annual operating tests of licensed operator requalification training programs.
* Region 1 (Post 820201). 98/02/06. 13pp. A2230:009-A2230:021.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802120160 Informs that request for addl extension of three weeks (until 980103) to submit response to notice of violation to ensure response complete & accurate in all material respects,granted.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/10. KENYON,B.D. Northeast Nuclear Energy Co. 2pp. A2142:358-A2142:359.

9802270207 Refers to memo developed by NEUT Nuclear Oversight managers dtd 980111 that stated, "Inability to 'Isolate' Cynics From Group Culture." Requests response stating position re whether actions violated 10CFR50.7 & basis for position.
TRAVERS,W.D. . 98/02/10. KENYON,B.D. Northeast Utilities. 5pp. A2352:171-A2352:175.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802230286 Notification of 980226 meeting w/util in Waterford,CT to discuss 40500 team insp findings.
DURR,J. Region 1 (Post 820201). 98/02/13. Region 1 (Post 820201). 3pp. A2268:243-A2268:245.

9802250071 Notification of significant meeting 98-15 w/util on 980226 to discuss 40500 team insp findings.
DURR,J. Region 1 (Post 820201). 98/02/13. Region 1 (Post 820201). 5pp. A2349:001-A2349:005.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

-9802240385 Summary of 920720 meeting w/Millstone Assessment Panel (MAP) re plant status,MAP issues list,content of evaluation rept on PEP,PEP review & agenda for subsequent meeting w/utility.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/08/27. NRC - No Detailed Affiliation Given. 3pp. A2336:132-A2336:134.

-9802240403 Provides outline of tentative plan for reviewing NEUT PEP as requested by MAP.
BARKLEY,R. NRC - No Detailed Affiliation Given. 92/08/28. WIGGINS,J.T. NRC - No Detailed Affiliation Given. 7pp. A2336:135-A2336:141.

-9802240407 Summary of fourth MAP meeting on 920901 in Region I re plant status,schedule for PEP review activities,proposed insp plan for PEP review,proposed ltrs to State & local communities, verification & validation process.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/09. NRC - No Detailed Affiliation Given. 5pp. A2336:142-A2336:146.

-9802240417 Summary of fifth MAP meeting on 921007 in Region I re plant status,PEP Review Team findings to date,remaining PEP Review Team activities,921105 public meeting preparations,Unit 2 S/G replacement outage progress & insp results.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/14. NRC - No Detailed Affiliation Given. 4pp. A2336:147-A2336:150.

-9802240421 Summary of sixth MAP meeting on 921105 in Millstone Resident Inspectors Office re plant status,recent NRC activities, future MAP activities,public meeting on PEP following MAP meeting.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/12/10. NRC - No Detailed Affiliation Given. 3pp. A2336:151-A2336:153.

-9802240443 Summary of 940525 MAP meeting re acceptance of proposed charter,current Unit 2 problems identified w/mispositioned control rod & incorrect emergency action level categorizations.
DURR,J. NRC - No Detailed Affiliation Given. 94/05/25. NRC - No Detailed Affiliation Given. 7pp. A2336:219-A2336:225.

-9802250152 Forwards outline of final MAP safety evaluation as requested during last MAP meeting.
JAFFE,D.H. NRC - No Detailed Affiliation Given. 98/02/20. STOLZ,J. NRC - No Detailed Affiliation Given. 7pp. A2336:231-A2336:236.

-9802250159 Summary of 950105 MAP meeting held onsite at Millstone re current plant status,insp initiatives,open item status, enforcement strategy for severity level V violations, allegations,SMM recommendations & future MAP actions.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/05. NRC - No Detailed Affiliation Given. 24pp. A2336:237-A2336:260.

--**9802250187** Summary of 950504 MAP meeting re plant status,current restart planning & scheduling,current status of RATI,status of licensing issues that impact restart,restart meeting details & developing criteria for improving performance.
* NRC - No Detailed Affiliation Given. 95/05/04. NRC - No Detailed Affiliation Given. 6pp. A2336:321-A2336:326.

--**9802250215** Summary of 950613 MAP meeting re status of emergency operating procedure update & associated operator performance issues.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. A2336:333-A2336:335.

--**9802250231** Summary of 961007 MOT meeting re accoutability for line items in Restart Assessment Plan.Discussed need for meeting w/NEUT recovery managers to establish course of action & schedules & need to update FSAR before restart.
* NRC - No Detailed Affiliation Given. 96/10/07. NRC - No Detailed Affiliation Given. 3pp. A2336:338-A2336:343.

--**9802250245** Summary of 970205 RAP meeting re insp program for restart of three Millstone units.
* NRC - No Detailed Affiliation Given. 97/02/05. NRC - No Detailed Affiliation Given. 2pp. A2336:345-A2336:346.

--**9802250259** Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

R. Periodic operating reports & related correspondence

9802230319 Monthly operating rept for Jan 1998 for Millstone Nuclear Station,Unit 1.W/ 980212 ltr
NEWBURGH,G., HINNENKAMP,P.D. Northeast Nuclear Energy Co. 98/01/31. 6pp. A2329:349-A2329:354.

S. Reportable occurrences, LERs & related correspondence

9802240114 Forwards LER 98-001-00,re event which occurred on 980109 at Millstone Unit 1.Commitments made within ltr,encl.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. 98/02/09. Document Control Branch (Document Control Desk). 4pp. A2318:328-A2318:335.

--**9802240120** LER 98-001-00:on 980109,MRP determined that there have been periods during power operation when backup pressure regulator was OOS.Caused by inadequate understanding of safety analysis.Evaluation will be performed.
MINER,P. Northeast Nuclear Energy Co. 98/02/09. 4pp. A2318:332-A2318:335.

T. Hearing transcripts on non-antitrust matters

9802270040 Transcript of 980127 public meeting in Waterford,CT re Northeast Utilities,Millstone Units 1,2 & 3.Pp 1-246.
* NRC - No Detailed Affiliation Given. 98/01/27. 247pp. A2353:001-A2353:247.

9802250076 Transcript of 980219 meeting in Rockville,MD w/Northeast Nuclear on Millstone - Public Meeting.Pages 1-175.W/ supporting documentation.
* Commissioners (Post 750119). 98/02/19. 242pp. A2351:012-A2351:343.

V. Operator Examinations

9802050067 Forwards rev 0 to 1-OM-3.8, "Maint of Operator Licenses" & rev 2 to 1-OM-4.4, "Notifications."
* Northeast Nuclear Energy Co. 98/01/27. Document Control Branch (Document Control Desk). 1p. A2038:081-A2038:098.

--**9802050072** Rev 0 to 1-OM-3.8, "Maint of Operator Licenses."
* Northeast Nuclear Energy Co. 98/01/23. 10pp. A2038:082-A2038:091.

9802190264 Forwards insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Insp was to evaluate performance of licensed operators during simulator portion of annual operating tests.
WIGGINS,J.T. Region 1 (Post 820201). 98/02/06. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. A2230:006-A2230:021.

--**9802190274** Insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Major areas inspected:simulator portion of annual operating tests of licensed operator requalification training programs.
* Region 1 (Post 820201). 98/02/06. 13pp. A2230:009-A2230:021.

9802260052 Revised 1-OM-index "Unit 1 Operations Dept OM Index" & rev 2 to OM 3.8, "Millstone Unit 1 Operations Manual."
* Northeast Nuclear Energy Co. 98/02/18. 11pp. A2411:004-A2411:014.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

--**9802240421** Summary of sixth MAP meeting on 921105 in Millstone Resident Inspectors Office re plant status,recent NRC activities, future MAP activities,public meeting on PEP following MAP meeting.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/12/10. NRC - No Detailed Affiliation Given. 3pp. A2336:151-A2336:153.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030093 Forwards environ assessment of no significant impact re exemption from requirements of 10CFR50.60 & 10CFR50 for use of alternative methodology for P/T limits.
HAROLD,J.F. . 98/01/27. KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 4pp. A1980:335-A1980:342.

--**9802030104** Environ assessment & finding of no significant impact re exemption from requirements of 10CFR50.60 & 10CFR50,App G to allow use of methodology or equivalent for developing P/T limits.
HAROLD,J.F. . 98/01/27. 4pp. A1980:339-A1980:342.

9802240244 Forwards exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Lightwater Nuclear Power Reactors for Normal Operation."
HAROLD,J.F. . 98/01/27. KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 4pp. A2283:008-A2283:017.

--**9802240246** Exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Lightwater Nuclear Power Reactors for Normal Operation."
COLLINS,S.J. . 98/02/10. Consolidated Edison Co. of New York, Inc. 6pp. A2283:012-A2283:017.

9802200049 Notification of significant licensee meeting 98-09 w/util on 980220 in King of Prussia,PA to discuss status of plant performance improvement efforts as requested in ltr to Con Edison,dtd 980123.
ROGGE,J.F. Region 1 (Post 820201). 98/02/06. Region 1 (Post 820201). 4pp. A2251:180-A2251:183.

9802270039 Revised notification of 980206 meeting w/CENY in King of Prussia,Pennsylvania to discuss IPS 2 performance improvement efforts as requested in 980123 ltr.Meeting postponed until further notice.
ROGGE,J.F. Region 1 (Post 820201). 98/02/06. Region 1 (Post 820201). 2pp. A2349:096-A2349:097.

9802230256 Forwards application for amend to DPR-26,clarifying offsite power availability requirements & revising EDG fuel oil availability requirements.
KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2329:328-A2329:348.

--**9802230257** Application for amend to license DPR-26,clarifying offsite power availability requirements & revising EDG fuel oil availability requirements.
KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 98/02/12. NRC - No Detailed Affiliation Given. 1p. A2329:330-A2329:330.

--**9802230259** Proposed tech specs clarifying offsite power availability requirements & revising EDG fuel oil availability requirements.
* Consolidated Edison Co. of New York, Inc. 98/02/12. 18pp. A2329:331-A2329:348.

9802260087 Forwards response to 971204 ltr expressing concerns about performance at Indian Point Nuclear Generating Unit 2 to consider watch list & formulas used to determine true cost of energy per kilowatt hour produced by facility.
COLLINS,S.J. Region 4 (Post 820201). 98/02/19. ELIE,M. Consolidated Edison Co. of New York, Inc. 8pp. A2347:023-A2347:036.

--**9802260102** Forwards list of questions re safety concerns & formulas used to determine true cost of energy per kilowatt hour produced by Indian Point nuclear power plant.
ELIE,M. Consolidated Edison Co. of New York, Inc. SCHEPART,D. Affiliation Not Assigned. 97/12/04. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. A2347:031-A2347:036.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020008 Discusses Mar 1997 SALP meeting re issues concerning performance at plant,Unit 2.Meeting to review & discuss listed issues requested.
MILLER,H.J. Region 1 (Post 820201). 98/01/23. BRAM,S. Consolidated Edison Co. of New York, Inc. 4pp. A1977:357-A1977:360.

9802060117 Notification of significant licensee meeting 98-06 w/util on 980212 in Buchanan,NY to discuss NRC Architect Engineer Team insp conducted during period of 980105-0206.
ROGGE,J.F. Region 1 (Post 820201). 98/01/27. Region 1 (Post 820201). 3pp. A2039:089-A2039:091.

9802120301 Responds to NRC 971223 ltr re violations noted in insp rept 50-247/97-12.Corrective actions:development of I&C step list for conversion of DB-50/75 breakers to be used in alternate locations.
KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 98/01/30. Document Control Branch (Document Control Desk). 7pp. A2233:251-A2233:257.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200149 Forwards insp rept 50-247/97-15 on 971121-1231 & notice of violation.Several violations identified.One violation of concern involved performance of safety-related maintenance during troubleshooting activities w/o required controls.
HEHL,C.W. Region 1 (Post 820201). 98/02/10. KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 7pp. A2264:011-A2264:050.

--9802200155 Notice of violation from insp on 971121-1231.Violation noted:NRC identified that work orders originally issued for troubleshooting component problems also used to perform safety-related maintenance w/o required procedures.
* Region 1 (Post 820201). 98/02/10. 4pp. A2264:018-A2264:021.

--9802200158 Insp rept 50-247/97-15 on 971121-1231.Violations noted. Major areas inspected:operations,engineering,maintenance & plant support.
* Region 3 (Post 820201). 98/02/10. 29pp. A2264:022-A2264:050.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802250104 Forwards insp rept 50-247/97-13 on 971027-1114.Apparent violation re failure to take prompt & appropriate corrective action prior to voluntary shutdown at plant,being considered for escalated enforcement action.
WIGGINS,J.T. Region 1 (Post 820201). 98/02/13. KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 4pp. A2326:027-A2326:092.

--9802250110 Insp rept 50-247/97-13 on 971027-1114.Apparent violations being considered for escalated enforcement action.Major areas inspected:corrective actions that licensee was taking to restore operability & reliability of circuit breakers.
* Region 1 (Post 820201). 98/02/13. 52pp. A2326:031-A2326:092.

R. Periodic operating reports & related correspondence

9802230328 Monthly operating rept for Jan 1998 for Indian Point Unit 2. W/980213 ltr.
KRIEGER,K., KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 98/01/31. 5pp. A2342:326-A2342:330.

S. Reportable occurrences, LERs & related correspondence

9802090063 LER 97-025-00:on 971229,declared flow instrumentation associated w/ liquid radwaste effluent & SG blowdown effluent lines inoperable.Caused by inadequate SRs.Developed & implemented new test procedures.W/980128 ltr.
LOUIE,R.T., KINKEL,P.H. Consolidated Edison Co. of New York, Inc. 98/01/28. 5pp. A2144:063-A2144:067.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9802200066 Forwards insp repts 50-237/97-28 & 50-249/97-28 on 971123- 980112 & NOV.On 971206,efforts to restore Unit 3 A train of offgas sys resulted in offgas sys fire.
GRANT,G.E. Region 3 (Post 820201). 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2252:035-A2252:070.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802180099 Forwards amends 164,159,179 & 177 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively & SE.Amends would add new TS section 3/4.12.C & associated bases to allow certain RC pressure tests to be performed in MODE 4.
PULSIFER,R.M. . 98/01/05. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2195:259-A2195:292.

--9802180110 Amends 164,159,179 & 177 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,adding new TS section 3/4.12.C & associated bases to allow certain RC pressure tests to be preformed in MODE 4.
STANG,J.F. . 98/01/05. 26pp. A2195:264-A2195:289.

--9802180115 Safety evaluation supporting amends 164,159,179 & 177 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 98/01/05. 3pp. A2195:290-A2195:292.

9802050260 Informs that on 980106-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees.Summary of each site performance submitted.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 10pp. A2007:318-A2007:327.

9802030068 Discusses completion of licensing action for GL 96-01, "Testing of Safety-Related Logic Circuits," to all holders of operating licenses or CPs.Subj GL issued for three listed reasons.
STANG,J.F. . 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1976:054-A1976:057.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802020177 Forwards 1997 rept of revs to commitments made in docketed correspondence for DNPS.Revs processed using NEI guidance for "Managing NRC Commitments," rev 2,dtd 951219.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A1981:356-A1981:357.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

--9802060120 Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802020072 Provides list of summarized completed commitments re SPF safety issues.Util has no further actions re NRC known concerns re SFPC sys safety.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2015:223-A2015:224.

9802100141 Provides new submittal date of Mar 1998 for license amend addressing design basis initiative issues re CCSW & LPCI. Date rescheduled to facilitate completion of probabilistic safety assessment & associated engineering reviews.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2167:004-A2167:004.

9802240306 Informs that NRC project mgt responsibility for listed CECO nuclear power stations being modified as listed.
CAPRA,R.A. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2335:335-A2335:339.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802240178 Notification of 980305 meeting w/util in Rockville,MD to discuss Comm Ed engineering issues such as Design Basis Initiative & 10CFR50.59 process.
PULSIFER,R.M. . 98/02/11. CAPRA,R.A. . 7pp. A2283:035-A2283:041.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020136 Ack receipt of 980112 ltr informing NRC of steps taken to correct violations noted in insp rept 50-249/97-27.Denies util request to rescind violation for listed reasons.
GROBE,J.A. Region 3 (Post 820201). 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2006:252-A2006:257.

9802020178 Provides response to violations noted in insp repts 50-010/97-24,50-237/97-24 & 50-249/97-24.Corrective actions: heat trace controller setting increased to heat suction temp above 83 F.
HEFFLEY,J.M. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 8pp. A2015:180-A2015:187.

9802120043 Ack receipt of 980126 ltr informing NRC of steps taken to correct violations noted in insp repts 50-010/97-24, 50-237/97-24 & 50-249/97-24.Actions will be examined during future insp.
RING,M. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2142:164-A2142:165.

9802130024 Ack receipt of 980109 ltr informing NRC of steps taken to correct violations noted in insp repts 50-010/97-19, 50-237/97-19 & 50-249/97-19.Corrective actions will be examined during future insp.
RING,M. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2164:066-A2164:068.

9802110075 Forwards insp repts 50-237/98-04 & 50-249/98-04 on 980120-21.No violations noted.Insp conducted to review unconditional matl release program & effectiveness of actions taken on previous open items & violations.
GROBE,J.A. Region 3 (Post 820201). 98/02/05. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2133:353-A2133:361.

-9802110080 Insp repts 50-237/98-04 & 50-249/98-04 on 980120-21.No violations noted.Major areas inspected:review of matl unconditional release program & actions taken in response to previous open items & violations.
* Region 3 (Post 820201). 98/02/05. 7pp. A2133:355-A2133:361.

9802200066 Forwards insp repts 50-237/97-28 & 50-249/97-28 on 971123- 980112 & NOV.On 971206,efforts to restore Unit 3 A train of offgas sys resulted in offgas sys fire.
GRANT,G.E. Region 3 (Post 820201). 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2252:035-A2252:070.

-9802200074 Notice of violation from insp on 971123-980112.Violations noted:licensee had failed to generate feedback forms to PIF originators as specified in NSWP-A-15.
* Region 3 (Post 820201). 98/02/06. 3pp. A2252:038-A2252:040.

-9802200080 Insp repts 50-237/97-28 & 50-249/97-28 on 971123-980112. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/06. 30pp. A2252:041-A2252:070.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240237 Provides plant response to NRC Region III SALP 15 rept dtd 980102.Response summarizes actions taking to address weaknesses noted in SALP 15 rept,w/ specific focus on Engineering issues.
HEFFLEY,J.M. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 9pp. A2350:290-A2350:298.

R. Periodic operating reports & related correspondence

9802190296 Monthly operating repts for Jan 1998 for Dresden Nuclear Power Station.W/980206 ltr.
ABRELL,G.A., HEFFLEY,J.M. Commonwealth Edison Co. 98/01/31. 11pp. A2258:129-A2258:139.

S. Reportable occurrences, LERs & related correspondence

9802060070 Forwards LER 97-014-00,per 10CFR50.73(a)(2)(v)(D).Actions which have been completed as result of event & commitments made by util,listed.
SWAFFORD,P. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:168-A2151:178.

-9802060072 LER 97-014-00:on 971229,declared HPCI sys inoperable due to GSLO condenser drain pump low level switch in closed position.Tested,flushed & inspected all four hotwell level switches & vented & tested GSLO condenser drain pump.
SMITH,D. Commonwealth Edison Co. 98/01/28. 9pp. A2151:170-A2151:178.

9802200312 Revises commitments made in LERs 90-021 & 96-004,rev 1. Guidance specified in NUREG-1022 will be incorporated into current program & procedure which governs testing of MSSVs will be revised.
HEFFLEY,J.M. Commonwealth Edison Co. 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2288:350-A2288:351.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9802130034 Responds to NRC ltr re violations noted in insp repts 50-250/97-12 & 50-251/97-12.Corrective actions:Emergency Plan was revised to clarify requirement for drill between biennial exercises IAW App E to 10CFR50.
PLUNKETT,T.F. Florida Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 5pp. A2233:347-A2233:351.

9802110045 Forwards revised EPIP 0-EPIP-20101, "Duties of Emergency Coordinator." Medical emergency section previously in 0-EPIP-20101 moved to administrative procedure.EPIP-20131, "Transfer of Contaminated Injured Personnel..." cancelled.
HOVEY,R.J. Florida Power & Light Co. 98/02/03. Document Control Branch (Document Control Desk). 1p. A2182:219-A2182:293.

-9802110050 Revised EPIP 0-EPIP-20101, "Duties of Emergency Coordinator."
* Florida Power & Light Co. 98/01/22. 74pp. A2182:220-A2182:293.

9802240128 Forwards environ assessment & finding of no significant impact re proposed exemption from requirements of 10CFR50, App R, "Fire Protection Program for Nuclear Power Facilities." Assessment forwarded for FR publication.
CROTEAU,R.P. . 98/02/11. PLUNKETT,T.F. Florida Power & Light Co. 1p. A2287:283-A2287:287.

-9802240133 Environ assessment & finding of no significant impact re exemption from certain requirements of App R, "Fire Protection Program for Nuclear Power Facilities Operating prior to 790101."
HEBDON,F.J. . 98/02/11. 4pp. A2287:284-A2287:287.

9802230222 Forwards Rev 33 to Radiological Emergency Plan for Turkey Point Plant.
HOVEY,R.J. Florida Power & Light Co. 98/02/13. Document Control Branch (Document Control Desk). 6pp. A2285:082-A2285:269.

-9802230225 Rev 33 to Radiological Emergency Plan for Turkey Point Plant.
* Florida Power & Light Co. 98/02/02. 182pp. A2285:088-A2285:269.

H. General correspondence

9802180141 Responds,on beahlf of Friends of Everglades,Izaak Walton League Florida Keys Chapter & Sierra Club Miami Group,to plan to build commercial airport at Homestead Air Force Base site in South Dale.
LORION,J. Affiliation Not Assigned. 97/12/09. EBNETER,S. Region 2 (Post 820201). 7pp. A2195:293-A2195:316.

-9802180146 Responds to 961202 ltr concerning potential development of commercial airport at Homestead Air Reserve Base.
EBNETER,S.D. Region 2 (Post 820201). 96/12/20. LANGE,B. Affiliation Not Assigned. 18pp. A2195:300-A2195:316.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030147 Forwards corrected TS page 6-22 w/date that had been omitted when Commission issued Amend 195 to FOL DPR-31 & Amend 189 to FOL DPR-41,respectively,on 971220.
CROTEAU,R.P. . 98/01/22. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1987:012-A1987:015.

-9802030150 Corrected TS page 6-22 to amend 195 to FOL DPR-31 & amend 189 to FOL DPR-41,w/date that had been omitted re NRC safety evaluation referred by footnote.
* . 98/01/22. 1p. A1987:015-A1987:015.

9802110156 Forwards response to NRC 970716 request for addl info re util 961122 application for amend to TS to allow Unit 3 diesel fuel oil storage tank.Revised proposed license amend request encl.
HOVEY,R.J. Florida Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 16pp. A2182:294-A2182:322.

-9802110157 Proposed tech specs re diesel fuel storage sys.
* Florida Power & Light Co. 98/02/02. 12pp. A2182:310-A2182:322.

9802050259 Responds to request from Leakey re statistics on allegations concerning St Lucie & Turkey Point nuclear plants.Forwards tables w/breakdown of allegations concerning sites by source category for CYs 1993,1994,1995,1996 & 1997.
BAKER,E.T. . 98/02/03. PLUNKETT,T.F. Florida Power & Light Co. 16pp. A2012:228-A2012:244.

9802170078 Informs of NRC Region II mgt changes that will be effective on 980215.Forwards revised organization chart for NRC Region II.
PLUNKETT,T.F. Region 2 (Post 820201). 98/02/05. LANDIS,K.D. Florida Power & Light Co. 4pp. A2170:308-A2170:311.

9802270119 Confirms that representatives of NRC will be visiting Turkey Point facility during wk of 980323,to gather info on air operated valves.Encl document describes program plan for study of air-operated valves.
CROTEAU,R.P. . 98/02/11. PLUNKETT,T.F. Florida Power & Light Co. 28pp. A2352:207-A2352:234.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802130034 Responds to NRC ltr re violations noted in insp repts 50-250/97-12 & 50-251/97-12.Corrective actions:Emergency Plan was revised to clarify requirement for drill between biennial exercises IAW App E to 10CFR50.
PLUNKETT,T.F. Florida Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 5pp. A2233:347-A2233:351.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802190040 Monthly operating repts for Jan 1998 for Turkey Point,Units 3 & 4.W/ 980209 ltr.
MOWREY,C.L., HOVEY,R.J. Florida Power & Light Co. 98/01/31. 9pp. A2250:352-A2250:360.

S. Reportable occurrences, LERs & related correspondence

9802190297 PNO-II-98-006:on 980216,Unit 3 manually tripped.Root cause determination underway by Event Response Team.Preliminary reviews indicate,failure may be external corrosion induced. Licensee issued press release.
RUDISAIL,S. Region 2 (Post 820201). 98/02/17. 1p. A2255:268-A2255:268.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9802110045 Forwards revised EPIP 0-EPIP-20101, "Duties of Emergency Coordinator." Medical emergency section previously in 0-EPIP-20101 moved to administrative procedure.EPIP-20131, "Transfer of Contaminated Injured Personnel..." cancelled.
HOVEY,R.J. Florida Power & Light Co. 98/02/03. Document Control Branch (Document Control Desk). 1p. A2182:219-A2182:293.

–9802110050 Revised EPIP 0-EPIP-20101, "Duties of Emergency Coordinator."
* Florida Power & Light Co. 98/01/22. 74pp. A2182:220-A2182:293.

9802240128 Forwards environ assessment & finding of no significant impact re proposed exemption from requirements of 10CFR50, App R, "Fire Protection Program for Nuclear Power Facilities." Assessment forwarded for FR publication.
CROTEAU,R.P. . 98/02/11. PLUNKETT,T.F. Florida Power & Light Co. 1p. A2287:283-A2287:287.

–9802240133 Environ assessment & finding of no significant impact re exemption from certain requirements of App R, "Fire Protection Program for Nuclear Power Facilities Operating prior to 790101."
HEBDON,F.J. . 98/02/11. 4pp. A2287:284-A2287:287.

9802230222 Forwards Rev 33 to Radiological Emergency Plan for Turkey Point Plant.
HOVEY,R.J. Florida Power & Light Co. 98/02/13. Document Control Branch (Document Control Desk). 6pp. A2285:082-A2285:269.

–9802230225 Rev 33 to Radiological Emergency Plan for Turkey Point Plant.
* Florida Power & Light Co. 98/02/02. 182pp. A2285:088-A2285:269.

H. General correspondence

9802180141 Responds,on beahlf of Friends of Everglades,Izaak Walton League Florida Keys Chapter & Sierra Club Miami Group,to plan to build commercial airport at Homestead Air Force Base site in South Dale.
LORION,J. Affiliation Not Assigned. 97/12/09. EBNETER,S. Region 2 (Post 820201). 7pp. A2195:293-A2195:316.

–9802180146 Responds to 961202 ltr concerning potential development of commercial airport at Homestead Air Reserve Base.
EBNETER,S.D. Region 2 (Post 820201). 96/12/20. LANGE,B. Affiliation Not Assigned. 18pp. A2195:300-A2195:316.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030147 Forwards corrected TS page 6-22 w/date that had been omitted when Commission issued Amend 195 to FOL DPR-31 & Amend 189 to FOL DPR-41,respectively,on 971220.
CROTEAU,R.P. . 98/01/22. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1987:012-A1987:015.

–9802030150 Corrected TS page 6-22 to amend 195 to FOL DPR-31 & amend 189 to FOL DPR-41,w/date that had been omitted re NRC safety evaluation referred by footnote.
* . 98/01/22. 1p. A1987:015-A1987:015.

9802110156 Forwards response to NRC 970716 request for addl info re util 961122 application for amend to TS to allow Unit 3 diesel fuel oil storage tank.Revised proposed license amend request encl.
HOVEY,R.J. Florida Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 16pp. A2182:294-A2182:322.

9802050259 Responds to request from Leakey re statistics on allegations concerning St Lucie & Turkey Point nuclear plants.Forwards tables w/breakdown of allegations concerning sites by source category for CYs 1993,1994,1995,1996 & 1997.
BAKER,E.T. . 98/02/03. PLUNKETT,T.F. Florida Power & Light Co. 16pp. A2012:228-A2012:244.

9802170078 Informs of NRC Region II mgt changes that will be effective on 980215.Forwards revised organization chart for NRC Region II.
PLUNKETT,T.F. Region 2 (Post 820201). 98/02/05. LANDIS,K.D. Florida Power & Light Co. 4pp. A2170:308-A2170:311.

9802270119 Confirms that representatives of NRC will be visiting Turkey Point facility during wk of 980323,to gather info on air operated valves.Encl document describes program plan for study of air-operated valves.
CROTEAU,R.P. . 98/02/11. PLUNKETT,T.F. Florida Power & Light Co. 28pp. A2352:207-A2352:234.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802130034 Responds to NRC ltr re violations noted in insp repts 50-250/97-12 & 50-251/97-12.Corrective actions:Emergency Plan was revised to clarify requirement for drill between biennial exercises IAW App E to 10CFR50.
PLUNKETT,T.F. Florida Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 5pp. A2233:347-A2233:351.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802190040 Monthly operating repts for Jan 1998 for Turkey Point,Units 3 & 4.W/ 980209 ltr.
MOWREY,C.L., HOVEY,R.J. Florida Power & Light Co. 98/01/31. 9pp. A2250:352-A2250:360.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802030033 Forwards rev of 980127 notice of significant licensee meeting w/location of meeting added.
GROBE,J.A. Region 3 (Post 820201). 98/01/28. THOMPSON,H.L. Ofc of the Executive Director for Operations. SHERON,B.W., ADENSAM,E.G. . 1p. A1978:358-A1978:360.

–9802030036 Revised notification of 980206 meeting w/location of meeting added,w/ CECO in Lisle,Illinois to discuss licensee update of methodology & technical resolutions to current 10CFR50 App R issues & scope & type of issues requiring review by NRC.
GARDNER,R. Region 3 (Post 820201). 98/01/27. THOMPSON,H.L., SHERON,B.W., ADENSAM,E.G. . 2pp. A1978:359-A1978:360.

9802170063 Revised EPIPs,including rev 19 to QEP 0175-00, "Chemistry Director Procedures," rev 10 to QEP 0175-S01, "Chemistry Director Alert Checklist," rev 8 to QEP 0175-S02 & rev 8 to QEP 0175-S03.
* Commonwealth Edison Co. 98/02/05. 12pp. A2218:308-A2218:319.

9802200375 Revised EPIPs,including rev 18 to EPIP QEP 0107-00,rev 6 to EPIP QEP 0107-01,rev 11 to EPIP QEP 0107-S01,rev 9 to EPIP QEP 0107-S02,rev 11 to EPIP QEP 0107-S03,rev 25 to EPIP QEP 0140-00 & rev 9 to EPIP QEP 0140-01.
* Commonwealth Edison Co. 98/02/10. 18pp. A2325:342-A2325:359.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

9802260208 Refers to 980206 meeting in Lisle,IL,re status of actions to improve fire protection at Quad Cities Station w/regards to requirements of 10CFR50,App R.List of attendees & licensee presentation slides encl.
GROBE,J.A. Region 3 (Post 820201). 98/02/23. KINGSLEY,O.D. Commonwealth Edison Co. 36pp. A2344:152-A2344:185.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802180099 Forwards amends 164,159,179 & 177 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively & SE.Amends would add new TS section 3/4.12.C & associated bases to allow certain RC pressure tests to be performed in MODE 4.
PULSIFER,R.M. . 98/01/05. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2195:259-A2195:292.

--**9802180110** Amends 164,159,179 & 177 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,adding new TS section 3/4.12.C & associated bases to allow certain RC pressure tests to be preformed in MODE 4.
STANG,J.F. . 98/01/05. 26pp. A2195:264-A2195:289.

--**9802180115** Safety evaluation supporting amends 164,159,179 & 177 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 98/01/05. 3pp. A2195:290-A2195:292.

9802050260 Informs that on 980106-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees.Summary of each site performance submitted.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 10pp. A2007:318-A2007:327.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802020258 Informs that dynamic strainer testing is scheduled to be conducted during week of 980223 at EPRI Non Destructive Exam Ctr in Charlotte,NC.
KRAFT,E.S. Commonwealth Edison Co. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A2015:243-A2015:244.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

--**9802060120** Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802020053 Confirms telcon between C Peterson & D Chyu to conduct mgt meeting on 980206 in Lisle,IL to provide update of methodology & technical resolution to current 10CFR50,App R issues & to discuss type of issues requiring NRC review.
GROBE,J.A. Region 3 (Post 820201). 98/01/27. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1978:277-A1978:278.

9802020081 Notification of significant licensee meeting w/util on 980206 to discuss licensee update of methodology & technical resolutions to current 10CFR50,App R issues & to discuss scope & type of issues requiring review & approval by NRC.
GARDNER,R. Region 3 (Post 820201). 98/01/27. Region 3 (Post 820201). 2pp. A1978:299-A1978:300.

9802040155 Responds to 971126 RAI & 980116 telcon re util IPEEE submittal.Util will provide to NRC by 980316,schedule delineating commitment dates to complete response for seismic & other external events.
KRAFT,E.S. Commonwealth Edison Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2036:276-A2036:277.

9802030033 Forwards rev of 980127 notice of significant licensee meeting w/location of meeting added.
GROBE,J.A. Region 3 (Post 820201). 98/01/28. THOMPSON,H.L. Ofc of the Executive Director for Operations. SHERON,B.W., ADENSAM,E.G. . 1p. A1978:358-A1978:360.

--**9802030036** Revised notification of 980206 meeting w/location of meeting added,w/ CECO in Lisle,Illinois to discuss licensee update of methodology & technical resolutions to current 10CFR50 App R issues & scope & type of issues requiring review by NRC.
GARDNER,R. Region 3 (Post 820201). 98/01/27. THOMPSON,H.L., SHERON,B.W., ADENSAM,E.G. . 2pp. A1978:359-A1978:360.

9802130121 Modifies commitment made in 971210 ltr.Long-term action plan & FSAR change will not be complete until 980227,due to change in priorities.
KRAFT,E.S. Commonwealth Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2233:359-A2233:360.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802190154 Informs that re-evaluation of ISI program identified that basis for relief request is no longer applicable.Alternate exam has been deleted from Class 1 pressure test procedure.
KRAFT,E.S. Commonwealth Edison Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2258:001-A2258:001.

9802240178 Notification of 980305 meeting w/util in Rockville,MD to discuss Comm Ed engineering issues such as Design Basis Initiative & 10CFR50.59 process.
PULSIFER,R.M. . 98/02/11. CAPRA,R.A. . 7pp. A2283:035-A2283:041.

9802190149 Informs that Scientech conducted review of program & discovered that nine addl logic contacts should have been tested re GL 96-01, "Testing of Safety Related Logic Circuits."
KRAFT,E.S. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2254:360-A2254:360.

9802200009 Dockets closure dates for open ended NRC commitments made by Quad Cities.Encl contains commitments & due dates.
KRAFT,E.S. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2270:068-A2270:070.

9802250368 Ltr contract:mod 4 to task order 22 entitled, "Individual Plant Exam Reviews,Internal Events,Back End Only," under contract NRC-04-91-068.
MACE,M. Office of Administration, Director (Post 940714). NRC-04-91-068. 98/02/20. AFABLE,S. SCIENTECH, Inc. 2pp. A2342:054-A2342:055.

9802260208 Refers to 980206 meeting in Lisle,IL,re status of actions to improve fire protection at Quad Cities Station w/regards to requirements of 10CFR50,App R.List of attendees & licensee presentation slides encl.
GROBE,J.A. Region 3 (Post 820201). 98/02/23. KINGSLEY,O.D. Commonwealth Edison Co. 36pp. A2344:152-A2344:185.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020082 Summarizes 980109 predecisional enforcement conference held in Lisle,IL re apparent violations & unresolved item identified in NRC insp repts 50-254/97-27 & 50-265/97-27. Handouts,summary of violations & list of attendees encl.
GROBE,J.A. Region 3 (Post 820201). 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 53pp. A1977:236-A1977:288.

9802090029 Forwards list of commitments made by util at 980109 Pre- Decisional Enforcement Conference re App G.
KRAFT,E.S. Commonwealth Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 4pp. A2164:338-A2164:341.

9802120164 Forwards SALP 14 Rept for Quad Cities covering period 971027 through 971220.Rept will be discussed w/licensee at public meeting on 980217 at plant.
BEACH,A.B. Region 3 (Post 820201). 98/01/30. KINGSLEY,O.D. Commonwealth Edison Co. 7pp. A2143:004-A2143:010.

--**9802130074** SALP repts 50-254/97-01 & 50-265/97-01 for 961027-971220.
* Region 3 (Post 820201). 98/01/30. 6pp. A2143:011-A2143:016.

9802100189 Ack receipt of 980121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-254/97-27 & 50-265/97-27 on 971223.
GROBE,J.A. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2093:335-A2093:342.

9802110064 Forwards insp repts 50-254/98-02 & 50-265/98-02 on 980112-16 & NOV.Violation regarding failure of radiation protection dept to issue faceshields that were in contaminated area.
GROBE,J.A. Region 3 (Post 820201). 98/02/05. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2133:335-A2133:352.

--**9802110069** Notice of violation from insp on 980112-16.Violation noted: on 980112,faceshields were identified in Unit 2 Decon Shop, posted contaminated area which had not been issued by Radiation Protection Dept.
* Region 3 (Post 820201). 98/02/05. 2pp. A2133:338-A2133:339.

--**9802110072** Insp repts 50-254/98-02 & 50-265/98-02 on 980112-16. Violations noted.Major areas inspected:review of ALARA planning,radiation work permits & observations of radworker performance.
* Region 3 (Post 820201). 98/02/05. 13pp. A2133:340-A2133:352.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802190154 Informs that re-evaluation of ISI program identified that basis for relief request is no longer applicable.Alternate exam has been deleted from Class 1 pressure test procedure.
KRAFT,E.S. Commonwealth Edison Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2258:001-A2258:001.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802200256 Confirms discussion between staff members to change date of Quad Cities meeting from 980217 to 980303.Purpose of meeting to present SALP 14 rept.
RING,M. Region 3 (Post 820201). 98/02/11. KINGSLEY,O.D. Commonwealth Edison Co. 1p. A2252:030-A2252:030.

9802200093 Forwards insp repts 50-254/97-22 & 50-265/97-22 on 971027- 1121 & NOV.Violations highlight weaknesses in procedure adherence & in quality of procedures.
GROBE,J.A. Region 3 (Post 820201). 98/02/13. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2251:195-A2251:242.

--**9802200099** Notice of violation from insp on 971027-1121.Violations noted:as of 971027,local manual operation of HPCI sys, activity affecting quality,could not be performed in accordance w/written procedure QCOP 2300-08.
* Region 3 (Post 820201). 98/02/13. 3pp. A2251:199-A2251:201.

--**9802200105** Insp repts 50-254/97-22 & 50-265/97-22 on 971027-1121. Violations noted.Major areas inspected:HPCI sys operational performance for operations,maintenance & engineering.
* Region 3 (Post 820201). 98/02/13. 41pp. A2251:202-A2251:242.

9802260279 Responds to NRC 980121 ltr re violations noted in insp repts 50-254/97-26 & 50-265/97-26.Corrective actions:PIF Q1997- 0410 was generated.
KRAFT,E.S. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 10pp. A2373:329-A2373:338.

9802270041 Informs that revised response to violations noted in insp repts 50-254/97-14 & 50-265/97-14 will be provided on 980313.Rev to response required based on review of initial response.
KRAFT,E.S. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 1p. A2378:145-A2378:145.

R. Periodic operating reports & related correspondence

9802250178 "Rept of Radiation Exposures,1997." W/980212 ltr.
KRAFT,E.S. Commonwealth Edison Co. 97/12/31. 4pp. A2360:348-A2360:351.

9802190056 Monthly operating repts for Jan 1998 for Quad Cities Nuclear Station,Units 1 & 2.W/980210 ltr.
STOCKMAN,D., KRAFT,E.S. Commonwealth Edison Co. 98/01/31. 20pp. A2258:037-A2258:056.

S. Reportable occurrences, LERs & related correspondence

9802050237 Forwards LER 98-002-00 IAW 10CFR50.73(a)(2)(i)(B),stating that licensee shall rept any operation or condition prohibited by plant TS.Commitment made by ltr provided.
KRAFT,E.S. Commonwealth Edison Co. 98/01/27. Document Control Branch (Document Control Desk). 1p. A2143:334-A2143:338.

-9802050245 LER 98-002-00:on 961007,required drywell HP instrument channel relay monthly surviellance interval was exceeded due to inadequate test procedure.Caused by cognitive personnel error.Personnel error reviewed w/responsible individuals.
PETERSON,C. Commonwealth Edison Co. 98/01/27. 4pp. A2143:335-A2143:338.

9802120304 Forwards LER 98-001-00,re event that occurred at Quad Cities Nuclear Power Station,Unit 1.Commitments made by ltr,listed.
KRAFT,E.S. Commonwealth Edison Co. 98/02/02. Document Control Branch (Document Control Desk). 2pp. A2231:159-A2231:168.

-9802120306 LER 98-001-00:on 980105,electrician accidentally actuated relay during CS sys logic testing.Caused by inadequate work practice related to control of risk related activity. Counseled NSO on event.
PETERSON,C. Commonwealth Edison Co. 98/02/02. 8pp. A2231:161-A2231:168.

9802120293 Forwards LER 97-026-01,re event that took place at Quad Cities Nuclear Power Station,Unit 1.Commitments made by ltr, listed.
KRAFT,E.S. Commonwealth Edison Co. 98/02/03. Document Control Branch (Document Control Desk). 1p. A2213:238-A2213:243.

-9802120298 LER 97-026-01:on 970328,instrument channel checks & primary containment sump flowrate surveillances were not documented. Caused by inadequate procedure development.Revised procedures & counseled personnel.
PETERSON,C. Commonwealth Edison Co. 98/02/02. 5pp. A2213:239-A2213:243.

9802130110 Forwards LER 98-003-00,which describes condition prohibited by plant TS.Commitments made by ltr,listed.
KRAFT,E.S. Commonwealth Edison Co. 98/02/03. Document Control Branch (Document Control Desk). 1p. A2232:030-A2232:034.

-9802130112 LER 98-003-00:on 971210,TS LCO was exceeded when SBGT subsystem was inoperable because EDGs was inoperable.Caused by inadequate procedure development & review.Correctly positioned valve & revised procedure.
PETERSON,C. Commonwealth Edison Co. 98/02/03. 4pp. A2232:031-A2232:034.

9802240026 Forwards LER 98-007-00,re condition that was outside design basis of plant,per 10CFR50.73(a)(2)(ii)(B).Commitments made by ltr,listed.
KRAFT,E.S. Commonwealth Edison Co. 98/02/11. Document Control Branch (Document Control Desk). 2pp. A2318:305-A2318:312.

-9802240040 LER 98-007-00:on 980115,design basis of RB superstructure was not in literal conformance w/UFSAR.Caused by original FSAR lacking sufficient detail Class I loading combinations. Operations placed RB overhead crane OOS in parked position.
PETERSON,C. Commonwealth Edison Co. 98/02/11. 6pp. A2318:307-A2318:312.

9802190168 Forwards LER 98-004-00 for Quad Cities Nuclear Power Station.Commitments made by ltr,listed.
KRAFT,E.S. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 2pp. A2255:275-A2255:280.

-9802190172 LER 98-004-00:on 980113,RHR shutdown cooling common suction header was made inoperable due to TS LCO.Caused by Operations & Engineering knowledge deficiencies & inadequate procedure.Defective snubber replaced.
PETERSON,C. Commonwealth Edison Co. 98/02/12. 4pp. A2255:277-A2255:280.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9802090080 Rev 4 to EPIP EI-14, "Medical Care/Treatment of Contaminated,Injured Personnel."
* Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/30. 11pp. A2141:207-A2141:217.

9802090081 Rev 9 to EOF-4, "Communication Support Team."
PENROD,K.L. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/30. 12pp. A2141:225-A2141:236.

9802090086 Rev 18 to EPIP EI-3, "Communications & Notifications."
BRUNET,J.R. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/30. 13pp. A2141:237-A2141:249.

9802060215 Ack receipt of ltr dtd 971218,which transmitted changes identified as rev 17 to safeguards suitability,training & qualification plan,submitted under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 98/02/03. BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A2138:300-A2138:301.

9802180017 Discusses review of revs to sections 4 & 5 of plant emergency plan.NRC approval not required,based on determination that changes do not decrease effectiveness of emergency plan.
CREED,J.R.. Region 3 (Post 820201). 98/02/03. PALMISANO,T. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A2181:335-A2181:336.

9802170164 Revised EPIPs index.
* Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/04. 4pp. A2234:334-A2234:337.

9802180003 Rev 27 to EPIP EI-1, "Emergency Classification & Actions."
* Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/04. 40pp. A2237:277-A2237:316.

9802180005 Rev 21 to EPIP EI-2.1, "Site Emergency Director."
BRUNET,J.R. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/04. 11pp. A2243:234-A2243:244.

9802180002 Rev 23 to Section 4 of Site Emergency Plan, "Emergency Conditions."
BRUNETT,J.R. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/05. 4pp. A2243:103-A2243:106.

9802240129 Rev 13 to Emergency Implementing Procedure EI-7.1, "Post Accident Sampling - PCS Liquid/Gas & Containment Air."
* Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/10. 2pp. A2350:320-A2350:321.

9802200188 Forwards rev 40 to Palisades Nuclear Plant security plan,per 10CFR50.54(p)(2).Plan withheld.
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2283:249-A2283:249.

9802240202 Rev 10 to Emergency Implementing Procedure EI-7.5, "Boron; Chloride Ion Chromatography Method Post Accident."
SULLIVAN,M. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/13. 4pp. A2349:354-A2349:357.

9802240209 Rev 6 to Site Emergency Plan,App A to Rev 6 to "Agreements w/Off-Site Individuals,Agencies & Organizations."
BRUNET,J.R., PENROD,K.L., KARPE,E.P. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/13. 2pp. A2349:352-A2349:353.

9802240195 Rev 5 to Emergency Implementing Procedure EI-6.8, "Backup & Supplemental Meteorology."
* Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/17. 17pp. A2349:301-A2349:317.

9802250379 Rev 7,Section 3 to Site Emergency Plan "Summary."
BRUNET,J.R., PENROD,K.L., BROTT,N.K. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/18. 4pp. A2372:012-A2372:015.

9802250381 Rev 8,Section 6 to Site Emergency Plan "Emergency Measures."
BRUNET,J.R., KARPE,E.P., PENROD,K.L. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/18. 6pp. A2372:023-A2372:028.

9802250372 Rev 6 to Emergency Implementing Procedure EI-7.4, "Post Accident Gas & Liquid Activity Analysis."
SULLIVAN,M., MARR,G.A., JOHNS,L.F. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/19. 12pp. A2367:311-A2367:322.

9802250376 Rev 6 to Emergency Implementing Procedure EI-7.3, "Hydrogen Analysis of Post Accident Samples."
SULLIVAN,M., GALLAGHER,I.L., EDWARDS,W.C. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/19. 18pp. A2367:280-A2367:297.

9802250378 Rev 8 to Emergency Implementing Procedure EI-7.2, "Emergency Post Accident Analysis."
SULLIVAN,M., CHARTRAND,T.A., KRYSKA,J.P. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/19. 13pp. A2367:298-A2367:310.

9802250385 Rev 6 to Emergency Implementing Procedure EI-15.2, "Communications Tests."
BRUNET,J.R., PENROD,K.L., TAYLOR,B.A. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/19. 6pp. A2372:029-A2372:034.

9802250388 Rev 10 to Emergency Implementing Procedure EI-4.1, "Technical Support Ctr Activation."
BRUNET,J.R., BROTT,N.K., PENROD,K.L. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/19. 8pp. A2372:035-A2372:042.

9802250389 Rev 12 to Emergency Implementing Procedure EI-4.2, "Operational Support Ctr Activation."
BRUNET,J.R., BROTT,N.K., ANDERSON,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/19. 6pp. A2372:016-A2372:021.

9802260072 Rev 18 to EPIP EI-3, "Communications & Notifications."
BRUNET,J.R., PENROD,K.L., BROTT,N.K. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/19. 4pp. A2373:180-A2373:183.

9802260126 Ack receipt of 980212 ltr,which transmitted changes identified as rev 40 to security plan,submitted under provisions of 10CFR50.54(p).NRC approval is not required.
CREED,J.R. Region 3 (Post 820201). 98/02/23. BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A2373:271-A2373:272.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050053 Notification of 980127 meeting w/util in Rockville,MD to discuss regulatory compliance aspects of licensee plans for DC electrical sys inverter & charger replacement.
SCHAAF,R.G. . 98/01/26. CARPENTER,C.A. . 3pp. A2007:328-A2007:330.

9802100036 Application for amend to license DPR-20,eliminating existence of commonly referred to "custom tech specs" sections & replacing them w/Improved TS,consistent w/ NUREG-1432,Rev 1.
PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/26. Document Control Branch (Document Control Desk). 5pp. A2200:001-A2211:218.

-9802100037 Proposed tech specs converting to Improved TS,consistent w/ NUREG-1432,Rev 1.Includes Vols 1-20.
* Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/26. 4,216pp. A2200:006-A2211:218.

9802030153 Informs that outage re TS change request currently expected to start on 980424 & end on 980602.
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2018:360-A2018:361.

9802040242 Submits 120-day change in commitment in response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During DBA Conditions."
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2035:351-A2035:352.

9802060077 Forwards response to 971205 RAI re primary coolant pump flywheel insp TSs change request submitted by Consumers Energy on 971001.
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/29. Document Control Branch (Document Control Desk). 5pp. A2148:353-A2148:357.

9802260224 Notification of 980223 meeting w/util in Rockville,MD to discuss technical info exchange re licensee reactor vessel fluence determination methodology,including presentation summarizing results of third-party reviews of methodology.
SCHAAF,R.G. . 98/02/12. CARPENTER,C.A. . 4pp. A2347:060-A2347:063.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802030158 Responds to NRC 971226 ltr re violations noted in insp rept 50-255/97-11 on 971216.Corrective actions:tap was removed & gag screw installed to stop gas leakage.New commitment made, listed.
PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/26. Document Control Branch (Document Control Desk). 6pp. A2018:339-A2018:344.

9802060077 Forwards response to 971205 RAI re primary coolant pump flywheel insp TSs change request submitted by Consumers Energy on 971001.
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/29. Document Control Branch (Document Control Desk). 5pp. A2148:353-A2148:357.

9802100187 Forwards insp rept 50-255/97-16 on 971212-19 & 980114-16 & NOV.Violation re failure to post high radiation area was attributable to poor communications between various departments at facility.
GROBE,J.A. Region 3 (Post 820201). 98/02/02. PALMISANO,T. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A2093:305-A2093:334.

-9802100191 Notice of violation from insp on 971212-19 & 980114-16. Violation noted:licensee failed to post high radiation area w/conspicuous signs bearing radiation symbol & words "Caution High Radiation Area" on 980107.
* Region 3 (Post 820201). 98/02/06. 2pp. A2093:307-A2093:308.

-9802100195 Insp rept 50-255/97-16 on 971212-19 & 980114-16.Violation noted.Major areas inspected:control room habitability sys, respiratory protection program,plant water quality,chemistry program,fuel monitoring,post accident sample monitoring sys.
* Region 3 (Post 820201). 98/02/02. 26pp. A2093:309-A2093:334.

9802170093 Ack receipt of 980120 ltr informing NRC of steps taken to correct violations noted in insp rept 50-255/97-15.Forwards corrected page 2 of NOV.
GROBE,J.A. Region 3 (Post 820201). 98/02/05. PALMISANO,T. Consumers Energy Co. (formerly Consumers Power Co.),. 3pp. A2170:329-A2170:347.

-9802170099 Errata to NOV from insp on 971213.NRC agree that NOV should refer only to failure to perform contamination survey on 970910,based on further review of radiological survey sheets & conversation w/staff.
* Region 3 (Post 820201). 98/02/05. 1p. A2170:332-A2170:347.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190277 Ack receipt of 980126 ltr informing NRC of steps taken to correct violations noted in insp rept 50-255/97-11.
BURGESS,B.L. Region 3 (Post 820201). 98/02/12. PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A2230:022-A2230:023.

9802190283 Ack receipt of 980113 ltr informing NRC of steps taken to correct violations noted in insp rept 50-255/97-08. Understand that review of post maint testing deficiencies ongoing & will be discussed w/NRC at later date.
BURGESS,B.L. Region 3 (Post 820201). 98/02/12. PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A2230:024-A2230:025.

9802260044 Informs that insp of licensed operator requalification program at plant scheduled for 980323.
LEACH,M.N. Region 3 (Post 820201). 98/02/19. PALMISANO,T. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A2344:046-A2344:047.

R. Periodic operating reports & related correspondence

9802110096 Monthly operating rept for Jan 1998 for Palisades Nuclear Plant.W/980203 ltr.
KOBIATA,K.A., HAWN,R.S. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/31. 5pp. A2212:223-A2212:227.

9802240164 Forwards semi-annual fitness for duty program performance for reporting period for Jul-Dec 1997,IAW 10CFR26.71(d).
BORDINE,T.C. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/18. Document Control Branch (Document Control Desk). 11pp. A2333:196-A2333:206.

S. Reportable occurrences, LERs & related correspondence

9802040034 Forwards LER 97-012-00 which discusses event re control rod power that was inappropriately removed from all control rods while plant was at power.No new commitments & no revs to existing commitments made.
PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2026:333-A2026:338.

-9802040056 LER 97-012-00:on 971017,deenergized control rods while in power operation.Caused by failure of individual barriers to prevent inadequate performance.Post maint testing was performed.Pages 5,6 & 7 of incoming submittal not included.
KOZUP,C.S. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/26. 7pp. A2026:335-A2026:338.

9802180148 Forwards LER 98-001-00,re large leak of component cooling water during power operation.No new commitments or revisions to existing commitments noted.
PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/02. Document Control Branch (Document Control Desk). 1p. A2232:125-A2232:130.

-9802180154 LER 98-001-00:on 980101,large leak of CCW during power operation was noted.Caused by failure of flanged joint rubber gasket.CCW sys was refilled,vented & chemistry restored to normal.
KOZUP,C.S. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/02. 5pp. A2232:126-A2232:130.

9802200394 Forwards LER 98-002-00,re temporary data logger tied to redundant channels of nuclear instrumentation together through data logger sys ground & violated plant channel separation criteria while data logger was installed.
PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2318:262-A2318:268.

-9802200402 LER 98-002-00:on 980112,potential challenge to channel separation was noted.Caused by inadequate of temporary mod. Specific controls for future temporary configuration alterations have been incorporated into plant procedures.
ROBERTS,W.L. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/10. 6pp. A2318:263-A2318:268.

9802200277 Forwards LER 98-003-00,re watertight door between East & West engineered safeguards rooms was found open & unattended.New commitments made in ltr listed.
PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/11. Document Control Branch (Document Control Desk). 1p. A2289:018-A2289:022.

-9802200287 LER 98-003-00:on 980113,watertight door were found improperly latched.Cause has not been determined.Door #59 was verified closed & was properly latched.
ROBERTS,W.L. Consumers Energy Co. (formerly Consumers Power Co.),. 98/02/11. 4pp. A2289:019-A2289:022.

V. Operator Examinations

9802260044 Informs that insp of licensed operator requalification program at plant scheduled for 980323.
LEACH,M.N. Region 3 (Post 820201). 98/02/19. PALMISANO,T. Consumers Energy Co. (formerly Consumers Power Co.),. 2pp. A2344:046-A2344:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802270277 Provides licensee w/status of staff review of CAs being implemented by VSC-24 Owners Group to resolve problems encountered while making VSC-24 closure welds.Status of RAIs issued to licensee re listed CALs,encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. MOEKEL,K. Sierra Nuclear, Inc. 8pp. A2420:219-A2420:226.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802200210 Forwards rev 4 to physical security/contingency plan,per 10CFR50.54(p).Plan withheld.
ABNEY,T.E. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2283:255-A2283:256.

9802200217 Forwards update to security personnel training & qualification plan,per 10CFR50.54(p).Plan withheld.
ABNEY,T.E. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 3pp. A2283:252-A2283:254.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050061 Notification of cancelled 980126 meeting w/util in Rockville,MD to disuss Browns Ferry improved TS.
DE AGAZIO,A.W. . 98/01/14. HEBDON,F.J. . 2pp. A2012:188-A2012:189.

9802020251 Responds to NRC 971223 telcon,revising TS-372 & nuclear QA plan to reflect recent title change for senior nuclear officer position.
ABNEY,T.E. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 3pp. A1981:306-A1981:330.

--9802020252 Proposed Tech Specs Section 5.0 re administrative controls.
* Tennessee Valley Authority. 98/01/23. 22pp. A1981:309-A1981:330.

9802050349 Responds to request from Harding for statistics on allegations received by NRC re Browns Ferry,Sequoyah & Watts Barr.Forwards tables that provide breakdown of allegations of three sites for CYs 1993-1998.
BAKER,E.T. . 98/02/03. ZERINGUE,O.J. Tennessee Valley Authority. 20pp. A2012:127-A2012:146.

9802240277 Notification of 980212 meeting w/Tennessee Valley Authority in Rockville,MD re technical discussions related to Browns Ferry improved TSs.
DE AGAZIO,A.W. . 98/02/03. HEBDON,F.J. . 4pp. A2283:056-A2283:059.

9802100090 Informs that NRC Region II mgt changes will be effective on 980215.Revised organization chart for Region II encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/04. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2093:353-A2093:358.

9802240201 Requests addl info re conversion of custom TS to Improved Std TS format for Nuclear Measurement Analysis & Control Power Range Neutron Monitor Sys.
DE AGAZIO,A.W. . 98/02/11. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2283:024-A2283:029.

9802240158 Responds to 980106 telcon request made for supplemental info re plant offsite power supplies conformance to GDC-17, "Electric Power Sys."
ABNEY,T.E. Tennessee Valley Authority. 98/02/17. Document Control Branch (Document Control Desk). 6pp. A2332:344-A2332:349.

9802270124 Notification of 980226 meeting w/util in Rockville,MD to discuss issues related to Browns Ferry improved std TSs.
DE AGAZIO,A.W. . 98/02/18. HEBDON,F.J. . 4pp. A2373:339-A2373:343.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050368 Provides response to violations noted in insp repts 50-259/97-11,50-260/97-11 & 50-296/97-11.Corrective actions: Step 3.24 added to "Precautions & Limitations" section addressing normal position of selector switch.
CRANE,C.M. Tennessee Valley Authority. 98/01/28. Document Control Branch (Document Control Desk). 8pp. A2151:089-A2151:096.

9802230333 Summary of 980126 meeting w/Tennessee Valley Authority re resolution of unresolved issue 50-290/97-04-01 identified in insp rept 50-259/97-04.List of attendees encl.
DE AGAZIO,A.W. . 98/02/06. . 8pp. A2271:209-A2271:216.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190179 Provides results of util voluntary inspections on plant torus wall thickness performed from 971210-31.Engineering evaluation of wall thickness determined it would not adversely affect long term structural integrity of torus.
ABNEY,T,E. Tennessee Valley Authority. 98/02/11. Document Control Branch (Document Control Desk). 4pp. A2258:084-A2258:087.

R. Periodic operating reports & related correspondence

9802200138 Monthly operating repts for Jan 1998 for Browns Ferry Nuclear Plant.W/ 980213 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 98/01/31. 13pp. A2320:040-A2320:052.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802200210 Forwards rev 4 to physical security/contingency plan,per 10CFR50.54(p).Plan withheld.
ABNEY,T.E. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2283:255-A2283:256.

9802200217 Forwards update to security personnel training & qualification plan,per 10CFR50.54(p).Plan withheld.
ABNEY,T.E. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 3pp. A2283:252-A2283:254.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050061 Notification of cancelled 980126 meeting w/util in Rockville,MD to disuss Browns Ferry improved TS.
DE AGAZIO,A.W. . 98/01/14. HEBDON,F.J. . 2pp. A2012:188-A2012:189.

9802240316 Forwards correction to amemds 250 & 209 to licenses DPR-52 & DPR-68.Marginal lines omitted from first three lines of text in license conditions for Unit 2,page 6,2.C.(15) & Unit 3 page 6,2.D.(5).Also,amend numbers omitted on TS.
DEAGAZIO,A.W. . 98/01/22. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A2325:215-A2325:221.

--9802240326 Errata to amends 250 & 209 to licenses DPR-52 & DPR-68, respectively.Marginal lines inadvertently omitted from first three lines of text in license conditions for Unit 2,page 6,2.C.(15) & Unit 3,page 6,2.D.(5).
* . 98/01/22. 4pp. A2325:218-A2325:221.

9802020251 Responds to NRC 971223 telcon,revising TS-372 & nuclear QA plan to reflect recent title change for senior nuclear officer position.
ABNEY,T.E. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 3pp. A1981:306-A1981:330.

--9802020252 Proposed Tech Specs Section 5.0 re administrative controls.
* Tennessee Valley Authority. 98/01/23. 22pp. A1981:309-A1981:330.

9802050349 Responds to request from Harding for statistics on allegations received by NRC re Browns Ferry,Sequoyah & Watts Barr.Forwards tables that provide breakdown of allegations of three sites for CYs 1993-1998.
BAKER,E.T. . 98/02/03. ZERINGUE,O.J. Tennessee Valley Authority. 20pp. A2012:127-A2012:146.

9802240277 Notification of 980212 meeting w/Tennessee Valley Authority in Rockville,MD re technical discussions related to Browns Ferry improved TSs.
DE AGAZIO,A.W. . 98/02/03. HEBDON,F.J. . 4pp. A2283:056-A2283:059.

9802100090 Informs that NRC Region II mgt changes will be effective on 980215.Revised organization chart for Region II encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/04. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2093:353-A2093:358.

9802240201 Requests addl info re conversion of custom TS to Improved Std TS format for Nuclear Measurement Analysis & Control Power Range Neutron Monitor Sys.
DE AGAZIO,A.W. . 98/02/11. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2283:024-A2283:029.

9802240158 Responds to 980106 telcon request made for supplemental info re plant offsite power supplies conformance to GDC-17, "Electric Power Sys."
ABNEY,T.E. Tennessee Valley Authority. 98/02/17. Document Control Branch (Document Control Desk). 6pp. A2332:344-A2332:349.

9802250060 Forwards RAI re TS change TS-384 request for license amend for power uprate operation & resolution of control room emergency ventilation sys issues.
DE AGAZIO,A.W. . 98/02/18. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2342:075-A2342:080.

9802270124 Notification of 980226 meeting w/util in Rockville,MD to discuss issues related to Browns Ferry improved std TSs.
DE AGAZIO,A.W. . 98/02/18. HEBDON,F.J. . 4pp. A2373:339-A2373:343.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

--9802250259 Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050368 Provides response to violations noted in insp repts 50-259/97-11,50-260/97-11 & 50-296/97-11.Corrective actions: Step 3.24 added to "Precautions & Limitations" section addressing normal position of selector switch.
CRANE,C.M. Tennessee Valley Authority. 98/01/28. Document Control Branch (Document Control Desk). 8pp. A2151:089-A2151:096.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190179 Provides results of util voluntary inspections on plant torus wall thickness performed from 971210-31.Engineering evaluation of wall thickness determined it would not adversely affect long term structural integrity of torus.
ABNEY,T,E. Tennessee Valley Authority. 98/02/11. Document Control Branch (Document Control Desk). 4pp. A2258:084-A2258:087.

R. Periodic operating reports & related correspondence

9802200138 Monthly operating repts for Jan 1998 for Browns Ferry Nuclear Plant.W/ 980213 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 98/01/31. 13pp. A2320:040-A2320:052.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802110116 Revised EPs,including rev 2 to EPJIC-02,rev 2 to EPNOT-03, rev 2 to EPRAD-03,rev 2 to EPEOF-03,rev 4 to EPNOT-01,rev 4 to EPPRO-03,rev 3 to EPRAD-03,rev 3 to EPEOF-03,rev 3 to EPJIC-02,rev 5 to EPNOT-01 & rev 3 to EPPRO-01.W/980204 ltr.
WILKERSON,T.M. Carolina Power & Light Co. 98/02/04. 468pp. A2161:001-A2162:104.

9802200369 Provides response to violations noted in insp rept 50-261/97-13 re emergency prepardness exercise weakness. Corrective actions:written training matl developed & routed for review to SSOs & site emergency coordinators.
WILKERSON,T.M. Carolina Power & Light Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2320:219-A2320:221.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030092 Forwards amend 177 to license DPR-23 & safety evaluation. Amend changes analysis of SF handling accident WRT decontamination factor provided by actual min water level above SF at plant.
SHEA,J.W. . 98/01/27. KEENAN,J.S. Carolina Power & Light Co. 3pp. A1980:343-A1980:350.

-9802030098 Amend 177 to license DPR-23,changing analysis of spent fuel handling accident re decontamination factor provided by actual minimum water level above spent fuel at plant.
DEAN,W.M. . 98/01/27. 2pp. A1980:346-A1980:347.

-9802030100 Safety evaluation supporting amend 177 to license DPR-23.
* . 98/01/27. 3pp. A1980:348-A1980:350.

9802100111 Forwards Rev 0 to 96236-TR-01, "Insp & Evaluation of Containment Prestressed Tendon 25-Yr Surveillance Block." Util evaluated rept in accordance w/plant procedures & in accordance w/criteria of 10CFR50.59.
WILKERSON,T.M. Carolina Power & Light Co. 98/02/04. Document Control Branch (Document Control Desk). 3pp. A2166:109-A2166:184.

-9802100152 "Insp & Evaluation of Containment Prestressed Tendon 25-Yr Surveillance Block," Rev 0.
KASHI,M., CHRISTIE,V., RILEY,J. Altron Corporation, Inc. 96236-TR-01 R00. 97/09/30. 73pp. A2166:112-A2166:184.

9802130017 Informs of NRC Region II mgt changes that will be effective 980215.Revised organization chart encl.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/02/05. ORSER,W.S. Carolina Power & Light Co. 5pp. A2164:037-A2164:041.

9802130039 Forwards suppl info to request for TS change re departure from nucleate boiling correlation dtd 971217.
WILKERSON,T.M. Carolina Power & Light Co. 98/02/06. Document Control Branch (Document Control Desk). 5pp. A2234:004-A2234:008.

9802250222 Documents commitments made by util re closure of GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." Results will be provided to NRC by 980625.
WILKERSON,T.M. Carolina Power & Light Co. 98/02/20. Document Control Branch (Document Control Desk). 2pp. A2368:299-A2368:300.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802090228 Forwards insp rept 50-261/97-14 on 971123-980103.No violations noted.Conduct of activities at facility generally characterized by safety-conscious operations,sound engineering & maint practices & careful radiological work.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/02/02. KEENAN,J.S. Carolina Power & Light Co. 5pp. A2042:275-A2042:294.

-9802090232 Insp rept 50-261/97-14 on 971123-980103.No violations noted. Major areas inspected:licensee operations,maint,engineering & plant support.
* Region 2 (Post 820201). 98/02/02. 13pp. A2042:260-A2042:294.

9802100111 Forwards Rev 0 to 96236-TR-01, "Insp & Evaluation of Containment Prestressed Tendon 25-Yr Surveillance Block." Util evaluated rept in accordance w/plant procedures & in accordance w/criteria of 10CFR50.59.
WILKERSON,T.M. Carolina Power & Light Co. 98/02/04. Document Control Branch (Document Control Desk). 3pp. A2166:109-A2166:184.

-9802100152 "Insp & Evaluation of Containment Prestressed Tendon 25-Yr Surveillance Block," Rev 0.
KASHI,M., CHRISTIE,V., RILEY,J. Altron Corporation, Inc. 96236-TR-01 R00. 97/09/30. 73pp. A2166:112-A2166:184.

9802170031 Forwards insp rept 50-261/98-03 on 980105-09 & notice of violation.Four apparent violations identified.Staff failed to implement corrective actions to resolve instrument slope line deficiencies.
JAUDON,J.P. Region 2 (Post 820201). 98/02/06. KEENAN,J.S. Carolina Power & Light Co. 4pp. A2181:022-A2181:081.

-9802170036 Notice of violation from insp on 980105-09.Violation noted: as of 970407,licensee failed to correct conditions adverse to quality associated w/instrument sensing line slope deficiencies documented in ltrs dtd 940914 & 960221.
* Region 2 (Post 820201). 98/02/06. 3pp. A2181:026-A2181:028.

-9802170041 Insp rept 50-261/98-03 on 980105-09.Violations noted.Major areas inspected:followup on insp findings from NRR design insp performed from 970407-0523.
* Region 2 (Post 820201). 98/02/06. 53pp. A2181:029-A2181:081.

9802170150 Ack receipt of 970516 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/97-12 on 980121.
SHYMLOCK,M.B. . 98/02/06. KEENAN,J.S. Carolina Power & Light Co. 3pp. A2181:332-A2181:334.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802200369 Provides response to violations noted in insp rept 50-261/97-13 re emergency prepardness exercise weakness. Corrective actions:written training matl developed & routed for review to SSOs & site emergency coordinators.
WILKERSON,T.M. Carolina Power & Light Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2320:219-A2320:221.

R. Periodic operating reports & related correspondence

9802120069 Monthly operating rept for Jan 1998 for HB Robinson Steam Electric Plant,Unit 2.W/980204 ltr.
GARDNER,D., WILKERSON,T.M. Carolina Power & Light Co. 98/01/31. 4pp. A2216:276-A2216:279.

S. Reportable occurrences, LERs & related correspondence

9802240332 LER 97-008-01:on 970627,inadequate safety injection pump net positive suction head was noted.Caused by cognitive personnel error.RWST level instrumentation was modified. W/980218 ltr.
CHERNOFF,H.K., MOYER,J.W. Carolina Power & Light Co. 98/02/18. 8pp. A2344:201-A2344:208.

V. Operator Examinations

9802100131 Forwards individual's name,docket number & effective date of that operator is no longer required to maintain license,per 10CFR50.74(a).Encl withheld per 10CFR2.790(a)(6).
WILKERSON,T.M. Carolina Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 1p. A2167:001-A2167:001.

9802170046 Forwards original & two copies of NRC Form 398 & NRC Form 396,for three Senior Operator applicants & three RO applicants for operator exams scheduled to begin on 980220. Training required by 10CFR55 has been completed.W/o encls.
WILKERSON,T.M. Carolina Power & Light Co. 98/02/06. PEEBLES,T.A. Region 2 (Post 820201). 2pp. A2218:358-A2218:359.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9802130018 Forwards insp rept 50-263/97-18 on 971125-980112.No violations noted.Two discrepancies identified between as- built plant condition,TS & USAR.
GRANT,G.E. Region 3 (Post 820201). 98/02/04. WADLEY,M. Northern States Power Co. 2pp. A2164:042-A2164:065.

-9802130021 Insp rept 50-263/97-18 on 971125-980112.No violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 3 (Post 820201). 98/02/04. 22pp. A2164:044-A2164:065.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050295 Informs that requested info in 971103 ltr re IPEEE can be provided by 980430.
HAMMER,M.F. Northern States Power Co. 98/01/13. Document Control Branch (Document Control Desk). 1p. A2151:097-A2151:097.

9802050249 Provides util response to NRC GL 96-04, "Boraflex Degradation in Spent Fuel Pool Storage."
HAMMER,M.F. Northern States Power Co. 98/01/14. Document Control Branch (Document Control Desk). 1p. A2135:210-A2135:210.

9802040387 Provides response to question 6 in 971008 & 1112 RAIs on resolution of USI A-46,seismic evaluation rept.Responses to questions 7 & 8 will be submitted by 980215.
HAMMER,M.F. Northern States Power Co. 98/01/15. Document Control Branch (Document Control Desk). 18pp. A2033:177-A2033:254.

-9802040390 Rev 0 to calculation 97C2999-C-001, "T-44 Seismic Displacement Evaluation."
SULLIVAN,J.O., LI,M., TSANG,T. Stevenson & Associates. 97C2999-C-001 R00. 97/12/19. 33pp. A2033:195-A2033:225.

-9802040393 Rev 0 to calculation C-017, "LAR RB-AB-L1."
SULLIVAN,J.O. Stevenson & Associates. C-017 R00. 95/11/08. 3pp. A2033:226-A2033:228.

-9802040398 Rev 0 to calculation C-017, "LAR RB-AB-L1."
SULLIVAN,J.O. Stevenson & Associates. C-017 R00. 95/11/08. 7pp. A2033:229-A2033:235.

-9802040401 Rev 0 to calculation C-016, "Seismic Analysis of Standby DG Day Tank T-45A & B."
LI,M.S., SULLIVAN,J.O. Stevenson & Associates. C-016 R00. 95/10/10. 19pp. A2033:236-A2033:254.

9802030101 Forwards copy of draft environ assessment related to application dtd 960726,as revised 971204,for amend to license DPR-22 that would increase max power level to 1775 megawatts-thermal as part of plant power rerate.
KIM,T. . 98/01/21. ANDERSON,R.O. Northern States Power Co. 3pp. A1980:318-A1980:334.

-9802030105 Draft environ assessment relating to proposed license amend to increase max rated thermal power level at Monticello Nuclear Generating Plant.
CARPENTER,C.A. . 98/01/21. 14pp. A1980:321-A1980:334.

9802190301 Provides 120-day response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During DBA Conditions."
HAMMER,M.F. Northern States Power Co. 98/02/02. Document Control Branch (Document Control Desk). 4pp. A2268:345-A2268:348.

9802180089 Submits util commitment to include RCIC sys & HPCI sys low steam line pressure isolation signals in plant Tech Specs.
HAMMER,M.F. Northern States Power Co. 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2243:107-A2243:108.

9802250089 Provides details re upcoming 1998 refueling outage,reactor in vessel insp.Util has selected Framatome Technologies,Inc as vendor of plant reactor vessel insps.
SCHIBONSKI,C.A. Northern States Power Co. 98/02/10. Document Control Branch (Document Control Desk). 2pp. A2368:346-A2368:347.

9802250124 Provides response to questions 7 & 8 in 971008 & 1112 RAIs on resolution of USI A-46,seismic evaluation rept.
SCHIBONSKI,C.A. Northern States Power Co. 98/02/11. Document Control Branch (Document Control Desk). 18pp. A2358:306-A2358:322.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802040051 Responds to NRC 971218 ltr re violations noted in insp rept 50-263/97-15.Corrective actions:sys engineer was contacted & operability determination was completed assuming that filters were removed from sys w/o snow cover.
HAMMER,M.F. Northern States Power Co. 98/01/13. Document Control Branch (Document Control Desk). 4pp. A2020:230-A2020:233.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040011 Ack receipt of 980113 ltr informing NRC of steps taken to correct violations noted in insp rept 50-263/97-15.
MCCORMICK,J.W. Region 3 (Post 820201). 98/01/27. WADLEY,M. Northern States Power Co. 2pp. A2000:140-A2000:141.

9802180094 Submits supplemental response to provide results of util inquiry into intent of OM-1 Section 4.3 of Section XI of ASME Boiler & Pressure Vessel Code re unresolved items noted in insp rept 50-263/94-08.
HAMMER,M.F. Northern States Power Co. 98/02/03. Document Control Branch (Document Control Desk). 3pp. A2243:109-A2243:111.

9802130018 Forwards insp rept 50-263/97-18 on 971125-980112.No violations noted.Two discrepancies identified between as- built plant condition,TS & USAR.
GRANT,G.E. Region 3 (Post 820201). 98/02/04. WADLEY,M. Northern States Power Co. 2pp. A2164:042-A2164:065.

-9802130021 Insp rept 50-263/97-18 on 971125-980112.No violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 3 (Post 820201). 98/02/04. 22pp. A2164:044-A2164:065.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802250089 Provides details re upcoming 1998 refueling outage,reactor in vessel insp.Util has selected Framatome Technologies,Inc as vendor of plant reactor vessel insps.
SCHIBONSKI,C.A. Northern States Power Co. 98/02/10. Document Control Branch (Document Control Desk). 2pp. A2368:346-A2368:347.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802250131 "Number of Personnel & Man-Rem by Work & Job Functions (1997) MNGP." W/980216 ltr.
HAMMER,M.F. Northern States Power Co. 97/12/31. 3pp. A2360:352-A2360:354.

9802240249 Monthly operating rept for Jan 1998 for Monticello Nuclear Generating Station.W/980210 ltr.
PAUSTIAN,H.H., VOTH,M.H. Northern States Power Co. 98/01/31. 5pp. A2355:332-A2355:336.

9802270063 Submits annual rept of safety relief valve challenges for 970101-1231.No SRV failures or challenges occurred.
HAMMER,M.F. Northern States Power Co. 98/02/18. Document Control Branch (Document Control Desk). 1p. A2378:144-A2378:144.

S. Reportable occurrences, LERs & related correspondence

9802200015 Special rept:on 980128,two of three fire protection pumps were removed from svc as result of sys configuration necessary to support planned maintenance.Fire pumps were returned to svc on 980128.
HAMMER,M.F. Northern States Power Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2270:120-A2270:121.

DOCKET 50-264 DOW CHEMICAL CO.

P. Operating license stage documents & correspondence

9802050360 Application for amend to TS,changing period of time that portable gamma-sensitive ion chamber utilized as temporary substitute,to sixty days,provided that substitute can be monitored by reactor operator.
RIGOT,W.L. Dow Chemical Co. 98/01/29. ADAMS,W.L. . 2pp. A2136:080-A2136:082.

-9802050362 Proposed tech specs,changing period of time that portable gamma-sensitive ion chamber utilized as temporary substitute,provided that substitute can be monitored by reactor operator.
* Dow Chemical Co. 98/01/29. 1p. A2136:082-A2136:082.

9802120267 Rev to 980129 application for amend to license R-108, replacing page 17 of application.
RIGOT,W.L. Dow Chemical Co. 98/02/02. ADAMS,A. . 2pp. A2230:235-A2230:236.

9802230265 Forwards amend 8 to license R-108.Amend increases amount of time from 30 to 60 days that temporary radiation monitor may be used in place of area monitor.
ADAMS,A. . 98/02/11. BUTTS,S. Dow Chemical Co. 3pp. A2270:347-A2270:355.

-9802230268 Amend 8 to license R-108,increasing amount of time from 30 to 60 days that temporary radiation monitor may be used in place of area monitor.
WEISS,S.H. . 98/02/11. 4pp. A2270:350-A2270:353.

-9802230274 Safety evaluation supporting amend 8 to license R-108.
* NRC - No Detailed Affiliation Given. 98/02/11. 2pp. A2270:354-A2270:355.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802030033 Forwards rev of 980127 notice of significant licensee meeting w/location of meeting added.
GROBE,J.A. Region 3 (Post 820201). 98/01/28. THOMPSON,H.L. Ofc of the Executive Director for Operations. 1p. A1978:358-A1978:360.

-9802030036 Revised notification of 980206 meeting w/location of meeting added,w/ CECO in Lisle,Illinois to discuss licensee update of methodology & technical resolutions to current 10CFR50 App R issues & scope & type of issues requiring review by NRC.
GARDNER,R. Region 3 (Post 820201). 98/01/27. THOMPSON,H.L. . 2pp. A1978:359-A1978:360.

9802170063 Revised EPIPs,including rev 19 to QEP 0175-00, "Chemistry Director Procedures," rev 10 to QEP 0175-S01, "Chemistry Director Alert Checklist," rev 8 to QEP 0175-S02 & rev 8 to QEP 0175-S03.
* Commonwealth Edison Co. 98/02/05. 12pp. A2218:308-A2218:319.

9802200375 Revised EPIPs,including rev 18 to EPIP QEP 0107-00,rev 6 to EPIP QEP 0107-01,rev 11 to EPIP QEP 0107-S01,rev 9 to EPIP QEP 0107-S02,rev 11 to EPIP QEP 0107-S03,rev 25 to EPIP QEP 0140-00 & rev 9 to EPIP QEP 0140-01.
* Commonwealth Edison Co. 98/02/10. 18pp. A2325:342-A2325:359.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

9802260208 Refers to 980206 meeting in Lisle,IL,re status of actions to improve fire protection at Quad Cities Station w/regards to requirements of 10CFR50,App R.List of attendees & licensee presentation slides encl.
GROBE,J.A. Region 3 (Post 820201). 98/02/23. KINGSLEY,O.D. Commonwealth Edison Co. 36pp. A2344:152-A2344:185.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802180099 Forwards amends 164,159,179 & 177 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively & SE.Amends would add new TS section 3/4.12.C & associated bases to allow certain RC pressure tests to be performed in MODE 4.
PULSIFER,R.M. . 98/01/05. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2195:259-A2195:292.

--9802180110 Amends 164,159,179 & 177 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,adding new TS section 3/4.12.C & associated bases to allow certain RC pressure tests to be preformed in MODE 4.
STANG,J.F. . 98/01/05. 26pp. A2195:264-A2195:289.

--9802180115 Safety evaluation supporting amends 164,159,179 & 177 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 98/01/05. 3pp. A2195:290-A2195:292.

9802050260 Informs that on 980106-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees.Summary of each site performance submitted.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 10pp. A2007:318-A2007:327.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Plimi.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802020258 Informs that dynamic strainer testing is scheduled to be conducted during week of 980223 at EPRI Non Destructive Exam Ctr in Charlotte,NC.
KRAFT,E.S. Commonwealth Edison Co. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A2015:243-A2015:244.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

--9802060120 Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802020053 Confirms telcon between C Peterson & D Chyu to conduct mgt meeting on 980206 in Lisle,IL to provide update of methodology & technical resolution to current 10CFR50,App R issues & to discuss type of issues requiring NRC review.
GROBE,J.A. Region 3 (Post 820201). 98/01/27. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A1978:277-A1978:278.

9802020081 Notification of significant licensee meeting w/util on 980206 to discuss licensee update of methodology & technical resolutions to current 10CFR50,App R issues & to discuss scope & type of issues requiring review & approval by NRC.
GARDNER,R. Region 3 (Post 820201). 98/01/27. Region 3 (Post 820201). 2pp. A1978:299-A1978:300.

9802040155 Responds to 971126 RAI & 980116 telcon re util IPEEE submittal.Util will provide to NRC by 980316,schedule delineating commitment dates to complete response for seismic & other external events.
KRAFT,E.S. Commonwealth Edison Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2036:276-A2036:277.

9802030033 Forwards rev of 980127 notice of significant licensee meeting w/location of meeting added.
GROBE,J.A. Region 3 (Post 820201). 98/01/28. THOMPSON,H.L. Ofc of the Executive Director for Operations. SHERON,B.W., ADENSAM,E.G. . 1p. A1978:358-A1978:360.

--9802030036 Revised notification of 980206 meeting w/location of meeting added,w/ CECO in Lisle,Illinois to discuss licensee update of methodology & technical resolutions to current 10CFR50 App R issues & scope & type of issues requiring review by NRC.
GARDNER,R. Region 3 (Post 820201). 98/01/27. THOMPSON,H.L., SHERON,B.W., ADENSAM,E.G. . 2pp. A1978:359-A1978:360.

9802130121 Modifies commitment made in 971210 ltr.Long-term action plan & FSAR change will not be complete until 980227,due to change in priorities.
KRAFT,E.S. Commonwealth Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2233:359-A2233:360.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802190154 Informs that re-evaluation of ISI program identified that basis for relief request is no longer applicable.Alternate exam has been deleted from Class 1 pressure test procedure.
KRAFT,E.S. Commonwealth Edison Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2258:001-A2258:001.

9802240178 Notification of 980305 meeting w/util in Rockville,MD to discuss Comm Ed engineering issues such as Design Basis Initiative & 10CFR50.59 process.
PULSIFER,R.M. . 98/02/11. CAPRA,R.A. . 7pp. A2283:035-A2283:041.

9802190149 Informs that Scientech conducted review of program & discovered that nine addl logic contacts should have been tested re GL 96-01, "Testing of Safety Related Logic Circuits."
KRAFT,E.S. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2254:360-A2254:360.

9802200009 Dockets closure dates for open ended NRC commitments made by Quad Cities.Encl contains commitments & due dates.
KRAFT,E.S. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2270:068-A2270:070.

9802250368 Ltr contract:mod 4 to task order 22 entitled, "Individual Plant Exam Reviews,Internal Events,Back End Only," under contract NRC-04-91-068.
MACE,M. Office of Administration, Director (Post 940714). NRC-04-91-068. 98/02/20. AFABLE,S. SCIENTECH, Inc. 2pp. A2342:054-A2342:055.

9802260208 Refers to 980206 meeting in Lisle,IL,re status of actions to improve fire protection at Quad Cities Station w/regards to requirements of 10CFR50,App R.List of attendees & licensee presentation slides encl.
GROBE,J.A. Region 3 (Post 820201). 98/02/23. KINGSLEY,O.D. Commonwealth Edison Co. 36pp. A2344:152-A2344:185.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020082 Summarizes 980109 predecisional enforcement conference held in Lisle,IL re apparent violations & unresolved item identified in NRC insp repts 50-254/97-27 & 50-265/97-27. Handouts,summary of violations & list of attendees encl.
GROBE,J.A. Region 3 (Post 820201). 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 53pp. A1977:236-A1977:288.

9802090029 Forwards list of commitments made by util at 980109 Pre- Decisional Enforcement Conference re App G.
KRAFT,E.S. Commonwealth Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 4pp. A2164:338-A2164:341.

9802120164 Forwards SALP 14 Rept for Quad Cities covering period 971027 through 971220.Rept will be discussed w/licensee at public meeting on 980217 at plant.
BEACH,A.B. Region 3 (Post 820201). 98/01/30. KINGSLEY,O.D. Commonwealth Edison Co. 7pp. A2143:004-A2143:010.

--9802130074 SALP repts 50-254/97-01 & 50-265/97-01 for 961027-971220.
* Region 3 (Post 820201). 98/01/30. 6pp. A2143:011-A2143:016.

9802100189 Ack receipt of 980121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-254/97-27 & 50-265/97-27 on 971223.
GROBE,J.A. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2093:335-A2093:342.

9802110064 Forwards insp repts 50-254/98-02 & 50-265/98-02 on 980112-16 & NOV.Violation regarding failure of radiation protection dept to issue faceshields that were in contaminated area.
GROBE,J.A. Region 3 (Post 820201). 98/02/05. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2133:335-A2133:352.

--9802110069 Notice of violation from insp on 980112-16.Violation noted: on 980112,faceshields were identified in Unit 2 Decon Shop, posted contaminated area which had not been issued by Radiation Protection Dept.
* Region 3 (Post 820201). 98/02/05. 2pp. A2133:338-A2133:339.

--**9802110072** Insp repts 50-254/98-02 & 50-265/98-02 on 980112-16. Violations noted.Major areas inspected:review of ALARA planning,radiation work permits & observations of radworker performance.
* Region 3 (Post 820201). 98/02/05. 13pp. A2133:340-A2133:352.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802190154 Informs that re-evaluation of ISI program identified that basis for relief request is no longer applicable.Alternate exam has been deleted from Class 1 pressure test procedure.
KRAFT,E.S. Commonwealth Edison Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2258:001-A2258:001.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802200256 Confirms discussion between staff members to change date of Quad Cities meeting from 980217 to 980303.Purpose of meeting to present SALP 14 rept.
RING,M. Region 3 (Post 820201). 98/02/11. KINGSLEY,O.D. Commonwealth Edison Co. 1p. A2252:030-A2252:030.

9802200093 Forwards insp repts 50-254/97-22 & 50-265/97-22 on 971027- 1121 & NOV.Violations highlight weaknesses in procedure adherence & in quality of procedures.
GROBE,J.A. Region 3 (Post 820201). 98/02/13. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2251:195-A2251:242.

--**9802200099** Notice of violation from insp on 971027-1121.Violations noted:as of 971027,local manual operation of HPCI sys, activity affecting quality,could not be performed in accordance w/written procedure QCOP 2300-08.
* Region 3 (Post 820201). 98/02/13. 3pp. A2251:199-A2251:201.

--**9802200105** Insp repts 50-254/97-22 & 50-265/97-22 on 971027-1121. Violations noted.Major areas inspected:HPCI sys operational performance for operations,maintenance & engineering.
* Region 3 (Post 820201). 98/02/13. 41pp. A2251:202-A2251:242.

9802260279 Responds to NRC 980121 ltr re violations noted in insp repts 50-254/97-26 & 50-265/97-26.Corrective actions:PIF Q1997- 0410 was generated.
KRAFT,E.S. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 10pp. A2373:329-A2373:338.

9802270041 Informs that revised response to violations noted in insp repts 50-254/97-14 & 50-265/97-14 will be provided on 980313.Rev to response required based on review of initial response.
KRAFT,E.S. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 1p. A2378:145-A2378:145.

R. Periodic operating reports & related correspondence

9802250178 "Rept of Radiation Exposures,1997." W/980212 ltr.
KRAFT,E.S. Commonwealth Edison Co. 97/12/31. 4pp. A2360:348-A2360:351.

9802190056 Monthly operating repts for Jan 1998 for Quad Cities Nuclear Station,Units 1 & 2.W/980210 ltr.
STOCKMAN,D., KRAFT,E.S. Commonwealth Edison Co. 98/01/31. 20pp. A2258:037-A2258:056.

S. Reportable occurrences, LERs & related correspondence

9802050208 Forwards LER 97-003-02 re 2B core spray room cooler fouling due to hydrolyzing debris.Revised rept submitted to reflect results of root cause investigation completed by util.
KRAFT,E.S. Commonwealth Edison Co. 98/01/20. Document Control Branch (Document Control Desk). 2pp. A2143:311-A2143:316.

--**9802050214** LER 97-003-02:on 970321,discovered significant fouling in 2B core spray room cooler (CSRC).Caused by failure to properly trend & analyze differential pressure & identify clogging of 2B CSRC.Cleaned 2B CSRC & new procedure being developed.
PETERSON,C. Commonwealth Edison Co. 98/01/20. 4pp. A2143:313-A2143:316.

9802240260 Informs NRC of change of committed due date contained in LER 97-015,dtd 971208.Change will allow station to appropriately align necessary resources to resolve issues.
KRAFT,E.S. Commonwealth Edison Co. 98/02/17. Document Control Branch (Document Control Desk). 2pp. A2344:192-A2344:193.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802040108 Advises that 971226 rev to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 98/01/26. PATULSKI,S.A. Wisconsin Electric Power Co. 2pp. A2031:356-A2031:357.

9802030108 Informs that request for withholding info from public disclosure re temp change to procedure for Point Beach Nuclear Plant emergency plan implementing procedures manual will be withheld pursuant to 10CFR2.790(a)(6).
GUNDRUM,L.L. . 98/01/27. GRIGG,R.R. Wisconsin Electric Power Co. 3pp. A1985:332-A1985:334.

9802090189 Forwards proprietary & non-proprietary EPIPs including,rev 46 to EPIP Index,rev 44 to EPIP Form Index,rev 31 to EPIP 1.1,rev 19 to EPIP 1.1.1,rev 12 to EPIP 1.1.2,rev 30 to EPIP 1.2 & rev 2 to EPIP-1.3a.Proprietary info withheld.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/28. Document Control Branch (Document Control Desk). 5pp. A2137:001-A2138:187.

--**9802090195** Non-proprietary EPIPs including,rev 46 to EPIP Index,rev 44 to EPIP Form Index,rev 31 to EPIP 1.1,rev 19 to EPIP 1.1.1, rev 12 to EPIP 1.1.2,rev 30 to EPIP 1.2,rev 2 to EPIP-1.3a, rev 2 to EPIP-1.3b,rev 5 to EPIP-1.3c & rev 4 to EPIP-1.3d.
* Wisconsin Electric Power Co. 97/12/29. 551pp. A2137:004-A2138:187.

9802090224 Forwards proprietary & non-proprietary versions of emergency plan mods.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2141:031-A2141:206.

--**9802090229** Non-proprietary version of emergency plan mods.
* Wisconsin Electric Power Co. 97/12/29. 180pp. A2141:033-A2141:206.

9802180130 Forwards partially deleted insp repts 50-266/98-02 & 50-301/98-02 on 980105-20 & notice of violation.NOV withheld due to safeguards info.
GROBE,J.A. Region 3 (Post 820201). 98/02/09. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A2181:351-A2181:355.

--**9802180133** Partially withheld insp repts 50-266/98-02 & 50-301/98-02 on 980105-20 (ref 10CFR73.71).Violations noted.Major areas inspected:review of plant support activities re physical protection of facility.
* Region 3 (Post 820201). 98/02/09. 2pp. A2181:354-A2181:355.

9802190090 Forwards insp repts 50-266/97-26 & 50-301/97-26 on 971201- 980120 & NOV.Violation involved inadequacy in operations dept procedure governing operator use of emergency & abnormal operating procedures.
GRANT,G.E. Region 3 (Post 820201). 98/02/10. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A2229:217-A2229:245.

--**9802190095** NOV from insp on 971201-980120.Violation noted:from 980108- 09,operators failed to initiate actions within 1 h to place Unit in hot shutdown when both Unit 1 safety-related 4,160- volt buses were powered from standby emergency power supply.
* Region 3 (Post 820201). 98/02/10. 3pp. A2229:220-A2229:222.

H. General correspondence

9802030097 Forwards listed documents re storage of spent nuclear fuel in dry storage casks at plant,per telcon.W/o encl.
RAY,P.M. . 98/01/27. DUMS,D. Citizens' Utility Board. 4pp. A1985:303-A1985:306.

9802050338 Provides followup to telcon re issues of storage of spent nuclear fuel in dry storage casks.Info includes 971113 ltr from G Dixon to C Haughney followup response to demand for info dtd 971106.W/o encls.
RAY,P.M. . 98/01/29. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. A2012:207-A2012:210.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802190156 Forwards proposed revs to Section 1.8 of FSAR for Point Beach Nuclear Plant.Section 1.8 of FSAR describes current nuclear QA program implemented for plant.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2258:227-A2258:233.

--**9802190161** Proposed revs to FSAR Section 1.8 QA program.
* Wisconsin Electric Power Co. 97/06/30. 6pp. A2258:228-A2258:233.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030118 Provides summary of 980106-07 SMM.Informs that NRC Senior Managers concluded that trends in performance at Point Beach raised sufficient concerns that would warrant meeting w/utility.Public meeting scheduled for 980121.
CALLAN,L.J. Region 3 (Post 820201). 98/01/16. ABDOO,R.A. Wisconsin Electric Power Co. 5pp. A1987:036-A1987:040.

9802040130 Forwards first version of 1998 plan for achievement of operational excellence.W/o encl.
GRIGG,R.R. Wisconsin Electric Power Co. 98/01/27. GROBE,J. Region 3 (Post 820201). 1p. A2031:333-A2031:333.

9802050086 Informs that LAR incorporating appropriate provisions consistent w/ NUREG-1431 to resolve prohibition will be delayed beyond Jan 1998.
PATULSKI,S.A. Wisconsin Electric Power Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2037:351-A2037:352.

9802050107 Discusses main control board wiring separation for Units 1 & 2.Attachment B copy of work package list & wire/sys designators for each package.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/27. Document Control Branch (Document Control Desk). 39pp. A2086:315-A2086:352.

9802230269 Informs that WEPC application dtd 971216 re slides (14x14, 0.422" OD VANTAGE+(422V+) marked as proprietary will be withheld per 10CFR2.790(b)(5) & 103(b).
GUNDRUM,L.L. . 98/02/03. GRIGG,R.R. Wisconsin Electric Power Co. 4pp. A2280:160-A2280:163.

9802260187 Confirms 980310 routine mgt meeting to discuss station problem reporting & corrective action process,results of root cause analysis for recent transformer failure & other engineering issues.
MCCORMICK-BARGE Region 3 (Post 820201). 98/02/26. PATULSKI,S.A. Wisconsin Electric Power Co. 1p. A2344:120-A2344:120.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802030062 Forwards insp repts 50-266/97-21 & 50-301/97-21 on 971021- 1130 & notice of violation.Inspection identified that CCW sys not tested in manner which bounded performance during containment sump recirculation mode of ECC.
GROBE,J.A. Region 3 (Post 820201). 97/12/22. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A1980:033-A1980:064.

--9802030066 Notice of violation from insp on 971021-1130.Violation noted:as of 971125,four operability determinations prepared as corrective actions for testing nonconformance documented in condition repts failed to justify operability.
* Region 3 (Post 820201). 97/12/22. 2pp. A1980:036-A1980:037.

--9802030069 Insp repts 50-266/97-21 & 50-301/97-21 on 971021-1130. Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
* Region 3 (Post 820201). 97/12/22. 27pp. A1980:038-A1980:064.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050086 Informs that LAR incorporating appropriate provisions consistent w/ NUREG-1431 to resolve prohibition will be delayed beyond Jan 1998.
PATULSKI,S.A. Wisconsin Electric Power Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2037:351-A2037:352.

9802040025 Ack receipt of 980121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/97-21 & 50-301/97-21 issued on 971222.Corrective actions will be examined during future inspections.
MCCORMICK-BARGE Region 3 (Post 820201). 98/01/29. PATULSKI,S.A. Wisconsin Electric Power Co. 1p. A2000:142-A2000:142.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802180130 Forwards partially deleted insp repts 50-266/98-02 & 50-301/98-02 on 980105-20 & notice of violation.NOV withheld due to safeguards info.
GROBE,J.A. Region 3 (Post 820201). 98/02/09. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A2181:351-A2181:355.

--9802180133 Partially withheld insp repts 50-266/98-02 & 50-301/98-02 on 980105-20 (ref 10CFR73.71).Violations noted.Major areas inspected:review of plant support activities re physical protection of facility.
* Region 3 (Post 820201). 98/02/09. 2pp. A2181:354-A2181:355.

9802190090 Forwards insp repts 50-266/97-26 & 50-301/97-26 on 971201- 980120 & NOV.Violation involved inadequacy in operations dept procedure governing operator use of emergency & abnormal operating procedures.
GRANT,G.E. Region 3 (Post 820201). 98/02/10. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A2229:217-A2229:245.

--9802190095 NOV from insp on 971201-980120.Violation noted:from 980108- 09,operators failed to initiate actions within 1 h to place Unit in hot shutdown when both Unit 1 safety-related 4,160- volt buses were powered from standby emergency power supply.
* Region 3 (Post 820201). 98/02/10. 3pp. A2229:220-A2229:222.

--9802190098 Insp repts 50-266/97-26 & 50-301/97-26 on 971201-980120. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/10. 23pp. A2229:223-A2229:245.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802200393 Submits response to violations noted in insp repts 50-266/97-10 & 50-301/97-10.Corrective actions:conference call w/members of staff & NRC representatives conducted on 970507 to further review issue & discuss code compliance.
PATULSKI,S.A. Wisconsin Electric Power Co. 98/02/11. Document Control Branch (Document Control Desk). 6pp. A2319:223-A2319:228.

9802230060 Forwards response to violations noted in insp repts 50-266/97-25 & 50-301/97-25.Corrective actions:remainder of facade freeze protection sys evaluated & preliminary results indicate that several addl functions should be added.
PATULSKI,S.C. Wisconsin Electric Power Co. 98/02/11. Document Control Branch (Document Control Desk). 8pp. A2328:353-A2328:360.

9802240212 Discusses insp repts 50-266/97-10 & 50-301/97-10 & forwards insp repts 50-266/97-22 & 50-301/97-22 on 971104-980203. No violations noted.
BEACH,A.B. Region 3 (Post 820201). 98/02/18. GRIGG,R.R. Wisconsin Electric Power Co. 4pp. A2287:041-A2287:060.

--9802240216 Insp repts 50-266/97-22 & 50-301/97-22 on 971104-980203.No violations noted.Major areas inspected:review of 20 licensee event repts submitted between 960909 & 971215.
* Region 3 (Post 820201). 98/02/18. 16pp. A2287:045-A2287:060.

9802260050 Forwards insp repts 50-266/97-23 & 50-301/97-23 on 971020- 1107 & notice of violation re failure to follow procedure.
GROBE,J.A. Region 3 (Post 820201). 98/02/19. PATULSKI,S.A. Wisconsin Electric Power Co. 2pp. A2369:001-A2369:044.

--9802260055 Notice of violation from insp on 971020-1107.Violation noted:danger tags 97-753 & 97-800 were installed on 971007 & 18,w/o tag sequence numbers being assigned to danger tag location sheet.
* Region 3 (Post 820201). 98/02/19. 3pp. A2369:003-A2369:005.

--9802260059 Insp repts 50-266/97-23 & 50-301/97-23 on 971020-1107. Violations noted.Major areas inspected:licensee controls in area of SEs as well as effectiveness of licensee controls in identifying,resolving & correcting problems.
* Region 3 (Post 820201). 98/02/19. 39pp. A2369:006-A2369:044.

R. Periodic operating reports & related correspondence

9802110013 Provides FFD performance data for six-month period ending 971231.No events reportable under 10CFR26.73(a) occurred.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2182:145-A2182:147.

9802170083 Monthly operating repts for Jan 1998 for Point Beach Nuclear Plant,Units 1 & 2.W/980206 ltr.
KOUDELKA,M.B., JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/31. 9pp. A2218:330-A2218:338.

S. Reportable occurrences, LERs & related correspondence

9802120277 LER 98-001-00:on 980102,missed surveillances required by Section XI pressure TP constituted condition prohibited by TS.Caused by inadequate procedural control.Procedure changes completed to set test frequency requirements.W/980202 ltr.
KNORR,J.E., JOHNSON,D.F. Wisconsin Electric Power Co. 98/02/02. 6pp. A2213:232-A2213:237.

9802170090 Forwards LER 98-003-00,describing discovery that flow meters used to set SW flow through accident fan cooler heat exchangers resulted in potentially less flow than assumed in analysis for operability of motors during accident.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/02/09. Document Control Branch (Document Control Desk). 1p. A2213:265-A2213:271.

--9802170095 LER 98-003-00:on 980109,containment accident fan motor cooler heat exchanger flow rates were found to be outside design basis of plant.Caused by use of installed differential flow gauges.Adjusted flows.
KNORR,J.E. Wisconsin Electric Power Co. 98/02/09. 6pp. A2213:266-A2213:271.

9802180013 Forwards LER 98-002-00,re high voltage station auxiliary transformer failure due to ground in low voltage side bus duct.New commitments within rept indicated in italics per 10CFR50.73(a)(2)(i)(B) requirements.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/02/09. Document Control Branch (Document Control Desk). 1p. A2232:053-A2232:070.

--9802180016 LER 98-002-00:on 980108,failure of high voltage station auxiliary transformer occurred due to ground in low voltage side bus duct.Operability of 1X03 was restored & verified to be in operation by infrared scan.
CASTELL,C.A. Wisconsin Electric Power Co. 98/02/09. 17pp. A2232:054-A2232:070.

9802190178 Forwards LER 98-004-00,re discovery that reactor coolant pump lube oil collection sys did not fully comply w/prescriptive requirements of 10CFR50 App R Section III.0. Commitments made within ltr,encl.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/02/13. Document Control Branch (Document Control Desk). 1p. A2255:295-A2255:302.

--9802190186 LER 98-004-00:on 980114,RCP LO collection sys design did not comply w/App R Section III.0.Caused by design mod conducted in 1981-82 did not rigorously document design basis of LOCS. Minor maint & matl repairs were initiated & are complete.
ADAMS,G.D. Wisconsin Electric Power Co. 98/02/13. 7pp. A2255:296-A2255:302.

9802240299 Forwards LER 98-005-00 re discovery that two control rod exercise tests has not been conducted at two-week interval required by TS.New commitments made within rept identified in italics.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/02/18. Document Control Branch (Document Control Desk). 1p. A2289:050-A2289:053.

--9802240305 LER 98-005-00:on 980121,discovered that control rod exercise test required Tech Specs had not been performed as required. Caused data entry error into computerized maint planning. Maint planning sys revised.
ADAMS,G.D. Wisconsin Electric Power Co. 98/02/18. 3pp. A2289:051-A2289:053.

9802270022 Forwards LER 98-007-00 re event or condition that resulted in condition of nuclear plant,including principal safety barriers,being seriously degraded.Mfg deficiency previously reported to Commission via 10CFR21 notification on 980112.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/02/20. Document Control Branch (Document Control Desk). 1p. A2366:140-A2366:147.

--9802270034 LER 98-007-00:on 980123,determined that relay installed in 1P-29 turbine-driven auxiliary FDW pump low suction pressure trip circuitry possessed incomplete solder connection.Caused by incomplete solder connection.Circuitry replaced.
FLENTJE,F.A. Wisconsin Electric Power Co. 98/02/20. 7pp. A2366:141-A2366:147.

V. Operator Examinations

9802240190 Discusses 980212 telcon between PJ Smith & D McNeil re arrangements made for administration of licensing exams at Point Beach Nuclear Plant week of 980622.In addition,NRC will make exam validation visit to facility week of 980608.
LEACH,M. Region 3 (Post 820201). 98/02/18. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A2279:101-A2279:103.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802270277 Provides licensee w/status of staff review of CAs being implemented by VSC-24 Owners Group to resolve problems encountered while making VSC-24 closure welds.Status of RAIs issued to licensee re listed CALs,encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. MOEKEL,K. Sierra Nuclear, Inc. 8pp. A2420:219-A2420:226.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9802200153 Provides response to 971223 ltr & withdraws associated request to revise physical security plan.
FISHER,M.J. Public Service Co. of Colorado. 98/02/09. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2290:360-A2290:361.

J. Insurance & indemnity information

9802120138 Forwards signed copy of marked up copy of amend to indemnity agreement B-50,to indicate proper amend number as 12,per instructions received by IP Dinitz.
FISHER,M.J. Public Service Co. of Colorado. 98/02/04. DINITZ,I.P. . 3pp. A2410:286-A2410:288.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

W. Decommissioning Stage Documents & Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802170169 Refers to 980116 meeting in Arlington,TX re PSC experiences & lessons learned associated w/decommissioning & demantlement of Fort St Vrain plant & termination of Part 50 license.List of attendees & licensee presentation encl.
SCARANO,R.A. Region 4 (Post 820201). 98/02/09. FISHER,M.J. Public Service Co. of Colorado. 25pp. A2181:303-A2181:327.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802110111 Forwards "Management Control Plan FSV ISFSI," as requested.
WILCYNSKI,J.M. Energy, Dept. of, Idaho Operations Office. 98/02/06. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. A2250:272-A2250:319.

-9802110113 "Management Control Plan FSV ISFSI."
MAGGART,C., HAGERS,J., GARDNER,M. Energy, Dept. of, Idaho Operations Office. 98/02/05. 45pp. A2250:275-A2250:319.

9802200153 Provides response to 971223 ltr & withdraws associated request to revise physical security plan.
FISHER,M.J. Public Service Co. of Colorado. 98/02/09. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2290:360-A2290:361.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802020179 Forwards insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Purpose of insp was to determine adequacy of root cause investigation & corrective actions for 971030 event re unauthorized access.
BELISLE,G.A. Region 2 (Post 820201). 97/12/31. MCCOLLUM,W.R. Duke Power Co. 3pp. A1985:098-A1985:113.

-9802020181 Insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Major areas inspected: aspects of licensees plant support activities,including physical security plan & vital area access control.
BELISLE,G. Region 2 (Post 820201). 97/12/31. 13pp. A1985:101-A1985:113.

9802180163 Rev 15 to EPIP HB/0/B/1009/18, "Offsite Dose Projections." W/revised cover sheet to Vol C (Rev 98-01),revised page 1 of table of contents & 980210 ltr.
FOSTER,W.W., MCCOLLUM,W.R. Duke Power Co. 98/02/10. 40pp. A2237:317-A2237:356.

9802270189 Rev 98-01 to Vol A of "Oconee Nuclear Site Emergency Plan." W/980224 ltr.
MCCOLLUM,W.R. Duke Power Co. 98/02/24. 6pp. A2412:016-A2412:021.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040337 Forwards revs to Oconee Selected Licensee Commitment (SLC) Manual,per 10CFR50.4 & 50.71.SLC wil be updated as necessary throughout yr,instead of being updated w/annual UFSAR Update.
MCCOLLUM,W.R. Duke Power Co. 98/01/13. Document Control Branch (Document Control Desk). 2pp. A2035:343-A2035:350.

-9802040339 Revised pages to "Oconee Selected Licensee Commitments Manual," representing chapter 16 of UFSAR.
PEELE,B.L. Duke Power Co. 98/01/05. 6pp. A2035:345-A2035:350.

9802130114 Application for amends to licenses DPR-38,DPR-47,DPR-55 & SNM-2503,updating ISFSI license such that corporate name of licensee changed form Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. A2233:303-A2233:323.

-9802130118 Proposed tech specs re ISFSI for Oconee Nuclear Station.
* Duke Power Co. 98/01/19. 17pp. A2233:307-A2233:323.

9802030133 Forwards notice of consideration of issuance of amends to facility operating licenses,proposed NSHC determination & opportunity for hearing to FR for publication.Notice relates to 980115 application to amend TS to revise table 4.1-1.
LABARGE,D.E. . 98/01/20. MCCOLLUM,W.R. Duke Power Co. 3pp. A1985:345-A1985:354.

-9802030137 Notice of consideration of issuance of amends to licenses DPR-38,DPR-47 & DPR-55 & proposed NSHC determination & opportunity for hearing.Amends revise TS Table 4.1-1 & specification 4.5.2.1.2.
LABARGE,D.E. . 98/01/20. 7pp. A1985:348-A1985:354.

9802030140 Requests immediate publication of encl, "Notice of Consideration of Issuance of Amends to Facility Operating Licenses,Proposed NSHC Determination & Opportunity for Hearing," no later than 980123.W/o encl.
BERKOW,H.N. . 98/01/20. National Archives & Records Administration. 2pp. A1981:001-A1981:002.

9802030157 Refers to 980105 ltr which informed staff of change to Oconee TS that only affects Bases of TS 3.4.Change requires both EFW flow indication & SG level indication to consider flowpath to each SG operable.Revised TS page encl.
LABARGE,D.E. . 98/01/22. MCCOLLUM,W.R. Duke Power Co. 4pp. A1987:046-A1987:049.

9802040089 Forwards RAI re 961031 response to NRR draft rept on plant emergency power sys,dtd 960708.Response requested within 30 days of receipt of ltr.
LABARGE,D.E. . 98/01/26. MCCOLLUM,W.R. Duke Power Co. 5pp. A2004:343-A2004:347.

9802040314 Submits util position on SG tubing surveillance program TS. Concurrence from NRR re applicability of TS 4.17 requirements,requested.
MCCOLLUM,W.R. Duke Power Co. 98/01/26. Document Control Branch (Document Control Desk). 3pp. A2036:282-A2036:284.

9802170017 Forwards rev 1 to non-proprietary topical rept DPC-NE-3000-A & rev 1 to proprietary topical rept DPC-NE-3000-PA, "Thermal Hydraulic Transient Analysis Methodology." Proprietary version withheld.
TUCKMAN,M.S. Duke Power Co. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2235:001-A2237:080.

-9802170019 Non-proprietary version of rev 1 to topical rept DPC-NE-3000-A, "Thermal-Hydraulic Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3000-A R01. 97/12/31. 802pp. A2235:007-A2237:080.

9802090036 Forwards notice of enforcement discretion request re refueling outage frequency surveillances.Affected TS page encl.
MCCOLLUM,W.R. Duke Power Co. 98/01/30. Document Control Branch (Document Control Desk). 8pp. A2164:306-A2164:315.

-9802090039 Proposed tech specs page re refueling outage frequency surveillance.
* Duke Power Co. 98/01/30. 2pp. A2164:314-A2164:315.

9802240020 Discusses renewal activities & util plan to submit completed "Oconee License Renewal Technical Info Topical Rept," OLRP-1001, for review early 1998.
HOFFMAN,S.T. . 98/01/30. MCCOLLUM,W.R. Duke Power Co. 7pp. A2283:001-A2283:007.

9802110010 Application for amends to licenses DPR-38,DPR-47 & DPR-55, clarifying wording for refueling outage surveillance frequencies to indicate surveillances are to be performed on 18-month frequency.
MCCOLLUM,W.R. Duke Power Co. 98/02/02. Document Control Branch (Document Control Desk). 5pp. A2169:152-A2169:229.

-9802110017 Proposed tech specs clarifying wording for refueling outage surveillance frequencies to indicate surveillances are to be performed on 18-month frequency & need not be constrained to refueling outage conditions.
* Duke Power Co. 98/02/02. 73pp. A2169:157-A2169:229.

9802110094 Forwards summary of changes to or errors in ECCS evaluation model (EM) through 1997,including minor changes made to EM in 1995,that were not reported as required.
TUCKMAN,M.S. Duke Power Co. 98/02/02. Document Control Branch (Document Control Desk). 9pp. A2199:337-A2199:345.

9802240436 Discusses 980130 request for NRC to exercise discretion not to enforce compliance w/actions required by plant,Units 1,2 & 3 TS 3.0 re performance of certain refueling outage surveillance.Surveillance interval requirements,satisfied.
BERKOW,H.N. . 98/02/03. MCCOLLUM,W.R. Duke Power Co. 8pp. A2325:194-A2325:201.

9802130091 Submits summary of results of analysis to NRC to support further NRR review of PRVs TS amend re CR ventilation sys.
MCCOLLUM,W.R. Duke Power Co. 98/02/04. Document Control Branch (Document Control Desk). 6pp. A2268:338-A2268:343.

9802170173 Forwards results of SG tube insp performed during Unit 1 forced outage which began on 971228,as required by Tech Specs 4.17.6(b).
MCCOLLUM,W.R. Duke Power Co. 98/02/05. Document Control Branch (Document Control Desk). 33pp. A2231:289-A2231:323.

9802240336 Forwards notice of consideration of issuance of amends to facility operating licenses,proposed NSHC determination & opportunity for hearing.Notice relates to 980202 application to amend TS to revise wording.
LABARGE,D.E. . 98/02/05. MCCOLLUM,W.R. Duke Power Co. 3pp. A2283:042-A2283:052.

--9802240343 Notice of consideration of issuance of amends to licenses DPR-38,DPR-47 & DPR-55 & proposed NSHC determination & opportunity for hearing.Amends revise present wording used to specify refueling outage surveillances.
LABARGE,D.E. . 98/02/05. 8pp. A2283:045-A2283:052.

9802240010 Summary of 980127 meeting w/util re contents of topical repts conversion to Mark B-11 fuel & changes to Chapter 15 of UFSAR submitted for review.List of attendees & handouts encl.
LABARGE,D.E. . 98/02/06. . 22pp. A2287:333-A2287:354.

9802190142 Provides results of SG tube ISI performed during Unit 1 end of Cycle 17 refueling outage,for review.Summary of SG insp results included.Page 30 of 58 of incoming submittal was not included.
MCCOLLUM,W.R. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 175pp. A2244:019-A2244:196.

9802200169 Withdraws proposed license amend dtd 970904.RAI response to TS change 96-10 included.
MCCOLLUM,W.R. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 33pp. A2320:312-A2320:344.

9802240232 Forwards RAI re emergency condenser circulating water sys. Response requested within 30 days from date of ltr.
LABARGE,D.E. . 98/02/09. MCCOLLUM,W.R. Duke Power Co. 4pp. A2333:344-A2333:347.

9802240240 Forwards RAI re TSs to incorporate mod to main steam line break detection & feedwater isolation circuitry.Response requested within 60 days from date of ltr.
LABARGE,D.E. . 98/02/09. MCCOLLUM,W.R. Duke Power Co. 4pp. A2335:347-A2335:350.

9802230059 Forwards revs to "OCDM for Duke Power Nuclear Stations," as required by McGuire TS 6.14.2.c.
TUCKMAN,M.S. Duke Power Co. 98/02/10. Document Control Branch (Document Control Desk). 2pp. A2328:001-A2328:258.

--9802230061 Revs to "OCDM for Duke Power Nuclear Stations."
HAYNES,L.E., JONES,R.A., GEDDIE,E.M. Duke Power Co. 98/01/01. 256pp. A2328:003-A2328:258.

9802180048 Forwards non-proprietary Rev 1 to DPC-NE-2005A & proprietary Rev 1 to DPC-NE-2005P-A, "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology." Proprietary rept withheld,per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2242:001-A2242:152.

--9802180051 Non-proprietary "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology."
EPPERSON,K.R., ABBOTT,J.L. Duke Power Co. DPC-NE-2005A R01. 96/11/30. 146pp. A2242:007-A2242:152.

9802230238 Responds to 980115 RAI re licensee 961031 response to open issues & recommendations from NRC draft repts on plant emergency power sys.
MCCOLLUM,W.R. Duke Power Co. 98/02/12. Document Control Branch (Document Control Desk). 13pp. A2330:018-A2330:051.

--9802230247 "Precursor Evaluation for Keowee Failures of 970620 & 23."
BARRETT,M.J. Duke Power Co. 97/07/03. 21pp. A2330:031-A2330:051.

9802240214 Forwards notice of withdrawal of application for amend to licenses DPR-38,DPR-47 & DPR-55.Proposed changes would have modified TSs re justifying acceptability of current TS for HPI sys.
LABARGE,D.E. . 98/02/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A2325:238-A2325:242.

--9802240222 Notice of withdrawal of application for amends to licenses DPR-38,DPR-47 & DPR-55.Proposed amends would have revised TSs re justification of acceptability of current TS for HPI sys.
LABARGE,D.E. . 98/02/12. 2pp. A2325:241-A2325:242.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802020179 Forwards insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Purpose of insp was to determine adequacy of root cause investigation & corrective actions for 971030 event re unauthorized access.
BELISLE,G.A. Region 2 (Post 820201). 97/12/31. MCCOLLUM,W.R. Duke Power Co. 3pp. A1985:098-A1985:113.

--9802020181 Insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Major areas inspected: aspects of licensees plant support activities,including physical security plan & vital area access control.
BELISLE,G. Region 2 (Post 820201). 97/12/31. 13pp. A1985:101-A1985:113.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040386 Forwards insp repts 50-269/97-16,50-270/97-16 & 50-287/97-16 on 971116-1227 & NOV.Conduct of activities at Oconee was generally characterized by safety-conscious operations, maint & engineering practices.Six violations cited in NOV.
OGLE,C.R. Region 2 (Post 820201). 98/01/26. MCCOLLUM,W.R. Duke Power Co. 5pp. A2000:001-A2000:041.

--9802040396 Notice of violation from insp on 971116-1227.Violation noted:on 971201,during performance of Procedures PT/1/A/0202/012,Engineered Safeguards Channels 1 & 2 Functional Test,Rev 5,test personnel unaware of test impact.
* Region 2 (Post 820201). 98/01/26. 4pp. A2000:006-A2000:009.

--9802040399 Insp repts 50-269/97-16,50-270/97-16 & 50-287/97-16 on 971116-1227.Violations noted.Major areas inspected:licensee operations,maint,engineering & plant support.
* Region 2 (Post 820201). 98/01/26. 29pp. A2000:010-A2000:041.

9802060051 Provides response to request for addl info re results of SG insp,performed during Unit 1 end of Cycle 17 refueling outage.
MCCOLLUM,W.R. Duke Power Co. 98/01/26. Document Control Branch (Document Control Desk). 14pp. A2152:295-A2152:323.

9802090227 Ack receipt of 971217 & 980121 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-269/97-14 50-270/97-14 & 50-287/97-14.
OGLE,C.R. Region 2 (Post 820201). 98/01/30. MCCOLLUM,W.R. Duke Power Co. 3pp. A2048:246-A2048:248.

9802090230 Ack receipt of 980115 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/97-15, 50-270/97-15 & 50-287/97-15.
OGLE,C.R. Region 2 (Post 820201). 98/01/30. MCCOLLUM,W.R. Duke Power Co. 3pp. A2042:312-A2042:314.

9802060028 Responds to NRC Bulletin 96-004 for NUHOMS-24P SF storage sys used at plant site.NRC reviewed response & found response to be acceptable.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 98/02/02. MCCOLLUM,W.R. Duke Power Co. 3pp. A2027:326-A2027:328.

9802170173 Forwards results of SG tube insp performed during Unit 1 forced outage which began on 971228,as required by Tech Specs 4.17.6(b).
MCCOLLUM,W.R. Duke Power Co. 98/02/05. Document Control Branch (Document Control Desk). 33pp. A2231:289-A2231:323.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802190142 Provides results of SG tube ISI performed during Unit 1 end of Cycle 17 refueling outage,for review.Summary of SG insp results included.Page 30 of 58 of incoming submittal was not included.
MCCOLLUM,W.R. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 175pp. A2244:019-A2244:196.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200262 Forwards monthly operating repts for Jan 1998 for Oconee Nuclear Station,Units 1,2 & 3 and monthly status operating rept for Dec 1997.
DIMMERY,T. Duke Power Co. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2319:230-A2319:247.

--9802200263 Monthly operating repts for Jan 1998 for Oconee Nuclear Station,Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 98/01/31. 15pp. A2319:232-A2319:246.

--9802200266 Revised monthly operating status rept for Dec 1997 for Oconee Nuclear Station,Units 1,2 & 3.
* Duke Power Co. 97/12/31. 1p. A2319:247-A2319:247.

S. Reportable occurrences, LERs & related correspondence

9802050218 LER 97-011-00:on 971228,initiated shutdown due to calculated 404 gallons per day SG leak.Caused by inadequate process control.Repaired leaks.W/980127 ltr.
BURCHFIELD,J.E., MCCOLLUM,W.R. Duke Power Co. 98/01/27. 17pp. A2143:317-A2143:333.

9802230113 LER 98-001-00:on 980120,failure to add new Keowee in-service test to scheduling process noted.Caused by change mgt,change related documents not developed or not received.Performed surveillance tests & exited LCOs.W/980212 ltr.
BURCHFIELD,J.E., MCCOLLUM,W.R. Duke Power Co. 98/02/12. 10pp. A2318:289-A2318:298.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802130114 Application for amends to licenses DPR-38,DPR-47,DPR-55 & SNM-2503,updating ISFSI license such that corporate name of licensee changed form Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. A2233:303-A2233:323.

--9802130118 Proposed tech specs re ISFSI for Oconee Nuclear Station.
* Duke Power Co. 98/01/19. 17pp. A2233:307-A2233:323.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802020179 Forwards insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Purpose of insp was to determine adequacy of root cause investigation & corrective actions for 971030 event re unauthorized access.
BELISLE,G.A. Region 2 (Post 820201). 97/12/31. MCCOLLUM,W.R. Duke Power Co. 3pp. A1985:098-A1985:113.

–9802020181 Insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Major areas inspected: aspects of licensees plant support activities,including physical security plan & vital area access control.
BELISLE,G. Region 2 (Post 820201). 97/12/31. 13pp. A1985:101-A1985:113.

9802180163 Rev 15 to EPIP HB/0/B/1009/18, "Offsite Dose Projections." W/revised cover sheet to Vol C (Rev 98-01),revised page 1 of table of contents & 980210 ltr.
FOSTER,W.W., MCCOLLUM,W.R. Duke Power Co. 98/02/10. 40pp. A2237:317-A2237:356.

9802270189 Rev 98-01 to Vol A of "Oconee Nuclear Site Emergency Plan." W/980224 ltr.
MCCOLLUM,W.R. Duke Power Co. 98/02/24. 6pp. A2412:016-A2412:021.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040337 Forwards revs to Oconee Selected Licensee Commitment (SLC) Manual,per 10CFR50.4 & 50.71.SLC wil be updated as necessary throughout yr,instead of being updated w/annual UFSAR Update.
MCCOLLUM,W.R. Duke Power Co. 98/01/13. Document Control Branch (Document Control Desk). 2pp. A2035:343-A2035:350.

–9802040339 Revised pages to "Oconee Selected Licensee Commitments Manual," representing chapter 16 of UFSAR.
PEELE,B.L. Duke Power Co. 98/01/05. 6pp. A2035:345-A2035:350.

9802130114 Application for amends to licenses DPR-38,DPR-47,DPR-55 & SNM-2503,updating ISFSI license such that corporate name of licensee changed form Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. A2233:303-A2233:323.

–9802130118 Proposed tech specs re ISFSI for Oconee Nuclear Station.
* Duke Power Co. 98/01/19. 17pp. A2233:307-A2233:323.

9802030133 Forwards notice of consideration of issuance of amends to facility operating licenses,proposed NSHC determination & opportunity for hearing to FR for publication.Notice relates to 980115 application to amend TS to revise table 4.1-1.
LABARGE,D.E. . 98/01/20. MCCOLLUM,W.R. Duke Power Co. 3pp. A1985:345-A1985:354.

–9802030137 Notice of consideration of issuance of amends to licenses DPR-38,DPR-47 & DPR-55 & proposed NSHC determination & opportunity for hearing.Amends revise TS Table 4.1-1 & specification 4.5.2.1.2.
LABARGE,D.E. . 98/01/20. 7pp. A1985:348-A1985:354.

9802030140 Requests immediate publication of encl, "Notice of Consideration of Issuance of Amends to Facility Operating Licenses,Proposed NSHC Determination & Opportunity for Hearing," no later than 980123.W/o encl.
BERKOW,H.N. . 98/01/20. National Archives & Records Administration. 2pp. A1981:001-A1981:002.

9802030157 Refers to 980105 ltr which informed staff of change to Oconee TS that only affects Bases of TS 3.4.Change requires both EFW flow indication & SG level indication to consider flowpath to each SG operable.Revised TS page encl.
LABARGE,D.E. . 98/01/22. MCCOLLUM,W.R. Duke Power Co. 4pp. A1987:046-A1987:049.

9802040089 Forwards RAI re 961031 response to NRR draft rept on plant emergency power sys,dtd 960708.Response requested within 30 days of receipt of ltr.
LABARGE,D.E. . 98/01/26. MCCOLLUM,W.R. Duke Power Co. 5pp. A2004:343-A2004:347.

9802040314 Submits util position on SG tubing surveillance program TS. Concurrence from NRR re applicability of TS 4.17 requirements,requested.
MCCOLLUM,W.R. Duke Power Co. 98/01/26. Document Control Branch (Document Control Desk). 3pp. A2036:282-A2036:284.

9802170017 Forwards rev 1 to non-proprietary topical rept DPC-NE-3000-A & rev 1 to proprietary topical rept DPC-NE-3000-PA, "Thermal Hydraulic Transient Analysis Methodology." Proprietary version withheld.
TUCKMAN,M.S. Duke Power Co. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2235:001-A2237:080.

–9802170019 Non-proprietary version of rev 1 to topical rept DPC-NE-3000-A, "Thermal-Hydraulic Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3000-A R01. 97/12/31. 802pp. A2235:007-A2237:080.

9802090036 Forwards notice of enforcement discretion request re refueling outage frequency surveillances.Affected TS page encl.
MCCOLLUM,W.R. Duke Power Co. 98/01/30. Document Control Branch (Document Control Desk). 8pp. A2164:306-A2164:315.

–9802090039 Proposed tech specs page re refueling outage frequency surveillance.
* Duke Power Co. 98/01/30. 2pp. A2164:314-A2164:315.

9802240020 Discusses renewal activities & util plan to submit completed "Oconee License Renewal Technical Info Topical Rept," OLRP-1001, for review early 1998.
HOFFMAN,S.T. . 98/01/30. MCCOLLUM,W.R. Duke Power Co. 7pp. A2283:001-A2283:007.

9802110010 Application for amends to licenses DPR-38,DPR-47 & DPR-55, clarifying wording for refueling outage surveillance frequencies to indicate surveillances are to be performed on 18-month frequency.
MCCOLLUM,W.R. Duke Power Co. 98/02/02. Document Control Branch (Document Control Desk). 5pp. A2169:152-A2169:229.

–9802110017 Proposed tech specs clarifying wording for refueling outage surveillance frequencies to indicate surveillances are to be performed on 18-month frequency & need not be constrained to refueling outage conditions.
* Duke Power Co. 98/02/02. 73pp. A2169:157-A2169:229.

9802110094 Forwards summary of changes to or errors in ECCS evaluation model (EM) through 1997,including minor changes made to EM in 1995,that were not reported as required.
TUCKMAN,M.S. Duke Power Co. 98/02/02. Document Control Branch (Document Control Desk). 9pp. A2199:337-A2199:345.

9802240436 Discusses 980130 request for NRC to exercise discretion not to enforce compliance w/actions required by plant,Units 1,2 & 3 TS 3.0 re performance of certain refueling outage surveillance.Surveillance interval requirements,satisfied.
BERKOW,H.N. . 98/02/03. MCCOLLUM,W.R. Duke Power Co. 8pp. A2325:194-A2325:201.

9802130091 Submits summary of results of analysis to NRC to support further NRR review of PRVs TS amend re CR ventilation sys.
MCCOLLUM,W.R. Duke Power Co. 98/02/04. Document Control Branch (Document Control Desk). 6pp. A2268:338-A2268:343.

9802240336 Forwards notice of consideration of issuance of amends to facility operating licenses,proposed NSHC determination & opportunity for hearing.Notice relates to 980202 application to amend TS to revise wording.
LABARGE,D.E. . 98/02/05. MCCOLLUM,W.R. Duke Power Co. 3pp. A2283:042-A2283:052.

–9802240343 Notice of consideration of issuance of amends to licenses DPR-38,DPR-47 & DPR-55 & proposed NSHC determination & opportunity for hearing.Amends revise present wording used to specify refueling outage surveillances.
LABARGE,D.E. . 98/02/05. 8pp. A2283:045-A2283:052.

9802240010 Summary of 980127 meeting w/util re contents of topical repts conversion to Mark B-11 fuel & changes to Chapter 15 of UFSAR submitted for review.List of attendees & handouts encl.
LABARGE,D.E. . 98/02/06. . 22pp. A2287:333-A2287:354.

9802200169 Withdraws proposed license amend dtd 970904.RAI response to TS change 96-10 included.
MCCOLLUM,W.R. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 33pp. A2320:312-A2320:344.

9802240232 Forwards RAI re emergency condenser circulating water sys. Response requested within 30 days from date of ltr.
LABARGE,D.E. . 98/02/09. MCCOLLUM,W.R. Duke Power Co. 4pp. A2333:344-A2333:347.

9802240240 Forwards RAI re TSs to incorporate mod to main steam line break detection & feedwater isolation circuitry.Response requested within 60 days from date of ltr.
LABARGE,D.E. . 98/02/09. MCCOLLUM,W.R. Duke Power Co. 4pp. A2335:347-A2335:350.

9802230059 Forwards revs to "OCDM for Duke Power Nuclear Stations," as required by McGuire TS 6.14.2.c.
TUCKMAN,M.S. Duke Power Co. 98/02/10. Document Control Branch (Document Control Desk). 2pp. A2328:001-A2328:258.

–9802230061 Revs to "OCDM for Duke Power Nuclear Stations."
HAYNES,L.E., JONES,R.A., GEDDIE,E.M. Duke Power Co. 98/01/01. 256pp. A2328:003-A2328:258.

9802180048 Forwards non-proprietary Rev 1 to DPC-NE-2005A & proprietary Rev 1 to DPC-NE-2005P-A, "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology." Proprietary rept withheld,per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2242:001-A2242:152.

–9802180051 Non-proprietary "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology."
EPPERSON,K.R., ABBOTT,J.L. Duke Power Co. DPC-NE-2005A R01. 96/11/30. 146pp. A2242:007-A2242:152.

9802230238 Responds to 980115 RAI re licensee 961031 response to open issues & recommendations from NRC draft repts on plant emergency power sys.
MCCOLLUM,W.R. Duke Power Co. 98/02/12. Document Control Branch (Document Control Desk). 13pp. A2330:018-A2330:051.

–9802230247 "Precursor Evaluation for Keowee Failures of 970620 & 23."
BARRETT,M.J. Duke Power Co. 97/07/03. 21pp. A2330:031-A2330:051.

9802240214 Forwards notice of withdrawal of application for amend to licenses DPR-38,DPR-47 & DPR-55.Proposed changes would have modified TSs re justifying acceptablility of current TS for HPI sys.
LABARGE,D.E. . 98/02/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A2325:238-A2325:242.

–9802240222 Notice of withdrawal of application for amends to licenses DPR-38,DPR-47 & DPR-55.Proposed amends would have revised TSs re justification of acceptability of current TS for HPI sys.
LABARGE,D.E. . 98/02/12. 2pp. A2325:241-A2325:242.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802020179 Forwards insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Purpose of insp was to determine adequacy of root cause investigation & corrective actions for 971030 event re unauthorized access.
BELISLE,G.A. Region 2 (Post 820201). 97/12/31. MCCOLLUM,W.R. Duke Power Co. 3pp. A1985:098-A1985:113.

--9802020181 Insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Major areas inspected: aspects of licensees plant support activities,including physical security plan & vital area access control.
BELISLE,G. Region 2 (Post 820201). 97/12/31. 13pp. A1985:101-A1985:113.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040386 Forwards insp repts 50-269/97-16,50-270/97-16 & 50-287/97-16 on 971116-1227 & NOV.Conduct of activities at Oconee was generally characterized by safety-conscious operations, maint & engineering practices.Six violations cited in NOV.
OGLE,C.R. Region 2 (Post 820201). 98/01/26. MCCOLLUM,W.R. Duke Power Co. 5pp. A2000:001-A2000:041.

--9802040396 Notice of violation from insp on 971116-1227.Violation noted:on 971201,during performance of Procedures PT/1/A/0202/012,Engineered Safeguards Channels 1 & 2 Functional Test,Rev 5,test personnel unaware of test impact.
* Region 2 (Post 820201). 98/01/26. 4pp. A2000:006-A2000:009.

--9802040399 Insp repts 50-269/97-16,50-270/97-16 & 50-287/97-16 on 971116-1227.Violations noted.Major areas inspected:licensee operations,maint,engineering & plant support.
* Region 2 (Post 820201). 98/01/26. 29pp. A2000:010-A2000:041.

9802090227 Ack receipt of 971217 & 980121 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-269/97-14 50-270/97-14 & 50-287/97-14.
OGLE,C.R. Region 2 (Post 820201). 98/01/30. MCCOLLUM,W.R. Duke Power Co. 3pp. A2048:246-A2048:248.

9802090230 Ack receipt of 980115 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/97-15, 50-270/97-15 & 50-287/97-15.
OGLE,C.R. Region 2 (Post 820201). 98/01/30. MCCOLLUM,W.R. Duke Power Co. 3pp. A2042:312-A2042:314.

9802060028 Responds to NRC Bulletin 96-004 for NUHOMS-24P SF storage sys used at plant site.NRC reviewed response & found response to be acceptable.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 98/02/02. MCCOLLUM,W.R. Duke Power Co. 3pp. A2027:326-A2027:328.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200262 Forwards monthly operating repts for Jan 1998 for Oconee Nuclear Station,Units 1,2 & 3 and monthly status operating rept for Dec 1997.
DIMMERY,T. Duke Power Co. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2319:230-A2319:247.

--9802200263 Monthly operating repts for Jan 1998 for Oconee Nuclear Station,Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 98/01/31. 15pp. A2319:232-A2319:246.

--9802200266 Revised monthly operating status rept for Dec 1997 for Oconee Nuclear Station,Units 1,2 & 3.
* Duke Power Co. 97/12/31. 1p. A2319:247-A2319:247.

S. Reportable occurrences, LERs & related correspondence

9802030110 Forwards preliminary ASP analysis of operational event that occurred at Unit 2 on 970421,for review & comment.Specific guidance for performing requested review & copy of LER 270/97-01 also encl.
LABARGE,D.E. . 98/01/26. MCCOLLUM,W.R. Duke Power Co. 24pp. A1985:236-A1985:274.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802130114 Application for amends to licenses DPR-38,DPR-47,DPR-55 & SNM-2503,updating ISFSI license such that corporate name of licensee changed form Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. A2233:303-A2233:323.

--9802130118 Proposed tech specs re ISFSI for Oconee Nuclear Station.
* Duke Power Co. 98/01/19. 17pp. A2233:307-A2233:323.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9802170103 Rev 10,Vol 50 to "State of NH Radiological Emergency Response Plan."
* New Hampshire, State of. 97/12/01. 14pp. A2216:326-A2216:338.

9802040442 Revised EPIPs,including EPIPs table of contents,rev 30 to EPIP OP 3504,rev 11 to EPIP OP 3511 & rev 19 to EPIP OP 3513.
* Yankee Atomic Electric Co. 98/01/28. 75pp. A2033:255-A2033:327.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050330 Forwards request for addl info re resolution of unresolved safety issue A-46 program at plant.Requests response within 60 days of date of ltr.
JABBOUR,K.N. . 98/01/29. REID,D.A. Vermont Yankee Nuclear Power Corp. 8pp. A2036:285-A2036:292.

9802120240 Forwards proprietary info re plant unique scram speed adjustment factors for application to VYNPS when reload licensing analyses are performed w/GEs GEMINI/ODYN set of models.Proprietary info withheld,per 10CFR2.790.
WATFORD,G.A. General Electric Co. 98/02/05. WILSON,J.H. Document Control Branch (Document Control Desk). 5pp. A2216:321-A2216:325.

9802200332 Provides addl changes to TS change 190,dtd 971121.Revised TS pages included.
REID,D.A. Vermont Yankee Nuclear Power Corp. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2320:110-A2320:128.

--9802200339 Revised TS pages re change 190,w/typos corrected.
* Vermont Yankee Nuclear Power Corp. 98/02/06. 17pp. A2320:111-A2320:128.

9802200349 Notifies of schedule extension for resolving GL 96-06 re remaining water hammer & piping thermal expansion issues until startup from Fall 1998 refueling outage.
REID,D.A. Vermont Yankee Nuclear Power Corp. 98/02/09. Document Control Branch (Document Control Desk). 5pp. A2320:171-A2320:175.

9802240229 Informs that 971211 submittal re VYNP TS,will be withheld per 10CFR2.790 & Section 103(b) of AEC Act of 1954.
JABBOUR,K.N. . 98/02/11. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. A2283:021-A2283:023.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802170043 Forwards insp rept 50-271/97-10 on 970929-1120 & notice of violation & exercise of discretion.Insp re findings documented in NRC A/E team insp 50-271/97-201 issued on 970827.
WIGGINS,J.T. Region 1 (Post 820201). 98/02/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 4pp. A2181:136-A2181:170.

--9802170049 Notice of violation from insp on 970929-1120.Violation noted:prior to 950420,licensee failed to assure that test instruments used in RHR heat exchanger performance testing were adequate to assure test requirements were satisfied.
* Region 1 (Post 820201). 98/02/05. 2pp. A2181:140-A2181:141.

--9802170051 Insp rept 50-271/97-10 on 970929-1120.Violations noted.Major areas inspected:engineering & technical support operations.
* Region 1 (Post 820201). 98/02/05. 30pp. A2181:142-A2181:170.

9802170052 Forwards insp rept 50-271/97-81 on 971215-19 & NOV.Purpose of insp was to review engineering review & analyses re VYNP maint rule program in accordance w/10CFR50.65.
WIGGINS,J.T. Region 1 (Post 820201). 98/02/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. A2170:197-A2170:225.

--9802170057 Notice of violation from insp on 971215-19.Violation noted: as of 960710,VYNP failed to demonstrate that performance or condition of SSCs within scope of 10CFR50.65 was being effectively controlled through appropriate PM performance.
* Region 1 (Post 820201). 98/02/05. 2pp. A2170:200-A2170:201.

--9802170060 Insp rept 50-271/97-81 on 971215-19.Violations noted.Major areas inspected:VYNP engineering analyses to establish & implement program to meet 10CFR50.65,maint rule.
* Region 1 (Post 820201). 98/02/05. 24pp. A2170:202-A2170:225.

9802190026 Responds to NRC 971120 ltr re violations noted in insp rept 50-271/97-09.CAs:guidelines for crew updates have been developed to standardize method & content of how info is provided to operators during simulated plant transients.
REID,D.A. Vermont Yankee Nuclear Power Corp. 98/02/06. Document Control Branch (Document Control Desk). 2pp. A2253:344-A2253:345.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240160 Notification of significant licensee meeting 98-17 w/util on 980302 in King of Prussia,PA to discuss apparent violations in NRC insp rept 50-271/97-10 (EA-97-531).
COWGILL,C.J. Region 1 (Post 820201). 98/02/17. Region 1 (Post 820201). 2pp. A2326:007-A2326:008.

9802270052 Forwards exam rept 50-271/98-02OL on 980210.No violations noted.Applicant passed exam & was subsequently issued SRO license.
CONTE,R.J. Region 1 (Post 820201). 98/02/20. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. A2349:098-A2349:112.

--9802270054 NRC Operator Licensing Exam Rept 50-271/98-02OL on 980210. Exam results:applicant passed simulator retake exam & issued SRO license.
* Region 1 (Post 820201). 98/02/20. 12pp. A2349:101-A2349:112.

R. Periodic operating reports & related correspondence

9802200027 Monthly operating rept for Jan 1998 for VYNP Station. W/980210 ltr.
WALLIN,G.A., MARET,G.A. Vermont Yankee Nuclear Power Corp. 98/01/31. 6pp.

S. Reportable occurrences, LERs & related correspondence

9802120247 LER 97-020-01:on 971030,inadequate technical justification for proposed change to plant TS resulted in operation outside bounds of current analyses.Caused by inadequate assignment methods.Revised administrative controls.
MARET,G.A. Vermont Yankee Nuclear Power Corp. 98/02/05. 10pp. A2231:185-A2231:194.

V. Operator Examinations

9802050298 Forwards listed exam matls re reexamination of D Fabreau,as discussed w/S Brown.Exam scheduled for wk of 980209.
FINN,B.M. Vermont Yankee Nuclear Power Corp. 98/01/30. CONTI,R.J. Region 1 (Post 820201). 1p. A2135:256-A2135:256.

9802270052 Forwards exam rept 50-271/98-02OL on 980210.No violations noted.Applicant passed exam & was subsequently issued SRO license.
CONTE,R.J. Region 1 (Post 820201). 98/02/20. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. A2349:098-A2349:112.

--9802270054 NRC Operator Licensing Exam Rept 50-271/98-02OL on 980210. Exam results:applicant passed simulator retake exam & issued SRO license.
* Region 1 (Post 820201). 98/02/20. 12pp. A2349:101-A2349:112.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802020266 Informs that util revising commitment contained in 880715 ltr to state,min shift staffing levels necessary to perform simultaneous alternate shutdown of Units 1 & 2,controlled under administrative procedures.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/01/22. Document Control Branch (Document Control Desk). 4pp. A2006:350-A2006:353.

9802040454 Revised emergency plan,including rev 30 to table of contents,rev 5 to Section 1,rev 7 to Section 2,rev 5 to Section 6,rev 8 to Section 9,rev 5 to Section 10,rev 4 to Section 13 & rev 8 to Section 16.
* Public Service Electric & Gas Co. of New Jersey. 98/01/28. 143pp. A2033:034-A2033:176.

9802120065 Revised EPIPs,including rev 3 to table of contents & rev 1 to SGS EAL/RAL technical basis.
* Public Service Electric & Gas Co. of New Jersey. 98/01/30. 33pp. A2233:060-A2233:092.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802100046 Forwards rev 16 to Salem Generating Station UFSAR IAW requirements of 10CFR50.71(e).Rev contains identified text, table & figure changes required to reflect plant configuration as of 970731.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 98/01/30. Document Control Branch (Document Control Desk). 48pp. A2155:001-A2159:169.

--9802100054 Rev 16 to Salem Generating Station,Units 1 & 2 updated FSAR.
* Public Service Electric & Gas Co. of New Jersey. 98/01/30. 1,577pp. A2155:049-A2159:169.

P. Operating license stage documents & correspondence

9802030112 Forwards RAI re electrical power sources during shutdown at plant.Response requested within 45 days of ltr receipt.
MILANO,P.D. . 97/01/23. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 4pp. A1986:350-A1986:353.

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030096 Informs that on 980106-07,NRC senior managers met to evaluate nuclear safety performance of operating reactor, fuel facilities & other matl licensees.Plant remains on NRC watch list as Category 2 plant.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/15. FERLAND,E.J. Public Service Electric & Gas Co. of New Jersey. 5pp. A1976:066-A1976:070.

9802040233 Forwards request for addl info re electrical power sources during shutdown.W/o encl.
MILANO,P.D. . 98/01/23. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 3pp. A2000:352-A2000:354.

9802120105 Informs NRC that NJ Department of Environmental Protections Bureau of Nuclear Engineering reviewed request made by PSE&G to NRC on 971211 re containment purging & has no comment.
TOSCH,K. New Jersey, State of. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A2216:230-A2216:231.

9802040227 Forwards request for addl info re inservice testing program.
MILANO,P.D. . 98/01/27. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 4pp. A2006:321-A2006:324.

9802040267 Informs of completed action requested in Task Interface Agreement re SG replacement program,per Region I 961003 request.
STOLZ,J.F. . 98/01/27. HEHL,C.W. Region 1 (Post 820201). 2pp. A1987:065-A1987:066.

9802050376 Responds to request by Carey for statistics on allegations received by NRC re Salem & Hope Creek.
BAKER,E.T. . 98/01/29. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 11pp. A2010:343-A2010:353.

9802240048 Forwards amends 204 & 186 to licenses DPR-70 & DPR-75, respectively, & SE.Amends revise containment hydrogen analyzer surveillance requirements of TS 4.6.4.1 to increase calibr frequency to quarterly.
MILANO,P.D. . 98/01/29. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A2325:271-A2325:284.

--9802240056 Amends 204 & 186 to licenses DPR-70 & DPR-75,respectively. Amends revise containment hydrogen analyzer surveillance requirements of TS 4.6.4.1 to increase calibr frequency to quarterly.
STOLZ,J.F. . 98/01/29. 8pp. A2325:274-A2325:281.

--9802240061 Safety evaluation supporting amends 204 & 186 to licenses DPR-70 & DPR-75,respectively.
* . 98/01/29. 3pp. A2325:282-A2325:284.

9802240297 Forwards amends 205 & 187 to licenses DPR-70 & DPR-75 respectively & SER.Amends revise TS to extend modes from 1 & 2 that RTS power range nuclear instrumentation low setpoint to be operable to modes 1,2 & 3.
MILANO,P.D. . 98/01/29. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A2282:224-A2282:239.

--9802240300 Amends 205 & 187 to licenses DPR-70 & DPR-75,respectively, revising TSs to extend modes from 1 & 2 that TRs power range nuclear instrumentation low setpoint to be operable to Modes 1,2 & 3.
STOLZ,J.F. . 98/01/29. 10pp. A2282:227-A2282:236.

--9802240303 Safety evaluation supporting amends 205 & 187 to licenses DPR-70 & DPR-75,respectively.
* . 98/01/29. 3pp. A2282:237-A2282:239.

9802240307 Forwards amend 206 to license DPR-70 & safety evaluation. Amend provides one-time change to TSs to allow purging of containment during Modes 3 (Hot Standy) & 4 (Hot Shutdown) upon return to power from current refueling outage.
MILANO,P.D. . 98/01/29. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 3pp. A2287:268-A2287:279.

--9802240308 Amend 206 to license DPR-70,providing one-time change to TSs to allow purging of containment during Modes 3 (Hot Standy) & 4 (Hot Shutdown) upon return to power from current refueling outage (1R13).
STOLZ,J.F. . 98/01/29. 6pp. A2287:271-A2287:276.

--9802240311 Safety evaluation supporting amend 206 to license DPR-70.
* . 98/01/29. 3pp. A2287:277-A2287:279.

9802100080 Provides status of TS surveillance improvement project (TSSIP) as of end of 1997 & schedule for completion of remainder of TSSIP scope.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2167:005-A2167:008.

9802120109 Informs NRC that NJ Dept of Environmental Protection's Bureau of Nuclear Engineering has reviewed request made by PSE&G to NRC on 971215 re license change request S97-27 & has no comments.
TOSCH,K.W. New Jersey, State of. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2216:232-A2216:233.

9802110009 Provides revised TS Bases pages for Spec 3/4.3.3.1,radiation monitoring instrumentation,3/4.3.3.8,radioactive liquid effluent monitoring instrumetation & 3/4.3.3.9,radioactive gaseous effluent monitoring instrumentation.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/02/02. Document Control Branch (Document Control Desk). 2pp. A2212:034-A2212:040.

--9802130022 Revised TS Bases pages for specs 3/4.3.3.1,radiation monitoring instrumentation,3/4.3.3.8,radioactive liquid effluent monitoring instrumentation & 3/4.3.3.9,radioactive gaseous effluent monitoring instrumentation.
* Public Service Electric & Gas Co. of New Jersey. 98/02/02. 5pp. A2212:036-A2212:040.

9802240294 Forwards request for addl info re response to GL 88-20, "Individual Plant Exam of External Events."
MILANO,P.D. . 98/02/03. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 5pp. A2283:071-A2283:075.

9802240084 Discusses completion of licensing action for GL 96-01, "Testing of Safety Related Logic Circuits," dtd 960110.NRC issued subj GL for three principal reasons listed.Licensees requested to take listed actions.
MILANO,P.D. . 98/02/04. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 4pp. A2325:260-A2325:263.

9802270011 Notification of significant licensee meeting 98-12 w/util in Hancocks Bridge,NJ on 980227 to conduct public exit meeting presenting findings of NRC RSTI conducted on 980210-20 for util to make presentation of readiness to restart plant.
LINVILLE,J.C. Region 1 (Post 820201). 98/02/11. Region 1 (Post 820201). 2pp. A2369:323-A2369:324.

9802230187 Forwards response to 970404 RAI re resolution of USI A-46, "Seismic Qualification of Equipment in Operating Plants." Outlier resolution schedule is being revised since implementation issues may affect number of outliers.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/02/13. Document Control Branch (Document Control Desk). 13pp. A2330:190-A2330:202.

9802240088 Forwards QA program for Hope Creek & Salem Generating Stations,as documented in Section 17.2 of respective UFSARs, for NRC approval.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/02/13. Document Control Branch (Document Control Desk). 17pp. A2343:001-A2343:154.

–9802240094 Rev 16 to Section 17.2 to "QA During Operations Phase."
* Public Service Electric & Gas Co. of New Jersey. 98/01/31. 140pp. A2343:019-A2343:154.

9802250018 Transmits review of final CEOG rept, "Best Estimate Cu & Ni in CE Fabricated Reactor Vessel Welds" dtd June,1997.Closure to NRC SER,provided.Transmittal is in response to GL 92-01, rev 1,suppl 1.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/02/17. Document Control Branch (Document Control Desk). 5pp. A2368:337-A2368:341.

9802240261 Forwards marked up pages for Section 4.2.1 of App B to TS.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 98/02/18. Document Control Branch (Document Control Desk). 3pp. A2350:306-A2350:312.

–9802240262 Marked-up TS pages for Section 4.2.1 of App B.
* Public Service Electric & Gas Co. of New Jersey. 98/02/18. 4pp. A2350:309-A2350:312.

9802270234 Ltr contract:task order 136 entitled, "Salem Restart Readiness Review," under contract NRC-03-93-026.Statement of work encl.
WIGGINS,E.J. Office of Administration, Director (Post 940714). FIN J-2407. 98/02/20. LOFY,R.A. PARAMETER, Inc. 6pp. A2367:240-A2367:245.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802250112 Forwards exem repts 50-272/98-02OL & 50-311/98-02OL conducted during week of 980126-30 & written exam conducted on 980123.All seven SRO applicants passed operating portions.One did not pass written portion.
CONTE,R.J. Region 1 (Post 820201). 98/02/17. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 3pp. A2326:093-A2326:212.

–9802250116 NRC Operator Licensing Exam Repts 50-272/98-02OL & 50-311/98-02OL administered on 980112-30.Seven SRO candidates administered initial exams.One candidate did not pass written portion,all other candidates passed all exams.
* Region 1 (Post 820201). 98/02/17. 117pp. A2326:096-A2326:212.

9802270234 Ltr contract:task order 136 entitled, "Salem Restart Readiness Review," under contract NRC-03-93-026.Statement of work encl.
WIGGINS,E.J. Office of Administration, Director (Post 940714). FIN J-2407. 98/02/20. LOFY,R.A. PARAMETER, Inc. 6pp. A2367:240-A2367:245.

R. Periodic operating reports & related correspondence

9802240296 Monthly operating rept for Jan 1998 for Salem,Unit 1. W/980217 ltr.
KNIERIEM,R., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 98/01/31. 14pp. A2349:318-A2349:331.

9802200380 Forwards fitness-for-duty performance data rept for six month period ending 971231,IAW 10CFR26.71(d).
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/02/10. Document Control Branch (Document Control Desk). 7pp. A2320:102-A2320:108.

S. Reportable occurrences, LERs & related correspondence

9802250022 LER 98-001-00:on 980116,AFP internal flooding protection was installed incorrectly.Caused by installation error during construction.Pipe alley flood gate counter-weight was properly positioned on 980124.W/980214 ltr.
VILLAR,E.H., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 98/02/16. 6pp. A2345:166-A2345:171.

V. Operator Examinations

9802240266 Forwards ES-501-2 power plant licensing exam results summary,ES-303-1 & 303-2 individual exam results & licenses & letters on 980123 & 0126-30.W/o encl.
CONTE,R.J. Region 1 (Post 820201). 98/02/17. MCMAHON,J. Public Service Electric & Gas Co. of New Jersey. 2pp. A2287:061-A2287:062.

9802250112 Forwards exem repts 50-272/98-02OL & 50-311/98-02OL conducted during week of 980126-30 & written exam conducted on 980123.All seven SRO applicants passed operating portions.One did not pass written portion.
CONTE,R.J. Region 1 (Post 820201). 98/02/17. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 3pp. A2326:093-A2326:212.

–9802250116 NRC Operator Licensing Exam Repts 50-272/98-02OL & 50-311/98-02OL administered on 980112-30.Seven SRO candidates administered initial exams.One candidate did not pass written portion,all other candidates passed all exams.
* Region 1 (Post 820201). 98/02/17. 117pp. A2326:096-A2326:212.

DOCKET 50-274 U.S. GEOLOGICAL SURVEY RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9802200304 "USGS TRIGA Reactor Annual Rept for Jan-Dec 1997." W/980202 ltr.
DEBEY,T.M. Interior, Dept. of, Geological Survey. 97/12/31. 7pp. A2320:163-A2320:169.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802050092 Ack receipt of 971119 ltr,transmitting rev 18,change 11, to plant physical security plan,submitted under provisions of 10CFR50.54(p).Role of video capture audible alarm sys needs to be addressed in security plan,per 980123 telcon.
MURRAY,B. Region 4 (Post 820201). 98/02/02. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. A2009:345-A2009:350.

9802200199 Forwards change 12 to rev 18 to physical security plan,per 10CFR50.54(p).Plan withheld.
POWERS,R.P. Pacific Gas & Electric Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2283:247-A2283:247.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802120223 Forwards current status of implementation of licensing actions from July 1997 to Jan 1998.Rept is provided for NRC info & use & will be issued on quarterly basis in 1998.
TOMKINS,J.E. Pacific Gas & Electric Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2216:257-A2216:258.

9802120243 Provides suppl to 970826 License Amend Request 97-11 re auxiliary saltwater sys piping bypass,per NRC 971203 ltr re unreviewed safety question (USQ) involved.No USQ issues associated w/installation of Unit 2 piping.
RUEGER,G.M. Pacific Gas & Electric Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2233:268-A2233:269.

9802130005 Suppl to 970522 License Amend Request 97-05,revising TS page 3/4 7-11 re vital component cooling water sys.
RUEGER,G.M. Pacific Gas & Electric Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2233:352-A2233:358.

–9802130006 Revised TS page 3/4 7-11 to LAR 97-05 based on page as revised by license amends 118 & 116.
* Pacific Gas & Electric Co. 98/01/29. 5pp. A2233:354-A2233:358.

9802090065 Forwards response to 980121 RAI re LAR 97-03,allowing implementation of voltage-based alternate SG tube plugging criteria for outside diameter stress corrosion cracking at tube support plate intersections.Revised TS,encl.
RUEGER,G.M. Pacific Gas & Electric Co. 98/01/30. Document Control Branch (Document Control Desk). 19pp. A2159:315-A2159:340.

–9802090066 Proposed tech specs implementing voltage-based alternate SG tube plugging criteria for outside diameter stress corrosion cracking at tube support plate intersections.
* Pacific Gas & Electric Co. 98/01/30. 7pp. A2159:334-A2159:340.

9802240279 Summary of 971222 meeting w/PG&E in Rockville,MD re sale of Morro Bay Power Plant & offsite power sys improvements. List of attendees & licensee handouts encl.
BLOOM,S.D. . 98/02/03. . 29pp. A2282:195-A2282:223.

9802240013 Forwards SE accepting mod to remove requirement for sampling disolved oxygen in reactor coolant & for hydrogen & oxygen in containment atmosphere.
BLOOM,S.D. . 98/02/05. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. A2325:305-A2325:308.

–9802240015 Safety evaluation accepting mod of PASS.
* . 98/02/05. 2pp. A2325:307-A2325:308.

9802180001 Forwards addl info requested during 980205 telcon re LAR 97-03,requesting review & approval of TS changes allowing implementation of voltage-based alternate SG tube plugging criteria for outside diameter stress corrosion cracking.
RUEGER,G.M. Pacific Gas & Electric Co. 98/02/09. Document Control Branch (Document Control Desk). 5pp. A2243:245-A2243:249.

9802200135 Forwards rev 27 to operating procedure OP B-8D, "Refueling Prerequisites," rev 20 to OP B-8DS1, "Core Unloading Sequences" & rev 20 to OP B-8DS2, "Core Loading Sequence," to support TS basis change.
MIKLUSH,D.B. Pacific Gas & Electric Co. 98/02/13. Document Control Branch (Document Control Desk). 3pp. A2283:085-A2283:160.

—**9802200140** Rev 27 to OP B-8D, "Refueling Prerequisites."
FARRER,D., MAYER,M. Pacific Gas & Electric Co. 98/01/14. 23pp. A2283:088-A2283:110.

—**9802200141** Rev 20 to OP B-8DS1, "Core Unloading Sequence."
FARRIER,D., MAYER,M. Pacific Gas & Electric Co. 98/01/13. 22pp. A2283:111-A2283:132.

—**9802200144** Rev 20 to OP B-8DS2, "Core Loading Sequence."
FARRER,D., MAYER,M. Pacific Gas & Electric Co. 98/01/13. 28pp. A2283:133-A2283:160.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050355 Forwards insp repts 50-275/97-23 & 50-323/97-23 on 971123- 980103.No violations noted.
WONG,H.J. Region 4 (Post 820201). 98/01/26. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. A2010:189-A2010:211.

—**9802050357** Insp repts 50-275/97-23 & 50-323/97-23 on 971123-980103.No violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 4 (Post 820201). 98/01/26. 19pp. A2010:193-A2010:211.

9802050028 Forwards insp repts 50-275/98-01 & 50-323/98-01 on 980105- 09 & notice of violation re failure of individuals to have operating alarming dosimeters when radiological controlled area entered.
MURRAY,B. Region 4 (Post 820201). 98/01/30. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A2009:259-A2009:276.

—**9802050036** Notice of violation from insp on 980105-09.Violation noted: radiation workers did not follow radiation work permit requirements.
* Region 4 (Post 820201). 98/01/30. 2pp. A2009:264-A2009:265.

—**9802050041** Insp repts 50-275/98-01 & 50-323/98-01 on 980105-09. Violations noted.Major areas inspected:program to maintain occupational radiation exposure ALARA,external exposure controls & surveying & monitoring.
* Region 4 (Post 820201). 98/01/30. 11pp. A2009:266-A2009:276.

9802120266 Forwards insp relief request #PRS-1F for Units 1 & 2 to use AMSE Code Case N-498-1.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2233:168-A2233:171.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802250216 Monthly operating repts for Jan 1998 for Diablo Canyon Power Plant,Units 1 & 2.W/980213 ltr.
MALONE,D, EUBANK,T., POWERS,R.P. Pacific Gas & Electric Co. 98/01/31. 8pp. A2368:249-A2368:256.

S. Reportable occurrences, LERs & related correspondence

9802200022 Informs that LER number 97-015 for Diablo Canyon,Unit 1 was not used IAW guidance in NUREG-1022,Rev 1 (draft),Section 5.2.4.
POWERS,R.P. Pacific Gas & Electric Co. 98/02/11. Document Control Branch (Document Control Desk). 1p. A2288:352-A2288:352.

V. Operator Examinations

9802090190 Informs that NRC plans to administer GFES of written operator licensing exam at facility on 980408.Requests that listing of names of candidates for exam be submitted to appropriate Regional Administrator by 980306.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A2039:351-A2039:355.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802060219 Advises that 970922 revs to physical security plan & guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.
MODES,M.C. Region 1 (Post 820201). 98/01/27. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2138:307-A2138:309.

P. Operating license stage documents & correspondence

9802030001 "Peach Bottom 2 & 3 - Recirc Piping Reanalysis Uniform Support Motion (Reg Guide 1.60 Free-Field Motion & ASME Code Case N-411 Damping)."
HENRIE,D.K. General Electric Co. NEDC-32790. 97/10/31. 80pp. A2015:252-A2015:333.

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802130125 Informs that util supports docket 7201027 Transnuclear,Inc, exemption request & respectively asks NRC to grant exemption to assure continuing full core discharge capability at PBAPS.Units 2 & 3 now projected to loss full core discharge.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/29. Office of Nuclear Material Safety & Safeguards. 3pp. A2234:040-A2234:042.

9802190196 Application for amends to licenses DPR-44 & DPR-56,revising SR 3.6.4.1.2 & associated bases to reflect changes in requirements for secondary containment doors.
COTTON,J.B. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/04. Document Control Branch (Document Control Desk). 7pp. A2258:143-A2258:154.

—**9802190197** Proposed tech specs revising SR 3.6.4.1.2 & associated bases to reflect changes in requirements for secondary containment doors.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/04. 5pp. A2258:150-A2258:154.

9802190218 Clarifies that PBAPS,Units 2 & 3 conforms w/10CFR50,App J, Option B,as approved in SER dtd 960618 re amends 220 & 223 concerning rev to SR 3.6.1.3.16 for replacement frequency of primary containment purge & exhaust valve inflatable seals.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/05. Document Control Branch (Document Control Desk). 1p. A2258:234-A2258:234.

9802260273 Forwards Rev 3 to PECO-COLR-P2C12, "COLR for PBAPS,Unit 2, Reload 11,Cycle 12." COLR submitted to NRC in accordance w/ PBAPS,Unit 2 Tech Specs Section 5.6.5.d.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/13. Document Control Branch (Document Control Desk). 1p. A2373:157-A2373:179.

—**9802260275** Rev 3 to PECO-COLR-P2C12, "COLR for PBAPS,Unit 2,Reload 11, Cycle 12."
TUSAR,J.J., PAYTON,S.F., CARMODY,J.M. PECO Energy Co., (formerly Philadelphia Electric Co.). PECO-COLR-P2C12 R03. 98/01/23. 22pp. A2373:158-A2373:179.

9802270263 Provides detailed capacity projections for PBAPS,Units 2 & 3,fuel pools,which supports licensee basis for need to load nine TN-68 storage casks prior to July 2001.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/13. Office of Nuclear Material Safety & Safeguards. 4pp. A2412:001-A2412:005.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802060055 Responds to NRC 971216 ltr re violations noted in insp repts 50-277/97-07 & 50-278/97-07.Corrective actions:evacuated HPSW pump bay & placed administrative clearance on 3B HPSW pump to prevent manual or automatic start.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/29. Document Control Branch (Document Control Desk). 10pp. A2153:344-A2153:353.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802270005 Informs that proposed rev in scope & exam techniques,to that recommended in BWRVIP-18,to perform insps of plant,Unit 3 core spray piping,acceptable,based on listed info.
WILLIAMS,S.F. . 98/02/12. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2412:355-A2412:357.

9802270073 Forwards addl info per 980113 telcon re NRC request that excess flow check valves be specifically listed & separated between refueling outage justification & generic valve relief request.Revised relief requests,encl.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/13. Document Control Branch (Document Control Desk). 26pp. A2378:159-A2378:184.

9802270027 Forwards insp repts 50-277/97-08 & 50-278/97-08 on 971123- 980117 & NOV.Concern noted where lack of understanding of performance of various plant sys by operations personnel, contributed to unexpected plant equipment responses.
ANDERSON,C.J. Region 1 (Post 820201). 98/02/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2349:015-A2349:070.

-9802270031 Notice of violation from insp on 971123-980117.Violation noted:in Nov 1997,operations personnel did not fully adhere to routine test procedure RT-O-040-620-2,Rev 4, "Outstanding HVAC & Outer Screen Insp for Winter Operation."
* Region 1 (Post 820201). 98/02/20. 2pp. A2349:018-A2349:019.

-9802270033 Insp repts 50-277/97-08 & 50-278/97-08 on 971123-980117. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
* Region 1 (Post 820201). 98/02/20. 51pp. A2349:020-A2349:070.

9802270244 Confirms 980217 telcon w/J Caruse & L Mac Entee re arrangements made for NRC to inspect licensed operator requalification program at facility.
CONTE,R.J. Region 1 (Post 820201). 98/02/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2370:091-A2370:093.

R. Periodic operating reports & related correspondence

9802190287 Monthly operating repts for Jan 1998 for PBAPS,Units 2 & 3. W/980209 ltr.
KILGORE,D.M., WARNER,M.E. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/31. 11pp. A2258:155-A2258:165.

S. Reportable occurrences, LERs & related correspondence

9802050182 LER 97-010-00:on 971229,2A RFPT failed to trip when RO pushed CR 2A RFPT trip push-button.Caused by intermittent failure mechanism.Repaired,reinstalled & tested operability of 2A RFPT.W/980128 ltr.
LENGYEL,G., EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/28. 5pp. A2135:175-A2135:179.

V. Operator Examinations

9802120225 Informs that operator MC Tacelosky,license SOP-11272,has been permanently reassigned & no longer requires license. Removal from list of license holders,requested for individual.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/03.
MILLER,H.J. Region 1 (Post 820201). 1p. A2216:229-A2216:229.

9802270244 Confirms 980217 telcon w/J Caruse & L Mac Entee re arrangements made for NRC to inspect licensed operator requalification program at facility.
CONTE,R.J. Region 1 (Post 820201). 98/02/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2370:091-A2370:093.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802240055 Summary of 980122 meeting w/Transnuclear,Inc re TN-68 spent fuel dry storage cask contents & design.List of attendees & meeting handouts,encl.
WHALEY,S. Office of Nuclear Material Safety & Safeguards. 98/02/04.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 7pp. A2333:189-A2333:195.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9802060219 Advises that 970922 revs to physical security plan & guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.
MODES,M.C. Region 1 (Post 820201). 98/01/27. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2138:307-A2138:309.

P. Operating license stage documents & correspondence

9802030001 "Peach Bottom 2 & 3 - Recirc Piping Reanalysis Uniform Support Motion (Reg Guide 1.60 Free-Field Motion & ASME Code Case N-411 Damping)."
HENRIE,D.K. General Electric Co. NEDC-32790. 97/10/31. 80pp. A2015:252-A2015:333.

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050232 Provides identification of areas of ambiguity re amend 224 to facility OL DPR-56 & discussion of each.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/23. Document Control Branch (Document Control Desk). 4pp. A2145:269-A2145:272.

9802130125 Informs that util supports docket 7201027 Transnuclear,Inc, exemption request & respectively asks NRC to grant exemption to assure continuing full core discharge capability at PBAPS.Units 2 & 3 now projected to loss full core discharge.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/29. Office of Nuclear Material Safety & Safeguards. 3pp. A2234:040-A2234:042.

9802200386 "Peach Bottom Atomic Power Station Cycle 12 Startup Rept Unit 3." W/ 980202 ltr.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/31. 33pp. A2319:026-A2319:058.

9802190196 Application for amends to licenses DPR-44 & DPR-56,revising SR 3.6.4.1.2 & associated bases to reflect changes in requirements for secondary containment doors.
COTTON,J.B. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/04. Document Control Branch (Document Control Desk). 7pp. A2258:143-A2258:154.

-9802190197 Proposed tech specs revising SR 3.6.4.1.2 & associated bases to reflect changes in requirements for secondary containment doors.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/04. 5pp. A2258:150-A2258:154.

9802190218 Clarifies that PBAPS,Units 2 & 3 conforms w/10CFR50,App J, Option B,as approved in SER dtd 960618 re amends 220 & 223 concerning rev to SR 3.6.1.3.16 for replacement frequency of primary containment purge & exhaust valve inflatable seals.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/05. Document Control Branch (Document Control Desk). 1p. A2258:234-A2258:234.

9802270263 Provides detailed capacity projections for PBAPS,Units 2 & 3,fuel pools,which supports licensee basis for need to load nine TN-68 storage casks prior to July 2001.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/13. Office of Nuclear Material Safety & Safeguards. 4pp. A2412:001-A2412:005.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802060043 Informs that ISIs were completed on Unit 3 during 971003-1102,eleventh refuel outage IAW PECO Energy Company second ten-year interval ISI Program. W/ "Summary Rept for 951016-971102 Periodic Insp" & "Summary of ASME Repair...."
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2152:184-A2152:262.

-9802060060 "Peach Bottom Atomic Power Station Unit 3 Summary Rept for 951016 to 971102 Periodic Insp."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/23. 76pp. A2152:186-A2152:262.

9802060055 Responds to NRC 971216 ltr re violations noted in insp repts 50-277/97-07 & 50-278/97-07.Corrective actions:evacuated HPSW pump bay & placed administrative clearance on 3B HPSW pump to prevent manual or automatic start.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/29. Document Control Branch (Document Control Desk). 10pp. A2153:344-A2153:353.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802270005 Informs that proposed rev in scope & exam techniques,to that recommended in BWRVIP-18,to perform insps of plant,Unit 3 core spray piping,acceptable,based on listed info.
WILLIAMS,S.F. . 98/02/12. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2412:355-A2412:357.

9802270073 Forwards addl info per 980113 telcon re NRC request that excess flow check valves be specifically listed & separated between refueling outage justification & generic valve relief request.Revised relief requests,encl.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/13. Document Control Branch (Document Control Desk). 26pp. A2378:159-A2378:184.

9802270027 Forwards insp repts 50-277/97-08 & 50-278/97-08 on 971123- 980117 & NOV.Concern noted where lack of understanding of performance of various plant sys by operations personnel, contributed to unexpected plant equipment responses.
ANDERSON,C.J. Region 1 (Post 820201). 98/02/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2349:015-A2349:070.

-9802270031 Notice of violation from insp on 971123-980117.Violation noted:in Nov 1997,operations personnel did not fully adhere to routine test procedure RT-O-040-620-2,Rev 4, "Outstanding HVAC & Outer Screen Insp for Winter Operation."
* Region 1 (Post 820201). 98/02/20. 2pp. A2349:018-A2349:019.

-9802270033 Insp repts 50-277/97-08 & 50-278/97-08 on 971123-980117. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
* Region 1 (Post 820201). 98/02/20. 51pp. A2349:020-A2349:070.

9802270244 Confirms 980217 telcon w/J Caruse & L Mac Entee re arrangements made for NRC to inspect licensed operator requalification program at facility.
CONTE,R.J. Region 1 (Post 820201). 98/02/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2370:091-A2370:093.

R. Periodic operating reports & related correspondence

9802190287 Monthly operating repts for Jan 1998 for PBAPS,Units 2 & 3. W/980209 ltr.
KILGORE,D.M., WARNER,M.E. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/31. 11pp. A2258:155-A2258:165.

V. Operator Examinations

9802120225 Informs that operator MC Tacelosky,license SOP-11272,has been permanently reassigned & no longer requires license. Removal from list of license holders,requested for individual.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/03. MILLER,H.J. Region 1 (Post 820201). 1p. A2216:229-A2216:229.

9802270244 Confirms 980217 telcon w/J Caruse & L Mac Entee re arrangements made for NRC to inspect licensed operator requalification program at facility.
CONTE,R.J. Region 1 (Post 820201). 98/02/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2370:091-A2370:093.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802240055 Summary of 980122 meeting w/Transnuclear,Inc re TN-68 spent fuel dry storage cask contents & design.List of attendees & meeting handouts,encl.
WHALEY,S. Office of Nuclear Material Safety & Safeguards. 98/02/04. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 7pp. A2333:189-A2333:195.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802030018 Forwards mods & rev summary to affected points for ERDS database updates.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/23. Document Control Branch (Document Control Desk). 14pp. A2018:303-A2018:316.

9802040103 Forwards rev 3 to physical security plan,per 10CFR50.54(p) & 10CFR72.186(b).Changes do not decrease safeguards effectiveness of plan.Encl withheld.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2081:353-A2081:354.

9802120144 Forwards rev 3 to physical security plan for plants & associated ISFSIs.W/o encl.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2216:313-A2216:314.

J. Insurance & Indemnity Information

9802050169 Submits 33 certified endorsements & 2 new policies of AN/MAELU nuclear liability insurance policies for North Anna & Surry Power Stations.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 42pp. A2136:083-A2136:125.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040207 Discusses 980116 meeting w/utility in Atlanta,GA to provide VEPCO opportunity to discuss performance at Surry facility. List of attendees,plant self assessment dtd 980116,safety culture memo & suppl handout encl.
HAAG,R.C. Region 2 (Post 820201). 98/01/23. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 59pp. A1998:288-A1998:347.

9802050365 Forwards response to NRC request for addl info re proposed TS for increased fuel enrichment for Units 1 & 2.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. Document Control Branch (Document Control Desk). 5pp. A2149:300-A2149:304.

9802090046 Forwards clarification of util licensing compliance commitment re identification of how functional basis of limiting RCS during ATWS is ensured by existing AMSAC interlock permissive (C-20) setpoint.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. Document Control Branch (Document Control Desk). 4pp. A2154:353-A2154:356.

9802100158 Informs of NRC Region II mgt changes that will be effective on 980215.Revised organization chart for NRC Region II encl.
HAAG,R.C. Region 2 (Post 820201). 98/02/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A2095:176-A2095:179.

9802190201 Requests approval of three month extension to provide capsule analysis summary rept to NRC.Extension corresponds to revised due date of 980619.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/05. COLLINS,S.J. . 2pp. A2258:184-A2258:185.

9802240435 Responds to 971017 request for withholding info from public disclosure re WCAP-14874,rev 1, "Handbook on Flaw Evaluation - Surry Units 1 & 2 SG Upper Shell to Cone Weld Regions," pursuant 10CFR2.790.Request granted.
EDISON,G.E. . 98/02/05. SEPP,H.A. Westinghouse Electric Corp. 3pp. A2283:068-A2283:070.

9802180083 Informs that plants have fulfilled commitment to implement formal industry position on severe accident mgt which was approved by Nuclear Energy Institutes Nuclear Strategic Issues Advisory Committee on 941104 as of 980107.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/06. Document Control Branch (Document Control Desk). 2pp. A2243:211-A2243:212.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040026 Forwards insp repts 50-280/97-12 & 50-281/97-12 on 981116-1227 & NOV re failure to have adequate procedures & failure to properly implement procedures that were identified.
HAAG,R.C. Region 2 (Post 820201). 98/01/26. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A1998:102-A1998:129.

–9802040043 Notice of violation from insp on 971116-1227.Violations noted:operator performing procedure did not identify that switches were actually in pull-to-lock position & operations procedure "Outside Log" Step 5 not followed.
* Region 2 (Post 820201). 98/01/26. 3pp. A1998:106-A1998:108.

–9802040061 Insp repts 50-280/97-12 & 50-281/97-12 on 971116-1227. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 98/01/26. 21pp. A1998:109-A1998:129.

9802050251 Informs of plans to conduct design inspection of Surry nuclear facility.Onsite portion of inspection schedule for 980216-20,0302-13 & 0323-27.
EDISON,G.E. . 98/01/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A2007:315-A2007:317.

9802180075 Submits SG ISI summary rept for Surry Power Station,Units 1 & 2 during 1997 per TS 4.19.F.b.Summary of results of exams & glossary of terms used in rept,encl.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/02/05. Document Control Branch (Document Control Desk). 7pp. A2243:227-A2243:233.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802240148 Requests NRC staff to further consider generic,first-of-a- kind efforts involved in combined submittal in establishing any fees associated w/review of topical rept & risk-informed ISI submittals.Waiver of fees requested.
LIBERATORI,L.F., SAUNDERS,R.F. Westinghouse Operating Plants Owners Group. 98/02/09. SHERON,B.W. . 3pp. A2333:207-A2333:209.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802120250 Forwards VEPC semi-annual fitness for duty program performance data rept for period of 970701-1231,per 10CFR26.71(d).
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/02/04. Document Control Branch (Document Control Desk). 16pp. A2216:297-A2216:312.

9802200156 Forwards MOR for SPS,Units 1 & 2 for month of Jan 1998. Review of historical data revealed that cumulative hours of operation was incorrect by one h.Hour has no effect on related data & has been added to accumulative total.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/02/12. Document Control Branch (Document Control Desk). 1p. A2320:222-A2320:239.

–9802200165 Monthly operating repts for Jan 1998 for Surry Power Station,Units 1 & 2.
STEINERT,J.C., MARSHALL,G.N., MASON,D.K. Virginia Power (Virginia Electric & Power Co.). 98/01/31. 17pp. A2320:223-A2320:239.

S. Reportable occurrences, LERs & related correspondence

9802170112 LER 98-001-00:on 980108,deficient test due to faulty test equipment resulted in TS violation.Caused by faulty vibration analyzer cable or loose connection.Station deviation rept was submitted.W/980206 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/02/06. 6pp. A2231:268-A2231:273.

V. Operator Examinations

9802050318 Requests that license for JJ Simpson be canceled as license no longer required.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/01/20. Region 2 (Post 820201). 2pp. A2135:257-A2135:258.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802040413 Informs that util established subaccounts for nuclear decommissioning trusts to separately track amounts re ISFSIs for North Anna & Surry Power Stations.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2135:204-A2135:205.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802030018 Forwards mods & rev summary to affected points for ERDS database updates.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/23. Document Control Branch (Document Control Desk). 14pp. A2018:303-A2018:316.

9802040103 Forwards rev 3 to physical security plan,per 10CFR50.54(p) & 10CFR72.186(b).Changes do not decrease safeguards effectiveness of plan.Encl withheld.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2081:353-A2081:354.

9802120144 Forwards rev 3 to physical security plan for plants & associated ISFSIs.W/o encl.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2216:313-A2216:314.

J. Insurance & indemnity information

9802050169 Submits 33 certified endorsements & 2 new policies of AN/MAELU nuclear liability insurance policies for North Anna & Surry Power Stations.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 42pp. A2136:083-A2136:125.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040207 Discusses 980116 meeting w/utility in Atlanta,GA to provide VEPCO opportunity to discuss performance at Surry facility. List of attendees,plant self assessment dtd 980116,safety culture memo & suppl handout encl.
HAAG,R.C. Region 2 (Post 820201). 98/01/23. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 59pp. A1998:288-A1998:347.

9802050365 Forwards response to NRC request for addl info re proposed TS for increased fuel enrichment for Units 1 & 2.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. Document Control Branch (Document Control Desk). 5pp. A2149:300-A2149:304.

9802090046 Forwards clarification of util licensing compliance commitment re identification of how functional basis of limiting RCS during ATWS is ensured by existing AMSAC interlock permissive (C-20) setpoint.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. Document Control Branch (Document Control Desk). 4pp. A2154:353-A2154:356.

9802100158 Informs of NRC Region II mgt changes that will be effective on 980215.Revised organization chart for NRC Region II encl.
HAAG,R.C. Region 2 (Post 820201). 98/02/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A2095:176-A2095:179.

9802240435 Responds to 971017 request for withholding info from public disclosure re WCAP-14874,rev 1, "Handbook on Flaw Evaluation - Surry Units 1 & 2 SG Upper Shell to Cone Weld Regions," pursuant 10CFR2.790.Request granted.
EDISON,G.E. . 98/02/05. SEPP,H.A. Westinghouse Electric Corp. 3pp. A2283:068-A2283:070.

9802180083 Informs that plants have fulfilled commitment to implement formal industry position on severe accident mgt which was approved by Nuclear Energy Institutes Nuclear Strategic Issues Advisory Committee on 941104 as of 980107.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/06. Document Control Branch (Document Control Desk). 2pp. A2243:211-A2243:212.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040026 Forwards insp repts 50-280/97-12 & 50-281/97-12 on 981116-1227 & NOV re failure to have adequate procedures & failure to properly implement procedures that were identified.
HAAG,R.C. Region 2 (Post 820201). 98/01/26. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A1998:102-A1998:129.

-9802040043 Notice of violation from insp on 971116-1227.Violations noted:operator performing procedure did not identify that switches were actually in pull-to-lock position & operations procedure "Outside Log" Step 5 not followed.
* Region 2 (Post 820201). 98/01/26. 3pp. A1998:106-A1998:108.

-9802040061 Insp repts 50-280/97-12 & 50-281/97-12 on 971116-1227. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 98/01/26. 21pp. A1998:109-A1998:129.

9802050251 Informs of plans to conduct design inspection of Surry nuclear facility.Onsite portion of inspection schedule for 980216-20,0302-13 & 0323-27.
EDISON,G.E. . 98/01/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A2007:315-A2007:317.

9802180075 Submits SG ISI summary rept for Surry Power Station,Units 1 & 2 during 1997 per TS 4.19.F.b.Summary of results of exams & glossary of terms used in rept,encl.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/02/05. Document Control Branch (Document Control Desk). 7pp. A2243:227-A2243:233.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802120250 Forwards VEPC semi-annual fitness for duty program performance data rept for period of 970701-1231,per 10CFR26.71(d).
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/02/04. Document Control Branch (Document Control Desk). 16pp. A2216:297-A2216:312.

9802200156 Forwards MOR for SPS,Units 1 & 2 for month of Jan 1998. Review of historical data revealed that cumulative hours of operation was incorrect by one h.Hour has no effect on related data & has been added to accumulative total.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/02/12. Document Control Branch (Document Control Desk). 1p. A2320:222-A2320:239.

-9802200165 Monthly operating repts for Jan 1998 for Surry Power Station,Units 1 & 2.
STEINERT,J.C., MARSHALL,G.N., MASON,D.K. Virginia Power (Virginia Electric & Power Co.). 98/01/31. 17pp. A2320:223-A2320:239.

V. Operator Examinations

9802050318 Requests that license for JJ Simpson be canceled as license no longer required.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 98/01/20. Region 2 (Post 820201). 2pp. A2135:257-A2135:258.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802040413 Informs that util established subaccounts for nuclear decommissioning trusts to separately track amounts re ISFSIs for North Anna & Surry Power Stations.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2135:204-A2135:205.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802060037 Forwards requested analysis summary rept re vehicle barrier sys for insp repts 50-282/97-07 & 50-306/97-07.Info included in attachment safeguards info & therefore exempt from PDR. W/o encl.
SORENSEN,J.P. Northern States Power Co. 98/01/27. PIRTLE,G.L. Region 3 (Post 820201). 2pp. A2150:347-A2150:348.

9802170101 Forwards four copies of rev 37 to Prairie Island security plan.Plan withheld.
SORENSEN,J.P. Northern States Power Co. 98/02/09. Document Control Branch (Document Control Desk). 1p. A2182:345-A2182:345.

9802170105 Forwards four copies of rev 15 to Prairie Island security force training & qualification plan,incorporating NRC comments to rev 14.Plan withheld.
SORENSEN,J. Northern States Power Co. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2182:346-A2182:347.

9802190208 Dockets that listed revs to emergency plan that were inadvertently mailed w/o appropriate cover ltr were sent to NRC.
SORENSEN,J.P. Northern States Power Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2254:359-A2254:359.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9802250212 Forwards postmarked ltr,dtd 980221 re request for 10-day extension of 25-day comment period concerning Director's Decision to deny petition of Prairie Island Coalition.
CROCKER,G. Affiliation Not Assigned. #198 18821. 98/02/23. HOYLE,J. Office of the Secretary of the Commission. 2pp. A2288:001-A2288:002.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050323 Forwards copy of notice of consideration of issuance of amend to FOL,proposed NSHC & opportunity for hearing re NSP application for amend for PINGS,Unit 1 dtd 980115.
WETZEL,B.A. . 98/01/26. ANDERSON,R.O. Northern States Power Co. 3pp. A2010:332-A2010:342.

–**9802050324** Notice of consideration of issuance of amend to license DPR-42 & proposed NSHC determination & opportunity for hearing.Amend would initiate one-time only change for PINGS Unit 1 Cycle 19 allowing use of incore detector sys.
WETZEL,B.A. . 98/01/26. 8pp. A2010:335-A2010:342.

9802050255 Requests approval of alternative to ASME code requirements re liquid penetrant testing requirements of N-518.4 of 1968 ASME Boiler & Pressure Vessel Code for weld repairs.Related info encl.
SORENSEN,J.P. Northern States Power Co. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2135:239-A2135:254.

–**9802050264** Rev 1 to calculation NSP-26Q-302, "Evaluation of Limiting Flaws for Structural Adequacy in Canopy Seal Repairs at Prairie Island Nuclear Plant.
* Northern States Power Co. NSP-26Q-302 R01. 98/01/29. 11pp. A2135:244-A2135:254.

9802240272 Advises that info re 971110 application by NSP & CE original affidavit,dtd 970905 will be withheld from public disclosure,per 10CFR2.790.
WETZEL,B.A. . 98/02/03. ANDERSON,R.O. Northern States Power Co. 5pp. A2333:351-A2333:355.

9802240289 Responds to request for withholding info from public disclosure pursuant to 10CFR2.790 re amend request on moveable incore detector thimble reduction for Unit 1 Cycle 19.Request granted pursuant to 10CFR2.790(b)(5).
WETZEL,B.A. . 98/02/03. ANDERSON,R.O. Northern States Power Co. 4pp. A2281:347-A2281:350.

9802180168 Forwards application for amends to licenses DPR-42 & DPR-60, increasing reactor coolant sys boron concentration to meet requirements of Tech specs.
SORENSEN,J.P. Northern States Power Co. 98/02/10. Document Control Branch (Document Control Desk). 3pp. A2243:159-A2243:174.

–**9802180178** Application for amends to licenses DPR-42 & DPR-60,revising TS 1-1 re one time reduction of Mode 6 reactor coolant sys boron concentration.
SORENSEN,P. Northern States Power Co. 98/02/10. 9pp. A2243:162-A2243:170.

–**9802180180** Proposed Tech Specs 1-1 re one time reduction of Mode 6 reactor coolant sys boron concentration.
* Northern States Power Co. 98/02/10. 4pp. A2243:171-A2243:174.

9802200010 Requests approval of alternatives to liquid penetrant testing requirements of N-518.4 of 1968 ASME boiler & pressure vessel code for weld repairs discussed.Rev 0 to calculation SIC-98-009 re weld evaluation,encl.
SORENSEN,J.P. Northern States Power Co. 98/02/13. Document Control Branch (Document Control Desk). 7pp. A2270:298-A2270:314.

–**9802200011** Rev 0 to SIC-98-009, "Evaluation of Limiting Flaws for Structural Adequacy in CRDM Repair Adapter Plug Fillet Weld Evaluation at Prairie Island Unit 2."
* Structural Integrity Associates, Inc. NSP-27Q. SIC-98-009 R00. 98/02/12. 10pp. A2270:305-A2270:314.

9802250107 Submits ltr to document results of discussions between NSP & NRC staff re analysis required to resolve intake canal seismic stability issue.New NRC commitments made within ltr.
SORENSEN,J.P. Northern States Power Co. 98/02/18. Document Control Branch (Document Control Desk). 3pp. A2360:339-A2360:341.

9802260032 Ack receipt of 980127 ltr transmitting results of engineering analysis conducted for portion of vehicle barrier sys.
CREED,J.R. Region 3 (Post 820201). 98/02/20. SORENSEN,J.P. Northern States Power Co. 2pp. A2344:038-A2344:039.

9802260244 Responds to 980218 RAI concerning Prairie Island,Unit 2 CRDM leak.
SORENSEN,J.P. Northern States Power Co. 98/02/23. Document Control Branch (Document Control Desk). 67pp. A2373:001-A2373:067.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040045 Forwards draft version of insp repts 50-282/97-19 & 50-306/97-19 & draft notice of violation.On 971209,inspector inadvertently provided staff w/e-mail copy of subj rept before approval for release.
GRANT,G.E. Region 3 (Post 820201). 98/01/23. WADLEY,M. Northern States Power Co. 30pp. A1997:003-A1997:032.

9802060037 Forwards requested analysis summary rept re vehicle barrier sys for insp repts 50-282/97-07 & 50-306/97-07.Info included in attachment safeguards info & therefore exempt from PDR. W/o encl.
SORENSEN,J.P. Northern States Power Co. 98/01/27. PIRTLE,G.L. Region 3 (Post 820201). 2pp. A2150:347-A2150:348.

9802120149 Forwards insp repts 50-282/97-23 & 50-306/97-23 on 971203-980113 & NOV.Violation identified in area of procedural adherence.
GRANT,G.E. Region 3 (Post 820201). 98/01/30. WADLEY,M. Northern States Power Co. 3pp. A2142:302-A2142:333.

–**9802120151** Notice of violation from insp on 971203-980113.Violation noted:on 971210,Maint Procedure D32,Rev 6,was not allowed for Unit 1 when RO & nuclear engineer coordinating procedure on two occasions,failed to do five degree cooldown & heatup.
* Region 3 (Post 820201). 98/01/30. 2pp. A2142:305-A2142:306.

–**9802120155** Insp repts 50-282/97-23 & 50-306/97-23 on 971203-980113. Violations noted.Major areas inspected:licensee operations, maint,engineering & plant support.
* Region 3 (Post 820201). 98/01/30. 27pp. A2142:307-A2142:333.

9802110061 Ack receipt of 980121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/97-19 & 50-306/97-19.
GROBE,J.A. Region 3 (Post 820201). 98/02/03. WADLEY,M.D. Northern States Power Co. 3pp. A2133:327-A2133:334.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200086 "Prairie Island Nuclear Generating Plant Annual ISFSI Effluent Rept Jan-Dec 1997." W/980211 ltr.
SORENSEN,J.P. Northern States Power Co. 97/12/31. 3pp. A2318:358-A2318:360.

9802190053 Monthly operating repts for Jan 1998 for Prairie Island Nuclear Generating Plant.W/980210 ltr.
DUGSTAD,D., SORENSEN,J.P. Northern States Power Co. 98/01/31. 10pp. A2270:328-A2270:337.

S. Reportable occurrences, LERs & related correspondence

9802240045 Forwards LER 98-001-00,re leakage through redundant CR steam exclusion dampers found to exceed value assumed in HELB analysis.Commitments made by ltr,encl.
SORENSEN,J.P. Northern States Power Co. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2318:299-A2318:304.

–**9802240054** LER 98-001-00:on 980117,leakage through CR steam exclusion dampers found to exceed value assumed in HELB analysis. Caused by actuator being out of adjustment.Repaired & replaced dampers.
KIVI,J. Northern States Power Co. 98/01/17. 4pp. A2318:300-A2318:304.

9802240357 Forwards LER 98-002-00 re control room unfiltered air inleakage found to be excessive.Util made two new NRC commitments,indicated as corrective action statement in italics in rept.
SORENSEN,J.P. Northern States Power Co. 98/02/18. Document Control Branch (Document Control Desk). 1p. A2345:135-A2345:138.

–**9802240367** LER 98-002-00:on 980121,test results in excess of assumed CR inleakage resulted in four h non-emergency rept,per 10CFR50.72(b)(2)(iii)(D).Caused by leakage past door seals. CR door seals repaired & replaced.
KIVI,J. Northern States Power Co. 98/02/18. 3pp. A2345:136-A2345:138.

9802240264 Forwards LER 98-003-00 re routing of containment dome fan coil unit exhaust damper control circuit wiring contrary to configuration described in USAR.Event reported via emergency notification sys in accordance w/10CFR50.72 on 980122.
SORENSEN,J.P. Northern States Power Co. 98/02/20. Document Control Branch (Document Control Desk). 1p. A2344:209-A2344:212.

–**9802240267** LER 98-003-00:on 980122,routing of containment dome fan coil unit exhaust dampers control circuit wiring contrary to configuration described in USAR occurred.Investigation produced no conclusive evidence for cause.Procedure revised.
STANTON,J. Northern States Power Co. 98/02/20. 3pp. A2344:210-A2344:212.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802050150 Rev 33 to EPIP OSC-2,including pages 1,8,9,12 & 16 only (typographical error).W/980123 ltr.
GAMBHIR,S.K. Omaha Public Power District. 98/01/23. 10pp. A2087:139-A2087:148.

9802050223 Provides addl info which supports request exemption from 10CFR50 App R.Updated status of long-term corrective actions re lube oil leakage from RC-3D reactor coolant pump motor, discussed.
GAMBHIR,S.K. Omaha Public Power District. 98/01/29. Document Control Branch (Document Control Desk). 3pp. A2135:233-A2135:235.

9802060065 Forwards copy of "Environ Assessment & Finding of No Significant Impact," re 970829 application,as supplemented by 971023 ltr,that requested exemption from requirements of 10CFR70.24.
WHARTON,L.R. . 98/01/29. GAMBHIR,S.K. Omaha Public Power District. 2pp. A2037:020-A2037:026.

–**9802060068** Environ assessment & finding of no significant impact re issuance of exemption from certain requirements of 10CFR70.24(a) for Fort Calhoun Station,Unit 1.
WHARTON,L.R. . 98/01/29. 5pp. A2037:022-A2037:026.

9802060177 Provides submittal as suppl to ltr dtd 970523 re SAR update & 10CFR50.59 rept for Fort Calhoun Station.Attachment A describes procedure change & summarizes safety analysis.
GAMBHIR,S.K. Omaha Public Power District. 98/01/30. Document Control Branch (Document Control Desk). 97pp. A2151:216-A2151:312.

9802110104 Forwards updated Basis of TS Section 2.5 re steam & FW sys to reflect mod MR-FC-94-018 which changed alternate water supply source to emergency FW storage tank from fire protection sys to raw water sys.
GAMBHIR,S.K. Omaha Public Power District. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2230:110-A2230:112.

9802120022 Ack receipt of 970319 ltr which transmitted changes to REP for Fort Calhoun Station submitted under provisions of 10CFR50,Appendix E & 10CFR50.4(b)(5)(iii).NRC approval not required.
MURRAY,B. Region 4 (Post 820201). 98/02/06. GAMBHIR,S.K. Omaha Public Power District. 3pp. A2142:037-A2142:039.

9802120026 Ack receipt of 970411 ltr which transmitted changes to REP for Fort Calhoun Station submitted under provisions of 10CFR50,Appendix E & 10CFR50.4(b)(5)(iii).NRC approval not required.
MURRAY,B. Region 4 (Post 820201). 98/02/06. GAMBHIR,S.K. Omaha Public Power District. 3pp. A2142:047-A2142:049.

9802120037 Ack receipt of 970522 ltr which transmitted changes to REP for Fort Calhoun Station submitted under provisions of 10CFR50,Appendix E & 10CFR50.4(b)(5)(iii).NRC approval not required.
MURRAY,B. Region 4 (Post 820201). 98/02/06. GAMBHIR,S.K. Omaha Public Power District. 3pp. A2142:087-A2142:089.

9802120045 Ack receipt of 970409 ltr which transmitted changes to REP for Fort Calhoun Station submitted under provisions of 10CFR50,App E & 10CFR50.4(b)(5)(iii).NRC approval not required.
MURRAY,B. Region 4 (Post 820201). 98/02/06. GAMBHIR,S.K. Omaha Public Power District. 3pp. A2142:161-A2142:163.

9802120169 Ack receipt of 970710 ltr,transmitting changes to radiological emergency plan for Fort Calhoun Station submitted under provisions of 10CFR50,App E & 10CFR50.4(b)(5)(iii).No NRC approval required.
MURRAY,B. Region 4 (Post 820201). 98/02/06. GAMBHIR,S.K. Omaha Public Power District. 3pp. A2143:022-A2143:024.

9802120029 Ack receipt of 970508 ltr which transmitted changes to REP for Fort Calhoun Station submitted under provisions of 10CFR50,Appendix E & 10CFR50.4(b)(5)(iii).Informs that NRC approval not required.
MURRAY,B. Region 4 (Post 820201). 98/02/09. GAMBHIR,S.K. Omaha Public Power District. 3pp. A2142:070-A2142:073.

9802230251 Forwards rev 16 to Fort Calhoun Station site security plan. Plan withheld.
GAMBHIR,S.K. Omaha Public Power District. 98/02/18. Document Control Branch (Document Control Desk). 4pp. A2329:355-A2329:358.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040195 Forwards revised Section 10.0, "On-site Results for Analysis to Support Removal of FCS Toxic Gas Monitoring Sys," originally Attachment 2 to 950109 application for amend to license,per discussions w/NRC.
GAMBHIR,S.K. Omaha Public Power District. 98/01/26. Document Control Branch (Document Control Desk). 12pp. A2036:264-A2036:275.

9802240023 Forwards amend 183 to license DPR-40 & safety evaluation. Amend revises TS to delete requirements for toxic gas monitoring sys contained in TS 2.22 & TS 3.1,table 3-3,item 29 for toxic chemicals except ammonia.
WHARTON,L.R. . 98/01/26. GAMBHIR,S.K. Omaha Public Power District. 2pp. A2282:339-A2282:356.

-9802240029 Amend 183 to license DPR-40,revises TS to delete requirements for toxic gas monitoring sys contained in TS 2.22 & TS 3.1,table 3-3,item 29,for toxic chemicals except ammonia.
WHARTON,L.R. . 98/01/26. 7pp. A2282:341-A2282:347.

-9802240032 Safety evaluation supporting amend 183 to license DPR-40.
* . 98/01/26. 7pp. A2282:348-A2282:354.

-9802240037 Notice of partial denial of amend to license DPR-40 & opportunity for hearing.Purpose of amend to revise TS to delete requirements for toxic gas monitoring sys for toxic chemicals.Request pertaining to ammonia not granted.
WHARTON,L.R. . 98/01/26. 2pp. A2282:355-A2282:356.

9802050266 Requests addl info to complete review of util request re TS changes for Fort Calhoun Station,Unit 1.Application addresses incorporating addl restrictions on operation of MSSVs.Info to be submitted within 30 days of receipt of ltr.
WHARTON,L.R. . 98/01/27. GAMBHIR,S.K. Omaha Public Power District. 4pp. A2012:224-A2012:227.

9802060065 Forwards copy of "Environ Assessment & Finding of No Significant Impact," re 970829 application,as supplemented by 971023 ltr,that requested exemption from requirements of 10CFR70.24.
WHARTON,L.R. . 98/01/29. GAMBHIR,S.K. Omaha Public Power District. 2pp. A2037:020-A2037:026.

-9802060068 Environ assessment & finding of no significant impact re issuance of exemption from certain requirements of 10CFR70.24(a) for Fort Calhoun Station,Unit 1.
WHARTON,L.R. . 98/01/29. 5pp. A2037:022-A2037:026.

9802110147 Forwards two tables containing info requested by I Barnes during week of 971222 re SG tube plugging.Tables were provided by facsimile before data verification was complete. Minor changes to table 1 made.
GAMBHIR,S.K. Omaha Public Power District. 98/01/29. Document Control Branch (Document Control Desk). 5pp. A2230:102-A2230:106.

9802060177 Provides submittal as suppl to ltr dtd 970523 re SAR update & 10CFR50.59 rept for Fort Calhoun Station.Attachment A describes procedure change & summarizes safety analysis.
GAMBHIR,S.K. Omaha Public Power District. 98/01/30. Document Control Branch (Document Control Desk). 97pp. A2151:216-A2151:312.

9802060189 Forwards "Fort Calhoun Station Performance Indicators," rept for Dec 1997.
GAMBHIR,S.K. Omaha Public Power District. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2159:170-A2159:257.

-9802060193 "Fort Calhoun Station Performance Indicators," for Dec 1997.
* Omaha Public Power District. 97/12/31. 83pp. A2159:171-A2159:257.

9802100014 Forwards application for amend to license DPR-40,requesting deletion of Section 3.E,license term,which requires monitoring of long term load factor & reevaluation of end of license fluence w/ENDF/B-VI cross sections,from license.
GAMBHIR,S.K. Omaha Public Power District. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2177:175-A2177:281.

-9802100017 Application for amend to license DPR-40,requesting deletion of Section 3.E, "License Term" from license.
GAMBHIR,S.K. Omaha Public Power District. 98/01/30. 2pp. A2177:178-A2177:179.

-9802100018 Proposed tech specs deleting Section 3.E re license term.
* Omaha Public Power District. 98/01/30. 7pp. A2177:180-A2177:186.

-9802100021 "Fast Neutron Fluence Evaluations for Fort Calhoun Unit 1 Reactor Pressure Vessel."
ANDERSON,S.L. Westinghouse Electric Corp. SE-REA-95-003. 95/11/30. 95pp. A2177:187-A2177:281.

9802100060 Forwards application for amend to license DPR-40,relocating pressure-temperature curves,predicted radiation induced NDTT shift curve & LTOP limits,per GL 96-03.Document titled "RCS Unit 1 RCS PT Limits Rept" & CE NPSD-683,Rev 2 encl.
GAMBHIR,S.K. Omaha Public Power District. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2177:001-A2177:174.

-9802100063 Application for amend to license DPR-40,relocating pressure- temp curves,predicted radiation induced NDTT shift curve & LTOP limits to FCS Unit 1 RCS PT limits rept (PTLR).
GAMBHIR,S.K. Omaha Public Power District. 98/01/30. 3pp. A2177:004-A2177:006.

-9802100064 Proposed tech specs,reflecting relocation of pressure-temp curves,predicted radiation induced NDTT shift curve & LTOP limits to FCS Unit 1 RCS PT limits rept.
* Omaha Public Power District. 98/01/30. 31pp. A2177:007-A2177:037.

-9802100066 Rev 0 to Technical Data Book (TDB) TDB-IX, "FCS RCS Pressure-Temp Limits Rept (PTLR)."
* Omaha Public Power District. TDB-IX R00. 97/12/31. 19pp. A2177:038-A2177:056.

-9802100067 Rev 0 to Final Rept CE NPSD-683, "Development of RCS Pressure & Temp Limits Rept for Removal of P-T Limits & LTOP Requirements from Tech Specs."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CE NPSD-683 R02. 97/12/31. 115pp. A2177:057-A2177:174.

9802110104 Forwards updated Basis of TS Section 2.5 re steam & FW sys to reflect mod MR-FC-94-018 which changed alternate water supply source to emergency FW storage tank from fire protection sys to raw water sys.
GAMBHIR,S.K. Omaha Public Power District. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2230:110-A2230:112.

-9802110108 Proposed Tech Specs Section 2.5 re steam & feedwater sys.
* Omaha Public Power District. 98/01/30. 1p. A2230:112-A2230:112.

9802240221 Forwards exemption from requirements of 10CFR70.24 re criticality monitors.Low probability of criticality together w/adherence to GDC 63 constitute good cause for granting exemption.
WHARTON,L.R. . 98/02/06. GAMBHIR,S.K. Omaha Public Power District. 2pp. A2325:176-A2325:183.

-9802240226 Exemption from requirements of 10CFR70.24, "Criticality Accident Requirements." Exemption granted.
MIRAGLIA,F.J. . 98/02/06. Omaha Public Power District. 6pp. A2325:178-A2325:183.

9802190225 Informs of application of Interim Operability Criteria (IOC) for determining operability of FCS LPSI sys.Necessity for application of IOC to FCS LPSI sys was identified after review of Info Notice 97-40.
GAMBHIR,S.K. Omaha Public Power District. 98/02/12. Document Control Branch (Document Control Desk). 2pp. A2258:268-A2258:269.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050124 Forwards insp rept 50-285/97-20 on 971207-980117 & NOV. One violation identified re use of operations memo to direct operator actions such that,in effect,procedure change being implemented w/o processing IAW TS requirements.
JOHNSON,W.D. Region 4 (Post 820201). 98/01/28. GAMBHIR,S.K. Omaha Public Power District. 5pp. A2010:070-A2010:094.

-9802050130 Notice of violation from insp on 971207-980117.Violations noted:changes to operating procedures affecting nuclear safety were in effect,implemented,via five different operations memos w/o performed requirements of TS
* Region 4 (Post 820201). 98/01/28. 2pp. A2010:075-A2010:076.

-9802050137 Insp rept 50-285/97-20 on 971207-980117.Violations noted. Major areas inspected:operation,maint,engineering & plant support.
* Region 4 (Post 820201). 98/01/28. 18pp. A2010:077-A2010:094.

9802050209 Ack receipt of 980116 ltr explaining steps taken to correct violations noted in insp rept 50-285/97-19 on 971219.Finds reply responsive to concerns raised in NOV.Will review implementation of C/As during future insp.
JOHNSON,W.D. Region 4 (Post 820201). 98/01/29. GAMBHIR,S.K. Omaha Public Power District. 4pp. A2010:148-A2010:156.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190225 Informs of application of Interim Operability Criteria (IOC) for determining operability of FCS LPSI sys.Necessity for application of IOC to FCS LPSI sys was identified after review of Info Notice 97-40.
GAMBHIR,S.K. Omaha Public Power District. 98/02/12. Document Control Branch (Document Control Desk). 2pp. A2258:268-A2258:269.

R. Periodic operating reports & related correspondence

9802200108 Monthly operating rept for Jan 1998 for Fort Calhoun Station.W/980212 ltr.
EDWARDS,M.L., GAMBHIR,S.K. Omaha Public Power District. 98/01/31. 3pp. A2283:293-A2283:295.

9802260172 Forwards fitness-for-duty program performance data rept for period from Jul-Dec 1997.
GAMBHIR,S.K. Omaha Public Power District. 98/02/20. Document Control Branch (Document Control Desk). 4pp. A2373:184-A2373:187.

V. Operator Examinations

9802090167 Informs that NRC plans to adminster generic fundamentals exam section of written operator licensing exam at facility on 980408.GFES will consist of 100 questions.Max time allowed for exam is 3 h & passing grade will be 80 percent.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. GAMBHIR,S.K. Omaha Public Power District. 5pp. A2048:085-A2048:089.

9802190207 Requests that condition re corrective lenses be removed from SRO license of EA Riggs,SOP-43599.Encl NRC Form-396 recommends no restrictions on subject license.W/o encl.
GAMBHIR,S.K. Omaha Public Power District. 98/02/13. MERSCHOFF,E.W. Region 4 (Post 820201). 1p. A2254:361-A2254:361.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9802040098 Forwards rev 17 to physical security plan,per requirements of 10CFR50.54(p).Rev 17 contains "Summary of Changes," detailing changes incorporated.Encl withheld.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/01/21. Document Control Branch (Document Control Desk). 2pp. A2020:234-A2020:235.

9802100077 Forwards addl info on rev 6 to security force training & qualification plan,per 980113 telcon request of G Smith.Encl withheld.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2160:288-A2160:289.

H. General correspondence

9802120187 Submits questions re LER 97-021-00, "One Train of Engineered Safeguards Logic Out-of-Service," provided by NYPA.
LOCHBAUM,D.A. Union of Concerned Scientists. 98/01/28. MILLER,H.J. Region 1 (Post 820201). 2pp. A2233:211-A2233:212.

9802260089 Refers to 980128 ltr forwarding two questions re LER 50-286/97-021-00.Questions & responses listed.
HEHL,C.W. Region 1 (Post 820201). 98/02/18. LOCHBAUM,D.A. Union of Concerned Scientists. 8pp. A2337:051-A2337:066.

--9802260093 Forwards LER 97-021-00 re one train of engineered safeguards logic out-of-svc.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/10/06. Document Control Branch (Document Control Desk). 1p. A2337:062-A2337:066.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802020166 Describes commitments being made to support NRC insp activities & conclusions re closure of GL 89-10 program. Attachment 1 contains commitments being made,addressing five items needing addl action.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/01/22. Document Control Branch (Document Control Desk). 3pp. A2015:248-A2015:250.

9802020249 Provides rept re unsatisfactory laboratory results of blind performance test.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/01/22. Document Control Branch (Document Control Desk). 5pp. A1990:353-A1990:357.

9802030088 Forwards amend 177 to license DPR-64 & safety evaluation. Amend changes TSs by revising the f function.The f function defined in the TS as function of indicated difference between top & bottom detectors of power range nuclear ion.
WUNDER,G.F. . 98/01/26. KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 6pp. A1981:009-A1981:021.

--9802030091 Amend 177 to license DPR-64,changes TS by revising f function.F Function defined in TS as function of indicated difference between top & bottom detectors of power range nuclear ion chambers.
BAJWA,S.S. . 98/01/26. 4pp. A1981:015-A1981:018.

--9802030094 Safety evaluation supporting amend 177 to license DPR-64.
* . 98/01/26. 3pp. A1981:019-A1981:021.

9802060185 Forwards rev 2 to PFM-22A, "Inservice Test Program #5," for pumps & valves for second ten-yr interval.Rev includes relief requests for NRC approval.W/ twenty-six oversize drawings.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/01/26. Document Control Branch (Document Control Desk). 10pp. A2152:001-A2152:181.

--9802060188 Rev 2 to PFM-22A, "Inservice Test Program #5." W/twenty-six oversize drawings.
DOLANSKY,R. Power Authority of the State of New York (New York Power Authority). 98/01/05. 171pp. A2152:011-A2152:181.

9802180014 Provides partial response to NRC request for addl info on proposed TS changes re pressure-temp limits.Answers to NRC questions pertaining to overpressure protection sys limits will be submitted under separate cover.Calculation encl.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/02/06. Document Control Branch (Document Control Desk). 7pp. A2243:024-A2243:054.

--9802180019 Rev 0 to IP3-CALC-RCS-02670, "Applicability of Reactor Vessel Neutron Fluence to 11 EFPY Svc Life."
GUMBLE,F., CANAVAN,G., POWERS,M. Power Authority of the State of New York (New York Power Authority). IP3-CALC-RCS-02670. 98/02/02. 24pp. A2243:031-A2243:054.

9802230336 Notification of 980226 meeting w/New York Power Authority in Rockville,MD to discuss quality assurance program initiatives.
WUNDER,G.F. . 98/02/09. BAJWA,S.S. . 4pp. A2271:217-A2271:220.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020168 Refers to insp rept 50-286/96-12 issued on 970318.As result of inspection,notice of violation issued for failure to meet requirements of 10CFR70.24.Licensee contested violation via 970424 ltr.Exercise enforcment discretion authorized.
HEHL,C.W. Region 1 (Post 820201). 98/01/20. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 4pp. A1978:334-A1978:337.

9802020166 Describes commitments being made to support NRC insp activities & conclusions re closure of GL 89-10 program. Attachment 1 contains commitments being made,addressing five items needing addl action.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/01/22. Document Control Branch (Document Control Desk). 3pp. A2015:248-A2015:250.

9802050285 Forwards radiological environ operating rept for 1995 & 96 & excerpt from insp rept 50-286/96-08.W/o encl.
WUNDER,G.F. . 98/01/29. RIDDELL,M. Affiliation Not Assigned. 2pp. A2012:183-A2012:184.

9802190237 Responds to violations noted in insp rept 50-286/97-10. Corrective actions:provided shift order to declare associated auxiliary boiler feed pump inoperable whenever 32 or 33 static inverter is placed on maint bypass.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/02/06. Document Control Branch (Document Control Desk). 10pp. A2258:213-A2258:222.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802250185 Forwards insp rept 50-286/98-80 on 980105-09 & 20-23.No violations noted.Insp focused on areas important to public health & safety & consisted of independent evaluation of MOV program associated w/GL 89-10.
KELLY,E.M. Region 1 (Post 820201). 98/02/12. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 3pp. A2326:253-A2326:271.

--9802250189 Insp rept 50-286/98-80 on 980105-09 & 20-23.No violations noted.Major areas inspected:engineering & review of GL-89-10 re safety-related MOV testing & surveillance program at plant.
* Region 1 (Post 820201). 98/02/12. 16pp. A2326:256-A2326:271.

9802270230 Informs that on-site insp team using NRC insp procedures IP 37001,IP 40500 & IP 37550,planned for plant during period of 980406-24.
MEYER,G.W. Region 1 (Post 820201). 98/02/19. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 4pp. A2370:080-A2370:083.

R. Periodic operating reports & related correspondence

9802250270 Forwards monthly operating rept for Jan 1998 for Indian Point 3 Nuclear Power Plant & revised MOR for Dec 1997.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/02/11. Document Control Branch (Document Control Desk). 2pp. A2368:330-A2368:336.

--9802250274 Monthly operating rept for Jan 1998 for Indian Point Nuclear Power Plant,Unit 3.
ORLANDO,T. Power Authority of the State of New York (New York Power Authority). 98/01/31. 4pp. A2368:332-A2368:335.

--9802250276 Revised MOR for Dec 1997 for Indian Point Nuclear Power Plant,Unit 3.
ORLANDO,T. Power Authority of the State of New York (New York Power Authority). 97/12/31. 1p. A2368:336-A2368:336.

9802240107 Transmits JA FitzPatrick & Indian Point,Unit 3,fitness-for- duty program performance repts for period of 970701-1231,IAW requirements of 10CFR26.71(d).
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/02/13. Document Control Branch (Document Control Desk). 14pp. A2348:346-A2348:358.

S. Reportable occurrences, LERs & related correspondence

9802020244 Withdraws commitment to revise electrical separation design guide,made in LER 93-052-00.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 98/01/23. Document Control Branch (Document Control Desk). 2pp. A1990:358-A1990:359.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9802020179 Forwards insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Purpose of insp was to determine adequacy of root cause investigation & corrective actions for 971030 event re unauthorized access.
BELISLE,G.A. Region 2 (Post 820201). 97/12/31. MCCOLLUM,W.R. Duke Power Co. 3pp. A1985:098-A1985:113.

--9802020181 Insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Major areas inspected: aspects of licensees plant support activities,including physical security plan & vital area access control.
BELISLE,G. Region 2 (Post 820201). 97/12/31. 13pp. A1985:101-A1985:113.

9802180163 Rev 15 to EPIP HB/0/B/1009/18, "Offsite Dose Projections." W/revised cover sheet to Vol C (Rev 98-01),revised page 1 of table of contents & 980210 ltr.
FOSTER,W.W., MCCOLLUM,W.R. Duke Power Co. 98/02/10. 40pp. A2237:317-A2237:356.

9802270189 Rev 98-01 to Vol A of "Oconee Nuclear Site Emergency Plan." W/980224 ltr.
MCCOLLUM,W.R. Duke Power Co. 98/02/24. 6pp. A2412:016-A2412:021.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040337 Forwards revs to Oconee Selected Licensee Commitment (SLC) Manual,per 10CFR50.4 & 50.71.SLC wil be updated as necessary throughout yr,instead of being updated w/annual UFSAR Update.
MCCOLLUM,W.R. Duke Power Co. 98/01/13. Document Control Branch (Document Control Desk). 2pp. A2035:343-A2035:350.

--9802040339 Revised pages to "Oconee Selected Licensee Commitments Manual," representing chapter 16 of UFSAR.
PEELE,B.L. Duke Power Co. 98/01/05. 6pp. A2035:345-A2035:350.

9802130114 Application for amends to licenses DPR-38,DPR-47,DPR-55 & SNM-2503,updating ISFSI license such that corporate name of licensee changed form Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. A2233:303-A2233:323.

--9802130118 Proposed tech specs re ISFSI for Oconee Nuclear Station.
* Duke Power Co. 98/01/19. 17pp. A2233:307-A2233:323.

9802030133 Forwards notice of consideration of issuance of amends to facility operating licenses,proposed NSHC determination & opportunity for hearing to FR for publication.Notice relates to 980115 application to amend TS to revise table 4.1-1.
LABARGE,D.E. . 98/01/20. MCCOLLUM,W.R. Duke Power Co. 3pp. A1985:345-A1985:354.

--9802030137 Notice of consideration of issuance of amends to licenses DPR-38,DPR-47 & DPR-55 & proposed NSHC determination & opportunity for hearing.Amends revise TS Table 4.1-1 & specification 4.5.2.1.2.
LABARGE,D.E. . 98/01/20. 7pp. A1985:348-A1985:354.

9802030140 Requests immediate publication of encl, "Notice of Consideration of Issuance of Amends to Facility Operating Licenses,Proposed NSHC Determination & Opportunity for Hearing," no later than 980123.W/o encl.
BERKOW,H.N. . 98/01/20. National Archives & Records Administration. 2pp. A1981:001-A1981:002.

9802030157 Refers to 980105 ltr which informed staff of change to Oconee TS that only affects Bases of TS 3.4.Change requires both EFW flow indication & SG level indication to consider flowpath to each SG operable.Revised TS page encl.
LABARGE,D.E. . 98/01/22. MCCOLLUM,W.R. Duke Power Co. 4pp. A1987:046-A1987:049.

9802040089 Forwards RAI re 961031 response to NRR draft rept on plant emergency power sys,dtd 960708.Response requested within 30 days of receipt of ltr.
LABARGE,D.E. . 98/01/26. MCCOLLUM,W.R. Duke Power Co. 5pp. A2004:343-A2004:347.

9802040314 Submits util position on SG tubing surveillance program TS. Concurrence from NRR re applicability of TS 4.17 requirements,requested.
MCCOLLUM,W.R. Duke Power Co. 98/01/26. Document Control Branch (Document Control Desk). 3pp. A2036:282-A2036:284.

9802170017 Forwards rev 1 to non-proprietary topical rept DPC-NE-3000-A & rev 1 to proprietary topical rept DPC-NE-3000-PA, "Thermal Hydraulic Transient Analysis Methodology." Proprietary version withheld.
TUCKMAN,M.S. Duke Power Co. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2235:001-A2237:080.

--9802170019 Non-proprietary version of rev 1 to topical rept DPC-NE-3000-A, "Thermal-Hydraulic Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3000-A R01. 97/12/31. 802pp. A2235:007-A2237:080.

9802090036 Forwards notice of enforcement discretion request re refueling outage frequency surveillances.Affected TS page encl.
MCCOLLUM,W.R. Duke Power Co. 98/01/30. Document Control Branch (Document Control Desk). 8pp. A2164:306-A2164:315.

--9802090039 Proposed tech specs page re refueling outage frequency surveillance.
* Duke Power Co. 98/01/30. 2pp. A2164:314-A2164:315.

9802240020 Discusses renewal activities & util plan to submit completed "Oconee License Renewal Technical Info Topical Rept," OLRP-1001, for review early 1998.
HOFFMAN,S.T. . 98/01/30. MCCOLLUM,W.R. Duke Power Co. 7pp. A2283:001-A2283:007.

9802110010 Application for amends to licenses DPR-38,DPR-47 & DPR-55, clarifying wording for refueling outage surveillance frequencies to indicate surveillances are to be performed on 18-month frequency.
MCCOLLUM,W.R. Duke Power Co. 98/02/02. Document Control Branch (Document Control Desk). 5pp. A2169:152-A2169:229.

--9802110017 Proposed tech specs clarifying wording for refueling outage surveillance frequencies to indicate surveillances are to be performed on 18-month frequency & need not be constrained to refueling outage conditions.
* Duke Power Co. 98/02/02. 73pp. A2169:157-A2169:229.

9802110094 Forwards summary of changes to or errors in ECCS evaluation model (EM) through 1997,including minor changes made to EM in 1995,that were not reported as required.
TUCKMAN,M.S. Duke Power Co. 98/02/02. Document Control Branch (Document Control Desk). 9pp. A2199:337-A2199:345.

9802240436 Discusses 980130 request for NRC to exercise discretion not to enforce compliance w/actions required by plant,Units 1,2 & 3 TS 3.0 re performance of certain refueling outage surveillance.Surveillance interval requirements,satisfied.
BERKOW,H.N. . 98/02/03. MCCOLLUM,W.R. Duke Power Co. 8pp. A2325:194-A2325:201.

9802130091 Submits summary of results of analysis to NRC to support further NRR review of PRVs TS amend re CR ventilation sys.
MCCOLLUM,W.R. Duke Power Co. 98/02/04. Document Control Branch (Document Control Desk). 6pp. A2268:338-A2268:343.

9802240336 Forwards notice of consideration of issuance of amends to facility operating licenses,proposed NSHC determination & opportunity for hearing.Notice relates to 980202 application to amend TS to revise wording.
LABARGE,D.E. . 98/02/05. MCCOLLUM,W.R. Duke Power Co. 3pp. A2283:042-A2283:052.

--9802240343 Notice of consideration of issuance of amends to licenses DPR-38,DPR-47 & DPR-55 & proposed NSHC determination & opportunity for hearing.Amends revise present wording used to specify refueling outage surveillances.
LABARGE,D.E. . 98/02/05. 8pp. A2283:045-A2283:052.

9802240010 Summary of 980127 meeting w/util re contents of topical repts conversion to Mark B-11 fuel & changes to Chapter 15 of UFSAR submitted for review.List of attendees & handouts encl.
LABARGE,D.E. . 98/02/06. . 22pp. A2287:333-A2287:354.

9802200169 Withdraws proposed license amend dtd 970904.RAI response to TS change 96-10 included.
MCCOLLUM,W.R. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 33pp. A2320:312-A2320:344.

9802240232 Forwards RAI re emergency condenser circulating water sys. Response requested within 30 days from date of ltr.
LABARGE,D.E. . 98/02/09. MCCOLLUM,W.R. Duke Power Co. 4pp. A2333:344-A2333:347.

9802240240 Forwards RAI re TSs to incorporate mod to main steam line break detection & feedwater isolation circuitry.Response requested within 60 days from date of ltr.
LABARGE,D.E. . 98/02/09. MCCOLLUM,W.R. Duke Power Co. 4pp. A2335:347-A2335:350.

9802230059 Forwards revs to "OCDM for Duke Power Nuclear Stations," as required by McGuire TS 6.14.2.c.
TUCKMAN,M.S. Duke Power Co. 98/02/10. Document Control Branch (Document Control Desk). 2pp. A2328:001-A2328:258.

--9802230061 Revs to "OCDM for Duke Power Nuclear Stations."
HAYNES,L.E., JONES,R.A., GEDDIE,E.M. Duke Power Co. 98/01/01. 256pp. A2328:003-A2328:258.

9802180048 Forwards non-proprietary Rev 1 to DPC-NE-2005A & proprietary Rev 1 to DPC-NE-2005P-A, "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology." Proprietary rept withheld,per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2242:001-A2242:152.

-9802180051 Non-proprietary "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology."
EPPERSON,K.R., ABBOTT,J.L. Duke Power Co. DPC-NE-2005A R01. 96/11/30. 146pp. A2242:007-A2242:152.

9802230238 Responds to 980115 RAI re licensee 961031 response to open issues & recommendations from NRC draft repts on plant emergency power sys.
MCCOLLUM,W.R. Duke Power Co. 98/02/12. Document Control Branch (Document Control Desk). 13pp. A2330:018-A2330:051.

-9802230247 "Precursor Evaluation for Keowee Failures of 970620 & 23."
BARRETT,M.J. Duke Power Co. 97/07/03. 21pp. A2330:031-A2330:051.

9802240214 Forwards notice of withdrawal of application for amend to licenses DPR-38,DPR-47 & DPR-55.Proposed changes would have modified TSs re justifying acceptability of current TS for HPI sys.
LABARGE,D.E. . 98/02/12. MCCOLLUM,W.R. Duke Power Co. 4pp. A2325:238-A2325:242.

-9802240222 Notice of withdrawal of application for amends to licenses DPR-38,DPR-47 & DPR-55.Proposed amends would have revised TSs re justification of acceptability of current TS for HPI sys.
LABARGE,D.E. . 98/02/12. 2pp. A2325:241-A2325:242.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802020179 Forwards insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Purpose of insp was to determine adequacy of root cause investigation & corrective actions for 971030 event re unauthorized access.
BELISLE,G.A. Region 2 (Post 820201). 97/12/31. MCCOLLUM,W.R. Duke Power Co. 3pp. A1985:098-A1985:113.

-9802020181 Insp repts 50-269/97-17,50-270/97-17 & 50-287/97-17 on 971201-04.No violations noted.Major areas inspected: aspects of licensees plant support activities,including physical security plan & vital area access control.
BELISLE,G. Region 2 (Post 820201). 97/12/31. 13pp. A1985:101-A1985:113.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040386 Forwards insp repts 50-269/97-16,50-270/97-16 & 50-287/97-16 on 971116-1227 & NOV.Conduct of activities at Oconee was generally characterized by safety-conscious operations, maint & engineering practices.Six violations cited in NOV.
OGLE,C.R. Region 2 (Post 820201). 98/01/26. MCCOLLUM,W.R. Duke Power Co. 5pp. A2000:001-A2000:041.

-9802040396 Notice of violation from insp on 971116-1227.Violation noted:on 971201,during performance of Procedures PT/1/A/0202/012,Engineered Safeguards Channels 1 & 2 Functional Test,Rev 5,test personnel unaware of test impact.
* Region 2 (Post 820201). 98/01/26. 4pp. A2000:006-A2000:009.

-9802040399 Insp repts 50-269/97-16,50-270/97-16 & 50-287/97-16 on 971116-1227.Violations noted.Major areas inspected:licensee operations,maint,engineering & plant support.
* Region 2 (Post 820201). 98/01/26. 29pp. A2000:010-A2000:041.

9802090227 Ack receipt of 971217 & 980121 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-269/97-14 50-270/97-14 & 50-287/97-14.
OGLE,C.R. Region 2 (Post 820201). 98/01/30. MCCOLLUM,W.R. Duke Power Co. 3pp. A2048:246-A2048:248.

9802090230 Ack receipt of 980115 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/97-15, 50-270/97-15 & 50-287/97-15.
OGLE,C.R. Region 2 (Post 820201). 98/01/30. MCCOLLUM,W.R. Duke Power Co. 3pp. A2042:312-A2042:314.

9802060028 Responds to NRC Bulletin 96-004 for NUHOMS-24P SF storage sys used at plant site.NRC reviewed response & found response to be acceptable.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 98/02/02. MCCOLLUM,W.R. Duke Power Co. 3pp. A2027:326-A2027:328.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200262 Forwards monthly operating repts for Jan 1998 for Oconee Nuclear Station,Units 1,2 & 3 and monthly status operating rept for Dec 1997.
DIMMERY,T. Duke Power Co. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2319:230-A2319:247.

-9802200263 Monthly operating repts for Jan 1998 for Oconee Nuclear Station,Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 98/01/31. 15pp. A2319:232-A2319:246.

-9802200266 Revised monthly operating status rept for Dec 1997 for Oconee Nuclear Station,Units 1,2 & 3.
* Duke Power Co. 97/12/31. 1p. A2319:247-A2319:247.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802130114 Application for amends to licenses DPR-38,DPR-47,DPR-55 & SNM-2503,updating ISFSI license such that corporate name of licensee changed form Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. A2233:303-A2233:323.

-9802130118 Proposed tech specs re ISFSI for Oconee Nuclear Station.
* Duke Power Co. 98/01/19. 17pp. A2233:307-A2233:323.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9802250014 Responds to NRC 980123 ltr re violations noted in insp rept 50-288/97-202 on 971215-18.Corrective actions:actions which would have been taken at "missed" meeting were taken at first meeting of next academic year.
FRANTZ,S.G. Reed College, Portland, OR. 98/02/18. Document Control Branch (Document Control Desk). 3pp. A2358:353-A2358:355.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802270012 Forwards Addendum 1 to Rev 37 of modified amended physical security plan.Addendum does not decrease effectiveness of plan & has been implemented IAW 10CFR50.54(p).Encl withheld.
LANGENBACH,J.W. General Public Utilities Corp. 98/02/19. Document Control Branch (Document Control Desk). 1p. A2378:143-A2378:143.

9802240231 Rev 14 to Corporate Emergency Plan 1000-PLN-1300.01, "GPU Nuclear Corp Emergency Plan for TMI & Oyster Creek Nuclear Station."
MARSHBANK,D. General Public Utilities Corp. 98/02/23. 202pp. A2348:001-A2348:207.

P. Operating license stage documents & correspondence

9802260133 Submits addl info requested during audit of TMI USI A-46 Program,970721-25.
NOBLE,T. General Public Utilities Corp. 97/09/02. CHEN,P. NRC - No Detailed Affiliation Given. 2pp. A2347:058-A2347:059.

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040350 Forwards SER re 960213 180-day response to GL 95-07 for Three Mile Island Nuclear Station,Unit 1 & addition info ltr dtd 960213.Review finds GPUN adequately addressed requested action.
COLBURN,T.G. . 98/01/22. LANGENBACH,J.W. General Public Utilities Corp. 3pp. A2000:333-A2000:340.

-9802040352 SER accepting licensee response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," for Three Mile Island Nuclear Station,Unit 1.
* . 98/01/22. 5pp. A2000:336-A2000:340.

9802110144 Rev 7,Temporary Change Notice 1-98-0013 to 6610-PLN-4200.02, "EDCM."
PARFITT,B.A. General Public Utilities Corp. 98/01/30. 13pp. A2230:120-A2230:132.

9802060017 Summary of 971212 meeting w/GPU re control room habitability evaluation concerning CR operator thyroid dose from fission product release during postulated design basis accident at plant.
COLBURN,T.G. . 98/02/02. . 41pp. A2027:285-A2027:325.

9802230266 Submits revised response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design- Basis Accident Conditions."
LANGENBACH,J. General Public Utilities Corp. 98/02/13. Document Control Branch (Document Control Desk). 5pp. A2342:350-A2342:354.

9802270201 Advises that 961224 application for amend to license being treated as withdrawn.Notice of consideration of issuance of proposed amend had not been published in FR.
COLBURN,T.G. . 98/02/17. LANGENBACH,J.W. General Public Utilities Corp. 2pp. A2352:169-A2352:170.

9802250026 Forwards notice of withdrawal of amend request re modifying TSs re surveillance run times of control room ventilation fans.Portion of request approved in 951010 amend 198.Notice of withdrawal filed w/Ofc of FR for publication.
COLBURN,T.G. . 98/02/18. LANGENBACHE,J. General Public Utilities Corp. 2pp. A2342:050-A2342:053.

-9802250047 Notice of withdrawal of application for amend to FOL DPR-50 re surveillance testing of control room emergency ventilation sys.
COLBURN,T.G. . 98/02/18. 2pp. A2342:052-A2342:053.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050082 Discusses insp rept 50-289/97-09 on 970907-1101 & forwards NOV re inadequate post-maint testing following replacement of pressurizer power operated relief valve.
MILLER,H.J. Region 1 (Post 820201). 98/01/27. LANGENBACH,J. General Public Utilities Corp. 6pp. A2009:326-A2009:334.

-9802050085 Notice of violation from insp on 970907-1101.Violation noted:pressurizer power operated relief valve was returned to svc without performing an IST to verify proper valve operation after valve replaced.
* Region 1 (Post 820201). 98/01/27. 3pp. A2009:332-A2009:334.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802050283 Monthly operating rept for Dec 1997 for Three Mile Island Nuclear Station,Unit 1.W/980113 ltr.
HEYSEK,W., LANGENBACH,J.W. General Public Utilities Corp. 97/12/31. 3pp. A2135:230-A2135:232.

9802190306 Monthly operating rept for Jan 1998 for TMI Nuclear Station, Unit 1.W/980210 ltr.
HEYSEK,W., LANGENBACH,J.W. General Public Utilities Corp. 98/01/31. 3pp. A2258:170-A2258:172.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802100065 Forwards FEMA final exercise rept for 971105,full- participation plume exposure pathway for Pilgrim Nuclear Power Station.No deficiencies noted.Fifteen areas requiring corrective actions identified.
MODES,M.C. Region 1 (Post 820201). 98/02/02. OLIVER,L.J. Boston Edison Co. 3pp. A2093:125-A2093:249.

-9802100068 "Final Exercise Rept Pilgrim Nuclear Power Station," conducted on 971105.
* Federal Emergency Management Agency. 98/01/16. 60pp. A2093:128-A2093:249.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030138 Discusses discrepancy in NRC SER on 970825.Amend will clarify various concerns including single failure vulnerabilities that would result in one pump 2 train configuration.
WANG,A.B. . 98/01/27. OLIVIER,L.J. Boston Edison Co. 4pp. A1981:003-A1981:006.

9802040006 Submits revised response to GL 88-01 re NRC position on IGSCC in BWR austentic stainless steel piping.
DESMOND,N.L. Boston Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 21pp. A2020:174-A2020:194.

9802120229 Requests NRC review & approval of encl engineering evaluation of elevated tailpipe temperatures associated w/ SRV 20.-3B,IAW TS 3.6.D.4.
OLIVIER,L.J. Boston Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 8pp. A2216:289-A2216:296.

9802230270 Application for amend to license DPR-35 UFSAR section 10.7, clarifying design basis for salt water svc water sys.
OLIVIER,L.J. Boston Edison Co. 98/02/11. Document Control Branch (Document Control Desk). 11pp. A2342:250-A2342:289.

-9802230275 Rev 0 to M-771, "RBCCW Heatup Immediately Following DBA- LOCA."
WHITE,T.F., O'CONNOR,G.E., HARIZI,P.D. Boston Edison Co. M-771 R00. 97/11/21. 15pp. A2342:261-A2342:275.

-9802230277 Rev 3 to M500, "Range of Salt Svc Water Sys Header Pressures & Pump Flows."
WHITE,T.F., ROGERS,J.L. Boston Edison Co. M500 R03. 97/12/18. 14pp. A2342:276-A2342:289.

9802240019 Forwards order approving application re proposed corporate restructuring of BECO by establishment of holding company & safety evaluation.
WANG,A.B. . 98/02/11. OLIVIER,L.J. Boston Edison Co. 3pp. A2325:117-A2325:127.

-9802240025 Order approving application re corporate restructuring of BECO by establishment of holding company.Commission ordered to approve application.Util ordered to provide NRR copy of any application at time of filing.
COLLINS,S.J. . 98/02/11. Office of the General Counsel (Post 860701). 4pp. A2325:119-A2325:122.

-9802240031 Safety evaluation supporting proposed corporate restructuring of BECO.
* . 98/02/11. 4pp. A2325:123-A2325:127.

9802270008 Notification of significant licensee meeting 98-18 w/util in King of Prussia,PA on 980310 re plant design basis project discussion.
COWGILL,C.J. Region 1 (Post 820201). 98/02/19. Region 1 (Post 820201). 3pp. A2369:320-A2369:322.

9802260077 Application for amend to license DPR-35,to change TS 3/4.5.B & Bases to incorporate ultimate heat sink temperature 75 F, as required by amend 173.Request fulfills commitment to submit TS amend for UHS temperature by first quarter 1998.
OLIVIER,L.J. Boston Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 6pp. A2373:068-A2373:135.

-9802260079 Proposed tech specs pages,incorporating ultimate heat sink temperature of 75 F into TS 3/4.5.B & Bases,as required by amend 173.
* Boston Edison Co. 98/02/20. 62pp. A2373:074-A2373:135.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802170023 Forwards insp rept 50-293/97-13 on 971111-980106 & notice of violations involving ineffective corrective actions to ameliorate erratically operating reactor vessel flange temp elements.
HEHL,C.W. Region 1 (Post 820201). 98/02/06. OLIVIER,L.J. Boston Edison Co. 4pp. A2170:001-A2170:087.

-9802170025 Notice of violation from insp on 971111-980106.Violations noted:util did not properly evaluate cause & implement corrective actions to preclude repetition of temporary temp detectors deficiencies from reactor vessel flange.
* Region 1 (Post 820201). 98/02/06. 2pp. A2170:005-A2170:006.

-9802170027 Insp rept 50-293/97-13 on 971111-980106.Violations noted. Major areas inspected:operations,engineering,maint & plant support.
* Region 1 (Post 820201). 98/02/06. 81pp. A2170:007-A2170:087.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200159 Monthly operating rept for Jan 1998 for Pilgrim Nuclear Power Station.W/980213 ltr.
CANNON,R.L., DESMOND,N.L. Boston Edison Co. 98/01/31. 3pp. A2320:089-A2320:091.

9802250044 "NPDES Discharge Monitoring Rept for Jan 1998 for Pilgrim Nuclear Power Station." W/980218 ltr.
GODDARD,C.S., DESMOND,N.L. Boston Edison Co. 98/01/31. 10pp. A2358:323-A2358:332.

S. Reportable occurrences, LERs & related correspondence

9802040094 Forwards LER 97-030-00, "Misapplication of FSAR Drywell Free Volume." Commitments made within ltr listed.
OLIVIER,L.J. Boston Edison Co. 98/01/23. Document Control Branch (Document Control Desk). 1p. A2026:339-A2026:343.

-9802040120 LER 97-030-00:on 971224,misapplication of FSAR drywell free volume was identified.Caused by unclear basis for FSAR Table 5.2.1 value.Engineering evaluation confirming operability was completed on 980108.
DICROCE,K.R. Boston Edison Co. 98/01/23. 4pp. A2026:340-A2026:343.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802200116 Revised Corporate Emergency Plan Implementing Procedures (CEPIPs),including CEPIP-2000 series table of contents,rev 2 to CEPIP-2021-04, "Morrison EOF & JPIC Activation" & rev 1 to CEPIP-2030-01,deleting procedure.
* Commonwealth Edison Co. 98/02/13. 10pp. A2283:259-A2283:268.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

9802240168 Responds to NRC 980115 ltr re violations noted in insp repts 50-295/97-17 & 50-304/97-17.CAs:unescorted access was placed on temporary hold for Director of Fire Protection,Fire Marshal & 2 firewatch supervisors pending investigation.
BRONS,J.C. Commonwealth Edison Co. 98/02/13. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 12pp. A2343:172-A2343:184.

9802240432 Revised CEPIPS,including CEPIP-3000 series table of contents,rev 2 to CEPIP 3601-01,deleted procedure.
* Commonwealth Edison Co. 98/02/13. 2pp. A2366:055-A2366:056.

9802240439 Revised CEPIPs,including CEPIP-2000 series table of contents,rev 2 to CEPIP 2221-04 "HPN Communicator (CEOF)," rev 4 to CEPIP 2321-02 "HPN Communicator (EOF)."
* Commonwealth Edison Co. 98/02/16. 11pp. A2347:343-A2347:353.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050260 Informs that on 980106-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees.Summary of each site performance submitted.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 10pp. A2007:318-A2007:327.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802050164 Forwards Page 14 which was inadvertently missing from attachment to 980122 ltr to O Kingsley re statistics on allegations at CECO nuclear plants.
BAKER,E. . 98/01/26. HOPKINS,J., GRANT,J. Region 3 (Post 820201). COLLINS,S. . 2pp. A2010:358-A2010:359.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

-9802060120 Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802120028 Confirms cancellation of 980205 meeting in Region III Ofc in Lisle,IL,re plans for Zion Station transition to decommissioning.Meeting will be rescheduled.
GRANT,G.E. Region 3 (Post 820201). 98/02/02. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2142:068-A2142:069.

9802240306 Informs that NRC project mgt responsibility for listed CECO nuclear power stations being modified as listed.
CAPRA,R.A. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2335:335-A2335:339.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802200326 Withdraws three applications to amend App A (TS) to licenses DPR-39 & DPR-48.Requested amends proposed changes to TS. Determined that amends are no longer needed.
BRONS,J.C. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2320:294-A2320:296.

9802200407 Submits required written certification of permanent cessation of operations at plant,effective 980213.
KINGSLEY,O.D. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 1p. A2283:274-A2283:274.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040237 Forwards insp repts 50-295/97-23 & 50-304/97-23 on 970908-1216 & NOV.Violation involved failure to adhere to scaffolding procedure requirements & failure to ensure that proficiency & qualifications were adequately achieved.
GRANT,G.E. Region 3 (Post 820201). 98/01/27. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A1999:052-A1999:096.

-9802040258 Notice of violation from insp on 970908-1216.Violation noted:as of 970724,licensee failed to ensure that training provided to selected contractor craft & quality control insp personnel performing Raychem splice applications.
* Region 3 (Post 820201). 98/01/27. 3pp. A1999:058-A1999:060.

-9802040263 Insp repts 50-295/97-23 & 50-304/97-23 on 970908-1216. Violations noted.Major areas inspected:engineering.
* Region 3 (Post 820201). 98/01/27. 36pp. A1999:061-A1999:096.

9802040285 Forwards insp repts 50-295/97-27 & 50-304/97-27 licensed operator requalification training program evaluation on 971117-25.No violations identified.Several concerns in licensed operator requalification program identified.
GRANT,G.E. Region 3 (Post 820201). 98/01/30. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1999:097-A1999:116.

-9802040295 Insp repts 50-295/97-27 & 50-304/97-27 on 971117-25.No violations noted.Major areas inspected:licensed reactor operator & senior reactor operator requalification training programs.
* Region 3 (Post 820201). 98/01/30. 17pp. A1999:100-A1999:116.

9802170154 Forwards insp repts 50-295/98-03 & 50-304/98-03 on 980120-23 & notice of violation.Violations concern failure to properly implement calibr procedures for personnel contamination monitor.
GRANT,G.E. Region 3 (Post 820201). 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2181:252-A2181:273.

-9802170159 Notice of violation from insp on 970120-23.Violation noted: on 980115,radiation protection technician performed calibration of auxiliary bldg exit personnel contamination monitor & failed to reset monitor to initial setting.
* Region 3 (Post 820201). 98/02/06. 2pp. A2181:255-A2181:256.

-9802170163 Insp repts 50-295/98-03 & 50-304/98-03 on 980120-23. Violations noted.Major areas inspected:plant support performance & specifically,evaluation of effectiveness of radiation protection program.
* Region 3 (Post 820201). 98/02/06. 17pp. A2181:257-A2181:273.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802230018 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/97-22 & 50-304/97-22.Actions will be examined during future insp.
CALDWELL,J.L. Region 3 (Post 820201). 98/02/13. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2274:259-A2274:260.

9802240168 Responds to NRC 980115 ltr re violations noted in insp repts 50-295/97-17 & 50-304/97-17.CAs:unescorted access was placed on temporary hold for Director of Fire Protection,Fire Marshal & 2 firewatch supervisors pending investigation.
BRONS,J.C. Commonwealth Edison Co. 98/02/13. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 12pp. A2343:172-A2343:184.

9802240130 Responds to NRC 980121 ltr re violations noted in insp repts 50-295/97-25 & 50-304/97-25.Corrective actions:revised procedure SOI-61F to reflect need to verify position of 2MOV-SW0023 & revised procedure PT-10-3 to provide guidance.
BRONS,J.C. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 12pp. A2348:334-A2348:345.

9802240327 Ack receipt of 971001 ltr & check for $300,000 in payment for civil penalties proposed by NRC ltr dtd 970902.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/23. KINGSLEY,O. Commonwealth Edison Co. 3pp. A2279:108-A2279:110.

R. Periodic operating reports & related correspondence

9802240077 Monthly operating repts for Jan 1998 for Zion Station,Units 1 & 2.W/ 980216 ltr.
CYGAN,J., STARKEY,R.S. Commonwealth Edison Co. 98/01/31. 8pp. A2354:340-A2354:347.

V. Operator Examinations

9802040285 Forwards insp repts 50-295/97-27 & 50-304/97-27 licensed operator requalification training program evaluation on 971117-25.No violations identified.Several concerns in licensed operator requalification program identified.
GRANT,G.E. Region 3 (Post 820201). 98/01/30. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1999:097-A1999:116.

-9802040295 Insp repts 50-295/97-27 & 50-304/97-27 on 971117-25.No violations noted.Major areas inspected:licensed reactor operator & senior reactor operator requalification training programs.
* Region 3 (Post 820201). 98/01/30. 17pp. A1999:100-A1999:116.

9802110090 Requests that initial operator license exams scheduled for wks of 980209 & 16 be cancelled.Util formally withdraws all individual license applications associated w/exams.
BRONS,J.C. Commonwealth Edison Co. 98/02/04. BEACH,A.B. Region 3 (Post 820201). 1p. A2212:228-A2212:228.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9802200210 Forwards rev 4 to physical security/contingency plan,per 10CFR50.54(p).Plan withheld.
ABNEY,T.E. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2283:255-A2283:256.

9802200217 Forwards update to security personnel training & qualification plan,per 10CFR50.54(p).Plan withheld.
ABNEY,T.E. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 3pp. A2283:252-A2283:254.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050061 Notification of cancelled 980126 meeting w/util in Rockville,MD to disuss Browns Ferry improved TS.
DE AGAZIO,A.W. . 98/01/14. HEBDON,F.J. . 2pp. A2012:188-A2012:189.

9802240316 Forwards correction to amemds 250 & 209 to licenses DPR-52 & DPR-68.Marginal lines omitted from first three lines of text in license conditions for Unit 2,page 6,2.C.(15) & Unit 3 page 6,2.D.(5).Also,amend numbers omitted on TS.
DEAGAZIO,A.W. . 98/01/22. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A2325:215-A2325:221.

--9802240326 Errata to amends 250 & 209 to licenses DPR-52 & DPR-68, respectively.Marginal lines inadvertently omitted from first three lines of text in license conditions for Unit 2,page 6,2.C.(15) & Unit 3,page 6,2.D.(5).
* . 98/01/22. 4pp. A2325:218-A2325:221.

9802020251 Responds to NRC 971223 telcon,revising TS-372 & nuclear QA plan to reflect recent title change for senior nuclear officer position.
ABNEY,T.E. Tennessee Valley Authority. 98/01/23. Document Control Branch (Document Control Desk). 3pp. A1981:306-A1981:330.

--9802020252 Proposed Tech Specs Section 5.0 re administrative controls.
* Tennessee Valley Authority. 98/01/23. 22pp. A1981:309-A1981:330.

9802050349 Responds to request from Harding for statistics on allegations received by NRC re Browns Ferry,Sequoyah & Watts Barr.Forwards tables that provide breakdown of allegations of three sites for CYs 1993-1998.
BAKER,E.T. . 98/02/03. ZERINGUE,O.J. Tennessee Valley Authority. 20pp. A2012:127-A2012:146.

9802240277 Notification of 980212 meeting w/Tennessee Valley Authority in Rockville,MD re technical discussions related to Browns Ferry improved TSs.
DE AGAZIO,A.W. . 98/02/03. HEBDON,F.J. . 4pp. A2283:056-A2283:059.

9802100090 Informs that NRC Region II mgt changes will be effective on 980215.Revised organization chart for Region II encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/04. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2093:353-A2093:358.

9802240201 Requests addl info re conversion of custom TS to Improved Std TS format for Nuclear Measurement Analysis & Control Power Range Neutron Monitor Sys.
DE AGAZIO,A.W. . 98/02/11. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2283:024-A2283:029.

9802240158 Responds to 980106 telcon request made for supplemental info re plant offsite power supplies conformance to GDC-17, "Electric Power Sys."
ABNEY,T.E. Tennessee Valley Authority. 98/02/17. Document Control Branch (Document Control Desk). 6pp. A2332:344-A2332:349.

9802250060 Forwards RAI re TS change TS-384 request for license amend for power uprate operation & resolution of control room emergency ventilation sys issues.
DE AGAZIO,A.W. . 98/02/18. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2342:075-A2342:080.

9802270124 Notification of 980226 meeting w/util in Rockville,MD to discuss issues related to Browns Ferry improved std TSs.
DE AGAZIO,A.W. . 98/02/18. HEBDON,F.J. . 4pp. A2373:339-A2373:343.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

--9802250259 Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050368 Provides response to violations noted in insp repts 50-259/97-11,50-260/97-11 & 50-296/97-11.Corrective actions: Step 3.24 added to "Precautions & Limitations" section addressing normal position of selector switch.
CRANE,C.M. Tennessee Valley Authority. 98/01/28. Document Control Branch (Document Control Desk). 8pp. A2151:089-A2151:096.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190179 Provides results of util voluntary inspections on plant torus wall thickness performed from 971210-31.Engineering evaluation of wall thickness determined it would not adversely affect long term structural integrity of torus.
ABNEY,T.E. Tennessee Valley Authority. 98/02/11. Document Control Branch (Document Control Desk). 4pp. A2258:084-A2258:087.

9802240153 Requests NRC review & approval of plant revised relief request 3-ISI-1 & provide util response to NRC comments documented in ltr to util dtd 980708.
ABNEY,T.E. Tennessee Valley Authority. 98/02/17. Document Control Branch (Document Control Desk). 57pp. A2330:295-A2330:351.

R. Periodic operating reports & related correspondence

9802200138 Monthly operating repts for Jan 1998 for Browns Ferry Nuclear Plant.W/ 980213 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 98/01/31. 13pp. A2320:040-A2320:052.

DOCKET 50-298 COOPER NUCLEAR STATION

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040069 Forwards TIA 95-010 response re plant,for placement in PDR.
HALL,J.R. . 98/01/30. MCKNIGHT,J.C. Document Control Branch (Document Control Desk). 1p. A1987:054-A1987:064.

--9802040080 Forwards SE accepting licensee design of torus-to-reactor building vacuum breakers at plant.
CLIFFORD,J.W. . 97/08/14. HOWELL,A.T. Region 4 (Post 820201). 1p. A1987:055-A1987:055.

--9802040095 Safety evaluation rept accepting design of torus-to-reactor bldg vacuum breakers at plant.
* . 97/08/14. 9pp. A1987:056-A1987:064.

9802120116 Forwards response to RAI re rev 13 to "Quality Assurance Program for Operation Policy Document," for Cooper Nuclear Station.
HORN,G.R. Nebraska Public Power District. 98/02/03. Document Control Branch (Document Control Desk). 6pp. A2216:259-A2216:264.

9802240238 Notification of 980212 meeting w/util in Rockville,MD to discuss status of staff review of licensee 970327 submittal to convert existing TS for Cooper Nuclear Station to Improved Std TS format of NUREG-1433.
HALL,J.R. . 98/02/04. HANNON,J.N. . 3pp. A2283:018-A2283:020.

9802120172 Discusses 980130 meeting conducted in Region IV office re lessons learned from recent NRC insp of Cooper Design Basis. Also discussed,plans for improving engineering performance. List of attendees & licensee presentation encl.
GWYNN,T.P. Region 4 (Post 820201). 98/02/06. HORN,G.R. Nebraska Public Power District. 39pp. A2143:025-A2143:063.

9802200408 Responds to NRC 971222 second RAI re conversion to improved tech specs.
SWAILES,J.H. Nebraska Public Power District. 98/02/09. Document Control Branch (Document Control Desk). 33pp. A2283:197-A2283:229.

9802200403 Forwards Rev 0 to "Cooper Nuclear Station,Strategy for Achieving Engineering Excellence."
SWAILES,J.H. Nebraska Public Power District. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2319:160-A2319:188.

--9802200409 "Cooper Nuclear Station Strategy for Achieving Engineering Excellence."
BOYCE,M.T., BUMAN,D.E., GIBSON,R. Nebraska Public Power District. 98/02/11. 25pp. A2319:162-A2319:188.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050155 Provides follow-up to response to NOV,dtd 971231 in order to clarify list of encl commitments.
GRAHAM,P.D. Nebraska Public Power District. 98/01/28. Document Control Branch (Document Control Desk). 5pp. A2057:347-A2057:351.

9802040297 Forwards rev 1 to relief request PR-10,re third ten-year interval ISI program,for review & approval.Request contains addl info in support of basis for relief,including impact on personnel hazards,valve lineups & sys configuration.
GRAHAM,P.D. Nebraska Public Power District. 98/01/30. Document Control Branch (Document Control Desk). 7pp. A2035:353-A2035:359.

9802260231 Forwards insp rept 50-298/97-201 on 971027-1107,1117-21 & 1201-04.No violations noted.
RICHARDS,S.A. . 98/02/05. HORN,G.R. Nebraska Public Power District. 6pp. A2346:233-A2346:283.

--9802260235 Insp repts 50-298/97-201 on 971027-1121 & 1201-04.No violations noted.Major areas inspected:RHR sys & REC sys.
* . 98/02/05. 44pp. A2346:239-A2346:283.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802120239 Ack receipt of 971231 & 980128 ltrs & check in amount of $110,0000 in payment for civil penalty proposed by NRC in 971201 ltr.Corrective actions will be examined during future insps.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/09. HORN,G.R. Nebraska Public Power District. 2pp. A2143:125-A2143:126.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190133 Responds to NRC 980112 ltr re violations noted in insp rept 50-298/97-10.Corrective actions:specific guidance for determination of appropriate acceptance criteria will be developed & incorporated in procedure writers guide.
SWAILES,J.H. Nebraska Public Power District. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2258:270-A2258:274.

9802230052 Ack receipt of 980211 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/97-10 on 980112.
COLLINS,E.E. Region 4 (Post 820201). 98/02/12. HORN,G.R. Nebraska Public Power District. 5pp. A2268:102-A2268:111.

9802200403 Forwards Rev 0 to "Cooper Nuclear Station,Strategy for Achieving Engineering Excellence."
SWAILES,J.H. Nebraska Public Power District. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2319:160-A2319:188.

--9802200409 "Cooper Nuclear Station Strategy for Achieving Engineering Excellence."
BOYCE,M.T., BUMAN,D.E., GIBSON,R. Nebraska Public Power District. 98/02/11. 25pp. A2319:162-A2319:188.

R. Periodic operating reports & related correspondence

9802200249 Monthly operating rept for Jan 1998 for Cooper Nuclear Station.W/980212 ltr.
CARROLL,C.P., PECKHAM,M.F. Nebraska Public Power District. 98/01/31. 4pp. A2320:075-A2320:078.

9802120108 Forwards fitness-for-duty program semiannual performance rept for July-Dec 1997.
GRAHAM,P.D. Nebraska Public Power District. 98/02/02. Document Control Branch (Document Control Desk). 5pp. A2230:147-A2230:151.

S. Reportable occurrences, LERs & related correspondence

9802020039 LER 97-019-00:on 971222,incorrect mind set & scheduling process resulted in TS violation.Caused by failure of shift supervisor support.Problem identification rept associated w/ event will be presented as first case study.W/980121 ltr.
NELSON,D., PECKHAM,M.F. Nebraska Public Power District. 98/01/21. 6pp. A2000:279-A2000:284.

V. Operator Examinations

9802090161 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.GFES will consist of 100 questions.Max time allowed to complete exam,3 hours & passing score 80 percent.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. HORN,G.R. Nebraska Public Power District. 5pp. A2048:065-A2048:069.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802040108 Advises that 971226 rev to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 98/01/26. PATULSKI,S.A. Wisconsin Electric Power Co. 2pp. A2031:356-A2031:357.

9802030108 Informs that request for withholding info from public disclosure re temp change to procedure for Point Beach Nuclear Plant emergency plan implementing procedures manual will be withheld pursuant to 10CFR2.790(a)(6).
GUNDRUM,L.L. . 98/01/27. GRIGG,R.R. Wisconsin Electric Power Co. 3pp. A1985:332-A1985:334.

9802090189 Forwards proprietary & non-proprietary EPIPs including,rev 46 to EPIP Index,rev 44 to EPIP Form Index,rev 31 to EPIP 1.1,rev 19 to EPIP 1.1.1,rev 12 to EPIP 1.1.2,rev 30 to EPIP 1.2 & rev 2 to EPIP-1.3a.Proprietary info withheld.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/28. Document Control Branch (Document Control Desk). 5pp. A2137:001-A2138:187.

--9802090195 Non-proprietary EPIPs including,rev 46 to EPIP Index,rev 44 to EPIP Form Index,rev 31 to EPIP 1.1,rev 19 to EPIP 1.1.1, rev 12 to EPIP 1.1.2,rev 30 to EPIP 1.2,rev 2 to EPIP-1.3a, rev 2 to EPIP-1.3b,rev 5 to EPIP-1.3c & rev 4 to EPIP-1.3d.
* Wisconsin Electric Power Co. 97/12/29. 551pp. A2137:004-A2138:187.

9802090224 Forwards proprietary & non-proprietary versions of emergency plan mods.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2141:031-A2141:206.

--9802090229 Non-proprietary version of emergency plan mods.
* Wisconsin Electric Power Co. 97/12/29. 180pp. A2141:033-A2141:206.

9802180130 Forwards partially deleted insp repts 50-266/98-02 & 50-301/98-02 on 980105-20 & notice of violation.NOV withheld due to safeguards info.
GROBE,J.A. Region 3 (Post 820201). 98/02/09. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A2181:351-A2181:355.

--9802180133 Partially withheld insp repts 50-266/98-02 & 50-301/98-02 on 980105-20 (ref 10CFR73.71).Violations noted.Major areas inspected:review of plant support activities re physical protection of facility.
* Region 3 (Post 820201). 98/02/09. 2pp. A2181:354-A2181:355.

9802190090 Forwards insp repts 50-266/97-26 & 50-301/97-26 on 971201- 980120 & NOV.Violation involved inadequacy in operations dept procedure governing operator use of emergency & abnormal operating procedures.
GRANT,G.E. Region 3 (Post 820201). 98/02/10. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A2229:217-A2229:245.

--9802190095 NOV from insp on 971201-980120.Violation noted:from 980108- 09,operators failed to initiate actions within 1 h to place Unit in hot shutdown when both Unit 1 safety-related 4,160- volt buses were powered from standby emergency power supply.
* Region 3 (Post 820201). 98/02/10. 3pp. A2229:220-A2229:222.

H. General correspondence

9802030097 Forwards listed documents re storage of spent nuclear fuel in dry storage casks at plant,per telcon.W/o encl.
RAY,P.M. . 98/01/27. DUMS,D. Citizens' Utility Board. 4pp. A1985:303-A1985:306.

9802050338 Provides followup to telcon re issues of storage of spent nuclear fuel in dry storage casks.Info includes 971113 ltr from G Dixon to C Haughney followup response to demand for info dtd 971106.W/o encls.
RAY,P.M. . 98/01/29. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. A2012:207-A2012:210.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802190156 Forwards proposed revs to Section 1.8 of FSAR for Point Beach Nuclear Plant.Section 1.8 of FSAR describes current nuclear QA program implemented for plant.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2258:227-A2258:233.

--9802190161 Proposed revs to FSAR Section 1.8 QA program.
* Wisconsin Electric Power Co. 97/06/30. 6pp. A2258:228-A2258:233.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030118 Provides summary of 980106-07 SMM.Informs that NRC Senior Managers concluded that trends in performance at Point Beach raised sufficient concerns that would warrant meeting w/utility.Public meeting scheduled for 980121.
CALLAN,L.J. Region 3 (Post 820201). 98/01/16. ABDOO,R.A. Wisconsin Electric Power Co. 5pp. A1987:036-A1987:040.

9802040130 Forwards first version of 1998 plan for achievement of operational excellence.W/o encl.
GRIGG,R.R. Wisconsin Electric Power Co. 98/01/27. GROBE,J. Region 3 (Post 820201). 1p. A2031:333-A2031:333.

9802050086 Informs that LAR incorporating appropriate provisions consistent w/ NUREG-1431 to resolve prohibition will be delayed beyond Jan 1998.
PATULSKI,S.A. Wisconsin Electric Power Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2037:351-A2037:352.

9802050098 Corrects & replaces util ltr to NRC dtd 971125,where referred to Relief Request RR-2-23 dtd 950127.Correct submittal date was 961016.Detailed info contained in Relief Request RR-2-23.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/27. Document Control Branch (Document Control Desk). 3pp. A2087:072-A2087:077.

9802050107 Discusses main control board wiring separation for Units 1 & 2.Attachment B copy of work package list & wire/sys designators for each package.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/27. Document Control Branch (Document Control Desk). 39pp. A2086:315-A2086:352.

9802230269 Informs that WEPC application dtd 971216 re slides (14x14, 0.422" OD VANTAGE+(422V+) marked as proprietary will be withheld per 10CFR2.790(b)(5) & 103(b).
GUNDRUM,L.L. . 98/02/03. GRIGG,R.R. Wisconsin Electric Power Co. 4pp. A2280:160-A2280:163.

9802260187 Confirms 980310 routine mgt meeting to discuss station problem reporting & corrective action process,results of root cause analysis for recent transformer failure & other engineering issues.
MCCORMICK-BARGE Region 3 (Post 820201). 98/02/28. PATULSKI,S.A. Wisconsin Electric Power Co. 1p. A2344:120-A2344:120.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802030062 Forwards insp repts 50-266/97-21 & 50-301/97-21 on 971021- 1130 & notice of violation.Inspection identified that CCW sys not tested in manner which bounded performance during containment sump recirculation mode of ECC.
GROBE,J.A. Region 3 (Post 820201). 97/12/22. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A1980:033-A1980:064.

–9802030066 Notice of violation from insp on 971021-1130.Violation noted:as of 971125,four operability determinations prepared as corrective actions for testing nonconformance documented in condition repts failed to justify operability.
* Region 3 (Post 820201). 97/12/22. 2pp. A1980:036-A1980:037.

–9802030069 Insp repts 50-266/97-21 & 50-301/97-21 on 971021-1130. Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
* Region 3 (Post 820201). 97/12/22. 27pp. A1980:038-A1980:064.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050086 Informs that LAR incorporating appropriate provisions consistent w/ NUREG-1431 to resolve prohibition will be delayed beyond Jan 1998.
PATULSKI,S.A. Wisconsin Electric Power Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2037:351-A2037:352.

9802040025 Ack receipt of 980121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/97-21 & 50-301/97-21 issued on 971222.Corrective actions will be examined during future inspections.
MCCORMICK-BARGE Region 3 (Post 820201). 98/01/29. PATULSKI,S.A. Wisconsin Electric Power Co. 1p. A2000:142-A2000:142.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802180130 Forwards partially deleted insp repts 50-266/98-02 & 50-301/98-02 on 980105-20 & notice of violation.NOV withheld due to safeguards info.
GROBE,J.A. Region 3 (Post 820201). 98/02/09. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A2181:351-A2181:355.

–9802180133 Partially withheld insp repts 50-266/98-02 & 50-301/98-02 on 980105-20 (ref 10CFR73.71).Violations noted.Major areas inspected:review of plant support activities re physical protection of facility.
* Region 3 (Post 820201). 98/02/09. 2pp. A2181:354-A2181:355.

9802190090 Forwards insp repts 50-266/97-26 & 50-301/97-26 on 971201- 980120 & NOV.Violation involved inadequacy in operations dept procedure governing operator use of emergency & abnormal operating procedures.
GRANT,G.E. Region 3 (Post 820201). 98/02/10. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A2229:217-A2229:245.

–9802190095 NOV from insp on 971201-980120.Violation noted:from 980108- 09,operators failed to initiate actions within 1 h to place Unit in hot shutdown when both Unit 1 safety-related 4,160- volt buses were powered from standby emergency power supply.
* Region 3 (Post 820201). 98/02/10. 3pp. A2229:220-A2229:222.

–9802190098 Insp repts 50-266/97-26 & 50-301/97-26 on 971201-980120. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/10. 23pp. A2229:223-A2229:245.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802200393 Submits response to violations noted in insp repts 50-266/97-10 & 50-301/97-10.Corrective actions:conference call w/members of staff & NRC representatives conducted on 970507 to further review issue & discuss code compliance.
PATULSKI,S.A. Wisconsin Electric Power Co. 98/02/11. Document Control Branch (Document Control Desk). 6pp. A2319:223-A2319:228.

9802230060 Forwards response to violations noted in insp repts 50-266/97-25 & 50-301/97-25.Corrective actions:remainder of facade freeze protection sys evaluated & preliminary results indicate that several addl functions should be added.
PATULSKI,S.C. Wisconsin Electric Power Co. 98/02/11. Document Control Branch (Document Control Desk). 8pp. A2328:353-A2328:360.

9802260211 Forwards request for addl info re third 10-yr interval inservice insp program plan request for relief RR-2-23.
GUNDRUM,L.L. . 98/02/12. GRIGG,R.R. Wisconsin Electric Power Co. 5pp. A2347:067-A2347:071.

9802240212 Discusses insp repts 50-266/97-10 & 50-301/97-10 & forwards insp repts 50-266/97-22 & 50-301/97-22 on 971104-980203. No violations noted.
BEACH,A.B. Region 3 (Post 820201). 98/02/18. GRIGG,R.R. Wisconsin Electric Power Co. 4pp. A2287:041-A2287:060.

–9802240216 Insp repts 50-266/97-22 & 50-301/97-22 on 971104-980203.No violations noted.Major areas inspected:review of 20 licensee event repts submitted between 960909 & 971215.
* Region 3 (Post 820201). 98/02/18. 16pp. A2287:045-A2287:060.

9802260050 Forwards insp repts 50-266/97-23 & 50-301/97-23 on 971020- 1107 & notice of violation re failure to follow procedure.
GROBE,J.A. Region 3 (Post 820201). 98/02/19. PATULSKI,S.A. Wisconsin Electric Power Co. 2pp. A2369:001-A2369:044.

–9802260055 Notice of violation from insp on 971020-1107.Violation noted:danger tags 97-753 & 97-800 were installed on 971007 & 18,w/o tag sequence numbers being assigned to danger tag location sheet.
* Region 3 (Post 820201). 98/02/19. 3pp. A2369:003-A2369:005.

–9802260059 Insp repts 50-266/97-23 & 50-301/97-23 on 971020-1107. Violations noted.Major areas inspected:licensee controls in area of SEs as well as effectiveness of licensee controls in identifying,resolving & correcting problems.
* Region 3 (Post 820201). 98/02/19. 39pp. A2369:006-A2369:044.

R. Periodic operating reports & related correspondence

9802110013 Provides FFD performance data for six-month period ending 971231.No events reportable under 10CFR26.73(a) occurred.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2182:145-A2182:147.

9802170083 Monthly operating repts for Jan 1998 for Point Beach Nuclear Plant,Units 1 & 2.W/980206 ltr.
KOUDELKA,M.B., JOHNSON,D.F. Wisconsin Electric Power Co. 98/01/31. 9pp. A2218:330-A2218:338.

V. Operator Examinations

9802240190 Discusses 980212 telcon between PJ Smith & D McNeil re arrangements made for administration of licensing exams at Point Beach Nuclear Plant week of 980622.In addition,NRC will make exam validation visit to facility week of 980608.
LEACH,M. Region 3 (Post 820201). 98/02/18. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. A2279:101-A2279:103.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802270277 Provides licensee w/status of staff review of CAs being implemented by VSC-24 Owners Group to resolve problems encountered while making VSC-24 closure welds.Status of RAIs issued to licensee re listed CALs,encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. MOEKEL,K. Sierra Nuclear, Inc. 8pp. A2420:219-A2420:226.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9802040317 Forwards insp rept 50-302/97-20 on 971201-16 & NOV re examples of inadequate procedures & failure to follow procedures in health physics area.
JAUDON,J.P. Region 2 (Post 820201). 98/01/16. ANDERSON,R.A. Florida Power Corp. 4pp. A1999:136-A1999:213.

–9802040324 Notice of violation from insp on 971201-16.Violation noted: as of 971211,licensee health physics supervisors failed to identify & correct personnel contamination repts that were not completed IAW requirements of Procedure HPP-104.
* Region 2 (Post 820201). 98/01/16. 4pp. A1999:140-A1999:143.

9802020151 Forwards rev 8 to AP-961, "Earthquake" & rev 6 to EOP-06, "SG Tube Rupture."
* Florida Power Corp. 98/01/23. Document Control Branch (Document Control Desk). 1p. A2015:001-A2015:165.

–9802020154 Rev 6 to EOP-06, "SG Tube Rupture."
* Florida Power Corp. 98/01/23. 135pp. A2015:031-A2015:165.

9802020096 Forwards rev 5 (IC 01) to EOP-03, "Inadequate Subcooling Margin," rev 4 (IC 01) to EOP-04, "Inadequate Heat Transfer" & rev 2 (IC 01) to EOP-14, "Emergency Operating Procedure Enclosures."
* Florida Power Corp. 98/01/24. Document Control Branch (Document Control Desk). 1p. A1970:001-A1971:090.

–9802020100 Rev 5 (IC 01) to EOP-03, "Inadequate Subcooling Margin."
WILSON,I.L. Florida Power Corp. 98/01/24. 61pp. A1970:002-A1970:062.

–9802020101 Rev 4 (IC 01) to EOP-04, "Inadequate Heat Transfer."
WILSON,I.L. Florida Power Corp. 98/01/24. 93pp. A1970:063-A1970:155.

–9802020103 Rev 2 (IC 01) to EOP-14, "Emergency Operating Procedure Enclosures."
WILSON,I.L. Florida Power Corp. 98/01/24. 293pp. A1970:156-A1971:090.

9802050047 Rev 0 to EPIP EM-225A, "Post Accident RB Hydrogen Control."
WILSON,I. Florida Power Corp. 98/01/26. 35pp. A2038:181-A2038:216.

9802050060 Rev 3 to EPIP EM-225, "Duties of Technical Support Center Accident Assessment Team."
WILSON,I Florida Power Corp. 98/01/26. 27pp. A2038:104-A2038:131.

9802050246 Rev 2 to EPIP EM-225B, "Post-Accident Boron Concentration Management."
* Florida Power Corp. 98/01/27. 101pp. A2079:251-A2079:351.

9802050257 Rev 4 to EOP-07, "Inadequate Core Cooling."
* Florida Power Corp. 98/01/27. 63pp. A2145:165-A2145:227.

9802050309 Rev 5,interim change 2 to EOP-08, "LOCA Cooldown."
* Florida Power Corp. 98/01/27. 105pp. A2145:060-A2145:164.

9802060033 Rev 0 to EPIP EM-225E, "Guidelines For Long Term Cooling."
WILSON,I. Florida Power Corp. 98/01/27. 38pp. A2145:315-A2145:352.

9802090150 Provides document transmittal #85799 which forwards rev 0 to EM-225E.Comment noted.W/o encl.
* Florida Power Corp. 98/01/27. Document Control Branch (Document Control Desk). 1p. A2164:335-A2164:335.

9802050020 Rev 20 to AR-401, "PSA F Annunciator Response."
* Florida Power Corp. 98/01/29. 187pp. A2037:118-A2037:305.

9802040216 Provides notification that commitment due date re response to NOV identified in insp rept 50-302/97-10 concerning installation of video capture sys being extended to 980214.
MARANO,M.W. Florida Power Corp. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2036:279-A2036:281.

9802100147 Rev 82 to EPIP EM-206, "Emergency Plan Roster Notification."
* Florida Power Corp. 98/01/30. 19pp. A2166:255-A2166:274.

9802110053 Rev 16 to AR-504, "ICS L Annunciator Response."
* Florida Power Corp. 98/02/02. 66pp. A2168:292-A2168:358.

9802110060 Rev 25 to AR-305, "ES E Annunciator Response."
* Florida Power Corp. 98/02/03. 56pp. A2169:230-A2169:286.

9802110066 Rev 18 to AR-603, "TGF O Anunciator Response."
* Florida Power Corp. 98/02/03. 107pp. A2168:184-A2168:291.

9802120300 Rev 17 to AR-504, "ICS L Annunciator Response."
* Florida Power Corp. 98/02/05. 66pp. A2228:270-A2228:336.

9802180104 Provides addl info requested in 980202 telcon re LAR 224. Info requested,involving normal & failure positions of svc water valves,included in Attachment A.Rev 0 to EPIP EM-225C, corrected simplified schematic & piping diagram encl.
RENCHECK,M.W. Florida Power Corp. 98/02/12. Document Control Branch (Document Control Desk). 11pp. A2279:338-A2279:355.

9802240151 Forwards RAI re IPEEE submittal re seismic,fire,high winds, floods & other external events.Response requested within 45 days.
RAGHAVAN,L. . 98/02/12. ANDERSON,R.A. Florida Power Corp. 11pp. A2287:311-A2287:321.

9802180122 Provides response to violations noted in insp rept 50-302/97-20.Corrective actions:HPP-104 revised on 980108 to remove vague guidance & clarify criteria for documenting personnel contamination events.
HOLDEN,J.J. Florida Power Corp. 98/02/13. Document Control Branch (Document Control Desk). 9pp. A2243:202-A2243:210.

9802230280 Rev 11 to AP-990, "Shutdown From Outside Control Room."
* Florida Power Corp. 98/02/13. 135pp. A2289:114-A2289:249.

9802200004 Summarizes key elements of App R restart issue work scope & provides NRC w/clarifications of two SERs which resulted,in part,from mods made during present & previous outages.
GRAZIO,R.E. Florida Power Corp. 98/02/17. Document Control Branch (Document Control Desk). 29pp. A2270:039-A2270:067.

H. General correspondence

9802020089 Comment supporting PRM 50-63A re emergency plan for CR3 to include mandatory stockpiling of KI for distribution to general public in event of severe accident.
ERICKSON,G.M. Affiliation Not Assigned. 98/01/23. NRC - No Detailed Affiliation Given. 1p. A1978:303-A1978:303.

9802260163 Submits updating of NRC incoming correspondence & signature authorization resulting from senior mgt changes,effective 980209.
GRAZIO,R.E. Florida Power Corp. 98/02/23. Document Control Branch (Document Control Desk). 2pp. A2373:155-A2373:156.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802040014 Forwards Vols 1-4,Rev 24 to FSAR for Crystal River Unit 3. Rev provided as complete reissue of FSAR & pages marked as Rev 24,dtd 980126.Summary of changes made in FSAR,Rev 24 provided in Attachment A.Rept will be provided by 980213.
COWAN,J.P. Florida Power Corp. 98/01/28. Document Control Branch (Document Control Desk). 269pp. A2069:001-A2076:116.

--9802040222 Chapter 1,Rev 24 to FSAR, "Introduction & Summary."
* Florida Power Corp. 98/01/26. 150pp. A2069:273-A2070:087.

--9802040243 Chapter 2,Rev 24,to FSAR, Site & Environ."
* Florida Power Corp. 98/01/26. 300pp. A2070:088-A2071:022.

--9802040256 Chapter 3,Rev 24 to FSAR, "Reactor."
* Florida Power Corp. 98/01/26. 200pp. A2071:023-A2071:333.

--9802040266 Chapter 4,Rev 24,to FSAR, "RCS."
* Florida Power Corp. 98/01/26. 100pp. A2071:334-A2072:092.

--9802040272 Chapter 5,Rev 24,to FSAR, "Containment Sys & Other Special Structures."
* Florida Power Corp. 98/01/26. 150pp. A2072:093-A2072:296.

--9802040279 Chapter 6,Rev 24,to FSAR, "Engineered Safeguards."
* Florida Power Corp. 98/01/26. 80pp. A2072:297-A2073:019.

--9802040286 Chapter 7,Rev 24,to FSAR, "Instrumentation & Control."
* Florida Power Corp. 98/01/26. 100pp. A2073:020-A2073:179.

--9802040289 Chapter 8,Rev 24,to FSAR, "Electrical Sys."
* Florida Power Corp. 98/01/26. 50pp. A2073:180-A2073:299.

--9802040296 Chapter 9,Rev 24,to FSAR, "Auxiliary & Emergency Sys."
* Florida Power Corp. 98/01/26. 100pp. A2073:300-A2074:192.

--9802040299 Chapter 10,Rev 24,to FSAR, "Steam & Power Conversion Sys."
* Florida Power Corp. 98/01/26. 100pp. A2074:193-A2074:320.

--9802040312 Chapter 11,Rev 24,to FSAR, "Radwaste & Radiation Protection."
* Florida Power Corp. 98/01/26. 80pp. A2074:321-A2075:072.

--9802040319 Chapter 12,Rev 24,to FSAR, "Conduct of Operations."
* Florida Power Corp. 98/01/26. 33pp. A2075:073-A2075:099.

--9802040325 Chapter 13,Rev 24,to FSAR, "Initial Tests & Operation."
* Florida Power Corp. 98/01/26. 56pp. A2075:100-A2075:153.

--9802040328 Chapter 14,Rev 24,to FSAR, "Safety Analysis."
* Florida Power Corp. 98/01/26. 200pp. A2075:154-A2076:116.

9802260169 Informs that encl CD-ROMs distributed as listed re rev 24 to FSAR.
GRAZIO,R.E. Florida Power Corp. 98/02/23. Document Control Branch (Document Control Desk). 1p. A2373:224-A2373:224.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9802040083 Summary of 971120 meeting w/licensee in Rockville,MD re restart: technical issues & status of licensing activities. List of attendees & meeting handout encl.
RAGHAVAN,L. . 97/12/09. . 50pp. A2004:241-A2004:290.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030123 Provides summary of 980106-07 SMM.Informs that Crystal River remained on NRC Watch List as category 2 plant & that public meeting has been scheduled for 980121 to discuss results of SMM.
CALLAN,L.J. Region 3 (Post 820201). 98/01/15. RICHARDSON,J. Florida Power Corp. 4pp. A1987:032-A1987:035.

9802020151 Forwards rev 8 to AP-961, "Earthquake" & rev 6 to EOP-06, "SG Tube Rupture."
* Florida Power Corp. 98/01/23. Document Control Branch (Document Control Desk). 1p. A2015:001-A2015:165.

--9802020153 Rev 8 to AP-961, "Earthquake."
* Florida Power Corp. 98/01/23. 29pp. A2015:002-A2015:030.

--9802020154 Rev 6 to EOP-06, "SG Tube Rupture."
* Florida Power Corp. 98/01/23. 135pp. A2015:031-A2015:165.

9802020096 Forwards rev 5 (IC 01) to EOP-03, "Inadequate Subcooling Margin," rev 4 (IC 01) to EOP-04, "Inadequate Heat Transfer" & rev 2 (IC 01) to EOP-14, "Emergency Operating Procedure Enclosures."
* Florida Power Corp. 98/01/24. Document Control Branch (Document Control Desk). 1p. A1970:001-A1971:090.

--9802020100 Rev 5 (IC 01) to EOP-03, "Inadequate Subcooling Margin."
WILSON,I.L. Florida Power Corp. 98/01/24. 61pp. A1970:002-A1970:062.

--9802020101 Rev 4 (IC 01) to EOP-04, "Inadequate Heat Transfer."
WILSON,I.L. Florida Power Corp. 98/01/24. 93pp. A1970:063-A1970:155.

--9802020103 Rev 2 (IC 01) to EOP-14, "Emergency Operating Procedure Enclosures."
WILSON,I.L. Florida Power Corp. 98/01/24. 293pp. A1970:156-A1971:090.

9802050270 Forwards amend 163 to license DPR-72 & safety evaluation. Amend involves rev to CR3 TS relating to small break loss of coolant accident mitigation,EDG upgrade & EDG load rejection test & steady state loads.
RAGHAVAN,L. . 98/01/24. ANDERSON,R.A. Florida Power Corp. 3pp. A2007:093-A2007:283.

--9802050276 Amend 163 to license DPR-72,involves rev to CR3 TS relating to small break loss of coolant accident mitigation,EDG upgrade & EDG load rejection test & steady state loads.
HEBDON,F.J. . 98/01/24. 135pp. A2007:096-A2007:230.

--9802050279 Safety evaluation supporting amend 163 to license DPR-72.
* . 98/01/24. 53pp. A2007:231-A2007:283.

9802040167 Informs that on 971215 FPC submitted JCO re control complex habitabiltiy envelope.
MILLER,C.L. . 98/01/27. HEBDON,F.J. . 5pp. A2004:348-A2004:352.

9802040400 Forwards amend 164 to license DPR-72 & safety evaluation. Amend revises license condition 2.C.(5) to delete requirement relating to installation & testing of flow indicators in ECCS.
RAGHAVAN,L. . 98/01/27. ANDERSON,R.A. Florida Power Corp. 3pp. A2004:291-A2004:318.

--9802040402 Amend 164 to license DPR-72,revising license condition 2.C.(5) to delete requirement relating to installation & testing of flow indicators in ECCS to provide indication of 40 gallons per minute flow for boron dilution.
HEBDON,F.J. . 98/01/27. 5pp. A2004:294-A2004:298.

–9802040403 Safety evaluation supporting amend 164 to license DPR-72.
* . 98/01/27. 7pp. A2004:299-A2004:318.

9802030058 Submits clarification to info provided in 980123 RAI re "Protection Against Dynamic Effects of LOCA."
RENCHECK,M.W. Florida Power Corp. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2020:068-A2020:069.

9802040251 Confirms 980127 telcon w/J Cowan concerning mgt meeting requested by NRC,scheduled for 980227.
JAUDON,J.P. Region 2 (Post 820201). 98/01/28. ANDERSON,R.A. Florida Power Corp. 4pp. A2000:069-A2000:072.

9802050312 Discusses plan for fatigue analysis of RCS attachment piping.
RAGHAVAN,L . 98/01/28. ANDERSON,R.A. Florida Power Corp. 3pp. A2012:185-A2012:187.

9802240005 Summary of 980108 meeting w/FPC in Rockville,MD re technical issues relating to control complex habitability envelope justification for continued operation.List of attendees & meeting handout encl.
RAGHAVAN,L . 98/01/28. . 81pp. A2287:077-A2287:157.

9802040327 Clarifies util implementation of statement re method for determining content of waste gas decay tanks at plant,unit 3.Surveillance Procedure SP-730, "Explosive Gas & Storage Tank Monitoring Chemistry Surveillance Program," encl.
PARDEE,C.G. Florida Power Corp. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2020:154-A2020:171.

–9802040329 Rev 20 to surveillance procedure SP-730, "Explosive Gas & Storage Tank Monitoring Chemistry Surveillance Program."
* Florida Power Corp. 98/01/01. 14pp. A2020:158-A2020:171.

9802050013 Forwards rev 8 to Abnormal Procedure (AP) 961, "Earthquake," as supplemental response for resolution of USI A-46.
RENCHECK,M.W. Florida Power Corp. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2037:306-A2037:336.

9802050369 Provides util schedule for submitting hot leg injection via reverse flow method of post LOCA boron precipitation control for NRC review.Change necessary due to rev to analyses associated w/LAR #223, "Post-LOCA Boron Precipitation."
RENCHECK,M.W. Florida Power Corp. 98/01/31. Document Control Branch (Document Control Desk). 2pp. A2145:230-A2145:231.

9802050292 Forwards request for addl info re Crystal River 3 Nuclear Plant,summary rept on verification of seismic adequacy of mechanical & electrical equipment in operating reactors, dtd 951231.
RAGHAVAN,L . 98/02/02. ANDERSON,R.A. Florida Power Corp. 5pp. A2012:245-A2012:249.

9802270208 Summary of 980112 meeting w/util in Rockville,MD re progress toward resolution of issues specified in CAL 2-97-01,dtd 970304.List of attendees & copy of handouts presented at meeting encl.
RAGHAVAN,L . 98/02/02. . 208pp. A2367:001-A2367:184.

9802230255 Provides comments on JCO for Crystal River Unit 3 related to Control Complex Habitability Envelope.Concludes that reasonable assurance exists that CR-3 control room doses following design basis accidents will meet requirements.
RAGHAVAN,L . 98/02/03. ANDERSON,R.A. Florida Power Corp. 6pp. A2280:164-A2280:169.

9802110125 Forwards rev 8 to AP-250, "Radiation Monitor Actuation," rev 2 to AP-430, "Loss of Control Room Alarms" & rev 9 to AP-513, "Toxic Gas."
* Florida Power Corp. 98/02/04. Document Control Branch (Document Control Desk). 1p. A2160:290-A2160:353.

–9802110129 Rev 8 to AP-250, "Radiation Monitor Actuation."
* Florida Power Corp. 98/02/04. 23pp. A2160:291-A2160:313.

–9802110132 Rev 2 to AP-430, "Loss of Control Room Alarms."
* Florida Power Corp. 98/02/04. 23pp. A2160:314-A2160:336.

–9802110138 Rev 9 to AP-513, "Toxic Gas."
* Florida Power Corp. 98/02/04. 17pp. A2160:337-A2160:353.

9802130132 Informs of NRC Region II mgt changes that will be effective on 980215.Revised organization chart for NRC Region II encl.
LANDIS,K.D. Region 2 (Post 820201). 98/02/05. ANDERSON,R.A. Florida Power Corp. 4pp. A2164:084-A2164:087.

9802110027 Forwards description of conclusions reached by util after research of original licensing & design basis for LPI crossover line & list of commitments re issue.
RENCHECK,M.W. Florida Power Corp. 98/02/06. Document Control Branch (Document Control Desk). 8pp. A2198:348-A2198:356.

9802120084 Provides NRC w/actions carried forward as non-restart follow-up items for which util committed future NRC submittal or where NRC action on submittal pending.
HOLDEN,J.J. Florida Power Corp. 98/02/09. Document Control Branch (Document Control Desk). 7pp. A2216:246-A2216:252.

9802180078 Provides addl responses to four NRC comments provided in 970428 ltr re individual plant exam internal events,per GL 88-20.Meeting scheduled for 980225 w/NRC in Rockville,MD to discuss plant IPE.
RENCHECK,M.W. Florida Power Corp. 98/02/12. Document Control Branch (Document Control Desk). 39pp. A2243:055-A2243:096.

9802180104 Provides addl info requested in 980202 telcon re LAR 224. Info requested,involving normal & failure positions of svc water valves,included in Attachment A.Rev 0 to EPIP EM-225C, corrected simplified schematic & piping diagram encl.
RENCHECK,M.W. Florida Power Corp. 98/02/12. Document Control Branch (Document Control Desk). 11pp. A2279:338-A2279:355.

9802240011 Notification of meeting w/FPC on 980225 in Rockville,MD re technical discussions concerning IPE submittal.
RAGHAVAN,L . 98/02/12. HEBDON,F.J. . 4pp. A2287:298-A2287:301.

9802230039 Forwards list of commitments,conclusions presented in 980130 telcon,description of long-term CAs required to resolve conflicts within FSAR & summary of previously docketed correspondence re protection against effects of LOCA.
RENCHECK,M.W. Florida Power Corp. 98/02/18. Document Control Branch (Document Control Desk). 12pp. A2328:265-A2328:276.

9802230145 Forwards rev 2 to MPR-1887, "Crystal River 3 Reactor Bldg Cooling Fan Logic Mod Failure Modes & Effects Analysis." Rept provides several corrections & clarifications to rept submitted 980109.
GRAZIO,R.E. Florida Power Corp. 98/02/19. Document Control Branch (Document Control Desk). 7pp. A2328:277-A2328:301.

–9802230151 Rev 2 to MPR-1887, "Crystal River 3 Reactor Bldg Cooling Fan Logic Mod Failure Modes & Effects Analysis."
HILL,D., MORONEY,J. MPR Associates, Inc. MPR-1887 R02. 98/02/13. 18pp. A2328:284-A2328:301.

9802250134 Informs that util has revised Operating Procedure OP-204 to ensure real & reactive power is maintained IAW reactive capability curve in OP-103A, "Startup Curves." Commitment made by util,encl.
HOLDEN,J.J. Florida Power & Light Co. 98/02/20. Document Control Branch (Document Control Desk). 3pp. A2368:320-A2368:322.

9802250312 Forwards status of requirements stated in SE submitted w/ license amend 163.Status of SE requirements do not invalidate or alter any conclusions,or basis of any conclusion,supporting TS issued in license amend 163.
GRAZIO,R.E. Florida Power Corp. 98/02/20. Document Control Branch (Document Control Desk). 12pp. A2367:323-A2367:334.

9802250363 Forwards rept of changes made to Improved TS Bases,per Improved TS 5.6.2.17.
GRAZIO,R.E. Florida Power Corp. 98/02/20. Document Control Branch (Document Control Desk). 18pp. A2368:001-A2368:222.

–9802250364 Proposed tech specs,providing revs to CR-3 Improved TS Bases that update NRC copies of Improved TS.
* Florida Power Corp. 98/02/20. 204pp. A2368:019-A2368:222.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040317 Forwards insp rept 50-302/97-20 on 971201-16 & NOV re examples of inadequate procedures & failure to follow procedures in health physics area.
JAUDON,J.P. Region 2 (Post 820201). 98/01/16. ANDERSON,R.A. Florida Power Corp. 4pp. A1999:136-A1999:213.

–9802040324 Notice of violation from insp on 971201-16.Violation noted: as of 971211,licensee health physics supervisors failed to identify & correct personnel contamination repts that were not completed IAW requirements of Procedure HPP-104.
* Region 2 (Post 820201). 98/01/16. 4pp. A1999:140-A1999:143.

–9802040326 Insp rept 50-302/97-20 on 971201-16.Violations noted.Major areas inspected:operations,radiological protection,maint & surveillance programs.
JULIAN,C. Region 2 (Post 820201). 98/01/16. 70pp. A1999:144-A1999:213.

9802090216 Forwards insp rept 50-302/97-19 on 971130-980103.No violations noted.Conduct of activities at Crystal River 3 facility was adequate.
JAUDON,J.P. Region 2 (Post 820201). 98/01/29. ANDERSON,R.A. Florida Power Corp. 4pp. A2048:132-A2048:241.

–9802090218 Insp rept 50-302/97-19 on 971130-980103.No violations noted. Major areas inspected:operations,maint,engineering & plant support.
LANDIS,K. Region 2 (Post 820201). 98/01/29. 106pp. A2048:136-A2048:241.

9802100007 Supplements Insp Rept 50-302/97-21 transmitted in ltr dtd 971229.NRC concluded that violations of NRC requirements occurred.Brief discription of issues addressed by LERs encl.
REYES,L.A. Region 2 (Post 820201). 98/01/29. ANDERSON,R.A. Florida Power Corp. 7pp. A2093:062-A2093:068.

9802040216 Provides notification that commitment due date re response to NOV identified in insp rept 50-302/97-10 concerning installation of video capture sys being extended to 980214.
MARANO,M.W. Florida Power Corp. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2036:279-A2036:281.

9802090253 Responds to 980124 ltr requesting permission to restart Crystal River 3.Ltr notified of completed action items contained in CAL 2-97-01,dtd 970304,necessary to be completed before restart.CAL considered closed.
REYES,L.A. Region 2 (Post 820201). 98/01/30. ANDERSON,R.A. Florida Power Corp. 6pp. A2042:295-A2042:300.

9802090220 Ack receipt of 971229 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/97-14.
CHRISTENSEN,H. Region 2 (Post 820201). 98/02/03. ANDERSON,R.A. Florida Power Corp. 2pp. A2042:330-A2042:331.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802120084 Provides NRC w/actions carried forward as non-restart follow-up items for which util committed future NRC submittal or where NRC action on submittal pending.
HOLDEN,J.J. Florida Power Corp. 98/02/09. Document Control Branch (Document Control Desk). 7pp. A2216:246-A2216:252.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802180122 Provides response to violations noted in insp rept 50-302/97-20.Corrective actions:HPP-104 revised on 980108 to remove vague guidance & clarify criteria for documenting personnel contamination events.
HOLDEN,J.J. Florida Power Corp. 98/02/13. Document Control Branch (Document Control Desk). 9pp. A2243:202-A2243:210.

R. Periodic operating reports & related correspondence

9802200147 Monthly operating rept for Jan 1998 for Crystal River,Unit 3.W/980213 ltr.
DAO,T.V., GRAZIO,R.E. Florida Power Corp. 98/01/31. 5pp. A2289:354-A2289:358.

9802180116 Forwards suppl to annual 10CFR50.59 rept that was provided in 980128 ltr.Attachment A provides descriptions of changes to facility as described in FSAR that were implemented between Dec 1996 & Nov 1997.No tests or experiments done.
HOLDEN,J.J. Florida Power Corp. 98/02/13. Document Control Branch (Document Control Desk). 188pp. A2240:107-A2240:294.

9802250263 Forwards fitness-for-duty program performance data for period Jul-Dec 1997,per 10CFR26.71(b).
GRAZIO,R.E. Florida Power Corp. 98/02/20. Document Control Branch (Document Control Desk). 11pp. A2368:238-A2368:248.

S. Reportable occurrences, LERs & related correspondence

9802020185 PNO-II-98-004:on 980130,Region II administrator informed FPC that NRC was satisfied w/completion of FPC actions specified in CAL,dtd 970304 & concurred that plant,Unit 3 could operate IAW license.
NINH,S. Region 2 (Post 820201). 98/01/30. 1p. A2006:269-A2006:269.

9802050210 PNO-II-98-005:on 980201,plant commenced reactor startup & entered mode 2 conditions (Keff 0.99).On 980202,criticality was achieved,followed by mode 1 conditions.Unit scheduled to be at 100% power late 980205.
NINH,S. Region 2 (Post 820201). 98/02/02. 1p. A2010:157-A2010:157.

9802090025 Forwards LER 98-001-00,discussing impact HELB would have on sys,structures & components inside containment,per 10CFR50.73.
RENCHECK,M.W. Florida Power Corp. 98/02/03. Document Control Branch (Document Control Desk). 1p. A2144:046-A2144:052.

–9802090044 LER 98-001-00:on 980104,SSCs were not protected from dynamic effects of LOCA.Caused by failure to fully satisfy design criteria as described in FSAR for dynamic effects of LOCA inside containment.Completed JCO for targets.
PETERSON,P.M. Florida Power Corp. 98/02/03. 6pp. A2144:047-A2144:052.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802200116 Revised Corporate Emergency Plan Implementing Procedures (CEPIPs),including CEPIP-2000 series table of contents,rev 2 to CEPIP-2021-04, "Morrison EOF & JPIC Activation" & rev 1 to CEPIP-2030-01,deleting procedure.
* Commonwealth Edison Co. 98/02/13. 10pp. A2283:259-A2283:268.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

9802240168 Responds to NRC 980115 ltr re violations noted in insp rept 50-295/97-17 & 50-304/97-17.CAs:unescorted access was placed on temporary hold for Director of Fire Protection,Fire Marshal & 2 firewatch supervisors pending investigation.
BRONS,J.C. Commonwealth Edison Co. 98/02/13. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 12pp. A2343:172-A2343:184.

9802240432 Revised CEPIPS,including CEPIP-3000 series table of contents,rev 2 to CEPIP 3601-01,deleted procedure.
* Commonwealth Edison Co. 98/02/13. 2pp. A2366:055-A2366:056.

9802240439 Revised CEPIPs,including CEPIP-2000 series table of contents,rev 2 to CEPIP 2221-04 "HPN Communicator (CEOF)," rev 4 to CEPIP 2321-02 "HPN Communicator (EOF)."
* Commonwealth Edison Co. 98/02/16. 11pp. A2347:343-A2347:353.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050260 Informs that on 980106-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees.Summary of each site performance submitted.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 10pp. A2007:318-A2007:327.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

–9802060120 Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802120028 Confirms cancellation of 980205 meeting in Region III Ofc in Lisle,IL,re plans for Zion Station transition to decommissioning.Meeting will be rescheduled.
GRANT,G.E. Region 3 (Post 820201). 98/02/02. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2142:068-A2142:069.

9802240306 Informs that NRC project mgt responsibility for listed CECO nuclear power stations being modified as listed.
CAPRA,R.A. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2335:335-A2335:339.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802200326 Withdraws three applications to amend App A (TS) to licenses DPR-39 & DPR-48.Requested amends proposed changes to TS. Determined that amends are no longer needed.
BRONS,J.C. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2320:294-A2320:296.

9802200407 Submits required written certification of permanent cessation of operations at plant,effective 980213.
KINGSLEY,O.D. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 1p. A2283:274-A2283:274.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040237 Forwards insp repts 50-295/97-23 & 50-304/97-23 on 970908-1216 & NOV.Violation involved failure to adhere to scaffolding procedure requirements & failure to ensure that proficiency & qualifications were adequately achieved.
GRANT,G.E. Region 3 (Post 820201). 98/01/27. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A1999:052-A1999:096.

–9802040258 Notice of violation from insp on 970908-1216.Violation noted:as of 970724,licensee failed to ensure that training provided to selected contractor craft & quality control insp personnel performing Raychem splice applications.
* Region 3 (Post 820201). 98/01/27. 3pp. A1999:058-A1999:060.

–9802040263 Insp repts 50-295/97-23 & 50-304/97-23 on 970908-1216. Violations noted.Major areas inspected:engineering.
* Region 3 (Post 820201). 98/01/27. 36pp. A1999:061-A1999:096.

9802040285 Forwards insp repts 50-295/97-27 & 50-304/97-27 licensed operator requalification training program evaluation on 971117-25.No violations identified.Several concerns in licensed operator requalification program identified.
GRANT,G.E. Region 3 (Post 820201). 98/01/30. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1999:097-A1999:116.

–9802040295 Insp repts 50-295/97-27 & 50-304/97-27 on 971117-25.No violations noted.Major areas inspected:licensed reactor operator & senior reactor operator requalification training programs.
* Region 3 (Post 820201). 98/01/30. 17pp. A1999:100-A1999:116.

9802170154 Forwards insp repts 50-295/98-03 & 50-304/98-03 on 980120-23 & notice of violation.Violations concern failure to properly implement calibr procedures for personnel contamination monitor.
GRANT,G.E. Region 3 (Post 820201). 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2181:252-A2181:273.

–9802170159 Notice of violation from insp on 970120-23.Violation noted: on 980115,radiation protection technician performed calibration of auxiliary bldg exit personnel contamination monitor & failed to reset monitor to initial setting.
* Region 3 (Post 820201). 98/02/06. 2pp. A2181:255-A2181:256.

–9802170163 Insp repts 50-295/98-03 & 50-304/98-03 on 980120-23. Violations noted.Major areas inspected:plant support performance & specifically,evaluation of effectiveness of radiation protection program.
* Region 3 (Post 820201). 98/02/06. 17pp. A2181:257-A2181:273.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802230018 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/97-22 & 50-304/97-22.Actions will be examined during future insp.
CALDWELL,J.L. Region 3 (Post 820201). 98/02/13. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2274:259-A2274:260.

9802240168 Responds to NRC 980115 ltr re violations noted in insp repts 50-295/97-17 & 50-304/97-17.CAs:unescorted access was placed on temporary hold for Director of Fire Protection,Fire Marshal & 2 firewatch supervisors pending investigation.
BRONS,J.C. Commonwealth Edison Co. 98/02/13. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 12pp. A2343:172-A2343:184.

9802240130 Responds to NRC 980121 ltr re violations noted in insp repts 50-295/97-25 & 50-304/97-25.Corrective actions:revised procedure SOI-61F to reflect need to verify position of 2MOV-SW0023 & revised procedure PT-10-3 to provide guidance.
BRONS,J.C. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 12pp. A2348:334-A2348:345.

9802240327 Ack receipt of 971001 ltr & check for $300,000 in payment for civil penalties proposed by NRC ltr dtd 970902.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/23. KINGSLEY,O. Commonwealth Edison Co. 3pp. A2279:108-A2279:110.

R. Periodic operating reports & related correspondence

9802240077 Monthly operating repts for Jan 1998 for Zion Station,Units 1 & 2.W/ 980216 ltr.
CYGAN,J., STARKEY,R.S. Commonwealth Edison Co. 98/01/31. 8pp. A2354:340-A2354:347.

V. Operator Examinations

9802040285 Forwards insp repts 50-295/97-27 & 50-304/97-27 licensed operator requalification training program evaluation on 971117-25.No violations identified.Several concerns in licensed operator requalification program identified.
GRANT,G.E. Region 3 (Post 820201). 98/01/30. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1999:097-A1999:116.

--9802040295 Insp repts 50-295/97-27 & 50-304/97-27 on 971117-25.No violations noted.Major areas inspected:licensed reactor operator & senior reactor operator requalification training programs.
* Region 3 (Post 820201). 98/01/30. 17pp. A1999:100-A1999:116.

9802110090 Requests that initial operator license exams scheduled for wks of 980209 & 16 be cancelled.Util formally withdraws all individual license applications associated w/exams.
BRONS,J.C. Commonwealth Edison Co. 98/02/04. BEACH,A.B. Region 3 (Post 820201). 1p. A2212:228-A2212:228.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

J. Insurance & indemnity information

9802190171 Forwards listed NELIA insurance policy endorsements,IAW 10CFR140.15.
MARCHI,M.L. Wisconsin Public Service Corp. 98/02/11. Document Control Branch (Document Control Desk). 10pp. A2249:350-A2249:359.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030016 Provides addl info re amend 132 to license DPR-43,concerning operation of Kewaunee control room ventilation sys.
MARCHI,M.L. Wisconsin Public Service Corp. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A2020:066-A2020:067.

9802050267 Requests RAI re proposed design mod associated w/existing anticipated transient w/o scram mitigation actuation circuitry sys.
RAY,P.M. . 98/02/02. MARCHI,M.L. Wisconsin Public Service Corp. 5pp. A2012:173-A2012:177.

9802170129 Forwards summary of analysis for chemical & volume control sys malfunction in refueling mode,as supplemental info to proposed license amend 149 dtd 971013.Plant updated SAR has been changed reflecting revised analysis.
MARCHI,M.L. Wisconsin Public Service Corp. 98/02/10. Document Control Branch (Document Control Desk). 4pp. A2218:346-A2218:349.

9802200379 Informs that effective 980202,W Long assigned a Project Manager for plant.
SAVIO,R.P. . 98/02/17. MARCHI,M.L. Washington Public Power Supply System. 4pp. A2255:063-A2255:066.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802230095 Forwards insp rept 50-305/97-17 on 971028-1208.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 98/01/02. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. A2274:272-A2274:291.

--9802230097 Insp rept 50-305/97-17 on 971028-1208.No violations noted. Major areas inspected:plant operation,maint,engineering & plant support.
* Region 3 (Post 820201). 98/01/02. 16pp. A2274:276-A2274:291.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040368 Forwards insp rept 50-305/97-18 on 971209-980120.No violations noted.Insp included plant power reduction,turbine stop valve testing & response to reactor coolant pump seal concerns.
GRANT,G.E. Region 3 (Post 820201). 98/01/29. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. A2000:042-A2000:063.

--9802040371 Insp rept 50-305/97-18 on 971209-980120.No violations noted. Major areas inspected:plant operations,maint,engineering & plant support.
LANKSBURY,R.D. Region 3 (Post 820201). 98/01/29. 18pp. A2000:046-A2000:063.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802260185 Forwards insp rept 50-305/98-03 on 980128-0203 & NOV. Objective of insp was review of circumstances surrounding licensee reported incident that involved failure to properly secure Safeguards Info stored outside protected area.
GROBE,J.A. Region 3 (Post 820201). 98/02/23. MARCHI,M.L. Wisconsin Electric Power Co. 2pp. A2344:109-A2344:119.

--9802260188 Notice of violation from insp on 980128-0203.Violation noted:on 980120,licensee identified that from Feb 1994 to 980120,unattended Safeguards Info was stored outside protected area in controlled access area in filing cabinet.
* Region 3 (Post 820201). 98/02/23. 2pp. A2344:111-A2344:112.

--9802260190 Insp rept 50-305/98-03 on 980128-980203.Violations noted. Major areas inspected:circumstances surrounding incident that involved inadequate protection of Safeguards Info at KNPP.
* Region 3 (Post 820201). 98/02/23. 7pp. A2344:113-A2344:119.

R. Periodic operating reports & related correspondence

9802170098 Monthly operating rept for Jan 1998 for Kewaunee Nuclear Power Plant.W/ 980209 ltr.
ANDERSON,M.L., MARCHI,M.L. Wisconsin Public Service Corp. 98/01/31. 5pp. A2220:164-A2220:168.

9802200384 Forwards fitness-for-duty program performance data for six month period ending 971231,IAW 10CFR26.71(d).
MARCHI,M.L. Wisconsin Public Service Corp. 98/02/09. Document Control Branch (Document Control Desk). 4pp. A2319:279-A2319:282.

S. Reportable occurrences, LERs & related correspondence

9802170067 LER 98-001-00:on 980108,two component cooling water pumps out of service simultaneously were noted.Caused by lack of questioning attitude among plant staff.Addl guidance has been provided to operations staff.W/980209 ltr.
HARRINGTON,G., MARCHI,M.L. Wisconsin Public Service Corp. 98/02/09. 8pp. A2213:283-A2213:290.

9802240154 LER 98-S02-00:on 980120,discovered safeguards info locked in unqualified file cabinet.Caused by misunderstanding of classification of matl in cabinet.Subject info immediately controlled IAW plant requirements.W/980219 ltr.
FLETCHER,J.J., MARCHI,M.L. Wisconsin Public Service Corp. 98/02/19. 7pp. A2318:313-A2318:319.

V. Operator Examinations

9802120126 Informs that insp of licensed operator requalification program at Kewaunee NPP has been planned for wk of 980413, per 980203 telcon.
LEACH,M.N. Region 3 (Post 820201). 98/02/05. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. A2142:264-A2142:265.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802060037 Forwards requested analysis summary rept re vehicle barrier sys for insp repts 50-282/97-07 & 50-306/97-07.Info included in attachment safeguards info & therefore exempt from PDR. W/o encl.
SORENSEN,J.P. Northern States Power Co. 98/01/27. PIRTLE,G.L. Region 3 (Post 820201). 2pp. A2150:347-A2150:348.

9802170101 Forwards four copies of rev 37 to Prairie Island security plan.Plan withheld.
SORENSEN,J.P. Northern States Power Co. 98/02/09. Document Control Branch (Document Control Desk). 1p. A2182:345-A2182:345.

9802170105 Forwards four copies of rev 15 to Prairie Island security force training & qualification plan,incorporating NRC comments to rev 14.Plan withheld.
SORENSEN,J. Northern States Power Co. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2182:346-A2182:347.

9802190208 Dockets that listed revs to emergency plan that were inadvertently mailed w/o appropriate cover ltr were sent to NRC.
SORENSEN,J.P. Northern States Power Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2254:359-A2254:359.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9802250212 Forwards postmarked ltr,dtd 980221 re request for 10-day extension of 25-day comment period concerning Director's Decision to deny petition of Prairie Island Coalition.
CROCKER,G. Affiliation Not Assigned. #198 18821. 98/02/23. HOYLE,J. Office of the Secretary of the Commission. 2pp. A2288:001-A2288:002.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050323 Forwards copy of notice of consideration of issuance of amend to FOL,proposed NSHC & opportunity for hearing re NSP application for amend for PINGS,Unit 1 dtd 980115.
WETZEL,B.A. . 98/01/26. ANDERSON,R.O. Northern States Power Co. 3pp. A2010:332-A2010:342.

9802050255 Requests approval of alternative to ASME code requirements re liquid penetrant testing requirements of N-518.4 of 1968 ASME Boiler & Pressure Vessel Code for weld repairs.Related info encl.
SORENSEN,J.P. Northern States Power Co. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2135:239-A2135:254.

-9802050264 Rev 1 to calculation NSP-26Q-302, "Evaluation of Limiting Flaws for Structural Adequacy in Canopy Seal Repairs at Prairie Island Nuclear Plant.
" Northern States Power Co. NSP-26Q-302 R01. 98/01/29. 11pp. A2135:244-A2135:254.

9802240272 Advises that info re 971110 application by NSP & CE original affidavit,dtd 970905 will be withheld from public disclosure,per 10CFR2.790.
WETZEL,B.A. . 98/02/03. ANDERSON,R.O. Northern States Power Co. 5pp. A2333:351-A2333:355.

9802180168 Forwards application for amends to licenses DPR-42 & DPR-60, increasing reactor coolant sys boron concentration to meet requirements of Tech specs.
SORENSEN,J.P. Northern States Power Co. 98/02/10. Document Control Branch (Document Control Desk). 3pp. A2243:159-A2243:174.

-9802180178 Application for amends to licenses DPR-42 & DPR-60,revising TS 1-1 re one time reduction of Mode 6 reactor coolant sys boron concentration.
SORENSEN,P. Northern States Power Co. 98/02/10. 9pp. A2243:162-A2243:170.

-9802180180 Proposed Tech Specs 1-1 re one time reduction of Mode 6 reactor coolant sys boron concentration.
" Northern States Power Co. 98/02/10. 4pp. A2243:171-A2243:174.

9802200010 Requests approval of alternatives to liquid penetrant testing requirements of N-518.4 of 1968 ASME boiler & pressure vessel code for weld repairs discussed.Rev 0 to calculation SIC-98-009 re weld evaluation,encl.
SORENSEN,J.P. Northern States Power Co. 98/02/13. Document Control Branch (Document Control Desk). 7pp. A2270:298-A2270:314.

-9802200011 Rev 0 to SIC-98-009, "Evaluation of Limiting Flaws for Structural Adequacy in CRDM Repair Adapter Plug Fillet Weld Evaluation at Prairie Island Unit 2."
" Structural Integrity Associates, Inc. NSP-27Q. SIC-98-009 R00. 98/02/12. 10pp. A2270:305-A2270:314.

9802250107 Submits ltr to document results of discussions between NSP & NRC staff re analysis required to resolve intake canal seismic stability issue.New NRC commitments made within ltr.
SORENSEN,J.P. Northern States Power Co. 98/02/18. Document Control Branch (Document Control Desk). 3pp. A2360:339-A2360:341.

9802260032 Ack receipt of 980127 ltr transmitting results of engineering analysis conducted for portion of vehicle barrier sys.
CREED,J.R. Region 3 (Post 820201). 98/02/20. SORENSEN,J.P. Northern States Power Co. 2pp. A2344:038-A2344:039.

9802260244 Responds to 980218 RAI concerning Prairie Island,Unit 2 CRDM leak.
SORENSEN,J.P. Northern States Power Co. 98/02/23. Document Control Branch (Document Control Desk). 67pp. A2373:001-A2373:067.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040045 Forwards draft version of insp repts 50-282/97-19 & 50-306/97-19 & draft notice of violation.On 971209,inspector inadvertently provided staff w/e-mail copy of subj rept before approval for release.
GRANT,G.E. Region 3 (Post 820201). 98/01/23. WADLEY,M. Northern States Power Co. 30pp. A1997:003-A1997:032.

9802060037 Forwards requested analysis summary rept re vehicle barrier sys for insp repts 50-282/97-07 & 50-306/97-07.Info included in attachment safeguards info & therefore exempt from PDR. W/o encl.
SORENSEN,J.P. Northern States Power Co. 98/01/27. PIRTLE,G.L. Region 3 (Post 820201). 2pp. A2150:347-A2150:348.

9802120149 Forwards insp repts 50-282/97-23 & 50-306/97-23 on 971203-980113 & NOV.Violation identified in area of procedural adherence.
GRANT,G.E. Region 3 (Post 820201). 98/01/30. WADLEY,M. Northern States Power Co. 3pp. A2142:302-A2142:333.

-9802120151 Notice of violation from insp on 971203-980113.Violation noted:on 971210,Maint Procedure D32,Rev 6,was not allowed for Unit 1 when RO & nuclear engineer coordinating procedure on two occasions,failed to do five degree cooldown & heatup.
" Region 3 (Post 820201). 98/01/30. 2pp. A2142:305-A2142:306.

-9802120155 Insp repts 50-282/97-23 & 50-306/97-23 on 971203-980113. Violations noted.Major areas inspected:licensee operations, maint,engineering & plant support.
" Region 3 (Post 820201). 98/01/30. 27pp. A2142:307-A2142:333.

9802110061 Ack receipt of 980121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/97-19 & 50-306/97-19.
GROBE,J.A. Region 3 (Post 820201). 98/02/03. WADLEY,M.D. Northern States Power Co. 3pp. A2133:327-A2133:334.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200086 "Prairie Island Nuclear Generating Plant Annual ISFSI Effluent Rept Jan-Dec 1997." W/980211 ltr.
SORENSEN,J.P. Northern States Power Co. 97/12/31. 3pp. A2318:358-A2318:360.

9802190053 Monthly operating repts for Jan 1998 for Prairie Island Nuclear Generating Plant.W/980210 ltr.
DUGSTAD,D., SORENSEN,J.P. Northern States Power Co. 98/01/31. 10pp. A2270:328-A2270:337.

S. Reportable occurrences, LERs & related correspondence

9802240276 Forwards LER 98-001-00 re lockout of 10 Transformer resulting in auto load rejection/restoration on safety related bus.Event reported via emergency notification sys in accordance w/10CFR50.72 on 980121.
SORENSEN,J.P. Northern States Power Co. 98/02/20. Document Control Branch (Document Control Desk). 1p. A2344:194-A2344:200.

-9802240291 LER 98-001-00:on 980121,10 Transformers were locked out. Caused by cognitive error by Sys Engineer writing work order to isolate breaker 1H3.Revised procedures.
STANTON,J. Northern States Power Co. 98/02/20. 6pp. A2344:195-A2344:200.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9802060222 Advises that 970925 rev 25 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
MODES,M.C. Region 1 (Post 820201). 98/01/27. SELLMAN,M.B. Maine Yankee Atomic Power Co. 3pp. A2138:304-A2138:306.

9802250163 Requests that claim of backfit be appropriately reviewed,IAW 10CFR50.109 & NRC Manual Chapter 0514, "NRC Program for Mgt of Plant-Specific Backfitting of NPPs."
MEISNER,M.J. Maine Yankee Atomic Power Co. 98/02/17. Document Control Branch (Document Control Desk). 5pp. A2368:315-A2368:319.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020085 Requests enforcement conference for wk of 980123.Util intends to docket written response to apparent violations prior to conference,reserving bulk of conference to focus on cover ltr characterizations.
MEISNER,M.J. Maine Yankee Atomic Power Co. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A2006:358-A2006:359.

9802050044 Responds to NRC 971229 ltr re violations noted in insp rept 50-309/97-08.Corrective actions:device was removed from PIDS reset device & test of alarm sys indicated that sys was functioning properly.
ZINKE,G.A. Maine Yankee Atomic Power Co. 98/01/28. Document Control Branch (Document Control Desk). 5pp. A2038:099-A2038:103.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802250182 Ack receipt of 980128 ltr informing NRC of steps taken to correct violations noted in insp rept 50-309/97-09. Corrective actions will be examined during future insp of licensed program.
BELLAMY,R.R. Region 1 (Post 820201). 98/02/12. SELLMAN,M.B. Maine Yankee Atomic Power Co. 3pp. A2326:352-A2326:359.

R. Periodic operating reports & related correspondence

9802190188 "Annual Rept of Facility Changes & Relief & Safety Valve Failures & Challenges." W/980212 ltr.
ZINKE,G.A. Maine Yankee Atomic Power Co. 98/01/31. 15pp. A2258:002-A2258:016.

9802230334 Monthly operating rept for Jan 1998 for Maine Yankee. W/980217 ltr.
BAILEY,S.J., ZINKE,G.A. Maine Yankee Atomic Power Co. 98/01/31. 5pp. A2342:331-A2342:335.

W. Decommissioning Stage Documents & Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030090 Informs that on 980106-07,NRC senior managers met to evaluate nuclear safety performance of operation reactor, fuel facilities & other matl licensees.Meeting concluded that plant should be removed from NRC watch list.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/15. FLANAGAN,D. Maine Yankee Atomic Power Co. 5pp. A1980:355-A1980:359.

9802040433 Forwards Revs 12,13 & 14 to "Maine Yankee Atomic Power Co QA Program."
ZINKE,G.A. Maine Yankee Atomic Power Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2144:186-A2145:059.

-9802040436 Rev 12 to "Maine Yankee Atomic Power Co,QA Program."
* Maine Yankee Atomic Power Co. 97/09/25. 70pp. A2144:188-A2144:257.

-9802060165 Rev 13 to "Maine Yankee Atomic Power Co,QA Program."
* Maine Yankee Atomic Power Co. 98/01/27. 61pp. A2144:258-A2144:321.

-9802060169 Rev 14 to "Maine Yankee Atomic Power Co QA Program."
* Maine Yankee Atomic Power Co. 98/01/22. 97pp. A2144:322-A2145:059.

9802180056 Rev 14 to "MYAPS Defueled Safety Analysis Rept."
* Maine Yankee Atomic Power Co. 98/01/30. 492pp. A2219:001-A2220:128.

9802050133 Final response to FOIA request for documents.Forwards App C records being withheld in part (ref FOIA Exemptions 5 & 7A).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/03. CHRISTINE,K.Z. Affiliation Not Assigned. 3pp. A2007:080-A2007:087.

-9802050142 Partially deleted memo forwarding info re two allegations concerning emergency feedwater valves issue & apparent falsification of procedure implementation.
YEROKUN,J. Region 1 (Post 820201). 96/12/16. LETTS,B. Region 1 (Post 820201). 4pp. A2007:084-A2007:087.

9802200400 Forwards updated TS page 5-8 from 971020 application for amend 207,reflecting permanently defueled status of plant. Updated TS page includes specification relating to cold weather operations.
MEISNER,M.J. Maine Yankee Atomic Power Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2283:302-A2283:303.

-9802200404 Proposed tech specs page 5-8,including specification re cold weather operations.
* Maine Yankee Atomic Power Co. 98/02/10. 1p. A2283:303-A2283:303.

9802250069 Responds to 971029 ltr to S Collins re NRC decommissioning regulations & decomissioning of Maine Yankee Atomic Power Station.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/02/19. TREAT,S.A. Senate. 7pp. A2325:107-A2325:116.

-9802250072 Forwards ltr from S Treat expressing concerns re decommissioning of Maine Yankee.
COLLINS,S.M. Senate. 97/11/25. RATHBURN,D. Office of Congressional Affairs (Post 911117). 3pp. A2325:114-A2325:116.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802020266 Informs that util revising commitment contained in 880715 ltr to state,min shift staffing levels necessary to perform simultaneous alternate shutdown of Units 1 & 2,controlled under administrative procedures.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/01/22. Document Control Branch (Document Control Desk). 4pp. A2006:350-A2006:353.

9802040454 Revised emergency plan,including rev 30 to table of contents,rev 5 to Section 1,rev 7 to Section 2,rev 5 to Section 6,rev 8 to Section 9,rev 5 to Section 10,rev 4 to Section 13 & rev 8 to Section 16.
* Public Service Electric & Gas Co. of New Jersey. 98/01/28. 143pp. A2033:034-A2033:176.

9802120065 Revised EPIPs,including rev 3 to table of contents & rev 1 to SGS EAL/RAL technical basis.
* Public Service Electric & Gas Co. of New Jersey. 98/01/30. 33pp. A2233:060-A2233:092.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802100046 Forwards rev 16 to Salem Generating Station UFSAR IAW requirements of 10CFR50.71(e).Rev contains identified text, table & figure changes required to reflect plant configuration as of 970731.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 98/01/30. Document Control Branch (Document Control Desk). 48pp. A2155:001-A2159:169.

-9802100054 Rev 16 to Salem Generating Station,Units 1 & 2 updated FSAR.
* Public Service Electric & Gas Co. of New Jersey. 98/01/30. 1,577pp. A2155:049-A2159:169.

P. Operating license stage documents & correspondence

9802030112 Forwards RAI re electrical power sources during shutdown at plant.Response requested within 45 days of ltr receipt.
MILANO,P.D. . 97/01/23. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 4pp. A1986:350-A1986:353.

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030096 Informs that on 980106-07,NRC senior managers met to evaluate nuclear safety performance of operating reactor, fuel facilities & other matl licensees.Plant remains on NRC watch list as Category 2 plant.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/15. FERLAND,E.J. Public Service Electric & Gas Co. of New Jersey. 5pp. A1976:066-A1976:070.

9802040233 Forwards request for addl info re electrical power sources during shutdown.W/o encl.
MILANO,P.D. . 98/01/23. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 3pp. A2000:352-A2000:354.

9802040227 Forwards request for addl info re inservice testing program.
MILANO,P.D. . 98/01/27. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 4pp. A2006:321-A2006:324.

9802060087 Forwards response to 980122 telcon RAI re plant primary to secondary leakage history,per 971029 LAR.New Insert A which modifies listed statement,encl.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2098:346-A2098:350.

9802050376 Responds to request by Carey for statistics on allegations received by NRC re Salem & Hope Creek.
BAKER,E.T. . 98/01/29. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 11pp. A2010:343-A2010:353.

9802240048 Forwards amends 204 & 186 to licenses DPR-70 & DPR-75, respectively, & SE.Amends revise containment hydrogen analyzer surveillance requirements of TS 4.6.4.1 to increase calibr frequency to quarterly.
MILANO,P.D. . 98/01/29. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A2325:271-A2325:284.

-9802240056 Amends 204 & 186 to licenses DPR-70 & DPR-75,respectively. Amends revise containment hydrogen analyzer surveillance requirements of TS 4.6.4.1 to increase calibr frequency to quarterly.
STOLZ,J.F. . 98/01/29. 8pp. A2325:274-A2325:281.

-9802240061 Safety evaluation supporting amends 204 & 186 to licenses DPR-70 & DPR-75,respectively.
* . 98/01/29. 3pp. A2325:282-A2325:284.

9802240297 Forwards amends 205 & 187 to licenses DPR-70 & DPR-75 respectively & SER.Amends revise TS to extend modes from 1 & 2 that RTS power range nuclear instrumentation low setpoint to be operable to modes 1,2 & 3.
MILANO,P.D. . 98/01/29. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. A2282:224-A2282:239.

-9802240300 Amends 205 & 187 to licenses DPR-70 & DPR-75,respectively, revising TSs to extend modes from 1 & 2 that TRs power range nuclear instrumentation low setpoint to be operable to Modes 1,2 & 3.
STOLZ,J.F. . 98/01/29. 10pp. A2282:227-A2282:236.

–**9802240303** Safety evaluation supporting amends 205 & 187 to licenses DPR-70 & DPR-75,respectively.
* . 98/01/29. 3pp. A2282:237-A2282:239.

9802100080 Provides status of TS surveillance improvement project (TSSIP) as of end of 1997 & schedule for completion of remainder of TSSIP scope.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2167:005-A2167:008.

9802120109 Informs NRC that NJ Dept of Environmental Protection's Bureau of Nuclear Engineering has reviewed request made by PSE&G to NRC on 971215 re license change request S97-27 & has no comments.
TOSCH,K.W. New Jersey, State of. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2216:232-A2216:233.

9802240294 Forwards request for addl info re response to GL 88-20, "Individual Plant Exam of External Events."
MILANO,P.D. . 98/02/03. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 5pp. A2283:071-A2283:075.

9802240084 Discusses completion of licensing action for GL 96-01, "Testing of Safety Related Logic Circuits," dtd 960110.NRC issued subj GL for three principal reasons listed.Licensees requested to take listed actions.
MILANO,P.D. . 98/02/04. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 4pp. A2325:260-A2325:263.

9802230187 Forwards response to 970404 RAI re resolution of USI A-46, "Seismic Qualification of Equipment in Operating Plants." Outlier resolution schedule is being revised since implementation issues may affect number of outliers.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/02/13. Document Control Branch (Document Control Desk). 13pp. A2330:190-A2330:202.

9802240088 Forwards QA program for Hope Creek & Salem Generating Stations,as documented in Section 17.2 of respective UFSARs, for NRC approval.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/02/13. Document Control Branch (Document Control Desk). 17pp. A2343:001-A2343:154.

–**9802240094** Rev 16 to Section 17.2 to "QA During Operations Phase."
* Public Service Electric & Gas Co. of New Jersey. 98/01/31. 140pp. A2343:019-A2343:154.

9802250018 Transmits review of final CEOG rept, "Best Estimate Cu & Ni in CE Fabricated Reactor Vessel Welds" dtd June,1997.Closure to NRC SER,provided.Transmittal is in response to GL 92-01, rev 1,suppl 1.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/02/17. Document Control Branch (Document Control Desk). 5pp. A2368:337-A2368:341.

9802240261 Forwards marked up pages for Section 4.2.1 of App B to TS.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 98/02/18. Document Control Branch (Document Control Desk). 3pp. A2350:306-A2350:312.

–**9802240262** Marked-up TS pages for Section 4.2.1 of App B.
* Public Service Electric & Gas Co. of New Jersey. 98/02/18. 4pp. A2350:309-A2350:312.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802250112 Forwards exem repts 50-272/98-02OL & 50-311/98-02OL conducted during week of 980126-30 & written exam conducted on 980123.All seven SRO applicants passed operating portions.One did not pass written portion.
CONTE,R.J. Region 1 (Post 820201). 98/02/17. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 3pp. A2326:093-A2326:212.

–**9802250116** NRC Operator Licensing Exam Repts 50-272/98-02OL & 50-311/98-02OL administered on 980112-30.Seven SRO candidates administered initial exams.One candidate did not pass written portion,all other candidates passed all exams.
* Region 1 (Post 820201). 98/02/17. 117pp. A2326:096-A2326:212.

R. Periodic operating reports & related correspondence

9802240361 Monthly operating rept for Jan 1998 for Salem,Unit 2. W/980217 ltr.
KNIERIEM,R.B., BAKKEN,A.C. Public Service Electric & Gas Co. of New Jersey. 98/01/31. 4pp. A2366:024-A2366:027.

9802200380 Forwards fitness-for-duty performance data rept for six month period ending 971231,IAW 10CFR26.71(d).
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/02/10. Document Control Branch (Document Control Desk). 7pp. A2320:102-A2320:108.

S. Reportable occurrences, LERs & related correspondence

9802130012 PNO-I-98-004:on 980211,PSE&G commenced shut down of Unit 2 in order to make repairs to 2A EDG & other plant equipment. Operators noted abnormal noise while securing 2A EDG during post maint surveillance test.
LINVILLE,J. Region 1 (Post 820201). 98/02/12. 1p. A2164:018-A2164:018.

V. Operator Examinations

9802240266 Forwards ES-501-2 power plant licensing exam results summary,ES-303-1 & 303-2 individual exam results & licenses & letters on 980123 & 0126-30.W/o encl.
CONTE,R.J. Region 1 (Post 820201). 98/02/17. MCMAHON,J. Public Service Electric & Gas Co. of New Jersey. 2pp. A2287:061-A2287:062.

9802250112 Forwards exem repts 50-272/98-02OL & 50-311/98-02OL conducted during week of 980126-30 & written exam conducted on 980123.All seven SRO applicants passed operating portions.One did not pass written portion.
CONTE,R.J. Region 1 (Post 820201). 98/02/17. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 3pp. A2326:093-A2326:212.

–**9802250116** NRC Operator Licensing Exam Repts 50-272/98-02OL & 50-311/98-02OL administered on 980112-30.Seven SRO candidates administered initial exams.One candidate did not pass written portion,all other candidates passed all exams.
* Region 1 (Post 820201). 98/02/17. 117pp. A2326:096-A2326:212.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9802120253 Forwards insp rept 50-312/98-01 on 980105-08 & notice of violation.Insp included decommissioning & dismantlement work underway,verification of compliance w/selected TS & main & surveillance activities associated w/SFP.
SCARANO,R.A. Region 4 (Post 820201). 98/02/05. FERREIRA,R. Sacramento Municipal Utility District. 6pp. A2143:146-A2143:218.

–**9802120258** Notice of violation from insp on 980105-08.Violation noted: on 971222,shipment of scrap metal,in form of auxiliary boiler,was released from Rancho Seco site w/o having been surveyed.
* Region 4 (Post 820201). 98/02/05. 2pp. A2143:152-A2143:153.

–**9802120263** Insp rept 50-312/98-01 on 980105-08.Violations noted.Major areas inspected:organization,mgt & cost controls,maint & surveillance,cold weather preparation,decommissioning performance & status review & health physics.
* Region 4 (Post 820201). 98/02/05. 22pp. A2143:154-A2143:218.

J. Insurance & indemnity information

9802200040 Forwards certified copies of listed nuclear liability endorsements & master worker policy certificate of insurace for facility.
DELEZENSKI,J. Sacramento Municipal Utility District. 98/02/12. DINITZ Document Control Branch (Document Control Desk). 9pp. A2270:071-A2270:079.

9802240241 Submits annual rept of property insurance levels for RSNGS, IAW 10CFR50.54(w)(3).
DELEZENSKI,J. Sacramento Municipal Utility District. 98/02/12. WEISS,S. Document Control Branch (Document Control Desk). 1p. A2349:338-A2349:338.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802120253 Forwards insp rept 50-312/98-01 on 980105-08 & notice of violation.Insp included decommissioning & dismantlement work underway,verification of compliance w/selected TS & main & surveillance activities associated w/SFP.
SCARANO,R.A. Region 4 (Post 820201). 98/02/05. FERREIRA,R. Sacramento Municipal Utility District. 6pp. A2143:146-A2143:218.

–**9802120258** Notice of violation from insp on 980105-08.Violation noted: on 971222,shipment of scrap metal,in form of auxiliary boiler,was released from Rancho Seco site w/o having been surveyed.
* Region 4 (Post 820201). 98/02/05. 2pp. A2143:152-A2143:153.

–**9802120263** Insp rept 50-312/98-01 on 980105-08.Violations noted.Major areas inspected:organization,mgt & cost controls,maint & surveillance,cold weather preparation,decommissioning performance & status review & health physics.
* Region 4 (Post 820201). 98/02/05. 22pp. A2143:154-A2143:218.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

W. Decommissioning Stage Documents & Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9802050110 Ack receipt of 970110 ltr transmiting rev 22 to emergency plan.NRC approval not required based on util determination that changes do not decrease effectiveness of subj plan.
MURRAY,B. Region 4 (Post 820201). 98/01/29. HUTCHISON,C.R. Entergy Operations, Inc. 4pp. A2009:358-A2009:361.

9802090202 Ack receipt of 970729 ltr transmitting rev 23 to Arkansas Nuclear One Emergency Plan submitted under provisions of 10CFR50,App E & 10CFR50.4.Implementation of changes will be subject to inspection to confirm effectiveness of plan.
MURRAY,B. Region 4 (Post 820201). 98/02/05. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. A2042:160-A2042:163.

9802180114 Forwards insp repts 50-313/97-21 & 50-368/97-21 on 971027-31 & 1110-14,NOV & excercise of discretion.Violation involved failure to include vendor-recommended EFS flow limits in operating procedure.
HOWELL,A.T. Region 4 (Post 820201). 98/02/06. HUTCHINSON,C.R. Entergy Operations, Inc. 6pp. A2182:001-A2182:060.

-9802180126 Insp repts 50-313/97-21 & 50-368/97-21 on 971027-31 & 1110- 14.Violations noted.Major areas inspected:engineering & plant support.NRC identified fire barrier deficiency & licensee took promp compensatory actions as required.
* Region 4 (Post 820201). 98/02/06. 50pp. A2182:011-A2182:060.

9802230057 Change PC-04 to Rev 32 to Procedure/Work Plan 1903.060, "Emergency Supplies & Equipment."
* Entergy Operations, Inc. 98/02/09. 3pp. A2345:119-A2345:121.

9802230063 Rev 12 to Procedure/Work Plan 1903.034, "Emergency Operations Facility Evacuation."
* Entergy Operations, Inc. 98/02/09. 20pp. A2330:118-A2330:138.

9802230069 Rev 13 to Procedure/Work Plan 1903.067, "Emergency Response Facility - Emergency Operations Facility (EOF)."
* Entergy Operations, Inc. 98/02/09. 90pp. A2289:250-A2289:339.

9802240265 Rev 34,Change AP-34 to Procedure/Work Plan OP-1903.010, "EAL Classification."
* Entergy Operations, Inc. 98/02/16. 123pp. A2348:208-A2348:333.

J. Insurance & indemnity information

9802240196 Forwards certified copies of liability insurance policy endorsements issued in second half of 1997 as proof of financial protection,IAW 10CFR140.15.
DEWEASE,J.G. Entergy Operations, Inc. 98/02/17. Document Control Branch (Document Control Desk). 151pp. A2333:014-A2333:164.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040370 Forwards non-proprietary Rev 1 to BAW-10226, "Alternate Repair Criteria for Volumetric Outer Diameter Intergranular Attack in Tubesheets of Once-Through SGs."
MIMS,D.C. Entergy Operations, Inc. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2036:001-A2036:134.

-9802040375 Non-proprietary "Alternate Repair Criteria for Volumetric Outer Diameter Intergranular Attack in Tubesheets of Once- Through SGs."
* Affiliation Not Assigned. BAW-10226 R01. 98/01/31. 132pp. A2036:003-A2036:134.

9802050144 Informs that storage of spent fuel at ANO-1 meets required 5% subcriticality margin in unborated water & is in compliance w/GDC 62 for prevention of criticality in fuel storage & handling.
MIMS,D.C. Entergy Operations, Inc. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2087:132-A2087:133.

9802060093 Requests authorization to perform alternative to requirements of ASME Section XI,Subarticle IWA-5250.Util requests that NRC review & approve relief request IWA-5250 to support next refueling outage scheduled for 980411.
DEWEASE,J.G. Entergy Operations, Inc. 98/01/29. Document Control Branch (Document Control Desk). 6pp. A2152:353-A2152:358.

9802050049 Notification of 980220 meeting w/util in Arlington,TX to discuss three apparent violations re activities associated w/removal of Unit 1 borated water storage tank vacuum relief valve.
HOWELL,A.T. Region 4 (Post 820201). 98/01/30. Region 4 (Post 820201). 4pp. A2009:284-A2009:287.

9802240282 Notification of 980319 meeting w/Entergy Operations,Inc,in Rockville,MD to discuss level of instructions & details of transferring QA plan details from current program plans at four sites to standard QA program plan for use at all sites.
WIGGINTON,D.L . 98/02/05. HANNON,J.N. . 7pp. A2281:351-A2281:357.

9802200255 Application for amend to license DPR-51,revising TS to allow use of repair roll technology (reroll) for upper tubesheet of SGs.Revised TS pages,proprietary rev 0 to topical rept BAW-10232P included.Proprietary encl withheld.
HUTCHINSON,C.R. Entergy Operations, Inc. 98/02/09. Document Control Branch (Document Control Desk). 11pp. A2283:161-A2283:196.

-9802200259 Proposed tech specs pages,allowing use of repair roll technology (reroll) for upper tubesheet region of SGs.
* Entergy Operations, Inc. 98/02/09. 25pp. A2283:172-A2283:196.

9802240322 Summary of 980122 meeting w/Entergy in Rockville,Maryland re licensing issues & standardization of licensing documents. List of meeting attendees & meeting agenda encl.
WIGGINTON,D.L. . 98/02/11. . 10pp. A2281:337-A2281:346.

9802240400 Forwards notice of consideration of issuance of amend to FOL DPR-51,proposed NSHC determination & opportunity for hearing.Amend would allow use of repair roll technology for upper tubesheet region of ANO-1 SGs.
RECKLEY,W. . 98/02/18. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. A2325:202-A2325:212.

-9802240433 Notice of consideration of issuance of amend to license DPR-51 & proposed NSHC determination & opportunity for hearing.Amend would allow use of repair toll technology for upper tubesheet region of ANO-1 SGs.
RECKLEY,W.D. . 98/02/18. 7pp. A2325:206-A2325:212.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050123 Notification of 980304 meeting w/util in Russelville,AR to discuss SALP.
GWYNN,T.P. Region 4 (Post 820201). 98/01/28. Region 4 (Post 820201). 5pp. A2010:065-A2010:069.

9802090018 Forwards SALP repts 50-313/98-99 & 50-368/98-99 for period of 960707-980103.Overall performance in plant support area remained superior.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/02/04. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. A2048:006-A2048:016.

-9802100045 SALP repts 50-313/98-99 & 50-368/98-99 for period of 970707-980103.
* Region 4 (Post 820201). 98/02/04. 6pp. A2048:011-A2048:016.

9802180114 Forwards insp repts 50-313/97-21 & 50-368/97-21 on 971027-31 & 1110-14,NOV & excercise of discretion.Violation involved failure to include vendor-recommended EFS flow limits in operating procedure.
HOWELL,A.T. Region 4 (Post 820201). 98/02/06. HUTCHINSON,C.R. Entergy Operations, Inc. 6pp. A2182:001-A2182:060.

-9802180119 Notice of violation from insp on 971027-31 & 1110-14. Violation noted:as of 911123,procedure 1010.002, "Transient History/Transient Cycle Logging," was inappropriate to circumstances.
* Region 4 (Post 820201). 98/02/06. 3pp. A2182:008-A2182:010.

-9802180126 Insp repts 50-313/97-21 & 50-368/97-21 on 971027-31 & 1110- 14.Violations noted.Major areas inspected:engineering & plant support.NRC identified fire barrier deficiency & licensee took promp compensatory actions as required.
* Region 4 (Post 820201). 98/02/06. 50pp. A2182:011-A2182:060.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802240356 Monthly operating repts for Jan 1998 for ANO,Units 1 & 2. W/980216 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 98/01/31. 16pp. A2347:327-A2347:342.

V. Operator Examinations

9802090243 Ack receipt of 971218 ltr informing NRC of change in medical condition for licensed operator.Physician determined that no change in current license conditions warranted.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. A2048:259-A2048:261.

9802090247 Informs that NRC plans to administer GFES of written operator licensing exam at facility on 980408.Requests that listing of names of candidates for exam be submitted to appropriate Regional Administrator by 980306.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. A2042:332-A2042:336.

9802200094 Forwards applications for renewal of OLs for listed individuals to meet commitment in FSAR & NUREG-0737.Medical certification (Form 396) for individuals also encl.Requests that personnel & medical file be withheld.W/o encls.
HUTCHINSON,C.R. Entergy Operations, Inc. 98/02/10. MERSCHOFF,E. Region 4 (Post 820201). 2pp. A2270:080-A2270:081.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802270277 Provides licensee w/status of staff review of CAs being implemented by VSC-24 Owners Group to resolve problems encountered while making VSC-24 closure welds.Status of RAIs issued to licensee re listed CALs,encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. MOEKEL,K. Sierra Nuclear, Inc. 8pp. A2420:219-A2420:226.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802090140 Revised plant manager procedures (PMP),including rev 5 to PMP 2081 EPP.102,rev 2 to PMP 2080 EPP.102,rev 5 to PMP 2081 EPP.302 & rev 4 to PMP 2081 EPP-301.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 98/01/30. 250pp. A2165:001-A2165:253.

9802120292 Notifies that EOF will move to 500 Circle Drive,Buchanan,MI on 980130.Critical phone numbers in old EOF will automatically forward to appropriate phone in new EOF. Rev 16 submittal will be submitted to NRC by Feb 1998.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2230:185-A2230:188.

H. General correspondence

9802200065 Informs of recent senior mgt organization changes within nuclear generation group of util,effective 980115.
FITZPATRICK,E. Indiana Michigan Power Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2270:125-A2270:125.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802020173 Submits request to withdraw refueling operations decay time Tech Spec amend due to desire to maintain option of performing regular full core discharges to SFP.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A1990:360-A1990:361.

9802120302 Responds to GL 97-04, "Assurance of Sufficient Net Positive Suction Head For ECC & Containment Heat Removal Pumps."
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/30. Document Control Branch (Document Control Desk). 7pp. A2214:353-A2214:359.

9802240018 Forwards withdrawal of amend request re license DPR-58 re repair of hybrid expansion joint sleeved SG tubes.Notice of withdrawal of application for amend filed w/Ofc of FR for publication.
HICKMAN,J.B. . 98/02/06. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. A2325:301-A2325:304.

-9802240022 Notice of withdrawal of 950804 application for amend to license DPR-58 ti revise TS to allow repair of hybrid expansion joint sleeve SG tubes.
HICKMAN,J.B. . 98/02/06. 1p. A2325:304-A2325:304.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040071 Forwards insp repts 50-315/97-24 & 50-316/97-24 on 971108- 1227 & notice of violation re failure to provide procedural controls for essential svc water pump discharge strainers.
GRANT,G.E. Region 3 (Post 820201). 98/01/23. FITZPATRICK,E. American Electric Power Co., Inc. 4pp. A1998:130-A1998:155.

-9802040078 Notice of violation from insp on 971108-1227.Violation noted:on 971116,inspector identified failure to maintain records which contained written safety evaluation for three control room annunciators.
* Region 3 (Post 820201). 98/01/23. 2pp. A1998:134-A1998:135.

-9802040082 Insp repts 50-315/97-24 & 50-316/97-24 on 971108-1227. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/01/23. 20pp. A1998:136-A1998:155.

9802120308 Forwards addl info re CAL item 3,involving ability of plant to be cooled down in 36 h,per NRC 980109-23 insp.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/29. Document Control Branch (Document Control Desk). 7pp. A2214:346-A2214:352.

9802120299 Responds to NRC 971126 ltr re violations noted in insp on 970804-0907.Corrective actions:RWST level taps have been moved from discharge line to dedicated instrument area that is not subject to flow effects.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/30. Document Control Branch (Document Control Desk). 24pp. A2230:152-A2230:175.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802180123 Ack receipt of 980106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-315/97-19 & 50-316/97-19.
GROBE,J.A. Region 3 (Post 820201). 98/02/09. FITZPATRICK,E. American Electric Power Co., Inc. 2pp. A2181:348-A2181:350.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802200300 Responds to violations noted & civil penalty in matter of US DOL Case 92-ERA-37,pending outcome of petition for review of DOL action in US Court of Appeals for Sixth Circuit.
FITZPATRICK,E. Indiana Michigan Power Co. 98/02/12. Document Control Branch (Document Control Desk). 7pp. A2320:267-A2320:273.

9802200426 Forwards insp repts 50-315/98-03 & 50-316/98-03 on 980112-16.Licensed operator requalification,maint & technical & engineering support training programs reviewed.
GROBE,J.A. Region 3 (Post 820201). 98/02/13. FITZPATRICK,E. American Electric Power Co., Inc. 3pp. A2264:254-A2264:274.

-9802200430 Insp repts 50-315/98-03 & 50-316/98-03 on 980112-16.Major areas inspected:licensed RO & SRO requalification,maint & technical & engineering support programs.
* Region 3 (Post 820201). 98/02/13. 18pp. A2264:257-A2264:274.

9802260041 Confirms discussion between RN Gardner & J Sampson to discuss on going issues at plant.Meeting scheduled for 980227 at training bldg.Purpose of meeting to present findings of two recent insps.
GROBE,J.A. Region 3 (Post 820201). 98/02/20. FITZPATRICK,E. American Electric Power Co., Inc. 1p. A2344:043-A2344:043.

9802260156 Discusses exercise of enforcement discretion re integrated insp repts 50-315/96-02 & 50-316/96-02 on 960402.As result of insp,NOV was issued for failure to meet requirements of 10CFR70.24.Ofc of Enforcements authorized to withdraw NOV.
BEACH,A.B. Region 3 (Post 820201). 98/02/20. FITZPATRICK,E. American Electric Power Co., Inc. 3pp. A2337:152-A2337:154.

9802260160 Forwards insp repts 50-315/97-25 & 50-316/97-25 on 971228- 980131 & notice of violation.Inspectors observed that plant was operated in safe manner & work procedures were properly followed.
GRANT,G.E. Region 3 (Post 820201). 98/02/20. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. A2344:089-A2344:108.

-9802260165 Notice of violation from insp on 971228-980131.Violation noted:on 980111,38 solid state protection sys relay covers failed pull test to determine seismic acceptability, resulting in unanalyzed condition that compromised plant.
* Region 3 (Post 820201). 98/02/20. 2pp. A2344:091-A2344:092.

-9802260166 Insp repts 50-315/97-25 & 50-316/97-25 on 971228-980131. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/20. 16pp. A2344:093-A2344:108.

S. Reportable occurrences, LERs & related correspondence

9802120287 LER 98-001-00:on 980104,containment air recirculation sys flow testing results indicate condition outside design basis.Investigation & evaluation of event is ongoing.Update to interim LER is to be issued on 980306.W/980203 ltr.
SCHOEPF,P., SAMPSON,J.R. American Electric Power Co., Inc. 98/02/03. 2pp. A2231:183-A2231:184.

9802130100 Forwards LER 98-003-00,which was reported via ENS under Event Rept #33505 on 980107 & was retracted on 980121.Addl review of event determined event reportable IAW 10CFR50.73 still within required 30 days.
SAMPSON,J.R. American Electric Power Co., Inc. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2231:246-A2231:249.

-9802130102 LER 98-003-00:on 980107,missed procedure step resulted in ESFA & RPS actuation occurring.Caused by personnel error. Work on SSPS stopped & high priority job order initiated to restore SSPS to normal.
BOESCH,J. American Electric Power Co., Inc. 98/02/06. 3pp. A2231:247-A2231:249.

9802200437 LER 98-002-00:on 980108,degraded SSPS master relays were noted outside design basis.Caused by past practices of removing SSPS master relay covers to perform time response testing.Replaced unacceptable master relays.W/980209 ltr.
FARLOW,S., SAMPSON,J.R. American Electric Power Co., Inc. 98/02/09. 2pp. A2320:210-A2320:211.

9802270048 LER 97-007-01:on 970405,determined that SG pressure indications in CR had been isolated since 970329.Caused by procedure inadequacy.Revised SG isolation methodology contained in refueling integrity surveillance.W/980213 ltr.
GILLESPIE,R., SAMPSON,J.R. Indiana Michigan Power Co. 98/02/13. 4pp. A2366:153-A2366:156.

V. Operator Examinations

9802120097 Confirms 980203 telcon between P Carteaux & R Bailey re arrangements for administration of retake licensing exam at plant during wk of 980511.Exam validation visit will be made to facility on wk of 980511.
LEACH,M.N. Region 3 (Post 820201). 98/02/05. FITZPATRICK,E. American Electric Power Co., Inc. 3pp. A2142:194-A2142:196.

9802200426 Forwards insp repts 50-315/98-03 & 50-316/98-03 on 980112-16.Licensed operator requalification,maint & technical & engineering support training programs reviewed.
GROBE,J.A. Region 3 (Post 820201). 98/02/13. FITZPATRICK,E. American Electric Power Co., Inc. 3pp. A2264:254-A2264:274.

--**9802200430** Insp repts 50-315/98-03 & 50-316/98-03 on 980112-16.Major areas inspected:licensed RO & SRO requalification,maint & technical & engineering support programs.
* Region 3 (Post 820201). 98/02/13. 18pp. A2264:257-A2264:274.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802090140 Revised plant manager procedures (PMP),including rev 5 to PMP 2081 EPP.102,rev 2 to PMP 2080 EPP.102,rev 5 to PMP 2081 EPP.302 & rev 4 to PMP 2081 EPP-301.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 98/01/30. 250pp. A2165:001-A2165:253.

9802120292 Notifies that EOF will move to 500 Circle Drive,Buchanan,MI on 980130.Critical phone numbers in old EOF will automatically forward to appropriate phone in new EOF. Rev 16 submittal will be submitted to NRC by Feb 1998.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2230:185-A2230:188.

H. General correspondence

9802200065 Informs of recent senior mgt organization changes within nuclear generation group of util,effective 980115.
FITZPATRICK,E. Indiana Michigan Power Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2270:125-A2270:125.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802020173 Submits request to withdraw refueling operations decay time Tech Spec amend due to desire to maintain option of performing regular full core discharges to SFP.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A1990:360-A1990:361.

9802120302 Responds to GL 97-04, "Assurance of Sufficient Net Positive Suction Head For ECC & Containment Heat Removal Pumps."
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/30. Document Control Branch (Document Control Desk). 7pp. A2214:353-A2214:359.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040071 Forwards insp repts 50-315/97-24 & 50-316/97-24 on 971108- 1227 & notice of violation re failure to provide procedural controls for essential svc water pump discharge strainers.
GRANT,G.E. Region 3 (Post 820201). 98/01/23. FITZPATRICK,E. American Electric Power Co., Inc. 4pp. A1998:130-A1998:155.

--**9802040078** Notice of violation from insp on 971108-1227.Violation noted:on 971116,inspector identified failure to maintain records which contained written safety evaluation for three control room annunciators.
* Region 3 (Post 820201). 98/01/23. 2pp. A1998:134-A1998:135.

--**9802040082** Insp repts 50-315/97-24 & 50-316/97-24 on 971108-1227. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/01/23. 20pp. A1998:136-A1998:155.

9802120308 Forwards addl info re CAL item 3,involving ability of plant to be cooled down in 36 h,per NRC 980109-23 insp.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/29. Document Control Branch (Document Control Desk). 7pp. A2214:346-A2214:352.

9802120299 Responds to NRC 971126 ltr re violations noted in insp on 970804-0907.Corrective actions:RWST level taps have been moved from discharge line to dedicated instrument area that is not subject to flow effects.
FITZPATRICK,E. Indiana Michigan Power Co. 98/01/30. Document Control Branch (Document Control Desk). 24pp. A2230:152-A2230:175.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802180123 Ack receipt of 980106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-315/97-19 & 50-316/97-19.
GROBE,J.A. Region 3 (Post 820201). 98/02/09. FITZPATRICK,E. American Electric Power Co., Inc. 2pp. A2181:348-A2181:350.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802200300 Responds to violations noted & civil penalty in matter of US DOL Case 92-ERA-37,pending outcome of petition for review of DOL action in US Court of Appeals for Sixth Circuit.
FITZPATRICK,E. Indiana Michigan Power Co. 98/02/12. Document Control Branch (Document Control Desk). 7pp. A2320:267-A2320:273.

9802200426 Forwards insp repts 50-315/98-03 & 50-316/98-03 on 980112-16.Licensed operator requalification,maint & technical & engineering support training programs reviewed.
GROBE,J.A. Region 3 (Post 820201). 98/02/13. FITZPATRICK,E. American Electric Power Co., Inc. 3pp. A2264:254-A2264:274.

--**9802200430** Insp repts 50-315/98-03 & 50-316/98-03 on 980112-16.Major areas inspected:licensed RO & SRO requalification,maint & technical & engineering support programs.
* Region 3 (Post 820201). 98/02/13. 18pp. A2264:257-A2264:274.

9802260041 Confirms discussion between RN Gardner & J Sampson to discuss on going issues at plant.Meeting scheduled for 980227 at training bldg.Purpose of meeting to present findings of two recent insps.
GROBE,J.A. Region 3 (Post 820201). 98/02/20. FITZPATRICK,E. American Electric Power Co., Inc. 1p. A2344:043-A2344:043.

9802260156 Discusses exercise of enforcement discretion re integrated insp repts 50-315/96-02 & 50-316/96-02 on 960402.As result of insp,NOV was issued for failure to meet requirements of 10CFR70.24.Ofc of Enforcements authorized to withdraw NOV.
BEACH,A.B. Region 3 (Post 820201). 98/02/20. FITZPATRICK,E. American Electric Power Co., Inc. 3pp. A2337:152-A2337:154.

9802260160 Forwards insp repts 50-315/97-25 & 50-316/97-25 on 971228- 980131 & notice of violation.Inspectors observed that plant was operated in safe manner & work procedures were properly followed.
GRANT,G.E. Region 3 (Post 820201). 98/02/20. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. A2344:089-A2344:108.

--**9802260165** Notice of violation from insp on 971228-980131.Violation noted:on 980111,38 solid state protection sys relay covers failed pull test to determine seismic acceptability, resulting in unanalyzed condition that compromised plant.
* Region 3 (Post 820201). 98/02/20. 2pp. A2344:091-A2344:092.

--**9802260166** Insp repts 50-315/97-25 & 50-316/97-25 on 971228-980131. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/20. 16pp. A2344:093-A2344:108.

R. Periodic operating reports & related correspondence

9802200253 Monthly operating rept for Jan 1998 for DC Cook Nuclear Plant,Unit 2.W/ 980209 ltr.
MINOR,J.W., CENTER,J.F., SAMPSON,J.R. Indiana Michigan Power Co. 98/01/31. 10pp. A2320:065-A2320:074.

S. Reportable occurrences, LERs & related correspondence

9802190221 LER 97-010-01:on 971210,use of teflon packing on containment airlock door interlock shaft resulted in potentially degraded condition.Caused by unclear written work instruction.Teflon rings were replaced.W/980213 ltr.
SCHOEPF,P., SAMPSON,J.R. Indiana Michigan Power Co. 98/02/13. 4pp. A2255:281-A2255:284.

V. Operator Examinations

9802120097 Confirms 980203 telcon between P Carteaux & R Bailey re arrangements for administration of retake licensing exam at plant during wk of 980511.Exam validation visit will be made to facility on wk of 980511.
LEACH,M.N. Region 3 (Post 820201). 98/02/05. FITZPATRICK,E. American Electric Power Co., Inc. 3pp. A2142:194-A2142:196.

9802200426 Forwards insp repts 50-315/98-03 & 50-316/98-03 on 980112-16.Licensed operator requalification,maint & technical & engineering support training programs reviewed.
GROBE,J.A. Region 3 (Post 820201). 98/02/13. FITZPATRICK,E. American Electric Power Co., Inc. 3pp. A2264:254-A2264:274.

--**9802200430** Insp repts 50-315/98-03 & 50-316/98-03 on 980112-16.Major areas inspected:licensed RO & SRO requalification,maint & technical & engineering support programs.
* Region 3 (Post 820201). 98/02/13. 18pp. A2264:257-A2264:274.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802040432 "CCNPP Emergency Response Exercise on 971118."
RUDIGIER,G.C., FORGETTE,T.E., MCMILLION,D. Baltimore Gas & Electric Co. 97/09/12. 837pp. A2028:151-A2030:259.

9802060111 Forwards insp repts 50-317/97-09 & 50-318/97-09 on 971117-20.No violations noted.Insp evaluated performance of emergency response organization during 971218,Calvert Cliffs full-participation exercise.
MODES,M.C. Region 1 (Post 820201). 98/01/28. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2039:032-A2039:045.

--**9802060118** Insp repts 50-317/97-09 & 50-318/97-09 on 971117-20.No violations noted.Major areas inspected:staff knowledge & performance,simulator control room & security control area & technical support center.
MODES,M.C. Region 1 (Post 820201). 98/01/28. 11pp. A2039:035-A2039:045.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040374 Submits rev 12 to util 961204 application for amends to licenses DPR-53 & DPR-69 to convert to improved TSs,as result of discussion w/NRC.Revised pages for tables,min rev to summary of changes & Rev 12 to improved TS encl.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/28. Document Control Branch (Document Control Desk). 8pp. A2034:204-A2034:274.

-9802050336 Proposed tech specs,converting to improved TSs.
* Baltimore Gas & Electric Co. 98/01/28. 63pp. A2034:212-A2034:274.

9802060183 Requests that order approving transfer of licenses & license amend request reflecting new company ownership of plant & ISFSI be withdrawn.Mutual agreement made on 971219, terminating merger.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2138:296-A2138:296.

9802230267 Forwards temporary exemption from requirements of 10CFR50, App A,general design criterion 2 & SER re emergency diesel generator qualification rept.
BAJWA,S.S. . 98/02/04. CRUSE,C.H. Baltimore Gas & Electric Co. 5pp. A2280:143-A2280:155.

-9802230273 Exemption from requirements of 10CFR50,App A,general design criterion 2 as applied to exposed portions of Unit 2 emergency diesel generators 2A & 2B effective through 970731.
COLLINS,S.J. . 98/02/04. Baltimore Gas & Electric Co. 5pp. A2280:148-A2280:152.

-9802230279 SER re emergency diesel generator qualification rept granting licensee proposed temporary exemption from GDC-2.
* . 98/02/04. 3pp. A2280:153-A2280:155.

9802240082 Forwards amend 225 to license DPR-53 & SE.Amend involves replacing svc water HX w/new plate & frame HX,having increased thermal performance capability.Saltwater & svc water will be modified as necessary.
DROMERICK,A.W. . 98/02/10. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. A2325:328-A2325:341.

-9802240086 Amend 225 to license DPR-53,authorizing rev of UFSAR in response to 970516 ltr as supplemented 971114,to reflect installation of svc water HX w/new plate & frame HX.
BAJWA,S.S. . 98/02/10. 2pp. A2325:332-A2325:333.

-9802240089 Safety evaluation supporting amend 225 to license DPR-53.
* . 98/02/10. 8pp. A2325:334-A2325:341.

9802270162 Forwards SE accepting IST program requests for relief for third 10-yr intervals for pumps & valves for plant & TER.
BAJWA,S.S. . 98/02/11. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2366:272-A2366:357.

-9802270170 SER accepting IST program requests for relief submitted for third 10-yr intervals for pumps & valves for plant.
* . 98/02/11. 9pp. A2366:275-A2366:283.

-9802270181 Technical Evaluation Rept for Calvert Cliffs Nuclear Power Plant,units 1 & 2,Baltimore Gas & Electric Co, "Third 10-Yr Interval Pump & Valve Inservice Testing Program."
DIBIASIO,A.M. Brookhaven National Laboratory. FIN J-2402. 97/11/26. . 75pp. A2366:284-A2366:357.

9802260230 Summary of 980126 meeting w/BG&E re plant,units 1 & 2 improved TS.List of attendees encl.
DROMERICK,A.W. . 98/02/12. . 5pp. A2366:258-A2366:262.

9802270256 Submits info re support rod to spaced disk welded joint capability & support rod computer analysis.
TESFAYE,G. Baltimore Gas & Electric Co. 98/02/19. KOBETZ,T. NRC - No Detailed Affiliation Given. 1p. A2420:218-A2420:218.

9802250223 Discusses 971204 request for exception to 10CFR50.4(c) for selective use of electronic forms of communication.NRC proposes series of meetings w/representatives of Ofc of Chief Info Officer to discuss proposal.
SHELTON,B.J. Records Management Branch. 98/02/20. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2359:353-A2359:355.

9802250285 Informs that rev to commitments in 120-days response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During DBA Condition."
CRUSE,C.H. Baltimore Gas & Electric Co. 98/02/20. Document Control Branch (Document Control Desk). 2pp. A2368:342-A2368:343.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020201 Forwards insp repts 50-317/97-07 & 50-318/97-07 on 971102-1220 & NOV.
DOERFLEIN,L.T. Region 1 (Post 820201). 98/01/27. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1977:289-A1977:336.

-9802020202 Notice of violation from insp on 971102-1220.Violation noted:radiation survey was not done during shift when plant operators worked in SFP area under SWP number 100.
* . 98/01/27. 2pp. A1977:292-A1977:293.

-9802020205 Insp repts 50-317/97-07 & 50-318/97-07 on 971102-1220. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
* Region 1 (Post 820201). 98/01/27. 42pp. A1977:294-A1977:336.

9802060111 Forwards insp repts 50-317/97-09 & 50-318/97-09 on 971117-20.No violations noted.Insp evaluated performance of emergency response organization during 971218,Calvert Cliffs full-participation exercise.
MODES,M.C. Region 1 (Post 820201). 98/01/28. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2039:032-A2039:045.

-9802060118 Insp repts 50-317/97-09 & 50-318/97-09 on 971117-20.No violations noted.Major areas inspected:staff knowledge & performance,simulator control room & security control area & technical support center.
MODES,M.C. Region 1 (Post 820201). 98/01/28. 11pp. A2039:035-A2039:045.

9802060039 Informs that NRC reviewed response to NRC Bulletin 96-04 for NUHOMS-24P SF storage sys used at CNPP & found response acceptable.Cask loading & unloading procedures at Calvert Cliffs may be subj of future NRC insps.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 98/02/02. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2027:277-A2027:279.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200191 Monthly operating repts for Jan 1998 for Calvert Cliffs Nuclear Power Plant,Units 1 & 2.W/980213 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 98/01/31. 7pp. A2289:347-A2289:353.

9802190198 Forwards fitness for duty program performance data & lessons learned for period of Jul-Dec 1997,per 10CFR26.71(d).
GUARNIERI,S.R. Baltimore Gas & Electric Co. 98/02/09. Document Control Branch (Document Control Desk). 6pp. A2258:235-A2258:240.

S. Reportable occurrences, LERs & related correspondence

9802090014 LER 98-001-00:on 980104,Unit 1 entered condition outside of Tech Specs due to having both secondary control element assembly position indications out-of-svc.Caused by position indication being inoperable.Procedure revised.W/980203 ltr.
RECKFORD,S.J., KATZ,P.E. Baltimore Gas & Electric Co. 98/02/03. 5pp. A2213:177-A2213:181.

9802120185 Special rept:on 980101,CR vestibule to turbine bldg door 401 failed to automatically close as designed.Caused by increased vestibule pressure.Util made adjustments to doors automatic closure mechanism.
KATZ,P.E. Baltimore Gas & Electric Co. 98/02/05. Document Control Branch (Document Control Desk). 2pp. A2230:139-A2230:140.

9802120039 LER 98-003-00:on 980113,damage was found on stanchion & restraining steel of Unit 1 LPSI sys pipe support location on common discharge line.Caused by LPSI pump discharge check valve slam(s).Pipe support was removed.W/980206 ltr.
RECKFORD,S.J., KATZ,P.E. Baltimore Gas & Electric Co. 98/02/06. 5pp. A2232:025-A2232:029.

9802170125 LER 98-002-00:on 980107,fire hose station & room sprinkler sys were noted out-of-service.Caused by operating mislabeled valve.Correct tagout boundary was established & verified by addl complete "walkdown" of tagout.W/980209 ltr.
OSBORNE,J.M., KATZ,P.E. Baltimore Gas & Electric Co. 98/02/09. 6pp. A2231:256-A2231:261.

V. Operator Examinations

9802270239 Confirms 980213 telcon between L Briggs & J Hornick re arrangements made for administration of licensing retake exam at facility during week of 980330.
CONTE,R.J. Region 1 (Post 820201). 98/02/20. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2370:087-A2370:089.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802060183 Requests that order approving transfer of licenses & license amend request reflecting new company ownership of plant & ISFSI be withdrawn.Mutual agreement made on 971219, terminating merger.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2138:296-A2138:296.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802040432 "CCNPP Emergency Response Exercise on 971118."
RUDIGIER,G.C., FORGETTE,T.E., MCMILLION,D. Baltimore Gas & Electric Co. 97/09/12. 837pp. A2028:151-A2030:259.

9802060111 Forwards insp repts 50-317/97-09 & 50-318/97-09 on 971117-20.No violations noted.Insp evaluated performance of emergency response organization during 971218,Calvert Cliffs full-participation exercise.
MODES,M.C. Region 1 (Post 820201). 98/01/28. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2039:032-A2039:045.

–9802060118 Insp repts 50-317/97-09 & 50-318/97-09 on 971117-20.No violations noted.Major areas inspected:staff knowledge & performance,simulator control room & security control area & technical support center.
MODES,M.C. Region 1 (Post 820201). 98/01/28. 11pp. A2039:035-A2039:045.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040374 Submits rev 12 to util 961204 application for amends to licenses DPR-53 & DPR-69 to convert to improved TSs,as result of discussion w/NRC.Revised pages for tables,min rev to summary of changes & Rev 12 to improved TS encl.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/28. Document Control Branch (Document Control Desk). 8pp. A2034:204-A2034:274.

–9802050336 Proposed tech specs,converting to improved TSs.
* Baltimore Gas & Electric Co. 98/01/28. 63pp. A2034:212-A2034:274.

9802060183 Requests that order approving transfer of licenses & license amend request reflecting new company ownership of plant & ISFSI be withdrawn.Mutual agreement made on 971219, terminating merger.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2138:296-A2138:296.

9802230267 Forwards temporary exemption from requirements of 10CFR50, App A,general design criterion 2 & SER re emergency diesel generator qualification rept.
BAJWA,S.S. . 98/02/04. CRUSE,C.H. Baltimore Gas & Electric Co. 5pp. A2280:143-A2280:155.

–9802230273 Exemption from requirements of 10CFR50,App A,general design criterion 2 as applied to exposed portions of Unit 2 emergency diesel generators 2A & 2B effective through 970731.
COLLINS,S.J. . 98/02/04. Baltimore Gas & Electric Co. 5pp. A2280:148-A2280:152.

–9802230279 SER re emergency diesel generator qualification rept granting licensee proposed temporary exemption from GDC-2.
* . 98/02/04. 3pp. A2280:153-A2280:155.

9802270162 Forwards SE accepting IST program requests for relief for third 10-yr intervals for pumps & valves for plant & TER.
BAJWA,S.S. . 98/02/11. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2366:272-A2366:357.

–9802270170 SER accepting IST program requests for relief submitted for third 10-yr intervals for pumps & valves for plant.
* . 98/02/11. 9pp. A2366:275-A2366:283.

–9802270181 Technical Evaluation Rept for Calvert Cliffs Nuclear Power Plant,units 1 & 2,Baltimore Gas & Electric Co, "Third 10-Yr Interval Pump & Valve Inservice Testing Program."
DIBIASIO,A.M. Brookhaven National Laboratory. FIN J-2402. 97/11/26. . 75pp. A2366:284-A2366:357.

9802260230 Summary of 980126 meeting w/BG&E re plant,units 1 & 2 improved TS.List of attendees encl.
DROMERICK,A.W. . 98/02/12. . 5pp. A2366:258-A2366:262.

9802270256 Submits info re support rod to spaced disk welded joint capability & support rod computer analysis.
TESFAYE,G. Baltimore Gas & Electric Co. 98/02/19. KOBETZ,T. NRC - No Detailed Affiliation Given. 1p. A2420:218-A2420:218.

9802250223 Discusses 971204 request for exception to 10CFR50.4(c) for selective use of electronic forms of communication.NRC proposes series of meetings w/representatives of Ofc of Chief Info Officer to discuss proposal.
SHELTON,B.J. Records Management Branch. 98/02/20. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2359:353-A2359:355.

9802250285 Informs that rev to commitments in 120-days response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During DBA Condition."
CRUSE,C.H. Baltimore Gas & Electric Co. 98/02/20. Document Control Branch (Document Control Desk). 2pp. A2368:342-A2368:343.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020201 Forwards insp repts 50-317/97-07 & 50-318/97-07 on 971102-1220 & NOV.
DOERFLEIN,L.T. Region 1 (Post 820201). 98/01/27. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A1977:289-A1977:336.

–9802020202 Notice of violation from insp on 971102-1220.Violation noted:radiation survey was not done during shift when plant operators worked in SFP area under SWP number 100.
* . 98/01/27. 2pp. A1977:292-A1977:293.

–9802020205 Insp repts 50-317/97-07 & 50-318/97-07 on 971102-1220. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
* Region 1 (Post 820201). 98/01/27. 42pp. A1977:294-A1977:336.

9802060111 Forwards insp repts 50-317/97-09 & 50-318/97-09 on 971117-20.No violations noted.Insp evaluated performance of emergency response organization during 971218,Calvert Cliffs full-participation exercise.
MODES,M.C. Region 1 (Post 820201). 98/01/28. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2039:032-A2039:045.

–9802060118 Insp repts 50-317/97-09 & 50-318/97-09 on 971117-20.No violations noted.Major areas inspected:staff knowledge & performance,simulator control room & security control area & technical support center.
MODES,M.C. Region 1 (Post 820201). 98/01/28. 11pp. A2039:035-A2039:045.

9802060039 Informs that NRC reviewed response to NRC Bulletin 96-04 for NUHOMS-24P SF storage sys used at CNPP & found response acceptable.Cask loading & unloading procedures at Calvert Cliffs may be subj of future NRC insps.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 98/02/02. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2027:277-A2027:279.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200191 Monthly operating repts for Jan 1998 for Calvert Cliffs Nuclear Power Plant,Units 1 & 2.W/980213 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 98/01/31. 7pp. A2289:347-A2289:353.

9802190198 Forwards fitness for duty program performance data & lessons learned for period of Jul-Dec 1997,per 10CFR26.71(d).
GUARNIERI,S.R. Baltimore Gas & Electric Co. 98/02/09. Document Control Branch (Document Control Desk). 6pp. A2258:235-A2258:240.

S. Reportable occurrences, LERs & related correspondence

9802120185 Special rept:on 980101,CR vestibule to turbine bldg door 401 failed to automatically close as designed.Caused by increased vestibule pressure.Util made adjustments to doors automatic closure mechanism.
KATZ,P.E. Baltimore Gas & Electric Co. 98/02/05. Document Control Branch (Document Control Desk). 2pp. A2230:139-A2230:140.

9802190292 LER 98-001-00:on 980113,unit 2B EDG had been inoperable for 15 days.Caused by speed switch adapter failure.Inspected/ replaced other diesel speed switch adapters to ensure spring clips are not degraded.W/980212 ltr.
KIRKWOOD,J.K., KATZ,P.E. Baltimore Gas & Electric Co. 98/02/12. 6pp. A2255:285-A2255:290.

V. Operator Examinations

9802270239 Confirms 980213 telcon between L Briggs & J Hornick re arrangements made for administration of licensing retake exam at facility during week of 980330.
CONTE,R.J. Region 1 (Post 820201). 98/02/20. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2370:087-A2370:089.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802060183 Requests that order approving transfer of licenses & license amend request reflecting new company ownership of plant & ISFSI be withdrawn.Mutual agreement made on 971219, terminating merger.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2138:296-A2138:296.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802270012 Forwards Addendum 1 to Rev 37 of modified amended physical security plan.Addendum does not decrease effectiveness of plan & has been implemented IAW 10CFR50.54(p).Encl withheld.
LANGENBACH,J.W. General Public Utilities Corp. 98/02/19. Document Control Branch (Document Control Desk). 1p. A2378:143-A2378:143.

P. Operating license stage documents & correspondence

9802260133 Submits addl info requested during audit of TMI USI A-46 Program,970721-25.
NOBLE,T. General Public Utilities Corp. 97/09/02. CHEN,P. NRC - No Detailed Affiliation Given. 2pp. A2347:058-A2347:059.

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802110144 Rev 7,Temporary Change Notice 1-98-0013 to 6610-PLN-4200.02, "EDCM."
PARFITT,B.A. General Public Utilities Corp. 98/01/30. 13pp. A2230:120-A2230:132.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802250228 "Biennial 10CFR50.59 Rept," describing changes,test & experiments made during previous two CYs.Description of changes made to PDMS SAR for previous two CYs also included.
LANGENBACH,J,W, General Public Utilities Corp. 97/12/31. 5pp. A2372:065-A2372:070.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802030156 Revised EPIPs,including rev 4 to EPIP 73EP-EIP-015-0S, "Offsite Dose Assesment" & rev 5 to EPIP 73EP-EIP-018-0S, "Prompt Offsite Dose Assesment." W/980127 ltr.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/27. 44pp. A2018:188-A2018:232.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040287 Forwards standard agreement granting access to some licensee owned data bases in order to perform regulatory responsibilities in more efficient manner.
SKINNER,P.H. Region 2 (Post 820201). 98/01/16. SUMNER,H.L. Southern Nuclear Operating Co. 5pp. A2000:090-A2000:095.

9802040001 Requests that response to RAI re incorporation of SQUG GIP into plant FSARs be extended to 980430 due to resolution activities between NRC & SQUG.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2020:172-A2020:173.

9802060031 Comment on draft NUREG 1555, "Updated Environ Standard Review Plan."
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/30. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. A2038:270-A2038:273.

9802130014 Informs of NRC Region II mgt changes effective on 980215. Revised organization chart encl.
SKINNER,P.H. Region 2 (Post 820201). 98/02/05. HAIRSTON,W.G. Southern Nuclear Operating Co. 4pp. A2164:019-A2164:022.

9802180058 Forwards nonproprietary Vols 1 & 3 of response to NRC 971031 request for addl info on resolution of Unresolved Safety Issue A-46.Vol 2 consists of proprietary calculations.Vol 2 withheld,per 10CFR2.790.
SUMNER,H.L. Southern Nuclear Operating Co. 98/02/06. Document Control Branch (Document Control Desk). 78pp. A2220:237-A2220:317.

9802240071 Forwards RAI re extended power uprate for plant units 1 & 2. NRC requests to be advised of schedule for response.
OLSHAN,L.N. . 98/02/10. SUMNER,H.L. Southern Nuclear Operating Co. 1p. A2325:264-A2325:264.

9802240254 "Edwin I Hatch Nuclear Plant,Unit 1,Power Uprate Startup Test Rept for Cycle 18." W/980217 ltr.
SUMNER,H.L. Southern Nuclear Operating Co. 98/02/17. 19pp. A2347:308-A2347:326.

Q. Inspection reports, IE Bulletins & correspondence

9802040365 Forwards insp repts 50-321/97-03 & 50-366/97-03 on 970406-0517,NOV & OI rept 2-97-014.NRC concluded that LR Tillman engaged in deliberate misconduct in violation of 10CFR50.5(a)(1),causing plant TSs to be in violation.
REYES,L.A. Region 2 (Post 820201). 97/12/01. TILLMAN,L.R. Affiliation Not Assigned. 4pp. A1999:276-A1999:337.

--9802040373 Notice of violation from insp on 970406-0517.Violation noted:on 970320,L Tillman engaged in deliberate misconduct causing licensee to be in violation of TS 5.4,by failing to rept that work was mistakenly performed on valve 2E51-F102.
* Region 2 (Post 820201). 97/12/01. 2pp. A1999:280-A1999:337.

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040140 Ack receipt of 980112 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/97-10 & 50-366/97-10.
SKINNER,P.H. Region 2 (Post 820201). 98/01/20. SUMNER,H.L. Southern Nuclear Operating Co. 3pp. A1999:354-A1999:356.

9802040015 Forwards insp repts 50-321/97-11 & 50-366/97-11 on 971116- 1227 & NOV.Concerns expressed re violation for late 10CFR50.72 required repts to NRC & lack of corrective actions to prevent recurrence of late repts.
SKINNER,P.H. Region 2 (Post 820201). 98/01/23. SUMNER,H.L. Southern Nuclear Operating Co. 5pp. A1998:022-A1998:081.

--9802040028 Notice of violation from insp on 971116-1227.Violation noted:on 971118,4 h reporting requirement was not met. Several workers involved in Unit 2 outage activities signed into RCA on improper RWPs between 970317-0411.
* Region 2 (Post 820201). 98/01/23. 3pp. A1998:027-A1998:029.

--9802040036 Insp repts 50-321/97-11 & 50-366/97-11 on 971116-1227. Violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 2 (Post 820201). 98/01/23. 52pp. A1998:030-A1998:081.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240273 Informs that request for relief RR-14,rev 0,remains authorized pursuant to 10CFR50.55a(a)(3)(i) for current interval or until such time as code case published in future rev of reg guide 1.147.
OLSHAN,L.N. . 98/02/19. SUMNER,H.L. Southern Nuclear Operating Co. 4pp. A2283:060-A2283:063.

9802250339 Provides response to violations noted in insp repts 50-321/97-11 & 50-366/97-11.Corrective actions:involved personnel have been counseled re need to fully utilize resources available to them to ensure,events reported.
SUMNER,H.L. Southern Nuclear Operating Co. 98/02/20. Document Control Branch (Document Control Desk). 11pp. A2357:331-A2357:341.

R. Periodic operating reports & related correspondence

9802170165 Monthly operating repts for Jan 1998 for Edwin I Hatch Nuclear Plant,Unit 1.W/980206 ltr.
ROGERS,S.B., SUMNER,H.L. Southern Nuclear Operating Co. 98/01/31. 7pp. A2231:331-A2231:337.

9802250332 Forwards fitness for duty performance data for six-month reporting period,Jul-Dec 1997,as required by 10CFR26.71(d).
MOREY,D.N. Southern Nuclear Operating Co. 98/02/20. Document Control Branch (Document Control Desk). 5pp. A2360:343-A2360:347.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

W. Decommissioning Stage Documents & Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802050092 Ack receipt of 971119 ltr,transmitting rev 18,change 11, to plant physical security plan,submitted under provisions of 10CFR50.54(p).Role of video capture audible alarm sys needs to be addressed in security plan,per 980123 telcon.
MURRAY,B. Region 4 (Post 820201). 98/02/02. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. A2009:345-A2009:350.

9802200199 Forwards change 12 to rev 18 to physical security plan,per 10CFR50.54(p).Plan withheld.
POWERS,R.P. Pacific Gas & Electric Co. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2283:247-A2283:247.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802120223 Forwards current status of implementation of licensing actions from July 1997 to Jan 1998.Rept is provided for NRC info & use & will be issued on quarterly basis in 1998.
TOMKINS,J.E. Pacific Gas & Electric Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2216:257-A2216:258.

9802120243 Provides suppl to 970826 License Amend Request 97-11 re auxiliary saltwater sys piping bypass,per NRC 971203 ltr re unreviewed safety question (USQ) involved.No USQ issues associated w/installation of Unit 2 piping.
RUEGER,G.M. Pacific Gas & Electric Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2233:268-A2233:269.

9802130005 Suppl to 970522 License Amend Request 97-05,revising TS page 3/4 7-11 re vital component cooling water sys.
RUEGER,G.M. Pacific Gas & Electric Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2233:352-A2233:358.

-9802130006 Revised TS page 3/4 7-11 to LAR 97-05 based on page as revised by license amends 118 & 116.
* Pacific Gas & Electric Co. 98/01/29. 5pp. A2233:354-A2233:358.

9802090065 Forwards response to 980121 RAI re LAR 97-03,allowing implementation of voltage-based alternate SG tube plugging criteria for outside diameter stress corrosion cracking at tube support plate intersections.Revised TS,encl.
RUEGER,G.M. Pacific Gas & Electric Co. 98/01/30. Document Control Branch (Document Control Desk). 19pp. A2159:315-A2159:340.

-9802090066 Proposed tech specs implementing voltage-based alternate SG tube plugging criteria for outside diameter stress corrosion cracking at tube support plate intersections.
* Pacific Gas & Electric Co. 98/01/30. 7pp. A2159:334-A2159:340.

9802240279 Summary of 971222 meeting w/PG&E in Rockville,MD re sale of Morro Bay Power Plant & offsite power sys improvements. List of attendees & licensee handouts encl.
BLOOM,S.D. . 98/02/03. . 29pp. A2282:195-A2282:223.

9802240013 Forwards SE accepting mod to remove requirement for sampling disolved oxygen in reactor coolant & for hydrogen & oxygen in containment atmosphere.
BLOOM,S.D. . 98/02/05. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. A2325:305-A2325:308.

-9802240015 Safety evaluation accepting mod of PASS.
* . 98/02/05. 2pp. A2325:307-A2325:308.

9802180001 Forwards addl info requested during 980205 telcon re LAR 97-03,requesting review & approval of TS changes allowing implementation of voltage-based alternate SG tube plugging criteria for outside diameter stress corrosion cracking.
RUEGER,G.M. Pacific Gas & Electric Co. 98/02/09. Document Control Branch (Document Control Desk). 5pp. A2243:245-A2243:249.

9802240008 Forwards SE re rev to RV surveillance capsule withdrawal schedule.Revised program capable of monitoring effects of neutron irradiation & termal environ on fracture toughness of ferritic RV beltline matls.
BLOOM,S.D. . 98/02/10. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. A2325:309-A2325:315.

-9802240012 Safety evaluation supporting revised withdrawal schedule.
* . 98/02/10. 4pp. A2325:312-A2325:315.

9802200135 Forwards rev 27 to operating procedure OP B-8D, "Refueling Prerequisites," rev 20 to OP B-8DS1, "Core Unloading Sequences" & rev 20 to OP B-8DS2, "Core Loading Sequence," to support TS basis change.
MIKLUSH,D.B. Pacific Gas & Electric Co. 98/02/13. Document Control Branch (Document Control Desk). 3pp. A2283:085-A2283:160.

-9802200140 Rev 27 to OP B-8D, "Refueling Prerequisites."
FARRER,D., MAYER,M. Pacific Gas & Electric Co. 98/01/14. 23pp. A2283:088-A2283:110.

-9802200141 Rev 20 to OP B-8DS1, "Core Unloading Sequence."
FARRIER,D., MAYER,M. Pacific Gas & Electric Co. 98/01/13. 22pp. A2283:111-A2283:132.

-9802200144 Rev 20 to OP B-8DS2, "Core Loading Sequence."
FARRER,D., MAYER,M. Pacific Gas & Electric Co. 98/01/13. 28pp. A2283:133-A2283:160.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050355 Forwards insp repts 50-275/97-23 & 50-323/97-23 on 971123- 980103.No violations noted.
WONG,H.J. Region 4 (Post 820201). 98/01/26. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. A2010:189-A2010:211.

-9802050357 Insp repts 50-275/97-23 & 50-323/97-23 on 971123-980103.No violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 4 (Post 820201). 98/01/26. 19pp. A2010:193-A2010:211.

9802050028 Forwards insp repts 50-275/98-01 & 50-323/98-01 on 980105- 09 & notice of violation re failure of individuals to have operating alarming dosimeters when radiological controlled area entered.
MURRAY,B. Region 4 (Post 820201). 98/01/30. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A2009:259-A2009:276.

-9802050036 Notice of violation from insp on 980105-09.Violation noted: radiation workers did not follow radiation work permit requirements.
* Region 4 (Post 820201). 98/01/30. 2pp. A2009:264-A2009:265.

-9802050041 Insp repts 50-275/98-01 & 50-323/98-01 on 980105-09. Violations noted.Major areas inspected:program to maintain occupational radiation exposure ALARA,external exposure controls & surveying & monitoring.
* Region 4 (Post 820201). 98/01/30. 11pp. A2009:266-A2009:276.

9802120266 Forwards insp relief request #PRS-1F for Units 1 & 2 to use AMSE Code Case N-498-1.
POWERS,R.P. Pacific Gas & Electric Co. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2233:168-A2233:171.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802250216 Monthly operating repts for Jan 1998 for Diablo Canyon Power Plant,Units 1 & 2.W/980213 ltr.
MALONE,D, EUBANK,T., POWERS,R.P. Pacific Gas & Electric Co. 98/01/31. 8pp. A2368:249-A2368:256.

V. Operator Examinations

9802090190 Informs that NRC plans to administer GFES of written operator licensing exam at facility on 980408.Requests that listing of names of candidates for exam be submitted to appropriate Regional Administrator by 980306.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. A2039:351-A2039:355.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802200070 Provides info on forthcoming shipment of irradiated nuclear reactor fuel by CP&L.Shipment consists of radioactive matl in IF-300 series shipping casks,cask id no USA/9001/B()F,s/n IF-303,s/n IF/304 to Harris Nuclear Plant.
HINNANT,S. Carolina Power & Light Co. 98/01/09. STROUD,T.C. North Carolina, State of. 3pp. A2251:274-A2251:276.

9802040322 Forwards insp repts 50-324/97-13 & 50-325/97-13 on 971109-1227 & NOV.Concerns expressed re three violations involving clearance records not retained as quality records. Also,configuration change could not be reviewed.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/01/23. HINNANT,C.S. Carolina Power & Light Co. 5pp. A1999:214-A1999:275.

-9802040338 Insp repts 50-324/97-13 & 50-325/97-13 on 971109-1227. Violations noted.Major areas inspected:operations, engineering,maint & plant support.Includes results of maint, engineering & FP insps.
* Region 2 (Post 820201). 98/01/23. 50pp. A1999:222-A1999:275.

9802050326 Forwards response to request for addl info & suppl to request for license amends for DG surveillance requirements. Procedures encl.
HINNANT,C.S. Carolina Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 15pp. A2149:152-A2149:264.

-9802050346 Rev 3 to 0AP-025, "BNP Integrated Scheduling."
* Carolina Power & Light Co. 97/11/14. 47pp. A2149:203-A2149:259.

9802110141 Rev 50 to "Radiological Emergency Response Plan (ERP)".
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/28. 183pp. A2168:001-A2168:183.

9802180022 Forwards response to telcon RAI re 971106 proposed license amends revising,for limited period of time,design basis qualification requirements for CREVS & CREV instrumentation. Calculations,emergency procedures & plant procedures encl. HINNANT,C.S. Carolina Power & Light Co. 98/01/28. Document Control Branch (Document Control Desk). 6pp. A2197:001-A2198:329.

-9802180031 Rev 17 to OPEP-04.6, "Radiological Kit Inventories."
* Carolina Power & Light Co. 97/11/24. 59pp. A2198:226-A2198:284.

-9802180034 Rev 2 to Fire Protection Procedure OFPP-039, "SCBA Use & Maint."
BRYANT,L. Carolina Power & Light Co. 97/03/18. 32pp. A2198:298-A2198:329.

9802110058 Rev 13 to Plant Emergency Procedure OPEP-04.3, "Performance of Training,Exercises & Drills."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/02/03. 13pp. A2212:210-A2212:222.

9802270053 Submits notification of upcoming shipment of radioactive matl in IF-300 series shipping cask from Southport,NC to New Hill,NC.Info designated as safeguards info & shall be protected IAW provisions of 10CFR73.21.
HINNANT,S. Carolina Power & Light Co. 98/02/05. DALTON,S.M. North Carolina, State of. 3pp. A2396:001-A2396:003.

9802200229 Rev 62 to Plant Emergency Procedure OPEP-Appendix A, "Emergency Response Resources."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/02/07. 33pp. A2319:059-A2319:091.

9802240043 Forwards revisions to plant emergency procedures IAW 10CFR50.54(q) & 10CFR50,App E.List of revised procedures, summary of changes & copies of revised procedures,encl.
JURY,K.R. Carolina Power & Light Co. 98/02/20. Document Control Branch (Document Control Desk). 8pp. A2331:001-A2332:096.

-9802240091 Rev 50 to radiological emergency response plan.
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/28. 215pp. A2331:009-A2331:223.

-9802240095 Rev 2 to EPIP OPEP-02.1.1, "Emergency Control - Notification of Unusual Event,Alert,Site Area Emergency & General Emergency."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/10. 60pp. A2331:224-A2331:283.

-9802240101 Rev 5 to EPIP OPEP-02.6.26, "Activation & Operation of Technical Support Center (TSC)."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/10. 94pp. A2331:284-A2332:013.

-9802240105 Rev 5 to EPIP OPEP-02.6.28, "Off-Site Protective Action Recommendations."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/10. 8pp. A2332:014-A2332:021.

-9802240108 Rev 9 to EPIP OPEP-03.1.3, "Use of Communication Equipment."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/10. 43pp. A2332:022-A2332:064.

-9802240117 Rev 62 to EPIP OPEP-Appendix A, "Emergency Response Resources."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/02/06. 32pp. A2332:065-A2332:096.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9802170096 Provides info concerning forthcoming shipment of irradiated nuclear reactor fuel by CP&L.Radioactive matl in IF-300 series shipping cask,cask id no USA/9001/BOF;s/n IF-303, s/n IF/304.
HINNANT,S. Carolina Power & Light Co. 97/12/02. STROUD,T.C. North Carolina, State of. 3pp. A2181:328-A2181:330.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030010 Forwards "Biological Assessment of Impact to Sea Turtles at CP&L Brunswick Steam Electric Plant," to support Endangered Species Act Section 7 consultation between NRC & National Marine Fisheries Svc.
JURY,K.R. Carolina Power & Light Co. 98/01/26. Document Control Branch (Document Control Desk). 3pp. A2018:233-A2018:272.

-9802030013 "Biological Assessment of Impact to Sea Turtles at CP&L Brunswick Steam Electric Plant."
WARD,B.J. Carolina Power & Light Co. 97/12/31. 37pp. A2018:236-A2018:272.

9802050326 Forwards response to request for addl info & suppl to request for license amends for DG surveillance requirements. Procedures encl.
HINNANT,C.S. Carolina Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 15pp. A2149:152-A2149:264.

-9802050342 Rev 2 to 0AP-022, "BNP Outage Risk Mgt."
* Carolina Power & Light Co. 97/10/13. 36pp. A2149:167-A2149:202.

-9802050346 Rev 3 to 0AP-025, "BNP Integrated Scheduling."
* Carolina Power & Light Co. 97/11/14. 47pp. A2149:203-A2149:259.

-9802090003 Proposed Tech Specs 3/4.8 re electrical power sys.
* Carolina Power & Light Co. 98/01/27. 5pp. A2149:260-A2149:264.

9802050274 Provides addl info re 971029 request for amends to licenses DPR-71 & DPR-62,revising description of control rod assemblies.
HINNANT,C.S. Carolina Power & Light Co. 98/01/28. Document Control Branch (Document Control Desk). 3pp. A2149:332-A2149:334.

9802180022 Forwards response to telcon RAI re 971106 proposed license amends revising,for limited period of time,design basis qualification requirements for CREVS & CREV instrumentation. Calculations,emergency procedures & plant procedures encl. HINNANT,C.S. Carolina Power & Light Co. 98/01/28. Document Control Branch (Document Control Desk). 6pp. A2197:001-A2198:329.

-9802180026 Rev 0 to 0VA-0104, "Control Bldg Transient Temp Analysis."
CAI,Y., DEVORE,T. Carolina Power & Light Co. 0VA-0104 R00. 96/09/12. 462pp. A2197:007-A2198:104.

-9802180027 Rev 0 to 0VA-0114, "Control Bldg Transient Temp Analysis During Spring Conditions."
TOMLINS,V.A. Carolina Power & Light Co. 0VA-0114 R00. 98/01/21. 101pp. A2198:105-A2198:205.

-9802180029 Rev 11 to 0AOP-34.0, "Chlorine Emergencies."
* Carolina Power & Light Co. 97/12/02. 20pp. A2198:206-A2198:225.

-9802180031 Rev 17 to OPEP-04.6, "Radiological Kit Inventories."
* Carolina Power & Light Co. 97/11/24. 59pp. A2198:226-A2198:284.

-9802180033 Rev 1 to 0FPP-038, "Operation of SCBA Refill Sys."
BRYANT,L. Carolina Power & Light Co. 97/04/23. 13pp. A2198:285-A2198:297.

-9802180034 Rev 2 to Fire Protection Procedure OFPP-039, "SCBA Use & Maint."
BRYANT,L. Carolina Power & Light Co. 97/03/18. 32pp. A2198:298-A2198:329.

9802060029 Submits changes to two enclosures in 970930 ltr re reactor vessel matl surveillance program.
JURY,K.R. Carolina Power & Light Co. 98/01/29. Document Control Branch (Document Control Desk). 8pp. A2138:315-A2138:320.

9802110139 Withdraws 970725 request for license amends re IGSCC surveillance requirement,based on anticipated approval of util LAR for conversion of current TS to improved TS,as contained in Rev 1 of NUREG-1433.
JURY,K.R. Carolina Power & Light Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2230:133-A2230:134.

9802110136 Provides addl info re small-break LOCA analysis discussion contained within 970612 LAR,proposing changes to TS 3.6.1.6 to require monitoring drywell average air temp rather than primary containment average air temp.
HINNANT,C.S. Carolina Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 3pp. A2230:107-A2230:109.

9802130017 Informs of NRC Region II mgt changes that will be effective 980215.Revised organization chart encl.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/02/05. ORSER,W.S. Carolina Power & Light Co. 5pp. A2164:037-A2164:041.

9802240275 Forwards amends 191 & 222 to licenses DPR-71 & DPR-62 & SE. Amends consist of changes to TS & associated bases in response to 971106 application & suppl dtd 980128.
TRIMBLE,D.C. . 98/02/06. HINNANT,C.S. Carolina Power & Light Co. 4pp. A2337:227-A2337:257.

-9802240283 Amends 191 & 222 to licenses DPR-71 & DPR-62,respectively, consisting of changes to TSs & associated Bases in response to 971106 application & suppl dtd 980128.
DEAN,W.M. . 98/02/06. 22pp. A2337:231-A2337:252.

-9802240288 Safety evaluation supporting amends 191 & 222 to licenses DPR-71 & DPR-62,respectively.
* . 98/02/06. 5pp. A2337:253-A2337:257.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040169 Informs that maint rule baseline team insp repts 50-324/98-02 & 50-325/98-02 have been scheduled for 980316-20.Inspection objective will be to evaluate effectiveness of implementation of 10CFR50.65.
FREDRICKSON,P. Region 2 (Post 820201). 98/01/23. HINNANT,C.S. Carolina Power & Light Co. 7pp. A2000:173-A2000:179.

9802040322 Forwards insp repts 50-324/97-13 & 50-325/97-13 on 971109-1227 & NOV.Concerns expressed re three violations involving clearance records not retained as quality records. Also,configuration change could not be reviewed.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/01/23. HINNANT,C.S. Carolina Power & Light Co. 5pp. A1999:214-A1999:275.

-9802040333 Notice of violation from insp on 971109-1227.Violation noted:on 971209,inspector determined that licensee had not maintained data sheets or logs for equipment alignment.
* Region 2 (Post 820201). 98/01/23. 3pp. A1999:219-A1999:221.

-9802040338 Insp repts 50-324/97-13 & 50-325/97-13 on 971109-1227. Violations noted.Major areas inspected:operations, engineering,maint & plant support.Includes results of maint, engineering & FP insps.
* Region 2 (Post 820201). 98/01/23. 50pp. A1999:222-A1999:275.

9802050206 Responds to NRC 971230 ltr re violations noted in insp repts 50-324/97-14 & 50-325/97-14.Corrective actions:evaluation of other plant areas for similar radiological control deficiencies will be performed.
HINNANT,C.S. Carolina Power & Light Co. 98/01/30. Document Control Branch (Document Control Desk). 7pp. A2151:082-A2151:088.

9802050281 Informs that util is canceling commitment re insp repts 50-324/97-11 & 50-325/97-11,to revise procedures which provide addl guidance on process for determining alternate safe shutdown applicability.
HINNANT,C.S. Carolina Power & Light Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2151:098-A2151:099.

9802170035 Forwards page 42 which had been omitted from insp repts 50-324/97-13 & 50-325/97-13 transmitted on 980123.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/02/05. HINNANT,C.S. Carolina Power & Light Co. 5pp. A2170:296-A2170:301.

-9802170044 Omitted page 42 to insp repts 50-324/97-13 & 50-325/97-13 transmitted on 980123.
* Region 2 (Post 820201). 98/02/05. 1p. A2170:301-A2170:301.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802250237 Responds to NRC 980123 ltr re violations noted in insp repts 50-324/97-13 & 50-325/97-13.Corrective actions:established controls to ensure safety-related clearances are maintained as QA records IAW site procedures & counseled personnel.
HINNANT,C.S. Carolina Power & Light Co. 98/02/23. Document Control Branch (Document Control Desk). 9pp. A2360:286-A2360:294.

R. Periodic operating reports & related correspondence

9802200084 Monthly operating repts for Jan 1998 for Brunswick Steam Electric Plant,Units 1 & 2.W/980213 ltr.
JEFFERSON,F., JURY,K.R. Carolina Power & Light Co. 98/01/31. 8pp. A2270:097-A2270:104.

V. Operator Examinations

9802240227 Forwards requested exam outline matls to support initial license exam at plant.W/o encl.
JURY,K.R. Carolina Power & Light Co. 98/02/16. PAYNE,D.C. Region 2 (Post 820201). 2pp. A2355:330-A2355:331.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802200070 Provides info on forthcoming shipment of irradiated nuclear reactor fuel by CP&L.Shipment consists of radioactive matl in IF-300 series shipping casks,cask id no USA/9001/B()F,s/n IF-303,s/n IF/304 to Harris Nuclear Plant.
HINNANT,S. Carolina Power & Light Co. 98/01/09. STROUD,T.C. North Carolina, State of. 3pp. A2251:274-A2251:276.

9802040322 Forwards insp repts 50-324/97-13 & 50-325/97-13 on 971109-1227 & NOV.Concerns expressed re three violations involving clearance records not retained as quality records. Also,configuration change could not be reviewed.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/01/23. HINNANT,C.S. Carolina Power & Light Co. 5pp. A1999:214-A1999:275.

-9802040338 Insp repts 50-324/97-13 & 50-325/97-13 on 971109-1227. Violations noted.Major areas inspected:operations, engineering,maint & plant support.Includes results of maint, engineering & FP insps.
* Region 2 (Post 820201). 98/01/23. 50pp. A1999:222-A1999:275.

9802050326 Forwards response to request for addl info & suppl to request for license amends for DG surveillance requirements. Procedures encl.
HINNANT,C.S. Carolina Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 15pp. A2149:152-A2149:264.

-9802050346 Rev 3 to 0AP-025, "BNP Integrated Scheduling."
* Carolina Power & Light Co. 97/11/14. 47pp. A2149:203-A2149:259.

9802110141 Rev 50 to "Radiological Emergency Response Plan (ERP)".
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/28. 183pp. A2168:001-A2168:183.

9802180022 Forwards response to telcon RAI re 971106 proposed license amends revising,for limited period of time,design basis qualification requirements for CREVS & CREV instrumentation. Calculations,emergency procedures & plant procedures encl.
HINNANT,C.S. Carolina Power & Light Co. 98/01/28. Document Control Branch (Document Control Desk). 6pp. A2197:001-A2198:329.

-9802180031 Rev 17 to OPEP-04.6, "Radiological Kit Inventories."
* Carolina Power & Light Co. 97/11/24. 59pp. A2198:226-A2198:284.

-9802180034 Rev 2 to Fire Protection Procedure OFPP-039, "SCBA Use & Maint."
BRYANT,L. Carolina Power & Light Co. 97/03/18. 32pp. A2198:298-A2198:329.

9802110058 Rev 13 to Plant Emergency Procedure OPEP-04.3, "Performance of Training,Exercises & Drills."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/02/03. 13pp. A2212:210-A2212:222.

9802200229 Rev 62 to Plant Emergency Procedure OPEP-Appendix A, "Emergency Response Resources."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/02/07. 33pp. A2319:059-A2319:091.

9802240043 Forwards revisions to plant emergency procedures IAW 10CFR50.54(q) & 10CFR50,App E.List of revised procedures, summary of changes & copies of revised procedures,encl.
JURY,K.R. Carolina Power & Light Co. 98/02/20. Document Control Branch (Document Control Desk). 8pp. A2331:001-A2332:096.

-9802240091 Rev 50 to radiological emergency response plan.
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/28. 215pp. A2331:009-A2331:223.

-9802240095 Rev 2 to EPIP OPEP-02.1.1, "Emergency Control - Notification of Unusual Event,Alert,Site Area Emergency & General Emergency."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/10. 60pp. A2331:224-A2331:283.

-9802240101 Rev 5 to EPIP OPEP-02.6.26, "Activation & Operation of Technical Support Center (TSC)."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/10. 94pp. A2331:284-A2332:013.

-9802240105 Rev 5 to EPIP OPEP-02.6.28, "Off-Site Protective Action Recommendations."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/10. 8pp. A2332:014-A2332:021.

-9802240108 Rev 9 to EPIP OPEP-03.1.3, "Use of Communication Equipment."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/01/10. 43pp. A2332:022-A2332:064.

-9802240117 Rev 62 to EPIP OPEP-Appendix A, "Emergency Response Resources."
GILDERSLEEVE,T. Carolina Power & Light Co. 98/02/06. 32pp. A2332:065-A2332:096.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030010 Forwards "Biological Assessment of Impact to Sea Turtles at CP&L Brunswick Steam Electric Plant," to support Endangered Species Act Section 7 consultation between NRC & National Marine Fisheries Svc.
JURY,K.R. Carolina Power & Light Co. 98/01/26. Document Control Branch (Document Control Desk). 3pp. A2018:233-A2018:272.

-9802030013 "Biological Assessment of Impact to Sea Turtles at CP&L Brunswick Steam Electric Plant."
WARD,B.J. Carolina Power & Light Co. 97/12/31. 37pp. A2018:236-A2018:272.

9802050003 Requests approval to use alternative exam requirements for reactor pressure vessel closure stud number 19 & associated bushing.Util intends to use proposed alternative for remainder of second ten-yr inservice insp interval.
JURY,K.R. Carolina Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 6pp. A2038:134-A2038:139.

9802050326 Forwards response to request for addl info & suppl to request for license amends for DG surveillance requirements. Procedures encl.
HINNANT,C.S. Carolina Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 15pp. A2149:152-A2149:264.

-9802050346 Rev 3 to 0AP-025, "BNP Integrated Scheduling."
* Carolina Power & Light Co. 97/11/14. 47pp. A2149:203-A2149:259.

-9802090003 Proposed Tech Specs 3/4.8 re electrical power sys.
* Carolina Power & Light Co. 98/01/27. 5pp. A2149:260-A2149:264.

9802050274 Provides addl info re 971029 request for amends to licenses DPR-71 & DPR-62,revising description of control rod assemblies.
HINNANT,C.S. Carolina Power & Light Co. 98/01/28. Document Control Branch (Document Control Desk). 3pp. A2149:332-A2149:334.

9802180022 Forwards response to telcon RAI re 971106 proposed license amends revising,for limited period of time,design basis qualification requirements for CREVS & CREV instrumentation. Calculations,emergency procedures & plant procedures encl.
HINNANT,C.S. Carolina Power & Light Co. 98/01/28. Document Control Branch (Document Control Desk). 6pp. A2197:001-A2198:329.

--**9802180026** Rev 0 to 0VA-0104, "Control Bldg Transient Temp Analysis."
CAI,Y., DEVORE,T. Carolina Power & Light Co. 0VA-0104 R00. 96/09/12. 462pp. A2197:007-A2198:104.

--**9802180027** Rev 0 to 0VA-0114, "Control Bldg Transient Temp Analysis During Spring Conditions."
TOMLINS,V.A. Carolina Power & Light Co. 0VA-0114 R00. 98/01/21. 101pp. A2198:105-A2198:205.

--**9802180029** Rev 11 to 0AOP-34.0, "Chlorine Emergencies."
* Carolina Power & Light Co. 97/12/02. 20pp. A2198:206-A2198:225.

--**9802180033** Rev 1 to 0FPP-038, "Operation of SCBA Refill Sys."
BRYANT,L. Carolina Power & Light Co. 97/04/23. 13pp. A2198:285-A2198:297.

9802060029 Submits changes to two enclosures in 970930 ltr re reactor vessel matl surveillance program.
JURY,K.R. Carolina Power & Light Co. 98/01/29. Document Control Branch (Document Control Desk). 8pp. A2138:315-A2138:320.

9802110139 Withdraws 970725 request for license amends re IGSCC surveillance requirement,based on anticipated approval of util LAR for conversion of current TS to improved TS,as contained in Rev 1 of NUREG-1433.
JURY,K.R. Carolina Power & Light Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2230:133-A2230:134.

9802110136 Provides addl info re small-break LOCA analysis discussion contained within 970612 LAR,proposing changes to TS 3.6.1.6 to require monitoring drywell average air temp rather than primary containment average air temp.
HINNANT,C.S. Carolina Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 3pp. A2230:107-A2230:109.

9802130017 Informs of NRC Region II mgt changes that will be effective 980215.Revised organization chart encl.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/02/05. ORSER,W.S. Carolina Power & Light Co. 5pp. A2164:037-A2164:041.

9802240275 Forwards amends 191 & 222 to licenses DPR-71 & DPR-62 & SE. Amends consist of changes to TS & associated bases in response to 971106 application & suppl dtd 980126.
TRIMBLE,D.C. . 98/02/06. HINNANT,C.S. Carolina Power & Light Co. 4pp. A2337:227-A2337:257.

--**9802240283** Amends 191 & 222 to licenses DPR-71 & DPR-62,respectively, consisting of changes to TSs & associated Bases in response to 971106 application & suppl dtd 980126.
DEAN,W.M. . 98/02/06. 22pp. A2337:231-A2337:252.

--**9802240288** Safety evaluation supporting amends 191 & 222 to licenses DPR-71 & DPR-62,respectively.
* . 98/02/06. 5pp. A2337:253-A2337:257.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040169 Informs that maint rule baseline team insp repts 50-324/98-02 & 50-325/98-02 have been scheduled for 980316-20.Inspection objective will be to evaluate effectiveness of implementation of 10CFR50.65.
FREDRICKSON,P. Region 2 (Post 820201). 98/01/23. HINNANT,C.S. Carolina Power & Light Co. 7pp. A2000:173-A2000:179.

9802040322 Forwards insp repts 50-324/97-13 & 50-325/97-13 on 971109-1227 & NOV.Concerns expressed re three violations involving clearance records not retained as quality records. Also,configuration change could not be reviewed.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/01/23. HINNANT,C.S. Carolina Power & Light Co. 5pp. A1999:214-A1999:275.

--**9802040333** Notice of violation from insp on 971109-1227.Violation noted:on 971209,inspector determined that licensee had not maintained data sheets or logs for equipment alignment.
* Region 2 (Post 820201). 98/01/23. 3pp. A1999:219-A1999:221.

--**9802040338** Insp repts 50-324/97-13 & 50-325/97-13 on 971109-1227. Violations noted.Major areas inspected:operations, engineering,maint & plant support.Includes results of maint, engineering & FP insps.
* Region 2 (Post 820201). 98/01/23. 50pp. A1999:222-A1999:275.

9802050003 Requests approval to use alternative exam requirements for reactor pressure vessel closure stud number 19 & associated bushing.Util intends to use proposed alternative for remainder of second ten-yr inservice insp interval.
JURY,K.R. Carolina Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 6pp. A2038:134-A2038:139.

9802050206 Responds to NRC 971230 ltr re violations noted in insp repts 50-324/97-14 & 50-325/97-14.Corrective actions:evaluation of other plant areas for similar radiological control deficiencies will be performed.
HINNANT,C.S. Carolina Power & Light Co. 98/01/30. Document Control Branch (Document Control Desk). 7pp. A2151:082-A2151:088.

9802050281 Informs that util is canceling commitment re insp repts 50-324/97-11 & 50-325/97-11,to revise procedures which provide addl guidance on process for determining alternate safe shutdown applicability.
HINNANT,C.S. Carolina Power & Light Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2151:098-A2151:099.

9802170035 Forwards page 42 which had been omitted from insp repts 50-324/97-13 & 50-325/97-13 transmitted on 980123.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/02/05. HINNANT,C.S. Carolina Power & Light Co. 5pp. A2170:296-A2170:301.

--**9802170044** Omitted page 42 to insp repts 50-324/97-13 & 50-325/97-13 transmitted on 980123.
* Region 2 (Post 820201). 98/02/05. 1p. A2170:301-A2170:301.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2238:329-A2288:335.

9802250237 Responds to NRC 980123 ltr re violations noted in insp repts 50-324/97-13 & 50-325/97-13.Corrective actions:established controls to ensure safety-related clearances are maintained as QA records IAW site procedures & counseled personnel.
HINNANT,C.S. Carolina Power & Light Co. 98/02/23. Document Control Branch (Document Control Desk). 9pp. A2360:286-A2360:294.

R. Periodic operating reports & related correspondence

9802200084 Monthly operating repts for Jan 1998 for Brunswick Steam Electric Plant,Units 1 & 2.W/980213 ltr.
JEFFERSON,F., JURY,K.R. Carolina Power & Light Co. 98/01/31. 8pp. A2270:097-A2270:104.

V. Operator Examinations

9802240227 Forwards requested exam outline matls to support initial license exam at plant.W/o encl.
JURY,K.R. Carolina Power & Light Co. 98/02/16. PAYNE,D.C. Region 2 (Post 820201). 2pp. A2355:330-A2355:331.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802190134 Forwards rev 16 to EPIP-7, "Activation & Operation of Operations Support Center (OSC)" & rev 9 to EPIP-8, "Personnel Accountability & Evacuation," per 10CFR50 App E Section V.
SALAS,P. Tennessee Valley Authority. 98/02/06. Document Control Branch (Document Control Desk). 2pp. A2244:247-A2244:291.

--**9802190137** Rev 16 to EPIP-7, "Activation & Operation of Operations Support Center (OSC)."
CATRON,N.S. Tennessee Valley Authority. 98/01/29. 31pp. A2244:249-A2244:279.

--**9802190138** Rev 9 to EPIP-8, "Personnel Accountability & Evacuation."
CATRON,N.S. Tennessee Valley Authority. 98/01/29. 12pp. A2244:280-A2244:291.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050236 Forwards general info & Form 2C info required for renewal of Sequoyah NPDES permit TN002650,which expires on 980831.
BAJESTANI,M. Tennessee Valley Authority. 98/01/15. STEWART,P., WHALEN,T. Tennessee, State of. 119pp. A2085:229-A2085:347.

9802180151 Forwards synopsis of NRC OI completed rept re alleged discrimination against licensee employee who filed complaint w/US Dept of Labor.W/o encl.
LESSER,M.S. Region 2 (Post 820201). 98/01/30. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A2181:356-A2181:358.

9802050349 Responds to request from Harding for statistics on allegations received by NRC re Browns Ferry,Sequoyah & Watts Barr.Forwards tables that provide breakdown of allegations of three sites for CYs 1993-1998.
BAKER,E.T. . 98/02/03. ZERINGUE,O.J. Tennessee Valley Authority. 20pp. A2012:127-A2012:146.

9802100090 Informs that NRC Region II mgt changes will be effective on 980215.Revised organization chart for Region II encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/04. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2093:353-A2093:358.

9802100095 Confirms telcon w/J Smith re meeting schedule for 980220 in Atlanta,GA to discuss operational performance of Sequoyah units.
LESSER,M.S. Region 2 (Post 820201). 98/02/04. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A2095:123-A2095:125.

9802230245 Notification of 980305 meeting w/TVA in Rockville,MD to discuss special projects being pursued w/DOE including use of downblended highly enriched U in fuel used at plant.
HERNAN,R.W. . 98/02/05. HEBDON,F.J. . 5pp. A2270:342-A2270:346.

9802120271 Requests that encl documents be placed on docket & in PDRs for plant.
HERNAN,R. NRC - No Detailed Affiliation Given. 98/02/11. MCKNIGHT,J. Document Control Branch (Document Control Desk). 4pp. A2154:093-A2154:096.

9802170003 Requests that encl documents be placed on docket for Sequoyah,Units 1 & 2 & in PDRs for plant.
HERNAN,R. . 98/02/12. MCKNIGHT,J. Document Control Branch (Document Control Desk). 1p. A2164:092-A2164:100.

–9802170007 Discusses MOV terminal voltage issue,per GL 98-10 program at plant.Concludes that licensee approach for determining operating voltage for safety-related MOVs,acceptable.
CALVO,J.A. . 98/02/11. WESSMAN,R.H. . 8pp. A2164:093-A2164:100.

9802200033 Provides follow-up to 980120-23 closeout insp of GL 89-10 program.Insp team determined that nine commitment items were satisfactorily completed or scheduled for completion.Addl actions to improve program are listed.
SALAS,P. Tennessee Valley Authority. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2268:354-A2268:356.

9802230192 Application for amends to licenses DPR-77 & DPR-79, incorporating MSIV requirements to be consistent w/Std TS (NUREG-1431).
SALAS,P. Tennessee Valley Authority. 98/02/13. Document Control Branch (Document Control Desk). 11pp. A2328:334-A2328:350.

–9802230194 Proposed tech specs incorporating MSIV requirements to be consistent w/Std TS (NUREG-1431).
* Tennessee Valley Authority. 98/02/13. 6pp. A2328:345-A2328:350.

9802230198 Application for amends to licenses DPR-77 & DPR-79,adding new LCO that addresses requirements for main feedwater isolation,regulating & bypass valves.
SALAS,P. Tennessee Valley Authority. 98/02/13. Document Control Branch (Document Control Desk). 7pp. A2330:203-A2330:226.

–9802230199 Proposed tech specs adding new LCO that addresses requirements for main feedwater isolation,regulating & bypass valves.
* Tennessee Valley Authority. 98/02/13. 17pp. A2330:210-A2330:226.

9802230210 TS Change 97-04 to application for amends to Licenses DPR-77 & DPR-79,relocating snubber requirements from Section 3.7.9 of TS to plant technical requirements manual.
SALAS,P. Tennessee Valley Authority. TVA-SQA-TS-97-04. 98/02/13. Document Control Branch (Document Control Desk). 8pp. A2285:270-A2285:354.

–9802230214 Proposed Tech Specs Section 3.7.9 re relocation of snubber requirements.
* Tennessee Valley Authority. 98/02/13. 45pp. A2285:278-A2285:282.

–9802230215 "Sequoyah Nuclear Plant,Units 1 & 2 Technical Requirements Manual."
* Tennessee Valley Authority. 98/02/13. 32pp. A2285:283-A2285:354.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040204 Forwards insp repts 50-327/97-17 & 50-328/97-17 on 971109- 1220.No violations noted.Conduct of activities generally characterized by good operations,maint,engineering & plant support.
LESSAR,M.S. Region 2 (Post 820201). 98/01/16. ZERINGUE,O.J. Tennessee Valley Authority. 4pp. A1999:001-A1999:037.

–9802040208 Insp repts 50-327/97-17 & 50-328/97-17 on 971109-1220.No violations noted.Major areas inspected:operations,maint, engineering,plant support & effectiveness of licensee controls in identifying,resolving & preventing problems.
LESSER,M. Region 2 (Post 820201). 98/01/16. 31pp. A1999:005-A1999:037.

9802040091 Ack receipt of 970721 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/97-04 & 50-328/97-04.Agrees that 970720 NOV did not constitute violation as written.NRC exercising discretion.
JOHNSON,J.R. Region 2 (Post 820201). 98/01/28. ZERINGUE,O.J. Tennessee Valley Authority. 7pp. A1998:355-A1998:361.

9802090008 Ltr contract:task order 225 entitled, "Sequoyah Safety Sys Engineering Insp" under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2595. 98/02/03. KNIGHT,D. SCIENTECH, Inc. 2pp. A2081:355-A2081:356.

9802090041 Discusses withdrawal of proposed imposition of civil penalty re special insp repts 50-327/97-13 & 50-328/97-13 on 971208.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/05. ZERINGUE,O.J. Tennessee Valley Authority. 4pp. A2048:029-A2048:032.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802200033 Provides follow-up to 980120-23 closeout insp of GL 89-10 program.Insp team determined that nine commitment items were satisfactorily completed or scheduled for completion.Addl actions to improve program are listed.
SALAS,P. Tennessee Valley Authority. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2268:354-A2268:356.

R. Periodic operating reports & related correspondence

9802230220 Monthly operating repts for Jan 1997 for Sequoyah Nuclear Plant,Units 1 & 2.W/980217 ltr.
HOLLOMON,T.J., SALAS,P. Tennessee Valley Authority. 98/01/31. 10pp. A2342:302-A2342:311.

V. Operator Examinations

9802190285 Requests termination of SRO license JM Qualls,IAW 10CFR50.74(a) due to position change.
BAJESTANI,M. Tennessee Valley Authority. 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2253:347-A2253:348.

9802200319 Summarizes meeting w/TVA on 980121 to discuss results of recent operator licensing exam & operator licensing training program.Amended paragraphs of rept 50-327/97-300 & 50-328/97-300,handouts & list of attendees encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/02/05. ZERINGUE,O.J. Tennessee Valley Authority. 18pp. A2252:012-A2252:029.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802190134 Forwards rev 16 to EPIP-7, "Activation & Operation of Operations Support Center (OSC)" & rev 9 to EPIP-8, "Personnel Accountability & Evacuation," per 10CFR50 App E Section V.
SALAS,P. Tennessee Valley Authority. 98/02/06. Document Control Branch (Document Control Desk). 2pp. A2244:247-A2244:291.

–9802190137 Rev 16 to EPIP-7, "Activation & Operation of Operations Support Center (OSC)."
CATRON,N.S. Tennessee Valley Authority. 98/01/29. 31pp. A2244:249-A2244:279.

–9802190138 Rev 9 to EPIP-8, "Personnel Accountability & Evacuation."
CATRON,N.S. Tennessee Valley Authority. 98/01/29. 12pp. A2244:280-A2244:291.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050236 Forwards general info & Form 2C info required for renewal of Sequoyah NPDES permit TN002650,which expires on 980831.
BAJESTANI,M. Tennessee Valley Authority. 98/01/15. STEWART,P., WHALEN,T. Tennessee, State of. 119pp. A2085:229-A2085:347.

9802040105 Forwards "Restary Test Summary,Unit 2 Cycle 9," for 971011-1130.Rept provides summary of plant startup & power escalation testing following installation of Framatome Cogema Fuels Mark BW fuel assemblies.
SALAS,P. Tennessee Valley Authority. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2036:189-A2036:223.

–9802040128 "Sequoyah Nuclear Plant Unit 2,Cycle 9 Restart Physics Test Summary," for 971011-971130.
* Tennessee Valley Authority. 97/11/30. 33pp. A2036:191-A2036:223.

9802050262 Forwards repts on SG activities completed during cycle 8 (U2C8) refueling outage,per TS 4.4.5.5.b & license condition 2.C.(8)(b).
SALAS,P. Tennessee Valley Authority. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2150:001-A2150:100.

–9802050268 "SNP Unit 2 Cycle Refueling Outage Oct 1997."
COTHRON,H., JAMES,W.D. Tennessee Valley Authority. 98/01/29. 40pp. A2150:003-A2150:042.

–9802050271 "Sequoyah Unit 2 Cycle 9 Voltage-Based Repair Criteria 90-Day Rept."
* Westinghouse Electric Corp. SG-98-01-002. 98/01/31. 52pp. A2150:043-A2150:094.

–9802050273 "Sequoyah Unit 2 SG Secondary Side Loose Object Safety Evaluation."
* Westinghouse Electric Corp. SECL-97-215. 97/10/23. 6pp. A2150:095-A2150:100.

9802180151 Forwards synopsis of NRC OI completed rept re alleged discrimination against licensee employee who filed complaint w/US Dept of Labor.W/o encl.
LESSER,M.S. Region 2 (Post 820201). 98/01/30. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A2181:356-A2181:358.

9802050349 Responds to request from Harding for statistics on allegations received by NRC re Browns Ferry,Sequoyah & Watts Barr.Forwards tables that provide breakdown of allegations of three sites for CYs 1993-1998.
BAKER,E.T. . 98/02/03. ZERINGUE,O.J. Tennessee Valley Authority. 20pp. A2012:127-A2012:146.

9802100090 Informs that NRC Region II mgt changes will be effective on 980215.Revised organization chart for Region II encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/04. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2093:353-A2093:358.

9802100095 Confirms telcon w/J Smith re meeting schedule for 980220 in Atlanta,GA to discuss operational performance of Sequoyah units.
LESSER,M.S. Region 2 (Post 820201). 98/02/04. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A2095:123-A2095:125.

9802230245 Notification of 980305 meeting w/TVA in Rockville,MD to discuss special projects being pursued w/DOE including use of downblended highly enriched U in fuel used at plant.
HERNAN,R.W. . 98/02/05. HEBDON,F.J. . 5pp. A2270:342-A2270:346.

9802120271 Requests that encl documents be placed on docket & in PDRs for plant.
HERNAN,R. NRC - No Detailed Affiliation Given. 98/02/11. MCKNIGHT,J. Document Control Branch (Document Control Desk). 4pp. A2154:093-A2154:096.

9802170003 Requests that encl documents be placed on docket for Sequoyah,Units 1 & 2 & in PDRs for plant.
HERNAN,R. . 98/02/12. MCKNIGHT,J. Document Control Branch (Document Control Desk). 1p. A2164:092-A2164:100.

-9802170007 Discusses MOV terminal voltage issue,per GL 98-10 program at plant.Concludes that licensee approach for determining operating voltage for safety-related MOVs,acceptable.
CALVO,J.A. . 98/02/11. WESSMAN,R.H. . 8pp. A2164:093-A2164:100.

9802200033 Provides follow-up to 980120-23 closeout insp of GL 89-10 program.Insp team determined that nine commitment items were satisfactorily completed or scheduled for completion.Addl actions to improve program are listed.
SALAS,P. Tennessee Valley Authority. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2268:354-A2268:356.

9802230192 Application for amends to licenses DPR-77 & DPR-79, incorporating MSIV requirements to be consistent w/Std TS (NUREG-1431).
SALAS,P. Tennessee Valley Authority. 98/02/13. Document Control Branch (Document Control Desk). 11pp. A2328:334-A2328:350.

-9802230194 Proposed tech specs incorporating MSIV requirements to be consistent w/Std TS (NUREG-1431).
* Tennessee Valley Authority. 98/02/13. 6pp. A2328:345-A2328:350.

9802230198 Application for amends to licenses DPR-77 & DPR-79,adding new LCO that addresses requirements for main feedwater isolation,regulating & bypass valves.
SALAS,P. Tennessee Valley Authority. 98/02/13. Document Control Branch (Document Control Desk). 7pp. A2330:203-A2330:226.

-9802230199 Proposed tech specs adding new LCO that addresses requirements for main feedwater isolation,regulating & bypass valves.
* Tennessee Valley Authority. 98/02/13. 17pp. A2330:210-A2330:226.

9802230210 TS Change 97-04 to application for amends to Licenses DPR-77 & DPR-79,relocating snubber requirements from Section 3.7.9 of TS to plant technical requirements manual.
SALAS,P. Tennessee Valley Authority. TVA-SQA-TS-97-04. 98/02/13. Document Control Branch (Document Control Desk). 8pp. A2285:270-A2285:354.

-9802230214 Proposed Tech Specs Section 3.7.9 re relocation of snubber requirements.
* Tennessee Valley Authority. 98/02/13. 45pp. A2285:278-A2285:282.

-9802230215 "Sequoyah Nuclear Plant,Units 1 & 2 Technical Requirements Manual."
* Tennessee Valley Authority. 98/02/13. 32pp. A2285:283-A2285:354.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040204 Forwards insp repts 50-327/97-17 & 50-328/97-17 on 971109- 1220.No violations noted.Conduct of activities generally characterized by good operations,maint,engineering & plant support.
LESSAR,M.S. Region 2 (Post 820201). 98/01/16. ZERINGUE,O.J. Tennessee Valley Authority. 4pp. A1999:001-A1999:037.

-9802040208 Insp repts 50-327/97-17 & 50-328/97-17 on 971109-1220.No violations noted.Major areas inspected:operations,maint, engineering,plant support & effectiveness of licensee controls in identifying,resolving & preventing problems.
LESSER,M. Region 2 (Post 820201). 98/01/16. 31pp. A1999:005-A1999:037.

9802040091 Ack receipt of 970721 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/97-04 & 50-328/97-04.Agrees that 970720 NOV did not constitute violation as written.NRC exercising discretion.
JOHNSON,J.R. Region 2 (Post 820201). 98/01/28. ZERINGUE,O.J. Tennessee Valley Authority. 7pp. A1998:355-A1998:361.

9802040135 Forwards "ASME Section XI Inservice Insp Summary Rept for SNP Unit 2 Refueling Outage Cycle 8," for period 960609- 971104.Rept provided IAW IWA-6220 & IWA-6230 of ASME Code, Section XI.
SALAS,P. Tennessee Valley Authority. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2034:001-A2034:149.

-9802040138 "ASME Section XI Inservice Insp Summary Rept for SNP Unit 2 Refueling Outage Cycle 8."
* Tennessee Valley Authority. 98/01/13. 147pp. A2034:003-A2034:149.

9802090008 Ltr contract:task order 225 entitled, "Sequoyah Safety Sys Engineering Insp" under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2595. 98/02/03. KNIGHT,D. SCIENTECH, Inc. 2pp. A2081:355-A2081:356.

9802090041 Discusses withdrawal of proposed imposition of civil penalty re special insp repts 50-327/97-13 & 50-328/97-13 on 971208.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/05. ZERINGUE,O.J. Tennessee Valley Authority. 4pp. A2048:029-A2048:032.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802200033 Provides follow-up to 980120-23 closeout insp of GL 89-10 program.Insp team determined that nine commitment items were satisfactorily completed or scheduled for completion.Addl actions to improve program are listed.
SALAS,P. Tennessee Valley Authority. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2268:354-A2268:356.

R. Periodic operating reports & related correspondence

9802230220 Monthly operating repts for Jan 1997 for Sequoyah Nuclear Plant,Units 1 & 2.W/980217 ltr.
HOLLOMON,T.J., SALAS,P. Tennessee Valley Authority. 98/01/31. 10pp. A2342:302-A2342:311.

V. Operator Examinations

9802190285 Requests termination of SRO license JM Qualls,IAW 10CFR50.74(a) due to position change.
BAJESTANI,M. Tennessee Valley Authority. 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2253:347-A2253:348.

9802200319 Summarizes meeting w/TVA on 980121 to discuss results of recent operator licensing exam & operator licensing training program.Amended paragraphs of rept 50-327/97-300 & 50-328/97-300,handouts & list of attendees encl.
PEEBLES,T.A. Region 2 (Post 820201). 98/02/05. ZERINGUE,O.J. Tennessee Valley Authority. 18pp. A2252:012-A2252:029.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9802120050 Revised EPIPs,including rev 109 to Index,rev 16 to EPIP 1.1, "Determination of Emergency Action Levels" & rev 12 to EPIP 2.5, "Control Room Emergency Response Operation." W/980128 transmittal/ack memo.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/28. 32pp. A2271:080-A2271:114.

9802090182 Rev 0 to "Duane Arnold Energy Ctr Emergency Action Level (EAL) Technical Basis Document."
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/31. 135pp. A2154:141-A2154:275.

9802200204 Forwards change 36 to DAEC security plan,reflecting mod that added new exterior door to turbine bldg at DAEC.Plan withheld IAW 10CFR73.21.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/02/06. COLLINS,S.J. . 2pp. A2283:257-A2283:258.

9802190210 Advises that 971219 rev 35 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 98/02/11. FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. A2258:088-A2258:089.

9802260130 Ack receipt of 980206 ltr,which transmitted changes identified as rev 36 to physical security plan,submitted under provisions of 10CFR50.54(p).NRC approval is not required.
CREED,J.R. Region 3 (Post 820201). 98/02/20. FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. A2373:269-A2373:270.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040245 Forwards revised responses to NRC RAI on improved TS, including complete replacement set of responses to Sections 3.6 & 3.8,full sets of discussion of changes,justification for deviations & NSHC.W/addl documentation.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/22. . 397pp. A2032:001-A2033:033.

9802040318 Forwards util summary tables for SER on improved TS conversion.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/22. . 429pp. A2019:001-A2020:065.

9802130084 Forwards summary listing for rev c to plant TS,Rev C to improved TS & relocated items matrix for improved TS,as agreed to in util 970917 ltr to NRC RAI.W/o encl.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/23. . 3pp. A2234:030-A2234:032.

9802060006 Forwards info re plant responses to staff requests for info on section 3.3 of plant improved TS submittal.Part of GE 24A5369,Rev 0,Class I, "Supplemental Reload Licensing Rept for Plant Reload 14 Cycle 15," for Sept 1996 encl.
KELLY,G.B. . 98/01/29. Information & Records Management Branch (Post 890827). 17pp. A2027:341-A2027:357.

9802130111 Responds to 971211 RAI re high-pressure coolant injection turbine operability determination.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/02/02. RUSSELL,W.T. . 10pp. A2234:043-A2234:052.

9802090054 Application for amend to license DPR-49,consisting of request for TS change RTS-298,changing required operating states for standby liquid control to start-up & run/power,per NUERG-1433.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/02/03. . 5pp. A2159:341-A2159:349.

--9802090062 Proposed tech specs re standby liquid control operability requirements.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/02/03. 4pp. A2159:346-A2159:349.

9802090067 Application for amend to license DPR-49,consisting of request for TS change RTS-299,revising definitions of cold condition & cold shutdown & adding Section 3.17,vessel hydrostatic pressure & leak testing,per NUREG 1433,Rev 1.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/02/03. . 6pp. A2154:340-A2154:352.

--9802090069 Proposed tech specs re vessel hydrostatic pressure & leak testing operability requirements.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/02/03. 7pp. A2154:346-A2154:352.

9802200356 Informs that no safety valve or safety relief valve failures or challenges occurred during CY97,IAW w/TS section 6.11.e & NUREG-0737.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/02/09. . 1p. A2320:298-A2320:298.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802190089 Forwards insp rept 50-331/97-17 on 971111-1222 & NOV. Inspectors identified inadequate implementation of respiratory protection program,resulting in expiration of several individual qualifications.
GRANT,G.E. Region 3 (Post 820201). 98/01/02. FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. A2229:196-A2229:216.

--9802190091 Notice of violation from insp on 971111-1222.Violation noted:NRC identified on 971218,three individuals designated as requiring annual respirator fit testing overdue for training.
* Region 3 (Post 820201). 98/01/02. 2pp. A2229:199-A2229:200.

--9802190093 Insp rept 50-331/97-17 on 971111-1222.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 3 (Post 820201). 98/01/02. 16pp. A2229:201-A2229:216.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802120048 Ack receipt of 971230 ltr informing NRC of steps taken to correct violations noted in insp rept 50-331/97-16.Actions will be examined during future insp.
LANKSBURY,R.D. Region 3 (Post 820201). 98/01/29. FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. A2142:166-A2142:167.

9802050229 Responds to NRC ltr re violations noted in insp rept 50-331/97-17.Corrective actions:three individuals were respirator fit re-qualified prior to assuming next scheduled watch.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2087:134-A2087:136.

9802200127 Forwards insp rept 50-331/98-02 on 971223-980204 & NOV. Violations occurred when limiting condition for operation of several containment isolation valves was exceeded.
GRANT,G.E. Region 3 (Post 820201). 98/02/06. FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. A2251:246-A2251:273.

--9802200132 Notice of violation from insp on 971223-980204.Violations noted:between 960102 & 04,for total of 58 hours while plant in power operating conditions,containment isolation valves CV5704B & CV5718B for well water sys,inoperable.
* Region 3 (Post 820201). 98/02/06. 3pp. A2251:249-A2251:251.

--9802200137 Insp rept 50-331/98-02 on 971223-980204.Violations noted. Major areas inspected:operations,engineering,maintenance & plant support.
* Region 3 (Post 820201). 98/02/06. 22pp. A2251:252-A2251:273.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802240135 Monthly operating rept for Jan 1998 for Duane Arnold Energy Center.W/ 980213 ltr.
WOODWARD,R., VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/01/31. BEACH,A.B. Region 3 (Post 820201). 7pp. A2350:350-A2350:356.

9802200387 Forwards semi-annual fitness for duty performance data for period ending Jul-Dec 1997.
VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/02/03. Document Control Branch (Document Control Desk). 4pp. A2319:189-A2319:191.

S. Reportable occurrences, LERs & related correspondence

9802130037 LER 98-001-00:on 980109,CR staff below TSs minimum requirements occurred due to family medical emergency. Immediate action was taken by calling in day-shift STA. W/980206 ltr.
TRAN,H., VAN MIDDLESWORT IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 98/02/06. 4pp. A2232:044-A2232:047.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9802110039 Revised EPIPs,including rev 38 to EPIP EAP-8,rev 79 to EPIP EAP-17,rev 38 to EPIP EAP-43,rev 56 to EPIP SAP-3,rev 33 to EPIP SAP-7 & rev 7 to EPIP SAP-10.
* Power Authority of the State of New York (New York Power Authority). 98/01/30. 71pp. A2182:148-A2182:218.

9802170080 Revised EPIPs,including rev 22 to IAP-1,rev 9 to EAP-9,rev 15 to EAP-11,rev 10 to EAP-15,rev 8 to EAP-20,rev 10 to EAP-23,rev 8 to EAP-24,rev 3 to EAP-34,rev 6 to EAP-35,rev 4 to EAP-36,rev 11 to EAP-42 & Rev 13 to SAP-6.
* Power Authority of the State of New York (New York Power Authority). 98/02/05. 68pp. A2220:169-A2220:236.

9802260015 Revised EPIPS,including update list/vol 2,rev 40 to EAP-1.1, rev 11 to EAP-2,rev 20 to EAP-3,rev 14 to EAP-10,rev 12 to EAP-13,update list/vol 3,rev 5 to EAP-37,rev 14 to SAP-1 & rev 34 to SAP-7.
* Power Authority of the State of New York (New York Power Authority). 98/02/12. 124pp. A2372:128-A2372:255.

9802250383 Revised EPIPs,including update list Volume 2,rev 27 to EAP- 4 cover sheet only,rev 6 to EAP-5.3 cover sheet only,rev 9 to EAP-12 cover sheet only,rev 13 to EAP-14.5,rev 13 to EAP- 14.6 cover sheet only & rev 6 to EAP-16 cover sheet only.
* Power Authority of the State of New York (New York Power Authority). 98/02/13. 101pp. A2360:001-A2360:100.

9802250371 Revised emergency plan,including rev 8 to section 3,rev 15 to section 4 and revised apps.
* Power Authority of the State of New York (New York Power Authority). 98/02/18. 32pp. A2367:248-A2367:279.

9802250387 Revised EPIPs,including update list Volume 2,rev 8 to EAP-4. 1,rev 15 to EAP-6 cover sheet only,rev 19 to EAP-14.1,rev 16 to EAP-14.2,rev 18 to EAP-19,update list Volume 3,rev 9 to EAP-27,rev 5 to EAP-28 cover sheet only.
* Power Authority of the State of New York (New York Power Authority). 98/02/20. 85pp. A2359:271-A2359:352.

9802260149 Revised emergency plan,including rev 17 to section 1,rev 15 to section 2,rev 32 to section 5,rev 20 to section 6,rev 20 to section 7,rev 20 to section 8,rev 12 to section 9 & revised apps.
* Power Authority of the State of New York (New York Power Authority). 98/02/21. 203pp. A2355:123-A2355:325.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802060053 Requests assistance in assessing significance & acceptability of licensee proposed movement of spent fuel assemblies within spent fuel pool utilizing reactor bldg auxiliary hoist in lieu of normal fuel handling methods.
HEHL,C.W. Region 1 (Post 820201). 98/01/29. BOGER,B.E. . 5pp. A2038:346-A2038:350.

9802170068 Forwards application for amend to license DPR-59,revising RPS normal supply electrical protection assembly undervoltage trip setpoint as result of reanalysis based on most limiting min voltage requirements of applied loads.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/02/06. Document Control Branch (Document Control Desk). 2pp. A2216:339-A2216:350.

-9802170071 Application for amend to license DPR-59,revising RPS normal supply electrical protection assembly undervoltage trip setpoint as result of reanalysis based on most limiting min voltage requirements of applied loads.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/02/06. NRC - No Detailed Affiliation Given. 1p. A2216:341-A2216:341.

-9802170074 Proposed tech specs revising RPS normal supply electrical protection assembly undervoltage trip setpoint as result of reanalysis based on most limiting min voltage requirements of applied loads.
* Power Authority of the State of New York (New York Power Authority). 98/02/06. 9pp. A2216:342-A2216:350.

9802170107 Forwards application for amend to license DPR-59,allowing RCS pressure tests to be performed while remaining in cold shutdown mode.Encl supersedes & replaces application for amend submitted 960201.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/02/06. Document Control Branch (Document Control Desk). 3pp. A2218:073-A2218:142.

-9802170110 Application for amend to license DPR-59,allowing RCS pressure tests to be performed in cold shutdown mode.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/02/06. NRC - No Detailed Affiliation Given. 1p. A2218:076-A2218:076.

-9802170116 Proposed tech specs allowing RCS pressure tests to be performed while remaining in cold shutdown mode.
* Power Authority of the State of New York (New York Power Authority). 98/02/06. 66pp. A2218:077-A2218:142.

9802200226 Forwards revised amend to DPR-59,revising TS Table 3.2-2 & 4.2-2, "Core & Containment Cooling sys Initiation & Control Instrumentation Operability Requirements." W/revised TS pages & safety evaluation.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 98/02/06. Document Control Branch (Document Control Desk). 3pp. A2324:206-A2324:268.

-9802200235 Revised application for amend to license DPR-59,to revise TS tables 3.2-2 & 4.4-2,revising allowed outage times for 4kV emergency bus undervoltage trip functions & replace generic actions for inoperable instrument channels.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 98/02/06. NRC - No Detailed Affiliation Given. 11pp. A2324:209-A2324:219.

-9802200241 Revised proposed TS pages,revising allowed outage times for 4kV emergency bus trip functions & replace generic actions for inoperable instrument channels w/function-specific actions.
* Power Authority of the State of New York (New York Power Authority). 98/02/06. 10pp. A2324:220-A2324:229.

-9802200246 Safety evaluation re amend to license DPR-59 to revise TS Tables 3.2-2 & 4.2-2.
* Power Authority of the State of New York (New York Power Authority). 98/02/06. 39pp. A2324:230-A2324:268.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020150 Forwards insp rept 50-333/97-08 on 971027-1221 & notice of violation.Violations re improper performance of abnormal operating procedure to isolate sys electrical ground.
HEHL,C.W. Region 1 (Post 820201). 98/01/20. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 5pp. A1985:060-A1985:097.

-9802020158 Notice of violation from insp on 971027-1221.Violation noted:procedures not followed while performing AOP-23,DC power sys ground isolation,in sequence that breakers shall be opened to isolate sys grounds not followed.
* Region 1 (Post 820201). 98/01/20. 2pp. A1985:065-A1985:066.

-9802020164 Insp rept 50-333/97-08 on 971027-1221.Violations noted. Major areas inspected:operations,maint & plant support.
ROGGE,J.F. Region 1 (Post 820201). 98/01/20. 31pp. A1985:067-A1985:097.

9802040291 Forwards "Third ISI Interval Insp Program Plan" for JAFNPP & requests for relief from snubber insp requirements of ASME Section XI,Article IWF-5000.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2080:001-A2081:352.

-9802040298 Rev 0 to JAF-ISI-0002, "Third ISI Interval,ISI Program." W/28 oversize drawings.
ANDERSON,E.L., SMITH,A.D., PENNY,R. Power Authority of the State of New York (New York Power Authority). 98/01/06. 273pp. A2080:003-A2080:275.

-9802040302 Rev 0 to JAF-ISI-0003, "Third ISI Interval,Ten-Yr ISI Plan."
ANDERSON,E.L., SMITH,A.D., PENNY,R. Power Authority of the State of New York (New York Power Authority). 98/01/07. 441pp. A2080:276-A2081:352.

9802050055 Forwards insp rept 50-333/97-11 on 971215-19 & 980107. Noncited violations identified & being considered for escalated enforcement action.No notice of violation being issued for insp findings.
WIGGINS,J.T. Region 1 (Post 820201). 98/01/28. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 4pp. A2009:308-A2009:320.

-9802050070 Insp rept 50-333/97-11 on 971215-19 & 980107.Noncited violations identified.Major areas inspected:review issue associated w/upgrade replacement of original General Electric TIP w/Siemens digital sys.
RULAND,W. Region 1 (Post 820201). 98/01/28. 9pp. A2009:312-A2009:320.

9802060053 Requests assistance in assessing significance & acceptability of licensee proposed movement of spent fuel assemblies within spent fuel pool utilizing reactor bldg auxiliary hoist in lieu of normal fuel handling methods.
HEHL,C.W. Region 1 (Post 820201). 98/01/29. BOGER,B.E. . 5pp. A2038:346-A2038:350.

9802100193 Notification of significant licensee meeting 98-07 w/util on 980219 in King of Prussia,PA re predecisional enforcement conference to discuss apparent violation in insp rept 50-333/97-11.
ROGGE,J.F. Region 1 (Post 820201). 98/02/03. Region 1 (Post 820201). 2pp. A2095:210-A2095:211.

9802120276 Submits suppl response to NRC Bulletin 96-03, "Potential Plugging of ECC Suction Strainers by Debris in BWRs." Design will be completed by Apr 1998 & results forwarded to NRC by 980515.Staff review & approval is requested by 980901.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2233:258-A2233:259.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802190291 Monthly operating rept for Jan 1998 for JA FitzPatrick Nuclear Power Plant.W/980211 ltr.
GAO,Y., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 98/01/31. 5pp. A2258:252-A2258:256.

9802200006 Forwards "1997 Personnel Radiation Exposure Summary Rept," for JFNPP.Total collective station dose was 89.68 person- rem.Summary accounts for 98.43% of total dose.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 98/02/03. Document Control Branch (Document Control Desk). 1p. A2270:089-A2270:090.

-9802200007 "1997 Personnel Radiation Exposure Summary Rept."
* Power Authority of the State of New York (New York Power Authority). 97/12/31. 1p. A2270:090-A2270:090.

9802240107 Transmits JA FitzPatrick & Indian Point,Unit 3,fitness-for- duty program performance repts for period of 970701-1231,IAW requirements of 10CFR26.71(d).
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 98/02/13. Document Control Branch (Document Control Desk). 14pp. A2348:346-A2348:358.

S. Reportable occurrences, LERs & related correspondence

9802240069 LER 97-012-01:on 971214,drywall personnel airlock outer door seals local leak rate test was not properly performed.Caused by mechanic installing incorrect label.Removed incorrect label & installing correct label.W/980210 ltr.
PLASSE,R.A., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 98/02/10. 7pp. A2289:062-A2289:068.

9802230133 Forwards LER 97-001-01,manual reactor scram occurred due to fouling of circulating water sys traveling screens.Revised LER being submitted to amend info reported in CA 6 & 7.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 98/02/13. Document Control Branch (Document Control Desk). 1p. A2289:037-A2289:044.

–9802230148 LER 97-001-01:on 970123,manual reactor scram occurred due to fouling of circulating water sys traveling screens.Caused by potential loss of CWS intake water due to restriction of flow through three CWS traveling screens.Procedures revised.
BROWNELL,G.J. Power Authority of the State of New York (New York Power Authority). 98/02/13. 7pp. A2289:038-A2289:044.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802110029 Forwards insp repts 50-334/97-09 & 50-412/97-09 on 971116-1227 & NOV.Inspector noted some weakness in performance of emergency plan & implementing procedure revs.
PERRY,N.S. Region 1 (Post 820201). 98/02/04. CROSS,J.E. Duquesne Light Co. 3pp. A2133:268-A2133:299.

–9802110035 Insp repts 50-334/97-09 & 50-412/97-09 on 971116-1227. Violations noted.Major areas inspected:operations,maint, engineering & plant support.Rept also includes results of announced insp in areas of emergency preparedness.
* Region 1 (Post 820201). 98/02/04. 26pp. A2133:273-A2133:299.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802250036 Provides replacement page 5 of attachment B for suppl to request for approval of UFSAR change involving unreviewed safety question.
JAIN,S.C. Duquesne Light Co. 98/02/10. Document Control Branch (Document Control Desk). 3pp. A2360:306-A2360:308.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030119 Forwards amends 210 & 88 to licenses DPR-66 & NPF-73, respectively & SE.Amends relocate reactor trip sys & ESFAS response times from TS Tables 3.3-2 & 3.3-5 to Section 3 of plant licensing requirements manual,per GL 93-08.
BRINKMAN,D.S. . 98/01/20. CROSS,J.E. Duquesne Light Co. 3pp. A1985:207-A1985:235.

–9802030126 Amends 210 & 88 to licenses DPR-66 & NPF-73,respectively, relocating reactor trip sys & ESFAS response times from TS Tables 3.3-2 & 3.3-5 to Section 3 of plant licensing requirements manual.
STOLZ,J.F. . 98/01/20. 23pp. A1985:210-A1985:231.

–9802030128 Safety evaluation supporting amends 210 & 88 to licenses DPR-66 & NPF-73,respectively.
* . 98/01/20. 4pp. A1985:232-A1985:235.

9802060024 Forwards order approving application re merger agreement between DQE,Inc & Allegheny Power Sys,Inc affecting licenses DPR-66 & NPF-73 & safety evaluation in support of subj order.
BRINKMAN,D.S. . 98/01/23. CROSS,J.E. Duquesne Light Co. 3pp. A2027:329-A2027:340.

–9802060035 Order approving application re merger agreement between DQE,Inc & Allegheny Power Sys,Inc.
COLLINS,S.J. . 98/01/23. Duquesne Light Co. 6pp. A2027:332-A2027:337.

–9802060038 Safety evaluation supporting proposed merger agreement between Duquesne Light Co & Allegheny Power Sys,Inc.
* . 98/01/23. 3pp. A2027:338-A2027:340.

9802200279 Discusses change in scheduled completion date for commitment to conduct evaluation of adequacy of surveillance procedures that implement TS requirements to ensure that procedures properly implemented required testing.
JAIN,S.C. Duquesne Light Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2320:301-A2320:302.

9802240192 Discusses certain inconsistencies in channel calibr requirements applicable to neutron flux channels in BVPS, Units 1 & 2 TS.Determined that neutron detectors were not intended to be included in channel calibr.
ZWOLINSKI,J.A. . 98/02/06. CROSS,J.E. Duquesne Light Co. 3pp. A2287:280-A2287:282.

9802240215 Forwards amends 211 & 89 to licenses DPR-66 & NPF-73 respectively, & SE.Amends revise alarm setpoints for effluent radiation & incontainment area readiation monitors listed in TS Table 3.3.6.
BRINKMAN,D.S. . 98/02/09. CROSS,J.E. Duquesne Light Co. 4pp. A2282:292-A2282:313.

–9802240225 Amends 211 & 89 to licenses DPR-66 & NPF-73,respectively, revise alarm setpoints for effluent radiation & incontainment area radiation monitors listed in TS Table 3.3-6.
STOLZ,J.F. . 98/02/09. 15pp. A2282:296-A2282:309.

–9802240228 Safety evaluation supporting amends 211 & 89 to licenses DPR-66 & NPF-73,respectively.
* . 98/02/09. 4pp. A2282:310-A2282:313.

9802240044 Forwards amend 212 to license DPR-66 & SE.Amend revises item 6.a.2 "4.16 kV Emergency Bus (Start Diesel)" of table 3.3-4, TS 3.3.2.1 & allowable value from greater than or equal to 81 percent of nominal bus voltage to 74 percent.
BRINKMAN,D.S. . 98/02/11. CROSS,J.E. Duquesne Light Co. 3pp. A2325:184-A2325:193.

–9802240049 Amend 212 to license DPR-66,revising item 6.a.2 "4.16 kV Emergency Bus (Start Diesel)" of table 3.3-4 of TS 3.3.2.1 & allowable value from greater than or equal to 81 percent of nominal bus voltage to 74 percent of nominal bus voltage.
STOLZ,J.F. . 98/02/11. 4pp. A2325:187-A2325:190.

–9802240052 Safety evaluation supporting amend 212 to license DPR-66.
* . 98/02/11. 3pp. A2325:191-A2325:193.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802110029 Forwards insp repts 50-334/97-09 & 50-412/97-09 on 971116-1227 & NOV.Inspector noted some weakness in performance of emergency plan & implementing procedure revs.
PERRY,N.S. Region 1 (Post 820201). 98/02/04. CROSS,J.E. Duquesne Light Co. 3pp. A2133:268-A2133:299.

–9802110034 Notice of violation from insp on 971116-1227.Violation noted:licensee had not tested 20 of 27 direct lines at Alternate EOF in Coraopolis,PA.
* Region 1 (Post 820201). 98/02/04. 2pp. A2133:271-A2133:272.

–9802110035 Insp repts 50-334/97-09 & 50-412/97-09 on 971116-1227. Violations noted.Major areas inspected:operations,maint, engineering & plant support.Rept also includes results of announced insp in areas of emergency preparedness.
* Region 1 (Post 820201). 98/02/04. 26pp. A2133:273-A2133:299.

9802130124 Forwards response to violations noted in insp repts 50-334/97-07,50-412/97-07 & 50-334/97-08,50-412/97-08 & proposed imposition of civil penalty in amount of $55,000. Corrective actions:scaled flow model testing performed.
JAIN,S.C. Duquesne Light Co. 98/02/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 7pp. A2234:033-A2234:039.

9802170032 Informs that oversight was made administratively to not include,in insp repts 50-334/97-09 & 50-412/97-09,slides presented at Predecisional Enforcement Conference,on 971210. Slides encl.
PERRY,N.S. Region 1 (Post 820201). 98/02/06. CROSS,J.E. Duquesne Light Co. 57pp. A2181:082-A2181:135.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802270111 Ack receipt of 980109 response re insp rept 50-334/97-08 & 50-412/97-08 & NOV.Licensee request for withdrawal of violation B has been denied.Response to violations required within 30 days of date of ltr.
HEHL,C.W. Region 1 (Post 820201). 98/02/18. CROSS,J.E. Duquesne Light Co. 8pp. A2370:052-A2370:066.

9802270167 Discusses insp repts 50-334/96-10 & 50-412/96-10 issued on 970221 & NOV re failure to have in place either criticality monitoring sys for storage & handling of new fuel or NRC approved exemption to requirement.NOV withdrawn.
HEHL,C.W. Region 1 (Post 820201). 98/02/20. CROSS,J.E. Duquesne Light Co. 3pp. A2369:355-A2369:357.

9802270047 Ack receipt of 980205 ltr & check in amount of $55,000 in payment for civil penalty proposed by NRC in 980106 ltr. Corrective actions will be examined during future insp.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/25. CROSS,J.E. Duquesne Light Co. 2pp. A2369:343-A2369:344.

R. Periodic operating reports & related correspondence

9802050310 "NPDES Monthly Rept for Jan 1998 for BVPS,Units 1 & 2." W/980127 ltr.
ORNDORF,D., LEGRAND,R.L. Duquesne Light Co. 97/12/31. 35pp. A2145:234-A2145:268.

9802240042 "Annual Rept of Number of Personnel Receiving Greater Than 100 Mrem & Associated Exposure by Work Function at BVPS for CY97." W/980211 ltr.
BRANDT,R.D. Duquesne Light Co. 97/12/31. 2pp. A2333:184-A2333:185.

9802190308 Monthly operating repts for Jan 1998 for Beaver Valley Power Station,Units 1 & 2.W/980209 ltr.
JONES,D.T., BRANDT,R.D. Duquesne Light Co. 98/01/31. 6pp. A2258:115-A2258:120.

9802230315 Forwards fitness-for-duty program for period of Jul-Dec 1997.
JAIN,S.C. Duquesne Light Co. 98/02/10. Document Control Branch (Document Control Desk). 3pp. A2327:337-A2327:339.

S. Reportable occurrences, LERs & related correspondence

9802110118 LER 97-043-00:on 971231,inadequate surveillance testing of solid state protection sys resulted in entry into TS 3.0.3. Caused by misinterpretation of TSs during procedure development.Test specified will be deleted.W/980130 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 98/01/30. 5pp. A2231:146-A2231:150.

9802250203 LER 98-001-00:on 980115,failure to perform required valve surveillance for CC & SW as required by TSs were noted. Caused by inadequate application of TSs.Unit 1 surveillance procedures will be revised.W/980217 ltr.
HART,R.D., LEGRAND,R.L. Duquesne Light Co. 98/02/17. 8pp. A2345:172-A2345:179.

V. Operator Examinations

9802030155 Requests that licenses for R Hospodar,license OP-5077-5 & M Morsey,license OP-4813-6 be withdrawn due to change in job position.
LEGRAND,R.L. Duquesne Light Co. 98/01/28. Document Control Branch (Document Control Desk). 1p. A2018:328-A2018:328.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802030085 Notifies that NRC staff will conduct pilot team insp in fire protection subj area at plant during wks of 980309 & 30.SECY-96-267,draft NRC insp manual on fire protection functional insp & list of supporting documentation encl.
WIENS,L. . 98/01/14. PLUNKETT,T.F. Florida Power & Light Co. 118pp. A1980:200-A1980:317.

9802180012 Third partial response to FOIA request for documents. Forwards records listed in App C being withheld in part.App D records being withheld in entirety (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/23. BARTON,E. Port St. Lucie,FL. 4pp. A2194:314-A2194:328.

-9802180024 Investigation rept 2-96-042 on 961106.No noncompliance noted.Major areas investigated:allegation of falsification & backdating of emergency preparedness document.Partially deleted.
TATE,C.T. Ofc of Investigations (Post 880201). 97/02/12. 9pp. A2194:320-A2194:328.

9802180023 Second partial response to FOIA request for documents. Records in App B being withheld in part (ref FOIA Exemption 7).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 98/01/23. BARTON,E.A. Affiliation Not Assigned. 6pp. A2191:001-A2191:125.

-9802180057 Partially deleted ltr forwarding allegation evaluation rept RII-97-A-0015 re female visitors not being informed about monitoring of embryo/fetus prior to gaining access to radiologically controlled area.
BARR,K.P. Region 2 (Post 820201). 97/04/08. Affiliation Not Assigned. 9pp. A2191:064-A2191:079.

9802040457 Informs that St Lucie County & Martin County emergency response agencies will conduct an exercise of EP for St Lucie Plant on 980318,involving participation by local emergency response agencies.Excercise will be evaluated.
STALL,J.A. Florida Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 1p. A2036:278-A2036:278.

9802050027 Forwards rev 23 to EPIP HP-202, "Environ Monitoring During Emergencies," in response to critique item in previous emergency exercise re guidance on reporting only activities greater than min detectable activity.
STALL,J.A. Florida Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 1p. A2087:001-A2087:025.

-9802050032 Rev 23 to EPIP HP-202, "Environ Monitoring During Emergencies."
* Florida Power & Light Co. 98/01/27. 24pp. A2087:002-A2087:025.

9802180011 Fourth partial response to FOIA request for documents. Documents listed in App E,being released in entirety. Documents listed in App F,being released in part (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/28. BARTON,E. Affiliation Not Assigned. 4pp. A2191:126-A2191:209.

-9802180015 FOIA request for documents re access to twenty-two listed files.Also encl,case chronology for RII-95-A-0001 & RII-95-A-0183.
BARTON,E.A. Affiliation Not Assigned. 97/12/18. POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 6pp. A2191:130-A2191:173.

-9802180025 Submits evaluation rept for allegation RII-95-A-0183, questionable health physics practices for St Lucie Nuclear Plant.Also encl partially withheld allegation rept RII-95-A-0183 & case chronology RII-96-A-0150.
BARR,K.P. Region 2 (Post 820201). 96/07/16. DEMIRANDA,O. Region 2 (Post 820201). 15pp. A2191:174-A2191:209.

9802110163 Notifies NRC that FPL has determined exemption from 10CFR73.55(d) requirements, "Access Requirements," issued on 931129,re changes to 10CFR73.55(d)(5) that were effective on 980116,(62FR6364).
STALL,J.A. Florida Power & Light Co. 98/02/04. Document Control Branch (Document Control Desk). 2pp. A2198:357-A2198:358.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050259 Responds to request from Leakey re statistics on allegations concerning St Lucie & Turkey Point nuclear plants.Forwards tables w/breakdown of allegations concerning sites by source category for CYs 1993,1994,1995,1996 & 1997.
BAKER,E.T. . 98/02/03. PLUNKETT,T.F. Florida Power & Light Co. 16pp. A2012:228-A2012:244.

9802110044 Forwards indicators issued in Jan 1998 for plant.Indicators distributed to util mgt on 980129,per Nov 1995 meeting.
STALL,J.A. Florida Power & Light Co. 98/02/04. Document Control Branch (Document Control Desk). 141pp. A2199:198-A2199:333.

9802110123 Provides response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
STALL,J.A. Florida Power & Light Co. 98/02/04. Document Control Branch (Document Control Desk). 13pp. A2212:229-A2212:241.

9802130010 Informs of Region II mgt changes that will be effective on 980215.Revised organization chart encl.
LANDIS,K.D. Region 2 (Post 820201). 98/02/05. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A2164:014-A2164:017.

9802240233 Summary of 980120 meeting w/listed representatives re endangered & threatened species info & developments at St Lucie site.List of attendees & copies of meeting handouts encl.
WIENS,L.A. . 98/02/09. . 33pp. A2337:194-A2337:226.

9802240017 Responds to 961031 amend request for licenses DPR-67 & NPF-16,St Lucie Units 1 & 2.Proposed amend would revise responsibilities & authority for review & approval of safety-related plant procedures.
WIENS,L.A. . 98/02/12. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A2282:357-A2282:360.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802030085 Notifies that NRC staff will conduct pilot team insp in fire protection subj area at plant during wks of 980309 & 30.SECY-96-267,draft NRC insp manual on fire protection functional insp & list of supporting documentation encl.
WIENS,L. . 98/01/14. PLUNKETT,T.F. Florida Power & Light Co. 118pp. A1980:200-A1980:317.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040144 Ack receipt of 980102 ltr informing NRC of steps taken to correct violations noted in insp repts 50-335/97-15 & 50-389/97-15.
LANDIS,K.D. Region 2 (Post 820201). 98/01/20. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1999:357-A1999:359.

9802180039 First partial response to FOIA request for documents.Records in App A encl & being released in entirety.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/21. BARTON,E.A. Affiliation Not Assigned. 54pp. A2191:210-A2194:313.

-9802180049 Discusses technical staff actions associated w/three concerns in Allegation RII-96-A-0251.
BARR,K.P. Region 2 (Post 820201). 97/04/23. URYC,B. Region 2 (Post 820201). 29pp. A2193:162-A2194:265.

-9802180055 Forwards allegation evaluation rept & NRC insp repts 50-335/97-05 & 50-389/97-05 re RII-97-A-0116.
LANDIS,K.D. Region 2 (Post 820201). 97/07/17. DEMIRANDA,O. Region 2 (Post 820201). 14pp. A2194:266-A2194:313.

9802040198 Confirms 980114 telcon between E Weinkam & S Rudisail confirming predecisional enforcement conference scheduled for 980213 to discuss apparent violations associated w/ setpoint calibr error for Unit 1.
LANDIS,K.D. Region 2 (Post 820201). 98/01/23. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1998:348-A1998:350.

9802040221 Forwards insp repts 50-335/97-16 & 50-389/97-16 on 971103-980109.Violations involving deficiencies identified in ESFAS setpoint calibration for RWT low level bistables,being considered for escalated EA.
JOHNSON,J. Region 2 (Post 820201). 98/01/23. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1999:038-A1999:051.

-9802040226 Insp repts 50-335/97-16 & 50-389/97-16 on 971103-980109. Violations noted & being considered for escalated EA.Major areas inspected:deficiencies in Unit 1 ESFAS RWT low level bistable calibration setpoint.
* Region 2 (Post 820201). 98/01/23. 10pp. A1999:042-A1999:051.

9802180012 Third partial response to FOIA request for documents. Forwards records listed in App C being withheld in part.App D records being withheld in entirety (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/23. BARTON,E. Port St. Lucie,FL. 4pp. A2194:314-A2194:328.

-9802180024 Investigation rept 2-96-042 on 961106.No noncompliance noted.Major areas investigated:allegation of falsification & backdating of emergency preparedness document.Partially deleted.
TATE,C.T., MCNULTY,W.J. Ofc of Investigations (Post 880201). 97/02/12. 9pp. A2194:320-A2194:328.

9802180023 Second partial response to FOIA request for documents. Records in App B being withheld in part (ref FOIA Exemption 7).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 98/01/23. BARTON,E.A. Affiliation Not Assigned. 6pp. A2191:001-A2191:125.

--9802180032 Partially deleted ltr forwarding allegation evaluation repts RII-1997-A-0053 & RII-1997-A-0054 re excessive overtime worked for reactor operators at plant & improper securing of LPCI pump.
LANDIS,K.D. Region 2 (Post 820201). 97/06/06. Affiliation Not Assigned. 11pp. A2191:012-A2191:022.

--9802180036 Partially deleted ltr re allegation rept RII-97-A-0027 related to concerns over control of on-site hazardous matl, maint mgt practices & industrial safety conditions at plant.
LANDIS,K.D. Region 2 (Post 820201). 97/05/30. Affiliation Not Assigned. 1p. A2191:023-A2191:030.

--9802180042 Partially deleted ltr submitting follow-up to 970207 ltr re allegation rept RII-97-A-0027 of concerns that dealt w/licensee control of on-site hazardous matls,industrial safety concerns & mgt at FP&L St Lucie facility.
IGNATONIS,A. Region 2 (Post 820201). 97/02/12. Affiliation Not Assigned. 18pp. A2191:031-A2191:058.

--9802180053 Partially deleted ltr re allegation rept RII-1997-A-0015 related to concerns that dealt w/licensee monitoring of pregnant female visitors at facility.
IGNATONIS,A. Region 2 (Post 820201). 97/02/14. Affiliation Not Assigned. 5pp. A2191:059-A2191:063.

--9802180057 Partially deleted ltr forwarding allegation evaluation rept RII-97-A-0015 re female visitors not being informed about monitoring of embryo/fetus prior to gaining access to radiologically controlled area.
BARR,K.P. Region 2 (Post 820201). 97/04/08. Affiliation Not Assigned. 9pp. A2191:064-A2191:079.

--9802180061 Partially deleted ltr re allegation rept RII-96-A-0192 concerning release of potentially contaminated water from RCA w/o proper screening.
BARR,K.P. Region 2 (Post 820201). 97/02/28. Affiliation Not Assigned. 13pp. A2191:080-A2191:125.

9802040308 Ack receipt of 980114 ltr informing NRC of steps taken to correct violations noted in insp repts 50-335/97-13 & 50-389/97-13.
LANDIS,K.D. Region 2 (Post 820201). 98/01/27. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A2000:097-A2000:099.

9802180011 Fourth partial response to FOIA request for documents. Documents listed in App E,being released in entirety. Documents listed in App F,being released in part (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/26. BARTON,E. Affiliation Not Assigned. 4pp. A2191:126-A2191:209.

--9802180015 FOIA request for documents re access to twenty-two listed files.Also encl,case chronology for RII-95-A-0001 & RII-95-A-0183.
BARTON,E.A. Affiliation Not Assigned. 97/12/18. POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 6pp. A2191:130-A2191:173.

--9802180025 Submits evaluation rept for allegation RII-95-A-0183, questionable health physics practices for St Lucie Nuclear Plant.Also encl partially withheld allegation rept RII-95-A-0183 & case chronology RII-96-A-0150.
BARR,K.P. Region 2 (Post 820201). 96/07/16. DEMIRANDA,O. Region 2 (Post 820201). 15pp. A2191:174-A2191:209.

9802090199 Forwards insp repts 50-335/97-14 & 50-389/97-14 on 971123- 980103 & notice of violation.Not required to respond to violation unless description therein does not accurately reflect corrective actions or position.
JOHNSON,J.R. Region 2 (Post 820201). 98/02/02. PLUNKETT,T.F. Florida Power & Light Co. 5pp. A2042:103-A2042:142.

--9802090200 Notice of violation from insp on 971123-980103.Violation noted:on 971031,contract engineer exceeded requirement by working 29 hours in 48 hour period.
* Region 2 (Post 820201). 98/02/02. 3pp. A2042:108-A2042:110.

--9802090205 Insp repts 50-335/97-14 & 50-389/97-14 on 971123-980103. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
LANDIS,K. Region 2 (Post 820201). 98/02/02. 33pp. A2042:111-A2042:142.

9802090240 Informs that third 10-yr ISI interval for St Lucie Unit 1 begins on 980211 & ends on 080210.Encl program outlines ISI plan & schedule for facility & based on requirements of Section XI of ASME B&PV Code,1989 Edition.
STALL,J.A. Florida Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 1p. A2146:001-A2148:296.

--9802090244 Rev 1 to ISI-PSL-1, "St Lucie Nuclear Plant,Unit 1 ISI Sketches."
* Florida Power & Light Co. ISI-PSL-1 R01. 98/01/12. 202pp. A2146:002-A2146:203.

--9802090248 Rev 0 to ISI-PSL-1, "Third Interval ISI Program for St Lucie Nuclear Power Plant,Unit 1."
* Florida Power & Light Co. 98/01/12. 176pp. A2146:204-A2147:015.

--9802090250 Rev 0 to ISI-PSL-1, "St Lucie Nuclear Plant Unit 1 ISI Plan."
* Florida Power & Light Co. 98/01/12. 645pp. A2147:016-A2148:296.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802180035 Final response to FOIA request for records.App A records partially withheld (ref exemptions 7A & 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/12. BARTON,E. Affiliation Not Assigned. 3pp. A2268:257-A2268:295.

--9802180041 FOIA request for documents re complaints by employees at St Lucie NPP & documents re conclusions of investigations into complaints by employees at St Lucie NPP.
BARTON,E.A. Affiliation Not Assigned. 97/11/20. CLARK,K. Region 2 (Post 820201). 2pp. A2268:260-A2268:261.

--9802180044 Responds to 971120 FOIA request.Informs that request has been forwarded to NRC Headquarters.
EVANS,C.F. Region 2 (Post 820201). 97/11/25. BARTON,E.A. Affiliation Not Assigned. 1p. A2268:262-A2268:262.

--9802180046 Forwards FOIA request received direct in Region II from E Barton on 971125.Encl partially deleted.
CALLOWAY,C. Region 2 (Post 820201). 97/11/25. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 32pp. A2268:263-A2268:295.

R. Periodic operating reports & related correspondence

9802230262 Monthly operating repts for Jan 1998 for St Lucie,Units 1 & 2.W/980213 ltr.
ROGERS,J.A., STALL,J.A. Florida Power & Light Co. 98/01/31. 7pp. A2342:343-A2342:349.

9802240140 Forwards fitness-for-duty program for period ending Dec-1997.
STALL,J.A. Florida Power & Light Co. 98/02/18. Document Control Branch (Document Control Desk). 3pp. A2333:181-A2333:183.

S. Reportable occurrences, LERs & related correspondence

9802050009 LER 97-010-01:on 971027,inadvertent core alteration prohibited by TSs were noted due to stuck CEA.Caused by personnel error.CEA #24 was dislodged & transferred to spent pool for insp.W/980127 ltr.
FREHAFER,K.W., STALL,J.A. Florida Power & Light Co. 98/01/27. 7pp. A2135:180-A2135:186.

9802110012 LER 98-001-00:on 980104,inadvertent RPS actuation occurred due to personnel error.Caused by procedural inadequacies & inadequate self-checking by licensed utility personnel. Placards have been placed in CRs.W/980203 ltr.
FREHAFER,K.W., STALL,J.A. Florida Power & Light Co. 98/02/03. 5pp. A2213:201-A2213:205.

9802120295 LER 98-002-00:on 980105,CIS bistable in bypass resulted in condition prohibited by TSs.Caused by personnel error. Radiation monitor was restored to service.W/980204 ltr.
FREHAFER,K.W., STALL,J.A. Florida Power & Light Co. 98/02/04. 5pp. A2213:255-A2213:259.

9802170140 LER 98-003-00:on 980110,manual RT due to DEH leak at turbine test block was noted.Caused by o-ring extrusion.Shortened bolts by about 0.125" & reinstalled at correct torque values.W/980209 ltr.
QUILLEN,P.T., STALL,J.A. Florida Power & Light Co. 98/02/09. 6pp. A2231:262-A2231:267.

9802200028 PNO-II-98-007:on 980217,Unit 1 shutdown greater than 72 h. Licensee does not plan to issue press release.Resident i Inspectors monitoring licensee activities for shutdown & repair effect.
RUDISAIL,S. Region 2 (Post 820201). 98/02/17. 1p. A2288:353-A2288:353.

9802250239 LER 98-004-00:on 980121,emergency lighting outside App R design bases occurred.Caused by congnitive personnel error during translation of App R section III.Procedures ONOP 1 & 2 ONP-100.01 were issued for use on 980206.W/980219 ltr.
FREHAFER,K.W., STALL,J.A. Florida Power & Light Co. 98/02/19. 8pp. A2366:076-A2366:083.

V. Operator Examinations

9802250305 Requests that restriction be added to operator license CP Johnson,OP-21236.NRC Form 396 & supporting evidence,encl.W/o encl.
STALL,J.A. Florida Power & Light Co. 98/02/19. PEEBLES,T.A. Region 2 (Post 820201). 1p. A2372:022-A2372:022.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802040449 Rev 1 to EPOP 4445, "Unit 1 RX Coolant and Liquid Waste Pass."
BLOUNT,T. Northeast Nuclear Energy Co. 98/01/26. 2pp. A2035:360-A2035:361.

9802060221 Advises that 970731 revs 29 & 30 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
MODES,M.C. Region 1 (Post 820201). 98/01/27. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A2150:343-A2150:346.

9802110001 Forwards 971229 ltr from J Bean,transmitting FEMA final exercise rept for 1997,for Millstone Nuclear Power Station radiological emergency preparedness exercises of 970808 full participation plume pathway & 971008-10 ingestion pathway.
MODES,M.C. Region 1 (Post 820201). 98/02/02. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 3pp. A2135:001-A2135:108.

--9802110002 Forwards final exercise rept for 970808,full-participation plume pathway exercise & 971008-10 ingestion pathway exercise of offsite radiological emergency response plans site-specific to Millstone Nuclear Power Station.
BEAN,J.A. Federal Emergency Management Agency. 97/12/29. ROE,J.W. NRC - No Detailed Affiliation Given. 1p. A2135:004-A2135:004.

--9802110003 "Final Exercise Rept for 970821 Plume Pathway Exercise & 971008-10 Ingestion Pathway Exercise at Millstone Nuclear Power Station."
* Federal Emergency Management Agency. 97/12/23. 98pp. A2135:005-A2135:108.

9802090239 Expresses appreciation for beneficial meeting between NRC & Northeast Utility personnel on 980129.Subjects of emergency preparedness & operations training covered per encl info. Also encl list of attendees.
NICHOLSON,L.E. Region 1 (Post 820201). 98/02/03. BOWLING,M.L. Northeast Nuclear Energy Co. 43pp. A2039:298-A2039:340.

9802100179 Responds to NRC 971124 ltr re violations noted in insp repts 50-245/97-81,50-336/97-81 & 50-423/97-81 of Emergency Preparedness Program on 971222.Corrective actions:management ownership of & involvement in dose has been established.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/05. Document Control Branch (Document Control Desk). 16pp. A2166:275-A2166:290.

9802200172 Forwards insp repts 50-336/97-84 & 50-423/97-84 on 970915- 19.No violations noted.Testing of fire-related safe shutdown components were found to be inadequate.
RULAND,W.H. Region 1 (Post 820201). 98/02/09. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 3pp. A2251:151-A2251:179.

--9802200189 Insp repts 50-336/97-84 & 50-423/97-84 on 970915-19.No violations noted.Major areas inspected:review of post-fire safe shutdown program for unit 2 & control of configuration of post-fire safe shutdown equipment for unit 3.
* Region 1 (Post 820201). 98/02/09. 26pp. A2251:154-A2251:179.

9802200100 Revised EPIPs,including rev 2 to EPOP 4448, "Unit 2 Vent & Containment Air PASS" & rev 2 to EPOP 4447, "Unit 2 RX Coolant & Liquid Waste PASS." Procedures placed in "Do Not Use," status.
* Northeast Nuclear Energy Co. 98/02/12. 3pp. A2283:271-A2283:273.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

--9802240443 Summary of 940525 MAP meeting re acceptance of proposed charter,current Unit 2 problems identified w/mispositioned control rod & incorrect emergency action level categorizations.
DURR,J. NRC - No Detailed Affiliation Given. 94/05/25. NRC - No Detailed Affiliation Given. 7pp. A2336:219-A2336:225.

--9802250215 Summary of 950613 MAP meeting re status of emergency operating procedure update & associated operator performance issues.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. A2336:333-A2336:335.

--9802250231 Summary of 961007 MOT meeting re accoutability for line items in Restart Assessment Plan.Discussed need for meeting w/NEUT recovery managers to establish course of action & schedules & need to update FSAR before restart.
* NRC - No Detailed Affiliation Given. 96/10/07. NRC - No Detailed Affiliation Given. 3pp. A2336:338-A2336:343.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9802260260 Responds to petitioner request to have listed license conditions imposed on operating licenses of Millstone & Haddam Neck plants.Petitioner request denied for reasons given in encl Director's Decision DD-98-01.FRN also encl.
COLLINS,S.J. . 98/02/11. HADLEY,E.C. Hadley, E.C. 7pp. A2366:157-A2366:221.

--9802270017 Director's Decision DD-98-01,per 10CFR2.206.Petitioner request for specific enforcement-related license conditions at Millstone & Haddam Neck facilities denied.
COLLINS,S.J. . 98/02/11. Northeast Utilities. 17pp. A2366:165-A2366:181.

--9802270028 Notice of issuance of Director's Decision,per 10CFR2.206 WRT 970303 petition filed by AA Cizek re Millstone & Haddam Neck plants.Petitioner requests listed.
COLLINS,S.J. . 98/02/11. 4pp. A2366:182-A2366:221.

H. General correspondence

9802270134 Responds to ltr to Chairman Jackson re concern that Long Island Sound may contain unexpected radioactivity since dredging sediment removed from Millstone intake structure found to contain trace concentrations of radioactivity.
TRAVERS,W.D. . 98/02/25. CLARK,T. Affiliation Not Assigned. 4pp. A2352:202-A2352:206.

--9802270145 Expresses concern re recent sludge taken from Millstone intake pipes,containing radioactivity & whether NRC examining potential health hazards.
CLARK,T. Affiliation Not Assigned. 98/02/10. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2352:206-A2352:206.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802230157 Forwards Addendum 2 to Rev 15 to FSAR in form of replacement pages as required.Util currently performing review of Unit 2 design & licensing bases which resulted in some changes provided herein & will result in future changes to FSAR.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2354:001-A2354:245.

--9802230161 Addendum 2 to Rev 15 to FSAR,including insert instructions & replacement pages.
* Northeast Nuclear Energy Co. 98/01/30. 241pp. A2354:005-A2354:245.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802190003 Informs that NRC considered request proposed in util 971125 ltr & determine that proposal for providing future updates to plant readiness milestones acceptable.
TRAVERS,W.D. . 98/01/08. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A2213:169-A2213:172.

9802040345 Provides summary info re offsite baseball field survey results from various recreational ballfields located in Waterford,CT.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/15. WHITE,J.R. Region 1 (Post 820201). 14pp. A2030:260-A2031:206.

--9802040347 "Radiological Survey for Waterford Town Landfill,Waterford, CT."
* Northeast Nuclear Energy Co. 98/01/31. 157pp. A2030:274-A2031:066.

--9802040348 "Radiological Survey for Equestrian Ctr Harkness State Park Waterford,CT."
* Northeast Nuclear Energy Co. 97/11/30. 140pp. A2031:067-A2031:206.

9802020243 Discusses 980106-07 semiannual meeting to determine if safety performance of various licensees exhibits sufficient weaknesses to warrant increased NRC attention or if it is trending adversely & requires steps be taken re concerns.
CALLAN,L.J. Region 4 (Post 820201). 98/01/16. KENYON,B.D. Northeast Utilities Service Co. 5pp. A1966:076-A1966:080.

9802020095 Forwards identification of significant items needed to be accomplished prior to restart & identification of items to be completed after restart in response to NRC 10CFR50.54(f) info request.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/23. Document Control Branch (Document Control Desk). 512pp. A1974:001-A1975:148.

9802030107 Summary of 980114 meeting w/NNECO re licensee progress in facilitating restart of plant.List of attendees & handout encl.
MCDONALD,D.G. . 98/01/23. . 17pp. A1985:315-A1985:331.

9802230300 Forwards amend 212 to license DPR-65 & safety evaluation. Amend authorizes util,through license condition,to incorporate changes to description of facility in UFSAR.
MCDONALD,D.G. . 98/01/23. BOWLING,M.L. Northeast Nuclear Energy Co. 5pp. A2280:129-A2280:142.

--9802230302 Amend 212 to license DPR-65,authorizes utility,through license condition,to incorporate changes to description of facility in updated final safety analysis rept.
MCKEE,P.F. . 98/01/23. 5pp. A2280:134-A2280:138.

--9802230303 Safety evaluation supporting amend 212 to license DPR-65.
* . 98/01/23. 4pp. A2280:139-A2280:142.

9802030011 Forwards Millstone Unit 2 Independent Corrective Action Verification Program bi-weekly rept for wk ending 980123.
CURRY,D.L. Affiliation Not Assigned. 98/01/26. Document Control Branch (Document Control Desk). 6pp. A2018:333-A2018:338.

9802030014 Transmits summaries of telcons between Parsons Power Group Inc,NNECO & NEAC on listed dates re Independent Corrective Action Verification Program.
CURRY,D.L. Affiliation Not Assigned. 98/01/27. Document Control Branch (Document Control Desk). 30pp. A2018:273-A2018:302.

9802050187 Provides list of primary participants in 980113 publicly observed meeting w/NRC & NENE at Millstone site,to discuss status of Millstone Unit 2 independent corrective action verification program.W/handouts.
CURRY,D.L. Affiliation Not Assigned. 98/01/28. Document Control Branch (Document Control Desk). 29pp. A2087:026-A2087:055.

9802110018 Informs NRC of results of evaluation of Millstone Nuclear Power Station,Unit 2,RCS pressure instrumentation regarding ATWS.Evaluation encl.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/29. Document Control Branch (Document Control Desk). 9pp. A2182:323-A2182:331.

9802250095 Submits amended Rev 19 to Northeast Utils QA Program (NUQAP) topical rept,previously submitted to NRC for review on 970603.Change revises Exception 12 in previous submittal re Section 2.1 of ANSI N45.2.3.
KENYON,B.D. Northeast Nuclear Energy Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2360:295-A2360:300.

--9802250102 Amended Rev 19 to "Northeast Utils QA Program (NUQAP) Topical Rept."
* Northeast Nuclear Energy Co. 98/01/31. 4pp. A2360:297-A2360:300.

9802100105 Provides info to explain & specify process by which staff will assess results of independent corrective action verification program.
TRAVERS,W.D. . 98/01/30. CURRY,D. Affiliation Not Assigned. 7pp. A2095:252-A2095:258.

9802100118 Provides info to explain & specify process by which staff will assess results of independent corrective action verification program.
TRAVERS,W.D. . 98/01/30. BOWLING,M.L. Northeast Nuclear Energy Co. 7pp. A2095:259-A2095:265.

9802100130 Provides info to explain & specify process by which staff will assess results of independent corrective action verification program.
TRAVERS,W.D. . 98/01/30. CONCANNON,T., WOOLLACOTT,E. Connecticut, State of. 7pp. A2095:266-A2095:272.

9802110047 Informs NRC that SG replacement,implemented at Millstone Unit 2 in 1992,did not invalidate applicability of TR CEN-367-A as basis for LBB evaluation of primary coolant loop piping.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2212:207-A2212:209.

9802230101 Forwards util response to recommendations made by Little Harbor Consultants,Inc re commitment schedular change.Encl table identifies actions committed by util.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/01/31. Affiliation Not Assigned. 4pp. A2330:149-A2330:152.

9802050297 Notification of 980212 meeting w/listed participants in Waterford,CT to provide status of independent corrective action verification program.
ANDERSON,J.W. . 98/02/02. MCKEE,P.F. . 5pp. A2012:178-A2012:182.

9802240445 Notification of 980211 meeting w/listed participants in Rockville,MD to discuss status of Millstone Units 2 & 3 independent corrective action verification program. Notification reissued to change date from 980212 to 980211.
ANDERSEN,J.W. . 98/02/02. MCKEE,P.F. . 4pp. A2281:358-A2281:361.

9802090239 Expresses appreciation for beneficial meeting between NRC & Northeast Utility personnel on 980129.Subjects of emergency preparedness & operations training covered per encl info. Also encl list of attendees.
NICHOLSON,L.E. Region 1 (Post 820201). 98/02/03. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 43pp. A2039:298-A2039:340.

9802090070 Forwards rev 2 to Project Procedure (PP) PP-04, "Regulatory Review Procedure" & Rev 3 to Sys Vertical Slice Review Project Instruction (PI) PI-01, "SVSR Implementation Checklists & Workbook."
CURRY,D.L. . 98/02/04. Document Control Branch (Document Control Desk). 1p. A2160:001-A2160:275.

-9802090072 Rev 2 to PP-04, "Regulatory Review Procedure."
CURRY,D.L. . 98/01/28. 8pp. A2160:002-A2160:009.

-9802090074 Rev 3 to PI-01, "SVSR Implementation Checklists & Workbook."
* . 98/02/02. 265pp. A2160:010-A2160:275.

9802180006 Informs that Parsons will incorporate addl sys parameters based on subsequent discussions between Parsons & NRC. Disposition of NRC comments,encl.
CURRY,D.L. . 98/02/06. Document Control Branch (Document Control Desk). 6pp. A2243:097-A2243:102.

9802180088 Discusses proposed treatment of Level 4 discrepancy repts from Independent Corrective Action Verification Program.Util commitments made within ltr included in Attachment 1.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/02/09. Document Control Branch (Document Control Desk). 4pp. A2237:357-A2237:360.

9802200161 Forwards Millstone,Unit 2 Independent Corrective Action Verification Program bi-weekly rept for wk ending 980206.
CURRY,D.L. . 98/02/09. Document Control Branch (Document Control Desk). 8pp. A2283:314-A2283:321.

9802270138 Forwards amend 213 to license DPR-65 & SE.Amend revises TSs LCO 3.7.11 & SR 4.7.11 for ultimate heat sink.
MCDONALD,D.G. . 98/02/09. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 5pp. A2352:188-A2352:201.

-9802270149 Amend 213 to license DPR-65 revising TSs LCO 3.7.11 & SR 4.7.11 for ultimate heat sink.
MCKEE,P.F. . 98/02/09. 6pp. A2352:193-A2352:198.

-9802270155 Safety evaluation supporting amend 213 to license DPR-65.
* . 98/02/09. 3pp. A2352:199-A2352:201.

9802190227 Suppls 90-day response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps," providing updated analysis for containment spray pumps.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/11. Document Control Branch (Document Control Desk). 3pp. A2258:167-A2258:169.

9802240165 Provides response to Item I of GL 97-01, "Degradation of Control Rod Drive Mechanism Nozzle & Other Vessel Closure Head Penetrations."
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/12. Document Control Branch (Document Control Desk). 10pp. A2333:325-A2333:334.

9802240220 Forwards brief description of assigned task/role on Millstone Unit 2 Independent Corrective Action Verification Program. "Conflict of Interest Forms" & resumes of personnel previously forwarded.
CURRY,D.L. Affiliation Not Assigned. 98/02/18. Document Control Branch (Document Control Desk). 3pp. A2349:358-A2349:360.

9802240375 Provides preliminary results of independent,third party oversight program or Little Harbor Consultants,Inc which oversees implementation of Employee Concerns Program & safety-conscious work environ at plant.
MCKEE,P.F. . 98/02/18. BECK,J. Affiliation Not Assigned. 3pp. A2333:358-A2333:360.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

-9802240372 FOIA request for all documents re NRC Millstone Assessment Panel (MAP) from inception to present time.
O'MEALIA,M.K. Affiliation Not Assigned. 97/12/01. KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 1p. A2336:130-A2336:131.

-9802240385 Summary of 920720 meeting w/Millstone Assessment Panel (MAP) re plant status,MAP issues list,content of evaluation rept on PEP,PEP review & agenda for subsequent meeting w/utility.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/08/27. NRC - No Detailed Affiliation Given. 3pp. A2336:132-A2336:134.

-9802240403 Provides outline of tentative plan for reviewing NEUT PEP as requested by MAP.
BARKLEY,R. NRC - No Detailed Affiliation Given. 92/08/28. WIGGINS,J.T. NRC - No Detailed Affiliation Given. 7pp. A2336:135-A2336:141.

-9802240407 Summary of fourth MAP meeting on 920901 in Region I re plant status,schedule for PEP review activities,proposed insp plan for PEP review,proposed ltrs to State & local communities, verification & validation process.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/09. NRC - No Detailed Affiliation Given. 5pp. A2336:142-A2336:146.

-9802240417 Summary of fifth MAP meeting on 921007 in Region I re plant status,PEP Review Team findings to date,remaining PEP Review Team activities,921105 public meeting preparations,Unit 2 S/G replacement outage progress & insp results.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/14. NRC - No Detailed Affiliation Given. 4pp. A2336:147-A2336:150.

-9802240421 Summary of sixth MAP meeting on 921105 in Millstone Resident Inspectors Office re plant status,recent NRC activities, future MAP activities,public meeting on PEP following MAP meeting.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/12/10. NRC - No Detailed Affiliation Given. 3pp. A2336:151-A2336:153.

-9802240427 Informs that MAP has scheduled meeting on 930113 w/NEUT at Millstone site to discuss progress on implementing PEP & other performance improvements noted to date & work since Oct 1992 in areas of developing validation criteria.
WIGGINS,J.T. Region 1 (Post 820201). 92/12/28. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. A2336:154-A2336:155.

-9802240434 Provides summary of MAP meeting on 930113 w/NEUT at Millstone site re PEP.Meeting presentation slides encl.
WIGGINS,J.T. Region 1 (Post 820201). 93/02/09. OPEKA,J.F. Northeast Utilities. 61pp. A2336:156-A2336:216.

-9802240440 Notification of MAP meeting on 940420 in Waterford, Connecticut.Provides list of tentative activities for day.
DOERFLEIN,L.T. NRC - No Detailed Affiliation Given. 94/04/13. NRC - No Detailed Affiliation Given. 2pp. A2336:217-A2336:218.

-9802240443 Summary of 940525 MAP meeting re acceptance of proposed charter,current Unit 2 problems identified w/mispositioned control rod & incorrect emergency action level categorizations.
DURR,J. NRC - No Detailed Affiliation Given. 94/05/25. NRC - No Detailed Affiliation Given. 7pp. A2336:219-A2336:225.

-9802240447 Summary of 941102 MAP meeting held on site re general direction of MAP efforts,NRC actions re recent Unit 2 work standown by NEUT resulting from 4160V switchgear washdown & hydrogen piping events & Unit 2 insp efforts for SMM.
DURR,J. NRC - No Detailed Affiliation Given. 94/11/02. NRC - No Detailed Affiliation Given. 2pp. A2336:226-A2336:227.

-9802250126 Summary of 940420 MAP meeting at Millstone site re purpose of panel & licensees progress on previous PEP.
DURR,J. NRC - No Detailed Affiliation Given. 98/02/20. NRC - No Detailed Affiliation Given. 2pp. A2336:228-A2336:230.

-9802250152 Forwards outline of final MAP safety evaluation as requested during last MAP meeting.
JAFFE,D.H. NRC - No Detailed Affiliation Given. 98/02/20. STOLZ,J. NRC - No Detailed Affiliation Given. 7pp. A2336:231-A2336:236.

-9802250159 Summary of 950105 MAP meeting held onsite at Millstone re current plant status,insp initiatives,open item status, enforcement strategy for severity level V violations, allegations,SMM recommendations & future MAP actions.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/05. NRC - No Detailed Affiliation Given. 24pp. A2336:237-A2336:260.

-9802250171 Summary of 950127 telcon re Millstone Unit Restart & NRC need to perform restart assessment team insp before restart of plant.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/27. NRC - No Detailed Affiliation Given. 7pp. A2336:261-A2336:313.

-9802250179 Refers to 950221 NRC meeting w/Millstone officials.Provides comments re Millstone.Advises that Millstone has become very good neighborhood to East Lyme & have been on-going & continuing part of community.
CINI,D.K. Affiliation Not Assigned. 95/02/23. SWETLAND,P. NRC - No Detailed Affiliation Given. 2pp. A2336:314-A2336:315.

-9802250183 Summary of 950317 MAP meeting re plant status update,review of insp dates for Unit,improving station performance,Unit 2 Restart Plan & status of MC 0350.
* NRC - No Detailed Affiliation Given. 95/03/17. NRC - No Detailed Affiliation Given. 5pp. A2336:316-A2336:320.

-9802250187 Summary of 950504 MAP meeting re plant status,current restart planning & scheduling,current status of RATI,status of licensing issues that impact restart,restart meeting details & developing criteria for improving performance.
* NRC - No Detailed Affiliation Given. 95/05/04. NRC - No Detailed Affiliation Given. 6pp. A2336:321-A2336:326.

-9802250198 Summary of 950608-09 MAP meeting re findings of Readiness Assessment Team.Restart issues include electrical tagging error occured during maint of MOV,punch list items,SAT findings & ensuring key people are trained.
* NRC - No Detailed Affiliation Given. 95/06/08. NRC - No Detailed Affiliation Given. 6pp. A2336:327-A2336:332.

-9802250215 Summary of 950613 MAP meeting re status of emergency operating procedure update & associated operator performance issues.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. A2336:333-A2336:335.

-9802250231 Summary of 961007 MOT meeting re accountability for line items in Restart Assessment Plan.Discussed need for meeting w/NEUT recovery managers to establish course of action & schedules & need to update FSAR before restart.
* NRC - No Detailed Affiliation Given. 96/10/07. NRC - No Detailed Affiliation Given. 3pp. A2336:338-A2336:343.

-9802250245 Summary of 970205 RAP meeting re insp program for restart of three Millstone units.
* NRC - No Detailed Affiliation Given. 97/02/05. NRC - No Detailed Affiliation Given. 2pp. A2336:345-A2336:346.

–9802250259 Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

9802260268 Forwards Millstone Unit 2 Independent Corrective Action Verification Program bi-weekly rept for wk ending 980220.
CURRY,D.L. Affiliation Not Assigned. 98/02/20. Document Control Branch (Document Control Desk). 9pp. A2373:313-A2373:321.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802100179 Responds to NRC 971124 ltr re violations noted in insp repts 50-245/97-81,50-336/97-81 & 50-423/97-81 of Emergency Preparedness Program on 971222.Corrective actions:management ownership of & involvement in dose has been established.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/05. Document Control Branch (Document Control Desk). 16pp. A2166:275-A2166:290.

9802120142 Requests addl three weeks,until 980301,to ensure response to NOV & proposed imposition of civil penalties is complete & accurate in all matl respects.
KENYON,B.D. Northeast Nuclear Energy Co. 98/02/06. Ofc of Enforcement (Post 870413). 2pp. A2216:243-A2216:244.

9802190264 Forwards insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Insp was to evaluate performance of licensed operators during simulator portion of annual operating tests.
WIGGINS,J.T. Region 1 (Post 820201). 98/02/06. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. A2230:006-A2230:021.

–9802190274 Insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Major areas inspected:simulator portion of annual operating tests of licensed operator requalification training programs.
* Region 1 (Post 820201). 98/02/06. 13pp. A2230:009-A2230:021.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200172 Forwards insp repts 50-336/97-84 & 50-423/97-84 on 970915- 19.No violations noted.Testing of fire-related safe shutdown components were found to be inadequate.
RULAND,W.H. Region 1 (Post 820201). 98/02/09. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 3pp. A2251:151-A2251:179.

–9802200189 Insp repts 50-336/97-84 & 50-423/97-84 on 970915-19.No violations noted.Major areas inspected:review of post-fire safe shutdown program for unit 2 & control of configuration of post-fire safe shutdown equipment for unit 3.
* Region 1 (Post 820201). 98/02/09. 26pp. A2251:154-A2251:179.

9802270173 Forwards insp rept 50-336/97-211 on 970825-29,0902-05 & 1201-05.No violations noted.NRC initiated plan to monitor Parson Power Group,Inc,implementation of ICAVP for duration of effort.
IMBRO,E.V. . 98/02/09. BOWLING,M.L. Northeast Nuclear Energy Co. 4pp. A2370:238-A2370:293.

–9802270176 Insp rept 50-336/97-211 on 970825-29,0902-05 & 1201-05.No violations noted.Major areas inspected:evaluation of Parson implementation of independent CA verification program audit plan.
* . 98/02/09. 53pp. A2370:242-A2370:293.

9802120160 Informs that request for addl extension of three weeks (until 980103) to submit response to notice of violation to ensure response complete & accurate in all material respects,granted.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/10. KENYON,B.D. Northeast Nuclear Energy Co. 2pp. A2142:358-A2142:359.

9802200293 Forwards info which identifies criteria for declaring RBCCW Sys ready for functional insp,details of remaining work in area & details on sys mods re Independent CA Verification Program Tier 1 out-of-scope insp.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/10. Document Control Branch (Document Control Desk). 36pp. A2290:205-A2290:240.

9802270207 Refers to memo developed by NEUT Nuclear Oversight managers dtd 980111 that stated, "inability to 'Isolate' Cynics From Group Culture." Requests response stating position re whether actions violated 10CFR50.7 & basis for position.
TRAVERS,W.D. . 98/02/10. KENYON,B.D. Northeast Utilities. 5pp. A2352:171-A2352:175.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802230286 Notification of 980226 meeting w/util in Waterford,CT to discuss 40500 team insp findings.
DURR,J. Region 1 (Post 820201). 98/02/13. Region 1 (Post 820201). 3pp. A2268:243-A2268:245.

9802250071 Notification of significant meeting 98-15 w/util on 980226 to discuss 40500 team insp findings.
DURR,J. Region 1 (Post 820201). 98/02/13. Region 1 (Post 820201). 5pp. A2349:001-A2349:005.

9802270213 Responds to 971216 ltr from D Del Core which expressed concern that Commissioners were misled by NEUT,LHC,S&L & NRC staff during 971212 meeting on status of MNPS.
TRAVERS,W.D. . 98/02/17. DEL CORE,D.W. Affiliation Not Assigned. 7pp. A2352:153-A2352:166.

–9802270217 Discusses impressions of 971212 Millstone Update Meeting in Rockville,Maryland.Expresses opinion that Commissioners were misled by NEUT,LHC,S&L & NRC staff & that presentations were not very forthright & telling.
DEL CORE,D.W. Affiliation Not Assigned. 97/12/16. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. A2352:161-A2352:166.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

–9802240385 Summary of 920720 meeting w/Millstone Assessment Panel (MAP) re plant status,MAP issues list,content of evaluation rept on PEP,PEP review & agenda for subsequent meeting w/utility.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/08/27. NRC - No Detailed Affiliation Given. 3pp. A2336:132-A2336:134.

–9802240403 Provides outline of tentative plan for reviewing NEUT PEP as requested by MAP.
BARKLEY,R. NRC - No Detailed Affiliation Given. 92/08/28. WIGGINS,J.T. NRC - No Detailed Affiliation Given. 7pp. A2336:135-A2336:141.

–9802240407 Summary of fourth MAP meeting on 920901 in Region I re plant status,schedule for PEP review activities,proposed insp plan for PEP review,proposed ltrs to State & local communities, verification & validation process.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/09. NRC - No Detailed Affiliation Given. 5pp. A2336:142-A2336:146.

–9802240417 Summary of fifth MAP meeting on 921007 in Region I re plant status,PEP Review Team findings to date,remaining PEP Review Team activities,921105 public meeting preparations,Unit 2 S/G replacement outage progress & insp results.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/14. NRC - No Detailed Affiliation Given. 4pp. A2336:147-A2336:150.

–9802240421 Summary of sixth MAP meeting on 921105 in Millstone Resident Inspectors Office re plant status,recent NRC activities, future MAP activities,public meeting on PEP following MAP meeting.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/12/10. NRC - No Detailed Affiliation Given. 3pp. A2336:151-A2336:153.

–9802240434 Provides summary of MAP meeting on 930113 w/NEUT at Millstone site re PEP.Meeting presentation slides encl.
WIGGINS,J.T. Region 1 (Post 820201). 93/02/09. OPEKA,J.F. Northeast Utilities. 61pp. A2336:156-A2336:216.

–9802240443 Summary of 940525 MAP meeting re acceptance of proposed charter,current Unit 2 problems identified w/mispositioned control rod & incorrect emergency action level categorizations.
DURR,J. NRC - No Detailed Affiliation Given. 94/05/25. NRC - No Detailed Affiliation Given. 7pp. A2336:219-A2336:225.

–9802240447 Summary of 941102 MAP meeting held on site re general direction of MAP efforts,NRC actions re recent Unit 2 work standown by NEUT resulting from 4160V switchgear washdown & hydrogen piping events & Unit 2 insp efforts for SMM.
DURR,J. NRC - No Detailed Affiliation Given. 94/11/02. NRC - No Detailed Affiliation Given. 2pp. A2336:226-A2336:227.

–9802250152 Forwards outline of final MAP safety evaluation as requested during last MAP meeting.
JAFFE,D.H. NRC - No Detailed Affiliation Given. 98/02/20. STOLZ,J. NRC - No Detailed Affiliation Given. 7pp. A2336:231-A2336:236.

–9802250159 Summary of 950105 MAP meeting held onsite at Millstone re current plant status,insp initiatives,open item status, enforcement strategy for severity level V violations, allegations,SMM recommendations & future MAP actions.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/05. NRC - No Detailed Affiliation Given. 24pp. A2336:237-A2336:260.

–9802250171 Summary of 950127 telcon re Millstone Unit Restart & NRC need to perform restart assessment team insp before restart of plant.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/27. NRC - No Detailed Affiliation Given. 7pp. A2336:261-A2336:313.

–9802250183 Summary of 950317 MAP meeting re plant status update,review of insp dates for Unit,improving station performance,Unit 2 Restart Plan & status of MC 0350.
* NRC - No Detailed Affiliation Given. 95/03/17. NRC - No Detailed Affiliation Given. 5pp. A2336:316-A2336:320.

–9802250187 Summary of 950504 MAP meeting re plant status,current restart planning & scheduling,current status of RATI,status of licensing issues that impact restart,restart meeting details & developing criteria for improving performance.
* NRC - No Detailed Affiliation Given. 95/05/04. NRC - No Detailed Affiliation Given. 6pp. A2336:321-A2336:326.

–9802250198 Summary of 950608-09 MAP meeting re findings of Readiness Assessment Team.Restart issues include electrical tagging error occured during maint of MOV,punch list items,SAT findings & ensuring key people are trained.
* NRC - No Detailed Affiliation Given. 95/06/08. NRC - No Detailed Affiliation Given. 6pp. A2336:327-A2336:332.

–9802250215 Summary of 950613 MAP meeting re status of emergency operating procedure update & associated operator performance issues.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. A2336:333-A2336:335.

–9802250231 Summary of 961007 MOT meeting re accoutability for line items in Restart Assessment Plan.Discussed need for meeting w/NEUT recovery managers to establish course of action & schedules & need to update FSAR before restart.
* NRC - No Detailed Affiliation Given. 96/10/07. NRC - No Detailed Affiliation Given. 3pp. A2336:338-A2336:343.

--**9802250245** Summary of 970205 RAP meeting re insp program for restart of three Millstone units.
* NRC - No Detailed Affiliation Given. 97/02/05. NRC - No Detailed Affiliation Given. 2pp. A2336:345-A2336:346.

--**9802250259** Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

R. Periodic operating reports & related correspondence

9802200176 Monthly operating rept for Jan 1998 for MNPS,Unit 2.W/980209 ltr.
STARK,S., PRICE,J.A. Northeast Nuclear Energy Co. 98/01/31. 7pp. A2318:351-A2318:357.

S. Reportable occurrences, LERs & related correspondence

9802060061 Forwards LER 97-020-02,documenting event that occurred at MNPS,Unit 2,on 970423.Revised LER provides update on analyses & investigation currently underway for event. Commitments made by util,included in Attachment 1.
PRICE,J.A. Northeast Nuclear Energy Co. 98/01/29. Document Control Branch (Document Control Desk). 4pp. A2151:179-A2151:185.

--**9802060066** LER 97-020-02:on 970423,discovered that TS SRs were not being performed for boron injection flowpaths.Caused by failure to properly incorporate TS SRs into plant surveillance procedures.Revised appropriate procedures.
JOSHI,R.G. Northeast Nuclear Energy Co. 98/01/29. 3pp. A2151:183-A2151:185.

9802130106 Forwards corrected attachment 1 cover sheet for util ltr B16920,dtd 971222.Incorrect ltr number was shown on attachment 1 cover sheet.
PRICE,J.A. Northeast Nuclear Energy Co. 98/02/04. Document Control Branch (Document Control Desk). 2pp. A2231:236-A2231:237.

9802120322 Forwards LER 98-001-00,documenting event that occurred at Millstone Nuclear Power Station,Unit 2 on 980108.LER being submitted per 10CFR50.73(a)(2)(ii) requirements. Commitments made within ltr,listed.
PRICE,J.A. Northeast Nuclear Energy Co. 98/02/06. Document Control Branch (Document Control Desk). 5pp. A2231:169-A2231:176.

--**9802130015** LER 98-001-00:on 980108,ongoing engineering evaluations of fault clearing & fuse coordination for Vital 120 volt AC sys occurred.Caused by incomplete engineering evaluation of fault clearing.Changes will be implemented.
JOSHI,R.G. Northeast Nuclear Energy Co. 98/02/06. 3pp. A2231:174-A2231:176.

9802130042 Forwards LER 98-002-00,documenting event that occurred at Millstone Nuclear Power Station,Unit 2 on 980109,per 10CFR50.73(a)(2)(ii).Commitments made within ltr,listed.
PRICE,J.A. Northeast Nuclear Energy Co. 98/02/06. Document Control Branch (Document Control Desk). 4pp. A2231:238-A2231:245.

--**9802130047** LER 98-002-00:on 980109,ECC sys single failed vulnerability. Caused by inadequate review & implementation of require design.Identified design deficiencies will be evaluated & appropriate CA will be initiated.W/980206 ltr.
JOSHI,R.G. Northeast Nuclear Energy Co. 98/02/06. 4pp. A2231:242-A2231:245.

T. Hearing transcripts on non-antitrust matters

9802270040 Transcript of 980127 public meeting in Waterford,CT re Northeast Utilities,Millstone Units 1,2 & 3.Pp 1-246.
* NRC - No Detailed Affiliation Given. 98/01/27. 247pp. A2353:001-A2353:247.

9802250076 Transcript of 980219 meeting in Rockville,MD w/Northeast Nuclear on Millstone - Public Meeting.Pages 1-175.W/ supporting documentation.
* Commissioners (Post 750119). 98/02/19. 242pp. A2351:012-A2351:343.

V. Operator Examinations

9802190264 Forwards insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Insp was to evaluate performance of licensed operators during simulator portion of annual operating tests.
WIGGINS,J.T. Region 1 (Post 820201). 98/02/06. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. A2230:006-A2230:021.

--**9802190274** Insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Major areas inspected:simulator portion of annual operating tests of licensed operator requalification training programs.
* Region 1 (Post 820201). 98/02/06. 13pp. A2230:009-A2230:021.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

--**9802240421** Summary of sixth MAP meeting on 921105 in Millstone Resident Inspectors Office re plant status,recent NRC activities, future MAP activities,public meeting on PEP following MAP meeting.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/12/10. NRC - No Detailed Affiliation Given. 3pp. A2336:151-A2336:153.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802020056 Forwards rev 21 to "North Anna Power Station Emergency Plan" & rev 6 to "Corporate Emergency Response Plan." Revs reflect addition of ISFSI.Rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure," encl.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 98/01/23. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A1972:001-A1972:292.

--**9802020057** Rev 21 to "North Anna Power Station Emergency Plan."
* Virginia Power (Virginia Electric & Power Co.). 98/01/23. 188pp. A1972:003-A1972:190.

--**9802020062** Rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure."
KEMP,P. Virginia Power (Virginia Electric & Power Co.). 98/01/23. 50pp. A1972:191-A1972:292.

9802050284 Forwards Rev 21 to "North Anna Power Station Emergency Plan." Emergency plan continues to meet stds of 10CFR50.47(b).Info provided to facilitate NRC review of encl emergency plan rev.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 98/01/23. Document Control Branch (Document Control Desk). 5pp. A2086:001-A2086:193.

9802040103 Forwards rev 3 to physical security plan,per 10CFR50.54(p) & 10CFR72.186(b).Changes do not decrease safeguards effectiveness of plan.Encl withheld.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2081:353-A2081:354.

9802050353 Forwards results of review of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Radiological Sabotage."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/29. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. A2095:298-A2095:302.

9802120144 Forwards rev 3 to physical security plan for plants & associated ISFSIs.W/ o encl.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2216:313-A2216:314.

9802120307 Forwards rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure (w/3 Attachments)." EPIP continues to meet stds of 10CFR50.47(b).
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 98/02/03. Document Control Branch (Document Control Desk). 5pp. A2215:305-A2215:360.

J. Insurance & indemnity information

9802050169 Submits 33 certified endorsements & 2 new policies of AN/MAELU nuclear liability insurance policies for North Anna & Surry Power Stations.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 42pp. A2136:083-A2136:125.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040372 Provides clarification on findings & recommendations from safety audit of SWR dam.Corrective action plan for each finding,encl.Util concludes that SWR remains stable under highest recorded phreatic surface to date.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 98/01/28. Document Control Branch (Document Control Desk). 19pp. A2031:238-A2031:256.

9802090046 Forwards clarification of util licensing compliance commitment re identification of how functional basis of limiting RCS during ATWS is ensured by existing AMSAC interlock permissive (C-20) setpoint.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. Document Control Branch (Document Control Desk). 4pp. A2154:353-A2154:356.

9802120220 Application for amends to licenses NPF-4 & NPF-7,modifying testing requirements for reactor trip bypass breaker.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/03. Document Control Branch (Document Control Desk). 10pp. A2233:112-A2233:130.

--**9802120221** Proposed tech specs modifying testing requirements for reactor trip bypass breaker.
* Virginia Power (Virginia Electric & Power Co.). 98/02/03. 10pp. A2233:121-A2233:130.

9802120279 Application for amends to licenses NPF-4 & NPF-7,modifying insp requirements & frequency for RCP flywheels & eliminating insp requirements for unit 1,reactor coolant flow straighteners.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/03. Document Control Branch (Document Control Desk). 11pp. A2233:137-A2233:156.

--**9802120284** Proposed tech specs re reactor coolant pump flywheel insps & loop flow straightener insps.
* Virginia Power (Virginia Electric & Power Co.). 98/02/03. 8pp. A2233:148-A2233:156.

9802100089 Confirms telcon between J McCarthy & R Haag on 980129,re mgt meeting scheduled for 980324 in Atlanta,Ga to discuss North Anna self assessment.
HAAG,R.C. Region 2 (Post 820201). 98/02/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A2093:350-A2093:352.

9802100158 Informs of NRC Region II mgt changes that will be effective on 980215.Revised organization chart for NRC Region II encl.
HAAG,R.C. Region 2 (Post 820201). 98/02/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A2095:176-A2095:179.

9802180083 Informs that plants have fulfilled commitment to implement formal industry position on severe accident mgt which was approved by Nuclear Energy Institutes Nuclear Strategic Issues Advisory Committee on 941104 as of 980107.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/06. Document Control Branch (Document Control Desk). 2pp. A2243:211-A2243:212.

9802180084 Forwards response to request for addl info re TS change for EDG allowed outage.Administative changes provided in Attachment 2 to ltr.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/09. Document Control Branch (Document Control Desk). 6pp. A2242:342-A2242:359.

--9802180085 Proposed tech specs re EDG allowed outage time.
* Virginia Power (Virginia Electric & Power Co.). 98/02/09. 11pp. A2242:348-A2242:359.

9802200012 Informs that results of specific activity analysis in which primary coolant exceeded limits of TS 3.4.8 are to be submitted on annual basis per TS 6.9.1.5.c.No instances identified where primary coolant exceeded TS limits.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 98/02/11. Document Control Branch (Document Control Desk). 1p. A2270:122-A2270:122.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050371 Discusses evaluation of info provided in 971218 submittal re ISI program relief request NDE-46.Forwards SE supporting request to repair flaws in accordance w/GL 90-05 for ASME code class 3 SW piping.
DEAN,W.M. . 98/02/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A2012:199-A2012:206.

--9802050373 Safety evaluation approving request for approval to repair flaws in accordance w/GL 90-05 for ASME code class 3 SW piping for North Anna,Unit 1,as submitted in ISI relief request NDE-46 on 971218.
* . 98/02/02. 5pp. A2012:202-A2012:206.

9802120279 Application for amends to licenses NPF-4 & NPF-7,modifying insp requirements & frequency for RCP flywheels & eliminating insp requirements for unit 1,reactor coolant flow straighteners.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/03. Document Control Branch (Document Control Desk). 11pp. A2233:137-A2233:156.

--9802120284 Proposed tech specs re reactor coolant pump flywheel insps & loop flow straightener insps.
* Virginia Power (Virginia Electric & Power Co.). 98/02/03. 8pp. A2233:148-A2233:156.

9802120274 Submits SG tube inservice inspections performed during 1997, per TS 6.9.1.5.b.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/02/04. Document Control Branch (Document Control Desk). 2pp. A2233:131-A2233:132.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802170119 Monthly operating repts for Jan 1998 for North Anna Power Station,Units 1 & 2.W/980205 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 98/01/31. 10pp. A2231:347-A2231:356.

9802120250 Forwards VEPC semi-annual fitness for duty program performance data rept for period of 970701-1231,per 10CFR26.71(d).
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/02/04. Document Control Branch (Document Control Desk). 16pp. A2216:297-A2216:312.

S. Reportable occurrences, LERs & related correspondence

9802130028 Forwards LER 98-001-00 re incomplete surveillance on reactor protection P8 logic circuitry.Rept reviewed by Station Nuclear Safety Operating Committee & will be forwarded to Mgt Safety Review Committee for review.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 98/02/03. Document Control Branch (Document Control Desk). 1p. A2232:035-A2232:038.

--9802130038 LER 98-001-00:on 980108,determined that potential to miss interlock logic surveillance testing during previous mid- cycle shutdowns existed.Caused by inadequate test design supplied by vendor.Info from last startup reviewed.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 98/02/03. 3pp. A2232:036-A2232:038.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802020056 Forwards rev 21 to "North Anna Power Station Emergency Plan" & rev 6 to "Corporate Emergency Response Plan." Revs reflect addition of ISFSI.Rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure," encl.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 98/01/23. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A1972:001-A1972:292.

--9802020057 Rev 21 to "North Anna Power Station Emergency Plan."
* Virginia Power (Virginia Electric & Power Co.). 98/01/23. 188pp. A1972:003-A1972:190.

--9802020062 Rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure."
KEMP,P. Virginia Power (Virginia Electric & Power Co.). 98/01/23. 50pp. A1972:191-A1972:292.

9802040413 Informs that util established subaccounts for nuclear decommissioning trusts to separately track amounts re ISFSIs for North Anna & Surry Power Stations.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2135:204-A2135:205.

9802050353 Forwards results of review of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Radiological Sabotage."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/29. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. A2095:298-A2095:302.

9802090090 Forwards response to NRC 971229 RAI re fuel assemblies to be stored in ISFSI.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/30. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 6pp. A2164:323-A2164:328.

9802240281 Forwards response to 980116 RAI re application for review & approval of site-specific license for ISFSI dtd 950509.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/17. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 6pp. A2347:096-A2347:307.

--9802240287 Rev 0 to calculation CE-1181, "Structural Design Criteria for ISFSI at North Anna Power Station."
PAVLIK,R.A., POLLARD,J.P., MCCRIMMON,J.D. Virginia Power (Virginia Electric & Power Co.). 95/02/27. 206pp. A2347:102-A2347:307.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802020056 Forwards rev 21 to "North Anna Power Station Emergency Plan" & rev 6 to "Corporate Emergency Response Plan." Revs reflect addition of ISFSI.Rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure," encl.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 98/01/23. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A1972:001-A1972:292.

--9802020057 Rev 21 to "North Anna Power Station Emergency Plan."
* Virginia Power (Virginia Electric & Power Co.). 98/01/23. 188pp. A1972:003-A1972:190.

--9802020062 Rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure."
KEMP,P. Virginia Power (Virginia Electric & Power Co.). 98/01/23. 50pp. A1972:191-A1972:292.

9802050284 Forwards Rev 21 to "North Anna Power Station Emergency Plan." Emergency plan continues to meet stds of 10CFR50.47(b).Info provided to facilitate NRC review of encl emergency plan rev.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 98/01/23. Document Control Branch (Document Control Desk). 5pp. A2086:001-A2086:193.

9802040103 Forwards rev 3 to physical security plan,per 10CFR50.54(p) & 10CFR72.186(b).Changes do not decrease safeguards effectiveness of plan.Encl withheld.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2081:353-A2081:354.

9802050353 Forwards results of review of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Radiological Sabotage."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/29. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. A2095:298-A2095:302.

9802120144 Forwards rev 3 to physical security plan for plants & associated ISFSIs.W/ o encl.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2216:313-A2216:314.

9802120307 Forwards rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure (w/3 Attachments)." EPIP continues to meet stds of 10CFR50.47(b).
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 98/02/03. Document Control Branch (Document Control Desk). 5pp. A2215:305-A2215:360.

J. Insurance & indemnity information

9802050169 Submits 33 certified endorsements & 2 new policies of AN/MAELU nuclear liability insurance policies for North Anna & Surry Power Stations.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 42pp. A2136:083-A2136:125.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040372 Provides clarification on findings & recommendations from safety audit of SWR dam.Corrective action plan for each finding,encl.Util concludes that SWR remains stable under highest recorded phreatic surface to date.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 98/01/28. Document Control Branch (Document Control Desk). 19pp. A2031:238-A2031:256.

9802090046 Forwards clarification of util licensing compliance commitment re identification of how functional basis of limiting RCS during ATWS is ensured by existing AMSAC interlock permissive (C-20) setpoint.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. Document Control Branch (Document Control Desk). 4pp. A2154:353-A2154:356.

9802120220 Application for amends to licenses NPF-4 & NPF-7,modifying testing requirements for reactor trip bypass breaker.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/03. Document Control Branch (Document Control Desk). 10pp. A2233:112-A2233:130.

–9802120221 Proposed tech specs modifying testing requirements for reactor trip bypass breaker.
* Virginia Power (Virginia Electric & Power Co.). 98/02/03. 10pp. A2233:121-A2233:130.

9802120279 Application for amends to licenses NPF-4 & NPF-7,modifying insp requirements & frequency for RCP flywheels & eliminating insp requirements for unit 1,reactor coolant flow straighteners.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/03. Document Control Branch (Document Control Desk). 11pp. A2233:137-A2233:156.

–9802120284 Proposed tech specs re reactor coolant pump flywheel insps & loop flow straightener insps.
* Virginia Power (Virginia Electric & Power Co.). 98/02/03. 8pp. A2233:148-A2233:156.

9802100089 Confirms telcon between J McCarthy & R Haag on 980129,re mgt meeting scheduled for 980324 in Atlanta,Ga to discuss North Anna self assessment.
HAAG,R.C. Region 2 (Post 820201). 98/02/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. A2093:350-A2093:352.

9802100158 Informs of NRC Region II mgt changes that will be effective on 980215.Revised organization chart for NRC Region II encl.
HAAG,R.C. Region 2 (Post 820201). 98/02/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. A2095:176-A2095:179.

9802180083 Informs that plants have fulfilled commitment to implement formal industry position on severe accident mgt which was approved by Nuclear Energy Institutes Nuclear Strategic Issues Advisory Committee on 941104 as of 980107.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/06. Document Control Branch (Document Control Desk). 2pp. A2243:211-A2243:212.

9802180084 Forwards response to request for addl info re TS change for EDG allowed outage.Administative changes provided in Attachment 2 to ltr.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/09. Document Control Branch (Document Control Desk). 6pp. A2242:342-A2242:359.

–9802180085 Proposed tech specs re EDG allowed outage time.
* Virginia Power (Virginia Electric & Power Co.). 98/02/09. 11pp. A2242:348-A2242:359.

9802200012 Informs that results of specific activity analysis in which primary coolant exceeded limits of TS 3.4.8 are to be submitted on annual basis per TS 6.9.1.5.c.No instances identified where primary coolant exceeded TS limits.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 98/02/11. Document Control Branch (Document Control Desk). 1p. A2270:122-A2270:122.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802120279 Application for amends to licenses NPF-4 & NPF-7,modifying insp requirements & frequency for RCP flywheels & eliminating insp requirements for unit 1,reactor coolant flow straighteners.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/03. Document Control Branch (Document Control Desk). 11pp. A2233:137-A2233:156.

–9802120284 Proposed tech specs re reactor coolant pump flywheel insps & loop flow straightener insps.
* Virginia Power (Virginia Electric & Power Co.). 98/02/03. 8pp. A2233:148-A2233:156.

9802120274 Submits SG tube inservice inspections performed during 1997, per TS 6.9.1.5.b.
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/02/04. Document Control Branch (Document Control Desk). 2pp. A2233:131-A2233:132.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802170119 Monthly operating repts for Jan 1998 for North Anna Power Station,Units 1 & 2.W/980205 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 98/01/31. 10pp. A2231:347-A2231:356.

9802120250 Forwards VEPC semi-annual fitness for duty program performance data rept for period of 970701-1231,per 10CFR26.71(d).
MCCARTHY,J.H. Virginia Power (Virginia Electric & Power Co.). 98/02/04. Document Control Branch (Document Control Desk). 16pp. A2216:297-A2216:312.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802020056 Forwards rev 21 to "North Anna Power Station Emergency Plan" & rev 6 to "Corporate Emergency Response Plan." Revs reflect addition of ISFSI.Rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure," encl.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 98/01/23. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A1972:001-A1972:292.

–9802020057 Rev 21 to "North Anna Power Station Emergency Plan."
* Virginia Power (Virginia Electric & Power Co.). 98/01/23. 188pp. A1972:003-A1972:190.

–9802020062 Rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure."
KEMP,P. Virginia Power (Virginia Electric & Power Co.). 98/01/23. 50pp. A1972:191-A1972:292.

9802040413 Informs that util established subaccounts for nuclear decommissioning trusts to separately track amounts re ISFSIs for North Anna & Surry Power Stations.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2135:204-A2135:205.

9802050353 Forwards results of review of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Radiological Sabotage."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/29. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. A2095:298-A2095:302.

9802090090 Forwards response to NRC 971229 RAI re fuel assemblies to be stored in ISFSI.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/30. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 6pp. A2164:323-A2164:328.

9802240281 Forwards response to 980116 RAI re application for review & approval of site-specific license for ISFSI dtd 950509.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/17. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 6pp. A2347:096-A2347:307.

–9802240287 Rev 0 to calculation CE-1181, "Structural Design Criteria for ISFSI at North Anna Power Station."
PAVLIK,R.A., POLLARD,J.P., MCCRIMMON,J.D. Virginia Power (Virginia Electric & Power Co.). 95/02/27. 206pp. A2347:102-A2347:307.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802170175 Ack receipt of ltr dtd 980108,which transmitted changes identified as rev 30 to Fermi 2 Physical Security Plan, submitted per 10CFR50.54(p).Changes do not decrease effectiveness of plan.
CREED,J.R. Region 3 (Post 820201). 98/02/08. PETERSON,N.K. Detroit Edison Co. 3pp. A2234:349-A2234:351.

9802200087 Rev 8 to radiological emergency response plan implementing procedures index,Book 1.
* Detroit Edison Co. 98/02/12. 7pp. A2320:092-A2320:098.

J. Insurance & Indemnity Information

9802050026 Forwards certified copies of listed nuclear liability insurance documents.
PETERSON,N.K. Detroit Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 11pp. A2038:140-A2038:150.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802050184 Forwards "Approved UFSAR LCRS That Have Not Been Incorporated Into UFSAR Hardcopy (Sorted By UFSAR Section)."
CAPPS,C.S. Detroit Edison Co. 97/01/29. Document Control Branch (Document Control Desk). 17pp. A2087:078-A2087:094.

9802040426 Forwards "Approved UFSAR LCRS That Have Not Been Incorporated Into UFSAR Hardcopy (Sorted By UFSAR Section)."
CAPPS,C.S. Detroit Edison Co. 98/01/22. Document Control Branch (Document Control Desk). 17pp. A2079:234-A2079:250.

9802230287 Forwards "Approved UFSAR LCRS That Have Been Incorporated Into UFSAR Hardcopy (Sorted By UFSAR Section)."
CAPPS,C.S. Detroit Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 17pp. A2329:001-A2329:018.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040234 Application for amend to license NPF-43,revising footnotes specifying conditions under which SRs associated w/TS 3/4.9.1, "Reactor Mode Switch," can be performed.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 11pp. A2031:212-A2031:229.

--9802040450 Proposed tech specs,revising footnotes specifying conditions under which SRs associated w/TS 3/4.9.1, "Reactor Mode Switch" can be performed.
* Detroit Edison Co. 98/01/28. 7pp. A2031:223-A2031:229.

9802040240 Forwards markup copy & retyped version of sheet 2 of Table 3.3 which deletes RCS recirculation flow trip functions.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 3pp. A2033:346-A2033:353.

--9802040446 Proposed marked up & retyped TS of sheet 2,Table 3.3.6-2, deleting RCS recirculation flow trip functions.
* Detroit Edison Co. 98/01/28. 5pp. A2033:349-A2033:353.

9802040244 Application for amend to license NPF-43,revising SRs for Div II battery sys to agree w/design of new battery replacement.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 11pp. A2033:328-A2033:345.

--9802040443 Proposed tech specs,revising SRs for Div II battery sys to agree w/design of new battery replacement.
* Detroit Edison Co. 98/01/28. 7pp. A2033:339-A2033:345.

9802040254 Application for amend to license NPF-43,changing surveillance interval in TS 4.4.3.2.2.a by extending it from current 18 month testing interval to 24 month testing interval to be consistent w/ASME code requirements.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 10pp. A2136:065-A2136:079.

--9802040451 Proposed tech specs 4.4.3.2.2.a,changing surveillance interval in TS 4.4.3.2.2.a by extending it from current 18 month testing interval to 24 month testing interval to be consistent w/ASME code requirements.
* Detroit Edison Co. 98/01/28. 5pp. A2136:075-A2136:079.

9802040421 Application for amend to license NPF-43,increasing SRV setpoint tolerance from +1% to +3%.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 18pp. A2151:001-A2151:076.

--9802040456 Proposed tech specs,increasing SRVs setpoint tolerance from +1% to +3%.
* Detroit Edison Co. 98/01/28. 58pp. A2151:019-A2151:076.

9802050154 Application for amend to license NPF-43,revising Tech Specs to improve administrative controls re thermal-hydraulic stability & idle recirculation loop startup & eliminating neutron flux indication from TS.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 14pp. A2038:001-A2038:080.

--9802050158 Proposed tech specs re thermal-hydraulic stability,idle recirculation loop startup & post accident monitoring.
* Detroit Edison Co. 98/01/28. 26pp. A2038:015-A2038:080.

9802260213 Summary of 980130 meeting w/util re general status of plant & status of selected licensing issues.List of attendees encl.
KUGLER,A.J. . 98/02/12. . 5pp. A2347:045-A2347:049.

9802260078 Comment supporting draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPP.
GIPSON,D.R. Detroit Edison Co. 98/02/17. Rules & Directives Review Branch (Post 920323). 2PP. A2344:059-A2344:060.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802230031 Forwards insp rept 50-341/97-14 on 970923-1107 & notice of violation.Violation of concern because operators failed to perform verification of availability of offsite power within required time period when EDG declared inoperable.
GRANT,G.E. Region 3 (Post 820201). 98/01/03. GIPSON,D.R. Detroit Edison Co. 3pp. A2264:311-A2264:346.

--9802230034 Notice of violation from insp on 970923-1107.Violation noted:on 971027 w/EDG 14 inoperable,licensee identified that operators failed to perform verification checks in SR 4.8.1.1.1 at least once per eight hours.
* Region 3 (Post 820201). 98/01/03. 2pp. A2264:314-A2264:315.

--9802230035 Insp rept 50-341/97-14 on 970923-1107.Violations noted. Major areas inspected:operations,engineering,maintenance & plant support.
* Region 3 (Post 820201). 98/01/03. 31pp. A2264:316-A2264:346.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050154 Application for amend to license NPF-43,revising Tech Specs to improve administrative controls re thermal-hydraulic stability & idle recirculation loop startup & eliminating neutron flux indication from TS.
GIPSON,D.R. Detroit Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 14pp. A2038:001-A2038:080.

9802090056 Responds to NRC 980102 ltr re violations noted in insp rept 50-341/97-14.Corrective actions:conducted small group sessions w/operators on performance & responsibilities re TS compliance & modified computer software for unit log.
GIPSON,D.R. Detroit Edison Co. 98/02/02. Document Control Branch (Document Control Desk). 3pp. A2154:357-A2154:359.

9802200031 Forwards insp rept 50-341/97-16 on 971108-0105.Noncited violation of TSs when in-service continuous reactor coolant conductivity monitor was inadvertently isolated for nearly 5 hours,was identified.
GRANT,G.E. Region 3 (Post 820201). 98/02/05. GIPSON,D.R. Detroit Edison Co. 2pp. A2252:095-A2252:118.

--9802200035 Insp rept 50-341/97-16 on 981108-0105.Noncited violation identified.Major areas inspected:license operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/05. 22pp. A2252:097-A2252:118.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200121 Monthly operating rept for Jan 1998 for Fermi 2.W/980209 ltr.
GILES,H.B., PETERSON,N.K. Detroit Edison Co. 98/01/31. 4pp. A2320:001-A2320:004.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9802030034 Forwards omitted page of insp rept 50-344/97-05.
SPITZBERG,D.B. Region 4 (Post 820201). 98/01/23. QUENNOZ,S.M. Portland General Electric Co. 3pp. A1985:184-A1985:206.

--9802030037 Forwards insp rept 50-344/97-05 on 971201-03 & notice of violation.Areas reviewed as part of insp included;SFP TS compliance,cold weather preparations,results of 1997 emergency exercise & followup on notification to NRC.
SCARANO,R.A. Region 4 (Post 820201). 98/01/15. QUENNOZ,S.M. Portland General Electric Co. 5pp. A1985:187-A1985:191.

--9802030039 Insp rept 50-344/97-05 on 971201-03.Violations noted.Major areas inspected:status of dismantlement activities,changes to util emergency exercise plan implementing procedures & decommissioning.
* Region 4 (Post 820201). 98/01/23. 13pp. A1985:194-A1985:206.

9802050195 Ack receipt of 980105 ltr,which transmitted changes to, rev 47 for Trojan Nuclear Plant Security.No NRC approval is required IAW 10CFR50.54(p),based on determination that changes do not decrease effectiveness of plant.
SCARANO,R.A. Region 4 (Post 820201). 98/01/28. QUENNOZ,S.M. Portland General Electric Co. 4pp. A2087:056-A2087:059.

9802050339 Forwards exemption & application for amend to license NPF-1, deleting security plan requirements of 10CFR50.54(p) & part 73 for plant after spent nuclear fuel is moved to proposed ISFSI area.W/Certificate of Svc.
QUENNOZ,S.M. Portland General Electric Co. 98/01/29. Document Control Branch (Document Control Desk). 4pp. A2149:305-A2149:321.

--9802050343 Application for amends to license NPF-1,deleting security plan requirements of 10CFR50.54(p) & part 73 for Trojan Plant after spent nuclear fuel is moved to proposed ISFSI area.
* Portland General Electric Co. 98/01/29. 11pp. A2149:309-A2149:319.

--9802050347 Proposed tech specs pages,deleting security plan requirements of 10CFR50.54(p) & part 73 for Trojan Plant after spent nuclear fuel is moved to proposed ISFSI area.
* Portland General Electric Co. 98/01/29. 2pp. A2149:320-A2149:321.

9802240149 Informs of 980209 meeting w/POGE in Region IV to discuss proposed changes to security provisions for protected area at plant.List of attendees & handouts provided by util encl.
SCARANO,R.A. Region 4 (Post 820201). 98/02/18. QUENNOZ,S.M. Portland General Electric Co. 21pp. A2287:017-A2287:037.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802030034 Forwards omitted page of insp rept 50-344/97-05.
SPITZBERG,D.B. Region 4 (Post 820201). 98/01/23. QUENNOZ,S.M. Portland General Electric Co. 3pp. A1985:184-A1985:206.

--9802030037 Forwards insp rept 50-344/97-05 on 971201-03 & notice of violation.Areas reviewed as part of insp included;SFP TS compliance,cold weather preparations,results of 1997 emergency exercise & followup on notification to NRC.
SCARANO,R.A. Region 4 (Post 820201). 98/01/15. QUENNOZ,S.M. Portland General Electric Co. 5pp. A1985:187-A1985:191.

--9802030038 Notice of violation from insp on 971201-03.Violation noted: licensee failed to ensure adequate survey of certain contaminated tools.
* Region 4 (Post 820201). 98/01/15. 2pp. A1985:192-A1985:193.

--9802030039 Insp rept 50-344/97-05 on 971201-03.Violations noted.Major areas inspected:status of dismantlement activities,changes to util emergency exercise plan implementing procedures & decommissioning.
* Region 4 (Post 820201). 98/01/23. 13pp. A1985:194-A1985:206.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240150 Documents extension for submittal of Portland General Electric Co response to NOV 50-344/97-05 which was transmitted to util w/NRC insp rept 50-344/97-05.
QUENNOZ,S.M. Portland General Electric Co. 98/02/17. Document Control Branch (Document Control Desk). 1p. A2333:342-A2333:342.

9802230076 Grants request for extension of response to NOV in insp rept 50-344/97-05.New response deadline 980317.
SPITZBERG,D.B. Region 4 (Post 820201). 98/02/18. QUENNOZ,S.M. Portland General Electric Co. 3pp. A2268:112-A2268:114.

R. Periodic operating reports & related correspondence

9802190145 Forwards fitness for duty performance data rept for period Jul-Dec 1997.
QUENNOZ,S.M. Portland General Electric Co. 98/02/11. Document Control Branch (Document Control Desk). 4pp. A2253:352-A2253:355.

W. Decommissioning Stage Documents & Correspondence

9802040122 Requests approval of staff approach for resolving issues re waste classification of plant RV.
CALLAN,L.J. Ofc of the Executive Director for Operations. SECY-97-244. 97/10/21. 67pp. A2009:190-A2009:256.

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040186 Commission voting record on SECY-97-244 re waste classification of Trojan reactor vessel.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. 2pp. A1987:090-A1987:108.

--9802040189 Notation vote w/comments approving SECY-97-244 re waste classification of Trojan reactor vessel.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/04. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A1987:092-A1987:096.

--9802040196 Notation vote w/comments approving SECY-97-244 re waste classification of Trojan reactor vessel.
DICUS,G.J. Commissioners (Post 750119). 97/11/03. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1987:097-A1987:099.

--9802040200 Notation vote w/comments approving SECY-97-244 re waste classification of Trojan reactor vessel.
DIAZ,N.J. Commissioners (Post 750119). 97/11/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1987:100-A1987:100.

--9802040211 Notation vote w/comments approving SECY-97-244 waste classification of Trojan reactor vessel.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/11/05. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1987:101-A1987:103.

--9802040217 Submits addl views on proposal to dispose of Trojan reactor vessel,per SECY-97-244.
MCGAFFIGAN,E., DIAZ,N.J. Commissioners (Post 750119). 98/01/20. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1987:104-A1987:108.

9802040229 Staff requirements memo re SECY-97-244, "Waste Classification of Plant Reactor Vessel."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. CALLAN,L.J. Ofc of the Executive Director for Operations. 3pp. A2000:358-A2000:360.

9802050339 Forwards exemption & application for amend to license NPF-1, deleting security plan requirements of 10CFR50.54(p) & part 73 for plant after spent nuclear fuel is moved to proposed ISFSI area.W/Certificate of Svc.
QUENNOZ,S.M. Portland General Electric Co. 98/01/29. Document Control Branch (Document Control Desk). 4pp. A2149:305-A2149:321.

--9802050343 Application for amends to license NPF-1,deleting security plan requirements of 10CFR50.54(p) & part 73 for Trojan Plant after spent nuclear fuel is moved to proposed ISFSI area.
* Portland General Electric Co. 98/01/29. 11pp. A2149:309-A2149:319.

--9802050347 Proposed tech specs pages,deleting security plan requirements of 10CFR50.54(p) & part 73 for Trojan Plant after spent nuclear fuel is moved to proposed ISFSI area.
* Portland General Electric Co. 98/01/29. 2pp. A2149:320-A2149:321.

9802270321 Requests that staff ask US Ecology,in coordination w/Portland General Electric Co,to perform comprehensive & defensible pathways analysis to demonstrate suitability of proposed wastes for disposal at Hanford disposal site.
BANGART,R.L. Office of State Programs (Post 911117). 98/01/30. ERICKSON,J.L. Washington, State of. 7pp. A2396:004-A2396:067.

9802270091 Forwards Rev 4 to PGE-1061, "Trojan Nuclear Plant Decommissioning Plan." Changes add provisions for proposed option to remove reactor vessel & internals as single entity.Organization changes to Section 2 reflect purchasing.
QUENNOZ,S.M. Portland General Electric Co. 98/02/23. Document Control Branch (Document Control Desk). 12pp. A2420:030-A2420:164.

--9802270097 "Trojan Nuclear Plant Decommissioning Plan."
* Portland General Electric Co. PGE-1061 R04. 98/02/28. 122pp. A2420:043-A2420:164.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802050339 Forwards exemption & application for amend to license NPF-1, deleting security plan requirements of 10CFR50.54(p) & part 73 for plant after spent nuclear fuel is moved to proposed ISFSI area.W/Certificate of Svc.
QUENNOZ,S.M. Portland General Electric Co. 98/01/29. Document Control Branch (Document Control Desk). 4pp. A2149:305-A2149:321.

--9802050343 Application for amends to license NPF-1,deleting security plan requirements of 10CFR50.54(p) & part 73 for Trojan Plant after spent nuclear fuel is moved to proposed ISFSI area.
* Portland General Electric Co. 98/01/29. 11pp. A2149:309-A2149:319.

--9802050347 Proposed tech specs pages,deleting security plan requirements of 10CFR50.54(p) & part 73 for Trojan Plant after spent nuclear fuel is moved to proposed ISFSI area.
* Portland General Electric Co. 98/01/29. 2pp. A2149:320-A2149:321.

9802120188 Returns responses to 970731 RAI-2 re 960326 application for Trojan ISFSI,due to overall poor quality.Proprietary documents are being returned under separate cover as required affidavits were not provided.
REID,D.G. Office of Nuclear Material Safety & Safeguards. 98/02/09. QUENNOZ,S.M. Portland General Electric Co. 2pp. A2216:274-A2216:275.

9802190200 Requests exemption from requirements of 10CFR72.82(e) re ISFSI preoperational test rept.Exemption is requested so that fuel loading operations may proceed during interim period.
QUENNOZ,S.M. Portland General Electric Co. 98/02/10. Document Control Branch (Document Control Desk). 8pp. A2258:191-A2258:198.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802030103 Forwards environ assessment & finding of no significant impact re 971118 request for exemption from requirements of 10CFR50,App R,Section III.0 concerning oil collection sys for reactor coolant pumps for Unit 1.
HANSEN,A.G. . 98/01/26. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 4pp. A1985:307-A1985:314.

--9802030109 Environ assessment & finding of no significant impact supporting util 971118 request for exemption from requirements of 10CFR50,App R,Section III.0 re oil collection sys for reactor coolant pumps for Unit 1.
SAVIO,R.P. . 98/01/26. 4pp. A1985:311-A1985:314.

9802060058 Forwards exemption for Davis-Besse Nuclear Power Station, Unit 1,from certain requirements of 10CFR50,App R,Section III.O,re oil collection systems for reactor coolant pumps & safety evaluation.
HANSEN,A.G. . 98/01/30. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 4pp. A2027:255-A2027:270.

--9802060063 Exemption from requirements of 10CFR50,App R,Section III.O, to extent that RCP lub oil fill lines required to be protected w/collection system.
COLLINS,S.J. . 98/01/30. Toledo Edison Co. 6pp. A2027:259-A2027:264.

--9802060067 SER related to exemption from section III.O of App R,to 10CFR50,for Davis-Besse Nuclear Power Station,Unit 1.
* . 98/01/30. 6pp. A2027:265-A2027:270.

9802170118 Rev 1,Change 1 to RA-EP-02320, "Emergency Technical Assessment."
* Centerior Energy. 98/01/30. 53pp. A2218:242-A2218:294.

9802170160 Revised EPIPs Vol B manual table of contents.
* Centerior Energy. 98/02/03. 3pp. A2231:357-A2231:359.

I. Financial information

9802020256 Provides written confirmation of util electronic transfer to NRC on 971223 for Invoice Number AR0168-98 in amount of $744,500 for second quarter FY98 annual fee for plant.
WOOD,J.K. Centerior Energy. 98/01/21. Ofc of the Executive Director for Operations. 1p. A2015:230-A2015:230.

P. Operating license stage documents & correspondence

9802090141 Rev 3 to DB-OP-00000, "Conduct of Operations."
WISE,S. Toledo Edison Co. 95/09/09. 6pp. A2164:329-A2164:334.

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050319 Comment opposing draft RG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items For Use in NPPs." RG unnecessary based on use of EPRI guideline & excellent past history of commercial grade items at DBNPS.
DONNELLON,R.E. Affiliation Not Assigned. 98/01/22. Rules & Directives Review Branch (Post 920323). 3pp. A2038:235-A2038:237.

9802030103 Forwards environ assessment & finding of no significant impact re 971118 request for exemption from requirements of 10CFR50,App R,Section III.O concerning oil collection sys for reactor coolant pumps for Unit 1.
HANSEN,A.G. . 98/01/26. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 4pp. A1985:307-A1985:314.

–9802030109 Environ assessment & finding of no significant impact supporting util 971118 request for exemption from requirements of 10CFR50,App R,Section III.O re oil collection sys for reactor coolant pumps for Unit 1.
SAVIO,R.P. . 98/01/26. 4pp. A1985:311-A1985:314.

9802040313 Forwards rev 1 to "Davis Besse Unit 1,Cycle 11 COLR," revising Section 1.0 to ref operating cycle licensed length & replaces Figure 5 w/revised figure.
WOOD,J.K. Centerior Energy. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2031:257-A2031:281.

–9802040316 Rev 1 to "Davis-Besse Unit 1,Cycle 11,COLR."
* Centerior Energy. 98/01/26. 24pp. A2031:258-A2031:281.

9802060058 Forwards exemption for Davis-Besse Nuclear Power Station, Unit 1,from certain requirements of 10CFR50,App R,Section III.O,re oil collection systems for reactor coolant pumps & safety evaluation.
HANSEN,A.G. . 98/01/30. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 4pp. A2027:255-A2027:270.

–9802060063 Exemption from requirements of 10CFR50,App R,Section III.O, to extent that RCP lub oil fill lines required to be protected w/collection system.
COLLINS,S.J. . 98/01/30. Toledo Edison Co. 6pp. A2027:259-A2027:264.

–9802060067 SER related to exemption from section III.O of App R,to 10CFR50,for Davis-Besse Nuclear Power Station,Unit 1.
* . 98/01/30. 6pp. A2027:265-A2027:270.

9802120285 Forwards amend 219 to license NPF-3,safety evaluation & notice of partial denial of amend license.Amend revises TS Section 3/4.8.1, "AC Sources," TS Table 4.8.1, "Battery Surveillance Requirements," & associated bases.
HANSEN,A.G. . 98/02/03. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 3pp. A2154:033-A2154:062.

–9802120290 Amend 219 to license NPF-3,revising TS Sections 3/4.8.1, "AC Sources," TS Section 3/4.8.2, "Onsite Power Distribution Sys," TS Table 4.8.1, "Battery Surveillance Requirements," & associated bases.
HANSEN,A.G. . 98/02/03. 7pp. A2154:036-A2154:042.

–9802120294 Safety evaluation supporting amend 219 to license NPF-3.
* . 98/02/03. 15pp. A2154:043-A2154:057.

–9802120296 Notice of partial denial of amend 219 to license NPF-3. Proposed changes to listed TSs were denied in part.Proposed changes to TS 4.8.2.3.2.e was denied.
HANSEN,A.G. . 98/02/03. 3pp. A2154:058-A2154:062.

9802240066 Responds to 971103 request that NRC staff provide interpretation of schedule requirements for TS surveillance tests conducted on staggered test basis at DBNPS.
SAVIO,R.P. . 98/02/04. WOOD,J.K. Toledo Edison Co. 6pp. A2287:288-A2287:297.

9802230165 Provides proposed reduction-in-commitment changes to Unit 1, USAR Chapter 17.2, "QA During Operating Phase" & plant commitments previously made to NRC in response to NRC notice of violation.
WOOD,J.K. Centerior Energy. 98/02/16. Document Control Branch (Document Control Desk). 5pp. A2329:275-A2329:291.

–9802230167 USAR Section 17.2, "QA During Operations Phase" content affected by proposed change.
* Centerior Energy. 96/12/31. 12pp. A2329:280-A2329:291.

9802250118 Informs that plant has fulfilled commitment to implement severe accident mgt program as of 971219,including listed elements.
WOOD,J.K. Centerior Energy. 98/02/17. Document Control Branch (Document Control Desk). 2pp. A2360:311-A2360:312.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040012 Forwards insp rept 50-346/97-15 on 971110-980107.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 98/01/28. WOOD,J.K. Centerior Service Co. 5pp. A1998:001-A1998:021.

–9802040016 Insp rept 50-346/97-15 on 971110-980107.No violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 3 (Post 820201). 98/01/28. 16pp. A1998:006-A1998:021.

9802060034 Informs that NRC reviewed response to NRC Bulletin 96-04 for NUHOMS-24P SF storage sys used at DBNPS & found response acceptable.Confirms that licensee will revise cask loading & unloading procedures to incorporate controls.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 98/02/02. WOOD,J.K. Toledo Edison Co. 3pp. A2027:274-A2027:276.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 3pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802260147 Discusses exercise of enforcement discretion re insp rept 50-349/96-14 on 970225.As result of insp,NOV was issued for failure to meet requirements of 10CFR70.24.Ofc of Enforcement authorized to withdraw NOV.
BEACH,A.B. Region 3 (Post 820201). 98/02/11. WOOD,J.K. Centerior Service Co. 4pp. A2337:148-A2337:151.

9802230165 Provides proposed reduction-in-commitment changes to Unit 1, USAR Chapter 17.2, "QA During Operating Phase" & plant commitments previously made to NRC in response to NRC notice of violation.
WOOD,J.K. Centerior Energy. 98/02/16. Document Control Branch (Document Control Desk). 5pp. A2329:275-A2329:291.

–9802230167 USAR Section 17.2, "QA During Operations Phase" content affected by proposed change.
* Centerior Energy. 96/12/31. 12pp. A2329:280-A2329:291.

R. Periodic operating reports & related correspondence

9802130107 Forwards annual 10CFR72.48 summary rept of facility changes, tests & experiments for facility for period 970101-1231. W/o encl.
WOOD,J.K. Centerior Energy. 98/01/22. BEACH,A.B. Region 3 (Post 820201). 1p. A2231:135-A2231:135.

9802170065 Monthly operating rept for Jan 1998 for Davis-Besse Nuclear Power Station,Unit 1.W/980212 ltr.
MATRANGA,E.C., LASH,J.H. Centerior Energy. 98/01/31. 3pp. A2234:338-A2234:340.

9802240169 Forwards semiannual FFD report for period of Jul-Dec 1997 for Davis-Besse Nuclear Power Station,Unit 1.
WOOD,J.K. Centerior Energy. 98/02/18. Document Control Branch (Document Control Desk). 4pp. A2350:316-A2350:319.

S. Reportable occurrences, LERs & related correspondence

9802200069 LER 97-009-02:on 970331,setpoints specified in Table 3.3-4 were not verified during monthly test.Caused by failure to comprehend requirements for monthly testing.Sequence logic channels testing was initiated on discovery.W/980206 ltr.
WOLF,G.M., LASH,J.H. Centerior Energy. 98/02/06. 7pp. A2289:011-A2289:017.

9802250075 Forwards rev 9 to LER 97-008,submitted to provide addl info re event which occurred on 970318.Changes marked w/rev bar in margin.
LASH,J.H. Centerior Energy. 98/02/18. Document Control Branch (Document Control Desk). 1p. A2344:242-A2344:268.

–9802250091 LER 97-008-09:on 970318,inadequate testing of safety related logic was noted.Caused by surveillance test review was not technically detailed enough.Eighteen month surveillance test was performed & completed w/no equipment deficiencies.
WOLF,G.M. Centerior Energy. 98/02/18. 26pp. A2344:243-A2344:268.

V. Operator Examinations

9802240242 Forwards revised medical certifications for CA Gillig & CS Strumsky.Details re medical conditions considered confidential & available onsite for NRC review.Details withheld.
WOOD,J.K. Centerior Energy. 98/02/13. BEACH,A.B. Region 3 (Post 820201). 2pp. A2355:328-A2355:329.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802130107 Forwards annual 10CFR72.48 summary rept of facility changes, tests & experiments for facility for period 970101-1231. W/o encl.
WOOD,J.K. Centerior Energy. 98/01/22. BEACH,A.B. Region 3 (Post 820201). 1p. A2231:135-A2231:135.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802040270 Responds to NRC 971218 ltr concerning rejection of denial re violations in insp rept 50-348/97-10.Corrective actions:util established hourly fire watch for Room 160 in Oct 1996 & watch will remain in place until issue resolved.
MOREY,D. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 4pp. A2031:347-A2031:350.

9802180101 Forwards revised exemption request,clarifying that 3-sided, single 1-inch layer Kaowool wrap exists on specific charging pump train B raceways,in response to violation A of NRC insp repts 50-348/97-10 & 50-364/94-10.
MOREY,D. Southern Nuclear Operating Co. 98/02/06. Document Control Branch (Document Control Desk). 35pp. A2242:307-A2242:341.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040136 Forwards amends 133 & 125 to licenses NPF-02 & NPF-08, respectively,& safety evaluation.Amends change plant TS to incorporate requirements necessary to change basis for prevention of criticality in FSP.
ZIMMERMAN,J.I. . 98/01/23. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2000:285-A2000:332.

--9802040150 Amends 133 & 125 to licenses NPF-02 & NPF-08,respectively, changing plant TS to incorporate requirements necessary to change basis for prevention of criticality in FSP.
BERKOW,H.N. . 98/01/23. 35pp. A2000:288-A2000:322.

--9802040156 Safety evaluation supporting amends 133 & 125 to licenses NPF-02 & NPF-08,respectively.
* . 98/01/23. 10pp. A2000:323-A2000:332.

9802060194 Submits response to request for addl info re power uprate facility operating licenses & Tech Specs change request.
MOREY,D. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 20pp. A2135:311-A2135:330.

9802040115 Advises that info contained in 970211 affidavit & 970210 application (CAW-97-1077) will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103 of AEA of 1954,as amended.
ZIMMERMAN,J.I. . 98/01/26. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A2004:353-A2004:356.

9802060031 Comment on draft NUREG 1555, "Updated Environ Standard Review Plan."
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/30. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. A2038:270-A2038:273.

9802090042 Notifies staff of intention to maintain present setpoint for ATWS mitigating sys actuation circuitry (AMSAC) C-20 permissive,in response to concerns raised by Westinghouse PWR staff re acceptability of subj setpoint.
MOREY,D. Southern Nuclear Operating Co. 98/02/02. Document Control Branch (Document Control Desk). 2pp. A2160:279-A2160:280.

9802130014 Informs of NRC Region II mgt changes effective on 980215. Revised organization chart encl.
SKINNER,P.H. Region 2 (Post 820201). 98/02/05. HAIRSTON,W.G. Southern Nuclear Operating Co. 4pp. A2164:019-A2164:022.

9802240210 Forwards RAI re plant,Unit 2 1996 alternate repair criteria 90 day rept.TSs will implement GL 95-05, "Voltage-Based Repair Criteria for Westinghouse SG Tubes Affected by Outside Diameter Stress Corrosion Cracking."
ZIMMERMAN,J.I. . 98/02/05. MOREY,D.N. Southern Nuclear Operating Co. 5pp. A2337:258-A2337:262.

9802240286 Forwards amends 135 & 127 to licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends change TS revising number of allowable charging pumps capable of injecting into RCS when temp of cold legs equal to or less than 180F.
ZIMMERMAN,J.I. . 98/02/05. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2325:158-A2325:175.

--9802240290 Amends 135 & 127 to licenses NPF-2 & NPF-8,respectively, changing number of allowable charging pumps capable of injecting into RCS when temp of one or more cold legs equal to or less than 180F.
BERKOW,H.N. . 98/02/05. 12pp. A2325:161-A2325:172.

--9802240293 Safety evaluation supporting amends 135 & 127 to licenses NPF-2 & NPF-8,respectively.
* . 98/02/05. 3pp. A2325:173-A2325:175.

9802240409 Forwards amends 134 & 126 to licenses NPF-2 & NPF-8, respectively & SER.Amends change TS 3.9.13 by adding footnote to clarify required electrical power sources for penetration room filtration sys when aligned to SFP room.
ZIMMERMAN,J.I. . 98/02/05. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2282:322-A2282:338.

--9802240412 Amends 134 & 126 to licenses NPF-2 & NPF-8,respectively, change TS 3.9.13 by adding footnote to clarify required electrical power sources for penetration room filtration sys when aligned to SFP room during refueling operations.
BERKOW,H.N. . 98/02/05. 10pp. A2282:325-A2282:334.

--9802240414 Safety evaluation supporting amends 134 & 126 to licenses NPF-2 & NPF-8,respectively.
* . 98/02/05. 4pp. A2282:335-A2282:338.

9802170061 *Withdraws 970307 request re use of smaller diameter bobbin probe,in re*sponse to NRC 980109 RAI.Benefits of proposal do not warrant addl expenditure of resources to respond to NRC questions.
MOREY,D. Southern Nuclear Operating Co. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2231:346-A2231:346.

9802240325 *Ack receipt of 10CFR50.54(a) submittal dtd 971215,re proposed changes* to QAP description.
ZIMMERMAN,J.I. . 98/02/11. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2283:053-A2283:055.

9802190131 Forwards responses to questions raised during 980109,29 & 980202 tel*cons re power uprate facility OLs & TS change request.*
MOREY,D. Southern Nuclear Operating Co. 98/02/12. Document Control Branch (Document Control Desk). 11pp. A2244:315-A2244:330.

--9802190132 Revised proposed changes to TS page 6-19a for power uprate.
* Southern Nuclear Operating Co. 98/02/12. 5pp. A2244:326-A2244:330.

9802200061 Forwards response to request for addl info re relocation of RCS pressure-temp limits from TS to pressure temp limits rept,per GL 96-03.
MOREY,D. Southern Nuclear Operating Co. 98/02/12. Document Control Branch (Document Control Desk). 6pp. A2290:077-A2290:127.

--9802200067 Proposed tech specs re pressure temp limits rept.
* Southern Nuclear Operating Co. 98/02/12. 45pp. A2290:083-A2290:127.

9802270169 Forwards notice of consideration of issuance of amends to licenses NPR-2 & NPF-8.Proposed amends would revise TS by relocating RCS presure & temperature limits from TSs to proposed pressure temperature limits rept IAW GL 96-03.
ZIMMERMAN,J.I. . 98/02/18. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2352:176-A2352:187.

--9802270177 Notice of consideration of issuance of amends to licenses NPF-2 & NPF-8 & proposed NSHC determination & opportunity for hearing.Amends revises TSs by relocating RCS pressure & temperature limits from TS to proposed pressure temp rept.
ZIMMERMAN,J.I. . 98/02/18. 9pp. A2352:179-A2352:187.

9802250265 Forwards tabulation of personnel radiation exposures by work & job function received during 1997.
MOREY,D. Southern Nuclear Operating Co. 98/02/20. Document Control Branch (Document Control Desk). 3pp. A2368:344-A2368:345.

9802250016 Forwards order prohibiting involvement in NRC licensed activities,effective immediately.Order being issued due to deliberate misconduct in violation of 100CFR50.5 of Commission regulations.
THADANI,A.C. Office of Nuclear Regulatory Research (Post 941217). 98/02/23. MCGRIFF,J.H. Affiliation Not Assigned. 2pp. A2326:016-A2326:026.

--9802250021 Order Prohibiting Involvement in NRC Licensed Activities (effective immediately).Requires that McGriff be prohibited from any involvement in NRC-licensed activities for period of 3 yrs from date of dismissal from SNC on 970305.
THADANI,A.C. . 98/02/23. Affiliation Not Assigned. 9pp. A2326:018-A2326:026.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040270 Responds to NRC 971218 ltr concerning rejection of denial re violations in insp rept 50-348/97-10.Corrective actions:util established hourly fire watch for Room 160 in Oct 1996 & watch will remain in place until issue resolved.
MOREY,D. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 4pp. A2031:347-A2031:350.

9802040281 Responds to NRC 971219 ltr re violations noted in insp repts 50-348/97-14 & 50-364/97-14.Corrective actions:repair of missing seal between MSVR & containment wall on Unit 2 was completed on 970421.
MOREY,D. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 8pp. A2031:230-A2031:237.

9802100001 Ack receipt of 980123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/97-10 & 50-364/97-10.
SKINNER,P.H. Region 2 (Post 820201). 98/01/29. MOREY,D.N. Southern Nuclear Operating Co. 2pp. A2093:038-A2093:039.

9802100005 Ack receipt of 980123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/97-17 & 50-364/97-14.
SKINNER,P.H. Region 2 (Post 820201). 98/01/29. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2093:057-A2093:059.

9802180101 Forwards revised exemption request,clarifying that 3-sided, single 1-inch layer Kaowool wrap exists on specific charging pump train B raceways,in response to violation A of NRC insp repts 50-348/97-10 & 50-364/94-10.
MOREY,D. Southern Nuclear Operating Co. 98/02/06. Document Control Branch (Document Control Desk). 35pp. A2242:307-A2242:341.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802260238 Forwards RAI re inservice insp program plan & associated requests for relief for plant,units 1 & 2.
ZIMMERMAN,J.I. . 98/02/12. MOREY,D.N. Southern Nuclear Operating Co. 9pp. A2366:263-A2366:271.

R. Periodic operating reports & related correspondence

9802200125 *Monthly operating repts for Jan 1998 for JM Farley Nuclear Plant,Units 1 &* 2.W/980210 ltr.
MCANULTY,M.W., MOREY,D. Southern Nuclear Operating Co. 98/01/31. 5pp. A2320:060-A2320:064.

9802250332 Forwards fitness for duty performance data for six-month reporting period,Jul-Dec 1997,*as required by* 10CFR26.71(d).
MOREY,D.N. Southern Nuclear Operating Co. 98/02/20. Document Control Branch (Document Control Desk). 5pp. A2360:343-A2360:347.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802060047 Forwards copy of "Environ Assessment & Finding of No Significant Impact," re 971223 application which requested exemption from certain requirements of 10CFR70.24 for LGS, Unit 1.
BUCKLEY,B.C. . 98/01/23. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2037:027-A2037:033.

--9802060059 Environ assessment & finding of no significant impact re issuance of exemption from certain requirements of 10CFR20.24(a) for LGS,Unit 1.
BUCKLEY,B.C. . 98/01/23. 4pp. A2037:030-A2037:033.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050311 Forwards amend 124 to license NPF-39 & safety evaluation. Amend allows operation of control rod 50-27,uncoupled from drive,for remainder of Cycle 7.
BUCKLEY,B.C. . 98/01/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2012:211-A2012:223.

--9802050315 Amend 124 to license NPF-39,allowing operation of control rod 50-27,uncoupled from drive,for remainder of Cycle 7.
STOLZ,J.F. . 98/01/16. 4pp. A2012:214-A2012:218.

--9802050317 Safety evaluation supporting amend 124 to license NPF-57.
* . 98/01/16. 5pp. A2012:219-A2012:223.

9802060014 Forwards "Notice of Consideration of Issuance of Amend to Facility Operating License & Opportunity for Hearing." Amends allow installation of replacement suction strainers for ECCS at LGS,Units 1 & 2.
BUCKLEY,B.C. . 98/01/23. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2027:248-A2027:254.

--9802060019 Notice of consideration of issuance of amends to licenses NPF-39 & NPF-85 & proposed NSHC determination & opportunity for hearing on 980123 request re installation of replacement suction strainers for ECCS at LGS,Units 1 & 2.
STOLZ,J.F. . 98/01/23. 4pp. A2027:251-A2027:254.

9802060047 Forwards copy of "Environ Assessment & Finding of No Significant Impact," re 971223 application which requested exemption from certain requirements of 10CFR70.24 for LGS, Unit 1.
BUCKLEY,B.C. . 98/01/23. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2037:027-A2037:033.

--9802060059 Environ assessment & finding of no significant impact re issuance of exemption from certain requirements of 10CFR20.24(a) for LGS,Unit 1.
BUCKLEY,B.C. . 98/01/23. 4pp. A2037:030-A2037:033.

9802040342 Application for amends to licenses NPF-39 & NPF-85,removing maximum isolation time for HPCI turbine exhaust containment isolation valve "HV-055-1(2)F072" from TS.Change request 98-01-0 & marked-up TS encl.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/27. Document Control Branch (Document Control Desk). 9pp. A2031:293-A2031:306.

--9802040343 Proposed tech specs pages,removing maximum isolation time for HPCI turbine exhaust containment isolation valve "HV-055-1(2)F072" from TS.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/27. 5pp. A2031:302-A2031:306.

9802060007 Forwards rev 3 of COLR for LGS,Unit 1 Cycle 7,Reload 6 which provides cycle-specific parameter limits for MAPLHGR,MCPR, ARTS MCPR thermal limit adjustments & multipliers,ARTS MAPLHGR thermal limit multipliers & RBM data.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2149:335-A2149:359.

--9802060008 Rev 3 to "COLR for LGS Unit 1 Reload 6,Cycle 7."
HOFFMAN,C.K., MCHALE,J.L., CARMODY,J.M. PECO Energy Co., (formerly Philadelphia Electric Co.). PECO-COLR-L1R6 R03. 98/01/06. 23pp. A2149:337-A2149:359.

9802230291 Forwards exemption from requirements of 10CFR70.24 re criticality monitors for Limerick Generating Station,Unit 1.
BUCKLEY,B.C. . 98/01/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2280:115-A2280:123.

--9802230293 Exemption from requirements of 10CFR70.24 for Limerick Generating Station,Unit 1.
COLLINS,S.J. . 98/01/30. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. A2280:118-A2280:123.

9802100042 Responds to NRC 971230 RAI re 971006 proposed license amend, implementing mod to install new suction strainers on certain ECCS pump suction lines.Revised calculations M-51-62 & M-52-31,encl.AB suppl affidavit also encl.
COTTON,J.B. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/02. Document Control Branch (Document Control Desk). 10pp. A2166:038-A2166:108.

--9802100043 Rev 4 to M-51-62, "NPSH Analysis Residual Heat Removal Sys."
* PECO Energy Co., (formerly Philadelphia Electric Co.). M-51-62 R04. 98/01/15. 40pp. A2166:048-A2166:087.

--9802100044 Rev 4 to M-52-31, "NPSH Analysis Core Spray Sys."
* PECO Energy Co., (formerly Philadelphia Electric Co.). M-52-31 R04. 98/01/15. 21pp. A2166:088-A2166:108.

9802240081 Forwards SE accepting licensee 970725 request re replacement of main turbine rotor,extension of turbine rotor insp intervals & valve testing frequencies.
BUCKLEY,B.C. . 98/02/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2282:314-A2282:321.

--9802240087 Safety evaluation accepting LGS,Units 1 & 2 main turbine rotor replacement,extension of turbine rotor insp intervals & valve testing frequencies.
* . 98/02/03. 5pp. A2282:317-A2282:321.

9802120057 Forwards non-proprietary documentation & proprietary Siemens Power Corp rept, "Theoretical Bases..." supporting replacement of main turbine rotors.Proprietary Siemens rept withheld per 10CFR2.790(a)(1)(i)(4).
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/04. Document Control Branch (Document Control Desk). 23pp. A2215:225-A2215:304.

--9802120061 Non-proprietary version of rev 1 to ER-9605NP, "Missile Probability Analysis Methodology for Limerick Generating Station,Units 1 & 2,w/Siemens Retrofit Turbines."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. ER 9605NP R01. 98/01/23. 57pp. A2215:248-A2215:304.

9802240280 Forwards SE authorizing use of Code Case N-516-1 as proposed in util 970718 ltr.
STOLZ,J.F. . 98/02/04. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2325:152-A2325:157.

--9802240285 Safety evaluation accepting alternative to ASME code section XI requirements to use Code Case N-516-1 for underwater welding.
* . 98/02/04. 3pp. A2325:155-A2325:157.

9802200420 Documents 980204 meeting re regulatory requirements for monitoring total suspended solids as contained in facilities NPDES Permit PA0051926.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/09. POLLISON,D.P. New Jersey, State of. 3pp. A2320:079-A2320:081.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802120256 Forwards summary of ISI interval ISI program request for relief from certain ASME code requirements,list of ASME Code Cases & result of util review of current ASME Section XI Bases describes in first & second insp interval ISI program.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/30. Document Control Branch (Document Control Desk). 48pp. A2213:313-A2213:360.

9802240081 Forwards SE accepting licensee 970725 request re replacement of main turbine rotor,extension of turbine rotor insp intervals & valve testing frequencies.
BUCKLEY,B.C. . 98/02/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2282:314-A2282:321.

--9802240087 Safety evaluation accepting LGS,Units 1 & 2 main turbine rotor replacement,extension of turbine rotor insp intervals & valve testing frequencies.
* . 98/02/03. 5pp. A2282:317-A2282:321.

9802200029 Forwards exam repts 50-352/98-01 & 50-353/98-01 on 980120- 23.No violations noted.Exams addressed areas important to public health & safety.
CONTE,R.J. Region 1 (Post 820201). 98/02/05. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2251:026-A2251:129.

--9802200034 Exam repts 50-352/98-01 & 50-353/98-01 on 980120-23.No violations noted.Exam results:two RO,two SROU & four SRO candidates were administered initial licensing exams. Everyone passed all portions of exam.
* Region 1 (Post 820201). 98/02/05. 102pp. A2251:029-A2251:129.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200154 Monthly operating repts for Jan 1998 for Limerick Generating Station,Units 1 & 2.W/980213 ltr.
ANGUS,V.T., GRIMES,J.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/31. 7pp. A2320:212-A2320:218.

S. Reportable occurrences, LERs & related correspondence

9802270007 Forwards LER 98-001-00 re actuation occurred in response to removal of banana jack during RHRS troubleshooting.LER submitted,per requirements of 10CFR50.73(a)(2)(v).
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/23. Document Control Branch (Document Control Desk). 1p. A2366:148-A2366:152.

--9802270013 LER 98-001-00:on 980124,Unit 1 HPCI sys initiation occurred. Caused by less than adequate understanding for potential loss of grounding signal upon troubleshooting control form. Event will be reviewed by all work group personnel.
MOORE,T.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/23. 4pp. A2366:149-A2366:152.

V. Operator Examinations

9802200029 Forwards exam repts 50-352/98-01 & 50-353/98-01 on 980120- 23.No violations noted.Exams addressed areas important to public health & safety.
CONTE,R.J. Region 1 (Post 820201). 98/02/05. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2251:026-A2251:129.

--9802200034 Exam repts 50-352/98-01 & 50-353/98-01 on 980120-23.No violations noted.Exam results:two RO,two SROU & four SRO candidates were administered initial licensing exams. Everyone passed all portions of exam.
* Region 1 (Post 820201). 98/02/05. 102pp. A2251:029-A2251:129.

9802170155 Informs of individual exam results for applicants on initial exam conducted on 980116 & 20-23 at facility.All 8 applicants passed exam.Completed ES-501-2,power plant licensing exam results summary encl.
CONTE,R.J. Region 1 (Post 820201). 98/02/09. HOPKINS,L. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. A2170:353-A2170:354.

9802200366 Provides formal notification of change in status of license SOP-10927-1 for ST Gamble.License is no longer necessary due to permanent reassignment.
VON SUSKIL,J.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/11. Document Control Branch (Document Control Desk). 1p. A2319:229-A2319:229.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802060014 Forwards "Notice of Consideration of Issuance of Amend to Facility Operating License & Opportunity for Hearing." Amends allow installation of replacement suction strainers for ECCS at LGS,Units 1 & 2.
BUCKLEY,B.C. . 98/01/23. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2027:248-A2027:254.

--9802060019 Notice of consideration of issuance of amends to licenses NPF-39 & NPF-85 & proposed NSHC determination & opportunity for hearing on 980123 request re installation of replacement suction strainers for ECCS at LGS,Units 1 & 2.
STOLZ,J.F. . 98/01/23. 4pp. A2027:251-A2027:254.

9802040342 Application for amends to licenses NPF-39 & NPF-89,removing maximum isolation time for HPCI turbine exhaust containment isolation valve "HV-055-1(2)F072" from TS.Change request 98-01-0 & marked-up TS encl.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/27. Document Control Branch (Document Control Desk). 9pp. A2031:293-A2031:306.

--9802040343 Proposed tech specs pages,removing maximum isolation time for HPCI turbine exhaust containment isolation valve "HV-055-1(2)F072" from TS.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/27. 5pp. A2031:302-A2031:306.

9802100042 Responds to NRC 971230 RAI re 971006 proposed license amend, implementing mod to install new suction strainers on certain ECCS pump suction lines.Revised calculations M-51-62 & M-52-31,encl.AB suppl affidavit also encl.
COTTON,J.B. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/02. Document Control Branch (Document Control Desk). 10pp. A2166:038-A2166:108.

--9802100043 Rev 4 to M-51-62, "NPSH Analysis Residual Heat Removal Sys."
* PECO Energy Co., (formerly Philadelphia Electric Co.). M-51-62 R04. 98/01/15. 40pp. A2166:048-A2166:087.

--9802100044 Rev 4 to M-52-31, "NPSH Analysis Core Spray Sys."
* PECO Energy Co., (formerly Philadelphia Electric Co.). M-52-31 R04. 98/01/15. 21pp. A2166:088-A2166:108.

9802240081 Forwards SE accepting licensee 970725 request re replacement of main turbine rotor,extension of turbine rotor insp intervals & valve testing frequencies.
BUCKLEY,B.C. . 98/02/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2282:314-A2282:321.

--9802240087 Safety evaluation accepting LGS,Units 1 & 2 main turbine rotor replacement,extension of turbine rotor insp intervals & valve testing frequencies.
* . 98/02/03. 5pp. A2282:317-A2282:321.

9802120057 Forwards non-proprietary documentation & proprietary Siemens Power Corp rept, "Theoretical Bases..." supporting replacement of main turbine rotors.Proprietary Siemens rept withheld per 10CFR2.790(a)(1)(i)(4).
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/04. Document Control Branch (Document Control Desk). 23pp. A2215:225-A2215:304.

--9802120061 Non-proprietary version of rev 1 to ER-9605NP, "Missile Probability Analysis Methodology for Limerick Generating Station,Units 1 & 2,w/Siemens Retrofit Turbines."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. ER 9605NP R01. 98/01/23. 57pp. A2215:248-A2215:304.

9802240280 Forwards SE authorizing use of Code Case N-516-1 as proposed in util 970718 ltr.
STOLZ,J.F. . 98/02/04. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2325:152-A2325:157.

--9802240285 Safety evaluation accepting alternative to ASME code section XI requirements to use Code Case N-516-1 for underwater welding.
* . 98/02/04. 3pp. A2325:155-A2325:157.

9802200420 Documents 980204 meeting re regulatory requirements for monitoring total suspended solids as contained in facilities NPDES Permit PA0051926.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/09. POLLISON,D.P. New Jersey, State of. 3pp. A2320:079-A2320:081.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020263 Submits request to extend deferral period for implementation of ECCS suction strainer mod activities associated w/NRC Bulletin 96-003 from Dec 1998 until Apr 1999.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/20. Document Control Branch (Document Control Desk). 4pp. A1987:356-A1987:359.

9802120256 Forwards summary of ISI interval ISI program request for relief from certain ASME code requirements,list of ASME Code Cases & result of util review of current ASME Section XI Bases describes in first & second insp interval ISI program.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/30. Document Control Branch (Document Control Desk). 48pp. A2213:313-A2213:360.

9802240081 Forwards SE accepting licensee 970725 request re replacement of main turbine rotor,extension of turbine rotor insp intervals & valve testing frequencies.
BUCKLEY,B.C. . 98/02/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2282:314-A2282:321.

--9802240087 Safety evaluation accepting LGS,Units 1 & 2 main turbine rotor replacement,extension of turbine rotor insp intervals & valve testing frequencies.
* . 98/02/03. 5pp. A2282:317-A2282:321.

9802200029 Forwards exam repts 50-352/98-01 & 50-353/98-01 on 980120- 23.No violations noted.Exams addressed areas important to public health & safety.
CONTE,R.J. Region 1 (Post 820201). 98/02/05. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2251:026-A2251:129.

--9802200034 Exam repts 50-352/98-01 & 50-353/98-02 on 980120-23.No violations noted.Exam results:two RO,two SROU & four SRO candidates were administered initial licensing exams. Everyone passed all portions of exam.
* Region 1 (Post 820201). 98/02/05. 102pp. A2251:029-A2251:129.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200154 Monthly operating repts for Jan 1998 for Limerick Generating Station,Units 1 & 2.W/980213 ltr.
ANGUS,V.T., GRIMES,J.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/31. 7pp. A2320:212-A2320:218.

V. Operator Examinations

9802200029 Forwards exam repts 50-352/98-01 & 50-353/98-01 on 980120- 23.No violations noted.Exams addressed areas important to public health & safety.
CONTE,R.J. Region 1 (Post 820201). 98/02/05. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2251:026-A2251:129.

--9802200034 Exam repts 50-352/98-01 & 50-353/98-01 on 980120-23.No violations noted.Exam results:two RO,two SROU & four SRO candidates were administered initial licensing exams. Everyone passed all portions of exam.
* Region 1 (Post 820201). 98/02/05. 102pp. A2251:029-A2251:129.

9802170155 Informs of individual exam results for applicants on initial exam conducted on 980116 & 20-23 at facility.All 8 applicants passed exam.Completed ES-501-2,power plant licensing exam results summary encl.
CONTE,R.J. Region 1 (Post 820201). 98/02/09. HOPKINS,L. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. A2170:353-A2170:354.

9802200366 Provides formal notification of change in status of license SOP-10927-1 for ST Gamble.License is no longer necessary due to permanent reassignment.
VON SUSKIL,J.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/11. Document Control Branch (Document Control Desk). 1p. A2319:229-A2319:229.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802040454 Revised emergency plan,including rev 30 to table of contents,rev 5 to Section 1,rev 7 to Section 2,rev 5 to Section 6,rev 8 to Section 9,rev 5 to Section 10,rev 4 to Section 13 & rev 8 to Section 16.
* Public Service Electric & Gas Co. of New Jersey. 98/01/28. 143pp. A2033:034-A2033:176.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050376 Responds to request by Carey for statistics on allegations received by NRC re Salem & Hope Creek.
BAKER,E.T. . 98/01/29. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 11pp. A2010:343-A2010:353.

9802240088 Forwards QA program for Hope Creek & Salem Generating Stations,as documented in Section 17.2 of respective UFSARs, for NRC approval.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 98/02/13. Document Control Branch (Document Control Desk). 17pp. A2343:001-A2343:154.

-9802240094 Rev 16 to Section 17.2 to "QA During Operations Phase."
* Public Service Electric & Gas Co. of New Jersey. 98/01/31. 140pp. A2343:019-A2343:154.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802090197 Ack receipt of 971212 ltr informing NRC of steps taken to correct violations noted in insp rept 50-354/97-07 on 971113.C/As will be examined during future insp at Hope Creek.
LINVILLE,J.C. Region 1 (Post 820201). 98/02/03. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 3pp. A2042:301-A2042:310.

9802090203 Forwards insp rept 50-354/97-10 on 971126-980103 & NOV. Noted several instances of inadequate development or implementation of TS-required procedures that resulted in unplanned challenges to plant operators & equipment.
HEHL,C.W. Region 1 (Post 820201). 98/02/03. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 4pp. A2042:239-A2042:274.

-9802090210 Notice of violation from insp on 971126-980103.Violation noted:on 971124,maint technicians failed to follow HC.IC-DC.ZZ-0140(Q),Rev 3, "Device/Equipment Calibration Masonleilan Pressure & Temperature Controllers."
* Region 1 (Post 820201). 98/02/03. 3pp. A2042:243-A2042:245.

-9802090222 Insp rept 50-354/97-10 on 971116-980103.Violations noted. Major areas inspected:licensee operations,engineering,maint & plant support.
* Region 1 (Post 820201). 98/02/03. 29pp. A2042:246-A2042:274.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802250386 Forwards NRC Operator Licensing Exam Rept 50-354/97-08 (including completed & graded tests) for tests administered on 970929-1002.
CURLEY,V. Region 1 (Post 820201). 98/02/19. Document Control Branch (Document Control Desk). 1p. A2326:279-A2326:333.

9802270240 Ltr contract:task order 137, "Hope Creek Safety Sys Engineering Insp," under contract NRC-03-93-026.Statement of work encl.
WIGGINS,E.J. Office of Administration, Director (Post 940714). FIN J-2407. 98/02/20. LOFY,R.A. PARAMETER, Inc. 6pp. A2367:187-A2367:192.

R. Periodic operating reports & related correspondence

9802200380 Forwards fitness-for-duty performance data rept for six month period ending 971231,IAW 10CFR26.71(d).
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 98/02/10. Document Control Branch (Document Control Desk). 7pp. A2320:102-A2320:108.

9802240383 Forwards monthly operating rept for Jan 1998 for Hope Creek Generation Station,Unit 1.Summary of changes,tests & experiments implemented during Dec 1997 & Jan 1998,encl,per requirements of 10CFR50.59(b).
BEZILLA,M.B. Public Service Electric & Gas Co. of New Jersey. 98/02/15. Document Control Branch (Document Control Desk). 1p. A2366:028-A2366:036.

-9802240384 Monthly operating rept for Jan 1998 for Hope Creek Generation Station,Unit 1.
RITZMAN,R. Public Service Electric & Gas Co. of New Jersey. 98/01/31. 6pp. A2366:029-A2366:030.

-9802240387 Monthly operating rept for Dec 1997 & Jan 1998 for Hope Creek Generation Station,Unit 1,summary of changes,tests & experiments.
RITZMAN,R. Public Service Electric & Gas Co. of New Jersey. 97/12/31. 6pp. A2366:031-A2366:036.

S. Reportable occurrences, LERs & related correspondence

9802120224 Forwards LER 97-034-00 re condition prohibited by Tech Specs re missed EDG surveillance.Commitments made within LER, encl.
BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2231:177-A2231:182.

-9802120231 LER 97-034-00:on 971226, "D" EDG declared inoperable.Caused by improperly coded activity & failure to follow process for scheduling & deferral of PM activities as result of personnel errors.Activity properly coded.
MANGES,C. Public Service Electric & Gas Co. of New Jersey. 98/01/26. 4pp. A2231:179-A2231:182.

V. Operator Examinations

9802090191 Informs of Region I staff decision to delay administration of initial licensed operator exams at Hope Creek,currently scheduled for wk of 980209.Next available opportunity to conduct exam will be on 980223.
CONTE,R.J. Region 1 (Post 820201). 98/02/02. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 3pp. A2048:262-A2048:264.

9802240211 Forwards NRC Approved Operator Licensing Exam (facility outline & initial exam submittal & as-given operating exam) for tests administered on 970929-1002.
CURLEY,V. Region 1 (Post 820201). 98/02/19. Document Control Branch (Document Control Desk). 300pp. A2286:001-A2286:300.

9802250386 Forwards NRC Operator Licensing Exam Rept 50-354/97-08 (including completed & graded tests) for tests administered on 970929-1002.
CURLEY,V. Region 1 (Post 820201). 98/02/19. Document Control Branch (Document Control Desk). 1p. A2326:279-A2326:333.

DOCKET 50-355 HOPE CREEK NUCLEAR STATION, UNIT 2

A. Application/Construction Stage Documents and Related Correspondence

9802050376 Responds to request by Carey for statistics on allegations received by NRC re Salem & Hope Creek.
BAKER,E.T. . 98/01/29. KEISER,H.W. Public Service Electric & Gas Co. of New Jersey. 11pp. A2010:343-A2010:353.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802050258 Forwards Rev 10 to EPIP SO123-VIII-1, "Recognition & Classification of Emergencies." Encl also lists current offsite emergency planning order & emergency plan training program description,ref in emergency plan.
GIBSON,G.T. Southern California Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 5pp. A2086:194-A2086:268.

-9802050269 Rev 10 to EPIP SO123-VIII-1, "Recognition & Classification of Emergencies."
* Southern California Edison Co. 97/12/29. 69pp. A2086:200-A2086:268.

9802040448 Rev 8 to "Emergency Plan for SONGS,Units 1,2 & 3."
* Southern California Edison Co. 98/02/03. 8pp. A2036:155-A2036:162.

9802180062 Submits addl info re security related issues at SONGS as discussed at 980120 NRC Pre-decisional Conference.Licensee comments on insp repts 50-361/97-24 & 50-362/97-24 & tab M4-D of safeguards contingency plan,encl.
NUNN,D.E. Southern California Edison Co. 98/02/03. Document Control Branch (Document Control Desk). 32pp. A2240:326-A2240:357.

9802120091 Advises that 971106 rev 57 to physical security plan is consistent w/provisions of 10CFR50.54(p) & acceptable.
MURRAY,B. Region 4 (Post 820201). 98/02/06. RAY,H.B. Southern California Edison Co. 4pp. A2232:021-A2232:024.

9802190080 Forwards insp repts 50-361/97-27 & 50-362/97-27 on 971221-980131 & NOV.Violation re failure to maintain plant configuration of equipment in Unit 2 CB IAW seismic program procedure identified.
KIRSCH,D.F. Region 4 (Post 820201). 98/02/11. RAY,H.B. Southern California Edison Co. 4pp. A2229:167-A2229:195.

-9802190081 Notice of violation from insp on 971221-980131.Violation noted:on 980109,seven fire extinguishers inside Unit 2 CB were not restrained & were free to topple over during seismic event.
* Region 4 (Post 820201). 98/02/11. 2pp. A2229:171-A2229:172.

-9802190083 Insp repts 50-361/97-27 & 50-362/97-27 on 971221-980131. Violation noted.Major areas inspected:licensee operations, 21int,engineering & plant support.
* Region 4 (Post 820201). 98/02/11. 19pp. A2229:173-A2229:195.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802240007 Summary of 971223 meeting w/SCE in Rockville,MD to discuss mechanical nozzle seal assembly relief request.List of attendees & slides encl.
WESTREICH,B.C. . 98/01/29. . 63pp. A2287:158-A2287:220.

9802050157 Forwards request for addl info re SCE 971017 ltr requesting NRC approval to install digital radiation monitors at SONGS for both trains supplying containment purge isolation signal.
FIELDS,M.B. . 98/01/30. RAY,H.B. Southern Nuclear Operating Co. 4pp. A2012:161-A2012:164.

9802060229 Resubmits suppl 1 to application for amends 152 & 136 to Licenses NPF-10 & NPF-15,respectively to correct clerical error in which text deleted from cover ltr.
NUNN,D.E. Southern California Edison Co. 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2148:297-A2148:342.

-9802060233 Corrected Suppl 1 to application for amends 152 & 136 to licenses NPF-10 & NPF-15,respectively.
NUNN,D. Southern California Edison Co. 98/01/09. 12pp. A2148:299-A2148:310.

-9802060234 Proposed Tech Specs 3.5.1,extending completion time for single inoprable SIT from 1 h to 24 h & adding new TS 5.5.2.14, "Configuration Risk Mgt Program."
* Southern California Edison Co. 98/02/03. 31pp. A2148:311-A2148:342.

9802110048 Forwards for review & approval,change notice 43 to SCE QA topical rept SCE-1-A,amend 19 dtd Dec 1997,requesting use of alternate criteria for certifying lead QA auditor instead of criteria in ANSI N45.2.23-978.
RAINSBERRY,J.L. Southern California Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 3pp. A2182:332-A2182:340.

-9802110052 Change notice 43 to amend 19 of topical rept SCE-1-A, "QA Program."
SLAGLE,K.A., RAY,H.B. Southern California Edison Co. 98/02/06. 6pp. A2182:335-A2182:340.

9802120103 Forwards Rev 1 to "COLR,Cycle 9 for SONGS,Units 1 & 2." COLR is contained in unit-specific licensee controlled specifications.Changes to COLR parameters conducted in accordance w/approved COLR methodologies.
RAINSBERRY,J. Southern California Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2232:226-A2232:292.

-9802120110 Rev 1 to "COLR,Cycle 9 for SONGS,Unit 2."
* Southern California Edison Co. 97/12/15. 32pp. A2232:227-A2232:259.

-9802120112 Rev 1 to "COLR,Cycle 9 for SONGS,Unit 3."
* Southern California Edison Co. 97/12/01. 33pp. A2232:260-A2232:292.

9802200311 Provides statistical summary by work & job functions of personnel who received greater than 100 mRem of exposure in 1997 IAW regulatory guide 1.16 section D 6.9.1.2 of Unit 1 permanently defueled TS.
GIBSON,G.T. Southern California Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2283:312-A2283:313.

9802270113 Forwards SER accepting 980105 request to use mechanical nozzle seal assembly as alternative repair method per 10CFR50.55a(a)(3)(i) for plant,Units 2 & 3.
BATEMAN,W.H. . 98/02/17. RAY,H.B. Southern California Edison Co. 3pp. A2352:235-A2352:244.

-9802270117 SER accepting 980105 request to use mechanical nozzle seal assembly as alternate repair method,per 10CFR50.55a(a)(3)(1) for plant,Units 2 & 3.
* . 98/02/17. 7pp. A2352:238-A2352:244.

9802260171 Provides info requested by NRC 980121 ltr re SG sleeving amend applications 170 & 156 for plant.
RAINSBERRY,J. Southern California Edison Co. 98/02/23. Document Control Branch (Document Control Desk). 3pp. A2411:001-A2411:003.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050221 Responds to NRC 970910 ltr re violations noted in insp rept 50-361/97-15 & 50-362/97-15 on 970630-0703.Corrective actions:completed review of CWOs implemented since July 1993 & determined that this was an isolated occurrence.
NUNN,D.E. Southern California Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2087:137-A2087:138.

9802180062 Submits addl info re security related issues at SONGS as discussed at 980120 NRC Pre-decisional Conference.Licensee comments on insp repts 50-361/97-24 & 50-362/97-24 & tab M4-D of safeguards contingency plan,encl.
NUNN,D.E. Southern California Edison Co. 98/02/03. Document Control Branch (Document Control Desk). 32pp. A2240:326-A2240:357.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190080 Forwards insp repts 50-361/97-27 & 50-362/97-27 on 971221-980131 & NOV.Violation re failure to maintain plant configuration of equipment in Unit 2 CB IAW seismic program procedure identified.
KIRSCH,D.F. Region 4 (Post 820201). 98/02/11. RAY,H.B. Southern California Edison Co. 4pp. A2229:167-A2229:195.

-9802190081 Notice of violation from insp on 971221-980131.Violation noted:on 980109,seven fire extinguishers inside Unit 2 CB were not restrained & were free to topple over during seismic event.
* Region 4 (Post 820201). 98/02/11. 2pp. A2229:171-A2229:172.

-9802190083 Insp repts 50-361/97-27 & 50-362/97-27 on 971221-980131. Violation noted.Major areas inspected:licensee operations, 21int,engineering & plant support.
* Region 4 (Post 820201). 98/02/11. 19pp. A2229:173-A2229:195.

9802260065 Discusses enforcement conference conducted on 980120 re routine insp repts 50-361/97-24 & 50-362/97-24 on 971117- 1205 & forwards notice of violation.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/02/18. RAY,H.B. Southern California Edison Co. 6pp. A2344:049-A2344:057.

-9802260073 Notice of violation from insp on 971117-1205.Violation noted:on 971027,copy of composite safeguards contingency plan was lost.
* Region 3 (Post 820201). 98/02/18. 4pp. A2344:055-A2344:057.

R. Periodic operating reports & related correspondence

9802200030 Monthly operating repts for Jan 1998 for SONGS,Units 2 & 3. W/980212 ltr.
WILLIAMS,C.E., GIBSON,G.T. Southern California Edison Co. 98/01/31. 9pp. A2270:105-A2270:113.

S. Reportable occurrences, LERs & related correspondence

9802190213 LER 98-001-00:on 980113,turbine driven auxiliary feedwater pump speed circuit collar loose were noted.Caused by vibration-induced loosening during periodic pump test runs. Collar & plug were reassembled.W/980212 ltr.
KRIEGER,R.W. Southern California Edison Co. 98/02/12. 6pp. A2255:269-A2255:274.

V. Operator Examinations

9802090206 Informs that NRC planning to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.Sample registration ltr encl.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. RAY,H.B. Southern California Edison Co. 5pp. A2042:074-A2042:078.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9802050258 Forwards Rev 10 to EPIP SO123-VIII-1, "Recognition & Classification of Emergencies." Encl also lists current offsite emergency planning order & emergency plan training program description,ref in emergency plan.
GIBSON,G.T. Southern California Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 5pp. A2086:194-A2086:268.

-9802050269 Rev 10 to EPIP SO123-VIII-1, "Recognition & Classification of Emergencies."
* Southern California Edison Co. 97/12/29. 69pp. A2086:200-A2086:268.

9802040448 Rev 8 to "Emergency Plan for SONGS,Units 1,2 & 3."
* Southern California Edison Co. 98/02/03. 8pp. A2036:155-A2036:162.

9802180062 Submits addl info re security related issues at SONGS as discussed at 980120 NRC Pre-decisional Conference.Licensee comments on insp repts 50-361/97-24 & 50-362/97-24 & tab M4-D of safeguards contingency plan,encl.
NUNN,D.E. Southern California Edison Co. 98/02/03. Document Control Branch (Document Control Desk). 32pp. A2240:326-A2240:357.

9802120091 Advises that 971106 rev 57 to physical security plan is consistent w/provisions of 10CFR50.54(p) & acceptable.
MURRAY,B. Region 4 (Post 820201). 98/02/06. RAY,H.B. Southern California Edison Co. 4pp. A2232:021-A2232:024.

9802190080 Forwards insp repts 50-361/97-27 & 50-362/97-27 on 971221-980131 & NOV.Violation re failure to maintain plant configuration of equipment in Unit 2 CB IAW seismic program procedure identified.
KIRSCH,D.F. Region 4 (Post 820201). 98/02/11. RAY,H.B. Southern California Edison Co. 4pp. A2229:167-A2229:195.

-9802190083 Insp repts 50-361/97-27 & 50-362/97-27 on 971221-980131. Violation noted.Major areas inspected:licensee operations, 21int,engineering & plant support.
* Region 4 (Post 820201). 98/02/11. 19pp. A2229:173-A2229:195.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802240007 Summary of 971223 meeting w/SCE in Rockville,MD to discuss mechanical nozzle seal assembly relief request.List of attendees & slides encl.
WESTREICH,B.C. . 98/01/29. . 63pp. A2287:158-A2287:220.

9802050157 Forwards request for addl info re SCE 971017 ltr requesting NRC approval to install digital radiation monitors at SONGS for both trains supplying containment purge isolation signal.
FIELDS,M.B. . 98/01/30. RAY,H.B. Southern Nuclear Operating Co. 4pp. A2012:161-A2012:164.

9802060229 Resubmits suppl 1 to application for amends 152 & 136 to Licenses NPF-10 & NPF-15,respectively to correct clerical error in which text deleted from cover ltr.
NUNN,D.E. Southern California Edison Co. 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2148:297-A2148:342.

–9802060233 Corrected Suppl 1 to application for amends 152 & 136 to licenses NPF-10 & NPF-15,respectively.
NUNN,D. Southern California Edison Co. 98/01/09. 12pp. A2148:299-A2148:310.

–9802060234 Proposed Tech Specs 3.5.1,extending completion time for single inoprable SIT from 1 h to 24 h & adding new TS 5.5.2.14, "Configuration Risk Mgt Program."
* Southern California Edison Co. 98/02/03. 31pp. A2148:311-A2148:342.

9802110048 Forwards for review & approval,change notice 43 to SCE QA topical rept SCE-1-A,amend 19 dtd Dec 1997,requesting use of alternate criteria for certifying lead QA auditor instead of criteria in ANSI N45.2.23-978.
RAINSBERRY,J.L. Southern California Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 3pp. A2182:332-A2182:340.

–9802110052 Change notice 43 to amend 19 of topical rept SCE-1-A, "QA Program."
SLAGLE,K.A., RAY,H.B. Southern California Edison Co. 98/02/06. 6pp. A2182:335-A2182:340.

9802120103 Forwards Rev 1 to "COLR,Cycle 9 for SONGS,Units 1 & 2." COLR is contained in unit-specific licensee controlled specifications.Changes to COLR parameters conducted in accordance w/approved COLR methodologies.
RAINSBERRY,J. Southern California Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2232:226-A2232:292.

–9802120112 Rev 1 to "COLR,Cycle 9 for SONGS,Unit 3."
* Southern California Edison Co. 97/12/01. 33pp. A2232:260-A2232:292.

9802200311 Provides statistical summary by work & job functions of personnel who received greater than 100 mRem of exposure in 1997 IAW regulatory guide 1.16 section D 6.9.1.2 of Unit 1 permanently defueled TS.
GIBSON,G.T. Southern California Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2283:312-A2283:313.

9802270113 Forwards SER accepting 980105 request to use mechanical nozzle seal assembly as alternative repair method per 10CFR50.55a(a)(3)(i) for plant,Units 2 & 3.
BATEMAN,W.H. . 98/02/17. RAY,H.B. Southern California Edison Co. 3pp. A2352:235-A2352:244.

–9802270117 SER accepting 980105 request to use mechanical nozzle seal assembly as alternate repair method,per 10CFR50.55a(a)(3)(1) for plant,Units 2 & 3.
* . 98/02/17. 7pp. A2352:238-A2352:244.

9802260171 Provides info requested by NRC 980121 ltr re SG sleeving amend applications 170 & 156 for plant.
RAINSBERRY,J. Southern California Edison Co. 98/02/23. Document Control Branch (Document Control Desk). 3pp. A2411:001-A2411:003.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050221 Responds to NRC 970910 ltr re violations noted in insp rept 50-361/97-15 & 50-362/97-15 on 970630-0703.Corrective actions:completed review of CWOs implemented since July 1993 & determined that this was an isolated occurrence.
NUNN,D.E. Southern California Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2087:137-A2087:138.

9802180062 Submits addl info re security related issues at SONGS as discussed at 980120 NRC Pre-decisional Conference.Licensee comments on insp repts 50-361/97-24 & 50-362/97-24 & tab M4-D of safeguards contingency plan,encl.
NUNN,D.E. Southern California Edison Co. 98/02/03. Document Control Branch (Document Control Desk). 32pp. A2240:326-A2240:357.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190080 Forwards insp repts 50-361/97-27 & 50-362/97-27 on 971221-980131 & NOV.Violation re failure to maintain plant configuration of equipment in Unit 2 CB IAW seismic program procedure identified.
KIRSCH,D.F. Region 4 (Post 820201). 98/02/11. RAY,H.B. Southern California Edison Co. 4pp. A2229:167-A2229:195.

–9802190083 Insp repts 50-361/97-27 & 50-362/97-27 on 971221-980131. Violation noted.Major areas inspected:licensee operations, 21int,engineering & plant support.
* Region 4 (Post 820201). 98/02/11. 19pp. A2229:173-A2229:195.

9802260065 Discusses enforcement conference conducted on 980120 re routine insp repts 50-361/97-24 & 50-362/97-24 on 971117- 1205 & forwards notice of violation.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/02/18. RAY,H.B. Southern California Edison Co. 6pp. A2344:049-A2344:057.

–9802260073 Notice of violation from insp on 971117-1205.Violation noted:on 971027,copy of composite safeguards contingency plan was lost.
* Region 3 (Post 820201). 98/02/18. 4pp. A2344:055-A2344:057.

R. Periodic operating reports & related correspondence

9802200030 Monthly operating repts for Jan 1998 for SONGS,*Units 2 & 3. W/980212* ltr.
WILLIAMS,C.E., GIBSON,G.T. Southern California Edison Co. 98/01/31. 9pp. A2270:105-A2270:113.

V. Operator Examinations

9802090206 Informs that NRC planning to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.Sample registration ltr encl.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. RAY,H.B. Southern California Edison Co. 5pp. A2042:074-A2042:078.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802180101 Forwards revised exemption request,clarifying that 3-sided, single 1-inch layer Kaowool wrap exists on specific charging pump train B raceways,in response to violation A of NRC insp repts 50-348/97-10 & 50-364/94-10.
MOREY,D. Southern Nuclear Operating Co. 98/02/06. Document Control Branch (Document Control Desk). 35pp. A2242:307-A2242:341.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040136 Forwards amends 133 & 125 to licenses NPF-02 & NPF-08, respectively,& safety evaluation.Amends change plant TS to incorporate requirements necessary to change basis for prevention of criticality in FSP.
ZIMMERMAN,J.I. . 98/01/23. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2000:285-A2000:332.

–9802040150 Amends 133 & 125 to licenses NPF-02 & NPF-08,respectively, changing plant TS to incorporate requirements necessary to change basis for prevention of criticality in FSP.
BERKOW,H.N. . 98/01/23. 35pp. A2000:288-A2000:322.

–9802040156 Safety evaluation supporting amends 133 & 125 to licenses NPF-02 & NPF-08,respectively.
* . 98/01/23. 10pp. A2000:323-A2000:332.

9802060194 Submits response to request for addl info re power uprate facility operating licenses & Tech Specs change request.
MOREY,D. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 20pp. A2135:311-A2135:330.

9802040115 Advises that info contained in 970211 affidavit & 970210 application (CAW-97-1077) will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103 of AEA of 1954,as amended.
ZIMMERMAN,J.I. . 98/01/26. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A2004:353-A2004:356.

9802060031 Comment on draft NUREG 1555, "Updated Environ Standard Review Plan."
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/30. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. A2038:270-A2038:273.

9802090042 Notifies staff of intention to maintain present setpoint for ATWS mitigating sys actuation circuitry (AMSAC) C-20 permissive,in response to concerns raised by Westinghouse PWR staff re acceptability of subj setpoint.
MOREY,D. Southern Nuclear Operating Co. 98/02/02. Document Control Branch (Document Control Desk). 2pp. A2160:279-A2160:280.

9802130014 Informs of NRC Region II mgt changes effective on 980215. Revised organization chart encl.
SKINNER,P.H. Region 2 (Post 820201). 98/02/05. HAIRSTON,W.G. Southern Nuclear Operating Co. 4pp. A2164:019-A2164:022.

9802240210 Forwards RAI re plant,Unit 2 1996 alternate repair criteria 90 day rept.TSs will implement GL 95-05, "Voltage-Based Repair Criteria for Westinghouse SG Tubes Affected by Outside Diameter Stress Corrosion Cracking."
ZIMMERMAN,J.I. . 98/02/05. MOREY,D.N. Southern Nuclear Operating Co. 5pp. A2337:258-A2337:262.

9802240286 Forwards amends 135 & 127 to licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends change TS revising number of allowable charging pumps capable of injecting into RCS when temp of cold legs equal to or less than 180F.
ZIMMERMAN,J.I. . 98/02/05. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2325:158-A2325:175.

–9802240290 Amends 135 & 127 to licenses NPF-2 & NPF-8,respectively, changing number of allowable charging pumps capable of injecting into RCS when temp of one or more cold legs equal to or less than 180F.
BERKOW,H.N. . 98/02/05. 12pp. A2325:161-A2325:172.

–9802240293 Safety evaluation supporting amends 135 & 127 to licenses NPF-2 & NPF-8,respectively.
* . 98/02/05. 3pp. A2325:173-A2325:175.

9802240409 Forwards amends 134 & 126 to licenses NPF-2 & NPF-8, respectively & SER.Amends change TS 3.9.13 by adding footnote to clarify required electrical power sources for penetration room filtration sys when aligned to SFP room.
ZIMMERMAN,J.I. . 98/02/05. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2282:322-A2282:338.

--9802240412 Amends 134 & 126 to licenses NPF-2 & NPF-8,respectively, change TS 3.9.13 by adding footnote to clarify required electrical power sources for penetration room filtration sys when aligned to SFP room during refueling operations.
BERKOW,H.N. . 98/02/05. 10pp. A2282:325-A2282:334.

--9802240414 Safety evaluation supporting amends 134 & 126 to licenses NPF-2 & NPF-8,respectively.
* . 98/02/05. 4pp. A2282:335-A2282:338.

9802170081 Withdraws 970307 request re use of smaller diameter bobbin probe,in response to NRC 980109 RAI.Benefits of proposal do not warrant addl expenditure of resources to respond to NRC questions.
MOREY,D. Southern Nuclear Operating Co. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2231:346-A2231:346.

9802240325 Ack receipt of 10CFR50.54(a) submittal dtd 971215,re proposed changes to QAP description.
ZIMMERMAN,J.I. . 98/02/11. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2283:053-A2283:055.

9802190131 Forwards responses to questions raised during 980109,29 & 980202 telcons re power uprate facility OLs & TS change request.
MOREY,D. Southern Nuclear Operating Co. 98/02/12. Document Control Branch (Document Control Desk). 11pp. A2244:315-A2244:330.

--9802190132 Revised proposed changes to TS page 6-19a for power uprate.
* Southern Nuclear Operating Co. 98/02/12. 5pp. A2244:326-A2244:330.

9802200061 Forwards response to request for addl info re relocation of RCS pressure-temp limits from TS to pressure temp limits rept,per GL 96-03.
MOREY,D. Southern Nuclear Operating Co. 98/02/12. Document Control Branch (Document Control Desk). 6pp. A2290:077-A2290:127.

--9802200067 Proposed tech specs re pressure temp limits rept.
* Southern Nuclear Operating Co. 98/02/12. 45pp. A2290:083-A2290:127.

9802270169 Forwards notice of consideration of issuance of amends to licenses NPR-2 & NPF-8.Proposed amends would revise TS by relocating RCS presure & temperature limits from TSs to proposed pressure temperature limits rept IAW GL 96-03.
ZIMMERMAN,J.I. . 98/02/18. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2352:176-A2352:187.

--9802270177 Notice of consideration of issuance of amends to licenses NPF-2 & NPF-8 & proposed NSHC determination & opportunity for hearing.Amends revises TSs by relocating RCS pressure & temperature limits from TS to proposed pressure temp rept.
ZIMMERMAN,J.I. . 98/02/18. 9pp. A2352:179-A2352:187.

9802250265 Forwards tabulation of personnel radiation exposures by work & job function received during 1997.
MOREY,D. Southern Nuclear Operating Co. 98/02/20. Document Control Branch (Document Control Desk). 3pp. A2368:344-A2368:345.

9802250016 Forwards order prohibiting involvement in NRC licensed activities,effective immediately.Order being issued due to deliberate misconduct in violation of 100CFR50.5 of Commission regulations.
THADANI,A.C. Office of Nuclear Regulatory Research (Post 941217). 98/02/23. MCGRIFF,J.H. Affiliation Not Assigned. 2pp. A2326:016-A2326:026.

--9802250021 Order Prohibiting Involvement in NRC Licensed Activities (effective immediately).Requires that McGriff be prohibited from any involvement in NRC-licensed activities for period of 3 yrs from date of dismissal from SNC on 970305.
THADANI,A.C. . 98/02/23. Affiliation Not Assigned. 9pp. A2326:018-A2326:026.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040281 Responds to NRC 971219 ltr re violations noted in insp repts 50-348/97-14 & 50-364/97-14.Corrective actions:repair of missing seal between MSVR & containment wall on Unit 2 was completed on 970421.
MOREY,D. Southern Nuclear Operating Co. 98/01/23. Document Control Branch (Document Control Desk). 8pp. A2031:230-A2031:237.

9802100001 Ack receipt of 980123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/97-10 & 50-364/97-10.
SKINNER,P.H. Region 2 (Post 820201). 98/01/29. MOREY,D.N. Southern Nuclear Operating Co. 2pp. A2093:038-A2093:039.

9802100005 Ack receipt of 980123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/97-17 & 50-364/97-14.
SKINNER,P.H. Region 2 (Post 820201). 98/01/29. MOREY,D.N. Southern Nuclear Operating Co. 3pp. A2093:057-A2093:059.

9802180101 Forwards revised exemption request,clarifying that 3-sided, single 1-inch layer Kaowool wrap exists on specific charging pump train B raceways,in response to violation A of NRC insp repts 50-348/97-10 & 50-364/94-10.
MOREY,D. Southern Nuclear Operating Co. 98/02/06. Document Control Branch (Document Control Desk). 35pp. A2242:307-A2242:341.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802260238 Forwards RAI re inservice insp program plan & associated requests for relief for plant,units 1 & 2.
ZIMMERMAN,J.I. . 98/02/12. MOREY,D.N. Southern Nuclear Operating Co. 9pp. A2366:263-A2366:271.

R. Periodic operating reports & related correspondence

9802200125 Monthly operating repts for Jan 1998 for JM Farley Nuclear Plant,Units 1 & 2.W/980210 ltr.
MCANULTY,M.W., MOREY,D. Southern Nuclear Operating Co. 98/01/31. 5pp. A2320:060-A2320:064.

9802250332 Forwards fitness for duty performance data for six-month reporting period,Jul-Dec 1997,as required by 10CFR26.71(d).
MOREY,D.N. Southern Nuclear Operating Co. 98/02/20. Document Control Branch (Document Control Desk). 5pp. A2360:343-A2360:347.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802030156 Revised EPIPs,including rev 4 to EPIP 73EP-EIP-015-0S, "Offsite Dose Assesment" & rev 5 to EPIP 73EP-EIP-018-0S, "Prompt Offsite Dose Assesment." W/980127 ltr.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/27. 44pp. A2018:188-A2018:232.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040287 Forwards standard agreement granting access to some licensee owned data bases in order to perform regulatory responsibilities in more efficient manner.
SKINNER,P.H. Region 2 (Post 820201). 98/01/16. SUMNER,H.L. Southern Nuclear Operating Co. 5pp. A2000:090-A2000:095.

9802040001 Requests that response to RAI re incorporation of SQUG GIP into plant FSARs be extended to 980430 due to resolution activities between NRC & SQUG.
SUMNER,H.L. Southern Nuclear Operating Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2020:172-A2020:173.

9802060031 Comment on draft NUREG 1555, "Updated Environ Standard Review Plan."
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/30. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. A2038:270-A2038:273.

9802130014 Informs of NRC Region II mgt changes effective on 980215. Revised organization chart encl.
SKINNER,P.H. Region 2 (Post 820201). 98/02/05. HAIRSTON,W.G. Southern Nuclear Operating Co. 4pp. A2164:019-A2164:022.

9802180058 Forwards nonproprietary Vols 1 & 3 of response to NRC 971031 request for addl info on resolution of Unresolved Safety Issue A-46.Vol 2 consists of proprietary calculations.Vol 2 withheld,per 10CFR2.790.
SUMNER,H.L. Southern Nuclear Operating Co. 98/02/06. Document Control Branch (Document Control Desk). 78pp. A2220:237-A2220:317.

9802240071 Forwards RAI re extended power uprate for plant units 1 & 2. NRC requests to be advised of schedule for response.
OLSHAN,L.N. . 98/02/10. SUMNER,H.L. Southern Nuclear Operating Co. 1p. A2325:264-A2325:264.

Q. Inspection reports, IE Bulletins & correspondence

9802040365 Forwards insp repts 50-321/97-03 & 50-366/97-03 on 970406-0517,NOV & OI rept 2-97-014.NRC concluded that LR Tillman engaged in deliberate misconduct in violation of 10CFR50.5(a)(1),causing plant TSs to be in violation.
REYES,L.A. Region 2 (Post 820201). 97/12/01. TILLMAN,L.R. Affiliation Not Assigned. 4pp. A1999:276-A1999:337.

--9802040373 Notice of violation from insp on 970406-0517.Violation noted:on 970320,L Tillman engaged in deliberate misconduct causing licensee to be in violation of TS 5.4,by failing to rept that work was mistakenly performed on valve 2E51-F102.
* Region 2 (Post 820201). 97/12/01. 2pp. A1999:280-A1999:337.

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040140 Ack receipt of 980112 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/97-10 & 50-366/97-10.
SKINNER,P.H. Region 2 (Post 820201). 98/01/20. SUMNER,H.L. Southern Nuclear Operating Co. 3pp. A1999:354-A1999:356.

9802040015 Forwards insp repts 50-321/97-11 & 50-366/97-11 on 971116- 1227 & NOV.Concerns expressed re violation for late 10CFR50.72 required repts to NRC & lack of corrective actions to prevent recurrence of late repts.
SKINNER,P.H. Region 2 (Post 820201). 98/01/23. SUMNER,H.L. Southern Nuclear Operating Co. 5pp. A1998:022-A1998:081.

--9802040028 Notice of violation from insp on 971116-1227.Violation noted:on 971118,4 h reporting requirement was not met. Several workers involved in Unit 2 outage activities signed into RCA on improper RWPs between 970317-0411.
* Region 2 (Post 820201). 98/01/23. 3pp. A1998:027-A1998:029.

--9802040036 Insp repts 50-321/97-11 & 50-366/97-11 on 971116-1227. Violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 2 (Post 820201). 98/01/23. 52pp. A1998:030-A1998:081.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240273 Informs that request for relief RR-14,rev 0,remains authorized pursuant to 10CFR50.55a(a)(3)(i) for current interval or until such time as code case published in future rev of reg guide 1.147.
OLSHAN,L.N. . 98/02/19. SUMNER,H.L. Southern Nuclear Operating Co. 4pp. A2283:060-A2283:063.

9802250339 Provides response to violations noted in insp repts 50-321/97-11 & 50-366/97-11.Corrective actions:involved personnel have been counseled re need to fully utilize resources available to them to ensure,events reported.
SUMNER,H.L. Southern Nuclear Operating Co. 98/02/20. Document Control Branch (Document Control Desk). 11pp. A2357:331-A2357:341.

R. Periodic operating reports & related correspondence

9802170165 Monthly operating repts for Jan 1998 for Edwin I Hatch Nuclear Plant,Unit 1.W/980206 ltr.
ROGERS,S.B., SUMNER,H.L. Southern Nuclear Operating Co. 98/01/31. 7pp. A2231:331-A2231:337.

9802250332 Forwards fitness for duty performance data for six-month reporting period,Jul-Dec 1997,as required by 10CFR26.71(d).
MOREY,D.N. Southern Nuclear Operating Co. 98/02/20. Document Control Branch (Document Control Desk). 5pp. A2360:343-A2360:347.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9802050110 Ack receipt of 970110 ltr transmiting rev 22 to emergency plan.NRC approval not required based on util determination that changes do not decrease effectiveness of subj plan.
MURRAY,B. Region 4 (Post 820201). 98/01/29. HUTCHISON,C.R. Entergy Operations, Inc. 4pp. A2009:358-A2009:361.

9802090202 Ack receipt of 970729 ltr transmitting rev 23 to Arkansas Nuclear One Emergency Plan submitted under provisions of 10CFR50,App E & 10CFR50.4.Implementation of changes will be subject to inspection to confirm effectiveness of plan.
MURRAY,B. Region 4 (Post 820201). 98/02/05. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. A2042:160-A2042:163.

9802180114 Forwards insp repts 50-313/97-21 & 50-368/97-21 on 971027-31 & 1110-14,NOV & excercise of discretion.Violation involved failure to include vendor-recommended EFS flow limits in operating procedure.
HOWELL,A.T. Region 4 (Post 820201). 98/02/06. HUTCHINSON,C.R. Entergy Operations, Inc. 6pp. A2182:001-A2182:060.

--9802180126 Insp repts 50-313/97-21 & 50-368/97-21 on 971027-31 & 1110- 14.Violations noted.Major areas inspected:engineering & plant support.NRC identified fire barrier deficiency & licensee took promp compensatory actions as required.
* Region 4 (Post 820201). 98/02/06. 50pp. A2182:011-A2182:060.

9802230057 Change PC-04 to Rev 32 to Procedure/Work Plan 1903.060, "Emergency Supplies & Equipment."
* Entergy Operations, Inc. 98/02/09. 3pp. A2345:119-A2345:121.

9802230063 Rev 12 to Procedure/Work Plan 1903.034, "Emergency Operations Facility Evacuation."
* Entergy Operations, Inc. 98/02/09. 20pp. A2330:118-A2330:138.

9802230069 Rev 13 to Procedure/Work Plan 1903.067, "Emergency Response Facility - Emergency Operations Facility (EOF)."
* Entergy Operations, Inc. 98/02/09. 90pp. A2289:250-A2289:339.

J. Insurance & indemnity information

9802240196 Forwards certified copies of liability insurance policy endorsements issued in second half of 1997 as proof of financial protection,IAW 10CFR140.15.
DEWEASE,J.G. Entergy Operations, Inc. 98/02/17. Document Control Branch (Document Control Desk). 151pp. A2333:014-A2333:164.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802060093 Requests authorization to perform alternative to requirements of ASME Section XI,Subarticle IWA-5250.Util requests that NRC review & approve relief request IWA-5250 to support next refueling outage scheduled for 980411.
DEWEASE,J.G. Entergy Operations, Inc. 98/01/29. Document Control Branch (Document Control Desk). 6pp. A2152:353-A2152:358.

9802050049 Notification of 980220 meeting w/util in Arlington,TX to discuss three apparent violations re activities associated w/removal of Unit 1 borated water storage tank vacuum relief valve.
HOWELL,A.T. Region 4 (Post 820201). 98/01/30. Region 4 (Post 820201). 4pp. A2009:284-A2009:287.

9802240282 Notification of 980319 meeting w/Entergy Operations,Inc,in Rockville,MD to discuss level of instructions & details of transferring QA plan details from current program plans at four sites to standard QA program plan for use at all sites.
WIGGINTON,D.L. . 98/02/05. HANNON,J.N. . 7pp. A2281:351-A2281:357.

9802240322 Summary of 980122 meeting w/Entergy in Rockville,Maryland re licensing issues & standardization of licensing documents. List of meeting attendees & meeting agenda encl.
WIGGINTON,D.L. . 98/02/11. . 10pp. A2281:337-A2281:346.

9802250350 Responds to RAI re TS change request revising surveillance testing requirements for emergency feedwater sys located in TS 4.7.1.2.Revised bases pages B 3/4 7-1 & B 3/4 7-2,encl. Addl info ensures consistency between ANO-2 TS & NUREG-1432.
MIMS,D.C. Entergy Operations, Inc. 98/02/18. Document Control Branch (Document Control Desk). 2pp. A2368:301-A2368:309.

--9802250352 Proposed tech specs revising surveillance testing requirements for emergency feedwater sys.
* Entergy Operations, Inc. 98/02/18. 7pp. A2368:303-A2368:309.

9802270192 Ltr contract:mod 4 to task order 37, "IPE Reviews - Internal Events - Human Factors Only (ANO 2)," under contract: NRC-04-91-069.
MACE,M. Office of Administration, Director (Post 940714). FIN L-1934. 98/02/19.
HAAS,P. Concord Associates, Inc. 2pp. A2367:185-A2367:186.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050123 Notification of 980304 meeting w/util in Russelville,AR to discuss SALP.
GWYNN,T.P. Region 4 (Post 820201). 98/01/28. Region 4 (Post 820201). 5pp. A2010:065-A2010:069.

9802090018 Forwards SALP repts 50-313/98-99 & 50-368/98-99 for period of 960707-980103.Overall performance in plant support area remained superior.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/02/04. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. A2048:006-A2048:016.

--9802100045 SALP repts 50-313/98-99 & 50-368/98-99 for period of 970707-980103.
* Region 4 (Post 820201). 98/02/04. 6pp. A2048:011-A2048:016.

9802180114 Forwards insp repts 50-313/97-21 & 50-368/97-21 on 971027-31 & 1110-14,NOV & excercise of discretion.Violation involved failure to include vendor-recommended EFS flow limits in operating procedure.
HOWELL,A.T. Region 4 (Post 820201). 98/02/06. HUTCHINSON,C.R. Entergy Operations, Inc. 6pp. A2182:001-A2182:060.

--9802180126 Insp repts 50-313/97-21 & 50-368/97-21 on 971027-31 & 1110- 14.Violations noted.Major areas inspected:engineering & plant support.NRC identified fire barrier deficiency & licensee took promp compensatory actions as required.
* Region 4 (Post 820201). 98/02/06. 50pp. A2182:011-A2182:060.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802240356 Monthly operating repts for Jan 1998 for ANO,Units 1 & 2. W/980216 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 98/01/31. 16pp. A2347:327-A2347:342.

V. Operator Examinations

9802090243 Ack receipt of 971218 ltr informing NRC of change in medical condition for licensed operator.Physician determined that no change in current license conditions warranted.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. A2048:259-A2048:261.

9802090247 Informs that NRC plans to administer GFES of written operator licensing exam at facility on 980408.Requests that listing of names of candidates for exam be submitted to appropriate Regional Administrator by 980306.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. A2042:332-A2042:336.

Y. Dry Cask Independent Spent Fuel Storage Installations

9802270277 Provides licensee w/status of staff review of CAs being implemented by VSC-24 Owners Group to resolve problems encountered while making VSC-24 closure welds.Status of RAIs issued to licensee re listed CALs,encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. MOEKEL,K. Sierra Nuclear, Inc. 8pp. A2420:219-A2420:226.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802040431 Rev 98-1 to "McGuire Emergency Plan." W/980119 ltr.
BARRON,H.B. Duke Power Co. 98/01/19. 32pp. A2036:224-A2036:263.

9802050216 Rev 0 to EPIP SR/0/B/2000/002, "Std Procedure for EOF Commodities & Facilities" & EPIP index.W/980126 ltr.
BARRON,H.B. Duke Power Co. 98/01/26. 20pp. A2135:211-A2135:229.

9802030134 Refers to 951227 request for NRC approval of proposed EALs to MNS,Units 1 & 2.Proposed EALs incorporate guidance in NUMARC/NESP-007,Rev 2.Forwards safety evaluation supporting proposed EALs.
RINALDI,F. . 98/01/28. BARRON,H.B. Duke Power Co. 3pp. A1987:001-A1987:011.

--9802030139 Safety evaluation supporting 951227 request for NRC approval of proposed EALs to McGuire Nuclear Station,Units 1 & 2.
* . 98/01/28. 8pp. A1987:004-A1987:011.

9802060196 EPIPs including,RP/0/A/5700/001,RP/0/A/5700/002,RP/0/A/5700/003,RP/0/A/5700/004,RP/0/A/5700/007,RP/0/A/5700/008 & RP/0/A/5700/022.Deleted EPIP RP/0/A/5700/05.
BARRON,H.B. Duke Power Co. 98/02/02. 150pp. A2087:173-A2087:325.

9802120283 Responds to NRC ltr re violations noted in insp repts 50-369/97-19 & 50-370/97-19.Corrective actions:notification via Emergency Notification Sys under 10CFR73 App G.
BARRON,H.B. Duke Power Co. 98/02/02. Document Control Branch (Document Control Desk). 9pp. A2216:280-A2216:288.

9802200245 Forwards addl info requested by NRC via conference call on 980121 re ERDS changes.
BARRON,H.B. Duke Power Co. 98/02/12. Document Control Branch (Document Control Desk). 14pp. A2319:001-A2319:025.

9802250158 Forwards insp repts 50-369/98-01 & 50-370/98-01 on 980114-15.No violations noted.Insp consisted of selective exams of procedures & representative records,interviews w/personnel & observation of activities in progress.
BELISLE,G.A. Region 2 (Post 820201). 98/02/17. BARRON,H.B. Duke Power Co. 3pp. A2326:248-A2326:252.

--9802250172 Partially withheld insp repts 50-369/98-01 & 50-370/98-01 on 980114-15 (ref 10CFR2.790).No violations noted.Major areas inspected:plant support,including malevolent use of vehicles at plant & vehicle barrier sys.
* Region 2 (Post 820201). 98/02/17. 2pp. A2326:251-A2326:252.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802170017 Forwards rev 1 to non-proprietary topical rept DPC-NE-3000-A & rev 1 to proprietary topical rept DPC-NE-3000-PA, "Thermal Hydraulic Transient Analysis Methodology." Proprietary version withheld.
TUCKMAN,M.S. Duke Power Co. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2235:001-A2237:080.

--9802170019 Non-proprietary version of rev 1 to topical rept DPC-NE-3000-A, "Thermal-Hydraulic Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3000-A R01. 97/12/31. 802pp. A2235:007-A2237:080.

9802050280 Forwards RAI on section 3.6 containment sys.Response requested within 45 days.
TAM,P.S. . 98/01/30. TUCKMAN,M.S. Duke Power Co. 33pp. A2010:285-A2010:318.

9802240193 Forwards SE authorizing proposed alternative to augmented exam of reactor vessel shell welds per 10CFR50.55a(g)(6)(ii)(A)(5).Matter considered to be resolved & closing out TAC M99302.
BERKOW,H.N. . 98/02/04. BARRON,H.B. Duke Power Co. 3pp. A2325:247-A2325:256.

--9802240207 Safety evaluation approving proposed alternative to reactor vessel augmented exam requirement of reactor vessel shell welds,per 10CFR50.55a(g)(6)(ii)(A)(5).
* . 98/02/04. 7pp. A2325:250-A2325:256.

9802170009 Forwards rev 2 to TR DPC-NE-3002-A, "UFSAR Chapter 15 Transient Analysis Methodology" IAW guidance contained in NUREG-0390.
TUCKMAN,M.S. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2237:081-A2237:276.

--9802170015 Rev 2 to "UFSAR Chapter 15 Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3002-A R02. 97/12/31. 190pp. A2237:083-A2237:276.

9802230059 Forwards revs to "OCDM for Duke Power Nuclear Stations," as required by McGuire TS 6.14.2.c.
TUCKMAN,M.S. Duke Power Co. 98/02/10. Document Control Branch (Document Control Desk). 2pp. A2328:001-A2328:258.

--9802230061 Revs to "OCDM for Duke Power Nuclear Stations."
HAYNES,L.E. Duke Power Co. 98/01/01. 300pp. A2328:003-A2328:258.

9802240395 Summary of 980127 meeting w/Duke Energy Corp re proposed rev of topical repts.List of attendees & DEC slides encl.
TAM,P.S. . 98/02/10. . 29pp. A2282:240-A2282:268.

9802180048 Forwards non-proprietary Rev 1 to DPC-NE-2005A & proprietary Rev 1 to DPC-NE-2005P-A, "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology." Proprietary rept withheld,per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2242:001-A2242:152.

--9802180051 Non-proprietary "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology."
EPPERSON,K.R. Duke Power Co. DPC-NE-2005A R01. 96/11/30. 146pp. A2242:007-A2242:152.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802120283 Responds to NRC ltr re violations noted in insp repts 50-369/97-19 & 50-370/97-19.Corrective actions:notification via Emergency Notification Sys under 10CFR73 App G.
BARRON,H.B. Duke Power Co. 98/02/02. Document Control Branch (Document Control Desk). 9pp. A2216:280-A2216:288.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200389 Responds to NRC 980112 ltr re violations noted in insp repts 50-369/97-18 & 50-370/97-18.Corrective actions:revised calculation MCC-1552.08-00-0118,communicated importance of checking process & reviewed Engineering Directive EDM-101.
BARRON,H.B. Duke Power Co. 98/02/10. Document Control Branch (Document Control Desk). 4pp. A2290:356-A2290:359.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802250158 Forwards insp repts 50-369/98-01 & 50-370/98-01 on 980114-15.No violations noted.Insp consisted of selective exams of procedures & representative records,interviews w/personnel & observation of activities in progress.
BELISLE,G.A. Region 2 (Post 820201). 98/02/17. BARRON,H.B. Duke Power Co. 3pp. A2326:248-A2326:252.

--9802250172 Partially withheld insp repts 50-369/98-01 & 50-370/98-01 on 980114-15 (ref 10CFR2.790).No violations noted.Major areas inspected:plant support,including malevolent use of vehicles at plant & vehicle barrier sys.
* Region 2 (Post 820201). 98/02/17. 2pp. A2326:251-A2326:252.

R. Periodic operating reports & related correspondence

9802200207 Forwards monthly operating repts for Jan 1998 for McGuire Nuclear Station,Units 1 & 2 & revised monthly operating status repts for Dec 1997 for McGuire Nuclear Station,Units 1 & 2.
DIMMERY,T. Duke Power Co. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2283:280-A2283:292.

--9802200214 Monthly operating repts for Jan 1998 for McGuire Nuclear Station,Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 98/01/31. 10pp. A2283:282-A2283:291.

--9802200219 Revised monthly operating repts for Dec 1997 for McGuire Nuclear Station,Units 1 & 2.
* Duke Power Co. 97/12/31. 1p. A2283:292-A2283:292.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802040431 Rev 98-1 to "McGuire Emergency Plan." W/980119 ltr.
BARRON,H.B. Duke Power Co. 98/01/19. 32pp. A2036:224-A2036:263.

9802050216 Rev 0 to EPIP SR/0/B/2000/002, "Std Procedure for EOF Commodities & Facilities" & EPIP index.W/980126 ltr.
BARRON,H.B. Duke Power Co. 98/01/26. 20pp. A2135:211-A2135:229.

9802030134 Refers to 951227 request for NRC approval of proposed EALs to MNS,Units 1 & 2.Proposed EALs incorporate guidance in NUMARC/NESP-007,Rev 2.Forwards safety evaluation supporting proposed EALs.
RINALDI,F. . 98/01/28. BARRON,H.B. Duke Power Co. 3pp. A1987:001-A1987:011.

--9802030139 Safety evaluation supporting 951227 request for NRC approval of proposed EALs to McGuire Nuclear Station,Units 1 & 2.
* . 98/01/28. 8pp. A1987:004-A1987:011.

9802060196 EPIPs including,RP/0/A/5700/001,RP/0/A/5700/002,RP/0/A/5700/003,RP/0/A/5700/004,RP/0/A/5700/007,RP/0/A/5700/008 & RP/0/A/5700/022.Deleted EPIP RP/0/A/5700/05.
BARRON,H.B. Duke Power Co. 98/02/02. 150pp. A2087:173-A2087:325.

9802120283 Responds to NRC ltr re violations noted in insp repts 50-369/97-19 & 50-370/97-19.Corrective actions:notification via Emergency Notification Sys under 10CFR73 App G.
BARRON,H.B. Duke Power Co. 98/02/02. Document Control Branch (Document Control Desk). 9pp. A2216:280-A2216:288.

9802200245 Forwards addl info requested by NRC via conference call on 980121 re ERDS changes.
BARRON,H.B. Duke Power Co. 98/02/12. Document Control Branch (Document Control Desk). 14pp. A2319:001-A2319:025.

9802250158 Forwards insp repts 50-369/98-01 & 50-370/98-01 on 980114-15.No violations noted.Insp consisted of selective exams of procedures & representative records,interviews w/personnel & observation of activities in progress.
BELISLE,G.A. Region 2 (Post 820201). 98/02/17. BARRON,H.B. Duke Power Co. 3pp. A2326:248-A2326:252.

--9802250172 Partially withheld insp repts 50-369/98-01 & 50-370/98-01 on 980114-15 (ref 10CFR2.790).No violations noted.Major areas inspected:plant support,including malevolent use of vehicles at plant & vehicle barrier sys.
* Region 2 (Post 820201). 98/02/17. 2pp. A2326:251-A2326:252.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802170017 Forwards rev 1 to non-proprietary topical rept DPC-NE-3000-A & rev 1 to proprietary topical rept DPC-NE-3000-PA, "Thermal Hydraulic Transient Analysis Methodology." Proprietary version withheld.
TUCKMAN,M.S. Duke Power Co. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2235:001-A2237:080.

--9802170019 Non-proprietary version of rev 1 to topical rept DPC-NE-3000-A, "Thermal-Hydraulic Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3000-A R01. 97/12/31. 802pp. A2235:007-A2237:080.

9802050280 Forwards RAI on section 3.6 containment sys.Response requested within 45 days.
TAM,P.S. . 98/01/30. TUCKMAN,M.S. Duke Power Co. 33pp. A2010:285-A2010:318.

9802170009 Forwards rev 2 to TR DPC-NE-3002-A, "UFSAR Chapter 15 Transient Analysis Methodology" IAW guidance contained in NUREG-0390.
TUCKMAN,M.S. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2237:081-A2237:276.

--9802170015 Rev 2 to "UFSAR Chapter 15 Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3002-A R02. 97/12/31. 190pp. A2237:083-A2237:276.

9802230059 Forwards revs to "OCDM for Duke Power Nuclear Stations," as required by McGuire TS 6.14.2.c.
TUCKMAN,M.S. Duke Power Co. 98/02/10. Document Control Branch (Document Control Desk). 2pp. A2326:001-A2326:258.

--9802230061 Revs to "OCDM for Duke Power Nuclear Stations."
HAYNES,L.E. Duke Power Co. 98/01/01. 300pp. A2328:003-A2328:258.

9802240395 Summary of 980127 meeting w/Duke Energy Corp re proposed rev of topical repts.List of attendees & DEC slides encl.
TAM,P.S. . 98/02/10. . 29pp. A2282:240-A2282:268.

9802180048 Forwards non-proprietary Rev 1 to DPC-NE-2005A & proprietary Rev 1 to DPC-NE-2005P-A, "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology." Proprietary rept withheld,per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2242:001-A2242:152.

--9802180051 Non-proprietary "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology."
EPPERSON,K.R. Duke Power Co. DPC-NE-2005A R01. 96/11/30. 146pp. A2242:007-A2242:152.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802120283 Responds to NRC ltr re violations noted in insp repts 50-369/97-19 & 50-370/97-19.Corrective actions:notification via Emergency Notification Sys under 10CFR73 App G.
BARRON,H.B. Duke Power Co. 98/02/02. Document Control Branch (Document Control Desk). 9pp. A2216:280-A2216:288.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200389 Responds to NRC 980112 ltr re violations noted in insp repts 50-369/97-18 & 50-370/97-18.Corrective actions:revised calculation MCC-1552.08-00-0118,communicated importance of checking process & reviewed Engineering Directive EDM-101.
BARRON,H.B. Duke Power Co. 98/02/10. Document Control Branch (Document Control Desk). 4pp. A2290:356-A2290:359.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802250158 Forwards insp repts 50-369/98-01 & 50-370/98-01 on 980114-15.No violations noted.Insp consisted of selective exams of procedures & representative records,interviews w/personnel & observation of activities in progress.
BELISLE,G.A. Region 2 (Post 820201). 98/02/17. BARRON,H.B. Duke Power Co. 3pp. A2326:248-A2326:252.

--9802250172 Partially withheld insp repts 50-369/98-01 & 50-370/98-01 on 980114-15 (ref 10CFR2.790).No violations noted.Major areas inspected:plant support,including malevolent use of vehicles at plant & vehicle barrier sys.
* Region 2 (Post 820201). 98/02/17. 2pp. A2326:251-A2326:252.

R. Periodic operating reports & related correspondence

9802200207 Forwards monthly operating repts for Jan 1998 for McGuire Nuclear Station,Units 1 & 2 & revised monthly operating status repts for Dec 1997 for McGuire Nuclear Station,Units 1 & 2.
DIMMERY,T. Duke Power Co. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2283:280-A2283:292.

--9802200214 Monthly operating repts for Jan 1998 for McGuire Nuclear Station,Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 98/01/31. 10pp. A2283:282-A2283:291.

--9802200219 Revised monthly operating repts for Dec 1997 for McGuire Nuclear Station,Units 1 & 2.
* Duke Power Co. 97/12/31. 1p. A2283:292-A2283:292.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802120031 Rev 22 to EPIP LZP-1110-1, "Station Director (Acting Station Director) Implementing Procedure" & index.
* Commonwealth Edison Co. 98/01/30. 38pp. A2233:213-A2233:250.

9802130067 Suppls 960715 application for amends to TS & 970619 suppl re changes to relocate fire protection requirements.Suppl is based on discussions during 970912 conference call between NRC,LaSalle Project Manager & CE.
DACIMO,F.R. Commonwealth Edison Co. 98/02/02. Document Control Branch (Document Control Desk). 6pp. A2231:112-A2231:126.

--9802130069 Proposed tech specs re changes to relocate fire protection requirements.
* Commonwealth Edison Co. 98/02/02. 9pp. A2231:118-A2231:126.

9802240144 Revised EPIPs,including rev 7 to LZP-1135-1,rev 10 to LZP-1550-6 & rev 13 to LZP-1550-12.
* Commonwealth Edison Co. 98/02/05. 54pp. A2288:266-A2288:326.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

9802240100 Forwards insp repts 50-373/98-03 & 50-374/98-03 on 980126-30.No violations noted.Insp consisted of exam of emergency preparedness program at plant,Units 1 & 2.
GROBE,J.A. Region 3 (Post 820201). 98/02/18. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2287:001-A2287:016.

--9802240106 Insp repts 50-373/98-03 & 50-374/98-03 on 980126-30.No violations noted.Major areas inspected:review of emergency preparedness program,an aspect of plant support.
* Region 3 (Post 820201). 98/02/18. 14pp. A2287:003-A2287:016.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802190002 Confirms plans to conduct NRC oversight panel meeting for plant on 980126 in Lisle,IL.Purpose of meeting to discuss status & effectiveness of restart plan plant performance improvement actions.
GRANT,G.E. Region 3 (Post 820201). 98/01/02. SUBALUSKY,W.T. Commonwealth Edison Co. 2pp. A2229:103-A2229:104.

9802050260 Informs that on 980106-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees.Summary of each site performance submitted.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 10pp. A2007:318-A2007:327.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802180143 Forwards amends 122 & 107 to licenses NPF-11 & NPF-18, respectively & SE.Amends delete TS SR 4.7.1.3.c which requires that every 18 months all areas within lake screenhouse behind bargrill be inspected.
SKAY,D.M. . 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2195:317-A2195:335.

-9802180147 Amends 122 & 107 to licenses NPF-11 & NPF-18,respectively, deleting TS SR 4.7.1.3.c which requires that every 18 months all areas within screenhouse behind bargrill be inspected.
SKAY,D.M. . 98/01/23. 10pp. A2195:322-A2195:331.

-9802180150 Safety evaluation supporting amends 122 & 107 to licenses NPF-11 & NPF-18,respectively.
* . 98/01/23. 4pp. A2195:332-A2195:335.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

-9802060120 Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802130067 Suppls 960715 application for amends to TS & 970619 suppl re changes to relocate fire protection requirements.Suppl is based on discussions during 970912 conference call between NRC,LaSalle Project Manager & CE.
DACIMO,F.R. Commonwealth Edison Co. 98/02/02. Document Control Branch (Document Control Desk). 6pp. A2231:112-A2231:126.

-9802130069 Proposed tech specs re changes to relocate fire protection requirements.
* Commonwealth Edison Co. 98/02/02. 9pp. A2231:118-A2231:126.

9802120038 Forwards summary of 980126 oversight panel meeting. Associated meeting summary & handout provided to NRC Oversight Panel by ComEd encl.
GRANT,G.E. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 34pp. A2142:090-A2142:123.

9802170108 Confirms plans to conduct NRC oversight panel meeting for LaSalle County Station on 980224 in Marseilles,IL to discuss status & effectiveness of restart plan plant performance improvement actions.
GRANT,G.E. Region 3 (Post 820201). 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2181:239-A2181:240.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802240178 Notification of 980305 meeting w/util in Rockville,MD to discuss Comm Ed engineering issues such as Design Basis Initiative & 10CFR50.59 process.
PULSIFER,R.M. . 98/02/11. CAPRA,R.A. . 7pp. A2283:035-A2283:041.

9802270050 Forwards justification for two additional leak chase channel configurations used in pressure suppression pool that were not bounded by justification provided in 971126 ltr.
DACIMO,F. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 91pp. A2375:161-A2376:142.

-9802270056 Rev 4 to MRT, "Material Requirement Table."
* CBI Nuclear Co. 81/08/24. 1p. A2375:251-A2375:251.

-9802270062 Rev 7 to WPAT, "Welding Procedure Application Table Downcomer Bracing & Quencher Support & Liner Work."
* CBI Nuclear Co. 80/05/27. 6pp. A2375:252-A2375:257.

-9802270065 Rev 6 to WPAT, "Welding Procedure Application Table Downcomer Bracing & Quencher Support & Liner Work."
* CBI Nuclear Co. 80/04/09. 6pp. A2375:258-A2375:263.

-9802270067 Rev 5 to WPAT, "Welding Procedure Application Table Downcomer Bracing & Quencher Support & Liner Work."
* CBI Nuclear Co. 80/03/10. 5pp. A2375:264-A2375:268.

-9802270070 Rev 4 to WPAT, "Welding Procedure Application Table Downcomer Bracing & Quencher Support & Liner Work."
* CBI Nuclear Co. 79/08/17. 4pp. A2375:269-A2375:272.

-9802270072 Rev 3 to WPAT, "Welding Procedure Application Table Downcomer Bracing & Quencher Support & Liner Work."
* CBI Nuclear Co. 79/05/04. 4pp. A2375:273-A2375:276.

-9802270075 Rev 2 to WPAT, "Welding Procedure Application Table Downcomer Bracing."
* CBI Nuclear Co. 79/02/16. 3pp. A2375:277-A2375:279.

-9802270078 Rev 1 to WPAT, "Welding Procedure Application Table Downcomer Bracing."
* CBI Nuclear Co. 79/01/08. 3pp. A2375:280-A2375:282.

-9802270081 Rev 0 to WPAT, "Welding Procedure Application Table Downcomer Bracing."
* CBI Nuclear Co. 78/08/15. 3pp. A2375:283-A2375:285.

-9802270082 Rev 2 to WPS-E300/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 80/04/07. 3pp. A2375:286-A2375:288.

-9802270084 Rev 1 to WPS-E308/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 79/10/19. 3pp. A2375:289-A2375:290.

-9802270086 Rev 0 to WPS-E308/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 78/06/05. 11pp. A2375:291-A2375:301.

-9802270093 Rev 6 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant.
* CBI Nuclear Co. 80/07/30. 3pp. A2375:302-A2375:304.

-9802270094 Rev 5 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 80/06/20. 3pp. A2375:305-A2375:308.

-9802270096 Rev 4 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 80/04/25. 3pp. A2375:309-A2375:311.

-9802270098 Rev 3 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 80/04/11. 3pp. A2375:312-A2375:314.

-9802270100 Rev 2 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 80/03/28. 3pp. A2375:315-A2375:317.

-9802270109 Rev 0 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant.
* CBI Nuclear Co. 78/06/13. 29pp. A2375:318-A2375:346.

-9802270131 Rev 2 to GR 27 X, "General Repair Procedure for Matls & Welds."
* CBI Nuclear Co. 80/06/30. 5pp. A2375:347-A2375:351.

-9802270136 Rev 0 to GR1N, "General Repair Procedure Bottom Liner Plates."
* CBI Nuclear Co. 79/05/25. 3pp. A2375:352-A2375:354.

-9802270142 Rev 2 to LC5X, "Leak Chase Channel Solution Film & Pressure Decay Procedure."
* CBI Nuclear Co. 79/05/10. 5pp. A2375:355-A2375:359.

-9802270148 Rev 1 to LC5X, "Leak Chase Channel Solution Film & Pressure Decay Procedure."
* CBI Nuclear Co. 79/02/08. 32pp. A2376:001-A2376:032.

-9802270156 Rev 2 to L-001337, "Containment Liner Leak Chase Channel Assessment."
EBERHARDT,A.C. Commonwealth Edison Co. L-001337 R02. 98/02/03. 109pp. A2376:033-A2376:142.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040022 Forwards insp repts 50-373/97-20 & 50-374/97-20 on 971101- 1218 & notice of violation re failure to follow procedures involving control of operability evaluations.
GRANT,G.E. Region 3 (Post 820201). 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1998:082-A1998:101.

-9802040027 Notice of violation from insp on 971101-1218.Violation noted:activities affecting quality were not accomplished IAW applicable procedures.
* Region 3 (Post 820201). 98/01/23. 3pp. A1998:085-A1998:087.

-9802040033 Insp repts 50-373/97-20 & 50-374/97-20 on 971101-1218. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/01/23. 14pp. A1998:088-A1998:101.

9802180143 Forwards amends 122 & 107 to licenses NPF-11 & NPF-18, respectively & SE.Amends delete TS SR 4.7.1.3.c which requires that every 18 months all areas within lake screenhouse behind bargrill be inspected.
SKAY,D.M. . 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2195:317-A2195:335.

–9802180147 Amends 122 & 107 to licenses NPF-11 & NPF-18,respectively, deleting TS SR 4.7.1.3.c which requires that every 18 months all areas within screenhouse behind bargrill be inspected.
SKAY,D.M. . 98/01/23. 10pp. A2195:322-A2195:331.

9802130016 Forwards insp repts 50-373/97-22 & 50-374/97-22 on 971219- 980123.No violations noted.Minor errors by shift managers in performing aspects of shift turnover activities & minor housekeeping deficiencies noted.
GRANT,G.E. Region 3 (Post 820201). 98/02/05. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2164:023-A2164:036.

–9802130020 Insp repts 50-373/97-22 & 50-374/97-22 on 971219-980123.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/05. 12pp. A2164:025-A2164:036.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802170134 Forwards insp repts 50-373/98-02 & 50-374/98-02 on 971216-17,980105-08 & 12-16.No violations noted.Maint rule program was well implemented.Conclusion based on determination that proper monitoring sys was established.
GROBE,J.A. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2170:226-A2170:253.

–9802170135 Insp repts 50-373/98-02 & 50-374/98-02 on 971216-17, 980105-08 & 12-16.No violations noted.Major areas inspected: operations,maint,quality assurance & engineering.
* Region 3 (Post 820201). 98/02/09. 25pp. A2170:229-A2170:253.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190212 Clarifies ongoing corrective actions re insp repts 50-373/96-11 & 50-374/96-11.Combining of surveillance procedures LTS-600-19,LTS-600-23 & LTS-1000-4 will not be done.Each procedure will be done separately.
DACIMO,F. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2258:266-A2258:267.

9802250127 Forwards response to violations noted in insp repts 50-373/97-21 & 50-374/97-21.Corrective actions:work on reactor water cleanup (RWCU) mod & work on other contaminated stopped & prompt investigation performed.
DACIMO,F.R. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 4pp. A2359:356-A2359:359.

9802240100 Forwards insp repts 50-373/98-03 & 50-374/98-03 on 980126-30.No violations noted.Insp consisted of exam of emergency preparedness program at plant,Units 1 & 2.
GROBE,J.A. Region 3 (Post 820201). 98/02/18. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2287:001-A2287:016.

–9802240106 Insp repts 50-373/98-03 & 50-374/98-03 on 980126-30.No violations noted.Major areas inspected:review of emergency preparedness program,an aspect of plant support.
* Region 3 (Post 820201). 98/02/18. 14pp. A2287:003-A2287:016.

9802240223 Responds to NRC 980123 ltr re violations noted in insp repts 50-373/97-20 & 50-374/97-20.Corrective actions:completed audit verifying necessary active operability assessments were filed in CR & will revise procedure LAP-220-5.
DACIMO,F.R. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 9pp. A2343:160-A2343:168.

R. Periodic operating reports & related correspondence

9802200261 Monthly operating repts for Jan 1998 for LaSalle County Station,Units 1 & 2.W/980213 ltr.
CALFA,L., DACIMO,F. Commonwealth Edison Co. 98/01/31. 9pp. A2320:014-A2320:022.

S. Reportable occurrences, LERs & related correspondence

9802060218 Forwards LER 96-019-02 to update safety analysis.New commitments listed.
DACIMO,F. Commonwealth Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2143:345-A2143:354.

–9802060224 LER 96-019-02:on 961210,ASME Section XI inservice test program anomalies identified due to personnel error. Procedure LOS-RH-Q2 has been revised to test containment spray isolation valves in close direction IAW IST program.
MANNING,P. Commonwealth Edison Co. 98/01/30. 9pp. A2143:346-A2143:354.

9802060227 Forwards LER 97-039-01 to update safety analyses.New commitments listed.
DACIMO,F. Commonwealth Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2143:355-A2143:360.

–9802060231 LER 97-039-01:on 971024,unanalyzed conditon occurred while removing main steam safety relief valves due to inadequate procedural guidance.Analyzed tailpipe restraints.
BEST,T. Commonwealth Edison Co. 98/01/30. 5pp. A2143:356-A2143:360.

9802130113 Forwards LER 97-042-01,which is being submitted to NRC office to update safety analysis.Commitments made by ltr, listed.
DACIMO,F. Commonwealth Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2231:250-A2231:255.

–9802130120 LER 97-042-01:on 971120,HPCS safety function was noted inoperable.Caused by deficiency in general maint for lubrication.Overhaul of remaining safety related AM series breakers by GE was completed.
BAKAS,J. Commonwealth Edison Co. 98/02/06. 5pp. A2231:251-A2231:255.

9802240423 LER 97-031-02:on 970822,leak detection area temp calculation error was noted.Caused by inadequate technical review of calculations.Revised analytical limit calculations,TS & UFSAR.W/980220 ltr.
ZWARICH,G., DACIMO,F. Commonwealth Edison Co. 98/02/20. 13pp. A2345:122-A2345:134.

9802260125 Special rept:on 980118,Fire Detection Zones 1-18 & 2-18 taken out-of-svc to prevent false alarms during hot work activities on auxiliary electric equipment room ventilation sys.Fire watches will remain in place.
DACIMO,F. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 2pp. A2373:231-A2373:232.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802120031 Rev 22 to EPIP LZP-1110-1, "Station Director (Acting Station Director) Implementing Procedure" & index.
* Commonwealth Edison Co. 98/01/30. 38pp. A2233:213-A2233:250.

9802130067 Suppls 960715 application for amends to TS & 970619 suppl re changes to relocate fire protection requirements.Suppl is based on discussions during 970912 conference call between NRC,LaSalle Project Manager & CE.
DACIMO,F.R. Commonwealth Edison Co. 98/02/02. Document Control Branch (Document Control Desk). 6pp. A2231:112-A2231:126.

–9802130069 Proposed tech specs re changes to relocate fire protection requirements.
* Commonwealth Edison Co. 98/02/02. 9pp. A2231:118-A2231:126.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

9802240100 Forwards insp repts 50-373/98-03 & 50-374/98-03 on 980126-30.No violations noted.Insp consisted of exam of emergency preparedness program at plant,Units 1 & 2.
GROBE,J.A. Region 3 (Post 820201). 98/02/18. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2287:001-A2287:016.

–9802240106 Insp repts 50-373/98-03 & 50-374/98-03 on 980126-30.No violations noted.Major areas inspected:review of emergency preparedness program,an aspect of plant support.
* Region 3 (Post 820201). 98/02/18. 14pp. A2287:003-A2287:016.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802190002 Confirms plans to conduct NRC oversight panel meeting for plant on 980126 in Lisle,IL.Purpose of meeting to discuss status & effectiveness of restart plan plant performance improvement actions.
GRANT,G.E. Region 3 (Post 820201). 98/01/02. SUBALUSKY,W.T. Commonwealth Edison Co. 2pp. A2229:103-A2229:104.

9802050260 Informs that on 980106-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees.Summary of each site performance submitted.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/16. KINGSLEY,O.D. Commonwealth Edison Co. 10pp. A2007:318-A2007:327.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802180143 Forwards amends 122 & 107 to licenses NPF-11 & NPF-18, respectively & SE.Amends delete TS SR 4.7.1.3.c which requires that every 18 months all areas within lake screenhouse behind bargrill be inspected.
SKAY,D.M. . 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2195:317-A2195:335.

–9802180147 Amends 122 & 107 to licenses NPF-11 & NPF-18,respectively, deleting TS SR 4.7.1.3.c which requires that every 18 months all areas within screenhouse behind bargrill be inspected.
SKAY,D.M. . 98/01/23. 10pp. A2195:322-A2195:331.

--**9802180150** Safety evaluation supporting amends 122 & 107 to licenses NPF-11 & NPF-18,respectively.
* . 98/01/23. 4pp. A2195:332-A2195:335.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

--**9802060120** Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802130067 Suppls 960715 application for amends to TS & 970619 suppl re changes to relocate fire protection requirements.Suppl is based on discussions during 970912 conference call between NRC,LaSalle Project Manager & CE.
DACIMO,F.R. Commonwealth Edison Co. 98/02/02. Document Control Branch (Document Control Desk). 6pp. A2231:112-A2231:126.

--**9802130069** Proposed tech specs re changes to relocate fire protection requirements.
* Commonwealth Edison Co. 98/02/02. 9pp. A2231:118-A2231:126.

9802120038 Forwards summary of 980126 oversight panel meeting. Associated meeting summary & handout provided to NRC Oversight Panel by ComEd encl.
GRANT,G.E. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 34pp. A2142:090-A2142:123.

9802170108 Confirms plans to conduct NRC oversight panel meeting for LaSalle County Station on 980224 in Marseilles,IL to discuss status & effectiveness of restart plan plant performance improvement actions.
GRANT,G.E. Region 3 (Post 820201). 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2181:239-A2181:240.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802240178 Notification of 980305 meeting w/util in Rockville,MD to discuss Comm Ed engineering issues such as Design Basis Initiative & 10CFR50.59 process.
PULSIFER,R.M. . 98/02/11. CAPRA,R.A. . 7pp. A2283:035-A2283:041.

9802270050 Forwards justification for two additional leak chase channel configurations used in pressure suppression pool that were not bounded by justification provided in 971126 ltr.
DACIMO,F. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 91pp. A2375:161-A2376:142.

--**9802270056** Rev 4 to MRT, "Material Requirement Table."
* CBI Nuclear Co. 81/08/24. 1p. A2375:251-A2375:251.

--**9802270062** Rev 7 to WPAT, "Welding Procedure Application Table Downcomer Bracing & Quencher Support & Liner Work."
* CBI Nuclear Co. 80/05/27. 6pp. A2375:252-A2375:257.

--**9802270065** Rev 6 to WPAT, "Welding Procedure Application Table Downcomer Bracing & Quencher Support & Liner Work."
* CBI Nuclear Co. 80/04/09. 6pp. A2375:258-A2375:263.

--**9802270067** Rev 5 to WPAT, "Welding Procedure Application Table Downcomer Bracing & Quencher Support & Liner Work."
* CBI Nuclear Co. 80/03/10. 5pp. A2375:264-A2375:268.

--**9802270070** Rev 4 to WPAT, "Welding Procedure Application Table Downcomer Bracing & Quencher Support & Liner Work."
* CBI Nuclear Co. 79/08/17. 4pp. A2375:269-A2375:272.

--**9802270072** Rev 3 to WPAT, "Welding Procedure Application Table Downcomer Bracing & Quencher Support & Liner Work."
* CBI Nuclear Co. 79/05/04. 4pp. A2375:273-A2375:276.

--**9802270075** Rev 2 to WPAT, "Welding Procedure Application Table Downcomer Bracing."
* CBI Nuclear Co. 79/02/16. 3pp. A2375:277-A2375:279.

--**9802270078** Rev 1 to WPAT, "Welding Procedure Application Table Downcomer Bracing."
* CBI Nuclear Co. 79/01/08. 3pp. A2375:280-A2375:282.

--**9802270081** Rev 0 to WPAT, "Welding Procedure Application Table Downcomer Bracing."
* CBI Nuclear Co. 78/08/15. 3pp. A2375:283-A2375:285.

--**9802270082** Rev 2 to WPS-E300/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 80/04/07. 3pp. A2375:286-A2375:288.

--**9802270084** Rev 1 to WPS-E308/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 79/10/19. 3pp. A2375:289-A2375:290.

--**9802270086** Rev 0 to WPS-E308/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 78/06/05. 11pp. A2375:291-A2375:301.

--**9802270093** Rev 6 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant.
* CBI Nuclear Co. 80/07/30. 3pp. A2375:302-A2375:304.

--**9802270094** Rev 5 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 80/06/20. 3pp. A2375:305-A2375:308.

--**9802270096** Rev 4 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 80/04/25. 3pp. A2375:309-A2375:311.

--**9802270098** Rev 3 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 80/04/11. 3pp. A2375:312-A2375:314.

--**9802270100** Rev 2 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant."
* CBI Nuclear Co. 80/03/28. 3pp. A2375:315-A2375:317.

--**9802270109** Rev 0 to WPS-E309/83670, "Downcomer Bracing - Nuclear Power Plant.
* CBI Nuclear Co. 78/06/13. 29pp. A2375:318-A2375:346.

--**9802270131** Rev 2 to GR 27 X, "General Repair Procedure for Matls & Welds."
* CBI Nuclear Co. 80/06/30. 5pp. A2375:347-A2375:351.

--**9802270136** Rev 0 to GR1N, "General Repair Procedure Bottom Liner Plates."
* CBI Nuclear Co. 79/05/25. 3pp. A2375:352-A2375:354.

--**9802270142** Rev 2 to LC5X, "Leak Chase Channel Solution Film & Pressure Decay Procedure."
* CBI Nuclear Co. 79/05/10. 5pp. A2375:355-A2375:359.

--**9802270148** Rev 1 to LC5X, "Leak Chase Channel Solution Film & Pressure Decay Procedure."
* CBI Nuclear Co. 79/02/08. 32pp. A2376:001-A2376:032.

--**9802270156** Rev 2 to L-001337, "Containment Liner Leak Chase Channel Assessment."
EBERHARDT,A.C. Commonwealth Edison Co. L-001337 R02. 98/02/03. 109pp. A2376:033-A2376:142.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040022 Forwards insp repts 50-373/97-20 & 50-374/97-20 on 971101- 1218 & notice of violation re failure to follow procedures involving control of operability evaluations.
GRANT,G.E. Region 3 (Post 820201). 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1998:082-A1998:101.

--**9802040027** Notice of violation from insp on 971101-1218.Violation noted:activities affecting quality were not accomplished IAW applicable procedures.
* Region 3 (Post 820201). 98/01/23. 3pp. A1998:085-A1998:087.

--**9802040033** Insp repts 50-373/97-20 & 50-374/97-20 on 971101-1218. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/01/23. 14pp. A1998:088-A1998:101.

9802180143 Forwards amends 122 & 107 to licenses NPF-11 & NPF-18, respectively & SE.Amends delete TS SR 4.7.1.3.c which requires that every 18 months all areas within lake screenhouse behind bargrill be inspected.
SKAY,D.M. . 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2195:317-A2195:335.

--**9802180147** Amends 122 & 107 to licenses NPF-11 & NPF-18,respectively, deleting TS SR 4.7.1.3.c which requires that every 18 months all areas within screenhouse behind bargrill be inspected.
SKAY,D.M. . 98/01/23. 10pp. A2195:322-A2195:331.

9802130016 Forwards insp repts 50-373/97-22 & 50-374/97-22 on 971219- 980123.No violations noted.Minor errors by shift managers in performing aspects of shift turnover activities & minor housekeeping deficiencies noted.
GRANT,G.E. Region 3 (Post 820201). 98/02/05. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2164:023-A2164:036.

--**9802130020** Insp repts 50-373/97-22 & 50-374/97-22 on 971219-980123.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/05. 12pp. A2164:025-A2164:036.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802170134 Forwards insp repts 50-373/98-02 & 50-374/98-02 on 971216-17,980105-08 & 12-16.No violations noted.Maint rule program was well implemented.Conclusion based on determination that proper monitoring sys was established.
GROBE,J.A. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2170:226-A2170:253.

--**9802170135** Insp repts 50-373/98-02 & 50-374/98-02 on 971216-17, 980105-08 & 12-16.No violations noted.Major areas inspected: operations,maint,quality assurance & engineering.
* Region 3 (Post 820201). 98/02/09. 25pp. A2170:229-A2170:253.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190212 Clarifies ongoing corrective actions re insp repts 50-373/96-11 & 50-374/96-11.Combining of surveillance procedures LTS-600-19,LTS-600-23 & LTS-1000-4 will not be done.Each procedure will be done separately.
DACIMO,F. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2258:266-A2258:267.

9802250127 Forwards response to violations noted in insp repts 50-373/97-21 & 50-374/97-21.Corrective actions:work on reactor water cleanup (RWCU) mod & work on other contaminated stopped & prompt investigation performed.
DACIMO,F.R. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 4pp. A2359:356-A2359:359.

9802240100 Forwards insp repts 50-373/98-03 & 50-374/98-03 on 980126-30.No violations noted.Insp consisted of exam of emergency preparedness program at plant,Units 1 & 2.
GROBE,J.A. Region 3 (Post 820201). 98/02/18. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2287:001-A2287:016.

-9802240106 Insp repts 50-373/98-03 & 50-374/98-03 on 980126-30.No violations noted.Major areas inspected:review of emergency preparedness program,an aspect of plant support.
* Region 3 (Post 820201). 98/02/18. 14pp. A2287:003-A2287:016.

9802240223 Responds to NRC 980123 ltr re violations noted in insp repts 50-373/97-20 & 50-374/97-20.Corrective actions:completed audit verifying necessary active operability assessments were filed in CR & will revise procedure LAP-220-5.
DACIMO,F.R. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 9pp. A2343:160-A2343:168.

R. Periodic operating reports & related correspondence

9802200261 Monthly operating repts for Jan 1998 for LaSalle County Station,Units 1 & 2.W/980213 ltr.
CALFA,L., DACIMO,F. Commonwealth Edison Co. 98/01/31. 9pp. A2320:014-A2320:022.

S. Reportable occurrences, LERs & related correspondence

9802100083 Forwards LER 98-001-00,per 10CFR50.73(a)(2)(iv).Commitments made by util,listed.
DACIMO,F. Commonwealth Edison Co. 98/02/05. Document Control Branch (Document Control Desk). 1p. A2213:190-A2213:195.

-9802100086 LER 98-001-00:on 980106,indications,isolations & alarms occurred due to trip of 2B RPS MG set output breaker & concurrent tripping of electrical protection assembly. Replaced circuit board containing overvoltage relay.
BUKANTIS,L. Commonwealth Edison Co. 98/02/05. 5pp. A2213:191-A2213:195.

9802260125 Special rept:on 980118,Fire Detection Zones 1-18 & 2-18 taken out-of-svc to prevent false alarms during hot work activities on auxiliary electric equipment room ventilation sys.Fire watches will remain in place.
DACIMO,F. Commonwealth Edison Co. 98/02/20. Document Control Branch (Document Control Desk). 2pp. A2373:231-A2373:232.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9802120118 Forwards proprietary & non-proprietary EPIPs including,rev 24 to EP-001-020,rev 23 to EP-001-030,rev 24 to EP-001-040, rev 14 to EP-002-071,rev 15 to EP-002-190 & rev 7 change 1 to EP-002-030.Proprietary info withheld.
EWING,E.C. Entergy Operations, Inc. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2215:115-A2215:224.

-9802120123 Revised EPIPs,including rev 24 to EP-001-020,rev 23 to EP-001-030,rev 24 to EP-001-040,rev 14 to EP-002-071,rev 15 to EP-002-190,rev 7,change 1 to EP-002-030 & rev 21,change 1 to EP-002-060.
* Entergy Operations, Inc. 98/02/09. 110pp. A2215:117-A2215:224.

J. Insurance & indemnity information

9802240196 Forwards certified copies of liability insurance policy endorsements issued in second half of 1997 as proof of financial protection,IAW 10CFR140.15.
DEWEASE,J.G. Entergy Operations, Inc. 98/02/17. Document Control Branch (Document Control Desk). 151pp. A2333:014-A2333:164.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802040280 Forwards rev 9 to Waterford Steam Electric Station Unit 3 FSAR which reflects update status of plant FSAR for period from 960531-970729.
DUGGER,C.M. Entergy Operations, Inc. 98/01/29. Document Control Branch (Document Control Desk). 87pp. A2100:001-A2104:178.

-9802040282 Rev 9 to "Waterford Steam Electric Station Unit 3 FSAR."
* Entergy Operations, Inc. 97/07/29. 1,270pp. A2101:071-A2104:178.

9802230207 Forwards rev 9 to Waterford 3 Steam Electric Station,Unit 3 UFSAR IAW 10CFR50.71(e) & 10CFR50.4(b)(6) re text flow affecting pages 9.5-111,9.5-171,9.5-181,9.5-225,15.4-3 & Table 10.4.9A-1.Pages have been corrected & 11 copies encl.
EWING,E.C. Entergy Operations, Inc. 98/02/18. Document Control Branch (Document Control Desk). 19pp. A2329:019-A2329:122.

-9802230218 Rev 9 to Waterford 3 Steam Electric Station,Unit 3 updated FSAR.
* Entergy Operations, Inc. 98/02/18. 84pp. A2329:039-A2329:122.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040008 Forwards non-proprietary & proprietary responses to 971231 RAI re TS change request NPF-38-193.Submittal includes two errata change pages to Holtec rept HI-971628,dtd 970327 & affidavits for addl matl.Proprietary encls withheld.
DUGGER,C.M. Entergy Operations, Inc. 98/01/29. Document Control Branch (Document Control Desk). 23pp. A2020:080-A2020:127.

-9802040038 "Chin Shan Analyses Show Advantages of Whole Pool Multi-Rack Approach," from Nuclear Engineering International,Mar 1991.
SINGH,K.P., SOLER,A.I. Holtec International. 91/03/31. 8pp. A2020:103-A2020:125.

-9802040048 Errata change pages for rept HI-971628,for Section 8.6.1.2 & Table 8.1.Change pages submitted to assure consistency between LAR & calculations performed for SFP structural analysis.
* Holtec International. HI-971628 ERR. 98/01/29. 2pp. A2020:126-A2020:127.

9802060093 Requests authorization to perform alternative to requirements of ASME Section XI,Subarticle IWA-5250.Util requests that NRC review & approve relief request IWA-5250 to support next refueling outage scheduled for 980411.
DEWEASE,J.G. Entergy Operations, Inc. 98/01/29. Document Control Branch (Document Control Desk). 6pp. A2152:353-A2152:358.

9802230253 Notification of 980219 meeting w/util in Rockville,MD to discuss SFP re-rack & SFP cooling at plant,unit 3.
PATEL,C.P. . 98/02/05. HANNON,J.N. . 4pp. A2270:338-A2270:341.

9802240282 Notification of 980319 meeting w/Entergy Operations,Inc,in Rockville,MD to discuss level of instructions & details of transferring QA plan details from current program plans at four sites to standard QA program plan for use at all sites.
WIGGINTON,D.L . 98/02/05. HANNON,J.N. . 7pp. A2281:351-A2281:357.

9802190181 Summarizes 980206 meeting in Arlington,TX re status of facility performance improvement plan actions,status of actions to improve performance of engineering organization & actions taken to resolve concerns re CAP self-assessment.
GWYNN,T.P. Region 4 (Post 820201). 98/02/11. DUGGER,C.M. Entergy Operations, Inc. 102pp. A2229:001-A2229:094.

9802240187 Requests addl info re spent fuel pool reracking at Waterford Steam Electric Station,Unit 3.
PATEL,C.P. . 98/02/11. DUGGER,C.M. Entergy Operations, Inc. 5pp. A2283:030-A2283:034.

9802240322 Summary of 980122 meeting w/Entergy in Rockville,Maryland re licensing issues & standardization of licensing documents. List of meeting attendees & meeting agenda encl.
WIGGINTON,D.L . 98/02/11. . 10pp. A2281:337-A2281:346.

9802250278 Provides response to RAI re Waterford 3 IPEEE dtd 941229 & 950728.
EWING,E.C. Entergy Operations, Inc. 98/02/23. Document Control Branch (Document Control Desk). 10pp. A2358:333-A2358:342.

9802270329 Submits response to request for addl info re QA program manual update.
DUGGER,C.M. Entergy Operations, Inc. 98/02/26. Document Control Branch (Document Control Desk). 4pp. A2411:357-A2411:360.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050120 Ack receipt of 971020 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/97-14 on 970827.NRC withdrew Example 3 of violation since 10CFR50.71 is not basis for updating TS bases sections.
DYER,J.E. Region 4 (Post 820201). 98/01/23. DUGGER,C.M. Entergy Operations, Inc. 4pp. A2010:060-A2010:064.

9802050113 Forwards insp rept 50-382/98-01 on 980112-15.No violations noted.Insp focused on solid radwaste mgt program & radwaste/ matls transportation program.
MURRAY,B. Region 4 (Post 820201). 98/01/29. DUGGER,C.M. Entergy Operations, Inc. 5pp. A2010:042-A2010:059.

-9802050116 Insp rept 50-382/98-01 on 980112-15.No violations noted. Major areas inspected:implementation of solid radwaste mgt & radwaste/matls transportation program.Quality assurance oversight,training & procedural guidance were also reviewed.
* Region 4 (Post 820201). 98/01/29. 13pp. A2010:047-A2010:059.

9802050127 Ack receipt of 980122 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/97-21 issued on 971202.Corrective actions will be examined during future inspections.
STETKA,T.F. Region 4 (Post 820201). 98/01/30. DUGGER,C.M. Entergy Operations, Inc. 5pp. A2010:095-A2010:107.

9802050290 Responds to NRC ltr re violations noted in insp rept 50-382/97-27.Corrective actions:condition rept 97-0562 was generated.
EWING,E.C. Entergy Operations, Inc. 98/02/02. Document Control Branch (Document Control Desk). 4pp. A2151:100-A2151:103.

9802090028 Ack receipt of 980202 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/97-27.
HARRELL,P. Region 4 (Post 820201). 98/02/04. DUGGER,C.M. Entergy Operations, Inc. 5pp. A2042:315-A2042:323.

9802090163 Discusses predecisional EC conducted 980123 re insp rept 50-382/97-26 on 971215 & forwards NOV re failure to return controller for valve ACC-126A to automatic operation following use on 971109.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/02/05. DUGGER,C.M. Entergy Operations, Inc. 5pp. A2048:075-A2048:084.

--**9802090168** Notice of violation from insp on 971215.Violation noted:on 971110,two independent trains of auxiliary component cooling water were not maintained operable in mode 1.
* Region 4 (Post 820201). 98/02/05. 4pp. A2048:080-A2048:084.

9802090169 Ack receipt of 980115 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/97-26.
MURRAY,B. Region 4 (Post 820201). 98/02/05. DUGGER,C.M. Entergy Operations, Inc. 4pp. A2048:090-A2048:110.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802170176 Forwards insp rept 50-382/97-28 on 971214-980131.No violations noted.
HARRELL,P.H. Region 4 (Post 820201). 98/02/11. DUGGER,C.M. Entergy Operations, Inc. 5pp. A2170:254-A2170:270.

--**9802170177** Insp rept 50-382/97-28 on 971214-980131.No violations noted. Major areas inspected:operations,maint,engineering & plant support activities.
* Region 4 (Post 820201). 98/02/11. 12pp. A2170:259-A2170:270.

9802180169 Responds to NRC ltr re violations noted in insp rept 50-382/97-24.Corrective actions:engineering calculation EC-M95-012 has been revised to remove all CSP & RWSP vortex calculations.
EWING,E.C. Entergy Operations, Inc. 98/02/11. Document Control Branch (Document Control Desk). 4pp. A2243:223-A2243:226.

R. Periodic operating reports & related correspondence

9802030070 "Rept of Facility Changes,Tests & Experiments per 10CFR50.59 for period 951201-970531." W/980129 ltr.
EWING,E.C. Entergy Operations, Inc. 97/05/31. 268pp. A2017:043-A2017:310.

9802200150 Monthly operating rept for Jan 1998 for Waterford,Unit 3. W/980216 ltr.
FREEMAN,D.S., EWING,E.C. Entergy Operations, Inc. 98/01/31. 7pp. A2289:340-A2289:346.

9802250267 Forwards fitness-for-duty performance data for period from Jul-Dec 1997.
EWING,E.C. Entergy Operations, Inc. 98/02/23. Document Control Branch (Document Control Desk). 5pp. A2368:223-A2368:227.

S. Reportable occurrences, LERs & related correspondence

9802180072 Informs that LER 97-033-00 did not include proposed schedule for providing reanalysis to show compliance,per util 980105 submittal.Completion date of 980430 proposed.
EWING,E.C. Entergy Operations, Inc. 98/02/16. Document Control Branch (Document Control Desk). 2pp. A2240:358-A2240:359.

V. Operator Examinations

9802030075 Forwards eleven preliminary applications for SRO licenses IAW 10CFR55.31.Util requests that written exam & operating test be administered to noted applicants.W/o encls.
EWING,E.C. Entergy Operations, Inc. 98/01/29. MERSCHOFF,E.W. Region 4 (Post 820201). 2pp. A2017:359-A2017:360.

9802090252 Informs that NRC plans to administer GFES of written operator licensing exam at facility on 980408.Requests that listing of names of candidates for exam be submitted to appropriate Regional Administrator by 980306.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. DUGGER,C.M. Entergy Operations, Inc. 5pp. A2039:346-A2039:350.

9802190167 Forwards applications for renewal of reactor operator licenses for listed individuals,IAW 10CFR55.57.W/o encl.
EWING,E.C. Entergy Operations, Inc. 98/02/10. MERSCHOFF,E.W. Region 4 (Post 820201). 2pp. A2253:356-A2253:357.

9802200224 Forwards eleven final applications for SRO licenses for listed individuals,IAW 10CFR55.31.Admininstration of written exam & operating test to listed applicants,requested.W/o encl.
EWING,E.C. Entergy Operations, Inc. 98/02/12. MERSCHOFF,E.W. Region 4 (Post 820201). 2pp. A2324:204-A2324:205.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802060217 Advises that 970807 & 1110 Rev LL & suppl to Rev LL to physical security plan,respectively consistent w/provisions of 10CFR50.54(p) & acceptable.
MODES,M.C. Region 1 (Post 820201). 98/01/27. BRYAM,R.G. Pennsylvania Power & Light Co. 3pp. A2138:344-A2138:346.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040040 Forwards application for amends to licenses NPF-14 & NPF-22, permitting individual who does not hold current SRO license to hold position of Manager-Nuclear Operations.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2020:195-A2020:210.

--**9802040042** Application for amends to licenses NPF-14 & NPF-22, permitting individual who does not hold current SRO license to hold position of Manager-Nuclear Operations.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/26. 8pp. A2020:197-A2020:204.

--**9802040046** Proposed tech specs,permitting individual who does not hold current SRO license to hold position of Manager-Nuclear Operations.
* Pennsylvania Power & Light Co. 98/01/26. 6pp. A2020:205-A2020:210.

9802090051 Forwards proprietary response to RAI re proposed license amend 209 to TS supporting cycle 11 reload.Proprietary info withheld,per 10CFR2.790.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 8pp. A2095:244-A2095:251.

9802120286 Requests enforcement discretion from TS re primary containment leakage testing requirements for certain instrument line penetrations,allowing plant to operate until surveillance testing can be performed.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/03. Document Control Branch (Document Control Desk). 11pp. A2233:157-A2233:167.

9802130001 Forwards proposed amends 219 & 181 to licenses NPF-14 & NPF-22,respectively.Amends change TS to annotate requirement for Type A testing to indicate penetrations to which it will not apply for duration of proposed enforcement discretion.
JONES,G.T. Pennsylvania Power & Light Co. 98/02/05. Document Control Branch (Document Control Desk). 5pp. A2233:324-A2233:346.

--**9802130003** Application for amends to licenses NPF-14 & NPF-22, annotating TS requirement for Type A testing to indicate penetrations to which it will not apply for duration of proposed enforcement discretion.
JONES,G.T. Pennsylvania Power & Light Co. 98/02/05. 15pp. A2233:329-A2233:343.

--**9802130004** Proposed tech specs pages,annotating requirement for Type A testing to indicate penetrations to which it will not apply for duration of proposed enforcement discretion.
* Pennsylvania Power & Light Co. 98/02/05. 3pp. A2233:344-A2233:346.

9802180028 Forwards two calculations which provide justification for concluding that plant offgas sys detonation resistant. Calculations being submitted to facilitate NRC review of licensing basis change to offgas sys.
JONES,G.T. Pennsylvania Power & Light Co. 98/02/09. Document Control Branch (Document Control Desk). 3pp. A2243:001-A2243:022.

--**9802180037** Rev 0 to EC-072-1009, "Offgas Sys Hydrogen Detonation & Seismic Design."
FOGARTY,M., KOSTEINIK,D., MJAATVEDT,M. Pennsylvania Power & Light Co. EC-072-1009 R00. 97/08/11. 9pp. A2243:004-A2243:012.

--**9802180040** Rev 1 to EC-072-1007, "Evaluation of Susquehanna Offgas Sys Pressure Integrity for Hydrogen Detonation."
HEAD,R.A., NESBITT,L.B., GLAZIER,J.R. Pennsylvania Power & Light Co. EC-072-1007 R01. 97/12/15. 10pp. A2243:013-A2243:022.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802020127 Ack receipt of 980106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/97-03 & 50-388/97-03.
ANDERSON,C.J. Region 1 (Post 820201). 98/01/14. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. A2006:242-A2006:245.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802100125 Responds to NRC 971231 ltr re violations noted in insp repts 50-387/97-09 & 50-388/97-09.Corrective actions:performed mod to cut & cap 'B' reactor recirculation discharge valve bonnet vent line & inspected similar welds.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 4pp. A2166:358-A2166:361.

9802120106 Forwards insp repts 50-387/97-10 & 50-388/97-10 on 971209- 980119.No violations noted.Corrective actions will be reviewed in future insps.
ANDERSON,C.J. Region 1 (Post 820201). 98/02/04. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A2142:197-A2142:232.

--**9802120113** Insp repts 50-387/97-10 & 50-388/97-10 on 971209-980119.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 1 (Post 820201). 98/02/04. 35pp. A2142:200-A2142:232.

9802120262 Forwards supplemental response to violations noted in insp repts 50-387/97-06 & 50-388/97-06 re partially-opened CR emergency ouside air supply sys door.Corrective actions: changes made to operator rounds to clarify expectations.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/05. Document Control Branch (Document Control Desk). 8pp. A2233:260-A2233:267.

9802120291 Provides response to violations noted in insp repts 50-387/97-06 & 50-388/97-06.Corrective actions:list of plant equipment that is not alarmed &/or regularly checked compiled & status of each confirmed.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/05. Document Control Branch (Document Control Desk). 6pp. A2216:315-A2216:320.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200017 Transmits rev 1 to relief request RR-3 for second 10-year ISI program for Units 1 & 2 for review & approval.Rev is to change ref of location of requirements to perform snubber insps from SSES plant TS to technical requirements manual.
JONES,G.T. Pennsylvania Power & Light Co. 98/02/09. Document Control Branch (Document Control Desk). 4pp. A2268:357-A2268:360.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802270020 Ack receipt of 980202 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/97-09 & 50-388/97-09.
ANDERSON,C.J. Region 1 (Post 820201). 98/02/11. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. A2349:009-A2349:014.

9802240331 Ack receipt of 980205 ltr & wire in amount of $55,000 in payment for civil penalty proposed by NRC ltr dtd 980109. Corrective actions will be examined during future inspections.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/23. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. A2279:111-A2279:112.

R. Periodic operating reports & related correspondence

9802240174 Monthly operating repts for Jan 1998 for Susquehanna Steam Electric Station,Units 1 & 2.W/980211 ltr.
YOUNG,K.A., KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 98/01/31. 7pp. A2333:289-A2333:295.

S. Reportable occurrences, LERs & related correspondence

9802170064 Forwards LER 98-001-00,describing event in which Unit I reactor building discharge vent gaseous effluent monitor was declared inoperable per TS 3.3.7.11.
KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 98/02/09. Document Control Branch (Document Control Desk). 1p. A2213:272-A2213:275.

-9802170069 LER 98-001-00:on 980110,loss of continuous vent sampling was discovered.Caused by lost resilience of tubing for sample flow transmitter.Tubing was reconnected.
CODDINGTON,C.T. Pennsylvania Power & Light Co. 98/02/09. 3pp. A2213:273-A2213:275.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802060217 Advises that 970807 & 1110 Rev LL & suppl to Rev LL to physical security plan,respectively consistent w/provisions of 10CFR50.54(p) & acceptable.
MODES,M.C. Region 1 (Post 820201). 98/01/27. BRYAM,R.G. Pennsylvania Power & Light Co. 3pp. A2138:344-A2138:346.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040040 Forwards application for amends to licenses NPF-14 & NPF-22, permitting individual who does not hold current SRO license to hold position of Manager-Nuclear Operations.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2020:195-A2020:210.

-9802040042 Application for amends to licenses NPF-14 & NPF-22, permitting individual who does not hold current SRO license to hold position of Manager-Nuclear Operations.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/01/26. 8pp. A2020:197-A2020:204.

-9802040046 Proposed tech specs,permitting individual who does not hold current SRO license to hold position of Manager-Nuclear Operations.
* Pennsylvania Power & Light Co. 98/01/26. 6pp. A2020:205-A2020:210.

9802090051 Forwards proprietary response to RAI re proposed license amend 209 to TS supporting cycle 11 reload.Proprietary info withheld,per 10CFR2.790.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 8pp. A2095:244-A2095:251.

9802120286 Requests enforcement discretion from TS re primary containment leakage testing requirements for certain instrument line penetrations,allowing plant to operate until surveillance testing can be performed.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/03. Document Control Branch (Document Control Desk). 11pp. A2233:157-A2233:167.

9802120270 Informs NRC of util intent to implement direct approach for Unit 2 Cycle 9.Revised COLR,containing core flow dependent MCPR operating limits based on direct approach,will be issued on or about 980212.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/05. Document Control Branch (Document Control Desk). 2pp. A2232:359-A2232:360.

9802130001 Forwards proposed amends 219 & 181 to licenses NPF-14 & NPF-22,respectively.Amends change TS to annotate requirement for Type A testing to indicate penetrations to which it will not apply for duration of proposed enforcement discretion.
JONES,G.T. Pennsylvania Power & Light Co. 98/02/05. Document Control Branch (Document Control Desk). 5pp. A2233:324-A2233:346.

-9802130003 Application for amends to licenses NPF-14 & NPF-22, annotating TS requirement for Type A testing to indicate penetrations to which it will not apply for duration of proposed enforcement discretion.
JONES,G.T. Pennsylvania Power & Light Co. 98/02/05. 15pp. A2233:329-A2233:343.

-9802130004 Proposed tech specs pages,annotating requirement for Type A testing to indicate penetrations to which it will not apply for duration of proposed enforcement discretion.
* Pennsylvania Power & Light Co. 98/02/05. 3pp. A2233:344-A2233:346.

9802180028 Forwards two calculations which provide justification for concluding that plant offgas sys detonation resistant. Calculations being submitted to facilitate NRC review of licensing basis change to offgas sys.
JONES,G.T. Pennsylvania Power & Light Co. 98/02/09. Document Control Branch (Document Control Desk). 3pp. A2243:001-A2243:022.

-9802180037 Rev 0 to EC-072-1009, "Offgas Sys Hydrogen Detonation & Seismic Design."
FOGARTY,M., KOSTEINIK,D., MJAATVEDT,M. Pennsylvania Power & Light Co. EC-072-1009 R00. 97/08/11. 9pp. A2243:004-A2243:012.

-9802180040 Rev 1 to EC-072-1007, "Evaluation of Susquehanna Offgas Sys Pressure Integrity for Hydrogen Detonation."
HEAD,R.A., NESBITT,L.B., GLAZIER,J.R. Pennsylvania Power & Light Co. EC-072-1007 R01. 97/12/15. 10pp. A2243:013-A2243:022.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802020127 Ack receipt of 980106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/97-03 & 50-388/97-03.
ANDERSON,C.J. Region 1 (Post 820201). 98/01/14. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. A2006:242-A2006:245.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802100125 Responds to NRC 971231 ltr re violations noted in insp repts 50-387/97-09 & 50-388/97-09.Corrective actions:performed mod to cut & cap 'B' reactor recirculation discharge valve bonnet vent line & inspected similar welds.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 4pp. A2166:358-A2166:361.

9802120106 Forwards insp repts 50-387/97-10 & 50-388/97-10 on 971209- 980119.No violations noted.Corrective actions will be reviewed in future insps.
ANDERSON,C.J. Region 1 (Post 820201). 98/02/04. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. A2142:197-A2142:232.

-9802120113 Insp repts 50-387/97-10 & 50-388/97-10 on 971209-980119.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 1 (Post 820201). 98/02/04. 35pp. A2142:200-A2142:232.

9802120262 Forwards supplemental response to violations noted in insp repts 50-387/97-06 & 50-388/97-06 re partially-opened CR emergency ouside air supply sys door.Corrective actions: changes made to operator rounds to clarify expectations.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/05. Document Control Branch (Document Control Desk). 8pp. A2233:260-A2233:267.

9802120291 Provides response to violations noted in insp repts 50-387/97-06 & 50-388/97-06.Corrective actions:list of plant equipment that is not alarmed &/or regularly checked compiled & status of each confirmed.
BYRAM,R.G. Pennsylvania Power & Light Co. 98/02/05. Document Control Branch (Document Control Desk). 6pp. A2216:315-A2216:320.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200017 Transmits rev 1 to relief request RR-3 for second 10-year ISI program for Units 1 & 2 for review & approval.Rev is to change ref of location of requirements to perform snubber insps from SSES plant TS to technical requirements manual.
JONES,G.T. Pennsylvania Power & Light Co. 98/02/09. Document Control Branch (Document Control Desk). 4pp. A2268:357-A2268:360.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802270020 Ack receipt of 980202 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/97-09 & 50-388/97-09.
ANDERSON,C.J. Region 1 (Post 820201). 98/02/11. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. A2349:009-A2349:014.

9802240331 Ack receipt of 980205 ltr & wire in amount of $55,000 in payment for civil penalty proposed by NRC ltr dtd 980109. Corrective actions will be examined during future inspections.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/23. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. A2279:111-A2279:112.

R. Periodic operating reports & related correspondence

9802240174 Monthly operating repts for Jan 1998 for Susquehanna Steam Electric Station,Units 1 & 2.W/980211 ltr.
YOUNG,K.A., KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 98/01/31. 7pp. A2333:289-A2333:295.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802030085 Notifies that NRC staff will conduct pilot team insp in fire protection subj area at plant during wks of 980309 & 30.SECY-96-267,draft NRC insp manual on fire protection functional insp & list of supporting documentation encl.
WIENS,L. . 98/01/14. PLUNKETT,T.F. Florida Power & Light Co. 118pp. A1980:200-A1980:317.

9802180012 Third partial response to FOIA request for documents. Forwards records listed in App C being withheld in part.App D records being withheld in entirety (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/23. BARTON,E. Port St. Lucie,FL. 4pp. A2194:314-A2194:328.

--9802180024 Investigation rept 2-96-042 on 961106.No noncompliance noted.Major areas investigated:allegation of falsification & backdating of emergency preparedness document.Partially deleted.
TATE,C.T. Ofc of Investigations (Post 880201). 97/02/12. 9pp. A2194:320-A2194:328.

9802180023 Second partial response to FOIA request for documents. Records in App B being withheld in part (ref FOIA Exemption 7).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 98/01/23. BARTON,E.A. Affiliation Not Assigned. 6pp. A2191:001-A2191:125.

--9802180057 Partially deleted ltr forwarding allegation evaluation rept RII-97-A-0015 re female visitors not being informed about monitoring of embryo/fetus prior to gaining access to radiologically controlled area.
BARR,K.P. Region 2 (Post 820201). 97/04/08. Affiliation Not Assigned. 9pp. A2191:064-A2191:079.

9802040457 Informs that St Lucie County & Martin County emergency response agencies will conduct an exercise of EP for St Lucie Plant on 980318,involving participation by local emergency response agencies.Excercise will be evaluated.
STALL,J.A. Florida Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 1p. A2036:278-A2036:278.

9802050027 Forwards rev 23 to EPIP HP-202, "Environ Monitoring During Emergencies," in response to critique item in previous emergency exercise re guidance on reporting only activities greater than min detectable activity.
STALL,J.A. Florida Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 1p. A2087:001-A2087:025.

--9802050032 Rev 23 to EPIP HP-202, "Environ Monitoring During Emergencies."
* Florida Power & Light Co. 98/01/27. 24pp. A2087:002-A2087:025.

9802180011 Fourth partial response to FOIA request for documents. Documents listed in App E,being released in entirety. Documents listed in App F,being released in part (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/28. BARTON,E. Affiliation Not Assigned. 4pp. A2191:126-A2191:209.

--9802180015 FOIA request for documents re access to twenty-two listed files.Also encl,case chronology for RII-95-A-0001 & RII-95-A-0183.
BARTON,E.A. Affiliation Not Assigned. 97/12/18. POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 6pp. A2191:130-A2191:173.

--9802180025 Submits evaluation rept for allegation RII-95-A-0183, questionable health physics practices for St Lucie Nuclear Plant.Also encl partially withheld allegation rept RII-95-A-0183 & case chronology RII-96-A-0150.
BARR,K.P. Region 2 (Post 820201). 96/07/16. DEMIRANDA,O. Region 2 (Post 820201). 15pp. A2191:174-A2191:209.

9802110163 Notifies NRC that FPL has determined exemption from 10CFR73.55(d) requirements, "Access Requirements," issued on 931129,re changes to 10CFR73.55(d)(5) that were effective on 980116,(62FR6364).
STALL,J.A. Florida Power & Light Co. 98/02/04. Document Control Branch (Document Control Desk). 2pp. A2198:357-A2198:358.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050259 Responds to request from Leakey re statistics on allegations concerning St Lucie & Turkey Point nuclear plants.Forwards tables w/breakdown of allegations concerning sites by source category for CYs 1993,1994,1995,1996 & 1997.
BAKER,E.T. . 98/02/03. PLUNKETT,T.F. Florida Power & Light Co. 16pp. A2012:228-A2012:244.

9802110044 Forwards indicators issued in Jan 1998 for plant.Indicators distributed to util mgt on 980129,per Nov 1995 meeting.
STALL,J.A. Florida Power & Light Co. 98/02/04. Document Control Branch (Document Control Desk). 141pp. A2199:198-A2199:333.

9802110123 Provides response to GL 97-04, "Assurance of Sufficient Net Positive Suction Head for ECC & Containment Heat Removal Pumps."
STALL,J.A. Florida Power & Light Co. 98/02/04. Document Control Branch (Document Control Desk). 13pp. A2212:229-A2212:241.

9802130010 Informs of Region II mgt changes that will be effective on 980215.Revised organization chart encl.
LANDIS,K.D. Region 2 (Post 820201). 98/02/05. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A2164:014-A2164:017.

9802240233 Summary of 980120 meeting w/listed representatives re endangered & threatened species info & developments at St Lucie site.List of attendees & copies of meeting handouts encl.
WIENS,L.A. . 98/02/09. . 33pp. A2337:194-A2337:226.

9802240017 Responds to 961031 amend request for licenses DPR-67 & NPF-16,St Lucie Units 1 & 2.Proposed amend would revise responsibilities & authority for review & approval of safety-related plant procedures.
WIENS,L.A. . 98/02/12. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A2282:357-A2282:360.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802030085 Notifies that NRC staff will conduct pilot team insp in fire protection subj area at plant during wks of 980309 & 30.SECY-96-267,draft NRC insp manual on fire protection functional insp & list of supporting documentation encl.
WIENS,L. . 98/01/14. PLUNKETT,T.F. Florida Power & Light Co. 118pp. A1980:200-A1980:317.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040144 Ack receipt of 980102 ltr informing NRC of steps taken to correct violations noted in insp repts 50-335/97-15 & 50-389/97-15.
LANDIS,K.D. Region 2 (Post 820201). 98/01/20. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1999:357-A1999:359.

9802180039 First partial response to FOIA request for documents.Records in App A encl & being released in entirety.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/21. BARTON,E.A. Affiliation Not Assigned. 54pp. A2191:210-A2194:313.

--9802180049 Discusses technical staff actions associated w/three concerns in Allegation RII-96-A-0251.
BARR,K.P. Region 2 (Post 820201). 97/04/23. URYC,B. Region 2 (Post 820201). 29pp. A2193:162-A2194:265.

--9802180055 Forwards allegation evaluation rept & NRC insp repts 50-335/97-05 & 50-389/97-05 re RII-97-A-0116.
LANDIS,K.D. Region 2 (Post 820201). 97/07/17. DEMIRANDA,O. Region 2 (Post 820201). 14pp. A2194:266-A2194:313.

9802040198 Confirms 980114 telcon between E Weinkam & S Rudisail confirming predecisional enforcement conference scheduled for 980213 to discuss apparent violations associated w/ setpoint calibr error for Unit 1.
LANDIS,K.D. Region 2 (Post 820201). 98/01/23. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A1998:348-A1998:350.

9802040221 Forwards insp repts 50-335/97-16 & 50-389/97-16 on 971103-980109.Violations involving deficiencies identified in ESFAS setpoint calibration for RWT low level bistables,being considered for escalated EA.
JOHNSON,J. Region 2 (Post 820201). 98/01/23. PLUNKETT,T.F. Florida Power & Light Co. 4pp. A1999:038-A1999:051.

--9802040226 Insp repts 50-335/97-16 & 50-389/97-16 on 971103-980109. Violations noted & being considered for escalated EA.Major areas inspected:deficiencies in Unit 1 ESFAS RWT low level bistable calibration setpoint.
* Region 2 (Post 820201). 98/01/23. 10pp. A1999:042-A1999:051.

9802180012 Third partial response to FOIA request for documents. Forwards records listed in App C being withheld in part.App D records being withheld in entirety (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/23. BARTON,E. Port St. Lucie,FL. 4pp. A2194:314-A2194:328.

--9802180024 Investigation rept 2-96-042 on 961106.No noncompliance noted.Major areas investigated:allegation of falsification & backdating of emergency preparedness document.Partially deleted.
TATE,C.T., MCNULTY,W.J. Ofc of Investigations (Post 880201). 97/02/12. 9pp. A2194:320-A2194:328.

9802180023 Second partial response to FOIA request for documents. Records in App B being withheld in part (ref FOIA Exemption 7).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 98/01/23. BARTON,E.A. Affiliation Not Assigned. 6pp. A2191:001-A2191:125.

--**9802180032** Partially deleted ltr forwarding allegation evaluation repts RII-1997-A-0053 & RII-1997-A-0054 re excessive overtime worked for reactor operators at plant & improper securing of LPCI pump.
LANDIS,K.D. Region 2 (Post 820201). 97/06/06. Affiliation Not Assigned. 11pp. A2191:012-A2191:022.

--**9802180036** Partially deleted ltr re allegation rept RII-97-A-0027 related to concerns over control of on-site hazardous matl, maint mgt practices & industrial safety conditions at plant.
LANDIS,K.D. Region 2 (Post 820201). 97/05/30. Affiliation Not Assigned. 1p. A2191:023-A2191:030.

--**9802180042** Partially deleted ltr submitting follow-up to 970207 ltr re allegation rept RII-97-A-0027 of concerns that dealt w/licensee control of on-site hazardous matls,industrial safety concerns & mgt at FP&L St Lucie facility.
IGNATONIS,A. Region 2 (Post 820201). 97/02/12. Affiliation Not Assigned. 18pp. A2191:031-A2191:058.

--**9802180053** Partially deleted ltr re allegation rept RII-1997-A-0015 related to concerns that dealt w/licensee monitoring of pregnant female visitors at facility.
IGNATONIS,A. Region 2 (Post 820201). 97/02/14. Affiliation Not Assigned. 5pp. A2191:059-A2191:063.

--**9802180057** Partially deleted ltr forwarding allegation evaluation rept RII-97-A-0015 re female visitors not being informed about monitoring of embryo/fetus prior to gaining access to radiologically controlled area.
BARR,K.P. Region 2 (Post 820201). 97/04/08. Affiliation Not Assigned. 9pp. A2191:064-A2191:079.

--**9802180061** Partially deleted ltr re allegation rept RII-96-A-0192 concerning release of potentially contaminated water from RCA w/o proper screening.
BARR,K.P. Region 2 (Post 820201). 97/02/28. Affiliation Not Assigned. 13pp. A2191:080-A2191:125.

9802040308 Ack receipt of 980114 ltr informing NRC of steps taken to correct violations noted in insp repts 50-335/97-13 & 50-389/97-13.
LANDIS,K.D. Region 2 (Post 820201). 98/01/27. PLUNKETT,T.F. Florida Power & Light Co. 3pp. A2000:097-A2000:099.

9802180011 Fourth partial response to FOIA request for documents. Documents listed in App E,being released in entirety. Documents listed in App F,being released in part (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/28. BARTON,E. Affiliation Not Assigned. 4pp. A2191:126-A2191:209.

--**9802180015** FOIA request for documents re access to twenty-two listed files.Also encl,case chronology for RII-95-A-0001 & RII-95-A-0183.
BARTON,E.A. Affiliation Not Assigned. 97/12/18. POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 6pp. A2191:130-A2191:173.

--**9802180025** Submits evaluation rept for allegation RII-95-A-0183, questionable health physics practices for St Lucie Nuclear Plant.Also encl partially withheld allegation rept RII-95-A-0183 & case chronology RII-96-A-0150.
BARR,K.P. Region 2 (Post 820201). 96/07/16. DEMIRANDA,O. Region 2 (Post 820201). 15pp. A2191:174-A2191:209.

9802090199 Forwards insp repts 50-335/97-14 & 50-389/97-14 on 971123- 980103 & notice of violation.Not required to respond to violation unless description therein does not accurately reflect corrective actions or position.
JOHNSON,J.R. Region 2 (Post 820201). 98/02/02. PLUNKETT,T.F. Florida Power & Light Co. 5pp. A2042:103-A2042:142.

--**9802090200** Notice of violation from insp on 971123-980103.Violation noted:on 971031,contract engineer exceeded requirement by working 29 hours in 48 hour period.
* Region 2 (Post 820201). 98/02/02. 3pp. A2042:108-A2042:110.

--**9802090205** Insp repts 50-335/97-14 & 50-389/97-14 on 971123-980103. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
LANDIS,K. Region 2 (Post 820201). 98/02/02. 33pp. A2042:111-A2042:142.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802180035 Final response to FOIA request for records.App A records partially withheld (ref exemptions 7A & 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/12. BARTON,E. Affiliation Not Assigned. 3pp. A2268:257-A2268:295.

--**9802180041** FOIA request for documents re complaints by employees at St Lucie NPP & documents re conclusions of investigations into complaints by employees at St Lucie NPP.
BARTON,E.A. Affiliation Not Assigned. 97/11/20. CLARK,K. Region 2 (Post 820201). 2pp. A2268:260-A2268:261.

--**9802180044** Responds to 971120 FOIA request.Informs that request has been forwarded to NRC Headquarters.
EVANS,C.F. Region 2 (Post 820201). 97/11/25. BARTON,E.A. Affiliation Not Assigned. 1p. A2268:262-A2268:262.

--**9802180046** Forwards FOIA request received direct in Region II from E Barton on 971125.Encl partially deleted.
CALLOWAY,C. Region 2 (Post 820201). 97/11/25. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 32pp. A2268:263-A2268:295.

R. Periodic operating reports & related correspondence

9802230262 Monthly operating repts for Jan 1998 for St Lucie,Units 1 & 2.W/980213 ltr.
ROGERS,J.A., STALL,J.A. Florida Power & Light Co. 98/01/31. 7pp. A2342:343-A2342:349.

9802240140 Forwards fitness-for-duty program for period ending Dec-1997.
STALL,J.A. Florida Power & Light Co. 98/02/18. Document Control Branch (Document Control Desk). 3pp. A2333:181-A2333:183.

V. Operator Examinations

9802250305 Requests that restriction be added to operator license CP Johnson,OP-21236.NRC Form 396 & supporting evidence,encl.W/o encl.
STALL,J.A. Florida Power & Light Co. 98/02/19. PEEBLES,T.A. Region 2 (Post 820201). 1p. A2372:022-A2372:022.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802110076 Responds to 970508 ltr re safety concerns about use of room-temp vulcanizing silicone foam penetration seals in nuclear power plants & NRC efforts to address concerns.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/16. MARKEY,E.J. House of Rep. 59pp. A2090:001-A2093:036.

--**9802110106** "Penetration Seal Fire Resistance Tests 3 H Qualification," dtd 951026 re 3 h resistance evaluation of electrical fire penetration seal arrays.
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Affiliation Not Assigned. 11210-99050. 95/11/06. 980pp. A2090:073-A2092:325.

9802130027 Summarizes meeting w/TVA on 980129 to discuss results of SALP rept 50-390/97-99,issued on 980114.List of attendees & presentation matls encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/05. ZERINGUE,O.J. Tennessee Valley Authority. 13pp. A2164:071-A2164:083.

9802130033 Forwards initial UFSAR (file in category K),updated "Fire Protection Rept" (file in category F) & revised commitment for FSAR review,per 19CFR50.71(e).UFSAR reflects implemented design changes to facility or procedures described in UFSAR.
PACE,P.L. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 120pp. A2291:001-A2314:318.

--**9802130078** Rev 10 to "WBNP Fire Protection Rept."
PIERCE,J.J. Tennessee Valley Authority. 98/01/27. 2,000pp. A2311:297-A2314:308.

9802260002 Forwards "WBNP IPEEE Final Rept," as committed in 940120 & 970313 ltrs,per GL 88-20,suppl 4 & 5, "IPEEE for Severe Accident Vulnerabilities."
PACE,P.L. Tennessee Valley Authority. 98/02/17. Document Control Branch (Document Control Desk). 2pp. A2356:001-A2357:330.

--**9802260004** "WBNP IPEEE Final Rept."Page A-39 of incoming submittal was not included.
* Tennessee Valley Authority. 98/02/17. 692pp. A2356:003-A2357:330.

9802270226 Revised EPIPs,including rev 9,CN-2 to EPIP-2,rev 12,CN-2 to EPIP-3,rev 12,CN-3 to EPIP-4,rev 12,CN-2 to EPIP-5,rev 9, CN-2 to EPIP-6,rev 6,CN-2 to EPIP-7,rev 9,CN-3 to EPIP-8,rev 9,CN-2 to EPIP-10 & rev 9,CN-1 to EPIP-12.W/980223 ltr.
PACE,P.L. Tennessee Valley Authority. 98/02/23. 338pp. A2411:015-A2411:356.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802130033 Forwards initial UFSAR (file in category K),updated "Fire Protection Rept" (file in category F) & revised commitment for FSAR review,per 19CFR50.71(e).UFSAR reflects implemented design changes to facility or procedures described in UFSAR.
PACE,P.L. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 120pp. A2291:001-A2314:318.

--**9802130040** Section 1.0, "Introduction & General Description of Plant," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 104pp. A2291:121-A2291:230.

--**9802130046** Section 2.0, "Site Characteristics," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 1,000pp. A2291:231-A2295:135.

--**9802130048** Section 3.0, "Design of Structures,Components,Equipment & Systems," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 1,000pp. A2295:136-A2298:285.

--**9802130050** Section 4.0, "Reactor," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 700pp. A2298:286-A2300:137.

--**9802130052** Section 5.0, "Reactor Coolant Sys," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 400pp. A2300:138-A2301:078.

--**9802130054** Section 6.0, "Engineered Safety Features," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 1,000pp. A2301:079-A2303:334.

--**9802130058** Section 7.0, "Instrumentation & Controls," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 300pp. A2303:335-A2304:239.

--**9802130059** Section 8.0, "Electric Power," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 800pp. A2304:240-A2305:275.

--**9802130061** Section 9.0, "Auxiliary Sys," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 1,200pp. A2305:276-A2308:089.

--**9802130063** Section 10.0, "Main Steam & Power Conversion Systems," to WBNP unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 500pp. A2308:090-A2308:337.

--**9802130066** Section 11.0, "Radioactive Waste Management," to WBNP unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 200pp. A2308:338-A2309:152.

–**9802130068** Section 12.0, "Assuring That Occupational Radiation Exposures Are As Low As Reasonably Achievable (ALARA)," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 200pp. A2309:153-A2309:286.

–**9802130070** Section 13.0, "Conduct of Operations," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 24pp. A2309:287-A2309:314.

–**9802130072** Section 14.0, "Initial Test Program," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 150pp. A2309:315-A2310:130.

–**9802130075** Section 15.0, "Accident Analyses," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 500pp. A2310:131-A2311:296.

–**9803020082** Chapter 16, "Tech Specs," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 4pp. A2314:309-A2314:312.

–**9803020086** Chapter 17, "QA," to WBNP Unit 1 updated FSAR.
* Tennessee Valley Authority. 98/02/09. 6pp. A2314:313-A2314:318.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040070 Requests addl info re util 971002 submittal of responses to NRC RAI on WOG WCAP-13877,for extending surveillance interval for slave relay testing.
MARTIN,R.E. . 98/01/27. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A2006:310-A2006:312.

9802050349 Responds to request from Harding for statistics on allegations received by NRC re Browns Ferry,Sequoyah & Watts Barr.Forwards tables that provide breakdown of allegations of three sites for CYs 1993-1998.
BAKER,E.T. . 98/02/03. ZERINGUE,O.J. Tennessee Valley Authority. 20pp. A2012:127-A2012:146.

9802100090 Informs that NRC Region II mgt changes will be effective on 980215.Revised organization chart for Region II encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/04. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2093:353-A2093:358.

9802170137 Forwards summary rept of docketed commitments that TVA has evaluated & revised using administrative controls.Rept incorporates Nuclear Energy Institute, "Guidelines for Managing NRC Commitments."
PACE,P.L. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 13pp. A2218:295-A2218:307.

9802170149 Provides NRC w/changes to plant TS Bases & plant technical requirements manual in accordance w/Plant TS Section 5.6, "TS Bases Control Program" & Plant Technical Requirements Manual Section 5.1, "Technical Requirements Control...."
PACE,P.L. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 3pp. A2234:194-A2234:321.

–**9802170151** Proposed tech specs table of contents & list of effective pages.
* Tennessee Valley Authority. 98/02/09. 130pp. A2234:197-A2234:321.

9802240119 Forwards SE re alternative to ASME code repair requirements for canopy seal welds.NRC authorizes use of such alternative per 10CFR50.55a(a)(3)(i).
HEBDON,F.J. . 98/02/12. ZERINGUE,O.J. Tennessee Valley Authority. 4pp. A2287:302-A2287:310.

–**9802240121** Safety evaluation supporting alternative to ASME code, section 11 repair requirements.
* . 98/02/12. 5pp. A2287:306-A2287:310.

9802260002 Forwards "WBNP IPEEE Final Rept," as committed in 940120 & 970313 ltrs,per GL 88-20,suppl 4 & 5, "IPEEE for Severe Accident Vulnerabilities."
PACE,P.L. Tennessee Valley Authority. 98/02/17. Document Control Branch (Document Control Desk). 2pp. A2356:001-A2357:330.

–**9802260004** "WBNP IPEEE Final Rept."Page A-39 of incoming submittal was not included.
* Tennessee Valley Authority. 98/02/17. 692pp. A2356:003-A2357:330.

9802250271 Application for amend to license NPF-90,changing ADVs section LCO 3.7.4,to provide new TS Condition & Action to address potential situation involving one train of ADVs being made inoperable due to inoperable safety-related AS.
PURCELL,R.T. Tennessee Valley Authority. 98/02/18. Document Control Branch (Document Control Desk). 10pp. A2368:263-A2368:281.

–**9802250273** Proposed tech specs,changing ADVs section LCO 3.7.4,to provide new TS Condition & Action to address potential situation involving one train of ADVs being made inoperable due to inoperable safety-related AS.
* Tennessee Valley Authority. 98/02/18. 9pp. A2368:273-A2368:281.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

–**9802250259** Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040284 Discusses insp repts 50-390/97-11 & 50-391/97-11 on 971117-22 & forwards notice of violation.Open predecisional enforcement conference conducted on 980113 to discuss apparent violations.Attendance list,slide & viewgraphs encl.
REYES,L.A. Region 2 (Post 820201). 98/01/21. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1997:159-A1997:200.

–**9802040288** Notice of violation from insp on 971117-22.Violation noted: during evening shift of 970920,licensee failed to follow MI-68.001.
* Region 2 (Post 820201). 98/01/21. 37pp. A1997:164-A1997:200.

9802040102 Forwards insp repts 50-390/97-10 & 50-391/97-10 on 971123- 980103 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 98/01/28. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1997:052-A1997:073.

–**9802040118** Notice of violation from insp on 971123-980103.Violation noted:on 971205,control switches for fuel oil transfer pumps were found in off position.
* Region 2 (Post 820201). 98/01/28. 2pp. A1997:057-A1997:058.

–**9802040123** Insp repts 50-390/97-10 & 50-391/97-10 on 971123-980103. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 98/01/28. 15pp. A1997:059-A1997:073.

9802130027 Summarizes meeting w/TVA on 980129 to discuss results of SALP rept 50-390/97-99,issued on 980114.List of attendees & presentation matls encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/05. ZERINGUE,O.J. Tennessee Valley Authority. 13pp. A2164:071-A2164:083.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802170132 Responds to NRC 980121 ltr re violations noted in insp repts 50-390/97-11 & 50-391/97-11.Corrective actions:implemented series of actions as immediate response to handling of debris.
PURCELL,R.T. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 7pp. A2231:324-A2231:330.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802190289 Monthly operating rept for Jan 1998 for Watts Bar Nuclear Plant,Unit 1.W/ 980211 ltr.
TOLLEY,R.D., PACE,P.L. Tennessee Valley Authority. 98/01/31. 7pp. A2258:199-A2258:205.

9802170066 Provides summary rept of implemented SE performed since ack of OL in accordance w/10CFR50.59(b)(2).Rept covers period from 951109 to 971020.
PACE,P.L. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2199:001-A2199:197.

–**9802170109** "10CFR50.59 Summary Rept."
* Tennessee Valley Authority. 97/10/20. 195pp. A2199:003-A2199:197.

V. Operator Examinations

9802250365 Provides notification of change in status of operator BF McNew.
PURCELL,R.T. Tennessee Valley Authority. 98/02/18. Document Control Branch (Document Control Desk). 3pp. A2368:359-A2368:361.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050349 Responds to request from Harding for statistics on allegations received by NRC re Browns Ferry,Sequoyah & Watts Barr.Forwards tables that provide breakdown of allegations of three sites for CYs 1993-1998.
BAKER,E.T. . 98/02/03. ZERINGUE,O.J. Tennessee Valley Authority. 20pp. A2012:127-A2012:146.

9802100090 Informs that NRC Region II mgt changes will be effective on 980215.Revised organization chart for Region II encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/04. ZERINGUE,O.J. Tennessee Valley Authority. 6pp. A2093:353-A2093:358.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

--9802250259 Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

F. Security, medical, emergency & fire protection plans

9802110076 Responds to 970508 ltr re safety concerns about use of room-temp vulcanizing silicone foam penetration seals in nuclear power plants & NRC efforts to address concerns.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/16. MARKEY,E.J. House of Rep. 59pp. A2090:001-A2093:036.

--9802110106 "Penetration Seal Fire Resistance Tests 3 H Qualification," dtd 951026 re 3 h resistance evaluation of electrical fire penetration seal arrays.
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Affiliation Not Assigned. 11210-99050. 95/11/06. 980pp. A2090:073-A2092:325.

9802130027 Summarizes meeting w/TVA on 980129 to discuss results of SALP rept 50-390/97-99,issued on 980114.List of attendees & presentation matls encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/05. ZERINGUE,O.J. Tennessee Valley Authority. 13pp. A2164:071-A2164:083.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040264 Discusses insp repts 50-390/97-11 & 50-391/97-11 on 971117-22 & forwards notice of violation.Open predecisional enforcement conference conducted on 980113 to discuss apparent violations.Attendance list,slide & viewgraphs encl.
REYES,L.A. Region 2 (Post 820201). 98/01/21. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1997:159-A1997:200.

--9802040288 Notice of violation from insp on 971117-22.Violation noted: during evening shift of 970920,licensee failed to follow MI-68.001.
* Region 2 (Post 820201). 98/01/21. 37pp. A1997:164-A1997:200.

9802040102 Forwards insp repts 50-390/97-10 & 50-391/97-10 on 971123- 980103 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 98/01/28. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. A1997:052-A1997:073.

--9802040123 Insp repts 50-390/97-10 & 50-391/97-10 on 971123-980103. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 98/01/28. 15pp. A1997:059-A1997:073.

9802130027 Summarizes meeting w/TVA on 980129 to discuss results of SALP rept 50-390/97-99,issued on 980114.List of attendees & presentation matls encl.
LESSER,M.S. Region 2 (Post 820201). 98/02/05. ZERINGUE,O.J. Tennessee Valley Authority. 13pp. A2164:071-A2164:083.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802170132 Responds to NRC 980121 ltr re violations noted in insp repts 50-390/97-11 & 50-391/97-11.Corrective actions:implemented series of actions as immediate response to handling of debris.
PURCELL,R.T. Tennessee Valley Authority. 98/02/09. Document Control Branch (Document Control Desk). 7pp. A2231:324-A2231:330.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802110038 Provides notification of completion of GL 92-08 re Thermo- Lag 330-1 fire barrier systems manufactured by TSI.Actions taken for Thermo-Lag 330-1 electrical barriers applicable for App R related circuits,listed.
TAYLOR,G.J. South Carolina Electric & Gas Co. 98/02/02. Document Control Branch (Document Control Desk). 3pp. A2212:249-A2212:251.

9802200182 Forwards four controlled copies of rev 8 to safeguards contingency plan.Plan withheld,per 10CFR73.21.
RICE,A.R. South Carolina Electric & Gas Co. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2283:250-A2283:250.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040187 Discusses 980114 meeting w/utility in Atlanta,GA.Purpose of meeting to allow South Carolina Electric & Gas Co to make presentation on VC Summer EDG issues.Information handout on refuel 10,list of attendees and presentation slides encl.
HAAG,R.C. Region 2 (Post 820201). 98/01/21. TAYLOR,G.J. South Carolina Electric & Gas Co. 71pp. A1998:217-A1998:287.

9802110038 Provides notification of completion of GL 92-08 re Thermo- Lag 330-1 fire barrier systems manufactured by TSI.Actions taken for Thermo-Lag 330-1 electrical barriers applicable for App R related circuits,listed.
TAYLOR,G.J. South Carolina Electric & Gas Co. 98/02/02. Document Control Branch (Document Control Desk). 3pp. A2212:249-A2212:251.

9802120230 Comment opposing proposed GL 98-XX, "YR 2000 Readiness of Computer Sys at NPPs."
TAYLOR,G.J. South Carolina Electric & Gas Co. 98/02/02. Rules & Directives Review Branch (Post 920323). 2pp. A2143:113-A2143:114.

9802100146 Informs of NRC Region II mgt changes that will be effective on 980205.Revised organization chart for NRC Region II encl.
HAAG,R.C. Region 2 (Post 820201). 98/02/05. TAYLOR,G.J. South Carolina Electric & Gas Co. 4pp. A2095:172-A2095:175.

9802250032 Forwards assessment rept of containment bldg 15-year tendon surveillance for Virgil C Summer Nuclear Station submitted on 960808.Review of rept concurs w/ conclusion that overall containment tendon sys condition,satisfactory.
PADOVAN,L.M. . 98/02/05. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. A2345:195-A2345:201.

--9802250035 "NRC Assessment Rept Fifteenth Year Tendon Surveillance Virgil C Summer Unit 1."
* . 98/02/05. 4pp. A2345:198-A2345:201.

9802200187 Application for amend to license NPF-12,requesting removal of Table 4.8-1, "Diesel Generator Test Schedule."
TAYLOR,G.J. South Carolina Electric & Gas Co. 98/02/09. PADOVAN,L.M. Document Control Branch (Document Control Desk). 5pp. A2320:274-A2320:293.

--9802200197 Proposed tech specs requesting removal of Table 4.8-1, "Diesel Generator Test Schedule & SR 4.8.1.1.3,Repts."
* South Carolina Electric & Gas Co. 98/02/09. 15pp. A2320:279-A2320:293.

9802190183 Forwards request for relief from performing "substantial flow" charging pump test at increased frequency per acceptance criteria of ASME/ANSI Oma-1998,Part 6,Article 6.1.
TAYLOR,G.J. South Carolina Electric & Gas Co. 98/02/11. Document Control Branch (Document Control Desk). 6pp. A2258:109-A2258:114.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802250032 Forwards assessment rept of containment bldg 15-year tendon surveillance for Virgil C Summer Nuclear Station submitted on 960808.Review of rept concurs w/ conclusion that overall containment tendon sys condition,satisfactory.
PADOVAN,L.M. . 98/02/05. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. A2345:195-A2345:201.

--9802250035 "NRC Assessment Rept Fifteenth Year Tendon Surveillance Virgil C Summer Unit 1."
* . 98/02/05. 4pp. A2345:198-A2345:201.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200175 Monthly operating rept for Jan 1998 for VC Summer Nuclear Station,Unit 1.W/980213 ltr.
BELL,W.H., TAYLOR,G.J. South Carolina Electric & Gas Co. 98/01/31. 7pp. A2320:129-A2320:135.

S. Reportable occurrences, LERs & related correspondence

9802020210 Part 21 rept re failure of EG-A control serial number 1425251 on 980109.Engine System Incorporated has been notified of situation & understands that Part 21 notification being submitted based on COC.
ZACCONE,M.J. South Carolina Electric & Gas Co. 98/01/28. STRANSKY,B. NRC - No Detailed Affiliation Given. 2pp. A2000:277-A2000:278.

9802050099 LER 98-001-00:on 980102,plant shutdown due to failed mechanical governor on "A" EDG was noted.Caused by inability to correct "A" EDG speed within time required by TS. Mechanical speed control governor was replaced.W/980129 ltr.
RICE,A.R., TAYLOR,G.J. South Carolina Electric & Gas Co. 98/01/29. 6pp. A2135:169-A2135:174.

9802050148 Special rept (SPR 970003):on 971230,declared "A" EDG inoperable due to frequency oscillations.Developed & implemented troubleshooting plan on electronic governor control unit & mechanical speed control governor unit.
TAYLOR,G.J. South Carolina Electric & Gas Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2087:160-A2087:161.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802050006 Revised EPIPs,including rev 15 to EPIP 13.10.4, "Radiation Protection Manager Duties," rev 15 to EPIP 13.10.6, "Plant/ NRC Liaison Duties" & rev 9 to EPIP 13.11.8, "Licensing Manager Duties."
* Washington Public Power Supply System. 98/01/28. 31pp. A2038:151-A2038:180.

9802170045 Forwards insp rept 50-397/97-13 on 970715-0802 & notice of violation.Insp involved follow up of 25 open items including 4 violations & 8 unresolved items.Three violations adequately addressed.
HOWELL,A.T. Region 4 (Post 820201). 98/02/09. PARRISH,J.V. Washington Public Power Supply System. 7pp. A2181:171-A2181:234.

--9802170053 Notice of violation from insp on 970715-0802.Violation noted:during period of 960724-970801,required reading for operators to assure that they would not take fire water sys OOS for nonfire protection activity,not completed.
* Region 4 (Post 820201). 98/02/09. 2pp. A2181:178-A2181:179.

--9802170055 Insp rept 50-397/97-13 on 970715-0802.Violations noted. Major areas inspected:followup issues previously identified in other insp repts,operations & engineering.
* Region 4 (Post 820201). 98/02/09. 55pp. A2181:180-A2181:234.

9802200192 Forwards rev 36 to physical security plan,per 10CFR50.54(p). Plan withheld IAW CFR73.21 & 10CFR2.790(a)(3).
COLEMAN,D.W. Washington Public Power Supply System. 98/02/11. Document Control Branch (Document Control Desk). 1p. A2283:248-A2283:248.

9802200196 Forwards rev 37 to physical security plan,per 10CFR50.54(p). Plan withheld IAW 10CFR73.21 & 10CFR2.790(a)(3).
COLEMAN,D.W. Washington Public Power Supply System. 98/02/11. Document Control Branch (Document Control Desk). 1p. A2283:251-A2283:251.

H. General correspondence

9802200058 Informs that DW Coleman now acting as Manager,Regulatory Affairs for facility.Std distribution for documents sent to util should be modified.
WEBRING,R Washington Public Power Supply System. 98/02/09. Document Control Branch (Document Control Desk). 1p. A2270:124-A2270:124.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802060025 Informs that commitment to perform chemical decontamination of reactor recirculation sys discharge piping during R13 outage in Spring 1998,is modified.Chemical decontamination will not be performed during R13 outage.
BEMIS,P.R. Washington Public Power Supply System. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2138:324-A2138:325.

9802050153 Forwards 971105 ltr from ABB to WPPSS re plant cycle 14 safety limit MCPR for SVEA-96 fuel bases on reference core.
COLEMAN,D.W. Washington Public Power Supply System. 98/01/28. Document Control Branch (Document Control Desk). 5pp. A2087:062-A2087:066.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020020 Ack receipt of 980119 ltr informing NRC of steps taken to correct violations noted in insp rept 50-397/97-19 on 971218.
MURRAY,B. Region 4 (Post 820201). 98/01/27. PARRISH,J.V. Washington Public Power Supply System. 4pp. A1978:260-A1978:267.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802170045 Forwards insp rept 50-397/97-13 on 970715-0802 & notice of violation.Insp involved follow up of 25 open items including 4 violations & 8 unresolved items.Three violations adequately addressed.
HOWELL,A.T. Region 4 (Post 820201). 98/02/09. PARRISH,J.V. Washington Public Power Supply System. 7pp. A2181:171-A2181:234.

--9802170053 Notice of violation from insp on 970715-0802.Violation noted:during period of 960724-970801,required reading for operators to assure that they would not take fire water sys OOS for nonfire protection activity,not completed.
* Region 4 (Post 820201). 98/02/09. 2pp. A2181:178-A2181:179.

--9802170055 Insp rept 50-397/97-13 on 970715-0802.Violations noted. Major areas inspected:followup issues previously identified in other insp repts,operations & engineering.
* Region 4 (Post 820201). 98/02/09. 55pp. A2181:180-A2181:234.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190249 Responds to NRC 980115 ltr re violations noted in insp rept 50-397/97-18.Corrective actions:five ladders standing in reactor water cleanup pump & heat exchanger rooms were immediately removed & stored properly.
BEMIS,P.R. Washington Public Power Supply System. 98/02/12. Document Control Branch (Document Control Desk). 5pp. A2258:186-A2258:190.

9802250101 Forwards insp rept 50-397/97-20 on 971221-980131 & NOV. Violation re failure to properly label radioactive matl containers & similar to previous events which have been identified by personnel.
GWYNN,T.P. Region 4 (Post 820201). 98/02/19. PARRISH,J.V. Washington Public Power Supply System. 5pp. A2327:048-A2327:075.

--9802250111 Notice of violation from insp on 971221-980131.Violation noted:on 971231,3 sealed bags containing high efficiency particulate air filters w/internal contamination did not bear labels that identified radionuclide or radioactivity.
* Region 4 (Post 820201). 98/02/19. 2pp. A2327:053-A2327:054.

--9802250114 Insp rept 50-397/97-20 on 971221-980131.Violations noted. Major areas inspected:maint,engineering & plant support.
* Region 4 (Post 820201). 98/02/19. 21pp. A2327:055-A2327:075.

9802260024 Discusses insp rept 50-397/96-22 on 971118 & forwards notice of violation.Insp identified five apparent violations of NRC requirements related to changes made to instrument response- time testing program at Washington Nuclear Project-2.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/02/20. PARRISH,J.V. Washington Public Power Supply System. 6pp. A2337:040-A2337:050.

--9802260031 Notice of violation from insp on 971218.Violation noted: licensee qualitatively confirmed sensor response to input which did not demonstrate that response time limits required by technical specifications were met.
* Region 4 (Post 820201). 98/02/20. 5pp. A2337:046-A2337:050.

R. Periodic operating reports & related correspondence

9802050151 "1997 Annual Environmental Operating Rept."
COLEMAN,D.W. Washington Public Power Supply System. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2135:208-A2135:209.

9802050118 Forwards fitness for duty semiannual performance data rept for 970701-1231.
WEBRING,R.L. Washington Public Power Supply System. 98/01/29. Document Control Branch (Document Control Desk). 5pp. A2087:149-A2087:153.

9802200131 Monthly operating rept for Jan 1998 for WNP-2.W/980212 ltr.
KASKO,B., SMITH,G.O. Washington Public Power Supply System. 98/01/31. 3pp. A2320:057-A2320:059.

V. Operator Examinations

9802090196 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.GFES will consist of 100 questions.Max time allowed to complete exam,3 hours & passing score 80%.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. PARRISH,J.V. Washington Public Power Supply System. 5pp. A2048:116-A2048:120.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802110155 Forwards SALP rept 50-400/96-99 for period of 940403-960316. SALP process assesses licensee performance in plant operations,maint,engineering & plant support.
EBNETER,S.D. Region 2 (Post 820201). 96/04/22. ROBINSON,W.R. Carolina Power & Light Co. 3pp. A2095:278-A2095:286.

--9802110158 SALP rept 50-400/96-99 for Harris facility for period of 940403-960316.
* Region 2 (Post 820201). 96/04/03. 6pp. A2095:281-A2095:286.

9802200070 Provides info on forthcoming shipment of irradiated nuclear reactor fuel by CP&L.Shipment consists of radioactive matl in IF-300 series shipping casks,cask id no USA/9001/B()F,s/n IF-303,s/n IF/304 to Harris Nuclear Plant.
HINNANT,S. Carolina Power & Light Co. 98/01/09. STROUD,T.C. North Carolina, State of. 3pp. A2251:274-A2251:276.

9802040306 Forwards insp rept 50-400/98-02 on 971208-12.Apparent violation re failure to follow procedures which allowed 4 contractors to receive unauthorized access to plant,being considered for escalated enforcement action.
JAUDON,J.P. Region 2 (Post 820201). 98/01/23. ROBINSON,W.R. Carolina Power & Light Co. 6pp. A1999:117-A1999:135.

--9802040310 Insp rept 50-400/98-02 on 971208-12.Apparent violations being considered for escalated enforcement action.Major areas inspected:aspects of licensee plant support re physical security plan.
* Region 2 (Post 820201). 98/01/23. 12pp. A1999:123-A1999:135.

9802040142 Forwards FEMA final rept for 971007-08 emergency response exercise for Shearon Harris NPP.No deficiencies identified. Six areas requiring corrective action identified.
BARR,K.P. Region 2 (Post 820201). 98/01/26. ROBINSON.W.R. Carolina Power & Light Co. 4pp. A1998:156-A1998:216.

--9802040188 Forwards copy of final exercise rept for 971007-08 full participation plume exposure pathway exercise of offsite radiological emergency response plan site-specific to Shearon Harris NPP.No deficiencies identified.
COPENHAVER,J.B. Federal Emergency Management Agency. 98/01/12. REYES,L. Region 2 (Post 820201). 2pp. A1998:160-A1998:161.

--9802040209 "Final Exercise Rept for Shearon Harris NPP," conducted on 971007-08.
* Federal Emergency Management Agency. 98/01/12. 53pp. A1998:162-A1998:216.

9802030081 Forwards listed emergency planning info in response to NRC Administrative Ltr 94-07, "Distribution of Site-Specific & State Emergency Planning Info." W/o encl.
ROBINSON,W.R. Carolina Power & Light Co. 98/01/27. Office for Analysis & Evaluation of Operational Data, Director. 1p. A2020:079-A2020:079.

9802040261 Confirms 980126 conversation re predecisional enforcement conference scheduled for 980226 to discuss an apparent violation involving unauthorized personnel receiving unescorted access to protected & vital areas.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/01/27. ROBINSON,W.R. Carolina Power & Light Co. 5pp. A2000:075-A2000:079.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040404 Forwards Rev 0 to Procedure HNP-IST-002, "Shearon Harris Nuclear Power Plant,IST Program Plan - 2nd Interval." Plan describes tests required to verify operational readiness of Class 1,2 & 3 pumps & valves.
ROBINSON,W.R. Carolina Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2028:001-A2028:148.

--9802040409 Rev 0 to HNP-IST-002, "Shearon Harris Nuclear Power Plant, IST Program Plan - 2nd Interval."
* Carolina Power & Light Co. 98/01/29. 145pp. A2028:003-A2028:148.

9802100075 Forwards listed info in response to GL 97-04, "Assurance of Sufficient NPSH for ECC & Containment Heat Removal Pumps."
ROBINSON,W.R. Carolina Power & Light Co. 98/02/02. Document Control Branch (Document Control Desk). 8pp. A2166:323-A2166:330.

9802130017 Informs of NRC Region II mgt changes that will be effective 980215.Revised organization chart encl.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/02/05. ORSER,W.S. Carolina Power & Light Co. 5pp. A2164:037-A2164:041.

9802260217 Notification of 980303 meeting w/util in Rockville,MD to discuss SFP design & licensing issues.
FLANDERS,S. . 98/02/12. DEAN,W.M. . 3pp. A2346:346-A2346:348.

9802230246 Responds to RAI on Shearon Harris IPEEE submittal,dtd 971215.Rev 0 to C-007, "CP&L Harris IPEEE: HCLPF Capacity Calculations for 1X-SAB CST Tank & 1X-SN RWST Tank." encl.
ROBINSON,W.R. Carolina Power & Light Co. 98/02/16. Document Control Branch (Document Control Desk). 21pp. A2329:205-A2329:270.

--9802230263 Rev 0 to "CP&L Harris IPEE: HCLPF Capacity Calculations for 1X-SAB CST Tank & 1X-SN RWST Tank."
* EQE International. C-007 R00. 94/11/21. 45pp. A2329:226-A2329:270.

Q. Inspection reports, IE Bulletins & correspondence

9802110155 Forwards SALP rept 50-400/96-99 for period of 940403-960316. SALP process assesses licensee performance in plant operations,maint,engineering & plant support.
EBNETER,S.D. Region 2 (Post 820201). 96/04/22. ROBINSON,W.R. Carolina Power & Light Co. 3pp. A2095:278-A2095:286.

--9802110158 SALP rept 50-400/96-99 for Harris facility for period of 940403-960316.
* Region 2 (Post 820201). 96/04/03. 6pp. A2095:281-A2095:286.

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040306 Forwards insp rept 50-400/98-02 on 971208-12.Apparent violation re failure to follow procedures which allowed 4 contractors to receive unauthorized access to plant,being considered for escalated enforcement action.
JAUDON,J.P. Region 2 (Post 820201). 98/01/23. ROBINSON,W.R. Carolina Power & Light Co. 6pp. A1999:117-A1999:135.

--9802040310 Insp rept 50-400/98-02 on 971208-12.Apparent violations being considered for escalated enforcement action.Major areas inspected:aspects of licensee plant support re physical security plan.
* Region 2 (Post 820201). 98/01/23. 12pp. A1999:123-A1999:135.

9802030015 Forwards Rev 0 to Procedure HNP-ISI-002, "Shearon Harris Nuclear Power Plant,ISI Program Plan,2nd Interval." Plan describes exams & schedules for performing ASME Code insps of Class 1,2 & 3 components & supports.
ROBINSON,W.R. Carolina Power & Light Co. 98/01/27. Document Control Branch (Document Control Desk). 3pp. A2062:006-A2064:274.

--9802030017 Rev 0 to Procedure HNP-ISI-002, "Shearon Harris Nuclear Power Plant,ISI Program Plan,2nd Interval."
TUCKER,G.N., DAYTON,E.B., CLARK,B.H. Carolina Power & Light Co. 98/01/26. 1,002pp. A2062:009-A2064:274.

9802040261 Confirms 980126 conversation re predecisional enforcement conference scheduled for 980226 to discuss an apparent violation involving unauthorized personnel receiving unescorted access to protected & vital areas.
SHYMLOCK,M.B. Region 2 (Post 820201). 98/01/27. ROBINSON,W.R. Carolina Power & Light Co. 5pp. A2000:075-A2000:079.

9802040323 Responds to NRC 971231 ltr re violations noted in insp rept 50-400/97-12.Corrective actions:temporary interim action will remain in place until specific procedural requirements are implemented.
ROBINSON,W.R. Carolina Power & Light Co. 98/01/28. Document Control Branch (Document Control Desk). 5pp. A2031:328-A2031:332.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200117 Monthly operating rept for Jan 1998 for Shearon Harris Nuclear Power Plant.W/980212 ltr.
ROGERS,S., DONAHUE,J.W. Carolina Power & Light Co. 98/01/31. 3pp. A2283:299-A2283:301.

S. Reportable occurrences, LERs & related correspondence

9802170056 Forwards LER 98-001-00,describing potential failure scenario that could render SG pre-heater bypass isolation valves inoperable & result in operation of plant outside design basis.
ROBINSON,W.R. Carolina Power & Light Co. 98/02/09. Document Control Branch (Document Control Desk). 1p. A2213:260-A2213:264.

--9802170061 LER 98-001-00:on 980109,potential condition outside design basis related to instrument air sys leak causing SG pre- heater bypass isolation valves to be inoperable was noted. Caused by inadequate design control.Generated JCO 98-01.
VERRILLI,M. Carolina Power & Light Co. 98/02/09. 4pp. A2213:261-A2213:264.

9802240350 LER 98-002-00:on 980121,solid state protection sys testing deficiency occurred.Caused by inadequate review of initial Tech Specs.TS testing frequency for P-11 permissive revised. W/980217 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 98/02/20. 5pp. A2345:147-A2345:151.

V. Operator Examinations

9802190244 Provides proprietary notification that reactor operator licensed on plant reassigned from position for which util previously certified need for reactor operator license.Encl withheld (ref 10CFR2.790(a)(6)).
ROBINSON,W.R. Carolina Power & Light Co. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2253:346-A2253:346.

DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

P. Operating license stage documents & correspondence

9802190219 Requests 30-day extension to respond to request for license mod.Extension is needed because licensee has been forced to focus resources on other tasks at present time.
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 98/02/13. MENDONCA,M.M. . 1p. A2254:358-A2254:358.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802200427 "Radioactive Effluent Rept & Radiological Environmental Monitoring Rept from 970101-970131." W/980212 ltr.
BERG,W.L. Dairyland Power Cooperative. 97/12/31. 40pp. A2319:094-A2319:148.

W. Decommissioning Stage Documents & Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802230068 Forwards revised "LACBWR Decommissioning Plan." Each page w/ change will have bar in right-hand margin to designate location of change.
BERG,W.L. Dairyland Power Cooperative. 98/02/10. Document Control Branch (Document Control Desk). 5pp. A2329:292-A2329:327.

-9802230075 Revised "LACBWR Decommissioning Plan."
* Dairyland Power Cooperative. 98/01/31. 17pp. A2329:297-A2329:313.

-9802230077 Revised "LACBWR Initial Site Characterization Survey for SAFSTOR."
NELSON,L. Dairyland Power Cooperative. LAC-TR-138. 98/01/31. 14pp. A2329:314-A2329:327.

9802230149 Forwards revised "LACBWR Decommissioning Plan" & revised "LACBWR Initial Site Characterization Survey for SAFSTOR." Both documents revised Jan 1998.
* Dairyland Power Cooperative. 98/02/16. NRC - No Detailed Affiliation Given. 2pp. A2330:157-A2330:189.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802030050 Ack receipt of 970811 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/97-02 & 50-410/97-02 on 970710.Issues new NOV against NMP2 license NPF-69,Item 2.G,re implementing FP program.
HEHL,C.W. Region 1 (Post 820201). 98/01/23. MUELLER,J.H. Niagara Mohawk Power Corp. 3pp. A1980:021-A1980:032.

9802240124 Revised EPIPs,including rev 3 to EPIP-EPP-04,rev 4 to EPOP-EPP-12,rev 4 to EPIP-EPP-17,rev 6 to EPIP-EPP-18 & rev 4 to EPIP-EPP-19.W/980220 ltr.
ABBOTT,R.B., DAHLBERG,K.A., TERRY,C.D. Niagara Mohawk Power Corp. 98/02/20. 80pp. A2333:211-A2333:288.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802130083 Submits supplemental response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
CONWAY,J.T. Niagara Mohawk Power Corp. 98/02/02. Document Control Branch (Document Control Desk). 3pp. A2230:355-A2230:357.

9802130071 Forwards addl info re util 971031 application for amend to license NPF-69,supporting installtion of nuclear measurement analysis & control power range neutron monitor sys,per NRC 971216 request.
MUELLER,J.H. Niagara Mohawk Power Corp. 98/02/03. Document Control Branch (Document Control Desk). 3pp. A2234:001-A2234:003.

9802230260 Advises that info contained in "NMP-2 Cycle 7 SLMCPR" submitted through 971215 application & 971205 affidavit will be withheld from public disclosure per 10CFR2.790(b)(5).
HOOD,D.S. . 98/02/04. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. A2271:204-A2271:208.

9802200110 Forwards application for amend to license NPF-69,revising TS re second 10-year ISI/IST program plan to reflect terminology changes from 1983 edition of ASME Code,which was used in current interval,to 1989 edition.
CONWAY,J.T. Niagara Mohawk Power Corp. 98/02/05. Document Control Branch (Document Control Desk). 2pp. A2319:321-A2319:359.

-9802200113 Application for amend to license NPF-69,revising TS to reflect references to 10CFR50.55a(f) & (g) as well as terminology used in second ten year ISI/IST that will begin on 980405.
CONWAY,J.T. Entergy Operations, Inc. 98/02/05. 2pp. A2319:323-A2319:324.

-9802200115 Proposed tech specs pages,reflecting references to 10CFR50.55a(f) & (g) as well as terminology used in second ten year ISI/IST,beginning on 980405.
* Niagara Mohawk Power Corp. 98/02/05. 33pp. A2319:325-A2319:359.

9802230335 Notification of 980224 meeting w/Niagara Mohawk Power Corp in Rockville,MD to discuss schedules for current & projected licensing actions & licensing activities for project mgt purposes.
HOOD,D.S. . 98/02/06. BAJWA,S.S. . 4pp. A2270:356-A2270:359.

9802120174 Requests that Commission act on 970918 application as promptly as possible so that proposed reorganization can proceed in timely manner & holding company structure implemented.Order adopting terms of settlement encl.
BORKOWSKY,T.G. Affiliation Not Assigned. BORKOWSKY,T.G. New York State Electric & Gas Corp. 98/02/09. Document Control Branch (Document Control Desk). 114pp. A2215:001-A2215:114.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802030050 Ack receipt of 970811 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/97-02 & 50-410/97-02 on 970710.Issues new NOV against NMP2 license NPF-69,Item 2.G,re implementing FP program.
HEHL,C.W. Region 1 (Post 820201). 98/01/23. MUELLER,J.H. Niagara Mohawk Power Corp. 3pp. A1980:021-A1980:032.

-9802030051 Notice of violation from insp on 970406-0517.Violation noted:from July 1987 to May 1997,actual design & installation of eight-hour battery-pack emergency lighting was different from that described in NMPS UFSAR.
* Region 1 (Post 820201). 98/01/23. 2pp. A1980:024-A1980:032.

9802030159 Responds to NRC ltr re violations noted in insp rept 50-410/97-11.Corrective actions:immediately upon discovery APRM channels E & F were declared inoperable.
MUELLER,J.H. Niagara Mohawk Power Corp. 98/01/27. Document Control Branch (Document Control Desk). 7pp. A2018:353-A2018:359.

9802040004 Responds to NRC 971212 ltr re violations noted in OI rept 1-96-015 on 960513.Corrective actions:individual contractors responsible for or aware of corruption of computer code still working for NMP were terminated.
MUELLER,J.H. Niagara Mohawk Power Corp. 98/01/27. Document Control Branch (Document Control Desk). 8pp. A2020:131-A2020:138.

9802200110 Forwards application for amend to license NPF-69,revising TS re second 10-year ISI/IST program plan to reflect terminology changes from 1983 edition of ASME Code,which was used in current interval,to 1989 edition.
CONWAY,J.T. Niagara Mohawk Power Corp. 98/02/05. Document Control Branch (Document Control Desk). 2pp. A2319:321-A2319:359.

-9802200113 Application for amend to license NPF-69,revising TS to reflect references to 10CFR50.55a(f) & (g) as well as terminology used in second ten year ISI/IST that will begin on 980405.
CONWAY,J.T. Entergy Operations, Inc. 98/02/05. 2pp. A2319:323-A2319:324.

-9802200115 Proposed tech specs pages,reflecting references to 10CFR50.55a(f) & (g) as well as terminology used in second ten year ISI/IST,beginning on 980405.
* Niagara Mohawk Power Corp. 98/02/05. 33pp. A2319:325-A2319:359.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200162 Ack receipt of 971120 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/97-80 & 50-410/97-80 issued on 971024.Actions will be examined during future inspection of licensed program.
DOERFLEIN,L.T. Region 1 (Post 820201). 98/02/09. MUELLER,J.H. Niagara Mohawk Power Corp. 3pp. A2252:001-A2252:006.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802270316 Forwards response to violations noted in insp repts 50-220/97-07 & 50-410/97-07 & civil penalty in amount of $55,000.Corrective actions:personnel involved w/shipment, including mgt & technical staff,were counseled.
MUELLER,J.H. Niagara Mohawk Power Corp. 98/02/23. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 10pp. A2412:006-A2412:015.

R. Periodic operating reports & related correspondence

9802240348 Monthly operating rept for Jan 1998 for Nine Mile Point,Unit 2.W/980217 ltr.
CAROCCIO,C., DAHLBERG,K.A. Niagara Mohawk Power Corp. 98/01/31. 5pp. A2349:339-A2349:343.

S. Reportable occurrences, LERs & related correspondence

9802060147 Part 21 rept re PYCO RTD assemblies manufactured using cover made from aluminum instead of cast iron as specified. Cast iron enclosure & installation instructions were provided to util for replacment.
METZGER,J.V. Affiliation Not Assigned. 98/01/30. Document Control Branch (Document Control Desk). LOSTURDO,D. Niagara Mohawk Power Corp. 7pp. A2135:187-A2135:193.

9802130056 Forwards LER 97-005-01 re high pressure core spray sys inoperable,due to failed unit cooler.Suppl contains info on failure analysis performed on custom termination modules & addl corrective action being taken.
DAHLBERG,K.A. Niagara Mohawk Power Corp. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2232:048-A2232:052.

-9802130065 LER 97-005-01:on 970623,Div III switchgear room unit cooler failed,which per station procedures,rendered Div III switchgear & HPCS sys inoperable.Caused by degradation of Custom Termination Module.Termination Module replaced.
PISANO,L.E. Niagara Mohawk Power Corp. 98/01/30. 4pp. A2232:049-A2232:052.

9802100039 Part 21 rept re initial notification of lockup of Westronics recorders due to servo amplifier board overrange feature.As of Fall 1997 all potentially affected recorders now equipped w/newer servo amplifier boards.
LAMPMAN,K. Niagara Mohawk Power Corp. 98/02/04. Document Control Branch (Document Control Desk). 4pp. A2213:185-A2213:189.

9802120318 LER 98-001-00:on 980107,entry into TS 3.0.3 occurred due to containment atmosphere gaseous/particulate radiation monitors operable.Caused by random failure of flow control transducer board.Failed transducer was replaced.W/980204 ltr
ROWE,K., DAHLBERG,K.A. Niagara Mohawk Power Corp. 98/02/04. 5pp. A2231:154-A2231:158.

9802200184 Special rept:on 980106,Division I standby EDG overspeed trip occurred.Caused by failed optical isolator transmitter board.Corrective actions:deviation/event rept 2-98-0033 initiated to evaluate EDG overspeed trip.
DAHLBERG,K.A. Niagara Mohawk Power Corp. 98/02/05. Document Control Branch (Document Control Desk). 2pp. A2289:359-A2289:360.

9802240310 LER 98-002-00:on 980115,violation of TS 6.2.2.b were noted. Caused by licensed operator knowingly violated TS & procedure requirements.Licensed operator has been removed from all station duties.W/980217 ltr.
BOSNIC,D., DAHLBERG,K.A. Niagara Mohawk Power Corp. 98/02/17. 4pp. A2345:139-A2345:142.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802110029 Forwards insp repts 50-334/97-09 & 50-412/97-09 on 971116-1227 & NOV.Inspector noted some weakness in performance of emergency plan & implementing procedure revs.
PERRY,N.S. Region 1 (Post 820201). 98/02/04. CROSS,J.E. Duquesne Light Co. 3pp. A2133:268-A2133:299.

9802230318 Informs that util received results of chemical composition analysis & results favorable re Thermo-Lag 330-1 fire barrier issues at plant.
JAIN,S.C. Duquesne Light Co. 98/02/11. Document Control Branch (Document Control Desk). 2pp. A2329:273-A2329:274.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030119 Forwards amends 210 & 88 to licenses DPR-66 & NPF-73, respectively & SE.Amends relocate reactor trip sys & ESFAS response times from TS Tables 3.3-2 & 3.3-5 to Section 3 of plant licensing requirements manual,per GL 93-08.
BRINKMAN,D.S. . 98/01/20. CROSS,J.E. Duquesne Light Co. 3pp. A1985:207-A1985:235.

-9802030126 Amends 210 & 88 to licenses DPR-66 & NPF-73,respectively, relocating reactor trip sys & ESFAS response times from TS Tables 3.3-2 & 3.3-5 to Section 3 of plant licensing requirements manual.
STOLZ,J.F. . 98/01/20. 23pp. A1985:210-A1985:231.

-9802030128 Safety evaluation supporting amends 210 & 88 to licenses DPR-66 & NPF-73,respectively.
* . 98/01/20. 4pp. A1985:232-A1985:235.

9802060024 Forwards order approving application re merger agreement between DQE,Inc & Allegheny Power Sys,Inc affecting licenses DPR-66 & NPF-73 & safety evaluation in support of subj order.
BRINKMAN,D.S. . 98/01/23. CROSS,J.E. Duquesne Light Co. 3pp. A2027:329-A2027:340.

-9802060035 Order approving application re merger agreement between DQE,Inc & Allegheny Power Sys,Inc.
COLLINS,S.J. . 98/01/23. Duquesne Light Co. 6pp. A2027:332-A2027:337.

-9802060038 Safety evaluation supporting proposed merger agreement between Duquesne Light Co & Allegheny Power Sys,Inc.
* . 98/01/23. 3pp. A2027:338-A2027:340.

9802050306 Proposed LAR 120 to license NPF-73,allowing increased calculated doses as described in UFSAR & request NRC approval of small break loss of coolant analysis radiological consequences evaluation.
JAIN,S.C. Duquesne Light Co. 98/01/29. Document Control Branch (Document Control Desk). 3pp. A2098:246-A2098:318.

-9802050314 Proposed tech specs re radiological doses for locked rotor accident.
* Duquesne Light Co. 98/01/29. 59pp. A2098:249-A2098:318.

9802200279 Discusses change in scheduled completion date for commitment to conduct evaluation of adequacy of surveillance procedures that implement TS requirements to ensure that procedures properly implemented required testing.
JAIN,S.C. Duquesne Light Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2320:301-A2320:302.

9802240192 Discusses certain inconsistencies in channel calibr requirements applicable to neutron flux channels in BVPS, Units 1 & 2 TS.Determined that neutron detectors were not intended to be included in channel calibr.
ZWOLINSKI,J.A. . 98/02/06. CROSS,J.E. Duquesne Light Co. 3pp. A2287:280-A2287:282.

9802240215 Forwards amends 211 & 89 to licenses DPR-66 & NPF-73 respectively, & SE.Amends revise alarm setpoints for effluent radiation & incontainment area readiation monitors listed in TS Table 3.3.6.
BRINKMAN,D.S. . 98/02/09. CROSS,J.E. Duquesne Light Co. 4pp. A2282:292-A2282:313.

-9802240225 Amends 211 & 89 to licenses DPR-66 & NPF-73,respectively, revise alarm setpoints for effluent radiation & incontainment area radiation monitors listed in TS Table 3.3-6.
STOLZ,J.F. . 98/02/09. 15pp. A2282:296-A2282:309.

-9802240228 Safety evaluation supporting amends 211 & 89 to licenses DPR-66 & NPF-73,respectively.
* . 98/02/09. 4pp. A2282:310-A2282:313.

9802230318 Informs that util received results of chemical composition analysis & results favorable re Thermo-Lag 330-1 fire barrier issues at plant.
JAIN,S.C. Duquesne Light Co. 98/02/11. Document Control Branch (Document Control Desk). 2pp. A2329:273-A2329:274.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802110029 Forwards insp repts 50-334/97-09 & 50-412/97-09 on 971116-1227 & NOV.Inspector noted some weakness in performance of emergency plan & implementing procedure revs.
PERRY,N.S. Region 1 (Post 820201). 98/02/04. CROSS,J.E. Duquesne Light Co. 3pp. A2133:268-A2133:299.

-9802110034 Notice of violation from insp on 971116-1227.Violation noted:licensee had not tested 20 of 27 direct lines at Alternate EOF in Coraopolis,PA.
* Region 1 (Post 820201). 98/02/04. 2pp. A2133:271-A2133:272.

-9802110035 Insp repts 50-334/97-09 & 50-412/97-09 on 971116-1227. Violations noted.Major areas inspected:operations,maint, engineering & plant support.Rept also includes results of announced insp in areas of emergency preparedness.
* Region 1 (Post 820201). 98/02/04. 26pp. A2133:273-A2133:299.

9802130124 Forwards response to violations noted in insp repts 50-334/97-07,50-412/97-07 & 50-334/97-08,50-412/97-08 & proposed imposition of civil penalty in amount of $55,000. Corrective actions:scaled flow model testing performed.
JAIN,S.C. Duquesne Light Co. 98/02/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 7pp. A2234:033-A2234:039.

9802170032 Informs that oversight was made administratively to not include,in insp repts 50-334/97-09 & 50-412/97-09,slides presented at Predecisional Enforcement Conference,on 971210. Slides encl.
PERRY,N.S. Region 1 (Post 820201). 98/02/06. CROSS,J.E. Duquesne Light Co. 57pp. A2181:082-A2181:135.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802270111 Ack receipt of 980109 response re insp rept 50-334/97-08 & 50-412/97-08 & NOV.Licensee request for withdrawal of violation B has been denied.Response to violations required within 30 days of date of ltr.
HEHL,C.W. Region 1 (Post 820201). 98/02/18. CROSS,J.E. Duquesne Light Co. 8pp. A2370:052-A2370:066.

9802270167 Discusses insp repts 50-334/96-10 & 50-412/96-10 issued on 970221 & NOV re failure to have in place either criticality monitoring sys for storage & handling of new fuel or NRC approved exemption to requirement.NOV withdrawn.
HEHL,C.W. Region 1 (Post 820201). 98/02/20. CROSS,J.E. Duquesne Light Co. 3pp. A2369:355-A2369:357.

9802270047 Ack receipt of 980205 ltr & check in amount of $55,000 in payment for civil penalty proposed by NRC in 980106 ltr. Corrective actions will be examined during future insp.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/25. CROSS,J.E. Duquesne Light Co. 2pp. A2369:343-A2369:344.

R. Periodic operating reports & related correspondence

9802050310 "NPDES Monthly Rept for Jan 1998 for BVPS,Units 1 & 2." W/980127 ltr.
ORNDORF,D., LEGRAND,R.L. Duquesne Light Co. 97/12/31. 35pp. A2145:234-A2145:268.

9802240042 "Annual Rept of Number of Personnel Receiving Greater Than 100 Mrem & Associated Exposure by Work Function at BVPS for CY97." W/980211 ltr.
BRANDT,R.D. Duquesne Light Co. 97/12/31. 2pp. A2333:184-A2333:185.

9802190308 Monthly operating repts for Jan 1998 for Beaver Valley Power Station,Units 1 & 2.W/980209 ltr.
JONES,D.T., BRANDT,R.D. Duquesne Light Co. 98/01/31. 6pp. A2258:115-A2258:120.

9802230315 Forwards fitness-for-duty program for period of Jul-Dec 1997.
JAIN,S.C. Duquesne Light Co. 98/02/10. Document Control Branch (Document Control Desk). 3pp. A2327:337-A2327:339.

S. Reportable occurrences, LERs & related correspondence

9802040009 LER 97-011-00 on 971229,determined that inadequate electrical isolation in secondary process rack circuitry occurred due to design error.Technical evaluation rept 1162 was developed.W/980128 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 98/01/28. 7pp. A2398:229-A2398:235.

9802200433 LER 98-001-00:on 980112,failure to perform surveillance testing of CI spring loaded check valve was noted.Caused by fact that CI spring loaded check valve was not uniquely identified.2CVS-93 was successfully tested.W/980210 ltr.
HART,R.D., JAIN,S.C. Duquesne Light Co. 98/02/11. 5pp. A2318:257-A2318:261.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802060182 Forwards rev 98-1 to Catawba Nuclear Station Emergency Plan IAW 10CFR50.54(q) & does not decrease effectiveness of EP. Summary of changes & bases for determination,encl.
PETERSON,G.R. Duke Power Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2150:101-A2150:260.

--9802060191 "Emergency Plan Revision 98-1 for Catawba Nuclear Station."
* Duke Power Co. 98/01/28. 158pp. A2150:103-A2150:260.

9802170153 Forwards rev to EPIPs,including index,rev 9 to RP/O/B/5000/008,rev 10 to RP/O/A/5000/020,rev 10 to RP/O/A/5000/021 & rev 0 to SR/O/B/2000/002.Page 2.2 of RP/O/B/5000/008 is proprietary & is withheld.
PETERSON,G.R. Duke Power Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2421:019-A2421:167.

--9802170158 Revised EPIPs,including index,rev 9 to RP/O/B/5000/008,rev 10 to RP/O/A/5000/020,rev 10 to RP/O/A/5000/021,rev 0 to SR/O/B/2000/002 & includes pages noting EPIPs that have been deleted.Page 2.2 of RP/O/B/5000/008 is withheld.
* Duke Power Co. 98/01/29. 147pp. A2421:021-A2421:167.

9802090246 Discusses NRC Special Insp & Exam Repts 50-413/97-300 & 50-414/97-300 on 971117-21 & 971201-19 & forwards NOV. Thirteen candidates passed exam.Five candidates who passed were identified as having some performance weaknesses.
JAUDON,J.P. Region 2 (Post 820201). 98/02/02. PETERSON,G.R. Duke Power Co. 4pp. A2040:001-A2042:062.

--9802090251 Notice of violation from insp & exam on 971117-21 & 971201-19.Violation noted:as of 971219,selected officers from site security force had not been retrained to perform non-licensed operator emergency tasks for starting SSF.
* Region 2 (Post 820201). 98/02/02. 2pp. A2040:005-A2040:006.

--9802090254 NRC Operator Licensing Exam Repts 50-413/97-300 & 50-414/97-300 (including completed & graded tests) for tests administered on 971117-21 & 971201-19.
PAYNE,D.C. Region 2 (Post 820201). 98/02/02. 1,084pp. A2040:007-A2042:062.

9802130097 Submits page changes that were omitted from Catawba Emergency Plan,Rev 98-1.Pages G-3,N-3 & G-10,encl.
CHRISTOPHER,S. Duke Power Co. 98/02/03. Document Control Branch (Document Control Desk). 4pp. A2231:142-A2231:145.

9802250194 Forwards insp repts 50-413/98-02 & 50-414/98-02 on 980112- 13.No violations noted.Purpose of insp was to determine whether activities authorized by licensee were conducted safely & IAW requirements.
BELISLE,G.A. Region 2 (Post 820201). 98/02/17. PETERSON,G.R. Duke Power Co. 4pp. A2326:272-A2326:277.

--9802250196 Partially withheld insp repts 50-413/98-02 & 50-414/98-02 on 980112-13 (ref 10CFR2.790).No violations noted.Major areas inspected:plant support,including malevolent use of vehicles at plant.
* Region 2 (Post 820201). 98/02/17. 2pp. A2326:276-A2326:277.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030020 Forwards relief request 98-01 for inservice testing program valves in DG fuel oil & DG starting oil sys.
PETERSON,G.R. Duke Power Co. 98/01/22. Document Control Branch (Document Control Desk). 8pp. A2018:345-A2018:352.

9802030152 Refers to 971125 submittal to NRC requesting change to previous commitments made by Duke Energy Corp in response to GL 89-13.Staff reviewed revised commitment against GL 89-13 & finds change acceptable.
TAM,P.S. . 98/01/22. PETERSON,G.R. Duke Power Co. 4pp. A1987:050-A1987:053.

9802040278 Forwards results of SG tube insp conducted during Unit 1 End of Cycle 10 refueling outage.Number of tubes inspected are listed.Identification of tubes w/imperfections in SGs A,B,C & D,location & size of imperfections also listed.
PETERSON,G.R. Duke Power Co. 98/01/26. Document Control Branch (Document Control Desk). 20pp. A2036:135-A2036:154.

9802050235 Requests withdrawal of proposed 981218 LAR re changes to update FOLs NPF-35 & NPF-52.Changes effect pages 2,3 & 4 of both FOLs.New FOL pages retaining current terminology, "Final Safety Analysis Rept," encl.
PETERSON,G.R. Duke Power Co. 98/01/26. Document Control Branch (Document Control Desk). 10pp. A2085:348-A2085:357.

9802170017 Forwards rev 1 to non-proprietary topical rept DPC-NE-3000-A & rev 1 to proprietary topical rept DPC-NE-3000-PA, "Thermal Hydraulic Transient Analysis Methodology." Proprietary version withheld.
TUCKMAN,M.S. Duke Power Co. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2235:001-A2237:080.

--9802170019 Non-proprietary version of rev 1 to topical rept DPC-NE-3000-A, "Thermal-Hydraulic Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3000-A R01. 97/12/31. 802pp. A2235:007-A2237:080.

9802050280 Forwards RAI on section 3.6 containment sys.Response requested within 45 days.
TAM,P.S. . 98/01/30. TUCKMAN,M.S. Duke Power Co. 33pp. A2010:285-A2010:318.

9802090241 Provides summary of meeting w/utility conducted on 980120 re self-assessment of Catawba Nuclear Station performance.List of meeting attendees & copy of presentation handout encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/30. PETERSON,G.R. Duke Power Co. 46pp. A2042:195-A2042:238.

9802240034 Forwards document faxed to M Kitlan re issues for an upcoming telephone conference.
TAM,P.S. . 98/02/03. . 2pp. A2337:279-A2337:280.

9802190163 Submits rept per 10CFR50.46 re errors in changes to ECCS evaluation model.Rept supersedes info provided in licensee 971217 ltr.
PETERSON,G.R. Duke Power Co. 98/02/05. Document Control Branch (Document Control Desk). 4pp. A2257:357-A2257:360.

9802240014 Forwards RAI on amend request re pressure temp limits. Response requested within 30 days of ltr receipt.
TAM,P.S. . 98/02/06. PETERSON,G.R. Duke Power Co. 5pp. A2287:328-A2287:332.

9802170009 Forwards rev 2 to TR DPC-NE-3002-A, "UFSAR Chapter 15 Transient Analysis Methodology" IAW guidance contained in NUREG-0390.
TUCKMAN,M.S. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2237:081-A2237:276.

--9802170015 Rev 2 to "UFSAR Chapter 15 Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3002-A R02. 97/12/31. 190pp. A2237:083-A2237:276.

9802230059 Forwards revs to "OCDM for Duke Power Nuclear Stations," as required by McGuire TS 6.14.2.c.
TUCKMAN,M.S. Duke Power Co. 98/02/10. Document Control Branch (Document Control Desk). 2pp. A2328:001-A2328:258.

--9802230061 Revs to "OCDM for Duke Power Nuclear Stations."
HAYNES,L.E. Duke Power Co. 98/01/01. 300pp. A2328:003-A2328:258.

9802240395 Summary of 980127 meeting w/Duke Energy Corp re proposed rev of topical repts.List of attendees & DEC slides encl.
TAM,P.S. . 98/02/10. . 29pp. A2282:240-A2282:268.

9802180048 Forwards non-proprietary Rev 1 to DPC-NE-2005A & proprietary Rev 1 to DPC-NE-2005P-A, "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology." Proprietary rept withheld,per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2242:001-A2242:152.

--9802180051 Non-proprietary "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology."
EPPERSON,K.R. Duke Power Co. DPC-NE-2005A R01. 96/11/30. 146pp. A2242:007-A2242:152.

9802240182 Informs that in util 980126 results of SG tube insps conducted during unit end of cycle 10 refueling outage incorrectly reported.Correct number of tubes inspected listed as follows.
PETERSON,G.R. Duke Power Co. 98/02/12. Document Control Branch (Document Control Desk). 2pp. A2366:057-A2366:058.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040278 Forwards results of SG tube insp conducted during Unit 1 End of Cycle 10 refueling outage.Number of tubes inspected are listed.Identification of tubes w/imperfections in SGs A,B,C & D,location & size of imperfections also listed.
PETERSON,G.R. Duke Power Co. 98/01/26. Document Control Branch (Document Control Desk). 20pp. A2036:135-A2036:154.

9802090246 Discusses NRC Special Insp & Exam Repts 50-413/97-300 & 50-414/97-300 on 971117-21 & 971201-19 & forwards NOV. Thirteen candidates passed exam.Five candidates who passed were identified as having some performance weaknesses.
JAUDON,J.P. Region 2 (Post 820201). 98/02/02. PETERSON,G.R. Duke Power Co. 4pp. A2040:001-A2042:062.

–9802090251 Notice of violation from insp & exam on 971117-21 & 971201-19.Violation noted:as of 971219,selected officers from site security force had not been retrained to perform non-licensed operator emergency tasks for starting SSF.
* Region 2 (Post 820201). 98/02/02. 2pp. A2040:005-A2040:006.

–9802090254 NRC Operator Licensing Exam Repts 50-413/97-300 & 50-414/97-300 (including completed & graded tests) for tests administered on 971117-21 & 971201-19.
PAYNE,D.C., PEEBLES,T.A. Region 2 (Post 820201). 98/02/02. 1,084pp. A2040:007-A2042:062.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240182 Informs that in util 980126 results of SG tube insps conducted during unit end of cycle 10 refueling outage incorrectly reported.Correct number of tubes inspected listed as follows.
PETERSON,G.R. Duke Power Co. 98/02/12. Document Control Branch (Document Control Desk). 2pp. A2366:057-A2366:058.

9802250194 Forwards insp repts 50-413/98-02 & 50-414/98-02 on 980112- 13.No violations noted.Purpose of insp was to determine whether activities authorized by licensee were conducted safely & IAW requirements.
BELISLE,G.A. Region 2 (Post 820201). 98/02/17. PETERSON,G.R. Duke Power Co. 4pp. A2326:272-A2326:277.

–9802250196 Partially withheld insp repts 50-413/98-02 & 50-414/98-02 on 980112-13 (ref 10CFR2.790).No violations noted.Major areas inspected:plant support,including malevolent use of vehicles at plant.
* Region 2 (Post 820201). 98/02/17. 2pp. A2326:276-A2326:277.

R. Periodic operating reports & related correspondence

9802200230 Forwards monthly operating repts Jan 1998 for Catawba Nuclear Station,Units 1 & 2 & revised monthly operating repts for Dec 1997 for Catawba Nuclear Station,Units 1 & 2.
DIMMERY,T. Duke Power Co. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2320:023-A2320:037.

–9802200237 Monthly operating repts for Jan 1998 for Catawba Nuclear Station,Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 98/01/31. 12pp. A2320:025-A2320:036.

–9802200242 Revised monthly operating repts for Dec 1997 for Catawba Nuclear Station,Units 1 & 2.
* Duke Power Co. 97/12/31. 1p. A2320:037-A2320:037.

S. Reportable occurrences, LERs & related correspondence

9802040269 LER 97-010-00:on 971229,reactor trip breakers opened due to uncertainty of rod position.Caused by failure of detector/ encoder card in data "A" cabinet of DRPI sys.Replaced failed detector/encoder card w/new card.W/980126 ltr.
BAIN,R.L., PETERSON,G.R. Duke Power Co. 98/01/26. 6pp. A2026:325-A2026:330.

9802110148 Forwards LER 97-011-00 re ESF actuation due to RCS leakage from loop drain valves.Event considered to be of no significance w/respect to health & safety of public.
PETERSON,G.R. Duke Power Co. 98/01/29. Document Control Branch (Document Control Desk). 1p. A2213:206-A2213:214.

–9802110149 LER 97-011-00:on 971230,operators indentified RCS leak. Caused by leakage through two drain valves,tightly closed. Leaking valves located & closed.
BAIN,R.L. Duke Power Co. 98/01/28. 8pp. A2213:207-A2213:214.

9802110151 Forwards LER 97-012-00 re RTD & incore thermocouple cross calibrations being performed incosistent w/TS requirements. Event considered to be of no significance w/respect to health & safety of public.
PETERSON,G.R. Duke Power Co. 98/01/29. Document Control Branch (Document Control Desk). 1p. A2213:215-A2213:221.

–9802110154 LER 97-012-00:on 971231,determined that TS 3.3.2 violated in past history of plant due to method of performing incore thermocouple & RTD cross calibrs.Caused by inadequate process for identifying commitments.Instructions provided.
BAIN,R.L. Duke Power Co. 98/01/30. 6pp. A2213:216-A2213:221.

9802120255 RO:on 971228:Unit 1 loose parts monitoring sys channel 6 was declared inoperable due to excessive static on channel. Caused by loose connection.Work order has been written to pursue repairs.
PETERSON,G.R. Duke Power Co. 98/02/05. Document Control Branch (Document Control Desk). 2pp. A2233:093-A2233:094.

V. Operator Examinations

9802090246 Discusses NRC Special Insp & Exam Repts 50-413/97-300 & 50-414/97-300 on 971117-21 & 971201-19 & forwards NOV. Thirteen candidates passed exam.Five candidates who passed were identified as having some performance weaknesses.
JAUDON,J.P. Region 2 (Post 820201). 98/02/02. PETERSON,G.R. Duke Power Co. 4pp. A2040:001-A2042:062.

–9802090251 Notice of violation from insp & exam on 971117-21 & 971201-19.Violation noted:as of 971219,selected officers from site security force had not been retrained to perform non-licensed operator emergency tasks for starting SSF.
* Region 2 (Post 820201). 98/02/02. 2pp. A2040:005-A2040:006.

–9802090254 NRC Operator Licensing Exam Repts 50-413/97-300 & 50-414/97-300 (including completed & graded tests) for tests administered on 971117-21 & 971201-19.
PAYNE,D.C., PEEBLES,T.A. Region 2 (Post 820201). 98/02/02. 1,084pp. A2040:007-A2042:062.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802060182 Forwards rev 98-1 to Catawba Nuclear Station Emergency Plan IAW 10CFR50.54(q) & does not decrease effectiveness of EP. Summary of changes & bases for determination,encl.
PETERSON,G.R. Duke Power Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2150:101-A2150:260.

–9802060191 "Emergency Plan Revision 98-1 for Catawba Nuclear Station."
* Duke Power Co. 98/01/28. 158pp. A2150:103-A2150:260.

9802170153 Forwards rev to EPIPs,including index,rev 9 to RP/O/B/5000/008,rev 10 to RP/O/A/5000/020,rev 10 to RP/O/A/5000/021 & rev 0 to SR/O/B/2000/002.Page 2.2 of RP/O/B/5000/008 is proprietary & is withheld.
PETERSON,G.R. Duke Power Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2421:019-A2421:167.

–9802170158 Revised EPIPs,including index,rev 9 to RP/O/B/5000/008,rev 10 to RP/O/A/5000/020,rev 10 to RP/O/A/5000/021,rev 0 to SR/O/B/2000/002 & includes pages noting EPIPs that have been deleted.Page 2.2 of RP/O/B/5000/008 is withheld.
* Duke Power Co. 98/01/29. 147pp. A2421:021-A2421:167.

9802090246 Discusses NRC Special Insp & Exam Repts 50-413/97-300 & 50-414/97-300 on 971117-21 & 971201-19 & forwards NOV. Thirteen candidates passed exam.Five candidates who passed were identified as having some performance weaknesses.
JAUDON,J.P. Region 2 (Post 820201). 98/02/02. PETERSON,G.R. Duke Power Co. 4pp. A2040:001-A2042:062.

–9802090251 Notice of violation from insp & exam on 971117-21 & 971201-19.Violation noted:as of 971219,selected officers from site security force had not been retrained to perform non-licensed operator emergency tasks for starting SSF.
* Region 2 (Post 820201). 98/02/02. 2pp. A2040:005-A2040:006.

–9802090254 NRC Operator Licensing Exam Repts 50-413/97-300 & 50-414/97-300 (including completed & graded tests) for tests administered on 971117-21 & 971201-19.
PAYNE,D.C. Region 2 (Post 820201). 98/02/02. 1,084pp. A2040:007-A2042:062.

9802130097 Submits page changes that were omitted from Catawba Emergency Plan,Rev 98-1.Pages G-3,N-3 & G-10,encl.
CHRISTOPHER,S. Duke Power Co. 98/02/03. Document Control Branch (Document Control Desk). 4pp. A2231:142-A2231:145.

9802250194 Forwards insp repts 50-413/98-02 & 50-414/98-02 on 980112- 13.No violations noted.Purpose of insp was to determine whether activities authorized by licensee were conducted safely & IAW requirements.
BELISLE,G.A. Region 2 (Post 820201). 98/02/17. PETERSON,G.R. Duke Power Co. 4pp. A2326:272-A2326:277.

–9802250196 Partially withheld insp repts 50-413/98-02 & 50-414/98-02 on 980112-13 (ref 10CFR2.790).No violations noted.Major areas inspected:plant support,including malevolent use of vehicles at plant.
* Region 2 (Post 820201). 98/02/17. 2pp. A2326:276-A2326:277.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030020 Forwards relief request 98-01 for inservice testing program valves in DG fuel oil & DG starting oil sys.
PETERSON,G.R. Duke Power Co. 98/01/22. Document Control Branch (Document Control Desk). 8pp. A2018:345-A2018:352.

9802030152 Refers to 971125 submittal to NRC requesting change to previous commitments made by Duke Energy Corp in response to GL 89-13.Staff reviewed revised commitment against GL 89-13 & finds change acceptable.
TAM,P.S. . 98/01/22. PETERSON,G.R. Duke Power Co. 4pp. A1987:050-A1987:053.

9802050235 Requests withdrawal of proposed 981218 LAR re changes to update FOLs NPF-35 & NPF-52.Changes effect pages 2,3 & 4 of both FOLs.New FOL pages retaining current terminology, "Final Safety Analysis Rept," encl.
PETERSON,G.R. Duke Power Co. 98/01/26. Document Control Branch (Document Control Desk). 10pp. A2085:348-A2085:357.

9802170017 Forwards rev 1 to non-proprietary topical rept DPC-NE-3000-A & rev 1 to proprietary topical rept DPC-NE-3000-PA, "Thermal Hydraulic Transient Analysis Methodology." Proprietary version withheld.
TUCKMAN,M.S. Duke Power Co. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2235:001-A2237:080.

-9802170019 Non-proprietary version of rev 1 to topical rept DPC-NE-3000-A, "Thermal-Hydraulic Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3000-A R01. 97/12/31. 802pp. A2235:007-A2237:080.

9802050280 Forwards RAI on section 3.6 containment sys.Response requested within 45 days.
TAM,P.S. . 98/01/30. TUCKMAN,M.S. Duke Power Co. 33pp. A2010:285-A2010:318.

9802090241 Provides summary of meeting w/utility conducted on 980120 re self-assessment of Catawba Nuclear Station performance.List of meeting attendees & copy of presentation handout encl.
OGLE,C.R. Region 2 (Post 820201). 98/01/30. PETERSON,G.R. Duke Power Co. 46pp. A2042:195-A2042:238.

9802240034 Forwards document faxed to M Kitlan re issues for an upcoming telephone conference.
TAM,P.S. . 98/02/03. . 2pp. A2337:279-A2337:280.

9802190163 Submits rept per 10CFR50.46 re errors in changes to ECCS evaluation model.Rept supersedes info provided in licensee 971217 ltr.
PETERSON,G.R. Duke Power Co. 98/02/05. Document Control Branch (Document Control Desk). 4pp. A2257:357-A2257:360.

9802240014 Forwards RAI on amend request re pressure temp limits. Response requested within 30 days of ltr receipt.
TAM,P.S. . 98/02/06. PETERSON,G.R. Duke Power Co. 5pp. A2287:328-A2287:332.

9802170009 Forwards rev 2 to TR DPC-NE-3002-A, "UFSAR Chapter 15 Transient Analysis Methodology" IAW guidance contained in NUREG-0390.
TUCKMAN,M.S. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2237:081-A2237:276.

-9802170015 Rev 2 to "UFSAR Chapter 15 Transient Analysis Methodology."
* Duke Power Co. DPC-NE-3002-A R02. 97/12/31. 190pp. A2237:083-A2237:276.

9802230059 Forwards revs to "OCDM for Duke Power Nuclear Stations," as required by McGuire TS 6.14.2.c.
TUCKMAN,M.S. Duke Power Co. 98/02/10. Document Control Branch (Document Control Desk). 2pp. A2328:001-A2328:258.

-9802230061 Revs to "OCDM for Duke Power Nuclear Stations."
HAYNES,L.E. Duke Power Co. 98/01/01. 300pp. A2328:003-A2328:258.

9802240395 Summary of 980127 meeting w/Duke Energy Corp re proposed rev of topical repts.List of attendees & DEC slides encl.
TAM,P.S. . 98/02/10. . 29pp. A2282:240-A2282:268.

9802180048 Forwards non-proprietary Rev 1 to DPC-NE-2005A & proprietary Rev 1 to DPC-NE-2005P-A, "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology." Proprietary rept withheld,per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2242:001-A2242:152.

-9802180051 Non-proprietary "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology."
EPPERSON,K.R. Duke Power Co. DPC-NE-2005A R01. 96/11/30. 146pp. A2242:007-A2242:152.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802090246 Discusses NRC Special Insp & Exam Repts 50-413/97-300 & 50-414/97-300 on 971117-21 & 971201-19 & forwards NOV. Thirteen candidates passed exam.Five candidates who passed were identified as having some performance weaknesses.
JAUDON,J.P. Region 2 (Post 820201). 98/02/02. PETERSON,G.R. Duke Power Co. 4pp. A2040:001-A2042:062.

-9802090251 Notice of violation from insp & exam on 971117-21 & 971201-19.Violation noted:as of 971219,selected officers from site security force had not been retrained to perform non-licensed operator emergency tasks for starting SSF.
* Region 2 (Post 820201). 98/02/02. 2pp. A2040:005-A2040:006.

-9802090254 NRC Operator Licensing Exam Repts 50-413/97-300 & 50-414/97-300 (including completed & graded tests) for tests administered on 971117-21 & 971201-19.
PAYNE,D.C. Region 2 (Post 820201). 98/02/02. 1,084pp. A2040:007-A2042:062.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802250194 Forwards insp repts 50-413/98-02 & 50-414/98-02 on 980112- 13.No violations noted.Purpose of insp was to determine whether activities authorized by licensee were conducted safely & IAW requirements.
BELISLE,G.A. Region 2 (Post 820201). 98/02/17. PETERSON,G.R. Duke Power Co. 4pp. A2326:272-A2326:277.

-9802250196 Partially withheld insp repts 50-413/98-02 & 50-414/98-02 on 980112-13 (ref 10CFR2.790).No violations noted.Major areas inspected:plant support,including malevolent use of vehicles at plant.
* Region 2 (Post 820201). 98/02/17. 2pp. A2326:276-A2326:277.

R. Periodic operating reports & related correspondence

9802200230 Forwards monthly operating repts Jan 1998 for Catawba Nuclear Station,Units 1 & 2 & revised monthly operating repts for Dec 1997 for Catawba Nuclear Station,Units 1 & 2.
DIMMERY,T. Duke Power Co. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2320:023-A2320:037.

-9802200237 Monthly operating repts for Jan 1998 for Catawba Nuclear Station,Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 98/01/31. 12pp. A2320:025-A2320:036.

-9802200242 Revised monthly operating repts for Dec 1997 for Catawba Nuclear Station,Units 1 & 2.
* Duke Power Co. 97/12/31. 1p. A2320:037-A2320:037.

V. Operator Examinations

9802090246 Discusses NRC Special Insp & Exam Repts 50-413/97-300 & 50-414/97-300 on 971117-21 & 971201-19 & forwards NOV. Thirteen candidates passed exam.Five candidates who passed were identified as having some performance weaknesses.
JAUDON,J.P. Region 2 (Post 820201). 98/02/02. PETERSON,G.R. Duke Power Co. 4pp. A2040:001-A2042:062.

-9802090251 Notice of violation from insp & exam on 971117-21 & 971201-19.Violation noted:as of 971219,selected officers from site security force had not been retrained to perform non-licensed operator emergency tasks for starting SSF.
* Region 2 (Post 820201). 98/02/02. 2pp. A2040:005-A2040:006.

-9802090254 NRC Operator Licensing Exam Repts 50-413/97-300 & 50-414/97-300 (including completed & graded tests) for tests administered on 971117-21 & 971201-19.
PAYNE,D.C., PEEBLES,T.A. Region 2 (Post 820201). 98/02/02. 1,084pp. A2040:007-A2042:062.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802050065 Rev 30,Temporary Change Notice 13 to EPIP 10-S-01-6, "Notification of Offsite Agencies & Plant On-Call Emergency Personnel." W/980119 ltr.
RAINES,B., HUGHEY,W.K. Entergy Operations, Inc. 98/01/19. 8pp. A2037:353-A2037:360.

9802050115 Forwards response to violations noted in insp rept 50-416/97-21.Corrective actions:scaffold reworked to allow greater than six inches of clearance between vertical bracing & affected P33 sys process sampling line.
HAGAN,J.J. Entergy Operations, Inc. 98/01/21. Document Control Branch (Document Control Desk). 5pp. A2087:168-A2087:172.

9802020022 Ack receipt of 961213 ltr transmitting Emergency Plan Procedures 10-S-01-1, "Activation of Emergency Plan," under provisions of 10CFR50.Concludes that changes do not decrease effectiveness of plan & continues to meet std of 10CFR50.47.
MURRAY,B. Region 4 (Post 820201). 98/01/28. HAGAN,J.J. Entergy Operations, Inc. 5pp. A1978:268-A1978:272.

9802200345 Forwards response to request for addl info re IPEEE.Util active participant in industry groups working to resolve questions in staff ltr & monitoring industry response.
HUGHEY,W.K. Entergy Operations, Inc. 98/02/10. Document Control Branch (Document Control Desk). 30pp. A2290:241-A2290:270.

J. Insurance & indemnity information

9802240196 Forwards certified copies of liability insurance policy endorsements issued in second half of 1997 as proof of financial protection,IAW 10CFR140.15.
DEWEASE,J.G. Entergy Operations, Inc. 98/02/17. Document Control Branch (Document Control Desk). 151pp. A2333:014-A2333:164.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802170139 "UFSAR Manual Audit Instructions for Grand Gulf Nuclear Station."
* Entergy Operations, Inc. 98/02/05. 99pp. A2218:143-A2218:241.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802060093 Requests authorization to perform alternative to requirements of ASME Section XI,Subarticle IWA-5250.Util requests that NRC review & approve relief request IWA-5250 to support next refueling outage scheduled for 980411.
DEWEASE,J.G. Entergy Operations, Inc. 98/01/29. Document Control Branch (Document Control Desk). 6pp. A2152:353-A2152:358.

9802240282 Notification of 980319 meeting w/Entergy Operations,Inc,in Rockville,MD to discuss level of instructions & details of transferring QA plan details from current program plans at four sites to standard QA program plan for use at all sites.
WIGGINTON,D.L . 98/02/05. HANNON,J.N. . 7pp. A2281:351-A2281:357.

9802240046 Forwards amend 134 to license NPF-29 & safety evaluation. Amend revises TSs in response to 970806 application.Amend implements guidance & recommendations of GL 94-01, "Removal of Accelerated Testing & Reporting Requirements for EDGs."
DONOHEW,J.N. . 98/02/09. HAGAN,J.J. Entergy Operations, Inc. 3pp. A2325:285-A2325:300.

--9802240051 Amend 134 to license NPF-29,revising TSs in response to 970806 application,implementing guidance & recommendations of GL 94-01, "Removal of Accelerated Testing & Reporting Requirements for EDGs."
DONOHEW,J.N. . 98/02/09. 10pp. A2325:288-A2325:297.

--9802240060 Safety evaluation supporting amend 134 to license NPF-29.
* . 98/02/09. 3pp. A2325:298-A2325:300.

9802200345 Forwards response to request for addl info re IPEEE.Util active participant in industry groups working to resolve questions in staff ltr & monitoring industry response.
HUGHEY,W.K. Entergy Operations, Inc. 98/02/10. Document Control Branch (Document Control Desk). 30pp. A2290:241-A2290:270.

9802240322 Summary of 980122 meeting w/Entergy in Rockville,Maryland re licensing issues & standardization of licensing documents. List of meeting attendees & meeting agenda encl.
WIGGINTON,D.L . 98/02/11. . 10pp. A2281:337-A2281:346.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050115 Forwards response to violations noted in insp rept 50-416/97-21.Corrective actions:scaffold reworked to allow greater than six inches of clearance between vertical bracing & affected P33 sys process sampling line.
HAGAN,J.J. Entergy Operations, Inc. 98/01/21. Document Control Branch (Document Control Desk). 5pp. A2087:168-A2087:172.

9802120269 Forwards NRC initial license exam outline per NRC insp rept 50-416/98-301,to be held wk of 980330.Outline developed per guidelines of NUREG-1021,rev 8, "Operator Licensing Exam Stds for Power Reactors," section ES-201.
HUGHEY,W.K. Entergy Operations, Inc. 98/01/29. MURPHY,M. Region 4 (Post 820201). 2pp. A2230:141-A2230:142.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802200377 Requests schedular relief from exam requirements of category B1.11, "Reactor Vessel Welds," relief request 1-2-00001.
HUGHEY,W.K. Entergy Operations, Inc. 98/02/11. Document Control Branch (Document Control Desk). 7pp. A2320:246-A2320:252.

R. Periodic operating reports & related correspondence

9802230330 Monthly operating rept for Jan 1998 for Grand Gulf Nuclear Station.W/ 980212 ltr.
LIN,S.D., EATON,B. Entergy Operations, Inc. 98/01/31. 5pp. A2342:321-A2342:325.

V. Operator Examinations

9802120269 Forwards NRC initial license exam outline per NRC insp rept 50-416/98-301,to be held wk of 980330.Outline developed per guidelines of NUREG-1021,rev 8, "Operator Licensing Exam Stds for Power Reactors," section ES-201.
HUGHEY,W.K. Entergy Operations, Inc. 98/01/29. MURPHY,M. Region 4 (Post 820201). 2pp. A2230:141-A2230:142.

9802090213 Informs that NRC planning to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.Sample registration ltr encl.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. HAGAN,J.J. Entergy Operations, Inc. 5pp. A2042:079-A2042:084.

9802200298 Informs that PR Simpson,SOP-21193,no longer has need for license,effective 980110,based upon resignation.
HUGHEY,W.K. Entergy Operations, Inc. 98/02/05. MERSCHOFF,E.W. Region 4 (Post 820201). 2pp. A2320:160-A2320:161.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802170139 "UFSAR Manual Audit Instructions for Grand Gulf Nuclear Station."
* Entergy Operations, Inc. 98/02/05. 99pp. A2218:143-A2218:241.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9802040449 Rev 1 to EPOP 4445, "Unit 1 RX Coolant and Liquid Waste Pass."
BLOUNT,T. Northeast Nuclear Energy Co. 98/01/26. 2pp. A2035:360-A2035:361.

9802060221 Advises that 970731 revs 29 & 30 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
MODES,M.C. Region 1 (Post 820201). 98/01/27. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A2150:343-A2150:346.

9802110001 Forwards 971229 ltr from J Bean,transmitting FEMA final exercise rept for 1997,for Millstone Nuclear Power Station radiological emergency preparedness exercises of 970808 full participation plume pathway & 971008-10 ingestion pathway.
MODES,M.C. Region 1 (Post 820201). 98/02/02. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 3pp. A2135:001-A2135:108.

--9802110002 Forwards final exercise rept for 970808,full-participation plume pathway exercise & 971008-10 ingestion pathway exercise of offsite radiological emergency response plans site-specific to Millstone Nuclear Power Station.
BEAN,J.A. Federal Emergency Management Agency. 97/12/29. ROE,J.W. NRC - No Detailed Affiliation Given. 1p. A2135:004-A2135:004.

--9802110003 "Final Exercise Rept for 970821 Plume Pathway Exercise & 971008-10 Ingestion Pathway Exercise at Millstone Nuclear Power Station."
* Federal Emergency Management Agency. 97/12/23. 98pp. A2135:005-A2135:108.

9802090239 Expresses appreciation for beneficial meeting between NRC & Northeast Utility personnel on 980129.Subjects of emergency preparedness & operations training covered per encl info. Also encl list of attendees.
NICHOLSON,L.E. Region 1 (Post 820201). 98/02/03. BOWLING,M.L. Northeast Nuclear Energy Co. 43pp. A2039:298-A2039:340.

9802100179 Responds to NRC 971124 ltr re violations noted in insp repts 50-245/97-81,50-336/97-81 & 50-423/97-81 of Emergency Preparedness Program on 971222.Corrective actions:management ownership of & involvement in dose has been established.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/05. Document Control Branch (Document Control Desk). 16pp. A2166:275-A2166:290.

9802200172 Forwards insp repts 50-336/97-84 & 50-423/97-84 on 970915- 19.No violations noted.Testing of fire-related safe shutdown components were found to be inadequate.
RULAND,W.H. Region 1 (Post 820201). 98/02/09. BOWLING,M.L. Northeast Nuclear Energy Co. 3pp. A2251:151-A2251:179.

--9802200189 Insp repts 50-336/97-84 & 50-423/97-84 on 970915-19.No violations noted.Major areas inspected:review of post-fire safe shutdown program for unit 2 & control of configuration of post-fire safe shutdown equipment for unit 3.
* Region 1 (Post 820201). 98/02/09. 26pp. A2251:154-A2251:179.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

--9802250215 Summary of 950613 MAP meeting re status of emergency operating procedure update & associated operator performance issues.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. A2336:333-A2336:335.

--9802250231 Summary of 961007 MOT meeting re accoutability for line items in Restart Assessment Plan.Discussed need for meeting w/NEUT recovery managers to establish course of action & schedules & need to update FSAR before restart.
* NRC - No Detailed Affiliation Given. 96/10/07. NRC - No Detailed Affiliation Given. 3pp. A2336:338-A2336:343.

G. Non-Antitrust Legal and Adjudicatory Correspondence

9802260260 Responds to petitioner request to have listed license conditions imposed on operating licenses of Millstone & Haddam Neck plants.Petitioner request denied for reasons given in encl Director's Decision DD-98-01.FRN also encl.
COLLINS,S.J. . 98/02/11. HADLEY,E.C. Hadley, E.C. 7pp. A2366:157-A2366:221.

--9802270017 Director's Decision DD-98-01,per 10CFR2.206.Petitioner request for specific enforcement-related license conditions at Millstone & Haddam Neck facilities denied.
COLLINS,S.J. . 98/02/11. Northeast Utilities. 17pp. A2366:165-A2366:181.

--9802270028 Notice of issuance of Director's Decision,per 10CFR2.206 WRT 970303 petition filed by AA Cizek re Millstone & Haddam Neck plants.Petitioner requests listed.
COLLINS,S.J. . 98/02/11. 4pp. A2366:182-A2366:221.

H. General correspondence

9802270134 Responds to ltr to Chairman Jackson re concern that Long Island Sound may contain unexpected radioactivity since dredging sediment removed from Millstone intake structure found to contain trace concentrations of radioactivity.
TRAVERS,W.D. . 98/02/25. CLARK,T. Affiliation Not Assigned. 4pp. A2352:202-A2352:206.

–**9802270145** Expresses concern re recent sludge taken from Millstone intake pipes,containing radioactivity & whether NRC examining potential health hazards.
CLARK,T. Affiliation Not Assigned. 98/02/10. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2352:206-A2352:206.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802230139 Forwards Addendum 4 to Rev 10 to FSAR in form of replacement pages as required.Util currently performing extensive review of Unit 3 design & licensing bases which resulted in some changes provided herein & may result in future changes.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2321:001-A2324:178.

–**9802230141** Addendum 4 to Rev 10 to FSAR,including insert instructions & replacement pages.
* Northeast Nuclear Energy Co. 98/01/30. 1,270pp. A2321:004-A2324:178.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802190003 Informs that NRC considered request proposed in util 971125 ltr & determine that proposal for providing future updates to plant readiness milestones acceptable.
TRAVERS,W.D. . 98/01/08. KENYON,B.D. Northeast Nuclear Energy Co. 4pp. A2213:169-A2213:172.

9802180093 Forwards request for addl info re 971015 proposed rev to Millstone Unit 3 TSs.Proposed amend would affect nominal trip setpoints & allowable values for RTS instrumentation trip setpoints Table 2.2.1.
ANDERSEN,J.W. . 98/01/09. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A2195:345-A2195:348.

9802180125 Forwards request for addl info re 960926 event identifying 21 safety-related air operated valves,controlled by solenoid operated pilot valves,which do not receive class 1E power & event notification w/LER 96-036-00,dtd 961025.
ANDERSEN,J.W. . 98/01/09. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 5pp. A2195:340-A2195:344.

9802040345 Provides summary info re offsite baseball field survey results from various recreational ballfields located in Waterford,CT.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/15. WHITE,J.R. Region 1 (Post 820201). 14pp. A2030:260-A2031:206.

–**9802040347** "Radiological Survey for Waterford Town Landfill,Waterford, CT."
* Northeast Nuclear Energy Co. 98/01/31. 157pp. A2030:274-A2031:066.

–**9802040348** "Radiological Survey for Equestrian Ctr Harkness State Park Waterford,CT."
* Northeast Nuclear Energy Co. 97/11/30. 140pp. A2031:067-A2031:206.

9802020243 Discusses 980106-07 semiannual meeting to determine if safety performance of various licensees exhibits sufficient weaknesses to warrant increased NRC attention or if it is trending adversely & requires steps be taken re concerns.
CALLAN,L.J. Region 4 (Post 820201). 98/01/16. KENYON,B.D. Northeast Utilities Service Co. 5pp. A1966:076-A1966:080.

9802170050 Forwards results of NRC review of critical design characteristics for accident mitigation sys for radiological events discussed in chapter 14 of plant,unit 2 FSAR.
IMBRO,E. . 98/01/20. CURRY,D. Affiliation Not Assigned. 5pp. A2182:348-A2182:352.

9802030004 Application for amend to license NPF-49,by incorporating rev into chapter 9 of FSAR,accepting existing use of epoxy coatings on safety related components.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/01/22. Document Control Branch (Document Control Desk). 19pp. A2015:334-A2015:352.

9802030007 Application for amend to license NPF-49,changing TS Bases Section 3/4.5.1 by rewording section to clarify ref to IEEE Standard 279-1971 re "operating bypasses."
MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/01/22. Document Control Branch (Document Control Desk). 6pp. A2018:317-A2018:327.

–**9802030008** Proposed tech specs pages,changing TS Bases Section 3/4.5.1, rewording section to clarify ref to IEEE 279-1971 re "operating bypasses."
* Northeast Nuclear Energy Co. 98/01/22. 5pp. A2018:323-A2018:327.

9802020264 Forwards responses to questions re proposed rev to TS instrumentation surveillances.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/23. Document Control Branch (Document Control Desk). 8pp. A1990:340-A1990:352.

–**9802020267** Proposed tech specs re proposed rev to TS instrumentation surveillances.
* Northeast Nuclear Energy Co. 98/01/23. 5pp. A1990:348-A1990:352.

9802030107 Summary of 980114 meeting w/NNECO re licensee progress in facilitating restart of plant.List of attendees & handout encl.
MCDONALD,D.G. . 98/01/23. . 17pp. A1985:315-A1985:331.

9802040075 Forwards amend 156 to license NPF-49 & safety evaluation. Amend makes changes to TS 4.5.2.d.1 to clarify wording & increase setpoint for open pressure interlock.
ANDERSEN,J.W. . 98/01/23. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A2006:273-A2006:283.

–**9802040079** Amend 156 to license NPF-49,making changes to TS 4.5.2.d.1 to clarify wording & increase setpoint for open pressure interlock.
MCKEE,P.F. . 98/01/23. 4pp. A2006:277-A2006:280.

–**9802040081** Safety evaluation supporting amend 156 to license NPF-49.
* . 98/01/23. 3pp. A2006:281-A2006:283.

9802020041 Submits "Millstone Unit 3 Independent Corrective Action Verification Program Status Rept," for period ending 980123.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/01/27. Document Control Branch (Document Control Desk). 3pp. A1987:339-A1987:350.

–**9802020050** "Millstone Unit 3 Independent Corrective Action Verification Program Status Rept," for period ending 980123.
* Sargent & Lundy, Inc. 98/01/23. 9pp. A1987:342-A1987:350.

9802250095 Submits amended Rev 19 to Northeast Utils QA Program (NUQAP) topical rept,previously submitted to NRC for review on 970603.Change revises Exception 12 in previous submittal re Section 2.1 of ANSI N45.2.3.
KENYON,B.D. Northeast Nuclear Energy Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2360:295-A2360:300.

–**9802250102** Amended Rev 19 to "Northeast Utils QA Program (NUQAP) Topical Rept."
* Northeast Nuclear Energy Co. 98/01/31. 4pp. A2360:297-A2360:300.

9802100100 Provides info to further explain & specify process by which staff will assess results of independent corrective action verification program.
TRAVERS,W.D. . 98/01/30. SCHOPFER,D. Sargent & Lundy, Inc. 7pp. A2087:353-A2087:359.

9802100118 Provides info to explain & specify process by which staff will assess results of independent corrective action verification program.
TRAVERS,W.D. . 98/01/30. BOWLING,M.L. Northeast Nuclear Energy Co. 7pp. A2095:259-A2095:265.

9802100130 Provides info to explain & specify process by which staff will assess results of independent corrective action verification program.
TRAVERS,W.D. . 98/01/30. CONCANNON,T., WOOLLACOTT,E. Connecticut, State of. 7pp. A2095:266-A2095:272.

9802230122 Advises of intent to revise two previous commitments made re Vendor Equipment Technical Info Program (VETIP). Clarification on VETIP info submitted in licensee 970711 ltr,provided.Commitments made by util,encl.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2330:153-A2330:156.

9802230101 Forwards util response to recommendations made by Little Harbor Consultants,Inc re commitment schedular change.Encl table identifies actions committed by util.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/01/31. Affiliation Not Assigned. 4pp. A2330:149-A2330:152.

9802050297 Notification of 980212 meeting w/listed participants in Waterford,CT to provide status of independent corrective action verification program.
ANDERSON,J.W. . 98/02/02. MCKEE,P.F. . 5pp. A2012:178-A2012:182.

9802110117 Forwards rev 5 to "Millstone Unit 3 Operational Readiness Plan." Plan covers readiness for restart,startup & power ascension & long-term operational objectives.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/02. Document Control Branch (Document Control Desk). 2pp. A2212:252-A2212:285.

–**9802110120** "Millstone Unit 3 Operational Readiness Plan," Rev 5.
LANGAN,J.A., LAPLANTE,J.Z., MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/01/31. 32pp. A2212:254-A2212:285.

9802240445 Notification of 980211 meeting w/listed participants in Rockville,MD to discuss status of Millstone Units 2 & 3 independent corrective action verification program. Notification reissued to change date from 980212 to 980211.
ANDERSEN,J.W. . 98/02/02. MCKEE,P.F. . 4pp. A2281:358-A2281:361.

9802060052 Forwards 11 DRs identified during review activities for ICAVP & 9 DRs which NU resolutions have been reviewed & accepted by S&L.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/03. Document Control Branch (Document Control Desk). 36pp. A2150:307-A2150:342.

9802090239 Expresses appreciation for beneficial meeting between NRC & Northeast Utility personnel on 980129.Subjects of emergency preparedness & operations training covered per encl info. Also encl list of attendees.
NICHOLSON,L.E. Region 1 (Post 820201). 98/02/03. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 43pp. A2039:298-A2039:340.

9802120272 Informs that NNECO has determined that Millstone,Unit 3 has satisfactorily addressed GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." GL is ready for closure insp.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/03. Document Control Branch (Document Control Desk). 1p. A2216:245-A2216:245.

9802230307 Forwards request for addl info re recirculation spray sys (significant items list items 1 & 85).
IMBRO,E.V. . 98/02/03. BOWLING,M.L. Northeast Nuclear Energy Co. 5pp. A2280:124-A2280:128.

9802090073 Forwards twenty-four discrepancy repts (DRs) identified during review activities & two invalid DRs for Independent CA Verification Program distributed IAW Communications Protocol,PI-MP3-01.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/04. Document Control Branch (Document Control Desk). 64pp. A2154:276-A2154:339.

9802120023 Forwards three discrepancy repts (DRs) identified during review activities for Independent Corrective Action Verification Program.DRs distributed in accordance w/ Communications Protocol,PI-MP3-01.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/06. Document Control Branch (Document Control Desk). 39pp. A2233:172-A2233:210.

9802120076 Forwards sixteen discrepancy repts (DRs) identified during review activities & 10 DRs for which resolutions have been reviewed & accepted by S&L for Independent CA Verification Program IAW Communications Protocol,PI-MP3-01.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/09. Document Control Branch (Document Control Desk). 66pp. A2216:147-A2216:211.

9802180068 Discusses proposed treatment of Level 4 discrepancy repts from Independent Corrective Action Verification Program.Util commitments made within ltr included in Attachment 1.
BROTHERS,M.H. Northeast Nuclear Energy Co. 98/02/09. Document Control Branch (Document Control Desk). 4pp. A2237:357-A2237:360.

9802240200 Notification of 980219 meeting w/NNECO in Rockville,MD to discuss plant,Unit 3 recirculation spray sys.
ANDERSON,J.W. . 98/02/10. MCKEE,P.F. . 5pp. A2337:263-A2337:267.

9802180132 Forwards nineteen deficiency repts (DRs) for which util resolutions have been reviewed & accepted by S&L.One DR that has been determined invalid & two DRs for which resolutions have been reviewed & not accepted.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/13. Document Control Branch (Document Control Desk). 43pp. A2242:264-A2242:306.

9802240118 Notification of 980224 meeting w/NNECO in Waterford,CT to conduct independent corrective action verification program tier 1 in-scope public exit meeting.
ANDERSEN,J.W. . 98/02/13. MCKEE,P.F. . 5pp. A2287:322-A2287:326.

9802260233 Forwards RAI re proposed rev to plant,Unit 3 TSs dtd 971015.Proposed amend would place pressurizer max water inventory requirement w/pressurizer max indicated level requirement & make editorial changes.
ANDERSEN,J.W. . 98/02/13. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 5pp. A2351:350-A2351:354.

9802180111 Forwards DRs identified during review activities for Independent Corrective Action Verification Program.DRs being distributed in accordance w/Communications Protocol, PI-MP3-01.Page 3 of 3 for DR-MP3-0617 missing.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/16. Document Control Branch (Document Control Desk). 113pp. A2242:153-A2242:263.

9802230304 Provides info re RAI of 980203 re recirculation spray sys. Encl 1 provides responses to questions 1 through 5 & encl 2 provides responses to question 6.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/16. Document Control Branch (Document Control Desk). 82pp. A2329:123-A2329:204.

9802240147 Forwards summaries of 980206,10 & 17 conferences held to discuss NENE responses to various DRs from Independent Corrective Action Verification Program.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/17. Document Control Branch (Document Control Desk). 5pp. A2333:337-A2333:341.

9802270139 Forwards SE accepting request for relief from requirements of 10CFR50.55a(f) for performing required inservice testing of certain Class 2 components IAW ASME Boiler & Pressure Vessel Section XI for plant,unit 3.
MCKEE,P.F. . 98/02/17. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A2367:195-A2367:201.

--9802270146 SER accepting request for relief from requirements of 10CFR50.55a(f) for performing required inservice testing of certain Class 2 components IAW ASME Boiler & Pressure Vessel code Section XI for plant,unit 3.
* . 98/02/17. 3pp. A2367:199-A2367:201.

9802270153 Forwards SE accepting request for relief from requirements of 10CFR50.55a(g) for performing required exams for certain Class 1 components IAW ASME Boiler & Pressure Vessel Code Section XI for plant,unit 3.
MCKEE,P.F. . 98/02/17. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 4pp. A2367:202-A2367:210.

--9802270159 SER accepting request for relief from requirements of 10CFR50.55a(g) for performing required exams for certain Class 1 components IAW ASME Boiler & Pressure Vessel Code Section XI for plant,unit 3.
* . 98/02/17. 5pp. A2367:206-A2367:210.

9802240375 Provides preliminary results of independent,third party oversight program or Little Harbor Consultants,Inc which oversees implementation of Employee Concerns Program & safety-conscious work environ at plant.
MCKEE,P.F. . 98/02/18. BECK,J. Affiliation Not Assigned. 3pp. A2333:358-A2333:360.

9802230131 Forwards twenty-five DRs identified during review of activities for Independent Corrective Action Verification Program.Three DRs for which resolutions have been reviewed, but not accepted,encl.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/19. Document Control Branch (Document Control Desk). 68pp. A2330:227-A2330:294.

9802240204 Forwards fourteen DRs identified during review activities for Independent Corrective Action Verification Program,IAW Communications Protocol,PI-MP3-01.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/20. Document Control Branch (Document Control Desk). 31pp. A2335:304-A2335:334.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

--9802240372 FOIA request for all documents re NRC Millstone Assessment Panel (MAP) from inception to present time.
O'MEALIA,M.K. Affiliation Not Assigned. 97/12/01. KAMMERER Division of Freedom of Information & Publications Services (Post 940714). 1p. A2336:130-A2336:131.

--9802240385 Summary of 920720 meeting w/Millstone Assessment Panel (MAP) re plant status,MAP issues list,content of evaluation rept on PEP,PEP review & agenda for subsequent meeting w/utility.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/08/27. NRC - No Detailed Affiliation Given. 3pp. A2336:132-A2336:134.

--9802240403 Provides outline of tentative plan for reviewing NEUT PEP as requested by MAP.
BARKLEY,R. NRC - No Detailed Affiliation Given. 92/08/28. WIGGINS,J.T. NRC - No Detailed Affiliation Given. 7pp. A2336:135-A2336:141.

--9802240407 Summary of fourth MAP meeting on 920901 in Region I re plant status,schedule for PEP review activities,proposed insp plan for PEP review,proposed ltrs to State & local communities, verification & validation process.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/09. NRC - No Detailed Affiliation Given. 5pp. A2336:142-A2336:146.

--9802240417 Summary of fifth MAP meeting on 921007 in Region I re plant status,PEP Review Team findings to date,remaining PEP Review Team activities,921105 public meeting preparations,Unit 2 S/G replacement outage progress & insp results.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/14. NRC - No Detailed Affiliation Given. 4pp. A2336:147-A2336:150.

--9802240421 Summary of sixth MAP meeting on 921105 in Millstone Resident Inspectors Office re plant status,recent NRC activities, future MAP activities,public meeting on PEP following MAP meeting.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/12/10. NRC - No Detailed Affiliation Given. 3pp. A2336:151-A2336:153.

--9802240427 Informs that MAP has scheduled meeting on 930113 w/NEUT at Millstone site to discuss progress on implementing PEP & other performance improvements noted to date & work since Oct 1992 in areas of developing validation criteria.
WIGGINS,J.T. Region 1 (Post 820201). 92/12/28. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. A2336:154-A2336:155.

--9802240434 Provides summary of MAP meeting on 930113 w/NEUT at Millstone site re PEP.Meeting presentation slides encl.
WIGGINS,J.T. Region 1 (Post 820201). 93/02/09. OPEKA,J.F. Northeast Utilities. 61pp. A2336:156-A2336:216.

--9802240440 Notification of MAP meeting on 940420 in Waterford, Connecticut.Provides list of tentative activities for day.
DOERFLEIN,L.T. NRC - No Detailed Affiliation Given. 94/04/13. NRC - No Detailed Affiliation Given. 2pp. A2336:217-A2336:218.

--9802240443 Summary of 940525 MAP meeting re acceptance of proposed charter,current Unit 2 problems identified w/mispositioned control rod & incorrect emergency action level categorizations.
DURR,J. NRC - No Detailed Affiliation Given. 94/05/25. NRC - No Detailed Affiliation Given. 7pp. A2336:219-A2336:225.

--9802240447 Summary of 941102 MAP meeting held on site re general direction of MAP efforts,NRC actions re recent Unit 2 work standown by NEUT resulting from 4160V switchgear washdown & hydrogen piping events & Unit 2 insp efforts for SMM.
DURR,J. NRC - No Detailed Affiliation Given. 94/11/02. NRC - No Detailed Affiliation Given. 2pp. A2336:226-A2336:227.

--9802250126 Summary of 940420 MAP meeting at Millstone site re purpose of panel & licensees progress on previous PEP.
DURR,J. NRC - No Detailed Affiliation Given. 98/02/20. NRC - No Detailed Affiliation Given. 2pp. A2336:228-A2336:230.

--9802250152 Forwards outline of final MAP safety evaluation as requested during last MAP meeting.
JAFFE,D.H. NRC - No Detailed Affiliation Given. 98/02/20. STOLZ,J. NRC - No Detailed Affiliation Given. 7pp. A2336:231-A2336:236.

--9802250159 Summary of 950105 MAP meeting held onsite at Millstone re current plant status,insp initiatives,open item status, enforcement strategy for severity level V violations, allegations,SMM recommendations & future MAP actions.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/05. NRC - No Detailed Affiliation Given. 24pp. A2336:237-A2336:260.

--9802250179 Refers to 950221 NRC meeting w/Millstone officials.Provides comments re Millstone.Advises that Millstone has become very good neighborhood to East Lyme & have been on-going & continuing part of community.
CINI,D.K. Affiliation Not Assigned. 95/02/23. SWETLAND,P. NRC - No Detailed Affiliation Given. 2pp. A2336:314-A2336:315.

--9802250187 Summary of 950504 MAP meeting re plant status,current restart planning & scheduling,current status of RATI,status of licensing issues that impact restart,restart meeting details & developing criteria for improving performance.
* NRC - No Detailed Affiliation Given. 95/05/04. NRC - No Detailed Affiliation Given. 6pp. A2336:321-A2336:326.

--9802250215 Summary of 950613 MAP meeting re status of emergency operating procedure update & associated operator performance issues.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. A2336:333-A2336:335.

--9802250226 Summary of 960619 MOT meeting re licensee response to 10CFR50.54 f ltr for Unit 3 due on 960620 & Unit 3 Readiness for Restart Plan.
* NRC - No Detailed Affiliation Given. 96/06/19. NRC - No Detailed Affiliation Given. 2pp. A2336:336-A2336:337.

--9802250231 Summary of 961007 MOT meeting re accoutability for line items in Restart Assessment Plan.Discussed need for meeting w/NEUT recovery managers to establish course of action & schedules & need to update FSAR before restart.
* NRC - No Detailed Affiliation Given. 96/10/07. NRC - No Detailed Affiliation Given. 3pp. A2336:338-A2336:343.

--9802250245 Summary of 970205 RAP meeting re insp program for restart of three Millstone units.
* NRC - No Detailed Affiliation Given. 97/02/05. NRC - No Detailed Affiliation Given. 2pp. A2336:345-A2336:346.

--9802250259 Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

9802250367 Forwards DRs identified during review activities for Independent Corrective Action Verification Program.DRs distributed IAW Communications Protocol,PI-MP3-01.
SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/23. Document Control Branch (Document Control Desk). 164pp. A2371:197-A2371:360.

9802270307 Forwards DRs identified during review activities for Independent Corrective Action Verification Program.DRs distributed IAW Communication Protocol,PI-MP3-01. SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/26. Document Control Branch (Document Control Desk). 43pp. A2409:091-A2409:133.

9802270311 Forwards DRs identified during review activities for Independent Corrective Action Verification Program.DRs distributed IAW Communication Protocol,PI-MP3-01. SCHOPFER,D.K. Sargent & Lundy, Inc. 98/02/26. Document Control Branch (Document Control Desk). 46pp. A2409:134-A2409:179.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802030023 Forwards summary of NRC insp activities tentatively planned for plant during February & March 1998.Purpose of insp to assess readiness to safely restart & operate plant.
LANNING,W.D. Region 1 (Post 820201). 98/01/23. BOWLING,M.L. Northeast Nuclear Energy Co. 11pp. A1980:001-A1980:011.

9802040231 Provides confirmation of NRC insp activities tentatively planned for Millstone Unit 3 during Feb & Mar 1998.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2036:163-A2036:166.

9802050307 Responds to NRC 971205 ltr re violations noted in insp rept 50-423/97-206.Corrective actions:completed condition rept which documents results of investigation & assured that test will not be performed in inappropriate operational mode.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/02. Document Control Branch (Document Control Desk). 46pp. A2086:269-A2086:314.

9802120272 Informs that NNECO has determined that Millstone,Unit 3 has satisfactorily addressed GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." GL is ready for closure insp.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/03. Document Control Branch (Document Control Desk). 1p. A2216:245-A2216:245.

9802100179 Responds to NRC 971124 ltr re violations noted in insp repts 50-245/97-81,50-336/97-81 & 50-423/97-81 of Emergency Preparedness Program on 971222.Corrective actions:management ownership of & involvement in dose has been established.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/05. Document Control Branch (Document Control Desk). 16pp. A2166:275-A2166:290.

9802200120 Forwards NRC insp activities document issued on 980123.Encl 1 that was omitted from original distribution also encl.
BEARDE,D. NRC - No Detailed Affiliation Given. 98/02/05. NRC - No Detailed Affiliation Given. 1p. A2264:004-A2264:008.

9802120032 Submits preliminary results of NRC special projects ofc tier 2 (accident mitigation review) & tier 3 (changes process review) portions of independent CA verification program oversight activities for plant,Unit 3 as in SECY-97-003.
IMBRO,E.V. . 98/02/06. BOWLING,M.L. Northeast Nuclear Energy Co. 6pp. A2141:025-A2141:030.

9802120142 Requests addl three weeks,until 980301,to ensure response to NOV & proposed imposition of civil penalties is complete & accurate in all matl respects.
KENYON,B.D. Northeast Nuclear Energy Co. 98/02/06. Ofc of Enforcement (Post 870413). 2pp. A2216:243-A2216:244.

9802190264 Forwards insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Insp was to evaluate performance of licensed operators during simulator portion of annual operating tests.
WIGGINS,J.T. Region 1 (Post 820201). 98/02/06. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. A2230:006-A2230:021.

--9802190274 Insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Major areas inspected:simulator portion of annual operating tests of licensed operator requalification training programs.
* Region 1 (Post 820201). 98/02/06. 13pp. A2230:009-A2230:021.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200172 Forwards insp repts 50-336/97-84 & 50-423/97-84 on 970915- 19.No violations noted.Testing of fire-related safe shutdown components were found to be inadequate.
RULAND,W.H. Region 1 (Post 820201). 98/02/09. BOWLING,M.L., LOFTUS,P.A. Northeast Nuclear Energy Co. 3pp. A2251:151-A2251:179.

--9802200189 Insp repts 50-336/97-84 & 50-423/97-84 on 970915-19.No violations noted.Major areas inspected:review of post-fire safe shutdown program for unit 2 & control of configuration of post-fire safe shutdown equipment for unit 3.
* Region 1 (Post 820201). 98/02/09. 26pp. A2251:154-A2251:179.

9802120160 Informs that request for addl extension of three weeks (until 980103) to submit response to notice of violation to ensure response complete & accurate in all material respects,granted.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/10. KENYON,B.D. Northeast Nuclear Energy Co. 2pp. A2142:358-A2142:359.

9802270207 Refers to memo developed by NEUT Nuclear Oversight managers dtd 980111 that stated, "Inability to 'Isolate' Cynics From Group Culture." Requests response stating position re whether actions violated 10CFR50.7 & basis for position.
TRAVERS,W.D. . 98/02/10. KENYON,B.D. Northeast Utilities. 5pp. A2352:171-A2352:175.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802230286 Notification of 980226 meeting w/util in Waterford,CT to discuss 40500 team insp findings.
DURR,J. Region 1 (Post 820201). 98/02/13. Region 1 (Post 820201). 3pp. A2268:243-A2268:245.

9802250071 Notification of significant meeting 98-15 w/util on 980226 to discuss 40500 team insp findings.
DURR,J. Region 1 (Post 820201). 98/02/13. Region 1 (Post 820201). 5pp. A2349:001-A2349:005.

9802250217 Notifies NRC that NNECO has projected readiness for performance of ICAVP CA Implementation Insp of Millstone Unit 3 to be 980223.
BOWLING,M.L., MCELWAIN,J.P. Northeast Nuclear Energy Co. 98/02/19. Document Control Branch (Document Control Desk). 2pp. A2357:359-A2357:360.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

--9802240385 Summary of 920720 meeting w/Millstone Assessment Panel (MAP) re plant status,MAP issues list,content of evaluation rept on PEP,PEP review & agenda for subsequent meeting w/utlity.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/08/27. NRC - No Detailed Affiliation Given. 3pp. A2336:132-A2336:134.

--9802240403 Provides outline of tentative plan for reviewing NEUT PEP as requested by MAP.
BARKLEY,R. NRC - No Detailed Affiliation Given. 92/08/28. WIGGINS,J.T. NRC - No Detailed Affiliation Given. 7pp. A2336:135-A2336:141.

--9802240407 Summary of fourth MAP meeting on 920901 in Region I re plant status,schedule for PEP review activities,proposed insp plan for PEP review,proposed ltrs to State & local communities, verification & validation process.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/09. NRC - No Detailed Affiliation Given. 5pp. A2336:142-A2336:146.

--9802240417 Summary of fifth MAP meeting on 921007 in Region I re plant status,PEP Review Team findings to date,remaining PEP Review Team activities,921105 public meeting preparations,Unit 2 S/G replacement outage progress & insp results.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/14. NRC - No Detailed Affiliation Given. 4pp. A2336:147-A2336:150.

--9802240421 Summary of sixth MAP meeting on 921105 in Millstone Resident Inspectors Office re plant status,recent NRC activities, future MAP activities,public meeting on PEP following MAP meeting.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/12/10. NRC - No Detailed Affiliation Given. 3pp. A2336:151-A2336:153.

--9802240443 Summary of 940525 MAP meeting re acceptance of proposed charter,current Unit 2 problems identified w/mispositioned control rod & incorrect emergency action level categorizations.
DURR,J. NRC - No Detailed Affiliation Given. 94/05/25. NRC - No Detailed Affiliation Given. 7pp. A2336:219-A2336:225.

--9802250152 Forwards outline of final MAP safety evaluation as requested during last MAP meeting.
JAFFE,D.H. NRC - No Detailed Affiliation Given. 98/02/20. STOLZ,J. NRC - No Detailed Affiliation Given. 7pp. A2336:231-A2336:236.

--9802250159 Summary of 950105 MAP meeting held onsite at Millstone re current plant status,insp initiatives,open item status, enforcement strategy for severity level V violations, allegations,SMM recommendations & future MAP actions.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/05. NRC - No Detailed Affiliation Given. 24pp. A2336:237-A2336:260.

--9802250187 Summary of 950504 MAP meeting re plant status,current restart planning & scheduling,current status of RATI,status of licensing issues that impact restart,restart meeting details & developing criteria for improving performance.
* NRC - No Detailed Affiliation Given. 95/05/04. NRC - No Detailed Affiliation Given. 6pp. A2336:321-A2336:326.

--9802250215 Summary of 950613 MAP meeting re status of emergency operating procedure update & associated operator performance issues.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. A2336:333-A2336:335.

--9802250226 Summary of 960619 MOT meeting re licensee response to 10CFR50.54 f ltr for Unit 3 due on 960620 & Unit 3 Readiness for Restart Plan.
* NRC - No Detailed Affiliation Given. 96/06/19. NRC - No Detailed Affiliation Given. 2pp. A2336:336-A2336:337.

--9802250231 Summary of 961007 MOT meeting re accoutability for line items in Restart Assessment Plan.Discussed need for meeting w/NEUT recovery managers to establish course of action & schedules & need to update FSAR before restart.
* NRC - No Detailed Affiliation Given. 96/10/07. NRC - No Detailed Affiliation Given. 3pp. A2336:338-A2336:343.

--9802250245 Summary of 970205 RAP meeting re insp program for restart of three Millstone units.
* NRC - No Detailed Affiliation Given. 97/02/05. NRC - No Detailed Affiliation Given. 2pp. A2336:345-A2336:346.

--9802250259 Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

R. Periodic operating reports & related correspondence

9802190044 Monthly operating rept for Jan 1998 for Millstone Nuclear Station,Unit 3.W/ 980210 ltr.
EMMONS,K.W., HICKS,G.D. Northeast Nuclear Energy Co. 98/01/31. 8pp. A2254:350-A2254:357.

S. Reportable occurrences, LERs & related correspondence

9802090053 Forwards LER 97-009-01,documenting condition originally determined reportable at Unit 3 on 970123.Util commitments in response to event contained within Attachment 1 to ltr.
HICKS,G.D. Northeast Nuclear Energy Co. 97/09/17. Document Control Branch (Document Control Desk). 5pp. A2144:053-A2144:062.

–9802090060 LER 97-009-01:on 970123,investigation into HELB door control problems resulted in discovery of previously unidentified historical reportable events on 850803 & 970808.ACs & procedures for HELB door control revised.
SMITH,D.A. Northeast Nuclear Energy Co. 97/09/17. 5pp. A2144:058-A2144:062.

9802090061 Forwards suppl 01 to LER 97-009-00,documenting addl conditions to those determined reportable at Millstone Unit 3 on 970123.Commitments made within ltr are listed in LER 97-009-01.W/o encl.
HICKS,G.D. Northeast Nuclear Energy Co. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A2159:358-A2159:359.

9802110028 Forwards LER 97-063-00,documenting condition determined reportable at Millstone Unit 3,on 971231.Commitments made by util,encl.Supplemental rept will be submitted on or before 980605.
HICKS,G.D. Northeast Nuclear Energy Co. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2288:336-A2288:344.

–9802110033 LER 97-063-00:on 971231,inadequate operator response time for inadvertent safety injection event noted.Cause is under investigation.Will qualify PORVs & associated downstream piping for water relief.
SMITH,D.A. Northeast Nuclear Energy Co. 98/01/30. 5pp. A2288:341-A2288:344.

9802230105 Forwards LER 98-001-00,documenting condition determined reportable at Millstone,Unit 3,on 980106.Commitments made by util,encl.
HICKS,G.D. Northeast Nuclear Energy Co. 98/01/30. Document Control Branch (Document Control Desk). 5pp. A2289:028-A2289:036.

–9802230109 LER 98-001-00:on 980106,discovered motor pinion gear keys sheared for valve actuators.Caused by improper installation of key matl that was weaker than required for function. Replaced sheared keys w/stronger 4140 matl.
SMITH,D.A. Northeast Nuclear Energy Co. 98/01/30. 4pp. A2289:033-A2289:036.

9802110100 Forwards responses to RAI to assist in review of Millstone Unit 3 LER 96-036.
BOWLING,M.L. Northeast Nuclear Energy Co. 98/02/03. Document Control Branch (Document Control Desk). 15pp. A2370:326-A2370:340.

9802200406 Forwards LER 98-002-00,documenting condition that was determined reportable IAW 10CFR50.73(a)(2)(i)(B).Commitments made within ltr,encl.
HICKS,G.D. Northeast Nuclear Energy Co. 98/02/07. Document Control Branch (Document Control Desk). 5pp. A2318:247-A2318:256.

–9802200417 LER 98-002-00:on 980112,verification of ECCS piping full of water per TS 4.5.2.b.1 was not being met.Caused by personnel not considering ECCS cross-tie piping as "discharge" piping. Revised ECCS venting SP.
SMITH,D.A. Northeast Nuclear Energy Co. 98/02/07. 5pp. A2318:252-A2318:256.

9802240079 Forwards LER 98-004-00,re event which occurred at Millstone Unit 3 on 980114.Commitments made within ltr,encl.
HICKS,G.D. Northeast Nuclear Energy Co. 98/02/09. Document Control Branch (Document Control Desk). 5pp. A2289:054-A2289:061.

–9802240109 LER 98-004-00:on 980114,EDG intercoolant coolers were not capable of meeting design criteria.Caused by inadequate implementation of GL 89-13 Section II testing.Diesels operability in Modes 5 & 6 was documented via CAP.
SMITH,D.A. Northeast Nuclear Energy Co. 98/02/09. 3pp. A2289:059-A2289:061.

9802200062 Forwards LER 97-062-01,documenting condition determined reportable at Millstone,Unit 2 on 971219.Commitments made by util,encl.
HICKS,G.D. Northeast Nuclear Energy Co. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2289:001-A2289:010.

–9802200073 LER 97-062-01:on 971219,failure to meet TS definition of ACOT was noted.Caused by test methods that were historically considered in compliance w/ intent philosophy behind TS definition for ACOT.Revised procedures & surveillance tests.
SMITH,D.A. Northeast Nuclear Energy Co. 98/02/11. 5pp. A2289:006-A2289:010.

9802230082 Forwards LER 98-003-00,documenting condition that was determined to be reportable at Millstone Nuclear Power Station,Unit 3 on 980114.Commitments made within ltr,encl.
HICKS,G.D. Northeast Nuclear Energy Co. 98/02/13. Document Control Branch (Document Control Desk). 5pp. A2318:271-A2318:279.

–9802230091 LER 98-003-00:on 980114,ISI pressure tests for class 2 & 3 sys were missed.Caused by historical program interface deficiencies.Procedure for sys pressure tests has been revised to reflect sys within scope of ISI program.
SMITH,D.A. Northeast Nuclear Energy Co. 98/02/13. 4pp. A2318:276-A2318:279.

9802230114 Forwards LER 98-005-00,documenting condition that was determined to be reportable at Millstone,Unit 3 on 980116. Commitments made by ltr,listed.
HICKS,G.D. Northeast Nuclear Energy Co. 98/02/13. Document Control Branch (Document Control Desk). 5pp. A2318:280-A2318:288.

–9802230125 LER 98-005-00:on 980116,AMSE section XI code requirements not met in scheduling & performing inspections of pipe supports or welds were noted.Caused by misinterpretation of info.ISI surveillance procedure was revised.
SMITH,D.A. Northeast Nuclear Energy Co. 98/02/13. 4pp. A2318:285-A2318:288.

9802250149 Special rept:on 980130,declared Meteorological Tower (Met) delta - T instrumentation due to discovery of Met instrument uncertainty values found out of compliance.Will modify meteorological instrumentation installed at plant.
HICK,G.D. Northeast Nuclear Energy Co. 98/02/13. Document Control Branch (Document Control Desk). 4pp. A2358:356-A2358:359.

T. Hearing transcripts on non-antitrust matters

9802270040 Transcript of 980127 public meeting in Waterford,CT re Northeast Utilities,Millstone Units 1,2 & 3.Pp 1-246.
* NRC - No Detailed Affiliation Given. 98/01/27. 247pp. A2353:001-A2353:247.

9802250076 Transcript of 980219 meeting in Rockville,MD w/Northeast Nuclear on Millstone - Public Meeting.Pages 1-175.W/ supporting documentation.
* Commissioners (Post 750119). 98/02/19. 242pp. A2351:012-A2351:343.

V. Operator Examinations

9802190264 Forwards insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Insp was to evaluate performance of licensed operators during simulator portion of annual operating tests.
WIGGINS,J.T. Region 1 (Post 820201). 98/02/06. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. A2230:006-A2230:021.

–9802190274 Insp repts 50-245/97-85,50-336/97-85 & 50-423/97-85 on 971001-17,1120-21 & 1204-12.No violations noted.Major areas inspected:simulator portion of annual operating tests of licensed operator requalification training programs.
* Region 1 (Post 820201). 98/02/06. 13pp. A2230:009-A2230:021.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

–9802240421 Summary of sixth MAP meeting on 921105 in Millstone Resident Inspectors Office re plant status,recent NRC activities, future MAP activities,public meeting on PEP following MAP meeting.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/12/10. NRC - No Detailed Affiliation Given. 3pp. A2336:151-A2336:153.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802020180 Forwards complete replacement of all typed pages to TS changes requested in ltr LCV-0849-E,as graphical error was found in TS Figure 4.3.1-2.Rev 3 to WCAP-14720,incorporating change,also enclosed.
WOODARD,J.D. Southern Nuclear Operating Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A1987:200-A1987:319.

–9802020182 Complete replacement of all typed pages of TS changes submitted in ltr LCV-0849-E.
* Southern Nuclear Operating Co. 98/01/27. 33pp. A1987:202-A1987:234.

–9802020183 Rev 3 to WCAP-14720, "Vogtle Units 1 & 2 Spent Fuel Rack Criticality Analysis w/Credit for Soluble Boron."
BAKER,M.M., KAPIL,S.K., LESKO,J.R. Westinghouse Electric Corp. WCAP-14720 R03. 98/01/31. 85pp. A1987:235-A1987:319.

9802060031 Comment on draft NUREG 1555, "Updated Environ Standard Review Plan."
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/30. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. A2038:270-A2038:273.

9802090084 Submits change to alarm setting for digital metal impact monitoring sys,per requirements of FSAR & reg guide 1.133, "Loose Part Detection Program for Primary Sys of Light Water Cooled Reactors."
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/02. Document Control Branch (Document Control Desk). 1p. A2160:276-A2160:276.

9802100092 Confirms 980203 telcon between J Bailey & R Carnion re meeting scheduled for 980225 in Atlanta,GA to discuss diesel generator issues at Vogtle facility.
SKINNER,P.H. Region 2 (Post 820201). 98/02/04. MCCOY,C.K. Southern Nuclear Operating Co. 3pp. A2093:359-A2093:361.

9802130014 Informs of NRC Region II mgt changes effective on 980215. Revised organization chart encl.
SKINNER,P.H. Region 2 (Post 820201). 98/02/05. HAIRSTON,W.G. Southern Nuclear Operating Co. 4pp. A2164:019-A2164:022.

9802240298 Summary of 980128 meeting w/util in Rockville,MD re licensee application for license amend dtd 971120.List of attendees & licensee response to questions encl.
JAFFE,D.H. . 98/02/11. . 12pp. A2325:140-A2325:151.

9802260258 Informs that WOG application dtd 980122 re WCAP-14036-P, Revision 1, "Elimination of Periodic Protection Channel Response Time Tests," marked as proprietary will be withheld pursuant to 10CFR2.790(b)(5) & Section 103(b) of AEC,1954. JAFFE,D.H. . 98/02/12. SEPP,H.A. Westinghouse Electric Corp. 4pp. A2346:353-A2346:356.

9802240335 Informs that util elected to withdraw proposed change to Tech Specs.Util will resubmit including deterministic as well as risk basis for proposed change,should util reevaluation indicate need for proposed change.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/17. Document Control Branch (Document Control Desk). 2pp. A2366:059-A2366:060.

9802250309 Informs NRC that util completed assessment of severe mgt capabilities & implemented severe accident mgt guideline program on 971201.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/19. Document Control Branch (Document Control Desk). 1p. A2368:325-A2368:325.

9802250314 Notifies NRC staff of util intentions to maintain present setpoint re AMSAC C-20 interlock permissive.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/19. Document Control Branch (Document Control Desk). 2pp. A2360:360-A2360:362.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802090097 Request prompt review & approval of encl ISI program Request for Relief RR-22,for use during VEGP-2 maint/refueling outage 2R6 scheduled to begin 980308.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/29. Document Control Branch (Document Control Desk). 8pp. A2159:350-A2159:357.

9802090113 Provides clarification to ISI program Request for Relief RR-20,requesting approval for use of ASME Section XI Code Case N-509, "Alternative Rules for Selection & Exam of Class 1,2 & 3 Integrally Welded Attachments," submitted on 970529.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2164:336-A2164:337.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200344 Forwards addl info re evaluation & disposition of potential concerns relative to pressure locking and/or thermal binding for 24 valves identified in insp repts 50-424/97-04 & 50-425/97-04.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/09. Document Control Branch (Document Control Desk). 10pp. A2345:030-A2345:039.

9802190180 Responds to NRC ltr re violations noted in insp repts 50-424/97-11 & 50-425/97-11 on 971102-1213.Licensee denies that violation of TS requirements occurred as stated in NOV. Requirements of SR 3.3.2.9 are met.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/10. Document Control Branch (Document Control Desk). 3pp. A2258:106-A2258:108.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240205 Responds to NRC 970130 ltr re violations noted in insp repts 50-424/96-11 & 50-425/96-11.Corrective actions:gasket that blanked off unit 1 SIP B motor cooler tubesheet was removed & properly cut gasket was installed.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/18. Document Control Branch (Document Control Desk). 7pp. A2350:299-A2350:305.

9802270059 Forwards rev 1 to "Vogtle Electric Generating Plant,Units 1 & 2 Second Ten-Yr Interval Pump Insp Test Program," deleting Relief Request RR-P-1.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/23. Document Control Branch (Document Control Desk). 2pp. A2378:146-A2378:158.

–9802270061 Rev 1 to "Vogtle Electric Generating Plant,Units 1 & 2 Second Ten-Yr Interval Pump Inservice Test Program."
* Southern Nuclear Operating Co. 98/02/11. 11pp. A2378:148-A2378:158.

R. Periodic operating reports & related correspondence

9802200164 Monthly operating repts for Jan 1998 for Vogtle Electric Generating Plant,Units 1 & 2.W/980209 ltr.
HARGIS,T.S., MCCOY,C.K. Southern Nuclear Operating Co. 98/01/31. 7pp. A2319:248-A2319:254.

9802250332 Forwards fitness for duty performance data for six-month reporting period,Jul-Dec 1997,as required by 10CFR26.71(d).
MOREY,D.N. Southern Nuclear Operating Co. 98/02/20. Document Control Branch (Document Control Desk). 5pp. A2360:343-A2360:347.

S. Reportable occurrences, LERs & related correspondence

9802130043 LER 98-001-00:on 980107,concrete degradation was found in DG exhaust barriers.Cause of event under review.DG exhausts were inspected & all debris was removed.W/980205 ltr.
SHEIBANI,M., MCCOY,C.K. Southern Nuclear Operating Co. 98/02/05. 5pp. A2232:039-A2232:043.

9802190144 LER 98-002-00:on 980122,SSPS surveillance testing was noted inadequate.Caused by inadequate original testing design. Procedures were changed & testing of circuits for three functions was completed.W/980212 ltr.
SHEIBANI,M., MCCOY,C.K. Southern Nuclear Operating Co. 98/02/12. 5pp. A2255:263-A2255:267.

9802240304 LER 98-003-00:on 980128,I&C personnel were conducting 18 month calibrations on neutron flux monitoring system unit 2 train B RSP indicators.Caused by circuit board failure. Unit 2 testing was peformed.W/980218 ltr.
SHEIBANI,M., MCCOY,C.K. Southern Nuclear Operating Co. 98/02/18. 4pp. A2345:143-A2345:146.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802020180 Forwards complete replacement of all typed pages to TS changes requested in ltr LCV-0849-E,as graphical error was found in TS Figure 4.3.1-2.Rev 3 to WCAP-14720,incorporating change,also enclosed.
WOODARD,J.D. Southern Nuclear Operating Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A1987:200-A1987:319.

–9802020182 Complete replacement of all typed pages of TS changes submitted in ltr LCV-0849-E.
* Southern Nuclear Operating Co. 98/01/27. 33pp. A1987:202-A1987:234.

–9802020183 Rev 3 to WCAP-14720, "Vogtle Units 1 & 2 Spent Fuel Rack Criticality Analysis w/Credit for Soluble Boron."
BAKER,M.M., KAPIL,S.K., LESKO,J.R. Westinghouse Electric Corp. WCAP-14720 R03. 98/01/31. 85pp. A1987:235-A1987:319.

9802060031 Comment on draft NUREG 1555, "Updated Environ Standard Review Plan."
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/30. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. A2038:270-A2038:273.

9802100092 Confirms 980203 telcon between J Bailey & R Carrion re meeting scheduled for 980225 in Atlanta,GA to discuss diesel generator issues at Vogtle facility.
SKINNER,P.H. Region 2 (Post 820201). 98/02/04. MCCOY,C.K. Southern Nuclear Operating Co. 3pp. A2093:359-A2093:361.

9802130014 Informs of NRC Region II mgt changes effective on 980215. Revised organization chart encl.
SKINNER,P.H. Region 2 (Post 820201). 98/02/05. HAIRSTON,W.G. Southern Nuclear Operating Co. 4pp. A2164:019-A2164:022.

9802240298 Summary of 980128 meeting w/util in Rockville,MD re licensee application for license amend dtd 971120.List of attendees & licensee response to questions encl.
JAFFE,D.H. . 98/02/11. . 12pp. A2325:140-A2325:151.

9802260258 Informs that WOG application dtd 980122 re WCAP-14036-P, Revision 1, "Elimination of Periodic Protection Channel Response Time Tests," marked as proprietary will be withheld pursuant to 10CFR2.790(b)(5) & Section 103(b) of AEC,1954. JAFFE,D.H. . 98/02/12. SEPP,H.A. Westinghouse Electric Corp. 4pp. A2346:353-A2346:356.

9802240335 Informs that util elected to withdraw proposed change to Tech Specs.Util will resubmit including deterministic as well as risk basis for proposed change,should util reevaluation indicate need for proposed change.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/17. Document Control Branch (Document Control Desk). 2pp. A2366:059-A2366:060.

9802250309 Informs NRC that util completed assessment of severe mgt capabilities & implemented severe accident mgt guideline program on 971201.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/19. Document Control Branch (Document Control Desk). 1p. A2368:325-A2368:325.

9802250314 Notifies NRC staff of util intentions to maintain present setpoint re AMSAC C-20 interlock permissive.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/19. Document Control Branch (Document Control Desk). 2pp. A2360:360-A2360:362.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802090097 Request prompt review & approval of encl ISI program Request for Relief RR-22,for use during VEGP-2 maint/refueling outage 2R6 scheduled to begin 980308.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/29. Document Control Branch (Document Control Desk). 8pp. A2159:350-A2159:357.

9802090113 Provides clarification to ISI program Request for Relief RR-20,requesting approval for use of ASME Section XI Code Case N-509, "Alternative Rules for Selection & Exam of Class 1,2 & 3 Integrally Welded Attachments," submitted on 970529.
MCCOY,C.K. Southern Nuclear Operating Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2164:336-A2164:337.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802200344 Forwards addl info re evaluation & disposition of potential concerns relative to pressure locking and/or thermal binding for 24 valves identified in insp repts 50-424/97-04 & 50-425/97-04.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/09. Document Control Branch (Document Control Desk). 10pp. A2345:030-A2345:039.

9802190180 Responds to NRC ltr re violations noted in insp repts 50-424/97-11 & 50-425/97-11 on 971102-1213.Licensee denies that violation of TS requirements occurred as stated in NOV. Requirements of SR 3.3.2.9 are met.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/10. Document Control Branch (Document Control Desk). 3pp. A2258:106-A2258:108.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240205 Responds to NRC 970130 ltr re violations noted in insp repts 50-424/96-11 & 50-425/96-11.Corrective actions:gasket that blanked off unit 1 SIP B motor cooler tubesheet was removed & properly cut gasket was installed.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/18. Document Control Branch (Document Control Desk). 7pp. A2350:299-A2350:305.

9802270059 Forwards rev 1 to "Vogtle Electric Generating Plant,Units 1 & 2 Second Ten-Yr Interval Pump Insp Test Program," deleting Relief Request RR-P-1.
MCCOY,C.K. Southern Nuclear Operating Co. 98/02/23. Document Control Branch (Document Control Desk). 2pp. A2378:146-A2378:158.

–9802270061 Rev 1 to "Vogtle Electric Generating Plant,Units 1 & 2 Second Ten-Yr Interval Pump Inservice Test Program."
* Southern Nuclear Operating Co. 98/02/11. 11pp. A2378:148-A2378:158.

R. Periodic operating reports & related correspondence

9802200164 Monthly operating repts for Jan 1998 for Vogtle Electric Generating Plant,Units 1 & 2.W/980209 ltr.
HARGIS,T.S., MCCOY,C.K. Southern Nuclear Operating Co. 98/01/31. 7pp. A2319:248-A2319:254.

9802250332 Forwards fitness for duty performance data for six-month reporting period,Jul-Dec 1997,as required by 10CFR26.71(d).
MOREY,D.N. Southern Nuclear Operating Co. 98/02/20. Document Control Branch (Document Control Desk). 5pp. A2360:343-A2360:347.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802230245 Notification of 980305 meeting w/TVA in Rockville,MD to discuss special projects being pursued w/DOE including use of downblended highly enriched U in fuel used at plant.
HERNAN,R.W. . 98/02/05. HEBDON,F.J. . 5pp. A2270:342-A2270:346.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802200134 Forwards changes to Emergency Plan Implementing Instructions for Perry Nuclear Power Plant.Changes constitute revs, temporary changes or reissued pages.
ROSEUM,M.J. Centerior Energy. 98/02/13. Document Control Branch (Document Control Desk). 3pp. A2290:325-A2290:355.

–9802200142 Revised Emergency Plan Implementing Instruction,including rev 7 to EPI-A2,rev 9 to EPI-A7,rev 9 to EPI-B1 & rev 7 to EPI-B3.
ANDERSON,J.D. Centerior Energy. 98/01/28. 28pp. A2290:328-A2290:355.

9802260151 Forwards insp rept 50-440/97-21 on 971202-980127 & notice of violation.During insp,operations staff reacted well to abnormal plant events re automatic reactor scram & leak of trichloroethylene.
GRANT,G.E. Region 3 (Post 820201). 98/02/20. MYERS,L.W. Cleveland Electric Illuminating Co. 3pp. A2344:070-A2344:088.

–9802260154 Notice of violation from insp on 971202-980127.Violation noted:on 971208,an inspector observed fire door between Div 2 & 3 Emergency diesel Generator Rooms stuck in fully open position.
* Region 3 (Post 820201). 98/02/20. 2pp. A2344:073-A2344:074.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802130104 Informs that review of 971223 Boiling Water Reactor Vessel Internals Project ltr re reactor vessel structual integrity, has not identified any impact on PNPP vessel info previously supplied.Ltr closes out 960819 NRC request to supply review.
MYERS,L.W. Centerior Energy. 98/02/05. Document Control Branch (Document Control Desk). 2pp. A2231:138-A2231:139.

9802250362 Forwards "Superfund Amends & Reauthorization Act" (SARA), section 312 rept for Perry Nuclear Power Plant.Rept lists hazardous substances stored or used in excess of ten thousand pounds.
MYERS,L.W. Centerior Energy. 98/02/19. Ohio, State of. 33pp. A2360:252-A2360:285.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802190111 Forwards insp rept 50-440/97-22 on 971015-1201 & NOV. Violation re staff failure to adequately assess effects of tag-out on plant conditions,contrary to Perry safety tagging procedure identified.
GRANT,G.E. Region 3 (Post 820201). 97/12/31. MYERS,L.W. Centerior Service Co. 3pp. A2229:272-A2229:288.

-9802190116 Notice of violation from insp on 971015-1201.Violation noted:on 971011,preparer & reviewer of tag-out 29491 did not note significant tag-out effect on sys & plant operability in "Preparer/Reviewer Notes," of tag-out sheet.
* Region 3 (Post 820201). 97/12/31. 2pp. A2229:275-A2229:276.

-9802190118 Insp rept 50-440/97-22 on 971015-1201.Violations noted. Major areas inspected:circumstances that led to inadvertent loss of reactor pressure vessel water inventory that occured on 971011.
* Region 3 (Post 820201). 97/12/31. 12pp. A2229:277-A2229:288.

9802230084 Forwards insp rept 50-440/97-16 on 971004-1201 & notice of violation.
GRANT,G.E. Region 3 (Post 820201). 98/01/02. MYERS,L.W. Centerior Service Co. 3pp. A2268:115-A2268:140.

-9802230088 Notice of violation from insp on 971004-1201.Violation noted:on 971006,personnel began work on reactor recirculation sys flow control valve actuator w/o verifying that tag-out adequately isolated work area from RCS.
* Region 3 (Post 820201). 98/01/02. 2pp. A2268:118-A2268:119.

-9802230089 Insp rept 50-440/97-16 on 971004-1201.Violations noted. Major areas inspected:operations,maint & plant support.
* Region 3 (Post 820201). 98/01/02. 21pp. A2268:120-A2268:140.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040037 Ack receipt of 971216 ltr informing NRC of steps taken to correct violations noted in insp rept 50-440/97-12 issued on 971126.Corrective actions will be examined during future inspections.
KOZAK,T.J. Region 3 (Post 820201). 98/01/26. MYERS,L.W. Centerior Service Co. 3pp. A2000:157-A2000:159.

9802040357 Ack receipt of 971124 ltr,addressing 3 examples of violation cited in insp rept 50-440/97-07,issued on 971024.Recinds violation examples 97007-01a & 97007-01c.Response to example 97007-01b acceptable.
CALDWELL,J.L. Region 3 (Post 820201). 98/01/28. MYERS,L.W. Centerior Service Co. 4pp. A2000:201-A2000:204.

9802090047 Ack receipt of 980115 ltr & electronic funds transfer of $160,000 in payment for civil penalty proposed by NRC on 961009.C/As will be examined during future insps.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 98/02/05. MYERS,L.W. Centerior Service Co. 2pp. A2042:090-A2042:091.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802240415 Responds to NRC 971231 & 980102 ltrs re violations noted in insp repts 50-440/97-16 & 50-440/97-22.Corrective actions: leakage pathway was isolated & appropriate tagout boundary established.
MYERS,L.W. Centerior Energy. 98/02/19. Document Control Branch (Document Control Desk). 5pp. A2349:344-A2349:348.

9802260151 Forwards insp rept 50-440/97-21 on 971202-980127 & notice of violation.During insp,operations staff reacted well to abnormal plant events re automatic reactor scram & leak of trichloroethylene.
GRANT,G.E. Region 3 (Post 820201). 98/02/20. MYERS,L.W. Cleveland Electric Illuminating Co. 3pp. A2344:070-A2344:088.

-9802260154 Notice of violation from insp on 971202-980127.Violation noted:on 971208,an inspector observed fire door between Div 2 & 3 Emergency diesel Generator Rooms stuck in fully open position.
* Region 3 (Post 820201). 98/02/20. 2pp. A2344:073-A2344:074.

-9802260157 Insp rept 50-440/97-21 on 971202-980127.Violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 3 (Post 820201). 98/02/20. 14pp. A2344:075-A2344:088.

R. Periodic operating reports & related correspondence

9802040149 "State of OH Water Withdrawal Facility Registration Annual Rept For PNPP for 1997." W/980121 ltr.
MYERS,L.W. Centerior Energy. 97/12/31. TIZZANO,D. Ohio, State of. 3pp. A2027:358-A2027:360.

9802240134 "Perry Nuclear Power Plant,Jan-Dec 1997 Annual Rept to NRC." W/980219 ltr.
MYERS,L.W. Centerior Energy. 97/12/31. 7pp. A2347:354-A2347:360.

9802190241 "NPDES Monthly Monitoring Rept for Jan 1998 for Perry Nuclear Plant." W/980212 ltr.
MYERS,L.W. Centerior Energy. 98/01/31. 5pp. A2258:206-A2258:210.

9802200291 Monthly operating rept for Jan 1998 for Perry Nuclear Power Plant,Unit 1.W/980210 ltr.
COON,H.M., HEGRAT,H.L. Centerior Energy. 98/01/31. 3pp. A2320:099-A2320:101.

S. Reportable occurrences, LERs & related correspondence

9802130115 NPDES noncompliance notification:on 980123,trichloroethylene leak occurred at plant due to failed pressure indicating gauge.Area containing leak isolated & emergency response vendor summoned to provide qualified hazardous matl team.
MYERS,L.W. Centerior Energy. 98/02/04. Ohio, State of. 2pp. A2230:358-A2230:359.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

F. Security, medical, emergency & fire protection plans

9802200134 Forwards changes to Emergency Plan Implementing Instructions for Perry Nuclear Power Plant.Changes constitute revs, temporary changes or reissued pages.
ROSEUM,M.J. Centerior Energy. 98/02/13. Document Control Branch (Document Control Desk). 3pp. A2290:325-A2290:355.

-9802200142 Revised Emergency Plan Implementing Instruction,including rev 7 to EPI-A2,rev 9 to EPI-A7,rev 9 to EPI-B1 & rev 7 to EPI-B3.
ANDERSON,J.D. Centerior Energy. 98/01/28. 28pp. A2290:328-A2290:355.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040357 Ack receipt of 971124 ltr,addressing 3 examples of violation cited in insp rept 50-440/97-07,issued on 971024.Recinds violation examples 97007-01a & 97007-01c.Response to example 97007-01b acceptable.
CALDWELL,J.L. Region 3 (Post 820201). 98/01/28. MYERS,L.W. Centerior Service Co. 4pp. A2000:201-A2000:204.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802040149 "State of OH Water Withdrawal Facility Registration Annual Rept For PNPP for 1997." W/980121 ltr.
MYERS,L.W. Centerior Energy. 97/12/31. TIZZANO,D. Ohio, State of. 3pp. A2027:358-A2027:360.

9802190241 "NPDES Monthly Monitoring Rept for Jan 1998 for Perry Nuclear Plant." W/980212 ltr.
MYERS,L.W. Centerior Energy. 98/01/31. 5pp. A2258:206-A2258:210.

S. Reportable occurrences, LERs & related correspondence

9802130115 NPDES noncompliance notification:on 980123,trichloroethylene leak occurred at plant due to failed pressure indicating gauge.Area containing leak isolated & emergency response vendor summoned to provide qualified hazardous matl team.
MYERS,L.W. Centerior Energy. 98/02/04. Ohio, State of. 2pp. A2230:358-A2230:359.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802170103 Rev 10,Vol 50 to "State of NH Radiological Emergency Response Plan."
* New Hampshire, State of. 97/12/01. 14pp. A2216:326-A2216:338.

9802020211 Forwards SALP rept for Seabrook Station on 960505-971206. Mgt meeting scheduled for 970204 to discuss weaknesses noted during evaluation.Encl 2 provides NRC insp plan.
MILLER,H.J. Region 1 (Post 820201). 98/01/23. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. A1978:338-A1978:347.

-9802030074 SALP rept 50-443/97-99 for 960505-971206.
* Region 1 (Post 820201). 98/01/23. 6pp. A1978:342-A1978:347.

9802170026 Rev 21,Change 2 to emergency response manual ER 3.3, "EOF Operations." W/980210 ltr.
PESCHEL,J.M. North Atlantic Energy Service Corp. (NAESCO). 98/02/10. 130pp. A2234:061-A2234:193.

H. General correspondence

9802200315 Provides revised distribution list for Seabrook Station correspondence to reflect current organization.Future correspondence should be directed to individuals listed on encl.
FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2320:082-A2320:084.

I. Financial information

9802020265 Submits on behalf of Great Bay Power Corp status rept on efforts of Great Bay to obtain suitable decommissioning funding assurance arrangement which meets requirements of 10CFR50.75(e)(2).
FEIGENBAUM,T. North Atlantic Energy Service Corp. (NAESCO). 98/01/23. . 6pp. A2015:231-A2015:236.

9802200416 Forwards release ltr that contains 1997 fourth quarter & yr- end statement of income & loss for BayCorp Holdings,Ltd, parent corp of Great Bay.
FEIGENBAUM,T. North Atlantic Energy Service Corp. (NAESCO). 98/02/13. COLLINS,S.J. . 6pp. A2283:304-A2283:309.

J. Insurance & indemnity information

9802190025 Forwards one certified copy of listed endorsements re nuclear liability insurance policies for Seabrook Station.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 98/02/11. COLLINS,S.J. . 15pp. A2247:345-A2247:359.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030095 Responds to 980123 telcon & forwards Licensee preliminary root cause analysis rept.Rept being provided pursuant to 971218 petition to suspend operating license of Seabrook Station until analysis of RHR piping leaks conducted.
SMITH,C.W. . 98/01/27. DOUGHTY,J. Seacoast Anti-Pollution League. 3pp. A1986:354-A1986:356.

9802060171 Forwards petition for determination that Great Bay Power Corp's acceleration of decommissioning trust fund payments would provide reasonable assurance of decommissioning funding,or in alternative,would merit permanent exemption.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2135:331-A2135:345.

-9802060174 Petition for determination that Great Bay Power Corp's acceleration of decommissioning trust fund payments would provide reasonable asurance of decommissioning funding or,in alternative,would merit permanent exemption.
CHARNOFF,G. Affiliation Not Assigned. CHARNOFF,G. Shaw, Pittman, Potts & Trowbridge. 98/01/29. Commissioners (Post 750119). 11pp. A2135:335-A2135:345.

9802240446 Notification of 980219 meeting w/North Atlantic Energy Service Corp in North Bethesda,MD to discuss proposed license amends to support current operating cycle & plans for conversion to improved standard TSs.
SMITH,C.W. . 98/02/09. THOMAS,C.O. NRC - No Detailed Affiliation Given. 4pp. A2283:064-A2283:067.

9802240065 Forwards NRR ofc ltr 803,rev 1, "TS Review Procedures," & Operating Reactor Manager Handbook.W/o encl.
SMITH,C.W. . 98/02/11. HARPSTER,T.L. North Atlantic Energy Service Corp. (NAESCO). 1p. A2287:327-A2287:327.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020211 Forwards SALP rept for Seabrook Station on 960505-971206. Mgt meeting scheduled for 970204 to discuss weaknesses noted during evaluation.Encl 2 provides NRC insp plan.
MILLER,H.J. Region 1 (Post 820201). 98/01/23. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. A1978:338-A1978:347.

-9802030074 SALP rept 50-443/97-99 for 960505-971206.
* Region 1 (Post 820201). 98/01/23. 6pp. A1978:342-A1978:347.

9802020270 Notification of 980204 Mgt Meeting w/North Atlantic Energy Svc Corp in Rockville,Maryland to discuss SALP for period covering 960505-971206 as documented in SALP Rept 50-443/97-99.
COWGILL,C.J. Region 1 (Post 820201). 98/01/23. Region 1 (Post 820201). 3pp. A1985:151-A1985:153.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802270038 Forwards insp rept 50-443/97-09 on 971215-18 & 980120-21 & NOV.Violation involved rev of procedure MA 2.3, "Control & Calibration of Measuring & Testing Equipment," w/o performing 10CFR50.59 evaluation.
RULAND,W.H. Region 1 (Post 820201). 98/02/20. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. A2349:072-A2349:095.

-9802270042 Notice of violation from insp on 971215-18 & 980120-21. Violations noted:on 970313,licensee changed procedures as described in UFSAR & failed to perform written SE to determine that change did not involve USQ.
* Region 1 (Post 820201). 98/02/20. 2pp. A2349:076-A2349:077.

-9802270045 Insp rept 50-443/97-09 on 971215-18 & 980120-21.Violations noted.Major areas inspected:maint.
* Region 1 (Post 820201). 98/02/20. 19pp. A2349:078-A2349:095.

R. Periodic operating reports & related correspondence

9802200114 Monthly operating rept for Jan 1998 for Seabrook Station. W/980213 ltr.
NARDONE,P.E., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 98/01/31. 5pp. A2283:275-A2283:279.

S. Reportable occurrences, LERs & related correspondence

9802110057 Forwards LER 98-001-00 re inadequate ECCS venting surveillance for event that occurred on 980103.Event being reported,per 10CFR50.73(a)(2)(i),10CFR50.73(a)(2)(ii), 10CFR50.73(a)(2)(v) & 10CFR50.73(a)(2)(vii).
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 98/02/02. Document Control Branch (Document Control Desk). 1p. A2213:196-A2213:200.

-9802110070 LER 98-001-00:on 980103,inadequate ECCS venting surveillance occurred.Caused by not using piping isometric drawings in selection of vent points,inappropriately crediting dynamic venting of operating pumps.Procedures revised.
PESCHEL,J.M. North Atlantic Energy Service Corp. (NAESCO). 98/02/02. 4pp. A2213:197-A2213:200.

9802190102 Forwards LER 97-016-01 re event that occurred on 971105 at station.LER is being submitted to retract LER 97-016-00, which was determined to be unreportable.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 98/02/09. Document Control Branch (Document Control Desk). 1p. A2255:291-A2255:294.

-9802190108 LER 97-016-01 re non-conservative AMSAC arming setpoint.LER 97-016-00 retracted.
PESCHEL,J.M. North Atlantic Energy Service Corp. (NAESCO). 98/02/09. 3pp. A2255:292-A2255:294.

9802190193 NPDES noncompliance notification:on 980206,entrapment of seal occurred in circulating water sys pumphouse forebay. Recovered seal.During wk prior to seal entrapment,about 1,200 fish were impinged.
HART,J.B. North Atlantic Energy Service Corp. (NAESCO). 98/02/11. SANDORF,S. Massachusetts, Commonwealth of. 5pp. A2258:101-A2258:105.

9802200399 Forwards LER 98-002-00,for event that occurred on 980103 re potential safety injection pump runout conditions due to incorrect test equipment assumptions.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 98/02/12. Document Control Branch (Document Control Desk). 1p. A2320:085-A2320:088.

-9802200405 LER 98-002-00:on 980103,potential safety injection pump runout conditions,occurred.Caused by incorrect test equipment assumptions.Safety evaluation performed to support revs to surveillance procedures.
PESCHEL,J.M. North Atlantic Energy Service Corp. (NAESCO). 98/02/12. 3pp. A2320:086-A2320:088.

9802250052 NPDES noncompliance notification:on 980211,seal skull discovered in Seabrook Station circulating water sys screen wash debris.Util notified Natl Marine Fisheries Svc of entrapment incidents.
HART,J.B. North Atlantic Energy Service Corp. (NAESCO). 98/02/13. SANDORF,S. Massachusetts, Commonwealth of. 5pp. A2358:348-A2358:352.

U. Congressional/Executive Correspondence

9802170146 Ack receipt of 971218 ltr re decommissioning funding obligations of Great Bay Power Corp & legislation introduced to complement accelerated decommissioning funding payment schedule recently proposed by Great Bay Power Corp.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/02/03. HOLLINGWORTH,B. New Hampshire, State of. 1p. A2212:288-A2212:293.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

F. Security, medical, emergency & fire protection plans

9802170103 Rev 10,Vol 50 to "State of NH Radiological Emergency Response Plan."
* New Hampshire, State of. 97/12/01. 14pp. A2216:326-A2216:338.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

S. Reportable occurrences, LERs & related correspondence

9802250052 NPDES noncompliance notification:on 980211,seal skull discovered in Seabrook Station circulating water sys screen wash debris.Util notified Natl Marine Fisheries Svc of entrapment incidents.
HART,J.B. North Atlantic Energy Service Corp. (NAESCO). 98/02/13. SANDORF,S. Massachusetts, Commonwealth of. 5pp. A2358:348-A2358:352.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802060076 Forwards rev 13 to "CPSES Fire Protection Rept" & description of changes.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/02. Document Control Branch (Document Control Desk). 4pp. A2088:001-A2089:044.

--9802060081 Rev 13 to "CPSES Fire Protection Rept."
* Texas Utilities Electric Co. (TU Electric). 98/02/02. 404pp. A2088:005-A2089:044.

9802200220 Forwards rev 28 to CPSES physical security plan,per 10CFR50.54(p).Plan withheld.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/13. Document Control Branch (Document Control Desk). 1pp. A2318:349-A2318:350.

9802200364 Provides follow-up to licensee 971210 ltr re Thermo-Lag raceway testing.Util has concluded that it is important for util not change testing criteria "mid-stream." Commitment made by util,listed.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/13. Document Control Branch (Document Control Desk). 26pp. A2319:197-A2319:222.

9802240255 Forwards instruction sheet & replacement pages to rev 13 of fire protection rept.
LACY,J. Texas Utilities Electric Co. (TU Electric). 98/02/16. NRC - No Detailed Affiliation Given. 111pp. A2350:179-A2350:289.

9802250057 Responds to NRC 980116 ltr re violations noted in insp repts 50-445/97-19 & 50-446/97-19.Corrective actions:incorporated changes into Rev 26 of CPSES emergency plan.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/16. Document Control Branch (Document Control Desk). 6pp. A2357:353-A2357:358.

I. Financial information

9802020261 Submits cash flow statement for twelve months ended Nov 1997 to demonstrate Co ability to pay deferred premiums under secondary financial program.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/23. Document Control Branch (Document Control Desk). 2pp. A2006:356-A2006:357.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802050205 Amend 95 to CPSES Units 1 & 2 updated FSAR.W/980202 ltr.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/02. 1,915pp. A2123:001-A2128:095.

9802060110 Forwards line-by-line descriptions of changes in Amend 95 to updated FSAR,submitted on 980202.Amend 95 included revs to plant process flow diagrams which replace certain FSAR figures as described in amend 94,dtd 960801.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/02. Document Control Branch (Document Control Desk). 211pp. A2089:045-A2089:255.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040159 Informs NRC that CPSES has agreed to provide lead plant license submittal to assist Caldon,Inc in review of leading edge flow meter technology submitted in TR ER-80P.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/30. Document Control Branch (Document Control Desk). 1p. A2031:312-A2031:312.

9802110130 Forwards approved changes to Bases section of Units 1 & 2 TS.Changes revise TS Bases discussion of surveillance 4.7.1.5 to delete implication that MSIVs should not be partial stroke tested at power.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/05. Document Control Branch (Document Control Desk). 2pp. A2199:352-A2199:356.

--9802110133 Proposed Tech Specs Bases 3/4.7.1.5 re main steam line isolation valves.
* Texas Utilities Electric Co. (TU Electric). 98/02/05. 3pp. A2199:354-A2199:356.

9802200321 Forwards second draft revision of "Risk-Informed IST Program," dtd 980213,as result of 980114 telcon.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/13. Document Control Branch (Document Control Desk). 14pp. A2320:253-A2320:266.

9802200364 Provides follow-up to licensee 971210 ltr re Thermo-Lag raceway testing.Util has concluded that it is important for util not change testing criteria "mid-stream." Commitment made by util,listed.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/13. Document Control Branch (Document Control Desk). 26pp. A2319:197-A2319:222.

9802250175 Requests enforcement discretion to allow CPSES,Units 1 & 2 to continue operation in mode 1,2,3 or 4 w/o having demonstrated load shedding feature of MCC XEB4-3.Commitment made by util,encl.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/20. Document Control Branch (Document Control Desk). 5pp. A2360:315-A2360:319.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050112 Forwards insp repts 50-445/97-23 & 50-446/97-23 on 971123- 980103.No violations noted.
TAPIA,J.I. Region 4 (Post 820201). 98/01/30. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. A2010:024-A2010:041.

--9802050119 Insp repts 50-445/97-23 & 50-446/97-23 on 971123-980103.No violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
* Region 4 (Post 820201). 98/01/30. 14pp. A2010:028-A2010:041.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190106 Forwards corrected pages of insp repts 50-445/97-21 & 50-446/97-21.Insp repts contained errors in follow-up sys numbers associated w/items described in rept details.
MURRAY,B. Region 4 (Post 820201). 98/02/11. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. A2229:254-A2229:259.

--9802200002 Errata to insp repts 50-445/97-21 & 50-446/97-21,correcting errors in insp follow-up sys number associated w/items described in rept.
* Region 4 (Post 820201). 98/02/11. 2pp. A2229:258-A2229:259.

9802190246 Responds to NRC 980116 ltr re violations noted in insp repts 50-445/97-20 & 50-446/97-20.Corrective actions:operator took manual control & closed valves terminating RCS depressurization & RCS parameters were stabilized.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/13. Document Control Branch (Document Control Desk). 8pp. A2258:121-A2258:128.

9802200095 Submits position that util is compliant w/literal meaning & intent of applicable regulations & regulatory guidance,per Info Notice 97-080, "Licensee TS Interpretations," dtd 971121.Review & concurrence w/position,requested.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/13. Document Control Branch (Document Control Desk). 16pp. A2366:004-A2366:019.

9802250057 Responds to NRC 980116 ltr re violations noted in insp repts 50-445/97-19 & 50-446/97-19.Corrective actions:incorporated changes into Rev 26 of CPSES emergency plan.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/16. Document Control Branch (Document Control Desk). 6pp. A2357:353-A2357:358.

9802240098 Ack receipt of 980213 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/97-20 & 50-446/97-20 on 980116.
TAPIA,J.I. Region 4 (Post 820201). 98/02/19. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. A2279:078-A2279:089.

9802250145 Forwards relief requests E-1 & L-1 for Unit 1 & E-1 & L-1 for Unit 2,for approval by 980630.Relief requests will be incorporated into ISI program after approval.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/20. Document Control Branch (Document Control Desk). 104pp. A2358:202-A2358:305.

R. Periodic operating reports & related correspondence

9802050331 Forwards "CPSES 10CFR50.59 Evaluation Summary Rept 0007,for 960202-970801" & "CPSES Commitment Matl Change Evaluation Rept 0002,for 960202-970801."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/02. Document Control Branch (Document Control Desk). 2pp. A2085:106-A2085:228.

--**9802050333** "CPSES 10CFR50.59 Evaluation Summary Rept 0007,for 960202-970801."
* Texas Utilities Electric Co. (TU Electric). 97/02/01. 111pp. A2085:108-A2085:217.

--**9802050337** "CPSES Commitment Matl Change Evaluation Rept 0002 for 960202-970801."
* Tennessee Valley Authority. 98/02/02. 11pp. A2085:218-A2085:228.

9802200276 Forwards monthly operating repts for Jan 1998 for CPSES, Units 1 & 2.No failures or challenges to power operated relief valves or safety valves for CPSES Units 1 & 2,during reporting period.Communication contains no new commitments.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/16. Document Control Branch (Document Control Desk). 1p. A2320:005-A2320:013.

--**9802200281** Monthly operating repts for Jan 1998 for CPSES,Units 1 & 2.
REIBLE,B. Texas Utilities Electric Co. (TU Electric). 98/01/31. 8pp. A2320:006-A2320:013.

9802240373 Forwards fitness-for-duty program peformance data for July-Dec 1997,also encl is rev 1 of page 1 of rept ending 970630.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/19. Document Control Branch (Document Control Desk). 4pp. A2349:332-A2349:335.

S. Reportable occurrences, LERs & related correspondence

9802170037 LER 98-001-00:on 980110,discovered entry into TS 3.0.3 when feedwater isolation valves were declared inoperable due to low nitrogen pressure.Caused by degraded elastomer seal. Restored nitrogen pressure.W/980209 ltr.
FLORES,R., TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/09. 7pp. A2213:276-A2213:282.

V. Operator Examinations

9802090172 Informs that NRC plans to administer generic fundamentals section of written operator licensing exam at facility on 980408.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. A2048:111-A2048:115.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802060076 Forwards rev 13 to "CPSES Fire Protection Rept" & description of changes.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/02. Document Control Branch (Document Control Desk). 4pp. A2088:001-A2089:044.

--**9802060081** Rev 13 to "CPSES Fire Protection Rept."
* Texas Utilities Electric Co. (TU Electric). 98/02/02. 404pp. A2088:005-A2089:044.

9802200220 Forwards rev 28 to CPSES physical security plan,per 10CFR50.54(p).Plan withheld.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/13. Document Control Branch (Document Control Desk). 1pp. A2318:349-A2318:350.

9802240255 Forwards instruction sheet & replacement pages to rev 13 of fire protection rept.
LACY,J. Texas Utilities Electric Co. (TU Electric). 98/02/16. NRC - No Detailed Affiliation Given. 111pp. A2350:179-A2350:289.

9802250057 Responds to NRC 980116 ltr re violations noted in insp repts 50-445/97-19 & 50-446/97-19.Corrective actions:incorporated changes into Rev 26 of CPSES emergency plan.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/16. Document Control Branch (Document Control Desk). 6pp. A2357:353-A2357:358.

I. Financial information

9802020261 Submits cash flow statement for twelve months ended Nov 1997 to demonstrate Co ability to pay deferred premiums under secondary financial program.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/23. Document Control Branch (Document Control Desk). 2pp. A2006:356-A2006:357.

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) a

9802050205 Amend 95 to CPSES Units 1 & 2 updated FSAR.W/980202 ltr.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/02. 1,915pp. A2123:001-A2128:095.

9802060110 Forwards line-by-line descriptions of changes in Amend 95 to updated FSAR,submitted on 980202.Amend 95 included revs to plant process flow diagrams which replace certain FSAR figures as described in amend 94,dtd 960801.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/02. Document Control Branch (Document Control Desk). 211pp. A2089:045-A2089:255.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040159 Informs NRC that CPSES has agreed to provide lead plant license submittal to assist Caldon,Inc in review of leading edge flow meter technology submitted in TR ER-80P.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/01/30. Document Control Branch (Document Control Desk). 1p. A2031:312-A2031:312.

9802110130 Forwards approved changes to Bases section of Units 1 & 2 TS.Changes revise TS Bases discussion of surveillance 4.7.1.5 to delete implication that MSIVs should not be partial stroke tested at power.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/05. Document Control Branch (Document Control Desk). 2pp. A2199:352-A2199:356.

--**9802110133** Proposed Tech Specs Bases 3/4.7.1.5 re main steam line isolation valves.
* Texas Utilities Electric Co. (TU Electric). 98/02/05. 3pp. A2199:354-A2199:356.

9802200321 Forwards second draft revision of "Risk-Informed IST Program," dtd 980213,as result of 980114 telcon.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/13. Document Control Branch (Document Control Desk). 14pp. A2320:253-A2320:266.

9802250175 Requests enforcement discretion to allow CPSES,Units 1 & 2 to continue operation in mode 1,2,3 or 4 w/o having demonstrated load shedding feature of MCC XEB4-3.Commitment made by util,encl.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/20. Document Control Branch (Document Control Desk). 5pp. A2360:315-A2360:319.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050112 Forwards insp repts 50-445/97-23 & 50-446/97-23 on 971123- 980103.No violations noted.
TAPIA,J.I. Region 4 (Post 820201). 98/01/30. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. A2010:024-A2010:041.

--**9802050119** Insp repts 50-445/97-23 & 50-446/97-23 on 971123-980103.No violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
* Region 4 (Post 820201). 98/01/30. 14pp. A2010:028-A2010:041.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190106 Forwards corrected pages of insp repts 50-445/97-21 & 50-446/97-21.Insp repts contained errors in follow-up sys numbers associated w/items described in rept details.
MURRAY,B. Region 4 (Post 820201). 98/02/11. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. A2229:254-A2229:259.

--**9802200002** Errata to insp repts 50-445/97-21 & 50-446/97-21,correcting errors in insp follow-up sys number associated w/items described in rept.
* Region 4 (Post 820201). 98/02/11. 2pp. A2229:258-A2229:259.

9802190246 Responds to NRC 980116 ltr re violations noted in insp repts 50-445/97-20 & 50-446/97-20.Corrective actions:operator took manual control & closed valves terminating RCS depressurization & RCS parameters were stabilized.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/13. Document Control Branch (Document Control Desk). 8pp. A2258:121-A2258:128.

9802200095 Submits position that util is compliant w/literal meaning & intent of applicable regulations & regulatory guidance,per Info Notice 97-080, "Licensee TS Interpretations," dtd 971121.Review & concurrence w/position,requested.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/13. Document Control Branch (Document Control Desk). 16pp. A2366:004-A2366:019.

9802250057 Responds to NRC 980116 ltr re violations noted in insp repts 50-445/97-19 & 50-446/97-19.Corrective actions:incorporated changes into Rev 26 of CPSES emergency plan.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/16. Document Control Branch (Document Control Desk). 6pp. A2357:353-A2357:358.

9802240098 Ack receipt of 980213 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/97-20 & 50-446/97-20 on 980116.
TAPIA,J.I. Region 4 (Post 820201). 98/02/19. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. A2279:078-A2279:089.

9802250145 Forwards relief requests E-1 & L-1 for Unit 1 & E-1 & L-1 for Unit 2,for approval by 980630.Relief requests will be incorporated into ISI program after approval.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/20. Document Control Branch (Document Control Desk). 104pp. A2358:202-A2358:305.

R. Periodic operating reports & related correspondence

9802050331 Forwards "CPSES 10CFR50.59 Evaluation Summary Rept 0007,for 960202-970801" & "CPSES Commitment Matl Change Evaluation Rept 0002,for 960202-970801."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/02. Document Control Branch (Document Control Desk). 2pp. A2085:106-A2085:228.

–9802050333 "CPSES 10CFR50.59 Evaluation Summary Rept 0007,for 960202-970801."
* Texas Utilities Electric Co. (TU Electric). 97/02/01. 111pp. A2085:108-A2085:217.

–9802050337 "CPSES Commitment Matl Change Evaluation Rept 0002 for 960202-970801."
* Tennessee Valley Authority. 98/02/02. 11pp. A2085:218-A2085:228.

9802200276 Forwards monthly operating repts for Jan 1998 for CPSES, Units 1 & 2.No failures or challenges to power operated relief valves or safety valves for CPSES Units 1 & 2,during reporting period.Communication contains no new commitments.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 98/02/16. Document Control Branch (Document Control Desk). 1p. A2320:005-A2320:013.

–9802200281 Monthly operating repts for Jan 1998 for CPSES,Units 1 & 2.
REIBLE,B. Texas Utilities Electric Co. (TU Electric). 98/01/31. 8pp. A2320:006-A2320:013.

9802240373 Forwards fitness-for-duty program peformance data for July-Dec 1997,also encl is rev 1 of page 1 of rept ending 970630.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 98/02/19. Document Control Branch (Document Control Desk). 4pp. A2349:332-A2349:335.

S. Reportable occurrences, LERs & related correspondence

9802200270 LER 98-001-00:on 980116,TS surveillance for reactor trip sys instrumentation was missed due to personnel error.Lessons learned & managements expectation w/respect to completing required surveillance have been reemphasized.W/980213 ltr.
TERRY,C.L., WALKER,R.D. Texas Utilities Co. 98/02/13. 5pp. A2289:023-A2289:027.

V. Operator Examinations

9802090172 Informs that NRC plans to administer generic fundamentals section of written operator licensing exam at facility on 980408.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. A2048:111-A2048:115.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802190107 Forwards insp repts 50-454/98-03 & 50-455/98-03 on 980108-12 & 23-27.No violations noted.Insp consisted of areas within security program,including exam of procedures & representative records & observation of performance.
GROBE,J.A. Region 3 (Post 820201). 98/02/11. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2229:260-A2229:271.

–9802190109 Insp repts 50-454/98-03 & 50-455/98-03 on 980108-27.No violations noted.Major areas inspected:review of security measures implemented to support SG replacement project.
CREED,J.R. Region 3 (Post 820201). 98/02/11. 9pp. A2229:263-A2229:271.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

9802240156 Rev 18 to EPIP BZP 310-4, "Assembly & Evacuation of Personnel" & index.
* Commonwealth Edison Co. 98/02/14. 11pp. A2332:350-A2332:360.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040389 Forwards SER accepting pressure temp limit curves & low temp overpressure protection sys limits methodology & pressure temp limits rept submitted by Commonwealth Edison Co.
CAPRA,R.A. . 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2004:319-A2004:337.

–9802040391 SER accepting pressure temp limits rept & methodology for relocation of reactor coolant sys pressure-temp limit curves & low temp overpressure protection sys limits for Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
* . 98/01/21. 13pp. A2004:325-A2004:337.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802030146 Forwards amends 97,97,88 & 88 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively & SE.Amends revise TS & associated bases re primary containment pressure & RCS vol.
DICK,G.F. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1990:310-A1990:339.

–9802030151 Amends 97 & 97 to licenses NPF-37 & NPF-66,respectively. Amends revise TS & associated bases re primary containment pressure & reactor coolant sys volume.
* . 98/01/22. 11pp. A1990:314-A1990:324.

–9802030154 Safety evaluation supporting amends 97,97,88 & 88 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/22. 4pp. A1990:336-A1990:339.

–9802050121 Amends 88 & 88 to licenses NPF-72 & NPF-77,respectively, revising TS & associated bases re primary containment pressure & RCS vol.
DICK,G.F. . 98/01/22. 11pp. A1990:325-A1990:335.

9802050177 Forwards amends 98,98,89 & 89 to FOLs NPF-37,NPF-66,NPF-72 & NPF-77,respectively.Amends relocate RCS pressure & temperature limits for heatup,cooldown,low-temperature operation & hydrostatic testing & LTOP sys setpoint curves.
DICK,G.F. . 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2010:216-A2010:284.

–9802050194 Amends 98 & 98 to licenses NPF-37 & NPF-66,respectively, relocating,RCS pressure & temperature limits for heatup, cooldown,low temperature operation & hydrostatic testing & LTOP sys setpoint curves.
DICK,G.F. . 98/01/23. 41pp. A2010:221-A2010:261.

–9802060192 Amends 89 & 89 to licenses NPF-72 & NPF-77,respectively, relocating RCS pressure & temperature limits for heatup, cooldown,low temperature operation & hydrostatic testing & associated LTOP sys setpoint curves.
* . 98/01/23. 10pp. A2010:262-A2010:271.

–9802050202 Safety evaluation supporting amends 98,98,89 & 89 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/23. 13pp. A2010:272-A2010:284.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

–9802060120 Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802110025 Forwards response to RAI re Improved TS sections 3.0,3.7 & 3.9.RAI contained questions & comments re util request to amend current TS in order to adopt Improved TS of NUREG-1431,Rev 1.
TULON,T.J. Commonwealth Edison Co. 98/01/27. Document Control Branch (Document Control Desk). 73pp. A2169:287-A2169:359.

9802040239 Forwards safety evaluation re revised SG tube rupture analysis.
DICK,G.F. . 98/01/28. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2002:331-A2002:347.

–9802040247 Safety evaluation rept accepting revised SG tube rupture analysis.
* . 98/01/28. 13pp. A2002:335-A2002:347.

9802020223 Forwards amends 99,99,90 & 90 to licenses NPF-37,NPF-66 NPF-72 & NPF-77,respectively & SER.Amends revise TS to update containment vessel structural integrity SR to meet provisions of recent rev 10CFR50.55a.
DICK,G.F. . 98/01/29. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1976:017-A1976:050.

–**9802020230** Amends 99,99,90 & 90 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revising TSs to update containment vessel structural integrity to meet provisions of recent rev to 10CFR50.55a.
DICK,G.F. . 98/01/29. 26pp. A1976:022-A1976:047.

–**9802020235** Safety evaluation supporting amends 99,99,90 & 90 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/29. 3pp. A1976:048-A1976:050.

9802060030 Forwards Rev 1 to "IST Plan Pumps & Valves for Byron Nuclear Generating Station,Units 1 & 2." No relief requests requiring approval included w/rev.
GRACESSER,K.L. Commonwealth Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 1p. A2136:126-A2136:299.

–**9802060032** Rev 1 to "IST Plan Pumps & Valves Byron Nuclear Generating Station,Units 1 & 2."
* Commonwealth Edison Co. 97/12/31. 173pp. A2136:127-A2136:299.

9802090031 Submits paragraphs which discuss differences noted between TSTF-135 Rev 0 & util submittal dtd 961213 for Section 3.3 LCOs 3.3.1 & 3.3.2.
STANLEY,H.G. Commonwealth Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 6pp. A2160:281-A2160:286.

9802180086 Advises of review of Cycle 9 reload under provisions of 10CFR50.59 & to transmit Operating Limits Rept for upcoming cycle consistent w/GL 88-16 & plant Tech Specs.
GRAESSER,K.L. Commonwealth Edison Co. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2243:112-A2243:125.

–**9802180087** "Byron Unit 1 Cycle 9 Operating Limits Rept."
WURZ,D.E., GURLEY,J.W., REDDEN,D. Commonwealth Edison Co. NFS-98-011-01. 98/01/27. 12pp. A2243:114-A2243:125.

9802230324 Forwards amends 101,101,92 & 92 to licenses NPF-37,NPF-66, NPF-72 & NPF-77 respectively.Amends revise TS to reflect forthcoming replacement of original steam generator.
LYNCH,M.D. . 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2280:009-A2280:076.

–**9802230327** Amends 101 & 101 to licenses NPF-37 & NPF-66,respectively, reflect forthcoming replacement of original steam generators.
LYNCH,M.D. . 98/02/03. 19pp. A2280:015-A2280:033.

–**9802240404** Amends 92 & 92 to licenses NPF-72 & NPF-77,respectively, revise TS to reflect forthcoming replacement of original steam generators.
LYNCH,D. . 98/02/03. 20pp. A2280:034-A2280:053.

–**9802230329** Safety evaluation supporting amends 101,101,92 & 92 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/02/03. 23pp. A2280:054-A2280:076.

9802120171 Forwards revised response to request for addl info for Improved TS Sections 3.0,3.7 & 3.9,per NRC 971205 ltr.
TULON,T.J. Commonwealth Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 73pp. A2216:074-A2216:146.

9802240306 Informs that NRC project mgt responsibility for listed CECO nuclear power stations being modified as listed.
CAPRA,R.A. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2335:335-A2335:339.

9802270160 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802240178 Notification of 980305 meeting w/util in Rockville,MD to discuss Comm Ed engineering issues such as Design Basis Initiative & 10CFR50.59 process.
PULSIFER,R.M. . 98/02/11. CAPRA,R.A. . 7pp. A2283:035-A2283:041.

9802190184 Informs of revised completion date for actions requested by GL 96-01, "Testing of Safety-Related Logic Circuits." Date revised due to expanded work scope.
GRAESSER,K.L. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2253:358-A2253:360.

9802250106 Responds to 971205 RAI re util amend requesting to adopt Improved TS of NUREG-1431,Rev 1.Encl does not include any replacement or markup pages.
TULON,T.J. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 11pp. A2357:342-A2357:352.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802060054 Forwards insp repts 50-454/97-22 & 50-455/97-22 on 971017-1201 & NOV re failure to follow foreign matl exclusion procedure.
GRANT,G.E. Region 3 (Post 820201). 97/12/24. GRAESSER,K. Commonwealth Edison Co. 4pp. A2039:139-A2039:167.

–**9802060056** Notice of violation from insp on 971017-1201.Violation noted:on 970910,plant operating procedure CV-3 was not of type appropriate to circumstance.
* Region 3 (Post 820201). 97/12/24. 2pp. A2039:143-A2039:144.

–**9802060062** Insp repts 50-454/97-22 & 50-455/97-22 on 971017-1201. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 97/12/24. 23pp. A2039:145-A2039:167.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040030 Ack receipt of 971129 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/97-15 & 50-455/97-15 issued on 971020.Corrective actions will be examined during future inspections.
JORDAN,M.J. Region 3 (Post 820201). 98/01/26. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2000:143-A2000:146.

9802040041 Ack receipt of 971231 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/97-20 & 50-455/97-20 issued on 971204.Corrective actions will be examined during future inspections.
JORDAN,M.J. Region 3 (Post 820201). 98/01/26. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2000:160-A2000:163.

9802090009 Ltr contract:task order 224, "Byron System Operational Performance Inspection (SOPI)," under contract NRC-03-95-026.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-95-026. 98/02/03. KNIGHT,D. SCIENTECH, Inc. 2pp. A2036:351-A2036:352.

9802120132 Forwards insp repts 50-454/97-24 & 50-455/97-24 on 971202-980112 & NOV.Violations involved failure to control transient combustible matl IAW station procedures & were identified by NRC.
GRANT,G.E. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2142:266-A2142:287.

–**9802120135** Notice of violation from insp on 971202-980112.Violation noted:on 971203,licensee did not implement procedure BAP 1100-9 paragraph C.6.c in that oil soaked rags were found in 55 gallon barrel w/o self closing lid.
* Region 3 (Post 820201). 98/02/03. 2pp. A2142:270-A2142:271.

–**9802120137** Insp repts 50-454/97-24 & 50-455/97-24 on 971202-980112. Violations noted.Major areas inspected:operations maint/surveillance engineering & plant support.
* Region 3 (Post 820201). 98/02/03. 16pp. A2142:272-A2142:287.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190107 Forwards insp repts 50-454/98-03 & 50-455/98-03 on 980108-12 & 23-27.No violations noted.Insp consisted of areas within security program,including exam of procedures & representative records & observation of performance.
GROBE,J.A. Region 3 (Post 820201). 98/02/11. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2229:260-A2229:271.

–**9802190109** Insp repts 50-454/98-03 & 50-455/98-03 on 980108-27.No violations noted.Major areas inspected:review of security measures implemented to support SG replacement project.
CREED,J.R. Region 3 (Post 820201). 98/02/11. 9pp. A2229:263-A2229:271.

9802240085 Forwards insp repts 50-454/98-06 & 50-455/98-06 on 980120-23 & 26.Noncited violation re workers failure to follow directions on posting was identified.Event on 980111,involving worker who crossed boundary identified.
GROBE,J.A. Region 3 (Post 820201). 98/02/17. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2286:327-A2286:346.

–**9802240090** Insp repts 50-454/98-06 & 50-455/98-06 on 980120-23 & 26. Noncited violation identified.Major areas inspected:review of radiation protection program.
* Region 3 (Post 820201). 98/02/17. 17pp. A2286:330-A2286:346.

R. Periodic operating reports & related correspondence

9802200079 Monthly operating repts for Jan 1998 for Byron Nuclear Power Station,Units 1 & 2.W/980210 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 98/01/31. 8pp. A2270:315-A2270:322.

S. Reportable occurrences, LERs & related correspondence

9802060045 LER 97-023-00:on 971229,discovered that 1B EDG wired in configuration,may have continued to operate,if fire had occurred in zones 11.5-0 or 11.6-0.Caused by error on part of technician installing.Technician counselled.W/980128 ltr.
BARAN,D., KOFRON,K.L. Commonwealth Edison Co. 98/01/28. 6pp. A2143:339-A2143:344.

9802250250 LER 96-019-05:on 961015,ultimate heat sink outside design basis occurred due to silt & calculation errors.Caused by personnel error.De-silting & cleaning of UHS & RSH intake structures was completed in Dec 1996.W/980217 ltr.
ROBINSON,M., KOFRON,K.L. Commonwealth Edison Co. 98/02/17. 15pp. A2345:180-A2345:194.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802190107 Forwards insp repts 50-454/98-03 & 50-455/98-03 on 980108-12 & 23-27.No violations noted.Insp consisted of areas within security program,including exam of procedures & representative records & observation of performance.
GROBE,J.A. Region 3 (Post 820201). 98/02/11. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2229:260-A2229:271.

–**9802190109** Insp repts 50-454/98-03 & 50-455/98-03 on 980108-27.No violations noted.Major areas inspected:review of security measures implemented to support SG replacement project.
CREED,J.R. Region 3 (Post 820201). 98/02/11. 9pp. A2229:263-A2229:271.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

9802240156 Rev 18 to EPIP BZP 310-4, "Assembly & Evacuation of Personnel" & index.
* Commonwealth Edison Co. 98/02/14. 11pp. A2332:350-A2332:360.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040389 Forwards SER accepting pressure temp limit curves & low temp overpressure protection sys limits methodology & pressure temp limits rept submitted by Commonwealth Edison Co.
CAPRA,R.A. . 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2004:319-A2004:337.

–**9802040391** SER accepting pressure temp limits rept & methodology for relocation of reactor coolant sys pressure-temp limit curves & low temp overpressure protection sys limits for Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
* . 98/01/21. 13pp. A2004:325-A2004:337.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802030146 Forwards amends 97,97,88 & 88 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively & SE.Amends revise TS & associated bases re primary containment pressure & RCS vol.
DICK,G.F. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1990:310-A1990:339.

–**9802030151** Amends 97 & 97 to licenses NPF-37 & NPF-66,respectively. Amends revise TS & associated bases re primary containment pressure & reactor coolant sys volume.
* . 98/01/22. 11pp. A1990:314-A1990:324.

–**9802030154** Safety evaluation supporting amends 97,97,88 & 88 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/22. 4pp. A1990:336-A1990:339.

9802050177 Forwards amends 98,98,89 & 89 to FOLs NPF-37,NPF-66,NPF-72 & NPF-77,respectively.Amends relocate RCS pressure & temperature limits for heatup,cooldown,low-temperature operation & hydrostatic testing & LTOP sys setpoint curves.
DICK,G.F. . 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2010:216-A2010:284.

–**9802050194** Amends 98 & 98 to licenses NPF-37 & NPF-66,respectively, relocating,RCS pressure & temperature limits for heatup, cooldown,low temperature operation & hydrostatic testing & LTOP sys setpoint curves.
DICK,G.F. . 98/01/23. 41pp. A2010:221-A2010:261.

–**9802050202** Safety evaluation supporting amends 98,98,89 & 89 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/23. 13pp. A2010:272-A2010:284.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

–**9802060120** Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802110025 Forwards response to RAI re Improved TS sections 3.0,3.7 & 3.9.RAI contained questions & comments re util request to amend current TS in order to adopt Improved TS of NUREG-1431,Rev 1.
TULON,T.J. Commonwealth Edison Co. 98/01/27. Document Control Branch (Document Control Desk). 73pp. A2169:287-A2169:359.

9802040239 Forwards safety evaluation re revised SG tube rupture analysis.
DICK,G.F. . 98/01/28. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2002:331-A2002:347.

–**9802040247** Safety evaluation rept accepting revised SG tube rupture analysis.
* . 98/01/28. 13pp. A2002:335-A2002:347.

9802020223 Forwards amends 99,99,90 & 90 to licenses NPF-37,NPF-66 NPF-72 & NPF-77,respectively & SER.Amends revise TS to update containment vessel structural integrity SR to meet provisions of recent rev 10CFR50.55a.
DICK,G.F. . 98/01/29. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1976:017-A1976:050.

–**9802020230** Amends 99,99,90 & 90 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revising TSs to update containment vessel structural integrity to meet provisions of recent rev to 10CFR50.55a.
DICK,G.F. . 98/01/29. 26pp. A1976:022-A1976:047.

–**9802020235** Safety evaluation supporting amends 99,99,90 & 90 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/29. 3pp. A1976:048-A1976:050.

9802060030 Forwards Rev 1 to "IST Plan Pumps & Valves for Byron Nuclear Generating Station,Units 1 & 2." No relief requests requiring approval included w/rev.
GRACESSER,K.L. Commonwealth Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 1p. A2136:126-A2136:299.

–**9802060032** Rev 1 to "IST Plan Pumps & Valves Byron Nuclear Generating Station,Units 1 & 2."
* Commonwealth Edison Co. 97/12/31. 173pp. A2136:127-A2136:299.

9802090031 Submits paragraphs which discuss differences noted between TSTF-135 Rev 0 & util submittal dtd 961213 for Section 3.3 LCOs 3.3.1 & 3.3.2.
STANLEY,H.G. Commonwealth Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 6pp. A2160:281-A2160:286.

9802230324 Forwards amends 101,101,92 & 92 to licenses NPF-37,NPF-66, NPF-72 & NPF-77 respectively.Amends revise TS to reflect forthcoming replacement of original steam generator.
LYNCH,M.D. . 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2280:009-A2280:076.

–**9802230327** Amends 101 & 101 to licenses NPF-37 & NPF-66,respectively, reflect forthcoming replacement of original steam generators.
LYNCH,M.D. . 98/02/03. 19pp. A2280:015-A2280:033.

–**9802230329** Safety evaluation supporting amends 101,101,92 & 92 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/02/03. 23pp. A2280:054-A2280:076.

9802120171 Forwards revised response to request for addl info for Improved TS Sections 3.0,3.7 & 3.9,per NRC 971205 ltr.
TULON,T.J. Commonwealth Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 73pp. A2216:074-A2216:146.

9802240306 Informs that NRC project mgt responsibility for listed CECO nuclear power stations being modified as listed.
CAPRA,R.A. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2335:335-A2335:339.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802240178 Notification of 980305 meeting w/util in Rockville,MD to discuss Comm Ed engineering issues such as Design Basis Initiative & 10CFR50.59 process.
PULSIFER,R.M. . 98/02/11. CAPRA,R.A. . 7pp. A2283:035-A2283:041.

9802190184 Informs of revised completion date for actions requested by GL 96-01, "Testing of Safety-Related Logic Circuits." Date revised due to expanded work scope.
GRAESSER,K.L. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2253:358-A2253:360.

9802250106 Responds to 971205 RAI re util amend requesting to adopt Improved TS of NUREG-1431,Rev 1.Encl does not include any replacement or markup pages.
TULON,T.J. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 11pp. A2357:342-A2357:352.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802060054 Forwards insp repts 50-454/97-22 & 50-455/97-22 on 971017-1201 & NOV re failure to follow foreign matl exclusion procedure.
GRANT,G.E. Region 3 (Post 820201). 97/12/24. GRAESSER,K. Commonwealth Edison Co. 4pp. A2039:139-A2039:167.

–**9802060056** Notice of violation from insp on 971017-1201.Violation noted:on 970910,plant operating procedure CV-3 was not of type appropriate to circumstance.
* Region 3 (Post 820201). 97/12/24. 2pp. A2039:143-A2039:144.

–**9802060062** Insp repts 50-454/97-22 & 50-455/97-22 on 971017-1201. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 97/12/24. 23pp. A2039:145-A2039:167.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040030 Ack receipt of 971129 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/97-15 & 50-455/97-15 issued on 971020.Corrective actions will be examined during future inspections.
JORDAN,M.J. Region 3 (Post 820201). 98/01/26. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2000:143-A2000:146.

9802040041 Ack receipt of 971231 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/97-20 & 50-455/97-20 issued on 971204.Corrective actions will be examined during future inspections.
JORDAN,M.J. Region 3 (Post 820201). 98/01/26. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2000:160-A2000:163.

9802090009 Ltr contract:task order 224, "Byron System Operational Performance Inspection (SOPI)," under contract NRC-03-95-026.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-95-026. 98/02/03. KNIGHT,D. SCIENTECH, Inc. 2pp. A2036:351-A2036:352.

9802120132 Forwards insp repts 50-454/97-24 & 50-455/97-24 on 971202-980112 & NOV.Violations involved failure to control transient combustible matl IAW station procedures & were identified by NRC.
GRANT,G.E. Region 3 (Post 820201). 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2142:266-A2142:287.

--9802120135 Notice of violation from insp on 971202-980112.Violation noted:on 971203,licensee did not implement procedure BAP 1100-9 paragraph C.6.c in that oil soaked rags were found in 55 gallon barrel w/o self closing lid.
* Region 3 (Post 820201). 98/02/03. 2pp. A2142:270-A2142:271.

--9802120137 Insp repts 50-454/97-24 & 50-455/97-24 on 971202-980112. Violations noted.Major areas inspected:operations maint/surveillance engineering & plant support.
* Region 3 (Post 820201). 98/02/03. 16pp. A2142:272-A2142:287.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190107 Forwards insp repts 50-454/98-03 & 50-455/98-03 on 980108-12 & 23-27.No violations noted.Insp consisted of areas within security program,including exam of procedures & representative records & observation of performance.
GROBE,J.A. Region 3 (Post 820201). 98/02/11. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2229:260-A2229:271.

--9802190109 Insp repts 50-454/98-03 & 50-455/98-03 on 980108-27.No violations noted.Major areas inspected:review of security measures implemented to support SG replacement project.
CREED,J.R. Region 3 (Post 820201). 98/02/11. 9pp. A2229:263-A2229:271.

9802240085 Forwards insp repts 50-454/98-06 & 50-455/98-06 on 980120-23 & 26.Noncited violation re workers failure to follow directions on posting was identified.Event on 980111,involving worker who crossed boundary identified.
GROBE,J.A. Region 3 (Post 820201). 98/02/17. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2286:327-A2286:346.

--9802240090 Insp repts 50-454/98-06 & 50-455/98-06 on 980120-23 & 26. Noncited violation identified.Major areas inspected:review of radiation protection program.
* Region 3 (Post 820201). 98/02/17. 17pp. A2286:330-A2286:346.

R. Periodic operating reports & related correspondence

9802200079 Monthly operating repts for Jan 1998 for Byron Nuclear Power Station,Units 1 & 2.W/980210 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 98/01/31. 8pp. A2270:315-A2270:322.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802180166 Documents info discussed at 971202 meeting re SALP board rept,period 14,for Braidwood Station.Util pleased w/noted improvements in all four functional areas & actively pursuing higher level of performance.
TULON,T.J. Commonwealth Edison Co. 97/12/31. BEACH,A.B. Region 3 (Post 820201). 4pp. A2243:196-A2243:199.

9802040445 Rev 8 to EPIP BwZP 200-1, "Braidwood Emergency Action Levels."
* Commonwealth Edison Co. 98/01/19. 3pp. A2244:012-A2244:014.

9802120297 Revised EPIPs,including rev 6 to BwZP 1000-1A2,rev 6 to BwZP 1000-1A3,rev 6 to BwZP 1000-1A4 & rev 2E1 to BwZP 1000-5.
* Commonwealth Edison Co. 98/01/27. 17pp. A2216:212-A2216:228.

9802170097 Rev 8 to EPIP BwZP 1000-2, "Offsite Notifications."
* Commonwealth Edison Co. 98/02/03. 7pp. A2218:339-A2218:345.

9802130119 Forwards response to 980107 ltr transmitting violations noted in insp repts 50-456/97-20 & 50-457/97-20.Commitments made by util in attachment listed.W/o encl.
TULON,T.J. Commonwealth Edison Co. 98/02/04. Document Control Branch (Document Control Desk). 2pp. A2182:342-A2182:343.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040389 Forwards SER accepting pressure temp limit curves & low temp overpressure protection sys limits methodology & pressure temp limits rept submitted by Commonwealth Edison Co.
CAPRA,R.A. . 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2004:319-A2004:337.

--9802040391 SER accepting pressure temp limits rept & methodology for relocation of reactor coolant sys pressure-temp limit curves & low temp overpressure protection sys limits for Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
* . 98/01/21. 13pp. A2004:325-A2004:337.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802030146 Forwards amends 97,97,88 & 88 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively & SE.Amends revise TS & associated bases re primary containment pressure & RCS vol.
DICK,G.F. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1990:310-A1990:339.

--9802030154 Safety evaluation supporting amends 97,97,88 & 88 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/22. 4pp. A1990:336-A1990:339.

--9802050121 Amends 88 & 88 to licenses NPF-72 & NPF-77,respectively, revising TS & associated bases re primary containment pressure & RCS vol.
DICK,G.F. . 98/01/22. 11pp. A1990:325-A1990:335.

9802050177 Forwards amends 98,98,89 & 89 to FOLs NPF-37,NPF-66,NPF-72 & NPF-77,respectively.Amends relocate RCS pressure & temperature limits for heatup,cooldown,low-temperature operation & hydrostatic testing & LTOP sys setpoint curves.
DICK,G.F. . 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2010:216-A2010:284.

--9802060192 Amends 89 & 89 to licenses NPF-72 & NPF-77,respectively, relocating RCS pressure & temperature limits for heatup, cooldown,low temperature operation & hydrostatic testing & associated LTOP sys setpoint curves.
* . 98/01/23. 10pp. A2010:262-A2010:271.

--9802050202 Safety evaluation supporting amends 98,98,89 & 89 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/23. 13pp. A2010:272-A2010:284.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

--9802060120 Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802110025 Forwards response to RAI re Improved TS sections 3.0,3.7 & 3.9.RAI contained questions & comments re util request to amend current TS in order to adopt Improved TS of NUREG-1431,Rev 1.
TULON,T.J. Commonwealth Edison Co. 98/01/27. Document Control Branch (Document Control Desk). 73pp. A2169:287-A2169:359.

9802040239 Forwards safety evaluation re revised SG tube rupture analysis.
DICK,G.F. . 98/01/28. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2002:331-A2002:347.

--9802040247 Safety evaluation rept accepting revised SG tube rupture analysis.
* . 98/01/28. 13pp. A2002:335-A2002:347.

9802020223 Forwards amends 99,99,90 & 90 to licenses NPF-37,NPF-66 NPF-72 & NPF-77,respectively & SER.Amends revise TS to update containment vessel structural integrity SR to meet provisions of recent rev 10CFR50.55a.
DICK,G.F. . 98/01/29. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1976:017-A1976:050.

--9802020230 Amends 99,99,90 & 90 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revising TSs to update containment vessel structural integrity to meet provisions of recent rev to 10CFR50.55a.
DICK,G.F. . 98/01/29. 26pp. A1976:022-A1976:047.

--9802020235 Safety evaluation supporting amends 99,99,90 & 90 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/29. 3pp. A1976:048-A1976:050.

9802090031 Submits paragraphs which discuss differences noted between TSTF-135 Rev 0 & util submittal dtd 961213 for Section 3.3 LCOs 3.3.1 & 3.3.2.
STANLEY,H.G. Commonwealth Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 6pp. A2160:281-A2160:286.

9802230324 Forwards amends 101,101,92 & 92 to licenses NPF-37,NPF-66, NPF-72 & NPF-77 respectively.Amends revise TS to reflect forthcoming replacement of original steam generator.
LYNCH,M.D. . 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2280:009-A2280:076.

–9802240404 Amends 92 & 92 to licenses NPF-72 & NPF-77,respectively, revise TS to reflect forthcoming replacement of original steam generators.
LYNCH,D. . 98/02/03. 20pp. A2280:034-A2280:053.

–9802230329 Safety evaluation supporting amends 101,101,92 & 92 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/02/03. 23pp. A2280:054-A2280:076.

9802120171 Forwards revised response to request for addl info for Improved TS Sections 3.0,3.7 & 3.9,per NRC 971205 ltr.
TULON,T.J. Commonwealth Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 73pp. A2216:074-A2216:146.

9802240306 Informs that NRC project mgt responsibility for listed CECO nuclear power stations being modified as listed.
CAPRA,R.A. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2335:335-A2335:339.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802240178 Notification of 980305 meeting w/util in Rockville,MD to discuss Comm Ed engineering issues such as Design Basis Initiative & 10CFR50.59 process.
PULSIFER,R.M. . 98/02/11. CAPRA,R.A. . 7pp. A2283:035-A2283:041.

9802190184 Informs of revised completion date for actions requested by GL 96-01, "Testing of Safety-Related Logic Circuits." Date revised due to expanded work scope.
GRAESSER,K.L. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2253:358-A2253:360.

9802250106 Responds to 971205 RAI re util amend requesting to adopt Improved TS of NUREG-1431,Rev 1.Encl does not include any replacement or markup pages.
TULON,T.J. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 11pp. A2357:342-A2357:352.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802180166 Documents info discussed at 971202 meeting re SALP board rept,period 14,for Braidwood Station.Util pleased w/noted improvements in all four functional areas & actively pursuing higher level of performance.
TULON,T.J. Commonwealth Edison Co. 97/12/31. BEACH,A.B. Region 3 (Post 820201). 4pp. A2243:196-A2243:199.

9802190143 Forwards insp repts 50-456/97-19 & 50-457/97-19 on 971104-1215 & NOV.Violation re failure of station personnel to identify loose matls in Unit 2 containment identified.
GRANT,G.E. Region 3 (Post 820201). 98/01/02. TULON,T. Commonwealth Edison Co. 4pp. A2229:312-A2229:334.

–9802190146 Notice of violation from insp on 971104-1215.Violation noted:on 971102,inspectors identified that licensee had failed to fasten covers on incore neutron detector drive mechanism.
* Region 3 (Post 820201). 98/01/02. 2pp. A2229:316-A2229:317.

–9802190148 Insp repts 50-456/97-19 & 50-457/97-19 on 971104-1215. Violations noted.Major areas inspected:aspects of licensee operations,maint,engineering & plant support.
* Region 3 (Post 820201). 98/01/02. 17pp. A2229:318-A2229:334.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050161 Confirms that corrective actions proposed in 970924 ltr re violations noted in insp repts 50-456/97-04 & 50-457/97-04, are sufficient to address missed surveillance on containment isolation valve.
TULON,T.J. Commonwealth Edison Co. 98/01/22. BEACH,A.B. Region 3 (Post 820201). 2pp. A2086:358-A2086:359.

9802040044 Ack receipt of 980116 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/97-16 & 50-457/97-16.
JORDAN,M.J. Region 3 (Post 820201). 98/01/28. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2000:164-A2000:167.

9802040331 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/97-15 & 50-457/97-15.
JORDAN,M.J. Region 3 (Post 820201). 98/01/28. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2000:100-A2000:103.

9802060113 Forwards insp repts 50-456/97-18 & 50-457/97-18 on 971215-19 & NOV re scoping deficiencies of maintenance rule program.
GROBE,J.A. Region 3 (Post 820201). 98/01/30. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2039:046-A2039:076.

–9802060116 Notice of violation from insp on 971215-19.Violation noted: as of 971208,licensee failed to include equipment associated w/function IP-01 nonsafety related instrument power function that provided inverter trouble alarms in main control room.
* Region 3 (Post 820201). 98/01/30. 4pp. A2039:048-A2039:051.

–9802060119 Insp repts 50-456/97-18 & 50-457/97-18 on 971215-19. Violations noted.Major areas inspected:maint,QA & engineering.
* Region 3 (Post 820201). 98/01/30. 25pp. A2039:052-A2039:076.

9802110049 Responds to NRC 980102 ltr re violations noted in insp repts 50-456/97-19 & 50-457/97-19.Corrective actions:installed seismic restraints,removed tools from containment,secured incore detector covers & reviewed surveillance criteria.
TULON,T.J. Commonwealth Edison Co. 98/02/02. Document Control Branch (Document Control Desk). 4pp. A2199:357-A2199:360.

9802130119 Forwards response to 980107 ltr transmitting violations noted in insp repts 50-456/97-20 & 50-457/97-20.Commitments made by util in attachment listed.W/o encl.
TULON,T.J. Commonwealth Edison Co. 98/02/04. Document Control Branch (Document Control Desk). 2pp. A2182:342-A2182:343.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802230016 Ack receipt of 970924 & 980122 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-456/97-09 & 50-457/97-09.Actions will be examined during future insp.
JORDAN,M.J. Region 3 (Post 820201). 98/02/14. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2274:257-A2274:258.

9802240183 Ack receipt of 980204 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/97-20 & 50-457/97-20 issued on 980107.Corrective actions will be examined during future inspections.
GROBE,J.A. Region 3 (Post 820201). 98/02/18. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2279:097-A2279:100.

9802260194 Forwards insp repts 50-456/97-22 & 50-457/97-22 on 971216- 980126 & notice of violation.NRC concerned re licensee failure to take effective corrective actions.
GRANT,G.E. Region 3 (Post 820201). 98/02/20. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2344:123-A2344:151.

–9802260197 Notice of violation from insp on 971216-980126.Violation noted:in Nov 1989,licensee failed to initiate deviation rept & take corrective measures to preclude repetition of mechanical failure to all 4 main feedwater check valves.
* Region 3 (Post 820201). 98/02/20. 3pp. A2344:127-A2344:129.

–9802260199 Insp repts 50-456/97-22 & 50-457/97-22 on 971216-980126. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/20. 22pp. A2344:130-A2344:151.

R. Periodic operating reports & related correspondence

9802120303 Monthly operating repts for Jan 1998 for Braidwood Generating Station,Units 1 & 2.W/980202 ltr.
HILDERBRANT,D., SCHWARTZ,G.K. Commonwealth Edison Co. 98/01/31. 9pp. A2230:176-A2230:184.

V. Operator Examinations

9802040092 Informs of arrangements made for administration of licensing exams at plant during wks of 980413-0914.Two re-exams will also be given.
LEACH,M.N. Region 3 (Post 820201). 98/01/28. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1999:346-A1999:348.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802180166 Documents info discussed at 971202 meeting re SALP board rept,period 14,for Braidwood Station.Util pleased w/noted improvements in all four functional areas & actively pursuing higher level of performance.
TULON,T.J. Commonwealth Edison Co. 97/12/31. BEACH,A.B. Region 3 (Post 820201). 4pp. A2243:196-A2243:199.

9802040445 Rev 8 to EPIP BwZP 200-1, "Braidwood Emergency Action Levels."
* Commonwealth Edison Co. 98/01/19. 3pp. A2244:012-A2244:014.

9802120297 Revised EPIPs,including rev 6 to BwZP 1000-1A2,rev 6 to BwZP 1000-1A3,rev 6 to BwZP 1000-1A4 & rev 2E1 to BwZP 1000-5.
* Commonwealth Edison Co. 98/01/27. 17pp. A2216:212-A2216:228.

9802170097 Rev 8 to EPIP BwZP 1000-2, "Offsite Notifications."
* Commonwealth Edison Co. 98/02/03. 7pp. A2218:339-A2218:345.

9802130119 Forwards response to 980107 ltr transmitting violations noted in insp repts 50-456/97-20 & 50-457/97-20.Commitments made by util in attachment listed.W/o encl.
TULON,T.J. Commonwealth Edison Co. 98/02/04. Document Control Branch (Document Control Desk). 2pp. A2182:342-A2182:343.

9802200157 Revised Emergency Plan Implementing Procedures (CEPIPs), including CEPIP-3000 series table of contents & rev 13 to CEPIP 3101-01, "Environ Sample Collection Procedures."
* Commonwealth Edison Co. 98/02/13. 11pp. A2319:149-A2319:159.

H. General correspondence

9802050222 Requests that service list for all NRC correspondence involving any of Nuclear Generation Group Nuclear Plants be modified per attached list.
KOVACH,T.J. Commonwealth Edison Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2151:104-A2151:106.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040389 Forwards SER accepting pressure temp limit curves & low temp overpressure protection sys limits methodology & pressure temp limits rept submitted by Commonwealth Edison Co.
CAPRA,R.A. . 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2004:319-A2004:337.

-9802040391 SER accepting pressure temp limits rept & methodology for relocation of reactor coolant sys pressure-temp limit curves & low temp overpressure protection sys limits for Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
* . 98/01/21. 13pp. A2004:325-A2004:337.

9802030125 Forwards per request,statistics on allegations re Commonwealth Edison nuclear plants by G Pliml.Encl table provides breakdown of allegations NRC received re facilities during calendar years 1993-97.
BAKER,E.T. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 27pp. A1985:275-A1985:301.

9802030146 Forwards amends 97,97,88 & 88 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively & SE.Amends revise TS & associated bases re primary containment pressure & RCS vol.
DICK,G.F. . 98/01/22. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A1990:310-A1990:339.

-9802030154 Safety evaluation supporting amends 97,97,88 & 88 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/22. 4pp. A1990:336-A1990:339.

-9802050121 Amends 88 & 88 to licenses NPF-72 & NPF-77,respectively, revising TS & associated bases re primary containment pressure & RCS vol.
DICK,G.F. . 98/01/22. 11pp. A1990:325-A1990:335.

9802050177 Forwards amends 98,98,89 & 89 to FOLs NPF-37,NPF-66,NPF-72 & NPF-77,respectively.Amends relocate RCS pressure & temperature limits for heatup,cooldown,low-temperature operation & hydrostatic testing & LTOP sys setpoint curves.
DICK,G.F. . 98/01/23. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2010:216-A2010:284.

-9802060192 Amends 89 & 89 to licenses NPF-72 & NPF-77,respectively, relocating RCS pressure & temperature limits for heatup, cooldown,low temperature operation & hydrostatic testing & associated LTOP sys setpoint curves.
* . 98/01/23. 10pp. A2010:262-A2010:271.

-9802050202 Safety evaluation supporting amends 98,98,89 & 89 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/23. 13pp. A2010:272-A2010:284.

9802060106 Forwards Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR." Rev 65h expands & updates organizational description section to reflect organizational changes in place as of 980101.
WALDINGER,L.H. Commonwealth Edison Co. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2128:101-A2128:269.

-9802060120 Rev 65h to Topical Rept CE-1-A, "Comm Ed QA TR."
* Commonwealth Edison Co. 98/01/23. 167pp. A2128:103-A2128:269.

9802110025 Forwards response to RAI re Improved TS sections 3.0,3.7 & 3.9.RAI contained questions & comments re util request to amend current TS in order to adopt Improved TS of NUREG-1431,Rev 1.
TULON,T.J. Commonwealth Edison Co. 98/01/27. Document Control Branch (Document Control Desk). 73pp. A2169:287-A2169:359.

9802040239 Forwards safety evaluation re revised SG tube rupture analysis.
DICK,G.F. . 98/01/28. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2002:331-A2002:347.

-9802040247 Safety evaluation rept accepting revised SG tube rupture analysis.
* . 98/01/28. 13pp. A2002:335-A2002:347.

9802020223 Forwards amends 99,99,90 & 90 to licenses NPF-37,NPF-66 NPF-72 & NPF-77,respectively & SER.Amends revise TS to update containment vessel structural integrity SR to meet provisions of recent rev 10CFR50.55a.
DICK,G.F. . 98/01/29. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A1976:017-A1976:050.

-9802020230 Amends 99,99,90 & 90 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revise TS to update containment vessel structural integrity SR to meet provisions of recent rev to 10CFR50.55a.
DICK,G.F. . 98/01/29. 26pp. A1976:022-A1976:047.

-9802020235 Safety evaluation supporting amends 99,99,90 & 90 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/01/29. 3pp. A1976:048-A1976:050.

9802090031 Submits paragraphs which discuss differences noted between TSTF-135 Rev 0 & util submittal dtd 961213 for Section 3.3 LCOs 3.3.1 & 3.3.2.
STANLEY,H.G. Commonwealth Edison Co. 98/01/29. Document Control Branch (Document Control Desk). 6pp. A2160:281-A2160:286.

9802230324 Forwards amends 101,101,92 & 92 to licenses NPF-37,NPF-66, NPF-72 & NPF-77 respectively.Amends revise TS to reflect forthcoming replacement of original steam generator.
LYNCH,M.D. . 98/02/03. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2280:009-A2280:076.

-9802240404 Amends 92 & 92 to licenses NPF-72 & NPF-77,respectively, revise TS to reflect forthcoming replacement of original steam generators.
LYNCH,D. . 98/02/03. 20pp. A2280:034-A2280:053.

-9802230329 Safety evaluation supporting amends 101,101,92 & 92 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 98/02/03. 23pp. A2280:054-A2280:076.

9802120171 Forwards revised response to request for addl info for Improved TS Sections 3.0,3.7 & 3.9,per NRC 971205 ltr.
TULON,T.J. Commonwealth Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 73pp. A2216:074-A2216:146.

9802240306 Informs that NRC project mgt responsibility for listed CECO nuclear power stations being modified as listed.
CAPRA,R.A. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 5pp. A2335:335-A2335:339.

9802270180 Discusses info pertaining to Commonwealth Edison Co implementation of mods associated w/GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions," issued on 960930.
BAILEY,S.N. . 98/02/06. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2367:211-A2367:216.

9802200310 Discusses 980114 meeting w/listed attendees in Lisle,IL to discuss Commonwealth Edison Co performance re actions util has taken in response to NRC 970127,10CFR50.54(f) ltr concerning safety performance at util facilities.
BEACH,A.B. Region 3 (Post 820201). 98/02/09. KINGSLEY,O.D. Commonwealth Edison Co. 180pp. A2264:055-A2264:234.

9802240178 Notification of 980305 meeting w/util in Rockville,MD to discuss Comm Ed engineering issues such as Design Basis Initiative & 10CFR50.59 process.
PULSIFER,R.M. . 98/02/11. CAPRA,R.A. . 7pp. A2283:035-A2283:041.

9802190184 Informs of revised completion date for actions requested by GL 96-01, "Testing of Safety-Related Logic Circuits." Date revised due to expanded work scope.
GRAESSER,K.L. Commonwealth Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 3pp. A2253:358-A2253:360.

9802250106 Responds to 971205 RAI re util amend requesting to adopt Improved TS of NUREG-1431,Rev 1.Encl does not include any replacement or markup pages.
TULON,T.J. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 11pp. A2357:342-A2357:352.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802180166 Documents info discussed at 971202 meeting re SALP board rept,period 14,for Braidwood Station.Util pleased w/noted improvements in all four functional areas & actively pursuing higher level of performance.
TULON,T.J. Commonwealth Edison Co. 97/12/31. BEACH,A.B. Region 3 (Post 820201). 4pp. A2243:196-A2243:199.

9802190143 Forwards insp repts 50-456/97-19 & 50-457/97-19 on 971104-1215 & NOV.Violation re failure of station personnel to identify loose matls in Unit 2 containment identified.
GRANT,G.E. Region 3 (Post 820201). 98/01/02. TULON,T. Commonwealth Edison Co. 4pp. A2229:312-A2229:334.

-9802190146 Notice of violation from insp on 971104-1215.Violation noted:on 971102,inspectors identified that licensee had failed to fasten covers on incore neutron detector drive mechanism.
* Region 3 (Post 820201). 98/01/02. 2pp. A2229:316-A2229:317.

-9802190148 Insp repts 50-456/97-19 & 50-457/97-19 on 971104-1215. Violations noted.Major areas inspected:aspects of licensee operations,maint,engineering & plant support.
* Region 3 (Post 820201). 98/01/02. 17pp. A2229:318-A2229:334.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050161 Confirms that corrective actions proposed in 970924 ltr re violations noted in insp repts 50-456/97-04 & 50-457/97-04, are sufficient to address missed surveillance on containment isolation valve.
TULON,T.J. Commonwealth Edison Co. 98/01/22. BEACH,A.B. Region 3 (Post 820201). 2pp. A2086:358-A2086:359.

9802040044 Ack receipt of 980116 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/97-16 & 50-457/97-16.
JORDAN,M.J. Region 3 (Post 820201). 98/01/28. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2000:164-A2000:167.

9802040331 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/97-15 & 50-457/97-15.
JORDAN,M.J. Region 3 (Post 820201). 98/01/28. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2000:100-A2000:103.

9802060113 Forwards insp repts 50-456/97-18 & 50-457/97-18 on 971215-19 & NOV re scoping deficiencies of maintenance rule program.
GROBE,J.A. Region 3 (Post 820201). 98/01/30. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2039:046-A2039:076.

--9802060116 Notice of violation from insp on 971215-19.Violation noted: as of 971208,licensee failed to include equipment associated w/function IP-01 nonsafety related instrument power function that provided inverter trouble alarms in main control room.
* Region 3 (Post 820201). 98/01/30. 4pp. A2039:048-A2039:051.

--9802060119 Insp repts 50-456/97-18 & 50-457/97-18 on 971215-19. Violations noted.Major areas inspected:maint,QA & engineering.
* Region 3 (Post 820201). 98/01/30. 25pp. A2039:052-A2039:076.

9802110049 Responds to NRC 980102 ltr re violations noted in insp repts 50-456/97-19 & 50-457/97-19.Corrective actions:installed seismic restraints,removed tools from containment,secured incore detector covers & reviewed surveillance criteria.
TULON,T.J. Commonwealth Edison Co. 98/02/02. Document Control Branch (Document Control Desk). 4pp. A2199:357-A2199:360.

9802130119 Forwards response to 980107 ltr transmitting violations noted in insp repts 50-456/97-20 & 50-457/97-20.Commitments made by util in attachment listed.W/o encl.
TULON,T.J. Commonwealth Edison Co. 98/02/04. Document Control Branch (Document Control Desk). 2pp. A2182:342-A2182:343.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190147 Forwards insp rept 50-457/97-21 on 971112-21 & 980115 & notice of violations re failure to follow procedure change process to correct inadequacy in Unit 2 plant startup procedure.
GROBE,J.A. Region 3 (Post 820201). 98/02/11. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A2229:335-A2229:356.

--9802190155 Notice of violations from insp on 971112-21 & 980115. Violations noted:licensee failed to follow NSWP-A-15 & BwAP 330-10 requirements to issue PIF for tempering line snubber considered inoperable on 971110.
* Region 3 (Post 820201). 98/02/11. 3pp. A2229:338-A2229:340.

--9802190159 Insp rept 50-457/97-21 on 971112-21 & 980115.Violations noted.Major areas inspected:operations & engineering.
* Region 3 (Post 820201). 98/02/11. 16pp. A2229:341-A2229:356.

9802230016 Ack receipt of 970924 & 980122 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-456/97-09 & 50-457/97-09.Actions will be examined during future insp.
JORDAN,M.J. Region 3 (Post 820201). 98/02/14. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2274:257-A2274:258.

9802240183 Ack receipt of 980204 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/97-20 & 50-457/97-20 issued on 980107.Corrective actions will be examined during future inspections.
GROBE,J.A. Region 3 (Post 820201). 98/02/18. KINGSLEY,O.D. Commonwealth Edison Co. 2pp. A2279:097-A2279:100.

9802260194 Forwards insp repts 50-456/97-22 & 50-457/97-22 on 971216- 980126 & notice of violation.NRC concerned re licensee failure to take effective corrective actions.
GRANT,G.E. Region 3 (Post 820201). 98/02/20. KINGSLEY,O.D. Commonwealth Edison Co. 4pp. A2344:123-A2344:151.

--9802260197 Notice of violation from insp on 971216-980126.Violation noted:in Nov 1989,licensee failed to initiate deviation rept & take corrective measures to preclude repetition of mechanical failure to all 4 main feedwater check valves.
* Region 3 (Post 820201). 98/02/20. 3pp. A2344:127-A2344:129.

--9802260199 Insp repts 50-456/97-22 & 50-457/97-22 on 971216-980126. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 98/02/20. 22pp. A2344:130-A2344:151.

R. Periodic operating reports & related correspondence

9802120303 Monthly operating repts for Jan 1998 for Braidwood Generating Station,Units 1 & 2.W/980202 ltr.
HILDERBRANT,D., SCHWARTZ,G.K. Commonwealth Edison Co. 98/01/31. 9pp. A2230:176-A2230:184.

V. Operator Examinations

9802040092 Informs of arrangements made for administration of licensing exams at plant during wks of 980413-0914.Two re-exams will also be given.
LEACH,M.N. Region 3 (Post 820201). 98/01/28. KINGSLEY,O.D. Commonwealth Edison Co. 3pp. A1999:346-A1999:348.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802060097 Revised EPIPs,including rev 17 to EIP-2-002,rev 23 to EIP-2-006,rev 16 to EIP-2-007,rev 15 to EIP-2-016,rev 17 to EIP-2-018,rev 19 to EIP-2-020,rev 11 to EIP-2-022 & rev 10 to EIP-2-023.W/980122 ltr.
KING,R.J. Entergy Operations, Inc. 98/01/22. 296pp. A2097:078-A2098:009.

9802050052 Forwards insp rept 50-458/98-02 on 980112-16.No violations noted.Areas examined during insp included portions of physical security program.
MURRAY,B. Region 4 (Post 820201). 98/02/02. MCGAHA,J.R. Entergy Operations, Inc. 5pp. A2009:288-A2009:307.

--9802050057 Insp rept 50-458/98-02 on 980112-16.No violations noted. Major areas inspected:licensee physical security program, including access authorization,alarm stations,communication, access control of personnel & security event logs.
* Region 4 (Post 820201). 98/02/02. 15pp. A2009:293-A2009:307.

9802090160 Ack receipt of 970620 ltr,which transmitted Rev 9 to plant emergency implementing procedure 2-001, "Classification of Emergencies," submitted under provisions of 10CFR50,App E, Section IV.
MURRAY,B. Region 4 (Post 820201). 98/02/05. MCGAHA,J.R. Entergy Operations, Inc. 4pp. A2048:060-A2048:064.

9802120165 Ack receipt of 970725 ltr,transmitting rev 15 to River Bend emergency plan,submitted under provisions of 10CFR50.54(q). Based on determination that changes do not decrease effectiveness of plan,no NRC approval required.
MURRAY,B. Region 4 (Post 820201). 98/02/06. MCGAHA,J.R. Entergy Operations, Inc. 4pp. A2143:017-A2143:020.

9802270102 Forwards River Bend Station annual emergency plan info brochures for 1998,per Administrative Ltr 94-07.W/o encl.
KING,R.J. Entergy Operations, Inc. 98/02/23. Incident Response Branch. 2pp. A2420:227-A2420:228.

J. Insurance & indemnity information

9802240196 Forwards certified copies of liability insurance policy endorsements issued in second half of 1997 as proof of financial protection,IAW 10CFR140.15.
DEWEASE,J.G. Entergy Operations, Inc. 98/02/17. Document Control Branch (Document Control Desk). 151pp. A2333:014-A2333:164.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802060093 Requests authorization to perform alternative to requirements of ASME Section XI,Subarticle IWA-5250.Util requests that NRC review & approve relief request IWA-5250 to support next refueling outage scheduled for 980411.
DEWEASE,J.G. Entergy Operations, Inc. 98/01/29. Document Control Branch (Document Control Desk). 6pp. A2152:353-A2152:358.

9802240282 Notification of 980319 meeting w/Entergy Operations,Inc,in Rockville,MD to discuss level of instructions & details of transferring QA plan details from current program plans at four sites to standard QA program plan for use at all sites.
WIGGINTON,D.L. . 98/02/05. HANNON,J.N. . 7pp. A2281:351-A2281:357.

9802240322 Summary of 980122 meeting w/Entergy in Rockville,Maryland re licensing issues & standardization of licensing documents. List of meeting attendees & meeting agenda encl.
WIGGINTON,D.L. . 98/02/11. . 10pp. A2281:337-A2281:346.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050052 Forwards insp rept 50-458/98-02 on 980112-16.No violations noted.Areas examined during insp included portions of physical security program.
MURRAY,B. Region 4 (Post 820201). 98/02/02. MCGAHA,J.R. Entergy Operations, Inc. 5pp. A2009:288-A2009:307.

--9802050057 Insp rept 50-458/98-02 on 980112-16.No violations noted. Major areas inspected:licensee physical security program, including access authorization,alarm stations,communication, access control of personnel & security event logs.
* Region 4 (Post 820201). 98/02/02. 15pp. A2009:293-A2009:307.

9802090171 Ack receipt of 980123 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/97-17 on 971224.Finds reply responsive to concerns raised re failure to meet TS Limiting Condition for Operation.
COLLINS,E.E. Region 4 (Post 820201). 98/02/04. MCGAHA,J.R. Entergy Operations, Inc. 5pp. A2042:092-A2042:101.

9802100112 Forwards insp rept 50-458/97-20 on 971008-15 & NOV.Violation involves failure to adhere to radiation work permit requirements.
MURRAY,B. Region 4 (Post 820201). 98/02/05. MCGAHA,J.R. Entergy Operations, Inc. 5pp. A2095:139-A2095:150.

--9802100140 Notice of violation from insp on 971008-15.Violation noted: on 971010,radiation protection technician working in 95-ft elevation of fuel storage bldg reached into posted contaminated area w/o adhering to anti-contaminated clothes.
* Region 4 (Post 820201). 98/02/05. 2pp. A2095:144-A2095:145.

--9802100143 Insp rept 50-458/97-20 on 971008-15.Violations noted.Major areas inspected:plant support.
* Region 4 (Post 820201). 98/02/05. 5pp. A2095:146-A2095:150.

9802120120 Forwards insp rept 50-458/97-19 on 971130-980110 & NOV. Violations identified re plant workers not maintaining appropriate separation criteria between safety-related cable tray & temporary cable & ineffective maint of PASS.
COLLINS,E.E. Region 4 (Post 820201). 98/02/06. MCGAHA,J.R. Entergy Operations, Inc. 5pp. A2142:233-A2142:263.

--9802120124 Notice of violation from insp on 971130-980110.Violation noted:on 971204,extension cord was draped across safety-related cable Tray 1TX817B w/free-air cables & required one-foot separation was not maintained.
* Region 4 (Post 820201). 98/02/06. 3pp. A2142:238-A2142:240.

--9802120129 Insp rept 50-458/97-19 on 971130-980110.Violations noted. Major areas inspected:licensee operations,maint,engineering & plant support.
* Region 4 (Post 820201). 98/02/06. 22pp. A2142:241-A2142:263.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802170162 Forwards insp rept 50-458/97-09 on 971026-31 & NOV re failure to assure that adequate performance measures were established to demonstrate performance or condition of certain structures & sys.
HOWELL,A.T. Region 4 (Post 820201). 98/02/12. MCGAHA,J.R. Entergy Operations, Inc. 6pp. A2170:138-A2170:196.

--9802170167 Notice of violation from insp on 971026-31.Violation noted: as of 960710,licensee failed to demonstrate that performance or condition of 5 primary CI valves & containment H analyzers had been controlled through appropriate maint.
* Region 4 (Post 820201). 98/02/12. 3pp. A2170:144-A2170:146.

--9802170170 Insp rept 50-458/97-09 on 971026-31 w/in-ofc insp continuing through 980120.Violations noted.Major areas inspected:maint, engineering & plant support.
* Region 4 (Post 820201). 98/02/12. 50pp. A2170:147-A2170:196.

9802260227 Responds to NRC ltr re violations noted in insp rept 50-458/97-20.Corrective actions:RP technician & crew w/which technician was working frisked using PCM-1Bs & no contamination was found.
KING,R. Entergy Operations, Inc. 98/02/23. Document Control Branch (Document Control Desk). 4pp. A2373:322-A2373:325.

R. Periodic operating reports & related correspondence

9802190042 Monthly operating rept for Jan 1998 for River Bend Station, Unit 1.W/ 980210 ltr.
WILLIAMSON,D.H., KING,R.J. Entergy Operations, Inc. 98/01/31. 4pp. A2244:357-A2244:360.

9802260256 Forwards FFD six-month program performance data rept for period 970701-1231.Rept contains statistical data & trend analysis compiled by FFD Dept.
KING,R.J. Entergy Operations, Inc. 98/02/20. Document Control Branch (Document Control Desk). 6pp. A2373:195-A2373:200.

V. Operator Examinations

9802090173 Informs that NRC plans to administer GFES of written operator licensing exam at facility on 980408.Requests that listing of names of candidates be submitted to appropriate Regional Administer by 980306.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. MCGAHA,J.R. Entergy Operations, Inc. 5pp. A2039:356-A2039:360.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802180105 Confirms discussion between members of staff to conduct meeting on 980108 in Clinton,IL to discuss evaluation of Clinton current performance & improvement plans.
KOZAK,T.J. Region 3 (Post 820201). 97/12/30. COOK,J.G. Illinois Power Co. 2pp. A2181:345-A2181:346.

9802030111 Informs that at Jan SMM,Clinton Power Station was placed on NRC Watch List as Category 2 plant.Ack recent agreement reached w/PECO Energy Co to provide mgt svcs for Clinton. Informs of public meeting on 980121 to discuss SMM results.
CALLAN,L.J. Region 3 (Post 820201). 98/01/15. HAAB,L.D. Illinois Power Co. 5pp. A1987:041-A1987:045.

9802020176 Documents further info re mgt svcs agreement w/util for nuclear operational support at CPS.Status of NRC licensee responsible for operation of plant,confirmed.Encl ltr of intent & agreement should be withheld from public.W/o encls.
ROMBERG,W.D. Illinois Power Co. 98/01/23. MATTHEWS,D.B. . 5pp. A2015:237-A2015:241.

9802040050 Confirms discussion to conduct meeting in Clinton,IL on 980205 to discuss conduct of operations,C/A program & mgt changes.
KOZAK,T.J. Region 3 (Post 820201). 98/01/26. MACFARLAND,W.G. Illinois Power Co. 3pp. A1998:351-A1998:353.

9802040067 Forwards SE accepting 971209 proposed change to CPS USAR, which impact commitments made in CPS QAP description.Changes re qualifications for personnel filling position of Assistant Plant Manager Operations.
HOPKINS,J.B. . 98/01/26. SIPEK,J. Illinois Power Co. 4pp. A2007:088-A2007:092.

--9802040077 Safety evaluation accepting 971209 proposed change to CPS USAR which will impact commitments made in CPS QAP description.
* . 98/01/26. 1p. A2007:092-A2007:092.

9802120162 Confirms discussion between members of staff to change starting time of Clinton Oversight Panel meeting from 10am to 1pm on 980205 in Clinton,IL to discuss utilities conduct of operations,corrective action program & mgt changes.
KOZAK,T.J. Region 3 (Post 820201). 98/02/03. MACFARLAND,W.G. Illinois Power Co. 3pp. A2143:001-A2143:003.

9802120289 Responds to 971203 RAI re licensee commitment to GL 83-28, "Required Actions Based on Generic Implication of Salem ATWS Events."
MACFARLAND,W.G. Illinois Power Co. 98/02/03. Document Control Branch (Document Control Desk). 6pp. A2232:349-A2232:354.

9802230325 Summary of 980127 meeting w/Illinois Power Co in Rockville, Maryland re potential fix for issue of degraded voltage at Clinton Power Station.List of meeting attendees & copy of meeting handout encl.
HOPKINS,J.B. . 98/02/03. . 29pp. A2258:331-A2258:359.

9802100196 Forwards proprietary ESA-102, "Electrical Engineering Std for Electrical & Physical Characterics of Class B Electrical Cables," dtd 930414 & "Evaluation of Impact of Using STD ESA-102 Cable Impedance...." Proprietary encls withheld.
KURTZ,R.L. Sargent & Lundy, Inc. 98/02/05. Document Control Branch (Document Control Desk). 1p. A2160:287-A2160:287.

9802240253 Summary of 971211 meeting w/Illinois Power Co in Clinton, Illinois re findings of NRC Special Evaluation Team.List of meeting attendees & copy of meeting handout encl.
HOPKINS,J.B. . 98/02/05. . 23pp. A2282:269-A2282:291.

9802200247 Updates risks of flammable & toxic hazards associated w/railroad transportation past CPS.
SIPEK,J.V. Illinois Power Co. 98/02/11. Document Control Branch (Document Control Desk). 2pp. A2320:299-A2320:300.

9802260090 Provides summary of plan & to respond to NRC special evaluation team insp rept.Attachment 1 identifies util commitments from encl summary of plan for excellence. Page 35 of incoming submittal was not included.
MACFARLAND,W. Illinois Power Co. 98/02/19. CALLAN,L.J. Ofc of the Executive Director for Operations. 6pp. A2415:256-A2415:347.

--9802260094 "Clinton Power Station Plan for Excellence."
* Illinois Power Co. 98/02/19. 74pp. A2415:262-A2415:347.

9802260083 Notifies NRC of deficiencies in GL 89-13, "SWS Problems Affecting Safety-Related Equipment," implementations & provide actions being taken to address compliance.
MACFARLAND,W.G. Illinois Power Co. 98/02/20. Document Control Branch (Document Control Desk). 5pp. A2373:280-A2373:284.

9802270218 Forwards rev 26 to Illinois Power Nuclear Program Quality Assurance Manual for NRC review & approval,also encl is matrix that lists proposed changes & rationale for making changes.
SIPEK,J.V. Illinois Power Co. 98/02/25. Document Control Branch (Document Control Desk). 2pp. A2399:001-A2399:191.

--9802270219 Rev 25 to "Illinois Power Nuclear Program Quality Assurance Manual."
* Illinois Power Co. 98/02/12. 170pp. A2399:022-A2399:191.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9802180161 Discusses insp repts 50-461/96-15,50-461/97-07 & 50-461/97-20 conducted from Dec 1996 to Aug 1997.Insp identified issues re failure to adequately implement CA program & inadequate conduct of maint activities.
BEACH,A.B. Region 3 (Post 820201). 98/01/08. COOK,J.G. Illinois Power Co. 5pp. A2182:071-A2182:075.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040050 Confirms discussion to conduct meeting in Clinton,IL on 980205 to discuss conduct of operations,C/A program & mgt changes.
KOZAK,T.J. Region 3 (Post 820201). 98/01/26. MACFARLAND,W.G. Illinois Power Co. 3pp. A1998:351-A1998:353.

9802040063 Ack receipt of 971219 ltr informing NRC of steps taken to correct violations noted in insp rept 50-461/97-19 issued on 971112.Corrective actions will be examined during future inspections.
KOZAK,T.J. Region 3 (Post 820201). 98/01/27. MACFARLAND,W.G. Illinois Power Co. 3pp. A2000:168-A2000:170.

9802100186 Forwards insp rept 50-461/98-02 on 980105-09.No violations noted.Strong ownership & oversight of respiratory protection program & procedures were observed.Minor inconsistencies re implementation procedures noted & will be resolved by staff.
GROBE,J.A. Region 3 (Post 820201). 98/02/02. MACFARLAND,W.G. Illinois Power Co. 3pp. A2093:278-A2093:304.

--9802100190 Insp rept 50-461/98-02 on 980105-09.No violations noted. Major areas inspected:plant support performance & specifically evaluation of effectiveness of RP program.
* Region 3 (Post 820201). 98/02/02. 24pp. A2093:281-A2093:304.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802230011 Forwards insp rept 50-461/97-25 on 971125-980122 & notice of violation re failure to implement TSs identified by NRC inspectors &/or staff since Jan 1996.
GROBE,J.A. Region 3 (Post 820201). 98/02/13. MACFARLAND,W.G. Illinois Power Co. 3pp. A2264:281-A2264:310.

--9802230013 Notice of violation from insp on 971125-980122.Violations noted:between 971018 & 1216,isolation capability for each required secondary containment & secondary containment bypass penetration flow path was not restored.
* Region 3 (Post 820201). 98/02/13. 2pp. A2264:284-A2264:285.

--9802230014 Insp rept 50-461/97-25 on 971125-980122.Violations noted. Major areas inspected:operations,engineering,maint & plant support.
* Region 3 (Post 820201). 98/02/13. 25pp. A2264:286-A2264:310.

9802230015 Ack receipt of 980122 ltr informing NRC of steps taken to correct violations noted in insp rept 50-461/97-22.Actions will be examined during future insp.
KOZAK,T.J. Region 3 (Post 820201). 98/02/17. MACFARLAND,W.G. Illinois Power Co. 2pp. A2274:255-A2274:256.

9802260090 Provides summary of plan & to respond to NRC special evaluation team insp rept.Attachment 1 identifies util commitments from encl summary of plan for excellence. Page 35 of incoming submittal was not included.
MACFARLAND,W. Illinois Power Co. 98/02/19. CALLAN,L.J. Ofc of the Executive Director for Operations. 6pp. A2415:256-A2415:347.

--9802260094 "Clinton Power Station Plan for Excellence."
* Illinois Power Co. 98/02/19. 74pp. A2415:262-A2415:347.

R. Periodic operating reports & related correspondence

9802190303 Monthly operating rept for Jan 1998 for Clinton Power Station,Unit 1.W/ 980211 ltr.
DEMARK,W.E., SIPEK,J.V. Illinois Power Co. 98/01/31. 5pp. A2258:173-A2258:177.

9802120261 Forwards CPS semi-annual fitness for duty rept for period ending 971231,IAW 10CFR26.71.
SIPEK,J.V. Illinois Power Co. 98/02/03. Document Control Branch (Document Control Desk). 4pp. A2230:189-A2230:191.

S. Reportable occurrences, LERs & related correspondence

9802020051 Part 21 interim rept 21-97-044/047/048 re 970929 failure of safety-related battery charger.Caused by inadequate soldered wire connections.Util will issue rept of issues IAW provisions of 10CFR21 & 10CFR50.73 by 980217.
MACFARLAND,W.G. Illinois Power Co. 98/01/28. Document Control Branch (Document Control Desk). 3pp. A2000:257-A2000:259.

9802050010 Special repton 980113,operations personnel declared meteorological tower wind direction instrumentation inoperable.Consistent difference suspected to have been caused by rotation of either or both of wind sensor.
SIPEK,J.V. Illinois Power Co. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2027:197-A2027:198.

9802110143 Part 21 rept 21-97-058 re oil leaking around diaphragm of replacement pressure reducing/dump valve installed on ITT Barton Hydromotor actuator.Caused by poor workmanship of valve at time of manufacture.Valves sent to vendor.
MACFARLAND,W.G. Illinois Power Co. 98/02/06. Document Control Branch (Document Control Desk). 3pp. A2231:151-A2231:153.

9802230217 Interim Part 21 rept 21-97-059 re several discrepancies found during receipt insp of three safety-related W DHP circuit breakers.Sent subject circuit breakers to Nuclear Logistics Inc for refurbishment.
MACFARLAND,W.G. Illinois Power Co. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2318:269-A2318:270.

9802240179 Forwards LER 98-001-00,re failure of Division 2 safety related battery charger due to deficient supplier soldered connections.LER also contains 10CFR21 rept.Commitments made within ltr,listed.
MACFARLAND,W.G. Illinois Power Co. 98/02/17. Document Control Branch (Document Control Desk). 2pp. A2318:336-A2318:348.

--9802240219 LER 98-001-00:on 970929,failure of Division 2 SR battery charger was noted.Caused by deficient supplier soldered connections.Insp of Division 1,2 & 4 SR battery chargers are complete & have been reworked & repaired.
WAGNER,M.D. Illinois Power Co. 98/02/17. 10pp. A2318:339-A2318:348.

9802240259 Part 21 Interim Rept 21-97-060 re Sentry Equipment Corp commercial grade dedication program deficiencies.Evaluation of issue will be completed by 980404.
MACFARLAND,W.G. Illinois Power Co. 98/02/17. Document Control Branch (Document Control Desk). 2pp. A2318:320-A2318:321.

9802240250 RO:on 980213,alert emergency classification was declared IAW EPIP EC-02, "Emergency Classifications." Caused by tripped inverter.RHR A was restored at approx 0945 h & emergency terminated at 1004 h per EPIP EC-04, "Alert."
SMITH,S.L. Illinois Power Co. 98/02/20. Document Control Branch (Document Control Desk). 2pp. A2343:155-A2343:156.

V. Operator Examinations

9802240224 Notifies that PT Young has been physically disqualified from performing licensed operator duties at present time due to unsatisfactory biennial physical performed on 980209.
SIPEK,J.V. Illinois Power Co. 98/02/17. BEACH,A.B. Region 3 (Post 820201). 1p. A2349:349-A2349:349.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9802040363 Forwards revised Page 15 of 85,which supersedes Page 15 of 85 of proposed rev to radiological emergency response plan, AP 06-002.Change revised step 6.3.8 to provide deployment for radiological monitoring teams.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/01/27. Document Control Branch (Document Control Desk). 1p. A2031:358-A2031:359.

--9802040366 Revised Page 15 of 85 to Rev 0 to AP 06-002, "Radiological Emergency Reponse Plan (RERP)."
* Wolf Creek Nuclear Operating Corp. 98/01/27. 1p. A2031:359-A2031:359.

9802090033 Ack receipt of 970327 ltr,which transmitted rev 55 to plant emergency plan,submitted under provisions of 10CFR50.54(q). NRC approval not required,based on determination that changes do not decrease overall effectiveness of plan.
MURRAY,B. Region 4 (Post 820201). 98/02/04. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. A2048:020-A2048:023.

9802090038 Ack receipt of 970218 ltr,which transmitted revs 53 & 54 to plant emergency plan,submitted under provisions of 10CFR50.54(q).NRC approval not required,since changes do not overall effectiveness of emergency plan.
MURRAY,B. Region 4 (Post 820201). 98/02/04. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. A2048:025-A2048:028.

9802090058 Ack receipt of 971219 ltr,transmitting Rev 29 to physical security plan,submitted under provisions of 10CFR50.54(p). No NRC approval required for some of changes.Comments re testing of specific security hatch alarms,provided.
MURRAY,B. Region 4 (Post 820201). 98/02/04. MAYNARD,O.T. Wolf Creek Nuclear Operating Corp. 5pp. A2140:355-A2140:359.

9802120030 Ack receipt of 970530 ltr which transmitted changes to emergency plan for WCGS submitted under provisions of 10CFR50.54(q).Implementation of changes will be subj to insp to confirm that overall effectiveness of plan,not decreased.
MURRAY,B. Region 4 (Post 820201). 98/02/06. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 3pp. A2142:074-A2142:076.

9802200091 Rev 5 to EPIP EPP 01-13.1, "Emergency Response Organization Callout" & index.W/980212 ltr.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/02/12. 30pp. A2320:179-A2320:209.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050007 Provides addl info re deletion of quality evaluations line- review of administrative procedures.Util will incorporate info contained in Attachment I into Chapter 13 of USAR.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2087:067-A2087:071.

9802050016 Application for amend to license NPF-42,revising TS 6.3 & 6.12 to reflect position change within organization.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 98/01/28. Document Control Branch (Document Control Desk). 9pp. A2037:337-A2037:350.

–9802050019 Proposed tech specs 6.3 & 6.12,reflecting position change within organization.
* Wolf Creek Nuclear Operating Corp. 98/01/28. 5pp. A2037:346-A2037:350.

9802110079 Provides comments on draft reg guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in Nuclear Power Plants," dtd Sept 1997.
BOYER,G.D. Wolf Creek Nuclear Operating Corp. 98/01/29. Rules & Directives Review Branch (Post 920323). 2pp. A2198:359-A2198:360.

9802120175 Comment on draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in Nuclear Power Plants."
BOYER,G.D. Wolf Creek Nuclear Operating Corp. 98/01/29. Rules & Directives Review Branch (Post 920323). 2pp. A2143:098-A2143:099.

9802120249 Application for amend to license NPF-42,revising Tech Specs 3/4.3, "Changes to ESFAS Functional Units 6.f,8.a & 8.b."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 98/02/04. Document Control Branch (Document Control Desk). 14pp. A2214:313-A2214:345.

–9802120252 Proposed Tech Specs 3/4.3 re changes to ESFAS functional Units 6.f,8.a & 8.b.
* Wolf Creek Nuclear Operating Corp. 98/02/04. 19pp. A2214:327-A2214:345.

9802130122 Application for amend to license NPF-42,revising TS 3/4.2.4, "Quadrant Power Tilt Ratio & Associated Bases," to clarify required actions for limiting LCO & other change consistents w/TS conversion application previously submitted.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 98/02/04. Document Control Branch (Document Control Desk). 17pp. A2233:270-A2233:302.

–9802130123 Proposed Tech Specs 3/4.2.4 re quadrant power tilt ratio.
* Wolf Creek Nuclear Operating Corp. 98/02/04. 16pp. A2233:287-A2233:302.

9802190269 Forwards "Evaluation of Underground Essential Svc Water Pipeline Leak." Leakage rates above 11 gpm,indicating probable through-wall leakage,will be compared w/through- wall leakage acceptance criteria established above.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 98/02/10. Document Control Branch (Document Control Desk). 3pp. A2250:320-A2250:340.

–9802190275 "Evaluation of Underground Essential Svc Water Pipeline Leak."
KOMANDURI,G.V., KOCUNIK,D.C., DOYLE,J.M. Sargent & Lundy, Inc. 97/09/29. 18pp. A2250:323-A2250:340.

9802250168 Forwards supplemental info to ltrs dtd 970624 & 1126. Attachment 1 provides brief description of changes being made.Attachment 2 provides actual USAR sections reflecting described changes.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/02/17. Document Control Branch (Document Control Desk). 5pp. A2368:233-A2368:237.

9802230078 Notification of 980306 mgt meeting w/licensee in Arlington, TX to discuss plant design & licensing bases fidelity.
GWYNN,T.P. Region 4 (Post 820201). 98/02/18. Region 4 (Post 820201). 5pp. A2274:267-A2274:271.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020269 Ack receipt of 971223 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/97-19 on 971125.Finds reply responsive to concerns raised in NOV. Implementation of C/As will be reviewed in future insps.
JOHNSON,W.D. Region 4 (Post 820201). 98/01/26. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. A1985:137-A1985:150.

9802050141 Forwards insp rept 50-482/97-23 on 971214-980124 & notice of violation.Two cited violations of NRC requirements were identified in areas of operations & maint.
JOHNSON,W.D. Region 4 (Post 820201). 98/01/29. MAYNARD,L. Wolf Creek Nuclear Operating Corp. 4pp. A2010:118-A2010:144.

–9802050152 Notice of violation from insp on 971214-980124.Violation noted:technicians failed to follow procedure steps by removing vendor wire & reversed variable transformer leads.
* Region 1 (Post 820201). 98/01/29. 2pp. A2010:123-A2010:124.

–9802050159 Insp rept 50-482/97-23 on 971214-980124.Violations noted. Major areas inspected:operations,maint,engineering & plant support.
JOHNSON,W.D. Region 4 (Post 820201). 98/01/29. 19pp. A2010:125-A2010:144.

9802050204 Responds to NRC 971229 ltr re violations noted in insp rept 50-482/97-22.Corrective actions:assigned individual to containment personnel hatch IAW requirements of Step 5.16.2.2 of general operating procedure GEN 00-008.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 98/01/30. Document Control Branch (Document Control Desk). 10pp. A2149:322-A2149:331.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802170117 Insp rept 50-482/97-21 cancelled.
JOHNSON,W.D. Region 4 (Post 820201). 98/02/09. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. A2176:028-A2176:031.

9802190125 Ack receipt of 980130 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/97-22.
JOHNSON,W.D. Region 4 (Post 820201). 98/02/10. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. A2229:294-A2229:307.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190085 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records being withheld in part (ref FOIA Exemption 6).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 98/02/12. HOUCK,H.A. Affiliation Not Assigned. 4pp. A2212:051-A2212:199.

–9802190088 FOIA request for copy of all documents in possession,custody & control of NRC that fall into any of listed categories re insp rept & NOV,all correspondence from plant facility & info concerning Fair Labor Stds Act exempt employees.
HOUCK,H.A. Affiliation Not Assigned. 97/12/11. Region 4 (Post 820201). 2pp. A2212:055-A2212:184.

–9802190094 Forwards excerpts from recent plant insp rept,which addresses part of area questioned re overtime.
JOHNSON,W. Region 4 (Post 820201). 97/09/04. BIAMONTE,A. . 15pp. A2212:185-A2212:199.

R. Periodic operating reports & related correspondence

9802200286 Monthly operating rept for Jan 1998 for Wolf Creek Generating Station.W/ 980213 ltr.
HARRIS,K.A., WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/01/31. 3pp. A2345:040-A2345:042.

9802130055 Forwards semi-annual FFD program performance data rept WCGS IAW 10CFR26.71(d).Rept covers six month period beginning 970701-971231.
BOYER,G.D. Westinghouse Electric Corp. 98/02/04. Document Control Branch (Document Control Desk). 4pp. A2231:108-A2231:111.

S. Reportable occurrences, LERs & related correspondence

9802050015 Forwards LER 97-016-02,correcting discrepancy between abstract & additional CA sections of LER 97-016-01,dtd 971219 re completion date for planned fire protection organization structure & program ownership self-assessment.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/01/27. Document Control Branch (Document Control Desk). 1p. A2135:163-A2135:168.

–9802050023 LER 97-016-02:on 970903,use of FPs for non-fire protection purposes resulted in significant degradation of FPS.Caused by lack of comprehensive procedure for FP sys.Comprehensive procedure will be written to govern starting.
ANGUS,M.J. Wolf Creek Nuclear Operating Corp. 98/01/27. 5pp. A2135:164-A2135:168.

V. Operator Examinations

9802050140 Refers to 980122-23 meeting re draft exams for Feb 1998 operator retake written exams.Concludes that meeting was beneficial in understanding construction of exams & provided opportunity to explain concerns w/specific test items.
HOWELL,A.T. Region 4 (Post 820201). 98/01/30. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 6pp. A2010:112-A2010:117.

9802120245 Requests that RO & SRO license examination for WCGS be administered during week of 980213,to personnel listed.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2216:272-A2216:273.

9802090179 Informs of NRC plans to administer GFES of written operator licensing exam on 980408.Provides instructions re nominating candidates for exam.Sample registration ltr encl.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. A2039:341-A2039:345.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802200257 Rev 19,Temporary Change Notice 98-0101 to EIP-ZZ-01211, "Mgt Action Guides for Nuclear Emergencies (MAGNEM)."
* Union Electric Co. 98/02/09. 3pp. A2319:318-A2319:320.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050265 Forwards request for addl info re 971031 submittal of application for amend to FOL NFP-30.Amend would revise TS to change setpoint & allowable values for certain RTS & ESFAS functional units & revise associated Bases,Notes & SRs.
WESTREICH,B.C. . 98/01/29. RANDOLPH,G.L. Union Electric Co. 4pp. A2010:354-A2010:357.

9802130088 Forwards table containing listing of valves re rev to Tech Specs 3/4.7.4 for essential svc water sys in support of amend request.
PASSWATER,A.C. Union Electric Co. 98/02/05. Document Control Branch (Document Control Desk). 7pp. A2234:009-A2234:015.

9802240328 Informs that review testing of safety-related logic circuits completed & summary of results contained in attachment to ltr,per GL 96-01.
PASSWATER,A.C. Union Electric Co. 98/02/13. Document Control Branch (Document Control Desk). 4pp. A2366:051-A2366:054.

9802270186 Forwards amend 120 to license NPF-30 & SE.Amend revises plant,Unit 1 FOL by adding footnote to reflect that UE, wholly-owned operating subsidiary of Ameren Corp as result of merger between UEC & CIPSCO,Inc.
WESTREICH,B.C. . 98/02/13. RANDOLPH,G.L. Union Electric Co. 2pp. A2352:269-A2352:275.

--9802270193 Amend 120 to license NPF-30 revising plant,Unit 1 FOL by adding footnote to reflect that UE,wholly-owned operating subsidiary of Ameren Corp as result of merger between UE & CIPSCO,Inc.
COLLINS,S.J. . 98/02/13. 3pp. A2352:271-A2352:273.

--9802270196 Safety evaluation supporting amend 120 to license NPF-30.
* . 98/02/13. 2pp. A2352:274-A2352:275.

9802240111 Forwards rev 10 to "Callaway Cycle 9 COLR," providing updated modified rod insertion limits for cycle 9.Rept submitted per TS 6.9.1.9.
PASSWATER,A.C. Union Electric Co. 98/02/18. Document Control Branch (Document Control Desk). 2pp. A2333:296-A2333:324.

--9802240115 Rev 10 to "Callaway Cycle 9 COLR."
RIOS,L.R., SECKER,J.R., JOHANSEN,B.J. Union Electric Co. 98/02/09. 27pp. A2333:298-A2333:324.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020268 Ack receipt of 980113 ltr informing NRC of steps taken to correct violations noted in insp rept 50-483/97-20 on 971216.Finds reply responsive to concerns raised in NOV. Implementation of C/As will be reviewed in future insps.
JOHNSON,W.D. Region 4 (Post 820201). 98/01/26. RANDOLPH,G.L. Union Electric Co. 4pp. A1985:129-A1985:136.

9802020208 Forwards insp rept 50-483/97-21 on 971207-980117.No violations noted.
JOHNSON,W.D. Region 4 (Post 820201). 98/01/27. RANDOLPH,G.L. Union Electric Co. 5pp. A2087:326-A2087:341.

--9802020209 Insp rept 50-483/97-21 on 971207-980117.No violations noted. Major areas inspected:operation,maint,engineering & plant support.
* Region 4 (Post 820201). 98/01/27. 11pp. A2087:331-A2087:341.

9802120310 Responds to NRC 981224 ltr re violations noted in insp rept 50-483/97-11.Corrective actions:revised safety significant classification for containment isolation function & reactor building.
LAUX,J.V. Union Electric Co. 98/02/06. Document Control Branch (Document Control Desk). 18pp. A2230:192-A2230:209.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802170123 Forwards supplemental response to unresolved item violations noted in insp rept 50-483/97-15.Corrective actions:plant shutdown would be required to establish equipment operability.
LAUX,J.V. Union Electric Co. 98/02/10. Document Control Branch (Document Control Desk). 10pp. A2218:320-A2218:329.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

R. Periodic operating reports & related correspondence

9802170092 Monthly operating rept for Jan 1998 for Callaway Plant. W/980206 ltr.
HOLMES,M.A., AFFOLTER,R.D. Union Electric Co. 98/01/31. 6pp. A2220:154-A2220:159.

S. Reportable occurrences, LERs & related correspondence

9802240123 LER 98-002-00:on 980115,determined that missile shield had not been closed during past eight refueling outages.Caused by TS failing to address missile shield during refueling outages.Developed administrative controls.W/980217 ltr.
BONO,H.D., AFFOLTER,R.D. Union Electric Co. 98/02/17. 5pp. A2289:045-A2289:049.

9802250013 LER 98-001-00:on 980121,TS 3.8.1 violation due to inoperable "B" train emergency exhaust sys & missed TS 4.7.7.b.2 emergency exhaust surveillance.Caused by charcoal degradation.Conducted review of amends.W/980219 ltr.
BONO,H.D., AFFOLTER,R.D. Union Electric Co. 98/02/19. 6pp. A2345:160-A2345:165.

V. Operator Examinations

9802090162 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.GFES will consist of 100 questions.Max time allowed to complete exam,3 hours & passing score 80 percent.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. RANDOLPH,G.L. Union Electric Co. 5pp. A2048:070-A2048:074.

9802240053 Responds to 971202-1215 ltr informing NRC of change in medical condition for two licensed operators.NRC determined that no change in current license conditions was warranted for individuals.
PELLET,J.L. Region 4 (Post 820201). 98/02/20. RANDOLPH,G.L. Union Electric Co. 3pp. A2279:062-A2279:064.

DOCKET STN-50-485 STERLING POWER NUCLEAR PROJECT, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9802170094 Ack receipt of 980121 ltr & check in amount of $55,000 in payment for civil penalty proposed by NRC in 971223 ltr. Corrective actions will be examined during future insps.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 98/02/12. MCGAHA,J.R. Entergy Operations, Inc. 2pp. A2170:360-A2170:361.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9802180171 Forwards rev 9 to "Emergency Mgt Basic Plan for Matagorda County,Bay City & Palacios," rev 8 to "Emergency Mgt Plan Annex W Radiological Emergency Preparedness (REP) Plan" & revs 3 & 4 to "Emergency Mgt Plan Annex W Procedures."
* Houston Lighting & Power Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2238:001-A2240:098.

--9802180175 Rev 9 to "Emergency Mgt Basic Plan for Matagorda County,Bay City & Palacios."
* Houston Lighting & Power Co. 97/12/30. 151pp. A2238:003-A2238:152.

--9802180181 Rev 8 to "Emergency Mgt Plan Annex W Radiological Emergency Preparedness (REP) Plan."
* Houston Lighting & Power Co. 97/12/30. 194pp. A2238:153-A2238:346.

--9802180185 Revs 3 & 4 to "Emergency Mgt Plan for Matagorda County,Bay City & Palacios Annex W Procedures."
* Houston Lighting & Power Co. 96/09/05. 480pp. A2238:347-A2240:098.

9802050185 Advises that 980112 rev 4A to security personnel training & qualification plan & rev 2A to safeguards contingency plan are acceptable per 10CFR50.54(p).No NRC approval is required.
MURRAY,B. Region 4 (Post 820201). 98/01/30. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A2086:353-A2086:357.

9802050288 Ack receipt of 980112 ltr transmitting rev 11A to physical security plan for South Texas Project Electric Generating Station.NRC approval is not required IAW 10CFR50.54(p). Encl will be withheld from public disclosure.
MURRAY,B. Region 4 (Post 820201). 98/01/30. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A2151:077-A2151:081.

9802060155 Informs that 970114 ltr ST-NOC-AE-000058 was distributed w/errors by incorrectly providing single sided copy of interim change 18-1 to emergency plan.Double sided copy of interim change 18-1 provided for replacement.
SERRA,P.L. Houston Lighting & Power Co. 98/02/02. Document Control Branch (Document Control Desk). 4pp. A2136:327-A2136:351.

9802240292 Discusses licensee 10CFR50.59 evaluation of leakage of sump water into refueling water storage tank.Emergency operating procedure encl.Licensee USQE acceptable.
ALEXION,T. . 98/02/09. . 16pp. A2325:222-A2325:237.

H. General correspondence

9802040335 Submits rev to distribution lists for transmittals to South Texas Project Unit 1 & 2,deleting CR Crisp/RL Balcom & adding DG Tees/RL Balcom.
MCBURNETT,M.A. Houston Lighting & Power Co. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2031:282-A2031:283.

9802040340 Submits change to distribution lists for transmittals related to South Texas Project Units 1 & 2.
MCBURNETT,M.A. Houston Lighting & Power Co. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2031:309-A2031:310.

9802200295 Submits change to distribution lists for transmittals related to South Texas Project Units 1 & 2.
MCBURNETT,M.A. Houston Lighting & Power Co. 98/02/11. Document Control Branch (Document Control Desk). 2pp. A2283:310-A2283:311.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030115 Discusses 961217 licensee 10CFR50.59 evaluation of thimble guide tube nut replacement for plant.Design evaluation found to be acceptable.
ALEXION,T. . 98/01/22. . 1p. A1985:302-A1985:302.

9802030121 Informs that licensee 960417 & 970113 responses to GL 96-01, "Testing of Safety-Related Logic Circuits," acceptable & TACs M94734 & M94735 considered closed.
ALEXION,T.W. . 98/01/26. COTTLE,W.T. Houston Lighting & Power Co. 4pp. A1985:357-A1985:360.

9802040330 Forwards revised response to concerns raised by NRC re operations QA plan change QA-027,per 960923 ltr.
MARTIN,L.E. Houston Lighting & Power Co. 98/01/26. Document Control Branch (Document Control Desk). 9pp. A2031:284-A2031:292.

9802020044 Forwards change Q-034 to operations QA plan provided to NRC on 970522,incorporating organizational items resulting from transition to STP Nuclear Operating Co.Final complete copy of QA plan for implementation of graded QA activities encl.
MARTIN,L.E. Houston Lighting & Power Co. 98/01/28. Document Control Branch (Document Control Desk). 3pp. A1971:091-A1971:209.

-9802020058 Change 034 to rev 13 to "STP Electric Generating Station Operations QA Plan."
* Houston Lighting & Power Co. 98/01/28. 116pp. A1971:094-A1971:209.

9802050286 Summary of 980121 meeting w/STP Nuclear Operating Co re schedule for NRC review of STPNOC application for conversion to improved standard TS.List of attendees & handout provided by licensee encl.
ALEXION,T.W. . 98/02/02. . 6pp. A2012:250-A2012:255.

9802130093 Forwards change QA-034 to rev 13 of "Operations QA Plan," superseding copies sent on 980128,which inadvertently contained marked up page.Final complete copy of "Operations QA Plan," included.
MARTIN,L.E. Houston Lighting & Power Co. 98/02/04. Document Control Branch (Document Control Desk). 3pp. A2230:237-A2230:354.

-9802130096 Change QA-034 to rev 13 of "Operations QA Plan," resubmitted on 980128.Submittal inadvertently contained marked up pages.
COTTLE,W.T., MARTIN,L.E. Houston Lighting & Power Co. 98/01/22. 116pp. A2230:240-A2230:354.

9802200357 Forwards copy of renewed permit to dispose of wastes from Texas Natural Resource conservation Commission.
GANGLUFF,R.A. Houston Lighting & Power Co. 98/02/11. Document Control Branch (Document Control Desk). 35pp. A2290:170-A2290:204.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802180153 Responds to 980119 ltr,requesting reconsideration of decision not to release,prior to predecisional EC scheduled for 980226,repts of investigation conducted by NRC OI.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/02/09. COTTLE,W.T. Houston Lighting & Power Co. 6pp. A2182:061-A2182:066.

9802170029 Notification of predecisional enforcement conference w/util on 980226 in Arlington,TX to discuss apparent violation of 10CFR50.7.
SANBORN,G.F. Region 4 (Post 820201). 98/02/10. Region 4 (Post 820201). 4pp. A2181:016-A2181:021.

9802190152 Forwards corrected page 1 of ltr issued on 980209.Last line was inadvertently deleted from copies of ltr.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/02/10. COTTLE,W.T. Houston Lighting & Power Co. 4pp. A2251:021-A2251:025.

-9802190165 Corrective page 1 of ltr issued on 980209,requesting reconsideration of decision not to release,prior to predecisional EC,scheduled for 980226.Last line was inadvertently deleted from copies of ltr.
* Region 4 (Post 820201). 98/02/09. COTTLE,W.T. Houston Lighting & Power Co. 1p. A2251:025-A2251:025.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802170166 Forwards insp repts 50-498/98-02 & 50-499/98-02 on 980112-15 & NOV.Insp focused on radiation protection activities.
HOWELL,A.T. Region 4 (Post 820201). 98/02/12. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A2181:274-A2181:302.

-9802170171 Notice of violation from insp on 980112-15.Violation noted: radiation workers who were likely to receive occupational dose in excess of 100 mrems per yr were not informed of presence of airborne radioactivity.
* Region 4 (Post 820201). 98/02/12. 3pp. A2181:279-A2181:281.

-9802170174 Insp repts 50-498/98-02 & 50-499/98-02 on 980112-15. Violations noted.Major areas inspected:operations & plant support re radiation protection.
* Region 4 (Post 820201). 98/02/12. 21pp. A2181:282-A2181:302.

R. Periodic operating reports & related correspondence

9802190046 Monthly operating repts for Jan 1998 for South TX Project, Units 1 & 2.W/ 980211 ltr.
HILL,R.L., MALLEN,F.H. Houston Lighting & Power Co. 98/01/31. 14pp. A2244:343-A2244:356.

9802240448 Forwards semiannual FFD program performance rept for second half of reporting period Jul-Dec 1997.
TIMMONS,F.R. Houston Lighting & Power Co. 98/02/12. Document Control Branch (Document Control Desk). 4pp. A2355:357-A2355:360.

V. Operator Examinations

9802170054 Notification of 980226 meeting w/util in Arlington,Texas to discuss upcoming examinations.
HOWELL,A.T. Region 4 (Post 820201). 98/01/10. Region 4 (Post 820201). 5pp. A2170:355-A2170:359.

9802170058 Notification of 980212 meeting w/util in Arlington,Texas to discuss upcoming examinations.
HOWELL,A.T. Region 3 (Post 820201). 98/01/10. Region 4 (Post 820201). 5pp. A2176:018-A2176:022.

9802040346 Notifies NRC that AM Adams,SRO license 42608,addition of restriction,effective 971229.W/o attachment.
COATES,K.L. Houston Lighting & Power Co. 98/01/22. PELLET,J.L. Region 4 (Post 820201). 2pp. A2031:307-A2031:308.

9802020132 Notification of licensee meeting w/util on 980129 to discuss upcoming exams.
HOWELL,A.T. Region 4 (Post 820201). 98/01/27. Region 4 (Post 820201). 5pp. A1978:325-A1978:329.

9802040321 Notifies that VA Simonis,license 43703,no longer serves in position requiring license.
MARTIN,L.E. Houston Lighting & Power Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2028:149-A2028:150.

9802090209 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.GFES will consist of 100 questions.Max time allowed to complete exam,3 hours & passing score 80 percent.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A2042:148-A2042:152.

9802200089 Discusses meeting conducted on 980210 at Region IV ofc re review of licensee plans for preparation of June 1998 operator license exams as well as future exams.List of attendees & licensee presentation encl.
PELLET,J.L. Region 4 (Post 820201). 98/02/12. COTTLE,W.T. Houston Lighting & Power Co. 15pp. A2251:346-A2251:360.

9802240142 Provides notification of removal of restriction from GW Wasek,SRO license 43666,effective 980211.W/o attachment.
COATES,K.L. Houston Lighting & Power Co. 98/02/17. PELLET,J.L. Region 4 (Post 820201). 2pp. A2333:335-A2333:336.

9802240230 Requests to have thirteen listed individuals take PWR GFES of written operator licensing exam to be administered on 980408.
COATES,K.L. Houston Lighting & Power Co. 98/02/17. MERSCHOFF,E.W. Region 4 (Post 820201). 3pp. A2350:313-A2350:315.

9802240236 Requests to have thirteen listed individuals take PWR GFES of written operator licensing exam to be administered on 980408.
COATES,K.L. Houston Lighting & Power Co. 98/02/17. GALLO,R.M. NRC - No Detailed Affiliation Given. 3pp. A2343:169-A2343:171.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9802180171 Forwards rev 9 to "Emergency Mgt Basic Plan for Matagorda County,Bay City & Palacios," rev 8 to "Emergency Mgt Plan Annex W Radiological Emergency Preparedness (REP) Plan" & revs 3 & 4 to "Emergency Mgt Plan Annex W Procedures."
* Houston Lighting & Power Co. 98/01/28. Document Control Branch (Document Control Desk). 2pp. A2238:001-A2240:098.

-9802180175 Rev 9 to "Emergency Mgt Basic Plan for Matagorda County,Bay City & Palacios."
* Houston Lighting & Power Co. 97/12/30. 151pp. A2238:003-A2238:152.

-9802180181 Rev 8 to "Emergency Mgt Plan Annex W Radiological Emergency Preparedness (REP) Plan."
* Houston Lighting & Power Co. 97/12/30. 194pp. A2238:153-A2238:346.

-9802180185 Revs 3 & 4 to "Emergency Mgt Plan for Matagorda County,Bay City & Palacios Annex W Procedures."
* Houston Lighting & Power Co. 96/09/05. 480pp. A2238:347-A2240:098.

9802050185 Advises that 980112 rev 4A to security personnel training & qualification plan & rev 2A to safeguards contingency plan are acceptable per 10CFR50.54(p).No NRC approval is required.
MURRAY,B. Region 4 (Post 820201). 98/01/30. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A2086:353-A2086:357.

9802050288 Ack receipt of 980112 ltr transmitting rev 11A to physical security plan for South Texas Project Electric Generating Station.NRC approval is not required IAW 10CFR50.54(p). Encl will be withheld from public disclosure.
MURRAY,B. Region 4 (Post 820201). 98/01/30. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A2151:077-A2151:081.

9802060155 Informs that 970114 ltr ST-NOC-AE-000058 was distributed w/errors by incorrectly providing single sided copy of interim change 18-1 to emergency plan.Double sided copy of interim change 18-1 provided for replacement.
SERRA,P.L. Houston Lighting & Power Co. 98/02/02. Document Control Branch (Document Control Desk). 4pp. A2136:327-A2136:351.

9802240292 Discusses licensee 10CFR50.59 evaluation of leakage of sump water into refueling water storage tank.Emergency operating procedure encl.Licensee USQE acceptable.
ALEXION,T. . 98/02/09. . 16pp. A2325:222-A2325:237.

H. General correspondence

9802040335 Submits rev to distribution lists for transmittals to South Texas Project Unit 1 & 2,deleting CR Crisp/RL Balcom & adding DG Tees/RL Balcom.
MCBURNETT,M.A. Houston Lighting & Power Co. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2031:282-A2031:283.

9802040340 Submits change to distribution lists for transmittals related to South Texas Project Units 1 & 2.
MCBURNETT,M.A. Houston Lighting & Power Co. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2031:309-A2031:310.

9802200295 Submits change to distribution lists for transmittals related to South Texas Project Units 1 & 2.
MCBURNETT,M.A. Houston Lighting & Power Co. 98/02/11. Document Control Branch (Document Control Desk). 2pp. A2283:310-A2283:311.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802030115 Discusses 961217 licensee 10CFR50.59 evaluation of thimble guide tube nut replacement for plant.Design evaluation found to be acceptable.
ALEXION,T. . 98/01/22. . 1p. A1985:302-A1985:302.

9802030121 Informs that licensee 960417 & 970113 responses to GL 96-01, "Testing of Safety-Related Logic Circuits," acceptable & TACs M94734 & M94735 considered closed.
ALEXION,T.W. . 98/01/26. COTTLE,W.T. Houston Lighting & Power Co. 4pp. A1985:357-A1985:360.

9802040330 Forwards revised response to concerns raised by NRC re operations QA plan change QA-027,per 960923 ltr.
MARTIN,L.E. Houston Lighting & Power Co. 98/01/26. Document Control Branch (Document Control Desk). 9pp. A2031:284-A2031:292.

9802020044 Forwards change Q-034 to operations QA plan provided to NRC on 970522,incorporating organizational items resulting from transition to STP Nuclear Operating Co.Final complete copy of QA plan for implementation of graded QA activities encl.
MARTIN,L.E. Houston Lighting & Power Co. 98/01/28. Document Control Branch (Document Control Desk). 3pp. A1971:091-A1971:209.

–9802020058 Change 034 to rev 13 to "STP Electric Generating Station Operations QA Plan."
* Houston Lighting & Power Co. 98/01/28. 116pp. A1971:094-A1971:209.

9802050286 Summary of 980121 meeting w/STP Nuclear Operating Co re schedule for NRC review of STPNOC application for conversion to improved standard TS.List of attendees & handout provided by licensee encl.
ALEXION,T.W. . 98/02/02. . 6pp. A2012:250-A2012:255.

9802130093 Forwards change QA-034 to rev 13 of "Operations QA Plan," superseding copies sent on 980128,which inadvertently contained marked up page.Final complete copy of "Operations QA Plan," included.
MARTIN,L.E. Houston Lighting & Power Co. 98/02/04. Document Control Branch (Document Control Desk). 3pp. A2230:237-A2230:354.

–9802130096 Change QA-034 to rev 13 of "Operations QA Plan," resubmitted on 980128.Submittal inadvertently contained marked up pages.
COTTLE,W.T., MARTIN,L.E. Houston Lighting & Power Co. 98/01/22. 116pp. A2230:240-A2230:354.

9802200357 Forwards copy of renewed permit to dispose of wastes from Texas Natural Resource conservation Commission.
GANGLUFF,R.A. Houston Lighting & Power Co. 98/02/11. Document Control Branch (Document Control Desk). 35pp. A2290:170-A2290:204.

9802230050 Application for amend to license NPF-80,incorporating attached amend to TS 3.4.5.Amend will implement 1-volt voltage-based repair criteria for SG tube support plate-to- tube intersections.
CLOMINGER,T.H. Houston Lighting & Power Co. 98/02/16. Document Control Branch (Document Control Desk). 9pp. A2330:052-A2330:117.

–9802230053 Safety evaluation in support of amend to license NPF-80, implementing 1-volt voltage-based repair criteria for SG tube support plate-to-tube intersections.
* Houston Lighting & Power Co. 98/02/16. 11pp. A2330:061-A2330:071.

–9802230055 Proposed tech specs pages,implementing 1-volt voltage-based repair criteria for SG tube support plate-to-tube intersections.
* Houston Lighting & Power Co. 98/02/16. 14pp. A2330:072-A2330:117.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802180153 Responds to 980119 ltr,requesting reconsideration of decision not to release,prior to predecisional EC scheduled for 980226,repts of investigation conducted by NRC OI.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/02/09. COTTLE,W.T. Houston Lighting & Power Co. 6pp. A2182:061-A2182:066.

9802170029 Notification of predecisional enforcement conference w/util on 980226 in Arlington,TX to discuss apparent violation of 10CFR50.7.
SANBORN,G.F. Region 4 (Post 820201). 98/02/10. Region 4 (Post 820201). 4pp. A2181:016-A2181:021.

9802190152 Forwards corrected page 1 of ltr issued on 980209.Last line was inadvertently deleted from copies of ltr.
MERSCHOFF,E.W. Region 4 (Post 820201). 98/02/10. COTTLE,W.T. Houston Lighting & Power Co. 4pp. A2251:021-A2251:025.

–9802190165 Corrective page 1 of ltr issued on 980209,requesting reconsideration of decision not to release,prior to predecisional EC,scheduled for 980226.Last line was inadvertently deleted from copies of ltr.
* Region 4 (Post 820201). 98/02/09. COTTLE,W.T. Houston Lighting & Power Co. 1p. A2251:025-A2251:025.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802170166 Forwards insp repts 50-498/98-02 & 50-499/98-02 on 980112-15 & NOV.Insp focused on radiation protection activities.
HOWELL,A.T. Region 4 (Post 820201). 98/02/12. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A2181:274-A2181:302.

–9802170174 Insp repts 50-498/98-02 & 50-499/98-02 on 980112-15. Violations noted.Major areas inspected:operations & plant support re radiation protection.
* Region 4 (Post 820201). 98/02/12. 21pp. A2181:282-A2181:302.

R. Periodic operating reports & related correspondence

9802190046 Monthly operating repts for Jan 1998 for South TX Project, Units 1 & 2.W/ 980211 ltr.
HILL,R.L., MALLEN,F.H. Houston Lighting & Power Co. 98/01/31. 14pp. A2244:343-A2244:356.

9802240448 Forwards semiannual FFD program performance rept for second half of reporting period Jul-Dec 1997.
TIMMONS,F.R. Houston Lighting & Power Co. 98/02/12. Document Control Branch (Document Control Desk). 4pp. A2355:357-A2355:360.

S. Reportable occurrences, LERs & related correspondence

9802240170 Forwards LER 98-001-00 re failure to meet TS requirements for inoperable SDG 21.LER meets special rept requirements of STP TS 4.8.1.1.3 & 6.9.2 re valid failure of SDG 21 on 971228.
MASSE,R.E. Houston Lighting & Power Co. 98/02/16. Document Control Branch (Document Control Desk). 2pp. A2318:322-A2318:327.

–9802240180 LER 98-001-00:on 980115,failure to meet TS requirements for inoperable SDG 21 noted.Caused by failure of U3 operational amplifier in DG voltage regulator circuit.Replaced voltage regulator board for SDG 21 & complete post maint test.
HEAD,S.M. Houston Lighting & Power Co. 98/02/16. 4pp. A2318:324-A2318:327.

V. Operator Examinations

9802170054 Notification of 980226 meeting w/util in Arlington,Texas to discuss upcoming examinations.
HOWELL,A.T. Region 4 (Post 820201). 98/01/10. Region 4 (Post 820201). 5pp. A2170:355-A2170:359.

9802170058 Notification of 980212 meeting w/util in Arlington,Texas to discuss upcoming examinations.
HOWELL,A.T. Region 3 (Post 820201). 98/01/10. Region 4 (Post 820201). 5pp. A2176:018-A2176:022.

9802040346 Notifies NRC that AM Adams,SRO license 42608,addition of restriction,effective 971229.W/o attachment.
COATES,K.L. Houston Lighting & Power Co. 98/01/22. PELLET,J.L. Region 4 (Post 820201). 2pp. A2031:307-A2031:308.

9802020132 Notification of licensee meeting w/util on 980129 to discuss upcoming exams.
HOWELL,A.T. Region 4 (Post 820201). 98/01/27. Region 4 (Post 820201). 5pp. A1978:325-A1978:329.

9802040321 Notifies that VA Simonis,license 43703,no longer serves in position requiring license.
MARTIN,L.E. Houston Lighting & Power Co. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2028:149-A2028:150.

9802090209 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.GFES will consist of 100 questions.Max time allowed to complete exam,3 hours & passing score 80 percent.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. COTTLE,W.T. Houston Lighting & Power Co. 5pp. A2042:148-A2042:152.

9802200089 Discusses meeting conducted on 980210 at Region IV ofc re review of licensee plans for preparation of June 1998 operator license exams as well as future exams.List of attendees & licensee presentation encl.
PELLET,J.L. Region 4 (Post 820201). 98/02/12. COTTLE,W.T. Houston Lighting & Power Co. 15pp. A2251:346-A2251:360.

9802240142 Provides notification of removal of restriction from GW Wasek,SRO license 43666,effective 980211.W/o attachment.
COATES,K.L. Houston Lighting & Power Co. 98/02/17. PELLET,J.L. Region 4 (Post 820201). 2pp. A2333:335-A2333:336.

9802240230 Requests to have thirteen listed individuals take PWR GFES of written operator licensing exam to be administered on 980408.
COATES,K.L. Houston Lighting & Power Co. 98/02/17. MERSCHOFF,E.W. Region 4 (Post 820201). 3pp. A2350:313-A2350:315.

9802240236 Requests to have thirteen listed individuals take PWR GFES of written operator licensing exam to be administered on 980408.
COATES,K.L. Houston Lighting & Power Co. 98/02/17. GALLO,R.M. NRC - No Detailed Affiliation Given. 3pp. A2343:169-A2343:171.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9802090133 Forwards insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 on 980112-16 & NOV re inadequate protected area detection aids.Portions of licensee physical security program was also examined.Portions of insp repts withheld,per 10CFR73.21.
MURRAY,B. Region 4 (Post 820201). 98/02/03. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A2233:001-A2233:009.

--9802090135 Notice of violation from insp on 980112-16.Violation noted: on 980115,licensee tests of detection sys revealed three zones that failed to detect testing personnel entering zones.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:006-A2233:007.

--9802090137 Partially withheld insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 (ref 10CFR73.21) on 980112-16.Violations noted. Major areas inspected:physical security program.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:008-A2233:009.

H. General correspondence

9802020091 Comment opposing PRM 50-63A by PG Crane re amending emergency planning regulations to require consideration of prophylactic use of potassium iodide for general public.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/17. Office of the Secretary of the Commission. 2pp. A1978:304-A1978:305.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802050224 Forwards Rev 2 to "COLR for PVNGS,Unit 1." Rev 2 increases axial shape index allowable limits of operation at reactor power levels less than 50% w/core operating limit supervisory operable.Rev replaces Pages 1,2 & 6 of Unit 1.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2087:119-A2087:123.

--9802050227 Rev 2 to "COLR for PVNGS,Unit 1."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/27. 3pp. A2087:121-A2087:123.

9802110005 Forwards Class 1E,125 Volt,DC battery load profiles that NRC requested during 980106 telcon.Battery load profiles submitted as addl info for ltr dtd 971217,requesting amend to TS 3/4.8.2 & Bases Section 3/4.8.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/28. Document Control Branch (Document Control Desk). 6pp. A2199:346-A2199:351.

9802180142 Comment on draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPPs." Draft RG should be revised to clarify that alloy analyzer can be used consistent w/guidance in EPRI NP-5652.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2182:105-A2182:107.

9802130109 Forwards rept dealing w/changes to commitments which require NRC notification completed through Dec 1997.Rept contains brief description of original commitments,committed changes & brief justification for each action.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/31. Document Control Branch (Document Control Desk). 6pp. A2234:024-A2234:029.

9802230070 Forwards most recent changes to PVNGS Improved TS (ITS) identified during telcons w/NRC.Summary tables providing listed types of changes re ITS conversion,encl.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/12. Document Control Branch (Document Control Desk). 161pp. A2284:001-A2285:081.

--9802230072 Proposed tech specs replacing pages for Improved TS package conversion.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/12. 283pp. A2284:163-A2285:081.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802090133 Forwards insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 on 980112-16 & NOV re inadequate protected area detection aids.Portions of licensee physical security program was also examined.Portions of insp repts withheld,per 10CFR73.21.
MURRAY,B. Region 4 (Post 820201). 98/02/03. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A2233:001-A2233:009.

--9802090135 Notice of violation from insp on 980112-16.Violation noted: on 980115,licensee tests of detection sys revealed three zones that failed to detect testing personnel entering zones.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:006-A2233:007.

--9802090137 Partially withheld insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 (ref 10CFR73.21) on 980112-16.Violations noted. Major areas inspected:physical security program.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:008-A2233:009.

9802120248 Forwards insp repts 50-528/97-18,50-529/97-18 & 50-530/97-18 on 971130-980118.No violations noted.
KIRSCH,D.F. Region 4 (Post 820201). 98/02/04. LEVINE,J.M. Alabama Public Service Co. 4pp. A2143:127-A2143:145.

--9802120254 Insp repts 50-528/97-18,50-529/97-18 & 50-530/97-18 on 971130-980118.No violations noted.Major areas inspected: operations,maint & plant support.
* Region 4 (Post 820201). 98/02/04. 15pp. A2143:131-A2143:145.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190187 Submits listing of feeder inputs from Operations Branch for use in SALP assessment.
PELLET,J. Region 4 (Post 820201). 98/02/11. KIRSCH,D. Region 4 (Post 820201). 8pp. A2229:095-A2229:102.

R. Periodic operating reports & related correspondence

9802170077 Monthly operating repts for Jan 1998 for Palo Verde Nuclear Generating Station,Unit 1,2 & 3.W/980210 ltr.
FULTON,J.D., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/31. 4pp. A2220:160-A2220:163.

S. Reportable occurrences, LERs & related correspondence

9802130057 Forwards LER 97-006-00,which reports violation of TS due to missing performance of SR for ASME Section XI ISI pressure test.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/05. Document Control Branch (Document Control Desk). 1p. A2231:222-A2231:228.

-9802130064 LER 97-006-00:on 971028,missed TS 4.0.5 SR was noted.Caused by personnel error.Independent investigation of event is being conducted IAW w/APS Corrective Action Program.
MARKS,D.G. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/05. 5pp. A2231:223-A2231:228.

V. Operator Examinations

9802090214 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.GFES will consist of 100 questions.Max time allowed to complete exam,3 hours & passing score 80 percent.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A2042:143-A2042:147.

9802190270 Informs that LC Zell,MC Bradley,MR Wallner & AK McCarter no longer need to maintain license.Individuals permanently reassigned to positions that do not require license. Expiration of licenses requested per 10CFR55.55.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/11. Document Control Branch (Document Control Desk). 1p. A2268:344-A2268:344.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9802090133 Forwards insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 on 980112-16 & NOV re inadequate protected area detection aids.Portions of licensee physical security program was also examined.Portions of insp repts withheld,per 10CFR73.21.
MURRAY,B. Region 4 (Post 820201). 98/02/03. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A2233:001-A2233:009.

-9802090135 Notice of violation from insp on 980112-16.Violation noted: on 980115,licensee tests of detection sys revealed three zones that failed to detect testing personnel entering zones.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:006-A2233:007.

-9802090137 Partially withheld insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 (ref 10CFR73.21) on 980112-16.Violations noted. Major areas inspected:physical security program.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:008-A2233:009.

H. General correspondence

9802020091 Comment opposing PRM 50-63A by PG Crane re amending emergency planning regulations to require consideration of prophylactic use of potassium iodide for general public.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/17. Office of the Secretary of the Commission. 2pp. A1978:304-A1978:305.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802040419 Forwards suppl 1 to Special Rept 2-SR-97-01, "SG Eddy Current Exam Seventh Refueling Outage," Sept 1997.Suppl being submitted to provide complete results of SG tube ISI.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/25. Document Control Branch (Document Control Desk). 2pp. A2035:001-A2035:237.

-9802040424 "PVNGS Unit 2 SG Eddy Current Exam,7th Refueling Outage."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/09/30. 235pp. A2035:003-A2035:237.

9802110005 Forwards Class 1E,125 Volt,DC battery load profiles that NRC requested during 980106 telcon.Battery load profiles submitted as addl info for ltr dtd 971217,requesting amend to TS 3/4.8.2 & Bases Section 3/4.8.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/28. Document Control Branch (Document Control Desk). 6pp. A2199:346-A2199:351.

9802180142 Comment on draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPPs." Draft RG should be revised to clarify that alloy analyzer can be used consistent w/guidance in EPRI NP-5652.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2182:105-A2182:107.

9802130109 Forwards rept dealing w/changes to commitments which require NRC notification completed through Dec 1997.Rept contains brief description of original commitments,committed changes & brief justification for each action.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/31. Document Control Branch (Document Control Desk). 6pp. A2234:024-A2234:029.

9802190302 Notification of 980213 meeting w/APS in Arlington,Texas to discuss licensee presentation on decommissioning activities resulting from 1993 SGTR & presentation of investigation & root cause analysis results associated w/980123 acid spill.
HOWELL,A.T. Region 4 (Post 820201). 98/02/10. Region 4 (Post 820201). 6pp. A2230:037-A2230:042.

9802230070 Forwards most recent changes to PVNGS Improved TS (ITS) identified during telcons w/NRC.Summary tables providing listed types of changes re ITS conversion,encl.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/12. Document Control Branch (Document Control Desk). 161pp. A2284:001-A2285:081.

-9802230072 Proposed tech specs replacing pages for Improved TS package conversion.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/12. 283pp. A2284:163-A2285:081.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802040419 Forwards suppl 1 to Special Rept 2-SR-97-01, "SG Eddy Current Exam Seventh Refueling Outage," Sept 1997.Suppl being submitted to provide complete results of SG tube ISI.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/25. Document Control Branch (Document Control Desk). 2pp. A2035:001-A2035:237.

-9802040424 "PVNGS Unit 2 SG Eddy Current Exam,7th Refueling Outage."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/09/30. 235pp. A2035:003-A2035:237.

9802090133 Forwards insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 on 980112-16 & NOV re inadequate protected area detection aids.Portions of licensee physical security program was also examined.Portions of insp repts withheld,per 10CFR73.21.
MURRAY,B. Region 4 (Post 820201). 98/02/03. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A2233:001-A2233:009.

-9802090135 Notice of violation from insp on 980112-16.Violation noted: on 980115,licensee tests of detection sys revealed three zones that failed to detect testing personnel entering zones.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:006-A2233:007.

-9802090137 Partially withheld insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 (ref 10CFR73.21) on 980112-16.Violations noted. Major areas inspected:physical security program.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:008-A2233:009.

9802120248 Forwards insp repts 50-528/97-18,50-529/97-18 & 50-530/97-18 on 971130-980118.No violations noted.
KIRSCH,D.F. Region 4 (Post 820201). 98/02/04. LEVINE,J.M. Alabama Public Service Co. 4pp. A2143:127-A2143:145.

-9802120254 Insp repts 50-528/97-18,50-529/97-18 & 50-530/97-18 on 971130-980118.No violations noted.Major areas inspected: operations,maint & plant support.
* Region 4 (Post 820201). 98/02/04. 15pp. A2143:131-A2143:145.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190187 Submits listing of feeder inputs from Operations Branch for use in SALP assessment.
PELLET,J. Region 4 (Post 820201). 98/02/11. KIRSCH,D. Region 4 (Post 820201). 8pp. A2229:095-A2229:102.

R. Periodic operating reports & related correspondence

9802170077 Monthly operating repts for Jan 1998 for Palo Verde Nuclear Generating Station,Unit 1,2 & 3.W/980210 ltr.
FULTON,J.D., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/31. 4pp. A2220:160-A2220:163.

S. Reportable occurrences, LERs & related correspondence

9802190104 LER 97-007-00:on 971006,TS violation occurred due to inadequate shutdown cooling flow during Modes 5 & 6 operation.Independent investigation of event was conducted IAW APS CA program.W/980210 ltr.
MARKS,D.G., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/10. 6pp. A2255:257-A2255:262.

V. Operator Examinations

9802090214 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.GFES will consist of 100 questions.Max time allowed to complete exam,3 hours & passing score 80 percent.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A2042:143-A2042:147.

9802190270 Informs that LC Zell,MC Bradley,MR Wallner & AK McCarter no longer need to maintain license.Individuals permanently reassigned to positions that do not require license. Expiration of licenses requested per 10CFR55.55.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/11. Document Control Branch (Document Control Desk). 1p. A2268:344-A2268:344.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9802090133 Forwards insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 on 980112-16 & NOV re inadequate protected area detection aids.Portions of licensee physical security program was also examined.Portions of insp repts withheld,per 10CFR73.21.
MURRAY,B. Region 4 (Post 820201). 98/02/03. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A2233:001-A2233:009.

--9802090135 Notice of violation from insp on 980112-16.Violation noted: on 980115,licensee tests of detection sys revealed three zones that failed to detect testing personnel entering zones.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:006-A2233:007.

--9802090137 Partially withheld insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 (ref 10CFR73.21) on 980112-16.Violations noted. Major areas inspected:physical security program.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:008-A2233:009.

H. General correspondence

9802020091 Comment opposing PRM 50-63A by PG Crane re amending emergency planning regulations to require consideration of prophylactic use of potassium iodide for general public.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/17. Office of the Secretary of the Commission. 2pp. A1978:304-A1978:305.

P. Operating license stage documents & correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

9802110005 Forwards Class 1E,125 Volt,DC battery load profiles that NRC requested during 980106 telcon.Battery load profiles submitted as addl info for ltr dtd 971217,requesting amend to TS 3/4.8.2 & Bases Section 3/4.8.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/28. Document Control Branch (Document Control Desk). 6pp. A2199:346-A2199:351.

9802180142 Comment on draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPPs." Draft RG should be revised to clarify that alloy analyzer can be used consistent w/guidance in EPRI NP-5652.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2182:105-A2182:107.

9802130109 Forwards rept dealing w/changes to commitments which require NRC notification completed through Dec 1997.Rept contains brief description of original commitments,committed changes & brief justification for each action.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/31. Document Control Branch (Document Control Desk). 6pp. A2234:024-A2234:029.

9802180081 Discusses SG operational assessment for Unit 3 Cycle 7 operation.Util concluded,interim Unit 3 operation justified for at least 10.6 months.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/06. Document Control Branch (Document Control Desk). 2pp. A2242:360-A2242:362.

9802230070 Forwards most recent changes to PVNGS Improved TS (ITS) identified during telcons w/NRC.Summary tables providing listed types of changes re ITS conversion,encl.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/12. Document Control Branch (Document Control Desk). 161pp. A2284:001-A2285:081.

--9802230072 Proposed tech specs replacing pages for Improved TS package conversion.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/12. 283pp. A2284:163-A2285:081.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802090133 Forwards insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 on 980112-16 & NOV re inadequate protected area detection aids.Portions of licensee physical security program was also examined.Portions of insp repts withheld,per 10CFR73.21.
MURRAY,B. Region 4 (Post 820201). 98/02/03. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A2233:001-A2233:009.

--9802090135 Notice of violation from insp on 980112-16.Violation noted: on 980115,licensee tests of detection sys revealed three zones that failed to detect testing personnel entering zones.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:006-A2233:007.

--9802090137 Partially withheld insp repts 50-528/98-01,50-529/98-01 & 50-530/98-01 (ref 10CFR73.21) on 980112-16.Violations noted. Major areas inspected:physical security program.
* Region 4 (Post 820201). 98/02/03. 2pp. A2233:008-A2233:009.

9802120248 Forwards insp repts 50-528/97-18,50-529/97-18 & 50-530/97-18 on 971130-980118.No violations noted.
KIRSCH,D.F. Region 4 (Post 820201). 98/02/04. LEVINE,J.M. Alabama Public Service Co. 4pp. A2143:127-A2143:145.

--9802120254 Insp repts 50-528/97-18,50-529/97-18 & 50-530/97-18 on 971130-980118.No violations noted.Major areas inspected: operations,maint & plant support.
* Region 4 (Post 820201). 98/02/04. 15pp. A2143:131-A2143:145.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802190187 Submits listing of feeder inputs from Operations Branch for use in SALP assessment.
PELLET,J. Region 4 (Post 820201). 98/02/11. KIRSCH,D. Region 4 (Post 820201). 8pp. A2229:095-A2229:102.

R. Periodic operating reports & related correspondence

9802170077 Monthly operating repts for Jan 1998 for Palo Verde Nuclear Generating Station,Unit 1,2 & 3.W/980210 ltr.
FULTON,J.D., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/01/31. 4pp. A2220:160-A2220:163.

V. Operator Examinations

9802090214 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam at facility on 980408.GFES will consist of 100 questions.Max time allowed to complete exam,3 hours & passing score 80 percent.
PELLET,J.L. Region 4 (Post 820201). 98/02/05. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. A2042:143-A2042:147.

9802190270 Informs that LC Zell,MC Bradley,MR Wallner & AK McCarter no longer need to maintain license.Individuals permanently reassigned to positions that do not require license. Expiration of licenses requested per 10CFR55.55.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 98/02/11. Document Control Branch (Document Control Desk). 1p. A2268:344-A2268:344.

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

A. Application/Construction Stage Documents and Related Correspondence

9711050091 Suppl 1 to Generic Ltr 96-06 to all holders of OLs for nuclear power reactors except for those listed,re assurance of equipment operability & containment integrity during design-basis accident conditions.
ROE,J.W. . 97/11/13. Consolidated Edison Co. of New York, Inc. 8pp. A2212:024-A2212:031.

9712180168 NRC Generic Ltr 97-06 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re degradation of SG internals.
ROE,J.W. . 97/12/30. Consolidated Edison Co. of New York, Inc. 7pp. A2212:010-A2212:016.

Q. Inspection reports, IE Bulletins & correspondence

9712120014 NRC Generic Ltr 97-05 to all holders of OLs for PWRs,except those permanently ceased operations & certified that fuel permanently removed from reactor vessel re SG tube insp techniques.
ROE,J.W. . 97/12/17. Consolidated Edison Co. of New York, Inc. 8pp. A2212:002-A2212:009.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9802030117 Forwards RAI re open items on AP600.NRC has not completed review of W request that portions of info submitted in June 1992 application for design certification be exempt from mandatory public disclosure.
KENYON,T.J. . 97/12/15. LIPARULO,N.J. Westinghouse Electric Corp. 10pp. A1985:335-A1985:344.

9802030132 Forwards request for addl info re June 1992 application for design certification of AP600 in area of PRA analysis for shutdown conditions.
SEBROSKY,J.M. . 97/12/18. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A1987:027-A1987:031.

9802040206 Forwards list of open items associated w/AP600 shutdown TS.
SEBROSKY,J.M. . 97/12/23. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A2000:355-A2000:357.

9802030122 Notification of meeting w/W on 980128-29 in Rockville,MD to discuss & resolve TS issues related to review of W AP600 design certification application.
HUFFMAN,W. . 98/01/27. QUAY,T.R. . 3pp. A1976:078-A1976:080.

9802040002 Forwards W responses to open item OITS 5321/Q260.93 re AP600 SSAR Chapter 14, "Initial Test Program," per 980107 request.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/28. QUAY,T.R. Document Control Branch (Document Control Desk). 19pp. A2020:211-A2020:229.

9802050138 Forwards W response to RAI 640.173 re AP600 insp,tests, analyses & acceptance criteria as requested in 980109 ltr.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/28. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. A2057:352-A2057:358.

9802060175 Forwards three copies of W responses to followon questions re AP600 insps,tests,analyses & acceptance criteria RXS internals prototype test.W status column will be change to "Confirm W" for open item 6519 & "Closed" for 6002 in OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/29. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. A2135:356-A2135:358.

9802060195 Forwards W response to FSER open item 410.30F on testing for water hammer in AP600 condensate & feedwater sys.W status column will be changed to "Confirm W" in open item tracking sys (OITS).
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/29. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. A2138:291-A2138:295.

9802060197 Forwards proprietary & non-proprietary W revised responses to RAI 440.573 & 440.575 re comments from Reactor Systems Branch on OSU Final Data Rept & OSU Test Analysis Rept. Proprietary info withheld,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/29. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. A2089:256-A2089:278.

-9802060198 Requests that proprietary responses to followon questions re AP600 test & analysis program of OSU final data rept & OSU test analysis rept be withheld from public disclosure,per 10CFR2.790.
SEPP,H.A. Westinghouse Electric Corp. 98/01/29. QUAY,T.R. Document Control Branch (Document Control Desk). 18pp. A2089:260-A2089:278.

9802060003 Forwards NRC positions on requested exemptions for AP600 design.
QUAY,T.R. . 98/01/30. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A2027:280-A2027:284.

9802060083 Forwards list of items that Westinghouse needs to address during appeal of issue re AP600 containment coatings.
SEBROSKY,J.M. . 98/01/30. . 3pp. A2027:271-A2027:273.

9802060151 Forwards rev to table 5.0-1 of AP600 Certified Design Matl, Section 5, "Site Parameters," per request by Civil Engineering & Geosciences Branch at ITAAC task group 971205 meeting.Rev consistent w/table 2-1 in SSAR rev 19.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2153:358-A2153:361.

9802060152 Forwards response to RAI 640.174 re comments on fuel assembly & control rod drive mechanism from Reactor Systems Branch re rev 3 of AP600 Certified Design Matl,including ITAAC.Response closes open items 6518 & 6052.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/30. Document Control Branch (Document Control Desk). 6pp. A2152:347-A2152:352.

9802240039 Notification of 980211 meeting w/Westinghouse in Rockville, MD to discuss process of AP600 design certification review.
HUFFMAN,W.C. . 98/02/04. QUAY,T.R. . 3pp. A2333:348-A2333:350.

9802240145 Summary of 980120 & 21 meeting w/Westinghouse to discuss AP600 structural calculations to resolve FSER open items. List of participants & handouts encl.
SEBROSKY,J.M. . 98/02/11. . 47pp. A2287:221-A2287:267.

9802240185 Notification of 980212 meeting w/Westinghouse in Rockville,MD to discuss AP600 level 1 PRA insights found in Westinghouse ltr of 980115.
SEBROSKY,J.M. . 98/02/11. QUAY,T.R. . 3pp. A2325:257-A2325:259.

9802240418 Forwards updated list of requests for exemption for AP600. Summary of requests for exemptions have been revised as result of comments & requests in ltr from NRC dtd 980130. Revised summary encl.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/18. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. A2355:340-A2355:343.

9802260243 Forwards proprietary revs to SSAR 6.2 resulting from reanalysis of containment pressure DBA & to describe changes to AP600 containment evaluation model used for reanalysis. Proprietary encl withheld (ref 10CFR2.790).
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/20. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. A2372:256-A2372:345.

-9802260249 Requests that proprietary SSAR 6.2 markup & evaluation model changes,be withheld (ref 10CFR2.790).
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/06. QUAY,T.R. Document Control Branch (Document Control Desk). 88pp. A2372:258-A2372:345.

9802030117 Forwards RAI re open items on AP600.NRC has not completed review of W request that portions of info submitted in June 1992 application for design certification be exempt from mandatory public disclosure.
KENYON,T.J. . 97/12/15. LIPARULO,N.J. Westinghouse Electric Corp. 10pp. A1985:335-A1985:344.

9802040013 Forwards open items associated w/AP600 SER,Section 3.6.1, "Piping Failures Outside Containment."
SEBROSKY,J.M. . 97/12/17. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. A2006:291-A2006:295.

9802040017 Forwards open items associated w/chapter 3.8.5 of AP600 SER.
SEBROSKY,J.M. . 97/12/18. LIPARULO,N.J. Westinghouse Electric Corp. 7pp. A2006:284-A2006:290.

9802030089 Forwards open items associated w/Chapter 20 of AP600 SER.
SEBROSKY,J.M. . 97/12/19. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. A1980:351-A1980:354.

9802180207 Forwards update to AP600 Final SER,Chapter 20,GIs addressing issues for which SRXB has primary responsibility.Issues that remain open includes,A-31, "RHR Shutdown Requirements," A-9, "ATWS" & A-105, "ISLOCA."
COLLINS,T.E. . 98/01/09. QUAY,T.R. . 30pp. A2212:294-A2212:323.

9802040131 Forwards W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS,encl in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/26. QUAY,T.R. Document Control Branch (Document Control Desk). 54pp. A2034:150-A2034:203.

9802050165 Provides Westinghouse responses to FSER open items on AP600. Summary of encl responses provided in Table 1.NRC should review encls & inform Westinghouse of status to be designated in "NRC Status" column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/27. QUAY,T.R. Document Control Branch (Document Control Desk). 33pp. A2027:164-A2027:196.

9802030149 Forwards Westinghouse responses to FSER open items on AP600. Summary of encl responses provided in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/28. QUAY,T.R. Document Control Branch (Document Control Desk). 51pp. A2048:277-A2048:338.

9802040002 Forwards W responses to open item OITS 5321/Q260.93 re AP600 SSAR Chapter 14, "Initial Test Program," per 980107 request.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/28. QUAY,T.R. Document Control Branch (Document Control Desk). 19pp. A2020:211-A2020:229.

9802050138 Forwards W response to RAI 640.173 re AP600 insp,tests, analyses & acceptance criteria as requested in 980109 ltr.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/28. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. A2057:352-A2057:358.

9802060175 Forwards three copies of W responses to followon questions re AP600 insps,tests,analyses & acceptance criteria RXS internals prototype test.W status column will be change to "Confirm W" for open item 6519 & "Closed" for 6002 in OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/29. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. A2135:356-A2135:358.

9802060187 Informs that W has provided addl info to supplement previous response to FSER Open Item 410.308F on testing of air-operated valves supplied by air from compressed & instrument air sys.Submittal closes open item 6032.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/29. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. A2138:357-A2138:357.

9802060195 Forwards W response to FSER open item 410.30F on testing for water hammer in AP600 condensate & feedwater sys.W status column will be changed to "Confirm W" in open item tracking sys (OITS).
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/29. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. A2138:291-A2138:295.

9802060202 Forwards W responses to FSER open items on AP600.Summary of encl responses,FSER OITS number,associated OITS number & status to be designated in W status column of OITS,included in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/29. QUAY,T.R. Document Control Branch (Document Control Desk). 42pp. A2151:313-A2151:354.

9802060151 Forwards rev to table 5.0-1 of AP600 Certified Design Matl, Section 5, "Site Parameters," per request by Civil Engineering & Geosciences Branch at ITAAC task group 971205 meeting.Rev consistent w/table 2-1 in SSAR rev 19.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2153:358-A2153:361.

9802060152 Forwards response to RAI 640.174 re comments on fuel assembly & control rod drive mechanism from Reactor Systems Branch re rev 3 of AP600 Certified Design Matl,including ITAAC.Response closes open items 6518 & 6052.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/30. Document Control Branch (Document Control Desk). 6pp. A2152:347-A2152:352.

9802060170 Forwards updated request for exemption for AP600 & W response to FSER open item 650.35F (OITS #6432).W status will be changed to Confirm W.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/30. QUAY,T.R. Document Control Branch (Document Control Desk). 6pp. A2151:355-A2151:360.

9802060199 Forwards W responses to FSER open items on AP600.Summary of encl responses provided in Table 1,including table FSER OITS number,associated OITS number & status to be designated in W status column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/30. QUAY,T.R. Document Control Branch (Document Control Desk). 441pp. A2096:001-A2097:077.

9802110021 Forwards W responses to FSER open items on AP600.Summary of enclosed responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS encl in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/02. QUAY,T.R. Document Control Branch (Document Control Desk). 18pp. A2198:330-A2198:347.

9802120232 Forwards W responses to FSER open items on AP600.Summary of encl responses is provided in Table 1.FSER open item number, associated OITS number & status to be designated in W status column of OITS is included in table.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/04. QUAY,T.R. Document Control Branch (Document Control Desk). 25pp. A2230:210-A2230:234.

9802120320 Forwards W response to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS, included in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/05. QUAY,T.R. Document Control Branch (Document Control Desk). 35pp. A2231:014-A2231:049.

9802200325 Forwards W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status of column of OITS, provided in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/06. QUAY,T.R. Document Control Branch (Document Control Desk). 76pp. A2290:001-A2290:076.

9802200318 Forwards W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS, provided in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/09. QUAY,T.R. Document Control Branch (Document Control Desk). 24pp. A2290:301-A2290:324.

9802200195 Responds to questions related to use of nonsafety-related coatings inside containment & on exterior of containment shell,to support 980211 meeting to discuss paint & other coatings in AP600 containment.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/10. QUAY,T.R. Document Control Branch (Document Control Desk). 24pp. A2319:255-A2319:278.

9802200322 Forwards W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS, provided in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/10. QUAY,T.R. Document Control Branch (Document Control Desk). 42pp. A2290:128-A2290:169.

9802200316 Forwards W responses to FSER open items on AP600.Summary of encl responses,FSER open item numbers associated w/OITS number & status to be designated in W status column of OITS, encl in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/11. QUAY,T.R. Document Control Branch (Document Control Desk). 30pp. A2290:271-A2290:300.

9802240145 Summary of 980120 & 21 meeting w/Westinghouse to discuss AP600 structural calculations to resolve FSER open items. List of participants & handouts encl.
SEBROSKY,J.M. . 98/02/11. . 47pp. A2287:221-A2287:267.

9802190140 Forwards W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OITS, included in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/12. QUAY,T.R. Document Control Branch (Document Control Desk). 11pp. A2250:341-A2250:351.

9802200327 Forwards W responses to FSER open items on AP600.Summary of encl responses,FSER open item number,associated OITS number & status to be designated in W status column of OTIS, provided in Table 1.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/13. QUAY,T.R. Document Control Branch (Document Control Desk). 34pp. A2319:283-A2319:316.

9802230027 Forwards proprietary change page to W response to FSER 0I 480.1085F,which corrects subscripts.Encl withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/13. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. A2283:343-A2283:345.

9802230036 Forwards proprietary & non-proprietary W response to FSER open item 440.739F on AP600.W status for item will be designated "Action N." Proprietary info withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/13. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. A2283:322-A2283:342.

–9802230042 Requests that proprietary W response to FSER open item 440.739F be withheld from public disclosure,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/13. QUAY,T.R. Document Control Branch (Document Control Desk). 17pp. A2283:326-A2283:342.

9802240408 Forwards W responses to FSER open items on AP600.Summary of encl responses is provided in Table 1,including FSER open item number,associated OITS number & status to be designated in W status column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/17. QUAY,T.R. Document Control Branch (Document Control Desk). 6pp. A2355:344-A2355:349.

9802240189 Forwards W responses to FSER open items on AP600.Summary of encl responses,including FSER open item number,associated OITS number & status to be designated in W status column of OITS provided.Proprietary revs to WCAP-14727 withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/18. QUAY,T.R. Document Control Branch (Document Control Desk). 62pp. A2416:001-A2416:062.

9802260212 Forwards proprietary revised W response to request for addl info item 440.580.Open item pertains to AP600 PRHR OSU TAR. Proprietary response withheld (ref 10CFR2.790).
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/20. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. A2373:136-A2373:151.

–9802260216 Requests that proprietary AP600 response to request for addl info,be withheld (ref 10CFR2.790).
SEPP,H.A. Westinghouse Electric Corp. 98/02/20. QUAY,T.R. Document Control Branch (Document Control Desk). 12pp. A2373:140-A2373:151.

9802260229 Forwards W responses to FSER open items on AP600.Summary of encl responses provided in Table 1.NRC should review encls & in form W of status to be designated in "NRC Status" column of OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/20. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. A2373:233-A2373:239.

9802270225 Forwards W response to FSER open item 720.434F re AP600 Level 1 PRA Analysis.W status column will be changed to "Confirm W."
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/23. QUAY,T.R. Document Control Branch (Document Control Desk). 60pp. A2399:192-A2399:251.

9802110037 Requests meeting w/NRC mgt to resolve outstanding AP600 fire protection issues,if required.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/03. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. A2212:286-A2212:287.

9802170014 Forwards rev 20 to GW-GL-021, "AP600 SSAR," Vols 1-11. Revised table of contents,change page instructions,list of effective pages,document cover sheet & change roadmap outlining change in each section,encl.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/02/09. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. A2275:001-A2279:014.

–9802170016 Rev 20 to GW-GL-021, "AP600 SSAR," Vols 1-11.W/four oversize drawings.
LINGREN,D.A., MCINTYRE,B.A. Westinghouse Electric Corp. GW-GL-021 R20. 98/02/09. 1,470pp. A2275:006-A2279:014.

9802260064 Informs that during 448th meeting of ACRS on 980205-07,NRC reviewed AP600 SSAR re interim ltr on safety aspects of W application for certification of AP600 plant design.
SEALE,R.L. ACRS - Advisory Committee on Reactor Safeguards. 98/02/19. CALLAN,L.J. Ofc of the Executive Director for Operations. 8pp. A2366:132-A2366:139.

9802020106 Forwards insp rept 99900404/97-02 on 971117-21 & notice of nonconformance.
BLACK,S.C. . 98/01/28. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1978:191-A1978:223.

–9802020116 Notice of nonconformance from insp on 971117-21. Nonconformance noted:insp team found that for listed AP600 calculations Westinghouse failed to perform adequate design review to establish acceptability of AP600 design analyses.
* . 98/01/28. 4pp. A1978:194-A1978:197.

–9802020121 Insp rept 99900404/97-02 on 971117-21.Noncompliance noted. Major areas inspected:quality assurance program of record in AP600 SSAR.
* . 98/01/28. 26pp. A1978:198-A1978:223.

9802050138 Forwards W response to RAI 640.173 re AP600 insp,tests, analyses & acceptance criteria as requested in 980109 ltr.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/28. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. A2057:352-A2057:358.

9802060175 Forwards three copies of W responses to followon questions re AP600 insps,tests,analyses & acceptance criteria RXS internals prototype test.W status column will be change to "Confirm W" for open item 6519 & "Closed" for 6002 in OITS.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/29. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. A2135:356-A2135:358.

9802060151 Forwards rev to table 5.0-1 of AP600 Certified Design Matl, Section 5, "Site Parameters," per request by Civil Engineering & Geosciences Branch at ITAAC task group 971205 meeting.Rev consistent w/table 2-1 in SSAR rev 19.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A2153:358-A2153:361.

9802060152 Forwards response to RAI 640.174 re comments on fuel assembly & control rod drive mechanism from Reactor Systems Branch re rev 3 of AP600 Certified Design Matl,including ITAAC.Response closes open items 6518 & 6052.
MCINTYRE,B.A. Westinghouse Electric Corp. 98/01/30. Document Control Branch (Document Control Desk). 6pp. A2152:347-A2152:352.

9802230338 Notification of 980211 meeting w/Westinghouse in Rockville, Maryland to discuss Westinghouse response to AP600 QA Insp Rept dtd 980128.
HUFFMAN,W.C. . 98/02/05. QUAY,T.R. . 3pp. A2258:324-A2258:326.

DOCKET DOCKET UNKNOWN

9802230181 Forwards application for docket 7003095 for amend to license SNM,authorizing receipt,storage,processing,treatment & transfer of radwaste containing SNM,environ rept w/101 Oversized Drawings.
ALKEMA,K. Envirocare of Utah, Inc. 97/12/05. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. A2380:001-A2395:294.

–9802230182 Application for docket 7003095 for radioactive matl license SNM,10CFR70,Vols 1-7.
* Envirocare of Utah, Inc. 97/12/31. 850pp. A2380:003-A2390:018.

–9802230193 Environ rept for docket 7003095 for receipt,possession & transfer of SNM at Envirocare of UT,Inc,Clive,UT,Vols 1-5.W/ oversize drawings.
* Envirocare of Utah, Inc. 97/12/31. 850pp. A2390:019-A2395:294.

9802170157 Submits rev 1 to notification (7001259) of upcoming shipment of UF6,fissile,from St Petersburg,Russia on 971101 to Busan, Korea,on 971218.
* Edlow International Co. 97/11/06. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2176:033-A2176:033.

9802050302 Safety insp on 971209 of Phytotech,Inc,docket 7003094, license SNM-2005.No violations noted.
* Region 1 (Post 820201). * Affiliation Not Assigned. 97/12/09. 1p. A2038:249-A2038:249.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0026 WESTINGHOUSE ELECTRIC CO.

9802060104 Forwards insp rept 70-0026/97-01 on 970723-24 & 1215.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 98/01/29. NARDI,J. Westinghouse Electric Corp. 3pp. A2039:016-A2039:024.

--9802060108 Insp rept 70-0026/97-01 on 970723-24 & 1215.No violations noted.Major areas inspected:exterior & interior remediation activities,conducted 970723-24 & 1215.
* Region 1 (Post 820201). 98/01/22. 6pp. A2039:019-A2039:024.

DOCKET 70-0027 BMX TECHNOLOGIES, INC.

9802030148 Forwards specific comments on Rev 0.1, "Final Status Survey Plan (FSSP) for Impoundment Ponds," dtd 971023.Response requested within 60 days of date of ltr.
WEBER,M.F. Licensing Branch. 98/01/20. OLSEN,A.F. . 3pp. A2018:329-A2018:331.

9802060207 Forwards partially withheld insp rept 70-0027/98-201 on 980112-16.No violations noted.Rept details withheld,per 10CFR2.790.
TING,P. Operations Branch. 98/02/02. CONNER,J.A. Affiliation Not Assigned. 2pp. A2098:331-A2098:333.

--9802060208 Partially withheld insp rept 70-0027/98-201 on 980112-16.No violations noted.Details withheld,per 10CFR2.790.
TING,P. Operations Branch. 98/02/02. 1p. A2098:333-A2098:333.

9802100116 Informs of NRC Region II mgt changes,effective 980215. Revised organization chart encl.
MCALPINE,E.J. Region 2 (Post 820201). 98/02/03. CONNER,J.A. Affiliation Not Assigned. 3pp. A2095:153-A2095:155.

9802100104 Application for amend to License SNM-42,requesting license Condition S-5 be amended,extending completion date for ISA project for two more yrs until 000401.New date reflected in encl revised Chapter 1,Page 1-9 of license application.
OLSEN,A.F. Affiliation Not Assigned. 98/02/05. Office of Nuclear Material Safety & Safeguards. 17pp. A2182:122-A2182:139.

9802170115 Responds to NRC 980112 ltr re violations noted in insp rept 70-0027/97-206.Corrective actions:EIA-724 was immediately removed from shop floor.
CONNER,J.A. Affiliation Not Assigned. 98/02/10. Document Control Branch (Document Control Desk). 3pp. A2231:341-A2231:343.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9802110107 Forwards response to 971125 RAI,ISA for hydrofluoric acid absorber sys,slides presented at 980115 meeting w/NRC & engineering drawings of sys.Authorization to release HF for unrestricted use requested by 980216.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 98/02/06. Office of Nuclear Material Safety & Safeguards. 2pp. A2163:001-A2163:198.

--9802110109 "Integrated Safety Assessment HF Absorber/Scrubber Sys."
ALKIER,B., FREEMAN,B., HAYES,K. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 98/02/06. 200pp. A2163:003-A2163:198.

9802040154 Forwards amend 18 to license SNM-33,authorizing update to Hematite Evaporation Ponds decommissioning plan.Safety condition S-1 is revised to include dates of 970530,1022 & 1219.SER,encl recommending approval of amend application.
WEBER,M.F. Licensing Branch. 98/01/26. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. A2034:351-A2034:361.

--9802040158 Amend 18 to SNM-33,authorizing update to Hematite Evaporation Ponds decommissioning plan.
WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 98/01/26. 4pp. A2034:353-A2034:356.

--9802040161 SER supporting amend 18 to license SNM-33.
WEBER,M.F. NRC - No Detailed Affiliation Given. 98/01/26. 5pp. A2034:357-A2034:361.

9802050156 Forwards detailed supplemental info re criticality safety of HF absorber sys,per 980120 discussion.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 98/01/30. Office of Nuclear Material Safety & Safeguards. 9pp. A2079:352-A2079:360.

9802050291 Forwards response to 971103 RAI re licensee application requesting rev to chapter 4 of license SNM-33.Revised chapter 4, "Nuclear Criticality Safety," pages,encl.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 98/01/30. Office of Nuclear Material Safety & Safeguards. 35pp. A2149:265-A2149:299.

9802250011 Summary of 980115 meeting w/CE at NRC headquarters re NRC questions related to chemical safety of new HF scrubber associated w/pending amend request to release HF acid unrestricted use.W/list of attendees.
SOONG,S. Licensing Branch. 98/02/09. WEBER,M.F. Licensing Branch. 47pp. A2360:201-A2360:247.

9802200101 Provides updated listing of individuals authorized to make license commitments & preferred distribution of correspondence from NRC.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 98/02/12. Office of Nuclear Material Safety & Safeguards. 2pp. A2283:269-A2283:270.

9802240339 Forwards amend 19 to license SNM-33,incorporating revised Fundamental Nuclear Matl Control Plan.Safeguards license condition SG-1.1 revised to read as listed.SER,encl,which includes categorical exclusion.
WEBER,M.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/12. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. A2366:042-A2366:050.

--9802240342 Amend 19 to license SNM-33 for Hematite Nuclear Fuel Mfg.
WEBER,M.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/12. 4pp. A2366:045-A2366:048.

--9802240345 SER accepting amend 19 to license SNM-33.
WEBER,M.F. NRC - No Detailed Affiliation Given. 98/02/12. 2pp. A2366:049-A2366:050.

9802260262 Forwards insp rept 70-0036/98-201 on 980112-16 & NOV. One cited & 2 non-cited violations identified.Seven of 9 previously opened inspector followup items were closed & 1 recategorized as violation.
TING,P. Operations Branch. 98/02/12. KAISER,B.J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. A2337:155-A2337:178.

--9802260265 Notice of violation from insp on 980212-16.Violation noted: as of 980116,two identified controls designed to meet requirements,as listed,are dual independent sampling of fissile matl content of solution.
* Office of Nuclear Material Safety & Safeguards. 98/02/12. 2pp. A2337:158-A2337:159.

--9802260266 Insp rept 70-0036/98-201 on 980112-16.Violations noted.Major areas inspected:routine,unannounced nuclear criticality safety insp of Hematite Missourie plant of ABB Combustion Engineering.
* Office of Nuclear Material Safety & Safeguards. 98/02/12. 19pp. A2337:160-A2337:178.

9802270305 Revised application for amend to license SNM-33,releasing hydrofluoric acid mfg as byproduct of oxide conversion process for unrestricted commercial use as previously described.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 98/02/25. Office of Nuclear Material Safety & Safeguards. 5pp. A2412:024-A2412:028.

DOCKET 70-0048 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

DOCKET 70-0133 CLEVITE CORP., CLEVELAND, OH

9802190288 Forwards insp rept 70-0133/98-01 on 980114-15 & 22.No violations noted.Insp conducted to confirm remediation of encl portion of weld shop IAW NRC release criteria for unrestricted use.
JORGENSEN,B.L. Region 3 (Post 820201). 98/02/12. CRONMILLER,J.F. Affiliation Not Assigned. 3pp. A2230:046-A2230:054.

--9802190290 Insp rept 70-0133/98-01 on 980114-15 & 980122.No violations noted.Major areas inspected:Insp conducted to perform radiological confirmatory survey of encl weld shop room. Results did not identify any residual radioactive matl.
* Region 3 (Post 820201). 98/02/12. 6pp. A2230:049-A2230:054.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9802030076 Forwards documents to support licensing of KAST Fuel Mfg process described in ltr.Encl withheld.
BAER,T.S. Nuclear Fuel Services, Inc. 97/12/05. WEBER,M.F. Licensing Branch. 3pp. A2135:201-A2135:203.

9802030113 Submits first of several nuclear criticality safety analysis repts for KAST Fuel Mfg Process which pertain to three specific processing areas of KAST process.Repts withheld.
BAER,T.S. Nuclear Fuel Services, Inc. 97/12/19. WEBER,M.F. Licensing Branch. 3pp. A2135:196-A2135:198.

9802030087 Forwards Rev 1 to Chapter 7 of preliminary integrated safety analysis summary rept for KAST Fuel Mfg process.Rev incorporates info which was not available at time of 971205, submittal.Rev withheld.
BAER,T.S. Nuclear Fuel Services, Inc. 98/01/13. WEBER,M.F. Licensing Branch. 2pp. A2135:194-A2135:195.

9802030102 Requests technical assistance in reviewing Northsite decommissioning plan by Nuclear Fuel Svcs,Inc.
SCHWINK,W.S. Licensing Branch. 98/01/15. HICKEY,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. A2015:353-A2015:355.

9802040277 Ack receipt of 980102 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0143/97-11 on 971204.
MCALPINE,E.J. Region 2 (Post 820201). 98/01/21. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. A2000:083-A2000:089.

9802030127 Forwards nuclear criticality safety analysis repts to support licensing of KAST Fuel Mfg Process,described in 971205 ltr.Repts withheld.
BAER,T.S. Nuclear Fuel Services, Inc. 98/01/26. WEBER,M.F. Licensing Branch. 2pp. A2176:034-A2176:035.

9802040145 Concurs w/licensee determination that encls to 971030,ltr contain info of type specified in 10CFR2.790(d) which deemed to be commercial or financial within meaning of 10CFR9.17(a)(4).
COX,T. Licensing Branch. 98/01/26. BAER,T.S. Nuclear Fuel Services, Inc. 2pp. A2033:360-A2033:361.

9802040049 Summary of 980114 meeting w/NRC & licensee in Rockville,MD re current status of several projects & NRC plans for future licensing submittals.
COX,T.H. Licensing Branch. 98/01/27. WEBER,M.F. Licensing Branch. 4pp. A2020:145-A2020:148.

9802180004 Forwards proprietary documentation to support nuclear safety basis for planned HEU Downblending Project which is to take place in 200 Complex.Encls withheld.
BAER,T.S. Nuclear Fuel Services, Inc. 98/01/31. WEBER,M.F. Licensing Branch. 4pp. A2271:151-A2271:154.

9802060159 Confirms that NRC is in process of reviewing licensee renewal application & attempting to begin review of amend application for new Navy fuel process,as discussed in 980114 meeting.Addl licensing actions dates,provided.
WEBER,M.F. Licensing Branch. 98/02/02. BAER,T.S. Nuclear Fuel Services, Inc. 3pp. A2150:355-A2150:357.

9802100123 Informs of NRC Region II mgt changes,effective 980215. Revised organization chart encl.
MCALPINE,E.J. Region 2 (Post 820201). 98/02/03. FERGUSON,D. Nuclear Fuel Services, Inc. 3pp. A2095:227-A2095:229.

9802120147 Forwards responses to 971126 & 1223 RAIs,needed to complete environ review for renewal of license SNM-124.
BAER,T.S. Nuclear Fuel Services, Inc. 98/02/04. Office of Nuclear Material Safety & Safeguards. 33pp. A2271:115-A2271:150.

9802240113 Notification of 980211 meeting w/NFS,Inc in Rockville,MD to discuss schedule options for license renewal & naval fuel amendment.
STOUT,D. NRC - No Detailed Affiliation Given. 98/02/04. NRC - No Detailed Affiliation Given. 2pp. A2350:357-A2350:358.

9802240127 Notification of 980210 meeting w/NFS,Inc in Rockville,MD to discuss contingency in cost estimates for decommissioning.
STOUT,D. NRC - No Detailed Affiliation Given. 98/02/04. NRC - No Detailed Affiliation Given. 2pp. A2350:359-A2350:360.

9802200308 Responds to 970722 & 1114 ltrs,which provided NRC status of actions in response to CAL 2-96-07,dtd 960403.
REYES,L.A. Region 2 (Post 820201). 98/02/06. FERGUSON,D. Nuclear Fuel Services, Inc. 3pp. A2252:151-A2252:153.

9802270185 Informs that licensee has discontinued use of mainframe computer for processing MC&A data.Inventory reconciliation actions may not be completed on 980216,therefore,extension until 980227,requested.
BAER,T.S. Nuclear Fuel Services, Inc. 98/02/10. WEBER,M.F. Licensing Branch. 1p. A2420:217-A2420:217.

9802250070 Discusses status of implementation of planned improvements to licensee NCS program in response to NRC 971003 ltr. Licensee is fully committed to protecting public & workers.
BAER,T.S. Nuclear Fuel Services, Inc. 98/02/13. WEBER,M.F. Licensing Branch. 3pp. A2360:302-A2360:304.

9802250121 Forwards non-proprietary rept 55T-98-0060, "HEU Downblending Project Process Description & proprietary rept 54T-98-007, "Downblending Project LEU Packaging,Nuclear Criticality Safety Analysis." Proprietary rept withheld.
BAER,T.S. Nuclear Fuel Services, Inc. 98/02/17. Office of Nuclear Material Safety & Safeguards. 5pp. A2343:185-A2343:196.

-9802250123 "HEU Downblending Project,Process Description."
* Nuclear Fuel Services, Inc. 55T-98-0060. 98/02/17. 7pp. A2343:190-A2343:196.

9802260054 Forwards non-proprietary rept 55T-98-0046, "HEU Downblending Project,Process Description," & proprietary rept 54T-98-007, "Downblending Project,LEU Packaging,Nuclear Criticality Safety Analysis." Proprietary encl withheld.
BAER,T.S. Nuclear Fuel Services, Inc. 98/02/17. Office of Nuclear Material Safety & Safeguards. 5pp. A2372:346-A2372:357.

-9802260056 "HEU Downblending Project,Process Description."
* Nuclear Fuel Services, Inc. 55T-98-006. 98/02/28. 7pp. A2372:351-A2372:357.

9802260218 Forwards info submitted by Nuclear Fuels Services,Inc in response to questions dtd 970822.NRC expects to receive draft EA by 980403 & final EA by 970515.
CHOTOO,S.D. Licensing Branch. 98/02/18. SWAIN,P.B. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. A2373:242-A2373:243.

9802260232 Notification of 980224 meeting w/Nuclear Fuel Services in Rockville,MD,to discuss integrated safety analysis;fire & chemical safety submittals for downblending project; licensing status of downblending project.
COX,T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/18. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. A2373:240-A2373:241.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9802060179 Final response to FOIA request for documents.Records subj to request encl & identified in App A.App B records being withheld in part (ref FOIA exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/28. REEVES,K.G. Affiliation Not Assigned. 4pp. A2098:010-A2098:245.

-9802060200 Safety insp on 661114-18 of license SNM-414.Insp findings: between 660401 & 1115,evaluations made of airborne concentrations in restricted areas were not always adequate to determine compliance w/10CFR20.103.
CONER,C.E., NILSEN,C.W. Atomic Energy Commission (Pre 750119). * Nuclear Materials & Equipment Corp. (NUMEC). 66/12/06. 2pp. A2098:017-A2098:018.

-9802090093 Requests that licensee advise NRC in writing of steps taken or planned to take re noncompliance noted during insp on 650921-24.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 65/11/18. Nuclear Materials & Equipment Corp. (NUMEC). 2pp. A2098:129-A2098:131.

-9802090107 Forwards account of nuclear safety portion of joint insp of license SNM-414 on 650923-24.No items of noncompliance observed.
CROCKER,H.W. Atomic Energy Commission (Pre 750119). 65/10/06. KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 57pp. A2098:133-A2098:190.

9802020130 Discusses insp of B&W Parks Township,PA facility.Insp in response to events occurring in Bldg A,Fab 6 on & after 970626.
ZEFF,D.W. Babcock & Wilcox Co. 97/07/17. BELLAMY,R.R. Region 1 (Post 820201). 2pp. A1981:358-A1981:359.

9802020149 Forwards root cause investigation rept dtd 970808.Rept prepared by B&W NESI for event occurred at B&W Parks facility on 970626.
HAERTJENS,B.L. Babcock & Wilcox Co. 97/08/20. ROBERTS,M. Region 1 (Post 820201). 5pp. A1987:351-A1987:355.

9802020080 Forwards copy of licensee ltr to J Pezze of PA Dept of Environ Protection,requesting permit exemption for replacement-in-kind of bldg A ventilation sys for Fab 6 are,per 971126 telcon discussion.
HAERTJENS,B.L. Affiliation Not Assigned. 97/12/02. JACKSON,T.J. Region 1 (Post 820201). 19pp. A1987:320-A1987:338.

9802020159 Forwards root cause analysis & corrective action plan.Addl requirements identified & defined in Encl 2.
HAERTJENS,B.L., YOUNG,D.B. Babcock & Wilcox Co. 97/12/23. BELLAMY,R.R. Region 1 (Post 820201). 25pp. A1981:331-A1981:355.

9802030019 Forwards insp rept 70-0364/97-02 on 970709-11.Encl rept misplaced & only recently found & reproduced due to building renovations.
JOYNER,J.H. Region 1 (Post 820201). 98/01/23. YOUNG,D. Babcock & Wilcox Co. 1p. A1979:270-A1979:332.

-9802030021 Forwards insp rept 70-0364/97-02 on 970709-11.Three apparent violations identified & being considered for escalated enforcement action.One violation involved lack of ALARA review to evaluate remediation techniques.
BLOUGH,A.R. Region 1 (Post 820201). 97/08/14. YOUNG,D. Babcock & Wilcox Co. 5pp. A1979:271-A1979:275.

-9802030022 Insp rept 70-0364/97-02 on 970709-11.Violations noted. Major areas inspected:organization,follow-up to previous NRC violations,description of incident,characterization & job planning & radiation protection program.
MILLER,M.T., ROBERTS,M.C., BELLAMY,R.R. Region 1 (Post 820201). 97/08/13. 14pp. A1979:276-A1979:332.

9802240035 Provides notification that NRC staff initiated review of rev 1 of final survey for bldg C of B&W Svcs Inc facility in Parks Township,PA.Staff anticipates review will be completed late Mar 1998.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/26. ROSENTHAL,P. Babcock & Wilcox Co. 2pp. A2350:344-A2350:346.

DOCKET 70-0368 NAVY, DEPT. OF, ANNAPOLIS, MD

9802090157 FOIA request for copies of all AEC forms 592 which were prepared following license insps of nuclear fuels processing company commonly referred to as NUMEC (Nuclear Matls & Equipment Corp).Form generated from listed license numbers.
REEVES,K.G. Affiliation Not Assigned. 97/10/24. Energy, Dept. of. 2pp. A2098:014-A2098:015.

DOCKET 70-0638 CARLETON COLLEGE, NORTHFIELD, MN

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9802100172 Forwards amend 10 to license SNM-639,in resonse to 971204 request to amend decommissioning plan for Tuxedo,NY facility to reduce off-site environ monitoring program.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/02. MCGOVERN,J.J. Cintichem, Inc. 3pp. A2166:350-A2166:357.

-9802100174 Amend 10 to license SNM-639 for Cintichem,Inc.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/02. 5pp. A2166:353-A2166:357.

DOCKET 70-0698 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

DOCKET 70-0701 XAVIER UNIV., CINCINNATI, OH

9802240096 Safety & compliance insp on 980114 of licenses SNM-642 & 34-08941-01.Insp findings:no violations identified for license SNM-642.Violations for license 34-08941-01 re failure to conduct surveys every 6 months.
WIEDEMAN,D. Region 3 (Post 820201). TOEPKER,T.P. Xavier Univ., Cincinnati, OH. 98/01/14. 1p. A2286:347-A2286:347.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9802060089 Requests that portion of site referred to as "Fusion Site," & as shown on attached map,be deleted from special nuclear matl license.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 98/01/29. GASKIN,C.E. Licensing Branch. 3pp. A2145:359-A2145:361.

9802200435 Submits change in document classification re confidential to declassified.Licensee recent review of documents resulted in declassification.
WISHAM,C.L. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 98/02/11. Office of Nuclear Material Safety & Safeguards. 2pp. A2320:038-A2320:039.

9802200168 Forwards insp rept 70-0734/98-01 on 980113-16.No violations noted.Insp conducted at Torrey Pines Mesa & Sorrento Valley facilities were generally characterized by implementation of effective programs in listed areas.
SCARANO,R.A. Region 4 (Post 820201). 98/02/13. EDWARDS,J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. A2251:283-A2251:301.

--9802200173 Insp rept 70-0734/98-01 on 980113-16.Violations noted.Major areas inspected:focus on validation of licensee final radiological survey program & included review of employee qualifications,training & instrument calibration.
* Region 4 (Post 820201). 98/02/13. 15pp. A2251:287-A2251:301.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9802170128 Provides advance notice of inbound shipment of UO2 packed in 1 USA/4986/AF & 50 USA/0220/AF packages to GE Wilmington, Delaware on 980130.
KIRKLAND,M.W. General Electric Co. 98/01/19. BENNINGTON,G. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. A2170:316-A2170:317.

9802170122 Advises that inbound shipment from Empresa Nacional del Uranio,S.A.(ENUSA) of U Scrap being returned for re-cycle consisting of UO2 packed in 1 USA/4986/AF & 59 USA/0220/AF packages has been completed on schedule.
KIRKLAND,M.W. General Electric Co. 98/02/05. BENNINGTON,G.L. Office of Nuclear Material Safety & Safeguards. 1p. A2170:315-A2170:315.

9802250004 Forwards amend 1 to license SNM-960,updating license to include organizational changes & changes to environ action levels & safety evaluation.
WEBER,M.F. Licensing Branch. 98/02/12. MURRAY,B.M. General Electric Co. 2pp. A2367:342-A2367:356.

--9802250005 Amend 1 to license SNM-960 for General Electric Co.
WEBER,M.F. Licensing Branch. 98/02/12. 7pp. A2367:344-A2367:354.

--9802250006 Safety evaluation supporting amend 1 to license SNM-960.
WEBER,M.F. Licensing Branch. 98/02/12. 2pp. A2367:355-A2367:356.

DOCKET 70-0893 FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL

9802250244 Responds to 971105 ltr & 971211 discussions.Necessary steps to meet requirements of 10CFR70.38(j) will be made so that termination of license can be carried out.
BOWIE,R.C. Florida Institute of Technology, Melbourne, FL. 97/12/16. PHAM,T.N. Licensing Branch. 17pp. A2355:103-A2355:122.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9802180155 Forwards map which was inadvertently omitted from copy of response to comments on Phase III final status survey plan, rept.
HODO,M. Cimarron Corp. 97/12/10. KALMAN,K. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. A2241:358-A2241:361.

9802050062 Forwards "Radiological Characterization Rept for Asphalt Matl - U Yard Area Review."
LARSEN,J. Cimarron Corp. 98/01/23. KALMAN,K. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A2087:095-A2087:118.

--9802050075 "Radiological Characterization Rept for Asphalt Matl - U Yard Area Review."
RICHARDS,V., MORGAN,K. Cimarron Corp. 98/01/31. 24pp. A2087:097-A2087:118.

9802060136 Informs that NRC staff reviewed "Work Plan for Risk Assessment for Groundwater," dtd 970822 & comments from OK Dept Environ Quality re work plan.Comments which should be addressed,listed.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/28. LARSEN,J. Cimarron Corp. 6pp. A2152:263-A2152:294.

--9802060140 Informs of no legal objection on ltr to Cimarron re groundwater analysis.
FONNER,R. NRC - No Detailed Affiliation Given. 98/01/16. KALMAN,K.L. NRC - No Detailed Affiliation Given. 1p. A2152:269-A2152:269.

--9802060142 Concurs on ltr to Cimarron re groundwater risk assessment.
CAIN,C. NRC - No Detailed Affiliation Given. 98/01/16. KALMAN,K.L. NRC - No Detailed Affiliation Given. 2pp. A2152:270-A2152:294.

9802180100 Expresses appreciation for meeting w/NRC on 980127 re instrument calibration issues & development of site-wide dose assessment for release of Cimarron license.
STAUTER,J.C. Cimarron Corp. 98/02/03. KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. A2243:200-A2243:201.

9802250093 Requests response to enclosed comments re review of 971205, "Response to Comments on Phase III Final Status Survey Plan."
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/09. LARSEN,J. Cimarron Corp. 4pp. A2372:001-A2372:006.

--9802250098 Concurs w/ltr to Cimarron re response to comments on phase III of final status survey plan.
CAIN,C. NRC - No Detailed Affiliation Given. 98/02/06. KALMAN,K.L. NRC - No Detailed Affiliation Given. 1p. A2372:005-A2372:005.

--9802250100 Informs of no legal objection to ltr to Cimarron re response to comments on phase III final status survey plan.
FONNER,R. NRC - No Detailed Affiliation Given. 98/02/05. KALMAN,K.L. NRC - No Detailed Affiliation Given. 1p. A2372:006-A2372:006.

9802200374 Provides cover ltr for Phase III final status survey plans submitted for review & approval on 970619.Signed ltr of transmittal,including certified mail receipts,encl.W/o encl.
LARSEN,J. Cimarron Corp. 98/02/10. KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A2320:109-A2320:109.

9802250079 Forwards summary notes of 980127 meeting of NRC & Cimarron Corp,for info.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/10. LARSEN,J. Cimarron Corp. 5pp. A2367:336-A2367:341.

--9802250083 Concurs w/summary of 980127 meeting w/Cimarron.
CAIN,C. NRC - No Detailed Affiliation Given. 98/02/06. KALMAN,K.L. NRC - No Detailed Affiliation Given. 1p. A2367:341-A2367:341.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9802020037 Notification of 980127 meeting w/General Electric in Rockville,MD to discuss waste issues discussed at Licensee Performance Review.
HRABAL,C. NRC - No Detailed Affiliation Given. 98/01/21. NRC - No Detailed Affiliation Given. 2pp. A2006:354-A2006:355.

9802240104 Summary of 980127 meeting w/GE & NRC in Wilmington,NC re licensee to present plans for reducing waste vols & matl inventories.
CHOTOO,S.D. Licensing Branch. 98/01/30. WEBER,M.F. Licensing Branch. 8pp. A2354:353-A2354:360.

9802100126 Informs of NRC Region II mgt changes,effective 980215. Revised organization chart encl.
MCALPINE,E.J. Region 2 (Post 820201). 98/02/03. KIPP,C.P. General Electric Co. 3pp. A2095:162-A2095:164.

9802240314 Informs that revs to Chapters 3.0,4.0 & 7.0 of Fundamental Nuclear Matl Control Plan are acceptable & safeguards license condition SG-1.1 of license SNM-1097 will updated in future license amend.SER summarizing NRC review,encl.
WEBER,M.F. Licensing Branch. 98/02/17. VAUGHAN,C.M. General Electric Co. 2pp. A2366:073-A2366:075.

--9802240317 SER accepting rev to GE Fundamental Nuclear Matl Control Plan.
WEBER,M.F. NRC - No Detailed Affiliation Given. 98/02/17. 1p. A2366:075-A2366:075.

DOCKET 70-1143 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

9802040334 Expresses thank for opportunity to meet w/NRC on 980109 to discuss issues of mutual interest & concern to W.
FICI,J.A., ALLEN,J.B. Westinghouse Electric Corp. 98/01/13. TEN EYCK,E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. A2031:355-A2031:355.

9802040184 Ack receipt of 971224 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1151/97-05.
MCALPINE,E.J. Region 2 (Post 820201). 98/01/22. ALLEN,J.B. Westinghouse Electric Corp. 2pp. A2000:180-A2000:181.

9802030145 Informs that NRC reconsidering request for addl info dtd 971125 & licensee need not reply directly to request as result of discussions during 980109 meeting.
GASKIN,C.E. Licensing Branch. 98/01/28. GOODWIN,W.L. Westinghouse Electric Corp. 2pp. A2015:356-A2015:357.

9802060088 Informs of Westinghouse underway preparation of revised financial assurance mechanism,including 25% contingency factor in decommissioning cost estimate for license SNM-1107.Submittal will be made within few wks.
NARDI,A.J. Westinghouse Electric Corp. 98/01/28. GASKIN,C.E. Licensing Branch. 1p. A2150:358-A2150:358.

9802230331 Ack withdrawal of application & will cease review of application for transfer & amend of W Commercial Fuel Fabrication Facility license by ltr dtd 970818.
WEBER,M.F. Licensing Branch. 98/01/29. NARDI,A.J. Westinghouse Electric Corp. 2pp. A2345:109-A2345:110.

9802100136 Informs of NRC Region II mgt changes that will be effective on 980215.Revised organization chart for NRC Region II encl.
MCALPINE,E.J. Region 2 (Post 820201). 98/02/03. ALLEN,J.B. Westinghouse Electric Corp. 3pp. A2095:169-A2095:171.

9802240027 Forwards amend 10 to license SNM-1107 & SER.Amend includes incident notification criteria approved by NRC staff on 961030,corrected rev submittal date for Chapter 8.0 Fire Safety & revised Condition S-1.
WEBER,M.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/04. WILLIAMS,R.A. Westinghouse Electric Corp. 2pp. A2350:322-A2350:331.

--9802240030 Amend 10 to SNM-1107 for Westinghouse Electric Corp.
WEBER,M.F Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/04. 7pp. A2350:324-A2350:330.

--9802240033 SER accepting amend 10 to license SNM-1107 to include incident reporting criteria approved by NRC.
WEBER,M.F. NRC - No Detailed Affiliation Given. 98/02/04. 1p. A2350:331-A2350:331.

9802090048 Remits payment in stated amount for civil penalty assessed in insp rept 70-1151/97-205 dtd 980206.Reemphasize that at no time was safety for employees compromised,in connection w/events due to violations & civil penalty.
ALLEN,J.B. Westinghouse Electric Corp. 98/02/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. A2140:360-A2140:361.

9802090217 Provides response to violations noted in insp rept 70-1151/97-205.Corrective actions:revised procedure RA-111, "Safety Significant Incident Investigation" approved & user personnel trained in procedure application.
ALLEN,J.B. Westinghouse Electric Corp. 98/02/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 17pp. A2164:278-A2164:294.

9802250009 Ack receipt of 971218 document RA-97-086,withdrawing application for transfer & amend of W Commercial Fuel Fabrication Facility license transmitted by 970818 ltr. Staff plans to take no further action on amend.
WEBER,M.F. Licensing Branch. 98/02/11. NARDI,A.J. Westinghouse Electric Corp. 2pp.

9802250056 Forwards amend 11 to license SNM-1107,extending scrubber sys criticality safety evaluation submittal schedule until 980331.License condition S-1 amended to include date of 980112.Safety evaluation enclosed.
WEBER,M.F. Licensing Branch. 98/02/17. GOODWIN,W.L. Westinghouse Electric Corp. 4pp. A2370:341-A2370:354.

-9802250061 Amend 11 to license SNM-1107 for Westinghouse Electric Corp.
WEBER,M.F. Licensing Branch. 98/02/17. 8pp. A2370:345-A2370:352.

-9802250067 SER accepting extension of schedule for criticality safety evaluations summary scrubber sys.
WEBER,M.F. Licensing Branch. 98/02/17. 2pp. A2370:353-A2370:354.

9802270312 Forwards proposed notification criteria for NRC review & consideration.
GOODWIN,W.L. Westinghouse Electric Corp. 98/02/20. GASKIN,C. NRC - No Detailed Affiliation Given. 4pp. A2409:087-A2409:090.

DOCKET 70-1201 FRAMATOME COGEMA FUELS, LYNCHBURG, VA.

9802040311 Ack receipt of 980105 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1201/97-06.Response meets requirements of 10CFR2.201.Implementation of C/As will be examine during future insps.
MCALPINE,E.J. Region 2 (Post 820201). 98/01/21. MATHESON,J.E. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 2pp. A2000:199-A2000:200.

9802040173 Forwards amend 32 to license SNM-1168,revising license condition SG-1.1 by incorporating revised Fundamental Nuclear Matl Control Plan.Safeguards evaluation rept,encl.
WEBER,M.F. Licensing Branch. 98/01/26. ELLIOT,G.F. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 2pp. A2034:342-A2034:350.

-9802040176 Amend 32 to license SNM-1168,revising license condition SG-1.1,by incorporating revised Fundamental Nuclear Matl Control Plan.
WEBER,M.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/26. 5pp. A2034:344-A2034:348.

-9802040180 Safeguards evaluation rept supporting amend 32 to license SNM-1168.
WEBER,M.F. NRC - No Detailed Affiliation Given. 98/01/26. 2pp. A2034:349-A2034:350.

9802100128 Informs of NRC Region II mgt changes,effective 980215. Revised organization chart encl.
MCALPINE,E.J. Region 2 (Post 820201). 98/02/03. MATHESON,J.E. Babcock & Wilcox Co. 3pp. A2095:166-A2095:168.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9802200442 Provides notification of upcoming shipment of U hexafluoride,fissile,from St Petersburg,Russia on 970817 to Wilmington,Delaware on 970905.
* Edlow International Co. 97/07/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2251:135-A2251:135.

9802200432 Submits notification of upcoming shipment of U hexafluoride fissile,net weight 20,100 kgs,as per convention on physical protection of nuclear matl & NRC final rule of 870326.
LAMBERT,M.T. Edlow International Co. 97/08/13. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2264:276-A2264:276.

9802200423 Submits notification of upcoming shipment of radioactive matl fissile,approx net weight U02 22,775 Kgs.
* Edlow International Co. 97/09/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2264:253-A2264:253.

9802170089 Notifies of upcoming shipment of radioactive matl,fissile, nos;gross weight 40,500 kgs;net weight 14,075 kgs;U weight 11,261 kgs;U235 weight 346 kgs to Hematite,MO.
LAMBERT,M.T. Edlow International Co. 97/09/19. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2181:237-A2181:237.

9802200446 Provides notification of upcoming shipment of U hexaflouride,fissile,from St Petersburg,Russia on 971025 to Baltimore,Maryland on 971115.
* Edlow International Co. 97/10/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2251:133-A2251:133.

9802170075 Submits notification of upcoming shipment of UO2 pellets, gross weight 2,000 kgs;net weight 370 kgs;U weight 300 kgs; U235 weight 9 kgs to Hematite,MO.
LAMBERT,M.T. Edlow International Co. 97/11/10. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2249:349-A2249:349.

9802170070 Submits notification of upcoming shipment of U02 fuel bundles,approx net weight 41,000 Kgs,to be shipped from Roma,Italy to Richland,WA.
LAMBERT,M.T. Edlow International Co. 97/11/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2170:306-A2170:306.

9802170120 Notifies of upcoming shipment of U hexafluoride,fissile; gross weight 148,750 kgs;net weight 79,800 kgs UF6 to Piketon,OH.
LAMBERT,M.T. Edlow International Co. 97/11/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2181:245-A2181:245.

9802170082 Submits notification of upcoming shipment of U hexafluoride fissile,contained in nine cylinders to be shipped from France to Wilmington,NC.
LAMBERT,M.T. Edlow International Co. 97/12/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2170:312-A2170:312.

9802170126 Notifies of upcoming shipment of radioactive matl,fissile, nos;gross weight 165,000 kgs,net weight 93,500 kgs,U weight 66,030 kgs from Bataan,Philippines to Siemens Nuclear Power, Richland,WA.
CANDREY,D. Edlow International Co. 97/12/05. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2181:331-A2181:331.

9802200284 Submits list of delivery confirmations in accordance w/ requirements of convention on physical protection of nuclear matls.
CONDREY,D. Edlow International Co. 98/01/12. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. A2251:281-A2251:281.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9802020253 Application for amend to license SNM-1227,comprising of rev 39 to EMF-2.
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/12/23. 78pp. A1981:231-A1981:305.

9802020040 Notification of 980127 meeting w/Siemens Power Corp in Rockville,MD to discuss generic licensing issues.
HARDIN,K. NRC - No Detailed Affiliation Given. 98/01/21. NRC - No Detailed Affiliation Given. 1p. A2015:251-A2015:251.

9802090050 Forwards changes to Part II of license SNM-1227.Main changes are to chapter 11 associated w/amends 5 & 7 issued 970829 & 971003,respectively.Revised pages include 9-1,9-6,9-7 & 11-1 through 11-50,14-9 & 1-10.W/document rev instruction sheet.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/01/28. Office of Nuclear Material Safety & Safeguards. 2pp. A2140:255-A2140:324.

-9802100062 Rev 40 to EMF-2, "Application for Renewal of License SNM-1227," which includes changes to Part II of license.
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/01/28. 68pp. A2140:257-A2140:324.

9802240028 Informs that project management for facility has been changed due to reorganization of staff.P Lain will be project manager effective 980217.
HORN,M. Licensing Branch. 98/02/03. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. A2350:332-A2350:333.

9802240047 Summary of 980127 meeting w/Siemens Power Corp re pending license amendments.Meeting agenda & list of attendees,encl.
HARDIN,K.J. Licensing Branch. 98/02/04. WEBER,M.F. Licensing Branch. 6pp. A2350:338-A2350:343.

9802120141 Forwards proprietary Rev 31 to EMF-12(P), "Nuclear Matls Safeguards Procedures Description for Fuels Fabrication Plants." Encl withheld (ref 10CFR2.790(d)).
NOSS,D.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/02/05. Office of Nuclear Material Safety & Safeguards. 1p. A2433:003-A2433:003.

9802250303 Forwards proprietary changes constituting rev 31 to EMF-12, "Nuclear Matls Safeguards Procedures Description for Fuel Fabrication Plants." Encl withheld.
NOSS,D.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/02/05. PHAM,T. Office of Nuclear Material Safety & Safeguards. 1p. A2421:001-A2421:001.

9802200107 Forwards page 1-11 of license SNM-1227,per 980206 telcon. Inclusion of page is to conclude license amend process to add modular extraction/recovery facility to Siemens Power Corp license.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/02/06. Office of Nuclear Material Safety & Safeguards. 2pp. A2319:092-A2319:093.

9802230234 Forwards discharges of radioactive matls in effluents from nuclear fuels fabrication plant in Richland,WA.Data from Jul-Dec 1997,reported in attached tables.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/02/10. MERSCHOFF,E.W. Region 4 (Post 820201). 1p. A2327:340-A2327:343.

-9802230237 "Gaseous Effluent Jul-Dec 1997."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/12/31. 3pp. A2327:341-A2327:343.

9802230051 Forwards response to violations noted in insp rept 70-1257/97-07.Corrective actions:violation discovered by licensee & reported both on 971218 to NRC inspector on plant at time & by telcon to NRC Headquarters next day.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/02/13. Document Control Branch (Document Control Desk). 4pp. A2327:358-A2327:361.

9802250208 Requests that gaseous effluent table be substituted w/corrected table.Emitted uCi quantity for Stack 10 should be 0.66 instead of 2.66 & for Stack 31 should be 0.58 instead of 1.58.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/02/13. MERSCHOFF,E.W. Region 4 (Post 820201). 2pp. A2360:320-A2360:321.

DOCKET 70-1278 ARMY, DEPT. OF, DENVER, CO

9802120138 Forwards signed copy of marked up copy of amend to indemnity agreement B-50,to indicate proper amend number as 12,per instructions received by IP Dinitz.
FISHER,M.J. Public Service Co. of Colorado. 98/02/04. DINITZ,I.P. . 3pp. A2410:286-A2410:288.

DOCKET 70-1362 HAHNEMANN MEDICAL COLLEGE & HOSP., PHILADELPHIA, PA

9802040235 Ack receipt of 980106 ltr informing NRC of steps taken to correct violations noted in insp repts 30-34066/97-01 & 70-1362/97-01 & 70-3077/97-01.
SHANBAKY,M.M. Region 1 (Post 820201). 98/01/28. NEZU,C. Affiliation Not Assigned. 2pp. A2000:067-A2000:068.

DOCKET 70-1503 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

DOCKET 70-1795 GEORGE WASHINGTON UNIV., WASHINGTON, DC

9802040384 Discusses insp repts 30-09049/97-01 & 70-1795/97-01 on 971215-18 & forwards NOV.Insp consisted of observations by inspector,interviews w/personnel & selective examination of representative records.
SHANBAKY,M.M. Region 1 (Post 820201). 98/01/28. WEINGOLD,A.B. George Washington Univ., Washington, DC. 3pp. A2000:104-A2000:108.

--9802040397 Notice of violation from insp on 971215-18.Violation noted: radioactive packages containing approx 6 Ci Mo generator each,were received on Saturdays & Sundays every wk during period of 960901-971218 & not distributed as required.
* Region 1 (Post 820201). 98/01/28. 2pp. A2000:107-A2000:108.

DOCKET 70-2427 JOHN F. KENNEDY MEMORIAL HOSP., STRATFORD, NJ

9802270288 Partially withheld ltr notifying that Coratomic pacemaker patient has not responded to licensee efforts to contact patient.Data re chronological attempts to contact person, listed.Proprietary notification,encl.
VANDEN-EYKEL,C. Kennedy Memorial Hosps., Cherry Hill, Stratford & Washington Townships, NJ (form. 97/04/21. Region 1 (Post 820201). 3pp. A2398:343-A2398:347.

--9802270289 Partially withheld ltr responding to three issues re lost Coratomic pacemaker patient.
OYER,J. Kennedy Memorial Hosps., Cherry Hill, Stratford & Washington Townships, NJ (form. 98/01/05. MANNING,L. Region 1 (Post 820201). 2pp. A2398:346-A2398:347.

DOCKET 70-2928 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9802040072 Informs that license SNM-1873 is hereby terminated IAW application dtd 970929 & per 10CFR70.38.Amend 2 to license, encl.
WEBER,M.F. Licensing Branch. 98/01/27. SCALICE,J.A. Tennessee Valley Authority. 2pp. A2020:149-A2020:153.

--9802040111 Amend 2 to license SNM-1873,authorizing termination or util conversion of CP to OL whichever comes earlier.
WEBER,M.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/01/27. 1p. A2020:151-A2020:151.

--9802040121 SER granting util 970929 request to terminate license SNM-1873.
WEBER,M.F. NRC - No Detailed Affiliation Given. 98/01/27. 2pp. A2020:152-A2020:153.

DOCKET 70-3020 NUCLEAR ASSURANCE CORP., NORCROSS, GA

9802170042 Requests NRC approval of spent fuel route for rail movement between Naval Weapons Station & Idaho Natl Engineering & Environ Lab.
WILLIAMS,B.R. NAC International Inc. (formerly Nuclear Assurance Corp.),. 97/12/05. BENNINGTON,G. NRC - No Detailed Affiliation Given. 3pp. A2170:302-A2170:304.

9802170033 Withdraws request for route approval,dtd 971205 for shipment between California & Idaho,per request of customer.Request will be resubmitted as soon as routes & schedules are finalized.
WILLIAMS,B.R. NAC International Inc. (formerly Nuclear Assurance Corp.),. 97/12/09. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. A2170:295-A2170:295.

DOCKET 70-3061 IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY

9802060074 Forwards response to CAL 1-97-025 showing dose calculations as required for bioassay results air emission tests & review of radiation safety program for 1997.Review had been scheduled prior to insp,but postponed due to conflict.
BINETTI,L. Imaging & Sensing Technology Corp. 98/01/26. Document Control Branch (Document Control Desk). 1p. A2095:316-A2095:337.

DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9802050217 Ack receipt of 980106 ltr informing NRC of steps taken to correct violations noted in insp rept 70-3073/97-02 on 971205.Finds reply responsive to concerns raised in NOV. Will review implementation of C/As in future insp.
SCARANO,R.A. Region 4 (Post 820201). 98/01/29. LARSEN,S.J. Kerr-McGee Corp. 3pp. A2010:160-A2010:163.

DOCKET 70-3077 MEDICAL COLLEGE HOSPS., PHILADELPHIA, PA

9802040235 Ack receipt of 980106 ltr informing NRC of steps taken to correct violations noted in insp repts 30-34066/97-01 & 70-1362/97-01 & 70-3077/97-01.
SHANBAKY,M.M. Region 1 (Post 820201). 98/01/28. NEZU,C. Affiliation Not Assigned. 2pp. A2000:067-A2000:068.

DOCKET 70-3085 B&W SHALLOW LAND DISPOSAL AREA (SLDA), PARKS TOWNSHIP,

9802100132 Summary of 980114 meeting w/Redzone Robotics,Inc & Concurrent Technologies Corp re use of remote handling equipment in remediation activities at decommissioning sites.
SOBEL,P. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/29. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. A2166:316-A2166:318.

9802270160 Informs that staff concluded that it would inappropriate to conduct further analysis of DEIS until formal request for licensing action is before NRC.Detailed procedures for pursuing decommissioning of Parks Township,PA,site,provided.
SOBEL,P. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/12. ROSENTHAL,P.R. Babcock & Wilcox Co. 5pp. A2420:205-A2420:210.

DOCKET 70-3091 DOE HANFORD TANK WASTE REMEDIATION SYSTEM

9802250156 Forwards proprietary initial comments from review of initial SAR A-4,dtd 980112,that was submitted by BNFL,Inc & separate two-volume technical rept A-2,dtd 980123.Encl withheld.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/06. GIBBS,C. Energy, Dept. of. 1p. A2343:197-A2343:197.

9802260234 Forwards proprietary initial comments from review of initial safety assessment package,dtd 980124.Encl withheld.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/13. GIBBS,C. Energy, Dept. of. 1p. A2372:358-A2372:358.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9801140250 Forwards proprietary NRC rev 21 to USEC-01,application for US NRC certification for Paducah Gaseous Diffusion plant. Encl affidavit provides info required by 10CFR2.790(b)(4). Application withheld (ref 10CFR2.790 & 9.17(a)(4)).
MILLER,J.H. United States Enrichment Corp. (USEC). 97/12/24. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 8pp. A1959:075-A1959:082.

9802020038 Forwards rept filed for wk ending at midnight on 980118,per 10CFR95.57(b),granted to licensee by NRC ltr dtd 971028.
POLSTON,S. United States Enrichment Corp. (USEC). 98/01/22. Region 3 (Post 820201). 2pp. A2015:188-A2015:189.

9802060084 Notifies NRC of change in date for regulatory commitment. Licensee changed completion date of QA Program from 980130 to 980227.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/23. Document Control Branch (Document Control Desk). 2pp. A2138:340-A2138:341.

9802030114 Forwards amend 14 to COC GDP-1 for US Enrichment Corp, revising TS Requirement 2.1.4.1 & TS Requirement 2.1.4.2a to establish operability & surveillance requirements valves required to close upon C-360 Zone 1.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 98/01/26. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A2015:358-A2015:361.

--9802030129 Amend 14 to COC GDP-1 for US Enrichment Corp for operation of Gaseous Diffusion Plants.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 98/01/26. 2pp. A2015:360-A2015:361.

9802060125 Forwards proprietary NRC Form 327, "Special Nuclear Matl (SNM) & Source Matl (SM) Physical Inventory Summary Rept," for period ending 971130,per 10CFR74.17(a).Proprietary info withheld per 10CFR2.790.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 98/01/26. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A2089:284-A2089:287.

9802060086 Forwards final event repts ER-97-02 & 97-05,rev 1 re Criticality Accident Alarm Sys (CAAS) cluster meter readings which were observed to be lower than engineering requirements.
POLSTON,S. United States Enrichment Corp. (USEC). 98/01/28. Document Control Branch (Document Control Desk). 9pp. A2098:351-A2098:359.

9802090064 Summarizes 980115 meeting w/United States Enrichment Corp to discuss basis for NRC concern re potential for "Chilled Environ" at Portsmouth & Paducah gaseous diffusion plants.
BEACH,A.B. Region 3 (Post 820201). 98/01/29. TIMBERS,W.H. United States Enrichment Corp. (USEC). 13pp. A2042:180-A2042:192.

9802050301 Forwards ltr GDP 98-0015,which supercedes previous version submitted to NRC on 980129.Previous version was dtd incorrectly.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/30. Document Control Branch (Document Control Desk). 1p. A2135:236-A2135:238.

--9802060238 Notifies NRC of change in due date for regulatory commitment.Specifics of commitment change,submitted.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2135:237-A2135:238.

9802060078 Provides comments on draft Reg Guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in Nuclear Power Plants."
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/30. Office of Administration (Pre 870413). 9pp. A2098:337-A2098:345.

9802120167 Provides USEC comments on draft reg guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPPs."
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/30. Division of Freedom of Information & Publications Services (Post 940714). 9pp. A2216:234-A2216:242.

9802060132 Ack receipt of 980122 ltr informing NRC of steps taken to correct violations noted in insp rept 70-7001/97-11 on 971209.Reviewed C/As & have no further questions.C/As will be examined during future insp.
HILAND,P.L. Region 3 (Post 820201). 98/02/02. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. A2039:100-A2039:112.

9802170168 Forwards weekly summary of rept for week ending 980201,per temporary extension from immediate notification requirement of 10CFR95.57(b) granted to Paducah Gaseous Diffusion Plant by ltr dtd 971028.
POLSTON,S. United States Enrichment Corp. (USEC). 98/02/03. Region 3 (Post 820201). 2pp. A2231:344-A2231:345.

9802100082 Informs that review of application dtd 970618 & 1031, requesting amend to COC GDP-1,updating application SAR,has identified addl info that is needed.Answers to listed questions as apply to Bldgs C-310 & C-315 requested.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/05. MILLER,J.H. United States Enrichment Corp. (USEC). 4pp. A2166:319-A2166:322.

9802240235 Summary of 980126 meeting w/US Enrichment Corp in Rockville, MD to discuss applications for certificate renewal for gaseous diffusion plants.W/agenda,list of attendees & handouts.
PATEL,P. Office of Nuclear Material Safety & Safeguards. 98/02/06. PIERSON,R. Office of Nuclear Material Safety & Safeguards. 47pp. A2332:296-A2332:343.

9802190175 Submits response to request for addl info re Compliance Plan Issue 3,Action 9 for Paducah Gaseous Diffusion Plant.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/02/09. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 11pp. A2258:241-A2258:251.

9802190151 Forwards required 30-day event rept 98-01,involving actuation of autoclave 2 east steam pressure control safety sys in building C-337-A on 980320.Revised rept targeted to be submitted by 980320.
POLSTON,S. United States Enrichment Corp. (USEC). 98/02/11. Document Control Branch (Document Control Desk). 3pp. A2258:140-A2258:142.

9802200097 Forwards insp rept 70-7001/97-14 on 971125-980120 & NOV. Violations are of concern,due to indication of continued problems that exist w/understanding & rigorous implementation of requirements for safety program at site.
HILAND,P.L. Region 3 (Post 820201). 98/02/12. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A2252:071-A2252:094.

--9802200104 Notice of violation from insp on 971125-980120.Violations noted:certificatee conducted operations involving unsafe volume drums for storing seal parts,contaminated w/U enriched to greater than 1.0 weight percent in U-235.
* Region 3 (Post 820201). 98/02/12. 3pp. A2252:073-A2252:075.

--9802200106 Insp rept 70-7001/97-14 on 971125-980120.Violations noted. Major areas inspected:plant operations,maint & surveillance, engineering & plant support.
* Region 3 (Post 820201). 98/02/12. 19pp. A2252:076-A2252:094.

9802230311 Application for amend to certificate of compliance, revising Technical Safety Requirement (TSR) 2.3.4.7,re Criticality Accident Alarm Sys (CAAS),required action A.1.5.
COX,C. Office of Nuclear Material Safety & Safeguards. 98/02/12. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A2345:111-A2345:112.

9802230233 Order.* Orders that time within which Commission may review Director's Decision published 971216,extended until 980327. W/Certificate of Svc.Served on 980217.
HOYLE,J.C. Office of the Secretary of the Commission. #198 18793. 98/02/17. Office of the General Counsel (Post 860701). 2pp. A2252:327-A2252:328.

9802250113 Forwards required 30-day written event rept 98-02 for C-310, involving power loss which resulted in disabling of alarm for high voltage UF6 release detection sys.
POLSTON,S. United States Enrichment Corp. (USEC). 98/02/17. Document Control Branch (Document Control Desk). 6pp. A2368:257-A2368:262.

9802260025 Forwards 30-day event rept for C-333 CAAS inoperability event,which resulted from inadvertent continuous sounding of C-333 building howlers.Revised rept will be issued 980320,to include root cause & CAs.
POLSTON,S. United States Enrichment Corp. (USEC). 98/02/20. Document Control Branch (Document Control Desk). 3pp. A2373:228-A2373:230.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9802060125 Forwards proprietary NRC Form 327, "Special Nuclear Matl (SNM) & Source Matl (SM) Physical Inventory Summary Rept," for period ending 971130,per 10CFR74.17(a).Proprietary info withheld per 10CFR2.790.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 98/01/26. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A2089:284-A2089:287.

9802040005 Requests NRC review & approval of listed info,per follow-up to 980126 meeting re application changes.
ROUTH,S. United States Enrichment Corp. (USEC). 98/01/27. FARAZ,Y., PATEL,P. NRC - No Detailed Affiliation Given. 3pp. A2020:128-A2020:130.

9802060011 Provides notification of deletion of regulatory commitment re installation of underground instrument & power cables. Justification for deletion,discussed.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/27. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. A2138:313-A2138:314.

9802090064 Summarizes 980115 meeting w/United States Enrichment Corp to discuss basis for NRC concern re potential for "Chilled Environ" at Portsmouth & Paducah gaseous diffusion plants.
BEACH,A.B. Region 3 (Post 820201). 98/01/29. TIMBERS,W.H. United States Enrichment Corp. (USEC). 13pp. A2042:180-A2042:192.

9802060078 Provides comments on draft Reg Guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in Nuclear Power Plants."
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/30. Office of Administration (Pre 870413). 9pp. A2098:337-A2098:345.

9802120146 Forwards quarterly status rept of Portsmouth NCS program CAP.Rept includes results from first quarterly review of CAP,status of completion of CAP tasks & applicable findings from first safety,safeguards & quality assessment.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/30. PEDERSON,C. Office of Nuclear Material Safety & Safeguards. 26pp. A2228:337-A2228:362.

9802120167 Provides USEC comments on draft reg guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPPs."
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/01/30. Division of Freedom of Information & Publications Services (Post 940714). 9pp. A2216:234-A2216:242.

9802100069 Application for amend to COC 7002,revising SAR Section 3.7 FNMCP Section 2 & Compliance Plan,Issue A.4.Rev establishes process for temporary conversion of X-705 South Annex from NRC to DOE.Proprietary info encl.Proprietary info withheld.
MILLER,J.H. United States Enrichment Corp. (USEC). 98/02/03. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 7pp. A2212:044-A2212:050.

9802120042 Forwards insp rept 70-7002/97-13 on 971208-980109.Twelve apparent violations involving deficiencies in nuclear criticality safety program as characterized by non-rigorous definition of overall program being considered for EA.
PEDERSON,C.D. Region 3 (Post 820201). 98/02/04. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. A2142:124-A2142:160.

--9802120047 Insp rept 70-7002/97-13 on 971208-980109.Violations noted. Major areas inspected:nuclear criticality safety operations & engineering.
* Region 3 (Post 820201). 98/02/01. 34pp. A2142:127-A2142:160.

9802250027 Forwards compliance evaluation rept prepared to support amend of COC GDP-2.Notice of amend,which has been forwarded to FR for publication,also enclosed.
FARAZ,Y.H. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/04. MILLER,J.H. United States Enrichment Corp. (USEC). 4pp. A2368:348-A2368:358.

--9802250031 Notice of amend to COC GDP-2 for US Enrichment Corp Portsmouth Gaseous Diffusion Plant,Portsmouth,OH.
PAPERIELLO,C.J. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/04. 7pp. A2368:352-A2368:358.

9802100171 Forwards insp rept 70-7002/98-02 on 980106-16 & NOV. Violation identified three maint activities where lifted & relanded leads on "Q" item were not independently verified or recorded on appropriate form.
HILAND,P.L. Region 3 (Post 820201). 98/02/06. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A2095:180-A2095:198.

--9802100178 Notice of violation from insp on 980106-16.Violation noted: on 970910,971028 & 980101,certificatee did not perform independent verifications for restoration of leads on safety system categorized as "Q" item nor recorded on log sheet.
* Region 3 (Post 820201). 98/02/06. 2pp. A2095:182-A2095:183.

--9802100180 Insp rept 70-7002/98-02 on 980106-16.Violations noted.Major areas inspected:maint & surveillance IP 88025,mgt organization & controls IP 88005,operator training & retraining IP 88010 & RP IP 83822.
* Region 3 (Post 820201). 98/02/06. 15pp. A2095:184-A2095:198.

9802240235 Summary of 980126 meeting w/US Enrichment Corp in Rockville, MD to discuss applications for certificate renewal for gaseous diffusion plants.W/agenda,list of attendees & handouts.
PATEL,P. Office of Nuclear Material Safety & Safeguards. 98/02/06. PIERSON,R. Office of Nuclear Material Safety & Safeguards. 47pp. A2332:296-A2332:343.

9802170148 Responds to NRC 980109 ltr re violations noted in insp rept 70-7002/97-12.Corrective actions:daily review of problem repts was initiated by NCS Organization to ensure that event notifications were made as required.
MORGAN,J.B. United States Enrichment Corp. (USEC). 98/02/09. Document Control Branch (Document Control Desk). 9pp. A2216:351-A2216:359.

9802190175 Submits response to request for addl info re Compliance Plan Issue 3,Action 9 for Paducah Gaseous Diffusion Plant.
TOELLE,S.A. United States Enrichment Corp. (USEC). 98/02/09. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 11pp. A2258:241-A2258:251.

9802200338 Submits rev 18 to USEC-02,application for NRC certification for Portsmouth Gaseous Diffusion Plant.Rev incorporates changes to technical safety requirements,previously submitted for review IAW 10CFR76.45.
MILLER,J.H. United States Enrichment Corp. (USEC). 98/02/10. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 17pp. A2320:345-A2320:361.

9802230294 Requests technical assistance in reviewing certificate amend request for Portsmouth Gaseous Plant re highly enriched U cylinder valve replacement.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/10. WEBER,M.F. Licensing Branch. 2pp. A2342:298-A2342:299.

9802240016 Ack receipt of application to amend COC GDP-2,transmitted by 980203 ltr.Initial administrative review of application has been completed & no omissions or deficiencies were identified.
COX,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/11. MILLER,J.H. United States Enrichment Corp. (USEC). 1p.

9802200123 Provides Event Rept 97-10,rev 3,for event involving UF6 cylinder high pressure alarm actuation at Portsmouth Gaseous Diffusion Plant.
MORGAN,J. United States Enrichment Corp. (USEC). 98/02/12. Document Control Branch (Document Control Desk). 6pp. A2270:114-A2270:119.

9802200128 Provides required 30-day written event rept 97-21,rev 1,for event involving failure of UF6 cylinder high pressure autoclave steam shutoff safety sys at Portsmouth Gaseous Diffusion Plant.
MORGAN,J. United States Enrichment Corp. (USEC). 98/02/12. Document Control Branch (Document Control Desk). 4pp. A2320:053-A2320:056.

9802240391 Forwards insp rept 70-7002/98-201 on 980105-09.No violations noted.Insp consisted of facility walk through,selective exams of procedures & records,interviews w/personnel & observations.
TING,P. Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/17. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. A2287:067-A2287:076.

--9802240394 Insp rept 70-7002/98-201 on 980105-09.No violations noted. Major areas inspected:unannounced chemical process insp of USEC Portsmouth Gaseous Plant at Piketon,OH.Insp also addresses completion of Compliance Plan issue 20.
* Division of Fuel Cycle Safety & Safeguards (Post 930207). 98/02/17. 8pp. A2287:069-A2287:076.

DOCKET DOCKET UNKNOWN

9802060075 Informs that since model TN-BGC1 package (7103034) does not meet requirements of 10CFR71.64,it cannot be used for air transport of Pu within US.NRC should be informed within 30 days of ltr date as to when addl info will be submitted.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/29.
BOYLE,R.W. Transportation, Dept. of. 4pp. A2153:354-A2153:357.

9802180112 Forwards Southeastern OK State Univ,docket 7100890,QA program for shipment of 239 Plutonium-Beryllium neutron sources in model DOT 6M packaging.
WRIGHT,J.R. Southeastern Oklahoma State Univ., Durant, OK. 98/02/03. ENG,P. Office of Nuclear Material Safety & Safeguards. 1p. A2243:140-A2243:143.

--**9802180117** Southeastern OK State Univ,docket 7100890, "10CFR71 QA Program for Shipment of 239 Plutonium-Beryllium Neutron Sources."
WRIGHT,J.R. Southeastern Oklahoma State Univ., Durant, OK. 98/02/03. 3pp. A2243:141-A2243:143.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0003 SIEMENS NUCLEAR POWER CORP.

9802250024 Forwards Rev 12 to EMF-439, "Siemens Power Corp QA Program for Nuclear Fuel Shipping Containers." Changes made in rev mainly organizational,editorial & described under "Summary of Changes" on signature page.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/02/17. Document Control Branch (Document Control Desk). 1p. A2473:090-A2473:122.

--**9802250033** Rev 12 to EMF-439, "Siemens Power Corp QA Program for Nuclear Fuel Shipping Containers."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/02/03. 33pp. A2473:091-A2473:122.

DOCKET 71-0102 SOURCE PRODUCTION & EQUIPMENT CO., INC.

9802110054 Informs of implementation & closure of corrective actions arising from internal audit,NRC inspections & independent expert audit.Rev 1 to "SPEC Quality Sys Procedure Manual," encl.
DICHARRY,R.D. Source Production & Equipment Co., Inc. 98/02/02.
SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 2pp. A2167:291-A2167:357.

--**9802110055** Rev 1 to "SPEC Quality Sys Procedure Manual."
* Source Production & Equipment Co., Inc. 97/12/31. 65pp. A2167:293-A2167:357.

DOCKET 71-0192 PACIFIC NUCLEAR SYSTEMS, INC.

9802120122 Forwards table describing VECTRA's committed corrective action,licensee position & date to be completed,per application transferring COC 9196 for UX-30.
CAMPBELL,R.E. Chem-Nuclear Systems, Inc. 98/02/09. SPETS,J.E. Office of Nuclear Material Safety & Safeguards. 4pp. A2216:268-A2216:271.

DOCKET 71-0231 CHEM-NUCLEAR SYSTEMS, INC.

9802240004 Forwards insp rept 71-0231/98-201 on 980105-09 & notice of nonconformance.Nonconformance involved failure to implement CAs resulting from previous NRC insp.
SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 98/02/04.
VOIT,R.E. Chem-Nuclear Systems, Inc. 2pp. A2344:213-A2344:241.

--**9802240006** Notice of nonconformance from insp on 980105-09. Nonconformances noted:failure to implement corrective actions resulting from previous insp,control procedures not implemented & inadequate training on 10CFR21 training.
* Office of Nuclear Material Safety & Safeguards. 98/02/04. 8pp. A2344:215-A2344:222.

--**9802240009** Insp rept 71-0231/98-201 on 980105-09.Nonconformances noted. Major areas inspected:activities associated w/transportation of radioactive matl to determine if executed IAW requirements of Parts 21 & 71 of 10CFR CoCs,SARs & QAPs.
* Office of Nuclear Material Safety & Safeguards. 98/02/04. 19pp. A2344:223-A2344:241.

DOCKET 71-0250 TRANSNUCLEAR, INC.

9802130030 Forwards rev 7 to "QAP for Design,Fabrication,Assembly, Testing,Maintenance,Repair,Mod & Use of Packagings for Transport of Radioactive Matls."
SUTHERLAND,W.R. Transnuclear, Inc. 98/02/03. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. A2231:050-A2231:084.

--**9802130036** Rev 7 to "QAP for Design,Fabrication,Assembly,Testing, Maintenance,Repair,Mod & Use of Packagings for Radioactive Matls."
SUTHERLAND,W.R. Transnuclear, Inc. 98/02/03. 33pp. A2231:051-A2231:084.

DOCKET 71-0545 TN TECHNOLOGIES, INC.

9802230297 Advises that QA program approval for radioactive matl package:0545 expires on 980430.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/02/04. HEYER,R.S. TN Technologies, Inc. (formerly Texas Nuclear Corp.). 1p. A2342:297-A2342:297.

9802260067 Application for renewal of QA program approval for radioactive matl package:0545.
HEYER,R.S. TN Technologies, Inc. (formerly Texas Nuclear Corp.). 98/02/16.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 1p. A2373:273-A2373:273.

DOCKET 71-0638 WESTINGHOUSE ELECTRIC CORP.

9802060018 Forwards QA program approvals for radioactive matl packages 0638,rev 3 & 0708,rev 3,as amended.Approvals satisfy requirements of 10CFR71.12(b) for QA program approved by NRC.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/29. NARDI,A.J. Westinghouse Electric Corp. 1p. A2148:358-A2148:360.

--**9802060020** QA program approval for radioactive matl package:0638,Rev 3.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/29. 1p. A2148:359-A2148:359.

--**9802060021** QA program approval for radioactive matl package:0708,Rev 3.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/29. 1p. A2148:360-A2148:360.

DOCKET 71-0641 UNITED STATES TESTING CO., INC.

9802130081 Application for amend to QA approval for radiation matl package:0641 to change Corporate Radiation Safety address as submitted.
CUTHBERTSON,T. . 98/01/21. ENG,P.L. Office of Nuclear Material Safety & Safeguards. 1p. A2231:103-A2231:103.

DOCKET 71-0708 WESTINGHOUSE ELECTRIC CORP.

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

9802060018 Forwards QA program approvals for radioactive matl packages 0638,rev 3 & 0708,rev 3,as amended.Approvals satisfy requirements of 10CFR71.12(b) for QA program approved by NRC.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/29. NARDI,A.J. Westinghouse Electric Corp. 1p. A2148:358-A2148:360.

--**9802060021** QA program approval for radioactive matl package:0708,Rev 3.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/29. 1p. A2148:360-A2148:360.

DOCKET 71-0755 ARMY, DEPT. OF

9802040315 Responds to 980113 telcon re statement clarifying requirements of QA program approval for radioactive matl packages 0755.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/01/22. HORNE,S.A. Army, Dept. of. 1p. A2087:061-A2087:061.

DOCKET 71-0757 WELDTEK TESTING LABS., INC.

9802230012 Application for renewal of QA program approval for radioactive matl package:0757.
CABLE,G.D. Weldtek Testing Laboratories, Inc. 97/12/17. ENG,P.L. Office of Nuclear Material Safety & Safeguards. 1p. A2329:359-A2329:359.

DOCKET 71-0784 HOLTEC INTERNATIONAL

9802240358 Trip rept of 971210-11 visit to observe drop testing of quarter-scale of Holtec International Corp HI-STAR 100. Proprietary photographs withheld.
O'CONNOR,S.C. Office of Nuclear Material Safety & Safeguards. 98/01/23.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 3pp. A2333:011-A2333:013.

DOCKET 71-0844 UNIVERSITY OF MISSOURI-ROLLA

9802230299 Advises that QA program approval for radioactive matl package:0844 expires on 980430.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
ENG,P.L. Office of Nuclear Material Safety & Safeguards. 98/02/04. KHOUAJA,H. Missouri, Univ. of, Rolla, MO. 1p. A2345:113-A2345:113.

9802240234 Requests extension of QA program approval for radioactive matl packages 0844.
BONZER,W.E. Missouri, Univ. of, Rolla, MO. 98/02/11. ENG,P.L. Office of Nuclear Material Safety & Safeguards. 1p. A2349:351-A2349:351.

DOCKET 71-3010 MODEL: NT-IX, TRANSPORTATION, DEPT. OF

9802060216 Clarifies that Japanese Certificate of Competent Authority J/113/AF-85,rev 4 & associated technical data forwarded on 971125 supersedes all previous requests for review & recommendation for certificate.
BOYLE,R.W. Transportation, Dept. of. 98/01/27. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 2pp. A2138:298-A2138:299.

9802170001 Informs that review of Model NT-IX package has been terminated.Model NT-IX package design authorized by Japanese COC authority J/113/AF-85,rev 4 being reviewed by ltr dtd 971125.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/29.
BOYLE,R.W. Transportation, Dept. of. 1p. A2231:360-A2231:360.

DOCKET 71-3035 MODEL: JRC-80Y-20T (JAPANESE) CASK, TRANSPORTATION,

9802050313 Requests review of enclosed data & recommendation concerning removal of leak test requirement prior to Mar 1998.
BOYLE,R. Transportation, Dept. of. 98/01/27. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 3pp. A2135:259-A2135:261.

DOCKET 71-3042 MODEL: NF1-V

9802180173 Requests review of encl Japanese certificate of competent authority J/134/AF-85,Rev 2,for NFI-V package.Recommendation requested for revalidation of package for import & export shipments.
BOYLE,R. Transportation, Dept. of. 98/01/30. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 1p. A2241:001-A2241:352.

–9802180176 "SAR on Type NFI-V Nuclear Fuel Package."
* Nuclear Fuel Services, Inc. 97/02/28. 351pp. A2241:002-A2241:352.

DOCKET 71-4909 MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.

9802240243 Requests that NRC terminate certificate of compliance 4909.
VAUGHAN,C.M. General Electric Co. 98/02/12. CHAPPELL,C.R. NRC - No Detailed Affiliation Given. 1p. A2349:350-A2349:350.

DOCKET 71-5149 MODEL: 814A, BABCOCK & WILCOX CO.

9802100169 Informs that Pittsburgh Naval Reactor (PNR) is owner of model 814A shipping container.PNR has agreed to discuss methods of meeting regulatory requirements of NRC Bulletin 97-002, "Puncture Testing of Shipping Packages" w/NRC.
OLSEN,A.F. Affiliation Not Assigned. 98/02/03. Document Control Branch (Document Control Desk). 1p. A2166:291-A2166:291.

DOCKET 71-6078 MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.

9802060148 Notification of registration as user of certificate of compliance 6078,in response to 980112 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/02. ZINKE,G.A. Maine Yankee Atomic Power Co. 1p. A2150:359-A2150:359.

DOCKET 71-6206 MODEL: MODEL B, B&W FUEL CO.

9802050163 Forwards COC 6206,rev 23 for model B package as requested in 980120 application.Approval constitutes authority to use package for shipment of radioactive matl & for package to be shipped IAW provisions of 49CFR173.41.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/22. ELLIOTT,G. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 1p. A2087:154-A2087:159.

–9802050167 Certificate of compliance 6206,rev 23,for model B package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/22. 5pp. A2087:155-A2087:159.

DOCKET 71-6400 MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

9802170002 Responds to ltr dtd 971222,which requested that alternative contents be authorized for transport in Model 6400 package (COC 6400).
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/29. BAER,T.S. Nuclear Fuel Services, Inc. 2pp. A2234:347-A2234:348.

DOCKET 71-9010 MODEL: NLI-1/2, NAC INTERNATIONAL

9802200398 Requests withdrawal of request for COC amend to authorize transport of HEU MTR fuel assemblies in NLI 1/2.
THOMPSON,T.C. NAC International Inc. (formerly Nuclear Assurance Corp.),. 98/02/10. Document Control Branch (Document Control Desk). 1p. A2320:162-A2320:162.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9802060143 Submits response to NRC Bulletin 97-002 & rev to bulletin dtd 971017.Testing schedule for Amersham Type B packages attached.
ROUGHAM,C. Amersham Corp. 98/01/30. HAUGHNEY Document Control Branch (Document Control Desk). 2pp. A2150:352-A2150:353.

9802250136 Forwards Test Plan 76, "Model 660 Series Source Projector Hypothetical Accident Conditions." Collar can be incorporated into existing 660 packages via retrofit procedure as well as into new production during assembly.
FIELD,G.T. Amersham Corp. 98/02/17. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. A2360:101-A2360:164.

–9802250141 Test Plan 76, "Model 660 Series Source Projector Hypothetical Accident Conditions."
* Amersham Corp. 98/02/17. 63pp. A2360:102-A2360:164.

9802250233 "Model 660 Hypothetical Accident Condition Tests."
ROUGHAN,K. Amersham Corp. 74. 98/02/18. 17pp. A2368:282-A2368:298.

DOCKET 71-9070 MODEL: N-55, NUCLEAR PACKAGING, INC.

9802130051 Requests transfer of COC 9070 from Vectra Technologies, Inc,to Transnuclear,Inc.
HANSON,A. Transnuclear, Inc. 98/02/05. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. A2231:132-A2231:132.

9802130029 Requests transfer of COC 9070 Vectra Technologies,Inc,to Transnuclear,Inc.
PFEIL,T.B. Vectra Technologies, Inc. 98/02/06. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. A2231:133-A2231:133.

DOCKET 71-9143 MODEL: 920, AMERSHAM CORP.

9802260046 Requests registration as user of Amersham Model 420 Type B package USA/9143/B(U).
CROWELL,W.S. . 98/01/26. MACDONALD Office of Nuclear Material Safety & Safeguards. 1p. A2373:278-A2373:279.

DOCKET 71-9145 MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC

9802060146 Notification of registration as user of certificate of compliance 9145,in response to 980120 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/02. LANDECHE,D.A. Entergy Operations, Inc. 1p. A2150:360-A2150:360.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9802250038 Refers to 971229 application requesting renewal of COC 9156, for model IR-50 package,9157 for model IR-100 package & 9185 for model OP-100 package.COCs will not be deemed expired until applications have finally been determined.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/09. HUDDLESTON,B. Industrial Nuclear Co. 1p. A2360:305-A2360:305.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9802250038 Refers to 971229 application requesting renewal of COC 9156, for model IR-50 package,9157 for model IR-100 package & 9185 for model OP-100 package.COCs will not be deemed expired until applications have finally been determined.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/09. HUDDLESTON,B. Industrial Nuclear Co. 1p. A2360:305-A2360:305.

DOCKET 71-9167 MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.

9802060239 Discusses DOE 950221 10CFR21 rept re Model 3227B package, stating that free liquid found in inner cavity of package.
WHITE,B.H. Office of Nuclear Material Safety & Safeguards. 98/01/29. RAMSEY,K. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. A2138:297-A2138:297.

DOCKET 71-9184 MODEL: PAS-1, NUCLEAR PACKAGING, INC.

9802060166 Notifies NRC of intellectual properties & assets associated w/NUHOMS technology to Transnuclear,Inc.
PFEIL,T.B. Vectra Technologies, Inc. 98/01/30. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. A2138:358-A2138:358.

9802060241 Requests transfer of COC 9184 from Vectra Technologies, Inc to Packaging Technology,Inc.
HANSON,A. Transnuclear, Inc. 98/01/30. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. A2138:356-A2138:356.

DOCKET 71-9185 MODEL: OP-100, INDUSTRIAL NUCLEAR CO.

9802250038 Refers to 971229 application requesting renewal of COC 9156, for model IR-50 package,9157 for model IR-100 package & 9185 for model OP-100 package.COCs will not be deemed expired until applications have finally been determined.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/09. HUDDLESTON,B. Industrial Nuclear Co. 1p. A2360:305-A2360:305.

DOCKET 71-9196 MODEL: UX-30, NUCLEAR PACKAGING, INC.

9802230022 Requests detailed info on insulating foam used in protective overpack model UX-30,approved under US certification USA/9196/AF,rev 15.
NIEL,J.C. France. 98/01/29. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 3pp. A2327:281-A2327:283.

9802120122 Forwards table describing VECTRA's committed corrective action,licensee position & date to be completed,per application transferring COC 9196 for UX-30.
CAMPBELL,R.E. Chem-Nuclear Systems, Inc. 98/02/09. SPETS,J.E. Office of Nuclear Material Safety & Safeguards. 4pp. A2216:268-A2216:271.

9802270123 Forwards COC 9196,rev 12 for Model UX-30 package,per 980109 request & Vectra Technologies,Inc ltr dtd 971125.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/17. HOUSE,W.B. Chem-Nuclear Systems, Inc. 1p. A2420:211-A2420:216.

–9802270128 Certificate of compliance 9196,rev 12,for model UX-30.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/17. 5pp. A2420:212-A2420:216.

DOCKET 71-9217 MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.

9802240411 Informs that addl info requested in 980129 ltr re ANF-250 container will be submitted by 980501.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/02/13. Document Control Branch (Document Control Desk). 1p. A2355:356-A2355:356.

DOCKET 71-9225 MODEL: NAC-LWT, NAC INTERNATIONAL

9802110166 Submits info which has been taken from actual shipment of short cooled MTR fuel.
LEE,B. NAC International Inc. (formerly Nuclear Assurance Corp.),. 97/12/05. MCGINTY,T. NRC - No Detailed Affiliation Given. 1p. A2230:119-A2230:119.

DOCKET 71-9228 MODEL: 2000, GENERAL ELECTRIC CO.

9802060214 Submits rept per 10CFR71.95 to describe events related to observed water residue following wet loading,draining,vacuum drying & shipment of irradiated hardware in Model 2000 shipping container.
MURRAY,B.M. General Electric Co. 98/01/22. Office of Nuclear Material Safety & Safeguards. 3pp. A2138:310-A2138:312.

9802230019 Submits rept per 10CFR71.95 describing failure to include o-ring seals on plug covers for leak test port,vent port & drain line of model 2000 shipping container on 980109.
MURRAY,B.M. General Electric Co. 98/02/09. Office of Nuclear Material Safety & Safeguards. 5pp. A2330:139-A2330:143.

DOCKET 71-9233 MODEL: TN-RAM, TRANSNUCLEAR, INC.

9802250049 Requests registration as user of Transnuclear,Inc shipping cask Model TN-RAM.
PETERSON,N.K., WEBER,B.A. Detroit Edison Co. 98/02/11. Office of Nuclear Material Safety & Safeguards. 1p. A2360:309-A2360:309.

DOCKET 71-9235 MODEL: NAC-STC, NAC INTERNATIONAL

9802030055 Notifies that responses to RAI will be submitted to NRC not later than 980331 as requested by NRC in transmittal ltr of RAI dtd 971230.
THOMPSON,T.C. NAC International Inc. (formerly Nuclear Assurance Corp.),. 98/01/29. Document Control Branch (Document Control Desk). 1p. A2018:332-A2018:332.

9802240074 Notification of 980218 meeting w/NAC Intl in Rockville,MD to discuss NRCs RAI on NAC-STC spent fuel transportation cask & NAC-MPC spent fuel storage sys applications.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 98/02/04. Office of Nuclear Material Safety & Safeguards. 2pp. A2355:326-A2355:327.

9802240083 Cancellation notice of 980218 meeting w/NAC Intl in Rockville,MD to discuss NRC RAI on NAC-STC spent fuel transportation cask & NAC-MPC spent fuel storage sys applications.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 98/02/10. Office of Nuclear Material Safety & Safeguards. 1p. A2333:210-A2333:210.

9802240080 Notification of 980226 meeting w/NAC Intl in Rockville,MD to discuss RAI on NAC-STC spent fuel transportation cask & NAC-MPC spent fuel storage sys applications.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 98/02/11. Office of Nuclear Material Safety & Safeguards. 2pp. A2348:359-A2348:360.

DOCKET 71-9239 MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

9802050147 Advises of plans to terminate review of application,dtd 961001,unless requested info is received by 980331.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/23. GANTT,G.S. Westinghouse Electric Corp. 1p. A2087:060-A2087:060.

DOCKET 71-9249 MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,

9802060220 Requests registration as user of Chem-Nuclear Sys,Inc CNS 14-170,Series III radioactive matls shipping cask.Future info for package should be forwarded to listed individual at VYNP.
MCCARTHY,J.T. Vermont Yankee Nuclear Power Corp. 98/01/23. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. A2138:302-A2138:303.

9802270135 Informs that NMSS has registered util as user of COC 9249 IAW general license provisions of 10CFR71.12,per 980123 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/17. MCCARTHY,J.T. Vermont Yankee Nuclear Power Corp. 1p. A2412:029-A2412:029.

DOCKET 71-9250 MODEL: NNFD 5X22, BABCOCK & WILCOX CO.

9802040275 Forwards COC 9250,Rev 6,for model NNFD 5X22 package per request by application dtd 971217.BWX Technologies,Inc has been registered as users of package under general license provisions of 10CFR71.12 or 49CFR173.471.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/22. OLSEN,A.F. Affiliation Not Assigned. 1p. A2033:354-A2033:359.

--9802040283 Certificate of compliance 9250,rev 6,for model NNFD 5X22.
* Office of Nuclear Material Safety & Safeguards. 98/01/22. 5pp. A2033:355-A2033:359.

DOCKET 71-9255 MODEL: MP-187, VECTRA TECHNOLOGIES

9802130105 Forwards organizational chart w/phone numbers for Transnuclear West,Inc.
THOMAS,M. Transnuclear, Inc. 98/02/05. RADDATZ,M. NRC - No Detailed Affiliation Given. 2pp. A2231:130-A2231:131.

9802120189 Forwards RAI re 931008 application & suppls requesting COC for model NUHOMS-MP-187 transportation package.Response requested within 30 days.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 98/02/09. DAWSON,D.M. Vectra Technologies, Inc. 3pp. A2216:265-A2216:267.

DOCKET 71-9261 MODEL: HI-STAR 100, HOLTEC INTERNATIONAL

9802240358 Trip rept of 971210-11 visit to observe drop testing of quarter-scale of Holtec International Corp HI-STAR 100. Proprietary photographs withheld.
O'CONNOR,S.C. Office of Nuclear Material Safety & Safeguards. 98/01/23. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 3pp. A2333:011-A2333:013.

9802050305 Requests copy of rept on concrete properties for ref in revising HI-STORM 100 application to incorporate revised analysis methods.
TJERSLAND,G.T. Holtec International. 98/01/28. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 1p. A2135:255-A2135:255.

DOCKET 71-9268 MODEL: TRANSTOR SIERRA NUCLEAR CORP.

9802120188 Returns responses to 970731 RAI-2 re 960326 application for Trojan ISFSI,due to overall poor quality.Proprietary documents are being returned under separate cover as required affidavits were not provided.
REID,D.G. Office of Nuclear Material Safety & Safeguards. 98/02/09. QUENNOZ,S.M. Portland General Electric Co. 2pp. A2216:274-A2216:275.

DOCKET 71-9269 MODEL: 650L

9802040003 Notification of registration as user of certificate of compliance 9269,in response to 971218 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/01/21. HOWERTON,H.K. CBI Services, Inc. (formerly Chicago Bridge & Iron Co.). 1p. A2020:139-A2020:139.

9802060144 Notification of registration as user of certificate of compliance 9269,in response to 980114 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/02. HOLLANDER,W.D. Affiliation Not Assigned. 1p.

DOCKET 71-9280 MODEL: UBE-1

9802180184 Requests approval of change to Drawing LP-3023 & SARP for Model UBE-1 shipping container permitting use of 1A2/X400/S & 1A2/X500/S.
OLSEN,A.F. Affiliation Not Assigned. 98/02/06. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. A2240:099-A2240:106.

9802250046 Forwards COC 9280,rev 1 for model UBE-1 package.Vertical lines in margin indicate changes made.BW has been registered as user of package under general license provisions of 10CFR71.12.Approval record also enclosed.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/10. OLSEN,A.F. Babcock & Wilcox Co. 1p. A2360:248-A2360:251.

--9802250050 Certificate of compliance 9280,rev 1,for model UBE-1.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 98/02/10. 3pp. A2360:249-A2360:251.

DOCKET DOCKET UNKNOWN

9802180188 Submits docket 7200023 for residents petition for consideration of storage of spent nuclear fuel in Box Elder County,UT.
PETERSON,W.D. Affiliation Not Assigned. 98/01/17. DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 19pp. A2243:175-A2243:193.

9802130125 Informs that util supports docket 7201027 Transnuclear,Inc, exemption request & respectively asks NRC to grant exemption to assure continuing full core discharge capability at PBAPS.Units 2 & 3 now projected to loss full core discharge.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/01/29. Office of Nuclear Material Safety & Safeguards. 3pp. A2234:040-A2234:042.

9802240055 Summary of 980122 meeting w/Transnuclear,Inc re TN-68 spent fuel dry storage cask contents & design.List of attendees & meeting handouts,encl.
WHALEY,S. Office of Nuclear Material Safety & Safeguards. 98/02/04. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 7pp. A2333:189-A2333:195.

9802230290 Forwards for docket 7201027 TN-68 dry storage cask SAR pages 9.1-3/9.1-4 & original affidavit & application for withholding proprietary info from public disclosure, E-16039A.Encl withheld,per 10CFR2.790(b)(4).
NEIDER,T.J. Transnuclear, Inc. 98/02/11. LEEDS,E. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. A2342:336-A2342:342.

9802270263 Provides detailed capacity projections for PBAPS,Units 2 & 3,fuel pools,which supports licensee basis for need to load nine TN-68 storage casks prior to July 2001.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/13. Office of Nuclear Material Safety & Safeguards. 4pp. A2412:001-A2412:005.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0002 SURRY ISFSI 50-280 & 50-281

9802040413 Informs that util established subaccounts for nuclear decommissioning trusts to separately track amounts re ISFSIs for North Anna & Surry Power Stations.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2135:204-A2135:205.

9802040103 Forwards rev 3 to physical security plan,per 10CFR50.54(p) & 10CFR72.186(b).Changes do not decrease safeguards effectiveness of plan.Encl withheld.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2081:353-A2081:354.

9802120144 Forwards rev 3 to physical security plan for plants & associated ISFSIs.W/o encl.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2216:313-A2216:314.

DOCKET 72-0004 OCONEE ISFSI, 50-269, 50-270 & 50-287

9802130114 Application for amends to licenses DPR-38,DPR-47,DPR-55 & SNM-2503,updating ISFSI license such that corporate name of licensee changed form Duke Power Co to Duke Energy Corp.
MCCOLLUM,W.R. Duke Power Co. 98/01/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. A2233:303-A2233:323.

--9802130118 Proposed tech specs re ISFSI for Oconee Nuclear Station.
* Duke Power Co. 98/01/19. 17pp. A2233:307-A2233:323.

9802040386 Forwards insp repts 50-269/97-16,50-270/97-16 & 50-287/97-16 on 971116-1227 & NOV.Conduct of activities at Oconee was generally characterized by safety-conscious operations, maint & engineering practices.Six violations cited in NOV.
OGLE,C.R. Region 2 (Post 820201). 98/01/26. MCCOLLUM,W.R. Duke Power Co. 5pp. A2000:001-A2000:041.

--9802040399 Insp repts 50-269/97-16,50-270/97-16 & 50-287/97-16 on 971116-1227.Violations noted.Major areas inspected:licensee operations,maint,engineering & plant support.
* Region 2 (Post 820201). 98/01/26. 29pp. A2000:010-A2000:041.

9802060028 Responds to NRC Bulletin 96-004 for NUHOMS-24P SF storage sys used at plant site.NRC reviewed response & found response to be acceptable.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 98/02/02. MCCOLLUM,W.R. Duke Power Co. 3pp. A2027:326-A2027:328.

DOCKET 72-0005 POINT BEACH ISFSI GEN LIC, 50-266 & 50-301

9802030097 Forwards listed documents re storage of spent nuclear fuel in dry storage casks at plant,per telcon.W/o encl.
RAY,P.M. . 98/01/27. DUMS,D. Citizens' Utility Board. 4pp. A1985:303-A1985:306.

9802050338 Provides followup to telcon re issues of storage of spent nuclear fuel in dry storage casks.Info includes 971113 ltr from G Dixon to C Haughney followup response to demand for info dtd 971106.W/o encls.
RAY,P.M. . 98/01/29. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. A2012:207-A2012:210.

9802190156 Forwards proposed revs to Section 1.8 of FSAR for Point Beach Nuclear Plant.Section 1.8 of FSAR describes current nuclear QA program implemented for plant.
JOHNSON,D.F. Wisconsin Electric Power Co. 98/02/06. Document Control Branch (Document Control Desk). 1p. A2258:227-A2258:233.

--9802190161 Proposed revs to FSAR Section 1.8 QA program.
* Wisconsin Electric Power Co. 97/06/30. 6pp. A2258:228-A2258:233.

9802270277 Provides licensee w/status of staff review of CAs being implemented by VSC-24 Owners Group to resolve problems encountered while making VSC-24 closure welds.Status of RAIs issued to licensee re listed CALs,encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. MOEKEL,K. Sierra Nuclear, Inc. 8pp. A2420:219-A2420:226.

DOCKET 72-0007 PALISADES ISFSI GEN LIC, 50-255

9802050338 Provides followup to telcon re issues of storage of spent nuclear fuel in dry storage casks.Info includes 971113 ltr from G Dixon to C Haughney followup response to demand for info dtd 971106.W/o encls.
RAY,P.M. . 98/01/29. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. A2012:207-A2012:210.

9802270277 Provides licensee w/status of staff review of CAs being implemented by VSC-24 Owners Group to resolve problems encountered while making VSC-24 closure welds.Status of RAIs issued to licensee re listed CALs,encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. MOEKEL,K. Sierra Nuclear, Inc. 8pp. A2420:219-A2420:226.

DOCKET 72-0008 CALVERT CLIFFS ISFSI, 50-317 & 50-318

9802060183 Requests that order approving transfer of licenses & license amend request reflecting new company ownership of plant & ISFSI be withdrawn.Mutual agreement made on 971219, terminating merger.
CRUSE,C.H. Baltimore Gas & Electric Co. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2138:296-A2138:296.

9802060039 Informs that NRC reviewed response to NRC Bulletin 96-04 for NUHOMS-24P SF storage sys used at CNPP & found response acceptable.Cask loading & unloading procedures at Calvert Cliffs may be subj of future NRC insps.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 98/02/02. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. A2027:277-A2027:279.

9802190198 Forwards fitness for duty program performance data & lessons learned for period of Jul-Dec 1997,per 10CFR26.71(d).
GUARNIERI,S.R. Baltimore Gas & Electric Co. 98/02/09. Document Control Branch (Document Control Desk). 6pp. A2258:235-A2258:240.

9802270256 Submits info re support rod to spaced disk welded joint capability & support rod computer analysis.
TESFAYE,G. Baltimore Gas & Electric Co. 98/02/19. KOBETZ,T. NRC - No Detailed Affiliation Given. 1p. A2420:218-A2420:218.

DOCKET 72-0009 FORT ST. VRAIN ISFSI, 50-267

9802120138 Forwards signed copy of marked up copy of amend to indemnity agreement B-50,to indicate proper amend number as 12,per instructions received by IP Dinitz.
FISHER,M.J. Public Service Co. of Colorado. 98/02/04. DINITZ,I.P. . 3pp. A2410:286-A2410:288.

9802110111 Forwards "Management Control Plan FSV ISFSI," as requested.
WILCYNSKI,J.M. Energy, Dept. of, Idaho Operations Office. 98/02/06. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. A2250:272-A2250:319.

--9802110113 "Management Control Plan FSV ISFSI."
MAGGART,C., HAGERS,J., GARDNER,M. Energy, Dept. of, Idaho Operations Office. 98/02/05. 45pp. A2250:275-A2250:319.

9802170169 Refers to 980116 meeting in Arlington,TX re PSC experiences & lessons learned associated w/decommissioning & demantlement of Fort St Vrain plant & termination of Part 50 license.List of attendees & licensee presentation encl.
SCARANO,R.A. Region 4 (Post 820201). 98/02/09. FISHER,M.J. Public Service Co. of Colorado. 25pp. A2181:303-A2181:327.

9802200153 Provides response to 971223 ltr & withdraws associated request to revise physical security plan.
FISHER,M.J. Public Service Co. of Colorado. 98/02/09. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2290:360-A2290:361.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9802200086 "Prairie Island Nuclear Generating Plant Annual ISFSI Effluent Rept Jan-Dec 1997." W/980211 ltr.
SORENSEN,J.P. Northern States Power Co. 97/12/31. 3pp. A2318:358-A2318:360.

9802170101 Forwards four copies of rev 37 to Prairie Island security plan.Plan withheld.
SORENSEN,J.P. Northern States Power Co. 98/02/09. Document Control Branch (Document Control Desk). 1p. A2182:345-A2182:345.

9802170105 Forwards four copies of rev 15 to Prairie Island security force training & qualification plan,incorporating NRC comments to rev 14.Plan withheld.
SORENSEN,J. Northern States Power Co. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2182:346-A2182:347.

9802250212 Forwards postmarked ltr,dtd 980221 re request for 10-day extension of 25-day comment period concerning Director's Decision to deny petition of Prairie Island Coalition.
CROCKER,G. Affiliation Not Assigned. #198 18821. 98/02/23. HOYLE,J. Office of the Secretary of the Commission. 2pp. A2288:001-A2288:002.

DOCKET 72-0013 ARKANSAS NUCLEAR ONE, ISFSI GEN LIC, 50-313 & 50-368

9802270277 Provides licensee w/status of staff review of CAs being implemented by VSC-24 Owners Group to resolve problems encountered while making VSC-24 closure welds.Status of RAIs issued to licensee re listed CALs,encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. MOEKEL,K. Sierra Nuclear, Inc. 8pp. A2420:219-A2420:226.

DOCKET 72-0014 DAVIS BESSE ISFSI GEN LIC, 50-346

9802130107 Forwards annual 10CFR72.48 summary rept of facility changes, tests & experiments for facility for period 970101-1231. W/o encl.
WOOD,J.K. Centerior Energy. 98/01/22. BEACH,A.B. Region 3 (Post 820201). 1p. A2231:135-A2231:135.

9802060034 Informs that NRC reviewed response to NRC Bulletin 96-04 for NUHOMS-24P SF storage sys used at DBNPS & found response acceptable.Confirms that licensee will revise cask loading & unloading procedures to incorporate controls.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 98/02/02. WOOD,J.K. Toledo Edison Co. 3pp. A2027:274-A2027:276.

DOCKET 72-0016 NORTH ANNA ISFSI - 50-338 & 50-339

9802020056 Forwards rev 21 to "North Anna Power Station Emergency Plan" & rev 6 to "Corporate Emergency Response Plan." Revs reflect addition of ISFSI.Rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure," encl.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 98/01/23. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A1972:001-A1972:292.

--9802020057 Rev 21 to "North Anna Power Station Emergency Plan."
* Virginia Power (Virginia Electric & Power Co.). 98/01/23. 188pp. A1972:003-A1972:190.

--9802020062 Rev 30 to EPIP-1.01, "Emergency Manager Controlling Procedure."
KEMP,P. Virginia Power (Virginia Electric & Power Co.). 98/01/23. 50pp. A1972:191-A1972:292.

9802040413 Informs that util established subaccounts for nuclear decommissioning trusts to separately track amounts re ISFSIs for North Anna & Surry Power Stations.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2135:204-A2135:205.

9802040103 Forwards rev 3 to physical security plan,per 10CFR50.54(p) & 10CFR72.186(b).Changes do not decrease safeguards effectiveness of plan.Encl withheld.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2081:353-A2081:354.

9802050353 Forwards results of review of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Radiological Sabotage."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/29. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. A2095:298-A2095:302.

9802120144 Forwards rev 3 to physical security plan for plants & associated ISFSIs.W/ o encl.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2216:313-A2216:314.

9802090090 Forwards response to NRC 971229 RAI re fuel assemblies to be stored in ISFSI.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/30. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 6pp. A2164:323-A2164:328.

9802240281 Forwards response to 980116 RAI re application for review & approval of site-specific license for ISFSI dtd 950509.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 98/02/17. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 6pp. A2347:096-A2347:307.

-9802240287 Rev 0 to calculation CE-1181, "Structural Design Criteria for ISFSI at North Anna Power Station."
PAVLIK,R.A., POLLARD,J.P., MCCRIMMON,J.D. Virginia Power (Virginia Electric & Power Co.). 95/02/27. 206pp. A2347:102-A2347:307.

DOCKET 72-0017 TROJAN ISFSI, 50-344

9802050338 Provides followup to telcon re issues of storage of spent nuclear fuel in dry storage casks.Info includes 971113 ltr from G Dixon to C Haughney followup response to demand for info dtd 971106.W/o encls.
RAY,P.M. . 98/01/29. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. A2012:207-A2012:210.

9802050339 Forwards exemption & application for amend to license NPF-1, deleting security plan requirements of 10CFR50.54(p) & part 73 for plant after spent nuclear fuel is moved to proposed ISFSI area.W/Certificate of Svc.
QUENNOZ,S.M. Portland General Electric Co. 98/01/29. Document Control Branch (Document Control Desk). 4pp. A2149:305-A2149:321.

-9802050343 Application for amends to license NPF-1,deleting security plan requirements of 10CFR50.54(p) & part 73 for Trojan Plant after spent nuclear fuel is moved to proposed ISFSI area.
* Portland General Electric Co. 98/01/29. 11pp. A2149:309-A2149:319.

-9802050347 Proposed tech specs pages,deleting security plan requirements of 10CFR50.54(p) & part 73 for Trojan Plant after spent nuclear fuel is moved to proposed ISFSI area.
* Portland General Electric Co. 98/01/29. 2pp. A2149:320-A2149:321.

9802120188 Returns responses to 970731 RAI-2 re 960326 application for Trojan ISFSI,due to overall poor quality.Proprietary documents are being returned under separate cover as required affidavits were not provided.
REID,D.G. Office of Nuclear Material Safety & Safeguards. 98/02/09. QUENNOZ,S.M. Portland General Electric Co. 2pp. A2216:274-A2216:275.

9802190200 Requests exemption from requirements of 10CFR72.82(e) re ISFSI preoperational test rept.Exemption is requested so that fuel loading operations may proceed during interim period.
QUENNOZ,S.M. Portland General Electric Co. 98/02/10. Document Control Branch (Document Control Desk). 8pp. A2258:191-A2258:198.

DOCKET 72-0020 INEL TMI-2 ISFSI

9802030099 Forwards copies of "1996 LMITCO Environ Monitoring Program Rept for Idaho Natl Environ & Engineering Laboratory" & "Idaho Natl Engineering & Environ Laboratory Site Environ Rept for CY96."
HAGERS,J. Energy, Dept. of, Idaho Operations Office. 97/11/19. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2016:001-A2017:042.

-9802030124 "Idaho National Engineering & Environmental Laboratory Site Environmental Rept for CY96."
* Idaho National Engineering & Environmental Laboratory. DOE/ID-12082(96). 96/12/31. 177pp. A2016:003-A2016:179.

-9802030131 "1996 LMITCO Environmental Monitoring Program Rept for Idaho National Engineering & Environmental Laboratory."
* Idaho National Engineering & Environmental Laboratory. INEEL/EXT-97-0132(96. 96/12/31. 227pp. A2016:180-A2017:042.

9802200317 Forwards DOE-ID response to RAI re application for ISFSI TMI-2.DOE found meeting extremely helpful in understanding NRC informational needs.W/seven oversize drawings.Page 74 (Fig.A15) in attach. 27 of incoming submittal not included.
WILCYNSKI,J.M. Energy, Dept. of. 98/02/12. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 350pp. A2334:001-A2335:303.

DOCKET 72-0022 MODEL: PRIVATE FUEL STORAGE FACILITY

9802120136 Transcript of 980128 Private Fuel Storage,LLC prehearing conference in Salt Lake City,UT.Pp 241-499.Reporter certificate encl.
* NRC - No Detailed Affiliation Given. #198 18783. 98/01/28. 262pp. A2134:001-A2134:262.

9802120133 Transcript of 980129 Private Fuel Storage,LLC prehearing conference in Salt Lake City,UT.Pp 500-830.Reporter certificate encl.
* NRC - No Detailed Affiliation Given. #198 18784. 98/01/29. 332pp. A2099:001-A2099:334.

9802030086 Expresses concern re Private Fuel Storage (PFS) LLC effort in UT to site ISFSI on Goshute Skull Valley Indian Reservation.Documents that will be used to determine completeness of initial application of PFS,requested.
NIELSON,D.R. Utah, State of. 97/05/02. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 7pp. A2020:070-A2020:076.

9802230310 Forwards replacement page 41 of calculation 05996.01-G(B)-02-1.Original page should be discarded & replaced w/new one.
DONNELL,J.L. Stone & Webster, Inc. 97/10/30. DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 2pp. A2341:351-A2341:353.

9802230208 Informs of designation of D Chancellor,Assistant Attorney General,to review & have access to safeguards info in possession of primary designee,WJ Sinclair.
LEAVITT,M.O. Utah, State of. 97/11/24. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. A2342:312-A2342:312.

9802130045 Forwards documents as requested in 971223 ltr re private fuel storage.Attached table lists each document as presented in ref.W/o encls.
HENNESSY,W.P. Stone & Webster Engineering Corp. 98/01/13. CHOWDHURY,A.H. Center for Nuclear Waste Regulatory Analyses. 2pp. A2231:140-A2231:141.

9802120068 Urges NRC to support petitions of several parties for standing to intervene in licensing proceeding for proposed Private Fuel Storage waste site at Toole County,UT. W/Certificate of Svc.Served on 980202.
COOK,M. House of Rep. #198 18773. 98/01/20. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. A2135:109-A2135:111.

9802230189 Transcript of 980127 prehearing conference re Private Fuel Storage,LLC in Salt Lake City,UT.Pp 1-240.
* NRC - No Detailed Affiliation Given. #198 18805. 98/01/27. 241pp. A2253:001-A2253:242.

9802120102 Responds to 980120 ltr addressed to Chairman SA Jackson, urging support of petitions of several parties that have sought to intervene in Private Fuel Storage proceeding, currently before ASLB.W/Certificate of Svc.Served on 980202.
VIETTI-COOK,A. Office of the Secretary of the Commission. #198 18775. 98/01/29. COOK,M. House of Rep. 3pp. A2135:120-A2135:122.

9802120094 Licensing hearing on proposal of Private Fuel Storage LLC amended petition.* Scientists for Secure Waste Storage petition for leave to intervene,as group,in listed hearing. W/Certificate of Svc.
WILSON,R. Affiliation Not Assigned. #198 18785. 98/02/02. Office of the Secretary of the Commission. 7pp. A2135:123-A2135:129.

9802120098 Memorandum & order (memorializing initial prehearing conference directives).* Directives re scheduling & length of pleadings,issued during course of 980127-29 prehearing conference submitted.W/Certificate of Svc.Served on 980202.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18774. 98/02/02. Office of the General Counsel (Post 860701). 7pp. A2135:143-A2135:149.

9802120134 Forwards corrected page 14 of Staff 971224 response to contentions sent to Board & parties on 971231 for replacement.
MARCO,C.L. Office of the General Counsel (Post 860701). #198 18782. 98/02/02. BOLLWERK,G.P., KLINE,J.R., LAM,P.S. Atomic Safety & Licensing Board Panel. 1p. A2135:118-A2135:119.

-9802120140 Errata to page 14 of applicant answer to petitioner contentions.
* . * Shaw, Pittman, Potts & Trowbridge. 98/02/02. Atomic Safety & Licensing Board Panel. 1p. A2135:119-A2135:119.

9802260104 Petition of Scientists for Secure Waste Storage for leave to intervene,as group,in licensing hearing on proposal of Private Fuel Storage LLC.W/Certificate of Svc. Served on 980224.
CARPENTER,T.L. Affiliation Not Assigned. #198 18826. 98/02/02. Office of the Secretary of the Commission. 4pp. A2327:263-A2327:266.

9802120092 Memorandum & order (schedule for filing notice of appearance & correction to 980202 Licensing Board issuance).* Eighth line of page two of Board 980202 memorandum & order revised to read as listed.W/Certificate of Svc.Served on 980203.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18781. 98/02/03. Office of the General Counsel (Post 860701). 5pp. A2135:150-A2135:154.

9802230236 Discusses 980120 submittal of document containing safeguards info, "Applicant Answer to State of UT Contentions Security- A Through Security-I...." W/Certificate of Svc.Served on 980206.
JULIAN,E.L. Docketing & Services Branch. #198 18787. 98/02/06. Atomic Safety & Licensing Board Panel. 3pp. A2252:354-A2252:356.

9802230184 Memorandum & order (contention revs & transcript corrections).* Applicant & NRC should address acceptability of changes as part of reply pleadings re Utah EE through GG, now due on 980223.W/Certificate of Svc.Served on 980209.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18789. 98/02/09. Office of the General Counsel (Post 860701). 54pp. A2252:157-A2252:202.

9802230191 Notice of appearance on behalf of Scientists for Secure Waste Storage.* W/Certificate of Svc.
KAUFMAN,M.S. Affiliation Not Assigned. KAUFMAN,M.S. Affiliation Not Assigned. #198 18800. 98/02/09. 5pp. A2252:251-A2252:255.

9802230169 State of UT reply to NRC staff & applicant responses to State of UT contentions EE & GG & notice of withdrawal of contention FF.* State does not accede to any of arguments made by applicant & staff.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18797. 98/02/11. Atomic Safety & Licensing Board Panel. 5pp. A2252:215-A2252:222.

-9802230173 Declaration of LL Holish PE.* Technical facts presented in reply true & correct to best of author knowledge.
HOLISH,L.L. Affiliation Not Assigned. 98/02/09. 3pp. A2252:220-A2252:222.

9802230212 Partially withheld State of Utah reply to NRC Staff & applicant responses to Utah security plan contentions Security-A through Security-I.* All nine of security plan contentions should be admitted.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18803. 98/02/11. Atomic Safety & Licensing Board Panel. 3pp. A2252:357-A2252:360.

9802240346 Expresses appreciation for taking time of out busy day to meet w/E Leeds & MS Delligatti on 980129.Second hard copy of PFS application is encl for use at LPDR.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 98/02/11. MORIEARTY,J.A. Utah, Univ. of, Salt Lake City, UT. 1p. A2349:336-A2349:336.

9802230230 Ohngo Gaudadeh Devia response to Wilson/ALF amended petition & order,dtd 980202,allowing participant responses to said petition.* Late filed petition should be denied. W/Certificate of Svc.
BELILLE,J. Affiliation Not Assigned. BELILLE,J. Affiliation Not Assigned. #198 18801. 98/02/12. Commissioners (Post 750119). 11pp. A2252:223-A2252:233.

9802240323 Expresses appreciation for interesting briefing & tour that was given to all participants on 980126. "Info Handbook on ISFSI," encl.W/o encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. COMO,J.A. Utah, State of. 1p. A2349:337-A2349:337.

9802240329 Responds to 970728 request to withhold certain info from public disclosure.Determined that submitted info sought to be withheld contains proprietary info & will be withheld.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. PARKYN,J.D. . 5pp. A2366:037-A2366:041.

9802230170 Applicants answer to amended petition of scientists for secure waste storage.* Applicant believes that it would be similarly appropriate for Board to grant discretionary intervention in proceeding.W/Certificate of Svc.
SILBERG,J.E. Affiliation Not Assigned. SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #198 18795. 98/02/13. Atomic Safety & Licensing Board Panel. 8pp. A2252:203-A2252:210.

9802230185 NRC Staff response to petition for leave to intervene filed by R Wilson & Scientists for Secure Waste Storage.* Staff opposes petition & recommends that it be denied. W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #198 18796. 98/02/13. Atomic Safety & Licensing Board Panel. 22pp. A2253:308-A2253:329.

9802230203 Response of Skull Valley Band of Goshutes to petition of Scientists for Secure Nuclear Waste Storage.* Band fully supports proposed intervention for reasons stated. W/Certificate of Svc.
QUINTANA,D. Skull Valley Band of Goshute Indians. QUINTANA,D. Affiliation Not Assigned. #198 18802. 98/02/13. Atomic Safety & Licensing Board Panel. 6pp. A2252:256-A2252:261.

9802230204 State of UT opposition to amended petition to intervene.* Board should reject amended petition because it is unjustifiably late & fails to meet NRC criteria for either standing.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18799. 98/02/13. Atomic Safety & Licensing Board Panel. 26pp. A2253:243-A2253:296.

--9802230211 Affidavit of WJ Sinclair.* Affidavit re Private Fuel Storage high level waste storage proposal for Skull Valley Reservation.
SINCLAIR,W.J. Utah, State of. 98/02/13. 31pp. A2253:266-A2253:296.

9802230168 NRC Staff motion to correct transcript.* Staff requests that transcript of prehearing conference held on 980127-29 be corrected in manner set forth in attachment annexed hereto in order to correct record.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #198 18807. 98/02/17. Atomic Safety & Licensing Board Panel. 9pp. A2252:318-A2252:326.

9802230171 Order (schedule re Scientists for Secure Waste Storage final intervention petition suppl).* Petitioner SSWS shall have up to & including 980227,within which to file final suppl to intervention petition.W/Certificate of Svc.Served on 980217.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #198 18794. 98/02/17. Affiliation Not Assigned. 4pp. A2252:211-A2252:214.

9802230176 Memorandum regarding contentions of Confederated Tribes of Goshute Reservation & David Pete.* Goshute Tribe adopts mods of certain contentions previously adopted by ref along w/previously adopted contentions.W/Certificate of Svc.
KENNEDY,J.P. Affiliation Not Assigned. KENNEDY,J.P. Affiliation Not Assigned. #198 18804. 98/02/17. Atomic Safety & Licensing Board Panel. 3pp. A2252:154-A2252:156.

9802230196 Applicant response to revised contentions & proposed transcript corrections.* Applicant Private Fuel Storage, LLC submits response to revised contentions & proposed transcript corrections.W/Certificate of Svc.
SILBERG,J.E. Affiliation Not Assigned. SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #198 18809. 98/02/17. Atomic Safety & Licensing Board Panel. 17pp. A2252:234-A2252:250.

9802230219 Informs that NRC has determined to grant pending request to withhold from public disclosure pursuant to 10CFR2.790, certain info which appears in calculation package supporting SAR for Private Fuel Storage LLC ISFSI.
TURK,S.E. Office of the General Counsel (Post 860701). #198 18806. 98/02/17. BOLLWERK,G.P., KLINE,J., LAM,P.S. Atomic Safety & Licensing Board Panel. 6pp. A2268:176-A2268:181.

9802250211 State of UT comment on revs to contentions & proposed corrections to prehearing transcript.* State requests that encl changes be made to record.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18817. 98/02/17. Atomic Safety & Licensing Board Panel. 15pp. A2279:273-A2279:287.

9802250279 Forwards copy of ltr sent to C Nkahara of Ofc of High-Level Waste Opposition.Ltr describes JM Hein's concerns re proposed temporary high-level nuclear waste repository in Skull Valley,UT,from perspective of earthquake hazards.
HELM,J.M. . 98/02/17. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 5pp. A2368:228-A2368:232.

9802230180 Applicant answer to Castle Rock petition for non-application or waiver of Commission regulations,rules & general determinations.* Applicant submits that Castle Rock waiver petition must be denied.W/Certificate of Svc.
SILBERG,J.E. Affiliation Not Assigned. SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #198 18810. 98/02/18. Atomic Safety & Licensing Board Panel. 56pp. A2252:262-A2252:317.

9802230231 Staff response to petition of Castle Rock Land & Livestock, LC,Skull Valley Co & Ensign Ranches of Utah,LC for non- application or waiver of Commission regulations,rules & general determinations.* W/Certificate of Svc.
MARCO,C.L. Office of the General Counsel (Post 860701). #198 18808. 98/02/18. Atomic Safety & Licensing Board Panel. 24pp. A2252:329-A2252:353.

9802250220 State of UT response to Castle Rock Land & Livestock,LC,et al non-application or waiver of Commission regulations,rules & general determinations.* State files response in support of petition on 980121.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18822. 98/02/18. Atomic Safety & Licensing Board Panel. 34pp. A2279:298-A2279:330.

9802250214 Discusses 980217 ltr re NRC determination to grant pending request for confidential treatment under 10CFR2.790. Correction of transcript citation to read, "See Tr at 437," also discussed.
TURK,S.E. Office of the General Counsel (Post 860701). #198 18816. 98/02/19. BOLLWERK,G.P., KLINE,J., LAM,P.S. Atomic Safety & Licensing Board Panel. 1p. A2279:297-A2279:297.

9802260142 Forwards "NRC Staff Response to State of UT Reply to NRC Staff & Applicants Responses to State of UT Contention EE,GG & Notice of Withdrawal of Contention FF." W/o encl.
MARCO,C.L. Office of the General Counsel (Post 860701). #198 18824. 98/02/23. BOLLWERK,G.P., LAM,P.S., KLINE,J.R. Atomic Safety & Licensing Board Panel. 1p. A2327:277-A2327:277.

9802270215 Informs that name of law firm has changed from Harmon,Curran & Spielberg to Harmon,Curran,Spielberg & Eisenberg,LLP. Requests that Board & parties change svc list accordingly. W/Certificate of Svc.
CURRAN,D. Harmon, Curran, Spielberg & Eisenberg, LLP. #198 18832. 98/02/23. BOLLWERK,J.P. Atomic Safety & Licensing Board Panel. 2pp. A2349:159-A2349:160.

9802270235 Applicant answer to State of Utah reply concerning late-filed contentions EE & GG.* Applicant respectfully submits Utah contention EE & first two subparts of GG must be rejected for being filed nontimely.W/Certificate of Svc.
SILBERG,J.E. Affiliation Not Assigned. SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #198 18833. 98/02/23. Atomic Safety & Licensing Board Panel. 29pp. A2349:167-A2349:195.

9802260152 Informs that listed filings consist of documents containing safeguards & proprietary info which have been submitted by State of UT & NRC.W/Certificate of Svc.Served on 980224.
JULIAN,E.L. Docketing & Services Branch. #198 18825. 98/02/24. Atomic Safety & Licensing Board Panel. 3pp. A2327:278-A2327:280.

9802270227 Staff response to applicant & State of UT proposed transcript corrections.* Staff does not oppose applicant & state proposed transcript corrections.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #198 18831. 98/02/24. Atomic Safety & Licensing Board Panel. 6pp. A2349:161-A2349:166.

DOCKET 72-1001 CASK: MC-10, WESTINGHOUSE ELECTRIC CORP.

9802060149 Advises that,effective 971201,W has changed corporate name to CBS Corp.Submittal of formal requests for amends to licenses,approvals & certificates currently issued in name of W,will follow in next several weeks.
SEPP,H.A. Westinghouse Electric Corp. 97/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A2138:286-A2138:290.

DOCKET 72-1004 CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.

9802040358 Forwards request for development of rulemaking plan to address VECTRA spent fuel storage cask.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/21. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. A2031:351-A2031:354.

9802130105 Forwards organizational chart w/phone numbers for Transnuclear West,Inc.
THOMAS,M. Transnuclear, Inc. 98/02/05. RADDATZ,M. NRC - No Detailed Affiliation Given. 2pp. A2231:130-A2231:131.

9802170030 Forwards insp rept 50-219/97-10 on 971117-1228 & notice of violation re failure to perform safety evaluations prior to downgrading quality classifications of plant components & sys that were described in FSAR.
MILLER,H.J. Region 1 (Post 820201). 98/02/08. ROCHE,M.B. General Public Utilities Corp. 4pp. A2170:088-A2170:137.

--9802170040 Insp rept 50-219/97-10 on 971117-1228.Violations noted. Major areas inspected:plant operations,maint,engineering & plant support.
* Region 1 (Post 820201). 98/02/08. 41pp. A2170:096-A2170:137.

DOCKET 72-1007 CASK: VSC-24, SIERRA NUCLEAR, INC.

9802260143 Forwards proprietary copies of VSC-24 calculation packages rev 5 to WEP-109-002.4,rev 2 to WEP-109.002.7, rev 2 to WEP-109.002.8,rev 1 to WEP-109.002.21,rev 1 to WEP-109.002.22 & rev 1 to WEP-109.002.25.
MOECKEL,K. Sierra Nuclear, Inc. 97/12/12. KOBETZ,T. NRC - No Detailed Affiliation Given. 1p. A2398:292-A2398:292.

9802130053 Requests that original application for licensing of VSC-24, spent fuel storage sys,remain proprietary for reasons previously identified & contained in 970729 & 30 submittals.
MASSEY,J.V. Sierra Nuclear, Inc. 98/01/22. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. A2231:136-A2231:136.

9802260175 Forwards notarized licensee affidavit maintaining proprietary nature of calculations transmitted to NRC by ltr dtd 971212.
MOECKEL,K. Sierra Nuclear, Inc. 98/02/09. KOBETZ,T. NRC - No Detailed Affiliation Given. 3pp. A2373:225-A2373:227.

9802270277 Provides licensee w/status of staff review of CAs being implemented by VSC-24 Owners Group to resolve problems encountered while making VSC-24 closure welds.Status of RAIs issued to licensee re listed CALs,encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. MOEKEL,K. Sierra Nuclear, Inc. 8pp. A2420:219-A2420:226.

9802270164 Provides clarification & reconfirmation of licensee commitment to perform comprehensive review of design, fabrication,QA & CA program by independent organizations. Development of CA plan to correct deficiencies,discussed.
DIXON,G.N. Sierra Nuclear, Inc. 98/02/17. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. A2412:022-A2412:023.

DOCKET 72-1008 CASK: HI-STAR 100, HOLTEC INTERNATIONAL

9802240358 Trip rept of 971210-11 visit to observe drop testing of quarter-scale of Holtec International Corp HI-STAR 100. Proprietary photographs withheld.
O'CONNOR,S.C. Office of Nuclear Material Safety & Safeguards. 98/01/23. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 3pp. A2333:011-A2333:013.

9802050305 Requests copy of rept on concrete properties for ref in revising HI-STORM 100 application to incorporate revised analysis methods.
TJERSLAND,G.T. Holtec International. 98/01/28. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 1p. A2135:255-A2135:255.

9802240329 Responds to 970728 request to withhold certain info from public disclosure.Determined that submitted info sought to be withheld contains proprietary info & will be withheld.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. PARKYN,J.D. . 5pp. A2366:037-A2366:041.

9802230219 Informs that NRC has determined to grant pending request to withhold from public disclosure pursuant to 10CFR2.790, certain info which appears in calculation package supporting SAR for Private Fuel Storage LLC ISFSI.
TURK,S.E. Office of the General Counsel (Post 860701). #198 18806. 98/02/17. BOLLWERK,G.P., KLINE,J., LAM,P.S. Atomic Safety & Licensing Board Panel. 6pp. A2268:176-A2268:181.

9802230244 Forwards addl copy of Holtec Rept HI-971779, "Benchmarking of Holtec LS-DYNA3D Model for Cask Drop Events," for forwarding to LLNL.Affidavit attached requesting that proprietary document be withheld from public.
GILLIGAN,B. Holtec International. 98/02/18. DELLIGATI,M.S. Office of Nuclear Material Safety & Safeguards. 5pp. A2345:114-A2345:118.

DOCKET 72-1014 CASK: HI-STORM 100, HOLTEC INTERNATIONAL

9802240358 Trip rept of 971210-11 visit to observe drop testing of quarter-scale of Holtec International Corp HI-STAR 100. Proprietary photographs withheld.
O'CONNOR,S.C. Office of Nuclear Material Safety & Safeguards. 98/01/23. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 3pp. A2333:011-A2333:013.

9802050305 Requests copy of rept on concrete properties for ref in revising HI-STORM 100 application to incorporate revised analysis methods.
TJERSLAND,G.T. Holtec International. 98/01/28. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 1p. A2135:255-A2135:255.

DOCKET 72-1015 CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC.

9802130011 Expresses appreciation for taking time to meet w/B Palmer & EM Davis.Willingness to work w/NMSS reiterated as Commission considers refinements to license application review process.
DAVIS,E.M. NAC International Inc. (formerly Nuclear Assurance Corp.),. 97/12/03. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 1p. A2231:134-A2231:134.

9802130098 Expresses appreciation for meeting re spent fuel storage & disposal.
DAVIS,E.M. NAC International Inc. (formerly Nuclear Assurance Corp.),. 98/01/23. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. A2231:137-A2231:137.

DOCKET 72-1022 CASK: NUHOMS-7P, VECTRA TECHNOLOGIES, INC.

9802130105 Forwards organizational chart w/phone numbers for Transnuclear West,Inc.
THOMAS,M. Transnuclear, Inc. 98/02/05. RADDATZ,M. NRC - No Detailed Affiliation Given. 2pp. A2231:130-A2231:131.

DOCKET 72-1023 CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP.

9802240329 Responds to 970728 request to withhold certain info from public disclosure.Determined that submitted info sought to be withheld contains proprietary info & will be withheld.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. PARKYN,J.D. . 5pp. A2366:037-A2366:041.

9802230219 Informs that NRC has determined to grant pending request to withhold from public disclosure pursuant to 10CFR2.790, certain info which appears in calculation package supporting SAR for Private Fuel Storage LLC ISFSI.
TURK,S.E. Office of the General Counsel (Post 860701). #198 18806. 98/02/17. BOLLWERK,G.P., KLINE,J., LAM,P.S. Atomic Safety & Licensing Board Panel. 6pp. A2268:176-A2268:181.

DOCKET 72-1025 CASK: NAC-MPC

9802040353 Forwards request for addl info identified in 970909 application for approval of NAC Multi-Purpose Canister spent fuel storage sys under provision of 10CFR72,Subpart K.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 98/01/27. THOMPSON,C. NAC International Inc. (formerly Nuclear Assurance Corp.),. 22pp. A2036:167-A2036:188.

9802240074 Notification of 980218 meeting w/NAC Intl in Rockville,MD to discuss NRCs RAI on NAC-STC spent fuel transportation cask & NAC-MPC spent fuel storage sys applications.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 98/02/04. Office of Nuclear Material Safety & Safeguards. 2pp. A2355:326-A2355:327.

9802240083 Cancellation notice of 980218 meeting w/NAC Intl in Rockville,MD to discuss NRC RAI on NAC-STC spent fuel transportation cask & NAC-MPC spent fuel storage sys applications.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 98/02/10. Office of Nuclear Material Safety & Safeguards. 1p. A2333:210-A2333:210.

9802240080 Notification of 980226 meeting w/NAC Intl in Rockville,MD to discuss RAI on NAC-STC spent fuel transportation cask & NAC-MPC spent fuel storage sys applications.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 98/02/11. Office of Nuclear Material Safety & Safeguards. 2pp. A2348:359-A2348:360.

DOCKET 72-1026 MODEL: MPC-TRANSPORTABLE STORAGE SYSTEM DESIGN

9802230190 Application for approval of WESFLEX Storage sys under provisions of 10CFR72.Non-proprietary & proprietary SARs & proprietary corresponding calculation packages.Proprietary encls withheld.
GALLAGHER,J.L. Westinghouse Electric Corp. 98/02/03. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. A2338:001-A2341:350.

—**9802230195** Requests that proprietary info be withheld from public disclosure as documents contain commercial strategic info. W/affidavit.
QUINN,R.D. Westinghouse Electric Corp. 98/02/06. Document Control Branch (Document Control Desk). 5pp. A2338:005-A2338:009.

—**9802230197** Non-proprietary version of rev 0 to WSNF-200, "Wesflex Storage Sys SAR."
* Westinghouse Electric Corp. WSNF-200 R00. 98/02/06. 800pp. A2338:010-A2340:078.

—**9802230201** Non-proprietary version of rev 0 to WSNF-203, "Wesflex W74 Canister Storage SAR."
* Westinghouse Electric Corp. WSNF-203 R00. 98/02/06. 636pp. A2340:079-A2341:350.

4

NONDOCKETED ITEMS

10CFR9.7 COMMISSION MEETING TRANSCRIPTS AND REPORTS

9802020011 Staff requirements memo re COMSECY-97-033, "Draft Press Release & Federal Register Notice to Solicit Qualified Candidates for ACRS."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 1p. A1966:081-A1966:081.

9802020112 Staff requirements memo re SECY-97-293, "Walnut Creek Field Ofc Closure Plan."
VIETTI-COOK,A. Office of the Secretary of the Commission. 98/01/27. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. A1976:001-A1976:002.

9802040186 Commission voting record on SECY-97-244 re waste classification of plant reactor vessel.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. 2pp. A1987:090-A1987:108.

9802040229 Staff requirements memo re SECY-97-244, "Waste Classification of Plant Reactor Vessel."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. CALLAN,L.J. Ofc of the Executive Director for Operations. 3pp. A2000:358-A2000:360.

9802090131 Corrected Commission voting record on SECY-97-279 re generic & cumulative environ impacts of transportation of high-level waste in vicinity of HLW repository (SRM M970612).Chairman Jackson vote was omitted from record sent on 980120.
HOYLE,J.C. Office of the Secretary of the Commission. M970612. 98/01/13. 3pp. A2042:063-A2042:072.

9802090185 Staff requirements memo re briefing on matl control of generally licensed devices,SECY 97-273,on 980121 in Rockville,MD.
HOYLE,J.C. Office of the Secretary of the Commission. M980121B. 98/02/05. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. A2048:360-A2048:361.

9802120034 Commission voting record on SECY-97-304 re Response to SRM: SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operators."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/04. 2pp. A2141:015-A2141:024.

9802120070 Commission voting record on SECY-97-251 re proposed rule on nuclear power reactor decommissioning costs.
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/04. 2pp. A2141:003-A2141:014.

9802120104 Staff requirements memo re briefing on operating reactors & fuel facility on 980121 in Rockville,MD.
HOYLE,J.C. Office of the Secretary of the Commission. M980121A. 98/02/10. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A2154:001-A2154:001.

9802120157 Staff requirements memo re SECY 97-251, "Proposed Rule on Nuclear Power Reactor Decommissioning Costs."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/05. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. A2141:001-A2141:002.

9802120163 Staff requirements memo re SECY-97-304, "Response to SRM:SECY-97-144, 'Potential Policy Issues Raised by Non- Power Operators.'"
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/05. CALLAN,L.J. Ofc of the Executive Director for Operations. FUNCHES,J.L. NRC - No Detailed Affiliation Given. 2pp. A2154:091-A2154:092.

9802120177 Staff requirements memo re SECY-97-299, "Lab Testing of Nuclear-Grade Activated Charcoal."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/05. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A2164:088-A2164:088.

9802250076 Transcript of 980219 meeting in Rockville,MD w/Northeast Nuclear on Millstone - Public Meeting.Pages 1-175.W/ supporting documentation.
* Commissioners (Post 750119). 98/02/19. 242pp. A2351:012-A2351:343.

9802250125 Staff requirements memo re SECY-97-288, "Rept to Congress on Abnormal Occurrences for FY97."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 4pp. A2324:348-A2324:351.

9802250188 Commission voting record on SECY-97-288 re rept to Congress on abnormal occurrences for FY97.
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/06. 2pp. A2345:202-A2345:224.

9802260118 Staff requirements memo re affirmation session on 980219 in Rockville,MD concerning SECY-98-005 & SECY-98-005A.
HOYLE,J.F. Office of the Secretary of the Commission. M980129B. 98/02/25. CYR,K.D. Office of the General Counsel (Post 860701). CORDES,J.F. Office of Commission Appellate Adjudication (Post 910701). 1p. A2347:050-A2347:057.

9802260148 Staff requirements memo re SECY-98-006, "Proposed Agreement for Cooperation Between US & Romania."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/18. STOIBER,C.R. Office of International Programs (Post 911117). 1p. A2347:011-A2347:011.

9802260178 Transcript of 980219 public meeting in Rockville,MD re Affirmation Session. THE CHAIRMAN, JACKSON,S.A., DICUS,G.J. Commissioners (Post 750119). 98/02/19. 6pp. A2347:017-A2347:022.

9802270306 Staff requirements memo re SECY-97-274, "Response to Request for Reconsideration or Delay of Implementation of Portion of Final Policy Statement on Restructuring & Economic Deregulation of Electric Utility Industry."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/20. CALLAN,L.J. Ofc of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 860701). 2pp. A2367:246-A2367:247.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

9801220085 Transcript of 971212 ACRS Thermal-Hydraulic & Severe- Accident Phenomena Subcommittee meeting.Pp 371-398 & 556-622.Pp 399-555,closed.
* ACRS - Advisory Committee on Reactor Safeguards. 97/12/12. 148pp. A2058:001-A2058:148.

9801220120 Transcript of 971209 ACRS Thermal-Hydraulic & Severe-Accident Phenomena meeting in Rockville,MD.Pp 1-33 & 134-323.Closed session.Pp 34-133.
* ACRS - Advisory Committee on Reactor Safeguards. 97/12/09. 268pp. A2058:149-A2059:052.

9802020172 Forwards draft copies of press release & FR notice intended to solicit qualified candidates for possible appointment to ACRS to fill current vacancy.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. COMSECY-97-033. 97/12/01. THE CHAIRMAN, JACKSON,S.A, DICUS,G.J. Commissioners (Post 750119). 6pp. A2000:271-A2000:276.

9802020227 Transcript of 980121 Human Factors Subcommittee meeting in Rockville,MD.Pp 1-322.W/viewgraphs.
* ACRS - Advisory Committee on Reactor Safeguards. 98/01/21. 428pp. A2013:001-A2014:064.

9802020231 Transcript of 980123 ACRS Plant License Renewal Subcommittee meeting in Rockville,MD.Pp 1-184.W/viewgraphs.
* ACRS - Advisory Committee on Reactor Safeguards. 98/01/23. 280pp. A2014:065-A2014:345.

9802020237 Transcript of ACRS 980122 Fire Protection Subcommittee meeting in Rockville,MD.Pp 1-318.Certificate & supporting documentations encl.
* ACRS - Advisory Committee on Reactor Safeguards. 98/01/22. 466pp. A2005:001-A2006:102.

9802110191 Transcript of ACRS Advanced Reactor Designs Subcommittee meeting on 980204 in Rockville,MD.Pp 98-367.Reporters certificate & assessment process encl.
* ACRS - Advisory Committee on Reactor Safeguards. ASB-300-129. 98/02/04. 282pp. A2167:009-A2167:290.

9802110194 Transcript of ACRS Plant Operations Subcommittee 980203 meeting in Rockville,MD.Pp 1-174.
* ACRS - Advisory Committee on Reactor Safeguards. ASB-300-128. 98/02/03. 226pp. A2162:105-A2162:332.

9802110196 Transcript of ACRS Advanced Reactor Designs Subcommittee meeting on 980203 in Rockville,MD.Pp 1-97.Reporter's certificate encl.
* ACRS - Advisory Committee on Reactor Safeguards. ASB-300-129. 98/02/03. 100pp. A2169:001-A2169:102.

9802110202 Transcript of 448th ACRS meeting on 980206 in Rockville,MD. Pp 281-391.Reporter certificate & viewgraphs re performance- based insp encl.
* ACRS - Advisory Committee on Reactor Safeguards. ASB-300-130. 98/02/06. 132pp. A2163:199-A2163:332.

9802120012 Transcript of 448th ACRS meeting on 980205 in Rockville,MD. Pp 1-280.
* ACRS - Advisory Committee on Reactor Safeguards. ASB-300-130. 98/02/05. 310pp. A2214:001-A2214:312.

9802260012 Informs that during 448th meeting of ACRS on 980205-07, Committee decided not to review final rulemaking, "Physical Protection for Spent Nuclear Fuel & High-Level Radwaste," (10CFR60,72,73,73,74 & 75).
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 98/02/12. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A2366:129-A2366:129.

9802260026 Informs that during 448th ACRS meeting on 980205-07, Committee decided not to review proposed GL, "Guidance on Storage,Preservation & Safekeeping of QA Records in Electronic Media."
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 98/02/12. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A2366:130-A2366:130.

9802260064 Informs that during 448th meeting of ACRS on 980205-07,NRC reviewed AP600 SSAR re interim ltr on safety aspects of W application for certification of AP600 plant design.
SEALE,R.L. ACRS - Advisory Committee on Reactor Safeguards. 98/02/19. CALLAN,L.J. Ofc of the Executive Director for Operations. 8pp. A2366:132-A2366:139.

9802260114 Informs that during 448th ACRS meeting on 980205-07, Committee considered potential revision to 10CFR50.65(a)(3) of maintenance rule.Committee decided to review matter following reconciliation of public comments.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 98/02/12. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A2366:131-A2366:131.

9802270060 Transcript of ACRS Subcommittee Reliability & PRA meeting on 980220 in Rockville,MD.Pp 283-498.Certificate & presentations encl.
* ACRS - Advisory Committee on Reactor Safeguards. 98/02/20. 291pp. A2377:150-A2378:076.

9802270068 Transcript of ACRS Subcommittee Reliability & PRA meeting on 980219 in Rockville,MD.Pp 1-282.Certificate & presentations encl.
* ACRS - Advisory Committee on Reactor Safeguards. 98/02/19. 371pp. A2376:143-A2377:149.

9802270080 Transcript of ACRS Subcommittee meeting on 980218 re Thermal-Hydralic & Severe-Accident Phenomena in Rockville, MD.Pp 1-386.Certificate & presentations encl.
* ACRS - Advisory Committee on Reactor Safeguards. 98/02/18. 524pp. A2374:001-A2375:160.

ADVCM NRC ADVISORY COMMITTEES

9802260162 Forwards Briefing Book for Advisory Committee on Medical Uses of Isotopes Meeting on 980301-02.
VACHERLON,P. Medical, Academic & Commercial Use Safety Branch. 98/02/25. Document Control Branch (Document Control Desk). 200pp. A2346:001-A2346:232.

COMMISSION NRC COMMISSIONER CORRESPONDENCE

9802020146 Expresses no objection to Federal Register Notice & press release.
DICUS,G.J. Commissioners (Post 750119). COMSECY-97-033. 97/12/16. Commissioners (Post 750119). 3pp. A2026:346-A2026:348.

9802020157 Concurs w/edit on draft press release & FRN to solicit qualified candidates for possible appointment to ACRS to fill current vacancy.
DIAZ,N.J. Commissioners (Post 750119). COMSECY-97-033. 97/12/11. Commissioners (Post 750119). 6pp. A2026:349-A2026:354.

9802020163 Expresses no objection to draft press release & FRN to solicit qualified candidates for ACRS to fill current vacancy.
MCGAFFIGAN,E. Commissioners (Post 750119). COMSECY-97-033. 97/12/11. Commissioners (Post 750119). 1p. A2026:345-A2026:345.

9802020169 Informs of no objection to encl press release & FR notice which solicit qualified candidates for possible appointment to ACRS to fill current vacancy.W/o encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). COMSECY-97-033. 97/12/18. DICUS,G.J., DIAZ,N.J., MCGAFFIGAN,E. Commissioners (Post 750119). 1p. A2026:344-A2026:344.

9802020172 Forwards draft copies of press release & FR notice intended to solicit qualified candidates for possible appointment to ACRS to fill current vacancy.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. COMSECY-97-033. 97/12/01. THE CHAIRMAN, JACKSON,S.A, DICUS,G.J. Commissioners (Post 750119). 6pp. A2000:271-A2000:276.

9802040186 Commission voting record on SECY-97-244 re waste classification of plant reactor vessel.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. 2pp. A1987:090-A1987:108.

-9802040189 Notation vote w/comments approving SECY-97-244 re waste classification of Trojan reactor vessel.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/04. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A1987:092-A1987:096.

-9802040196 Notation vote w/comments approving SECY-97-244 re waste classification of Trojan reactor vessel.
DICUS,G.J. Commissioners (Post 750119). 97/11/03. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1987:097-A1987:099.

-9802040200 Notation vote w/comments approving SECY-97-244 re waste classification of Trojan reactor vessel.
DIAZ,N.J. Commissioners (Post 750119). 97/11/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1987:100-A1987:100.

-9802040211 Notation vote w/comments approving SECY-97-244 waste classification of Trojan reactor vessel.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/11/05. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1987:101-A1987:103.

-9802040217 Submits addl views on proposal to dispose of Trojan reactor vessel,per SECY-97-244.
MCGAFFIGAN,E., DIAZ,N.J. Commissioners (Post 750119). 98/01/20. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1987:104-A1987:108.

9802050102 SECY-97-013 Weekly info rept for wk ending 980123.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/01/28. 23pp. A2010:001-A2010:023.

9802090131 Corrected Commission voting record on SECY-97-279 re generic & cumulative environ impacts of transportation of high-level waste in vicinity of HLW repository (SRM M970612).Chairman Jackson vote was omitted from record sent on 980120.
HOYLE,J.C. Office of the Secretary of the Commission. M970612. 98/01/13. 3pp. A2042:063-A2042:072.

-9802090136 Notation vote approving in part & disapproving in part w/ comments,SECY-97-279, "Generic & Cumulative Environ Impacts of Transportation of HLW in Vicinity of HLW Repository (SER M970612)."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). M970612. 97/12/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2042:066-A2042:072.

9802100087 SECY-98-020 Weekly info rept for wk ending 980130.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/02/06. 28pp. A2093:250-A2093:277.

9802110042 Forwards summary of actions taken by NRC in response to recommendations concerning NRC & included in repts issued by GAO.Summary includes progress made on resolving & completing recommendations since last summary rept on 970122.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/28. STEVENS,T., LIVINGSTON,B. Senate. THOMPSON,F. Senate, Governmental Affairs. 23pp. A2136:008-A2136:030.

9802110076 Responds to 970508 ltr re safety concerns about use of room-temp vulcanizing silicone foam penetration seals in nuclear power plants & NRC efforts to address concerns.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/16. MARKEY,E.J. House of Rep. 59pp. A2090:001-A2093:036.

-9802110106 11210-99050 "Penetration Seal Fire Resistance Tests 3 H Qualification," dtd 951026 re 3 h resistance evaluation of electrical fire penetration seal arrays.
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Affiliation Not Assigned. 95/11/06. 980pp. A2090:073-A2092:325.

-9802110128 748-32 "Fire Test Configuration for BISCO Three Hour Rated Seal System," utilizing BISCO SF-150L,SF-100,SE-Foam,Kaowool "M" Board & Quelpyre 703 FS & BISCO boot & sleeve extension.
ZIMA,A.H. Brand Industrial Services, Inc. (BISCO). 80/04/15. 10pp. A2092:326-A2092:335.

-9802110135 "Fire Endurance Test on BISCO Penetration Seal Systems in Concrete Floor Utilizing BISCO Systems SF-20 & SF-150L Silicone Polymers."
ABRAMS,M.S. Portland Cement Association. 76/10/31. 36pp. A2093:001-A2093:036.

9802110126 Forwards US NRC responses to Subcommittee on Natl Economic Growth,Natural Resources & Regulatory Affairs request for info re study being conducted on organizational structure & overall efficiency.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/29. MCLNTOSH,D.M. House of Rep. 26pp. A2149:001-A2149:151.

9802110195 Forwards status of allegation program-fiscal year 1997 annual rept.Assessment of allegation program in sections on description of allegation process & summary of audit results.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/02/06. THE CHAIRMAN, JACKSON,S.A., DICUS,G.J. Commissioners (Post 750119). 1p. A2143:230-A2143:310.

-9802110199 "Status of Allegation Program Fiscal Year 1997 Annual Rept."
* NRC - No Detailed Affiliation Given. 98/02/06. 80pp. A2143:231-A2143:310.

9802120034 Commission voting record on SECY-97-304 re Response to SRM: SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operators."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/04. 2pp. A2141:015-A2141:024.

-9802120040 Notation vote response sheet approving w/comments SECY-97-304,response to SRM:SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operators."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/16. HOLYE,J.C. Office of the Secretary of the Commission. 2pp. A2141:017-A2141:018.

-9802120049 Notation vote response sheet approving w/o comments SECY-97-304,Response to SRM:SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operators."
DICUS,G.J. Commissioners (Post 750119). 98/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2141:019-A2141:019.

-9802120056 Notation vote response sheet approving w/comments SECY-97-304,Response to SRM:SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operations."
DIAZ,N.J. Commissioners (Post 750119). 98/01/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2141:020-A2141:020.

-9802120058 Notation vote response sheet approving w/comments SECY-97-304,Response to SRM:SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operations."
MCGAFFIGAN,E. Commissioners (Post 750119). 98/01/20. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2141:021-A2141:024.

9802120070 Commission voting record on SECY-97-251 re proposed rule on nuclear power reactor decommissioning costs.
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/04. 2pp. A2141:003-A2141:014.

-9802120073 Notation vote response sheet disapproving w/comments SECY-97-251, "Proposed Rule on Nuclear Reactor Decommissioning Costs."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/05. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2141:005-A2141:006.

-9802120077 Notation vote response sheet approving w/comments SECY-97-251, "Proposed Rule on Nuclear Power Reactor Decommissioning Costs."
DICUS,G.J. Commissioners (Post 750119). 97/11/10. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2141:007-A2141:007.

-9802120080 Notation vote response sheet disapproving w/comments SECY-97-251, "Proposed Rule on Nuclear Power Reactor Decommissioning Costs."
DIAZ,N.J. Commissioners (Post 750119). 98/01/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2141:008-A2141:008.

-9802120085 Notation vote response sheet approving w/o comments SECY-97-251, "Proposed Rule on Nuclear Power Reactor Decommissioning Costs."
DIAZ,N.J. Commissioners (Post 750119). 97/11/11. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2141:009-A2141:009.

-9802120088 Notation vote response sheet disapproving w/comments SECY-97-251, "Proposed Rule on Nuclear Power Reactor Decommissioning Costs."
MCGAFFIGAN,E. Commissioners (Post 750119). 98/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2141:010-A2141:014.

9802170138 Responds to 980115 ltr forwarding draft rept, "Comprehensive Natl Energy Strategy," for review by NRC.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/02/06. GEE,R.W. Energy, Dept. of. 2pp. A2194:331-A2194:351.

-9802170143 Forwards draft, "Comprehensive National Energy Strategy." Documents identifies energy policy,goals,objectives & strategies.
GEE,R.W. Energy, Dept. of. 98/01/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 18pp. A2194:333-A2194:351.

9802170146 Ack receipt of 971218 ltr re decommissioning funding obligations of Great Bay Power Corp & legislation introduced to complement accelerated decommissioning funding payment schedule recently proposed by Great Bay Power Corp.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/02/03. HOLLINGWORTH,B. New Hampshire, State of. 1p. A2212:288-A2212:293.

9802180010 Ack receipt of 971218 ltr expressing interest in US NRC continued improvement in efficiency of nuclear licensing process.Response to questions listed.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/02/06. MURKOWSKI,F.H. Senate, Energy & Natural Resources. 26pp. A2212:324-A2212:352.

--**9802180018** Expresses interests in US NRC continued improvement in efficiency of nuclear licensing process.Commends NRC on dedication to improving effectiveness of nuclear regulatory procedures.Questions re market-based competition included.
MURKOWSKI,F.H. Senate, Energy & Natural Resources. 97/12/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. A2212:350-A2212:352.

9802180206 SECY-98-017 Weekly info rept for wk ending 980206.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/02/11. 27pp. A2182:076-A2182:102.

9802230188 Informs that for quarter beginning on 971001 & extending through 971231,NRC neither released nor denied to public any documents containing safeguards info,per section 147 of AEC of 1954.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/30. GORE,A. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. 2pp. A2280:001-A2280:002.

9802240318 Informs that Commission recently accepted staff recommendation to sunset independent radiation monitoring program as of 971231 & concludes that data not needed to support NRC insp program to ensure proper program maint.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/02/12. HUTCHISON,K.B. Senate. 1p. A2325:213-A2325:214.

--**9802240333** Provides status of radiation monitoring cooperative agreement contract NR-31-83-671.Encourages agency to review accounting records & send invoice for any outstanding money owed.
MILLER,C.L. . NR-31-83-671. 98/01/09. RATLIFF,R.A. Texas, State of. 1p. A2325:214-A2325:214.

9802240340 Forwards NRC Feb 1998 quarterly rept on year 2000 as submitted to OMB per 970520 request.As requested by OMB,rept provides addl info on status of agency data exchanges, validation & verification efforts.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/02/12. HORN,S., MALONEY,C. House of Rep. 9pp. A2325:316-A2325:324.

9802250188 Commission voting record on SECY-97-288 re rept to Congress on abnormal occurrences for FY97.
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/06. 2pp. A2345:202-A2345:224.

--**9802250190** Notation vote disapproving w/comments SECY-97-288, "Rept to Congress on Abnormal Occurrences for FY97."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2345:204-A2345:205.

--**9802250195** Notation vote disapproving w/comments SECY-97-288, "Rept to Congress on Abnormal Occurrences for FY97."
DICUS,G.J. Commissioners (Post 750119). 97/12/31. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2345:206-A2345:207.

--**9802250200** Notation vote approving w/o comments SECY-97-288, "Rept to Congress on Abnormal Occurrences for FY97."
DIAZ,N.J. Commissioners (Post 750119). 98/01/07. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2345:208-A2345:208.

--**9802250204** Notation vote approving w/comments SECY-97-288, "Rept to Congress on Abnormal Occurrences for FY97."
MCGAFFIGAN,E. Commissioners (Post 750119). 98/01/06. HOYLE,J.C. Office of the Secretary of the Commission. 12pp. A2345:209-A2345:224.

9802260098 SECY-98-027 Weekly info rept for wk ending 980213.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/02/18. 24pp. A2337:121-A2337:144.

CONTRACT NRC CONTRACTS AND GRANTS

9801290014 Requests proposal of RS-NRR-98-021, "Technical Assistance in Support of NRC Insp at NPP & Engineering Svc Organizations." Forwards solicitation package.
WIGGINS,E.J. Division of Contracts (Post 940714). 98/01/23. WOOD,D.C. Affiliation Not Assigned. BECKMAN,D. Affiliation Not Assigned. PLUNKETT,M. Affiliation Not Assigned. 272pp. A1922:001-A1922:242.

9802020104 Ltr contract:mod 4 to task order 208 entitled, "Support for Part 1 of PRA Implementation Plan" under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 98/01/26. KNIGHT,D. Scientific Technical, Inc. 2pp. A1976:015-A1976:016.

9802020186 Informs that ltr contract,mod 1 to task order 4 under contract NRC-26-92-267 expired on 950816.NRC initiating closeout action.Encl for review & execution,three signed copies of subj mod deobligating excess funds.W/o encl.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-26-92-267. 98/01/28. HODGE,D. Sonalysts, Inc. 3pp. A1976:051-A1976:053.

9802030052 Mod 47 to contract NRC-10-96-155.
* . WEBBER,R.B. Division of Contracts (Post 940714). 98/01/29. 2pp. A1987:016-A1987:017.

9802030053 Mod 5 to contract NRC-03-96-028.
* Sargent & Lundy, Inc. MACE,M.H. Division of Contracts (Post 940714). 98/01/29. 2pp. A1986:360-A1986:361.

9802030054 Mod 48 to contract NRC-10-96-155.
* Affiliation Not Assigned. WEBBER,R.B. Division of Contracts (Post 940714). 98/01/29. 2pp. A1981:007-A1981:008.

9802030057 Mod 47 to contract NRC-10-94-141.
* Affiliation Not Assigned. FIELDS,J.A. Division of Contracts (Post 940714). FIN R-0125. FIN R-0123. 98/01/29. 8pp. A1976:058-A1976:065.

9802030065 Mod 2 to contract NRC-38-97-282.
* Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). 98/01/27. 2pp. A1985:355-A1985:356.

9802030071 Mod 4 to contract NRC-26-96-262.
* General Electric Co. MEARSE,S.D. Division of Contracts (Post 940714). FIN E-8270. 98/01/29. 3pp. A1986:357-A1986:359.

9802040021 Discusses closeout of contract NRC-04-91-068,mod 5 to task order 22.Task order expired 961231.
MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-91-068. 98/01/30. AFABLE,S. SCIENTECH, Inc. 1p. A2006:309-A2006:309.

9802040024 Ltr contract:mod 5 to task order 22 under contract NRC-04-91-068.
MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-91-068. 98/01/30. AFABLE,S. SCIENTECH, Inc. 1p. A2006:308-A2006:308.

9802040032 Informs that NRC soliciting proposals for RS-AED-98-264, "Inspecting for Performance Course." Full scope of work encl in Part I,schedule.
WIGGINS,E.J. Division of Contracts (Post 940714). 98/01/30. HOGG,A.L. Affiliation Not Assigned. HWANG,J. Affiliation Not Assigned. POLK,K. . 79pp. A2004:167-A2004:240.

9802040249 Discusses closeout of mod 5 to task order 31 under contract NRC-04-91-068.Subj task order expired on 961231.
MACE,M. Office of Administration, Director (Post 940714). NRC-04-91-068. FIN L-1933. 98/01/30. AFABLE,S. SCIENTECH, Inc. 1p. A2006:296-A2006:296.

9802050018 Mod 46 to contract NRC-10-94-141.
GILCHRIST,J.R. . FIELDS,J.A. Division of Contracts (Post 940714). 98/01/27. 4pp. A2007:351-A2007:354.

9802050021 Mod 7 to contract NRC-04-96-060.
* . MACE,M.H. Division of Contracts (Post 940714). 98/01/30. 2pp. A2007:355-A2007:356.

9802050038 Ltr contract,task order 6 entitled, "Snap Runtime & Output Visual Visualization Development," under contract NRC-04-97-046.
MACE,M.H. Division of Contracts (Post 940714). FIN W-6749. NRC-04-97-046. 98/01/23. TROYER,D.E., PELLEGRINO,L. Purdue Research Foundation. 5pp. A2007:331-A2007:335.

9802050043 Ltr contract,task order 5 entitled, "Subcooled Boiling At Low Pressure," under contract NRC-04-97-046.
MACE,M.H. Division of Contracts (Post 940714). FIN W-6749. NRC-04-97-046. 98/01/23. TROYER,D.E., PELLEGRINO,L. Purdue Research Foundation. 7pp. A2007:336-A2007:342.

9802050045 Ltr contract,task order 7 entitled, "Snap Nodalization Knowledge-Based Expert System," under contract NRC-04-97-046.
MACE,M.H. Division of Contracts (Post 940714). FIN W-6749. NRC-04-97-046. 98/01/23. TROYER,D.E., PELLEGRINO,L. Purdue Research Foundation. 6pp. A2007:343-A2007:348.

9802050051 Mod 2 to contract NRC-10-96-150, "to extend period of performance in contract through 981231,at no extra cost to Government."
KELLEY,E.T. . WIGGINS,E.J. Division of Contracts (Post 940714). 97/12/23. 2pp. A2007:349-A2007:350.

9802050126 Mod 1 to contract NRC-04-98-039.
ARNOLD,D.N. Battelle Memorial Institute. MACE,M.H. Division of Contracts (Post 940714). 98/01/29. 2pp. A2007:357-A2007:358.

9802050129 Ltr contract:NRC-03-94-028,task order 5, "FY 1998 NRC Annual Regulatory Info Conference."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2057. NRC-03-94-028. 98/01/28. PERRY,V. Affiliation Not Assigned. 13pp. A2010:319-A2010:331.

9802050215 Mod 1 to grant NRC-G-04-97-065.
* Maryland, Univ. of, College Park, MD. MACE,M. Office of Administration, Director (Post 940714). FIN G-6903. 98/01/12. 2pp. A2007:305-A2007:306.

9802050225 Mod 4 to grant NRC-G-04-94-102," to extend period of performance of grant through 980331 at no addl cost or obligation to Govt & include computer equipment as per 971014 VA Polytechnic Institute ltr.
HURD,H.T. Virginia Polytechnic Institute & State Univ., Blacksburg, VA. WIGGINS,E.J. Division of Contracts (Post 940714). 98/01/06. 1p. A2007:307-A2007:307.

9802050299 Mod 45 to contract NRC-10-94-141.
LAYCOCK,R.L. . FIELDS,J.A. Division of Contracts (Post 940714). 98/01/29. 2pp. A2012:256-A2012:257.

9802090005 Mod 2 to contract NRC-04-97-056.
* Arizona, Univ. of, Tucson, AZ. MACE,M.H. Division of Contracts (Post 940714). 98/02/05. 3pp. A2036:348-A2036:350.

9802090008 Ltr contract:task order 225 entitled, "Sequoyah Safety Sys Engineering Insp" under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2595. NRC-03-95-026. 98/02/03. KNIGHT,D. SCIENTECH, Inc. 2pp. A2081:355-A2081:356.

9802090009 Ltr contract:task order 224, "Byron System Operational Performance Inspection (SOPI)," under contract NRC-03-95-026.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-95-026. FIN J-2595. 98/02/03. KNIGHT,D. SCIENTECH, Inc. 2pp. A2036:351-A2036:352.

9802090022 Ltr contract:mod 5 to contract NRC-02-92-001.
WIGGINS,E.J. Office of Administration, Director (Post 940714). FIN L-2291. NRC-02-92-001. 98/02/02. ORSZAK,D.F. Federal Energy Regulatory Commission. 2pp. A2036:353-A2036:354.

9802090035 Mod 3 to Cooperative Agreement NRC-04-96-079.
BAZZANJ,C.S. Illinois, Univ. of, Urbana, IL. WIGGINS,E.J. Division of Contracts (Post 940714). 98/01/29. 1p. A2081:357-A2081:357.

9802090057 Mod 3 to contract NRC-03-96-025.
* Stone & Webster Engineering Corp. MACE,M.H. Division of Contracts (Post 940714). FIN J-2424. 98/02/04. 2pp. A2036:355-A2036:356.

9802090059 Contract NRC-10-98-141, "Security Guard Svc for White Flint Complex," awarded to United Intl Investigative Svc.
GUIDICE,W.J. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2370. 98/01/30. 55pp. A2036:293-A2036:347.

9802090156 Mod 8 to contract NRC-04-96-046.
* California, Univ. of, Santa Barbara, CA. MACE,M.H. Division of Contracts (Post 940714). 98/02/05. 2pp. A2048:249-A2048:250.

9802100120 Mod 49 to contract NRC-10-96-155.
* Affiliation Not Assigned. WEBBER,R.B. Division of Contracts (Post 940714). 98/02/05. 2pp. A2095:273-A2095:274.

9802110004 Mod 6 to contract NRC-18-96-001.
PAINTES,V.N. Justice, Dept. of. MEARSE,S.D. Division of Contracts (Post 940714). 98/01/22. 3pp. A2212:041-A2212:043.

9802110006 Ltr contract:mod 3 to task order 3 under contract NRC-04-97-036.
MACE,H.H. Division of Contracts (Post 940714). 98/02/05. COLINA,I.R. Science & Engineering Associates, Inc. 1p. A2095:277-A2095:277.

9802120033 Mod 3 to contract NRC-36-97-304.
* Affiliation Not Assigned. MACE,M. Division of Contracts (Post 940714). FIN L-3010. 98/02/10. 2pp. A2154:029-A2154:030.

9802120044 Mod 9 to contract NRC-04-96-041.
* SCIENTECH, Inc. MACE,M. Division of Contracts (Post 940714). FIN W-6460. 98/02/10. 2pp. A2154:031-A2154:032.

9802120259 Ltr contract:mod 4 to task order 2 under contract NRC-33-93-182.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-33-93-182. 98/02/03. BILGER,S. Affiliation Not Assigned. 2pp. A2154:063-A2154:064.

9802120264 Mod 16 to contract NRC-33-96-194.
* Small Business Administration. SCHAEFER,J. Affiliation Not Assigned. MEARSE,S.D. Division of Contracts (Post 940714). FIN J-1004. 98/02/04. 3pp. A2154:105-A2154:107.

9802120278 Mod 8 to contract NRC-04-96-041.
AUFMUTH,M.H. SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6460. 98/02/05. 2pp. A2154:089-A2154:090.

9802120280 Ltr contract:task order 138, "Diablo Canyon A/E Follow-Up Insp," under NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2407-8. 98/02/03. LOFY,R.A. PARAMETER, Inc. 6pp. A2154:023-A2154:028.

9802120281 Mod 8 to contract NRC-09-94-202.
* Small Business Administration. COX,D. Cox & Associates, P.C. WIGGINS,E.J. Division of Contracts (Post 940714). 98/02/02. 2pp. A2154:101-A2154:102.

9802120282 Ltr contract,mod 3 to task order 214 entitled, "Review Conversion of Current TSs,to NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 98/02/04. KNIGHT,D., AUFMUTH,M.H. SCIENTECH, Inc. 2pp. A2154:065-A2154:066.

9802120319 Ltr contract:task order 7 under contract NRC-04-97-036 entitled "Reprioritization of GSI-71."
MACE,M.H. Division of Contracts (Post 940714). FIN W-6650. NRC-04-97-036. 98/02/06. COLINA,I. Science & Engineering Associates, Inc. 2pp. A2154:087-A2154:088.

9802120321 Ltr contract:mod 5 to task order 1 entitled "Groundwater Issues at W Waltz Mills Facility" under contract NRC-02-97-001.
MEARSE,S. Division of Contracts (Post 940714). FIN J-5156. NRC-02-97-001. 98/02/04. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 3pp. A2154:084-A2154:086.

9802170059 Informs that NRC Cooperative Agreement 10-87-349 expired on 970713.Closeout action being initiated.Listed items are required to close subj cooperative agreement.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-10-87-349. 98/02/11. JUSTICE,L. Callaway County, MO. 2pp. A2182:353-A2182:354.

9802170062 Mod 2 to grant NRC-G-04-97-045.
WESTBROOK,D. National Academy of Sciences. WIGGINS,E.J. Division of Contracts (Post 940714). FIN G-6732. 98/01/16. 2pp. A2194:352-A2194:353.

9802170104 Ltr contract:mod 2 to task order 7, "Reimbursable Work Procedures & Workshop," under contract NRC-09-94-202.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-09-94-202. 98/02/11. COX,D. Cox & Associates, P.C. 2pp. A2182:355-A2182:356.

9802170106 Mod 1 to contract NRC-02-98-001.
AUFMUTH,M.H. SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). 98/02/10. 3pp. A2182:357-A2182:359.

9802170114 Mod 1 to contract NRC-02-97-008.
* Southwest Research Institute. MEARSE,S.D. Division of Contracts (Post 940714). 98/02/12. 2pp. A2182:360-A2182:361.

9802170121 Ltr contract:mod 4 to task order 4, "Payroll Personnel Sys Development Support," under contract NRC-09-94-202.
WIGGINS,E.J. Office of Administration, Director (Post 940714). FIN E-7046. NRC-09-94-202. 98/02/11. COX,D. Cox & Associates, P.C. 2pp. A2194:329-A2194:330.

9802180106 Informs that NRC soliciting proposals for project entitled, "Update Fuel Cycle Safety & Safeguards Regulatory Guidance Documents." Bidder mailing list for solicitation RS-NMS-98-006 encl.
MACE,H.M. Office of Administration, Director (Post 940714). 98/02/12. Affiliation Not Assigned. 168pp. A2213:001-A2213:168.

9802180113 Mod 8 to contract NRC-38-94-286.
* Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN A-8410. 98/02/12. 2pp. A2212:359-A2212:360.

9802180127 Mod 2 to contract NRC-04-96-047.
* Electric Power Research Institute. WIGGINS,E.J. Division of Contracts (Post 940714). FIN W-6612. 98/02/12. 2pp. A2212:357-A2212:358.

9802190166 Mod 13 to contract NRC-39-88-237.
GRANDSTAFF,E. North Central Michigan College, Petoskey, MI. MEARSE,S.D. Division of Contracts (Post 940714). FIN D-2416. 98/01/14. 2pp. A2213:175-A2213:176.

9802190174 Mod 6 to contract NRC-38-95-284.
* Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN A-8410. 98/02/13. 2pp. A2213:173-A2213:174.

9802190245 Mod 10 to contract NRC-04-95-039.
LACAVA,C. Oregon State Univ., Corvallis, OR. MACE,M.H. Division of Contracts (Post 940714). FIN W-6273. 98/01/30. 4pp. A2244:005-A2244:008.

9802190252 Ltr contract:mod 1 to task order 1,under contract NRC-26-94-267.
MEARSE,S.D. Division of Contracts (Post 940714). FIN E-8228. NRC-26-94-267. 98/02/17. NOCK,J. Operations Research Technology, Inc. 4pp. A2244:001-A2244:004.

9802190263 Ltr contract:NRC-02-90-009,unilateral mod 6.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-1712. NRC-02-90-009. 98/01/12. HOFT,N. Affiliation Not Assigned. 2pp. A2243:346-A2243:347.

9802190266 Mod 9 to contract NRC-26-92-262.
* General Electric Co. MEARSE,S.D. Division of Contracts (Post 940714). FIN L-2312. 98/02/17. 2pp. A2243:359-A2243:360.

9802190268 Mod 21 to contract NRC-04-94-053.
YOUNG,B. Science Applications International Corp. (formerly Science Applications, Inc.). MACE,M.H. Division of Contracts (Post 940714). FIN W-6089. 98/02/11. 2pp. A2243:357-A2243:358.

9802190271 Ltr contract:mod 3 to task order 4, "LSSA Compliance Program Mods" under contract NRC-40-90-346.
MEARSE,S.D. Division of Contracts (Post 940714). FIN L-1623. NRC-40-90-346. 98/02/17. MALINOWSKI,W.S. Labat-Anderson, Inc. 2pp. A2243:344-A2243:345.

9802190273 Mod 2 to contract NRC-02-97-001.
* Southwest Research Institute. MEARSE,S.D. Division of Contracts (Post 940714). 98/02/17. 2pp. A2243:355-A2243:356.

9802190285 Ltr contract:mod 1 to task order 4 under contract NRC-26-94-262.
MEARSE,S.D. Division of Contracts (Post 940714). FIN E-8220. NRC-26-94-262. 98/02/17. HOGG,A.L. Affiliation Not Assigned. 4pp. A2243:340-A2243:343.

9802190294 Ltr contract:NRC-02-90-009-008,unilateral mod 5.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-1712. NRC-02-90-009. 98/02/12. HOFT,N. Affiliation Not Assigned. 2pp. A2243:348-A2243:349.

9802190298 Forwards mod 5 to contract NRC-39-88-240, "Lease of Telecommunication Svcs."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-39-88-240. 98/02/17. SILVERMAN,M. Bell Atlantic Corp. 3pp. A2244:009-A2244:011.

9802190300 Discusses close out of contract NRC-04-90-055.All obligations have been met by parties & contract officially closed.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-90-055. 98/02/17. KILLOREN,R. Pennsylvania State Univ., University Park, PA. 1p. A2243:354-A2243:354.

9802190305 Ltr contract:mod 2 to task order 1 under contract NRC-26-94-262.
MEARSE,S.D. Office of Administration, Director (Post 940714). FIN E-8220. NRC-26-94-262. 98/02/17. HOGG,A.L. Affiliation Not Assigned. 4pp. A2243:350-A2243:353.

9802190307 Mod 114 to contract NRC-02-97-009.
* Southwest Research Institute. MEEHAN,B.D. Division of Contracts (Post 940714). 98/02/13. 8pp. A2243:332-A2243:339.

9802200008 Ltr contract,task order 7, "Task Order Procedures," under contract NRC-26-94-262.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-26-94-262. FIN E-8220. 98/02/09. HOGG,A.L. Affiliation Not Assigned. 4pp. A2255:001-A2255:004.

9802200013 Discusses closeout of Cooperative Agreement NRC-10-87-349. Total payment in listed amount has been accomplished.
MEARSE,S.D. Office of Administration, Director (Post 940714). 98/02/17. BELCHER,N. Callaway County, MO. 1p. A2255:060-A2255:060.

9802200024 Contract NRC-30-98-231, "Switchboard Operator/Receptionist for Region III Ofc," awarded to TDF Corp.
* Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-9305. 98/02/13. 22pp. A2254:287-A2254:308.

9802200372 Mod 17 to contract NRC-30-93-277.
COLLINS,E.J. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-8248. 98/02/02. 3pp. A2255:067-A2255:069.

9802200382 Ltr contract,mod 1 to task order 114, "First Update of SG Database," under contract NRC-03-95-026.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-95-026. FIN J-2391-8. 98/01/23. KNIGHT,D. SCIENTECH, Inc. 2pp. A2255:061-A2255:062.

9802230010 Mod 10 to contract NRC-04-96-041.
* SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). 98/02/19. 2pp. A2271:196-A2271:197.

9802230038 Mod 3 to contract NRC-03-96-027, "to allot incremental funds to contract."
* Stone & Webster Engineering Corp. MACE,M.H. Division of Contracts (Post 940714). FIN J-2497. 98/02/20. 2pp. A2280:176-A2280:177.

9802230041 Mod 2 to contract NRC-02-95-002, "to increase ceiling of requirements contract & to change project officer."
* ICF, Inc. MACE,M.H. Division of Contracts (Post 940714). 98/02/19. 2pp. A2280:174-A2280:175.

9802240186 Mod 22 to contract NRC-09-92-202.
* Small Business Administration. * Washington, G.K., C.P.A. WEBBER,R.B. Division of Contracts (Post 940714). FIN L-2460. 98/02/20. 2pp. A2337:272-A2337:273.

9802240191 Mod 2 to task order 6 under contract NRC-26-94-262.
MEARSE,S.D. Office of Administration, Director (Post 940714). FIN E-8220. NRC-26-94-262. 98/02/17. HOGG,A.L. Affiliation Not Assigned. 4pp. A2337:268-A2337:271.

9802240197 Mod 5 to contract NRC-04-97-039.
AUFMUTH,M.H. SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). 98/02/16. 7pp. A2335:354-A2335:360.

9802240252 Mod 18 to contract NRC-08-92-372.
SPRAGUE,B. State, Dept. of. MACE,M.H. Division of Contracts (Post 940714). FIN R-9600. FIN L-2336. 98/02/18. 2pp. A2335:345-A2335:346.

9802250191 Mod 50 to contract NRC-10-96-155.
* . WEBBER,R.B. Division of Contracts (Post 940714). 98/02/20. 2pp. A2345:230-A2345:231.

9802250192 Ltr contract:mod 4 to task order 32, "IPE Reviews for Back End Containment Performance & Source Term Analysis-Internal Events Only (Beaver Valley)," under contract NRC-04-91-068.
MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-91-068. 98/02/20. AFABLE,S., AUFMUTH,M.H. SCIENTECH, Inc. 2pp. A2345:249-A2345:250.

9802250219 Informs that mod 1 to task order 3 under contract NRC-26-92-267 expired on 950816 & closeout action being initiated.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-26-92-267. 98/02/19. HODGE,D. Sonalysts, Inc. 2pp. A2342:068-A2342:069.

9802250232 Informs that mod 1 to task order 20 under contract NRC-26-91-290 expired on 951105.NRC initiating closeout action.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-26-91-290. 98/02/19. HODGE,D. Sonalysts, Inc. 2pp. A2342:035-A2342:036.

9802250252 Ltr contract,mod 1 to task order 27 under contract NRC-26-91-290.Contract expired on 981105.Closeout action being initiated.
MEARSE,S.D. Office of Administration, Director (Post 940714). NRC-26-91-290. 98/02/19. HODGE,D. Sonalysts, Inc. 2pp. A2324:356-A2324:357.

9802250337 Ltr contract:mod 4 to task order 31 entitled, "Individual Plant Exam Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only (Nine Mile Point 1)," under contract NRC-04-91-068.
MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-97-068. 98/02/20. AFABLE,S., AUFMUTH,M.H. SCIENTECH, Inc. 2pp. A2345:247-A2345:248.

9802250368 Ltr contract:mod 4 to task order 22 entitled, "Individual Plant Exam Reviews,Internal Events,Back End Only," under contract NRC-04-91-068.
MACE,M. Office of Administration, Director (Post 940714). NRC-04-91-068. FIN L-1933. 98/02/20. AFABLE,S. SCIENTECH, Inc. 2pp. A2342:054-A2342:055.

9802260110 Ltr contract mod 2 to task order 2 under contract NRC-26-92-267.
MEARSE,S.D. Division of Contracts (Post 940714). 98/02/19. HODGE,D., MON,M.J. Sonalysts, Inc. 5pp. A2347:001-A2347:005.

9802260132 Ltr contract:mod 1 to task order 1 under contract NRC-26-92-267.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-26-92-267. 98/02/19. HODGE,D. Affiliation Not Assigned. 5pp. A2347:012-A2347:016.

9802260134 Informs that task orders 3,5,9,14,18,21,22 & 24 under contract NRC-03-93-031 expired & closeout action being initiated.
WIGGINS,E.J. Office of Administration, Director (Post 940714). NRC-03-93-031. 98/02/20. KNIGHT,D., AUFMUTH,M.H. SCIENTECH, Inc. 3pp. A2347:064-A2347:066.

9802260141 Ltr contract:mod 13 under contract NRC-26-92-269.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-26-92-269. FIN L-2593. 98/02/17. VER STEEG,C.J. Institute of Nuclear Power Operations. 5pp. A2347:006-A2347:010.

9802270107 Ltr contract:task order 139, "Millstone 3 Operational Safety Team Insp," under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2407-8. NRC-03-93-026. 98/02/20. LOFY,R.A. PARAMETER, Inc. 7pp. A2352:245-A2352:251.

9802270192 Ltr contract:mod 4 to task order 37, "IPE Reviews - Internal Events - Human Factors Only (ANO 2)," under contract NRC-04-91-069.
MACE,M. Office of Administration, Director (Post 940714). FIN L-1934. NRC-04-91-069. 98/02/19. HAAS,P. Concord Associates, Inc. 2pp. A2367:185-A2367:186.

9802270197 Ltr contract:mod 5 to task order 45, "IPE Reviews - Internal Events - Human Factors Only," under contract NRC-04-91-069.
MACE,M. Office of Administration, Director (Post 940714). FIN L-1934. NRC-04-91-069. 98/02/19. HAAS,P. Concord Associates, Inc. 2pp. A2366:358-A2366:359.

9802270205 Ltr contract:mod 2 to task order 47, "IPE Reviews - Internal Events - Human Factors Only," under contract NRC-04-91-069.
MACE,M. Office of Administration, Director (Post 940714). FIN L-1934. NRC-04-91-069. 98/02/19. HAAS,P. Concord Associates, Inc. 2pp. A2367:193-A2367:194.

9802270234 Ltr contract:task order 136 entitled, "Salem Restart Readiness Review," under contract NRC-03-93-026.Statement of work encl.
WIGGINS,E.J. Office of Administration, Director (Post 940714). FIN J-2407. NRC-03-93-026. 98/02/20. LOFY,R.A. PARAMETER, Inc. 6pp. A2367:240-A2367:245.

9802270240 Ltr contract:task order 137, "Hope Creek Safety Sys Engineering Insp," under contract NRC-03-93-026.Statement of work encl.
WIGGINS,E.J. Office of Administration, Director (Post 940714). FIN J-2407. NRC-03-93-026. 98/02/20. LOFY,R.A. PARAMETER, Inc. 6pp. A2367:187-A2367:192.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND APPEALS

8511140202 Forwards supplemental info re survey of Co-60 source in shielded position verifying less than 0.5 mr/h levels after transfer of source to new facility.Victoreen Model 491 survey meters used for all surveys.
PALKO,G. Reuter-Stokes, Inc. NR-8086-D-801-B. 85/09/04. HOLT,B.J. Region 3 (Post 820201). 11pp. 74594:150-74594:160.

--9303230241 Forwards correspondence initiated by DW Keam of Australian Radiation Lab re loss of Am-241 source by Australian steel mill.
PALKO,G. Reuter-Stokes, Inc. SSD-91-81. 87/01/06. WIEDERMAN,D. Region 3 (Post 820201). 9pp. 74595:016-74595:024.

--9303230246 Forwards rept of contamination incident involving Reuter- Stokes gauge containing Am-241 source.
NUSSBAUMER,D.A. Office of International Programs (Pre 870413). SSD-91-81. 86/10/30. MILLER,V.L. Office of Nuclear Material Safety & Safeguards. 2pp. 74595:025-74595:026.

--9303230248 Requests addl info re 860730 incident involving Reuter- Stokes safety ray gauge.
MILLER,V.L. Materials Licensing Branch. SSD-91-81. 86/11/05. KEAM,D.W. Australia, Govt. of. 3pp. 74595:027-74595:029.

--9303230251 Forwards svc bulletin 86-01,per telcon request in Oct 1986.
PALKO,G. Reuter-Stokes, Inc. SSD-91-81. 86/12/23. MADERA,J. Region 3 (Post 820201). 7pp. 74595:030-74595:036.

9802050133 Final response to FOIA request for documents.Forwards App C records being withheld in part (ref FOIA Exemptions 5 & 7A).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/03. CHRISTINE,K.Z. Affiliation Not Assigned. 3pp. A2007:080-A2007:087.

--9802050142 Partially deleted memo forwarding info re two allegations concerning emergency feedwater valves issue & apparent falsification of procedure implementation.
YEROKUN,J. Region 1 (Post 820201). 96/12/16. LETTS,B. Region 1 (Post 820201). 4pp. A2007:084-A2007:087.

9802060080 Final response to FOIA request for documents.Forwards App Y records being released in part & App Z records being withheld in entirety (ref FOIA Exemptions 7A & C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/03. WEBB,M. Shaw, Pittman, Potts & Trowbridge. 4pp. A2027:228-A2027:235.

9802060179 Final response to FOIA request for documents.Records subj to request encl & identified in App A.App B records being withheld in part (ref FOIA exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/28. REEVES,K.G. Affiliation Not Assigned. 4pp. A2098:010-A2098:245.

--9802060186 Safety insp on 661114-18 of license 37-04456-03.Insp findings:in Aug 1966,while R Bowser & H Savastano were assigned to operations at Hot Cell,Radiation hazards incident to operations were not adequately evaluated.
CONER,C.E., NILSEN,C.W. Atomic Energy Commission (Pre 750119). * Nuclear Materials & Equipment Corp. (NUMEC). 66/12/06. 1p. A2098:016-A2098:016.

--9802060200 Safety insp on 661114-18 of license SNM-414.Insp findings: between 660401 & 1115,evaluations made of airborne concentrations in restricted areas were not always adequate to determine compliance w/10CFR20.103.
CONER,C.E., NILSEN,C.W. Atomic Energy Commission (Pre 750119). * Nuclear Materials & Equipment Corp. (NUMEC). 66/12/06. 2pp. A2098:017-A2098:018.

--9802060210 Requests that licensee advise NRC in writing,of steps taken or plan to take to correct noncompliance noted in insp of license 37-07032-01 on 650225.
KIRKMAN,R.M. Atomic Energy Commission (Pre 750119). 65/03/18. SHAPIRO,Z. Nuclear Materials & Equipment Corp. (NUMEC). 1p. A2098:019-A2098:019.

--9802060226 Safety reinspection on 650225 of license 37-07031-01.Insp findings:use of licensed matls has been under supervision of G Rupert & E Barry,rather than FM Cain,contrary to license condition 12.
HYDER,J.E. Atomic Energy Commission (Pre 750119). * Nuclear Materials & Equipment Corp. (NUMEC). 65/03/18. 22pp. A2098:020-A2098:097.

--9802060228 Provides opportunity for licensee to advise NRC in writing of position re item 5 of encl form AEC-592 re insp conducted on 681028-29 of license 37-07031-01.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 68/12/23. CAIN,A.M. Nuclear Materials & Equipment Corp. (NUMEC). 26pp. A2098:098-A2098:098.

--9802060232 Safety insp on 681028 & 29 of license 37-07031-01.Insp findings:adequate evaluation of exposure of C Rupert to airborne concentration of radioactive matl was not made to insure compliance w/10CFR20.103(a).
CONER,C.E. Atomic Energy Commission (Pre 750119). * Nuclear Materials & Equipment Corp. (NUMEC). 68/12/23. 1p. A2098:099-A2098:099.

--9802060235 Informs that license 37-07031-01 incorrectly designated category E.Reinspection at normal interval for priority II license recommended.
CONER,C.E. Atomic Energy Commission (Pre 750119). 68/12/23. NELSON,P.R. Atomic Energy Commission (Pre 750119). 13pp. A2098:100-A2098:112.

--9802060236 Requests that NRC be advised in writing,of actions taken or plan on taking to correct noncompliance noted in insp of license 37-07031-01 on 691007.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 69/10/31. CAIN,F.W. Nuclear Materials & Equipment Corp. (NUMEC). 1p. A2098:113-A2098:113.

--9802060240 Safety insp on 691007 of license 37-07031-01.Insp findings: contrary to 10CFR20.201(b) "Surveys," evaluation of airborne areas,not adequately performed to show compliance w/requirement of 10CFR20.106(a).
JARMAN,P.C. Atomic Energy Commission (Pre 750119). * Nuclear Materials & Equipment Corp. (NUMEC). 69/10/31. 1p. A2098:114-A2098:114.

--9802090068 Informs that only potential health & safety hazards associated w/operation of laundry concern airborne contamination in restricted & nonrestricted areas.
JERMAN,P.C. Atomic Energy Commission (Pre 750119). 69/10/24. NELSON,P.R. Atomic Energy Commission (Pre 750119). 14pp. A2098:115-A2098:128.

--9802090093 Requests that licensee advise NRC in writing of steps taken or planned to take re noncompliance noted during insp on 650921-24.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 65/11/18. Nuclear Materials & Equipment Corp. (NUMEC). 2pp. A2098:129-A2098:131.

--9802090104 Safety reinspection on 650921-24 of license 37-04456-03.Insp findings:contrary to Section 30.3,activities requiring license,byproduct matl inventory included slightly more than 1 mc of Fe-59,corporation not licensed to possess matl.
KNAPP,P.J. Atomic Energy Commission (Pre 750119). * Nuclear Materials & Equipment Corp. (NUMEC). 65/11/17. 1p. A2098:132-A2098:132.

-9802090107 Forwards account of nuclear safety portion of joint insp of license SNM-414 on 650923-24.No items of noncompliance observed.
CROCKER,H.W. Atomic Energy Commission (Pre 750119). 65/10/06. KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 57pp. A2098:133-A2098:190.

-9802090116 Requests that licensee advise NRC in writing of steps taken or plan to take w/respect to insp on 710315-19.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 71/03/31. CHAMBERS,R.R. Nuclear Materials & Equipment Corp. (NUMEC). 1p. A2098:191-A2098:191.

-9802090122 Safety insp on 710315-19 of license 37-07031-01.Insp findings:contrary to 10CFR20.106(a),concentration of liquid wastes released to unrestricted area exceeded limit in App B,Table II of 10CFR20,when average over 1 yr period.
SMITH,R.H. Atomic Energy Commission (Pre 750119). * Nuclear Materials & Equipment Corp. (NUMEC). 71/03/29. 1p. A2098:192-A2098:194.

-9802090124 Forwards insp rept conducted on 710315-19 for license 37-07031-01 & back-up notes to form AEC-592.Noncompliances were noted.Corrective actions for items of noncompliances will be reviewed during next scheduled insp.
SMITH,R.H. Atomic Energy Commission (Pre 750119). 79/03/29. Atomic Energy Commission (Pre 750119). 2pp. A2098:195-A2098:196.

-9802090125 Partially deleted,Rev 3 to, "Operation,Health & Safety Procedure Manual."
* Nuclear Materials & Equipment Corp. (NUMEC). 67/07/01. 36pp. A2098:210-A2098:245.

-9802090157 FOIA request for copies of all AEC forms 592 which were prepared following license insps of nuclear fuels processing company commonly referred to as NUMEC (Nuclear Matls & Equipment Corp).Form generated from listed license numbers.
REEVES,K.G. Affiliation Not Assigned. 97/10/24. Energy, Dept. of. 2pp. A2098:014-A2098:015.

-9802090176 Insp rept of Nuclear Decontamination Corp on 710315-19. Noncompliance noted.Major areas inspected:insp conducted to review previous items of noncompliance,liquid effluent releases & current nuclear safety controls.
SMITH,R.H., CROCKER,H.W. Atomic Energy Commission (Pre 750119). 71/03/31. 13pp. A2098:197-A2098:209.

9802180011 Fourth partial response to FOIA request for documents. Documents listed in App E,being released in entirety. Documents listed in App F,being released in part (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/28. BARTON,E. Affiliation Not Assigned. 4pp. A2191:126-A2191:209.

-9802180015 FOIA request for documents re access to twenty-two listed files.Also encl,case chronology for RII-95-A-0001 & RII-95-A-0183.
BARTON,E.A. Affiliation Not Assigned. 97/12/18. POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 6pp. A2191:130-A2191:173.

-9802180025 Submits evaluation rept for allegation RII-95-A-0183, questionable health physics practices for St Lucie Nuclear Plant.Also encl partially withheld allegation rept RII-95-A-0183 & case chronology RII-96-A-0150.
BARR,K.P. Region 2 (Post 820201). 50-335/96-04. 96/07/16. DEMIRANDA,O. Region 2 (Post 820201). 15pp. A2191:174-A2191:209.

9802180012 Third partial response to FOIA request for documents. Forwards records listed in App C being withheld in part.App D records being withheld in entirety (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/23. BARTON,E. Port St. Lucie,FL. 4pp. A2194:314-A2194:328.

-9802180024 Investigation rept 2-96-042 on 961106.No noncompliance noted.Major areas investigated:allegation of falsification & backdating of emergency preparedness document.Partially deleted.
TATE,C.T., MCNULTY,W.J. Ofc of Investigations (Post 880201). 97/02/12. 9pp. A2194:320-A2194:328.

9802180023 Second partial response to FOIA request for documents. Records in App B being withheld in part (ref FOIA Exemption 7).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 98/01/23. BARTON,E.A. Affiliation Not Assigned. 6pp. A2191:001-A2191:125.

-9802180032 Partially deleted ltr forwarding allegation evaluation repts RII-1997-A-0053 & RII-1997-A-0054 re excessive overtime worked for reactor operators at plant & improper securing of LPCI pump.
LANDIS,K.D. Region 2 (Post 820201). 50-335/97-03. 97/06/06. Affiliation Not Assigned. 11pp. A2191:012-A2191:022.

-9802180036 Partially deleted ltr re allegation rept RII-97-A-0027 related to concerns over control of on-site hazardous matl, maint mgt practices & industrial safety conditions at plant.
LANDIS,K.D. Region 2 (Post 820201). 50-335/97-01. 97/05/30. Affiliation Not Assigned. 1p. A2191:023-A2191:030.

-9802180042 Partially deleted ltr submitting follow-up to 970207 ltr re allegation rept RII-97-A-0027 of concerns that dealt w/licensee control of on-site hazardous matls,industrial safety concerns & mgt at FP&L St Lucie facility.
IGNATONIS,A. Region 2 (Post 820201). 97/02/12. Affiliation Not Assigned. 18pp. A2191:031-A2191:058.

-9802180053 Partially deleted ltr re allegation rept RII-1997-A-0015 related to concerns that dealt w/licensee monitoring of pregnant female visitors at facility.
IGNATONIS,A. Region 2 (Post 820201). 97/02/14. Affiliation Not Assigned. 5pp. A2191:059-A2191:063.

-9802180057 Partially deleted ltr forwarding allegation evaluation rept RII-97-A-0015 re female visitors not being informed about monitoring of embryo/fetus prior to gaining access to radiologically controlled area.
BARR,K.P. Region 2 (Post 820201). 50-335/97-02. 97/04/08. Affiliation Not Assigned. 9pp. A2191:064-A2191:079.

-9802180061 Partially deleted ltr re allegation rept RII-96-A-0192 concerning release of potentially contaminated water from RCA w/o proper screening.
BARR,K.P. Region 2 (Post 820201). 50-335/97-02. 97/02/28. Affiliation Not Assigned. 13pp. A2191:080-A2191:125.

9802180035 Final response to FOIA request for records.App A records partially withheld (ref exemptions 7A & 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/12. BARTON,E. Affiliation Not Assigned. 3pp. A2268:257-A2268:295.

-9802180041 FOIA request for documents re complaints by employees at St Lucie NPP & documents re conclusions of investigations into complaints by employees at St Lucie NPP.
BARTON,E.A. Affiliation Not Assigned. 97/11/20. CLARK,K. Region 2 (Post 820201). 2pp. A2268:260-A2268:261.

-9802180044 Responds to 971120 FOIA request.Informs that request has been forwarded to NRC Headquarters.
EVANS,C.F. Region 2 (Post 820201). 97/11/25. BARTON,E.A. Affiliation Not Assigned. 1p. A2268:262-A2268:262.

-9802180046 Forwards FOIA request received direct in Region II from E Barton on 971125.Encl partially deleted.
CALLOWAY,C. Region 2 (Post 820201). 97/11/25. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 32pp. A2268:263-A2268:295.

9802180039 First partial response to FOIA request for documents.Records in App A encl & being released in entirety.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 98/01/21. BARTON,E.A. Affiliation Not Assigned. 54pp. A2191:210-A2194:313.

-9802180049 Discusses technical staff actions associated w/three concerns in Allegation RII-96-A-0251.
BARR,K.P. Region 2 (Post 820201). 97/04/23. URYC,B. Region 2 (Post 820201). 29pp. A2193:162-A2194:265.

-9802180055 Forwards allegation evaluation rept & NRC insp repts 50-335/97-05 & 50-389/97-05 re RII-97-A-0116.
LANDIS,K.D. Region 2 (Post 820201). 50-335/97-05. 97/07/17. DEMIRANDA,O. Region 2 (Post 820201). 14pp. A2194:266-A2194:313.

9802190052 Final response to FOIA request for documents.Records in App A encl & available in PDR.Records in App B being released in entirety.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 98/02/13. FIELDS,S.M. Affiliation Not Assigned. 3pp. A2279:027-A2279:061.

-9802190057 FOIA request for documents re docket number 40-3453,license SUA-917.
FIELDS,S.M. Affiliation Not Assigned. 98/01/14. Division of Freedom of Information & Publications Services (Post 940714). 2pp. A2279:030-A2279:048.

-9802190059 Forwards FR notice of issuance of amend 21 to license SUA-917.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/06/01. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A2279:049-A2279:050.

-9802190061 Notice of issuance of amend 21 to license SUA-917.Amend changes date for completion of placement of interim cover on tailings pond from 940430 to 950215.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/06/01. 3pp. A2279:051-A2279:053.

-9802190063 Notice of receipt of application from Atlas Corp to amend condition 55 of source matl license SUS-917,revising dates for several site reclamation milestones.
HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/05/03. 5pp. A2279:054-A2279:058.

-9802190070 Forwards notice of receipt of request from Atlas Corp to revise site-reclamation Milestone in license SUA-917 for transmittal to Ofc of FR for publication.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/29. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 3pp. A2279:059-A2279:061.

9802190060 Final response to FOIA request for documents.Documents listed in App A,being released in entirety.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). FIN J-5160. 98/02/11. RESNIKOFF,M. Radioactive Waste Management Associates. 2pp. A2268:296-A2268:337.

-9802190064 FOIA request for documents listed in Item 4 & extended to present time & all peer reviews of Sandia Lab repts that relate to update of NUREG-0170 that Sandia performing.
RESNIKOFF,M. Radioactive Waste Management Associates. 98/01/05. Division of Freedom of Information & Publications Services (Post 940714). 2pp. A2268:298-A2268:299.

-9802190067 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly status rept for October 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/10/31. MATTIA,M.J. Office of Nuclear Material Safety & Safeguards. 11pp. A2268:300-A2268:310.

-9802190069 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly status rept for November 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/11/30. MATTIA,M.J. Office of Nuclear Material Safety & Safeguards. 15pp. A2268:311-A2268:325.

-9802190072 Forwards NRC form 173, "Standard Order for DOE Work," which provides authorization to perform project entitled, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Assessments."
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 97/12/24. DENHAM,D.R. Energy, Dept. of. 2pp. A2268:326-A2268:327.

-9802190074 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly status rept for December 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/12/31. MATTIA,M.J. Office of Nuclear Material Safety & Safeguards. 10pp. A2268:328-A2268:337.

9802190085 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records being withheld in part (ref FOIA Exemption 6).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 98/02/12. HOUCK,H.A. Affiliation Not Assigned. 4pp. A2212:051-A2212:199.

–**9802190088** FOIA request for copy of all documents in possession,custody & control of NRC that fall into any of listed categories re insp rept & NOV,all correspondence from plant facility & info concerning Fair Labor Stds Act exempt employees.
HOUCK,H.A. Affiliation Not Assigned. 97/12/11. Region 4 (Post 820201). 2pp. A2212:055-A2212:184.

–**9802190094** Forwards excerpts from recent plant insp rept,which addresses part of area questioned re overtime.
JOHNSON,W. Region 4 (Post 820201). 97/09/04. BIAMONTE,A. . 15pp. A2212:185-A2212:199.

9802200001 Final response to FOIA request for documents.Forwards documents listed in App A being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/05. SEIDMAN,K.J. Affiliation Not Assigned. 2pp. A2255:356-A2255:361.

–**9802200003** FOIA request for documents containing name,title,mailing address & telephone number of each member of agency/dept who represents agency/dept in labor arbitration hearings.Subj info encl.
SEIDMAN,K.J. Affiliation Not Assigned. 98/01/05. Division of Freedom of Information & Publications Services (Post 940714). 4pp. A2255:358-A2255:361.

9802200098 Final response to FOIA request for documents.Records subj to request encl & identified in App A,being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/06. SHARP,M. Affiliation Not Assigned. 2pp. A2255:347-A2255:355.

–**9802200112** FOIA request for access to all records in conjunction w/NRC at listed addressed in Burbank,CA,on behalf of J Thomson, current owner of subj property.
SHARP,M. Affiliation Not Assigned. 98/01/14. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. A2255:349-A2255:349.

–**9802200136** Forwards amend 3 to license 04-00580-06,for docket 2700007. Amend authorizes transfer of radwaste to AEC designated land burial sites for disposal.
PRICE,H.L. Atomic Energy Commission (Pre 750119). 60/12/01. GRENDON,A. California, State of. 1p. A2255:350-A2255:351.

–**9802230272** Matls licensing package for amend 3 to license 04-00580-06, for docket 02700007,authorizing addition of listed info.
KIRK,R.L. Atomic Energy Commission (Pre 750119). 60/12/01. 3pp. A2255:352-A2255:355.

9802200227 Final response to FOIA request for documents.App A records available in PDR.App B records will be available in PDR. App C records withheld in part (ref FOIA exemption 3) & App D records completely withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/05. STREET,B. Affiliation Not Assigned. 9pp. A2258:285-A2258:314.

–**9802200231** Partially deleted FOIA request for documents re any potential concerns that NRC may have reported as result of any audit or visit to W Nuclear Fuel Div in Richland,SC for time period 960101 to present.
STREET,B. Affiliation Not Assigned. 97/11/30. Division of Freedom of Information & Publications Services (Post 940714). 1p. A2258:294-A2258:294.

–**9802200238** Forwards licensee performance review rept for Westinghouse fuel facility.Rept provides result of first pilot review of fuel cycle facility under NMSS program to assist performance of fuel cycle facility licensees.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/02/15. CRUTCHFIELD,D. . 7pp. A2258:295-A2258:314.

9802200391 Final response to FOIA request for documents.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/11. MCANANY,J. Syncor International Corp. 2pp. A2255:315-A2255:346.

–**9802200396** FOIA request for copies of NOVs for Tri-State Area Nuclear Pharmacy for 1997.
MCANANY,J. Syncor International Corp. 98/01/14. Document Control Branch (Document Control Desk). 1p. A2255:317-A2255:346.

9802230250 Sixth partial response to FOIA request for documents. Documents listed in App G withheld in entirety (ref FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/19. HICKEY,J.P. Shaw, Pittman, Potts & Trowbridge. 3pp. A2279:023-A2279:026.

9802240360 First partial response to FOIA request for documents.Records in App B available in PDR.Records in App A being made available in PDR & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/20. O'MEALIA,M.K. Affiliation Not Assigned. 4pp. A2336:126-A2337:039.

–**9802240372** FOIA request for all documents re NRC Millstone Assessment Panel (MAP) from inception to present time.
O'MEALIA,M.K. Affiliation Not Assigned. 97/12/01. KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 1p. A2336:130-A2336:131.

–**9802240385** Summary of 920720 meeting w/Millstone Assessment Panel (MAP) re plant status,MAP issues list,content of evaluation rept on PEP,PEP review & agenda for subsequent meeting w/utility.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/08/27. NRC - No Detailed Affiliation Given. 3pp. A2336:132-A2336:134.

–**9802240403** Provides outline of tentative plan for reviewing NEUT PEP as requested by MAP.
BARKLEY,R. NRC - No Detailed Affiliation Given. 92/08/28. WIGGINS,J.T. NRC - No Detailed Affiliation Given. 7pp. A2336:135-A2336:141.

–**9802240407** Summary of fourth MAP meeting on 920901 in Region I re plant status,schedule for PEP review activities,proposed insp plan for PEP review,proposed ltrs to State & local communities, verification & validation process.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/09. NRC - No Detailed Affiliation Given. 5pp. A2336:142-A2336:146.

–**9802240417** Summary of fifth MAP meeting on 921007 in Region I re plant status,PEP Review Team findings to date,remaining PEP Review Team activities,921105 public meeting preparations,Unit 2 S/G replacement outage progress & insp results.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/10/14. NRC - No Detailed Affiliation Given. 4pp. A2336:147-A2336:150.

–**9802240421** Summary of sixth MAP meeting on 921105 in Millstone Resident Inspectors Office re plant status,recent NRC activities, future MAP activities,public meeting on PEP following MAP meeting.
WIGGINS,J.T. NRC - No Detailed Affiliation Given. 92/12/10. NRC - No Detailed Affiliation Given. 3pp. A2336:151-A2336:153.

–**9802240427** Informs that MAP has scheduled meeting on 930113 w/NEUT at Millstone site to discuss progress on implementing PEP & other performance improvements noted to date & work since Oct 1992 in areas of developing validation criteria.
WIGGINS,J.T. Region 1 (Post 820201). 92/12/28. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. A2336:154-A2336:155.

–**9802240434** Provides summary of MAP meeting on 930113 w/NEUT at Millstone site re PEP.Meeting presentation slides encl.
WIGGINS,J.T. Region 1 (Post 820201). 93/02/09. OPEKA,J.F. Northeast Utilities. 61pp. A2336:156-A2336:216.

–**9802240440** Notification of MAP meeting on 940420 in Waterford, Connecticut.Provides list of tentative activities for day.
DOERFLEIN,L.T. NRC - No Detailed Affiliation Given. 94/04/13. NRC - No Detailed Affiliation Given. 2pp. A2336:217-A2336:218.

–**9802240443** Summary of 940525 MAP meeting re acceptance of proposed charter,current Unit 2 problems identified w/mispositioned control rod & incorrect emergency action level categorizations.
DURR,J. NRC - No Detailed Affiliation Given. 94/05/25. NRC - No Detailed Affiliation Given. 7pp. A2336:219-A2336:225.

–**9802240447** Summary of 941102 MAP meeting held on site re general direction of MAP efforts,NRC actions re recent Unit 2 work standown by NEUT resulting from 4160V switchgear washdown & hydrogen piping events & Unit 2 insp efforts for SMM.
DURR,J. NRC - No Detailed Affiliation Given. 94/11/02. NRC - No Detailed Affiliation Given. 2pp. A2336:226-A2336:227.

–**9802250126** Summary of 940420 MAP meeting at Millstone site re purpose of panel & licensees progress on previous PEP.
DURR,J. NRC - No Detailed Affiliation Given. 98/02/20. NRC - No Detailed Affiliation Given. 2pp. A2336:228-A2336:230.

–**9802250152** Forwards outline of final MAP safety evaluation as requested during last MAP meeting.
JAFFE,D.H. NRC - No Detailed Affiliation Given. 98/02/20. STOLZ,J. NRC - No Detailed Affiliation Given. 7pp. A2336:231-A2336:236.

–**9802250159** Summary of 950105 MAP meeting held onsite at Millstone re current plant status,insp initiatives,open item status, enforcement strategy for severity level V violations, allegations,SMM recommendations & future MAP actions.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/05. NRC - No Detailed Affiliation Given. 24pp. A2336:237-A2336:260.

–**9802250171** Summary of 950127 telcon re Millstone Unit Restart & NRC need to perform restart assessment team insp before restart of plant.
DURR,J. NRC - No Detailed Affiliation Given. 95/01/27. NRC - No Detailed Affiliation Given. 7pp. A2336:261-A2336:313.

–**9802250179** Refers to 950221 NRC meeting w/Millstone officials.Provides comments re Millstone.Advises that Millstone has become very good neighborhood to East Lyme & have been on-going & continuing part of community.
CINI,D.K. Affiliation Not Assigned. 95/02/23. SWETLAND,P. NRC - No Detailed Affiliation Given. 2pp. A2336:314-A2336:315.

–**9802250183** Summary of 950317 MAP meeting re plant status update,review of insp dates for Unit,improving station performance,Unit 2 Restart Plan & status of MC 0350.
* NRC - No Detailed Affiliation Given. 95/03/17. NRC - No Detailed Affiliation Given. 5pp. A2336:316-A2336:320.

–**9802250187** Summary of 950504 MAP meeting re plant status,current restart planning & scheduling,current status of RATI,status of licensing issues that impact restart,restart meeting details & developing criteria for improving performance.
* NRC - No Detailed Affiliation Given. 95/05/04. NRC - No Detailed Affiliation Given. 6pp. A2336:321-A2336:326.

–**9802250198** Summary of 950608-09 MAP meeting re findings of Readiness Assessment Team.Restart issues include electrical tagging error occured during maint of MOV,punch list items,SAT findings & ensuring key people are trained.
* NRC - No Detailed Affiliation Given. 95/06/08. NRC - No Detailed Affiliation Given. 6pp. A2336:327-A2336:332.

–**9802250215** Summary of 950613 MAP meeting re status of emergency operating procedure update & associated operator performance issues.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. A2336:333-A2336:335.

–**9802250226** Summary of 960619 MOT meeting re licensee response to 10CFR50.54 f ltr for Unit 3 due on 960620 & Unit 3 Readiness for Restart Plan.
* NRC - No Detailed Affiliation Given. 96/06/19. NRC - No Detailed Affiliation Given. 2pp. A2336:336-A2336:337.

–**9802250231** Summary of 961007 MOT meeting re accountability for line items in Restart Assessment Plan.Discussed need for meeting w/NEUT recovery managers to establish course of action & schedules & need to update FSAR before restart.
* NRC - No Detailed Affiliation Given. 96/10/07. NRC - No Detailed Affiliation Given. 3pp. A2336:338-A2336:343.

–**9802250240** Comments on Section C.1 on acceptable preconditioning, Section C.6.c on regulatory refs & ANSI 3.2-1982,section 5.3.10 on content of test & insp procedures.
CONTE,R. NRC - No Detailed Affiliation Given. 98/01/26. CRLENJAK,R.V. NRC - No Detailed Affiliation Given. 1p. A2336:344-A2336:344.

-9802250245 Summary of 970205 RAP meeting re insp program for restart of three Millstone units.
* NRC - No Detailed Affiliation Given. 97/02/05. NRC - No Detailed Affiliation Given. 2pp. A2336:345-A2336:346.

-9802250259 Summary of 970501 RAP meeting at Millstone re developing restart model for Millstone,involvement of ACRS in final restart decision process & contacting licensee to inform that panel expects discussion of possible delays.
* NRC - No Detailed Affiliation Given. 97/05/01. NRC - No Detailed Affiliation Given. 50pp. A2336:347-A2337:039.

9802250041 First partial response to FOIA request for documents. Documents listed in App A maintained in PDR under listed requested number.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/18. GAISER,G. INPUT, Inc. 2pp. A2336:122-A2336:125.

-9802250043 FOIA request for documents re NRC response to exhibit 43 of OMB circular A-11 for FY 1999 & Response to A-11 item 43.2 (C),cost of year 2000 activities.
GAISER,G. INPUT, Inc. 98/02/04. Division of Freedom of Information & Publications Services (Post 940714). 2pp. A2336:124-A2336:125.

9802250281 Final response to FOIA request for documents.App A records being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/19. CHAPMAN,N.G. Bechtel Power Corp. 2pp. A2336:001-A2336:118.

-9802250288 Requests that encl insp & enforcement manual chapter 0800 from 1970s be made available in PDR.
CHAPMAN,N.G. Bechtel Power Corp. 98/02/02. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 110pp. A2336:003-A2336:118.

9802250333 Final response to FOIA request for documents.App A documents already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/23. BARRETT,S. Affiliation Not Assigned. 2pp. A2336:119-A2336:121.

-9802250336 FOIA request for documents re Atlas Corp U Mill & Tailings Pile adjacent to Colorado River in Moab,UT.
BARRETT,S.E. Affiliation Not Assigned. 98/01/28. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. A2336:121-A2336:121.

9802270163 Final response to FOIA request for documents.Records subj to request identified in App A & availability at PDR for public insp & copying.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/24. CULLEN,S.M. Affiliation Not Assigned. 2pp. A2410:289-A2410:295.

-9802270166 FOIA request for documents re Oct 1979,Presidential Commission rept on TMI accident & copy of "Kemeny Commission" rept in original form.
CULLEN,S.M. Affiliation Not Assigned. 97/12/23. ROHDE,L.M. Energy, Dept. of. 5pp. A2410:290-A2410:295.

GEN TEC IS GENERIC TECHNICAL ISSUES

9802040387 Provides response to question 6 in 971008 & 1112 RAIs on resolution of USI A-46,seismic evaluation rept.Responses to questions 7 & 8 will be submitted by 980215.
HAMMER,M.F. Northern States Power Co. TAC M69460. 98/01/15. Document Control Branch (Document Control Desk). 18pp. A2033:177-A2033:254.

-9802040390 97C2999-C-001 R00 Rev 0 to calculation 97C2999-C-001, "T-44 Seismic Displacement Evaluation."
SULLIVAN,J.O., LI,M., TSANG,T. Stevenson & Associates. 97/12/19. 33pp. A2033:195-A2033:225.

-9802040401 C-016 R00 Rev 0 to calculation C-016, "Seismic Analysis of Standby DG Day Tank T-45A & B."
LI,M.S., SULLIVAN,J.O. Stevenson & Associates. 95/10/10. 19pp. A2033:236-A2033:254.

9802050013 Forwards rev 8 to Abnormal Procedure (AP) 961, "Earthquake," as supplemental response for resolution of USI A-46.
RENCHECK,M.W. Florida Power Corp. 3F0198-42. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2037:306-A2037:336.

9802050292 Forwards request for addl info re Crystal River 3 Nuclear Plant,summary rept on verification of seismic adequacy of mechanical & electrical equipment in operating reactors, dtd 951231.
RAGHAVAN,L. . TAC M69440. 98/02/02. ANDERSON,R.A. Florida Power Corp. 5pp. A2012:245-A2012:249.

9802050330 Forwards request for addl info re resolution of unresolved safety issue A-46 program at plant.Requests response within 60 days of date of ltr.
JABBOUR,K.N. . TAC M69490. 98/01/29. REID,D.A. Vermont Yankee Nuclear Power Corp. 8pp. A2036:285-A2036:292.

9802120319 Ltr contract:task order 7 under contract NRC-04-97-036 entitled "Reprioritization of GSI-71."
MACE,M.H. Division of Contracts (Post 940714). FIN W-6650. NRC-04-97-036. 98/02/06. COLINA,I. Science & Engineering Associates, Inc. 2pp. A2154:087-A2154:088.

9802180058 Forwards nonproprietary Vols 1 & 3 of response to NRC 971031 request for addl info on resolution of Unresolved Safety Issue A-46.Vol 2 consists of proprietary calculations.Vol 2 withheld,per 10CFR2.790.
SUMNER,H.L. Southern Nuclear Operating Co. HL-5572. 98/02/06. Document Control Branch (Document Control Desk). 78pp. A2220:237-A2220:317.

9802180207 Forwards update to AP600 Final SER,Chapter 20,GIs addressing issues for which SRXB has primary responsibility.Issues that remain open includes,A-31, "RHR Shutdown Requirements," A-9, "ATWS" & A-105, "ISLOCA."
COLLINS,T.E. . 98/01/09. QUAY,T.R. . 30pp. A2212:294-A2212:323.

9802200042 Submits comments re IAEA draft rept, "Compilation of Generic Safety Issues for Light Water Reacter NPP."
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 98/01/06. STOIBER,C.R. Office of International Programs (Post 911117). 6pp. A2258:315-A2258:320.

9802230187 Forwards response to 970404 RAI re resolution of USI A-46, "Seismic Qualification of Equipment in Operating Plants." Outlier resolution schedule is being revised since implementation issues may affect number of outliers.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. LR-N970770. 98/02/13. Document Control Branch (Document Control Desk). 13pp. A2330:190-A2330:202.

9802250124 Provides response to questions 7 & 8 in 971008 & 1112 RAIs on resolution of USI A-46,seismic evaluation rept.
SCHIBONSKI,C.A. Northern States Power Co. GL-87-02. 98/02/11. Document Control Branch (Document Control Desk). 18pp. A2358:306-A2358:322.

9802260133 Submits addl info requested during audit of TMI USI A-46 Program,970721-25.
NOBLE,T. General Public Utilities Corp. E410-97-040. 97/09/02. CHEN,P. NRC - No Detailed Affiliation Given. 2pp. A2347:058-A2347:059.

9802260269 Forwards safety evaluation accepting 950926 ltr re approval of realistic,median centered spectra generated for resolution of USI A-46.
DEMBEK,S. . TAC M69458. 98/02/09. BOWLING,M.L. Northeast Nuclear Energy Co. 6pp. A2351:344-A2351:349.

I&E INSPECTION AND ENFORCEMENT ISSUANCES

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9801200073 Forwards list of generic communications under present consideration pursuant to 971206 telcon requesting list of generic communications currently in planning or in development stage.
RICHARDS,S.A. . 98/01/13. FADER,G. Institute of Nuclear Power Operations. 7pp. A1860:298-A1860:304.

9802020185 PNO-II-98-004:on 980130,Region II administrator informed FPC that NRC was satisfied w/completion of FPC actions specified in CAL,dtd 970304 & concurred that plant,Unit 3 could operate IAW license.
NINH,S. Region 2 (Post 820201). 98/01/30. 1p. A2006:269-A2006:269.

9802030061 PNO-IV-98-004A on 980130,licensee notified NRC Region IV Ofc of recovery of potable moisture/density gauge previously reported stolen on 980123.Gauge was recovered from storage shed in Skiatook,OK on 980129.
BLAIR,D., SPITZBERG, BROWN,R. Region 4 (Post 820201). 98/01/30. 1p. A1985:175-A1985:175.

9802040292 Discusses allegation guidance memo 98-01 informing allegers & licensees of completion of investigations by OI.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/29. COLLINS,S.J. . PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. A2006:313-A2006:318.

-9802040303 Requests that OI synopsis not be made public until case closed & time frame set out in OE memo expired without comment from another ofc.Agency Allegations Advisor intends to modify Mgt Directive 8.8 to provide guidance.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/07/14. MILLER,H.J. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 2pp. A2006:317-A2006:318.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). IA 96-101. 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802050210 PNO-II-98-005:on 980201,plant commenced reactor startup & entered mode 2 conditions (Keff 0.99).On 980202,criticality was achieved,followed by mode 1 conditions.Unit scheduled to be at 100% power late 980205.
NINH,S. Region 2 (Post 820201). 98/02/02. 1p. A2010:157-A2010:157.

9802050226 PNO-IV-98-007:on 980122,while attempting to remove sealed source containing 100 mCi of Am-241,source exploded,causing contamination of worker & facility.Urine & fecal bioassay ordered.Results unavailable.
SHAFFER,M.R. Region 4 (Post 820201). 98/01/27. 2pp. A2010:158-A2010:159.

9802050239 PNO-I-98-003:Region I inspector conducted insp on 971120 & found that Troxler model 3411 portable moisture/density gauge had been shipped to temporary jobsite & had not been returned.
REBER,E. Region 1 (Post 820201). 98/02/03. 1p. A2010:164-A2010:164.

9802050361 Comment on press releases PR-98-16 & PR-98-17 re year 2000 plant computer clock issue.
ROBERTS,J. New York, State of. 62FR4498 00001. 98/02/02. DROGGITIS,S. NRC - No Detailed Affiliation Given. 1p. A2010:212-A2010:213.

-9802050364 Forwards comment received from staff member from New York Public Services Commission on year 2000 issue.
DROGGITIS,S. NRC - No Detailed Affiliation Given. 98/02/03. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. A2010:213-A2010:213.

9802060069 Comment on proposed generic ltr on year 2000.Forwards copy of message to Rules & Directive Branch to be accepted by D Meyer as legitimate comment.
VOGLEWEDE,J. NRC - No Detailed Affiliation Given. 63FR4498 00002. 98/01/28. CHIRAMEL,M. NRC - No Detailed Affiliation Given. 2pp. A2038:351-A2038:352.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802110022 PNO-IV-98-008:on 980205,shield housing of fixed gauge containing 1.7 mCi of Co-60 had dropped several inches between midnight.Licensee uses Bertholdt Model LB300ML fixed gauges as level indicators.State of NE informed.
SHAFFER,M.R., MCLEAN,M.L. Region 4 (Post 820201). 98/02/10. 1p. A2213:231-A2213:231.

9802120168 Seeks right person to talk to at NRC re Y2K issue.
ROBERTS,J. New York, State of. 63FR4498 00004. 98/02/09. DROGGITIS,S. NRC - No Detailed Affiliation Given. 1p. A2143:021-A2143:021.

9802120199 Requests that 980114 ltr & response re Employee Concerns Program be placed in Central files & PDR.
PHILLIPS,S.M. NRC - No Detailed Affiliation Given. 98/02/06. NRC - No Detailed Affiliation Given. 1p. A2154:067-A2154:070.

–9802120203 Requests reply to question about whether if employee had some safety concerns which were already brought to attention of ECP & investigated,could file be reviewed as long as file redacted identity of person who made allegation.
ZAMZACK Affiliation Not Assigned. 98/01/14. BORCHARDT,B. . 2pp. A2154:068-A2154:069.

–9802120214 Informs that NRC does not require licensees to have ECP & therefore does not impose any requirements on how program should be run.Who licensee allows to see files would totally be within licensee discretion.
BAKER,E. NRC - No Detailed Affiliation Given. 98/01/14. ZAMZACK Affiliation Not Assigned. 1p. A2154:070-A2154:070.

9802120230 Comment opposing proposed GL 98-XX, "YR 2000 Readiness of Computer Sys at NPPs."
TAYLOR,G.J. South Carolina Electric & Gas Co. 63FR4498 00003. 98/02/02. Rules & Directives Review Branch (Post 920323). 2pp. A2143:113-A2143:114.

9802130009 PNO-IV-98-009:on 980129,bag containing radioactive biomedical waste,in container labeled radioactive waste was inappropriately disposed of at Wilford Hall Medical Ctr at Lackland AFB.State of TX informed.
GAINES,A.D., CAIN,C.L. Region 4 (Post 820201). 98/02/11. 1p. A2164:013-A2164:013.

9802130012 PNO-I-98-004:on 980211,PSE&G commenced shut down of Unit 2 in order to make repairs to 2A EDG & other plant equipment. Operators noted abnormal noise while securing 2A EDG during post maint surveillance test.
LINVILLE,J. Region 1 (Post 820201). 98/02/12. 1p. A2164:018-A2164:018.

9802190297 PNO-II-98-006:on 980216,Unit 3 manually tripped.Root cause determination underway by Event Response Team.Preliminary reviews indicate,failure may be external corrosion induced. Licensee issued press release.
RUDISAIL,S. Region 2 (Post 820201). 98/02/17. 1p. A2255:268-A2255:268.

9802200028 PNO-II-98-007:on 980217,Unit 1 shutdown greater than 72 h. Licensee does not plan to issue press release.Resident i Inspectors monitoring licensee activities for shutdown & repair effect.
RUDISAIL,S. Region 2 (Post 820201). 98/02/17. 1p. A2288:353-A2288:353.

9802200039 PNO-I-98-005:on 980212,NIH RSO notified NRC Region I that one mCi P-32 package missing.Matter referred to NIH Police who investigating missing P-32 as possible theft.NRC Region I evaluating ongoing efforts of licensee.
DARDEN,T., SHANBAKY,M. Region 1 (Post 820201). 98/02/13. 1p. A2288:354-A2288:354.

9802230046 Comment on draft NRC GL, "Yr 2000 Readiness of Computer Sys at NPPs." Most,if not all sys B&W supplied for operating nuclear plants believed to be analog,not digital sys & therefore,would not be subj to yr 200 problem.
LEWIS,J.R. Affiliation Not Assigned. 62FR4498 00005. 98/02/12. Rules & Directives Review Branch (Post 920323). 1p. A2268:183-A2268:183.

9802250254 PNO-I-98-005A:on 980220,lost of 1 mCi P-32 package update made.Licensee performed radiological surveys of all water coolers & coffee pots in bldg at which package delivered,as precautionary measure.Area contamination surveys performed.
DARDEN,T., SHANBAKY,M. Region 1 (Post 820201). 98/02/20. 1p. A2345:158-A2345:158.

9802250257 Forwards notice of opportunity for public comment for proposed generic communication re lab testing of nuclear grade activated charcoal.
ROE,J.W. . TAC M97978. 98/02/19. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A2342:001-A2342:034.

–9802250262 Notice of opportunity for public comment on proposed generic communication, "Lab Testing of Nuclear-Grade Activated Charcoal."
ROE,J.W. . TAC M97978. 98/02/19. 33pp. A2342:002-A2342:034.

9802250266 PNO-II-98-008:on 970327,discovered misadministration occurred.Patient undergoing gamma knife radiation therapy had received dose 55% below intended.State of GA,where Elekta located notified.NRC following up to assure actions.
DECKER,T.R. Region 2 (Post 820201). 98/02/20. 1p. A2345:157-A2345:157.

9802250272 PNO-II-98-009:on 980219,licensee reported to GA Radioactive Matls Program that Troxler,Model 3401,moisture density gauge stolen from pick-up truck.Local police authorities have theft under investigation.NRC notified of event by State.
WOODDRUFF,R.L. Region 2 (Post 820201). 98/02/24. 1p. A2345:159-A2345:159.

9802260023 "Director Status Rept on Generic Activities,Action Plans, Generic Communication & Compliance Activities."
* . 98/01/31. 138pp. A2352:001-A2352:148.

9802270172 Comment on GL 98-XX, "YR 2000 Readiness of Computer Sys at NPPs."
KELLY,J.J. Texas Utilities Electric Co. (TU Electric). 62FR4498 00006. 98/02/18. Rules & Directives Review Branch (Post 920323). 3pp. A2370:067-A2370:069.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9802040351 Forwards Proceedings of OECS/CSNI Specialists Meeting on Fuel-Coolant Interactions Parts 1 & 2 held on 970519-21 in Tokai-Mura,Japan.
SUGIMOTO,J. Japan. 98/01/09. NRC - No Detailed Affiliation Given. 1p. A1988:001-A1990:119.

–9802040355 NEA/CSNI/R(97)26 JAERI-Conf 97-011 (Parts I & II), "Proceedings of OECD/CSNI Specialists Meeting on Fuel-Coolant Interactions," 970519-21,Tokai-Mura,Japan.
AKIYAMA,M., YAMANO,N., SUGIMOTO,J. Japan. 98/01/31. 843pp. A1988:002-A1990:119.

9802060042 Informs that Brockton office of Fischbach Power Services,Inc (formerly Mercury Company) has recently been permanently closed.Office should be deleted from mailing list.
SHIELDS,C. . 98/01/21. NRC - No Detailed Affiliation Given. 2pp. A2138:342-A2138:343.

9802200265 Informs of radiation exposure occuring from AccuRay Sys located on paper machine.ABB Radiation was contacted immediately.Full rept will follow under separate cover.
THOMAS,N. . 98/02/13. Document Control Branch (Document Control Desk). 1p. A2320:170-A2320:170.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9802030060 Comment opposing Draft NUREG-1555, "Std Review Plans For Environmental Reviews For NPPs."
TUCKMAN,M.S. Duke Power Co. 62FR51915 00002. 98/01/29. Rules & Directives Review Branch (Post 920323). 23pp. A1979:333-A1979:355.

9802040006 Submits revised response to GL 88-01 re NRC position on IGSCC in BWR austentic stainless steel piping.
DESMOND,N.L. Boston Edison Co. LTR 2.98.011. 98/01/28. Document Control Branch (Document Control Desk). 21pp. A2020:174-A2020:194.

9802040291 Forwards "Third ISI Interval Insp Program Plan" for JAFNPP & requests for relief from snubber insp requirements of ASME Section XI,Article IWF-5000.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). JPN-98-002. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2080:001-A2081:352.

9802050081 Requests placement of matl into NUDOCS sys & into NRC PDR. Matl includes "Working Paper on Dose Modeling" & draft NUREG-1549 "Using Decision Methods for Dose Assessment to Comply w/Radiological Criteria for License Termination."
CARDILE,F. Radiation Protection & Health Effects Branch (Post 941217). 98/02/03. Office of Information Resources Management (861109-870412). 490pp. A2011:001-A2012:126.

9802050086 Informs that LAR incorporating appropriate provisions consistent w/ NUREG-1431 to resolve prohibition will be delayed beyond Jan 1998.
PATULSKI,S.A. Wisconsin Electric Power Co. 50-266/97-16. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A2037:351-A2037:352.

9802050088 Forwards FRN announcing availability of NUREG-1022,Rev 1 to be published as soon as possible.
ROSSI,C.E. Division of Safety Programs (Post 870413). 98/02/03. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. A2007:293-A2007:304.

–9802050095 Notice announcing availability of rept NUREG-1022,Rev 1, "Event Reporting Guidelines,10CFR50.72 & 50.73." Purpose of rept to help ensure that events are reported as required by improving guidelines for implementing 10CFR50.72.
ROSSI,C.E. Division of Safety Programs (Post 870413). 98/02/03. 10pp. A2007:295-A2007:304.

9802050090 Comment on draft NUREG-1555, "Environ Std Review Plan." Suggests that NRC hold in abeyance any application of environ justice analyses for licensing pending outcome of Commission decision on Louisiana Energy Svcs appeal.
BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR51915 00003. 98/01/30. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 10pp. A2009:335-A2009:344.

9802050350 Comment on draft NUREG 1556,Vol 5.
PENTRACK,D. Affiliation Not Assigned. 62FR67100 00002. 98/01/13. MEYER,D.L. NRC - No Detailed Affiliation Given. 2pp. A2038:241-A2038:242.

9802060031 Comment on draft NUREG 1555, "Updated Environ Standard Review Plan."
MCCOY,C.K. Southern Nuclear Operating Co. 62FR51915 00005. 98/01/30. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. A2038:270-A2038:273.

9802060048 Comment on draft NUREG 1555, "Environ Standard Review Plan."
SUTTON,K.M. Affiliation Not Assigned. SUTTON,K.M., COTTINGHAM,A.W. Winston & Strawn. 62FR51915 00004. 98/01/30. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 46pp. A2038:298-A2038:343.

9802090054 Application for amend to license DPR-49,consisting of request for TS change RTS-298,changing required operating states for standby liquid control to start-up & run/power,per NUREG-1433.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-98-0147. 98/02/03. . 5pp. A2159:341-A2159:349.

9802090067 Application for amend to license DPR-49,consisting of request for TS change RTS-299,revising definitions of cold condition & cold shutdown & adding Section 3.17,vessel hydrostatic pressure & leak testing,per NUREG 1433,Rev 1.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-98-0167. 98/02/03. . 6pp. A2154:340-A2154:352.

9802090139 Forwards notice announcing availability of NUREG-1516, "Management of Radioactive Matl Safety Programs at Medical Facilities."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/11/14. SCHAEFER,D. House of Rep. INHOFE,J.M. Senate, Environment & Public Works. 2pp. A2164:316-A2164:322.

–9802090192 Notice of availability of NUREG-1516, "Management of Radioactive Matl Safety Programs at Medical Facilities."
CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. 97/11/12. 3pp. A2164:318-A2164:322.

9802090164 Forwards copy of NUREG-1320 Rev 1, "Nuclear Fuel Cycle Facility Accident Analysis Handbook." W/o encl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 98/01/07. GORE,A. Senate, President of the Senate. MURPHY,R.P. General Accounting Office. GINGRICH,N. House of Rep., Speaker of the House. 3pp. A2164:345-A2164:348.

9802100036 Application for amend to license DPR-20,eliminating existence of commonly referred to "custom tech specs" sections & replacing them w/Improved TS,consistent w/ NUREG-1432,Rev 1.
PALMISANO,T.J. Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/26. Document Control Branch (Document Control Desk). 5pp. A2200:001-A2211:218.

-9802100037 Proposed tech specs converting to Improved TS,consistent w/ NUREG-1432,Rev 1.Includes Vols 1-20.
* Consumers Energy Co. (formerly Consumers Power Co.),. 98/01/26. 4,216pp. A2200:006-A2211:218.

9802100077 Forwards addl info on rev 6 to security force training & qualification plan,per 980113 telcon request of G Smith.Encl withheld.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). IPN-98-010. 98/01/26. Document Control Branch (Document Control Desk). 2pp. A2160:288-A2160:289.

9802100108 NUREG-0304 V22 N03 REGULATORY AND TECHNICAL REPORTS (ABSTRACT INDEX JOURNAL). Compilation For Third Quarter 1997,July-September.
* NRC - No Detailed Affiliation Given. 98/01/31. 41pp. A2079:175-A2079:215.

9802100113 NUREG-1022 R01 DFC EVENT REPORTING GUIDELINES 10 CFR 50.72 AND 50.73.
ALLISON,D.P., HARPER,M.R., JONES,W.R. Office for Analysis & Evaluation of Operational Data, Director. 98/01/31. 175pp. A2079:001-A2079:174.

9802100124 NUREG/IA-0024 APPLICATION OF RELAP5/MOD3.1 CODE TO THE LOFT TEST L3-6.
PYLEV,S.S., ROGINSKAGA,V.L. Russia. FIN W-6238. 98/02/28. Division of Systems Technology (Post 941217). 66pp. A2059:287-A2059:352.

9802100139 NUREG/CR-6540 STATE-OF-THE-ART REPORT ON PIPING FRACTURE MECHANICS.
WILKOWSKI,G.M., OLSON,R.J., SCOTT,P.M. Battelle Memorial Institute, Columbus Laboratories. FIN D-2060. BMI-2196. 98/01/31. Division of Engineering Technology (Post 941217). 385pp. A2077:001-A2078:021.

9802100156 NUREG-0540 V19 N11 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE.November 1-30, 1997.
* NRC - No Detailed Affiliation Given. 98/01/31. 284pp. A2078:022-A2078:306.

9802110025 Forwards response to RAI re Improved TS sections 3.0,3.7 & 3.9.RAI contained questions & comments re util request to amend current TS in order to adopt Improved TS of NUREG-1431,Rev 1.
TULON,T.J. Commonwealth Edison Co. 98/01/27. Document Control Branch (Document Control Desk). 73pp. A2169:287-A2169:359.

9802110126 Forwards US NRC responses to Subcommittee on Natl Economic Growth,Natural Resources & Regulatory Affairs request for info re study being conducted on organizational structure & overall efficiency.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/29. MCLNTOSH,D.M. House of Rep. 26pp. A2149:001-A2149:151.

9802110139 Withdraws 970725 request for license amends re IGSCC surveillance requirement,based on anticipated approval of util LAR for conversion of current TS to improved TS,as contained in Rev 1 of NUREG-1433.
JURY,K.R. Carolina Power & Light Co. BSEP 98-0014. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2230:133-A2230:134.

9802110145 NUREG-1187 V01 PERFORMANCE INDICATORS FOR OPERATING COMMERCIAL NUCLEAR POWER REACTORS.Data Through September 1997.
* Office for Analysis & Evaluation of Operational Data, Director. 98/01/31. 485pp. A2094:001-A2095:121.

9802120154 Comment supporting updated draft environ standard review plan for nuclear power plants (NUREG-1555).
SANDERSON,R.E. Environmental Protection Agency. 62FR51915 00007. 98/02/05. Rules & Directives Review Branch (Post 920323). 1p. A2142:334-A2142:334.

9802120176 Summary of 980122 meeting w/E Easton,S Rosenburg & J Cook re review of NUREG rept on staff responses to frequently asked questions re decommissioning of nuclear reactors.Requests assistance in reviewing Sections V & VII of draft NUREG.
WEISS,S.H. . 98/02/06. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. A2154:074-A2154:076.

9802120233 Comment supporting updated ESRP (NUREG-1555).
FIRTH,D.J. Babcock & Wilcox Operating Plants Owners Group. 62FR51915 00006. 98/01/30. Rules & Directives Review Branch (Post 920323). 2pp. A2143:115-A2143:116.

9802120236 Comment on draft NUREG-1556,Vol 4.
VAN HORN,J.K., VAN HORN,C.A. Affiliation Not Assigned. 62FR67100 00002. 97/12/23. Rules & Directives Review Branch (Post 920323). 8pp. A2143:117-A2143:124.

9802120269 Forwards NRC initial license exam outline per NRC insp rept 50-416/98-301,to be held wk of 980330.Outline developed per guidelines of NUREG-1021,rev 8, "Operator Licensing Exam Stds for Power Reactors," section ES-201.
HUGHEY,W.K. Entergy Operations, Inc. GNRO-98/00011. 98/01/29. MURPHY,M. Region 4 (Post 820201). 2pp. A2230:141-A2230:142.

9802130002 NUREG/CR-6579 DIGITAL I&C SYSTEMS IN NUCLEAR POWER PLANTS.Risk-Screening Of Hardware Unavailability With An Existing Analog System.
HASSAN,M. Brookhaven National Laboratory. VESELY,W.E. Science Applications International Corp. (formerly Science Applications, Inc.). FIN W-6542. BNL-NUREG-52536. 98/01/31. Division of Systems Technology (Post 941217). 128pp. A2144:068-A2144:185.

9802130084 Forwards summary listing for rev c to plant TS,Rev C to improved TS & relocated items matrix for improved TS,as agreed to in util 970917 ltr to NRC RAI.W/o encl.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-98-0127. 98/01/23. . 3pp. A2234:030-A2234:032.

9802170005 Forwards copy of NUREG-1516, "Management of Radioactive Matl Safety Program at Medical Facilities." Determined that NUREG-1516 not "major rule," as defined in 5 USC 804(2). W/o encl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/11/14. GORE,A. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. MURPHY,R.P. General Accounting Office. 6pp. A2234:341-A2234:346.

9802170009 Forwards rev 2 to TR DPC-NE-3002-A, "UFSAR Chapter 15 Transient Analysis Methodology" IAW guidance contained in NUREG-0390.
TUCKMAN,M.S. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2237:081-A2237:276.

9802170017 Forwards rev 1 to non-proprietary topical rept DPC-NE-3000-A & rev 1 to proprietary topical rept DPC-NE-3000-PA, "Thermal Hydraulic Transient Analysis Methodology." Proprietary version withheld.
TUCKMAN,M.S. Duke Power Co. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2235:001-A2237:080.

9802170107 Forwards application for amend to license DPR-59,allowing RCS pressure tests to be performed while remaining in cold shutdown mode.Encl supersedes & replaces application for amend submitted 960201.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). JPN-98-005. 98/02/06. Document Control Branch (Document Control Desk). 3pp. A2218:073-A2218:142.

9802180048 Forwards non-proprietary Rev 1 to DPC-NE-2005A & proprietary Rev 1 to DPC-NE-2005P-A, "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology." Proprietary rept withheld,per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2242:001-A2242:152.

9802180098 NUREG-0750 V46 N03 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR SEPTEMBER 1997. Pages 49-193.
* NRC - No Detailed Affiliation Given. 98/01/31. 151pp. A2195:001-A2195:153.

9802180103 NUREG-0750 V46 N04 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR OCTOBER 1997. Pages 195-256.
* NRC - No Detailed Affiliation Given. 98/02/28. 69pp. A2195:155-A2195:223.

9802180107 NUREG-0750 V46 N05 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR NOVEMBER 1997. Pages 257-285.
* NRC - No Detailed Affiliation Given. 98/02/28. 35pp. A2195:224-A2195:258.

9802180158 Comment on draft ESRP for review of environ repts for NPPs, NUREG-1555.Requests that comment period on ESRP be extended to coincide w/companion draft RG for license renewal review period.
CUDWORTH,J. Affiliation Not Assigned. 62FR51915 00009. 98/01/12. NRC - No Detailed Affiliation Given. 2pp. A2182:067-A2182:068.

9802180160 Comment on NUREG-1555, "ESRP." Requests that comment period be extended to be coincident w/comment period for applicable NRC environ RG.
STAUDINGER,D.K. Winston & Strawn. 62FR51915 00008. 97/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2182:069-A2182:070.

9802190060 Final response to FOIA request for documents.Documents listed in App A,being released in entirety.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). FIN J-5160. 98/02/11. RESNIKOFF,M. Radioactive Waste Management Associates. 2pp. A2268:296-A2268:337.

-9802190064 FOIA request for documents listed in Item 4 & extended to present time & all peer reviews of Sandia Lab repts that relate to update of NUREG-0170 that Sandia performing.
RESNIKOFF,M. Radioactive Waste Management Associates. 98/01/05. Division of Freedom of Information & Publications Services (Post 940714). 2pp. A2268:298-A2268:299.

-9802190067 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly status rept for October 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/10/31. MATTIA,M.J. Office of Nuclear Material Safety & Safeguards. 11pp. A2268:300-A2268:310.

-9802190069 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly status rept for November 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/11/30. MATTIA,M.J. Office of Nuclear Material Safety & Safeguards. 15pp. A2268:311-A2268:325.

-9802190072 Forwards NRC form 173, "Standard Order for DOE Work," which provides authorization to perform project entitled, "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Assessments."
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). FIN J-5160. 97/12/24. DENHAM,D.R. Energy, Dept. of. 2pp. A2268:326-A2268:327.

-9802190074 "Revalidation of NUREG-0170 Spent Fuel Shipment Risk Estimates," monthly status rept for December 1997.
SPRUNG,J.L. Sandia National Laboratories. FIN J-5160. 97/12/31. MATTIA,M.J. Office of Nuclear Material Safety & Safeguards. 10pp. A2268:328-A2268:337.

9802200022 Informs that LER number 97-015 for Diablo Canyon,Unit 1 was not used IAW guidance in NUREG-1022,Rev 1 (draft),Section 5.2.4.
POWERS,R.P. Pacific Gas & Electric Co. DCL-98-018. 98/02/11. Document Control Branch (Document Control Desk). 1p. A2288:352-A2288:352.

9802200041 NUREG-0750 V45 NUCLEAR REGULATORY COMMISSION ISSUANCES.Opinions And Decisions Of The Nuclear Regulatory Commission With Selected Orders.January-June 1997.
* NRC - No Detailed Affiliation Given. 97/12/31. 526pp. A2245:001-A2246:162.

9802200043 NUREG/CR-4674 V25 PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS: 1996. A Status Report.
BELLES,R.J., CLETCHER,J.W., COPINGER,D.A. Oak Ridge National Laboratory. FIN B-0435. ORNL/NOAC-232. 97/12/31. Division of Safety Programs (Post 870413). 271pp. A2250:001-A2250:271.

9802200046 NUREG-1575 MULTI-AGENCY RADIATION SURVEY AND SITE INVESTIGATION MANUAL (MARSSIM).Final Report.
* NRC - No Detailed Affiliation Given. * Defense, Dept. of. * Energy, Dept. of. EPA-402R-97-016. 97/12/31. 665pp. A2248:001-A2249:301.

9802200064 NUREG-1560 V01 P1 INDIVIDUAL PLANT EXAMINATION PROGRAM: PERSPECTIVES ON REACTOR SAFETY AND PLANT PERFORMANCE.Summary Report.
* Division of Systems Technology (Post 941217). 97/12/31. 257pp. A2254:001-A2254:257.

9802200072 NUREG-1560 V02 P2-5 INDIVIDUAL PLANT EXAMINATION PROGRAM: PERSPECTIVES ON REACTOR SAFETY AND PLANT PERFORMANCE.
* Division of Systems Technology (Post 941217). 97/12/31. 546pp. A2246:163-A2247:344.

9802200077 NUREG-1560 V03 P6 INDIVIDUAL PLANT EXAMINATION PROGRAM: PERSPECTIVES ON REACTOR SAFETY AND PLANT PERFORMANCE.Appendices.
* Division of Systems Technology (Post 941217). 97/12/31. 46pp. A2249:302-A2249:348.

9802200094 Forwards applications for renewal of OLs for listed individuals to meet commitment in FSAR & NUREG-0737.Medical certification (Form 396) for individuals also encl.Requests that personnel & medical file be withheld.W/o encls.
HUTCHINSON,C.R. Entergy Operations, Inc. RER-98-00003. 98/02/10. MERSCHOFF,E. Region 4 (Post 820201). 2pp. A2270:080-A2270:081.

9802200312 Revises commitments made in LERs 90-021 & 96-004,rev 1. Guidance specified in NUREG-1022 will be incorporated into current program & procedure which governs testing of MSSVs will be revised.
HEFFLEY,J.M. Commonwealth Edison Co. JMHLTR #98-0034. 98/02/03. Document Control Branch (Document Control Desk). 2pp. A2288:350-A2288:351.

9802200356 Informs that no safety valve or safety relief valve failures or challenges occurred during CY97,IAW w/TS section 6.11.e & NUREG-0737.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-98-0191. 98/02/09. . 1p. A2320:298-A2320:298.

9802230110 NUREG/CR-6555 V01 PROBABILISTIC ACCIDENT CONSEQUENCE UNCERTAINTY ANALYSIS.Late Health Effects Uncertainty Assessment.Main Report.
LITTLE,M.P., MUIRHEAD,C.R. United Kingdom. GOOSSENS,L.H.J. Delft University of Technology. FIN W-6352. EUR 16774. 97/12/31. Division of Systems Technology (Post 941217). 64pp. A2257:293-A2257:356.

9802230116 NUREG/CR-6555 V02 PROBABILISTIC ACCIDENT CONSEQUENCE UNCERTAINTY ANALYSIS.Late Health Effects Uncertainty Assessment.Appendices.
LITTLE,M.P., MUIRHEAD,C.R. United Kingdom. GOOSSENS,L.H.J Delft University of Technology. FIN W-6352. EUR 16774. 97/12/31. Division of Systems Technology (Post 941217). 223pp. A2257:070-A2257:292.

9802230118 NUREG/CR-6577 U.S. NUCLEAR POWER PLANT OPERATING COST AND EXPERIENCE SUMMARIES.
KOHN,W.E., REID,R.L., WHITE,V.S. Oak Ridge National Laboratory. FIN J-2436. ORNL/TM-13494. 98/02/28. Office of Nuclear Reactor Regulation (Post 941001). 433pp. A2256:001-A2257:069.

9802230192 Application for amends to licenses DPR-77 & DPR-79, incorporating MSIV requirements to be consistent w/Std TS (NUREG-1431).
SALAS,P. Tennessee Valley Authority. TVA-SQN-TS-97-0. 98/02/13. Document Control Branch (Document Control Desk). 11pp. A2328:334-A2328:350.

-9802230194 Proposed tech specs incorporating MSIV requirements to be consistent w/Std TS (NUREG-1431).
* Tennessee Valley Authority. 98/02/13. 6pp. A2328:345-A2328:350.

9802240013 Forwards SE accepting mod to remove requirement for sampling disolved oxygen in reactor coolant & for hydrogen & oxygen in containment atmosphere.
BLOOM,S.D. . TAC M99151. 98/02/05. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. A2325:305-A2325:308.

9802240238 Notification of 980212 meeting w/util in Rockville,MD to discuss status of staff review of licensee 970327 submittal to convert existing TS for Cooper Nuclear Station to Improved Std TS format of NUREG-1433.
HALL,J.R. . 98/02/04. HANNON,J.N. . 3pp. A2283:018-A2283:020.

9802250106 Responds to 971205 RAI re util amend requesting to adopt Improved TS of NUREG-1431,Rev 1.Encl does not include any replacement or markup pages.
TULON,T.J. Commonwealth Edison Co. 98/02/13. Document Control Branch (Document Control Desk). 11pp. A2357:342-A2357:352.

9802250120 SECY-97-288 Requests approval of final draft ltr to President of Senate & Speaker of House forwarding AO rept for FY97 & final draft of "Rept to Congress on AOs,FY97."
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/15. 35pp. A2326:213-A2326:247.

9802250129 NUREG/CR-6608 SUMMARY AND EVALUATION OF LOW-VELOCITY IMPACT TEST OF SOLID STEEL BILLET ONTO CONCRETE PADS.
WITTE,M.C., HOVINGH,J., MOK,G.C. Lawrence Livermore National Laboratory. FIN A-0293. UCRL-129211. 98/02/28. Office of Nuclear Material Safety & Safeguards. 184pp. A2281:001-A2281:188.

9802250133 NUREG-0430 V16 LICENSED FUEL FACILITY STATUS REPORT.Inventory Difference Data.July 1, 1995 - June 30, 1996.(Gray Book II)
PHAM,T.N. Office of Nuclear Material Safety & Safeguards. 98/02/28. 19pp. A2282:176-A2282:194.

9802250137 NUREG-1100 V14 BUDGET ESTIMATES.Fiscal Year 1999.
* Division of Budget & Analysis (Post 890205). 98/02/28. 176pp. A2282:001-A2282:175.

9802250142 NUREG/CR-6564 ANALYSES OF SOURCE SPECTRA, ATTENUATION, AND SITE EFFECTS FROM CENTRAL AND EASTERN UNITED STATES EARTHQUAKES.
LINDLEY,G. California, Univ. of, Santa Barbara, CA. FIN W-6380. 98/02/28. Division of Engineering Technology (Post 941217). 100pp. A2281:189-A2281:288.

9802250206 Discusses US DOE proposals to implement App E to NUREG-1563 re resolution of Site Characterization Analysis Comment 3. Site Characterization Analysis Comment 3 concerned US DOE use of expert judgment in site characterization program.
BELL,M.J. Division of Waste Management (NMSS 940403). HWLR. 98/02/12. BROCOUM,S.J. Energy, Dept. of. 4pp. A2345:152-A2345:156.

9802250350 Responds to RAI re TS change request revising surveillance testing requirements for emergency feedwater sys located in TS 4.7.1.2.Revised bases pages B 3/4 7-1 & B 3/4 7-2,encl. Addl info ensures consistency between ANO-2 TS & NUREG-1432.
MIMS,D.C. Entergy Operations, Inc. 2CAN029803. 98/02/18. Document Control Branch (Document Control Desk). 2pp. A2368:301-A2368:309.

9802260023 "Director Status Rept on Generic Activities,Action Plans, Generic Communication & Compliance Activities."
* . 98/01/31. 138pp. A2352:001-A2352:148.

9802260086 Discusses draft EIS on transportation.In author opinion,both probabiity & consequences of accidents involving irradiated fuel have changed since NUREG-0170.
RESNIKOFF,M. Radioactive Waste Management Associates. 97/09/10. HAUGHNEY,C. NRC - No Detailed Affiliation Given. 6pp. A2344:062-A2344:067.

9802270118 Forwards proposed changes to Improved TS NUREGs,NEI TS Task Force (TSTF) traveler numbers TSTF-206,207 & 208.
DAVIS,J.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/02/18. BECKNER,W.D. . 30pp. A2420:165-A2420:194.

9802270158 Forwards comments supporting draft rept, "Categorizing & Transporting Low Specific Activity Matls & Surface Contaminated Objects," NUREG-1608 & RSPA Advisory Guidance 97-005.
HOPKINS,D.R. Affiliation Not Assigned. 62FR35858 00012. 98/02/17. Rules & Directives Review Branch (Post 920323). 3pp. A2370:234-A2370:236.

9802270183 NUREG/CR-6536 VERIFICATION OF THE LWRARC CODE FOR LIGHT-WATER-REACTOR AFTERHEAT RATE CALCULATIONS.
MURPHY,B.D. Oak Ridge National Laboratory. FIN B-0009. ORNL/TM-13396. 98/02/28. Division of Regulatory Applications (Post 941217). 15pp. A2342:107-A2342:121.

9802270188 NUREG/CR-6447 RESULTS OF CRACK-ARREST TESTS ON IRRADIATED A 508 CLASS 3 STEEL.
ISKANDER,S.K., MILELLA,P.P., PINI,A. Oak Ridge National Laboratory. FIN L-1098. ORNL-6894. 98/02/28. Division of Engineering Technology (Post 941217). 97pp. A2342:122-A2342:218.

9802270287 Informs that Framatone Technologies,Inc has performed brief review of NUREG/CR-6582 (Draft).Rept is well written & addresses main objective of project.Several comments for consideration encl.
WHITAKER,D.E. Babcock & Wilcox Operating Plants Owners Group. OG-1700. 98/02/18. BIRMINGHAM,J.L. . 6pp. A2489:277-A2489:282.

ORG ORGANIZATIONS

9703070013 Notification of 970319 meeting w/listed attendees in Rockville,MD to discuss environ aspects of application for proposed private fuel storage independent SF storage installation.
* Office of Nuclear Material Safety & Safeguards. 97/03/04. Office of Nuclear Material Safety & Safeguards. 1p. 91997:349-91997:349.

9801090236 NRC Info Notice 98-001, "Thefts of Portable Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/15. Consolidated Edison Co. of New York, Inc. 7pp. A2212:017-A2212:023.

9802020245 Forwards 971212 ltr from NRC Chairman Shirley Jackson to EPA Administrator C Browner re EPA guidance entitled "Cleanup Levels for CERCLA Sites w/Radioactive Contamination."
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/01/29. SIMON,S.L. National Research Council. 4pp. A2015:166-A2015:179.

9802040088 Summary of 980106 meeting w/Nuclear Industry Assessment Committee (NIAC) in Rockville,MD re exchanging of info concerning NIAC audit process.List of attendees & slides used in NIAC presentation encl.
GRAMM,R. . 98/01/29. BLACK,S. . 12pp. A2002:348-A2002:359.

9802040110 Responds to 971202 ltr to Chairman Jackson re mgt of safety issues & maint of tracking sys.Description of process for managing generic safety issues encl.
COLLINS,S.J. . 98/01/29. BRIAN,D. Affiliation Not Assigned. 8pp. A2006:297-A2006:307.

9802040117 Informs that security clearance for R Neel of NMSS was downgraded from Q to L.Reinstatement of Q clearance, requested since RB Neel is member of Incident Investigation Team.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/01/27. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 2pp. A2031:360-A2031:361.

9802040142 Forwards FEMA final rept for 971007-08 emergency response exercise for Shearon Harris NPP.No deficiencies identified. Six areas requiring corrective action identified.
BARR,K.P. Region 2 (Post 820201). 98/01/26. ROBINSON.W.R. Carolina Power & Light Co. 4pp. A1998:156-A1998:216.

-9802040188 Forwards copy of final exercise rept for 971007-08 full participation plume exposure pathway exercise of offsite radiological emergency response plan site-specific to Shearon Harris NPP.No deficiencies identified.
COPENHAVER,J.B. Federal Emergency Management Agency. 98/01/12. REYES,L. Region 2 (Post 820201). 2pp. A1998:160-A1998:161.

-9802040209 "Final Exercise Rept for Shearon Harris NPP," conducted on 971007-08.
* Federal Emergency Management Agency. 98/01/12. 53pp. A1998:162-A1998:216.

9802040292 Discusses allegation guidance memo 98-01 informing allegers & licensees of completion of investigations by OI.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/29. COLLINS,S.J. . PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. A2006:313-A2006:318.

--9802040303 Requests that OI synopsis not be made public until case closed & time frame set out in OE memo expired without comment from another ofc.Agency Allegations Advisor intends to modify Mgt Directive 8.8 to provide guidance.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/07/14. MILLER,H.J. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 2pp. A2006:317-A2006:318.

9802040354 Informs that Peak Seals has became Master Distributor of 3M Interam fire wrap sys for commercial NPPs on 950424.Response to specific questions listed.
BROWN,R.W. Affiliation Not Assigned. GL-86-10. 97/10/03. MARSH,L.B. . 3pp. A1987:067-A1987:089.

--9802040360 "Summary of 3M Interam Fire Testing."
* Affiliation Not Assigned. 96/01/22. 27pp. A1987:070-A1987:089.

9802050029 Summary of 980128 operating reactors events briefing re informing senior managers from offices of Commission,AEOD, NRR & regional offices of selected events that occurred since last briefing on 970813.List of attendees encl.
RICHARDS,S.A. . OREM-98-001. 98/02/02. ROE,J.W. . 9pp. A2087:342-A2087:350.

9802050117 Forwards minutes for NRC/FEMA Steering Committee meeting held at FEMA Headquarters on 971216.One item discussed was budget problem potentially affecting FEMA ability to observe biennial exercises in latter part of FY98.
ZALCMAN,B. . 98/01/30. MODES,M.C. Region 1 (Post 820201). BARR,K.P. Region 2 (Post 820201). CREED,J.R. Region 3 (Post 820201). 3pp. A2007:308-A2007:314.

--9802050136 Summary of 971216 NRC/FEMA Steering Committee meeting at FEMA Headquarters re projected shortfalls in FEMA FY 1998 budget & potential implications for radiological EP program support.Meeting agenda encl.
MILLER,C. NRC - No Detailed Affiliation Given. HEPLER,O.M. Federal Emergency Management Agency. 98/01/09. ZALCMAN, KANTOR, BARSS NRC - No Detailed Affiliation Given. 4pp. A2007:311-A2007:314.

9802050128 Responds to 971104 ltr to US EPA Administrator Browner re water contamination from nuclear waste sites.Several documents,including two brochures & three technical info papers to further explain NRC regulatory program.W/o encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/15. HAMLETT,K. . 15pp. A2135:262-A2135:281.

--9802050135 Provides change to Hamlett ltr.
REAMER,B. NRC - No Detailed Affiliation Given. 98/01/12. NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. A2135:267-A2135:281.

9802050183 Responds to USCOLD Register of Dams-Status of Large Dam Constr in US questionnaire that was mailed on 980105,in response to request from AH Walz.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). FIN L-2051. 98/02/02. BANK,B. Army, Dept. of, Corps of Engineers. 2pp. A2145:232-A2145:233.

9802050188 NRC Info Notice 98-004, "1997 Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements."
ROE,J.W. . EA-97-180. 98/02/09. Consolidated Edison Co. of New York, Inc. 8pp. A2279:015-A2279:022.

9802060237 Monthly ltr status rept, "Review of Terminated Licenses, Parts 30,40 & 70," for period 971124-971222 for JCN L-1596.
ZEIGHAMI,E.A. Oak Ridge National Laboratory. JCN L-1596. 98/01/22. UMBEL,D. NRC - No Detailed Affiliation Given. 8pp. A2138:347-A2138:355.

9802090129 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment re 10CFR19, "Notices,Instructions & Repts to Workers:Insp & Investigations."
SHELTON,B.J. Office of Information Resources Management (Post 890205). OMB 3150-0044. 98/02/03. 20pp. A2037:001-A2037:019.

9802090138 Informs that NRC intends to publish direct rule in FR which will amend regulations to allow persons licensed to construct or operate light water nuclear power reactors listed options.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/12/02. INHOFE,J.N. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. A2182:112-A2182:121.

9802090139 Forwards notice announcing availability of NUREG-1516, "Management of Radioactive Matl Safety Programs at Medical Facilities."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/11/14. SCHAEFER,D. House of Rep. INHOFE,J.M. Senate, Environment & Public Works. 2pp. A2164:316-A2164:322.

--9802090192 Notice of availability of NUREG-1516, "Management of Radioactive Matl Safety Programs at Medical Facilities."
CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. 97/11/12. 3pp. A2164:318-A2164:322.

9802090142 Responds to 971216 request by enclosing copy of NRC response to RH Fitzgerald comments on training & experience of physicians licensed & certified for therapeutic uses of radiation.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 98/01/13. HOLLINGS,E. Senate. 1p. A2351:001-A2351:005.

--9802090144 Responds to 971201 ltr re training & experience of physicians overseeing & administering radiation therapy.NRC has actively solicited input from medical community on issue of proposed rev to 10CFR35.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). CCS. 98/01/13. FITZGERALD,R.H. Affiliation Not Assigned. 1p. A2351:002-A2351:002.

--9802090145 Requests copy of DA Cool reply to RH Fitzgerald ltr re proposed changes in regulations w/regard to therapeutic use of radiation.
HOLLINGS,E.F. Senate. CCS. 97/12/16. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A2351:003-A2351:005.

9802090146 Informs that for quarter beginning on 971001 & extending through 971231,NRC neither released nor denied to public any documents containing safeguards info.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 98/01/30. INHOFE,J.M. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. A2177:293-A2177:295.

9802090151 Informs that Commission has concerns in several areas that NRC hopes could be addressed in Superfund reauthorization legislation re site decontamination & decommissioning.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/11/07. OXLEY,M.G. House of Rep. 2pp. A2177:287-A2177:289.

9802090153 Informs that for quarter beginning 970701-0930,NRC neither released nor denied to public any documents containing safeguards info.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/11/05. INHOFE,J.M. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. A2177:290-A2177:292.

9802090159 Forwards notice of proposed rulemaking to amend 10CFR50.55a which will incorporate by reference natl codes & stds for const,ISI & IST of NPP components.W/o encl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/12/02. SCHAEFER,D. House of Rep. INHOFE,J.M. Senate, Environment & Public Works. 2pp. A2164:349-A2164:351.

9802090174 Forwards copy of notice of final rule dealing w/deliberate misconduct to be published in FR.NRC is amending regulations to expand rule where it apears in 10CFR30,40,50,60,61,70,72 & 110 & adds rule to 10CFR32,52 & 71.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 98/01/21. INHOFE,J.M. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. A2159:258-A2159:314.

--9802090180 Forwards copy of final rule,which is being transmitted to FR for publication.NRC amending regulation to extend deliberate misconduct rule as listed.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 98/01/21. MURPHY,R.P. General Accounting Office. GORE,A. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. 3pp. A2159:260-A2159:314.

9802100026 NRC Info Notice 98-005, "Criminal History Record Info."
ROE,J.W. . 98/02/11. Consolidated Edison Co. of New York, Inc. 7pp. A2288:329-A2288:335.

9802100055 Informs that Natl Oceanic & Atmospheric Admin contract would be discontinued,due to NRC budget being substantially reduced.
CONGEL,F.J. Incident Response Branch. 98/02/03. HICKS,B.B. Affiliation Not Assigned. 1p. A2078:307-A2078:307.

9802100065 Forwards FEMA final exercise rept for 971105,full- participation plume exposure pathway for Pilgrim Nuclear Power Station.No deficiencies noted.Fifteen areas requiring corrective actions identified.
MODES,M.C. Region 1 (Post 820201). 98/02/02. OLIVER,L.J. Boston Edison Co. 3pp. A2093:125-A2093:249.

--9802100068 "Final Exercise Rept Pilgrim Nuclear Power Station," conducted on 971105.
* Federal Emergency Management Agency. 98/01/16. 60pp. A2093:128-A2093:249.

9802110001 Forwards 971229 ltr from J Bean,transmitting FEMA final exercise rept for 1997,for Millstone Nuclear Power Station radiological emergency preparedness exercises of 970808 full participation plume pathway & 971008-10 ingestion pathway.
MODES,M.C. Region 1 (Post 820201). 98/02/02. BOWLING,M.L. Northeast Nuclear Energy Co. 3pp. A2135:001-A2135:108.

--9802110002 Forwards final exercise rept for 970808,full-participation plume pathway exercise & 971008-10 ingestion pathway exercise of offsite radiological emergency response plans site-specific to Millstone Nuclear Power Station.
BEAN,J.A. Federal Emergency Management Agency. 97/12/29. ROE,J.W. NRC - No Detailed Affiliation Given. 1p. A2135:004-A2135:004.

--9802110003 "Final Exercise Rept for 970821 Plume Pathway Exercise & 971008-10 Ingestion Pathway Exercise at Millstone Nuclear Power Station."
* Federal Emergency Management Agency. 97/12/23. 98pp. A2135:005-A2135:108.

9802110040 Summary of operator reactors events meeting 98-002 on 980204.List of attendees & significant elements of discussed event encl.
RICHARD,S.A. . OREM-98-002. 98/02/05. ROE,J.W. . 11pp. A2095:287-A2095:297.

9802110210 Notification of 980126 public workshop "Demonstrating Compliance w/Radiological Criteria for License Termination - Analyses to Demonstrate ALARA,Net Public Harm,Not Technically Achievable & Prohibitively Expensive."
MCGUIRE,S.A. Radiation Protection & Health Effects Branch (Post 941217). 97/12/24. TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). 2pp. A2136:033-A2136:037.

--9802110214 Notice of 980126 public workshop "Demonstrating Compliance w/Radiological Criteria for License Termination - Analyses to Demonstrate ALARA,Net Public Harm,Not Technically Achievable & Prohibitively Expensive."
TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). 97/12/24. 3pp. A2136:035-A2136:037.

9802120005 Notification of 980218 & 19 workshop in Rockville,MD to obtain comments,suggestions & info from public on approaches in two draft working papers so that better Reg Guide can be developed.
MCGUIRE,S.A. Radiation Protection & Health Effects Branch (Post 941217). 98/01/22. TROTTIER,C.A. Radiation Protection & Health Effects Branch (Post 941217). 2pp. A2154:078-A2154:083.

--9802120006 Notice of workshop on 980218 & 19 in Rockville,MD re public workshop:demonstrating compliance w/radiological criteria for license termination-methods to conduct final status survey & dose modeling.
TROTTIER,C. Radiation Protection & Health Effects Branch (Post 941217). 98/01/22. 4pp. A2154:081-A2154:083.

9802120115 Forwards OIG audit rept titled, "Opportunities for Saving Available in Info Mgt Activities."
BARCHI,T.J. Office of the Inspector General (Post 890417). 98/01/29. GALANTE,A.J. NRC - No Detailed Affiliation Given. 2pp. A2154:002-A2154:022.

-9802120117 "Opportunities for Savings Available in Info Mgt Activities."
* Office of the Inspector General (Post 890417). 98/01/29. 17pp. A2154:004-A2154:022.

9802120125 Describes selected data base & documents changes made by ASTM Task Group E10.02.02 on Embrittlement Correlations rev of ASTM E900.W/CE NPSD-1063 final rept, "CEOG Reactor Vessel Surveillance Program Embrittlement Database Mods."
PAVINICH,W.A. American Society for Testing & Materials. 97/01/24. American Society for Testing & Materials. 10pp. A2232:149-A2232:225.

-9802120130 CE NPSD-1063 CE NPSD-1063, "CEOG Reactor Vessel Surveillance Program Embrittlement Database Mods," final rept.
* C-E Operating Plants Owners Group. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/11/30. 66pp. A2232:159-A2232:225.

9802120179 Refers to 980204 ltr re EPA Federal Guidance Rept 13, "Health Risks from Low-Level Environ Exposure to Radionuclides (FGR-13)." Requests NRC statement on technical & policy issues concerned be included as App R to FGR-13.
THOMPSON,H.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 98/02/06. WILSON,R. Environmental Protection Agency. 3pp. A2154:071-A2154:073.

9802120183 Notification of 980226 meeting w/INPO in Rockville,MD to discuss items of mutual interest related to operating event review & analysis.
ROSENTHAL,J.E. Division of Safety Programs (Post 870413). 98/02/11. ROSSI,C.E. Division of Safety Programs (Post 870413). 2pp. A2164:090-A2164:091.

9802170005 Forwards copy of NUREG-1516, "Management of Radioactive Matl Safety Program at Medical Facilities." Determined that NUREG-1516 not "major rule," as defined in 5 USC 804(2). W/o encl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/11/14. GORE,A. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. MURPHY,R.P. General Accounting Office. 6pp. A2234:341-A2234:346.

9802180190 Discusses proposed pilot program for NRC oversight of Lawrence Berkeley National Laboratory.Concerns expressed on condition of lab under oversight of DOE.Proposed pilot program should be reconsidered.
WILLINGHAM,D., SIHVOLA,P., BERNARDI,G. Affiliation Not Assigned. 98/02/05. AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). NOLAN,R. Energy, Dept. of. 5pp. A2243:144-A2243:148.

9802200018 "Summary & Conclusions of Program Addressing Aging of NPP Concrete Structures."
NAUS,D.J., OLAND,C.B. Oak Ridge National Laboratory. ELLINGWOOD,B.R. Johns Hopkins Univ., Baltimore, MD. 98/01/07. NRC - No Detailed Affiliation Given. 52pp. A2255:005-A2255:059.

9802200042 Submits comments re IAEA draft rept, "Compilation of Generic Safety Issues for Light Water Reacter NPP."
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 98/01/06. STOIBER,C.R. Office of International Programs (Post 911117). 6pp. A2258:315-A2258:320.

9802200048 Forwards draft of Subpart F - Medium & Low Dose rate Manual brachytherapy & Subpart H - Therapeutic Medical Devices, which will be discussed at 980115 session of 980112-16 Working group Meeting,for review & comments.
FLACK,D.S. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/08. DEYE,J., BERK,H., WILLIAMS,J. Office of Nuclear Material Safety & Safeguards. 42pp. A2271:151-A2271:195.

9802200251 General distribution Vol 7,Number 1, "Review," January/February 1998.
* Institute of Nuclear Power Operations. 98/02/28. 8pp. A2231:004-A2231:013.

9802200412 Responds to 971204 & 26 ltrs to J Greeves re regulating safe use of radioactive matls.Naturally occurring & accelerator produced radioactive matls not under NRC jurisdiction.Copies of 10CFR30 & 10CFR36 encl for info.
ZELAC,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/02/10. KNOX,W.C. Affiliation Not Assigned. 42pp. A2255:086-A2255:127.

9802200438 Requests attached memo & rept entitled, "Preliminary Perspectives Gained from Initial Individual Plant Exam of External Events (IPEEE) Submittal Review" be placed in PDR.
RUBIN,A.M. Probabilistic Risk Analysis Branch (Post 941217). 98/02/03. . 2pp. A2255:128-A2255:253.

-9802200441 Provides Commission w/staff preliminary insights gained primarily from review of first 24 licensee individual plant exam of external events (IPEEE) submittals.Interim rept encl.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/20. THE CHAIRMAN, JACKSON,S.A., DICUS,G.J. Commissioners (Post 750119). 124pp. A2255:130-A2255:253.

9802230102 Responds to 970728 ltr re present practices utilized by NRC & licensees in handling criminal history records info obtained from FBI.
BREWER,B.F. Justice, Dept. of. 97/10/24. HALMAN,E.L. Office of Administration, Director (Post 940714). 3pp. A2287:355-A2287:358.

-9802230106 Discusses 980217 telcon re dissemination of ltr,dtd 971024 to NRC.No prohibition exists to disseminating ltr to NRC licensees.
WATKINS,S.M. Justice, Dept. of. 98/02/18. BARNES,J. NRC - No Detailed Affiliation Given. 1p. A2287:358-A2287:358.

9802240166 Forwards, "Independent Auditor Rept & Principal Statements for Yrs Ended 970930 & 1996." Audit results submitted.
BELL,H.T. Office of the Inspector General (Post 890417). 98/02/13. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. A2289:069-A2289:113.

-9802240181 "Independent Auditor Rept & Principal Statements for Yrs Ended 970930 & 1996."
* Office of the Inspector General (Post 890417). 98/02/13. 33pp. A2289:072-A2289:113.

9802240239 Summary of 980106-07 NRC Senior Mgt Meeting.Watch List Removal Evaluation Factors encl.
TRACY,G.M. Ofc of the Executive Director for Operations. 98/02/18. KILGORE,L. . 102pp. A2280:178-A2280:279.

9802250105 Summary of 980218 operating reactors events briefing 98-03, to inform senior managers from Offices of Commission,AEOD, NRR & regional offices of seleted events that occurred since last briefing.List of attendees & elements discussed,encl.
RICHARDS,S.A. . OREM-98-003. 98/02/19. ROE,J.W. . 11pp. A2345:236-A2345:246.

9802250119 Notice of pending NRC action to submit an info collection request to OMB & solicitation of public comment.
SHELTON,B.J. NRC - No Detailed Affiliation Given. 98/02/11. 18pp. A2325:001-A2325:018.

9802250135 Extends invitation to Emergency Response Coordinators, Emergency Response Assistants & Mgt to attend ERC workshop on 980407 & 08,to discuss response program efficiencies & objectives for coming yr.
CONGEL,F.J. Incident Response Branch. 98/02/19. AXELSON,W.L. Region 1 (Post 820201). MALLETT,B.S. Region 2 (Post 820201). CALDWELL,J.L. Region 3 (Post 820201). 10pp. A2342:097-A2342:106.

9802250186 Forwards draft ANSI std for review & comment.Comments requested to be provided by 980302.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/02/20. GREEVES,J. Division of Waste Management (NMSS 940403). TEN EYCK,E.Q. Division of Fuel Cycle,Medical,Academic & Commercial Use Safety (870413-870728). HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 25pp. A2325:019-A2325:043.

9802250197 Forwards curriculum vitae & accepts invitations,dtd 980203 & 0210,to participate on part 35 panel at meeting of Conference of Radiation Control Program Directors in Mesa,AZ on 980517-0520.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/02/20. HARDIN,C.M. Conference of Radiation Control Program Directors, Inc. 3pp. A2324:345-A2324:347.

9802250218 Responds to 980129 e-mail requesting info on annual fees for decommissioning power reactors & independent spent fuel storage facilities.
FUNCHES,J.L. Office of the Controller (Post 890205). 98/02/23. LOCHBAUM,D. Union of Concerned Scientists. 2pp. A2372:111-A2372:112.

9802250308 Responds to 980204 memo requesting concurrence on rulemaking plan to modify 10CFR50.72 & 50.73 reporting requirements. Concurs w/rulemaking plan.
ROE,J.W. . 98/02/19. MARTIN,T.T. Office for Analysis & Evaluation of Operational Data, Director. 1p. A2337:344-A2337:360.

-9802250318 Requests concurrence on rulemaking to modify event reporting requirements for power reactors 10CFR50.72 & 73.
MARTIN,T.T. Office for Analysis & Evaluation of Operational Data, Director. 98/02/04. CYR,K.D. Office of the General Counsel (Post 860701). COLLINS,S.J. . KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 16pp. A2337:345-A2337:360.

9802250348 Ack receipt for ltr to Secretary Pena,dtd 980105,requesting extension of 60 days for comment period on Lawrence Berkeley Natl Lab pilot.
TSENG,J.C. Energy, Dept. of. 98/02/10. KEENE,J. Berkeley, CA. 1p. A2360:342-A2360:342.

9802250359 Submits concerns & comments on behalf of Community Environ Advisory Commission at Berkeley City Council meeting on 980203.
KELLY,S.M. Berkeley, CA. 98/02/06. AUSTIN,J. NRC - No Detailed Affiliation Given. NOLAN,R. Energy, Dept. of. 4pp. A2360:332-A2360:335.

9802250382 Refers to 980120 telcon w/L Weinstock who informed NRC that US EPA plans to issue Federal Guidance Rept 13, "Health Risks from Low-Level Environ Exposure to Radionuclides." Requests document be issued only as draft rept.
THOMPSON,H.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 98/02/04. WILSON,R.D. Environmental Protection Agency. 5pp. A2345:225-A2345:229.

9802260048 Ack receipt of 980116 ltr to Chairman Jackson,NRC,forwarding concerns raised by constituent WD Holmes re fire protection rulemaking effort of NPP currently being evaluated by NRC.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/02/17. LIEBERMAN,J.I. Senate. 8pp. A2347:072-A2347:085.

-9802260070 Forwards ltr received from constituents W Holmes concerning NRC plans to develop new nuclear fire protection rulemaking.
LIEBERMAN,J.I. Senate. 98/01/16. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. A2347:083-A2347:085.

9802260051 Submits status of actions responding to release of allegation info in response to Freedom of Info Act requests, as outlined in 980211 memo.
COLLINS,S.J. . 98/02/23. CALLAN,L.J. Ofc of the Executive Director for Operations. 4pp. A2351:355-A2351:358.

9802260088 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment re 10CFR70, "Domestic Licensing of Special Nuclear Matl." Supporting statement & draft reg guide DG-3008 encl.
SHELTON,B.J. Office of Information Resources Management (Post 890205). OMB 3150-0009. 98/02/19. 26pp. A2346:320-A2346:345.

9802260127 Notice of pending NRC action to submit an info collection request to OMB & solicitation of public comment.
SHELTON,B.J. NRC - No Detailed Affiliation Given. 98/02/23. 16pp. A2345:344-A2345:359.

9802260138 Responds to 980105 ltr re F Thomas request to assist agency in developing consensus position w/US EPA re cleanup stds for radioactive matls.Appreciates interest in subj & plan to continue dialog w/EPA.Svcs not required at present time.
JONES,C.G. Office of Nuclear Material Safety & Safeguards. 98/02/20. THOMAS,F.M. Morgan, Lewis & Bockius. 2pp. A2346:349-A2346:352.

–9802260145 Informs that consensus can be achieved by EPA & NRC,but if both agencies take fresh look at science within framework sympathetic to each agency mission & public health perspective.Offers assistance in achieving consensus.
THOMAS,F.M. Morgan, Lewis & Bockius. 98/01/05. THE CHAIRMAN, JACKSON,S.A Commissioners (Post 750119). BROWNER,C.M. Environmental Protection Agency. 2pp. A2346:351-A2346:352.

9802260139 Notice of OMB review of info collection & solicitation of public comment.
SHELTON,B.J. NRC - No Detailed Affiliation Given. 98/02/23. 39pp. A2398:254-A2398:290.

9802260153 Discusses review of draft MOU to establish Ctr for Radiation Dosimetric Modeling & Computation at ORNL.NRC supports principle of MOU between Federal agencies,but has reservations concerning financial support.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/02/20. PETERSON,H. Energy, Dept. of. 5pp. A2373:285-A2373:289.

9802260183 Forwards special study on svc water sys failure & degradations covering operating experience from 1986 through 1995.Subj study was performed to evaluate safety implications of SWS events.
ROSSI,C.E. Office for Analysis & Evaluation of Operational Data, Director. 98/02/19. GILLESPIE,F.P., HOLAHAN,G.M., LAINASS,G.C. . 6pp. A2345:251-A2345:343.

–9802260186 Discusses revs to AEOD draft svc water sys rept.Comments on rept submitted.
BRADY,B. Office for Analysis & Evaluation of Operational Data, Director. 98/01/23. TAPPERT,J. . 3pp. A2345:257-A2345:259.

–9802260191 Special Study, "Operating Experience Feedback for Svc Water Sys Failures & Degradations 1986-1995."
SHUAIBI,M, HOUGHTON,J.R. Office for Analysis & Evaluation of Operational Data, Director. 98/02/28. 82pp. A2345:260-A2345:343.

9802240131 OIG/98A-05 "Review of NRC Implementation of Federal Managers Financial Integrity Act for FY1997."
BELL,H.T. Office of the Inspector General (Post 890417). 98/02/09. 8pp. A2473:125-A2473:132.

PR PROPOSED AND FINAL RULES

9802020052 Comment opposing proposed rule 10CFR35 re training requirements for authorized users of teletherapy & brachytherapy sources/equipment.
NOELL,K.T. Affiliation Not Assigned. 62FR42219 00262. 98/01/09. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A1978:348-A1978:349.

9802020067 Comment on proposed rule 10CFR50 for ISI.Believes that proposed limitation to implementation of ASME XI addressing "engineering judgement" would discourage utilities from performing volumetric exam of Class 3 sys,tank insp program.
THOMAS,K.B. Nebraska Public Power District. 62FR63892 00004. 98/01/21. GALLAGHER NRC - No Detailed Affiliation Given. 5pp. A2006:157-A2006:161.

9802020073 Comment opposing PR 10CFR50 relating to suppl info contained in paragraph 2.3.1.2.5, "Reconciliation of Quality Requirements." Recommends elimination of limitations on use of new definition Const Code in 10CFR50.55a(b)(2)(xx)(B).
HOLSTON,W.C. Affiliation Not Assigned. 62FR63892 00006. 98/01/19. Docketing & Services Branch. 8pp. A2006:168-A2006:175.

9802020075 Comment opposing PR 10CFR50 re industry codes & standards.
SHERWIN,M.F. Affiliation Not Assigned. 62FR63892 00005. 98/01/27. Docketing & Services Branch. 2pp. A1985:160-A1985:161.

9802020099 Comment supporting proposed rule 10CFR50 & 140 re financial protection requirements for permanently shutdown nuclear power reactors.
GRAY,C.D., RAMSAY,J.B. National Association of Regulatory Utility Commissioners. 62FR58690 00007. 98/01/27. NRC - No Detailed Affiliation Given. 2pp. A1978:310-A1978:311.

9802030040 Comment opposing proposed rule 10CFR35 re altering training requirements for use of teletherapy,particularly brachytherapy in treatment of coronary artery disease, particularly to prevent post-angioplasty re-stenosis.
BYFIELD,J.E. Affiliation Not Assigned. 62FR42219 00261. 97/12/30. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A1980:012-A1980:012.

9802050078 Comment opposing proposed rule 10CFR35 re medical use of byproduct matl.
DORUFF,M.A. Affiliation Not Assigned. 62FR42219 00263. 98/01/28. Docketing & Services Branch. 6pp. A2038:220-A2038:225.

9802090111 Notice of extension of public comment period for 10CFR2, "Procedures Applicable to Proceedings for Issuance of Licenses for Receipt of High-Level Radioactive Waste at Geologic Repository," for 60 days.
VIETTI-COOK,A. Office of the Secretary of the Commission. 62FR60789. 98/01/27. 3pp. A2048:035-A2048:037.

9802090152 Proposed rule 10CFR50, "Industry Codes & Stds:Amended Requirements." Rule would amend regulations to incorporate by reference later editions & addenda of American Society of Mechanical Engineers Boiler & Pressure Vessel Code.
CALLAN,L.J. Ofc of the Executive Director for Operations. 62FR63892. 98/01/14. 3pp. A2042:337-A2042:339.

9802090175 Forwards final amends to Commission rules 10CFR50 & 70 re criticality accident requirements.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/12/02. GORE,A. Senate, President of the Senate. MURPHY,R.P. General Accounting Office. GINGRICH,N. House of Rep., Speaker of the House. 3pp. A2140:337-A2140:354.

9802100006 Comment opposing proposed rule 10CFR35 re changes for qualifications of physicians performing radiation therapy procedures.
NETTLETON,J. Affiliation Not Assigned. 62FR42219 00264. 98/01/22. COOL,D. NRC - No Detailed Affiliation Given. 2pp. A2093:060-A2093:061.

9802100040 Forwards copy of amend to 10CFR73 to be published in FR,re deletion of certain security requirements associated with internal threat.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/12/01. SCHAEFER,D. House of Rep. INHOFE,J.M. Senate, Environment & Public Works. 2pp. A2166:292-A2166:315.

–9802100041 Submits final amends to Commission rules 10CFR73,per Subtitle E of Small Business Regulatory Enforcement Fairness Act of 1996.New regulations delete certain security requirements associated w/internal threat.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/12/01. GORE,A. Senate, President of the Senate. GINGRCIH,N. House of Rep., Speaker of the House. 3pp. A2166:294-A2166:315.

9802120161 Forwards documents comprising regulatory history for proposed rule revs, "Industry Codes & Stds,Amend Requirement 10CFR50.55a," published on 971203.
CHERNY,F.C. Generic Safety Issues Branch (Post 941217). 62FR63892. 98/02/06. Document Control Branch (Document Control Desk). 4pp. A2176:036-A2176:294.

–9802120166 Informs that NRR request approval to initiate revised rulemaking effort that suppl rulemaking previously authorized by memo dated 920225.
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 941217). 62FR63892. 95/02/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. A2176:040-A2176:069.

–9802120170 Expresses appreciation for 950213 memo describing in depth, on-going dialogue between NRR & RES on desirability of plans for making certain "mid-course corrections" to previously initiated rulemaking for 10CFR50.55a.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 62FR63892. 95/03/17. BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 941217). 1p. A2176:070-A2176:071.

–9802120178 Discusses review of proposed rev to 10CFR50.55a(g)(4)(ii). AEOD opposes proposed rev on three listed counts.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 62FR63892. 95/11/22. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 2pp. A2176:072-A2176:073.

–9802120181 Forwards summary set of briefing notes on 10CFR50.55a rule update,for meeting w/EDO & other ofc directors on 951220. Essential elements recommended by RES listed.
SERPAN,C.Z. Generic Safety Issues Branch (Post 941217). 62FR63892. 95/12/18. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 9pp. A2176:074-A2176:082.

–9802120191 Discusses review of proposed rule entitled, "Reporting Changes to Rules in 10CFR50.55a,Codes & Stds." Subj rule being returned w/o concurrence due to amendatory language & codified test that do not comply w/requirements.
LESAR,M.T. Rules & Directives Review Branch (Post 920323). 62FR63892. 96/11/15. MURPHY,A.J. Structural & Geological Engineering Branch (Post 941217). 1p. A2176:083-A2176:083.

–9802120192 Informs that proposed rule 10CFR50.55a have been placed on hold w/ Ofc of Admin pending approval of OMB clearance package & incorporation of listed changes into rule.
SHELTON,B. Information & Records Management Branch (Post 890827). 62FR63892. 96/11/08. SERPAN,C.Z. Generic Safety Issues Branch (Post 941217). 1p. A2176:084-A2176:084.

–9802120194 Forwards draft summary tables of O&M code revs to be included in 1996 Addenda & proposed 1997 Addenda.
DIBIASIO,A.M. Brookhaven National Laboratory. 62FR63892. 96/11/20. JACKSON,D. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 17pp. A2176:085-A2176:101.

–9802120198 Discusses results of AEOD review of proposed amend to 10CFR50.55a "Codes & Stds," transmitted in 961105 ltr.
ROSS,D.F. Office for Analysis & Evaluation of Operational Data, Director. 62FR63892. 97/01/10. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 8pp. A2176:102-A2176:109.

–9802120202 Informs that RES preparing amend to 10CFR50.55a, "Codes & Stds," that would update ref to ASME Boiler & Pressure Vessel Code Section XI.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 62FR63892. 97/02/28. CYR,K.D. Office of the General Counsel (Post 860701). 1p. A2176:110-A2176:110.

–9802120205 Responds to 970228 ltr requesting office to reaffirm & update opinion on applicability of 10CFR50.109 to 120-month update provision of 10CFR50.55a.
CYR,K.D. Office of the General Counsel (Post 860701). 62FR63892. 97/03/18. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 2pp. A2176:111-A2176:112.

–9802120206 Provides listed info re request for comment & concurrence on proposed rule 10CFR50.55a, "Codes & Stds;Amended Requirements."
SHELTON,B. Information & Records Management Branch (Post 890827). 62FR63892. 97/05/01. KATOSKI,A. Rules & Directives Review Branch (Post 920323). 1p. A2176:113-A2176:113.

–9802120209 Informs of review of proposed rule for compliance w/Paperwork Reduction Act.Listed changes requested to be made.
SHELTON,B. Information & Records Management Branch (Post 890827). 62FR63892. 97/05/01. SERPAN,C.Z. Generic Safety Issues Branch (Post 941217). 3pp. A2176:114-A2176:116.

–9802120212 Forwards significant technical portions of proposed rule rev package which RES intended to put into formal ofc concurrence,for review & comment.
COFFMAN,F. Generic Safety Issues Branch (Post 941217). 62FR63892. 97/05/02. ROSENTHAL,J.E. Office for Analysis & Evaluation of Operational Data, Director. STROSNIDER,J., WESSMAN,R.H. . 1p. A2176:117-A2176:117.

–9802120215 Forwards comments in response to 970502 ltr requesting review of certain portions of normal 10CFR50.55a, "Codes & Stds," rule package.
ROSENTHAL,J.E. Office for Analysis & Evaluation of Operational Data, Director. 62FR63892. 97/05/14. COFFMAN,F. Office of Nuclear Regulatory Research (Post 941217). 2pp. A2176:118-A2176:119.

–9802120226 Revised ltr forwarding comments on proposed rule rev to 10CFR50.55a, "Codes & Stds Rule," & draft regulatory analysis.
BAGCHI,G. . 62FR63892. 97/05/15. COFFMAN,F. Generic Safety Issues Branch (Post 941217). 4pp. A2176:120-A2176:123.

-9802120237 Forwards PR re amend to 10CFR50.55a, "Codes & Stds," for review & concurrence.PR would endorse 1995 edition of ASME Vessel Code w/1996 Addenda of ASME Code w/limitation & mod.
THADANI,A.C. Office of Nuclear Regulatory Research (Post 941217). 62FR63892. 97/07/07. ROSS,D.F. Office for Analysis & Evaluation of Operational Data, Director. COLLINS,S.J. . OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 2pp. A2176:124-A2176:125.

-9802130019 Informs that Ofc of Admin concurs on draft proposed rule that would amend requirements for applying industry codes & stds to NPPs.Marked-up copy of package that presents comments encl.
HALMAN,E.L. Office of Administration, Director (Post 940714). 62FR63892. 97/07/29. THADANI,A.C. Office of Nuclear Regulatory Research (Post 941217). 46pp. A2176:126-A2176:182.

-9802130026 Forwards proposed rule to amend 10CFR50.55a,for review & approval by CRGR.Proposed rule would expedite implementation of mandatory App VIII to Section XI.
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 62FR63892. 97/08/25. MARTIN,T.T. Committee to Review Generic Requirements. 2pp. A2176:183-A2176:184.

-9802130031 Informs that NRR concurs in proposed rulemaking w/listed comments,based on review of package submitted by 970707 memo.
COLLINS,S.J. . 62FR63892. 97/07/30. THADANI,A.C. Office of Nuclear Regulatory Research (Post 941217). 3pp. A2176:185-A2176:187.

-9802130041 Submits listing of outstanding issues identified by CRGR.
NORRIS,W. NRC - No Detailed Affiliation Given. 62FR63892. 97/09/11. CHERNY,F. NRC - No Detailed Affiliation Given. 1p. A2176:188-A2176:188.

-9802130044 Forwards,for signature,proposed amend to 10CFR50.55a, "Codes & Stds."
KNAPP,M.R. Office of Nuclear Regulatory Research (Post 941217). 62FR63892. 97/10/16. CALLAN,L.J. Ofc of the Executive Director for Operations. 84pp. A2176:189-A2176:273.

-9802130049 Forwards proposed revs to codes & stds rule,10CFR50.55a.Subj package contains listed info.
COFFMAN,F.D. Generic Safety Issues Branch (Post 941217). 62FR63892. 97/11/07. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. A2176:274-A2176:274.

-9802130062 Submits concurrence on ofc review of proposed amend to 10CFR50.55a, "Codes & Stds."
HUDSON,S. NRC - No Detailed Affiliation Given. 62FR63892. 97/07/17. FLORY,S. NRC - No Detailed Affiliation Given. 1p. A2176:275-A2176:275.

-9802130073 Forwards final agenda for CRGR meeting 310,scheduled for 970909.
CRUTCHLEY,J. NRC - No Detailed Affiliation Given. 62FR63892. 97/09/08. Committee to Review Generic Requirements. 3pp. A2176:276-A2176:278.

-9802130076 Submits reply to 10CFR50.55a package.
CONRAN,J. NRC - No Detailed Affiliation Given. 62FR63892. 97/10/15. NORRIS,W. NRC - No Detailed Affiliation Given. 1p. A2176:279-A2176:279.

-9802130080 Informs of ACRS interest in 10CFR50.55a rulemaking package.
CHERNY,F. NRC - No Detailed Affiliation Given. 62FR63892. 97/09/12. NORRIS,W. NRC - No Detailed Affiliation Given. 1p. A2176:280-A2176:280.

-9802130082 Discusses 10CFR50.55a rulemaking.
SERPAN,C. NRC - No Detailed Affiliation Given. 62FR63892. 96/02/08. NRC - No Detailed Affiliation Given. 1p. A2176:281-A2176:281.

-9802130085 Discusses continued update re 10CFR50.55a.
CHERNY,F.C. NRC - No Detailed Affiliation Given. 62FR63892. 96/02/23. SERPAN,C. NRC - No Detailed Affiliation Given. 3pp. A2176:282-A2176:284.

-9802130086 Submits reply to 10CFR50.55a rule rev.
ST MARY,B. NRC - No Detailed Affiliation Given. 62FR63892. 97/11/18. CHERNY,F.C. NRC - No Detailed Affiliation Given. 1p. A2176:285-A2176:285.

-9802130090 Discusses E Jordan comments on 10CFR50.55a rule change.
ROSENTHAL,J. NRC - No Detailed Affiliation Given. 62FR63892. 96/01/19. WESSMAN,R. NRC - No Detailed Affiliation Given. 1p. A2176:286-A2176:286.

-9802130092 Submits reply to E Jordan comments on 10CFR50.55a rule change.
SHERON,B.. NRC - No Detailed Affiliation Given. 62FR63892. 96/01/19. WESSMAN,R. NRC - No Detailed Affiliation Given. 1p. A2176:287-A2176:287.

-9802130094 Discusses agreement on 10CFR50.55a.
SERPAN,C. NRC - No Detailed Affiliation Given. 62FR63892. 96/02/05. CHERNY,F.C. NRC - No Detailed Affiliation Given. 3pp. A2176:288-A2176:290.

-9802130099 Forwards response to e-mail re 10CFR50.55a.W/o encl.
SHERON,B. NRC - No Detailed Affiliation Given. 62FR63892. 96/01/22. WESSMAN,R., TORENCE,C. NRC - No Detailed Affiliation Given. 1p. A2176:291-A2176:291.

-9802130101 Submits reply to 10CFR50.55a.
SHERON,B. NRC - No Detailed Affiliation Given. 62FR63892. 96/01/22. JORDAN,E. NRC - No Detailed Affiliation Given. 1p. A2176:292-A2176:292.

-9802130103 Discusses 10CFR50.55a rule change guidance.
WESSMAN,R. NRC - No Detailed Affiliation Given. 62FR63892. 95/12/27. NRC - No Detailed Affiliation Given. 2pp. A2176:293-A2176:294.

9802180038 Comment on proposed rule 10CFR20 & 40 re radiological criteria for license termination involving U recovery facilities.
RAUCH,J.M. Affiliation Not Assigned. 62FR39093 00011. 98/02/09. NRC - No Detailed Affiliation Given. 3pp. A2181:337-A2181:339.

9802180091 Comment on PR 10CFR35 re 6 month/1200 h training experience requirements.Urges NRC staff & Commissioners to keep rule in place.
NUSYNOWITZ,M.L. American College of Nuclear Physicians. 62FR42219 00270. 98/02/04. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. A2181:340-A2181:341.

9802180095 Comment on PR 10CFR35 re "Medical Uses of Byproduct Matl." Requests that NRC not relax current training requirements of rule.
COOPER,J.A. Albany Medical Center, Albany, NY (formerly Albany Medical Center Hosp.). 62FR42219 00271. 98/02/11. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2181:342-A2181:342.

9802180102 Comment on proposed rule 10CFR35 re request to delay acceleration of schedule to revise 10CFR35.Recommends that NRC rewrite rule from basic principles & not casually modify extremely important regulatory document.
ROTHENBERG,L.N. American Association of Physicists in Medicine. 62FR42219 00267. 98/01/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A2181:343-A2181:344.

9802180109 Comment opposing proposed rule 10CFR35 re changes related to qualifications of physicians performing radiation therapy procedures.
NETTLETON,J. Affiliation Not Assigned. 62FR42219 00268. 98/01/26. COOL,D. NRC - No Detailed Affiliation Given. 1p. A2182:103-A2182:103.

9802180118 Comment opposing rev of proposed rule 10CFR35 re changes in training requirements for either teletherapy or brachytherapy.
GAST,K. Affiliation Not Assigned. 62FR42219 00269. 98/01/30. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A2182:104-A2182:104.

9802180208 Notice of extension of public comment period on PR 10CFR50, "Industry Codes & Stds:Amended Requirements." Comment period extended until 980403.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/14. 4pp. A2212:353-A2212:356.

9802190013 Comment opposing proposed rule 10CFR35 re regulations of radiation treatment.
TRUPP,J.M. Affiliation Not Assigned. 62FR42219 00265. 97/12/01. COOL,D.A. NRC - No Detailed Affiliation Given. 2pp. A2229:108-A2229:109.

9802190016 Comment opposing proposed rule 10CFR35 re changes to training requirements for use of various radioisotopes.
RISCH,V.R., ANDREWS,C.F., PERCH,S.J. Affiliation Not Assigned. 62FR42219 00266. 97/12/03. COOL,D.A. NRC - No Detailed Affiliation Given. 1p. A2229:110-A2229:110.

9802250003 Comment on proposed rule 10CFR50 re industry codes & stds.
BUSH,S.H. Review & Synthesis Associates. 62FR63892 00007. 98/02/09. Docketing & Services Branch. 3pp. A2326:009-A2326:011.

9802250225 Comment on PR 10CFR35 re revs by NRC of regulations per medical use of byproduct matl.Urges NRC to adopt recommendations set forth in comments.
POPP,R.L. Affiliation Not Assigned. 62FR42219 00272. 98/02/17. Docketing & Services Branch. 41pp. A2327:007-A2327:047.

9802250392 Comment on proposed rule 10CFR50 re Industry Codes & Standards amended requirements Sections 2.5.1.1 2.5.1.1.4 & reference to engineering judgment on pp 63908 of FR.
STEVENSON,J.D. Affiliation Not Assigned. 62FR63892 00008. 98/02/20. Docketing & Services Branch. 3pp. A2326:334-A2326:337.

9802260271 Comment on final policy statement on restucturing & economic deregulation of electric industry.Final Policy Statement does not impose any regulatory obligation on licensees.
HOYLE,J.C. Office of the Secretary of the Commission. 61FR49711. 98/02/20. NEWELL,G.J. Spiegel & McDiarmid. 2pp. A2344:186-A2344:187.

9802260288 Comments on proposed ruling re "Expedited Implementation" & "Requirement for Cracks in Specimen Sets." Believes NRC should postpone implementation of App VIII for listed reasons.
KUREK,D. Affiliation Not Assigned. 62FR63892 00009. 98/02/24. Office of the Secretary of the Commission. 4pp. A2344:188-A2344:191.

PRM PETITION FOR RULEMAKING

9802020055 Comment on petition for rulemaking PRM-50-63A re use of KI in emergency planning.
WEGNER,M.S. Affiliation Not Assigned. 62FR66038 00048. 98/01/26. NRC - No Detailed Affiliation Given. 1p. A1978:279-A1978:279.

9802020071 Comment on petition for rulemaking PRM-50-63A re KI available to all communities around US where potential of radioactive releases exists.
HEIFETZ,R.M. California, Univ. of, San Diego, CA. 62FR66038 00050. 98/01/21. Docketing & Services Branch. 2pp. A1978:291-A1978:292.

9802020083 Comment supporting PRM 50-63A re stockpiling of potassium iodide as protective measure for general public in case of severe nuclear reactor accident.
LIEBERMAN,J.I. Senate. 62FR66038 00052. 98/01/27. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A1978:301-A1978:302.

9802020088 Comment opposing PR 10CFR50 re ammended petition for rulemaking filed by PG Crane.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 62FR66038 00047. 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2006:213-A2006:214.

9802020089 Comment supporting PRM 50-63A re emergency plan for CR3 to include mandatory stockpiling of KI for distribution to general public in event of severe accident.
ERICKSON,G.M. Affiliation Not Assigned. 62FR66038 00049. 98/01/23. NRC - No Detailed Affiliation Given. 1p. A1978:303-A1978:303.

9802020091 Comment opposing PRM 50-63A by PG Crane re amending emergency planning regulations to require consideration of prophylactic use of potassium iodide for general public.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 62FR66038 00051. 98/01/17. Office of the Secretary of the Commission. 2pp. A1978:304-A1978:305.

9802020094 Ack receipt of 980113 ltr commenting on amended rulemaking petition of P Crane & requesting 30 day extension of comment period.Period extended by Commission to 980217.Copy of FR notice of extension encl.
JULIAN,E.L. Office of the Secretary of the Commission. 62FR66038. 98/01/28. ETHRIDGE,E. Affiliation Not Assigned. 3pp. A1978:307-A1978:309.

9802050071 Ack receipt of 980115 ltr commenting on amended rulemaking petition of P Crane.Period extended by Commission to 980217.Copy of FRN on extension enclosed.
JULIAN,E.L. Docketing & Services Branch. 62FR66038. 98/01/28. JAHNKOW,C. Affiliation Not Assigned. 3pp. A2038:217-A2038:219.

9802050287 Comment supporting petition for rulemaking PRM-50-63A re stockpiling of KI for protection of thyroid gland during nuclear accident.
HIRT,A. Don't Waste Washington Legal Defense Foundation, Seattle, WA. 62FR66038 00054. 98/01/14. Docketing & Services Branch. 1p. A2010:169-A2010:169.

9802050293 Comment supporting petition for rulemaking PRM-50-63A re stockpiling of KI.
BOLEF,D.I. Affiliation Not Assigned. 62FR66038 00055. 98/02/03. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2010:170-A2010:170.

9802050296 Comment supporting petition for rulemaking PRM-50-63A re stockpiling of KI.
FORD,P. Affiliation Not Assigned. 62FR66038 00056. 98/01/30. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2010:173-A2010:173.

9802050341 Comment supporting PRM 50-63A re stockpiling of potassium iodide in case of nuclear power plant emergency.
PARETTI,T. Affiliation Not Assigned. 62FR66038 00053. 98/01/28. Office of the Secretary of the Commission. 1p. A2010:188-A2010:188.

9802090114 Comment on petition for rulemaking PRM-50-63A.Urges NRC to modify regulation 10CFR50.47(b)(10) in order to expand availability of potassium iodide for use by general public in case of nuclear exposure.
NOVAK,P.B., NOVAK,K.J. Affiliation Not Assigned. 62FR66038 00057. 98/01/28. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2093:037-A2093:037.

9802090120 Comment on petition for rulemaking PRM-50-63A re potassium iodine issue.
CRANE,P.G. Affiliation Not Assigned. 62FR66038 00059. 98/01/31. HOYLE,J.C. Office of the Secretary of the Commission. 21pp. A2048:038-A2048:058.

9802090126 Comment on PRM 50-63A re stockpiling of KI.
LEWIS,M. Affiliation Not Assigned. 62FR66038 00058. 98/01/31. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2048:059-A2048:059.

9802090147 Forwards copy of petition for rulemaking (PRM-40-26) requesting that NRC amend 10CFR40.Petition filed w/NRC by Chromalloy Tallahassee.W/o encl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/12/04. SCHAEFER,D. House of Rep. INHOFE,J.M. Senate, Environment & Public Works. 2pp. A2164:342-A2164:344.

9802090194 Comment re PRM-50-63 re re-evaluation of policy re use of potassium iodide (KI) after severe accident at NPP.Provides data on stability of 130 mg KI tablets that may be of interest in deliberations of stockpiling petition.
HALPERIN,J.A. . 62FR66038 00060. 98/01/30. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 15pp. A2042:164-A2042:178.

9802100023 Forwards copy of amended petition for rulemaking (PRM-50-63A),requesting that NRC amend 10CFR50 regulation governing emergency planning.Petition filed by PG Crane.FR notice containing addl info re petition also encl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/12/16. SCHAEFER,D. House of Rep. INHOFE,J.M. Senate, Environment & Public Works. 2pp. A2166:200-A2166:232.

9802120059 Comment supporting petition for rulemaking PDR-50-63A re potassium iodine.
O'CONNELL,L. Affiliation Not Assigned. 62FR66038 00062. 98/02/09. NRC - No Detailed Affiliation Given. 1p. A2142:190-A2142:190.

9802120074 Comment supporting petition for rulemaking PRM-50-63A re potassium iodine.
LICKUT,J.A. Affiliation Not Assigned. 62FR66038 00061. 98/02/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2142:191-A2142:192.

9802120095 Comment supporting PRM 50-63A by P Crane re stockpiling of Potassium Iodide of thyroid during nuclear accident.
WHITE,S.S. Affiliation Not Assigned. 62FR66038 00063. 98/02/06. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2142:193-A2142:193.

9802170048 Comment on PRM 50-63A re treatment for radiation exposure in Pennsylvania.
GENTH,A. Affiliation Not Assigned. 62FR66038 00064. 98/01/29. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2170:305-A2170:305.

9802170076 Comment supporting PRM 50-63A by P Crane re stockpiling of Potassium Iodide.
ESHELMAN,P., ESHELMAN,C. Affiliation Not Assigned. 62FR66038 00066. 98/02/11. NRC - No Detailed Affiliation Given. 1p. A2170:307-A2170:307.

9802170085 Comment supporting petition for rulemaking PRM 50-63A re potassium iodide for public protection.
DOLAN,D. Affiliation Not Assigned. 62FR66038 00065. 98/02/05. Office of the Secretary of the Commission. 1p. A2170:313-A2170:313.

9802200185 Comment opposing petition for rulemaking 50-63A by PG Crane proposing recommendation that emergency planning standard for protective actions require consideration of prophylactic use of potassium iodide for general public.
MUELLER,J.H. Niagara Mohawk Power Corp. 62FR66038 00075. 98/02/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2264:051-A2264:051.

9802200194 Comment opposing petition for rulemaking PRM-50-63A re use of potassium iodide.
TOSCH,K. New Jersey, State of. 62FR66038 00074. 98/02/11. Docketing & Services Branch. 2pp. A2252:007-A2252:008.

9802200297 Comment supporting petition for rulemaking PRM-50-63A re stockpiling of potassium iodide.
BLAIN,L. Affiliation Not Assigned. 62FR66038 00073. 98/02/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2251:282-A2251:282.

9802200347 Comment supporting petition for rulemaking PRM 50-63A re making potassium iodide available to public to prevent the ill effects due to fallout from nuclear plant accident.
GLASSMAN,J.M. Affiliation Not Assigned. 62FR66038 00070. 98/02/13. Office of the Secretary of the Commission. 1p. A2252:010-A2252:010.

9802200361 Comment supporting petition for rulemaking PRM-50-63A re potassium iodide in emergency planning.
MORRIS,A. ANBEX, Inc. 62FR66038 00068. 98/02/09. Office of the Secretary of the Commission. 3pp. A2251:277-A2251:279.

9802240309 Comment supporting petition for rulemaking PRM 50-63A re potassium iodide stock piling.
URELES,S.D. Affiliation Not Assigned. 62FR66038 00069. 98/02/10. NRC - No Detailed Affiliation Given. 1p. A2279:117-A2279:117.

9802240320 Comment opposing petition for rulemaking PRM-50-63A re potassium iodine.
STEFFEN,A. Affiliation Not Assigned. 62FR66038 00067. 97/02/09. Office of the Secretary of the Commission. 1p. A2279:107-A2279:107.

9802250012 Comment supporting petition for amended rulemaking PRM 50-63A re potassium iodide by PG Crane.
KRAMER,W.J. Affiliation Not Assigned. 62FR66038 00077. 98/02/18. HOYLE,J.C. Office of the Secretary of the Commission. JAMGOCHIAR,M. NRC - No Detailed Affiliation Given. 1p. A2326:012-A2326:012.

9802250015 Comment on petition for rulemaking PRM 50-63A re potassium iodide.
SCHULY,T. Affiliation Not Assigned. 62FR66038 00078. 98/02/13. NRC - No Detailed Affiliation Given. 3pp. A2326:013-A2326:015.

9802250202 Comment supporting petition for rulemaking PRM 50-63A re NRC emergency planning regulations re stockpiling of potassium iodine for general public.
LISKA,E.F. Affiliation Not Assigned. 62FR66038 00079. 98/02/05. Docketing & Services Branch. 1p. A2326:278-A2326:278.

9802250229 Notice of receipt of PRM 71-12 re amend to regulations that govern packaging & transportation of radioactive matl. Petitioner believes that special requirements for plutonium shipments should be eliminated.
HOYLE,J.C. Office of the Secretary of the Commission. 63FR8362. 98/02/11. 6pp. A2327:001-A2327:006.

9802260035 Comment supporting proposed petition for rulemaking PRM-50-63A re potassium iodide.
SIROIS,B. Affiliation Not Assigned. 62FR66038 00076. 98/02/18. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2344:040-A2344:040.

9802260038 Comment supporting petition for rulemaking PRM-50-63A re stockpiling of potassium iodide.
PAVLIC,M.A. Affiliation Not Assigned. 62FR66038 00071. 98/02/09. Office of the Secretary of the Commission. 2pp. A2344:041-A2344:042.

9802260043 Comment supporting petition for rulemaking PRM-50-63A re stockpiling of potassium iodide.
BECKER,D.B. New York Hosp.-Cornell Medical Center, New York, NY. 62FR66038 00072. 98/02/13. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2344:044-A2344:045.

9802260267 Comment supporting petition for rulemaking PRM-50-63A re stockpiling of potassium iodide.
STAUB,B. Affiliation Not Assigned. 62FR66038 00080. 98/02/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2337:179-A2337:179.

PROJ PROJECTS

9802020139 Notifies that 980129 meeting w/CEOG in Rockville,MD to discuss CEOG activities re analysis of moisture carryover during MSLB accident has been cancelled.Proposed agenda encl.
MAGRUDER,S.L. . 98/01/27. ESSIG,T.H. . 5pp. A1980:195-A1980:199.

9802020170 Discusses review of white paper, "10CFR50.65 Maintenance Rule Implementation for Shutdown Plants," submitted on 970826.
WEISS,S.H. . 98/01/29. NELSON,A.P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. A1976:011-A1976:014.

9802020175 Discusses review of criteria NEI used for performing review of unresolved safety issues & generic safety issues applicable to license renewal & requests NEI review encls & inform staff of intent re incorporating encl 1 guidance.
GRIMES,C.I. . TAC M92972. 98/01/29. WALTERS,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 8pp. A1976:003-A1976:010.

9802020189 Forwards request for addl info re B&W Owners Group 970514 submittal of BAW-2241P, "Fluence & Uncertainty Methodologies." Response requested by 980227.
BIRMINGHAM,J.L. . TAC M98962. 98/01/30. KELLY,J.J. BWR Owners Group. KELLY,J.J. FRAMATOME. 4pp. A1967:023-A1967:026.

9802030046 Refers to 970722 ltr which transmitted clarifications of number of issues raised by utility staff as they implement severe accident mgt.Forwards comments on areas where NRC does not agree w/clarification or feels addl info needed.
HOLAHAN,G.M. . 98/01/28. MODEEN,D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 9pp. A1987:018-A1987:026.

9802040178 Informs of misunderstanding of intent of industry initiative associated w/ NEI 96-01,Rev 0, "Guidelines for 10CFR50.59 SEs." Clarifications,listed.
BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/01/16. COLLINS,S.L. . 3pp. A2031:334-A2031:335.

9802040214 Forwards update of industry strategic plan for bldg new nuclear power plants recounting 1997 progress toward realization of goal.
COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/01/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 11pp. A2031:336-A2031:346.

9802050149 Responds to 971027 ltr to Chairman Jackson re applicability of 10CFR50.65 to nuclear plant operations at power & during shutdown.Informs that NRC approved staff recommendation to develop proposed rulemaking to revise maint rule.
COLLINS,S.J. . 98/02/03. BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 3pp. A2012:165-A2012:172.

9802060161 Provides clarification of SRP chapter 15 analyses performed w/CO-TRANSA2 & XCOBRA-T & SLO pump seizure CHF limits checking.Response to attachment 1 & 2 of licensee 971121 ltr,requested within 90 days receipt of this ltr.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:006. 98/01/30. . 1p. A2138:339-A2138:339.

9802090201 Rev 2,Field Change 5 to EMIP-103, "Emergency Operations Mgt."
* West Valley Nuclear Services Co., Inc. 98/01/21. 12pp. A2140:325-A2140:336.

9802090207 Rev 1,change 4 to PSR-5, "Standby & Backup Requirements," affected pages only.
* West Valley Nuclear Services Co., Inc. 98/01/21. 6pp. A2141:218-A2141:224.

9802090211 Rev 1 to EMIP-101, "General Instructions."
* West Valley Nuclear Services Co., Inc. 98/01/23. 23pp. A2141:250-A2141:273.

9802120131 Submits list of current BWR Owners Group officers & BWR Owners Group reprensentatives from GE.
RAUSCH,T.J. BWR Owners Group. RAUSCH,T.J. Commonwealth Edison Co. BWROG-98005. 98/02/02. SHERON,B. Document Control Branch (Document Control Desk). 2pp. A2230:135-A2230:136.

9802120196 Summary of 971118-20 meeting w/Nuclear Energy Inst,EPRI & nuclear fuel vendors in Rockville,MD re new research initiatives concerning high burnup fuel,new test data on reactivity initiated accidents.List of attendees encl.
MAGRUDER,S.L . 98/01/30. ESSIG,T.H. . 343pp. A2153:001-A2153:343.

9802120197 Requests that A Nelson make presentation at NRC 1998 Decommissioning Power Reactor Counterparts Meeting on 980331 & 0401 re Nuclear Energy Inst efforts in power reactor decommissioning.
MASNIK,M.T. . 98/02/09. NELSON,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. A2154:097-A2154:100.

9802120200 Summary of 980127 meeting w/listed attendees in Rockville, MD to brief NRC on recent organizational changes & effect changes have on circuit breaker svcs.List of attendees & presentation matls encl.
DAVIS,M.J. . 98/02/09. ESSIG,T.H. . 33pp. A2154:108-A2154:140.

9802180043 Forwards proprietary rev 2 of WCAP-9735, "MULTIFLEX 3.0 FORTRAN-IV Computer Program for Analyzing Thermal-Hydraulic- Structural Sys Dynamics Advanced Beam Model," for approval. Proprietary encl withheld.
LIBERATORI,L.F. Westinghouse Operating Plants Owners Group. OG-98-017. 98/02/13. . 3pp. A2220:318-A2220:328.

-9802180045 Requests that rev 2 to WCAP-9735, "Multiflex 3.0:Fortran Computer Program for Analyzing Thermal-Hydraulic-Structure Sys Dynamics-Advanced Beam Model," be withheld from public disclosure.Affidavit,encl.
SEPP,H.A. Westinghouse Electric Corp. CAW-98-1203. 98/02/13. COLLINS,S.J. Document Control Branch (Document Control Desk). 8pp. A2220:321-A2220:328.

9802200145 Notification of 980218 meeting w/Nuclear Energy Inst in Rockville,MD to dicuss issues related to industry guidelines for implementing maint rule for plants in decommissioning status.
MAGRUDER,S.L . 98/02/09. ESSIG,T.H. . 4pp. A2254:278-A2254:281.

9802200152 Notification of 980226 meeting w/Nuclear Energy Inst (NEI) in Rockville,MD to discuss issues related to Jul 1997 NEI guidance on severe accident mgt implementation & NRC responses dtd 980128.
MAGRUDER,S.L . 98/02/10. ESSIG,T.H. . 4pp. A2254:258-A2254:261.

9802230135 Submits comments on NRC Insp Manual Instruction 2515/137, "Insp of Medium-Voltage & Low-Voltage Metalclad Circuit Breakers," dtd 971231.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/02/13. LAINAS,G.C. . 6pp. A2280:003-A2280:008.

9802240062 Forwards non-proprietary Rev 1 to WCAP-14117-NP-A & proprietary Rev 1 to WCAP-13878-P-A, "Reliability Assessment of Potter & Brumfield MDR Series Relays." Proprietary rept withheld (ref 10CFR2.790).
LIBERATORI,L. Westinghouse Operating Plants Owners Group. OG-98-018. 98/02/13. . 2pp. A2359:001-A2359:270.

-9802240070 WCAP-14117-NP-A R01 Non-proprietary,Rev 1 to "Reliability Assessment of Potter & Brumfield MDR Series Relays."
* Westinghouse Electric Corp. 97/01/31. 267pp. A2359:003-A2359:270.

9802240268 Forwards proprietary topical rept CENPD-388-P, "Extension of 1-Pin Burnup Limit to 65 MWd/kgU for ABB PWR Fuel w/OPTIN Cladding," for review & acceptance for referencing in licensing actions.Proprietary encl withheld.
PILMER,D.F. C-E Operating Plants Owners Group. CEOG-98-069. 98/02/16. . 7pp. A2354:333-A2354:339.

9802250081 Informs that staff has received 980130 ltr,transmitting TR, "Mechanical Design Evaluation for Siemens Power Corp Atrium tm-10 BWR Reload Fuel to 54 MWd/KgU Assembly Exposure," EMF-98-006(P),Rev 0.
ESSIG,T.H. . 98/02/13. CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. A2345:232-A2345:235.

9802250088 Rev to notification of 980226 meeting w/Nuclear Energy Inst (NEI) in Rockville,MD to discuss issues re Jul 1997 NEI guidance on severe accident mgt implementation & NRC 980128 response.Meeting date changed to 980304.
MAGRUDER,S.L . 98/02/10. ESSIG,T.H. . 5pp. A2342:070-A2342:074.

9802250097 Summary of 980129 meeting w/Nuclear Energy Inst in Rockville,MD re BWROG PSA peer review certification process including discussions on philosophy re PSA quality & guidelines used to review technical details.
MAGRUDER,S.L . 98/02/13. ESSIG,T.H. . 16pp. A2342:081-A2342:096.

9802250146 Summary of 980123 meeting w/Nuclear Energy Inst in Rockville,MD re emergency plan changes.List of attendees & agenda used for meeting encl.
MAGRUDER,S.L . 98/02/04. ESSIG,T.H. . 54pp. A2337:281-A2337:343.

9802250176 Forwards summary of 980123 meeting w/Nuclear Energy Inst in Rockville,MD re emergency plan changes.List of attendees, agenda & presentation matl encl.
MAGRUDER,S.L . 98/02/04. ESSIG,T.H. . 29pp. A2325:044-A2325:106.

9802250256 Forwards proprietary response to RAI re TR ANFB-1125P, "ANFB Critical Power Correlation Uncertainty for Limited Data Sets," Suppl 1,App D.Proprietary info withheld,per 10CFR2.790(b).
MALLAY,J.F. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:012. 98/02/19. . 1p. A2367:335-A2367:335.

9802250290 Summary of 980115 meeting w/BWROG in Rockville,MD re status of work in progress & to discuss future activities.List of attendees,agenda & handouts encl.
WILSON,J.H. . 98/02/18. ESSIG,T.H. . 76pp. A2324:269-A2324:344.

9802250380 Requests that WOG activate regulatory response group,based on NRC understanding of potential SBLOCA coming from pressure housing of unused part length control rod drive mechanism.
MIRAGLIA,F.J. . 98/02/20. NEWTON,R. Westinghouse Operating Plants Owners Group. NEWTON,R. Wisconsin Electric Power Co. 10pp. A2342:056-A2342:065.

9802260036 Notification of 980227 meeting w/Westinghouse Owners Group in Rockville,MD to discuss partial length CRDM housing flaw issues.
WANG,E.Y. . 98/02/23. ESSIG,T.H. . 4pp. A2352:149-A2352:152.

9802260158 Ack receipt for NRC 980122 ltr & encl re DOE preliminary outline of suppl to DEIS sent.U mill tailings policies not likely to serve as good precedents for West Valley.
VAUGHAN,R.C. Coalition on West Valley Nuclear Wastes. 98/02/01. GREEVES,J.T. Division of Waste Management (NMSS 940403). 6pp. A2373:188-A2373:194.

9802270118 Forwards proposed changes to Improved TS NUREGs,NEI TS Task Force (TSTF) traveler numbers TSTF-206,207 & 208.
DAVIS,J.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/02/18. BECKNER,W.D. . 30pp. A2420:165-A2420:194.

9802270287 Informs that Framatone Technologies,Inc has performed brief review of NUREG/CR-6582 (Draft).Rept is well written & addresses main objective of project.Several comments for consideration encl.
WHITAKER,D.E. Babcock & Wilcox Operating Plants Owners Group. OG-1700. 98/02/18. BIRMINGHAM,J.L. . 6pp. A2489:277-A2489:282.

PT21 10 CFR PART 21 DEFICIENCY REPORTS

9802020051 Part 21 interim rept 21-97-044/047/048 re 970929 failure of safety-related battery charger.Caused by inadequate soldered wire connections.Util will issue rept of issues IAW provisions of 10CFR21 & 10CFR50.73 by 980217.
MACFARLAND,W.G. Illinois Power Co. U-602920. 98/01/28. Document Control Branch (Document Control Desk). 3pp. A2000:257-A2000:259.

9802020122 Part 21 rept for Engine Sys,Inc,re 275 psig valve which does not meet minimum DC voltage requirement of most nuclear applications when inlet pressures below 200 psig are applied to valve.Valve will be replaced as appropriate.W/980126 ltr.
MASON,J., GALEAZZI,D.D., NUDING,M. . 98/01/23. HODGE,V. NRC - No Detailed Affiliation Given. 11pp. A2000:260-A2000:270.

9802020210 Part 21 rept re failure of EG-A control serial number 1425251 on 980109.Engine System Incorporated has been notified of situation & understands that Part 21 notification being submitted based on COC.
ZACCONE,M.J. South Carolina Electric & Gas Co. 33613. 98/01/28. STRANSKY,B. NRC - No Detailed Affiliation Given. 2pp. A2000:277-A2000:278.

9802060147 Part 21 rept re PYCO RTD assemblies manufactured using cover made from aluminum instead of cast iron as specified. Cast iron enclosure & installation instructions were provided to util for replacment.
METZGER,J.V. Affiliation Not Assigned. 98/01/30. Document Control Branch (Document Control Desk). LOSTURDO,D. Niagara Mohawk Power Corp. 7pp. A2135:187-A2135:193.

9802060205 Forwards error notices received from former software suppliers.Listed former customers not notified due to unknown current addressess.
ANDREWS,S.J. Boeing Co. G-1151-SJA-98-0. 98/01/29. Document Control Branch (Document Control Desk). 28pp. A2135:283-A2135:310.

9802100039 Part 21 rept re initial notification of lockup of Westronics recorders due to servo amplifier board overrange feature.As of Fall 1997 all potentially affected recorders now equipped w/newer servo amplifier boards.
LAMPMAN,K. Niagara Mohawk Power Corp. 98/02/04. Document Control Branch (Document Control Desk). 4pp. A2213:185-A2213:189.

9802110143 Part 21 rept 21-97-058 re oil leaking around diaphragm of replacement pressure reducing/dump valve installed on ITT Barton Hydromotor actuator.Caused by poor workmanship of valve at time of manufacture.Valves sent to vendor.
MACFARLAND,W.G. Illinois Power Co. U-602925. 98/02/06. Document Control Branch (Document Control Desk). 3pp. A2231:151-A2231:153.

9802190261 Forwards error notices recieved from former software suppliers.Listed customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Co. G-1151-SJA-98-0. 98/02/12. Document Control Branch (Document Control Desk). 6pp. A2258:178-A2258:183.

9802230217 Interim Part 21 rept 21-97-059 re several discrepancies found during receipt insp of three safety-related W DHP circuit breakers.Sent subject circuit breakers to Nuclear Logistics Inc for refurbishment.
MACFARLAND,W.G. Illinois Power Co. U-602932. 98/02/13. Document Control Branch (Document Control Desk). 2pp. A2318:269-A2318:270.

9802240004 Forwards insp rept 71-0231/98-201 on 980105-09 & notice of nonconformance.Nonconformance involved failure to implement CAs resulting from previous NRC insp.
SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 71-0231/98-201. 98/02/04. VOIT,R.E. Chem-Nuclear Systems, Inc. 2pp. A2344:213-A2344:241.

-9802240006 Notice of nonconformance from insp on 980105-09. Nonconformances noted:failure to implement corrective actions resulting from previous insp,control procedures not implemented & inadequate training on 10CFR21 training.
* Office of Nuclear Material Safety & Safeguards. 98/02/04. 8pp. A2344:215-A2344:222.

-9802240009 Insp rept 71-0231/98-201 on 980105-09.Nonconformances noted. Major areas inspected:activities associated w/transportation of radioactive matl to determine if executed IAW requirements of Parts 21 & 71 of 10CFR COCs,SARs & QAPs.
* Office of Nuclear Material Safety & Safeguards. 98/02/04. 19pp. A2344:223-A2344:241.

9802240179 Forwards LER 98-001-00,re failure of Division 2 safety related battery charger due to deficient supplier soldered connections.LER also contains 10CFR21 rept.Commitments made within ltr,listed.
MACFARLAND,W.G. Illinois Power Co. U-602934. 98/02/17. Document Control Branch (Document Control Desk). 2pp. A2318:336-A2318:348.

-9802240219 LER 98-001-00:on 970929,failure of Division 2 SR battery charger was noted.Caused by deficient supplier soldered connections.Insp of Division 1,2 & 4 SR battery chargers are complete & have been reworked & repaired.
WAGNER,M.D. Illinois Power Co. 98/02/17. 10pp. A2318:339-A2318:348.

9802240259 Part 21 Interim Rept 21-97-060 re Sentry Equipment Corp commercial grade dedication program deficiencies.Evaluation of issue will be completed by 980404.
MACFARLAND,W.G. Illinois Power Co. U-602939. 98/02/17. Document Control Branch (Document Control Desk). 2pp. A2318:320-A2318:321.

9802270022 Forwards LER 98-007-00 re event or condition that resulted in condition of nuclear plant,including principal safety barriers,being seriously degraded.Mfg deficiency previously reported to Commission via 10CFR21 notification on 980112.
JOHNSON,D.F. Wisconsin Electric Power Co. NPL 98-0123. 98/02/20. Document Control Branch (Document Control Desk). 1p. A2366:140-A2366:147.

9802270179 Responds to NRC ltr re violations noted in insp rept 99901323/97-01.Corrective actions:reviewed procedure QA 104 "Part 21" & determined that mod is needed.Procedure will be revised & re-issued by 980226.
* Affiliation Not Assigned. 99901323/97-01. 98/02/16. Document Control Branch (Document Control Desk). 11pp. A2398:348-A2398:359.

QA999 VENDOR QUALITY ASSURANCE INSPECTIONS

9802020106 Forwards insp rept 99900404/97-02 on 971117-21 & notice of nonconformance.
BLACK,S.C. . 99900404/97-02. 98/01/28. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. A1978:191-A1978:223.

-9802020116 Notice of nonconformance from insp on 971117-21. Nonconformance noted:insp team found that for listed AP600 calculations Westinghouse failed to perform adequate design review to establish acceptability of AP600 design analyses.
* . 98/01/28. 4pp. A1978:194-A1978:197.

-9802020121 Insp rept 99900404/97-02 on 971117-21.Noncompliance noted. Major areas inspected:quality assurance program of record in AP600 SSAR.
* . 98/01/28. 26pp. A1978:198-A1978:223.

9802020113 Forwards insp rept 99901300/97-01 for Framatome Technologies,Inc,(FTI) on 970519-0930.No violations noted. Insp was to determine availabilty & traceability of all data at FTI re cooper & nickel content of submerged-arc welds.
BLACK,S.C. . 99901300/97-01. 98/01/28. KANE,E.R. Affiliation Not Assigned. 3pp. A2007:056-A2007:075.

-9802020123 Insp rept 99901300/97-01 for Framatome Technologies,Inc,on 970519-0930.No violations noted.Major areas inspected: 10CFR21 program & reactor vessel weld chemistry data.
CORREIA,R.P. . 98/01/28. 17pp. A2007:059-A2007:075.

9802060205 Forwards error notices received from former software suppliers.Listed former customers not notified due to unknown current addressess.
ANDREWS,S.J. Boeing Co. G-1151-SJA-98-0. 98/01/29. Document Control Branch (Document Control Desk). 28pp. A2135:283-A2135:310.

9802100002 Forwards insp rept 99900912/98-01 on 980106-08.No violations were identified.
BLACK,S.C. . 99900912/98-01. 98/02/05. ROTTI,T. NTS (National Technical Systems). 4pp. A2093:040-A2093:056.

-9802100003 Insp rept 99900912/98-01 on 980106-08.No violation or deviations noted.Major areas inspected:assessed specific attributes & implementation of 10CFR50,App B & QA program as applied to procurement mod.
* . 98/02/05. 13pp. A2093:044-A2093:056.

9802120195 Informs that results of review of 980105 ltr re DuBose Natl Energy Svcs,Inc,have raised concerns about appropriateness of inquiry.Comments contained in 971001 ltr requested to be addressed.
BLACK,S.C. . 98/02/10. DAILEY,J.N. Affiliation Not Assigned. 1p. A2143:108-A2143:108.

9802180204 Confirms dates of 980302-06 for NRC staff to conduct insp of Nuclear Logistics,Inc facility in Forth Worth,TX,per 980212 telcon.Insp will relate to implementation of quality assurance program.
BLACK,S.C. . 99901298/98-01. 98/02/12. BELL,A.C. Nuclear Logistics, Inc. (NLI). 4pp. A2182:108-A2182:111.

9802190185 Submits response to violations noted & nonconformance issued in connection w/insp on 971027-31 at plant for SG tubes. Corrective actions:procedures revised & focus of patrol changed.
LUND,P. Sandvik Special Metals Corp. 98/02/05. Document Control Branch (Document Control Desk). 6pp. A2258:057-A2258:069.

-9802190194 Rev 2 to CP 4636, "Long Time Thermal Treatment."
SUNDSTROM,T., BJORKMAN,G., LUND,P. Sandvik Special Metals Corp. 97/11/09. 7pp. A2258:063-A2258:069.

9802190261 Forwards error notices recieved from former software suppliers.Listed customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Co. G-1151-SJA-98-0. 98/02/12. Document Control Branch (Document Control Desk). 6pp. A2258:178-A2258:183.

9802250045 Ack receipt of 980108 ltr from Gould's Pumps,Inc informing NRC of steps taken to correct concerns noted in notice of nonconformance attached to insp rept 99900732/97-01.
BLACK,S.C. . 99900732/97-01. 98/02/12. HEID,J.F. Affiliation Not Assigned. 2pp. A2326:340-A2326:345.

9802250063 Confirms upcoming NRC insp of Allied Group on 980319-20,per 980217 telcon between D Perkins & G Cwalina.Insp will review selected portions of quality assurance program & implementation.
BLACK,S.C. . 99901093. 98/02/17. PERKINS,D. Affiliation Not Assigned. 3pp. A2326:346-A2326:347.

9802270179 Responds to NRC ltr re violations noted in insp rept 99901323/97-01.Corrective actions:reviewed procedure QA 104 "Part 21" & determined that mod is needed.Procedure will be revised & re-issued by 980226.
* Affiliation Not Assigned. 99901323/97-01. 98/02/16. Document Control Branch (Document Control Desk). 11pp. A2398:348-A2398:359.

9802270331 Submits response to violations noted in insp rept 99900081/97-01.Corrective actions:development of interim methodology using conservative estimates from existing test data for use util revised correlation developed.
NORDAHL,J.H. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 99900081/97-01. 98/02/24. Document Control Branch (Document Control Desk). 58pp. A2399:300-A2399:360.

REG CERT REGISTRATION OF CERTIFICATES FOR SEALED SOURCES AND DEVICE

9802230136 Forwards new address of distributor for registration certificates NR-701-D-101-B,NR-701-D-102-B & NR-701-D-103-B. Licensee must be subj to NRC licensing fees,IAW 10CFR170 & annual fees IAW 10CFR171,as holder of NRC certificates.
JANKOVICH,J.P. Medical, Academic & Commercial Use Safety Branch. SSD-97-65. 98/02/18. PIOREK,S. Affiliation Not Assigned. 1p. A2274:316-A2274:321.

REGGD REGULATORY GUIDES

9802030001 NEDC-32790 "Peach Bottom 2 & 3 - Recirc Piping Reanalysis Uniform Support Motion (Reg Guide 1.60 Free-Field Motion & ASME Code Case N-411 Damping)."
HENRIE,D.K. General Electric Co. 97/10/31. 80pp. A2015:252-A2015:333.

9802030042 Comment opposing Draft RG DG-1070, "Sampling Plans Used For Dedicating Simple Metallic Commercial Grade Items For Use In NPPs."
ALEXANDER,D.B. Carolina Power & Light Co. 62FR63738 00001. 98/01/30. Document Control Branch (Document Control Desk). 4pp. A1979:356-A1979:359.

9802030134 Refers to 951227 request for NRC approval of proposed EALs to MNS,Units 1 & 2.Proposed EALs incorporate guidance in NUMARC/NESP-007,Rev 2.Forwards safety evaluation supporting proposed EALs.
RINALDI,F. . TAC M94491. 98/01/28. BARRON,H.B. Duke Power Co. 3pp. A1987:001-A1987:011.

9802050061 Requests placement of matl into NUDOCS sys & into NRC PDR. Matl includes "Working Paper on Dose Modeling" & draft NUREG-1549 "Using Decision Methods for Dose Assessment to Comply w/Radiological Criteria for License Termination."
CARDILE,F. Radiation Protection & Health Effects Branch (Post 941217). 98/02/03. Office of Information Resources Management (861109-870412). 490pp. A2011:001-A2012:126.

9802050308 Comment on draft reg guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Nuclear Power Plants."
PIETRANGELO,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR52166 00012. 98/02/02. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 11pp. A2010:175-A2010:185.

9802050316 Comment on draft reg guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items For Use in Nuclear Power Plants."
BURZYNSKI,M.J. Tennessee Valley Authority. 62FR52166 00010. 98/01/28. Rules & Directives Review Branch (Post 920323). 4pp. A2038:250-A2038:253.

9802050319 Comment opposing draft RG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items For Use in NPPs." RG unnecessary based on use of EPRI guideline & excellent past history of commercial grade items at DBNPS.
DONNELLON,R.E. Affiliation Not Assigned. 62FR52166 00005. 98/01/22. Rules & Directives Review Branch (Post 920323). 3pp. A2038:235-A2038:237.

9802050321 Comment on draft reg guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in Nuclear Power Plants."
ALEXANDER,D.B. Carolina Power & Light Co. 62FR52166 00011. 98/01/30. Rules & Directives Review Branch (Post 920323). 3pp. A2038:238-A2038:240.

9802050375 Comment re Draft NRC RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPPs."
WELKES,D.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 62FR52166 00009. 98/01/28. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 5pp. A2038:243-A2038:247.

9802060009 Comment opposing regulatory guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in Nuclear Power Plants."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 62FR52166 00007. 98/01/27. Rules & Directives Review Branch (Post 920323). 2pp. A2038:254-A2038:255.

9802060022 Comment opposing draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPPs."
YURICH,F.J. Affiliation Not Assigned. 62FR52166 00008. 98/01/25. Rules & Directives Review Branch (Post 920323). 4pp. A2038:266-A2038:269.

9802060026 Transcript of 980126 public meeting in Rockville,MD re demonstrating compliance w/radiological criteria for license termination-analysis to demonstrate ALARA.Pp 1-55.Supporting documentation encl.
* Commissioners (Post 750119). ASB-300-127. 98/01/26. 82pp. A2037:034-A2037:117.

9802060040 Comment on draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPPs."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 62FR52166 00006. 98/01/26. Rules & Directives Review Branch (Post 920323). 3pp. A2038:295-A2038:297.

9802060078 Provides comments on draft Reg Guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in Nuclear Power Plants."
TOELLE,S.A. United States Enrichment Corp. (USEC). GDP 98-0014. 98/01/30. Office of Administration (Pre 870413). 9pp. A2098:337-A2098:345.

9802090084 Submits change to alarm setting for digital metal impact monitoring sys,per requirements of FSAR & reg guide 1.133, "Loose Part Detection Program for Primary Sys of Light Water Cooled Reactors."
MCCOY,C.K. Southern Nuclear Operating Co. LCV-1161. 98/02/02. Document Control Branch (Document Control Desk). 1p. A2160:276-A2160:276.

9802110018 Informs NRC of results of evaluation of Millstone Nuclear Power Station,Unit 2,RCS pressure instrumentation regarding ATWS.Evaluation encl.
BOWLING,M.L. Northeast Nuclear Energy Co. B16745. 98/01/29. Document Control Branch (Document Control Desk). 9pp. A2182:323-A2182:331.

9802110079 Provides comments on draft reg guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in Nuclear Power Plants," dtd Sept 1997.
BOYER,G.D. Wolf Creek Nuclear Operating Corp. CO 98-0006. 98/01/29. Rules & Directives Review Branch (Post 920323). 2pp. A2198:359-A2198:360.

9802120051 Forwards revised copy of "Standard Format & Content of License Termination Plan for Power Reactors." Document should be issued as draft reg guide.W/o encl.
HICKEY,J.W. Division of Waste Management (NMSS 940403). 98/02/06. TROTTIER,C. Radiation Protection & Health Effects Branch (Post 941217). 2pp. A2230:137-A2230:138.

9802120175 Comment on draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in Nuclear Power Plants."
BOYER,G.D. Wolf Creek Nuclear Operating Corp. 62FR52166 00013. 98/01/29. Rules & Directives Review Branch (Post 920323). 2pp. A2143:098-A2143:099.

9802120309 Comment re Draft Rg DG-3013.Expresses disagreement w/regulatory position of exception to ANS-8.3 re installation of alarm sys "where they will result in reduction in total risk."
SMITH,D.R. American Nuclear Society. 63FR3008 00001. 98/02/04. Rules & Directives Review Branch (Post 920323). 1p. A2143:222-A2143:222.

9802180028 Forwards two calculations which provide justification for concluding that plant offgas sys detonation resistant. Calculations being submitted to facilitate NRC review of licensing basis change to offgas sys.
JONES,G.T. Pennsylvania Power & Light Co. PLA-4840. 98/02/09. Document Control Branch (Document Control Desk). 3pp. A2243:001-A2243:022.

9802180142 Comment on draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPPs." Draft RG should be revised to clarify that alloy analyzer can be used consistent w/guidance in EPRI NP-5652.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 62FR52166 00014. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2182:105-A2182:107.

9802200187 Application for amend to license NPF-12,requesting removal of Table 4.8-1, "Diesel Generator Test Schedule."
TAYLOR,G.J. South Carolina Electric & Gas Co. RC-98-0016. 98/02/09. PADOVAN,L.M. Document Control Branch (Document Control Desk). 5pp. A2320:274-A2320:293.

9802200311 Provides statistical summary by work & job functions of personnel who received greater than 100 mRem of exposure in 1997 IAW regulatory guide 1.16 section D 6.9.1.2 of Unit 1 permanently defueled TS.
GIBSON,G.T. Southern California Edison Co. 98/02/12. Document Control Branch (Document Control Desk). 1p. A2283:312-A2283:313.

9802240273 Informs that request for relief RR-14,rev 0,remains authorized pursuant to 10CFR50.55a(a)(3)(i) for current interval or until such time as code case published in future rev of reg guide 1.147.
OLSHAN,L.N. . TAC MA0328. 98/02/19. SUMNER,H.L. Southern Nuclear Operating Co. 4pp. A2283:060-A2283:063.

9802260078 Comment supporting draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPP.
GIPSON,D.R. Detroit Edison Co. 62FR52166 00015. 98/02/17. Rules & Directives Review Branch (Post 920323). 2PP. A2344:059-A2344:060.

9802270151 Comment on draft RG DG-5008 (OPE-SFP-98-057).Changes believed to be made in sections 2.2,2.4 & 3.2 listed.
HAGERS,J. Energy, Dept. of, Idaho Operations Office. 62FR275 00002. 98/02/19. Rules & Directives Review Branch (Post 920323). 1p. A2370:233-A2370:233.

9802270165 Comment on draft RG DG-5008, "Reporting of Safeguards Events." Changes attempt to clarify 100CFR73.71 requirements for reporting safeguards events re losses of SNM.
EDGAR,J.B. Siemens Corp. 62FR275 00003. 98/02/19. Rules & Directives Review Branch (Post 920323). 1p. A2370:237-A2370:237.

REVIEW GRP REVIEW GROUPS

9802020170 Discusses review of white paper, "10CFR50.65 Maintenance Rule Implementation for Shutdown Plants," submitted on 970826.
WEISS,S.H. . 98/01/29. NELSON,A.P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. A1976:011-A1976:014.

9802020175 Discusses review of criteria NEI used for performing review of unresolved safety issues & generic safety issues applicable to license renewal & requests NEI review encls & inform staff of intent re incorporating encl 1 guidance.
GRIMES,C.I. . TAC M92972. 98/01/29. WALTERS,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 8pp. A1976:003-A1976:010.

9802020196 Notification of 980209 meeting w/Nuclear Energy Inst in Rockville,MD to discuss NRC & Nuclear Energy Inst activities re grid reliability.
POSLUSNY,C. . 98/01/28. BATEMAN,W.H. . 2pp. A1967:027-A1967:028.

9802030046 Refers to 970722 ltr which transmitted clarifications of number of issues raised by utility staff as they implement severe accident mgt.Forwards comments on areas where NRC does not agree w/clarification or feels addl info needed.
HOLAHAN,G.M. . 98/01/28. MODEEN,D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 9pp. A1987:018-A1987:026.

9802040106 Submits agenda for Committee to Review Generic Requirements meeting 314 on 980130.
MARTIN,T.T. Committee to Review Generic Requirements. GL-92-01. 98/01/30. MIRAGLIA,F.J. . ROSS,D.F. Office of Nuclear Regulatory Research (Post 941217). KANE,W.F. Office of Nuclear Material Safety & Safeguards. 2pp. A2095:237-A2095:238.

9802040178 Informs of misunderstanding of intent of industry initiative associated w/ NEI 96-01,Rev 0, "Guidelines for 10CFR50.59 SEs." Clarifications,listed.
BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/01/16. COLLINS,S.L. . 3pp. A2031:334-A2031:335.

9802040214 Forwards update of industry strategic plan for bldg new nuclear power plants recounting 1997 progress toward realization of goal.
COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/01/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 11pp. A2031:336-A2031:346.

9802040336 Summary of 971204 meeting w/Nuclear Energy Institute re industry workshop on GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design Basis Accident Conditions." Listed documents encl.
WETZEL,B.A. . GL-96-06. 98/01/28. . 349pp. A1986:001-A1986:349.

9802050084 Forwards summay of 971218 meeting w/Nuclear Energy Institute in Rockville,MD to discuss items of current interest to nuclear industry.List of attendees also encl.
DEAN,W.M. Ofc of the Executive Director for Operations. 98/01/20. THOMPSON,H.L. Ofc of the Executive Director for Operations. 9pp. A2007:284-A2007:292.

9802050090 Comment on draft NUREG-1555, "Environ Std Review Plan." Suggests that NRC hold in abeyance any application of environ justice analyses for licensing pending outcome of Commission decision on Louisiana Energy Svcs appeal.
BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR51915 00003. 98/01/30. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 10pp. A2009:335-A2009:344.

9802050149 Responds to 971027 ltr to Chairman Jackson re applicability of 10CFR50.65 to nuclear plant operations at power & during shutdown.Informs that NRC approved staff recommendation to develop proposed rulemaking to revise maint rule.
COLLINS,S.J. . 98/02/03. BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 3pp. A2012:165-A2012:172.

9802050308 Comment on draft reg guide DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Nuclear Power Plants."
PIETRANGELO,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR52166 00012. 98/02/02. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 11pp. A2010:175-A2010:185.

9802100050 Expresses appreciation for encl copy of Nuclear Energy Inst 97-06, "SG Program Guidelines." NRC supports & encourages industry initiatives that enhance efforts of both industry & NRC to maintain SG tube integrity.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/02/03. BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 7pp. A2078:308-A2078:343.

9802120196 Summary of 971118-20 meeting w/Nuclear Energy Inst,EPRI & nuclear fuel vendors in Rockville,MD re new research initiatives concerning high burnup fuel,new test data on reactivity initiated accidents.List of attendees encl.
MAGRUDER,S.L. . 98/01/30. ESSIG,T.H. . 343pp. A2153:001-A2153:343.

9802120197 Requests that A Nelson make presentation at NRC 1998 Decommissioning Power Reactor Counterparts Meeting on 980331 & 0401 re Nuclear Energy Inst efforts in power reactor decommissioning.
MASNIK,M.T. . 98/02/09. NELSON,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. A2154:097-A2154:100.

9802200145 Notification of 980218 meeting w/Nuclear Energy Inst in Rockville,MD to dicuss issues related to industry guidelines for implementing maint rule for plants in decommissioning status.
MAGRUDER,S.L. . 98/02/09. ESSIG,T.H. . 4pp. A2254:278-A2254:281.

9802200152 Notification of 980226 meeting w/Nuclear Energy Inst (NEI) in Rockville,MD to discuss issues related to Jul 1997 NEI guidance on severe accident mgt implementation & NRC responses dtd 980128.
MAGRUDER,S.L. . 98/02/10. ESSIG,T.H. . 4pp. A2254:258-A2254:261.

9802230135 Submits comments on NRC Insp Manual Instruction 2515/137, "Insp of Medium-Voltage & Low-Voltage Metalclad Circuit Breakers," dtd 971231.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/02/13. LAINAS,G.C. . 6pp. A2280:003-A2280:008.

9802250088 Rev to notification of 980226 meeting w/Nuclear Energy Inst (NEI) in Rockville,MD to discuss issues re Jul 1997 NEI guidance on severe accident mgt implementation & NRC 980128 response.Meeting date changed to 980304.
MAGRUDER,S.L. . 98/02/10. ESSIG,T.H. . 5pp. A2342:070-A2342:074.

9802250097 Summary of 980129 meeting w/Nuclear Energy Inst in Rockville,MD re BWROG PSA peer review certification process including discussions on philosophy re PSA quality & guidelines used to review technical details.
MAGRUDER,S.L. . 98/02/13. ESSIG,T.H. . 16pp. A2342:081-A2342:096.

9802250146 Summary of 980123 meeting w/Nuclear Energy Inst in Rockville,MD re emergency plan changes.List of attendees & agenda used for meeting encl.
MAGRUDER,S.L. . 98/02/04. ESSIG,T.H. . 54pp. A2337:281-A2337:343.

9802250176 Forwards summary of 980123 meeting w/Nuclear Energy Inst in Rockville,MD re emergency plan changes.List of attendees, agenda & presentation matl encl.
MAGRUDER,S.L. . 98/02/04. ESSIG,T.H. . 29pp. A2325:044-A2325:106.

9802250297 Forwards request for addl info re reactor pressure vessel integrity.
LAINA,G.C. . GL-92-01. 98/02/05. MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 13pp. A2342:037-A2342:049.

9802270032 Discusses 980213 comments re Insp Manual Temp Instruction 25.15/137, "Insp of Medium-Voltage & Low-Voltage Metalclad Circuit Breakers."
LAINAS,G.C. . 98/02/24. MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. A2352:167-A2352:168.

9802270118 Forwards proposed changes to Improved TS NUREGs,NEI TS Task Force (TSTF) traveler numbers TSTF-206,207 & 208.
DAVIS,J.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 98/02/18. BECKNER,W.D. . 30pp. A2420:165-A2420:194.

9802270302 Notification of 980304 meeting w/Nuclear Energy Inst in Rockville,MD to discuss Electric Power Research Institute license renewal technical issues,industry plans & activities.
LEE,S. . 98/02/24. GRIMES,C.I. . 1p. A2366:360-A2366:360.

SECY STAFF POSITION PAPERS PREPARED FOR THE COMMISSION

9802020011 Staff requirements memo re COMSECY-97-033, "Draft Press Release & Federal Register Notice to Solicit Qualified Candidates for ACRS."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 1p. A1966:081-A1966:081.

9802020112 Staff requirements memo re SECY-97-293, "Walnut Creek Field Ofc Closure Plan."
VIETTI-COOK,A. Office of the Secretary of the Commission. 98/01/27. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. A1976:001-A1976:002.

9802020120 SECY-98-012 Reports status of PRA implementation plan for period of 971001-1231.Responds to SRM,dtd 970528,which related to staff plans for using IPE result to assess regulatory effectiveness.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/01/23. 27pp. A2006:215-A2006:241.

9802020129 SECY-97-293 Provides Commission w/Walnut Creek Field Ofc closure plan.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/18. 60pp. A2218:012-A2218:072.

9802030085 Notifies that NRC staff will conduct pilot team insp in fire protection subj area at plant during wks of 980309 & 30.SECY-96-267,draft NRC insp manual on fire protection functional insp & list of supporting documentation encl.
WIENS,L. . 98/01/14. PLUNKETT,T.F. Florida Power & Light Co. 118pp. A1980:200-A1980:317.

9802040031 Approves SECY-97-168 re "Issuance for Public Comment of Proposed Rulemaking Package for Shutdown & Fuel Storage Pool Operation." Comments encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/10/10. Commissioners (Post 750119). 1p. A2009:188-A2009:189.

9802040122 SECY-97-244 Requests approval of staff approach for resolving issues re waste classification of plant RV.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/10/21. 67pp. A2009:190-A2009:256.

9802040186 Commission voting record on SECY-97-244 re waste classification of plant reactor vessel.
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. 2pp. A1987:090-A1987:108.

–9802040189 Notation vote w/comments approving SECY-97-244 re waste classification of Trojan reactor vessel.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/12/04. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. A1987:092-A1987:096.

–9802040196 Notation vote w/comments approving SECY-97-244 re waste classification of Trojan reactor vessel.
DICUS,G.J. Commissioners (Post 750119). 97/11/03. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1987:097-A1987:099.

–9802040200 Notation vote w/comments approving SECY-97-244 re waste classification of Trojan reactor vessel.
DIAZ,N.J. Commissioners (Post 750119). 97/11/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A1987:100-A1987:100.

–9802040211 Notation vote w/comments approving SECY-97-244 waste classification of Trojan reactor vessel.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/11/05. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. A1987:101-A1987:103.

–9802040217 Submits addl views on proposal to dispose of Trojan reactor vessel,per SECY-97-244.
MCGAFFIGAN,E., DIAZ,N.J. Commissioners (Post 750119). 98/01/20. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A1987:104-A1987:108.

9802040213 Approves SECY-97-168 re issuance for public comment of proposed rulemaking package for shutdown & fuel storage pool operation.Comments encl.
DICUS,G.J. Commissioners (Post 750119). 97/10/31. Commissioners (Post 750119). 3pp. A1997:358-A1997:360.

9802040229 Staff requirements memo re SECY-97-244, "Waste Classification of Plant Reactor Vessel."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/22. CALLAN,L.J. Ofc of the Executive Director for Operations. 3pp. A2000:358-A2000:360.

9802040232 Informs that GJ Dicus has no objection to SECY-97-168 re issuance for public comment of proposed rulemaking package for shutdown & fuel storage pool operation.
DICUS,G.J. Commissioners (Post 750119). 97/08/13. Commissioners (Post 750119). 1p. A2000:135-A2000:135.

9802040246 Forwards rev to GJ Dicus comments on proposed rulemaking package for shutdown & fuel storage pool operation. Commissioner approved proposed rule.
DICUS,G.J. Commissioners (Post 750119). 97/10/14. Commissioners (Post 750119). 2pp. A2000:136-A2000:137.

9802040253 Disapproves SECY-97-168 re issuance for public comment of proposed rulemaking package for shutdown & fuel storage pool operation.Comments encl.
DIAZ,N.J. Commissioners (Post 750119). 97/10/02. Commissioners (Post 750119). 2pp. A2000:138-A2000:139.

9802040259 Disapproves SECY-97-168 re issuance for public comment of proposed rulemaking package for shutdown & fuel storage pool operation.Comments encl.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/10/07. Commissioners (Post 750119). 2pp. A2000:073-A2000:074.

9802050002 Submits revised comments on SECY-97-168 re issuance for public comment of proposed rulemaking package for shutdown & fuel storage pool operation.SA Jackson approves subj SECY.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/10/27. Commissioners (Post 750119). 2pp. A2009:257-A2009:258.

9802050102 SECY-97-013 Weekly info rept for wk ending 980123.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/01/28. 23pp. A2010:001-A2010:023.

9802050294 Offers no objection,w/comments,on 970730 SECY-97-168, "Issuance For Public Comment of Proposed Rulemaking Package for Shutdown & fuel Storage Pool Operation."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/08/08. NRC - No Detailed Affiliation Given. 2pp. A2010:171-A2010:172.

9802090131 Corrected Commission voting record on SECY-97-279 re generic & cumulative environ impacts of transportation of high-level waste in vicinity of HLW repository (SRM M970612).Chairman Jackson vote was omitted from record sent on 980120.
HOYLE,J.C. Office of the Secretary of the Commission. M970612. 98/01/13. 3pp. A2042:063-A2042:072.

–9802090136 Notation vote approving in part & disapproving in part w/ comments,SECY-97-279, "Generic & Cumulative Environ Impacts of Transportation of HLW in Vicinity of HLW Repository (SER M970612)."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). M970612. 97/12/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2042:066-A2042:072.

9802090185 Staff requirements memo re briefing on matl control of generally licensed devices,SECY 97-273,on 980121 in Rockville,MD.
HOYLE,J.C. Office of the Secretary of the Commission. M980121B. 98/02/05. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. A2048:360-A2048:361.

9802100087 SECY-98-020 Weekly info rept for wk ending 980130.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/02/06. 28pp. A2093:250-A2093:277.

9802120013 SECY-98-014 Provides Commission perspective on adjudicatory caseload & Commission role in adjudication from Jan-Dec 1997.
CORDES,J.F. Office of Commission Appellate Adjudication (Post 910701). 98/01/30. 31pp. A2142:001-A2142:032.

9802120032 Submits preliminary results of NRC special projects ofc tier 2 (accident mitigation review) & tier 3 (changes process review) portions of independent CA verification program oversight activities for plant,Unit 3 as in SECY-97-003.
IMBRO,E.V. . 98/02/06. BOWLING,M.L. Northeast Nuclear Energy Co. 6pp. A2141:025-A2141:030.

9802120034 Commission voting record on SECY-97-304 re Response to SRM: SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operators."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/04. 2pp. A2141:015-A2141:024.

–9802120040 Notation vote response sheet approving w/comments SECY-97-304,response to SRM:SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operators."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/16. HOLYE,J.C. Office of the Secretary of the Commission. 2pp. A2141:017-A2141:018.

–9802120049 Notation vote response sheet approving w/o comments SECY-97-304,Response to SRM:SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operators."
DICUS,G.J. Commissioners (Post 750119). 98/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2141:019-A2141:019.

–9802120056 Notation vote response sheet approving w/comments SECY-97-304,Response to SRM:SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operations."
DIAZ,N.J. Commissioners (Post 750119). 98/01/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2141:020-A2141:020.

--**9802120058** Notation vote response sheet approving w/comments SECY-97-304,Response to SRM:SECY-97-144, "Potential Policy Issues Raised by Non-Owner Operations."
MCGAFFIGAN,E. Commissioners (Post 750119). 98/01/20. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2141:021-A2141:024.

9802120052 SECY-98-019 Informs Commission of status of litigation in court for CY97.Rept updating NRC court litigation since last rept dtd 970117 (SECY-97-016) encl.
CORDES,J.F. Solicitor (Post 860701). 98/02/04. 10pp. A2142:168-A2142:177.

9802120070 Commission voting record on SECY-97-251 re proposed rule on nuclear power reactor decommissioning costs.
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/04. 2pp. A2141:003-A2141:014.

--**9802120073** Notation vote response sheet disapproving w/comments SECY-97-251, "Proposed Rule on Nuclear Reactor Decommissioning Costs."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/05. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2141:005-A2141:006.

--**9802120077** Notation vote response sheet approving w/comments SECY-97-251, "Proposed Rule on Nuclear Power Reactor Decommissioning Costs."
DICUS,G.J. Commissioners (Post 750119). 97/11/10. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2141:007-A2141:007.

--**9802120080** Notation vote response sheet disapproving w/comments SECY-97-251, "Proposed Rule on Nuclear Power Reactor Decommissioning Costs."
DIAZ,N.J. Commissioners (Post 750119). 98/01/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2141:008-A2141:008.

--**9802120085** Notation vote response sheet approving w/o comments SECY-97-251, "Proposed Rule on Nuclear Power Reactor Decommissioning Costs."
DIAZ,N.J. Commissioners (Post 750119). 97/11/11. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2141:009-A2141:009.

--**9802120088** Notation vote response sheet disapproving w/comments SECY-97-251, "Proposed Rule on Nuclear Power Reactor Decommissioning Costs."
MCGAFFIGAN,E. Commissioners (Post 750119). 98/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2141:010-A2141:014.

9802120156 SECY-97-299 Informs Commission that NRC has determined that testing nuclear-grade activated charcoal to stds other than ASTM D3803-1989, "Std Test Method for Nuclear-Grade Activated Carbon," does not provide assurance re GDC 19 of App A.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/24. 28pp. A2142:335-A2142:357.

9802120157 Staff requirements memo re SECY 97-251, "Proposed Rule on Nuclear Power Reactor Decommissioning Costs."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/05. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. A2141:001-A2141:002.

9802120163 Staff requirements memo re SECY-97-304, "Response to SRM:SECY-97-144, 'Potential Policy Issues Raised by Non- Power Operators.'"
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/05. CALLAN,L.J. Ofc of the Executive Director for Operations. FUNCHES,J.L. NRC - No Detailed Affiliation Given. 2pp. A2154:091-A2154:092.

9802120173 SECY-97-251 Requests Commission approval to publish in FR,proposed rule on nuclear power reactor decommissioning cost requirements.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/10/24. 32pp. A2143:064-A2143:097.

9802120177 Staff requirements memo re SECY-97-299, "Lab Testing of Nuclear-Grade Activated Charcoal."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/05. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. A2164:088-A2164:088.

9802120193 SECY-97-304 Presents staff plans for issues raised by Commission in SRM of 970829 on SECY 97-144, "Potential Policy Issues Raised by Non-Owner Operators."
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/31. 8pp. A2143:100-A2143:107.

9802180206 SECY-98-017 Weekly info rept for wk ending 980206.
BLAHA,J.L. Assistant for Operations (Post 890205). 98/02/11. 27pp. A2182:076-A2182:102.

9802250120 SECY-97-288 Requests approval of final draft ltr to President of Senate & Speaker of House forwarding AO rept for FY97 & final draft of "Rept to Congress on AOs,FY97."
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/12/15. 35pp. A2326:213-A2326:247.

9802250125 Staff requirements memo re SECY-97-288, "Rept to Congress on Abnormal Occurrences for FY97."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/06. CALLAN,L.J. Ofc of the Executive Director for Operations. 4pp. A2324:348-A2324:351.

9802250188 Commission voting record on SECY-97-288 re rept to Congress on abnormal occurrences for FY97.
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/06. 2pp. A2345:202-A2345:224.

--**9802250190** Notation vote disapproving w/comments SECY-97-288, "Rept to Congress on Abnormal Occurrences for FY97."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2345:204-A2345:205.

--**9802250195** Notation vote disapproving w/comments SECY-97-288, ,"Rept to Congress on Abnormal Occurrences for FY97."
DICUS,G.J. Commissioners (Post 750119). 97/12/31. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. A2345:206-A2345:207.

--**9802250200** Notation vote approving w/o comments SECY-97-288, "Rept to Congress on Abnormal Occurrences for FY97."
DIAZ,N.J. Commissioners (Post 750119). 98/01/07. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2345:208-A2345:208.

--**9802250204** Notation vote approving w/comments SECY-97-288, "Rept to Congress on Abnormal Occurrences for FY97."
MCGAFFIGAN,E. Commissioners (Post 750119). 98/01/06. HOYLE,J.C. Office of the Secretary of the Commission. 12pp. A2345:209-A2345:224.

9802260118 Staff requirements memo re affirmation session on 980219 in Rockville,MD concerning SECY-98-005 & SECY-98-005A.
HOYLE,J.F. Office of the Secretary of the Commission. M980129B. 98/02/25. CYR,K.D. Office of the General Counsel (Post 860701). CORDES,J.F. Office of Commission Appellate Adjudication (Post 910701). 1p. A2347:050-A2347:057.

9802260148 Staff requirements memo re SECY-98-006, "Proposed Agreement for Cooperation Between US & Romania."
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/18. STOIBER,C.R. Office of International Programs (Post 911117). 1p. A2347:011-A2347:011.

9802270306 Staff requirements memo re SECY-97-274, "Response to Request for Reconsideration or Delay of Implementation of Portion of Final Policy Statement on Restructuring & Economic Deregulation of Electric Utility Industry."
HOYLE,J.C. Office of the Secretary of the Commission. 98/01/20. CALLAN,L.J. Ofc of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 860701). 2pp. A2367:246-A2367:247.

9802270309 SECY-98-025 Responds to 971211 request,providing discussion of actions underway to prepare RG,current status of guide & revised schedule for implementing final rule on radiological criteria for license termination.
CALLAN,L.J. Ofc of the Executive Director for Operations. 98/02/17. 7pp. A2370:158-A2370:164.

STATE PROG STATE PROGRAMS

9802020005 Responds to 971203 ltr re NRC review of Maine regulations relating to Agreement State Program.Rulemaking procedures will be undertaking early spring.Final adoption expected by end of July 1998.
TOPPAN,W.C. Maine, State of. 98/01/13. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. A2006:138-A2006:138.

9802020006 Forwards copy of 971212 ltr from NRC Chairman Jackson to EPA Administrator Browner re reauthorization of Comprehensive Environ,Response,Compensation & Liability Act of 1980.
BANGART,R.L. Office of State Programs (Post 911117). 98/01/27. General. 2pp. A1978:240-A1978:250.

9802020019 Ack receipt of 971219 ltr responding to comments & recommendations for Intergrated Matl Performance Evaluation Program.
THOMPSON,H.L. Ofc of the Executive Director for Operations. 98/01/13. SYLVA,Y. Nevada, State of. 4pp. A1978:253-A1978:259.

--**9802020027** Expresses appreciation for giving Nevada State Div an opportunity to review 1997 Nevada Integrated Matl Performance Evaluation Program rept.Forwards responses to recommendations 1,2 & 4.
SYLVA,Y. Nevada, State of. 97/12/19. THOMPSON,H.L. Ofc of the Executive Director for Operations. 3pp. A1978:257-A1978:259.

9802020025 Informs of permissibility to place documents provided by State of OH as part of Agreement State application in NRC PDR,per 980127 telcon.
SUPPES,R.L. Ohio, State of. 98/01/27. BANGART,R. Office of State Programs (Post 911117). 1p. A1982:001-A1984:189.

--**9802020026** Responds to 971219 ltr from P Lohaus re schedule for submitting complete draft of Ohio application for Agreement State Status.Agreement will be signed & in effect no later than 981231.
SUPPES,R.L. Ohio, State of. 98/01/23. BANGART,R. Office of State Programs (Post 911117). 1p. A1982:002-A1982:002.

--**9802020032** Draft, "Application for Agreement State Status," including "Program Narrative," Vol 3, "Apps - Attachments & Vol 2, "Exhibits."
* Ohio, State of. 98/01/23. 915pp. A1982:003-A1984:189.

9802020036 Forwards amend 17 to State of NV license 13-11-0043-02.Amend transfers license from US Ecology,Inc,to State of NV.
MARSHALL,S.R. Nevada, State of. 98/01/09. BANGART,R.L. Office of State Programs (Post 911117). 4pp. A1978:273-A1978:276.

9802020049 Responds to 971114 All Agreement States ltr (SP-97-080) re formerly licensed sites & jurisdiction for remaining residual matls.Agrees that Agreement State regulations,stds, & guidelines applicable to residual radioactive matl.
MERGES,P.J. New York, State of. SP-97-080. 98/01/14. BANGART,R. Office of State Programs (Post 911117). 2pp. A2006:153-A2006:154.

9802020061 Discusses final rept on follow-up IMPEP review of Nebraska Radiation Control Program,dtd 971210.Response to recommendations 2-5 submitted.
DUNNING,G. Nebraska, State of. 98/01/10. BANGART,R.L. Office of State Programs (Post 911117). 2pp. A1978:280-A1978:281.

9802020064 Responds to 971114 ltr,announcing NRC taking position that Agreement States now responsible for any radioactive matl or radioactive contamination remaining at site formerly regulated by NRC in States.
ALDRICH,R. New York, State of. 98/01/20. BANGART,R.L. Office of State Programs (Post 911117). 2pp. A1978:282-A1978:283.

9802020068 Informs that on 971218,Chairman Jackson notified Governor Johnson about Commission action re New Mexico decision to relinquish authority to regulate sealed source & device evaluations.Recommends providing public notice to licensees.
BANGART,R.L. Office of State Programs (Post 911117). 98/01/09. GARCIA,B. New Mexico, State of. 2pp. A2006:162-A2006:167.

9802020076 Transmits State Agreements Program info (SP-98-005) which includes draft rev to Management Directive & Handbook 5.6, Part IV on IMPEP.Requests comments by thirty days from receipt of ltr.
BANGART,R.L. Office of State Programs (Post 911117). SP-98-005. 98/01/26. General. 10pp. A2006:176-A2006:202.

--**9802020087** Informs of completed review of draft rev to IMPEP assessment per 970630 SRM & offers concurrence w/recommendation that Section "Heightened Oversight W/o Probation" be modified to delete refs to probationary status.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/22. BANGART,R.L. Office of State Programs (Post 911117). 1p. A2006:186-A2006:186.

--**9802020098** Forwards for review & comments draft rev to Part IV of IMPEP Handbook 5.6 which incorporates guidance for MRB & addl experience from Nebraska & New Mexico IMPEP reviews.
BANGART,R.L. Office of State Programs (Post 911117). 98/01/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 16pp. A2006:187-A2006:202.

9802020077 Forwards follow-up consultant rept of dose assessment for possible Am-241 exposure in July 97,at Isotope Products Lab, Burbank,CA,indicating "no additional exposure occurred."
BOLDENWEG,P. California, State of. 98/01/21. Office of State Programs (Post 911117). 6pp. A1978:293-A1978:298.

9802020108 Offers no comments re proposed regulations R313-12,General Provision,R313-15,Stds for Protection Against Radiation, R313-18,Notices,Instructions & Repts to Workers by Licensees or Registrants Insps,R313-25 & R313-32.
LOHAUS,P.H. Office of State Programs (Post 911117). 98/01/26. SINCLAIR,W. Utah, State of. 4pp. A1977:001-A1977:235.

--**9802020114** Informs that Div of Radiation Control currently working on number of rule-making actions which are compatibility items. Proposes to change R313-12,R313-15,R313-18,R313-25 & R313-32.Expects to finalize & adopt rules about 980123.
SINCLAIR,W.J. Utah, State of. 97/11/24. HACKNEY,C. Office of State Programs (Post 911117). 32pp. A1977:005-A1977:036.

--**9802020119** Informs of completion of review of Utah Part 61 regulations amends & finds no incapabilities w/proposed amends.Unable to find listed sections in R313-25.
RAKOVAN,L. NRC - No Detailed Affiliation Given. 97/12/18. SALOMON,S.N. NRC - No Detailed Affiliation Given. 6pp. A1977:037-A1977:042.

--**9802020124** Ack receipt of e-mail on preliminary results on OSP review on rulemaking action.Provides answer to each comment re R313-32 & R313-12.
JONES,C. Utah, State of. 98/01/07. SALOMON,S.N. NRC - No Detailed Affiliation Given. 2pp. A1977:043-A1977:044.

--**9802020131** Forwards preliminary results from OSP staff review of R313-32 & R313-12.
SALOMON,S. NRC - No Detailed Affiliation Given. 98/01/05. JONES,C. Utah, State of. 1p. A1977:045-A1977:045.

--**9802020140** Informs of completion of review of Utah regulations R313-32 & R313-12.Finds both sections compatible w/only few minor comments (typos).
BOLLING,L. NRC - No Detailed Affiliation Given. 97/12/22. SALOMON,S.N., USILTON,B.G. NRC - No Detailed Affiliation Given. 107pp. A1977:046-A1977:156.

--**9802020144** Confirms understanding that S Salomon will consolidate Utah review (#7S326).Reviewed sections R313-15 & R313-18.Finds sections compatible & offer no comments.
O'BRIEN,T. NRC - No Detailed Affiliation Given. 97/12/18. SALOMON,S., USILTON,B.G. NRC - No Detailed Affiliation Given. 37pp. A1977:157-A1977:235.

9802020225 Forwards US NRC procedures for low-level waste disposal records retention.W/o encl.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/01/27. AUTRY,V.R. South Carolina, State of. 5pp. A2015:225-A2015:229.

9802020260 Forwards copy of environ analysis rept phase IV for operations anticipated in next two years at Kerr-McGee Corp West Chicago facility.
COLLINS,S.C. Illinois, State of. 98/01/26. BANGART,R. Office of State Programs (Post 911117). 1p. A2061:055-A2062:005.

9802030002 Forwards document, "Integrated Matl Performance Evaluation Program Questionnaire." Responses requested to be sent by internet or return disk by 980320.
BLANTON,R.L. Office of State Programs (Post 911117). 98/01/21. WHATLEY,K. Alabama, State of. 12pp. A1985:162-A1985:173.

9802030006 Informs of recent word from B Nicholas that contract for environ monitoring in vicinity of Fort St Vrain Nuclear Gererating Station will not be renewed.
QUILLIN,R.M. Colorado, State of. 98/01/13. MERSCHOFF,E.W. NRC - No Detailed Affiliation Given. 2pp. A1978:353-A1978:354.

9802030012 Transmits State Agreements program info SP-98-004,re technical training division manuals.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-98-004. 98/01/21. General. 3pp. A1978:355-A1978:357.

9802030032 Forwards recently completed audit of financial assurance records.Determined that NRC in possession of financial assurance instruments for 46 former NRC licensees currently licensed by Commonwealth of Massachusetts.
BLOUGH,A.R. Region 1 (Post 820201). 98/01/22. HALLISEY,R. Massachusetts, Commonwealth of. 5pp. A1985:178-A1985:182.

9802030041 Forwards report re integrated matls performance evaluation program review of New Mexico Agreement State program. Follow-up review will be scheduled for July 1998.
THOMPSON,H.L. NRC - No Detailed Affiliation Given. 97/12/30. WEIDLER,M.E. New Mexico, State of. 3pp. A1979:001-A1979:269.

--**9802030044** "Integrated Matls Performance Evaluation Program Review of New Mexico Agreement State Program," for period 970714-18.
* NRC - No Detailed Affiliation Given. 97/12/30. 48pp. A1979:002-A1979:269.

9802030056 Safety insp on 980107 of Texas license L02116.Insp findings: no violations noted.
LEONOLDI,R. Region 4 (Post 820201). ADAMS,M.W. Shell Oil Co. 98/01/07. 1p. A1985:174-A1985:174.

9802030078 Safety insp on 980107 of Texas license L03795.Insp findings: no violations noted.
LEONORDI,R. Region 4 (Post 820201). WILSON,H.L. Independent Testing Laboratories, Inc. 98/01/07. 1p. A1985:176-A1985:176.

9802030079 Safety & compliance insp on 980108 of Texas license L02143. Insp findings:no violations identified.
LEONARDI,R.A. Region 4 (Post 820201). SPAIN,S. BIX Testing Laboratories. 98/01/08. 1p. A1985:177-A1985:177.

9802030083 Safety & compliance insp on 980108 of Texas license L04-339. Insp findings:no violations identified.
LEONARDI,R.A. Region 4 (Post 820201). FOX,G. Texas, State of. 98/01/08. 1p. A1985:183-A1985:183.

9802030086 Expresses concern re Private Fuel Storage (PFS) LLC effort in UT to site ISFSI on Goshute Skull Valley Indian Reservation.Documents that will be used to determine completeness of initial application of PFS,requested.
NIELSON,D.R. Utah, State of. 97/05/02. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 7pp. A2020:070-A2020:076.

9802040055 Forwards insp rept 15000016/97-03 on 971212 & 18.Apparent violation involving 3 instance of failure to submit "Rept of Proposed Activity in Non-Agreement States" 3 days in advance of activities,being considered for enforcement action.
COLLINS,D.M. Region 2 (Post 820201). 15000016/97-03. 98/01/23. VANDEVELDE,J. Ground Engineering, Inc. (formerly STS Engineering, Inc.). 3pp. A1997:033-A1997:051.

--**9802040064** Insp rept 15000016/97-03 on 971212 & 18.Apparent violation being considered for enforcement action.Major areas inspected:reviews of mgt oversight,organization of licensed program & activities conducted in NRC jurisdiction in 1997.
* Region 2 (Post 820201). 98/01/23. 16pp. A1997:036-A1997:051.

9802040349 Informs of cancellation of statement of intent,dtd 950905, accompanying amended license application for MDNR-owned portion of Hartley & Hartley Landfill.
WU,C.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/01/21. SOBEL,K. Michigan, State of. 5pp. A2031:207-A2031:211.

9802040362 Submits responses to draft comments of Kansas final 10CFR20 rule.
COOPER,V.L. Kansas, State of. 98/01/21. LOHAUS,P.H. Office of State Programs (Post 911117). 2pp. A2000:207-A2000:208.

9802040405 Forwards follow-up rept on 971217 brachytherapy misadministration involving underdose of I-125,at M Reese Hosp in Chicago,IL.
SANZA,B. Illinois, State of. 98/01/29. Office of State Programs (Post 911117). 4pp. A1997:350-A1997:353.

9802040406 Forwards schedule re proposed timeline for Agreement State status,per 971219 request.
BRODERICK,M. Oklahoma, State of. 98/01/26. BANGART,R. Office of State Programs (Post 911117). 2pp. A1999:338-A1999:339.

9802040407 Forwards public notice re New Mexico decision to relinquish authority to regulate sealed source & device evaluation & background file relevent to evaluations issued for sealed sources & devices,per 970109 request.
FLOYD,W.M. New Mexico, State of. 98/01/21. BANGART,R.L. Office of State Programs (Post 911117). 71pp. A1997:201-A1997:271.

9802040408 Requests that ltr be accepted as formal resignation by State of IA from informal coalition known as Organization of Agreement States,per 980107 conversations w/recipient & R Quillan.
FLATER,D.A. Iowa, State of. 98/01/28. FLETCHER,R.G. Maryland, State of. 1p. A2000:109-A2000:109.

9802040412 Forwards first of requested bi-monthly progress repts addressing IMPEP team suggestions & recommendation,per 971230 request from HL Thompson.
FLOYD,W.M. New Mexico, State of. 98/01/21. BANGART,R.L. Office of State Programs (Post 911117). 13pp. A2000:110-A2000:122.

9802040425 Responds to 971222 ltr which requested that NRC present root cause/incident investigation workshop (G-205) in New England area.Tracking budget does not contain addl funds for presentation of addl G-205.
BANGART,R.L. Office of State Programs (Post 911117). 98/01/28. HALLISEY,R.M. Massachusetts, Commonwealth of. 1p. A2000:123-A2000:134.

--**9802040430** Informs of concurrence in ltr to State of MA & have no comments.
RAGLIN,K. NRC - No Detailed Affiliation Given. 98/01/27. RICCI,J.L., REIDINGER,L.J. NRC - No Detailed Affiliation Given. 2pp. A2000:124-A2000:126.

--**9802040434** Seeks assistance in interest of new Federal-State partnership,in assisting State of MA & other New England states in training initiatives.Consideration should be given to conducting training course in Jan,Feb or Mar 1998.
HALLISEY,R.M. Massachusetts, Commonwealth of. 97/12/22. BANGART,R.L. Office of State Programs (Post 911117). 2pp. A2000:127-A2000:134.

9802040435 Forwards final minutes of New Mexico follow-up 971211 Mgt Review Board meeting.
SCHNEIDER,K.N. Office of State Programs (Post 911117). 98/01/30. THOMPSON,H. Ofc of the Executive Director for Operations. BANGART,R. Office of State Programs (Post 911117). PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 4pp. A1997:354-A1997:357.

9802040437 Forwards comments on proposed Massachusetts regulations against compatibility & health & safety categories.
LOHAUS,P.H. Office of State Programs (Post 911117). 98/01/28. HALLISEY,R.M. Massachusetts, Commonwealth of. 6pp. A1997:272-A1997:334.

--**9802040439** Forwards draft rev of Massachusetts Regulations 105 CMR 120.77, "Transportation of Radioactive Matl," for review & comment.
HALLISEY,R.M. Massachusetts, Commonwealth of. 97/10/01. LOHAUS,P.H. Office of State Programs (Post 911117). 59pp. A1997:278-A1997:334.

9802050096 Forwards groundwater monitoring rept & monitoring well analytical results for 971001-1231,as required by Discharge Plan 362.
LUTHIGER,P. Quivira Mining Co. 98/01/23. EVERETT,K.Y. New Mexico, State of. 3pp. A2085:358-A2085:360.

9802050103 Forwards semi-annual monitoring rept for alluvial monitoring sys covering second half of 1997,as required by Discharge Plan 169.
LUTHIGER,P. Quivira Mining Co. 98/01/23. EVERETT,K.Y. New Mexico, State of. 2pp. A2078:356-A2078:357.

9802050236 Forwards general info & Form 2C info required for renewal of Sequoyah NPDES permit TN002650,which expires on 980831.
BAJESTANI,M. Tennessee Valley Authority. 98/01/15. STEWART,P., WHALEN,T. Tennessee, State of. 119pp. A2085:229-A2085:347.

9802050361 Comment on press releases PR-98-16 & PR-98-17 re year 2000 plant computer clock issue.
ROBERTS,J. New York, State of. 62FR4498 00001. 98/02/02. DROGGITIS,S. NRC - No Detailed Affiliation Given. 1p. A2010:212-A2010:213.

9802050372 Requests NRC interpretation of exemption contained in 10CFR30.12 & "Statements of Consideration" describing purpose for exemption & that interpretation include reasons for exemption & historical situation prompting exemption.
FLATER,D.A. Iowa, State of. 98/01/30. BANGART,R.L. Office of State Programs (Post 911117). 2pp. A2087:351-A2087:352.

9802060137 Forwards rept outlining abandonment well logging source info concerning Halliburton Energy Svcs.Rept includes location & sources involved.
FONTENOT,M. Louisiana, State of. 98/01/28. LARKIN,P. NRC - No Detailed Affiliation Given. 6pp. A2039:114-A2039:121.

9802060209 Forwards spill rept for spill which occurred on 980121.Spill reported to P Burns by telephone on 980122.
FRENCH,P.S. Rio Algom Mining Corp. 98/01/28. HARMON,L. Wyoming, State of. 2pp. A2136:358-A2136:359.

9802060212 Forwards spill rept for spill which occurred on 980122.Spill reported by B Barns by telephone on 980123.
FRENCH,P.S. Rio Algom Mining Corp. 98/01/28. HARMON,L. Wyoming, State of. 2pp. A2135:359-A2135:360.

9802060223 Forwards 1997 fourth quarter/annual rept for Rio Algom Mining Corp deep disposal well.Pressure falloff bottom hole survey & pressure falloff survey analysis forwarded per 971219 request.
FERDINAND,B. Rio Algom Mining Corp. 98/01/27. LUCHT,R. Wyoming, State of. 1p. A2138:275-A2138:285.

9802090012 Discusses insp rept 15000027/97-01 on 970930-1125 & forwards notice of violation re failure to comply w/10CFR30.3.
SCARANO,R.A. Region 4 (Post 820201). 15000027/97-01. 98/02/04. WESTHOFF,T.J. Affiliation Not Assigned. 4pp. A2042:324-A2042:329.

-9802090019 Notice of violation from insp on 970930-1125.Violation noted:licensee failed to file form 241 prior to using nuclear gauges in Alaska.
* Region 4 (Post 820201). EA-97-614. 98/02/04. 2pp. A2042:328-A2042:329.

9802090166 Forwards NRC form 591, "Safety & Compliance Insp," conducted on 980115.No violations of NRC requirements were noted during insp.W/o encl.
DECKER,T.R. Region 2 (Post 820201). 15000031/98-01. 98/01/28. MICK,F. Affiliation Not Assigned. 1p. A2048:267-A2048:267.

9802090234 Ack receipt of 980115 ltr informing NRC of steps taken to correct violations noted in insp rept 15000019/97-01 on 971219.Finds that response meets requirements of 10CFR2.201.
DECKER,T.R. Region 2 (Post 820201). 15000019/97-01. 98/01/30. SEUSS,R. Johns Hopkins Univ., Baltimore, MD. 1p. A2042:193-A2042:193.

9802100004 Forwards matl re review of test pad construction certification data package for Bert Avenue Landfill.
PARKER,J.L. Ohio, State of. 98/01/23. ADAMS,T.G. B. Koh & Associates, Inc. 15pp. A2166:185-A2166:199.

9802100013 Informs that CoPhysics Corp activities were not conducted in full compliance w/NRC requirements,based on results of tritium contamination event in Farmingdale,NJ re insp rept 15000031/97-04.
MILLER,H.J. Region 1 (Post 820201). EA-98-007. 98/02/03. RAHON,T.E. Affiliation Not Assigned. 3pp. A2093:086-A2093:088.

9802100076 Safety & compliance insp on 971212 of license KY 201-412-51. Insp findings:no violations identified.
COLLINS,D.J. Region 2 (Post 820201). * Affiliation Not Assigned. 97/12/12. 1p. A2093:343-A2093:343.

9802100078 Informs of NRC Region II mgt changes that will be effective on 980215.Revised organization chart encl.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. FOLDESI,L.P. Virginia, Commonwealth of. 2pp. A2093:344-A2093:345.

9802100084 Safety & compliance insp on 971211 of license TN R-81001-G00.Insp findings:no violations identified.
COLLINS,D.J. Region 2 (Post 820201). * Nelson Engineering. 97/12/11. 1p. A2093:347-A2093:347.

9802100088 Informs of NRC Region II mgt changes that will become effective on 980215.Revised organization chart encl.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. BATAVIA,M.K. South Carolina, State of. 2pp. A2093:348-A2093:349.

9802100093 Safety & compliance insp on 980115 of New York license 2252-30034.Insp findings:no violations identified.
PELCHAT,J.M. Region 2 (Post 820201). * Affiliation Not Assigned. 98/01/28. 1p. A2095:122-A2095:122.

9802100096 Forwards revised organization chart for NRC Region II mgt changes that will be effective on 980215.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. ADAMS,R.E. Virgin Islands. 2pp. A2095:126-A2095:127.

9802100099 Forwards revised organization chart for NRC Region II mgt changes that will be effective on 980215.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. FRY,R.M. North Carolina, State of. 2pp. A2095:128-A2095:129.

9802100101 Forwards revised organization chart for NRC Region II mgt changes that will be effective on 980215.Revised organization chart encl.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. HILL,T. Georgia, State of. 2pp. A2095:130-A2095:131.

9802100102 Forwards revised organization chart for NRC Region II mgt changes that will be effective on 980215.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. PASSETTI,W.A. Florida, State of. 2pp. A2095:132-A2095:133.

9802100103 Forwards revised organization chart for NRC Region II mgt changes that will be effective on 980215.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. VOLPE,J. Kentucky, Commonwealth of. 2pp. A2095:134-A2095:135.

9802100110 Informs of NRC Region II mgt changes,effective 980215. Revised organization chart encl.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. DEBORD,B.L. West Virginia, State of. 2pp. A2095:137-A2095:138.

9802100114 Informs of NRC Region II mgt changes that will become effective on 980215.Revised organization chart encl.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. MOBLEY,M.H. Tennessee, State of. 2pp. A2095:151-A2095:152.

9802100117 Informs of NRC Region II changes,effective 980215. Revised organization chart encl.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. SALDANA,D. Puerto Rico, Commonwealth of. 2pp. A2095:156-A2095:157.

9802100121 Informs of NRC Region II mgt changes,effective 980215. Revised organization chart encl.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. AUTRY,V. South Carolina, State of. 2pp. A2095:158-A2095:159.

9802100122 Informs of NRC Region II mgt changes,effective 980215. Revised organization chart encl.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. GOFF,R.W. Mississippi, State of. 2pp. A2095:160-A2095:161.

9802100130 Provides info to explain & specify process by which staff will assess results *of independent corrective action verification program.*
TRAVERS,W.D. . 98/01/30. CONCANNON,T. Connecticut, State of. 7pp. A2095:266-A2095:272.

9802100157 Responds to 971215 ltr which clarifies UT position in allowing receipt of low-level & mixed radioactive waste from DOE at Envirocare of UT,Inc,facility in Clive,UT.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/01/27. LEAVITT,M.O. Utah, State of. 8pp. A2166:335-A2166:349.

-9802100164 Clarifies UT position in allowing receipt of low-level & mixed low-level radwaste from DOE at Envirocare of UT,Inc facility in Clive,UT.
LEAVITT,M.O. Utah, State of. 97/12/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. A2166:343-A2166:349.

9802100168 Forwards "License Termination/Site Transfer Protocol Between DOE & NRC." Protocol identifies areas of mutual coorperation,necessary for both DOE & NRC to assure smooth transition of U Mill Tailings Radiation Control Act of 1978.
PARK,J.R. Division of Waste Management (NMSS 940403). 98/02/03. BURNHAM,A. Colorado, State of. 7pp. A2166:233-A2166:239.

9802100181 Informs of NRC Region II mgt changes that will be effective on 980215.Revised organization chart encl.
WOODRUFF,R.L. Region 2 (Post 820201). 98/02/03. WHATLEY,K.E. Alabama, State of. 2pp. A2095:199-A2095:200.

9802110022 PNO-IV-98-008:on 980205,shield housing of fixed gauge containing 1.7 mCi of Co-60 had dropped several inches between midnight.Licensee uses Bertholdt Model LB300ML fixed gauges as level indicators.State of NE informed.
SHAFFER,M.R., MCLEAN,M.L. Region 4 (Post 820201). 98/02/10. 1p. A2213:231-A2213:231.

9802110174 Discusses review of South Carolina final Part 20 equivalent rules for compatibility w/10CFR20.
BATAVIA,M.K. South Carolina, State of. 98/01/29. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. A2095:230-A2095:230.

9802110178 Responds to 971223 ltr re NRC State Liason Officer program vacancy.
SEIF,J.M. Pennsylvania, Commonwealth of. 98/01/28. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2095:231-A2095:231.

9802110181 Confirms conversation re request to provide appropriate technical staff to meet w/State of CA representatives to review & comment on protocols for studying rainfall infiltration at proposed site for Ward Walley LLRW facility.
LISCHESKE,C. California, State of. 98/01/26. BANGART,R. Office of State Programs (Post 911117). 1p. A2095:232-A2095:232.

9802110185 Requests meeting to discuss Agreement State program & share programmatic info.Ltr confirms that meeting scheduled for 980304.Topics that will be discussed listed.
HORNOR,J.W. Region 4 (Post 820201). 98/01/29. BAILEY,E.D. California, State of. 4pp. A2095:233-A2095:236.

9802120089 Petitioners Eastern Navajo Dine Against U Mining & Southwest Research & Info Ctr response to Hydro Resources,Inc,request for extension of time.* Requests that Presiding Officer deny Hydro Resources,Inc,request.W/Certificate of Svc.
JORDAN,S.G. Southwest Research and Information Center. JORDAN,S.G. Affiliation Not Assigned. JORDAN,S.G. New Mexico, State of. #198 18771. ML. 98/01/28. Atomic Safety & Licensing Board Panel. 7pp. A2135:155-A2135:161.

9802120105 Informs NRC that NJ Department of Environmental Protections Bureau of Nuclear Engineering reviewed request made by PSE&G to NRC on 971211 re containment purging & has no comment.
TOSCH,K. New Jersey, State of. 98/01/23. Document Control Branch (Document Control Desk). 2pp. A2216:230-A2216:231.

9802120109 Informs NRC that NJ Dept of Environmental Protection's Bureau of Nuclear Engineering has reviewed request made by PSE&G to NRC on 971215 re license change request S97-27 & has no comments.
TOSCH,K.W. New Jersey, State of. 98/01/30. Document Control Branch (Document Control Desk). 2pp. A2216:232-A2216:233.

9802120153 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering staff reviewed request,seeking changes to various sections of App A TS Change Request 171 & has no comments.
TOSCH,K. New Jersey, State of. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2216:255-A2216:256.

9802120218 Submits rept of event that occurred on 980205.Monthly NMED update for December 1997 & January 1998.No events occurred that required reporting or concern to media.
HEARTY,B.P. Nebraska, State of. 98/02/05. Office of State Programs (Post 911117). 3pp. A2143:110-A2143:112.

9802130025 Confirms that transcribed predecisional enforcement conference will be held between NRC & Ground Engineering & Testing Svc,Inc,re NRC findings described in NRC insp 150-00016/97-03 on 980218.
COLLINS,D.M. Region 2 (Post 820201). 150-00016/97-03. 98/02/05. VANDEVELDE,J. Ground Engineering, Inc. (formerly STS Engineering, Inc.). 2pp. A2164:069-A2164:070.

9802130115 NPDES noncompliance notification:on 980123,trichloroethylene leak occurred at plant due to failed pressure indicating gauge.Area containing leak isolated & emergency response vendor summoned to provide qualified hazardous matl team.
MYERS,L.W. Centerior Energy. PY-CEI/OEPA-02. 98/02/04. Ohio, State of. 2pp. A2230:358-A2230:359.

9802170096 Provides info concerning forthcoming shipment of irradiated nuclear reactor fuel by CP&L.Radioactive matl in IF-300 series shipping cask,cask id no USA/9001/B(F;s/n IF-303, s/n IF/304.
HINNANT,S. Carolina Power & Light Co. B10-13020. 97/12/02. STROUD,T.C. North Carolina, State of. 3pp. A2181:328-A2181:330.

9802170103 Rev 10,Vol 50 to "State of NH Radiological Emergency Response Plan." * New Hampshire, State of. 97/12/01. 14pp. A2216:326-A2216:338.

9802170146 Ack receipt of 971218 ltr re decommissioning funding obligations of Great Bay Power Corp & legislation introduced to complement accelerated decommissioning funding payment schedule recently proposed by Great Bay Power Corp.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/02/03. HOLLINGWORTH,B. New Hampshire, State of. 1p. A2212:288-A2212:293.

9802180092 Forwards amended table which includes Sr-90 data re final survey of soils at 001 outfall.Conclusion that survey results meet soils acceptance criteria has not changed.
MCGOVERN,J.J. Cintichem, Inc. 98/01/28. YOUNGBERG,B. New York, State of. 3pp. A2241:353-A2241:357.

9802180129 Responds to 971118 ltr,providing notification of public comment period on draft documents developed by Nebraska LLRW program on US Ecology application for proposed LLRW disposal facility.No comments provided.
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/04. SCHOR,D.P. Nebraska, State of. 1p. A2195:349-A2195:350.

-9802180137 Extends invitation to comment on draft documents entitled, "Environ Impact Analysis," & "SER" re US Ecology application to construct,operate & close disposal facility near community in Butte,NE.
SCHOR,D.P. Nebraska, State of. 97/11/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. A2195:350-A2195:350.

9802180159 Forwards Cintichem final status survey plan & rept,per section 7 of licensee radiopharmaceutical facilities decommissioning plan.W/o encl.
MCGOVERN,J.J Cintichem, Inc. 98/01/19. ALDRICH,R. New York, State of. 1p. A2243:023-A2243:023.

9802190129 Provides comments on 940308 liner compatibility rept submitted in compliance w/part I.I.8 of ground water discharge permit.
MORTON,L.B. Utah, State of. 98/01/06. COPELAND,G. Envirocare of Utah, Inc. 5pp. A2258:073-A2258:077.

9802200014 Informs that OH Dept of Health,Bureau of Radiation Protection fully supports cooperative approach between NRC & state of OH,in response to 961213 ltr.
SUPPES,R.L. Ohio, State of. 97/02/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. A2270:126-A2270:126.

9802200025 Requests clarification of one issue discussed in 971020 ltr re properties containing slag from former Foote Mineral Co Plant in Cambridge,OH.
MONTGOMERY,B.D., SHIMEALL,K.M. Ohio, State of. 97/11/25. PATTERSON,D.J. Beveridge, Fairbanks & Diamond. 2pp. A2270:095-A2270:096.

9802200051 Informs of state of OH EPA current understanding re off-site radioactive slag contamination from Shieldalloy facility in Guernsey County.
CARLSON,J. Ohio, State of. 97/02/20. SUPPES,R. Ohio, State of. 2pp. A2270:326-A2270:327.

9802200070 Provides info on forthcoming shipment of irradiated nuclear reactor fuel by CP&L.Shipment consists of radioactive matl in IF-300 series shipping casks,cask id no USA/9001/B(F,s/n IF-303,s/n IF/304 to Harris Nuclear Plant.
HINNANT,S. Carolina Power & Light Co. L22557. 98/01/09. STROUD,T.C. North Carolina, State of. 3pp. A2251:274-A2251:276.

9802200098 Final response to FOIA request for documents.Records subj to request encl & identified in App A,being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 98/02/06. SHARP,M. Affiliation Not Assigned. 2pp. A2255:347-A2255:355.

-9802200136 Forwards amend 3 to license 04-00580-06,for docket 2700007. Amend authorizes transfer of radwaste to AEC designated land burial sites for disposal.
PRICE,H.L. Atomic Energy Commission (Pre 750119). 60/12/01. GRENDON,A. California, State of. 1p. A2255:350-A2255:351.

9802200194 Comment opposing petition for rulemaking PRM-50-63A re use of potassium iodide.
TOSCH,K. New Jersey, State of. 62FR66038 00074. 98/02/11. Docketing & Services Branch. 2pp. A2252:007-A2252:008.

9802200420 Documents 980204 meeting re regulatory requirements for monitoring total suspended solids as contained in facilities NPDES Permit PA0051926.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 98/02/09. POLLISON,D.P. New Jersey, State of. 3pp. A2320:079-A2320:081.

9802230062 Forwards application to modify permit UIC 89-030 to allow addition of two more injection wells,draft permit UIC 98-001 & public notice to be published on 980123.Comments on proposed permit,requested.W/field log & oversize drawings.
LUCHT,R. Wyoming, State of. 98/01/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 205pp. A2432:001-A2432:211.

9802230121 Ack receipt of Rept of Proposed Activities in Non-Agreement Stated,dtd 980105.Kentucky license 201-169-005 recognized as valid for use in Non-Agreement States & areas of exclusive Federal Legislative Jurisdiction.
COLLINS,D.J. Region 2 (Post 820201). 98/01/23. HAYES,D.J. Hayes Testing Laboratory. 2pp. A2268:141-A2268:142.

9802230137 Forwards comments & responses to first round of comments on submittal TFN 3 6/142,non-significant rev,Rio Algom Mining Corp.
CASH,G.A. Wyoming, State of. 97/10/22. FRENCH,P. Rio Algom Mining Corp. 11pp. A2328:323-A2328:333.

9802230156 Addresses understanding of licensing for Crow Butte Resources,Inc license SUA-1534.Appreciated opportunity to consult on cultural resources within purview of licensing.
PUSCHENDORF,L. Nebraska, State of. 98/01/30. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. A2327:353-A2327:353.

9802230169 State of UT reply to NRC staff & applicant responses to State of UT contentions EE & GG & notice of withdrawal of contention FF.* State does not accede to any of arguments made by applicant & staff.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18797. ISFSI. 98/02/11. Atomic Safety & Licensing Board Panel. 5pp. A2252:215-A2252:222.

9802230204 State of UT opposition to amended petition to intervene.* Board should reject amended petition because it is unjustifiably late & fails to meet NRC criteria for either standing.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18799. ISFSI. 98/02/13. Atomic Safety & Licensing Board Panel. 26pp. A2253:243-A2253:296.

-9802230211 Affidavit of WJ Sinclair.* Affidavit re Private Fuel Storage high level waste storage proposal for Skull Valley Reservation.
SINCLAIR,W.J. Utah, State of. ISFSI. 98/02/13. 31pp. A2253:266-A2253:296.

9802230208 Informs of designation of D Chancellor,Assistant Attorney General,to review & have access to safeguards info in possession of primary designee,WJ Sinclair.
LEAVITT,M.O. Utah, State of. 97/11/24. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. A2342:312-A2342:312.

9802230212 Partially withheld State of Utah reply to NRC Staff & applicant responses to Utah security plan contentions Security-A through Security-I.* All nine of security plan contentions should be admitted.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18803. ISFSI. 98/02/11. Atomic Safety & Licensing Board Panel. 3pp. A2252:357-A2252:360.

9802230320 Safety & compliance insp on 971126 of license 5363-01 (CA) Insp findings:no violations identified.
SKOV,D.D. Region 4 (Post 820201). * Affiliation Not Assigned. 97/11/26. 1p. A2268:182-A2268:182.

9802240199 Responds to concern referenced in 970926 ltr & which was discussed in 970730 meeting indicating that residents living near Advanced Medical Sys,Inc,attributing learning disabilities & incidents of cancer due to facility.
PEDERSON,C.D. Region 3 (Post 820201). 98/02/19. DODRILL,J.M. Ohio, State of. 3pp. A2279:104-A2279:106.

9802240312 Discusses inadvertent shipment of nuclear gauge from Pepsi- Cola Canada,that was intended for another location. CAL 1-98-01 was issued.Actions vendor plan to take or have taken submitted.Vendor required to follow listed direction.
BLOUGH,A.R. Region 1 (Post 820201). CAL-1-98-01. 98/02/17. SMITH,C. Affiliation Not Assigned. 3pp. A2286:309-A2286:311.

9802240318 Informs that Commission recently accepted staff recommendation to sunset independent radiation monitoring program as of 971231 & concludes that data not needed to support NRC insp program to ensure proper program maint.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 98/02/12. HUTCHISON,K.B. Senate. 1p. A2325:213-A2325:214.

-9802240333 Provides status of radiation monitoring cooperative agreement contract NR-31-83-671.Encourages agency to review accounting records & send invoice for any outstanding money owed.
MILLER,C.L. . NR-31-83-671. 98/01/09. RATLIFF,R.A. Texas, State of. 1p. A2325:214-A2325:214.

9802240323 Expresses appreciation for interesting briefing & tour that was given to all participants on 980126. "Info Handbook on ISFSI," encl.W/o encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 98/02/12. COMO,J.A. Utah, State of. 1p. A2349:337-A2349:337.

9802240426 Forwards spill rept for estimated release of 2242 gallons of injection fluid.Caused by mechanical failure at wellhead. Conducted investigation,review & determination of facts.
FRENCH,P.S. Rio Algom Mining Corp. 98/02/12. HARMON,L. Wyoming, State of. 2pp. A2366:020-A2366:021.

9802250080 Responds to Dept of Environ Quality NOV dtd 980107 re insp of Smith Ranch project on 971205.Corrective actions:routes to water loading facility & header house will continue to be used & completed stripping & placement of topsoil.
FERDINAND,B. Rio Algom Mining Corp. 98/02/09. CASH,G. Wyoming, State of. 2pp. A2358:360-A2358:361.

9802250181 Forwards comments on draft emergency planning requirements part P,for suggested state regulations.Comments provided on 970319 have not been resolved.NMSS especially concerned.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/02/20. LOHAUS,P.H. Office of State Programs (Post 911117). 3pp. A2324:358-A2324:360.

9802250211 State of UT comment on revs to contentions & proposed corrections to prehearing transcript.* State requests that encl changes be made to record.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18817. ISFSI. 98/02/17. Atomic Safety & Licensing Board Panel. 15pp. A2279:273-A2279:287.

9802250220 State of UT response to Castle Rock Land & Livestock,LC,et al non-application or waiver of Commission regulations,rules & general determinations." State files response in support of petition on 980121.W/Certificate of Svc.
CHANCELLOR,D. Utah, State of. #198 18822. ISFSI. 98/02/18. Atomic Safety & Licensing Board Panel. 34pp. A2279:298-A2279:330.

9802250224 ENDAUM & SRIC motion to strike NRC Staff response to stay motion." Petitioners respectfully request that Presiding Officer strike NRC Staff response to Petitioners stay motion from offical record of proceeding.W/Certificate of Svc.
JORDAN,S.G. New Mexico, State of. CURRAN,D. Harmon, Curran, Spielberg & Eisenberg, LLP. #198 18823. ML. 98/02/23. Atomic Safety & Licensing Board Panel. 7pp. A2279:331-A2279:337.

9802250266 PNO-II-98-008:on 970327,discovered misadministration occurred.Patient undergoing gamma knife radiation therapy had received dose 55% below intended.State of GA,where Elekta located notified.NRC following up to assure actions.
DECKER,T.R. Region 2 (Post 820201). 98/02/20. 1p. A2345:157-A2345:157.

9802250272 PNO-II-98-009:on 980219,licensee reported to GA Radioactive Matls Program that Troxler,Model 3401,moisture density gauge stolen from pick-up truck.Local police authorities have theft under investigation.NRC notified of event by State.
WOODDRUFF,R.L. Region 2 (Post 820201). 98/02/24. 1p. A2345:159-A2345:159.

9802250335 Responds to 971118 ltr,providing notification of public comment period on draft documents developed by NE LLRW program on US Ecology application for proposed LLRW disposal facility.No comment provided.
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/04. SCHOR,D.P. Nebraska, State of. 7pp. A2372:048-A2372:064.

-9802250344 Informs that ltr recently circulated would appear to fit bill here.
LOHAUS,P. NRC - No Detailed Affiliation Given. 97/12/08. KENNEDY,J. NRC - No Detailed Affiliation Given. 1p. A2372:054-A2372:054.

-9802250349 Informs that OGC has no legal objection to ltr.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 97/12/11. SALOMON,S., KENNEDY,J. NRC - No Detailed Affiliation Given. 4pp. A2372:055-A2372:060.

-9802250353 Informs that per ofc of Chairman,it is alright not to respond to 971118 ltr.
MOSSBURG,D. NRC - No Detailed Affiliation Given. 97/12/05. JENSEN,E.N. NRC - No Detailed Affiliation Given. 1p. A2372:061-A2372:061.

-9802250370 Informs that ticket is now for appropriate action,rather than definitely sending ltr to NE declining to comment on documents that had been previously sent.
KENNEDY,J. NRC - No Detailed Affiliation Given. 97/12/05. LYNN,B., NELSON,R. NRC - No Detailed Affiliation Given. 1p. A2372:062-A2372:062.

-9802250374 Informs that D Schor has been informed of previous conversation & decision to handle ltr as appropriate action. Ltr should read as listed & be prepared for J Hoyle signature.
MOSSBURG,D. NRC - No Detailed Affiliation Given. 97/12/05. JENSEN,E.N. NRC - No Detailed Affiliation Given. 1p. A2372:063-A2372:063.

-9802250377 Informs that response is still needed for ticket,per encl e-mail.Due dates have been changed as noted.
POLAND,C. NRC - No Detailed Affiliation Given. 97/12/08. LYNN,B.H., KENNEDY,J.E., NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. A2372:064-A2372:064.

9802250362 Forwards "Superfund Amends & Reauthorization Act" (SARA), section 312 rept for Perry Nuclear Power Plant.Rept lists hazardous substances stored or used in excess of ten thousand pounds.
MYERS,L.W. Centerior Energy. PY-CEI/OEPA-029. 98/02/19. Ohio, State of. 33pp. A2360:252-A2360:285.

9802250394 Discusses advisement of Agreement States in advance of performing insps.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 98/02/20. BLOUGH,A.R. Region 1 (Post 820201). COLLINS,D.M. Region 2 (Post 820201). PEDERSON,C.D. Region 3 (Post 820201). 2pp. A2342:066-A2342:067.

9802260173 Expresses appreciation for including New Jersey Dept of Environmental Protection on list of invitees to 1998 Regulatory Info Conference.D Zannoni & R Pinney will attend conference.
TOSCH,K. New Jersey, State of. 98/02/18. Document Control Branch (Document Control Desk). 1p. A2398:293-A2398:293.

9802260181 Informs that OPEA-DSIWM-NEDO has completed review of request & has concluded that proposed alterations are acceptable.
PARKER,J.L., PRINCIC,K. Ohio, State of. 98/02/17. ADAMS,T.G. B. Koh & Associates, Inc. 2pp. A2373:311-A2373:312.

9802260220 Discusses final reclamation plan for pond #2,Gas Hills site. TER,which is NRC staff formal documentation of acceptability of final reclamation plan for pond #2,as revised.NRC comments on preliminary design for Bullrush Heap Leach.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/13. MOXLEY,M. Wyoming, State of. 23pp. A2373:201-A2373:223.

9802260240 Forwards insp rept 50-193/98-201 on 980113-15.No noncompliance or safety concerns were identified.
WEISS,S.H. . 50-193/98-201. 98/02/13. TEHAN,T. Rhode Island, State of. 3pp. A2347:086-A2347:095.

9802260284 Discusses insp conducted on 971231 at SMI East Coast Medical Waste,Inc,in Morrisville,PA of activities that occurred following tritium contamination event on 971029 at Arthur Brisbane Child Treatment Center,Farmingdale,NJ.
BLOUGH,A.R. Region 1 (Post 820201). 98/01/21. SANFORD,C.P. Affiliation Not Assigned. 3pp. A2337:191-A2337:193.

9802270053 Submits notification of upcoming shipment of radioactive matl in IF-300 series shipping cask from Southport,NC to New Hill,NC.Info designated as safeguards info & shall be protected IAW provisions of 10CFR73.21.
HINNANT,S. Carolina Power & Light Co. B10-13020. 98/02/05. DALTON,S.M. North Carolina, State of. 3pp. A2396:001-A2396:003.

9802270206 Discusses 950630 compatibility of part 20 equivalent rules rept prepared by ORNL under contract to NRC,containing extensive commentary detailing ORNL review of Tennessee regulations equivalent to 10CFR20.
MOBLEY,M.H. Tennessee, State of. 98/02/06. LOHAUS,P.H. Office of State Programs (Post 911117). 3pp. A2370:070-A2370:072.

9802270209 Forwards "Integrated Matls Performance Evaluation Program Questionnaire," for use in evaluation of Agreement State Programs.Response requested by disk or internet by 980306.
SOLLENBERGER,D. Office of State Programs (Post 911117). 98/02/06. RIMAWI,K. New York, State of. 12pp. A2349:120-A2349:131.

9802270214 Forwards list of individuals designated by Governor to receive advance notification of transportation of certain shipments of nuclear waste & SF through State,as required by section 301 of Public Law 96-295.
BANGART,R.L. Office of State Programs (Post 911117). 98/02/21. General. 27pp. A2349:132-A2349:158.

9802270232 Responds to 970924 e-mail re issue of whether engineering being practiced in review & approval of equipment & facilities during matls licensing process.
LOHAUS,P.H. Office of State Programs (Post 911117). 98/02/09. FRAZEE,T.C. Washington, State of. 11pp. A2369:047-A2369:207.

-9802270237 Submits questions to NRC re engineering review requirements for Agreement States.State of WA expresses urgent need for 10CFR citations for ltr to state Board of Engineers.
FRAZEE,T. Washington, State of. 97/09/24. LOHAUS,P. Office of State Programs (Post 911117). 14pp. A2369:058-A2369:207.

9802270238 Transmits State Agreement program info SP-98-008 re YR 2000 computer issue.
BANGART,R.L. Office of State Programs (Post 911117). SP-98-008. 98/02/06. General. 3pp. A2370:084-A2370:086.

9802270241 ENDAUM & SRIC motion to strike NRC Staff response to stay motion." Requests that Presiding Officer strike staff response because response was served late,in violation of 980123 Presiding Officer Order.W/Certificate of Svc.
JORDAN,S.G. Southwest Research and Information Center. JORDAN,S.G. Affiliation Not Assigned. JORDAN,S.G. New Mexico, State of. #198 18829. ML. 98/02/23. Atomic Safety & Licensing Board Panel. 7pp. A2349:196-A2349:202.

9802270243 Expresses appreciation for State of Iowa hard work & dedication & encourages State of play action role in Organization of Agreement States.
FLETCHER,R.G. Organization of Agreement States. 98/02/12. FLATER,D.A. Iowa, State of. 1p. A2370:090-A2370:090.

9802270252 Expresses appreciation for ltr dtd 980206,which responds to 970312 ltr & original request to NRC Region 1 dtd 960229. Ltr resolves jurisdiction issue about Tonawanda,NY,formerly utilized sites remedial action program sites.
MERGES,P.J. New York, State of. 98/02/09. BANGART,R.L. Office of State Programs (Post 911117). 1p. A2370:094-A2370:094.

9802270253 Documents 980209 telcon between M Sharp,J Stratton,L Barrett & SL Kowalewski re property at 170 West Providence Street Burbank,CA.Requests that single point of contact within law firm be identified.
KOWALEWSKI,S.L. California, State of. 98/02/13. MCKEITH,M.H., SHARP,M. Affiliation Not Assigned. 3pp. A2370:095-A2370:099.

-9802270261 Discusses 971114 ltr from RL Bangart re sites formerly licensed by US AEC or US NRC.Requests that agency take immediate action to notify present owners of 60 California license sites identified as open.
BELSHE,S.K. California, State of. 98/01/20. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A2370:098-A2370:099.

9802270258 Ack receipt of 971231 ltr to Chairman Jackson re Nuclear Energy Advisory Council unanimous support of Community Decommissioning Advisory Committee,created to oversee decommissioning of Connecticut Yankee at Haddam Neck.
BANGART,R.L. Office of State Programs (Post 911117). 98/02/03. CONCANNON,T., WOOLLACOTT,E.W. Connecticut, State of. 4pp. A2349:217-A2349:222.

-9802270260 Expresses support of Community Decommissioning Advisory Committee created to oversee decommissioning of Connecticut Yankee at Haddam Neck.
CONCANNON,T., WOOLLACOTT,E.W. Connecticut, State of. 97/12/31. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. A2349:221-A2349:222.

9802270262 Forwards event rept KY-97-05 re misadministration at Caritas Medical Ctr on 971030.
JEFFS,V.D. Kentucky, Commonwealth of. KY-97-05. 98/01/26. LOHAUS,P. Office of State Programs (Post 911117). 3pp. A2349:223-A2349:225.

9802270264 Forwards event rept RI-98-101 re misadministration at Rhode Island Hosp on 971231.
MCMAHON,C.V. Rhode Island, State of. 98/02/13. Office of State Programs (Post 911117). 2pp. A2349:226-A2349:227.

9802270265 Forwards event rept FL-97-119 re 970327 gamma knife misadministration involving a 54% underdose to patient at Healthsouth Doctors Hospital,Inc,Coral Gable,FL.Reported to State on 971006.
STEPHENS,M.N. Florida, State of. FL-97-119. 98/02/19. Office of State Programs (Post 911117). 20pp. A2349:228-A2349:247.

9802270274 Expresses appreciation for 980119 ltr to Chairman Jackson, which transmitted correspondence & license amend from Nevada State Health Div that transfers license of Beatty LLW disposal facility from US Ecology,Inc to State of NV.
BANGART,R.L. Office of State Programs (Post 911117). 98/02/17. NAGEL,J. American Ecology Corp. 6pp. A2370:105-A2370:122.

-9802270276 Forwards correspondence & license amend from Nevada State Health Div affirming successful closure & stabilization of Beatty LLW disposal facility.
NAGEL,J. American Ecology Corp. 98/01/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. A2370:115-A2370:122.

9802270295 Requests comment from interested parites on technical & regulatory aspects of proposed GL re yr 2000 readiness of computer sys at NPPs.Comment period expires 980302.
BANGART,R.L. Office of State Programs (Post 911117). 98/02/04. General. 6pp. A2370:123-A2370:128.

9802270296 Forwards, "Integrated Matls Performance Evaluation Program Questionnaire," for program review on 980420-24.
SOLLENBERGER,D. Office of State Programs (Post 911117). 98/02/12. MERGES,P.J. New York, State of. 12pp. A2370:129-A2370:140.

9802270300 Ack receipt of 980121 progress rept addressing integrated matls performance evaluation program teams recommendations & suggestions for New Mexico radiation control program.
BANGART,R.L. Office of State Programs (Post 911117). 98/02/06. FLOYD,W.M. New Mexico, State of. 3pp. A2370:141-A2370:156.

9802270321 Requests that staff ask US Ecology,in coordination w/Portland General Electric Co,to perform comprehensive & defensible pathways analysis to demonstrate suitability of proposed wastes for disposal at Hanford disposal site.
BANGART,R.L. Office of State Programs (Post 911117). 98/01/30. ERICKSON,J.L. Washington, State of. 7pp. A2396:004-A2396:067.

9802270332 Forwards draft rept, "Integrated Matls Performance Evaluation Program Review of MA Agreement State Program 980112-16."
BANGART,R.L. Office of State Programs (Post 911117). 98/02/10. KOH,H.K. Massachusetts, Commonwealth of. 4pp. A2370:176-A2370:223.

--9802270334 Draft Rept, "Integrated Matls Performance Evaluation Program Review of MA Agreement State Program 980112-16."
* NRC - No Detailed Affiliation Given. 98/02/10. 44pp. A2370:180-A2370:223.

9802270333 Ack receipt of 980110 ltr responding to request for evaluation & response to Recommendations 2 through 5 of final rept on July 1997 follow-up IMPEP review of Nebraska Radiation Control Program.
BANGART,R.L. Office of State Programs (Post 911117). 98/02/05. DUNNING,G. Nebraska, State of. 5pp. A2370:315-A2370:321.

9802270335 Informs that OSP conducted brief review of draft Agreement State enabling legislation encl w/ltr dtd 980205.No significant problems identified re provisions.Offers comments re legislation.
BANGART,R.L. Office of State Programs (Post 911117). 98/02/13. BALL,J. Minnesota, State of. 27pp. A2349:251-A2349:284.

--9802270336 Requests that counsel review enabling legislation for Minnesota to become Agreement State.Informs that Governor unprepared to write formal ltr of intent to enter into agreement until legislation passed.Forwards copy of bill.
BALL,J.A. Minnesota, State of. 98/02/05. BANGART,R.L. Office of State Programs (Post 911117). 7pp. A2349:278-A2349:284.

9802270338 Transmits info for training course "Acceptance To Diagnostic & Therapeutic Nuclear Medicine (H-304)" to be held on 980323-27.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-98-012. 98/02/11. General. 16pp. A2349:285-A2349:300.

TOPREP TOPICAL REPORTS AND RELATED CORRESPONDENCE

9802020139 Notifies that 980129 meeting w/CEOG in Rockville,MD to discuss CEOG activities re analysis of moisture carryover during MSLB accident has been cancelled.Proposed agenda encl.
MAGRUDER,S.L. . 98/01/27. ESSIG,T.H. . 5pp. A1980:195-A1980:199.

9802020180 Forwards complete replacement of all typed pages to TS changes requested in ltr LCV-0849-E,as graphical error was found in TS Figure 4.3.1-2,Rev 3 to WCAP-14720,incorporating change,also enclosed.
WOODARD,J.D. Southern Nuclear Operating Co. LCV-0849-L. 98/01/27. Document Control Branch (Document Control Desk). 2pp. A1987:200-A1987:319.

--9802020183 WCAP-14720 R03 Rev 3 to WCAP-14720, "Vogtle Units 1 & 2 Spent Fuel Rack Criticality Analysis w/Credit for Soluble Boron."
BAKER,M.M., KAPIL,S.K., LESKO,J.R. Westinghouse Electric Corp. 98/01/31. 85pp. A1987:235-A1987:319.

9802020189 Forwards request for addl info re B&W Owners Group 970514 submittal of BAW-2241P, "Fluence & Uncertainty Methodologies." Response requested by 980227.
BIRMINGHAM,J.L. . TAC M98962. 98/01/30. KELLY,J.J. BWR Owners Group. KELLY,J.J. FRAMATOME. 4pp. A1967:023-A1967:026.

9802030001 NEDC-32790 "Peach Bottom 2 & 3 - Recirc Piping Reanalysis Uniform Support Motion (Reg Guide 1.60 Free-Field Motion & ASME Code Case N-411 Damping)."
HENRIE,D.K. General Electric Co. 97/10/31. 80pp. A2015:252-A2015:333.

9802030025 Forwards proprietary preliminary responses to RAI re TR WCAP-14449-P, "Application of Best Estimate Large Break LOCA Methodology to W PWRs W/Upper Plenum Injection." Proprietary response withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-98-5536. 98/01/22. Document Control Branch (Document Control Desk). 2pp. A2020:077-A2020:078.

9802040070 Requests addl info re util 971002 submittal of responses to NRC RAI on WOG WCAP-13877,for extending surveillance interval for slave relay testing.
MARTIN,R.E. . TAC M94425. 98/01/27. ZERINGUE,O.J. Tennessee Valley Authority. 3pp. A2006:310-A2006:312.

9802040159 Informs NRC that CPSES has agreed to provide lead plant license submittal to assist Caldon,Inc in review of leading edge flow meter technology submitted in TR ER-80P.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). TXX-98027. 98/01/30. Document Control Branch (Document Control Desk). 1p. A2031:312-A2031:312.

9802040370 Forwards non-proprietary Rev 1 to BAW-10226, "Alternate Repair Criteria for Volumetric Outer Diameter Intergranular Attack in Tubesheets of Once-Through SGs."
MIMS,D.C. Entergy Operations, Inc. 1CAN019805. 98/01/29. Document Control Branch (Document Control Desk). 2pp. A2036:001-A2036:134.

--9802040375 BAW-10226 R01 Non-proprietary "Alternate Repair Criteria for Volumetric Outer Diameter Intergranular Attack in Tubesheets of Once- Through SGs."
* Affiliation Not Assigned. 98/01/31. 132pp. A2036:003-A2036:134.

9802040389 Forwards SER accepting pressure temp limit curves & low temp overpressure protection sys limits methodology & pressure temp limits rept submitted by Commonwealth Edison Co.
CAPRA,R.A. . TAC M98800. 98/01/21. KINGSLEY,O.D. Commonwealth Edison Co. 6pp. A2004:319-A2004:337.

--9802040391 SER accepting pressure temp limits rept & methodology for relocation of reactor coolant sys pressure-temp limit curves & low temp overpressure protection sys limits for Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
* . 98/01/21. 13pp. A2004:325-A2004:337.

9802040447 Informs of review status of topical rept, "RODEX2A (BWR) Fuel Rod Thermal-Mechanical Evaluation Model:Fuel Assembly Exposure Evaluation," including Suppls 1 & 2 that Siemens Power Corp submitted in Sept 1996 & Aug 1997.
ESSIG,T.H. . 98/01/30. CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. A2006:325-A2006:326.

9802050089 Forwards proprietary responses 971021 RAI re amend 25 to GE TR NEDE-24011-P-A (GESTAR II), "Cycle-Specific Safety Limit MCPR." Proprietary response withheld,per 10CFR2.790.
WATFORD,G.A. General Electric Co. MFN-008-98. 98/01/28. WILSON,J.H. Document Control Branch (Document Control Desk). 5pp. A2087:126-A2087:130.

9802050175 Forwards non-proprietary Rev 0,Suppl 1 to EMF-1997(NP), "ANFB-10 Critical Power Correlation:High Local Peaking Results."
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:007. 98/01/30. . 5pp. A2027:199-A2027:227.

--9802050181 EMF-1997(NP)S01 R00 Non-proprietary Rev 0,Suppl 1 to EMF-1997(NP), "ANFB-10 Power Correlation:High Local Peaking Results."
MACDUFF,R.B., KEHELEY,T.H. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/01/31. 24pp. A2027:204-A2027:227.

9802060041 Forwards proprietary version of EMF-1997(P),rev 0,suppl 1, "ANFB-10 Critical Power Correlation:High Local Peaking Results," for coincident review.Encl withheld.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:007. 98/01/30. . 5pp. A2089:279-A2089:283.

9802060161 Provides clarification of SRP chapter 15 analyses performed w/CO-TRANSA2 & XCOBRA-T & SLO pump seizure CHF limits checking.Response to attachment 1 & 2 of licensee 971121 ltr,requested within 90 days receipt of this ltr.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:006. 98/01/30. . 1p. A2138:339-A2138:339.

9802060162 Summarizes past & future BWR Vessel & Internals Project submittals to NRC on license renewal submittals to NRC.
WAGONER,V. Affiliation Not Assigned. WAGONER,V. Carolina Power & Light Co. 98-049. 98/02/03. GRIMES,C.I. Document Control Branch (Document Control Desk). 2pp. A2095:359-A2095:360.

9802060204 Monthly ltr status rept 39 for contract NRC-02-95-003 for activites performed between 971227-980123.
PRICE,J.D. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-02-95-003. 98/02/02. HUGHES,A. Division of Contracts (Post 940714). 42pp. A2145:273-A2145:314.

9802090001 Forwards proprietary rept EMF-98-006(P),rev 0, "Mechanical Design Evaluation for Siemens Power Corp ATRIUM-10 BWR Reload Fuel to 54 MWd/kgU Assembly Exposure." Encl withheld.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:008. 98/01/30. . 5pp. A2095:239-A2095:243.

9802100060 Forwards application for amend to license DPR-40,relocating pressure-temperature curves,predicted radiation induced NDTT shift curve & LTOP limits,per GL 96-03.Document titled "RCS Unit 1 RCS PT Limits Rept" & CE NPSD-683,Rev 2 encl.
GAMBHIR,S.K. Omaha Public Power District. LIC-98-0013. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2177:001-A2177:174.

--9802100067 CE NPSD-683 R02 Rev 0 to Final Rept CE NPSD-683, "Development of RCS Pressure & Temp Limits Rept for Removal of P-T Limits & LTOP Requirements from Tech Specs."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 97/12/31. 115pp. A2177:057-A2177:174.

9802110047 Informs NRC that SG replacement,implemented at Millstone Unit 2 in 1992,did not invalidate applicability of TR CEN-367-A as basis for LBB evaluation of primary coolant loop piping.
BOWLING,M.L. Northeast Nuclear Energy Co. B16981. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2212:207-A2212:209.

9802110048 Forwards for review & approval,change notice 43 to SCE QA topical rept SCE-1-A,amend 19 dtd Dec 1997,requesting use of alternate criteria for certifying lead QA auditor instead of criteria in ANSI N45.2.23-978.
RAINSBERRY,J.L. Southern California Edison Co. 98/02/06. Document Control Branch (Document Control Desk). 3pp. A2182:332-A2182:340.

--9802110052 Change notice 43 to amend 19 of topical rept SCE-1-A, "QA Program."
SLAGLE,K.A. Southern California Edison Co. 98/02/06. 6pp. A2182:335-A2182:340.

9802120125 Describes selected data base & documents changes made by ASTM Task Group E10.02.02 on Embrittlement Correlations rev of ASTM E900.W/CE NPSD-1063 final rept, "CEOG Reactor Vessel Surveillance Program Embrittlement Database Mods."
PAVINICH,W.A. American Society for Testing & Materials. 97/01/24. American Society for Testing & Materials. 10pp. A2232:149-A2232:225.

--9802120130 CE NPSD-1063 CE NPSD-1063, "CEOG Reactor Vessel Surveillance Program Embrittlement Database Mods," final rept.
* C-E Operating Plants Owners Group. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/11/30. 66pp. A2232:159-A2232:225.

9802120131 Submits list of current BWR Owners Group officers & BWR Owners Group reprensentatives from GE.
RAUSCH,T.J. BWR Owners Group. RAUSCH,T.J. Commonwealth Edison Co. BWROG-98005. 98/02/02. SHERON,B. Document Control Branch (Document Control Desk). 2pp. A2230:135-A2230:136.

9802120141 Forwards proprietary Rev 31 to EMF-12(P), "Nuclear Matls Safeguards Procedures Description for Fuels Fabrication Plants." Encl withheld (ref 10CFR2.790(d)).
NOSS,D.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DLN:98:007. 98/02/05. Office of Nuclear Material Safety & Safeguards. 1p. A2433:003-A2433:003.

9802120196 Summary of 971118-20 meeting w/Nuclear Energy Inst,EPRI & nuclear fuel vendors in Rockville,MD re new research initiatives concerning high burnup fuel,new test data on reactivity initiated accidents.List of attendees encl.
MAGRUDER,S.L. . 98/01/30. ESSIG,T.H. . 343pp. A2153:001-A2153:343.

9802120200 Summary of 980127 meeting w/listed attendees in Rockville, MD to brief NRC on recent organizational changes & effect changes have on circuit breaker svcs.List of attendees & presentation matls encl.
DAVIS,M.J. . 98/02/09. ESSIG,T.H. . 33pp. A2154:108-A2154:140.

9802120222 Requests submittal of documentation of Topical Rept WCAP-12945(P), "Westinghouse Code Qualification Document for Best Estimate Loss of Coolant Analysis," by 980331.
HOLAHAN,G.M. . TAC M83964. 98/02/03. LIPARULO,N.J. Westinghouse Electric Corp. 1p. A2154:077-A2154:077.

9802130079 Requests that review of topical rept EMF-97-007(P) be discontinued & proprietary copies of rept be destroyed.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:009. 98/02/04. . 1p. A2234:017-A2234:017.

9802130108 Provides attached info re planned storage of hydrogen peroxide used in MERF process.Licensee does not intend to process alcohol rags until further data on any possible reactions w/nitric acid is obtained.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. JBE:98:023. 98/02/02. Office of Nuclear Material Safety & Safeguards. 3pp. A2231:127-A2231:129.

9802170008 Forwards proprietary topical rept BAW-10228P, "SCIENCE," describing SCIENCE nuclear code package & application to fuel cycles designed & licensed by Framatome Cogema Fuels. Proprietary encl withheld.
COLEMAN,T.A. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/02/05. Document Control Branch (Document Control Desk). 8pp. A2218:350-A2218:357.

9802170009 Forwards rev 2 to TR DPC-NE-3002-A, "UFSAR Chapter 15 Transient Analysis Methodology" IAW guidance contained in NUREG-0390.
TUCKMAN,M.S. Duke Power Co. 98/02/09. Document Control Branch (Document Control Desk). 2pp. A2237:081-A2237:276.

–9802170015 DPC-NE-3002-A R02 Rev 2 to "UFSAR Chapter 15 Transient Analysis Methodology."
* Duke Power Co. 97/12/31. 190pp. A2237:083-A2237:276.

9802170017 Forwards rev 1 to non-proprietary topical rept DPC-NE-3000-A & rev 1 to proprietary topical rept DPC-NE-3000-PA, "Thermal Hydraulic Transient Analysis Methodology." Proprietary version withheld.
TUCKMAN,M.S. Duke Power Co. 98/01/27. Document Control Branch (Document Control Desk). 5pp. A2235:001-A2237:080.

–9802170019 DPC-NE-3000-A R01 Non-proprietary version of rev 1 to topical rept DPC-NE-3000-A, "Thermal-Hydraulic Transient Analysis Methodology."
* Duke Power Co. 97/12/31. 802pp. A2235:007-A2237:080.

9802180043 Forwards proprietary rev 2 of WCAP-9735, "MULTIFLEX 3.0 FORTRAN-IV Computer Program for Analyzing Thermal-Hydraulic- Structural Sys Dynamics Advanced Beam Model," for approval. Proprietary encl withheld.
LIBERATORI,L.F. Westinghouse Operating Plants Owners Group. OG-98-017. 98/02/13. . 3pp. A2220:318-A2220:328.

–9802180045 Requests that rev 2 to WCAP-9735, "Multiflex 3.0:Fortran Computer Program for Analyzing Thermal-Hydraulic-Structure Sys Dynamics-Advanced Beam Model," be withheld from public disclosure.Affidavit,encl.
SEPP,H.A. Westinghouse Electric Corp. CAW-98-1203. 98/02/13. COLLINS,S.J. Document Control Branch (Document Control Desk). 8pp. A2220:321-A2220:328.

9802180048 Forwards non-proprietary Rev 1 to DPC-NE-2005A & proprietary Rev 1 to DPC-NE-2005P-A, "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology." Proprietary rept withheld,per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 98/02/11. Document Control Branch (Document Control Desk). 5pp. A2242:001-A2242:152.

–9802180051 DPC-NE-2005A R01 Non-proprietary "Duke Power Co Thermal-Hydraulic Statistical Core Design Methodology."
EPPERSON,K.R. Duke Power Co. 96/11/30. 146pp. A2242:007-A2242:152.

9802180074 Discusses change of corporate name-WELCO reorganization & quality mgt sys.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-98-5558. 98/02/06. BLACK,S.C. . 2pp. A2243:194-A2243:195.

9802180128 Forwards proprietary WCAP-15025-P, "Modified WRB-2 Correlation,WRB-2M,for Predicting Critical Heat Flux in 17X 17 Rod Bundles w/Modified LPD Mixing Vane Grids." Proprietary rept withheld,per 10CFR9.17.17(a)(4).
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-98-5557. 98/02/06. COLLINS,T.E. . 2pp. A2243:250-A2243:252.

–9802180135 Requests that proprietary WCAP-15025-P, "Modified WRB-2 Correlation,WRB-2M,for Predicting Critical Heat Flux in 17X 17 Rod Bundles w/Modified LPD Mixing Vane Grids," be withheld (ref 10CFR2.790(a)).
LIPARULO,N.J. Westinghouse Electric Corp. AW-98-1201. 98/02/06. COLLINS,T.E. . 1p. A2243:252-A2243:252.

9802180142 Comment on draft RG DG-1070, "Sampling Plans Used for Dedicating Simple Metallic Commercial Grade Items for Use in NPPs." Draft RG should be revised to clarify that alloy analyzer can be used consistent w/guidance in EPRI NP-5652.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 102-04068-JML/S. 98/01/30. Document Control Branch (Document Control Desk). 3pp. A2182:105-A2182:107.

9802190131 Forwards responses to questions raised during 980109,29 & 980202 telcons re power uprate facility OLs & TS change request.
MOREY,D. Southern Nuclear Operating Co. 98/02/12. Document Control Branch (Document Control Desk). 11pp. A2244:315-A2244:330.

–9802190132 Revised proposed changes to TS page 6-19a for power uprate.
* Southern Nuclear Operating Co. 98/02/12. 5pp. A2244:326-A2244:330.

9802200071 Informs that info submitted in BWRVIP & EPRI proprietary repts will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103(b) of AEC of 1954 ,as amended.
CARPENTER,C.E. . TAC M99638. 98/02/10. TERRY,C. Niagara Mohawk Power Corp. 5pp. A2254:282-A2254:286.

9802200096 Forwards TER of TR EMF-85-74(P),Rev 0,Suppl 1 & 2, "RODEX2A (BWR) Fuel Rod Thermal-Mechanical Evaluation Model."
ESSIG,T.H. . TAC M96729. 98/02/09. CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. A2254:262-A2254:277.

–9802200103 TER of TR EMF-85-74(P),Rev 0,Suppl 1 & 2, "RODEX2A (BWR) Fuel Rod Thermal-Mechanical Evaluation Model."
BEYER,C.E., LANNING,D.D. Battelle Memorial Institute, Pacific Northwest National Laboratory. FIN J-2435. 98/01/31. . 13pp. A2254:266-A2254:277.

9802200255 Application for amend to license DPR-51,revising TS to allow use of repair roll technology (reroll) for upper tubesheet of SGs.Revised TS pages,proprietary rev 0 to topical rept BAW-10232P included.Proprietary encl withheld.
HUTCHINSON,C.R. Entergy Operations, Inc. 1CAN029803. 98/02/09. Document Control Branch (Document Control Desk). 11pp. A2283:161-A2283:196.

–9802200259 Proposed tech specs pages,allowing use of repair roll technology (reroll) for upper tubesheet region of SGs.
* Entergy Operations, Inc. 98/02/09. 25pp. A2283:172-A2283:196.

9802200410 Forwards SE accepting TR EMF-85-74(P),Rev 0,Suppls 1 & 2 of Siemens Power Corp for referencing in license applications.
COLLINS,T.E. . TAC M96729. 98/02/09. SHERON,B.W. . 2pp. A2255:071-A2255:085.

–9802200414 SER of Siemens Power Corp topical rept EMF-85-74(P),rev 0, suppls 1 & 2, entitled, "RODEX2A (BWR) Fuel Rod Thermal-Mechanical Evaluation Model."
* . 98/02/09. 1p. A2255:073-A2255:085.

9802230269 Informs that WEPC application dtd 971216 re slides (14x14, 0.422" OD VANTAGE+(422V+) marked as proprietary will be withheld per 10CFR2.790(b)(5) & 103(b).
GUNDRUM,L.L. . 98/02/03. GRIGG,R.R. Wisconsin Electric Power Co. 4pp. A2260:160-A2280:163.

9802230338 Notification of 980211 meeting w/Westinghouse in Rockville, Maryland to discuss Westinghouse response to AP600 QA Insp Rept dtd 980128.
HUFFMAN,W.C. . 98/02/05. QUAY,T.R. . 3pp. A2258:324-A2258:326.

9802240010 Summary of 980127 meeting w/util re contents of topical repts conversion to Mark B-11 fuel & changes to Chapter 15 of UFSAR submitted for review.List of attendees & handouts encl.
LABARGE,D.E. . TAC M88660. 98/02/06. . 22pp. A2287:333-A2287:354.

9802240020 Discusses renewal activities & util plan to submit completed "Oconee License Renewal Technical Info Topical Rept," OLRP-1001, for review early 1998.
HOFFMAN,S.T. . TAC M98118. 98/01/30. MCCOLLUM,W.R. Duke Power Co. 7pp. A2283:001-A2283:007.

9802240062 Forwards non-proprietary Rev 1 to WCAP-14117-NP-A & proprietary Rev 1 to WCAP-13878-P-A, "Reliability Assessment of Potter & Brumfield MDR Series Relays." Proprietary rept withheld (ref 10CFR2.790).
LIBERATORI,L. Westinghouse Operating Plants Owners Group. OG-98-018. 98/02/13. . 2pp. A2359:001-A2359:270.

–9802240070 WCAP-14117-NP-A R01 Non-proprietary,Rev 1 to "Reliability Assessment of Potter & Brumfield MDR Series Relays."
* Westinghouse Electric Corp. 97/01/31. 267pp. A2359:003-A2359:270.

9802240092 Forwards non-proprietary TR BAW-10228, "SCIENCE," describing SCIENCE nuclear code package & application to fuel cycles designed & licensed by Framatome Cogema Fuels.
COLEMAN,T.A. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/02/05. Document Control Branch (Document Control Desk). 8pp. A2350:001-A2350:178.

–9802240097 BAW-10228 Non-proprietary TR BAW-10228, "SCIENCE."
DEVENEY,R.C., HOBSON,G.H., HOLMAN,P.L. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/02/28. 170pp. A2350:009-A2350:178.

9802240148 Requests NRC staff to further consider generic,first-of-a- kind efforts involved in combined submittal in establishing any fees associated w/review of topical rept & risk-informed ISI submittals.Waiver of fees requested.
LIBERATORI,L.F., SAUNDERS,R.F. Westinghouse Operating Plants Owners Group. OG-98-015. 98/02/09. SHERON,B.W. . 3pp. A2333:207-A2333:209.

9802240171 Forwards non-proprietary version of EPRI rept TR-103824, "SG Reference Book," rev 1,vol 1.
THOMAS,R.C. Electric Power Research Institute. 98/02/20. SULLIVAN,E. Document Control Branch (Document Control Desk). 1p. A2332:097-A2332:236.

–9802240184 TR-103824 R01 Rev 1,vol 1 to non-proprietary version of TR-103824, "SG Reference Book."
PAINE,J.P., GUSTAFSSON,U.E. Electric Power Research Institute. 94/12/31. 132pp. A2332:102-A2332:236.

9802240268 Forwards proprietary topical rept CENPD-388-P, "Extension of 1-Pin Burnup Limit to 65 MWd/kgU for ABB PWR Fuel w/OPTIN Cladding," for review & acceptance for referencing in licensing actions.Proprietary encl withheld.
PILMER,D.F. C-E Operating Plants Owners Group. CEOG-98-069. 98/02/16. . 7pp. A2354:333-A2354:339.

9802240395 Summary of 980127 meeting w/Duke Energy Corp re proposed rev of topical repts.List of attendees & DEC slides encl.
TAM,P.S. . TAC MA0228. 98/02/10. . 29pp. A2282:240-A2282:268.

9802240411 Informs that addl info requested in 980129 ltr re ANF-250 container will be submitted by 980501.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. JBE:98:031. 98/02/13. Document Control Branch (Document Control Desk). 1p. A2355:356-A2355:356.

9802240435 Responds to 971017 request for withholding info from public disclosure re WCAP-14874,rev 1, "Handbook on Flaw Evaluation - Surry Units 1 & 2 SG Upper Shell to Cone Weld Regions," pursuant 10CFR2.790.Request granted.
EDISON,G.E. . 98/02/05. SEPP,H.A. Westinghouse Electric Corp. 3pp. A2283:068-A2283:070.

9802250018 Transmits review of final CEOG rept, "Best Estimate Cu & Ni in CE Fabricated Reactor Vessel Welds" dtd June,1997.Closure to NRC SER,provided.Transmittal is in response to GL 92-01, rev 1,suppl 1.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. GL-92-01. 98/02/17. Document Control Branch (Document Control Desk). 5pp. A2368:337-A2368:341.

9802250024 Forwards Rev 12 to EMF-439, "Siemens Power Corp QA Program for Nuclear Fuel Shipping Containers." Changes made in rev mainly organizational,editorial & described under "Summary of Changes" on signature page.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. JBE:98:029. 98/02/17. Document Control Branch (Document Control Desk). 1p. A2473:090-A2473:122.

--9802250033 Rev 12 to EMF-439, "Siemens Power Corp QA Program for Nuclear Fuel Shipping Containers."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 98/02/03. 33pp. A2473:091-A2473:122.

9802250037 Forwards addl criticality safety info in support of Solids Processing Facility amend request,as committed to in 971114 ltr.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. JBE:98:030. 98/02/18. Document Control Branch (Document Control Desk). 23pp. A2343:198-A2343:220.

9802250081 Informs that staff has received 980130 ltr,transmitting TR, "Mechanical Design Evaluation for Siemens Power Corp Atrium tm-10 BWR Reload Fuel to 54 MWd/KgU Assembly Exposure," EMF-98-006(P),Rev 0.
ESSIG,T.H. . 98/02/13. CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. A2345:232-A2345:235.

9802250155 Notification of 980304 meeting w/Siemens representatives in Rockville,MD to discuss issues re RELAP 4 excessive variability.
WANG,E.Y. . 98/02/19. ESSIG,T.H. . 2pp. A2324:352-A2324:353.

9802250180 Forwards info re vessel matl of decanter bowl & drip pan. Figure 1 illustrating ADU Conversion Westfalia Decanter, encl.
SHANNON,T. Westinghouse Electric Corp. 98/02/11. HRABAL,G. NRC - No Detailed Affiliation Given. 3pp. A2372:009-A2372:011.

9802250256 Forwards proprietary response to RAI re TR ANFB-1125P, "ANFB Critical Power Correlation Uncertainty for Limited Data Sets," Suppl 1,App D.Proprietary info withheld,per 10CFR2.790(b).
MALLAY,J.F. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. NRC:98:012. 98/02/19. . 1p. A2367:335-A2367:335.

9802250261 Forwards three draft repts from BNL representing in-progress work performed on two current projects, "Advanced Alarm Sys Review Criteria," & "Effects of Interface Mgt tasks on Crew on Workload & Performance." W/o encls.
KING,T.L. Control, Instrumentation & Human Factors Branch (Post 941217). 98/02/10. ECKENRODE,R.J. . 2pp. A2324:354-A2324:355.

9802250290 Summary of 980115 meeting w/BWROG in Rockville,MD re status of work in progress & to discuss future activities.List of attendees,agenda & handouts encl.
WILSON,J.H. . 98/02/18. ESSIG,T.H. . 76pp. A2324:269-A2324:344.

9802250293 Forwards three revised pages to rept "BWR Vessel & Internals Project,Update of Bounding Assessment of BWR/2-6 Reactor Pressure Vessel Integrity Issues (BWRVIP-46)," EPRI rept TR-109727.
WAGONER,V. Affiliation Not Assigned. WAGONER,V. Carolina Power & Light Co. 98-072. 98/02/23. CARPENTER,C.E. Document Control Branch (Document Control Desk). 5pp. A2358:343-A2358:347.

9802250303 Forwards proprietary changes constituting rev 31 to EMF-12, "Nuclear Matls Safeguards Procedures Description for Fuel Fabrication Plants." Encl withheld.
NOSS,D.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DLN:98:006. 98/02/05. PHAM,T. Office of Nuclear Material Safety & Safeguards. 1p. A2421:001-A2421:001.

9802250380 Requests that WOG activate regulatory response group,based on NRC understanding of potential SBLOCA coming from pressure housing of unused part length control rod drive mechanism.
MIRAGLIA,F.J. . 98/02/20. NEWTON,R. Westinghouse Operating Plants Owners Group. NEWTON,R. Wisconsin Electric Power Co. 10pp. A2342:056-A2342:065.

9802260036 Notification of 980227 meeting w/Westinghouse Owners Group in Rockville,MD to discuss partial length CRDM housing flaw issues.
WANG,E.Y. . 98/02/23. ESSIG,T.H. . 4pp. A2352:149-A2352:152.

9802270005 Informs that proposed rev in scope & exam techniques,to that recommended in BWRVIP-18,to perform insps of plant,Unit 3 core spray piping,acceptable,based on listed info.
WILLIAMS,S.F. . TAC M98747. 98/02/12. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. A2412:355-A2412:357.

9802270190 Forwards proprietary response to request for addl info for Topical BAW-10199P,Addendum 1, "BWU Critical Heat Flux Correlations," dtd 971210.Response withheld,per 10CFR2.790.
COLEMAN,T.A. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 98/02/23. Document Control Branch (Document Control Desk). 21pp. A2398:322-A2398:342.

9802270287 Informs that Framatone Technologies,Inc has performed brief review of NUREG/CR-6582 (Draft).Rept is well written & addresses main objective of project.Several comments for consideration encl.
WHITAKER,D.E. Babcock & Wilcox Operating Plants Owners Group. OG-1700. 98/02/18. BIRMINGHAM,J.L. . 6pp. A2489:277-A2489:282.

WM WASTE MANAGEMENT DOCUMENTS

9802020225 Forwards US NRC procedures for low-level waste disposal records retention.W/o encl.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/01/27. AUTRY,V.R. South Carolina, State of. 5pp. A2015:225-A2015:229.

9802020240 Forwards 971212 ltr from NRC to EPA re EPA guidance entitled, "Establishment of Cleanup Levels for CERCLA (Comprehensive Environmental Response,Compensation & Liability Act of 1980) Sites w/Radioactive Contamination."
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/01/28. WEINSTOCK,L. Environmental Protection Agency. FITZGERALD,J.E., BERUBE,R.P. Energy, Dept. of. 5pp. A2014:346-A2014:360.

9802020245 Forwards 971212 ltr from NRC Chairman Shirley Jackson to EPA Administrator C Browner re EPA guidance entitled "Cleanup Levels for CERCLA Sites w/Radioactive Contamination."
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/01/29. SIMON,S.L. National Research Council. 4pp. A2015:166-A2015:179.

9802020248 Forwards summary of 971211 meeting of Interagency Steering Committee on Radiation Stds.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/01/28. CLARK,M., MARCINOWSKI,F., O'CONNER,D. Environmental Protection Agency. 29pp. A2015:194-A2015:222.

9802040117 Informs that security clearance for R Neel of NMSS was downgraded from Q to L.Reinstatement of Q clearance, requested since RB Neel is member of Incident Investigation Team.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/01/27. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 2pp. A2031:360-A2031:361.

9802040224 Informs that NRC will provide technical direction to CNWRA to modify task description,including deliverables & schedules,in CNWRA operations plan.Update to operations plan & establishment of two intermediate milestones,requested.
WELLER,R.A. Engineering & Geosciences Branch (NMSS 940403). NRC-02-97-009. HLWR. 98/01/27. MEEHAN,B.D. Division of Contracts (Post 940714). 2pp. A2026:331-A2026:332.

9802050101 Informs that listed issue needs to be addressed & resolved prior to NRC approval of interim long-term surveillance plan for Grand Junction,Colorado U mill tailings remedial action disposal site.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/28. RAEL,G. Energy, Dept. of. 2pp. A2145:228-A2145:229.

9802050105 Informs that 12 open issues re review of completion rept for Slick Rock,Colorado,U mill tailings remedial action project site & previously identified open issue re groundwater protection,need to be resolved prior to NRC concurrence.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/26. RAEL,G. Energy, Dept. of. 10pp. A2078:345-A2078:354.

9802050108 Informs that DOE should further evaluate erosion problems at Lowman & potential for problems to affect stability of disposal cell.Staff requests that evaluation & proposed mitigation measures be provided for review.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/02. EDGE,R. Energy, Dept. of. 4pp. A2078:358-A2078:361.

9802050114 Concludes that inspections & routine remedial measures that are being performed,re 1997 insp of Durango title I site, are acceptable.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/30. EDGE,R. Energy, Dept. of. 1p. A2078:344-A2078:344.

9802050128 Responds to 971104 ltr to US EPA Administrator Browner re water contamination from nuclear waste sites.Several documents,including two brochures & three technical info papers to further explain NRC regulatory program.W/o encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 98/01/15. HAMLETT,K. . 15pp. A2135:262-A2135:281.

--9802050135 Provides change to Hamlett ltr.
REAMER,B. NRC - No Detailed Affiliation Given. 98/01/12. NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. A2135:267-A2135:281.

9802050160 Informs that Long-Term Surveillance Plan,dtd Aug 1997 for Burro Canyon Disposal Cell at Slick Rock,CO,adequately covers area of erosion protection.Issues re geotechnical engineering & groundwater resources protection,encl.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/01/27. RAEL,G. Energy, Dept. of. 2pp. A2087:124-A2087:125.

9802050183 Responds to USCOLD Register of Dams-Status of Large Dam Constr in US questionnaire that was mailed on 980105,in response to request from AH Walz.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). FIN L-2051. 98/02/02. BANK,B. Army, Dept. of, Corps of Engineers. 2pp. A2145:232-A2145:233.

9802060150 Frowards CNWRA 97-007, "Parametric Study of Drift Stability in Jointed Rock Mass,Phase II:Discrete Element Dynamic Analysis of Unbackfilled Drifts."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/06/26. MCCONNELL,K. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. A2151:107-A2151:167.

--9802060153 CNWRA 97-007 "Parametric Study of Drift Stability in Jointed Rock Mass, Phase II:Discrete Element Dynamic Analysis of Unbackfilled Drifts."
AHOLA,M.P. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/06/30. NRC - No Detailed Affiliation Given. 58pp. A2151:108-A2151:167.

9802060158 Forwards completed vicinity property certification summary & decision worksheet for radiologic & engineering assessment for generic application of supplemental stds to paved streets & alleys within Durango,CO vicinity property area.
WOODWORTH,L.A. Energy, Dept. of. 98/01/28. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 10pp. A2138:326-A2138:335.

9802060184 Forawrds proprietary Rev 0 to DOE/AL/62350-247, "Long-Term Surveillance Plan for Maybell,CO Disposal Site." All missing matl will be provided by ofc upon completion of remedial action.Encl withheld.
WOODWORTH,L.A. Energy, Dept. of. 98/01/23. HOLONICH,J.J. Uranium Recovery Branch (Post 901230). 1p. A2473:069-A2473:069.

9802090017 Forwards Ctr program manager's periodic rept (PMPR) for period 971220-980116.
STILTENPOLE,B. NRC - No Detailed Affiliation Given. HLWR. 98/02/02. BELL,M. Division of Waste Management (NMSS 940403). STABLEIN,K., BRADBURY,J. Engineering & Geosciences Branch (NMSS 940403). 2pp. A2144:001-A2144:045.

-9802090027 Forwards PMPR 98-4, "CNWRA Program Manager's Periodic Rept on Activities of CNWRA," for fiscal reporting period 971220- 980116.
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-97-009. HLWR. 98/01/30. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. A2144:003-A2144:003.

-9802090040 PMPR 98-04 "CNWRA Program Manager's Periodic Rept on Activities of CNWRA," for fiscal reporting period 971220-980116.
* Center for Nuclear Waste Regulatory Analyses. NRC-02-97-009. HLWR. 98/01/30. NRC - No Detailed Affiliation Given. 42pp. A2144:004-A2144:045.

9802100134 Forwards five as-built drawings for Bear Creek site re seismic stability evaluation of slopes design for subject site,task 16.CNWRA staff should consult w/NRC after reviewing this new info.W/o encl.
JAGANNATH,B.N. Division of Waste Management (NMSS 940403). HLWR. 98/02/05. MACKIN,P. Center for Nuclear Waste Regulatory Analyses. MACKIN,P. Southwest Research Institute. 3pp. A2213:182-A2213:184.

9802100145 Forwards NRC Review Form for Suppl Certification of Vicinity Properties,containing NRC concurrence accepting Mexican Hat, Utah vicinity property MH-014 completion rept.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 98/02/03. RAEL,G. Energy, Dept. of. 5pp. A2182:140-A2182:144.

9802100168 Forwards "License Termination/Site Transfer Protocol Between DOE & NRC." Protocol identifies areas of mutual coorperation,necessary for both DOE & NRC to assure smooth transition of U Mill Tailings Radiation Control Act of 1978.
PARK,J.R. Division of Waste Management (NMSS 940403). 98/02/03. BURNHAM,A. Colorado, State of. 7pp. A2166:233-A2166:239.

9802110205 Forwards mark-up copy of CNWRA proposals for Tasks 1 & 2 of Contract NRC-02-98-002.Completed proposal evaluation forms attached.
GILLEN,D.M. Uranium Recovery Branch (Post 901230). NRC-02-98-002. HWLR. 98/02/05. DEMARCO,D.A. Office of Nuclear Material Safety & Safeguards. 30pp. A2151:186-A2151:215.

9802120035 Provides concurrence on application of supplemental standards,as described in generic application for supplemental stds for Durango paved streets & alleys.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 98/02/06. RAEL,G. Energy, Dept. of. 4pp. A2230:143-A2230:146.

9802120051 Forwards revised copy of "Standard Format & Content of License Termination Plan for Power Reactors." Document should be issued as draft reg guide.W/o encl.
HICKEY,J.W. Division of Waste Management (NMSS 940403). 98/02/06. TROTTIER,C. Radiation Protection & Health Effects Branch (Post 941217). 2pp. A2230:137-A2230:138.

9802120075 Forwards proposal for "Technical Assistance for Reviewing Fee-Recoverable U Recovery Licensing Caseload & Development of Non Fee-Recoverable Program Guidance Documents." Completed proposal evaluation form also attached.
GILLEN,D.M. Division of Waste Management (NMSS 940403). NRC-02-98-002. HLWR. 98/02/05. DEMARCO,D.A. Office of Nuclear Material Safety & Safeguards. 2pp. A2231:195-A2231:221.

-9802120078 20-22307 Proposal for "Technical Assistance for Reviewing Fee- Recoverable U Recovery Licensing Caseload & Development of Non Fee-Recoverable Program Guidance Documents."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-98-002. HLWR. 98/01/30. NRC - No Detailed Affiliation Given. 30pp. A2231:197-A2231:221.

9802170011 Forwards "US NRC On-Site Licensing Representative Rept OR-97-10 for Reporting Period of 971101-1231." Rept highlights number of Yucca Mountain Project activities of potential interest to NRC staff.
BELKE,W.L., GLENN,C.J. NRC - No Detailed Affiliation Given. HLWR. 98/02/04. BELL,M.J. Division of Waste Management (NMSS 940403). 4pp. A2213:291-A2213:312.

-9802170012 OR-97-10 "US NRC On-Site Licensing Representative Rept OR-97-10 for Reporting Period of 971101-1231."
BELKE,W.L., GLENN,C.J., WASTLER,S.L. Division of Waste Management (NMSS 940403). HLWR. 97/12/31. 19pp. A2213:295-A2213:312.

9802180067 Forwards second rev of Intermediate Milestone 1406-006-802, "Preliminary Evaluation of US DOE Approach to Performance Assessment at West Valley Demonstration Project."
MACKIN,P.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-97-009. HLWR. 98/02/09. PARROTT,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. A2232:131-A2232:148.

-9802180069 Revised "Preliminary Evaluation of US DOE Approach to Performance Assessment at West Valley Demonstration Project."
MACKIN,P., SAGAR,B., FEDORS,R. Center for Nuclear Waste Regulatory Analyses. NRC-02-97-009. HLWR. 98/02/28. NRC - No Detailed Affiliation Given. 17pp. A2232:132-A2232:148.

9802180071 Forwards CNWRA 98-001, "CNWRA Ground Magnetic Surveys in Yucca Mountain Region,NV(1996-1997)," scheduled for transmittal to NRC by 980218.CD ROM also encl.CD ROM contains all of ground magnetic data collected.
MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-97-009. HLWR. 98/01/27. TRAPP,J. Office of Nuclear Material Safety & Safeguards. 1p. A2233:019-A2233:059.

-9802180073 CNWRA 98-001 "CNWRA Ground Magnetic Surveys in Yucca Mountain Region,NV (1996-1997)."
MAGSINO,S.L., CONNOR,C.B., HILL,B.E. Center for Nuclear Waste Regulatory Analyses. NRC-02-97-009. HLWR. 98/01/31. NRC - No Detailed Affiliation Given. 37pp. A2233:020-A2233:059.

9802180076 Forwards Intermediate Milestone 20-1402-471-831, "Role of Ductile Decollement Zone Horizon in Development of Pull- Apart Basins:Experimental Results & Natural Examples."
MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-97-009. HLWR. 98/01/09. JUSTUS,P.S. Office of Nuclear Material Safety & Safeguards. 1p. A2232:071-A2232:124.

-9802180077 "Role of Ductile Decollement Zone Horizon in Development of Pull-Apart Basins:Experimental Results & Natural Examples."
SIMS,D., FERRILL,D.A., STAMATAKOS,J. Center for Nuclear Waste Regulatory Analyses. HLWR. 97/12/31. 53pp. A2232:072-A2232:124.

9802180079 Informs that CNWRA FY98 "Operations Plan for Division of Waste Management,Rev 10,Change O,Jan 1998," will be acceptable upon revision,IAW minor corrections identified in encl to ltr.Comments,encl.
DEMARCO,D.A. Program Management, Policy Development & Analysis Staff (Post 870413). HLWR. 98/02/11. MEEHAN,B.D. Division of Contracts (Post 940714). 3pp. A2255:254-A2255:256.

9802230045 Responds to 980121 ltr,in which licensee requested that US NRC staff attend two low-level radwaste Forum meetings each yr outside of Washington,DC area.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 98/02/11. LARSON,G.S. Afton Associates, Inc. 2pp. A2330:144-A2330:148.

9802240410 Forwards Vicinity Property Repts MB-002,MB-003,MB-004,MB-005 & MB-006 for Johnson Wash/Lay Creek in Maybell,CO for review & concurrence.Multiple pages in Appendix A of incoming submittal were not included.
WOODWORTH,L.A. Energy, Dept. of. 98/02/04. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 51pp. A2361:001-A2365:361.

-9802240416 "Vicinity Property Completion Rept at MB-002,Johnson Wash Maybell,CO,970522."
* MK-Ferguson Co. 97/05/22. 346pp. A2361:053-A2362:034.

-9802240420 "Vicinity Property Completion Rept at MB-003,Johnson Wash Maybell,CO,970825."
* MK-Ferguson Co. 97/08/25. 406pp. A2362:035-A2363:076.

-9802240422 "Vicinity Property Completion Rept at MB-004,Johnson Wash Maybell,CO,971008."
* MK-Ferguson Co. 97/10/08. 295pp. A2363:077-A2364:007.

-9802240425 "Vicinity Property Completion Rept at MB-005,Johnson Wash/ Lay Creek Maybell,CO,970918."
* MK-Ferguson Co. 97/09/18. 412pp. A2364:008-A2365:055.

-9802240429 "Vicinity Property Completion Rept at MB-006,Lay Creek Maybell,CO,970924."
* MK-Ferguson Co. 97/09/24. 429pp. A2365:056-A2365:361.

9802250108 Forwards Intermediate Milestone 20-1402-471-833, "Normal Fault Corrugation:Implications for Growth & Seismicity of Active Normal Faults."
MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-97-009. HLWR. 98/01/30. JUSTUS,P.S. Office of Nuclear Material Safety & Safeguards. 1p. A2366:090-A2366:117.

-9802250117 "Normal Fault Corrugation:Implications for Growth & Seismicity."
FERRILL,D.A., STAMATAKOS,J., SIMS,D. Center for Nuclear Waste Regulatory Analyses. HLWR. 98/01/30. 27pp. A2366:091-A2366:117.

9802250193 Discusses identification of key documents relevant to US DOE viability assessment.Info,combined w/table cross-referencing key documents to NRC key technical issues,will be very useful in facilitating NRC review of viability assessment.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 98/02/22. BROCOUM,S.J. Energy, Dept. of. 2pp. A2366:084-A2366:089.

9802250205 Forwards draft completion rept for Maybell,CO,uranium mill tailings remedial action project site.Encl based on remedial action through Dec 1997,therefore it does not represent completed site.
WOODWORTH,L.A. Energy, Dept. of. 98/02/18. HOLONICH,J.J Division of Waste Management (NMSS 940403). 11pp.

-9802250209 Draft "Maybell,CO,Completion Rept," Part I,Vols 1-3, Appendices A-L.
* MK-Ferguson Co. 97/12/31. 1,000pp.

9802250206 Discusses US DOE proposals to implement App E to NUREG-1563 re resolution of Site Characterization Analysis Comment 3. Site Characterization Analysis Comment 3 concerned US DOE use of expert judgment in site characterization program.
BELL,M.J. Division of Waste Management (NMSS 940403). HWLR. 98/02/12. BROCOUM,S.J. Energy, Dept. of. 4pp. A2345:152-A2345:156.

9802250268 Forwards Project Interface Document (PID) 14-S-13 for Maybell,Colorado,UMTRA site.PID revises specification section 02228,to clarify requirements for gradation tests for radon barrier mati.
WOODWORTH,L.A. Energy, Dept. of. 98/02/03. CARLSON,R. Division of Waste Management (NMSS 940403). 2pp. A2372:007-A2372:008.

9802250287 Forwards Rev 1 to YMP/96-01, "Repository Safety Strategy:US DOE Strategy to Protect Public Health & Safety After Closure of Yucca Mountain Repository." App A of strategy provides road map to document changes from Rev 0 of strategy.
BROCOUM,S. Energy, Dept. of. HLWR. 98/02/03. GREEVES,J.T. Division of Waste Management (NMSS 940403). 3pp. A2408:058-A2408:098.

-9802250292 YMP/96-01 R01 "Repository Safety Strategy:US DOE Strategy to Protect Public Health & Safety After Closure of Yucca Mountain Repository."
* Energy, Dept. of. HLWR. 98/01/31. 38pp. A2408:061-A2408:098.

9802250304 Expresses appreciation in meeting C Feltin & colleagues during recent tour of Yucca Mountain Site Characterization project in NV.Potographs of Yucca Mountain encl.W/o encl.
BENSON,A.B. Energy, Dept. of. HLWR. 98/02/13. FELTIN,C. France. 2pp. A2366:118-A2366:119.

9802250335 Responds to 971118 ltr,providing notification of public comment period on draft documents developed by NE LLRW program on US Ecology application for proposed LLRW disposal facility.No comment provided.
HOYLE,J.C. Office of the Secretary of the Commission. 98/02/04. SCHOR,D.P. Nebraska, State of. 7pp. A2372:048-A2372:064.

--9802250344 Informs that ltr recently circulated would appear to fit bill here.
LOHAUS,P. NRC - No Detailed Affiliation Given. 97/12/08. KENNEDY,J. NRC - No Detailed Affiliation Given. 1p. A2372:054-A2372:054.

--9802250349 Informs that OGC has no legal objection to ltr.
JENSEN,E.N. NRC - No Detailed Affiliation Given. 97/12/11. SALOMON,S., KENNEDY,J. NRC - No Detailed Affiliation Given. 4pp. A2372:055-A2372:060.

--9802250353 Informs that per ofc of Chairman,it is alright not to respond to 971118 ltr.
MOSSBURG,D. NRC - No Detailed Affiliation Given. 97/12/05. JENSEN,E.N. NRC - No Detailed Affiliation Given. 1p. A2372:061-A2372:061.

--9802250370 Informs that ticket is now for appropriate action,rather than definitely sending ltr to NE declining to comment on documents that had been previously sent.
KENNEDY,J. NRC - No Detailed Affiliation Given. 97/12/05. LYNN,B., NELSON,R. NRC - No Detailed Affiliation Given. 1p. A2372:062-A2372:062.

--9802250374 Informs that D Schor has been informed of previous conversation & decision to handle ltr as appropriate action. Ltr should read as listed & be prepared for J Hoyle signature.
MOSSBURG,D. NRC - No Detailed Affiliation Given. 97/12/05. JENSEN,E.N. NRC - No Detailed Affiliation Given. 1p. A2372:063-A2372:063.

--9802250377 Informs that response is still needed for ticket,per encl e-mail.Due dates have been changed as noted.
POLAND,C. NRC - No Detailed Affiliation Given. 97/12/08. LYNN,B.H., KENNEDY,J.E., NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. A2372:064-A2372:064.

9802250354 Responds to 980209 telcon by providing info related to source matl & by-product matl licensing & submission of license application to NRC.
GILLEN,D.M. Division of Waste Management (NMSS 940403). 98/02/13. IRWIN,S. Affiliation Not Assigned. 58pp. A2371:001-A2371:196.

--9802250356 Forwards 940812 meeting summary,example mill license & example in situ license completed by transition oversight team.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/09/02. FERDINAND,B. Quivira Mining Co. VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). GRACE,M.P. Affiliation Not Assigned. 138pp. A2371:059-A2371:196.

9802250384 B00000000-01717-5700 Rev 0 to Vols 1,2 & 3 of B00000000-01717-5700-00008, "Final Rept on Enhanced Characterization of Repository Block Planning Effort."
BEYER,J.R., SANDIFER,R.M. Affiliation Not Assigned. 97/11/05. 1,322pp. A2315:001-A2318:230.

9802260109 Submits follow-up to 971219 NRC ltr re staff review of document entitled, "Remediation Workplan for Ameristeel Incident-Related Matls at Clearfield & Wendover,Utah." Additional info required for completion of review.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 98/02/19. MCCLOSKEY,J.F. . 5pp. A2373:290-A2373:294.

9802260153 Discusses review of draft MOU to establish Ctr for Radiation Dosimetric Modeling & Computation at ORNL.NRC supports principle of MOU between Federal agencies,but has reservations concerning financial support.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 98/02/20. PETERSON,H. Energy, Dept. of. 5pp. A2373:285-A2373:289.

9802260177 Forwards US NRC Observation Audit Rept QA 98-01 of US DOE, Ofc of Civilian Radwaste Mgt,Ofc of QA,performance-based audit of USGS.Audit USGS-ARP-98-01 conducted on 971028-30 at USGS ofc in Denver,CO.
STABLEIN,N.K. Engineering & Geosciences Branch (NMSS 940403). HLWR. 98/02/19. MILNER,R.A. Energy, Dept. of. 3pp. A2366:120-A2366:128.

--9802260179 QA-98-01 "US NRC Observation Audit Rept QA-98-01 of US DOE Ofc of Civilian Radwaste Mgt Ofc of QA of USGS,Audit USGS-ARP-98-01."
IBRAHIM,A.K., BROOKS,D.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 98/02/17. 6pp. A2366:123-A2366:128.

XPORTLIC EXPORT AND IMPORT LICENSES

9802050300 Forwards repts which list all NRC export & import cases which were completed,received or pending during Dec 1997.In summary,five cases were completed,five new license applications or amend requests received & 32 cases pending.
HAUBER,R.D. Office of International Programs (Post 911117). 98/01/30. DELABARRE,R. State, Dept. of. 7pp. A2027:236-A2027:247.

9802110207 Responds to application XSNM03023 & XSNM03024 re exports of Canadian origin material to Japan under Agreement for Cooperation Concerning Civil Uses of Atomic Energy.
LEE,T.T. State, Dept. of. 98/01/30. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. A2136:032-A2136:032.

9802110212 Responds to application XSNM03025 re exports of Australian origin material to Japan under Agreement between Australia & US concerning Peaceful Uses of Nuclear Energy.
LEE,T.T. Energy, Dept. of. 98/01/30. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. A2136:031-A2136:031.

9802120015 Responds to application for NRC export license XSNM-3021, which involves matl of Australian & Canadian origin.Ofc of Arms Control & Nonproliferation has received prior consent for exports of subj matls to South Korea.
LEE,T.T. Energy, Dept. of. 98/01/29. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. A2154:103-A2154:103.

9802120017 Responds to application for NRC export license XSNM-3020, which involves matl of Australian orgin.Ofc of Arms Control & Nonproliferation has received prior consent for exports of Australian origin matl to Japan.
LEE,T.T. Energy, Dept. of. 98/01/29. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. A2164:089-A2164:089.

9802120021 Responds to application for NRC export licenses XSNM-3023 & XSNM-3024,which involves matl of Canadian origin.Ofc of Arms Control & Nonproliferation has received prior consent for exports of subj matl to Japan.
LEE,T.T. Energy, Dept. of. 98/01/30. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. A2154:104-A2154:104.

9802120064 Urges NRC to grant Atomic Energy of Canada,Ltd licenses to assure continued export of HEU targets to Canada for production of Mo-99.
CERQUEIRA,M.D. Affiliation Not Assigned. #198 18777. 98/02/02. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2135:130-A2135:130.

9802120081 Forwards original & two copies of "Opposition of Transnuclear & Atomic Energy of Canada Ltd,in Response to Petition to Intervene," together w/two notices of appearance of counsel & certificate of svc for filing.
GLASGOW,J.A. Morgan, Lewis & Bockius. #198 18776. 98/02/02. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2134:263-A2134:319.

--9802120101 Opposition of Transnuclear,Inc,& Atomic Energy of Canada,Ltd in response to petition to intervene." For foregoing reasons,respectfully request that Petition of Nuclear Control Inst be denied in entirety.W/Certificate of Svc.
GLASGOW,J.A. Transnuclear, Inc. GLASGOW,J.A. Canada. GLASGOW,J.A. Morgan, Lewis & Bockius. 98/02/02. Commissioners (Post 750119). 61pp. A2134:264-A2134:319.

9802120111 Submits comments on behalf of Council on Radionuclides & Radiopharms,Inc,re granting of export licenses XSNM-3012 & XSNM-3013.Urges NRC to fully consider medical necessity for Mo-99 & limited supply situation confronting manufacturers.
EHMIG,W. Affiliation Not Assigned. #198 18778. 98/02/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. A2099:357-A2099:360.

9802170084 Notifies of upcoming shipment of UF6,fissile,gross weight 42,000 lbs;net weight 26,680 lbs,U weight 7,565 kgs,U235 weight 317.5 kgs,max enrichmerit 5%,secured to two 2x20 carrier owned flat racks to Korea.
* Edlow International Co. SAMD-ENE-033. 97/10/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2181:236-A2181:236.

9802170091 Notifies of rev 1 to upcoming shipment of UF6,fissile,gross weight 30,127 lbs,net weight 23,295 lbs,U weight 7,142.238 kgs,U235 weight 300,260 kgs,max enrichment 5%,secured to two 2x20 carrier owned flat racks to Korea.
* Edlow International Co. SAMD-ENE-033. 97/11/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2181:238-A2181:238.

9802170111 Submits notification of upcoming shipment of UO2 fuel bundles,gross weight 187,000 lbs:net weight 84,000 lbs:U weight 24,000 kgs;U235 weight 975 kgs;contained in 28 type 927C1 packages to Taejon City,Korea.
LAMBERT,M.T. Edlow International Co. CENO-ENE-020. 97/11/10. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2181:241-A2181:241.

9802170133 Submits advance notification of import shipment of four cylinders of UF6 in sealed overpacks,to Sails Liverpool,UK.
RUTLEDGE,R. Affiliation Not Assigned. 1297-900. 97/12/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A2181:246-A2181:247.

9802170142 Submits advance notification for export shipment of special nuclear matl of low strategic significance re license XSNM-2980.
MCLAUGHLIN,J. Transnuclear, Inc. 97155-6. 97/12/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A2170:348-A2170:349.

9802170144 Submits advance notification of import shipment of 192 drums of U308 in 4 x 20FT Ocean Containers,to Sails Liverspool,UK.
RUTLEDGE,R. Affiliation Not Assigned. 1297-899. 98/01/02. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A2181:250-A2181:251.

9802170145 Submits notification of upcoming shipment of U02 pellets approx net weight 1,580 Kgs,contained in 20 type 2901 packages.
LAMBERT,M.T. Edlow International Co. CENO-ENI-024. 97/12/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2170:350-A2170:350.

9802170147 Provides advance notification of upcoming shipment of UO2 pellets in Fuel Rods from Antwerp on 971105 to Framatome Cogema Fuels on 971125.
PROCTOR,K. Edlow International Co. TRNB-ENI-01. 97/10/31. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2170:351-A2170:351.

9802170152 Provides advance notification of upcoming shipment of U hexaflouride,fissile,from Piketon,Ohio on 971120 to Tokyo, Japan on 971208.
PROCTOR,K. Edlow International Co. KLKX-ENE-121. 97/10/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2170:352-A2170:352.

9802180138 Forwards ltr dtd 980206 from Combustion Engineering which requests withdrawal of export license XR165.
HAUBER,R.D. Office of International Programs (Post 911117). 98/02/11. DELABARRE,R. State, Dept. of. 2pp. A2195:336-A2195:338.

--9802180145 Withdraws application for license XR165,filed 971223.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). LD-98-009. 98/02/06. HAUBER,R.D. Office of International Programs (Post 911117). 1p. A2195:338-A2195:338.

9802180152 Informs that no exports were made against license XSOU8728 in 1997.
LARUE,M.J. General Electric Co. 98/02/05. WRIGHT,B. Office of International Programs (Post 911117). 1p. A2195:339-A2195:339.

9802190103 Submits advance notification of export shipment of special nuclear matl of low strategic significance of not to exceed 346.6285 kgs U-235,contained in 9,585.000 kgs of U enriched not exceeding 5% in form of U02 to Spain.
HOLDEN,D.W. General Electric Co. SPN-52814-F. 98/01/06. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. A2229:251-A2229:253.

9802200057 Provides advance notice of export shipment of special nuclear matl of low strategic significance (Category III), not to exceed 661.03443 kgs U-235,contained in 14,646.3883 kgs of U-enriched not exceeding 5% in form of U02 to Japan.
SVEJKOVSKY,J., MORIYA,H. Mitsui & Co. (USA), Inc. 98/01/13. BENNINGTON,G. Transportation Branch (Post 930207). 2pp. A2251:149-A2251:150.

9802200060 Submits advance notification for export shipment containing RQ,UF6,fissile (containing more than 1% U-235),7 UN2977, radioactive matl (U-235,U-238) solid,UF6.Matl will be shipped from San Jose,CA to Cedex,France.
MCLAUGHLIN,J. Transnuclear, Inc. TNY:97161-6. 98/01/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A2251:344-A2251:345.

9802200371 Confirms that UO2 for "California Luna" arrived at airport on 980210 as scheduled.
SVEJKOVSKY,J. Mitsui & Co. (USA), Inc. 98/02/12. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. A2319:317-A2319:317.

9802200419 Submits notification of upcoming shipment of U02 pellets, approx net weight 9,500 kgs,per convention on physical protection of nuclear matl & NRC final rule of 870326.
LAMBERT,M.T. Edlow International Co. CENO-ENE-018. 97/09/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2251:136-A2251:136.

9802200421 Submits notification of upcoming shipment of U hexaflouride fissile,net weight 44,452 lbs,U weight 13,625.918 kgs,as per convention on physical protection of nuclear matl & NRC final rule of 870326.
* Edlow International Co. KLKX-ENE-122/12. 97/09/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2264:280-A2264:280.

9802200428 Submits notification of upcoming shipment of U metal ingots:net weight 24,903 kgs,as per convention on physical protection of nuclear matl & NRC final rule of 870327.
* Edlow International Co. BNFL-ENE-023. 97/10/24. Office of Nuclear Material Safety & Safeguards. 1p. A2264:275-A2264:275.

9802200439 Provides notification of upcoming shipment of U hexaflouride,fissile,from Piketon,Ohio on 971009 to Tokyo, Japan on 971027.
* Edlow International Co. KLKK-ENE-120. 97/09/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2252:011-A2252:011.

9802200440 Provides notification of upcoming shipment of U hexaflouride,fissile,from Piketon,Ohio on 970929 to Liverpool,United Kingdom on 971014.
LAMBERT,M.T. Edlow International Co. ENUS-ENE-030. 97/09/12. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2251:131-A2251:131.

9802200444 Provides notification of upcoming shipment of U hexaflouride,fissile,from Piketon,Ohio on 970904 to Tokyo,Japan on 970922.
* Edlow International Co. KLKK-ENE-119. 97/08/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. A2251:134-A2251:134.

9802230073 Forwards repts listing all NRC export & import cases completed,received or pending during month of Jan 1998.
HAUBER,R.D. Office of International Programs (Post 911117). 98/02/18. DELABARRE,R. State, Dept. of. 5pp. A2283:076-A2283:084.

9802230096 Forwards Imaging & Sensing Technology (IST) application for export license for Czech Republic w/Intermediate Consignee being Slovak Republic.Requests immediate expedition of application.
HEALY,K.M. Imaging & Sensing Technology Corp. 98/02/12. WRIGHT,B. NRC - No Detailed Affiliation Given. 3pp. A2473:058-A2473:061.

-9802230090 Application for license to export 6 Excore Detectors & 42 Excore components for use in Temelin to US.
HEALY,K.M. Imaging & Sensing Technology Corp. 98/01/15. 1p. A2473:061-A2473:061.

9802230100 Application for license to export 17,640 kg of UF6 to Brazil.
FISK,R.H. Edlow International Co. GNSS-EL-98. 98/02/05. 3pp. A2259:003-A2259:007.

-9802230104 Forwards application to export U as UF6 to Brazil for use in research & development studies in nuclear fuel cycle.
FISK,R. Edlow International Co. 98/02/05. WRIGHT,B. Office of International Programs (Post 911117). 1p. A2259:006-A2259:006.

-9802230108 Forwards supplemental fee for application for export license number XSOU-8755 per 980213 discussion.
MCCARTNEY,S. Edlow International Co. 98/02/17. WRIGHT,B. Office of International Programs (Post 911117). 1p. A2259:007-A2259:007.

9802230174 Forwards for filing in place of facsimile copies,affidavits of Strauss & Nusynowitz,as noted in author 980202 ltr.
GLASGOW,J.A. Morgan, Lewis & Bockius. #198 18790. 98/02/05. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2253:330-A2253:343.

-9802230178 Affidavit of ML Nusynowitz.* American College of Nuclear Physicians submits that delay or denial of export license applications currently pending before NRC would be inimical to public interest.Strongly favors NRC issuance of licenses.
NUSYNOWITZ,M.L. American College of Nuclear Physicians. 98/01/31. 6pp. A2253:331-A2253:336.

-9802230179 Affidavit of HW Strauss.* Society of Nuclear Medicine endorses export from US to Canada,of highly enriched U targets,for use in AECL reactor.Strongly favors NRC issuance export licenses.W/Certificate of Svc.
STRAUSS,H.W. Society of Nuclear Medicine. 98/01/31. 7pp. A2253:337-A2253:343.

9802230200 Forwards reply of petitioner Nuclear Control Inst to opposition of Transnuclear,Inc,& Atomic Energy of Canada to petition for leave to intervene & request for hearing.
GREENBERG,E.V. Nuclear Control Institute. GREENBERG,E.V. Garvey, Schubert, Adams & Barer. #198 18792. 98/02/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. A2268:184-A2268:242.

-9802230226 Reply of petitioner Nuclear Control Inst to opposition of Transnuclear,Inc,& Atomic Energy of Canada,Ltd to petition for leave to intervene & request for hearing.* Commission should grant petition.W/Certificate of Svc.
GREENBERG,E.V. Nuclear Control Institute. GREENBERG,E.V. Garvey, Schubert, Adams & Barer. 98/02/12. Commissioners (Post 750119). 32pp. A2268:185-A2268:217.

-9802230229 Declaration of PL Leventhal.* Supports Nuclear Control Inst petition for leave to intervene & request for hearing in listed proceedings.
LEVENTHAL,P.L. Affiliation Not Assigned. 98/02/11. 25pp. A2268:218-A2268:242.

9802270025 Responds to Commission 971212 ltr,requesting addl info &/or clarification on Diversified Scientific Svc,Inc,970723 ltr, requesting to obtain specific license to import & export radwaste.Responses listed.
SELPH,J.R. Affiliation Not Assigned. AD0026-98. 98/01/15. HAUBER,R.D. Office of International Programs (Post 911117). 32pp. A2412:322-A2412:354.

9802270246 Motion of petitioner Nuclear Control Inst to file rejoinder in support of petition for leave to intervene & request for hearing.* Petitioner submits that motion to file rejoinder should be granted.W/Certificate of Svc.
GREENBERG,E.V. Transnuclear, Inc. GREENBERG,E.V. Garvey, Schubert, Adams & Barer. #198 18830. 98/02/26. Commissioners (Post 750119). 4pp. A2349:203-A2349:216.

-9802270257 Rejoinder of petitioner Nuclear Control Inst to reply of Transnuclear,Inc & Atomic Energy of Canada,Ltd in opposition to petition for leave to intervene & request for hearing.*
GREENBERG,E.V. Transnuclear, Inc. GREENBERG,E.V. Garvey, Schubert, Adams & Barer. 98/02/26. Commissioners (Post 750119). 10pp. A2349:207-A2349:216.

9802270250 Submits advance notification of import shipment consisting of four cylinders of UF6 in sealed overpacks.Shipment scheduled to leave Sails Rotterdam,Netherlands on 980203 & arrive in Norfolk,VA on 980214.
RUTLEDGE,R. Affiliation Not Assigned. 0198-904. 98/01/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A2370:311-A2370:312.

9802270266 Submits advance notice of export shipment of special nuclear matl of low strategic significance,not to exceed 776.9715 kgs U-235 contained in 21,288.361 kgs U-enriched,not exceeding 5% in form of U02 packed in 60 USA/0460/AF-85.
HOLDEN,D.W. General Electric Co. GER-52850-F. 98/02/02. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A2349:248-A2349:249.

9802270280 Submits advance notification of import shipment,consisting of 1x40 container containing 36 empty UO2 containers type ANF250 (USA/9217/AF) & lashing matl (non-contaminated) radioactive matl,excepted package,empty packaging.
RUTLEDGE,R. Affiliation Not Assigned. 1197-895. 97/12/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. A2370:313-A2370:314.

5

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT,J.L.	9802180051*	50-269 P
ABBOTT,R.B.	9802130023	50-220 S
ABBOTT,R.B.	9802200320	50-220 S
ABBOTT,R.B.	9802230337	50-220 R
ABBOTT,R.B.	9802240124	50-220 F
ABNEY,T,E.	9802190179	50-259 Q
ABNEY,T.E.	9802020251	50-259 P
ABNEY,T.E.	9802200138	50-259 R
ABNEY,T.E.	9802200210	50-259 F
ABNEY,T.E.	9802200217	50-259 F
ABNEY,T.E.	9802240153	50-296 Q
ABNEY,T.E.	9802240158	50-259 P
ABRAMS,M.S.	9802110135*	COMMISSIO N
ABRELL,G.A.	9802190296	50-10 R
ADAMS,A.	9802030106	50-146 P
ADAMS,A.	9802040183	50-243 P
ADAMS,A.	9802230130	50-186 P
ADAMS,A.	9802230265	50-264 P
ADAMS,A.	9802240064	50-146 P
ADAMS,G.D.	9802190186*	50-266 S
ADAMS,G.D.	9802240305*	50-266 S
ADAMS,M.S.	9802120087	50-57 F
ADAMS,M.W.	9802030056	STATE PRO G
AFFOLTER,R.D.	9802170092	50-483 R
AFFOLTER,R.D.	9802240123	50-483 S
AFFOLTER,R.D.	9802250013	50-483 S
AHOLA,M.P.	9802060153*	WM
AKIYAMA,M.	9802040355*	MISC
ALBERTO,C.	9802230054*	40-8968
ALBERTO,C.	9802230056*	40-8968
ALBRECHT,S.L.	9802250330*	40-8968
ALBRECHT,S.L.	9802250330*	40-8968
ALDRICH,R.	9802020064	STATE PRO G
ALEXANDER,D.B.	9802030042	REGGD
ALEXANDER,D.B.	9802050321	REGGD
ALEXION,T.	9802030115	50-498 P
ALEXION,T.	9802240292	50-498 F
ALEXION,T.W.	9802030121	50-498 P
ALEXION,T.W.	9802050286	50-498 P
ALKEMA,K.	9802230181	70-*****
ALKEMA,K.L.	9802060001	40-8989
ALKIER,B.	9802110109*	70-36
ALLEN,J.B.	9802040334	70-1151
ALLEN,J.B.	9802090048	70-1151
ALLEN,J.B.	9802090217	70-1151
ALLISON,D.P.	9802100113	NUREG
ANDERSEN,J.W.	9802040075	50-423 P
ANDERSEN,J.W.	9802180093	50-423 P
ANDERSEN,J.W.	9802180125	50-423 P
ANDERSEN,J.W.	9802240118	50-423 P
ANDERSEN,J.W.	9802240445	50-336 P
ANDERSEN,J.W.	9802260233	50-423 P
ANDERSON,C.J.	9802020127	50-387 Q
ANDERSON,C.J.	9802120106	50-387 Q
ANDERSON,C.J.	9802270020	50-387 Q
ANDERSON,C.J.	9802270027	50-277 Q
ANDERSON,E.L.	9802040298*	50-333 Q
ANDERSON,E.L.	9802040302*	50-333 Q
ANDERSON,J.D.	9802200142*	50-440 F
ANDERSON,J.W.	9802050297	50-336 P
ANDERSON,J.W.	9802240200	50-423 P
ANDERSON,M.L.	9802170098	50-305 R
ANDERSON,P.	9802260285*	40-8968
ANDERSON,S.L.	9802100021*	50-285 P
ANDERSON,T.C.	9802250389	50-255 F
ANDREWS,C.F.	9802190016	PR
ANDREWS,S.J.	9802060205	QA999
ANDREWS,S.J.	9802190261	QA999
ANGUS,M.J.	9802050023*	50-482 S
ANGUS,V.T.	9802200154	50-352 R
ARNOLD,D.N.	9802050126	CONTRACT
ARVISO,L.D.	9802250322*	40-8968
ARVISO,L.D.	9802250322*	40-8968
ASMUSSEN,K.E.	9802060089	70-734
ASTWOOD,H.	9802240112	40-7102
AUFMUTH,M.H.	9802120278	CONTRACT
AUFMUTH,M.H.	9802170106	CONTRACT
AUFMUTH,M.H.	9802240197	CONTRACT
BACA,R.G.	9802060150	WM
BAER,T.S.	9802030076	70-143
BAER,T.S.	9802030087	70-143
BAER,T.S.	9802030113	70-143
BAER,T.S.	9802030127	70-143
BAER,T.S.	9802120147	70-143
BAER,T.S.	9802180004	70-143
BAER,T.S.	9802250070	70-143
BAER,T.S.	9802250121	70-143
BAER,T.S.	9802260054	70-143
BAER,T.S.	9802270185	70-143
BAGCHI,G.	9802120226*	PR
BAILEY,M.	9802240074	71-9235
BAILEY,M.	9802240080	71-9235
BAILEY,M.	9802240083	71-9235
BAILEY,M.G.	9802040353	72-1025
BAILEY,M.G.	9802060028	50-269 Q
BAILEY,M.G.	9802060034	50-346 Q
BAILEY,M.G.	9802060039	50-317 Q
BAILEY,S.J.	9802230334	50-309 R
BAILEY,S.N.	9802270180	50-237 P
BAIN,R.L.	9802040269	50-413 S
BAIN,R.L.	9802110149*	50-413 S
BAIN,R.L.	9802110154*	50-413 S
BAJESTANI,M.	9802050236	50-327 P
BAJESTANI,M.	9802190285	50-327 V
BAJWA,S.S.	9802030091*	50-286 P
BAJWA,S.S.	9802230267	50-317 P
BAJWA,S.S.	9802240086*	50-317 P
BAJWA,S.S.	9802270162	50-317 P
BAKAS,J.	9802130120*	50-373 S
BAKER,E.	9802050164	50-295 P
BAKER,E.	9802120214*	I&E
BAKER,E.T.	9802030125	50-237 P
BAKER,E.T.	9802050259	50-250 P
BAKER,E.T.	9802050349	50-259 P
BAKER,E.T.	9802050376	50-272 P
BAKER,M.M.	9802020183*	50-424 P
BAKER,R.A.	9802120053*	50-244 P
BAKKEN,A.C.	9802240296	50-272 R
BAKKEN,A.C.	9802240361	50-311 R
BAKKEN,A.C.	9802250022	50-272 S
BALL,J.A.	9802270336*	STATE PRO G
BANGART,R.L.	9802020006	STATE PRO G
BANGART,R.L.	9802020068	STATE PRO G
BANGART,R.L.	9802020076	STATE PRO G
BANGART,R.L.	9802020098*	STATE PRO G
BANGART,R.L.	9802040425	STATE PRO G
BANGART,R.L.	9802270214	STATE PRO G
BANGART,R.L.	9802270238	STATE PRO G
BANGART,R.L.	9802270258	50-213 W
BANGART,R.L.	9802270274	STATE PRO G
BANGART,R.L.	9802270295	STATE PRO G
BANGART,R.L.	9802270300	STATE PRO G
BANGART,R.L.	9802270321	50-344 W
BANGART,R.L.	9802270332	STATE PRO G
BANGART,R.L.	9802270333	STATE PRO G
BANGART,R.L.	9802270335	STATE PRO G
BARAN,D.	9802060045	50-454 S
BARCHI,T.J.	9802120115	ORG
BARKLEY,R.	9802240403*	50-245 P
BARR,K.P.	9802040142	50-400 F
BARR,K.P.	9802180025*	50-335 Q
BARR,K.P.	9802180049*	50-335 Q
BARR,K.P.	9802180057*	50-335 Q
BARR,K.P.	9802180061*	50-335 Q
BARRETT,M.J.	9802230247*	50-269 P
BARRETT,R.J.	9802020166	50-286 P
BARRETT,R.J.	9802020244	50-286 S
BARRETT,R.J.	9802020249	50-286 P
BARRETT,R.J.	9802040098	50-286 F
BARRETT,R.J.	9802060185	50-286 P
BARRETT,R.J.	9802100077	50-286 F
BARRETT,R.J.	9802190237	50-286 Q
BARRETT,R.J.	9802250270	50-286 R
BARRETT,R.J.	9802260093*	50-286 H
BARRETT,S.E.	9802250336*	FOIA
BARRON,H.B.	9802040431	50-369 F
BARRON,H.B.	9802050216	50-369 F
BARRON,H.B.	9802060196	50-369 F
BARRON,H.B.	9802120283	50-369 Q
BARRON,H.B.	9802200245	50-369 F
BARRON,H.B.	9802200389	50-369 Q
BARTELS,C.S.	9802250260*	40-8968
BARTON,E.A.	9802180015*	50-335 Q
BARTON,E.A.	9802180041*	50-335 Q
BATAVIA,M.K.	9802110174	STATE PRO G
BATEMAN,W.H.	9802270113	50-361 P
BAZZANJ,C.S.	9802090035	CONTRACT
BEACH,A.B.	9802090064	70-7001
BEACH,A.B.	9802120164	50-254 Q
BEACH,A.B.	9802180161	50-461 Q
BEACH,A.B.	9802200310	50-10 W
BEACH,A.B.	9802240212	50-266 Q
BEACH,A.B.	9802260147	50-346 Q
BEACH,A.B.	9802260156	50-315 Q
BEAN,J.A.	9802110002*	50-245 F
BEARDE,D.	9802200120	50-423 Q
BECENTI,E.C.	9802250294*	40-8968
BECENTI,E.C.	9802250294*	40-8968
BECENTI,E.C.	9802250294*	40-8968
BECKER,D.B.	9802260043	PRM
BECKJORD,E.S.	9802120166*	PR
BECKWITH,R.	9802270143*	40-8968
BEEDLE,R.E.	9802040178	REVIEW GR P
BEEDLE,R.E.	9802050090	NUREG
BELILLE,J.	9802230230	72-22
BELILLE,J.	9802230230	72-22
BELISLE,G.	9802020181*	50-269 Q
BELISLE,G.A.	9802020179	50-269 Q
BELISLE,G.A.	9802250158	50-369 Q
BELISLE,G.A.	9802250194	50-413 Q
BELKE,W.L.	9802170011	WM
BELKE,W.L.	9802170012*	WM
BELL,H.T.	9802240131*	ORG
BELL,H.T.	9802240166	ORG
BELL,M.J.	9802250206	WM

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BELL,W.H.	9802200175	50-395 R
BELLAMY,R.R.	9802020233	40-8702
BELLAMY,R.R.	9802030022*	70-364
BELLAMY,R.R.	9802030047	40-7455
BELLAMY,R.R.	9802060104	70-26
BELLAMY,R.R.	9802240155	50-213 W
BELLAMY,R.R.	9802250182	50-309 Q
BELLAMY,R.R.	9802270077	50-213 Q
BELLAMY,R.R.	9802270103*	50-213 Q
BELLES,R.J.	9802200043	NUREG
BELSHE,S.K.	9802270261*	STATE PRO G
BEMIS,P.R.	9802060025	50-397 P
BEMIS,P.R.	9802190249	50-397 Q
BENSON,A.B.	9802250304	WM
BERG,R.E.	9802260263	40-8681
BERG,W.L.	9802200427	50-409 R
BERG,W.L.	9802230068	50-409 W
BERGER,C.D.	9802180165	40-8948
BERKOW,H.N.	9802030140	50-269 P
BERKOW,H.N.	9802040150*	50-348 P
BERKOW,H.N.	9802240193	50-369 P
BERKOW,H.N.	9802240290*	50-348 P
BERKOW,H.N.	9802240412*	50-348 P
BERKOW,H.N.	9802240436	50-269 P
BERNARDI,G.	9802180190	ORG
BEST,T.	9802060231*	50-373 S
BEYER,C.E.	9802200103*	TOPREP
BEYER,J.R.	9802250384	WM
BEZILLA,M.	9802120224	50-354 S
BEZILLA,M.B.	9802240383	50-354 R
BINETTI,L.	9802060074	70-3061
BIRMINGHAM,J.L.	9802020189	TOPREP
BJORKMAN,G.	9802190194*	QA999
BLACK,S.C.	9802020106	52-3
BLACK,S.C.	9802020113	QA999
BLACK,S.C.	9802100002	QA999
BLACK,S.C.	9802120195	QA999
BLACK,S.C.	9802180204	QA999
BLACK,S.C.	9802250045	QA999
BLACK,S.C.	9802250063	QA999
BLAHA,J.L.	9802050102	COMMISSIO N
BLAHA,J.L.	9802100087	COMMISSIO N
BLAHA,J.L.	9802180206	COMMISSIO N
BLAHA,J.L.	9802260098	COMMISSIO N
BLAIN,L.	9802200297	PRM
BLAIR,D.	9802030061	I&E
BLANTON,R.L.	9802030002	STATE PRO G
BLOOM,S.D.	9802240008	50-323 P
BLOOM,S.D.	9802240013	50-275 P
BLOOM,S.D.	9802240279	50-275 P
BLOUGH,A.R.	9802030021*	70-364
BLOUGH,A.R.	9802030032	STATE PRO G
BLOUGH,A.R.	9802240312	STATE PRO G
BLOUGH,A.R.	9802260284	STATE PRO G
BLOUNT,T.	9802040449	50-245 F
BLUBAUGH,R.E.	9802050035	40-3453
BLUBAUGH,R.E.	9802060173*	40-3453
BLUBAUGH,R.E.	9802230103	40-3453
BLUBAUGH,R.E.	9802230119	40-3453
BLUBAUGH,R.E.	9802250199	40-3453
BOBECK,L.M.	9802190177	50-134 R
BODMAN,S.W.	9802230020*	40-6940
BOESCH,J.	9802130102*	50-315 S
BOLDENWEG,P.	9802020077	STATE PRO G
BOLEF,D.I.	9802050293	PRM
BOLLING,L.	9802020140*	STATE PRO G
BOLLWERK,G.P.	9802120092	72-22
BOLLWERK,G.P.	9802120098	72-22
BOLLWERK,G.P.	9802230171	72-22
BOLLWERK,G.P.	9802230184	72-22
BONO,H.D.	9802240123	50-483 S
BONO,H.D.	9802250013	50-483 S
BONZER,W.E.	9802240234	71-844
BORDINE,T.C.	9802030153	50-255 P
BORDINE,T.C.	9802040242	50-255 P
BORDINE,T.C.	9802060077	50-255 P
BORDINE,T.C.	9802200188	50-255 F
BORDINE,T.C.	9802240164	50-155 R
BORER,P.J.	9802240270	50-16 P
BORKOWSKY,T.G.	9802120174	50-410 P
BORKOWSKY,T.G.	9802120174	50-410 P
BOSNIC,D.	9802240310	50-410 S
BOUCHARD,A.	9802260295*	40-8968
BOWIE,R.C.	9802250244	70-893
BOWLING,M.L.	9802020095	50-336 P
BOWLING,M.L.	9802020264	50-423 P
BOWLING,M.L.	9802040231	50-423 Q
BOWLING,M.L.	9802040345	50-245 P
BOWLING,M.L.	9802050307	50-423 Q
BOWLING,M.L.	9802100179	50-245 Q
BOWLING,M.L.	9802110018	50-336 P
BOWLING,M.L.	9802110047	50-336 P
BOWLING,M.L.	9802110100	50-423 S
BOWLING,M.L.	9802110117	50-423 P
BOWLING,M.L.	9802120272	50-423 P
BOWLING,M.L.	9802190227	50-336 P
BOWLING,M.L.	9802200293	50-336 Q
BOWLING,M.L.	9802230122	50-423 P
BOWLING,M.L.	9802230157	50-336 K
BOWLING,M.L.	9802230304	50-423 P
BOWLING,M.L.	9802240165	50-336 P
BOWLING,M.L.	9802250217	50-423 Q
BOYCE,M.T.	9802200409*	50-298 P
BOYCE,R.W.	9802270007	50-352 S
BOYER,G.D.	9802110079	50-482 P
BOYER,G.D.	9802120175	50-482 P
BOYER,G.D.	9802130055	50-482 R
BOYLE,R.	9802050313	71-3035
BOYLE,R.	9802180173	71-3042
BOYLE,R.W.	9802060216	71-3010
BRADY,B.	9802260186*	ORG
BRANDT,R.D.	9802190308	50-334 R
BRANDT,R.D.	9802240042	50-334 R
BREWER,B.F.	9802230102	ORG
BRINKMAN,C.B.	9802180145*	XPORTLIC
BRINKMAN,D.S.	9802030119	50-334 P
BRINKMAN,D.S.	9802060024	50-334 P
BRINKMAN,D.S.	9802240044	50-334 P
BRINKMAN,D.S.	9802240215	50-334 P
BROCOUM,S.	9802250287	WM
BRODERICK,M.	9802040406	STATE PRO G
BRONS,J.C.	9802110090	50-295 V
BRONS,J.C.	9802200326	50-295 P
BRONS,J.C.	9802240130	50-295 Q
BRONS,J.C.	9802240168	50-295 Q
BROOKS,D.J.	9802260179*	WM
BROTHERS,M.H.	9802180088	50-336 P
BROTHERS,M.H.	9802230101	50-245 P
BROTT,N.K.	9802250379	50-255 F
BROTT,N.K.	9802250388	50-255 F
BROTT,N.K.	9802250389	50-255 F
BROTT,N.K.	9802260072	50-255 F
BROWN,R.	9802030061	I&E
BROWN,R.W.	9802040354	ORG
BROWN,S.	9802240138	40-8767
BROWN,S.	9802250246	50-16 P
BROWN,S.W.	9802240251	50-16 P
BROWNELL,G.J.	9802230148*	50-333 S
BRUNET,J.R.	9802090086	50-255 F
BRUNET,J.R.	9802180005	50-255 F
BRUNET,J.R.	9802240209	50-255 F
BRUNET,J.R.	9802250379	50-255 F
BRUNET,J.R.	9802250381	50-255 F
BRUNET,J.R.	9802250385	50-255 F
BRUNET,J.R.	9802250388	50-255 F
BRUNET,J.R.	9802250389	50-255 F
BRUNET,J.R.	9802260072	50-255 F
BRUNETT,J.R.	9802180002	50-255 F
BRYANT,L.	9802180033*	50-324 P
BRYANT,L.	9802180034*	50-324 P
BUCKLEY,B.C.	9802050311	50-352 P
BUCKLEY,B.C.	9802060014	50-352 P
BUCKLEY,B.C.	9802060047	50-352 P
BUCKLEY,B.C.	9802060059*	50-352 P
BUCKLEY,B.C.	9802230291	50-352 P
BUCKLEY,B.C.	9802240081	50-352 P
BUCKLEY,J.T.	9802240041	40-235
BUKANTIS,L.	9802100086*	50-374 S
BUMAN,D.E.	9802200409*	50-298 P
BURCHFIELD,J.E.	9802050218	50-269 S
BURCHFIELD,J.E.	9802230113	50-269 S
BURGESS,B.L.	9802190277	50-255 Q
BURGESS,B.L.	9802190283	50-255 Q
BURNES,K.F.	9802230020*	40-6940
BURZYNSKI,M.J.	9802050316	REGGD
BUSH,S.H.	9802250003	PR
BYFIELD,J.E.	9802030040	PR
BYRAM,R.G.	9802040040	50-387 P
BYRAM,R.G.	9802040042*	50-387 P
BYRAM,R.G.	9802090051	50-387 P
BYRAM,R.G.	9802100125	50-387 Q
BYRAM,R.G.	9802120262	50-387 Q
BYRAM,R.G.	9802120270	50-388 P
BYRAM,R.G.	9802120286	50-387 P
BYRAM,R.G.	9802120291	50-387 Q
CABLE,G.D.	9802230012	71-757
CAI,Y.	9802180026*	50-324 P
CAIN,C.	9802060142*	70-925
CAIN,C.	9802250083*	70-925
CAIN,C.	9802250098*	70-925
CAIN,C.L.	9802130009	I&E
CAIN,C.L.	9802170047*	40-8681
CALDWELL,J.L.	9802040357	50-440 Q
CALDWELL,J.L.	9802230018	50-295 Q
CALFA,L.	9802200261	50-373 R
CALLAN,L.J.	9802020120	SECY
CALLAN,L.J.	9802020129	SECY
CALLAN,L.J.	9802020243	50-245 P
CALLAN,L.J.	9802030090	50-309 W
CALLAN,L.J.	9802030096	50-272 P
CALLAN,L.J.	9802030111	50-461 P
CALLAN,L.J.	9802030118	50-266 P
CALLAN,L.J.	9802030123	50-302 P
CALLAN,L.J.	9802040122	50-344 W
CALLAN,L.J.	9802040292	I&E
CALLAN,L.J.	9802050260	50-237 P
CALLAN,L.J.	9802090152	PR
CALLAN,L.J.	9802100050	REVIEW GR P
CALLAN,L.J.	9802110195	COMMISSIO N
CALLAN,L.J.	9802120156	SECY
CALLAN,L.J.	9802120173	SECY
CALLAN,L.J.	9802120193	SECY
CALLAN,L.J.	9802180208	PR
CALLAN,L.J.	9802200441*	ORG
CALLAN,L.J.	9802250069	50-309 W
CALLAN,L.J.	9802250120	SECY
CALLAN,L.J.	9802260048	ORG
CALLAN,L.J.	9802270309	SECY
CALLOWAY,C.	9802180046*	50-335 Q
CALVO,J.A.	9802170007*	50-327 P
CAMERON,J.	9802190114	40-8994
CAMPBELL,R.E.	9802120122	71-192
CAMPER,L.W.	9802090192*	ORG
CANAVAN,G.	9802180019*	50-286 P
CANDREY,D.	9802170126	70-1252
CANNON,R.L.	9802200159	50-293 R
CAPPS,C.S.	9802040426	50-341 K
CAPPS,C.S.	9802050184	50-341 K
CAPPS,C.S.	9802230287	50-341 K
CAPRA,R.A.	9802040389	50-454 P
CAPRA,R.A.	9802240306	50-237 P
CARDILE,F.	9802050081	REGGD
CARLSON,J.	9802200051	40-7397
CARLSON,R.D.	9802250247*	40-8968
CARMODY,J.M.	9802060008*	50-352 P
CARMODY,J.M.	9802260275*	50-277 P
CAROCCIO,C.	9802240348	50-410 R
CARPENTER,C.A.	9802030105*	50-263 P
CARPENTER,C.E.	9802200071	TOPREP
CARPENTER,T.L.	9802260104	72-22
CARROLL,C.P.	9802200249	50-298 R
CASH,G.A.	9802230137	40-8964
CASTELL,C.A.	9802180016*	50-266 S
CATRON,N.S.	9802190137*	50-327 F
CATRON,N.S.	9802190138*	50-327 F
CELLAN,R.R.	9802270083	40-8903
CENTER,J.F.	9802200253	50-316 R
CERQUEIRA,M.D.	9802120064	XPORTLIC
CHAMBERS,D.B.	9802250300*	40-8968
CHAMBERS,D.B.	9802250300*	40-8968
CHANCELLOR,D.	9802230169	72-22
CHANCELLOR,D.	9802230204	72-22
CHANCELLOR,D.	9802230212	72-22
CHANCELLOR,D.	9802250211	72-22
CHANCELLOR,D.	9802250220	72-22
CHAPMAN,N.G.	9802250288*	FOIA
CHAPPELL,C.R.	9802040003	71-9269
CHAPPELL,C.R.	9802040275	71-9250
CHAPPELL,C.R.	9802050147	71-9239
CHAPPELL,C.R.	9802050163	71-6206
CHAPPELL,C.R.	9802050167*	71-6206
CHAPPELL,C.R.	9802060075	71-*****
CHAPPELL,C.R.	9802060144	71-9269
CHAPPELL,C.R.	9802060146	71-9145
CHAPPELL,C.R.	9802060148	71-6078
CHAPPELL,C.R.	9802170001	71-3010
CHAPPELL,C.R.	9802170002	71-6400
CHAPPELL,C.R.	9802250038	71-9156
CHAPPELL,C.R.	9802250046	71-9280
CHAPPELL,C.R.	9802250050*	71-9280
CHAPPELL,C.R.	9802270123	71-9196
CHAPPELL,C.R.	9802270128*	71-9196
CHAPPELL,C.R.	9802270135	71-9249
CHARNOFF,G.	9802060174*	50-443 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CHARNOFF,G.	9802060174*	50-443 P
CHARTRAND,T.A.	9802250378	50-255 F
CHASE,G.	9802180187	40-8452
CHAVEZ,S.M.	9802250315*	40-8968
CHEN,T.F.	9802250129	NUREG
CHERNOFF,H.K.	9802240332	50-261 S
CHERNY,F.	9802130080*	PR
CHERNY,F.C.	9802120161	PR
CHERNY,F.C.	9802130085*	PR
CHOTOO,S.	9802250243	40-7580
CHOTOO,S.D.	9802240104	70-1113
CHOTOO,S.D.	9802260218	70-143
CHRISTENSEN,H.	9802090220	50-302 Q
CHRISTIAN,D.A.	9802050318	50-280 V
CHRISTIAN,D.A.	9802170112	50-280 S
CHRISTIAN,D.A.	9802200156	50-280 R
CHRISTIE,V.	9802100152*	50-261 P
CHRISTOPHER,S.	9802130097	50-413 F
CHRISTOU,A.	9802110140	50-166 P
CINI,D.K.	9802250179*	50-245 P
CLARK,B.H.	9802030017*	50-400 Q
CLARK,T.	9802270145*	50-245 H
CLEMENT,R.F.	9802250248*	40-8968
CLETCHER,J.W.	9802200043	NUREG
CLIFFORD,J.W.	9802040080*	50-298 P
CLOMINGER,T.H.	9802230050	50-499 P
COATES,K.L.	9802040346	50-498 V
COATES,K.L.	9802240142	50-498 V
COATES,K.L.	9802240230	50-498 V
COATES,K.L.	9802240236	50-498 V
COCHRAN,T.B.	9802020092*	40-8989
CODDINGTON,C.T.	9802170069*	50-387 S
COFFMAN,F.	9802120212*	PR
COFFMAN,F.D.	9802130049*	PR
COLBURN,T.G.	9802040350	50-289 P
COLBURN,T.G.	9802060017	50-289 P
COLBURN,T.G.	9802250026	50-289 P
COLBURN,T.G.	9802250047*	50-289 P
COLBURN,T.G.	9802270201	50-289 P
COLEMAN,D.E.	9802230337	50-220 R
COLEMAN,D.W.	9802050151	50-397 R
COLEMAN,D.W.	9802050153	50-397 P
COLEMAN,D.W.	9802200192	50-397 F
COLEMAN,D.W.	9802200196	50-397 F
COLEMAN,T.A.	9802170008	TOPREP
COLEMAN,T.A.	9802240092	TOPREP
COLEMAN,T.A.	9802270190	TOPREP
COLLINS,D.J.	9802100076	STATE PRO G
COLLINS,D.J.	9802100084	STATE PRO G
COLLINS,D.J.	9802230121	STATE PRO G
COLLINS,D.M.	9802040055	STATE PRO G
COLLINS,D.M.	9802130025	STATE PRO G
COLLINS,E.E.	9802090171	50-458 Q
COLLINS,E.E.	9802120120	50-458 Q
COLLINS,E.E.	9802230052	50-298 Q
COLLINS,E.J.	9802200372	CONTRACT
COLLINS,S.C.	9802020260	40-2061
COLLINS,S.J.	9802040110	ORG
COLLINS,S.J.	9802050149	REVIEW GR P
COLLINS,S.J.	9802060035*	50-334 P
COLLINS,S.J.	9802060063*	50-346 P
COLLINS,S.J.	9802130031*	PR
COLLINS,S.J.	9802230273*	50-317 P
COLLINS,S.J.	9802230293*	50-352 P
COLLINS,S.J.	9802240025*	50-293 P
COLLINS,S.J.	9802240246*	50-247 P
COLLINS,S.J.	9802260051	ORG
COLLINS,S.J.	9802260087	50-247 P
COLLINS,S.J.	9802260260	50-213 G
COLLINS,S.J.	9802270017*	50-213 G
COLLINS,S.J.	9802270028*	50-213 G
COLLINS,S.J.	9802270193*	50-483 P
COLLINS,S.M.	9802250072*	50-309 W
COLLINS,T.E.	9802180207	52-3
COLLINS,T.E.	9802200410	TOPREP
COLOMB,M.J.	9802190291	50-333 R
COLOMB,M.J.	9802200006	50-333 R
COLOMB,M.J.	9802200226	50-333 P
COLOMB,M.J.	9802200235*	50-333 P
COLOMB,M.J.	9802230133	50-333 S
COLOMB,M.J.	9802240069	50-333 S
COLVIN,J.F.	9802040214	REVIEW GR P
CONCANNON,T.	9802270260*	50-213 W
CONDREY,D.	9802200284	70-1252
CONER,C.E.	9802060186*	FOIA
CONER,C.E.	9802060200*	70-364
CONER,C.E.	9802060232*	FOIA
CONER,C.E.	9802060235*	FOIA
CONGEL,F.J.	9802100055	ORG
CONGEL,F.J.	9802250135	ORG
CONNER,J.A.	9802170115	70-27
CONNOR,C.B.	9802180073*	WM
CONRAN,J.	9802130076*	PR
CONTE,R.	9802250240*	FOIA
CONTE,R.J.	9802090191	50-354 V
CONTE,R.J.	9802170155	50-352 V
CONTE,R.J.	9802200029	50-352 V
CONTE,R.J.	9802240266	50-272 V
CONTE,R.J.	9802250112	50-272 V
CONTE,R.J.	9802270035	50-220 V
CONTE,R.J.	9802270052	50-271 V
CONTE,R.J.	9802270239	50-317 V
CONTE,R.J.	9802270244	50-277 Q
CONWAY,J.T.	9802110082	50-220 P
CONWAY,J.T.	9802130083	50-410 P
CONWAY,J.T.	9802200110	50-410 P
CONWAY,J.T.	9802200113*	50-410 P
COOK,M.	9802120068	72-22
COOKE,R.M.	9802230110	NUREG
COOKE,R.M.	9802230116	NUREG
COOL,D.A.	9801090236	50-3 Q
COOL,D.A.	9802050188	50-3 Q
COOL,D.A.	9802090144*	ORG
COOL,D.A.	9802250181	STATE PRO G
COOL,D.A.	9802250186	ORG
COOL,D.A.	9802250197	ORG
COOL,D.A.	9802250394	STATE PRO G
COON,H.M.	9802200291	50-440 R
COOPER,J.A.	9802180095	PR
COOPER,V.L.	9802040362	STATE PRO G
COPENHAVER,J.B.	9802040188*	50-400 F
COPINGER,D.A.	9802200043	NUREG
CORDES,J.F.	9802120013	SECY
CORDES,J.F.	9802120052	SECY
CORREIA,R.P.	9802020123*	QA999
COTHRON,H.	9802050268*	50-328 P
COTTER,B.P.	9802120121	40-8968
COTTER,B.P.	9802230186	40-8968
COTTINGHAM,A.W.	9802060048	NUREG
COTTLE,W.T.	9802130096*	50-498 P
COTTON,J.B.	9802100042	50-352 P
COTTON,J.B.	9802190196	50-277 P
COWAN,J.P.	9802040014	50-302 K
COWGILL,C.J.	9802020270	50-443 Q
COWGILL,C.J.	9802240160	50-271 Q
COWGILL,C.J.	9802270008	50-293 P
COX,C.	9802230311	70-7001
COX,C.	9802240016	70-7002
COX,D.	9802120281	CONTRACT
COX,T.	9802040145	70-143
COX,T.	9802260232	70-143
COX,T.H.	9802040049	70-143
CRAFT,F.R.	9802230128	40-8698
CRANE,C.M.	9802050368	50-259 Q
CRANE,P.G.	9802090120	PRM
CREED,J.R.	9802040108	50-266 F
CREED,J.R.	9802060215	50-255 F
CREED,J.R.	9802170172	50-155 F
CREED,J.R.	9802170175	50-341 F
CREED,J.R.	9802190109*	50-454 Q
CREED,J.R.	9802190210	50-331 F
CREED,J.R.	9802260032	50-282 P
CREED,J.R.	9802260126	50-255 F
CREED,J.R.	9802260130	50-331 F
CREED,J.R.	9802180017	50-255 F
CROCKER,G.	9802250212	50-282 G
CROCKER,H.W.	9802090107*	70-364
CROCKER,H.W.	9802090176*	FOIA
CROTEAU,R.P.	9802030147	50-250 P
CROTEAU,R.P.	9802240128	50-250 F
CROTEAU,R.P.	9802270119	50-250 P
CROWELL,W.S.	9802260046	71-9143
CRUSE,C.H.	9802040374	50-317 P
CRUSE,C.H.	9802060183	50-317 P
CRUSE,C.H.	9802250285	50-317 P
CRUTCHLEY,J.	9802130073*	PR
CUDWORTH,J.	9802180158	NUREG
CULLEN,S.M.	9802270166*	FOIA
CURET,H.D.	9802050175	TOPREP
CURET,H.D.	9802060041	TOPREP
CURET,H.D.	9802060161	TOPREP
CURET,H.D.	9802090001	TOPREP
CURET,H.D.	9802130079	TOPREP
CURLEY,V.	9802240211	50-354 V
CURLEY,V.	9802250386	50-354 V
CURRAN,D.	9802250210	40-8968
CURRAN,D.	9802250224	40-8968
CURRAN,D.	9802250236	40-8968
CURRAN,D.	9802270215	72-22
CURRAN,D.	9802270241	40-8968
CURRAN,D.	9802270241	40-8968
CURRAN,D.	9802270241	40-8968
CURRY,D.L.	9802030011	50-336 P
CURRY,D.L.	9802030014	50-336 P
CURRY,D.L.	9802050187	50-336 P
CURRY,D.L.	9802090070	50-336 P
CURRY,D.L.	9802090072*	50-336 P
CURRY,D.L.	9802180006	50-336 P
CURRY,D.L.	9802200161	50-336 P
CURRY,D.L.	9802240220	50-336 P
CURRY,D.L.	9802260268	50-336 P
CUTHBERTSON,T.	9802130081	71-641
CYGAN,J.	9802240077	50-295 R
CYR,K.D.	9802120205*	PR
DACIMO,F.	9802060218	50-373 S
DACIMO,F.	9802060227	50-373 S
DACIMO,F.	9802100083	50-374 S
DACIMO,F.	9802130113	50-373 S
DACIMO,F.	9802190212	50-373 Q
DACIMO,F.	9802200261	50-373 R
DACIMO,F.	9802240423	50-373 S
DACIMO,F.	9802260125	50-373 S
DACIMO,F.	9802270050	50-373 P
DACIMO,F.R.	9802130067	50-373 P
DACIMO,F.R.	9802240223	50-373 Q
DACIMO,F.R.	9802250127	50-373 Q
DAGGETT,P.	9802270116*	40-8968
DAHLBERG,K.A.	9802120318	50-410 S
DAHLBERG,K.A.	9802130056	50-410 S
DAHLBERG,K.A.	9802200184	50-410 S
DAHLBERG,K.A.	9802240124	50-220 F
DAHLBERG,K.A.	9802240310	50-410 S
DAHLBERG,K.A.	9802240348	50-410 R
DAO,T.V.	9802200147	50-302 R
DARDEN,T.	9802200039	I&E
DARDEN,T.	9802250254	I&E
DARKE,J.F.	9802230040	40-3453
DAVENPORT,J.W.	9802200138	50-259 R
DAVIDSON,J.N.	9802190202	50-160 P
DAVIS,E.M.	9802130011	72-1015
DAVIS,E.M.	9802130098	72-1015
DAVIS,J.W.	9802270118	NUREG
DAVIS,M.J.	9802120200	TOPREP
DAVIS,R.T.	9802020239*	50-244 P
DAYTON,E.B.	9802030017*	50-400 Q
DE AGAZIO,A.W.	9802050061	50-259 P
DE AGAZIO,A.W.	9802230333	50-259 Q
DE AGAZIO,A.W.	9802240201	50-259 P
DE AGAZIO,A.W.	9802240277	50-259 P
DE AGAZIO,A.W.	9802250060	50-260 P
DE AGAZIO,A.W.	9802270124	50-259 P
DE MANI,G.	9802230054*	40-8968
DE MANI,G.	9802230056*	40-8968
DEAGAZIO,A.W.	9802240316	50-260 P
DEAN,W.M.	9802030098*	50-261 P
DEAN,W.M.	9802050084	REVIEW GR P
DEAN,W.M.	9802050371	50-338 Q
DEAN,W.M.	9802240283*	50-324 P
DEBEY,T.M.	9802200304	50-274 R
DECKER,T.R.	9802090166	STATE PRO G
DECKER,T.R.	9802090234	STATE PRO G
DECKER,T.R.	9802250266	I&E
DEL CORE,D.W.	9802270217*	50-336 Q
DELEZENSKI,J.	9802200040	50-312 J
DELEZENSKI,J.	9802240241	50-312 J
DELLIGATTI,M.S.	9802240346	72-22
DEMARCO,D.A.	9802180079	WM
DEMARK,W.E.	9802190303	50-461 R
DEMBEK,S.	9802260269	50-245 P
DESMOND,N.L.	9802040006	50-293 P
DESMOND,N.L.	9802200159	50-293 R
DESMOND,N.L.	9802250044	50-293 R
DEVENEY,R.C.	9802240097*	TOPREP
DEVORE,T.	9802180026*	50-324 P
DEWEASE,J.G.	9802060093	50-313 P
DEWEASE,J.G.	9802240196	50-313 J
DIAZ,N.J.	9802020157	COMMISSIO N
DIAZ,N.J.	9802040200*	50-344 W
DIAZ,N.J.	9802040217*	50-344 W
DIAZ,N.J.	9802040253	SECY
DIAZ,N.J.	9802120056*	COMMISSIO N
DIAZ,N.J.	9802120080*	COMMISSIO N
DIAZ,N.J.	9802120085*	COMMISSIO N

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DIAZ,N.J.	9802250200*	COMMISSIO N
DIAZ,N.J.	9802260178	10CFR9.7
DIBIASIO,A.M.	9802120194*	PR
DIBIASIO,A.M.	9802270181*	50-317 P
DICHARRY,R.D.	9802110054	71-102
DICK,G.F.	9802020223	50-454 P
DICK,G.F.	9802020230*	50-454 P
DICK,G.F.	9802030146	50-454 P
DICK,G.F.	9802040239	50-454 P
DICK,G.F.	9802050121*	50-454 P
DICK,G.F.	9802050177	50-454 P
DICK,G.F.	9802050194*	50-454 P
DICROCE,K.R.	9802040120*	50-293 S
DICUS,G.J.	9802020146	COMMISSIO N
DICUS,G.J.	9802040196*	50-344 W
DICUS,G.J.	9802040213	SECY
DICUS,G.J.	9802040232	SECY
DICUS,G.J.	9802040246	SECY
DICUS,G.J.	9802120049*	COMMISSIO N
DICUS,G.J.	9802120077*	COMMISSIO N
DICUS,G.J.	9802250195*	COMMISSIO N
DICUS,G.J.	9802260178	10CFR9.7
DIMMERY,T.	9802200207	50-369 R
DIMMERY,T.	9802200230	50-413 R
DIMMERY,T.	9802200262	50-269 R
DIPROFIO,W.A.	9802110057	50-443 S
DIPROFIO,W.A.	9802190102	50-443 S
DIPROFIO,W.A.	9802200114	50-443 R
DIPROFIO,W.A.	9802200399	50-443 S
DIXON,G.N.	9802270164	72-1007
DODD,B.	9802260091	50-243 F
DOERFLEIN,L.T.	9802020201	50-317 Q
DOERFLEIN,L.T.	9802200063	50-244 Q
DOERFLEIN,L.T.	9802200133	50-244 Q
DOERFLEIN,L.T.	9802200162	50-220 Q
DOERFLEIN,L.T.	9802240440*	50-245 P
DOLAN,B.W.	9802200043	NUREG
DOLAN,D.	9802170085	PRM
DOLANSKY,R.	9802060188*	50-286 P
DONAHUE,J.W.	9802200117	50-400 R
DONAHUE,J.W.	9802240350	50-400 S
DONNELL,J.L.	9802230310	72-22
DONNELLON,R.E.	9802050319	50-346 P
DONOHEW,J.N.	9802240046	50-416 P
DONOHEW,J.N.	9802240051*	50-416 P
DORUFF,M.A.	9802050078	PR
DOYLE,J.M.	9802190275*	50-482 P
DROGGITIS,S.	9802050364*	I&E
DROMERICK,A.W.	9802240082	50-317 P
DROMERICK,A.W.	9802260230	50-317 P
DUGGER,C.M.	9802040008	50-382 P
DUGGER,C.M.	9802040280	50-382 K
DUGGER,C.M.	9802270329	50-382 P
DUGSTAD,D.	9802190053	50-282 R
DUNNING,G.	9802020061	STATE PRO G
DURR,J.	9802230286	50-245 Q
DURR,J.	9802240443*	50-245 P
DURR,J.	9802240447*	50-245 P
DURR,J.	9802250071	50-245 Q
DURR,J.	9802250126*	50-245 P
DURR,J.	9802250159*	50-213 W
DURR,J.	9802250171*	50-336 P
DYER,J.E.	9802050120	50-382 Q
EATON,B.	9802230330	50-416 R
EBERHARDT,A.C.	9802270156*	50-373 P
EBNETER,S.D.	9802110155	50-400 Q
EBNETER,S.D.	9802180146*	50-250 H
EDGAR,J.B.	9802090050	70-1257
EDGAR,J.B.	9802130108	TOPREP
EDGAR,J.B.	9802200107	70-1257
EDGAR,J.B.	9802230051	70-1257
EDGAR,J.B.	9802240411	71-9217
EDGAR,J.B.	9802250024	71-3
EDGAR,J.B.	9802250037	TOPREP
EDGAR,J.B.	9802270165	REGGD
EDISON,G.E.	9802050251	50-280 Q
EDISON,G.E.	9802240435	50-280 P
EDWARDS,G.D.	9802050182	50-277 S
EDWARDS,G.D.	9802120225	50-277 V
EDWARDS,M.L.	9802200108	50-285 R
EDWARDS,W.C.	9802250376	50-255 F
EGAN,D.M.	9802240024	50-219 R
EHMIG,W.	9802120111	XPORTLIC
ELIE,M.	9802260102*	50-247 P
ELLINGWOOD,B.R.	9802200018	ORG
ELLIS,J.H.	9802230099	40-8027
EMMONS,K.W.	9802190044	50-423 R
EMMONS,K.W.	9802190309	50-213 R
ENG,P.L.	9802040315	71-755
ENG,P.L.	9802060018	71-638
ENG,P.L.	9802060020*	71-638
ENG,P.L.	9802060021*	71-638
ENG,P.L.	9802230297	71-545
ENG,P.L.	9802230299	71-844
EPPERSON,K.R.	9802180051*	50-269 P
ERGO,D.C.	9802190014*	40-8968
ERICKSON,G.M.	9802020089	50-302 H
ERICKSON,R.A.	9802240321	50-5 S
ESHELMAN,P.	9802170076	PRM
ESSIG,T.H.	9802040447	TOPREP
ESSIG,T.H.	9802200096	TOPREP
ESSIG,T.H.	9802250081	TOPREP
EUBANK,T.	9802250216	50-275 R
EVANS,C.F.	9802180044*	50-335 Q
EWING,E.C.	9802030070	50-382 R
EWING,E.C.	9802030075	50-382 V
EWING,E.C.	9802050290	50-382 Q
EWING,E.C.	9802120118	50-382 F
EWING,E.C.	9802180072	50-382 S
EWING,E.C.	9802180169	50-382 Q
EWING,E.C.	9802190167	50-382 V
EWING,E.C.	9802200150	50-382 R
EWING,E.C.	9802200224	50-382 V
EWING,E.C.	9802230207	50-382 K
EWING,E.C.	9802250267	50-382 R
EWING,E.C.	9802250278	50-382 P
FAIRTILE,M.B.	9802040220	50-213 W
FAIRTILE,M.B.	9802240442	50-29 W
FARAZ,Y.H.	9802250027	70-7002
FARLOW,S.	9802200437	50-315 S
FARRER,D.	9802200140*	50-275 P
FARRER,D.	9802200144*	50-275 P
FARRIER,D.	9802200141*	50-275 P
FEDORS,R.	9802180069*	WM
FEIGENBAUM,T.	9802020265	50-443 I
FEIGENBAUM,T.	9802200416	50-443 I
FEIGENBAUM,T.C.	9802060171	50-443 P
FEIGENBAUM,T.C.	9802190025	50-443 J
FEIGENBAUM,T.C.	9802200315	50-443 H
FERDINAND,B.	9802060223	40-8964
FERDINAND,B.	9802060225*	40-8964
FERDINAND,B.	9802230021	40-8964
FERDINAND,B.	9802250080	40-8964
FERRELL,L.J.	9802110102*	50-220 P
FERRILL,D.A.	9802180077*	WM
FERRILL,D.A.	9802250117*	WM
FICI,J.A.	9802040334	70-1151
FIELD,G.T.	9802250136	71-9033
FIELDS,J.A.	9802030057	CONTRACT
FIELDS,J.A.	9802050018	CONTRACT
FIELDS,J.A.	9802050299	CONTRACT
FIELDS,M.B.	9802050157	50-361 P
FIELDS,S.M.	9802190057*	40-3453
FINN,B.M.	9802050298	50-271 V
FIRTH,D.J.	9802120233	NUREG
FISCHER,L.E.	9802250129	NUREG
FISHER,M.J.	9802120138	50-267 J
FISHER,M.J.	9802200153	50-267 Y
FISK,R.	9802230104*	XPORTLIC
FISK,R.H.	9802230100	XPORTLIC
FITZPATRICK,E.	9802020173	50-315 P
FITZPATRICK,E.	9802120292	50-315 F
FITZPATRICK,E.	9802120299	50-315 Q
FITZPATRICK,E.	9802120302	50-315 P
FITZPATRICK,E.	9802120308	50-315 Q
FITZPATRICK,E.	9802200065	50-315 H
FITZPATRICK,E.	9802200300	50-315 Q
FLACK,D.S.	9802200048	ORG
FLANDERS,S.	9802260217	50-400 P
FLATER,D.A.	9802040408	STATE PRO G
FLATER,D.A.	9802050372	STATE PRO G
FLENTJE,F.A.	9802270034*	50-266 S
FLETCHER,J.J.	9802240154	50-305 S
FLETCHER,R.G.	9802270243	STATE PRO G
FLORES,R.	9802170037	50-445 S
FLOYD,W.M.	9802040407	STATE PRO G
FLOYD,W.M.	9802040412	STATE PRO G
FOGARTY,M.	9802180037*	50-387 P
FONNER,R.	9802060140*	70-925
FONNER,R.	9802060176*	40-3453
FONNER,R.	9802250100*	70-925
FONTENOT,M.	9802060137	STATE PRO G
FORD,P.	9802050296	PRM
FORD,W.	9802250249*	40-8968
FORGETTE,T.E.	9802040432	50-317 F
FOSSEY,F.G.	9802230107	40-8084
FOSSEY,F.G.	9802230112	40-8084
FOSTER,W.W.	9802180163	50-269 F
FOX,G.	9802030083	STATE PRO G
FRANTZ,S.G.	9802250014	50-288 Q
FRANZ,J.F.	9802050229	50-331 Q
FRANZ,J.F.	9802090054	50-331 P
FRANZ,J.F.	9802090067	50-331 P
FRANZ,J.F.	9802130084	50-331 P
FRANZ,J.F.	9802200204	50-331 F
FRAZEE,T.	9802270237*	STATE PRO G
FREDRICHS,T.L.	9802050327	50-213 S
FREDRICHS,T.L.	9802240278	50-213 F
FREDRICKSON,P.	9802040169	50-324 Q
FREEMAN,B.	9802110109*	70-36
FREEMAN,D.S.	9802200150	50-382 R
FREHAFER,K.W.	9802050009	50-335 S
FREHAFER,K.W.	9802110012	50-335 S
FREHAFER,K.W.	9802120295	50-335 S
FREHAFER,K.W.	9802250239	50-335 S
FRENCH,P.S.	9708280036	40-8964
FRENCH,P.S.	9802040383	40-8964
FRENCH,P.S.	9802060209	40-8964
FRENCH,P.S.	9802060212	40-8964
FRENCH,P.S.	9802240426	40-8964
FRIDLEY,S.	9802020084	40-8989
FULTON,J.D.	9802170077	50-526 R
FUNCHES,J.L.	9802250218	ORG
GAINES,A.D.	9802130009	I&E
GAISER,G.	9802250043*	FOIA
GALEAZZI,D.D.	9802020122	PT21
GALLAGHER,I.L.	9802250376	50-255 F
GALLAGHER,J.L.	9802230190	72-1026
GAMBHIR,S.K.	9802040195	50-285 P
GAMBHIR,S.K.	9802050150	50-285 F
GAMBHIR,S.K.	9802050223	50-285 F
GAMBHIR,S.K.	9802060177	50-285 P
GAMBHIR,S.K.	9802060189	50-285 P
GAMBHIR,S.K.	9802100014	50-285 P
GAMBHIR,S.K.	9802100017*	50-285 P
GAMBHIR,S.K.	9802100060	50-285 P
GAMBHIR,S.K.	9802100063*	50-285 P
GAMBHIR,S.K.	9802110104	50-285 P
GAMBHIR,S.K.	9802110147	50-285 P
GAMBHIR,S.K.	9802190207	50-285 V
GAMBHIR,S.K.	9802190225	50-285 P
GAMBHIR,S.K.	9802200108	50-285 R
GAMBHIR,S.K.	9802230251	50-285 F
GAMBHIR,S.K.	9802260172	50-285 R
GANGLUFF,R.A.	9802200357	50-498 P
GAO,Y.	9802190291	50-333 R
GARDNER,D.	9802120069	50-261 R
GARDNER,F.	9802230043	40-3453
GARDNER,F.	9802250201	40-3453
GARDNER,M.	9802110113*	50-267 Y
GARDNER,R.	9802020081	50-254 P
GARDNER,R.	9802030036*	50-254 P
GASKIN,C.E.	9802030145	70-1151
GAST,K.	9802180118	PR
GEDDIE,E.M.	9802230061*	50-269 P
GEE,R.W.	9802170143*	COMMISSIO N
GEHRING,Y.	9802230071*	40-8968
GENTH,A.	9802170048	PRM
GIBSON,G.T.	9802050258	50-206 F
GIBSON,G.T.	9802200030	50-361 R
GIBSON,G.T.	9802200311	50-206 P
GIBSON,R.	9802100199*	40-6377
GIBSON,R.	9802200409*	50-298 P
GIECK,T.E.	9802170018	40-299
GIECK,T.E.	9802190100	40-299
GIECK,T.E.	9802190217	40-299
GIECK,T.E.	9802190258	40-299
GILCHRIST,J.R.	9802050018	CONTRACT
GILDERSLEEVE,T.	9802110058	50-324 F
GILDERSLEEVE,T.	9802110141	50-324 F
GILDERSLEEVE,T.	9802200229	50-324 F
GILDERSLEEVE,T.	9802240091*	50-324 F
GILDERSLEEVE,T.	9802240095*	50-324 F
GILDERSLEEVE,T.	9802240101*	50-324 F
GILDERSLEEVE,T.	9802240105*	50-324 F
GILDERSLEEVE,T.	9802240108*	50-324 F
GILDERSLEEVE,T.	9802240117*	50-324 F
GILES,H.B.	9802200121	50-341 R
GILLEN,D.M.	9802110205	WM
GILLEN,D.M.	9802120075	WM
GILLEN,D.M.	9802250241*	40-8943
GILLEN,D.M.	9802250354	WM
GILLESPIE,R.	9802270048	50-315 S
GILLIGAN,B.	9802230244	72-1008

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GIPSON,D.R.	9802040039	50-16 P
GIPSON,D.R.	9802040058	50-16 P
GIPSON,D.R.	9802040234	50-341 P
GIPSON,D.R.	9802040240	50-341 P
GIPSON,D.R.	9802040244	50-341 P
GIPSON,D.R.	9802040254	50-341 P
GIPSON,D.R.	9802040290	50-16 P
GIPSON,D.R.	9802040421	50-341 P
GIPSON,D.R.	9802050154	50-341 P
GIPSON,D.R.	9802090056	50-341 Q
GIPSON,D.R.	9802260078	50-341 P
GLASGOW,J.A.	9802120081	XPORTLIC
GLASGOW,J.A.	9802120101*	XPORTLIC
GLASGOW,J.A.	9802120101*	XPORTLIC
GLASGOW,J.A.	9802120101*	XPORTLIC
GLASGOW,J.A.	9802230174	XPORTLIC
GLASSMAN,J.M.	9802200347	PRM
GLAZIER,J.R.	9802180040*	50-387 P
GLENN,C.J.	9802170011	WM
GLENN,C.J.	9802170012*	WM
GODDARD,C.S.	9802250044	50-293 R
GOODWIN,W.L.	9802270312	70-1151
GOOSSENS,L.H.J	9802230116	NUREG
GOOSSENS,L.H.J.	9802230110	NUREG
GORANSON,W.P.	9802050172	40-8905
GORANSON,W.P.	9802130130	40-8964
GORANSON,W.P.	9802240393	40-8964
GORMLEY,P.	9802250230	40-8968
GORMLEY,P.J.	9802120060	40-8968
GORMLEY,P.J.	9802120060	40-8968
GRACESSER,K.L.	9802060030	50-454 P
GRAESSER,K.L.	9802180086	50-454 P
GRAESSER,K.L.	9802190184	50-454 P
GRAHAM,P.D.	9802040297	50-298 Q
GRAHAM,P.D.	9802050155	50-298 Q
GRAHAM,P.D.	9802120108	50-298 R
GRAMM,R.	9802040088	ORG
GRANDSTAFF,E.	9802190166	CONTRACT
GRANT,G.E.	9802040012	50-346 Q
GRANT,G.E.	9802040022	50-373 Q
GRANT,G.E.	9802040045	50-282 Q
GRANT,G.E.	9802040071	50-315 Q
GRANT,G.E.	9802040237	50-295 Q
GRANT,G.E.	9802040285	50-295 Q
GRANT,G.E.	9802040368	50-305 Q
GRANT,G.E.	9802060054	50-454 Q
GRANT,G.E.	9802120028	50-295 P
GRANT,G.E.	9802120038	50-373 P
GRANT,G.E.	9802120132	50-454 Q
GRANT,G.E.	9802120149	50-282 Q
GRANT,G.E.	9802130016	50-373 Q
GRANT,G.E.	9802130018	50-263 Q
GRANT,G.E.	9802170108	50-373 P
GRANT,G.E.	9802170154	50-295 Q
GRANT,G.E.	9802190002	50-373 P
GRANT,G.E.	9802190089	50-331 Q
GRANT,G.E.	9802190090	50-266 Q
GRANT,G.E.	9802190111	50-440 Q
GRANT,G.E.	9802190143	50-456 Q
GRANT,G.E.	9802200031	50-341 Q
GRANT,G.E.	9802200066	50-237 Q
GRANT,G.E.	9802200127	50-331 Q
GRANT,G.E.	9802230031	50-341 Q
GRANT,G.E.	9802230084	50-440 Q
GRANT,G.E.	9802230095	50-305 Q
GRANT,G.E.	9802260151	50-440 Q
GRANT,G.E.	9802260160	50-315 Q
GRANT,G.E.	9802260194	50-456 Q
GRANT,J.M.	9802200023	50-29 H
GRAY,C.D.	9802020099	PR
GRAZIO,R.E.	9802200004	50-302 F
GRAZIO,R.E.	9802200147	50-302 R
GRAZIO,R.E.	9802230145	50-302 P
GRAZIO,R.E.	9802250263	50-302 R
GRAZIO,R.E.	9802250312	50-302 P
GRAZIO,R.E.	9802250363	50-302 P
GRAZIO,R.E.	9802260163	50-302 H
GRAZIO,R.E.	9802260169	50-302 K
GREENBERG,E.V.	9802230200	XPORTLIC
GREENBERG,E.V.	9802230200	XPORTLIC
GREENBERG,E.V.	9802230226*	XPORTLIC
GREENBERG,E.V.	9802230226*	XPORTLIC
GREENBERG,E.V.	9802270246	XPORTLIC
GREENBERG,E.V.	9802270246	XPORTLIC
GREENBERG,E.V.	9802270257*	XPORTLIC
GREENBERG,E.V.	9802270257*	XPORTLIC
GREEVES,J.T.	9802020225	STATE PRO G
GREEVES,J.T.	9802020240	WM
GREEVES,J.T.	9802020245	ORG
GREEVES,J.T.	9802020248	WM
GREEVES,J.T.	9802040117	ORG
GREEVES,J.T.	9802250193	WM
GREEVES,J.T.	9802260153	ORG
GRIGG,R.R.	9802040130	50-266 P
GRIMES,C.I.	9802020175	REVIEW GR P
GRIMES,J.P.	9802200154	50-352 R
GROBE,J.A.	9802020053	50-254 P
GROBE,J.A.	9802020082	50-254 Q
GROBE,J.A.	9802020136	50-249 Q
GROBE,J.A.	9802030033	50-254 P
GROBE,J.A.	9802030062	50-266 Q
GROBE,J.A.	9802060113	50-456 Q
GROBE,J.A.	9802100186	50-461 Q
GROBE,J.A.	9802100187	50-255 Q
GROBE,J.A.	9802100189	50-254 Q
GROBE,J.A.	9802110061	50-282 Q
GROBE,J.A.	9802110064	50-254 Q
GROBE,J.A.	9802110075	50-237 Q
GROBE,J.A.	9802170093	50-255 Q
GROBE,J.A.	9802170134	50-373 Q
GROBE,J.A.	9802180123	50-315 Q
GROBE,J.A.	9802180130	50-266 Q
GROBE,J.A.	9802190107	50-454 Q
GROBE,J.A.	9802190147	50-457 Q
GROBE,J.A.	9802200093	50-254 Q
GROBE,J.A.	9802200426	50-315 V
GROBE,J.A.	9802230011	50-461 Q
GROBE,J.A.	9802240085	50-454 Q
GROBE,J.A.	9802240100	50-373 Q
GROBE,J.A.	9802240183	50-456 Q
GROBE,J.A.	9802260041	50-315 Q
GROBE,J.A.	9802260050	50-266 Q
GROBE,J.A.	9802260185	50-305 Q
GROBE,J.A.	9802260208	50-254 P
GUARNIERI,S.R.	9802190198	50-317 R
GUIDICE,W.J.	9802090059	CONTRACT
GUMBLE,F.	9802180019*	50-286 P
GUNDRUM,L.L.	9802030108	50-266 F
GUNDRUM,L.L.	9802230269	50-266 P
GUNDRUM,L.L.	9802260211	50-301 Q
GURLEY,J.W.	9802180087*	50-454 P
GUSTAFSSON,U.E.	9802240184*	TOPREP
GWYNN,T.P.	9802050123	50-313 Q
GWYNN,T.P.	9802120172	50-298 P
GWYNN,T.P.	9802190181	50-382 P
GWYNN,T.P.	9802230078	50-482 P
GWYNN,T.P.	9802250101	50-397 Q
HAAG,R.C.	9802040026	50-280 Q
HAAG,R.C.	9802040187	50-395 P
HAAG,R.C.	9802040207	50-280 P
HAAG,R.C.	9802100089	50-338 P
HAAG,R.C.	9802100146	50-395 P
HAAG,R.C.	9802100158	50-280 P
HAERTJENS,B.L.	9802020080	70-364
HAERTJENS,B.L.	9802020149	70-364
HAERTJENS,B.L.	9802020159	70-364
HAGAN,J.J.	9802050115	50-416 Q
HAGERS,J.	9802030099	72-20
HAGERS,J.	9802110113*	50-267 Y
HAGERS,J.	9802270151	REGGD
HALL,J.R.	9802040069	50-298 P
HALL,J.R.	9802240238	50-298 P
HALLISEY,R.M.	9802040434*	STATE PRO G
HALLISEY,R.M.	9802040439*	STATE PRO G
HALMAN,E.L.	9802130019*	PR
HALPERIN,J.A.	9802090194	PRM
HAMMER,M.F.	9802040051	50-263 Q
HAMMER,M.F.	9802040387	50-263 P
HAMMER,M.F.	9802050249	50-263 P
HAMMER,M.F.	9802050295	50-263 P
HAMMER,M.F.	9802180089	50-263 P
HAMMER,M.F.	9802180094	50-263 Q
HAMMER,M.F.	9802190301	50-263 P
HAMMER,M.F.	9802200015	50-263 S
HAMMER,M.F.	9802250131	50-263 R
HAMMER,M.F.	9802270063	50-263 R
HANSEN,A.G.	9802030103	50-346 P
HANSEN,A.G.	9802060058	50-346 P
HANSEN,A.G.	9802120285	50-346 P
HANSEN,A.G.	9802120290*	50-346 P
HANSEN,A.G.	9802120296*	50-346 P
HANSON,A.	9802060241	71-9184
HANSON,A.	9802130051	71-9070
HARDGROVE,T.W.	9802260248	40-6622
HARDIN,K.	9802020040	70-1257
HARDIN,K.J.	9802240047	70-1257
HARGIS,T.S.	9802200164	50-424 R
HARIZI,P.D.	9802230275*	50-293 P
HARLIN,C.L.	9802180189	40-8027
HAROLD,J.F.	9802030093	50-247 P
HAROLD,J.F.	9802030104*	50-247 P
HAROLD,J.F.	9802240244	50-247 P
HARPER,F.T.	9802230110	NUREG
HARPER,F.T.	9802230116	NUREG
HARPER,M.R.	9802100113	NUREG
HARRELL,P.	9802090028	50-382 Q
HARRELL,P.H.	9802170176	50-382 Q
HARRINGTON,G.	9802170067	50-305 S
HARRIS,K.A.	9802200286	50-482 R
HARRIS,P.W.	9802240126	50-155 F
HARRISON,P.	9802260280*	40-8968
HART,J.B.	9802190193	50-443 S
HART,J.B.	9802250052	50-443 S
HART,R.D.	9802040009	50-412 S
HART,R.D.	9802110118	50-334 S
HART,R.D.	9802200433	50-412 S
HART,R.D.	9802250203	50-334 S
HASSAN,M.	9802130002	NUREG
HATCHER,J.	9802170020*	40-299
HAUBER,R.D.	9802050300	XPORTLIC
HAUBER,R.D.	9802180138	XPORTLIC
HAUBER,R.D.	9802230073	XPORTLIC
HAUGHNEY,C.J.	9802040358	72-1004
HAUGHNEY,C.J.	9802240323	72-22
HAUGHNEY,C.J.	9802240329	72-22
HAUGHNEY,C.J.	9802270277	50-255 Y
HAWN,R.S.	9802110096	50-255 R
HAYES,K.	9802110109*	70-36
HAYNES,L.E.	9802230061*	50-269 P
HEAD,R.A.	9802180040*	50-387 P
HEAD,S.M.	9802240180*	50-499 S
HEALY,K.M.	9802230090*	XPORTLIC
HEALY,K.M.	9802230096	XPORTLIC
HEARTY,B.P.	9802120218	STATE PRO G
HEBDON,F.J.	9802040402*	50-302 P
HEBDON,F.J.	9802050276*	50-302 P
HEBDON,F.J.	9802240119	50-390 P
HEBDON,F.J.	9802240133*	50-250 F
HEFFLEY,J.M.	9802020072	50-237 P
HEFFLEY,J.M.	9802020177	50-10 W
HEFFLEY,J.M.	9802020178	50-10 Q
HEFFLEY,J.M.	9802100141	50-237 P
HEFFLEY,J.M.	9802120312	50-237 S
HEFFLEY,J.M.	9802190158	50-237 S
HEFFLEY,J.M.	9802190296	50-10 R
HEFFLEY,J.M.	9802200312	50-237 S
HEFFLEY,J.M.	9802240237	50-10 Q
HEGRAT,H.L.	9802200291	50-440 R
HEHL,C.W.	9802020150	50-333 Q
HEHL,C.W.	9802020168	50-286 Q
HEHL,C.W.	9802030050	50-220 Q
HEHL,C.W.	9802060053	50-333 P
HEHL,C.W.	9802090203	50-354 Q
HEHL,C.W.	9802170023	50-293 Q
HEHL,C.W.	9802200149	50-247 Q
HEHL,C.W.	9802260089	50-286 H
HEHL,C.W.	9802270111	50-334 Q
HEHL,C.W.	9802270167	50-334 Q
HEIDE,A.	9802260277*	40-8968
HEIFETZ,R.M.	9802020071	PRM
HELLSTROM,G.W.	9802190176	40-8989
HELM,J.M.	9802250279	72-22
HENDERSON,J.W.	9802090215	40-2384
HENDERSON,P.J.	9802200362	40-8940
HENNESSY,W.P.	9802130045	72-22
HENRIE,D.K.	9802030001	50-277 P
HEPLER,O.M.	9802050136*	ORG
HERNAN,R.	9802120271	50-327 P
HERNAN,R.	9802170003	50-327 P
HERNAN,R.W.	9802230245	50-327 P
HESSLER,N.D.	9802130060	50-244 R
HEYER,R.S.	9802260067	71-545
HEYSEK,W.	9802050283	50-289 R
HEYSEK,W.	9802190306	50-289 R
HICK,G.D.	9802250149	50-423 S
HICKEY,J.W.	9802100172	50-54 W
HICKEY,J.W.	9802100174*	50-54 W
HICKEY,J.W.	9802120051	REGGD
HICKEY,J.W.	9802240203	40-8027
HICKEY,J.W.	9802240206*	40-8027
HICKEY,J.W.	9802240213*	40-8027
HICKEY,J.W.	9802240217*	40-8027
HICKEY,J.W.	9802260109	WM
HICKEY,J.W.	9802270178	50-29 W

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HICKMAN,J.B.	9802240018	50-315 P
HICKMAN,J.B.	9802240022*	50-315 P
HICKS,G.D.	9802090053	50-423 S
HICKS,G.D.	9802090061	50-423 S
HICKS,G.D.	9802110028	50-423 S
HICKS,G.D.	9802190044	50-423 R
HICKS,G.D.	9802200062	50-423 S
HICKS,G.D.	9802200406	50-423 S
HICKS,G.D.	9802230082	50-423 S
HICKS,G.D.	9802230105	50-423 S
HICKS,G.D.	9802230114	50-423 S
HICKS,G.D.	9802240079	50-423 S
HILAND,P.L.	9802060132	70-7001
HILAND,P.L.	9802100171	70-7002
HILAND,P.L.	9802200097	70-7001
HILDENBRAND,P.	9802230323	40-8857
HILDERBRANT,D.	9802120303	50-456 R
HILL,B.E.	9802180073*	WM
HILL,D.	9802230151*	50-302 P
HILL,R.L.	9802190046	50-498 R
HINNANT,C.S.	9802050206	50-324 Q
HINNANT,C.S.	9802050274	50-324 P
HINNANT,C.S.	9802050281	50-324 Q
HINNANT,C.S.	9802050326	50-324 P
HINNANT,C.S.	9802110136	50-324 P
HINNANT,C.S.	9802180022	50-324 P
HINNANT,C.S.	9802250237	50-324 Q
HINNANT,S.	9802170096	50-324 P
HINNANT,S.	9802200070	50-324 F
HINNANT,S.	9802270053	50-324 F
HINNENKAMP,P.D.	9802230319	50-245 R
HINNENKAMP,P.D.	9802240114	50-245 S
HIRT,A.	9802050287	PRM
HOBSON,G.H.	9802240097*	TOPREP
HODO,M.	9802180155	70-925
HOFFMAN,C.K.	9802060008*	50-352 P
HOFFMAN,S.T.	9802240020	50-269 P
HOLAHAN,G.M.	9802030046	REVIEW GR P
HOLAHAN,G.M.	9802120222	TOPREP
HOLDEN,D.W.	9802190103	XPORTLIC
HOLDEN,D.W.	9802270266	XPORTLIC
HOLDEN,J.J.	9802120084	50-302 P
HOLDEN,J.J.	9802180116	50-302 R
HOLDEN,J.J.	9802180122	50-302 Q
HOLDEN,J.J.	9802250134	50-302 P
HOLISH,L.L.	9802230173*	72-22
HOLLINGS,E.F.	9802090145*	ORG
HOLLOMON,T.J.	9802230220	50-327 R
HOLM,R.L.	9802060013	50-151 P
HOLM,R.L.	9802190214	50-151 R
HOLMAN,P.L.	9802240097*	TOPREP
HOLMES,M.A.	9802170092	50-483 R
HOLONICH,J.J.	9802050101	WM
HOLONICH,J.J.	9802050105	WM
HOLONICH,J.J.	9802050108	WM
HOLONICH,J.J.	9802050114	WM
HOLONICH,J.J.	9802050160	WM
HOLONICH,J.J.	9802050183	ORG
HOLONICH,J.J.	9802060124	40-8452
HOLONICH,J.J.	9802060133*	40-8452
HOLONICH,J.J.	9802060139	40-8964
HOLONICH,J.J.	9802060145*	40-8964
HOLONICH,J.J.	9802060154	40-8905
HOLONICH,J.J.	9802060156	40-8989
HOLONICH,J.J.	9802060157	40-8989
HOLONICH,J.J.	9802060167	40-3453
HOLONICH,J.J.	9802060181	40-1162
HOLONICH,J.J.	9802100145	WM
HOLONICH,J.J.	9802120035	WM
HOLONICH,J.J.	9802190059*	40-3453
HOLONICH,J.J.	9802190061*	40-3453
HOLONICH,J.J.	9802190070*	40-3453
HOLONICH,J.J.	9802230313	40-8907
HOLONICH,J.J.	9802240399	40-8989
HOLONICH,J.J.	9802240406	40-1162
HOLONICH,J.J.	9802250234	40-8943
HOLONICH,J.J.	9802250356*	WM
HOLONICH,J.J.	9802260220	40-4492
HOLONICH,J.J.	9802260241	40-3453
HOLONICH,J.J.	9802260250	40-8857
HOLONICH,J.J.	9802260257*	40-8857
HOLSOPPLE,K.L.	9802230017	40-6940
HOLSTON,W.C.	9802020073	PR
HOOD,D.S.	9802230260	50-410 P
HOOD,D.S.	9802230335	50-220 P
HOOD,D.S.	9802240284	50-220 T
HOOKS,K.R.	9802190063*	40-3453
HOPKINS,D.R.	9802270158	NUREG
HOPKINS,J.B.	9802040067	50-461 P
HOPKINS,J.B.	9802230325	50-461 P
HOPKINS,J.B.	9802240253	50-461 P
HORA,S.C.	9802230110	NUREG
HORA,S.C.	9802230116	NUREG
HORN,G.R.	9802120116	50-298 P
HORN,M.	9802240028	70-1257
HORNOR,J.W.	9802110185	STATE PRO G
HOUCK,H.A.	9802190088*	50-482 Q
HOUGHTON,J.R.	9802260191*	ORG
HOUR,K.Y.	9802110102*	50-220 P
HOUSE,B.A.	9802250325*	40-8968
HOVEY,R.J.	9802110045	50-250 F
HOVEY,R.J.	9802110156	50-250 P
HOVEY,R.J.	9802190040	50-250 R
HOVEY,R.J.	9802230222	50-250 F
HOVINGH,J.	9802250129	NUREG
HOWELL,A.T.	9802020132	50-498 V
HOWELL,A.T.	9802050049	50-313 P
HOWELL,A.T.	9802050140	50-482 V
HOWELL,A.T.	9802170045	50-397 Q
HOWELL,A.T.	9802170054	50-498 V
HOWELL,A.T.	9802170058	50-498 V
HOWELL,A.T.	9802170162	50-458 Q
HOWELL,A.T.	9802170166	50-498 Q
HOWELL,A.T.	9802180114	50-313 Q
HOWELL,A.T.	9802190302	50-529 P
HOYLE,J.C.	9802020011	10CFR9.7
HOYLE,J.C.	9802040186	COMMISSIO N
HOYLE,J.C.	9802040229	50-344 W
HOYLE,J.C.	9802090131	COMMISSIO N
HOYLE,J.C.	9802090185	10CFR9.7
HOYLE,J.C.	9802120034	COMMISSIO N
HOYLE,J.C.	9802120070	COMMISSIO N
HOYLE,J.C.	9802120104	10CFR9.7
HOYLE,J.C.	9802120157	10CFR9.7
HOYLE,J.C.	9802120163	10CFR9.7
HOYLE,J.C.	9802120177	10CFR9.7
HOYLE,J.C.	9802180129	STATE PRO G
HOYLE,J.C.	9802230233	70-7001
HOYLE,J.C.	9802250125	10CFR9.7
HOYLE,J.C.	9802250188	COMMISSIO N
HOYLE,J.C.	9802250229	PRM
HOYLE,J.C.	9802250335	STATE PRO G
HOYLE,J.C.	9802260148	10CFR9.7
HOYLE,J.C.	9802260271	PR
HOYLE,J.C.	9802270306	10CFR9.7
HOYLE,J.F.	9802260118	10CFR9.7
HRABAL,C.	9802020037	70-1113
HUDSON,S.	9802130062*	PR
HUFFMAN,W.	9802030122	52-3
HUFFMAN,W.C.	9802230338	52-3
HUFFMAN,W.C.	9802240039	52-3
HUGHEY,W.K.	9802050065	50-416 F
HUGHEY,W.K.	9802120269	50-416 V
HUGHEY,W.K.	9802200298	50-416 V
HUGHEY,W.K.	9802200345	50-416 P
HUGHEY,W.K.	9802200377	50-416 Q
HULL,J.T.	9802120082	40-8968
HULL,J.T.	9802250238	40-8968
HULL,J.T.	9802260115	40-8968
HUMPHREY,C.A.	9802110106*	50-390 F
HUNGER,G.A.	9802020088	PRM
HUNGER,G.A.	9802020263	50-353 Q
HUNGER,G.A.	9802040342	50-352 P
HUNGER,G.A.	9802050232	50-278 P
HURD,H.T.	9802050225	CONTRACT
HUTCHINSON,C.R.	9802200094	50-313 V
HUTCHINSON,C.R.	9802200255	50-313 P
HYDER,J.E.	9802060226*	FOIA
IBRAHIM,A.K.	9802260179*	WM
IGNATONIS,A.	9802180042*	50-335 Q
IGNATONIS,A.	9802180053*	50-335 Q
IMBRO,E.	9802170050	50-423 P
IMBRO,E.V.	9802120032	50-423 Q
IMBRO,E.V.	9802230307	50-423 P
IMBRO,E.V.	9802270173	50-336 Q
ISKANDER,S.K.	9802270188	NUREG
JABBOUR,K.N.	9802050330	50-271 P
JABBOUR,K.N.	9802240229	50-271 P
JACKSON,R.	9802190170*	50-237 S
JACKSON,S.	9802230146*	40-8968
JACKSON,S.A.	9802020169	COMMISSIO N
JACKSON,S.A.	9802040031	SECY
JACKSON,S.A.	9802040189*	50-344 W
JACKSON,S.A.	9802050002	SECY
JACKSON,S.A.	9802050294	SECY
JACKSON,S.A.	9802090136*	COMMISSIO N
JACKSON,S.A.	9802100157	40-8989
JACKSON,S.A.	9802110042	COMMISSIO N
JACKSON,S.A.	9802110076	50-390 F
JACKSON,S.A.	9802110126	COMMISSIO N
JACKSON,S.A.	9802120040*	COMMISSIO N
JACKSON,S.A.	9802120073*	COMMISSIO N
JACKSON,S.A.	9802170138	COMMISSIO N
JACKSON,S.A.	9802170146	50-443 U
JACKSON,S.A.	9802180010	COMMISSIO N
JACKSON,S.A.	9802230188	COMMISSIO N
JACKSON,S.A.	9802240318	COMMISSIO N
JACKSON,S.A.	9802240340	COMMISSIO N
JACKSON,S.A.	9802250190*	COMMISSIO N
JACKSON,S.A.	9802260178	10CFR9.7
JAFFE,D.H.	9802240298	50-424 P
JAFFE,D.H.	9802250152*	50-245 P
JAFFE,D.H.	9802260258	50-424 P
JAGANNATH,B.N.	9802100134	WM
JAIN,S.C.	9802040009	50-412 S
JAIN,S.C.	9802050306	50-412 P
JAIN,S.C.	9802110118	50-334 S
JAIN,S.C.	9802130124	50-334 Q
JAIN,S.C.	9802200279	50-334 P
JAIN,S.C.	9802200433	50-412 S
JAIN,S.C.	9802230315	50-334 R
JAIN,S.C.	9802230318	50-412 P
JAIN,S.C.	9802250036	50-334 K
JAMES,W.D.	9802050268*	50-328 P
JANKOVICH,J.P.	9802230136	REG CERT
JARMAN,P.C.	9802060240*	FOIA
JAUDON,J.P.	9802040251	50-302 P
JAUDON,J.P.	9802040306	50-400 Q
JAUDON,J.P.	9802040317	50-302 Q
JAUDON,J.P.	9802090216	50-302 Q
JAUDON,J.P.	9802090246	50-413 V
JAUDON,J.P.	9802170031	50-261 Q
JEFFERSON,F.	9802200084	50-324 R
JEFFS,V.D.	9802270262	STATE PRO G
JENSEN,E.N.	9802250349*	STATE PRO G
JERMAN,P.C.	9802090068*	FOIA
JOHANSEN,B.J.	9802240115*	50-483 P
JOHNS,L.F.	9802250372	50-255 F
JOHNSON,B.	9802250311*	40-8968
JOHNSON,D.F.	9802050098	50-301 P
JOHNSON,D.F.	9802050107	50-266 P
JOHNSON,D.F.	9802090189	50-266 F
JOHNSON,D.F.	9802090224	50-266 F
JOHNSON,D.F.	9802110013	50-266 R
JOHNSON,D.F.	9802120277	50-266 S
JOHNSON,D.F.	9802170083	50-266 R
JOHNSON,D.F.	9802170090	50-266 S
JOHNSON,D.F.	9802180013	50-266 S
JOHNSON,D.F.	9802190156	50-266 K
JOHNSON,D.F.	9802190178	50-266 S
JOHNSON,D.F.	9802240299	50-266 S
JOHNSON,D.F.	9802270022	50-266 S
JOHNSON,J.	9802040221	50-335 Q
JOHNSON,J.R.	9802040091	50-327 Q
JOHNSON,J.R.	9802090199	50-335 Q
JOHNSON,T.	9802250294*	40-8968
JOHNSON,W.	9802190094*	50-482 Q
JOHNSON,W.D.	9802020208	50-483 Q
JOHNSON,W.D.	9802020268	50-483 Q
JOHNSON,W.D.	9802020269	50-482 Q
JOHNSON,W.D.	9802050124	50-285 Q
JOHNSON,W.D.	9802050141	50-482 Q
JOHNSON,W.D.	9802050159*	50-482 Q
JOHNSON,W.D.	9802050209	50-285 Q
JOHNSON,W.D.	9802170117	50-482 Q
JOHNSON,W.D.	9802190125	50-482 Q
JONES,B.G.	9802190214	50-151 R
JONES,C.	9802020124*	STATE PRO G
JONES,C.G.	9802260138	ORG
JONES,D.T.	9802190308	50-334 R
JONES,G.T.	9802130001	50-387 P
JONES,G.T.	9802130003*	50-387 P
JONES,G.T.	9802180028	50-387 P
JONES,G.T.	9802200017	50-387 Q
JONES,R.A.	9802230061*	50-269 P
JONES,W.R.	9802100113	NUREG
JORDAN,E.L.	9802120178*	PR
JORDAN,M.J.	9802040030	50-454 Q
JORDAN,M.J.	9802040041	50-454 Q
JORDAN,M.J.	9802040044	50-456 Q
JORDAN,M.J.	9802040331	50-456 Q
JORDAN,M.J.	9802230016	50-456 Q
JORDAN,S.G.	9802120089	40-8968
JORDAN,S.G.	9802120089	40-8968

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JORDAN,S.G.	9802120089	40-8968
JORDAN,S.G.	9802250224	40-8968
JORDAN,S.G.	9802250236	40-8968
JORDAN,S.G.	9802270241	40-8968
JORDAN,S.G.	9802270241	40-8968
JORDAN,S.G.	9802270241	40-8968
JORGENSEN,B.L.	9802020271	50-155 Q
JORGENSEN,B.L.	9802060129	40-7604
JORGENSEN,B.L.	9802120055	40-2384
JORGENSEN,B.L.	9802120062*	40-2384
JORGENSEN,B.L.	9802190288	70-133
JORGENSEN,B.L.	9802230228	50-155 Q
JOSHI,R.G.	9802060066*	50-336 S
JOSHI,R.G.	9802130015*	50-336 S
JOSHI,R.G.	9802130047*	50-336 S
JOYNER,J.H.	9802030019	70-364
JULIAN,C.	9802040326*	50-302 Q
JULIAN,E.L.	9802020094	PRM
JULIAN,E.L.	9802050071	PRM
JULIAN,E.L.	9802050329	40-8968
JULIAN,E.L.	9802190012	40-8968
JULIAN,E.L.	9802230033	40-8968
JULIAN,E.L.	9802230047	40-8968
JULIAN,E.L.	9802230049	40-8968
JULIAN,E.L.	9802230058	40-8968
JULIAN,E.L.	9802230066	40-8968
JULIAN,E.L.	9802230083	40-8968
JULIAN,E.L.	9802230092	40-8968
JULIAN,E.L.	9802230140	40-8968
JULIAN,E.L.	9802230152	40-8968
JULIAN,E.L.	9802230159	40-8968
JULIAN,E.L.	9802230163	40-8968
JULIAN,E.L.	9802230166	40-8968
JULIAN,E.L.	9802230236	72-22
JULIAN,E.L.	9802260152	72-22
JULIAN,E.L.	9802260270	40-8968
JULIAN,E.L.	9802260274	40-8968
JULIAN,E.L.	9802260278	40-8968
JULIAN,E.L.	9802260283	40-8968
JULIAN,E.L.	9802260294	40-8968
JULIAN,E.L.	9802270101	40-8968
JULIAN,E.L.	9802270121	40-8968
JULIAN,E.L.	9802270133	40-8968
JULIAN,I.	9802250302*	40-8968
JULIAN,I.	9802250302*	40-8968
JURY,K.R.	9802030010	50-324 P
JURY,K.R.	9802050003	50-325 P
JURY,K.R.	9802060029	50-324 P
JURY,K.R.	9802110139	50-324 P
JURY,K.R.	9802200084	50-324 R
JURY,K.R.	9802240043	50-324 F
JURY,K.R.	9802240227	50-324 V
KALMAN,K.L.	9802060136	70-925
KALMAN,K.L.	9802250079	70-925
KALMAN,K.L.	9802250093	70-925
KANSLER,M.R.	9802020056	50-338 F
KANSLER,M.R.	9802040372	50-338 P
KANSLER,M.R.	9802050284	50-338 F
KAPIL,S.K.	9802020183*	50-424 P
KARPE,E.P.	9802240209	50-255 F
KARPE,E.P.	9802250381	50-255 F
KASHI,M.	9802100152*	50-261 P
KASKO,B.	9802200131	50-397 R
KATZ,P.E.	9802090014	50-317 S
KATZ,P.E.	9802120039	50-317 S
KATZ,P.E.	9802120185	50-317 S
KATZ,P.E.	9802170125	50-317 S
KATZ,P.E.	9802190292	50-318 S
KATZ,P.E.	9802200191	50-317 R
KAUFMAN,M.S.	9802230191	72-22
KAUFMAN,M.S.	9802230191	72-22
KAY,J.A.	9802250317	50-29 R
KEARNEY,W.F.	9802060057	40-8857
KEARNEY,W.F.	9802230289	40-8857
KEGEL,G.H.	9802200026	50-223 P
KEHELEY,T.H.	9802050181*	TOPREP
KELLEY,E.T.	9802050051	CONTRACT
KELLY,E.M.	9802250185	50-286 Q
KELLY,G.B.	9802060006	50-331 P
KELLY,J.	9802260082	40-8857
KELLY,J.J.	9802270172	I&E
KELLY,S.M.	9802250359	ORG
KEMP,P.	9802020062*	50-338 F
KENNEDY,J.	9802250370*	STATE PRO G
KENNEDY,J.P.	9802230176	72-22
KENNEDY,J.P.	9802230176	72-22
KENYON,B.D.	9802120142	50-245 Q
KENYON,B.D.	9802250095	50-245 P
KENYON,T.J.	9802030117	52-3
KILGORE,D.M.	9802190287	50-277 R
KIM,D.	9802250230	40-8968
KIM,T.	9802030101	50-263 P
KING,R.	9802260227	50-458 Q
KING,R.J.	9802060097	50-458 F
KING,R.J.	9802190042	50-458 R
KING,R.J.	9802260256	50-458 R
KING,R.J.	9802270102	50-458 F
KING,S.Q.	9802110093*	50-220 P
KING,T.L.	9802250261	TOPREP
KINGSLEY,O.D.	9802200407	50-295 P
KINKEL,P.H.	9802090063	50-247 S
KINKEL,P.H.	9802120301	50-247 Q
KINKEL,P.H.	9802230256	50-247 P
KINKEL,P.H.	9802230257*	50-247 P
KINKEL,P.H.	9802230328	50-247 R
KINNEMAN,J.D.	9802100194	40-6377
KINNEMAN,J.D.	9802100199*	40-6377
KIRK,R.L.	9802230272*	27-*****
KIRKLAND,M.W.	9802170122	70-754
KIRKLAND,M.W.	9802170128	70-754
KIRKMAN,R.M.	9802060210*	FOIA
KIRKMAN,R.W.	9802060228*	FOIA
KIRKMAN,R.W.	9802060236*	FOIA
KIRKMAN,R.W.	9802090093*	70-364
KIRKMAN,R.W.	9802090116*	FOIA
KIRKWOOD,J.K.	9802190292	50-318 S
KIRSCH,D.F.	9802120248	50-528 Q
KIRSCH,D.F.	9802190080	50-361 Q
KIVI,J.	9802240054*	50-282 S
KIVI,J.	9802240367*	50-282 S
KNAPP,M.R.	9802130026*	PR
KNAPP,M.R.	9802130044*	PR
KNAPP,M.R.	9802200042	ORG
KNAPP,P.J.	9802090104*	FOIA
KNIERIEM,R.	9802240296	50-272 R
KNIERIEM,R.B.	9802240361	50-311 R
KNORR,J.E.	9802120277	50-266 S
KNORR,J.E.	9802170095*	50-266 S
KNUBEL,J.	9802040291	50-333 Q
KNUBEL,J.	9802120276	50-333 Q
KNUBEL,J.	9802170068	50-333 P
KNUBEL,J.	9802170071*	50-333 P
KNUBEL,J.	9802170107	50-333 P
KNUBEL,J.	9802170110*	50-333 P
KNUBEL,J.	9802180014	50-286 P
KNUBEL,J.	9802240107	50-286 R
KOBIATA,K.A.	9802110096	50-255 R
KOCUNIK,D.C.	9802190275*	50-482 P
KOFRON,K.L.	9802060045	50-454 S
KOFRON,K.L.	9802200079	50-454 R
KOFRON,K.L.	9802250250	50-454 S
KOH,B.	9802100025	40-8724
KOHN,W.E.	9802230118	NUREG
KOMANDURI,G.V.	9802190275*	50-482 P
KONIG,C.	9802230098*	40-8968
KONIG,M.	9802230037*	40-8968
KONIG,N.	9802230154*	40-8968
KORTE,N.	9802230043	40-3453
KOSTEINIK,D.	9802180037*	50-387 P
KOUDELKA,M.B.	9802170083	50-266 R
KOVACH,T.J.	9802050222	50-10 H
KOWALEWSKI,S.L.	9802270253	STATE PRO G
KOZAK,T.J.	9802040037	50-440 Q
KOZAK,T.J.	9802040050	50-461 P
KOZAK,T.J.	9802040063	50-461 Q
KOZAK,T.J.	9802120162	50-461 P
KOZAK,T.J.	9802180105	50-461 P
KOZAK,T.J.	9802230015	50-461 Q
KOZUP,C.S.	9802040056*	50-255 S
KOZUP,C.S.	9802180154*	50-255 S
KRAAN,B.C.P	9802230110	NUREG
KRAAN,B.C.P	9802230116	NUREG
KRAFT,E.S.	9802020258	50-254 P
KRAFT,E.S.	9802040155	50-254 P
KRAFT,E.S.	9802050208	50-265 S
KRAFT,E.S.	9802050237	50-254 S
KRAFT,E.S.	9802090029	50-254 Q
KRAFT,E.S.	9802120293	50-254 S
KRAFT,E.S.	9802120304	50-254 S
KRAFT,E.S.	9802130110	50-254 S
KRAFT,E.S.	9802130121	50-254 P
KRAFT,E.S.	9802190056	50-254 R
KRAFT,E.S.	9802190149	50-254 P
KRAFT,E.S.	9802190154	50-254 P
KRAFT,E.S.	9802190168	50-254 S
KRAFT,E.S.	9802200009	50-254 P
KRAFT,E.S.	9802240026	50-254 S
KRAFT,E.S.	9802240260	50-265 S
KRAFT,E.S.	9802250178	50-254 R
KRAFT,E.S.	9802260279	50-254 Q
KRAFT,E.S.	9802270041	50-254 Q
KRAINIK,A.K.	9802050224	50-528 P
KRAINIK,A.K.	9802130109	50-528 P
KRAMER,W.J.	9802250012	PRM
KRIEGER,K.	9802230328	50-247 R
KRIEGER,R.W.	9802190164	50-206 S
KRIEGER,R.W.	9802190203*	50-206 S
KRIEGER,R.W.	9802190213	50-361 S
KRYSKA,J.P.	9802250378	50-255 F
KUCZYNSKI,G.J.	9802170064	50-387 S
KUCZYNSKI,G.J.	9802240174	50-387 R
KUEHN,G.A.	9802110150	50-146 P
KUEHN,G.A.	9802190279	50-146 P
KUGLER,A.J.	9802260213	50-341 P
KUREK,D.	9802260288	PR
KURTZ,R.L.	9802100196	50-461 P
LABARGE,D.E.	9802030110	50-270 S
LABARGE,D.E.	9802030133	50-269 P
LABARGE,D.E.	9802030137*	50-269 P
LABARGE,D.E.	9802030157	50-269 P
LABARGE,D.E.	9802040089	50-269 P
LABARGE,D.E.	9802240010	50-269 P
LABARGE,D.E.	9802240214	50-269 P
LABARGE,D.E.	9802240222*	50-269 P
LABARGE,D.E.	9802240232	50-269 P
LABARGE,D.E.	9802240240	50-269 P
LABARGE,D.E.	9802240336	50-269 P
LABARGE,D.E.	9802240343*	50-269 P
LACAVA,C.	9802190245	CONTRACT
LACY,J.	9802240255	50-445 F
LAINA,G.C.	9802250297	REVIEW GR P
LAINAS,G.C.	9802270032	REVIEW GR P
LAMBERT,M.T.	9802170070	70-1252
LAMBERT,M.T.	9802170075	70-1252
LAMBERT,M.T.	9802170082	70-1252
LAMBERT,M.T.	9802170089	70-1252
LAMBERT,M.T.	9802170111	XPORTLIC
LAMBERT,M.T.	9802170120	70-1252
LAMBERT,M.T.	9802170145	XPORTLIC
LAMBERT,M.T.	9802200419	XPORTLIC
LAMBERT,M.T.	9802200432	70-1252
LAMBERT,M.T.	9802200440	XPORTLIC
LAMPMAN,K.	9802100039	50-410 S
LANDIS,K.	9802090205*	50-335 Q
LANDIS,K.	9802090218*	50-302 Q
LANDIS,K.D.	9802040144	50-335 Q
LANDIS,K.D.	9802040198	50-335 Q
LANDIS,K.D.	9802040308	50-335 Q
LANDIS,K.D.	9802130010	50-335 P
LANDIS,K.D.	9802130132	50-302 P
LANDIS,K.D.	9802180032*	50-335 Q
LANDIS,K.D.	9802180036*	50-335 Q
LANDIS,K.D.	9802180055*	50-335 Q
LANGAN,J.A.	9802110120*	50-423 P
LANGENBACH,J.W.	9802250228	50-320 R
LANGENBACH,J.	9802230266	50-289 P
LANGENBACH,J.W.	9802050283	50-289 R
LANGENBACH,J.W.	9802190306	50-289 R
LANGENBACH,J.W.	9802270012	50-289 F
LANKSBURY,R.D.	9802040371*	50-305 Q
LANKSBURY,R.D.	9802120048	50-331 Q
LANNING,D.D.	9802200103*	TOPREP
LANNING,W.D.	9802030023	50-423 Q
LAPLANTE,J.Z.	9802110120*	50-423 P
LARKINS,J.T.	9802020172	COMMISSIO N
LARKINS,J.T.	9802260012	ACRS
LARKINS,J.T.	9802260026	ACRS
LARKINS,J.T.	9802260114	ACRS
LARSEN,J.	9802050062	70-925
LARSEN,J.	9802200374	70-925
LARUE,M.J.	9802180152	XPORTLIC
LASH,J.H.	9802170065	50-346 R
LASH,J.H.	9802200069	50-346 S
LASH,J.H.	9802250075	50-346 S
LAUX,J.V.	9802120310	50-483 Q
LAUX,J.V.	9802170123	50-483 Q
LAYCOCK,R.L.	9802050299	CONTRACT
LEACH,M.	9802240190	50-266 V
LEACH,M.N.	9802040092	50-456 V
LEACH,M.N.	9802120097	50-315 V
LEACH,M.N.	9802120126	50-305 V
LEACH,M.N.	9802260044	50-255 Q
LEAVITT,M.O.	9802100164*	40-8989
LEAVITT,M.O.	9802230208	72-22

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LEDOUX,M.R.	9802120079	40-8989
LEE,B.	9802110166	71-9225
LEE,S.	9802270302	REVIEW GR P
LEE,T.T.	9802110207	XPORTLIC
LEE,T.T.	9802110212	XPORTLIC
LEE,T.T.	9802120015	XPORTLIC
LEE,T.T.	9802120017	XPORTLIC
LEE,T.T.	9802120021	XPORTLIC
LEFEVRE,H.E.	9802250153	40-9024
LEGRAND,R.L.	9802030155	50-334 V
LEGRAND,R.L.	9802050310	50-334 R
LEGRAND,R.L.	9802250203	50-334 S
LENGYEL,G.	9802050182	50-277 S
LEONARDI,R.A.	9802030079	STATE PRO G
LEONARDI,R.A.	9802030083	STATE PRO G
LEONOLDI,R.	9802030056	STATE PRO G
LEONORDI,R.	9802030078	STATE PRO G
LESAR,M.T.	9802120191*	PR
LESKO,J.R.	9802020183*	50-424 P
LESSAR,M.S.	9802040204	50-327 Q
LESSER,M.	9802040208*	50-327 Q
LESSER,M.S.	9802040102	50-390 Q
LESSER,M.S.	9802100090	50-259 P
LESSER,M.S.	9802100095	50-327 P
LESSER,M.S.	9802130027	50-390 Q
LESSER,M.S.	9802180151	50-327 P
LEVENTHAL,P.L.	9802230229*	XPORTLIC
LEVINE,J.M.	9802020091	50-528 H
LEVINE,J.M.	9802110005	50-528 P
LEVINE,J.M.	9802180081	50-530 P
LEVINE,J.M.	9802180142	50-528 P
LEVINE,J.M.	9802230070	50-528 P
LEWIS,J.R.	9802230046	I&E
LEWIS,M.	9802090126	PRM
LI,M.	9802040390*	50-263 P
LI,M.S.	9802040401*	50-263 P
LIBERATORI,L.	9802240062	TOPREP
LIBERATORI,L.F.	9802180043	TOPREP
LIBERATORI,L.F.	9802240148	50-260 Q
LICKUT,J.A.	9802120074	PRM
LIEBERMAN,J.	9802040303*	I&E
LIEBERMAN,J.	9802090041	50-327 Q
LIEBERMAN,J.	9802090047	50-440 Q
LIEBERMAN,J.	9802120160	50-245 Q
LIEBERMAN,J.	9802120239	50-298 Q
LIEBERMAN,J.	9802240327	50-295 Q
LIEBERMAN,J.	9802240331	50-387 Q
LIEBERMAN,J.	9802270047	50-334 Q
LIEBERMAN,J.I.	9802020083	PRM
LIEBERMAN,J.I.	9802260070*	ORG
LIN,S.D.	9802230330	50-416 R
LINDLEY,G.	9802250142	NUREG
LINEHAN,J.J.	9802190072*	FOIA
LINGREN,D.A.	9802170016*	52-3
LINVILLE,J.	9802130012	50-311 S
LINVILLE,J.C.	9802090197	50-354 Q
LINVILLE,J.C.	9802270011	50-272 P
LIPARULO,N.J.	9802030025	TOPREP
LIPARULO,N.J.	9802180074	TOPREP
LIPARULO,N.J.	9802180128	TOPREP
LIPARULO,N.J.	9802180135*	TOPREP
LISCHESKE,C.	9802110181	STATE PRO G
LISKA,E.F.	9802250202	PRM
LITTLE,M.P.	9802230110	NUREG
LITTLE,M.P.	9802230116	NUREG
LOCHBAUM,D.A.	9802120187	50-286 H
LOHAUS,P.	9802250344*	STATE PRO G
LOHAUS,P.H.	9802020108	STATE PRO G
LOHAUS,P.H.	9802030012	STATE PRO G
LOHAUS,P.H.	9802040437	STATE PRO G
LOHAUS,P.H.	9802270232	STATE PRO G
LOHAUS,P.H.	9802270338	STATE PRO G
LORION,J.	9802180141	50-250 H
LOUIE,R.T.	9802090063	50-247 S
LUCHT,R.	9802230062	40-8857
LUND,P.	9802190185	QA999
LUND,P.	9802190194*	QA999
LUTHIGER,P.	9802020257	40-8905
LUTHIGER,P.	9802050096	40-8905
LUTHIGER,P.	9802050103	40-8905
LYNCH,D.	9802240404*	50-454 P
LYNCH,M.D.	9802230324	50-454 P
LYNCH,M.D.	9802230327*	50-454 P
MAAS,L.J.	9802230234	70-1257
MAAS,L.J.	9802250208	70-1257
MACCHER,P.A.	9802170020*	40-299
MACDUFF,R.B.	9802050181*	TOPREP
MACE,H.H.	9802110006	CONTRACT
MACE,H.M.	9802180106	CONTRACT
MACE,M.	9802040021	CONTRACT
MACE,M.	9802040024	CONTRACT
MACE,M.	9802040249	CONTRACT
MACE,M.	9802050215	CONTRACT
MACE,M.	9802120033	CONTRACT
MACE,M.	9802120044	CONTRACT
MACE,M.	9802250192	CONTRACT
MACE,M.	9802250337	CONTRACT
MACE,M.	9802250368	50-254 P
MACE,M.	9802270192	50-368 P
MACE,M.	9802270197	CONTRACT
MACE,M.	9802270205	CONTRACT
MACE,M.H.	9802030053	CONTRACT
MACE,M.H.	9802050021	CONTRACT
MACE,M.H.	9802050038	CONTRACT
MACE,M.H.	9802050043	CONTRACT
MACE,M.H.	9802050045	CONTRACT
MACE,M.H.	9802050126	CONTRACT
MACE,M.H.	9802090005	CONTRACT
MACE,M.H.	9802090057	CONTRACT
MACE,M.H.	9802090156	CONTRACT
MACE,M.H.	9802120278	CONTRACT
MACE,M.H.	9802120319	CONTRACT
MACE,M.H.	9802170106	CONTRACT
MACE,M.H.	9802190245	CONTRACT
MACE,M.H.	9802190300	CONTRACT
MACE,M.H.	9802230010	CONTRACT
MACE,M.H.	9802230038	CONTRACT
MACE,M.H.	9802230041	CONTRACT
MACE,M.H.	9802240197	CONTRACT
MACE,M.H.	9802240252	CONTRACT
MACE,M.H.	9802190268	CONTRACT
MACFARLAND,W.	9802260090	50-461 P
MACFARLAND,W.G.	9802020051	50-461 S
MACFARLAND,W.G.	9802110143	50-461 S
MACFARLAND,W.G.	9802120289	50-461 P
MACFARLAND,W.G.	9802230217	50-461 S
MACFARLAND,W.G.	9802240179	50-461 S
MACFARLAND,W.G.	9802240259	50-461 S
MACFARLAND,W.G.	9802260083	50-461 P
MACKIN,P.	9802180069*	WM
MACKIN,P.C.	9802180067	WM
MACKINNON,J.B.	9802100113	NUREG
MAGGART,C.	9802110113*	50-267 Y
MAGRUDER,S.L.	9802020139	TOPREP
MAGRUDER,S.L.	9802120196	REVIEW GR P
MAGRUDER,S.L.	9802200145	REVIEW GR P
MAGRUDER,S.L.	9802200152	REVIEW GR P
MAGRUDER,S.L.	9802250088	REVIEW GR P
MAGRUDER,S.L.	9802250097	REVIEW GR P
MAGRUDER,S.L.	9802250146	REVIEW GR P
MAGRUDER,S.L.	9802250176	REVIEW GR P
MAGSINO,S.L.	9802180073*	WM
MAHENDRANATHAN	9802120317*	50-237 S
MALLAY,J.F.	9802250256	TOPREP
MALLEN,F.H.	9802190046	50-498 R
MALONE,D	9802250216	50-275 R
MANGES,C.	9802120231*	50-354 S
MANNING,P.	9802060224*	50-373 S
MARANO,M.W.	9802040216	50-302 Q
MARCHI,M.L.	9802030016	50-305 P
MARCHI,M.L.	9802170067	50-305 S
MARCHI,M.L.	9802170098	50-305 R
MARCHI,M.L.	9802170129	50-305 P
MARCHI,M.L.	9802190171	50-305 J
MARCHI,M.L.	9802200384	50-305 R
MARCHI,M.L.	9802240154	50-305 S
MARCO,C.L.	9802120134	72-22
MARCO,C.L.	9802230231	72-22
MARCO,C.L.	9802260142	72-22
MARET,G.A.	9802120247	50-271 S
MARET,G.A.	9802200027	50-271 R
MARKS,D.G.	9802130064*	50-528 S
MARKS,D.G.	9802190104	50-529 S
MARR,G.A.	9802250372	50-255 F
MARSHALL,G.N.	9802200165*	50-280 R
MARSHALL,S.R.	9802020036	STATE PRO G
MARSHBANK,D.	9802240231	50-219 F
MARTIN,J.T.	9802170156*	50-244 S
MARTIN,L.E.	9802020044	50-498 P
MARTIN,L.E.	9802040321	50-498 V
MARTIN,L.E.	9802040330	50-498 P
MARTIN,L.E.	9802130093	50-498 P
MARTIN,L.E.	9802130096*	50-498 P
MARTIN,R.E.	9802040070	50-390 P
MARTIN,T.T.	9802040106	REVIEW GR P
MARTIN,T.T.	9802250318*	ORG
MASNIK,M.T.	9802120197	REVIEW GR P
MASNIK,M.T.	9802200335	50-20 V
MASNIK,M.T.	9802260253	50-155 W
MASON,D.K.	9802200165*	50-280 R
MASON,J.	9802020122	PT21
MASSE,R.E.	9802240170	50-499 S
MASSEY,J.V.	9802130053	72-1007
MATRANGA,E.C.	9802170065	50-346 R
MATTHEWS,J.E.	9802120101*	XPORTLIC
MATTHEWS,W.R.	9802120307	50-338 F
MATTHEWS,W.R.	9802130028	50-338 S
MATTHEWS,W.R.	9802130038*	50-338 S
MATTHEWS,W.R.	9802170119	50-338 R
MATTHEWS,W.R.	9802200012	50-338 P
MATTY,R.M.	9802200420	50-352 P
MAYER,M.	9802200140*	50-275 P
MAYER,M.	9802200141*	50-275 P
MAYER,M.	9802200144*	50-275 P
MAYNARD,O.L.	9802050204	50-482 Q
MAZZAFERRO,P.	9802130023	50-220 S
MAZZAFERRO,P.A.	9802200351*	50-220 S
MCALPINE,E.J.	9802040184	70-1151
MCALPINE,E.J.	9802040277	70-143
MCALPINE,E.J.	9802040311	70-1201
MCALPINE,E.J.	9802100116	70-27
MCALPINE,E.J.	9802100123	70-143
MCALPINE,E.J.	9802100126	70-1113
MCALPINE,E.J.	9802100128	70-1201
MCALPINE,E.J.	9802100136	70-1151
MCANANY,J.	9802200396*	FOIA
MCANULTY,M.W.	9802200125	50-348 R
MCBURNETT,M.A.	9802040335	50-498 H
MCBURNETT,M.A.	9802040340	50-498 H
MCBURNETT,M.A.	9802200295	50-498 H
MCCARTHY,J.H.	9802030018	50-280 F
MCCARTHY,J.H.	9802050169	50-260 J
MCCARTHY,J.H.	9802120250	50-280 R
MCCARTHY,J.H.	9802120274	50-338 Q
MCCARTHY,J.H.	9802180075	50-280 Q
MCCARTHY,J.T.	9802060220	71-9249
MCCARTNEY,S.	9802230108*	XPORTLIC
MCCOLLUM,W.R.	9802040314	50-269 P
MCCOLLUM,W.R.	9802040337	50-269 P
MCCOLLUM,W.R.	9802050218	50-269 S
MCCOLLUM,W.R.	9802060051	50-269 Q
MCCOLLUM,W.R.	9802090036	50-269 P
MCCOLLUM,W.R.	9802110010	50-269 P
MCCOLLUM,W.R.	9802130091	50-269 P
MCCOLLUM,W.R.	9802130114	50-269 P
MCCOLLUM,W.R.	9802170173	50-269 P
MCCOLLUM,W.R.	9802180163	50-269 F
MCCOLLUM,W.R.	9802190142	50-269 P
MCCOLLUM,W.R.	9802200169	50-269 P
MCCOLLUM,W.R.	9802230113	50-269 S
MCCOLLUM,W.R.	9802230238	50-269 P
MCCOLLUM,W.R.	9802270189	50-269 F
MCCORMICK,J.W.	9802040011	50-263 Q
MCCORMICK-BARGE	9802040025	50-266 Q
MCCORMICK-BARGE	9802260187	50-266 P
MCCOY,C.K.	9802060031	50-321 P
MCCOY,C.K.	9802090084	50-424 P
MCCOY,C.K.	9802090097	50-424 Q
MCCOY,C.K.	9802090113	50-424 Q
MCCOY,C.K.	9802130043	50-424 S
MCCOY,C.K.	9802190144	50-424 S
MCCOY,C.K.	9802190180	50-424 Q
MCCOY,C.K.	9802200164	50-424 R
MCCOY,C.K.	9802200344	50-424 Q
MCCOY,C.K.	9802240205	50-424 Q
MCCOY,C.K.	9802240304	50-424 S
MCCOY,C.K.	9802240335	50-424 P
MCCOY,C.K.	9802250309	50-424 P
MCCOY,C.K.	9802250314	50-424 P
MCCOY,C.K.	9802270059	50-424 Q
MCCRIMMON,J.D.	9802240287*	50-338 Y
MCDONALD,D.G.	9802030107	50-245 P
MCDONALD,D.G.	9802230300	50-336 P
MCDONALD,D.G.	9802270138	50-336 P
MCELWAIN,J.P.	9802030004	50-423 P
MCELWAIN,J.P.	9802030007	50-423 P
MCELWAIN,J.P.	9802050004	50-245 P
MCELWAIN,J.P.	9802110120*	50-423 P
MCELWAIN,J.P.	9802230139	50-423 K
MCELWAIN,J.P.	9802250092	50-245 P
MCELWAIN,J.P.	9802250217	50-423 Q
MCGAFFIGAN,E.	9802020163	COMMISSIO N
MCGAFFIGAN,E.	9802040211*	50-344 W
MCGAFFIGAN,E.	9802040217*	50-344 W

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MCGAFFIGAN,E.	9802040259	SECY
MCGAFFIGAN,E.	9802120058*	COMMISSIO N
MCGAFFIGAN,E.	9802120088*	COMMISSIO N
MCGAFFIGAN,E.	9802250204*	COMMISSIO N
MCGAFFIGAN,E.	9802260178	10CFR9.7
MCGOVERN,J.J	9802180159	50-54 W
MCGOVERN,J.J.	9802180090	50-54 W
MCGOVERN,J.J.	9802180092	50-54 W
MCGUIRE,S.A.	9802110210	ORG
MCGUIRE,S.A.	9802120005	ORG
MCHALE,J.L.	9802060008*	50-352 P
MCINTYRE,B.A.	9802030149	52-3
MCINTYRE,B.A.	9802040002	52-3
MCINTYRE,B.A.	9802040131	52-3
MCINTYRE,B.A.	9802050138	52-3
MCINTYRE,B.A.	9802050165	52-3
MCINTYRE,B.A.	9802060151	52-3
MCINTYRE,B.A.	9802060152	52-3
MCINTYRE,B.A.	9802060170	52-3
MCINTYRE,B.A.	9802060175	52-3
MCINTYRE,B.A.	9802060187	52-3
MCINTYRE,B.A.	9802060195	52-3
MCINTYRE,B.A.	9802060197	52-3
MCINTYRE,B.A.	9802060199	52-3
MCINTYRE,B.A.	9802060202	52-3
MCINTYRE,B.A.	9802110021	52-3
MCINTYRE,B.A.	9802110037	52-3
MCINTYRE,B.A.	9802120232	52-3
MCINTYRE,B.A.	9802120320	52-3
MCINTYRE,B.A.	9802170014	52-3
MCINTYRE,B.A.	9802170016*	52-3
MCINTYRE,B.A.	9802190140	52-3
MCINTYRE,B.A.	9802200195	52-3
MCINTYRE,B.A.	9802200316	52-3
MCINTYRE,B.A.	9802200318	52-3
MCINTYRE,B.A.	9802200322	52-3
MCINTYRE,B.A.	9802200325	52-3
MCINTYRE,B.A.	9802200327	52-3
MCINTYRE,B.A.	9802230027	52-3
MCINTYRE,B.A.	9802230036	52-3
MCINTYRE,B.A.	9802230042*	52-3
MCINTYRE,B.A.	9802240189	52-3
MCINTYRE,B.A.	9802240408	52-3
MCINTYRE,B.A.	9802240418	52-3
MCINTYRE,B.A.	9802260212	52-3
MCINTYRE,B.A.	9802260229	52-3
MCINTYRE,B.A.	9802260243	52-3
MCINTYRE,B.A.	9802260249*	52-3
MCINTYRE,B.A.	9802270225	52-3
MCKAGUE,H.L.	9802180071	WM
MCKAGUE,H.L.	9802180076	WM
MCKAGUE,H.L.	9802250108	WM
MCKEE,P.F.	9802040079*	50-423 P
MCKEE,P.F.	9802230302*	50-336 P
MCKEE,P.F.	9802240375	50-245 P
MCKEE,P.F.	9802270139	50-423 P
MCKEE,P.F.	9802270149*	50-336 P
MCKEE,P.F.	9802270153	50-423 P
MCKENNEY,C.	9802250251*	40-8968
MCLAUGHLIN,J.	9802170142	XPORTLIC
MCLAUGHLIN,J.	9802200060	XPORTLIC
MCLEAN,M.L.	9802110022	I&E
MCMAHON,C.V.	9802270264	STATE PRO G
MCMILLION,D.	9802040432	50-317 F
MCNULTY,W.J.	9802180024*	50-335 Q
MEARSE,S.	9802120321	CONTRACT
MEARSE,S.D.	9802020186	CONTRACT
MEARSE,S.D.	9802030071	CONTRACT
MEARSE,S.D.	9802110004	CONTRACT
MEARSE,S.D.	9802120259	CONTRACT
MEARSE,S.D.	9802120264	CONTRACT
MEARSE,S.D.	9802170059	CONTRACT
MEARSE,S.D.	9802170114	CONTRACT
MEARSE,S.D.	9802190166	CONTRACT
MEARSE,S.D.	9802190252	CONTRACT
MEARSE,S.D.	9802190266	CONTRACT
MEARSE,S.D.	9802190271	CONTRACT
MEARSE,S.D.	9802190273	CONTRACT
MEARSE,S.D.	9802190286	CONTRACT
MEARSE,S.D.	9802190305	CONTRACT
MEARSE,S.D.	9802200008	CONTRACT
MEARSE,S.D.	9802200013	CONTRACT
MEARSE,S.D.	9802240191	CONTRACT
MEARSE,S.D.	9802250219	CONTRACT
MEARSE,S.D.	9802250232	CONTRACT
MEARSE,S.D.	9802250252	CONTRACT
MEARSE,S.D.	9802260110	CONTRACT
MEARSE,S.D.	9802260132	CONTRACT
MEARSE,S.D.	9802260141	CONTRACT
MECREDY,R.C.	9802030049	50-244 P
MECREDY,R.C.	9802040410	50-244 P
MECREDY,R.C.	9802050198	50-244 Q
MECREDY,R.C.	9802120041	50-244 P
MECREDY,R.C.	9802120158	50-244 P
MECREDY,R.C.	9802130060	50-244 R
MECREDY,R.C.	9802170127	50-244 S
MECREDY,R.C.	9802180021	50-244 S
MEEHAN,B.D.	9802190307	CONTRACT
MEEKHOFF,D.J.	9802040395*	50-245 P
MEEKHOFF,D.J.	9802090130*	50-245 P
MEISNER,M.J.	9802020085	50-309 Q
MEISNER,M.J.	9802200400	50-309 W
MEISNER,M.J.	9802250163	50-309 F
MELLOR,R.A.	9802030035	50-213 F
MELLOR,R.A.	9802040177	50-213 K
MELLOR,R.A.	9802190309	50-213 R
MELLOR,R.A.	9802200323	50-213 W
MELLOR,R.A.	9802250327	50-213 R
MELLOR,R.A.	9802270114	50-213 R
MENDONCA,M.M.	9802230142	50-73 F
MERGES,P.J.	9802020049	STATE PRO G
MERGES,P.J.	9802270252	STATE PRO G
MERSCHOFF,E.W.	9802090018	50-313 Q
MERSCHOFF,E.W.	9802090163	50-382 Q
MERSCHOFF,E.W.	9802180153	50-498 Q
MERSCHOFF,E.W.	9802190152	50-498 Q
MERSCHOFF,E.W.	9802260024	50-397 Q
MERSCHOFF,E.W.	9802260065	50-361 Q
METZGER,J.V.	9802060147	50-220 S
MEYER,G.W.	9802020111	50-244 Q
MEYER,G.W.	9802270230	50-286 Q
MEYER,W.A.	9802090149	50-186 V
MICHAELS,T.S.	9802040113	50-2 F
MICHAELS,T.S.	9802040378	50-22 P
MICHAELS,T.S.	9802230284	50-223 P
MIKLUSH,D.B.	9802200135	50-275 P
MILANO,P.D.	9802030112	50-272 P
MILANO,P.D.	9802040227	50-272 P
MILANO,P.D.	9802040233	50-272 P
MILANO,P.D.	9802240048	50-272 P
MILANO,P.D.	9802240084	50-272 P
MILANO,P.D.	9802240294	50-272 P
MILANO,P.D.	9802240297	50-272 P
MILANO,P.D.	9802240307	50-272 P
MILELLA,P.P.	9802270188	NUREG
MILLER,C.	9802050136*	ORG
MILLER,C.L.	9802040167	50-302 P
MILLER,C.L.	9802240333*	COMMISSIO N
MILLER,H.J.	9802020008	50-247 Q
MILLER,H.J.	9802020211	50-443 Q
MILLER,H.J.	9802050082	50-289 Q
MILLER,H.J.	9802100013	STATE PRO G
MILLER,H.J.	9802170030	50-219 Q
MILLER,J.H.	9801140250	70-7001
MILLER,J.H.	9802100069	70-7002
MILLER,J.H.	9802200338	70-7002
MILLER,M.T.	9802030022*	70-364
MILLER,V.L.	9303230248*	FOIA
MIMS,D.C.	9802040370	50-313 P
MIMS,D.C.	9802050144	50-313 P
MIMS,D.C.	9802240356	50-313 R
MIMS,D.C.	9802250350	50-368 P
MINARICK,J.W.	9802200043	NUREG
MINER,P.	9802240120*	50-245 S
MINOR,J.W.	9802200253	50-316 R
MIRAGLIA,F.J.	9802240226*	50-285 P
MIRAGLIA,F.J.	9802250380	TOPREP
MITCHELL,T.N.	9802060043	50-278 Q
MITCHELL,T.N.	9802060055	50-277 Q
MITCHELL,T.N.	9802130125	50-277 P
MITCHELL,T.N.	9802200386	50-278 P
MITCHELL,T.N.	9802270263	50-277 P
MJAATVEDT,M.	9802180037*	50-387 P
MOBLEY,M.H.	9802270206	STATE PRO G
MODEEN,D.J.	9802230135	REVIEW GR P
MODES,M.C.	9802060111	50-317 Q
MODES,M.C.	9802060118*	50-317 Q
MODES,M.C.	9802060217	50-387 F
MODES,M.C.	9802060219	50-277 F
MODES,M.C.	9802060221	50-245 F
MODES,M.C.	9802060222	50-309 F
MODES,M.C.	9802100065	50-293 F
MODES,M.C.	9802110001	50-245 F
MOECKEL,K.	9802260143	72-1007
MOECKEL,K.	9802260175	72-1007
MOK,G.C.	9802250129	NUREG
MONTGOMERY,B.D.	9802200025	40-7397
MOORE,T.A.	9802270013*	50-352 S
MORALES,E.M.	9802060015	40-8907
MORALES,E.M.	9802060168	40-8907
MOREY,D.	9802040270	50-348 Q
MOREY,D.	9802040281	50-348 Q
MOREY,D.	9802060194	50-348 P
MOREY,D.	9802090042	50-348 P
MOREY,D.	9802170081	50-348 P
MOREY,D.	9802180101	50-348 Q
MOREY,D.	9802190131	50-348 P
MOREY,D.	9802200061	50-348 P
MOREY,D.	9802200125	50-348 R
MOREY,D.	9802250265	50-348 P
MOREY,D.N.	9802250332	50-321 R
MORGAN,J.	9802200123	70-7002
MORGAN,J.	9802200128	70-7002
MORGAN,J.B.	9802170148	70-7002
MORGAN,K.	9802050075*	70-925
MORIYA,H.	9802200057	XPORTLIC
MORONEY,J.	9802230151*	50-302 P
MORRIS,A.	9802200361	PRM
MORRISON,D.L.	9802120202*	PR
MORTON,L.B.	9802190129	40-8989
MOSSBURG,D.	9802250353*	STATE PRO G
MOSSBURG,D.	9802250374*	STATE PRO G
MOULIA,T.A.	9802040332	50-133 P
MOWREY,C.L.	9802190040	50-250 R
MOYER,J.W.	9802240332	50-261 S
MUELLER,J.H.	9802030159	50-410 Q
MUELLER,J.H.	9802040004	50-220 Q
MUELLER,J.H.	9802120257	50-220 P
MUELLER,J.H.	9802130071	50-410 P
MUELLER,J.H.	9802200185	PRM
MUELLER,J.H.	9802260261	50-220 Q
MUELLER,J.H.	9802270316	50-220 Q
MUENCH,R.A.	9802050016	50-482 P
MUENCH,R.A.	9802120249	50-482 P
MUENCH,R.A.	9802130122	50-482 P
MUENCH,R.A.	9802190269	50-482 P
MUHLHEIM,M.D.	9802200043	NUREG
MUIRHEAD,C.R.	9802230110	NUREG
MUIRHEAD,C.R.	9802230116	NUREG
MULLER,K.A.	9802020239*	50-244 P
MURKOWSKI,F.H.	9802180018*	COMMISSIO N
MURPHY,B.D.	9802270183	NUREG
MURRAY,B.	9802020020	50-397 Q
MURRAY,B.	9802020022	50-416 F
MURRAY,B.	9802050028	50-275 Q
MURRAY,B.	9802050052	50-458 Q
MURRAY,B.	9802050092	50-275 F
MURRAY,B.	9802050110	50-313 F
MURRAY,B.	9802050113	50-382 Q
MURRAY,B.	9802050185	50-498 F
MURRAY,B.	9802050288	50-498 F
MURRAY,B.	9802090033	50-482 F
MURRAY,B.	9802090038	50-482 F
MURRAY,B.	9802090058	50-482 F
MURRAY,B.	9802090133	50-528 Q
MURRAY,B.	9802090160	50-458 F
MURRAY,B.	9802090169	50-382 Q
MURRAY,B.	9802090202	50-313 F
MURRAY,B.	9802100112	50-458 Q
MURRAY,B.	9802120022	50-285 F
MURRAY,B.	9802120026	50-285 F
MURRAY,B.	9802120029	50-285 F
MURRAY,B.	9802120030	50-482 F
MURRAY,B.	9802120037	50-285 F
MURRAY,B.	9802120045	50-285 F
MURRAY,B.	9802120091	50-361 F
MURRAY,B.	9802120165	50-458 F
MURRAY,B.	9802120169	50-285 F
MURRAY,B.	9802190106	50-445 Q
MURRAY,B.M.	9802060214	71-9228
MURRAY,B.M.	9802230019	71-9228
MURTY,S.S.	9802250129	NUREG
MYERS,L.W.	9802040149	50-440 R
MYERS,L.W.	9802130104	50-440 P
MYERS,L.W.	9802130115	50-440 S
MYERS,L.W.	9802190241	50-440 R
MYERS,L.W.	9802240134	50-440 R
MYERS,L.W.	9802240415	50-440 Q
MYERS,L.W.	9802250362	50-440 P
NAGEL,J.	9802270276*	STATE PRO G
NARDI,A.J.	9802060088	70-1151
NARDONE,P.E.	9802200114	50-443 R
NAUS,D.J.	9802200018	ORG
NEIDER,T.J.	9802230290	72-*****

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
NELSON,D.	9802020039	50-298	S
NELSON,L.	9802230077*	50-409	W
NESBITT,L.B.	9802180040*	50-387	P
NETTLETON,J.	9802100006	PR	
NETTLETON,J.	9802180109	PR	
NEWBURGH,G.	9802230319	50-245	R
NEWTON,T.H.	9802270315	50-20	P
NICHOLSON,L.E.	9802090239	50-245	P
NIEL,J.C.	9802230022	71-9196	
NIELSON,D.R.	9802030086	72-22	
NILSEN,C.W.	9802060186*	FOIA	
NILSEN,C.W.	9802060200*	70-364	
NINH,S.	9802020185	50-302	S
NINH,S.	9802050210	50-302	S
NOBLE,T.	9802260133	50-289	P
NOELL,K.T.	9802020052	PR	
NORDAHL,J.H.	9802270331	QA999	
NORRIS,W.	9802130041*	PR	
NOSS,D.L.	9802120141	70-1257	
NOSS,D.L.	9802250303	70-1257	
NOVAK,P.B.	9802090114	PRM	
NUDING,M.	9802020122	PT21	
NUNN,D.	9802060233*	50-361	P
NUNN,D.E.	9802050221	50-361	Q
NUNN,D.E.	9802060229	50-361	P
NUNN,D.E.	9802180062	50-361	Q
NUSSBAUMER,D.A.	9303230246*	FOIA	
NUSYNOWITZ,M.L.	9802180091	PR	
NUSYNOWITZ,M.L.	9802230178*	XPORTLIC	
O'BRIEN,T.	9802020144*	STATE PRO	G
O'CONNELL,L.	9802120059	PRM	
O'CONNOR,G.E.	9802230275*	50-293	P
O'CONNOR,S.C.	9802240358	71-784	
O'HANLON,J.P.	9802040413	50-280	Y
O'HANLON,J.P.	9802050353	50-338	F
O'HANLON,J.P.	9802050365	50-280	P
O'HANLON,J.P.	9802060009	REGGD	
O'HANLON,J.P.	9802090046	50-280	P
O'HANLON,J.P.	9802090090	50-338	Y
O'HANLON,J.P.	9802120220	50-338	P
O'HANLON,J.P.	9802120279	50-338	P
O'HANLON,J.P.	9802180083	50-280	P
O'HANLON,J.P.	9802180084	50-338	P
O'HANLON,J.P.	9802190201	50-280	P
O'HANLON,J.P.	9802240281	50-338	Y
O'KELLY,S.	9802060203	50-128	P
O'KELLY,S.	9802200085	50-128	P
O'KELLY,S.O.	9802020014	50-128	F
O'MEALIA,M.K.	9802240372*	50-245	P
ODETTE,G.	9802230160*	40-8968	
OGLE,C.R.	9802040386	50-269	Q
OGLE,C.R.	9802090227	50-269	Q
OGLE,C.R.	9802090230	50-269	Q
OGLE,C.R.	9802090241	50-413	P
OLAND,C.B.	9802200018	ORG	
OLIVIER,L.J.	9802040094	50-293	S
OLIVIER,L.J.	9802120229	50-293	P
OLIVIER,L.J.	9802230270	50-293	P
OLIVIER,L.J.	9802260077	50-293	P
OLSEN,A.F.	9802100104	70-27	
OLSEN,A.F.	9802100169	71-5149	
OLSEN,A.F.	9802180184	71-9260	
OLSEN,H.O.	9802200191	50-317	R
OLSHAN,L.N.	9802240071	50-321	P
OLSHAN,L.N.	9802240273	50-321	Q
OLSON,R.J.	9802100139	NUREG	
ORLANDO,D.A.	9802240035	70-364	
ORLANDO,T.	9802250274*	50-286	R
ORLANDO,T.	9802250276*	50-286	R
ORNDORF,D.	9802050310	50-334	R
OSBORNE,J.M.	9802170125	50-317	S
OVERBECK,G.R.	9802040419	50-529	P
OVERBECK,G.R.	9802130057	50-528	S
OVERBECK,G.R.	9802170077	50-528	R
OVERBECK,G.R.	9802190104	50-529	S
OVERBECK,G.R.	9802190270	50-528	V
OYER,J.	9802270289*	70-2427	
PACE,P.L.	9802130033	50-390	K
PACE,P.L.	9802170066	50-390	R
PACE,P.L.	9802170137	50-390	P
PACE,P.L.	9802170149	50-390	P
PACE,P.L.	9802190289	50-390	R
PACE,P.L.	9802260002	50-390	P
PACE,P.L.	9802270226	50-390	F
PADOVAN,L.M.	9802250032	50-395	P
PAINE,J.P.	9802240184*	TOPREP	
PAINTES,V.N.	9802110004	CONTRACT	
PALKO,G.	8511140202*	FOIA	
PALKO,G.	9303230241*	FOIA	
PALKO,G.	9303230251*	FOIA	
PALMISANO,T.J.	9802030158	50-255	Q
PALMISANO,T.J.	9802040034	50-255	S
PALMISANO,T.J.	9802100036	50-255	P
PALMISANO,T.J.	9802180148	50-255	S
PALMISANO,T.J.	9802200277	50-255	S
PALMISANO,T.J.	9802200394	50-255	S
PAPERIELLO,C.	9802030114	70-7001	
PAPERIELLO,C.	9802030129*	70-7001	
PAPERIELLO,C.	9802230045	WM	
PAPERIELLO,C.J.	9802020087*	STATE PRO	G
PAPERIELLO,C.J.	9802050128	ORG	
PAPERIELLO,C.J.	9802250031*	70-7002	
PARDEE,C.G.	9802040327	50-302	P
PARETTI,T.	9802050341	PRM	
PARFITT,B.A.	9802110144	50-289	P
PARK,J.R.	9802100168	WM	
PARKER,J.L.	9802100004	40-8724	
PARKER,J.L.	9802260181	40-8724	
PASSWATER,A.C.	9802130088	50-483	P
PASSWATER,A.C.	9802240111	50-483	P
PASSWATER,A.C.	9802240328	50-483	P
PATEL,C.P.	9802230253	50-382	P
PATEL,C.P.	9802240187	50-382	P
PATEL,P.	9802240235	70-7001	
PATRICK,W.C.	9802090027*	WM	
PATRICK,W.C.	9802120078*	WM	
PATULSKI,S.A.	9802050086	50-266	P
PATULSKI,S.A.	9802200393	50-266	Q
PATULSKI,S.C.	9802230060	50-266	Q
PAULSON,O.	9802180131	40-8584	
PAUSTIAN,H.H.	9802240249	50-263	R
PAVINICH,W.A.	9802120125	TOPREP	
PAVLIC,M.A.	9802260038	PRM	
PAVLIK,R.A.	9802240287*	50-338	Y
PAYNE,D.C.	9802090254*	50-413	V
PAYTON,S.F.	9802260275*	50-277	P
PECKHAM,M.F.	9802020039	50-298	S
PECKHAM,M.F.	9802200249	50-298	R
PEDERSON,C.D.	9802120042	70-7002	
PEDERSON,C.D.	9802240199	STATE PRO	G
PEEBLES,T.A.	9802090254*	50-413	V
PEEBLES,T.A.	9802200319	50-327	V
PEELE,B.L.	9802040339*	50-269	P
PELCHAT,J.M.	9802100093	STATE PRO	G
PELIZZA,M.S.	9802250253*	40-8968	
PELLET,J.	9802190187	50-528	Q
PELLET,J.L.	9802090161	50-298	V
PELLET,J.L.	9802090162	50-483	V
PELLET,J.L.	9802090167	50-285	V
PELLET,J.L.	9802090172	50-445	V
PELLET,J.L.	9802090173	50-458	V
PELLET,J.L.	9802090179	50-482	V
PELLET,J.L.	9802090190	50-275	V
PELLET,J.L.	9802090196	50-397	V
PELLET,J.L.	9802090206	50-361	V
PELLET,J.L.	9802090209	50-498	V
PELLET,J.L.	9802090213	50-416	V
PELLET,J.L.	9802090214	50-528	V
PELLET,J.L.	9802090243	50-313	V
PELLET,J.L.	9802090247	50-313	V
PELLET,J.L.	9802090252	50-382	V
PELLET,J.L.	9802200089	50-498	V
PELLET,J.L.	9802240053	50-483	V
PENNY,R.	9802040298*	50-333	Q
PENNY,R.	9802040302*	50-333	Q
PENROD,K.L.	9802090081	50-255	F
PENROD,K.L.	9802240209	50-255	F
PENROD,K.L.	9802250379	50-255	F
PENROD,K.L.	9802250381	50-255	F
PENROD,K.L.	9802250385	50-255	F
PENROD,K.L.	9802250388	50-255	F
PENROD,K.L.	9802260072	50-255	F
PENTRACK,D.	9802050350	NUREG	
PERCH,S.J.	9802190016	PR	
PERRY,N.S.	9802110029	50-334	Q
PERRY,N.S.	9802170032	50-334	Q
PESCHEL,J.M.	9802110070*	50-443	S
PESCHEL,J.M.	9802170026	50-443	F
PESCHEL,J.M.	9802190108*	50-443	S
PESCHEL,J.M.	9802200405*	50-443	S
PETERSON,C.	9802050214*	50-265	S
PETERSON,C.	9802050245*	50-254	S
PETERSON,C.	9802120298*	50-254	S
PETERSON,C.	9802120306*	50-254	S
PETERSON,C.	9802130112*	50-254	S
PETERSON,C.	9802190172*	50-254	S
PETERSON,C.	9802240040*	50-254	S
PETERSON,G.R.	9802030020	50-413	P
PETERSON,G.R.	9802040269	50-413	S
PETERSON,G.R.	9802040278	50-413	P
PETERSON,G.R.	9802050235	50-413	P
PETERSON,G.R.	9802060182	50-413	F
PETERSON,G.R.	9802110148	50-413	S
PETERSON,G.R.	9802110151	50-413	S
PETERSON,G.R.	9802120255	50-413	S
PETERSON,G.R.	9802170153	50-413	F
PETERSON,G.R.	9802190163	50-413	P
PETERSON,G.R.	9802240182	50-413	P
PETERSON,N.K.	9802050026	50-341	J
PETERSON,N.K.	9802200121	50-341	R
PETERSON,N.K.	9802250049	71-9233	
PETERSON,P.M.	9802090044*	50-302	S
PETERSON,W.D.	9802180188	72-*****	
PEVELER,K.E.	9802040245	50-331	P
PEVELER,K.E.	9802040318	50-331	P
PEVELER,K.E.	9802130111	50-331	P
PEVELER,K.E.	9802200356	50-331	P
PFEIL,T.B.	9802060166	71-9184	
PFEIL,T.B.	9802130029	71-9070	
PHAM,T.N.	9802250133	NUREG	
PHILLIPS,J.J.	9802250154	50-131	F
PHILLIPS,S.M.	9802120199	I&E	
PIERCE,J.J.	9802130078*	50-390	F
PIERSON,R.C.	9802100082	70-7001	
PIERSON,R.C.	9802230294	70-7002	
PIERSON,R.C.	9802250156	70-3091	
PIETRANGELO,A.	9802050308	REGGD	
PILMER,D.F.	9802240268	TOPREP	
PINI,A.	9802270188	NUREG	
PISANO,L.E.	9802130065*	50-410	S
PLASSE,R.A.	9802240069	50-333	S
PLUNKETT,T.F.	9802130034	50-250	Q
PLUNKETT,T.F.	9802170078	50-250	P
POLAND,C.	9802250377*	STATE PRO	G
POLFLEIT,P.S.	9802200047	50-244	F
POLLARD,J.P.	9802240287*	50-338	Y
POLSTON,S.	9802020038	70-7001	
POLSTON,S.	9802060086	70-7001	
POLSTON,S.	9802170168	70-7001	
POLSTON,S.	9802190151	70-7001	
POLSTON,S.	9802250113	70-7001	
POLSTON,S.	9802260025	70-7001	
POPP,R.L.	9802250225	PR	
POSLUSNY,C.	9802020196	REVIEW GR	P
POWELL,D.R.	9802100080	50-272	P
POWELL,D.R.	9802110009	50-272	P
POWELL,D.R.	9802200380	50-272	R
POWELL,R.	9802180023	50-335	Q
POWELL,R.	9802190085	50-482	Q
POWELL,R.A.	9802050133	50-309	W
POWELL,R.A.	9802060080	FOIA	
POWELL,R.A.	9802060179	70-364	
POWELL,R.A.	9802180011	50-335	Q
POWELL,R.A.	9802180012	50-335	Q
POWELL,R.A.	9802180035	50-335	Q
POWELL,R.A.	9802190060	FOIA	
POWELL,R.A.	9802200001	FOIA	
POWELL,R.A.	9802200098	27-*****	
POWELL,R.A.	9802200227	FOIA	
POWELL,R.A.	9802200391	FOIA	
POWELL,R.A.	9802230250	FOIA	
POWELL,R.A.	9802240360	50-213	W
POWELL,R.A.	9802250041	FOIA	
POWELL,R.A.	9802250281	FOIA	
POWELL,R.A.	9802250333	FOIA	
POWELL,R.A.	9802270163	FOIA	
POWERS,K.P.	9802200075	50-155	K
POWERS,K.P.	9802240376	50-155	W
POWERS,M.	9802180019*	50-286	P
POWERS,R.P.	9802120266	50-275	Q
POWERS,R.P.	9802200022	50-275	S
POWERS,R.P.	9802200199	50-275	F
POWERS,R.P.	9802250216	50-275	R
PRESTON,S.J.	9802190123	40-8989	
PRESTON,S.J.	9802190123	40-8989	
PRICE,H.L.	9802200136*	27-*****	
PRICE,J.A.	9802060061	50-336	S
PRICE,J.A.	9802120322	50-336	S
PRICE,J.A.	9802130042	50-336	S
PRICE,J.A.	9802130106	50-336	S
PRICE,J.A.	9802200176	50-336	R
PRICE,J.D.	9802060204	TOPREP	
PRIEST,D.N.	9802110106*	50-390	F

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PRINCIC,K.	9802260181	40-8724
PROCTOR,K.	9802170147	XPORTLIC
PROCTOR,K.	9802170152	XPORTLIC
PUGH,N.L.	9802190052	40-3453
PULSIFER,R.M.	9802180099	50-237 P
PULSIFER,R.M.	9802240178	50-237 P
PURCELL,R.T.	9802170132	50-390 Q
PURCELL,R.T.	9802250271	50-390 P
PURCELL,R.T.	9802250365	50-390 V
PUSCHENDORF,L.	9802230156	40-8943
PYLEV,S.S.	9802100124	NUREG
QUAY,T.R.	9802060003	52-3
QUENNOZ,S.M.	9802050339	50-344 W
QUENNOZ,S.M.	9802190145	50-344 R
QUENNOZ,S.M.	9802190200	50-344 Y
QUENNOZ,S.M.	9802240150	50-344 Q
QUENNOZ,S.M.	9802270091	50-344 W
QUILLEN,P.T.	9802170140	50-335 S
QUILLIN,R.M.	9802030006	STATE PRO G
QUINN,R.D.	9802230195*	72-1026
QUINTANA,D.	9802230203	72-22
QUINTANA,D.	9802230203	72-22
RADDATZ,M.G.	9802120189	71-9255
RAGHAVAN,L.	9802040083	50-302 P
RAGHAVAN,L.	9802040400	50-302 P
RAGHAVAN,L.	9802050270	50-302 P
RAGHAVAN,L.	9802050292	50-302 P
RAGHAVAN,L.	9802050312	50-302 P
RAGHAVAN,L.	9802230255	50-302 P
RAGHAVAN,L.	9802240005	50-302 P
RAGHAVAN,L.	9802240011	50-302 P
RAGHAVAN,L.	9802240151	50-302 F
RAGHAVAN,L.	9802270208	50-302 P
RAGLIN,K.	9802040430*	STATE PRO G
RAINES,B.	9802050065	50-416 F
RAINSBERRY,J.	9802120103	50-361 P
RAINSBERRY,J.	9802260171	50-361 P
RAINSBERRY,J.L.	9802110048	50-206 P
RAKOVAN,L.	9802020119*	STATE PRO G
RAMSAY,J.B.	9802020099	PR
RANG,J.S.	9802240382	50-155 W
RATHBUN,D.K.	9802090138	ORG
RATHBUN,D.K.	9802090139	ORG
RATHBUN,D.K.	9802090142	ORG
RATHBUN,D.K.	9802090146	ORG
RATHBUN,D.K.	9802090147	PRM
RATHBUN,D.K.	9802090151	ORG
RATHBUN,D.K.	9802090153	ORG
RATHBUN,D.K.	9802090159	ORG
RATHBUN,D.K.	9802090164	NUREG
RATHBUN,D.K.	9802090174	ORG
RATHBUN,D.K.	9802090175	PR
RATHBUN,D.K.	9802090180*	ORG
RATHBUN,D.K.	9802100023	PRM
RATHBUN,D.K.	9802100040	PR
RATHBUN,D.K.	9802100041*	PR
RATHBUN,D.K.	9802170005	ORG
RAUCH,J.M.	9802180038	PR
RAUSCH,T.J.	9802120131	TOPREP
RAUSCH,T.J.	9802120131	TOPREP
RAY,H.B.	9802110052*	50-206 P
RAY,P.M.	9802030097	50-266 H
RAY,P.M.	9802050267	50-305 P
RAY,P.M.	9802050338	50-266 H
REAMER,B.	9802050135*	ORG
REBER,E.	9802050239	I&E
RECKFORD,S.J.	9802090014	50-317 S
RECKFORD,S.J.	9802120039	50-317 S
RECKLEY,W.	9802240400	50-313 P
RECKLEY,W.D.	9802240433*	50-313 P
REDDEN,D.	9802180087*	50-454 P
REED,C.A.	9802180039	50-335 Q
REEVES,K.G.	9802090157*	70-368
REHMANN,M.R.	9802200118	40-9024
REIBLE,B.	9802200281*	50-445 R
REID,D.A.	9802190026	50-271 Q
REID,D.A.	9802200332	50-271 P
REID,D.A.	9802200349	50-271 P
REID,D.G.	9802120188	50-344 Y
REID,R.L.	9802230118	NUREG
REILY,S.P.	9802270129*	40-8968
RENCHECK,M.W.	9802030058	50-302 P
RENCHECK,M.W.	9802050013	50-302 P
RENCHECK,M.W.	9802050369	50-302 P
RENCHECK,M.W.	9802090025	50-302 S
RENCHECK,M.W.	9802110027	50-302 P
RENCHECK,M.W.	9802180078	50-302 P
RENCHECK,M.W.	9802180104	50-302 P
RENCHECK,M.W.	9802230039	50-302 P
RESNIKOFF,M.	9802190064*	FOIA
RESNIKOFF,M.	9802260086	NUREG
REYES,L.A.	9802040284	50-390 Q
REYES,L.A.	9802040365	50-321 Q
REYES,L.A.	9802090253	50-302 Q
REYES,L.A.	9802100007	50-302 Q
REYES,L.A.	9802200308	70-143
RICE,A.R.	9802050099	50-395 S
RICE,A.R.	9802200182	50-395 F
RICHARD,S.A.	9802110040	ORG
RICHARDS,S.A.	9801200073	I&E
RICHARDS,S.A.	9802050029	ORG
RICHARDS,S.A.	9802250105	ORG
RICHARDS,S.A.	9802260231	50-298 Q
RICHARDS,V.	9802050075*	70-925
RIFAKES,G.P.	9802060125	70-7001
RIGOT,W.L.	9802050360	50-264 P
RIGOT,W.L.	9802120267	50-264 P
RILEY,J.	9802100152*	50-261 P
RINALDI,F.	9802030134	50-369 F
RING,M.	9802120043	50-10 Q
RING,M.	9802130024	50-10 Q
RING,M.	9802200256	50-254 Q
RIOS,L.R.	9802240115*	50-483 P
RISCH,V.R.	9802190016	PR
RITZMAN,R.	9802240384*	50-354 R
RITZMAN,R.	9802240387*	50-354 R
ROBERTS,J.	9802050361	I&E
ROBERTS,J.	9802120168	I&E
ROBERTS,M.C.	9802030022*	70-364
ROBERTS,W.L.	9802200287*	50-255 S
ROBERTS,W.L.	9802200402*	50-255 S
ROBINSON,M.	9802250250	50-454 S
ROBINSON,W.R.	9802030015	50-400 Q
ROBINSON,W.R.	9802030081	50-400 F
ROBINSON,W.R.	9802040323	50-400 Q
ROBINSON,W.R.	9802040404	50-400 P
ROBINSON,W.R.	9802100075	50-400 P
ROBINSON,W.R.	9802170056	50-400 S
ROBINSON,W.R.	9802190244	50-400 V
ROBINSON,W.R.	9802230246	50-400 P
ROCHE,M.B.	9802110119	50-219 P
ROCHE,M.B.	9802240024	50-219 R
ROCHE,M.B.	9802240247	50-219 P
ROE,J.W.	9711050091	50-3 W
ROE,J.W.	9712120014	50-3 Q
ROE,J.W.	9712180168	50-3 W
ROE,J.W.	9802050188	50-3 Q
ROE,J.W.	9802050275	50-128 V
ROE,J.W.	9802100026	50-3 Q
ROE,J.W.	9802240218	50-10 W
ROE,J.W.	9802250257	I&E
ROE,J.W.	9802250262*	I&E
ROE,J.W.	9802250308	ORG
ROGERS,J.A.	9802230262	50-335 R
ROGERS,J.L.	9802230277*	50-293 P
ROGERS,S.	9802200117	50-400 R
ROGERS,S.B.	9802170165	50-321 R
ROGGE,J.F.	9802020164*	50-333 Q
ROGGE,J.F.	9802060117	50-247 Q
ROGGE,J.F.	9802100193	50-333 Q
ROGGE,J.F.	9802200049	50-247 P
ROGGE,J.F.	9802270039	50-247 P
ROGINSKAGA,V.L.	9802100124	NUREG
ROMBERG,W.D.	9802020176	50-461 P
ROSA,M.	9802230054*	40-8968
ROSA,M.	9802230056*	40-8968
ROSENTHAL,J.	9802130090*	PR
ROSENTHAL,J.E.	9802120183	ORG
ROSENTHAL,J.E.	9802120215*	PR
ROSEUM,M.J.	9802200134	50-440 F
ROSS,D.F.	9802120198*	PR
ROSSI,C.E.	9802050088	NUREG
ROSSI,C.E.	9802050095*	NUREG
ROSSI,C.E.	9802260183	ORG
ROTHENBERG,L.N.	9802180102	PR
ROUGHAM,C.	9802060143	71-9033
ROUGHAN,K.	9802250233	71-9033
ROUTH,S.	9802040005	70-7002
ROWE,J.M.	9802050352	50-184 P
ROWE,K.	9802120318	50-410 S
RUBIN,A.M.	9802200438	ORG
RUDIGIER,G.C.	9802040432	50-317 F
RUDISAIL,S.	9802190297	50-250 S
RUDISAIL,S.	9802200028	50-335 S
RUEGER,G.M.	9802090065	50-275 P
RUEGER,G.M.	9802120243	50-275 P
RUEGER,G.M.	9802130005	50-275 P
RUEGER,G.M.	9802180001	50-275 P
RULAND,W.	9802050070*	50-333 Q
RULAND,W.H.	9802200172	50-336 Q
RULAND,W.H.	9802270038	50-443 Q
RUTLEDGE,R.	9802170133	XPORTLIC
RUTLEDGE,R.	9802170144	XPORTLIC
RUTLEDGE,R.	9802270250	XPORTLIC
RUTLEDGE,R.	9802270280	XPORTLIC
SAGAR,B.	9802180069*	WM
SALAS,P.	9802040105	50-328 P
SALAS,P.	9802040135	50-328 Q
SALAS,P.	9802050262	50-328 P
SALAS,P.	9802190134	50-327 F
SALAS,P.	9802200033	50-327 P
SALAS,P.	9802230192	50-327 P
SALAS,P.	9802230198	50-327 P
SALAS,P.	9802230210	50-327 P
SALAS,P.	9802230220	50-327 R
SALOMON,S.	9802020131*	STATE PRO G
SAMPSON,J.R.	9802120287	50-315 S
SAMPSON,J.R.	9802130100	50-315 S
SAMPSON,J.R.	9802190221	50-316 S
SAMPSON,J.R.	9802200253	50-316 R
SAMPSON,J.R.	9802200437	50-315 S
SAMPSON,J.R.	9802270048	50-315 S
SANBORN,G.F.	9802170029	50-498 Q
SANDERSON,R.E.	9802120154	NUREG
SANDIFER,R.M.	9802250384	WM
SANDIN,S.S.	9802100113	NUREG
SANZA,B.	9802040405	STATE PRO G
SATORIUS,M.A.	9802170094	50-485 Q
SAUNDERS,R.F.	9802040103	50-280 F
SAUNDERS,R.F.	9802120144	50-280 F
SAUNDERS,R.F.	9802240148	50-280 Q
SAVIO,R.P.	9802030109*	50-346 P
SAVIO,R.P.	9802200379	50-305 P
SAVIO,R.P.	9802240066	50-346 P
SCARANO,R.A.	9802030037*	50-344 Q
SCARANO,R.A.	9802050195	50-344 F
SCARANO,R.A.	9802050217	70-3073
SCARANO,R.A.	9802090012	STATE PRO G
SCARANO,R.A.	9802120253	50-312 Q
SCARANO,R.A.	9802170038	40-8681
SCARANO,R.A.	9802170169	50-267 W
SCARANO,R.A.	9802190153	40-8989
SCARANO,R.A.	9802200168	70-734
SCARANO,R.A.	9802200411	40-8903
SCARANO,R.A.	9802240149	50-344 F
SCARANO,R.A.	9802260010	40-8084
SCHAAF,R.G.	9802050053	50-255 P
SCHAAF,R.G.	9802260224	50-255 P
SCHAEFER,J.	9802120264	CONTRACT
SCHEPART,D.	9802260102*	50-247 P
SCHEXNAYDER,S.	9802250255*	40-8968
SCHIBONSKI,C.A.	9802250089	50-263 P
SCHIBONSKI,C.A.	9802250124	50-263 P
SCHILKE,P.	9802040394*	50-245 P
SCHMIDTKNECHT	9802040392	50-245 P
SCHMIDTKNECHT	9802260282	50-245 P
SCHNEIDER,K.N.	9802040435	STATE PRO G
SCHOEPF,P.	9802120287	50-315 S
SCHOEPF,P.	9802190221	50-316 S
SCHOPFER,D.K.	9802020041	50-423 P
SCHOPFER,D.K.	9802060052	50-423 P
SCHOPFER,D.K.	9802090073	50-423 P
SCHOPFER,D.K.	9802120023	50-423 P
SCHOPFER,D.K.	9802120076	50-423 P
SCHOPFER,D.K.	9802180111	50-423 P
SCHOPFER,D.K.	9802180132	50-423 P
SCHOPFER,D.K.	9802230131	50-423 P
SCHOPFER,D.K.	9802240147	50-423 P
SCHOPFER,D.K.	9802240204	50-423 P
SCHOPFER,D.K.	9802250367	50-423 P
SCHOPFER,D.K.	9802270307	50-423 P
SCHOPFER,D.K.	9802270311	50-423 P
SCHOR,D.P.	9802180137*	STATE PRO G
SCHULY,T.	9802250015	PRM
SCHWARTZ,G.K.	9802120303	50-456 R
SCHWINK,W.S.	9802030102	70-143
SCOTT,P.M.	9802100139	NUREG
SEALE,R.L.	9802260064	52-3
SEALY,C.O.	9802060160	40-299
SEARS,C.F.	9802230223	50-5 S
SEBROSKY,J.M.	9802030089	52-3
SEBROSKY,J.M.	9802030132	52-3
SEBROSKY,J.M.	9802040013	52-3
SEBROSKY,J.M.	9802040017	52-3

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SEBROSKY,J.M.	9802040206	52-3
SEBROSKY,J.M.	9802060083	52-3
SEBROSKY,J.M.	9802240145	52-3
SEBROSKY,J.M.	9802240185	52-3
SECKER,J.R.	9802240115*	50-483 P
SEIDMAN,K.J.	9802200003*	FOIA
SEIF,J.M.	9802110178	STATE PRO G
SELPH,J.R.	9802270025	XPORTLIC
SEPP,H.A.	9802060149	40-8976
SEPP,H.A.	9802060198*	52-3
SEPP,H.A.	9802180045*	TOPREP
SEPP,H.A.	9802260216*	52-3
SERPAN,C.	9802130082*	PR
SERPAN,C.	9802130094*	PR
SERPAN,C.Z.	9802120181*	PR
SERRA,P.L.	9802060155	50-498 F
SHAFFER,M.R.	9802050226	I&E
SHAFFER,M.R.	9802110022	I&E
SHANBAKY,M.	9802200039	I&E
SHANBAKY,M.	9802250254	I&E
SHANBAKY,M.M.	9802040235	70-1362
SHANBAKY,M.M.	9802040384	70-1795
SHANKMAN,S.F.	9802240004	71-231
SHANKMAN,S.F.	9802240330	50-20 P
SHANNON,T.	9802250180	TOPREP
SHARKEY,R.W.	9802050156	70-36
SHARKEY,R.W.	9802050156	70-36
SHARKEY,R.W.	9802050291	70-36
SHARKEY,R.W.	9802050291	70-36
SHARKEY,R.W.	9802110107	70-36
SHARKEY,R.W.	9802110107	70-36
SHARKEY,R.W.	9802200101	70-36
SHARKEY,R.W.	9802200101	70-36
SHARKEY,R.W.	9802270305	70-36
SHARKEY,R.W.	9802270305	70-36
SHARP,M.	9802200112*	FOIA
SHEA,J.W.	9802030092	50-261 P
SHEIBANI,M.	9802130043	50-424 S
SHEIBANI,M.	9802190144	50-424 S
SHEIBANI,M.	9802240304	50-424 S
SHELTON,B.	9802120192*	PR
SHELTON,B.	9802120206*	PR
SHELTON,B.	9802120209*	PR
SHELTON,B.J.	9802090129	ORG
SHELTON,B.J.	9802250119	ORG
SHELTON,B.J.	9802250223	50-317 P
SHELTON,B.J.	9802260088	ORG
SHELTON,B.J.	9802260127	ORG
SHELTON,B.J.	9802260139	ORG
SHERON,B.	9802130099*	PR
SHERON,B.	9802130101*	PR
SHERON,B..	9802130092*	PR
SHERWIN,M.F.	9802020075	PR
SHIELDS,C.	9802060042	MISC
SHIMEALL,K.M.	9802200025	40-7397
SHUAIBI,M	9802260191*	ORG
SHYMLOCK,M.B.	9802040261	50-400 Q
SHYMLOCK,M.B.	9802040322	50-324 Q
SHYMLOCK,M.B.	9802090228	50-261 Q
SHYMLOCK,M.B.	9802130017	50-261 P
SHYMLOCK,M.B.	9802170035	50-324 Q
SHYMLOCK,M.B.	9802170150	50-261 Q
SIHVOLA,P.	9802180190	ORG
SILBERG,J.E.	9802230170	72-22
SILBERG,J.E.	9802230170	72-22
SILBERG,J.E.	9802230180	72-22
SILBERG,J.E.	9802230180	72-22
SILBERG,J.E.	9802230196	72-22
SILBERG,J.E.	9802230196	72-22
SILBERG,J.E.	9802270235	72-22
SILBERG,J.E.	9802270235	72-22
SIMPSON,E.C.	9802020266	50-272 F
SIMPSON,E.C.	9802060087	50-311 P
SIMPSON,E.C.	9802230187	50-272 P
SIMPSON,E.C.	9802240088	50-272 P
SIMPSON,E.C.	9802250018	50-272 P
SIMS,D.	9802180077*	WM
SIMS,D.	9802250117*	WM
SINCLAIR,W.J.	9802020114*	STATE PRO G
SINCLAIR,W.J.	9802230211*	72-22
SINGH,K.P.	9802040038*	50-382 P
SINILI,K.	9802120093*	40-8968
SIPEK,J.V.	9802050010	50-461 S
SIPEK,J.V.	9802120261	50-461 R
SIPEK,J.V.	9802190303	50-461 R
SIPEK,J.V.	9802200247	50-461 P
SIPEK,J.V.	9802240224	50-461 V
SIPEK,J.V.	9802270218	50-461 P
SIROIS,B.	9802260035	PRM
SKAY,D.M.	9802180143	50-373 P
SKAY,D.M.	9802180147*	50-373 P
SKINNER,P.H.	9802040015	50-321 Q
SKINNER,P.H.	9802040140	50-321 Q
SKINNER,P.H.	9802040287	50-321 P
SKINNER,P.H.	9802100001	50-348 Q
SKINNER,P.H.	9802100005	50-348 Q
SKINNER,P.H.	9802100092	50-424 P
SKINNER,P.H.	9802130014	50-321 P
SKOV,D.D.	9802230320	STATE PRO G
SLAGLE,K.A.	9802110052*	50-206 P
SLAUGHTER,D.M.	9802190219	50-407 P
SMITH,A.D.	9802040298*	50-333 Q
SMITH,A.D.	9802040302*	50-333 Q
SMITH,C.W.	9802030095	50-443 P
SMITH,C.W.	9802240065	50-443 P
SMITH,C.W.	9802240446	50-443 P
SMITH,D.	9802060072*	50-249 S
SMITH,D.A.	9802090060*	50-423 S
SMITH,D.A.	9802110033*	50-423 S
SMITH,D.A.	9802200073*	50-423 S
SMITH,D.A.	9802200417*	50-423 S
SMITH,D.A.	9802230091*	50-423 S
SMITH,D.A.	9802230109*	50-423 S
SMITH,D.A.	9802230125*	50-423 S
SMITH,D.A.	9802240109*	50-423 S
SMITH,D.R.	9802120309	REGGD
SMITH,G.O.	9802200131	50-397 R
SMITH,R.H.	9802090122*	FOIA
SMITH,R.H.	9802090124*	FOIA
SMITH,R.H.	9802090176*	FOIA
SMITH,S.L.	9802240250	50-461 S
SOBEL,P.	9802100132	70-3085
SOBEL,P.	9802270160	70-3085
SOLER,A.I.	9802040038*	50-382 P
SOLLENBERGER,D.	9802270209	STATE PRO G
SOLLENBERGER,D.	9802270296	STATE PRO G
SOONG,S.	9802250011	70-36
SORENSEN,J.	9802170105	50-282 F
SORENSEN,J.P.	9802050255	50-282 P
SORENSEN,J.P.	9802060037	50-282 Q
SORENSEN,J.P.	9802170101	50-282 F
SORENSEN,J.P.	9802180168	50-282 P
SORENSEN,J.P.	9802190053	50-282 R
SORENSEN,J.P.	9802190208	50-282 F
SORENSEN,J.P.	9802200010	50-282 P
SORENSEN,J.P.	9802200086	50-282 R
SORENSEN,J.P.	9802240045	50-282 S
SORENSEN,J.P.	9802240264	50-282 S
SORENSEN,J.P.	9802240276	50-306 S
SORENSEN,J.P.	9802240357	50-282 S
SORENSEN,J.P.	9802250107	50-282 P
SORENSEN,J.P.	9802260244	50-282 P
SORENSEN,P.	9802180178*	50-282 P
SPAIN,S.	9802030079	STATE PRO G
SPITZBERG	9802030061	I&E
SPITZBERG,D.B.	9802030034	50-344 Q
SPITZBERG,D.B.	9802230076	50-344 Q
SPRAGUE,B.	9802240252	CONTRACT
SPRUNG,J.L.	9802190067*	FOIA
SPRUNG,J.L.	9802190069*	FOIA
SPRUNG,J.L.	9802190074*	FOIA
ST MARTIN,J.T.	9802180030*	50-244 S
ST MARY,B.	9802130086*	PR
STABLEIN,N.K.	9802260177	WM
STALL,J.A.	9802040457	50-335 F
STALL,J.A.	9802050009	50-335 S
STALL,J.A.	9802050027	50-335 F
STALL,J.A.	9802090240	50-335 Q
STALL,J.A.	9802110012	50-335 S
STALL,J.A.	9802110044	50-335 P
STALL,J.A.	9802110123	50-335 P
STALL,J.A.	9802110163	50-335 F
STALL,J.A.	9802120295	50-335 S
STALL,J.A.	9802170140	50-335 S
STALL,J.A.	9802230262	50-335 R
STALL,J.A.	9802240140	50-335 R
STALL,J.A.	9802250239	50-335 S
STALL,J.A.	9802250305	50-335 V
STAMATAKOS,J.	9802180077*	WM
STAMATAKOS,J.	9802250117*	WM
STANG,J.F.	9802030068	50-237 P
STANG,J.F.	9802180110*	50-237 P
STANLEY,H.G.	9802090031	50-454 P
STANSBERRY,H.W.	9802110106*	50-390 F
STANTON,J.	9802240267*	50-282 S
STANTON,J.	9802240291*	50-306 S
STARK,S.	9802200176	50-336 R
STARKEY,R.S.	9802240077	50-295 R
STAUB,B.	9802260267	PRM
STAUDINGER,D.K.	9802060048	NUREG
STAUDINGER,D.K.	9802180160	NUREG
STAUTER,J,C.	9802180100	70-925
STEFFEN,A.	9802240320	PRM
STEINERT,J.C.	9802200165*	50-280 R
STEPHENS,M.N.	9802270265	STATE PRO G
STETKA,T.F.	9802050127	50-382 Q
STEVENSON,J.D.	9802250392	PR
STILTENPOLE,B.	9802090017	WM
STOCKMAN,D.	9802190056	50-254 R
STOLZ,J.F.	9802030126*	50-334 P
STOLZ,J.F.	9802040267	50-272 P
STOLZ,J.F.	9802050315*	50-352 P
STOLZ,J.F.	9802060019*	50-352 P
STOLZ,J.F.	9802240049*	50-334 P
STOLZ,J.F.	9802240056*	50-272 P
STOLZ,J.F.	9802240225*	50-334 P
STOLZ,J.F.	9802240280	50-352 P
STOLZ,J.F.	9802240300*	50-272 P
STOLZ,J.F.	9802240308*	50-272 P
STORZ,L.F.	9802100046	50-272 K
STORZ,L.F.	9802240261	50-272 P
STOUT,D.	9802240113	70-143
STOUT,D.	9802240127	70-143
STRAUSS,H.W.	9802230179*	XPORTLIC
STREET,B.	9802200231*	FOIA
SUGIMOTO,J.	9802040351	MISC
SUGIMOTO,J.	9802040355*	MISC
SULLIVAN,J.O.	9802040390*	50-263 P
SULLIVAN,J.O.	9802040393*	50-263 P
SULLIVAN,J.O.	9802040398*	50-263 P
SULLIVAN,J.O.	9802040401*	50-263 P
SULLIVAN,M.	9802240202	50-255 F
SULLIVAN,M.	9802250372	50-255 F
SULLIVAN,M.	9802250376	50-255 F
SULLIVAN,M.	9802250378	50-255 F
SUMNER,H.L.	9802030156	50-321 F
SUMNER,H.L.	9802040001	50-321 P
SUMNER,H.L.	9802170165	50-321 R
SUMNER,H.L.	9802180058	50-321 P
SUMNER,H.L.	9802240254	50-321 P
SUMNER,H.L.	9802250339	50-321 Q
SUNDSTROM,T.	9802190194*	QA999
SUPPES,R.L.	9802020025	STATE PRO G
SUPPES,R.L.	9802020026*	STATE PRO G
SUPPES,R.L.	9802200014	40-7397
SUTHERLAND,W.R.	9802130030	71-250
SUTHERLAND,W.R.	9802130036*	71-250
SUTTON,K.M.	9802060048	NUREG
SUTTON,K.M.	9802060048	NUREG
SVEJKOVSKY,J.	9802200057	XPORTLIC
SVEJKOVSKY,J.	9802200371	XPORTLIC
SWAFFORD,P.	9802060070	50-249 S
SWAILES,J.H.	9802190133	50-298 Q
SWAILES,J.H.	9802200403	50-298 P
SWAILES,J.H.	9802200408	50-298 P
SYLVA,Y.	9802020027*	STATE PRO G
TALLEY,P.	9802050334*	40-8968
TAM,P.S.	9802030152	50-413 P
TAM,P.S.	9802050280	50-369 P
TAM,P.S.	9802240014	50-413 P
TAM,P.S.	9802240034	50-413 P
TAM,P.S.	9802240395	50-369 P
TAPIA,J.I.	9802050112	50-445 Q
TAPIA,J.I.	9802240098	50-445 Q
TATE,C.T.	9802180024*	50-335 Q
TAYLOR,B.A.	9802250385	50-255 F
TAYLOR,G.J.	9802050099	50-395 S
TAYLOR,G.J.	9802050148	50-395 S
TAYLOR,G.J.	9802110038	50-395 P
TAYLOR,G.J.	9802120230	50-395 P
TAYLOR,G.J.	9802190183	50-395 P
TAYLOR,G.J.	9802200175	50-395 R
TAYLOR,G.J.	9802200187	50-395 P
TAYLOR,J.M.	9802120170*	PR
TEN EYCK,E.Q.	9802200238*	FOIA
TERRY,C.D.	9802130116	50-220 P
TERRY,C.D.	9802240124	50-220 F
TERRY,C.L.	9802020261	50-445 I
TERRY,C.L.	9802040159	50-445 P
TERRY,C.L.	9802050205	50-445 K
TERRY,C.L.	9802050331	50-445 R
TERRY,C.L.	9802060040	REGGD
TERRY,C.L.	9802060076	50-445 F
TERRY,C.L.	9802060110	50-445 K

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TERRY,C.L.	9802110130	50-445 P
TERRY,C.L.	9802170037	50-445 S
TERRY,C.L.	9802190246	50-445 Q
TERRY,C.L.	9802200095	50-445 Q
TERRY,C.L.	9802200220	50-445 F
TERRY,C.L.	9802200270	50-446 S
TERRY,C.L.	9802200276	50-445 R
TERRY,C.L.	9802200321	50-445 P
TERRY,C.L.	9802200364	50-445 P
TERRY,C.L.	9802240373	50-445 R
TERRY,C.L.	9802250057	50-445 Q
TERRY,C.L.	9802250145	50-445 Q
TERRY,C.L.	9802250175	50-445 P
TESFAYE,G.	9802270256	50-317 P
THADANI,A.C.	9802120237*	PR
THADANI,A.C.	9802250016	50-348 P
THADANI,A.C.	9802250021*	50-348 P
THE CHAIRMAN	9802020169	COMMISSIO N
THE CHAIRMAN	9802040031	SECY
THE CHAIRMAN	9802040189*	50-344 W
THE CHAIRMAN	9802050002	SECY
THE CHAIRMAN	9802050294	SECY
THE CHAIRMAN	9802090136*	COMMISSIO N
THE CHAIRMAN	9802100157	40-8989
THE CHAIRMAN	9802110042	COMMISSIO N
THE CHAIRMAN	9802110076	50-390 F
THE CHAIRMAN	9802110126	COMMISSIO N
THE CHAIRMAN	9802120040*	COMMISSIO N
THE CHAIRMAN	9802120073*	COMMISSIO N
THE CHAIRMAN	9802170138	COMMISSIO N
THE CHAIRMAN	9802170146	50-443 U
THE CHAIRMAN	9802180010	COMMISSIO N
THE CHAIRMAN	9802230188	COMMISSIO N
THE CHAIRMAN	9802240318	COMMISSIO N
THE CHAIRMAN	9802240340	COMMISSIO N
THE CHAIRMAN	9802250190*	COMMISSIO N
THE CHAIRMAN	9802260178	10CFR9.7
THOMAS,F.M.	9802260145*	ORG
THOMAS,K.B.	9802020067	PR
THOMAS,M.	9802130105	71-9255
THOMAS,N.	9802200265	MISC
THOMAS,R.C.	9802240171	TOPREP
THOMPSON,A.J.	9802120072*	40-8968
THOMPSON,A.J.	9802120072*	40-8968
THOMPSON,A.J.	9802250230	40-8968
THOMPSON,A.J.	9802250230	40-8968
THOMPSON,H.L.	9802020019	STATE PRO G
THOMPSON,H.L.	9802030041	STATE PRO G
THOMPSON,H.L.	9802120179	ORG
THOMPSON,H.L.	9802250382	ORG
THOMPSON,T.C.	9802030055	71-9235
THOMPSON,T.C.	9802200398	71-9010
TILDEN,M.	9802120071	40-8968
TILDEN,M.	9802120083*	40-8968
TILDEN,M.	9802120083*	40-8968
TILDEN,M.	9802120128	40-8968
TILDEN,M.	9802250213	40-8968
TILDEN,M.	9802250242	40-8968
TILDEN,M.	9802250264*	40-8968
TILDEN,M.C.	9802250221*	40-8968
TIMMONS,F.R.	9802240448	50-498 R
TING,P.	9802060207	70-27
TING,P.	9802060208*	70-27
TING,P.	9802240391	70-7002
TING,P.	9802260262	70-36
TJERSLAND,G.T.	9802050305	71-9261
TOELLE,S.A.	9802050301	70-7001
TOELLE,S.A.	9802060011	70-7002
TOELLE,S.A.	9802060078	70-7001
TOELLE,S.A.	9802060084	70-7001
TOELLE,S.A.	9802060238*	70-7001
TOELLE,S.A.	9802120146	70-7002
TOELLE,S.A.	9802120167	70-7001
TOELLE,S.A.	9802190175	70-7001
TOEPKER,T.P.	9802240096	70-701
TOLLEY,R.D.	9802190289	50-390 R
TOMKINS,J.E.	9802120223	50-275 P
TOMLINS,V.A.	9802180027*	50-324 P
TOOHEY,R.E.	9802090233*	50-213 Q
TOOHEY,R.E.	9802090236*	50-213 Q
TOPPAN,W.C.	9802020005	STATE PRO G
TOSCH,K.	9802120105	50-272 P
TOSCH,K.	9802120153	50-219 P
TOSCH,K.	9802200194	PRM
TOSCH,K.	9802260173	STATE PRO G
TOSCH,K.W.	9802120109	50-272 P
TRACY,G.M.	9802240239	ORG
TRAN,H.	9802130037	50-331 S
TRAVERS,W.D.	9802100100	50-423 P
TRAVERS,W.D.	9802100105	50-336 P
TRAVERS,W.D.	9802100118	50-245 P
TRAVERS,W.D.	9802100130	50-245 P
TRAVERS,W.D.	9802190003	50-245 P
TRAVERS,W.D.	9802270134	50-245 H
TRAVERS,W.D.	9802270207	50-245 Q
TRAVERS,W.D.	9802270213	50-336 Q
TRIMBLE,D.C.	9802240275	50-324 P
TROTTIER,C.	9802120006*	ORG
TROTTIER,C.A.	9802110214*	ORG
TRUMMEL,J.	9802200415	40-8904
TRUPP,J.M.	9802190013	PR
TSANG,T.	9802040390*	50-263 P
TSENG,J.C.	9802250348	ORG
TUCKER,G.N.	9802030017*	50-400 Q
TUCKMAN,M.S.	9802030060	NUREG
TUCKMAN,M.S.	9802110094	50-269 P
TUCKMAN,M.S.	9802170009	50-369 P
TUCKMAN,M.S.	9802170017	50-269 P
TUCKMAN,M.S.	9802180048	50-269 P
TUCKMAN,M.S.	9802230059	50-269 P
TULON,T.J.	9802050161	50-456 Q
TULON,T.J.	9802110025	50-454 P
TULON,T.J.	9802110049	50-456 Q
TULON,T.J.	9802120171	50-454 P
TULON,T.J.	9802130119	50-456 Q
TULON,T.J.	9802180166	50-456 Q
TULON,T.J.	9802250106	50-454 P
TURK,S.E.	9802230168	72-22
TURK,S.E.	9802230185	72-22
TURK,S.E.	9802230219	72-22
TURK,S.E.	9802250214	72-22
TURK,S.E.	9802270227	72-22
TUSAR,J.J.	9802260275*	50-277 P
URELES,S.D.	9802240309	PRM
VACHERLON,P.	9802260162	ADVCM
VAN HORN,J.K.	9802120236	NUREG
VAN MIDDLESWORT	9802130037	50-331 S
VANDEN-EYKEL,C.	9802270288	70-2427
VANMIDDLESWORTH	9802200387	50-331 R
VANMIDDLESWORTH	9802240135	50-331 R
VAUGHAN,C.M.	9802240243	71-4909
VAUGHAN,R.C.	9802260158	PROJ
VELASQUEZ,J.R.	9802040417	40-8907
VELASQUEZ,J.R.	9802250391	40-8907
VERRILLI,M.	9802170061*	50-400 S
VERRILLI,M.	9802240350	50-400 S
VESELY,W.E.	9802130002	NUREG
VIETTI-COOK,A.	9802020112	10CFR9.7
VIETTI-COOK,A.	9802090111	PR
VIETTI-COOK,A.	9802120102	72-22
VILLAR,E.H.	9802250022	50-272 S
VISSING,G.S.	9802240116	50-244 P
VOGL,J.	9802200079	50-454 R
VOGLEWEDE,J.	9802060069	I&E
VON SUSKIL,J.D.	9802200366	50-352 V
VOTH,M.H.	9802240249	50-263 R
WAGNER,M.D.	9802240219*	50-461 S
WAGONER,V.	9802060162	TOPREP
WAGONER,V.	9802060162	TOPREP
WAGONER,V.	9802250293	TOPREP
WAGONER,V.	9802250293	TOPREP
WALDEN,J.V.	9802200102	50-244 R
WALDINGER,L.H.	9802060106	50-10 W
WALKER,R.D.	9802020261	50-445 I
WALKER,R.D.	9802040159	50-445 P
WALKER,R.D.	9802050331	50-445 R
WALKER,R.D.	9802060040	REGGD
WALKER,R.D.	9802110130	50-445 P
WALKER,R.D.	9802170037	50-445 S
WALKER,R.D.	9802200270	50-446 S
WALKER,R.D.	9802200276	50-445 R
WALKER,R.D.	9802250145	50-445 Q
WALKER,R.D.	9802250175	50-445 P
WALLIN,G.A.	9802200027	50-271 R
WANG,A.B.	9802030138	50-293 P
WANG,A.B.	9802240019	50-293 P
WANG,E.Y.	9802250155	TOPREP
WANG,E.Y.	9802260036	TOPREP
WARD,B.J.	9802030013*	50-324 P
WARNER,M.E.	9802190287	50-277 R
WARREN,C.C.	9802040363	50-482 F
WARREN,C.C.	9802050007	50-482 P
WARREN,C.C.	9802050015	50-482 S
WARREN,C.C.	9802120245	50-482 V
WARREN,C.C.	9802200091	50-482 F
WARREN,C.C.	9802200286	50-482 R
WARREN,C.C.	9802250168	50-482 P
WASTLER,S.L.	9802170012*	WM
WATFORD,G.A.	9802050089	TOPREP
WATFORD,G.A.	9802120240	50-271 P
WATKINS,S.M.	9802230106*	ORG
WEBBER,K.	9802270154	40-8698
WEBBER,R.B.	9802030052	CONTRACT
WEBBER,R.B.	9802030054	CONTRACT
WEBBER,R.B.	9802100120	CONTRACT
WEBBER,R.B.	9802240186	CONTRACT
WEBBER,R.B.	9802250191	CONTRACT
WEBER,B.A.	9802250049	71-9233
WEBER,M.F	9802240030*	70-1151
WEBER,M.F.	9802030148	70-27
WEBER,M.F.	9802040072	70-2928
WEBER,M.F.	9802040111*	70-2928
WEBER,M.F.	9802040121*	70-2928
WEBER,M.F.	9802040154	70-36
WEBER,M.F.	9802040158*	70-36
WEBER,M.F.	9802040161*	70-36
WEBER,M.F.	9802040173	70-1201
WEBER,M.F.	9802040176*	70-1201
WEBER,M.F.	9802040180*	70-1201
WEBER,M.F.	9802060159	70-143
WEBER,M.F.	9802230331	70-1151
WEBER,M.F.	9802240027	70-1151
WEBER,M.F.	9802240033*	70-1151
WEBER,M.F.	9802240314	70-1113
WEBER,M.F.	9802240317*	70-1113
WEBER,M.F.	9802240339	70-36
WEBER,M.F.	9802240342*	70-36
WEBER,M.F.	9802240345*	70-36
WEBER,M.F.	9802250004	70-754
WEBER,M.F.	9802250005*	70-754
WEBER,M.F.	9802250006*	70-754
WEBER,M.F.	9802250009	70-1151
WEBER,M.F.	9802250056	70-1151
WEBER,M.F.	9802250061*	70-1151
WEBER,M.F.	9802250067*	70-1151
WEBRING,R	9802200058	50-397 H
WEBRING,R.L.	9802050118	50-397 R
WEGNER,M.S.	9802020055	PRM
WEISS,S.H.	9802020170	REVIEW GR P
WEISS,S.H.	9802040190*	50-243 P
WEISS,S.H.	9802040380*	50-22 P
WEISS,S.H.	9802060036	50-186 Q
WEISS,S.H.	9802060050*	50-186 Q
WEISS,S.H.	9802120176	NUREG
WEISS,S.H.	9802230268*	50-264 P
WEISS,S.H.	9802230326	50-186 Q
WEISS,S.H.	9802260222	50-30 Q
WEISS,S.H.	9802260240	50-193 Q
WELKES,D.G.	9802050375	REGGD
WELLER,R.A.	9802040224	WM
WENDT,S.E.	9802190284	50-116 P
WESSMAN,R.	9802130103*	PR
WESTBROOK,D.	9802170062	CONTRACT
WESTREICH,B.C.	9802050265	50-483 P
WESTREICH,B.C.	9802240007	50-361 P
WESTREICH,B.C.	9802270186	50-483 P
WETZEL,B.A.	9802040336	REVIEW GR P
WETZEL,B.A.	9802050323	50-282 P
WETZEL,B.A.	9802050324*	50-282 P
WETZEL,B.A.	9802240272	50-282 P
WETZEL,B.A.	9802240289	50-282 P
WHALEY,S.	9802240055	50-171 Y
WHARTON,L.R.	9802050266	50-285 P
WHARTON,L.R.	9802060065	50-285 P
WHARTON,L.R.	9802060068*	50-285 P
WHARTON,L.R.	9802240023	50-285 P
WHARTON,L.R.	9802240029*	50-285 P
WHARTON,L.R.	9802240037*	50-285 P
WHARTON,L.R.	9802240221	50-285 P
WHITAKER,D.E.	9802270287	TOPREP
WHITE,B.H.	9802060239	71-9167
WHITE,J.R.	9802040223	50-213 Q
WHITE,J.R.	9802090231	50-213 Q
WHITE,S.S.	9802120095	PRM
WHITE,T.F.	9802230275*	50-293 P
WHITE,T.F.	9802230277*	50-293 P
WHITE,V.S.	9802230118	NUREG
WHITT,M.S.	9802240356	50-313 R
WIDAY,J.A.	9802200102	50-244 R
WIEDEMAN,D.	9802240096	70-701
WIENS,L.	9802030085	50-335 Q
WIENS,L.A.	9802240017	50-335 P
WIENS,L.A.	9802240233	50-335 P
WIGGINS,E.J.	9801290014	CONTRACT

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WIGGINS,E.J.	9802020104	CONTRACT
WIGGINS,E.J.	9802030065	CONTRACT
WIGGINS,E.J.	9802040032	CONTRACT
WIGGINS,E.J.	9802050051	CONTRACT
WIGGINS,E.J.	9802050129	CONTRACT
WIGGINS,E.J.	9802050225	CONTRACT
WIGGINS,E.J.	9802090008	50-327 Q
WIGGINS,E.J.	9802090009	50-454 Q
WIGGINS,E.J.	9802090022	CONTRACT
WIGGINS,E.J.	9802090035	CONTRACT
WIGGINS,E.J.	9802090059	CONTRACT
WIGGINS,E.J.	9802120280	CONTRACT
WIGGINS,E.J.	9802120281	CONTRACT
WIGGINS,E.J.	9802120282	CONTRACT
WIGGINS,E.J.	9802170062	CONTRACT
WIGGINS,E.J.	9802170104	CONTRACT
WIGGINS,E.J.	9802170121	CONTRACT
WIGGINS,E.J.	9802180113	CONTRACT
WIGGINS,E.J.	9802180127	CONTRACT
WIGGINS,E.J.	9802190174	CONTRACT
WIGGINS,E.J.	9802190263	CONTRACT
WIGGINS,E.J.	9802190294	CONTRACT
WIGGINS,E.J.	9802190298	CONTRACT
WIGGINS,E.J.	9802200024	CONTRACT
WIGGINS,E.J.	9802200372	CONTRACT
WIGGINS,E.J.	9802200382	CONTRACT
WIGGINS,E.J.	9802260134	CONTRACT
WIGGINS,E.J.	9802270107	CONTRACT
WIGGINS,E.J.	9802270234	50-272 P
WIGGINS,E.J.	9802270240	50-354 Q
WIGGINS,J.T.	9802050055	50-333 Q
WIGGINS,J.T.	9802170043	50-271 Q
WIGGINS,J.T.	9802170052	50-271 Q
WIGGINS,J.T.	9802190264	50-245 Q
WIGGINS,J.T.	9802240385*	50-245 P
WIGGINS,J.T.	9802240407*	50-245 P
WIGGINS,J.T.	9802240417*	50-245 P
WIGGINS,J.T.	9802240421*	50-245 P
WIGGINS,J.T.	9802240427*	50-213 W
WIGGINS,J.T.	9802240434*	50-213 W
WIGGINS,J.T.	9802250104	50-247 Q
WIGGINTON,D.L.	9802240282	50-313 P
WIGGINTON,D.L.	9802240322	50-313 P
WILCYNSKI,J.M.	9802110111	50-267 Y
WILCYNSKI,J.M.	9802200317	72-20
WILKERSON,T.M.	9802100111	50-261 P
WILKERSON,T.M.	9802100131	50-261 V
WILKERSON,T.M.	9802110116	50-261 F
WILKERSON,T.M.	9802120069	50-261 R
WILKERSON,T.M.	9802130039	50-261 P
WILKERSON,T.M.	9802170046	50-261 V
WILKERSON,T.M.	9802200369	50-261 Q
WILKERSON,T.M.	9802250222	50-261 P
WILKOWSKI,G.M.	9802100139	NUREG
WILLIAMS,B.R.	9802170033	70-3020
WILLIAMS,B.R.	9802170042	70-3020
WILLIAMS,C.E.	9802200030	50-361 R
WILLIAMS,R.A.	9802200214*	50-369 R
WILLIAMS,R.A.	9802200237*	50-413 R
WILLIAMS,R.A.	9802200263*	50-269 R
WILLIAMS,S.F.	9802270005	50-277 Q
WILLIAMSON,D.H.	9802190042	50-458 R
WILLINGHAM,D.	9802180190	ORG
WILSON,H.L.	9802030078	STATE PRO G
WILSON,I	9802050060	50-302 F
WILSON,I.	9802050047	50-302 F
WILSON,I.	9802060033	50-302 F
WILSON,I.L.	9802020100*	50-302 P
WILSON,I.L.	9802020101*	50-302 P
WILSON,I.L.	9802020103*	50-302 P
WILSON,J.H.	9802250290	TOPREP
WILSON,R.	9802120094	72-22
WISE,S.	9802090141	50-346 P
WISHAM,C.L.	9802200435	70-734
WITTE,M.C.	9802250129	NUREG
WOLF,G.M.	9802200069	50-346 S
WOLF,G.M.	9802250091*	50-346 S
WONG,H.J.	9802050355	50-275 Q
WOOD,J.K.	9802020256	50-346 I
WOOD,J.K.	9802040313	50-346 P
WOOD,J.K.	9802130107	50-346 R
WOOD,J.K.	9802230165	50-346 P
WOOD,J.K.	9802240169	50-346 R
WOOD,J.K.	9802240242	50-346 V
WOOD,J.K.	9802250118	50-346 P
WOODARD,J.D.	9802020180	50-424 P
WOODDRUFF,R.L.	9802250272	I&E
WOODRUFF,R.L.	9802100078	STATE PRO G
WOODRUFF,R.L.	9802100088	STATE PRO G
WOODRUFF,R.L.	9802100096	STATE PRO G
WOODRUFF,R.L.	9802100099	STATE PRO G
WOODRUFF,R.L.	9802100101	STATE PRO G
WOODRUFF,R.L.	9802100102	STATE PRO G
WOODRUFF,R.L.	9802100103	STATE PRO G
WOODRUFF,R.L.	9802100110	STATE PRO G
WOODRUFF,R.L.	9802100114	STATE PRO G
WOODRUFF,R.L.	9802100117	STATE PRO G
WOODRUFF,R.L.	9802100121	STATE PRO G
WOODRUFF,R.L.	9802100122	STATE PRO G
WOODRUFF,R.L.	9802100181	STATE PRO G
WOODWARD,R.	9802240135	50-331 R
WOODWORTH,L.A.	9802060158	WM
WOODWORTH,L.A.	9802060184	WM
WOODWORTH,L.A.	9802240410	WM
WOODWORTH,L.A.	9802250205	WM
WOODWORTH,L.A.	9802250268	WM
WOOLLACOTT,E.W.	9802270260*	50-213 W
WORSHAM,J.R.	9802110093*	50-220 P
WRIGHT,J.R.	9802180112	71-*****
WRIGHT,J.R.	9802180117*	71-*****
WU,C.S.	9802040349	40-9015
WUNDER,G.F.	9802030088	50-286 P
WUNDER,G.F.	9802050285	50-286 Q
WUNDER,G.F.	9802230336	50-286 P
WURZ,D.E.	9802180087*	50-454 P
YAMANO,N.	9802040355*	MISC
YAZZIE,A.W.	9802250294*	40-8968
YEROKUN,J.	9802050142*	50-309 W
YOUNG,B.	9802190268	CONTRACT
YOUNG,D.B.	9802020159	70-364
YOUNG,K.A.	9802240174	50-387 R
YURICH,F.J.	9802060022	REGGD
ZACCONE,M.J.	9802020210	50-395 S
ZALCMAN,B.	9802050117	ORG
ZALCMAN,B.	9802240194	50-73 F
ZAMZACK	9802120203*	I&E
ZEFF,D.W.	9802020130	70-364
ZEIGHAMI,E.A.	9802060237	ORG
ZELAC,R.E.	9802200412	ORG
ZIMA,A.H.	9802110128*	COMMISSIO N
ZIMMERMAN,J.I.	9802040115	50-348 P
ZIMMERMAN,J.I.	9802040136	50-348 P
ZIMMERMAN,J.I.	9802240210	50-348 P
ZIMMERMAN,J.I.	9802240286	50-348 P
ZIMMERMAN,J.I.	9802240325	50-348 P
ZIMMERMAN,J.I.	9802240409	50-348 P
ZIMMERMAN,J.I.	9802260238	50-348 Q
ZIMMERMAN,J.I.	9802270169	50-348 P
ZIMMERMAN,J.I.	9802270177*	50-348 P
ZINKE,G.A.	9802040433	50-309 W
ZINKE,G.A.	9802050044	50-309 Q
ZINKE,G.A.	9802190188	50-309 R
ZINKE,G.A.	9802230334	50-309 R
ZWARICH,G.	9802240423	50-373 S
ZWOLINSKI,J.A.	9802240192	50-334 P

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9802050156	70-36	
	9802050291	70-36	
	9802100067*	50-285	P
	9802110107	70-36	
	9802110109*	70-36	
	9802120130*	TOPREP	
	9802180145*	XPORTLIC	
	9802200101	70-36	
	9802270305	70-36	
ALPHA Q, Inc. (formerly REB Industries, Inc.)	9802200362	40-8940	
ANBEX, Inc.	9802200361	PRM	
ASEA Brown Boveri, Inc.	9802050156	70-36	
	9802050291	70-36	
	9802110107	70-36	
	9802200101	70-36	
	9802270305	70-36	
Albany Medical Center, Albany, NY (formerly Albany Medical Center Hosp.)	9802180095	PR	
Altron Corporation, Inc.	9802100152*	50-261	P
American Association of Physicists in Medicine	9802180102	PR	
American College of Nuclear Physicians	9802180091	PR	
	9802230178*	XPORTLIC	
American Ecology Corp.	9802270276*	STATE PRO	G
American Electric Power Co., Inc.	9802120287	50-315	S
	9802130100	50-315	S
	9802130102*	50-315	S
	9802200437	50-315	S
American Nuclear Society	9802120309	REGGD	
American Society for Testing & Materials	9802120125	TOPREP	
Amersham Corp.	9802060143	71-9033	
	9802250136	71-9033	
	9802250141*	71-9033	
	9802250233	71-9033	
Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9802020091	50-528	H
	9802040419	50-529	P
	9802040424*	50-529	P
	9802050224	50-528	P
	9802050227*	50-528	P
	9802110005	50-528	P
	9802130057	50-528	S
	9802130064*	50-528	S
	9802130109	50-528	P
	9802130109	50-528	P
	9802130109	50-528	P
	9802170077	50-528	R
	9802170077	50-528	R
	9802170077	50-528	R
	9802180081	50-530	P
	9802180142	50-528	P
	9802190104	50-529	S
	9802190270	50-528	V
	9802230070	50-528	P
	9802230070	50-528	P
	9802230070	50-528	P
	9802230072*	50-528	P
	9802230072*	50-528	P
	9802230072*	50-528	P
Arizona, Univ. of, Tucson, AZ	9802090005	CONTRACT	
Army, Dept. of	9802190114	40-8994	
Atlas Corp.	9802050035	40-3453	
	9802060173*	40-3453	
	9802230103	40-3453	
	9802230119	40-3453	
	9802250199	40-3453	
B. Koh & Associates, Inc.	9802100031*	40-8724	
BIX Testing Laboratories	9802030079	STATE PRO	G
BWR Owners Group	9802120131	TOPREP	
Babcock & Wilcox Co.	9802020130	70-364	
	9802020149	70-364	
	9802020159	70-364	
Babcock & Wilcox Operating Plants Owners Group	9802120233	NUREG	
	9802270287	TOPREP	
Baltimore Gas & Electric Co.	9802040374	50-317	P
	9802040374	50-317	P
	9802040432	50-317	F
	9802050336*	50-317	P
	9802050336*	50-317	P
	9802060183	50-317	P
	9802090014	50-317	S
	9802120039	50-317	S
	9802120185	50-317	S
	9802170125	50-317	S
	9802190198	50-317	R
	9802190292	50-318	S
	9802200191	50-317	R
	9802250285	50-317	P
	9802270256	50-317	P
Battelle Memorial Institute	9802050126	CONTRACT	
Battelle Memorial Institute, Columbus Laboratories	9802100139	NUREG	
Battelle Memorial Institute, Pacific Northwest National Laboratory	9802200103*	TOPREP	
Bear Creek Uranium Co.	9802180187	40-8452	
Bechtel Power Corp.	9802250288*	FOIA	
Berkeley, CA	9802250359	ORG	
Boeing Co.	9802060205	QA999	
	9802190261	QA999	
Boston Edison Co.	9802040006	50-293	P
	9802040094	50-293	S
	9802040120*	50-293	S
	9802120229	50-293	P
	9802200159	50-293	R
	9802230270	50-293	P
	9802230275*	50-293	P
	9802230277*	50-293	P
	9802250044	50-293	R
	9802260077	50-293	P
	9802260079*	50-293	P
Brand Industrial Services, Inc. (BISCO)	9802110128*	COMMISSIO	N
Brookhaven National Laboratory	9802120194*	PR	
	9802130002	NUREG	
	9802270181*	50-317	P
C-E Operating Plants Owners Group	9802120130*	TOPREP	
	9802240268	TOPREP	
CBI Nuclear Co.	9802270056*	50-373	P
	9802270062*	50-373	P
	9802270065*	50-373	P
	9802270067*	50-373	P
	9802270070*	50-373	P
	9802270072*	50-373	P
	9802270075*	50-373	P
	9802270078*	50-373	P
	9802270081*	50-373	P
	9802270082*	50-373	P
	9802270084*	50-373	P
	9802270086*	50-373	P
	9802270093*	50-373	P
	9802270094*	50-373	P
	9802270096*	50-373	P
	9802270098*	50-373	P
	9802270100*	50-373	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802270109*	50-373	P
	9802270131*	50-373	P
	9802270136*	50-373	P
	9802270142*	50-373	P
	9802270148*	50-373	P
Cabot Corp.	9802230017	40-6940	
	9802230020*	40-6940	
California, State of	9802020077	STATE PRO	G
	9802110181	STATE PRO	G
	9802270253	STATE PRO	G
	9802270261*	STATE PRO	G
California, Univ. of, San Diego, CA	9802020071	PRM	
California, Univ. of, Santa Barbara, CA	9802090156	CONTRACT	
	9802250142	NUREG	
Canada	9802120101*	XPORTLIC	
Carolina Power & Light Co.	9802030010	50-324	P
	9802030013*	50-324	P
	9802030015	50-400	Q
	9802030017*	50-400	Q
	9802030042	REGGD	
	9802030081	50-400	F
	9802040323	50-400	Q
	9802040404	50-400	P
	9802040409*	50-400	P
	9802050003	50-325	P
	9802050206	50-324	Q
	9802050206	50-324	Q
	9802050274	50-324	P
	9802050274	50-324	P
	9802050281	50-324	Q
	9802050281	50-324	Q
	9802050321	REGGD	
	9802050326	50-324	P
	9802050326	50-324	P
	9802050342*	50-324	P
	9802050346*	50-324	P
	9802060029	50-324	P
	9802060162	TOPREP	
	9802090003*	50-324	P
	9802090003*	50-324	P
	9802100075	50-400	P
	9802100111	50-261	P
	9802100131	50-261	V
	9802110058	50-324	F
	9802110116	50-261	F
	9802110136	50-324	P
	9802110139	50-324	P
	9802110139	50-324	P
	9802110141	50-324	F
	9802110141	50-324	F
	9802120069	50-261	R
	9802130039	50-261	P
	9802170046	50-261	V
	9802170056	50-400	S
	9802170061*	50-400	S
	9802170096	50-324	P
	9802180022	50-324	P
	9802180022	50-324	P
	9802180026*	50-324	P
	9802180027*	50-324	P
	9802180029*	50-324	P
	9802180031*	50-324	P
	9802180033*	50-324	P
	9802180034*	50-324	P
	9802190244	50-400	V
	9802200070	50-324	F
	9802200084	50-324	R
	9802200117	50-400	R
	9802200229	50-324	F
	9802200369	50-261	Q
	9802230246	50-400	P
	9802240043	50-324	F
	9802240091*	50-324	F
	9802240091*	50-324	F
	9802240095*	50-324	F
	9802240095*	50-324	F
	9802240101*	50-324	F
	9802240101*	50-324	F
	9802240105*	50-324	F
	9802240105*	50-324	F
	9802240108*	50-324	F
	9802240108*	50-324	F
	9802240117*	50-324	F
	9802240227	50-324	V
	9802240332	50-261	S
	9802240350	50-400	S
	9802250222	50-261	P
	9802250237	50-324	Q
	9802250293	TOPREP	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802270053	50-324	F
Center for Nuclear Waste Regulatory Analyses	9802060150	WM	
	9802060153*	WM	
	9802090027*	WM	
	9802090040*	WM	
	9802120078*	WM	
	9802180067	WM	
	9802180069*	WM	
	9802180071	WM	
	9802180073*	WM	
	9802180076	WM	
	9802180077*	WM	
	9802250108	WM	
	9802250117*	WM	
Centerior Energy	9802020256	50-346	I
	9802040149	50-440	R
	9802040149	50-440	R
	9802040313	50-346	P
	9802040316*	50-346	P
	9802130104	50-440	P
	9802130107	50-346	R
	9802130115	50-440	S
	9802170065	50-346	R
	9802170118	50-346	F
	9802170160	50-346	F
	9802190241	50-440	R
	9802190241	50-440	R
	9802200069	50-346	S
	9802200134	50-440	F
	9802200142*	50-440	F
	9802200291	50-440	R
	9802230165	50-346	P
	9802230167*	50-346	P
	9802240134	50-440	R
	9802240169	50-346	R
	9802240242	50-346	V
	9802240415	50-440	Q
	9802250075	50-346	S
	9802250091*	50-346	S
	9802250118	50-346	P
	9802250362	50-440	P
Chem-Nuclear Systems, Inc.	9802120122	71-192	
Chemetron Corp.	9802100025	40-8724	
Cimarron Corp.	9802050062	70-925	
	9802050075*	70-925	
	9802180100	70-925	
	9802180155	70-925	
	9802200374	70-925	
Cintichem, Inc.	9802180090	50-54	W
	9802180092	50-54	W
	9802180159	50-54	W
Coalition on West Valley Nuclear Wastes	9802260158	PROJ	
Colorado, State of	9802030006	STATE PRO	G
Commerce, Dept. of	9802050352	50-184	P
Commonwealth Edison Co.	9802020072	50-237	P
	9802020177	50-10	W
	9802020177	50-10	W
	9802020177	50-10	W
	9802020178	50-10	Q
	9802020178	50-10	Q
	9802020178	50-10	Q
	9802020258	50-254	P
	9802020258	50-254	P
	9802040155	50-254	P
	9802040155	50-254	P
	9802040445	50-456	F
	9802050161	50-456	Q
	9802050208	50-265	S
	9802050214*	50-265	S
	9802050222	50-10	H
	9802050222	50-10	H
	9802050222	50-10	H
	9802050237	50-254	S
	9802050245*	50-254	S
	9802060030	50-454	P
	9802060030	50-454	P
	9802060032*	50-454	P
	9802060045	50-454	S
	9802060070	50-249	S
	9802060072*	50-249	S
	9802060106	50-10	W
	9802060106	50-10	W
	9802060106	50-10	W
	9802060120*	50-10	W
	9802060120*	50-10	W
	9802060120*	50-10	W
	9802060218	50-373	S
	9802060224*	50-373	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802060227	50-373	S
	9802060231*	50-373	S
	9802090029	50-254	Q
	9802090031	50-454	P
	9802090031	50-454	P
	9802100083	50-374	S
	9802100086*	50-374	S
	9802100141	50-237	P
	9802110025	50-454	P
	9802110025	50-454	P
	9802110025	50-454	P
	9802110049	50-456	Q
	9802110090	50-295	V
	9802120031	50-373	F
	9802120131	TOPREP	
	9802120171	50-454	P
	9802120293	50-254	S
	9802120297	50-456	F
	9802120297	50-456	F
	9802120298*	50-254	S
	9802120303	50-456	R
	9802120304	50-254	S
	9802120306*	50-254	S
	9802120312	50-237	S
	9802120317*	50-237	S
	9802130067	50-373	P
	9802130067	50-373	P
	9802130069*	50-373	P
	9802130069*	50-373	P
	9802130110	50-254	S
	9802130112*	50-254	S
	9802130113	50-373	S
	9802130119	50-456	Q
	9802130120*	50-373	S
	9802130121	50-254	P
	9802170063	50-254	F
	9802170097	50-456	F
	9802180086	50-454	P
	9802180087*	50-454	P
	9802180166	50-456	Q
	9802190056	50-254	R
	9802190149	50-254	P
	9802190149	50-254	P
	9802190154	50-254	P
	9802190154	50-254	P
	9802190158	50-237	S
	9802190168	50-254	S
	9802190170*	50-237	S
	9802190172*	50-254	S
	9802190184	50-454	P
	9802190212	50-373	Q
	9802190212	50-373	Q
	9802190296	50-10	R
	9802200009	50-254	P
	9802200009	50-254	P
	9802200079	50-454	R
	9802200116	50-295	F
	9802200116	50-295	F
	9802200157	50-10	F
	9802200157	50-10	F
	9802200157	50-10	F
	9802200157	50-10	F
	9802200157	50-10	F
	9802200157	50-10	F
	9802200157	50-10	F
	9802200157	50-10	F
	9802200261	50-373	R
	9802200312	50-237	S
	9802200326	50-295	P
	9802200375	50-254	F
	9802200375	50-254	F
	9802200407	50-295	P
	9802200407	50-295	P
	9802240026	50-254	S
	9802240040*	50-254	S
	9802240077	50-295	R
	9802240130	50-295	Q
	9802240144	50-373	F
	9802240156	50-454	F
	9802240168	50-295	Q
	9802240168	50-295	Q
	9802240223	50-373	Q
	9802240223	50-373	Q
	9802240237	50-10	Q
	9802240237	50-10	Q
	9802240260	50-265	S
	9802240423	50-373	S
	9802240432	50-295	F
	9802240432	50-295	F
	9802240439	50-295	F
	9802250106	50-454	P
	9802250106	50-454	P
	9802250106	50-454	P
	9802250106	50-454	P
	9802250127	50-373	Q
	9802250127	50-373	Q
	9802250178	50-254	R
	9802250250	50-454	S
	9802260125	50-373	S
	9802260125	50-373	S
	9802260279	50-254	Q
	9802260279	50-254	Q
	9802270041	50-254	Q
	9802270041	50-254	Q
	9802270050	50-373	P
	9802270050	50-373	P
	9802270156*	50-373	P
Connecticut Yankee Atomic Power Co.	9802030035	50-213	F
	9802040177	50-213	K
	9802040193*	50-213	K
	9802040199*	50-213	K
	9802040205*	50-213	K
	9802040212*	50-213	K
	9802040218*	50-213	K
	9802040230*	50-213	K
	9802040236*	50-213	K
	9802040238*	50-213	K
	9802040241*	50-213	K
	9802040248*	50-213	K
	9802040250*	50-213	K
	9802040252*	50-213	K
	9802040255*	50-213	K
	9802040257*	50-213	K
	9802040260*	50-213	K
	9802040262*	50-213	K
	9802040264*	50-213	K
	9802190309	50-213	R
	9802200323	50-213	W
	9802250327	50-213	R
	9802250328*	50-213	R
	9802270114	50-213	R
Connecticut, State of	9802270260*	50-213	W
Consolidated Edison Co. of New York, Inc	9802090063	50-247	S
	9802120301	50-247	Q
	9802230256	50-247	P
	9802230257*	50-247	P
	9802230259*	50-247	P
	9802230328	50-247	R
	9802260102*	50-247	P
Consumers Energy Co. (formerly Consumers Power Co.),	9802030153	50-255	P
	9802030158	50-255	Q
	9802040034	50-255	S
	9802040056*	50-255	S
	9802040242	50-255	P
	9802060077	50-255	P
	9802090080	50-255	F
	9802090081	50-255	F
	9802090086	50-255	F
	9802100036	50-255	P
	9802100037*	50-255	P
	9802110096	50-255	R
	9802170164	50-255	F
	9802180002	50-255	F
	9802180003	50-255	F
	9802180005	50-255	F
	9802180148	50-255	S
	9802180154*	50-255	S
	9802200075	50-155	K
	9802200081*	50-155	K
	9802200188	50-255	F
	9802200277	50-255	S
	9802200287*	50-255	S
	9802200394	50-255	S
	9802200402*	50-255	S
	9802240129	50-255	F
	9802240164	50-155	R
	9802240195	50-255	F
	9802240202	50-255	F
	9802240209	50-255	F
	9802240376	50-155	W
	9802240382	50-155	W
	9802250372	50-255	F
	9802250376	50-255	F
	9802250378	50-255	F
	9802250379	50-255	F
	9802250381	50-255	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802250385	50-255	F
	9802250388	50-255	F
	9802250389	50-255	F
	9802260072	50-255	F
Cox & Associates, P.C.	9802120281	CONTRACT	
Dairyland Power Cooperative	9802200427	50-409	R
	9802230068	50-409	W
	9802230075*	50-409	W
	9802230077*	50-409	W
	9802230149	50-409	W
Defense, Dept. of	9802200046	NUREG	
Delft University of Technology	9802230110	NUREG	
	9802230116	NUREG	
Dept. of Veterans Affairs Medical Center Omaha, NE (formerly Veterans Admin. Me	9802250154	50-131	F
Detroit Edison Co.	9802040039	50-16	P
	9802040058	50-16	P
	9802040234	50-341	P
	9802040240	50-341	P
	9802040244	50-341	P
	9802040254	50-341	P
	9802040290	50-16	P
	9802040421	50-341	P
	9802040426	50-341	K
	9802040443*	50-341	P
	9802040446*	50-341	P
	9802040450*	50-341	P
	9802040451*	50-341	P
	9802040452*	50-16	P
	9802040453*	50-16	P
	9802040456*	50-341	P
	9802050026	50-341	J
	9802050154	50-341	P
	9802050158*	50-341	P
	9802050184	50-341	K
	9802090056	50-341	Q
	9802200087	50-341	F
	9802200121	50-341	R
	9802230287	50-341	K
	9802240270	50-16	P
	9802250049	71-9233	
	9802260078	50-341	P
Don't Waste Washington Legal Defense Foundation, Seattle, WA	9802050287	PRM	
Dow Chemical Co.	9802050360	50-264	P
	9802050362*	50-264	P
	9802120267	50-264	P
Duke Engineering & Services	9802020262*	40-2061	
	9802200418*	40-8904	
Duke Power Co.	9802030020	50-413	P
	9802030060	NUREG	
	9802040269	50-413	S
	9802040278	50-413	P
	9802040314	50-269	P
	9802040314	50-269	P
	9802040337	50-269	P
	9802040339*	50-269	P
	9802040431	50-369	F
	9802050216	50-369	F
	9802050218	50-269	S
	9802050235	50-413	P
	9802060051	50-269	Q
	9802060182	50-413	F
	9802060182	50-413	F
	9802060191*	50-413	F
	9802060191*	50-413	F
	9802060196	50-369	F
	9802060196	50-369	F
	9802090036	50-269	P
	9802090036	50-269	P
	9802090036	50-269	P
	9802090039*	50-269	P
	9802090039*	50-269	P
	9802090039*	50-269	P
	9802110010	50-269	P
	9802110010	50-269	P
	9802110010	50-269	P
	9802110017*	50-269	P
	9802110017*	50-269	P
	9802110017*	50-269	P
	9802110094	50-269	P
	9802110094	50-269	P
	9802110094	50-269	P
	9802110148	50-413	S
	9802110149*	50-413	S
	9802110151	50-413	S
	9802110154*	50-413	S
	9802120255	50-413	S
	9802120283	50-369	Q
	9802120283	50-369	Q
	9802130091	50-269	P
	9802130097	50-413	F
	9802130114	50-269	P
	9802130114	50-269	P
	9802130114	50-269	P
	9802130114	50-269	P
	9802130118*	50-269	P
	9802130118*	50-269	P
	9802130118*	50-269	P
	9802130118*	50-269	P
	9802170009	50-369	P
	9802170015*	50-369	P
	9802170015*	50-369	P
	9802170015*	50-369	P
	9802170015*	50-369	P
	9802170017	50-269	P
	9802170019*	50-269	P
	9802170019*	50-269	P
	9802170019*	50-269	P
	9802170019*	50-269	P
	9802170019*	50-269	P
	9802170019*	50-269	P
	9802170019*	50-269	P
	9802170153	50-413	F
	9802170153	50-413	F
	9802170158*	50-413	F
	9802170158*	50-413	F
	9802170173	50-269	P
	9802180048	50-269	P
	9802180051*	50-269	P
	9802180163	50-269	F
	9802180163	50-269	F
	9802180163	50-269	F
	9802190142	50-269	P
	9802190163	50-413	P
	9802200169	50-269	P
	9802200207	50-369	R
	9802200214*	50-369	R
	9802200219*	50-369	R
	9802200219*	50-369	R
	9802200230	50-413	R
	9802200237*	50-413	R
	9802200242*	50-413	R
	9802200242*	50-413	R
	9802200245	50-369	F
	9802200262	50-269	R
	9802200263*	50-269	R
	9802200266*	50-269	R
	9802200266*	50-269	R
	9802200266*	50-269	R
	9802200389	50-369	Q
	9802200389	50-369	Q
	9802230059	50-269	P
	9802230059	50-269	P
	9802230059	50-269	P
	9802230059	50-269	P
	9802230059	50-269	P
	9802230061*	50-269	P
	9802230113	50-269	S
	9802230113	50-269	S
	9802230113	50-269	S
	9802230238	50-269	P
	9802230238	50-269	P
	9802230238	50-269	P
	9802230247*	50-269	P
	9802240182	50-413	P
	9802270189	50-269	F
Duquesne Light Co.	9802030155	50-334	V
	9802040009	50-412	S
	9802050306	50-412	P
	9802050310	50-334	R
	9802050310	50-334	R
	9802050314*	50-412	P
	9802110118	50-334	S
	9802130124	50-334	Q
	9802190308	50-334	R
	9802200279	50-334	P
	9802200433	50-412	S
	9802230315	50-334	R
	9802230315	50-334	R
	9802230318	50-412	P
	9802240042	50-334	R
	9802240042	50-334	R
	9802250036	50-334	K
	9802250203	50-334	S
EQE International	9802230263*	50-400	P
Edlow International Co.	9802170070	70-1252	
	9802170075	70-1252	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802170082	70-1252	
	9802170084	XPORTLIC	
	9802170089	70-1252	
	9802170091	XPORTLIC	
	9802170111	XPORTLIC	
	9802170120	70-1252	
	9802170126	70-1252	
	9802170145	XPORTLIC	
	9802170147	XPORTLIC	
	9802170152	XPORTLIC	
	9802170157	70-*****	
	9802200284	70-1252	
	9802200419	XPORTLIC	
	9802200421	XPORTLIC	
	9802200423	70-1252	
	9802200428	XPORTLIC	
	9802200432	70-1252	
	9802200439	XPORTLIC	
	9802200440	XPORTLIC	
	9802200442	70-1252	
	9802200444	XPORTLIC	
	9802200446	70-1252	
	9802230100	XPORTLIC	
	9802230104*	XPORTLIC	
	9802230108*	XPORTLIC	
Electric Power Research Institute	9802180127	CONTRACT	
	9802240171	TOPREP	
	9802240184*	TOPREP	
Energy, Dept. of	9802060158	WM	
	9802060184	WM	
	9802110212	XPORTLIC	
	9802120015	XPORTLIC	
	9802120017	XPORTLIC	
	9802120021	XPORTLIC	
	9802170143*	COMMISSIO	N
	9802200046	NUREG	
	9802200317	72-20	
	9802240410	WM	
	9802250205	WM	
	9802250268	WM	
	9802250287	WM	
	9802250292*	WM	
	9802250304	WM	
	9802250348	ORG	
Energy, Dept. of, Idaho Operations Offic	9802030099	72-20	
	9802110111	50-267	Y
	9802110113*	50-267	Y
	9802270151	REGGD	
Entergy Operations, Inc.	9802030070	50-382	R
	9802030075	50-382	V
	9802040008	50-382	P
	9802040280	50-382	K
	9802040282*	50-382	K
	9802040370	50-313	P
	9802050065	50-416	F
	9802050115	50-416	Q
	9802050144	50-313	P
	9802050290	50-382	Q
	9802060093	50-313	P
	9802060093	50-313	P
	9802060093	50-313	P
	9802060097	50-458	F
	9802120118	50-382	F
	9802120123*	50-382	F
	9802120269	50-416	V
	9802170139	50-416	K
	9802170139	50-416	K
	9802180072	50-382	S
	9802180169	50-382	Q
	9802190042	50-458	R
	9802190167	50-382	V
	9802200094	50-313	V
	9802200113*	50-410	P
	9802200150	50-382	R
	9802200224	50-382	V
	9802200255	50-313	P
	9802200259*	50-313	P
	9802200298	50-416	V
	9802200345	50-416	P
	9802200377	50-416	Q
	9802230057	50-313	F
	9802230057	50-313	F
	9802230063	50-313	F
	9802230063	50-313	F
	9802230069	50-313	F
	9802230069	50-313	F
	9802230207	50-382	K
	9802230218*	50-382	K
	9802230330	50-416	R
	9802240196	50-313	J
	9802240265	50-313	F
	9802240356	50-313	R
	9802250267	50-382	R
	9802250278	50-382	P
	9802250350	50-368	P
	9802250352*	50-368	P
	9802260227	50-458	Q
	9802260256	50-458	R
	9802270102	50-458	F
	9802270329	50-382	P
Envirocare of Utah, Inc.	9802060001	40-8989	
	9802120079	40-8989	
	9802120090*	40-8989	
	9802190176	40-8989	
	9802230181	70-*****	
	9802230182*	70-*****	
	9802230193*	70-*****	
Environmental Protection Agency	9802120154	NUREG	
	9802200046	NUREG	
FRAMATOME	9802110093*	50-220	P
Federal Emergency Management Agency	9802040188*	50-400	F
	9802040209*	50-400	F
	9802050136*	ORG	
	9802100068*	50-293	F
	9802110002*	50-245	F
	9802110003*	50-245	F
Florida Institute of Technology, Melbourne, FL	9802250244	70-893	
Florida Power & Light Co.	9802040457	50-335	F
	9802040457	50-335	F
	9802050009	50-335	S
	9802050027	50-335	F
	9802050027	50-335	F
	9802050032*	50-335	F
	9802050032*	50-335	F
	9802090240	50-335	Q
	9802090244*	50-335	Q
	9802090248*	50-335	Q
	9802090250*	50-335	Q
	9802110012	50-335	S
	9802110044	50-335	P
	9802110044	50-335	P
	9802110045	50-250	F
	9802110050*	50-250	F
	9802110123	50-335	P
	9802110123	50-335	P
	9802110156	50-250	P
	9802110156	50-250	P
	9802110157*	50-250	P
	9802110157*	50-250	P
	9802110163	50-335	F
	9802110163	50-335	F
	9802120295	50-335	S
	9802130034	50-250	Q
	9802130034	50-250	Q
	9802170140	50-335	S
	9802190040	50-250	R
	9802230222	50-250	F
	9802230225*	50-250	F
	9802230225*	50-250	F
	9802230262	50-335	R
	9802240140	50-335	R
	9802250134	50-302	P
	9802250239	50-335	S
	9802250305	50-335	V
Florida Power Corp.	9802020096	50-302	P
	9802020100*	50-302	P
	9802020101*	50-302	P
	9802020103*	50-302	P
	9802020151	50-302	P
	9802020153*	50-302	P
	9802020154*	50-302	P
	9802030058	50-302	P
	9802040014	50-302	K
	9802040216	50-302	Q
	9802040222*	50-302	K
	9802040243*	50-302	K
	9802040256*	50-302	K
	9802040266*	50-302	K
	9802040272*	50-302	K
	9802040279*	50-302	K
	9802040286*	50-302	K
	9802040289*	50-302	K
	9802040296*	50-302	K
	9802040299*	50-302	K
	9802040312*	50-302	K
	9802040319*	50-302	K
	9802040325*	50-302	K

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802040327	50-302	P
	9802040328*	50-302	K
	9802040329*	50-302	P
	9802050013	50-302	P
	9802050020	50-302	F
	9802050047	50-302	F
	9802050060	50-302	F
	9802050246	50-302	F
	9802050257	50-302	F
	9802050309	50-302	F
	9802050369	50-302	P
	9802060033	50-302	F
	9802090025	50-302	S
	9802090044*	50-302	S
	9802090150	50-302	F
	9802100147	50-302	F
	9802110027	50-302	P
	9802110053	50-302	F
	9802110060	50-302	F
	9802110066	50-302	F
	9802110125	50-302	P
	9802110129*	50-302	P
	9802110132*	50-302	P
	9802110138*	50-302	P
	9802120084	50-302	P
	9802120300	50-302	F
	9802180078	50-302	P
	9802180104	50-302	P
	9802180116	50-302	R
	9802180122	50-302	Q
	9802200004	50-302	F
	9802200147	50-302	R
	9802230039	50-302	P
	9802230145	50-302	P
	9802230280	50-302	F
	9802250263	50-302	R
	9802250312	50-302	P
	9802250363	50-302	P
	9802250364*	50-302	P
	9802260163	50-302	H
	9802260169	50-302	K
Florida, State of	9802270265	STATE PRO	G
Florida, Univ. of, Gainesville, FL	9802250330*	40-8968	
Framatome Cogema Fuels (formerly B&W Fue Co.),	9802170008	TOPREP	
	9802240092	TOPREP	
	9802240097*	TOPREP	
	9802270190	TOPREP	
France	9802230022	71-9196	
	9802230160*	40-8968	
Garvey, Schubert, Adams & Barer	9802230200	XPORTLIC	
	9802230226*	XPORTLIC	
	9802270246	XPORTLIC	
	9802270257*	XPORTLIC	
General Atomics (formerly GA Technologie	9802060089	70-734	
s, Inc./General Atomic Co.)	9802200435	70-734	
General Electric Co.	9802030001	50-277	P
	9802030071	CONTRACT	
	9802050089	TOPREP	
	9802060214	71-9228	
	9802120240	50-271	P
	9802170122	70-754	
	9802170128	70-754	
	9802180152	XPORTLIC	
	9802190103	XPORTLIC	
	9802190266	CONTRACT	
	9802230019	71-9228	
	9802240243	71-4909	
	9802270266	XPORTLIC	
General Public Utilities Corp.	9802040320	50-219	F
	9802050283	50-289	R
	9802110119	50-219	P
	9802110144	50-289	P
	9802110150	50-146	P
	9802110152*	50-146	P
	9802110153*	50-146	P
	9802190279	50-146	P
	9802190282*	50-146	P
	9802190306	50-289	R
	9802230266	50-289	P
	9802240024	50-219	R
	9802240231	50-219	F
	9802240247	50-219	P
	9802250228	50-320	R
	9802260133	50-289	P
	9802270012	50-289	F
Georgia Institute of Technology, Atlanta GA	9802190202	50-160	P
	9802190205*	50-160	P
Germany, Democratic Republic	9802230071*	40-8968	
	9802230098*	40-8968	
	9802230146*	40-8968	
	9802230154*	40-8968	
Germany, Federal Republic of	9802230037*	40-8968	
HRI, Inc. (Hydro Resources, Inc.)	9802120060	40-8968	
	9802120072*	40-8968	
	9802250230	40-8968	
	9802250248*	40-8968	
	9802250253*	40-8968	
	9802250260*	40-8968	
	9802250294*	40-8968	
	9802250300*	40-8968	
	9802250302*	40-8968	
	9802250311*	40-8968	
	9802250315*	40-8968	
	9802250322*	40-8968	
	9802250325*	40-8968	
	9802250330*	40-8968	
Hanson Engineers, Inc.,	9802020262*	40-2061	
Harding-Lawson Associates	9802050048*	40-3453	
Harmon, Curran, Spielberg & Eisenberg, LLP.	9802250210	40-8968	
	9802250224	40-8968	
	9802250236	40-8968	
	9802270215	72-22	
	9802270241	40-8968	
Hawaii, Univ. of, Hilo, HI	9802230110	NUREG	
	9802230116	NUREG	
Holtec International	9802040038*	50-382	P
	9802040048*	50-382	P
	9802050305	71-9261	
	9802230244	72-1008	
Homestake Mining Co.	9802270083	40-8903	
	9802270087*	40-8903	
House of Rep.	9802120068	72-22	
Houston Lighting & Power Co.	9802020044	50-498	P
	9802020044	50-498	P
	9802020058*	50-498	P
	9802020058*	50-498	P
	9802040321	50-498	V
	9802040330	50-498	P
	9802040330	50-498	P
	9802040335	50-498	H
	9802040335	50-498	H
	9802040340	50-498	H
	9802040340	50-498	H
	9802040346	50-498	V
	9802040346	50-498	V
	9802060155	50-498	F
	9802130093	50-498	P
	9802130096*	50-498	P
	9802130096*	50-498	P
	9802180171	50-498	F
	9802180171	50-498	F
	9802180175*	50-498	F
	9802180175*	50-498	F
	9802180181*	50-498	F
	9802180181*	50-498	F
	9802180185*	50-498	F
	9802190046	50-498	R
	9802200295	50-498	H
	9802200295	50-498	H
	9802200357	50-498	P
	9802200357	50-498	P
	9802230050	50-499	P
	9802230053*	50-499	P
	9802230055*	50-499	P
	9802240142	50-498	V
	9802240142	50-498	V
	9802240170	50-499	S
	9802240180*	50-499	S
	9802240230	50-498	V
	9802240230	50-498	V
	9802240236	50-498	V
	9802240236	50-498	V
	9802240448	50-498	R
ICF, Inc.	9802230041	CONTRACT	
IES Utilities Inc., (formerly Iowa	9802040245	50-331	P
Electric Light & Power Co)	9802040318	50-331	P
	9802050229	50-331	Q
	9802090054	50-331	P
	9802090062*	50-331	P
	9802090067	50-331	P
	9802090069*	50-331	P
	9802090182	50-331	F
	9802120050	50-331	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802130037	50-331	S
	9802130084	50-331	P
	9802130111	50-331	P
	9802200204	50-331	F
	9802200356	50-331	P
	9802200387	50-331	R
	9802240135	50-331	R
INPUT, Inc.	9802250043*	FOIA	
Idaho National Engineering & Environmental Laboratory	9802030124*	72-20	
	9802030131*	72-20	
Illinois Power Co.	9802020051	50-461	S
	9802020176	50-461	P
	9802050010	50-461	S
	9802110143	50-461	S
	9802120261	50-461	R
	9802120289	50-461	P
	9802190303	50-461	R
	9802200247	50-461	P
	9802230217	50-461	S
	9802240179	50-461	S
	9802240219*	50-461	S
	9802240224	50-461	V
	9802240250	50-461	S
	9802240259	50-461	S
	9802260083	50-461	P
	9802260090	50-461	P
	9802260094*	50-461	P
	9802270218	50-461	P
	9802270219*	50-461	P
Illinois, State of	9802020260	40-2061	
	9802040405	STATE PRO	G
Illinois, Univ. of, Urbana, IL	9802060013	50-151	P
	9802090035	CONTRACT	
	9802190214	50-151	R
Imaging & Sensing Technology Corp.	9802060074	70-3061	
	9802230090*	XPORTLIC	
	9802230096	XPORTLIC	
Independent Testing Laboratories, Inc.	9802030078	STATE PRO	G
Indiana Michigan Power Co.	9802020173	50-315	P
	9802120292	50-315	F
	9802120292	50-315	F
	9802120299	50-315	Q
	9802120299	50-315	Q
	9802120302	50-315	P
	9802120302	50-315	P
	9802120308	50-315	Q
	9802190221	50-316	S
	9802200065	50-315	H
	9802200253	50-316	R
	9802200300	50-315	Q
	9802270048	50-315	S
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9802090140	50-315	F
Institute of Nuclear Power Operations	9802200251	ORG	
Integrated Environmental Services	9802180165	40-8948	
Interior, Dept. of, Bureau of Land Management	9802260082	40-8857	
Interior, Dept. of, Geological Survey	9802200304	50-274	R
Iowa State Univ., Ames, IA	9802190284	50-116	P
	9802230162*	50-116	P
Iowa, State of	9802040408	STATE PRO	G
	9802050372	STATE PRO	G
Italy, Govt. of	9802230054*	40-8968	
Japan	9802040351	MISC	
	9802040355*	MISC	
Johns Hopkins Univ., Baltimore, MD	9802200018	ORG	
Justice, Dept. of	9802110004	CONTRACT	
	9802230102	ORG	
	9802230106*	ORG	
Kansas, State of	9802040362	STATE PRO	G
Kennecott Corp.	9802180131	40-8584	
	9802200415	40-8904	
Kennedy Memorial Hosps., Cherry Hill, Stratford & Washington Townships, NJ	9802270288	70-2427	
	9802270289*	70-2427	
Kentucky, Commonwealth of	9802270262	STATE PRO	G
Lawrence Livermore National Laboratory	9802250129	NUREG	
Louisiana, State of	9802060137	STATE PRO	G
MK-Ferguson Co.	9802240416*	WM	
	9802240420*	WM	
	9802240422*	WM	
	9802240425*	WM	
	9802240429*	WM	
	9802250209*	WM	
MPR Associates, Inc.	9802230151*	50-302	P
Maine Yankee Atomic Power Co.	9802020085	50-309	Q
	9802040433	50-309	W
	9802040436*	50-309	W
	9802050044	50-309	Q
	9802060165*	50-309	W
	9802060169*	50-309	W
	9802180056	50-309	W
	9802190188	50-309	R
	9802200400	50-309	W
	9802200404*	50-309	W
	9802230334	50-309	R
	9802250163	50-309	F
Maine, State of	9802020005	STATE PRO	G
Maryland, Univ. of, College Park, MD	9802050215	CONTRACT	
	9802110140	50-166	P
Massachusetts Institute of Technology, Cambridge, MA	9802270315	50-20	P
Massachusetts, Commonwealth of	9802040434*	STATE PRO	G
	9802040439*	STATE PRO	G
Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of)	9802200026	50-223	P
McKinley Area Council of Govts, Gallup,N	9802250294*	40-8968	
Minnesota, State of	9802270336*	STATE PRO	G
Missouri, Univ. of, Columbia, MO	9802090149	50-186	V
	9802200376	50-186	R
	9802200383	50-186	R
	9802230086	50-186	R
	9802230087	50-186	R
Missouri, Univ. of, Rolla, MO	9802240234	71-844	
Mitsui & Co. (USA), Inc.	9802200057	XPORTLIC	
	9802200371	XPORTLIC	
Morgan, Lewis & Bockius	9802120081	XPORTLIC	
	9802120101*	XPORTLIC	
	9802230174	XPORTLIC	
	9802260145*	ORG	
NAC International Inc. (formerly Nuclear Assurance Corp.),	9802030055	71-9235	
	9802110166	71-9225	
	9802130011	72-1015	
	9802130098	72-1015	
	9802170033	70-3020	
	9802170042	70-3020	
	9802200398	71-9010	
National Academy of Sciences	9802170062	CONTRACT	
National Association of Regulatory Utility Commissioners	9802020099	PR	
Natural Resources Defense Council	9802020092*	40-8989	
Navajo Nation	9802120071	40-8968	
	9802120083*	40-8968	
	9802250294*	40-8968	
	9802250302*	40-8968	
	9802250322*	40-8968	
Nebraska Public Power District	9802020039	50-298	S
	9802020067	PR	
	9802040297	50-298	Q
	9802050155	50-298	Q
	9802120108	50-298	R
	9802120116	50-298	P
	9802190133	50-298	Q
	9802200249	50-298	R
	9802200403	50-298	P
	9802200408	50-298	P
	9802200409*	50-298	P
Nebraska, State of	9802020061	STATE PRO	G
	9802120218	STATE PRO	G
	9802180137*	STATE PRO	G
	9802230156	40-8943	
Nelson Engineering	9802100084	STATE PRO	G
Nevada, State of	9802020027*	STATE PRO	G
	9802020036	STATE PRO	G
New Hampshire, State of	9802170103	50-443	F
New Jersey, State of	9802120105	50-272	P
	9802120109	50-272	P
	9802120153	50-219	P
	9802200194	PRM	
	9802260173	STATE PRO	G
New Mexico, State of	9802040407	STATE PRO	G
	9802040412	STATE PRO	G
	9802120089	40-8968	
	9802250224	40-8968	
	9802270241	40-8968	
New York Hosp.-Cornell Medical Center, New York, NY	9802260043	PRM	
New York State Electric & Gas Corp.	9802120174	50-410	P
New York, State Univ. of, Buffalo, NY	9802120087	50-57	F
New York, State of	9802020049	STATE PRO	G
	9802020064	STATE PRO	G
	9802050361	I&E	
	9802120168	I&E	
	9802270252	STATE PRO	G
Niagara Mohawk Power Corp.	9802030159	50-410	Q
	9802040004	50-220	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802040004	50-220	Q
	9802100039	50-410	S
	9802110082	50-220	P
	9802120257	50-220	P
	9802120318	50-410	S
	9802130023	50-220	S
	9802130056	50-410	S
	9802130065*	50-410	S
	9802130071	50-410	P
	9802130083	50-410	P
	9802130116	50-220	P
	9802130117*	50-220	P
	9802200110	50-410	P
	9802200115*	50-410	P
	9802200184	50-410	S
	9802200185	PRM	
	9802200320	50-220	S
	9802200351*	50-220	S
	9802230337	50-220	R
	9802240124	50-220	F
	9802240310	50-410	S
	9802240348	50-410	R
	9802260261	50-220	Q
	9802270316	50-220	Q
North Atlantic Energy Service Corp.	9802020265	50-443	I
(NAESCO)			
	9802060171	50-443	P
	9802110057	50-443	S
	9802110070*	50-443	S
	9802170026	50-443	F
	9802190025	50-443	J
	9802190102	50-443	S
	9802190108*	50-443	S
	9802190193	50-443	S
	9802200114	50-443	R
	9802200399	50-443	S
	9802200405*	50-443	S
	9802200416	50-443	I
	9802250052	50-443	S
North Central Michigan College, Petoskey	9802190166	CONTRACT	
MI			
Northeast Nuclear Energy Co.	9802020095	50-336	P
	9802020264	50-423	P
	9802020267*	50-423	P
	9802030004	50-423	P
	9802030007	50-423	P
	9802030008*	50-423	P
	9802040231	50-423	Q
	9802040345	50-245	P
	9802040345	50-245	P
	9802040347*	50-245	P
	9802040347*	50-245	P
	9802040347*	50-245	P
	9802040348*	50-245	P
	9802040392	50-245	P
	9802040394*	50-245	P
	9802040395*	50-245	P
	9802040449	50-245	F
	9802040449	50-245	F
	9802050004	50-245	P
	9802050067	50-245	P
	9802050072*	50-245	P
	9802050074*	50-245	P
	9802050307	50-423	Q
	9802060061	50-336	S
	9802060066*	50-336	S
	9802090053	50-423	S
	9802090060*	50-423	S
	9802090061	50-423	S
	9802090127	50-245	P
	9802090130*	50-245	P
	9802090132*	50-245	P
	9802100179	50-245	Q
	9802110018	50-336	P
	9802110028	50-423	S
	9802110033*	50-423	S
	9802110047	50-336	P
	9802110100	50-423	S
	9802110117	50-423	P
	9802110120*	50-423	P
	9802120142	50-245	Q
	9802120142	50-245	Q
	9802120272	50-423	P
	9802120322	50-336	S
	9802130015*	50-336	S
	9802130042	50-336	S
	9802130047*	50-336	S
	9802130106	50-336	S
	9802180088	50-336	P
	9802190044	50-423	R
	9802190227	50-336	P
	9802200062	50-423	S
	9802200073*	50-423	S
	9802200100	50-336	F
	9802200176	50-336	R
	9802200293	50-336	Q
	9802200315	50-443	H
	9802200406	50-423	S
	9802200417*	50-423	S
	9802230082	50-423	S
	9802230091*	50-423	S
	9802230101	50-245	P
	9802230101	50-245	P
	9802230101	50-245	P
	9802230105	50-423	S
	9802230109*	50-423	S
	9802230114	50-423	S
	9802230122	50-423	P
	9802230125*	50-423	S
	9802230139	50-423	K
	9802230141*	50-423	K
	9802230157	50-336	K
	9802230161*	50-336	K
	9802230304	50-423	P
	9802230319	50-245	R
	9802240036	50-245	P
	9802240038*	50-245	P
	9802240079	50-423	S
	9802240109*	50-423	S
	9802240114	50-245	S
	9802240120*	50-245	S
	9802240165	50-336	P
	9802250092	50-245	P
	9802250095	50-245	P
	9802250095	50-245	P
	9802250102*	50-245	P
	9802250102*	50-245	P
	9802250102*	50-245	P
	9802250149	50-423	S
	9802250217	50-423	Q
	9802260052	50-245	P
	9802260282	50-245	P
Northern States Power Co.	9802040051	50-263	Q
	9802040387	50-263	P
	9802050249	50-263	P
	9802050255	50-282	P
	9802050264*	50-282	P
	9802050295	50-263	P
	9802060037	50-282	Q
	9802170101	50-282	F
	9802170101	50-282	F
	9802170101	50-282	F
	9802170105	50-282	F
	9802170105	50-282	F
	9802170105	50-282	F
	9802180089	50-263	P
	9802180094	50-263	Q
	9802180168	50-282	P
	9802180168	50-282	P
	9802180178*	50-282	P
	9802180178*	50-282	P
	9802180180*	50-282	P
	9802180180*	50-282	P
	9802190053	50-282	R
	9802190208	50-282	F
	9802190208	50-282	F
	9802190301	50-263	P
	9802200010	50-282	P
	9802200015	50-263	S
	9802200086	50-282	R
	9802240045	50-282	S
	9802240054*	50-282	S
	9802240249	50-263	R
	9802240264	50-282	S
	9802240267*	50-282	S
	9802240276	50-306	S
	9802240291*	50-306	S
	9802240357	50-282	S
	9802240367*	50-282	S
	9802250089	50-263	P
	9802250107	50-282	P
	9802250124	50-263	P
	9802250131	50-263	R
	9802260244	50-282	P
	9802270063	50-263	R
Nuclear Control Institute	9802230200	XPORTLIC	
	9802230226*	XPORTLIC	
Nuclear Energy Institute (formerly	9802040178	REVIEW GR	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Nuclear Mgmt & Resources Council)			
	9802040214	REVIEW GR	P
	9802050090	NUREG	
	9802050308	REGGD	
	9802230135	REVIEW GR	P
	9802270118	NUREG	
Nuclear Fuel Services, Inc.	9802030076	70-143	
	9802030087	70-143	
	9802030113	70-143	
	9802030127	70-143	
	9802120147	70-143	
	9802180004	70-143	
	9802180176*	71-3042	
	9802250070	70-143	
	9802250121	70-143	
	9802250123*	70-143	
	9802260054	70-143	
	9802260056*	70-143	
	9802270185	70-143	
Nuclear Materials & Equipment Corp.	9802060186*	FOIA	
(NUMEC)			
	9802060200*	70-364	
	9802060226*	FOIA	
	9802060232*	FOIA	
	9802060240*	FOIA	
	9802090104*	FOIA	
	9802090122*	FOIA	
	9802090125*	FOIA	
Oak Ridge Associated Universities	9802090233*	50-213	Q
	9802090236*	50-213	Q
Oak Ridge National Laboratory	9802060237	ORG	
	9802200018	ORG	
	9802200043	NUREG	
	9802230043	40-3453	
	9802230118	NUREG	
	9802250201	40-3453	
	9802270183	NUREG	
	9802270188	NUREG	
Ohio, State of	9802020025	STATE PRO	G
	9802020026*	STATE PRO	G
	9802020032*	STATE PRO	G
	9802100004	40-8724	
	9802200014	40-7397	
	9802200025	40-7397	
	9802200051	40-7397	
	9802260181	40-8724	
Oklahoma, State of	9802040406	STATE PRO	G
Omaha Public Power District	9802040195	50-285	P
	9802050150	50-285	F
	9802050223	50-285	F
	9802060177	50-285	P
	9802060189	50-285	P
	9802060193*	50-285	P
	9802100014	50-285	P
	9802100017*	50-285	P
	9802100018*	50-285	P
	9802100060	50-285	P
	9802100063*	50-285	P
	9802100064*	50-285	P
	9802100066*	50-285	P
	9802110104	50-285	P
	9802110108*	50-285	P
	9802110147	50-285	P
	9802190207	50-285	V
	9802190225	50-285	P
	9802200108	50-285	R
	9802230251	50-285	F
	9802260172	50-285	R
Oregon State Univ., Corvallis, OR	9802190245	CONTRACT	
	9802260091	50-243	F
Organization of Agreement States	9802270243	STATE PRO	G
PECO Energy Co., (formerly Philadelphia Electric Co.)	9802020088	PRM	
	9802020263	50-353	Q
	9802040342	50-352	P
	9802040342	50-352	P
	9802040343*	50-352	P
	9802040343*	50-352	P
	9802050182	50-277	S
	9802050232	50-278	P
	9802050375	REGGD	
	9802060007	50-352	P
	9802060008*	50-352	P
	9802060043	50-278	Q
	9802060055	50-277	Q
	9802060055	50-277	Q
	9802060060*	50-278	Q
	9802100042	50-352	P
	9802100043*	50-352	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802100043*	50-352	P
	9802100044*	50-352	P
	9802100044*	50-352	P
	9802120057	50-352	P
	9802120225	50-277	V
	9802120256	50-352	Q
	9802130125	50-277	P
	9802130125	50-277	P
	9802130125	50-277	P
	9802190196	50-277	P
	9802190196	50-277	P
	9802190197*	50-277	P
	9802190197*	50-277	P
	9802190218	50-277	P
	9802190287	50-277	R
	9802200154	50-352	R
	9802200366	50-352	V
	9802200386	50-278	P
	9802200420	50-352	P
	9802260273	50-277	P
	9802260275*	50-277	P
	9802270007	50-352	S
	9802270013*	50-352	S
	9802270073	50-277	Q
	9802270073	50-277	Q
	9802270263	50-277	P
	9802270263	50-277	P
Pacific Gas & Electric Co.	9802040332	50-133	P
	9802090065	50-275	P
	9802090065	50-275	P
	9802090066*	50-275	P
	9802090066*	50-275	P
	9802120223	50-275	P
	9802120223	50-275	P
	9802120243	50-275	P
	9802120243	50-275	P
	9802120266	50-275	Q
	9802120266	50-275	Q
	9802130005	50-275	P
	9802130005	50-275	P
	9802130006*	50-275	P
	9802130006*	50-275	P
	9802180001	50-275	P
	9802200022	50-275	S
	9802200135	50-275	P
	9802200140*	50-275	P
	9802200141*	50-275	P
	9802200141*	50-275	P
	9802200144*	50-275	P
	9802200144*	50-275	P
	9802200199	50-275	F
	9802250216	50-275	R
Pathfinder Mines Corp.	9802260248	40-6622	
Pennsylvania Power & Light Co.	9802040040	50-387	P
	9802040040	50-387	P
	9802040042*	50-387	P
	9802040042*	50-387	P
	9802040046*	50-387	P
	9802040046*	50-387	P
	9802090051	50-387	P
	9802090051	50-387	P
	9802100125	50-387	Q
	9802100125	50-387	Q
	9802120262	50-387	Q
	9802120262	50-387	Q
	9802120270	50-388	P
	9802120286	50-387	P
	9802120291	50-387	Q
	9802120291	50-387	Q
	9802130001	50-387	P
	9802130001	50-387	P
	9802130003*	50-387	P
	9802130003*	50-387	P
	9802130004*	50-387	P
	9802130004*	50-387	P
	9802170064	50-387	S
	9802170069*	50-387	S
	9802180028	50-387	P
	9802180028	50-387	P
	9802180037*	50-387	P
	9802180040*	50-387	P
	9802200017	50-387	Q
	9802200017	50-387	Q
	9802240174	50-387	R
Pennsylvania State Univ., University	9802230223	50-5	S
Park, PA			
	9802240321	50-5	S
Pennsylvania, Commonwealth of	9802110178	STATE PRO	G
Plateau Resources, Ltd.	9802230128	40-8698	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802270154	40-8698	
Portland Cement Association	9802110135*	COMMISSIO	N
Portland General Electric Co.	9802050339	50-344	W
	9802050339	50-344	W
	9802050343*	50-344	W
	9802050343*	50-344	W
	9802050347*	50-344	W
	9802050347*	50-344	W
	9802190145	50-344	R
	9802190200	50-344	Y
	9802240150	50-344	Q
	9802270091	50-344	W
	9802270097*	50-344	W
Power Authority of the State of New York (New York Power Authority)	9802020166	50-286	P
	9802020244	50-286	S
	9802020249	50-286	P
	9802040098	50-286	F
	9802040291	50-333	Q
	9802040298*	50-333	Q
	9802040302*	50-333	Q
	9802060185	50-286	P
	9802060188*	50-286	P
	9802100077	50-286	F
	9802110039	50-333	F
	9802120276	50-333	Q
	9802170068	50-333	P
	9802170071*	50-333	P
	9802170074*	50-333	P
	9802170080	50-333	F
	9802170107	50-333	P
	9802170110*	50-333	P
	9802170116*	50-333	P
	9802180014	50-286	P
	9802180019*	50-286	P
	9802190237	50-286	Q
	9802190291	50-333	R
	9802200006	50-333	R
	9802200007*	50-333	R
	9802200226	50-333	P
	9802200235*	50-333	P
	9802200241*	50-333	P
	9802200246*	50-333	P
	9802230133	50-333	S
	9802230148*	50-333	S
	9802240069	50-333	S
	9802240107	50-286	R
	9802240107	50-286	R
	9802250270	50-286	R
	9802250274*	50-286	R
	9802250276*	50-286	R
	9802250371	50-333	F
	9802250383	50-333	F
	9802250387	50-333	F
	9802260015	50-333	F
	9802260093*	50-286	H
	9802260149	50-333	F
Power Resources Corp.	9802060057	40-8857	
	9802230289	40-8857	
	9802230323	40-8857	
Public Service Co. of Colorado	9802120138	50-267	J
	9802200153	50-267	Y
Public Service Electric & Gas Co. of New Jersey	9802020266	50-272	F
	9802040454	50-272	F
	9802060087	50-311	P
	9802100046	50-272	K
	9802100046	50-272	K
	9802100054*	50-272	K
	9802100054*	50-272	K
	9802100080	50-272	P
	9802100080	50-272	P
	9802110009	50-272	P
	9802120065	50-272	F
	9802120065	50-272	F
	9802120224	50-354	S
	9802120231*	50-354	S
	9802130022*	50-272	P
	9802200380	50-272	R
	9802230187	50-272	P
	9802230187	50-272	P
	9802240088	50-272	P
	9802240088	50-272	P
	9802240094*	50-272	P
	9802240094*	50-272	P
	9802240094*	50-272	P
	9802240261	50-272	P
	9802240261	50-272	P
	9802240262*	50-272	P
	9802240262*	50-272	P
	9802240296	50-272	R
	9802240361	50-311	R
	9802240383	50-354	R
	9802240384*	50-354	R
	9802240387*	50-354	R
	9802250018	50-272	P
	9802250022	50-272	S
Quivira Mining Co.	9802020257	40-8905	
	9802020259*	40-8905	
	9802050096	40-8905	
	9802050103	40-8905	
	9802050172	40-8905	
RMI Co.	9802090215	40-2384	
RUST Environment & Infrastructure, Inc.	9802040422*	40-8907	
(formerly SEC Donohue)			
Radioactive Waste Management Associates	9802190064*	FOIA	
	9802260086	NUREG	
Reed College, Portland, OR	9802250014	50-288	Q
Reuter-Stokes, Inc.	8511140202*	FOIA	
	9303230241*	FOIA	
	9303230251*	FOIA	
Review & Synthesis Associates	9802250003	PR	
Rhode Island, State of	9802270264	STATE PRO	G
Rio Algom Mining Corp.	9708280036	40-8964	
	9802040383	40-8964	
	9802060209	40-8964	
	9802060212	40-8964	
	9802060223	40-8964	
	9802060225*	40-8964	
	9802130130	40-8964	
	9802230021	40-8964	
	9802230024*	40-8964	
	9802230107	40-8084	
	9802230112	40-8084	
	9802240393	40-8964	
	9802240426	40-8964	
	9802250080	40-8964	
Rochester Gas & Electric Corp.	9802020239*	50-244	P
	9802030049	50-244	P
	9802040410	50-244	P
	9802050198	50-244	Q
	9802120041	50-244	P
	9802120053*	50-244	P
	9802120158	50-244	P
	9802130060	50-244	R
	9802170127	50-244	S
	9802170156*	50-244	S
	9802180021	50-244	S
	9802180030*	50-244	S
	9802200047	50-244	F
	9802200102	50-244	R
Rogers & Associates Engineering Corp.	9802020262*	40-2061	
Russia	9802100124	NUREG	
SCIENTECH, Inc.	9802120044	CONTRACT	
	9802120278	CONTRACT	
	9802170106	CONTRACT	
	9802230010	CONTRACT	
	9802240197	CONTRACT	
SENES Consultants, Ltd.	9802250300*	40-8968	
Sacramento Municipal Utility District	9802200040	50-312	J
	9802240241	50-312	J
Sandia National Laboratories	9802190067*	FOIA	
	9802190069*	FOIA	
	9802190074*	FOIA	
	9802230110	NUREG	
	9802230116	NUREG	
Sandvik Special Metals Corp.	9802190185	QA999	
	9802190194*	QA999	
Sargent & Lundy, Inc.	9802020041	50-423	P
	9802020050*	50-423	P
	9802030053	CONTRACT	
	9802060052	50-423	P
	9802090073	50-423	P
	9802100196	50-461	P
	9802120023	50-423	P
	9802120076	50-423	P
	9802180111	50-423	P
	9802180132	50-423	P
	9802190275*	50-482	P
	9802230131	50-423	P
	9802240147	50-423	P
	9802240204	50-423	P
	9802250367	50-423	P
	9802270307	50-423	P
	9802270311	50-423	P
Science Applications International Corp. (formerly Science Applications, Inc.)	9802060204	TOPREP	
	9802130002	NUREG	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802190268	CONTRACT	
	9802200043	NUREG	
Senate	9802020083	PRM	
	9802090145*	ORG	
	9802250072*	50-309	W
	9802260070*	ORG	
Senate, Energy & Natural Resources	9802180018*	COMMISSIO	N
Sequoyah Fuels Corp.	9802180189	40-8027	
	9802230099	40-8027	
Shaw, Pittman, Potts & Trowbridge	9802060174*	50-443	P
	9802120060	40-8968	
	9802120072*	40-8968	
	9802120140*	72-22	
	9802230170	72-22	
	9802230180	72-22	
	9802230196	72-22	
	9802250230	40-8968	
	9802270235	72-22	
Shell Oil Co.	9802030056	STATE PRO	G
Siemens Corp.	9802270165	REGGD	
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear	9802020253	70-1257	
	9802050175	TOPREP	
	9802050181*	TOPREP	
	9802060041	TOPREP	
	9802060161	TOPREP	
	9802090001	TOPREP	
	9802090050	70-1257	
	9802100062*	70-1257	
	9802120061*	50-352	P
	9802120141	70-1257	
	9802130079	TOPREP	
	9802130108	TOPREP	
	9802200107	70-1257	
	9802230051	70-1257	
	9802230234	70-1257	
	9802230237*	70-1257	
	9802240411	71-9217	
	9802250024	71-3	
	9802250033*	71-3	
	9802250037	TOPREP	
	9802250208	70-1257	
	9802250256	TOPREP	
	9802250303	70-1257	
	9802270331	QA999	
Sierra Nuclear, Inc.	9802130053	72-1007	
	9802260143	72-1007	
	9802260175	72-1007	
	9802270164	72-1007	
Skull Valley Band of Goshute Indians	9802230203	72-22	
Small Business Administration	9802120264	CONTRACT	
	9802120281	CONTRACT	
	9802240186	CONTRACT	
Society of Nuclear Medicine	9802230179*	XPORTLIC	
Source Production & Equipment Co., Inc.	9802110054	71-102	
	9802110055*	71-102	
South Carolina Electric & Gas Co.	9802020210	50-395	S
	9802050099	50-395	S
	9802050148	50-395	S
	9802110038	50-395	P
	9802120230	50-395	P
	9802190183	50-395	P
	9802200175	50-395	R
	9802200182	50-395	F
	9802200187	50-395	P
	9802200197*	50-395	P
South Carolina, State of	9802110174	STATE PRO	G
Southeastern Oklahoma State Univ., Durant, OK	9802180112	71-*****	
	9802180117*	71-*****	
Southern California Edison Co.	9802040448	50-206	F
	9802040448	50-206	F
	9802050221	50-361	Q
	9802050258	50-206	F
	9802050269*	50-206	F
	9802060229	50-361	P
	9802060229	50-361	P
	9802060233*	50-361	P
	9802060234*	50-361	P
	9802060234*	50-361	P
	9802110048	50-206	P
	9802110048	50-206	P
	9802110048	50-206	P
	9802110052*	50-206	P
	9802110052*	50-206	P
	9802110052*	50-206	P
	9802120103	50-361	P
	9802120103	50-361	P
	9802120110*	50-361	P
	9802120112*	50-361	P
	9802180062	50-361	Q
	9802180062	50-361	Q
	9802190164	50-206	S
	9802190203*	50-206	S
	9802190213	50-361	S
	9802200030	50-361	R
	9802200311	50-206	P
	9802200311	50-206	P
	9802260171	50-361	P
Southern Nuclear Operating Co.	9802020180	50-424	P
	9802020180	50-424	P
	9802020182*	50-424	P
	9802020182*	50-424	P
	9802030156	50-321	F
	9802030156	50-321	F
	9802040001	50-321	P
	9802040001	50-321	P
	9802040270	50-348	Q
	9802040281	50-348	Q
	9802040281	50-348	Q
	9802060031	50-321	P
	9802060194	50-348	P
	9802060194	50-348	P
	9802090042	50-348	P
	9802090084	50-424	P
	9802090097	50-424	Q
	9802090097	50-424	Q
	9802090113	50-424	Q
	9802090113	50-424	Q
	9802130043	50-424	S
	9802170081	50-348	P
	9802170081	50-348	P
	9802170165	50-321	R
	9802170165	50-321	R
	9802180058	50-321	P
	9802180058	50-321	P
	9802180101	50-348	Q
	9802180101	50-348	Q
	9802190131	50-348	P
	9802190131	50-348	P
	9802190132*	50-348	P
	9802190132*	50-348	P
	9802190144	50-424	S
	9802190180	50-424	Q
	9802200061	50-348	P
	9802200061	50-348	P
	9802200067*	50-348	P
	9802200067*	50-348	P
	9802200125	50-348	R
	9802200164	50-424	R
	9802200344	50-424	Q
	9802240205	50-424	Q
	9802240205	50-424	Q
	9802240254	50-321	P
	9802240304	50-424	S
	9802240304	50-424	S
	9802240335	50-424	P
	9802250265	50-348	P
	9802250265	50-348	P
	9802250309	50-424	P
	9802250309	50-424	P
	9802250314	50-424	P
	9802250314	50-424	P
	9802250332	50-321	R
	9802250332	50-321	R
	9802250332	50-321	R
	9802250332	50-321	R
	9802250339	50-321	Q
	9802250339	50-321	Q
	9802270059	50-424	Q
	9802270061*	50-424	Q
Southwest Research Institute	9802170114	CONTRACT	
	9802190273	CONTRACT	
	9802190307	CONTRACT	
Southwest Research and Information Cente	9802120089	40-8968	
	9802250236	40-8968	
	9802270241	40-8968	
State, Dept. of	9802110207	XPORTLIC	
	9802240252	CONTRACT	
Stevenson & Associates	9802040390*	50-263	P
	9802040393*	50-263	P
	9802040398*	50-263	P
	9802040401*	50-263	P
Stone & Webster Engineering Corp.	9802090057	CONTRACT	
	9802130045	72-22	
	9802230038	CONTRACT	
Stone & Webster, Inc.	9802230310	72-22	
Structural Integrity Associates, Inc.	9802200011*	50-282	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Syncor International Corp.	9802200396*	FOIA	
TN Technologies, Inc. (formerly Texas Nuclear Corp.)	9802260067	71-545	
Tennessee Valley Authority	9802020251	50-259	P
	9802020251	50-259	P
	9802020251	50-259	P
	9802020252*	50-259	P
	9802020252*	50-259	P
	9802020252*	50-259	P
	9802040105	50-328	P
	9802040128*	50-328	P
	9802040135	50-328	Q
	9802040138*	50-328	Q
	9802050236	50-327	P
	9802050262	50-328	P
	9802050268*	50-328	P
	9802050316	REGGD	
	9802050337*	50-445	R
	9802050368	50-259	Q
	9802130033	50-390	K
	9802130040*	50-390	K
	9802130046*	50-390	K
	9802130048*	50-390	K
	9802130050*	50-390	K
	9802130052*	50-390	K
	9802130054*	50-390	K
	9802130058*	50-390	K
	9802130059*	50-390	K
	9802130061*	50-390	K
	9802130063*	50-390	K
	9802130066*	50-390	K
	9802130068*	50-390	K
	9802130070*	50-390	K
	9802130072*	50-390	K
	9802130075*	50-390	K
	9802130078*	50-390	F
	9802170066	50-390	R
	9802170109*	50-390	R
	9802170132	50-390	Q
	9802170132	50-390	Q
	9802170137	50-390	P
	9802170149	50-390	P
	9802170151*	50-390	P
	9802190134	50-327	F
	9802190137*	50-327	F
	9802190137*	50-327	F
	9802190138*	50-327	F
	9802190138*	50-327	F
	9802190179	50-259	Q
	9802190285	50-327	V
	9802190289	50-390	R
	9802200033	50-327	P
	9802200138	50-259	R
	9802200210	50-259	F
	9802200210	50-259	F
	9802200210	50-259	F
	9802200217	50-259	F
	9802200217	50-259	F
	9802200217	50-259	F
	9802230192	50-327	P
	9802230192	50-327	P
	9802230194*	50-327	P
	9802230194*	50-327	P
	9802230198	50-327	P
	9802230198	50-327	P
	9802230199*	50-327	P
	9802230199*	50-327	P
	9802230210	50-327	P
	9802230210	50-327	P
	9802230214*	50-327	P
	9802230214*	50-327	P
	9802230215*	50-327	P
	9802230215*	50-327	P
	9802230220	50-327	R
	9802240153	50-296	Q
	9802240158	50-259	P
	9802240158	50-259	P
	9802250271	50-390	P
	9802250273*	50-390	P
	9802250365	50-390	V
	9802260002	50-390	P
	9802260004*	50-390	P
	9802270226	50-390	F
	9803020082*	50-390	K
	9803020086*	50-390	K
Tennessee, State of	9802270206	STATE PRO	G
Tennessee, Univ. of, Knoxville, TN	9802250255*	40-8968	
Texas A&M Univ., College Station, TX	9802020014	50-128	F
	9802060203	50-128	P
	9802060206*	50-128	P
	9802200085	50-128	P
Texas Utilities Co.	9802200270	50-446	S
Texas Utilities Electric Co. (TU Electric)	9802020261	50-445	I
	9802040159	50-445	P
	9802050205	50-445	K
	9802050205	50-445	K
	9802050331	50-445	R
	9802050331	50-445	R
	9802050333*	50-445	R
	9802060040	REGGD	
	9802060076	50-445	F
	9802060076	50-445	F
	9802060081*	50-445	F
	9802060081*	50-445	F
	9802060110	50-445	K
	9802060110	50-445	K
	9802110130	50-445	P
	9802110130	50-445	P
	9802110133*	50-445	P
	9802110133*	50-445	P
	9802170037	50-445	S
	9802190246	50-445	Q
	9802190246	50-445	Q
	9802200095	50-445	Q
	9802200095	50-445	Q
	9802200220	50-445	F
	9802200220	50-445	F
	9802200276	50-445	R
	9802200276	50-445	R
	9802200281*	50-445	R
	9802200321	50-445	P
	9802200321	50-445	P
	9802200364	50-445	P
	9802240255	50-445	F
	9802240255	50-445	F
	9802240373	50-445	R
	9802250057	50-445	Q
	9802250057	50-445	Q
	9802250145	50-445	Q
	9802250145	50-445	Q
	9802250175	50-445	P
	9802250175	50-445	P
	9802270172	I&E	
Texas, State of	9802030083	STATE PRO	G
Toledo Edison Co.	9802090141	50-346	P
Transnuclear, Inc.	9802060241	71-9184	
	9802120101*	XPORTLIC	
	9802130030	71-250	
	9802130036*	71-250	
	9802130051	71-9070	
	9802130105	71-9255	
	9802170142	XPORTLIC	
	9802200060	XPORTLIC	
	9802230290	72-*****	
	9802270246	XPORTLIC	
	9802270257*	XPORTLIC	
Transportation, Dept. of	9802050313	71-3035	
	9802060216	71-3010	
	9802180173	71-3042	
UMETCO Minerals Corp.	9802060160	40-299	
	9802170018	40-299	
	9802190100	40-299	
	9802190217	40-299	
	9802190258	40-299	
Union Electric Co.	9802120310	50-483	Q
	9802130088	50-483	P
	9802170092	50-483	R
	9802170123	50-483	Q
	9802200257	50-483	F
	9802240111	50-483	P
	9802240115*	50-483	P
	9802240123	50-483	S
	9802240328	50-483	P
	9802250013	50-483	S
Union of Concerned Scientists	9802120187	50-286	H
United Kingdom	9802230110	NUREG	
	9802230116	NUREG	
United Nuclear Corp. (subs. of UNC, Inc.	9802040417	40-8907	
	9802060015	40-8907	
	9802060168	40-8907	
	9802250391	40-8907	
United States Enrichment Corp. (USEC)	9801140250	70-7001	
	9802020038	70-7001	
	9802040005	70-7002	
	9802050301	70-7001	
	9802060011	70-7002	
	9802060078	70-7001	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802060078	70-7001	
	9802060084	70-7001	
	9802060086	70-7001	
	9802060125	70-7001	
	9802060238*	70-7001	
	9802100069	70-7002	
	9802120146	70-7002	
	9802120167	70-7001	
	9802120167	70-7001	
	9802170148	70-7002	
	9802170168	70-7001	
	9802190151	70-7001	
	9802190175	70-7001	
	9802190175	70-7001	
	9802200123	70-7002	
	9802200128	70-7002	
	9802200338	70-7002	
	9802250113	70-7001	
	9802260025	70-7001	
Utah, State of	9802020114*	STATE PRO	G
	9802020124*	STATE PRO	G
	9802030086	72-22	
	9802100164*	40-8989	
	9802190129	40-8989	
	9802230169	72-22	
	9802230204	72-22	
	9802230208	72-22	
	9802230211*	72-22	
	9802230212	72-22	
	9802250211	72-22	
	9802250220	72-22	
Utah, Univ. of, Salt Lake City, UT	9802190219	50-407	P
Vectra Technologies, Inc.	9802060166	71-9184	
	9802130029	71-9070	
Vermont Yankee Nuclear Power Corp.	9802050298	50-271	V
	9802060220	71-9249	
	9802120247	50-271	S
	9802190026	50-271	Q
	9802200027	50-271	R
	9802200332	50-271	P
	9802200339*	50-271	P
	9802200349	50-271	P
Virginia Polytechnic Institute & State Univ., Blacksburg, VA	9802050225	CONTRACT	
Virginia Power (Virginia Electric & Powe Co.)	9802020056	50-338	F
	9802020056	50-338	F
	9802020056	50-338	F
	9802020057*	50-338	F
	9802020057*	50-338	F
	9802020057*	50-338	F
	9802020062*	50-338	F
	9802020062*	50-338	F
	9802020062*	50-338	F
	9802030018	50-280	F
	9802040103	50-280	F
	9802040103	50-280	F
	9802040103	50-280	F
	9802040103	50-280	F
	9802040103	50-280	F
	9802040103	50-280	F
	9802040372	50-338	P
	9802040372	50-338	P
	9802040413	50-280	Y
	9802040413	50-280	Y
	9802040413	50-280	Y
	9802040413	50-280	Y
	9802040413	50-280	Y
	9802050169	50-280	J
	9802050169	50-280	J
	9802050169	50-280	J
	9802050169	50-280	J
	9802050284	50-338	F
	9802050284	50-338	F
	9802050318	50-280	V
	9802050353	50-338	F
	9802050353	50-338	F
	9802050353	50-338	F
	9802050365	50-280	P
	9802050365	50-280	P
	9802060009	REGGD	
	9802090046	50-280	P
	9802090046	50-280	P
	9802090046	50-280	P
	9802090046	50-280	P
	9802090090	50-338	Y
	9802120144	50-280	F
	9802120144	50-280	F
	9802120144	50-280	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802120144	50-280	F
	9802120144	50-280	F
	9802120144	50-280	F
	9802120220	50-338	P
	9802120220	50-338	P
	9802120221*	50-338	P
	9802120221*	50-338	P
	9802120250	50-280	R
	9802120250	50-280	R
	9802120274	50-338	Q
	9802120274	50-338	Q
	9802120279	50-338	P
	9802120279	50-338	P
	9802120284*	50-338	P
	9802120284*	50-338	P
	9802120307	50-338	F
	9802120307	50-338	F
	9802130028	50-338	S
	9802130038*	50-338	S
	9802170112	50-280	S
	9802170119	50-338	R
	9802180075	50-280	Q
	9802180075	50-280	Q
	9802180083	50-280	P
	9802180084	50-338	P
	9802180084	50-338	P
	9802180085*	50-338	P
	9802180085*	50-338	P
	9802190201	50-280	P
	9802200012	50-338	P
	9802200156	50-280	R
	9802200165*	50-280	R
	9802240281	50-338	Y
	9802240287*	50-338	Y
Washington Public Power Supply System	9802050006	50-397	F
	9802050118	50-397	R
	9802050151	50-397	R
	9802050153	50-397	P
	9802060025	50-397	P
	9802190249	50-397	Q
	9802200058	50-397	H
	9802200131	50-397	R
	9802200192	50-397	F
	9802200196	50-397	F
Washington, G.K., C.P.A.	9802240186	CONTRACT	
Washington, State of	9802270237*	STATE PRO	G
Weldtek Testing Laboratories, Inc.	9802230012	71-757	
West Valley Nuclear Services Co., Inc.	9802090201	PROJ	
	9802090207	PROJ	
	9802090211	PROJ	
Westinghouse Electric Corp.	9802020183*	50-424	P
	9802030025	TOPREP	
	9802030149	52-3	
	9802040002	52-3	
	9802040131	52-3	
	9802040334	70-1151	
	9802050138	52-3	
	9802050165	52-3	
	9802050271*	50-328	P
	9802050273*	50-328	P
	9802060088	70-1151	
	9802060149	40-8976	
	9802060151	52-3	
	9802060152	52-3	
	9802060170	52-3	
	9802060175	52-3	
	9802060187	52-3	
	9802060195	52-3	
	9802060197	52-3	
	9802060198*	52-3	
	9802060199	52-3	
	9802060202	52-3	
	9802090048	70-1151	
	9802090217	70-1151	
	9802100021*	50-285	P
	9802110021	52-3	
	9802110037	52-3	
	9802120232	52-3	
	9802120320	52-3	
	9802130055	50-482	R
	9802170014	52-3	
	9802170016*	52-3	
	9802180045*	TOPREP	
	9802180074	TOPREP	
	9802180128	TOPREP	
	9802180135*	TOPREP	
	9802190140	52-3	
	9802200195	52-3	
	9802200316	52-3	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9802200318	52-3	
	9802200322	52-3	
	9802200325	52-3	
	9802200327	52-3	
	9802230027	52-3	
	9802230036	52-3	
	9802230042*	52-3	
	9802230190	72-1026	
	9802230195*	72-1026	
	9802230197*	72-1026	
	9802230201*	72-1026	
	9802240070*	TOPREP	
	9802240189	52-3	
	9802240408	52-3	
	9802240418	52-3	
	9802250180	TOPREP	
	9802260212	52-3	
	9802260216*	52-3	
	9802260229	52-3	
	9802260243	52-3	
	9802260249*	52-3	
	9802270225	52-3	
	9802270312	70-1151	
Westinghouse Operating Plants Owners Group	9802180043	TOPREP	
	9802240062	TOPREP	
	9802240148	50-280	Q
Winston & Strawn	9802060048	NUREG	
	9802180160	NUREG	
Wisconsin Electric Power Co.	9802040130	50-266	P
	9802040130	50-266	P
	9802050086	50-266	P
	9802050086	50-266	P
	9802050098	50-301	P
	9802050107	50-266	P
	9802050107	50-266	P
	9802090189	50-266	F
	9802090189	50-266	F
	9802090195*	50-266	F
	9802090195*	50-266	F
	9802090224	50-266	F
	9802090224	50-266	F
	9802090229*	50-266	F
	9802090229*	50-266	F
	9802110013	50-266	R
	9802120277	50-266	S
	9802170083	50-266	R
	9802170090	50-266	S
	9802170095*	50-266	S
	9802180013	50-266	S
	9802180016*	50-266	S
	9802190156	50-266	K
	9802190161*	50-266	K
	9802190178	50-266	S
	9802190186*	50-266	S
	9802200393	50-266	Q
	9802200393	50-266	Q
	9802230060	50-266	Q
	9802230060	50-266	Q
	9802240299	50-266	S
	9802240305*	50-266	S
	9802270022	50-266	S
	9802270034*	50-266	S
Wisconsin Public Service Corp.	9802030016	50-305	P
	9802170067	50-305	S
	9802170098	50-305	R
	9802170129	50-305	P
	9802190171	50-305	J
	9802200384	50-305	R
	9802240154	50-305	S
Wolf Creek Nuclear Operating Corp.	9802040363	50-482	F
	9802040366*	50-482	F
	9802050007	50-482	P
	9802050015	50-482	S
	9802050016	50-482	P
	9802050019*	50-482	P
	9802050023*	50-482	S
	9802050204	50-482	Q
	9802110079	50-482	P
	9802120175	50-482	P
	9802120245	50-482	V
	9802120249	50-482	P
	9802120252*	50-482	P
	9802130122	50-482	P
	9802130123*	50-482	P
	9802190269	50-482	P
	9802200091	50-482	F
	9802200286	50-482	R
	9802250168	50-482	P
Worcester Polytechnic Institute, Worcester, MA	9802190177	50-134	R
Wyoming, State of	9802230062	40-8857	
	9802230137	40-8964	
Xavier Univ., Cincinnati, OH	9802240096	70-701	
Yankee Atomic Electric Co.	9802040442	50-271	F
	9802200023	50-29	H
	9802250317	50-29	R

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY		OTHER REPORT NUMBER
0VA-0104 R00	9802180026*	50-324	P	
0VA-0114 R00	9802180027*	50-324	P	
1000-PLN-3000.05 R01	9802110153*	50-146	P	
11210-99050	9802110106*	50-390	F	
20-22307	9802120078*	WM		HLWR
55T-98-006	9802260056*	70-143		HEU-05-13-02
55T-98-0060	9802250123*	70-143		HEU-05-13-02
74	9802250233	71-9033		
748-32	9802110128*	COMMISSIO	N	
86-1266298-01	9802110093*	50-220	P	
96236-TR-01 R00	9802100152*	50-261	P	
97C2999-C-001 R00	9802040390*	50-263	P	
B00000000-01717-5700	9802250384	WM		
BAW-10226 R01	9802040375*	50-313	P	
BAW-10228	9802240097*	TOPREP		
C-007 R00	9802230263*	50-400	P	
C-016 R00	9802040401*	50-263	P	
C-017 R00	9802040393*	50-263	P	
C-017 R00	9802040398*	50-263	P	
CE NPSD-1063	9802120130*	TOPREP		
CE NPSD-683 R02	9802100067*	50-285	P	
CNWRA 97-007	9802060153*	WM		HLWR
CNWRA 98-001	9802180073*	WM		HLWR
DOE/ID-12082(96)	9802030124*	72-20		
DPC-NE-2005A R01	9802180051*	50-269	P	
DPC-NE-3000-A R01	9802170019*	50-269	P	
DPC-NE-3002-A R02	9802170015*	50-369	P	
EC-072-1007 R01	9802180040*	50-387	P	
EC-072-1009 R00	9802180037*	50-387	P	
EMF-1997(NP)S01 R00	9802050181*	TOPREP		
ER 9605NP R01	9802120061*	50-352	P	
GW-GL-021 R20	9802170016*	52-3		
HI-971628 ERR	9802040048*	50-382	P	
INEEL/EXT-97-0132(96	9802030131*	72-20		
IP3-CALC-RCS-02670	9802180019*	50-286	P	
ISI-PSL-1 R01	9802090244*	50-335	Q	
L-001337 R02	9802270156*	50-373	P	
LAC-TR-138	9802230077*	50-409	W	
M-51-62 R04	9802100043*	50-352	P	
M-52-31 R04	9802100044*	50-352	P	
M-771 R00	9802230275*	50-293	P	
M500 R03	9802230277*	50-293	P	
MPR-1887 R02	9802230151*	50-302	P	
NEA/CSNI/R(97)26	9802040355*	MISC		
NEDC-32790	9802030001	50-277	P	
NFS-98-011-01	9802180087*	50-454	P	
NSP-26Q-302 R01	9802050264*	50-282	P	
NUREG-0304 V22 N03	9802100108	NUREG		
NUREG-0430 V16	9802250133	NUREG		
NUREG-0540 V19 N11	9802100156	NUREG		
NUREG-0750 V45	9802200041	NUREG		
NUREG-0750 V46 N03	9802180098	NUREG		
NUREG-0750 V46 N04	9802180103	NUREG		
NUREG-0750 V46 N05	9802180107	NUREG		
NUREG-1022 R01 DFC	9802100113	NUREG		
NUREG-1100 V14	9802250137	NUREG		
NUREG-1187 V01	9802110145	NUREG		
NUREG-1560 V01 P1	9802200064	NUREG		
NUREG-1560 V02 P2-5	9802200072	NUREG		
NUREG-1560 V03 P6	9802200077	NUREG		
NUREG-1575	9802200046	NUREG		EPA-402R-97-016
NUREG/CR-4674 V25	9802200043	NUREG		ORNL/NOAC-232
NUREG/CR-6447	9802270188	NUREG		ORNL-6894
NUREG/CR-6536	9802270183	NUREG		ORNL/TM-13396
NUREG/CR-6540	9802100139	NUREG		BMI-2196
NUREG/CR-6555 V01	9802230110	NUREG		EUR 16774
NUREG/CR-6555 V02	9802230116	NUREG		EUR 16774
NUREG/CR-6564	9802250142	NUREG		
NUREG/CR-6577	9802230118	NUREG		ORNL/TM-13494
NUREG/CR-6579	9802130002	NUREG		BNL-NUREG-52536
NUREG/CR-6608	9802250129	NUREG		UCRL-129211
NUREG/IA-0024	9802100124	NUREG		
OIG/98A-05	9802240131*	ORG		
OR-97-10	9802170012*	WM		HLWR
PECO-COLR-L1R6 R03	9802060008*	50-352	P	
PECO-COLR-P2C12 R03	9802260275*	50-277	P	
PGE-1061 R04	9802270097*	50-344	W	
PMPR 98-04	9802090040*	WM		HLWR
QA-98-01	9802260179*	WM		HLWR
RDD:98:55863-003-000	9802110102*	50-220	P	
SE-REA-95-003	9802100021*	50-285	P	
SECL-97-215	9802050273*	50-328	P	
SECY-97-013	9802050102	COMMISSIO	N	
SECY-97-244	9802040122	50-344	W	
SECY-97-251	9802120173	SECY		
SECY-97-288	9802250120	SECY		
SECY-97-293	9802020129	SECY		
SECY-97-299	9802120156	SECY		
SECY-97-304	9802120193	SECY		
SECY-98-012	9802020120	SECY		
SECY-98-014	9802120013	SECY		
SECY-98-017	9802180206	COMMISSIO	N	
SECY-98-019	9802120052	SECY		
SECY-98-020	9802100087	COMMISSIO	N	
SECY-98-025	9802270309	SECY		
SECY-98-027	9802260098	COMMISSIO	N	
SG-98-01-002	9802050271*	50-328	P	
SIC-98-009 R00	9802200011*	50-282	P	
TDB-IX R00	9802100066*	50-285	P	
TR-103824 R01	9802240184*	TOPREP		
WCAP-14117-NP-A R01	9802240070*	TOPREP		
WCAP-14720 R03	9802020183*	50-424	P	
WSNF-200 R00	9802230197*	72-1026		
WSNF-203 R00	9802230201*	72-1026		
YMP/96-01 R01	9802250292*	WM		HLWR

8

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document,the date issued,and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8511140202	9303120061	92/05/20	FOIA	9802030094	9802030088	98/01/26	50-286 P
9303230241	9303120061	92/05/20	FOIA	9802030098	9802030092	98/01/27	50-261 P
9303230246	9303120061	92/05/20	FOIA	9802030100	9802030092	98/01/27	50-261 P
9303230248	9303120061	92/05/20	FOIA	9802030104	9802030093	98/01/27	50-247 P
9303230251	9303120061	92/05/20	FOIA	9802030105	9802030101	98/01/21	50-263 P
9802020026	9802020025	98/01/27	STATE PRO G	9802030109	9802030103	98/01/26	50-346 P
9802020027	9802020019	98/01/13	STATE PRO G	9802030124	9802030099	97/11/19	72-20
9802020032	9802020025	98/01/27	STATE PRO G	9802030126	9802030119	98/01/20	50-334 P
9802020050	9802020041	98/01/27	50-423 P	9802030128	9802030119	98/01/20	50-334 P
9802020057	9802020056	98/01/23	50-338 F	9802030129	9802030114	98/01/26	70-7001
9802020058	9802020044	98/01/28	50-498 P	9802030131	9802030099	97/11/19	72-20
9802020062	9802020056	98/01/23	50-338 F	9802030137	9802030133	98/01/20	50-269 P
9802020087	9802020076	98/01/26	STATE PRO G	9802030139	9802030134	98/01/28	50-369 F
9802020092	9802020084	98/01/29	40-8989	9802030150	9802030147	98/01/22	50-250 P
9802020098	9802020076	98/01/26	STATE PRO G	9802030151	9802030146	98/01/22	50-454 P
9802020100	9802020096	98/01/24	50-302 P	9802030154	9802030146	98/01/22	50-454 P
9802020101	9802020096	98/01/24	50-302 P	9802040016	9802040012	98/01/28	50-346 Q
9802020103	9802020096	98/01/24	50-302 P	9802040027	9802040022	98/01/23	50-373 Q
9802020114	9802020108	98/01/26	STATE PRO G	9802040028	9802040015	98/01/23	50-321 Q
9802020116	9802020106	98/01/28	52-3	9802040033	9802040022	98/01/23	50-373 Q
9802020119	9802020108	98/01/26	STATE PRO G	9802040036	9802040015	98/01/23	50-321 Q
9802020121	9802020106	98/01/28	52-3	9802040038	9802040008	98/01/29	50-382 P
9802020123	9802020113	98/01/28	QA999	9802040042	9802040040	98/01/26	50-387 P
9802020124	9802020108	98/01/26	STATE PRO G	9802040043	9802040026	98/01/26	50-280 Q
9802020131	9802020108	98/01/26	STATE PRO G	9802040046	9802040040	98/01/26	50-387 P
9802020140	9802020108	98/01/26	STATE PRO G	9802040048	9802040008	98/01/29	50-382 P
9802020144	9802020108	98/01/26	STATE PRO G	9802040056	9802040034	98/01/26	50-255 S
9802020153	9802020151	98/01/23	50-302 P	9802040061	9802040026	98/01/26	50-280 Q
9802020154	9802020151	98/01/23	50-302 P	9802040064	9802040055	98/01/23	STATE PRO G
9802020158	9802020150	98/01/20	50-333 Q	9802040077	9802040067	98/01/26	50-461 P
9802020164	9802020150	98/01/20	50-333 Q	9802040078	9802040071	98/01/23	50-315 Q
9802020181	9802020179	97/12/31	50-269 Q	9802040079	9802040075	98/01/23	50-423 P
9802020182	9802020180	98/01/27	50-424 P	9802040080	9802040069	98/01/30	50-298 P
9802020183	9802020180	98/01/27	50-424 P	9802040081	9802040075	98/01/23	50-423 P
9802020202	9802020201	98/01/27	50-317 Q	9802040082	9802040071	98/01/23	50-315 Q
9802020205	9802020201	98/01/27	50-317 Q	9802040095	9802040069	98/01/30	50-298 P
9802020209	9802020208	98/01/27	50-483 Q	9802040111	9802040072	98/01/27	70-2928
9802020230	9802020223	98/01/29	50-454 P	9802040118	9802040102	98/01/28	50-390 Q
9802020235	9802020223	98/01/29	50-454 P	9802040120	9802040094	98/01/23	50-293 S
9802020239	9802030049	98/01/23	50-244 P	9802040121	9802040072	98/01/27	70-2928
9802020252	9802020251	98/01/23	50-259 P	9802040123	9802040102	98/01/28	50-390 Q
9802020259	9802020257	98/01/23	40-8905	9802040128	9802040105	98/01/28	50-328 P
9802020262	9802020260	98/01/26	40-2061	9802040138	9802040135	98/01/28	50-328 Q
9802020267	9802020264	98/01/23	50-423 P	9802040150	9802040136	98/01/23	50-348 P
9802030008	9802030007	98/01/22	50-423 P	9802040156	9802040136	98/01/23	50-348 P
9802030013	9802030010	98/01/26	50-324 P	9802040158	9802040154	98/01/26	70-36
9802030017	9802030015	98/01/27	50-400 Q	9802040161	9802040154	98/01/26	70-36
9802030021	9802030019	98/01/23	70-364	9802040176	9802040173	98/01/26	70-1201
9802030022	9802030019	98/01/23	70-364	9802040180	9802040173	98/01/26	70-1201
9802030036	9802030033	98/01/28	50-254 P	9802040188	9802040142	98/01/26	50-400 F
9802030037	9802030034	98/01/23	50-344 Q	9802040189	9802040186	98/01/22	50-344 W
9802030038	9802030034	98/01/23	50-344 Q	9802040190	9802040183	98/01/28	50-243 P
9802030039	9802030034	98/01/23	50-344 Q	9802040193	9802040177	98/01/26	50-213 K
9802030044	9802030041	97/12/30	STATE PRO G	9802040196	9802040186	98/01/22	50-344 W
9802030048	9802030047	98/01/23	40-7455	9802040197	9802040183	98/01/28	50-243 P
9802030051	9802030050	98/01/23	50-220 Q	9802040199	9802040177	98/01/26	50-213 K
9802030066	9802030062	97/12/22	50-266 Q	9802040200	9802040186	98/01/22	50-344 W
9802030069	9802030062	97/12/22	50-266 Q	9802040205	9802040177	98/01/26	50-213 K
9802030074	9802020211	98/01/23	50-443 Q	9802040208	9802040204	98/01/16	50-327 Q
9802030091	9802030088	98/01/26	50-286 P	9802040209	9802040142	98/01/26	50-400 F

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9802040211	9802040186	98/01/22	50-344	W	9802050023	9802050015	98/01/27	50-482	S
9802040212	9802040177	98/01/26	50-213	K	9802050032	9802050027	98/01/27	50-335	F
9802040217	9802040186	98/01/22	50-344	W	9802050036	9802050028	98/01/30	50-275	Q
9802040218	9802040177	98/01/26	50-213	K	9802050041	9802050028	98/01/30	50-275	Q
9802040222	9802040014	98/01/28	50-302	K	9802050048	9802050035	98/01/23	40-3453	
9802040226	9802040221	98/01/23	50-335	Q	9802050057	9802050052	98/02/02	50-458	Q
9802040230	9802040177	98/01/26	50-213	K	9802050070	9802050055	98/01/28	50-333	Q
9802040236	9802040177	98/01/26	50-213	K	9802050072	9802050067	98/01/27	50-245	P
9802040238	9802040177	98/01/26	50-213	K	9802050074	9802050067	98/01/27	50-245	P
9802040241	9802040177	98/01/26	50-213	K	9802050075	9802050062	98/01/23	70-925	
9802040243	9802040014	98/01/28	50-302	K	9802050085	9802050082	98/01/27	50-289	Q
9802040247	9802040239	98/01/28	50-454	P	9802050095	9802050088	98/02/03	NUREG	
9802040248	9802040177	98/01/26	50-213	K	9802050116	9802050113	98/01/29	50-382	Q
9802040250	9802040177	98/01/26	50-213	K	9802050119	9802050112	98/01/30	50-445	Q
9802040252	9802040177	98/01/26	50-213	K	9802050121	9802030146	98/01/22	50-454	P
9802040255	9802040177	98/01/26	50-213	K	9802050130	9802050124	98/01/28	50-285	Q
9802040256	9802040014	98/01/28	50-302	K	9802050135	9802050128	98/01/15	ORG	
9802040257	9802040177	98/01/26	50-213	K	9802050136	9802050117	98/01/30	ORG	
9802040258	9802040237	98/01/27	50-295	Q	9802050137	9802050124	98/01/28	50-285	Q
9802040260	9802040177	98/01/26	50-213	K	9802050142	9802050133	98/02/03	50-309	W
9802040262	9802040177	98/01/26	50-213	K	9802050152	9802050141	98/01/29	50-482	Q
9802040263	9802040237	98/01/27	50-295	Q	9802050158	9802050154	98/01/28	50-341	P
9802040264	9802040177	98/01/26	50-213	K	9802050159	9802050141	98/01/29	50-482	Q
9802040266	9802040014	98/01/28	50-302	K	9802050167	9802050163	98/01/22	71-6206	
9802040272	9802040014	98/01/28	50-302	K	9802050181	9802050175	98/01/30	TOPREP	
9802040279	9802040014	98/01/28	50-302	K	9802050194	9802050177	98/01/23	50-454	P
9802040282	9802040280	98/01/29	50-382	K	9802050202	9802050177	98/01/23	50-454	P
9802040283	9802040275	98/01/22	71-9250		9802050214	9802050208	98/01/20	50-265	S
9802040286	9802040014	98/01/28	50-302	K	9802050227	9802050224	98/01/27	50-528	P
9802040288	9802040284	98/01/21	50-390	Q	9802050245	9802050237	98/01/27	50-254	S
9802040289	9802040014	98/01/28	50-302	K	9802050264	9802050255	98/01/30	50-282	P
9802040295	9802040285	98/01/30	50-295	Q	9802050268	9802050262	98/01/29	50-328	P
9802040296	9802040014	98/01/28	50-302	K	9802050269	9802050258	98/01/29	50-206	F
9802040298	9802040291	98/01/26	50-333	Q	9802050271	9802050262	98/01/29	50-328	P
9802040299	9802040014	98/01/28	50-302	K	9802050273	9802050262	98/01/29	50-328	P
9802040302	9802040291	98/01/26	50-333	Q	9802050276	9802050270	98/01/24	50-302	P
9802040303	9802040292	98/01/29	I&E		9802050279	9802050270	98/01/24	50-302	P
9802040310	9802040306	98/01/23	50-400	Q	9802050314	9802050306	98/01/29	50-412	P
9802040312	9802040014	98/01/28	50-302	K	9802050315	9802050311	98/01/16	50-352	P
9802040316	9802040313	98/01/26	50-346	P	9802050317	9802050311	98/01/16	50-352	P
9802040319	9802040014	98/01/28	50-302	K	9802050324	9802050323	98/01/26	50-282	P
9802040324	9802040317	98/01/16	50-302	Q	9802050333	9802050331	98/02/02	50-445	R
9802040325	9802040014	98/01/28	50-302	K	9802050334	9802050329	98/02/03	40-8968	
9802040326	9802040317	98/01/16	50-302	Q	9802050336	9802040374	98/01/28	50-317	P
9802040328	9802040014	98/01/28	50-302	K	9802050337	9802050331	98/02/02	50-445	R
9802040329	9802040327	98/01/30	50-302	P	9802050342	9802050326	98/01/27	50-324	P
9802040333	9802040322	98/01/23	50-324	Q	9802050343	9802050339	98/01/29	50-344	W
9802040338	9802040322	98/01/23	50-324	Q	9802050346	9802050326	98/01/27	50-324	P
9802040339	9802040337	98/01/13	50-269	P	9802050347	9802050339	98/01/29	50-344	W
9802040343	9802040342	98/01/27	50-352	P	9802050357	9802050355	98/01/26	50-275	Q
9802040347	9802040345	98/01/15	50-245	P	9802050362	9802050360	98/01/29	50-264	P
9802040348	9802040345	98/01/15	50-245	P	9802050364	9802050361	98/02/02	I&E	
9802040352	9802040350	98/01/22	50-289	P	9802050373	9802050371	98/02/02	50-338	Q
9802040355	9802040351	98/01/09	MISC		9802060008	9802060007	98/01/29	50-352	P
9802040360	9802040354	97/10/03	ORG		9802060019	9802060014	98/01/23	50-352	P
9802040366	9802040363	98/01/27	50-482	F	9802060020	9802060018	98/01/29	71-638	
9802040371	9802040368	98/01/29	50-305	Q	9802060021	9802060018	98/01/29	71-638	
9802040373	9802040365	97/12/01	50-321	Q	9802060032	9802060030	98/01/29	50-454	P
9802040375	9802040370	98/01/29	50-313	P	9802060035	9802060024	98/01/23	50-334	P
9802040380	9802040378	98/01/20	50-22	P	9802060038	9802060024	98/01/23	50-334	P
9802040390	9802040387	98/01/15	50-263	P	9802060049	9802060036	98/02/02	50-186	Q
9802040391	9802040389	98/01/21	50-454	P	9802060050	9802060036	98/02/02	50-186	Q
9802040393	9802040387	98/01/15	50-263	P	9802060056	9802060054	97/12/24	50-454	Q
9802040394	9802040392	98/01/15	50-245	P	9802060059	9802060047	98/01/23	50-352	P
9802040395	9802040392	98/01/15	50-245	P	9802060060	9802060043	98/01/29	50-278	Q
9802040396	9802040386	98/01/26	50-269	Q	9802060062	9802060054	97/12/24	50-454	Q
9802040397	9802040384	98/01/28	70-1795		9802060063	9802060058	98/01/30	50-346	P
9802040398	9802040387	98/01/15	50-263	P	9802060066	9802060061	98/01/29	50-336	S
9802040399	9802040386	98/01/26	50-269	Q	9802060067	9802060058	98/01/30	50-346	P
9802040401	9802040387	98/01/15	50-263	P	9802060068	9802060065	98/01/29	50-285	P
9802040402	9802040400	98/01/27	50-302	P	9802060072	9802060070	98/01/28	50-249	S
9802040403	9802040400	98/01/27	50-302	P	9802060081	9802060076	98/02/02	50-445	F
9802040409	9802040404	98/01/27	50-400	P	9802060108	9802060104	98/01/29	70-26	
9802040422	9802040417	98/01/29	40-8907		9802060116	9802060113	98/01/30	50-456	Q
9802040424	9802040419	98/01/25	50-529	P	9802060118	9802060111	98/01/28	50-317	Q
9802040430	9802040425	98/01/28	STATE PRO	G	9802060119	9802060113	98/01/30	50-456	Q
9802040434	9802040425	98/01/28	STATE PRO	G	9802060120	9802060106	98/01/26	50-10	W
9802040436	9802040433	98/01/28	50-309	W	9802060133	9802060124	98/01/28	40-8452	
9802040439	9802040437	98/01/28	STATE PRO	G	9802060140	9802060136	98/01/28	70-925	
9802040443	9802040244	98/01/28	50-341	P	9802060142	9802060136	98/01/28	70-925	
9802040446	9802040240	98/01/28	50-341	P	9802060145	9802060139	98/01/28	40-8964	
9802040450	9802040234	98/01/28	50-341	P	9802060153	9802060150	97/06/26	WM	
9802040451	9802040254	98/01/28	50-341	P	9802060163	9802060160	98/01/29	40-299	
9802040452	9802040290	98/01/28	50-16	P	9802060165	9802040433	98/01/28	50-309	W
9802040453	9802040039	98/01/28	50-16	P	9802060169	9802040433	98/01/28	50-309	W
9802040456	9802040421	98/01/28	50-341	P	9802060172	9802060168	98/01/13	40-8907	
9802050019	9802050016	98/01/28	50-482	P	9802060173	9802060167	98/02/02	40-3453	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9802060174	9802060171	98/01/30	50-443	P	9802100068	9802100065	98/02/02	50-293	F
9802060176	9802060167	98/02/02	40-3453		9802100086	9802100083	98/02/05	50-374	S
9802060186	9802060179	98/01/28	FOIA		9802100140	9802100112	98/02/05	50-458	Q
9802060188	9802060185	98/01/26	50-286	P	9802100143	9802100112	98/02/05	50-458	Q
9802060191	9802060182	98/01/28	50-413	F	9802100152	9802100111	98/02/04	50-261	P
9802060192	9802050177	98/01/23	50-454	P	9802100164	9802100157	98/01/27	40-8989	
9802060193	9802060189	98/01/30	50-285	P	9802100174	9802100172	98/02/02	50-54	W
9802060198	9802060197	98/01/29	52-3		9802100178	9802100171	98/02/06	70-7002	
9802060200	9802060179	98/01/28	70-364		9802100180	9802100171	98/02/06	70-7002	
9802060206	9802060203	98/01/29	50-128	P	9802100190	9802100186	98/02/02	50-461	Q
9802060208	9802060207	98/02/02	70-27		9802100191	9802100187	98/02/02	50-255	Q
9802060210	9802060179	98/01/28	FOIA		9802100195	9802100187	98/02/02	50-255	Q
9802060224	9802060218	98/01/30	50-373	S	9802100199	9802100194	98/02/04	40-6377	
9802060225	9802060223	98/01/27	40-8964		9802110002	9802110001	98/02/02	50-245	F
9802060226	9802060179	98/01/28	FOIA		9802110003	9802110001	98/02/02	50-245	F
9802060228	9802060179	98/01/28	FOIA		9802110017	9802110010	98/02/02	50-269	P
9802060231	9802060227	98/01/30	50-373	S	9802110033	9802110028	98/01/30	50-423	S
9802060232	9802060179	98/01/28	FOIA		9802110034	9802110029	98/02/04	50-334	Q
9802060233	9802060229	98/02/03	50-361	P	9802110035	9802110029	98/02/04	50-334	Q
9802060234	9802060229	98/02/03	50-361	P	9802110050	9802110045	98/02/03	50-250	F
9802060235	9802060179	98/01/28	FOIA		9802110052	9802110048	98/02/06	50-206	P
9802060236	9802060179	98/01/28	FOIA		9802110055	9802110054	98/02/02	71-102	
9802060238	9802050301	98/01/30	70-7001		9802110069	9802110064	98/02/05	50-254	Q
9802060240	9802060179	98/01/28	FOIA		9802110070	9802110057	98/02/02	50-443	S
9802090003	9802050326	98/01/27	50-324	P	9802110072	9802110064	98/02/05	50-254	Q
9802090019	9802090012	98/02/04	STATE PRO	G	9802110080	9802110075	98/02/05	50-237	Q
9802090027	9802090017	98/02/02	WM		9802110093	9802110082	98/01/30	50-220	P
9802090039	9802090036	98/01/30	50-269	P	9802110102	9802110082	98/01/30	50-220	P
9802090040	9802090017	98/02/02	WM		9802110106	9802110076	98/01/16	50-390	F
9802090044	9802090025	98/02/03	50-302	S	9802110108	9802110104	98/01/30	50-285	P
9802090060	9802090053	97/09/17	50-423	S	9802110109	9802110107	98/02/06	70-36	
9802090062	9802090054	98/02/03	50-331	P	9802110113	9802110111	98/02/06	50-267	Y
9802090066	9802090065	98/01/30	50-275	P	9802110120	9802110117	98/02/02	50-423	P
9802090068	9802060179	98/01/28	FOIA		9802110128	9802110076	98/01/16	COMMISSIO	N
9802090069	9802090067	98/02/03	50-331	P	9802110129	9802110125	98/02/04	50-302	P
9802090072	9802090070	98/02/04	50-336	P	9802110132	9802110125	98/02/04	50-302	P
9802090074	9802090070	98/02/04	50-336	P	9802110133	9802110130	98/02/05	50-445	P
9802090093	9802060179	98/01/28	70-364		9802110135	9802110076	98/01/16	COMMISSIO	N
9802090104	9802060179	98/01/28	FOIA		9802110138	9802110125	98/02/04	50-302	P
9802090107	9802060179	98/01/28	70-364		9802110149	9802110148	98/01/29	50-413	S
9802090116	9802060179	98/01/28	FOIA		9802110152	9802110150	98/02/03	50-146	P
9802090122	9802060179	98/01/28	FOIA		9802110153	9802110150	98/02/03	50-146	P
9802090124	9802060179	98/01/28	FOIA		9802110154	9802110151	98/01/29	50-413	S
9802090125	9802060179	98/01/28	FOIA		9802110157	9802110156	98/02/02	50-250	P
9802090130	9802090127	98/01/28	50-245	P	9802110158	9802110155	96/04/22	50-400	Q
9802090132	9802090127	98/01/28	50-245	P	9802110199	9802110195	98/02/06	COMMISSIO	N
9802090135	9802090133	98/02/03	50-528	Q	9802110214	9802110210	97/12/24	ORG	
9802090136	9802090131	98/01/13	COMMISSIO	N	9802120006	9802120005	98/01/22	ORG	
9802090137	9802090133	98/02/03	50-528	Q	9802120040	9802120034	98/02/04	COMMISSIO	N
9802090144	9802090142	98/01/13	ORG		9802120047	9802120042	98/02/04	70-7002	
9802090145	9802090142	98/01/13	ORG		9802120049	9802120034	98/02/04	COMMISSIO	N
9802090157	9802060179	98/01/28	70-368		9802120053	9802120041	98/02/06	50-244	P
9802090168	9802090163	98/02/05	50-382	Q	9802120056	9802120034	98/02/04	COMMISSIO	N
9802090176	9802060179	98/01/28	FOIA		9802120058	9802120034	98/02/04	COMMISSIO	N
9802090180	9802090174	98/01/21	ORG		9802120061	9802120057	98/02/04	50-352	P
9802090192	9802090139	97/11/14	ORG		9802120062	9802120055	98/02/04	40-2384	
9802090195	9802090189	98/01/28	50-266	F	9802120072	9802120060	98/01/27	40-8968	
9802090200	9802090199	98/02/02	50-335	Q	9802120073	9802120070	98/02/04	COMMISSIO	N
9802090205	9802090199	98/02/02	50-335	Q	9802120077	9802120070	98/02/04	COMMISSIO	N
9802090210	9802090203	98/02/03	50-354	Q	9802120078	9802120075	98/02/05	WM	
9802090218	9802090216	98/01/29	50-302	Q	9802120080	9802120070	98/02/04	COMMISSIO	N
9802090222	9802090203	98/02/03	50-354	Q	9802120083	9802120071	98/01/24	40-8968	
9802090229	9802090224	98/01/28	50-266	F	9802120085	9802120070	98/02/04	COMMISSIO	N
9802090232	9802090228	98/02/02	50-261	Q	9802120088	9802120070	98/02/04	COMMISSIO	N
9802090233	9802090231	98/02/02	50-213	Q	9802120090	9802120079	98/02/09	40-8989	
9802090236	9802090231	98/02/02	50-213	Q	9802120093	9802120071	98/01/24	40-8968	
9802090244	9802090240	98/02/02	50-335	Q	9802120101	9802120081	98/02/02	XPORTLIC	
9802090248	9802090240	98/02/02	50-335	Q	9802120110	9802120103	98/02/06	50-361	P
9802090250	9802090240	98/02/02	50-335	Q	9802120112	9802120103	98/02/06	50-361	P
9802090251	9802090246	98/02/02	50-413	V	9802120113	9802120106	98/02/04	50-387	Q
9802090254	9802090246	98/02/02	50-413	V	9802120117	9802120115	98/01/29	ORG	
9802100003	9802100002	98/02/05	QA999		9802120123	9802120118	98/02/09	50-382	F
9802100017	9802100014	98/01/30	50-285	P	9802120124	9802120120	98/02/06	50-458	Q
9802100018	9802100014	98/01/30	50-285	P	9802120129	9802120120	98/02/06	50-458	Q
9802100021	9802100014	98/01/30	50-285	P	9802120130	9802120125	97/01/24	TOPREP	
9802100031	9802100025	98/01/19	40-8724		9802120135	9802120132	98/02/03	50-454	Q
9802100037	9802100036	98/01/26	50-255	P	9802120137	9802120132	98/02/03	50-454	Q
9802100041	9802100040	97/12/01	PR		9802120140	9802120134	98/02/02	72-22	
9802100043	9802100042	98/02/02	50-352	P	9802120151	9802120149	98/01/30	50-282	Q
9802100044	9802100042	98/02/02	50-352	P	9802120155	9802120149	98/01/30	50-282	Q
9802100045	9802090018	98/02/04	50-313	Q	9802120166	9802120161	98/02/06	PR	
9802100054	9802100046	98/01/30	50-272	K	9802120170	9802120161	98/02/06	PR	
9802100062	9802090050	98/01/28	70-1257		9802120178	9802120161	98/02/06	PR	
9802100063	9802100060	98/01/30	50-285	P	9802120181	9802120161	98/02/06	PR	
9802100064	9802100060	98/01/30	50-285	P	9802120191	9802120161	98/02/06	PR	
9802100066	9802100060	98/01/30	50-285	P	9802120192	9802120161	98/02/06	PR	
9802100067	9802100060	98/01/30	50-285	P	9802120194	9802120161	98/02/06	PR	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9802120198	9802120161	98/02/06	PR		9802170027	9802170023	98/02/06	50-293	Q
9802120202	9802120161	98/02/06	PR		9802170034	9802170030	98/02/08	50-219	Q
9802120203	9802120199	98/02/06	I&E		9802170036	9802170031	98/02/06	50-261	Q
9802120205	9802120161	98/02/06	PR		9802170040	9802170030	98/02/08	50-219	Q
9802120206	9802120161	98/02/06	PR		9802170041	9802170031	98/02/06	50-261	Q
9802120209	9802120161	98/02/06	PR		9802170044	9802170035	98/02/05	50-324	Q
9802120212	9802120161	98/02/06	PR		9802170047	9802170038	98/02/05	40-8681	
9802120214	9802120199	98/02/06	I&E		9802170049	9802170043	98/02/05	50-271	Q
9802120215	9802120161	98/02/06	PR		9802170051	9802170043	98/02/05	50-271	Q
9802120221	9802120220	98/02/03	50-338	P	9802170053	9802170045	98/02/09	50-397	Q
9802120226	9802120161	98/02/06	PR		9802170055	9802170045	98/02/09	50-397	Q
9802120231	9802120224	98/01/26	50-354	S	9802170057	9802170052	98/02/05	50-271	Q
9802120237	9802120161	98/02/06	PR		9802170060	9802170052	98/02/05	50-271	Q
9802120252	9802120249	98/02/04	50-482	P	9802170061	9802170056	98/02/09	50-400	S
9802120254	9802120248	98/02/04	50-528	Q	9802170069	9802170064	98/02/09	50-387	S
9802120258	9802120253	98/02/05	50-312	Q	9802170071	9802170068	98/02/06	50-333	P
9802120263	9802120253	98/02/05	50-312	Q	9802170074	9802170068	98/02/06	50-333	P
9802120284	9802120279	98/02/03	50-338	P	9802170095	9802170090	98/02/09	50-266	S
9802120290	9802120285	98/02/03	50-346	P	9802170099	9802170093	98/02/05	50-255	Q
9802120294	9802120285	98/02/03	50-346	P	9802170109	9802170066	98/02/09	50-390	R
9802120296	9802120285	98/02/03	50-346	P	9802170110	9802170107	98/02/06	50-333	P
9802120298	9802120293	98/02/03	50-254	S	9802170116	9802170107	98/02/06	50-333	P
9802120306	9802120304	98/02/02	50-254	S	9802170135	9802170134	98/02/09	50-373	Q
9802120317	9802120312	98/02/06	50-237	S	9802170143	9802170138	98/02/06	COMMISSIO	N
9802130003	9802130001	98/02/05	50-387	P	9802170151	9802170149	98/02/09	50-390	P
9802130004	9802130001	98/02/05	50-387	P	9802170156	9802170127	98/02/06	50-244	S
9802130006	9802130005	98/01/29	50-275	P	9802170158	9802170153	98/01/29	50-413	F
9802130015	9802120322	98/02/06	50-336	S	9802170159	9802170154	98/02/06	50-295	Q
9802130019	9802120161	98/02/06	PR		9802170163	9802170154	98/02/06	50-295	Q
9802130020	9802130016	98/02/05	50-373	Q	9802170167	9802170162	98/02/12	50-458	Q
9802130021	9802130018	98/02/04	50-263	Q	9802170170	9802170162	98/02/12	50-458	Q
9802130022	9802110009	98/02/02	50-272	P	9802170171	9802170166	98/02/12	50-498	Q
9802130026	9802120161	98/02/06	PR		9802170174	9802170166	98/02/12	50-498	Q
9802130031	9802120161	98/02/06	PR		9802170177	9802170176	98/02/11	50-382	Q
9802130036	9802130030	98/02/03	71-250		9802180015	9802180011	98/01/28	50-335	Q
9802130038	9802130028	98/02/03	50-338	S	9802180016	9802180013	98/02/09	50-266	S
9802130040	9802130033	98/02/09	50-390	K	9802180018	9802180010	98/02/06	COMMISSIO	N
9802130041	9802120161	98/02/06	PR		9802180019	9802180014	98/02/06	50-286	P
9802130044	9802120161	98/02/06	PR		9802180024	9802180012	98/01/23	50-335	Q
9802130046	9802130033	98/02/09	50-390	K	9802180025	9802180011	98/01/28	50-335	Q
9802130047	9802130042	98/02/06	50-336	S	9802180026	9802180022	98/01/28	50-324	P
9802130048	9802130033	98/02/09	50-390	K	9802180027	9802180022	98/01/28	50-324	P
9802130049	9802120161	98/02/06	PR		9802180029	9802180022	98/01/28	50-324	P
9802130050	9802130033	98/02/09	50-390	K	9802180030	9802180021	98/02/06	50-244	S
9802130052	9802130033	98/02/09	50-390	K	9802180031	9802180022	98/01/28	50-324	P
9802130054	9802130033	98/02/09	50-390	K	9802180032	9802180023	98/01/23	50-335	Q
9802130058	9802130033	98/02/09	50-390	K	9802180033	9802180022	98/01/28	50-324	P
9802130059	9802130033	98/02/09	50-390	K	9802180034	9802180022	98/01/28	50-324	P
9802130061	9802130033	98/02/09	50-390	K	9802180036	9802180023	98/01/23	50-335	Q
9802130062	9802120161	98/02/06	PR		9802180037	9802180028	98/02/09	50-387	P
9802130063	9802130033	98/02/09	50-390	K	9802180040	9802180028	98/02/09	50-387	P
9802130064	9802130057	98/02/05	50-528	S	9802180041	9802180035	98/02/12	50-335	Q
9802130065	9802130056	98/01/30	50-410	S	9802180042	9802180023	98/01/23	50-335	Q
9802130066	9802130033	98/02/09	50-390	K	9802180044	9802180035	98/02/12	50-335	Q
9802130068	9802130033	98/02/09	50-390	K	9802180045	9802180043	98/02/13	TOPREP	
9802130069	9802130067	98/02/02	50-373	P	9802180046	9802180035	98/02/12	50-335	Q
9802130070	9802130033	98/02/09	50-390	K	9802180049	9802180039	98/01/21	50-335	Q
9802130072	9802130033	98/02/09	50-390	K	9802180051	9802180048	98/02/11	50-269	P
9802130073	9802120161	98/02/06	PR		9802180053	9802180023	98/01/23	50-335	Q
9802130074	9802120164	98/01/30	50-254	Q	9802180055	9802180039	98/01/21	50-335	Q
9802130075	9802130033	98/02/09	50-390	K	9802180057	9802180023	98/01/23	50-335	Q
9802130076	9802120161	98/02/06	PR		9802180061	9802180023	98/01/23	50-335	Q
9802130078	9802130033	98/02/09	50-390	F	9802180069	9802180067	98/02/09	WM	
9802130080	9802120161	98/02/06	PR		9802180073	9802180071	98/01/27	WM	
9802130082	9802120161	98/02/06	PR		9802180077	9802180076	98/01/09	WM	
9802130085	9802120161	98/02/06	PR		9802180085	9802180084	98/02/09	50-338	P
9802130086	9802120161	98/02/06	PR		9802180087	9802180086	98/01/30	50-454	P
9802130090	9802120161	98/02/06	PR		9802180110	9802180099	98/01/05	50-237	P
9802130092	9802120161	98/02/06	PR		9802180115	9802180099	98/01/05	50-237	P
9802130094	9802120161	98/02/06	PR		9802180117	9802180112	98/02/03	71-*****	
9802130096	9802130093	98/02/04	50-498	P	9802180119	9802180114	98/02/06	50-313	Q
9802130099	9802120161	98/02/06	PR		9802180126	9802180114	98/02/06	50-313	Q
9802130101	9802120161	98/02/06	PR		9802180133	9802180130	98/02/09	50-266	Q
9802130102	9802130100	98/02/06	50-315	S	9802180135	9802180128	98/02/06	TOPREP	
9802130103	9802120161	98/02/06	PR		9802180137	9802180129	98/02/04	STATE PRO	G
9802130112	9802130110	98/02/03	50-254	S	9802180145	9802180138	98/02/11	XPORTLIC	
9802130117	9802130116	98/02/03	50-220	P	9802180146	9802180141	97/12/09	50-250	H
9802130118	9802130114	98/01/19	50-269	P	9802180147	9802180143	98/01/23	50-373	P
9802130120	9802130113	98/02/06	50-373	S	9802180150	9802180143	98/01/23	50-373	P
9802130123	9802130122	98/02/04	50-482	P	9802180154	9802180148	98/02/02	50-255	S
9802170007	9802170003	98/02/12	50-327	P	9802180175	9802180171	98/01/28	50-498	F
9802170012	9802170011	98/02/04	WM		9802180176	9802180173	98/01/30	71-3042	
9802170015	9802170009	98/02/09	50-369	P	9802180178	9802180168	98/02/10	50-282	P
9802170016	9802170014	98/02/09	52-3		9802180180	9802180168	98/02/10	50-282	P
9802170019	9802170017	98/01/27	50-269	P	9802180181	9802180171	98/01/28	50-498	F
9802170020	9802170018	98/02/04	40-299		9802180185	9802180171	98/01/28	50-498	F
9802170025	9802170023	98/02/06	50-293	Q	9802190014	9802190012	98/02/12	40-8968	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9802190057	9802190052	98/02/13	40-3453		9802200263	9802200262	98/02/13	50-269	R
9802190059	9802190052	98/02/13	40-3453		9802200266	9802200262	98/02/13	50-269	R
9802190061	9802190052	98/02/13	40-3453		9802200281	9802200276	98/02/16	50-445	R
9802190063	9802190052	98/02/13	40-3453		9802200267	9802200277	98/02/11	50-255	S
9802190064	9802190060	98/02/11	FOIA		9802200339	9802200332	98/02/06	50-271	P
9802190067	9802190060	98/02/11	FOIA		9802200351	9802200320	98/02/06	50-220	S
9802190069	9802190060	98/02/11	FOIA		9802200396	9802200391	98/02/11	FOIA	
9802190070	9802190052	98/02/13	40-3453		9802200402	9802200394	98/02/10	50-255	S
9802190072	9802190060	98/02/11	FOIA		9802200404	9802200400	98/02/10	50-309	W
9802190074	9802190060	98/02/11	FOIA		9802200405	9802200399	98/02/12	50-443	S
9802190081	9802190080	98/02/11	50-361	Q	9802200409	9802200403	98/02/13	50-298	P
9802190083	9802190080	98/02/11	50-361	Q	9802200413	9802200411	98/02/13	40-8903	
9802190088	9802190085	98/02/12	50-482	Q	9802200414	9802200410	98/02/09	TOPREP	
9802190091	9802190089	98/01/02	50-331	Q	9802200417	9802200406	98/02/07	50-423	S
9802190093	9802190089	98/01/02	50-331	Q	9802200418	9802200415	98/02/13	40-8904	
9802190094	9802190085	98/02/12	50-482	Q	9802200430	9802200426	98/02/13	50-315	V
9802190095	9802190090	98/02/10	50-266	Q	9802200441	9802200438	98/02/03	ORG	
9802190098	9802190090	98/02/10	50-266	Q	9802230013	9802230011	98/02/13	50-461	Q
9802190108	9802190102	98/02/09	50-443	S	9802230014	9802230011	98/02/13	50-461	Q
9802190109	9802190107	98/02/11	50-454	Q	9802230020	9802230017	98/02/13	40-6940	
9802190116	9802190111	97/12/31	50-440	Q	9802230024	9802230021	97/05/20	40-8964	
9802190118	9802190111	97/12/31	50-440	Q	9802230034	9802230031	98/01/03	50-341	Q
9802190132	9802190131	98/02/12	50-348	P	9802230035	9802230031	98/01/03	50-341	Q
9802190137	9802190134	98/02/06	50-327	F	9802230037	9802230033	98/02/18	40-8968	
9802190138	9802190134	98/02/06	50-327	F	9802230042	9802230036	98/02/13	52-3	
9802190146	9802190143	98/01/02	50-456	Q	9802230053	9802230050	98/02/16	50-499	P
9802190148	9802190143	98/01/02	50-456	Q	9802230054	9802230047	98/02/19	40-8968	
9802190155	9802190147	98/02/11	50-457	Q	9802230055	9802230050	98/02/16	50-499	P
9802190157	9802190153	98/02/11	40-8989		9802230056	9802230049	98/02/18	40-8968	
9802190159	9802190147	98/02/11	50-457	Q	9802230061	9802230059	98/02/10	50-269	P
9802190161	9802190156	98/02/06	50-266	K	9802230071	9802230066	98/02/18	40-8968	
9802190165	9802190152	98/02/10	50-498	Q	9802230072	9802230070	98/02/12	50-528	P
9802190170	9802190158	98/02/12	50-237	S	9802230075	9802230068	98/02/10	50-409	W
9802190172	9802190168	98/02/12	50-254	S	9802230077	9802230068	98/02/10	50-409	W
9802190186	9802190178	98/02/13	50-266	S	9802230088	9802230084	98/01/02	50-440	Q
9802190194	9802190185	98/02/05	QA999		9802230089	9802230084	98/01/02	50-440	Q
9802190197	9802190196	98/02/04	50-277	P	9802230090	9802230096	98/02/12	XPORTLIC	
9802190203	9802190164	98/02/12	50-206	S	9802230091	9802230082	98/02/13	50-423	S
9802190205	9802190202	98/02/04	50-160	P	9802230097	9802230095	98/01/02	50-305	Q
9802190274	9802190264	98/02/06	50-245	Q	9802230098	9802230092	98/02/19	40-8968	
9802190275	9802190269	98/02/10	50-482	P	9802230104	9802230100	98/02/05	XPORTLIC	
9802190282	9802190279	98/02/09	50-146	P	9802230106	9802230102	97/10/24	ORG	
9802190290	9802190288	98/02/12	70-133		9802230108	9802230100	98/02/05	XPORTLIC	
9802200002	9802190106	98/02/11	50-445	Q	9802230109	9802230105	98/01/30	50-423	S
9802200003	9802200001	98/02/05	FOIA		9802230125	9802230114	98/02/13	50-423	S
9802200007	9802200006	98/02/03	50-333	R	9802230141	9802230139	98/01/30	50-423	K
9802200011	9802200010	98/02/13	50-282	P	9802230146	9802230140	98/02/18	40-8968	
9802200034	9802200029	98/02/05	50-352	V	9802230148	9802230133	98/02/13	50-333	S
9802200035	9802200031	98/02/05	50-341	Q	9802230151	9802230145	98/02/19	50-302	P
9802200067	9802200061	98/02/12	50-348	P	9802230154	9802230152	98/02/18	40-8968	
9802200073	9802200062	98/02/11	50-423	S	9802230160	9802230159	98/02/18	40-8968	
9802200074	9802200066	98/02/06	50-237	Q	9802230161	9802230157	98/01/30	50-336	K
9802200080	9802200066	98/02/06	50-237	Q	9802230162	9802190284	98/02/10	50-116	P
9802200081	9802200075	98/02/12	50-155	K	9802230167	9802230165	98/02/16	50-346	P
9802200099	9802200093	98/02/13	50-254	Q	9802230173	9802230169	98/02/11	72-22	
9802200103	9802200096	98/02/09	TOPREP		9802230178	9802230174	98/02/05	XPORTLIC	
9802200104	9802200097	98/02/12	70-7001		9802230179	9802230174	98/02/05	XPORTLIC	
9802200105	9802200093	98/02/13	50-254	Q	9802230182	9802230181	97/12/05	70-*****	
9802200106	9802200097	98/02/12	70-7001		9802230193	9802230181	97/12/05	70-*****	
9802200112	9802200098	98/02/06	FOIA		9802230194	9802230192	98/02/13	50-327	P
9802200113	9802200110	98/02/05	50-410	P	9802230195	9802230190	98/02/03	72-1026	
9802200115	9802200110	98/02/05	50-410	P	9802230197	9802230190	98/02/03	72-1026	
9802200132	9802200127	98/02/06	50-331	Q	9802230199	9802230198	98/02/13	50-327	P
9802200136	9802200098	98/02/06	27-*****		9802230201	9802230190	98/02/03	72-1026	
9802200137	9802200127	98/02/06	50-331	Q	9802230211	9802230204	98/02/13	72-22	
9802200140	9802200135	98/02/13	50-275	P	9802230214	9802230210	98/02/13	50-327	P
9802200141	9802200135	98/02/13	50-275	P	9802230215	9802230210	98/02/13	50-327	P
9802200142	9802200134	98/02/13	50-440	F	9802230218	9802230207	98/02/18	50-382	K
9802200144	9802200135	98/02/13	50-275	P	9802230225	9802230222	98/02/13	50-250	F
9802200146	9802200133	98/02/09	50-244	Q	9802230226	9802230200	98/02/12	XPORTLIC	
9802200151	9802200133	98/02/09	50-244	Q	9802230229	9802230200	98/02/12	XPORTLIC	
9802200155	9802200149	98/02/10	50-247	Q	9802230235	9802230228	98/02/14	50-155	Q
9802200158	9802200149	98/02/10	50-247	Q	9802230237	9802230234	98/02/10	70-1257	
9802200165	9802200156	98/02/12	50-280	R	9802230240	9802230228	98/02/14	50-155	Q
9802200173	9802200168	98/02/13	70-734		9802230247	9802230238	98/02/12	50-269	P
9802200189	9802200172	98/02/09	50-336	Q	9802230257	9802230256	98/02/12	50-247	P
9802200197	9802200187	98/02/09	50-395	P	9802230259	9802230256	98/02/12	50-247	P
9802200214	9802200207	98/02/13	50-369	R	9802230263	9802230246	98/02/16	50-400	P
9802200219	9802200207	98/02/13	50-369	R	9802230268	9802230265	98/02/11	50-264	P
9802200231	9802200227	98/02/05	FOIA		9802230272	9802200098	98/02/06	27-*****	
9802200235	9802200226	98/02/06	50-333	P	9802230273	9802230267	98/02/04	50-317	P
9802200237	9802200230	98/02/13	50-413	R	9802230274	9802230265	98/02/11	50-264	P
9802200238	9802200227	98/02/05	FOIA		9802230275	9802230270	98/02/11	50-293	P
9802200241	9802200226	98/02/06	50-333	P	9802230277	9802230270	98/02/11	50-293	P
9802200242	9802200230	98/02/13	50-413	R	9802230279	9802230267	98/02/04	50-317	P
9802200246	9802200226	98/02/06	50-333	P	9802230288	9802230284	98/02/05	50-223	P
9802200259	9802200255	98/02/09	50-313	P	9802230293	9802230291	98/01/30	50-352	P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9802230302	9802230300	98/01/23	50-336	P	9802240404	9802230324	98/02/03	50-454	P
9802230303	9802230300	98/01/23	50-336	P	9802240407	9802240360	98/02/20	50-245	P
9802230327	9802230324	98/02/03	50-454	P	9802240412	9802240409	98/02/05	50-348	P
9802230329	9802230324	98/02/03	50-454	P	9802240414	9802240409	98/02/05	50-348	P
9802240006	9802240004	98/02/04	71-231		9802240416	9802240410	98/02/04	WM	
9802240009	9802240004	98/02/04	71-231		9802240417	9802240360	98/02/20	50-245	P
9802240012	9802240008	98/02/10	50-323	P	9802240420	9802240410	98/02/04	WM	
9802240015	9802240013	98/02/05	50-275	P	9802240421	9802240360	98/02/20	50-245	P
9802240022	9802240018	98/02/06	50-315	P	9802240422	9802240410	98/02/04	WM	
9802240025	9802240019	98/02/11	50-293	P	9802240425	9802240410	98/02/04	WM	
9802240029	9802240023	98/01/26	50-285	P	9802240427	9802240360	98/02/20	50-213	W
9802240030	9802240027	98/02/04	70-1151		9802240429	9802240410	98/02/04	WM	
9802240031	9802240019	98/02/11	50-293	P	9802240433	9802240400	98/02/18	50-313	P
9802240032	9802240023	98/01/26	50-285	P	9802240434	9802240360	98/02/20	50-213	W
9802240033	9802240027	98/02/04	70-1151		9802240440	9802240360	98/02/20	50-245	P
9802240037	9802240023	98/01/26	50-285	P	9802240443	9802240360	98/02/20	50-245	P
9802240038	9802240036	98/01/30	50-245	P	9802240447	9802240360	98/02/20	50-245	P
9802240040	9802240026	98/02/11	50-254	S	9802250005	9802250004	98/02/12	70-754	
9802240049	9802240044	98/02/11	50-334	P	9802250006	9802250004	98/02/12	70-754	
9802240051	9802240046	98/02/09	50-416	P	9802250021	9802250016	98/02/23	50-348	P
9802240052	9802240044	98/02/11	50-334	P	9802250031	9802250027	98/02/04	70-7002	
9802240054	9802240045	98/02/12	50-282	S	9802250033	9802250024	98/02/17	71-3	
9802240056	9802240048	98/01/29	50-272	P	9802250035	9802250032	98/02/05	50-395	P
9802240060	9802240046	98/02/09	50-416	P	9802250043	9802250041	98/02/18	FOIA	
9802240061	9802240048	98/01/29	50-272	P	9802250047	9802250026	98/02/18	50-289	P
9802240070	9802240062	98/02/13	TOPREP		9802250050	9802250046	98/02/10	71-9280	
9802240086	9802240082	98/02/10	50-317	P	9802250061	9802250056	98/02/17	70-1151	
9802240087	9802240081	98/02/03	50-352	P	9802250067	9802250056	98/02/17	70-1151	
9802240089	9802240082	98/02/10	50-317	P	9802250072	9802250069	98/02/19	50-309	W
9802240090	9802240085	98/02/17	50-454	Q	9802250083	9802250079	98/02/10	70-925	
9802240091	9802240043	98/02/20	50-324	F	9802250091	9802250075	98/02/18	50-346	S
9802240094	9802240088	98/02/13	50-272	P	9802250098	9802250093	98/02/09	70-925	
9802240095	9802240043	98/02/20	50-324	F	9802250100	9802250093	98/02/09	70-925	
9802240097	9802240092	98/02/05	TOPREP		9802250102	9802250095	98/01/29	50-245	P
9802240101	9802240043	98/02/20	50-324	F	9802250110	9802250104	98/02/13	50-247	Q
9802240105	9802240043	98/02/20	50-324	F	9802250111	9802250101	98/02/19	50-397	Q
9802240106	9802240100	98/02/18	50-373	Q	9802250114	9802250101	98/02/19	50-397	Q
9802240108	9802240043	98/02/20	50-324	F	9802250116	9802250112	98/02/17	50-272	V
9802240109	9802240079	98/02/09	50-423	S	9802250117	9802250108	98/01/30	WM	
9802240115	9802240111	98/02/18	50-483	P	9802250123	9802250121	98/02/17	70-143	
9802240117	9802240043	98/02/20	50-324	F	9802250126	9802240360	98/02/20	50-245	P
9802240120	9802240114	98/02/09	50-245	S	9802250141	9802250136	98/02/17	71-9033	
9802240121	9802240119	98/02/12	50-390	P	9802250152	9802240360	98/02/20	50-245	P
9802240131	9803110090	98/02/09	ORG		9802250159	9802240360	98/02/20	50-213	W
9802240133	9802240128	98/02/11	50-250	F	9802250171	9802240360	98/02/20	50-336	P
9802240180	9802240170	98/02/16	50-499	S	9802250172	9802250158	98/02/17	50-369	Q
9802240181	9802240166	98/02/13	ORG		9802250179	9802240360	98/02/20	50-245	P
9802240184	9802240171	98/02/20	TOPREP		9802250183	9802240360	98/02/20	50-336	P
9802240206	9802240203	98/02/12	40-8027		9802250187	9802240360	98/02/20	50-245	P
9802240207	9802240193	98/02/04	50-369	P	9802250189	9802250185	98/02/12	50-286	Q
9802240213	9802240203	98/02/12	40-8027		9802250190	9802250188	98/02/06	COMMISSIO	N
9802240216	9802240212	98/02/18	50-266	Q	9802250195	9802250188	98/02/06	COMMISSIO	N
9802240217	9802240203	98/02/12	40-8027		9802250196	9802250194	98/02/17	50-413	Q
9802240219	9802240179	98/02/17	50-461	S	9802250198	9802240360	98/02/20	50-336	P
9802240222	9802240214	98/02/12	50-269	P	9802250200	9802250188	98/02/06	COMMISSIO	N
9802240225	9802240215	98/02/09	50-334	P	9802250204	9802250188	98/02/06	COMMISSIO	N
9802240226	9802240221	98/02/06	50-285	P	9802250209	9802250205	98/02/18	WM	
9802240228	9802240215	98/02/09	50-334	P	9802250215	9802240360	98/02/20	50-245	P
9802240246	9802240244	98/01/27	50-247	P	9802250221	9802250213	98/02/20	40-8968	
9802240262	9802240261	98/02/18	50-272	P	9802250226	9802240360	98/02/20	50-423	P
9802240267	9802240264	98/02/20	50-282	S	9802250231	9802240360	98/02/20	50-245	P
9802240283	9802240275	98/02/06	50-324	P	9802250240	9802240360	98/02/20	FOIA	
9802240285	9802240280	98/02/04	50-352	P	9802250241	9802250234	98/02/13	40-8943	
9802240287	9802240281	98/02/17	50-338	Y	9802250245	9802240360	98/02/20	50-245	P
9802240288	9802240275	98/02/06	50-324	P	9802250247	9802250238	98/02/20	40-8968	
9802240290	9802240286	98/02/05	50-348	P	9802250248	9802250230	98/02/19	40-8968	
9802240291	9802240276	98/02/20	50-306	S	9802250249	9802250238	98/02/20	40-8968	
9802240293	9802240286	98/02/05	50-348	P	9802250251	9802250238	98/02/20	40-8968	
9802240295	9802240284	98/02/05	50-220	T	9802250253	9802250230	98/02/19	40-8968	
9802240300	9802240297	98/01/29	50-272	P	9802250255	9802250238	98/02/20	40-8968	
9802240303	9802240297	98/01/29	50-272	P	9802250259	9802240360	98/02/20	50-245	P
9802240305	9802240299	98/02/18	50-266	S	9802250260	9802250230	98/02/19	40-8968	
9802240308	9802240307	98/01/29	50-272	P	9802250262	9802250257	98/02/19	I&E	
9802240311	9802240307	98/01/29	50-272	P	9802250264	9802250242	98/02/20	40-8968	
9802240317	9802240314	98/02/17	70-1113		9802250273	9802250271	98/02/18	50-390	P
9802240326	9802240316	98/01/22	50-260	P	9802250274	9802250270	98/02/11	50-286	R
9802240333	9802240318	98/02/12	COMMISSIO	N	9802250276	9802250270	98/02/11	50-286	R
9802240342	9802240339	98/02/12	70-36		9802250288	9802250281	98/02/19	FOIA	
9802240343	9802240336	98/02/05	50-269	P	9802250292	9802250287	98/02/03	WM	
9802240345	9802240339	98/02/12	70-36		9802250294	9802250230	98/02/19	40-8968	
9802240367	9802240357	98/02/18	50-282	S	9802250300	9802250230	98/02/19	40-8968	
9802240372	9802240360	98/02/20	50-245	P	9802250302	9802250230	98/02/19	40-8968	
9802240384	9802240383	98/02/15	50-354	R	9802250311	9802250230	98/02/19	40-8968	
9802240385	9802240360	98/02/20	50-245	P	9802250315	9802250230	98/02/19	40-8968	
9802240387	9802240383	98/02/15	50-354	R	9802250318	9802250308	98/02/19	ORG	
9802240394	9802240391	98/02/17	70-7002		9802250322	9802250230	98/02/19	40-8968	
9802240403	9802240360	98/02/20	50-245	P	9802250325	9802250230	98/02/19	40-8968	

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9802250328	9802250327	98/02/18	50-213 R	9802270045	9802270038	98/02/20	50-443 Q
9802250330	9802250230	98/02/19	40-8968	9802270054	9802270052	98/02/20	50-271 V
9802250336	9802250333	98/02/23	FOIA	9802270056	9802270050	98/02/20	50-373 P
9802250344	9802250335	98/02/04	STATE PRO G	9802270061	9802270059	98/02/23	50-424 Q
9802250349	9802250335	98/02/04	STATE PRO G	9802270062	9802270050	98/02/20	50-373 P
9802250352	9802250350	98/02/18	50-368 P	9802270065	9802270050	98/02/20	50-373 P
9802250353	9802250335	98/02/04	STATE PRO G	9802270067	9802270050	98/02/20	50-373 P
9802250356	9802250354	98/02/13	WM	9802270070	9802270050	98/02/20	50-373 P
9802250364	9802250363	98/02/20	50-302 P	9802270072	9802270050	98/02/20	50-373 P
9802250370	9802250335	98/02/04	STATE PRO G	9802270075	9802270050	98/02/20	50-373 P
9802250374	9802250335	98/02/04	STATE PRO G	9802270078	9802270050	98/02/20	50-373 P
9802250377	9802250335	98/02/04	STATE PRO G	9802270081	9802270050	98/02/20	50-373 P
9802260004	9802260002	98/02/17	50-390 P	9802270082	9802270050	98/02/20	50-373 P
9802260016	9802260010	98/02/20	40-8084	9802270084	9802270050	98/02/20	50-373 P
9802260031	9802260024	98/02/20	50-397 Q	9802270086	9802270050	98/02/20	50-373 P
9802260055	9802260050	98/02/19	50-266 Q	9802270087	9802270083	98/02/23	40-8903
9802260056	9802260054	98/02/17	70-143	9802270093	9802270050	98/02/20	50-373 P
9802260059	9802260050	98/02/19	50-266 Q	9802270094	9802270050	98/02/20	50-373 P
9802260070	9802260048	98/02/17	ORG	9802270096	9802270050	98/02/20	50-373 P
9802260073	9802260065	98/02/18	50-361 Q	9802270097	9802270091	98/02/23	50-344 W
9802260079	9802260077	98/02/20	50-293 P	9802270098	9802270050	98/02/20	50-373 P
9802260093	9802260089	98/02/18	50-286 H	9802270100	9802270050	98/02/20	50-373 P
9802260094	9802260090	98/02/19	50-461 P	9802270103	9802270077	98/02/17	50-213 Q
9802260102	9802260087	98/02/19	50-247 P	9802270105	9802270077	98/02/17	50-213 Q
9802260145	9802260138	98/02/20	ORG	9802270108	9802270077	98/02/17	50-213 Q
9802260154	9802260151	98/02/20	50-440 Q	9802270109	9802270050	98/02/20	50-373 P
9802260157	9802260151	98/02/20	50-440 Q	9802270116	9802270101	98/02/24	40-8968
9802260165	9802260160	98/02/20	50-315 Q	9802270117	9802270113	98/02/17	50-361 P
9802260166	9802260160	98/02/20	50-315 Q	9802270128	9802270123	98/02/17	71-9196
9802260179	9802260177	98/02/19	WM	9802270129	9802270121	98/02/24	40-8968
9802260186	9802260183	98/02/19	ORG	9802270131	9802270050	98/02/20	50-373 P
9802260188	9802260185	98/02/23	50-305 Q	9802270136	9802270050	98/02/20	50-373 P
9802260190	9802260185	98/02/23	50-305 Q	9802270142	9802270050	98/02/20	50-373 P
9802260191	9802260183	98/02/19	ORG	9802270143	9802270133	98/02/24	40-8968
9802260197	9802260194	98/02/20	50-456 Q	9802270145	9802270134	98/02/25	50-245 H
9802260199	9802260194	98/02/20	50-456 Q	9802270146	9802270139	98/02/17	50-423 P
9802260216	9802260212	98/02/20	52-3	9802270148	9802270050	98/02/20	50-373 P
9802260225	9802260222	98/02/13	50-30 Q	9802270149	9802270138	98/02/09	50-336 P
9802260235	9802260231	98/02/05	50-298 Q	9802270155	9802270138	98/02/09	50-336 P
9802260245	9802260240	98/02/13	50-193 Q	9802270156	9802270050	98/02/20	50-373 P
9802260249	9802260243	98/02/20	52-3	9802270159	9802270153	98/02/17	50-423 P
9802260257	9802260250	98/02/13	40-8857	9802270166	9802270163	98/02/24	FOIA
9802260265	9802260262	98/02/12	70-36	9802270170	9802270162	98/02/11	50-317 P
9802260266	9802260262	98/02/12	70-36	9802270176	9802270173	98/02/09	50-336 Q
9802260272	9802260270	98/02/24	40-8968	9802270177	9802270169	98/02/18	50-348 P
9802260275	9802260273	98/02/13	50-277 P	9802270181	9802270162	98/02/11	50-317 P
9802260277	9802260274	98/02/24	40-8968	9802270193	9802270186	98/02/13	50-483 P
9802260280	9802260278	98/02/24	40-8968	9802270196	9802270186	98/02/13	50-483 P
9802260285	9802260283	98/02/24	40-8968	9802270217	9802270213	98/02/17	50-336 Q
9802260289	9802260269	98/02/09	50-245 P	9802270219	9802270218	98/02/25	50-461 P
9802260295	9802260294	98/02/24	40-8968	9802270237	9802270232	98/02/09	STATE PRO G
9802270013	9802270007	98/02/23	50-352 S	9802270257	9802270246	98/02/26	XPORTLIC
9802270017	9802260260	98/02/11	50-213 G	9802270260	9802270258	98/02/03	50-213 W
9802270028	9802260260	98/02/11	50-213 G	9802270261	9802270253	98/02/13	STATE PRO G
9802270031	9802270027	98/02/20	50-277 Q	9802270276	9802270274	98/02/17	STATE PRO G
9802270033	9802270027	98/02/20	50-277 Q	9802270289	9802270288	97/04/21	70-2427
9802270034	9802270022	98/02/20	50-266 S	9802270334	9802270332	98/02/10	STATE PRO G
9802270042	9802270038	98/02/20	50-443 Q	9802270336	9802270335	98/02/13	STATE PRO G
9802270043	9802270035	98/02/17	50-220 V	9803020082	9802130033	98/02/09	50-390 K
				9803020086	9802130033	98/02/09	50-390 K

9

APPENDIX A

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 27 – Low-Level Radioactive Waste Disposal Sites

The Docket 27 series contains documentation concerning the licensing of land disposal of low-level radioactive wastes. In the past, waste disposal licensees were assigned unique Docket 27 numbers. Unlike the other docket series, the first two digits of these docket numbers do not correspond to the part of 10 CFR that specifies NRC's authority for issuing these licenses and the regulations that these licensees must follow. The Docket 27 licenses were issued in accordance with Parts 30, 40, and 70 of 10 CFR in the absence of any final regulations governing the licensing of land disposal low-level radioactive wastes.

In the future, these licensing actions will be governed by 10 CFR Part 61, "Licensing Requirements for Land Disposal of Radioactive Waste." The prefix will then become Docket 61 followed by assigned numbers identifying a specific facility. Documents in these files include:

- Application for land disposal of low-level radioactive waste and supporting documents
- License and amendments
- Correspondence to and from the applicant regarding the application, license, and amendments
- Environmental report and supporting documents
- Inspection and enforcement reports and related correspondence
- Adjudicatory documents relating to proceedings before the Licensing Board and the Commission

DOCKET 30 – Byproduct Material Licenses

The Docket 30 series contains documentation on the possession or use of nuclear byproduct materials for medical, industrial, and academic purposes. **These documents are maintained in the PDR on microfiche only.**

Documents in this series include:

- Application for a license, license amendments, and license renewals or modifications to the byproduct material license and related correspondence
- Denial, revocation, and suspension of a license and related correspondence

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 30 – Byproduct Material Licenses (continued)

- Records related to the NRC inspection program and related correspondence
- Preliminary Notifications of Occurrences (PNOs), enforcement actions, civil penalties, and related correspondence
- Event reports, misadministration reports, and related correspondence
- Correspondence to and from local and State governments
- Adjudicatory documentation relating to proceedings before the Licensing Board and the Commission
- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties
- Periodic reports from licensees and related correspondence

DOCKET 40 – Nuclear Source Material Facilities

The Docket 40 series contains documentation concerning the domestic licensing of nuclear byproduct materials relating to source material licenses. Licenses issued in accordance with 10 CFR Part 40 cover the possession, use, and processing of ores (uranium and thorium) and possession and use of uranium and thorium in a refined form. Each license application is assigned a unique Docket 40 number.

Paper files are maintained in the PDR for only those Docket 40 licensees involved in the nuclear fuel cycle; that is, mines, mills, and research and development facilities. Material on other licensees, such as those for possession of material for medical and industrial uses, are available **on microfiche only**. Documents in these files include:

- Application for a license, license amendments and license renewals for source material license
- Source material license and license amendments
- Licensee-issued Environmental Report (ER) for those license applications that must comply with the National Environmental Policy Act (NEPA)
- NRC-issued Draft and Final Environmental Statements (DES and FES) for license applications that must comply with NEPA
- Site visits and related correspondence
- Inspection reports and related correspondence
- Environmental monitoring reports
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board and the Commission

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 40 – Nuclear Source Material Facilities (continued)

- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties

NOTE: For transcripts of Commission meetings and papers submitted for Commission consideration on a specific docket, see the 10 CFR 9.7 and SECY nondocketed files.

DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants

The Docket 50 series contains documentation concerning the domestic licensing of production and utilization facilities. Licenses issued in accordance with 10 CFR Part 50 cover commercial nuclear power plants; experimental, research, and test reactors; and fuel fabrication facilities. The NRC staff assigns Docket 50 number when it considers that the application and the Preliminary Safety Analysis Report (PSAR) submitted are complete for staff review. "Pre-docketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of a facility, each Docket 50 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types.

A. Application/Construction Stage Documents and Related Correspondence

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

C. Utility Environmental Report (ER), Amendments, and Related Correspondence

D. NRC Draft and Final Environmental Statements (DES and FES), Supplements, and Related Correspondence

E. NRC Safety Evaluation Report (SER), Supplements, and Related Correspondence

F. Security, Medical, Emergency, and Fire Protection Plans

G. Non-Antitrust Legal and Adjudicatory Correspondence

H. General Correspondence

I. Financial Information

J. Insurance and Indemnity Information

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence

M. Antitrust Reviews and Related Correspondence

N. Antitrust Transcripts, Testimony, and Briefings

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants (continued)

P. Operating License Stage Documents and Related Correspondence

Q. Inspection Reports, Civil Penalties, Responses to Bulletins and Information Notices, and Related Correspondence

R. Periodic Operating Reports and Related Correspondence

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notifications of Occurrences (PNOs), Preliminary Notifications of Safeguards Events (PNSs), and Related Correspondence

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters

U. Executive, Congressional, and State Government Correspondence

V. Licensing of Operators and Related Correspondence

W. Decommissioning Stage Documents and Related Correspondence

X. Onsite Storage of Low-Level Waste and Related Correspondence

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence

A detailed description of each category and the documents included in the files for each category follows.

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE

Documents in this category track the application from submittal to the day preceding the issuance of an operating license. It contains all correspondence and other documents with substantive technical content that are not in other specific categories. Included are:

- Application for construction permit
- General information submitted with the construction permit application
- Amendments and changes to the application
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Early site reviews
- Correspondence and documents relating to unresolved design and construction issues
- Meeting announcements and summaries of the meetings
- Correspondence relating to the utility's Preliminary Safety Analysis Report (PSAR).

DEFINITIONS OF DOCKET CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Construction permit, amendments, related correspondence, and orders issued by the Office of Nuclear Reactor Regulation (NRR) show-cause and modification orders which do not involve the former Atomic Safety Licensing and Appeal Board
- Scheduling of license application, amendments, and reviews
- Environmental review information (other environmental documents are filed in categories C, D, P, R, or W)
- Seismic qualification review team (SQRT) reports and related correspondence
- Application for operating license
- General information submitted with the Operating License application
- Amendments and changes to the application for Operating License
- Correspondence related to the utility's Final Safety Analysis Report (FSAR) and Updated Safety Analysis Report (USAR)
- Generic and administrative communications and related documentation that may affect the subject facility and which are *not covered by a bulletin or notice*
- Safety evaluation reports (SER) issued by the NRC on specific generic issues
- Reports on site visits
- Backup technical documents (e.g., topical reports) submitted in support of the application
- Probabilistic risk assessment (PRA) and related documentation
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Documents relating to possible equipment failure and emergency instructions
- NRC's changes in internal organizational structure

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS

This category contains the Preliminary Safety Analysis Report (PSAR) submitted by the utility (formerly called Hazards Summary report or Safety Analysis Reports) and the following related material:

DEFINITIONS OF DOCKET CATEGORIES

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS (CONTINUED)

- Amendments and changes to the PSAR
- Transmittal and acknowledgment letters
- Certificates of service to the PSAR

NOTE: All related correspondence is filed in category A.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS, AND RELATED CORRESPONDENCE

The category contains the Environmental Report (ER) submitted by the utility and the following related material:

- Amendments and supplements to the ER
- *Federal Register* notices citing the availability of the ER and amendments
- Transmittal and acknowledgment letters
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs and applicant responses
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE

This category contains Draft and Final Environmental Statements (DES and FES) prepared by NRC, and the following related material:

- Supplements to the DES and FES
- *Federal Register* notices announcing the availability of the DES, FES, and supplements
- Correspondence relating to the DES and FES

DEFINITIONS OF DOCKET CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE (CONTINUED)

- Comments from other Federal, State and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER for purposes of preparing the environmental statements
- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meeting which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND RELATED CORRESPONDENCE

This category contains the formal Safety Evaluation Report (SER) prepared by the NRC staff (formerly called NRC–AEC hazard analysis report) in review of PSAR, and the following related material:

- Supplements to the SER
- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER; and responses to such requests
- Meeting announcements and meeting summaries at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individually submitted by the applicant or licensee. Emergency and fire protection plans submitted as part of the licensing application are filed in this category.

- Fire hazard protection plan and surveys
- Plant evacuation correspondence
- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plan
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgment letters
- Meeting announcements and meeting summaries at which the primary subject of discussion is related to the aforementioned plans and topics

G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR), and not before the licensing board, are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors

DEFINITIONS OF DOCKET CATEGORIES

G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (CONTINUED)

- Board orders and decisions
- Formal petitions for Commission action
- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

H. GENERAL CORRESPONDENCE

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change–of–address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the facility, and NRC response
- Correspondence on purely administrative matters
- Letters of support, concern, or opposition to the facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational, or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by State and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

I. FINANCIAL INFORMATION

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

DEFINITIONS OF DOCKET CATEGORIES

I. FINANCIAL INFORMATION (CONTINUED)

- Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

J. INSURANCE AND INDEMNITY INFORMATION

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

K. UTILITY FINAL AND UPDATED SAFETY ANALYSIS REPORTS (FSAR AND USAR) AND AMENDMENTS

This category contains the following utility documents:

- Final Safety Analysis Report (FSAR), formerly called Final Hazards Summary Report
- Updated Safety Analysis Report (USAR) periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSAR and USAR
- *Federal Register* notices announcing the availability of the FSAR and amendments
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence is filed in category A or P. Emergency and fire protection plans submitted as part of the licensing application are filed in category F.

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE

This category contains documents pertaining to the limited work authorization (LWA) whereby applicants can conduct limited site preparation and construction before the NRC grants a construction permit.

- Limited Work Authorization (LWA) and amendments

DEFINITIONS OF DOCKET CATEGORIES

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (CONTINUED)

- Correspondence pertaining to work performed under the LWA

M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE

This category contains documents submitted as part of the application for a construction permit and operating license that are entitled "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion concerns antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

N. ANTITRUST TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains verbatim transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence is filed in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to facility license applications
- Announcements of ACRS meetings relating to facility license applications, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to both facility license applications and safety-related matters

DEFINITIONS OF DOCKET CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (CONTINUED)

- Technical correspondence and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS non-docket file.

P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical documents dated from the issuance of the operating license until the order for termination of the license. Included are:

- Operating license, amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the operating license
- Correspondence regarding the utility's Final and Updated Safety Analysis Report (FSAR and USAR)
- *Federal Register* notices announcing availability of operating license, amendments, FSAR and USAR
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., topical reports) submitted in support of the aforementioned items
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the operating license, or technical issues arising after the issuance of the operating license
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers), regulations, laws, and changes in policy that may affect plant operation or the operating license
- NRC questions, RAIs, and licensee responses
- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Correspondence relating to NRC's Systematic Evaluation Program (SEP)
- Owners' group meeting announcements and reports

DEFINITIONS OF DOCKET CATEGORIES

P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Emergency core cooling system documents
- Radioactive waste information excluding onsite storage of low-level waste (filed in category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of the spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility but is *not covered by a Bulletin or Notice*
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inservice inspections, which are filled in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license and to dismantle and dispose of component parts
- Information on changes in NRC's internal organizational structure

DEFINITIONS OF DOCKET CATEGORIES

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE

This category contains the following applicant/licensee material:

- Inspection reports
- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Circulars (discontinued in 1981) and Information Notices, and related correspondence
- Applicant/licensee determinations of the proprietary nature of inspection reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demands for Information (DFIs)
- Correspondence and orders relating to the imposition and payment of civil penalties, including Enforcement Notifications (ENs) and Significant Enforcement Actions (EAs)
- Notices of deviation and related correspondence
- Notices of enforcement conferences, meetings, and related reports
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk–based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (ITT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification Program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see non-docket I&E file.

DEFINITIONS OF DOCKET CATEGORIES

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommissioning stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic personnel exposure reports
- Periodic fitness for duty performance data
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with licensing board orders)
- Operational logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence and other documents relating to the aforementioned items

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, special reports, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a Preliminary Notification of Occurrence (PNO), Preliminary Notification of Safeguards Events (PNS), and related correspondence
- Environmental technical specifications violation reports and environmental event reports

DEFINITIONS OF DOCKET CATEGORIES

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (CONTINUED)

- Part 21 reports of defects and noncompliance
- Correspondence and other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E non-docket file.

T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) transcripts
- Testimony and statements submitted to ASLB and the former ASLAB
- Transcripts of Commission meeting
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in ACRS and 9.7 nondocket files.

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches
- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned

DEFINITIONS OF DOCKET CATEGORIES

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (CONTINUED)

- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical items dated from the order to terminate the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling and Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning
- All documentation relating to the ongoing operation of the plant which was formerly filed in category P

DEFINITIONS OF DOCKET CATEGORIES

X. ONSITE STORAGE OF LOW-LEVEL WASTE AND RELATED CORRESPONDENCE

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store LLW at a commercial reactor site
- Technical reports and related correspondence

NOTE: The documents in this category will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSIs) AND RELATED CORRESPONDENCE

This category contains material related to license applications, license, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such ISFSIs may be on a reactor site or at a separate site.)

- All related correspondence and reports to the aforementioned items

NOTE: The documents in this category will have an NMSS Docket 72 license number. For these installations on a reactor site, the associated Docket 50 number also has been referenced.

Docket 52 – Standard Design Certification, Early Site Permit, and Combined Licenses for Nuclear Power Plants

The Docket 52 series contains documentation on the domestic licensing of production facilities. Licenses issued in accordance with 10 CFR Part 52 cover preliminary and final design approval of standard designs, early site permits, and combined licenses for nuclear power plants. A Docket 52 number is assigned when the NRC considers that the application submitted is complete for staff review. "Predocketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of an application, each Docket 52 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types. These categories are similar to those used for the Docket 50 files, but have been modified to reflect the special requirements of Docket 52 applications.

DEFINITIONS OF DOCKET CATEGORIES

A. Application for Preliminary Design Approval (PDA), Final Design Approval and Design Certification (FDA/DC), Early Site Permit, Combined Construction/ Operating License (COL), and Related Correspondence

B. Vendor Preliminary Standard Safety Analysis Report (PSSAR–PDA stage), Utility Preliminary Safety Analysis Report (PSAR–COL stage), and Amendments

C. Severe Accident Mitigation Design Alternative Analysis (SAMDA–PDA andFDA/DC stages), Environmental Reports (ERs–Early Site Permit and COL stages), Amendments, and Related Correspondence

D. NRC Draft and Final Environmental Statements (DES and FES), Supplements, and Related Correspondence (Early Site Permit and COL stages)

E. NRC Safety Evaluation Report (SER), Supplements, and Related Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

F. Reliability Assurance Program (RAP), Security, Medical, Emergency, and Fire Protection Plans (PDA, FDA/DC, and COL stages)

G. Non-Antitrust Legal and Adjudicatory Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

H. General Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

I. Financial Information (COL stage)

J. Insurance and Indemnity Information (COL stage)

K. Vendor Final Standard Safety Analysis Report (FSSAR–FDA/DC Stage), Utility Final Safety Analysis Report (FSAR–COL Stage), Updated Safety Analysis Report (USAR–COL Stage), and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence (COL Stage)

M. Antitrust Reviews and Related Correspondence (COL Stage)

N. Antitrust Hearing Transcripts, Testimony, and Briefings (COL Stage)

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

P. Post-Combined Construction/Operating License Stage Documents and Related Correspondence (COL Stage)

Q. Inspection Reports, Civil Penalties, Responses to Bulletins and Information Notices, and Related Correspondence (COL Stage)

R. Periodic Operating Reports and Related Correspondence (COL Stage)

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notifications of Occurrences (PNOs), Preliminary Notifications of Safeguards Events (PNSs), and Related Correspondence (COL Stage)

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters (Early Site Permit, PDA, FDA/DC, and COL Stages)

DEFINITIONS OF DOCKET CATEGORIES (CONTINUED)

U. Executive, Congressional, and State Government Correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

V. Licensing of Operators and Related Correspondence (COL Stage)

W. Decommissioning Stage Documents and Related Correspondence (COL Stage)

X. Onsite Storage of Low-Level Waste and Related Correspondence (COL and Decommissioning Stages)

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence (COL and Decommissioning Stages)

A detailed description of each category and the documents included in each category follows.

A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE

Documents in this category track the application for Preliminary Design Approval (PDA) or Final Design Approval and Design Certification (FDA/DC) to the issuance of the PDA or FDA, respectively, or the application of the early site permit until issuance of the permit. It contains all correspondence and documents with substantive technical content that are not in other specific categories. Included are:

- Application for preliminary design approval
- Application for final design approval and design certification
- Application for early site permit
- General information submitted with the application
- Amendments and changes submitted by applicants
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Meeting announcements and summaries of the meetings
- Correspondence relating to the Preliminary or Final Standard Safety Analysis Report (SSAR)
- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Preliminary Design Approval (PDA), and amendments and correspondence relating to the PDA
- Final Design Approval (FDA), and amendments and correspondence relating to the FDA
- Early site permit, amendments and related correspondence
- Scheduling documentation
- Backup technical documents (e.g., topical reports) submitted in support of the application

DEFINITIONS OF DOCKET CATEGORIES

A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT, COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE (CONTINUED)

- The design-specific Probabilistic Risk Assessment (PRA), and related documentation
- Proposed tests, analyses, and acceptance criteria and related documentation
- Design Acceptance Criteria (DAC) and related correspondence
- Documents addressing policy issues raised to the Commission via Commission papers
- Documents addressing resolution of issues for the application
- Generic and administrative communications and related documentation which may affect the subject facility and which are *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- NRC's changes in internal organizational structure

B. VENDOR PRELIMINARY STANDARD SAFETY ANALYSIS REPORT (PSSAR–PDA STAGE), UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR–COL STAGE), AND AMENDMENTS

This category contains the following documents:

- Preliminary Standard Safety Analysis Report (PSSAR) submitted by vendor
- Amendments and changes to the PSSAR
- Preliminary Safety Analysis Report (PSAR) submitted by the utility
- Amendments and changes to the PSAR
- Transmittal and acknowledgement letters

NOTE: All related correspondence is filed in category A

C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA-PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (ERs-EARLY SITE PERMIT AND COL STAGES), AMENDMENTS, AND RELATED CORRESPONDENCE

This category contains the following documents:

- Severe Accident Mitigation Design Alternatives Analysis (SAMDAs) required under the National Environmental Policy Act (NEPA) submitted by vendor

DEFINITIONS OF DOCKET CATEGORIES

C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA-PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (ERs-EARLY SITE PERMIT AND COL STAGES), AMENDMENTS, AND RELATED CORRESPONDENCE (CONTINUED)

- NRC questions, RAIs, and applicant responses relating to SAMDAS analysis review
- Correspondence relating to the SAMDAS analysis review
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SAMDAS analysis
- Environmental Report (ER) submitted by utility
- Amendments and supplements to the ER
- *Federal Register* notices announcing the availability of the ER and amendments
- Transmittal and acknowledgment letters of ER
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs, and applicant responses relating to review of ER
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the ER
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES)

This category contains the Draft and Final Environmental Impact Statements (DES and FES) prepared by NRC, and supplements to the DES and FES, as well as:

- *Federal Register* notices announcing the availability of the DES and FES
- Correspondence relating to the DES and FES
- Comments from other Federal, State, and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER obtained for purposes of preparing the environmental statements

DEFINITIONS OF DOCKET CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES) (CONTINUED)

- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W.

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains the formal Safety Evaluation Report (SER) prepared by NRC in review of the early site permit application, PSSAR (PDA stage), FSSAR (FDA/DC stage), PSAR (COL stage), or FSAR (COL stage) and, Supplements to the SER, as well as:

- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER and responses to such requests
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES)

The plans in this category may be individual submissions or may be combined under the Reliability Assurance Program. These plans may be submitted during the review of the PDA, the FDA/DC, and COL applications. Included are:

- Reliability Assurance Program (RAP)
- Plant evacuation correspondence

DEFINITIONS OF DOCKET CATEGORIES

F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plans
- Fire hazard protection plans and surveys
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgement letters
- Meeting announcements and summaries of meetings at which the primary subject of discussion is related to the aforementioned plans

G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) and not before the Licensing Board are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) hearing related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors
- Board orders and decisions
- Formal petitions for Commission action

DEFINITIONS OF DOCKET CATEGORIES

G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

H. GENERAL CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change of address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the site, design, or facility, and NRC responses
- Correspondence on purley administrative mattters
- Letters of support, concern or opposition to the site, design, or facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by state and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

I. FINANCIAL INFORMATION (COL STAGE)

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

DEFINITIONS OF DOCKET CATEGORIES

I. FINANCIAL INFORMATION (COL STAGE) (CONTINUED)

- Company annual reports, auditor statements and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

J. INSURANCE AND INDEMNITY INFORMATION (COL STAGE)

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

K. VENDOR FINAL STANDARD SAFETY ANALYSIS REPORT (FSSAR-FDA/DC STAGE), UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR-COL STAGE), UPDATED FINAL SAFETY ANALYSIS REPORT (USAR-COL STAGE), AND AMENDMENTS

This category contains the following vendor and utility documents:

- Final Standard Safety Analysis Report (FSSAR) submitted by the vendor
- Final Safety Analysis Report (FSAR) submitted by the utility
- Updated Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSSAR, FSAR, and USAR
- *Federal Register* notices announcing the availability of the FSSAR and FSAR
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence falls in category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in category F

DEFINITIONS OF DOCKET CATEGORIES

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (COL STAGE)

This category is limited to documents pertaining to Limited work Authorization (LWA) whereby applicants can conduct limited site preparation and construction before NRC grants a combined construction/operating license.

- Limited Work Authorization (LWA) and amendments
- Correspondence pertaining to work performed under LWAs

M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains documents submitted as part of the application for a combined construction/operating license entitled, "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion is antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS (COL STAGE)

This category contains verbatim transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence is filed in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains project-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to a PDA or FDA/DC application, early site review, or facility license application

DEFINITIONS OF DOCKET CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Announcements of ACRS meetings relating to a PDA or FDA/DC application, early site review, or facility license application, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to a PDA or FDA/DC application, early site review, facility license application, and safety-related matters
- Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgement letters relating to a PDA or FDA/DC application, early site review, or facility license application

NOTE: For generic and document-specific safety related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract and letter), see ACRS non-docket file.

P. POST–COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains general technical documents dated from the combined construction/operating license until the order for termination of the license. Included are:

- The combined construction/operating license (COL), amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the COL
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., Topical Reports) submitted in support of the aforementioned items
- *Federal Register* notices announcing the availability of the COL, FSAR, and amendments
- Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Safety Analysis Report (USAR)
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the COL, or technical issues arising after the issuance of the COL
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers) regulations, laws, and changes in policy that may affect plant operation or bear on the COL
- NRC questions, RAIs, and licensee responses

DEFINITIONS OF DOCKET CATEGORIES

P. POST–COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Owners group meeting announcements and reports
- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Radioactive waste information, excluding onsite storage of low-level waste (filed category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility; *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, and T)
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inspections which are filed in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (Other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license, and to dismantle, and dispose of component parts
- Information on changes in NRC's internal organizational structure

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE)

This category contains the following applicant/license material:

- Inspection reports

DEFINITIONS OF DOCKET CATEGORIES

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Information Notices, and related correspondence
- Applicant licensee determination of the proprietary nature of Inspection Reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demand for Information (DFIs)
- Correspondence and orders relating to the opposition and payment of civil penalties, including Enforcement Notification (EN) and Significant Enforcement actions (EA)
- Notices of deviation and related correspondence
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk-based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (IIT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see nondocket I&E file.

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommission stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic fitness for duty performance data
- Periodic personnel exposure reports
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with Licensing Board orders)
- Operational Logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence or other documents relating to the items listed

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE)

This category contains all materials relating to abnormal, unusual, reportable and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs) and related correspondence

DEFINITIONS OF DOCKET CATEGORIES

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Environmental technical specifications violation reports and environmental event reports
- Part 21 reports of defects and noncompliance
- Correspondence or other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E nondocket files.

T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON–ANTITRUST MATTERS (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) transcripts
- Testimony and statements submitted to ASLB
- Transcripts of Commission meetings
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of vendor or utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in the ACRS and 10 CFR 9.7 nondocket files.

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches

DEFINITIONS OF DOCKET CATEGORIES

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned
- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains general technical items dated from the order for terminating the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling, and the Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning

DEFINITIONS OF DOCKET CATEGORIES

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- All documentation relating to the ongoing operation of the plant formerly filed in category P

X. ONSITE STORAGE OF LOW-LEVEL WASTE AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store low-level waste at a commercial reactor
- All related correspondence and reports

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 52 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSIs) AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to:

- License applications, license, amendments, and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)
- All related correspondence and reports to the above

NOTE: The documents in this category will have an NMSS Docket 72 number license. For these installations on a reactor site, the associated Docket 52 number also has been referenced.

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 70 – Special Nuclear Materials

The Docket 70 files contain documentation concerning the domestic licensing of special nuclear material (SNM). Each SNM license application is assigned a unique Docket 70 number. SNM licenses cover the possession and use of radioactive material, including plutonium-enriched uranium. Paper files are maintained in the PDR only for Docket 70 licensees that possess more than 350 grams of uranium-235 or 200 grams of plutonium. Material on other licensees is available on microfiche only. Documents in these files include:

- Applications for licenses, license amendments, and license renewals for Special Nuclear Material licenses
- Special Nuclear Material licenses and license amendments
- Applicant technical reports concerning the facility, including Safety Analysis Reports (SARs), Environmental Reports (ERs) and amendments
- NRC technical reports concerning the facility
- Emergency and radiological health plans
- Inspection reports and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board
- Other technical, legal, and licensing correspondence between NRC and the licensee or other interested parties

DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

The Docket 71 files contain documentation concerning the design of radioactive material transport packages and quality assurance (QA) programs for designers, manufacturers, and users of such packages. Each package design and each QA program is individually assigned a unique Docket 71 number.

All NRC licensees who design, manufacture, or use radioactive material packages must comply with NRC-approved package designs and QA programs for these packages. Agreement State licensees who design, manufacture, or use radioactive material packages do not need a QA program approval, but the Department of Transportation requires that NRC approve the package design.

Agreement State licensees who wish to use their packages in States under NRC jurisdiction, or who design and manufacture packages for NRC licensees, must obtain approval for their QA programs. Documents in these files include:

- Application for QA program approval and amendments to the application
- Application for package design approval, including the Safety Analysis Report (SAR), amendments, and engineering drawings

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs (continued)

- Certificate of compliance (NRC approval) for the package design and revisions
- Approval of the QA program
- Correspondence between NRC and the designer and the manufacturer concerning particular package designs
- Requests to be registered as a user of a particular package
- Inspection reports and related correspondence

DOCKET 72 – Independent Spent Fuel Storage Installations

The Docket 72 series contains documentation concerning certification of storage casks and the licensing of independent spent fuel storage installations. These installations store reactor spent fuel and may be on a reactor site or at a separate site. Each installation is assigned a unique Docket 72 number. Documents in these files include:

- Application for license
- Safety Analysis Reports (SAR) and annual updates
- Certification of completion for vendor design of dry cask storage and related correspondence
- Licensee issued Environmental Report (ER) and amendments
- Emergency plan and amendments
- Inspection reports and related correspondence
- Reports on accidental criticality or loss of special nuclear material
- QA plan and amendments
- Correspondence relating to the physical security plan
- Decommissioning plan and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings between the NRC and the applicant

NOTE: Additional nondocketed information concerning spent fuel storage is available in the Project M nondocket file. For installations on reactor sites, see category Y in the Docket 50 or 52 series and Docket 70 for NMSS licenses.

10

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

NONDOCKET FILES

Materials that are not docket-specific are arranged according to the following classification scheme. The capitalized abbreviation is a shorthand description of each topic and corresponds to the way that it appears on the PDR Accession List.

10 CFR 9.7—Commission Meeting Transcripts and Reports

ACRS—Advisory Committee on Reactor Safeguards Documents

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Appeals

GEN TECH IS—Generic Technical Issues

I&E—Inspection and Enforcement Issuances

I&E Manual—NRC Inspection Manual

I&E MISC—Draft Generic Communications

MISC—Public Document Room Miscellaneous

NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

ORG—Organizations

PR—Proposed and Final Rules

PRESS—Press Releases

PRM—Petitions for Rulemaking

PROJ—Projects

PT 21—10 CFR Part 21 Deficiency Reports

QA 999—Vendor Quality Assurance Inspections

RCSSD—Registration of Certificates for Sealed Sources and Devices

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports (1974 through 1988)

REVIEW GRP—Review Groups

DEFINITIONS OF NONDOCKETED CATEGORIES

NONDOCKET FILES (CONTINUED)

RM—Rulemakings

SAI — Strategic Assessment Issue Papers

SECY—Staff Position Papers Prepared for the Commission

SPCH—Speeches

STATE PROG—State Programs

TOPREP—Topical Reports and Related Correspondence

WASH—AEC-Issued Formal Reports and Related Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Research Documents

XPORTLIC—Export and Import Licenses

10 CFR 9.7 – Commission Meeting Transcripts and Reports

This file contains documents relating to open and closed Commission Meetings.

- Sunshine Federal Register notices
- Full written explanation of closed meetings
- Certification by the General Counsel on closed meetings
- Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings
- Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with the Sunshine Act and Commission policies
- Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence
- Staff Requirements Memoranda for open meetings, memoranda of record, record of votes of Commissioners on items under consideration at meetings

ACRS – Advisory Committee on Reactor Safeguards Documents

Documents in this file pertain to safety–related areas reviewed by the ACRS. ACRS serves as an independent advisory committee to the Commission.

ACRS – Advisory Committee on Reactor Safeguards Documents (continued)

- ACRS reports relating to safety–related matters
- Announcements of ACRS meetings relating to safety-related matters, including meeting agenda
- Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety–related matters
- Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both vendor or facility license applications and safety-related matters
- Minutes of ACRS subcommittee and full committee meetings relating to both vendor or facility license application and safety-related matters
- ACRS consultant reports, comments, and related correspondence relating to both vendor or facility license applications and safety–related matters
- Technical correspondence and memoranda to and from ACRS pertaining to safety-related matters
- General correspondence and related material about ACRS, but not prepared by ACRS or its consultants

NOTE: For docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 and 52.

ADVCM – NRC Advisory Committees

Documents in this file pertain to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards, including:

- Charters of each advisory committee
- Meeting announcements and meeting agenda
- Minutes and verbatim transcripts of committee meetings
- Committee-generated reports, memoranda, and correspondence that are publicly available
- Committee-related correspondence

DEFINITIONS OF NONDOCKETED CATEGORIES

COMMISSION – NRC Commissioner Correspondence

Documents in this file pertain to the daily conduct of Commission business in the Office of the Commission, including:

- Incoming and outgoing Commission–level correspondence relating to official NRC business, including reports and other enclosures to the aforementioned correspondence
- Travel vouchers, telephone logs, and official appointment calendars of participating Commissioners. (These are placed in the PDR at the discretion of individual Commissioners.)
- Speeches, interviews and testimony given by Commissioners at meetings, symposia, and congressional hearings
- Vote sheets
- Weekly information reports (numbered as part of the SECY series) prepared for the Commissioners by the Executive Director for Operations (EDO) summarizing key events and items of interest undertaken by individual staff and program offices

NOTE: For transcripts of Commission meetings, see nondocket File 10 CFR 9.7. For all other staff papers with the SECY-series designation prepared for Commission review, see the SECY nondocket file.

CONTRACT – NRC Contracts and Grants

Documents in this file pertain to AEC and NRC contracts, grants and interagency agreements, including:

- Notification of contracts and grants execution that specifies contract number, project title, contractor name, contract type, funding, and period of performance
- Contractual documents and modifications to contracts

DEFINITIONS OF NONDOCKETED CATEGORIES

FOIA – Freedom of Information Act Requests and Appeals

Documents in this file include requests, denials, and appeals for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA). Each is assigned a sequential identification number based on the year the request is made, for example, 95–110 refers to the 110th FOIA request made in 1995.

- Requests made under the FOIA for NRC records
- Correspondence between NRC and the requester relevant to the processing, granting, denial, and appeal of an FOIA request
- Records or portions thereof released in response to FOIA requests or made under FOIA appeals

GEN TECH IS – Generic Technical Issues

Documents in this file pertain to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR), including:

- Draft reports of action plans to accomplish generic tasks in the NRR program
- Correspondence with industry and within NRC discussing methodologies, analyses, the program, and technical aspects of issues
- Meeting notifications and minutes
- Interim findings and status reports on generic tasks addressing related aspects of generic technical issues

I&E – Inspection and Enforcement Issuances

Documents in this file include bulletins and information notices that are issued by the NRC Office of Nuclear Reactor Regulation. These issuances describe some event that has occurred at a facility and that may require some follow–up action by the licensee. Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), Enforcement Notifications (ENs) and significant Enforcement Actions (EAs).

- Circulars, that describe an event at a licensed facility and are informational in nature (these were discontinued in 1981)

I&E – Inspection and Enforcement Issuances (continued)

- Information Notices, that are similar to Circulars but are preliminary in nature and are issued shortly after an event has occurred
- Bulletins describing an event at a licensed facility and requesting that all recipients perform certain actions as a result of that event
- Preliminary Notification of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest
- Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance
- Enforcement Notifications (ENs) and significant Enforcement Actions (EAs), which provide information on a notice of violation and proposed imposition of civil penalties

NOTE: For utility/vendor responses to such issuances and related correspondence, see categories Q and S in Dockets 50 and 52.

I&E MANUAL – NRC Inspection Manual

This file contains drafts, finals, revisions, *Federal Register* notices and related correspondence to the NRC Inspection Manual.

I&E MISC – Draft Generic Communications

Documents in this file include drafts of Generic Letters, Bulletins, Information Notices and other generic communications issued by the NRC Office of Nuclear Reactor Regulation.

- Draft Bulletins and Information Notices that are being considered for issuance, related comments, and evaluations

DEFINITIONS OF NONDOCKETED CATEGORIES

I&E MISC – Draft Generic Communications (continued)

- Draft Generic Letters and other generic communications that are being considered for issuance, related comments, and correspondence

MISC – Public Document Room Miscellaneous

This file contains documents about topics not included in the scope of the other nondocketed categories.

NUREG – NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

This file contains formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other governmental entities, and the public which are published in the NUREG series.

- Results of licensing studies of specific plants or facilities preliminary to licensing actions
- Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry
- Action and review plans, as well as guidance, for complying with NRC requirements
- Task force reports on specific topics
- Proceedings of conferences and workshops
- Management and program analysis reports
- Statistical analyses that are of interest to the staff, the industry, and the public
- Administrative reports that are of interest to the staff, the industry, and the public
- Correspondence from industry, government, and the public commenting on NUREG series reports
- Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the NUREG reports series

NOTE: NUREG reports on plants or facilities are filed according to each plant's specific docket number.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG – Organizations

This file contains correspondence with professional organizations, government agencies, and associations with which NRC is in contact; records pertaining to specific NRC offices; and petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on a generic issue.

- Meeting summaries and technical correspondence between the NRC and professional associations
- Correspondence between NRC and other government agencies in which both parties have joint regulatory responsibility, e.g., EPA which has authority to control all radioactive pollutants emitted into the air
- Correspondence and technical information between NRC and Congress
- Reports, technical information, and correspondence between NRC, foreign governments and international organizations
- Internal memoranda, trip reports, and scientific papers pertaining to specific NRC offices

PR – Proposed and Final Rules

This file contains documents of NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive, a staff proposal, or a Commission determination that sufficient grounds exist for it to proceed with a Petition for change in an NRC regulation (PRM) filed by an outside party.

- *Federal Register* notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved
- Text of the Proposed Rule (PR)
- Draft and generic Proposed Rules and *Federal Register* notices
- Comments, statements, information, opinions, or arguments on the proposed change to a part of the *Code of Federal Regulations*
- Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR
- Final rules and *Federal Register* notices

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY nondocket file. For Commission review of staff recommendations, see the 10 CFR 9.7 nondocket file.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRESS – Press Releases

This file contains press releases issued by the Office of Public Affairs Headquarters and Regional offices relating to the NRC's regulatory policy and programs, public hearings, and workshops. Press releases are also issued on major licensee programs, changes, proposed fines, and issues effecting the status of licenses.

PRM – Petitions for Rulemaking

This file contains documents of petitions filed with the Commission by an outside party to issue, amend, or rescind an NRC regulation.

- Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation
- *Federal Register* notice of the filing of the petition
- Correspondence between NRC and the petitioner relevant to the status and substance of the petition
- Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM
- Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a proposed rule, see the SECY nondocket file. For Commission review of staff recommendations, see the 10 CFR 9.7 nondocket file.

PROJ – Projects

This file contains documents pertaining to four classes of projects: (1) commercial nuclear power plants (Docket 50) for which NRC has full review and licensing responsibilities; (2) Government-owned reactors (also Docket 50) for which NRC provides technical expertise and occasional review; (3) design certification and combined licensing (Docket 52) for which NRC has full review and licensing responsibilities; (4) monitored retrieval storage and Topical Reports for storage casks (Project M's) for which NRC has full review and licensing responsibilities. Each class is identified with a P prefix, followed by a series of numbers.

PROJ – Projects (continued)

These files contain all documentation up to the time NRC considers the application and the preliminary technical reports complete for review. The project is then assigned a docket number and the file is transferred to a docket series.

- Applications submitted by the vendors or utility
- Backup technical documents and topical reports submitted in support of the application, and related correspondence
- Preliminary Safety Analysis Report (PSAR), amendments, and related correspondence (Docket 50)
- Preliminary Standard Safety Analysis Report (PSSAR), amendments, and related correspondence (Docket 52)
- Application for Preliminary and Final Design Approval and design certification (Docket 52 and Project M), and related correspondence
- Early site review information
- Meeting notices, summaries, and correspondence
- NRC's or the applicant's changes in internal organizational structure
- Reliability Assurance Program and related correspondence (Docket 52)
- Documentation and technical correspondence between NRC and other government agencies relating to the application
- Adjudicatory correspondence
- Quality Assurance documentation, notices of deviation, and related correspondence

PT 21 – 10 CFR Part 21 Deficiency Reports

This file contains deficiency reports submitted in compliance with Part 21 of Title 10 of the *Code of Federal Regulations.*

- Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects that could create a substantial safety hazard
- Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects
- NRC inspection reports of defects cited

PT 21 – 10 CFR Part 21 Deficiency Reports (continued)

- Correspondence specifying appropriate followup actions to be taken by the agency

QA 999 – Vendor Quality Assurance Inspections

This file contains inspection reports of the vendor/licensee interface from the vendor's view, the vendor's products, and the vendor's programs including equipment environmental qualification testing, and followup correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

- Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of nuclear components or in supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, the PSAR and FSAR submitted by utilities for specific facilities, and vendor QA topical reports.
- NRC inspection reports of vendor facilities that cover the design, fabrication, and testing of components for use in nuclear facilities and related correspondence
- Civil penalties notices
- Notices of deviation
- Vendor corrective actions and other followup correspondence associated with resolution of inspection findings

NOTE: For vendor/licensee inspections from the licensee's view, see category Q in Docket 50 and 52.

RCSSD – Registration of Certificates for Sealed Sources and Devices Change

This file contains documents and related correspondence on radiation sources and device designs. Manufactures and distributors applying for registration of their products must submit for review all safety related information, design specifications, QA programs and amendments. **These documents are maintained in the PDR on microfiche only.**

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD – Regulatory Guides

This file contains new and revised regulatory guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

- *Federal Register* notices announcing the issuance and availability of a proposed Regulatory Guide and revisions
- Revised or newly issued regulatory guides
- Drafts of proposed regulatory guides or proposed revisions
- NRC value/impact assessment
- Comments submitted by the nuclear industry and interested members of the public regarding a proposed regulatory guide
- Summaries of meetings held in the NRC to discuss proposed regulatory guides

NOTE: Industry codes and standards cited in regulatory guides are available for reference use only in the NRC's Technical Library.

RES – Research and Technical Assistance Reports (1974 through 1988)

This file contains reports and technical letters submitted by NRC contractors providing research and technical assistance to the Commission. It also includes research information letters and conference proceedings pertaining to research activities of the Commission.

For final reports of research conducted by contractors, and for conference proceedings, see the NUREG-series nondocket file. See also the WMRES file for research reports on disposal of high-level waste.

REVIEW GRP – Review Groups

This file contains documents pertaining to the activities of internal and external research review groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results, possible redirection of research projects, new research projects, and priorities within the technical areas covered by the research review group.

REVIEW GRP – Review Groups (continued)

- Agenda for quarterly review group meetings
- Summary minutes of review group meetings representing views expressed, including dissenting views
- Research plans and predicted results of major experiments and presentations by research contractors
- Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies
- Internal memoranda relating to topics under discussion
- Correspondence related to the aforementioned items

RM – Rulemakings

This file contains documents pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission, based on the importance and the magnitude of the subject being considered.

- Designation of the presiding officer and any special directions for the conduct of the hearing
- Notifications of Hearing Board meetings
- Petitions, motions, testimony, and statements submitted by parties to the hearings
- Transcripts of the proceedings
- Hearing Board orders and rulings
- Technical reports submitted as evidence in the proceedings
- Reports, if any, of the special Board to the Commission regarding the subject proceeding

DEFINITIONS OF NONDOCKETED CATEGORIES

SAI – Strategic Assessment Issue Papers

This file contains documents pertaining to NRC policy options for assessment and rebaselining for future decisionmaking and regulatory activities.

- Strategic assessment issue papers
- Strategic process and framework papers
- Comments from Congress, other Federal agencies, agreement and nonagreement states, NRC licensees, industry organizations, foreign governments, NRC employees, public interest groups, and the general public (all affected parties are known as stakeholders)
- Transcripts of stakeholder meetings

SECY – Staff Position Papers Prepared for the Commission

This file contains staff papers (generally referred to as SECY Papers) prepared for the information or approval of the Commission. They are assigned a SECY report number.

- Policy issue papers are used to present matters relating to policy formulation
- Rulemaking issue papers are used to present rulemaking activities of the Commission
- Adjudicatory issue papers are used to present matters relating to the granting, suspending, revoking, or amending of licenses, or relating to construction permits for nuclear power plants, and activities in which the Commission has an interest
- Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provides general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication

These categories of staff papers may be issued as one of the following: (a) a Commission meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper that does not require interactive discussion among the Commissioners in a Commission meeting but by law must be voted upon by the Commissioners in the presence of each other; (c) a notation vote paper that does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a negative consent paper that contains issues which the Commission would like brought to its attention before action is taken but which does not require the formality of a Commission vote; and (e) information papers that provide information to the Commission and do not call for any action by the Commission.

SECY – Staff Position Papers Prepared for the Commission (continued)

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports (WIR) prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence nondocket file.

SPCH – Speeches

This file contains speeches by the Chairman and Commissioners presented at National and international regulatory information conferences, industrial forums, advisory committees, symposiums, workshops, and energy policy groups.

STATE PROG – State Programs

This file contains documents that pertain to the Commission's relations with State governments. Areas covered include: (1) the NRC and State Agreement and its amendments, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing, inspection procedures, and waste disposal.

- Correspondence between the NRC Office of State Programs and State officials, State liaison officers and radiation control management health officials, regarding:
  - Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance
  - NRC reviews of Agreement State radiation control programs
  - Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and other areas
- Notices prohibiting involvement in NRC-licensed activities
- Agenda, reports, and transcripts of regional workshops

STATE PROG – State Programs (continued)

- Training programs on current matters of policy and regulations; i.e., decommissioning and radioactive waste disposal
- State legislative reports (discontinued in December 1984)
- Agreement State licensing statistics reports (discontinued in December 1984)

NOTE: For specific uranium milling and mining projects in which the NRC is providing technical assistance to States, see the Project nondocket file.

TOPREP – Topical Reports and Related Correspondence

This file contains Topical Reports, generally of a generic technical nature, submitted by vendors; and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket specific and documents generated by vendor-related owners groups are also included in this file.

- Topical reports dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers, and other vendors
- Revisions, modifications, and amendments to topical reports
- Correspondence between NRC and vendors pertaining to the review of submittals
- Meeting agenda, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria
- Vendor-related Owners' Group meeting announcements, agenda, summaries, reports and correspondence

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the file categories for the docket series.

WASH – AEC–Issued Formal Reports and Related Correspondence

This file contains formal reports that were issued by the U.S. Atomic Energy Commission (AEC) headquarters staff and related correspondence. The WASH reports, which consisted of administrative, scientific, and technical information, ended in 1975, but correspondence occasionally refers to WASH reports. Post–1975 NRC-issued formal reports carry the NUREG-series designation.

DEFINITIONS OF NONDOCKETED CATEGORIES

WM – Waste Management Documents

This file contains documents related to the activities of the NRC Division of Waste Management. Each topic has been assigned a unique number, prefixed by the letters WM. Documents in these files include:

- NRC and DOE prelicensing activities regarding the disposal of high-level waste in geologic repositories, in accordance with the Nuclear Waste Policy Act of 1982 as follows:
  - Technical high-level waste site prelicensing documentation
  - Meeting agenda, minutes and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories
  - Briefings by DOE on current research on nuclear waste management
- NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, in accordance with the Uranium Mill Tailings Radiation Control Act of 1978
- Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high–level waste standard
- NRC topical report reviews and associated correspondence
- Correspondence from the public and other nongovernment organizations for the aforemention items

NOTE: For contractor research on waste management activities, see the WMRES nondocket file.

WMRES – Waste Management Contract Research Documents

This file contains interim and final reports and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level waste disposal in geologic repositories, including:

- Periodic contractor progress reports
- Trip reports
- Draft and final reports submitted for NRC review or information

WMRES – Waste Management Contract Research Documents (continued)

- Correspondence between NRC staff and contractors related to technical questions or issues to be resolved

XPORTLIC – Export and Import Licenses

This file contains records relating to the issuance of licenses to export or import nuclear facilities and materials, including:

- License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials
- Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment
- Commission letters requesting Executive Branch (e.g., U.S. Department of State) views
- Review and findings of the Executive Branch on whether issuance of license would be inimical to the common defense and security of the United States
- Correspondence to and from foreign governments, international organizations, and members of the public
- Hearing records and decisions
- Memoranda from the Office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission's decision on issuing a proposed license
- Licenses, license amendments, and license renewals
- Periodic report on export actions

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.7 and the SECY nondocket file.

NRC FORM 335 (2-89) NRCM 1102, 3201, 3202

U.S. NUCLEAR REGULATORY COMMISSION

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER (Assigned by NRC, Add Vol., Supp., Rev., and Addendum Numbers, if any.)

NUREG-0540
Vol. 20, No. 2

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

February 1-28, 1998

3. DATE REPORT PUBLISHED

MONTH	YEAR
April	1998

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Reference

7. PERIOD COVERED *(Inclusive Dates)*

8. PERFORMING ORGANIZATION - NAME AND ADDRESS *(If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)*

Office of the Chief Information Officer
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS *(If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)*

Same as 8, above.

10. SUPPLEMENTARY NOTES

E. B. Morris, NRC Project Manager

11. ABSTRACT *(200 words or less)*

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS *(List words or phrases that will assist researchers in locating the report.)*

title list
NRC Reports
NUREG-Series Reports
docketed material
nondocketed material

13. AVAILABILITY STATEMENT

unlimited

14. SECURITY CLASSIFICATION

(This Page)
unclassified

(This Report)
unclassified

15. NUMBER OF PAGES

16. PRICE

This form was electronically produced by Elite Federal Forms, Inc.