
LIQUID METAL FAST BREEDER REACTORS

A Bibliography

SP-21
TIS-15
TID-3511-236
430



DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Technical Information Center
U. S. Department of Energy

BIBLIOGRAPHIES PUBLISHED BY THE TECHNICAL INFORMATION CENTER

The following bibliographies are available from the National Technical Information Service, U. S. Department of Commerce, Springfield, Virginia 22161.

Carbon Dioxide and Climate: A Bibliography. Oct. 1980. 394 refs. covering July 1, 1976 through Sept. 14, 1980. DOE/TIC-3382. $9.00.

Coal Processing: Gasification, Liquefaction, Desulfurization: A Bibliography, 1930–1974. Oct. 1974. 7441 refs. TID-3349. $13.60.

Coal Processing, Production, and Properties: A Bibliography. Sept. 1976. 6757 refs. TID-3349-S1P1, Citations. $12.50. TID-3349-S1P2, Indexes. $16.25.

Controlled Fusion and Plasma Research. A Literature Search. June 1977. 4723 refs. covering July 1976 through June 1977. TID-3557-S12. $24.00.

Cooling Towers: A Bibliography. Feb. 1980. 426 refs. covering Jan. 1979 through Dec. 1979. DOE/TIC-3360-S4. $9.00.

Electric Batteries: A Bibliography. April 1978. 5422 refs. TID-3361. $21.50.

Energy: Social and Economic Aspects. A Bibliography. July 1980. DOE/TIC-3383. $35.00.

Environmental Studies at the Savannah River Plant and Immediate Environs: A Bibliography. July 1975. 702 refs. TID-3353. $6.00.

Fuel Cells: A Bibliography. June 1977. 3273 refs. covering mid-1960s through 1976. TID-3359. $13.25.

Fuel Cells: A Bibliography. July 1980. 1067 refs. covering 1977 through June 1980. DOE/TIC-3359(Suppl. 1). $14.00.

Gas Cooled Reactor Technology: A Bibliography. May 1978. 1768 refs. covering July 1976 through Dec. 1977. TID-3339-S2. $13.00.

Geothermal Resources: Exploration and Exploitation. July 1976. 5476 refs. TID-3354-R1. $19.00.

Hydrogen Fuels, A Bibliography. Feb. 1976. 4544 refs. covering 1930 through Jan. 1976. TID-3358. $15.00.

Liquid Metal Fast Breeder Reactors. May 1978. 2334 refs. covering Jan. 1977 through Dec. 1977. TID-3333-S5. $15.25.

Liquid Metal Fast Breeder Reactors: A Bibliography. Nov. 1980. 5465 refs. covering Jan. 1978 through Aug. 1980, DOE/TIC-3333(Suppl. 6), Vols. 1 and 2. $50.00.

Low-Level Radiation: Biological Interactions, Risks, and Benefits: A Bibliography. Sept. 1978. 3294 refs. covering July 1976 through Sept. 1978. TID-3373. $21.50.

Magnetohydrodynamics: Power Generation and Theory, A Bibliography. Nov. 1975. 8539 refs. covering 1957 through Oct. 1975. TID-3356. $24.00.

Nuclear Medicine, Bibliography on. Dec. 1976. 4362 refs. covering Jan. 1975 through June 1976. TID-3319-S7. $15.25.

Nuclear Quality Assurance: A Bibliography. Sept. 1978. 375 refs. covering Jan. 1976 through June 1978. TID-3337. $6.00.

Nuclear Raw Materials: A Selected Bibliography. Jan. 1976. 273 refs. TID-3357. $4.00.

Occupational Health Aspects of Uranium: A Selected Bibliography. 716 refs. covering 1948 through 1976. TID-3352. $7.25.

Oil Shales: Selected Bibliography of DOE Sponsored Research. Jan. 1980. 436 refs. DOE/TIC-3378. $10.00.

Oil Shales and Tar Sands: A Bibliography. Dec. 1977. 5049 refs. TID-3367. $21.50.

Radioactive Waste Processing and Disposal. Jan. 1980. 4144 refs. covering June 1976 through Aug. 1978. NUREG-0643 (TID-3311-S8). $24.00.

Radioactive Waste Processing and Disposal. Jan. 1980. 3598 refs. covering Sept. 1978 through Nov. 1979. NUREG-0644 (TID-3311-S9).

Reactor Safety: A Bibliography. Nov. 1980. 3082 refs. covering June 1977 through June 1980. DOE/TIC-3525(Rev. 5)(Suppl. 12). $34.00.

Sodium Technology. August 1977. 1129 refs. covering Jan. 1975 through June 1976. TID-3334-S3. $7.75.

Solar Energy: A Bibliography. Mar. 1976. 9732 refs. TID-3351-R1P1, Citations. $13.75. TID-3351-R1P2, Indexes. $13.00.

Transplutonium Elements, A Bibliography. Jan. 1977. 727 refs. covering Nov. 1975 through June 1976. TID-3317-S7. $7.25.

Available from the National Technical Information Service, U. S. Department of Commerce, Springfield, Virginia 22161.

Price: Paper Copy $50.00 (Vols. 1 & 2)
Microfiche $3.50

Cover schematic: courtesy of Breeder Reactor Corporation

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

R1043

Dr. 2200

DOE/TIC-3333(Suppl.6)(Vol.2)
November 1980
Distribution Category UC-79a–UC-79p

LIQUID METAL FAST BREEDER REACTORS
A Bibliography

ABOUT THE TECHNICAL INFORMATION CENTER

The Technical Information Center, as the national information center for the Department of Energy, manages, publishes, and disseminates scientific, technical, and practical energy information acquired from worldwide sources. It builds and maintains energy information data bases used to prepare abstracting journals, bibliographies, and literature searches. The data bases are also searchable via the Department's on-line retrieval system, DOE/RECON. This information is provided to DOE program offices; contractors; scientists; engineers; educational, commercial, and industrial communities; and the general public. The Technical Information Center conducts an active announcement and marketing program. It establishes policy and administers control of a DOE-publications inventory and registry. TIC also develops and evaluates new and effective information systems and services as required by scientific and technical management within the Department of Energy.

UNITED STATES DEPARTMENT OF ENERGY

Charles W. Duncan, Jr.
Secretary

Ruth M. Davis
Assistant Secretary
Resource Applications

Joseph G. Coyne
Manager
Technical Information Center

Henry D. Raleigh
Editor

About This Bibliography

The Liquid Metal Fast Breeder Reactor (LMFBR) has been under development for more than 30 years as a potential source of electric power production. Since breeder reactors utilize uranium 60 to 70 times more efficiently than light water reactors, they can extend the use of available uranium resources for centuries. Breeders are viewed by many as essential to ensure that nuclear fission will remain a long-term energy source and to reduce dependence on dwindling supplies of fossil fuels. The large number of publications on LMFBR technology attests to the importance placed on its potential for commercial power production.

This bibliography includes 5465 selected citations on LMFBR development. The citations were compiled from the DOE Energy Data Base covering the period January 1978 (EDB File No. 78R1087) through August 1980 (EDB File No. 80C79142). The references are to reports from the Department of Energy and its contractors, reports from other government or private organizations, and journal articles, books, conference papers, and monographs from U. S. originators. These citations and hundreds of additional citations on this subject are available for on-line searching and retrieval from the Technical Information Center's Energy Data Base using the DOE/RECON interactive system.

Report citations are arranged alphanumerically by report number; nonreport literature citations are arranged chronologically. Corporate, Personal Author, Subject, and Report Number Indexes are provided.

DISCLAIMER

This book was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED


Published by the **Technical Information Center**
P. O. Box 62, Oak Ridge, Tennessee 37830


DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

HOW TO USE THIS BIBLIOGRAPHY

ABSTRACTS

The principal elements of abstract entries for a typical research and development report and a typical technical journal article are illustrated below.





INDEXES

Four indexes are provided for approaching the contents of this bibliography. Each index is preceded by an introduction that details the organization of the index and the principles by which it was compiled. The reader is referred to these introductions for information not found in the index examples that follow.

•Corporate Index

Technical report literature is indexed using the name of the organization or institution responsible for the issuance of the report.

The first report cited above is indexed as:

Washington Univ., Seattle (USA)
Gamma heated subassembly for sodium boiling experiments, 1187 (TID–27639)

•Author Index

Each author's name is indexed in the form appearing on the document abstracted, with the exception that given names are reduced to initials:

Arnold, C. Jr., Preliminary evaluation of organics as coolants for LMFBR spent-fuel shipping, 1663
Artus, S.C., Gamma heated subassembly for sodium boiling experiments, 1187 (TID–27639)
Arwas, E.B., *See* Smalley, A.J., 964

•Subject Index

The subject index consisting of entries naming specific materials, objects, and processes is arranged alphabetically. Document titles, informative phrases, or both specific to these entries are arranged alphabetically under the entries.

EBR-2 REACTOR/REACTOR CORES
Observation of a 12-Hz effect in the upper plenum of EBR-II, 1330
EBR-2 REACTOR/REACTOR EXPERIMENTAL FACILITIES
Gamma heated subassembly for sodium boiling experiments, 1187 (TID–27639)
Physics design of an EBR-II fast-transient facility, 1594
EBR-2 REACTOR/REACTOR INSTRUMENTATION
Preliminary results of the upper-plenum acoustic experiment at EBR-II, 1635

•Report Number Index

Technical report literature is also indexed using report numbers. This index includes information on where individual reports may be obtained. Patents and conference papers are indexed here as a matter of convenience.

TID–		
3333-S3	1176	Dep. NTIS, $10.75
3333-S4	1177	Dep. NTIS, $7.50
27313(Vol.A)	1178	AT
27313(Vol.B)	1179	AT
27313(Vol.C)	1180	AT
27313(Vol.D)	1181	AT
27315	1182	Dep. NTIS, $7.75
27435	1183	Dep. NTIS, $4.50
27570	1184	Dep. NTIS, PC A04/MF A01
27575	1185	Dep. NTIS, PC A04/MF A01
27579	1186	Dep. NTIS, PC A09/MF A01
27639	1187	Dep. NTIS, PC A05/MF A01

CONTENTS

ABSTRACTS 1

INDEXES
Corporate . . . . . INDEX 1
Author . . . . . INDEX 33
Subject . . . . . INDEX 109
Report Number . . . . . INDEX 335

JOURNAL TITLES LIST . . . . . APPENDIX 1

CORPORATE INDEX

In the Corporate Index, report literature is indexed using the name of the organization or institution responsible for issuing the report. Headings are provided for all report literature and for published literature for which a corporate approach is especially desirable, e.g., symposium and conference proceedings.

Each entry under a corporate heading gives the report title and the volume and abstract numbers. Report numbers, if applicable, are given in parentheses at the end of the entry.

DOE Energy Information Data Base: Corporate Author Entries (TID-4585) is used in the standardization of corporate entries. TID-4585 is available for purchase from the National Technical Information Service (NTIS), U. S. Department of Commerce, Springfield, Virginia 22161.

A

AEROSPACE CORP., EL SEGUNDO, CA (USA). MATERIALS SCIENCES
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978, 2454 (NUREG/CR--0900)
AEROSPACE CORP., LOS ANGELES, CA (USA). MATERIALS SCIENCE LAB.
Evaluation of materials for CRBRP core retention. Annual progress report, 2382 (NUREG/CR--0076)
AGBABIAN ASSOCIATES, EL SEGUNDO, CA (USA)
Assessment of seismic analysis procedures for LMFBR in-core components, 2803 (SAN--1011-118R)
Correlation of ground response spectra with modified mercalli site intensity. Topical report, 2799 (SAN--1011-113R)
Evaluation of seismic analysis techniques for breeder reactor piping and equipment. Quarterly technical progress report, 2805 (SAN--1011-2v2)
Evaluation of seismic analysis techniques for LMFBR piping and equipment, 2801 (SAN--1011-116)
Seismic design verification of LMFBR structures, 2802 (SAN--1011-117)
Study of vertical ground response spectrum shapes, 2800 (SAN--1011-114)
Test verification of seismic response of LMFBR piping systems. Quarterly technical progress report, 2804 (SAN--1011-2QC)
AIX-MARSEILLE-1 UNIV., 13 - MARSEILLE (FRANCE)
Study of the Na-C-O and Na-H-O ternary systems in the sodium rich corner, 361 (CEA-R--4905)
AKTIEBOLAGET ATOMENERGI, STUDSVIK (SWEDEN)
Neutronics calculations with EQUICYCLE version 3 on two heterogeneous LMFBR concepts, 2899 (STUDSVIK-K2--79/90)
ALLIED CHEMICAL CORP., IDAHO FALLS, ID (USA). IDAHO CHEMICAL PROGRAMS - OPERATIONS OFFICE
Fast reactor fission yields for ^{240}Pu and ^{242}Pu, 1885 (ICP--1050-4)
Second electrolytic dissolution campaign of EBR-II fuel at ICPP, 1887 (ICP--1168)
AMERICAN NUCLEAR SOCIETY, CHICAGO, IL
Fast reactor safety and related physics. Volume IV. Phenomenology, 508 (CONF-761001--P4)
AMERICAN SOCIETY OF MECHANICAL ENGINEERS, NEW YORK
Economical removal of sodium water reaction products (SWRP) from an LMFBR intermediate heat transport system (IHTS), 523 (CONF-761107--28)
AMES LAB., IA (USA)
Electro- and thermotransport of carbon in iron-nickel alloys, 2014 (IS-T--887)
ANALYSIS AND COMPUTER SYSTEMS, INC., BURLINGTON, MA (USA)
Cooperative nuclear data and methods development sixth quarterly report, January--March 1977, 1383 (GEFR--24074-6)
ARGONNE NATIONAL LAB., EVANSTON, IL (USA)
Added mass and damping coefficients for hexagonal tube arrays, 259 (ANL-CT--79-51)
ARGONNE NATIONAL LAB., IDAHO FALLS, ID (USA)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1E, 257 (ANL/EBR--102)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1A, 256 (ANL/EBR--101)
Computerized preventive-maintenance program for EBR-II reactor-associated mechanical and power-electrical components, 264 (ANL/EBR--071)
Data-processing system for instrument maintenance and calibration at EBR-II, 253 (ANL/EBR--063)
Design and operating experience of EBR-II intermediate heat exchanger, 847 (CONF-791205--18)
EBR-II: summary of operating experience, 690 (CONF-780963--1)
Experimental studies of large conventional LMFBR cores at ZPPR, 3044 (ZPR-TM--349)
Fast reactor operation in the United States, 673 (CONF-780407--6)
LMFBR operational safety: the EBR-II experience, 728 (CONF-781022--30)
Reliability analysis applied to the SRM earthquake shutdown system (ESS), 258 (ANL/EBR--103)
Training experience at Experimental Breeder Reactor II, 691 (CONF-780963--2)
ARGONNE NATIONAL LAB., IL (USA)
Accurate numerical solutions for elastic-plastic models, 163 (ANL--80-31)
Acoustic measurements of the boiling stability tests on THORS sodium loop, 602 (CONF-771023--22)
Acoustic radiation and scattering from a group of circular cylinders, 241 (ANL-CT--79-32)
Acoustics and voiding dynamics during SLSF simulations of LMFBR undercooling transients, 749 (CONF-781202--26)
Advanced carbide/nitride fuels program. Quarterly progress report for the period July--September 1977, 180 (ANL-AFP--40)
Advanced Fuels Development Program. Quarterly progress report, October--December 1977, 183 (ANL-AFP--47)
Advanced fuels development program. Quarterly progress report, January--March 1978, 184 (ANL-AFP--51)
Advanced fuels development program. Quarterly progress report, July-September 1978, 186 (ANL-AFP--59)
Advanced fuels development program. Quarterly progress report, April-June 1978, 185 (ANL-AFP--55)
Advanced fuels development program. Quarterly progress report, October-December 1978, 187 (ANL-AFP--63)
Advanced Fuels Program. Quarterly progress report for the period, July--September 1974, 167 (ANL-AFP--1)
Advanced fuels program. Quarterly progress report, January--March 1976, 169 (ANL-AFP--28)
Advanced fuels program. Quarterly progress report, April--June 1976, 170 (ANL-AFP--29)
Advanced fuels program. Quarterly progress report, July--September 1976, 174 (ANL-AFP--33)
Advanced fuels program. Quarterly progress report, October--December 1977, 175 (ANL-AFP--34)
Advanced fuels program. Quarterly progress report for the period April--June 1977, 179 (ANL-AFP--39)
Advanced fuels program. Quarterly progress report, January--March 1977, 176 (ANL-AFP--35)
ALICE: a hybrid Lagrangian-Eulerian code for calculating fluid-structure interaction transients in fast-reactor containment, 157 (ANL--79-72)
Alternative fuel cycle options: performance characteristics and impact on nuclear power growth potential, 66 (ANL--77-70)
Analysis of a prototypic and a simulant-experiment related to freezing in flow channels, 1018 (DOE/TIC--10100)
Analysis of EBR-II blanket dosimetry, 833 (CONF-791051--16)
Analysis of EBR-II low-power dosimetry run 78C, 70 (ANL--77-76)
Analysis of hypothetical LMFBR whole-core accidents in the USA, 729 (CONF-781022--31)
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 552 (CONF-770807--53)
Analysis of nonlinear fluid structure interaction transient in fast reactors, 146 (ANL--78-103)
Analysis of TREAT Tests L7 and L8 with SAS3D, LEVITATE and PLUTO2, 1020 (DOE/TIC--10102)
Analysis of TREAT transient overpower experiments using the PLUTO2 codes, 1019 (DOE/TIC--10101)
Analytical study of the feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 116 (ANL--78-17)
Apparatus for testing smooth and ribbed tubing with pulsed eddy currents, 62 (ANL--77-53)
Apperatus to simulate nuclear heating in advanced fuels, 168 (ANL-AFP--22)
Application of an LP model to breeder strategy studies, 770 (CONF-790402--20)
Application of containment codes to LMFBRs in the United

States, 592 (CONF-770817--4)
Application of the pulsed-neutron activation technique for flow measurement at EBR-II, 61 (ANL--77-52)
Approximations of gamma cross sections for fast nuclear reactors, 75 (ANL--77-88)
ARC System fuel cycle analysis capability, REBUS-2, 165 (ANL--7721)
Assessment of accident energetics in LMFBR core-disruptive accidents, 591 (CONF-770817--3)
Assessment of nuclear data files via benchmark calculations: a report on the NEACRP/IAEA international comparison calculation of a large LMFBR, 667 (CONF-780401--11)
Assessment of the performance of a conceptual acoustic surveillance system for anomalous events in LMFBRs, 601 (CONF-771023--13)
Bibliography of publications on Experimental Breeder Reactor No. II (EBR-II). 1955-July 1979, 260 (ANL/EBR--106)
Bilinear cyclic stress--strain analysis for Incoloy 800, 69 (ANL--77-74)
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs: a preliminary report. Part I. Assumptions, constraints and methodology, 171 (ANL-AFP--30)
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs. Part IV: Impact of a pressure drop constraint on breeding performance and pin diameter optimization in 5000 MWt LMFBRs using sodium bonded carbide fuels, 172 (ANL-AFP--31)
Bubble dynamics in a superheated liquid, 53 (ANL--77-20)
Catalog of rod-drop data from EBR-II runs 67-87, 164 (ANL--7542(Add.C))
Characterization of the temperature fluctuations generated in a thermal mixing tee (sodium versus water behavior), 199 (ANL-CT--78-2)
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
CHF-induced thermal oscillations measured in an LMFBR steam generator tube wall, 198 (ANL-CT--78-1)
Cladding failure by local plastic instability, 80 (ANL--77-95)
Combined motion of fuel and coolant due to fuel-coolant interactions under high ramp rate reactivity insertion, 132 (ANL--78-69)
COMMIX-1: a three-dimensional transient single-phase component computer program for thermal-hydraulic analysis, 2435 (NUREG/CR--0785)
Comparative transient analysis of metal and oxide fueled LMFBR, 251 (ANL-CT--80-1)
Comparison and verification of the core restraint codes NUBOW-2D, NUBOW-3D, and PARABOW: Level II, 209 (ANL-CT--78-13)
Comparison between physics parameters in conventional and heterogeneous LMFBRs using results from ZPPR, 672 (CONF-780401--20)
Comparison of a fission-gas effects in a transient overpower test (HUT 5-7A) to FRAS3 code predictions, 1605 (HEDL-SA--1725-FP)
Comparison of carbide and oxide fuel-coolant interactions resulting from overpower transients, 181 (ANL-AFP--41)
Comparison of transient PCRV model test results with analysis, 787 (CONF-790802--49)
Comparisons of BEXCO code predictions with SRI SM-2 experimental results, 792 (CONF-790802--56)
Comparisons of sodium void and Doppler reactivities in large oxide and carbide LMFBRs, 125 (ANL--78-41)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1E, 257 (ANL/EBR--102)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 7A, 259 (ANL/EBR--104)
Compilation of fatigue data for Incoloy 800 alloys, 268 (ANL/MSD--78-3)
Computation of the weight function from a stress intensity factor, 72 (ANL--77-82)
Computational results for a 7-pin hexagonal fuel assembly during a flow rundown transient using the COMMIX-1A computer code, 2471 (NUREG/CR--1285)
Computer simulation of LMFBR piping systems, 545 (CONF-770807--45)
Computerized preventive-maintenance program for EBR-II reactor-associated mechanical and power-electrical components, 254 (ANL/EBR--071)
Computing the effect of plastic deformation of piping on pressure transient propagation, 616 (CONF-771120--20)
Conclusions drawn from subcritical multiplication results in ZPPR, 668 (CONF-780401--12)
Control of oxygen, hydrogen, and tritium in sodium systems at Experimental Breeder Reactor II, 2944 (UAC--41069)
Cooling of a simulated EBR-II subassembly with air and argon, 255 (ANL/EBR--100)
Core debris behavior and interactions with concrete, 593 (CONF-770817--5)
Core design and optimization of high performance low sodium void 1000 MWe heterogeneous oxide LMFBR cores, 1884 (IAEA-SM--244/66)
Core restraint performance of large heterogeneous reference cores, 178 (ANL-AFP--37)
CORTRAN code for temperature predictions in an LMFBR during a natural circulation transient, 2756 (PNL-SA--7521)
Coupled hydrodynamic-structural analysis of an integral flowing sodium test loop in the TREAT reactor, 794 (CONF-790802--61)
Coupled hydrodynamic-structural response analysis of piping systems, 76 (ANL--77-91)
Coupled shell-side and tube-side heat transfer model for heat exchangers, 224 (ANL-CT--78-34)
CRBRP flow induced vibration program, 597 (CONF-770933--1)
Creep-fatigue life prediction for different heats of Type 304 stainless steel by linear-damage rule, strain-range partitioning method, and damage-rate approach, 130 (ANL--78-59)
Critical experimental study of integral physics parameters in simulated LMFBR meltdown cores, 727 (CONF-781022--28)
Critical heat flux data with stress calculations in an LMFBR steam generator tube, 220 (ANL-CT--78-27)
Critical heat flux measurements with sodium heating and low water flowrate, 225 (ANL-CT--78-39)
Critical heat flux tests at low water flow and 7.3 MPa: interim report, 206 (ANL-CT--78-10)
Critique of the PLBR Phase A Guidelines. Final report, 1099 (EPRI-NP--915)
Cumulative damage fraction design approach for LMFBR metallic fuel elements, 800 (CONF-790802--69)
Current status of fast reactor physics, 865 (CONF-7910112--2)
Cyclic-deformation resistance of weld-deposited Type 16-8-2 stainless steel at 593°C, 67 (ANL--77-72)
Data and analyses for Inconel X750 springs irradiated in SURV-1, -3, -4, -5, and -6, 51 (ANL--77-11)
Data-processing system for instrument maintenance and calibration at EBR-II, 253 (ANL/EBR--063)
Design and fabrication of the EBR-II environmental instrumented subassembly: Test XX07, 49 (ANL--76-78)
Design and operating experience of EBR-II intermediate heat exchanger, 847 (CONF-791205--18)
Development of a finite-strain fuel-element model, 542 (CONF-770807--41)
Development of a methodology for analysis of delayed-neutron signals, 154 (ANL--79-57)
Development of a Mk-II loop to simulate reactor hydraulic conditions, 149 (ANL--79-7)
Development of LIFE4-CN: a combined code for steady-state and transient analyses of advanced LMFBR fuels, 828 (CONF-790884--2)
Disposal of radioactive sodium waste, 139 (ANL--78-87)
Dynamic instability analysis of axisymmetric shells by finite element method with convected coordinates, 536 (CONF-770807--34)
Dynamic response of circular tubes subjected to liquid cross flow, 235 (ANL-CT--79-06)
Dynamic response of cracked hexagonal subassembly ducts, 788 (CONF-790802--50)
EBR-II Breached Fuel Test Facility, 824 (CONF-790816--58)
EBR-II cover-gas cleanup system, 674 (CONF-780407--7)
EBR-II environmental instrumented subassembly XX08: engineering and assembly, 83 (ANL--78-9)
EBR-II experience with sodium cleaning and radioactivity decontamination, 645 (CONF-780232--1)
EBR-II fission-product-source Test No. 1. EBR-II project, 129 (ANL--78-58)
EBR-II operating experience, 1040 (DOE/TIC--11162)
EBR-II Project: Run 101, April 16, 1979-June 25, 1979, 1044 (DOE/TIC--11166)
EBR-II Project: Run 103, August 20, 1979-October 6, 1979, 1046 (DOE/TIC--11168)
EBR-II Project: Run 99, January 3, 1979-February 22, 1979, 1042 (DOE/TIC--11164)
EBR-II Project: Run 100, March 4 1979-April 15, 1979, 1041 (DOE/TIC--11163)
EBR-II Project: Run 104, October 7, 1979-December 3, 1979, 1043 (DOE/TIC--11165)
EBR-II Project: Run 102, June 25, 1979-August 20, 1979, 1045 (DOE/TIC--11167)
Effect of high external thermal loading on LMFBR subassembly integrity, 540 (CONF-770807--39)
Effect of sodium environment on the creep-rupture and low-cycle fatigue behavior of austenitic stainless steels, 607 (CONF-771052--3)
Effect of tube-support interaction on the dynamic responses of heat exchanger tubes, 550 (CONF-770807--51)
Effects of gap sizes on stresses and deflections of a fuel element, 793 (CONF-790802--59)
Effects of notches on elevated-temperature, low-cycle fatigue behavior of Type 304 stainless steel, 748 (CONF-781202--25)
Efficacy of the EBR-II FERD system as an automatic trip device, 50 (ANL--76-94)
Electrochemical oxygen meters: state-of-the-art, March 1977, 193 (ANL-CT--77-33)
Engineering analysis of mixed carbide fuels for large breeder reactors, 182 (ANL-AFP--46)
ERB-II operating experience, 595 (CONF-770822--6)
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 553 (CONF-770807--54)
Eulerian method for large-displacement fluid-structure interaction in reactor containments, 628 (CONF-771120--23)
Evaluation and interpretation of the ANL-microphone data from the cavitation tests of the FFTF primary pump at LMEC--SPTF, 252 (ANL/CT/DA--1666)
Evaluation of Lagrangian, Eulerian, and arbitrary

Lagrangian-Eulerian methods for fluid-structure interaction problems in HCDA analysis, 791 (CONF-790802--55)
Examination and evaluation of in-reactor fracture of shroud tubes in mixed-oxide-fuel experiment X159, 48 (ANL--76-44)
Experimental studies of 350 Mw(e) heterogeneous LMFBR cores at ZPPR, 3043 (ZPR-TM--348)
Experimental study of the transition from forced to natural circulation in EBR-II at low power and flow, 805 (CONF-790608--18)
Experimental validation of PTA-1 computer code for pressure-transient analysis including the effect of pipe plasticity, 124 (ANL--78-38)
Experiments on cold trap regeneration by NaH decomposition, 1030 (DOE/TIC--11039)
Experiments on fluidelastic instability in tube banks subject to liquid cross flow. Part II. Mixed arrays, 245 (ANL-CT--79-45)
Experiments on fluidelastic instability in tube banks subject to liquid cross flow. Part I. Rectangular arrays, 225 (ANL-CT--78-44)
Extension of HCDA safety analysis to large PCRV containment structures, 548 (CONF-770807--49)
FI Phenomenological Test on fuel motion: final report, 126 (ANL--78-50)
Failure of a high-power pin in a simulated $3/s TOP accident: Test 26 final report, 135 (ANL--78-73)
FIC: a finite element code for calculating added mass and damping coefficients. User's manual, 246 (ANL-CT--79-46)
Final report and design guide for cavitation-free LMFBR hydraulic components, 203 (ANL-CT--78-7)
Final report of fuel dynamics Test E7, 54 (ANL--77-25)
Final report on TREAT Test R3, a single-pin loss-of-flow experiment, 63 (ANL--77-54)
Final safety analysis addenda to hazards summary report, Experimental Breeder Reactor II (EBR-II): upgrading of plant protection system. Volume I, 47 (ANL--76-34)
Final safety analysis addendum to hazard summary report, experimental breeder reactor No. II (EBR-II): the EBR-II cover-gas cleanup system, 140 (ANL--78-89)
Finite element method in nonlinear dynamic analysis of axisymmetric shells: theory and computer program, 189 (ANL-CT--77-23)
Finite-element code for computing added mass coefficients, 227 (ANL-CT--78-42)
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin reactor structures, 549 (CONF-770807--50)
Finite-element method for above-core structures, 162 (ANL--79-104)
Finite-element solution of added mass and damping of oscillating rods in viscous fluids, 216 (ANL-CT--78-22)
First mechanized in-service inspection of EBR-II steam generator, 59 (ANL--77-46)
Fission-product releases to the primary system of EBR-II from April 1975 to March 1977, 152 (ANL--79-26)
Fission-product releases to the primary system of EBR-II from April 1977 to May 1978, 153 (ANL--79-27)
Flow orificing of large LMFBR cores with interassembly heat transfer, 532 (CONF-770611--38)
Fluctuation analysis of fast reactor safety experiments in treat, 145 (ANL--78-102)
Fluid forces on rods vibrating in finite length annular regions, 232 (ANL-CT--79-3)
Fluid-structure interaction analysis of a deck structure during a HCDA, 804 (CONF-790802--70)
Fracture experiments with cracked and embrittled hexcan sections, 789 (CONF-790802--51)
FRESS pin failure model and its application to E-8 TREAT test, 1017 (DOE/TIC--10099)
FTMOC-2D: a computer program for two-dimensional fluid-transient analysis by the method of characteristics, 219 (ANL-CT--78-26)
Fuel and coolant motions following pin failure: EPIC models and the PBE-58 experiment, 759 (CONF-790361--1)
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
FX2-TH: a two-dimensional nuclear reactor kinetics code with thermal-hydraulic feedback, 142 (ANL--78-97)
GE/CRBRP/IHTS mixing tee model perforated plate vibration test (in support of GE/CRBRP:DRS 51.32). Final report, 202 (ANL-CT--78-6)
Generic considerations of LMFBR hypothetical accident energetics, 725 (CONF-781022--25)
High-temperature shear-mode transducers for LMFBR ultrasonic flowmeters, 188 (ANL-CT--77-6)
Hodoscope performance tests on a 91-pin fuel bundle at PARKA, 732 (CONF-781033--9)
Hydrodynamic forces on a group of tubes subjected to crossflow, 228 (ANL-CT--78-43)
Icepel analysis of and comparison with simple elastic--plastic piping experiments, 148 (ANL--78-105)
Impact of advanced systems on LMFBR accident analysis code development, 829 (CONF-790902--3)
Influence of heterogeneous core geometry upon outlet plenum mixing, 204 (ANL-CT--78-8)
Initial considerations on the influence of thermal buoyancy on heat exchanger performance (relevant geometric, operational, thermal-hydraulic phenomena and modelling considerations), 230 (ANL-CT--78-47)
Interim ultrasonic sodium flow measurements on the EBR-II secondary system, 217 (ANL-CT--78-23)
Investigations of materials compatibility relevant to the EBR-II system: FY 1977 and the transition period, 73 (ANL--77-86)
Investigations of materials compatibility relevant to the EBR-II system, FY 1978, 147 (ANL--78-104)
Laser microsampling method for determination of retained fission gas in irradiated nuclear fuels, 159 (ANL--79-86)
Life: III fuel-element performance code, 1132 (ERDA--77-56)
LIMBO computer code for analyzing coolant-voiding dynamics in LMFBR safety tests, 161 (ANL--79-91)
Liquid metal fast breeder reactor safety: an overview including implications of alternate fuel cycles, 617 (CONF-771120--22)
Liquid-liquid contact in vapor explosion, 141 (ANL--78-92)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
Loss-of-flow test L5 on FFTF-type irradiated fuel, 118 (ANL--78-24)
Low sodium void cores, 730 (CONF-781022--32)
Measurement and correlation of critical heat flux in a sodium heated steam generator tube, 213 (ANL-CT--78-15)
Measurement of liquid sodium flow in the secondary system of the EBR-II by a neutron activation technique, 190 (ANL-CT--77-25)
Measurement of the acoustic noise backgound in the Experimental Breeder Reactor II, upper plenum, 191 (ANL-CT--77-29)
Measurement of the sound produced during steam injections into sodium, 201 (ANL-CT--78-5)
Mechanical properties test program on structural materials in a sodium environment, 155 (ANL--79-63)
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 543 (CONF-770807--43)
Metallographic and fractographic observations of posttest creep-fatigue specimens of weld-deposited Type 308 CRE stainless steel, 136 (ANL--78-74)
Mixed oxide run-beyond-cladding-breach tests in EBR-II, 1556 (HEDL-SA--1536-FP)
Mixing in a pool-type PLBR after a scram, 243 (ANL-CT--79-36)
Mixing studies for geometric variations of the CRBR outlet plenum, 231 (ANL-CT--79-1)
Model for turbulent momentum and heat transport in large rod bundles, 68 (ANL--77-73)
Model to simulate the fission-product transport process in the Experimental Breeder Reactor II, 841 (CONF-791108--21)
Molten core debris-sodium interactions: M-Series experiments, 825 (CONF-790816--59)
Multichannel clad-relocation model for fast-reactor loss-of-flow accidents, 158 (ANL--79-73)
Neutron and gamma transport effects by heterogeneous core designs, 528 (CONF-770611--34)
Neutron induced current pulses in fission chambers, 210 (ANL-CT--78-14)
Nodal method for fast reactor analysis, 769 (CONF-790402--19)
Nodal method for solving transient fewgroup neutron diffusion equations, 127 (ANL--78-51)
NUBOW-2D inelastic: a FORTRAN program for static two-dimensional structural analysis of bowed reactor cores, including effects of irradiation creep and swelling, 194 (ANL-CT--77-34)
NUBOW-3D (inelastic): a FORTRAN program for the static three-dimensional structural analysis of bowed reactor cores including the effects of irradiation creep and swelling, 213 (ANL-CT--78-19)
Nuclear data sensitivity coefficients for A (^{233}U-^{232}Th) fueled LMFBR, 670 (CONF-780401--15)
Numerical method for solution of transient, homogeneous, equilibrium, two-phase flows in one space dimension, 156 (ANL--79-70)
Numerical results for a hexagonal fuel assembly with a planar blockage using the COMMIX-1A computer code, 2415 (NUREG/CR--0483)
Numerical results obtained from the three dimensional transient single phase version of the COMMIX computer code, 200 (ANL-CT--78-3)
Numerical thermal mixing in Eulerian calculations of coupled thermo/hydrodynamic motions, 2419 (NUREG/CR--0594)
Operating limits for subassembly deformation in EBR-II, 594 (CONF-770822--5)
Operational-safety-testing experience at EBR-II, 822 (CONF-790816--55)
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Design and performance of reference cores. Research project 620-25, 1101 (EPRI-NP--1000(Vol.1))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendixes A and B. Research project 620-25, 1102 (EPRI-NP--1000(Vol.2))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendixes D and E. Research project 620-25, 1104 (EPRI-NP--1000(Vol.4))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendix C. Research project 620-25, 1103 (EPRI-NP--1000(Vol.3))
Outlet plenum mixing for transient overpower conditions of a one-exit nozzle LMFBR, 221 (ANL-CT--78-30)
Overview of core disruptive accidents, 590 (CONF-770817--2)
Parametric investigation of fracture of EBR-II ducts, 539 (CONF-770807--39)

Performance of EBR-II MARK-II metallic driver fuel up to 675°C, 757 (CONF-790306--5)
Performance of U--Pu--Zr metal fuel in 1000 MWe LMFBRs, 758 (CONF-790306--16)
Physics aspects in the design of heterogeneous cores, 669 (CONF-780401--13)
Physics calculations for the Clinch River Breeder Reactor, 55 (ANL--77-27)
Physics of reactor safety. Quarterly report, April--June 1977, 65 (ANL--77-69)
Physics of reactor safety. Quarterly report, April-June 1979, 2462 (NUREG/CR--1096)
Physics of reactor safety. Quarterly report, April--June 1978, 2413 (NUREG/CR--0477)
Physics of reactor safety. Quarterly report, January--March 1977, 60 (ANL--77-48)
Physics of reactor safety. Quarterly report, January--March 1979, 2448 (NUREG/CR--0864)
Physics of reactor safety. Quarterly report, January--March 1978, 2388 (NUREG/CR--0148)
Physics of reactor safety. Quarterly report, July--September 1977, 77 (ANL--77-92)
Physics of reactor safety. Quarterly report, July-September 1979, 2470 (NUREG/CR--1252)
Physics of reactor safety. Quarterly report, July--September 1978, 2422 (NUREG/CR--0653)
Physics of reactor safety. Quarterly report, October--December 1977, 117 (ANL--78-23)
Physics of reactor safety. Quarterly report, October--December 1978, 2432 (NUREG/CR--0759)
Pin diameter optimization in 1200 MWe heterogeneous vs. homogeneous LMFBRs, 531 (CONF-770611--37)
Plane-strain stress intensity factors for cracked hexagonal subassembly ducts, 71 (ANL--77-77)
PLENUM-2: a two-region outlet plenum model, 212 (ANL-CT--78-16)
PLENUM-2A: a program for transient analysis of LMFBR outlet plenums, 239 (ANL-CT--79-17)
Post-CHF heat transfer and transition boiling characteristics in an LMFBR steam generator tube, 237 (ANL-CT--79-14)
Potential and limitation of the heterogeneous reactor concept, 529 (CONF-770611--35)
Potential of large heterogeneous reactors, 620 (CONF-771123--2)
Preliminary comparative assessment of land use for the satellite power system (SPS) and alternative electric energy technologies, 1001 (DOE/ER--0054)
Preliminary study of fluid effects on reactor core seismic response, 247 (ANL-CT--79-47)
Preliminary test plan for seismic feature tests, 234 (ANL-CT--79-5)
Pressure transient analysis in piping systems including the effects of plastic deformation and cavitation, 218 (ANL-CT--78-24)
Pretest prediction of the W-1 SLSF experiment using the COMMIX-1A computer code, 2443 (NUREG/CR--0816)
Proof tests of irradiated and unirradiated EBR-II subassembly ducts, 544 (CONF-770807--44)
PROSA-1: a probabilistic response-surface analysis code, 128 (ANL--78-56)
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity, 554 (CONF-770807--55)
PTAC: a computer program for pressure-transient analysis, including the effects of cavitation, 82 (ANL--78-4)
PTA-1-RD: a computer program for analysis of pressure transients in hydraulic networks including the effects of noninstantaneous rupture discs, 222 (ANL-CT--78-32)
Quasi-Eulerian method for analyzing slug impact and coolant spillage in a fast-reactor accident, 160 (ANL--79-69)
Radioactive waste management at a Liquid Metal Fast Breeder Reactor, 766 (CONF-790374--1)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Reactor development program. Progress report, 287 (ANL-RDP--79)
Reactor development program. Progress report, 290 (ANL-RDP--82)
Reactor development program. Progress report, 292 (ANL-RDP--84)
Reactor development program. Progress report, 291 (ANL-RDP--83)
Reactor Development Program. Progress report, 283 (ANL-RDP--75)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progress report, August 1979, 294 (ANL-RDP--86)
Reactor Development Program. Progress report, December 1978, 286 (ANL-RDP--78)
Reactor development program. Progress report, July 1979, 293 (ANL-RDP--85)
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program. Progress report, October 1978, 284 (ANL-RDP--76)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program progress report, August 1978, 282 (ANL-RDP--74)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor Development Program progress report, February 1979, 288 (ANL-RDP--80)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program progress report, July 1978, 281 (ANL-RDP--73)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program progress report, March 1979, 289 (ANL-RDP--81)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, November 1978, 285 (ANL-RDP--77)
Recent work on sodium-cooled reactor purification systems, 1519 (HEDL-SA--1446)
Release of bubbles from small leaks at steam generator tubesheet welds, 214 (ANL-CT--78-20)
Reliability analysis applied to the SRM earthquake shutdown system (ESS), 258 (ANL/EBR--103)
Response matrix method for large LMFBR analysis, 177 (ANL-AFP--36)
Response of EBR-II to a complete loss of primary forced flow during power operation, 850 (CONF-800226--6)
Response of EBR-II to reactivity insertion, 46 (ANL--75-41)
Response of subassembly model with internals, 546 (CONF-770807--46)
Results from the testing of a TCF DC-14B and the ORNL FC-3 fission counter-chambers in the EBR-II NITF at temperatures up to 546°C. EBR-II run 82 (May 1976)--Run 89 (August 1977), 196 (ANL-CT--77-37)
Results of UO_2 diagnostic tests for run beyond cladding breach in EBR-II, 143 (ANL--78-99)
Review on fluid forces on circular cylinders in cross flow, 238 (ANL-CT--79-16)
Rod-bundle thermal-hydraulic analysis using boundary-fitted coordinate system, 2374 (NUREG/CR--0001)
Role of bubble-size equilibration in the transient behavior of fission gas, 123 (ANL--78-36)
SAS3A calculations for forced convection sodium boiling at low power, 2852 (SAND--78-0236C)
SAS3D analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 838 (CONF-791103--92)
Scale modeling of finite length fluid annular gaps for flow-induced vibration testing, 244 (ANL-CT--79-40)
SCRAP: input, output, and source listings, 248 (ANL-CT--79-48)
SCRAP: theory and modeling considerations, 249 (ANL-CT--79-49)
Second mechanized in-service inspection of EBR-II steam generator, 138 (ANL--78-86)
Sensitivity of power peaking analysis to large reactor core modeling, 173 (ANL-AFP--32)
Sensitivity of the power distribution in large heterogeneous LMFBR designs, 527 (CONF-770611--31)
Signal analysis method using cross-correlation of turbulence flow signals to determine calibration of permanent magnet sodium flowmeters, 603 (CONF-771023--23)
Simulation of a thermohydraulic transient in a pipe using the COMMIX-1A computer code, 2473 (NUREG/CR--1323)
Simulation of LMFBR excursion models by means of ICECO, 551 (CONF-770807--52)
SLSF loop handling system. Volume I. Structural analysis, 261 (ANL/ENG--79-05)
SLSF loop handling system. Volume III. AISC code evaluations and analysis of critical attachments, 263 (ANL/ENG--79-07)
SLSF loop handling system. Volume IV. Analysis verifications and supporting appendices, 264 (ANL/ENG--79-08)
SLSF loop hanlding system. Volume II. Cradle analysis for normal and accidental loading, 262 (ANL/ENG--79-06)
Sodium fire and containment leakage, 2001 (INIS-mf--4960)
Sodium flow calibration using a pulsed neutron activation technique on a 400mm (16 inch) pipe at LMEC, 205 (ANL-CT--78-9)
Sodium hydride precipitation in sodium cold traps, 1029 (DOE/TIC--11038)
Software development for the Mixing Components Test Facility, 236 (ANL-CT--79-11)
Some results from the testing of a high temperature fission counter-chamber in the EBR-II J-2 thimble of the Nuclear Instrument Test Facilities (NITF), 676 (CONF-780469--1)
Statistical study of EBR-II fuel elements manufactured by the cold line at Argonne-West and by Atomics International, 64 (ANL--77-66)
Structural and containment response to LMFBR accidents, 726 (CONF-781022--27)
Structural dynamics in LMFBR containment analysis: a brief survey of computational methods and codes, 538 (CONF-770807--37)
Structural formulation for upper internals of LMFBR, 799 (CONF-790802--68)
Structural response of large LMFBR head closures to

hypothetical core disruptive accidents, 547 (CONF-770807--47)
Studies related to emergency decay heat removal in EBR-II, 823 (CONF-790816--57)
Studies related to protected loss of flow accidents in a fast breeder reactor, 843 (CONF-791204--29)
Study of basic approaches to the design of the primary system of loop-type LMFBRs, 166 (ANL/A--78-3)
Study of piping configurations, 265 (ANL/ENG--80-02)
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 765 (CONF-790370--1)
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 796 (CONF-790802--63)
Study of the transient correction factor used in TREAT reactor in-pile experiments, 121 (ANL--78-31)
Subassembly bowing experience in EBR-II, 537 (CONF-770807--35)
Summary, analysis, and comparison of data from experiments with the EBR-II Mark IIB oscillator rod, 74 (ANL--77-87)
Summary and evaluation of fuel dynamics transient-overpower experiments: status 1974, 58 (ANL--77-44)
Summary and evaluation of transient test data on extended fuel motion resulting from unprotected loss of flow, 56 (ANL--77-40)
Summary of test results from the testing of a Westinghouse Model WX-30950 compensated ionization chamber in the EBR-II NITF 0-1 Thimble at temperatures up to 370°C (Experiment NI-3), 197 (ANL-CT--77-38)
Summary of treat experiments on oxide core-disruptive accidents, 150 (ANL--79-13)
SWAAM prediction of LLTR Series-II A-1a Test, 242 (ANL-CT--79-35)
Systematic approach for constructing low sodium void heterogeneous cores, 530 (CONF-770611--36)
Temperatures of EBR-II subassemblies in air or argon without forced cooling, 806 (CONF-790808--19)
Temperature-sensitive orifice: a pre-test report, 208 (ANL-CT--78-12)
Test E3 on high-energy transient meltdown of irradiated UO_2 in a TREAT Mark-II loop, 79 (ANL--77-94)
Testing of steam generator leak detectors on the high pressure test loop: interim report, 240 (ANL-CT--79-18)
Theory and application of a quasi-Eulerian fluid element for the STRAW code, 144 (ANL--78-100)
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 541 (CONF-770807--40)
Thermal and thermal stress analysis of a pool type LMFBR deck structure, 786 (CONF-790802--48)
Thermal buoyancy phenomena in a horizontal pipe during a flow coast-down thermal-hydraulic transient (scoping studies), 192 (ANL-CT--77-31)
Thermal interactions of a molten core debris pool with surrounding structural materials, 827 (CONF-790816--61)
Thermal-hydraulics design guide for an Advanced Design Thermal Mixer (including development/testing details), 233 (ANL-CT--79-4)
Thermodynamic theory of cavitation nuclei in dilute liquid-gas solutions, 223 (ANL-CT--78-33)
Thermohydraulic and thermal stress aspects of a porous blockage in an LMFBR fuel assembly, 795 (CONF-790802--62)
THI3D-1: a computer program for steady-state thermal-hydraulic multichannel analysis, 52 (ANL--77-15)
Three-dimensional finite element formulation for fluid-structure interaction, 797 (CONF-790802--65)
Three-dimensional finite-element computations of the transient response of components typical of a reactor structure, 790 (CONF-790802--52)
Three-dimensional fluid-structure interaction dynamics of a pool-reactor in-tank component, 798 (CONF-790802--67)
Transient analysis of LMFBR reinforced/prestressed concrete containment, 802 (CONF-790802--73)
Transient energy transfer by conduction and radiation for a sudden contact between molten UO_2 and sodium, 122 (ANL--78-34)
Transient heat transfer in concrete, 734 (CONF-781079--4)
Transient-overpower test E8 on FFTF-type low-power-irradiated fuel, 78 (ANL--77-93)
Tritium and hydrogen transport in LMFBR systems: EBR-II, CRBR, and FFTF, 131 (ANL--78-64)
Tritium meters for use in LMFBR sodium coolant, 120 (ANL--78-30)
UK/USA core restraint exchange study NUBOW-3D results, 226 (ANL-CT--78-40)
Ultrasonic scanner for stainless steel weld inspections, 137 (ANL--78-84)
User's manual for finite-element computer code, CREEP-PLAST, 215 (ANL-CT--78-21)
Validation of the computer program PTA-1-RD, 195 (ANL-CT--77-35)
Vapor-explosion experiments with subcooled Freon, 57 (ANL--77-43)
VENUS-III two-dimensional multi-component thermal hydraulic techniques, 768 (CONF-790402--18)
Vibration studies of perforated plates on CRBRP mixing tee model, 678 (CONF-780622--15)
Vibro-impact responses of a tube with tube--baffle interaction, 207 (ANL-CT--78-11)
Viscosity of molten alumina, 119 (ANL--78-28)
Waste production and management at EBR-II, 151 (ANL--79-14)

ARIZONA UNIV., TUCSON (USA)
Performance considerations of nuclear reactor actinide recycle as a waste management alternative, 3926

ARIZONA UNIV., TUCSON (USA). COLL. OF ENGINEERING
Parameter sensitivity study in the dynamic simulation of a sodium cooled breeder reactor power plant, 2380 (NUREG/CR--0016)

ARIZONA UNIV., TUCSON (USA). DEPT. OF NUCLEAR ENGINEERING
BRENDA: a dynamic simulator for a sodium-cooled fast reactor power plant, 2393 (NUREG/CR--0244)
Comparison of piping models for digital power plant simulators, 2454 (NUREG/CR--0951)

ATOMIC ENERGY BOARD, PELINDABA, PRETORIA (SOUTH AFRICA)
Development of accurate data for the design of fast reactors, 2705 (PEL--250)

ATOMICS INTERNATIONAL, CANOGA PARK, CA (USA)
Modular Steam Generator test report: post-performance test disassembly and examination, 2936 (TR--097-330-009)

ATOMICS INTERNATIONAL DIV., CANOGA PARK, CA (USA)
AI selection of single wall over double wall LMFBR steam generators, 2924 (TID--28710)
Annual technical progress report: reactor safety, Government fiscal year 1978, 1145 (ESG-DOE--13254)
Cold trap requirements for PHTS and IHTS sodium purification, 1031 (DOE/TIC--11040)
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, January--March 1979, 1155 (ESG-DOE--13273)
Cover gas seal components and sodium component development programs. Quarterly technical progress report, January--March 1978, 35 (AI-DOE--13232)
CRBRP advanced fuel reload core design studies. Summary report, 33 (AI-DOE--13228)
CRBRP decay heat removal systems, 639 (CONF-771217--6)
CRBRP design and test results for fuel handling systems, plugs, and seals, 634 (CONF-771217--1)
Decontamination of LMFBR components, 25 (AI-DOE--13218)
Design and development of the CRBRP ex-vessel transfer machine, 613 (CONF-771109--86)
Design of the Clinch River Breeder Reactor steam generators, 1883 (IAEA-SM--225/24)
Disc-Donut-Tube wear test report, Phase I, 2906 (TID--27816)
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1066 (EPRI-NP--645-SY(Vol.1))
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1067 (EPRI-NP--645(Vol.2))
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1068 (EPRI-NP--645(Vol.2)(App.))
Evaluations of the piping system inelastic analysis computer program PIRAX2, 24 (AI-DOE--13216)
Fast reactor fluence dosimetry. Technical progress report, December 1976--May 1977, 40 (AI-ERDA--13198)
Fast reactor fluence dosimetry. Technical progress report, June--December 1977, 19 (AI-DOE--13209)
Fast reactor fluence dosimetry technical progress report for period January--March 1978, 38 (AI-DOE--13236)
High-temperature piping design technology. Quarterly technical progress report, July--September 1977, 23 (AI-DOE--13214)
High-temperature piping design technology. Quarterly technical progress report, April--June 1978, 1135 (ESG-DOE--13241)
High-temperature piping design technology. Quarterly technical progress report, January--March 1978, 36 (AI-DOE--13233)
High-temperature piping design technology. Quarterly technical progress report, April--June 1977, 43 (AI-ERDA--13206)
Intermediate-size inducer pump program. Annual technical progress report, government fiscal year 1978, 1144 (ESG-DOE--13252)
Investigation and rating of sodium-to-gas leak detection techniques, 2794 (SAN--0824-T1)
Leak detection response time characterization and optimization test analysis, 2788 (SAN--0824-T5)
Liquid Metal Fast Breeder Reactor conceptual plant design 1000 MWe. Volume V. Cost/schedule, 2904 (TID--27701/5)
LMFBR cover gas seals design guide addendum and seal technology summary, 1139 (ESG-DOE--13245)
LMFBR flexible pipe joint development program. Annual technical progress report, government fiscal year 1977, 22 (AI-DOE--13212)
LMFBR safety program. Annual technical progress report. Government fiscal year, 1977, 20 (AI-DOE--13210)
LMFBR safety program. Quarterly technical progress report, April--June 1977, 42 (AI-ERDA--13205)
Maintenance of Clinch River Breeder Reactor Nuclear Island Systems, 689 (CONF-780922--2)
Modular steam generator final project report, 2937 (TR--097-330-010)
Performance tests of sodium dip seals, 34 (AI-DOE--13226)
PLBR core selection for low CDA energetics: Liquid Metal Fast Breeder Reactor design project, 45 (AI/FBR--77-1)
PLBR phase II follow-on resolution of key issues, 1206 (FBR--77-4)
PLBR Phase II follow-on studies: resolution of key issues, 1207 (FBR--77-4)
Primary heat transport system and reactor containment building: layout selection study. Prototype large breeder reactor. Phase II, 2917 (TID--28256)
Reactor safety. Quarterly technical progress report,

October--December 1978, 1150 (ESG-DOE--13264)
Reactor safety. Quarterly technical progress report, October--December 1977, 29 (AI-DOE--13223)
Reactor safety quarterly technical progress report, January--March 1978, 37 (AI-DOE--13234)
Selection of a sodium- and radiation-resistant sealant for LMFBR equipment cell penetrations, 32 (AI-DOE--13227)
Selection of aerosol detectors for CRBRP, 2797 (SAN--0824-T14)
Selection of bearing materials for commercial LMFBR flexible joint applications, 39 (AI-DOE--13238)
Sodium piping survey to July 1977, 30 (AI-DOE--13225)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, January--March 1978, 34 (AI-DOE--13231)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1978, 1133 (ESG-DOE--13239)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1977, 41 (AI-ERDA--13204)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, July--September 1977, 18 (AI-DOE--13208)
Sodium technology program quarterly technical progress report, July--September 1978, 1141 (ESG-DOE--13247)
Sodium vapor deposits observed at HEDL on large components, 1546 (HEDL-SA--1517)
Sodium-to-gas leak detection. Annual technical progress report, government fiscal year 1977, 21 (AI-DOE--13211)
Sodium-to-gas leak detection mockup tests, 2792 (SAN--0824-T9)
Sodium-to-Gas Leak Detection System performance evaluation, 2796 (SAN--0824-T13)
Test report: sodium-to-gas leak detection system screening tests, 2795 (SAN--0824-T12)
Thermal and hydraulic analyses of the System 81 cold traps, 1032 (DOE/TIC--11041)
Use of stress indices for piping under ASME Code Case N-47, 1146 (ESG-DOE--13257)
Vibration tests of a full scale water model of a Clinch River steam generator module, 2908 (TID--27821)
Water testing of the inducer pump, 44 (AI-ERDA--13207)
Welding for the CRBRP steam generators, 1411 (GEFR-SP--151)

ATOMICS INTERNATIONAL DIV., CANOGA PARK, CA (USA). ENERGY SYSTEMS GROUP
Acoustic leak detection-location. Quarterly technical progress report, October--December 1978, 1149 (ESG-DOE--13263)
Cover gas seal components. Quarterly technical progress report, July--September 1978, 1142 (ESG-DOE--13248)
Cover gas seal components. Quarterly technical progress report, April--June 1978, 1134 (ESG-DOE--13240)
Further examination of the pool type 1000 MWe LMFBR. Volume 1. Executive summary, 1062 (EPRI-NP--881-SY(Vol.1))
Further examination of the pool type 1000 MWe LMFBR. Volume 2. Examination of NSSS concepts. Interim report, 1063 (EPRI-NP--881(Vol.2))
Further examination of the pool type 1000 MWe LMFBR. Volume 3. Examination of NSSS concepts (continued). Interim report, 1064 (EPRI-NP--881(Vol.3))
Preconceptual study of 1000-MWe carbide-fueled LMFBR designs, 1138 (ESG-DOE--13244)
Simplified design methods for bellows, 1151 (ESG-DOE--13267)
Sodium Technology Program. Quarterly technical progress report, October--December 1978, 1147 (ESG-DOE--13261)

ATOMICS INTERNATIONAL DIV., GOLDEN, CO (USA). ROCKY FLATS PLANT
Pyrochemical coprocessing of UO_2--PuO_2 LMFBR fuel by the Salt Transport Method, 2770 (RFP--2887)

ATOMICS INTERNATIONAL DIV., RICHLAND, WA (USA). ROCKWELL HANFORD OPERATIONS
Engineering study of dry near-surface interim storage of Fast Flux Test Facility spent fuel, 2771 (RHO-LD--66)
High-temperature piping design technology. Semi-annual technical progress report, October 1978--March 1979, 1156 (ESG-DOE--13274)
Sodium technology program. Quarterly technical progress report, January--March 1979, 1154 (ESG-DOE--13272)
Ultrasonic inspection for wastage in the LMFBR steam generator due to sodium--water reactions, 659 (CONF-780374--1)

B

BABCOCK AND WILCOX CO., AKRON, OH (USA). NUCLEAR EQUIPMENT
Seismic design study on cantilever cylindrical shells, 2905 (TID--27889)

BABCOCK AND WILCOX CO., APOLLO, PA (USA). NUCLEAR MATERIALS AND MFG. DIV.
FFTF driver fuel pellets: typical pellet lot data, 1035 (DOE/TIC--11087)

BABCOCK AND WILCOX CO., APOLLO, PA (USA). NUCLEAR MATERIALS DIV.
LMFBR plutonium fuel development and fabrication, 1550 (HEDL-SA--1523-FP)

BABCOCK AND WILCOX CO., BARBERTON, OH (USA)
B and W basis for design selections for intermediate "A" single wall steam generator design, 2925 (TID--28712)

BATTELLE COLUMBUS LABS., OH (USA)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978, 2405 (NUREG/CR--0425)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7, 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977, 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1-December 31, 1978, 2461 (NUREG/CR--1084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January 1-March 31, 1979, 2468 (NUREG/CR--1165)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977, 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Annual report for FY 1978, 2423 (NUREG/CR--0676)
Characterization of agglomerates of UO_2 aerosol particles, 2416 (NUREG/CR--0489)
Crab user's manual, 2449 (NUREG/CR--0872)
HAARM-3 users manual, 301 (BMI-NUREG--1991)
Multiple zone aerosol behavior model, 2472 (NUREG/CR--1294)
NUFACTS--Nuclear Fuel Cycle Activity Simulator: reference manual. Final report, 2933 (TID--29052)
Numerical method of the aerosol behavior reference code, CRAB, 2421 (NUREG/CR--0620)
Radiological environmental assessment of the recycle of LMFBR advanced fuels, 600 (CONF-771008--5)
Sensitivity analysis of the HAARM-3 code, 2417 (NUREG/CR--0527)

BATTELLE PACIFIC NORTHWEST LABS., RICHLAND, WA (USA)
Analysis of steady state combined forced and free convection data in rod bundles, 2757 (PNL-SA--7878)
Analysis of the impact of retrievable spent fuel storage, 2741 (PNL--2413)
Analysis of various NDT techniques to determine their feasibility for detecting thin layers of ferrite on Type 316 stainless steel, 2746 (PNL--2805)
ANS54: a computer subroutine for predicting fission gas release, 2469 (NUREG/CR--1213)
COBRA-IV comparison with the WARD 11:1 scale LMFBR air flow tests, 2750 (PNL--2923)
COBRA-IV wire wrap data comparisons, 2751 (PNL--2938)
Corrosion critique of the 2 1/4 Cr--1 Mo steel for LMFBR steam generation system applications, 2363 (NUREG--0387)
CORTRAN code for temperature predictions in an LMFBR during a natural circulation transient, 2756 (PNL-SA--7521)
Dependence of LMFBR fueling requirements on plutonium isotopic composition, 2754 (PNL--3255)
Design and development quality assurance requirements for the FFTF, 335 (BNWL--510)
Environmental control aspects for fabrication, reprocessing and waste disposal of alternative LWR and LMFBR fuels, 2752 (PNL--3129)
Evaluation of liquid metal leak detection methods for the Clinch River Breeder Reactor Plant, 2743 (PNL--2447)
Fracture mechanics of thin wall cylindrical pressure vessels: an interim review, 2742 (PNL--2417)
Initial stage restructuring in sphere-pac mixed-carbide fuel, 2755 (PNL-SA--7503)
Interlaboratory computational comparisons of critical fast test reactor pin lattices, 776 (CONF-790602--60)
Investigation of combined free and forced convection in a 2 x 6 rod bundle, 336 (BNWL--2216)
Mass flows for LMFBRs fueled with various types of plutonium and fertile material, 2753 (PNL--3249)
Results on an irradiation experiment on absorber materials for fast sodium-cooled reactors, 4365 (BNWL-tr--265)
Technical bases: FFTF fuel/cladding damage criteria, 337 (BNWL-CC--2500)

BECHTEL CORP., SAN FRANCISCO, CA (USA)
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1066 (EPRI-NP--645-SY(Vol.1))
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1068 (EPRI-NP--645(Vol.2)(App.))
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1069 (EPRI-NP--645(Vol.3))
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1067 (EPRI-NP--645(Vol.2))
PLBR Project. Design criteria for the Prototype Large Breeder Reactor, 2912 (TID--28193)
Pool-type LMFBR plant, 1000 MWe Phase A design. Executive summary, 1070 (EPRI-NP--646-SY)
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part VII. Balance-of-plant final report, 1077 (EPRI-NP--646(Vol.7))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part VI. Appendixes, final report, 1078 (EPRI-NP--646(Vol.8))
Prototype Large Breeder Reactor. Phase II extension. Volume II. ELTEMP program update, 2914 (TID--28195)
Prototype Large Breeder Reactor: Phase II extension. Volume I. Conceptual design studies, 2913 (TID--28194)
Prototype Large Breeder Reactor: Phase II extension. Volume I. Conceptual design studies, 2931 (TID--28758)

BECHTEL, INC., SAN FRANCISCO, CA (USA)

Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XII: balance of plant--plant description. Final report, 1114 (EPRI-NP--1014(Vol.9))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XII: appendices. Final report, 1115 (EPRI-NP--1014(Vol.10))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XIII: balance of plant - evaluation of pool-related areas. Final report, 1116 (EPRI-NP--1014(Vol.11))
BECHTEL NATIONAL, INC., SAN FRANCISCO, CA (USA)
Further examination of the pool type 1000 MWe LMFBR. Volume 1. Executive summary, 1082 (EPRI-NP--881-SY(Vol.1))
Further examination of the pool type 1000 MWe LMFBR. Volume 4. Examination of balance of plant. Interim report, 1085 (EPRI-NP--881(Vol.4))
Improvements to the maintainability and inspection of liquid metal systems. Volume 2. Plant layout improvements, 1301 (GEFR--00405(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 4. Balance of plant. Final report, 1122 (EPRI-NP--1015(Vol.4))
LMFBR pool plant: 1000 MWe. Volume 1. Executive summary. Final report, 1118 (EPRI-NP--1015-SY(Vol.1))
Pool-type LMFBR Plant 1000 Mwe phase a-extension-1 design. Part I. Executive summary. Interim report, 1086 (EPRI-NP--882-SY(Vol.1))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1052 (EPRI-NP--882(Vol.8))
Pool-type LMFBR plant 1000 MWe Phase A-extension-2 design. Part 1: executive summary. Final report, 1106 (EPRI-NP--1014-SY(Vol.1))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Final report, 1117 (EPRI-NP--1014(Vol.12))
BECHTEL POWER CORP., SAN FRANCISCO, CA (USA)
FFTF report: drilled-in expansion bolts under static and alternating load, 1442 (HEDL-BR--5853-C-4(Rev.1))
BORG-WARNER CORP., LOS ANGELES, CA (USA). BYRON JACKSON PUMP DIV.
Standpipe-bubbler pump level control study system design layout (Task A) W.P. 4413. Engineering memorandum No. 0153, 2510 (TID--27855)
BRIGHAM YOUNG UNIV., PROVO, UT (USA). DEPT. OF CHEMICAL ENGINEERING
Chemical simulation modeling of heat transfer in LMFBRs, 1012 (DOE/ET/37205--T1)
Improvement and verification of fast reactor safety analysis techniques. Progress report, April 1, 1977--June 30, 1977, 918 (CCO--2571-9)
Improvement and verification of fast reactor safety analysis techniques. Progress report, 1 July 1977--30 September 1977, 919 (CCO--2571-10)
Improvement and verification of fast reactor safety analysis techniques. Progress report, January 1, 1978--March 31, 1978, 921 (CCO--2571-12)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1977--December 31, 1977, 920 (CCO--2571-11)
Improvement and verification of fast reactor safety analysis techniques. Progress report, April 1, 1979-June 30, 1979, 924 (CCO--2571-17)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1979-March 31, 1980, 925 (CCO--2571-19)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1978--December 31, 1978, 923 (CCO--2571-15)
Improvement and verification of fast reactor safety analysis techniques. Progress report, July 1, 1978--September 30, 1978, 922 (CCO--2571-14)
BRISTOL UNIV. (UK). DEPT. OF MECHANICAL ENGINEERING
Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)
BROOKHAVEN NATIONAL LAB., UPTON, NY (USA)
Accident progression for a loss of heat sink with scram in a LMFBR, 2406 (NUREG/CR--0427)
Advanced Reactor Safety Research Division. Quarterly progress report, January 1--March 31, 1979, 2444 (NUREG/CR--0820)
Advanced Reactor Safety Research Division quarterly progress report, April 1-June 30, 1979, 2458 (NUREG/CR--1036)
Advanced thermohydraulic simulation code for transients in LMFBRs (SSC-L code), 332 (BNL-NUREG--50773)
Analysis of the FFTF primary pipe rupture transients, 316 (BNL-NUREG--25493)
Applicability of microwave heating to the simulation of the LMFBR meltdown process, 314 (BNL-NUREG--25421)
Application of multiple timestep integration method in SSC, 320 (BNL-NUREG--25519)
Assessment of the loss-of-heat-sink accident with scram in the LMFBR, 309 (BNL-NUREG--24946)
Combustion of large sodium pools, 315 (BNL-NUREG--25492)
Comparison of measured and calculated average void fraction in volume-boiling pools with inclined boundaries, 326 (BNL-NUREG--25714)
Confirmatory simulation of safety and operational transients in LMFBR systems, 311 (BNL-NUREG--24968)
Containment response to postulated core meltdown accidents in the Fast Flux Test Facility, 307 (BNL-NUREG--24141-R)
Containment response to postulated ex-vessel core meltdown accidents in the fast flux test facility, 322 (BNL-NUREG--25522)
Design guide for category IV reactors: liquid metal reactors, 303 (BNL--50631-4)
Dynamic simulation of LMFBR plant under natural circulation, 325 (BNL-NUREG--25618)
Feedback control systems for non-linear simulation of operational transients in LMFBRs, 329 (BNL-NUREG--26572)
Feedback control systems for non-linear simulation of operational transients in LMFBRs, 317 (BNL-NUREG--25497)
Flow dynamics of volume-heated boiling pools, 313 (BNL-NUREG--25297)
Heat removal characteristics of volume-heated boiling pools with inclined boundaries in bubbly flow regime, 327 (BNL-NUREG--26083)
In-vessel natural circulation during a hypothetical loss-of-heat-sink accident in the Fast Flux Test Facility, 328 (BNL-NUREG--26131)
Markovian reliability analysis under uncertainty with an application on the shutdown system of the Clinch River Breeder Reactor, 2402 (NUREG/CR--0405)
Microwave heating simulations of fission energy generation in volume-boiling pool systems, 324 (BNL-NUREG--25575)
Nuclear power without nuclear bombs. Linear accelerator-breeder concept for decoupling the nuclear power economy from nuclear weapons production, 2934 (TID--29088)
One-dimensional model for transient boilup of volume-heated pools for LMFBR transition phase analysis, 323 (BNL-NUREG--25535)
Phenomena and scenarios related to a loss-of-heat-sink accident (with scram) in an LMFBR, 321 (BNL-NUREG--25521)
Post-accident fuel relocation and heat removal in the LMFBR, 330 (BNL-NUREG--50603)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1978, 2425 (NUREG/CR--0688)
Reliability of the CRBRP Shutdown Heat Removal System, 308 (BNL-NUREG--24162)
Review of the FFTF Natural Circulation test plans, 306 (BNL-NUREG--24040)
Simulation of operational and safety transients in LMFBR systems, 305 (BNL-NUREG--23113)
Single-phase pump model for analysis of LMFBR heat transport systems, 2392 (NUREG/CR--0240)
Single-phase sodium pump model for LMFBR thermal-hydraulic analysis, 318 (BNL-NUREG--25458)
State-of-the-art review of sodium fire analysis and current notions for improvements, 312 (BNL-NUREG--25140)
Survey and evaluation of FFTF instrumentation for systems code validation, 319 (BNL-NUREG--25506)
Thermo-fluid mechanics of volume-heated boiling pools, 331 (BNL-NUREG--50759)
Users' manual for the SSC-L code, 2408 (NUREG/CR--0452(Vol.1))
Volume-heated boiling pool flow behavior and application to transition phase accident conditions, 310 (BNL-NUREG--24984)
BRUSSELS UNIV. (BELGIUM)
Acoustic resonances as a means of bloackage detection in sodium-cooled fast reactors, 9 (AEEW-R--1168)
Cassandre: A 2D multigroup diffusion Benchmark code for fast reactors power excursions analysis, 1993 (INIS-mf--4773)
BURNS AND ROE, INC., ORADELL, NJ (USA)
Maintenance of Clinch River Breeder Reactor Nuclear Island Systems, 689 (CONF-780922--2)
PLBR Phase II: (follow on) reports. Volume II, 339 (BR-E--180(Vol.2))
PLBR Phase II: (follow-on) reports, 338 (BR-E--180(Vol.1))
PLBR Phase II: (follow-on) reports, 340 (BR-E--180(Vol.2))
Strength properties of concrete at elevated temperatures, 772 (CONF-790408--3)
BURNS AND ROE, ORADELL, NJ (USA). BREEDER REACTOR DIV.
Liquid Metal Fast Breeder Reactor conceptual plant design 1000 MWe. Volume V. Cost/schedule, 2504 (TID--27701/5)
Primary heat transport system and reactor containment building: layout selection study. Prototype large breeder reactor. Phase II, 2917 (TID--28256)

C

CALIFORNIA INST. OF TECH., PASADENA (USA). ENVIRONMENTAL
Uranium availability and the breeder decision, 1131 (EQL-Memo--8)
CALIFORNIA UNIV., BERKELEY (USA)
Space--time dynamics of a fast breeder reactor for localized disturbances, 5257
Thorium fuel cycles, 3346
CALIFORNIA UNIV., LIVERMORE (USA). LAWRENCE LIVERMORE LAB.
Elastic and plastic properties of uranium dioxide from 5

to 330 GPa, 2548 (UCRL--82614(Rev.1))
Laser driven fusion hybrids, 2947 (UCRL--79653(Rev.1))
CALIFORNIA UNIV., LOS ANGELES (USA)
Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 4816
Natural convection heat transfer in beds of inductively heated particles. Topical report, 2700 (PB--287481)
CALIFORNIA UNIV., LOS ANGELES (USA). DEPT. OF CHEMICAL, NUCLEAR, AND THERMAL ENGINEERING
A look at alternative core disruption accidents in LMFBR's. Part II. A general evaluation approach to risk-benefit for large technological systems and its application to nuclear power, 2693 (PB--280695)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
LMFBR fuel analysis. Task C: Reliability aspects of LMFBRs. Final report, October 1, 1976--September 30, 1977, 2378 (NUREG/CR--0013)
CALIFORNIA UNIV., LOS ANGELES (USA). SCHOOL OF ENGINEERING AND APPLIED SCIENCE
Dynamic intragrenular fission gas behavior model, 2452 (NUREG/CR--0506)
LMFBR fuel analysis. Task B: Post-accident heat removal. Final technical report 1 October 1977-15 November 1978, 2702 (PB--294102)
LMFBR fuel analysis. Task B. Post-accident heat removal. Final report, October 1977--November 1978, 2425 (NUREG/CR--0737)
LMFBR fuel analysis. Task B: Post-accident heat removal. Final report, October 1, 1976--September 30, 1977, 2377 (NUREG/CR--0012)
LMFBR fuel analysis. Task C: reliability, 2428 (NUREG/CR--0736)
Lmfbr fuel analysis. Task C: Reliability. Final report, 1 October 1977-15 November 1978, 2703 (PB--294243)
Natural convection heat transfer in beds of inductively heated particles, 2403 (NUREG/CR--0408)
Study of dryout heat fluxes in beds of inductively heated particles, 2357 (NUREG--0262)
Study of thermal and hydrodynamic processes associated with melting of horizontal substrate, 2445 (NUREG/CR--0839)
CEA CENTRE DE MARCOULE, 30 - BAGNOLS-SUR-CEZE (FRANCE)
PHENIX plant: three years of operation, 596 (CONF-770822--8)
CEA CENTRE D'ETUDES NUCLEAIRES DE CADARACHE, 13 - SAINT-PAUL-LES-DURANCE (FRANCE)
DISTAV calculation code for determining sodium temperatures in deformed helicoid wire pin bundles in fast neutron reactors, 3483 (ANL-Trans--1140)
CEA CENTRE D'ETUDES NUCLEAIRES DE CADARACHE, 13 - SAINT-PAUL-LES-DURANCE (FRANCE). DEPT. DE DEVELOPPEMENT DES ELEMENTS COMBUSTIBLES
Manufacture of the second core of Rapsodie - Type 2 A - Fortissimo version, 360 (CEA-R--4881)
CEA CENTRE D'ETUDES NUCLEAIRES DE CADARACHE, 13 - SAINT-PAUL-LES-DURANCE (FRANCE). DEPT. DES REACTEURS A EAU
Numerical method for a transient two-fluid model, 356 (CEA-CONF--4339)
TRIPOLI 01, a three-dimensional polykinetic Monte Carlo program. Pt.2. Constant data input and results obtained for a complex bench-mark example, 344 (CEA-CONF--3834(Pt.2))
CEA CENTRE D'ETUDES NUCLEAIRES DE CADARACHE, 13 - SAINT-PAUL-LES-DURANCE (FRANCE). DEPT. DES REACTEURS A NEUTRONS RAPIDES
Breeder reactors, 355 (CEA-CONF--4212)
Corrosion by liquid metals - Application to liquid sodium, 342 (CEA-BIB--226)
Fast neutron reactor core research at the C.E.A., 362 (CEA-R--4911)
Studies needed to prevent the use of expansion bends in LMFBR intermediate heat exchangers, 3807 (ANL-Trans--1128)
Study of the Na-C-O and Na-H-O ternary systems in the sodium rich corner, 361 (CEA-R--4905)
CEA CENTRE D'ETUDES NUCLEAIRES DE GRENOBLE, 38 (FRANCE). DEPT. DE TRANSFERT ET CONVERSION D'ENERGIE
How local sodium boiling in rod bundles under really steady state boundary conditions is achieved on the CFNA loop, 349 (CEA-CONF--3994)
Nucleation, dry-out and boiling behind a sodium-tight local blockage in a 9-pin bundle with helical wire spacers, 350 (CEA-CONF--3995)
Sodium voiding in an annular channel heated by a single pin in overpower accident simulations, 351 (CEA-CONF--3996)
CEA CENTRE D'ETUDES NUCLEAIRES DE SACLAY, 91 - GIF-SUR-YVETTE (FRANCE)
PHENIX plant: three years of operation, 596 (CONF-770822--8)
CEA CENTRE D'ETUDES NUCLEAIRES DE SACLAY, 91 - GIF-SUR-YVETTE (FRANCE). DEPT. DE PHYSIQUE NUCLEAIRE
Metallurgical aspects of the weldability of Cr-Mo stabilized ferritic steels, 348 (CEA-CONF--3987)
CEA CENTRE D'ETUDES NUCLEAIRES DE SACLAY, 91 - GIF-SUR-YVETTE (FRANCE). DEPT. DES ETUDES MECANIQUES ET THERMIQUES
Calculation of structures by a method of substructures defined by their eigenmodes. Linear and nonlinear applications. Tristana code, 357 (CEA-CONF--4384)
Experimental tests on buckling of ellipsoidal vessel heads under internal pressure, 359 (CEA-N--2075)
Seismic analysis for the Super-Phenix reactor, 343 (CEA-CONF--3749)
CEA CENTRE D'ETUDES NUCLEAIRES DE SACLAY, 91 - GIF-SUR-YVETTE (FRANCE). DEPT. DE SURETE NUCLEAIRE
Key safety issues for fast breeder reactors, 345 (CEA-CONF--3848)
Nuclear safety research in France, 347 (CEA-CONF--3890)
Safety test facilities. Needs and concepts. A French evaluation, 346 (CEA-CONF--3849)
CEA CENTRE D'ETUDES NUCLEAIRES DE SACLAY, 91 - GIF-SUR-YVETTE (FRANCE). DEPT. DE TECHNOLOGIE
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys, 352 (CEA-CONF--4013)
Fundamental aspects of the evolution of, and phase changes in, metals and alloys under irradiation, 353 (CEA-CONF--4014)
CEA CENTRE D'ETUDES NUCLEAIRES DE SACLAY, 91 - GIF-SUR-YVETTE (FRANCE). SERVICES DES PILES
Utilization of the experimental reactor Osiris for the study and the development of fuels of the fast neutron reactor type, 354 (CEA-CONF--4192)
CENTRAL ELECTRICITY GENERATING BOARD, BERKELEY (UK). BERKELEY NUCLEAR LABS.
Creep in sodium: a review, 369 (CEGB/RD/B/N--4219)
Effect of variations in carbon activity on the carburization of austenitic steels in sodium. Exploratory tests, 372 (CEGB-RD/B/N--4338)
Fission gas bubble distribution in a mixed oxide fast reactor fuel pin, 368 (CEGB-RD/B/N--4194)
FRODA - a program for the analysis of frequency dynamics experiments, 363 (CEGB-RD/B/N--3414)
Local blockage studies in a heated multipin water experiment with fast reactor geometry, 365 (CEGB-RD/B/N--3810)
Measurements of temperature fluctuations in the mixing of hot and cold air jets, 366 (CEGB-RD/B/N--3982)
Recent advances in understanding large scale vapour explosions, 364 (CEGB-RD/B/N--3666)
Removal of radioactive products from liquid metal coolants of LMFBRs under normal operation, 371 (CEGB/RD/B/N--4334)
Report on the second specialists' meeting on reactor noise (SMORN II), Gatlinburg, Tennessee, September 19th-23rd 1977, 2763 (RD-B-N--4254)
Technique for measuring hydrogen and water in inert gases and the hydrogen concentration in liquid sodium, 367 (CEGB-RD/B/N--4029)
Tertiary creep of solution treated AISI 316 stainless steel in air and in sodium at 550°C, 370 (CEGB/RD/B/N--4241)
CENTRE D'ETUDE DE L'ENERGIE NUCLEAIRE, MOL (BELGIUM)
Annual scientific report 1975, 296 (BLG--515)
Annual scientific report 1976, 297 (BLG--520)
Annual scientific report 1977, 298 (BLG--524)
Cassandre: A 2D multigroup diffusion Benchmark code for fast reactors power excursions analysis, 1993 (INIS-mf--4773)
Fast reactor program reprocessing project-pyrochemical head-end preliminary technical and economic evaluation, 5454 (PNL-TR--356)
CLINCH RIVER BREEDER REACTOR PLANT PROJECT OFFICE, OAK RIDGE, TN (USA)
Analysis of the ZPPR-7 critical experiments, 978 (CRBRP-GEFR--00025)
Assessment of accident risks in the CRBRP. Volume 2. Appendices, 961 (CRBRP--1(Vol.2))
Clinch River Breeder Reactor Plant. Technical review, Fall 1977, 988 (CRBRP-PMC--77-04)
Clinch River Breeder Reactor Plant. Technical review, Winter 1978, 989 (CRBRP-PMC--78-01)
Clinch River Breeder Reactor Plant safety study: summary and results, 677 (CONF-780507--15)
CRBRP safety study: an assessment of accident risks in the CRBRP. Volume I. Main report, 960 (CRBRP--1(Vol.1))
CRBRP sodium circulating pump design evaluation, 637 (CONF-771217--4)
Overview of the CRBRP safety study, 991 (CRBRP-PS--01)
Review of FFTF and CRBRP control rod systems designs, 638 (CONF-771217--5)
Welding for the CRBRP steam generators, 1411 (GEFR-SP--151)
COLUMBIA UNIV., NEW YORK (USA)
Experimental high temperature coefficients of compressibility and expansivity of liquid sodium and other related properties, 938 (COO--3027-27)
COLUMBIA UNIV., NEW YORK (USA). DIV. OF NUCLEAR SCIENCE AND ENGINEERING
Mechanisms of fast neutron penetration in thick layers of sodium, 916 (COO--2509-4)
COLUMBIA UNIV., NEW YORK (USA). LIQUID METALS RESEARCH LAB.
High temperature properties of nuclear reactor coolants and thermodynamic power cycle working fluids. Technical progress report, December 1, 1977--November 30, 1978, 939 (COO--3027-37)
COMBUSTION ENGINEERING, INC., CHATTANOOGA, TN (USA)
Development of A 9 Cr steel with improved strength and toughness, 525 (CONF-770545--2)
COMBUSTION ENGINEERING, INC., CHATTANOOGA, TN (USA). NUCLEAR COMPONENTS DEPT.

Pool type IHX study for the Large Component Development Program, 373 (CENC--1397)
COMBUSTION ENGINEERING, INC., WINDSOR, CT (USA)
Effect of operating temperature on LMFBR core performance, 341 (CE-FBR--77-26)
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 911 (COO--2426-133)
Self-actuated shutdown system for a commercial size LMFBR. Final report, 1080 (EPRI-NP--846)
System design of carbide fuel. Quarterly progress report, April--June 1977, 910 (COO--2426-101)
System design of carbide fuel. Quarterly progress report, January--March 1978, 912 (COO--2426-136)
COMMISSION OF THE EUROPEAN COMMUNITIES, BRUSSELS (BELGIUM)
Comparative analysis of a hypothetical coolant loss accident in an LMFB reactor with the use of various calculation models for a common reference problem, 1198 (EUR--5946)
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 1971 (INIS-mf--4592)
Dynamic response of single hexagonal LMFBR core subassembly wrappers, 1970 (INIS-mf--4592)
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 1975 (INIS-mf--4592)
COMMISSION OF THE EUROPEAN COMMUNITIES, ISPRA (ITALY). JOINT RESEARCH CENTRE
Computer code for SEURBNUK-2 for fast reactor explosion containment safety studies, 295 (AWRE--49/91/87)
Effects of fast breeders' characteristics on consumptions and expenditures related to electric power generation. An assessment for the European Community, 1183 (EUR--5598)
REXCO-EUR code - User's manual, 1193 (EUR--5813)
Role of the demand-duration curve in the evaluation of power station installation policies. Remarks on its effects on stations' utilization, generating capacity, load factor history and consumptions, 1184 (EUR--5599)
COMMISSION OF THE EUROPEAN COMMUNITIES, LUXEMBOURG
Interpretation and experiment on the neutron flux in the cooling pipes of fast reactors (a combined method SN-Monte Carlo-albedo for a rational calculation of the rupture), 1192 (EUR--5682)
Sodium-fuel interaction: dropping experiments and subassembly test, 1194 (EUR--5854)
CONNECTICUT YANKEE ATOMIC POWER CO., EAST HAMPTON (USA)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1978, 2418 (NUREG/CR--0587)
CORNELL UNIV., ITHACA, NY (USA)
EPRI--CURL dynamic analysis of loop type LMFBRs. Final report, 1105 (EPRI-NP--1001)
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors, 4039
Transient analysis of the primary system of a liquid metal-cooled fast breeder reactor plant, 5256
CORNELL UNIV., ITHACA, NY (USA). DEPT. OF MATERIALS SCIENCE AND ENGINEERING
Mechanical properties of crystalline solids. Progress report, December 1, 1978-November 30, 1979, 866 (COO--2172-29)
CORNELL UNIV., ITHACA, NY (USA). NUCLEAR REACTOR LAB.
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors, 999 (CURL--53)

D

DAMES AND MOORE, LOS ANGELES, CA (USA)
Testing of the FFTF plant protection system pressure transducers, 2293 (LMEC--77-5)
DEPARTMENT OF ENERGY, OAK RIDGE, TN (USA). TECHNICAL INFORMATION CENTER
Liquid metal fast breeder reactors. A bibliography, January--December 1977, 2903 (TID--3333-S5)
DEPARTMENT OF ENERGY, RICHLAND, WA (USA). RICHLAND OPERATIONS OFFICE
Application of quality assurance to the design, procurement, and construction of the Fast Flux Test Facility, 1538 (HEDL-SA--1499)
Experience in the design, construction, and testing of the FFTF heat transport system, 1537 (HEDL-SA--1496)
FFTF primary system transition to natural circulation from low reactor power, 1652 (HEDL-SA--1919-FP)
DEPARTMENT OF ENERGY, WASHINGTON, DC (USA)
Application of quality assurance to the design, procurement, and construction of the Fast Flux Test Facility, 1538 (HEDL-SA--1499)
Experience in the design, construction, and testing of the FFTF heat transport system, 1537 (HEDL-SA--1496)
Liquid-metal fast-breeder reactors: Preliminary safety and environmental information document. Volume VI, 1015 (DOE/NE--0003/6)
Nuclear proliferation and civilian nuclear power: report of the Nonproliferation Alternative Systems Assessment Program. Volume VI. Safety and environmental considerations for licensing, 1014 (DOE/NE--0001(Vol.6))
DEPARTMENT OF ENERGY, WASHINGTON, DC (USA). DIV. OF NUCLEAR POWER DEVELOPMENT
Control rod assembly for liquid metal fast breeder reactors, 2765 (RDT-E--6-33T(Amend.1)(6-78))
Radial reflector assembly for liquid metal fast breeder reactors, 2764 (RDT-E--6-19T(3-78))
DEPARTMENT OF ENERGY, WASHINGTON, DC (USA). DIV. OF REACTOR DEVELOPMENT AND DEMONSTRATION
Driver fuel assembly, 2766 (RDT-E--13-16T)
DEPARTMENT OF ENERGY, WASHINGTON, DC (USA). DIV. OF REACTOR RESEARCH AND DEVELOPMENT
Compendium of computer codes for the safety analysis of fast breeder reactors, 1002 (DOE/ET--0009)
DEPARTMENT OF ENERGY, WASHINGTON, DC (USA). DIV. OF REACTOR RESEARCH AND TECHNOLOGY
Performance measurement system: contractor reporting instructions, 1005 (DOE/ET--0050/3(Rev.))
Performance measurement system: data analysis guide, 1006 (DOE/ET--0050/4)
Performance measurement system: Mini-PMS guide, 1009 (DOE/ET--0050/7)
Performance Measurement System: surveillance guide, 1007 (DOE/ET--0050/5)
Performance measurement system: system description, 1003 (DOE/ET--0050/1)
Performance Measurement System: work breakdown structure (WBS) guide, 1008 (DOE/ET--0050/6)
Performance Measurement System Implementation Guide. RRT Management Control System, 1004 (DOE/ET--0050/2)
Performance Measurement System Review Team Handbook. RRT Management Control System, 1010 (DOE/ET--0050/8)
Proceedings of the U.S./U.S.S.R. seminar on problems of design, development, fabrication, and test of breeder reactor components, 646 (CONF-780251--P2)
DEPARTMENT OF ENERGY, WASHINGTON, DC (USA). OFFICE OF ENERGY RESEARCH
Nuclear strategy of the Department of Energy, 1000 (DOE/ER--0025-D)
DEPARTMENT OF ENERGY, WASHINGTON, DC (USA). OFFICE OF NUCLEAR ENERGY PROGRAMS
Methods for the analysis of sodium and cover gas, 2767 (RDT-F--3-40T)
DEPARTMENT OF ENERGY, WASHINGTON, DC (USA). OFFICE OF NUCLEAR WASTE MANAGEMENT
PMS: What are you getting for your money., 1583 (HEDL-SA--1630)

E

EAST TENNESSEE ENERGY PROJECTS COORDINATING COMMITTEE,
The Clinch River Breeder Reactor Plant: an analysis of the impacts of its in-migrant construction workers on local public services. Final report, 2692 (PB--274091)
EG AND G IDAHO, INC., IDAHO FALLS (USA)
Automated common cause analysis using AUTOCC, 2769 (RE-A--78-241)
Freezing and melting phenomena in finite-media, with application to molten fuel containment for SLSF experiments, 736 (CONF-781105--20)
Improved method for conducting failed fuel experiments in LWR's, 735 (CONF-781105--8)
Investigation of optimal redundancy for a specific system objective, 1888 (IDO--1570-T31)
ELECTRICITE DE FRANCE, 30 - BAGNOLS-SUR-CEZE. CENTRE DE MARCOULE
PHENIX plant: three years of operation, 596 (CONF-770822--8)
ELECTRICITE DE FRANCE, 92 - COURBEVOIE. SERVICE ETUDES ET PROJETS THERMIQUES ET NUCLEAIRES
Example of regulating process for an advanced reactor: Creys-Malville, 1985 (INIS-mf--4623)
ELECTRICITE DE FRANCE, 75 - PARIS. DIRECTION DES ETUDES ET RECHERCHES
EDF research on fast neutron reactors, 5293 (DOE-tr--28)
ELECTRIC POWER RESEARCH INST., PALO ALTO, CA (USA)
Core design and optimization of high performance low sodium void 1000 MWe heterogeneous oxide LMFBR cores, 1884 (IAEA-SM--244/66)
EVAP users manual, 1128 (EPRI-NP--1190-SR)
ENERGY, INC., IDAHO FALLS, ID (USA)
Clinch River Breeder Reactor secondary control rod system, 636 (CONF-771217--3)
ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION, OAK RIDGE, TN (USA). OAK RIDGE OPERATIONS OFFICE
Overview of the CRBRP safety study, 991 (CRBRP-PS--01)
ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION, WASHINGTON, DC (USA)
Leak detection system design and operating considerations for the US-CRBRP, 378 (CONF-760735--1)
Material properties requirements for LMFBR structural design: general considerations and data needs, 605 (CONF-771052--1)
Testing of FFTF fuel handling equipment, 1484 (HEDL-SA--1333)
ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION, WASHINGTON, DC (USA). DIV. OF REACTOR DEVELOPMENT AND DEMONSTRATION
Design and economics of large LMFBRs, 1477 (HEDL-SA--1321)
ENERGY TECHNOLOGY ENGINEERING CENTER, CANOGA PARK, CA (USA)
ALIP/Flowmeter calibration, 1177 (ETEC-TDR--78-13)
Endurance testing of prototypic subscale inducer pump at SCTL, 1178 (ETEC-TDR--79-4)
Energy Technology Engineering Center (ETEC). Annual technical progress report, January--December 1978, 1176 (ETEC--79-1)
Evaluation of SPTF liquid rheostat for ISIP test program, 1179 (ETEC-TDR--79-6)

Fuel cladding: wire wrap wear in sodium, 1173 (ETEC--78-15)
Head-flow mapping and low NPSH testing of a prototypic subscale inducer pump at SCTL, 1182 (ETEC-TDR--79-11)
Metallurgical evaluation of the Modular Steam Generator (MSG) after LLTR testing, 1172 (ETEC--78-12)
Removal of sodium/sodium water reaction products from the MSG by reaction with organic solvents, 2302 (MP--45-SA-002)
Sodium aerosol and hydrogen generation tests, 1174 (ETEC--78-16)
Sodium ionization detector response to extraneous materials, 1175 (ETEC--78-18)
Sodium--water reaction product deposition and post-test cleaning of the modular steam generator, 1169 (ETEC--78-9)
Sodium--water reaction test in LLTR. Series I. Final report, 1170 (ETEC--78-10)
Stresscoat test of 6-inch pipe clamp in TTF: article B, 1180 (ETEC-TDR--79-7)
EUROPEAN NUCLEAR SOCIETY, PETIT-LANCY (SWITZERLAND)
Fast reactor safety and related physics. Volume IV. Phenomenology, 508 (CONF-761001--P4)
EXXON NUCLEAR CO., INC., RICHLAND, WA (USA)
Nondestructive analysis of irradiated fuels, 1487 (HEDL-SA--1350)
EXXON NUCLEAR IDAHO CO., INC., IDAHO FALLS (USA)
Fast reactor fission yields for ^{233}U and ^{235}U irradiated in Row 4 of EBR-II, 1062 (ENICO--1028)

F

FLORIDA UNIV., GAINESVILLE (USA)
Mixed fuel cycle hybrid LMFBR cores: design and analysis, 4917
FORD, BACON AND DAVIS UTAH, INC., SALT LAKE CITY (USA)
Liquid metals fire control engineering handbook, 1843 (HEDL-TME--79-17)
FOSTER WHEELER CORP., LIVINGSTON, NJ (USA)
Elastic-plastic-creep analysis of shells, 767 (CONF-790402--16)
Large liquid metal fast breeder reactor Intermediate Heat Exchanger maintenance study report, 1023 (DOE/TIC--10224)
FOSTER WHEELER ENERGY CORP., LIVINGSTON, NJ (USA)
360° flow model primary inlet flow distribution test report, 1222 (FWC/FWEC/ND--75-70)
CRBRP-IHX: 30° model flow distribution, pressure drop and tube vibration test report, 1224 (FWC/FWEC/ND--76/59)
Fast Flux Test Facility primary sodium valves, 1501 (HEDL-SA--1388)
Foster Wheeler protected bayonet tube LMFBR steam generator preliminary design, 2921 (TID--28273/1)
Foster Wheeler protected bayonet tube LMFBR steam generator preliminary design. Volume II. Appendices, 2922 (TID--28273/2)
Heat transfer in tube bundles of heat exchangers with flow baffles induced forced mixing, 522 (CONF-761107--27)
Intermediate flow model test report, 1223 (FWC/FWEC/ND--76/49)
Preliminary design: duplex tube low-pressure saturated steam generator for large LMFBR plant. Final report, 1125 (EPRI-NP--1219)
Protected bayonet tube steam generator proof-of-principle tests. Final report, 2920 (TID--28269)
Simplified inelastic analyses using one-dimensional models, 2620 (ORNL/SUB--7463/1)
Techniques for the thermal/hydraulic analysis of LMFBR check valves, 846 (CONF-791205--3)

G

GENERAL ACCOUNTING OFFICE, WASHINGTON, DC (USA)
Considerations for commercializing the liquid metal fast breeder reactor, 1060 (EMD--77-5)
Evaluation of the status of the Fast Flux Test Facility program, 1059 (EMD--76-13)
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)
GENERAL ELECTRIC CO., PLEASANTON, CA (USA). VALLECITOS NUCLEAR CENTER
Mechanisms of fuel-cladding chemical interaction: US interpretation, 1392 (GEFR-SP--011)
Out-of-pile experiments performed in the U.S. Fuel Cladding Chemical Interaction (FCCI) Program, 1391 (GEFR-SP--010)
Oxygen redistribution in LMFBR fuels, 2335 (NEDO--12326)
Thermodynamic studies of the sodium fuel reaction at General Electric, 2334 (NEDO--12325)
GENERAL ELECTRIC CO., SAN JOSE, CA (USA). ADVANCED REACTOR SYSTEMS DEPT.
History of the water chemistry for the few tube test model, 982 (CRBRP-GEFR--00465)
GENERAL ELECTRIC CO., SAN JOSE, CA (USA). BOILING WATER REACTOR SYSTEMS DEPT.
Advanced safety analysis. Fifteenth quarterly report, March--May 1978, 1379 (GEFR--14038-15)
GENERAL ELECTRIC CO., SAN JOSE, CA (USA). FAST BREEDER REACTOR DEPT.
Small leak shutdown, location, and behavior, 2320 (NEDM--14092)
Suitability of 2--1/4Cr--1Mo steel for LMFBR Steam Generation System applications: a critique of NUREG-0387, 2923 (TID--28546)
GENERAL ELECTRIC CO., SAN JOSE, CA (USA). NUCLEAR ENERGY DIV.
Constant extension rate testing for LMFBR steam generator applications, 2336 (NEDO--12668)
Neutron spectrum measurement in the BOR-60, 2337 (NIIAR--15(309))
GENERAL ELECTRIC CO., SCHENECTADY, NY (USA)
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt.2))
GENERAL ELECTRIC CO., ST. PETERSBURG, FL (USA). PINELLAS PENINSULA PLANT
PACT 2: probabilistic analysis of coolant and cladding temperatures, 1309 (GEFR--00417)
GENERAL ELECTRIC CO., SUNNYVALE, CA (USA)
Analysis of advanced fuels critical experiments, 1287 (GEFR--00393)
Analysis of hypothetical LMFBR whole-core accidents in the USA, 729 (CONF-781022--31)
Analysis of the U.S. large leak test program Series I sodium--water reaction test results, 1414 (GEFR-SP--165)
Application of core structural design guidelines in conceptual fuel pin design, 1410 (GEFR-SP--149)
Baseline inspection of three transition joint life test articles, 1307 (GEFR--00414)
Core engineering. Sixty-seventh quarterly report, May-July 1978, 1334 (GEFR--10028-67)
CRBR pump design concepts and resultant design evolution, 1400 (GEFR-SP--053)
Critical experiments and analysis. Twenty-eighth quarterly report, July--September 1978, 1343 (GEFR--13771-28)
Design of the US-CRBRP sodium/water reaction pressure relief system, 379 (CONF-760735--2)
Electromagnetic pumps for large pool-concept LMFBR, 1136 (EPRI-NP--1265)
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
Leak detection system design and operating considerations for the US-CRBRP, 378 (CONF-760735--1)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
Optimized spent fuel storage and shipping systems, 1288 (GEFR--00394)
Pool-type LMFBR plant, 1000 MWe Phase A design. Executive summary, 1070 (EPRI-NP--646-SY)
Pool-type LMFBR Plant 1000 MWe phase a-extension-1 design. Part I. Executive summary. Interim report, 1086 (EPRI-NP--882-SY(Vol.1))
Structural and containment response to LMFBR accidents, 726 (CONF-781022--27)
Vibration tests of a full scale water model of a Clinch River steam generator module, 2908 (TID--27821)
Welding for the CRBRP steam generators, 1411 (GEFR-SP--151)
GENERAL ELECTRIC CO., SUNNYVALE, CA (USA). ADVANCED REACTOR SYSTEMS DEPT.
Acoustic leak detection/location system for sodium heated steam generators, 1424 (GEFR-SP--212)
Analysis of the ZPPR-8 critical experiments, 1323 (GEFR--00445)
Background noise measurements on prototype of SNR 300 steam generator at Hengelo, 1423 (GEFR-SP--210)
Bundle to duct interaction compression tests using large diameter pins, 1319 (GEFR--00439)
C-1 irradiation creep in bending experiment: summary description and results of the first two interim examinations, 1298 (GEFR--00403)
Carbon migration in transition joint welds, 1292 (GEFR--00398)
Carbon transport in a bimetallic sodium loop simulating the intermediate heat transport system of a liquid metal fast breeder reactor, 1416 (GEFR-SP--172)
Cladding component chemical transport in mixed-oxide fast reactor fuel pins: an additional (high burnup) mechanism for fuel cladding chemical interaction, 1299 (GEFR--00404)
Clinch River Breeder Reactor Plant steam generator: FDW tube test model post test examination, 986 (CRBRP-GEFR-SP--176)
Compendium of core debris retention technology, 1305 (GEFR--00411)
Cooperative nuclear data and methods development. Eleventh quarterly report, July--December 1978, 1388 (GEFR--14074-11)
Cooperative nuclear data and methods development. Thirteenth quarterly report, April-June, 1979, 1390 (GEFR--14074-13)
Cooperative nuclear data and methods development. Twelfth quarterly report, January--March 1979, 1389 (GEFR--14074-12)
Core engineering. Sixty ninth quarterly report, November 1978--January 1979, 1336 (GEFR--10028-69)

Core engineering. Sixty-eighth quarterly report, August--October 1978, 1335 (GEFR--10028-68)
Core performance evaluation of advanced Clad/Duct alloys, 1342 (GEFR--00406)
Core restraint engineering. Seventeenth quarterly report, August--October 1978, 1370 (GEFR--14031-17)
Core restraint engineering. Sixteenth quarterly report, May--July 1978, 1369 (GEFR--14031-16)
Core restraint system design guidelines, 1312 (GEFR--00423)
Corrosion issues in steam generators of the fast breeder reactor systems, 1419 (GEFR-SP--191)
Criteria for TOP or LOPI termination in a LMFBR, 1406 (GEFR-SP--133)
Critical experiments and analysis. Thirtieth quarterly report, January--March 1979, 1345 (GEFR--13771-30)
Critical experiments and analysis. Thirty-first quarterly report, April-June 1979, 1346 (GEFR--13771-31)
Critical experiments and analysis. Twenty-ninth quarterly report, October--December 1978, 1344 (GEFR--13771-29)
Development and preliminary verification of CORTAC-3D, 1290 (GEFR--00396)
Development of backup refueling methods, 1291 (GEFR--00357)
Development of sodium--water reaction pressure release rupture discs for the Clinch River Breeder Reactor Plant, 1275 (GEFR--00361)
Effects of thermal aging on the mechanical properties of a 2-1/4 Cr-1Mo steel/Inconel 82 transition joint fusion zone, 1324 (GEFR--00446)
Evaluation of prototypical CRBRP steam generator tube/tubesheet welds, 1304 (GEFR--00409)
Event tree analysis of core disruptive accident consequences safety R and D planning, 1407 (GEFR-SP--135)
Experimental determination of plutonia and urania solubility in liquid metal, 1422 (GEFR-SP--202)
Feasibility of acoustic leak location for WTD duplex-tube steam generators, 1327 (GEFR--00466)
Flow-induced vibration and hydraulic test of the FTR 0°-0°-0°/wireless advanced wire-wrap fuel bundle assembly, 1320 (GEFR--00441)
Fouling and chemical cleaning studies: CRBRP evaporators. Part II, 1325 (GEFR--00449)
Fuel pin fission gas plenum location study, 1285 (GEFR--00390)
Fuel rod mechanics and failure analysis. Twenty-fourth quarterly report, May--July 1978, 1353 (GEFR--13923-24)
FULMIX-II; a computer program for steady-state thermal-hydraulic analysis of wire wrapped rod bundles, 1318 (GEFR--00436)
GE-LCA-2 tasks. 1979 annual report, October 1978-June 1979, 1328 (GEFR--00468)
Hydraulic testing program on vented assembly core design, FY-78. Volume 1: vent hydraulics testing, 1314 (GEFR--00426-1)
Hydraulic testing program on vented assembly core design, FY-78. Volume 2: pin vibration testing, 1315 (GEFR--00426-2)
Improvements to the maintainability and inspection of liquid metal systems. Volume 1. Overall study results, 1300 (GEFR--00405(Vol.1))
Improvements to the maintainability and inspection of liquid metal systems. Volume 2. Plant layout improvements, 1301 (GEFR--00405(Vol.2))
Influence of decarburization on the 510°C (950°F) tensile and creep properties of thin section 2-1/4Cr--1Mo steel weldments, 1316 (GEFR--00431)
Influence of the rain condenser on SHRS reliability, 1426 (GEFR-SP--00183)
Interactions between thermal and structural behavior in FBR fuel pins, 1412 (GEFR-SP--159)
Interim evaluation of data from sodium-water reaction tests SWR-3, SWR-4, and SWR-5 and comparison with transwrap analyses. Series I: large-leak test program, 1276 (GEFR--00366)
Interim report: leak detection test activities on the General Electric Steam Generator Test Rig (SGTR), 1294 (GEFR--00400)
Internal fluid flow management analysis for Clinch River Breeder Reactor Plant sodium pumps, 985 (CRBRP-GEFR-SP--139)
In-vessel core debris coolability for large breeder reactors, 1308 (GEFR--00415)
Irradiation and post-irradiation examination data from selected FSE fuel pins, 1303 (GEFR--00407)
Leak location in a double wall tube steam generator, 1425 (GEFR-SP--213)
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 1408 (GEFR-SP--138)
Materials characterization: study of decarburization influence on mechanical properties of CRBR steam generator tubing, 1317 (GEFR--00432)
Measurement of irradiation creep in bending, 1421 (GEFR-SP--158)
Method of assessing the impact of metallurgical noise and its reduction in ultrasonic testing of austenitic welds, 1413 (GEFR-SP--164)
Minimizing unbalance response of the CRBRP sodium pumps, 1405 (GEFR-SP--130)
Nuclear data and methods development and application to LMFBRs. Fourth annual progress report, fiscal year 1978, 1381 (GEFR--14073-4)
Optimum few-group cross section set for HCDAs in heterogeneous LMFBRs, 1418 (GEFR-SP--180)
Physicochemical model for predicting sodium reaction swelling in breached LMFBR fuel and breeder elements, 1313 (GEFR--00424)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 1-6. Interim report, 1087 (EPRI-NP--882(Vol.2A))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part III: reactor assembly - deck. Part IV: reactor assembly - fabrication, 1089 (EPRI-NP--882(Vol.3))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part V. Heat transport system components. Interim report, 1090 (EPRI-NP--882(Vol.4))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VI: reactor auxiliary systems. Part VII: instrumentation and control, 1091 (EPRI-NP--882(Vol.5))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 7-11. Interim report, 1088 (EPRI-NP--882(Vol.2B))
Pool-type LMFBR plant 1000 MWe Phase A-extension-2 design. Part 1: executive summary. Final report, 1106 (EPRI-NP--1014-SY(Vol.1))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part II: plant summary description. Final report, 1107 (EPRI-NP--1014(Vol.2))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part III: reactor assembly, Sec. 1--2.5. Final report, 1108 (EPRI-NP--1014(Vol.3))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part III: reactor assembly, Sec. 2-6-- Appendix IIIB. Final report, 1109 (EPRI-NP--1014(Vol.4))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part IV: reactor deck. Final report, 1110 (EPRI-NP--1014(Vol.5))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part V: heat transport systems. Final report, 1111 (EPRI-NP--1014(Vol.6))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part VI: auxiliary systems; Part VII: plant control and instrumentation; Part VIII: seismic analysis. Final report, 1112 (EPRI-NP--1914(Vol.7))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part IX: constructability and fabricability; Part X: maintainability and inspectability; Part XI: safety. Final report, 1113 (EPRI-NP--1014(Vol.8))
Postirradiation examination results from experiment FllA (EBR-II subassemblies X141 and X141A), 1293 (GEFR--00399)
Preconceptual design study of proliferation-resistant homogeneous oxide LMFBR cores, 1286 (GEFR--00392)
Prediction of coolant mixing and peripheral flow in wire wrapped rod bundles, 1405 (GEFR-SP--140)
Pre-irradiation concept description and cost assessment, 1295 (GEFR--00402(Vol.1))
Pre-irradiation concept description and cost assessment, 1296 (GEFR--00402(Vol.2))
Pre-irradiation concept description and cost assessment, 1297 (GEFR--00402(Vol.3))
Preliminary models for evaluating radiological source terms, 1310 (GEFR--00419)
Probabilistic methods for LMFBR application, 1602 (HEDL-SA--1695-FP)
Program for the development of design data LMFBR steam generator materials, 1234 (GEFR--00067-3)
Program plan: acoustic leak detection/location development at GE-ARSD, 2798 (SAN--0893-T1)
Progress of LMFBR steam generator testing in the US, 1420 (GEFR-SP--196)
Radiological assessment models. Sixteenth quarterly report, June--August 1978, 1375 (GEFR--14034-16)
Reliability of liquid metal breeder reactor cooling systems, 1417 (GEFR-SP--177)
Response of secondary containment to presence of sodium and hydrogen, 1415 (GEFR-SP--171)
Risk analysis methods development. Eighth quarterly report, October--December 1978, 1357 (GEFR--14023-8)
Risk analysis methods development. Ninth quarterly report, January--March 1979, 1358 (GEFR--14023-9)
Risk analysis methods development. Sixth--Seventh quarterly reports, April--September 1978, 1356 (GEFR--14023-6/7)
Risk analysis methods development. Tenth quarterly report, April-June 1979, 1359 (GEFR--14023-10)
State-of-the-art water chemistry of steam generators with emphasis on CRBRP specifications, 1326 (GEFR--00463)
Study of transient sodium boiling in LMFBR fuel bundles, 1289 (GEFR--00395)
Tests and analysis in support of an acoustic leak detection/location system (progress report), 1283 (GEFR--00384)
Third US/USSR LMFBR steam generator seminar, 724 (CONF-781001--P3)
Third US/USSR LMFBR steam generator seminar. Volume 1. US papers, 692 (CONF-781001--P1)
Third US/USSR LMFBR steam generator seminar. Volume 2. USSR papers, 705 (CONF-781001--P2)
Transition joint welding: life test article fabrication, 1311 (GEFR--00422)

TRANSWRAP-II analyes of the Stanford Research Institute IHTS/relief system simulation tests, 1322 (GEFR--00444)
TWOD-2: two-dimensional finite element fuel pin analysis code, 1321 (GEFR--00442)
USSR steam generator materials examination of test specimens, 1306 (GEFR--00413)
Vented assembly core development program, FY-78, 1284 (GEFR--00386)
GENERAL ELECTRIC CO., SUNNYVALE, CA (USA). BREEDER REACTOR DEPT.
Evaluation of strain cycling effects in the DNB zone of the CRBR evaporators, 2332 (NEDM--14164)
Investigations into the sodium-steam surface interaction on a stagnant pool, 2328 (NEDM--14149)
State-of-the-art of rupture disks for LMFBR application, 2316 (NEDM--13981)
GENERAL ELECTRIC CO., SUNNYVALE, CA (USA). ENERGY SYSTEMS AND TECHNOLOGY DIV.
CRBRP flow induced vibration program, 597 (CONF-770933--1)
GENERAL ELECTRIC CO., SUNNYVALE, CA (USA). FAST BREEDER REACTOR DEPT.
Accustic leak detection system concept design, 1265 (GEFR--00340)
Advanced safety analysis. Eleventh quarterly report, March--May 1977, 1376 (GEFR--14038-11)
Advanced safety analysis. Twelfth quarterly report, June--August 1977, 1377 (GEFR--14038-12)
Advanced safety analysis thirteenth quarterly report, September--November 1977, 1378 (GEFR--14038-13)
Analysis of hypothetical core disruptive events in the Clinch River Breeder Reactor Plant, 980 (CRBRP-GEFR--00103)
Analysis of the ZPPR-5 critical experiments: simulating hypothetical core disruptive accidents, 1238 (GEFR--00109)
Analysis of the ZPPR-4 critical experiments, Phases 3 and 4, 1237 (GEFR--00108)
Analysis of ZPPR-6 critical experiments, 981 (CRBRP-GEFR--00323)
Background noise measurements on prototype of SNR-300 steam generator in the 50 MW test facility at Hengelo, The Netherlands, 1273 (GEFR--00355(Rev.1))
Caustic stress corrosion tests for the LLTR, 2323 (NEDM--14110)
Characterization of CRBRP steam generator shell plate, 1271 (GEFR--00353)
Characterization of ESR and VAR 2-1/4Cr--1Mo alloy tubing, 2326 (NEDM--14145)
Clinch River Breeder Reactor: secondary control rod system, 1401 (GEFR-SP--062)
Clinch River Breeder Reactor Plant. DNB effects test program. Final report, 979 (CRBRP-GEFR--00100)
Clinch River reload core design study. Volume I. Trade-off study and design recommendations, 1260 (GEFR--00320(Vol.1))
Clinch River reload core design study. Volume II: recommended core design evaluation, 1261 (GEFR--00320(vol.2))
Comparison of results from large-leak sodium/water tests at LLTR with analysis, 987 (CRBRP-GEFR-SP--00043)
Comparison of semi-statistical hot channel factor and Monte Carlo analyses of fuel assembly coolant temperature uncertainties, 1272 (GEFR--00354)
Cooperative nuclear data and methods development. Eighth quarterly report, October--December 1977, 1385 (GEFR--14074-8)
Cooperative nuclear data and methods development. Tenth quarterly report, April--June 1978, 1387 (GEFR--14074-10)
Cooperative nuclear data and methods development. Ninth quarterly report, January--March 1978, 1386 (GEFR--14074-9)
Cooperative nuclear data and methods development fifth quarterly report, October--December 1976, 1382 (GEFR--14074-5)
Cooperative nuclear data and methods development seventh quarterly report, April--June 1977, 1384 (GEFR--14074-7)
Core engineering. Sixty-fifth quarterly report, November 1977--January 1978, 1332 (GEFR--10028-65)
Core engineering. Sixty-fourth quarterly report, August--October 1977, 1331 (GEFR--10028-64)
Core engineering. Sixty-sixth quarterly report, February 1978--April 1978, 1333 (GEFR--10028-66)
Core engineering. Sixty-third quarterly report, May--July 1977, 1330 (GEFR--10028-63)
Core engineering sixty-second quarterly report, February--April 1977, 1329 (GEFR--10028-62)
Core restraint engineering. Eleventh quarterly report, February--April 1977, 1364 (GEFR--14031-11)
Core restraint engineering. Fifteenth quarterly report, February--April 1978, 1368 (GEFR--14031-15)
Core restraint engineering. Fourteenth quarterly report, November 1977--January 1978, 1367 (GEFR--14031-14)
Core restraint engineering. Ninth quarterly report, August--October 1976, 1362 (GEFR--14031-9)
Core restraint engineering. Tenth quarterly report, November--December 1976 and January 1977, 1363 (GEFR--14031-10)
Core restraint engineering. Thirteenth quarterly report, August--October 1977, 1366 (GEFR--14031-13)
Core restraint engineering. Twelfth quarterly report, May--June 1977, 1365 (GEFR--14031-12)
Core restraint seismic test plan, 1274 (GEFR--00357)
Core restraint system seismic modeling capabilities, 1241 (GEFR--00156)
Corrosion and impurities deposition effects under DNB conditions, 1398 (GEFR-SP--045)
Corrosion fatigue of 2-1/4 Cr--1 Mo steel in caustic at 316°C, 1280 (GEFR--00375)
CRBRP decay heat removal systems, 639 (CONF-771217--6)
Critical experiments and analysis, 1340 (GEFR--13771-25)
Critical experiments and analysis. Twenty-seventh quarterly report, April--June 1978, 1342 (GEFR--13771-27)
Critical experiments and analysis. Twenty-third quarterly report, April--June 1977, 1338 (GEFR--13771-23)
Critical experiments and analysis twenty-fourth quarterly report, July--September 1977, 1339 (GEFR--13771-24)
Critical experiments and analysis twenty-second quarterly report, January--March 1977, 1337 (GEFR--13771-22)
Critical experiments and analysis twenty-sixth quarterly report, January--March 1978, 1341 (GEFR--13771-26)
Data-based evaluation of thermal performance mechanisms in mixed-oxide fuel pins, 1257 (GEFR--00295)
Design, manufacturing, and test status of the CRBRP hockey stick steam generators, 1396 (GEFR-SP--042)
Development of leak detection systems for LMFBR steam generators in the U.S., 984 (CRBRP-GEFR-SP--040)
Effects of remelting and heat treatment on 2-1/4 Cr-1Mo steel elevated temperature tensile properties, 2327 (NEDM--14146(Rev.1))
Evaluation of Hydraulic Test Model (HTM) flow distribution test results, 1239 (GEFR--00134(L))
Evaluation of strain cycling effects in the DNB zone of a sodium-heated steam generator, 983 (CRBRP-GEFR-SP--036)
Experimental evaluation of the oxidation behavior of Nb, V, and Ti as candidate FCCI inhibitors, 1278 (GEFR--00370)
Fabrication inspection of tubing, tubesheets, and tube-to-tubesheet welds for the CRBRP steam gererators, 1399 (GEFR-SP--046)
Fatigue crack growth properties of type-316 plate and 16-8-2 stainless steel welds in air and high carbon liquid sodium, 1258 (GEFR--00303)
Final report on vacuum arc remelted tubesheet forging properties for CRBRP steam generators, 1282 (GEFR--00379)
Final summary report on characterization of CRBRP steam generator tubing, 1281 (GEFR--00378)
Friction, wear, and fretting: Clinch River Breeder Reactor steam generators, 1263 (GEFR--00322)
Fuel rod mechanics and failure analysis. Nineteenth quarterly report, February--April 1977, 1348 (GEFR--13923-19)
Fuel rod mechanics and failure analysis. Twentieth quarterly report, May--July 1977, 1349 (GEFR--13923-20)
Fuel rod mechanics and failure analysis. Twenty-first quarterly report, August--October 1977, 1350 (GEFR--13923-21)
Fuel rod mechanics and failure analysis. Twenty-third quarterly report, February 1978--April 1978, 1352 (GEFR--13923-23)
Fuel rod mechanics and failure analysis twenty-second quarterly report, November 1977--January 1978, 1351 (GEFR--13923-22)
Heat transfer with hockey-stick steam generator, 1404 (GEFR-SP--070)
Heat treatment for 2-1/4Cr-1Mo for application to sodium heated steam generators, 1267 (GEFR--00348)
Hydraulic testing program on vented assembly core design, 1268 (GEFR--00349)
Inhalation dose conversion factors for various radionuclides associated with Liquid Metal Fast Breeder Reactors. Part 2, 1246 (GEFR--00257)
Instrument development: advanced signal transmission systems. Final summary report, October 1976--June 1977, 1242 (GEFR--00232)
Instrumentation development twenty-second quarterly report, October 1976--June 1977, 1347 (GEFR--13825-20-22)
Interim evaluation of Sodium--Water Reaction Test No. 1 data and comparison with TRANSWRAP analyses: Series I large leak test program, 1226 (GEFR--00027(L))
Intermediate System Mockup Loop (ISML) operation, 1279 (GEFR--00373)
Irradiation and post-irradiation examination data from selected F9 and F5 test pins, 1259 (GEFR--00305)
Large electromagnetic pumps, 1402 (GEFR-SP--064)
LLTR Series I: analysis in support of SWRPRS design and SWR cleanup and recovery, 1227 (GEFR--00037(L))
LLTR Series I test request. Revision 4. GE specification No. 22A3924, Rev. 4, 2907 (TID--27817)
LMFBR refueling force limits criteria, testing and evaluation, 1244 (GEFR--00255)
LMFBR vented assembly hydraulic modeling and testing, 1403 (GEFR-SP--065)
Localized duct wall cyclic thermal stresses in vented assembly LMFBR cores, 1269 (GEFR--00351)
Materials data requirements for the high-temperature structural design of 2 1/4 Cr-1 Mo steel components, 526 (CONF-770545--3)
Microleak wastage test results, 1270 (GEFR--00352)
Microstructural results from F20 power-to-melt experiment, 1277 (GEFR--00367)
National core restraint development program code verification/comparison study, problem level I-B, 1243

(GEFR--00239)
National core restraint program code verification/comparison study, problem level I-D, 1236 (GEFR--00101)
Nuclear data and methods development and application to LMFBRs. Third annual progress report, fiscal year 1977, 1380 (GEFR--14073-3)
Overall separation efficiency requirement of the centrifugal separator for the LMFBR Sodium Water Reaction Pressure Relief System (SWRPS), 2319 (NEDM--14091)
PECS-III: probabilistic evaluation of cladding lifetime in LMFBR fuel pins, 1245 (GEFR--00256)
Plugging/unplugging of defects in LMFBR steam generator tubing, 1253 (GEFR--00274(L))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Appendix: innovative design features, final report, 1079 (EPRI-NP--646(Vol.9))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part II. Heat transport systems, final report, 1071 (EPRI-NP--646(Vol.1))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part II. Appendixes, final report, 1072 (EPRI-NP--646(Vol2.))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part III. Deck structure, final report, 1073 (EPRI-NP--646(Vol.3))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part IV. Reactor assembly and core, final report, 1074 (EPRI-NP--646(Vol.4))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part IV. Appendix, final report, 1075 (EPRI-NP--646(Vol.5))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part V. Auxiliary systems. Part VI. Research and development needs, final report, 1076 (EPRI-NP--646(Vol.6))
Post-accident heat removal in LMFBRs, 1393 (GEFR-SP--023)
Preliminary self wastage test results from CRACKPOT facility, 1254 (GEFR--00279(L))
Pressure pulse propagation in piping analytical/experimental comparison, 2331 (NEDM--14161)
Probabilistic leak analysis for LMFBR primary coolant piping, 1228 (GEFR--00041)
Procedures for measuring bowing/expansion reactivity effects, 1240 (GEFR--00152)
Program for the development of design data: LMFBR steam generator materials, 1233 (GEFR--00067-2)
Prototype large breeder reactor. Phase II. Extension studies. Part II. Reactor assembly, 1249 (GEFR--00260)
Prototype large breeder reactor. Phase II. Extension studies. Part 2. Reactor assembly, 1248 (GEFR--00260)
Prototype Large Breeder Reactor. Phase II. Extension studies. Part III. Heat transport systems, 1251 (GEFR--00260(Pt.3))
Prototype large breeder reactor. Phase II Extension studies. Part I. Summary, 1250 (GEFR--00260(Pt.1)(Summ.))
Prototype Large Breeder Reactor. Phase II extension studies. Part 1. Summary, 1252 (GEFR--00260(Summ.))
Radiological assessment models. Eleventh quarterly report, March--May 1977, 1371 (GEFR--14034-11)
Radiological assessment models. Fifteenth quarterly report, March--May 1978, 1374 (GEFR--14034-15)
Radiological assessment models. Thirteenth quarterly report, September--November 1977, 1372 (GEFR--14034-13)
Radiological assessment models fourteenth quarterly report, December 1977--February 1978, 1373 (GEFR--14034-14)
Reference fuel studies. Annual report, February 1976--January 1977, 1235 (GEFR--00076)
Reference fuel studies semi-annual report, February--July 1977, 1247 (GEFR--00258)
Results of small leak behavior and damage propagation tests in the U.S., 2324 (NEDM--14131)
Risk allocation approach to reactor safety design and evaluation, 1394 (GEFR-SP--027)
Risk analysis methods development. Fifth quarterly report, January--March 1978, 1355 (GEFR--14023-5)
Risk analysis methods development. Fourth quarterly report, October--December 1977, 1354 (GEFR--14023-4)
Safety engineering sixteenth quarterly report, May--July 1976, 1225 (GEAP--13923-16)
Secondary criticality evaluations of postulated core melt-down accidents in early-sized LMFBR's, 1395 (GEFR-SP--037)
Selection of the design basis leak for LMFBR steam generators, 1397 (GEFR-SP--044)
Self-wastage phenomena. Volume I. State-of-the-art data review and evaluation, 1229 (GEFR--00051(L)-1)
Self-wastage phenomena. Volume II. Experimental data from GE test facilities, 1230 (GEFR--00051(L)-2)
Small leak damage and behavior test results, 2317 (NEDM--14044)
Small leak scoping tests: secondary tube failure test; sodium/water reaction flame photography, 2325 (NEDM--14137)
Sodium water reaction (SWR) cleanup system study and improved designs of cold trap for SWR cleanup of LMFBR plants, 2318 (NEDM--14050)
Some aspects of corrosion of 2 1/4 Cr--1 Mo evaporators by prototypic CRBRP water chemistry, 1231 (GEFR--00061(L))
Source term model needs and developments, 1264 (GEFR--00324)
Steam generator materials engineering thirteenth quarterly report, July--September 1977, 1361 (GEFR--14029-13)
Steam generator materials engineering twelfth quarterly report, April--June 1977, 1360 (GEFR--14029-12)
Summary of the CORTAC verification activity and the evaluation of 3-D effects, 1256 (GEFR--00293)
Summary of the effects of material combinations and weld joint geometries on the elastic stress in a dissimilar metal pipe joint, 2322 (NEDM--14109)
Swelling of types-304, -316, and -321 stainless steels at high fluences in EBR-II, 1232 (GEFR--00062)
Terminal examination of the FSE and FSF EBR-II grid-spaced fuel assemblies, 1262 (GEFR--00321)
Test results, long-term endurance test conditions, and sensitivity parameters for the DNB effects test, 2330 (NEDM--14153)
Theoretical predictions of local heat transfer and water purity parameters for transition boiling based upon a film dryout model, 2321 (NEDM--14104)
Thermal/hydraulic test results including critical heat flux conditions for a sodium-heated steam generator tube model, 2329 (NEDM--14150)
Updated analysis of the ZPPR-7 critical experiments: phases A, B, and C, 1266 (GEFR--00347)
U.S. program for large sodium/water reaction tests, 643 (CONF-780203--9)
Vented assembly core development program, FY-77, 1255 (GEFR--00291)
GENERAL ELECTRIC CO., VALLECITOS, NM (USA)
In-reactor performance of methods to control fuel-cladding chemical interaction, 1572 (HEDL-SA--1579)
GESELLSCHAFT FUER KERNFORSCHUNG M.B.H., KARLSRUHE (GERMANY, F.R.)
Prompt burst energetics experiments uranium carbide series, 2850 (SAND--78-0232C)
GESELLSCHAFT FUER REAKTORSICHERHEIT M.B.H. (GRS), KOELN (GERMANY, F.R.)
Report on the projects in the field of reactor safety sponsored by the Federal Ministry for Research and Technology. Period under report: 1st July to 30th September 1978, 1429 (GRS-F--70)
Report on the research projects in the field of reactor safety sponsored by the Federal Minister for Research and Technology. Period under report: January 1 - March 31, 1978, 1427 (GRS-F--63)
Reports on research projects in the field of reactor safety sponsored by the Federal Minister for Research and Technology. Period under report: April 1 to June 30, 1978, 1428 (GRS-F--66)
Reports on research projects sponsored by the Federal Minister for Research and Technology in the field of reactor safety. Progress report for the period from October 1 to December 31, 1978, 1430 (GRS-F--74)
Reports on research projects sponsored by the Federal Minister for Research und Technology in the field of reactor safety. Period under report 1st January to 31st March. Progress report, 1431 (GRS-F--79)
GOSUDARSTVENNYJ KOMITET PO ISPOL'ZOVANIYU ATOMNOJ EHNERGII SSSR, MOSCOW. INST. ATOMNOJ EHNERGII
Interference of neutron-absorbing control rods in a large power fast reactor, 1859 (IAE--2842)
GOSUDARSTVENNYJ KOMITET PO ISPOL'ZOVANIYU ATOMNOJ EHNERGII SSSR, OBNINSK. FIZIKO-EHNERGETICHESKIJ INST.
About some effects on the coolant temperature field in fuel assemblies with wire spacers, 1215 (FEI--624)
Analytical solution of some problems related with electromagnetic method of velocity measurement in complex channels, 1214 (FEI--622)
Approximate simulation technique for thermal and hydraulic parameters of a reactor core, 1212 (FEI--597)
Description of designs, fabrication and test data of piezoelectric pick-ups based or lithium niobates, 1210 (FEI--563)
Effect of the fast breeder concept on the reactor main characteristics and steam generation parameters, 1213 (FEI--607)
Experimental study on interchannel interaction of coolant in rod lattices with wire-wrap spacers, 1209 (FEI--556)
Experimental-calculation studies on efficiency of europium oxide rods of the BFS-29 assembly, 1211 (FEI--566)
High-temperature acoustic transducers of sound pressure based on lithium niobate piezoelements, 1208 (FEI--536)
Physical aspects of choosing fuel for a research fast reactor, 1218 (FEI--850)
Review of the development of fast breeder reactors in the USSR, 3045 (PNL-TR--400)
Temperature control of active core assemblies in a fast reactor in accidents, 1216 (FEI--711)
Use of demonstration fast reactor experience in assessing the radiation safety of fast power reactors in the design stage, 3048 (PNL-TR--393)
Ways of solving some engineering problems in arrangement of integral and loop type fast reactors, 1217 (FEI--739)
GRENOBLE-1 UNIV., 38 (FRANCE)
Study of sodium boiling during a power transient in a heating duct. Investigation carried out within the scope of a study on the safety of fast neutron reactors, 1220 (FRNC-TH--765)
GRUMMAN AEROSPACE CORP., BETHPAGE, NY (USA). RESEARCH DEPT.
Development and application of the PLANS computer program for analysis of nuclear reactor structural components, 2617 (ORNL/Sub--4485/1)
Developmert of the PLANS compuuter program for elastic--

plastic-creep analysis of nuclear reactor structural components, 2618 (ORNL/SUB--4485/2)

H

HANFORD ENGINEERING DEVELOPMENT LAB., RICHLAND, WA (USA)
Absorber materials for fast reactor control applications, 1456 (HEDL-SA--1177-FP)
Activated corrosion product radiation levels in the FFTF heat transport system cells and closed loop system modules, 1741 (HEDL-TME--76-10)
Advanced absorber assembly design for breeder reactors. Summary, 1564 (HEDL-SA--1555-S)
Aerosol behavior during sodium pool fires in a large vessel: CSTF tests AB1 and AB2, 1849 (HEDL-TME--79-28)
Aerosol behavior during sodium spray fires and comparison with computer codes, 1606 (HEDL-SA--1714-FP)
Allowable coolant outlet temperature differentials for FTR test assemblies in driver positions, 1781 (HEDL-TME--77-80)
Alternative oxide fuel pellet fabrication for irradiation testing, 1578 (HEDL-SA--1604-FP)
Analysis of FFTF reactor cavity liners under ex-vessel PAHR conditions, 1672 (HEDL-TC--572(Rev.1))
Analysis of FFTF response to hypothetical earthquake with postulated primary piping leak and cooling by natural circulation, 1603 (HEDL-SA--1703-FP)
Analysis of fuel-cladding chemical interaction at high burnup, 1471 (HEDL-SA--1294S)
Analysis of fuel-cladding chemical interaction in mixed-oxide fuel at high burnup, 1821 (HEDL-TME--78-66)
Analysis of hypothetical LMFBR whole-core accidents in the USA, 729 (CONF-781022--31)
Analysis of internal fuel motion during PINEX-2 experiment, 1590 (HEDL-SA--1658-S)
Analysis of mixed oxide fuel irradiated in EBR-II: measured vs. predicted burnup, 1770 (HEDL-TME--77-60)
Analysis of piping systems with nonlinear supports subjected to seismic loading, 1632 (HEDL-SA--1769)
Analytical study of the dilation of fast reactor fuel assembly ducts, 1595 (HEDL-SA--1677)
Analytical validation of the CACECO containment analysis code, 1840 (HEDL-TME--79-2)
Applicability of TREAT TOP experiments to post-failure dynamics, 1534 (HEDL-SA--1489-FP)
Application of optimal estimation techniques to FFTF decay heat removal analysis, 1617 (HEDL-SA--1741-FP)
Assessment of the HEDL P-23 special pins test. Methods to control fuel-cladding chemical interaction, 1819 (HEDL-TME--78-52)
Attenuation of airborne debris from LMFBR accidents, 1591 (HEDL-SA--1665)
B_4C absorber pin in-reactor rupture test, 1563 (HEDL-SA--1554-FP)
Biases for current FFTF calculational methods, 1503 (HEDL-SA--1293)
Boilup threshold for the bottled-up transition phase pool, 1441 (HEDL--SA-1595-FP)
Breeder reactor reference control materials. Semiannual status newsletter, June--December 1978, 1838 (HEDL-TME--78-115)
Breeder reactor reference control materials. Semiannual status newsletter, January--June 1978, 1822 (HEDL-TME--78-69)
Breeder reactor reference control materials. Semiannual report, January--June 1977, 1768 (HEDL-TME--77-58)
Breeder reactor reference control materials. Semiannual report, July--December 1977, 1797 (HEDL-TME--77-109)
Bundle-duct clearance of HEDL mixed oxide subassemblies, 1449 (HEDL-SA--897)
Calculation of neutron source strength in FFTF fuel as a function of irradiation, 1835 (HEDL-TME--78-107)
Calculation of passive sensor perturbations in FFTF, 1769 (HEDL-TME--77-59)
Calculation of resonant reaction rates near region interfaces in the FFTF, 1522 (HEDL-SA--1449)
Calibration of a fuel-to-cladding gap conductance model for fast reactor fuel pins, 1784 (HEDL-TME--77-86)
Carbon in sodium: a status review of the USA R and D work, 1660 (HEDL-SA--1550-FP)
Cesium migration in LMFBR fuel pins, 1559 (HEDL-SA--1543-FP)
Characterization of corrosion product deposits in sodium systems, 1523 (HEDL-SA--1452)
Cladding breaches in mixed oxide fuel pins, 1473 (HEDL-SA--1299-S)
Cladding development and characterization in the United States, 1468 (HEDL-SA--1286)
Cleaning, disassembly, and requalification of the FFTF in vessel handling machine, 1500 (HEDL-SA--1387)
Closed Loop In-Reactor Assembly (CLIRA): a fast flux test facility test vehicle, 1579 (HEDL-SA--1605-FP)
Comparison of a fission-gas effects in a transient overpower test (HUT 5-7A) to FRAS3 code predictions, 1609 (HEDL-SA--1725-FP)
Comparison of containment systems for large sodium-cooled breeder reactors, 1810 (HEDL-TME--78-35)
Comparison of fuel pin deformations with pressurized tube creep tests, 1536 (HEDL-SA--1405)
Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading, 1627 (HEDL-SA--1755-FP)
Computer simulation of natural circulation in FFTF secondary loops, 1653 (HEDL-SA--1920S)
Computerized fuel measurement from x-ray radiography, 1033 (DOE/TIC--11042)
Computerized Interference Elimination report: FFTF cells 489, 422E, 529A, and 529B, 1439 (HEDL--6617)
Confidence level in the calculations of HCDA consequences using large codes, 1641 (HEDL-SA--1835)
Containment air cleaning for LMFBRs, 1605 (HEDL-SA--1713-FP)
Control of radionuclide transport in sodium-cooled reactor primary circuits, 1582 (HEDL-SA--1625)
CORA: transient analysis code for a cluster of reactor core assemblies, 1642 (HEDL-SA--1836-FP)
Core design methods for advanced LMFBRs, 1460 (HEDL-SA--1205)
Core engineering technical progress report, April, May, June 1978, 1816 (HEDL-TME--78-43)
Core engineering technical progress report, April--June 1977, 1763 (HEDL-TME--77-47)
Core engineering technical progress report, January, February, March 1978, 1815 (HEDL-TME--78-42)
Core engineering technical progress report, July--September 1977, 1764 (HEDL-TME--77-48)
Core engineering technical progress report, October--December 1977, 1765 (HEDL-TME--77-49)
Correlation for boron carbide helium release in fast reactors, 1457 (HEDL-SA--1189-FP)
Corrosion of irradiated stainless steel in hot-trapped sodium, 1771 (HEDL-TME--77-61)
Couple M: a computer program which models thermal-hydraulic and dimensional change behavior of a multi-pin FBR fuel assembly, 1789 (HEDL-TME--77-96)
Cover gas entrainment tests in FFTF hydraulic core mockup, 1738 (HEDL-TME--76-3)
CRBRP flow induced vibration program, 597 (CONF-770933--1)
Creep relaxation of fuel pin bending and ovalling stresses, 1647 (HEDL-SA--1860)
Criticality analysis for FFTF fuel assemblies and fuel pins, 1673 (HEDL-TC--807)
Data for PNC fuel pins for HEDL P-E01 test, 1022 (DOE/TIC--10188)
Data systems in FFTF and EBR-II, 1668 (HEDL-SA--2022)
Decay heat due to activation of core components, 1837 (HEDL-TME--78-111)
Decay heat for the Fast Test Reactor (FTR), 1748 (HEDL-TME--77-13)
Design analysis of liquid metal pipe supports, 1634 (HEDL-SA--1771)
Design and construction of the Fuels and Materials Examination Facility, 1645 (HEDL-SA--1850)
Design and economics of large LMFBRs, 1477 (HEDL-SA--1321)
Design configurations for controlling sodium void worth in large FBR cores, 1479 (HEDL-SA--1325)
Design evolution of FFTF Heat Transport System pumps, 1491 (HEDL-SA--1368)
Design experience: FFTF shielding, 1585 (HEDL-SA--1634)
Design of sodium cooled reactor systems and components for maintainability, 1543 (HEDL-SA--1506)
Design of the FMEF and material handling systems, 1571 (HEDL-SA--1576)
Detection of feedback resonances in FFTF using rod drop stability tests, 1795 (HEDL-TME--77-107)
Development of an instrumented materials irradiation test for FFTF, 1649 (HEDL-SA--1881-FP)
Development of ultrasonic examination methods for austenitic stainless steel weld inspection, 1486 (HEDL-SA--1348)
DILATE: a 2-d structural program for the dilation response of hexagonal ducts, 1855 (HEDL-TME--79-72)
Dimensional analysis of FFTF driver fuel assemblies, 1778 (HEDL-TME--77-77)
Display of the predictions of large fast reactor safety analysis codes via computer-generated movies, 1554 (HEDL-SA--1525-FP)
Dissolution of FFTF vendor fuel, 1655 (HEDL-SA--1931)
Dissolution of mixed oxide fuel as a function of fabrication variables, 1657 (HEDL-SA--1935)
Distribution of revisions to FFTF FSAR, 1714 (HEDL-TI--75002-18)
Distribution of revisions to FFTF FSAR, 1715 (HEDL-TI--75002-19)
Distribution of revisions to FFTF FSAR, 1716 (HEDL-TI--75002-20)
Distribution of revisions to FFTF FSAR, 1722 (HEDL-TI--75002-26)
Distribution of revisions to FFTF FSAR, 1709 (HEDL-TI--75002-12)
Distribution of revisions to FFTF FSAR, 1688 (HEDL-TI--75001-16.1)
Distribution of revisions to FFTF FSAR, 1698 (HEDL-TI--75001-25)
Distribution of revisions to FFTF FSAR, 2935 (TID--29350)
Distribution of revisions to FFTF FSAR, 1728 (HEDL-TI--75002-33)
Dosimeter based adjustments of fast neutron spectra, 1856 (HEDL-TME--1480(FP))
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim report, 1818 (HEDL-TME--78-51)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Second interim report, 1844 (HEDL-TME--79-19)
Early-in-life thermal performance of UO_2--PuO_2 fast

reactor fuel, 1552 (HEDL-SA--1526-FP)
EBR-II spectral parameters, Run 75D, 1826 (HEDL-TME--78-84)
EBR-II validated, key fission product yields for fast reactor application, 1496 (HEDL-SA--1375)
Effect of a time varying power level in EBR-II on mixed-oxide fuel burnup, 1629 (HEDL-SA--1759-FP)
Effect of liquid sodium on FFTF IHX tube-to-tubesheet weld residue deposits, 1733 (HEDL-TME--72-86)
Effect of power skew on the FTR TOP, 1529 (HEDL-SA--1463FP)
Effect of sodium environment on breeder reactor components, 1508 (HEDL-SA--1420)
Effect of support clamps on elevated temperature piping, 1462 (HEDL-SA--1220)
Effect of thermal cycling during in-vessel storage (IVS) of FFTF core components, 1780 (HEDL-TME--77-79)
Effects of irradiation creep on ex-reactor mechanical properties, 1525 (HEDL-SA--1455)
Effects of local cesium concentrations on mixed-oxide fuel behavior, 1475 (HEDL-SA--1306S)
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 1577 (HEDL-SA--1598-FP)
Effects of stoichiometry on cladding attack in mixed-oxide fuels to approx. 3.6 at% burnup, 1470 (HEDL-SA--1292-S)
Effects of stoichiometry on cladding reaction in mixed-oxide fuel at high burnup, 1531 (HEDL-SA--1470-S)
Effects of stoichiometry on cladding reaction in mixed-oxide fuel, 1621 (HEDL-SA--1749-FP)
Effects of transient power histories on the intrasubassembly failure incoherencies, 1648 (HEDL-SA--1868)
Electro-optical fuel pin identification system, 1545 (HEDL-SA--1516)
Elevated temperature J/sub Ic/ fracture toughness behavior of type 304 stainless steel and type 308 stainless steel weldment. Interim report, 1833 (HEDL-TME--78-101)
ENERGY 1A: a modified version of the ENERGY 1 thermal-hydraulic computer code for LMFBR wire wrap spacer fuel assemblies, 1766 (HEDL-TME--77-53)
Equipment for inspection of austenitic stainless steel pipe welds, 1656 (HEDL-SA--1932)
Evaluation of rod drop stability tests in FFTF, 1794 (HEDL-TME--77-105)
Experience in the analysis of nuclear-grade boron carbide, 1792 (HEDL-TME--77-100)
Experience in the use of FBR core component structural design criteria as applied to FFTF, 1638 (HEDL-SA--1794)
Experience with simplified inelastic analysis of FFTF test assemblies, 1636 (HEDL-SA--1773)
Experimental and theoretical studies on water and gas release from heated concrete, 1497 (HEDL-SA--1380)
Experimental confirmation of the design to minimize vibration and wear in 61-pin wire-spaced EBR-II subassemblies, 1541 (HEDL-SA--1504-FP)
Experimental evaluation of cell liners, 1536 (HEDL-SA--1494)
Experimental fuel assembly irradiation experience in EBR II, 1547 (HEDL-SA--1518)
Experimental study of hydrogen jet ignition and jet extinguishment, 1824 (HEDL-TME--78-80)
Ex-reactor transient fission gas release studies, fuel pin PNL-2-4, 1782 (HEDL-TME--77-83)
Fabrication and irradiation performance of $Pu_{0.25}U_{0.75}O_{1.91}$ low O/M fuel, 1562 (HEDL-SA--1553)
Fabrication data for the US/UK safety test program L01 calibration fuel pins, 1021 (DOE/TIC--10187)
Fabrication of 0.5-inch diameter FBR mixed oxide fuel pellets, 1650 (HEDL-SA--1695-FP)
Fabrication of ThO_2, UO_2, and PuO_2-UO_2 pellets, 1504 (HEDL-SA--1395-FP)
Failure location analysis for tagged reactor assemblies, 1637 (HEDL-SA--1787-FP)
Fast Flux Test Facility acceptance test program and early results, 1580 (HEDL-SA--1606)
Fast flux test facility startup plan, 1461 (HEDL-SA--1216(Rev.))
Fast reactor fuel pin performance requirements for off-normal events, 1561 (HEDL-SA--1551-FP)
Fast reactor neutron absorber materials, 1601 (HEDL-SA--1690-FP)
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)
Fast reactor safety technical progress report, April--June 1977, 1775 (HEDL-TME--77-67)
Fast reactor safety technical progress report, January--March 1977, 1774 (HEDL-TME--77-66)
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 1622 (HEDL-SA--1750)
FBR core design with the composite fuel assembly, 1532 (HEDL-SA--1477)
FFTF and the ASME Code, 1535 (HEDL-SA--1490)
FFTF containment of hypothetical accidents, 1615 (HEDL-SA--1736-FP)
FFTF core and primary sodium circuit instrumentation, 1450 (HEDL-SA--1082)
FFTF development testing. Technical progress report, July--September 1976, 1745 (HEDL-TME--76-47)
FFTF development testing technical progress report, January, February, March 1976, 1743 (HEDL-TME--76-45)
FFTF development testing technical progress report, April--June 1977, 1744 (HEDL-TME--76-46)
FFTF development testing technical progress repot, October--December 1976, 1746 (HEDL-TME--76-48)
FFTF Dump Heat Exchanger design and development, 1444 (HEDL-SA--135-3)
FFTF EM service pump design, application, and testing, 1494 (HEDL-SA--1371)
FFTF emergency plan, FSAR amendment 9, 1706 (HEDL-TI--75002-9)
FFTF FSAR, Amendment 21, 1717 (HEDL-TI--75002-21)
FFTF FSAR Amendment 35. Revisions to emergency plan, 1730 (HEDL-TI--75002-35)
FFTF Fuel Handling System, port closures and seals: features and experience, 1492 (HEDL-SA--1369)
FFTF fuel story, 1662 (HEDL-SA--1959)
FFTF gas processing systems, 1465 (HEDL-SA--1230-S)
FFTF hot leg ruptures and loss of flow events, 1527 (HEDL-SA--1459)
FFTF implementation of training requirments for government owned facilities, 1597 (HEDL-SA--1679)
FFTF instrument tree design and development, 1493 (HEDL-SA--1370)
FFTF materials of construction and surveillance plans, 1644 (HEDL-SA--1846)
FFTF preoperational environmental survey program, 1804 (HEDL-TME--78-18)
FFTF preproduction mechanical snubber qualification test program for Westinghouse/Hanford, 1440 (HEDL--6629)
FFTF primary system transition to natural circulation from low reactor power, 1652 (HEDL-SA--1919-FP)
FFTF purification system performance during fill and initial temperature ascension, 1663 (HEDL-SA--1973-FP)
FFTF reactor characterization program, 1488 (HEDL-SA--1351)
FFTF regulatory review for operating authorization, 1619 (HEDL-SA--1744-FP)
FFTF safety review, 1661 (HEDL-SA--1958)
FFTF scale-model characterization of flow-induced vibrational response of reactor internals, 1472 (HEDL-SA--1298)
FFTF status and test results, 1639 (HEDL-SA--1795)
FFTF tornado missile barrier report, 1747 (HEDL-TME--76-65)
FFTF vibration open test assembly (VOTA) engineering model calibration program, 1799 (HEDL-TME--78-10)
Fission gas behavior in mixed-oxide fuel during overpower and thermal transient tests, 1443 (HEDL-S/A--1552-FP)
Fission gas behavior in mixed-oxide fuel during transient overpower, 1620 (HEDL-SA--1747-FD)
Flow impedance test results at HEDL: chemical basis, 1510 (HEDL-SA--1425)
Forced circulation cold trap assemblies for removal of sodium impurities from FFTF closed loop systems, 1857 (HWS--1880(Rev.2)(Add.1))
Friction, wear, and corrosion of laves-hardened nickel alloy hardsurfacing in sodium, 1502 (HEDL-SA--1391)
Friction, wear, corrosion, and self-welding of Tribaloy 700 hardsurfacing in sodium, 1811 (HEDL-TME--78-36)
FSAR amendment 28, 1723 (HEDL-TI--75002-28)
FSAR amendment 8, 1705 (HEDL-TI--75002-8)
FSAR amendment 10, 1707 (HEDL-TI--75002-10)
FSAR amendment 16, 1712 (HEDL-TI--75002-16)
FSAR amendment 17, 1713 (HEDL-TI--75002-17)
FSAR Amendment 22. Addition of response Q130.57 to Supplement 21, 1718 (HEDL-TI--75002-22)
FSAR amendment 24: addition to supplement 13, Q211.33, NRC Q_1, Set 8, 1720 (HEDL-TI--75002-24)
FSAR amendment 23: (change to chapter 17, as made by FSAR supplement 26), 1719 (HEDL-TI--75002-23)
FSAR amendment 11: changes to reflect supplement 13, part 1, 1708 (HEDL-TI--75002-11)
FSAR Amendment 31: changes to section 3.10, 1726 (HEDL-TI--75002-31)
FSAR Amendment 34: environmental technical specifications for the Fast Flux Test Facility (Chapter 18), 1729 (HEDL-TI--75002-34)
FSAR amendment 29: miscellaneous changes, 1724 (HEDL-TI--75002-29)
FSAR amendment 32: miscellaneous changes, 1727 (HEDL-TI--75002-32)
FSAR amendment 15: miscellaneous changes, 1711 (HEDL-TI--75002-15)
FSAR amendment 25: miscellaneous revisions, 1721 (HEDL-TI--75002-25)
FSAR amendment 14, FSAR revisions: response to NRC Q_2 set 1, quality assurance, 1710 (HEDL-TI--75002-14)
FSAR amendment 5, revisions to supplement 6, 1704 (HEDL-TI--75002-5)
FSAR Q_1 responses, 1681 (HEDL-TI--75001-10)
FSAR Q_1 responses. Supplement 11, 1682 (HEDL-TI--75001-11)
FSAR Q_1 responses supplement 12. Part 1, 1683 (HEDL-TI--75001-12-1)
FSAR supplement 30, 1703 (HEDL-TI--75002-30)
FSAR supplement 16. Part 2. Response to NRC Q_2 set 2, 1689 (HEDL-TI--75001-16.2)
FSAR supplement 13. Part I. Responses to NRC Q_1 set 8, 1685 (HEDL-TI--75001-13.1)
FSAR supplement 21: response to NRC Q_2 set 5, 1694 (HEDL-TI--75001-21)
FSAR supplement 26: response to NRC Q_2 Set 11, 1699 (HEDL-TI--75001-26)
FSAR supplement 29: response to NRC Q_2 set 14, 1702 (HEDL-TI--75001-29)
FSAR supplement 28: response to NRC Q_2 Set 13, 1701

(HEDL-TI--75001-28)
FSAR supplement 27: response to NRC Q_2 Set 12, 1700 (HEDL-TI--75001-27)
FSAR supplement 14: response to NRC Q_1 set 9, 1686 (HEDL-TI--75001-14)
FSAR supplement 19: response to NRC Q_2 set 3, 1692 (HEDL-TI--75001-19)
FSAR supplement 17: responses to NRC Q_1 set 10, 1690 (HEDL-TI--75001-17)
FSAR supplement 18: responses to NRC Q_1 set 6, 1691 (HEDL-TI--75001-18)
FSAR supplement 22: responses to NRC Q_2 set 6, 1695 (HEDL-TI--75001-22)
FSAR supplement 23: responses to NRC Q_2 set 7, 1696 (HEDL-TI--75001-23)
FSAR supplement 12, part 2, responses to NRC Q_1=set 7; amendment 13, 1684 (HEDL-TI--75001-12.2)
FSAR supplement 20, response to NRC Q_2 set 4, 1693 (HEDL-TI--75001-20)
FTR hCM scale-model flow-induced vibration tests, Phases I and II. Final report, 1736 (HEDL-TME--75-96)
Fuel adjacency effects on fast reactor cladding mechanical properties, 1581 (HEDL-SA--1609)
Fuel column stability in irradiated mixed-oxide fuel, 1520 (HEDL-SA--1447-S)
Fuel crack volume predictions and measurements, 1584 (HEDL-SA--1631-FP)
Fuel failure monitoring systems in U.S. breeder reactors, 1513 (HEDL-SA--1433)
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
Fuel-cladding chemical interaction in mixed-oxide fuels, 1553 (HEDL-SA--1527-FP)
Gas cooling test with a full-scale 217-pin bundle assembly, 1823 (HEDL-TME--78-78)
Gas tag location systems for FFTF and CRBRP Failed assemblies, 1603 (HEDL-TME--78-14)
Gas tagging for fuel failure location using xenon and krypton, 1451 (HEDL-SA--1154)
Ground temperatures surrounding a molten fuel pool, 1478 (HEDL-SA--1324-F)
Handling of sodium for the FFTF, 1516 (HEDL-SA--1441)
HEDL contribution to SRL fuel recycle program. Quarterly report, January--March 1977, 1674 (HEDL-TC--902-1)
HEDL contribution to SRL fuel recycle program: quarterly report for April, May, and June 1977, 1675 (HEDL-TC--902-2)
HEDL mixed oxide fuel pin breach experience in EBR-II, 1555 (HEDL-SA--1535-FP)
HEDL mixed oxide fuels fabrication development. Quarterly progress report, January--March 1977, 1787 (HEDL-TME--77-94)
Helium production in FBR out-of-core structural components, 1514 (HEDL-SA--1439)
High ^{240}Pu FTR/EMC experiments and analysis: Carbide fuel and UO_2 blanket subassembly worths, 1762 (HEDL-TME--77-44)
High temperature in-reactor creep of 20% cold worked FTR cladding, 1505 (HEDL-SA--1402)
High Temperature Liner Feature Test, FT-3, 1793 (HEDL-TME--77-102)
High temperature penetrant procedure for liquid metal pipe welds, 1540 (HEDL-SA--1501-FP)
High voltage instrument cables for 650°C in-vessel breeder reactor service, 1651 (HEDL-SA--1903-FP)
Hot pressing of EuB_6, 1596 (HEDL-SA--1678-FP)
Hydrogen ignition and recombination following postulated breeder reactor accidents, 1604 (HEDL-SA--1712-FP)
Hydrogen jet recombination under postulated LMFBR accident conditions, 1458 (HEDL-SA--1190FP)
Improved subassembly grouping for multi-channel top HCDA safety analysis, 1751 (HEDL-TME--77-25)
In-core gas release capsule development, 1567 (HEDL-SA--1564)
In-core gas release capsule development, 1568 (HEDL-SA--1564-S)
Inelastic analysis of pipeline in FFTF heat transport system, 1489 (HEDL-SA--1354-FP)
Inelastic analysis of two pipelines in the Fast Flux Test Facility, 1587 (HEDL-SA--1641)
Influence of oxygen-metal ratio on mixed-oxide fuel performance, 1630 (HEDL-SA--1760-FP)
Initial acceptance test experience with FFTF plant equipment, 1574 (HEDL-SA--1588)
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
In-reactor corrosion behavior of stainless steel cladding in high temperature sodium, 1448 (HEDL-SA--859(FP))
In-reactor performance of methods to control fuel-cladding chemical interaction, 1572 (HEDL-SA--1579)
Inspection techniques and processes for controlling FFTF fuel quality, 1576 (HEDL-SA--1593-FP)
Instrument calibration program for startup on FFTF, 1636 (HEDL-SA--1772)
Integral heat rate-to-incipient melting in UO_2--PuO_2 fast reactor fuel, 1750 (HEDL-TME--77-23)
Integrated leak rate testing of the fast flux test facility reactor containment building, 1575 (HEDL-SA--1589-S)
Integrated quality status and inventory tracking system for FFTF driver fuel pins, 1646 (HEDL-SA--1854FP)
Interim report for the PINEX-2 transient test, 1852 (HEDL-TME--79-39)
Intermediate scale sodium-concrete reaction tests, 1791 (HEDL-TME--77-99)
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 1474 (HEDL-SA--1300FP)
Irradiated EBR-II duct impact tests, 1777 (HEDL-TME--77-70)
Irradiation effects in FFTF radial reflector materials, 1841 (HEDL-TME--79-4)
Irradiation test program for FFTF, 1533 (HEDL-SA--1485)
Large heterogeneous reference fuel design study. Final report, 1798 (HEDL-TME--78-1)
Length changes in FTR prototypic cladding irradiated in EBR-II to 1 x 10^{22} N/CM², E > 0.1 MeV (PIN B-65)(RM-24), 1734 (HEDL-TME--72-95)
Linear heat rating for incipient fuel melting in UO_2--PuO_2 fuel, 1445 (HEDL-SA--464)
Liquid metal level measurement systems for reactor service, 1517 (HEDL-SA--1442)
Liquid velocity measurements in outlet plenum of FFTF hydraulic core mockup, 1739 (HEDL-TME--76-4)
LMFBR accident consequences assessment, 1466 (HEDL-SA--1241)
LMFBR mixed oxide fuels fabrication development semiannual, January--June 1977, 1788 (HEDL-TME--77-95)
LMFBR reference control materials. Semiannual report, July--December 1976, 1754 (HEDL-TME--77-33)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
Load rating and design criteria for pipe snubbers with extension struts, 1586 (HEDL-SA--1640)
Long-term in-reactor corrosion of stainless steel cladding in liquid sodium, 1628 (HEDL-SA--1756-5)
Mass and activity transport, 1436 (HEDL--6314)
Mass and activity transport in flowing sodium systems, 1521 (HEDL-SA--1448)
Materials compatibility in liquid sodium, 1565 (HEDL-SA--1559)
Measurement of cladding strain during simulated transient tests, 1613 (HEDL-SA--1731-FP)
Mechanical behavior of fast reactor fuel pin cladding subjected to simulated overpower transients, 1802 (HEDL-TME--78-13)
MELT-IIIB: an updated version of the melt code, 1836 (HEDL-TME--78-108)
Methods of assuring design adequacy of seismic III/I supports, 1588 (HEDL-SA--1642-FP)
MgO insulated coaxial instrument cable development for FFTF in-vessel temperature and voltage conditions, 1790 (HEDL-TME--77-98)
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium, 1464 (HEDL-SA--1225FP(Rev.))
Microstructure characterizaton of advanced oxide fuel, 1454 (HEDL-SA--1171-FP)
Mixed oxide run-beyond-cladding-breach tests in EBR-II, 1556 (HEDL-SA--1536-FP)
National friction, wear, and self-welding program status and plans, 1812 (HEDL-TME--78-38)
National friction, wear, and self-welding program status and plans, 1813 (HEDL-TME--78-38)
Natural circulation heat transfer testing with a simulated full-scale LMFBR 217-pin electrically heated fuel assembly: test data, 1676 (HEDL-TC--1022)
Natural circulation in FFTF, 1658 (HEDL-SA--1945)
Neutron radiography facility at the Hanford Engineering Development Laboratory, 1544 (HEDL-SA--1514)
Neutron source strength in FFTF fuel as a function of irradiation, 1611 (HEDL-SA--1728-FP)
Nondestructive testing methods and equipment: Section 3.0. Semiannual report to Oak Ridge National Laboratory, October 1978--March 1979. Advance copy, 1437 (HEDL--6557)
Nuclear instrumentation system design in FFTF and CRBRP, 1669 (HEDL-SA--2023)
Nuclear startup, testing and core management of the FTR, 1612 (HEDL-SA--1729-FP)
Nucleation and capture of condensible airborne contaminants in an aqueous scrubbing system, 1825 (HEDL-TME--78-82)
Observations of in-reactor endurance and rupture life for fueled and unfueled FTR cladding, 1625 (HEDL-SA--1753-S(Rev.))
Observations of in-reactor strain for fueled and unfueled FTR cladding, 1626 (HEDL-SA--1754-FP)
O/M stability in mixed oxide fuel pins, 1767 (HEDL-TME--77-55)
Operating experiences and analysis of FFTF and HTSF cold trap economizers, 1761 (HEDL-TME--77-43)
Opertional experience with a modified liquid metal oxygen meter, 1809 (HEDL-TME--78-28)
Optimized FFTF Acceptance Test Program covering Phases III, IV, and V, 1542 (HEDL-SA--1505)
Out-of-reactor transient fission gas release studies, 1507 (HEDL-SA--1407)
Overview of U.S. fast reactor irradiation test vehicles, 1554 (HEDL-SA--1530)
Oxygen transport limitations in using getters to control fuel cladding chemical interaction, 1549 (HEDL-SA--1522)
Performance of thorium fueled fast breeders, 1481 (HEDL-SA--1327-FP)
Performance of thorium fueled fast breeders, 1482 (HEDL-SA--1327-S)
PINEX-2 experiment: concept verification of an inherent shutdown mechanism for HCDA's, 1616 (HEDL-SA--1737-FP)
Pipelines supported by nonlinear load-resisting

mechanical snubbers, 1650 (HEDL-TME--79-30)
Planned natural circulation testing in the Fast Flux Test Facility, 1526 (HEDL-SA--1458)
PMS: what are you getting for your money., 1583 (HEDL-SA--1630)
Post test evaluation of natural circulation in FFTF secondary loops, 1654 (HEDL-SA--1921-FP)
Practical considerations from construction of the FFTF pipe support system, 1594 (HEDL-SA--1676)
Preheat operating experiences at the FFTF, 1573 (HEDL-SA--1587)
Preliminary results of CSTF aerosol behavior test, AB-1, 1498 (HEDL-SA--1381)
Probabilistic methods for LMFBR application, 1602 (HEDL-SA--1655-FP)
Program outline under-sodium viewing, 1433 (HEDL--6232)
Progress in radionuclide trap development, 1783 (HEDL-TME--77-85)
Pulsed magnetic welding of breeder reactor fuel pin end closures, 1485 (HEDL-SA--1343)
Quality assurance for breeder reactor fuel fabrication, 1608 (HEDL-SA--1724)
Radiation and effluent control technology semiannual progress report, January--June 1976, 1753 (HEDL-TME--77-30)
Radioactive corrosion product release potential in sodium-cooled reactors, 1659 (HEDL-SA--1948)
Radiological analysis of hypothetical accidents by computer, 1633 (HEDL-SA--1770)
Radionuclide trap for liquid metal cooled reactors, 1558 (HEDL-SA--1540-FP)
Reactivity surveillance procedures for anomaly detection, 1796 (HEDL-TME--77-108)
Reactor physics parameters of alternate fueled FBR core designs, 1483 (HEDL-SA--1329)
Real-time analysis of FFTF fuel pin inspection data at the ^{252}Cf assay station, 1839 (HEDL-TME--79-1)
Recent advances in feature extraction techniques being developed for ultrasonic examination of austenitic stainless steel welds, 1548 (HEDL-SA--1521)
Recent aerosol tests in the Containment Systems Test Facility, 1599 (HEDL-SA--1686)
Recent work on sodium-cooled reactor purification systems, 1515 (HEDL-SA--1446)
Records management at Westinghouse Hanford Company, 1557 (HEDL-SA--1537-FP)
Remote fabrication of pellet fuels for United States breeder reactors, 1610 (HEDL-SA--1727-FP)
Removal of sodium from the IVHM orientation plug, 1773 (HEDL-TME--77-63)
Response of FFTF core to protected reactivity addition transients, 1618 (HEDL-SA--1743-FP)
Response to NRC Q_2 set 8. FSAR supplement 24, 1697 (HEDL-TI--75001-24)
Responses to NRC Q_2 set 1 quality assurance. FSAR supplement 15, 1687 (HEDL-TI--75001-15)
Results from the run-beyond-cladding breach irradiation of a predefected fuel pin (RBCB-7), 1654 (HEDL-TME--79-62)
Results from the run-beyond-cladding-breach irradiation of a predefected fuel pin (RBCB-6), 1846 (HEDL-TME--79-23)
Revision of FFTF FSAR technical specifications, 1725 (HEDL-TI--75002-30)
Revisions to FFTF FSAR. Supplement 9, Parts 1, 2, 3, 4, and 5, 1680 (HEDL-TI--75001-9)
Rod scanner assay of FFTF fuel, 1752 (HEDL-TME--77-29)
Safety analysis of experiments proposed for irradiation in FFTF, 1614 (HEDL-SA--1735-FP)
Safety aspects of fast reactor fuels, 1469 (HEDL-SA--1288)
Scale-model characterization of flow-induced vibrational response of FTR internals: summary report, 1737 (HEDL-TME--76-1)
Seismic design and development for fast reactors: a design-application perspective with directions for improvement, 1623 (HEDL-SA--1751)
Selection of process parameters for sodium removal via the water vapor nitrogen process, 1772 (HEDL-TME--77-62)
Semi-automated uranium analysis by a modified Davies--Gray procedure, 1463 (HEDL-SA--1221)
Shielding materials, 1589 (HEDL-SA--1643)
SIEX design predictions for the PNC fuel pins in the HEDL P-E01 power-to-melt test, 1034 (DOE/TIC--11060)
SIFAIL: a subprogram to calculate cladding deformation and damage for fast reactor fuel pins, 1851 (HEDL-TME--79-34)
Small thermal oscillation analysis of the MOTA, 1801 (HEDL-TME--78-12)
Sodium concrete reactions, 1607 (HEDL-SA--1716-FP)
Sodium engineering and technology. Technical progress report, April, May, June 1978, 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Quarterly progress report, January, February, March 1977, 1757 (HEDL-TME--77-36)
Sodium engineering and technology. Technical progress report, April, May, June 1977, 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, October, November, December 1977, 1760 (HEDL-TME--77-38)
Sodium engineering and technology. Technical progress report, July, August, September 1977, 1759 (HEDL-TME--77-38)
Sodium engineering and technology. Technical progress report, April, May, June 1978, 1807 (HEDL-TME--78-21)
Sodium engineering and technology technical progress report, January, February, March 1978, 1805 (HEDL-TME--78-20)
Sodium engineering and technology technical progress report, October, November, December 1976, 1742 (HEDL-TME--76-28)
Sodium erosion of boron carbide from breached absorber pins, 1834 (HEDL-TME--78-104)
Sodium flow distribution in test fuel assembly P-23B, 1817 (HEDL-TME--78-46)
Sodium impurity monitoring, 1435 (HEDL--6313)
Sodium sampling and impurity monitoring systems in U.S. breeder reactors, 1512 (HEDL-SA--1432)
Sodium technology. Progress report, April--June 1978, 1829 (HEDL-TME--78-91)
Sodium technology. Progress report, April-June 1979, 1848 (HEDL-TME--79-25)
Sodium technology progress report, January--March 1978, 1828 (HEDL-TME--78-90)
Sodium technology progress report, January--March 1979, 1847 (HEDL-TME--79-24)
Sodium technology progress report, July--September 1978, 1830 (HEDL-TME--78-92)
Sodium technology progress report, October--December 1978, 1831 (HEDL-TME--78-93)
Sodium vapor deposit technology, 1808 (HEDL-TME--78-23)
Sodium vapor deposits observed at HEDL on large components, 1546 (HEDL-SA--1517)
Specimen size considerations in fatigue-crack growth rate testing, 1832 (HEDL-TME--78-99)
Spent thermal reactor fuel assembly characterization with solid state tract recorders, 1827 (HEDL-TME--78-89)
Standardization of dosimetry and damage analysis work for U.S. LWR, FBR, and MFR development program, 1495 (HEDL-SA--1374)
Status of FFTF startup program and future FFTF utilization, 1593 (HEDL-SA--1671)
Steady state irradiation behavior of mixed oxide fuel pins irradiated in EBR-II, 1598 (HEDL-SA--1683-FP)
Stress analysis for the design of liquid metal piping in the Fast Flux Test Facility, 1570 (HEDL-SA--1575)
Stress analysis of conical flued heads for FFTF liquid metal piping anchors, 1631 (HEDL-SA--1766)
Stress-affected microstructural development and creep-swelling interrelationship, 1453 (HEDL-SA--1167)
Structural and containment response to LMFBR accidents, 726 (CONF-781022--27)
Subcritical reactivity monitoring: neutron yields from spontaneous (α,n) reactions in FFTF fuel, 1814 (HEDL-TME--78-39)
Summary of HEDL sodium fire tests, 1592 (HEDL-SA--1669)
Summary of sodium removal and decontamination programs in the U.S.A., 1511 (HEDL-SA--1429FP)
Summary report of FFTF prototype primary pump sodium test program, 1432 (HEDL--77-106)
Survival of peripheral pins during a TOP-HCDA, 1624 (HEDL-SA--1752-FP)
Swab test: a method to determine surface contamination of stainless steel reactor components by chloride and fluoride, 1785 (HEDL-TME--77-89)
TEMP: a computer code to calculate fuel pin temperatures during a transient, 1735 (HEDL-TME--75-85)
Tensile property correlations for highly irradiated 20% C.W. type 316 stainless steel, 1528 (HEDL-SA--1462)
Test data and post-test analyses of three prototypic-length FFTF fuel pins transient tested in flowing sodium (HUT-L2), 1842 (HEDL-TME--79-9)
Tests of fluid mixing in inlet and outlet plenums of FFTF hydraulic core mockup, 1740 (HEDL-TME--76-5)
Thermal bowing of wire-wrapped fuel pins in fast reactors, 1643 (HEDL-SA--1839)
Thermal performance tests of the FFTF closed loop cold trap, 1749 (HEDL-TME--77-20)
Thermal shock considerations pertaining to initial FTR core loading and refueling, 1779 (HEDL-TME--77-78)
Thermally induced stresses and fractures in boron carbide pellets, 1499 (HEDL-SA--1382-FP)
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
Thermoelastic buckling of plates in a cylindrical geometry against an elastic back support, 1670 (HEDL-SA--2066-FP)
Three-dimensional inelastic analysis of a small liquid sodium valve, 1786 (HEDL-TME--77-91)
Three-dimensional inelastic analysis of a small liquid sodium valve, 1524 (HEDL-SA--1453)
Time step MOTA thermostat simulation, 1800 (HEDL-TME--78-11)
Titanium oxide cesium getters for low O/M FBR fuel pins, 1640 (HEDL-SA--1828)
Tribology: research and development needs in advanced energy technology, 1459 (HEDL-SA--1193(Rev.))
Tritium permeation through oxidized 304 and 316 stainless steel, 1480 (HEDL-SA--1326)
Turbulent hydraulic penetration from turbulent pipe flow into stagnant columns, 2915 (TID--28198)
U. S. programs on reference and advanced cladding/duct materials, 1455 (HEDL-SA--1175)
Ultrasonic off-normal imaging techniques for under sodium viewing, 1667 (HEDL-SA--2014)
Ultrasonic techniques for in-service inspection of austenitic stainless steel welds at 200°C, 1560 (HEDL-SA--1546)

Uncertainties in fast breeder reactor fuel pin cladding stress and strain calculations, 1476 (HEDL-SA--1316)
Uncertainty analysis of consequences calculated by large computer codes, 1853 (HEDL-TME--79-42)
Users' guide to CACECO containment analysis code, 1845 (HEDL-TME--79-22)
User's manual heatup closed cell H and V failure transient analysis code, 1820 (HEDL-TME--78-57)
US--UK technical exchange breeder reactor fuels: fuel pin chemistry, 1434 (HEDL--6297)
US--UK technical exchange breeder reactor fuels. Fuel pin chemistry (supporting information), 1490 (HEDL-SA--13638)
W-1 SLSF experiment, 1600 (HEDL-SA--1688)
Water vapor nitrogen process for removing sodium from LMFBR components, 1518 (HEDL-SA--1444)
HANNOVER UNIV. (GERMANY, F.R.). FAKULTAET FUER MASCHINENWESEN
Investigations of temperature fluctuations in liquid sodium in order to determine characteristic flow parameters and thermocouple transfer functions, 2000 (INIS-mf--4911)
HARVARD UNIV., BOSTON, MA (USA). SCHOOL OF PUBLIC HEALTH
Acoustic and turbulent agglomeration of sodium aerosols. Progress report, January 1, 1977--December 31, 1977, 930 (COO--2801-7)
Acoustic and turbulent agglomeration of sodium aerosols. Quarterly progress report, October 1, 1977--December 31, 1977, 931 (COO--2801-8)
Acoustic and turbulent agglomeration of sodium aerosols. Final report, October 1, 1975--July 31, 1978, 932 (COO--2801-9)
HARVEY MUDD COLL., CLAREMONT, CA (USA)
Mathematics clinic. Nuclear safety code study, 2806 (SAN--1359-T1)

I

IDAHO NATIONAL ENGINEERING LAB., IDAHO FALLS (USA)
COMCAN II: a computer program for common cause failure analysis, 2941 (TREE--1289)
COMCAN II-A: a computer program for automated common cause failure analysis, 2943 (TREE--1361)
Design optimization of a prototype large breeder reactor safety system, 815 (CONF-790816--28)
Dual change-of-phase in forced flow on a finite wall, with application to SLSF safety analysis, 808 (CONF-790816--12)
Effective equation-of-state measurements on uranium dioxide, 2825 (SAND--77-1054C)
Evaluation of roll-extruded alloy 718 tubes: seamless versus welded, 2942 (TREE--1360)
Evaluation of roll-extruded Alloy 718 tubing, 2940 (TREE--1258)
Fast reactor fission yields for ^{239}Pu and ^{241}Pu, 1886 (ICP--1050-11)
Molten fuel containment analysis for SLSF experiments, 837 (CONF-791103--25)
Optimization and common cause analysis of a prototype large breeder reactor safety system, 807 (CONF-790816--2)
SLSF delayed neutron detection with the on-line sodium sampling system, 739 (CONF-781105--66)
User's guide for the Reliability Analysis System (RAS), 2935 (TREE--1168)
Vapor explosion phenomena with respect to nuclear reactor safety assessment, 2394 (NUREG/CR--0245)
IMPERIAL COLL. OF SCIENCE AND TECHNOLOGY, LONDON (UK). DEPT. OF MECHANICAL ENGINEERING
Analysis of crack patterns in fast reactor fuel pellets, 14 (AERE-TP--719)
INSTITUT NATIONAL POLYTECHNIQUE, 38 - GRENOBLE (FRANCE)
Study of sodium boiling during a power transient in a heating duct. Investigation carried out within the scope of a study on the safety of fast neutron reactors, 1220 (FRNC-TH--765)
INTERNATIONAL ATOMIC ENERGY AGENCY, VIENNA (AUSTRIA)
Analysis of the performances of the assemblies and of the core of PHENIX, 3524 (BNWL-tr--334)
Behavior of standard Rapsodie Fortissimo fuel at high burnup, 3522 (BNWL-tr--335)
Considerations on the gamma activity of the Pu product arising from LMFBR's fuel reprocessing, 1873 (IAEA-AG--63-7)
Design, construction, and operating experience of demonstration LMFBRs, 2898 (STI/PUB--450)
Development and status of LMFBR fuel reprocessing in the Federal Republic of Germany, 1872 (IAEA-AG--63-6)
Fast reactor fuel reprocessing in the United Kingdom, 1870 (IAEA-AG--63-4)
Fast reactor spent fuels transportation problems, 1878 (IAEA-AG--63-15)
Fuel cycles of D_2O-, fast breeder and high temperature reactors, 2 (AED-Conf--77-498-087)
Head-end and nuclear gas purification research on LMFBR fuel reprocessing in Belgium, 1874 (IAEA-AG--63-8)
Perspectives of the nuclear power development in the USSR and the strategy of fuel reprocessing, 1875 (IAEA-AG--63-12)
Physical characteristics of spent LMFBR fuel, 1876 (IAEA-AG--63-13)
Pilot plant reprocessing of the BOR-60 spent uranium fuel by using fluoride volutility method, 1881 (IAEA-AG--63-21)
Report of the IAEA advisory group meeting on LMFBR fuel reprocessing, 1882 (IAEA-AG--63-27)
Reprocessing of ''fast'' fuel in France, 1871 (IAEA-AG--63-5)
Review of United States program in LMFBR fuel reprocessing, 1869 (IAEA-AG--63-3)
Some aspects of cleaning and transport of spent fast reactor fuels, 1877 (IAEA-AG--63-14)
Storage of fast reactor spent fuel at the reactor site and in reprocessing plants, 1880 (IAEA-AG--63-17)
Techniques for shearing and dissolving LMFBR fuels, 1868 (IAEA-AG--63-1)
Thermal decladding of BOR-60 fuel elements, 1879 (IAEA-AG--63-16)
INTERNATIONAL ATOMIC ENERGY AGENCY, VIENNA (AUSTRIA). INTERNATIONAL WORKING GROUP ON FAST REACTORS
International working group on fast reactors, 2017 (IWGFR--5)
International Working Group on Fast Reactors eighth annual meeting. Summary report, Part II, 2016 (IWGFR--3)
International Working Group on Fast Reactors eleventh annual meeting. Summary report, Part I, 2132 (IWGFR--24-1)
International Working Group on Fast Reactors eleventh annual meeting. Summary report, Part III, 2133 (IWGFR--24-3)
Ninth annual meeting, Vienna, Austria, 30 March--2 April 1976. Summary report. Part I, 2033 (IWGFR--8)
Profiles of facilities used for FRB research and testing. Supplement 1, 2085 (IWGFR--13-1)
Properties of primary circuit structural materials including environmental effects, 2110 (IWGFR--22)
Sodium removal and decontamination, 2111 (IWGFR--23)
Specialists' meeting on equations of state of materials of relevance to the analysis of hypothetical fast breeder reactor accidents, 2134 (IWGFR--26)
Specialists meeting on high temperature structural design technology of LMFBRs, Champion, Pennsylvania, U.S.A., April 27-30, 1976. Summary report, 2063 (IWGFR--11)
Specialists meeting on LMFBR flow induced vibrations, 2100 (IWGFR--21)
Tenth annual meeting, 2095 (IWGFR--18)
INTERNATIONALE ATOMREAKTORBAU G.M.B.H. (INTERATOM), BERGISCH GLADBACH (GERMANY, F.R.)
Decay heat of fission products and actinides of the SNR 300, 2015 (ITB--76.08)
Fast breeders and environment, 2013 (INTAT--78.147)
Monthly report No. 9 (September, October, and November 1977) of INTERATOM representative to Westinghouse Hanford Co., Richland, Washington (USA), 1892 (INB--414)

J

JAPAN ATOMIC ENERGY RESEARCH INST., TOKAI, IBARAKI. TOKAI
Sodium oxide aerosol behavior in a closed chamber under thermal convection flow, 3775 (JAPFNR--306)
JAPAN ATOMIC ENERGY RESEARCH INST., TOKYO
Adequacy of the analysis of mock-up control rod experiment with FCA, 2138 (JAERI-M--7139)
Assessment of generation method of nuclear reactor constants set using the JENDL-2 nuclear data file, 2155 (JAPFNR--487)
Calculation program for fast reactor design, 2. Multi-dimensional perturbation theory code based on diffusion approximation: PERKY, 2137 (JAERI-M--6993)
EXCURS: a computing programme for analysis of core transient behaviour in a sodium cooled fast reactor, 2139 (JAERI-M--7280)
Experimental study of LMFBR heterogeneous core at FCA, 2143 (JAERI-M--8117)
Investigation of LMFBRs with Th blanket for supply of U-233 to HTGR, 2141 (JAERI-M--7763)
Investigation on neutronic performances of large scale heterogeneous LMFBR, 2156 (JAPFNR--488)
Reactor Engineering Division annual report. (April 1, 1976 - March 31, 1977), 2140 (JAERI-M--7291)
Reactor Engineering Division annual report, April 1, 1977-March 31, 1978, 2142 (JAERI-M--7844)
Strategies in development of advanced fuels for LMFBR, 2136 (JAERI-M--6851)
Study on plan of mock-up critical experiment for large fast reactors by using the FCA. (Study on an amount of Pu fuel needed for partial mock-up experiment in large fast reactors), 2153 (JAPFNR--479)
JAPAN SOCIETY OF MECHANICAL ENGINEERS, TOKYO
Report of study on safety with respect to sodium water reaction. Section 4. Water leak rate evaluation in the large scale sodium water reaction. Section 5. Concluding remarks. Appendix. Analysis code: summary, 3119 (ANL-Trans--1177)
JUNTA DE ENERGIA NUCLEAR, MADRID (SPAIN)
Creep-rupture-strength and creep-behaviour of stainless steel X6CrNi 1811 (DIN 1.4948), 2158 (JEN--363)
Creep-rupture-tests on the stainless steel X6 CrNi1811 (DIN 1.4948) in the frame of the ''Extrapolation-Program'' Pt. 2, 2160 (JEN--447)
Physical properties of liquid sodium, 2159 (JEN--389)

KARLSRUHE UNIV. (TH) (GERMANY, F.R.). FAKULTAET FUER
Experimental investigations of turbulent flows in rod bundles with and without spacer grids, 2213 (KFK--2834)
Neutron noise analysis for malfunction diagnosis at sodium cooled reactors, 2197 (KFK--2589)
Theoretical and experimental investigation of the nonlinear structural dynamics of Fast Breeder Reactor fuel elements, 2195 (KFK--2584)
Theoretical investigations of the meltoff and resolidification process of fuel claddings during accidents in liquid metal cooled fast breeder reactors, 2200 (KFK--2662)
KARLSRUHE UNIV. (TH) (GERMANY, F.R.). INST. FUER REAKTORTECHNIK
BOPSI - a model for the theoretical description of the behaviour of boiling fuel-steel arrays sealed off on all sides, 2011 (INKA-Conf--79-134-001)
Heat removal from a completely blocked breeder element by sodium boiling, 1906 (INIS-mf--4385)
Interpretation of local boiling behaviour in the KNS blockage experiments, 2010 (INKA-Conf--79-082-003)
KERNFORSCHUNGSZENTRUM KARLSRUHE G.M.B.H. (GERMANY, F.R.)
Contribution to the structural analysis of cylindrical fuel rods of nuclear reactors with consideration of multidimensional behavior, based on finite-element-method, 2216 (KFK--2858)
Description of the testsections for local boiling experiments in the KNS-loop, 2186 (KFK--2475)
Detection of band-limited components in noise signals by surveillance of the auto- and cross power spectral density, 2192 (KFK--2559)
Fast Breeder Project. Quarterly report, 1977, 4908 (EURFNR--1435)
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
Fuel-coolant interaction-phenomena under prompt burst conditions, 2881 (SAND--79-0123C)
Hypothetical core disruptive accident analysis of a 2000 MWsub(e) liquid metal cooled fast breeder reactor, 2187 (KFK--2490)
KERNFORSCHUNGSZENTRUM KARLSRUHE G.M.B.H. (GERMANY, F.R.). AET. FUER ANGEWANDTE SYSTEMANALYSE
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
KERNFORSCHUNGSZENTRUM KARLSRUHE G.M.B.H. (GERMANY, F.R.). INST. FUER MATERIAL- UND FESTKOERPERFORSCHUNG
Analysis of the structure and the thermal behavior of the UO_2--PuO_2 fuel in the irradiation experiment FR2 capsule test series 5a, 3515 (DOE-tr--175)
Considerations for the future development of shell- and core-structural materials for fast breeders, 5149 (EURFNR--1404)
Creep and stress-rupture behavior under internal pressure of tubes made from austenitic steinless steel X8 Cr Ni Mo Nb 1616 (Material No. 1.4981), 2206 (KFK--2773)
Design, irradiation, and post-irradiation examination of Na-bonded (U,Pu)C fuel rods of the test group Mol 15, 3867 (EURFNR--1421)
Design, irradiation and post-irradiation examination of the (U,Pu)C fuel pins of the test groups 6a and 6c, 2194 (KFK--2577)
Fast breeder cladding tubes provided with helical fins: development and testing, 3516 (DOE-tr--174)
FR2-Loop experisental series 5, irradiation, post-irradiation examination, and analysis of the FCMI, 4325 (DOE-tr--70)
German oxide fuel pin irradiation test experience for fast reactors, 2209 (KFK--2817)
Heat transmission during startup in carbide fuel rods provided with average to large fabrication gaps, 2184 (KFK--2472)
Heat transmission during start-up in carbide fuel rods provided with average to large fabrication gaps, 3514 (DOE-tr--178)
Layout, design and post irradiation examination of Na-bonded fuel pins of the test group Mol 15, 2183 (KFK--2451)
Time creep tests on irradiated specimens for the Mol 1A1 radiation program, 5146 (EURFNR--1405)
KERNFORSCHUNGSZENTRUM KARLSRUHE G.M.B.H. (GERMANY, F.R.). INST. FUER NEUTRONENPHYSIK UND REAKTORTECHNIK
Analysis of experimental fission gas behavior data in fast reactor fuel under steady state and transient conditions, 1204 (EURFNR--1464)
Analysis of sodium-void experiments in ZPPR-3 modified Phase 3 core, 2201 (KFK--2668)
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 3106 (DOE-tr--115)
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 2188 (KFK--2451)
Application of integral transport theory with linearly anisotropic scattering to the calculation of the neutron distribution in finite plate arrays of fast reactors, 5461 (DOE-tr--71)
Behaviour of the core of a fast sodium-cooled breeder reactor of 2000 MW(e) during disruptive accidents with a very low likelihood of occurrence, 3465 (DOE-tr--90)
Cross power spectral density: a method for correlating signal components from different frequency ranges, 2207 (KFK--2794)
Dependence of diffusion theory results on the mesh size for fast reactor calculations, 2212 (KFK--2827)
Experimental investigation of the turbulent flow through a wall subchannel of a rod bundle, 3555 (DOE-tr--176)
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2194 (KFK--2546)
Heat transfer from internally heated fluids with temperature dependent viscosity, 2215 (KFK--2841)
Importance and status of (n,α)-cross sections for a reliable prediction of radiation damage in stainless steel, 1205 (EURFNR--1465)
KADIS: a program to analyze the disassembly phase of hypothetical accidents in (LMFBRs), 5462 (DOE-tr--113)
KEDAK program compendium. Part VII: CALCUL-calculation, 2168 (KFK--2387(Pt.7))
KINTIC-2 user's manual, 2190 (KFK--2508)
LMFBR post accident heat removal testing needs and conceptual design of a test facility, 2217 (KFK-EXT--8/76-4)
Neutron noise analysis for malfunction diagnosis at sodium cooled reactors, 2197 (KFK--2589)
Physics investigations of a compact simulation of a large fast breeder reactor. SNEAK-Assembly 10, 2193 (KFK--2573)
Physics investigations of sodium-cooled fast reactors: SNEAK-assembly 9C, 1202 (EURFNR--1457)
Possibilities for the determination of the heat transfer process between nuclear fuel rods and the cooling medium in a sodium-cooled reactor during operation, 3112 (DOE-tr--142)
Summary of results for the SNEAK-9 series of critical experiments and conclusions for the accuracy of predicted physics parameters of the SNR-300, 2196 (KFK--2586)
Testing of a graphite-based extinguishing powder for use on liquid metal fires, 4319 (DOE-tr--69)
Theoretical investigations of the meltoff and resolidification process of fuel claddings during accidents in liquid metal cooled fast breeder reactors, 2200 (KFK--2662)
Thermodynamic state, specific heat, and enthalpy function of saturated UO_2 vapor between 3000 K and 5000 K, 1203 (EURFNR--1460)
TPL, a computer program for the calculation of reactivity and kinetic parameters by one-dimensional neutron transport perturbation theory, 2204 (KFK--2738)
KERNFORSCHUNGSZENTRUM KARLSRUHE G.M.B.H. (GERMANY, F.R.). INST. FUER REAKTORBAUELEMENTE
Experimental determination of temperature fields in sodium-cooled rod bundles with hexagonal rod arrangement and grid spacers, 2165 (KFK--2356)
Experimental determination of temperature fields in sodium-cooled rod bundles with hexagonal rod arrangement and grid spacers, 3840 (EURFNR--1413)
Experimental investigations into coolant cross mixing in multirod-bundles with grid-type spacers in turbulently flowing sodium, 2166 (KFK--2360)
Experimental investigations into coolant cross mixing in multi-rod clusters with grid-type spacers in turbulent sodium flow, 4615 (EURFNR--1425)
Experimental investigations of turbulent flows in rod bundles with and without spacer grids, 2213 (KFK--2834)
Experimental investigations of turbulent flows in rod bundles with and without spacer grids, 2214 (KFK--2834)
Fluiddynamic investigations with the absorbers of the first and second shut down unit of the SNR-300, 2202 (KFK--2684)
Heater rods for simulation of fuel pins in liquid-metal-boiling experiments. Pt. 1, 2167 (KFK--2368)
Heating rods for simulation of fuel pins in liquid metal boiling experiments. Part I, 4609 (EURFNR--1447)
MIPLO: a graphic program for the representation of temperature distributions in bundles with hexagonal rod configuration used in connection with MISTRAL-II, 3812 (EURFNR--1427)
KERNFORSCHUNGSZENTRUM KARLSRUHE G.M.B.H. (GERMANY, F.R.). INST. FUER REAKTORENTWICKLUNG
Assessment of structural dynamics problems in nuclear reactor safety, 2219 (KFK-EXT--8/76-5)
BOPSI - a model for the theoretical description of the behaviour of boiling fuel-steel arrays sealed off on all sides, 2011 (INKA-Conf--79-134-001)
Direct numerical simulation of turbulent velocity, pressure, and temperature fields in channel flows, 3451 (DOE-tr--61)
Investigation of the three-dimensional thermoelastic deformation of the core assembly of a fast breeder reactor under steady-state operating conditions, 5459 (EURFNR--1412)
Investigations of decay heat removal by natural convection with boiling in sodium cooled fast reactors, 2199 (KFK--2660)
Laser-Doppler measurements of energy density spectra in turbulent channel flow, 4573 (DOE-tr--177)
LMFBR post accident heat removal testing needs and conceptual design of a test facility, 2217 (KFK-EXT--8/76-4)
Measurement of heat flux distribution of a prototype heater rod with sinusoidal axial power profile, 2218 (KFK-EXT--8/76-4)
Observations of the behavior of gas in the wake behind a corner blockage in fast breeder subassembly geometry, 2210 (KFK--2820)

Sodium boiling experiments in an annular test section under flow rundown conditions, 1201 (EURFNR--1454)
TUFCI, an experimental facility to study the molten-fuel-coolant-interaction in a full scale fuel element, 2164 (KFK--2353)
TUFCI, an experimental facility to study the molten-fuel--coolant interaction in a full-scale fuel element, 4604 (DOE-tr--179)
KERNFORSCHUNGSZENTRUM KARLSRUHE G.M.B.H. (GERMANY, F.R.). INTERNATIONALES BUERO/UEBERSETZERGRUPPE
Experimental results with carbide fuel rods in the BOR-60 reactor, 4880 (KFK-tr--536)
Fission product monitoring in the sodium coolant during operation of a fast reactor, 4584 (KFK-tr--522)
Radioactive impurities accumulation in BOR-60 cold trap, 2221 (KFK-tr--575)
Radioactivity of long-lived nuclides in the primary circuit of the reactor BOR-60 during operation with defective fuel elements, 2222 (KFK-tr--576)
Rate of reactivity change of the BOR-60 reactor during the operation cycle, 2220 (KFK-tr--521)
Some problems of operation behaviour of hexagonal boxes for fuel elements of fast power reactors, 2223 (KFK-tr--578)
KERNFORSCHUNGSZENTRUM KARLSRUHE G.M.B.H. (GERMANY, F.R.). LAB. FUER AEROSOLPHYSIK UND FILTERTECHNIK 1
Development of a code for description of sodium spray and pool fires. Part I: comparison between the codes SOFIRE II and NABRAND, 2211 (KFK--2824)
Development of filtering devices for chemical aggressive aerosols, 2205 (KFK--2762)
KERNFORSCHUNGSZENTRUM KARLSRUHE G.M.B.H. (GERMANY, F.R.). PROJEKT SCHNELLER BRUETER
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 2188 (KFK--2491)
Annual report of the working group 'fuel pin and fuel element mechanics' of the Institut fuer Reaktortechnik (IRT) of the Technische Hochschule Darmstadt for the Fast Breeder Project, 2203 (KFK--2690)
Assessment of structural dynamics problems in nuclear reactor safety, 2219 (KFK-EXT--8/78-5)
Design, irradiation and post-irradiation examination of the (U,Pu)C fuel pins of the test groups 6a and 6c, 2194 (KFK--2577)
Experimental determination of temperature fields in sodium-cooled rod bundles with hexagonal rod arrangement and grid spacers, 2165 (KFK--2356)
Experimental investigations into coolant cross mixing in multirod-bundles with grid-type spacers in turbulently flowing sodium, 2166 (KFK--2360)
Experimental investigations of turbulent flows in rod bundles with and without spacer grids, 2213 (KFK--2834)
Fluiddynamic investigations with the absorbers of the first and second shut down unit of the SNR-300, 2202 (KFK--2684)
Fourth quarterly report 1976, 2161 (KFK--1276/4)
Fuel element of the LMFBR, 2180 (KFK--2416)
Fuel element of the sodium breeder, 3866 (EURFNR--1418)
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2191 (KFK--2546)
Heat transmission during startup in carbide fuel rods provided with average to large fabrication gaps, 2184 (KFK--2472)
Heater rods for simulation of fuel pins in liquid-metal-boiling experiments. Pt. 1, 2167 (KFK--2368)
Heater rods for simulation of fuel pins in liquid-metal-boiling experiments. Pt. 2, 2185 (KFK--2474)
Investigations of decay heat removal by natural convection with boiling in sodium cooled fast reactors, 2199 (KFK--2660)
KADIS: a program to analyse the disassembly phase of hypothetical accidents in LMFBRs, 2189 (KFK--2497)
KINTIC-2 user's manual, 2190 (KFK--2508)
Measurement of heat flux distribution of a prototype heater rod with sinusoidal axial power profile, 2218 (KFK-EXT--8/78-4)
Neutron noise analysis for malfunction diagnosis at sodium cooled reactors, 2197 (KFK--2589)
Possibilities to determine the heat transfer between nuclear fuel elements and the coolant in a sodium cooled reactor during normal power operation, 2198 (KFK--2619)
Publication list concerning LMFBR-work of KFK from 1976 until 1978, 2208 (KFK--2802-B)
Theoretical and experimental investigation of the nonlinear structural dynamics of Fast Breeder Reactor fuel elements, 2195 (KFK--2584)
Theoretical investigations of the meltoff and resolidification process of fuel claddings during accidents in liquid metal cooled fast breeder reactors, 2200 (KFK--2662)
TUFCI, an experimental facility to study the molten-fuel-coolant-interaction in a full scale fuel element, 2164 (KFK--2353)
KERR-MCGEE CORP., OKLAHOMA CITY, OK (USA)
FFTF driver fuel pellets: typical pellet lot data, 1036 (DOE/TIC--11068)
LEHIGH UNIV., BETHLEHEM, PA (USA). DEPT. OF MECHANICAL
Flow dynamics of volume-heated boiling pools, 313 (BNL-NUREG--25257)
One-dimensional model for transient boilup of volume-heated pools for LMFBR transition phase analysis, 323 (BNL-NUREG--25535)
Volume-heated boiling pool flow behavior and application to transition phase accident conditions, 310 (BNL-NUREG--24984)
LIQUID METAL ENGINEERING CENTER, CANOGA PARK, CA (USA)
AI Subscale Inducer Test Article: first and second 300 hour endurance tests, 2299 (LMEC-TDR--78-4)
AI/LMEC experience with freeze seal end bellows seal valves, 2900 (TI--00-LME-014)
Applications of cavitation analysis to design and operation of SPTF-HFL pump loops, 2807 (SAN/0700--1)
Calibration of 10'' EM flowmeter in SCTI: FRC-100E, 2902 (TI--04-LME-123)
Calibration of the FFTF level measuring systems, 2291 (LMEC--77-3)
CLS/DHX module testing in SPTF. Final report, 2290 (LMEC--77-2)
Demonstration of contact and plugging tube type leak detector performance in FFTF reactor inlet guard pipe, 2296 (LMEC--77-8)
Effect of sodium environment on breeder reactor components, 1508 (HEDL-SA--1420)
Experimental results of sodium-water reaction test No. 3 in LLTR, 1677 (HEDL-TI--45-LMB-009)
Experimental results of sodium-water reaction test No. 4 in LLTR, 1678 (HEDL-TI--45-LME-006)
Experimental results of sodium-water reaction test No. 2 in LLTR, 1679 (HEDL-TI--45-LME-007)
Experimental results of sodium-water reaction Test No. 6, 2298 (LMEC-TDR--78-3)
Experimental results of Sodium--Water Reaction Tests Nos. 4 and 5 in LLTR, 1732 (HEDL-TI-LME--012)
FFTF prototype pump testing in SPTF. Final report, 2292 (LMEC--77-4)
Liquid Metal Engineering Center (LMEC). Annual technical progress report, January--December 1977, 2297 (LMEC--78-1)
Liquid Metal Engineering Center (LMEC) annual technical progress report, January-December 1975, 1037 (DOE/TIC--11114)
Meshless cold trap a performance evaluation by test and analysis, 2294 (LMEC--77-6)
Removal of residual sodium from AI modular steam generator (SCTI-SP-312), 2758 (PP--04-PE-001)
Sampling and characterization of sodium-water reaction products, 2295 (LMEC--77-7)
SPTF Flow Loop 18 inch butterfly valve cavitation test report, SPTF-LPP, 2911 (TID--28094)
Stresscoat test of 6-inch pipe clamp in TTF, 2300 (LMEC-TDR--78-5)
Summary of LMEC sodium valve operating history, 2901 (TI--00-LME-023)
LOS ALAMOS SCIENTIFIC LAB., NM (USA)
Advanced fast reactor fuels program. Second annual progress report, July 1, 1975--September 30, 1976, 2234 (LA--7570-PR)
Analysis of terminated TOP accidents in the FTR using the *Los Alamos failure model*, 2271 (LA-UR--78-2602)
Application of the SIMMER-I code to LOF accidents in an LMFBR, 2230 (LA--7194-MS)
Approximate inversion method for five point difference matrix equations, 2276 (LA-UR--79-162)
Deep penetration calculations, 2288 (LA-UR--80-1159)
Design and performance of sodium-bonded uranium--plutonium carbide fuel elements, 2275 (LA-UR--78-2933)
Developments in the LASL Fuel Pin Imaging System: PINEX-3A, 2283 (LA-UR--79-2037)
Disassembly phase energetics: an examination of the impact of SIMMER models and assumptions, 2457 (NUREG/CR--1027)
Effect of model choice and sample size on statistical tolerance limits, 2267 (LA--8292-MS)
Evaluation of LMFBR fuel-motion diagnostics instrumentation with PARKA, 2273 (LA-UR--78-2711)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, January 1--March 31, 1979, 2236 (LA--7827-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, April 1-June 30, 1979, 2264 (LA--7975-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, July 1-September 30, 1979, 2265 (LA--8132-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, October 1-December 31, 1979, 2266 (LA--8238-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, October 1--December 31, 1978, 2235 (LA--7678-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, April 1--June 30, 1977, 2225 (LA--6924-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report 1 Oct--31 Dec 1977, 2229 (LA--7171-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report,

January 1--March 31, 1978, 2231 (LA--7266-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: Irradiation tests. Progress report, July 1--September 30, 1977, 2226 (LA--7038-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development, irradiation tests. Progress report, July 1--September 30, 1978 , 2233 (LA--7559-PR)
Examination of subassembly scale fuel motion using the SIMMER-II code, 2286 (LA-UR--79-2285)
Feasibility study for a postaccident heat removal facility, 2227 (LA--7133-MS)
Finite-difference methods in multi-dimensional two-phase flow, 2268 (LA-UR--77-2378)
Heat transfer and thermal losses in above-core regions, 2279 (LA-UR--79-1230)
Hodoscope performance tests on a 91-pin fuel bundle at PARKA, 732 (CONF-781033--9)
Impact of SIMMER-II model uncertainties on predicted postdisassembly dynamics, 2459 (NUREG/CR--1058)
Influence of TREAT nonprototypic effects on prediction of pin failure in LMFBRs, 2284 (LA-UR--79-2141)
Integral postdisassembly energetics test: a preliminary investigation, 2285 (LA-UR--79-2245)
Irradiation performance of helium-bonded uranium--plutonium carbide fuel elements, 2274 (LA-UR--78-2932)
Los Alamos Failure Model (LAFM): a code for the prediction of LMFBR fuel pin failure, 2228 (LA--7161-MS)
Measurement and analysis of drag in multiphase flow systems, 2278 (LA-UR--79-811)
Overview and status of the SIMMER testing program, 2280 (LA-UR--79-1874)
Preliminary fabrication studies of alternative LMFBR carbide fuels, 2238 (LA--7901-MS)
Prompt Burst Energetics (PBE) experiment analyses using the SIMMER-II computer code, 2880 (SAND--79-0112C)
Remote examination of shroud tubes in LMFBR fuel elements, 2272 (LA-UR--78-2650)
Role of mechanistic analysis in providing FAHR initial conditions, 2269 (LA-UR--78-495)
Role of similitude in the design of LMFBR safety-related simulation experiments, 2282 (LA-UR--79-1956)
SIMMER analysis of SRI high pressure bubble expansion experiments, 2277 (LA-UR--79-770)
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2405 (NUREG/CR--0453(Vol.1))
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2410 (NUREG/CR--0453(Vol.2))
SIMMER-II analysis of the R-7 TREAT test, 2433 (NUREG/CR--0760)
SIMMER-II code and its applications, 2281 (LA-UR--79-1918)
Some recriticality studies with SIMMER-II, 2287 (LA-UR--79-2340)
Specialists' workshop on predictive analysis of material dynamics in LMFBR safety experiments, March 13-15, 1979, 2239 (LA--7938-C)
SPECTRA-IV, benchmark spectra based on LIB-IV, 2237 (LA--7861-MS)
Thermal conductivities of mixed carbide fuel and blanket materials, 2289 (LA-UR--80-1283)
Transport and reactor theory. Progress report, July 1--September 30, 1978, 2232 (LA--7554-PR)
Transport processes in LMFBR core disruptive accidents, 2270 (LA-UR--78-1265)
Uranium dioxide equation of state for LMFBR excursion analysis, 2224 (LA--4319)

LYON-1 UNIV., 69 (FRANCE)
Study of transient and permanent flow in the event of natural convection in a confined environment, 1221 (FRAC-TH--783)

M

MANHATTAN COLL., RIVERDALE, NY (USA). DEPT. OF MECHANICAL
Techniques for the thermal/hydraulic analysis of LMFBR check valves, 846 (CONF-791205--3)

MARYLAND UNIV., COLLEGE PARK (USA). DEPT. OF CHEMICAL AND NUCLEAR ENGINEERING
Study of the reactivity effect of bubble collapse in molten liquid metal cooled reactors, 2358 (NUREG--0286)

MASSACHUSETTS INST. OF TECH., CAMBRIDGE (USA)
Flow split measurements in LMFBR blanket assemblies, 873 (COO--2245-41TR)
Flow split model for LMFBR wire wrapped assemblies, 888 (COO--2245-56TR)
Fuel Coolant Thermal Interaction Project UC 79P. Quarterly progress report No. 7, 927 (COO--2781-13)
Fuel-Coolant Thermal Interaction Project. Progress report No. 8, 928 (COO--2781-14)
Input parameters to codes which analyze LMFBR wire wrapped bundles. Revision 1, 867 (COO--2245-37TR(Rev.1))
Laboratory manual for salt mixing test in rod bundles, 893 (COO--2245-62TR)
LMFBR safety and sodium boiling, 734 (CONF-781022--41)
Mixing experiments in an alternating wire wrapped assembly, 885 (COO--2245-54TR)
Mixing experiments in LMFBR wire wrapped blanket assemblies, 875 (COO--2245-43TR)
Pressure drop measurements in LMFBR wire wrapped blanket assemblies, 874 (COO--2245-42TR)
Reliability of the CRBRP Shutdown Heat Removal System, 308 (BNL-NUREG--24162)
Turbulent sweeping flow mixing model for wire wrapped LMFBR assemblies, 886 (COO--2245-55TR)

MASSACHUSETTS INST. OF TECH., CAMBRIDGE (USA). DEPT. OF NUCLEAR ENGINEERING
Analysis of the feasibility of implementing an implicit temporal differencing scheme in the SURERENERGY code, 869 (COO--2245-35TR)
Analysis of the thermal-hydraulic behavior in the CRBR secondary control assembly, including interassembly heat transfer effects, 879 (COO--2245-47TR)
Approximate method for predicting temperature distribution in wire wrapped fuel assemblies of a LMFBR, 871 (COO--2245-37TR)
Assessment of the need to incorporate the variable swirl model in the ENERGY code, 878 (COO--2245-46TR)
Collection and evaluation of salt mixing data with the real time data acquisition system, 870 (COO--2245-36TR)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1, 1977--May 31, 1977, 882 (COO--2245-50)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, June 1, 1977--August 31, 1977, 884 (COO--2245-53)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, September 1, 1977--November 30, 1977, 891 (COO--2245-60)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1, 1977--February 28, 1978, 894 (COO--2245-63)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1, 1978--May 31, 1978, 895 (COO--2245-64)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, June 1, 1978--August 31, 1978, 896 (COO--2245-65)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1,1978--February 28, 1979, 899 (COO--2245-69)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1-May 31, 1979, 900 (COO--2245-70)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, September 1, 1978--November 30, 1978, 897 (COO--2245-66)
Coolant mixing in the LMFBR outlet plenum, 876 (COO--2245-44TR)
3-D slug flow heat transfer analysis of coupled coolant cells in finite LMFBR bundles, 889 (COO--2245-58TR)
EVAP users manual, 1128 (EPRI-NP--1.90-SR)
Fabrication details for wire wrapped fuel assembly components, 868 (COO--2245-27TR(Rev.1))
Final report on MIT contract on fuel-coolant interactions, 929 (COO--2781-15FR)
Fluid mixing studies in a hexagonal 61-pin, wire-wrapped rod bundle, 883 (COO--2245-51TR)
Heat transfer and fluid flow aspects of fuel--coolant interactions, 926 (COO--2781-12TR)
Hydrodynamic behavior of a bare rod bundle, 880 (COO--2245-48TR)
Interfacial effects in fast reactors, 908 (COO--2250-37)
Markovian reliability analysis under uncertainty with an application on the shutdown system of the Clinch River Breeder Reactor, 2402 (NUREG/CR--0405)
Measurement and analysis of flow wall shear stress in an interior subchannel of triangular array rods, 881 (COO--2245-49TR)
Measurement of heat and momentum eddy diffusivities in recirculating LMFBR outlet plenum flows, 892 (COO--2245-61TR)
MIT LMFBR blanket physics project progress report No. 7, July 1, 1975--September 30, 1976, 901 (COO--2250-28)
MIT LMFBR blanket research project. Quarterly progress report, April 1, 1977--June 30, 1977, 902 (COO--2250-29)
MIT LMFBR Blanket Research Project. Quarterly progress report, October 1, 1977--December 31, 1977, 904 (COO--2250-31)
MIT LMFBR Blanket Research Project. Quarterly progress report, January 1, 1978--March 31, 1978, 905 (COO--2250-32)
MIT LMFBR blanket research project. Quarterly progress report, July 1, 1978--September 30, 1978, 906 (COO--2250-34)
MIT LMFBR blanket research project. Quarterly progress report, January 1, 1979--March 31, 1979, 907 (COO--2250-36)
MIT LMFBR blanket research project. Quarterly progress report, April 1-June 30, 1979, 909 (COO--2250-38)
MIT LMFBR blanket research project. Quarterly progress report, July 1, 1977--September 30, 1977, 903 (COO--2250-30)
Multicell slug flow heat transfer analysis of finite LMFBR bundles, 898 (COO--2245-68TR)
Turbulent interchange in triangular array bare rod bundles, 877 (COO--2245-45TR)
Turbulent sweeping flow mixing model for wire wrapped LMFBR assemblies, 887 (COO--2245-55TR(Rev.1))
Two dimensional structural analysis of reactor fuel element claddings due to local effects, 890 (COO--2245-59TR)
WARD blanket assembly pre-test predictions by SUPERENERGY, 872 (COO--2245-40TR)

MASSACHUSETTS INST. OF TECH., OAK RIDGE, TN (USA). SCHOOL OF CHEMICAL ENGINEERING PRACTICE
Analysis of SBTF quadelliptical furnaces, 2596 (ORNL/MIT--285)
Radiative heat transfer in a 19-pin sodium-voided bundle, 2595 (ORNL/MIT--274)
MAXWELL LABS., INC., SAN DIEGO, CA (USA)
Pulsed magnetic welding of breeder reactor fuel pin end closures, 1485 (HEDL-SA--1343)
MECHANICAL TECHNOLOGY, INC., LATHAM, NY (USA)
Liquid metal bearings technology for large, high-temperature, sodium rotating machinery. Development and test of high-temperature proximity probe for use in liquid sodium. Fourth topical report, 2474 (NYO--3930-11)
MISSOURI UNIV., COLUMBIA (USA). COLL. OF ENGINEERING
Analysis of aerosol particles undergoing gravitational agglomeration. Annual progress report, October 1, 1977--September 30, 1978, 2434 (NUREG/CR--0760)
Analysis of aerosol particles undergoing gravitational agglomeration. Annual progress report, December 15, 1976--September 30, 1977, 2379 (NUREG/CR--0015)
MITRE CORP., MCLEAN, VA (USA). METREK DIV.
Proceedings of the workshop on institutional alternatives for LMFBR development and commercialization held at the Mitre Corporation in McLean, Virginia on September 8 and 9, 1976. Final report, 2696 (PB--284227)
Systems descriptions and engineering costs for solar-related technologies. Volume I. Summary, 2306 (MTR--7485(Vol.1))
Systems descriptions and engineering costs for solar-related technologies. Volume IV. Conventional technologies for electric utility applications, 2307 (MTR--7485(Vol.4))
MITSUBISHI ELECTRIC CORP., AMAGASAKI, HYOGO (JAPAN)
Temperature, flow, and acoustic noises in a locally blocked 37-pin bundle, 4511 (JAPFNR--263)
MITSUBISHI ELECTRIC CORP., AMAGASAKI, HYOGO (JAPAN). CENTRAL RESEARCH LAB.
Acoustic noises with loss-of-flow sodium boiling experiment in 19-pin bundle, 2146 (JAPFNR--423)
Out-of-pile experiment of fission gas release in LMFBR subassembly. 4. Feasibility study of gas release detection by use of flow fluctuation signal, 2154 (JAPFNR--482)
MOUND FACILITY, MIAMISBURG, OH (USA)
1978 annual report: aerosol characterization from a simulated HCDA, 2430 (NUREG/CR--0740)
Possible mechanisms for the formation of the observed and expected compounds during a Hypothetical Core Disruptive Accident (HCDA), 2466 (NUREG/CR--1134)
MOUND LAB., MIAMISBURG, OH (USA)
Aerosol characterization from a simulated HDCA. Annual report. NRC program A1171-2, 2301 (MLM-MU--77-70-0004)
MOUNT HOLYOKE COLL., SOUTH HADLEY, MA (USA)
Survey of the current state of knowledge of incipient boiling superheat in sodium, 2777 (RSA-TM--4)

N

NATIONAL ACADEMY OF SCIENCES - NATIONAL RESEARCH COUNCIL,
Report of the Ad Hoc Panel on the use of accelerators to study irradiation effects, 2690 (PB--263917)
NATIONAL RADIOLOGICAL PROTECTION BOARD, HARWELL (UK)
Influence of the physico-chemical form of the aerosol on the radiological consequences of notional accidental releases of radioactivity from a fast breeder reactor, 2355 (NRPB-R--73)
NATIONAL SCIENCE FOUNDATION, WASHINGTON, DC (USA). DIV. OF POLICY RESEARCH AND ANALYSIS
Safety, safeguards, and environmental effects of liquid metal fast breeder reactors in relation to license ability and public acceptance. Final report, 2697 (PB--285544)
NATIONAL SCIENCE FOUNDATION, WASHINGTON, DC (USA). OFFICE OF ENERGY RESEARCH AND DEVELOPMENT POLICY
Environmental, safety, and public acceptance aspects of LMFBRS. Memo report, 2698 (PB--285567)
NATIONAL TECHNICAL INFORMATION SERVICE, SPRINGFIELD, VA (USA)
Corrosion of stainless steel. Volume 2. 1977-March, 1979 (a bibliography with abstracts). Report for 1977-March 1979, 2356 (NTIS/PS--79/0208)
NAUCHNO-ISSLEDOVATEL'SKIJ INST. ATOMNYKH REAKTOROV, DIMITROVGRAD (USSR)
Computerized subsystem for conducting investigations at the BOR-60 reactor, 2347 (NIIAR-P--27(321))
Decladding of BOR-60 and BR-5 fuel elements by clad melting, 2343 (NIIAR-P--17(283))
Determination of BOR-60 reactor dynamic characteristics using data from statistic experiments, 2345 (NIIAR-P--18(312))
Efficiency of different techniques of physical flattening by fuel while selection of optimum arrangement of large fast reactor core, 2348 (NIIAR-P--240)
Ensuring safe operation of the BOR-60 experimental fast reactor as an atomic power plant, 3047 (PNL-TR--397)
Experimental reprocessing of irradiated uranium fuel from BOR-60 reactor by fluoride volatility method, 2344 (NIIAR-P--18(284))
Neutron spectrum measurement in the BOR-60, 2337 (NIIAR--15(309))
Program for calculation of a nonstationary temperature field for a cylindrical fuel element, 2349 (NIIAR-P--255)
Radioactive impurities trapping by the BOR-60 cold trap, 2338 (NIIAR-P--2(296))
Radioactivity of long-lived nuclides in the BOR-60 primary circuit during operation with some defective fuel elements, 2342 (NIIAR-P--5(299))
Reactivity effects analysis as a means of fast reactor diagnostics, 2340 (NIIAR-P--4(338))
Sodium boiling experiments at the BOR-60 reactor, 2346 (NIIAR-P--24(358))
Study of BOR-60 reactor fuel element performance, 2341 (NIIAR-P--5(271))
Study of the operational characteristics of the core and irradiated fuel parameters in the BOR-60 reactor, 3046 (PNL-TR--398)
Two-dimensional model of a large power sodium-cooled fast breeder reactor with an oxide fuel for test calculations, 2339 (NIIAR-P--4(270))
NAUCHNO-ISSLEDOVATEL'SKIJ INST. EHLEKTROFIZICHESKOJ APPARATURY, LENINGRAD (USSR)
Electromagnetic pumps for fast reactors primary cooling circuits, 2350 (NIIEFA-A--0340)
Experimental study results of the TsLIN-5/700 cylindrical linear induction pump, 2351 (NIIEFA-A--0345)
NAVAL RESEARCH LAB., WASHINGTON, DC (USA)
Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report, 1 (AD-A--047410)
NEW MEXICO UNIV., ALBUQUERQUE (USA)
Freezing and melting phenomena in finite-media, with application to molten fuel containment for SLSF experiments, 736 (CONF-781105--20)
NIJVERHEIDSORGANISATIE TNO, APELDOORN (NETHERLANDS)
Operation 50 MW circuit. Quarterly report, second quarter 1978, 5464 (TNO-LMEC--30)
NIJVERHEIDSORGANISATIE TNO, APELDOORN-ZUID (NETHERLANDS). CENTRAAL TECHNISCH INST. TNO
50 MW-trial circuit. Quarterly report, first quarter 1978, 5463 (TNO-LMEC--29)
NIJVERHEIDSORGANISATIE TNO, THE HAGUE (NETHERLANDS). PROJECTGROEP KERNENERGIE TNO
Report of the activities during the years 1977 and 1978, 2005 (INIS-mf--5114)
NIPPON ATOMIC INDUSTRY GROUP CO. LTD., KAWASAKI, KANAGAWA. NUCLEAR RESEARCH LAB.
Study on sodium void reactivity worth predictional method, 5152 (JAPFNR--259)
NORTHWESTERN UNIV., CHICAGO, IL (USA)
Low heat flux sodium voiding using the drift flux formulation, 3347
NORTHWESTERN UNIV., EVANSTON, IL (USA)
Development of LIFE4-CN: a combined code for steady-state and transient analyses of advanced LMFBR fuels, 828 (CONF-790884--2)
NORTHWESTERN UNIV., EVANSTON, IL (USA). DEPT. OF CHEMICAL ENGINEERING
Formation and stability of crust in molten pools. Technical progress report, February 1, 1977--October 1, 1977, 959 (COO/4171--1)
Heat transfer characteristics of a non-boiling pool with spatially uniform gas injection, 944 (COO--4171-3)
Simulation of boiling pools with internal heat sources by gas injection, 917 (COO--2554-6)
NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC (USA)
A qualification testing program plan for SIMMER; A computer code for LMFBR disrupted core analysis. Research program planning report, 2694 (PB--283030)
Phenomena and scenarios related to a loss-of-heat-sink accident (with scram) in an LMFBR, 321 (BNL-NUREG--25521)
NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC (USA). ADVISORY COMMITTEE ON REACTOR SAFEGUARDS
Review and evaluation of the Nuclear Regulatory Commission safety research program for fiscal year 1981: report to the Congress of the United States of America, 2366 (NUREG--0657)
NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC (USA). DIV. OF PROJECT MANAGEMENT
Containment response to postulated ex-vessel core meltdown accidents in the fast flux test facility, 322 (BNL-NUREG--25522)
NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC (USA). DIV. OF REACTOR SAFETY RESEARCH
Qualification testing program plan for SIMMER. A computer code for LMFBR disrupted core analysis, 2365 (NUREG--0457(Rev.0))
NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC (USA). OFFICE OF NUCLEAR REACTOR REGULATION
Safety evaluation report. Fast Flux Test Facility. Project No. 448, 2361 (NUREG--0358)
Safety evaluation report related to operation of Fast Flux Test Facility. Supplement No. 1, 2362 (NUREG--0358(Suppl.1))
NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC (USA). OFFICE OF NUCLEAR REGULATORY RESEARCH
Status summary report advanced reactor safety research. Buff book 2, 2359 (NUREG--0330(Vol.3)(No.1))

O

OAK RIDGE ASSOCIATED UNIVERSITIES, INC., TN (USA). INST.

Domestic and international deployment of reactor systems: status and rationale, 2475 (ORAU/IEA--79-2(M))
OAK RIDGE NATIONAL LAB., TN (USA)
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)
Advanced fuel recycle program progress report, April 1--June 30, 1977, 2633 (ORNL/TM--5953)
Advanced fuel recycle program progress report, January 1 to March 31, 1978, 2651 (ORNL/TM--6306)
Advanced fuel recycle program progress report, July 1--September 30, 1977, 2639 (ORNL/TM--6092)
Agglomeration characteristics of fast reactor HCDA aerosols, 663 (CONF-780819--13)
Analyses of TSF experiments on radiation heating in a stainless steel-sodium CRBR radial shield mockup using a 32-inch diameter collimated beam source, 2632 (ORNL/TM--5952)
Analysis of sodium valve reliability data at CREDO, 810 (CONF-790616--19)
Analysis of the Clinch River Breeder Reactor (CRBR) source range flux monitor (SRFM) count rate history during refueling of the first four cycles, 2583 (ORNL--5557)
Analysis of the heat and mass transfer processes of UO_2 bubble in sodium, 817 (CONF-790816--30)
Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST), 2597 (ORNL/NUREG/CR--0678)
Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST), 2424 (NUREG/CR--0678)
Analysis of the ZPR-9 reverse approach to critical (RAC) low level flux monitor experiment, 2478 (ORNL--5181)
Analysis of ZPPR-5 source level flux monitor experiments, 2536 (ORNL--5314)
Application of generalized perturbation theory to fast reactor safety sensitivity studies, 816 (CONF-790816--29)
Assessment of normalized and tempered versus annealed or isothermally annealed 2-1/4 Cr--1 Mo steel, 2657 (ORNL/TM--6411)
Behavior of sodium oxide, uranium oxide and mixed sodium oxide-uranium oxide aerosols in a large vessel, 854 (CONF-800434--3)
Behavior of sodium--oxide and uranium--oxide aerosols in a large vessel, 809 (CONF-790816--18)
Blockages in LMFBR fuel assemblies: a review, 615 (CONF-771120--14)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report, April--June 1977, 2601 (ORNL/NUREG/TM--142)
Breeder Reactor Aerosol Release and Transport Program quarterly progress report for July--September 1977, 2607 (ORNL/NUREG/TM--173)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report for October--December 1977, 2610 (ORNL/NUREG/TM--193)
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Breeder reactor program: materials. Technical status report for June 1978, 2591 (ORNL/BRP/M--78/6)
Breeder reactor safety and core systems programs. Progress report, January--March 1978, 2658 (ORNL/TM--6435)
Breeder reactor safety and core systems programs. Progress report, April--June 1978, 2665 (ORNL/TM--6558)
Breeder reactor safety and core systems programs. Progress report, July--September 1977, 2643 (ORNL/TM--6158)
Breeder reactor safety and core systems programs. Progress report, April--June 1977, 2635 (ORNL/TM--6020)
Breeder Reactor Safety and Core Systems Programs. Progress report, July--September 1978, 2674 (ORNL/TM--6658)
Breeder reactor safety and core systems programs progress report, October--December 1977, 2645 (ORNL/TM--6288)
Breeder Reactor Safety and Core Systems Programs progress report for October--December 1978, 2680 (ORNL/TM--6851)
Calculation of the reactivity due to bubble collapse with the probability table method, 2553 (ORNL/CSD/TM--35)
Charged particle irradiations in the United States Breeder Reactor Program, 785 (CONF-790731--1)
Clad/duct materials development. Technical status report for June 1978, 2590 (ORNL/BRP/CD--78/6)
Comparison of COBRA III-C and SABRE-1 (wire-wrap version) computational results with steady-state data from a 19-pin internally guard heated sodium-cooled bundle with a six-channel central blockage (THORS Bundle 3C), 821 (CONF-790816--39)
Comparison of computational results of the SABRE LMFBR pin bundle blockage code with data from well-instrumented out-of-pile test bundles (THORS bundles 3A and 5A), 2681 (ORNL/TM--6862)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop, 756 (CONF-790239--1)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop (THORS bundle 6A), 2677 (ORNL/TM--6778)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop, 804 (CONF-790808--13)
Comparison of the HAARM-3 fallout model with Nuclear Safety Pilot Plant (NSPP) data, 779 (CONF-790602--63)
Compilation of piping benchmark problems - cooperative international effort, 2135 (IWGFR--27)
Concept evaluation of nuclear fusion driven symbiotic energy systems, 844 (CONF-791204--34)
Concepts of remote signal transmission for liquid-metal fast breeder reactors, 610 (CONF-771109--52)
Conceptual study for the reprocessing of spent carbide and nitride fast reactor fuels in relation to gasborne radiological releases, 2640 (ORNL/TM--6100)
Condensation from a large HCDA vapor-gas bubble onto structures, 738 (CONF-781105--58)
Corrosion behavior of LMFBR fuel cladding in simulated water pool storage conditions, 2675 (ORNL/TM--6744)
COVERX service module of the FORSS system, 2687 (ORNL/TM--7181)
Creep and creep-rupture behavior of ERNiCr-3 weld metal, 2565 (ORNL--5404)
CREEP-PLAST II user's manual, 2626 (ORNL/TM--5868)
Cross section adjustment applied to estimation of uncertainty in the breeding ratio of an LMFBR, 834 (CONF-791058--26)
Data management system for the Thermal-Hydraulic Out-of-Reactor Safety Facility computer-controlled data acquisition system configuration for bundle 3C operation, 2676 (ORNL/TM--6745)
December 1977 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2609 (ORNL/NUREG/TM--182)
Determination of current weighted total cross sections in the unresolved energy region, 775 (CONF-790602--59)
Development of the capacitor discharge vaporization technique to produce aerosols formed under conditions postulated for hypothetical core disruptive accidents, 2604 (ORNL/NUREG/TM--160)
Development of the Centralized Reliability Data Organization (CREDO), 839 (CONF-791103--99)
Developments in effluent control for breeder reprocessing facilities, 851 (CONF-800334--7)
Discrete ordinate analysis of the TSF experiment on neutron streaming in a CRBR prototypic coolant pipe chaseway, 2660 (ORNL/TM--6497)
Dosimeter sample preparation, quality assurance, and materials development for the ILRR, FRMDC, and FFTF dosimetry programs, 604 (CONF-771036--2)
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 611 (CONF-771109--77)
Edge blockage in a 19-pin sodium-cooled bundle, 614 (CONF-771120--8)
Effect of energy density on aerosol yield and primary particle sizes produced by the capacitor discharge vaporization (CDV) of UO_2, 2386 (NUREG/CR--0120)
Effectiveness of three rebalance methods in deep penetration problems, 840 (CONF-791103--105)
Effects of energy losses of arbitrary magnitude on fuel quality, vapor density, and bubble diameter in an idealized expansion of mixtures of UO_2 and Na, 2384 (NUREG/CR--0115)
Effects of scattering on radiative cooling of a large HCDA-produced vapor bubble, 812 (CONF-790816--21)
Electron-beam welding of fuel pin simulators to a tubesheet, 2669 (ORNL/TM--6600)
Elevated-temperature deformation and failure test of a type 304 stainless steel capped cylindrical shell: specimen CC-2, 2685 (ORNL/TM--6998)
Environmentally important radionuclides in nonproliferative fuel cycles, 864 (CONF-7810133--5)
Errors in measuring level and density with purged dip tubes, 2634 (ORNL/TM--5995)
Evaluation of COBRA III-C and SABRE-I (wire wrap version) computational results by comparison with steady-state data from a 19-pin internally guard heated sodium cooled bundle with a six-channel central blockage (THORS bundle 3C), 813 (CONF-790816--22)
Evaluation of initial fuel loading monitoring in the Clinch River Breeder Reactor Plant, 2624 (ORNL/TM--5836)
Evaluation of stochastic void models for bubble worth calculations, 780 (CONF-790602--65)
Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs, 2625 (ORNL/TM--5865/V5)
February 1978 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2611 (ORNL/NUREG/TM--197)
Fluid mechanics model to estimate the leakage of incompressible fluids through labyrinth seals, 2654 (ORNL/TM--6373)
Fuel aerosol simulant test data record report: argon tests, 2464 (NUREG/CR--1123)
Fuel Aerosol Simulant Test (FAST) plan, 2600 (ORNL/NUREG/TM--129)
Fuel cycle cost studies: fabrication, reprocessing, and refabrication of LWR, SSCR, HWR, LMFBR, and HTGR fuels, 2662 (ORNL/TM--6522)
Fuel pin simulators for sodium boiling tests in the THORS facility, 2673 (ORNL/TM--6688)
FY 1977 progress report of the Clinch River Breeder Reactor source range flux monitor assessment study for the reference homogeneous core, 2582 (ORNL--5548)
Heat-to-heat variation of tensile properties of annealed 2 1/4 Cr-1 Mo steel, 2628 (ORNL/TM--5906)
Heat-transfer in a partially-blocked sodium-cooled rod

bundle, 848 (CONF-791205--23)
High-resolution boreside radiography of small-diameter tube-to-tubesheet welds, 2572 (ORNL--5474)
High-temperature structural design: 1977 summary and status report, 2567 (ORNL--5419)
High-Temperature Structural Design Program. Semiannual progress report for period ending December 31, 1976, 2507 (ORNL--5281)
High-temperature structural design program semiannual progress report for period ending December 31, 1978, 2581 (ORNL--5540)
High-temperature structural design program semiannual progress report for period ending June 30, 1978, 2569 (ORNL--5433)
Hydrogen retention of (U,Pu)O/sub 2-y/, 2666 (ORNL/TM--6568)
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
Influence of fission spectra uncertainties on calculated fast reactor parameters, 777 (CONF-790602--61)
Influence of melting practice and heat treatment on the continuous cycling fatigue and subcritical crack growth properties of 2 1/4 Cr--1 Mo steel, 2678 (ORNL/TM--6782)
Influence of small amounts of niobium on mechanical and corrosion properties of type 304 stainless steel, 2647 (ORNL/TM--6285)
Input data requirements for special processors in the computation system containing the VENTURE neutronics code, 2479 (ORNL--5225/R1)
In-reactor deformation and fracture of austenitic stainless steels, 2650 (ORNL/TM--6296)
Inspection of boiler tubes: status and plans, 2638 (ORNL/TM--6081)
Instrumentation and control development and design philosophy for Advanced Fuel Recycle, 2655 (ORNL/TM--6393)
Instrumentation and Controls Division biennial progress report, September 1, 1976--September 1, 1978, 2575 (ORNL--5483)
Interim analytical description of the creep and creep-rupture behavior of ERNiCr-3 weld metal, 2659 (ORNL/TM--6464)
Interim assessment of the denatured ^{233}U fuel cycle: feasibility and nonproliferation characteristics, 2564 (ORNL--5398(Exec.Summ.))
Interlaboratory computational comparisons of critical fast test reactor pin lattices, 776 (CONF-790602--60)
Internal bore welding of 2 1/4 Cr-1 Mo steel tube-to-tubesheet joints, 2580 (ORNL--5538)
Inventory and relative biological hazard of LMFBR core materials, 2605 (ORNL/NUREG/TM--165)
Investigation of steel--sodium--iron shields, 745 (CONF-781117--6)
Joining technology development summary, 189a OH024, 751 (CONF-781219--4)
Liquid Metal Fast Breeder Reactor Materials Development Program. Quarterly progress report for period ending March 31, 1977, 2520 (ORNL--5309)
Liquid metal fast breeder reactor structural materials design considerations, 755 (CONF-790236--1)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, July--September 1978, 2414 (NUREG/CR--0482)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April--June 1978, 2400 (NUREG/CR--0340)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April-June 1979, 2460 (NUREG/CR--1062)
LMFBR aerosol release and transport program. Quarterly progress report, January--March 1979, 2446 (NUREG/CR--0844)
LMFBR aerosol release and transport program. Quarterly progress report, October--December 1978, 2431 (NUREG/CR--0752)
LMFBR aerosol release and transport Program quarterly progress report, January--March 1978, 2385 (NUREG/CR--0117)
LMFBR safety. 6. Review of current issues and bibliography of literature (1977), 2395 (NUREG/CR--0339)
LMFBR safety. 5. Review of current issues and bibliography of literature (1975--1976), 2598 (ORNL/NUREG/NSIC--139)
LMFBR safety. 7. Review of current issues and bibliography of literature (1978), 2467 (NUREG/CR--1160)
LMFBR safety and core systems programs. Progress report, January--March 1977, 2629 (ORNL/TM--5940)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
LMFBR spent fuel transport: conceptual design and partial safety analysis of a sodium-cooled cask, 2622 (ORNL-TM--3685)
LONAC: a computer program to investigate systems dynamics under conditions of low forced flow and natural convection, 2645 (ORNL/TM--6228)
Long-range program plan for high-temperature structural design, 2558 (ORNL--5369)
March 1978 monthly highlights, Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2612 (ORNL/NUREG/TM--201)
Material properties requirements for LMFBR structural design: general considerations and data needs, 605 (CONF-771052--1)
Materials data requirements for the high-temperature structural design of 2 1/4 Cr-1 Mo steel components, 526 (CONF-770545--3)
Maximum wake temperature and Nusselt number behind blockages in sodium-cooled bundles, 612 (CONF-771109--78)
Measurements and analysis of the CRBR Inconel-stainless steel radial shield experiment, 2537 (ORNL--5346)
Mechanical properties of tubesheet forgings for LMFBR steam generators, 2559 (ORNL--5378)
Mechanical properties test data for structural materials. Quarterly progress report for period ending April 30, 1977, 2509 (ORNL--5287)
Mechanical properties test matrices on type 316 stainless steel and 2 1/4 Cr--1 Mo steel for U.S. Department of Energy Breeder Reactor Program, 2586 (ORNL/BRP--78/3)
Metals and Ceramics Division annual progress report, October 1, 1978-June 30, 1979, 2585 (ORNL--5579)
Methods for U.S. shielding calculations: applications to FFTF and CRBR designs, 742 (CONF-781117--3)
Microcomputer-controlled ultrasonic data acquisition system, 2663 (ORNL/TM--6531)
Model of a fission counter system for optimizing performance at high gamma dose rates, 2656 (ORNL/TM--6408)
Modified 9 Cr-1 Mo steel development program progress report, March 31, 1979, 2589 (ORNL/BRP--79/4)
Monthly highlights for Office of Nuclear Reguletory Research Programs at Oak Ridge National Laboratory, August 1977, 2602 (ORNL/NUREG/TM--148)
Monthly highlights for Office of Nuclear Regulatory Research programs at Oak Ridge National Laboratory, 2603 (ORNL/NUREG/TM--158)
Natural convection boiling of sodium in a simulated FBR fuel assembly subchannel, 811 (CONF-790816--20)
Needs for development in nondestructive testing for advanced reactor systems, 644 (CONF-780215--2)
Neutronic analysis of LMFBRs during severe core disruptive accidents, 2552 (ORNL/CSD--35)
Nondestructive testing development program. Quarterly progress report for period ending June 30, 1978, 2570 (ORNL--5440)
Nondestructive Testing Development Program. Quarterly progress report for period ending September 30, 1978, 2576 (ORNL--5490)
Nondestructive testing development program. Quarterly progress report for period ending September 30, 1977, 2555 (ORNL--5350)
Nondestructive testing development program. Quarterly progress report for period ending December 31, 1977, 2561 (ORNL--5385)
Nondestructive testing development program. Quarterly progress report for period ending March 31, 1978, 2566 (ORNL--5417)
Nondestructive testing development program quarterly progress report for period ending March 31, 1977, 2508 (ORNL--5286)
Nondestructive testing development program semiannual progress report for period ending March 31, 1979, 2588 (ORNL/BRP--79/3)
Nonlinear plasticity model for structural alloys at elevated temperature, 2668 (ORNL/TM--6582)
November 1977 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2606 (ORNL/NUREG/TM--172)
Nuclear data needs for fast breeder reactor shielding, 744 (CONF-781117--5)
Nuclear fuel fabrication and refabrication cost estimation methodology, 2670 (ORNL/TM--6640)
Nuclear shipping and waste disposal cost estimates, 2631 (ORNL/TM--5976)
ORNL breeder reactor safety: LOA 2, 3, 4, and 5. Quarterly technical progress report, January-March 1979, 2683 (ORNL/TM--6947)
ORNL experiments to characterize fuel release from the reactor primary containment in severe LMFBR accidents, 853 (CONF-800434--2)
ORNL TSF pipe chase neutron streaming experiment: Phase Two, 2623 (ORNL-TM--4283)
Overview of the U.S. programs on properties of primary circuit materials, 606 (CONF-771052--2)
Overview of U.S. efforts directed towards development of mechanical properties data in support of FBR development, 752 (CONF-781219--5)
Overview of US efforts to validate analysis methods and design criteria, 760 (CONF-790363--1)
Perspective on long-range nuclear energy options, 599 (CONF-770973--1)
Plan for the determination of mechanical and thermal properties of concretes to temperatures of 621°C (1150°F), 2646 (ORNL/TM--6234)
Preconceptual study of proliferation-resistant heterogeneous sphere-pac-fueled LMFBR cores, 2684 (ORNL/TM--6996)
Preliminary evaluation of alternative fuel cycle options utilizing fast breeders, 2563 (ORNL--5389)
Preliminary neutronic study of actinide transmutation in a fast reactor, 2652 (ORNL/TM--6309)
Radiological environmental assessment of the recycle of LMFBR advanced fuels, 600 (CONF-771008--5)
RDT Standards Index, 2768 (RDT-INDEX--(01-79))
Recommendations concerning models and parameters best suited to breeder reactor environmental radiological assessments, 2579 (ORNL--5529)
Reports distributed under the NRC Reactor safety research

foreign technical exchange program. Vol. VII (January-June 1979), 2463 (NUREG/CR--1101)
Reports distributed under the NRC Reactor Safety Research Foreign Technical Exchange Program. Volume VI, July--December 1978, 2426 (NUREG/CR--0692)
Review of methods for treatment of source effects in the modified source multiplication method for monitoring the reactivity in refueling the CRBR, 2584 (ORNL--5568)
RODMOD: a code for control rod positioning, 2571 (ORNL--5466)
Room-temperature inelastic test of a nozzle-to-spherical-shell model subjected to pressure and moment loading, 2644 (ORNL/TM--6170)
SACRD: a data base for fast reactor safety computer codes, general description, 2573 (ORNL--5477/V1)
SACRD: a data base for fast reactor safety computer codes, contents and glossary of Version 1 of the system, 2574 (ORNL--5477/V2)
SAS3A analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 818 (CONF-790816--31)
SAS3A simulations for a 19-pin dryout experiment, 680 (CONF-780622--42)
SAS3D analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 838 (CONF-791103--92)
Sensitivity analyses of fast reactor systems including thorium and uranium, 681 (CONF-780622--43)
Sensitivity theory applied to a transient thermal-hydraulics problem, 2682 (ORNL/TM--6900)
Shielding experimental methods, 743 (CONF-781117--4)
SIMBC: a simple boiling model of the response of a simulated sodium-cooled breeder reactor subassembly to an undercooling transient, 2653 (ORNL/TM--6343)
Simple transient analysis of the THORS bundle 6A boiling test results, 679 (CONF-780622--37)
Sodium boiling in a full-length 19-pin simulated fuel assembly (THORS Bundle 6A), 2664 (ORNL/TM--6553)
Sodium boiling incoherence in a 19-pin wire-wrapped bundle, 819 (CONF-790816--32)
Sodium boiling tests in a 19-pin internally guard heated simulated LMFBR fuel assembly with a six-channel interral blockage: record of experimental data for THORS bundle 3C, 3679 (ORNL/TM--6792)
Sodium component reliability data collection at CREDO, 778 (CONF-790602--62)
Sodium oxide aerosol study: NSPP runs 101 to 105, data record report, 2608 (CFNL/NUREC/TM--179)
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 535 (CONF-770807--27)
Source term assessment concepts for LMFBRS: Aerosol Release and Transport (ART) Analytical Program, 2599 (ORNL/NUREG/TM--124)
Special information meeting on high-temperature structural design applications experience, Germantown, Maryland, September 14--15, 1978. Summary report, 2587 (ORNL/ERP--78/4)
SPQR: a Monte Carlo reactor kinetics code, 2686 (ORNL/TM--7086)
Stability of iodic acid under Iodox interim storage conditions, 2648 (ORNL/TM--6287)
State of the art of fuel pin simulators for LMFBR out-of-reactor safety tests: status report, 2627 (ORNL/TM--5865)
Status of technology of Alloy 718 for nuclear applications. Minutes of meeting, October 30, 1975, 1025 (DOE/TIC--10240)
Steady-state sodium tests in a 19-pin full-length simulated LMFBR fuel assembly: record of steady-state experimental data for THORS bundle 6a, 2641 (ORNL/TM--6106)
Steady-state sodium tests in a 19-pin internally guard-heated simulated LMFBR fuel assembly with a six-channel internal blockage: record of experimental data for THORS bundle 3C, 2661 (ORNL/TM--6498)
Strategy for the practical utilization of thorium fuel cycles, 733 (CONF-781042--2)
Stress-strain behavior of ERNiCr-3 weld filler metal under strain controlled cyclic loading, 2642 (ORNL/TM--6126)
Substructures developed during creep and cyclic tests of type 304 stainless steel (heat 912796), 2517 (ORNL--5293)
Summary of the ORNL shield design supporting analysis for the FFTF, 524 (CONF-770401--29)
Survey of available creep and tensile data for alloy 800H, 2637 (ORNL/TM--6029)
System for nondestructive assay of spent fuel subassemblies: comparison of calculations and measurements, 842 (CONF-791117--3)
Tensile, creep, and creep-rupture studies on 2 1/4 Cr-1 Mo steel, 750 (CONF-781219--1)
Test of the diffusion theory difference equations in slab geometry (computer code VANCER), 2660 (ORNL--5381)
Theoretical evaluation of ex-vessel monitoring for initial fuel loading of a liquid metal fast breeder reactor, 774 (CONF-790602--52)
Thermal ratchetting test of type 316 stainless steel seamless to seam-welded pipe: specimen TTT-4, 2568 (ORNL--5430)
Thermal ratchetting tests of Type 304 stainless steel pipe: specimens TTT-1 and TTT-2, 2662 (ORNL--5386)
Thorium assessment study quarterly progress report, third quarter fiscal 1977, 2636 (ORNL/TM--6025)
THORS: a high-temperature sodium test facility rated at 2.0 MW, 814 (CONF-790816--24)
Transport-diffusion comparisons for small core LMFBR disruptive accidents, 2594 (ORNL/CSD/TM--38)
TSF measurements of neutron transmission through an AI-LMFBR lower axial shield mockup. 189a No. 10028, Activity No. HN 04 01 01 1, 2477 (ORNL--5178)
Ultrasonic dynamic imaging (UDI) system to determine the size and velocity of large spherical simulated bubbles in liquids, 832 (CONF-791008--5)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2671 (ORNL/TM--6679)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2672 (ORNL/TM--6679/R1)
Uncertainties in the breeding ratio of a large LMFBR, 671 (CONF-780401--16)
Unified creep-plasticity model for structural metals at high temperature, 2630 (ORNL/TM--5969)
Updated work plan for the FAST/CRI-III fuel vaporization and transport experiments, 2450 (NUREG/CR--0884)
Uranium and sodium oxide aerosol experiments: NSPP tests 201-203 and tests 301-302, data record report, 2456 (NUREG/CR--1002)
U.S. integral and benchmark experiments, 741 (CONF-781117--2)
VENTURE: a code block for solving multigroup neutronics problems applying the finite-difference diffusion-theory approximation to neutron transport, version II, 2476 (ORNL--5062/R1)
VITAMIN E: a multipurpose ENDF/B-V coupled neutron-gamma cross section library, 835 (CONF-791058--34)
VITAMIN-E: an ENDF/B-V multigroup cross-section library for LMFBR core and shield, LWR shield, dosimetry and fusion blanket technology, 2577 (ORNL--5505)
O'DONNELL AND ASSOCIATES, INC., PITTSBURGH, PA (USA)
Creep tensile instability, 3020 (WARD-SD--94000-1)
More efficient creep ratcheting bounds, 2619 (ORNL/Sub--7322/1)
OREGON STATE UNIV., CORVALLIS (USA)
Studies of actinide waste burnup and use in fast spectra. Quarterly report, January 1--March 31 1978, 2775 (RLO--2227/T32-6)
OREGON STATE UNIV., CORVALLIS (USA). DEPT. OF NUCLEAR ENGINEERING
Burning actinides in very hard spectrum reactors, 2774 (RLO--2227/T32-2)
ORLEANS UNIV., 45 (FRANCE)
Study of sodium combustion and fire extinction by pulverized substances. Role of additives, 1219 (FRNC-TH--709)

P

PACIFICA TECHNOLOGY, DEL MAR, CA (USA)
Leakage effects on LMFBR cell liners, 2861 (SAND--78-0742C)
PITTSBURGH UNIV., PA (USA)
Analysis of Flow Impedance Phenomena. Final report, June 1, 1978-July 31, 1979, 955 (COO--4932.M001-2)
POWER REACTOR AND NUCLEAR FUEL DEVELOPMENT CORP., OARAI, IBARAKI (JAPAN). OARAI ENGINEERING CENTER
Acoustic noises with loss-of-flow sodium boiling experiment in 19-pin bundle, 2146 (JAPFNR--423)
Activities in SBL-FPL loops for safety study of LMFBR(I), 2152 (JAPFNR--473)
Creep and creep-rupture properties of the nuclear fuel cladding tube for fast breeder reactor in high temperature sodium: on the cladding tube (AISI Type 316SS, effect of boron content) manufactured in 1974 for MONJU, 2149 (JAPFNR--435)
Out-of-pile experiment of fission gas release in LMFBR subassembly. 4. Feasibility study of gas release detection by use of flow fluctuation signal, 2154 (JAPFNR--482)
Sodium mists behavior in cover gas space of an LMFBR: experimental study, 2144 (JAPFNR--406)
Sodium vapor deposition on a simulated model of an LMFBR rotating shield plug annulus (2), 3823 (JAPFNR--398)
Sodium vapor deposition on a simulated model of an LMFBR rotating shield plug annulus (1), 3824 (JAPFNR--405)
Some topics of sodium technology research and development in P.N.C., Japan, 2353 (NP--21709)
POWER REACTOR AND NUCLEAR FUEL DEVELOPMENT CORP., OARAI (JAPAN)
Investigation on neutronic performances of large scale heterogeneous LMFBR, 2156 (JAPFNR--488)
Local flow blockage experiments in 37-pin sodium cooled bundles with grid spacers, 2145 (JAPFNR--422)
Study on plan of mock-up critical experiment for large fast reactors by using the FCA. (Study on an amount of Pu fuel needed for partial mock-up experiment in large fast reactors), 2153 (JAPFNR--479)
Temperature, flow, and acoustic noises in a locally blocked 37-pin bundle, 4511 (JAPFNR--263)
Transient boiling of sodium in a 19-pin bundle under loss-of-flow conditions, 4513 (JAPFNR--262)
POWER REACTOR AND NUCLEAR FUEL DEVELOPMENT CORP., TOKYO (JAPAN)
Experience on sodium removal from various components, 3817 (JAPFNR--319)
Fast breeder reactor development in Japan. Progress report, October-December 1978, 3230 (JAPFNR--458)
Fast breeder reactor development in Japan. Progress report, October--December 1977, 3526 (JAPFNR--316)
Fast breeder reactor development in Japan. Progress

report, July--September 1977, 3668 (JAPFNR--317)
FBR structural material test program, 4430 (JAPFNR--264)
Hydraulic simulation of local blockage in LMFBR fuel subassembly, 2148 (JAPFNR--434)
Low-cycle fatigue tests on primary coolant piping system components of fast reactors, 2150 (JAPFNR--459)
Operation manual for sodium-measuring equipment test loop, 2737 (PNC-N--952-76-04)
Parameter survey on the saturation boiling process for crevice sodium removal, 3816 (JAPFNR--318)
Proceedings of the third specialist meeting on sodium/fuel interaction in fast reactors, 2712 (PNC-N--251-76-12(Vol.1))
Proceedings of the third specialist meeting on sodium/fuel interaction in fast reactors, 2725 (PNC-N--251-76-12(Vol.2))
Progress report on fast breeder reactor development in Japan, July-September 1978, 3258 (JAPFNR--460)
Progress report on Fast Breeder Reactor development in Japan, January--March 1978, 3460 (JAPFNR--336)
Progress report on fast breeder reactor development in Japan, October--December 1976, 4681 (JAPFNR--260)
Progress report on fast breeder reactor development in Japan. October 1975--January 1976, 2735 (PNC-N--251-76-26)
Progress report on fast breeder reactor development in Japan, October - December 1977, 2736 (PNC-N--251-78-02)
Progress report on fast breeder reactor development in Japan, April--June 1978, 2147 (JAPFNR--425)
Reactor physics activities relevant to FBR and ATR progress in PNC, Japan, November 1978-September 1979, 2151 (JAPFNR--472)
Research report on design allowable values of structural materials for LMFBR, 2706 (PNC-J--225-78-04)
Test on ''MONJU'' fuel subassemblies (the first and the second test fabrications), 4310 (JAPFNR--296)
Water test of the MONJU primary sodium pump mock-up, 3918 (JAPFNR--320)

PRETORIA UNIV. (SOUTH AFRICA). FACULTY OF MATHEMATICS AND NATURAL SCIENCES
Development of accurate data for the design of fast reactors, 2705 (PEL--250)

PROJECT MANAGEMENT CORP., OAK RIDGE, TN (USA)
Safety study. The Clinch River Breeder Reactor Plant, 1955 (INIS-mf--4862)
Technical review, 990 (CRBRP-PMC--79-01)

PURDUE UNIV., LAFAYETTE, IN (USA)
Doppler reactivity uncertainties and their effect upon a hypothetical LOF accident, 5272
Fast Breeder Blanket Facility (FBBF). Quarterly progress report, April 1, 1977--June 30, 1977, 933 (COO--2826-4)
Parametric approach to LMFBR safety evaluation, 5258
Spatially continuous approach to the description of incoherencies in fast reactor accident analysis, 5273

PURDUE UNIV., LAFAYETTE, IN (USA). SCHOOL OF NUCLEAR ENGINEERING
CCB, a two-dimensional diffusion theory continuous cross-section burnup code for fast reactor analysis. Final report, 1061 (EPRI-NP--847)
Fast Breeder Blanket Facility. Quarterly progress report, January 1, 1978--March 31, 1978, 936 (COO--2826-8)
Fast Breeder Blanket Facility. Quarterly progress report, April 1, 1978--June 30, 1978, 937 (COO--2826-9)
Fast Breeder Blanket Facility (FBBF). Annual report, January 31, 1976--December 31, 1977, 935 (COO--2826-7)
Fast Breeder Blanket Facility (FBBF). Quarterly progress report, July 1, 1977--September 30, 1977. PNE-77-120, 934 (COO--2826-5)
Impact of delays in plutonium use on the stationary growth rate of fast breeder reactor fuel, 958 (COO/4116--1)
Investigation of accuracy and computation time of a hierarchy of growth rate definitions, 942 (COO--4116-2)
Investigation of the growth rate for joint fast breeder reactor and light water reactor operation, 943 (COO--4116-3)
Multiphase transients with coolant and core materials in LMFBR core disruptive accident energetics evaluations, 2391 (NUREG/CR--0224)
Multiphase transients with coolant and core materials in LMFBR core disruptive accident energetics evaluations. Technical report, 2695 (PB--283231)

R

RAND CORP., SANTA MONICA, CA (USA)
Anticipated transients without scram for light water reactors: *implications for liquid metal fast breeder reactors*, 2760 (RAND/N--1188-DOE)
Comparison of the capital costs of light water reactor and liquid metal fast breeder reactor power plants, 2762 (RAND/R--2441-ACDA)
Examination of alternative nuclear breeding methods, 2759 (R--2267-DOE)
Reprocessing of nuclear fuel and plutonium breeder commercialization: implications of deferral, 2761 (RAND-P--6226)

REACTOR RESEARCH CENTRE, KALPAKKAM (INDIA)
Analysis of the breeding capability of various fast reactor fuels, 2776 (RRC--16)
Proceedings of the Indo-German seminar on radiation damage, 863 (CONF-7711121--)

RENSSELAER POLYTECHNIC INST., TROY, NY (USA). DEPT. OF NUCLEAR ENGINEERING
Analysis of exposure dependent heterogeneous FBR spectra using continuous slowing down-integral transport concepts, 914 (COO--2458-23)
Simple procedure for determining implications of design changes on fast reactor fuel cycle cost and breeding performance, 915 (COO--2458-24)
Mechanisms of fast neutron penetration in thick layers of sodium, 916 (COO--2509-4)

ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA (USA)
Cover gas seal components. Quarterly technical progress report, April--June 1979, 1159 (ESG-DOE--13279)
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, October--December 1978, 1148 (ESG-DOE--13262)
ECEL thorium assembly descriptions and data summaries, 1140 (ESG-DOE--13246)
High cycle fatigue of 2-1/4 Cr--1 Mo steel at temperatures to 538°C (1000°F), 1137 (ESG-DOE--13243)
High-temperature piping design technology. Quarterly technical progress report, July--September 1978, 1143 (ESG-DOE--13249)
Metallurgical evaluation of an FFTF PPS pressure transducer interface seal assembly after liquid sodium service, 1171 (ETEC--78-11)
Natural convection: sodium leak detection tests, 2786 (SAN--0824-T3)
Quarterly technical progress report. Reactor safety, April--June 1978, 1136 (ESG-DOE--13242)
Research and development needs to develop design tools for prediction of creep instability of flexible piping joints, 1152 (ESG-DOE--13268)
Small pipe - natural convection - sodium leak detection tests, 2789 (SAN--0824-T6)
Sodium leak detection, 2791 (SAN--0824-T8)
Sodium leak detection, long term performance test: results for FY 1978, 2785 (SAN--0824-T2)
Sodium leak detection long term performance test: results for first six months, 2787 (SAN--0824-T4)
Sodium leak detection verification test results, 2784 (SAN--0824-T1)
Sodium leak detection verification test results, 2790 (SAN--0824-T7)
Summary of design and development status of the Liquid Metal to Gas Leak Detection System for the CRBRP, 2793 (SAN--0824-T10)

ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA (USA). ENERGY SYSTEMS GROUP
Acoustic leak detection-location. Quarterly technical progress report, April-June 1979, 1160 (ESG-DOE--13280)
Acoustic leak detection-location. Quarterly technial progress report, January--March 1979, 1157 (ESG-DOE--13275)
Attenuation of airborne debris from LMFBR accidents, 1591 (HEDL-SA--1665)
CRBRP sodium fire tests. Quarterly technical progress report, October-December 1979, 1167 (ESG-DOE--13312)
Evaluation of stochastic void models for bubble worth calculations, 780 (CONF-790602--65)
Fast reactor fluence dosimetry. Technical progress report, October 1978-March 1979, 1166 (ESG-DOE--13310)
Fast reactor fluence dosimetry. Technical progress report, April-September 1979, 1168 (ESG-DOE--13313)
High quality tube-to-tubesheet joints - when, where and why, 2783 (SAN--0824-027-T1)
LMFBR pool plant: 1000 MWe. Volume 3. Appendices. Final report, 1121 (EPRI-NP--1015(Vol.3)(App.))
LMFBR pool plant: 1000 MWe. Volume 1. Executive summary. Final report, 1118 (EPRI-NP--1015-SY(Vol.1))
LMFBR pool plant: 1000 MWe. Volume 3. Pool reactor engineering, NSSS. Final report, 1120 (EPRI-NP--1015(Vol.3))
LMFBR pool plant: 1000 MWe. Volume 2. NSSS plant description. Final report, 1119 (EPRI-NP--1015(Vol.2))
Reactor safety. Annual technical progress report, Government fiscal year 1979, 1165 (ESG-DOE--13294)
Reactor safety. Quarterly technical progress report, January-March 1979, 1161 (ESG-DOE--13281)
Reactor safety. Quarterly technical progress report, April-June 1979, 1162 (ESG-DOE--13284)
Safety approach to the selection of design criteria for the CRBRP reactor refueling system, 826 (CONF-790816--60)
Sodium technology program. Quarterly technical progress report, July-September 1979, 1164 (ESG-DOE--13290)
Sodium Technology Program. Quarterly technical progress report, April-June 1979, 1158 (ESG-DOE--13278)
Studies in the reduction of sodium carryover, 1153 (ESG-DOE--13271)

ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA (USA). ENERGY TECHNOLOGY ENGINEERING CENTER
Dynamic testing of a prototypical FFTF piping system, 1181 (ETEC-TDR--79-10)

ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA (USA). ROCKETDYNE DIV.
High-temperature piping design technology. Quarterly technical progress report, October--December 1977, 28 (AI-DOE--13222)
Quarterly technical progress report. Sodium technology and cover gas seal development programs. October--December 1977, 26 (AI-DOE--13220)
Quarterly technical progress report cover gas seal

components and sodium component development programs. October--December 1977, 27 (AI-DOE--13221)
ROCKWELL INTERNATIONAL CORP., PALO ALTO, CA (USA). ENERGY SYSTEMS GROUP
Probabilistic methods for LMFBR application, 1602 (HEDL-SA--1695-FP)
ROCKWELL INTERNATIONAL CORP., RICHLAND, WA (USA). ROCKWELL HANFORD OPERATIONS
CRBRP sodium fire tests. Technical progress report, May-June 1979, 1163 (RSG-DOE--13285)

S

SANDIA LABS., ALBUQUERQUE, NM (USA)
Advanced reactor safety research. Quarterly report, July-September 1978, 2412 (NUREG/CR--0470)
Advanced reactor safety research. Quarterly report, April-June 1979, 2455 (NUREG/CR--0984(Vol.10))
Advanced reactor safety research. Quarterly report, October--December 1977, 2397 (NUREG/CR--0323(Vol.5))
Advanced reactor safety research. Quarterly report, January--March 1978, 2398 (NUREG/CR--0335(Vol.6))
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977, 2847 (SAND--77-1975)
Advanced Reactor Safety Research Program quarterly report, April--June 1977, 2830 (SAND--77-1134)
Advanced reactor safety research quarterly report, April-June 1978, 2411 (NUREG/CR--0465(Vol.7))
Analysis of in-pile fuel disruption experiments, 2859 (SAND--78-0363C)
Analysis of ORNL pipe ratchetting tests TTT-1 and TTT-2, 2447 (NUREG/CR--0846)
Analysis of Sandia in-pile ECS experiments, 2879 (SAND--79-0107C)
Application of coded source x-radiography to the observation of nuclear fuel motion, 2844 (SAND--77-1724)
Application of ultrasonic thermometry in LMFBR safety research, 2831 (SAND--77-1157C)
Calculation of signals in coded-aperture imaging of many-pin bundles of LMFBR fuel, 2407 (NUREG/CR--0443)
Close-in sampling of aerosols from fission vaporized UO_2 fuel, 2856 (SAND--78-0257C)
Coded aperture imaging: a comparison between Fresnel zone apertures and uniformly redundant array apertures, 2867 (SAND--78-1625)
Coded aperture imaging in many-pin fuel bundles, 2851 (SAND--78-0233C)
Coded aperture imaging of reactor illuminated LMFBR fuel pins, 2815 (SAND--77-1014C)
Coded aperture imaging syster for nuclear fuel motion detection, 2893 (SAND--80-0026)
Comparison of FISGAS swelling and gas release predictions with experiment, 2869 (SAND--78-1910C)
Conceptual designs for LMFBR spent fuel shipping casks, 2838 (SAND--77-1483)
Conceptual designs of spent-fuel shipping casks for the U.S. Breeder Reactor Technology Program, 2853 (SAND--78-0247C)
Cooling of particulate debris beds: analysis of the initial D-series experiments, 2868 (SAND--78-1754C)
Debris bed and sacrificial materials interactions at high temperatures, 2864 (SAND--78-1249C)
Debris bed experiment No. 4: a preliminary look, 2894 (SAND--80-0217C)
Debris bed heat removal models: boiling and dryout with top and bottom cooling, 2878 (SAND--79-0091C)
Debris bed studies and experiments at Sandia Laboratories, 2395 (NUREG/CR--0263)
Deformation of the Sandia metallic ring seal test fixture, 2873 (SAND--78-2191)
Design considerations for epithermal pulse reactors, 2837 (SAND--77-1470)
Development of a coded aperture fuel motion diagnostics syster for the ACPR (upgrade), 2840 (SAND--77-1553C)
Effect of creep on thermal fracturing in oxide crusts, 2855 (SAND--78-0255C)
Effect of thermal stress on oxide crusts, 2818 (SAND--77-1017C)
Effective equation-of-state measurements on uranium dioxide, 2825 (SAND--77-1094C)
Elevated temperature creep and fatigue damage of a 2.25 Cr--1 Mo steel weldment, 2841 (SAND--77-1556)
Eulerian finite-difference calculations of explosions in partially water-filled overstrong cylindrical containment vessels, 2832 (SAND--77-1342)
Evaluation of computational techniques for LMFBR safety analysis, 2813 (SAND--77-0524C)
Evaluation of organic coolants for the transportation of LMFBR spent fuel rods, 2835 (SAND--77-1486)
Fast Reactor Safety Research Program. Quarterly report, January--March 1977, 2811 (SAND--77-0611)
FCI potential of oxide and carbide fuels: results of the prompt burst series at Sandia Laboratories, 2885 (SAND--79-0752C)
Fire protection device for LMFBR spent fuel shipping casks, 2812 (SAND--77-0723)
First in-core molten fuel pool experiment, 2827 (SAND--77-1096C)
First visual in-pile fuel disruption experiments, 2857 (SAND--78-0266C)
FISGAS: a code for fission-gas migration and fuel swelling in an LMFBR accident, 2465 (NUREG/CR--1124)
Fission-gas bubble modeling for LMFBR accidents, 2819 (SAND--77-1018C)

Flash x-radiography for material motion detection, 2843 (SAND--77-1648C)
Flow visualization in heat-generating porous media, 2809 (SAND--76-0614)
Fuel pin modeling for the prompt burst excursion (PBE) experiments, 2858 (SAND--78-0274C)
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments, 2871 (SAND--78-2085C)
Fuel-coolant interaction-phenomena under prompt burst conditions, 2881 (SAND--79-0123C)
High-temperature electronics: an overview, 2892 (SAND--79-2319A)
HTFLO: a computer model of a resistively-heated UO_2 pin with a rate-dependent heat capacity, 2885 (SAND--79-1693)
Hydrodynamic analysis of the LMFBR prompt burst excursion (PBE) experiment, 2817 (SAND--77-1016C)
Importance of scale and triggering effects in vapor explosions, 2828 (SAND--77-1101C)
In-core fuel motion detection in the Sandia Pulse Reactor, 2816 (SAND--77-1015C)
Influence of gas generation on high-temperature melt/concrete interactions, 2862 (SAND--78-0939C)
In-reactor experiments on the cooling of fast reactor debris, 2860 (SAND--78-0437C)
In-reactor experiments with simulated LMFBR debris beds, 2836 (SAND--77-1443C)
Interpretation of debris bed dryout observed during the D-3 experiment, 2865 (SAND--78-1251C)
Kinetics of fission-vaporized UO_2 fuel determined from sampled fuel debris, 2890 (SAND--79-1708C)
Lagrangian finite-difference calculations of an explosion in a partially water-filled rigid cylindrical tank, 2833 (SAND--77-1394)
Large scale sodium interactions. Part 3. Chemical phenomena with limestone concrete, 2826 (SAND--77-1095C)
Large scale sodium interactions. Part 2. Preliminary test results for limestone concrete, 2821 (SAND--77-1059C)
Large scale sodium interactions. Part 1. Test facility design, 2822 (SAND--77-1073C)
Large scale sodium test facility, 2835 (SAND--77-1421C)
Large scale test technology, 2829 (SAND--77-1117C)
Leakage effects on LMFBR cell liners, 2861 (SAND--78-0742C)
LMFBR accident delineation study: approach and preliminary results, 2887 (SAND--79-1602C)
Measurement and analysis of transient vaporization in oxide fuel materials, 2872 (SAND--78-2140C)
Measurement of the penetration of liquid sodium into limestone concrete, 2848 (SAND--78-0078C)
Medium-scale melt-sodium fragmentation experiments, 2882 (SAND--79-0126C)
Microstructural evaluation and non-destructive examination of 2.25 Cr--1 Mo steel, 2842 (SAND--77-1557)
Mobile helium cooling loop system for in-reactor PAHR experiments, 2810 (SAND--77-0161C)
Model and computer code for energy and mass transport in decomposing concrete and related materials, 2891 (SAND--79-1733C)
Network model of free convection within internally heated porous media, 2849 (SAND--78-0216C)
Network model of free convection within internally heated porous media, 2823 (SAND--77-1092C)
Pin failure modeling of the A series CABRI tests, 2870 (SAND--78-1919C)
Post-accident conditions: I. Fast reactor debris bed experiments. II. Molten core penetration measurements, 2863 (SAND--78-1223C)
Postaccident heat removal: debris-bed experiments D-2 and D-3, 2404 (NUREG/CR--0421)
Preliminary results from initial in-pile debris bed experiments, 2846 (SAND--77-1828C)
Prompt burst energetics experiments: fresh oxide/sodium series, 2401 (NUREG/CR--0367)
Prompt burst energetics experiments: uranium carbide series. Preliminary results, 2387 (NUREG/CR--0137)
Prompt burst energetics experiments uranium carbide series, 2850 (SAND--78-0232C)
Prompt Burst Energetics in the oxide/sodium system, 2875 (SAND--79-0079C)
Prompt Burst Energetics (PBE) experiment analyses using the SIMMER-II computer code, 2880 (SAND--79-0112C)
Prompt burst energetics (PBE) studies, 2884 (SAND--79-0740C)
Radiation shield design for LMFBR spent-fuel shipping casks, 2814 (SAND--77-0971C)
Rate effects in the dynamic vaporization of uranium dioxide, 2820 (SAND--77-1032C)
Review of nuclear fuel cycle alternatives including certain features pertaining to weapon proliferation, 2845 (SAND--77-1727)
Sandia in-core molten fuel pool experiment results, 2834 (SAND--77-1413C)
Sensitivity study of LMFBR core disassemblies, 2854 (SAND--78-0252C)
Study of heat transfer from a flowing liquid to a melting wall, 2877 (SAND--79-0082C)
Study of the dispersive potential of irradiated fuel using in-core experiments, 2874 (SAND--79-0057C)
Summary of the first three in-core PAHR molten fuel pool

experiments, 2876 (SAND--79-0081C)
Survey of existing momentum exchange models in two-phase flows for use in the SIMMER fast reactor safety analysis code, 2390 (NUREG/CR--0167)
Survey of melt interactions with core retention material, 2888 (SAND--79-1685C)
Sustained molten steel/concrete interactions tests: a preliminary report on the feasibility of experimental techniques, 2389 (NUREG/CR--0166)
Thermal behavior of concrete, 2824 (SAND--77-1093C)
Thermal evaluation facility for LMFBR spent fuel transport, 2886 (SAND--79-1366)
Time-resolved penetration measurements of liquid sodium into limestone concrete, 2866 (SAND--78-1336C)
Topical report on fuel motion diagnostic systems, 2436 (NUREG/CR--0790)
Ultrasonic thermometry system for measuring very high temperatures in reactor safety experiments, 2883 (SAND--79-0621)
Visual investigation of reactor fuels response to simulated LOF heating conditions, first series, 2453 (NUREG/CR--0514)
SCIENCE APPLICATIONS, INC., ALBUQUERQUE, NM (USA)
Large scale test technology, 2829 (SAND--77-1117C)
SCIENCE APPLICATIONS, INC., LA JOLLA, CA (USA)
Radiation source terms in LWR and LMFBR spent fuel. Final report, 1100 (EPRI-NP--948)
SCIENCE APPLICATIONS, INC., MCLEAN, VA (USA)
Material control in nuclear fuel fabrication facilities. Addendum to Part I: fuel descriptions and fabrication processes, 2945 (UCRI--13916(Pt.1)(Add.))
Material control in nuclear fuel fabrication facilities. Part I. Fuel descriptions and fabrication processes, P.O. 1236909 Final report, 2946 (UCRL--13942(Pt.1))
SCIENCE APPLICATIONS, INC., OAKLAND, CA (USA)
APRICOT Program: comparison and benchmarking of computational methods for analysis of LMFBR structural response to postulated core disruptive accidents. Phase I report, 2808 (SAN/1112--1)
Evaluation of computational techniques for LMFBR safety analysis, 2813 (SAND--77-0924C)
SCIENCE APPLICATIONS, INC., PALO ALTO, CA (USA)
Location dependent common cause analysis with an application to fires, 737 (CONF-781105--57)
Overview of the CRBRP safety study, 991 (CRBRP-PS--01)
SOCIETE BELGE POUR L'INDUSTRIE NUCLEAIRE, BRUSSELS
Results of the post-irradiation examinations of the Rapsodie I experiment fuel pins, 302 (EN--7612-04)
SOCIETE CFDINA, 13 - MARSEILLE (FRANCE)
DISTAV calculation code for determining sodium temperatures in deformed helicoid wire pin bundles in fast neutron reactors, 3483 (ANL-Trans--1140)
SOUTHWEST RESEARCH INST., SAN ANTONIO, TX (USA)
Conceptual design of a Surveillance and Inservice Inspection System for the primary piping and components, Fast Flux Test Facility. Phase C report, 2773 (RLC--1830-T6)
SRI INTERNATIONAL, MENLO PARK, CA (USA)
Experimental studies in CDA work-energy attenuation. Quarterly progress report No. 17, 1 January to 31 March 1979, 2779 (SAN--0115-T5)
Experimental studies in CDA work-energy attenuation. Quarterly progress report No. 18, 1 April-30 June 1979, 2780 (SAN--0115-T6)
Potential hazard to secondary containment from HCDA-generated missiles and sodium fires, 2778 (SAN--0115-697-T1)
Structural response of 1/20 scale models of above core structures to increasingly energetic hypothetical core disruptive accidents. Technical report 7, 2782 (SAN--0115-T8)
Structural response of 1/20-scale models of the Clinch River Breeder Reactor to a simulated hypothetical core disruptive accident. Technical report 4, 1016 (DOE/TIC--10063)
SRI INTERNATIONAL, MENLO PARK, CA (USA). POULTER LAB.
Nonequilibrium phenomena in flashing water used as an HCDA source simulant. Technical report No. 8, 2781 (SAN--0115-T7)
STANFORD RESEARCH INST., MENLO PARK, CA (USA)
Characterization of an energy source for modeling hypothetical core disruptive accidents in nuclear reactors. First interim report, 266 (ANL/K72--2655-1)
Experiments on the response of rigid and flexible reactor vessel models to a simulated hypothetical core disruptive accident, 267 (ANL/K76--2655-5)
Pressure pulse propagation in piping systems. Final report, 2354 (NP--22742)
STATE UNIV. OF NEW YORK, BUFFALO (USA). DEPT. OF ELECTRICAL ENGINEERING
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2396 (NUREG/CR--0287)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere. Annual report Sep 1977--Jan 1978, 2699 (PB--286865)
STATE UNIV. OF NEW YORK, BUFFALO (USA). LAB. FOR POWER AND ENVIRONMENTAL STUDIES
Experimental evaluation of acoustic agglomerators as an air cleaning system concept for emergency use in LMFBR plants. Final report, 1011 (DOE/ET/37203--1)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere. Annual report, 1 October 1977--30 September 1978, 2704 (PB--295077)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2442 (NUREG/CR--0799)
STICHTING ENERGIEONDERZOEK CENTRUM NEDERLAND, PETTEN
Effect of neutron irradiation on creep properties of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1056 (ECN--61)
Effect of neutron irradiation on sequential creep-fatigue interaction of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1058 (ECN--74)
Effects of neutron irradiation and fatigue on ductility of stainless steel DIN 1.4948, 1053 (ECN--50)
Fast reactor program. Combined second and third quarters 1977 progress report, 1050 (ECN--34)
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
Fast reactor programme. First quarter 1977 progress report, 1049 (ECN--22)
Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
Fast reactor programme. Fourth quarter 1977 progress report, 1051 (ECN--41)
Pseudo fission-product cross sections for a 1300 MWe fast breeder reactor (status July 1978), 1054 (ECN--52)
Tensile properties of irradiated and fatigue exposed stainless steel DIN X 6 CrNi 1811 (similar to AISI type 304) plate and welded joints, 1057 (ECN--73)
Transient tube burst tests on fast reactor fuel cladding, 1048 (ECN--21)
STICHTING ENERGIEONDERZOEK CENTRUM NEDERLAND, THE HAGUE
Annual report 1978, 2006 (INIS-mf--5244)
Annual report 1977, 1948 (INIS-mf--4513)
STONE AND WEBSTER ENGINEERING CORP., BOSTON, MA (USA)
Final report: Phase II extension, Prototype Large Breeder Reactor. Primary heat transport system cell studies, 2929 (TID--28755)
Large pool LMFBR design. Appendices A-K. Final report, 1126 (EPRI-NP--1016(Vol.3)(Pt.1))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Large pool LMFBR design. Final report, 1124 (EPRI-NP--1016(Vol.1))
Large pool LMFBR design. Volume 4. Balance of plant. Final report, 1098 (EPRI-NP--883(Vol.4))
Large pool LMFBR design. Volume 2. Balance of plant. Final report, 1125 (EPRI-NP--1016(Vol.2))
Large pool LMFBR design. Volume 3, Part 2. Appendices L-CC. Final report, 1127 (EPRI-NP--1016(Vol.3)(Pt.2))
Large pool LMFBR design: executive summary, 1123 (EPRI-NP--1016-SY)
Prototype Large Breeder Reactor: primary heat transport system cell studies. Final report, Phase II extension, 2919 (TID--28265)
STUTTGART UNIV. (TH) (GERMANY, F.R.). INST. FUER KERNENERGETIK UND ENERGIESYSTEME
Benchmark calculations for a fast sodium-cooled breeder reactor according to the method of finite elements, 1889 (IKE--4-87)
Computation of temperature and velocity fields in fuel elements of fast sodium-cooled breeders passed by a parallel flow, 1890 (IKE--5-202)
Design and optimization of the electromagnetically energized liquid metal direct current conduction pumps, 1891 (IKE--5-203)
SYRACUSE UNIV., NY (USA). DEPT. OF CHEMICAL ENGINEERING AND MATERIALS SCIENCE
Separation of krypton and xenon from reactor atmospheres by selective permeation. Final report, 940 (COO--3536-13)

T

TENNESSEE UNIV., KNOXVILLE (USA)
Gamma heating measurements in LMFBR shields with thermoluminescent dosimeters, 4202
TENNESSEE UNIV., KNOXVILLE (USA). DEPT. OF ELECTRICAL ENGINEERING
Research in remote signal transmission electronics, 2621 (ORNL/Sub--7644/10)
TENNESSEE UNIV., KNOXVILLE (USA). DEPT. OF ENGINEERING SCIENCE AND MECHANICS
Implementation of the unified plasticity--creep constitutive equations with the finite element method, 2615 (ORNL/SUB--79/55455/1)
TENNESSEE UNIV., KNOXVILLE (USA). DEPT. OF NUCLEAR ENGINEERING
Benefit-cost analysis for dynamic testing in the Fast Flux Test Facility, 2688 (ORO--5295-1)
TENNESSEE UNIV., KNOXVILLE (USA). DEPT. OF SOCIOLOGY
Support for a nuclear future: student response to the CRBRP, 609 (CONF-771109--49)
TOKYO INST. OF TECH. (JAPAN). RESEARCH LAB. OF NUCLEAR REACTOR
Studies of rare earth element as control rod material for LMFBR. Part V, 2157 (JAPFNR--494)
TOKYO SHIBAURA ELECTRIC CO. LTD., KAWASAKI, KANAGAWA (JAPAN)
Study on sodium void reactivity worth predictional method, 5152 (JAPFNR--259)
TOKYO UNIV. (JAPAN). NUCLEAR ENGINEERING RESEARCH LAB.
Experimental study on fast neutron streaming through grid-plate shield of a LMFBR, 2952 (UTNL-R--0030)

UKAEA ATOMIC ENERGY ESTABLISHMENT, WINFRITH
Transmission of sound waves through water in a PFR subassembly wrapper, 8 (AEEW-R--1140)
Zero-power basis of fast reactor dosimetry, 10 (AEEW-R--1182)
UKAEA ATOMIC ENERGY RESEARCH ESTABLISHMENT, HARWELL
Analysis of crack patterns in fast reactor fuel pellets, 14 (AERE-TP--719)
Behavior of dissolved fission gases prior to transient testing of fuel pins, 11 (AERE-M--2992)
Behaviour of materials in fast reactors, 13 (AERE-TP--692)
Comparison of experiment and NEFIC model calculations of transient fission gas behavior, 16 (AERE-TP--793)
Fast reactor fuel pin behaviour modelling in the UK, 17 (AERE-TP--796)
Modelling the transient behaviour of fission gas, 15 (AERE-TP--782)
Oxygen distribution in fast reactor oxide fuels, 2009 (INKA-Conf--79-003-006)
UKAEA DOUNREAY NUCLEAR POWER DEVELOPMENT ESTABLISHMENT
Five years experience of the operation of the sodium circuits of the Dounreay Prototype Fast Reactor, 1998 (INIS-mf--4857)
Kalkar Nuclear Power Station (SNR 300), 1047 (DOUNREAY-TRANS--813)
UKAEA REACTOR GROUP, RISLEY
Specification of system - independent sequencing calls for modular code schemes, 2311 (ND-R--50(R))
UKAEA REACTOR GROUP, WINFRITH. ATOMIC ENERGY ESTABLISHMENT
Water modelling studies of blockage with discrete permeabilities in an 11 pin geometry, 7 (AEEW-M--1484)
Water modelling studies of the hydrodynamic characteristics of impermeable blockages in an 11-pin geometry, 6 (AEEW-M--1471)
UKAEA RESEARCH GROUP, HARWELL. ATOMIC ENERGY RESEARCH ESTABLISHMENT
Continuous method of determining the thermodynamic activity of carbon in sodium, 12 (AERE-R--8020)
UKAEA RISLEY NUCLEAR POWER DEVELOPMENT ESTABLISHMENT
International piping benchmarks: use of the simplified code PACE 2, 2315 (ND-R--304(R))
Noise problems in PFR safety system power supplies, 2314 (ND-R--230(R))
Review of the UK fas reactor program: March 1978, 2352 (NCR--3686)
UK fast reactor components. Sodium removal decontamination and requalification, 2003 (INIS-mf--5083)
Whole-core accidents in an LMFBR, 2312 (ND-R--178(R))
UKAEA RISLEY NUCLEAR POWER DEVELOPMENT ESTABLISHMENT, CULCHETH. SAFETY AND RELIABILITY DIRECTORATE
Effect of uncertainties in thermophysical properties of UO_2 and sodium on MFCI's, 2897 (SRD-R--159)
Review of aerosol problems and the theory of aerosol physics with particular reference to sodium cooled fast reactors, 2896 (SRD-R--82)
UKAEA RISLEY NUCLEAR POWER DEVELOPMENT LABS.
Extinguishment of sodium fires, 2772 (RISLEY-Trans--4009)
UKAEA SPRINGFIELDS NUCLEAR POWER DEVELOPMENT LABS.
Comparison of the application of plate and beam theories to the elastic dilation and interaction of PFR sub-assembly wrappers, 2310 (ND-R--9(S))
Vibration tests on single heat exchanger tubes in air and static water, 2313 (ND-R--199(R))
UKAEA WEAPONS GROUP, ALDERMASTON. ATOMIC WEAPONS RESEARCH ESTABLISHMENT
Computer code for SLURBNUK-2 for fast reactor explosion containment safety studies, 295 (AWRE--49/91/87)
UNION CARBIDE CORP., OAK RIDGE, TN (USA). NUCLEAR DIV.
Effectiveness of three rebalance methods in deep penetration problems, 840 (CONF-791103--105)
THORS: a high-temperature sodium test facility rated at 2.0 MW, 814 (CONF-790816--24)
UNITED ENGINEERS AND CONSTRUCTORS, INC., PHILADELPHIA, PA (USA)
Energy Economic Data Base (EEDB) Program: Phase I, Volume I. Final report, 956 (CCC--4954-1(Vol.1))
Energy Economic Data Base (EEDB) Program: Phase I, Volume II. Final report, 957 (CCC--4954-1(Vol.2))
USTAV JADERNEHO VYZKUMU CSKAE, REZ (CZECHOSLOVAKIA)
Effect of configuration distortion on velocity and temperature fields in the peripheral zone of a fast reactor fuel assembly at laminar flow, 2951 (UJV--4576-T)
Heat transfer in the peripheral region of a fast reactor fuel assembly. Part I. Experimental equipment; solution prerequisites, technological experiments, 2950 (UJV--4333-T)
Results of measuring local hydrodynamic characteristics of geometrically disturbed rod bundle. I, 2949 (UJV--4156-T)

V

VIENNA UNIV. (AUSTRIA)
Reactions of stabilized austenitic steinless steel in liquid sodium, 1903 (INIS-mf--4315)
VIRGINIA POLYTECHNIC INST. AND STATE UNIV., BLACKSBURG (USA)
Analysis of the mechanical response of LMFBR fuel clads subjected to in-service property variations, 4641
VIRGINIA UNIV., CHARLOTTESVILLE (USA)
Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2360 (NUREG--0344)
VIRGINIA UNIV., CHARLOTTESVILLE (USA). DEPT. OF NUCLEAR ENGINEERING
Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2691 (PB--273304)
VIRGINIA UNIV., CHARLOTTESVILLE (USA). DEPT. OF NUCLEAR ENGINEERING AND ENGINEERING PHYSICS
Bubble behavior in LMFBR core disruptive accidents. Annual report, 1 October 1977-30 September 1978, 2701 (PB--293190)
Bubble behavior in LMFBR core disruptive accidents. Annual report, October 1977--September 1978, 2420 (NUREG/CR--0604)
Primary aerosol particle-size distribution from homogeneous nucleation condensation and particle growth, 2364 (NUREG--0391)
VIRGINIA UNIV., CHARLOTTESVILLE (USA). DEPT. OF NUCLEAR ENGINEERING AND ENGINEERING SCIENCES
Bubble behavior in LMFBR core disruptive accidents. Annual report, July 1, 1976--September 30, 1977, 2375 (NUREG/CR--0002)
VIRGINIA UNIV., CHARLOTTESVILLE (USA). SCHOOL OF ENGINEERING AND APPLIED SCIENCE
Post-failure phenomena in LMFBR top accidents. Final report, October 1, 1976--September 30, 1977, 2381 (NUREG/CR--0018)
VYSKUMNY USTAV ENERGETICKY, BRATISLAVA (CZECHOSLOVAKIA)
Accident of sodium steam generator element = LEWISA program, 992 (CS-INIS--199)
Analysis of fuel-coolant interaction in the initiation and postexplosive stages of fast reactor credible accidents, 993 (CS-INIS--201)

W

WADCO CORP., RICHLAND, WA (USA)
Coolant mixing in a 217-pin wire-wrapped FFTF fuel assembly, 3037 (WHAN-IR--33)
WASHINGTON UNIV., SEATTLE (USA)
SAS3A calculations for forced convection sodium boiling at low power, 2852 (SAND--78-0236C)
Study of forced convection boiling of sodium at low heat fluxes in electrically heated seven-rod bundles, 4815
WESTINGHOUSE ELECTRIC CORP., MADISON, PA (USA)
Buoyancy induced flow and heat redistribution during LMFBR core decay heat removal, 849 (CONF-800226--1)
Development of licensing requirements for LMFBRs: a reactor designer's view, 2905 (TID--27798)
WESTINGHOUSE ELECTRIC CORP., MADISON, PA (USA). ADVANCED REACTORS DIV.
Analysis of tests on axially compressed cylinders, 3013 (WARD-SD--3045-8)
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins, 2955 (WARD-CN--3045-4)
Analytical method to accurately predict LMFBR core flow distribution, 781 (CONF-790602--87)
Analytical modeling of core hydraulics and flow management in breeder reactors, 831 (CONF-790934--1)
Application of ASME Code Case N-47 concepts to CRBRP primary piping, 763 (CONF-790363--4)
Application of LIFE transient codes to experiment and core design, 2998 (WARD-DX--3045-35)
Assessment of debris transport methods in horizontal LMFBR piping for PAHR conditions, 3025 (WARD-SR--3045-9)
Behavior of an iron manganese alloy as a monitor for carbon activity in liquid sodium, 2985 (WARD-NA--3045-54)
Blanket design considerations for fast reactor oxide fuel systems based on CRBRP experience, 857 (CONF-800607--29)
Bouyancy effects on sodium coolant temperature profiles measured in an electrically heated mock-up of a 61-rod breeder reactor blanket assembly, 2928 (TID--28746)
Breeder reactor grid-type subassembly design and evaluation. Quarterly progress report for the period ending December 31, 1977, 3000 (WARD-DX--3045-39)
Breeder reactor grid-type subassembly design and evaluation. Quarterly progress report for the period ending March 31, 1978, 3001 (WARD-DX--3045-40)
Clinch River Breeder Reactor Plant. A preliminary evaluation of the CRBRP natural circulation decay heat removal capability, 963 (CRBRP-ARD--0132)
Clinch River Breeder Reactor Plant. Crack growth calculations for primary piping of CRBRP, 975 (CRBRP-ARD--0192)
Clinch River Breeder Reactor Plant. CRBRP piping integrity: ar evaluation of postulated support failures, 969 (CRBRP-ARD--0183)
Clinch River Breeder Reactor Plant. Effects of thermal aging on CRBRP primary piping, 974 (CRBRP-ARD--0188)
Clinch River Breeder Reactor Plant. Impace of fuel densification on CRBRP fuel performance, 966 (CRBRP-ARD--0168)
Clinch River Breeder Reactor Plant. Integrity of primary and intermediate heat transport system piping in containment, 971 (CRBRP-ARD--0185(Vol.1))
Clinch River Breeder Reactor Plant. Integrity of

primary and intermediate heat transport system piping in containment, 972 (CRBRP-ARD--0185(Vol.2))
Clinch River Breeder Reactor Plant. Internal/external cladding degradation, 964 (CRBRP-ARD--0147)
Clinch River Breeder Reactor Plant. MAXPRES-2: computer code verification, 968 (CRBRP-ARD--0175)
Clinch River Breeder Reactor Plant. Numerical evaluation of an elbow element for inelastic flexibity analysis of piping, 970 (CRBRP-ARD--0184)
Clinch River Breeder Reactor Plant. Plan for inservice inspection, 967 (CRBRP-ARD--0173)
Clinch River Breeder Reactor Plant. Preliminary analysis of heat generating blockages in CRBRP fuel and radial blanket assemblies to determine detection requirements, 962 (CRBRP-ARD--0119)
Clinch River Breeder Reactor Plant. Preliminary testing of the direct heat removal service in a 1/21 scale model, 973 (CRBRP-ARD--0186)
Clinch River Breeder Reactor Plant. Wire wrap cladding interaction in LMFBR fuel rods, 965 (CRBRP-ARD--0149)
Clinch River Breeder Reactor Plant Project. 1977 technical progress report, 976 (CRBRP-ARD--0211)
Clinch River Breeder Reactor Plant Project. 1978 technical progress report, 977 (CRBRP-ARD--0230)
Closure head capability for third level structural margin loading, 2971 (WARD-D--0178)
Comparison of experiment with analysis of a water-filled plastically deforming pipe using the computer code PTA-1, 3024 (WARD-SR--3045-8)
Comparisons of DEMO calculations to FFTF pump and flow coastdown measurements, 2988 (WARD-NC--94000-1)
Core restraint development. Quarterly progress report for period ending November 30, 1977, 2963 (WARD-CR--3045-21)
Core restraint development. Quarterly progress report for period ending February 28, 1978, 2964 (WARD-CR--3045-22)
Core restraint development. Quarterly progress report for period ending August 31, 1978, 2966 (WARD-CR--3045-24)
Core restraint development. Quarterly progress report for period ending May 31, 1978, 2965 (WARD-CR--3045-23)
Core restraint development. Quarterly progress report for period ending May 31, 1979, 2969 (WARD-CR--94000-3)
Core restraint development. Quarterly progress report for period ending February 28, 1979, 2968 (WARD-CR--94000-2)
Core restraint development. Quarterly progress report for period ending November 30, 1978, 2967 (WARD-CR--94000-1)
Core restraint development. Quarterly progress report for period ending May 31, 1977, 2960 (WARD-CR--3045-17)
Core restraint development. Quarterly progress report for period ending August 31, 1977, 2961 (WARD-CR--3045-19)
Crack growth in Types 304 and 316 stainless steel under prototypic LMFBR primary piping conditions, 2957 (WARD-CG--3045-3)
CRBRP decay heat removal systems, 639 (CONF-771217--6)
CRBRP flow induced vibration program, 597 (CONF-770933--1)
CRBRP structural and thermal margin beyond the design base, 820 (CONF-790816--37)
Design applications of irradiation creep and swelling data, 682 (CONF-780622--67)
Design considerations for CRBRP heat transport system piping operating at elevated temperatures, 784 (CONF-790615--16)
Design considerations for CRBRP primary piping system operating at elevated temperatures, 764 (CONF-790363--5)
Design experience: CRBRP radiation shielding, 746 (CONF-781117--7)
Design experience: FFTF shielding, 1585 (HEDL-SA--1634)
Design guidelines for elbows with geometric nonuniformities, 3019 (WARD-SD--3045-16)
Design of the core support and restraint structures for FFTF and CRBRP, 640 (CONF-771217--7)
Design of the upper internals structure for the Clinch River Breeder Reactor Plant, 641 (CONF-771217--8)
Development of LIFE4-CN: a combined code for steady-state and transient analyses of advanced LMFBR fuels, 828 (CONF-790884--2)
Effect of repair times on relative SHRS reliability, 3022 (WARD-SR--3045-6)
Effects of geometric nonuniformities on the stresses in piping elbows, 3012 (WARD-SD--3045-7)
Effects of temperature changes on 20% cold worked AISI 316 stainless steel swelling, 3002 (WARD-OX--3045-45)
Elevated temperature fatigue crack growth behavior of Type 304/308 Stainless Steel weldments in sodium/cavity gas environment, 2958 (WARD-CG--3045-4)
Emissivity of sodium wetted and oxidized Type 304 stainless steel, 852 (CONF-800401--5)
Engineering aspects of heterogeneous and homogeneous reactors, 619 (CONF-771123--1)
Evaluation of the influence of seismic restraint characteristics on breeder reactor piping systems, 783 (CONF-790615--13)
Evaluation of the influence of seismic restraint characteristics on LMFBR piping, 761 (CONF-790363--2)
Evaluations of CRBRP thermal margin beyond the design base, 608 (CONF-771108--3)
Experimental studies of flow distribution in a wire wrapped LMFBR blanket assembly, 845 (CONF-791205--2)
FFTF and CRBRP intermediate heat exchanger design, testing, and fabrication, 635 (CONF-771217--2)
FFTF and CRBRP reactor vessels, 642 (CONF-771217--9)
FFTF hydrostatic pump bearing Phase-1 test report (final report), 3003 (WARD-PB--3045-1)
Final design analyses of CRBRP fuel rod, 858 (CONF-800607--33)
Friction and wear tests in support of LMFBR steam generator tube/tube spacer plate interactions, 2981 (WARD-NA--3045-48)
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977, 3015 (WARD-SD--3045-10)
High temperature structural design technology: validation. Quarterly progress report for the period ending May 31, 1977, 2972 (WARD-HT--3045-27)
High temperature structural design technology: validation. Quarterly progress report for period ending November 30, 1977, 2974 (WARD-HT--3045-31)
High temperature structural design technology: validation. Quarterly progress report for period ending February 28, 1978, 2975 (WARD-HT--3045-34)
High temperature structural design technology: validation. Quarterly progress report for period ending August 31, 1977, 2973 (WARD-HT--3045-30)
Hydraulic and vibration characterization results of prototypic water flow tests of a 217-rod grid spaced river assembly, 2999 (WARD-OX--3045-36)
Internal external cladding degradation, 2970 (WARD-D--0147)
Irradiated Type 304 SS bend test ductility, 856 (CONF-800607--28)
Large LMFBR shutdown heat removal system reliability trade-off study, 3023 (WARD-SR--3045-7)
Large pool LMFBR design. Appendices A-K. Final report, 1126 (EPRI-NP--1016(Vol.3)(Pt.1))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Large pool LMFBR design. Final report, 1124 (EPRI-NP--1016(Vol.1))
Large pool LMFBR design. Final report. Volume 1. Reactor, 1094 (EPRI-NP--883(Vol.1))
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Large pool LMFBR design. Volume 3. Appendixes. Final report, 1097 (EPRI-NP--883(Vol.3))
Large pool LMFBR design. Volume 1. Reactor. Final report, 1095 (EPRI-NP--883(Vol.1))
Large pool LMFBR design: executive summary, 1123 (EPRI-NP--1016-SY)
Load-time histogram and elastic analysis of CRBRP heat transport system piping, 762 (CONF-790363--3)
Loop heat capacity models and their effects for DEMO natural circulation transient analysis, 2987 (WARD-NC--3045-2)
MATLIB: a computer library of material properties verification manual, 3021 (WARD-SD--94000-2)
Methodology for statistical determination of fuel intra-assembly flow mixing uncertainty, 836 (CONF-791103--7(Summ))
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
National core restraint development program: seven row test results, 2962 (WARD-CR--3045-20)
Nuclear safety and reliability engineering. Quarterly progress report for period ending March 31, 1979, 3026 (WARD-SR--94000-1)
Nuclear safety and reliability engineering. Quarterly progress report for period ending June 30, 1979, 3027 (WARD-SR--94000-2)
Overview of the CRBRP safety study, 991 (CRBRP-PS--01)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1975, 2989 (WARD-OX--3045-20)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976, 2991 (WARD-OX--3045-24)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1975, 2990 (WARD-OX--3045-23)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1976, 2993 (WARD-OX--3045-27)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1976, 2994 (WARD-OX--3045-29)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1977, 2997 (WARD-OX--3045-34)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1977, 2995 (WARD-OX--3045-31)
Oxide fuel element development quarterly progress report for period ending June 30, 1976, 2992 (WARD-OX--3045-26)
Physical characteristics of corrosion product deposits, 2986 (WARD-NA--940002)
Physics evaluations and applications , 3028 (WARD-XS--3045-18)
Physics evaluations and applications. Quarterly progress report for period ending October 31, 1977, 3030 (WARD-XS--3045-20)

Physics evaluations and applications. Quarterly progress report for period ending April 30, 1978, 3032 (WARD-XS--3045-22)
Physics evaluations and applications. Quarterly progress report for period ending January 31, 1978, 3031 (WARD-XS--3045-21)
Physics evaluations and applications quarterly progress report for period ending July 31, 1977, 3029 (WARD-XS--3045-19)
Physics evaluations and applications quarterly progress report for period ending January 31, 1979, 3036 (WARD-XS--3045-28)
Physics evaluations and applications quarterly progress report for period ending July 31, 1978, 3033 (WARD-XS--3045-23)
Physics evaluations and applications quarterly progress report for period ending October 31, 1978, 3034 (WARD-XS--3045-24)
Plant control system design for the Clinch River Breeder Reactor Plant, 598 (CONF-770939--2)
Plastic buckling of axially compressed cylinders, 3014 (WARD-SD--3045-9)
Plastic collapse of a piping elbow: convergence of a finite element shell analysis, 3016 (WARD-SD--3045-11)
Plastic in-plane bending and buckling of an elbow: comparison of experimental and simplified analysis results, 2976 (WARD-HT--94000-2)
Post test examination of double-wall tube for interface wear and water side corrosion effects in a liquid metal heated steam generator, 2979 (WARD-I--10134-2)
Prediction of thermal consequences of plenum fission gas release in an LMFBR fuel assembly, 747 (CONF-781181--2)
Prototype large breeder reactor. Phase II. Follow-on final report, 2930 (TID--28756)
Prototype Large Breeder Reactor: Phase II follow-on final report, 2916 (TID--28251)
Prototype Large Breeder Reactor: Phase II follow-on final report. Executive summary, 2918 (TID--28259)
Radial blanket design and development. Quarterly progress report for period ending May 31, 1977, 3004 (WARD-RB--3045-19)
Radial blanket design and development. Quarterly progress report for period ending February 28, 1978, 3007 (WARD-RB--3045-24)
Radial blanket design and development. Quarterly progress report for period ending May 31, 1978, 3008 (WARD-RB--3045-29)
Radial blanket design and development. Quarterly progress report for period ending August 31, 1978, 3009 (WARD-RB--3045-30)
Radial blanket design and development. Quarterly progress report for period ending November 30, 1978, 3010 (WARD-RB--3045-31)
Radial blanket design and development. Quarterly progress report for period ending February 28, 1979, 3011 (WARD-RB--94000-1)
Radial blanket design and development. Quarterly progress report for period ending August 31, 1977, 3005 (WARD-RB--3045-21)
Radial blanket design and development quarterly progress report for period ending November 30, 1977, 3006 (WARD-RB--3045-22)
Radial parfait core design study, 2954 (WARD--353)
Re-evaluating your nuclear program needs: how to benefit from your vendor's Q.A. program, 830 (CONF-790905--1)
Results from a buckling test of a 16-inch (406mm) diameter piping elbow, 2976 (WARD-HT--3045-35)
Review of literature on unsteady forced convection heat transfer with application to LMFBR thermal striping, 2932 (TID--28937)
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium, 533 (CONF-770735--4)
Self-welding evaluation of Tribaloy 400, 700, and 800 in flowing sodium, 2983 (WARD-NA--3045-52)
Sodium Technology Program: friction, wear, and self-welding. Quarterly progress report for period ending January 31, 1977, 2980 (WARD-NA--3045-42)
Sodium Technology Program: friction, wear, and self-welding. Quarterly progress report for period ending July 31, 1977, 2982 (WARD-NA--3045-49)
Sodium/cavity gas effect on fatigue crack growth in 304SS under FFTF primary cold leg piping conditions, 2956 (WARD-CG--3045-2)
Structural analysis of the Upper Internals Structure for the Clinch River Breeder Reactor Plant, 782 (CONF-790615--11)
Structural design verification testing techniques at Westinghouse Advanced Reactors Division, 2977 (WARD-HT--94000-1)
Summary stress results for the heat transport system piping and components, 1671 (HEDL-TC--517)
Testing of the CRBRP Direct Heat Removal Service in a 1/21 scale model, 803 (CONF-790808--1)
Theory of particle redistribution in an irradiation environment, 2955 (WARD-AD--3045-6)
User's guide to APACHE: a three-dimensional finite element program for steady-state or transient heat conduction analysis, 3018 (WARD-SD--3045-13)
User's guide to MAT3D: a three-dimensional finite element mesh generator program for eight-node isoparametric elements, 3017 (WARD-SD--3045-12)
Whole-core thermal-hydraulic transient code development and verification for LMFBR analysis, 773 (CONF-790602--36)

WESTINGHOUSE ELECTRIC CORP., OAK RIDGE, TN (USA). ADVANCED REACTORS DIV.
Role and progress of the Clinch River Breeder Reactor Plant, 675 (CONF-780440--1)
Thermal insulation system design and fabrication specification (nuclear) for the Clinch River Breeder Reactor plant, 1038 (DOE/TIC--11115)

WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA (USA)
Design of the US-CRBRP sodium/water reaction pressure relief system, 375 (CONF-760735--2)

WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA (USA). ADVANCED ENERGY SYSTEMS DIV.
Clinch River Breeder Reactor Plant nuclear insulation system material selection report, 1039 (DOE/TIC--11116)

WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA (USA). ADVANCED REACTORS DIV.
Influence of control rod worth interactions on LMFBR control systems design, 655 (CONF-800607--5)
Large pool LMFBR design. Volume 3, Part 2. Appendices L-CC. Final report, 1127 (EPRI-NP--1016(Vol.3)(Pt.2))
Oxide fuel element development. Quarterly progress report for period ending June 30, 1977, 2996 (WARD-OX--3045-32)
Physics evaluations and applications. Quarterly progress report for period ending April 30, 1979, 3036 (WARD-XS--94000-1)
Radioactive corrosion product release potential in sodium-cooled reactors, 1659 (HEDL-SA--1948)

WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA (USA). ASTRONUCLEAR LAB.
First article test report for FFTF heater supports, 1858 (HWS--2160)

WESTINGHOUSE ELECTRIC CORP., TAMPA, FL (USA). TAMPA DIV.
Basis for Westinghouse double wall tube steam generator with third fluid leak detection capability extracted from Westinghouse proposal to the Department of Energy to develop a steam generator for large scale liquid metal fast breeder reactors, 2927 (TID--28715)
Development and test results of Westinghouse double wall tube steam generator including thermal model test, 2926 (TID--28713)
Reliability of various tube-to-tubesheet weld configurations, 3038 (WNET--116)
Status of Incoloy alloy 800 development for breeder reactor steam generators, 2616 (ORNL/Sub--4308/3)

WESTINGHOUSE HANFORD CO., RICHLAND, WA (USA)
Application of quality assurance to the design, procurement, and construction of the Fast Flux Test Facility, 1538 (HEDL-SA--1499)
Delayed neutron parameters for the FFTF, 1515 (HEDL-SA--1440)
Document control and information retrieval system for the Fast Flux Test Facility (FFTF), 1447 (HEDL-SA--838)
Experience in the design, construction, and testing of the FFTF heat transport system, 1537 (HEDL-SA--1496)
Experimental irradiation of fracture mechanics specimens in fast reactors, 1438 (HEDL--6583)
Fatigue-crack propagation analysis of LMFBR piping, 1530 (HEDL-SA--1469)
Fuel pin bundle and hexagonal duct mechanical interaction, 1509 (HEDL-SA--1423)
Influence of burnup on heat-rating-to-melting for UO_2-PuO_2 fuel, 1446 (HEDL-SA--737)
Mechanical properties of transient-tested irradiated fast-reactor cladding, 1569 (HEDL-SA--1574)
Mixed oxide run-beyond-cladding-breach tests in EBR-II, 1556 (HEDL-SA--1536-FP)
Nondestructive analysis of irradiated fuels, 1487 (HEDL-SA--1350)
Sodium, 1731 (HEDL-TI--76002)
Testing of FFTF fuel handling equipment, 1484 (HEDL-SA--1333)
Tritium release from fast neutron irradiated boron carbide, 1452 (HEDL-SA--1164FP)

WESTINGHOUSE RESEARCH AND DEVELOPMENT CENTER, PITTSBURGH, PA (USA)
Experimental studies of flow distribution in a wire wrapped LMFBR blanket assembly, 845 (CONF-791205--2)
Sodium ion leak detector. First annual technical progress report, January 1-December 31, 1977, 947 (COO--4197-T3)
Sodium ion leak detector. Quarterly technical progress report, January 1-April 1, 1978, 945 (COO--4197-T1)
Sodium ion leak detector. Quarterly technical progress report, April 1-July 1, 1978, 946 (COO--4197-T2)

WISCONSIN UNIV., MADISON (USA)
Simulation of heat and mass transfer processes in molten core debris-concrete systems, 952 (COO--4261-11)

WISCONSIN UNIV., MADISON (USA). DEPT. OF NUCLEAR ENGINEERING
Convective heat transfer correlations for molten core debris pools growing in concrete, 949 (COO--4261-8)
Effect of overlaying steel layers on the growth of molten core debris pools in concrete, 950 (COO--4261-9)
Growth of molten core debris pools in concrete. Progress report, March 1, 1977--November 30, 1977, 948 (COO--4261-4)
Growth of molten core debris pools in concrete. Progress report, April 1--June 30, 1979, 953 (COO--4261-12)
Growth of molten core debris pools in concrete. Part II. A. Pool growth in composite beds; B. Effect of overlaying steel layers. Final report, March 1, 1978-September 30, 1979, 954 (COO--4261-14)
Retention of molten core debris pools in composite sacrificial beds, 951 (COO--4261-10)

WISCONSIN UNIV., MILWAUKEE (USA). DEPT. OF ENERGETICS
Surface radiation properties between nuclear reactor materials in contact, 541 (CCO--4040-3)

ZENTRALINSTITUT FUER KERNFORSCHUNG, ROSSENDORF BEI DRESDEN
Determination of dynamic parameters of the reactor Bor-60 by means of a reactivity modulator, 3039 (ZfK--325)
Perturbation measurements on the BOR-60 reactor, 3042 (ZfK--348)
Problems of technology and corrosion in sodium coolant and cover gas, 3040 (ZfK--337)
Sodium boiling experiment in the reactor BOR-60, 3041 (ZfK--344)

AUTHOR INDEX

Authors' surnames are indexed in the form appearing in the abstracted publication; given names are reduced to initials. Each author entry gives the publication title and the citation number. Report numbers, if applicable, are given in parentheses at the end of the entry. For publications with multiple authors, an author entry is provided for each. Entries for the second and succeeding authors give references to the first author.

Because of problems involved in the mechanical preparation of this index, all accent marks are omitted. Changes in spelling introduced as a result of accent omission follow standard conventions.

A

A-MONZIM, M.T., Comparison of ICEPEL code predictions with straight flexible pipe experiments, 3533
  Computer modelling of piping components for transient hydrodynamic-structural response, 3532
  Computer simulation of LMFBR piping systems, 5064
  Computer simulation of LMFBR piping systems, 545 (CONF-770807--45)
  Coupled hydrodynamic-structural response analysis of piping systems, 76 (ANL--77-51)
  Icepel analysis of and comparison with simple elastic--plastic piping experiments, 148 (ANL--78-105)
  Numerical fluid-structure interaction analysis of piping systems, 5027
  Safety analysis of the primary heat transport systems of LMFBRs, 456 (CONF-761001--P3, pp 1334-1343)
  See ZEUCH, W.R., 794
ABAGYAN, L.P., See GORBATOV, N.E., 1211
ABBEY, R.J., Injection of sodium into liquid stainless steel. A report of the second experiment Na-SS/1, 2722 (PNC-N--251-76-12(Vol.1), pp 362-380)
ABBOTT, L.S., Interim assessment of the denatured ^{233}U fuel cycle: feasibility and nonproliferation characteristics, 2564 (ORNL--5358(Exec.Summ.))
ABDEL-KHALIK, S.I., Growth of molten core debris pools in concrete. Progress report, March 1, 1977--November 30, 1977, 948 (COO--4261-4)
  Growth of molten core debris pools in concrete. Progress report, April 1--June 30, 1979, 953 (COO--4261-12)
  Growth of molten core debris pools in concrete. Part II. A. Pool growth in composite beds; B. Effect of overlaying steel layers. Final report, March 1, 1978-September 30, 1979, 954 (COO--4261-14)
  Heat transfer in volumetrically-heated pools with gas injection at the boundaries, 108 (ANL--78-10, pp 353-360)
  See FELDE, D.K., 949
  See FAIK, I.K., 950, 951
ABE, S., In-service inspection for "Monju", 2053 (IWGFR--10, pp 26-35)
ABE, T., See KUMADA, T., 4519
ABO-EL-ATA, M.M., Irradiation effects on the behavior of structural materials at elevated temperature, 3750
ABRAHAM, F.M., Diffusion and trapping of tritium in grain boundaries of 304L stainless steel, 3741
ABRAHAMSON, G.R., Tests in support of LMFBR, 4493
ABRAMS, C.S., Radioactive waste management at a Liquid Metal Fast Breeder Reactor, 766 (CONF-790374--1)
ABRAMSON, P.B., Bubble collapse reactivity increases in boiling fuel/steel pools, 4789
  Core disruptive accident and recriticality analysis with FX2-POOL, 450 (CONF-761001--P3, pp 1253-1260)
  Current state of analysis of recriticality under PAHR conditions, 87 (ANL--78-10, pp 26-34)
  Importance of heat transfer in hypothetical core disruptive accident analysis, 4437
  Probabilistic accident analysis with deterministic codes using stochastically variable parameters, 3737
  Role of distributed microscopic physical phenomena in probabilistic accident analysis with deterministic codes, 4047
  Stochastically variable parameters in probabilistic accident analysis, 4785
  Value of distributed particle in cell techniques, 3606
  See GARNER, P.L., 2250, 3996, 759
  See HAKIM, S.J., 3110, 4783
  See PIZZICA, P.A., 4336, 436
  See SIENICKI, J.J., 2419, 3486, 3605, 3638
ABRAMSON, R., Installation for purifying the liquid metal used for cooling the core of a fast neutron reactor, 4264 (ANL-Trans--1113)
ABSHER, K.R., See YOUNG, M.W., 2491, 658
ABUAF, N., See GREENE, G.A., 326, 327
ABUROMIA, M.M., Flow model test development of CRBRP intermediate heat exchanger, 4625
  Heat transfer in tube bundles of heat exchangers with flow baffles induced forced mixing, 522 (CONF-761107--27)
  Thermal/hydraulic design considerations for Clinch River Breeder Reactor Plant intermediate heat exchangers, 5426
ACHENBACH, J.D., See PETROSKI, H.J., 463, 5087, 71, 72
ACKERMANN, N.J. JR., Evaluation of initial fuel loading monitoring in the Clinch River Breeder Reactor Plant, 2624 (ORNL/TM--5836)
ACKET, Effects of load following on the core and the components of the Super Phenix sodium circuits, 358 (CEA-CR--13, pp vp)
ACKET, C., See DECUYPER, J., 4233
ACKET, M., See AUBERT, M., 4095
ACKROYD, R.T., Fast breeder nuclear reactor cooled with liquid metal, 4469
ACTIS-DATO, P., See EGLEME, M., 454
ADACHI, S., See OHSHIMA, I., 3470
ADAIR, H.L., Dosimeter sample preparation, quality assurance, and materials development for the ILRR, FRMDC, and FFTF dosimetry programs, 604 (CONF-771036--2)
ADAM, E., Safety of nuclear power plants with fast breeder reactors - engineering aspects, 4136
ADAM, E.R., Radiological protection in the prototype fast reactor, Dounreay, Scotland, 4251
ADAMIK, V., See SUCHOMEL, J., 3781, 993
ADAMOVSKII, L.A., Determination of BOR-60 reactor dynamic characteristics using data from statistic experiments, 2345 (NIIAR-P--18(312))
  See KEBADZE, B.V., 3547, 4468
ADAMS, R.E., Behavior of sodium--oxide and uranium--oxide aerosols in a large vessel, 809 (CONF-790816--18)
  Behavior of sodium oxide, uranium oxide and mixed sodium oxide-uranium oxide aerosols in a large vessel, 854 (CONF-800434--3)
  Sodium oxide aerosol study: NSPP runs 101 to 105, data record report, 2608 (ORNL/NUREG/TM--179)
  Uranium and sodium oxide aerosol experiments: NSPP tests 201-203 and tests 301-302, data record report, 2456 (NUREG/CR--1002)
  See HAN, J.T., 3191, 779
ADAMSON, G.E., See SMITH, R.W., 5447
ADAMSON, J., See DUNCOMBE, E., 3728
ADAMSON, M.G., Cladding component chemical transport in mixed-oxide fast reactor fuel pins: an additional (high burnup) mechanism for fuel cladding chemical interaction, 1299 (GEFR--00404)
  Mechanisms of fuel-cladding chemical interaction: US interpretation, 1392 (GEFR-SP--011)
  Out-of-pile experiments performed in the U.S. Fuel Cladding Chemical Interaction (FCCI) Program, 1391 (GEFR-SP--010)
  Pu, U redistribution in $(U,Pu)O_2$ fuels by temperature gradients, 2333 (NEDO--12324)
  Thermodynamic studies of the sodium fuel reaction at General Electric, 2334 (NEDO--12325)
  See CAPUTI, R.W., 1278, 1313, 1422
  See GIBBY, R.L., 1566
  See WEBER, E.T., 1572
ADDA, YVES, See MARTIN, GEORGES, 353
ADDA Y., See MARTIN, G., 4973
ADDITON, S.L., FFTF hot leg ruptures and loss of flow events, 1527 (HEDL-SA--1459)
  Natural circulation in FFTF, 1658 (HEDL-SA--1945)
  Natural circulation in FFTF, a loop type LMFBR, 4977
  Simulation of FFTF hot-leg ruptures and loss-of-flow events, 3664
  See BEAVER, T.R., 1653, 1654
  See BOUCHEY, G.D., 1526, 1652, 3660
  See NUTT, W.T., 1617
ADES, M., Thermal conductivity during initial stage restructuring in sphere-pac fuel, 3952
  See PEDDICORD, K.L., 3584
ADKINS, C.R., Effect of steam cycle on the transient behavior of LMFBRs, 3596
ADKINS, R., See LANCET, R.T., 4135
ADLER, K.L., Experimental results of sodium-water reaction test No. 2 in LLTR, 1679 (HEDL-TI--45-LME-007)
ADLER, L., See LATTIMER, J., 832
AFANAS'EV, V.A., Acoustical methods of

leak detection in sodium-water steam generators (a survey paper), 717 (CONF-761001--P2, pp 18.1-18.26)
BOR-60 sodium boiling experiment, 3099
Experiments in sodium boiling on the BOR-60 reactor, 3419
Investigation of the BOR-60 reactor dynamic characteristics with a reactivity oscillator, 3464
Rate of reactivity change of the BOR-60 reactor during the operation cycle, 2220 (KFK-tr--521)
Reactivity change rate during the BOR-60 reactor core life, 5165
Reactivity effects analysis as a means of fast reactor diagnostics, 2340 (NIIAR-P--4(338))
Sodium boiling experiments at the BOR-60 reactor, 2346 (NIIAR-P--24(358))
See ALEKSANDROV, K.A., 4548
See GRYAZEV, V.M., 3047
See GRYAZEV, V.M., 4089, 4091
See KAZACHKOVSKII, O.D., 5400
AFANASIEV, V.A., Sodium boiling experiment in the reactor BOR-60, 3041 (ZfK--344)
See GRYAZEV, V.M., 3046
AFANASJEW, W., See KRAUSE, H., 3039
AFRICANOV, I.N., See AGAPOVA, N.P., 4964
AGAPOVA, N.P., Electron-microscopy of fuel claddings from 0Cr16Ni15Mo3Nb stainless steel irradiated in the Reactor BOR-60 to burn-up 6.12 and 10.8%, 4964
AGEEV, V.S., See AGAPOVA, N.P., 4964
AGRAWAL, A.K., Advanced Reactor Safety Research Division quarterly progress report, April 1-June 30, 1978, 2458 (NUREG/CR--1036)
Advanced thermohydraulic simulation code for transients in LMFBRs (SSC-L code), 332 (BNL-NUREG--50773)
Dynamic simulation of LMFBR plant under natural circulation, 325 (BNL-NUREG--25618)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1978, 2425 (NUREG/CR--0688)
Simulation of operational and safety transients in LMFBR systems, 305 (BNL-NUREG--23113)
Simulation of transients in liquid-metal fast breeder reactor systems, 4337
Users' manual for the SSC-L code, 2408 (NUREG/CR--0452(Vol.1))
See GUPPY, J.G., 311, 3219
See KHATIB-RAHBAR, M., 317, 3188, 325
See MADNI, I.K., 318, 3187, 4805
See YANG, J.W., 3658, 4691
AGTHE, G., FLEX: a code for calculating neutron flux microdistributions in lattices consisting of hexagonal fuel assemblies, 3842
AHLGREN, F.F., See GREENE, D.A., 1273, 1283, 1423, 1424
AHMED, H., SLSF loop handling system. Volume I. Structural analysis, 261 (ANL/ENG--79-05)
SLSF loop handling system. Volume III. AISC code evaluations and analysis of critical attachments, 263 (ANL/ENG--79-07)
SLSF loop handling system. Volume IV. Analysis verifications and supporting appendices, 264 (ANL/ENG--79-08)
SLSF loop handling system. Volume II. Cradle analysis for normal and accidental loading, 262 (ANL/ENG--79-06)
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 765 (CONF-790370--1)
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 756 (CONF-790802--63)
See AMOROSI, A., 166
See PAN, Y., 265
See STEPHENSON, M., 786
AITKEN, E.A., See ADAMSON, M.G., 1259, 2333, 2334
See BEAMAN, S.L., 2689
See EVANS, S.K., 2335
AIZAWA, T., See YAGAWA, G., 3471
AKEY, J.G., Hydraulic and vibration characterization results of prototypic water flow tests of a 217-rod grid spaced river assembly, 2999 (WARD-OX--3045-36)
AKINO, F., See HIROTA, J., 2140
AKIYAMA, M., See OKA, Y., 1864
ALBERDI PRIMICIA, J., Physical properties of liquid sodium, 2159 (JEN--389)
ALBERT, W.G., Design and development quality assurance requirements for the FFTF, 335 (BNWL--510)
ALBRECHT, R.W., See CAREY, W.M., 5009
See EISENHAWER, S.W., 512
See WRIGHT, S.A., 407
ALBRIGHT, D.C., Primary pipe rupture accident analysis for the Clinch River Breeder Reactor, 3492
See PERKINS, K.R., 316, 4774
See TSAI, S.S., 3619
ALCOUFFE, R.E., Examination of subassembly scale fuel motion using the SIMMER-II code, 2286 (LA-UR--79-2285)
See HENNINGER, R.J., 2230, 2457, 4782
See MILLER, W.F. JR., 2232
ALDRICH, D.C., See DRISCOLL, M.J., 401
ALEKHIN, L.A., Theoretical and experimental studies on the physical characteristics of the BN-350 reactor, 4061
ALEKSANDROV, K.A., Detection of liquid metal coolant boiling-up, 4548
See AFANAS'EV, V.A., 2346, 3099, 3419
See KEBADZE, B.V., 3396
ALEKSEEV, I.N., See GRYAZEV, V.M., 3353
ALEKSEEV, R.A., Design and production technology of the TsLIN 5/700 electromagnetic pump, 1949 (INIS-mf--4525, pp 5-6)
ALEXANDER, T., Why the breeder reactor is inevitable, 4378
ALEXANDERSON, E.L., Decommissioning of Fermi-1, 3965
ALEXAE, A., Development of a code for description of sodium spray and pool fires. Part I: comparison between the codes SOFIRE II and NABRAND, 2211 (KFK--2824)
Facility for nuclear aerosol experiments, 4215
Filtration of sodium-fire aerosols, 3274
Simulation of fast breeder reactor pin behavior using UO_2 pins with direct electrical heating, 4296
Simulation of LOF accidents with directly electrical heated UO_2 pins, 472 (CONF-761001--P4, pp 1658-1662)
See JORDAN, S., 4762
ALIX, M., Experimental tests on buckling of ellipsoidal vessel heads under internal pressure, 359 (CEA-N--2075)
ALLAIN, A., Double arm handling device for nuclear reactor, 5157
Syster for charging and discharging the fuel of a nuclear reactor, 5158
Syster for extracting and inserting an irradiation capsule into a fuel assembly, 5347
Turnstile device for fuel unloading of nuclear reactors, 4265 (ANL-Trans--1112)
See LEFORT, G., 5302
ALLAIN, G., System of extraction and introduction of an irradiation capsule into a fuel assembly, 5348
ALLARDICE, R.H., Plutonium processing for the fast reactor fuel cycle, 3086
See CHAMBERLAIN, A., 4106
ALLEGRE, P., See DELISLE, J.P., 4088
ALLEN, A., TREAT: 20 years of transient testing, 3125
ALLEN, C.C., See LONGUA, K.J., 138, 3051
ALLEN, D.C., See PAL, N., 5085
ALLEN, G.C. JR., Conceptual designs for LMFBR spent fuel shipping casks, 2838 (SAND--77-1483)
Conceptual designs of spent-fuel shipping casks for the U.S. Breeder Reactor Technology Progrer, 2853 (SAND--78-0247C)
Spent fuel shipping cask designs for breeder reactors, 4810
ALLEN, M.D., Characterization of mixed LMFBR fuel-sodium aerosols generated by laser vaporization, 2744 (PNL--2500(Pt.1), pp 3.55-3.58)
characterization of LMFBR fuel-sodium aerosols, 3506
Dissolution of LMFBR fuel-sodium aerosols, 2747 (PNL--2850(Pt.1), pp 3.34-3.46)
Dynamic shape factors for LMFBR mixed-oxide fuel aggregates, 3310
Method for vaporizing mixed oxide fast reactor fuels for animal inhalation studies, 4545
Sodium aerosol generation, 3702
See MAHLUM, D.D., 2745, 2749
See MORGAN, L.G., 2748
ALLEN, N.L., See SACKETT, J.I., 728
ALMASSY, M.Y., Phenomenological model for mixed-oxide fuel pin cladding breaches, 4722
See LANGSTAFF, D.C., 1846, 1854
See WASHBURN, D.F., 1556
See WEBER, J.W., 1473, 1555, 4721
ALMOND, M.D., Thermal analysis of a variable geometry multi-region nuclear fuel rod, 626 (CONF-771203--, pp 127-129)
ALSMEYER, H., Heat and mass transport processes of a horizontal melting or decomposing layer under a molten pool, 4992
See GOETZMANN, O., 4142
See HOFMANN, F., 84
ALSMILLER, R.G. JR., Calculation of the fragmentation of UO_2 by capacitor discharge: nonequilibrium model, 4297
ALTER, H., Central computerized data base for liquid metal fast breeder reactor safety codes, 438 (CONF-761001--P3, pp 1057-1066)
See GREENE, N.M., 4552
AMADA, T., See KONDO, R., 3404, 5155
AMARO, G., Natural convection: sodium leak detection tests, 2786 (SAN--0824-T3)
AMEND, W.E., Investigation of two-phase liquid-metal magnetohydrodynamic power systems, 5301
AMESZ, J., Probabilistic assessment in structural analysis of main coolant systems for LMFBR under anticipated thermal transients, 5127
AMOROSI, A., Study of basic approaches to the design of the primary system of loop-type LMFBRs, 166 (ANL/A--78-3)
AMOS, J.C., Interim evaluation of Sodium--Water Reaction Test No. 1 data and comparison with TRANSWRAP analyses: Series I large leak test program, 1226 (GEFR--00027(L))
See WHIPPLE, J.C., 643, 704
AN, S., Key issues on safety design basis selection and safety assessment, 381 (CONF-761001--P1, pp 2-13)
See OKA, Y., 1864, 2952, 4901
See SUZUKI, I., 4914
AN, SHIGEHIRO, Key issues of nuclear power R and D in Japan, 3421
ANAND, R.K., Economical removal of sodium water reaction products (SWRP) from an LMFER intermediate heat transport system (IHTS), 523 (CONF-761107--28)
Overall separation efficiency requirement of the centrifugal separator for the LMFBR Sodium Water Reaction Pressure Relief System (SWRPS), 2319 (NEDM--14091)
Sodium water reaction (SWR) cleanup system study and improved designs of cold trap for SWR cleanup of LMFBR plants, 2318 (NEDM--14090)
ANANTATMULA, R.P., Mass and activity transport, 1436 (HEDL--63.4)
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium, 1464 (HEDL-SA--1225FP(Rev.))
See BREHM, W.F., 1521, 1771
ANDEL, J., See MATAL, O., 4285
ANDERKO, K., Considerations for the future development of shell- and core-structural materials for fast breeders, 5149 (EURFNR--1404)
Development of cladding and structural materials, 2181 (KFK--2416, pp 89-95)
Further development of cladding and

core structural materials, 3859 (EURFNR--1418)
International conference on irradiation effects in structural materials for breeder reactors, 4888
Mechanical properties of irradiated austenitic stainless steel 1.4970, 4935
See PREININGER, D., 3851
See SCHEIBE, W., 4200
ANDERSON, A.H., See GNADT, P.A., 814
ANDERSON, C.A. JR., Comparison of LMFBR steam cycles, 3210
Critical technical issues: large LMFBR plant, 4185
Optimization of the Westinghouse/Stone and Webster prototype large breeder reactor, 4140
Prototype large breeder reactor. Phase II. Follow-on final report, 2930 (TID--28756)
ANDERSON, F.E., Analysis of SBTF quadelliptical furnaces, 2596 (ORNL/MIT--265)
ANDERSON, H.C. III, See COFFIELD, R.D. JR., 3961
ANDERSON, J.C., Clinch River Breeder Reactor and energy independence, 859 (CONF-7706129--, pp 8p, Paper 1)
Road to energy independence: the breeder reactor, 630 (CONF-771203--, pp 601)
ANDERSON, M.J., See ENTZ, R.D., 1586
ANDERSON, R., See GREGORY, C.V., 3080
See JAROSS, R., 654
ANDERSON, T.L., See VELJOVICH, W., 4481
ANDERSON, T.T., Acoustic detection of boiling in sodium test loops, 4683
Acoustics and voiding dynamics during SLSF simulations of LMFBR undercooling transients, 749 (CONF-781202--26)
Acoustics of the Sodium Loop Safety Facility P2 experiment, 3826
See CAREY, W.M., 5009
See PEDERSEN, D.R., 4684
ANDO, H., See MIURA, M., 2740
See TSUNODA, N., 2739
ANDO, Y., Experimental study on dynamic response of reactor vessel to an HCDA, 4494
Reactor vessel structural response tests at FBR hypothetical accident, 4586
See YAGAWA, G., 3471
ANDONEDIS, A., See MCDONALD, J.S., 2904
ANDRAE, U., See SUNDERMANN, H., 3286, 3566
ANDREA, C., Nuclear reactor core servicing apparatus, 4255
ANDREANI, A., Process and apparatus for cooling the wall of the vessel of a fast neutron reactor, 3232
ANDREEV, A.M., Design and operating experience of electromagnetic pumps in the primary and secondary circuits of the BR-10 facility, 1951 (INIS-mf--4525, pp 7-8)
Electromagnetic pumps for fast reactors primary cooling circuits, 2350 (NIIEFA-A--0340)
Experimental study results of the TsLIN-5/700 cylindrical linear induction pump, 2351 (NIIEFA-A--0345)
Results of experimental researches of electromagnetic pumps for the BOR-60 reactor, 1950 (INIS-mf--4525, pp 3-4)
ANG, C.Y., See SWANSON, D.G., 112, 4675
ANGERER, G., Computation studies of cladding relocation dynamics during liquid-metal fast breeder reactor transient undercooling accidents, 4273
Simulation of cladding relocation in the TREAT-experiment R5 with the CMOT code, 2254 (LA--7938-C, pp 185-196)
Theoretical investigations of the meltoff and resolidification process of fuel claddings during accidents in liquid metal cooled fast breeder reactors, 2200 (KFK--2662)
See STRUWE, D., 4396
ANRI-ZHAK, G., See MISHEL, O., 5453
ANSELIN, F., Studies and research relatives to the safety of the Super-Phenix project, 3883
ANTILL, J.E., Corrosion of materials for sodium-cooled fast reactors, 3434
Corrosion of materials for sodium-cooled fast reactors, 3438
See PRITCHARD, A.M., 4184
ANTIPIN, G.K., Program for calculation of a nonstationary temperature field for a cylindrical fuel element, 2349 (NIIAR-P--255)
See GRYAZED, V.M., 3047
See GRYAZEV, V.M., 4091
ANTIPINA, M.M., Testing experimental fuel elements of the BN-600 fuel element type up to various depth of burn up in the BOR-60 reactor, 5254
ANTONAKAS, D., See ERETON, J.P., 2729
ANTONINI, D., See BOUTEAU, F., 1862
ANTONOPOULOS DOMIS, M., Transmission of sound waves through water in a PFR subassembly wrapper, 8 (AEEW-R--1140)
ANTONOVA, V.N., Physical aspects of choosing fuel for a research fast reactor, 1218 (FEI--850)
ANUCHKIN, A.M., See SERGEYEV, V.S., 5417
ANZUR, G.C., See YANT, H.W., 4363
AOI, H., See TSUTSUMI, K., 5382
AOKI, K., Sodium leak detector, 5160
See OTAKE, I., 4128
AOKI, T., See NAKAI, Y., 5281
APPERSON, C.E. JR., Feasibility study for a post-accident heat removal facility, 3644
See BARTS, E.W., 2227
APPLEBY, W.K., Applications of simulation experiments in LMFBR core materials technology, 377 (CONF-760673--, pp 291-311)
Swelling in neutron-irradiated 300-series stainless steels, 4961
See KENFIELD, T.A., 1232, 3528, 4271, 4478, 4582
See KERFIELD, T.A., 3529
See MCSHERRY, A.J., 1298, 4247
ARABEI, B.G., Corrosion of refractory borides in fused sodium, 4416
ARAI, M., Analysis of the central blockage wake in an LMFBR-subassembly, 3648
ARAI, S., Apparatus for purifying a primary cover gas, 5196
ARAKALI, V., Physics evaluations and applications , 3028 (WARD-XS--3045-18)
Physics evaluations and applications. Quarterly progress report for period ending October 31, 1977, 3030 (WARD-XS--3045-20)
See YARBROUGH, M., 3029
ARAKALI, V.S., Physics evaluations and applications. Quarterly progress report for period ending January 31, 1978, 3031 (WARD-XS--3045-21)
Physics evaluations and applications. Quarterly progress report for period ending April 30, 1978, 3032 (WARD-XS--3045-22)
ARAKELOV, A.G., Corrosion resistance of alloys of the niobium-zirconium-oxygen system in molten lithium, 4417
ARAKERI, V.H., See WRIGHT, R.W., 2724
ARAKI, H., See IIDA, S., 3754
ARCHANGEL'SKII, V.V., See KARPOV, A.V., 3435
ARCHBOLD, P., CLS/DHX module testing in SPTF. Final report, 2290 (LMEC--77-2)
ARCHER, D.H., Fluidized bed steam generator, 5331
See KEAIRNS, D.L., 5295
ARCHER, J., See GELPI, A., 4984
ARCHIPOV, E.A., See SCHUTSCHKOV, I.I., 3401
ARCHIPOV, V.M., See KARPOV, A.V., 3435
ARDELL, A.J., See PINIZZOTTO, R.F. JR., 3374
ARIMAN, T., See BLOMQUIST, C.A., 5070, 541
See KUZAY, T.M., 795
See SMITH, J.L., 5109, 540
See YOUNGAHL, C.A., 543
See YOUNGDAHL, C.A., 3813, 5101
ARISTARKHOV, N.N., See POROLLO, S.I., 4407
ARKHIPOV, V.M., See VASILENKO, K.T., 2130
ARMEN, H. JR., See LEVY, A., 2617, 3820, 5120
ARMSTRONG, D.R., See SPENCER, B.W., 4749
ARMSTRONG, G.R., Review of containment transients in a 2500 MW/sub t/ sodium cooled breeder reactor following postulated core disruptive accidents, 107 (ANL--78-10, pp 335-342)
See SEEMAN, S.E., 1810
ARMSTRONG, J.R., See LAMBERT, J.D.B., 3491
See SO, B.Y.C., 152, 4737
ARNAUD, G., See DELPEYROUX, P., 4829
ARNECKE, G., See BOGENSBERGER, H.G., 435
See FISCHER, E.A., 2191
See SCHMUCK, P., 2189, 5462
ARNOLD, C., Benchmark calculations for a fast sodium-cooled breeder reactor according to the method of finite elements, 1889 (IKE--4-87)
ARNOLD, C. JR., Evaluation of organic coolants for the transportation of LMFBR spent fuel rods, 2839 (SAND--77-1486)
ARTEM'EV, L.N., See MITENKOV, F.M., 5445
See RAKHIMOV, V.V., 5456
ARTEMEV, L.N., Refueling device for a nuclear reactor with fast neutrons, 3399
ARTEMIEV, L.N., Fast reactor recharging device, 3251
ARTUS, S.C., See WRIGHT, S.A., 407
ARWOOD, J.W., See GREENE, N.M., 2573, 2574
ASANO, K., Mathematical model of an inductive type sodium level meter and some applications, 5317
ASAOKA, T., See HIROTA, J., 2140
ASH, E.B., Control for nuclear reactor, 3787
Unique features of a sodium-cooled fast-breeder reactor, 375 (CONF-681093--, pp 9.1-9.51)
ASH, J.E., Above-core structural response to a molten core disassembly, 4757
Comparison of finite element calculations with experiments for the dynamic response of LMFBR core subassembly ducts, 3534
Core subassembly cluster dynamic response to an accidental pressure rise, 3621
Dynamic response of single hexagonal LMFBR core subassembly wrappers, 5105
Effects of material properties on the dynamic response of pressure-loaded core subassembly wrappers, 3578
Response of single subassembly hexcan wrappers to pressure loads, 461 (CONF-761001--P3, pp 1385-1392)
Splitting method for computing coupled hydrodynamic and structural response, 4404
Three-dimensional finite-element computations of the transient response of components typical of a reactor structure, 790 (CONF-790802--52)
ASHER, R.C., Continuous method of determining the thermodynamic activity of carbon in sodium, 12 (AERE-R--8020)
Experimental work at Harwell on the injection of sodium into liquid steel, 2716 (PNC-N--251-76-12(Vol.1), pp 341-361)
See ABBEY, M.J., 2722
ASHIBE, K., See MIYAZAWA, T., 4197
ASPREY, M.W., See BARTS, E.W., 2285
ASQUITH, J.G., Low-decontamination approach to a proliferation-resistant fuel cycle, 3366
Low-decontamination approach to a proliferation-resistant fuel cycle, 4714
ATCHESON, D.B., Cladding failure in TREAT overpower experiments: a mechanistic interpretation and its implications for LMFBR safety analysis, 473 (CONF-761001--P4, pp 1679-1688)
Strain rate effects in transient overpower cladding failure analyses, 3986
See GREGOIRE, K.E., 3985
See WILBURN, N.P., 1539, 3070
ATEFI, B., See DRISCOLL, M.J., 3933
ATSUMO, H., See OOYAMA, N., 2737
ATTERIDGE, D.G., See DUDDER, G.B., 2746
ATWOOD, J.M., Sodium engineering and

technology technical progress report, October, November, December 1976, 1742 (HEDL-TME--76-28)
Sodium engineering and technology. Quarterly progress report, January, February, March 1977, 1757 (HEDL-TME--77-36)
Sodium engineering and technology. Technical progress report, April, May, June 1977, 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, July, August, September 1977, 1759 (HEDL-TME--77-38)
Sodium engineering and technology. Technical progress report, October, November, December 1977, 1760 (HEDL-TME--77-39)
Sodium engineering and technology technical progress report, January, February, March 1978, 1805 (HEDL-TME--78-20)
Sodium engineering and technnology. Technical progress report, April, May, June 1978, 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Techrical progress report, April, May, June 1978, 1807 (HEDL-TME--78-21)
Sodium technology progress report, January--March 1978, 1828 (HEDL-TME--78-90)
Sodium technology. Progress report, April--June 1978, 1829 (HEDL-TME--78-91)
Sodium technology progress report, July--September 1978, 1830 (HEDL-TME--78-92)
Sodium technology progress report, October--December 1978, 1831 (HEDL-TME--78-93)
Sodium technology progress report, January--March 1979, 1847 (HEDL-TME--79-24)
Sodium technology. Progress report, April-June 1979, 1848 (HEDL-TME--79-25)
ATZ, R.W., High temperature testing of a sodium pump, 3104
AUBERT, H., Comparison of LMFBR steam cycle conditions considering future technical improvements, 3211
AUBERT, P., Nuclear reactor, 3102
Nuclear reactor, 5319
System for fixing insulating panels, 5369
Temperature conditions in an LMFBR power plant from primary sodium to steam circuits, 4095
See LAMBERT, P., 5148
AUGENSTEIN, B.W., See DREYFUSS, D.J., 2759
AVANZINI, P.G., Design, R and D, and manufacture of the components of secondary circuits for fast sodium power plant, 4077
Optimisation of a once-through steam generator for LMFBR, 4096
AVERY, R., The SAREF program, 396 (CONF-761001--P1, pp 246-261)
See GRELMES, M.A., 415
See ROSE, D., 3643
AXISA, F., See GIBERT, R.J., 2108
AZAM, N., See LEVY, V., 352, 4969
AZIMI-GARAKANI, D., See FABRY, A., 1867

B

BAARS, R.E., Fast reactor fuel pin performance requirements for off-normal events, 1561 (HEDL-SA--1551-FP)
See PADILLA, A. JR., 1590, 2242
See PORTEN, D.R., 1616
See WILBURN, N.P., 1539, 3070
See YEE, A.K., 1618
BAARTHOLD, W.P., Effect of swelling and creep on LMFBR performance, 4476
BABEL, P.J., See BYOUN, T., 339
BABNALL, C., Topographical, microstructural, and chemical effects of simulated high heat flux on the corrosion of Type 316 stainless steel in flowing sodium, 5306
BACH, C.W., See CARELLI, M.D., 3586
See CHUANG, M.C., 4381
BACKHAUS, L., Constitutional questions of the decision of the OVG Muenster concerning the Kalkar proceedings, 4279
BADER, E., Interpretation and experiment on the neutron flux in the cooling pipes of fast reactors (a combined method SN-Monte Carlo-albedo for a rational calculation of the rupture), 1192 (EUR--5682)
BADHAM, V., A look at alternative core disruption accidents in LMFBR's. Part II. A general evaluation approach to risk-benefit for large technological systems and its application to nuclear power, 2693 (PB--280695)
BADRUZZAMAN, A., Analysis of exposure-dependent heterogeneous FBR spectra using continuous slowing down integral transport concepts, 3154
Analysis of exposure dependent heterogeneous FBR spectra using continuous slowing down-integral transport concepts, 914 (COO--2458-23)
Sensitivity analysis for fast reactor fuel cycle cost, 4717
Simple procedure for determining implications of design changes on fast reactor fuel cycle cost and breeding performance, 3174
Simple procedure for determining implications of design changes on fast reactor fuel cycle cost and breeding performance, 915 (COO--2458-24)
Simple represertations of spectrum-averaged cross sections in LMFBR blankets, 3932
Simple representations of spectrum averaged cross sections in LMFBR blankets, 913 (COO--2458-22)
BADRUZZAMAN, T., See BADRUZZAMAN, A., 3154, 914
BAER, A., See AUBERT, H., 3211
BAES, C.F. III, See MILLER, C.W., 2579
BAETSLE, L.H., Head-end and nuclear gas purification research on LMFBR fuel reprocessing in Belgium, 1874 (IAEA-AG--63-8)
BAGDASAROV, YU.E., Safety of fast sodium-cooled reactors, 4284
Safety of sodium-cooled fast reactors, 3739 (IAEA-CN--36/342)
See BUKSHA, YU.K., 1216
See KOCHETKOV, L.A., 3045, 4054
See LEBEDEV, I.G., 5442
See POPLAVSKII, V.M., 4078, 713
See PROSHKIN, A.A., 3498
BAGLEY, K.Q., Design, construction, and operating experience of demonstration LMFBR. The application of core and fuel performance experience in British reactors to commercial fast reactor design, 4080
UK irradiation experience relevant to advanced carbide fuel concepts for LMFBR's, 4832
BAGNALL, C., Behavior of an iron manganese alloy as a monitor for carbon activity in liquid sodium, 2985 (WARD-NA--3045-54)
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
See MCCOWN, J.J., 1660
BAGRETSOV, V.F., See SUBBOTIN, V.I., 3313
BAHRANI, A.S., See CROSSLAND, B., 1992
BAI, V.F., See KONDRAT'EV, V.I., 720
BAILEY, H.S., Effect of alternative fuel cycles on LMFBR design, 3593
Nuclear performance of liquid--metal fast breeder reactors designed to preclude energetic hypothetical core disruptive accidents, 3139
See KUJAWSKI, E., 4380
See LANCET, R.T., 4135
See LU, Y.S., 663
See TALWAR, B., 3569
BAILLY, H., French fast breeder reactor fuel fabrication, 3143
BAILLY, J., In-reactor safety tests with fuels for fast neutron reactors, 2032 (IWGFR--5, pp 174-189)
See TRETIAKOFF, O., 346, 397
BAJAJ, R., See BLEIBERG, M.L., 4967
See CHICKERING, R.W., 4954
See ROWCLIFFE, A.F., 3091
BAKER, A.J., See STONEKING, J.E., 2615
BAKER, A.R., Role of fission products in whole-core accidents in fast reactors, 3872
Whole-core accidents in an LMFBR, 2312 (ND-R--178(R))
BAKER, C., Fission gas bubble distribution in a mixed oxide fast reactor fuel pin, 368 (CEGB-RD/B/N--4194)
BAKER, D.E., Sodium erosion of boron carbide from breached absorber pins, 1834 (HEDL-TME--78-104)
BAKER, L. JR., Core debris behaviour and interactions with concrete, 4495
Core debris behavior and interactions with concrete, 593 (CONF-770817--5)
Core debris penetration into concrete, 95 (ANL--78-10, pp 223-232)
Heat removal from molten fuel pools, 504 (CONF-761001--P4, pp 2056-2065)
Interactions of LMFBR core debris with concrete, 506 (CONF-761001--P4, pp 2105-2114)
Thermal interactions of a molten core debris pool with surrounding structural materials, 827 (CONF-790816--61)
Transient heat transfer in concrete, 734 (CONF-761079--4)
See CHASANOV, M.G., 4295
See FARHADIEH, R., 3808
See GABOR, J.D., 4676
See GLUECKLER, E.L., 1393, 4987
See MARCHATERRE, J.F., 726
See SOWA, E., 4671
See SOWA, E.S., 502, 825
See STEIN, R.P., 4674
BAKER, R.B., Calibration of a fuel-to-cladding gap conductance model for fast reactor fuel pins, 1784 (HEDL-TME--77-86)
Early-in-life thermal performance of UO_2--PuO_2 fast reactor fuel, 1552 (HEDL-SA--1526-FP)
Integral heat rate-to-incipient melting in UO_2--PuO_2 fast reactor fuel, 1750 (HEDL-TME--77-23)
See HALES, J.W., 4725
See LEGGETT, R.D., 1445, 1446
See STONE, I.C., 1629, 3180
BAKER, R.C., Electromagnetic flowmeters for fast reactors, 4631
Electromagnetic flowmeters for fast reactors, 4990
BAKER, R.D., Advanced fast reactor fuels program. Second annual progress report, July 1, 1975--September 30, 1976, 2234 (LA--7570-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, April 1--June 30, 1977, 2225 (LA--6924-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: Irradiation tests. Progress report, July 1--September 30, 1977, 2226 (LA--7038-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report 1 Oct--31 Dec 1977, 2229 (LA--7171-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, January 1--March 31, 1978, 2231 (LA--7266-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development, irradiation tests. Progress report, July 1--September 30, 1978, 2233 (LA--7559-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress

report, October 1--December 31, 1978, 2235 (LA--7678-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, January 1--March 31, 1979, 2236 (LA--7827-PR)
BAKER, R.S., Endurance testing of prototypic subscale inducer pump at SCTL, 1178 (ETEC-TDR--79-4)
Evaluation of SPTF liquid rheostat for ISIP test program, 1179 (ETEC-TDR--79-6)
BAKLUSHIN, R.P., Optimization of sodium purification systems for fast reactor nuclear power plants, 4057
Primary and secondary sodium purification systems of fast reactors, 3785
See RINEISKII, A.A., 1217
See VASILENKO, K.T., 2130
BAKUMENKO, O.D., BN-350 reactor shielding studies, 4890
BN-350 reactor shielding studies, 4894
Physical characteristics of spent LMFBR fuel, 1876 (IAEA-AG--63-13)
Some requirements as regards the accuracy of constants for fast power reactor shielding calculations, 1860 (IAEA--207, pp 353-357)
Use of demonstration fast reactor experience in assessing the radiation safety of fast power reactors in the design stage, 3048 (PNL-TR--393)
Use of demonstration fast reactor experience for assessing the radiation safety of fast power reactors at the design stage, 4052
BALANDIN, YU.F., Evaluation of thermocyclic strength of structural materials and structural elements of nuclear power plants with sodium heat carrier, 4588
Thermocyclic strength estimation for structural materials and components of nuclear power plants with sodium-cooled reactors, 4590
BALDO, L., Some considerations on fast breeder reactor penetration in Italy, 5262
BALDWIN, C.E., See KNIGHTON, J.B., 2770
BALDWIN, D.L., See RANDKLEV, E.H., 1620
BALDWIN, R.H., See SIKKA, V.K., 2487, 2488, 2541
BALLARD, E.O., See HANSON, J.E., 337
See LECGETT, R.D., 1445
BALLIF, J.L., Handling of sodium for the FFTF, 1516 (HEDL-SA--1441)
Liquid metals fire control engineering handbook, 1843 (HEDL-TME--79-17)
BALLOFFET, Y., See DELPEYROUX, P., 4108
BALZ, W., CEC activities in the field of LMFBR safety, 431 (CONF-761003--P3, pp 877-884)
Commission of the European Communities - Activities in the field of fast reactors, 2686 (IWCFR--18, pp 58-62)
BANAL, M., Super-Phenix: first step in the commercial development of breeder reactors, 3727
Work starts in SuperPhenix at the Creys-Malville site, 4535
BANDAS, J., See BROWN, W.F., 1485, 3937
BANDIERA, P.G., See BRAGAGNOLI, F., 4064
BANDYOPADHYAH, C., Role of fission gas and fuel melting on transient fuel response, 3604
BANDYOPADHYAY, G., Fuel and fission gas response to simulated thermal transients: experimental results and correlation with fission gas release and swelling model, 3485
Response of oxide fuel to simulated thermal transients, 3373
Role of fission gas and fuel melting in fuel response during simulated hypothetical loss-of-flow transients, 3061
See CRACZYK, D.G., 159
See GRUBER, E.E., 2259
BANERJEE, S., Uranium requirements for advanced fuel cycles in expanding nuclear power systems, 3369
BANKOFF, S.G., Formation and stability of crust in molten pools. Technical progress report, February 1, 1977--October 1, 1977, 959 (COO/4171--1)
Hollow sphere formation in a gassy two-liquid pool, 4620
Influence of fission fragments and liquid--liquid contact on the minimum superheat for bubble nucleation in sodium, 5300
Mechanisms of vapor explosions, 484 (CONF-761001--P4, pp 1833-1842)
See BISHOP, A.A., 4989
See GANGULI, A., 4171, 944
See JONES, O.C. JR., 4929
See LUK, A.C.H., 917
See OCHIAI, M., 485
See YIM, A., 4747
BANOVEC, J., Accident alarm in steam generators in sodium cooled fast reactor power plants. III. Experimental research in flow fluctuations in pipes following water leak in sodium, 3723
BAPNA, B.H., See DEMORE, L.A., 598
BAR, J., Device for measuring liquid sodium absolute and differential pressures in the fast nuclear reactor coolant circuit, 4593
BARAK, W.S., See SACKETT, J.I., 4735
BARBERIS, M., See AVANZINI, P.G., 4096
BARBIER, G., See GOURDON, J., 4234
BARBU, A., See MARTIN, G., 4973
BARBU, ALAIN, See MARTIN, GEORGES, 353
BARD, F.E., Modeling of LMFBR fuel cladding mechanical behavior under transient conditions, 5068
TEMP: a computer code to calculate fuel pin temperatures during a transient, 1735 (HEDL-TME--75-85)
Test data and post-test analyses of three prototypic-length FFTF fuel pins transient tested in flowing sodium (HUT-L2), 1842 (HEDL-TME--78-8)
BARD, F.E. JR., See HANSON, J.E., 337
BARDIAUX, M., Cassandre: A 2D multigroup diffusion Benchmark code for fast reactors power excursions analysis, 1993 (INIS-mf--4773)
BARDSLEY, R.E., HEDL mixed oxide fuels fabrication development. Quarterly progress report, January--March 1977, 1787 (HEDL-TME--77-94)
LMFBR mixed oxide fuels fabrication development semiannual, January--June 1977, 1788 (HEDL-TME--77-95)
See CLAUDSON, T.T., 1662
BARHEN, J., Determination of current weighted total cross sections in the unresolved energy region, 775 (CONF-790602--6S)
VITAMIN E: a multipurpose ENDF/B-V coupled neutron-gamma cross section library, 835 (CONF-791058--34)
BARI, R.A., Accident progression for a loss of heat sink with scram in a LMFBR, 2406 (NUREG/CR--0427)
Accident progression for a loss-of-heat-sink with scram in a liquid-metal fast breeder reactor, 3109
Assessment of the loss-of-heat-sink accident with scram in the LMFBR, 309 (BNL-NUREG--24946)
Phenomena and scenarios related to a loss-of-heat-sink accident (with scram) in an LMFBR, 322 (BNL-NUREG--25521)
Recriticality considerations for the loss-of-heat-sink accident with scram, 3627
See ALBRIGHT, D.C., 3492
See BUSLIK, A.J., 308
See PERKINS, K.R., 306, 316, 328, 3600, 4774
See PYUN, J.J., 306
See TSAI, S.S., 315
BARISH, J., See ALSMILLER, R.G. JR., 4297
BARKENBUS, J.N., Domestic and international deployment of reactor systems: status and rationale, 2475 (ORAU/IEA--79-2(M))
BARKER, D.H., Improvement and verification of fast reactor safety analysis techniques. Progress report, April 1, 1977--June 30, 1977, 918 (COO--2571-9)
Improvement and verification of fast reactor safety analysis techniques. Progress report, 1 July 1977--30 September 1977, 919 (COO--2571-10)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1977--December 31, 1977, 920 (COO--2571-11)
Improvement and verification of fast reactor safety analysis techniques. Progress report, January 1, 1978--March 31, 1978, 921 (COO--2571-12)
Improvement and verification of fast reactor safety analysis techniques. Progress report, July 1, 1978--September 30, 1978, 922 (COO--2571-14)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1978--December 31, 1978, 923 (COO--2571-15)
Improvement and verification of fast reactor safety analysis techniques. Progress report, April 1, 1979-June 30, 1979, 924 (COO--2571-17)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1979-March 31, 1980, 925 (COO--2571-19)
BARKER, R.E., See DOMAN, D.R., 1571
BARKOV, V.A., Decladding of BOR-60 and BR-5 fuel elements by clad melting, 2343 (NIIAR-P--17(283))
See BIBIKOV, S.E., 1879
See KIKOIN, I.K., 1881
BARLEON, L., Nuclear reactor core catching apparatus, 3797
See GOETZMANN, O., 4142
BARNABY, F., Politics of reprocessing, 3732
BARNABY, J., Post-irradiation mechanical properties of AISI type 316 steel and Nimonic PE16 alloy, 4939
BARNEOUD, R.E., Connection device of an apparatus in a system with structures subject to relative motions, 5404
BARNER, J.O., See KERRISK, J.F., 4850
BARNES, B.K., Computer analysis and control for nondestructive gamma scanning of LMFBR fuel pins, 3344
Computer analysis and control for non-destructive gamma scanning of LMFBR fuel pins, 4029
See DONATI, D.R., 4382
BARNES, J.F., Equations of state for LMFBR materials, 479 (CONF-761001--P4, pp 1744-1753)
BARNES, P.R., Clinch River Breeder Reactor Plant safety design and electromagnetic pulse, 2518 (ORNL--5308, pp 250-253)
BARNES, S., Liquid metal cooled nuclear reactors, 4324
Nuclear reactor construction cooled with liquid metal, 5209
BARON, M., Theory of particle redistribution in an irradiation environment, 2955 (WARD-AD--3045-6)
Theory of particle redistribution in an irradiation environment, 4953
BARON, S., Clinch River Breeder Reactor, 753 (CONF-790202--, pp 9-11)
BARR, N.F., Radiological significance of transuranium radioisotopes released to the environment during operation of the LMFBR fuel cycle, 5261
Radiological significance of transuranium radioisotopes released to the environment during operation of the LMFBR fuel cycle, 5265
BARRATT, R.O., Optimization of intermediate heat exchangers for sodium cooled fast breeder reactors, 4098
See SKAVDAHL, R.E., 5282
BARRETT, T.R., Plutonium recovery goes on-steam, 3087
BARROSO, S., See SOLANO, R.R., 2160
BARRUS, D.M., See NOYES, R.C., 4419
BARRY, J.J., See GREENE, G.A., 3622
BARSOUM, R.S., Ratchetting and creep-fatigue evaluation for nozzle-to-cylinder intersection, 5306
BARTA, D.A., Analysis of piping systems with nonlinear supports

subjected to seismic loading, 1632 (HEDL-SA--1769)
Pipelines supported by nonlinear load-resisting mechanical snubbers, 1850 (HEDL-TME--79-30)
BARTHOLD, W.P., Assumptions, constraints and methodology of ANL advanced fuels system studies, 4847
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs: a preliminary report. Part I. Assumptions, constraints and methodology, 171 (ANL-AFP--30)
Core design and optimization of high performance low sodium void 1000 MWe heterogeneous oxide LMFBR cores, 1884 (IAEA-SM--244/66)
Effect of swelling and creep on liquid-metal fast breeder reactor performance, 3458
Low sodium void cores, 3068
Low sodium void cores, 730 (CONF-781022--32)
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Design and performance of reference cores. Research project 620-25, 1101 (EPRI-NP--1000(Vol.1))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendixes A and B. Research project 620-25, 1102 (EPRI-NP--1000(Vol.2))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendix C. Research project 620-25, 1103 (EPRI-NP--1000(Vol.3))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendixes D and E. Research project 620-25, 1104 (EPRI-NP--1000(Vol.4))
Performance characteristics of homogeneous versus heterogeneous liquid--metal fast breeder reactors, 3137
Physics aspects in the design of heterogeneous cores, 669 (CONF-780401--13)
Potential and limitation of the heterogeneous reactor concept, 529 (CONF-770611--35)
Potential of large heterogeneous reactors, 4141
Potential of large heterogeneous reactors, 620 (CONF-771123--2)
See KHAN, E.U., 532
See LAM, P.S.K., 3960, 4696, 758
See ORECHWA, Y., 1099, 3980
See TURSKI, R.E., 3588
See TZANOS, C.P., 4270, 440, 527, 530
BARTHOLF, L.W., Summary stress results for the heat transport system piping and components, 1671 (HEDL-TC--517)
BARTINE, D.E., Alternative fuel cycles for breeder reactors, 665 (CONF-780401--, pp 549-563)
See ABBOTT, L.S., 2564
See BURNS, T.J., 4715, 628
See SPIEWAK, I., 2636
BARTON, G.E., Developments in electrolytic oxygen meter probes for sodium use, 3217
Sodium impurity monitoring, 1435 (HEDL--6313)
BARTON, J., See DEVOLPI, A., 3646
BARTON, J.P., See JACKSON, C.N. JR., 1544
BARTON, P.J., See BARNABY, J., 4939
See BRAMMAN, J.I., 4960
BARTS, E.W., Feasibility study for a postaccident heat removal facility, 2227 (LA--7133-MS)
Integral postdisassembly energetics test: a preliminary investigation, 2285 (LA-UR--78-2245)
See APPERSON, C.E. JR., 3644
BARTZIS, J.G., Hydrodynamic behavior of a bare rod bundle, 880 (COO--2245-46TR)
BASDEKAS, D.L., A qualification testing program plan for SIMMER; A computer code for LMFBR disrupted core analysis. Research program planning report, 2694 (PB--283030)
Qualification testing program plan for SIMMER. A computer code for LMFBR disrupted core analysis, 2365 (NUREG--0457(Rev.0))
Temperature control system for a J-module heat exchanger, 3707
BASEHORE, K.L., Analysis of the thermal-hydraulic behavior in the CRBR secondary control assembly, including interassembly heat transfer effects, 879 (COO--2245-47TR)
Assessment of the need to incorporate the variable swirl model in the ENERGY code, 878 (COO--2245-46TR)
COBRA-IV comparison with the WARD 11:1 scale LMFBR air flow tests, 2750 (PNL--2923)
COBRA-IV comparison with the W-ARD 11:1 LMFBR air flow test, 3162
See GEORGE, T.L., 3221
BASHAM, S.J. JR., Maintenance assessment for advanced nuclear power plants, 3381
BASHFORD, A.L., See LILLIE, A.F., 693
See LITTLE, A.F., 1396
BASMAJIAN, J.A., Correlation for boron carbide helium release in fast reactors, 1457 (HEDL-SA--1189-FP)
See BAKER, D.E., 1834
See PITNER, A.L., 1563, 3967
BASMER, P., Simulation experiments on local cooling channel blockages in typical SNR fuel element clusters, 3715
BASTL, W., LMFBR fuel analysis. Task C: Reliability aspects of LMFBRs. Final report, October 1, 1976--September 30, 1977, 2378 (NUREG/CR--0013)
BATCH, R.V., See BARTHOLD, W.P., 1101, 1102, 1103, 1104
BATES, J.F., Effects of alloy composition on void swelling, 4965
Effects of stress on swelling in 316 stainless steel, 3863
Increased swelling in 20% cold worked 316 stainless steel due to inreactor temperature reductions, 3864
BATES, J.M., See QUIGLEY, M.S., 336
BATEY, W., See BAGLEY, K.Q., 4832
See SWANSON, K.M., 4825
BATILL, S.M., FIC: a finite element code for calculating added mass and damping coefficients. User's manual, 246 (ANL-CT--79-46)
Preliminary study of fluid effects on reactor core seismic response, 247 (ANL-CT--79-47)
BATTISTE, R.L., See CLINARD, J.A., 2685
See CORUM, J.M., 2562
See GWALTNEY, R.C., 2644
See SARTORY, W.K., 2568
BAUCUM, W.E., State of the art of fuel pin simulators for LMFBR out-of-reactor safety tests: status report, 2627 (ORNL/TM--5889)
BAUER, A.A., Mixed-nitride fuel performance in EBR-II, 4831
BAUER, T.H., See HAKIM, S.J., 3623
BAUERLE, J.E., Technique for detecting liquid metal leaks, 3304
See HRIZO, J., 945, 946, 947
BAUMGAERTNER, E., See HOFFMANN, H., 2166
BAUMGAERTNER, F., Development and status of LMFBR fuel reprocessing in the Federal Republic of Germany, 1872 (IAEA-AG--63-6)
See OCHSENFELD, W., 3860
BAUMGARTNER, E., See HOFFMAN, H., 4615
BAUR, A., TRIPOLI 01, a three-dimensional polykinetic Monte Carlo program. Pt.2. Constant data input and results obtained for a complex bench-mark example, 344 (CEA-CONF--3834(Pt.2))
BAXI, C.B., Nuclear reactor core configuration, 3455
BAXTER, W.F., See MARSHALL, J.L., 3924
BAYLOR, V.B., Cyclic stress--strain behavior of ERNiCr-3, 2548 (ORNL--5349, pp 146-171)
Stress-strain behavior of ERNiCr-3 weld filler metal under strain controlled cyclic loading, 2642 (ORNL/TM--6128)
See BOOKER, M.K., 2528, 2637
BAZANT, A.P., See MARCHERTAS, A.H., 5058, 548
BAZANT, Z.P., Dried hot concrete vessel for nuclear reactors: proposal of a new design concept, 3716
See MARCHERTAS, A.H., 3542, 802
BAZIKOVA, V., See SUCHOMEL, J., 993
BAZINET, G.D., See VERDEROSA, M.A., 4858
BAZOVSKY, I. SR., See CRELLIN, G.L., 1417
BEAMAN, S.L., Feasibility studies of actinide recycle in LMFBRs as a waste management alternative, 2689 (PB--254737, pp 324-359)
Reactor application of actinide cross section data, 304 (BNL--50991, pp 287-295)
BEATTIE, A.G., See CHU, T.Y., 2882
BEAVER, T.R., Computer simulation of natural circulation in FFTF secondary loops, 1653 (HEDL-SA--1920S)
Post test evaluation of natural circulation in FFTF secondary loops, 1654 (HEDL-SA--1921-FP)
BECHT, C. IV, See JAQUAY, K.R., 1151
BECK, C.L., Effects of thorium breeder material on sodium-void reactivity, 3934
Extrapolation of ZPR sodium void measurements to the power reactor, 398 (CONF-761001--P2, pp 512-520)
See CARPENTER, S.G., 668
See COLLINS, P.J., 3043, 672
See DUCAT, G.A., 3935
See KAISER, R.E., 402
See LINEBERRY, M.J., 3044, 4707
See OLSEN, D.N., 3930
BECK, J.V., See KNIGHT, R.L., 2891
BECKER, M., See BADRUZZAMAN, A., 3154, 3174, 3932, 4717, 913, 914, 915
BECKETT, V.S., See LOVEDAY, S.F., 4122
BECKJORD, E.S., LMFBRs: where do we go from here, 861 (CONF-7706130--, pp 17p, Session 2, Paper 2)
Maintaining an effective breeder reactor programme, 4303
US breeder reactor programme, 4340
U.S. Sodium-cooled breeder - seeking optimization, 4099
BEECHER, J., See THEOFANOUS, T.G., 2695
BEESLEY, M., See BENTLEY, P.G., 5069
BEGHIAN, L.E., See DONATI, D.R., 4382
BEGLEY, J.A., Crack propagation investigation related to the leak-before-break concept for LMFBR piping, 4226
BEHNKE, W.B., Breeder reactors--what are the prospects., 3351
BEIJER, N.H.H., See VAN WESTENBRUGGE, J.K., 4185
BEIN, M., Some aspects of modeling power plant thermal hydraulic transients, 4298
Thermal hydraulic response of an LMFBR plant to upset events, 4975
BEITEL, J., See BARTHOLD, W.P., 529
BEITEL, J.C., See BARTHOLD, W.P., 1101, 1102, 1103, 1104, 1884, 3068, 3137, 3458, 4141, 620, 669, 730
BEITH, R.M.V., See BARRATT, R.O., 4098
BELL, C.R., Heat transfer and thermal losses in above-core regions, 2279 (LA-UR--79-1230)
Impact of SIMMER-II model uncertainties on predicted postdisassembly dynamics, 2459 (NUREG/CR--1058)
SIMMER-I accident consequence calculations, 4784
BELL, R., See GREGORY, C.V., 3080
BELL, W.L., Microstructural changes in ion-irradiated commercial alloys, 5277
See BLEIBERG, M.L., 4967
See KENFIELD, T.A., 1232, 3528
See KERFIELD, T.A., 3529
BELLAMY, R.G., Irradiation performance analysis of UK fast reactor fuel, 4842
BELSICK, J.C., See GARIN, J., 3453
BELYTSCHKO, T., Analytic studies of subassembly failure propagation, 462 (CONF-761001--P3, pp 1399-1408)
See KENNEDY, J.M., 546, 799
See MARCHERTAS, A.H., 5058, 548
BELYTSCHKO, T.B., Computer models for subassembly simulation, 3551
See ASH, J.E., 3621
See KENNEDY, J.M., 144, 162, 3195
See KULAK, R.F., 3535, 5053, 5054, 547, 549
See MARCHERTAS, A.H., 3542, 3991, 787, 802
BENDANIEL, D.J., See SCHMITT, R.W., 4630, 4915
BENECKE, M.W., See RASMUSSEN, D.E., 1650, 3207

BENEMANN, A., Cavitation problems in mixing devices of SNR-300 fuel elements, 2037 (IWGFR--9, pp 9-24)
Flow and mixing conditions in the upper plenum of the SNR 300, 3900
BENKERT, J., Determination of thermocouple transfer-functions and fluid-flow velocities by temperature-noise measurements in liquid sodium, 5010
Investigation of the dynamic behaviour of detectors for gas bubbles in sodium flows, 3852
Investigations of temperature fluctuations in liquid sodium in order to determine characteristic flow parameters and thermocouple transfer functions, 2000 (INIS-mf--4911)
BENMERGUI, A., Future plans for the design and construction of fast breeder reactors in France, 4082
BENNETT, E.F., See BHATTACHARYYA, S.K., 3976
BENNETT, J.G., See APPERSON, C.E. JR., 3644
See BARTS, E.W., 2227
BENNETT, J.W., Materials requirements for liquid metal fast breeder reactors, 3822
U. S. programs on reference and advanced cladding/duct materials, 1455 (HEDL-SA--1175)
See BLEIBERG, M.L., 4928
BENNETT, R.A., Nuclear startup, testing and core management of the FTR, 1612 (HEDL-SA--1729-FP)
See DAUGHTRY, J.W., 1488
See EMERELLARD, P.A., 1503
BENOIST, E., Research and development activities relatives to the reactor vessel, 3878
BENQUE, J.P., Structure for reducing convection currents within the pressure vessel of a fast reactor, 4423
BENSON, D.A., Rate effects in the dynamic vaporization of uranium dioxide, 2820 (SAND--77-1032C)
Rate effects in the dynamic vaporization of uranium dioxide, 4798
See GORHAM-BERGERON, E., 2872
BENSON, E.M., See ROSS, W.J., 4995
BENSON, R.A., See BREWER, S.T., 4102
BENTLEY, P.G., Simple steel/water model for preliminary studies of acoustic vibration in LMFBR, 5069
BENTZ, A., Device for connecting two tubular ducts mounted end-to-end, 4339 (ANL-Trans--1105)
BENUZZI, A., REXCO-EUR code - User's manual, 1193 (EUR--5813)
Validation of explosion containment codes: analysis of bare rigid models in the COVA programme, 5039
See CAMERON, I.G., 295, 3897
BENZ, G., See PROBST, A., 3925
BENZ, R., See CRONENBERG, A.W., 2394
BERG, D.B., Bibliography of publications on Experimental Breeder Reactor No. II (EBR-II). 1955-July 1979, 260 (ANL/EBR--106)
BERG, G.E., CRBRP design and test results for fuel handling systems, plugs, and seals, 634 (CONF-771217--1)
CRBRP design and test results for fuel handling systems, plugs, and seals, 649 (CONF-780251--P2, pp 3.37-3.56)
See MEISL, C.J., 826
BERG, J.D., FFTF development testing technical progress report, January, February, March 1976, 1743 (HEDL-TME--76-45)
FFTF development testing technical progress report, April--June 1977, 1744 (HEDL-TME--76-46)
FFTF development testing technical progress repot, October--December 1976, 1746 (HEDL-TME--76-48)
BERGE, P., Caustic stress corrosion of Fe--Cr--Ni austenitic alloys, 4281
Selection of steam generator materials for sodium cooled breeder reactors, 4398
Selection of steam generator materials for sodium cooled fast breeders, 4418
See WEISZ, M., 4397, 4413
BERGER, R., See LE GUILLOU, G., 5013
BERGERON, R.J., Comparison of the behavior during a TUC of CRBR carbide reload designs to the reference oxide design, 3984
See NICKERSON, G.R., 4861
See NOYES, R.C., 341
See SIEGMANN, E.R., 430
BERGHOLZ, R.F., Bubble-induced heat transfer in a heat generating liquid layer, 105 (ANL--78-10, pp 361-368)
Turbulent convection in horizontal two-layer systems with and without interfacial freezing, 3618
BERGMANN, H.J., Irradiation induced creep and swelling of cold-worked W.-Nr. 1.4981 irradiated in the RAPSODIE reactor, 4944
See ANDERKO, K., 4935
BERKENKAMP, H., Concept of the primary heat transfer systems of the SNR 2, 3901
BERKEY, E., Electrochemical oxygen meters for liquid sodium fast breeder reactor systems, 5432
Sensor for ignizable elements, 4471
BERLIN, C., Systems for detecting failed fuel in fast reactors, 4196
BERLIN, M., See FRUCHARD, Y., 496
BERNARD, B., See RAVIER, J., 3524
BERNARD, J., Fracture of longitudinally cracked ductile tubes, 5033
BERNATH, L., See ASH, E.B., 3787
BERNER, F., See VINZENS, K., 5373
BERNI CANANI, S., See GIORDANO, P., 4072
BERNICOLLES, J.M., Fast neutron reactor, 3513
Fast reactor, 5233
Heat exchangers, 5220
BERNSTEIN, D., Evaluation of explicit finite-difference techniques for LMFBR safety analysis, 453 (CONF-761003--P3, pp 1295-1303)
BERRY, D.L., Fire hazards analysis of barriers: an analytical approach, 3189
BERRY, G.F., Pressure transient analysis in single and two-phase water by finite difference methods, 5028
BERTING, F.M., See BRAGER, H.R., 1665
BERTINI, H.W., Effects of energy losses of arbitrary magnitude on fuel quality, vapor density, and bubble diameter in an idealized expansion of mixtures of UO_2 and Na, 2284 (NUREG/CR--0115)
Effects of energy losses of arbitrary magnitude on fuel quality, vapor density, and bubble diameter in an idealized expansion of mixtures of UO_2 and sodium, 3311
See WRIGHT, A.L., 2386, 3995
BERTUCIO, R.C., Effect of repair times on relative SHRS reliability, 3022 (WARD-SR--3045-6)
Large LMFBR shutdown heat removal system reliability trade-off study, 3023 (WARD-SR--3045-7)
BERZINS, G.J., See HAN, K.S., 4011
See LUMPKIN, A.H., 2283
BESLU, P., Prediction of primary circuit contamination in power reactors, 4889
Prediction of primary circuit contamination in power reactors, 4893
BESMANN, T.M., Equilibrium thermodynamics of uranium--plutonium carbide LMFBR fuel, 3568
BESOUX, M., See DELISLE, J.P., 4088
BESSE, G., See VENDRYES, G., 4904
BESSHO, Y., See NISHIHARA, H., 4510
BETTEN, P.R., Comparisons of XX08 steady-state temperature measurements with analytical predictions, 3950
Nuclear fuel assembly, 4449
Nuclear fuel assembly, 5130
BETTS, C., Fuel assembly for nuclear reactor, 5309
Nuclear reactor fuel element assemblies, 3704
Nuclear reactor fuel element assemblies, 4446
BEUTEL, H., Current status of experimental and theoretical work on sodium/fuel interaction(SFI) at Karlsruhe. Out-of-pile experiments, 2717 (PNC-N--251-76-12(Vol.1), pp 443-465)
Current status of experimental and theoretical work on sodium/fuel interaction (SFI) at Karlsruhe 'simulation experiments', 2721 (PNC-N--251-76-12(Vol.1), pp 179-186)
Current status of experimental and theoretical work on sodium/fuel interaction (SFI) at Karlsruhe 'code developments', 2728 (PNC-N--251-76-12(Vol.2), pp 819-837)
Transient deformation of LMFBR cores due to local failure: experimental and theoretical investigation, 4390
TUFCI, an experimental facility to study the molten-fuel-coolant-interaction in a full scale fuel element, 2164 (KFK--2353)
TUFCI, an experimental facility to study the molten-fuel--coolant interaction in a full-scale fuel element, 4604 (DOE-tr--179)
BEUTLER, P.S., See HOLLENBERG, G.W., 1596
BEVZ, A.S., See TIMOFEEV, G.A., 3350
BEYER, N.H.H., Welding experience with tube-to-tubesheet joints of steam generators in 2 1/4Cr-Mo stabilised ferritic steel, 4186
BEZELLA, W.A., See GARTSIDE, C.H., 3890
BEZGACHEV, E.A., See ALEKSEEV, R.A., 1949
See ANDREEV, A.M., 2350
BHARGAVA, R.K., See SWINDEMAN, R.W., 2517
BHATTACHARYYA, A., See CARLETON, R.D., 3428
BHATTACHARYYA, S.K., Critical experimental study of integral physics parameters in simulated liquid-metal fast breeder reactor meltdown cores, 3067
Critical experimental study of integral physics parameters in simulated LMFBR meltdown cores, 727 (CONF-781022--28)
Experimental study of reactivity worths of simulated LMFBR meltdown configurations, 3684
Measurement of the Doppler reactivity worth of UO_2 and ThO_2 in an LMFBR spectrum, 3156
Measurement of integral physics parameters in simulated LMFBR meltdown configurations, 3976
BIANCHERIA, A., See COX, C.M., 4828
See NAYAK, U.P., 2959, 4844
See ROTH, T.S., 2998
See STEPHEN, J.D., 4845
BIBIKOV, S.E., Thermal decladding of BOR-60 fuel elements, 1879 (IAEA-AG--63-16)
See BARKOV, V.A., 2343
See NOVOSELOV, G.P., 4547
BIBILASHVILI, J.K., See GOLOVNIN, I.S., 4385
BIBILASHVILI, Y.K., See ANTIPINA, M.M., 5254
BIBILASHVILI, YU.K., See LEBEDEV, I.G., 5442
See TSYKANOV, V.A., 4880
BIENIUSSA, K., Concepts on high temperature design analysis for SNR 300, 2073 (IWGFR--11, pp 104-106)
SNR-300, strategy and state of the elevated temperature design, 3386
BIERMAN, S.R., Critical experiments with fast test reactor fuel pins in water, 3141
BIERMANN, W., Core elements of the SNR-300, 2169 (KFK--2416, pp 27-37)
Irradiation programme KNK II, 4902
BIFFLE, J.H., Inelastic response of metallic impact limiters, 5121
BILLAUX, M., See BOTTONI, M., 4217
See KUCZERA, B., 2241
BILLIAU, R., Annual scientific report 1975, 296 (BLG--515)
Annual scientific report 1976, 297 (BLG--520)
See PROOST, J., 298
BILLINGTON, D., See ROYL, P., 3913
BILLONE, M.C., Progress in modeling carbide and nitride fuel performance in advanced LMFBRs, 4843
Status of mechanical properties and models for LMFBR and LWR fuel element modeling, 4654
See LIU, Y.Y., 828
See STEPHEN, J.D., 4845
BINGLE, J.D., See BAKER, L. JR., 504, 506, 734, 827, 95
BIRAULT, J., See ROBIN, M.G., 4149
BIRNEY, K.R., Absorber materials for fast reactor control applications,

1456 (HEDL-SA--1277-FP)
Advanced absorber assembly design for breeder reactors. Summary, 1564 (HEDL-SA--1555-S)
BISCI, R., Analogy of water as compared to sodium in cavitation, 2042 (IWGFR--9, pp 62-67)
Cavitation problems in fast reactor fuel subassemblies, 2038 (IWGFR--9, pp 25-33)
BISHOP, A.A., Analysis of Flow Impedance Phenomena. Final report, June 1, 1978-July 31, 1979, 955 (CCO--4932.M001-2)
Heat transfer effect of entrained gas in liquid sodium systems, 3281
Nuclear reactor with self-orificing radial blanket, 3764
Nuclear reactor safety heat transfer, 4589
See ENGEL, F.C., 3288
BISHOP, B.A., Clinch River Breeder Reactor Plant. Impact of fuel densification on CRBRP fuel performance, 966 (CRBRP-ARD--0168)
Final design analyses of CRBRP fuel rod, 658 (CONF-800607--33)
BISHOP, E.C., High temperature structural design technology: validation. Quarterly progress report for the period ending May 31, 1977, 2972 (WARD-HT--3045-27)
High temperature structural design technology: validation. Quarterly progress report for period ending August 31, 1977, 2973 (WARD-HT--3045-30)
High temperature structural design technology: validation. Quarterly progress report for period ending November 30, 1977, 2974 (WARD-HT--3045-31)
High temperature structural design technology: validation. Quarterly progress report for period ending February 28, 1978, 2975 (WARD-HT--3045-34)
Radial blanket design and development. Quarterly progress report for period ending May 31, 1977, 3004 (WARD-RB--3045-19)
Radial blanket design and development. Quarterly progress report for period ending August 31, 1977, 3005 (WARD-RB--3045-21)
Radial blanket design and development quarterly progress report for period ending November 30, 1977, 3006 (WARD-RB--3045-22)
Radial blanket design and development. Quarterly progress report for period ending May 31, 1978, 3008 (WARD-RB--3045-29)
Radial blanket design and development. Quarterly progress report for period ending August 31, 1978, 3009 (WARD-RB--3045-30)
Radial blanket design and development. Quarterly progress report for period ending November 30, 1978, 3010 (WARD-RB--3045-31)
Westinghouse Advanced Reactors Division, 2513 (ORNL--5287, pp 385-424)
BISHOP, J., Ultrasonic transducers, 3426
BISHOP, J.F.W., UK strategy and programmes for advanced LMFBR fuels, 4819
BITNER, J.L., Material properties requirements and priorities matrix for CRBRP, 1027 (DOE/TIC--10240, pp 10p, Attachment 4)
BITTERMANN, D., Nuclear reactor, 4292
BJORGE, R., See BERGHOLZ, R.F., 109
BLACKBURN, L.D., Deformation of pressurized tubes of 316 SS and Alloy 718, 2499 (ORNL--5255, pp 275-287)
Ductility of irradiated type 304 and 316 stainless steels, 4947
Irradiation effects and design of LMFBR permanent reactor structures, 4891
Irradiation effects and design of LMFBR permanent reactor structures, 4912
See BUNCH, W.L., 1589
See WARD, A.L., 1818, 1841, 1844, 2549
BLAIR, C.K., Thermal performance tests of the FFTF closed loop cold trap, 1749 (HEDL-TME--77-20)
BLALOCK, T.V., See KENNEDY, E.J., 2621
BLANC, R., Monitoring device for nuclear reactor control rods, 3558
BLANCHARD, P., Behavior of standard Rapsodie Fortissimo fuel at high burnup, 3522 (BNWL-tr--335)
BLANK, H., Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels, 4841
BLATEYRON, J., See CHABASSIER, R., 5067
BLATEYROU, J.J., See CHABASSIER, R.M., 5072
BLEIBERG, M.L., Effects of irradiation on swelling and microstructural stability of precipitation strengthened alloys, 4967
Improvement to high temperature alloys, 5367
Radiation effects in breeder reactor structural materials, 4928
See BARON, M., 2955, 4953
See ROWCLIFFE, A.F., 3091
BLEWDEN, H.J., In sodium materials monitoring for LMFBR, 2048 (IWGFR--10, pp 158-159)
BLINN, H.O., Clinch River Breeder Reactor Plant. Plan for inservice inspection, 967 (CRBRP-ARD--0173)
BLISS, R.J., Fast Flux Test Facility acceptance test program and early results, 1580 (HEDL-SA--1606)
Fast flux test facility ready to run, 3316
FFTF development testing. Technical progress report, July--September 1976, 1745 (HEDL-TME--76-47)
See BERG, J.D., 1743, 1744, 1746
See HARD, E.N., 1593
See JAMES, E.B., 1575
BLOKKER, E., See FRIEDRICH, H.J., 4470
BLOMBACH, J., Optimisation of decay heat removal systems for SNR 2 with respect to safety and reliability, 4100
BLOMQUIST, C.A., Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 5070
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 541 (CONF-770807--40)
BLOMQUIST, R.A., Viscosity of molten alumina, 119 (ANL--78-28)
Viscosity of molten alumina, 3718
See FINK, J.K., 4328
BLOOM, E.E., In-reactor deformation and fracture of austenitic stainless steels, 2650 (ORNL/TM--6296)
In-reactor deformation and fracture of austenitic stainless steels, 4232
See APPLEBY, W.K., 4961
BLOOM, G.R., FFTF purification system performance during fill and initial temperature ascension, 1663 (HEDL-SA--1973-FP)
Recent work on sodium-cooled reactor purification systems, 1519 (HEDL-SA--1446)
Turbulent hydraulic penetration from turbulent pipe flow into stagnant columns, 2915 (TID--28198)
See BLAIR, C.K., 1749
BLUMFIELD, C.W., Contribution of Dounreay to the development of fast reactors, 3100
Dounreay Project, 4922
BOARD, S.J., Fuel coolant interaction in fast reactors, 4982
Recent advances in understanding large scale vapour explosions, 2718 (PNC-N--251-76-12(Vol.1), pp 249-283)
Recent advances in understanding large scale vapour explosions, 364 (CEGB-RD/B/N--3666)
See BUTTERY, N.E., 4105
See GREEF, C.P., 406
BOARDMAN, C.E., See HOTTEL, R.E., 639, 652
BOARDMAN, R., See LEAVER, D., 3977, 737
BOASSO, C.J., Gas cooling test with a full-scale 217-pin bundle assembly, 1823 (HEDL-TME--78-78)
See MILLBURG, M.L., 1676
BOBER, M., Experimental and theoretical studies on the pressure build-up of core materials in hypothetical accidents, 4216
See VENKER, H., 4507
BOBIN, K., See BILLIAU, R., 296
BOBIS, J.P., Software development for the Mixing Components Test Facility, 236 (ANL-CT--79-11)
See ANDERSON, T.T., 4683
See CAREY, W.M., 192, 5009
See CHA, Y.S., 252
See KASZA, K.E., 233, 3949
See SHEEN, S.H., 3829, 4797, 602
BOCQUET, J.-L., See MARTIN, GEORGES, 353
BOCQUET, J.L., See MARTIN, G., 4973
BODINE, G.C., Development of a 9 Cr steel with improved strength and toughness, 4158
BODINE, G.C. JR., Development of A 9 Cr steel with improved strength and toughness, 525 (CONF-770545--2)
BOEHM, H., Effects of strain rate on high temperature mechanical properties of irradiated Incoloy 800 and Hastelloy X, 4950
BOEHM, L., Sand filters as high efficiency aerosol filters in nuclear plants, 4600
BOEHME, R., Application of integral transport theory with linearly anisotropic scattering to the calculation of the neutron distribution in finite plate arrays of fast reactors, 5461 (DOE-tr--71)
BOEHMER, W.D., Equipment for inspection of austenitic stainless steel pipe welds, 1656 (HEDL-SA--1932)
See MICHAELS, T.E., 1437
BOENISCH, G., Considerations on a PAHR test facility, 395 (CONF-761001--P1, pp 232-245)
See KLEEFELDT, K., 2217
BOGATYREVA, T.N., Liquid metal cooled fast reactors development in France, 3279
BOGENSBERGER, H.G., Analysis of LMFBR overpower accidents, including fission gas effects in the predisassembly and disassembly phase, 435 (CONF-761001--P3, pp 958-968)
BOHL, W.R., SIMMER-II analysis of the R-7 TREAT test, 2256 (LA--7938-C, pp 218-241)
SIMMER-II analysis of the R-7 TREAT test, 2433 (NUREG/CR--0760)
Some recriticality studies with SIMMER-II, 2287 (LA-UR--79-2340)
See FERGUSON, D.R., 448
See WIDER, H.U., 447
BOIOLI, A., Sensibility studies of the equivalent thermal neutron flux on the heat exchanger of a sodium cooled fast reactor. (1. Pt.), 1861 (IAEA--207, pp 245-259)
Spatio energetic sensitivity of the equivalent thermal flux on the intermediate heat exchanger of a typical fast breeder reactor, 4911
BOJARSKY, E., Effects of fuel-sodium interaction in TOP tests with electrically heated fuel pins, 491 (CONF-761001--P4, pp 1896-1904)
Recent KfK work on irradiation techniques for fast reactors, 4213
See BEUTEL, H., 2717, 2721, 2728
BOLEY, B.A., See JAEGER, T.A., 1905, 1911, 1912, 1913, 1914, 1915, 1916, 1917, 1918, 1919, 1920, 1921, 1922, 1923, 1924, 1925, 1926, 1927, 1928, 1929, 1930, 1931, 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1986, 1987, 1988, 1989, 1990, 1991, 4884, 534, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589
BOLLING, E.W., See KLUEH, R.L., 2543
BOLT, P.R., Proposal for in-service inspection and monitoring of selected components located within or part of the primary containment of sodium cooled fast reactors,

2060 (IWGFR--10, pp 5-23)
BOLTAX, A., Design applications of irradiation creep and swelling data, 682 (CONF-780622--67)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1975, 2989 (WARD-QX--3045-20)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1975, 2990 (WARD-QX--3045-23)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976, 2991 (WARD-QX--3045-24)
Oxide fuel element development quarterly progress report for period ending June 30, 1976, 2992 (WARD-QX--3045-26)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1976, 2993 (WARD-QX--3045-27)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1976, 2994 (WARD-QX--3045-29)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1977, 2995 (WARD-QX--3045-31)
Oxide fuel element development. Quarterly progress report for period ending June 30, 1977, 2996 (WARD-QX--3045-32)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1977, 2997 (WARD-QX--3045-34)
See FOSTER, J.P., 3002, 3057
See LATIMER, T.W., 2274
See MAYAK, U.P., 2959, 4844
See WEINER, R.A., 4341, 4971
BOMAR, E.S., See TENNERY, V.J., 600
See TILL, J.E., 3768
BONCIANI, L., Conduction centrifugal electromagnetic pump, 3814
BONGAARDS, D.J., See LOHMEIER, A., 2926
BONILLA, C.F., High temperature properties of nuclear reactor coolants and thermodynamic power cycle working fluids. Technical progress report, December 1, 1977--November 30, 1978, 939 (COO--3027-37)
BONKA, H., Production and emission of carbon-14 from nuclear power stations and reprocessing plants and its radioecological significance, 4986
BOOKER, R.L.P., See BOOKER, M.K., 2525, 2528, 2637
BOOKER, M.K., Analysis of the time-dependent fatigue behavior of 2 1/4 Cr--1 Mo steel based on the concept of linear surmation of creep and fatigue damage, 2524 (ORNL--5305, pp 43-64)
Analysis of the fatigue crack growth behavior of isothermally annealed 2 1/4 Cr--1 Mo steel, 2525 (ORNL--5305, pp 65-68)
Analytical representation of the creep strain--time behavior of commercially heat-treated Alloy 718, 2542 (ORNL--5345, pp 64-94)
Interim analysis of the creep strain--time characteristics of annealed and isothermally annealed 2 1/4 Cr--1 Mo steel, 2494 (ORNL--5255, pp 139-188)
Interim analytical description of the creep and creep-rupture behavior of ERNiCr-3 weld metal, 2659 (ORNL/TM--6464)
Survey of available creep and tensile data for alloy 800H, 2528 (ORNL--5305, pp 173-222)
Survey of available creep and tensile data for alloy 800H, 2637 (ORNL/TM--6029)
See BAYLOR, V.B., 2548, 2642
See ERINKMAN, C.R., 2495, 4188, 606
See KLUEH, R.L., 2657
BOOM, R.W., See HILAL, M.A., 4920
BOOTH, D.L., LMFBR containment performance studies with a simple computer code, 4018
BOOTH, R.S., See ACKERMANN, N.J. JR., 2624
BOOTH, T.E., See THOMPSON, W.L., 2288
BOOTHBY, R.M., See BARNABY, J., 4939
BORDNER, G.L., LIMBO computer code for analyzing coolant-voiding dynamics in LMFBR safety tests, 161 (ANL--79-91)
Post-test evaluation of the SLSF loss-of-flow safety experiment P2, 4750
See KUZAY, T.M., 3200
BORG, C.R., See HANAN, N.A., 943
BORG, R.C., CCB, a two-dimensional diffusion theory continuous cross-section burnup code for fast reactor analysis. Final report, 1081 (EPRI-NP--847)
Impact of delays in plutonium use on the stationary growth rate of fast breeder reactor fuel, 958 (COO/4116--1)
See MAUDLIN, P.J., 3111, 942
See OTT, K.O., 666
BORGONOVI, G.M., Material control in nuclear fuel fabrication facilities. Addendum to Part I: fuel descriptions and fabrication processes, 2945 (UCRL--13916(Pt.1)(Add.))
Material control in nuclear fuel fabrication facilities. Part I. Fuel descriptions and fabrication processes, P.O. 1236909 Final report, 2946 (UCRL--13942(Pt.1))
BORGSTEDT, H.U., Influence of the sodium coolant on the materials characteristics, 4210
Sodium corrosion of wear resistant cobalt alloys (STELLITE), 3818
BORGSTEDT, U., See MENZENHAUER, P., 2115
BORISOV, G.B., See FASTUSHKOV, V.G., 5294
BORISOV, V.V., See KOZLOV, F.A., 712
See POPLAVSKII, V.M., 713
BOSWINKEL, H.H., Integral boiling phenomena under radial temperature gradients in a twelve rod bundle of LMFBR geometry, 510 (CONF-761001--P4, pp 1457-1466)
BOSY, B.J., Fabrication details for wire wrapped fuel assembly components, 868 (COO--2245-27TF(Rev.1))
BOTT, T.F., Analysis of sodium valve reliability data at CREDO, 810 (CONF-790816--15)
Initial data collection efforts of CREDO. Sodium valve failures, 2305 (NCSR-R--20, pp 89-117)
Sodium component reliability data collection at CREDO, 3172
Sodium component reliability data collection at CREDO, 778 (CONF-790602--62)
See HAAS, P.M., 839
BOTTCHER, J.H., Operating limits for subassembly deformation in EBR-II, 594 (CONF-770822--5)
Subassembly bowing experience in EBR-II, 5071
Subassembly bowing experience in EBR-II, 537 (CONF-770807--35)
BOTTIGLIONI, F., See AVANZINI, P.G., 4077
BOTTONI, M., Results of the in-pile experimental programm SCARABEE, 4217
Thecretical interpretation of boiling phenomena in electrically heated, sodium-cooled 7-rod arrays, 3902
See STRUWE, D., 4396
BOUCHARD, J., Studies on recycling of actinides other than U and Pu, 1195 (EUR--5857, pp 221-231)
BOUCHEY, G.D., FFTF primary system transition to natural circulation from low reactor power, 1652 (HEDL-SA--1919-FP)
Planned natural circulation testing in the Fast Flux Test Facility, 1526 (HEDL-SA--1458)
Planned natural-circulation testing in the Fast Flux Test Facility, 3660
See ADDITON, S.L., 1658
BOUDREAU, J.E., Mechanistic analysis of LMFBR accident energetics, 3123
Transport processes in LMFBR core disruptive accidents, 2270 (LA-UR--78-1265)
See BELL, C.R., 2279
BOUDRY, J.C., See SAUTERON, J., 1871
BOUGET, Y.H., Physics performances of a heterogeneous fast reactor core concept studied in MASURCA, 3138
BOULTON, C.F., Static and cyclic testing of a PFR secondary circuit pipe bend, 2074 (IWGFR--11, pp 196-207)
BOURDET, L., See BAUR, A., 344
BOURGEOIS, M., See SAUTERON, J., 1871
BOURQUIN, R.D., See BIRNEY, K.R., 1456
BOURRIER, P., Plastic creep behaviour analysis of an elbow pipe, 5124
BOUTEAU, F., Results of neutron-propagation experiments performed in iron-sodium mixtures using the source reactor HARMONIE and TAPIRO, 1862 (IAEA--207, pp 431-463)
BOUTIN, P., Nuclear energy and electric power, 4923
See BOUTIN, P., 4923
BOVA, L., See SPENCER, B.W., 3998, 4749
BOWERS, C.H., Analysis of TREAT Tests L7 and L8 with SAS3D, LEVITATE and PLUTO2, 1020 (DOE/TIC--10102)
Analysis of TREAT tests L7 and L8 with SAS3D, LEVITATE and PLUTO2, 2257 (LA--7938-C, pp 242-256)
Pin plenum fission gas release model to describe fission gas effects in a voided channel, 4803
Study of core disruptive accidents in a large metal-fueled LMFBR, 3199
See FERGUSON, D.R., 448
See MUELLER, C.J., 3645
See MYNC, L., 477, 4860
See TENTNER, A.M., 4001
BOWERS, W.M., Applications of cavitation analysis to design and operation of SPTF-HFL pump loops, 2807 (SAN/0700--1)
See LAIRD, R.A., 2911
BOY-MARCOTTE, J.-L., Thermal protection device for a nuclear reactor slab, 5385
BOYAR, R.E., See DEVOLPI, A., 3646
BOYD, J., United States uranium position, 4885
BOYER, P., Device for holding in position the pins of a cluster inside the casing of an assembly intended for nuclear reactors, 5458
BOYLE, J., See SPENCE, J., 2069
BOYLE, J.T., Analysis of piping systems for creep, 5125
International piping benchmarks: use of the simplified code PACE 2, 2315 (ND-R--304(R))
BOZZI, L., See BOUTEAU, F., 1862
BRACHET, A., See ROBIN, M.G., 4074
BRACKENBUSH, L.W., See SMITH, R.C., 1753
BRADBURY, J.N., See DAVIDSON, I., 3821, 5045
BRADBURY, M.H., Proposed mechanism for internal cladding corrosion in LMFBR mixed oxide fuel pins, 3389
BRADBURY, P., Development of licensing requirements for LMFBRs: a reactor designer's view, 2905 (TID--27798)
See KEATEN, R.W., 5291
See SCHORNHORST, J.R., 105, 608
BRADFUTE, J.O., Accident trees: a framework for accident evaluation, 413 (CONF-761001--P2, pp 748-756)
See MEYER, R.A., 987
See REGIMBAL, J.J., 1276
BRADLEY, D.R., See ERDMAN, C.A., 2381, 2420, 2701
BRADLEY, J.G., Fast reactor fluence dosimetry. Technical progress report, April-September 1979, 1168 (ESG-DOE--13313)
See OLIVER, B.M., 1166
See SMITH, R.C., 1753
BRADLEY, N.C., Errors in measuring level and density with purged dip tubes, 2634 (ORNL/TM--5995)
See HAMEL, W.R., 2655
BRADLEY, R.A., See PECHIN, W.H., 2666
BRADSHAW, L., See ABBEY, M.J., 2722
See ASHER, R.C., 2716
BRAGAGNOLI, F., Problems of designing and testing primary loop components of fat reactors, 4064
BRAGER, H.R., Microstructural observations of AISI 316 stainless steel from high burnup fuel pins, 1665 (HEDL-SA--1983, pp 62-76)
Stress-affected microstructural development and creep-swelling interrelationship, 1453 (HEDL-SA--1167)
See GARNER, F.A., 4239
BRAHY, N., See DEBAUCHE, M., 4071
See EGLEME, M., 454

BRAID, R.B. JR., The Clinch River Breeder Reactor Plant: an analysis of the impacts of its in-migrant construction workers on local public services. Final report, 2692 (PB--274091)
BRAMMAN, J.I., Void swelling and microstructural changes in fuel pin cladding and unstressed specimens irradiated in DFR, 4960
BRAMMER, J.A., Mobile helium cooling loop system for in-reactor PAHR experiments, 2810 (SAND--77-0161C)
Mobile helium cooling loop system for in-reactor PAHR experiments, 4730
BRANDL, V., See JIANG, S.H., 2162
BRANDSETTER, A., Development of fast breeder reactors in Germany, Belgium, and the Netherlands, 4101
BRANDSTETTER, A., Fast breeder reactor, 3499
Fast breeder reactor, 3500
SNR construction experience, 5275
Status of fast breeder development, 4386
Use and status of fast breeder development, 3752
BRANLUND, B.J., Core performance evaluation of advanced Clad/Duct alloys, 1302 (GEFR--00406)
BRASZ, J., Experimental determination of reliability data, 3921
BRATIS, J., See MARCHATERRE, J., 444
BRATIS, J.C., See ZEUCH, W.R., 3950
BRAUN, H., See HAAS, D., 3254
BRAY, J.A., See DONALDSON, D.M., 2003, 2121
See EVANS, A.D., 4148
See MELHUISH, K.R., 4034
BREESE, T.A., See TRIPLETT, M.B., 2933
BREHM, W.F., Control of radionuclide transport in sodium-cooled reactor primary circuits, 1582 (HEDL-SA--1625)
Corrosion of irradiated stainless steel in hot-trapped sodium, 1771 (HEDL-TME--77-61)
Mass and activity transport in flowing sodium systems, 1521 (HEDL-SA--1448)
Materials compatibility in liquid sodium, 1565 (HEDL-SA--1559)
See ANANTATMULA, R.P., 1436
See EICHELBERGER, R.L., 1508
See MCGUIRE, J.C., 1558, 1783, 3938
See STEELE, O.P., 2125
See STEELE, O.P. III, 1511
BREITLING, H., Behavior of steel X5CrNi1811 under combined creep and cyclic loading at 823°K, 4454
Influence of creep-fatigue interaction on behaviour of type 304 stainless steel, 2064 (IWGFR--11, pp 25-29)
See LORENZ, H., 2080
BREITUNG, W., Analysis of Sandia in-pile EOS experiments, 2879 (SAND--79-0107C)
BREMSETH, M.D., Support for a nuclear future: student response to the CRBRP, 4685
Support for a nuclear future: student response to the CRBRP, 609 (CONF-771109--49)
BRENIR, Y., See TEULON, J., 2105
BRESHAHAN, J.D., See DEVLIN, R.W., 656
BRESNAHAN, J.D., See DEVLIN, R.W., 635
BRET, A., In-service inspection and monitoring of LMFBR in France, 2055 (IWGFR--10, pp 100-116)
BRETON, J.P., Model for fuel-sodium interaction. Application to the JEF experiments, 2729 (PNC-N--251-76-12(Vol.2), pp 785-817)
Simple and consistent equation of state for sodium in the single phase and two phase regions, 2713 (PNC-N--251-76-12(Vol.1), pp 187-229)
BRETSCHER, M.M., Integral alpha and point conversion ratio measurements in advanced fuels critical assemblies, 3675
BREWER, E., Breeder reactor program in the USA. Past, present and future, 4162
BREWER, S.T., Cost/benefit and risk/benefit analyses in LMFBR program planning, 4102
BRIANT, J.K., See ALLEN, M.D., 3310, 3506, 3702
BRIGGS, A.J., Experimental studies of thermal interactions at AEE Winfrith, 2719 (PNC-N--251-76-12(Vol.1), pp 75-95)
BRIGGS, L.L., See BOWERS, C.H., 3199
BRILLON, A., Surveillance of the vibrational behaviour of primary-circuit components, 4195
BRINDLEY, K., See BUTLER, J., 4900
BRINDLEY, K.W., See GATLEY, J.A., 4113
See THORNTON, D.E.J., 4133
BRINKMAN, C.R., Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Estimates of time-dependent fatigue behavior of Type 316 stainless steel subject to irradiation damage in fast breeder and fusion power reactor systems, 4243
Materials technology for LMFBR steam generators, 3116
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 2495 (ORNL--5255, pp 188-197)
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
Mechanical properties of liquid-metal fast breeder reactor primary piping materials, 4571
Overview of the U.S. programs on properties of primary circuit materials, 606 (CONF-771052--2)
Overview of U.S. efforts directed towards development of mechanical properties data in support of FBR development, 752 (CONF-781219--5)
See GOODWIN, G.M., 2491, 2522
See PATRIARCA, P., 2557
See ROCHE, T.K., 1025
See SIKKA, V.K., 2647
See STRIZAK, J.P., 2530, 2678
BRINSFIELD, W.A., See CATTON, I., 2429, 2702
BRITOV, V.N., See AFANAS'EV, V.A., 3464
See GRYAZEV, V.M., 3047
See GRYAZEV, V.M., 4091
BRITOV, W., See KRAUSE, H., 3039
BRITTINGHAM, J.C., Nuclear design of heterogeneous carbide-fueled LMFBR cores, 3962
See FELTEN, L.D., 4716
See GALLUZZO, N.G., 4697
See VITTI, J.A., 1138, 3135, 33, 3589
BROADLEY, D., Nuclear core debris collecting tray, 4258
Operating experience with the PFR primary circuit and design intentions for CDFR, 4067
Sizing of decay heat rejection loops for LMFBRs, 4103
BROMLEY, C., See GREEN, D.R., 1033
BROODMAN, J.J., See KNAAP, M.H., 4076
BROOK, A.J., Flow rundown experiments in a seven pin bundle, 4391
Temperature distribution and local boiling behind a central blockage in a simulated FBR subassembly, 517 (CONF-761002--P4, pp 1532-1540)
BROOKES, L.G., Energy policy and the role of nuclear power, 4623
BROOMFIELD, A.M., Fuel and component handling in PFR and intentions for CDFR, 4068
See EVANS, A.D., 4148
See TAYLOR, D., 4073
BROSSON, G., See CONTE, F., 4053
BROWN, C., See BRAMMAN, J.I., 4960
BROWN, D.H., See POMEROY, B.D., 1063, 1064, 1065
BROWN, D.P., See CANNON, C.P., 3297
BROWN, G., See JAROSS, R., 654
BROWN, G.A., See GREGORY, C.V., 3080
BROWN, K.T., Nuclear power today and tomorrow, 3256
BROWN, N.W., See FERGUSON, D.R., 729
See MCELROY, J.L., 980
BROWN, R.G., Assessment of debris transport methods in horizontal LMFBR piping for PAHR conditions, 3025 (WARD-SR--3045-9)
Clinch River Breeder Reactor Plant. Preliminary analysis of heat generating blockages in CRBRP fuel and radial blanket assemblies to determine detection requirements, 962 (CRBRP-ARD--0119)
Debris transport in horizontal piping, 4014
Fuel failure propagation reliability assessment, 3650
BROWN, R.K., Initial acceptance test experience with FFTF plant equipment, 1574 (HEDL-SA--1588)
BROWN, W.F., Pulsed magnetic welding of breeder reactor fuel pin end closures, 1485 (HEDL-SA--1343)
Pulsed magnetic welding of breeder reactor fuel pin end closures, 3937
BRUBAKER, J.E., Self locking drive system for rotating plug of a nuclear reactor, 3062
Self locking drive system for rotating plug of a nuclear reactor, 3790
BRUECKNER, C., See KRINNINGER, H., 3354
BRUESSERMANN, K., See BONKA, H., 4986
BRUGEILLE, G., See TAULIER, H.H.L., 3788
BRUKX, J.F.L.M., Post-scram LMFBR heat transport system dynamics, 3337
BRUNA, G., Sensitivity analysis of integral parameters to selected cross sections for an LMFBR heterogeneous core, 3152
BRUNA, G.B., Analysis of sodium void coefficient in heterogeneous core fast power reactors, 4104
BRUNET, M., See LE GUILLOU, G., 5013
BRUNINGS, J., See MCDONALD, J., 3958
See MCDONALD, J.S., 4124
BRUNINGS, J.E., See MCDONALD, J.S., 4687
See MCEDWARDS, J.A., 3964
BRUNSON, G., See SETH, S., 1199
BRUNSVOLD, A., See JAROSS, R., 654
BRYANT, A.R., Response of fluid-filled vessels to internal explosions, 3642
BRYANT, P.E.C., Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309, pp 77-95)
See BRINKMAN, C.R., 2556
See PATRIARCA, P., 2557
BRYNDA, W.J., Design guide for category IV reactors: liquid metal reactors, 303 (BNL--50831-4)
BUBSOOM, H.J., Characterization of ESR and VAR 2-1/4Cr--1Mo alloy tubing, 2326 (NEDM--14145)
BUCHANAN, J.R., LMFBR safety. 6. Review of current issues and bibliography of literature (1977), 2399 (NUREG/CR--0339)
LMFBR safety. 7. Review of current issues and bibliography of literature (1978), 2467 (NUREG/CR--1160)
LMFBR safety. 5. Review of current issues and bibliography of literature (1975--1976), 2598 (ORNL/NUREG/NSIC--139)
BUCHANAN, T.N., Cooling of a simulated EBR-II subassembly with air and argon, 255 (ANL/EBR--100)
See KOENIG, J.F., 806
BUCHER, R.G., See BHATTACHARYYA, S.K., 3067, 3976, 727
BUCHNER, H., BOPSI - a model for the theoretical description of the behaviour of boiling fuel-steel arrays sealed off on all sides, 2011 (INKA-Conf--79-134-001)
BUCHOLZ, J.A., Direct-coupled-ray method for design-oriented three-dimensional transport analysis, 4330
BUCK, W.L., See TABOAS, A.L., 210
BUCKALEW, W.H., See CHOATE, L.M., 2441, 2843
BUCKEL, G., Benchmark calculations for a sodium-cooled breeder reactor by two- and three-dimensional diffusion methods. II, 3487
Benchmark calculations for a sodium-cooled breeder reactor by two- and three-dimensional diffusion methods, 4379
Dependence of diffusion theory results on the mesh size for fast reactor calculations, 2212 (KFK--2827)
Flux synthesis programme KASY for the approximate solution of the three-dimensional multigroup-neutron-diffusion-equation. Present state, planned improvements and applications to reactor design problems, 4719
See KUEFNER, K., 4638
BUCKO, S., See KORINEK, J., 992
BUDIMAN, B., See MACHBITZ, M., 2595, 3981
BUDOV, V.M., Design and experimental

testing of intermediate heat exchangers, 4066
BUEDENBENDER, U., Ability to challenge partial licences according to the Atomic Law. Remarks on the verdict of the High Court at Muenster on 16. June 1978, 3545
Decision on 'Fast Breeder' passed on to Federal Constitutional Court, 4345
BUESCHER, E., Nuclear power plant with improved arrangements for the removal of post fission and energency heating, 4288
Sodium removal of fuel elements by vacuum distillation, 2116 (IWGFR--23, pp 38-42)
BUGBEE, E.E., See ROY, P., 3520
BUGGY, J.J., See SKAVDAHL, R.E., 5282
BUHL, A.P., CRBRP containment, 4669
Safety and environmental impact of liquid metal fast breeder reactors, 5440
See PIPER, H.E., 3889, 633, 991
See WOOD, P.J., 677
BUKHTEEV, I.S., See CHERNOBROVKIN, IU.V., 721
BUKSHA, YU.K., Temperature control of active core assemblies in a fast reactor in accidents, 1216 (FEI--711)
See PROSHKIN, A.A., 3498
BULLINGTON, D.C., See HANSON, J.E., 337
BUNCH, W.L., Design experience: FFTF shielding, 1585 (HEDL-SA--1634)
Design of FFTF shields, 4909
Shielding materials, 1589 (HEDL-SA--1643)
See DAUGHTRY, J.W., 1488
BUNKER, M.E., Dimensional analysis of FFTF driver fuel assemblies, 1778 (HEDL-TME--77-77)
BUNSCHI, J., Transfer function of temperature fluctuations for liquid metal slug flow, 3898
BUNZ, H., Studies on aerosol behavior under accident conditions, 4218
Study of the containment system of the planned SNR-2 Fast Breeder Reactor, 685 (CONF-780819--P1, pp 257-265)
BUONAMICI, R., Summary report of FFTF prototype primary pump sodium test program, 1432 (HEDL--77-106)
BURCH, W.D., Techniques for shearing and dissolving LMFBR fuels, 1868 (IAEA-AG--63-1)
BURDICK, G.R., Probabilistic approaches to advanced reactor design optimization, 5020
See RASMUSON, D.M., 2939, 2941, 2943, 807, 815
BURET, J., See ALLAIN, A., 5157, 5158
BURGESS, C.A., Design and construction of the Fuels and Materials Examination Facility, 1645 (HEDL-SA--1850)
See DOMAN, D.R., 4807, 4875
BURGESS, D.M., Nuclear reactor composite fuel assembly, 3094
BURGESS, D.S., See EHRMAN, C.S., 689
BURIAN, J., Neutron transport by sodium pipes going through fast reactor shielding 20., 1898 (INIS-mf--4280, pp 167-169)
Neutron transport through straight and once bent sodium pipe in shielding of fast reactor, 4913
BURLAKOV, V.A., Fast reactor spent fuels transportation problems, 1878 (IAEA-AG--63-15)
Storage of fast reactor spent fuel at the reactor site and in reprocessing plants, 1880 (IAEA-AG--63-17)
BURNS, R.D. III, Parametric approach to LMFBR safety evaluation, 5258
Statistical analysis of SIMMER-II results, 3651
Statistical analysis of 17 TREAT experiments, 4010
Treatment of incoherencies and uncertainties in LMFBR LOF accident analysis with PARSEC, 441 (CONF-761001--P3, pp 1091-1100)
See BARTS, E.W., 2285
See BELL, C.R., 2459
BURNS, R.S., See DE LORENZO, J.T., 610
BURNS, T.J., Alternative fuel cycles for breeder reactors, 628 (CONF-771203--, pp 491-495)
Denatured fast reactor symbiosis, 4715
Preliminary evaluation of alternative fuel cycle options utilizing fast breeders, 2563 (ORNL--5389)
See ABBOTT, L.S., 2564
See BARTINE, D.E., 665
See SPIEWAK, I., 2636
See WILLIAMS, M.L., 3153
BURROW, R.C., See CALLAHAN, J.P., 3811
See FRESKAKIS, G.N., 772
BURTON, E.J., Development of acoustic monitoring techniques of LMFBRs, 2956 (IWGFR--10, pp 117-122)
BUSBOOM, H.J., See HARTLE, R.T., 1311
See KENFIELD, T.A., 1232, 3528, 4271, 4478, 4582
See KERFIELD, T.A., 3529
See OFFER, H.P., 1281
BUSCHMAN, H.W., Design and operating experience of EBR-II Intermediate Heat Exchanger (IHX), 651 (CONF-780251--P2, pp 5.87-5.106)
Design and operating experience of EBR-II intermediate heat exchanger, 847 (CONF-791205--18)
Ten years' maintenance experience at EBR-II, 5436
See SACKETT, J.I., 4735
See TIPPETS, F.E., 1420
BUSLIK, A.J., Reliability of the CRBRP Shutdown Heat Removal System, 308 (BNL-NUREG--24162)
BUTLER, J., UK fast reactor shield design and performance, 4900
BUTTERFIELD, M.H., See ANTONOPOULOS DOMIS, M., 8
BUTTERY, R.E., Assessment of the effect of reactor size on hypothetical core disruptive accidents, 4105
BUZZELL, J.A., See BANDYOPADHYAH, G., 3604
See BANDYOPADHYAY, G., 3061
BYBEE, D.J., See BARKER, D.H., 922
BYKOV, V.N., See POROLLO, S.I., 4407
See SCHERBAK, V.I., 4970
BYOUN, T., PLBR Phase II: (follow on) reports. Volume II, 339 (BR-E--180(Vol.2))

C

CACHERA, P., Process of flattening of the heat release curve of a nuclear reactor core and reactor core using said process, 5403
CACHERA, P.C., Method of continuous testing for leak-tightness and mechanical resistance of a reactor vessel jacket and a reactor in which said method is employed, 3786
Process for the continuous control of the seal and strength of the containment of a reactor utilizing said process, 4266 (ANL-Trans--1111)
CACUCI, D.G., See BARHEN, J., 775, 835
CADY, K.B., CURL: a transient simulation code for LMFBRs, 4775
EPRI--CURL dynamic analysis of loop type LMFBRs. Final report, 1105 (EPRI-NP--1061)
See KHATIB-RAHBAR, M., 3666
CAFFEY, L.W., Objectives and overview: the Clinch River Breeder Reactor Plant, 5269
CAGE, F., See TAYLOR, D., 4132
CAGE, J.F., Low-temperature pool-type large breeder, 4190
CAGE, J.F. JR., Electromagnetic pumps for large pool-concept LMFBR, 1130 (EPRI-NP--1265)
CAGLIOSTRO, D.J., Characterization of an energy source for modeling hypothetical core disruptive accidents in nuclear reactors. First interim report, 266 (ANL/K72--2655-1)
Experiments on the response of rigid and flexible reactor vessel models to a simulated hypothetical core disruptive accident, 267 (ANL/K76--2655-5)
Pressure pulse propagation in piping systems. Final report, 2354 (NP--22742)
Response of simple, scale model reactor vessels to a simulated HCDA loading, 5106
See ABRAHAMSON, G.R., 4493
See ASH, J.E., 461
See PLOEGER, D.W., 5059
See ROMANDER, C.M., 1016, 5035, 5089
See TOBIN, R.J., 2779, 2780, 2781
CAHALAN, J.E., Assessment of transport effects in LMFBR safety neutronics, 427 (CONF-761001--P2, pp 473-481)
See FERGUSON, D.R., 448
CALAMAI, G.J., See ARAKALI, V.S., 3031
See YARBROUGH, M.B., 3034
CALAMAND, D., Results of neutron propagation in steel sodium mixtures with various source spectra on Harmonie and Tapiro, 4898
See BOUTEAU, F., 1862
CALAME-LONGJEAN, A., See LEFORT, G., 5302
CALDAROLA, L., Theoretical investigations of fuel-coolant interaction, 4219
Theoretical model with variable masses for the molten fuel--sodium thermal interaction in a nuclear fast reactor, 5326
See BEUTEL, H., 2717, 2721, 2728
See BOARD, S.J., 4982
See VAUGHAN, G.J., 489
CALLAHAN, J.P., Uniaxial compressive strengths of concrete for temperatures reaching 1033 K, 3811
See OLAND, C.B., 2646
CALUZON, P.P., Safety conclusions from start-up tests and from the analysis of the core behaviour of Phenix, 386 (CONF-761001--P1, pp 61-75)
CALVO, R., See PLANCHON, H.P., 2988
CALZA-BINI, A., Mechanical behavior of a fuel pin for fast reactors: effect of the fuel form and of the approach-to-power on the change of the fuel stack length under irradiation, 4827
CAMARET, T.L., See IMPELLEZZERI, J.R., 986
CAMERON, I.G., Computer code for SEURBNUK-2 for fast reactor explosion containment safety studies, 295 (AWRE--49/91/87)
Computer code SEURBNUK-2 for fast reactor containment safety studies, 3897
See BENUZZI, A., 5035
CAMP, W.J., See REIL, K.O., 2387
See YOUNG, M.F., 2885
CAMPBELL, C.S., Device or installation for use in a liquid alkali metal environment, 3477
CAMPBELL, K., Analysis of proposed transient overpower experiments, 740 (CONF-781108--, pp 274-295)
See DURAN, B.S., 2267
CAMPBELL, R.D., Creep-fatigue design criteria for application to a 2 1/4 Cr-1 Mo LMFBR steam generator, 5118
CAMPBELL, R.H., See RIGNEY, R.A., 1583
CAMPISE, A.V., See MCDONALD, J.S., 4124
CAMPOLUNGHI, F., Full scale tests and thermal design correlation for coiled once-through steam generators, 5001
CANUS, H., Experimental study of the consequences of accidental sodium release in the form of peroxide aerosols on the tomato and the lettuce, 4814
CANARY, W.W., Welding the Clinch River Breeder Reactor core support structure, 3253
Welding the core support plate for the Clinch River breeder reactor plant, USA, 4199
CANAVELIS, R., See CHABASSIER, R., 5067
See GUIDEZ, J., 5065
CANEY, V., See COLLINS, G.B., 4198
CANNON, C.P., High voltage instrument cables for 650°C in-vessel breeder reactor service, 1651 (HEDL-SA--1903-FP)
Nuclear instrumentation cable end seal, 3297
See CHAN, A.I.Y., 1790
CANNON, N.S., Effects of irradiation temperature, fluence, and heating rate on postirradiation flow properties of cladding under simulated temperature transient heating and deformation conditions, 4245
See FISH, R.L., 1528, 4241
CANO, G.L., First visual in-pile fuel disruption experiments, 2857 (SAND--78-0266C)

First visual in-pile fuel disruption experiments, 3607
Visual investigation of reactor fuels response to simulated LOF heating conditions, first series, 2453 (NUREG/CR--0514)
See WORLEDGE, D.H., 2874
CANONICO, D.A., Heavy section steel technology (HSST) program, 3115
See IRVINE, A.R., 2622
See KLUEH, R.L., 4272
CANTLEY, D.A., See CHANDLER, J.C., 1460, 1798, 4846
See FARR, D.R., 1481, 1482, 3292
See MCCURRY, D.C., 4692
See OMEERG, R.F., 1477
CANTON, E., Elastic and elastic-plastic buckling of vessel heads. Computation by the CEASEMT system, 5110
CANTRELL, R.T., Criteria for TOP or LOPI termination in a LMFBR, 1406 (GEFR-SP--133)
CAPPELAERE, M., Behavior of alloy 800 in sodium contaminated by soda, 4306
Behavior of Alloy 800 in sodium contaminated by sodium hydroxide, 4321
CAPPIELLO, M.W., FBR core design with the composite fuel assembly, 1532 (HEDL-SA--1477)
LMFBR design with the composite fuel assembly, 3585
See BURGESS, D.M., 3094
CAPUTI, R.W., Experimental determination of plutonia and uranio solubility in liquid metal, 1422 (GEFR-SP--202)
Experimental evaluation of the oxidation behavior of Nb, V, and Ti as candidate FCCI inhibitors, 1278 (GEFR--00370)
Physicochemical model for predicting sodium reaction swelling in breached LMFBR fuel and breeder elements, 1313 (GEFR--00424)
CARACCHINI, R., See CALZA-BINI, A., 4827
CAREAJC, J.J., Experimental and analytical study of transients in LMFBR outlet plenums, 3667
Plenur-2A, a program for transient analysis of liquid-metal fast breeder reactor outlet plenums, 3050
See HOWARD, P.A., 212, 231, 239, 3117
CARELLI, M., Preliminary thermal-hydraulic design and predicted performance of the Clinch River Breeder Reactor core, 5413
CARELLI, M.D., Analytical method to accurately predict LMFBR core flow distribution, 3216
Analytical method to accurately predict LMFBR core flow distribution, 761 (CONF-790602--87)
Analytical modeling of core hydraulics and flow management in breeder reactors, 831 (CONF-790934--1)
Core exit instrumentation of the Clinch River Breeder Reactor Plant, 3769
LMFBR core thermal-hydraulic analysis accounting for interassembly heat transfer, 3586
See CHUANG, M.C., 4381
See PATCH, L., 845
CAREY, W.M., Acoustic background noise of a liquid metal fast breeder reactor, 3134
Detection of sodium vapor bubble collapse in a liquid metal fast breeder reactor, 5009
Measurement of the acoustic noise background in the Experimental Breeder Reactor II, upper plenum, 191 (ANL-CT--77-29)
See ANDERSON, T.T., 3826
See CHA, Y.S., 252
See CLAYTOR, T.N., 201, 4012
See DOOLITTLE, R.D., 601
See FITZGERALD, J.W., 4681
See KOOPMAN, R.N., 4008
See SCARTON, H.A., 5031
See SHEEN, S.H., 3819, 4797, 602
CARLETON, R.D., Variable flow control for a nuclear reactor control rod, 3428
CARLISLE, C.S., Fast flux test facility startup plan, 1461 (HEDL-SA--1216(Rev.))
CARLSON, G.A., Application of ultrasonic thermometry in LMFBR safety research, 2831 (SAND--77-1157C)
Application of ultrasonic thermometry in lmfbr safety research, 4910
Ultrasonic thermometry system for measuring very high temperatures in reactor safety experiments, 2883 (SAND--79-0621)
See PLEIN, H.G., 111, 2827, 2834, 2864, 2876, 3993, 4673
See SUTHERLAND, H.J., 507
CARLSON, P.C.J., See GRAHAM, R.A., 5018
CARLSON, R.D., Temperature-dependent liquid metal flowrate control device, 3406
See CHIANG, T., 237
See FLYNT, W.S., 208
See FRANCE, D.M., 198, 206, 213, 220, 225, 3237, 3957, 4688
See HOWARD, P.A., 3218
See LORENZ, J.J., 4854, 5005
CARLSON, R.L., See EUNKER, M.S., 1778
CARNINO, A., Application of probabilistic methods in the field of nuclear safety, 5263
CARNOY, M., See RAVIER, J., 3524
CARPENTER, S.G., Conclusions drawn from subcritical multiplication results in ZPPR, 668 (CONF-780401--12)
See COLLINS, P.J., 3043, 3677, 672
See LINEBERRY, M.J., 3044, 3136, 4707
CARP, R.W., Design of sodium cooled reactor systems and components for maintainability, 1543 (HEDL-SA--1506)
CARRE, J.C., See BRILLON, A., 4195
CARTER, A.L., Impact of building design on auxiliary liquid metal piping, 3151
CARTER, E.H., See JACOBSON, G., 1494
CARTER, W.L., See OLSEN, A.R., 2662
CARTERET, Y., See DELPEYROUX, P., 4108
CARTIER, L., See DUFOUY, J.M., 4943
CASAL, V., Heater rods for simulation of fuel pins in liquid-metal-boiling experiments. Pt. 1, 2167 (KFK--2368)
Heater rods for simulation of fuel pins in liquid-metal-boiling experiments. Pt. 2, 2185 (KFK--2474)
Heating rods for simulation of fuel pins in liquid metal boiling experiments. Part I, 4609 (EURFNR--1447)
See HUBER, F., 4143
CASEY, D.F., See MAGEE, P.M., 2332
CASH, R.J., See HOLT, F.E., 4451
CASINI, Super-Phenix: status of the Creys-Malville plant, 5285
CASPERSSON, S.A., Optimization system design studies of advanced carbide fuel, 4848
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 664 (CONF-780401--, pp 539-547)
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 911 (COO--2426-133)
See NOYES, R.C., 5350
CASSULO, J., See SOWA, E., 4671
CASSULO, J.C., See BAKER, L. JR., 504
See GABOR, J.D., 4676, 91
See SOWA, E.S., 502, 825
CASTELLI, G., Future plans for the design and construction of fast reactor power stations in Italy, 4084
Past and present role of fast breeder reactors in Italy, 4056
CASTLE, J., LMFBR fuel analysis. Task B: Post-accident heat removal. Final report, October 1, 1976--September 30, 1977, 2377 (NUREG/CR--0012)
CASTLE, J.N., See DHIR, V.K., 446
CATE, C.L., See FUSSELL, J.B., 4351
CATLING, E., See MACLEOD, I.D., 5014
CATTON, I., Dynamic intragranular fission gas behavior model, 2452 (NUREG/CR--0906)
LMFBR fuel analysis. Task B. Post-accident heat removal. Final report, October 1977--November 1978, 2429 (NUREG/CR--0737)
LMFBR fuel analysis. Task B: Post-accident heat removal. Final technical report 1 October 1977-15 November 1978, 2702 (PB--294102)
See CASTLE, J., 2377
See CHERNG, J.C., 4015
See DHIR, V., 4529
See DHIR, V.K., 2357, 3616, 446, 501, 90
See TAGHAVI-TAFRESHI, K., 3617
CAUVIN, J.C., See CHALONY, A., 2028
CAVE, L., Designing for safety in fast reactors in the presence of uncertainties, 423 (CONF-761001--P2, pp 420-430)
LMFBR fuel analysis. Task C: reliability, 2428 (NUREG/CR--0736)
Lmfbr fuel analysis. Task C: Reliability. Final report, 1 October 1977-15 November 1978, 2703 (PB--294243)
CAWTHORNE, C., See BRAHMAN, J.I., 4960
CAZZOLI, E., See MADNI, I.K., 2392
CAZZOLI, E.G., See KHATIB-RAHBAR, M., 3188
See MADNI, I.K., 318, 4805
CECCHI, P., CNEN program on advanced LMFBR fuels, 4824
CECCHINI, F., See CESARI, F., 2075
CECCHINI, G.P., See BRUNA, G.B., 4104
CEJKA, J., See VELEK, V., 5185
CELNIK, J., See BYOUN, T., 339
CENNI, R., Sodium boiling experiments in the frame of fast reactor safety studies, 3774
CERBONE, R.J., See AGRAWAL, A.K., 2425, 2458
See MAJUMDAR, D., 315
CERMAK, J., Calculations of physics characteristics of the fast reactor core, 1896 (INIS-mf--4280, pp 69-73)
CERVENKA, J., See HEJNA, J., 2949
See MANTLIK, F., 1902
CESARI, F., Some aspects of high temperature structural design on LMFBR system and components, 2075 (IWGFR--11, pp 134-169)
Thermal elasto-plastic analysis in reactor vessel nozzles, 5111
CESARI, F.G., See AMESZ, J., 5127
CEULEMANS, H., See FABRY, A., 1190, 1191
CHA, B.K., NUBOW-?D inelastic: a FORTRAN program for static two-dimensional structural analysis of bowed reactor cores, including effects of irradiation creep and swelling, 194 (ANL-CT--77-34)
NUBOW-2D inelastic: a computer program for the bowing history of reactor cores, 4695
See MCLENNAN, G.A., 209, 3946
CHA, Y.S., Evaluation and interpretation of the ANL-microphone data from the cavitation tests of the FFTF primary pump at LMEC--SPTF, 252 (ANL/CT/DA--1666)
Final report and design guide for cavitation-free LMFBR hydraulic components, 263 (ANL-CT--78-7)
Survey of LMFBR cavitation technology in the U.S.A, 2043 (IWGFR--9, pp 46-57)
Thermodynamic theory of cavitation nuclei in dilute liquid-gas solutions, 223 (ANL-CT--78-33)
CHABASSIER, R., Primary sodium pumps of Phenix and Superphenix, 5067 (ANL-Trans--1174)
CHABASSIER, R.M., From PHENIX to SUPER PHENIX: mechanical structures assuring reactor vessel tightness at main sodium pump penetrations, 5072
CHAGROT, M., Case for fuel redesign after in pile safety experiments: the ''COMMANDO'' tests, 4840
CHAIX, J.E., Heat exchanger provided with plates, 5226
CHAKRAPANI, B., Creep failure time of 20% cold-worked type 316 stainless steel, 4261
CHAKRAVARTI, B, See BODINE, G.C., 4158
See BODINE, G.C. JR., 525
CHALLENGER, K.D., Steam generator materials engineering twelfth quarterly report, April--June 1977, 1360 (GEFR--14029-12)
See GRIESS, J.C., 4182
See SPALARIS, C.N., 4150
CHALONY, A., Fuel clad failures in Rapsodie reactor and an experimental irradiation program in order to obtain voluntary and spontaneous failures, 2018 (IWGFR--

5, pp 18-24)
Fuel failure on the Rapsodie subassembly 'Capricorn 1.b', 2028 (IWGFR--5, pp 25-29)
CHALOT, A., See MEYER-HEINE, A., 5290
See ROBERT, E., 391
CHAMBERLAIN, A., Optimisation of fuel design in relation to reactor performance and the conflicting demands of other parts of the fuel cycle, 4106
See BISHOF, J.F.W., 4819
CHAN, A.I.Y., MgC insulated coaxial instrument cable development for FFTF in-vessel temperature and voltage conditions, 1790 (HEDL-TME--77-98)
CHAN, C.K., Certain aspects of alternative core disruption accidents in LMFBRs, 3877
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 5040
See BADHAM, V., 2693
CHAN, D.F., Analytical study of the dilation of fast reactor fuel assembly ducts, 1595 (HEDL-SA--1677)
Creep relaxation of fuel pin bending and ovalling stresses, 1647 (HEDL-SA--1860)
DILATE: a 2-d structural program for the dilation response of hexagonal ducts, 1855 (HEDL-TME--79-72)
Fuel pin bundle and hexagonal duct mechanical interaction, 1509 (HEDL-SA--1423)
Thermal bowing of wire-wrapped fuel pins in fast reactors, 1643 (HEDL-SA--1839)
CHAN, S.P., Attenuation of HCDA work potential by heat transfer, 4004
Surface radiation properties between nuclear reactor materials in contact, 941 (COO--4040-3)
Transient radiative heat transfer between two emitting-absorbing media, 4173
See CHAWLA, T.C., 3185
See CHU, D.H., 122, 3625, 4016, 4679, 4812
See FALSKE, H.K., 432
CHAN, T.C., See DISNEY, R.K., 746
CHANDLER, J.C., Core design methods for advanced LMFBRs, 1460 (HEDL-SA--1205)
Design configurations for controlling sodium void worth in large FBR cores, 1479 (HEDL-SA--1325)
Design configurations for controlling sodium void worth in large FBR cores, 4694
Development of LMFBR core designs using reference and advanced oxide fuel, 4846
Large heterogeneous reference fuel design study. Final report, 1798 (HEDL-TME--78-1)
User's manual heatup closed cell h and V failure transient analysis code, 1820 (HEDL-TME--78-57)
See MAFR, D.R., 1481, 1482, 3292
CHANG, A., See BARON, M., 2955, 4953
CHANG, J.Y., Self-welding evaluation of Tribaloy 400, 700, and 800 in flowing sodium, 2983 (WARD-NA--3045-52)
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium, 533 (CONF-770735--4)
CHANG, K.I., Combined motion of fuel and coolant due to fuel-coolant interactions under high ramp rate reactivity insertion, 132 (ANL--78-69)
Combined motion of fuel and coolant under high-ramp transient overpower conditions, 4767
CHANG, L.K., Prediction of temperature distribution of a subassembly including intersubassembly heat transfer, 4459
Stress analysis of a nuclear reactor grid plenum assembly and its application to the EBR-II, 4541
Structural analyses of the EBR-II primary system piping for the EBR-II SHP operating conditions, 4731
Transient code for analyzing LMFBR subassemblies including intersubassembly heat transfer (TCLUST1), 3224
See BETTEN, P.R., 3950
See GILLETTE, J.L., 3978
See KOENIG, J.F., 4726
CHANG, S., Leak detection response time characterization and optimization test analysis, 2788 (SAN--0824-T5)
CHANG, T.Y., Design of elevated temperature piping for advanced nuclear plants, 3147
CHANG, Y.I., Alternative fuel cycle options: performance characteristics and impact on nuclear power growth potential, 66 (ANL--77-70)
Performance characteristics of thorium cycle in CANDU reactors and LMFBRs, 4709
See TILL, C.E., 3687, 4713, 770
CHANG, Y.W., Application of containment codes to LMFBRs in the United States, 4496
Application of containment codes to LMFBRs in the United States, 592 (CONF-770817--4)
Comparison of computer code predictions with COVA experiments, 4760
Comparison of REXCO code predictions with flexible vessel experiments, 3538
Comparisons of REXCO code predictions with SRI SM-2 experimental results, 792 (CONF-790802--56)
Eulerian method for large-displacement fluid-structure interaction in reactor containments, 4883
Eulerian method for large-displacement fluid-structure interaction in reactor containments, 618 (CONF-771120--23)
Evaluation of Lagrangian, Eulerian, and arbitrary Lagrangian-Eulerian methods for fluid-structure interaction problems in HCDA analysis, 791 (CONF-790802--55)
Modeling of reactor internals in the HCDA analysis, 5042
structural dynamics in LMFBR containment analysis - a brief survey of computational methods and codes, 5041
Structural dynamics in LMFBR containment analysis: a brief survey of computational methods and codes, 536 (CONF-770807--37)
See A-MONEIM, M.T., 3532, 3533, 456, 5064, 545
See CHU, H.Y., 3196, 3539, 452, 4758, 5044, 552
See WANG, C.Y., 3194, 3197, 3544, 3641, 5032, 553
CHANTOIN, P., See CHALONY, A., 2018, 2028
CHAPMAN, L.D., See CUDDIHY, R.G., 4267
CHAPYAK, E.J., Role of similitude in the design of LMFBR safety-related simulation experiments, 2282 (LA-UR--79-1956)
See BARTS, E.W., 2285
CHARNOCK, H.O., See CARR, R.W., 1543
CHARNOCK, W., Assessment of the performance of UK CFR candidate structural materials, 3744
Creep in sodium: a review, 369 (CEGB/RD/B/N--4219)
Underwriting structural steels for the sodium-cooled fast reactor, 3090
CHARRAS, T., See JEANPIERRE, F., 2065
CHASANOV, M.G., Production of molten UO_2 pools by internal heating: apparatus and preliminary experimental heat transfer results, 4295
See BAKER, L. JR., 504, 506
CHASE, W.L., See BLINN, H.O., 967
CHASTAIN, S.A., See LEGGETT, R.D., 1446
CHAUDAT, J.P., Fast neutron reactor core research at the C.E.A., 362 (CEA-R--4911)
CHAUMONT, J.M., Studies and fabrication of the fuel, 3879
See ESTAVOYER, M., 4111
CHAUMONT, M., See AUBERT, M., 4095
CHAWLA, T.C., Solution of radiation-conduction problems in LMFBR safety with collocation method, 3185
CHEATHAM, R.L., See JUNEAU, J., 2757
See KHAN, E.U., 3225
CHECHETKIN, Y.V., See GRYAZEV, V.M., 2222
See KIZIN, V.D., 2221
CHECHETKIN, YU.V., See GRYAZEV, V.M., 2342, 4618
See IVANOV, V.B., 4584
See KIZIN, V.D., 2338, 3523, 3695, 5443
CHEN, J.C., See GINSBERG, T., 3064, 310, 313, 323
See GUSTAVSON, W.R., 505
See KAZIMI, M.S., 3710, 3845
See OZGU, M., 5408
CHEN, K., See ERDMAN, C.A., 2420, 2701
CHEN, K.H., Comparison of semi-statistical hot channel factor and Monte Carlo analyses of fuel assembly coolant temperature uncertainties, 1272 (GEFR--00354)
PACT 2: probabilistic analysis of coolant and cladding temperatures, 1309 (GEFR--00417)
See DUTT, D.S., 1602
CHEN, L., See PERKINS, K.R., 306, 3600
CHEN, L.C., See PERKINS, K.R., 316
CHEN, L.J., See PINIZZOTTO, R.F. JR., 3374
CHEN, M., See THEOFANOUS, T.G., 475
CHEN, M.J., Simulation of a thermohydraulic transient in a pipe using the COMMIX-1A computer code, 2473 (NUREG/CR--1323)
See DOMANUS, H.M., 2443, 2471, 3183
CHEN, S.S., Dynamic response of circular tubes subjected to liquid cross flow, 235 (ANL-CT--79-06)
Experiments on fluidelastic instability in tube banks subject to liquid cross flow. Part I. Rectangular arrays, 229 (ANL-CT--78-44)
Experiments on fluidelastic instability in tube banks subject to liquid cross flow. Part II. Mixed arrays, 245 (ANL-CT--79-45)
Hydrodynamic forces on a group of tubes subjected to crossflow, 228 (ANL-CT--78-43)
See LIN, H.C., 4619
See LIN, W.H., 241
See NAHAVANDI, A.N., 238
See WAMBSGANSS, M.W., 2098
CHEN, W.L., Inelastic analysis of pipeline in FFTF heat transport system, 1489 (HEDL-SA--1354-FP)
Simple forced diversion model for study of thermal-hydraulic transients in LMFBR subassembly, 3849
Simple fuel pin transient and melting model and its application to thermal-hydraulics in lmfbr subassembly, 4050
Simple multichannel thermal-hydraulic model for study of the transient behavior of coolant in LMFBR subassembly, 3663
See ISHII, M., 158, 2253, 3290, 3611
CHEN, Y.B., Coolant mixing in the LMFBR outlet plenum, 876 (COO--2245-44TR)
Validation of turbulence models for LMFBR outlet plenum flows, 4628
CHENG, C.F., See RASKE, D.T., 4504
CHERN, J.M., See KAMAL, S.A., 2620
CHERNG, J.C., Natural-convection heat transfer in a bed of fuel debris cooled at both top and bottom, 4015
CHERNOBROVKIN, IU.V., Simulated and experimental studies of large leaks in micromodular steam generators, 721 (CONF-781001--P2, pp 14.1-14.18)
CHETAL, S.C., Design basis of and materials requirement for sodium heated steam generators for fast reactors, 5150
CHETVERIKOV, A.P., See PROKOPENKO, V.S., 3463
CHETVERIKOV, V.A., See GABESKIRIYA, V.YA., 4466
CHEUNG, F.B., Formation of bubble boundary layer over an inclined porous plate, 3205
See BAKER, L. JR., 506, 734, 827, 95
CHEVALIER, A.B.H., See WINTERTON, R.H.S., 3114
CHEVALIER, G., See BOY-MARCOTTE, J.-L., 5385
See MARCOTTE, J.L.B., 3445
CHEVALLIER, R., Improvement to structures containing a hot liquid metal in breeder reactors, 5143
Improvements to breeder reactor structures containing a hot liquid

metal, 5310
Nuclear reactor, 3708
See ANDREANI, A., 3232
CHIANG, C.C., Structural design optimization of once-through type heat exchangers, 4366
CHIANG, T., Post-CHF heat transfer and transition boiling characteristics in an LMFBR steam generator tube, 237 (ANL-CT--79-14)
See FRANCE, D.M., 198, 206, 211, 220, 225, 3237, 3957, 4688
CHIB, C., Mixing experiments in LMFBR wire wrapped blanket assemblies, 875 (COO--2245-43TR)
CHICKERING, R.W., Comparison of the irradiation effects on swelling and microstructure in commercial alloy A-286 and a simple Fe--25 Ni--15Cr gamma prime hardened alloy, 4954
CHIEN, Y.M., See ADDITON, S.L., 1527, 3661
CHILES, M.M., See RAGAN, G.L, 842
CHIN, B.A., See GILBERT, E.R., 1505, 1666, 3670
See LOVELL, A.J., 1625, 3176
CHIRER, E.G., Corrosion and cleaning aspects of sodium side crevices in components of LMFBR's, 2114 (IWGFR--23, pp 13-17)
CHIU, C., Flow split measurements in LMFBR blanket assemblies, 873 (COO--2245-41TR)
Flow split model for LMFBR wire wrapped assemblies, 888 (COO--2245-56TR)
Mixing experiments in an alternating wire wrapped assembly, 885 (COO--2245-54TR)
Pressure drop measurements in LMFBR wire-wrapped blanket bundles, 3955
Pressure drop measurements in LMFBR wire wrapped blanket assemblies, 874 (COO--2245-42TR)
Turbulent flow split experiment and model for wire-wrapped assemblies, 3579
Turbulent mixing experiment and model for wire-wrapped assemblies, 3956
Turbulent sweeping flow mixing model for wire wrapped LMFBR assemblies, 886 (COO--2245-55TR)
Turbulent sweeping flow mixing model for wire wrapped LMFBR assemblies, 887 (COO--2245-55TR(Rev.1))
WARD blanket assembly pre-test predictions by SUPERENERGY, 872 (COO--2245-40TR)
See GLAZER, S., 870
See KHAN, H.U.R., 893
CHLIQUE, B., See CHAIX, J.E., 5226
CHO, D., See CHAN, S.H., 4004
CHO, D.H., Effect of internal radiation on the contact interface temperature between UO_2 and sodium, 4675
Effect of internal thermal radiation on the contact interface temperature, 4812
Radiative heat transfer in a horizontal molten fuel layer with volumetric heating, 4016
Role of radiative heat transfer in post-disassembly fuel self-mixing, 3625
Some aspects of mixing in large-mass, energetic fuel-coolant interactions, 486 (CONF-761001--P4, pp 1852-1861)
Transient energy transfer by conduction and radiation for a sudden contact between molten UO_2 and sodium, 122 (ANL--78-34)
See CHAN, S.H., 4173
See CHANG, K.I., 132, 4767
See FAUSKE, H.K., 725
See HENRY, R.E., 4983
CHO, S.M., Internal fluid flow management analysis for Clinch River Breeder Reactor Plant sodium pumps, 3380
Internal fluid flow management analysis for Clinch River Breeder Reactor Plant sodium pumps, 985 (CRBRP-GEFR-SP--139)
Protected bayonet tube steam generator proof-of-principle tests. Final report, 2520 (TID--28265)
Techniques for the thermal/hydraulic analysis of LMFBR check valves, 846 (CONF-791205--3)
See ABUROMIA, M.M., 4625, 522, 5426
See ORAS, J.J., 224
See SAWYER, R.H., 4855
CHOATE, L.M., Flash x-radiography for material motion detection, 2441 (NUREG/CR--0790, pp 63-74)
Flash x-radiography for material motion detection, 2843 (SAND--77-1648C)
CHOONG, P.T., Optimum few-group cross section set for HCDAs in heterogeneous LMFBRs, 1418 (GEFR-SP--180)
CHOPRA, O.K., Interpretation of high-temperature creep of Type 304 stainless steel, 2484 (ORNL--5255, pp 35-49)
Representation of elevated-temperature tensile behavior of Type 304 stainless steel in a sodium environment, 4355
See NATESAN, K., 155, 3714, 607
CHOPRA, P.S, Fail-safety of LMFBR steam generator systems, 5043
Parametric investigation of dynamic fracture, 5073
Parametric investigation of fracture of EBR-II ducts, 539 (CONF-770807--39)
See RUTHER, W.E., 5091, 544
See SRINIVAS, S., 4543, 5062, 5094
CHOU, F.M., See MCELROY, J.L., 980
CHOU, S.L., See ORAS, J.J., 224
CHOW, H.Y., Prototype Large Breeder Reactor. Phase II extension. Volume II. ELTEMP program update, 2914 (TID--28195)
CHOW, L.S.H., Prediction of high strain-rate deformation of LMFBR cladding during reactor transients, 460 (CONF-761001--P3, pp 1376-1384)
CHRISTENSEN, B.Y., See BARD, F.E., 1735
See LOVELL, A.J., 1625, 3176
CHRONERT, S., See GREENE, D.A., 1283
CHU, A.W., See ABUROMIA, M.M., 522
CHU, C.L., Temperature and stress responses of clean evaporator tubes under oscillatory water rivulet action in DNB region, 5074
See ROBERTS, J.M., 983
CHU, H.Y., ALICE: a hybrid Lagrangian-Eulerian code for calculating fluid-structure interaction transients in fast-reactor containment, 157 (ANL--79-72)
ALICE: a hybrid Lagrangian--Eulerian code for containment analysis, 3662
Analysis of LMFBR containment response using a multifield implicit continuous-fluid Eulerian code (MICE), 3539
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 5044
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 552 (CONF-770807--53)
Analysis of slug impact and coolant spillage using a hybrid Lagrangian--Eulerian method, 4758
Comparison of ALICE predictions with SRI flexible vessel experiments, 3196
Generalized Eulerian method in reactor containment analysis and its comparison with other numerical methods, 452 (CONF-761001--P3, pp 1285-1294)
Quasi-Eulerian method for analyzing slug impact and coolant spillage in a fast-reactor accident, 160 (ANL--79-89)
See CHANG, Y.W., 791
CHU, K.W., Coded aperture imaging: a comparison between Fresnel zone apertures and uniformly redundant array apertures, 2867 (SAND--78-1625)
CHU, T.Y., Medium-scale melt-sodium fragmentation experiments, 2882 (SAND--79-0126C)
CHUANG, M.C., Three-dimensional thermal-hydraulic analysis of wire-wrapped rods in liquid-metal fast breeder reactor core assemblies, 4381
CHUIKOV, M.I., See ANTONOVA, V.N., 1218
CHULOS, L.E., Opertional experience with a modified liquid metal oxygen meter, 1839 (HEDL-TME--78-28)
See ANANTATMULA, R.P., 1436
See BREHM, W.F., 1521
CHUN, M.H., Dynamics of solidification of flowing fluids with applications to LMFBR post-accident fuel relocation, 483 (CONF-761001--P4, pp 1808-1818)
Investigation of molten-fuel relocation dynamics with simulant fluids, 4746
CHUNG, D.K., See SPECHT, E.R., 3668, 4661
CHUNG, H., GE/CRBRP/IHTS mixing tee model perforated plate vibration test (in support of GE/CRBRP:DRS 51.32). Final report, 202 (ANL-CT--78-6)
Vibration studies of perforated plates on CRBRP mixing-tee model, 3598
Vibration studies of perforated plates on CRBRP mixing tee model, 678 (CONF-780622--15)
CHUNG, M.K., Experimental investigation on air-distribution in water flowing through a 61-rod bundle with helical spacers, 3690
CHURCHILL, J.R., See WETT, J.F., 1093, 1124, 1126
CHUS, C.L., See MAGEE, P.M., 2332
CHUSHKIN, V.N., See RINEJSKII, A.A., 1213
CICOGANI, G., Fuel failure studies and experiences in Italy, 2023 (IWGFR--5, pp 59-64)
CICOGNANI, G., See CASTELLI, G., 4056
CISSEL, D.W., See SMITH, R.N., 595
See SMITH, R.R., 673
See STAKER, R.G., 5267
CLAPP, N.E., Data management system for the Thermal-Hydraulic Out-of-Reactor Safety Facility computer-controlled data acquisition system configuration for bundle 3C operation, 2676 (ORNL/TM--6745)
See GNADT, P.A., 814
See HANUS, N., 2661
See MORRIS, R.H., 2679
See RIBANDO, R.J., 2664, 2677
See WANTLAND, J.L., 2641, 4793, 611
CLARE, A.J., Interpretation of local boiling behaviour in the KNS blockage experiments, 2010 (INKA-Conf--79-082-001)
Local blockage studies in a heated multipin water experiment with fast reactor geometry, 365 (CEGB-RD/B/N--3810)
See GREEF, C.P., 406
CLARK, A.F., See LONGUA, K.J., 73
CLARK, D.L., See BAUCUM, W.E., 2627
CLARK, E.J., See GREENE, D.A., 1283
CLARK, H.E., See DOMAN, D.R., 1571, 4023
CLARK, W.E., Stability of iodic acid under Iodox interim storage conditions, 2648 (ORNL/TM--6287)
CLARKE, R.H., See HARTE, G.A., 4879
CLASS, G., Bracing system for the fuel elements of a reactor core, 3299
CLAUDSON, T.T., FFTF fuel story, 1662 (HEDL-SA--1959)
Overview of U.S. fast reactor irradiation test vehicles, 1554 (HEDL-SA--1530)
See ROAKE, W.E., 1754, 1768
CLAY, H.W., Reliability analysis applied to the SRM earthquake shutdown system (ESS), 258 (ANL/EBR--103)
CLAYTON, E.D., See BIERMAN, S.R., 3141
CLAYTOR, T.N., Measurement of the sound produced during steam injections into sodium, 201 (ANL-CT--78-5)
Measurement of the sound produced during steam injections into sodium, 4012
CLELLAND, D.A., See BREMSETH, M.D., 4685, 609
CLERICI, G., Interactions with small and large sodium to UO_2 mass ratios, 2730 (PNC-N--251-76-12(Vol.2), pp 507-543)
CLEVELAND, J.C., See SPIEWAK, I., 2636
CLEVER, R.M., See GLUECKLER, E.L., 5029
CLIFFORD, C.E., TSF measurements of neutron transmission through an AI-LMFBR lower axial shield mockup. 189a No. 10028, Activity No. HN 04 01 01 1, 2477 (ORNL--5178)
See MCGREGOR, B.J., 2623
CLIKEMAN, F.M., Fast Breeder Blanket Facility. Quarterly progress report, January 1, 1978--March 31,

1978, 936 (CCO--2826-8)
Fast Breeder Blanket Facility. Quarterly progress report, April 1, 1978--June 30, 1978, 937 (CCO--2826-9)
See CTT, K.D., 666
CLINARD, J.A., CREEP-PLAST II user's manual, 2626 (ORNL/TM--5868)
Elevated-temperature deformation and failure test of a type 304 stainless steel capped cylindrical shell: specimen CC-2, 2685 (ORNL/TM--6998)
CLOSS, K.D., Influence of cold work on the in-pile stress rupture strength of 16 chromium--16 nickel--niobium austenitic stainless steels, 4554
See ECEHM, H., 4950
COATS, R.L., See WRIGHT, R.W., 2724
COCCIO, C.L., Analysis of ERDA's national energy plan, 4871
COCHET, J.C., Erosion by cavitation in the diffuser of a mechanical pump, 2024 (IWGFR--9, pp 87-89)
COCOROS, A.E., Re-evaluating your nuclear program needs: how to benefit from your vendor's Q.A. program, 836 (CONF-790905--1)
CODDINGTON, P., Calculations of the possible consequences of molten fuel sodium interactions in subassembly and whole core geometries, 2731 (PNC-N--251-76-12(Vol.2), pp 877-890)
PINEX-AR, a fuel dynamics code applied to PINEX-2 prediction and reactor analysis, 2244 (LA--7938-C, pp 67-84)
COFFIELD, R.D., Effect of fuel design and material on LMFBR terminated transient overpower performance, 3227
COFFIELD, R.D. JR., Generic transient limit curves for LMFBR core design guidance, 3961
See TSANG, Y.S., 3917
COFFIELD R.D. JR., Buoyancy induced flow and heat redistribution during LMFBR core decay heat removal, 845 (CONF-800226--1)
COHEN, P., Apparatus and method for thermal power generation, 3705
COHEN, PAUL, Method of detecting a fuel element failure, 5217
COHN, C.E., See BHATTACHARYYA, S.K., 3976
COKMEZ, S., See NASER, J.A., 3590
COLBURN, R.P., Characterization of corrosion product deposits in sodium systems, 1523 (HEDL-SA--1452)
Characteriztion of corrosion product deposits in sodium systems, 2126 (IWGFR--23, pp 157-164)
Method for removing fission products from a nuclear reactor coolant, 3751
Radioactive corrosion product release potential in sodium-cooled reactors, 1659 (HEDL-SA--1948)
Sodium concrete reactions, 1607 (HEDL-SA--1716-FP)
See BREHM, W.F., 1521
See HILL, E.F., 2128
See LEHTO, W.K., 824
COLE, C.V., See ATCHESON, D.B., 3986
COLEMAN, D.W., Testing of FFTF fuel handling equipment, 1484 (HEDL-SA--1333)
Testing of FFTF fuel handling equipment, 4857
COLEMAN, K.A., See BROWN, R.K., 1574
COLLETT, R., See ASHER, R.C., 2716
COLLINS, C.W., See GNADT, P.A., 814
COLLINS, G.B., Commissioning of Prototype Fast-Reactor controls, 4156
COLLINS, P.J., Comparison between physics parameters in conventional and heterogeneous LMFBRs using results from ZPPR, 672 (CONF-780401--20)
Control rod interactions in ZPPR-7G, a heterogeneous LMFBR benchmark assembly, 3677
Experimental studies of 350 Mw(e) heterogeneous LMFBR cores at ZPPR, 3043 (ZPR-TM--348)
See BECK, C.L., 398
See LINEBERRY, M.J., 3044, 3136
COLLINSON, A.E., Cavitation work conducted at Risley engineering and materials laboratories, 2035 (IWGFR--9, pp 92-94)
Fast reactor flow induced vibration with particular reference to PFR and conceptual CDFR design, 2101 (IWGFR--21, pp 7-26)
Onset of cavitation in pressure dropping devices in water and sodium, 2044 (IWGFR--9, pp 33-41)
Vibration tests on single heat exchanger tubes in air and static water, 2313 (ND-R--199(R))
See BETTS, C., 3704, 4446, 5309
COLOMBE, C., Metallurgical aspects of the weldability of Cr-Mo stabilized ferritic steels, 348 (CEA-CONF--3987)
COLOME, J., Device of extinguishing a liquid fuel by remoteness, 5192
Extinguishing system by isolation of the liquid fuel, 5354
System extinguishing a fire by insulating a liquid fuel, 5356
See DUVERGER DE CUY, G., 4603
See FRUCHARD, Y., 496
COLWELL, W.S., See EOBIS, J.P., 236
See KASZA, K.E., 199
COMBETTE, P., French irradiation test experience for carbide fuels, 4834
CONDIFF, D.W., See EPSTEIN, M., 4779
CONNELL, J.W., See COTA, L., 1517
CONNORS, P.A., See GALLUZZO, N.G., 4697
CONRAD, P.W., Network model of free convection within internally heated porous media, 2823 (SAND--77-1052C)
Network model of free convection within internally heated porous media, 2849 (SAND--78-0216C)
See WILLIAMS, D.C., 2887
CONRADI, L.L., See FIPER, H.B., 3889, 633, 991
CONTE, F., Intermediate heat exchanger leak on Phenix plant and their repair, 4107
One year of Phenix operation, 5303 (ENWL-tr--317)
Past and present role of fast breeder reactors in France: experience gained with Rapsodie and Phenix, 4053
Phenix intermediary heat exchanger intervention, 4611
See MEGY, J.M., 5278
CONVERSANO, R., See BRUNA, G., 3152
COOK, C., See STEIN, R.P., 4674
COOK, C.J., See SOWA, E.S., 825
COOK, J.H., See FLINN, J.E., 48
COOK, J.P., See MOODY, E., 3959
COOK, K.V., Ultrasonic inspection methods for small-bore applications, 3689
COOK, M., See MARRUJO, F., 637, 653
COOK, M.E., See CHO, S.M., 3380, 985
See SALANT, R.F., 2910
COOPER, F., Role of Rayleigh--Taylor instabilities in fuel-coolant interactions, 3376
COOPER, F.M., Heat transfer and pressure generation due to a temperature discontinuity at a liquid--liquid interface, 488 (CONF-761001--P4, pp 1870-1878)
COOPER, M., See LANCET, R.T., 4135
COOPER, M.H., Absorbing seals for nuclear reactors, 5245
Adsorption seal for nuclear reactors, 3835
Breeder reactor grid-type subassembly design and evaluation. Quarterly progress report for the period ending March 31, 1978, 3001 (WARD-QX--3045-40)
Magnetic nuclear core restraint and control, 3235
Magnetic nuclear core restraint and control, 3358
See BOLTAX, A., 2995, 2996, 2997
COOPS, W.J., Cleaning, disassembly, and requalification of the FFTF in vessel handling machine, 1500 (HEDL-SA--1367)
See MARSHALL, J.L., 3924
COORS, D., Special features of the thermohydraulic design of control/scram and secondary shutdown elements of the SNR 300, 3696
COPELAND, J.F., Fatigue crack growth properties of type-316 plate and 16-8-2 stainless steel welds in air and high carbon liquid sodium, 1258 (GEFR--00303)
Fracture toughness of LMFBR steam generator materials, 2506 (ORNL--5255, pp 411-423)
Fracture toughness of LMFBR steam generator materials, 2554 (ORNL--5349, pp 264-268)
Mechanical properties of carburized stainless steel in sodium, 2505 (ORNL--5255, pp 393-410)
Toughness of 2 1/4Cr-1Mo steel for LMFBR steam generator applications, 4159
See OFFER, H.P., 2327
See YUEN, J.L., 3122, 3338
COPELAND, R.L., See CAFFEY, L.W., 5269
COQUERELLE, M., Fission gas release and microscopic swelling in highly rated advanced fuels, 3049
CORDWELL, J.E., Tertiary creep of solution treated AISI 316 stainless steel in air and in sodium at 550°C, 370 (CEGB/RD/B/N--4241)
See CHARNOCK, W., 365
CORIOU, H., See CAPPELAERE, M., 4306, 4321
CORNET, G., Experimental evidence of the effect of peripheral obstructions on the temperature from factor of a spiral wire bundle, 3903
Two-dimensional heat conduction calculations on the pin cladding and coolant of a wire wrap bundle, 5075
CORRADINI, M., Effects of sodium entrainment and heat transfer with UO_2 vapor during an HCDA, 4006
CORRADINI, M.L., Heat transfer and fluid flow aspects of fuel--coolant interactions, 926 (COO--2781-12TR)
Phenomenological modeling of SRI condensible vapor source experiments, 3201
See EISENHAWER, S.W., 2877
CORRIGAN, D.C., Irradiation test program for FFTF, 1533 (HEDL-SA--1485)
Irradiation test program for FFTF, 3679
See BLISS, R.J., 3316
CORUM, J.M., Evaluation of inelastic analysis methods, 5126
High-temperature design, 2497 (ORNL--5255, pp 205-222)
High-Temperature Structural Design Program. Semiannual progress report for period ending December 31, 1976, 2507 (ORNL--5281)
High-temperature structural design program semiannual progress report for period ending June 30, 1978, 2569 (ORNL--5433)
High-temperature structural design program semiannual progress report for period ending December 31, 1978, 2581 (ORNL--5540)
Materials data requirements for the high-temperature structural design of 2 1/4Cr-1 Mo steel components, 4157
Materials data requirements for the high-temperature structural design of 2 1/4 Cr-1 Mo steel components, 526 (CONF-770545--3)
Overview of US efforts to validate analysis methods and design criteria, 760 (CONF-790363--1)
Thermal ratchetting tests of Type 304 stainless steel pipe: specimens TTT-1 and TTT-2, 2562 (ORNL--5386)
See SARTORY, W.K., 2568
CORWIN, W.R., See BOOKER, M.K., 2525
CORY, J.E. JR., See WU, J.N.C., 4304
CORY, J.F. JR., See WU, J.N.C., 2909
COSIMI, M., See BOUGET, Y.H., 3138
COSIMI, R.A., See LUMPKIN, A.H., 2283
COSOLI, G., See CALZA-BINI, A., 4827
COSTA, J., Contribution to the study of sodium boiling during slow pump coastdown in LMFBR subassemblies, 4980
Sodium boiling experiments in a 19 pin bundle: two phase coolant dynamics, 516 (CONF-761001--P4, pp 1523-1531)
See KOTTOWSKI, H.M., 514
COSTA, L., See BESLU, P., 4889, 4893
COTA, L., Liquid metal level measurement systems for reactor service, 1517 (HEDL-SA--1442)
COTHRAN, H., See MARRUJO, F., 637, 653
COUGHLAN, J.B., See PHIPPS, R.D., 4869
COULON, P., See BERLIN, C., 4196
See CALUZON, P.P., 386
See RAVIER, J., 3524

COURBIERE, F., See BISCI, R., 2042
COURCON, P., See RAVIER, J., 3524
COURTNEY, J.C., See PRICE, C.C., 4703
COVARELLI, M., See CECCHI, P., 4824
COWAN, C.L., See BEAMAN, S.L., 304
See LU, Y.S., 663
COWIE, A., See AHMED, H., 261, 262, 263
COX, C.M., US experience in irradiation testing of advanced oxide fuels, 4828
See SIMMONS, J.M., 4818
COX, D.L., Theoretical prediction of the thermal conductivity of uranium carbide vapor, 4431
COX, J., See BARRATT, R.C., 4098
See JAROSS, R., 654
COZAR, R., Notch ductility of Alloy 800 for the steam generators of breeder reactors, 4355
Notch ductility of Alloy 800 for liquid metal fast breeder reactor steam generator, 4410
Steel 26 CNTDV 25-15 for nuclear bolts. Development of a treatment eliminating structural retraction in service at high temperature, 3255
CRAGI, C.N., See HORST, K.M., 1362
CRAIG, C.N., See HORST, K.M., 1350, 1366, 1369, 1384
See IMHOFF, D.H., 1242, 1347
CRAIG, D.K., See ALLEN, M.D., 3702, 4545
CRAIG, E.R., Annular linear induction pump with an externally supported duct, 3081
CRAIG, R.E., See HAINES, N.L., 852
CRAMER, S.N., SFCR: a Monte Carlo reactor kinetics code, 2686 (ORNL/TM--7086)
CRAVERO, M., Example of regulating process for an advanced reactor: Creys-Malville, 1985 (INIS-mf--4623)
See MECY, J.M., 4136
CREEK, G.E., See PARKER, G.W., 683
CRELLIN, G.L., Reliability of liquid metal breeder reactor cooling systems, 1417 (GEFR-SP--177)
CRETTE, See CASINI, 5285
CRICK, S.C., See LEE, B.W., 1238
See LU, Y.S., 1323, 1408, 3157
See STEWART, S.L., 403
CRIPPEN, M., Selection of process parameters for sodium removal via the water vapor nitrogen process, 1772 (HEDL-TME--77-62)
CRIPPEN, M.D., Removal of sodium from the IVHM orientation plug, 1773 (HEDL-TME--77-63)
Water vapor nitrogen process for removing sodium from LMFBR components, 1518 (HEDL-SA--1444)
CROISSANT NOYES, R., See GIUGGIO, N., 3529
CROLET, J.L., See MATHERN, G., 4400, 4412
CRONENBERG, A., See SASA, P., 3597
CRONENBERG, A.W., Review of fragmentation models relative to molten UO_2 breakup when quenched in sodium coolant, 2732 (PNC-N--251-76-12(Vol.2), pp 623-650)
Vapor explosion phenomena with respect to nuclear reactor safety assessment, 2394 (NUREG/CR--0245)
See COX, D.L., 4431
See EL-GENK, M., 3717
See EL-GENK, M.S., 736
See KULIASHA, M.A., 4432
See REIL, K.O., 2825, 4800
See TILLS, J.L., 4622
See WELCH, T.D., 3489
CROSSLAND, B., Explosive plugging of nuclear heat exchangers, 1992 (INIS-mf--4760, pp 59-98)
CROSSLAND, I.G., See JONES, R.B., 4957
CROWE, D.S., See SMITH, D.C.G., 4058
CROWE, R.D., See WRIGHT, S.A., 407
CRUCITTI, N., Determination of the bending loadings resulting from the superheated steam flow path variation in an expansion pipe-bend for sodium-water heat exchangers, 4514
CRUMP, R.J., See WOOD, P.J., 677
CUDDIHY, R.G., Radiation risks from plutonium recycle, 4267
CULLER, F.L., Alternate perspective on long-range energy options, 862 (CONF-7706130--, pp 23p, Session 1, Paper 3)
CUMMINGS, W.V., See HOLLENBERG, G.W., 4316
CUMO, M., Direct and indirect heating effect in the DNB tests for sodium heated steam generators for LMFBR's, 5299
See CAMPOLUNGHI, F., 5001
CUNNINGHAM, G.W., See VONDY, D.R., 2476, 2479
CUNNINGHAM, R.A. JR., See COOK, K.V., 3689
CURIONI, S., Experimental stress analysis in fast nuclear reactor safety., 4221
See CESARI, F., 5111
CURRAN, R.N., See KEHLER, P., 190
See PRICE, C.C., 62
CURTIS, R.T., See BASDEKAS, D.L., 2365, 2694
CUTFORTH, D.C., See KOENIG, J.F., 4726
CUTTING, J., See AMEND, W.E., 5301
CYBULSKIS, P., Effect of engineered safety features on the risk of hypothetical LMFBR accidents, 3888
See BAUER, A.A., 4831
CZECHOSKI, J., See GREENE, D.A., 1283

D

D'ANGELO, A., See BRUNA, G., 3152
D'AVIGNON, H., See FUGE, R., 4578
D'AVINGON, H., See FUGE, R., 4575
D'SOUZA, F., See AHMED, H., 264
DAEUNERT, U., Present state of development of the fast breeder project in the Federal Republic of Germany, Belgium and the Netherlands, and progress achieved during 1975 and early 1976, 2081 (IWGFR--12, pp 26-32)
Present state of development of the fast breeder project in the Federal Republic of Germany, Belgium and the Netherlands, and progress achieved during 1976 and early 1977, 2087 (IWGFR--18, pp 50-58)
DAHL, R.E., Remote fabrication of pellet fuels for United States breeder reactors, 1610 (HEDL-SA--1727-FP)
DAHLGREN, D.A., See SALLACH, R.A., 98
See SMAARDYK, J.E., 2821, 4763
DAIGO, Y., See KIKUCHI, Y., 4309, 4312, 520
DAIKU, M., Refueling facilities, 3402
DAILEY, J.M., See ADAIR, H.L., 604
DALCHER, A.W., See CHU, C.L., 5074
See CORUM, J.M., 4157, 526
DALE, J.G., See HOWARD, R.S., 3474
DALEY, J.C., See BERRY, G.F., 5028
DALY, T.A., See ABRAMSON, P.B., 4785
See SHOBER, R.A., 142
DAMEROW, W.P., See MCELROY, J.L., 980
DANEL, F., Detection and evaluation of the development of cavitation by direct listening of the ultrasonic field with the help of an heteridyne frequency shifting syster, 2035 (IWGFR--9, pp 107)
DARLIN, E.S., See BELL, W.L., 5277
DARROUZET, M., See BOUCHARD, J., 1195
DAS GUPTA, S., Experimental high temperature coefficients of compressibility and expansivity of liquid sodium and other related properties, 938 (COO--3027-27)
DAUGHTRY, J.V., See BENNETT, R.A., 1612
DAUGHTRY, J.W., Delayed neutron parameters for the FFTF, 1515 (HEDL-SA--1440)
Delayed-neutron parameters for the FFTF, 3683
FFTF reactor characterization program, 1488 (HEDL-SA--1351)
See OMBRELLARO, P.A., 1503
DAVIDSON, I., Analysis of dynamically loaded non-linear structures, 3821
Analysis of dynamically loaded non-linear structures, 5045
DAVIDSON, J.R., See LUMPKIN, A.H., 2283
DAVIES, D., See ABBEY, M.J., 2722
See ASHER, R.C., 2716
DAVIES, N.W., See SHERIFF, N., 4169
DAVIES, S.M., Checklist for comparing LMFBR steam cycles, 3212
Pool-type LMFBR plant, 1000 MWe Phase A design. Executive summary, 1070 (EPRI-NP--646-SY)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 1-6. Interim report, 1087 (EPRI-NP--882(Vol.2A))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 7-11. Interim report, 1088 (EPRI-NP--882(Vol.2B))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part III: reactor assembly - deck. Part IV: reactor assembly - fabrication, 1089 (EPRI-NP--882(Vol.3))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part V. Heat transport system components. Interim report, 1090 (EPRI-NP--882(Vol.4))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VI: reactor auxiliary systems. Part VII: instrumentation and control, 1091 (EPRI-NP--882(Vol.5))
Prototype large breeder reactor. Phase II. Extension studies. Part 2. Reactor assembly, 1248 (GEFR--00260)
See CAGE, J.F., 4190
See GOLAN, S., 1106
See HORST, K.M., 4116
DAVIS, A.I., See KELLOGG, L.S., 1496, 1756, 2372
DAVIS, C.R., Fuel handling and storage system for large commercial LMFBRs, 4712
Fuel handling and storage system for large commercial LMFBRs, 4870
Optimized spent fuel storage and shipping systems, 1288 (GEFR--00394)
Spent fuel shipping system for large commercial LMFBRs, 4811
Spent-fuel shipping system for large commercial LMFBRs, 4877
DAVIS, E.V., See FOSTER, B.E., 2572
DAVIS, K.A., Sodium aerosol and hydrogen generation tests, 1174 (ETEC--78-16)
Sodium ionization detector response to extraneous materials, 1175 (ETEC--78-18)
DAVIS, T.J., See DUDDER, G.B., 2746
DAVIS, W. JR., Carbon-14 production in nuclear reactors, 3319
DAVIS, W.J., See ARAKALI, V., 3028, 3030
See YARBROUGH, M., 3029
DAVYDOV, E.F., Experimental study of fast reactor fuel pin performance, 2026 (IWGFR--5, pp 152-157)
See GOLOVNIN, I.S., 4385
See MEN'SHIKOVA, T.S., 2007
See TSYKANOV, V.A., 2008, 2341, 4549, 4880
DAWSON, B.E., Preliminary design: duplex tube low-pressure saturated steam generator for large LMFBR plant. Final report, 1129 (EPRI-NP--1219)
DAWSON, C.W., See GREGORY, C.V., 3080
DAY, C.K., Eddy current position indicating apparatus for measuring displacements of core components of a liquid metal nuclear reactor, 4375
FFTF core and primary sodium circuit instrumentation, 1450 (HEDL-SA--1082)
On-line ultrasonic gas entrainment monitor, 3731
Ultrasonic inspection development at HEDL, 997 (CSNI-R--14, pp Paper 10)
DAY, R.A., Baseline inspection of three transition joint life test articles, 1307 (GEFR--00414)
Method of assessing the impact of metallurgical noise and its reduction in ultrasonic testing of austenitic welds, 1413 (GEFR-SP--164)
DAYAN, A., See GLUEKLER, E.L., 4499, 500, 96
See HUANG, T.C., 1310
DE BOER, G., See KOHLER, M., 4119
DE BOER, G.A., Inspection requirements and concepts for LMFBR heat exchangers and pump. A manufacturers view, 2054 (IWGFR--10, pp 43-50)
DE BURBURE, S., Resistance welding of pressurized capsules for in-pile creep experiments, 3412
DE CUY, G.D., See FRUCHARD, Y., 496
DE GEE, A.W.J., See VAN WESTENBRUGGE, J.K., 4185

DE HAAS VAN DORSSER, A.H., SNR coolant system components, 5280
DE HEESEN, E., See LORENZ, H., 2080
DE HES, M., See LIEVENSE, K., 4121
DE JONG, C., See VAN DE VATE, J.F., 493
DE KERCULAS, F., See GELPI, A., 4984
DE LA TORRE, M., Description of the sodium loop ML-3, 3357
DE LAPPARENT, D., Molten fuel relocation and connected problems: the GELCO code, comparison with experimental results, application to reactor, 2261 (LA--7938-C, pp 301-307)
See JOLY, F., 5423
DE LAS RIVAS, M., See SOLANO, R.R., 2158, 2160
DE LEEUW, S., See DE LEEUW-GIERTS, G., 1188
DE LEEUW-GIERTS, G., Neutron spectrometry data in LMFBR benchmark and standard neutron fields, 1188 (EUR--5667(Pt.1), pp 99-118)
DE LORENZO, J.T., Concepts of remote signal transmission for liquid-metal fast breeder reactors, 610 (CONF-771109--52)
DE LUCA, B., Cleaning of small components of complex geometry by means of the sodium--alcohol reaction, 2123 (IWGFR--23, pp 139-145)
Sodium components cleaning status in the Italian fast reactor program, 2124 (IWGFR--23, pp 145-151)
DE MAEIJER, J.R., See VAN WESTENERUGGE, J.K., 4152
DE MIGUEL, D., See DE LA TORRE, M., 3357
DE MONTARDY, A., See GINIER, R., 4223
DE NUCHEZE, L., See DUCHATELLE, L., 5298
DE PAZ, J.F., Core restraint performance of large heterogeneous reference cores, 178 (ANL-AFP--37)
Engineering analysis of mixed carbide fuels for large breeder reactors, 182 (ANL-AFP--46)
See MADELL, J.T., 4849
DE ROUVRAY, A.L., See LE GUERN, M., 5112
DE SAUSSURE, G., See MARABLE, J.H., 834
DE VITA, V., ALIP/Flowmeter calibration, 1177 (ETEC-TDR--78-13)
DE VOLPI, A., Fuel and cladding motion surveillance, 416 (CONF-761001--P4, pp 846-855)
See DICKERMAN, C.E., 4978
DE VRIES, J.E., Recent results of a local blockage experiment in a sodium cooled electrically heated bundle, 519 (CONF-761001--P4, pp 1560-1567)
DE VRIES, M.I., Effects of neutron irradiation and fatigue on ductility of stainless steel DIN 1.4948, 1053 (ECN--50)
Effects of neutron irradiation and fatigue on ductility of stainless steel DIN-1-4948, 4242
Tensile properties of irradiated and fatigue exposed stainless steel DIN X 6 CrNi 1811 (similar to AISI type 304) plate and welded joints, 1057 (ECN--73)
See VAN DER SCHAAF, B., 1056, 1058, 4946
DE WOUTERS, R., See BUCKEL, G., 4719
See MORELLI, J.M., 4137
See PILATE, S., 3490
DEAN, E.M., Response of EBR-II to reactivity insertion, 46 (ANL--75-41)
See FRYER, R.M., 50
See GILLETTE, J.L., 259
See LAPSON, H.A., 74
See SACKETT, J.I., 728, 822
See SINGER, R.M., 823, 850
See STACKETT, J.I., 3659
DEANE, N.A., Clinch River reload core design study. Volume I. Trade-off study and design recommendations, 1260 (GEFR--00320(Vol.1))
Clinch River reload core design study. Volume II: recommended core design evaluation, 1261 (GEFR--00320(vol.2))
See PFLASTERER, G.R., 1295, 1296, 1297
See TALWAR, B., 3569
DEARING, J.F., Calculated vs experimental temperature distribution behind a six-channel central blockage, 4792
Comparison of computational results of the SABRE LMFBR pin bundle blockage code with data from well-instrumented out-of-pile test bundles (THORS bundles 3A and 5A), 2681 (ORNL/TM--6862)
Comparison of COBRA III-C and SABRE-1 (wire-wrap version) computational results with steady-state data from a 19-pin internally guard heated sodium-cooled bundle with a six-channel central blockage (THORS Bundle 3C), 821 (CONF-790816--39)
Evaluation of COBRA III-C and SABRE-I (wire wrap version) computational results by comparison with steady-state data from a 19-pin internally guard heated sodium cooled bundle with a six-channel central blockage (THORS bundle 3C), 813 (CONF-790816--22)
See WANTLAND, J.L., 819
DEBAUCHE, M., Tank for storage of spent fuel elements under sodium: special design features and solutions proposed, 4071
DEBBAS, E.B., See FRESKAKIS, G.N., 772
DEBEAR, W.E., Operating experience and sodium-water reaction testing in the large leak test rig, 3749
Operating experience and sodium-water reaction testing in the Large Leak Test Rig, 4371
See NEELY, H.H., 3571, 4651
See WHIPPLE, J.C., 643, 704
DEBRIEZ, S., See COLOMBE, G., 348
DECKER, G.L., Impact of the new energy technologies, 4534
DECKERS, H., Experiments on fuel-coolant interaction under transient conditions, 4220
See BOJARSKY, E., 492
DECLUE, J.F., Probabilistic identification of failed core assemblies from gas tag releases, 4636
See FIGG, J.A., 1803, 4660
DECUYPER, See ACKET, 358
DECUYPER, J., Control system adopted for Super-Phenix. Reasons for choice and evaluation of performance, 4233
DEEN, J.R., See CHANG, Y.I., 66
DEFAUCHY, J., Device for thermal shielding of a reactor vessel, 3801 (ANL-Trans--1121)
DEFREMONT, R., See ROYL, P., 3913
DEFUR, D.D., IHX design for pool type LMFBR system application, 3148
See SOWERS, M.G., 373
See SPRING, A.H., 3149
DEGELING, M., See MATHIEU, PH., 4172
DEGUTIS, G., See CHU, S.M., 2920
DEHON, C., See DEBAUCHE, M., 4071
DEINEGA, A.L., See GRACHEV, E.A., 2348, 5444
DEITRICH, L.W., Summary and evaluation of fuel dynamics transient-overpower experiments: status 1974, 58 (ANL--77-44)
Test E2 on high-energy transient meltdown of irradiated UO_2 in a TREAT Mark-II loop, 79 (ANL--77-94)
See DIMELFI, R.J., 3242, 3603
See FERGUSON, D.R., 729
See GRUBER, E.E., 4803
See KRAMER, J.M., 80
See OSTENSEN, R.W., 4269
See ROSE, D., 437
DEJOU, A., Nuclear power generation plan in France, 5266
DELAMOTTE, M., See ALLAIN, A., 5347
See ALLAIN, G., 5348
DELAPLACE, J., See LEVY, V., 352, 4969
DELAPPARENT, D., See ROYL, P., 3913
DELAVAL, M., See BENUZZI, A., 5039
DELBRASSINE, A., Chemical interaction at the FBR cladding fuel interfaces, 1908 (INIS-mf--4426, pp VIII.1-15)
See HUET, J.J., 4951
DELCROIX, J., Pipes in steel or special materials for nuclear boilers, 3505
DELENE, J.G., See OLSEN, A.R., 2662
DELISLE, J.P., Replacement of the Rapsodie control plug: experience with an important operation, 4088
See ABRAMSON, R., 4264
DELMAS, J., See CAMUS, H., 4814
DELMORE, J.E., See MAECK, W.J., 2369
DELPEYROUX, P., Advanced mixed oxide fuel element for fast reactors, 4829
Super-Phenix 1 fuel element optimization = first check of overall behaviour, 4108
See RAVIER, J., 3524
DELVIN, W.L., See STROMATT, R.W., 1792
DEM'YANOVICH, M.A., See KIKOIN, I.K., 1881, 2344
DEMIN, A.A., See KOZLOV, F.A., 715
See YURCHENKO, D.S., 4060
DEMORE, L.A., Plant control system design for the Clinch River Breeder Reactor Plant, 598 (CONF-770939--2)
DEMSKI, A., See CASAL, V., 2167, 2185, 4609
DEMUTH, N.S., See KERRISK, J.F., 2275, 3936
See LATIMER, T.W., 2274
DENISE, R.P., LMFBR design transients and regulatory requirements, 3657
See SPEIS, T.P., 420
DENNE, J., See FLAGELLA, P.N., 2503, 2553
DEONIGI, D.E., Economic regimes, 621 (CONF-771155--P2, pp 327-348)
DEPIERRE, Y., See BENTZ, A., 4339
DER MANUEL, G., Design and fabrication considerations for CRBRP ex-vessel storage tank (EVST), 4658
DERBY, S.L., Probabilistic leak analysis for LMFBR primary coolant piping, 1228 (GEFR--00041)
See GOKCEK, O., 1394, 4044
DEREVYANKIN, N.E., See SCHUTSCHKOV, I.I., 3401
DERGACHEV, N.P., Economic aspects of the development of nuclear power and fuel cycle industry in the USSR, 4315
Perspectives of the nuclear power development in the USSR and the strategy of fuel reprocessing, 1875 (IAEA-AG--63-12)
DERSTINE, K.L., See FERGUSON, D.R., 4331
DESAULNIERS, W.E., See ROWE, G.H., 5090
DESCAMPS, J.M., Device of irradiation and measurement of fuel elements for nuclear reactors, 5388
DESPRETS, A., See CALAMAND, D., 4898
DESTEFANO, J., See JAROSS, R., 654
DEUTSCH, O.L., See THOMPSON, W.L., 2288
DEVAN, J.H., See GRIESS, J.C., 2533, 4182
DEVARY, J.L., See LAWRENCE, L.A., 1471, 1531, 1553, 1821, 3572, 4647
DEVAULT, G.P., See BARNES, J.F., 479
DEVER, D.J., See PALM, R.G., 126, 4743
DEVITA, V., Calibration of 10'' PM flowmeter in SCTI: FRC-100E, 2902 (TI--04-LME-123)
DEVLIN, R.W., FFTF and CRBRP intermediate heat exchanger design, testing, and fabrication, 635 (CONF-771217--2)
FFTF and CRBRP intermediate heat exchanger design, testing and fabrication, 656 (CONF-780251--P2, pp 6.107-6.139)
DEVOLPI, A., Fuel displacement diagnostics for a 91-pin subassembly, 3646
See DICKERMAN, C.E., 150
See FINK, C.L., 732
See STANFORD, G.S., 4729
DEVOOGHT, J., See BARDIAUX, M., 1993
DEWART, W.A., LMFBR cover gas seals design guide adderdum and seal technology summary, 1239 (ESG-DOE--13245)
DEWART, W., See SNAIR, G.L., 2901
DHALLA, A.K., Plastic buckling of axially compressed cylinders, 3014 (WARD-SD--3045-5)
Plastic collapse of a piping elbow: convergence of a finite element shell analysis, 3026 (WARD-SD--3045-11)
DHIR, V., Dryout heat fluxes for inductively heated particulate beds, 4529
DHIR, V.K., Dryout heat flux in debris beds containing nonheated constituents and particles of different sizes, 3616
Effect of particle size distribution and non-heated constituents on

debris bed dry-out, 90 (ANL--78-10, pp 62-72)
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
Prediction of dryout heat fluxes in beds of volumetrically heated particles, 501 (CONF-761001--P4, pp 2026-2035)
Role of wall heat transfer and other system variables on fuel compaction and recriticality, 446 (CONF-761001--P3, pp 1172-1182)
Study of dryout heat fluxes in beds of inductively heated particles, 2357 (NUREG--0262)
Thermal-Hydraulic analysis of fuel blockages formed during transient overpower accidents in liquid-metal fast breeder reactors, 3065
See CATTON, I., 2429
See CHERNG, J.C., 4015
See PUROHIT, G.P., 4634
See RHEE, S.J., 2700
See TAGHAVI-TAFRESHI, K., 2445, 3617
See VARELA, D., 3624
See WONG, K.W., 3521, 4748, 480
DI LAURO, G.F., See NOYES, R.C., 341
See VITTI, J.A., 5351
DI LEO, S., See GIORDANO, P., 4072
DI PRIMIO, J.C., See SCHEIBE, W., 4200
DIAMOND, A., See HOPKINS, S.R., 3248
DIAMOND, S., See BLEIBERG, M.L., 5367
See ROWCLIFFE, A.F., 3091
DIAZ, N.J., See SHENOY, S.K., 4705
DICKERMAN, C.E., Status and summary of TREAT in-pile experiments on LMFBR response to hypothetical core disruptive accidents, 4978
Summary and evaluation of transient test data on extended fuel motion resulting from unprotected loss of flow, 56 (ANL--77-40)
Summary of treat experiments on oxide core-disruptive accidents, 150 (ANL--78-13)
See DEITRICH, L.W., 79
See MUELLER, C.J., 3645
See ROSE, D., 3643
See ROTHMAN, A.B., 470
DICKINSON, D.R., Cover gas entrainment tests in FFTF hydraulic core mockup, 1738 (HEDL-TME--76-3)
Liquid velocity measurements in outlet plenum of FFTF hydraulic core mockup, 1739 (HEDL-TME--76-4)
Tests of fluid mixing in inlet and outlet plenums of FFTF hydraulic core mockup, 1740 (HEDL-TME--76-5)
DICKINSON, R., Indirect heat transfer between reactive fluids and detection of leaks inducing a mixture between these fluids, 4289
DICKSON, P.W., See COFFIELD, R.D., 3227
See COFFIELD, R.D. JR., 3961
DICKSON, P.W. JR., Effect of alternative fuel cycles on the Clinch River Breeder Reactor, 3592
Engineering aspects of heterogeneous and homogeneous reactors, 4109
Engineering aspects of heterogeneous and homogeneous reactors, 619 (CONF-771123--1)
DIDOUT, G., See LEVY, V., 352, 4969
DIENES, J., See COOPER, F., 3376
DIENST, W., See KARSTEN, G., 1909
See THUEMMLER, F., 2177, 3857
DIENSTEIER, J., Approach to selected structural mechanics problems of the fast power reactor core, 4568
DIETRICK, D.L., See LEGORE, T., 4809, 4876
DIETZ, D., 360° flow model primary inlet flow distribution test report, 1222 (FWC/FWEC/ND--75-70)
Intermediate flow model test report, 1223 (FWC/FWEC/ND--76/49)
See ABUROMIA, M.M., 4625
DIETZ, W., Research and development programme in the DEBENE-ares for fast breeder materiel development, 4932
State of development of cladding and structural material for SNR core elements, 3656 (KURFNR--1418)
Status of development of cladding and structural materials for the SNR core elements, 2170 (KFK--2416, pp 80-88)
See BIERMANN, W., 4902
DIGGS, B.R., See ROUSSIN, R.W., 2613
DILAURO, G.F., See CASPERSSON, S.A., 4848
DILLMAN, C.W., See MAGEE, P.M., 2332
DIMELFI, R.J., Effects of grain boundary fission gas on transient fuel behavior, 3242
Modeling of the effects of grain-boundary fission gas on transient fuel behavior, 3603
See GRUEER, E.E., 2259
DIPPEL, T., See MENZENHAUER, P., 2115
DIRVEN, P., See DELERASSINE, A., 1908
DISDIER, R., See CAMUS, H., 4814
DISNEY, R.K., Design experience: CRBRP radiation shielding, 746 (CONF-781117--7)
Radiation protection/shield design. A need for a systems approach, 4892
See ENGLE, W.W. JR., 742
DISTEFANO, J.R., Modified 9 Cr-1 Mo steel development program progress report, March 31, 1979, 2589 (ORNL/BRP--79/4)
Status of Incoloy alloy 800 development for breeder reactor steam generators, 2616 (ORNL/Sub--4308/3)
DIVONA, C.J., Fuel subassembly leak test chamber for a nuclear reactor, 3734
DIXMIER, J., See CAPPELAERE, M., 4306, 4321
DIXON, N.E., See DAY, C.K., 997
DMITRIEV, V.D., See POROLLO, S.I., 4407
See SCHERBAK, V.I., 4970
DOBBIN, K.D., See DAUGHTRY, J.W., 1515, 3683
See OMBRELLARO, P.A., 1503
DOCTOR, S.R., See MORRIS, C.J., 2743
DODD, J.A., See LINNING, D.L., 4444
DODD, L.R., See WRIGHT, S.A., 407
DODDS, H.L., See CRAMER, S.N., 2686
DOE, C.E., Computerized preventive-maintenance program for EBR-II reactor-associated mechanical and power-electrical components, 254 (ANL/EBR--071)
DOERBECKER, K., Analysis of mechanical HCDA consequences with ARES for demonstration of primary containment integrity in SNR-300, 5046
DOERNER, R.C., Failure of a high-power pin in a simulated $3/s TOP accident: Test E6 final report, 135 (ANL--78-73)
Final report of fuel dynamics Test E7, 54 (ANL--77-25)
Fluctuation analysis of fast reactor safety experiments in treat, 145 (ANL--78-102)
Statistical model to identify boiling inception in TREAT tests, 4009
See DEITRICH, L.W., 58
See HURT, R., 4756
See MEEK, C.C., 3238
See STANFORD, G.S., 4729
DOHERTY, P.K., See NOYES, R.C., 5350
See VITTI, J.A., 5351
DOI, A., See YAMAMOTO, H., 4682
DOMAN, D.R., Design features and objectives of the fuels and materials examination facility, 4807
Design features and objectives of the Fuels and Materials Examination Facility, 4875
Design of the FMEF and material handling systems, 1571 (HEDL-SA--1576)
Design of the fuels and materials examination facility and materials handling systems, 4623
DOMANUS, H.M., Analysis of a loss-of-piping-integrity transient in an LMFBR fuel assembly, 3183
Computational results for a 7-pin hexagonal fuel assembly during a flow rundown transient using the COMMIX-1A computer code, 2471 (NUREG/CR--1285)
Numerical results obtained from the three dimensional transient single phase version of the COMMIX computer code, 200 (ANL-CT--78-3)
Numerical results for a hexagonal fuel assembly with a planar blockage using the COMMIX-1A computer code, 2415 (NUREG/CR--0483)
Pretest prediction of the W-1 SLSF experiment using the COMMIX-1A computer code, 2443 (NUREG/CR--0816)
Three-dimensional numerical simulation of a 19-pin LMFBR fuel assembly in a hexagonal duct, 3581
Three-dimensional numerical simulation of flow blockage in a 19-pin LMFBR fuel assembly, 3953
See CHEN, M.J., 2473
See SHA, W.T., 2435
DOMIS, M.A., Acoustic resonances as a means of blockage detection in sodium-cooled fast reactors, 9 (AEEW-R--1168)
DONALDSON, A.M., Heat rejection for the Clinch River Breeder Reactor Plant, 4918
DONALDSON, D.M., UK fast reactor components. Sodium removal decontamination and requalification, 2003 (INIS-mf--5083)
UK fast reactor components: sodium removal decontamination and requalification, 2121 (IWGFR--23, pp 108-123)
DONATI, D.R., Cross sections, angular distributions, and magnetic substate populations in the $^{23}Na(n,n'\gamma)$ reaction, 4382
DONATI, J.R., See BERGE, P., 4281
See COLOMBE, G., 348
See GELPI, A., 4984
DONCALS, R.A., Use of integral data in the development of design methods for fast reactors, 660 (CONF-780401--, pp 191-206)
See PAIK, N.C., 3215
DONEA, J., Finite element solution of transient fluid-structure problems in Lagrangian coordinates, 465 (CONF-761001--P3, pp 1427-1435)
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 5047
DONNE, M.D., Method of reducing the hazard which may occur as a consequence of a reactor core meltdown, 3565
DONOVAN, T.E., COBRA-IV wire wrap data comparisons, 2751 (PNL--2938)
DOOLITTLE, R.D., Assessment of the performance of a conceptual acoustic surveillance system for anomalous events in LMFBRs, 601 (CONF-771023--13)
See CAREY, W.M., 5009
See CLAYTOR, T.N., 201
DORAN, D.G., See MCELROY, W.N., 1495
DORNER, S., See BARLEON, L., 3797
See DONNE, M.D., 3565
See GOETZMANN, O., 4142
DORNING, J.J., See MAST, P.K., 3629
DORR, B., See DE VRIES, J.D., 519
DORTLAND, W., See HUSSLAGE, W., 4178
DOSHI, J., See DHIR, V.K., 2376
DOSHI, J.B., Space--time dynamics of a fast breeder reactor for localized disturbances, 3846
Space--time dynamics of a fast breeder reactor for localized disturbances, 5257
See DHIR, V.K., 446
DOUGAN, J.R., See OLAND, C.B., 2646
DOUGLAS, R.E., See DAVIS, K.A., 1175
DOWLING, R.J., Experience in the design, construction, and testing of the FFTF heat transport system, 1537 (HEDL-SA--1496)
DRAPER, E.L. JR., Reactor safety, 5271
DREISTERN, Sword of Damocles, or: the fast breeder in Kalkar and the Higher Administrative Court at Muenster, 4353
DRES, K., See WILD, E., 2163
DREXLER, H., See BOJARSKY, E., 491
DREYFUSS, D.J., Examination of alternative nuclear breeding methods, 2759 (R--2267-DOE)
DRISCHLER, J.D., COVERX service module of the FORSS system, 2687 (ORNL/TM--7181)
DRISCOLL, J.W., Training experience at Experimental Breeder Reactor II, 691 (CONF-780963--2)
DRISCOLL, M.J., Comparative breeding potential of ^{232}Th and ^{238}U in LMFBR blankets, 3933
MIT LMFBR blanket physics project progress report No. 7, July 1, 1975--September 30, 1976, 901 (COO--2250-28)

MIT LMFBR blanket research project. Quarterly progress report, April 1, 1977--June 30, 1977, 902 (CCC--2250-29)
MIT LMFBR blanket research project. Quarterly progress report, July 1, 1977--September 30, 1977, 903 (CCC--2250-30)
MIT LMFBR Blanket Research Project. Quarterly progress report, October 1, 1977--December 31, 1977, 904 (CCC--2250-31)
MIT LMFBR Blanket Research Project. Quarterly progress report, January 1, 1978--March 31, 1978, 905 (CCC--2250-32)
MIT LMFBR blanket research project. Quarterly progress report, July 1, 1978--September 30, 1978, 906 (CCC--2250-34)
MIT LMFBR blanket research project. Quarterly progress report, January 1, 1979--March 31, 1979, 907 (CCC--2250-36)
MIT LMFBR blanket research project. Quarterly progress report, April 1--June 30, 1979, 908 (CCC--2250-38)
Safety and breeding: related aspects of fast reactor cores having internal blankets, 401 (CONF-761001--P2, pp 575-583)
Use of thorium in LMFBR blankets, 4710
See SAIDI, M.S., 908
DROHER, J.J., Fuel cladding: wire wrap wear in sodium, 1173 (ETEC--78-15)
DROTNING, W.D., See CHU, T.Y., 2882
DRUTIKOVA, V.V., See SAMSONOV, B.V., 5421
DUBAU, J., Application of James-Stein estimators in the evaluation of the Phenix reactor data bank, 4043
DUBBERLEY, A.E., Fuel pin fission gas plenum location study, 1285 (GEFR--00356)
LMFBR fuel assembly channel wall cross section optimization, 5076
Localized duct wall cyclic thermal stresses in vented assembly LMFBR cores, 1269 (GEFR--00351)
Vented assembly core development program, FY-77, 1255 (GEFR--00291)
Vented assembly core development program, FY-78, 1284 (GEFR--00386)
See WANG, J.C.F., 1403, 3583
DUBOIS, J., See LE GUERN, M., 5055
DUBSEK, F., Reverse steam generator, 4577
See KRIZEK, V., 5184
DUBUISSON, E., See JOLY, F., 5423
DUCAT, G.A., ZPPR assembly 8: a study of thorium blanket zones in a heterogeneous LMFBR, 3935
See COLLINS, P.J., 3043
See DRISCOLL, M.J., 401
DUCHATELLE, L., Heat transfer in helical tube sodium heated steam generators, 5298
DUCHENE, A., See COLOMB, J., 5192, 5354, 5356
DUCKETT, A.J., See BERG, J.D., 1743, 1744, 1746
DUCO, J., See FRLCHARD, Y., 456
DUDDER, G.B., Analysis of various NDT techniques to determine their feasibility for detecting thin layers of ferrite on Type 316 stainless steel, 2746 (PNL--2805)
DUDEY, N.D., Fission-rate measurements by activation techniques: methods, accuracies and applications, 1185 (EUR--5667(Pt.1), pp 455-475)
Nondestructive analysis of irradiated fuels, 1487 (HEDL-SA--1350)
DUDZIAK, D.J., See MILLER, W.F. JR., 2232
DUENNER, P., Design view points and material aspects for SNR absorber, 2012 (INTAT--78-70, pp 84-101)
See BIERMANN, W., 4902
See HOERLE, M., 4365
DUFFEY, R.B., Some basic research needs related to LWR and FBR safety, 3601
DUFOUR, P., See LETEINTURIER, D., 3483
DUFRESNE, J., Fracture toughness of irradiated AISI 304 and 3161 stainless steels, 4244
DUGAN, V.L., See CUDDIHY, R.G., 4267
DUGNOILLE, P., See BARDIAUX, M., 1993
DUKE, J.M., Material consideration for large sodium-heated steam generators, 4644
See BRINKMAN, C.R., 2556
See PATRIARCA, P., 2557
See SESSIONS, C.E., 3167
DULLFORCE, T.A., See REYNOLDS, J.A., 2709
DUMITRESCU, H., See PAVELESCU, M., 4985, 5066
DUMM, K., Courses of accidents in sodium-heated steam generators and their control, using the SNR-300 as an example, 3910
Method for leak-testing of liquid-metal water/steam heat exchangers, 5168
See HANS, R., 4882
See PISCHEL, G., 3456
DUNCAN, D.R., Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading, 1627 (HEDL-SA--1755-FP)
Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading, 3165
Effect of chemistry variations on the short-term rupture life and tensile properties of 20% cold-worked type 316 stainless steel, 4572
Effect of prior irradiation creep on the subsequent burst strength of 20% cold-worked type 316 stainless-steel cladding, 3518
Effects of irradiation creep on ex-reactor mechanical properties, 1525 (HEDL-SA--1455)
Effects of irradiation creep on ex-reactor mechanical properties, 4246
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 1577 (HEDL-SA--1698-FP)
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 3942
Measurement of cladding strain during simulated transient tests, 1613 (HEDL-SA--1732-FP)
See CANNON, N.S., 4245
See FISH, R.L., 1777
DUNCAN, H.C., See BERG, J.D., 1743, 1744, 1746
DUNCAN, L.J., See DEVOLPI, A., 3646
DUNCOMBE, E., Fuel configuration for a nuclear reactor cooled with liquid metal, 3728
Liquid metal cooled fast breeder nuclear reactors, 3130
DUNN, C., Water testing of the inducer pump, 44 (AI-ERDA--13207)
DUNN, F., See KLEIN, G., 838
DUNN, F.E., Fuel pin coolability in low power voiding, 3664
Impact of advanced systems on LMFBR accident analysis code development, 825 (CONF-790902--3)
SAS3D prediction of intrasubassembly boiling incoherence, 3665
See BORDNER, G.L., 4750
See FERGUSON, D.R., 448
See WIDER, H.U., 447
DUNNING, D.E. JR., See MILLER, C.W., 2579
DUNWOODY, W.E., See APPERSON, C.E. JR., 3644
See BARTS, E.W., 2227, 2285
DUNWORTH, R.J., Remote reprocessing of metal fuel for the EBR-II, 3145
DUPEN, C.F.G., Self-actuated shutdown system for a commercial size LMFBR. Final report, 1080 (EPRI-NP--846)
See NOYES, R.C., 4419
DUPOUY, J.M., French program on LMFBR cladding materials development, 4931
Post irradiation mechanical properties of annealed and cold worked 316 stainless steel after irradiation to high fast neutron fluences, 4936
Recent determination of the irradiation creep rate of cold worked 316, 4943
See DELFEYROUX, P., 4108
See RAVIER, J., 3524
DUPREE, S.A., Radiation shield design for LMFBR spent-fuel shipping casks, 2814 (SAND--77-0971C)
See ALLEN, G.C. JR., 2838, 4810
See PHILBIN, J.S., 3431, 4488
DUQUAIRE, B., See GUNZ, G., 4160
DURAN, B.S., Effect of model choice and sample size on statistical tolerance limits, 2267 (LA--8292-MS)
DURAN, F., See DE LA TORRE, M., 3357
DURAND, R.E., Vibration tests of a full scale water model of a Clinch River steam generator module, 2908 (TID--27821)
See SPALARIS, C.N., 1399, 1411, 694
DURHAM, M.E., Optimisation of reactor design for natural circulation decay heat removal in a pool-type LMFBR, 4130
DURST, B.M., See BIERMAN, S.P., 3141
See MINCEY, J.F., 3146, 776
DURSTON, J.G., Liquid metal cooled fast breeder reactor, 3478
Liquid metal cooled fast breeder nuclear reactors, 4422
Liquid metal cooled nuclear reactor, 5190
Nuclear reactors, 4376
DUTINA, D., See RODGERS, D.N., 1231, 4368
See SIMPSON, J.L., 1326
See SPALARIS, C.N., 4150
DUTT, D.S., Probabilistic methods for LMFBR application, 1602 (HEDL-SA--1695-FP)
See LEGGETT, R.D., 1445, 1446
See MELDE, G.F., 1520
See SCOTT, L.D., 1770
See WILSON, D.R., 1851
DUVERGER DE CUY, G., Facility of aerosol filtration, 5387
Filtration of aerosols produced by a sodium fire, 4603
DYER, F., See KENNEDY, E.J., 2621

E

E., See PLESSA, 3908
EAKES, R.G., See ALLEN, G.C. JR., 2838, 4810
EBERSOLE, E.R., See FRANKLIN, F.C., 70
See LAMBERT, J.D.B., 3491, 4733
See MENEGHETTI, D., 833
See SO, B.Y.C., 152, 153, 4737
ECK, J.E., Packed rod neutron shield for fast nuclear reactors, 3457
EDELFELT, I.H., Hydraulic testing program on vented assembly core design, FY-78. Volume 1: vent hydraulics testing, 1324 (GEFR--00426-1)
Hydraulic testing program on vented assembly core design, FY-78. Volume 2: pin vibration testing, 1315 (GEFR--00426-2)
EDELMANN, M., Method and circuit arrangement for the detection of cooling disturbances, 3261
Noise and DC balanced outlet temperature signals for monitoring coolant flow in LMFBR fuel elements, 5011
See JACOBI, S., 4209
EDISON, G.E., Application of reactor scram experience in reliability analysis of shutdown systems, 3920
See GERSTNER, M.T., 632
EDMONDS, D.P., Joining technology development summary, 1898 OH024, 751 (CONF-781219--4)
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309, pp 105-111)
See KLUEH, R.L., 2543
EDWARDS, P.A., See BARTHOLF, L.W., 1671
EFFERDING, L.E., Experimental evaluation of duplex tube heat transfer characteristics simulating steam generator external heating, 4369
Heat transfer with double wall steam generator, 701 (CONF-781001--P1, pp 9.1-9.26)
See WASZINK, R.P., 5412
EFIMENKO, E.M., See GORBATOV, N.E., 1211
EFIMOV, E.F., See GORBATOV, N.E., 1211
EFIMOV, I.A., Protection of the sodium-cooled fast reactor during core melt-down, 4238
EFIMOV, V.N., Computerized subsystem for conducting investigations at the BOR-60 reactor, 2347 (NIIAR-P--27(321))
See AFANAS'EV, V.A., 2220, 2340, 3464, 5165
See GRYAZEV, V.M., 3047
See GRYAZEV, V.M., 3046, 4089, 4091
See KEBADZE, B.V., 4468

EGGLESTON, R.L., See MAECK, W.J., 1885
EGLEME, M., Nuclear accident simulation in a 1/6 scale model of the SNR-300 fast breeder reactor, 4497
Simulation of hypothetical core disruptive accidents in vessel models, 454 (CONF-761001--P3, pp 1314-1323)
EGNELL, L., See KING, R.T., 4155
EHRHARDT, J., Detection of band-limited components in noise signals by surveillance of the auto- and cross power spectral density, 2152 (KFK--2559)
Intercomparison of auto- and cross-power spectral density surveillance systems for sodium boiling detection in fast reactors, 3269
See JACOBI, S., 4205
EHRLICH, K., Electron microscope observations on pore swelling of the steel 1.4970 in the RAPSODIE cluster experiment, 3886
Void formation in stabilized austenitic stainless steel, 4962
See ANDERKO, K., 4888
See DIETZ, W., 4932
EHRLICH, L., See ANDERKO, K., 4935
EHRMAN, C.S., Maintenance of Clinch River Breeder Reactor Nuclear Island Systems, 689 (CONF-780922--2)
EICHELBERGER, R.L., Effect of sodium environment on breeder reactor components, 1508 (HEDL-SA--1420)
Sampling and characterization of sodium-water reaction products, 2295 (LMEC--77-7)
Sodium--water reaction test in LLTR. Series I. Final report, 1170 (ETEC--78-10)
See FUNK, C.W., 1546
See JACOBSON, G., 3494
EICHLER, T.V., See SHIN, Y.W., 242
EIFFLER, E.E., See HULL, F.C., 4806
EIFLER, I.W., Model for predicting temperature fluctuation characteristics beyond the exit of LMFBR subassemblies with faults, 466 (CONF-761001--P4, pp 1587-1595)
EIFLER, W., See NIJSING, R., 3075, 509
EINZIGER, R.E., Performance of EBR-II MARK-II metallic driver fuel up to 675°C, 757 (CONF-790306--5)
See JOHNSON, D.L., 800
See SEIDEL, B.R., 4652
EINZINGER, R.E., Performance of EBR-II MARK-II metallic driver fuel to 10 at.% burnup, 3574
EISENHAWER, S.W., An investigation of forced convection boiling of sodium at low heat fluxes in electrically heated seven pin bundles, 512 (CONF-761001--P4, pp 1477-1487)
SAS3A calculations for forced convection sodium boiling at low power, 2852 (SAND--78-0236C)
Study of forced convection boiling of sodium at low heat fluxes in electrically heated seven-rod bundles, 4815
Study of heat transfer from a flowing liquid to a melting wall, 2877 (SAND--79-0082C)
Survey of existing momentum exchange models in two-phase flows for use in the SIMMER fast reactor safety analysis code, 2390 (NUREG/CR--0167)
EITZ, A.W., See BRANDSETTER, A., 4101
EL-GENK, M., Assessment of fuel freezing and drainage phenomena in a reactor shield plug following a core disruptive accident, 3717
EL-GENK, M.S., Dual change-of-phase in forced flow on a finite wall, with application to SLSF safety analysis, 808 (CONF-790816--12)
Freezing and melting phenomena in finite-media, with application to molten fuel containment for SLSF experiments, 736 (CONF-781105--20)
Molten fuel containment analysis for SLSF experiments, 837 (CONF-791103--25)
EL-SHEIKH, K.A., Applicability of the Reactor Safety Study (WASH-1400) to LMFBR risk assessments, 419 (CONF-761001--P2, pp 728-737)
See FLEISCHER, L.S., 499
See TEMME, M.I., 502
EL-WAKIL, M.M., See SHIH, C., 3203
ELBEL, H., See BOTTONI, M., 4217
See LOPEZ JIMENEZ, J., 3515
See STRUWE, D., 4396
ELBEL, K., See KARSTEN, G., 1909
ELDER, G.G., See TODD, M.A., 2972
ELEN, J.D., See DE VRIES, M.I., 1053, 1057, 4242
See VAN DER SCHAAF, B., 1056, 1058, 4946
ELERATH, J.G., Influence of the main condenser on SHRS reliability, 1426 (GEFR-SP--00183)
Treatment of dependencies in reliability analyses, 3324
ELIAS, E., Impact of Clinch River Breeder Reactor Plant on breeder research and development programs, 3340
ELIE, X., Cavitation problems in sodium valves, 2036 (IWGFR--9, pp 75-78)
See ABRAMSON, R., 4264
ELLEMAN, T.S., See ABRAHAM, P.M., 3741
ELLIOTT, D.N., Structural design verification testing techniques at Westinghouse Advanced Reactors Division, 2977 (WARD-HT--94000-1)
ELLIS, J.R., Behavior of annealed type 316 stainless steel under monotonic and cyclic biaxial loading at room temperature, 5193
ELLISON, E.G., See REICH, M., 3442
ELRICK, R.M., Close-in sampling of aerosols from fission vaporized UC_2 fuel, 2856 (SAND--78-0257C)
Close-in sampling of aerosols from fission-vaporized UO_2 fuel, 3645
Kinetics of fission-vaporized UO_2 fuel determined from sampled fuel debris, 2850 (SAND--79-1708C)
ELSBERGAS, V.J., See POPPER, G.F., 197
EMEL, W.A., See MAECK, W.J., 2369
EMEL'YANOV, I.YA., On the development of nuclear power, 5023
EMMETT, J.C.A., FRODA - a program for the analysis of frequency dynamics experiments, 363 (CEGB-RD/B/N--3414)
EMMETT, M.B., FY 1977 progress report of the Clinch River Breeder Reactor source range flux monitor assessment study for the reference homogeneous core, 2582 (ORNL--5548)
See ENGLE, W.W. JR., 524
EMMONS, J.S., See MECH, S.J., 1486, 1548, 1560
ENDERBY, J.A., Specification of system - independent sequencing calls for modular code schemes, 2311 (ND-R--50(R))
ENDERLEIN, H., See HOERLE, M., 4365
ENG, K.Y., See KRUGER, G.B., 378
ENGEL, F.C., Bouyancy effects on sodium coolant temperature profiles measured in an electrically heated mock-up of a 61-rod breeder reactor blanket assembly, 2928 (TID--28746)
Buoyancy effects on sodium coolant temperature profiles measured in an electrically heated mock-up of a 61-rod breeder reactor blanket assembly, 4049
Laminar, transition, and turbulent parallel flow pressure drop across wire-wrap-spaced rod bundles, 3288
See BISHOP, A.A., 3281, 3764
ENGELSBERGER, M., See PROBST, A., 3925
ENGLE, W.W. JR., Methods for U.S. shielding calculations: applications to FFTF and CRBR designs, 742 (CONF-781117--3)
Summary of the ORNL shield design supporting analysis for the FFTF, 524 (CONF-770401--29)
See EMMETT, M.B., 2582
See WILLIAMS, M.L., 4701
ENGLISH, P.N., See PRICE, C.C., 4703
ENGSTROM, J.W., See LEGORE, T., 4809, 4876
ENTZ, R.D., Load rating and design criteria for pipe snubbers with extension struts, 1586 (HEDL-SA--1640)
EPSTEIN, L.F., Electrochemical oxygen meters: state-of-the-art, March 1977, 193 (ANL-CT--77-33)
EPSTEIN, M., Analytical and experimental studies of transient fuel freezing, 482 (CONF-761001--P4, pp 1788-1798)
FOAM: principal flow regime in a volume-heated boiling pool, 4779
Melting, boiling and freezing: the "transition phase" in fast reactor safety analysis, 498.
See FAUSKE, H.K., 725
See SWEDISH, M.J., 3614
See YIM, A., 4747
ERDMAN, C.A., Bubble behavior in LMFBR core disruptive accidents. Annual report, July 1, 1976--September 30, 1977, 2375 (NUREG/CR--0002)
Bubble behavior in LMFBR core disruptive accidents. Annual report, October 1977--September 1978, 2423 (NUREG/CR--0604)
Bubble behavior in LMFBR core disruptive accidents. Annual report, 1 October 1977-30 September 1978, 2701 (PB--293190)
Post-failure phenomena in LMFBR top accidents. Final report, October 1, 1976--September 30, 1977, 2381 (NUREG/CR--0018)
See GARNER, P.L., 2691
See KENNEDY, M.F., 2364
ERDMAN, C.A. REYNOLDS, A.B., Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2360 (NUREG--0344)
ERDMANN, R.C., See UHRIG, A.J., 414
ERDOES, P., Reactor technology. Atomic structure, 4287
ERDOGAN, F., See REICH, M., 3442
EREMIAS, B., Influence of the chemical composition of austenitic stainless steels on their corrosion behaviour in high-temperature sodium, 3527
Topical problems of corrosion research for nuclear power purposes, 3701
ERICKSON, E.G., See HENRY, R.E., 478
ERIKSON, A.L., See MAECK, W.J., 1062, 1885
ERLER, J., See DUPOUY, J.M., 4936
ERMAKOV, G.V., Nuclear power plants of the Soviet Union, 4307
ERNST, H., Fuel rod for a sodium-cooled reactor, 3287
ERTAUD, A., Construction of Super-Phenix and the european cooperation in the field of breeders, 3502
ESCHBACH, E.A., Some plutonium recycle program fuel cycles having reduced proliferation characteristics, 3367
ESSELMAN, W.H., Role of nuclear power in the next few decades, 4621
ESSIG, C., Influence of fuel-coolant-interactions on loss of flow type core disruptive accidents for the SNR-300, 439 (CONF-76_001--P3, pp 1069-1080)
ESTAVOYER, M., Evolution of French fast neutron reactor core design and performance, 4112
See RAVIER, J., 3524, 3881
ESTIOT, J.C., Analysis of neutron propagation experiments in iron-sodium mixtures with the PROPANE calculational scheme for fast reactors, 1863 (IAEA--207, pp 465-504)
Benchmark problems for the shieldings of a fast neutron reactors, 1865 (IAEA--207, pp 221-241)
Integral data for the prediction of neutron propagation in iron--sodium mixtures, 4899
ESZTERGAR, E.P., See LE GUERN, M., 5112
See REICH, M., 3442
ETHERINGTON, E.W., Calculation of atomic displacement dose in fast reactors, 1187 (EUR--5667(Pt.1), pp 375-413)
EVANS, A.D., Operating experience with the PFR evaporators, 4148
EVANS, A.E., See DEVOLPI, A., 3646
See FINK, C.L., 732
EVANS, A.E. JR., Evaluation of hodoscopes for fuel-motion measurement in multipin bundles, 4025
Evaluation of LMFBR fuel-motion diagnostics instrumentation with PARKA, 2273 (LA-UR--78-2711)
EVANS, J.H., See IRVINE, A.R., 2622
EVANS, R.A., See THOMSON, A., 4230
EVANS, S.K., Oxygen redistribution in LMFBR fuels, 2335 (NEDO--12326)
See ADAMSON, M.G., 2334

See CAFUTI, R.L., 1313
EVRARD, A., See ROYL, P., 3913
EVRARD, C., See MORELLE, J.M., 4137
See RENARD, A., 3066, 380
EWART, F.T., Oxygen distribution in fast reactor oxide fuels, 2009 (INKA-Conf--79-003-006)
EYRAL, M., Device for providing a leak-tight penetration for electric cables through a reactor vault roof, 3265
System of penetration of a nuclear reactor slab for measurement cables, 5201
EYRIEY, M., See LETEINTURIER, D., 3483
EZRA, B.C., See RABE, G.E., 1501

F

FABIAN, H., Annual report of the working group 'fuel pin and fuel element mechanics' of the Institut fuer Reaktortechnik (IRT) of the Technische Hochschule Darmstadt for the Fast Breeder Project, 2203 (KFK--2690)
Contribution to the structural analysis of cylindrical fuel rods of nuclear reactors with consideration of multidimensional behavior, based on finite-element-method, 2216 (KFK--2858)
FABRIS, C., See AMEND, W.E., 5301
FABRY, A., Intercomparison of the intermediate-energy standard neutron fields at the NISUS and MOL-II facilities by means of absolute fission chambers, 1867 (IAEA--208(Vol.2), pp 191-208)
Reactor dosimetry integral reaction rate data in LMFBR benchmark and standard neutron fields: status, accuracy and implications, 1150 (EUR--5667(Pt.2), pp 112-130)
Reactor dosimetry integral reaction rate data in LMFBR Benchmark and standard neutron fields: status, accuracy and implications, 1151 (EUR--5667(Suppl.), pp 23-89)
Status report on dosimetry benchmark neutron field development, characterization, and application, 2368 (NUREG/CP--0004(Vol.3), pp 1141-1175)
See MCELROY, W.N., 1866
FABRY, J.P., See EGLEME, M., 4497, 454
FACHA, J.V., See ASH, E.B., 3787
FAILLA, P., Cooling system for the high wall of a nuclear reactor vessel, 5365
FAIR, C.E., See CHO, S.M., 3380, 585
FAIRBAIRN, J.A., See SANE, J.O., 1414
FAJEAU, M., See CHAIX, J.E., 5226
FAKHARI, M., Core restraint system seismic modeling capabilities, 1241 (GEFR--00156)
FAKORI-MONAZAH, M.R., Measurement and analysis of flow wall shear stress in an interior subchannel of triangular array rods, 881 (CCC--2245-4STR)
FALK, P.T., Inelastic analysis of the Upper Internals Structure for the Clinch River Breeder Reactor Plant, 3321
FALCTICO, R.N., Material release for various fuels following an HCDA in CRBR, 4667
FARABEE, C.A., Fast Flux Test Facility containment building integrated leak-rate test, 3974
See JAMES, E.B., 1575
FARAHAT, M., Fuel dispersal experiments with simulant fluids, 476 (CONF-761001--P4, pp 1707-1714)
FARELLO, C.E., See CUMO, M., 5299
FARHADIEH, R., Experimental study of the downward penetration of a hot liquid pool into the horizontal surface of a gas-releasing solid, 3206
Experimental studies of the growth of an internally heated liquid pool in a solid bed, 3808
See BAKER, L. JR., 827
See CHEUNG, F.B., 3205
FARINELLI, U., Physics problems of fast reactor shielding, 3277
FARKHUTDINOV, K.G., See REUTOV, V.F., 4465
FARMER, A.A., Nuclear fuel cycle. Pt. 4. The reactors, 4349
See VAUGHAN, R.D., 3482
FARRAR, H. IV, See BRADLEY, J.G., 1168
See FABRY, A., 2368
See OLIVER, B.M., 1166
FARRINGTON, B.J., Performance of an electromagnetic temperature sensor in liquid sodium, 4350
Theoretical analysis applied to electromagnetic instruments used in liquid sodium, 3869
FARWICK, D.G., See JOHNSON, R.N., 1502, 1811
FASOLI STELLA, P., See BENUZZI, A., 1193
See DONEA, J., 465
FAUDE, D., Importance of the fast breeder for our energy supply, 1994 (INIS-mf--4816, pp 2-6)
FAUGERE, J.L., See MARCON, M., 354
FAUSKE, H., See MARCHATERRE, J., 444
FAUSKE, H.E., See HENRY, R.E., 2714
FAUSKE, H.K., Assessment of accident energetics in LMFBR core-disruptive accidents, 4498
Assessment of accident energetics in LMFBR core-disruptive accidents, 591 (CONF-770817--3)
Assessment of fuel failure propagation in LMFBRs, 432 (CONF-761001--P3, pp 905-914)
Generic considerations of LMFBR hypothetical accident energetics, 725 (CONF-781022--25)
Liquid metal fast breeder reactor safety: an overview including implications of alternate fuel cycles, 617 (CONF-771120--22)
LMFBR thermal hydraulics, 3160
Some comments on shock-induced fragmentation and detonating thermal explosions, 4678
Some comments on sodium behavior (boiling) in LMFBR wire-wrapped subassemblies, 4755
See CHO, D.H., 486
See EPSTEIN, M., 482
See GROLMES, M.A., 415
See HENRY, R.E., 487
See ROSE, D., 3643
FAUST, L.C., See SMITH, R.C., 1753
FAWCETT, S., Reliability technology in LMFBR optimisation, 4112
FEDORCHENKO, I.M., Some properties of iron-base materials with calcium fluoride additions for frictional units of nuclear plants, 4463
FEDOROV, V.G., See TITOV, V.F., 708
FEDOROV, YU.D., See EFIMOV, V.N., 2347
FEDOTOVSKII, V.S., See SINYAVSKII, V.F., 2099
FEDYAKIN, P.E., See AFANAS'EV, V.A., 2226, 5165
FEE, D.C., See JOHNSON, C.E., 3484
FEE, C.G., Monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, August 1977, 2602 (ORNL/NUREG/TM--148)
Monthly highlights for Office of Nuclear Regulatory Research programs at Oak Ridge National Laboratory, 2603 (ORNL/NUREG/TM--158)
FEERICK, E.T., See KAPLAN, S., 3585
FELDE, D.K., Convective heat transfer correlations for molten core debris pools growing in concrete, 949 (CCC--4261-8)
Simulation of heat and mass transfer processes in molten core debris-concrete systems, 952 (CCC--4261-11)
See AEDEL-KHALIK, S.I., 108
See PAIK, I.K., 960
FELDMAN, E.E., Thermal analysis of an in-reactor LMFBR irradiation creep experiment, 3231
See CHANG, L.K., 3224, 4731
See KOENIG, J.F., 4726
See SEIF, O.S., 3599
FELDMAN, M.J., Experience in remotely fabricating FBR-II fuel, 3970
Perspective on the EBR-II remote fabrication experience, 3179
FELLER, K., Risk assessment methods application to the Fast Flux Test Facility, 4042
FELLER, K.G., See EL-SHEIKH, K.A., 419
See FLEISCHER, L.S., 499
See PACK, C.B., 2407
FELTEN, L.D., Large plant thorium-fueled reactor system characteristics, 4716
Thermal and economic performance of heterogeneous carbide-fueled reactors, 3966
See VITTI, J.A., 1138, 3135
FELTNER, J.C., See ROCHE, T.K., 2490
FERGUSON, D.R., Analysis of hypothetical LMFBR whole-core accidents in the USA, 729 (CONF-781022--31)
Optimized iteration strategies and data management considerations for fast reactor finite difference diffusion theory codes, 4331
SAS4A LMFBR accident analysis code system: a progress report, 448 (CONF-761001--P3, pp 1225-1235)
See BOWERS, C.H., 3199
See CAHALAN, J.E., 427
See MYNC, L., 4860
See ROSE, D., 437
See SHOBER, R.A., 142
See WIDER, H.U., 447
See WOOD, P.J., 677
FERGUSON, K.L., Summary of the ALARA nature of design effluents from the Clinch River Breeder Reactor plant, 3309
FERGUSON, R.L., See DOWLING, R.J., 1537
FERRARI, A., Choice of systems and optimum use of nuclear material resources, 3720
FERRARI, G., See CAMPOLUNGHI, F., 5001
FEUERSTEIN, H., Mechanism of release of radioactive products into liquid-metal coolants, their transport within the circuits and removal from LMFBRs, 3105
FEWELL, T.E., Matrix heat exchanger, 4555
FIALA, C., See KULAK, R.F., 3989
FIEG, G., Experimental investigations of heat transfer characteristics in liquid layers with internal heat sources, 503 (CONF-761001--P4, pp 2047-2055)
Heat transfer from internally heated fluids with temperature dependent viscosity, 2215 (KFK--2841)
See GOETZMANN, O., 4142
FIGG, J.A., Failure location analysis for tagged reactor assemblies, 1637 (HEDL-SA--1787-FP)
Gas tag designs for a generic LMFBR, 4660
Gas tag location systems for FFTF and CRBRP Failed assemblies, 1803 (HEDL-TME--78-14)
FILACCHIONI, G., See CALZA-BINI, A., 4827
FILATKINA, V.P., See MEN'SHIKOVA, T.S., 2007
FILEWICZ, E.C., See GILLETTE, J.L., 49
See SMAARDYK, A., 83
FILIN, M.P., See STARKOV, O.V., 723
FILIPP, V., See MISHEL, O., 5453
FILLNOW, R.H., See ANDERSON, C.A. JR., 4189
FILLOLEAU, E., See ALLAIN, A., 4265
FILONOV, V.S., See EFIMOV, I.A., 4238
See IEFIMOV, I.A., 3711
FINK, C.L., Hodoscope performance tests on a 91-pin fuel bundle at PARKA, 732 (CONF-781033--9)
See DEVOLPI, A., 3646
See PAGE, R.J., 3098, 3634
See PALM, R.G., 126, 4743
FINK, J.K., Interactions of UO_2 with reactor materials, 113 (ANL--78-10, pp 415-423)
Interactions of refractories and reactor materials with sodium, 4328
See BLOMQUIST, R.A., 119, 3718
See HEIBERGER, J.J., 3656
FINN, P.A., Thermophysical properties of liquid uranium carbide, 4865
FINZI, S., See BALZ, W., 43_
FIORINI, L., See BOIOLI, A., 1861, 4911
FIRST, M.W., High efficiency filtration of liquid-metal-generated aerosols, 4601
See HINDS, W., 688, 932
FIRTH, D., Monte Carlo approach to the theoretical prediction of temperature noise in LMFBR subassemblies, 4994
See BENTLEY, P.G., 5069
FIRTH, G.F., See HAYDEN, D., 3473
FISCELLA, J.M., ZCEL thorium assembly descriptions and data summaries, 1140 (ESG-DOE--13246)
FISCHER, B.E., Calibration of the FFTF level measuring systems, 2291 (LMEC--77-3)
FISCHER, E.A., Analysis of

riperimental fission gas behavior data in fast reactor fuel under steady state and transient conditions, 1204 (EURFNR--1464)
Further development of the LMFBR accident analysis codes HOPE and KADIE: automatic data transfer, new equation of state, 2191 (KFK--2546)
Recent improvements in the prediction of reactivity coefficients relevant to LMFBR accident analysis, 418 (CONF-761001--P2, pp 492-501)
See BOBER, M., 4216
See BOGENSBERGER, H.G., 435
See JIANG, S.H., 2162
FISCHER, J.J., Dispersion strengthened ferritic alloy for use in liquid-metal fast breeder reactors (LMFBRS), 3792
FISCHERHOF, H., No fast breeder for the Federal Republic of Germany. The problem of a tendency towards non-licensing, 3387
FISH, R.L., Irradiated EBR-II duct impact tests, 1777 (HEDL-TME--77-70)
Tensile property correlations for highly irradiated 20% C.W. type 316 stainless steel, 1528 (HEDL-SA--1462)
Tensile property correlations for highly irradiated 20 percent cold-worked Type 316 stainless steel, 4241
Tensile properties of fast reactor irradiated Type 304 stainless steel, 5275
FISHLOCK, T.P., See CODDINGTON, P., 2731
FISTEDIS, S.H., Response of breeder reactor components and systems to abnormal events, 3540
See A-MONEIM, M.T., 3532, 5064, 545
See BAZANT, Z.P., 3716
See CHANG, Y.W., 4760
See CHU, H.Y., 4758
See MARCHATERRE, J.F., 726
See MARCHERTAS, A.H., 3542, 455, 5067, 5068, 548, 551
See MARCINIAK, T.J., 457
See WANG, C.Y., 3544, 5032, 553
FITTING, D.W., See LATTIMER, J., 832
FITZGERALD, J.W., Use of gallium and its alloys as high-temperature couplants for acoustic transducers, 4681
See CLAYTOR, T.N., 201
FLAGELLA, P.N., Sodium effects on mechanical properties of structural materials, 2503 (ORNL--5255, pp 318-330)
Sodium effects on mechanical properties of structural materials, 2553 (ORNL--5349, pp 232-245)
FLANAGAN, G.F., See ALTER, H., 438
See EMMETT, M.B., 2582
See GREENE, N.M., 2573, 2574, 4552
See SELBY, D.L., 2478, 2536
See WILLIAMS, M.L., 2652
FLECK, J.J., See POMEROY, B.D., 1063, 1064, 1065
FLEISCHER, L., See EL-SHEIKH, K.A., 419
FLEISCHER, L.S., Model for evaluating probabilities of primary system retention of core debris and time of release in LMFBR risk assessments, 499 (CONF-761001--P4, pp 1985-1994)
FLEISCHMAN, R.M., See MERRILL, E.T., 2741
FLEMING, D.L., See JOHNSON, E.W., 2301
FLETCHER, F., Sodium leak detection, 2791 (SAN--0824-T8)
FLETCHER, J.F., HEDL contribution to SRL fuel recycle program. Quarterly report, January--March 1977, 1674 (HEDL-TC--902-1)
HEDL contribution to SRL fuel recycle program: quarterly report for April, May, and June 1977, 1675 (HEDL-TC--902-2)
FLINN, J.E., Examination and evaluation of in-reactor fracture of shroud tubes in mixed-oxide-fuel experiment X159, 48 (ANL--76-44)
Fast-neutron swelling of Type 304 stainless steels, 3671
In-reactor deformation of solution annealed type 304L stainless steel, 4886
Neutron swelling observations on austenitic stainless steels irradiated in EBR-II, 376 (CONF-760673--, pp 253-289)
See APPLEBY, W.K., 4961
See BRAGER, H.R., 1453
See MORAN, T.J., 3941
See SMOLIK, G.R., 2942
FLOREK, J.C., See OSTENSEN, R.W., 4269
FLORENCE, A.L., See ABRAHAMSON, G.R., 4493
See CAGLIOSTRO, D.J., 2354, 266, 5106
See ROMANDER, C.M., 5035
See TOPIN, R.J., 2781
FLOWERS, R.H., Long-term options for the FR fuel cycle, 3719
Possible long term options for the fast reactor plutonium fuel cycle, 4139
FLURY, R.L., Reliability of various tube-to-tubesheet weld configurations, 3038 (WNET--116)
FLYNT, W.S., Temperature-sensitive orifice: a pre-test report, 208 (ANL-CT--78-12)
FOERSTER, K., An approach to the on-load surveillance of sodium cooled reactors by acoustic methods, 2057 (IWGFR--10, pp 132-139)
FOGLE, G.L., See STRAIN, R.V., 129, 4736
FOLTMAN, A.J., Analytical study of the feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 116 (ANL--78-17)
Catalog of rod-drop data from EBR-II runs 67-87, 164 (ANL--7542(Add.C))
Feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 4653
Physics design of a safety research modification of EBR-II, 4659
Possible metal and oxide fuel loadings of EBR-II utilizing $^{232}Th/^{233}U$, 3181
FONTANA, M.H., Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report, April--June 1977, 2603 (ORNL/NUREG/TM--142)
Breeder reactor safety and core systems programs. Progress report, April--June 1977, 2635 (ORNL/TM--6020)
Breeder reactor safety and core systems programs. Progress report, July--September 1977, 2643 (ORNL/TM--6158)
Breeder reactor safety and core systems programs progress report, October--December 1977, 2649 (ORNL/TM--6288)
Breeder reactor safety and core systems programs. Progress report, January--March 1978, 2658 (ORNL/TM--6439)
Breeder reactor safety and core systems programs. Progress report, April--June 1978, 2665 (ORNL/TM--6558)
Breeder Reactor Safety and Core Systems Programs. Progress report, July--September 1978, 2674 (ORNL/TM--6698)
Breeder Reactor Safety and Core Systems Programs progress report for October--December 1978, 2680 (ORNL/TM--6851)
LMFBR safety and core systems programs. Progress report, January--March 1977, 2629 (ORNL/TM--5940)
ORNL breeder reactor safety: LOA 2, 3, 4, and 5. Quarterly technical progress report, January-March 1979, 2683 (ORNL/TM--6947)
Progress in liquid-metal fast breeder reactor safety research and development - an overview of the issues, 4180
See HAN, J.T., 4750, 518, 612, 614, 616
See HANUS, N., 2661, 3982
See HINKLE, W.D., 731
See MORRIS, R.H., 2679
See RIEANDO, R.J., 2664, 2677
See WANTLAND, J.L., 2641, 4793, 611, 819
FORD, J., See WAITE, E., 4450
FORD, J.A., See STONE, C.C., 695
See TIPPETS, F.E., 1420
FORD, W.E. III, See BARHEN, J., 835
See ROUSSIN, R.W., 2613
FORSBERG, V.M., See GREENE, N.M., 2573, 2574
FORSTER, G.A., Pressure sensor, 3298
Pressure sensor for high-temperature liquids, 3481
Sodium flow calibration using a pulsed neutron activation technique on a 400mm (16 inch) pipe at LMEC, 205 (ANL-CT--78-9)
See KARPLUS, H.B., 217
See KEHLER, P., 190
See PRICE, C.C., 61
See RAPTIS, A.C., 603
FORSYTH, D.R., See HAINES, N.L., 852
FORTMANN, M., Elastoplastic fracture mechanics approach for LMFBR, 998 (CSNI-R--32(Vol.2), pp 23.1-23.11)
FOSTER, A.R., Power into the 21st century, 4175
FOSTER, B.E., High-resolution boreside radiography of small-diameter tube-to-tubesheet welds, 2572 (ORNL--5474)
FOSTER, J.P., Effects of temperature changes on 20% cold worked AISI 316 stainless steel swelling, 3002 (WARD-QX--3045-45)
Effects of temperature changes on the swelling behavior of 20% cold-worked AISI type 316 stainless steel, 3057
See BOLTAX, A., 682
See WEINER, R.A., 4971
FOSTER, K.W., Clinch River Breeder Reactor Project fuel handling development program, 5284
Fuel handling experience with liquid-metal reactors, 4070
FOTHERGILL, J.R., See BARNES, S., 4324, 5209
FOURCAUDOT, S., See EWART, F.T., 2009
FOUREST, B., See FRUCHARD, Y., 496
See NOEL, H., 5122
FOURNIER, C., Temperature measurement device, 5406
FOUST, O.J., Sodium-NaK engineering handbook. Volume III. Sodium systems, safety, handling, and instrumentation, 3899
Sodium--NaK engineering handbook. Volume IV. Sodium pumps, valves, piping, and auxiliary equipment, 4037
FOWLER, T.B., See VONDY, D.R., 2476, 2479, 2560, 2571
FOWLES, G.A., See WINTERTON, R.H.S., 3114
FOX, G.L., Fuel crack volume predictions and measurements, 1584 (HEDL-SA--1631-FP)
Fuel crack volume predictions and measurements, 2240 (LA--7938-C, pp 9-20)
FOX, J.N., Core restraint system design guidelines, 1312 (GEFR--00423)
Development and preliminary verification of CORTAC-3D, 1290 (GEFR--00396)
Development of backup refueling methods, 1291 (GEFR--00397)
Influence of core assembly refueling requirements on LMFBR core system design, 3329
LMFBR refueling force limits criteria, testing and evaluation, 1244 (GEFR--00255)
LMFBR refueling force limits criteria, testing, and evaluation, 3673
National core restraint program code verification/comparison study, problem level I-D, 1236 (GEFR--00101)
National core restraint development program code verification/comparison study, problem level I-B, 1243 (GEFR--00239)
Procedures for measuring bowing/expansion reactivity effects, 1240 (GEFR--00152)
Procedures for measuring bowing/expansion reactivity parameters in an LMFBR, 3676
Summary of the CORTAC verification activity and the evaluation of 3-D effects, 1256 (GEFR--00293)
Thermal-hydraulic modeling for the analysis of LMFBR core restraint transient responses, 3223
See FAKHARI, M., 1241
FOX, P.E., See SELBY, D.L., 2478
FRAAS, A.P., Cesium vapor cycle for an advanced LMFBR, 5434
Heat exchanger with intermediate

evaporating and condensing fluid, 3800
FRANCE, D.M., Characteristics of transition boiling in sodium-heated steam generator tubes, 3237
CHF-induced thermal oscillations measured in an LMFBR steam generator tube wall, 198 (ANL-CT--78-1)
Critical heat flux tests at low water flow and 7.3 MPa: interim report, 206 (ANL-CT--78-10)
Critical heat flux data with stress calculations in an LMFBR steam generator tube, 220 (ANL-CT--78-27)
Critical heat flux measurements with sodium heating and low water flowrate, 225 (ANL-CT--78-39)
Critical heat flux measurements in an LMFBR evaporator tube, 3957
Large-amplitude thermal oscillations measured in an LMFBR steam generator tube, 4688
Measurement and correlation of critical heat flux in a sodium heated steam generator tube, 211 (ANL-CT--78-15)
See CHIANG, T., 237
FRANCO-FERREIRA, E.A., See CANARY, W.W., 3253, 4195
FRANCOS, A.Z., FFTF prototype pump testing in SPTF. Final report, 2252 (LMEC--77-4)
FRANK, M., See DHIR, V.K., 2376, 2427
FRANK, M.V., Simplified method of computing cladding and fuel strain during a slow overpower transient, 4769
FRANKLIN, F.C., Analysis of EBR-II low-power dosimetry run 78C, 70 (ANL--77-76)
See FOLTMAN, A.J., 4659
See GRIMM, K.N., 3186
FRANZ, G.R., See MCCALL, T.B., 1603
FRASER, A.S., See BARNABY, J., 4939
FREEDE, W.J., AI/LMEC experience with freeze seal and bellows seal valves, 2900 (TI--00-LME-014)
FREEDMAN, J.M., See ALLEN, G.C. JR., 2838, 2853, 4810
FREEMAN, S.D., Control of nuclear power poses challenge to U.S., 3450
FREES, G., See ECKGSTEDT, H.U., 4210
FREESE, K.E., See LESAGE, L.G., 667
FREJAVILLE, G., See BESLU, P., 4889, 4893
FRESKAKIS, G.N., Strength properties of concrete at elevated temperatures, 772 (CONF-790408--3)
FRESL, M., See EREMIAS, E., 3527
See ILINCHEV, G., 5422
See PITAK, C., 4360
FRESLON, H., See NOEL, H., 4222
FREUND, D., See STEINER, H., 2183, 3867
FREUND, J., See LAKRA, R.J., 3452
FREY, H.H., MIPLO: a graphic program for the representation of temperature distributions in bundles with hexagonal rod configuration used in connection with MISTRAL-II, 3812 (EURFNR--1427)
See HOFFMAN, H., 4615
See HOFFMANN, H., 2166
FREY, N.D., See JASKE, C.E., 1137
FRICK, D.C., See DUDEY, R.D., 1487
See TREGO, A.L., 4808
FRICK, T.M., Positioning and locking device for fuel pin to grid attachment, 3511
FRIEDEL, T., See SCHUETZLE, R., 3192
FRIEDLAND, A.J., See TANG, Y.S., 836
FRIEDRICH, H.J., Bottom cooler for nuclear reactors, 3799
Dynamic behavior of SNR-300 core retention device and experimental support of the design concept, 103 (ANL--78-10, pp 303-308)
Protective coating for floor cooler, 4470
See FEEHS, M., 467
See FISCHEL, G., 3456
FRIEND, D.E., Closed circuit television equipment developed by Berkeley Nuclear Laboratory for use on the Dounreay prototype fast reactor, 2047 (IWGFR--10, pp 93-97)
FRIES, W., See STRUWE, D., 4396
FRISKE, W.H., Modular Steam Generator test report: post-performance test disassembly and examination, 2936 (TR--057-330-005)
FROEHLE, P.H., See DOERNER, R.C., 54
See PAGE, R.J., 3058, 3634
See TYLKA, J.P., 4752
FROEHLICH, K.J., See FUGE, R., 4575, 4578
FROEHLICH, R., Analysis of severe hypothetical accidents, 4214
See ESSIG, C., 439
See PENA, J., 445
FROEHNER, F.H., See JIANG, S.H., 2162
FROST, B.R.T., Radiation-damage considerations, 5008
FRUCHARD, Y., Sodium fire studies in France safety tests and applications on an LMFBR, 496 (CONF-761001--P4, pp 1945-1954)
FRYER, D.R.H., See HANNAFORD, J., 384
FRYER, R.H., See ABRAMS, C.S., 766
FRYER, R.M., Efficacy of the EBR-II FERD system as an automatic trip device, 50 (ANL--76-94)
Final safety analysis addendum to hazard summary report, experimental breeder reactor No. II (EBR-II): the EBR-II cover-gas cleanup system, 140 (ANL--78-85)
Identification of failed fuel element, 4257
Method and device for the detection of a failed fuel element, 5223
Response of EBR-II delayed-neutron monitor to tramp uranium and a fission product test source, 3680
Safety related considerations for operation with defected elements in EBR-II, 405 (CONF-761001--P2, pp 615-624)
See FELDMAN, M.J., 3970
See GROSS, K.C., 154
See HONEKAMP, J.R., 3760
See SACKETT, J.I., 4735, 728, 822
See STRAIN, R.V., 129
See WITTECK, L.C., 152
FUGE, R., Arrangement for leak detection, 4578
Bubble noise at magnetic flowmeters, 3466
Detection of acoustic emission events in the presence of parasitic noise, 5017
Electrochemical and physical methods for reactor diagnosis, 4069
Procedure and circuit arrangement for leak detection, 4575
See AFANAS'EV, V.A., 3099
See AFANASIEV, V.A., 3041
FUJII-E, Y., See MIYAZAKI, K., 4551
FUJIIE, Y., Experimental study on conversion of stored thermal energy to mechanical work in fuel-coolant interaction, 2720 (PNC-N--251-76-12(Vol.1), pp 307-340)
Incipient boiling of sodium in an annular channel heated by a single-pin with blockage, 5161
FUJIKI, K., See ORII, S., 5341, 5394
FUJINO, M., Calibration of electromagnetic flowmeters by average-frequency method, 3948
See SAKAI, E., 3825
FUJISHIRO, T., See SAITO, S., 2710
FUJITA, M., Cooling device of a spent fuel, 5204
FUJIWARA, M., See KONDO, Y., 4945
See TERAI, K., 4187
FUJIWARA, T., See MORIMOTO, H., 5325
FUKADA, T., See KAMEI, M., 2120, 2127, 3816, 3817
FUKUDA, S., Experimental confirmation of the design to minimize vibration and wear in 61-pin wire-spaced EBR-II subassemblies, 3575
FUKUDA, S.K., Experimental confirmation of the design to minimize vibration and wear in 61-pin wire-spaced EBR-II subassemblies, 1541 (HEDL-SA--1504-FP)
FUKUDA, T., See FUJINO, M., 3948
FUKUSHIMA, Y., See NAITO, K., 5333
See YOKOTA, N., 5378
FUKUTOMI, M., See IWAO, N., 3742
FUKUZAWA, Y., Observations of the behavior of gas in the wake behind a corner blockage in fast breeder subassembly geometry, 2210 (KFK--2820)
FULFORD, P.J., See CHA, B.K., 194
See OTT, K.O., 666
FULLER, E.L., Energy increase from bubble collapse following recriticality in large molten pools, 4787
See BARTHOLD, W.P., 1884
FULLER, J.G., We almost lost Detroit, 5416
FULLER, J.L., Modification of the NBS double fission chamber for in-core operation in the Fast Test Reactor, 1755 (HEDL-TME--77-34(Vol.2), pp HEDL.60-HEDL.65)
FULLER, R.E., See HALES, J.W., 4725
FULLWOOD, R.R., See EL-SHEIKH, K.A., 419
FULTON, E.J., See BRAMMAN, J.I., 4960
FUNADA, T., Measurements of hydrogen concentration in liquid sodium by using an inert gas carrier method, 3107
See YUHARA, S.I., 2149
FUNK, C.W., Sodium vapor deposits observed at HEDL on large components, 1546 (HEDL-SA--1517)
Sodium vapor deposit technology, 1808 (HEDL-TME--78-23)
See CRIPPEN, M.D., 1518
FUNKE, P., Technology of the production of breeder fuel elements, 2171 (KFK--2416, pp 96-101)
FURUTA, T., See KOYAMA, M., 4940
FUSSELL, J.B., Safety and reliability: analyses of a breeder reactor, 4351
FYCDOROV, V.G., Substantiation of vibration strength of nuclear reactor and steam generator internals; main problems, 2104 (IWGFR--21, pp 51-62)
Vibration studies of BN-350 and BN-600 steam generator tube bundles, 2096 (IWGFR--21, pp 123-132)

G

GABESKIRIA, V.YA., See TIMOFEEV, G.A., 3350
GABESKIRIYA, V.YA., Fission product yields during irradiation of ^{235}U and ^{239}Pu in the BOR-60 reactor, 4466
See PROKOPENKO, V.S., 3463
GABLER, M.J., See DURAND, R.E., 2908
See MOODY, E., 1404, 699
GABOR, J., See SOWA, E., 4671
GABOR, J.D., Heat transfer from a round-bottom pool generating heat internally, 4676
Particulate bed formation and phenomena, 91 (ANL--78-10, pp 74-80)
See BAKER, L. JR., 504, 827
See SOWA, E.S., 502, 825
GADEKEN, A.D., FFTF implementation of training requirments for government owned facilities, 1597 (HEDL-SA--1679)
FFTF implementation of training requirements for government and commercially owned facilities, 771 (CONF-790404--, pp 145-170)
GADZHIEV, G.I., See GRYAZEV, V.M., 3046, 3352, 3353, 4089
See NIGMATULLIN, N.R., 2337
GAILAR, O.H., See OTT, K.O., 666
GAILLARD, P., See JOLY, F., 5423
GAJEWSKI, W.M., See FLETCHER, F., 2791
GALDE, D.O., Liquid metal fast breeder reactors. A bibliography, January--December 1977, 2903 (TID--3333-S5)
GALE, N.L., Upgrading the EBR-II reactor shutdown system, 4720
See SACKETT, J.I., 422, 47
GALIOTO, R.A., See WILSON, W.L., 698
GALIOTO, T.A., Friction and wear tests in support of LMFBR steam generator tube/tube spacer plate interactions, 2981 (WARD-NA--3045-48)
See HARTLE, R.T., 4176
GALLET, B., Support structure for the lateral neutron shield system of a fast reactor core, 4443
See BRET, A., 2055
GALLO, F.G., See DISNEY, R.K., 746
GALLUZZO, N.G., Advanced fuel core designs for CRBRP, 4697
See FELTEN, L.D., 3966, 4716
See VITTI, J.A., 1138, 3135, 33, 3589
GALVIN, T.M., See WRONA, B.J., 168, 4838
GAMA, J.M., Device for cooling the upper part of the vessel of a liquid sodium cooled reactor, 4338 (ANL-Trans--1108)

Device for thermal protection of a nuclear reactor vessel, 3400
Liquid sodium cooled fast reactor, 4254
GAMMA, J.M., Process and device of thermal shielding of the vessel of a nuclear reactor, 5228
GANAPOL, B.D., See WEBER, D.P., 449
GANESAN, S., Cross sections requirements for the prediction of gas production rates for use in irradiation damage studies in LMFBR, 4996
See KUESTERS, H., 661
See SHARMA, M.L., 4997
GANGULI, A., Fragmentation of uo$sub 2$ and uc drops entering a sodium pool, 4171
Heat transfer characteristics of a non-boiling pool with spatially uniform gas injection, 944 (CCO--4171-3)
See BANKOFF, S.G., 484, 959
See LUK, A.C.H., 917
GARBERINI, C., See PLESSA, A., 3909
GARCHON, B., Control rod assembly for nuclear reactor, 5377
Guiding system for a control rod, 5357
Nuclear reactor assembly, 5389
System for guiding a control rod, 5355
GARIN, J., Core disruptive accident margin seal, 3453
Core disruptive accident margin seal, 3762
Lid construction for nuclear reactor vessel, 3796
GARKISCH, H.D., Blanket design considerations for fast reactor oxide fuel systems based on CRBRP experience, 857 (CONF-800607--29)
Irradiated Type 304 SS tend test ductility, 856 (CONF-800607--28)
Nuclear core positioning system, 3300
GARLAND, D.L., Application of quality assurance to the design, procurement, and construction of the Fast Flux Test Facility, 1538 (HEDL-SA--1459)
GARNER, F.A., Development and evaluation of a stress-free swelling correlation for 20 percent cold-worked Type 316 stainless steel, 5276
Reassessment of the role of stress in development of radiation-induced microstructure, 4239
See APPLEBY, W.K., 4961
See BRAGER, H.R., 1453, 1665
GARNER, P.L., Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2651 (PB--273304)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment, 2250 (LA--7938-C, pp 141-152)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment, 759 (CONF-790361--1)
Modeling ejection of fresh fuel into sodium under prompt-burst conditions, 3996
See REFLING, J.G., 4531
GARRISON, P.W., Natural convection boiling of sodium in a simulated FBR fuel assembly subchannel, 811 (CONF-790816--20)
SIMBO: a simple boiling model of the response of a simulated sodium-cooled breeder reactor subassembly to an undercooling transient, 2653 (ORNL/TM--6343)
Simple transient analysis of the THORS bundle 6A boiling test results, 3610
Simple transient analysis of the THORS bundle 6A boiling test results, 675 (CONF-780622--37)
See WANTLAND, J.L., 819
GARTLING, D.K., See STONE, C.M., 2861
GARTSIDE, C.M., Heat transfer, sodium boiling and fuel pin integrity after a severe LMFBR piping failure, 4991
Sodium loop safety facility, 3890
See BORDNER, G.L., 4750
GASIDLO, J.M., See COLLINS, P.J., 3043
See DUCAT, G.A., 3935
GASSELT, M.L.G.VAN, See UNAL, H.C., 4274
GASSER, R.D., Analysis of LMFBR containment response to a core-disruptive accident, 3620
Containment response to postulated core meltdown accidents in the fast flux test facility, 3053
Containment response to postulated core meltdown accidents in the Fast Flux Test Facility, 307 (BNL-NUREG--24141-R)
Study of post-accident molten fuel downward streaming through the axial shield structure in the liquid-metal fast breeder reactor, 4530
See CHUN, M.H., 483
See KAZIMI, M.S., 330
See PRATT, W.T., 322
See PYUN, J.J., 106
See TSAI, S.S., 3619
GAST, K., Device for detecting gases, in particular fission gases, in the coolant channel of a liquid-cooled nuclear reactor fuel element, 5166
Device to detect gases, in particular fission gases, in the cooling channel of a liquid-cooled nuclear reactor fuel element, 4556
Method for cooling a breeder reactor and breeder reactor for applying the method, 4260
Process for cooling a breeder reactor and breeder reactor for carrying out the process, 4557
Safety device in a nuclear reactor fuel rod with a closed fission gas plenum, 5131
Safety device in a nuclear reactor fuel rod with a closed fission gas plenum, 5221
GASTALDO, G., See BRUNA, G., 3152
See BRUNA, G.E., 4104
GATAULLIN, N.G., See ALEKSANDROV, K.A., 4548
GATESOPE, J.P., Study of fuel failure due to manufacturing faults, 2019 (IWGFR--5, pp 30-34)
GATLEY, J.A., CDFR fuel design optimisation, 4113
Liquid metal cooled fast breeder nuclear reactors, 3095
See BAGLEY, K.G., 4080
See BISHOP, J.F.W., 4819
See CHAMBERLAIN, A., 4106
GATUS, L.A., Irradiation and post-irradiation examination data from selected FS and FS test pins, 1259 (GEFR--00305)
GAUBATZ, D.C., Feasibility of acoustic leak location for WTD duplex-tube steam generators, 1327 (GEFR--00466)
See GREENE, D.A., 1425
GAUBE, M., See HAAS, D., 4506
See HAAS, V., 302
GAUDY, B., Steam cycle for high power liquid metal fast breeder reactor plants, 4114
GAUZIT, M., Statistical operation of nuclear power plants, 5264
GAVIGAN, F.X., Application of probabilistic methods to safety R and D and design choices, 5019
GAVIN, A.P., See ANDERSON, T.T., 4683
See CAREY, W.M., 191, 5009
GEBHARDT, W., See BUCKEL, G., 2212
GEHL, S.M., See GRACZYK, D.G., 159
See PALM, R.G., 126, 4743
See SIMMS, R., 118
GEHR, H.L., See STEINMETZ, B., 5095
GEISEKE, J.A., Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1978, 2418 (NUREG/CR--0587)
GEITHOFF, D., See KRAMER, W., 4144
GEKOV, A.G., See ARAKELOV, A.G., 4417
GELBARD, E.M., Monte Carlo benchmarking of fast reactor computations, 3945
See ABRAMSON, P.B., 3737, 4047, 4785, 4789
GELIJON, H.C., Development of a bearing for sodium pumps, 3390
GELLES, D.S., See BATES, J.F., 3864
GELPI, A., Residual stress measurement in austenitic alloy tubes, 4984
See COZAR, R., 3259
GENTHON, J.P., See MARCON, M., 354
GEORGE, J.A., Pump tank divider plate for sump suction sodium pumps, 4472
GEORGE, T.L., Modified version of COBRA for whole-core LMFBR transient analysis, 3221
See BASEHORE, K.L., 2750, 3162
See DONOVAN, T.E., 2751
GEORGIN, J.P., See DUBAU, J., 4043
GERBER, E.W., See RASMUSSEN, D.E., 1454
GERIJ, J., See BOY-MARCOTTE, J.-L., 5385
See MARCOTTE, J.L.B., 3445
GERIJ, M., See LE GUERN, M., 5112
GERLACH, C.R., See WYLIE, R.D., 2773
GERRELS, E.E., See GUDAHL, J.A., 1254
See MAGEE, P.M., 4856, 703, 984
GERSTEIN, L., See PROBST, A., 3925
GERSTNER, M.T., Reactor scram experience for reliability analysis of LMFBR shutdown systems, 632 (CONF-771203--, pp 135-137)
See EDISON, G.E., 3920
GESI, E., See KUNG, J.F., 3904
GESTERMANN, F., See TOEBBE, H., 2179, 3855
GETTINGS, M.B., See WEBER, D.P., 4742
GHILARDOTTI, G., See CASTELLI, G., 4056, 4084
GIACOMETTI, A., See BOUCHARD, J., 1195
GIEBY, R.L., Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
See WEBER, E.T., 1572
See WILSON, C.N., 1467, 1640
GIBERT, R.J., Flow induced vibration of secondary piping of LMFBR, 2108 (IWGFR--21, pp 115-122)
GIBSON, A.S., Liquid metal fast breeder reactor, 4927
See HORST, K.M., 4126
GIESE, B., Analysis of mechanical HCDA consequences in the coolant loops for demonstration of primary containment integrity in SNR 300, 5048
GIESE, H., Physics investigations of a compact simulation of a large fast breeder reactor. SNEAK-Assembly 10, 2193 (KFK--2573)
GIESECKE, P. EHRLICH, K., See VENKER, H., 4955
GIESEKE, J.A., Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977, 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978, 2405 (NUREG/CR--0425)
Aerosol measurements and modeling for fast reactor safety. Annual report for FY 1978, 2423 (NUREG/CR--0676)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1-December 31, 1978, 2461 (NUREG/CR--1084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January 1-March 31, 1979, 2468 (NUREG/CR--1165)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7, 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977, 300 (BMI-NUREG--1987)
HAARM-3 users manual, 301 (BMI-NUREG--1991)
Measurements of sodium oxide agglomerate properties, 4662
See GORDON, H., 2416
See JORDAN, H., 2421, 2449, 2472
See LEE, K.W., 2417
GIESKE, J.H., See VAN DEN AVYLE, J.A., 2842
GILAR, O., Measurement of tritium and tritiated water vapour in nuclear power installations. I. Tritium formation and transport in nuclear power installations, 3507
GILBERT, E.R., Creep behavior of 0X16H15M3B steel and comparison with AISI 316, 1666 (HEDL-SA--1983, pp 169-186)
EBR-II and FFTF irradiation experiments, 1664 (HEDL-SA--1983, pp 20-40)
High temperature in-reactor creep of 20% cold worked FTR cladding, 1505 (HEDL-SA--1402)

In-reactor creep measurements, 3670
Irradiation creep data in support of LMFBR core design, 4867
Observations of in-reactor strain for fueled and unfueled FTR cladding, 1626 (HEDL-SA--1754-FP)
Observations of in-reactor strain for fueled and unfueled FTR cladding, 3177
See BATES, J.F., 3863
See BRAGER, H.R., 1453
See TAYLOR, J.P., 1506, 4248
GILBERTSON, J.C., See SIEGMANN, E.R., 5349
See VITTI, J.A., 5351
GILCHRIST, A.R., See BRADFUTE, J.O., 413
GILL, C.J., See MOODY, E., 3959
GILLETTE, J.L., Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1E, 257 (ANL/EBR--102)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 7A, 255 (ANL/EBR--104)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1A, 256 (ANL/EBR--101)
Design and fabrication of the EBR-II environmental instrumented subassembly: Test XX07, 49 (ANL--76-78)
Experimental determination of decay power in EBR-II, 3578
Experimental observations of intersubassembly heat transfer effects during natural circulation, 4021
Experimental study of the transition from forced to natural circulation in EBR-II at low power and flow, 805 (CONF-790808--18)
See SINGER, R.M., 3979, 4300, 4863, 5007, 823, 843, 850
GILLIAM, D.M., Reference and standard benchmark field consensus fission yields for U.S. reactor dosimetry programs, 2371 (NUREG/CP--0004(Vol.3), pp 1285-1306)
GILLS, C., See MCDONALD, J.S., 4192
GINIER, R., Thermohydraulics of steam generators, 4223
GINSBERG, T., Flow behavior of volume-heated boiling pools: implications with respect to transition phase accident conditions, 3064
Flow dynamics of volume-heated boiling pools, 313 (BNL-NUREG--25297)
Flow regime observations in two-phase volume-heated boiling pools, 4778
One-dimensional model for transient boilup of volume-heated pools for LMFBR transition phase analysis, 322 (BNL-NUREG--25535)
Volume-heated boiling pool flow behavior and application to transition phase accident conditions, 310 (BNL-NUREG--24984)
See CHUN, M.H., 4746, 483
See GREENE, G.A., 3622, 3648
See MAKOWITZ, F., 314, 3202, 324
GIORDANO, P., Contribution of Italian industry to the development of reactor components and fuel-handling systems of fast reactors, 4072
GITTUS, J.H., See WATKIN, J.S., 4955
GIUGGIC, N., Automatic control mechanism for nuclear reactor scram, 3555
Neutron absorber dropping device for nuclear reactors, 3307
Safety arrangement for nuclear reactors, 3303
Scram device having a multiplicity of neutron absorbing masses, 3285
GIULIANI, S., See DONEA, J., 465, 5047
GIULIANO, V., LMFBR typical impulsive loading characterization and its application to simplified structural models, 5049
Main aspects of the design of a support structure of a LMFBR with particular reference to the explosive accident consequences, 5050
GLASSCOCK, R.E., See GARLAND, D.L., 1528
GLAZER, S., Collection and evaluation of salt mixing data with the real time data acquisition system, 870 (CONF--2245-36TR)
Transient thermal-hydraulic analysis in the forced-convection regime (TRANSENERGY), 3226
GLAZIK, J.L., Dynamic response of cracked hexagonal subassembly ducts, 788 (CONF-790802--50)
See PETROSKI, H.J., 3536, 5087, 71
GLAZIK, J.L. JR., Response of cracked hexagonal subassembly ducts to impact loading, 3193
GLEIKLER, E.L., Response of secondary containment to presence of sodium and hydrogen, 1415 (GEFR-SP--171)
GLINSKY, H.W., Shutdown systems of KNK and SNR 300, 4059
GLUECKLER, E.L., Compendium of core debris retention technology, 1305 (GEFR--00411)
Concrete failure modes at elevated temperatures, 96 (ANL--78-10, pp 233-242)
Considerations of the third line of assurance: post-accident heat removal and core retention in containment, 500 (CONF-761001--P4, pp 1995-2004)
Investigation of the structural integrity of the reactor vessel for a postulated core meltdown accident, 5029
Post-accident heat removal in LMFBRs, 1393 (GEFR-SP--023)
Post-accident heat removal in LMFBR's, 4987
Transient containment response and inherent retention capability, 4499
See HARLESS, W.H., 1395, 88
See MARCHATERRE, J.F., 726
See YANG, H.K., 1308
GLUKHIKH, V.A., See ANDREEV, A.M., 1951
GLUKHOV, V.A., See ARABEI, B.G., 4416
GMUER, K., See SETH, S., 1199
GNADT, P.A., Electron-beam welding of fuel pin simulators to a tubesheet, 2669 (ORNL/TM--6600)
Fuel pin simulators for sodium boiling tests in the THORS facility, 2673 (ORNL/TM--6688)
THORS: a high-temperature sodium test facility rated at 2.0 MW, 814 (CONF-790816--24)
See HAN, J.T., 516, 614
See HANUS, N., 2661
See MORRIS, R.H., 2679
See WANTLAND, J.L., 2641, 4793, 611, 819
GNEITING, P.C., See BARD, P.E., 1735, 1842
GODDARD, A.J.H., See HEAD, J.L., 3126
GODDARD, D.M., See SWANSON, D.G., 4675
GODDET, J., Operating experience with the Phenix nuclear power station from the point of view of safety, 387 (CONF-761001--P1, pp 76-83)
See MEGY, J.M., 5278
GODDETT, J., Rapsodie and Phenix plants intermediate heat exchangers experience, 4642
GOEL, B., Importance and status of (n,α)-cross sections for a reliable prediction of radiation damage in stainless steel, 1205 (EURFNR--1465)
GOESER, D.K., See NOLAN, J.E., 675
GOETZMANN, C., See BITTERMANN, D., 4292
GOETZMANN, O., Contribution to the specialists meeting on fuel failure mechanisms, 2020 (IWGFR--5, pp 35-37)
Studies on molten fuel, 4142
See BARLEON, L., 3797
GOHEEN, M.W., Gas tagging for fuel failure location using xenon and krypton, 1451 (HEDL-SA--1154)
GOIN, R.W., See COLLINS, P.J., 3043
GOKCEK, O., Risk allocation approach to reactor safety design and evaluation, 1394 (GEFR-SP--027)
Risk allocation approach to reactor safety design and evaluation, 4044
GOLAN, S., Breeder reactor: a vital option, 3084
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1069 (EPRI-NP--645(Vol.3))
Improvements to the maintainability and inspection of liquid metal systems. Volume 2. Plant layout improvements, 1301 (GEFR--00405(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 4. Balance of plant. Final report, 1122 (EPRI-NP--1015(Vol.4))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Pool-type LMFBR plant 1000 MWe Phase A-extension-2 design. Part 1: executive summary. Final report, 1106 (EPRI-NP--1014-SY(Vol.1))
See HORST, K.M., 4116
See MCDONALD, J.S., 1066, 1067, 1068, 1082, 1118
GOLAN, S.J, See DAVIES, S.M., 1070
GOLAY, M.W., See CHEN, Y.B., 4628, 876
See MANNO, V.P., 892
See TODREAS, N.E., 882, 884, 894, 895, 896, 897, 899, 900
See TODRES, N.E., 891
GOLD, R., Spent thermal reactor fuel assembly characterization with solid state tract recorders, 1827 (HEDL-TME--78-89)
See MCELROY, W.N., 1495, 1866
GOLDAMMER, H., Physical model and calculation code for fuel coolant interactions, 2723 (PNC-N--251-76-12(Vol.2), pp 839-875)
Theoretical and experimental investigation of fuel-coolant interactions in a shock tube configuration, 490 (CONF-761001--P4, pp 1889-1895)
See MEHR, K., 3078
GOLDEN, G.H., See SACKETT, J.I., 822
GOLDEN, M.P., Apparatus for controlling molten core debris, 5455
Core disruptive accident margin seal, 3302
Rodded shutdown system for a nuclear reactor, 3789
Scram rod system for nuclear reactors, 4605
Sealed heat access area enclosure, 3763
GOLDEN, R.D., See BERNSTEIN, D., 453
GOLDFUSS, G.T., See EPSTEIN, M., 482
See HENRY, R.E., 478
See SPENCER, B.W., 3998, 4000, 4749
GOLDMAN, A.J., See GROLMES, M.A., 415
GOLDNER, F., See LIN, E.I.H., 4690
GOLDSTEIN, S., See JEANPIERRE, F., 2065
GOLDWASSER, M., See BARDIAUX, M., 1993
GOLLION, H., Breeder reactors, 355 (CEA-CONF--4212)
GOLOVANOV, M.M., See ALEKSEEV, R.A., 1949
GOLOVANOV, V.V., See KEBADZE, B.V., 3396
GOLOVIN, I.S., See ANTIPINA, M.M., 5254
GOLOVKO, V.F., See BUDOV, V.M., 4066
GOLOVNIN, I.S., Basic principles of prognostication for oxide fuel element working ability of sodium cooled fast reactors, 2027 (IWGFR--5, pp 158-174)
Investigation of the performance of uranium--plutonium mixed oxide fuel pins for the reactor BN-600, 4385
See LEBEDEV, I.G., 5442
See MEN'SHIKOVA, T.S., 2007
See TSYKANOV, V.A., 4880
GOLUBENKOVA, S.M., See STARKOV, O.V., 723
GOLUSHKO, V.V., See ALEKSANDROV, K.A., 4548
See KEBADZE, B.V., 3547
GOMEZ, M.F., See MILLER, W.F. JR., 2232
GONCHARENKO, YU.D., See KRASNOSELOV, V.A., 3784
GONNET, B., See GINIER, R., 4223
GONNORD, J., See BAUR, A., 344
GONZALEZ, F., See EISENHAWER, S.W., 2877
GONZALEZ, S., Measurement of heat flux distribution of a prototype heater rod with sinusoidal axial power profile, 2218 (KFK-EXT--8/78-4)
GOODALE, T.C., See PLOEGER, D.W., 5059
See TOBIN, R.J., 2775
GOODMAN, L., Meshless cold trap a performance evaluation by test and analysis, 2294 (LMEC--77-6)
Meshless cold trap: a performance evaluation, 3594
GOODSPEED, H.T., See GRACZYK, D.G., 159
GOODWIN, G.M., Breeder reactor

program: materials. Technical status report for June 1978, 2561 (ORNL/ERP/M--78/6)
High-temperature structural design data for austenitic stainless steel weldments, 2522 (ORNL--5309, pp 111-114)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255, pp 101-120)
See BRINKMAN, C.R., 2556
See PATRIARCA, P., 2557
GOOGE, J.M., See BRADLEY, N.C., 2634
GOOLSBY, D.K., See MARSHALL, J.L., 3924
GOPLEN, E., Uranium dioxide equation of state for LMFBR excursion analysis, 2224 (LA--4319)
GORBATOV, N.E., Experimental-calculation studies on efficiency of europium oxide rods of the BFS-2S assembly, 1211 (FEI--566)
GORCHAKOV, M.K., Approximate simulation technique for thermal and hydraulic parameters of a reactor core, 1212 (FEI--597)
GORDON, H., Characterization of agglomerates of UO_2 aerosol particles, 2416 (NUREG/CR--0489)
GORHAM-BERGERON, E., Measurement and analysis of transient vaporization in oxide fuel materials, 2872 (SAND--78-2140C)
Theoretical considerations of rate effects in uranium dioxide, 4795
See BREITUNG, W., 2875
GORIS, F., Rod scanner assay of FFTF fuel, 1752 (HEDL-TME--77-29)
GORIUNOV, V.S., See SCHUTSCHKOV, I.I., 3401
GORLOV, A.I., See VASILENKO, K.T., 2130
GOROBETS, A.K., See GRYAZEV, V.M., 3352
GORYNIN, I.V., See FEDORCHENKO, I.M., 4463
GOSLING, D., Nuclear crisis. A question of breeding, 4878
GOTO, T., See HONDA, N., 5393
See KUDO, K., 5313
See YAMAMOTO, H., 4682
GOTO, Y., Neutron shielding block, 5311
GOTTSCHALK, G., O/M stability in mixed oxide fuel pins, 1767 (HEDL-TME--77-55)
GOTTSCHALK, G.P., Integrated quality status and inventory tracking system for FFTF driver fuel pins, 1646 (HEDL-SA--1854FP)
Integrated quality status and inventory tracking system for fast flux test facility driver fuel pins, 3327
Real-time analysis of FFTF fuel pin inspection data at the ^{252}Cf assay station, 1839 (HEDL-TME--79-1)
See POWERS, H.C., 1576
GOTTWALD, M., See WALDER, V., 994
GOURDON, J., Evolution of the core surveillance and protection system in fast reactors, 4234
Safety aspects of fast reactor core operation, 4090
See JEANNOT, A., 2304
GOVI, A.F., See GOLDEN, P.P., 3763, 3789, 4605
GOVIGNON, E., Foster Wheeler protected bayonet tube LMFBR steam generator preliminary design, 2521 (TID--28273/1)
See CHO, S.M., 2920
GOWDA, B., Sodium/cavity gas effect on fatigue crack growth in 304SS under FFTF primary cold leg piping conditions, 2956 (WARD-CG--3045-2)
Tubular specimen testing, 2502 (ORNL--5255, pp 314-318)
GOWDA, B.C., Crack growth in Types 304 and 316 stainless steel under prototypic LMFBR primary piping conditions, 2957 (WARD-CG--3045-3)
Elevated temperature fatigue crack growth behavior of Type 304/308 Stainless Steel weldments in sodium/cavity gas environment, 2958 (WARD-CC--3045-4)
GRACHEV, E.A., Efficiency of different techniques of physical flattening by fuel while selection of optimum arrangement of large fast reactor core, 2348 (NIIAR-P--240)
Optimization of the doubling time t_{2} and the fuel component of calculated expenditures s_{f} in fast reactors by means of partial recharging, 5444
GRACHEV, N.S., See KIRILLOV, P.L., 711
GRACZYK, D.G., Laser microsampling method for determination of retained fission gas in irradiated nuclear fuels, 159 (ANL--79-86)
GRADARI, P.L., See CESARI, F., 5111
GRAF, E., See CASAL, V., 2167, 2185, 4609
GRAFF, D.L., Analysis of the transient correction factor in TREAT reactor experiments, 4738
Study of the transient correction factor used in TREAT reactor in-pile experiments, 121 (ANL--78-31)
GRAHAM, J., LMFBR design basis accidents and their accommodation, 5409
Role of reliability and risk assessment in LMFBR design: implementation of reliability in LMFBR design, 4505
Role of reliability and risk assessment in LMFBR design: implementation of reliability in LMFBR design, 5022
See BUHL, A.R., 5440
See GRIFFITH, J.D., 394
GRAHAM, R.A., Microstructural aspects of nuclear fuel, 5018
GRAN, J.K., See ROMANDER, C.M., 5035
GRAND, D., Heat transfer by natural convection in confined medium, 101 (ANL--78-10, pp 275-285)
See SINGER, R.M., 4974
GRANITO, See CASINI, 5285
GRANNER, N., See BENEMANN, A., 3900
GRANT, G., Material selection for a sodium-heated steam generator, 4645
See STONE, C.C., 695
GRANT, N.R., See FELDMAN, M.J., 3970
GRANT, P.J., See HEAD, J.L., 3126
GRANTHAM, L.F., See ASQUITH, J.G., 3366, 4714
GRANTZ, A.L., See LANCET, R.T., 4135
GRASSESCHI, G.L., See BECK, C.L., 398
See DUCAT, G.A., 3935
See LINEBERRY, M.J., 3044
GRASSI, W., See BONCIANI, L., 3814
GRASSO, C., See DE LUCA, B., 2123
GRATTON, C.P., See DUNCOMBE, E., 3728
GRAUBY, A., See CAMUS, H., 4814
GRAVES, G.A., See HAMESTER, H.L., 5441
GRAVES, N.J., See LONG, C.L., 1626
GRAVIER, M., See CHABASSIER, R., 5067
GRAY, J.E., International cooperation on breeder reactors, 3927
GRAY, T.C.F., See REICH, M., 3442
GRAZIANI, G., Effects of fast breeders' characteristics on consumptions and expenditures related to electric power generation. An assessment for the European Community, 1183 (EUR--5598)
Role of the demand-duration curve in the evaluation of power station installation policies. Remarks on its effects on stations' utilization, generating capacity, load factor history and consumptions, 1184 (EUR--5599)
GRAZZINI, E.D., See COLEMAN, D.W., 1484, 4857
GRDDICHKO, E.M., See BUDOV, V.M., 4066
GREBENSHCHIKOV, YU.E., See KOZLOV, F.A., 715
GREEBLER, P., See EL-SHEIKH, K.A., 419
See GRIFFITH, J.D., 394
GREEF, C.P., Detection of coolant blockages: problems and possibilities, 406 (CONF-761001--P2, pp 625-634)
Report on the second specialists' meeting on reactor noise (SMORN II), Gatlinburg, Tennessee, September 19th-23rd 1977, 2763 (RD-E-N--4254)
Temperature fluctuations: an assessment of their use in the detection of fast reactor coolant blockages, 3280
GREEN, D.R., Computerized fuel measurement from x-ray radiography, 1033 (DOE/TIC--11042)
Modern applications for cast and wrought superalloys, 3810
GREEN, J.L., See BAUER, A.A., 4831
GREENE, D.A., Acoustic leak detection system concept design, 1265 (GEFR--00340)
Acoustic leak detection/location system for sodium heated steam generators, 1424 (GEFR-SP--212)
Background noise measurements on prototype of SNR-300 steam generator in the 50 MW test facility at Hengelo, The Netherlands, 1273 (GEFR--00355(Rev.1))
Background noise measurements on prototype of SNR 300 steam generator at Hengelo, 1423 (GEFR-SP--210)
Leak location in a double wall tube steam generator, 1425 (GEFR-SP--213)
Recent experimental results on small leak behavior and interpretation for leak detection, 702 (CONF-781001--P1, pp 10.1-10.20)
Results of small leak behavior and damage propagation tests in the U.S., 2324 (NEDM--14131)
Self-wastage phenomena. Volume I. State-of-the-art data review and evaluation, 1229 (GEFR--00051(L)-1)
Small leak damage and behavior test results, 2317 (NEDM--14044)
Tests and analysis in support of an acoustic leak detection/location system (progress report), 1283 (GEFR--00384)
See GAUBATZ, D.C., 1327
See GUDAHL, J.A., 1230
See MAGEE, P.M., 4856, 703, 984
GREENE, G.A., Analysis and measurement of solidification dynamics of flowing two-phase noncondensable mixtures, 3622
Comparison of measured and calculated average void fraction in volume-boiling pools with inclined boundaries, 326 (BNL-NUREG--25714)
Design and operational evaluation of a differential pressure local void fraction probe, 3648
Effects of noncondensible void fraction on freezing of flowing fluids, 4777
Heat removal characteristics of volume-heated boiling pools with inclined boundaries in bubbly flow regime, 327 (BNL-NUREG--26083)
Thermo-fluid mechanics of volume-heated boiling pools, 110 (ANL--78-10, pp 369-376)
Thermo-fluid mechanics of volume-heated boiling pools, 331 (BNL-NUREG--50759)
Transient fuel solidification and relocation from core during transition-phase conditions, 4002
GREENE, N.M., Central computerized data base for LMFBR safety codes, 4552
SACRD: a data base for fast reactor safety computer codes, general description, 2573 (ORNL--5477/V1)
SACRD: a data base for fast reactor safety computer codes, contents and glossary of Version 1 of the system, 2574 (ORNL--5477/V2)
See ALTER, H., 438
See HAAS, P.M., 839
See ROUSSIN, R.W., 2613
GREENE, T., See GLAZER, S., 3226
GREENSTREET, W.L., Structural analysis technology for high-temperature design, 4536
GREENWOOD, R.C., See GILLIAM, D.M., 2371
See HELMER, R.G., 2938
GREER, B., Survey of the current state of knowledge of incipient boiling superheat in sodium, 2777 (RSA-TM--4)
GREGOIRE, K.E., BEHAVE-SST interpretation of TREAT experiments HUT 5-5A and HUT 5-5B, 3985
GREGORY, C.V., CLAYMORE code and its use for describing coolant boiling in LMFBR subassemblies, 3746
Natural circulation boosts safety of pool-type fast reactor, 3080
GRIESS, J.C., Corrosion of 2 1/4 Cr-1Mo steel under superheat transfer conditions, 4182
Steam-side/water-side corrosion: the effect of heat flux on the corrosion of 2 1/4 Cr--1 Mo steel by superheated steam, 2533 (ORNL--5309, pp 1-7)
GRIEVE, M.S., Optimization of sodium cooled fast reactors. Conference

report, 3745
GRIFFIN, C.W., See CHANG, S., 2786
See WCCD, P.J., 677
GRIFFIN, D.S., High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977, 3015 (WARD-SD--3045-10)
Inelastic structural analysis: design implications and experience, 3384
User's guide to APACHE: a three-dimensional finite element program for steady-state or transient heat conduction analysis, 3018 (WARD-SD--3045-13)
See KENT, M.P., 3017
GRIFFITH, J.D., Safety related design considerations for large fast breeder plants, 394 (CONF-761001--P1, pp 209-223)
See GAVIGAN, F.X., 5019
GRIFFITH, J.L., See KLUEH, R.L., 2532, 2534, 2559
GRIFFITH, J.M., Investigation of optimal redundancy for a specific system objective, 1888 (IDO--1570-T31)
GRIGNON, F., See CHAUMONT, J.M., 3875
GRIME, C.J., See SEED, G., 3093, 3792, 3794, 3795, 4426, 4427, 4428
GRIMM, K.N., Approximations of gamma cross sections for fast nuclear reactors, 75 (ANL--77-88)
Radial-reactivity-coefficient weighting schemes for a fast reactor, 3682
Regional-tailoring of EBR-II for slow transient tests, 3186
See FOLTMAN, A.J., 4659
GRINMAN, M.I., Nuclear power plant, 5448
GRISOLLET, J., Computers processing the temperature in the core of Phenix, 2303 (MRR--160, pp 511-529)
See JEANNOT, A., 2304
GRJASEV, V., See KRAUSE, H., 3039
GRJAZEV, V.M., See GOLOVNIN, I.S., 4365
GROCHOWSKI, F.A., See NOVENDSTERN, E.H., 597
GROENEFELD, G., Decay heat of fission products and actinides of the SNR 300, 2015 (IIB--76.08)
GROETZBACH, G., Direct numerical simulation of turbulent velocity, pressure, and temperature fields in channel flows, 3451 (DOE-tr--61)
See BCENISCH, G., 395
GROLMES, M.A., See CHEN, W.L., 3663
GROLMES, M.A., Advanced fuels safety comparisons, 4862
In-pile experiments and test facilities proposed for fast reactor safety, 415 (CONF-761001--P2, pp 787-796)
See AVERY, R., 396
See CHEN, W.L., 3849, 4650
See CHU, D.H., 486
See CRONENBERG, A.W., 2732
See EPSTEIN, M., 482
See FAUSKE, H.K., 432, 725
See HOLTZ, R.E., 63
See ISHII, M., 158, 3290
See ROSE, D., 437
See SPENCER, B.W., 471
GRONAGER, J., Debris bed experiment No. 4: a preliminary look, 2894 (SAND--80-0217C)
GROSBERG, A.J., Analysis of a hypothetical LMFBR accident using the codes FUTURE and FRUMP, 3987
GROSS, K.C., Barycentric coordinates technique for resolution of multiple fuel failures with gas tagging, 4635
Computer modeling of the dynamic behavior of delayed-neutron concentrations in EBR-II, 3175
Development of a methodology for analysis of delayed-neutron signals, 154 (ANL--79-57)
See SO, E.Y.C., 153
GROSS, M., See HERRMANN, W., 2813, 3666
GROSS, M.B., See BERNSTEIN, D., 453
GROSS, M.C., See ADKINS, C.R., 3596
GROSS, R., See EHRLICH, K., 4962
GROSS, S., Characterization of fragmented fuel from a thermal fuel-sodium interaction, 3271
See BOJARSKY, E., 491
See DECKERS, H., 4220
GROSSBECK, M.L., Effects of irradiation on the fracture behavior of austenitic stainless steels, 4937
See BRINKMAN, C.R., 4243
GROSSER, E.D., See BREITLING, H., 2064, 4454
GROSSMAN, L.M., See DOSHI, J.B., 3846
GROVER, J.M., Development of an instrumented materials irradiation test for FFTF, 1649 (HEDL-SA--1881-FP)
See CLAUDSON, T.T., 1554
GRUBER, E.E., Analysis of fuel dispersal in direct electrical heating experiments, 2259 (LA--7938-C, pp 269-279)
Comparison of a fission-gas effects in a transient overpower test (HUT 5-7A) to FRAS3 code predictions, 1605 (HEDL-SA--1725-FP)
Dispersive potential of irradiated breeder reactor fuel during a thermal transient, 4801
Generalized parametric model for transient gas release and swelling in oxide fuels, 4327
Modeling breeder reactor transient fission gas behavior: bubble equilibration effects, 3602
Role of bubble-size equilibration in the transient behavior of fission gas, 123 (ANL--78-36)
GRUNDL, J.A., See FABRY, A., 2368
See MCELROY, W.N., 1495
GRUNDY, B.R., See WU, P.C.S., 3275
GRYAZED, V.M., Ensuring safe operation of the BOR-60 experimental fast reactor as an atomic power plant, 3047 (PNL-TR--357)
GRYAZEV, V.M., Basic principles of accounting and control of nuclear materials in the BOR-60 experimental fast reactor, 3353
Control of unirradiated fuel in BOR-60 fast reactor fuel assemblies by neutron radiation, 3352
Radioactivity of long-lived nuclides in the primary circuit of the reactor BOR-60 during operation with defective fuel elements, 2222 (KFK-tr--576)
Radioactivity of long-lived nuclides in the BOR-60 primary circuit during operation with some defective fuel elements, 2342 (NIIAR-P--5(299))
Radioactivity of long-lived nuclides in the primary loop of the BOR-60 reactor during operation with defective fuel elements, 4618 (BNWL-tr--340)
Safe operation of the BOR-60 experimental fast reactor in power plant conditions, 4091
Study of the operational characteristics of the core and irradiated fuel parameters in the BOR-60 reactor, 3046 (PNL-TR--398)
Study of the operational characteristics of the core and irradiated fuel parameters in the BOR-60 reactor, 4089
See AFANAS'EV, V.A., 2340, 3464
See KAZACHKOVSKII, O.D., 5400
See SUPPOTIN, V.I., 3313
See TSYKANOV, V.A., 2008, 2341, 4549, 4880
GRYZINA, V.V., See GABESKIRIYA, V.YA., 4466
GUBANOV, V.M., Results of study of American specimens of welded joints between tubes and tubesheets, 709 (CONF-781001--P2, pp 4.1-4.10)
See TITOV, V.F., 710
GUDAHL, J., See GREENE, D.A., 1283
GUDAHL, J.A., Microleak wastage test results, 1270 (GEFR--00352)
Preliminary self wastage test results from CRACKPOT facility, 1254 (GEFR--00279(L))
Self-wastage phenomena. Volume II. Experimental data from GE test facilities, 1230 (GEFR--00051(L)-2)
Small leak scoping tests: secondary tube failure test; sodium/water reaction flare photography, 2325 (NEDM--14137)
See GREENE, D.A., 702
GUDERJAHN, C.A., See MOREWITZ, H.A., 1591, 3076
See NELSON, C.T., 495
GUDERJOHN, C., See HEISLER, M.P., 42
GUENTHER, C., See GOETZMANN, O., 4142
GUENTHER, K., See BLOMBACH, J., 4100
GUENTHER, R.J., Initial stage restructuring in sphere-pac mixed-carbide fuel, 2755 (PNL-SA--7503)
See ADES, M., 3952
GUER, M., See BARNEOUD, R.E., 5404
GUHA, R.M., Analysis of crack patterns in fast reactor fuel pellets, 14 (AERE-TP--719)
GUIDEZ, J., Large scale primary sodium pumps, 5065 (ANL-Trans--1173)
Liquid metal cooled nuclear reactor, 5338
See VIAL, B., 4062
GUILLET, H., See BAILLY, H., 3143
GUILLOISEAU, P., See GUIDEZ, J., 5065
GUINIER, G., See BOUTIN, P., 4923
GUITON, P., See CHABASSIER, R., 5067
GUNTHER, W.H., See BAKER, L. JR., 504
See CHASANOV, M.G., 4295
See STEIN, R.P., 4674
GUNZ, G., Main characteristics of 9% chromium-2% molybdenum-niobium-vanadium steel tubes. Influence of variations of composition and thermal treatment, 4160
GUPPY, J.G., Application of multiple timestep integration method in SSC, 320 (BNL-NUREG--25519)
Confirmatory simulation of safety and operational transients in LMFBR systems, 311 (BNL-NUREG--24988)
FBR core transient simulation, 3219
See AGRAWAL, A.K., 305, 325, 4337
See MADNI, I.K., 4805
GUPTA, V.K., Minimizing unbalance response of the CRBRP sodium pumps, 1405 (GEFR-SP--130)
GUSEV, N.G., Providing radiation safety at nuclear power plants, 5164
GUST, W.H., Elastic and plastic properties of uranium dioxide from 5 to 330 GPa, 2948 (UCRL--82614(Rev.1))
GUSTAVSON, W.R., Heat transfer and fluid dynamics in a volume-heated boiling pool, 505 (CONF-761001--P4, pp 2066-2076)
GUTHMANN, E., Past and present role of fast breeder reactors in the Federal Republic of Germany, 4052
GUTHMANN, E.A., Status of preliminary design of SNR 2, 5266
See BRANDSTETTER, A., 5279
GUTHRIE, G.L., Small thermal oscillation analysis of the MOTA, 1601 (HEDL-TME--78-12)
Time step MOTA thermostat simulation, 1600 (HEDL-TME--78-11)
See GARNER, F.A., 5276
See STRAALSUND, J.L., 1734
GUTIERREZ, R.L., Preliminary fabrication studies of alternative LMFBR carbide fuels, 2238 (LA--7901-MS)
GVILDYS, J., See CHANG, Y.W., 3538, 4760, 5042, 538, 791, 792
See CHU, H.Y., 452
GWALTNEY, R.C., Room-temperature inelastic test of a nozzle-to-spherical-shell model subjected to pressure and moment loading, 2644 (ORNL/TM--6170)
GWYTHER, J.R., Effect of variations in carbon activity on the carburization of austenitic steels in sodium. Exploratory tests, 372 (CEGB-RD/B/N--4338)
GYFTOPOULOS, E.P., See PAPAZOGLOU, I.A., 2402
GYR, W., See BLOMBACH, J., 4100
See MORGENSTERN, F.H., 424

H

HAAS, D., Mechanical behavior of honeycomb spot-welded spacer grids irradiated in two fuel rod bundles, 3254
Results of the postirradiation examinations of the Rapsodie-1 experiment fuel pins, 4506
See BERGMANN, H.J., 4944
HAAS, P.M., Development of the Centralized Reliability Data Organization (CREDO), 839 (CONF-791163--99)
See BOTT, T.F., 2309, 3172, 778, 810
HAAS, V., Results of the post-

irradiation examinations of the Rapsodie I experiment fuel pins, 302 (EN--7612-04)
HACKETT, P.L., See MAHLUM, D.D., 2745
HACKFORD, N.E., See DERBY, S.L., 1228
HAEFELE, W., See KULCINSKI, G.L., 3317
HAEFNER, H.E., High-pressure capsule for the irradiation of fuel swelling specimens in the FR2 reactor, 4508
See BOJARSKY, E., 4213
HAEGGBLOM, H., Neutronics calculations with EQUICYCLE version 3 on two heterogeneous LMFBR concepts, 2855 (STUDSVIK-K2--79/90)
HAESSEN, W., Radiographic and ultrasonic inspection of an austenitic pump barrel, 2058 (IWGFR--10, pp 150-157)
Ultrasonic testing, state of the art and possible developments, 2051 (IWGFR--10, pp 71-73)
HAFFNER, D.R., Reactor physics parameters of alternate fueled FBR core designs, 1483 (HEDL-SA--1325)
Reactor physics parameters of alternate fueled fast breeder reactor core designs, 3251
See MARR, D.R., 1482
HAGA, K., See INUSHIMA, H., 2154
See KIKUCHI, Y., 3548, 3829, 4513
See OZAKI, Y., 2146
See UCHANI, M., 2145
HAGAN, W.K., See MAY, R.S., 3577
HAGE, W., Reactor physics aspects of burning actinides in a nuclear reactor, 1156 (EUR--5897, pp 13-50)
HAHN, G., Tertiary heat exchanger, 4525
HAIGH, C.P., See CHARNOCK, W., 3090
HAINES, N.L., Emissivity of sodium wetted and oxidized Type 304 stainless steel, 652 (CONF-800401--5)
HAKIM, S.J., Analysis of a prototypic and a simulant-experiment related to freezing in flow channels, 1016 (DOE/TIC--10100)
Analysis of a prototypic and a simulant experiment related to freezing in flow channels, 2260 (LA--7936-C, pp 280-300)
Effect of fluid-to-structure heat transfer on the structural damage potential to a liquid-metal fast breeder reactor, 3110
Hydrodynamic model for treating transient freezing in pin bundles, 481 (CONF-761001--P4, pp 1767-1777)
Mechanical failure of subassembly ducts and its effects on transition-phase analysis, 3992
Simultaneous freezing and melting in finite media, 3085
System damage potential for CRBRP, 4783
Thermal actions controlling subassembly failure propagation during the transition phase in an LMFBR, 3623
HAKOGAMI, T., See KAWAMATA, K., 3725
HALBLEIB, J.A. SR., See MCARTHUR, D.A., 2407, 2439, 2851, 3647
HALE, J.P., See MARTIN, H.C., 1633
See PEAK, R.D., 1615
See WOOD, P.J., 677
HALES, J.W., Performance of commercially produced mixed-oxide fuels in EBR-II, 4724
Performance of commercially produced full-size FFTF fuel pins in GETR, 4725
HALITSKY, J., Wake and dispersion models for the EBR-II building complex, 4624
HALL, M.M. JR., Multiaxial creep equations for nonlinear and volume-nonconservative in-reactor creep, 3140
HALL, R.E., See GREEF, C.P., 406
HALL, R.W., See EDARD, S.J., 2718, 364
HALLE, H., See CHUNG, H., 202, 3598, 678
HALLINAN, G.J., See JACOBSON, G., 1494
HALSTEAD, W.D., Improvements in or relating to the blocking of micropores in a structure, 4253
HALVERSON, T.G., FFTF gas processing systems, 1465 (HEDL-SA--1230-S)
FFTF gas processing systems, 3320
HAME, W., See HOFMANN, F., 84
HAMEL, W.R., Instrumentation and control development and design philosophy for Advanced Fuel Recycle, 2655 (ORNL/TM--6393)
HAMESTER, H.L., Risk aversion and energy policy: a case for breeder research and development, 5441
HAMMER, P., See BOUGET, Y.H., 3138
HAMMITT, F.G., Superheat in flowing sodium. Paper 3.10, 5452
HAMMOND, J.P., Elastic properties of engineering construction materials, 2489 (ORNL--5255, pp 90-97)
HAMPSHIRE, R., See SMITH, D.C.G., 4058
HAMPSON, D.C., See FELDMAN, M.J., 3970
HAMPTON, L.V., Carbon transport in a bimetallic sodium loop simulating the intermediate heat transport system of a liquid metal fast breeder reactor, 1416 (GEFR-SP--172)
Fouling and chemical cleaning studies: CRBRP evaporators. Part II, 1325 (GEFR--00449)
Intermediate System Mockup Loop (ISML) operation, 1279 (GEFR--00373)
USSR steam generator materials examination of test specimens, 1306 (GEFR--00413)
See GRIESS, J.C., 4182
See PIZZO, P.P., 2504
See ROY, P., 696
See RUSH, D.J., 1398, 697
See SPALARIS, C.N., 1267
See STEPHENS, P.B., 979
HAN, J.T., Blockages in LMFBR fuel assemblies: a review, 615 (CONF-771120--14)
Comparison of the HAARM-3 fallout model with nuclear safety pilot plant (NSPP) data, 3191
Comparison of the HAARM-3 fallout model with Nuclear Safety Pilot Plant (NSPP) data, 779 (CONF-780602--63)
Edge blockage in a 19-pin sodium-cooled bundle, 614 (CONF-771120--8)
Fluid mechanics model to estimate the leakage of incompressible fluids through labyrinth seals, 2654 (ORNL/TM--6373)
Heat-transfer in a partially-blocked sodium-cooled rod bundle, 848 (CONF-791205--23)
Maximum wake temperature and Nusselt number behind blockages in sodium-cooled bundles, 4790
Maximum wake temperature and Nusselt number behind blockages in sodium-cooled bundles, 612 (CONF-771109--78)
Model to correlated residence time measurements behind blockages, 4791
SASSA simulations for a 19-pin dryout experiment, 3609
SASSA simulations for a 19-pin dryout experiment, 680 (CONF-780622--42)
Thermal-hydraulic correlations of a six-channel blockage in a sodium-cooled simulated LMFBR fuel assembly, 518 (CONF-761001--P4, pp 1541-1549)
See ADAMS, R.E., 2456, 809, 854
See HANUS, N., 3982
See KRESS, T.S., 2446
See MACHBITZ, M., 3981
HAN, K.S., Application of a nonredundant pinhole array to a test fuel element at TREAT, 4011
HANAN, N.A., Investigation of the growth rate for joint fast breeder reactor and light water reactor operation, 943 (COO--4116-3)
HANCOCK, S.L., Application of a coupled Euler-Lagrange computer program to the structural response of an LMFBR, 4500
HANDA, M., Strategies in development of advanced fuels for LMFBR, 2136 (JAERI-M--6851)
HANDL, Z., See MATAL, O., 5172
HANKE, V., See MATAL, O., 3831
HANKIN, B.C., See CAMERON, I.G., 295, 3897
HANNAFORD, J., Safety issues in licensing commercial LMFBR's, 364 (CONF-761001--P1, pp 33-43)
HANNAN, A.H.M.A., See FABRY, A., 1867
HANS, R., Flow measurement in main sodium pipes, 3063
Leak detection of steam or water into sodium in steam generators of liquid-metal fast breeder reactors, 4881
HANSEN, G.E., See GILLIAM, D.M., 2371
HANSEN, L.F., Laser driven fusion fission hybrids, 2547 (UCRL--79653(Rev.1))
HANSON, A.S., Fluid mixing studies in a hexagonal 61-pin, wire-wrapped rod bundle, 883 (COO--2245-51TR)
HANSON, J.E., Safety aspects of fast reactor fuels, 1465 (HEDL-SA--1288)
Technical bases: FFTF fuel/cladding damage criteria, 337 (BNWL-CC--2500)
See BAARS, R.E., 1561
See DUNCAN, D.R., 1613, 1627, 3165
HANUS, N., Maximum sodium temperature correlation for six-channel FBR subassembly blockages, 3982
Steady-state sodium tests in a 19-pin internally guard-heated simulated LMFBR fuel assembly with a six-channel internal blockage: record of experimental data for THORS bundle 3C, 2661 (ORNL/TM--6498)
See MORRIS, R.H., 2679
See NOYES, R.C., 5350
See RIBANDO, R.J., 2677
See WANTLAND, J.L., 2641, 4793, 611
HARADA, T., Thermo-hydrodynamic instability test for 0.3 MWt sodium-heated steam generator, 4311
HARBISON, S.G., See MULLEN, R.E., 4740, 4873, 4874
HARBOTTLE, J.E., Irradiation under stress and the resulting microstructure, 4958
HARBOURNE, E.L., Interactions between thermal and structural behavior in FBR fuel pins, 1412 (GEFR-SP--159)
See PATEL, M.R., 3164
HARD, E.N., Status of FFTF startup program and future FFTF utilization, 1593 (HEDL-SA--1671)
HARDIE, R.W., See HAFFNER, D.R., 1483, 3291
HARDIGG, G.W., See BECKJORD, E.S., 4099
HARDT, L., Present state and development potential of high temperature reactors, 4474
HARIED, J.A., See HOWARD, P.A., 243
HARIHAR, P., See DONATI, D.R., 4382
HARKNESS, A.L., Statistical study of EBR-II fuel elements manufactured by the cold line at Argonne-West and by Atomics International, 64 (ANL--77-66)
HARKNESS, S.D., See BODINE, G.C., 4158
See BODINE, G.C. JR., 525
HARLESS, W.H., Secondary criticality evaluations of postulated core melt-down accidents in early-sized LMFBR's, 1395 (GEFR-SP--037)
Secondary criticality evaluations of postulated core melt-down accidents in early-sized LMFBR's, 88 (ANL--78-10, pp 35-46)
HARMS, W.O., Perspective on long-range nuclear energy options, 599 (CONF-770973--1)
HAROLDSEN, O.O., Head-flow mapping and low NPSH testing of a prototypic subscale inducer pump at SCTL, 1182 (ETEC-TDR--79-11)
HARRIES, D.R., Core component materials for sodium-cooled fast reactors, 3433
Core component materials for sodium-cooled fast reactors, 3437
UKAEA fast reactor project research and development programme on fuel element cladding and sub-assembly wrapper materials, 4933
See MOSEDALE, D., 4942
HARRIS, R.A., Detection of feedback resonances in FFTF using rod drop stability tests, 1795 (HEDL-TME--77-107)
Evaluation of rod drop stability tests in FFTF, 1794 (HEDL-TME--77-105)
Reactivity surveillance procedures for anomaly detection, 1796 (HEDL-TME--77-108)
See BENNETT, R.A., 1612
See OMBRELLARO, P.A., 1503
HART, D.F., See BETTS, C., 3704, 4446, 5309
HART, E.W., See LI, C., 866
HARTE, G.A., Quantitative assessment of nuclear incineration of

actinide waste, 4879
Some preliminary investigations of the incineration of actinide waste from the UK and European nuclear power programmes, 1197 (EUR--5897, pp 193-212)
HARTLE, R.T., Friction, wear, and fretting: Clinch River Breeder Reactor steam generators, 1263 (CEFR--00322)
Transition joint welding: life test article fabrication, 1311 (CEFR--00422)
Tribological behaviour of materials for use in sodium cooled fast breeder steam generator applications, 4176
See RCY, P., 3268
HARTMAN, A.K., Analysis of the ZPPR-4 critical experiments, Phases 3 and 4, 1237 (CEFR--00108)
Updated analysis of the ZPPR-7 critical experiments: phases A, B, and C, 1266 (CEFR--00347)
HARTMANN, W., See CASAL, V., 2167, 2185, 4609
HARTSELL, J.C., Practical considerations from construction of the FFTF pipe support system, 1594 (HEDL-SA--1676)
HARTUNG, J.A., Use of quantitative risk and probabilistic safety criteria in the conceptual design of a large pool-type LMFBR, 4045
HARTY, R.B., Modular steam generator final project report, 2937 (TR--057-330-010)
HASEGAWA, A., See TAKANO, H., 2155
HASEGAWA, K., See KIMURA, Y., 3469
HASEGAWA, S., See ORII, S., 5229
HASEGAWA, Y., See IMAYOSHI, S., 4118
See SAWADA, T., 2734
HASHIGUCHI, K., See KANEGAE, N., 3430
See NEI, H., 3552
HASHIKURA, H., See OKA, Y., 1864
HASHIMOTO, H., See YAMAMOTO, K., 2046
HASSBERGER, J.A, Intermediate scale sodium-concrete reaction tests, 1791 (HEDL-TME--77-55)
Intermediate scale sodium-concrete reaction tests, 55 (ANL--78-10, pp 256-266)
Operating experiences and analysis of FFTF and hTSF cold trap economizers, 1761 (HEDL-TME--77-43)
See COLEURN, R.P., 1607
See HILLIARD, R.K., 1498, 686
See MILLBURG, M.L., 1676
HASSMANN, K., See BITTERMANN, D., 4252
HATA, D.C., Effects of stoichiometry on cladding attack in mixed-oxide fuels to approx. 3.6 at% burnup, 1470 (HEDL-SA--1252-S)
Effects of stoichiometry on cladding attack in mixed-oxide fuels to approx.3.6 at.% burnup, 4646
See LAWRENCE, L.A., 3293, 3411
HATA, K., Study on the tritium removal from the sodium in LMFBR, 684 (CONF-780619--P1, pp 195-207)
HATAKEYAMA, C., See YOSHIZAKI, A., 4553
HAUBOLD, W., INTERATOM experience of cleaning sodium-wetted components, 2117 (IWGFR--23, pp 42-46)
Status of sodium removal and component decontamination technology in the SNR program, 2112 (IWGFR--23, pp 1-7)
See BUESCHER, E., 2116
HAUPT, P., Some comments on thermomechanical constitutive equations for inelastic analysis of LMFBR components, 5123
HAUSER, C.M., See CHAWLA, T.C., 3185
See CHO, D.H., 4016
See SWEDISH, M.J., 3614
HAUSS, E., See DHIR, V.K., 2376
HAWKESWORTH, W., See WYLIE, R.D., 2773
HAWLEY, J., See CHIU, C., 874
HAWTHORNE, J.R., Exploration of the influence of welding variables on notch ductility of irradiated austenitic stainless steel welds, 4948
HAYAKAWA, S., See YUKISHIMA, I., 4442
HAYASHI, H., See SAIJO, T., 5457
See TSUTSUMI, K., 5312
HAYASHI, S., See YOSHIZAKI, A., 4553
HAYASHI, T., See TSUTSUMI, K., 5312
HAYASHI, Y., Study of mist formation in a convective field. Effect of turbulent fluctuation on the mechanism of mist formation, 4282
HAYDEN, C., Heat exchangers, 4254
Tube boiler heat exchanger, 3473
See TAYLOR, A.F., 3096
HAYES, D.J., Water leaks in sodium-heated fast reactor boilers, 3712
See HUGHES, G., 4346
HAYES, F., See GLUECKLER, E.L., 4499
HAYET, L., See LEFORT, G., 5302
HAYNS, M.R., See BELLAMY, R.G., 4842
HEAD, J.L., Nuclear reactor safety, 3126
See GROSBERG, A.J., 3987
See GUHA, R.M., 14
HEAMES, T.J., See EISENHAWER, S.W., 2852
See FERGUSON, D.R., 448
HEBBAR, M., See DUKE, J.M., 4644
HECHT, S.L., Experience in the use of FBR core component structural design criteria as applied to FFTF, 1638 (HEDL-SA--1794)
HECK, E.N., See LEGGETT, R.D., 1598
HECKERT, K., See JACOBI, S., 4209
HECKMAN, R.C., High-temperature electronics: an overview, 2892 (SAND--79-2319A)
See MOSS, M., 2812
HEDGECOCK, L.R., See DISNEY, R.K., 746
HEER, W.F., LMFBR plutonium fuel development and fabrication, 1550 (HEDL-SA--1523-FP)
HEHN, G., Prediction of radiation damage in structural materials outside the reactor core, 1186 (EUR--5667(Pt.1), pp 52-62)
HEIBERGER, J.J., Observations on effects of stainless steel on UO_2-graphite interactions, 3656
See FINK, J.K., 113, 4328
See HENRY, R.E., 478
HEIBERGER, W.F., SLSF delayed neutron detection with the on-line sodium sampling system, 739 (CONF-781105--66)
HEIJBER, R.J., Pseudo fission-product cross sections for a 1300 MWe fast breeder reactor (status July 1978), 1054 (ECN--52)
HEINECKE, J., See CORNET, G., 3903
See STANCULESCU, A., 3893
HEINEMAN, J.B., See MYNC, L., 477
HEINRICH, R.R., See DUDEY, N.D., 1185
See FRANKLIN, F.C., 70
See GILLIAM, D.M., 2371
See STRAIN, R.V., 129, 4736
HEINZEL, V., See BOENISCH, G., 395
See KLEEFELDT, K., 2217
HEISING, C.D., EVAP users manual, 1128 (EPRI-NP--1150-SR)
HEISINC-CCODMAN, C.D., Comparative assessment of the LMFBR and advanced converter fuel cycles, 3341
HEISLER, M.P., LMFBR safety program. Quarterly technical progress report, April--June 1977, 42 (AI-ERDA--13205)
HEJNA, J., Results of measuring local hydrodynamic characteristics of geometrically disturbed rod bundle. I, 2949 (UJV--4156-T)
See MANTLIK, F., 1902
HELBIG, D., See WUELLNER, G., 4907
HELENBERG, H.W., See KUZAY, T.M., 795
See SMITH, J.L., 5109, 540
HELLER, A., Heat utilization of future reactor systems, 4424
HELM, F., Summary of results for the SNEAK-9 series of critical experiments and conclusions for the accuracy of predicted physics parameters of the SNR-300, 2196 (KFK--2586)
See FISCHER, E.A., 418
See PILATE, S., 3410
HELMER, R.G., Evaluated decay-scheme data for ILRR, 2938 (TREE--1116, pp 128-130)
See GILLIAM, D.M., 2371
HELMICK, H.H., See BARTS, E.W., 2285
See DE LEEUW-GIERTS, G., 1188
HENNEBICQ, J.P., See DECUYPER, J., 4233
HENNIES, H.H., West German perspective on the need for the plutonium-fueled LMFBR, 3133
See VENDRYES, G., 3439, 3440
HENNINGER, R.J., Application of the SIMMER-I code to LOF accidents in an LMFBR, 2230 (LA--7194-MS)
Disassembly phase energetics: an examination of the impact of SIMMER models and assumptions, 2457 (NUREG/CR--1027)
SIMMER-VENUS II comparison for mechanical disassembly of an LMFBR, 4782
See ALCOUFFE, R.E., 2286
See HAKIM, S.J., 4783, 481
HENRY, B., See DUFRESNE, J., 4244
HENRY, R.E., Cladding relocation experiments, 474 (CONF-761001--P4, pp 1691-1696)
Depressurization of internally heated boiling pools, 3339
Evaluation of the potential for energetic fuel-coolant interactions in hypothetical LMFBR accidents, 4983
Experiments on pressure-driven fuel compaction with reactor materials, 478 (CONF-761001--P4, pp 1735-1743)
28-pin cladding relocation experiments, 4745
Vapor explosion with subcooled freon, 2714 (PNC-N--251-76-12(Vol.1), pp 231-248)
Vapor explosion experiments with simulant fluids, 487 (CONF-761001--P4, pp 1862-1869)
Vapor-explosion experiments with subcooled Freon, 57 (ANL--77-43)
See EPSTEIN, M., 482
See FARAHAT, M., 476
See FAUSKE, H.K., 725
See HINKLE, W.D., 731
See JONES, B.G., 3631, 4744
See JONES, O.C. JR., 4564
See SPENCER, B.W., 3998, 3999, 4000, 4749
HENRY, T.P., Analysis of in-pile MFCI experiments with carbide fuel, 3615
Boiling glow regimes for carbide fuel and steel, 4003
Mild transient overpower accidents with advanced fuels, 3198
Transient fission gas release effects on carbide fuel failure dynamics, 3633
See SUN, Y.H., 4766
HENSCHEL, R., See SHARMA, D.K., 3861, 3862, 3870, 3871
HENTSCHEL, D., See MENZENHAUER, P., 2115
HERBERG, G., Experience in welding of the weather-proof steel outer shell of a reactor containment, 5260
Status report on ultrasonic testing of austenitic welds, 3772
HERBST, R.J., See GUTIERREZ, R.L., 2238
HERMANN, R., Could nuclear waste recycled in reactors, 3828
HERRMANN, W., Evaluation of computational techniques for LMFBR safety analysis, 2813 (SAND--77-0924C)
Evaluation of computational techniques for LMFBR safety analysis, 3686
See THOMPSON, S.L., 2832
HERSCHBACH, K., See BERGMANN, H.J., 4944
HERY, M., See DECUYPER, J., 4233
HESLENFELD, M.W., See KOHLER, M., 4119
See VROOM, J.P., 4065
HESS, B., See BIERMANN, W., 4902
HESS, J.O., See MAHLUM, D.D., 2745, 2749
HETRICK, D.L., BRENDA: a dynamic simulator for a sodium-cooled fast reactor power plant, 2393 (NUREG/CR--0244)
HEUSENER, G., Safety of sodium-cooled fast breeders, using the example of the 300 MWe breeder prototype power plant at Kalkar (SNR 300), 1995 (INIS-mf--4816, pp 11-16)
See STRUWE, D., 393
HEUVEL, H.J., See PEEHS, M., 467
HEYLEN, P.P., Fast reactor program reprocessing project-pyrochemical head-end preliminary technical and economic evaluation, 5454 (PNL-TR--356)
HEYLMUN, N.F., See GOLDEN, M.P., 5455
HICKAM, W.M., See BERKEY, E., 4471
HIDA, K., See KAWAMATA, K., 3725
HIKIDO, K., See KEATEN, R.W., 5291
HIKIDO, T., See BAARS, R.E., 1561
See DUNCAN, D.R., 1627, 3165
HILAL, M.A., Future helium requirements for energy related applications, 4920
HILBERT, R.F., See COX, C.M., 4828
See GATUS, L.A., 1259
See LEGGETT, R.D., 1598

See ROSA, J.M., 3573
See VAIDYANATHAN, S., 1257
HILDNER, R.A., See REIHMAN, T.C., 3037
HILL, E.F., Decontamination of LMFBR components, 25 (AI-DOE--13218)
Development of acidic processes for decontaminating LMFBR components, 2128 (IWGFR--23, pp 164-173)
Development of the glycolic--citric acids (GCA) process for decontamination of LMBER components, 3940
See WELCH, F.H., 1133
HILL, E.H., Evaluation of the Clinch River Breeder Reactor Plant design, 3493
HILL, J., Energy gap and the fast reactor, 4490
Energy gap and the fast reactor, 4924
HILL, L.F., See COLEMAN, D.W., 1484, 4857
HILL, M.R., Mechanical properties test data for structural materials. Quarterly progress report for period ending April 30, 1977, 2505 (ORNL--5287)
Nondestructive testing development program quarterly progress report for period ending March 31, 1977, 2508 (ORNL--5286)
Nondestructive testing development program. Quarterly progress report for period ending September 30, 1977, 2555 (ORNL--5350)
Nondestructive testing development program. Quarterly progress report for period ending December 31, 1977, 2561 (ORNL--5385)
Nondestructive testing development program. Quarterly progress report for period ending March 31, 1978, 2566 (ORNL--5417)
Nondestructive testing development program. Quarterly progress report for period ending June 30, 1978, 2570 (ORNL--5440)
Nondestructive Testing Development Program. Quarterly progress report for period ending September 30, 1978, 2576 (ORNL--5450)
HILL, R.G., Bundle-duct clearance of HEDL mixed oxide subassemblies, 1449 (HEDL-SA--897)
HILLARD, R.K., Summary of HEDL sodium fire tests, 1592 (HEDL-SA--1669)
HILLEKUM, H., SNR 2 - internal containments, 3911
See KOHLER, M., 4119
HILLIARD, R.K., Aerosol behavior during sodium pool fires in a large vessel: CSTF tests AB1 and AB2, 1845 (HEDL-TME--79-28)
Containment air cleaning for LMFBRs, 1605 (HEDL-SA--1713-FP)
Preliminary results of CSTF aerosol behavior test, AB-1, 1498 (HEDL-SA--1381)
Sodium oxide/hydroxide aerosol properties and behavior in a large vessel, 686 (CONF-780819--P2, pp 764-791)
See MCCORMACK, J.D., 1599, 1606
See MOREWITZ, H.A., 1591, 3076
See POSTMA, A.K., 1825
HILTGEN, H., See MARKFORT, D., 4643
HIMENO, Y., Leak detector of liquid sodium, 5340
Sodium mists behavior in cover gas space of an LMFBR: experimental study, 2144 (JAPFNR--406)
Sodium vapor deposition on a simulated model of an LMFBR rotating shield plug annulus (2), 3822 (JAPFNR--398)
Sodium vapor deposition on a simulated model of an LMFBR rotating shield plug annulus (1), 3824 (JAPFNR--405)
HIND, J.R., See DURSTON, J.G., 3478, 4376, 5150
HINDS, A., See KHAN, E.U., 2756, 3225
HINDS, W., Acoustic and turbulent agglomeration of sodium aerosols. Final report, October 1, 1975--July 31, 1976, 932 (CCO--2801-9)
Performance of a wet cell washer for sodium fire aerosols, 686 (CONF-780819--P2, pp 1044-1057)
HINDS, W.C., Acoustic and turbulent agglomeration of sodium aerosols. Progress report, January 1, 1977--December 31, 1977, 930 (CCO--2801-7)
Acoustic and turbulent agglomeration of sodium aerosols. Quarterly progress report, October 1, 1977--December 31, 1977, 931 (COO--2801-8)
HINKLE, W.D., LMFBR safety and sodium boiling, 731 (CONF-781022--41)
HINMAN, C.A., Ex-reactor transient fission gas release studies, fuel pin PNL-2-4, 1782 (HEDL-TME--77-83)
Out-of-reactor transient fission gas release studies, 1507 (HEDL-SA--1407)
See RANDKLEV, E.H., 1443
See WEBER, E.R., 2031
HINTON, B.M., See GRANT, G., 4645
HINTON, C., Birth of the breeder, 4905
HIRABAYASHI, T., See URUWASHI, S., 2711
HIRANO, H., See MIYAZAWA, T., 5140
HIRASAWA, Y., See NAKAI, Y., 5283
HIRATA, M., See KUDO, K., 3780
See NISHIMURA, H., 4127
See YOSHIDA, H., 4134
HIRATA, MASARU, See KUDO, K., 4567
HIRATA, N., See ARAI, M., 3848
HIRAYAMA, M., Theoretical model of an eddy-current flowsensor, 4359
HIROI, H., See HORI, M., 411
See SATO, M., 5092
HIROTA, J., Reactor Engineering Division annual report. (April 1, 1976 - March 31, 1977), 2140 (JAERI-M--7291)
See NAKANO, M., 2143
HIRS, G., See AUBERT, H., 3211
HISHIDA, h., See SAKAI, K., 3494, 3495, 4299
HITCHCOCK, J.T., See HARTMAN, A.K., 1237
See STEWART, S.L., 403
See TOMKINS, J.L., 2880
See WEI-TEH LEE, E., 3766
See YOUNG, M.F., 2885
HLADKY, E., See POLAK, V., 1894
HLOUSEK, V., See SRUTEK, J., 5320
HOANG, Y.S., Investigation of the three-dimensional thermoelastic deformation of the core assembly of a fast breeder reactor under steady-state operating conditions, 5459 (EURFNR--1412)
See MALMBERG, T., 4145
HOBDELL, M.R., See GWYTHER, J.R., 372
See HUGHES, G., 4246
HOCKENBURY, R.W., Reliability models for plant protection systems, 412 (CONF-761001--P2, pp 721-727)
HODGSON, D., Noise problems in PFR safety system power supplies, 2314 (ND-R--230(R))
See SEED, G., 3093, 3793, 3794, 3795, 4426, 4427, 4428
HODGSON, D.G., See HOWARD, R.S., 3474
HOEBE, J.C., See DE VRIES, J.E., 519
HOEBEL, W., See JIANG, S.H., 2162
HOECHEL, J., SNR-cores: KNK II, SNR-300 to SNR-2, 3852 (EURFNR--1418)
SNR-Cores: KNK-II, SNR-300 up to SNR-2, 2182 (KFK--2416, pp 12-18)
HOEFT, J.E., See VROOM, J.P., 4065
HOEGL, A., See KALKOFFEN, F., 3312
HOEKSTRA, E.K., Fast reactor programme. First quarter 1977 progress report, 1049 (ECN--22)
Fast reactor program. Combined second and third quarters 1977 progress report, 1050 (ECN--34)
Fast reactor programme. Fourth quarter 1977 progress report, 1051 (ECN--41)
Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
HOERLE, M., Results on an irradiation experiment on absorber materials for fast sodium-cooled reactors, 4365 (BNWL-tr--265)
HOERNING, H., Fast breeders and environment, 2013 (INTAT--78.147)
HOFFMAN, H., Experimental investigations into coolant cross mixing in multi-rod clusters with grid-type spacers in turbulent sodium flow, 4615 (EURFNR--1425)
HOFFMAN, N.J., See DROHER, J.J., 1173
HOFFMAN, T.J., Calculation of the reactivity due to bubble collapse with the probability table method, 2592 (ORNL/CSD/TM--35)
Calculation of the reactivity due to bubble collapse with the probability table method, 3736
See RENIER, J.P., 844
See VAUGHAN, E.U., 3155, 780
HOFFMANN, A., See BOURRIER, P., 5124
See CANTON, B., 5110
See JEANPIERRE, F., 2065
See ROCHE, R.L., 2067
HOFFMANN, G., See ALEXAS, A., 4215
HOFFMANN, H., Experimental investigations into coolant cross mixing in multirod-bundles with grid-type spacers in turbulently flowing sodium, 2166 (KFK--2360)
Thermodynamic and fluiddynamic aspects in optimizing the design of fast reactor subassemblies, 4115
See GLINSKY, H.W., 4059
See MARTEN, K., 2202
See WILD, E., 2163
HOFMAN, G.L., Effect of phase instability of stainless steel on the cladding deformation profiles of LMFBR fuel elements, 4435
Irradiation behavior of experimental Mark-II Experimental Breeder Reactor II driver fuel, 3058
Variability of cladding deformation of LMFBR fuel elements, 5107
See BOTTCHER, J.H., 5071, 537
See FLINN, J.E., 3671
See JOHNSON, D.L., 5119
HOFMANN, CH., Chemical reactions of sodium fire aerosols in the free atmosphere, 3283
HOFMANN, F., Status of the post accident heat removal program at GfK for fast breeder reactors, 84 (ANL--78-10, pp 192-201)
HOFMANN, J.R., Internal pressurization in solid mixed-oxide fuel due to transient fission gas release, 4301
Transient pressurization and transport of a two-component gas within interconnected porosity of solid mixed-oxide fuel, 3429
HOFMANN, R., See BERNSTEIN, D., 453
HOITINK, N.C., Program outline under-sodium viewing, 1433 (HEDL--6232)
HOLDER, G.P., See BONILLA, C.F., 939
HOLDREN, J., See KULCINSKI, G.L., 3317
HOLDREN, J.P., Uranium availability and the breeder decision, 1131 (EQL-Memo--8)
HOLL, M., See MENKEN, G., 2118
HOLLENBERG, G.W., Effect of fast neutron irradiation on the structure of boron carbide, 4316
Hot pressing of EuB_6, 1596 (HEDL-SA--1678-FP)
Thermally induced stresses and fractures in boron carbide pellets, 1499 (HEDL-SA--1382-FP)
Tritium release from fast neutron irradiated boron carbide, 1452 (HEDL-SA--1164FP)
See BIRNEY, K.R., 1564
See PITNER, A.L., 1563, 3967
HOLLOWAY, W., See BAKER, L. JR., 506
See SOWA, E.S., 502
HOLMES, D.H., See STEPHENS, P.B., 979
See WOLF, S., 2329, 2330
HOLMES, J.A.G., Considerations in selection of steam conditions for sodium-cooled fast breeder reactors, 3209
See BROOMFIELD, A.M., 4068
HOLMES, J.J., Effects of fast reactor exposure on the mechanical properties of stainless steels, 4934
See BENNETT, J.W., 1455
See GROSSBECK, M.L., 4937
HOLMES, J.T., See PERRY, W.H., 5288
HOLT, F.E., Method of detecting leakage of reactor core components of liquid metal cooled fast reactors, 4451
See FIGG, J.A., 1803
HOLTBECKER, H., Sodium-fuel interaction: dropping experiments and subassembly test, 1194 (EUR--5854)
Testing philosophy and simulation techniques, 4501
See CLERICI, G., 2730
See DONEA, J., 5047
See EGLEME, M., 454
HOLTZ, R.E., Final report on TREAT Test R3, a single-pin loss-of-flow experiment, 63 (ANL--77-54)
See SPENCER, B.W., 471
HOLZ, H.B., See DENISE, R.P., 3657
HOLZWORTH, R.E., See HEIBERGER, W.F.,

739
HONDA, M., See OHSHIMA, I., 3470
HONDA, N., Door valve, 5293
HONEKAMP, J.R., Method of locating a leaking fuel element in a fast breeder power reactor, 3760
HOOGENBOOM, I., Liquid metal bearings technology for large, high-temperature, sodium rotating machinery. Development and test of high-temperature proximity probe for use in liquid sodium. Fourth topical report, 2474 (NYC--3930-11)
HOOKER, D.W., See FRYER, R.M., 140
HOOPER, A.J., Removal of radioactive products from liquid metal coolants of LMFBRs under normal operation, 371 (CEGB/RD/B/N--4334)
See FEUERSTEIN, H., 3105
See GWYTHER, J.R., 372
HOORNWEG, C.J., AERATOOM work on pump development, 2040 (IWGFR--9, pp 94-101)
HOOVER, D.G., See CHEN, K.H., 1305
See LOVEJOY, W.S., 1245
HOOVER, M.D., See CUDDIHY, R.G., 4267
HOPENFELD, J., See CHA, Y.S., 2042
See WHIPPLE, J.C., 643
HOPKINS, S.R., Liquid metal cooled fast breeder nuclear reactors, 3248
Nuclear reactor refuelling system, 3424
Nuclear reactors, 3425
HOPPE, N., See VERBEEK, P., 3517
HOPPE, P., Neutron noise analysis for malfunction diagnosis at sodium cooled reactors, 2197 (KFK--2585)
HORAK, J.A., Use of ^{232}Th--^{233}U fuel cycle in fast breeder reactors, 629 (CONF-771203--, pp 457-495)
HORI, M., Safety evaluation of the Monju steam generator, 411 (CONF-761001--P2, pp 709-718)
See INUSHIMA, H., 2154
See KANEGAE, N., 3430
See NEI, H., 4439, 4441, 4570, 4587
See OZAKI, Y., 2146
See SATO, M., 5092
See UCHANI, M., 2145
HORIKAWA, T., See HONDA, N., 5393
HORIN, W.A., See BANKOFF, S.G., 4620
HORLE, M., Thermal conductivity and thermal behavior of absorber materials for fast breeders, 5292 (ENWI-tr--266)
HORN, G.R., See LEGGETT, R.D., 1445
HORN, J.E., See BOEHMER, W.D., 1656
See MICHAELS, T.E., 1437, 1667
HORN, W.F., See BARD, F.E., 1842
HORNBERGER, D.W., FFTF Fuel Handling System, port closures and seals: features and experience, 1492 (HEDL-SA--1369)
HORNER, R.E., See ELLIOTT, D.N., 2977
HORNING, T.W., FFTF preoperational environmental survey program, 1804 (HEDL-TME--78-18)
HORST, K.M., Cooperative nuclear data and methods development seventh quarterly report, April--June 1977, 1384 (GEFR--14074-7)
Core restraint engineering. Ninth quarterly report, August--October 1976, 1362 (GEFR--14031-9)
Core restraint engineering. Thirteenth quarterly report, August--October 1977, 1366 (GEFR--14031-13)
Core restraint engineering. Sixteenth quarterly report, May--July 1978, 1369 (GEFR--14031-16)
Fuel rod mechanics and failure analysis. Twenty-first quarterly report, August--October 1977, 1350 (GEFR--13923-21)
General Electric/Bechtel prototype large breeder reactor (PLBR), 4116
LMFBR--an international effort, 3773
HORTON, C.A.P., See CHARNOCK, W., 3050
HORTON, K.E., See BENNETT, J.W., 3822
HORTON, P.H., Studies in the reduction of sodium carryover, 1153 (ESG-DOE--13271)
See DEWART, N.A., 1139
See HUMPHREY, L.H., 32
See STEELE, O.P. III, 1148
HOSAKA, A., See TOMABECHI, K., 2082
HOSHI, Y., See NAKAI, Y., 5246
HOSHIDE, R.K., See DUNN, C., 44
HOSKIN, N.E., COVA programme for the validation of computer codes for fast reactor containment studies, 3771
See BENUZZI, A., 5039
HOSPE, J., Energy from nuclear reactors. Pt. 4. The fast breeder: better utilization of uranium, 4461
Energy from nuclear reactors. Pt. 5. Fast breeder reactor safety, 4462
HOSTENY, R., See DEVOLPI, A., 3646
HOSTENY, R.P., ARC System fuel cycle analysis capability, REBUS-2, 165 (ANL--7721)
HOTCHKISS, R.C., Sodium deposition from fast reactor gas blankets - factors influencing the choice of argon or helium cover gas, 4117
HOTH, C.W., See HALES, J.W., 4724
HOTTA, M., See IIJIMA, S., 2156
HOTTEL, R.E., CRBRP decay heat removal system, 639 (CONF-771217--6)
CRBRP decay heat removal systems, 652 (CONF-780251--P2, pp 8.199-8.230)
HOUCK, C.W., See LEITNAKER, J.M., 2527
HOUIS, J., See GUNZ, G., 4160
HOUSER, T.R., See BARD, F.E., 1842
HOUTMAN, J.L., Structural analysis of the Upper Internals Structure for the Clinch River Breeder Reactor Plant, 782 (CONF-790615--11)
HOVER, J.G., PMS: an effective management system for power plant engineering design, 3922
HOWARD, F.A., Blanket assembly flow regulating device, 3218
CRBRP outlet plenum behavior during steady state and transient conditions, 4627
Detection of fuel assembly flow reductions in a heterogeneous core, 4796
Experimental study of scram transients in generalized liquid-metal fast breeder reactor outlet plenums, 3117
Influence of heterogeneous core geometry upon outlet plenum mixing, 204 (ANL-CT--78-8)
Mixing in a pool-type PLBR after a scram, 243 (ANL-CT--79-36)
Mixing studies for geometric variations of the CRBR outlet plenum, 231 (ANL-CT--79-1)
Outlet plenum mixing for transient overpower conditions of a one-exit nozzle LMFBR, 221 (ANL-CT--78-30)
PLENUM-2: a two-region outlet plenum model, 212 (ANL-CT--78-16)
PLENUM-2A: a program for transient analysis of LMFBR outlet plenums, 239 (ANL-CT--79-17)
See CARBAJO, J.J., 3050, 3667
See FLYNT, W.S., 208
See LORENZ, J.J., 4626, 4854, 5005
HOWARD, R.S., Nuclear reactor, 3474
See ADAM, E.R., 4251
See KENWORTHY, G., 3234
HOWARTH, W.L., Empirical method to calculate Clinch River Breeder Reactor Plant (CRBRP) inlet plenum transient temperatures, 4853
Empirical method to calculate Clinch River Breeder Reactor Plant (CRBRP) inlet plenum transient temperatures, 5004
See HOWARD, F.A., 4627
HREHOR, M., See SULC, V., 1900
HRIZO, J., Sodium ion leak detector. Quarterly technical progress report, January 1-April 1, 1978, 945 (COO--4197-T1)
Sodium ion leak detector. Quarterly technical progress report, April 1-July 1, 1978, 946 (COO--4197-T2)
Sodium ion leak detector. First annual technical progress report, January 1-December 31, 1977, 947 (COO--4197-T3)
HSIEH, B.J., Dynamic instability analysis of rupture disks by finite element method, 3988
Dynamic instability analysis of axisymmetric shells by finite element method with convected coordinates, 536 (CONF-770807--34)
Finite element method in nonlinear dynamic analysis of axisymmetric shells: theory and computer program, 189 (ANL-CT--77-23)
PTA-1-RD: a computer program for analysis of pressure transients in hydraulic networks including the effects of noninstantaneous rupture discs, 222 (ANL-CT--78-32)
Validation of the computer program PTA-1-RD, 195 (ANL-CT--77-35)
See SHIN, Y.W., 242
HUANG, H.C., See BRADBURY, P., 2905
HUANG, L.Y., Mechanisms of fast neutron penetration in thick layers of sodium, 516 (COO--2509-4)
HUANG, S.N., Inelastic analysis of two pipelines in the Fast Flux Test Facility, 1587 (HEDL-SA--1641)
HUANG, T.C., Fuel vapor transport through a sodium pool, 4668
Preliminary models for evaluating radiological source terms, 1310 (GEFR--00419)
See GLEIKLER, E.L., 1415
See MCDONALD, J.W., 1264
HUEBARD, S.K., High temperature penetrant procedure for liquid metal pipe welds, 1540 (HEDL-SA--1501-FP)
HUBER, F., Description of the testsections for local boiling experiments in the KNS-loop, 2186 (KFK--2475)
Experimental studies on local cooling perturbations, 4143
See BROOK, A.J., 517
HUBERIG, H., See PROBST, A., 3925
HUCHMAN, G.D., See JOHNSON, D.L., 800
HUDDLESTON, R.L., Liquid metal fast breeder reactor structural materials design considerations, 755 (CONF-790236--1)
Liquid-metal fast breeder reactor structural materials design considerations, 754 (CONF-790236--, pp 32-40)
HUDGELL, R.J., Current practices for ultrasonic and radiographic examination of tubes, tube plates and tube-plate welds of tube bundles in heat exchangers. Chapter 3, 3342
Inservice inspection of PFR secondary heat exchangers, 995 (CSNI-R--14, pp Paper 12)
Review of the proceedings of the 8th world NDT conference, Annes, September 1976, 996 (CSNI-R--14, pp Paper 2)
HUDSON, C.R. II, Nuclear shipping and waste disposal cost estimates, 2631 (ORNL/TM--5976)
HUDSON, J.A., See MAKIN, M.J., 4966
See MOSEDALE, D., 4942
HUDSON, S.D., See HAAS, P.M., 839
HUEBEL, H., See STRUWE, D., 393
HUEBOTTER, P.R., See CHA, Y.S., 203, 2043, 252
See SHA, W.T., 5411
HUEPER, P., Technical concept of the breeder nuclear power station and its realization in the FRG, 3479
HUEPER, R., Breeder reactor development: progress in Europe and Japan, discussion on principles in the USA, 4460
Breeders: operational experience with fast power reactors in five states - more intensive German-French breeder cooperation, 3530
Fast breeder. Do we need it. How does it work, 3296
Fast Breeder Project. Quarterly report, 1977, 4908 (EURFNR--1435)
Publication list concerning LMFBR-work of KFK from 1976 until 1978, 2208 (KFK--2802-B)
Success and problems of fast breeder development. Report on the 1979 status report of the Fast Breeder Project given in Karlsruhe on February 12, 1979, 3120
Technical concept of fast breeder power plants, 1996 (INIS-mf--4816, pp 7-10)
HUET, J.J., Radiation effects in ferritic steels, 4551
See DIETZ, W., 4932
HUGHES, G., Fast reactor instrumentation development is aimed at a commercial plant, 4346
Television/still camera with common optical system for reactor inspection, 2052 (IWGFR--10, pp 86-93)
See FARRINGTON, B.J., 3869, 4350
HUGHES, H., See MATTHEWS, J.R., 17
HUGHES, J.P., See GRACZYK, D.G., 159
HUGHES, T.H., See DEITRICH, L.W., 58
HUILLERY, R., See DUPOUY, J.M., 4936, 4943
HULL, F.C., Dimensional instability of CF8 stainless-steel castings at

elevated temperatures, 4806
HULST, P. VAN DER, See KRINNINGER, P., 3354
HUMASON, T.C., Records management at Westinghouse Hanford Company, 1557 (HEDL-SA--1537-FP)
HUMBACH, W., See FABIAN, H., 2203
HUMBERT, C., See BOUGET, Y.H., 3138
HUMMEL, H.H., Current status of fast reactor physics, 865 (CONF-7910112--2)
Pipe rupture studies for the CRBR using DEMO and SAS, 442 (CONF-761001--P3, pp 1101-1110)
See ABRAMSON, P.B., 3737, 4047, 4785
See KALIMULLAH, 55
HUMPHREY, L.H., Selection of a sodium- and radiation-resistant sealant for LMFBR equipment cell penetrations, 32 (AI-DOE--13227)
HUMPHREYS, P.D., See COLLINS, G.B., 4198
HUNDAL, R., Detection system of sodium oxide vapors, 5247
HUNGERFORD, H.E., See GRAFF, D.L., 4738
HUNJAN, A.S., Process instruments for sodium cooled fast reactors, 5115
HUNSICKER, J.C., See GUDAHL, J.A., 1230, 1254, 2325
See STEHLING, S.G., 2328, 4370, 4372
HUNT, S.E., Fuel recycling, 4926
HUNTER, C.W., Fuel adjacency effects on fast reactor cladding mechanical properties, 1661 (HEDL-SA--1605)
Mechanical properties of fast reactor fuel cladding for transient analysis, 5274
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 5077
See DUNCAN, D.R., 1577, 1613, 1627, 3165, 3542
See FISH, R.L., 5275
See JOHNSON, C.D., 1569, 1802, 3972
HUNTER, R.G., See STEARNS, J.D., 1181
HURD, D., See CAMPBELL, K., 740
HURDUS, M.H., See TOMLINSON, L., 4154
HUREAU, J.C., First application of the Bailey Control Micro-2 system. Control of sodium purity in the Super Phenix reactor, 3284
HURT, R., Stochastic processes in thermal-hydraulic flow fields, 4756
HURT, R.F., See DOERNER, R.C., 145, 4005
See WEEK, C.C., 3238
HUSSLAGE, W., Creep behaviour of 2 1/4CrlMoNiNb steel, 4178
HUSZAR, L., See STAMATELATOS, M.G., 1100
HUTTER, E., Tubular gage for a liquid-metal-cooled fast breeder reactor, 4473
See ANCROSI, A., 166
See BARTHOLD, W.P., 1101, 1102, 1103, 1104
See EUSCHMAN, H.W., 5436
HUYNH, C.A., Benefit-cost analysis for dynamic testing in the Fast Flux Test Facility, 2688 (ORO--5295-1)
See KERLIN, T.W., 4728
HWANG, I.T., Onset of thermal convection in a fluid-saturated porous layer with heat source, 4672
Sodium voiding dynamics and cladding motion in a 37-pin fuel assembly during an LOF transient, 3612
See BORDNER, G.L., 4750
See GARTSIDE, C.H., 4991
See MARR, W.W., 4794
HWANG, J.Y., See EFFERDING, L.E., 4369, 701
See WASZINK, R.P., 5412
HYDE, L.L., Effect of support clamps on elevated temperature piping, 1462 (HEDL-SA--1220)
HYODO, T., See OKA, Y., 1864, 4901

I

IACOBELLIS, S.F., Future of the breeder in the U.S., 860 (CONF-770613--, pp 12p, Session 2, Paper 1)
See BECKJORD, E.S., 4099
IBE, H., See TSUKAMOTO, M., 5175
ICHIKAWA, M., See WATANABE, H., 4836
ICHINO, I., Prospect of fast breeder reactor development, 5259
IEFIMOV, I.A., Principles of determining damage to the fuel elements of fast power reactors by monitoring sodium and gas activity, 3711 (BNWL-tr--326)
IIDA, S., Ultra-sonic flow meter for the sodium cooled fast breeder reactor, 3754
IIJIMA, S., Calculation program for fast reactor design, 2. Multi-dimensional perturbation theory code based on diffusion approximation: PERKY, 2137 (JAERI-M--6993)
Investigation on neutronic performances of large scale heterogeneous LMFBR, 2156 (JAPFNR--488)
See KAMEI, T., 5152
See NAKANO, M., 2143
IKARIMOTO, I., See IWAI, S., 5332
IKEDA, K., Liquid metal cooling reactor, 5225
See WAKAMATSU, M., 5198
IKEMOTO, I., See KANEGAE, N., 3430
IKHLOV, E.M., See BAKUMENKO, O.D., 1876
ILBERG, D., See CAVE, L., 423
See SAPHIER, D., 4562
ILINCHEV, G., Properties of stabilized chrome-molybdenum steels for steam generators of fast-neutron reactors with a sodium heat carrier, 5422
ILIUNIN, V.G., Fission product arrangement of a fast neutron reactor, 3556
ILJUNIN, V.G., Fast nuclear reactor, 3409
ILYUNIN, V.G., Fast reactor, 5364
High power fast reactors with combined use of uranium-235 and plutonium, 5419
Load-varying operation of a nuclear power plant with fast breeder reactors, 3414
See SHMELEV, A.N., 3756
IMAI, K., See SAKAI, E., 3825
IMAI, T., Detection method for the position of a sensor, 5136
IMANAKA, N., See KANAMORI, A., 4075
IMAYOSHI, S., Mechanical design trade-off studies of reactor core for LMFBR, 4118
IMAZU, A., Low-cycle fatigue tests on primary coolant piping system components of fast reactors, 2150 (JAPFNR--459)
See NAGATA, T., 2676
IMHOFF, D.H., Instrument development: advanced signal transmission systems. Final summary report, October 1976--June 1977, 1242 (GEFR--00232)
Instrumentation development twenty-second quarterly report, October 1976--June 1977, 1347 (GEFR--13825-20-22)
IMPELLIZZERI, J.R., Clinch River Breeder Reactor Plant steam generator: FEW tube test model post test examination, 986 (CRBRP-GEFR-SP--176)
INABA, Y., See YUKITOSHI, T., 4156
INABE, T., See SAITO, S., 2710
INADA, E., See TSUNODA, N., 2739
INCHAGOV, A.V., See GRYAZEV, V.M., 3046, 4089
See PROKOPENKO, V.S., 3463
INDIG, M.E., Caustic stress corrosion tests for the LITR, 2323 (NEDM--14110)
Constant extension rate testing for LMFBR steam generator applications, 2336 (NEDO--12668)
High temperature corrosion fatigue, 2895 (SERI/TP--31-248(Vol.2)(Pt.2), pp 633-639)
Stress corrosion studies for 2 1/4CrlMo steel, 4183
See MCILREE, A.R., 1280
INDREBOE, L.L., See LEE, B.W., 662
See ZADWORSKI, Z.F., 1287
INFIELD, J.A., See KENT, J.C.W., 2308
INGERSOLL, D.T., See RAGAN, G.L, 842
INGHAM, R.V., Nuclear reactor control, 3055
Nuclear reactor control, 3475
Nuclear reactor equipped with a control mechanism, 4559
INGRAM, G.E., See ELERATH, J.G., 3324
INOUE, K., See MIKI, K., 4610, 5234, 5397
INOUE, S., See FUJIIE, Y., 5161
INOUE, T., Decay heat removal test of spent fuel in ''Monju'' ex-vessel transfer machine, phase 2, 3726
Irradiation effects of boron carbide used as control rod elements in fast breeder reactors, 3696
Reactor physics activities relevant to FBR and ATR programs in PNC, Japan, November 1978-September 1979, 2153 (JAPFNR--472)
See OTAKE, I., 4128
See SAJI, G., 4131
See SUZUKI, I., 4914
See ZUKERAN, A., 5153
INUSHIMA, H., Out-of-pile experiment of fission gas release in LMFBR subassembly. 4. Feasibility study of gas release detection by use of flow fluctuation signal, 2154 (JAPFNR--482)
See KIKUCHI, Y., 4511
INYUTIN, E.I., State of work on fast reactors in the USSR up to March 1979, 3346 (RISLEY-Trans--4087)
See KRASNOJAROV, N.V., 2088
IRVINE, A.R., LMFBR spent fuel transport: conceptual design and partial safety analysis of a sodium-cooled cask, 2622 (ORNL-TM--3689)
ISAGAWA, H., See SONE, T., 2738
ISEKI, T., See SUZUKI, H., 2157
ISHIBASHI, E., Some topics of sodium technology research and development in P.N.C., Japan, 2353 (NP--21709)
See YAMAMOTO, K., 2046
ISHIDA, Y., See UEMATSU, K., 4963
ISHIGURO, J., See YUKISHIMA, I., 4442
ISHIGURO, R., Heat transfer around a circular cylinder in liquid sodium crossflow, 3615
See KUMADA, T., 3252, 3832, 4519
ISHIGURO, Y., See TAKANO, H., 2153, 2155
ISHII, M., Comparison of the predictions from the multichannel clad relocation model to available in-pile experimental data, 2253 (LA--7938-C, pp 178-184)
Evaluation of incoherency effect on cladding motion in R-series test, 3611
Multichannel clad-relocation model for fast-reactor loss-of-flow accidents, 158 (ANL--79-73)
Multichannel model for relocation of molten fuel cladding in unprotected loss-of-flow accidents in liquid-metal fast breeder reactors, 3290
See CHEN, W.L., 3663, 3849, 4050
ISHII, Y., Test result for the control rod drive mechanism in sodium for prototype LMFBR 'Monju', 4550
Ultrasonic flow-meter test in sodium, 4227
See KAMEI, M., 2120, 2127, 3816, 3817
ISHIKAWA, M., See SAITO, S., 2710
ISHINO, S., Computer simulation and neutron, heavy-ion and electron irradiation correlation, 4972
ISHIYAMA, S., See SHIRATORI, H., 5177
ISHIZAKI, T., Inelastic stress analysis of steam generator's tube sheet for fast breeder reactor, 4283
ISTOMIN, S.D., See SCHUTSCHKOV, I.I., 3401
ITAMI, K., Safety valve system for a nuclear vessel cover gas, 5396
ITO, A., Fuel assembly, 5173
Nuclear fuel assembly, 5189
Nuclear reactor, 5195
ITO, J., See-through device for a refueling machine, 5224
ITO, M., Refueling machine, 5183
ITO, T., See ITO, M., 5183
ITOH, H., See SAKAI, E., 3825
IVANENKO, V.N., See KARPOV, A.V., 3435
See RINEISKII, A.A., 1217
See VYLOMOV, V.V., 4356
IVANOV, A.P., See ALEKHIN, L.A., 4061
See GORBATOV, N.E., 1211
IVANOV, B.G., See VYLOMOV, V.V., 4356
IVANOV, P.M., See BARKOV, V.A., 2343
See BIBIKOV, S.E., 1879
See KIKOIN, I.K., 1881
IVANOV, V.B., Fission product monitoring in the sodium coolant during operation of a fast reactor, 4584 (KFK-tr--522)
IVANOV, V.V., See ALEKSEEV, R.A., 1949
See ANDREEV, A.M., 1951

IWAI, S., Vent mechanism, 5332
See IMAYOSHI, S., 4118
IWAMURA, T., See KONDO, S., 2708
IWAO, K., Effect of ion-plated molybdenum on corrosion of V/Mo alloys in liquid sodium, 3742
IWASAKI, T., Cover gas system in a reactor, 5321
Sodium leak detector, 5216
See AOKI, K., 5160
IWASHITA, T., Method of controlling steam temperature of a fluid heating separation type steam generator, 5395
See NAKANO, H., 5159
IWATA, S., See ISHINO, S., 4972
IZATT, R.D., See GADEKEN, A.D., 1597, 771
IZUMI, S., See FUJINO, M., 3948
See YAMAMOTO, H., 4352, 4682

J

JACKOLA, A., See SPECHT, E.R., 410
JACKOLA, A.S., See SPECHT, E.R., 3668, 4661
JACKSON, C.N. JR., Neutron radiography facility at the Hanford Engineering Development Laboratory, 1544 (HEDL-SA--1514)
JACKSON, G.O., Nuclear reactors, 4259
JACKSON, J., See MARCHATERRE, J., 444
JACKSON, J.F., Role of mechanistic analysis in providing FAHR initial conditions, 2269 (LA-UR--78-495)
Role of mechanistic analysis in providing FAHR initial conditions, 85 (ANL--78-10, pp 5-8)
JACKSON, J.L., See PITNER, A.L., 1563, 3967
JACKSON, R.J., Experimental fuel assembly irradiation experience in EBR II, 1547 (HEDL-SA--1518)
See CHAN, D.F., 1509, 1595, 1643, 1647
See HILL, R.G., 1449
JACOB, D.F., See DOE, C.E., 254
JACOBI, C., Fast breeder cladding tubes provided with helical fins: development and testing, 3516 (DOE-tr--174)
See STEINER, H., 2183, 3867
JACOBI, S., Development work on core protective instrumentation, 4209
Equipment for detecting fission products, 4576
JACOBS, D.C., Materials properties utilization in a cumulative mechanical damage function for LMFBR fuel pin failure analysis, 4477
JACOBS, G., See SCHMUCK, P., 2189, 5462
JACOBS, H., Computational analysis of fuel-sodium interactions with an improved method, 433 (CONF-761001--P2, pp 926-935)
Fuel-coolant interaction-phenomena under prompt burst conditions, 2861 (SAND--79-0123C)
See BEUTEL, H., 2737, 2721, 2728
See BOTTONI, M., 4217
See CALDAROLA, L., 4219
JACOBSON, G., FFTF EM service pump design, application, and testing, 1494 (HEDL-SA--1372)
JACQUELIN, R., See BLANC, R., 3558
JACSON, M., Production and control of stainless steel cladding tubes for breeder reactors, 4401
Production and control of stainless steel cladding tubes for breeder reactors, 4411
JAEGER, T.A., Accustic wave measurements in reator-grade concretes, 557 (CONF-770807--Pt.E, pp vp)
Analyses of hydrodynamic effects of large sodium-water reactions, 1974 (INIS-mf--4592, pp vp)
Analysis of boxed reactor cores using the FIAT-program, 1935 (INIS-mf--4498, pp v)
Analysis of crack patterns in fast reactor fuel pellets, 1913 (INIS-mf--4470, pp vp)
Analysis of dynamically loaded non-linear structures, 555 (CONF-770807--Pt.E, pp vp)
Analysis of EBR-II steam-generator system for pressure pulses due to leaks of steam or water into sodium, 1973 (INIS-mf--4592, pp vp)
Analysis of fuel/clad mechanical interaction in non-steady reactor operation via fuel rod modelling code IAMBUS, 1921 (INIS-mf--4470, pp vp)
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 567 (CONF-770807--Pt.E, pp vp)
Analysis of mechanical HCDA consequences with ARES for demonstration of primary containment integrity in SNR-300, 556 (CONF-770807--Pt.E, pp vp)
Analysis of mechanical HCDA consequences in the coolant loops for demonstration of primary containment integrity in SNR 300, 569 (CONF-770807--Pt.E, pp vp)
Analysis of piping systems for creep, 1965 (INIS-mf--4543, pp vp)
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 1925 (INIS-mf--4470, pp vp)
Behavior of annealed type 316 stainless steel under monotonic and cyclic biaxial loading at room temperature, 1962 (INIS-mf--4543, pp vp)
Bulk coolant cavitation in LMFBR containment loading following a whole-core explosion, 1976 (INIS-mf--4592, pp vp)
Characterization of residual stress profiles in irradiated fuel pin cladding, 1918 (INIS-mf--4470, pp vp)
Charge development and analysis of recent UK experiments in the COVA model test programme, 563 (CONF-770807--Pt.E, pp vp)
Circumferential wave propagation effects in thin cylindrical vessels, 572 (CONF-770807--Pt.E, pp vp)
Cladding failure by local plastic instability, 1916 (INIS-mf--4470, pp vp)
Composite containment for nuclear power, 534 (CONF-770807--, pp vp)
Computer analysis of the influence of design parameters, materials properties and operation conditions on the irradiation behavior of fast breeder fuel rods with oxide fuel, 1930 (INIS-mf--4498, pp v)
Computer simulation of LMFBR piping systems, 559 (CONF-770807--Pt.E, pp vp)
Computerized thermal input for steam generator stress analysis, 1956 (INIS-mf--4541, pp vp)
Containment of the Creys-Melville plant, 1905 (INIS-mf--4373, pp vp)
CREBP steam generator modeling techniques for pressure excursions generated by sodium/water reactions, 580 (CONF-770807--Pt.E, pp vp)
Creep buckling of shells, 1964 (INIS-mf--4543, pp vp)
Creep-fatigue design criteria for application to a 2 1/4 Cr.-1 Mo LMFBR steam generator, 1961 (INIS-mf--4543, pp vp)
2-D thermoelastic analysis of LMFBR fuel rod claddings, 1923 (INIS-mf--4470, pp vp)
Damping of the radial impulsive motion of LMFBR core components separated by fluid squeeze films, 1987 (INIS-mf--4638, pp vp)
DDT-A 3-dimensional program for the analysis of bowed reactor cores, 1942 (INIS-mf--4498, pp vp)
Detailed non-linear analysis of the response of the deck of a fast breeder reactor under accidental sodium impact, 1984 (INIS-mf--4592, pp v)
Development of a finite-strain fuel-element model, 1941 (INIS-mf--4498, pp vp)
Dynamic instability analysis of axisymmetric shells by finite element method with convected coordinates, 1989 (INIS-mf--4690, pp v)
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 1974 (INIS-mf--4592)
Dynamic response of single hexagonal LMFBR core subassembly wrappers, 1970 (INIS-mf--4592)
Effect of high external thermal loading on LMFBR subassembly integrity, 1972 (INIS-mf--4592, pp vp)
Effect of large sodium-water reactions on LMFBR steam generators: initial results from SWAAM-1, 581 (CONF-770807--Pt.E, pp vp)
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 1958 (INIS-mf--4541, pp vp)
Effects of stress on swelling in reactor fuel cladding, 1912 (INIS-mf--4470, pp vp)
Effects of stress concentration and defects on materials constitutive equations under dynamic loading, 587 (CONF-770807--Pt.L, pp vp)
Effects of support clamps on elevated temperature piping, 585 (CONF-770807--Pt.F, pp vp)
Elastic and elastic-plastic buckling of vessel heads computation by the CEASEMT system, 1943 (INIS-mf--4506, pp vp)
Elastoplastic and nonsymmetric buckling analysis by finite element of Super-Phenix primary vessel head, 1947 (INIS-mf--4506, pp vp)
Energy source for modeling HCDA bubbles, 1981 (INIS-mf--4592, pp vp)
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 582 (CONF-770807--Pt.E, pp vp)
Evaluation of inelastic analysis methods, 1966 (INIS-mf--4543, pp vp)
Experimental and theoretical evaluation of defect growth of fuel pin cladding by chemical fuel-sodium interaction, 1922 (INIS-mf--4470, pp vp)
Experiments on the response of hexagonal subassembly ducts to irternal pressure pulses, 577 (CONF-770807--Pt.E, pp vp)
Extension of HCDA safety analysis to large PCRV containment structures, 576 (CONF-770807--Pt.E, pp vp)
Fail-safety of LMFBR steam generator systems, 566 (CONF-770807--Pt.E, pp vp)
Fatigue damage analysis procedure for thermal liners subjected to random thermal fluctuations, 1968 (INIS-mf--4543, pp vp)
Finite element elastic-plastic analysis of LMFBR components, 1967 (INIS-mf--4543, pp vp)
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin ractor structures, 558 (CONF-770807--Pt.E, pp vp)
Flow-induced vibration bench testing of reactor components, 1957 (INIS-mf--4541, pp vp)
Fracture of longitudinally cracked ductile tubes, 1953 (INIS-mf--4541, pp vp)
From Phenix to Super Phenix: mechanical structures assuring reactor vessel tightness at main sodium pump penetrations, 584 (CONF-770807--Pt.F, pp vp)
Hydrodynamic and elastoplastic structural analysis of fast breeder reactor core accident, 1983 (INIS-mf--4592, pp v)
Inelastic response of metallic impact limiters, 1926 (INIS-mf--4492, pp v)
Influence of sodium temperature, gamma heating and wall thickness on design strength of SLSF containment vessels, 1945 (INIS-mf--4506, pp vp)
Initial pressure spike and its propagation phenomena in sodium-water reaction tests for MONJU steam generators, 579 (CONF-770807--Pt.E, pp vp)
Instability analysis of elbows in the plastic range, 1963 (INIS-mf--4543, pp vp)
LMFBR fuel assembly channel wall cross section optimization, 1929

(INIS-mf--4498, pp v)
LMFBR typical impulsive loading characterization and its application to simplified structural models, 570 (CONF-770807--Pt.E, pp vp)
LMFBR-fuel cladding thermal creep strain under linearly increasing internal pressure, 1917 (INIS-mf--4470, pp vp)
Main aspects of the design of a support structure of a LMFBR with particular reference to the explosive accident consequences, 571 (CONF-770807--Pt.E, pp vp)
Material problems in accident analysis of prestressed concrete reactor vessels, 560 (CONF-770807--Pt.E, pp vp)
Mechanical equation of state analysis of elevated temperature cyclic deformation of austenitic stainless steels, 588 (CONF-770807--Pt.I, pp vp)
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 1924 (INIS-mf--4470, pp vp)
Microstructure and low-cycle fatigue behavior of inconel 718, 589 (CONF-770807--Pt.I, pp vp)
Model for pressure in an LMFBR duct due to discharge of gas from a failed fuel pin, 1934 (INIS-mf--4498, pp v)
Modeling of LMFBR fuel cladding mechanical behavior under transient conditions, 1911 (INIS-mf--4470, pp vp)
Modeling of reactor internals in the HCDA analysis, 565 (CONF-770807--Pt.E, pp vp)
Parametric investigation of dynamic fracture, 1927 (INIS-mf--4498, pp v)
Parametric study of the nonlinear behavior of complete LMFBR subassemblies using the CORTRAN computer code, 583 (CONF-770807--Pt.E, pp vp)
Plastic creep behavior analysis of an elbow pipe, 1960 (INIS-mf--4543, pp vp)
Pressure transient analysis in single and two-phase water by finite difference methods, 1986 (INIS-mf--4638, pp vp)
Probabilistic assessment in structural analysis of main coolant systems for LMFBR under anticipated thermal transients, 1991 (INIS-mf--4690, pp v)
Probabilistic design method for LMFBR fuel rods, 1919 (INIS-mf--4470, pp vp)
Proof tests of irradiated EBR-II ducts, 1935 (INIS-mf--4498, pp v)
Property changes in fast-reactor core-support components due to low dose rate, long-time irradiation, 586 (CONF-770807--Pt.L, pp vp)
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity, 1988 (INIS-mf--4638, pp vp)
Reponse of water-filled pipes to pressure pulses, 578 (CONF-770807--Pt.E, pp vp)
Response of a grid spaced fuel assembly to shipping environment, 1932 (INIS-mf--4498, pp v)
Response of fast reactor primary containments to whole core accident loadings, 1979 (INIS-mf--4592, pp vp)
Response of simple, scale model reactor vessels to a simulated HCDA loading, 562 (CONF-770807--Pt.E, pp vp)
Response of subassembly model with internals, 573 (CONF-770807--Pt.E, pp vp)
Simple steel/water model for preliminary studies of acoustic vibration in LMFBR, 1952 (INIS-mf--4541, pp vp)
Simulation of LMFBR excursion models by means of ICECO, 576 (CONF-770807--Pt.E, pp vp)
Simulation study of the secondary rupture of SG tubing for LMFBR, 1982 (INIS-mf--4592, pp vp)
Some comments on thermomechanical constitutive equations for inelastic analysis of LMFBR components, 1965 (INIS-mf--4543, pp vp)
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 1990 (INIS-mf--4690, pp v)
Statistical mechanical analysis of LMFBR fuel cladding tubes, 1920 (INIS-mf--4470, pp vp)
Stress-intensity factors for irradiation-embrittled hexagonal subassembly ducts, 1933 (INIS-mf--4498, pp v)
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 1915 (INIS-mf--4470, pp vp)
Structural analysis of experimental carbide fueled driver assembly flow duct for testing in the FFTF, 1938 (INIS-mf--4498, pp v)
Structural dynamics studies for single and clustered SNR-300 fuel elements: a comparison of analytical and experimental results, 1980 (INIS-mf--4592, pp vp)
Structural dynamics in LMFBR containment analysis. A brief survey of computational methods and codes, 564 (CONF-770807--Pt.E, pp vp)
Structural mechanics in reactor technology. Vol. E. Structural dynamics in fast reactor accident analysis, 4884
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 1978 (INIS-mf--4592, pp vp)
Subassembly bowing experience in EBR-II, 1937 (INIS-mf--4498, pp v)
Subassembly-to-subassembly meltthrough analytical studies, 574 (CONF-770807--Pt.E, pp vp)
Temperature and stress responses of clean evaporator tubes under oscillatory water rivulet action in DNB region, 1954 (INIS-mf--4541, pp vp)
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 1975 (INIS-mf--4592)
Thermal elasto-plastic analysis in reactor vessel nozzles, 1944 (INIS-mf--4506, pp vp)
Thermal ratchetting in pressure vessels, 1946 (INIS-mf--4506, pp vp)
Thin circular cylinder under axisymmetrical thermal and mechanical loading, 1959 (INIS-mf--4543, pp vp)
Three-dimensional analysis for fuel pin deformations in an LMFBR assembly, 1931 (INIS-mf--4498, pp v)
Transient non-boiling heat transfer in a fuel rod bundle during accidental power excursions, 1940 (INIS-mf--4498, pp v)
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 568 (CONF-770807--Pt.E, pp vp)
Two-dimensional heat conduction calculations on the pin cladding and coolant of a wire wrap bundle, 1928 (INIS-mf--4498, pp v)
URANUS, a computer code for the thermal and mechanical analysis of fuel rod behavior, 1936 (INIS-mf--4498, pp v)
Validation of explosion containment codes: analysis of bare rigid models in the CCVA programme, 561 (CONF-770807--Pt.E, pp vp)
Vapor transport and pressure rise behind the liner of reactor containments, 1977 (INIS-mf--4592, pp vp)
Variability of cladding deformation of LMFBR fuel elements, 1914 (INIS-mf--4470, pp vp)
Vibrational analysis of the SUPERPHENIX internal shells, 1955 (INIS-mf--4541, pp vp)
JAGELS, R.E., See SAMPSON, R.C., 1570
JAISINGH, G., CREEP-IHX: 30° model flow distribution, pressure drop and tube vibration test report, 1224 (FWC/FWEC/ND--76/59)
See ABUROMIA, M.M., 4625
JAKAB, J., See KUJAL, J., 4546
JAKEMAN, D., Review of the meetings of the working group on the comparison of calculation models, 2733 (PNC-N--251-76-12(Vol.2), pp 733-750)
See CODDINGTON, P., 2731
JAKES, D., Method of removing oxygen from molten metals in nuclear technology, 5380
JAKL, J., See VELEK, V., 5185
JALLADE, M., See KHAIRALLAH, A., 4211
See RAVIER, J., 3524
JAMES, E.B., Integrated leak rate testing of the fast flux test facility reactor containment building, 1575 (HEDL-SA--1589-S)
See BLISS, R.J., 1580
See FARABEE, G.A., 3974
JAMES, G., Procedures used in the UK for the ceramographic examination of (UPu)O_2 oxide fuels for the Dounreay Prototype Fast Reactor, 3257
Procedures used in the UK for the ceramographic examination of (UPu)O_2 oxide fuels for the Dounreay Prototype Fast Reactor, 4 (AED-Conf--78-114, pp 77)
JAMES, J. JR., See HEISING, C.D., 1128
JAMES, L.A., Effect of stress ratio upon fatigue-crack growth in two structural alloys at elevated temperature, 2551 (ORNL--5349, pp 199-200, 201-203)
Fatigue-crack propagation analysis of LMFBR piping, 1530 (HEDL-SA--1469)
Fatigue-crack propagation in dissimilar metal weldments, 2500 (ORNL--5255, pp 287-300)
Heat-to-heat and/or melt practice variations in crack growth behavior of Inconel 718, 2550 (ORNL--5349, pp 196-199)
Specimen size considerations in fatigue-crack growth rate testing, 1832 (HEDL-TME--78-59)
See MILLS, W.J., 1622, 3121
JANBERG, See CASINI, 5285
JANG, H., See MOTEFF, J., 2514
JANKUS, V.Z., Development of a finite-strain fuel-element model, 5078
Development of a finite-strain fuel-element model, 542 (CONF-770807--41)
See BILLONE, M.C., 4643
JANSEN, J.M. JR., See HAMEL, W.R., 2655
JANSEN, P., See HENNIES, H.H., 3133
JANSEN, W.D., FFTF dump heat exchanger design and development, 657 (CONF-780251--P2, pp 7.141-7.197)
See SEBER, E.C., 1444
JANSING, W., Liquid metal/water heat exchanger with replaceable tube bundles, 5222
Seal for turnable lids on nuclear reactors, 4429
See AUBERT, H., 3211
See BUESCHER, E., 2116
See LIEVENSE, K., 4121
See MENDTE, K., 3905
JANSKY, B., See BURIAN, J., 4913
JANSSEN, L.G.J., See VAN WITZENBURG, W., 4436
JAQUAY, K.R., Simplified design methods for bellows, 1151 (ESG-DOE--13267)
JAROSS, R., Advanced work on pumps and heat exchangers, 654 (CONF-780251--P2, pp 12.343-12.383)
JARRETOU, H., See BERLIN, C., 4196
JARRIAND, P., See GUIDEZ, J., 5338
JASKE, C.E., High cycle fatigue of 2-1/4 Cr--1 Mo steel at temperatures to 538°C (1000°F), 1137 (ESG-DOE--13243)
JEANNOT, A., Computers in the core supervision and protection system at Creys Malville (Super Phenix), 2304 (MRR--160, pp 531-543)
See GOURDON, J., 4234
JEANPIERRE, F., Calculation of structures by a method of substructures defined by their eigenmodes. Linear and nonlinear applications. Tristana code, 357 (CEA-CONF--4384)
CEASEMT system of finite element computer programs - use for inelastic analysis in liquid metal

cooled reactor components, 2065 (IWGFR--11, pp 75-80)
Vibrational analysis of the SUPER PHENIX internal shells, 5079
See LIVOLANT, M., 3724
JEANS, W.C., See HENRY, R.E., 474, 4745
JEDLOVEC, D.F., See MCCARTHY, W.H., 1277
JEFIMOV, V., See KRAUSE, H., 3039
JENDRZEJCZYK, J.M., See CHEN, S.S., 225, 235, 245
See SHIN, Y.S., 207, 5093, 550
JENES, E., See HUBER, F., 2186
JENQUIN, U.P., Dependence of LMFBR fueling requirements on plutonium isotopic composition, 2754 (PNL--3255)
Effect of plutonium isotopic composition on LMFBR fueling requirements, 4706
Mass flows for LMFBRs fueled with various types of plutonium and fertile material, 2753 (PNL--3249)
JENSEN, E.W., Long-term in-reactor corrosion of stainless steel cladding in liquid sodium, 1628 (HEDL-SA--1756-5)
Long-term in-reactor corrosion of stainless-steel cladding in liquid sodium, 3168
JENSEN, R.L., See PEAK, R.D., 1615
See SIMMONS, L.D., 1793
JENTZEN, W.R., See RASMUSSEN, D.E., 1504, 1578, 3207
JERMANN, M., See SETH, S., 1159
JETTER, R.I., High-temperature piping design technology. Quarterly technical progress report, July--September 1977, 23 (AI-DOE--13214)
High-temperature piping design technology. Quarterly technical progress report, April--June 1977, 43 (AI-ERDA--13206)
See FAN, Y.S., 5451
JIANG, S.H., Reactor theory and physical experiments, 2162 (KFK--1277/2, pp v)
JO, J.H., See BANKOFF, S.G., 484
JOGAND, F., Fast neutron nuclear reactor, 3448
Fast neutron reactor, 5191
See BERNICLLES, J.M., 3513, 5220, 5233
JOHANNSEN, K., See RAMM, H., 4629, 5414
JOHANSON, E., See WRONA, B.J., 168
JOHANSON, E.W., Scram signal generator, 3228
See PAGE, R.J., 3634
JOHN, T.M., See LEE, S.M., 4224, 4225
JOHNSON, C.E., Oxygen getters for fast reactor fuel pins, 3484
See GIBBY, R.L., 1566
JOHNSON, D.L., Cumulative damage fraction design approach for LMFBR metallic fuel elements, 800 (CONF-790802--69)
Property changes in fast-reactor core-support components due to low dose rate, long-time irradiation, 5119
See CAMERELLARO, P.A., 1814
JOHNSON, D.P., See DUBBERLEY, A.E., 5076
JOHNSON, E.W., Aerosol characterization from a simulated HDCA. Annual report. NRC program A1171-2, 2301 (MLM-MU--77-70-0004)
See ZANOTELLI, W.A., 2430
JOHNSON, F.A., See FEUERSTEIN, H., 3105
JOHNSON, G.D., Mechanical behavior of fast reactor fuel pin cladding subjected to simulated overpower transients, 1802 (HEDL-TME--78-13)
Mechanical properties of transient-tested irradiated fast-reactor cladding, 1569 (HEDL-SA--1574)
Mechanical properties of transient-tested irradiated fast reactor cladding, 3972
See DUNCAN, D.R., 1577, 1613, 3942
See HUNTER, C.W., 1581, 5077, 5274
JOHNSON, H.G., CORA: transient analysis code for a cluster of reactor core assemblies, 1642 (HEDL-SA--1838-FP)
CORA: transient analysis code for a cluster of reactor core assemblies, 3222
JOHNSON, K.D.B., See FLOWERS, R.H., 3719, 4139
JOHNSON, K.W.R., See GUTIERREZ, R.L., 2238
JOHNSON, P., See NELSON, C., 687
JOHNSON, R.H., Large liquid metal fast breeder reactor Intermediate Heat Exchanger maintenance study report, 1023 (DOE/TIC--10224)
See OTT, K.O., 666
JOHNSON, R.N., Friction, wear, and corrosion of laves-hardened nickel alloy hardsurfacing in sodium, 1502 (HEDL-SA--1391)
Friction, wear, corrosion, and self-welding of Tribaloy 700 hardsurfacing in sodium, 1611 (HEDL-TME--78-36)
National friction, wear, and self-welding program status and plans, 1612 (HEDL-TME--78-38)
National friction, wear, and self-welding program status and plans, 1613 (HEDL-TME--78-38)
Tribology: research and development needs in advanced energy technology, 1455 (HEDL-SA--1191(Rev.))
See CHANG, J.Y., 533
JOHNSON, R.P., See HEISLER, M.P., 42
See MOREWITZ, H.A., 1013, 1591, 3076, 4502
See NELSON, C.T., 495
JOHNSTON, W.G., Excess sub-surface swelling produced by Ni ion bombardment, 4956
See BATES, J.F., 4965
JOHNSTONE, T.L., Comparison of two approximate analyses of piping systems in a state of creep, 2066 (IWGFR--11, pp 106-111)
JOLLY, R., Nuclear reactor with fuel pin bracing grid, 3054
Nuclear reactor, 3262
JOLY, F., Study of the signals measuring the temperature of sodium in a nuclear reactor, 5423
JOLY, J., See BARDIAUX, M., 1993
JONES, A., See BENUZZI, A., 5039
See FRIEND, D.P., 2047
JONES, A.V., Bulk coolant cavitation in LMFBR containment loading following a whole-core explosion, 5051
Mitigating effect of coolant cavitation in the response of LMFBR containment to a whole-core accident, 458 (CONF-761001--P3, pp 1354-1362)
JONES, B.G., Fragmentation dynamics of molten UO_2 in sodium under TOP conditions, 4744
Interaction of molten UO_2 with stainless-steel cladding under TOP accident conditions, 3631
See SHIU, K., 3582
See SPENCER, B.W., 3999
JONES, C.E. JR., Design and development of the CRBRP ex-vessel transfer machine, 4700
Design and development of the CRBRP ex-vessel transfer machine, 613 (CONF-771109--86)
JONES, D.H., See BENNETT, R.A., 1612
See WYKOFF, W.R., 1542
JONES, J.A., See KELLY, G.N., 2355
JONES, L.J., See KERRISK, J.F., 2275
JONES, O.C., See GINSBERG, T., 313
JONES, O.C. JR., SIPPLE-2: a computer code for calculation of steady-state thermal behavior of rod bundles with flow sweeping, 4564
Thermal and hydraulic aspects of nuclear reactor safety. Volume II. Liquid metal fast breeder reactors, 4925
See AGRAWAL, A.K., 2425, 2458
See BISHOP, A.A., 4989
See CHUN, M.H., 4746, 483
See GINSBERG, T., 3064, 310, 4778
See GREENE, G.A., 110, 326, 327, 331, 3622, 3648, 4002, 4777
JONES, P., Study of transient, buoyancy-induced flow stratification relevant to the primary pool of a liquid-metal-cooled fast breeder reactor, 4170
JONES, R.B., Influence of alloying on the irradiation creep of nickel, 4957
JONES, R.D., Apparatus for controlling coolant level in a liquid-metal-cooled nuclear reactor, 3454
JONES, W.B., See VAN DEN AVYLE, J.A., 2842
JORDAN, H., Crab user's manual, 2449 (NUREG/CR--0872)
Multiple zone aerosol behavior model, 2472 (NUREG/CR--1294)
Numerical method of the aerosol behavior reference code, CRAB, 2421 (NUREG/CR--0620)
See GEISEKE, J.A., 2418
See GIESEKE, J.A., 2383, 2405, 2423, 2461, 2468, 299, 300
JORDAN, J., See BOEHM, L., 4600
JORDAN, S., Development of filtering devices for chemical aggressive aerosols, 2205 (KFK--2762)
Filtration of sodium fire aerosols, 4762
Fuel particle and fission product release from LMFBR-core catcher, 494 (CONF-761001--P4, pp 1924-1929)
Release of fission products from contaminated sodium fires, 497 (CONF-761001--P4, pp 1955-1961)
See ALEXAS, A., 3274, 4215
See BUNZ, H., 4218
See HOFMANN, CH., 3283
JORZIK, E., See HOLTBECKER, H., 1194
JOST, J.W., See JENSEN, B.W., 1628, 3168
See KARNESKY, R.A., 1559
See STONE, I.Z., 1629, 3180
JOSUE, M., Data processing and data collection in Super-Phenix, 4235
JOURNET, J., See NOEL, H., 5122
JUDD, A.M., Heat transfer measurements in an air model of a partly blocked reactor fuel subassembly, 4456
Turbulence measurements in an air model of a partly blocked reactor fuel subassembly, 4457
JUDKINS, R.R., Nuclear fuel fabrication and refabrication cost estimation methodology, 2670 (ORNL/TM--6640)
See OLSEN, A.R., 2662
JUENGST, U., Design features of the fuel element computerized protection system Bessy, 2305 (MRR--160, pp 573-584)
JULIEN, M., See COZAR, R., 3259, 4399, 4410
JULLIEN, F.J., Photoelastic investigation of a reactor building, 4147
JULLIEN, R., Heat insulating system for the horizontal closing surfaces for a liquid metal cooled nuclear reactor, 3803 (ANL-Trans--1120)
JULYK, L.J., See RYAN, J.A., 1472, 1737, 2109
JUNEAU, J., Analysis of steady state combined forced and free convection data in rod bundles, 2757 (PNL-SA--7878)
JUNG, J., See BAR, J., 4593
JUSTIN, F., See TANGUY, P., 345, 383
JUSTIN, J., See FRUCHARD, Y., 496

K

KACHALIN, V.A., See EFIMOV, V.N., 2347
KADAMBI, N.P., Assessment of the consequences of boiling in the radial blanket due to hypothetical major pipe leaks, 3371
Prediction of thermal consequences of plenum fission gas release in an LMFBR fuel assembly, 747 (CONF-781181--2)
KADOTANI, H., See KAWAI, M., 4896
KAETZMER, D., Perturbation measurements on the BOR-60 reactor, 3042 (ZfK--348)
See AFANAS'EV, V.A., 3099
KAGRAMANYAHN, V.S., See LITKIN, V.B., 4348
KAHRS, J., See FLAGELLA, P.N., 2503, 2553
KAISER, A., Decay heat removal from a pin bundle, 521 (CONF-761001--P4, pp 1578-1586)
Investigations of decay heat removal by natural convection with boiling in sodium cooled fast reactors, 2199 (KFK--2660)
Sodium boiling experiments in an annular test section under flow rundown conditions, 1201 (EURFNR--1454)
Sodium boiling experiments in a seven-pin bundle: flow patterns and two-phase pressure drop, 4392
Sodium boiling experiments in a 7-pin bundle: investigations into

some safety aspects of the KNK II driver zone, 4393
See ERCOK, A.J., 4391
See STRAKA, M., 3915
KAISER, R.E., Simulation of an HCDA sequence on the ZPPR critical facility, 402 (CONF-761001--P2, pp 584-592)
See DUCAT, G.A., 3935
See LINEBERRY, M.J., 3044
See WEI-TEH LEE, E., 3766
KAJIYAMA, S., Method of controlling the secondary coolant in FBR, 5252
KAKARALA, C.R., Thermal-hydraulics in a helical coil tube steam generator, 700 (CONF-761001--P1, pp 8.1-8.28)
See GRANT, G., 4645
KAKEHI, I., Fuel assembly for a FBR type reactor, 5206
KAKUMA, T., See TERASAWA, M., 4968
KALASHNIK, G.V., See LEBEDEV, I.G., 5442
KALIMULLAH, FRESS pin failure model and its application to E-8 TREAT test, 1017 (DOE/TIC--10099)
FRESS pin failure model and its application to E-8 TREAT test, 2246 (LA--7938-C, pp 99-115)
Physics calculations for the Clinch River Breeder Reactor, 55 (ANL--77-27)
PLOCF code for the primary loop coolant flow and heat transfer analysis of certain pool-type LMFBRs, 4776
See HUMMEL, H.H., 442
KALINOWSKI, J.E., Effect of nonuniform gaps on compaction of an LMFBR core, 4693
See BELTAX, A., 682
See FENNELL, W.E., 3836
KALKOFFEN, F., Nuclex 78: broad offer - restrained interest. Report on the 5th international trade exhibition and expert meeting for the nuclear technological industry, 3312
KALLFELZ, J.M., See BARTINE, D.E., 665
See BURNS, T.J., 4715, 628
See KUJAWSKI, E., 3159
KAM, F.B.K., See MCELROY, W.N., 1495
KAMAL, S.A., Simplified inelastic analyses using one-dimensional models, 2620 (ORNL/SUB--7463/1)
KAMEI, M., Experience on sodium removal from various components, 2127 (IWGFR--23, pp 83-99)
Experience on sodium removal from various components, 3817 (JAPFNR--318)
Parameter survey on the saturation boiling proceess for crevice sodium removal, 2120 (IWGFR--23, pp 100-107)
Parameter survey on the saturation boiling process for crevice sodium removal, 3816 (JAPFNR--318)
Short review of sodium removal experience in PNC, 2119 (IWGFR--23, pp 50-53)
See ISHII, Y., 4227
KAMEI, T., Study on sodium void reactivity worth predictional method, 5152 (JAPFNR--259)
KAMIMURA, H., See TSUNODA, N., 2735
KAMIMURA, K., Test on ''MONJU'' fuel subassemblies (the first and the second test fabrications), 4310 (JAPFNR--256)
KAMIYAMA, S., See YAMAMOTO, K., 2046
KANAMORI, A., Design of thy MONJU heat transport syster and the related R and D work, including steam generator, 4075
Reactor cooling syster, 3361
See TSUDA, H., 4151
KANAO, Y., Radiation shields, 3306
KANEE, M., See HAYASHI, Y., 4282
See KAMEI, M., 2120, 2127, 3816, 3817
KANE, R.S., See CHO, S.M., 846
KANEGAE, N., Effects of nozzle-to-target distance on wastage in small-leak sodium-water reactions, 3430
See HORI, M., 411
KANEKO, K., See TAKANO, H., 2155
KANEKUBO, H., Abnormal condition detector of a reactor container, 5162
KANO, K., See SONE, T., 2738
KANO, T., See ANDO, Y., 4586
KANOH, S., See HAMPTON, L.V., 1279
KAO, T.T., See CRAS, J.J., 224
KAPLAN, G., Power/energy progress report: a pastiche of developments promises near and long-term applications, 3841
KAPLAN, S., Bundle to duct interaction compression tests using large diameter pins, 1319 (GEFR--00439)
Design tasis and FTR testing of an advanced wire-wrap driver fuel assemtly, 3585
See JACKSON, R.J., 1547
See MARSHALL, J., 4528
KAPPAUF, H., Wall penetration of a pipe operated at high temperatures, especially liner penetration, 4374
KARAM, R.A., ^{233}U--^{232}Th fuel cycle as an alternative to LMFBRs, 4708
KARASEV, B.G., See ALEKSEEV, R.A., 1949
See ANDREEV, A.M., 1950, 1951, 2350, 2351
KARASEV, V.N., See MITENKOV, F.M., 5445
KARELIN, E.P., Development of nuclear power engineering in the USSR, 4308
KARETNIKOV, G.E., Experimental investigation of the efficiency of intermediate heat exchangers of three-loop nuclear power plants, 3416
KARIMI, F., Two dimensional structural analysis of reactor fuel element claddings due to local effects, 890 (CCC--2245-5STR)
KARNESKY, R.A., Cesium migration in LMFBR fuel pins, 1559 (HEDL-SA--1543-FP)
Effects of local cesium concentrations on mixed-oxide fuel behavior, 1475 (HEDL-SA--1306S)
Effects of local cesium concentrations on mixed-oxide fuel behavior, 4723
See GREEN, D.R., 1033
See WEBER, J.W., 1555
KAROL, R.C., See ERYNDA, W.J., 303
KAROW, H.U., Thermodynamic state, specific heat, and enthalpy function of saturated UO_2 vapor between 3000 K and 5000 K, 1203 (EURFNR--1460)
See BOBER, M., 4216
KARPLUS, H.B., High-temperature shear-mode transducers for LMFBR ultrasonic flowmeters, 188 (ANL-CT--77-6)
Interim ultrasonic sodium flow measurements on the EBR-II secondary syster, 217 (ANL-CT--78-23)
KARPOV, A.V., Experience in sodium technology of soviet fast reactors, 3435
See SHIRIN, V.M., 1877
See VYLOMOV, V.V., 4356
KARPOV, V.A., Interference of neutron-atsorbing control rods in a large power fast reactor, 1859 (IAE--2842)
KARPOV, V.M., See SERGEYEV, V.S., 5417
KARSTEN, G., Basic ideas on the development of fuel elements for fast breeder reactors, 2172 (KFK--2416, pp 4-11)
Fuel element of the LMFBR, 2180 (KFK--2416)
Fuel element of the sodium breeder, 3866 (EURFNR--1418)
Possibilities of application of experimental Kfk results from BR2 on SNR designs, 1909 (INIS-mf--4426, pp I.1-13)
SNR-carbide program: its position between present and future, 4820
Thoughts on the development of fuel elements, 3851 (EURFNR--1418)
KASAI, S., Loading method of core constituting elements, 5147
See OKA, Y., 1864, 4901
See TOYAMA, M., 3476
KASAMA, S., Safety equipment of a reactor, 5207
KASBERG, A.H., See ECK, J.E., 3457
KASHIWAKURA, K., See MASE, N., 4408
KASSNER, T.F., See NATESAN, K., 155, 3714, 607
KASTEN, P.R., Strategy for the practical utilization of thorium fuel cycles, 733 (CONF-781042--2)
KASTENBERG, W.E., Anticipated transients without scram for light water reactors: implications for liquid metal fast breeder reactors, 2760 (RAND/N--1188-DOE)
See BASTL, W., 2378
See CATTON, I., 2452
See CAVE, L., 2428, 2703
See DHIR, V.K., 2376, 2427, 3065, 446
See FRANK, M.V., 4769
See VARELA, D., 3624
See WONG, K.W., 3521, 4748, 480
KASZA, K.E., Characterization of the temperature fluctuations generated in a thermal mixing tee (sodium versus water behavior), 199 (ANL-CT--78-2)
Development of a state-of-art thermal mixer, 3949
Initial considerations on the influence of thermal buoyancy on heat exchanger performance (relevant geometric, operational, thermal-hydraulic phenomena and modelling considerations), 230 (ANL-CT--78-47)
Thermal buoyancy phenomena in a horizontal pipe during a flow coast-down thermal-hydraulic transient (scoping studies), 192 (ANL-CT--77-31)
Thermal mixer mixing correlations for both sodium and water, 3161
Thermal-hydraulics design guide for an Advanced Design Thermal Mixer (including development/testing details), 233 (ANL-CT--79-4)
Thermal-hydraulic model tests of the CRBR/IHTS thermal mixer, 4689
KATAGIRI, M., See SAKAI, E., 3825
KATAOKA, H., Effects of nonlinear or ''not-linear'' characteristics of reactor kinetics on power reactor noise analysis and proposal of application of some newly developing techniques to power reactor noise analysis, 5002
See KAMEI, M., 2127, 3817
See YOKOZAWA, A., 3407
KATAOKA, I., See KUROSAWA, K., 4120
KATAOKA, ISAO, See SAKURAI, AKIRA, 3783
KATCHER, M., See BRINKMAN, C.R., 3116
KATO, Y., Device for protecting deformations of reactor cores, 5371
Fuel Assembly, 5218
See MATSUSHIMA, H., 5336
See TSUTSUMI, K., 5312, 5382
KATSCHALIN, V.S., See SCHUTSCHKOV, I.I., 3403
KATZMANN, H., See MORYSON, H., 3907
KAULITZ, D.C., See GROVER, J.M., 1649
KAUNE, W.T., See ALLEN, M.D., 3702
KAUNE, W.Y., See ALLEN, M.D., 4545
KAWAGUCHI, O., Review and perspective of FCI related activities in Japan, 2707 (PNC-N--251-76-12(Vol.1), pp 25-32)
See ANDO, Y., 4494, 4586
KAWAI, M., Study of applicability of an albedo Monte Carlo method for neutron streaming calculation, 4896
KAWAKAMI, H., Atomic power plant, 5391
Cooling device for nuclear power plant, 5133
Vapor generator system equipment for fast breeder reactor, 5384
KAWAMATA, K., Simulation of the dynamic characteristics of steam generator for FBR plant, 3725
KAWAMURA, H., See SHIMIZU, T., 3503
KAWARA, M., See MASE, N., 4408
See TSUDA, H., 4151
KAWASHIMA, H., Primary cooling device for a sodium cooled fast breeder, 5372
Reactor containment vessel, 5322
See IWASAKI, T., 5321
KAWASHIMA, K., Safety-related design of MONJU, 389 (CONF-761001--P1, pp 99-111)
See HORI, M., 411
See ZUKERAN, A., 5153
KAWATA, T., MONJU fuel pin safety irradiation progras in GETR, 2030 (IWGFR--5, pp 67-68)
PNC irradiation programs, 2024 (IWGFR--5, pp 69-82)
KAYE, S.V., Environmentally important radionuclides in nonproliferative fuel cycles, 864 (CONF-7810133--5)
KAYSER, G., Method for estimating the performances of an internal core-catcher in a pool-type LMFBR, 102 (ANL--78-10, pp 286-296)
Studies needed to prevent the use of

expansion bends in LMFBR intermediate heat exchangers, 3607 (ANL-Trans--1128)
KAZACHKOVSKI, O.D., USSR fast reactor development program and its current state, 3740 (IAEA-CN--36/356)
KAZACHKOVSKII, O.D., Future plans for the design and construction of fast reactor power stations in the USSR, 4087
Principal results of operation of the BOR--60 facility, 5400
Status of the research and development program on fast reactors in the USSR, 4313
KAZIMI, M.S., Condensed review of the technology of post-accident heat removal for the liquid-metal fast breeder reactor, 3710
Post-accident fuel relocation and heat removal in the LMFBR, 330 (BNL-NUREG--50603)
Void distribution in boiling pools with internal heat generation, 3845
See CHUN, M.H., 483
See GASSER, R.D., 4530
See GREENE, G.A., 3622, 4002, 4777
See GUSTAVSON, W.R., 505
See HOTHROCK, R.A., 3128
KEAIRNS, D.L., Fluidized bed steam generator concepts for LMFBR, 5295
See ARCHER, D.H., 5331
See NEWBY, R.A., 4038
KEATEN, R.W., Safety design criteria for liquid metal fast breeder reactors, 5291
KEBADZE, B.V., See AFANAS'EV, V.A., 3059
KEBADZE, B., See KRAUSE, H., 3039
KEBADZE, B.V., Correlation measurements of sodium flow rate with magnetic sensors, 3547
Possibility of acoustic detection on sodium boiling in a fast reactor by a pulse system, 3396
Statistical error of calculating reactivity balance, 4468
See ADAMOVSKII, L.A., 2345
See AFANAS'EV, V.A., 2346, 3419, 3464
KEGEL, G.H.R., See DONATI, D.R., 4282
KEHLER, P., Measurement of liquid sodium flow in the secondary system of the EBR-II by a neutron activation technique, 190 (ANL-CT--77-25)
See FORSTER, G.A., 205
See PRICE, C.C., 61
KEILHOLTZ, G.W., See BUCHANAN, J.R., 2395, 2467, 2598
KEINTZEL, G., Design of the core catcher system for the fast breeder reactor SNR 300, 3776
KEISER, D.D., EG and G Idaho, Inc., 2516 (CONL--5287, pp 1-16)
KELEER, C.N., See BASDEKAS, D.L., 2365, 2694
KELLEY, J.L., See ERDMAN, C.A., 2381
KELLNER, W., See DOERBECKER, K., 5046
KELLOGG, L.S., EBR-II derived fission yields from vanadium encapsulated fission monitors, 1756 (HEDL-TME--77-34(Vol.2), pp HEDL.27-HEDL.44)
EBR-II validated, key fission product yields for fast reactor application, 1496 (HEDL-SA--1375)
EDB-II validated, key fission product yields for fast reactor application, 2372 (NUREG/CP--0004(Vol.3), pp 1307-1321)
See GILLIAM, L.M., 2271
KELLY, G.N., Dose mortality relationships: implications for hypothetical accidental releases from FBRs, 3089
Influence of physico-chemical form on the consequences of hypothetical accidental releases from FBRs, 3278
Influence of the physico-chemical form of the aerosol on the radiological consequences of notional accidental releases of radioactivity from a fast breeder reactor, 2355 (NRPB-R--73)
KELLY, J.G., Application of coded source x-radiography to the observation of nuclear fuel motion, 2844 (SAND--77-1724)
Coded aperture imaging of reactor illuminated LMFBR fuel pins, 2815 (SAND--77-1014C)
Coded aperture imaging methods for fuel motion measurement, 417 (CONF-761001--P2, pp 864-873)
Coded aperture imaging of reactor-illuminated LMFBR fuel pins, 4755
Development of a coded aperture fuel motion diagnostics system for the ACPR (UPGRADE), 2437 (NUREG/CR--0790, pp 13-24)
Development of a coded aperture fuel motion diagnostics system for the ACPR (upgrade), 2840 (SAND--77-1552C)
See MCARTHUR, D.A., 2439
See STALKER, K.T., 2438, 2893, 4988
KELLY, J.M., Turbulent interchange in triangular array bare rod bundles, 877 (COO--2245-45TR)
KELLY, M.J., Development of the capacitor discharge vaporization technique to produce aerosols formed under conditions postulated for hypothetical core disruptive accidents, 2604 (ORNL/NUREG/TM--160)
See WRIGHT, A.L., 2386
KELLY, W.L., See KRUGER, G.B., 378
KEMPE, H., See SCHAEFER, L., 2206
KEMPKEN, H., Future plans for the design and construction of fast reactor power stations in the Federal Republic of Germany, 4083
KENDALL, J.M., LMFBR steam cycles: is efficiency the ultimate goal, 3213
KENFIELD, T.A., In-reactor stress relaxation in bending of 20% cold-worked 316 stainless steel, 4582
Stress-free swelling in type 304 stainless steel at high fluences, 4271
Stress-free swelling in Type 316 stainless steel at high fluences, 4478
Swelling of types-304, -316, and -321 stainless steels at high fluences in EBR-II, 1232 (GEFR--00062)
Swelling of Type-316 stainless steel at high fluences in EBR-2, 3528
See FLINN, J.E., 376
KENNEDY, E.J., Research in remote signal transmission electronics, 2621 (ORNL/Sub--7644/10)
KENNEDY, J.M., Finite-element method for above-core structures, 162 (ANL--79-104)
Response of subassembly model with internals, 546 (CONF-770807--46)
Structural formulation for upper internals of LMFBR, 799 (CONF-790802--68)
Structural response of the upper internals, 3195
Theory and application of a quasi-Eulerian fluid element for the STRAW code, 144 (ANL--78-100)
See ASH, J.E., 3621
See BELYTSCHKO, T., 462
See BELYTSCHKO, T.B., 3551
See HAKIM, S.J., 3992
See KULAK, R.F., 3535, 5052, 5053, 549
See MARCINIAK, T.J., 457
KENNEDY, M.F., Primary aerosol particle-size distribution from homogeneous nucleation condensation and particle growth, 2364 (NUREG--0391)
Primary aerosol particle-size distributions from homogeneous nucleation condensation and particle growth, 3326
See HENRY, T.F., 3615
KENT, G.F., Design and licensing of a flexible dual-containment approach, 4633
See CHANG, T.Y., 3147
KENT, J.C.W., Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)
KENT, L.A., See SMAARDYK, J.E., 2866, 4017
See SUTHERLAND, H.J., 2848, 3654, 507, 5114
KENT, M.P., User's guide to MAT3D: a three-dimensional finite element mesh generator program for eight-node isoparametric elements, 3317 (WARD-SD--3045-32)
KENT, W.C.L., See NELSON, R.L., 3142
KENWORTHY, G., Liquid metal cooled fast breeder nuclear reactors, 3234
KEOUGH, R.F., See BARTON, G.B., 1435
KERFIELD, T.A., Swelling of Type-316 stainless steel at high fluences in EBR-II, 3529
KERLEY, T.M., See CARLSON, G.A., 2883
KERLIN, T.W., FFTF dynamic modeling and sensitivity analysis, 4728
See HUYNH, Q.A., 2688
KERNS, R.E., SEFOR: the most promising concept, 374 (CONF-681093--, pp 8.1-8.9)
KERR, H.T., See BIERMAN, S.R., 3141
See MINCEY, J.F., 3146, 776
KERRISK, J.F., Design and performance of sodium-bonded uranium-plutonium carbide fuel elements, 2275 (LA-UR--78-2933)
Design and performance of shroud tubes, 4850
Wire wrap-cladding mechanical interaction in sodium-bounded elements, 3936
See LATIMER, T.W., 2274
KESAVAN, K., See WALSH, J.M., 4976
KESHISHIAN, V., Fuel failure monitoring system for CRBRP, 3947
KESSLER, G., Discussion of the ERDA breeder program in the USA. Critical survey of the related proliferation problems, 4276
Fast breeder reactors, current status and development trends, 3497
See BAILLY, J., 2032
See DAEUNERT, U., 2081, 2087
See GUTHAMANN, E., 4052
See HENNIES, H.H., 3133
See KULCINSKI, G.L., 3317
KESTERNICH W, See SAGUEES, A.A., 4952
KETCHUM, H.B., See BARTHOLF, L.W., 1671
KETELS, J., See HAAS, D., 4596
See HAAS, V., 302
KEVROLEV, V.P., See KAZACHKOVSKII, O.D., 5400
See KIZIN, V.D., 5443
KHAIRALLAH, A., Thermohydraulics of the core of fast neutron reactors, 4211
KHAN, E., See BARTHOLD, W.P., 529
KHAN, E.U., CORTRAN code for temperature predictions in an LMFBR during a natural circulation transient, 2756 (PNL-SA--7521)
CORTRAN code for whole-core LMFBR transient thermal-hydraulic analysis, 3225
Flow orificing of large LMFBR cores with interassembly heat transfer, 532 (CONF-770611--38)
See JUNEAU, J., 2757
See MIKIC, B., 871
KHAN, H.U.R., Laboratory manual for salt mixing test in rod bundles, 893 (COO--2245-62TR)
KHATIB-RAHBAR, M., Feedback control systems for non-linear simulation of operational transients in LMFBRs, 317 (BNL-NUREG--25497)
Feedback control systems for non-linear simulation of operational transients in LMFBRs, 329 (BNL-NUREG--26572)
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors, 4039
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors, 999 (CURL--53)
Transition to natural convection from low-temperature, low-flow conditions in loop-type LMFBRs, 3188
See CADY, K.B., 1105
See MADNI, I.K., 3187
KHATIB-RAHBAR, M., Establishment of buoyancy-induced natural circulation in loop-type LMFBRs, 3666
KHIR, V.K., See CATTON, I., 2702
KHODAREV, E., Liquid metal fast breeder reactors, 3395
KIDMAN, R.B., SPECTRA-IV, benchmark spectra based on LIB-IV, 2237 (LA--7861-MS)
KIDWELL, G.D., See SWANSON, D.G., 4675
KIEFHABER, E., See BUCKEL, G., 2212
See MORELLE, J.M., 4137
See STRUWE, D., 393
KIER, P.H., See KALIMULLAH, 55
KIESEL, R., See JIANG, S.H., 2162
KIKOIN, I.K., Experimental reprocessing of irradiated uranium fuel from BOR-60 reactor by fluoride volatility method, 2344 (NIIAR-P--18(284))
Pilot plant reprocessing of the BOR-

60 spent uranium fuel by using fluoride volutility method, 1881 (IAEA-AG--63-21)
KIKUCHI, S., PIPER: a new fast reactor fuel pin performance code, 2025 (IWGFR--5, pp 83-84)
See KAWATA, T., 2024, 2030
KIKUCHI, Y., Incipient boiling of sodium in seven-pin bundle under forced convection conditions, 3548
Local boiling of sodium in downstream of local flow blockage in a simulated LMFBR fuel subassembly, 520 (CONF-761001--P4, pp 1568-1577)
Local sodium boiling behind local flow blockage in simulated lmfbr fuel subassembly, 4309
Local sodium boiling behind local flow blockage in simulated LMFBR fuel subassembly, 4312
Temperature, flow, and acoustic noises in a locally blocked 37-pin bundle, 4511 (JAPFNR--263)
Transient boiling of sodium in a single-pin geometry under loss-of-flow conditions, 3829
Transient boiling of sodium in a 19-pin bundle under loss-of-flow conditions, 4513 (JAPFNR--262)
See OZAKI, Y., 2146
See TASAKA, K., 4467
See UOTANI, M., 2145
KILEY, M.J., See HOTTEL, H.E., 639, 652
KILLIMAYER, J.S., See CHUANG, M.C., 4381
See COFFIELD R.D. JR., 849
KILMAN, G.E., Large electromagnetic pumps, 1402 (GEFR-SP--064)
KILSDONK, D.J., See SMITH, J.L., 540
KILSDONK, D.J., See SMITH, J.L., 5105
KIM, H.S., See FELDE, D.K., 549
KIM, J.Y., Laminar mixed-convection heat transfer in finite hexagonal bundles, 4656
KIM, K., Thermal and hydraulic analyses of the System 81 cold traps, 1032 (DOE/TIC--11041)
KIMACHI, Y., See KUMADA, T., 3252
KIMURA, J., See MIYAZAKI, K., 3873, 3875
KIMURA, M., Dual construction device having a mechanism for detecting leakage of sodium, 5329
KIMURA, Y., Application of a microprocessor-based distributed system to subassembly fault detection of LMFBR, 3469
KIND, J., See ALEXAS, A., 4215
KING, D.L., Large scale sodium interactions. Part 1. Test facility design, 2822 (SAND--77-1073C)
Large scale sodium test facility, 2835 (SAND--77-1421C)
Large scale sodium test facility at Sandia Laboratories, 57 (ANL--78-10, pp 243-249)
Sodium interaction with limestone concrete test results, 3652
See SALLACH, R.A., 3653, 98
See SPAARDYK, J.E., 2821, 4763
KING, J.F., Transition joint welding development for LMFBR steam generators, 4193
See ERINKMAN, C.R., 2495, 4188
See GNADT, P.P., 2669
See KLUEH, R.L., 2496, 2529, 2547, 2565, 4028
See STRIZAK, J.P., 2530
KING, M.J., Response matrix method for large LMFBR analysis, 177 (ANL-AFP--36)
Sensitivity of power peaking analysis to large reactor core modeling, 173 (ANL-AFP--32)
See CHANG, Y.I., 66
See ORECHWA, Y., 531
KING, R.T., Historic development of steels containing 8-10% Mo and future directions for LMFBR applications, 4155
See ERINKMAN, C.R., 2556, 4571
See PATRIARCA, P., 2557
KING, T.L., See DAUGHTRY, J.W., 1488
KINJO, H., See NISHIMURA, T., 4697
KINSEL, W.C., Flow-induced vibrations of spiral wire-wrapped fuel assemblies, 5425
KINTNER, E.E., U.S. reactor development program, 5430
KINYON, B.W., FFTF outlet nozzle design considering natural and forced convection flow in parallel annuli, with heating, 5429
KIRCHNER, G., See BUESCHER, E., 2116
KIRCHNER, G.F., See VROOM, J.P., 4065
KIRCHNER, T.L., Electro-optical fuel pin identification system, 1545 (HEDL-SA--1516)
See POWERS, H.G., 1576
KIRICHENKO, V.N., See VYLOMOV, V.V., 4356
KIRILLIN, A., Application of magnetohydrodynamic generators in nuclear power engineering, 5024
KIRILLOV, I.R., See ANDREEV, A.M., 1950, 2350, 2351
KIRILLOV, P.L., Problems of heat exchange and hydrodynamics of sodium-water steam generators for fast-neutron reactors, 711 (CONF-781001--P2, pp 9.1-9.22)
KIRILLOVICH, A.P., Studying behaviour of hot wastes from reprocessing of fast reactor fuel elements by the gas-fluoride method, 4598
KIRK, F., See BILLIAU, R., 297
See PROOST, J., 258
KIRKO, A.I.M., Possibility of observing new MHD phenomena in the liquid-metal mass in the first loop of the BN-600 unit of the Beloyarsk Atomic Power Plant, 3243
KIRKO, G.E., See KIRKO, A.I.M., 3243
KIRN, F.S., See LAMBERT, J.D.B., 3491, 4733
See SC, B.Y.C., 152, 153
KIRSTEIN, T.B.A., See ASHER, R.C., 12
KISELEELEV, G.V., See VASILENKO, K.T., 2130
KISELEV, C.V., See BAKUMENKO, O.D., 3048, 4092
KISHIDA, K., See KUROSAWA, K., 4120
See NAKAI, Y., 5262
See SAJI, G., 4131
KISKER, G., Parliamentary powers concerning guiding political decisions. Decision of the OVG Muenster to present the licensing case of the Kalkar fast breeder to a higher court, 3779
KISSINGER, C., See HOOGENBOOM, I., 2474
KITAGAWA, H., Materials for fast breeder prototype reactor 'Monju', 4520
See MIMOTO, Y., 3360
KITAMURA, M., See UCHIDA, S., 3844
KITANI, S., See NISHIO, G., 3775
KITANO, M., See MIURA, M., 2740
KITTEL, J.H., Advanced carbide/nitride fuels program. Quarterly progress report for the period July--September 1977, 180 (ANL-AFP--40)
Advanced Fuels Program. Quarterly progress report for the period, July--September 1974, 167 (ANL-AFP--1)
Advanced fuels program. Quarterly progress report, January--March 1976, 169 (ANL-AFP--28)
Advanced fuels program. Quarterly progress report, April--June 1976, 170 (ANL-AFP--29)
Advanced fuels program. Quarterly progress report, July--September 1976, 174 (ANL-AFP--33)
Advanced fuels program. Quarterly progress report, October--December 1977, 175 (ANL-AFP--34)
Advanced fuels program. Quarterly progress report, January--March 1977, 176 (ANL-AFP--35)
Advanced fuels program. Quarterly progress report for the period April--June 1977, 179 (ANL-AFP--38)
Advanced Fuels Development Program. Quarterly progress report, October--December 1977, 183 (ANL-AFP--47)
Advanced fuels development program. Quarterly progress report, January--March 1978, 184 (ANL-AFP--51)
Advanced fuels development program. Quarterly progress report, April-June 1978, 185 (ANL-AFP--55)
Advanced fuels development program. Quarterly progress report, July-September 1978, 186 (ANL-AFP--59)
Advanced fuels development program. Quarterly progress report, October-December 1978, 187 (ANL-AFP--63)
See SIMMONS, J.M., 4818
KITTLE, H., See LEARY, J., 4817
KIYOKAWA, T., See TAKAHASHI, T., 4612
KIZIN, V.D., How Bor-60 reactor power station equipment is serviced in a radiation environment, 5443
Radioactive impurities accumulation in BOR-60 cold trap, 2221 (KFK-tr--575)
Radioactive impurities trapping by the BOR-60 cold trap, 2338 (NIIAR-P--2(296))
Radioactivity in the primary circuit of the fast BOR-60 reactor, 3695
Separation of radioactive impurities by the cold trap of the BOR-60 reactor, 3523 (BNWL-tr--339)
See GRYAZEV, V.M., 2222, 2342, 4618
KLEA, J.A., Demonstration of contact and plugging tube type leak detector performance in FFTF reactor inlet guard pipe, 2296 (LMEC--77-8)
See DAVIS, K.A., 1175
KLEEFELD, K., See BOENISCH, G., 395
KLEEFELDT, K., LMFBR post accident heat removal testing needs and conceptual design of a test facility, 2217 (KFK-EXT--8/76-4)
See STRUWE, D., 393
KLEFFNER, H., See PARR, A., 3260
KLEIN, G., SAS3D analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 838 (CONF-791103--92)
KLEIN, G.A., Predictive technique for temperature and eddy diffusivity distributions in liquid metal turbulent pipe flow, 5006
SAS3A analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 818 (CONF-790816--31)
KLEIN, H.H., Consequences of the OVG Muenster's decision on Kalkar, 4440
KLEIN, K., See HOLTBECKER, H., 1194
KLEISS R.E., See PHIPPS, R.D., 4869
KLEMM, J., See MENDTE, K., 2045
KLERSY, R., See BALZ, W., 431
KLEUH, R.L., Effect of heat treatment on tensile properties of annealed 2 1/4 Cr-1 Mo steel, 4479
KLEYKAMP, H., Chemical behaviour of mixed-carbide fuel rods under irradiation, 3894
Chemical state of irradiated carbide fuel pins, 4868
KLICKMAN, A.E., See DICKERMAN, C.E., 150, 4978
See PERSON, L.W., 3570
KLIMOV, S.A., See RINEISKII, A.A., 1217
KLINE, C.T., See GLUECKLER, E.L., 4499
KLINETOB, R.H., See CASPERSSON, S.A., 4848
KLINGLER, W.B., See THOMAS, R.W., 3975, 735
KLINKERT, G.F., See HAESEN, W., 2058
KLOS, D.B., Forced circulation cold trap assemblies for removal of sodium impurities from FFTF closed loop systems, 1657 (HWS--1880(Rev.2)(Add.1))
KLOSE, W., Fast breeder reactor I, 3462
KLUEH, C.R., Creep and rupture behavior of 2 1/4 Cr--1 Mo steel, 2531 (ORNL--5309, pp 7-22)
KLUEH, R.L., Analysis of the decarburization and aging processes in 2 1/4Cr-1Mo steel, 5327
Assessment of normalized and tempered versus annealed or isothermally annealed 2-1/4 Cr--1 Mo steel, 2657 (ORNL/TM--6411)
Creep and creep-rupture behavior of ERNiCr-3 weld metal, 2565 (ORNL--5404)
Creep and tensile properties of transition weld joint materials, 2496 (ORNL--5255, pp 197-204)
Creep and tensile properties of transition weld joint materials, 2529 (ORNL--5309, pp 223-245)
Creep-rupture properties of a weld-overlaid type 304 stainless-steel forging, 4272
Effect of sodium on the mechanical properties of 2 1/4 Cr--1 Mo steel, 2535 (ORNL--5309, pp 36, 39-43)
Heat-to-heat variation of 2 1/4 Cr--1 Mo steel, 2492 (ORNL--5255, pp 130-135)
Heat-to-heat variation of tensile properties of annealed 2 1/4 Cr-1 Mo steel, 2628 (ORNL/TM--5906)
Interaction solid solution hardening

in 2.25Cr-1Mo steel, 4164
Mechanical properties of a 2 1/4 Cr--1 Mo steel forging for LMFBR tubesheets, 2532 (ORNL--5309, pp 22-35)
Mechanical properties of 16-8-2 girth welds on large-diameter pipe, 2543 (ORNL--5349, pp 94-101)
Mechanical properties of tubesheet forgings for LMFBR steam generators, 2555 (ORNL--5378)
Strain rate effects on the elevated-temperature tensile behavior of a bainitic 2 1/4 Cr--1 Mo steel, 4354
Strain-rate effects on the elevated-temperature behavior of ERNiCr-3 weld metal, 4028
Stress-rupture properties of sodium-decarburized and thermally aged 2 1/4 Cr-1 Mo steel, 3165
Tensile, creep, and creep--rupture studies on 2 1/4 Cr--1 Mo steel, 750 (CONF-761215--1)
Tensile properties of ERNiCr-3 (Inconel 82) weld metal, 2547 (ORNL--5349, pp 137-146)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2493 (ORNL--5285, pp 135-139)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2534 (ORNL--5309, pp 36-38)
Thermal aging of 2 1/4 Cr--1 Mo steel, 2544 (ORNL--5349, pp 101-111)
See BAYLOR, V.E., 2548, 2642
See BECKER, M.K., 2659
See BRINKMAN, C.R., 2495, 4188
See LEITNAKER, J.M., 5334
See SWINDEMAN, R.W., 2070
KNAAK, J., Magnetostrictive probe, 4574
See HANS, R., 3063
KNAAP, M.H., Development, design, construction, and prototype test experience of steam generators for SNR 300, 4076
KNAUS, S.E., See KOWAL, K., 2906
KNECHT, R.L., See BLACKBURN, L.D., 4851, 4512
See MILLS, W.J., 2552
KNEE, M.E., See EMMETT, M.B., 2582
See HAAS, P.M., 839
See MIHALCZO, J.T., 3158, 774
See SELBY, D.L., 2583
KNIGHT, D.D., Pressure pulse propagation in piping analytical/experimental comparison, 2331 (NEDM--14161)
KNIGHT, R.L., Model and computer code for energy and mass transport in decomposing concrete and related materials, 2891 (SAND--79-1733C)
Thermal behavior of concrete, 2824 (SAND--77-1093C)
Thermal behavior of concrete, 4764
KNIGHTON, J.E., Pyrochemical coprocessing of UO_2--PuO_2 LMFBR fuel by the Salt Transport Method, 2770 (RFP--2887)
Pyrochemical processing of LWR and LMFBR fuels by the salt transport method, 4245
KNIGHTS, C.F., See PRITCHARD, A.M., 4184
KNOX, A.E., See MONSON, L.R., 4734, 674
KNOX, R., US utilities argue for the breeder and reprocessing, 4486
KOBAYASHI, K., TPI, a computer program for the calculation of reactivity and kinetic parameters by one-dimensional neutron transport perturbation theory, 2204 (KFK--2736)
KOBAYASHI, Y., Optimization of refueling scheme of fast reactor core by means of man machine interactive method, 4585
KOBISK, E.H., See ADAIR, H.L., 604
KOCHETKOV, L.A., Past and present role of fast breeder reactors in the USSR, 4054
Review of the development of fast breeder reactors in the USSR, 3045 (PNL-TR--400)
See BACDASAROV, YU.E., 3739, 4284
See POPLAVSKII, V.M., 4078
See VASILENKO, K.T., 2130
KODAMA, T., See UEMATSU, K., 4963
KOEHL, E.R., Testing of steam generator leak detectors on the high pressure test loop: interim report, 240 (ANL-CT--79-18)
KOEHLER, M., See AUBERT, H., 3211
See KEMPKEN, M., 4083
See ROTHFUSS, P., 4526
KOEN, B.V., See DUBAU, J., 4043
KOENIG, J.F., Effects of power and irradiation behavior on EBR-II blanket management, 4726
Temperatures of EBR-II subassemblies in air or argon without forced cooling, 806 (CONF-790808--19)
See BUSCHMAN, H.W., 651, 847
See FLINN, J.E., 48
See LEHTO, W.K., 624
KOGA, T., See NAKAI, Y., 5337, 5345, 5375, 5376
See SAITO, T., 5251
See TANAKA, N., 5344
KOHLER, M., Design considerations for the primary system and the primary components of SNR-2, 4119
KOIKE, H., See IWASAKI, T., 5216, 5321
KOISHIKAWA, A., See SAKANO, K., 5060
KOISHIKAWA, S., See MAEKAWA, I., 3443
KOIZUMI, I., See YUKITOSHI, T., 4616
KOIZUMI, K., Maintenance cask, 5227
KOJIMA, T., See TANAKA, N., 5287
KOK, K., See POBEREZKIN, M., 4632
KOK, K.D., See BASHAM, S.J. JR., 3381
See POBEREZKIN, M., 3365
KOKOREV, E.V., Some estimates of the prospects for dual-wall sodium-water steam generators, 707 (CONF-761001--P2, pp 2.2-2.10)
KOLB, G.J., Parameter sensitivity study in the dynamic simulation of a sodium cooled breeder reactor power plant, 2380 (NUREG/CR--0016)
KOLEGANOV, J.F., See BAKUMENKO, O.D., 4890
KOLMAKOV, A.P., See GORCHAKOV, M.K., 1212
KOLODZIEJ, M., See MOELLER, R., 2165, 3640
KOLOWITH, R., In-core gas release capsule development, 1567 (HEDL-SA--1564)
In-core gas release capsule development, 1568 (HEDL-SA--1564-S)
In-core gas release capsule development, 3968
KOMABA, T., See INUSHIMA, H., 2154
KOMATSU, J., See UEMATSU, K.
ISHIDA, Y., 4826
KON'KOV, V.F., See GRYAZED, V.M., 3047
See GRYAZEV, V.M., 4091
KONDO, R., Core cooling system for reactor, 5155
Method of safe operation of LMFBR type reactor, 3404
KONDO, S., Design stage probabilistic assessment of prototype LMFBR safety systems, 4046
Simulation experiment and analysis on the effects of in-coherence in fuel coolant interaction, 2708 (FNC-N--251-76-12(Vol.1), pp 285-305)
See ANDO, Y., 4494, 4586
See FUJIIE, Y., 2720
See KOBAYASHI, Y., 4585
KONDO, Y., Effects of metallurgical variables on creep on type 316 stainless steels, 4945
KONDRAT'EV, V.I., Study of the once-through serpentine steam generator in the BOR-60 experimental nuclear powerplant, 720 (CONF-761001--P2, pp 5.1-5.22)
See CHERNOBROVKIN, IU.V., 721
See GRYAZED, V.M., 3047
See GRYAZEV, V.M., 4091
See KAZACHKOVSKII, O.D., 5400
KONDRATENKO, S.N., See STARKOV, O.V., 723
KONING, H., See VAN DER PUTTEN, A.P.W.M., 2727
KONISH, H.J., MATLIB: a computer library of material properties verification manual, 3021 (WARD-SD--54000-2)
KONO, K., Remote fabrication of FBR fuel at PNC, 3144
KONONOV, E.S., See STARKOV, O.V., 722
See SUBBOTIN, V.I., 3313
KONONYUK, M.KH., See STARKOV, O.V., 722, 723
KONSTANTINIDIS, S., Dynamic properties of fuel pins, 5038
KONVICKA, H.R., Reactions of stabilized austenitic stainless steel in liquid sodium, 1903 (INIS-mf--4315)
KONYASHOV, V.V., See SUBBOTIN, V.I., 3313
KONZE, G.K., See MCSHERRY, A.J., 1298
KOOPMAN, R.N., Acoustic data analysis: TREAT test R12, 4008
TREAT transient overpower experiment R12, 3635
See SEMENZA, L.A., 4751
KORDINA, K., Vapor transport and pressure rise behind the liner of reactor containments, 5034
KORENKO, M.K., Gamma prime hardened nickel--iron based superalloy, 3362
KORINEK, J., Accident of sodium steam generator element - LEWISA program, 992 (CS-INIS--199)
KOROSTIN, O.S., See MEN'SHIKOVA, T.S., 2007
KORTH, G.E., Low-cycle fatigue of three irradiated and unirradiated Vanstar alloys, 4231
Mechanical property program of Alloy 718, 2481 (ORNL--5255, pp 2-10)
Mechanical property program of Alloy 718, 2538 (ORNL--5349, pp 2-29)
See MICHEL, D.J., 4938
See SMOLIK, G.R., 2940, 2942
KOSANCHICH, M. SR., See FALK, P.T., 3321
KOSAREV, YU.A., See BURLAKOV, V.A., 1678
KOSENKOV, V.M., See KRASNOSELOV, V.A., 3784
KOSTIN, V.I., Selection of the main circulation pumps for the first loop of promising plants with sodium heat carrier, 3777
KOT, C.A., PTAC: a computer program for pressure-transient analysis, including the effects of cavitation, 82 (ANL--78-4)
See YOUNGDAHL, C.K., 124, 218, 554, 616
KOTANI, K., See MURASE, M., 3468, 3806
See SUMIDA, I., 5151
KOTEL'NIKOV, R.B., See TSYKANOV, V.A., 4880
KOTOVSKII, N.A., See ZHUKOV, A.V., 1209
KOTTOWSKI, H., See GOLDAMMER, H., 2723
KOTTOWSKI, H.M., Steady state liquid metal boiling pressure drop characteristics, 514 (CONF-761001--P4, pp 1494-1501)
Transient sodium boiling characteristics at pump run down, 513 (CONF-761001--P4, pp 1488-1493)
See GOLDAMMER, H., 490
See MEHR, K., 3078
KOVALENTSCHIK, D.I., See SCHUTSCHKOV, I.I., 3401
KOVIN, V.M., Fast nuclear reactor, 4373
KOWAL, K., Disc-Donut-Tube wear test report, Phase I, 2906 (TID--27816)
KOYAMA, H., See INOUE, T., 3696
KOYAMA, K., See OKA, Y., 1864, 4901
KOYAMA, M., Effect of fast neutron irradiation and helium injection on the mechanical properties of austenitic stainless steel, 4940
See UEMATSU, K., 4963
KOYAMA, T., See SHIBATO, E., 3509
KOZLOV, F.A., Control of water leakage into sodium by acoustic noise, 5318
Experience of the operation of leak-testing systems of sodium-water steam generators of the BN-350 installation, 715 (CONF-761001--P2, pp 15.1-15.28)
Monitoring of oxygen and hydrogen in a sodium circulation loop by electromechanical measuring methods, 5420
Small leaks of water into sodium and their detection by concentration methods, 712 (CONF-761001--P2, pp 11.1-11.30)
See BAKLUSHIN, R.P., 3785, 4097
See POPLAVSKII, V.M., 4078, 713
See SUBBOTIN, V.I., 3313
KOZLOV, V.I., See VYLOMOV, V.V., 4356
KOZLOVA, N.A., See STARKOV, O.V., 722
KOZUB, P.S., See KOZLOV, F.A., 5420, 715
KOZYREV, V.D., See SHEINKMAN, A.G., 4203
KRAFT, T.E., See KUZAY, T.M., 3200
KRAMER, J.M., Cladding failure by local plastic instability, 80 (ANL--77-95)
See BILLONE, M.C., 4843
See SCHREYER, H.L., 163
KRAMER, N.A., See HOLTZ, R.E., 63

See KOOPMAN, R.N., 3636
See SPENCER, B.W., 471
KRAMER, C., See SPRAGUE, J.A., 4229
KRAMER, W., In-pile investigation of local cooling disturbance in LMFBR's (Mol 7C), 1910 (INIS-mf--4426, pp II.1-13)
In-pile investigation of local cooling perturbations (Mol 7C), 4144
In-pile sodium loop for investigation of local cooling disturbances in LMFBR's, 4395
Investigation of local cooling disturbances in an in-pile sodium loop in the BR2, 3074
See VANMASSENHOVE, G., 3335
KRASNOJAROV, N., Outlook of the fast breeder reactor development in U.S.S.R., 4206
KRASNOJAROV, N.V., Status of the USSR fast reactor programme as of March 1977, 2068 (IWGFR--18, pp 1-4)
KRASNOSELOV, V.A., Material study of the BOR-60 shim rod thimble irradiated with 1.6x10^{23} n/cm^2 (E>0.1 MeV), 3784
KRASNOSHCHEKOV, N.M., See FEDORCHENKO, I.M., 4463
KRASNOYAROV, N.V., See AFANAS'EV, V.A., 2220, 2340, 5165
See BAGDASAROV, YU.E., 3739, 4284
See INYUTIN, E.I., 3348
See KEEADZE, B.V., 3547
KRATZER, M.B., See GRAY, J.E., 3927
KRAUS, S., See WILTSHIRE, F.R., 3330
See YANG, C.C., 4262
KRAUSE, H., Determination of dynamic parameters of the reactor Bor-60 by means of a reactivity modulator, 3035 (ZfK--325)
KRAUZE, KH., See AFANAS'EV, V.A., 3464
KRAWCHUK, M., See SHARMA, D.K., 3861, 3862, 3870, 3871
KRCHNAKOVA, M., See KORINEK, J., 592
KREES, L., Detection of local boiling in an LMFBR subassembly by temperature fluctuations analysis at the outlet, 5012
Indication of a coolant blockage in a fuel element of a sodium-cooled reactor by temperature fluctuation measurements with steel--sodium thermocouples, 409 (CONF-761001--P2, pp 665-672)
See JACOBI, S., 4209
KRESMER, J., See FERRARI, A., 3720
KRESS, T.S., Breeder Reactor Aerosol Release and Transport Program quarterly progress report for July--September 1977, 2607 (ORNL/NUREG/TM--173)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report for October--December 1977, 2610 (ORNL/NUREG/TM--193)
LMFBR aerosol release and transport Program quarterly progress report, January--March 1978, 2385 (NUREG/CR--0117)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April--June 1978, 2400 (NUREG/CR--0340)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, July--September 1978, 2414 (NUREG/CR--0482)
LMFBR aerosol release and transport program. Quarterly progress report, October--December 1978, 2431 (NUREG/CR--0752)
LMFBR aerosol release and transport program. Quarterly progress report, January--March 1979, 2446 (NUREG/CR--0844)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April-June 1979, 2460 (NUREG/CR--1062)
Source term assessment concepts for LMFBRS: Aerosol Release and Transport (ART) Analytical Program, 2599 (ORNL/NUREG/TM--124)
See ADAMS, R.E., 2456, 2608, 809, 854
See FONTANA, M.H., 2601
See HAN, J.T., 3191, 779
See OEZISIK, M.N., 3567, 738, 812
See OZISIK, M.N., 4005, 4781
See WRIGHT, A.L., 2386, 2464, 2600, 3995, 853
KRIEBEL, A.R., See MCDONALD, J.W., 1264
KRIEG, B., See JIANG, S.H., 2162
KRIEG, R., Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.1. Safety problems solved by flow singularity methods, 3699
Stress analysis of fuel claddings with axial fins including creep effects, 4458
KRINNINGER, H., Status of the safeguards system developed for the LMFBR prototype power plant SNR-300 (KKW Kalkar), 3354
KRIVTSOV, V.A., See MASAGUTOV, R.F., 1208, 1210
KRIZEK, V., Inverse steam generator especially for liquid metals, 5184
KROEGER, F.R., See WRIGHT, S.A., 2816
KROGNESS, J.C., See GROVER, J.M., 1649
KROMMENHOCK, F.J., See LOVEJOY, W.S., 1245
KRUDENER, R.M., Steady temperature distributions in a multi-region nuclear fuel rod, 5450
KRUGER, G.E., Design of the US-CRBRP sodium/water reaction pressure relief system, 379 (CONF-760735--2)
Leak detection system design and operating considerations for the US-CRBRP, 378 (CONF-760735--1)
KRUGLIKOV, G.V., See BURLAKOV, V.A., 1880
KRUGLIKOV, P.A., See GRINMAN, M.I., 5448
KRUGLOV, A.K., See DERGACHEV, N.P., 4216
KRUGLOV, A.S., Behavior of chromel-alumel thermocouples during emergency shutdown of the BR-10 reactor, 4521
Behaviour of chromel-alumel thermocouples during emergency shutdown of the BR-10 reactor, 4522
KRUTOV, V.A., See VYLOMOV, V.V., 4356
KUBALEK, J., See GILAR, O., 3507
KUBO, K., See MITSUTSUKA, N., 3301, 5235, 5242
See MIYAZAWA, T., 5249
KUCERA, D.A., See MENEGHETTI, D., 833
KUCZERA, B., Influence of thermal cracking on transient pre-failure molten fuel motion, 2241 (LA--7938-C, pp 21-38)
Simulation of different transient clad failure mechanisms in fuel pin modelling, 2029 (IWGFR--5, pp 36-42)
See ROYL, P., 434, 4394
KUDO, K., Core catcher in a reactor, 5316
Emergency core cooling device, 5313
Sodium vapor deposition onto a horizontal flat plate above liquid sodium surface, (3). Concentration and diameter distributions of sodium mist in cover gas, 3780
Sodium vapor deposition onto a horizontal flat plate above liquid sodium surface. II. Analysis of sodium vapor deposition rate with sodium mist growth within main flow region, 4567
KUDO, T., See YUKITOSHI, T., 4156
KUDRYASHOV, L.N., See ZIZIN, M.N., 2339
KUECHLE, M., See BOENISCH, G., 395
See KLEEFELDT, K., 2217
KUEFNER, K., Comparison of the performance of several neutron diffusion computer codes for a fast breeder reactor, 4638
See BUCKEL, G., 3487, 4379
See JIANG, S.H., 2162
KUEHNE, W., See MARKFORT, D., 4643
KUENSTLER, K., Problems of technology and corrosion in sodium coolant and cover gas, 3040 (ZfK--337)
KUESTERS, H., Present status of sodium void reactivity predictions in conventional and nonconventional fast reactor core designs, 661 (CONF-780401--, pp 479-492)
KUGLER, E., Licensing aspects in the verification of the SNR 300 design concept against hypothetical accidents, 382 (CONF-761001--P1, pp 14-23)
KUHLOW, B., See NEUMANN, E., 2049
KUHN, W.L., Activated corrosion product radiation levels in the FFTF heat transport system cells and closed loop system modules, 1741 (HEDL-TME--76-10)
KUJAL, B., See KUJAL, J., 1897
KUJAL, J., Efficient calculation methods of fast reactor and fuel cycle thereof, 1897 (INIS-mf--4280, pp 137-144)
Physics and engineering characteristics of a LMFBR in long-term operation, 4546
KUJAWSKI, E., Benchmark analysis of liquid-metal fast breeder reactor nuclear design methods, 4380
Nuclear uncertainties as a consideration in reactor designs, 3159
See CHOONG, P.T., 1418
See HARTMAN, A.K., 1266
KUKHTIN, A.B., See SINYAVSKII, V.F., 2099
KULACKI, F.A., See BISHOP, A.A., 4989
KULAK, R.F., Dynamic structural response of LMFBR head closures to hypothetical core disruptive accidents, 3541
Finite element formulation for thermal stress analysis of thin reactor structures, 3535
Finite element formulation for fluid-structure interaction in three-dimensional space, 5308
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin reactor structures, 5053
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin reactor structures, 549 (CONF-770807--50)
Fluid-structure interaction analysis of a deck structure during a HCDA, 801 (CONF-790802--70)
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 5054
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 547 (CONF-770807--47)
Subassembly-to-subassembly meltthrough analytical studies, 5052
Three-dimensional fluid-structure interaction calculations for the dynamic response of a pool-type reactor's in-tank component, 3989
Three-dimensional finite element formulation for fluid-structure interaction, 797 (CONF-790802--65)
Three-dimensional fluid-structure interaction dynamics of a pool-reactor in-tank component, 798 (CONF-790802--67)
See ASH, J.E., 790
See MARCINIAK, T.J., 457
See SCHREYER, H.L., 163
KULAKOVSKII, M.A., See BAKUMENKO, O.D., 4894
KULAKOVSKII, M.YA., See BAKUMENKO, O.D., 3048, 4092
See IEFIMOV, I.A., 3711
KULAKOVSKIJ, M.YA., See BAGDASAROV, YU.E., 4284
See BAKUMENKO, O.D., 1876
KULAKOVSKY, M.J., See BAKUMENKO, O.D., 4890
KULAKOVSKY, M.YA., See BAGDASAROV, YU.E., 3739
See BAKUMENKO, O.D., 1860
KULCINSKI, G.L., Energy for the long run: fission or fusion, 3317
Fission and fusion reactors. Critical issues facing the long term deployment of fission and fusion breeder reactors, 3379
KULIASHA, M.A., Theoretical prediction of the thermal conductivity of uranium nitride vapor, 4432
KULIKOV, V.V., See MITENKOV, F.M., 5445
KULIKOV, YU.L., See ANDREEV, A.M., 1951
KULWICH, M.R., See CASPERSSON, S.A., 4848, 664, 911
See NOYES, R.C., 341
KUMADA, T., Diffusion coefficients of sodium vapors in argon and helium, 3252
Natural evaporation of sodium under the conditions of mist formation, (2). Discussions of critical supersaturation model by observation and photographing of mist region, 3832
Natural evaporation of sodium under the conditions of mist formation,

4619
See ISHIGURO, R., 3815
KUMAOKA, Y., See ITO, A., 5195
KUMAR, R., See FINK, J.K., 4328
KUMAR, S.S., See VAIDYANATHAN, G., 5296
KUMMERER, K., Fuel elements for breeder power plants. International status, 2173 (KFK--2416, pp 19-26)
Fuel elements for breeder power plants: international status, 3853 (EURFNR--1418)
German oxide fuel pin irradiation test experience for fast reactors, 2209 (KFK--2817)
KUMMERER, K.R., German carbide irradiation test experience for fast reactors, 4833
KUNG, J.P., Primary circuit thermal hydraulic analysis of Super Phenix 1 Reactor; sodium and structures temperatures calculations; salt water tests - hot water tests, 3904
KUNZE, S., See MENZENHAUER, P., 2115
KUO, C.S., See CHANG, T.Y., 3147
KUPPERMAN, D.S., Ultrasonic scanner for stainless steel weld inspections, 137 (ANL--78-84)
KURIHARA, M., See WATANABE, H., 4836
KURILKIN, V.V., Fuel element cluster of a nuclear reactor, 4580
See ARTEMIEV, L.N., 3251
KUROI, H., See TAKANO, H., 2153
KUROKAWA, M., Method of preheating a nuclear reactor cooling system, 5181
KURCKI, A., See NIDOME, J., 5212
KUROPATOV, A.I., See KOSTIN, V.I., 3777
KUROSAWA, K., Optimization study of a demonstration fast breeder reactor plant, 4120
KURTZ, R.J., Fracture mechanics of thin wall cylindrical pressure vessels: an interim review, 2742 (PNL--2417)
KURZEKA, W.J., See WELCH, F.H., 5435
KUSAKA, S., See ONO, T., 6174
KUSMARTSEV, E.V., See KURILKIN, V.V., 4580
KUSNEZOV, I.A., See ILJUNIN, V.G., 3409
KUSSMAUL, G., See BARLECH, L., 3757
KUSTER, C.A., Selection of bearing materials for commercial LMFBR flexible joint applications, 39 (AI-IDE--13238)
KUSUMOTO, S., See SUMIKAWA, M., 2078
KUSUNOKI, J., See SHIMAZU, H., 5195
KUWAYAMA, M., See WATANABE, T., 5343
KUZ'MIN, A.M., See ILYUNIN, V.G., 5419
KUZ'MIN, V.I., See LEBEDEV, I.G., 5442
See MEN'SHIKOVA, T.S., 2007
See TSYKANOV, V.A., 4549, 4880
KUZAY, T.M., Cladding motion in a 37-pin loss-of-flow experiment: SLSF P3, 3200
Thermohydraulic and thermal stress aspects of a porous blockage in an LMFBR fuel assembly, 795 (CONF-790802--62)
See ANDERSON, T.T., 749
See HWANG, I.T., 3612
See ISHII, M., 2253
KUZMIN, V.I., See DAVYDOV, E.F., 2026
KUZNETSOV, E.K., See KOZLOV, F.A., 5420, 715
KUZNETSOV, I.A., See BAGDASAROV, YU.S., 3739, 4284
See EUKSHA, YU.K., 1216
See ILYUNIN, V.G., 3414
KWAST, H., Effect of a loss of flow on a single LMFBR-type fuel pin, 5353
Loss-of-cooling experiments with single fuel pins, 469 (CONF-761001--P4, pp 1615-1624)
Modes of failure of fast reactor fuel pins irradiated under loss-of-coolant-flow conditions, 3073
Transient tube burst tests on fast reactor fuel cladding, 1048 (ECN--21)
KYGER, J.A., See MASSEY, W.E., 294
See SACHS, R.G., 270, 273, 275, 279, 284, 285
KYGER, J.S., See SACHS, R.G., 274
KYLES, S.D., See BRAID, R.E. JR., 2692
KYSER, J.M., See DUNN, F.E., 629
See FERGUSON, D.R., 448

L

L-ZALESKI, C.P., See LEVENSON, M., 5270
See MEGY, J.M., 5268
LAAR, J. VAN DE, See RONCHI, C., 3700
LABANTI, M., See CESARI, F., 2075
LABANTI, V., See DE LUCA, B., 2124
LACKO, R.E., Allowable coolant outlet temperature differentials for FTR test assemblies in driver positions, 1781 (HEDL-TME--77-80)
Effect of thermal cycling during in-vessel storage (IVS) of FFTF core components, 1780 (HEDL-TME--77-79)
Thermal shock considerations pertaining to initial FTR core loading and refueling, 1779 (HEDL-TME--77-78)
LACROIX, A., See GODDETT, J., 4642
LADET, J., See KUNG, J.P., 3904
LADISCH, R., See CALDAROLA, L., 4219
LAFON, A., See MSIKA, D., 2122
LAGADEC, H., See COZAR, R., 4399, 4410
LAGALLY, H.O., See FITTERLE, T.A., 638, 655
LAHR, H.W.H., Properties and irradiation behavior of advanced oxide particle fuel, 4830
LAIDLER, J.J., Role of simulation in the U.S. LMFBR Program, 4475
Status of international fuel cladding development, 4851
See BENNETT, J.W., 1455
See GARNER, F.A., 5276
LAING, W.R., See LEITNAKER, J.M., 5334
LAIRD, R.A., SPTF Flow Loop 18 inch butterfly valve cavitation test report, SPTF-LPF, 2911 (TID--28054)
LAITHWAITE, J.M., See BROADLEY, D., 4067
LAKE, J.A., Influence of control rod worth interactions on LMFBR control systems design, 855 (CONF-800607--5)
PUMA: a technique for LMFBR blanket fuel management analysis, 3929
See COFFIELD, R.D., 3227
See DONCALS, R.A., 660
See PAIK, N.C., 3215
LAKRA, R.J., Nuclear reactor with equipment for preventing the convection of metal vapors, 3452
LAL, D., Fuel motion in loss-of-flow accidents, 4503
LALAND, R., See DELISLE, J.P., 4088
LALLEMENT, See PLESSA, 3908
LALLEMENT, J., See BENQUE, J.P., 4423
See GAMA, J.M., 4294, 4338
See NOEL, H., 5122
LALLY, J.S., See CHICKERING, R.W., 4954
LAM, P.S., Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs. Part IV: Impact of a pressure drop constraint on breeding performance and pin diameter optimization in 5000 MWt LMFBRs using sodium bonded carbide fuels, 172 (ANL-AFP--31)
LAM, P.S.K., Assessment of the breeding potential of U--Pu--Zr metal-fueled 1200-MW(e) LMFBRs, 4696
Impact of design constraints on the selection of feasible designs, 3960
Impact of fuel cycle cost optimization on the design of metal-fueled LMFBRs, 3214
Performance of U--Pu--Zr metal fuel in 1000 MWe LMFBRs, 758 (CONF-790306--16)
Pin-diameter optimization of homogeneous and tightly coupled heterogeneous ^{233}U--Th metal-fueled LMFBRs, 4698
See BARTHOLD, W.P., 1101, 1102, 1103, 1104, 1884, 3068, 730
See CHANG, Y.I., 4709
See TURSKI, R.B., 3588
LAM, S.K., Neutron and gamma transport effects by heterogeneous core designs, 528 (CONF-770611--34)
See BARTHOLD, W.P., 4847
LAMBERT, G., See BLANCHARD, P., 3522
LAMBERT, G.A., See SWEDISH, M.J., 3614
See YIM, A., 4747
LAMBERT, J., See KUNG, J.P., 3904
LAMBERT, J.D.B., Experience with breached elements at EBR-II, 4733
Recent improvements in identifying fission product sources in the Experimental Breeder Reactor II, 3491
See FRYER, R.M., 405, 50
See MCCOWN, J.J., 1513
See RUTHER, W.E., 5091, 544
See SACKETT, J.I., 822
See SO, B.Y.C., 152, 153, 627
See STRAIN, R.V., 129, 143
See WASHBURN, D.F., 1556
LAMBERT, M.C., See STROMATT, R.W., 1785
LAMBERT, P., Nuclear reactor, 5148
See ANDREANI, A., 3232
See AUBERT, M., 3102, 5319
See BENQUE, J.P., 4423
LAMOTTE, G., See CORNET, G., 3903
LAMOTTE, H., See EGLEME, M., 4497, 454
LANCASTER, D.B., See DRISCOLL, M.J., 3933
LANCEFIELD, M.J., See BENUZZI, A., 5039
See HOSKIN, N.E., 3771
LANCET, R.T., Inherently safe reactor design, 4135
See GRIFFITH, J.D., 394
See HARTUNG, J.A., 4045
LANCHI, M., See CALZA-BINI, A., 4827
LANEY, R.V., See BECKJORD, E.S., 4099
LANGE, L., See OSTNHAUSEN, H., 425
LANGENBRUNNER, H., See FUGE, R., 3466
LANGFORD, P.J., See SESSIONS, C.E., 3167
LANGHAAR, J.W., Design of containers for shipping unirradiated LMFBR assemblies, 4489
LANGNER, I., KEDAK program compendium. Part VII: CALCUL-calculation, 2168 (KFK--2387(Pt.7))
LANGSTAFF, D.C., Results from the run-beyond-cladding-breach irradiation of a predefected fuel pin (RBCB-6), 1846 (HEDL-TME--79-23)
Results from the run-beyond-cladding breach irradiation of a predefected fuel pin (RBCB-7), 1854 (HEDL-TME--79-62)
See WASHBURN, D.F., 1556
LANNOU, L., See QUINET, J.L., 3069
LANTSOV, M.N., See ANTONOVA, V.N., 1218
LANZ, R., See BALDO, L., 5262
LAPENA, J., See DE LA TORRE, M., 3357
LAPPARENT, D. DE, See KHAIRALLAH, A., 4211
LARSON, H.A., Summary, analysis, and comparison of data from experiments with the EBR-II Mark IIB oscillator rod, 74 (ANL--77-87)
See LONGUA, K.J., 138
See PETERSON, B.R., 4236, 4930
See SACKETT, J.I., 728
See STACKETT, J.I., 3659
LARSON, T.J., See STRAALSUND, J.L., 1734
LARSSON, H., See BERNARD, J., 5033
See DUFRESNE, J., 4244
LASALLE, F.R., See MARGOLIN, L.L., 1634
LASSMANN, K., See FABIAN, H., 2203
LAST, G.A., See CORRIGAN, D.C., 1533, 3679
See OMBERG, R.P., 1477
LASTER, W.R., See PLANCHON, H.P., 2987
LATIMER, T.W., Interaction between hyperstoichiometric (U,Pu)C and molten stainless-steel shroud material, 4649
Irradiation performance of helium-bonded uranium--plutonium carbide fuel elements, 2274 (LA-UR--78-2932)
See KERRISK, J.F., 2275, 3936
LATTIMER, J., Ultrasonic dynamic imaging (UDI) system to determine the size and velocity of large spherical simulated bubbles in liquids, 832 (CONF-791008--5)
LATZKO, D.G.H., See BRUKX, J.F.L.M., 3337
LAUBER, H., See DOERBECKER, K., 5046
LAUFER, W., See HERBERG, G., 3772
LAUFS, P., See PROBST, A., 3925
LAUG, M.T., See LAMBERT, J.D.B., 3491
See SO, B.Y.C., 152, 153
LAUNDER, B.E., See SHA, W.T., 68
LAURITZEN, T., See BELL, W.L., 5277
LAVIELLE, L., Corrosion by liquid metals - Application to liquid sodium, 342 (CEA-BIB--226)
LAVRINOVICH, Y.G., See KIRILLOVICH, A.P., 4598
LAWRENCE, L.A., Actinide redistribution in the outer regions of mixed-oxide fuel, 3411
Analysis of fuel-cladding chemical interaction at high burnup, 1471

(HEDL-SA--1254S)
Analysis of fuel-cladding chemical interaction in mixed-oxide fuel at High burnup, 1821 (HEDL-TME--78-66)
Analysis of fuel-cladding chemical interaction at high burnup, 4647
Effects of stoichiometry on cladding reaction in mixed-oxide fuel at high burnup, 1531 (HEDL-SA--1470-S)
Effects of stoichiometry on cladding reaction in mixed-oxide fuel, 1621 (HEDL-SA--1749-FP)
Effects of stoichiometry on cladding reaction in mixed oxide fuel, 3170
Effects of stoichiometry on cladding attack in UO_2--PuO_2, 3293
Effects of stoichiometry on cladding reaction in mixed-oxide fuel at high burnup, 3572
Fuel-cladding chemical interaction in mixed-oxide fuels, 1553 (HEDL-SA--1527-FP)
Influence of oxygen-metal ratio on mixed-oxide fuel performance, 1630 (HEDL-SA--1760-FP)
Influence of oxygen-to-metal ratio on mixed oxide fuel performance, 3171
Performance of Ti-modified Type 316 stainless-steel cladding in mixed-oxide fuel pins, 3672
See HATA, D.C., 1470, 4646
See WEBER, E.T., 1572
See WILSON, C.N., 1467
LAWRENCE, W.P., See MULCAHY, T.M., 5026
LAZZERI, L., See GIULIANO, V., 5049, 5050
LE BOUHELLEC, J., See SAUTERON, J., 1871
LE BOURHIS, A., See GOURDON, J., 4234
LE COQ, C., Nuserical method for a transient two-fluid model, 356 (CEA-CONF--4339)
LE GUERN, F., Detailed non-linear analysis of the response of the deck of a fast breeder reactor under accidental sodium impact, 5055
Elastoplastic and nonsymmetric buckling analysis by finite element of Super-Phenix primary vessel head, 5112
LE GUILLOU, G., Boiling detection in fast reactors by noise analysis studies performed in France, 5013
See TIGEOT, T., 4995
LE NAOUR, L., See LEVY, V., 352, 4969
LEARY, J., Advanced LMFBR fuels, 4817
LEARY, J.A., See SIMMONS, J.M., 4818
LEASURE, R.A., Clinch River Breeder Reactor Plant. Effects of thermal aging on CRBRP primary piping, 574 (CRBRP-ARD--0188)
LEAVER, D., Location dependent common cause analysis with an application to fires, 737 (CONF-781105--57)
Location-dependent common-cause analysis with an application to fires, 3577
LEAVER, D.E., See PIPER, H.B., 1995
LEAVER, D.E.W., See PIPER, H.B., 3885, 633, 951
LEAVER, D.W.W., See WOOD, P.J., 677
LEBEDEV, I.G., Heat conductivity between uo$sub 2$ core and casing in fast reactor fuel elements, 5442
See DAVYDOV, E.F., 2026
LECOFFRE, Y., See DANEL, F., 2035
LECOUVREUR, P., See BARNECOUD, R.E., 5404
LEDBETTER, J.M., Remote examination of shroud tubes in LMFBR fuel elements, 2272 (LA-UR--78-2650)
Remote examination of shroud tubes in LMFBR fuel elements, 4024
LEDER, H., In-service inspection at the SNR 300 with the range of reactor vessel, 2059 (IWGFR--10, pp 35-42)
See PARR, A., 3260
LEDUC, See CASINI, 5285
LEDUC, J., See MEGY, J.M., 4136
See ROBERT, E., 391
LEE, A.S., Improvements in or relating to pipe joints, 3725
Measuring fluid pressure, 3835
LEE, B.W., Analysis of the ZPPR-5 critical experiments: simulating hypothetical core disruptive accidents, 1238 (GEFR--00109)
Analysis of ZPPR-6 critical experiments, 981 (CRBRP-GEFR--00323)
Criticality studies on partially inserted rod configurations, 662 (CONF-780401--, pp 517-525)
See STEWART, S.L., 403
LEE, D.O., Experimental studies of a heat generating porous bed, 92 (ANL--78-10, pp 81-87)
Flow visualization in heat-generating porous media, 2809 (SAND--76-0614)
See EISENHAWER, S.W., 2877
LEE, E.H., See ROWCLIFFE, A.F., 785
LEE, K.L., Flow-induced vibration and hydraulic test of the FTR 0°-0°-0°/wireless advanced wire-wrap fuel bundle assembly, 1320 (GEFR--00441)
LEE, K.W., Sensitivity analysis of the HAARM-3 code, 2417 (NUREG/CR--0527)
See GEISEKE, J.A., 2418
See GIESEKE, J.A., 2383, 2405, 2423, 2461, 2468, 299, 300, 301
See JORDAN, H., 2472
LEE, L.S., See MEYER, R.A., 987
LEE, S.M., Effect of finite plant life on the doubling time of a breeder reactor population, 3709
Neutronic considerations in the design of a fuel pin for a fast power reactor, 4225
Power flattening by enrichment zoning in a fast power reactor, 4224
See REDDY, C.P., 2776
LEE, Y.J., Evaluation of Hydraulic Test Model (HTM) flow distribution test results, 1239 (GEFR--00114(L))
Experimental evaluation of the flow distribution in the CRBRP modular steam generator, 4640
LEFEVRE, J.C., Seismic analysis for the Super-Phenix reactor, 343 (CEA-CONF--3749)
Seismic analysis for the Super-Phenix Reactor, 392 (CONF-761001--P1, pp 180-192)
LEFORT, G., Problems of dismantling, treating and analyzing highly irradiated fuel elements, 5302
LEGGETT, R.D., Influence of burnup on heat-rating-to-melting for UO_2-PuO_2 fuel, 1446 (HEDL-SA--737)
Linear heat rating for incipient fuel melting in UO_2--PuO_2 fuel, 1445 (HEDL-SA--464)
Steady state irradiation behavior of mixed oxide fuel pins irradiated in EBR-II, 1598 (HEDL-SA--1683-FP)
See BAKER, R.B., 1552
See HANSON, J.E., 337
See LAWRENCE, L.A., 1630, 3171
LEGORE, T., Advantages of equipment testing in IEM cell mockup, 4809
Advantages of equipment testing in the IEM cell mockup, 4876
LEHEU, J., See BOY-MARCOTTE, J.-L., 5385
See MARCOTTE, J.L.E., 3445
LEHMANN, J., See DUFOUY, J.M., 4943
LEHNING, H., See BOJARSKY, E., 491
See DECKERS, H., 4220
LEHTO, W.K., EBR-II Breached Fuel Test Facility, 824 (CONF-790816--58)
See CLAY, H.W., 258
See SACKETT, J.I., 728, 822
LEIBOWITZ, L., See BLOMQUIST, R.A., 119, 3718
See FINK, J.K., 113
See FINN, P.A., 4865
See HEIBERGER, J.J., 3656
LEITNAKER, J.M., Basic welding and brazing research: examination of 16-8-2 simulated welds, 2527 (ORNL--5309, pp 116-127)
Composition of eta carbide phase in 1 1/4 Cr--1Mo, 5334
See KLUEH, R.L., 5327
LELL, R.F., See ABRAMSON, P.B., 4789
LEMAN, J.D., Maintenance experience with sodium systems at Experimental Breeder Reactor II (EBR-I), 3923
See BUSCHMAN, H.W., 5436
See DOE, C.E., 254
See PERRY, W.H., 690
LEMERCIER, G., Device for thermal insulation of a vessel wall, 4322
Device of thermal insulation and mechanical protection of a circuit, 5361
Heat insulating system, especially for insulating the upper zone of the annulus separating the primary and safety vessels of a fast reactor, 3804 (ANL-Trans--1124)
Heat-insulated device, for insulating the top part of the annular space between the main vessel and the safety vessel of a fast-neutron reactor, 4362
Insulating and protecting systems for a circuit, 5360
Insulating structure, 5362
Like-proof insulating panel, 5370
Thermal insulation system for a vessel, 5363
See AUBERT, M., 5369
LENNOX, D.H., See GARTSIDE, C.H., 3890
See THOMPSON, D.H., 5102
LENNOX, T.A., See SMITH, D.C.G., 4058
LENTZ, G.L., See PERRY, W.H., 5288, 690
LENZER, C., See PROBST, A., 3925
LEONARD, J.W., See AHMED, H., 264
LEONCHUK, V.N., See POPLAVSKII, V.M., 714
LEONE, S.M., See STERN, S.A., 940
LEONHARDT, W.J., See GREENE, G.A., 4002
LEPACEK, B.E., See YOUNGAHL, C.A., 543
See YOUNGDAHL, C.A., 3813, 5101
LEPPARD, J.A., Experimental results of sodium-water reaction test No. 1 in LLTR, 1678 (HEDL-TI--45-LME-006)
LERCH, R.E., Dissolution of FFTF vendor fuel, 1655 (HEDL-SA--1931)
Dissolution of mixed oxide fuel as a function of fabrication variables, 1657 (HEDL-SA--1935)
LERIGOLEUR, C., See KAYSER, G., 102
LERNER, S., See MCWILLIAMS, K.D., 3591
LESAGE, L.C., See BHATTACHARYYA, S.K., 3067
LESAGE, L.G., Assessment of nuclear data files via benchmark calculations: a report on the NEACRP/IAEA international comparison calculation of a large LMFBR, 667 (CONF-780401--11)
See BHATTACHARYYA, S.K., 3684, 727
LESHCHENKO, YU.I., See GRYAZEV, V.M., 3352
LESLIE, K.E., See GRAY, J.E., 3927
LETEINTURIER, D., DISTAV calculation code for determining sodium temperatures in deformed helicoid wire pin bundles in fast neutron reactors, 3483 (ANL-Trans--1140)
LETOV, B.G., See ANDREEV, A.M., 1951
LEVENSON, M., Relative capital cost of the LMFBR, 5270
LEVIN, L.M., See KIZIN, V.D., 5443
LEVINE, D.L., See STONEKING, J.E., 2615
LEVINE, P.J., See LATIMER, T.W., 2274
See LEGGETT, R.D., 1598
LEVY, A., Development and application of the PLANS computer program for analysis of nuclear reactor structural components, 2617 (ORNL/Sub--4485/1)
Development of the PLANS compuuter program for elastic--plastic-creep analysis of nuclear reactor structural components, 2618 (ORNL/SUB--4485/2)
Finite element elastic-plastic analysis of LMFBR components, 3820
Finite element elastic-plastic analysis of LMFBR components, 5120
LEVY, V., Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys, 352 (CEA-CONF--4013)
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys, 4969
LEWALLEN, M.A., See NOLAN, A.M., 2752
LEWIS, C.H., Display of the predictions of large fast reactor safety analysis codes via computer-generated movies, 1551 (HEDL-SA--1525-FP)
See TABB, K.K., 1836
LEWIS, H.D., Thermal conductivities of mixed carbide fuel and blanket materials, 2289 (LA-UR--80-1283)
LEWIS, J., See DUKE, J.M., 4644
LEWIS, J.F., Case history of fabricating numerical-controlled machinery for the nuclear industry, 5410
LEWTHWAITE, G.W., See MOSEDALE, D.,

4542
LI, C., Mechanical properties of crystalline solids. Progress report, December 1, 1978-November 30, 1979, 866 (CGO--2172-29)
LIEMANN, M., See LE COQ, G., 356
LICINA, G.J., See ROY, P., 5170
LIEBE, R., Assessment of structural dynamics problems in nuclear reactor safety, 2215 (KFK-EXT--8/78-5)
Damping of the radial impulsive motion of LMFBR core components separated by fluid squeeze films, 5030
Structural dynamics studies for single and clustered SNR-300 fuel elements: a comparison of analytical and experimental results, 5056
Subassembly experiments and a computer code to analyze the dynamic core deformation during local failure propagation, 4405
Theoretical and experimental investigation of the nonlinear structural dynamics of Fast Breeder Reactor fuel elements, 2155 (KFK--2584)
See BEUTEL, H., 4390
LIEVENSE, K., Design considerations and cost analyses of the secondary system of SNR 2, 4121
LIKHACHEV, YU.I., See PROSHKIN, A.A., 3498
LIKHATEHOV, J.I., See GOLOVNIN, I.S., 2027
LILLEY, W., See RALPH, J.C., 4167
See TOMLINSON, L., 4194
LILLIE, A.F., Design, manufacturing, and test status of the CRBRP hockey stick steam generators, 693 (CONF-781001--P1, pp 1.1-1.30)
Design of the Clinch River Breeder Reactor steam generators, 1883 (IAEA-SM--225/24)
High quality tube-to-tubesheet joints - when, where and why, 2783 (SAN--0624-027-T1)
LILLYMAN, E., Impact of PFR reprocessing at Dounreay Nuclear Development Establishment, 4250
LIN, C., See SEHGAL, B.R., 400, 4711
LIN, E.I.H., Flow distribution in edge subchannels of wire-wrapped 61-rod assemblies, 4690
Thermal-hydraulic analysis of a wire-wrapped 19-rod bundle with edge blockage, 3560
Triangular edge-subchannel wire-wrap phi-functions for flow blockage analysis, 3551
See SHA, W.T., 2435, 52
LIN, H.C., Accustically induced vibration of circular cylindrical rods, 4619
See SHIN, Y.W., 242
LIN, S.S., See PLANCHON, H.P., 2988
LIN, W.H., Acoustic radiation and scattering from a group of circular cylinders, 241 (ANL-CT--79-32)
See CHEN, S.S., 228, 229, 245
LINDNER, W., See ALEXAS, A., 3274, 4215
See HOFMANN, CH., 3283
See JORDAN, S., 2205, 4762
LINEBERRY, M.J., Experimental studies of large conventional LMFBR cores at ZPPR, 3044 (ZPR-TM--349)
LMFBR reactivity surveillance using ex-core detectors, 4707
Physics studies of a heterogeneous liquid--metal fast breeder reactor, 3136
See BECK, C.L., 398
See CARPENTER, S.G., 668
See COLLINS, P.J., 3043, 672
See KAISER, R.E., 402
LINEHAN, J.H., See SWEDISH, M.J., 3614
LINGJAERDE, R., Superphenix. A breeder reactor in full scale, 4524
LINK, F., See FORTMANN, F., 998
LINNING, D.L., Nuclear reactor fuel elements, 4444
Tube in shell heat exchangers, 3730
LIONS, M., Sodium-water reactions in the steam generators of fast neutron nuclear power stations, 4212
See FOURNIER, C., 5406
See GARCHON, B., 5389
LIPINSKI, R.J., Debris bed heat removal models: boiling and dryout with top and bottom cooling, 2878 (SAND--79-0091C)
Effect of creep on thermal fracturing in oxide crusts, 2855 (SAND--78-0255C)
Effect of creep on thermal fracturing in oxide crusts, 3626
See PLEIN, H.G., 2876
LIPINSKI, W.C., See YINGLING, G.E., 676
LIPPINCOTT, E.P., See FABRY, A., 1190, 1191, 2368
See GILLIAM, D.M., 2371
See GOLD, R., 1827
See KELLOGG, L.S., 1496, 1756, 2372
See LONG, C.L., 1826
See MCELROY, W.N., 1866
LISENKOV, A.A., See BALANDIN, YU.F., 4588, 4590
LISITSYN, E.S., See GRYAZEV, V.M., 2222, 2342, 4618
See KIZIN, V.D., 2221, 2338, 3523, 3695
LITKIN, V.B., Characteristics of the combined operation of thermal and fast power reactors, 4348
LITTLE, A.F., Design, manufacturing, and test status of the CRBRP hockey stick steam generators, 1396 (GEFR-SP--042)
LITTLE, E.A., Facing the materials challenge in fast reactor steam generator technology, 3751
See BRAMMAN, J.I., 4960
See PUGH, S.F., 4030, 4031
LITTLE, W.W., LMFBR: logic and technology, 623 (CONF-771203--, pp 113-115)
LIU, K.C., See BRINKMAN, C.R., 4243
LIU, Y.Y., Development of LIFE4-CN: a combined code for steady-state and transient analyses of advanced LMFBR fuels, 826 (CONF-790884--2)
LIVENGOOD, C.L., See PRICE, C.C., 61
LIVOLANT, M., Vibrational analysis of the Superphenix internal shells, 3724
See JEANPIERRE, F., 2065, 357, 5079
See LEFEVRE, J.C., 343, 392
LLERES, J., Device for supporting the core of a fast neutron reactor, 4263 (ANL-Trans--1114)
LLORY, M., Low-amplitude steady states in a sodium heated steam generator, 4228
LLOYD, G.J., Crack initiation and propagation as a consequence of thermal shock, 5025
LO, R.K., See PAGE, R.J., 3098, 3634
See ROTHMAN, A.B., 470
See SIMMS, R., 118, 78
LOBNER, P.R., See BRYNDA, W.J., 303
LOBODA, E.M., See AGAPOVA, N.P., 4964
See KRASNOSELOV, V.A., 3784
LOBSINGER, R.J., Cladding development and characterization in the United States, 1468 (HEDL-SA--1286)
LOEHR, H., See MORELLE, J.M., 4137
LOERCHER, G., Laser-Doppler measurements of energy density spectra in turbulent channel flow, 4573 (DOE-tr--177)
LOEWENSTEIN, W.B., Realities of utilizing thorium-based fuels in LWRs and LMFBRs, 4655
See SEHGAL, B.R., 400, 4711
LOGINOV, S.A., See BUDOV, V.M., 4066
LOHMEIER, A., Development and test results of Westinghouse double wall tube steam generator including thermal model test, 2926 (TID--28713)
See STONE, C.C., 695
LOIS, L., See MASSEY, J.V., 429
See SPEIS, T.P., 420
See THEOFANOUS, T.G., 475, 4771
LONG, C.L., EBR-II spectral parameters, Run 75D, 1826 (HEDL-TME--78-84)
LONGNECKER, A.A., See GILLETTE, J.L., 49
See SMAARDYK, A., 83
LONGUA, K.J., Equipment for the nondestructive testing of 2-1/4 Cr-1 Mo duplex LMFBR steam generator tubing, 4343
First mechanized in-service inspection of EBR-II steam generator, 59 (ANL--77-46)
Investigations of materials compatibility relevant to the EBR-II system, FY 1978, 147 (ANL--78-104)
Investigations of materials compatibility relevant to the EBR-II system: FY 1977 and the transition period, 73 (ANL--77-86)
Second mechanized in-service inspection of EBR-II steam generator, 138 (ANL--78-86)
Ultrasonic inspection of liquid-metal fast breeder reactor steam generator duplex tubing, 3051
See PERRY, W.H., 690
See WHITHAM, G.K., 4732
LOOMIS, R.W., See BARSCUM, R.S., 5306
LOPATIN, YU.V., See EFIMOV, I.A., 4238
LOPEZ JIMENEZ, J., Analysis of the structure and the thermal behavior of the UO_2--PuO_2 fuel in the irradiation experiment FR2 capsule test series 5a, 3515 (DOE-tr--175)
LORD, D.J., See GREGORY, C.V., 3080, 3746
LORENZ, H., Derivation of time dependent design-values for SNR 300 structural material, 2080 (IWGFR--11, pp 37-43)
See BREITLING, H., 2064, 4454
LORENZ, J.J., Influence of scale size and fluid thermal properties in simulating LMFBR outlet plenum behavior, 4854
Influence of scale size and fluid thermal properties in simulating LMFBR outlet plenum behavior, 5005
Study of the density interface in a stratified LMFBR outlet plenum, 4626
See HOWARD, P.A., 4627
LORIOT, P., See BOYER, P., 5458
LOTTS, A.L., See HORAK, J.A., 629
LOUISON, R., See HOTTEL, R.E., 639, 652
LOVEDAY, S.F., Fast reactor core restraint systems, 4122
LOVEJOY, W.S., PECS-III: probabilistic evaluation of cladding lifetime in LMFBR fuel pins, 1245 (GEFR--00256)
See PECK, S.O., 5086
LOVELL, A.J., Observations of in-reactor endurance and rupture life for fueled and unfueled FTR cladding, 1625 (HEDL-SA--1753-S(Rev.))
Observations of in-reactor endurance and rupture life for fueled and unfueled FTR cladding, 3176
See GILBERT, E.R., 1505
See TAYLOR, J.P., 1506, 4248
LOWERY, V.W., See OMBERG, R.P., 1477
LOWRIE, R.R., Clinch River Breeder Reactor Plant. A preliminary evaluation of the CRBRP natural circulation decay heat removal capability, 963 (CRBRP-ARD--0132)
LOYALKA, S.K., Analysis of aerosol particles undergoing gravitational agglomeration. Annual progress report, December 15, 1976--September 30, 1977, 2379 (NUREG/CR--0015)
Analysis of aerosol particles undergoing gravitational agglomeration. Annual progress report, October 1, 1977--September 30, 1978, 2434 (NUREG/CR--0780)
See PERTMER, G.A., 3060, 4019, 4664
LOYD, D.L., See EMMETT, M.B., 2582
LU, Y.S., Analysis of the ZPPR-8 critical experiments, 1323 (GEFR--00445)
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 1408 (GEFR-SP--138)
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 3157
Nuclear characteristics of large LMFBR's: homogeneous and heterogeneous designs, 663 (CONF-780401--, pp 527-538)
See BAILEY, H.S., 3139
LUCENET, See GOLLION, H., 355
LUCENET, G., See LEFEVRE, J.C., 343, 392
See NOEL, H., 4222
See ROBERT, E., 3882
LUCENT, G., See ROBERT, E., 391
LUCIUS, J.L., Influence of fission spectra uncertainties on calculated fast reactor parameters, 777 (CONF-790602--61)
LUCK, L.B., Spatially continuous approach to the description of incoherencies in fast reactor

accident analysis, 5273
See BELL, C.R., 2459
See BURNS, R.D. III, 3651
LUDEWIG, H., See BARI, R.A., 2406, 3095, 3105, 3627
See MAJUMDAR, D., 319
LUDWIG, F.W.F.H., See KNAAP, M.H., 4076
See UNAL, H.C., 4274
LUK, A., See GANGULI, A., 544
LUK, A.C.H., Simulation of boiling pools with internal heat sources by gas injection, 917 (CCO--2554-6)
LUKAS, H., See STANCULESCU, A., 3893
LUKASEVICH, E.I., See BUDOV, V.M., 4066
See TITOV, V.F., 706, 710
LUKASEVITCH, E.I., See FYODOROV, V.G., 2056
LUKSIC, A.T., Decay heat due to activation of core components, 1827 (HEDL-TME--78-111)
LUMPKIN, A.H., Developments in the LASL Fuel Pin Imaging System: PINEX-3A, 2283 (LA-UR--79-2037)
LUNT, A.R., Fast breeder reactor and fuel assemblies forming the core, 5241
Nuclear reactor fuel element sub-assemblies, 4291
LUNT, A.R.W., Some post operational adjustments to the prototype fast reactor at Dounreay, 3282
LURF, G., See KALKOFFEN, F., 3312
LUTTON, J.M., See CRIPPEN, M.D., 1518
See HILL, E.F., 2128
LUTZ, D.E., See DAVIES, S.M., 3212
LYASHENKO, V.V., See FYODOROV, V.G., 2056
LYON, F., See BOUGET, Y.H., 3138

M

MA, B.M., Elevated temperature, cyclic loadings and irradiation effects on fatigue crack of lmfbr pressure vessels, 3332
MA, D., See AHMED, H., 261, 262, 263, 264, 765, 756
See STEPHENSON, M., 786
MAARLEVELD, J.R.C., See BOSWINKEL, H.H., 510
MACEK, J., Hydrodynamics of emergency cooling of a sodium-cooled fast reactor, 1901 (INIS-mf--4280, pp 156-162)
MACHEITZ, M., Radiation heat transfer in a 19-pin sodium-voided bundle, 3981
Radiative heat transfer in a 19-pin sodium-voided bundle, 2595 (ORNL/MIT--274)
MACINNES, D.A., Effect of uncertainties in thermophysical properties of UO_2 and sodium on MFCI's, 2857 (SRD-R--159)
MACIUCA, C., See CUNO, M., 5299
MACK, K.J., See WILD, E., 2163, 3295, 4177, 4201
MACLEOD, I.D., Acoustic detection of boiling in LMFBRs: an estimate of sensitivity derived from experiments during the commissioning of PFR, 5014
MACPHERSON, R.E., See BAUCUM, W.E., 2627
See GNADT, P.A., 2673
MACRAE, G., See BASDEKAS, D.L., 3707
MADDISON, D.W., See LINEBERRY, M.J., 3044
See OLSEN, D.N., 3930
MADELL, J.T., Investigation of sodium-bonded carbide fuel assembly design, 4849
See DE PAZ, J.F., 178, 182
See SAPHIER, D., 251
MADIA, W.J., See POBERESKIN, M., 3365, 4632
See TENNERY, V.J., 600
MADNI, I.K., Effect of pump-stored kinetic energy on natural-circulation decay-heat removal in loop-type LMFBRs, 3187
Hydraulic response of an LMFBR primary system to pipe rupture, 4806
Single-phase pump model for analysis of LMFBR heat transport systems, 2352 (NUREG/CR--0240)
Single-phase sodium pump model for LMFBR thermal-hydraulic analysis, 318 (BNL-NUREG--25498)
See AGRAWAL, A.K., 325, 4337
See KHATIB-RAHBAR, M., 3188
See YANG, J.W., 3658
MADSON, A.A., See BOASSO, C.J., 1823
MAE, Y., Control system for emergency core cooling system, 5392
MAECK, W.J., Fast reactor fission yields for ^{233}U and ^{235}U irradiated in Row 4 of EBR-II, 1062 (ENICO--1028)
Fast reactor fission yields for ^{240}Pu and ^{242}Pu, 1885 (ICP--1050-4)
Fast reactor fission yields for ^{239}Pu and ^{241}Pu, 1886 (ICP--1050-11)
Fast reactor fission yield measurement program at the Idaho National Engineering Laboratory, 2369 (NUREG/CP--0004(Vol.3), pp 1267-1278)
Studies relative to the correlation of fission yields with neutron energy, 2370 (NUREG/CP--0004(Vol.3), pp 1279-1287)
MAEKAWA, I., Availability analysis of commercial fast breeder reactor's steam generator system, 4602
Recent researches on thermal-hydrodynamic transient phenomena experienced in LMFBRs, 3443
SOWACS-3: a code for analyzing the system effects of large-leak sodium-water reactions in steam generators for LMFBR's, 5180
See SAKANO, K., 5060
MAERKER, R.E., Analyses of TSF experiments on radiation heating in a stainless steel-sodium CRBR radial shield mockup using a 32-inch diameter collimated beam source, 2632 (ORNL/TM--5992)
Discrete ordinate analysis of the TSF experiment on neutron streaming in a CRBR prototypic coolant pipe chaseway, 2660 (ORNL/TM--6497)
Measurements and analysis of the CRBR Inconel-stainless steel radial shield experiment, 2537 (ORNL--5346)
See OBLOW, E.M., 745
MAFFEI, H.P., See BREHM, W.F., 1521
See HILL, E.F., 2128
MAGEE, P.F., Development of LMFBR steam generator leak protection systems, 4856
Development of leak detection systems for LMFBR steam generators in the U.S., 703 (CONF-781001--P1, pp 11.1-11.14)
Development of leak detection systems for LMFBR steam generators in the U.S., 984 (CRBRP-GEFR-SP--040)
Evaluation of strain cycling effects in the DNB zone of the CRBR evaporators, 2332 (NEDM--14164)
See GAUERTZ, D.C., 1327
See GREENE, D.A., 702
See GUDAHL, J.A., 1270
See ROBERTS, J.M., 983
See STEHLING, S.G., 1294
MAHAFFEY, M.K., See BROWN, R.K., 1574
See JANSEN, W.D., 657
See SEEER, E.C., 1444
MAHAGIN, D.E., Fast reactor neutron absorber materials, 1601 (HEDL-SA--1690-FP)
MAHE, A., See EYRAL, M., 3265, 5201
MAHLUM, D.D., Biological behavior of mixed LMFBR-fuel-sodium aerosols, 2749 (PNL--2850(Pt.1), pp 3.48-3.50)
Translocation of mixed LMFBR fuel-sodium aerosols from the lung following inhalation by rodents, 2745 (PNL--2500(Pt.1), pp 3.59-3.60)
MAHNCKE, A.J., See COLBURN, R.P., 1607
MAHONEY, J.J., See RYAN, J.A., 1736
MAI, W., See AGTHE, G., 3842
MAIENSCHEIN, F.C., Shielding experimental methods, 743 (CONF-781117--4)
U.S. integral and benchmark experiments, 741 (CONF-781117--2)
MAIERSHIN, A.A., See TSYKANOV, V.A., 4880
MAILEN, J.C., See CLARK, W.E., 2648
See TALLENT, O.K., 5000
MAILLOT, R., See MARCON, M., 354
MAINERI, M., See GRAZIANI, G., 1184
MAIRSON, R.C., Fast flux test facility major component testing experience and plant construction experience, 5289
MAIYA, P.S., Application of damage-rate approach to creep-fatigue life prediction analysis in different heats of Type 304 stainless steel, 2483 (ORNL--5255, pp 28-36)
Bilinear cyclic stress--strain analysis for Incoloy 800, 69 (ANL--77-74)
Bilinear representation of the cyclic stress-strain behavior of Incoloy 800, 4179
Creep-fatigue life prediction for different heats of Type 304 stainless steel by linear-damage rule, strain-range partitioning method, and damage-rate approach, 130 (ANL--78-59)
Elevated-temperature low-cycle fatigue behavior of different heats of Type 304 stainless steel, 4318
See RASKE, D.T., 748
MAJUMDAR, D., Survey and evaluation of FFTF instrumentation for systems code validation, 319 (BNL-NUREG--25506)
MAJUMDAR, S., Compilation of fatigue data for Incoloy 800 alloys, 268 (ANL/MSD--78-3)
See MAIYA, P.S., 2483, 4318
MAK, M., Comparison of experiment with analysis of a water-filled plastically deforming pipe using the computer code FTA-1, 3024 (WARD-SR--3045-8)
MAKAROV, V.M., See KOZLOV, F.A., 712
MAKENAS, B.J., See GILBERT, E.R., 1626, 3177
MAKIN, M.J., UKAEA void simulation in fast reactor structural materials, 4966
MAKISHIMA, K., See ORII, S., 5229
MAKOVSKII, A.A., Comparative analysis of layout and design in the BN-600 and BN-350 reactors, 4063
MAKOWITZ, H., Applicability of microwave heating to the simulation of the LMFBR meltdown process, 314 (BNL-NUREG--25421)
Microwave heating simulations of fission energy generation in volume-boiling pool systems, 3262
Microwave heating simulations of fission energy generation in volume-boiling pool systems, 324 (BNL-NUREG--25575)
MALANG, S., Method of computing the effect of gas voids in liquid metal cooling, 5142 (SMRE-Transl--7200)
MALAVAL, C., See DEFAUCHY, J., 3801
MALCOTSIS, G., See JUDD, A.M., 4456
MALEK, R.A., See AHMED, H., 262, 263, 264
MALET, J.-C., Extinguishment of sodium fires, 2772 (RISLEY-Trans--4009)
MALET, J.C., See FRUCHARD, Y., 496
MALETTI, R., See KAETZMER, D., 3042
MALLETT, R.H., Application of ASME Code Case N-47 concepts to CRBRP primary piping, 763 (CONF-790363--4)
Clinch River Breeder Reactor Plant. CRBRP piping integrity: an evaluation of postulated support failures, 969 (CRBRP-ARD--0183)
Clinch River Breeder Reactor Plant. Integrity of primary and intermediate heat transport system piping in containment, 971 (CRBRP-ARD--0185(Vol.1))
Evaluation of the influence of seismic restraint characteristics on LMFBR piping, 761 (CONF-790363--2)
See SCHELLER, J.D., 3331, 970
MALLOY, D.J., Doppler reactivity uncertainties and their effect upon a hypothetical LOF accident, 5272
Neutronic coupling of feedback effects, 428 (CONF-761001--P2, pp 482-491)
MALMBERG, T., Validation of the computer code ARES for calculating the tank load under overpower conditions, 4145
MALYGIN, A.F., See BALANDIN, YU.F., 4588, 4590
MAMAEV, L.I., See EFIMOV, I.A., 4238
See POROLLO, S.I., 4407
MANCUSO, R.A., See JANSEN, W.D., 657

See SEEER, E.C., 1444
MANDICCURT, L., Manufacture of the second core of Rapsodie - Type 2 A - Fortissimo version, 360 (CEA-R--4661)
MANDURRAGO, G.L., Influence of decarburization on the 510°C (950°F) tensile and creep properties of thin section 2-1/4Cr--1Mo steel weldments, 1316 (GEFR--00431)
MANES, L., See EWART, F.T., 2009
MANGELSDORF, T.A., FFTF status, 3678
MANGUS, J.D., Core restraint development. Quarterly progress report for period ending November 30, 1977, 2963 (WARD-CR--3045-21)
Core restraint development. Quarterly progress report for period ending February 28, 1978, 2964 (WARD-CR--3045-22)
Core restraint development. Quarterly progress report for period ending May 31, 1978, 2965 (WARD-CR--3045-23)
Core restraint development. Quarterly progress report for period ending August 31, 1978, 2966 (WARD-CR--3045-24)
Device for the transfer of coolant in a nuclear reactor, 5210
Process and device for thermal energy production, 4361
Thermal power plant, 3733
See SCHROCK, S.L., 4326, 4560
MANISCALCO, J.A., See HANSEN, L.F., 2947
MANJOINE, M.J., Basic specimen testing, 2501 (ORNL--5255, pp 302-314)
MANN, F.M., Production of 232U in a 1200-MW(e) liquid-metal fast breeder reactor, 3767
MANNE, A.S., See SCHMITT, R.W., 4630, 4515
MANNERS, L., CRBR pump design concepts and resultant design evolution, 1400 (GEFR-SP--053)
See MARRUJO, F., 637, 653
MANNING, J.J., See BOTT, T.F., 3172, 778
See HAAS, P.M., 839
MANNO, V.P., Measurement of heat and momentum eddy diffusivities in recirculating LMFBR outlet plenum flows, 852 (COO--2245-61TR)
MANSOCRI, G.A., See BAKER, L. JR., 504
MANSUR, L.K., See STIEGLER, J.O., 3328
MANTHOS, E.J., See BARD, F.E., 1842
MANTLIK, F., Hydrodynamical experiments on an enlarged model of a fast reactor fuel assembly, 1902 (INIS-mf--4280, pp 190-196)
See HEJNA, J., 2949
MANUEL, J.L., See STEFFEN, J.M., 1021, 1022
MARABLE, J.H., Cross section adjustment applied to estimation of uncertainty in the breeding ratio of an LMFBR, 834 (CONF-791058--26)
Sensitivity analyses of fast reactor systems including thorium and uranium, 3674
Sensitivity analyses of fast reactor systems including thorium and uranium, 681 (CONF-780622--43)
Uncertainties in the breeding ratio of a large LMFBR, 671 (CONF-780401--16)
See KUJAWSKI, E., 3159
See LUCIUS, J.L., 777
MARAMAN, W.J., Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, April 1-June 30, 1979, 2264 (LA--7975-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, July 1-September 30, 1979, 2265 (LA--8132-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, October 1-December 31, 1979, 2266 (LA--8228-PR)
MARCHATERRE, J., Work-energy characterization for core-disruptive accidents, 444 (CONF-761001--P3, pp 1121-1133)
MARCHATERRE, J.F., Overview of core disruptive accidents, 590 (CONF-770617--2)
Structural and containment response to LMFBR accidents, 726 (CONF-781022--27)
See GROLMES, M.A., 415
MARCHERTAS, A.H., Analysis and application of prestressed concrete reactor vessels for LMFBR containment, 3542
Analysis of prestressed concrete vessels for HCDA loads, 3991
Comparison of ANL containment codes with SNR-300 simulation experiments, 455 (CONF-761001--P3, pp 1324-1333)
Comparison of transient PCRV model test results with analysis, 787 (CONF-790802--49)
Extension of HCDA safety analysis to large PCRV containment structures, 5058
Extension of HCDA safety analysis to large PCRV containment structures, 548 (CONF-770807--49)
Simulation of LMFBR excursion models by means of ICECO, 5057
Simulation of LMFBR excursion models by means of ICECO, 551 (CONF-770807--52)
Transient analysis of LMFBR reinforced/prestressed concrete containment, 802 (CONF-790802--73)
See ASH, J.E., 790
See CHANG, L.K., 4541
MARCHESE, A.R., Views on post-accident heat removal, 86 (ANL--78-10, pp 9-14)
See PRATT, W.T., 322
See SWANSON, D.G., 3204, 3655, 4675
MARCINIAK, T., See MARCHATERRE, J., 444
MARCINIAK, T.J., Some aspects of the structural response of pool-type LMFBR systems to HCDA and seismic events, 457 (CONF-761001--P3, pp 1344-1353)
See ASH, J.E., 461, 5105
See KULAK, R.F., 5054, 547
MARCON, P., Utilization of the experimental reactor Osiris for the study and the development of fuels of the fast neutron reactor type, 354 (CEA-CONF--4192)
MARCOTTE, J.L.E., Liquid metal cooled nuclear reactor, 3445
MARECHAL, A., See KUNG, J.P., 3904
MARGOLIN, L.L., Design analysis of liquid metal pipe supports, 1634 (HEDL-SA--1771)
MARI, C.M., See EWART, F.T., 2009
MARINKOVICH, P.S., Clinch River Breeder Reactor Plant. Preliminary testing of the direct heat removal service in a 1/21 scale model, 973 (CRBRP-ARD--0186)
See NOVENDSTERN, E.H., 803
MARKATOS, N.C.G., Transient flow and heat transfer of liquid sodium coolant in the outlet plenum of a fast nuclear reactor, 3392
MARKELOV, I.P., See ANTONOVA, V.N., 1218
MARKFORT, D., Liquid-metal valves, 4643
MARKIN, S.A., See GRYAZEV, V.M., 3046, 4089
MARKLEY, R.A., See BISHOP, A.A., 3281
See CARELLI, M., 5413
See COFFIELD, R.D., 3227
See COFFIELD, R.D. JR., 3961, 849
See ENCEL, F.C., 2928, 3288, 4049
See FATCH, L., 845
See TANC, Y.S., 836
See TSANG, Y.S., 3917
MARKOV, V.G., See FEDORCHENKO, I.M., 4463
MARKOV, Y., See ARAEEI, E.G., 4416
MARKOVIN, A.P., See BURLAKOV, V.A., 1678
MARKOWSKI, F.J., Analysis of postulated FFTF pipe ruptures, 443 (CONF-761001--P3, pp 1111-1118)
See MCCALL, T.E., 3983
MARMONIER, P., Fuel assemblies for nuclear reactor, 5366
Neutron flux measuring device, 5167
Nuclear reactor fuel assembly, 5374
System of bracing intended for a bundle of parallel pins inside a fuel assembly of nuclear reactor, 5435
See GARCHON, B., 5377, 5389
MARMONIER, P.L., Device for measuring neutron flux in a nuclear reactor, 3132
MAROTTA, C.R., Bubble worth variation in molten cores from a hypothetical core disruptive accident, 3270
MARQUETTE, M., See SPECHT, E.R., 410
MARR, D.R., Performance of thorium fueled fast breeders, 1481 (HEDL-SA--1327-FP)
Performance of thorium fueled fast breeders, 1482 (HEDL-SA--1327-S)
Performance of thorium-fueled fast breeders, 3292
See BURGESS, D.M., 3094
See CAPPIELLO, M.W., 3595
See CHANDLER, J.C., 1460, 1479, 1798, 4694, 4846
See MORFORD, R.J., 1673
MARR, W.W., Approach for treating two-dimensional coolant boiling in an LMFBR fuel subassembly, 4794
See ANDERSON, T.T., 749
See BORDNER, G.L., 4750
See GARTSIDE, C.H., 4991
See HWANG, I.T., 3612, 4672
See KUZAY, T.M., 3200, 795
See MILES, K.J., 5108
MARROTTE, G., See THEOFANOUS, T.G., 2695
MARROTTE, G.N., Fundamental aspects of molten clad relocation, 2252 (LA--7938-C, pp 163-177)
MARRUJO, F., CRBRP sodium circulating pump design evaluation, 637 (CONF-771217--4)
CRBRP sodium circulating pump design evaluation, 653 (CONF-780251--P2, pp 10.289-10.314)
MARRUJO, F.G., See GUPTA, V.K., 1405
MARSH, G.P., See PRITCHARD, A.M., 4184
MARSH, W.D., See POMEROY, B.D., 1063, 1064, 1065
MARSHALL, F., Study of alternative boiler feed pump arrangements for a civil fast reactor, 4123
MARSHALL, J., Improved nuclear fuel assembly grid spacer, 4528
See MCSHERRY, A.J., 1298, 1421, 4247
MARSHALL, J.L., Maintenance and requalification of a large LMFBR component, 3924
MARSHALL, N.H., See RASMUSON, D.M., 2939, 2941, 2943
MARSHALL, P., Absorber balls tested for LMFBR secondary shutdown, 3868
See CHARNOCK, W., 3050, 3744
MARSHALL, T.K., See PHILLIPS, J.R., 4268
MARSHALL, W., Nuclear power and the proliferation issue, 3747
MARTEN, K., Fluiddynamic investigations with the absorbers of the first and second shut down unit of the SNR-300, 2202 (KFK--2684)
See GLINSKY, H.W., 4059
See WILD, E., 2163
MARTH, W., KNK-II safety test programme, 3912
MARTIN, A., Streaming problems are the major worry for shielding experts, 4492
MARTIN, D., See MACINNES, D.A., 2897
MARTIN, F.J., Boilup threshold for the bottled-up transition phase pool, 1441 (HEDL--SA-1595-FP)
Boilup threshold for the bottled-up transition-phase pool, 4007
FUSS: the integrated FUMO, SAS3A, neutronics update system, 4773
MARTIN, G., Fundamental aspects of the evolution of, and phase changes in, metals and alloys under irradiation, 4973
MARTIN, GEORGES, Fundamental aspects of the evolution of, and phase changes in, metals and alloys under irradiation, 353 (CEA-CONF--4014)
MARTIN, H.C., Radiological analysis of hypothetical accidents by computer, 1633 (HEDL-SA--1770)
See PEAK, R.D., 1615
MARTIN, J., See KHAIRALLAH, A., 4211
MARTIN, J.P., See LLERES, J., 4263
MARTIN, R., See GRAND, D., 104
See SINGER, R.M., 4974
MARTIN, R.L., See MULLEN, R.E., 4739, 4740, 4873, 4874
MARTINEZ, T.A., See DE LA TORRE, M., 3357
MARTINEZ PIQUER, T.A., See ALBERDI PRIMICIA, J., 2159
MARTINI, M., See BOUGET, Y.H., 3138
See BOUTEAU, F., 1862
MARTOCH, J., See MATAL, O., 3831, 4527

See FITAK, O., 4360
MARUCCI, G., See CECCHI, P., 4824
MARUYA, K., Rotary shield plug, 5402
MARUYAMA, H., See KAWAMATA, K., 3725
MARUYAMA, T., See ISHIZAKI, T., 4283
See SUZUKI, H., 2157
MARX, E.R., Quality assurance for breeder reactor fuel fabrication, 1608 (HEDL-SA--1724)
MASAGUTOV, R.F., Description of designs, fabrication and test data of piezoelectric pick-ups based on lithium niobates, 1210 (FEI--563)
High-temperature acoustic transducers of sound pressure based on lithium niobate piezoelements, 1208 (FEI--536)
MASCHEK, W., Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 2188 (KFK--2491)
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 3106 (DOE-tr--115)
See FRÖHLICH, R., 4214
See ROYL, P., 3913
See STRUWE, D., 393
MASE, N., Development of a new tube-to-tubesheet welding type for FBR's heat exchangers, 4408
MASEK, V., See DUBSEK, F., 4577
See SULC, V., 1900, 2950
MASSEY, J.V., Method for assessing core-wide incoherency effects on LMFBR whole-core accident evolution, 429 (CONF-761001--P3, pp 885-894)
MASSEY, W.E., Reactor development program. Progress report, August 1978, 294 (ANL-RDP--86)
MAST, P.K., Analysis of terminated TOP accidents in the FTR using the Los Alamos failure model, 2271 (LA-UR--78-2602)
Analysis of transient overpower accidents in the Fast Test Reactor using the Los Alamos Failure Model, 3071
Influence of TREAT nonprototypic effects on prediction of pin failure in LMFBRs, 2284 (LA-UR--79-2141)
Los Alamos Failure Model (LAFM): a code for the prediction of LMFBR fuel pin failure, 2228 (LA--7161-MS)
Simple computational model for the prediction of fuel pin failure in the transient overpower accident, 3629
MASTEL, B., See RANDKLEV, E.H., 1620
MASTERS, R., Sodium test rigs for Britain's commercial reactor, 4342
MASTERSON, R., Analysis of the feasibility of implementing an implicit temporal differencing scheme in the SUPERENERGY code, 869 (COO--2245-35TR)
MASTERSON, R.E., New scheme for solving the COBRA energy equations during natural-circulation conditions, 4020
See GEORGE, T.L., 3221
MATAL, C., Accident alarm in steam generators in sodium cooled fast reactor power plants. II. Measuring the acoustic spectrum induced by the sodium/water reaction as a method of breakdown detection of liquid sodium-heated steam generators, 3831
Experiments with sliding suspension in liquid sodium, 4414
Flow in sodium loop surge tank, 4517
Pressure and temperature straining of liquid sodium heated sectional steam generators in accident situations, 4285
Testing N 205 type antifriction bearings in liquid sodium, 5172
See BANOVEC, J., 3723
See CHERNOBROVKIN, IU.V., 721
See FITAK, O., 4360
MATERAS, J.L., See MCEDWARDS, J.A., 3564
MATHERN, G., Creep and hot ductility properties of alloy 800 for steam generator pipes of surregenerators, 4280
Utilization properties of some special steels for sodium cooled breeder reactors, 4400
Utilization properties of some special steels for sodium cooled breeder reactors, 4412
MATHEWS, C.K., Chemical and physical changes at sodium-stainless steel interfaces in fast reactors, 4919
MATHEYS, L., See GOWDA, B., 2956
MATHEYS, W.L., See GOWDA, B.C., 2957, 2958
MATHIEU, PH., Neutron theory, breeding properties and doubling time in a breeder reactor, 4172
MATHIS, M.V., See MIHALCZO, J.T., 3735
MATHUR, S.C., See DONATI, D.R., 4382
MATLOCK, R.G., See FRYER, R.M., 4257, 5223
MATSUI, S., See SUSEI, S., 3441
MATSUI, Y., See TAKANO, H., 2153, 2155
MATSUMOTO, F., Radiation shielding device, 5178
MATSUMOTO, K., See MORI, K., 5390
MATSUMURA, K., See OZAKI, S., 3405
MATSUNAGA, Y., See IIDA, S., 3754
MATSUSHIMA, H., Control rod assembly, 5336
See TSUTSUMI, K., 5312
MATSUTANI, Y., See ISHINO, S., 4972
MATSUZUKA, R., See KAKEHI, I., 5206
MATTA, J.V., See DEMORE, L.A., 598
MATTE, J. III, See MCDONALD, J.S., 2904
MATTES, K., See HUBER, F., 2186
MATTHEWS, H.R., See WOOD, M.H., 16
MATTHEWS, J.R., Behaviour of materials in fast reactors, 13 (AERE-TP--692)
Fast reactor fuel pin behaviour modelling in the UK, 17 (AERE-TP--796)
Fast reactor fuel pin performance, 3553
Modelling the transient behaviour of fission gas, 15 (AERE-TP--782)
See BELLAMY, R.G., 4842
See GUHA, R.M., 14
See SCHMITZ, F., 2255
See WOOD, M.H., 11, 16
MATTHEWS, R.R., Safety of the fast reactor, 4542
MATTHIES, K., See NEUMANN, E., 2049
MATVEEV, C.V., See RINEISKII, A.A., 1217
MATVEEV, V.I., See BAGDASAROV, YU.E., 3735, 4284
See GOREATOV, N.E., 1211
See KARPOV, V.A., 1859
See ORLOV, V.V., 4617
MATYUKHIN, N.M., See USHAKOV, P.A., 4906
See ZHUKOV, A.V., 1209
MATZKE, H., Fuel properties of advanced fuels (U,Pu)CN important for out-of-pile and in-pile kinetics, 4866
See EWART, F.T., 2009
MAUDLIN, P.J., Accuracy and computational time of a hierarchy of growth rate definitions for breeder reactor fuel, 3111
Investigation of accuracy and computation time of a hierarchy of growth rate definitions, 942 (COO--4116-2)
MAUPRE, J.-P., Study of the Na-C-O and Na-H-C ternary systems in the sodium rich corner, 361 (CEA-R--4905)
MAUSBECK, H., See DE HAAS VAN DORSSER, A.H., 5280
MAXWELL, W.A., See GRIESS, J.C., 2533
MAY, R.S., Statistical analysis of interacting coolant channels, 3577
MAYER, F., See ILINCHEV, G., 5422
MAYER, H., Complementary information to summary report on fuel failures, theoretical approach, and special programs, 2021 (IWGFR--5, pp 43-49)
Monthly report No. 9 (September, October, and November 1977) of INTERATOM representative to Westinghouse Hanford Co., Richland, Washington (USA), 1892 (INE--414)
Summary on fuel pin failures and theoretical approach, 2022 (IWGFR--5, pp 50-58)
MAYHAN, S.J., See ANANTATMULA, R.P., 1464
MAZEY, D.J., See MAKIN, M.J., 4966
MCADOO, J.W., See WILLIAMS, M.L., 2652
MCAFEE, W.J., Compilation of piping benchmark problems - cooperative international effort, 2135 (IWGFR--27)
MCAFFEE, R.T.C., Instrumentation and control systems on PFR, 4540
MCAREAVEY, G., Subassembly analysis, 3549
Thermal/hydraulic bowing stability analysis of grid-supported multi-pin bundles with differential swelling and irradiation creep, 5080
MCARTHUR, D.A., Calculation of signals in coded-aperture imaging of many-pin bundles of LMFBR fuel, 2407 (NUREG/CR--0443)
Coded aperture imaging in many-pin fuel bundles, 2851 (SAND--78-0233C)
Coded aperture imaging in many-pin fuel bundles, 3647
Potential for using coded aperture imaging for fuel motion detection measurement in the STF, 2439 (NUREG/CR--0790, pp 39-50)
MCEANE, P., See HUGHES, G., 2052
MCBRIDE, J.P., See CARR, R.W., 1543
MCCALL, T.B., Analysis of FFTF response to hypothetical earthquake with postulated primary piping leak and cooling by natural circulation, 1603 (HEDL-SA--1703-FP)
Potential gas entry into FFTF after a postulated pipe rupture, 3983
See MARKOWSKI, F.J., 443
MCCANDLESS, R.J., See DUBBERLEY, A.E., 5076
MCCANN, J.D., Improvements in or relating to sensors for monitoring the electrical conductivity of electrically conductive fluids, 4290
MCCARGAR, C.G., See BROWN, R.K., 1574
MCCARTHY, W.H., Microstructural results from F20 power-to-melt experiment, 1277 (GEFR--00367)
See VAIDYANATHAN, S., 1257
MCCARTIN, T.J., See BORGONOVI, G.M., 2945, 2946
MCCLELLAN, G.C., See KENFIELD, T.A., 1232
MCCLELLAN, R.O., See CUDDIHY, R.G., 4267
MCCLELLAND, J.D., See SWANSON, D.G., 2451
MCCLELLAND, S.D., See AMOS, J.C., 1226
MCCLUNG, R.W., Inspection of boiler tubes: status and plans, 2638 (ORNL/TM--6081)
Needs for development in nondestructive testing for advanced reactor systems, 644 (CONF-780215--2)
Nondestructive testing development program semiannual progress report for period ending March 31, 1979, 2588 (ORNL/BRP--79/3)
Studies in non-destructive testing with potential for in-service inspection of LMFBRs, 2060 (IWGFR--10, pp 79-84)
See FOSTER, B.E., 2572
See SPALARIS, C.N., 1399, 694
MCCOLLUM, W.A., See NEELY, H.H., 1169, 3173
MCCOMBIE, C., See SETH, S., 1199
MCCONNELL, P.M., Flow in the inlet plenum feature model of the Clinch River Breeder Reactor, 4882
MCCORD, R.B., See CLAUDSON, T.T., 1554
See RASMUSSEN, D.E., 1454, 1504, 1578, 1650, 3207
MCCORMACK, J.D., Aerosol behavior during sodium spray fires and comparison with computer codes, 1606 (HEDL-SA--1714-FP)
Experimental and theoretical studies on water and gas release from heated concrete, 1457 (HEDL-SA--1380)
Experimental and theoretical studies on water and gas release from heated concrete, 94 (ANL--78-10, pp 205-214)
Recent aerosol tests in the Containment Systems Test Facility, 1599 (HEDL-SA--1686)
See HILLIARD, R.K., 1498, 1605, 1849, 686
See MOREWITZ, H.A., 1591, 3076
MCCORMACK, M., Clinch River Breeder Reactor Plant: a building block in nuclear technology, 3343
MCCORMICK, N.J., See DECLUE, J.F., 4636
See FIGG, J.A., 1803
MCCORMICK, R.P., See DRISCOLL, J.W., 691
MCCOWN, J.J., Carbon in sodium: a

status review of the LSA R and D work, 1660 (HEDL-SA--1560-FP)
Fuel failure monitoring systems in U.S. breeder reactors, 1513 (HEDL-SA--1433)
Sodium sampling and impurity monitoring systems in U.S. breeder reactors, 1512 (HEDL-SA--1432)
See EASTON, C.E., 2435
MCCREERY, H.I., See DRISCOLL, J.W., 691
MCCULLOCH, R.W., See BAUCUM, W.E., 2627
See GRADY, P.A., 2673
MCCURRY, D.C., GRIFIS: a computer code to distribute reactor core coolant in large FBRs, 4692
See CHANDLER, J.C., 1460, 1798, 4846
See MAFR, D.R., 1481, 1482, 3292
MCDANIEL, M.J., See MONSON, L.R., 4734, 674
MCDANIEL, P.J., Relation between fuel motion and detector response for in-core fuel motion detection systems, 2440 (NUREG/CR--0790, pp 51-62)
MCDONALD, A., See EL-SHEIKH, K.A., 419
MCDONALD, J., Pool-type large breeder reactor plant design, 3958
MCDONALD, J.F., See SCARTON, P.A., 5031
MCDONALD, J.S., Atomics International (AI) prototype large breeder reactor (PLBR), 4124
Conservative pool concept for a large breeder reactor, 4192
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1066 (EPRI-NP--645-SY(Vol.1))
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1067 (EPRI-NP--645(Vol.2))
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1068 (EPRI-NP--645(Vol.2)(App.))
Further examination of the pool type 1000 MWe LMFBR. Volume 1. Executive summary, 1082 (EPRI-NP--881-SY(Vol.1))
Liquid Metal Fast Breeder Reactor conceptual plant design 1000 MWe. Volume V. Cost/schedule, 2904 (TID--27701/5)
LMFBR pool plant: 1000 MWe. Volume 1. Executive summary. Final report, 1118 (EPRI-NP--1015-SY(Vol.1))
LMFBR pool plant: 1000 MWe. Volume 2. NSSS plant description. Final report, 1119 (EPRI-NP--1015(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 3. Pool reactor engineering, NSSS. Final report, 1120 (EPRI-NP--1015(Vol.3))
LMFBR pool plant: 1000 MWe. Volume 3. Appendices. Final report, 1121 (EPRI-NP--1015(Vol.3)(App.))
LMFBR steam cycle selection, 3208
LMFBR steam generators areas requiring special attention, 5427
Prototype large breeder reactor pool concept, 4687
See STONE, C.C., 695
MCDONALD, J.W., Source term model needs and developments, 1264 (GEFR--00324)
See HUANG, T.C., 1310, 4668
MCDONALD, T.A., See BORDNER, G.L., 4750
MCDONALD, W., See ADAM, E.R., 4251
MCDONOUGH, J.M., See CASTLE, J., 2377
See CATTON, I., 2425, 2702
MCDOWELL, M.W., AI Subscale Inducer Test Article: first and second 300 hour endurance tests, 2299 (LMEC-IDR--78-4)
MCEDWARDS, J.A., Selection of reactor cover seals and bearings for a 1000-MW(e) LMFBR, 3964
MCELROY, J.L., Analysis of hypothetical core disruptive events in the Clinch River Breeder Reactor Plant, 980 (CRBRP-GEFR--00103)
MCELROY, J.T., See LONGUA, K.J., 4343
MCELROY, R.J., See ROSEDALE, D., 4942
MCELROY, W.N., Spectral characterization by combining neutron spectroscopy, analytical calculations, and integral measurements, 1866 (IAEA--208(Vol.1), pp 147-181)
Standardization of dosimetry and damage analysis work for U.S. LWR, FBR, and MFR development program, 1495 (HEDL-SA--1374)
See DAUGHTRY, J.W., 1488
See FABRY, A., 1191, 2368
See GOLD, R., 1827
MCENERNEY, J.W., Piping and fittings, 2523 (ORNL--5309, pp 133-172)
See SIKKA, V.K., 2546
MCFARLANE, H.F., See BECK, C.L., 3934
See CARPENTER, S.G., 668
See COLLINS, P.J., 3043, 3677, 672
See LINEBERRY, M.J., 3044, 3136
MCGARRY, E.D., See MCELROY, W.N., 1495
MCGINNIS, C.A., See DISNEY, R.K., 746
MCGREGOR, B.J., ORNL TSF pipe chase neutron streaming experiment: Phase Two, 2623 (ORNL-TM--4283)
MCGUIRE, J.C., Control of tritium in liquid-metal-cooled fast breeder reactors (LMFBRs), 3393
Progress in radionuclide trap development, 1783 (HEDL-TME--77-85)
Radionuclide trap for liquid metal cooled reactors, 1558 (HEDL-SA--1540-FP)
Radionuclide trap, 3706
Radionuclide trap for liquid-metal-cooled reactors, 3938
Tritium permeation through oxidized 304 and 316 stainless steel, 1480 (HEDL-SA--1326)
See ANANTATMULA, R.P., 1436
See BREHM, W.F., 1521
See RENNER, T.A., 4666
MCILREE, A.R., Corrosion fatigue of 2-1/4 Cr--1 Mo steel in caustic at 316°C, 1280 (GEFR--00375)
MCINTOSH, G.E., See HILAL, M.A., 4920
MCKEE, J., See MAGEE, P.M., 4856, 703
MCKEE, J.M., Calibration system for hydrogen meters in sodium, 4650
See EPSTEIN, L.F., 193
See KOEHL, E.R., 240
See SKLADZIEN, S.E., 214
MCKEE, J.M. JR., Procedure and equipment for regenerating cooling traps in liquid metal circuits, 5215
MCKEEHAN, E.R., Clinch River Breeder Reactor: secondary control rod system, 1401 (GEFR-SP--062)
Clinch River Breeder Reactor secondary control rod system, 636 (CONF-771217--3)
MCKNIGHT, R.D., ENDF/B-V content and performance in fast reactor systems, 3685
See BHATTACHARYYA, S.K., 3067, 3684
See LESAGE, L.G., 667
See TURSKI, R.B., 670
MCKONE, T.E., See DHIR, V.K., 2427
MCKONE, T.K., See BADHAM, V., 2693
MCLEMORE, D.R., See POWERS, H.G., 1576, 3971
MCLENNAN, G.A., Comparison and verification of the core restraint codes NUBOW-2D, NUBOW-3D, and PARABOW: Level II, 209 (ANL-CT--78-13)
Core structural analysis codes verification/qualification, 3946
NUBOW-3D (inelastic): a FORTRAN program for the static three-dimensional structural analysis of bowed reactor cores including the effects of irradiation creep and swelling, 213 (ANL-CT--78-19)
UK/USA core restraint exchange study NUBOW-3D results, 226 (ANL-CT--78-40)
See CHA, B.K., 194, 4699
MCMONAGLE, C.A., See QUIGLEY, M.S., 336
MCMURTRIE, K.R., See GAUBATZ, D.C., 1327
See GREENE, D.A., 1425
MCNAIR, G.W., See NOLAN, A.M., 2752
MCNAMARA, C.P., See CARTER, A.L., 3151
MCNARY, R.O., See HAKIM, S.J., 3623
See KOEPMAN, R.N., 3635
MCPHEETERS, C.C., Development and testing of a tritium meter for sodium systems, 4702
Disposal of radioactive sodium waste, 139 (ANL--78-87)
Experiments on cold trap regeneration by NaH decomposition, 1030 (DOE/TIC--11039)
Sodium hydride precipitation in sodium cold traps, 1029 (DOE/TIC--11038)
See BLOOM, G.R., 1519
See MISRA, B., 3928
See RENNER, T.A., 131, 4483
See SKLADZIEN, S.E., 120
MCPHESTERS, C.C., See RENNER, T.A., 4666
MCSHERRY, A.J., C-1 irradiation creep in bending experiment: summary description and results of the first two interim examinations, 1298 (GEFR--00403)
Irradiation creep in bending of cold-worked AISI 316 stainless steel at low neutron fluence, 4247
Measurement of irradiation creep in bending, 1421 (GEFR-SP--198)
MCSWEENEY, R.N., See BROADLEY, D., 4103
MCUMBER, L.M., See HENRY, R.E., 2714, 487, 57
MCVAY, G.L., See FLINN, J.E., 4886
See HOFMAN, G.L., 4435
MCVEY, W.H., Review of United States program in LMFBR fuel reprocessing, 1869 (IAEA-AG--63-3)
MCWILLIAMS, K.D., Unique thermal and hydraulic features of the light-water breeder reactor, 3591
MEADOWS, G.E., See BALLIF, J.L., 1516
MECH, S.J., Development of ultrasonic examination methods for austenitic stainless steel weld inspection, 1486 (HEDL-SA--1348)
Recent advances in feature extraction techniques being developed for ultrasonic examination of austenitic stainless steel welds, 1548 (HEDL-SA--1521)
Ultrasonic techniques for in-service inspection of austenitic stainless steel welds at 200°C, 1560 (HEDL-SA--1546)
See DAY, C.K., 997
MEDEIROS, D.W., See DRISCOLL, M.J., 3933
MEDLEY, J.R., See FLEISCHER, L.S., 499
MEEK, C.C., Use of temperature variance to detect sodium boiling, 3238
See DOERNER, R.C., 145, 4009
See HOFMANN, J.R., 4301
See HURT, R., 4756
MEGY, See CASINI, 5285
MEGY, J., Past and present role of fast breeder reactors, 4057
See BENMERGUI, A., 4082
See ROZENHOLC, M., 3245
MEGY, J.M., Consequences of safety prescriptions for fast breeder reactor design in France, 4136
Phenix construction and operating experience, 5278
Phenix power station experience, 5268
MEHR, K., Multichannel model for fuel-coolant interaction in a liquid-metal fast breeder reactor subassembly, 3078
MEHREN, F., See GLINSKY, H.W., 4059
MEHTA, D.D., See ROWE, G.H., 5090
MEISL, C.J., Safety approach to the selection of design criteria for the CRBRP reactor refueling system, 826 (CONF-790816--60)
MEL'DER, R.R., See SAMSONOV, B.V., 5421
MEL'NIKOV, N.P., See RINEISKII, A.A., 1217
MEL'NIKOV, V.N., See KARETNIKOV, G.B., 3416
MELAMED, V.E., See GOREATOV, N.E., 1211
MELCHES, I, See DE LA TORRE, M., 3357
MELDE, G.F., Fuel column stability in irradiated mixed-oxide fuel, 1520 (HEDL-SA--1447-S)
MELHUISH, K.R., Water chemistry in the Dounreay prototype fast reactor (PFR) power station, 4034
MELIS, J.C., PINEX II: French contribution to an international benchmark experiment, 2243 (LA--7938-C, pp 52-66)
MELLO, R.M., Design considerations for CRBRP primary piping system operating at elevated temperatures, 764 (CONF-790363--5)
Evaluation of the influence of seismic restraint characteristics on breeder reactor piping systems, 783 (CONF-790615--13)
Load-time histogram and elastic analysis of CRBRP heat transport system piping, 762 (CONF-790363--3)
See MALLETT, R.H., 969

See POLLONC, L.P., 4377, 5193, 784
MELLOTTEE, H., Extinction of metal fires, 4855
MEN'SHIKOVA, T.S., Behaviour and some properties of U-Pu oxide fuel rods of fast reactors, 2007 (INIS-mf--5308, pp 99-117)
See TSYKANOV, V.A., 4880
MENANT, E., How local sodium boiling in rod bundles under really steady state boundary conditions is achieved on the CFNA loop, 349 (CEA-CONF--3994)
Nucleation, dry-out and boiling behind a sodium-tight local blockage in a 5-pin bundle with helical wire spacers, 350 (CEA-CONF--3995)
See COSTA, J., 516
MENCK, J.W., See VROOM, J.F., 4065
MENDTE, K., Cavitation experiments at butterfly valves in water and in sodium at 850K, 2045 (IWCFR--9, pp 67-75)
Testing of components of the heat transfer systems of sodium-cooled fast breeders in a large-scale test facility, 3905
MENEELY, D., See GREENE, D.A., 1424
MENEGHELLO, S., Influence of the axial distribution of heat flux on sodium boiling in forced convection, 515 (CONF-761001--P4, pp 1502-1510)
See CENNI, R., 3774
MENEGHETTI, D., Analysis of EBR-II blanket dosimetry, 833 (CONF-791051--16)
Correlations of calculated reactivities of EBR-II loadings, 3569
See FOLTMAN, A.J., 116, 4653, 4655
See GRIMM, K.N., 3186, 75
See KOENIG, J.F., 4726
MENKEN, C., Contribution to the characterization of radioactive surfaces after sodium corrosion, 2116 (IWCFR--23, pp 47-50)
MENNUCCI, M., See DE LUCA, B., 2124
MENSHIKOVA, T.S., See GOLOVNIN, I.S., 4385
MENSSEN, R., DDT - a 3-dimensional program for the analysis of bowed reactor cores, 5036
MENZENAUER, P., Testing of a graphite-based extinguishing powder for use on liquid metal fires, 4319 (DOE-tr--69)
MENZENHAUER, P., Experience with cleaning of sodium-wetted components and decontamination at Nuclear Research Centre Karlsruhe, 2115 (IWGFR--23, pp 30-37)
Extinguisher powder for liquid metal fires, 3417
See SCHULTHEISS, G.F., 4558
MERKEL, A., Nuclear power plant with equipment for coolant cleaning, 3249
MERKULOV, V.I., See MITENKOV, F.M., 5445
MERRILL, E.T., Analysis of the impact of retrievable spent fuel storage, 2741 (FNL--2413)
MESHKOV, A.G., See KAZACHKOVSKI, O.D., 3740
See KAZACHKOVSKII, O.D., 4313
MESNAGE, B., See GARCHON, B., 5389
See MARMONIER, P., 5366, 5374, 5405
MEYER, G.J.A.M., See GREENE, D.A., 1423
MEYER, J.F., See BARI, R.A., 321
See SPEIS, T.P., 420
MEYER, R., See LANGNER, I., 2168
MEYER, R.A., Comparison of results from large-leak sodium/water tests at LLTR with analysis, 987 (CRERP-GEFR-SP--00043)
Selection of the design basis leak for LMFBR steam generators, 1397 (GEFR-SP--044)
See SANE, J.O., 1414
See SWANSON, D.G., 2451
MEYER-HEINE, A., Safety analysis of the fast breeder reactor confinement main problems: application to Super Phenix, 5250
See CALUZON, P.P., 386
See MELIS, J.C., 2243
MIAO, C., Numerical simulation of the two-dimensional boiling (voiding) in LMFBR subassemblies, 511 (CONF-761001--P4, pp 1467-1476)
See THEOFANOUS, T.G., 2695, 4771
MICHAELS, T.E., Nondestructive testing methods and equipment: Section 3.0. Semiannual report to Oak Ridge National Laboratory, October 1978--March 1979. Advance copy, 1437 (HEDL--6557)
Ultrasonic off-normal imaging techniques for under sodium viewing, 1667 (HEDL-SA--2014)
See DAY, C.K., 997
See MECH, S.J., 1486, 1548, 1560
MICHEL, D.J., Effects of irradiation on fatigue and crack propagation in austenitic stainless steels, 4938
See SMITH, H.H., 2498
MICHIELS, G., See BILLIAU, R., 296
MICHIGUCHI, Y., Defectiveness detector, 5323
MIHALCZO, J.T., Determination of reactivity from power spectral density measurements with ^{252}Cf, 3735
Review of methods for treatment of source effects in the modified source multiplication method for monitoring the reactivity in refueling the CRBR, 2584 (ORNL--5568)
Theoretical evaluation of ex-vessel monitoring for initial fuel loading of a liquid-metal fast breeder reactor, 3158
Theoretical evaluation of ex-vessel monitoring for initial fuel loading of a liquid metal fast breeder reactor, 774 (CONF-790602--52)
MIKA, C., See BENKERT, J., 5010
MIKAILOFF, H., See BLANCHARD, P., 3522
MIKHEDOV, V.G., See VYLOMOV, V.V., 4356
MIKHIN, V.I., Analytical solution of some problems related with electromagnetic method of velocity measurement in complex channels, 1214 (FEI--622)
MIKI, K., Analytical method of fuel pin deformations in LMFBR assembly, 4317
Deformation analysis of fuel pins within the wire-wrap assembly of an LMFBR, 3244
Evaluation of desirable accuracy for nuclear data in fast reactors by optimization method, 4610
Fast breeder, 5234
Fuel assembly in FBR type reactor, 5187
Fuel rod for fast breeder, 5359
Protection device for reactor safety, 5397
Three-dimensional analysis for fuel pin deformations in an LMFBR assembly, 5081
See TAKEDA, S., 3827
MIKI, R., See KUROSAWA, K., 4120
See TOMABECHI, K., 4085
MIKIC, B., Approximate method for predicting temperature distribution in wire wrapped fuel assemblies of a LMFBR, 871 (COO--2245-27TR)
MILBAUER, P., Effect of configuration distortion on velocity and temperature fields in the peripheral zone of a fast reactor fuel assembly at laminar flow, 2951 (UJV--4576-T)
MILES, J.H., See FLOWERS, R.H., 3719, 4139
MILES, K.J., Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 5108
See ANDERSON, T.T., 749
See GARTSIDE, C.H., 4991
See HWANG, I.T., 3612
MILLBURG, M.L., Natural circulation heat transfer testing with a simulated full-scale LMFBR 217-pin electrically heated fuel assembly: test data, 1676 (HEDL-TC--1022)
MILLER, A.E., Experimental results of sodium-water reaction test No. 3 in LLTR, 1677 (HEDL-TI--45-LME-009)
Experimental results of Sodium--Water Reaction Tests Nos. 4 and 5 in LLTR, 1732 (HEDL-TI-LME--012)
Experimental results of sodium-water reaction Test No. 6, 2298 (LMEC-TDR--78-3)
See NEELY, H.H., 3571, 4651
MILLER, C.E., See HOLTZ, R.E., 63
MILLER, C.L., See BORGONOVI, G.M., 2945, 2946
MILLER, C.W., Recommendations concerning models and parameters best suited to breeder reactor environmental radiological assessments, 2579 (ORNL--5529)
MILLER, G., Systems descriptions and engineering costs for solar-related technologies. Volume IV. Conventional technologies for electric utility applications, 2307 (MTR--7485(Vol.4))
MILLER, G.D., See ZANOTELLI, W.A., 2430, 2466
MILLER, R.L., Physical characteristics of corrosion product deposits, 2986 (WARD-NA--940002)
See WU, P.C.S., 3275
MILLER, W.C., See KOLOWITH, R., 1567, 1568, 3968
MILLER, W.F. JR., Transport and reactor theory. Progress report, July 1--September 30, 1978, 2232 (LA--7554-PR)
MILLET, P., See BLANCHARD, P., 3522
See DUPOUY, J.M., 4943
MILLS, A.L., See BARRETT, T.R., 3087
MILLS, M.J., Elevated temperature J/sub Ic/ fracture toughness behavior of type 304 stainless steel and type 308 stainless steel weldment. Interim report, 1833 (HEDL-TME--78-101)
MILLS, W.J., Effect of temperature on the elastic--plastic fracture toughness behavior of Inconel X-750, 2552 (ORNL--5349, pp 200, 204-211)
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 1622 (HEDL-SA--1750)
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 3121
MILLUNZI, A., See LANCET, R.T., 4135
MILLUNZI, A.C., See AVERY, R., 396
MIMOTO, Y., Detection device for fuel failure, 3366
See KAMEI, M., 2120, 2127, 3816, 3817
See MIYAZAWA, T., 4197
MIN, T.K., See CHAN, C.K., 3877
MINAMI, H.M., Preliminary analysis and screening criteria for elevated temperature piping, 3150
Preliminary analysis and screening criteria for elevated temperature piping, 3333
MINASHIN, V.E., See SHOLOKHOV, A.A., 4094
MINATO, A., See NAITO, K., 5358
See YOKOTA, N., 5378
MINCEY, J.F., Interlaboratory computational comparisons of critical fast test reactor pin lattices, 3146
Interlaboratory computational comparisons of critical fast test reactor pin lattices, 776 (CONF-790602--60)
MINDER, R., See HELLER, A., 4424
MINGST, B., In-pile homogenization of mixed-oxide fuel, 4648
MINKOWYCZ, W.J., See FRANCE, D.M., 211, 220, 225
MINNICK, L.E., Fast shutdown device for a nuclear reactor, 3480
Incorporating the utility viewpoint in the design of the prototype large breeder reactor (PLBR), 4125
Method and apparatus for controlling the neutron flux in nuclear reactors, 3131
Status of Prototype Large Breeder Reactor (PLBR) designs, 4916
UV viewing through sodium coolant, 3264
MINUSHKIN, B., See ENGEL, F.C., 2928, 4049
MIQUEL, P., See SAUTERON, J., 1871
MIRLISS, G., See SNAIR, G.L., 2901
MIROSHNIKOV, V.N., See FEDORCHENKO, I.M., 4463
MISAK, J., See SUCHOMEL, J., 993
MISHEL, O., Nuclear reactor, 5453
MISHENEV, V.B., See TIMOFEEV, G.A., 3350
MISHIMA, J., See SMITH, R.C., 1753
MISHIMA, T., See KONO, K., 3144
MISHIMA, Y., Development of fast reactors and studies on materials, 4516
MISKEVICS, A.J., See MULCAHY, T.M., 244
MISRA, B., Feasibility of

decontamination of LMFBR coolant by low-pressure distillation, 3928
MITANI, H., Effective method for estimating multiple control rod worths in large fast reactors, 4402
See HIROTA, J., 2140
See TAKANO, H., 2153
MITCHELL, M.D., Carbon migration in transition joint welds, 1292 (GEFR--00398)
Effects of thermal aging on the mechanical properties of a 2-1/4 Cr-1Mo steel/Inconel 82 transition joint fusion zone, 1324 (GEFR--00446)
MITENKOV, F.M., Device for tuning the acoustic control system to detect liquid-metal coolant boiling, 5445
See AFANASIEV, V.A., 3041
See KAZACHKOVSKI, O.D., 3740
See KAZACHKOVSKII, O.D., 4087, 4313
See KOVIN, V.M., 4373
See MAKOVSKII, A.A., 4063
MITIN, A.M., See GRACHEV, E.A., 2348
MITSUTSUKA, N., Failed fuel detector in reactor, 5242
Liquid-metal cooling reactor, 5235
System for detecting the failure of a nuclear fuel rod in a nuclear reactor, 3301
MITZEL, F., Possibilities for the determination of the heat transfer process between nuclear fuel rods and the cooling medium in a sodium-cooled reactor during operation, 3112 (DCE-tr--142)
Possibilities to determine the heat transfer between nuclear fuel elements and the coolant in a sodium cooled reactor during normal power operation, 2198 (KFK--2619)
MIURA, M., Inspecting examination of mockup fuel assemblies of MONJU after sodium flow test, 2740 (PNCT--831-77-02, pp 27-41)
MIYAGI, T., See NAMBA, M., 4565
See NANBA, M., 4314
MIYAGUCHI, K., See NAKAMURA, H., 2148
MIYAHARA, M., See NAMBA, M., 4565
MIYASAKA, S., See OKA, Y., 1864, 4901
See SUZUKI, I., 4914
See UCHIDA, S., 3844
MIYAZAKI, K., One-dimensional analyses on generation and propagation of pressure waves in compressible liquid resulting from fuel coolant interaction, 4551
Temperature fluctuation of sodium in annular flow channel heated by single-pin with blockage, 3873
Temperature fluctuation of sodium in annular flow channel heated by single-pin with blockage, 3875
See FUJII, Y., 2720, 5161
MIYAZAWA, T., Device for detecting radioactivity in a liquid metal coolant, 5245
Gaseous fission-product detector for LMFBR failed-fuel detection, 4197
High-temperature acoustic detector, 5140
Reactor, 5335
See MITSUTSUKA, N., 3301, 5235, 5242
See NIHEI, T., 5162
MIZOO, N., Adequacy of the analysis of mock-up control rod experiment with FCA, 2138 (JAERI-M--7139)
MIZUTA, H., See URUWASHI, S., 2711
MOCCIA, A., Considerations on the gamma activity of the Pu product arising from LMFBR's fuel reprocessing, 1873 (IAEA-AG--63-7)
MOCHIO, T., See ANDO, Y., 4494
MOCHIZUKI, K., Development of cold traps, 5194
See NAKAI, Y., 5281
See YAMAMOTO, K., 2046
MOELKER, W.H., Conditioning of liquid sodium pumps by the use of acoustic methods, 3351
Monitoring the condition of sodium pumps using acoustic methods, 3398 (RISLEY-Trans--4105)
MOELLER, R., Experimental determination of temperature fields in sodium-cooled rod bundles with hexagonal rod arrangement and grid spacers, 2165 (KFK--2356)
Experimental determination of temperature fields in sodium-cooled rod bundles with hexagonal rod arrangement and grid spacers, 3840 (EURFNR--1413)
Experimental determination of local temperature field variations due to spacer grids in the cladding tubes of a rod cluster flowed through by sodium, 3906
Experimental determination of cladding temperature fields in the critical regions of rod bundles with turbulent sodium flow and comparison with calculations, 4168
Experiments on the fluid dynamics and thermodynamics of rod bundles to verify and support the design of SNR-300 fuel elements: status and open problems, 4079
MOELLER, W., See AGTHE, G., 3842
MOEN, R.A., Alloy 718 utilization in the Fast Flux Test Facility; Alloy 718 design data currently in nuclear systems materials handbook; general and specific design data needs for Alloy 718; Alloy 718 for code case 1592-4 applications (bolting); guidelines for required data on new materials for section III, elevated temperature nuclear construction, 1028 (DOE/TIC--10240, pp 11p, Attachment 6)
MOHM, F., Equipment for testing a group of nuclear reactor fuel elements for damage to the cans, 4579
Nuclear reactor with rotating closure, 5169
MOHR, D., See GILLETTE, J.L., 3978
See SINCER, R.M., 3979, 631, 823, 843, 850
MOICLI, P., See BOUTEAU, F., 1862
MOKUYA, K., Strainer device, 5324
MOL, M., See KOTTOWSKI, H.M., 513, 514
MOLDENHAUER, J., See VITTI, J.A., 33
MONACI, R., See AVANZINI, P.G., 4096
MONSON, L.R., EBR-II cover-gas cleanup system, 674 (CONF-780407--7)
Fission product control at EBR-II, 4734
See FRYER, R.M., 140
MONTA, K., See IWASHITA, T., 5395
MONTEFIORE, H., See GOSLING, D., 4878
MONTGOMERY, B.H., See GARRISON, P.W., 811
See GNADT, P.A., 814
See MORRIS, R.H., 2679
MONTGOMERY, K.R., Databank for the prototype fast reactor, 3885
Databank for the Prototype Fast Reactor, 4165
Manipulation of scientific data for nuclear energy calculations, 3884
MOODEY, J.C., See TCEPEL, F.P., 5439
MOODY, E., Computerized thermal input for steam generator stress analysis, 5082
Heat transfer with hockey-stick steam generator, 1404 (GEFR-SP--070)
Heat transfer with hockey-stick steam generator, 699 (CONF-781001--P1, pp 7.1-7.30)
1000-MW(e) pool plant LMFBR fabrication and construction, 3959
See MCDONALD, J., 3958
MOORE, J., Future plans for the design and construction of fast reactor power stations, 4081
International progress with liquid-metal fast reactors, 3124
Past and present role of fast breeder reactors in the United Kingdom, 4055
MOORE, R.L., See EL-GENK, M.S., 736, 808, 837
MOORHEAD, A.J., Internal bore welding of 2 3/4 Cr-1 Mo steel tube-to-tubesheet joints, 2580 (ORNL--5536)
See SIKKA, V.K., 2647
MOORHEAD, T.P., Clad strain and melt-through failure mode analysis for fast-running application, 2245 (LA--7938-C, pp 85-98)
MOOZ, W.E., Comparison of the capital costs of light water reactor and liquid metal fast breeder reactor power plants, 2762 (RAND/R--2441-ACDA)
See DREYFUSS, D.J., 2759
MORABITO, J.J., Introduction to materials consideration for LMFBR components, 4813
LMFBR steam cycle design trade-offs, 4126
MORALES, W.J., See FLURY, R.L., 3038
MORAN, T.J., Assured-mode modeling for fast reactor core seismic analysis, 3943
Duct dilation experiments in EBR-II, 3941
Modeling fluid structure coupling for LMFBR cores, 3944
Preliminary test plan for seismic feature tests, 234 (ANL-CT--79-5)
SCRAP: input, output, and source listings, 248 (ANL-CT--79-48)
SCRAP: theory and modeling considerations, 245 (ANL-CT--79-49)
See MCLENNAN, G.A., 209, 3946
See YANG, C.I., 216
MORAVEK, J., See POLAK, V., 1894
MOREAU, C., See LEFORT, G., 5302
MOREAU, J., See BOIOLI, A., 1861, 4911
See MARMONIER, P., 5167
See MARMONIER, P.L., 3132
MOREJON, J., See AMARO, G., 2786
See CHANG, S., 2788
MOREJON, J.A., Selection of aerosol detectors for CRBRP, 2797 (SAN--0824-T14)
Small pipe - natural convection - sodium leak detection tests, 2789 (SAN--0824-T6)
Sodium-to-gas leak detection mockup tests, 2792 (SAN--0824-T9)
Sodium-to-Gas Leak Detection System performance evaluation, 2796 (SAN--0824-T13)
Summary of design and development status of the Liquid Metal to Gas Leak Detection System for the CRBRP, 2793 (SAN--0824-T10)
MOREL, A., See JULLIEN, F.J., 4147
MOREL, J.E., See MCARTHUR, D.A., 2407, 2439, 2851, 3647
MORELLE, J.M., Physics and safety aspects of preliminary SNR 2 core designs, 4137
See KALKOFFEN, F., 3312
MOREWITZ, H.A., Attenuation of airborne debris from LMFBR accidents, 1591 (HEDL-SA--1665)
Attenuation of airborne debris from liquid-metal fast breeder reactor accidents, 3076
Combustion of sodium in the open atmosphere, 1013 (DOE/EV--0046(Vol.2), pp 111-142)
Experiments on sodium fires and their aerosols, 4502
See NELSON, C.T., 495
MORFORD, R.J., Criticality analysis for FFTF fuel assemblies and fuel pins, 1673 (HEDL-TC--807)
MORGAN, L.G., Spectrophotometric analyses of LMFBR fuel-sodium aerosols, 2748 (PNL--2850(Pt.1), pp 3.47)
MORGAN, R.E., FFTF and CRBRP reactor vessels, 642 (CONF-771217--9)
FFTF and CRBRP reactor vessels, 647 (CONF-780251--P2, pp 1.1-1.12)
MORGAN, W.C., See MCELROY, W.N., 1495
MORGENSTERN, F., See OEYNHAUSEN, H., 425
MORGENSTERN, F.H., Decay heat removal plan of the SNR-300: a licensed concept, 424 (CONF-761001--P2, pp 442-451)
MORI, E., See SUSEI, S., 3441
MORI, K., Liquid level control system of fast reactor secondary cooling system, 5390
See KAWAKAMI, H., 5384
MORIARTY, K.J., Data-processing system for instrument maintenance and calibration at EBR-II, 253 (ANL/EBR--063)
See BUSCHMAN, H.W., 5436
MORIARTY, M.P., See LEE, Y.J., 4640
MORIKAWA, T., See OZAKI, Y., 2146
MORIMOTO, H., Vapor temperature control device for fast breeder reactor plant, 5325
See KAWAMATA, K., 3725
MORMAN, J.A., See BHATTACHARYYA, S.K., 3976
See BRETSCHER, M.M., 3675
MOROISHI, T., Low alloy steel for a heating pipe of a fast breeder steam generator, 5238
See SHIDA, Y., 4464
See YUKITOSHI, T., 4616
MORRIS, C.J., Evaluation of liquid metal leak detection methods for the Clinch River Breeder Reactor Plant, 2743 (PNL--2447)
MORRIS, E., See BRYANT, A.R., 3642
MORRIS, R.H., Sodium boiling tests in

a 19-pin internally guard heated simulated LMFBR fuel assembly with a six-channel internal blockage: record of experimental data for THORS bundle 3C, 2675 (ORNL/TM--6792)
See GARRISON, P.W., 811
MORRIS, W.G., See JOHNSTON, W.G., 4956
MORSE, L.E., Conceptual study for the reprocessing of spent carbide and nitride fast reactor fuels in relation to gasborne radiological releases, 2640 (ORNL/TM--6100)
See TENNERY, V.J., 600
See TILL, J.E., 3768
MORTIMER, S.R., Second electrolytic dissolution campaign of EBR-II fuel at ICPP, 1687 (ICP--1168)
MORYSON, H., Handling of spent fuel elements at the Kalker nuclear power station, 3907
MOSEDALE, D., Irradiation creep in fast reactor core component materials, 4942
MOSS, J., Closing the fast fuel cycle at Dounreay, 3101
MOSS, L.I., Environmental, safety, and public acceptance aspects of LMFBRs. Memo report, 2698 (PB--265567)
MOSS, M., Fire protection device for LMFBR spent fuel shipping casks, 2812 (SAND--77-0723)
MOSS, O.R., See ALLEN, M.D., 2747, 3310
MOSS, R.L., Comparison of the application of plate and beam theories to the elastic dilation and interaction of PFR sub-assembly wrappers, 2310 (ND-R--9(S))
MOSS, S.A., History of the water chemistry for the few tube test model, 582 (CRBRP-GEFR--00465)
MOSTOVSKII, D.M., See FEDORCHENKO, I.M., 4462
MOTEFF, J., University of Cincinnati, 2514 (ORNL--5287, pp 425-472)
See SWINDEMAN, R.W., 2517
MOTT, J.E., See BRADFUTE, J.O., 413
MOUGNIOT, J., See DELPEYROUX, P., 4829
MOUGNIOT, M., See AUBERT, M., 4095
MOUNEY, P., See BOUTIN, P., 4923
See KHAIRALLAH, A., 4211
MOURING, R.W., See PAGE, R.J., 3634
MOUSTAKAKIS, P., See CHOPRA, P.S., 5073, 539
MSIKA, D., Progress in development and application of methods of washing and decontamination of objects in contact with sodium, 2122 (IWGFR--23, pp 124-138)
MUCKENTHALER, F.J., See CLIFFORD, C.E., 2477
See MAERKER, R.E., 2537
See MAIENSCHEIN, F.C., 743
See MCGREGOR, B.J., 2623
MUEHLING, G., Status of carbide fuel element development, 3856 (EURFNR--1418)
Status of the development of the carbidic fuel element, 2174 (KFK--2416, pp 60-70)
MUELLER, A., Liquid-cooled nuclear reactor, 3805 (ANL-Trans--1127)
See AGTHE, G., 3842
MUELLER, C., See VAURIO, J.K., 128, 3628, 3809, 451
MUELLER, C.J., Experimentally based limits on SAREF test-fuel-motion reactivity feedback, 3645
Fast integral modeling of hypothetical core disruptive accidents in liquid-metal fast breeder reactors, 3289
See RCSE, D., 3643
MUELLER, J.J., See FABIAN, H., 2203
MUELLER, K., See BOJARSKY, E., 4213
MUELLER, R.A., See BOENISCH, G., 395
See KLEEFELDT, K., 2217
MUELLER, S., See JACOBI, S., 4209
MUELLER-LYDA, I., Can swelling in fast-breeder fuel rods with oxidic and carbidic fuel, 3887
FR2-Loop experimental series 5, irradiation, post-irradiation examination, and analysis of the FCMI, 4325 (DOE-tr--70)
MUHLESTEIN, L.D., See CCLBURN, R.P., 1607
See HILLIARD, R.K., 1498
See WIERMAN, R.W., 1536, 1604
MUKAIBO, R., See KAMEI, M., 2119
MUKAIDA, H., See NAMBA, M., 4565
See NANBA, M., 4314
MULCAHY, T.M., Flow-induced vibration scale model test of the CRBR instrument post, 5026
Flow-induced vibration bench testing of reactor components, 5083
Fluid forces on rods vibrating in finite length annular regions, 232 (ANL-CT--79-3)
Scale modeling of finite length fluid annular gaps for flow-induced vibration testing, 244 (ANL-CT--79-40)
See NOVENDSTERN, E.H., 597
See WAMESGANSS, M.W., 2098
MULLEN, R.E., Fast Flux Test Facility core component measuring system, 4873
Fast Flux Test Facility element measuring system, 4874
FFTF core component measuring system, 4739
FFTF element measuring system, 4740
MULOT, P., See ALLAIN, A., 4265
MUND, E., See BARDIAUX, M., 1993
MUNEZANE, S., See TAKAHASHI, T., 4612
MUNNO, F.J., Study of the reactivity effect of bubble collapse in molten liquid metal cooled reactors, 2358 (NUREG--0286)
Void reactivity effects on fast reactor HCDA excursion energy, 4788
MURAKAMI, K., See KAMEI, T., 5152
MURAKAMI, T., See TERAI, K., 4187
MURAKAMI, Y., See ISHII, Y., 4550
MURASE, M., Impurity interaction analysis in mesh-packed cold traps, 3806
Performance analysis of mesh-packed cold traps, 3468
See YAMAMOTO, H., 4352
MURATA, K.K., See BREITUNG, W., 2879
See YOUNG, M.F., 2885
MURDOCK, T.B., See KRUGER, G.B., 379
MURET, G., See BISCI, R., 2038
MUROGOV, V.M., See ILIUNIN, V.G., 3556
See ILJUNIN, V.G., 3409
See ILYUNIN, V.G., 3414, 5364, 5419
See SHMELEV, A.N., 3756
MURPHY, D.J. JR., Performance considerations of nuclear reactor actinide recycle as a waste management alternative, 3926
MURPHY, P.M., Breeder: now or never, 4154
Breeder--now or never, 3461
See LEVENSON, M., 5270
MURPHY, W.A., See GILLETTE, J.L., 49
MURPHY, W.F., See DOERNER, R.C., 135, 54
See HOLTZ, R.E., 63
See OSTENSEN, R.W., 4269
See SIMMS, R., 78
MURRAY, A.S., See BARNES, B.K., 3344
MURRAY, W.P., See BRADLEY, N.C., 2634
MURTY, K.P.N., See VAIDYANATHAN, R., 4608
MUSSO, B., See BALDO, L., 5262
See CASTELLI, G., 4056, 4084
MUTO, T., See KONO, K., 3144
MYATT, E.L., See PRITCHARD, A.M., 4184
MYATT, F.R., March 1978 monthly highlights, Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2612 (ORNL/NUREG/TM--201)
MYNATT, F.R., December 1977 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2605 (ORNL/NUREG/TM--182)
February 1978 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2611 (ORNL/NUREG/TM--197)
November 1977 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2606 (ORNL/NUREG/TM--172)
See ENGLE, W.W. JR., 524, 742
See MCGREGOR, B.J., 2623
MYNC, L., Analysis of core disruptive accidents in carbide-fueled LMFBRs, 4860
Comparison of cartide and oxide fuel-coolant interactions resulting from overpower transients, 181 (ANL-AFP--41)
Exploratory studies on carbide fuel/coolant interactions, 3997
Transient undercooling analysis of the dispersal mechanism test, 477

N

NAGAI, H., See SUSEI, S., 3441
NAGAI, N., See KONDO, Y., 4945
NAGASE, N., See MOCHIZUKI, K., 5194
NAGASHIMA, K., Apparatus of holding molten fuel in a reactor, 5328
Safety equipment for a reactor, 5214
See SUZUKI, K., 2726
NAGATA, T., Recent efforts of PNC on creep-fatigue, creep-buckling and thermal ratchetting of the LMFBR primary coolant system components, 2076 (IWGFR--11, pp 171-196)
NAGUMO, G., Comparisons of REXCO and ICEPEL code calculations with tests of plastically deformable pipes filled with compressible fluids, 4759
NAHAVANDI, A.N., Review on fluid forces on circular cylinders in cross flow, 238 (ANL-CT--79-16)
NAIGEON, J., See ERTAUD, A., 3501
NAIR, B.R., See MALLETT, R.H., 969, 971
See SCHELLER, J.D., 970
NAIR, S., Hazards of waste arising from the use of thorium fuels in power reactor systems, 4146
See HARTE, G.A., 1197
NAITO, K., Container for a liquid metal cooled reactor, 5333
Tank of sodium cooled fast reactor, 5358
See KAWASHIMA, H., 5322
See YOKOTA, N., 5378
NAKAGAWA, M., See TAKANO, H., 2155
NAKAI, Y., Bubble separator for fast breeder reactors, 5376
Fast breeder of loop type liquid metal cooling system, 5246
Liquid metal cooled fast breeder, 5337
Liquid metal cooled fast breeder reactor, 5345
LMFBR coolant system components development in Japan, 5281
Method of preventing sodium from flowing when pipes of a fast breeder reactor are injured, 5375
Reactor system components of Japan's fast breeder reactors, 5283
See KANAMORI, A., 4075
See KUROSAWA, K., 4120
See SAKAI, K., 3495
See TERAI, K., 4187
See YAMAMOTO, K., 2046
NAKAJIMA, H., See KOYAMA, M., 4940
NAKAJIMA, N., Method and apparatus of stabilizing metallic sodium, 5144
NAKAMOTO, K., See OOYAMA, N., 2737
NAKAMURA, A., See KAJIYAMA, S., 5252
NAKAMURA, H., Hydraulic simulation of local blockage in LMFBR fuel subassembly, 2148 (JAPFNR--434)
NAKAMURA, K., See KAMEI, M., 2120, 3816
NAKANO, H., Device for controlling flow rate of coolant for an LMFBR type reactor plant, 5159
Device for starting a steam generator by heating sodium in a reactor, 5330
See NAKAI, Y., 5283
NAKANO, M., Experimental study of LMFBR heterogeneous core at FCA, 2143 (JAERI-M--8117)
See MIZOO, N., 2136
NAKAO, N., See SASAZAWA, A., 5368
NAKASUJI, T., See FUNADA, T., 3107
See YUHARA, S.I., 2149
NAKASUTI, T., See OOYAMA, N., 2737
NAKATSUKA, M., LMFBR-fuel cladding thermal creep strain under linearly increasing internal pressure, 5084
NAMBA, M., Electromagnetic pump for FBR, 4565
NANBA, M., Electromagnetic pump for fast breeder reactor, 4314
Method and apparatus for pre-heating ducts forming liquid sodium flow passage, 3444
NASER, J., See SEHGAL, B.R., 400, 4711
NASER, J.A., Axial parfait LMFBR heterogeneous core designs, 3590
NATESAN, K., Effect of sodium environment on the creep-rupture and low-cycle fatigue behavior of austenitic stainless steels, 607 (CONF-771052--3)
Influence of sodium environment on

the uniaxial tensile behavior of titanium modified type 316 stainless steel, 3714
Mechanical properties test program on structural materials in a sodium environment, 165 (ANL--75-63)
See CHOPRA, O.K., 2464, 4355
See ZEMAN, G.J., 2540
NAUCLE, F.V., See JETTER, R.I., 23, 43
See MINAMI, H.M., 3159, 3333
NAYAK, U.P., Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins, 2559 (WARD-CN--3045-4)
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins, 4044
See LIU, Y.Y., 828
NAZARE, S., See ONDRACEK, G., 4448
NECHAEV, V.N., See KAZACHKOVSKII, O.D., 5400
NECHVATAL, J., See SULC, V., 1900
NEELY, H.H., Intentional steam tube failure in an LMFBR-type steam generator, 3571
SERP deposition from testing and cleaning an LMFBR generator, 3173
Sodium--water reaction product deposition and post-test cleaning of the modular steam generator, 1165 (ETEC--78-9)
Sodium-water reaction testing in the LLTR, 4651
Ultrasonic inspection for wastage in the LMFBR steam generator due to sodium--water reactions, 659 (CONF-780374--1)
See ADLER, K.L., 1679
See DEEEAR, W.S., 3749, 4371
See LEPPARD, J.A., 1678
See MILLER, A.E., 1677, 1732, 2298
See WHIPPLE, J.C., 643, 704
NEI, H., Acoustic detection for small-leak sodium-water reaction, 4439
Acoustic detection for small-leak sodium-water reaction, 4441
Dissolution ratio of hydrogen generated by small-leak sodium-water reaction, 4403
Dissolution ratio of hydrogen generated by small-leak sodium-water reaction, 4409
Evaluation of heat transfer tube failure propagation due to sodium-water reaction in steam generator, 3782
Small leak detection by measuring surface oscillation during sodium-water reaction in steam generator, 4587
Wastage phenomena by small leak sodium-water reaction. II. Parameters effect, 3562
Wastage phenomena due to small leak sodium-water reaction: Reaction temperature and wastage pattern, 4570
See OHSHIMA, I., 3470
NEIMARK, L.A., See TSAI, H.C., 3166
See TSI, H.C., 3632
NELSON, C., Attenuation of particles through leak paths, 687 (CONF-780819--P2, pp 792-804)
Investigation and rating of sodium-to-gas leak detection techniques, 2794 (SAN--0824-T11)
NELSON, C.T., Some potential reductions in the release of radioactivity under LMFBR accident conditions, 495 (CONF-761001--P4, pp 1937-1944)
Test report: sodium-to-gas leak detection system screening tests, 2795 (SAN--0824-T12)
See HEISLER, M.P., 42
See MOREWITZ, H.A., 1013, 1591, 3076, 4502
NELSON, J.V., See UMBRELLARO, P.A., 1503
NELSON, J.W., See BENNETT, R.A., 1612
NELSON, R.L., U.K. development toward remote fabrication of breeder reactor fuel, 3142
NELSON, R.S., See MAKIN, M.J., 4966
NELSON, W.R., See DEARING, J.F., 813, 821
See HANUS, N., 2661
See MORRIS, R.H., 2679
See RIBANDO, R.J., 2677
See WANTLAND, J.L., 819
NERO, A.V. JR., Guidebook to nuclear reactors, 3318
NERVI, J.C., See DELPEYROUX, P., 4168
See GARCHON, B., 5389
See MARMONIER, P., 5167, 5366, 5374
See MARMONIER, P.L., 3132
NETUSCHIL, J.R., See BARNES, B.K., 3344
NEUMAN, M.R., See MAIRSON, R.C., 5289
NEUMANN, E., Ultrasonic testing of austenitic components of sodium cooled fast reactors, 2049 (IWGFR--10, pp 57-71)
NEUMANN, J., Main trends of activities of the CMEA Standing Commission for Peaceful Uses of Atomic Energy, 4589
World's power development and importance of nuclear power, 3830
NEWBY, R.A., Fluidized bed heat transport between parallel, horizontal tube-bundles., 4038
See KEAIRNS, D.L., 5295
NEWMAN, D.F., See JENQUIN, U.P., 2754, 4706
NEWMAN, R.N., Burning rates of sodium pool fires, 3413
Corrosion of steels in molten sodium hydroxide, 4436
NEWMAN, S.Z., Analysis of tests on axially compressed cylinders, 3013 (WARD-SD--3045-8)
See KENT, M.P., 3017
See SOBEL, L.H., 2978, 5116
NEWSOM, D.E., Preliminary comparative assessment of land use for the satellite power system (SPS) and alternative electric energy technologies, 1001 (DOE/ER--0054)
NEWSON, I.H., See DONALDSON, D.M., 2003, 2121
NEWTON, R.G., Rupture disc, 4256
NGUYEN, D.H., Confidence level in the calculations of HCDA consequences using large codes, 1641 (HEDL-SA--1835)
Effect of radiative heat transfer on the thermal-fluid behavior of molten UO_2, 4013
Nonprototypic effects due to fuel length and number of pins in in-pile testing, 4754
Optimum nuclear pin bundle for prototypic thermal-hydraulic environment in large-scale testing, 3127
Uncertainty analysis of consequences calculated by large computer codes, 1863 (HEDL-TME--79-42)
NGUYEN, T., See BORGONOVI, G.M., 2945
NICKELL, R.E., See STONE, C.M., 2861, 5117
NICKERSON, G.R., Safety aspects of carbide irradiations in FTR driver positions, 4661
See SIEGMANN, E.R., 430
NICKS, R., See FARINELLI, U., 3277
NICOL, A.G., See LEDBETTER, J.M., 2272, 4024
NIDOME, J., Safety equipment in a reactor, 5212
NIGMATULLIN, N.P., See GRYAZEV, V.M., 3046
NIGMATULLIN, N.R., Neutron spectrum measurement in the BOR-60, 2337 (NIIAR--15(309))
See GRYAZEV, V.M., 4089
NIHEI, I., See FUNADA, T., 3107
NIHEI, T., Development of sodium penetration equipment, 5162
NIJSING, I.R., See EIFLER, I.W., 466
NIJSING, R., Considerations on incoherency of boiling and voiding in liquid-metal fast breeder reactor subassemblies during a loss-of-flow accident, 3075
Multichannel analysis for predicting temperatures and boiling initiation in LMFBR subassemblies during a flow transient, 509 (CONF-761001--P4, pp 1439-1447)
NIKOLAEV, M.N., See ZIZIN, M.N., 2339
NIKOLAJEV, A., See BURIAN, J., 4913
NIKULIN, M.P., See ANDREEV, A.M., 1951
NILSON, R.H., See LEE, D.O., 2809, 92
NIMAL, J.C., See BAUR, A., 344
NISHI, H., Fuel assembly, 4606
NISHIHARA, H., Acoustic emission in subcooled nucleate pool boiling, 4510
NISHIMURA, A., See SAWADA, T., 2734
NISHIMURA, H., Optimization study of LMFBR having small sodium void coefficient from fuel cycle performance viewpoint, 4127
See YOSHIDA, H., 4134
NISHIMURA, T., Development of a computer code for neutron streaming calculation in LMFBR, 4897
NISHIO, G., Sodium oxide aerosol behavior in a closed chamber under thermal convection flow, 3775 (JAPFNR--306)
NISHIZAWA, Y., See HATA, K., 684
NIVOKOV, V.V., See GABESKIRIYA, V.YA., 4466
NIXON, D., See JAROSS, R., 654
NIXON, D.R., See GEORGE, J.A., 4472
See YOUNG, M.W., 1491, 658
NOBILI, A., See CALZA-BINI, A., 4827
See CECCHI, P., 4824
NOE, D.E., See ADKINS, C.R., 3596
NOEL, H., Containment of the Creys-Malville plant, 5122
Safety systems relative to the Creys-Malville power station, 4222
See MEGY, J.M., 4136, 5278
NOLAN, A.M., Environmental control aspects for fabrication, reprocessing and waste disposal of alternative LWR and LMFBR fuels, 2752 (PNL--3129)
NOLAN, J.E., Role and progress of the Clinch River Breeder Reactor Plant, 675 (CONF-780440--1)
NOMURA, S., Japanese development program for advanced LMFBR fuels, 4822
NOORDHOFF, B.H., FFTF status and test results, 1639 (HEDL-SA--1795)
See CARLISLE, C.S., 1461
NORO, K., See NOMURA, S., 4822
NOVACEK, P.F., Sodium piping survey to July 1977, 30 (AI-DOE--13225)
NOVENDSTERN, E.H., CRBRP flow induced vibration program, 597 (CONF-770933--1)
Testing of the CRBRP Direct Heat Removal Service in a 1/21 scale model, 803 (CONF-780808--1)
See HAINES, N.L., 852
See HOWARD, P.A., 4627
See THOMPSON, D.C., 641, 650
NOVIKOV, YU.B., See PROKOPENKO, V.S., 3463
NOVOSELOV, G.P., Thermal opening of irradiated uranium oxide fuel elements of BR-5 reactor with fuel separation by solution, 4547
See BARKOV, V.A., 2343
See BIBIKOV, S.E., 1679
See PASTUSHKOV, V.G., 5294
NOVOZHILOV, A.I., See RINEYSKIY, A.A., 5416
NOYES, R.C., Control rod and/or instrument tree assembly, 4419
Effect of operating temperature on LMFBR core performance, 341 (CE-FBR--77-26)
Emergency scram actuation device for nuclear reactors, 3263
Optimum pin diameter for LMFBR carbide fuels, 5360
Self-actuated rate of change of pressure scram device for nuclear reactors, 3103
System design of carbide fuel. Quarterly progress report, April--June 1977, 910 (COO--2426-101)
See CASPERSSON, S.A., 4848
See GIUGGIO, N., 3285, 3303, 3307
NUTT, W.T., Application of optimal estimation techniques to FFTF decay heat removal analysis, 1617 (HEDL-SA--1741-FP)
See BOUCHEY, G.D., 1652
NYGREN, R.E., Characterization of residual stress profiles in irradiated fuel pin cladding, 5037
NYMAN, D.H., See DAHL, R.E., 1610

O

O'DELL, L.D., See TABB, K.K., 1836
O'DELL, R.D., See MILLER, W.F. JR., 2232
O'DONNELL, W.J., Creep tensile instability, 3020 (WARD-SD--94000-1)
See POROWSKI, J.S., 2619
O'DONOGHUE, J.K., See PAI, D.H., 5424
O'HARE, T.E., See LUMPKIN, A.H., 2283
O'LEARY, J.F., Safety, safeguards, and environmental effects of liquid metal fast breeder reactors in relation to license ability and public acceptance. Final report, 2697 (PB--285544)
O'REILLY, D.B., See DUTT, D.S., 1602
O'REILLY, P.D., See DENISE, R.P., 3657

OAKES, R.E. JR., See KLUEH, R.L., 4354
OAKLEY, D.J., Closed Loop In-Reactor Assembly (CLIRA): a fast flux test facility test vehicle, 1579 (HEDL-SA--1605-FP)
Closed Loop In-Reactor Assembly (CLIRA)--A Fast Flux Test Facility test vehicle, 3383
OATS, W., See ANDERSON, T.T., 3826
OELOW, E.M., Investigation of steel--sodium--iron shields, 745 (CONF-781117--6)
Nuclear data needs for fast breeder reactor shielding, 744 (CONF-781117--5)
Sensitivity theory for reactor thermal-hydraulics problems, 2614 (ORNL/RSIC--42, pp 251-279)
Sensitivity theory for reactor thermal-hydraulics problems, 3375
See PARKS, C.V., 816
See WEBER, C.F., 2682
OERZUT, J., Low-swelling stainless key to LMFBR development, 5253
OCERAIES, Y., See BOUTEAU, F., 1862
OCHI, Y., See OZAKI, S., 3405
OCHIAI, M., Liquid--liquid contact in vapor explosions, 485 (CONF-761001--P4, pp 1843-1851)
OCHIAI, Y., See SONE, T., 2738
OCHIANA, G., See PAVELESCU, M., 4985, 5066
OCHS, G., See MENZENAUER, P., 4319
See MENZENHAUER, P., 3417
OCHSENFELD, W., Re-treatment of fast breeder fuel elements, 3860 (EURFNR--1418)
See BAUMGAERTNER, F., 1672
ODA, M., See IIDA, S., 3754
ODETTE, G.R., See MCELROY, W.N., 1495
See SIMONS, R.L., 1189
ODOIEWSKII, M.S., Building of the first commercial fast breeder in France, 3129
ODOM, J.F., See PHILBIN, J.S., 2829
OEYNHAUSEN, H., Design requirements for the SNR-300 containment system, 425 (CONF-761001--P2, pp 452-459)
OEZISIK, M.N., Condensation from a large HCDA vapor-gas bubble onto structures, 738 (CONF-781105--58)
Effects of internal circulation velocity and noncondensable gas on vapor condensation from a rising bubble, 3567
Effects of scattering on radiative cooling of a large HCDA-produced vapor bubble, 812 (CONF-790816--21)
OFFER, H.P., Characterization of CRBRP steam generator shell plate, 1271 (GEFR--00353)
Effects of rewelting and heat treatment on 2-1/4 Cr-1Mo steel elevated temperature tensile properties, 2327 (NEDM--14146(Rev.1))
Evaluation of prototypical CRBRP steam generator tube/tubesheet welds, 1304 (GEFR--00409)
Final report on vacuum arc remelted tubesheet forging properties for CRBRP steam generators, 1282 (GEFR--00379)
Final summary report on characterization of CRBRP steam generator tubing, 1281 (GEFR--00278)
Metallurgical characterization of prototypic tubesheet forging, 2480 (ORNL--5255, pp 368-376)
Metallurgical characterization of prototypic tubesheet forging, 2515 (ORNL--5287, pp 474-485)
See COPELAND, J.F., 4159
See MITCHELL, M.D., 1292, 1324
OGAWA, M., See MIYAZAKI, K., 3873, 3875
OGAWA, S., See ITO, M., 5183
OGINO, T., See INUSHIMA, H., 2154
See KIKUCHI, Y., 4511
OGORODNIKOV, A.P., See ANDREEV, A.M., 1950, 2350, 2351
OHANIAN, M.J., See BARKENBUS, J.N., 2475
OHNOUCHI, T., See INUSHIMA, H., 2154
OHLMER, E., LMFBR: subassembly fault detection and identification by temperature noise analysis, 408 (CONF-761001--P2, pp 658-664)
OHNO, A., See SUZUKI, H., 2157
OHSHIMA, I., Development of cold trap for LMFBR, 3470
See NEI, H., 4439, 4441
OHTA, F., See YOSHIDA, H., 2141
OHTA, S., See KONDO, Y., 4945
OHTANI, R., See OHSHIMA, I., 3470
OHTSUBO, A., See KIKUCHI, Y., 4309, 4312, 520
OKA, Y., Experimental study on fast neutron streaming through grid-plate shield of a LMFBR, 2952 (UTNL-R--0030)
Two-dimensional shielding benchmarks for iron at YAYOI (I), 1864 (IAEA--207, pp 505-530)
Two-dimensional shielding benchmarks for sodium and iron at YAYOI, 2953 (UTNL-R--0046, pp 44-49)
Two-dimensional shielding benchmarks for sodium and iron at Yayoi, 4901
See SUZUKI, I., 4914
OKADA, M., See IWAO, N., 3742
OKADA, T., See FUJIIE, Y., 5161
See MIYAZAKI, K., 3873, 3875
OKAFOR, I.C.I., Electro- and thermotransport of carbon in iron-nickel alloys, 2014 (IS-T--887)
OKAMOTO, H., See SONE, T., 2738
OKANO, H., See TAKAMATSU, S., 3502
OKRENT, D., Some thoughts on fast reactor safety, 385 (CONF-761001--P1, pp 44-51)
See CAVE, L., 423
See CHAN, C.K., 3877
See SUN, Y.H., 459
OKUBO, Y., See SAKAI, K., 3494
OKUMA, T., See MARUYA, K., 5402
OLAND, C.B., Plan for the determination of mechanical and thermal properties of concretes to temperatures of 621°C (1150°F), 2646 (ORNL/TM--6234)
OLANDER, D.R., Overview of fuel element design, 3255
See MINGST, B., 4648
OLDS, F.C., Impressive Super Phenix, 3113
Tail end of the fuel cycle: coping with the Carter edict, 4433
OLIVA, A., See BRUNA, G., 3152
OLIVA, G., Elimination of transuranium elements by burnup in a power fast breeder reactor, 3770
OLIVA, R.M., See HORTON, P.H., 1153
See LEE, Y.J., 4640
OLIVER, B.M., Fast reactor fluence dosimetry. Technical progress report, October 1978-March 1979, 1166 (ESG-DOE--13310)
See BRADLEY, J.G., 1168
OLIVER, W., See LEITNAKER, J.M., 2527
OLLIER, H., See DELPEYROUX, P., 4108, 4829
See RAVIER, J., 3524
OLLIVIER, J., See DELISLE, J.P., 4088
OLMOS, J., See LEAVER, D., 3977, 737
OLP, R.H., See LEHTO, W.K., 824
OLSEN, A.R., Fuel cycle cost studies: fabrication, reprocessing, and refabrication of LWR, SSCR, HWR, LMFBR, and HTGR fuels, 2662 (ORNL/TM--6522)
See JUDKINS, R.R., 2670
OLSEN, D.N., ZPPR assembly 9-A 700-MW(e)-sized LMFBR benchmark, 3930
See BECK, C.L., 3934
See DUCAT, G.A., 3935
See LINEBERRY, M.J., 3044
OLSON, N.J., See KURTZ, R.J., 2742
OLSON, N.T., See BROWN, W.F., 1485, 3537
OLSON, O.L., See HARD, E.N., 1593
OLSON, W.H., Controlling cesium in the coolant of the Experimental Breeder Reactor II, 3072
See LONGUA, K.J., 147, 73
See MCCOWN, J.J., 1512
See MONSON, L.R., 4734
See PERRY, W.H., 690
OMBERG, R.P., Design and economics of large LMFBRs, 1477 (HEDL-SA--1321)
See BURGESS, D.M., 3094
See CHANDLER, J.C., 1798, 4846
See MARR, D.R., 1481, 3292
OMBRELLARO, P.A., Biases for current FFTF calculational methods, 1503 (HEDL-SA--1393)
High ^{240}Pu FTR/EMC experiments and analysis: Carbide fuel and UO_2 blanket subassembly worths, 1762 (HEDL-TME--77-44)
Neutron source strength in FFTF fuel as a function of irradiation, 1611 (HEDL-SA--1728-FP)
Neutron source strength in FFTF fuel as a function of irradiation, 3182
Subcritical reactivity monitoring: neutron yields from spontaneous (α,n) reactions in FFTF fuel, 1814 (HEDL-TME--78-39)
ONCHI, T., See INOUE, T., 3696
ONDRACEK, G., Dispersion nuclear fuel and process for its manufacture, 4448
ONESTO, A.T., See STEARNS, J.D., 1184
ONO, T., Position control device for a control rod, 5174
ONOGI, T., See TANAKA, N., 5145
ONORATO, F.J., See STERN, S.A., 940
ONUFRIEV, V.D., See AGAPOVA, N.P., 4964
ONUKI, K., Control device in a reactor, 5171
OOYAMA, N., Operation manual for sodium-measuring equipment test loop, 2737 (PNC-N--952-76-04)
OPDENAKER, A., See ROSE, D., 4837
OPELKA, J.H., See MENEGHETTI, D., 3969
ORAS, J.J., Coupled shell-side and tube-side heat transfer model for heat exchangers, 224 (ANL-CT--78-34)
See KASZA, K.E., 4689
See SHA, W.T., 2435
ORBON, S.J., See BABNALL, C., 5305
ORECHWA, Y., Critique of the PLBR Phase A Guidelines. Final report, 1099 (EPRI-NP--915)
Pin diameter optimization in 1200 MWe heterogeneous vs. homogeneous LMFBRs, 531 (CONF-770611--37)
Sodium void reactivity reduction in metal-fueled LMFBRs, 3980
See BARTHOLD, W.P., 1101, 1102, 1103, 1104, 1884, 3068, 4847, 730
OREKHOV, V.I., See ANTONOVA, V.N., 1218
ORII, S., Reactor, 5342
Rotary plug, 5394
Shielding plug device, 5229
ORII, S.C, Method of controlled maintenance of reactor, 5386
ORLOV, V.V., Reactivity effects in the BN-350 reactor, 4617
See ILYUNIN, V.G., 5419
See RINEYSKIY, A.A., 5418
ORMROD, D.T., See HAYDEN, O., 3473
ORNDOFF, J.D., See EVANS, A.E. JR., 2273, 4025
ORSZAK, P., Recent developments in equipment for sodium test loops and fast reactors, 4537
OSADA, H., See OTAKE, I., 4128
OSAWA, Y., See HATA, K., 684
OSBORNE, T.C., Meeting U.S. electrical needs: is the breeder urgent, 624 (CONF-771203--, pp 117-119)
OSMERA, B., See BURIAN, J., 4913
OSTAPENKO, V.P., See ANDREEV, A.M., 1950, 1951, 2351
OSTENSEN, R.W., Analysis of in-pile fuel disruption experiments, 2859 (SAND--78-0363C)
Analysis of in-pile fuel disruption experiments, 3608
Comparison of FISGAS swelling and gas release predictions with experiment, 2258 (LA--7938-C, pp 257-268)
Comparison of FISGAS swelling and gas release predictions with experiment, 2869 (SAND--78-1910C)
Design considerations for epithermal pulse reactors, 2837 (SAND--77-1470)
Effect of thermal stress on oxide crusts, 2818 (SAND--77-1017C)
Effect of thermal stress on oxide crusts, 4677
FISGAS: a code for fission-gas migration and fuel swelling in an LMFBR accident, 2465 (NUREG/CR--1124)
Fission gas bubble modeling for LMFBR accidents, 4804
Fission-gas bubble modeling for LMFBR accidents, 2819 (SAND--77-1018C)
Intrusion of molten steel into cracks in solid fuel in a transient-undercooling accident in a liquid-metal fast breeder reactor, 4269
Sensitivity study of LMFBR core disassemblies, 2854 (SAND--78-0252C)
Sensitivity study on the damage potential of a liquid-metal fast breeder reactor core disassembly, 3241
Sensitivity study of LMFBR core disassemblies, 3637
See CANO, G.L., 2453

See EISENHAWER, S.W., 2877
OSTERHOUT, P.M., Control of oxygen, hydrogen, and tritium in sodium systems at Experimental Breeder Reactor II, 2944 (UAC--4106S)
Control of oxygen, hydrogen, and tritium in EBR-II sodium systems, 4027
Operation of the water-to-sodium leak detection system at the experimental breeder reactor II, 3459
Operational experience with EBR-II water-to-sodium leak detection system, 4727
See MCPHEETERS, C.C., 4702
OSTERMIER, B.J., See VITTI, J.A., 1138, 33
OSTRANDER, N.C., See CASTLE, J., 2377
See CATTON, I., 2702
OSTRANDER, N.D., See CATTON, I., 2429
OSTROVSKII, Z.E., Temperature dependence of void parameters in the OKhLENISMBR steel fuel cans under radiation conditions, 2002 (INIS-mf--4974, pp 334-344)
See KRASNOSELOV, V.A., 3784
OSTROVSKY, Z.E., See AGAPOVA, N.P., 4964
OTA, S., See TERAI, K., 4187
OTAKE, I., Benchmark tests of JENDL-1 for structural materials, 1200 (EUR--6108, pp 105-117)
Effect of core design changes on the doubling time and the fuel cycle cost of a 1,000 MWe LMFBR, 4128
OTOPAL, P., See BURIAN, J., 4913
OTT, K.O., Fast Breeder Blanket Facility (FBBF). Quarterly progress report, April 1, 1977--June 30, 1977, 933 (COO--2826-4)
Fast Breeder Blanket Facility (FBBF). Quarterly progress report, July 1, 1977--September 30, 1977. PNE-77-120, 934 (COO--2826-5)
Fast Breeder Blanket Facility (FBBF). Annual report, January 31, 1976--December 31, 1977, 935 (COO--2826-7)
Probabilistic fast reactor accident analysis, 4335
Purdue University fast breeder blanket facility, 666 (CONF-780401--, pp 505-515)
See BERG, R.C., 1081, 958
See BURNS, R.D. III, 441
See CAHALAN, J.E., 427
See HANAN, N.A., 943
See MALLOY, D.J., 428
See MAUDLIN, P.J., 3111, 942
OTTER, J.M., Criticality calculations for fast reactor fuel storage facilities, 4657
See MOREWITZ, H.A., 1013
See VITTI, J.A., 3135
OTTO, H., See KRAUSE, H., 3039
OTTO, KH., See AFANAS'EV, V.A., 3464
OUTRAM, W.J., Prototype fast reactor Dounreay: some interesting aspects of its design and construction, 5407
OVECHKIN, A.V., See KOVIN, V.M., 4373
OWEN, R.K., See HILLIARD, R.K., 1605
See MCCORMACK, J.D., 1606
OWENS, C.M., See BODINE, G.C., 4158
See BODINE, G.C. JR., 525
OYAMA, A., Project of developing fast breeder reactors in Japan, 4207
OZAKI, S., Fuel can for a liquid-metal cooled fast breeder, 5239
Nuclear fuel elements, 3405
OZAKI, Y., Acoustic noises with loss-of-flow sodium boiling experiment in 19-pin bundle, 2146 (JAPFNR--423)
See KIKUCHI, Y., 4511
OZAWA, M., See IMAYOSHI, S., 4118
OZAWA, Y., See JORDAN, S., 494
See NAITO, K., 5358
See YOKOTA, N., 5378
OZGU, M., Transient temperature distribution in reactor coolant channel following loss of flow, 5408
OZISIK, M.N., Condensation from a large HCDA vapor-gas bubble onto structures, 4005
Effects of internal circulation velocity and noncondensible gas on vapor condensation from a rising bubble, 4781

P

PACK, R.W., See MINNICK, L.E., 3264
PACKARD, R.B., FFTF instrument tree design and development, 1493 (HEDL-SA--1370)
PADDEN, T.R., Post test examination of double-wall tube for interface wear and water side corrosion effects in a liquid metal heated steam generator, 2979 (WARD-I--10134-2)
See RUSH, D.J., 1398, 697
PADILLA, A. JR., Analysis of internal fuel motion during PINEX-2 experiment, 1590 (HEDL-SA--1658-S)
Analysis of internal fuel motion during PINEX-2 experiment, 2242 (LA--7938-C, pp 39-51)
Applicability of TREAT TOP experiments to post-failure dynamics, 1534 (HEDL-SA--1489-FP)
Applicability of TREAT TOP experiments to post-failure dynamics, 3636
Thermodynamic properties of sodium for safety analysis, 4680
See HINKLE, W.D., 731
See PORTEN, D.R., 1616, 1852
See TABE, K.K., 1836
See WALTAR, A.E., 4334
PAGE, J.P., See FRISKE, W.H., 2936
See WILSON, W.L., 698
PAGE, R.J., Development of a Mk-II loop to simulate reactor hydraulic conditions, 149 (ANL--79-7)
TREAT test H6-A 50 cents transient overpower accident simulation, 3098
TREAT TOP test H6: preliminary results, 3634
PAGES, J.P., See CHALONY, A., 2028
PAI, D.H., Application experience with codes and standards in the design of heat exchangers for liquid metal and gas cooled reactor systems, 5424
Elastic-plastic-creep analysis of shells, 767 (CONF-790402--16)
See SAWYER, R.H., 4855
PAIGE, H.W., See GRAY, J.E., 3527
PAIK, I.K., Effect of overlaying steel layers on the growth of molten core debris pools in concrete, 950 (COO--4261-9)
Retention of molten core debris pools in composite sacrificial beds, 951 (COO--4261-10)
PAIK, N.C., Heterogeneous oxide reference, transmuter, denatured core designs, 3215
Physics evaluations and applications quarterly progress report for period ending July 31, 1978, 3033 (WARD-XS--3045-23)
Physics evaluations and applications quarterly progress report for period ending January 31, 1979, 3035 (WARD-XS--3045-25)
See ARAKALI, V., 3028
See ARAKALI, V.S., 3032
See DONCALS, R.A., 660
PAILLA, H., System for cooling the upper wall of a nuclear reactor vessel, 3802 (ANL-Trans--1119)
PAILLARD, L., See GAMA, J.M., 3400
See GAMMA, J.M., 5228
PAKHOMOV, V.V., See BARKOV, V.A., 2343
See MAKOVSKII, A.A., 4063
See MITENKOV, F.M., 5445
PAL, N., Response of a grid spaced fuel assembly to shipping environment, 5085
PALAZZI, C., See CAMPOLUNGHI, F., 5001
PALM, R.C., Empirical fuel motion model for TREAT loss-of-flow test F1, 4743
F1 Phenomenological Test on fuel motion: final report, 126 (ANL--78-50)
See ROTHMAN, A.B., 470
PALMER, R.S., See BREWER, S.T., 4102
See OSBORNE, T.C., 624
See RICHARDS, R.B., 4367
See STAUFFER, T.R., 5437
PALMIOTTI, G., See ESTIOT, J.C., 1863, 4899
See OLIVA, G., 3770
PAN, Y., Study of piping configurations, 265 (ANL/ENG--80-02)
PAN, Y.S., Inelastic analysis of pipelines in FFTF CLS module, 5451
PANISKO, F.E., See RAUSCH, W.N., 2469
PAPAZOGLOU, I.A., Markovian reliability analysis under uncertainty with an application on the shutdown system of the Clinch River Breeder Reactor, 2402 (NUREG/CR--0405)
See BUSLIK, A.J., 308
PAPP, R., Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
PARDINI, J.A., See SULLIVAN, T.E., 5134
PARE, V.K., Model of a fission counter system for optimizing performance at high gamma dose rates, 2656 (ORNL/TM--6408)
See MIHALCZO, J.T., 3735
PARIS, R., See BAGLEY, K.Q., 4832
PARKER, G.W., Agglomeration characteristics of fast reactor HCDA aerosols, 683 (CONF-780819--13)
See KELLY, M.J., 2604
PARKINSON, N., See NELSON, R.L., 3142
PARKMAN, M.F., Application of the ASME Boiler and Pressure Vessel Code and RDT Standards to the Clinch River Breeder Reactor Plant sodium-heated steam generator, 5428
PARKS, C.V., Application of generalized perturbation theory to fast reactor safety sensitivity studies, 816 (CONF-790816--29)
PARR, A., Core catcher tub with thermal insulation, 3260
PARSLY, L.F., See WRIGHT, A.L., 2386
PARSLY, L.F. JR., See ADAMS, R.E., 2456, 2608, 809
PARYZEK, R., Progress in the construction of experimental sodium loop SMT-1, 1899 (INIS-mf--4280, pp 182-189)
Safety of high-parameter sodium loop, 5141
PARZIALE, E.A., See ADDITON, S.L., 4977
See BOUCHEY, G.D., 1526, 3660
See NUTT, W.T., 1617
PASCARD, R., French advanced fuels development program, 4821
PASCHALL, R.K., See SPECHT, E.R., 3668, 410, 4661
PASEK, M., See PARYZEK, R., 1899
See SULC, V., 1900
PASHICHEVA, M.I., See RINEJSKII, A.A., 1213
PASSERELLO, C., See GROSS, K.C., 4635
PASTUSHKOV, V.G., Phosphate-bonded zirconia ramming compounds for the thermal stripping of the fuel elements of fast reactors, 5294
PATCH, L., Experimental studies of flow distribution in a wire wrapped LMFBR blanket assembly, 845 (CONF-791205--2)
PATEL, M., See MCSHERRY, A.J., 1298
PATEL, M.R., Application of core structural design guidelines in conceptual fuel pin design, 1410 (GEFR-SP--149)
Influence of asymmetric phenomena on fuel pin breach, 3164
TWOD-2: two-dimensional finite element fuel pin analysis code, 1321 (GEFR--00442)
See HARBOURNE, B.L., 1412
See LOVEJOY, W.S., 1245
See MCSHERRY, A.J., 1421, 4247
PATEL, P., See THEOFANOUS, T.G., 2695
PATEL, P.D., Hydrodynamic fragmentation of drops, 2249 (LA--7938-C, pp 125-140)
PATEL, S., Aerodynamic properties of aerosols formed by a sodium pool fire, 3190
PATRIARCA, P., Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
PATTERSON, J.F., See GARKISCH, H.D., 3300
PATTON, E.B., See SIKKA, V.K., 2488
PAVELESCU, M., Mathematical model for an integrated nuclear power system, 4205
On the optimization of a fast high-power reactor of LMFBR type by means of a non-convex programming mathematical model, 4985
Optimization of a fast high-power reactor of LMFBR type by means of a non-convex programming mathematical model, 5066

PAVLENCO, G.F., Transient analysis of the primary system of a liquid metal-cooled fast breeder reactor plant, 5256
See CADY, K.B., 1105, 4775, 4775
PAVLIK, J., See SOWA, E., 4671
PAVLIK, J.R., See BAKER, L. JR., 506
See GABOR, J.D., 91
See SOWA, E.S., 502, 825
PAWLITZKI, R., See SCHABERT, H.P., 4425
PAXSON, E., Radial parfait core design study, 2554 (WARD--363)
PAXTON, H.M., See DUNCAN, D.R., 4572
See GILBERT, E.R., 1664
PAY, A., See PONCELET, J.P., 5088
See VAN VLIET, J., 1907
PAYNE, J.F.B., See NEWMAN; R.N., 3413
PAZDERA, F., See DIENSTBIER, J., 4568
PAZIAUD, A., Process and apparatus for the detection and prelocalization of a can fracture in a fuel assembly of a fast nuclear reactor, 3052
Process and system for detecting and pre-locating a clad failure in a fast neutron nuclear reactor, 5203
See BERLIN, C., 4196
See JEANNOT, A., 2304
PEAK, R.D.; Analytical validation of the CACECO containment analysis code, 1840 (HEDL-TME--79-2)
FFTF containment of hypothetical accidents, 1615 (HEDL-SA--1736-FP)
Ground temperatures surrounding a molten fuel pool, 1478 (HEDL-SA--1324-F)
Response of liquid metal fast breeder reactor containment to a hypothetical core meltdown accident, 4503
Users' guide to CACECO containment analysis code, 1845 (HEDL-TME--79-22)
See MARCHATERRE, J.F., 726
See STEFNEWSKI, D.D., 104
PEAKALL, K.A., See PRITCHARD, A.M., 4184
PECHIN, W.H., Hydrogen retention of (U,Pu)O/sub 2-y/, 2666 (ORNL/TM--6568)
PECK, C.E., Development of a probabilistic model of containment conditions following a core disruption accident in a breeder reactor, 4041
Event tree analysis of core disruptive accident consequences safety R and D planning, 1407 (GEFR-SP--135)
See CANTRELL, R.T., 1406
PECK, S.C., Probabilistic design method for LMFBR fuel rods, 5086
PECKINPAUGH, C.L., See BLISS, R.J., 1560, 3216
PECKOVER, R.S., See REYNOLDS, J.A., 2709
PECORA, V.J., See OTTER, J.M., 4657
PEDDICORD, K.L., Prediction of the thermal conductivity of sphere-pac fuel, 3564
See ADES, M., 3952
See FALOTICO, R.N., 4667
See GUENTHER, R.J., 2756
PEDERSEN, D.R., Performance of FFTF-type eddy current flowmeters in the SLSF P-series test trains, 4664
See ANDERSON, T.T., 749
See ELCMQUIST, C.A., 5070, 541
See KUZAY, T.M., 795
See SMITH, J.L., 5109, 540
PEDERSEN, H.N., See DAY, C.K., 3731
PEEHS, M., Experimental investigations on the compatibility of a SNR-type corium with graphite, 467 (CONF-761001--P4, pp 2077-2086)
PEERENBOOM, J., See FARHADIEH, R., 3206
PEIRANO, F., See GOURDON, J., 4234
PEJSA, R., See HOERLE, M., 4365
PEKARSKY, M.I., See DOERNER, R.C., 145
PELLICANI, F., See GUNZ, G., 4160
PELLOW, H.C., Plugging/unplugging of defects in LMFBR steam generator tubing, 1253 (GEFR--00274(L))
PENA, J., Critical configurations and secondary excursions for high temperature fuel/steel mixtures, 445 (CONF-761001--P3, pp 1152-1161)
PENET, F., See ANSELIN, F., 3883
See CALUZON, P.P., 386
See GOURDON, J., 4090
See MEYER-HEINE, A., 5290
See ROYL, P., 3913
PENNELL, W.E., Nuclear reactor removable radial shielding assembly having a self-bowing feature, 3836
PENNY, W., See BENEMANN, A., 3900
PEPIN, P., See BESLU, P., 4889, 4893
PEPPLER, W., Hypothetical accident rules FBR safety. Report on the fast breeder reactor safety conference in Chicago, 4544
Large-scale use of sodium, 1997 (INIS-mf--4816, pp 17-21)
Sodium boiling in fast reactors: a state-of-the art review, 4979
See BROOK, A.J., 4391, 517
See HUBER, F., 4143
See KAISER, A., 1201, 2199, 4392, 4393, 521
See MENZENAUER, P., 4319
See STRAKA, M., 3515
PERAY, R., See DELPEYROUX, P., 4108
PEREY, F.G., See OBLOW, E.M., 744
PEREZ, R.B., See ALSMILLER, R.G. JR., 4297
PERINIC, D., See GOETZMANN, O., 4142
See HOFFMANN, F., 84
PERKINS, K.R., Analysis of the FFTF primary pipe rupture transients, 316 (ENL-NUREG--25493)
In-vessel natural circulation during a hypothetical loss-of-heat-sink accident in the Fast Flux Test Facility, 328 (ENL-NUREG--26131)
Natural-circulation decay heat removal in an LMFBR, 4774
Review of the FFTF Natural Circulation test plans, 306 (BNL-NUREG--24040)
Thermal-hydraulic analysis of the air dump heat exchangers in the Fast Flux Test Facility, 3600
PERKINS, R., See PRITCHARD, A.M., 4184
PERKS, M., See ROYL, P., 3913
PERKS, M.A., See ACKROYD, R.T., 4469
PERONA, M., See LLERES, J., 4263
PERONE, M., See JULLIEN, R., 3803
PERRET, F., See GATESOPE, J.P., 2019
PERRY, W.D., Reprocessing of nuclear fuel and plutonium breeder commercialization: implications of deferral, 2761 (RAND-P--6226)
PERRY, W.H., EBR-II: summary of operating experience, 690 (CONF-780563--1)
Operating experience with experimental breeder reactor-II (EBR-II), 5288
PERSON, L.W., Analyzing containment leakage from a sodium fire by the response surface method, 3370
Sodium fire and containment leakage, 2001 (INIS-mf--4960)
Statistical parametric analyses of sodium fire, 4761
Use of hodoscopes to obtain tomographic resolution of fuel motion, 3570
PERSSON, E., See BENUZZI, A., 5039
PERTMER, G.A., Gravitational agglomeration of post-HCDA LMFBR aerosols, 4048
Gravitational agglomeration of aerosols, 4664
Gravitational collision efficiency of post hypothetical core disruptive accident Liquid-Metal Fast Breeder Reactor aerosols: spherical particles, 3060
Gravitational collision efficiency of LMFBR aerosols with size-dependent density, 4019
PESCE, E., See CALZA-BINI, A., 4827
PESCHEL, W.E., See DOMAN, D.R., 4023
PESCHEL, W.P., See DOMAN, D.R., 1571
PETERS, F.E., Results from a buckling test of a 16-inch (406mm) diameter piping elbow, 2576 (WARD-HT--3045-35)
See ELLIOTT, D.N., 2977
PETERSON, B.R., EBR-II wide-range reactivity meter, 4930
Practical power-reactor reactivity meter, 4236
PETERSON, J.R., Theoretical predictions of local heat transfer and water purity parameters for transition boiling based upon a film dryout model, 2321 (NEDM--14104)
PETERSON, R.E., Core engineering technical progress report, April--June 1977, 1763 (HEDL-TME--77-47)
Core engineering technical progress report, July--September 1977, 1764 (HEDL-TME--77-48)
Core engineering technical progress report, October--December 1977, 1765 (HEDL-TME--77-49)
Core engineering technical progress report, January, February, March 1978, 1815 (HEDL-TME--78-42)
Core engineering technical progress report, April, May, June 1978, 1816 (HEDL-TME--78-43)
See OMBRELLARO, P.A., 1503
PETERSON, S., Liquid Metal Fast Breeder Reactor Materials Development Program. Quarterly progress report for period ending March 31, 1977, 2520 (ORNL--5309)
Metals and Ceramics Division annual progress report, October 1, 1978-June 30, 1979, 2585 (ORNL--5579)
PETIT, J., See TANGUY, P., 345, 383
PETRAS, D.S., See PAIK, N.C., 3033, 3215
PETREQUIN, P., See COLOMBE, G., 348
PETRIE, L.M., See HOFFMAN, T.J., 2593, 3736
PETROSKI, H.J., Computation of the weight function from a stress intensity factor, 72 (ANL--77-82)
Cracked hexagonal ducts, 4482
Effects of cracks in irradiation-embrittled hexagonal subassembly ducts, 3536
Elastic--plastic analysis of pressurized ducts with rounded corners, 4329
Fracture experiments with cracked and embrittled hexcan sections, 789 (CONF-790802--51)
Plane-strain stress intensity factors for cracked hexagonal subassembly ducts, 71 (ANL--77-77)
Stress intensity factors for corner-cracked subassembly ducts, 463 (CONF-761001--P3, pp 1409-1418)
Stress-intensity factors for irradiation-embrittled hexagonal subassembly ducts, 5087
See GLAZIK, J.L., 788
See GLAZIK, J.L. JR., 3193
PETROV, E., See BURIAN, J., 4913
PETROV, V.A., See SCHUTSCHKOV, I.I., 3401
See SHEINKMAN, A.G., 4203
PETROWICZ, N.E., See OMBRELLARO, P.A., 1611, 3182
PETTY, R.L., See KERRISK, J.F., 2275, 3536, 4850
See LATIMER, T.W., 2274
PEZZILLI, M., See MENEGHELLO, S., 515
PFANN, J., Progress in liquid metals heat transfer, 1895 (INIS-mf--4280, pp 163-166)
See MACEK, J., 1901
PFEFFERLEN, H.C., See MEYER, R.A., 1397
PFEIFER, A., See PROBST, A., 3925
PFLASTERER, G.R., Pre-irradiation concept description and cost assessment, 1295 (GEFR--00402(Vol.1))
Pre-irradiation concept description and cost assessment, 1296 (GEFR--00402(Vol.2))
Pre-irradiation concept description and cost assessment, 1297 (GEFR--00402(Vol.3))
PHELPS, J., See KENNEDY, E.J., 2621
PHILBIN, J.S., Large scale test technology, 2829 (SAND--77-1117C)
Subcriticality guidelines for liquid-metal fast breeder reactor spent fuel shipping cask designs, 3431
Subcriticality design considerations for LMFBR spent fuel shipping casks, 4488
PHILLIPS, J.R., Differences in the ^{103}Ru and ^{106}Ru axial distributions in (U,Pu)O$_2$ fuel pins, 4268
See BARNES, B.K., 3344, 4029
PHILPOTT, E.F., Effect of steam cycle conditions upon the economics and design of a sodium-cooled fast reactor, 4129
PHIPPS, R.D., Eddy-current examination of irradiated fuel elements at the Hot Fuel Examination Facility, 4865
PIANA, F., See GIORDANO, P., 4072
PICKARD, P.S., See PHILBIN, J.S., 2829
See WILLIAMS, D.C., 2887
PICKERING, S., See BRADBURY, M.H., 3389
See WALKER, C.T., 3294
PICKETT, A.G., See WYLIE, R.D., 2773

PIEL, D., See BOJARSKY, E., 491
See DECKERS, H., 4220
PIERANTONI, F., Review of fast reactor activities in Italy, April 1977, 2089 (INGFR--18, pp 45-50)
See CASTELLI, G., 4084
PIERCE, R.D., See BLOMQUIST, C.A., 5070, 541
See SMITH, J.L., 5109, 540
See YOUNGDAHL, C.A., 3613, 5101
PIERRE, C., See FERRARI, A., 3720
PIETZ, H.U., See MORYSON, H., 3907
PIFKO, A., See LEVY, A., 2617, 3820, 5120
PILATE, S., Use of zero power plutonium reactor measurements as a support of criticality prediction for the SNR-300, 3410
See BUCKEL, G., 4719
See MORELLE, J.M., 4137
PILCH, M., See ERDMAN, C.A., 2420, 2701
PINIZZOTTO, R.F. JR., Nickel and nitrogen ion irradiation induced void swelling and defect microstructures in Ni--Al, Ni--Cr and Ni--Ti solid solutions, 3374
PINNOCK, R.A., See DRISCOLL, M.J., 401
PIPER, H.B., Clinch River Breeder Reactor Plant Safety Study, 3685
CRBRP safety study: an assessment of risk, 633 (CONF-771203--, pp 773-774)
Overview of the CRBRP safety study, 991 (CRBRP-PS--01)
Safety study. The Clinch River Breeder Reactor Plant; 1999 (INIS-mf--4862)
See BUHL, A.R., 4669
See WOOD, P.J., 677
PISCHEL, G., Collecting tank with evaporation protection for a nuclear reactor, 3456
PITAK, O., Accident alarm in steam generators of sodium cooled fast reactor power plants. I. Testing the function of an ion pump pH-meter on simulated water penetration in liquid sodium, 4360
PITNER, A.L., B_4C absorber pin in-reactor rupture test, 1563 (HEDL-SA--1554-FP)
B_4C absorber pin in-reactor rupture test, 3567
See BASMAJIAN, J.A., 1457
See BIRNEY, K.R., 1456, 1564
PITTERLE, T.A., Review of FFTF and CRBRP control rod systems designs, 638 (CONF-771217--5)
Review of FFTF and CRBRP: control rod systems designs, 655 (CONF-780251--P2, pp 11.315-11.342)
PIZZICA, P.A., EPIC: a computer program for fuel-coolant interactions, 436 (CONF-761001--P3, pp 979-987)
Numerical model of reactor fuel and coolant motions following pin failure, 4336
See AERAMSON, P.B., 3737, 4047, 4785
See GARNER, P.L., 3996
PIZZO, P.P., Materials characterization: study of decarburization influence on mechanical properties of CRBR steam generator tubing, 1317 (GEFR-00432)
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255, pp 377-382)
See COPELAND, J.F., 2506
See VANDERGRAF, G.L., 1316
See WEILBEE, A.R., 1280
See SPALARIS, C.N., 1267
PLAGNARD, A., See ALLAIN, A., 5158
PLANCHON, H.P., Comparisons of DEMO calculations to FFTF pump and flow coastdown measurements, 2988 (WARD-NC--34000-1)
Loop heat capacity models and their effects for DEMO natural circulation transient analysis, 2987 (WARD-NC--3045-2)
PLATTS, J.E., Potential of advanced generation technologies for Northeast utilities system, 3325
PLAYFOOT, K.C., Improvements to level indicators for liquid metals, 5186
PLEIN, H.G., Debris bed and sacrificial materials interactions at high temperatures, 2864 (SAND--78-1249C)
Debris bed and sacrificial materials interactions at high temperatures, 3953
First in-core molten fuel pool experiment, 2827 (SAND--77-1096C)
First in-core molten fuel pool experiment, 4673
Sandia in-core molten fuel pool experiment preliminary results, 111 (ANL--78-10, pp 389-397)
Sandia in-core molten fuel pool experiment results, 2834 (SAND--77-1413C)
Summary of the first three in-core PAHR molten fuel pool experiments, 2876 (SAND--79-0081C)
See CARLSON, G.A., 2831, 2863, 4910
See NGUYEN, D.H., 4013
PLESSA, One aspect of the construction of superphenic; the on-site assembly of certain components of the nuclear boiler, 3908
PLESSA, A., Creys-Malville power plant (Super Phenix): the main options of the reactor building ventilation system, 3909
PLITZ, H., Detective rod and accident experiments, 2178 (KFK--2416, pp 50-59)
Failed fuel pin performance in fast metal-cooled reactors, 3847
GFEK experimental approach to carbide fuel element licensing, 4839
See REIL, K.O., 2387, 2850, 3639
PLOEGER, D.W., Energy source for modeling HCDA bubbles, 5059
PLOMP, A., See VAN DE VATE, J.F., 493
PLUCINSKI, C.E., See GOHEEN, M.W., 1451
PLUMLEE, D.E., Irradiation and post-irradiation examination data from selected FSE fuel pins, 1303 (GEFR-00407)
PLUMMER, J.L., See HAMESTER, H.L., 5441
POBERESKIN, M., Coprocessing: an evaluation of chemical reprocessing without plutonium separation, 3365
Coprocessing to ameliorate the proliferation and waste management problems, 4632
See TENNERY, V.J., 600
POHLUS, J., See KAETZMER, D., 3042
POINDEXTER, A., Maintenance device for liquid seals in nuclear reactors, 3765
POINDEXTER, A.M., Liquid-metal dip seal with pneumatic spring, 4523
Maintenance system for immersed seals, specifically for nuclear reactors, 4420
Plug-to-plug gas transfer system, 3761
Ultrasonic dip seal maintenance system, 3446
POKORNY, G.J., See TYLKA, J.P., 4752
POLAK, V., Results of research into nuclear power plant safety, 1894 (INIS-mf--4054, pp 182-192)
POLAKOVA, Z., See SUCHOMEL, J., 993
POLENTZ, L.M., Analysis of FFTF reactor cavity liners under ex-vessel PAHR conditions, 1672 (HEDL-TC--572(Rev.1))
POLIFKA, F., See SCHAEFER, L., 2206
POLLAK, R., See GIESE, B., 5048
POLLEY, M.V., Analysis of radioactive corrosion product transfer in sodium loop systems, 3496
POLLONO, L.P., Design considerations for CRBRP heat transport system piping operating at elevated temperatures, 784 (CONF-790615--16)
Pipe support, 3305
Pipe support for use in a nuclear system, 4377
Pipe support for use in a nuclear system, 5193
Supports for pipes, 4607
See MELLO, R.M., 783
POLOLANIK, L., See BAR, J., 4593
POLONCSIK, J., See GILLETTE, J.L., 49
See SMAARDYK, A., 83
POLYAKOV, V.I., See GRYAZEV, V.M., 2222, 2342, 4618
See IVANOV, V.B., 4584
See KIZIN, V.D., 2221, 2338, 3523, 3695, 5443
See SUBBOTIN, V.I., 3313
POMERANTSEV, G.E., See BAGDASAROV, YU.E., 3739, 4284
See BAKUMENKO, O.D., 3048, 4092
See YURCHENKO, D.S., 4060
POMERANTSEV, G.V., See BAKUMENKO, O.D., 4890
POMEROY, B.D., Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt.2))
PONCELET, C.G., See BUCHOLZ, J.A., 4330
PONCELET, J.P., Statistical mechanical analysis of LMFBR fuel cladding tubes, 5088
PONTIER, R., See CONTE, F., 4053
POOLE, M.J., See MCCANN, J.D., 4290
POPE, R.B., See ALLEN, G.C. JR., 2838, 4810
POPEK, R.J., See GILLIAM, D.M., 2371
POPLAVSKII, V.M., Experimental study of abnormal processes with small leaks of water into sodium in models of steam generators of reverse design, 713 (CONF-781001--P2, pp 12.1-12.18)
Influence of heat exchange between reaction products of the interaction of sodium with water and structural elements of the steam generator on the parameters of the large leak emergency mode, 714 (CONF-781001--P2, pp 13.1-13.26)
Problems of sodium/water steam generator safety and their solution in the USSR, 4078
See KOZLOV, F.A., 712
POPPER, G.F., Summary of test results from the testing of a Westinghouse Model WX-30950 compensated ionization chamber in the EBR-II NITF 0-1 Thimble at temperatures up to 370°C (Experiment NI-3), 197 (ANL-CT--77-38)
See YINGLING, G.E., 676
POPYRIN, L.S., Binary cycle with potassium and N_2O_4 vapors for NPP with a fast sodium reactor, 1904 (INIS-mf--4316, pp 43-47)
POROLLO, S.I., Effect of the BR-5 reactor operating conditions on the development of vacancy porosity in the 1Kh18N9T steel, 4407
POROWSKI, J.S., More efficient creep ratcheting bounds, 2619 (ORNL/Sub--7322/1)
See O'DONNELL, W.J., 3020
PORTEN, D.R., Interim report for the PINEX-2 transient test, 1852 (HEDL-TME--79-39)
PINEX-2 experiment: concept verification of an inherent shutdown mechanism for HCDA's, 1616 (HEDL-SA--1737-FP)
See PADILLA, A. JR., 1590, 2242
PORTUGAL, J.L., See GARNER, P.L., 3996
See YOUNG, M.F., 2870
POSEY, L.D., See CHOATE, L.M., 2441, 2843
POSTMA, A.K., Nucleation and capture of condensible airborne contaminants in an aqueous scrubbing system, 1825 (HEDL-TME--78-82)
See HILLIARD, R.K., 1605, 1849
See MCCORMACK, J.D., 1497, 1599, 1606, 94
See MOREWITZ, H.A., 1591, 3076
POSTMA, K.A., See HILLIARD, R.K., 686
POTTER, P.E., See BESMANN, T.M., 3568
POUDEROUX, P., Auxiliary cooling device for the primary fluid heat exchanger of a nuclear reactor, 3260
POUNDER, F., See PHILPOTT, E.F., 4129
POVOLOTSKII, O.B., See GRINMAN, M.I., 5448
POWELL, R.W., See BRYNDA, W.J., 303
POWERS, D.A., Influence of gas generation on high-temperature melt/concrete interactions, 2862 (SAND--78-0939C)
Survey of melt interactions with core retention material, 2888 (SAND--79-1685C)
Sustained molten steel/concrete interactions tests, 115 (ANL--78-10, pp 433-440)
Sustained molten steel/concrete interactions tests: a preliminary

report on the feasibility of experimental techniques, 2389 (NUREG/CR--0166)
See CHU, T.Y., 2882
POWERS, M.G., Inspection techniques and processes for controlling FFTF fuel quality, 1576 (HEDL-SA--1593-FP)
Inspection techniques and processes for controlling FFTF fuel quality, 3571
POZNYAK, G.I., Determination of cesium content in the BOR-60 primary cooling circuit, 4357
See KIZIN, V.D., 2221, 2338, 3523
PRAEHAKAR, R., See SANGODKAR, D.B., 5129
PRAEL, R.E., See GELBARD, E.M., 3545
PRATHER, W., See THEOFANOUS, T.G., 475
PRATT, W.T., Containment response to postulated ex-vessel core meltdown accidents in the fast flux test facility, 322 (BNL-NUREG--25522)
See BARI, R.A., 2406, 309, 3109, 321, 3627
See GASSER, R.D., 3053, 307, 3620
See HEFKINS, K.R., 328
See PYUN, J.J., 106
PREININGER, D., Creep behaviour of SNR cladding tube material under the temperature transients relevant to cooling disturbances, 3891
PRESSESKY, A.J., See GARLAND, D.L., 1538
PREUSS, H.J., See BITTERMANN, D., 4292
PREUSSER, T., See FABIAN, H., 2203
PREVENSLIK, T.V., See TODD, M.A., 2971
PRICE, C.C., Application of the pulsed-neutron activation technique for flow measurement at EBR-II, 61 (ANL--77-52)
Improved design for an active calorimeter, 4703
See FRYER, R.M., 140
See KEHLER, P., 190
PRICE, J., See HINDS, W., 688, 932
PRICHARD, A.W., See ROBINSON, A.H., 2774
PRIDOEHL, E., See FUGE, R., 4575, 4578
PRIEMER, R., See FRANCE, D.M., 198, 220, 225, 3237
PRIEUX, P., See BERGE, P., 4261
PRIJ, J., See VAN WITZENBURG, W., 4436
PRIMAK, W., Radiation behavior of vitreous silica, 3843
PRITCHARD, A.M., Corrosion behaviour of iron-chromium alloys used as boiler tube materials in fast reactor steam generators, 4184
PRIVALOVA, P.A., See POZNYAK, G.I., 4357
PROBERT, K.S., See BLEWDEN, H.J., 2048
PROBST, A., Licensing procedure for fast breeders. Question raised in the Bundestag, 3925
PROKHOROV, V.I., See AGAPOVA, N.P., 4964
See CSTROVSKII, Z.E., 2002
PROKOP'EV, V.M., See GABESKIRIYA, V.YA., 4466
See PROKOPENKO, V.S., 3463
PROKOPENKO, V.S., ^{235}U, ^{238}U, and ^{239}Pu $\bar{\alpha}$ value measurements in the BOR-60 reactor core, 3463
See GABESKIRIYA, V.YA., 4466
PROOST, J., Annual scientific report 1977, 298 (ELG--524)
See BILLIAU, R., 296, 297
PROSHKIN, A.A., Analysis of the effect of emergency operating regimes of a fast power reactor on the fuel performance, 3498
Some problems of operation behaviour of hexagonal boxes for fuel elements of fast power reactors, 2223 (KFK-tr--578)
PROTSENKO, A.N., See KARPOV, V.A., 1859
PROTSIK, R., Cooperative nuclear data and methods development. Thirteenth quarterly report, April-June, 1978, 1390 (GEFR--14074-13)
PROUDFOOT, E.A., See HUBBARD, S.K., 1540
See JACKSON, C.N. JR., 1544
PRUSAKOV, V.N., See KIKOIN, I.K., 1681
PUGH, C.E., Establishing constitutive equations for use in design of high-temperature fast-reactor structures, 3385
Material properties requirements for LMFBR structural design: general considerations and data needs, 605 (CONF-771052--1)
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 5104
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 535 (CONF-770807--27)
See CORUM, J.M., 2497, 2507, 2569, 2581
See ELLIS, J.R., 5103
PUGH, D., Fast reactor fuel reprocessing in the United Kingdom, 1870 (IAEA-AG--63-4)
PUGH, S.F., Ferritic steels for fast reactor steam generators, 4030
Ferritic steels for fast reactor steam generators, 4031
See LITTLE, E.A., 3751
PUGNET, L., See GAMA, J.M., 4294
PUGNOT, L., See GAMA, J.M., 4338
PUNCHES, J.R., See DUBBERLEY, A.E., 5076
PURDY, C.M., See MORABITO, J.J., 4813
See PUGH, C.E., 605
PUROHIT, G.P., Vapor film collapse during subcooled film boiling and its application to molten metal coolant interactions, 4634
PUYAL, C., See BRILLON, A., 4195
PYUN, J.J., Ex-vessel containment response to a core meltdown, 106 (ANL--78-10, pp 327-334)

Q

QUAN, V., See AGRAWAL, A.K., 4337
QUANDT, U., See KRINNINGER, H., 3354
QUEENER, D.S., Reports distributed under the NRC Reactor Safety Research Foreign Technical Exchange Program. Volume VI, July--December 1978, 2426 (NUREG/CR--0692)
Reports distributed under the NRC Reactor safety research foreign technical exchange program. Vol. VII (January-June 1979), 2463 (NUREG/CR--1101)
QUENEE, R., See GRISOLLET, J., 2303
QUIGLEY, M.S., Investigation of combined free and forced convection in a 2 x 6 rod bundle, 336 (ENWL--2216)
QUINBY, T.C., See ADAIR, H.L., 604
QUINET, J.-L., See LIONS, N., 4212
QUINET, J.L., LMFBR steam generators: behavior of heat exchange tubes faced with a through crack resulting in contact between sodium and water, 3069
QUINN, D.J., See EPSTEIN, M., 482
See HENRY, R.E., 474, 4745, 478
QUINTANA, J.N., See BARNES, B.K., 3344
QUINTON, See ACKET, 358

R

RAAS, J.L., See LIEVENSE, K., 4121
RABBE, P., See WEISZ, M., 4397, 4413
RABE, G.B., Fast Flux Test Facility primary sodium valves, 1501 (HEDL-SA--1388)
RABER, J.R., See CADY, K.B., 1105, 4775
RABER, J.R. KHATIB-RAHBAR, M., See CADY, K.B., 4775
RAES, K.H., See BENKERT, J., 3892, 5010
RAFER, A., See AHMED, H., 263, 264
See PAN, Y., 265
RAGAN, G.L, System for nondestructive assay of spent fuel subassemblies: comparison of calculations and measurements, 842 (CONF-791117--3)
See MIHALCZO, J.T., 3735
RAGHAVAN, K., Power supply for control and instrumentation in Fast Breeder Test Reactor, 5128
RAGLAND, W.A., See MILES, K.J., 5108
RAHMAN, O.A., See HUNJAN, A.S., 5115
RAHN, A., See KRAMER, W., 4144
RAIFORD, G.B., See GREENE, N.M., 2573, 2574
RAJENDRAN, N., See SHAW, D.T., 3239
See WEGRZYN, J., 4665
RAKE, R.R., See CHULOS, L.E., 1809
RAKHIMOV, V.V., Device for fast reactor charging, 5456
RALPH, J.C., Studies of waterside corrosion and heat transfer on lmfbr evaporator tubes, 4167
RAMAN, S., See WILLIAMS, M.L., 3931
RAMM, H., Combined forced and free laminar convection in verticale rod bundles with longitudinal flow, 4629
Prediction of local and integral turbulent transport properties for liquid-metal heat transfer in equilateral triangular rod arrays, 5414
RANATZA, S., *Clinch River Breeder* Reactor Plant. MAXPRES-2: computer code verification, 968 (CRBRP-ARD--0175)
RANCUREL, M., See CALAMAND, D., 4898
RANDKLEV, E.H., Fission gas behavior in mixed-oxide fuel during overpower and thermal transient tests, 1443 (HEDL-S/A--1552-FP)
Fission gas behavior in mixed-oxide fuel during transient overpower, 1620 (HEDL-SA--1747-FD)
Radial distribution of retained fission gas in irradiated mixed-oxide fuel, 3576
See BARD, F.E., 1842
See FOX, G.L., 1584, 2240
See GRUBER, E.E., 1609
See PADILLA, A. JR., 1590, 2242
See PORTEN, D.R., 1852
RAO, S.P., See REFLING, J.G., 4531
RAPTIS, A.C., Signal analysis method using cross-correlation of turbulence flow signals to determine calibration of permanent magnet sodium flowmeters, 603 (CONF-771023--23)
RARIDON, D., See SPENCER, B.W., 3998, 4749
RASKE, D.T., Cyclic-deformation resistance of weld-deposited Type 16-8-2 stainless steel at 593°C, 67 (ANL--77-72)
Effects of notches on elevated-temperature, low-cycle fatigue behavior of Type 204 stainless steel, 748 (CONF-781202--25)
Fatigue crack propagation in types 304 and 308 stainless steel at elevated temperatures, 4504
Low-cycle fatigue of Type 16-8-2 stainless steel ASA weld metal, 2482 (ORNL--5255, pp 11-28)
Low-cycle fatigue and cyclic-deformation behavior of SMA type 308 (CRE) stainless steel weld metal at 571°C, 2539 (ORNL--5349, pp 31-43)
RASMUSON, D.M., COMCAN II: a computer program for common cause failure analysis, 2941 (TREE--1289)
COMCAN II-A: a computer program for automated common cause failure analysis, 2943 (TREE--1361)
Design optimization of a prototype large breeder reactor safety system, 815 (CONF-790816--28)
Optimization and common cause analysis of a prototype large breeder reactor safety system, 807 (CONF-790816--2)
User's guide for the Reliability Analysis System (RAS), 2939 (TREE--1168)
See BURDICK, G.R., 5020
See GRIFFITH, J.M., 1888
RASMUSSEN, D.E., Alternative oxide fuel pellet fabrication for irradiation testing, 1578 (HEDL-SA--1604-FP)
Fabrication of ThO_2, UO_2, and PuO_2-UO_2 pellets, 1504 (HEDL-SA--1399-FP)
Fabrication of 0.5-inch diameter FBR mixed oxide fuel pellets, 1650 (HEDL-SA--1895-FP)
Microstructure characterizaton of advanced oxide fuel, 1454 (HEDL-SA--1171-FP)
Oxygen-to-metal ratio control during fabrication of mixed oxide fast breeder reactor fuel pellets, 3207
See GRAHAM, R.A., 5018
RASSOKHIN, N.G., See KARETNIKOV, G.B., 3416
RATAJ, J., See BURIAN, J., 1898, 4913
RATHBUN, J.L., See BUNCH, W.L., 1585
RATHBUN, R.W., See LAKE, J.A., 855
See PAIK, N.C., 3033, 3215
RATZEL, W., See BERKENKAMP, H., 3901
See KOHLER, M., 4119
RAU, P., See BITTERMANN, D., 4292
RAUCH, T., See REGIMBAL, J.J., 1276
RAUE, D., See RENNER, T.A., 4483

RAUE, D.J., See MCPHEETERS, C.C., 1029, 1030
See BENNER, T.A., 3273
See SKLADZIEN, S.B., 120
RAUSCH, W.N., AN854: a computer subroutine for predicting fission gas release, 2469 (NUREG/CR--1213)
RAUSCHERT, G., See LAKRA, R.J., 3452
RAVIER, J., Analysis of the performances of the assemblies and of the core of PHENIX, 3524 (BNWL-tr--334)
Research and development activities concerning the Super-Phenix core, 3861
See ESTAVOYER, M., 4111
RAWLINS, J.A., Calculation of passive sensor perturbations in FFTF, 1769 (HEDL-TME--77-59)
See BENNETT, R.A., 1612
See SCHMITTROTH, F., 1856
RAY, I.L.F., See RONCHI, C., 3560, 3700
RAY, W.E., Sodium Technology Program: friction, wear, and self-welding. Quarterly progress report for period ending January 31, 1977, 2580 (WARD-NA--3045-42)
Sodium Technology Program: friction, wear, and self-welding. Quarterly progress report for period ending July 31, 1977, 2582 (WARD-NA--3045-49)
See BISHOP, E.C., 2513
RECOLIN, M., See AUBERT, M., 4095
REDCHENKO, M.I., See KRUGLOV, A.S., 4521, 4522
REDDING, A.H., Nuclear reactor core cooling arrangement, 3758
See COHEN, P., 3705
REDDY, C.P., Analysis of the breeding capability of various fast reactor fuels, 2776 (RRC--16)
REED, C.K., Report of the Ad Hoc Panel on the use of accelerators to study irradiation effects, 2690 (PE--263917)
REED, J.H., Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report, 1 (AD-A--047410)
See SMIDT, F.A., 4949
REED, L.D., See GIESEKE, J.A., 2383, 2423, 295, 300, 301, 4662
See LEE, K.W., 2417
REED, R.W., See MOORHEAD, A.J., 2580
REED, W.A. III, See BERKEY, E., 4471
REED, W.E., Corrosion of stainless steel. Volume 2. 1977-March, 1979 (a bibliography with abstracts). Report for 1977-March 1979, 2356 (NTIS/PS--79/0208)
REED, W.H., See BERKEY, E., 5432
REES, N.J.M., See BEUTEL, H., 4390
REFLING, J.G., Nonequilibrium evaporation and condensation in liquid-metal fast breeder reactor fuel expansion, 4531
REGIMBAL, J.J., Interim evaluation of data from sodium-water reaction tests SWR-3, SWR-4, and SWR-5 and comparison with transwrap analyses. Series I: large-leak test program, 1276 (GEFR--00366)
LLTR Series I test request. Revision 4. GE specification No. 22A3924, Rev. 4, 2907 (TID--27817)
See AMOS, J.C., 1226
See MEYER, R.A., 987
See NEELY, H.H., 3571
See SANE, J.O., 1414
REGIS, J.P., See STANFORD, G.S., 4725
REGNAUD, F., See LEFORT, G., 5302
REGNIER, J., See COLOMB, J., 5192, 5354, 5356
See DUVERGER DE CUY, G., 5387
REHME, K., Experimental investigation of the turbulent flow through a wall subchannel of a rod bundle, 3556 (DOE-tr--176)
See WILD, E., 2163
REICH, M., Compilation of references, data sources and analysis methods for LMFBR primary piping system components, 3442
REICHEL, H., See BIERMANN, W., 4902
REID, R.L., Economic evaluation of tokamak power plants, 4181
REIFSNIDER, K.L., See SUBBARAMAN, G., 4993
REIHMAN, T.C., Coolant mixing in a 217-pin wire-wrapped FFTF fuel assembly, 3037 (WHAN-IR--33)
REIL, K.C., Effective equation-of-state measurements on uranium dioxide, 2825 (SAND--77-1094C)
Effective equation-of-state measurements on uranium dioxide, 4800
Prompt burst energetics experiments: uranium carbide series. Preliminary results, 2387 (NUREG/CR--0137)
Prompt burst energetics experiments: fresh oxide/sodium series, 2401 (NUREG/CR--0367)
Prompt burst energetics experiments uranium carbide series, 2850 (SAND--78-0232C)
Prompt Burst Energetics in the oxide/sodium system, 2875 (SAND--79-0079C)
Prompt burst energetics (PBE) studies, 2884 (SAND--79-0740C)
Prompt burst energetics experiments: uranium carbide series, 3639
See JACOBS, H., 2881
REIMANN, K.J., See KUPPERMAN, D.S., 137
See LONGUA, K.J., 59
REIMANN, M., See ALSMEYER, H., 4992
REIMCHE, W., See BENKERT, J., 3892
REISER, H., See BEUTEL, H., 2717, 2721, 2728
See BOJARSKY, E., 491
See DECKERS, H., 4220
REMPERT, R.H., See KOENIG, J.F., 4726
See MENEGHETTI, D., 833
RENARD, A., Comparative study of heterogeneous and homogeneous liquid-metal fast breeder reactor cores in some accident conditions, 3066
Safety problems related to microheterogeneities in physically mixed oxide fuels, 380 (CONF-761001--3, pp 1047-1056)
See MORELLE, J.M., 4137
See ROYL, P., 3912
RENDERS, A.H.I., See LIEVENSE, K., 4121
RENGELING, H.W., Actual controlling of standards concerning the 'fast breeder reactor'. Remarks on the decision of the OVG Muenster to present a case to the Federal Constitutional Court, 3753
Open road to control of constitutionality of section 7 of the Atomic Energy Act. Comments on the interim notice of the Federal Constitutional Court in the matter of the 'fast breeder' at Kalkar, 3698
Reservations concerning and precision of the Atomic Energy Act. The constitutionality of the fast breeder of Kalkar, 3422
RENGER, L., See NEELY, H.H., 659
RENIER, J.P., Concept evaluation of nuclear fusion driven symbiotic energy systems, 844 (CONF-751204--34)
RENKEN, J.H., See WRIGHT, S.A., 2816
RENNER, T.A., Computer model for tritium transport in and release from the CRBRP and other LMFBRs, 4666
Tritium and hydrogen transport in LMFBR systems: EBR-II, CRBR, and FFTF, 131 (ANL--78-64)
Tritium permeation through Fe-2 1/4 Cr-1 Mo steam generator material, 3272
Tritium permeation through steam generator materials, 4483
See MCGUIRE, J.C., 3393
See SKLADZIEN, S.B., 120
RETELS, J., See DELERASSINE, A., 1908
RETS, T., See KOZLOV, F.A., 5420
REUILLON, M., Study of sodium combustion and fire extinction by pulverized substances. Role of additives, 1219 (FRNC-TH--709)
REUTOV, V.F., Circumferential nonuniformity of cladding radiation swelling of fast reactor peripheral fuel elements, 4465
REXROTH, P.E., Measurement and analysis of drag in multiphase flow systems, 2278 (LA-UR--79-811)
SIMMER analysis of SRI high pressure bubble expansion experiments, 2262 (LA--7938-C, pp 308-319)
SIMMER analysis of SRI high pressure bubble expansion experiments, 2277 (LA-UR--79-770)
Two-phase momentum exchange experiment and analysis, 3613
REYES, L.A., See FRYER, R.M., 3680, 50
REYNAUD, See ACKET, 358
REYNEN, J., See BERNARD, J., 5033
REYNOLDS, A.B., See ERDMAN, C.A., 2375, 2420, 2701
See GARNER, P.L., 2691
See KENNEDY, M.F., 2364
See REFLING, J.G., 4531
REYNOLDS, B.G., See GELBARD, E.M., 3945
REYNOLDS, J.A., Fuel-coolant interactions. Some basic studies at the UKAEA Culham Laboratory, 2709 (PNC-N--251-76-12(Vol.1), pp 97-127)
REYNOLDS, R.G., Development of sodium-water reaction pressure release rupture discs for the Clinch River Breeder Reactor Plant, 1275 (GEFR--00361)
LLTR Series I: analysis in support of SWRPRS design and SWP cleanup and recovery, 1227 (GEFR--00037(L))
See ANAND, R.K., 2318, 523
REYNOLDS, S.D., See DUKE, J.M., 4644
REZAC, J., See PARYZEK, R., 1899
REZINKIN, P.S., See VASILENKO, K.T., 2130
RHOADES, E.A., See FINK, C.L., 732
RHEE, S.J., Natural convection heat transfer in beds of inductively heated particles. Topical report, 2700 (PB--287481)
RHEE, S.J. DHIR, V.K., Natural convection heat transfer in beds of inductively heated particles, 2403 (NUREG/CR--0408)
RHOADES, W.A., Effectiveness of three rebalance methods in deep penetration problems, 840 (CONF-751103--105)
RHODES, C.J., See MUNNO, F.J., 4788
RHODES, E., See PERSON, L.W., 3570
RHODES, E.A., See DEVOLPI, A., 3646
RHUDE, H.V., See DEVOLPI, A., 3646
RIBANDO, R.J., Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop (THORS bundle 6A), 2677 (ORNL/TM--6778)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop, 756 (CONF-790239--1)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop, 804 (CONF-790808--13)
LONAC: a computer program to investigate systems dynamics under conditions of low forced flow and natural convection, 2645 (ORNL/TM--6228)
Sodium boiling in a full-length 19-pin simulated fuel assembly (THORS Bundle 6A), 2664 (ORNL/TM--6553)
See WANTLAND, J.L., 819
RICANY, J., See KORINEK, J., 992
RICCI, F., See CENNI, R., 3774
RICE, L.H., See CLAUDSON, T.T., 1554
RICE, R.E., See MONSON, L.R., 4734, 674
See SACKETT, J.I., 4735
RICHARDS, D.J.W., Heat exchanger vibration, 2107 (IWGFR--21, pp 111-114)
RICHARDS, R.B., Program to establish LMFBR commercialization, 4367
See BECKJORD, E.S., 4099
RICHARDSON, G.L., See SMITH, R.C., 1753
RICHARDSON, M., See CLINARD, J.A., 2685
See GWALTNEY, R.C., 2644
RICHMAN, R.B., See LEGORE, T., 4809, 4876
RICHMOND, R., See SETH, S., 1199
RICKER, C.W., See RAGAN, G.L, 842
RICKS, H., See POINDEXTER, A., 3765
RICKS, H.E., See POINDEXTER, A.M., 3446, 4420
RICO, L.G., See MOODY, E., 5082
RIEHM, P.F., See DENISE, R.P., 3657
RIESENHUBER, H., See PROBST, A., 3925
RIETHMUELLER, R., Experimental investigation of the formation of critical boiling nuclei in superheated sodium, 4388
RIGHINI, R., See AMESZ, J., 5127
RIGNEY, R.A., PMS: What are you getting for your money., 1583 (HEDL-SA--1630)

RILEY, D.R., Role of the CRBRP in meeting the nation's energy requirements, 4639
RINALDIS, D., See BRUNA, G., 3152
RINEISKII, A.A., Ways of solving some engineering problems in arrangement of integral and loop type fast reactors, 1217 (FEI--739)
See GRINMAN, M.I., 5448
RINEJSKII, A.A., Effect of the fast breeder concept on the reactor main characteristics and steam generation parameters, 1213 (FEI--607)
RINEYSKIY, A.A., Parameter optimization of AES with a large fast reactor, 5418
RING, P., See SPALARIS, C.N., 4150
RING, P.J., See HARTLE, R.T., 1263, 1311
See MCSHERRY, A.J., 1298
See MITCHELL, M.D., 1292
See OFFER, H.P., 1271, 1281, 1282, 1304
See SPALARIS, C.N., 1267, 1411
See WILSON, W.L., 698
RINGQUIST, J.M., See MORIARTY, K.J., 263
RINGQUIST, R.M., See DOE, C.E., 254
RINIEISKII, A.A., See ILIUNIN, V.G., 3556
RIOS, M., See WILLIAMS, D.C., 2887
RIPPON, S., France sets standard for fast reactor projects, 3236
RITTENBERGER, R.V., See LAKE, J.A., 855
RITTER, W.M., See WARRICK, R.P., 1668
RITZMAN, R.L., See UNIONE, A.J., 414
RIVARD, J.B., Cooling of particulate debris beds: analysis of the initial D-series experiments, 2868 (SAND--78-1754C)
Debris bed studies and experiments at Sandia Laboratories, 2395 (NUREG/CR--0263)
First in-reactor experiment with simulated LMFBR debris bed, 4670
In-reactor experiments with simulated LMFBR debris beds, 2836 (SAND--77-1443C)
In-reactor experiments on the cooling of fast reactor debris, 2860 (SAND--78-0437C)
In-reactor experiments on the cooling of fast reactor debris, 3077
Interpretation of debris bed dryout observed during the D-3 experiment, 2865 (SAND--78-1251C)
Interpretation of debris bed dryout observed during the D-3 experiment, 3954
Post-accident conditions: I. Fast reactor debris bed experiments. II. Molten core penetration measurements, 2863 (SAND--78-1223C)
Postaccident heat removal: debris-bed experiments D-2 and D-3, 2404 (NUREG/CR--0421)
Preliminary results from initial in-pile debris bed experiments, 2846 (SAND--77-1828C)
Preliminary results from initial in-pile debris bed experiments, 85 (ANL--78-10, pp 49-60)
See LIPINSKI, R.J., 2878
ROAKE, W.E., Breeder reactor reference control materials. Semiannual report, January--June 1977, 1768 (HEDL-TME--77-58)
Breeder reactor reference control materials. Semiannual report, July--December 1977, 1797 (HEDL-TME--77-105)
Breeder reactor reference control materials. Semiannual status newsletter, January--June 1978, 1822 (HEDL-TME--78-69)
Breeder reactor reference control materials. Semiannual status newsletter, June--December 1978, 1838 (HEDL-TME--78-115)
LMFBR reference control materials. Semiannual report, July--December 1976, 1754 (HEDL-TME--77-33)
ROBERT, See CASINI, 5285
ROBERT, E., Creys-Malville power station, 3882
Main safety features of the Super-Phenix project, 391 (CONF-761001--P1, pp 164-179)
See ROZENHOLC, M., 3245
ROBERTS, B., See BODINE, G.C., 4158
See BODINE, G.C. JR., 525
ROBERTS, J.H., See GOLD, R., 1827
See MCELROY, W.N., 1866
ROBERTS, J.M., Evaluation of strain cycling effects in the DNB zone of a sodium-heated steam generator, 983 (CRBRP-GEFR-SP--036)
See CHU, C.L., 5074
See MAGEE, P.M., 2332
See MEYER, R.A., 1397
ROBERTS, R.A., See HOTCHKISS, R.C., 4117
ROBERTS, Y.Y., See MACHBITZ, M., 2595, 3981
ROBICHAUD, G.G., Core design: fuel management as a balance between in-core efficiency and economics, 3713
ROBIN, M., Exchanger pump unit for nuclear reactors, 4596
Improvement to the secondary circuits of a nuclear reactor, 5346
Secondary heat transfer circuits for nuclear reactor plant, 4293
ROBIN, M.C., Careful attention to detail was necessary in developing the SuperPhenix steam generators, 4538
Design, construction, and operating experience of secondary sodium circuits of fast reactors, 4074
Design philosophy and functional requirements of a sodium heated steam generator made of ferritic steel, 4149
See DUCHATELLE, L., 5298
See GINIER, R., 4223
ROBINSON, A.H., Burning actinides in very hard spectrum reactors, 2774 (RLO--2227/T32-2)
Studies of actinide waste burnup and use in fast spectra. Quarterly report, January 1--March 31 1978, 2775 (RLO--2227/T32-6)
ROBINSON, C., Collection and transmission of milli-volt-level data on a liquid-metal fast-breeder reactor, 4237
ROBINSON, D.N., Nonlinear plasticity model for structural alloys at elevated temperature, 2668 (ORNL/TM--6582)
Unified creep-plasticity model for structural metals at high temperature, 2630 (ORNL/TM--5969)
See ELLIS, J.R., 5103
See PUGH, C.E., 5104, 535
ROBINSON, D.P., Water modelling studies of the hydrodynamic characteristics of impermeable blockages in an 11-pin geometry, 6 (AEEW-M--1471)
Water modelling studies of blockage with discrete permeabilities in an 11 pin geometry, 7 (AEEW-M--1484)
ROBINSON, G.C., See CALLAHAN, J.P., 3811
See OLAND, C.B., 2646
ROBINSON, L.E., See PAGE, R.J., 149, 3098
ROBINSON, R.A., See BASHAM, S.J. JR., 3381
ROBINSON, W.R., See BHATTACHARYYA, S.K., 3976
ROBLES, M.N., See SIMPSON, J.L., 1326
ROCCA, U.V., See CALZA-BINI, A., 4827
ROCHE, R., See ALIX, M., 359
See JEANPIERRE, F., 2065
ROCHE, R.L., Inelastic piping flexibility analysis. A beam type method, 2067 (IWGFR--11, pp 70-74)
See CANTON, E., 5110
ROCHE, T.K., Inconel alloy 718 mechanical and physical property program, 2490 (ORNL--5255, pp 97-100)
Status of technology of Alloy 718 for nuclear applications. Minutes of meeting, October 30, 1975, 1025 (DOE/TIC--10240)
See EDMONDS, D.P., 2521
ROCHELLE, J.M., See KELLY, M.J., 2604
See WRIGHT, A.L., 2464
ROCHELLE, R., See KENNEDY, E.J., 2621
RODABAUGH, E.C., Evaluations of the piping system inelastic analysis computer program PIRAX2, 24 (AI-DOE--13216)
Use of stress indices for piping under ASME Code Case N-47, 1146 (ESG-DOE--13257)
RODCHENKOV, B.S., Piping for nuclear power reactors. Review, 5446
RODET, See CASINI, 5285
RODET, E., See PLESSA, A., 3909
See ROBERT, E., 3882
RODGERS, D.N., Corrosion testing under departure from nucleate boiling conditions modeling the Clinch River Breeder Reactor Plant steam generator, 4368
Some aspects of corrosion of 2 1/4 Cr--1 Mo evaporators by prototypic CRBRP water chemistry, 1231 (GEFR--00061(L))
See ROY, P., 3519
See STEPHENS, P.B., 979
RODGERS, F.C., See MCELROY, J.L., 980
RODWELL, E., See KRUGER, G.B., 379
ROE, K.A., How the architect-engineer manages design objectives and restraints for optimizing sodium cooled reactors, 4130
ROE, K.K., See ROE, K.A., 4130
See ROECKER, J.H., 2917
ROECKER, J.H., Primary heat transport system and reactor containment building: layout selection study. Prototype large breeder reactor. Phase II, 2917 (TID--28256)
ROEHRS, H., See JANSING, W., 4429
ROEMER, M., See NEUMANN, E., 2049
ROGER, J.W., See DE LEEUW-GIERTS, G., 1188
ROGERS, G.J., See DOMAN, D.R., 1571, 4023
ROGERS, J.W., See GILLIAM, D.M., 2371
ROHRBACHER, H.A., See JACOBI, S., 4209
ROHSENOW, W., See SHIRALKER, G., 3738
ROHSENOW, W.M., See CHIB, C., 875
See CHIU, C., 3579, 3955, 3956, 873, 874, 885, 886, 887, 888
See CORRADINI, M., 4006
See CORRADINI, M.L., 3201
ROIDT, R.M., See PATCH, L., 845
ROKO, K., Dryout characteristics at low mass velocities in a vertical straight tube of a steam generator, 4166
Study of the vertical straight tube type steam generator for LMFBR, 1. Test rig of a sodium-heated steam generator and experimental results of dryout, 3550
ROLLINS, C.T., Strasscoat test of 6-inch pipe clamp in TTF: article B, 1180 (ETEC-TDR--79-7)
Strasscoat test of 6-inch pipe clamp in TTF, 2300 (LMEC-TDR--78-5)
ROMAGNOLI, M., See CENNI, R., 3774
ROMANDER, C.M., Experiments on the response of hexagonal subassembly ducts to internal pressure pulses, 5089
Potential hazard to secondary containment from HCDA-generated missiles and sodium fires, 2778 (SAN--0115-097-T1)
Response of water-filled pipes to pressure pulses, 5035
Structural response of 1/20-scale models of the Clinch River Breeder Reactor to a simulated hypothetical core disruptive accident. Technical report 4, 1016 (DOE/TIC--10063)
Structural response of 1/20 scale models of above core structures to increasingly energetic hypothetical core disruptive accidents. Technical report 7, 2782 (SAN--0115-T8)
See ASH, J.E., 461
See CAGLIOSTRO, D.J., 267, 5106
See TOBIN, R.J., 2779, 2780
ROMANO, A.J., Advanced Reactor Safety Research Division. Quarterly progress report, January 1--March 31, 1979, 2444 (NUREG/CR--0820)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
RONCHI, C., Swelling analysis of highly-rated MX-type LMFBR fuels. II. Microscopic swelling behavior, 3560
Swelling analysis of highly-rated MX-type LMFBR fuels. II. Microscopic swelling behaviour, 3700
See MATZKE, H., 4866
ROP, D.J., Role of the breeder reactor in our energy future, 625 (CONF-771203--, pp 121-122)

ROSA, J.R., Postirradiation examination results from experiment F11A (EBR-II subassemblies X141 and X141A), 1293 (GEFR--00399)
Results from experiment F11A after incurring cladding breach in EBR-II, 3573
ROSE, D., Applicability of SAREF to alternative fuels, 3643
Safety issues for advanced-fueled LMFBRs, 437 (CONF-761001--P3, pp 1027-1036)
U.S. advanced fuels safety program, 4837
See AVERY, R., 396
See GROLMES, M.A., 415
ROSE, S.D., See DEARING, J.F., 813, 821
ROSENSTOCCH, E., See WILLIAMS, D.C., 2845
ROSS, F.A., See MORABITO, J.J., 4126
ROSS, W.J., Babcock and Wilcox plutonium fuel fabrication experience, 4999
ROSSOUW, P.A., Development of accurate data for the design of fast reactors, 2705 (PEL--250)
ROTH, R.L., See EPSTEIN, M., 482
See HENRY, R.E., 478
See SPENCER, B.W., 4000
ROTH, T., See LIU, Y.Y., 628
ROTH, T.S., Application of LIFE transient codes to experiment and core design, 2998 (WARD-DX--3045-35)
ROTHFUSS, H., Reactor rotating shield with convection barrier for metal vapours, 4526
See JANSING, W., 4429
See KEINTZEL, G., 3776
ROTHMAN, A.E., Results of recent TOF and LOF experiments in TREAT, 470 (CONF-761001--P4, pp 1625-1646)
See DICKERMAN, C.E., 150, 4978
See KOOPMAN, R.N., 3635
See PAGE, R.J., 3058, 3634
See PALM, R.G., 126, 4743
See SIMMS, R., 116, 78
See TYLKA, J.P., 4752
ROTHROCK, R.A., Potential for plugged core pressurization following a hypothetical accident in an LMFBR, 3128
ROTHROCK, R.E., Calculation of resonant reaction rates near region interfaces in the FFTF, 1522 (HEDL-SA--1449)
Calculation of resonant reaction rates near region interfaces in the FTR, 3681
See BENNETT, R.A., 1612
See OMERELLARO, P.A., 1503
ROTOLONI, P.L., See CALZA-BINI, A., 4827
ROUBY, M., See COZAR, R., 4399, 4410
ROUMAILHAC, J., See BARNEOUD, R.E., 5404
See CHABASSIER, R., 5067
ROUMAILHAC, J.F., See CHABASSIER, R.P., 5072
See CONTE, F., 4107
ROUSSEAU, J., See DELPEYROUX, P., 4108
ROUSSIN, R.W., Experience in developing and using the VITAMIN-C 171-neutron, 36-gamma-ray group cross-section library, 2613 (ORNL/RSIC--41, pp 107-119)
See BARHEN, J., 835
See WEISBIN, C.R., 2577
ROVNER, L.H., Fusion materials, 4452
ROWAN, W.J., LMFBR hardware and commercial standards, 5436
ROWCLIFFE, A.F., Alloys for a liquid metal fast breeder reactor, 3091
Charged particle irradiations in the United States Breeder Reactor Program, 785 (CONF-790731--1)
Clad/duct materials development. Technical status report for June 1978, 2550 (ORNL/BRP/CD--78/6)
See BLEIBERG, M.L., 5367
ROWE, G.H., Structural analysis of experimental carbide fueled driver assmbly flow duct for testing in the FFTF, 5090
ROWLAND, D.M., See BARTINE, D.E., 665
See BURNS, T.J., 4715, 628
ROWLEY, R., See BENTLEY, R.G., 5069
ROY, P., Decarburization of 2-1/4Cr--1Mo in flowing sodium, 696 (CONF-761001--P1, pp 4.1-4.12)
Electrochemical oxygen sensor for measurement of oxygen in liquid sodium, 3520
Electrochemical system for determining the oxygen concentration in a liquid alkaline metal, 5170
Hydrogen burden from the steam side corrosion in sodium-heated steam generators, 3519
Hydrogen consentration meter utilizing a diffusion tube composed of 2 1/4 Cr-1 Mo steel and a sleeve of nickel, 3268
Monitoring of impurities in liquid metal fast breeder reactors (LMFBR), 5431
See HAMPTON, L.V., 1306, 1416
See SPALARIS, C.N., 1267
ROYEN, J., Activities of the OECD-NEA in the field of fast reactors, 2094 (IWGFR--18, pp 62-64)
ROYL, P., Analysis of hypothetical overpower accidents in the SNR-300 Mark 1A core with modeling of failure incoherence, 4394
Comparative analysis of a hypothetical coolant loss accident in an LMFB reactor with the use of various calculation models for a common reference problem, 1198 (EUR--5946)
Comparative analysis of a hypothetical loss of flow accident in a LMFBR using different computer models for a common benchmark problem, 3913
Effect of failure incoherence in a LMFBR hypothetical overpower accident, 434 (CONF-761001--P3, pp 947-957)
See BOENISCH, G., 395
See BOGENSBERGER, H.G., 435
See FROEHLICH, R., 4214
See KLEEFELDT, K., 2217
See PEPPLER, W., 4544
ROZENHOLC, M., Fast breeder reactor development program in France. Outlook for practical utilization, 4163
Fast-Breeders. Their current position and their future prospects, 3245
See VENDRYES, G., 4904
RUDDY, F.H., See GOLD, R., 1827
RUDOLPH, R.R., See CHANG, Y.I., 66
RUGGLES, J.M., See KELLOGG, L.S., 1496, 1756, 2372
RULLEAU, A., See BERLIN, C., 4196
RUMBLE, E.T., See GLUECKLER, E.L., 5029
RUMYANTSEV, V.N., See SHOLOKHOV, A.A., 4094
RUPPERT, E., See KRINNINGER, H., 3364
RUSH, D.J., Corrosion and impurities deposition effects under DNB conditions, 1398 (GEFR-SP--045)
Corrosion and impurities deposition effects under DNB conditions, 697 (CONF-761001--P1, pp 5.1-5.32)
See RODGERS, D.N., 4368
See STEPHENS, P.B., 979
RUSSELL, C.S., See WEI-TEH LEE, B., 3766
RUSSELL, K.C., Theory of void nucleation in metals, 3432
RUSSELL, K.F., See LEITNAKER, J.M., 2527
RUST, K., See MALANG, S., 5142
RUTHER, W.E., EBR-2 experience with sodium cleaning and radioactivity decontamination, 2131 (IWGFR--23, pp 182-195)
EBR-II experience with sodium cleaning and radioactivity decontamination, 645 (CONF-780232--1)
Proof tests of irradiated EBR-II ducts, 5091
Proof tests of irradiated and unirradiated EBR-II subassembly ducts, 544 (CONF-770807--44)
See LONGUA, K.J., 147, 73
See MONSON, L.R., 4734
See OLSON, W.H., 3072
See WALTERS, L.C., 4305, 51
RUTKAUSKAS, V.J., See MAIRSON, R.C., 5289
RYAN, J.A., FFTF scale-model characterization of flow-induced vibrational response of reactor internals, 1472 (HEDL-SA--1298)
FFTF scale-model characterization of flow induced vibrational response of reactor internals, 2109 (IWGFR--21, pp 133-164)
FTR HCM scale-model flow-induced vibration tests, Phases I and II. Final report, 1736 (HEDL-TME--75-96)
Scale-model characterization of flow-induced vibrational response of FTR internals: summary report, 1737 (HEDL-TME--76-1)
See NOVENDSTERN, E.H., 597
RYAN, J.L., See MORGAN, L.G., 2748
RYBAKOV, V.N., See KIZIN, V.D., 5443
RYKOV, A.G., See TIMOFEEV, G.A., 3350
RYLATT, J.A., Horizontal baffle for nuclear reactors, 3759
See PENNELL, W.E., 3636
See SUTTON, H.G., 640, 648
RYON, A.D., Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs, 2625 (ORNL/TM--5865/V5)
RYSEV, A.M., See EFIMOV, I.A., 4238

S

S., See PLESSA, 3908
SAASAKI, S., See KAMEI, M., 3817
SABHERWAL, M.C., See CHETAL, S.C., 5150
SABIN, N.I., See BUDOV, V.M., 4066
SABINO GALLO, See ZHAN-MARI BERNIOL, 5449
SACHS, R.G., Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor development program. Progress report, October 1978, 284 (ANL-RDP--76)
Reactor development program progress report, November 1978, 285 (ANL-RDP--77)
SACKETT, J.I., Development of technical specifications for EBR-II: some considerations for application to comsercial LMFBR's, 422 (CONF-761001--P2, pp 411-419)
Final safety analysis addenda to hazards summary report, Experimental Breeder Reactor II (EBR-II): upgrading of plant protection system. Volume I, 47 (ANL--76-34)
LMFBR operational safety: the EBR-II experience, 728 (CONF-781022--30)
Operational-safety-testing experience at EBR-II, 822 (CONF-790816--55)
Preparations at EBR-II for breached element operation, 4735
Safety philosophy in upgrading the EBR-II plant protection system, 404 (CONF-761001--P2, pp 605-614)
See DEAN, E.M., 46
See FRYER, R.M., 405
See KEHLER, P., 190
See PRICE, C.C., 61
SADOWSKI, G.S., Instrumentation and Controls Division biennial progress report, September 1, 1976--September 1, 1978, 2575 (ORNL--5483)
SAGARTZ, M.J., Deformation of the Sandia metallic ring seal test fixture, 2873 (SAND--78-2191)
See BIFFLE, J.H., 5121
SAGAWA, N., See SUZUOKI, A., 3163, 5176
See YAMAMOTO, H., 4352
SAGUEES, A.A., Influence of helium on the mechanical properties of DIN 1.4970 austenitic steel, 4952
SAIDI, M.S., Interfacial effects in fast reactors, 908 (COO--2250-37)
SAIGUSA, M., See NAKAJIMA, N., 5144
SAIJO, T., Reactor control rod, 5231
Transit device for reactor fueling, 5457
SAITCEVSKY, B., See VENDRYES, G., 4904
SAITO, M., Termination phase of core disruptive accidents in LMFBRs, 2263 (LA--7938-C, pp 320-334)
SAITO, R., See KAMEI, M., 2120, 2127, 3816, 3817

SAITO, S., Evaluation of effects of finite mixing time and non-condensable gas on fuel--sodium interactions, 4512
Evaluation of effects of finite mixing time and non-condensable gas on fuel sodium interactions, 4515
EXCURS: a computing programme for analysis of core transient behaviour in a sodium cooled fast reactor, 2135 (JAERI-M--7280)
Some experiences and inpile experimental programme on fuel coolant interaction in NSRR, 2710 (PNC-N--251-76-12(Vol.1), pp 381-442)
See SAKAI, K., 3495
SAITO, T., Control rod for a fast breeder, 5251
See HORI, M., 411
SAJI, C., Design trade-offs in view of safety considerations, 4131
SAKAGAMI, M., Spatial mesh effect in three-dimensional diffusion calculations for fast reactors, 3722
See TAKEDA, S., 5398
SAKAGUCHI, S., See HONDA, N., 5393
SAKAI, E., Fuel failure detection experiment using UO_2-loaded sodium in-pile loop, 3825
SAKAI, K., Probabilistic distributions of pin gaps within a wire-spaced fuel subassembly and sensitivities of the related uncertainties to pin gap, 3495
Probabilistic evaluation of core-internal coolant flow distribution with correlation among fuel subassemblies, 4299
Three-dimensional deflection analyses of wire-spaced fuel pin bundles under temperature and hydrodynamic force fields with irradiation effects, 3494
SAKAI, T., Equipment for FBR type reactor, 5135
SAKANO, K., Analysis of hydrodynamic effects of large sodium-water reactions, 5060
See MAEKAWA, I., 3443, 4602
See ROKO, K., 3550
See YOSHIZAKI, A., 4553
SAKATA, S., See OKA, Y., 4901
SAKATA, T., See YOSHIDA, K., 5342
SAKURACI, H., See IIJIMA, S., 2137
SAKURAGI, M., See NAKANO, H., 5159
SAKURAI, A., Studies on temperature-controlled pool-boiling heat transfer, 3778
SAKURAI, AKIRA, Boiling heat transfer under forced convection of sodium, 3783
SALANT, R.F., Standpipe-bubbler pump level control study system design layout (Task A) W.P. 4413. Engineering memorandum No. 0153, 2910 (TID--27895)
SALING, J., See BOLTAX, A., 2992, 2993, 2994
SALING, J.H., See BOLTAX, A., 2989, 2990, 2991
SALLACH, R.A., Chemical phenomenology of the sodium/limestone concrete interaction, 3653
Large scale sodium interactions. Part 3. Chemical phenomena with limestone concrete, 2826 (SAND--77-1095C)
Large scale sodium interactions with limestone concrete, 98 (ANL--78-10, pp 250-257)
See KING, D.L., 2622, 2635, 3652, 57
SALVATORES, M., See ESTIOT, J.C., 1863, 4895
See CLIVA, G., 3770
SAMARKIN, A.A., See BAKUMENKO, O.D., 3048, 4052
See KOZLOV, F.A., 715
See VASILENKO, K.T., 2130
See YURCHENKO, D.S., 4060
SAMPSON, R.C., Stress analysis for the design of liquid metal piping in the Fast Flux Test Facility, 1570 (HEDL-SA--1575)
Stress analysis of conical flued heads for FFTF liquid metal piping anchors, 1631 (HEDL-SA--1766)
SAMSONOV, B.V., Development of experimental irradiation devices for materials testing in the BOR-60 reactor, 5421
SANDERS, J.E., Zero-power basis of fast reactor dosimetry, 10 (AEEW-R--1163)
Zero-power basis of fast reactor dosimetry, 2367 (NUREG/CP--0004(Vol.1), pp 85-99)
SANDUSKY, D.W., Small leak shutdown, location, and behavior, 2320 (NEDM--14092)
See GREENE, D.A., 2324
See ROY, P., 3268
SANE, J.O., Analysis of the U.S. large leak test program Series I sodium--water reaction test results, 1414 (GEFR-SF--165)
See KRUCER, G.B., 379
See MEYER, R.A., 1397
See REGIMBAL, J.J., 1276
SANGODKAR, D.E., Development of leak-proof cables for simplifying cable penetrations across reactor containment building, 5129
SANGWINE, S.J., See ABBEY, M.J., 2722
SANNIER, J., See CAPPELAERE, M., 4306, 4321
SANO, K., See FUJINO, M., 3948
SANO, T., See TAKAHASHI, T., 4612
SANTORI, J., See FARAHAT, M., 476
SAPHIER, D., Comparative transient analysis of metal and oxide fueled LMFBR, 251 (ANL-CT--80-1)
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
Simulating the lmfbr neutronics and primary heat transport with DNSP, 1893 (INIS-mf--4052, pp 67-69)
SARAGOSSI, I., See FARDIAUX, M., 1993
See HEISING-GOODMAN, C.D., 3341
SARRAF, R.J., See KUSTER, C.A., 39
SARTORY, W.K., Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
Thermal ratchetting test of type 316 stainless steel seamless to seam-welded pipe: specimen TTT-4, 2568 (ORNL--5430)
See CLINARD, J.A., 2685
See CORUM, J.M., 2562
SASA, P., Consideration of fuel motion potential due to volatilization of metallic fission product inclusions, 3597
SASAKI, K., See SUZUKI, I., 4914
SASAKI, M., See SAIJO, T., 5457
SASAKI, S., Spent fuel cleaning device, 5211
See KAMEI, M., 2127
SASAKURA, K., See SHIMAZU, H., 5195
SASANUMA, K., See ANDO, Y., 4494
See SUZUKI, K., 2726
SASAZAWA, A., Sodium circulating syster for a reactor, 5368
SASS, D.E., See SHIN, Y.S., 207
SASTRE, C., See AGRAWAL, A.K., 2425
SATHER, A., Apparatus for testing smooth and ribbed tubing with pulsed eddy currents, 62 (ANL--77-53)
SATO, K., Flow induced vibration studies for LMFBR in Japan: past and recent studies of FIV for JOYO and MONJU, 2102 (IWGFR--21, pp 27-42)
Flow induced vibration of the large-sized sodium valve for MONJU, 2106 (IWGFR--21, pp 99-110)
See KAMIMURA, K., 4310
SATO, M., Initial pressure spike and its propagation phenomena in sodium-water reaction tests for MONJU steam generators, 5092
Outline of sodium-water reaction test in case of large leak with SWAT-3 testing equipments, 3833
See HORI, M., 411
See NAKANO, H., 5159
SATO, T., See ITO, J., 5224
SATO, Y., Apparatus for retaining molten fuel in a reactor, 5208
See NAITO, K., 5358
SATOH, M., See TAKAMATSU, S., 3502
SATOH, T., See TAKAMATSU, S., 3502
SAUR, J.M., See ROBIN, M.G., 4074
SAUTERON, J., Reprocessing of "fast" fuel in France, 1871 (IAEA-AG--63-5)
SAUVAGE, P., See CHEVALLIER, R., 3708, 5143, 5310
See CONTE, F., 4107
See GODDETT, J., 4642
See VIAL, B., 4062
SAVATTERI, C., See KOTTOWSKI, H.M., 513, 514
SAVINEAU, M., See GOURDON, J., 4090
SAVITSKY, V.I., See BAKUMENKO, O.D., 1860, 4890
SAVONI, O., See CENNI, R., 3774
SAWADA, T., Parametric study on reactor containment response to fuel-sodium interaction, 2734 (PNC-N--251-76-12(Vol.2), pp 681-732)
SAWYER, R.H., Intermediate heat exchanger development for the Clinch River Breeder Reactor Plant, 4855
See ABUROMIA, M.M., 5426
SAYLES, C.W., Advanced liquid metal fast breeder reactor designs, 4032
See MCEDWARDS, J.A., 3964
SAYRE, R.K., Method for heat exchanger leak detection in a liquid metal cooled nuclear reactor, 4597
Method of shielding a liquid-metal-cooled reactor, 3512
SAZAWAL, V.K., Trial application of the draft structural design criteria for breeder reactor core components to a typical blanket assembly duct;sup 1:, 3334
SCARANO, G., See CENNI, R., 3774
See MENEGHELLO, S., 515
SCARBOROUGH, J.C., PLBR capital cost assessment, 4686
SCARTON, H.A., Review of the acoustic detection of boiling in nuclear reactors, 5031
SCHABERT, H.P., Drive for control rod of a nuclear reactor, 4425
SCHADE, A.R., Distribution of revisions to FFTF FSAR, 1698 (HEDL-TI--75001-25)
Distribution of revisions to FFTF FSAR, 1709 (HEDL-TI--75002-12)
Distribution of revisions to FFTF FSAR, 1714 (HEDL-TI--75002-18)
Distribution of revisions to FFTF FSAR, 1715 (HEDL-TI--75002-19)
Distribution of revisions to FFTF FSAR, 1716 (HEDL-TI--75002-20)
Distribution of revisions to FFTF FSAR, 2935 (TID--29350)
FFTF regulatory review for operating authorization, 1615 (HEDL-SA--1744-FP)
FSAR amendment 11: changes to reflect supplement 13, part 1, 1708 (HEDL-TI--75002-11)
FSAR Amendment 31: changes to section 3.10, 1726 (HEDL-TI--75002-31)
FSAR amendment 32: miscellaneous changes, 1727 (HEDL-TI--75002-32)
FSAR Amendment 34: environmental technical specifications for the Fast Flux Test Facility (Chapter 18), 1729 (HEDL-TI--75002-34)
FSAR supplement 14: response to NRC Q_1 set 9, 1686 (HEDL-TI--75001-14)
FSAR supplement 18: responses to NRC Q_1 set 6, 1691 (HEDL-TI--75001-18)
FSAR supplement 19: response to NRC Q_2 set 3, 1692 (HEDL-TI--75001-19)
FSAR supplement 20, response to NRC Q_2 set 4, 1693 (HEDL-TI--75001-20)
FSAR supplement 22: responses to NRC Q_2 set 6, 1695 (HEDL-TI--75001-22)
FSAR supplement 23: responses to NRC Q_2 set 7, 1696 (HEDL-TI--75001-23)
SCHAEFER, L., Creep and stress-rupture behavior under internal pressure of tubes made from austenitic stainless steel X8 Cr Ni Mo Nb 1616 (Material No. 1.4981), 2206 (KFK--2773)
See ANDERKO, K., 4935
See CLOSS, K.D., 4554
See KARSTEN, G., 1905
SCHAEFER, R.W., Comparison of neutronics calculations in a loss-of-flow accident, 426 (CONF-761001--P2, pp 463-472)
SCHALER, K., See VIAL, B., 4062
SCHALLAR, K.H., Test facility for large-diameter bellows, 2068 (IWGFR--11, pp 169-171)
SCHALLER, K., See FAILLA, H., 5365
See FAILLA, H., 3802
SCHALLER, K.H., Methods of analysis in the structural design of LMFBR components - French practice, 2077 (IWGFR--11, pp 245-246)
See COCHET, J.C., 2034
SCHATZ, M., See BITTERMANN, D., 4292
SCHEIBE, W., Study of mechanical characteristics of structural

materials for the SNR plant, 4200
SCHELLER, J.D., Clinch River Breeder Reactor Plant. Numerical evaluation of an elbow element for inelastic flexibity analysis of piping, 970 (CRBRP-ARD--0184)
Numerical evaluation of an inelastic piping elbow element, 3331
SCHENTER, R.E., See FIGG, J.A., 1803, 4660
See HOLT, F.E., 4451
See MANN, F.M., 3767
See STRAND, C.A., 5352
SCHERBAK, V.I., Radiation damages in constructional steels and high-nickel alloys irradiated with neutrons, 4970
SCHERPELZ, R.I., See BIERMAN, S.R., 3141
SCHIER, W.A., See DONATI, D.R., 4382
SCHIKARSKI, W., See BOEHM, L., 4600
See BUNZ, H., 4218
SCHIKARSKI, W.O., State of the art in aerosol modelling for LMFBR safety analysis, 452 (CONF-761001--P4, pp 1907-1914)
SCHIMMEL, W.P. JR., See ALLEN, G.C. JR., 2838
SCHINKEL, J.W., TNO research activities on ferritic steels for LMFBR steam generators, 4161
See VAN WESTENBRUGGE, J.K., 4185
SCHINS, H., See CLERICI, G., 2730
See HOLTBECKER, H., 1194
SCHIRRA, M., Time creep tests on irradiated specimens for the Mol 1A1 radiation program, 5146 (EURFNR--1405)
See SOLANO, R.R., 2158, 2160
SCHLEISIEK, K., See JACOBI, S., 4209
See KRAMER, W., 3074, 4144, 4395
SCHLITTENBARDT, P., See CLERICI, G., 2730
SCHMELEV, A.N., See ILIUNIN, V.G., 3556
See ILJUNIN, V.G., 3409
SCHMELZ, K., See FABIAN, H., 2203
SCHMIDT, D.K., See PADDEN, T.R., 2979
See RUSH, D.J., 1398, 697
SCHMIDT, E., See HAGE, W., 1196
SCHMIDT, E.W., See GEISEKE, J.A., 2418
See GIESEKE, J.A., 2383, 299
SCHMIDT, F., See ARNOLD, C., 1889
SCHMIDT, H., Vibration measurements and analysis for the reactor vessel and internals of the SNR-300, 2103 (IWGFR--21, pp 43-50)
See BENEMANN, A., 3900
SCHMIDT, J.E., Application of Alloy 718 in the upper internals structure of the Clinch River Breeder Reactor, 1024 (DOE/TIC--10240, pp 24p, Attachment 2)
SCHMIDT, K.J., See PAGE, R.J., 3634
SCHMIDT, L., See BOJARSKY, E., 4213
See KRAMER, W., 3074, 4144, 4395
SCHMIDT, T.R., LMFBR Prompt Burst Excursion (PBE) experiments in the Annular Core Pulse Reactor (ACPR), 468 (CONF-761001--P4, pp 1605-1614)
See TILLS, J.L., 4622
See WRIGHT, R.W., 2724
SCHMIEDER, H., See OCHSENFELD, W., 3860
SCHMITT, R., See SCHEIBE, W., 4200
SCHMITT, R.C., See DOMANUS, H.M., 200, 3581
See KASZA, K.E., 192
See LIN, E.I.H., 4650
See SHA, W.T., 2435, 52, 5411
SCHMITT, R.W., Econometric analysis of energy over the next 75 years, 4630
Econometric analysis of energy over the next 75 years, 4515
SCHMITTROTH, F., Decay heat for the Fast Test Reactor (FTR), 1748 (HEDL-TME--77-13)
Dosimeter based adjustments of fast neutron spectra, 1856 (HEDL-TME--1480(FP))
See DECLUE, J.F., 4636
See FIGG, J.A., 1803
SCHMITZ, F., Analysis of fuel behaviour in SCARABEE 1st phase experiments, 2255 (LA--7938-C, pp 197-217)
SCHMOCKER, U., See SETH, S., 1199
SCHMUCK, P., Influence of fission gases on mechanical energy release after hypothetical coolant flow accidents, 3914
KADIS: a program to analyze the disassembly phase of hypothetical accidents in (LMFBRs), 5462 (DOE-tr--113)
KADIS: a program to analyse the disassembly phase of hypothetical accidents in LMFBRs, 2189 (KFK--2497)
See ESSIG, C., 435
See FROEHLICH, R., 4214
See PENA, J., 445
SCHMUNK, R.E., See KORTH, G.E., 4231
SCHNEIDER, U., See KORDINA, K., 5034
SCHNEIDER, W., See EHRLICH, K., 3886, 4962
SCHOEBERLE, D.F., See KULAK, R.F., 3535, 5053, 549
SCHOENIG, R., Aim, construction and operation of the fast-breeder nuclear power station in Kalkar (SNR-300), 3874
SCHOLLE, U., See BUNZ, H., 685
See OEYNHAUSEN, H., 425
SCHOLTYSSEK, W., Physics investigations of sodium-cooled fast reactors: SNEAK-assembly 9C, 1202 (EURFNR--1457)
See PILATE, S., 3410
SCHOLZ, J., See KRAUSE, H., 3039
SCHORNHORST, J.R., Evaluations of CRBRP thermal margin beyond the design base, 105 (ANL--78-10, pp 317-326)
Evaluations of CRBRP thermal margin beyond the design base, 608 (CONF-771108--3)
SCHRAMM, K., See BOENISCH, G., 395
See KLEEFELDT, K., 2217
SCHREIBER, R.E., Core and transition fuel assembly for a nuclear reactor, 3233
SCHREYER, H.L., Accurate numerical solutions for elastic-plastic models, 163 (ANL--80-31)
Numerical method for predicting seismic-induced impact between subassemblies in LMFBR cores, 3537
SCHROCK, S.L., Method and apparatus for locating a defective tube of a liquid metal-to-water tube type heat exchanger, 4326
Process and apparatus for detecting the position of a failed tube in a tubular liquid metal-water heat exchanger, 4560
See CHANG, J.Y., 2983, 533
See FLAGELLA, P.N., 2503, 2553
SCHROEDER, H., See SAGUEES, A.A., 4952
SCHUETZ, W., See BUNZ, H., 4218
SCHUETZLE, R., RELAP4/SNR: a program to simulate steam generator transients of FBRs, 3192
SCHULTHEISS, G.F., Method for cleaning components contaminated preferably with radioactive sodium and facility to apply the method, 4558
Model for formation and growth of local blockages in grid spaced fast sodium cooled breeder fuel elements, 4406
See BASNER, P., 3715
SCHULZ, E., See GOETZMANN, O., 4142
See HOFMANN, F., 84
See HORLE, M., 5292
SCHULZ, R.B., See ANDERSON, F.E., 2596
SCHUMACHER, G., See DONNE, M.D., 3565
See VENKER, H., 4507
SCHUMACHER, P.M., See JORDAN, H., 2445, 2472
SCHURKO, R., See PLANCHON, H.P., 2988
SCHUTSCHKOV, I.I., Control rod drive for a nuclear reactor, 3401
SCHWAILLE, A., See JACKSON, R.J., 1547
SCHWALLIE, A.L., See AKEY, J.G., 2959
SCHWALM, D., See OHLMER, E., 408
SCHWARTZ, P., Heat removal from a completely blocked breeder element by sodium boiling, 1906 (INIS-mf--4385)
SCHWARZ, C.E., See GREENE, G.A., 110, 326, 327, 331
SCHWARZ, G., See BONKA, H., 4986
SCHWARZ, M., See ADAM, E., 4138
SCHWEGLER, E.C., Clinch River Breeder Reactor Plant. Wire wrap cladding interaction in LMFBR fuel rods, 965 (CRBRP-ARD--0149)
SCHWEITZER, D.G., See AGRAWAL, A.K., 2425, 2458
SCIACCA, F.W., Improvements to the maintainability and inspection of liquid metal systems. Volume 1. Overall study results, 1300 (GEFR--00405(Vol.1))
See DAVIS, C.R., 4712, 4870
SCOTT, J.H., Evaluation of the effect of shutdown cracks in TREAT-tested fuel pins, 4765
Overview and status of the SIMMER testing program, 2280 (LA-UR--79-1674)
See BURNS, R.D. III., 4010
See MAST, P.K., 2271, 2284, 3071, 3629
SCOTT, L.D., Analysis of mixed oxide fuel irradiated in EBR-II: measured vs. predicted burnup, 1770 (HEDL-TME--77-60)
SCOTT, P., See GREENE, D.A., 1283
SCOTT, W.B., See SCIACCA, F.W., 1300
SCOTT, W.H. JR., See MCDANIEL, P.J., 2440
SEARS, M.B., See YARBRO, O.O., 851
SEASE, J.D., See PECHIN, W.H., 2666
SEBER, E.C., FFTF Dump Heat Exchanger design and development, 1444 (HEDL-SA--135-3)
See JANSEN, W.D., 657
SEDAKOV, V., See GILAR, O., 3507
SEDNEV, A.R., See KOZLOV, F.A., 712
See POPLAVSKII, V.M., 713
SEDOV, V.M., See DERGACHEV, N.P., 4315
SEED, G., Liquid metal cooled nuclear reactor constructions, 3093
Liquid metal cooled reactor provided with a system limiting the core displacement with respect to control rods, 4426
Liquid metal cooled reactor provided with a system limiting the core displacement with respect to control rods, 4427
Liquid metal cooled nuclear reactor, 4428
Nuclear reactor with liquid metal cooling, 3793
Nuclear reactor with liquid metal cooling, 3794
Nuclear reactor with liquid metal cooling, 3795
SEEGER, W., See WILD, E., 2163
SEEMAN, S.E., Comparison of containment systems for large sodium-cooled breeder reactors, 1810 (HEDL-TME--78-35)
See ARMSTRONG, G.R., 107
SEGEV, A., Liquid-liquid contact in vapor explosion, 141 (ANL--78-92)
SEHGAL, B.R., Low sodium void coefficient LMFBR cores, 400 (CONF-761001--P2, pp 565-574)
Performance of various fuel cycles based on thorium in LMFBRs, 4711
See LOEWENSTEIN, W.B., 4655
See NASER, J.A., 3590
SEIDEL, B.R., Cumulative damage and Weibull analyses of EBR-II driver fuel lifetime, 3178
Th--U metallic fuel: LMFBR potential based on EBR-II driver-fuel performance, 4652
See EINZINGER, R.E., 3574
See KOENIG, J.F., 4726
SEIDENSTICKER, R.W., See MARCINIAK, T.J., 457
SEILER, J.M., Sodium boiling with stainless steel clad melting and relocation out-of-pile experimental results and interpretation, 2248 (LA--7938-C, pp 122-124)
Sodium voiding in an annular channel heated by a single pin in overpower accident simulations, 351 (CEA-CONF--3996)
Study of sodium boiling during a power transient in a heating duct. Investigation carried out within the scope of a study on the safety of fast neutron reactors, 1220 (FRNC-TH--765)
SEIM, O.S., Creep specimen container and EBR-II irradiation subassembly design, 3599
See LEHTO, W.K., 824
SEITH, B., See SCHIRRA, M., 5146
See SOLANO, R.R., 2158, 2160
SEKIGUCHI, A., See KIMURA, Y., 3469
SEKIGUCHI, N., See OOYAMA, N., 2737
SELBY, D.L., Analysis of the ZPR-9 reverse approach to critical (RAC) low level flux monitor experiment, 2478 (ORNL--5181)
Analysis of the Clinch River Breeder Reactor (CRBR) source range flux monitor (SRFM) count rate history during refueling of the first four cycles, 2583 (ORNL--5557)
Analysis of ZPPR-5 source level flux monitor experiments, 2536 (ORNL--5314)
Preconceptual study of proliferation-

resistant heterogeneous sphere-packfueled LMFBR cores, 2684 (ORNL/TM--6956)
See EMMETT, M.B., 2582
See MIHALCZO, J.T., 3158, 774
SEMENOV, A.L., See GRYAZEW, V.M., 3352
SEMENOV, V., See BURIAN, M., 4913
SEMENZA, L.A., Post-test analysis of transient overpower TREAT test R9 for BOL FFTF-type fuel, 4751
See ROTHMAN, A.B., 470
See WIDER, H.U., 1019, 2251
SEMIKOV, G.T., See ANDREEV, A.M., 1950, 1951, 2350, 2351
SEMKEN, R.S., See CRAIG, E.R., 3081
SENGLAUB, M.E., Low heat flux sodium voiding using the drift flux formulation, 3347
SENKAN, S.M., See MACHBITZ, M., 3981
SENNIKOV, E.V., See BALANDIN, YU.F., 4588, 4590
SEPELAK, G.R., Nuclear reactor pressure vessel support system, 3449
SERAPHIN, L., See MATHERN, G., 4280, 4400, 4412
SEREBRYAKOV, V.I., See SCHUTSCHKOV, I.I., 3401
SEREDKIN, S.V., See SAMSONOV, B.V., 5421
SERGEEV, G.P., See KOZLOV, F.A., 5318
SERGEEV, V.A., See BAKUMENKO, O.D., 3048, 4052, 4690
SERGEYEV, G.P., See KOZLOV, F.A., 712
See POPLAVSKII, V.M., 713
SERGEYEV, V.S., Compatibility of a uranium metallic fuel with OKH16N15M3B chrome-nickel steel, 5417
SERIZAWA, AKIMI, See SAKURAI, AKIRA, 3763
SERNA, C., See LEDBETTER, J.F., 2272, 4024
SEROV, A.V., See BARKOV, V.A., 2343
See BIBIKOV, S.E., 1879
See KIKOIN, I.K., 1881
SESONSKE, A., See KLEIN, G.A., 5006
SESSIONS, C.E., Development of annealed alloy 800 for elevated-temperature nuclear applications, 3167
SETARO, J.A., See ADAIR, H.L., 604
SETH, S., Measurements and calculations of integral capture cross-sections of structural materials in fast reactor spectra, 1159 (EUR--6106, pp 53-58)
SEVENICH, R.A., See BENNETT, R.A., 1612
See HARRIS, R.A., 1794
SEVERSON, W.J., See LOWRIE, R.R., 563
SEVERUD, L.K., Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
Seismic design and development for fast reactors: a design-application perspective with directions for improvement, 1623 (HEDL-SA--1751)
SHA, W.T., Boundary-value thermal-hydraulic solution in a reactor fuel bundle, 5411
Bubble dynamics in a superheated liquid, 53 (ANL--77-20)
COMMIX-1: a three-dimensional transient single-phase component computer program for thermal-hydraulic analysis, 2435 (NUREG/CR--0785)
Model for turbulent momentum and heat transport in large rod bundles, 68 (ANL--77-73)
Rod-bundle thermal-hydraulic analysis using boundary-fitted coordinate system, 2374 (NUREG/CR--0001)
THI3D-1: a computer program for steady-state thermal-hydraulic multichannel analysis, 52 (ANL--77-15)
See CHEN, M.J., 2473
See DOMANUS, H.M., 200, 2415, 2443, 2471, 3183, 3581, 3953
See KASZA, K.E., 192
See LIN, E.I.H., 3580, 3951, 4690
See CRAS, J.J., 224
See SHAH, V.L., 3865
SHACK, W.J., See CHOW, L.S.H., 460
See JANKUS, V.Z., 5078, 542
SHAH, R.P., See POMEROY, B.D., 1063, 1064, 1065
SHAH, V.L., Growth of a sodium vapour bubble rising in the superheated liquid, 3865
See SHA, W.T., 53
SHALEV, S., See SAPHIER, D., 4562
SHANG, K.D., FFTF tornado missile barrier report, 1747 (HEDL-TME--76-65)
SHANKAR SINGH, R., See REDDY, C.P., 2776
SHANMUGAM, T.K., See RAGHAVAN, K., 5128
SHANTZIS, S.B., See GRAY, J.E., 3927
SHAPIRO, A., See GROSS, K.C., 4635
SHAPPERT, L.B., See IRVINE, A.R., 2622
SHARAFI, P., See HEISING-GOODMAN, C.D., 3341
SHARBAUGH, J.E., Value of prototype testing in the development of the in-vessel handling machine for FFTF, 3382
SHARKEY, N.F., See MEISL, C.J., 826
SHARMA, D.K., Dashpot development test for FFTF cold leg check valve, 3862
Dashpot development test for FFTF cold leg check valve, 3870
Performance test program of dashpot for FFTF cold leg check valve, 3861
Performance test program of dashpot for FFTF cold leg check valve, 3871
SHARMA, M.L., Study of the contribution to Doppler effect from structural materials in fast power reactors, 4997
SHAW, D.T., Application of acoustic agglomerators for emergency use in liquid-metal fast breeder reactor plants, 3239
Experimental evaluation of acoustic agglomerators as an air cleaning system concept for emergency use in LMFBR plants. Final report, 1011 (DOE/ET/37203--1)
See PATEL, S., 3190
See WEGRZYN, J., 2396, 2442, 2699, 2704, 4665
SHCHERBAK, V.I., See POROLLO, S.I., 4407
SHEAKS, G.J., See MUNNO, F.J., 2358, 4788
SHEARER, D.M., Couple M: a computer program which models thermal-hydraulic and dimensional change behavior of a multi-pin FBR fuel assembly, 1769 (HEDL-TME--77-96)
ENERGY 1A: a modified version of the ENERGY 1 thermal-hydraulic computer code for LMFBR wire wrap spacer fuel assemblies, 1766 (HEDL-TME--77-53)
SHEEN, S.H., Acoustic analysis from sodium boiling tests using THORS bundle 6A, 4797
Accustic measurements of the boiling stability tests on THORS sodium loop, 3819
Acoustic measurements of the boiling stability tests on THORS sodium loop, 602 (CONF-771023--22)
See CAREY, W.M., 5009
SHEINDLIN, A.E., See KIRILLIN, A., 5024
SHEINKER, A.A., See BEGLEY, J.A., 4226
SHEINKMAN, A.G., Features of operating calculations of permissible power for channel reactors at Beloyarskaya Atomic Electric Power Plant, 4203
SHELDON, E., See DONATI, D.R., 4382
SHENOY, S.K., Mixed fuel cycle hybrid LMFBR cores: design and analysis, 4517
Performance of 1000-MW(e) mixed fuel cycle LMFBRs, 4705
SHEPARD, R.C., See NEELY, H.H., 1169, 3173
SHER, P.A., See DREYFUSS, D.J., 2759
SHERIFF, N., Sodium natural convection from a vertical plate, 4169
SHERRY, R.R., See ATCHESON, D.B., 473
SHETH, A., See FINN, P.A., 4865
SHEVCHUK, YU.F., See FEDORCHENKO, I.M., 4463
SHEWARD, G.E., See HAYDEN, O., 3473
SHIBATO, E., New welding method for tubes and tube plates of heat exchangers for FBRs, 3509
See MASE, N., 4406
See SUMIKAWA, M., 2078
See TSUDA, H., 4151
SHIDA, Y., Effect of carbides on the decarburization behavior of 2.25 Cr-1 Mo steel in high temperature sodium, 4464
See MOROISHI, T., 5238
See YUKITOSHI, T., 4156, 4616
SHIELDS, J.A., See LONGUA, K.J., 147, 73
See PERRY, W.H., 690
See SEIDEL, B.R., 3178
SHIELDS, J.A. JR., Irradiation-swelling-induced bow in fast reactor subassemblies, 4026
SHIELS, S.A., See BABNALL, C., 5305
See BAGNALL, C., 2985
SHIGEMASA, T., See TAKAMATSU, S., 3502
SHIH, C., Film boiling and vapor explosions from small spheres, 3203
SHIH, M., See CHOW, H.Y., 2914
SHIH, T.A., Comparision of SAS3D LOF transient analyses for 1200-MW(e) LMFBR conventional and nonconventional core designs, 4802
SAS3D analysis of unprotected loss-of-flow transients for 1200-MW(electric) liquid-metal fast breeder reactor homogeneous and heterogeneous core designs, 3372
Study of transient sodium boiling in LMFBR fuel bundles, 1289 (GEFR--00395)
SHIMADA, M., Nuclear fuel element, 5243
See TERASAWA, M., 4968
SHIMANE, K.J., See ATCHESON, D.B., 473
SHIMAZAKI, T.T., Performance tests of sodium dip seals, 31 (AI-DOE--13226)
SHIMAZU, H., Sodium-water reaction test facility (SWAT-3), 5195
SHIMIZU, M., See MUNNO, F.J., 4788
SHIMIZU, S., See SUSEI, S., 3441
See TERAI, K., 4187
SHIMIZU, T., Application of Galerkin method to hydraulic analysis for turbulent fluid flow around LMFBR fuel rod, 3503
See KUMADA, T., 3832
See SUMIKAWA, M., 2078
SHIMOKAWA, J., See NOMURA, S., 4822
See WATANABE, H., 4836
SHIMOZONO, G.S., CRBRP steam generator modeling techniques for pressure excursions generated by sodium/water reactions, 5061
SHIN, Y.S., Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 5093
Effect of tube-support interaction on the dynamic responses of heat exchanger tubes, 550 (CONF-770807--51)
Vibro-impact responses of a tube with tube--baffle interaction, 207 (ANL-CT--78-11)
See WAMBSGANSS, M.W., 2098
SHIN, Y.W., Directional integration method for two-dimensional fluid transients, 4485
FTMOC-2D: a computer program for two-dimensional fluid-transient analysis by the method of characteristics, 219 (ANL-CT--78-26)
Numerical method for solution of transient, homogeneous, equilibrium, two-phase flows in one space dimension, 156 (ANL--79-70)
SWAAM prediction of LLTR Series-II A-1a Test, 242 (ANL-CT--79-35)
SHINDO, Y., See MAEKAWA, I., 4602, 5180
See SAKANO, K., 5060
SHINDOH, R., See TASAKA, K., 4467
SHIOTSU, M., See SAKURAI, A., 3778
SHIOZU, MASAHIRO, See SAKURAI, AKIRA, 3783
SHIPILOV, V.I., See IVANOV, V.B., 4584
SHIRAHA, M., See ROKO, K., 3550, 4166
See YOSHIZAKI, A., 4653
SHIRAISHI, K., See TERASAWA, M., 4968
SHIRAKATA, K, See NAKANO, M., 2143
SHIRALKER, G., Experimental investigation of gas evolution as the mechanism for free-contact fragmentation, 3738
SHIRATAKI, K., Sodium-water reaction product flow system, 3403
SHIRATORI, H., Safety equipment in a reactor, 5177
SHIRE, P.R., Sodium spray release accident analysis for fast reactor safety studies, 498 (CONF-761001--P4, pp 1972-1981)
See HEIBERGER, W.F., 739
See MCCALL, T.B., 3983
SHIRIN, V.M., Some aspects of cleaning

and transport of spent fast reactor fuels, 1877 (IAEA-AG--63-14)
SHIRLEY, G.W., See ROBINSON, A.H., 2774
SHIRYAEV, V.I., See MAKOVSKII, A.A., 4063
SHIU, K., Thermal radiation transfer through LMFBR deck insulation, 3582
SHKOL'NIK, V.S., See YURCHENKO, D.S., 4060
SHMELEV, A.N., Improvement of liquid-metal fast breeder reactor characteristics by applying a magnetic field, 3756
See ILYUNIN, V.G., 3414, 5364, 5419
SHOBER, F.R., FFTF materials of construction and surveillance plans, 1644 (HEDL-SA--1846)
SHOBER, R.A., FX2-TH: a two-dimensional nuclear reactor kinetics code with thermal-hydraulic feedback, 142 (ANL--78-97)
Nodal method for solving transient fewgroup neutron diffusion equations, 127 (ANL--78-51)
Nodal method for fast reactor analysis, 765 (CONF-790402--19)
SHOEMAKER, F.M., See MAIRSON, R.C., 5289
SHOL'TS, J., See AFANAS'EV, V.A., 3464
SHOLOKHOV, A.A., Determination of the temperature in fuel elements of nuclear reactors (with liquid metal coolants), 4054
SHOLTIS, J.A., See WILLIAMS, D.C., 2887
SHUKLIN, S.V., See DERGACHEV, N.P., 4315
SHULIMOV, V.N., See SAMSONOV, B.V., 5421
SHVEDENKO, I.F., See KOZLOV, F.A., 715
SICARD, P., See RAVIER, J., 3881
SIDOROV, N.I., Experimental determination of viscosity of sodium vapor, 3420
SIEBERTZ, A., See BARDIAUX, M., 1993
SIEGEL, E.A., See NOYES, R.C., 4419
SIEGEL, S., See MOOZ, W.E., 2762
SIEGMANN, E.R., Behavior of carbide fuel in local and whole core accidents, 430 (CONF-761001--P3, pp 1037-1046)
Safety margins for sodium-bonded carbide fuel, 5349
See HENRY, T.P., 3198, 3615, 3633, 4003
See NICKERSON, G.M., 4861
SIENICKI, J.J., Effects of recent modeling developments in prompt burst hypothetical core disruptive accident calculations, 3486
Effects of recent modeling developments in LMFBR prompt burst calculations, 3638
Modeling and numerical methods of TWOFCOL, 3605
Numerical thermal mixing in Eulerian calculations of coupled thermo/hydrodynamic motions, 2419 (NUREG/CR--0594)
See ABRAMSON, P.B., 3606, 3737, 4047, 4785
SIKKA, V.K., Complex materials behavior studies in support of design methods data list using reference heats: compressive creep of 16-mm (5/8-in.) plate of Type 316 stainless steel reference heat, 2487 (ORNL--5255, pp 65-67)
Complex materials behavior studies in support of design methods data list using reference heats, 2541 (ORNL--5349, pp 60-64)
Flow and failure criteria: influence of strain rate and test temperature on ductility of Types 304 and 316 stainless steel, 2486 (ORNL--5255, pp 58-64)
Influence of small amounts of niobium on mechanical and corrosion properties of type 304 stainless steel, 2647 (ORNL/TM--6285)
Mechanical property characterization of Type 316 stainless steel reference heat, 2488 (ORNL--5255, pp 67-90)
Mechanical property characterization of large-diameter pipes of types 304 and 316 stainless steels, 2546 (ORNL--5349, pp 114-136)
Mechanical properties test matrices on type 316 stainless steel and 2 1/4 Cr--1 Mo steel for U.S. Department of Energy Breeder Reactor Program, 2586 (ORNL/BRP--78/3)
See BRINKMAN, C.R., 4571, 606
See SWINDEMAN, R.W., 2517
SILAEV, J.V., See ILJUNIN, V.G., 3409
SILAKOV, A.S., See LEBEDEV, I.G., 5442
SILAYEV, Y.V., See ILYUNIN, V.G., 5419
SILBERBERG, M., See ADAMS, R.E., 854
See BASDEKAS, D.L., 2365, 2694
SILVER, P.J.B., See RALPH, J.C., 4167
See TOMLINSON, L., 4194
SIM, R.G., See CAGE, J.F., 4190
See KAPLAN, S., 3585
See MCKEEHAN, E.R., 1401, 636
SIMAKIN, G.A., See TIMOFEEV, G.A., 3350
SIMERKA, I., See KORINEK, J., 992
See SUCHOMEL, J., 993
SIMMONDS, J.R., See KELLY, G.N., 2355
SIMMONS, J.M., US advanced LMFBR fuels development program, 4818
SIMMONS, L.D., High Temperature Liner Feature Test, FT-3, 1793 (HEDL-TME--77-102)
Thermoelastic buckling of plates in a cylindrical geometry against an elastic back support, 1670 (HEDL-SA--2066-FP)
See WIERMAN, R.W., 1536
SIMMONS, M.D., See WHITE, R.G., 1799
SIMMONS, R.T., See HOVER, J.G., 3922
SIMMS, R., Loss-of-flow test L5 on FFTF-type irradiated fuel, 118 (ANL--78-24)
Transient-overpower test E8 on FFTF-type low-power-irradiated fuel, 78 (ANL--77-53)
See JOHANSON, E.W., 3228
See ROTHMAN, A.B., 470
SIMONNEAU, J.P., See TEULON, J., 2105
SIMONS, R.L., Damage analysis: damage function development and application, 1189 (EUR--5667(Pt.2), pp 46-60)
Helium production in FBR out-of-core structural components, 1514 (HEDL-SA--1439)
Helium production in fast breeder reactor out-of-core structural components, 4240
SIMPSON, D.B., See GREENE, N.M., 2573
See SELBY, D.L., 2478
SIMPSON, D.E., Fast reactor safety technical progress report, January--March 1977, 1774 (HEDL-TME--77-66)
Fast reactor safety technical progress report, April--June 1977, 1775 (HEDL-TME--77-67)
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)
FFTF safety review, 1661 (HEDL-SA--1958)
LMFBR accident consequences assessment, 1466 (HEDL-SA--1241)
Resolution of key safety-related issues in FFTF regulatory review, 421 (CONF-761001--P2, pp 400-410)
W-1 SLSF experiment, 1600 (HEDL-SA--1688)
See PEAK, R.D., 4503
See SCHADE, A.R., 1619
See STEPNEWSKI, D.D., 104
SIMPSON, H.C., International scene, 4525
SIMPSON, J.L., State-of-the-art water chemistry of steam generators with emphasis on CRBRP specifications, 1326 (GEFR--00463)
See MOSS, S.A., 982
SIMPSON, W.A. JR., Microcomputer-controlled ultrasonic data acquisition system, 2663 (ORNL/TM--6531)
SIMS, C.T., Microstructural objectives for high-temperature alloys in advanced energy systems, 3349
SINGER, R.M., Experimental study of whole core thermal-hydraulic phenomena in EBR-II, 4300
Inherent emergency cooling of liquid metal fast breeder reactors by natural circulation, 631 (CONF-771203--, pp 123-125)
LMFBR transition to natural circulation from an initial isothermal state, 3979
Measurements of subassembly and core temperature distributions in an LMFBR, 4863
Measurements of subassembly and core temperature distributions in an LMFBR, 5007
Natural circulation heat transfer in pool-type LMFBR's, 4974
Response of EBR-II to a complete loss of primary forced flow during power operation, 850 (CONF-800226--6)
Studies related to emergency decay heat removal in EBR-II, 823 (CONF-790816--57)
Studies related to protected loss of flow accidents in a fast breeder reactor, 843 (CONF-791204--29)
See GILLETTE, J.L., 256, 257, 259, 4021, 805
See SACKETT, J.I., 822
SINGH, R.N., Creep behavior of mixed-carbide advanced nuclear fuel, 4867
SINGH, R.S., See LEE, S.M., 4224, 4225
See VAIDYANATHAN, R., 4608
SINYAVSKII, V.F., Investigation of added masses and damping factors for vibrations of tube and tube bundles in fluid, 2099 (IWGFR--21, pp 224-234)
SINYAVSKY, V.F., See FYODOROV, V.G., 2104
SIROTA, B.B., Core restraint development. Quarterly progress report for period ending November 30, 1978, 2967 (WARD-CR--94000-1)
Core restraint development. Quarterly progress report for period ending February 28, 1979, 2968 (WARD-CR--94000-2)
Core restraint development. Quarterly progress report for period ending May 31, 1979, 2969 (WARD-CR--94000-3)
SIRTORI, L., See CENNI, R., 3774
SIVANANDAM, M., See SANGODKAR, D.B., 5129
SJUZEV, V.N., See GOLOVNIN, I.S., 4385
SKALKA, R.J., See NAYAK, U.P., 2959, 4844
SKAVDAHL, R.E., US LMFBR coolant system components, 5282
SKIBA, O.V., See BARKOV, V.A., 2343
See BIBIKOV, S.E., 1879
See KIKOIN, I.K., 1881
See KIRILLOVICH, A.P., 4598
SKLAD, P.S., See ROWCLIFFE, A.F., 785
SKLADZIEN, S.B., Release of bubbles from small leaks at steam generator tubesheet welds, 214 (ANL-CT--78-20)
Tritium meters for use in LMFBR sodium coolant, 120 (ANL--78-30)
See MCPHEETERS, C.C., 1030, 4702
SKOKO, J., See MARMONIER, P., 5405
SKOPP, G., See VELJOVICH, W., 4481
SKOPP, G.H., See MOODY, E., 5082
SKORIKOV, N.V., See BAKUMENKO, O.D., 3048, 4092
See YURCHENKO, D.S., 4060
SKULKIN, N.N., See AFANAS'EV, V.A., 2220, 2340, 5165
See EFIMOV, V.N., 2347
SKULL, G., See DECUYPER, J., 4233
See JOSUE, M., 4235
SKYRME, G., See POLLEY, M.V., 3496
SLAGLE, O.D., See HINMAN, C.A., 1507, 1782
See WEBER, E.R., 2031
SLATTERY, G.F., See BARNABY, J., 4939
SLAUGHTER, G.G., See RAGAN, G.L, 842
SLAUGHTER, G.M., Oak Ridge National Laboratory, 2511 (ORNL--5287, pp 87-353)
See KING, J.F., 4193
SLEMBER, R.J., Safety-related design considerations for the Clinch River Breeder Reactor Plant, 390 (CONF-761001--P1, pp 112-128)
SLETTEN, H.L., Cold trap requirements for PHTS and IHTS sodium purification, 1031 (DOE/TIC--11040)
SLOSS, W., See SWANSON, K.M., 4825
SLOSS, W.M., See BAGLEY, K.Q., 4832
SMAARDYCK, J.E., See KING, D.L., 3652
SMAARDYK, A., EBR-II environmental instrumented subassembly XX08: engineering and assembly, 83 (ANL--78-9)
See GILLETTE, J.L., 49
SMAARDYK, J.E., HTFLO: a computer model of a resistively-heated UO_2 pin with a rate-dependent heat capacity, 2889 (SAND--79-1693)
Large scale sodium interactions. Part 2. Preliminary test results

for limestone concrete, 2821 (SAND--77-1059C)
Large-scale sodium interactions: preliminary test results for limestone concrete, 4763
Time-resolved penetration measurements of liquid sodium into limestone concrete, 2866 (SAND--78-1336C)
Time-resolved penetration measurements of liquid sodium into limestone concrete, 4017
See KING, D.L., 2822, 2835, 97
See SALLACH, R.A., 3653, 98
SMEDLEY, J., See TAYLOR, D., 4073
SMEDLEY, J.A., See EVANS, A.D., 4148
SMIDT, D., See BCENISCH, G., 395
See KLEEFELDT, K., 2217
SMIDT, F.A., Comparison of the swelling produced in nickel by neutron irradiation and by ion bombardment, 4949
SMIDT, F.A. JR., See REED, J.R., 1
SMIRNOV, A.M., See CHERNOBROVKIN, IU.V., 721
See CRYAZED, V.M., 3047
See GRYAZEV, V.M., 4091
See KAZACHKOVSKII, C.D., 5400
SMIT, C.C., TNO experience on sodium cleaning of large plant components by vacuum distillation, 2113 (IWGFR--23, pp 8-12)
See ERASZ, J., 3921
See HAUBOLD, W., 2112
See KNAAP, M.H., 4076
SMIT, H.C.D., See VAN DE VATE, J.F., 453
SMITH, A.M., See WRIGHT, A.L., 2460, 2464, 2600, 853
SMITH, C.A., Technique for measuring hydrogen and water in inert gases and the hydrogen concentration in liquid sodium, 367 (CEGB-RD/B/N--4029)
See NEWMAN, R.N., 4438
SMITH, C.M., See HAN, J.T., 518
SMITH, C.R.F., EBR-II operating experience, 1040 (DOE/TIC--11162)
See RUTHER, W.E., 2131, 645
SMITH, D.C.G., Measurements in PFR of importance to safety and reactor performance, 4058
SMITH, D.E., See PADILLA, A. JR., 1534, 3636
See TABB, K.K., 1836
See WILBURN, N.P., 1535, 3070
SMITH, D.L., Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steel, 2485 (ORNL--5255, pp 50-56)
See NATESAN, K., 607
See ZEMAN, G.J., 2540, 2308
SMITH, D.M., See BHATTACHARYYA, S.K., 3067, 3684, 3976, 727
SMITH, F.A., See KOEHL, E.R., 240
SMITH, H.H., Fatigue crack propagation in Alloy 718: effect of heat treatment on microstructure and fatigue behavior, 2498 (ORNL--5255, pp 270-277)
SMITH, J.E., See CORUM, J.M., 2562
SMITH, J.H., Nondestructive testing, 2519 (ORNL--5309, pp 261-265)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2671 (ORNL/TM--6679)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2672 (ORNL/TM--6679/R1)
SMITH, J.L., Effect of high external thermal loading on LMFBR subassembly integrity, 5109
Effect of high external thermal loading on LMFBR subassembly integrity, 540 (CONF-770807--39)
See HENRY, R.E., 3339
SMITH, L., See STRATTON, R.W., 4835
SMITH, L.L., SIMMER-II: a computer program for LMFBR disrupted core analysis, 2409 (NUREG/CR--0453(Vol.1))
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2410 (NUREG/CR--0453(Vol.2))
SIMMER-II code and its applications, 2281 (LA-UR--79-1918)
See BOUDREAU, J.E., 2270
SMITH, R.A.K., See ROBINSON, D.P., 6
SMITH, R.C., Radiation and effluent control technology semiannual progress report, January--June 1976, 1753 (HEDL-TME--77-30)
SMITH, R.D., Review of the UK fast reactor programme. March 1977, 2090 (IWGFR--18, pp 12-35)
Review of the UK fas reactor program: March 1978, 2352 (NOR--3686)
SMITH, R.J., See NEWMAN, R.N., 4438
SMITH, R.K., ERE-II operating experience, 595 (CONF-770822--6)
See STAKER, R.G., 5267
SMITH, R.P., Fast reactor operation in the United States, 673 (CONF-780407--6)
See SMITH, R.N., 595
See STAKER, R.G., 5267
SMITH, R.W., Accustic transducer and its procedure of fabrication, 5447
SMOCK, R.W., Carter puts nuclear power in strong position, 4532
SMOLIK, G.R., Evaluation of roll-extruded Alloy 718 tubing, 2940 (TREE--1255)
Evaluation of roll-extruded alloy 718 tubes: seamless versus welded, 2942 (TREE--1360)
See KORTH, G.E., 2481, 2538
SMOLKIN, YU.V., See GRINMAN, M.I., 5448
SNAGINSKII, B.N., See BURLAKOV, V.A., 1880
SNAIR, G.L., Summary of LMEC sodium valve operating history, 2901 (TI--00-LME-023)
SNAPE, G.P., See EAGLEY, K.Q., 4832
SNOW, A., Evaluation of the additional materials data needed to support the use of Alloy 718 in non-welded nuclear reactor applications, 1026 (DOE/TIC--10240, pp 100p, Attachment 3)
SNOW, A.L., See KONISH, H.J., 3021
SNRECH, D., See DELISLE, J.P., 4088
SNYDER, P.H., Review of literature on unsteady forced convection heat transfer with application to LMFBR thermal striping, 2932 (TID--28937)
SO, B.Y.C., EBR-II experience on fission-product release from sodium-bonded fuel elements, 627 (CONF-771203--, pp 131-133)
Fission gas behavior in the EBR-II primary system, 4737
Fission-product releases to the primary system of EBR-II from April 1975 to March 1977, 152 (ANL--79-26)
Fission-product releases to the primary system of EBR-II from April 1977 to May 1978, 153 (ANL--79-27)
Model to simulate the fission-product transport process in the Experimental Breeder Reactor II, 841 (CONF-791108--21)
See LAMBERT, J.D.B., 3491
See STRAIN, R.V., 129
SOBEL, L.H., Instability analysis of elbows in the plastic range, 5116
Plastic in-plane bending and buckling of an elbow: comparison of experimental and simplified analysis results, 2978 (WARD-HT--94000-2)
See DHALLA, A.K., 3014
See NEWMAN, S.Z., 3013
SOBOLEV, E.N., See GUBANOV, V.M., 709
See TITOV, V.F., 710
SOBOLEVSKII, R.G., See RINEISKII, A.A., 1217
SOKOLOV, A.S., See FYODOROV, V.G., 2096
See GUBANOV, V.M., 709
See TITOV, V.F., 710
SOKOLOV, V.M., See AFANAS'EV, V.A., 717
SOKURSKY, Y.N., See AGAPOVA, N.P., 4964
SOLANO, R.R., Creep-rupture-strength and creep-behaviour of stainless steel X6CrNi 1811 (DIN 1.4948), 2158 (JEN--363)
Creep-rupture-tests on the stainless steel X6 CrNi1811 (DIN 1.4948) in the frame of the ''Extrapolation-Program'' Pt. 2, 2160 (JEN--447)
SOLIMAN, M.O., See STONEKING, J.E., 2615
SOLOMON, K.A., See KASTENBERG, W.E., 2760
SONE, T., Determination of O/M ratios of UO_2-PuO_2 mixed oxide fuel, (1). Statistical analysis of O/M ratios, 2738 (PNCT--831-75-02, pp 42-52)
SONIN, A., See SHIRALKER, G., 3738
SOROKIN, A.P., See ZHUKOV, A.V., 1209, 1215
SOSA, Y., Rotary plug seal device for liquid metal cooled reactor, 5219
SOWA, E., Experiments in the formation of particulate debris beds by contact of molten core debris with sodium, 4671
SOWA, E.S., Molten core debris-sodium interactions: M-Series experiments, 825 (CONF-790816--59)
Studies of the formation and cooling of particulate fuel debris beds in sodium, 502 (CONF-761001--P4, pp 2036-2044)
See BAKER, L. JR., 506
See GABOR, J.D., 91
SOWERS, G.W., Comparison of piping models for digital power plant simulators, 2454 (NUREG/CR--0951)
See HETRICK, D.L., 2393
SOWERS, M.G., Pool type IHX study for the Large Component Development Program, 373 (CENC--1397)
SPADONI, M., See DE LUCA, B., 2123
SPALARIS, C.N., Corrosion issues in steam generators of the fast breeder reactor systems, 1419 (GEFR-SP--191)
Fabrication and inspection of tubing, tubesheets, and tube-to-tubesheet welds for the CRBRP steam generators, 694 (CONF-781001--P1, pp 2.1-2.12)
Fabrication inspection of tubing, tubesheets, and tube-to-tubesheet welds for the CRBRP steam generators, 1399 (GEFR-SP--046)
Heat treatment for 2-1/4Cr-1Mo for application to sodium heated steam generators, 1267 (GEFR--00348)
Sodium heated steam generators. Near term and projected information needs-ferritic steels, 4150
Suitability of 2--1/4Cr--1Mo steel for LMFBR Steam Generation System applications: a critique of NUREG-0387, 2923 (TID--28546)
Welding for the CRBRP steam generators, 1411 (GEFR-SP--151)
See HAMPTON, L.V., 1416
See ROY, P., 696
See RUSH, D.J., 1398, 697
See SIMPSON, J.L., 1326
SPEAR, M., Dounreay reprocessing plant closes nuclear fuel cycle, 3088
SPECHT, E.R., Experiments and analyses for an LMFBR inherent shutdown system, 4661
Hydraulic tests on an inherent secondary shutdown assembly for LMFBRs, 3668
Hydraulically supported absorber balls shutdown system for inherently safe LMFBR's, 410 (CONF-761001--P2, pp 683-695)
See FISCELLA, J.M., 1140
See LANCET, R.T., 4135
See OTTER, J.M., 4657
SPEIS, T.P., LMFBR accident energetics and their role in licensing, 420 (CONF-761001--P2, pp 369-387)
See DENISE, R.P., 3657
See MASSEY, J.V., 429
See THEOFANOUS, T.G., 475
SPENCE, J., Analysis for out of plane bending on curved pipes in creep: Development of method and design factors, 2069 (IWGFR--11, pp 58-64)
See BOYLE, J.T., 2315, 5125
SPENCER, B.W., CAMEL seven-pin fuel sweepout tests, 3998
CAMEL single-pin fuel sweepout test C2, 4749
Results of fuel freezing tests with simulated CRBR-type fuel pins, 4000
Summary and evaluation of R-series loss-of-flow safety tests in TREAT, 471 (CONF-761001--P4, pp 1647-1657)
System hydraulic effects on fuel sweepout in the hypothetical TOP accident, 3999
See ANDERSON, T.T., 4683
See BOWERS, C.H., 4803
See DICKERMAN, C.E., 150, 4978
See HOLTZ, R.E., 63
See JONES, B.G., 3631, 4744
See WILBURN, N.P., 1539, 3070
SPENCER, D.R., Whole-core thermal-hydraulic transient code development and verification for LMFBR analysis, 3220
Whole-core thermal-hydraulic

transient code development and verification for LMFBR analysis, 773 (CONF-790602--36)
SPENKE, H., Core and fuel element design for the SNR-2, 3854 (EURFNR--1418)
First drafts of core and fuel elements for the SNR-2 reactor, 2175 (KFK--2416, pp 38-41)
See MCRELLE, J.M., 4137
See STANCULESCU, A., 3893
SPERBERG, R.T., See STEHLING, S.G., 4372
SPERHAC, D.J., See SCHREIBER, R.E., 3233
SPIEWAK, I., Thorium assessment study quarterly progress report, third quarter fiscal 1977, 2636 (ORNL/TM--6025)
SPITZNAGEL, J.A., See BLEIBERG, M.L., 5367
SPLEHA, E.A., See HENRY, R.E., 474, 4745, 478
SPRAGUE, J.A., Effects of radiation on structural materials: proceedings of the international symposium, 9th, 1978, 4229
SPRAGUE J.A., See SMIDT, F.A., 4949
SPRIET, B., See JACSON, M., 4401, 4411
SPRING, A.H., High reliability straight tube LMFBR steam generator design, 3149
SPRUSANSKA, M., See SUCHOMEL, J., 993
SQUIRE, A., See BECKJORD, E.S., 4095
See BLISS, R.J., 3316
See EMBERG, R.F., 1477
SRINIVAS, S., Analysis of EBR-II secondary sodium network for pressures pulses due to leaks of steam on water into sodium, 4543
Analysis of EBR-II steam-generator system for pressure pulses due to leaks of steam or water into sodium, 5062
Model for pressure in an LMFBR duct due to discharge of gas from a failed fuel pin, 5094
See RUTHER, W.E., 5091
SRINIVASAN, E.S., See KHATIB-RAHBAR, M., 317, 329
SROELOV, V.S., See KEEADZE, E.V., 3547
SRUTEK, J., Accident control element of sectional liquid metal steam generator, 5320
See DUBSEK, F., 4577
STAAHL, G., See BAKER, L. JR., 506
STAAL, H.U., See DE VRIES, M.I., 1053, 4242
STAERNHAGEN, L., See PROEST, A., 3928
STAEROVSKIJ, S.A., See EFIMOV, I.A., 4238
STACHYRA, L.J., See SWEDISH, M.J., 3614
STACKETT, J.I., Experience with transient testing and simulation at EBR-II, 3659
STADE, K.C., See HAUBOLD, W., 2112
STAFFOU, J.D., See RUTHER, W.E., 5091
STAHL, D., See DOERNER, R.C., 135
STAHLBERG, R., Crack growth behaviour of the austenitic steels X 6 CrNi 18 11 and X 6 CrNiMo 17 13 under the conditions of a natrium-cooled fast breeder reactor, 3876
STAKER, R.G., EBR-II: more than a decade of experience with an experimental LMBR power plant, 5267
STALKER, K.T., Analog and digital reconstructions of fuel pin images recorded with the prototype ACPR (UPGRADE) fuel motion diagnostic system, 2436 (NUREG/CR--0790, pp 25-36)
Coded aperture imaging system for nuclear fuel motion detection, 2853 (SAND--80-0026)
Time-resolved coded aperture imaging system for nuclear fuel motion measurements, 4986
See KELLY, J.C., 2437, 2815, 2840, 417, 4755
STAMATELATOS, M.G., Radiation source terms in LWR and LMFBR spent fuel. Final report, 1100 (EPRI-NP--948)
STAMM, H.H., Activation analysis for the determination of the specific activity of radionuclides in metallic sodium, 5 (AED-Conf--78-274-000, pp vp)
Sorption on metal surfaces of radionuclides from sodium, 4277
See MENZENHAUER, P., 2115
STANCULESCU, A., Core design of sodium-cooled fast breeders (SNR) with regard to strategic design targets, 3893
STANDRING, J., See WATKIN, J.S., 4959
STANEK, B., See STAREK, J., 3755
STANFORD, G.S., Fuel motion in TREAT transient-over-power test E6, 4729
See DOERNER, R.C., 135, 54
See SIMMS, R., 78
STAREK, J., Development and production of tubes with inner finning for nuclear power, 3755
STARKOV, C.V., Comparative material studies of specimens of steels type 2.25Cr--1Mo and 18-8 of Soviet and American manufacture following contact with sodium, 723 (CONF-781001--P2, pp 8.1-8.26)
Study of decarburization constants of pearlitic steels type 2.25Cr--1Mo and carburization of 12KH18N9 and 304 steels, 722 (CONF-781001--P2, pp 7.1-7.18)
See SUBBOTIN, V.I., 3313
STARKOVICH, V., See REXROTH, P.E., 3613
STARKOVICH, V.S., Review of high temperature measurement techniques for LMFBR safety experiments, 2373 (NUREG/CP--0007, pp I.1.1-I.1.28)
See CHAPYAK, E.J., 2282
See REXROTH, P.E., 2278
STAROSTECKI, R.W., See SPEIS, T.P., 420
STAROSTENKO, N.N., See POPYRIN, L.S., 1904
STAROSTENKO, V.I., See POPYRIN, L.S., 1904
STAROZHUKOV, D.I., See KIRILLOVICH, A.P., 4598
STAUFFER, T.R., Assessment of economic incentives for the liquid metal fast breeder reactor, 5437
STEARNS, J.D., Dynamic testing of a prototypical FFTF piping system, 1181 (ETEC-TDR--79-10)
Metallurgical evaluation of the Modular Steam Generator (MSG) after LLTR testing, 1172 (ETEC--78-12)
Removal of sodium/sodium water reaction products from the MSG by reaction with organic solvents, 2302 (MP--45-SA-002)
See DROPER, J.J., 1173
See NEELY, H.H., 1169, 3173
STEELE, L.E., Materials for advanced nuclear energy systems, 622 (CONF-771203--, pp 523-525)
STEELE, C.P., Summary of sodium removal and decontamination programs in the USA, 2125 (IWGFR--23, pp 151-153)
See WELCH, F.H., 2129
STEELE, C.P. III, Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, October--December 1978, 1148 (ESG-DOE--13262)
Summary of sodium removal and decontamination programs in the U.S.A., 1511 (HEDL-SA--1429FP)
See WELCH, F.H., 1133, 3052, 3939, 4480
STEELE, W., See BADHAM, V., 2693
STEFFEN, J.M., Data for PNC fuel pins for HEDL P-E01 test, 1022 (DOE/TIC--10188)
Fabrication data for the US/UK safety test program L01 calibration fuel pins, 1021 (DOE/TIC--10187)
STEGEMANN, D., See BENKERT, J., 3892, 5010
STEHLE, E., See BUCKEL, G., 3487, 4379
See KUEFNER, K., 4638
STEHLIK, J., See KORINEK, J., 992
See POLAK, V., 1894
STEHLIKOVA, Z., See SUCHOMEL, J., 993
STEHLING, S.G., Development testing of leak injection devices for use in testing sodium-water leak detection modules, 4372
Interim report: leak detection test activities on the General Electric Steam Generator Test Rig (SGTR), 1294 (GEFR--00400)
Investigations into the sodium-steam surface interaction on a stagnant pool, 2328 (NEDM--14149)
Investigations into the sodium-steam surface interaction on a stagnant pool, 4370
See FISH, R.L., 1777
STEICHEN, J.M., See BLACKBURN, L.D., 2495, 4947
STEIN, E., See JIANG, S.H., 2162
STEIN, R.P., Interaction of heat-generating molten uranium dioxide with magnesia brick, 4674
See BAKER, L. JR., 827
STEINBERG, M., Nuclear power without nuclear bombs. Linear accelerator-breeder concept for decoupling the nuclear power economy from nuclear weapons production, 2934 (TID--29088)
STEINER, D., Design and optimization of the electromagnetically energized liquid metal direct current conduction pumps, 1891 (IKE--5-203)
See REID, R.L., 4181
STEINER, H., Design, irradiation and post-irradiation examination of the (U,Pu)C fuel pins of the test groups 6a and 6c, 2194 (KFK--2577)
Design, irradiation, and post-irradiation examination of Na-bonded (U,Pu)C fuel rods of the test group Mol 15, 3867 (EURFNR--1421)
Design of carbide fuel rods, 2176 (KFK--2416, pp 102-108)
Effects of fission gas bubbles in the bond on the temperature distribution in Na-bonded carbide fuel rods, 3895
Heat transmission during startup in carbide fuel rods provided with average to large fabrication gaps, 2184 (KFK--2472)
Heat transmission during start-up in carbide fuel rods provided with average to large fabrication gaps, 3514 (DOE-tr--178)
Layout, design and post irradiation examination of Na-bonded fuel pins of the test group Mol 15, 2183 (KFK--2451)
STEINKE, R.B., Approximate inversion method for five point difference matrix equations, 2276 (LA-UR--79-162)
STEINMETZ, B., Analysis of fuel/clad mechanical interaction in non-steady reactor operation via fuel rod modelling code IAMBUS, 5095
See VERBEEK, P., 3517
STENNER, J.R., See PAI, D.H., 5424
STEPHEN, J.D., LIFE code system for analysis of oxide fuel pin thermal/structural behavior, 4845
See DUTT, D.S., 1602
See HARBOURNE, B.L., 1412
See PATEL, M.R., 1410
STEPHENS, P.B., Clinch River Breeder Reactor Plant. DNB effects test program. Final report, 979 (CRBRP-GEFR--00100)
See RODGERS, D.N., 4368
STEPHENSON, M., Thermal and thermal stress analysis of a pool type LMFBR deck structure, 786 (CONF-790802--48)
STEPHENSON, M.E., See TYLKA, J.P., 4752
STEPHENSON, R.L., See SIKKA, V.K., 2486
STEPNEWSKI, D.D., Investigation of margins in FFTF containment design, 104 (ANL--78-10, pp 309-316)
Safety analysis of experiments proposed for irradiation in FFTF, 1614 (HEDL-SA--1735-FP)
See MARCHATERRE, J.F., 726
See PEAK, R.D., 1615, 4503
See YEE, A.K., 1618
STERN, S.A., Separation of krypton and xenon from reactor atmospheres by selective permeation. Final report, 940 (COO--3536-13)
STEVENS, C.O., See SIKKA, V.K., 2541
STEVENS, P.N., See CLIFFORD, C.E., 2477
STEVENSON, M.G., Specialists' workshop on predictive analysis of material dynamics in LMFBR safety experiments, March 13-15, 1979, 2239 (LA--7938-C)
See SASA, P., 3597
STEWART,, S.L., See LU, Y.S., 3157
STEWART, B.D., See BARSOUM, R.S., 5306
STEWART, P.J., See SCHMITT, R.W., 4630, 4915
STEWART, R.R., See STANFORD, G.S., 4729
STEWART, S.L., Analysis of simulated HCDA experiments in ZPPR, 403

(CONF-761001--P2, pp 594-601)
See LEE, B.W., 662, 981
See LU, Y.S., 1408
STIEGLER, J.O., Radiation effects in structural materials, 3328
See GROSSBECK, M.L., 4537
STIEGLITZ, L., See JACOBI, S., 4209
STIEVENART, M., See EGLEME, M., 454
STILL, R.K., See HUANG, T.C., 4668
STILLER, P., See HEHN, G., 1186
STINEBISER, K.W., See YANT, H.W., 4363
STITT, R.K., See MCDONALD, J.W., 1264
STOEHR, H., See GUTHMANN, E., 4052
STOEHR, K., See BRANDSTETTER, A., 5279
STOETZEL, H., See MORGENSTERN, F.H., 424
STONE, C.C., Design approaches and programs for development of steam generators for U.S. LMFBR plants beyond CRBRP, 695 (CONF-781001--P1, pp 3.1-3.34)
See EUSCHMAN, H.W., 651, 847
STONE, C.M., Creep buckling of shells, 5117
Leakage effects on LMFBR cell liners, 2861 (SAND--78-0742C)
STONE, E.L., See HILAL, M.A., 4920
STONE, I.Z., Effect of a time varying power level in EBR-II on mixed-oxide fuel burnup, 1629 (HEDL-SA--1759-FP)
Effect of a time-varying power level in EBR-II on mixed oxide fuel burnup, 3160
See KARNESKY, R.A., 1559
STONEKING, J.E., Implementation of the unified plasticity--creep constitutive equations with the finite element method, 2615 (ORNL/SUB--79/55455/1)
STORRS, C.L., See MCDONALD, J.S., 4192
STOUT, J.W., See MCWILLIAMS, K.D., 3551
STRAALSUND, J.L., Flow duct for nuclear reactors, 3703
Irradiation creep in breeder reactor structural materials, 4941
Length changes in FTR prototypic cladding irradiated in EBR-II to 1 x 10^{22} N/CM^2, E > 0.1 MeV (PIN B-65)(RM-24), 1734 (HEDL-TME--72-95)
See GILBERT, E.R., 4887
See HOLMES, J.J., 4934
STRAIN, R.V., Design and use of the fission product source at EBR-II, 4736
EBR-II fission-product-source Test No. 1. EBR-II project, 129 (ANL--78-58)
Results of UO_2 diagnostic tests for run beyond cladding breach in EBR-II, 143 (ANL--78-59)
See FRYER, R.M., 3680
See GROSS, K.C., 154, 3175
See LEHTO, W.K., 824
See WASHBURN, D.F., 1556
STRAKA, M., Sodium boiling experiments in natural convection with a thermal power equal to the decay heat, 3515
See KAISER, A., 4393, 521
STRAKE, M., See KAISER, A., 2195
STRAKER, E.A., See BRYNDA, W.J., 303
STRAND, C.A., Design and manufacture of gas tags for FFTF fuel and control assemblies, 5352
STRATTON, R.W., Development of advanced fuels in Switzerland, 4823
Irradiation behavior of sphere-pac carbide fuel, 4835
STRAUB, G., Computation of temperature and velocity fields in fuel elements of fast sodium-cooled breeders passed by a parallel flow, 1890 (IKE--5-202)
STRAUSS, S.D., See ROBICHAUD, G.G., 3713
STRAWBRIDGE, L.E., CRBRP structural and thermal margin beyond the design base, 820 (CONF-750816--37)
See MARKOWSKI, F.J., 443
See SCHORNHORST, J.R., 105, 608
STREHLEN, U., See WEHMANN, U., 3
STRINGER, J.L., See DAY, C.K., 4375
STRIZAK, J.P., Continuous cycling and creep--fatigue behavior of 2 1/4 Cr--1 Mo steel, 2545 (ORNL--5349, pp 111-114)
Fatigue properties of transition weld joint materials, 2530 (ORNL--5309, pp 245-261)
Influence of melting practice and heat treatment on the continuous cycling fatigue and subcritical crack growth properties of 2 1/4 Cr--1 Mo steel, 2678 (ORNL/TM--6782)
See BAYLOR, V.B., 2548, 2642
See BRINKMAN, C.R., 2495, 4188
STRODE, J.N., See SMITH, R.C., 1753
STROMATT, R.W., Experience in the analysis of nuclear-grade boron carbide, 1792 (HEDL-TME--77-100)
Swab test: a method to determine surface contamination of stainless steel reactor components by chloride and fluoride, 1785 (HEDL-TME--77-89)
STRUWE, D., Behaviour of the core of a fast sodium-cooled breeder reactor of 2000 MW(e) during disruptive accidents with a very low likelihood of occurrence, 3465 (DOE-tr--90)
Hypothetical core disruptive accident analysis of a 2000 MWeut(e) liquid metal cooled fast breeder reactor, 2187 (KFK--2490)
Safety analysis aspects of a 2000 MWe LMFBR core, 393 (CONF-761001--P1, pp 193-208)
Theoretical interpretation of SCARABEE single pin in-pile boiling experiments, 4396
See BOTTONI, M., 3902, 4217
See FROEHLICH, R., 4214
See ROYL, P., 3913
STULTING, R.D., See GNADT, P.A., 814
STUMPF, W.E., Compatibility of stainless-steel cladding materials with uranium carbide fuel, 3436
STUTEVILLE, D.W., See NOYES, R.C., 3103, 3263, 341, 5350
See VITTI, J.A., 5351
SU, S.F., Comparisons of sodium void and Doppler reactivities in large oxide and carbide LMFBRs, 125 (ANL--78-41)
Effect on performance of core height reduction in 1200-MW(e) LMFBRs, 4695
Physics performance of heterogeneous LMFBRs with internal axial blankets, 3963
See BARTHOLD, W.P., 1101, 1102, 1103, 1104, 1884, 3068, 730
See LAM, P.S.K., 4698
See ORECHWA, Y., 1099
SUBBARAMAN, G., Analysis of the mechanical response of LMFBR fuel clads subjected to in-service property variations, 4641
Modeling the mechanical response of a degraded reactor fuel clad, 4993
SUBBOTIN, S.A., See RINEYSKIY, A.A., 5418
SUBBOTIN, V.I., Purification of sodium coolant by means of cold and hot traps and purification of the cover gas, 3313
SUCHOMEL, J., Analysis of fuel-coolant interaction in the initiation and postexplosive stages of fast reactor credible accidents, 993 (CS-INIS--201)
Molten fuel-sodium interaction in fast reactor accidents, 3781
See POLAK, V., 1884
SUGIYAMA, K., See ISHIGURO, R., 3815
SUGIYAMA, M.M., See MECH, S.J., 1486
SUGIZAKI, T., See KUROSAWA, K., 4120
SUITE, T., See FUJIIE, Y., 5161
SUKHOV, A.B., See KARELIN, E.P., 4308
SULC, V., Heat transfer in the peripheral region of a fast reactor fuel assembly. Part I. Experimental equipment; solution prerequisites, technological experiments, 2950 (UJV--4333-T)
Institute's research into thermal parameters of fast reactor fuel assemblies, 1900 (INIS-mf--4280, pp 170-181)
SULLIVAN, J.E., See GILLETTE, J.L., 256, 257, 259, 805
See SINGER, R.M., 823, 850
SULLIVAN, M.D., See KING, J.F., 4193
SULLIVAN, T.E., Pipe connector, 5134
SULLIVAN, W.H., See CARLSON, G.A., 2831, 2883, 4910
SULTAN, P., See EL-SHEIKH, K.A., 415
See PECK, C.E., 4041
SUMIDA, I., Fundamental experiment of potassium heat exchanger using principle of heat pipe, 5151
See MURASE, M., 3468, 3806
SUMIKAWA, M., Inelastic thermal transient analysis of tubesheets, 2078 (IWGFR--11, pp 65-69)
SUMMERS, G.D., Methods of assuring design adequacy of seismic III/I supports, 1588 (HEDL-SA--1642-FP)
SUMNER, V.W., Measurements of temperature fluctuations in the mixing of hot and cold air jets, 366 (CEGB-RD/B/N--3982)
SUN, K.H., Extremely sensible method and device for detecting metallic vapors, 5202
SUN, Y.H., Application of Larson--Miller parameter to LMFBR fuel failure dynamics, 4766
Fuel-clad stress--strain state at the beginning of a transient, 459 (CONF-761001--P3, pp 1365-1375)
See BARI, R.A., 2406, 309, 3109, 3627
SUNDERMANN, H., Measuring probe and method to determine the oxygen content of gases, vapours and liquids, in particular for liquid metals, 3286
Measuring probe and method for determining the oxygen content in gases, vapors, and liquids, especially in liquid metals, 3566
SUNDQUIST, B.E., See ROTH, T.S., 2998
SUNTINGER, G., See BOIOLI, A., 1861, 4911
SUO-ANTTILA, A.J., Simplified multicomponent phase transition model, 4780
See REXROTH, P.E., 2262, 2277
SURANSKY, F., Construction of Soviet fast reactor BN-600, 4415
Steam generators of sodium cooled fast reactors, 4599
SUSEI, S., Electron beam welding of austenitic stainless steel. Elevated temperature properties, 3441
SUTHERLAND, H.J., Acoustic diagnostic techniques for post-accident heat removal experiments, 507 (CONF-761001--P4, pp 2115-2121)
Acoustic wave measurements in reactor-grade concretes, 5114
Measurement of the penetration of molten core materials into concrete using an acoustic technique, 114 (ANL--78-10, pp 425-432)
Measurement of the penetration of liquid sodium into limestone concrete, 2848 (SAND--78-0078C)
Measurement of the penetration of liquid sodium into limestone concrete, 3654
See KING, D.L., 2835, 3652, 97
See RIVARD, J.B., 2863
See SALLACH, R.A., 98
See SMAARDYK, J.E., 2821, 2866, 4017, 4763
SUTHERLAND, W.H., Uncertainties in fast breeder reactor fuel pin cladding stress and strain calculations, 1476 (HEDL-SA--1316)
SUTTON, A.L. JR., See PARKER, G.W., 683
SUTTON, H.G., Design of the core support and restraint structures for FFTF and CRBRP, 640 (CONF-771217--7)
Design of the core support and restraint structures for FFTF and CRBRP, 648 (CONF-780251--P2, pp 2.13-2.36)
SUZUKI, H., Studies of rare earth element as control rod material for LMFBR. Part V, 2157 (JAPFNR--494)
SUZUKI, I., Study of fast neutron streaming through the core support-plate shield of a LMFBR, 4914
See KAWAI, M., 4896
See OKA, Y., 2952
SUZUKI, K., Analysis of reactor structural response to fuel sodium interaction in a hypothetical core disruptive accident, 2726 (PNC-N--251-76-12(Vol.2), pp 651-680)
See KONDO, Y., 4945
See KOYAMA, M., 4940
See MICHIGUCHI, Y., 5323
See NAKAJIMA, N., 5144
See UEMATSU, K., 4963
SUZUKI, M., See IWASAKI, T., 5216
SUZUKI, T., See HIROTA, J., 2140
See IWAO, N., 3742
See ZUKERAN, A., 5153
SUZUKI, Y., See KAWASHIMA, K., 389
SUZUOKI, A., Flow instability analysis in sodium-heated once-through steam generators, 3163

Heat transfer system in a fast breeder, 5176
Studies of thermal-hydrodynamic flow instability, 2. Effects of heating condition of thermal-hydrodynamic flow instability, 4388
See KUDO, K., 5313
SVARNY, J., Few-group constants for calculating ksub(eff) and Δ(1/ksub(eff)) of fast reactors, 4518
SVIRIDENKO, E.YA., See ZHUKOV, A.V., 1209
SVIRIDOV, YU.F., See EFIMOV, V.N., 2347
SWANK, J.H., See MCELROY, W.N., 1495
SWANSON, C.D., Instrument calibration program for startup on FFTF, 1635 (HEDL-SA--1772)
Instrument calibration program for startup of FFTF, 3323
SWANSON, D.G., Evaluation of materials for CREEP core retention. Annual progress report, 2382 (NUREG/CR--0076)
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978, 2451 (NUREG/CR--0900)
Interactions between molten-core debris and reactor materials, 3655
Interactions between molten core debris and core containment materials, 4675
Molten core debris interactions with core containment materials, 112 (ANL--78-10, pp 408-414)
Molten core interactions with commercial firebricks, 3204
SWANSON, G.C., Semi-automated uranium analysis by a modified Davies--Gray procedure, 1463 (HEDL-SA--1221)
SWANSON, K.M., UK irradiation experience relevant to advanced oxide fuel concepts for LMFBR's, 4825
SWARS, H., Nuclear reactor with several cores, 4252
SWEDISH, M.J., Surface ablation in the impingement region of a liquid jet, 3614
SWEGLE, J.W., Lagrangian finite-difference calculations of an explosion in a partially water-filled rigid cylindrical tank, 2833 (SAND--77-1394)
SWENSON, D.V., Analysis of ORNL pipe ratchetting tests TTT-1 and TTT-2, 2447 (NUREG/CR--0846)
See BOLTAX, A., 682
See KALINOWSKI, J.S., 4693
See PENNELL, W.E., 3836
SWENSON, L.D., See BUNCH, W.L., 1585
SWINDEMAN, R.W., Exploratory testing in support of constitutive equation development for inelastic analysis, 2070 (IWGFR--11, pp 7-24)
Substructures developed during creep and cyclic tests of type 304 stainless steel (heat ST2796), 2517 (ORNL--5293)
SWITICK, D.M., See MCELROY, J.L., 980
SYCHROVA, H., See DUBSEK, F., 4577
SYTOV, L.I., See MEN'SHIKOVA, T.S., 2007
SYUZEV, V.N., See DAVYDOV, E.F., 2026
See TSYKANOV, V.A., 4880

T

TABE, K.K., MELT-IIIB: an updated version of the melt code, 1836 (HEDL-TME--78-108)
TABOAS, A.L., Neutron induced current pulses in fission chambers, 210 (ANL-CT--78-14)
Results from the testing of a TCE DC-14E and the ORNL FC-3 fission counter-chambers in the EBR-II NITF at temperatures up to 5460C. EBR-II run 82 (May 1976)--Run 85 (August 1977), 196 (ANL-CT--77-37)
See YINGLING, G.E., 676
TAGHAVI-TAFRESHI, K., Study of heat transfer associated with melting of horizontal substrate, 3617
Study of thermal and hydrodynamic processes associated with melting of horizontal substrate, 2445 (NUREG/CR--0839)
TAGUCHI, J., See MIYAZAWA, T., 5140, 5249
See NAMEA, M., 4565
TAILLIFET, D., See KUNG, J.P., 3904
TAKADA, J., See NISHIO, G., 3775
TAKAHARA, K., Failed fuel detector, 5240
Failed fuel detector for nuclear reactors, 5395
TAKAHASHI, F., See MICHIGUCHI, Y., 5323
TAKAHASHI, J., See HIMENO, Y., 2144
See NAKAMURA, H., 2148
TAKAHASHI, T., Heat transfer characteristics of steam generators for FBR, 4612
TAKAHASHI, Y., Pre-heater for fast breeder reactor and its life, 4614
TAKAMATSU, S., Computer control system for sodium test loops, 3502
See MIYAZAWA, T., 4197
TAKANO, H., Assessment of generation method of nuclear reactor constants set using the JENDL-2 nuclear data file, 2155 (JAPFNR--467)
Study on plan of mock-up critical experiment for large fast reactors by using the FCA. (Study on an amount of Pu fuel needed for partial mock-up experiment in large fast reactors), 2153 (JAPFNR--479)
TAKEDA, S., Effect of Np-239 on fast reactor burnup calculation, 3827
Fuel assembly, 5250
Fuel assembly for a nuclear reactor, 5398
Numerical study of burnup characteristics of 300 MWe LMFBR based on three-dimensional calculation, 3546
See SAKAGAMI, M., 3722
See TSUTSUMI, K., 5339
TAKEDA, T., In-core neutron instruments, 5154
TAKEI, A., See ANDO, Y., 4586
TAKI, K., See MIURA, M., 2740
TAKIMOTO, A., See HAYASHI, Y., 4282
TAKITANI, K., See ROKO, K., 3550, 4166
TALBERT, W.L. JR., See EVANS, A.E. JR., 2273, 4625
TALLENT, C.K., Study of the dissolution of refractory PuO_2 in aqueous hydriodic acid solutions, 5000
TALWAR, B., Preconceptual design study of proliferation-resistant homogeneous oxide LMFBR cores, 1286 (GEFR--00352)
Preirradiation of LMFBR fresh fuel assemblies to improve proliferation resistance, 3569
See HARLESS, W.H., 1395, 88
TAMAOKI, T., See YAMAMOTO, K., 2046
TAMM, H., See BANERJEE, S., 3369
TANAKA, C., See KONDO, Y., 4945
TANAKA, J., Control rod drives, 5315
TANAKA, K., Research and development on steam generator for fast breeder reactor, 4569
TANAKA, M., See YOSHIDA, K., 5342
TANAKA, N., Liquid metal cooled reactor, 5145
Liquid-metal cooled fast breeder, 5344
Study of the commercial fast breeder reactor in Japan, 5287
See SATO, M., 5092
TANAKA, S., See ISHINO, S., 4972
TANG, Y.S., Methodology for statistical determination of fuel intra-assembly flow mixing uncertainty, 836 (CONF-791103--7(Surr))
See COFFIELD R.D. JR., 849
TANGUY, P., Importance of sodium fuel interaction in fast reactor safety evaluation. CEA point of view, 2715 (PNC-N--251-76-12(Vol.1), pp 61-74)
Key safety issues for fast breeder reactors, 345 (CEA-CONF--3848)
Key safety issues for fast breeder reactors, 383 (CONF-761001--P1, pp 24-32)
Nuclear safety in France, 3345
Nuclear safety research in France, 347 (CEA-CONF--3890)
Probabilistic methods in reactor licensing, 4040
TARABA, O., See MATAL, O., 3831
TARLAKOV, YU.V., See SIDOROV, N.I., 3420
TASAKA, K., Build-up and decay of actinide nuclides in fuel cycle of nuclear reactors, 4467
TASHIMO, M., See TAKAHASHI, T., 4612
TASHIRO, M., See SUZUKI, K., 2726
TASI, S.S., State-of-the-art review of sodium fire analysis and current notions for improvements, 312 (BNL-NUREG--25140)
TAULIER, H.H.L., Fuse and application of said fuse to the construction of an emergency shutdown system for a nuclear reactor, 3788
Fuse applied to designing a scram device for nuclear reactor, 5237
TAVASSOLI, A.A., Evaluation of anelasticity and plastic creep limit for alloy 800, 3418
TAYLOR, A.F., High integrity steam generator tube/tube plate joints for the LMFBR, 3096
TAYLOR, C.G., See MACLEOD, I.D., 5014
TAYLOR, D., Loop and pool fast reactors, 4132
Operation of Protype Fast Reactor steam generators led directly to commercial-size design, 4539
Operation of the PFR and design of the CDFR secondary circuit, 4073
Safety appliance for a steam generator heated by liquid metal, 3447
TAYLOR, G.R., See COLBURN, R.P., 1659
TAYLOR, H.A., See ALLARDICE, R.H., 3086
See CHAMBERLAIN, A., 4106
See NELSON, R.L., 3142
TAYLOR, J.P., Comparison of fuel pin deformations with pressurized tube creep tests, 1506 (HEDL-SA--1405)
Comparison of fuel pin deformations with pressurized tube creep tests, 4248
TAYLOR, J.P.S., Sodium flow distribution in test fuel assembly P-23B, 1817 (HEDL-TME--78-46)
TAYLOR, P.A., Improvements in or relating to heat exchangers, 3364
TEAGUE, M.J., Safety of fast reactors, 4741
See BAKER, A.R., 3872
TEAGUE, N.J., See BAILLY, J., 2032
TEBO, F., See AHMED, H., 263
TEIKOVTSEV, A.A., See GRYAZEV, V.M., 3046, 4089
TEMME, M.I., Procedure for the use of probabilistic risk assessments to establish ranking of research and development goals, 5021
See EL-SHEIKH, K.A., 419
See GOKCEK, O., 1394, 4044
See SHIH, T.A., 3372, 4802
TEN WOLDE, T., See MOELKER, W.H., 3391, 3398
TENCHINE, D., Study of transient and permanent flow in the event of natural convection in a confined environment, 1221 (FRNC-TH--783)
See GRAND, D., 101
TENNERY, V.J., Radiological environmental assessment of the recycle of LMFBR advanced fuels, 600 (CONF-771008--5)
See BRINKMAN, C.R., 2556
See PATRIARCA, P., 2557
See TILL, J.E., 3768
TENTNER, A.M., Mechanistic model of fuel flow regimes and fuel plateout in LMFBR overpower accidents, 4001
See BOWERS, C.H., 1020, 2257
TERADA, H., See SAKAI, E., 3825
TERAI, K., Weldability and joint properties of advanced carbon stabilized 2.25Cr-1Mo steel for LMFBR, 4187
TERASAWA, M., Influence of metallurgical variables on void swelling in type 316 steel, 4968
TERESI, J.D., Inhalation dose conversion factors for various radionuclides associated with Liquid Metal Fast Breeder Reactors. Part 2, 1246 (GEFR--00257)
See HUANG, T.C., 1310
See MCDONALD, J.W., 1264
TESKE, K., See FUGE, R., 4069
See KOZLOV, F.A., 5420
TESSIER, J.H., See BORDNER, G.L., 4750
See GARTSIDE, C.H., 3890
See THOMPSON, D.H., 5102
TESSIER, M.J., See ATZ, R.W., 3104
TESSLER, J.H., See GARTSIDE, C.H.,

4991
TESTA, F.J., See HOLTZ, R.E., 63
See KOOPMAN, R.N., 3635
See SPENCER, B.W., 471
TESTOV, I.N., See FYODOROV, V.G., 2096
TETENBAUM, M., Some observations on oxygen and carbon potentials in U--Pu--C and U--Pu--C systems, 4864
TEULON, J., Fuel element vibrations in a fast reactor core due to sodium flow, 2105 (IWGFR--21, pp 63-70)
See BISCI, R., 2038
THAON, Y., See GARCHON, B., 5355, 5357, 5377
THATCHER, G., See DUNCOMBE, E., 3130
THEGNER, G., See JOSUE, M., 4235
THEO, M.G., Document control and information retrieval system for the Fast Flux Test Facility (FFTF), 1447 (HEDL-SA--838)
THEOFANOUS, T.G., Boiling incoherency effects in unprotected loss-of-flow accidents, 4771
Clad relocation dynamics: the physics and accident evolution implications, 475 (CONF-761001--P4, pp 1697-1706)
Multiphase transients with coolant and core materials in LMFBR core disruptive accident energetics evaluations, 2391 (NUREG/CR--0224)
Multiphase transients with coolant and core materials in LMFBR core disruptive accident energetics evaluations. Technical report, 2695 (PE--2832Z1)
See MARROTTE, G.N., 2252
See MASSEY, J.V., 429
See MIAO, C., 511
See PATEL, P.D., 2249
See SAITO, M., 2263
See SPEIS, T.P., 420
THEVENIN, M., See VIAL, E., 4062
THIELE, A.W., Acoustic leak detection-location. Quarterly technical progress report, April-June 1979, 1160 (ESG-DOE--13280)
THIELE, H., See RONCHI, C., 3560, 3700
THIELGES, J.R., See DUNCAN, D.R., 1627, 3165
THOBURN, R., See ROBINSON, C., 4237
THOMAS, C., See HOWARD, R.S., 3474
THOMAS, K., Design guidelines for elbows with geometric nonuniformities, 3019 (WARD-SD--3045-16)
Effects of geometric nonuniformities on the stresses in piping elbows, 3012 (WARD-SD--3045-7)
THOMAS, K.C., See GOWDA, B., 2502
THOMAS, L.E., See BLEIBERG, M.L., 4967
THOMAS, R.W., Improved method for conducting failed fuel experiments in LWRs, 3975
Improved method for conducting failed fuel experiments in LWR's, 735 (CONF-781105--8)
THOMAS, W.E., See SPIEWAK, I., 2636
THOMASSON, R.K., See COLLINS, G.B., 4198
THOMPSON, D.C., Core restraint development. Quarterly progress report for period ending May 31, 1977, 2960 (WARD-CR--3045-17)
Core restraint development. Quarterly progress report for period ending August 31, 1977, 2961 (WARD-CR--3045-19)
Design of the upper internals structure for the Clinch River Breeder Reactor Plant, 641 (CONF-771217--8)
Design of the Upper Internals Structure for the Clinch River Breeder Reactor Plant, 650 (CONF-780251--P2, pp 4.57-4.85)
THOMPSON, D.H., Influence of sodium temperature, gamma heating and wall thickness on design strength of SLSF containment vessels, 5102
See ANDERSON, T.T., 749
See BORDNER, G.L., 4760
See GARTSIDE, C.H., 3890, 4991
THOMPSON, E.G., Metallurgical evaluation of an FFTF PPS pressure transducer interface seal assembly after liquid sodium service, 1171 (ETEC--78-11)
THOMPSON, J.F., See SHA, W.T., 2374
THOMPSON, S.L., Eulerian finite-difference calculations of explosions in partially water-filled overstrong cylindrical containment vessels, 2832 (SAND--77-1342)
THOMPSON, W.L., Deep penetration calculations, 2288 (LA-UR--80-1159)
THOMSON, A., High-integrity thermocouples for in-pile applications, 4230
THOMSON, J.D., National core restraint development program: seven row test results, 2962 (WARD-CR--3045-20)
THOREL, J.P., See FREEDE, W.J., 2900
THORNTON, D.E.J., Recent commercial fast reactor designs with improved safety features, 4133
THORNTON, J.W., See CLAUDSON, T.T., 1554
THORNTON, R.H., See HANUS, N., 2661
See MORRIS, R.H., 2679
See WANTLAND, J.L., 2641
THRESH, H.R., See STRAIN, R.V., 129, 4736
THUEMMLER, F., Chemical and mechanical interaction in the oxide fuel rod, 2177 (KFK--2416, pp 72-79)
Chemical and mechanical interaction in the oxide fuel rod, 3857 (EURFNR--1418)
See ONDRACEK, G., 4448
THURNAY, K., See BOBER, M., 4216
TICKLE, H., See HUDGELL, R.J., 3342
TICOZZI, C., See TONARELLI, L.C., 5113
TIGEOT, T., Neutron noise induced by vibration on the French PHENIX LMFBR, 4995
TIGEOT, Y., See BRILLON, A., 4195
TIKHOMIROV, B.B., See LEBEDEV, I.G., 5442
TIKHOMIROV, V.V., See GABESKIRIYA, V.YA., 4466
See PROKOPENKO, V.S., 3463
TILBROOK, R.W., See GOLDEN, M.P., 5455
See KADAMBI, N.P., 3371
TILL, C.E., Alternative nuclear fuel cycles: the implications on uranium resource utilization, 3687
Application of an LP model to breeder strategy studies, 770 (CONF-790402--20)
Survey of alternative fuel cycle options without plutonium separation, 4713
See CHANG, Y.I., 4709, 66
TILL, J.E., Radiological assessment of reprocessing advanced liquid-metal fast breeder reactor fuels, 3768
See KAYE, S.V., 864
See TENNERY, V.J., 600
TILLEQUIN, JEAN, Thermal plant for energy production, 5232
TILLETT, G.C., See MIHALCZO, J.T., 3735
TILLS, J.L., Prediction of the thermal conductivity of UO_2 vapor, 4622
TIMOFEEV, G.A., Nuclear oxide fuel analysis, 3350
See POZNYAK, G.I., 4357
TIMOSH, B.S., See ANDREEV, A.M., 1951
TINKA, I., See CERMAK, J., 1896
TINKOVA, E., See CERMAK, J., 1896
TIPPETS, F.E., Progress of LMFBR steam generator testing in the US, 1420 (GEFR-SP--196)
TITOV, P.A., See ZHUKOV, A.V., 1215
TITOV, V.F., Model thermal corrosion testing of the BN-600 steam generator, 710 (CONF-781001--P2, pp 6.1-6.22)
Some results of the study of vibrations and wear in models of the steam generator of the BN-600, 708 (CONF-781001--P2, pp 3.1-3.18)
Status of development and manufacture of a steam generator for the BN-600 nuclear power reactors, 706 (CONF-781001--P2, pp 1.1-1.20)
See FYODOROV, V.G., 2096
See GUBANOV, V.M., 709
See KONDRAT'EV, V.I., 720
See POPLAVSKII, V.M., 4078
TKACHENKO, S.B., See RINEISKII, A.A., 1217
TOBIAS, M.L., Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST), 2424 (NUREG/CR--0678)
Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST), 2597 (ORNL/NUREG/CR--0678)
Analysis of the heat and mass transfer processes of UO_2 bubble in sodium, 817 (CONF-790816--30)
Inventory and relative biological hazard of LMFBR core materials, 2605 (ORNL/NUREG/TM--165)
See KRESS, T.S., 2431
See WRIGHT, A.L., 2386
TOBIN, J.C., FFTF and the ASME Code, 1535 (HEDL-SA--1490)
TOBIN, R.J., Experimental studies in CDA work-energy attenuation. Quarterly progress report No. 17, 1 January to 31 March 1979, 2779 (SAND--0115-T5)
Experimental studies in CDA work-energy attenuation. Quarterly progress report No. 18, 1 April-30 June 1979, 2780 (SAND--0115-T6)
Nonequilibrium phenomena in flashing water used as an HCDA source simulant. Technical report No. 8, 2781 (SAND--0115-T7)
TOCI, F., See EWART, F.T., 2009
TODD, M.A., Closure head capability for third level structural margin loading, 2971 (WARD-D--0178)
TODREAS, N., See GLAZER, S., 3226
See HANSON, A.S., 883
See KELLY, J.M., 877
See KHAN, H.U.R., 893
See MASTERSON, R., 869
See SHIRALKER, G., 3738
TODREAS, N.E., Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1, 1977--May 31, 1977, 882 (COO--2245-50)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, June 1, 1977--August 31, 1977, 884 (COO--2245-53)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1, 1977--February 28, 1978, 894 (COO--2245-63)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1, 1978--May 31, 1978, 895 (COO--2245-64)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, June 1, 1978--August 31, 1978, 896 (COO--2245-65)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, September 1, 1978--November 30, 1978, 897 (COO--2245-66)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1,1978--February 28, 1979, 899 (COO--2245-69)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1-May 31, 1979, 900 (COO--2245-70)
Final report on MIT contract on fuel-coolant interactions, 929 (COO--2781-15FR)
Fuel--Coolant Thermal Interaction Project. Progress report No. 8, 928 (COO--2781-14)
See BARTZIS, J.G., 880
See BASEHORE, K.L., 878, 879
See CHIB, C., 875
See CHIU, C., 3579, 3955, 3956, 872, 873, 874, 885, 886, 887, 888
See CORRADINI, M., 4006
See CORRADINI, M.L., 3201
See FAKORI-MONAZAH, M.R., 881
See GLAZER, S., 870
See MIKIC, B., 871
See VAUGHAN, G.J., 489
See WANG, S.F., 867
TODRES, N.E., Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, September 1, 1977--November 30, 1977, 891 (COO--2245-60)
TODT, W.H., See PLAYFOOT, K.C., 5186
TOEBBE, H., Core elements during ramp powers and incidents, 2179 (KFK--2416, pp 42-49)
Core elements during power variations and disturbances, 3855 (EURFNR--1418)
See BIERMANN, W., 2169
See DUENNER, P., 2012
See STEINMETZ, B., 5095
See VERBEEK, P., 3517

TOEPEL, F.P., Development of a roller nut control rod drive mechanism for the Fast Flux Test Facility, 5439
TOGO, Y., See AN, S., 381
See KOBAYASHI, Y., 4585
See KONDO, S., 2708, 4046
TOKAR, J.V., See BETTEN, R.R., 3950
See GILLETTE, J.L., 256, 257, 259, 3978, 4021, 605
See SINGER, R.M., 3979, 823, 850
See SMAARDYK, A., 83
TOKIMASA, K., See YUKITOSHI, T., 4156
TOLCHARD, A.C., See ASHER, R.C., 12
TOLLBOM, L.R., See MAIRSON, R.C., 5289
TOMABECHI, K., Future plans for the design and construction of fast reactor power stations in Japan, 4085
Past and present role of fast breeder reactors in Japan, 4051
Review of fast reactor progress in Japan, March 1976, 2082 (IWGFR--12, pp 13-18)
Review of fast reactor progress in Japan, 2091 (IWGFR--18, pp 8-11)
Utilization factor of nuclear material in LMFBR, 4566
See KUROSAWA, K., 4120
See OTAKE, I., 4128
TOMACHEVSKY, E., See BRET, A., 2055
TOMACHEVSKY, E.G., Appliance of stress wave emission in Phenix reactor, 2062 (IWGFR--10, pp 139-143)
TOMESH, V., See CHERNOBROVKIN, IU.V., 721
TOMIOKA, Y., See NAKAJIMA, N., 5144
TOMITA, Y., See HARADA, T., 4311
TOMKINS, J.L., Prompt Burst Energetics (PBE) experiment analyses using the SIMMER-II computer code, 2880 (SAND--79-0112C)
TOMLINSON, E.T., Neutronic analysis of LMFBRs during severe core disruptive accidents, 2592 (ORNL/CSD--35)
Transport-diffusion comparisons for small core LMFBR disruptive accidents, 2594 (ORNL/CSD/TM--38)
Transport/diffusion comparisons for small-core LMFBR disruptive accidents, 4786
See HAN, J.T., 3609, 680
See PARKS, C.V., 816
See RHOADES, W.A., 840
TOMLINSON, L., Waterside corrosion of stabilised 2 1/4%Cr-1%Mo ferritic steel under high heat flux conditions, 4194
See RALPH, J.C., 4167
TONARELLI, L., See BRAGAGNOLI, F., 4064
TONARELLI, L.C., Thermal ratchetting in pressure vessels, 5113
TONDINELLI, L., See OLIVA, G., 3770
TONG, L.S., Heat transfer in reactor safety, 4174
TOWNLEY, C.H.A., Design rules for high temperature plant - the implications of recent research in relation to current practice, 5015
Simplified methods of analysis, 2079 (IWGFR--11, pp 81-85)
TOWNSLAY, W.J., See CROSSLAND, B., 1992
TOYAMA, M., Reactor, 3476
TRANTOW, R.L., See MICHAELS, T.E., 1437
TRAPP, J.P., See ESTIOT, J.C., 1863, 1865, 4895
TRAPP, T.J., See ROBINSON, A.H., 2774
TRAUBE, K., Progress report on the construction of Kalkar Nuclear Power Station and the planning of SNR-2, 5304 (RISLEY-Trans--3066)
Safety design of SNR-300, 388 (CONF-761001--P1, pp 84-98)
TRAVIS, J.R., Finite-difference methods in multi-dimensional two-phase flow, 2268 (LA-UR--77-2378)
TRAVIS, M.L., Clinch River Breeder Reactor Plant. Internal/external cladding degradation, 564 (CRBRP-ARD--0147)
Internal external cladding degradation, 2970 (WARD-D--0147)
TREASE, H., See MYNC, L., 181
TREGO, A.L., Design and development of the examination equipment for the fuels and materials examination facility, 4808
See DOMAN, D.P., 1571, 4023, 4807, 4875
TREGO, L.A., See MAIRSON, R.C., 5289
TREGONNING, K., See GROSBERG, A.J., 3587
TREIBS, H.A., See RANDKLEV, E.H., 1620
TRETIAKOFF, O., Safety test facilities. Needs and concepts. A French evaluation, 346 (CEA-CONF--3849)
Safety test facilities. Needs and concepts. A French evaluation, 397 (CONF-761001--P1, pp 262-269)
TRICOT, R., See MATHERN, G., 4280, 4400, 4412
TRIPLETT, M.B., NUFACTS--Nuclear Fuel Cycle Activity Simulator: reference manual. Final report, 2933 (TID--29052)
TRIPPE, G., Experimental investigations of turbulent flows in rod bundles with and without spacer grids, 2213 (KFK--2834)
Experimental investigations of turbulent flows in rod bundles with and without spacer grids, 2214 (KFK--2834)
See WILD, E., 2163
TRIPPI, G., See MOELLER, R., 4079
TROCLET, C., See CANTON, B., 5110
TROIANOV, M.F., See ILIUNIN, V.G., 3556
TROMBETTI, T., See CURIONI, S., 4221
TROMP, R.L., See MAECK, W.J., 1062, 1885
TROMP, TH.J., Vibration-acceleration measurements on prototype steam generators, 2061 (IWGFR--10, pp 144-146)
See DE BOER, G.A., 2054
See HAESEN, W., 2051, 2058
See VAN WESTENBRUGGE, J.K., 4152
TROYANOV, M.F., BN-350 reactor. Development, construction and operating experience, 4204 (RISLEY-Trans--4010)
BN-350 reactor: development, design and operating experience, 4895
See BAKUMENKO, O.D., 1876
See ILYUNIN, V.G., 5419
See KAZACHKOVSKII, O.D., 4087
See ORLOV, V.V., 4617
TRYKOV, L., See BURIAN, J., 4913
TS'AO, H.S., See WERNER, S.D., 2799, 2800
TSAI, C.F., See CHAN, S.H., 4004
TSAI, H.C., Cladding damage analysis applied to carbide TREAT tests HC2 and HC3, 3166
TSAI, S.S., Combustion of large sodium pools, 315 (ENL-NUREG--25492)
Core debris deposition in the primary heat transport system piping of LMFBRs, 93 (ANL--78-10, pp 92-98)
Evaluation of postulated sodium spills and fires in an LMFBR, 3619
Surface oxidation process prior to ignition of a sodium droplet, 4718
See KAZIMI, M.S., 330
TSANG, H.S., FFTF report: drilled-in expansion bolts under static and alternating load, 1442 (HEDL-BR--5853-C-4(Rev.1))
TSANG, S., See KUSTER, C.A., 39
TSANG, Y.S., Thermal analysis of liquid--metal fast breeder reactors, 3917
TSCHAMPEL, H., See KRINNINGER, H., 3354
TSCHAMPER, P.M., See HINKLE, W.D., 731
TSCHOEKE, H., See MOELLER, R., 2165, 3840, 3906, 4079, 4168
TSENG, H.H., See CHAN, S.H., 941
TSI, H.C., Behavior of unirradiated sodium-bonded carbide during mild overpower transients, 3632
TSIGENBAJN, D., See AFANAS'EV, V.A., 3464
TSIKUNOV, A.G., See BAKUMENKO, O.D., 1876
TSUDA, H., Post-performance examination of the 50 MW steam generator for the prototype fast breeder reactor 'MONJU', 4151
TSUKAMOTO, M., Sodium leak detector, 5175
TSUNODA, N., Development of nondestructive measurement of cold work rate, (1), 2739 (PNCT--831-77-01, pp 95-99)
TSURUKIN, J.P., See BAKUMENKO, O.D., 4890
TSURUKIN, YU.P., See BAKUMENKO, O.D., 3048, 4092
TSUTSUMI, K., Control rod for fast breeder, 5339
Fuel assembly, 5312
Fuel assembly, 5382
See MATSUSHIMA, H., 5336
TSUYUKI, T., Simulation study of the secondary rupture of SG tubing for LMFBR, 5096
TSYKANOV, V.A., Experimental results with carbide fuel rods in the BOR-60 reactor, 4880 (KFK-tr--536)
Irradiation behaviour of carbide fuel elements in the BOR-60 breeder reactor, 4549
Results of irradiation tests of fast reactor oxide fuel and fuel elements, 2008 (INIS-mf--5308, pp 142-163)
Study of BOR-60 reactor fuel element performance, 2341 (NIIAR-P--5(271))
See KIKOIN, I.K., 2344
TUCKER, R.C. JR., See WOLFLA, T.A., 5244
TUCKER, W.R., Preheat operating experiences at the FFTF, 1573 (HEDL-SA--1587)
TUERKCAN, E., Results of the temperature noise measurements in subchannels of sodium cooled electrically heated 28 rod bundle behind a blockage, 4998
TULENKO, J.S., See ROBICHAUD, G.G., 3713
TUMA, L.A., See HUTTER, E., 4473
TURCHIN, N.M., See KOKOREV, B.V., 707
TURKALO, A.M., See JOHNSTON, W.G., 4956
TURKCAN, E., See BOSWINKEL, H.H., 510
TURNER, D.M., See BEAVER, T.R., 1653, 1654
TURNER, J.R., See MCWILLIAMS, K.D., 3591
TURSKI, R., See BARTHOLD, W.P., 1884
TURSKI, R.B., Breeding performance potential for (U--Th) oxide, carbide, nitride, and metal-fueled LMFBRs, 3588
Nuclear data sensitivity coefficients for A (^{233}U--^{232}Th) fueled LMFBR, 670 (CONF-780401--15)
See BARTHOLD, W.P., 1101, 1102, 1103, 1104, 3068, 730
See LAM, P.S.K., 3960, 758
See ORECHWA, Y., 531
TUZNIKOV, A.F., See FEDORCHENKO, I.M., 4463
TVERDOVSKI, N.D., See VASILENKO, K.T., 2130
TVERDOVSKII, N.D., See BAKUMENKO, O.D., 3048, 4092
See YURCHENKO, D.S., 4060
TVERDOVSKY, N.D., See BAKUMENKO, O.D., 4890
TWA, G.J., Testing of the FFTF plant protection system pressure transducers, 2293 (LMEC--77-5)
TYLKA, J.P., EOS series of experiments in TREAT, 4752
TYUTYUNNIKOV, P.L., See GORBATOV, N.E., 1211
TZANOS, C., See BARTHOLD, W.P., 529
TZANOS, C.P., Analysis of the differences in breeding ratio and fissile inventory between heterogeneous and homogeneous liquid-metal fast breeder reactors, 3056
Design considerations for large heterogeneous liquid-metal fast breeder reactors, 4270
Enrichment and control optimization in LMFBRs losing reactivity during burnup, 4484
Reduction of power distribution sensitivity in heterogeneous LMFBRs, 4704
Sensitivity of the power distribution in large heterogeneous LMFBR designs, 527 (CONF-770611--31)
Systematic approach for constructing low sodium void heterogeneous cores, 530 (CONF-770611--36)
Unprotected loss-of-flow transients in large LMFBRs, 440 (CONF-761001--P3, pp 1081-1090)
See BARTHOLD, W.P., 4141, 620

U

UCHIDA, M., See WATANABE, H., 4836
UCHIDA, S., Experimental investigation of neutrons streaming through the grid-plate shield of liquid-metal fast breeder reactors, 3844

UEMATSU, K., Swelling behavior of cold worked type 316 stainless steel, 4963
See KAMIMURA, K., 4310
See KAWATA, T., 2024, 2030
See KONDO, Y., 4945
See NOMURA, S., 4822
See TERASAWA, M., 4968
UEMATSU, K. ISHIDA, Y., Experience and future plan of fast reactor oxide fuels irradiation in Japan, 4626
UEMURA, A., See IWASAKI, T., 5321
UESUGI, N., Fuel assembly, 5248
See MIYAZAWA, T., 5140
UGAWA, Y., Rotary shield plug, 5381
Sealing device, 5137
See SHIRATORI, H., 5177
UHLMANN, G., Model studies of bubble size distribution and sound propagation at microleaks in sodium-heated steam generators, 3229
See FUGE, R., 4576, 4578
UJIHARA, K., See NEI, H., 4439, 4441
UKECHI, K., See SHINAZU, H., 5195
UL'MAN, F.A., See KOZLOV, F.A., 5420
UL'YANOV, V.N., See EFIMOV, V.N., 2347
ULLMAIER, H., See SAGUEES, A.A., 4952
ULLMANN, H., Tasks of and methods for impurity control in sodium loops, 4363
See FUGE, R., 4069
See KUENSTLER, K., 3040
ULPINDO, C.C., See GUDAHL; J.A., 1230, 2325
ULRICH, A.J., See TYLKA, J.P., 4752
ULSETH, J.A., See LONG, C.L., 1826
UMNYASHKIN, E.V., See STARKOV, O.V., 722
UNAL, H.C., Dynamic instabilities in tubes of a large capacity, straight-tube, once-through sodium heated steam generator, 4274
UNGER, W.E., Advanced fuel recycle program progress report, April 1--June 30, 1977, 2633 (ORNL/TM--5953)
Advanced fuel recycle program progress report, July 1--September 30, 1977, 2639 (ORNL/TM--6092)
Advanced fuel recycle program progress report, January 1 to March 31, 1978, 2661 (ORNL/TM--6306)
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)
See BURCH, W.D., 1868
UNICME, A.J., Comprehensive method of common-mode failure analysis for LMFBR safety systems, 414 (CONF-761001--P2, pp 757-764)
UNO, O., See ISHII, Y., 4227
UCTANI, M., Local flow blockage experiments in 37-pin sodium cooled bundles with grid spacers, 2145 (JAFFNR--422)
URBAN, K., Analysis of bowed reactor cores using the FIAT-program, 5097
Core restraint concept of the SNR 300 - potential and results, 3916
URBAN, P., What will the fast breeder bring us. As an important interlude, nuclear power utilization may be prolonged by fast breeders: but it may also end as a catastrophe, 4344
URUSHIHARA, H., See KATO, Y., 5371
URUWASHI, S., Fuel coolant interaction results in the fuel pins melting facility(PMF), 2711 (ENC-N--251-76-12(Vol.1), pp 467-506)
USANOV, V.I., See BAKUMENKO, C.D., 4850
USHAKOV, P.A., Azimuthal non-uniformities of temperature of fuel elements arranged in regular lattices for turbulent liquid metal flow, 4906
See KIRILLOV, P.L., 711
See ZHUKOV, A.V., 1209, 1215
USHAKOV, V.M., See EFIMOV, I.A., 4238
USTINOV, G.G., See RINEISKII, A.A., 1217
UTAH, D.A., See JASKE, C.E., 1137
UZ ZAMAN, S., See GIUGGIC, N., 3559

V

VAETH, L., KINTIC-2 user's manual, 2190 (KFK--2588)
VAETH, W., Criss power spectral density: a method for correlating signal components from different frequency ranges, 2207 (KFK--2794)
VAIDYANATHAN, G., Restraints for operation of FBTR steam generator, 5296
VAIDYANATHAN, R., Neutron transport studies in fast reactor shields, 4608
VAIDYANATHAN, S., Data-based evaluation of thermal performance mechanisms in mixed-oxide fuel pins, 1257 (GEFR--00295)
VAISHNAVI, B., See GEISEKE, J.A., 2418
See GIESEKE, J.A., 2383, 2405, 299, 300
See JORDAN, H., 2421
VALENTE, C.G., See RODGERS, D.N., 4368
See STEPHENS, P.B., 979
VALENTIN, R.A., Effect of large sodium-water reactions on LMFBR steam generators: initial results from SWAAM-I, 5098
See YOUNGDAHL, C.K., 124, 218
VALENTINE, K.H., See DE LORENZO, J.T., 610
VALENTINI, P., See AVANZINI, P.G., 4077
VAN ASBROECK, P., See HUET, J.J., 4951
VAN BEEK, A.E., Analysis of flow induced vibration in heat exchangers, 2097 (IWGFR--21, pp 197-210)
VAN DE LAAR, J., See RONCHI, C., 3560
VAN DE VATE, J.F., Deposition of aerosols formed by HCDA due to decay heat transport in LMFBR inner containment atmospheres, 493 (CONF-761001--P4, pp 1915-1923)
Some approximations in aerosol behavior models for source-term computation, 4663
VAN DE VELDE, J., See HAAS, D., 3254, 4506
See HAAS, V., 302
VAN DEN AVYLE, J.A., Elevated temperature creep and fatigue damage of a 2.25 Cr--1 Mo steel weldment, 2841 (SAND--77-1556)
Microstructural evaluation and non-destructive examination of 2.25 Cr--1 Mo steel, 2842 (SAND--77-1557)
VAN DEN BOGAARD, J.P.A., See VAN DER PUTTEN, A.P.W.M., 2727
VAN DER PUTTEN, A.P.W.M., Investigations on fuel-coolant interaction with the RCN code VS-4, 2727 (PNC-N--251-76-12(Vol.2), pp 751-783)
VAN DER SCHAAF, B., Effect of neutron irradiation on creep properties of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1056 (ECN--61)
Effect of neutron irradiation on sequential creep-fatigue interaction of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1058 (ECN--74)
Irradiation embrittlement of type 304 stainless steel welds and plate at 823 K (550°C), 4946
See DE VRIES, M.I., 1053, 1057, 4242
VAN ERP, J.B., See TZANOS, C.P., 440
VAN KEUREN, J.C., See STEPNEWSKI, D.D., 1614
VAN LOON, C., See HAAS, D., 4506
See HAAS, V., 302
VAN NORT, P.S., See CAFFEY, L.W., 5269
VAN PAASSEN, H.L., See SWANSON, D.G., 3655, 4675
VAN PAASSEN, H.L.L., See SWANSON, D.G., 112, 2451, 3204
VAN ROOYEN, D., See AGRAWAL, A.K., 2425
VAN SCIVER, S.W., See HILAL, M.A., 4520
VAN VLIET, J., Short terms experiments in BR2 towards a better fast fuel performance analysis, 1907 (INIS-mf--4426, pp VII.1-20)
VAN WESTENBRUGGE, J.K., Results of the test and inspection programme of the prototype SNR-300 steam generators, 4152
Wear behaviour of Nb-stabilizated 2 1/4Cr1Mo steel tubes in sodium, 4185
See LIEVENSE, K., 4121
VAN WESTENBRUGGE, M.K., See KNAAP, M.H., 4076
VAN WESTENBRUGGE, J.K., See GREENE, D.A., 1423
VAN WILLIGEN, A., See VROOM, J.P., 4065
VAN WITZENBURG, W., Effective temperature of an expanding tube with a radial temperature gradient over the wall, 4436
VANDEPLAS, P., See FABRY, A., 1190, 1191
VANDER KROGT, C.A.J., See KNAAP, M.H., 4076
VANDERGRIFF, D., See BODINE, G.C., 4158
VANDERGRIFF, R., See BODINE, G.C. JR., 526
VANDERMEULEN, W., See HUET, J.J., 4951
VANHELLEMONT, G., See RENARD, A., 380
VANMASSENHOVE, G., Local perturbation of nuclear reactor cooling. A remarkable experience, 3335
See KRAMER, W., 1910, 3074, 4144, 4395
VARELA, D., Transition phase of fast reactor overpower excursions, 3624
VARELA, D.W., See DHIR, V.K., 3065
See PLEIN, H.G., 2876
See WILLIAMS, D.C., 2867
VARNER, S.K., See PAIK, N.C., 3033, 3035, 3215
See YARBROUGH, M.B., 3036
VASIL'EV, G.I., See BARKOV, V.A., 2343
See BIBIKOV, S.E., 1879
VASILENKO, K.T., Experience of cleaning and decontamination of the BN-350 reactor components, 2130 (IWGFR--23, pp 195-203)
See YURCHENKO, D.S., 4060
VAUGHAN, E.U., Evaluation of stochastic void models for bubble worth calculations, 3155
Evaluation of stochastic void models for bubble worth calculations, 780 (CONF-790602--65)
See HEISLER, M.P., 42
See MOREWITZ, H.A., 1591, 3076
See NELSON, C.T., 495
VAUGHAN, G.J., A model for fuel fragmentation during molten fuel/coolant thermal interactions, 489 (CONF-761001--P4, pp 1879-1888)
See MACINNES, D.A., 2897
See REYNOLDS, J.A., 2709
VAUGHAN, R.D., Fast breeder reactor. Energy without depletion of natural resources, 3482
Future plans for the design and construction of fast reactor power stations in the United Kingdom, 4086
VAURIO, J.K., Fast integral model for the transient analysis of a melting fuel pin, 3628
Probabilistic analysis of liquid-metal fast breeder reactor accident consequences with response surface techniques, 3809
Probabilistic/deterministic procedure for analyzing LMFBR core disruptive accidents, 451 (CONF-761001--P3, pp 1269-1279)
PROSA-1: a probabilistic response-surface analysis code, 128 (ANL--78-56)
See MUELLER, C.J., 3289
See PERSON, L.W., 4761
VAUTREY, L., Development of French programme on fast reactors, from March 1975 to March 1976, 2083 (IWGFR--12, pp 33-44)
Development of French programme on fast reactors, from March 1976 to March 1977, 2092 (IWGFR--18, pp 35-45)
French program for advancement of nuclear power plants with fast breeders, 3240
See BENMERGUI, A., 4082
VAVILOVA, V.V., See ARAKELOV, A.G., 4417
VAYRA, J., See MARMONIER, P., 5405
VELEK, V., Rapid-action valve especially for liquid metal, 5185
VELJOVICH, W., Simplified thermal transient and inelastic analysis screening methods per appendix T, Code Case 1592 for 2 1/4 Cr-1 Mo steel, 4481
See CAMPBELL, R.D., 5118
VENDRYES, G., Breeder development and Franco-German cooperation, 3440
Programme and status of the development of the fast breeder reactor system in France, 4904
Status of French breeder development and German-French cooperation, 3439

VENDRYES, G.A., See LINGJAERDE, R., 4524
VENKER, P., Influence of fast diffusing substitutional elements on the swelling behaviour of Ni- and Cu-alloys, 4956
Influence of the radial temperature gradient on cladding dilatation, 4507
VENCBRE, H., See BENTZ, A., 4339
VENOT, R., See GALLET, B., 4443
See JULLIEN, R., 3803
See LLERES, J., 4263
VENTER, S., See STUMPF, W.E., 3436
VENTRE, E., Emergency cooling system of a nuclear reactor, 5401
VERBEEK, P., Liquid-metal fast breeder reactor fuel rod performance and modeling at high burnup, 3517
VERBIEST, R., See CORNET, G., 3903
VERDERCSA, M.A., Development of small sodium valves for the Fast Flux Test Facility, 4858
VERGHESE, K., See ABRAHAM, P.M., 3741
VERGNAUD, T., See BAUR, A., 344
VERKAMP, J.P., State-of-the-art of rupture disks for LMFBR application, 2316 (NEDM--13981)
VERWIMP, A., See KRAMER, W., 3074, 4144, 4395
VERZELETTI, G., See DONEA, J., 5047
VIAL, E., Primary circuits of Phenix and Super-Phenix, 4062
See GODDETT, J., 4642
See ROEIN, M.G., 4074
VIALARD, J.L., See BAILLY, H., 3143
VIDARD, M., See FAILLA, H., 5365
See FAILLA, H., 3802
VIDIL, R., See KUNG, J.P., 3904
VIENOT, R., See BOUTEAU, P., 1862
VIJUK, R.M., See BISHOP, B.A., 858
VILLARD, D., See BERGE, P., 4281
VILLENEUVE, J., See BENMERGUI, A., 4082
VINCENT, F., See BOUTIN, R., 4923
VINCI, M., Valves for fast sodium reactors, 5383
VINZ, P., Fuel rod for liquid metal cooled nuclear reactors, 4421
Fuel rod for liquid metal-cooled nuclear reactors, 5132
VINZENS, K., Three-component heat exchanger, 5373
See BUESCHER, E., 4288
See JANSING, W., 5222
See LIEVENSE, K., 4121
VIOTTI, V., See BALDO, L., 5262
VITALEVITSCH, K.V., See ARTEMEV, L.N., 3395
VITT, J.A., See BRITTINGHAM, J.C., 3962
VITTI, J.A., CREBP advanced fuel reload core design studies. Summary report, 33 (AI-DOE--13228)
Design of prototype carbide subassemblies and an evaluation of proof-testing plans in the FFTF, 5351
Nuclear design and economic comparison of a conventional and bullseye liquid-metal fast breeder reactor core, 3135
Preconceptual study of 1000-MWe carbide-fueled LMFBR designs, 1138 (ESG-DOE--13244)
Recommended CREBP reload core designs using (U--Pu)C fuel, 3585
See FELTEN, L.D., 3966
See GALLUZZO, N.G., 4697
See KERRISK, J.F., 2275
VOGES, U., See JACOBI, S., 4209
VOJ, P., See BENEMANN, A., 3500
See GLINSKY, H.W., 4055
VOLCHKOV, L.G., See SUBBOTIN, V.I., 3313
VOLLATH, D., See GROSS, S., 3271
VOLLMER, M., See KALKOFFEN, F., 3312
VOLTA, G., See AMESZ, J., 5127
VON ARX, A.V., See FELTEN, L.D., 3966
See GALLUZZO, N.G., 4697
See VITTI, J.A., 1138, 33
VONDY, D.R., Input data requirements for special processors in the computation system containing the VENTURE neutronics code, 2479 (ORNL--5229/R1)
RODMOD: a code for control rod positioning, 2571 (ORNL--5466)
Test of the diffusion theory difference equations in slab geometry (computer code VANCER), 2566 (ORNL--5381)
VENTURE: a code block for solving multigroup neutronics problems applying the finite-difference diffusion-theory approximation to neutron transport, version II, 2476 (ORNL--5062/R1)
VONHERRMANN, J., See LEAVER, D., 3977, 737
VOROBEI, M.P., See KIRILLOVICH, A.P., 4598
VOROBIEV, A.N., See SCHERBAK, V.I., 4570
VOSCH, R.J. JR., See ABUROMIA, M.M., 4625
VOSSEBRECKER, H., See MORGENSTERN, F.H., 424
VROOM, D.W., See KINYON, B.W., 5429
VROOM, J.P., Development, design, construction, and testing of pumps, intermediate heat exchangers and manipulator systems for in-service inspection of SNR 300, 4065
VYLOMOV, V.V., Experimental studies in extinguishing large odium fires, 4356
VYRODOV, P.V., See KRUGLOV, A.S., 4521, 4522

W

WADA, H., See SHIRATAKI, K., 3403
WADDELL, J.D., See EASHAM, S.J. JR., 3381
See TRIPLETT, M.B., 2933
WADE, D.C., See BHATTACHARYYA, S.K., 3067, 727
See LESAGE, L.G., 667
WADE, E., Reactor fuel charging equipment, 4286
WADE, E.E., Ex-vessel nuclear fuel transfer system, 3838
Facilities of fuel transfer for nuclear reactors, 4592
Nuclear reactor, 3267
Nuclear reactor refueling system, 3557
Nuclear reactor apparatus, 3834
Nuclear reactor fuel transfer syster, 3837
Nuclear reactor fueling system, 4445
Nuclear reactor, 5230
Reactor vessel, 5188
Rotating plug bearing and seal, 4364
System for the transfer of nuclear fuels outside the vessel, 4591
WAGNER, D.P., See FUSSELL, J.B., 4351
WAGNER, H., Are LMFBR permits unconstitutional, 4275
WAGNER, J., See KOHLER, M., 4119
WAGSCHAL, J.J., See BARHEN, J., 835
See WEISBIN, C.R., 2577
WAITE, E., Nuclear reactor fuel element sub-assemblies, 4450
WAKABAYASHI, H., See OKA, Y., 2952
See SUZUKI, I., 4914
WAKAMATSU, M., Fuel assembly, 5198
See ITO, A., 5189
WALDBY, R.N., See PENNELL, W.E., 3836
WALDER, V., Constitution and properties of CrMoNb steels for steam generator components of sodium-cooled nuclear reactors, 994 (CS-INIS--212, pp 86-100)
WALDHOER, G., See OEYNHAUSEN, H., 425
WALDO, J.B., See BLISS, R.J., 1580
WALFORD, J.G., Five years experience of the operation of the sodium circuits of the Dounreay Prototype Fast Reactor, 1998 (INIS-mf--4857)
See BROADLEY, D., 4067
WALKER, C.T., Composition of the corrosion product oxide phases in the gaps of three LMFBR-type mixed oxide fuel pins, 3561
Composition of the corrosion product oxide phases in the gaps of three LMFBR-type mixed oxide fuel pins, 3692
Investigation of irradiated uranium--plutonium carbonitride fuel by microprobe analysis, 3490
Some electron microprobe analysis results concerning the interaction between uranium--plutonium mixed-oxide fuel and stainless-steel cladding, 3294
See COQUERELLE, M., 3049
WALKER, D.E., Brazed thermocouple pass-through for sodium service in a liquid-metal-cooled fast breeder reactor, 5415
See GILLETTE, J.L., 49
See SMAARDYK, A., 83
WALKER, J.V., See PHILBIN, J.S., 2829
WALLET, P., See CHAUMONT, J.M., 3879
WALSH, J.F., Hybrid Computer Model of the Prototype Large Breeder Reactor plant and control system, 4976
See BASDEKAS, D.L., 3707
WALTAR, A.E., Mathematical and computational techniques employed in the deterministic approach to liquid-metal fast breeder reactor safety, 4334
See FERGUSON, D.R., 729
See KENNEDY, M.F., 2364
WALTER, C.M., See SEIDEL, B.R., 4652
See WALTERS, L.C., 3083
WALTERS, G.P., See MAKIN, M.J., 4966
WALTERS, J., See WILLBY, C., 4153
WALTERS, L.C., Creep and swelling in EBR-II reactor components, 3669
Data and analyses for Inconel X750 springs irradiated in SURV-1, -3, -4, -5, and -6, 51 (ANL--77-11)
In-reactor stress relaxation of Inconel X750 springs, 4305
Observations of dilation and bowing in Experimental Breeder Reactor II ducts and cladding, 3083
See FLINN, J.E., 4886
See HOFMAN, G.L., 4435
WALTON, G.N., Energy from the atom, 3850
WAMBSGANSS, M.W., Review of ANL base technology studies in support of the U.S. LMFBR vibration program, 2098 (IWGFR--21, pp 212-223)
See CHEN, S.S., 235
See SHIN, Y.S., 5093, 550
WAMPOLE, N.C., Nuclear reactor insulation and preheat system, 3427
Nuclear reactor facility, 3757
WANG, C.Y., Analysis of nonlinear fluid structure interaction transient in fast reactors, 146 (ANL--78-103)
Analysis of nonlinear fluid-structure interaction in LMFBR containment, 3544
Analysis of transient fluid-structure problems using an advanced Eulerian method, 4487
Comparison of ICECO code predictions with COVA experimental data, 3197
Comparison of ICECO code predictions with flexible vessel experiments, 3543
Comparison of ICECO predictions of wave propagation in the rigid two-dimensional vessel experiments, 3641
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 5032
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 553 (CONF-770807--54)
New Eulerian hydrodynamic technique for analyzing FBR containment with complex internal structures, 3194
See CHANG, Y.W., 4883, 618, 791
See CHU, H.Y., 452
See MARCHERTAS, A.H., 455, 5057
WANG, J.C.F., Hydraulic testing program on vented assembly core design, 1268 (GEFR--00349)
LMFBR vented assembly hydraulic modeling and testing, 1403 (GEFR-SP--065)
LMFBR vented assembly hydraulic modeling and testing, 3583
WANG, P.Y., See THOMPSON, D.H., 5102
WANG, S.C., See STERN, S.A., 940
WANG, S.F., Input parameters to codes which analyze LMFBR wire wrapped bundles. Revision 1, 867 (COO--2245-17TR(Rev.1))
WANG, W.L., See FERGUSON, D.R., 448
WANG, Y.C., See MARCHERTAS, A.H., 551
WANTLAND, J.L., Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 4793
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 611 (CONF-771109--77)
Sodium boiling incoherence in a 19-pin wire-wrapped bundle, 819 (CONF-790816--32)
Steady-state sodium tests in a 19-pin full-length simulated LMFBR fuel assembly: record of steady-state experimental data for THORS bundle 6a, 2641 (ORNL/TM--6106)
See FONTANA, M.H., 2629, 2635, 2643, 2649, 2658, 2665, 2674, 2680
See HAN, J.T., 4790, 518, 612, 614

See HANUS, N., 2661, 3982
See MORRIS, R.H., 2679
See RIEANDC, R.J., 2677
WARD, A.L., Ductility and strength of FFTF/CREEP structural materials irradiated in various spectra. Interim report, 1818 (HEDL-TME--78-51)
Ductility and strength of FFTF/CREEP structural materials irradiated in various spectra. Second interim report, 1844 (HEDL-TME--79-19)
Irradiation effects in FFTF radial reflector materials, 1841 (HEDL-TME--79-4)
Tensile properties of 304 SS and 316 SS, 2549 (ORNL--5349, pp 191-195)
See BLACKBURN, L.D., 4947
WARD, C.T., See BODINE, G.C., 4158
See BODINE, G.C. JR., 525
See FEWELL, T.E., 4855
WARHAM, A.G.P., See CAMERON, I.G., 295, 3897
WARNEFORD, I.P., See COLLINSON, A.E., 2313
WARNER, J.G., See GABOR, J.D., 4676
WARNER, R.W., See BELL, W.L., 5277
WARREN, G.R., See BEUTEL, H., 4390
WARRICK, R.P., Data systems in FFTF and EBR-II, 1668 (HEDL-SA--2022)
Nuclear instrumentation system design in FFTF and CRBRP, 1669 (HEDL-SA--2023)
WASHBURN, D.F., Mixed oxide run-beyond-cladding-breach tests in EBR-II, 1556 (HEDL-SA--1536-FP)
See LANGSTAFF, D.C., 1846, 1854
See LAWRENCE, L.A., 3411
WASSILEW, C., See ANDERKO, K., 4935, 5149
WASZINK, R.P., Thermal/hydraulic performance test results of sodium-heated steam generator model employing a duplex tube, 5412
See EFFERDING, L.E., 701
WATANABE, H., Irradiation experiments of uranium carbide, carbonitride, and nitride fuels in JAERI, 4836
WATANABE, R., See IWAO, N., 3742
See KOYAMA, M., 4940
WATANABE, T., Apparatus for controlling a core cooling system in case of emergency, 5379
Control equipment for emergency cooling system, 5343
See KAJIYAMA, S., 5252
WATERBURY, G.R., See BARNES, B.K., 3344, 4029
WATKIN, J.S., Influence of alloy constitution on the swelling of austenitic stainless steels and nickel based alloys, 4959
See BRAMMAN, J.I., 4960
WATSON, C.D., See BURCH, W.D., 1868
WATSON, F.H., See PARKMAN, M.F., 5428
WATSON, H.E., See HAWTHORNE, J.R., 4948
WATTS, M.J., See TAYLOR, D., 3447
WAYLAND, J.R., See CUDDIHY, R.G., 4267
WEAVER, W.L. III, See AGRAWAL, A.K., 325, 4337
WEBB, J., See BROOMFIELD, A.M., 4068
WEBER, C.F., Sensitivity theory applied to a transient thermal-hydraulics problem, 2682 (ORNL/TM--6906)
WEBER, D.P., Analytic prediction of thermal profile development and inversion for use in in-pile experimentation, 3097
Heat conduction by MWR using semi-infinite media trial functions, 4742
Implicit Eulerian hydrodynamics technique for multicomponent systems, 4637
Multi-field hydrodynamic disassembly calculations with space--time kinetics: FX2/VENUS-III, 449 (CONF-761001--P3, pp 1244-1252)
VENUS-III two-dimensional multi-component thermal hydraulic techniques, 768 (CONF-790402--18)
WEBER, E.R., Laboratory studies on melting and gas release behavior of irradiated fuel, 2631 (IWGFR--5, pp 142-161)
WEBER, E.T., In-reactor performance of methods to control fuel-cladding chemical interaction, 1572 (HEDL-SA--1579)
See TREGO, A.L., 4808
See WILSON, C.N., 1467, 1648
WEBER, H., See MARKFORT, D., 4643
WEBER, J.T., See HENRY, R.E., 3339
WEBER, J.W., Cladding breaches in mixed oxide fuel pins, 1473 (HEDL-SA--1299-S)
Cladding breaches in mixed-oxide fuel pins, 4721
HEDL mixed oxide fuel pin breach experience in EBR-II, 1555 (HEDL-SA--1535-FP)
In-reactor corrosion behavior of stainless steel cladding in high temperature sodium, 1448 (HEDL-SA--859(FP))
See HATA, D.C., 1470, 4646
See JENSEN, B.W., 1628, 3168
See LAWRENCE, L.A., 1471, 1531, 1553, 1821, 3293, 3572, 3672, 4647
See MELDE, G.F., 1520
WEBER, R., Half-time in the construction of 'Superphenix'. The nuclear power plant serves as a model for the future French standard breeder, 3356
Superphenix in detail. Consequent execution of construction programs for nuclear power plants, 3355
WEBER, S.A., See DOWLING, R.J., 1537
WEBSTER, R.K., See FLOWERS, R.H., 3719, 4139
WEEKS, R.W., Argonne National Laboratory, 2510 (ORNL--5287, pp 17-86)
WEGRZYN, J., Application of acoustic agglomerators for emergency use in LMFBR plants, 4665
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2396 (NUREG/CR--0287)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2442 (NUREG/CR--0799)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere. Annual report Sep 1977--Jan 1978, 2699 (PB--286865)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere. Annual report, 1 October 1977--30 September 1978, 2704 (PB--295077)
See PATEL, S., 3150
See SHAW, D.T., 1011
WEHMANN, U., Nuclear investigations of sodium-cooled fast breeders with uranium-plutonium or thorium-uranium cycles, 3 (AED-Conf--78-011-000, pp 1-2)
Safety aspects in nuclear core design of LMFBRs, 399 (CONF-761001--P2, pp 555-564)
See MORELLE, J.M., 4137
See PILATE, S., 3410
See RENARD, A., 3066
See SPENKE, H., 2175, 3854
See STANCULESCU, A., 3893
WEHNER, H., See SCHUETZLE, R., 3192
WEI, B.C., Considerations for weldment design for elevated temperature applications, 2071 (IWGFR--11, pp 112-121)
WEI, J.P., FULMIX-II: a computer program for steady-state thermal-hydraulic analysis of wire wrapped rod bundles, 1318 (GEFR--00436)
Practical model of interassembly heat transfer in LMFBR assemblies, 3587
Prediction of coolant mixing and peripheral flow in wire wrapped rod bundles, 1409 (GEFR-SP--140)
Simplified interassembly heat transfer model for the analysis of liquid-metal fast breeder reactor core restraint systems, 3082
Thermal-hydraulic evaluation of advanced wire-wrap assemblies, 4852
Thermal-hydraulic evaluation of advanced wire-wrap assemblies, 5003
See FOX, J.N., 1256, 1290, 3223
WEI-TEH LEE, B., Thermal expansion worths for a liquid-metal fast breeder reactor inferred from small-sample reactivity measurements, 3766
WEIMAR, P., Experimental and theoretical evaluation of defect growth of fuel pin cladding by chemical fuel-sodium interaction, 5099
See STEINER, H., 2183, 2194, 3867
WEINBERG, D., See HOFFMANN, H., 4115
See MOELLER, R., 4079
See WILD, E., 2163
WEINBERG, L., See DURAND, R.E., 2908
See LEE, Y.J., 4640
WEINER, E.O., Three-dimensional inelastic analysis of a small liquid sodium valve, 1524 (HEDL-SA--1453)
Three-dimensional inelastic analysis of a small liquid sodium valve, 1786 (HEDL-TME--77-91)
See CHEN, W.L., 1489
WEINER, R.A., Irradiation creep-swelling coupling: microstructural modeling and data analysis, 4971
Stress effect on the void swelling incubation period, 4341
See FLINN, J.E., 3671
WEINGARTEN, L.I., See EIFFLE, J.H., 5121
WEINKOETZ, G., See KREBS, L., 409, 5012
WEISBIN, C.R., VITAMIN-E: an ENDF/B-V multigroup cross-section library for LMFBR core and shield, LWR shield, dosimetry and fusion blanket technology, 2577 (ORNL--5505)
See BARHEN, J., 835
See MARABLE, J.H., 3674, 671, 681, 834
WEISBIN, C.R. WHITE, J.E., See ROUSSIN, R.W., 2613
WEISMAN, J., See BURDICK, G.R., 5020
WEISS, E.H.G., See BISHOP, A.A., 3764
WEISS, H.J., See HANS, R., 3063
WEISZ, M., Some aspects of the CEA investigations on the mechanical behaviour of 316 steels in the medium temperature range, 2072 (IWGFR--11, pp 29-36)
Steels for the primary circuits of the sodium cooled breeder reactor, 4397
Steels for the primary circuits of the sodium cooled breeder reactor, 4413
WELCH, F.H., Evaporative removal of sodium from reactor components, 3052
Evaporative removal of sodium from reactor components, 3939
Non-aqueous removal of sodium from reactor components, 2129 (IWGFR--23, pp 173-181)
Reaction rate of sodium with ethanol and other alcohols, 4480
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1978, 1133 (ESG-DOE--13239)
Testing and evaluation of elastomeric seals for sodium-cooled fast reactor systems, 5435
See DEWART, N.A., 1139
WELCH, T.D., Quantitative comparison of solidification analysis for single-component and mixed-oxide fuels, 3489
WELLS, C.H., See REICH, M., 3442
WENDTE, J.C., See GILLETTE, J.L., 49
See SEIM, O.S., 3599
See SMAARDYK, A., 83
WENK, K.H., See BIERMANN, W., 2169
WENSCH, G.W., Status of the U.S.A. liquid metal fast breeder programme, April 1976, 2084 (IWGFR--12, pp 44-87)
WERLE, H., See BOENISCH, G., 395
See GOETZMANN, O., 4142
See JIANG, S.H., 2162
See KLEEFELDT, K., 2217
WERNER, F., Device to control the coolant flow in fuel or fertile elements of nuclear reactors, 3423
WERNER, S.D., Correlation of ground response spectra with modified mercalli site intensity. Topical report, 2799 (SAN--1011-113R)
Study of vertical ground response spectrum shapes, 2800 (SAN--1011-114)
WESLEY, D.A., Thermal evaluation facility for LMFBR spent fuel transport, 2886 (SAND--79-1366)
WESTERWEELE, W.J., See VROOM, J.P., 4065
WETT, J.F., Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Large pool LMFBR design. Final report. Volume 1. Reactor, 1094 (EPRI-NP--883(Vol.1))

Large pool LMFBR design. Volume 1. Reactor. Final report, 1095 (EPRI-NP--883(Vol.1))
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Large pool LMFBR design. Volume 3. Appendixes. Final report, 1097 (EPRI-NP--883(Vol.3))
Large pool LMFBR design: executive summary, 1123 (EPRI-NP--1016-SY)
Large pool LMFBR design. Final report, 1124 (EPRI-NP--1016(Vol.1))
Large pool LMFBR design. Appendices A-K. Final report, 1126 (EPRI-NP--1016(Vol.3)(Pt.1))
Large pool LMFBR design. Volume 3, Part 2. Appendices L-CC. Final report, 1127 (EPRI-NP--1016(Vol.3)(Pt.2))
WEYANT, J.P., Comparative analysis of three of ERDA's major R and D programs, 3377
Comparative analysis of three of ERDA's major R and D programs, 3378
Dynamic model of the United States energy syster: a tool for energy R and D planning, 5297
WHEELER, C.L., See DONOVAN, T.E., 2751
See MASTERSON, R.E., 4020
WHEELER, P., See BARKER, D.H., 922
WHEELER, P.A., Chemical simulation modeling of fuel rotion in LMFBRs, 4053
See BARKER, D.H., 918, 919, 920, 921
WHIPPLE, J.C., U.S. program for large sodium/water reaction tests, 643 (CONF-780203--9)
U.S. program for large sodium/water reaction tests, 704 (CONF-781001--P1, pp 12.1-12.30)
See PARKMAN, M.F., 5428
WHITE, J.E., See BARHEN, J., 835
See WEISBIN, C.R., 2577
WHITE, J.R., See BARTINE, D.E., 665
See BURNS, T.J., 2563, 4715, 628
See SPIEWAK, I., 2636
See WILLIAMS, M.L., 3153
WHITE, J.S., See BERTINI, H.W., 2384, 3311
See OEZISIK, M.N., 738, 812
See OZISIK, M.N., 4005
See WRIGHT, A.L., 2386, 3995
WHITE, M.K., See MERRILL, E.T., 2741
WHITE, P.A., See ANANTATMULA, R.P., 1464
See BREHM, W.F., 1521
WHITE, R.G., FFTF vibration open test assembly (VOTA) engineering model calibration program, 1795 (HEDL-TME--78-10)
WHITHAM, G.K., Bore-side inspection of EBR-II steam generator tubes, 4732
See LONGUA, K.J., 138, 3051, 4343, 59
WHITLOW, W.H., See BRADBURY, M.H., 3389
WIBERG, D.V., Chemical simulation modeling of heat transfer in LMFBRs, 1012 (DOE/ET/37205--T1)
See BARKER, D.H., 923, 924, 925
WIBORG, J.C., See GADEKEN, A.D., 1597, 771
WIDER, H.U., Analysis of TREAT transient overpower experiments using the PLUTO2 codes, 1019 (DOE/TIC--10101)
Analysis of TREAT transient overpower experiments using the PLUTO codes, 2251 (LA--7938-C, pp 153-162)
Large-scale deterministic computer code systems and LMFBR safety: a perspective, 447 (CONF-761001--P3, pp 1216-1224)
PLUTO2: a computer code for the analysis of overpower accidents in LMFBRs, 4768
See EDWARS, C.H., 1020, 2257
See FERGUSON, D.R., 448
See ROTHMAN, A.B., 470
See TENTNER, A.M., 4001
WIDERGE, R., Thoughts on the energy situation, 3919
WIEDERMANN, A.H., See SHIN, Y.W., 156
WIENS, E., See WILD, E., 2162
WIERMAN, R.W., Experimental evaluation of cell liners, 1536 (HEDL-SA--1494)
Experimental study of hydrogen jet ignition and jet extinguishment, 1824 (HEDL-TME--78-80)
Hydrogen ignition and recombination following postulated breeder reactor accidents, 1604 (HEDL-SA--1712-FP)
Hydrogen jet recombination under postulated breeder reactor accident conditions, 100 (ANL--78-10, pp 267-272)
Hydrogen jet recombination under postulated LMFBR accident conditions, 1458 (HEDL-SA--1190FP)
See SIMMONS, L.D., 1670, 1793
WIERSMA, S.J., See CAGLIOSTRO, D.J., 2354
WIESNER, S., See KUGLER, E., 382
WILBURN, N.P., Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
Fuel pins and core response under liquid-metal fast breeder reactor transient overpower accident conditions, 3070
Improved subassembly grouping for multi-channel top HCDA safety analysis, 1751 (HEDL-TME--77-25)
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 1474 (HEDL-SA--1300FP)
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 4772
See NGUYEN, D.H., 1641
See TABE, K.K., 1836
See YUNG, S.C., 1529, 1624, 3059, 3630, 4770
WILCOCK, D.F., Diagnosing malfunctions in liquid sodium hydrostatic bearings, 4434
WILD, E., Experimental parameter investigations on the tribological behavior of Stellite 6 in liquid sodium, 3295
Ferritic steels in reactor tribology, 4177
Reactor technology, 2163 (KFK--1277/2, pp v)
Spacer for supporting fuel element boxes, 3266
Tribological studies in sodium, 4201
WILEY, R., See BADRUZZAMAN, A., 3932, 913
WILL, H., Explosion tests on LMFBR-core models; an evaluation for reactor safety, 464 (CONF-761001--P3, pp 1419-1426)
See BEUTEL, H., 4390
WILLBY, C., Material choices for the commercial fast reactor steam generators, 4153
WILLBY, C.R., See HAYDEN, O., 3473, 4254
See PHILPOTT, E.F., 4129
WILLIAMS, D.C., Importance of scale and triggering effects in vapor explosions, 2828 (SAND--77-1101C)
LMFBR accident delineation study: approach and preliminary results, 2887 (SAND--79-1602C)
Review of nuclear fuel cycle alternatives including certain features pertaining to weapon proliferation, 2845 (SAND--77-1727)
WILLIAMS, J.G., See FABRY, A., 1867
WILLIAMS, K.D., See TALLENT, O.K., 5000
WILLIAMS, L.R., See EMMETT, M.B., 2582
See RAGAN, G.L, 842
WILLIAMS, M.L., Analysis of streaming through the primary coolant pipe chaseway of the Clinch River Breeder Reactor, 4701
Calculational and experimental analysis of a ^{239}Pu sample irradiated in EBR-II, 3931
Preliminary neutronic study of actinide transmutation in a fast reactor, 2652 (ORNL/TM--6309)
Technique for sensitivity analysis of space- and energy-dependent burnup calculations, 3153
WILLIAMS, M.W., Metallographic and fractographic observations of posttest creep-fatigue specimens of weld-deposited Type 308 CRE stainless steel, 136 (ANL--78-74)
WILLIAMS, R.J., Review of aerosol problems and the theory of aerosol physics with particular reference to sodium cooled fast reactors, 2896 (SRD-R--82)
WILLIAMS, T.D., See FRISKE, W.H., 2936
WILLIAMS, T.M., See MAKIN, M.J., 4966
WILLIAMSON, M.H., See FLINN, J.E., 48
WILLIE, D.J., See KENT, G.F., 4633
WILLIS, F.L., See DEITRICH, L.W., 79
WILLIS, J.M., See CARELLI, M.D., 3216, 781, 831
WILLRODT, U., See BONKA, H., 4986
WILMART, Y., See GAUZIT, M., 5264
WILMORE, D., See BELLAMY, R.G., 4842
WILSON, C.N., Assessment of the HEDL P-23 special pins test. Methods to control fuel-cladding chemical interaction, 1819 (HEDL-TME--78-52)
Fabrication and irradiation performance of $Pu_{0.25}U_{0.75}O_{1.98}$ low O/M fuel, 1562 (HEDL-SA--1553)
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
Oxygen transport limitations in using getters to control fuel cladding chemical interaction, 1549 (HEDL-SA--1522)
Titanium oxide cesium getters for low O/M FBR fuel pins, 1640 (HEDL-SA--1828)
See WEBER, E.T., 1572
WILSON, D.E., Added mass and damping coefficients for hexagonal tube arrays, 250 (ANL-CT--79-51)
WILSON, D.R., SIFAIL: a subprogram to calculate cladding deformation and damage for fast reactor fuel pins, 1851 (HEDL-TME--79-34)
See GILBERT, E.R., 1626, 3177
See SCOTT, L.D., 1770
WILSON, J.R., Automated common cause analysis using AUTOCC, 2769 (RE-A--78-241)
See RASMUSON, D.M., 2941, 2943, 807, 815
WILSON, R., Physics of liquid metal fast breeder reactor safety, 4333
WILSON, R.E., See ANDERSON, T.T., 749
See KUZAY, T.M., 795
See PEDERSEN, D.R., 4684
See SMITH, J.L., 5105, 540
WILSON, W.K., Clinch River Breeder Reactor Plant. Crack growth calculations for primary piping of CRBRP, 975 (CRBRP-ARD--0192)
See BEGLEY, J.A., 4226
WILSON, W.L., Tube/space plate interactions in sodium cooled fast breeder steam generators, 698 (CONF-781001--P1, pp 6.1-6.22)
See GALIOTO, T.A., 2981
See HARTLE, R.T., 4176
WILTSHIRE, F.R., Design considerations in liquid metal fast breeder reactor upper internals structures, 3330
WINEMAN, A.L., See FRICK, T.M., 3511
WINKEL, B.V., Experience with simplified inelastic analysis of FFTF test assemblies, 1636 (HEDL-SA--1773)
WINKLEBLACK, B.K., See ROWAN, W.J., 5438
WINNETT, G.F., Liquid metal cooled reactor, 5205
WINSCH, I.O., See HENRY, R.E., 478
WINSLOW, G., See FINN, P.A., 4865
WINTERTON, R.H.S., Gas bubble adhesion to heat transfer surfaces, 3114
WIRE, G.L., See FISH, R.L., 1528, 4241
See GILBERT, E.R., 4887
WISE, C.E., Reason enough for the breeder, 3798
WITBECK, L.C., Waste production and management at EBR-II, 151 (ANL--79-14)
See ABRAMS, C.S., 766
WITHERSPOON, J.E., Sodium leak detection verification test results, 2784 (SAN--0824-T1)
Sodium leak detection, long term performance test: results for FY 1978, 2785 (SAN--0824-T2)
Sodium leak detection long term performance test: results for first six months, 2787 (SAN--0824-T4)
Sodium leak detection verification test results, 2790 (SAN--0824-T7)
WITKOWSKI, R.E., See BAGNALL, C., 2984
See HRIZO, J., 945, 946, 947
WOLF, H., See ALMOND, M.D., 626
See KRUDENER, R.M., 5450
WOLF, L., 2-D thermoelastic analysis of LMFBR fuel rod claddings, 5100
See GLAZER, S., 3226
See KARIMI, R., 890

See KIM, J.Y., 4656
See TODREAS, N.E., 882, 884, 894, 895, 896, 897, 899, 900
See TODREAS, N.E., 891
See WONG, C.N., 3954, 889
See YEUNG, M.K., 898
WOLF, S., Test results, long-term endurance test conditions, and sensitivity parameters for the DNB effects test, 2330 (NEDM--14153)
Thermal/hydraulic test results including critical heat flux conditions for a sodium-heated steam generator tube model, 2329 (NEDM--14150)
See MAGEE, P.M., 2332
See ROBERTS, J.M., 983
See STEPHENS, P.B., 975
WOLFE, C.F. JR., TRANSWRAP-II analyses of the Stanford Research Institute IHTS/relief system simulation tests, 1322 (GEFR--00444)
WOLFE, M., See KEMPKEN, M., 4083
WOLFER, W.G., See BLOOM, E.E., 2650, 4232
See BRAGER, H.R., 1453
See GARNER, F.A., 4239
WOLFF, P.H.W., See VAUGHAN, R.D., 4086
WOLFLA, T.A., Metallic component with a chromium carbide base protective coating, 5244
WOLL, D., See ANGERER, G., 2254
WOLOWODIUK, W., See GOVIGNON, E., 2921
WOLSKO, T.D., See NEWSOM, D.E., 1001
WOLSON, R.D., See MCPHEETERS, C.C., 139
See MISRA, B., 3928
WOLZ, G.C., See PERRY, W.H., 5288, 690
WONG, C.N., 3-D slug flow heat transfer analysis of coupled coolant cells in finite LMFBR bundles, 889 (COO--2245-58TR)
Three-dimensional coupled coolant cell heat transfer analysis of finite hexagonal LMFBR bundles, 3954
See WOLF, L., 5100
WONG, K., See DHIR, V.K., 2376
WONG, K.W., Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 3521
Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 4816
Plateout and thermal loading considerations of fuel ejected during transient-over-power accidents in LMFBRs, 4748
Study of fuel freezing and channel plugging during hypothetical overpower transients, 480 (CONF-761001--P4, pp 1757-1766)
WONN, J.W., Process for detecting and locating failed fuel elements in a nuclear reactor, 4595
WOOD, D.S., Materials data for severe variable loading, 5016
See LLOYD, G.J., 5025
WOOD, M.H., Behavior of dissolved fission gases prior to transient testing of fuel pins, 11 (AERE-M--2992)
Comparison of experiment and NEFIC model calculations of transient fission gas behavior, 16 (AERE-TP--793)
Model to describe the role of non-equilibrium intragranular fission gas bubbles during transient heating, 3415
See MATTHEWS, J.R., 15
WOOD, P.J., Clinch River Breeder Reactor Plant safety study: summary and results, 677 (CONF-780507--15)
See PIPER, H.E., 1999, 3889, 633, 951
WOOD, W.T., See LEDBETTER, J.M., 2272, 4024
WOODLEY, R.E., US--UK technical exchange breeder reactor fuels: fuel pin chemistry, 1434 (HEDL--6297)
See GIBBY, R.L., 1566
WOODRUFF, G.L., Nuclear proliferation and nuclear power, 4872
WOODSIDE, M.A., See HAAS, P.M., 839
WORLEDGE, D.H., Study of the dispersive potential of irradiated fuel using in-core experiments, 2874 (SAND--79-0057C)
See WILLIAMS, D.C., 2887
WORLEY, N.G., Review of the potential use of nuclear reactors for hydrogen production, 4347
Review of the potential for the use of nuclear reactors for hydrogen production, 4491
WORSTER, R.C., Effect of pump cavitation on the design of the primary pumps for C.F.R, 2041 (IWGFR--9, pp 89-92)
WORTH, G.A., See BERG, J.D., 1743, 1744, 1746
WRIGHT, A.E., See DEITRICH, L.W., 58
See GROLMES, M.A., 415
WRIGHT, A.L., Effect of energy density on aerosol yield and primary particle sizes produced by the capacitor discharge vaporization (CDV) of UO_2, 2386 (NUREG/CR--0120)
Fuel aerosol simulant test data record report: argon tests, 2464 (NUREG/CR--1123)
Fuel Aerosol Simulant Test (FAST) plan, 2600 (ORNL/NUREG/TM--129)
Fuel disassembly experiments using the capacitor discharge vaporization (CDV) technique, 3995
ORNL experiments to characterize fuel release from the reactor primary containment in severe LMFBR accidents, 853 (CONF-800434--2)
Updated work plan for the FAST/CRI-III fuel vaporization and transport experiments, 2450 (NUREG/CR--0884)
See KRESS, T.S., 2400, 2414, 2460
WRIGHT, E.A., See SPALARIS, C.N., 1399, 1411, 694
See TIPPETS, F.E., 1420
WRIGHT, J.B., See ROUSSIN, R.W., 2613
WRIGHT, R.C., See BARHEN, J., 835
See ROUSSIN, R.W., 2613
See WEISBIN, C.R., 2577
WRIGHT, R.W., Millisecond-period meltdown experiments on prompt-burst effects and molten-tin-water dropping experiments, 2724 (PNC-N--251-76-12(Vol.2), pp 561-593)
WRIGHT, S.A., Designs for in-reactor sodium boiling detection and generation, 407 (CONF-761001--P2, pp 635-645)
In-core fuel motion detection in the Sandia Pulse Reactor, 2816 (SAND--77-1015C)
Topical report on fuel motion diagnostic systems, 2436 (NUREG/CR--0790)
See MCDANIEL, P.J., 2440
WRIGHTS, G.N., See DISNEY, R.K., 746
WRONA, E.J., Apparatus to simulate nuclear heating in advanced fuels, 168 (ANL-AFP--22)
Experiental study of advanced fuel-pin failure phenomena, 4838
See OSTENSEN, R.W., 4269
WU, J.N.C., Seismic design study on cantilever cylindrical shells, 2909 (TID--27889)
Seismic design study on cantilever cylindrical shells, 4304
WU, F.C.S., Corrosion behavior of LMFBR fuel cladding in simulated water pool storage conditions, 2675 (ORNL/TM--6744)
Corrosion behavior of sodium-exposed stainless steels in chloride-containing aqueous solutions, 3275
Europia as a nuclear control material, 3691
WU, T.S., Effects of gap sizes on stresses and deflections of a fuel element, 793 (CONF-790802--59)
See CHANG, L.K., 4731
WUELLNER, G., Valves for the sodium-cooled fast breeder KKW Kalkar (SNR 300), 4907
WYCKOFF, H.L., See DAVIES, S.M., 3212
See OSBORNE, T.C., 624
See STAUFFER, T.R., 5437
WYKOFF, W.R., Optimized FFTF Acceptance Test Program covering Phases III, IV, and V, 1542 (HEDL-SA--1505)
WYLIE, R.D., Conceptual design of a Surveillance and Inservice Inspection System for the primary piping and components, Fast Flux Test Facility. Phase C report, 2773 (RLO--1830-T6)

YAGAWA, G., Fracture of nuclear piping caused by impact loading, 3471
YAGISAWA, H., See KAMEI, M., 2127, 3817
YAHALOM, R., See BEIN, M., 4298, 4975
YAMADA, H., Effect of axial stress on the transient mechanical response of 20%, cold-worked Type 316 stainless-steel cladding, 3272
See PETROSKI, H.J., 789
YAMADA, K., Control rod drive mechanism, 5200
YAMAGISHI, Y., See NAKAI, Y., 5337, 5345, 5375, 5376
See SAITO, T., 5251
See TANAKA, N., 5344
YAMAKAWA, M., See SUZUOKI, A., 3163
YAMAKI, H., See NAKAI, Y., 5281
See SAIJO, T., 5457
YAMAMOTO, H., Investigation of measuring accuracy of plugging indicators, 4352
Investigation of the impurity deposition rate of the plugging indicator, 4682
See MURASE, M., 3468, 3806
YAMAMOTO, K., Actual status of sodium cavitation studies in Japan, 2046 (IWGFR--9, pp 57-62)
YAMAMOTO, M., See TSUTSUMI, K., 5339
YAMAUCHI, M., See KAWAI, M., 4896
YAMAZAKI, H., See MATSUMOTO, F., 5178
YANG, C.C., Large electro-magnetic pump for high temperature LMFBR applications, 4262
YANG, C.I., Finite-element code for computing added mass coefficients, 227 (ANL-CT--78-42)
Finite-element solution of added mass and damping of oscillating rods in viscous fluids, 216 (ANL-CT--78-22)
User's manual for finite-element computer code, CREEP-PLAST, 215 (ANL-CT--78-21)
See BILLONE, M.C., 4843
See MADELL, J.T., 4849
See MORAN, T.J., 3944
YANG, C.S., Thorium fuel cycles, 3346
YANG, H.K., In-vessel core debris coolability for large breeder reactors, 1308 (GEFR--00415)
YANG, J.W., Buoyancy effects on pressure loss in rod arrays under laminar flow, 3184
Comparative studies of FFTF upper-plenum mixing and stratification, 3973
Impact of bypass flow on thermal transients in LMFBR, 4691
Numerical simulation of thermohydraulic transients in LMFBR systems, 3658
See AGRAWAL, A.K., 4337
YANG, T.M., Core restraint seismic test plan, 1274 (GEFR--00357)
Summary of the effects of material combinations and weld joint geometries on the elastic stress in a dissimilar metal pipe joint, 2322 (NEDM--14109)
See DURAND, R.E., 2908
See NOVENDSTERN, E.H., 597
YANO, T., See HARADA, T., 4311
YANT, H.W., Nuclear reactor, 4363
See GARKISCH, H.D., 3300
YAO, S.C., See JONES, O.C. JR., 4564
YARBRO, O.O., Developments in effluent control for breeder reprocessing facilities, 851 (CONF-800334--7)
YARBROUGH, M., Physics evaluations and applications quarterly progress report for period ending July 31, 1977, 3029 (WARD-XS--3045-19)
YARBROUGH, M.B., Physics evaluations and applications quarterly progress report for period ending October 31, 1978, 3034 (WARD-XS--3045-24)
Physics evaluations and applications. Quarterly progress report for period ending April 30, 1979, 3036 (WARD-XS--54000-1)
See ARAKALI, V.S., 3031
See PAIK, N.C., 3033, 3035, 3215
YARGIN, V.S., See SIDOROV, N.I., 3420
YAROVITSIN, V.V., See RINEYSKIY, A.A., 5418
YATABE, J.M., See DAHL, R.E., 1610
YEATER, M.L., See HOCKENBURY, R.W., 412
YEE, A.K., Response of FFTF core to protected reactivity addition transients, 1618 (HEDL-SA--1743-

FP)
YEH, T.T., See MILLCAHY, T.P., 5026
YERKESS, A., See BENUZZI, A., 5035
See CAMERON, I.G., 295, 3897
YEUNG, P.K., Multicell slug flow heat transfer analysis of finite LMFBR bundles, 898 (COO--2245-68TR)
See WOLF, L., 5100
YEVICK, J., U.S. LMFBR programme as of 4-1-77, 2093 (IWGFR--18, pp 4-8)
YEVICK, J.C., International fast breeder reactor development, 81 (ANL--77-XX-62, pp 24-27)
YIFTAH, S., See SAPHIER, D., 4562
YIP, A., Freezing of a flowing liquid inside a melting tube, 4747
YINCLING, G.E., Some results from the testing of a high temperature fission counter-chamber in the EBR-II J-2 thimble of the Nuclear Instrument Test Facilities (NITF), 676 (CONF-780469--1)
See FOPPER, G.F., 197
See TAEOAS, A.L., 196
YINGLING, J.E., See BISHOP, E.C., 3008, 3009
YOKOTA, N., Method for draining liquid metal, 5378
See NAITO, K., 5358
YOKOUCHI, Y., See KIKUCHI, S., 2025
YOKOYAMA, T., Fuel assembly, 5135
YOKOZAWA, A., Method for pre-heating lmfbr type reactors, 3407
YOON, K.Y., Gamma heating measurements in LMFBR shields with thermoluminescent dosimeters, 4202
YORK, J.W., See FLURY, R.L., 3038
YOSHIDA, E., See YUHARA, S.I., 2149
YOSHIDA, H., Investigation of LMFBRs with TH blanket for supply of U-233 to HTGR, 2141 (JAERI-M--7763)
Optimization study of LMFBR with thorium-blanket for the supply of U-233 to multi-purpose HTGR, 4134
See IIJIMA, S., 2137, 2156
See NISHI, H., 4606
See NISHIMURA, H., 4127
See SAKAI, E., 3825
See TAEAKA, K., 4467
YOSHIDA, K., Sodium-water reaction product container for liquid metal cooled fast breeders, 5342
YOSHIDA, S., See KONDO, Y., 4945
YOSHIDA, T., Analysis of sodium-void experiments in ZPPR-3 modified Phase 3 core, 2201 (KFK--2668)
Improved treatment of the neutron streaming through control rod followers in a sodium-cooled fast reactor, 3075
See KAMEI, T., 5152
YOSHII, K., See OKA, Y., 1864
YOSHIKAWA, H.H., Hanford Engineering Development Laboratory, 2512 (ORNL--5287, pp 365-384)
YOSHIKAWA, K., See KONDO, Y., 4945
See MOROISHI, T., 5238
See SHIDA, Y., 4464
See YUKITOSHI, T., 4156, 4616
YOSHIYAMA, Y., See IIDA, S., 3754
YOSHIZAKI, A., Test rig of straight tube type sodium-heated steam generator, 4553
See ROKO, K., 3550, 4166
YOSHIZAWA, H., See ANDO, Y., 4494
YOSHIZAWA, K., Maintenance equipment for a fast reactor, 5197
See ARAI, S., 5196
See KOIZUMI, K., 5227
See ORII, S.C, 5386
YOUNG, H.C., See CORUM, J.M., 2562
See SARTORY, W.K., 2568
YOUNG, M.F., FCI potential of oxide and carbide fuels: results of the prompt burst series at Sandia Laboratories, 2885 (SAND--79-0752C)
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments, 2247 (LA--7936-C, pp 116-121)
Fuel pin modeling for the prompt burst excursion (PBE) experiments, 2858 (SAND--78-0274C)
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments, 2871 (SAND--78-2085C)
Fuel pin modeling for the prompt burst excursion (PBE) experiments, 3640
Hydrodynamic analysis of the LMFBR prompt burst excursion (PBE) experiment, 2817 (SAND--77-1016C)
Hydrodynamic analysis of the LMFBR prompt burst excursion (PBE) experiment, 4753
Pin failure modeling of the A series CABRI tests, 2870 (SAND--78-1919C)
See CANC, G.L., 2453
See GARNER, P.L., 3996
See JACCES, H., 2881
See OSTENSEN, R.W., 2859, 3608
See PHILBIN, J.S., 2829
See REIL, K.O., 2387, 2401, 2850, 2875, 2884, 3635
See TOMKINS, J.L., 2880
YOUNG, M.W., Design evolution of FFTF Heat Transport System pumps, 1491 (HEDL-SA--1368)
Design evolution of FFTF heat transport syster pumps, 658 (CONF-780253--P2, pp 5.231-5.288)
See BROWN, R.K., 1574
YOUNGAHL, C.A., Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 543 (CONF-770807--43)
YOUNGDAHL, C.A., Mechanical response of LMFBR and P1 cladding tubes under transient heating, 3613
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 5101
YOUNGDAHL, C.K., Computing the effect of plastic deformation of piping on pressure transient propagation, 616 (CONF-771120--20)
Experimental validation of PTA-1 computer code for pressure-transient analysis including the effect of pipe plasticity, 124 (ANL--78-38)
Pressure transient analysis in piping systems including the effects of plastic deformation and cavitation, 218 (ANL-CT--78-24)
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity, 554 (CONF-770807--55)
See KOT, C.A., 82
YUEN, J.L., Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3122
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3338
See COPELAND, J.F., 1258, 2505, 2506, 4159
See OFFER, H.P., 2327
YUGAI, V.S., See KOZLOV, F.A., 5318
YUHARA, S., See FUNADA, T., 3107
YUHARA, S.I., Creep and creep-rupture properties of the nuclear fuel cladding tube for fast breeder reactor in high temperature sodium: on the cladding tube (AISI Type 316SS, effect of boron content) manufactured in 1974 for MONJU, 2149 (JAPFNR--435)
YUKISHIMA, I., Decay heat removal test of spent fuel in 'Monju' ex-vessel transfer machine, 4442
YUKITOSHI, T., Development of 9Cr-Mo steel for fast breeder reactor steam generators, 4156
Development of steel tubes for steam generator of fast breeder reactor, 4616
See KONDO, Y., 4945
See MOROISHI, T., 5238
See TERASAWA, M., 4968
YUNG, S.C., Effect of intrasubassembly incoherencies on the fast test reactor unprotected transient overpower accident, 3059
Effect of power skew on the FTR TOP, 1529 (HEDL-SA--1463FP)
Effect of power skew on the FTR TOP accident, 3630
Effects of transient power histories on the intrasubassembly failure incoherencies, 1648 (HEDL-SA--1868)
Failure pattern within an FTR subassembly under a TOP accident, 4770
Survival of peripheral pins during a TOP-HCDA, 1624 (HEDL-SA--1752-FP)
YUNKER, W., Flow impedance test results at HEDL: chemical basis, 1510 (HEDL-SA--1425)
YUNKER, W.H., Effect of liquid sodium on FFTF IHX tube-to-tubesheet weld residue deposits, 1733 (HEDL-TME--72-86)
YUR'EV, YU.S., See GORCHAKOV, M.K., 1212
YURCHENKO, D.S., Operating experience of the BN-350 fast reactor (1972--1977), 4060
YUROVA, L.N., See ILYUNIN, V.G., 5419

Z

ZABUD'KO, L.M., See PROSHKIN, A.A., 2223, 3498
ZACHARIE, C., See COLOMBE, G., 348
ZADWORSKI, Z.F., Analysis of advanced fuels critical experiments, 1287 (GEFR--00393)
ZAGORUL'KO, YU.I., See SUBBOTIN, V.I., 3313
ZAICEV, B.I., See SCHUTSCHKOV, I.I., 3401
ZAJIC, A., See SUCHOMEL, J., 993
ZAKHAROVA, S.M., See GORBATOV, N.E., 1211
ZALESKI, C.P.L., Perspectives of nuclear energy development in European countries, 4509
ZALESKI, P., Status of Phenix and Super Phenix, 4191
ZAMAN, S.U., See GIUGGIO, N., 3303
See NOYES, R.C., 3103, 3263
ZANANTONI, C., See GRAZIANI, G., 1183, 1184
ZANOTELLI, W.A., 1978 annual report: aerosol characterization from a simulated HCDA, 2430 (NUREG/CR--0740)
Possible mechanisms for the formation of the observed and expected compounds during a Hypothetical Core Disruptive Accident (HCDA), 2466 (NUREG/CR--1134)
See JOHNSON, E.W., 2301
ZASORIN, I.P., See SHOLOKHOV, A.A., 4094
ZAWADZKI, S., See LIU, Y.Y., 828
See YANG, C.I., 215
ZEBROSKI, E.L., Method and equipment for the performance reduction of a nuclear reactor during temperature increase, 3363
ZECH, H.J., Fuel cycles of D_2O-, fast breeder and high temperature reactors, 2 (AED-Conf--77-498-067)
ZEHLEIN, H., Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.2. A discrete model for squeeze flow between two adjacent LMFBR subassemblies, 3697
Damping of the transverse impulsive motion of a Timoshenko beam resting on a thin fluid layer, 4389
Parametric study of the nonlinear behaviour of complete LMFBR subassembly using the CORTRAN computer code, 5063
See BEUTEL, H., 4390
See LIEBE, R., 5030
ZEHMS, E.H., See SWANSON, D.G., 112, 2451, 3655, 4675
ZEIBIG, H., See FORTMANN, M., 998
ZEL'TSER, A.M., See ARAKELOV, A.G., 4417
ZEMAN, G.J., Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steels, 2540 (ORNL--5349, pp 43-57)
Low cycle fatigue behavior of Types 304 and 316 stainless steel tested in sodium at 550°C, 3308
See MATESAN, K., 607
See SMITH, D.L., 2485
ZEMANICK, P.P., See GRAHAM, J., 4505, 5022
ZEUCH, W.R., Coupled hydrodynamic-structural analysis of an integral flowing sodium test loop in the TREAT reactor, 794 (CONF-790802--61)
Sodium slug kinetic energy behavior for varying HCDA energetics, 3990
ZHAN-MARI BERNIOL, Fast nuclear reactor, 5449
ZHUKOV, A.V., About some effects on the coolant temperature field in fuel assemblies with wire spacers, 1215 (FEI--624)
Experimental study on interchannel interaction of coolant in rod lattices with wire-wrap spacers,

1209 (FEI--556)
See MIKHIN, V.I., 1214
See USHAKOV, P.A., 4906
ZIEGENBEIN, D., See KAETZMER, D., 3042
See KRAUSE, H., 3039
ZIEGLER, A., Fast breeder reactor, 4527
ZIEGLER, E., See WAGNER, H., 4275
ZIELINSKI, R.E., See JOHNSON, E.W., 2301
ZIMA, G.E., Corrosion critique of the 2 1/4 Cr--1 Mo steel for LMFBR steam generation system applications, 2363 (NUREG--0387)
ZIMMER, W.H., See GILLIAM, D.M., 2371
ZIMMERMAN, B.D., See BENNETT, R.A., 1612
ZIMMERMANN, H., Swelling in mixed-oxide fuel pins, 3368
ZIZIN, M.N., Two-dimensional model of a large power sodium-cooled fast breeder reactor with an oxide fuel for test calculations, 2339 (NIIAR-P--4(270))
ZOLTI, E., See BIENIUSSA, K., 2073
ZUKERAN, A., Mock-up critical experiments for prototype fast breeder reactor 'Monju', 5153
ZURY, H.L., See CHO, S.M., 3380, 985
ZVONAREV, A.V., See ALEKHIN, L.A., 4061
See BAKUMENKO, O.D., 4890, 4894
ZYSZKOWSKI, W., Thermal explosion hazards in (fast) nuclear reactors, 4033

SUBJECT INDEX

The subject index is based on the use of subject descriptors selected from a controlled thesaurus of terms. Subject descriptors and qualifiers (subheadings) are selected and presented in the following format:

SUBJECT DESCRIPTOR/QUALIFIER
title, (supplementary information), citation number, (report number)

The title may be supplemented with additional words, or a phrase, if it appears additional information would be helpful. In cases for which the title contains little or no information related to the subject entry, it may be replaced entirely by the supplementary information. A qualifier is not always required, and in such cases the title will follow the unqualified subject descriptor.

The descriptors selected for use as subject terms are generally the names of specific materials, things, or processes. To the extent possible, a qualifier is selected to describe the properties of, or processes applied to, the subject term.

Index entries are selected to indicate the important ideas and concepts presented in the report, rather than words that may appear in the text. Within the available thesaurus terms, the most probable or logical place to look for typical information is selected. "See references" are included to guide users from synonymous terms or phrases to the descripter selected as a subject heading for the concept. (e.g. Pipeline Quality Gas see HIGH BTU GAS). "See also references" are used to indicate where to find references to subject concepts that are narrower, broader, or related to a particular subject heading. To complete an exhaustive search of a given subject, all such headings should be reviewed.

A

ACCELERATOR BREEDERS/ECONOMICS
  Examination of alternative nuclear breeding methods, 2755 (R--2267-DOE)
ACCELERATOR BREEDERS/FUEL CYCLE
  Nuclear power without nuclear bombs. Linear accelerator-breeder concept for decoupling the nuclear power economy from nuclear weapons production, 2534 (TID--25088)
ACOUSTIC EMISSION TESTING
  Detection of accustic emission events in the presence of parasitic noise, 5017
ACOUSTIC EMISSION TESTING/MEETINGS
  Review of the proceedings of the 8th world NDT conference, Annes, September 1976, 996 (CSNI-R--14)
ACOUSTIC MONITORING
  Accoustics of the Sodium Loop Safety Facility P2 experiment, 3826
  Assessment of the performance of a conceptual accoustic surveillance system for anomalous events in LMFBRs, 601 (CONF-771023--13)
ACOUSTIC TESTING
  See also ACOUSTIC EMISSION TESTING
           ULTRASONIC TESTING
  Tests and analysis in support of an acoustic leak detection/location system (progress report) (LMFBR), 1283 (GEFR--00384)
ACPR REACTOR/FUEL MOTION DETECTION
  Analog and digital reconstructions of fuel pin images recorded with the prototype ACPR (UPGRADE) fuel motion diagnostic system, 2438 (NUREG/CR--0790)
  Development of a coded aperture fuel motion diagnostics system for the ACPR (UPGRADE), 2437 (NUREG/CR--0790)
ACPR REACTOR/IN FILE LOOPS
  Mobile helium cooling loop system for in-reactor PAHR experiments, 2810 (SAND--77-0161C)
ACPR REACTOR/REACTOR EXPERIMENTAL FACILITIES
  Development of a coded aperture fuel motion diagnostics system for the ACPR (upgrade) (LMFBR), 2840 (SAND--77-1552C)
  First in-core molten fuel pool experiment, 4673
  First in-reactor experiment with simulated LMFBR debris bed, 4670
  Mobile helium cooling loop system for in-reactor PAHR experiments, 4730
ACRR REACTOR
  See ACPR REACTOR
ACTINIDE NUCLEI/TRANSMUTATION
  Preliminary neutronic study of actinide transmutation in a fast reactor, 2652 (ORNL/TM--6309)
ACTINIDES
  Studies of actinide waste burnup and use in fast spectra. Quarterly report, January 1--March 31 1978, 2775 (RLO--2227/T32-6)
ACTINIDES/BUILDUP
  Build-up and decay of actinide nuclides in fuel cycle of nuclear reactors, 4467
ACTINIDES/BURNUP
  Performance considerations of nuclear reactor actinide recycle as a waste management alternative, 3926
ACTINIDES/TRANSMUTATION
  Burning actinides in very hard spectrum reactors, 2774 (RLO--2227/T32-2)
  Feasibility studies of actinide recycle in LMFBRs as a waste management alternative, 2669 (PB--254737)
  Reactor physics aspects of burning actinides in a nuclear reactor, 1196 (EUR--5897)
ADVANCED GAS COOLED GRAPHITE REACTOR
  See AGR TYPE REACTORS
ADVANCED THERMAL REACTOR FUGEN
  See JATR REACTOR
AEROSOLS
  See also RADIOACTIVE AEROSOLS
  1978 annual report: aerosol characterization from a simulated HCDA, 2430 (NUREG/CR--0740)
AEROSOLS/ADSORPTION
  Filtration of sodium-fire aerosols, 3274
AEROSOLS/AERODYNAMICS
  Aerodynamic properties of aerosols formed by a sodium pool fire (LMFBR), 3190
AEROSOLS/CHEMICAL REACTIONS
  Chemical reactions of sodium fire aerosols in the free atmosphere, 3283
AEROSOLS/DISSOLUTION
  Dissolution of LMFBR fuel-sodium aerosols (Plutonium dioxide), 2747 (PNL--2850(Pt.1))
AEROSOLS/FLOW RATE
  Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
AEROSOLS/HEAT TRANSFER
  Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST) (LMFBR), 2424 (NUREG/CR--0678)
AEROSOLS/INHALATION
  Biological behavior of mixed LMFBR-fuel-sodium aerosols (Rats, ^{239}Pu), 2749 (PNL--2850(Pt.1))
AEROSOLS/MASS TRANSFER
  Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST) (LMFBR), 2424 (NUREG/CR--0678)
AEROSOLS/PRODUCTION
  Primary aerosol particle-size distributions from homogeneous nucleation condensation and particle growth, 3326
AEROSOLS/SIMULATION
  Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere. Annual report Sep 1977--Jan 1978, 2699 (PB--286865)
AEROSOLS/SPECTROPHOTOMETRY
  Spectrophotometric analyses of LMFBR fuel-sodium aerosols (PuO_2, U), 2748 (PNL--2850(Pt.1))
AFTER-HEAT/HEAT TRANSFER
  Experimental determination of decay power in EBR-II (LMFBR), 3978
AFTER-HEAT REMOVAL
  Buoyancy induced flow and heat redistribution during LMFBR core decay heat removal, 849 (CONF-800226--1)
  Convective heat transfer correlations for molten core debris pools growing in concrete (LMFBR), 949 (COO--4261-8)
  Dryout heat fluxes for inductively heated particulate beds, 4529
  Effect of radiative heat transfer on the thermal-fluid behavior of molten UO_2 (LMFBR), 4013

Flow visualization in heat-generating porous media (LMFBR), 2869 (SAND--76-0614)
Interaction of heat-generating molten uranium dioxide with magnesia brick (LMFBR), 4674
Nuclear power plant with improved arrangements for the removal of post fission and emergency heating (Patent), 4288
Onset of thermal convection in a fluid-saturated porous layer with heat source (LMFBR), 4672
Post-accident heat removal in LMFBR's, 4987
Role of mechanistic analysis in providing PAHR initial conditions, 85 (ANL--78-10)
Sodium boiling experiments in natural convection with a thermal power equal to the decay heat, 3915
Views on post-accident heat removal, 86 (ANL--78-10)
AFTER-HEAT REMOVAL/AFTER-HEAT REMOVAL
Optimization of decay heat removal systems for SNR 2 with respect to safety and reliability, 4100
AFTER-HEAT REMOVAL/COMPUTERIZED SIMULATION
Post-scram LMFBR heat transport system dynamics, 3337
AFTER-HEAT REMOVAL/INFORMATION NEEDS
LMFBR post accident heat removal testing needs and conceptual design of a test facility, 2217 (KFK-EXT--8/76-4)
AFTER-HEAT REMOVAL/LIQUID FLOW
Assessment of debris transport methods in horizontal LMFBR piping for PAHR conditions, 3025 (WARD-SR--3045-5)
AFTER-HEAT REMOVAL/MATHEMATICAL MODELS
Advanced safety analysis. Twelfth quarterly report, June--August 1977 (LMFBR), 1377 (GEFR--14038-12)
Advanced safety analysis: Fifteenth quarterly report, March--May 1978 (LMFBR), 1379 (GEFR--14038-15)
LMFBR fuel analysis. Task B. Post-accident heat removal. Final report, October 1977--November 1978, 2425 (NUREG/CR--0737)
AFTER-HEAT REMOVAL/NATURAL CONVECTION
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop (LMFBR), 756 (CONF-790239--1)
CORTRAN code for temperature predictions in an LMFBR during a natural circulation transient, 2756 (PNL-SA--7521)
SAS3D analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 838 (CONF-791103--92)
Studies related to protected loss of flow accidents in a fast breeder reactor, 843 (CONF-791204--29)
Study of transient and permanent flow in the event of natural convection in a confined environment, 1221 (FRNC-TH--783)
AFTER-HEAT REMOVAL/OPTIMIZATION
Optimization of decay heat removal systems for SNR 2 with respect to safety and reliability, 4100
Optimization of reactor design for natural circulation decay heat removal in a pool-type LMFBR, 4110
Sizing of decay heat rejection loops for LMFBRs, 4103
AFTER-HEAT REMOVAL/POWER SUPPLIES
LMFBR fuel analysis. Task C: Reliability aspects of LMFBRs. Final report, October 1, 1976--September 30, 1977, 2378 (NUREG/CR--0013)
AFTER-HEAT REMOVAL/SIMULATION
Dynamic simulation of LMFBR plant under natural circulation, 325 (BNL-NUREG--25618)
AFTER-HEAT REMOVAL/TEST FACILITIES
Considerations on a PAHR test facility (LMFBR), 395 (CONF-761001--P1)
Feasibility study for a postaccident heat removal facility (LMFBR), 2227 (LA--7133-MS)
Feasibility study for a post-accident heat removal facility, 3644
LMFBR post accident heat removal testing needs and conceptual design of a test facility, 2217 (KFK-EXT--8/76-4)
AGR REACTOR (WINDSCALE)
See WAGR REACTOR
AGR TYPE REACTORS
See also WAGR REACTOR
AGR TYPE REACTORS/ECONOMICS
Planning for the future generation, 3108
AGR TYPE REACTORS/FUEL CANS
Piping for nuclear power reactors. Review, 5446
AIR CLEANING SYSTEMS/PERFORMANCE
Application of acoustic agglomerators for emergency use in LMFBR plants, 4665
AIR CLEANING SYSTEMS/PERFORMANCE TESTING
Containment air cleaning for LMFBRs, 1605 (HEDL-SA--1713-FP)
Experimental evaluation of acoustic agglomerators as an air cleaning system concept for emergency use in LMFBR plants. Final report, 1011 (DOE/ET/37203--1)
Separation of krypton and xenon from reactor atmospheres by selective permeation. Final report (LMFBR), 940 (COO--3536-13)
AIR CLEANING SYSTEMS/SCRUBBERS
Performance of a wet cell washer for sodium fire aerosols, 688 (CONF-780819--P2)
AIR CLEANING SYSTEMS/TESTING
Recent aerosol tests in the Containment Systems Test Facility, 1599 (HEDL-SA--1686)
AIR FILTERS
Acoustic and turbulent agglomeration of sodium aerosols. Final report, October 1, 1975--July 31, 1978, 932 (COO--2801-9)
Facility of aerosol filtration (Patent), 5387
AIR FILTERS/PERFORMANCE
Filtration of sodium fire aerosols, 4762
High efficiency filtration of liquid-metal-generated aerosols (LMFBR), 4601
Nucleation and capture of condensible airborne contaminants in an aqueous scrubbing system (LMFBR), 1825 (HEDL-TME--78-82)
Sand filters as high efficiency aerosol filters in nuclear plants (LMFBR), 4600
ALKALI METALS
See also CESIUM
LITHIUM
SODIUM
ALKALI METALS/CHEMICAL ANALYSIS
Electrochemical system for determining the oxygen concentration in a liquid alkaline metal (Patent; sodium of LMFBR type reactors), 5170
ALLOY 800
See INCOLOY 800
ALLOY-A-286/CORROSION
Materials requirements for liquid metal fast breeder reactors, 3822
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium (700°C for 2000 hours), 1464 (HEDL-SA--1225FP(Rev.))
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
ALLOY-A-286/CREEP
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
ALLOY-A-286/MICROSTRUCTURE
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
ALLOY-A-286/PHYSICAL RADIATION EFFECTS
Comparison of the irradiation effects on swelling and microstructure in commercial alloy A-286 and a simple Fe--25 Ni--15Cr gamma prime hardened alloy, 4954
Materials requirements for liquid metal fast breeder reactors, 3822
ALLOY-A-286/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
ALLOY-A-286/SURFACE PROPERTIES
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
ALLOY-A-286/SWELLING
Materials requirements for liquid metal fast breeder reactors, 3822
ALLOY-HD-8077
See NICKEL BASE ALLOYS
ALLOY-HS-6
See STELLITE
ALLOY-M-813/CORROSION
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
ALLOY-M-813/MICROSTRUCTURE
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
ALLOY-M-813/SURFACE PROPERTIES
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
ALLOY-MA-754
See NICKEL BASE ALLOYS
ALLOY-MM-0011
See IRON BASE ALLOYS
ALLOYS
See also HEAT RESISTING ALLOYS
ALLOYS/MICROSTRUCTURE
Microstructural objectives for high-temperature alloys in advanced energy systems, 3349
ALLOYS/PHYSICAL RADIATION EFFECTS
Theory of particle redistribution in an irradiation environment, 2955 (WARD-AD--3045-6)
Theory of particle redistribution in an irradiation environment, 4953
ALLOY-WAZ-16
See NICKEL BASE ALLOYS
ALTERNATE FUELS
See SYNTHETIC FUELS
ALUMINA
See ALUMINIUM OXIDES
ALUMINIUM/CREEP
Creep buckling of shells, 1964 (INIS-mf--4543)
ALUMINIUM/DEFORMATION
Creep buckling of shells, 5117
ALUMINIUM/METALLURGICAL EFFECTS
Nickel and nitrogen ion irradiation induced void swelling and defect microstructures in Ni--Al, Ni--Cr and Ni--Ti solid solutions (3.5 MeV $^{58}Ni^{+}$, 400 keV $^{14}N^{+}$ and 400 keV $^{14}Ni^{+}$), 3374

ALUMINIUM/SYSTEM FAILURE ANALYSIS
Creep buckling of shells, 1964 (INIS-mf--4543)
ALUMINIUM ALLOYS/DEFORMATION
Experimental tests on buckling of ellipsoidal vessel heads under internal pressure, 359 (CEA-N--2075)
ALUMINIUM ALLOYS/FABRICATION
Alloys for a liquid metal fast breeder reactor (Patent), 3091
Dispersion strengthened ferritic alloy for use in liquid-metal fast breeder reactors (LMFBRS) (Patent; 13 to 25% Cr, 0.2 to 2% Ti, <2% Mo, <2% Al, <2% Y_2O_3), 3792
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
ALUMINIUM ALLOYS/PHYSICAL RADIATION EFFECTS
Microstructural changes in ion-irradiated commercial alloys (475 to 725°C), 5277
Nickel and nitrogen ion irradiation induced void swelling and defect microstructures in Ni--Al, Ni--Cr and Ni--Ti solid solutions (3.5 MeV $^{58}Ni^+$, 400 keV $^{14}N^+$ and 400 keV $^{14}Ni^+$), 3374
Radiation-damage considerations (Neutrons), 5008
ALUMINIUM ALLOYS/PIPELINES
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
ALUMINIUM ALLOYS/STRAINS
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977, 3015 (WARD-SD--3045-10)
ALUMINIUM ALLOYS/TENSILE PROPERTIES
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
ALUMINIUM OXIDES/VISCOSITY
Viscosity of molten alumina (2394° and 2742°K; LMFBR accident simulation), 3718
AMERICIUM/TRANSMUTATION
Some preliminary investigations of the incineration of actinide waste from the UK and European nuclear power programmes, 1197 (EUR--5897)
Studies on recycling of actinides other than U and Pu, 1195 (EUR--5897)
ANEMOMETERS/DOPPLER EFFECT
Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
ANNULAR CORE PULSE REACTOR
See ACPR REACTOR
ANNULAR CORE RESEARCH REACTOR
See ACPR REACTOR
APERTURES
Coded aperture imaging: a comparison between Fresnel zone apertures and uniformly redundant array apertures (LMFBR fuel motion detection), 2867 (SAND--78-1625)
APPLIANCES
See also SPACE HEATERS
APPLIANCES/RESEARCH PROGRAMS
Comparative analysis of three of ERDA's major R and D programs, 3378
ARGON/METALLURGICAL EFFECTS
Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309)
ATMOSPHERES/COMBUSTION
Experimental study of hydrogen jet ignition and jet extinguishment (LMFBR), 1824 (HEDL-TME--78-80)
ATOMIC BOMBS
See NUCLEAR WEAPONS
ATOMIC ENERGY
See NUCLEAR ENERGY
ATOMIC ENERGY LAWS
Constitutionality of section 7 of the Atomic Energy Act: Section 20 GG 'Kalkar decision' (German Federal Republic), 3693
ATOMIC WEAPONS
See NUCLEAR WEAPONS
ATWS
(Anticipated transients without scram.)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
ATWS/RISK ASSESSMENT
Anticipated transients without scram for light water reactors: implications for liquid metal fast breeder reactors, 2760 (RAND/N--1188-DOE)
AUSTENITIC STEELS/CARBURIZATION
Effect of variations in carbon activity on the carburization of austenitic steels in sodium. Exploratory tests, 372 (CEGB-RD/B/N--4338)
AUSTENITIC STEELS/COMPARATIVE EVALUATIONS
Ferritic steels in reactor tribology, 4177
AUSTENITIC STEELS/CORROSION
Sodium corrosion of wear resistant cobalt alloys (STELLITE), 3818
AUSTENITIC STEELS/CRACKS
Crack growth behaviour of the austenitic steels X 6 CrNi 18 11 and X 6 CrNiMo 17 13 under the conditions of a natrium-cooled fast breeder reactor, 3876
AUSTENITIC STEELS/CREEP
Creep-rupture-tests on the stainless steel X6 CrNi1811 (DIN 1.4948) in the frame of the "Extrapolation-Program" Pt. 2, 2160 (JEN--447)
AUSTENITIC STEELS/DEFORMATION
Experimental tests on buckling of ellipsoidal vessel heads under internal pressure, 359 (CEA-N--2075)
AUSTENITIC STEELS/FRACTURE PROPERTIES
Further development of cladding and core structural materials (LMFBR), 3859 (EURFNR--1418)
AUSTENITIC STEELS/FRICTION
Ferritic steels in reactor tribology, 4177
AUSTENITIC STEELS/INTERGRANULAR CORROSION
Topical problems of corrosion research for nuclear power purposes, 3701
AUSTENITIC STEELS/PHYSICAL RADIATION EFFECTS
Crack growth behaviour of the austenitic steels X 6 CrNi 18 11 and X 6 CrNiMo 17 13 under the conditions of a natrium-cooled fast breeder reactor, 3876
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys, 4969
Further development of cladding and core structural materials (LMFBR), 3859 (EURFNR--1418)
AUSTENITIC STEELS/STRESS CORROSION
Residual stress measurement in austenitic alloy tubes, 4984
Topical problems of corrosion research for nuclear power purposes, 3701
AUSTENITIC STEELS/STRESSES
Residual stress measurement in austenitic alloy tubes, 4984
AUSTENITIC STEELS/SWELLING
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys (LMFBR), 352 (CEA-CONF--4013)
Influence of alloy constitution on the swelling of austenitic stainless steels and nickel based alloys, 4959
AUSTENITIC STEELS/ULTRASONIC TESTING
Ultrasonic techniques for in-service inspection of austenitic stainless steel welds at 200°C, 1560 (HEDL-SA--1546)
AUSTENITIC STEELS/WEAR
Ferritic steels in reactor tribology, 4177
AUXILIARY SYSTEMS
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VI: reactor auxiliary systems. Part VII: instrumentation and control, 1091 (EPRI-NP--882(Vol.5))
Pool-type LMFBR Plant 1000 MWe phase a-extension-1 design. Part I. Executive summary. Interim report, 1086 (EPRI-NP--882-SY(Vol.1))
AUXILIARY SYSTEMS/DESIGN
Impact of building design on auxiliary liquid metal piping, 3151
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part V. Auxiliary systems. Part VI. Research and development needs, final report, 1076 (EPRI-NP--646(Vol.6))

B

BAFFLES
Horizontal baffle for nuclear reactors (Patent), 3759
BAINITE/TENSILE PROPERTIES
Strain rate effects on the elevated-temperature tensile behavior of a bainitic 2 1/4 Cr--1 Mo steel, 4354
BEARINGS
See also ROLLER BEARINGS
BEARINGS/DESIGN
Rotating plug bearing and seal (Patent; LMFBR), 4364
BEARINGS/MONITORING
Diagnosing malfunctions in liquid sodium hydrostatic bearings, 4434
BEARINGS/PERFORMANCE TESTING
Selection of bearing materials for commercial LMFBR flexible joint applications, 39 (AI-DOE--13238)
BEARINGS/TEST FACILITIES
Liquid metal bearings technology for large, high-temperature, sodium rotating machinery. Development and test of high-temperature proximity probe for use in liquid sodium. Fourth topical report, 2474 (NYO--3930-11)
BELGIAN REACTOR 2
See BR-2 REACTOR
BELGIUM/FBR TYPE REACTORS
Present state of development of the fast breeder project in the Federal Republic of Germany, Belgium and the Netherlands, and progress achieved during 1975 and early 1976, 2081 (IWGFR--12)
BELGIUM/RESEARCH PROGRAMS
Annual scientific report 1976 (Centre d'Etude de l'Energie Nucleaire, Mol), 297 (BLG--520)
BELLOWS/CREEP
Research and development needs to develop design tools for prediction of creep instability of flexible piping joints (LMFBR), 1152 (ESG-DOE--13268)
BELLOWS/DESIGN
Simplified design methods for bellows (LMFBR piping systems), 1151 (ESG-DOE--13267)
BELOYARSK-1 REACTOR/CRITICAL HEAT FLUX
Features of operating calculations of permissible power for channel reactors at Beloyarskaya Atomic Electric Power Plant, 4203
BELOYARSK-2 REACTOR/CRITICAL HEAT FLUX
Features of operating calculations of permissible power for channel reactors at Beloyarskaya Atomic Electric Power Plant, 4203
BELOYARSK-3 REACTOR/CONTROL ELEMENTS
Interference of neutron-absorbing control rods in a large power fast reactor, 1859 (IAE--2842)

BELOYARSK-3 REACTOR/CRITICAL HEAT FLUX
Features of operating calculations of permissible power for channel reactors at Beloyarskaya Atomic Electric Power Plant, 4203
BELOYARSK-3 REACTOR/FAILED ELEMENT DETECTION
Principles of determining damage to the fuel elements of fast power reactors by monitoring sodium and gas activity, 3711 (BNWL-tr--326)
BELOYARSK-3 REACTOR/FUEL ASSEMBLIES
Effect of configuration distortion on velocity and temperature fields in the peripheral zone of a fast reactor fuel assembly at laminar flow, 2951 (UJV--4576-T)
Heat transfer in the peripheral region of a fast reactor fuel assembly. Part I. Experimental equipment; solution prerequisites, technological experiments, 2950 (UJV--4333-T)
Institute's research into thermal parameters of fast reactor fuel assemblies, 1900 (INIS-mf--4280)
BELOYARSK-3 REACTOR/FUEL ELEMENT CLUSTERS
Results of measuring local hydrodynamic characteristics of geometrically disturbed rod bundle. I, 2949 (UJV--4156-T)
BELOYARSK-3 REACTOR/FUEL ELEMENTS
Analysis of the effect of emergency operating regimes of a fast power reactor on the fuel performance, 3498
Testing experimental fuel elements of the BN-600 fuel element type up to various depth of burn up in the BOR-60 reactor, 5254
BELOYARSK-3 REACTOR/FUEL PINS
Investigation of the performance of uranium--plutonium mixed oxide fuel pins for the reactor BN-600, 4385
BELOYARSK-3 REACTOR/HEAT EXCHANGERS
Design and experimental testing of intermediate heat exchangers, 4066
BELOYARSK-3 REACTOR/MAGNETIC FIELDS
Possibility of observing new MHD phenomena in the liquid--metal mass in the first loop of the BN-600 unit of the Beloyarsk Atomic Power Plant, 3243
BELOYARSK-3 REACTOR/MAGNETOHYDRODYNAMICS
Possibility of observing new MHD phenomena in the liquid--metal mass in the first loop of the BN-600 unit of the Beloyarsk Atomic Power Plant, 3243
BELOYARSK-3 REACTOR/NUCLEAR FUELS
Results of irradiation tests of fast reactor oxide fuel and fuel elements, 2008 (INIS-mf--5308)
BELOYARSK-3 REACTOR/PRIMARY COOLANT CIRCUITS
Comparative analysis of layout and design in the BN-600 and BN-350 reactors, 4063
BELOYARSK-3 REACTOR/SPECIFICATIONS
Construction of Soviet fast reactor BN-600, 4415
Past and present role of fast breeder reactors in the USSR, 4054
Review of the development of fast breeder reactors in the USSR, 3045 (PNL-TR--400)
USSR fast reactor development program and its current state, 3740 (IAEA-CN--36/356)
BELOYARSK-3 REACTOR/STEAM GENERATORS
Model thermal corrosion testing of the BN-600 steam generator, 710 (CONF-781001--P2)
Research program on an acoustical method of leak detection in sodium-water steam generators for 1978--1979, 719 (CONF-781001--P2)
Some results of the study of vibrations and wear in models of the steam generator of the BN-600, 708 (CONF-781001--P2)
Status of development and manufacture of a steam generator for the BN-600 nuclear power reactors, 706 (CONF-781001--P2)
Vibration studies of BN-350 and BN-600 steam generator tube bundles, 2096 (IWGFR--21)
BIBLIOGRAPHIES/EBR-2 REACTOR
Bibliography of publications on Experimental Breeder Reactor No. II (EBR-II). 1955-July 1979, 260 (ANL/EBR--106)
BIBLIOGRAPHIES/LMFBR TYPE REACTORS
Liquid metal fast breeder reactors. A bibliography, January--December 1977; 2903 (TID--3333-85)
LMFBR safety. 5. Review of current issues and bibliography of literature (1975--1976), 2598 (ORNL/NUREG/NSIC--139)
BIBLIOGRAPHIES/REACTOR SAFETY
LMFBR safety. 5. Review of current issues and bibliography of literature (1975--1976), 2598 (ORNL/NUREG/NSIC--139)
LMFBR safety. 6. Review of current issues and bibliography of literature (1977), 2395 (NUREG/CR--0339)
LMFBR safety. 7. Review of current issues and bibliography of literature (1978), 2467 (NUREG/CR--1160)
Reports distributed under the NRC Reactor safety research foreign technical exchange program. Vol. VII (January-June 1979), 2463 (NUREG/CR--1101)
BIBLIOGRAPHIES/STAINLESS STEELS
Corrosion of stainless steel. Volume 2. 1977-March, 1979 (a bibliography with abstracts). Report for 1977-March 1979, 2356 (NTIS/PS--79/0208)
BINARY ALLOY SYSTEMS
Method and apparatus of stabilizing metallic sodium (Patent), 5144
BIOLOGICAL SHIELDS/DESIGN
Radiation shield design for LMFBR spent-fuel shipping casks, 2814 (SAND--77-0971C)
BLANKETS (BREEDING)
See BREEDING BLANKETS
BN-1600 REACTOR/SPECIFICATIONS
Review of the development of fast breeder reactors in the USSR, 3045 (PNL-TR--400)
BN-350 REACTOR
BN-350 reactor: development, design and operating experience, 4895
BN-350 REACTOR/ACTIVITY LEVELS
Use of demonstration fast reactor experience in assessing the radiation safety of fast power reactors in the design stage, 3048 (PNL-TR--393)
BN-350 REACTOR/CONSTRUCTION
BN-350 reactor. Development, construction and operating experience, 4204 (RISLEY-Trans--4010)
BN-350 REACTOR/COOLANT CLEANUP SYSTEMS
Primary and secondary sodium purification systems of fast reactors, 3785
BN-350 REACTOR/EFFICIENCY
Experimental-calculation studies on efficiency of europium oxide rods of the BFS-29 assembly, 1211 (FEI--566)
BN-350 REACTOR/FAILED ELEMENT DETECTION
Principles of determining damage to the fuel elements of fast power reactors by monitoring sodium and gas activity, 3711 (BNWL-tr--326)
BN-350 REACTOR/FUEL ELEMENT FAILURE
Use of demonstration fast reactor experience for assessing the radiation safety of fast power reactors at the design stage, 4092
BN-350 REACTOR/HEAT EXCHANGERS
Design and experimental testing of intermediate heat exchangers, 4066
Experimental investigation of the efficiency of intermediate heat exchangers of three-loop nuclear power plants, 3416
BN-350 REACTOR/NEUTRON TRANSPORT
Some requirements as regards the accuracy of constants for fast power reactor shielding calculations, 1860 (IAEA--207)
BN-350 REACTOR/OPTIMIZATION
Optimization of sodium purification systems for fast reactor nuclear power plants, 4097
BN-350 REACTOR/PRIMARY COOLANT CIRCUITS
Comparative analysis of layout and design in the BN-600 and BN-350 reactors, 4063
Expereince of cleaning and decontamination of the BN-350 reactor components, 2130 (IWGFR--23)
Use of demonstration fast reactor experience for assessing the radiation safety of fast power reactors at the design stage, 4092
Use of demonstration fast reactor experience in assessing the radiation safety of fast power reactors in the design stage, 3048 (PNL-TR--393)
BN-350 REACTOR/REACTIVITY COEFFICIENTS
Reactivity effects in the BN-350 reactor, 4617
BN-350 REACTOR/REACTOR CORES
Fast nuclear reactor (Patent), 3409
BN-350 REACTOR/REACTOR KINETICS
Theoretical and experimental studies on the physical characteristics of the BN-350 reactor, 4061
BN-350 REACTOR/REACTOR MAINTENANCE
Expereince of cleaning and decontamination of the BN-350 reactor components, 2130 (IWGFR--23)
BN-350 REACTOR/REACTOR OPERATION
BN-350 reactor. Development, construction and operating experience, 4204 (RISLEY-Trans--4010)
Experience in sodium technology of soviet fast reactors, 3435
Operating experience of the BN-350 fast reactor (1972--1977), 4060
Past and present role of fast breeder reactors in the USSR, 4054
BN-350 REACTOR/REACTOR START-UP
Operating experience of the BN-350 fast reactor (1972--1977), 4060
BN-350 REACTOR/REGULATING RODS
Experimental-calculation studies on efficiency of europium oxide rods of the BFS-29 assembly, 1211 (FEI--566)
BN-350 REACTOR/SECONDARY COOLANT CIRCUITS
Expereince of cleaning and decontamination of the BN-350 reactor components, 2130 (IWGFR--23)
BN-350 REACTOR/SHIELDING
BN-350 reactor shielding studies, 4890
BN-350 reactor shielding studies, 4894
BN-350 REACTOR/SPECIFICATIONS
Past and present role of fast breeder reactors in the USSR, 4054
Review of the development of fast breeder reactors in the USSR, 3045 (PNL-TR--400)
USSR fast reactor development program and its current state, 3740 (IAEA-CN--36/356)
BN-350 REACTOR/STEAM GENERATORS
Experience of the operation of leak-testing systems of sodium-water steam generators of the BN-350 installation, 715 (CONF-781001--P2)
Report on the results of analysis of emergency large leak modes in the steam generators of the BN-350 installation, 718 (CONF-781001--P2)
Vibration studies of BN-350 and BN-600 steam generator tube bundles, 2096 (IWGFR--21)

BN-600 REACTOR
See BELOYARSK-3 REACTOR
BNPS-1 REACTOR
See BELOYARSK-1 REACTOR
BNPS-2 REACTOR
See BELOYARSK-2 REACTOR
BOILING
See also NUCLEATE BOILING
POOL BOILING
BOILING/ACOUSTIC MONITORING
Possibility of acoustic detection on sodium boiling in a fast reactor by a pulse system, 3396
BOILING/BOILING DETECTION
BOR-60 sodium boiling experiment, 3099
BOILING DETECTION
Boiling detection in fast reactors by noise analysis studies performed in France, 5013
Designs for in-reactor sodium boiling detection and generation, 407 (CONF-761001--P2)
Device for tuning the acoustic control system to detect liquid-metal coolant boiling, 5445
BOILING WATER REACTORS
See BWR TYPE REACTORS
BOLTS
See FASTENERS
BOR-60 REACTOR/ACOUSTIC MONITORING
Experiments in sodium boiling on the BOR-60 reactor, 3419
BOR-60 REACTOR/ACTIVITY LEVELS
Radioactivity of long-lived nuclides in the primary loop of the BOR-60 reactor during operation with defective fuel elements, 4618 (BNWL-tr--340)
Radioactivity in the primary circuit of the fast BOR-60 reactor, 3695
BOR-60 REACTOR/BOILING
BOR-60 sodium boiling experiment, 3099
BOR-60 REACTOR/BOILING DETECTION
Sodium boiling experiment in the reactor BOR-60, 3041 (ZfK--344)
BOR-60 REACTOR/COLD TRAPS
Radioactive impurities accumulation in BOR-60 cold trap, 2221 (KFK-tr--575)
Radioactive impurities trapping by the BOR-60 cold trap, 2338 (NIIAR-P--2(296))
Separation of radioactive impurities by the cold trap of the BOR-60 reactor, 3523 (BNWL-tr--339)
BOR-60 REACTOR/CONSTRUCTION
BN-350 reactor. Development, construction and operating experience, 4204 (RISLEY-Trans--4010)
BOR-60 REACTOR/COOLANTS
Sodium boiling experiments at the BOR-60 reactor, 2346 (NIIAR-P--24(358))
BOR-60 REACTOR/ELECTROMAGNETIC PUMPS
Design and production technology of the TsLIN 5/700 electromagnetic pump, 1949 (INIS-mf--4525)
Results of experimental researches of electromagnetic pumps for the BOR-60 reactor, 1950 (INIS-mf--4525)
BOR-60 REACTOR/ENGINEERED SAFETY SYSTEMS
Ensuring safe operation of the BOR-60 experimental fast reactor as an atomic power plant, 3047 (PNL-TR--397)
BOR-60 REACTOR/FUEL CANS
Electron-microscopy of fuel claddings from 0Cr16N15Mo3Nb stainless steel irradiated in the Reactor BOR-60 to burn-up 6.12 and 10.8%, 4964
Temperature dependence of void parameters in the 0Kh16N15M3BR steel fuel cans under radiation conditions, 2002 (INIS-mf--4974)
BOR-60 REACTOR/FUEL ELEMENT FAILURE
Radioactivity of long-lived nuclides in the BOR-60 primary circuit during operation with some defective fuel elements, 2342 (NIIAR-P--5(299))
BOR-60 REACTOR/FUEL ELEMENTS
Experimental results with carbide fuel rods in the BOR-60 reactor, 4880 (KFK-tr--536)
Irradiation behaviour of carbide fuel elements in the BOR-60 breeder reactor, 4549
Study of BOR-60 reactor fuel element performance, 2341 (NIIAR-P--5(271))
Study of the operational characteristics of the core and irradiated fuel parameters in the BOR-60 reactor, 4089
Study of the operational characteristics of the core and irradiated fuel parameters in the BOR-60 reactor, 3046 (PNL-TR--398)
BOR-60 REACTOR/FUEL PINS
Experimental study of fast reactor fuel pin performance, 2026 (IWGFR--5)
BOR-60 REACTOR/FUEL RODS
Behaviour and some properties of U-Pu oxide fuel rods of fast reactors, 2007 (INIS-mf--5308)
BOR-60 REACTOR/IN CORE INSTRUMENTS
Sodium boiling experiment in the reactor BOR-60, 3041 (ZfK--344)
BOR-60 REACTOR/NEUTRON SPECTRA
Neutron spectrum measurement in the BOR-60, 2337 (NIIAR--15(309))
BOR-60 REACTOR/NUCLEAR FUELS
Results of irradiation tests of fast reactor oxide fuel and fuel elements, 2008 (INIS-mf--5308)
BOR-60 REACTOR/ON-LINE CONTROL SYSTEMS
Computerized subsystem for conducting investigations at the BOR-60 reactor, 2347 (NIIAR-P--27(321))
BOR-60 REACTOR/POWER COEFFICIENT
Investigation of the BOR-60 reactor dynamic characteristics with a reactivity oscillator, 3464
Reactivity effects analysis as a means of fast reactor diagnostics, 2340 (NIIAR-P--4(338))
BOR-60 REACTOR/PRIMARY COOLANT CIRCUITS
Radioactivity of long-lived nuclides in the primary loop of the BOR-60 reactor during operation with defective fuel elements, 4618 (BNWL-tr--340)
Radioactivity in the primary circuit of the fast BOR-60 reactor, 3695
Radioactivity of long-lived nuclides in the primary circuit of the reactor BOR-60 during operation with defective fuel elements, 2222 (KFK-tr--576)
Separation of radioactive impurities by the cold trap of the BOR-60 reactor, 3523 (BNWL-tr--339)
BOR-60 REACTOR/RADIOACTIVITY TRANSPORT
Determination of cesium content in the BOR-60 primary cooling circuit, 4357
BOR-60 REACTOR/REACTIVITY
Investigation of the BOR-60 reactor dynamic characteristics with a reactivity oscillator, 3464
Rate of reactivity change of the BOR-60 reactor during the operation cycle, 2220 (KFK-tr--521)
Statistical error of calculating reactivity balance, 4468
BOR-60 REACTOR/REACTIVITY WORTHS
Reactivity change rate during the BOR-60 reactor core life, 5165
BOR-60 REACTOR/REACTOR CONTROL SYSTEMS
Computerized subsystem for conducting investigations at the BOR-60 reactor, 2347 (NIIAR-P--27(321))
Ensuring safe operation of the BOR-60 experimental fast reactor as an atomic power plant, 3047 (PNL-TR--397)
BOR-60 REACTOR/REACTOR COOLING SYSTEMS
Detection of liquid metal coolant boiling-up, 4548
Radioactive impurities accumulation in BOR-60 cold trap, 2221 (KFK-tr--575)
Radioactivity of long-lived nuclides in the BOR-60 primary circuit during operation with some defective fuel elements, 2342 (NIIAR-P--5(299))
BOR-60 REACTOR/REACTOR CORES
^{235}U, ^{238}U, and ^{239}Pu α value measurements in the BOR-60 reactor core, 3463
BOR-60 REACTOR/REACTOR EXPERIMENTAL FACILITIES
Development of experimental irradiation devices for materials testing in the BOR-60 reactor, 5421
BOR-60 REACTOR/REACTOR KINETICS
Determination of dynamic parameters of the reactor Bor-60 by means of a reactivity modulator, 3039 (ZfK--325)
Perturbation measurements on the BOR-60 reactor, 3042 (ZfK--348)
BOR-60 REACTOR/REACTOR LATTICE PARAMETERS
Fission product yields during irradiation of ^{235}U and ^{239}Pu in the BOR-60 reactor, 4466
BOR-60 REACTOR/REACTOR MAINTENANCE
How Bor-60 reactor power station equipment is serviced in a radiation environment, 5443
BOR-60 REACTOR/REACTOR NOISE
Determination of BOR-60 reactor dynamic characteristics using data from statistic experiments, 2345 (NIIAR-P--18(312))
BOR-60 REACTOR/REACTOR OPERATION
BN-350 reactor. Development, construction and operating experience, 4204 (RISLEY-Trans--4010)
Ensuring safe operation of the BOR-60 experimental fast reactor as an atomic power plant, 3047 (PNL-TR--397)
Experience in sodium technology of soviet fast reactors, 3435
Principal results of operation of the BOR--60 facility, 5400
Safe operation of the BOR-60 experimental fast reactor in power plant conditions, 4091
BOR-60 REACTOR/REACTOR OSCILLATORS
Investigation of the BOR-60 reactor dynamic characteristics with a reactivity oscillator, 3464
BOR-60 REACTOR/REACTOR SAFETY
Safe operation of the BOR-60 experimental fast reactor in power plant conditions, 4091
BOR-60 REACTOR/SAFEGUARDS
Basic principles of accounting and control of nuclear materials in the BOR-60 experimental fast reactor, 3353
Control of unirradiated fuel in BOR-60 fast reactor fuel assemblies by neutron radiation, 3352
BOR-60 REACTOR/SHIM RODS
Material study of the BOR-60 shim rod thimble irradiated with 1.6×10^{23} n/cm^2 (E>0.1 MeV), 3784
BOR-60 REACTOR/SPECIFICATIONS
Review of the development of fast breeder reactors in the USSR, 3045 (PNL-TR--400)
USSR fast reactor development program and its current state, 3740 (IAEA-CN--36/356)
BOR-60 REACTOR/SPENT FUEL ELEMENTS
Thermal decladding of BOR-60 fuel elements, 1879 (IAEA-AG--63-16)
BOR-60 REACTOR/SPENT FUELS
Studying behaviour of hot wastes from reprocessing of fast reactor fuel elements by the gas-fluoride method, 4598
BOR-60 REACTOR/STEAM GENERATORS
Research program on an acoustical method of leak detection in sodium-water steam generators for 1978--1979, 719 (CONF-781001--P2)
Simulated and experimental studies of large leaks in micromodular steam generators, 721 (CONF-781001--P2)
Study of the once-through serpentine steam generator in the BOR-60 experimental nuclear powerplant, 720 (CONF-

781061--P2)
BOR-60 REACTOR/TEMPERATURE COEFFICIENT
Reactivity effects analysis as a means of fast reactor diagnostics, 2340 (NIIAR-P--4(338))
BORON/METALLURGICAL EFFECTS
Joining technology development summary, 189a OH024, 751 (CONF-781219--4)
BORON CARBIDES/COMPARATIVE EVALUATIONS
Experimental-calculation studies on efficiency of europium oxide rods of the BFS-29 assembly, 1211 (FEI--566)
Hot pressing of EuB_6, 1596 (HEDL-SA--1678-FP)
BORON CARBIDES/EROSION
Sodium erosion of boron carbide from breached absorber pins, 1834 (HEDL-TME--78-104)
BORON CARBIDES/FABRICATION
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
BORON CARBIDES/PHYSICAL RADIATION EFFECTS
Breeder reactor reference control materials. Semiannual report, January--June 1977, 1768 (HEDL-TME--77-58)
Breeder reactor reference control materials. Semiannual report, July--December 1977, 1797 (HEDL-TME--77-109)
Breeder reactor reference control materials. Semiannual status newsletter, January--June 1978, 1822 (HEDL-TME--78-69)
Effect of fast neutron irradiation on the structure of boron carbide (LMFBR type reactors), 4316
Irradiation effects of boron carbide used as control rod elements in fast breeder reactors, 3696
LMFBR reference control materials. Semiannual report, July--December 1976 (LMFBR), 1754 (HEDL-TME--77-33)
Results on an irradiation experiment on absorber materials for fast sodium-cooled reactors, 4365 (BNWL-tr--265)
Tritium release from fast neutron irradiated boron carbide, 1452 (HEDL-SA--1164FP)
BORON CARBIDES/QUANTITATIVE CHEMICAL ANALYSIS
Experience in the analysis of nuclear-grade boron carbide, 1792 (HEDL-TME--77-100)
BORON CARBIDES/TEMPERATURE EFFECTS
Correlation for boron carbide helium release in fast reactors, 1457 (HEDL-SA--1189-FP)
BORON CARBIDES/THERMAL CONDUCTIVITY
Thermal conductivity and thermal behavior of absorber materials for fast breeders (400 to 1600°K), 5292 (BNWL-tr--266)
BORON CARBIDES/THERMAL STRESSES
Thermally induced stresses and fractures in boron carbide pellets, 1499 (HEDL-SA--1382-FP)
BORON COATED ION CHAMBERS/PERFORMANCE TESTING
Fast reactor fluence dosimetry. Technical progress report, June--December 1977 (LMFBR), 19 (AI-DOE--13209)
BR-2 REACTOR/FAILED ELEMENT MONITORS
Fuel failure monitoring systems in U.S. breeder reactors, 1513 (HEDL-SA--1433)
BR-2 REACTOR/IN PILE LOOPS
In-pile investigation of local cooling perturbations (Mol 7C), 4144
In-pile sodium loop for investigation of local cooling disturbances in LMFBR's, 4395
Investigation of local cooling disturbances in an in-pile sodium loop in the BR2, 3074
BR-2 REACTOR/RESEARCH PROGRAMS
Annual scientific report 1975 (Summaries of research activities at Centre d'Etude de l'Energie Nucleaire, Mol, Belgium), 296 (BLG--515)
Annual scientific report 1977, 298 (BLG--524)
BR-5 REACTOR (USSR)
See BER-5 REACTOR
BRASIMONE PEC REACTOR
See PEC BRASIMONE REACTOR
BRAZED JOINTS/MECHANICAL PROPERTIES
High integrity steam generator tube/tube plate joints for the LMFBR, 3096
BRAZED JOINTS/TESTING
High integrity steam generator tube/tube plate joints for the LMFBR, 3096
BREEDER REACTORS
See also ACCELERATOR BREEDERS
FBR TYPE REACTORS
GCFR TYPE REACTORS
LMFBR TYPE REACTORS
LWBR TYPE REACTORS
BREEDER REACTORS/ENERGY POLICY
Carter's breeder policy has failed, claims Westinghouse manager, 3118
BREEDER REACTORS/EVALUATION
Breeder reactor: a vital option, 3084
BREEDER REACTORS/RESEARCH PROGRAMS
France sets standard for fast reactor projects, 3236
BREEDER REACTORS/REVIEWS
Clinch River Breeder Reactor Plant: a building block in nuclear technology, 3343
BREEDER REACTORS/TECHNOLOGY ASSESSMENT
Bethe decries U.S. lag in breeders and Navy's near-breeder secrets (Interview), 3408
BREEDING BLANKETS
Cooperative breeding potential of ^{232}Th and ^{238}U in LMFBR blankets, 3933
Nuclear reactor with self-orificing radial blanket (Patent), 3764
BREEDING BLANKETS/BREEDING BLANKETS
MIT LMFBR blanket research project. Quarterly progress report, July 1, 1978--September 30, 1978, 906 (COO--2250-34)
BREEDING BLANKETS/DESIGN
MIT LMFBR Blanket Research Project. Quarterly progress report, January 1, 1978--March 31, 1978, 905 (COO--2250-32)
MIT LMFBR blanket research project. Quarterly progress report, January 1, 1979--March 31, 1979, 907 (COO--2250-36)
Radial blanket design and development. Quarterly progress report for period ending May 31, 1977 (LMFBR), 3004 (WARD-RB--3045-19)
Radial blanket design and development. Quarterly progress report for period ending August 31, 1977 (LMFBR), 3005 (WARD-RB--3045-21)
Radial blanket design and development quarterly progress report for period ending November 30, 1977 (LMFBR), 3006 (WARD-RB--3045-22)
Radial blanket design and development. Quarterly progress report for period ending February 28, 1978 (LMFBR), 3007 (WARD-RB--3045-24)
Radial blanket design and development. Quarterly progress report for period ending November 30, 1978 (LMFBR), 3010 (WARD-RB--3045-31)
Radial blanket design and development. Quarterly progress report for period ending May 31, 1978 (LMFBR), 3008 (WARD-RB--3045-29)
Radial blanket design and development. Quarterly progress report for period ending August 31, 1978 (LMFBR), 3009 (WARD-RB--3045-30)
Radial blanket design and development. Quarterly progress report for period ending February 28, 1979 (LMFBR), 3011 (WARD-RB--94000-1)
BREEDING BLANKETS/EFFICIENCY
Use of thorium in LMFBR blankets, 4710
BREEDING BLANKETS/FLOW RATE
Flow split measurements in LMFBR blanket assemblies, 873 (COO--2245-41TR)
BREEDING BLANKETS/FLOW REGULATORS
Blanket assembly flow regulating device, 3218
BREEDING BLANKETS/FLUID FLOW
Bouyancy effects on sodium coolant temperature profiles measured in an electrically heated mock-up of a 61-rod breeder reactor blanket assembly, 2928 (TID--28746)
BREEDING BLANKETS/FUEL MANAGEMENT
PUMA: a technique for LMFBR blanket fuel management analysis, 3929
BREEDING BLANKETS/HEAT TRANSFER
WARD blanket assembly pre-test predictions by SUPERENERGY (LMFBR), 872 (COO--2245-40TR)
BREEDING BLANKETS/HYDRAULICS
Flow split measurements in LMFBR blanket assemblies, 873 (COO--2245-41TR)
WARD blanket assembly pre-test predictions by SUPERENERGY (LMFBR), 872 (COO--2245-40TR)
BREEDING BLANKETS/NEUTRON REACTIONS
Interfacial effects in fast reactors (LMFBR), 908 (COO--2250-37)
BREEDING BLANKETS/NEUTRON TRANSPORT
Simple representations of spectrum averaged cross sections in LMFBR blankets, 913 (COO--2458-22)
BREEDING BLANKETS/PERFORMANCE
MIT LMFBR blanket research project. Quarterly progress report, July 1, 1977--September 30, 1977, 903 (COO--2250-30)
MIT LMFBR blanket physics project progress report No. 7, July 1, 1975--September 30, 1976, 901 (COO--2250-28)
MIT LMFBR Blanket Research Project. Quarterly progress report, October 1, 1977--December 31, 1977, 904 (COO--2250-31)
BREEDING BLANKETS/PERFORMANCE TESTING
Radial blanket design and development. Quarterly progress report for period ending May 31, 1977 (LMFBR), 3004 (WARD-RB--3045-19)
Radial blanket design and development. Quarterly progress report for period ending August 31, 1977 (LMFBR), 3005 (WARD-RB--3045-21)
Radial blanket design and development quarterly progress report for period ending November 30, 1977 (LMFBR), 3006 (WARD-RB--3045-22)
Radial blanket design and development. Quarterly progress report for period ending February 28, 1978 (LMFBR), 3007 (WARD-RB--3045-24)
Radial blanket design and development. Quarterly progress report for period ending November 30, 1978 (LMFBR), 3010 (WARD-RB--3045-31)
Radial blanket design and development. Quarterly progress report for period ending May 31, 1978 (LMFBR), 3008 (WARD-RB--3045-29)
Radial blanket design and development. Quarterly progress report for period ending August 31, 1978 (LMFBR), 3009 (WARD-RB--3045-30)
Radial blanket design and development. Quarterly progress report for period ending February 28, 1979 (LMFBR), 3011 (WARD-RB--94000-1)
BREEDING BLANKETS/POWER DISTRIBUTION
MIT LMFBR blanket research project. Quarterly progress report, April 1, 1977--June 30, 1977, 902 (COO--2250-29)
BREEDING BLANKETS/REACTOR KINETICS

MIT LMFBR blanket research project. Quarterly progress report, April 1-June 30, 1978, 905 (COO--2250-38)
BREEDING BLANKETS/RESEARCH PROGRAMS
Fast Breeder Blanket Facility. Quarterly progress report, January 1, 1978--March 31, 1978, 936 (COO--2826-8)
BREEDING BLANKETS/TEMPERATURE DISTRIBUTION
Bouyancy effects on sodium coolant temperature profiles measured in an electrically heated mock-up of a 61-rod breeder reactor blanket assembly, 2928 (TID--28746)
Buoyancy effects on sodium coolant temperature profiles measured in an electrically heated mock-up of a 61-rod breeder reactor blanket assembly, 4049
BREEDING BLANKETS/TEST FACILITIES
Fast Breeder Blanket Facility (FBBF). Quarterly progress report, July 1, 1977--September 30, 1977. PNE-77-120, 934 (COO--2826-5)
Fast Breeder Blanket Facility (FBBF). Quarterly progress report, April 1, 1977--June 30, 1977, 933 (COO--2826-4)
Fast Breeder Blanket Facility (FBBF). Annual report, January 31, 1976--December 31, 1977, 935 (COO--2826-7)
Fast Breeder Blanket Facility. Quarterly progress report, January 1, 1978--March 31, 1978, 936 (COO--2826-8)
Purdue University fast breeder blanket facility, 666 (CONF-780401--)
BREEDING PELLETS/PERFORMANCE
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs. Part IV: Impact of a pressure drop constraint on breeding performance and pin diameter optimization in 5000 MWt LMFBRs using sodium bonded carbide fuels, 172 (ANL-AFP--31)
BREEDING RATIO/CALCULATION METHODS
Investigation of accuracy and computation time of a hierarchy of growth rate definitions (LMFBR; PuO_2-UO_2), 942 (COO--4116-2)
BUBBLE GROWTH/MATHEMATICAL MODELS
Bubble dynamics in a superheated liquid (LMFBR), 53 (ANL--77-20)
BUBBLES/ADHESION
Gas bubble adhesion to heat transfer surfaces, 3114
BUBBLES/ON-LINE MEASUREMENT SYSTEMS
On-line ultrasonic gas entrainment monitor (Patent;LMFBR fission gas bubble release), 3731
BUILDINGS (CONTAINMENT)
See CONTAINMENT BUILDINGS
BURNUP/THREE-DIMENSIONAL CALCULATIONS
Numerical study of burnup characteristics of 300 MWe LMFBR based on three-dimensional calculation, 3546
BURNUP/TWO-DIMENSIONAL CALCULATIONS
CCB, a two-dimensional diffusion theory continuous cross-section burnup code for fast reactor analysis. Final report, 1081 (EPRI-NP--847)
BURST CAN DETECTION
See FAILED ELEMENT DETECTION
BURST CAN MONITORS
See FAILED ELEMENT MONITORS
BURST REACTORS
See PULSED REACTORS
BURST SLUG DETECTION
See FAILED ELEMENT DETECTION
BURST SLUG MONITORS
See FAILED ELEMENT MONITORS
BWR TYPE REACTORS/ACTIVITY LEVELS
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
BWR TYPE REACTORS/ATWS
Anticipated transients without scram for light water reactors: implications for liquid metal fast breeder reactors, 2760 (RAND/N--1188-DOE)
BWR TYPE REACTORS/AVAILABILITY
Statistical operation of nuclear power plants, 5264
BWR TYPE REACTORS/COMPARATIVE EVALUATIONS
Heat utilization of future reactor systems, 4424
BWR TYPE REACTORS/CONTAINMENT BUILDINGS
Design and licensing of a flexible dual-containment approach, 4633
BWR TYPE REACTORS/CONTAINMENT SHELLS
Composite containment for nuclear power, 534 (CONF-770807--)
BWR TYPE REACTORS/COST
Comparison of the capital costs of light water reactor and liquid metal fast breeder reactor power plants, 2762 (RAND/R--2441-ACDA)
BWR TYPE REACTORS/DESIGN BASIS ACCIDENTS
Assessment of structural dynamics problems in nuclear reactor safety, 2219 (KFK-EXT--8/78-5)
Reactor safety, 5271
BWR TYPE REACTORS/ECONOMICS
Importance of the fast breeder for our energy supply, 1994 (INIS-mf--4816)
BWR TYPE REACTORS/ENGINEERED SAFETY SYSTEMS
Reactor safety, 5271
BWR TYPE REACTORS/EVALUATION
Systems descriptions and engineering costs for solar-related technologies. Volume IV. Conventional technologies for electric utility applications, 2307 (MTR--7485(Vol.4))
BWR TYPE REACTORS/FAILED ELEMENT DETECTION
Probabilistic identification of failed core assemblies from gas tag releases, 4636
BWR TYPE REACTORS/FAILED ELEMENT MONITORS
Barycentric coordinates technique for resolution of multiple fuel failures with gas tagging, 4635
Probabilistic identification of failed core assemblies from gas tag releases, 4636
BWR TYPE REACTORS/FISSION PRODUCT RELEASE
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
BWR TYPE REACTORS/FISSION PRODUCTS
Carbon-14 production in nuclear reactors, 3319
BWR TYPE REACTORS/FUEL CANS
Piping for nuclear power reactors. Review, 5446
BWR TYPE REACTORS/FUEL CYCLE
Interim assessment of the denatured ^{233}U fuel cycle: feasibility and nonproliferation characteristics, 2564 (ORNL--5398(Exec.Summ.))
Investigation of the growth rate for joint fast breeder reactor and light water reactor operation, 943 (COO--4116-3)
Low-decontamination approach to a proliferation-resistant fuel cycle, 4714
Low-decontamination approach to a proliferation-resistant fuel cycle, 3366
Some plutonium recycle program fuel cycles having reduced proliferation characteristics, 3367
Survey of alternative fuel cycle options without plutonium separation, 4713
BWR TYPE REACTORS/FUEL ELEMENT FAILURE
HEDL contribution to SRL fuel recycle program. Quarterly report, January--March 1977, 1674 (HEDL-TC--902-1)
BWR TYPE REACTORS/FUEL ELEMENTS
ANS54: a computer subroutine for predicting fission gas release, 2469 (NUREG/CR--1213)
Nondestructive analysis of irradiated fuels, 1487 (HEDL-SA--1350)
Status of mechanical properties and models for LMFBR and LWR fuel element modeling, 4654
BWR TYPE REACTORS/FUEL MANAGEMENT
Core design: fuel management as a balance between in-core efficiency and economics, 3713
BWR TYPE REACTORS/FUEL PARTICLES
Properties and irradiation behavior of advanced oxide particle fuel, 4830
BWR TYPE REACTORS/LOSS OF COOLANT
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
BWR TYPE REACTORS/MECHANICAL VIBRATIONS
Report on the second specialists' meeting on reactor noise (SMORN II), Gatlinburg, Tennessee, September 19th-23rd 1977, 2763 (RD-B-N--4254)
BWR TYPE REACTORS/MELTDOWN
Finite-difference methods in multi-dimensional two-phase flow, 2268 (LA-UR--77-2378)
Influence of gas generation on high-temperature melt/concrete interactions, 2862 (SAND--78-0939C)
Sustained molten steel/concrete interactions tests: a preliminary report on the feasibility of experimental techniques, 2389 (NUREG/CR--0166)
BWR TYPE REACTORS/MOLTEN METAL-WATER REACTIONS
Vapor explosion phenomena with respect to nuclear reactor safety assessment, 2394 (NUREG/CR--0245)
Vapor film collapse during subcooled film boiling and its application to molten metal coolant interactions, 4634
BWR TYPE REACTORS/NEUTRON DOSIMETRY
Status report on dosimetry benchmark neutron field development, characterization, and application, 2368 (NUREG/CP--0004(Vol.3))
BWR TYPE REACTORS/NUCLEAR MATERIALS MANAGEMENT
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)
BWR TYPE REACTORS/PRIMARY COOLANT CIRCUITS
Piping for nuclear power reactors. Review, 5446
BWR TYPE REACTORS/PROLIFERATION
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)
BWR TYPE REACTORS/RADIOACTIVE EFFLUENTS
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
BWR TYPE REACTORS/RADIOACTIVE WASTES
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
BWR TYPE REACTORS/REACTOR ACCIDENTS
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January 1-March 31, 1979, 2468 (NUREG/CR--1165)
Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.1. Safety problems solved by flow singularity methods, 3699
BWR TYPE REACTORS/REACTOR CORE DISRUPTION
Heat and mass transport processes of a horizontal

melting or decomposing layer under a molten pool, 4992
BWR TYPE REACTORS/REACTOR CORES
Method of reducing the hazard which may occur as a consequence of a reactor core meltdown (Patent), 3565
BWR TYPE REACTORS/REACTOR INSTRUMENTATION
Review of the acoustic detection of boiling in nuclear reactors, 5031
BWR TYPE REACTORS/REACTOR MATERIALS
Materials for advanced nuclear energy systems, 622 (CONF-771203--)
Standardization of dosimetry and damage analysis work for U.S. LWR, FBR, and MFR development program, 1495 (HEDL-SA--1374)
BWR TYPE REACTORS/REACTOR NOISE
Report on the second specialists' meeting on reactor noise (SMORN II), Gatlinburg, Tennessee, September 19th-23rd 1977, 2763 (RD-B-N--4254)
BWR TYPE REACTORS/REACTOR PROTECTION SYSTEMS
Reactor safety, 5271
BWR TYPE REACTORS/REACTOR SAFETY
Report on the research projects in the field of reactor safety sponsored by the Federal Minister for Research and Technology. Period under report: January 1 - March 31, 1978, 1427 (GRS-F--63)
Report on the projects in the field of reactor safety sponsored by the Federal Ministry for Research and Technology. Period under report: 1st July to 30th September 1978, 1429 (GRS-F--70)
Reports distributed under the NRC Reactor safety research foreign technical exchange program. Vol. VII (January-June 1979), 2463 (NUREG/CR--1101)
Reports on research projects sponsored by the Federal Minister for Research and Technology in the field of reactor safety. Progress report for the period from October 1 to December 31, 1978, 1430 (GRS-F--74)
Reports on research projects sponsored by the Federal Minister for Research und Technology in the field of reactor safety. Period under report 1st January to 31st March. Progress report, 1431 (GRS-F--79)
Some basic research needs related to LWR and FBR safety, 3601
BWR TYPE REACTORS/SPECIFICATIONS
Reactor safety, 5271
BWR TYPE REACTORS/SPENT FUEL ELEMENTS
Radiation source terms in LWR and LMFBR spent fuel. Final report, 1100 (EPRI-NP--948)
BWR TYPE REACTORS/STEAM GENERATORS
Heavy section steel technology (HSST) program, 3115
BWR TYPE REACTORS/THORIUM CYCLE
Realities of utilizing thorium-based fuels in LWRs and LMFBRs, 4655
Thorium fuel cycles, 3346

C

CADARACHE RAPSODIE REACTOR
See RAPSODIE REACTOR
CALORIMETERS/DESIGN
Improved design for an active calorimeter, 4703
CANDU TYPE REACTORS/FUEL CYCLE
Alternative fuel cycle options: performance characteristics and impact on nuclear power growth potential, 66 (ANL--77-70)
Nuclear fuel fabrication and refabrication cost estimation methodology, 2670 (ORNL/TM--6640)
Survey of alternative fuel cycle options without plutonium separation, 4713
CANDU TYPE REACTORS/THORIUM CYCLE
Performance characteristics of thorium cycle in CANDU reactors and LMFBRs, 4709
Thorium fuel cycles, 3346
CARBIDES/PHYSICAL RADIATION EFFECTS
Swelling analysis of highly-rated MX-type LMFBR fuels. II. Microscopic swelling behaviour, 3700
CARBIDES/SWELLING
Swelling analysis of highly-rated MX-type LMFBR fuels. II. Microscopic swelling behaviour, 3700
CARBON
See also GRAPHITE
CARBON/METALLURGICAL EFFECTS
Tensile, creep, and creep-rupture studies on 2 1/4 Cr-1 Mo steel, 750 (CONF-781219--1)
Weldability and joint properties of advanced carbon stabilized 2.25Cr-1Mo steel for LMFBR, 4187
CARBON/MONITORING
Monitoring of impurities in liquid metal fast breeder reactors (LMFBR), 5431
CARBON/SOLUBILITY
Electro- and thermotransport of carbon in iron-nickel alloys, 2014 (IS-T--887)
CARBON/TRANSPORT
Electro- and thermotransport of carbon in iron-nickel alloys, 2014 (IS-T--887)
CARBON 14/ACTIVITY LEVELS
Carbon-14 production in nuclear reactors, 3319
CARBON 14/ENVIRONMENTAL EXPOSURE PATHWAY
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
CARBON 14/ENVIRONMENTAL TRANSPORT
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
CARBON 14/RADIATION DOSES
Production and emission of carbon-14 from nuclear power stations and reprocessing plants and its radioecological significance, 4986
CARBON 14/RADIOECOLOGICAL CONCENTRATION
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
CARBON METERS/DESIGN
Continuous method of determining the thermodynamic activity of carbon in sodium, 12 (AERE-R--8020)
CARBON STEELS/DEFORMATION
Experimental tests on buckling of ellipsoidal vessel heads under internal pressure, 359 (CEA-N--2075)
CARBON STEELS/MECHANICAL PROPERTIES
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
CARBON STEELS/PHYSICAL RADIATION EFFECTS
Radiation effects in ferritic steels (LMFBR), 4951
CARBON STEELS/WELDED JOINTS
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
CARBON STEELS/YOUNG MODULUS
Elastic properties of engineering construction materials, 2489 (ORNL--5255)
CASKS
Maintenance cask (Patent; LMFBR), 5227
CASKS/DESIGN
Design of containers for shipping unirradiated LMFBR assemblies, 4489
CASKS/FIRE PREVENTION
Fire protection device for LMFBR spent fuel shipping casks, 2812 (SAND--77-0723)
CASTINGS/CRYSTAL-PHASE TRANSFORMATIONS
Dimensional instability of CF8 stainless-steel castings at elevated temperatures, 4806
CASTINGS/SHRINKAGE
Dimensional instability of CF8 stainless-steel castings at elevated temperatures, 4806
CERAMICS/RESEARCH PROGRAMS
Metals and Ceramics Division annual progress report, October 1, 1978-June 30, 1979, 2585 (ORNL--5579)
CESIUM/DIFFUSION
Cesium migration in LMFBR fuel pins, 1559 (HEDL-SA--1543-FP)
CESIUM 133/MASS SPECTROSCOPY
Determination of cesium content in the BOR-60 primary cooling circuit, 4357
CESIUM 135/MASS SPECTROSCOPY
Determination of cesium content in the BOR-60 primary cooling circuit, 4357
CESIUM 137/MASS SPECTROSCOPY
Determination of cesium content in the BOR-60 primary cooling circuit, 4357
CFRMF REACTOR/INTEGRAL CROSS SECTIONS
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
CHARGING MACHINES (REACTOR)
See REACTOR CHARGING MACHINES
CHARGING (REACTOR)
See REACTOR FUELING
CHLORIDES/CORROSIVE EFFECTS
Corrosion behavior of sodium-exposed stainless steels in chloride-containing aqueous solutions, 3275
CHROMIUM/METALLURGICAL EFFECTS
Nickel and nitrogen ion irradiation induced void swelling and defect microstructures in Ni--Al, Ni--Cr and Ni--Ti solid solutions (3.5 MeV $^{58}Ni^{+}$, 400 keV $^{14}N^{+}$ and 400 keV $^{14}Ni^{+}$), 3374
CHROMIUM/OXIDATION
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
CHROMIUM/PHYSICAL RADIATION EFFECTS
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
CHROMIUM ALLOYS
See also CHROMIUM STEELS
CHROMIUM-NICKEL STEELS
NICKEL-CHROMIUM STEELS
CHROMIUM ALLOYS/CORROSION RESISTANCE
Improvement to high temperature alloys (Patent; LMFBR), 5367
CHROMIUM ALLOYS/CREEP
Creep and stress-rupture behavior under internal pressure of tubes made from austenitic stainless steel X8 Cr Ni Mo Nb 1616 (Material No. 1.4981), 2206 (KFK--2773)
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
CHROMIUM ALLOYS/DECARBURIZATION
Development of steel tubes for steam generator of fast breeder reactor (2¼ Cr - 1 Mo steel), 4616
CHROMIUM ALLOYS/FABRICATION
Alloys for a liquid metal fast breeder reactor (Patent), 3091
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
Improvement to high temperature alloys (Patent; LMFBR), 5367
CHROMIUM ALLOYS/PHYSICAL RADIATION EFFECTS
Applications of simulation experiments in LMFBR core

materials technology, 377 (CONF-760673--)
EBR-II and FFTF irradiation experiments, 1664 (HEDL-SA--1983)
Improvement to high temperature alloys (Patent; LMFBR), 5367
Nickel and nitrogen ion irradiation induced void swelling and defect microstructures in Ni--Al, Ni--Cr and Ni--Ti solid solutions (3.5 MeV $^{58}Ni^{+}$, 400 keV $^{14}N^{+}$ and 400 keV $^{14}N_{i}^{+}$), 3374
CHROMIUM ALLOYS/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
CHROMIUM ALLOYS/TENSILE PROPERTIES
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
CHROMIUM BORIDES/CORROSION
Corrosion of refractory borides in fused sodium, 4416
CHROMIUM CARBIDES/DEPOSITION
Metallic component with a chromium carbide base protective coating (Patent; HTGR; LMFBR), 5244
CHROMIUM STEELS
(Steels containing only chromium as alloying element; see also CHROMIUM-NICKEL STEELS.)
See also CROLOY
CHROMIUM STEELS/FABRICATION
Dispersion strengthened ferritic alloy for use in liquid-metal fast breeder reactors (LMFBRS) (Patent; 13 to 25% Cr, 0.2 to 2% Ti, <2% Mo, <2% Al, <2% Y_2O_3), 3792
CHROMIUM STEELS/INTERGRANULAR CORROSION
Topical problems of corrosion research for nuclear power purposes, 3701
CHROMIUM STEELS/STRESS CORROSION
Topical problems of corrosion research for nuclear power purposes, 3701
CHROMIUM-MOLYBDENUM STEELS
Development of 9Cr-Mo steel for fast breeder reactor steam generators, 4156
Historic development of steels containing 8-10% Mo and future directions for LMFBR applications, 4155
Materials data requirements for the high-temperature structural design of 2 1/4Cr-1 Mo steel components, 4157
CHROMIUM-MOLYBDENUM STEELS/AGING
Analysis of the decarburization and aging processes in 2 1/4Cr-1Mo steel, 5327
Thermal aging of 2 1/4 Cr--1 Mo steel, 2544 (ORNL--5349)
CHROMIUM-MOLYBDENUM STEELS/CARBURIZATION
Carbon migration in transition joint welds, 1292 (GEFR--00398)
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
Steam generator materials engineering twelfth quarterly report, April--June 1977 (LMFBR), 1360 (GEFR--14029-12)
Steam generator materials engineering thirteenth quarterly report, July--September 1977 (LMFBR), 1361 (GEFR--14029-13)
CHROMIUM-MOLYBDENUM STEELS/CORROSION
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Comparative material studies of specimens of steels type 2.25Cr--1Mo and 18-8 of Soviet and American manufacture following contact with sodium, 723 (CONF-781001--P2)
Corrosion critique of the 2 1/4 Cr--1 Mo steel for LMFBR steam generation system applications, 2363 (NUREG--0387)
Corrosion of steels in molten sodium hydroxide, 4438
Corrosion and cleaning aspects of sodium side crevices in components of LMFBR's, 2114 (INFR--23)
Corrosion of materials for sodium-cooled fast reactors, 3438
Corrosion of 2 1/4 Cr-1Mo steel under superheat transfer conditions, 4182
Materials requirements for liquid metal fast breeder reactors, 3822
Microcleek wastage test results (LMFBR), 1270 (GEFR--00352)
Preliminary self wastage test results from CRACKPOT facility, 1254 (GEFR--00279(L))
Program for the development of design data LMFBR steam generator materials, 1234 (GEFR--00067-3)
Steam generator materials engineering twelfth quarterly report, April--June 1977 (LMFBR), 1360 (GEFR--14029-12)
Steam generator materials engineering thirteenth quarterly report, July--September 1977 (LMFBR), 1361 (GEFR--14029-13)
Steam-side/water-side corrosion: the effect of heat flux on the corrosion of 2 1/4 Cr--1 Mo steel by superheated steam (502 to 522C), 2533 (ORNL--5309)
Suitability of 2--1/4Cr--1Mo steel for LMFBR Steam Generation System applications: a critique of NUREG-0387, 2923 (TID--28546)
USSR steam generator materials examination of test specimens, 1306 (GEFR--00413)
Waterside corrosion of stabilised 2 1/4%Cr-1%Mo ferritic steel under high heat flux conditions, 4194
CHROMIUM-MOLYBDENUM STEELS/CORROSION FATIGUE
Corrosion fatigue of 2-1/4 Cr--1 Mo steel in caustic at 316°C, 1280 (GEFR--00375)
CHROMIUM-MOLYBDENUM STEELS/CORROSION RESISTANCE
Corrosion issues in steam generators of the fast breeder reactor systems, 1419 (GEFR-SP--151)
Properties of stabilized chrome-molybdenum steels for steam generators of fast-neutron reactors with a sodium heat carrier (10 Kh2 and 25 M1 stabilized by Nb and Ti), 5422
CHROMIUM-MOLYBDENUM STEELS/CRACKS
Crack growth behaviour of the austenitic steels X 6 CrNi 18 11 and X 6 CrNiMo 17 13 under the conditions of a natrium-cooled fast breeder reactor, 3876
Influence of melting practice and heat treatment on the continuous cycling fatigue and subcritical crack growth properties of 2 1/4 Cr--1 Mo steel, 2678 (ORNL/TM--6782)
Metallurgical aspects of the weldability of Cr-Mo stabilized ferritic steels, 348 (CEA-CONF--3987)
CHROMIUM-MOLYBDENUM STEELS/CREEP
Considerations for the future development of shell- and core-structural materials for fast breeders, 5149 (EURFNR--1404)
Continuous cycling and creep--fatigue behavior of 2 1/4 Cr--1 Mo steel, 2545 (ORNL--5349)
Creep and rupture behavior of 2 1/4 Cr--1 Mo steel, 2531 (ORNL--5309)
Creep behaviour of 2 1/4Cr1MoNiNb steel, 4178
Creep-fatigue design criteria for application to a 2 1/4 Cr.-1 Mo LMFBR steam generator, 1961 (INIS-mf--4543)
Creep-fatigue design criteria for application to a 2 1/4 Cr-1 Mo LMFBR steam generator, 5118
Elevated temperature creep and fatigue damage of a 2.25 Cr--1 Mo steel weldment, 2841 (SAND--77-1556)
Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977, 3015 (WARD-SD--3045-10)
Influence of decarburization on the 510°C (950°F) tensile and creep properties of thin section 2-1/4Cr--1Mo steel weldments, 1316 (GEFR--00431)
Interaction solid solution hardening in 2.25Cr-1Mo steel, 4164
Interim analysis of the creep strain--time characteristics of annealed and isothermally annealed 2 1/4 Cr--1 Mo steel, 2494 (ORNL--5255)
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
Mechanical properties of tubesheet forgings for LMFBR steam generators, 2559 (ORNL--5378)
Microstructural evaluation and non-destructive examination of 2.25 Cr--1 Mo steel, 2842 (SAND--77-1557)
Nonlinear plasticity model for structural alloys at elevated temperature, 2668 (ORNL/TM--6582)
Preliminary design: duplex tube low-pressure saturated steam generator for large LMFBR plant. Final report, 1129 (EPRI-NP--1219)
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
Tensile, creep, and creep--rupture studies on 2 1/4 Cr--1 Mo steel, 750 (CONF-781219--1)
Thermal aging of 2 1/4 Cr--1 Mo steel, 2544 (ORNL--5349)
Time creep tests on irradiated specimens for the Mol 1A1 radiation program, 5146 (EURFNR--1405)
CHROMIUM-MOLYBDENUM STEELS/CRYSTAL STRUCTURE
Corrosion fatigue of 2-1/4 Cr--1 Mo steel in caustic at 316°C, 1280 (GEFR--00375)
Low alloy steel for a heating pipe of a fast breeder steam generator, 5238
CHROMIUM-MOLYBDENUM STEELS/DECARBURIZATION
Analysis of the decarburization and aging processes in 2 1/4Cr-1Mo steel, 5327
Carbon migration in transition joint welds, 1292 (GEFR--00398)
Carbon transport in a bimetallic sodium loop simulating the intermediate heat transport system of a liquid metal fast breeder reactor, 1416 (GEFR-SP--172)
Decarburization of 2-1/4Cr--1Mo in flowing sodium, 696 (CONF-781001--P1)
Effect of sodium on the mechanical properties of 2 1/4 Cr--1 Mo steel, 2535 (ORNL--5309)
Effect of carbides on the decarburization behavior of 2.25 Cr-1 Mo steel in high temperature sodium, 4464
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
Steam generator materials engineering twelfth quarterly report, April--June 1977 (LMFBR), 1360 (GEFR--14029-12)
Steam generator materials engineering thirteenth quarterly report, July--September 1977 (LMFBR), 1361 (GEFR--14029-13)
Study of decarburization constants of pearlitic steels type 2.25Cr--1Mo and carburization of 12KH18N9 and 304 steels, 722 (CONF-781001--P2)
TNO research activities on ferritic steels for LMFBR steam generators, 4161
USSR steam generator materials examination of test specimens, 1306 (GEFR--00413)
CHROMIUM-MOLYBDENUM STEELS/ELASTICITY
Elastic properties of engineering construction materials (9Cr--1 Mo), 2489 (ORNL--5255)
CHROMIUM-MOLYBDENUM STEELS/EMBRITTLEMENT
TNO research activities on ferritic steels for LMFBR steam generators, 4161
CHROMIUM-MOLYBDENUM STEELS/EQUATIONS OF STATE
Some trends in constitutive equation model development

for High-temperature behavior of fast-reactor structural alloys, 5104
CHROMIUM-MOLYBDENUM STEELS/FABRICATION
Materials technology for LMFBR steam generators, 3116
Materials characterization: study of decarburization influence on mechanical properties of CRBR steam generator tubing, 1317 (GEFR--00432)
Underwriting structural steels for the sodium-cooled fast reactor, 3090
CHROMIUM-MOLYBDENUM STEELS/FATIGUE
Analysis of the time-dependent fatigue behavior of 2 1/4 Cr--1 Mo steel based on the concept of linear summation of creep and fatigue damage, 2524 (ORNL--5305)
Analysis of the fatigue crack growth behavior of isothermally annealed 2 1/4 Cr--1 Mo steel, 2525 (ORNL--5309)
Continuous cycling and creep--fatigue behavior of 2 1/4 Cr--1 Mo steel, 2545 (ORNL--5349)
Elevated temperature creep and fatigue damage of a 2.25 Cr--1 Mo steel weldment, 2841 (SAND--77-1556)
Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
High-temperature piping design technology. Quarterly technical progress report, April--June 1977, 43 (AI-ERDA--13206)
Influence of melting practice and heat treatment on the continuous cycling fatigue and subcritical crack growth properties of 2 1/4 Cr--1 Mo steel, 2678 (ORNL/TM--6782)
CHROMIUM-MOLYBDENUM STEELS/FORGING
Metallurgical characterization of prototypic tubesheet forging (2¼ Cr--1 Mo), 2480 (ORNL--5255)
CHROMIUM-MOLYBDENUM STEELS/FRACTURE PROPERTIES
Corrosion fatigue of 2-1/4 Cr--1 Mo steel in caustic at 316°C, 1280 (GEFR--00375)
Fracture toughness of LMFBR steam generator materials (2¼ Cr--1 Mo steel), 2506 (ORNL--5255)
Fracture toughness of LMFBR steam generator materials (2¼ Cr--1 Mo), 2554 (ORNL--5345)
Liquid-metal fast breeder reactor structural materials design considerations, 754 (CONF-790236--)
Low alloy steel for a heating pipe of a fast breeder steam generator, 5238
Mechanical properties test matrices on type 316 stainless steel and 2 1/4 Cr--1 Mo steel for U.S. Department of Energy Breeder Reactor Program, 2586 (ORNL/BRP--78/3)
Steam generator materials engineering twelfth quarterly report, April--June 1977 (LMFBR), 1360 (GEFR--14029-12)
Steam generator materials engineering thirteenth quarterly report, July--September 1977 (LMFBR), 1361 (GEFR--14029-13)
Toughness of 2 1/4Cr-1Mo steel for LMFBR steam generator applications, 4159
CHROMIUM-MOLYBDENUM STEELS/FRACTURES
Effect of sodium on the mechanical properties of 2 1/4 Cr--1 Mo steel, 2535 (ORNL--5309)
CHROMIUM-MOLYBDENUM STEELS/FRICTION
Friction and wear tests in support of LMFBR steam generator tube/tube spacer plate interactions, 2981 (WARD-NA--3045-48)
Tribological behaviour of materials for use in sodium cooled fast breeder steam generator applications, 4176
CHROMIUM-MOLYBDENUM STEELS/HEAT TREATMENTS
Heat treatment for 2-1/4Cr-1Mo for application to sodium heated steam generators, 1267 (GEFR--00348)
Mechanical properties of a 2 1/4 Cr--1 Mo steel forging for LMFBR tubesheets, 2532 (ORNL--5309)
CHROMIUM-MOLYBDENUM STEELS/MECHANICAL PROPERTIES
Assessment of normalized and tempered versus annealed or isothermally annealed 2-1/4 Cr--1 Mo steel, 2657 (ORNL/TM--6411)
Assessment of the performance of UK CFR candidate structural materials, 3744
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Characterization of ESR and VAR 2-1/4Cr--1Mo alloy tubing (LMFBR), 2326 (NEDM--14145)
Comparative material studies of specimens of steels type 2.25Cr--1Mo and 18-8 of Soviet and American manufacture following contact with sodium, 723 (CONF-781001--P2)
Constitution and properties of CrMoNb steels for steam generator components of sodium-cooled nuclear reactors, 594 (CS-INIS--212)
Effects of thermal aging on the mechanical properties of a 2-1/4 Cr-1Mo steel/Inconel 82 transition joint fusion zone, 1324 (GEFR--00446)
Exploratory testing in support of constitutive equation development for inelastic analysis, 2070 (IWGFR--11)
High-Temperature Structural Design Program. Semiannual progress report for period ending December 31, 1976, 2507 (ORNL--5281)
High-temperature structural design: 1977 summary and status report, 2567 (ORNL--5419)
Joining technology development summary, 189a OH024, 751 (CONF-781219--4)
Main characteristics of 9% chromium-2% molybdenum-niobium-vanadium steel tubes. Influence of variations of composition and thermal treatment, 4160
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
Mechanical properties test program on structural materials in a sodium environment, 155 (ANL--79-63)
Modified 9 Cr-1 Mo steel development program progress report, March 31, 1979, 2589 (ORNL/BRP--79/4)
Oak Ridge National Laboratory (Summary of research activities on mechanical properties of LMFBR materials) 2511 (ORNL--5287)
Overview of U.S. efforts directed towards development of mechanical properties data in support of FBR development, 752 (CONF-781219--5)
Properties of stabilized chrome-molybdenum steels for steam generators of fast-neutron reactors with a sodium heat carrier (10 Kh2 and 25 M1 stabilized by Nb and Ti), 5422
Selection of steam generator materials for sodium cooled breeder reactors, 4398
Simplified thermal transient and inelastic analysis screening methods per appendix T, Code Case 1592 for 2 1/4 Cr-1 Mo steel, 4481
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 535 (CONF-770807--27)
Stress-rupture properties of sodium-decarburized and thermally aged 2 1/4 Cr-1 Mo steel, 3169
Utilization properties of some special steels for sodium cooled breeder reactors, 4400
CHROMIUM-MOLYBDENUM STEELS/MEETINGS
Ferritic steels for fast reactor steam generators, 4030
Ferritic steels for fast reactor steam generators, 4031
CHROMIUM-MOLYBDENUM STEELS/MICROSTRUCTURE
Mechanical properties of a 2 1/4 Cr--1 Mo steel forging for LMFBR tubesheets, 2532 (ORNL--5309)
Metallurgical characterization of prototypic tubesheet forging (2¼ Cr--1 Mo), 2480 (ORNL--5255)
Microstructural evaluation and non-destructive examination of 2.25 Cr--1 Mo steel, 2842 (SAND--77-1557)
CHROMIUM-MOLYBDENUM STEELS/PHASE STUDIES
Composition of eta carbide phase in 1 1/4 Cr--1Mo, 5334
CHROMIUM-MOLYBDENUM STEELS/PHYSICAL RADIATION EFFECTS
Crack growth behaviour of the austenitic steels X 6 CrNi 18 11 and X 6 CrNiMo 17 13 under the conditions of a natrium-cooled fast breeder reactor, 3876
Mechanical properties of irradiated austenitic stainless steel 1.4970 (LMFBR), 4935
Study of BOR-60 reactor fuel element performance, 2341 (NIIAR-P--5(271))
Temperature dependence of void parameters in the 0Kh16N15M3BR steel fuel cans under radiation conditions, 2002 (INIS-mf--4974)
CHROMIUM-MOLYBDENUM STEELS/PLASTICITY
Nonlinear plasticity model for structural alloys at elevated temperature, 2668 (ORNL/TM--6582)
CHROMIUM-MOLYBDENUM STEELS/PRECIPITATION HARDENING
Constitution and properties of CrMoNb steels for steam generator components of sodium-cooled nuclear reactors, 594 (CS-INIS--212)
CHROMIUM-MOLYBDENUM STEELS/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
CHROMIUM-MOLYBDENUM STEELS/RUPTURES
Creep and rupture behavior of 2 1/4 Cr--1 Mo steel, 2531 (ORNL--5309)
Materials technology for LMFBR steam generators, 3116
CHROMIUM-MOLYBDENUM STEELS/STRAINS
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977, 3015 (WARD-SD--3045-10)
CHROMIUM-MOLYBDENUM STEELS/STRESS ANALYSIS
Establishing constitutive equations for use in design of high-temperature fast-reactor structures, 3385
CHROMIUM-MOLYBDENUM STEELS/STRESS CORROSION
Caustic stress corrosion tests for the LLTR, 2323 (NEDM--14110)
Constant extension rate testing for LMFBR steam generator applications, 2336 (NEDO--12668)
Corrosion behaviour of iron-chromium alloys used as boiler tube materials in fast reactor steam generators, 4184
Stress corrosion studies for 2 1/4Cr1Mo steel, 4183
CHROMIUM-MOLYBDENUM STEELS/TENSILE PROPERTIES
Development of a 9 Cr steel with improved strength and toughness, 4158
Effect of heat treatment on tensile properties of annealed 2 1/4 Cr-1 Mo steel, 4479
Final report on vacuum arc remelted tubesheet forging properties for CRBRP steam generators, 1282 (GEFR--00379)
Heat-to-heat variation of tensile properties of annealed 2 1/4 Cr-1 Mo steel, 2628 (ORNL/TM--5906)
Heat-to-heat variation of 2 1/4 Cr--1 Mo steel, 2492 (ORNL--5255)
High-temperature structural design program semiannual progress report for period ending June 30, 1978, 2569 (ORNL--5433)
Influence of decarburization on the 510°C (950°F) tensile and creep properties of thin section 2-1/4Cr--1Mo steel weldments, 1316 (GEFR--00431)

Materials characterization: study of decarburization influence on mechanical properties of CRER steam generator tubing, 1317 (GEFR--00432)
Mechanical properties of transition joint materials in support of LMFBR steam generator design (2¼ Cr--1 Mo), 2495 (ORNL--5255)
Mechanical properties of a 2 1/4 Cr--1 Mo steel forging for LMFBR tubesheets, 2532 (ORNL--5309)
Mechanical properties of tubesheet forgings for LMFBR steam generators, 2559 (ORNL--5378)
Mechanical properties test matrices on type 316 stainless steel and 2 1/4 Cr--1 Mo steel for U.S. Department of Energy Breeder Reactor Program, 2586 (ORNL/BRP--78/3)
Metallurgical characterization of prototypic tubesheet forging (Summary of research activities on the mechanical properties of LMFBR type reactor structural materials), 2515 (ORNL--5287)
Research report on design allowable values of structural materials for LMFBR, 2706 (PNC-J--225-78-04)
Strain rate effects on the elevated-temperature tensile behavior of a bainitic 2 1/4 Cr--1 Mo steel, 4354
Study of EOR-60 reactor fuel element performance, 2341 (NIIAR-P--5(271))
Tensile, creep, and creep--rupture studies on 2 1/4 Cr--1 Mo steel, 750 (CONF-781219--1)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2493 (ORNL--5255)
Thermal aging of 2 1/4 Cr--1 Mo steel, 2544 (ORNL--5349)
Toughness of 2 1/4Cr-1Mo steel for LMFBR steam generator applications, 4159

CHROMIUM-MOLYBDENUM STEELS/TESTING
High-temperature structural design program semiannual progress report for period ending December 31, 1978, 2581 (ORNL--5540)

CHROMIUM-MOLYBDENUM STEELS/THERMAL CONDUCTIVITY
Materials technology for LMFBR steam generators, 3116

CHROMIUM-MOLYBDENUM STEELS/THERMAL EXPANSION
Preliminary design: duplex tube low-pressure saturated steam generator for large LMFBR plant. Final report, 1129 (EPRI-NP--1219)

CHROMIUM-MOLYBDENUM STEELS/THERMAL FATIGUE
High cycle fatigue of 2-1/4 Cr--1 Mo steel at temperatures to 538°C (1000°F), 1137 (ESG-DOE--13243)

CHROMIUM-MOLYBDENUM STEELS/THERMAL STRESSES
Materials data requirements for the high-temperature structural design of 2 1/4 Cr-1 Mo steel components, 526 (CONF-770545--3)
Summary of the effects of material combinations and weld joint geometries on the elastic stress in a dissimilar metal pipe joint, 2322 (NEDM--14109)

CHROMIUM-MOLYBDENUM STEELS/ULTRASONIC TESTING
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2671 (ORNL/TM--6679)

CHROMIUM-MOLYBDENUM STEELS/WEAR
Friction, wear, and fretting: Clinch River Breeder Reactor steam generators, 1263 (GEFR--00322)
Friction and wear tests in support of LMFBR steam generator tube/tube spacer plate interactions, 2981 (WARD-NA--3045-48)
Tube/space plate interactions in sodium cooled fast breeder steam generators, 698 (CONF-781001--F1)
Wear behaviour of Nb-stabilizated 2 1/4Cr1Mo steel tubes in sodium, 4185

CHROMIUM-MOLYBDENUM STEELS/WEAR RESISTANCE
Sodium Technology Program: friction, wear, and self-welding. Quarterly progress report for period ending January 31, 1977, 2980 (WARD-NA--3045-42)
Sodium Technology Program: friction, wear, and self-welding. Quarterly progress report for period ending July 31, 1977, 2982 (WARD-NA--3045-49)

CHROMIUM-MOLYBDENUM STEELS/WELDABILITY
Metallurgical aspects of the weldability of Cr-Mo stabilized ferritic steels, 348 (CEA-CONF--3987)
Selection of steam generator materials for sodium cooled breeder reactors, 4398
Weldability and joint properties of advanced carbon stabilized 2.25Cr-1Mo steel for LMFBR, 4187

CHROMIUM-MOLYBDENUM STEELS/WELDED JOINTS
Corrosion issues in steam generators of the fast breeder reactor systems, 1419 (GEFR-SP--191)
Effects of thermal aging on the mechanical properties of a 2-1/4 Cr-1Mo steel/Inconel 82 transition joint fusion zone, 1324 (GEFR--00446)
High quality tube-to-tubesheet joints - when, where and why, 2783 (SAN--0824-027-T1)
Influence of decarburization on the 510°C (950°F) tensile and creep properties of thin section 2-1/4Cr--1Mo steel weldments, 1316 (GEFR--00431)
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
Method of assessing the impact of metallurgical noise and its reduction in ultrasonic testing of austenitic welds, 1413 (GEFR-SP--164)
Transition joint welding development for LMFBR steam generators, 4193
Weldability and joint properties of advanced carbon stabilized 2.25Cr-1Mo steel for LMFBR, 4187
Welding experience with tube-to-tubesheet joints of steam generators in 2 1/4Cr-Mo stabilised ferritic steel, 4186

CHROMIUM-MOLYBDENUM STEELS/WELDING
Internal bore welding of 2 1/4 Cr-1 Mo steel tube-to-tubesheet joints, 2580 (ORNL--5538)
Nondestructive testing, 2519 (ORNL--5309)

CHROMIUM-MOLYBDENUM STEELS/YIELD STRENGTH
Development of A 9 Cr steel with improved strength and toughness, 525 (CONF-770545--2)
Effects of remelting and heat treatment on 2-1/4 Cr-1Mo steel elevated temperature tensile properties, 2327 (NEDM--14146(Rev.1))
Final report on vacuum arc remelted tubesheet forging properties for CRERP steam generators, 1282 (GEFR--00379)
Heat-to-heat variation of 2 1/4 Cr--1 Mo steel, 2492 (ORNL--5255)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2534 (ORNL--5309)

CHROMIUM-NICKEL STEELS
(Steels containing Cr and Ni; the Ni content is usually 0.5 to 2.0%, the Cr content is higher.)

CHROMIUM-NICKEL STEELS/CARBURIZATION
Study of decarburization constants of pearlitic steels type 2.25Cr--1Mo and carburization of 12KH18N9 and 304 steels, 722 (CONF-781001--P2)

CHROMIUM-NICKEL STEELS/COMPATIBILITY
Compatibility of a uranium metallic fuel with OKH16N15M3B chrome-nickel steel (LMFBR), 5417

CHROMIUM-NICKEL STEELS/CORROSION
Comparative material studies of specimens of steels type 2.25Cr--1Mo and 18-8 of Sovient and American manufacture following contact with sodium, 723 (CONF-781001--P2)
Materials requirements for liquid metal fast breeder reactors, 3822
USSR steam generator materials examination of test specimens, 1306 (GEFR--00413)

CHROMIUM-NICKEL STEELS/CRACKS
Crack growth behaviour of the austenitic steels X 6 CrNi 18 11 and X 6 CrNiMo 17 13 under the conditions of a natrium-cooled fast breeder reactor, 3876

CHROMIUM-NICKEL STEELS/CREEP
Behavior of steel X5CrNi1811 under combined creep and cyclic loading at 823°K, 4454
Creep behaviour of SNR cladding tube material under the temperature transients relevant to cooling disturbances, 3891
Derivation of time dependent design-values for SNR 300 structural material, 2080 (IWGFR--11)
Resistance welding of pressurized capsules for in-pile creep experiments, 3412

CHROMIUM-NICKEL STEELS/DECARBURIZATION
USSR steam generator materials examination of test specimens, 1306 (GEFR--00413)

CHROMIUM-NICKEL STEELS/FATIGUE
Behavior of steel X5CrNi1811 under combined creep and cyclic loading at 823°K, 4454
Fast reactor program. Combined second and third quarters 1977 progress report, 1050 (ECN--34)

CHROMIUM-NICKEL STEELS/MECHANICAL PROPERTIES
Comparative material studies of specimens of steels type 2.25Cr--1Mo and 18-8 of Sovient and American manufacture following contact with sodium, 723 (CONF-781001--P2)
Influence of helium on the mechanical properties of DIN 1.4970 austenitic steel, 4952

CHROMIUM-NICKEL STEELS/OXIDATION
Composition of the corrosion product oxide phases in the gaps of three LMFBR-type mixed oxide fuel pins, 3692

CHROMIUM-NICKEL STEELS/PHYSICAL RADIATION EFFECTS
Crack growth behaviour of the austenitic steels X 6 CrNi 18 11 and X 6 CrNiMo 17 13 under the conditions of a natrium-cooled fast breeder reactor, 3876
Effect of the BR-5 reactor operating conditions on the development of vacancy porosity in the 1Kh18N9T steel, 4407
Influence of cold work on the in-pile stress rupture strength of 16 chromium--16 nickel--niobium austenitic stainless steels, 4554
Irradiation induced creep and swelling of cold-worked W.-Nr. 1.4981 irradiated in the RAPSODIE reactor, 4944
Material study of the BOR-60 shim rod thimble irradiated with 1.6×10^{23} n/cm² (E>0.1 MeV), 3784
Materials requirements for liquid metal fast breeder reactors, 3822
Radiation-damage considerations (Neutrons), 5008

CHROMIUM-NICKEL STEELS/RATCHETING
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)

CHROMIUM-NICKEL STEELS/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412

CHROMIUM-NICKEL STEELS/SLIDING FRICTION
Experiments with sliding suspension in liquid sodium, 4414

CHROMIUM-NICKEL STEELS/STRESS CORROSION
Caustic stress corrosion of Fe--Cr--Ni austenitic alloys (350°C), 4281

CHROMIUM-NICKEL STEELS/SWELLING
Electron microscope observations on pore swelling of the steel 1.4970 in the RAPSODIE cluster experiment, 3886
Electron-microscopy of fuel claddings from

0Cr16Ni15Mo3Nb stainless steel irradiated in the Reactor EOR-60 to burn-up 6.12 and 10.8%, 4964
Materials requirements for liquid metal fast breeder reactors, 3822
Void formation in stabilized austenitic stainless steel, 4962
CHROMIUM-NICKEL STEELS/THERMAL CYCLING
Thermocyclic strength estimation for structural materials and components of nuclear power plants with sodium-cooled reactors, 4590
CHROMIUM-NICKEL STEELS/THERMAL FATIGUE
Fast reactor programme. First quarter 1977 progress report, 1048 (ECN--22)
CHROMIUM-NICKEL STEELS/THERMAL TESTING
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
CHROMIUM-NICKEL STEELS/WELDED JOINTS
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
CLEMENTINE REACTOR/REACTOR OPERATION
Fast reactor operation in the United States, 673 (CONF-780407--6)
CLINCH RIVER BREEDER REACTOR
Breeder reactors--what are the prospects., 3351
Impact of Clinch River Breeder Reactor Plant on breeder research and development programs, 3340
Objectives and overview: the Clinch River Breeder Reactor Plant, 5269
Physics of reactor safety. Quarterly report, April-June 1979, 2462 (NUREG/CR--1096)
Safety study. The Clinch River Breeder Reactor Plant, 1995 (INIS-mf--4862)
Welding the Clinch River Breeder Reactor core support structure, 3253
CLINCH RIVER BREEDER REACTOR/AFTER-HEAT REMOVAL
Clinch River Breeder Reactor Plant. Preliminary testing of the direct heat removal service in a 1/21 scale model, 973 (CRBRP-ARD--0186)
Clinch River Breeder Reactor Plant. A preliminary evaluation of the CRBRP natural circulation decay heat removal capability, 963 (CRBRP-ARD--0132)
CRBRP decay heat removal systems, 639 (CONF-771217--6)
LMFBR fuel analysis. Task C: Reliability aspects of LMFBRs. Final report, October 1, 1976--September 30, 1977, 2378 (NUREG/CR--0013)
Reliability of the CRBRP Shutdown Heat Removal System, 308 (BNL-NUREG--24162)
CLINCH RIVER BREEDER REACTOR/BREEDING BLANKETS
Blanket design considerations for fast reactor oxide fuel systems based on CRBRP experience, 857 (CONF-800607--29)
CLINCH RIVER BREEDER REACTOR/CLOSURES
CRBRP design and test results for fuel handling systems, plugs, and seals, 634 (CONF-771217--1)
CRBRP design and test results for fuel handling systems, plugs, and seals, 649 (CONF-780251--P2)
CLINCH RIVER BREEDER REACTOR/COLD TRAPS
Cold trap requirements for PHTS and IHTS sodium purification, 1031 (DOE/TIC--11040)
Thermal and hydraulic analyses of the System 81 cold traps, 1032 (DOE/TIC--11041)
CLINCH RIVER BREEDER REACTOR/CONSTRUCTION
Clinch River Breeder Reactor Plant Project. 1978 technical progress report, 977 (CRBRP-ARD--0230)
CLINCH RIVER BREEDER REACTOR/CONTAINMENT BUILDINGS
CRBRP containment, 4669
CLINCH RIVER BREEDER REACTOR/CONTAINMENT SYSTEMS
CRBRP containment, 4669
CLINCH RIVER BREEDER REACTOR/CONTROL ELEMENTS
Analysis of the thermal-hydraulic behavior in the CRBR secondary control assembly, including interassembly heat transfer effects, 879 (COO--2245-47TR)
CLINCH RIVER BREEDER REACTOR/CONTROL ROD DRIVES
Review of FFTF and CRBRP control rod systems designs, 638 (CONF-771217--5)
Review of FFTF and CRBRP: control rod systems designs, 655 (CONF-780251--P2)
CLINCH RIVER BREEDER REACTOR/CORE CATCHERS
Evaluation of materials for CRBRP core retention. Annual progress report, 2382 (NUREG/CR--0076)
CLINCH RIVER BREEDER REACTOR/COST
Relative capital cost of the LMFBR, 5270
CLINCH RIVER BREEDER REACTOR/DECISION MAKING
Carter plan generally backed except on breeders, scrubbers, 4533
Carter puts nuclear power in strong position, 4532
CLINCH RIVER BREEDER REACTOR/DEPARTURE NUCLEATE BOILING
Test results, long-term endurance test conditions, and sensitivity parameters for the DNB effects test, 2330 (NEDM--14153)
CLINCH RIVER BREEDER REACTOR/DESIGN
Evaluation of the Clinch River Breeder Reactor Plant design, 3493
Safety-related design considerations for the Clinch River Breeder Reactor Plant, 350 (CONF-761001--P1)
CLINCH RIVER BREEDER REACTOR/ELECTROMAGNETIC PULSES
Clinch River Breeder Reactor Plant safety design and electromagnetic pulse, 2518 (ORNL--5308)
CLINCH RIVER BREEDER REACTOR/EVAPORATORS
Clinch River Breeder Reactor Plant. DNB effects test program. Final report, 979 (CRBRP-GEFR--00100)
Fouling and chemical cleaning studies: CRBRP evaporators. Part II, 1325 (GEFR--00449)
CLINCH RIVER BREEDER REACTOR/FAILED ELEMENT DETECTION
Fuel failure monitoring system for CRBRP, 3947
Gas tag designs for a generic LMFBR, 4660
CLINCH RIVER BREEDER REACTOR/FAILED ELEMENT MONITORS
Gas tag designs for a generic LMFBR, 4660
Gas tag location systems for FFTF and CRBRP Failed assemblies, 1803 (HEDL-TME--78-14)
CLINCH RIVER BREEDER REACTOR/FAULT TREE ANALYSIS
Safety and reliability: analyses of a breeder reactor, 4351
CLINCH RIVER BREEDER REACTOR/FILLER METALS
Creep and creep-rupture behavior of ERNiCr-3 weld metal (454 to 732°C), 2565 (ORNL--5404)
CLINCH RIVER BREEDER REACTOR/FIRE EXTINGUISHERS
CRBRP sodium fire tests. Quarterly technical progress report, October-December 1979, 1167 (ESG-DOE--13312)
CLINCH RIVER BREEDER REACTOR/FIRE HAZARDS
Location-dependent common-cause analysis with an application to fires, 3977
CLINCH RIVER BREEDER REACTOR/FIRES
CRBRP sodium fire tests. Technical progress report, May-June 1979, 1163 (ESG-DOE--13285)
Evaluation of postulated sodium spills and fires in an LMFBR, 3619
Location dependent common cause analysis with an application to fires, 737 (CONF-781105--57)
CLINCH RIVER BREEDER REACTOR/FLOW BLOCKAGE
Thermal-hydraulic correlations of a six-channel blockage in a sodium-cooled simulated LMFBR fuel assembly, 518 (CONF-761001--P4)
CLINCH RIVER BREEDER REACTOR/FUEL ASSEMBLIES
Clinch River Breeder Reactor Plant. Preliminary analysis of heat generating blockages in CRBRP fuel and radial blanket assemblies to determine detection requirements, 962 (CRBRP-ARD--0119)
Experimental studies of flow distribution in a wire wrapped LMFBR blanket assembly, 845 (CONF-791205--2)
Maximum wake temperature and Nusselt number behind blockages in sodium-cooled bundles, 612 (CONF-771109--78)
Thermal-hydraulic correlations of a six-channel blockage in a sodium-cooled simulated LMFBR fuel assembly, 518 (CONF-761001--P4)
CLINCH RIVER BREEDER REACTOR/FUEL CANS
Clinch River Breeder Reactor Plant. Internal/external cladding degradation, 964 (CRBRP-ARD--0147)
CLINCH RIVER BREEDER REACTOR/FUEL CYCLE
Clinch River reload core design study. Volume I. Trade-off study and design recommendations, 1260 (GEFR--00320(Vol.1))
Effect of alternative fuel cycles on the Clinch River Breeder Reactor, 3592
CLINCH RIVER BREEDER REACTOR/FUEL DENSIFICATION
Clinch River Breeder Reactor Plant. Impace of fuel densification on CRBRP fuel performance, 966 (CRBRP-ARD--0168)
CLINCH RIVER BREEDER REACTOR/FUEL ELEMENT CLUSTERS
Bundle to duct interaction compression tests using large diameter pins, 1319 (GEFR--00439)
Radiative heat transfer in a 19-pin sodium-voided bundle, 2595 (ORNL/MIT--274)
Sensitivity theory for reactor thermal-hydraulics problems, 2614 (ORNL/RSIC--42)
CLINCH RIVER BREEDER REACTOR/FUEL ELEMENT FAILURE
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
Results of fuel freezing tests with simulated CRBR-type fuel pins, 4000
CLINCH RIVER BREEDER REACTOR/FUEL ELEMENTS
System design of carbide fuel. Quarterly progress report, January--March 1978, 912 (COO--2426-136)
CLINCH RIVER BREEDER REACTOR/FUEL RODS
Clinch River Breeder Reactor Plant. Wire wrap cladding interaction in LMFBR fuel rods, 965 (CRBRP-ARD--0149)
Final design analyses of CRBRP fuel rod, 858 (CONF-800607--33)
CLINCH RIVER BREEDER REACTOR/FUEL-CLADDING INTERACTIONS
Internal external cladding degradation, 2970 (WARD-D--0147)
CLINCH RIVER BREEDER REACTOR/FUEL-COOLANT INTERACTIONS
Internal external cladding degradation, 2970 (WARD-D--0147)
CLINCH RIVER BREEDER REACTOR/GOVERNMENT POLICIES
Clinch River Breeder Reactor, 753 (CONF-790202--)
CLINCH RIVER BREEDER REACTOR/HEARINGS
Department of Energy authorization. Volume IV. Hearings of the Committee on Science and Technology, U. . House of Representatives, Ninety-Fifth Congress, Second Session, March 21, 22, and April 4, 1978, 4022
CLINCH RIVER BREEDER REACTOR/HEAT EXCHANGERS
360° flow model primary inlet flow distribution test report, 1222 (FWC/FWEC/ND--75-70)
CRBRP-IHX: 30° model flow distribution, pressure drop and tube vibration test report, 1224 (FWC/FWEC/ND--76/59)
Creep and tensile properties of transition weld joint materials, 2529 (ORNL--5309)
Cyclic stress--strain behavior of ERNiCr-3, 2548 (ORNL--5349)
Effect of tube-support interaction on the dynamic

response of heat exchanger tubes, 1958 (INIS-mf--4541)
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 5093
Elastic-plastic-creep analysis of shells, 767 (CONF-790402--16)
FFTF and CRBRP intermediate heat exchanger design, testing, and fabrication, 635 (CONF-771217--2)
FFTF and CRBRP intermediate heat exchanger design, testing and fabrication, 656 (CONF-780251--P2)
Flow model test development of CRBRP intermediate heat exchanger, 4625
Heat transfer in tube bundles of heat exchangers with flow baffles induced forced mixing, 522 (CONF-761107--27)
Intermediate heat exchanger development for the Clinch River Breeder Reactor Plant, 4855
Intermediate flow model test report, 1223 (FWC/FWEC/ND--76/49)
Optimization of intermediate heat exchangers for sodium cooled fast breeder reactors, 4098
Simplified inelastic analyses using one-dimensional models, 2620 (ORNL/SUB--7463/1)
Tensile properties of ERNiCr-3 (Inconel 82) weld metal, 2547 (ORNL--5349)
Thermal-hydraulic model tests of the CRBR/IHTS thermal mixer, 4689
Thermal/hydraulic design considerations for Clinch River Breeder Reactor Plant intermediate heat exchangers, 5426
CLINCH RIVER BREEDER REACTOR/IN CORE INSTRUMENTS
Core exit instrumentation of the Clinch River Breeder Reactor Plant, 3765
CLINCH RIVER BREEDER REACTOR/IN-SERVICE INSPECTION
Clinch River Breeder Reactor Plant. Plan for inservice inspection, 967 (CRBRP-ARD--0173)
CLINCH RIVER BREEDER REACTOR/LEAK DETECTORS
Evaluation of liquid metal leak detection methods for the Clinch River Breeder Reactor Plant, 2743 (PNL--2447)
Leak detection system design and operating considerations for the US-CRBRP, 378 (CONF-760735--1)
Program plan: acoustic leak detection/location development at GE-ARSD, 2798 (SAN--0893-T1)
Selection of aerosol detectors for CRBRP, 2797 (SAN--0824-T14)
Sodium leak detection verification test results, 2784 (SAN--0824-T1)
Sodium leak detection, long term performance test: results for FY 1978, 2785 (SAN--0824-T2)
Sodium leak detection long term performance test: results for first six months, 2787 (SAN--0824-T4)
Sodium leak detection verification test results, 2790 (SAN--0824-T7)
Sodium-to-Gas Leak Detection System performance evaluation, 2796 (SAN--0824-T13)
Summary of design and development status of the Liquid Metal to Gas Leak Detection System for the CRBRP, 2793 (SAN--0824-T10)
CLINCH RIVER BREEDER REACTOR/LINERS
High-temperature structural design data for austenitic stainless steel weldments, 2522 (ORNL--5309)
Low-cycle fatigue of Type 16-8-2 stainless steel ASA weld metal, 2482 (ORNL--5255)
CLINCH RIVER BREEDER REACTOR/LMFBR TYPE REACTORS
Fuel-clad stress--strain state at the beginning of a transient (KRASS code), 459 (CONF-761001--P3)
CLINCH RIVER BREEDER REACTOR/LOSS OF COOLANT
Pipe rupture studies for the CRBR using DEMO and SAS, 442 (CONF-761001--P3)
CLINCH RIVER BREEDER REACTOR/LOSS OF FLOW
Assessment of the consequences of boiling in the radial blanket due to hypothetical major pipe leaks, 3371
Comparison of neutronics calculations in a loss-of-flow accident, 426 (CONF-761001--P2)
Method for assessing core-wide incoherency effects on LMFBR whole-core accident evolution, 429 (CONF-761001--P3)
Radiative heat transfer in a 19-pin sodium-voided bundle, 2595 (ORNL/MIT--274)
CLINCH RIVER BREEDER REACTOR/MANAGEMENT
PMS: an effective management system for power plant engineering design (DOE's Performance Measurement System.), 3922
CLINCH RIVER BREEDER REACTOR/MELTDOWN
Evaluation of materials for CRBRP core retention. Annual progress report, 2382 (NUREG/CR--0076)
Evaluations of CRBRP thermal margin beyond the design base, 105 (ANL--78-10)
Ex-vessel containment response to a core meltdown, 106 (ANL--78-10)
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
Nonequilibrium evaporation and condensation in liquid-metal fast breeder reactor fuel expansion, 4531
Recriticality considerations for the loss-of-heat-sink accident with scram, 3627
CLINCH RIVER BREEDER REACTOR/NEUTRON DETECTORS
Theoretical evaluation of ex-vessel monitoring for initial fuel loading of a liquid metal fast breeder reactor, 774 (CONF-790602--52)
CLINCH RIVER BREEDER REACTOR/OPTIMIZATION
U.S. Sodium-cooled breeder - seeking optimization, 4099
CLINCH RIVER BREEDER REACTOR/PIPE FITTINGS
Clinch River Breeder Reactor Plant. Numerical evaluation of an elbow element for inelastic flexibity analysis of piping, 970 (CRBRP-ARD--0184)
CLINCH RIVER BREEDER REACTOR/PIPE JOINTS
Fatigue properties of transition weld joint materials, 2530 (ORNL--5309)
Survey of available creep and tensile data for alloy 800H, 2528 (ORNL--5309)
CLINCH RIVER BREEDER REACTOR/PIPES
Application of ASME Code Case N-47 concepts to CRBRP primary piping, 763 (CONF-790363--4)
Design considerations for CRBRP heat transport system piping operating at elevated temperatures, 784 (CONF-790615--16)
Evaluation of the influence of seismic restraint characteristics on LMFBR piping, 761 (CONF-790363--2)
Load-time histogram and elastic analysis of CRBRP heat transport system piping, 762 (CONF-790363--3)
CLINCH RIVER BREEDER REACTOR/PLANNING
Role of the CRBRP in meeting the nation's energy requirements, 4639
CLINCH RIVER BREEDER REACTOR/PRIMARY COOLANT CIRCUITS
Analysis of streaming through the primary coolant pipe chaseway of the Clinch River Breeder Reactor, 4701
Clinch River Breeder Reactor Plant. Effects of thermal aging on CRBRP primary piping, 974 (CRBRP-ARD--0188)
Clinch River Breeder Reactor Plant. Crack growth calculations for primary piping of CRBRP, 975 (CRBRP-ARD--0192)
Comparison of piping models for digital power plant simulators, 2454 (NUREG/CR--0951)
Computer model for tritium transport in and release from the CRBRP and other LMFBRs, 4666
CRBR pump design concepts and resultant design evolution, 1400 (GEFR-SP--053)
Design considerations for CRBRP primary piping system operating at elevated temperatures, 764 (CONF-790363--5)
Design considerations for CRBRP heat transport system piping operating at elevated temperatures, 784 (CONF-790615--16)
Development of a state-of-art thermal mixer, 3949
Discrete ordinate analysis of the TSF experiment on neutron streaming in a CRBR prototypic coolant pipe chaseway, 2660 (ORNL/TM--6497)
Evaluation of the influence of seismic restraint characteristics on breeder reactor piping systems, 783 (CONF-790615--13)
Mixing studies for geometric variations of the CRBR outlet plenum, 231 (ANL-CT--79-1)
Pipe rupture studies for the CRBR using DEMO and SAS, 442 (CONF-761001--P3)
Primary pipe rupture accident analysis for the Clinch River Breeder Reactor, 3492
Radioactive corrosion product release potential in sodium-cooled reactors, 1659 (HEDL-SA--1948)
CLINCH RIVER BREEDER REACTOR/PUBLIC RELATIONS
Support for a nuclear future: student response to the CRBRP, 4685
Support for a nuclear future: student response to the CRBRP, 609 (CONF-771109--49)
CLINCH RIVER BREEDER REACTOR/PUMPS
CRBRP sodium circulating pump design evaluation, 637 (CONF-771217--4)
CRBRP sodium circulating pump design evaluation, 653 (CONF-780251--P2)
Internal fluid flow management analysis for Clinch River Breeder Reactor Plant sodium pumps, 3380
Internal fluid flow management analysis for Clinch River Breeder Reactor Plant sodium pumps, 985 (CRBRP-GEFR-SP--139)
Minimizing unbalance response of the CRBRP sodium pumps, 1405 (GEFR-SP--130)
CLINCH RIVER BREEDER REACTOR/RADIATION PROTECTION
Clinch River Breeder Reactor Plant safety design and electromagnetic pulse, 2518 (ORNL--5308)
CLINCH RIVER BREEDER REACTOR/RADIATION STREAMING
Discrete ordinate analysis of the TSF experiment on neutron streaming in a CRBR prototypic coolant pipe chaseway, 2660 (ORNL/TM--6497)
CLINCH RIVER BREEDER REACTOR/RADIOACTIVE EFFLUENTS
Summary of the ALARA nature of design effluents from the Clinch River Breeder Reactor plant, 3309
CLINCH RIVER BREEDER REACTOR/RADIOACTIVITY TRANSPORT
Tritium and hydrogen transport in LMFBR systems: EBR-II, CRBR, and FFTF, 131 (ANL--78-64)
CLINCH RIVER BREEDER REACTOR/REACTIVITY
Method for assessing core-wide incoherency effects on LMFBR whole-core accident evolution, 429 (CONF-761001--P3)
Procedures for measuring bowing/expansion reactivity effects, 1240 (GEFR--00152)
Review of methods for treatment of source effects in the modified source multiplication method for monitoring the reactivity in refueling the CRBR, 2584 (ORNL--5568)
CLINCH RIVER BREEDER REACTOR/REACTOR ACCIDENTS
Automated common cause analysis using AUTOCC (For input to COMCAN II, in FORTRAN IV for CDC), 2769 (RE-A--78-241)
CRBRP sodium fire tests. Quarterly technical progress report, October-December 1979, 1167 (ESG-DOE--13312)
Primary pipe rupture accident analysis for the Clinch

River Breeder Reactor, 3452
CLINCH RIVER BREEDER REACTOR/REACTOR CHARGING MACHINES
Clinch River Breeder Reactor Plant. Technical review, Winter 1978, 989 (CRBRP-PMC--78-01)
CRBRP design and test results for fuel handling systems, plugs, and seals, 634 (CONF-771217--1)
CRBRP design and test results for fuel handling systems, plugs, and seals, 649 (CONF-780251--P2)
CLINCH RIVER BREEDER REACTOR/REACTOR COMPONENTS
Clinch River Breeder Reactor Plant. Technical review, Fall 1977, 988 (CRBRP-PMC--77-04)
Clinch River Breeder Reactor Plant Project. 1977 technical progress report, 976 (CRBRP-ARD--0211)
CRBRP structural and thermal margin beyond the design base, 820 (CONF-790816--37)
Flow-induced vibration bench testing of reactor components, 1957 (INIS-mf--4541)
Flow-induced vibration bench testing of reactor components, 5083
Monthly report No. 9 (September, October, and November 1977) of INTERATOM representative to Westinghouse Hanford Co., Richland, Washington (USA), 1892 (INB--414)
National friction, wear, and self-welding program status and plans, 1612 (HEDL-TME--78-38)
Re-evaluating your nuclear program needs: how to benefit from your vender's Q.A. program, 830 (CONF-790905--1)
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Role and progress of the Clinch River Breeder Reactor Plant, 675 (CONF-780440--1)
Sodium engineering and technology technical progress report, October, November, December 1976, 1742 (HEDL-TME--76-28)
Sodium engineering and technology. Technical progress report, April, May, June 1977, 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, July, August, September 1977, 1759 (HEDL-TME--77-38)
Sodium technology program. Quarterly technical progress report, January--March 1979, 1154 (ESG-DOE--13272)
Sodium Technology Program. Quarterly technical progress report, April-June 1979, 1158 (ESG-DOE--13278)
Sodium technology program. Quarterly technical progress report, July-September 1979, 1164 (ESG-DOE--13280)
CLINCH RIVER BREEDER REACTOR/REACTOR CONTROL SYSTEMS
Clinch River Breeder Reactor secondary control rod system, 636 (CONF-771217--3)
Clinch River Breeder Reactor: secondary control rod system, 1401 (GEFR-SP--062)
Plant control system design for the Clinch River Breeder Reactor Plant, 598 (CONF-770939--2)
Review of FFTF and CRBRP control rod systems designs, 638 (CONF-771217--5)
CLINCH RIVER BREEDER REACTOR/REACTOR COOLING SYSTEMS
Clinch River Breeder Reactor Plant. CRBRP piping integrity: an evaluation of postulated support failures, 969 (CRBRP-ARD--0183)
Clinch River Breeder Reactor Plant. Integrity of primary and intermediate heat transport system piping in containment, 971 (CRBRP-ARD--0185(Vol.1))
Clinch River Breeder Reactor Plant. Integrity of primary and intermediate heat transport system piping in containment, 972 (CRBRP-ARD--0185(Vol.2))
CRBRP outlet plenum behavior during steady state and transient conditions, 4627
Empirical method to calculate Clinch River Breeder Reactor Plant (CRBRP) inlet plenum transient temperatures, 4653
Flow in the inlet plenum feature model of the Clinch River Breeder Reactor, 4882
Intermediate System Mockup Loop (ISML) operation, 1279 (GEFR--00373)
LLTR Series I: analysis in support of SWRPRS design and SWR cleanup and recovery (Sodium-Water Reaction Pressure Relief System and Sodium-Water Reaction Cleanup and Recovery), 1227 (GEFR--00037(L))
Measurement of heat and momentum eddy diffusivities in recirculating LMFBR outlet plenum flows, 892 (COO--2245-61TR)
Piping and fittings, 2523 (ORNL--5309)
Pressure pulse propagation in piping analytical/experimental comparison (TRANSWRAP code), 2331 (NEDM--14161)
Summary of the effects of material combinations and weld joint geometries on the elastic stress in a dissimilar metal pipe joint, 2322 (NEDM--14109)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2672 (ORNL/TM--6679/R1)
Validation of turbulence models for LMFBR outlet plenum flows, 4628
Vibration studies of perforated plates on CRBRP mixing-tee model, 3598
Vibration studies of perforated plates on CRBRP mixing tee model, 678 (CONF-780622--15)
CLINCH RIVER BREEDER REACTOR/REACTOR CORE DISRUPTION
Analysis of simulated HCDA experiments in ZPPR, 403 (CONF-761001--P2)
Analysis of hypothetical core disruptive events in the Clinch River Breeder Reactor Plant, 980 (CRBRP-GEFR--00103)
Assessment of fuel freezing and drainage phenomena in a reactor shield plug following a core disruptive accident, 3717
Clinch River Breeder Reactor Plant. MAXPRES-2: computer code verification, 968 (CRBRP-ARD--0175)
Comparisons of REXCO code predictions with SRI SM-2 experimental results, 792 (CONF-790802--56)
CRBRP structural and thermal margin beyond the design base, 820 (CONF-790816--37)
Evaluations of CRBRP thermal margin beyond the design base, 608 (CONF-771108--3)
LMFBR accident energetics and their role in licensing, 420 (CONF-761001--P2)
Material release for various fuels following an HCDA in CRBR, 4667
Method for assessing core-wide incoherency effects on LMFBR whole-core accident evolution, 429 (CONF-761001--P3)
Nonequilibrium evaporation and condensation in liquid-metal fast breeder reactor fuel expansion, 4531
Physics of liquid metal fast breeder reactor safety, 4333
Post-accident fuel relocation and heat removal in the LMFBR, 330 (BNL-NUREG--50603)
Probabilistic/deterministic procedure for analyzing LMFBR core disruptive accidents, 451 (CONF-761001--P3)
SIMMER-I accident consequence calculations, 4784
Simulation of an HCDA sequence on the ZPPR critical facility, 402 (CONF-761001--P2)
Structural response of 1/20-scale models of the Clinch River Breeder Reactor to a simulated hypothetical core disruptive accident. Technical report 4, 1016 (DOE/TIC--10063)
System damage potential for CRBRP, 4783
CLINCH RIVER BREEDER REACTOR/REACTOR CORE RESTRAINTS
Core restraint performance of large heterogeneous reference cores, 178 (ANL-AFP--37)
Design of the core support and restraint structures for FFTF and CRBRP, 640 (CONF-771217--7)
Design of the core support and restraint structures for FFTF and CRBRP, 648 (CONF-780251--P2)
CLINCH RIVER BREEDER REACTOR/REACTOR CORES
Advanced fuel core designs for CRBRP, 4697
Analysis of ZPPR-6 critical experiments, 981 (CRBRP-GEFR--00323)
Clinch River reload core design study. Volume II: recommended core design evaluation, 1261 (GEFR--00320(vol.2))
Clinch River reload core design study. Volume I. Trade-off study and design recommendations, 1260 (GEFR--00320(Vol.1))
Comparison of the behavior during a TUC of CRBR carbide reload designs to the reference oxide design, 3984
CRBRP advanced fuel reload core design studies. Summary report, 33 (AI-DOE--13228)
Design of the core support and restraint structures for FFTF and CRBRP, 640 (CONF-771217--7)
Design of the core support and restraint structures for FFTF and CRBRP, 648 (CONF-780251--P2)
Engineering aspects of heterogeneous and homogeneous reactors, 619 (CONF-771123--1)
Engineering aspects of heterogeneous and homogeneous reactors, 4109
Experimental studies of 350 Mw(e) heterogeneous LMFBR cores at ZPPR, 3043 (ZPR-TM--348)
Influence of heterogeneous core geometry upon outlet plenum mixing, 204 (ANL-CT--78-8)
Preliminary thermal-hydraulic design and predicted performance of the Clinch River Breeder Reactor core, 5413
Recommended CRBRP reload core designs using (U--Pu)C fuel, 3589
SIMMER-I accident consequence calculations, 4784
Technical review, 990 (CRBRP-PMC--79-01)
Trial application of the draft structural design criteria for breeder reactor core components to a typical blanket assembly duct;sup 1; (DOE), 3334
CLINCH RIVER BREEDER REACTOR/REACTOR FUELING
Analysis of the Clinch River Breeder Reactor (CRBR) source range flux monitor (SRFM) count rate history during refueling of the first four cycles, 2583 (ORNL--5557)
Evaluation of initial fuel loading monitoring in the Clinch River Breeder Reactor Plant, 2624 (ORNL/TM--5836)
LMFBR refueling force limits criteria, testing and evaluation, 1244 (GEFR--00255)

Review of methods for treatment of source effects in the modified source multiplication method for monitoring the reactivity in refueling the CRBR, 2584 (CRNL--5568)
Safety approach to the selection of design criteria for the CRBRP reactor refueling system, 826 (CONF-790816--60)
Self locking drive system for rotating plug of a nuclear reactor (Patent), 3062
Theoretical evaluation of ex-vessel monitoring for initial fuel loading of a liquid metal fast breeder reactor, 774 (CONF-790602--52)
CLINCH RIVER BREEDER REACTOR/REACTOR INSTRUMENTATION
Analysis of ZPPR-5 source level flux monitor experiments, 2536 (ORNL--5314)
Analysis of the Clinch River Breeder Reactor (CRBR) source range flux monitor (SRFM) count rate history during refueling of the first four cycles, 2583 (ORNL--5557)
Evaluation of initial fuel loading monitoring in the Clinch River Breeder Reactor Plant, 2624 (ORNL/TM--583€)
FY 1977 progress report of the Clinch River Breeder Reactor source range flux monitor assessment study for the reference homogeneous core, 2582 (ORNL--5548)
Nuclear instrumentation system design in FFTF and CRBRP, 1665 (HEDL-SA--2023)
Theoretical evaluation of ex-vessel monitoring for initial fuel loading of a liquid-metal fast breeder reactor, 3158
CLINCH RIVER BREEDER REACTOR/REACTOR INTERNALS
Application of Alloy 718 in the upper internals structure of the Clinch River Breeder Reactor, 1024 (DOE/TIC--10240)
Basic specimen testing, 2501 (ORNL--5255)
CRBRP flow induced vibration prograr, 597 (CONF-770933--1)
CRBRP outlet plenum behavior during steady state and transient conditions, 4627
Design of the upper internals structure for the Clinch River Breeder Reactor Plant, 641 (CONF-771217--8)
Design of the Upper Internals Structure for the Clinch River Breeder Reactor Plant, 650 (CONF-780251--P2)
Empirical method to calculate Clinch River Breeder Reactor Plant (CRBRP) inlet plenum transient temperatures, 5004
Evaluation of roll-extruded alloy 718 tubes: seamless versus welded, 2542 (TREE--1360)
Flow-induced vibration scale model test of the CRBR instrument post, 5026
GE/CRBRP/IHTS mixing tee model perforated plate vibration test (in support of GE/CRBRP:DRS 51.32). Final report, 202 (ANL-CT--78-6)
Inelastic analysis of the Upper Internals Structure for the Clinch River Breeder Reactor Plant, 3321
Sodium effects on mechanical properties of structural materials, 2503 (ORNL--5255)
Structural analysis of the Upper Internals Structure for the Clinch River Breeder Reactor Plant, 782 (CONF-790615--11)
System damage potential for CRBRP, 4783
Tubular specimen testing, 2502 (ORNL--5255)
CLINCH RIVER BREEDER REACTOR/REACTOR KINETICS
Analysis of the ZPPR-7 critical experiments, 978 (CRBRP-GEFR--00025)
Analysis of ZPPR-6 critical experiments, 981 (CRBRP-GEFR--00323)
BRENDA: a dynamic simulator for a sodium-cooled fast reactor power plant, 2393 (NUREG/CR--0244)
Clinch River Breeder Reactor Plant Project. 1977 technical progress report, 976 (CRBRP-ARD--0211)
Critical experiments and analysis twenty-second quarterly report, January--March 1977, 1337 (GEFR--13771-22)
Critical experiments and analysis twenty-fourth quarterly report, July--September 1977, 1339 (GEFR--13771-24)
Critical experiments and analysis, 1340 (GEFR--13771-25)
Critical experiments and analysis twenty-sixth quarterly report, January--March 1978, 1341 (GEFR--13771-26)
Critical experiments and analysis. Twenty-seventh quarterly report, April--June 1978 (LMFBR), 1342 (GEFR--13771-27)
Critical experiments and analysis. Twenty-eighth quarterly report, July--September 1978, 1343 (GEFR--13771-28)
Critical experiments and analysis. Twenty-ninth quarterly report, October--December 1978, 1344 (GEFR--13771-29)
Critical experiments and analysis. Thirtieth quarterly report, January--March 1979, 1345 (GEFR--13771-30)
Critical experiments and analysis. Thirty-first quarterly report, April-June 1979, 1346 (GEFR--13771-31)
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
Physics calculations for the Clinch River Breeder Reactor, 55 (ANL--77-27)
Theoretical evaluation of ex-vessel monitoring for initial fuel loading of a liquid-metal fast breeder reactor, 3158
CLINCH RIVER BREEDER REACTOR/REACTOR LATTICE PARAMETERS
Theoretical evaluation of ex-vessel monitoring for initial fuel loading of a liquid metal fast breeder reactor, 774 (CONF-790602--52)
CLINCH RIVER BREEDER REACTOR/REACTOR LICENSING
LMFBR accident energetics and their role in licensing, 420 (CONF-761001--P2)
CLINCH RIVER BREEDER REACTOR/REACTOR MAINTENANCE
Maintenance of Clinch River Breeder Reactor Nuclear Island Systems, 689 (CONF-780922--2)
CLINCH RIVER BREEDER REACTOR/REACTOR MATERIALS
Analysis of the time-dependent fatigue behavior of 2 1/4 Cr--1 Mo steel based on the concept of linear summation of creep and fatigue damage, 2524 (ORNL--5309)
Basic specimen testing, 2501 (ORNL--5255)
Characterization of CRBRP steam generator shell plate, 1271 (GEFR--00353)
Continuous cycling and creep--fatigue behavior of 2 1/4 Cr--1 Mo steel, 2545 (ORNL--5349)
Creep and tensile properties of transition weld joint materials, 2496 (ORNL--5255)
Creep and rupture behavior of 2 1/4 Cr--1 Mo steel, 2531 (ORNL--5309)
Cyclic stress--strain behavior of ERNiCr-3, 2548 (ORNL--5349)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim report, 1818 (HEDL-TME--78-51)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Second interim report, 1844 (HEDL-TME--79-19)
Effect of sodium on the mechanical properties of 2 1/4 Cr--1 Mo steel, 2535 (ORNL--5309)
Evaluation of roll-extruded Alloy 718 tubing, 2940 (TREE--1255)
Final report on vacuum arc remelted tubesheet forging properties for CRBRP steam generators, 1282 (GEFR--00379)
Heat-to-heat variation of 2 1/4 Cr--1 Mo steel, 2492 (ORNL--5255)
Heat treatment for 2-1/4Cr-1Mo for application to sodium heated steam generators, 1267 (GEFR--00348)
High-temperature structural design data for austenitic stainless steel weldments, 2522 (ORNL--5309)
Inconel alloy 718 mechanical and physical property program, 2490 (ORNL--5255)
Influence of decarburization on the 510°C (950°F) tensile and creep properties of thin section 2-1/4Cr--1Mo steel weldments, 1316 (GEFR--00431)
Interim analysis of the creep strain--time characteristics of annealed and isothermally annealed 2 1/4 Cr--1 Mo steel, 2494 (ORNL--5255)
Interim analytical description of the creep and creep-rupture behavior of ERNiCr-3 weld metal, 2659 (ORNL/TM--6464)
Liquid-metal fast breeder reactor structural materials design considerations, 754 (CONF-790236--)
Low-cycle fatigue of Type 16-8-2 stainless steel ASA weld metal, 2482 (ORNL--5255)
Mechanical property program of Alloy 718, 2481 (ORNL--5255)
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
Mechanical property program of Alloy 718, 2538 (ORNL--5349)
Metallurgical characterization of prototypic tubesheet forging, 2480 (ORNL--5255)
Piping and fittings, 2523 (ORNL--5309)
Plan for the determination of mechanical and thermal properties of concretes to temperatures of 621°C (1150°F), 2646 (ORNL/TM--6234)
Program for the development of design data: LMFBR steam generator materials, 1233 (GEFR--00067-2)
Sodium effects on mechanical properties of structural materials, 2503 (ORNL--5255)
Strain-rate effects on the elevated-temperature behavior of ERNiCr-3 weld metal, 4028
Survey of available creep and tensile data for alloy 800H, 2528 (ORNL--5309)
Tensile properties of ERNiCr-3 (Inconel 82) weld metal, 2547 (ORNL--5349)
Tensile properties of 304 SS and 316 SS, 2549 (ORNL--5349)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2493 (ORNL--5255)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2534 (ORNL--5309)
Thermal aging of 2 1/4 Cr--1 Mo steel, 2544 (ORNL--5349)
Tubular specimen testing, 2502 (ORNL--5255)
CLINCH RIVER BREEDER REACTOR/REACTOR PROTECTION SYSTEMS
Markovian reliability analysis under uncertainty with an application on the shutdown system of the Clinch River Breeder Reactor, 2402 (NUREG/CR--0405)
Reliability models for plant protection systems, 412 (CONF-761001--P2)
CLINCH RIVER BREEDER REACTOR/REACTOR SAFETY
Assessment of accident risks in the CRBRP. Volume 2. Appendices, 961 (CRBRP--1(Vol.2))
Clinch River Breeder Reactor Plant. Technical review, Winter 1978, 989 (CRBRP-PMC--78-01)
Clinch River Breeder Reactor Plant Safety Study, 3889
Clinch River Breeder Reactor Plant safety study: summary and results, 677 (CONF-780507--15)
CRBRP safety study: an assessment of accident risks in the CRBRP. Volume I. Main report, 960 (CRBRP--1(Vol.

))
CRBRP safety study: an assessment of risk, 633 (CONF-771203--)
Overview of the CRBRP safety study, 991 (CRBRP-PS--01)
Safety approach to the selection of design criteria for the CRBRP reactor refueling system, 826 (CONF-790816--60)
Safety-related design considerations for the Clinch River Breeder Reactor Plant, 390 (CONF-761001--P1)
Trial application of the draft structural design criteria for breeder reactor core components to a typical blanket assembly duct;sup 1; (DOE), 3334
CLINCH RIVER BREEDER REACTOR/REACTOR SIMULATORS
Parameter sensitivity study in the dynamic simulation of a sodium cooled breeder reactor power plant, 2380 (NUREG/CR--0016)
CLINCH RIVER BREEDER REACTOR/REACTOR VESSELS
Closure head capability for third level structural margin loading, 2971 (WARD-D--0178)
Cover gas seal components. Quarterly technical progress report, April--June 1978, 1134 (ESG-DOE--13240)
Cover gas seal components. Quarterly technical progress report, July--September 1978, 1142 (ESG-DOE--13248)
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, October--December 1978, 1148 (ESG-DOE--13262)
Cover gas seal components. Quarterly technical progress report, April--June 1979, 1159 (ESG-DOE--13279)
FFTF and CRBRP reactor vessels, 642 (CONF-771217--9)
FFTF and CRBRP reactor vessels, 647 (CONF-780251--P2)
Structural response of 1/20-scale models of the Clinch River Breeder Reactor to a simulated hypothetical core disruptive accident. Technical report 4, 1016 (DOE/TIC--10063)
CLINCH RIVER BREEDER REACTOR/RECOMMENDATIONS
Alternate perspective on long-range energy options, 862 (CONF-770613O--)
CLINCH RIVER BREEDER REACTOR/RELIABILITY
Safety and reliability: analyses of a breeder reactor, 4351
CLINCH RIVER BREEDER REACTOR/RELIEF VALVES
Development of sodium--water reaction pressure release rupture discs for the Clinch River Breeder Reactor Plant, 1275 (GEFR--00361)
CLINCH RIVER BREEDER REACTOR/REMOTE HANDLING EQUIPMENT
Clinch River Breeder Reactor Project fuel handling development program, 5284
CRBRP design and test results for fuel handling systems, plugs, and seals, 634 (CONF-771217--1)
CRBRP design and test results for fuel handling systems, plugs, and seals, 649 (CONF-780251--P2)
Design and development of the CRBRP ex-vessel transfer machine, 4700
Design and development of the CRBRP ex-vessel transfer machine, 613 (CONF-771109--86)
Studies in the reduction of sodium carryover, 1153 (ESG-DOE--13271)
CLINCH RIVER BREEDER REACTOR/REMOTE VIEWING EQUIPMENT
Program outline under-sodium viewing, 1433 (HEDL--6232)
CLINCH RIVER BREEDER REACTOR/RESEARCH PROGRAMS
Clinch River Breeder Reactor Plant Project. 1977 technical progress report, 976 (CRBRP-ARD--0211)
CLINCH RIVER BREEDER REACTOR/REVIEWS
Clinch River Breeder Reactor and energy independence, 859 (CONF-770612O--)
CLINCH RIVER BREEDER REACTOR/RHR SYSTEMS
CRBRP decay heat removal systems, 652 (CONF-780251--P2)
Testing of the CRBRP Direct Heat Removal Service in a 1/21 scale model, 803 (CONF-790808--1)
CLINCH RIVER BREEDER REACTOR/RISK ASSESSMENT
Location-dependent common-cause analysis with an application to fires, 3977
CLINCH RIVER BREEDER REACTOR/SEALS
Cover gas seal components and sodium component development programs. Quarterly technical progress report, January--March 1978, 35 (AI-DOE--13232)
CRBRP design and test results for fuel handling systems, plugs, and seals, 634 (CONF-771217--1)
CRBRP design and test results for fuel handling systems, plugs, and seals, 649 (CONF-780251--P2)
Performance tests of sodium dip seals, 31 (AI-DOE--13226)
Quarterly technical progress report. Sodium technology and cover gas seal development programs. October--December 1977, 26 (AI-DOE--13220)
Quarterly technical progress report cover gas seal components and sodium component development programs. October--December 1977, 27 (AI-DOE--13221)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1977, 41 (AI-ERDA--13204)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, July--September 1977, 18 (AI-DOE--13208)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, January--March 1978, 34 (AI-DOE--13231)
CLINCH RIVER BREEDER REACTOR/SECONDARY COOLANT CIRCUITS
Heat rejection for the Clinch River Breeder Reactor Plant, 4518
Leak detection system design and operating considerations for the US-CRBRP, 378 (CONF-760735--1)
Transition joint welding: life test article fabrication, 1311 (GEFR--00422)
CLINCH RIVER BREEDER REACTOR/SHIELDING
Analyses of TSF experiments on radiation heating in a stainless steel-sodium CRBR radial shield mockup using a 32-inch diameter collimated beam source, 2632 (ORNL/TM--5992)
Design experience: CRBRP radiation shielding, 746 (CONF-781117--7)
Radiation protection/shield design. A need for a systems approach, 4892
TSF measurements of neutron transmission through an AI-LMFBR lower axial shield mockup. 189a No. 10028, Activity No. HN 04 01 01 1, 2477 (ORNL--5178)
CLINCH RIVER BREEDER REACTOR/SHIELDS
Investigation of steel--sodium--iron shields, 745 (CONF-781117--6)
Measurements and analysis of the CRBR Inconel-stainless steel radial shield experiment, 2537 (ORNL--5346)
Methods for U.S. shielding calculations: applications to FFTF and CRBR designs, 742 (CONF-781117--3)
CLINCH RIVER BREEDER REACTOR/SOCIO-ECONOMIC FACTORS
The Clinch River Breeder Reactor Plant: an analysis of the impacts of its in-migrant construction workers on local public services. Final report, 2692 (PB--274091)
CLINCH RIVER BREEDER REACTOR/SPACERS
Clinch River Breeder Reactor Plant. Wire wrap cladding interaction in LMFBR fuel rods, 965 (CRBRP-ARD--0149)
Experimental studies of flow distribution in a wire wrapped LMFBR blanket assembly, 845 (CONF-791205--2)
CLINCH RIVER BREEDER REACTOR/SPECIFICATIONS
Role of the CRBRP in meeting the nation's energy requirements, 4639
CLINCH RIVER BREEDER REACTOR/SPENT FUEL CASKS
Spent fuel shipping cask designs for breeder reactors, 4810
CLINCH RIVER BREEDER REACTOR/SPENT FUEL STORAGE
Clinch River Breeder Reactor Plant. Technical review, Winter 1978, 989 (CRBRP-PMC--78-01)
Design and fabrication considerations for CRBRP ex-vessel storage tank (EVST), 4658
CLINCH RIVER BREEDER REACTOR/STEAM GENERATORS
AI selection of single wall over double wall LMFBR steam generators, 2924 (TID--28710)
Analysis of the time-dependent fatigue behavior of 2 1/4 Cr--1 Mo steel based on the concept of linear summation of creep and fatigue damage, 2524 (ORNL--5309)
Application of the ASME Boiler and Pressure Vessel Code and RDT Standards to the Clinch River Breeder Reactor Plant sodium-heated steam generator, 5428
Assessment of normalized and tempered versus annealed or isothermally annealed 2-1/4 Cr--1 Mo steel, 2657 (ORNL/TM--6411)
Characterization of CRBRP steam generator shell plate, 1271 (GEFR--00353)
CHF-induced thermal oscillations measured in an LMFBR steam generator tube wall, 198 (ANL-CT--78-1)
Clinch River Breeder Reactor Plant steam generator: FEW tube test model post test examination, 986 (CRBRP-GEFR-SP--176)
Computerized thermal input for steam generator stress analysis, 1956 (INIS-mf--4541)
Computerized thermal input for steam generator stress analysis, 5082
Continuous cycling and creep--fatigue behavior of 2 1/4 Cr--1 Mo steel, 2545 (ORNL--5349)
Corrosion testing under departure from nucleate boiling conditions modeling the Clinch River Breeder Reactor Plant steam generator, 4368
Corrosion and impurities deposition effects under DNB conditions, 1398 (GEFR-SP--045)
Corrosion and impurities deposition effects under DNB conditions, 697 (CONF-781001--P1)
CRBRP flow induced vibration program, 597 (CONF-770933--1)
CRBRP steam generator modeling techniques for pressure excursions generated by sodium/water reactions, 580 (CONF-770807--Pt.E)
CRBRP steam generator modeling techniques for pressure excursions generated by sodium/water reactions, 5061
Creep and tensile properties of transition weld joint materials, 2496 (ORNL--5255)
Creep and rupture behavior of 2 1/4 Cr--1 Mo steel, 2531 (ORNL--5309)
Design, manufacturing, and test status of the CRBRP hockey stick steam generators, 1396 (GEFR-SP--042)
Design, manufacturing, and test status of the CRBRP hockey stick steam generators, 693 (CONF-781001--P1)
Design of the US-CRBRP sodium/water reaction pressure relief system, 379 (CONF-760735--2)
Design of the Clinch River Breeder Reactor steam generators, 1883 (IAEA-SM--225/24)
Disc-Donut-Tube wear test report, Phase I, 2906 (TID--27816)
Effect of heat treatment on tensile properties of annealed 2 1/4 Cr-1 Mo steel, 4479
Effect of sodium on the mechanical properties of 2 1/4 Cr--1 Mo steel, 2535 (ORNL--5309)
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 5093

Evaluation of Hydraulic Test Model (HTM) flow distribution test results, 1239 (GEFR--00114(L))
Evaluation of strain cycling effects in the DNB zone of the CRBR evaporators, 2332 (NEDM--14164)
Evaluation of prototypical CRBRP steam generator tube/tubesheet welds, 1304 (GEFR--00409)
Experimental evaluation of the flow distribution in the CRBRP modular steam generator, 4640
Fabrication inspection of tubing, tubesheets, and tube-to-tubesheet welds for the CRBRP steam generators, 1399 (GEFR-SP--046)
Fabrication and inspection of tubing, tubesheets, and tube-to-tubesheet welds for the CRBRP steam generators, 694 (CONF-781001--P1)
Final report on vacuum arc remelted tubesheet forging properties for CRBRP steam generators, 1282 (GEFR--00379)
Final summary report on characterization of CRBRP steam generator tubing, 1281 (GEFR--00378)
Friction, wear, and fretting: Clinch River Breeder Reactor steam generators (2¼ Cr--1 Mo), 1263 (GEFR--00322)
Heat-to-heat variation of 2 1/4 Cr--1 Mo steel, 2492 (ORNL--5255)
Heat transfer with hockey-stick steam generator, 1404 (GEFR-SP--070)
Heat transfer with hockey-stick steam generator, 699 (CONF-781001--P1)
Heat treatment for 2-1/4Cr-1Mo for application to sodium heated steam generators, 1267 (GEFR--00348)
History of the water chemistry for the few tube test model, 982 (CRBRP-GEFR--00465)
Influence of melting practice and heat treatment on the continuous cycling fatigue and subcritical crack growth properties of 2 1/4 Cr--1 Mo steel, 2678 (ORNL/TM--6782)
Inspection of boiler tubes: status and plans, 2638 (ORNL/TM--6081)
Interim analysis of the creep strain--time characteristics of annealed and isothermally annealed 2 1/4 Cr--1 Mo steel, 2494 (ORNL--5255)
Materials characterization: study of decarburization influence on mechanical properties of CRBR steam generator tubing, 1317 (GEFR--00432)
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
Metallurgical characterization of prototypic tubesheet forging, 2480 (ORNL--5255)
Microcleek wastage test results, 1270 (GEFR--00352)
Program plan: acoustic leak detection/location development at GE-ARSD, 2798 (SAN--0893-T1)
Release of bubbles from small leaks at steam generator tubesheet welds, 214 (ANL-CT--78-20)
Simplified thermal transient and inelastic analysis screening methods per appendix T, Code Case 1592 for 2 1/4 Cr-1 Mo steel, 4481
Small leak scoping tests: secondary tube failure test; sodium/water reaction flame photography, 2325 (NEDM--14137)
Some aspects of corrosion of 2 1/4 Cr--1 Mo evaporators by prototypic CRBRP water chemistry, 1231 (GEFR--00061(L))
State-of-the-art water chemistry of steam generators with emphasis on CRBRP specifications, 1326 (GEFR--00463)
Strain rate effects on the elevated-temperature tensile behavior of a bainitic 2 1/4 Cr--1 Mo steel, 4354
Suitability of 2--1/4Cr--1Mo steel for LMFBR Steam Generation System applications: a critique of NUREG-0367, 2923 (TID--28546)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2493 (ORNL--5255)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2534 (ORNL--5305)
Thermal aging of 2 1/4 Cr--1 Mo steel, 2544 (ORNL--5349)
Thermal/hydraulic performance test results of sodium-heated steam generator model employing a duplex tube, 5412
Thermal/hydraulic test results including critical heat flux conditions for a sodium-heated steam generator tube model, 2329 (NEDM--14150)
Vibration tests of a full scale water model of a Clinch River steam generator module, 2908 (TID--27821)
Welding for the CRBRP steam generators, 1411 (GEFR-SP--151)

CLINCH RIVER BREEDER REACTOR/SUPPORTS
Welding the core support plate for the Clinch River breeder reactor plant, USA, 4199

CLINCH RIVER BREEDER REACTOR/TECHNOLOGY ASSESSMENT
Clinch River Breeder Reactor Plant: a building block in nuclear technology, 3343
Department of Energy authorization. Volume IV. Hearings of the Committee on Science and Technology, U.S. House of Representatives, Ninety-Fifth Congress, Second Session, March 21, 22, and April 4, 1978, 4022

CLINCH RIVER BREEDER REACTOR/THERMAL INSULATION
Clinch River Breeder Reactor Plant nuclear insulation system material selection report, 1039 (DOE/TIC--11116)
Thermal insulation system design and fabrication specification (nuclear) for the Clinch River Breeder Reactor plant, 1038 (DOE/TIC--11115)

CLINCH RIVER BREEDER REACTOR/TRANSIENTS
Comparison of the behavior during a TUC of CRBR carbide reload designs to the reference oxide design, 3584
Feedback control systems for non-linear simulation of operational transients in LMFBRs, 317 (BNL-NUREG--25497)
Fuel-clad stress--strain state at the beginning of a transient (KRASS code), 459 (CONF-761001--P3)
Simulation of operational and safety transients in LMFBR systems (SSC Code), 305 (BNL-NUREG--23113)

CLINCH RIVER BREEDER REACTOR/VOID COEFFICIENT
Extrapolation of ZPR sodium void measurements to the power reactor, 398 (CONF-761001--P2)

CLINCH RIVER BREEDER REACTOR/WELDED JOINTS
Transition joint welding: life test article fabrication, 1311 (GEFR--00422)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2671 (ORNL/TM--6679)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2672 (ORNL/TM--6679/R1)

CLOSURES/BEARINGS
Rotating plug bearing and seal (Patent; LMFBR), 4364

CLOSURES/CONTROL SYSTEMS
Self locking drive system for rotating plug of a nuclear reactor (Patent), 3062

CLOSURES/DESIGN
Nuclear reactor core servicing apparatus (Patent; LMFBR), 4255
Rotary plug (Patent), 5394

CLOSURES/FOULING
Sodium vapor deposition on a simulated model of an LMFBR rotating shield plug annulus (2), 3823 (JAPFNR--398)
Sodium vapor deposition on a simulated model of an LMFBR rotating shield plug annulus (1), 3824 (JAPFNR--405)

CLOSURES/SEALS
Adsorption seal for nuclear reactors (Patent; HTGR; LMFBR), 3839
Core disruptive accident margin seal (Patent), 3762
Core disruptive accident margin seal (Patent), 3302
Maintenance system for immersed seals, specifically for nuclear reactors (Patent; LMFBR rotating closure plugs) 4420
Maintenance device for liquid seals in nuclear reactors (Patent), 3765
Plug-to-plug gas transfer system (Patent; LMFBR closure head plug), 3761
Self locking drive system for rotating plug of a nuclear reactor (Patent), 3790

CLOSURES/SEAS
Rotating plug bearing and seal (Patent; LMFBR), 4364

CLOSURES/STRESS ANALYSIS
Dynamic structural response of LMFBR head closures to hypothetical core disruptive accidents, 3541

CLOSURES/THERMAL INSULATION
Heat insulating system for the horizontal closing surfaces for a liquid metal cooled nuclear reactor (Patent), 3803 (ANL-Trans--1120)

CNEN
(Comitato Nazionale Energia Nucleare.)

CNEN/LMFBR TYPE REACTORS
CNEN program on advanced LMFBR fuels, 4824

COAL/RESEARCH PROGRAMS
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)

COAL/SYNTHETIC FUELS
Dynamic model of the United States energy system: a tool for energy R and D planning, 5297

COAL GASIFICATION/FORECASTING
Impact of the new energy technologies, 4534

COAL GASIFICATION PLANTS/MATERIALS
Microstructural objectives for high-temperature alloys in advanced energy systems, 3349

COAL LIQUEFACTION PLANTS/ECONOMIC ANALYSIS
Energy Economic Data Base (EEDB) Program: Phase I, Volume I. Final report, 956 (COO--4954-1(Vol.1))
Energy Economic Data Base (EEDB) Program: Phase I, Volume II. Final report, 957 (COO--4954-1(Vol.2))

COAL LIQUEFACTION PLANTS/MATERIALS
Microstructural objectives for high-temperature alloys in advanced energy systems, 3349

COAL-FIRED MHD GENERATORS/RESEARCH PROGRAMS
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)

COATING (SURFACE)
See SURFACE COATING

COAXIAL CABLES/PERFORMANCE TESTING
MgO insulated coaxial instrument cable development for FFTF in-vessel temperature and voltage conditions, 1790 (HEDL-TME--77-98)

COAXIAL CABLES/SEALS
Nuclear instrumentation cable end seal (Patent), 3297

COLD TRAPS/CLEANING
Experiments on cold trap regeneration by NaH decomposition (LMFBR), 1030 (DOE/TIC--11039)

COLD TRAPS/CORROSION PRODUCTS
Radioactive impurities trapping by the BOR-60 cold trap, 2338 (NIIAR-P--2(296))

COLD TRAPS/DEPOSITS
Sodium hydride precipitation in sodium cold traps, 1029 (DOE/TIC--11038)

COLD TRAPS/DESIGN
Procedure and equipment for regenerating cooling traps in liquid metal circuits (Patent), 5215
Sodium water reaction (SWR) cleanup system study and improved designs of cold trap for SWR cleanup of LMFBR

plants, 2318 (NEDM--14090)
COLD TRAPS/EFFICIENCY
Development of cold traps (LMFBR), 5194
COLD TRAPS/FISSION PRODUCTS
Radioactive impurities trapping by the BOR-60 cold trap, 2338 (NIIAR-P--2(296))
COLD TRAPS/FLUID FLOW
Turbulent hydraulic penetration from turbulent pipe flow into stagnant columns (LMFBR), 2915 (TID--28198)
COLD TRAPS/PERFORMANCE
Impurity interaction analysis in mesh-packed cold traps (LMFBR), 3806
Performance analysis of mesh-packed cold traps (LMFBR), 3468
COLD TRAPS/PERFORMANCE TESTING
Meshless cold trap: a performance evaluation (LMFBR), 3594
Meshless cold trap a performance evaluation by test and analysis (LMFBR), 2294 (LMEC--77-6)
COLUMBIUM
See NIOBIUM
COMBINED-CYCLE POWER PLANTS/EVALUATION
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))
Systems descriptions and engineering costs for solar-related technologies. Volume IV. Conventional technologies for electric utility applications, 2307 (MTR--7485(Vol.4))
COMMON MARKET/NUCLEAR POWER
Perspectives of nuclear energy development in European countries, 4509
COMPTON SPECTROMETERS
Fission product monitoring in the sodium coolant during operation of a fast reactor, 4584 (KFK-tr--522)
COMPUTER CODES/A CODES
ALICE: a hybrid Lagrangian-Eulerian code for calculating fluid-structure interaction transients in fast-reactor containment (LMFBR), 157 (ANL--79-72)
ANS54: a computer subroutine for predicting fission gas release, 2469 (NUREG/CR--1213)
Automated common cause analysis using AUTOCC (For input to COMCAN II, in FORTRAN IV for CDC), 2769 (RE-A--78-241)
User's guide to APACHE: a three-dimensional finite element program for steady-state or transient heat conduction analysis (LMFBR), 3018 (WARD-SD--3045-13)
COMPUTER CODES/B CODES
BRENDA; a dynamic simulator for a sodium-cooled fast reactor power plant, 2293 (NUREG/CR--0244)
On the optimization of a fast high-power reactor of LMFBR type by means of a non-convex programming mathematical model (Doubling time, SUMT method.), 4985
COMPUTER CODES/C CODES
Automated common cause analysis using AUTOCC (For input to COMCAN II, in FORTRAN IV for CDC), 2769 (RE-A--78-241)
CLAYMORE code and its use for describing coolant boiling in LMFBR subassemblies, 3746
COMCAN II; a computer program for common cause failure analysis (LMFBR), 2941 (TREE--1269)
COMCAN II-A: a computer program for automated common cause failure analysis (LMFBR), 2943 (TREE--1361)
COMMIX-1: a three-dimensional transient single-phase component computer program for thermal-hydraulic analysis (LMFBR), 2435 (NUREG/CR--0785)
CORA: transient analysis code for a cluster of reactor core assemblies, 1642 (HEDL-SA--1838-FP)
CORTRAN code for temperature predictions in an LMFBR during a natural circulation transient, 2756 (PNL-SA--7521)
Couple F: a computer program which models thermal-hydraulic and dimensional change behavior of a multi-pin FBR fuel assembly, 1789 (HEDL-TME--77-96)
Crab user's manual, 2449 (NUREG/CR--0872)
CREEP-PLAST II user's manual, 2626 (ORNL/TM--5868)
Development and preliminary verification of CORTAC-3D (LMFBR), 1290 (GEFR--00396)
KEDAK program compendium. Part VII: CALCUL-calculation, 2168 (KFK--2387(Pt.7))
Pretest prediction of the W-1 SLSF experiment using the COMMIX-1A computer code (LMFBR), 2443 (NUREG/CR--0816)
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors (CURL-I code), 599 (CURL--53)
User's manual for finite-element computer code, CREEP-PLAST, 215 (ANL-CT--78-21)
Users' guide to CACECO containment analysis code (LMFBR), 1845 (HEDL-TME--79-22)
COMPUTER CODES/D CODES
DILATE: a 2-d structural program for the dilation response of hexagonal ducts, 1855 (HEDL-TME--79-72)
DISTAV calculation code for determining sodium temperatures in deformed helicoid wire pin bundles in fast neutron reactors, 3483 (ANL-Trans--1140)
Loop heat capacity models and their effects for DEMO natural circulation transient analysis (LMFBR), 2987 (WARD-NC--3045-2)
COMPUTER CODES/E CODES
ENERGY 1A: a modified version of the ENERGY 1 thermal-hydraulic computer code for LMFBR wire wrap spacer fuel assemblies, 1766 (HEDL-TME--77-53)
EPIC: a computer program for fuel-coolant interactions, 436 (CONF-761001--P3)
EPRI--CURL dynamic analysis of loop type LMFBRs. Final report, 1105 (EPRI-NP--1001)
EVAP users manual, 1128 (EPRI-NP--1190-SR)
EXCURS: a computing programme for analysis of core transient behaviour in a sodium cooled fast reactor, 2139 (JAERI-M--7280)
Numerical model of reactor fuel and coolant motions following pin failure (LMFBR; EPIC code), 4336
Prototype Large Breeder Reactor. Phase II extension. Volume II. ELTEMP program update, 2914 (TID--28195)
COMPUTER CODES/F CODES
FIC: a finite element code for calculating added mass and damping coefficients. User's manual (LMFBR), 246 (ANL-CT--79-46)
FISGAS: a code for fission-gas migration and fuel swelling in an LMFBR accident, 2465 (NUREG/CR--1124)
FLEX: a code for calculating neutron flux microdistributions in lattices consisting of hexagonal fuel assemblies, 3842
FRESS pin failure model and its application to E-8 TREAT test, 1017 (DOE/TIC--10099)
FRODA - a program for the analysis of frequency dynamics experiments, 363 (CEGB-RD/B/N--3414)
FTHOC-2D: a computer program for two-dimensional fluid-transient analysis by the method of characteristics, 219 (ANL-CT--78-26)
FULMIX-II: a computer program for steady-state thermal-hydraulic analysis of wire wrapped rod bundles (LMFBR), 1318 (GEFR--00436)
FX2-TH: a two-dimensional nuclear reactor kinetics code with thermal-hydraulic feedback, 142 (ANL--78-97)
Generalized parametric model for transient gas release and swelling in oxide fuels (LMFBR; FRAS and PFRAS codes), 4327
Three-dimensional thermal-hydraulic analysis of wire-wrapped rods in liquid-metal fast breeder reactor core assemblies (FATHOM), 4381
COMPUTER CODES/H CODES
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2191 (KFK--2546)
HAARM-3 users manual (LMFBR), 301 (BMI-NUREG--1991)
HTFLO: a computer model of a resistively-heated UO_2 pin with a rate-dependent heat capacity (LMFBR), 2889 (SAND--79-1693)
Sensitivity analysis of the HAARM-3 code (LMFBR aerosol agglomeration), 2417 (NUREG/CR--0527)
User's manual heatup closed cell H and V failure transient analysis code (LMFBR), 1820 (HEDL-TME--78-57)
COMPUTER CODES/I CODES
Icepel analysis of and comparison with simple elastic--plastic piping experiments (LMFBR), 148 (ANL--78-105)
COMPUTER CODES/K CODES
Flux synthesis programme KASY for the approximate solution of the three-dimensional multigroup-neutron-diffusion-equation. Present state, planned improvements and applications to reactor design problems, 4719
Fuel-clad stress--strain state at the beginning of a transient (KRASS code), 459 (CONF-761001--P3)
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2191 (KFK--2546)
KADIS: a program to analyze the disassembly phase of hypothetical accidents in (LMFBRs), 5462 (DOE-tr--113)
KADIS: a program to analyse the disassembly phase of hypothetical accidents in LMFBRs, 2189 (KFK--2497)
KINTIC-2 user's manual (LMFBR), 2190 (KFK--2508)
COMPUTER CODES/L CODES
Accident of sodium steam generator element - LEWISA program, 992 (CS-INIS--199)
Development of LIFE4-CN: a combined code for steady-state and transient analyses of advanced LMFBR fuels, 828 (CONF-790884--2)
Life: III fuel-element performance code (LMFBR), 1132 (ERDA--77-56)
LIMBO computer code for analyzing coolant-voiding dynamics in LMFBR safety tests, 161 (ANL--79-91)
Los Alamos Failure Model (LAFM): a code for the prediction of LMFBR fuel pin failure, 2228 (LA--7161-MS)
COMPUTER CODES/M CODES
Computational analysis of fuel--sodium interactions with an improved method (MURTI code), 433 (CONF-761001--P3)
MELT-IIIB: an updated version of the melt code (LMFBR), 1836 (HEDL-TME--78-108)
MIPLO: a graphic program for the representation of temperature distributions in bundles with hexagonal rod configuration used in connection with MISTRAL-II (LMFBR), 3812 (EURFNR--1427)
User's guide to MAT3D: a three-dimensional finite element mesh generator program for eight-node isoparametric elements, 3017 (WARD-SD--3045-12)
COMPUTER CODES/N CODES
NUBOW-2D inelastic: a FORTRAN program for static two-dimensional structural analysis of bowed reactor cores, including effects of irradiation creep and swelling

(LMFBR), 194 (ANL-CT--77-34)
NUBOW-3D (inelastic): a FORTRAN program for the static three-dimensional structural analysis of bowed reactor cores including the effects of irradiation creep and swelling (LMFBR), 213 (ANL-CT--78-19)
NUFACTS--Nuclear Fuel Cycle Activity Simulator: reference manual. Final report, 2933 (TID--29052)
COMPUTER CODES/O CODES
On the optimization of a fast high-power reactor of LMFBR type by means of a non-convex programming mathematical model (Doubling time, SUMT method.), 4985
COMPUTER CODES/P CODES
Calculation program for fast reactor design, 2. Multi-dimensional perturbation theory code based on diffusion approximation: PERKY (LMFBR), 2137 (JAERI-M--6993)
Development and application of the PLANS computer program for analysis of nuclear reactor structural components (LMFBR), 2617 (ORNL/Sub--4485/1)
Development of the PLANS computer program for elastic--plastic-creep analysis of nuclear reactor structural components, 2618 (ORNL/SUB--4485/2)
Evaluations of the piping system inelastic analysis computer program PIRAX2 (LMFBR), 24 (AI-DOE--13216)
Generalized parametric model for transient gas release and swelling in oxide fuels (LMFBR; FRAS and PFRAS codes), 4327
PACT 2: probabilistic analysis of coolant and cladding temperatures (LMFBR), 1309 (GEFR--00417)
Parametric approach to LMFBR safety evaluation (PARSEC code), 5258
PECS-III: probabilistic evaluation of cladding lifetime in LMFBR fuel pins, 1245 (GEFR--00256)
PIPER: a new fast reactor fuel pin performance code, 2025 (IWGFR--5)
PLENUM-2: a two-region outlet plenum model, 212 (ANL-CT--78-16)
PLENUM-2A: a program for transient analysis of LMFBR outlet plenums, 239 (ANL-CT--79-17)
Pressure transient analysis in piping systems including the effects of plastic deformation and cavitation (PTA-2 code), 218 (ANL-CT--78-24)
PROSA-1: a probabilistic response-surface analysis code (LMFBR), 128 (ANL--78-56)
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity (LMFBR), 554 (CONF-770807--55)
PTA-1-RD: a computer program for analysis of pressure transients in hydraulic networks including the effects of noninstantaneous rupture discs (LMFBR), 222 (ANL-CT--78-32)
PTAC: a computer program for pressure-transient analysis, including the effects of cavitation (LMFBR), 82 (ANL--78-4)
PUMA: a technique for LMFBR blanket fuel management analysis, 3929
Treatment of incoherencies and uncertainties in LMFBR LOF accident analysis with PARSEC, 441 (CONF-761001--P3)
Treatment of dependencies in reliability analyses (LMFBR; PROBCALC Code), 3324
COMPUTER CODES/R CODES
ARC System fuel cycle analysis capability, REBUS-2, 165 (ANL--7721)
Decay heat of fission products and actinides of the SNR 300 (RASPA code), 2015 (ITE--76.08)
RODMOD: a code for control rod positioning (LMFBR), 2571 (ORNL--5466)
COMPUTER CODES/S CODES
Application of the SIMMER-I code to LOF accidents in an LMFBR, 2230 (LA--7194-MS)
Comparison of fuel pin deformations with pressurized tube creep tests, 4248
Computer code for SEURBNUK-2 for fast reactor explosion containment safety studies, 295 (AWRE--49/91/87)
Computer code SEURBNUK-2 for fast reactor containment safety studies, 3897
SACRD: a data base for fast reactor safety computer codes, general description, 2573 (ORNL--5477/V1)
SACRD: a data base for fast reactor safety computer codes, contents and glossary of Version 1 of the system, 2574 (ORNL--5477/V2)
SCRAP: input, output, and source listings, 248 (ANL-CT--79-48)
SCRAP: theory and modeling considerations (LMFBR), 249 (ANL-CT--79-49)
SIFAIL: a subprogram to calculate cladding deformation and damage for fast reactor fuel pins, 1851 (HEDL-TME--79-34)
SIMBO: a simple boiling model of the response of a simulated sodium-cooled breeder reactor subassembly to an undercooling transient, 2653 (ORNL/TM--6343)
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2405 (NUREG/CR--0453(Vol.1))
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2410 (NUREG/CR--0453(Vol.2))
SIMMER-II code and its applications (LMFBR), 2281 (LA-UR--79-1918)
SIMPLE-2: a computer code for calculation of steady-state thermal behavior of rod bundles with flow sweeping, 4564
Simulation of operational and safety transients in LMFBR systems (SSC Code), 305 (BNL-NUREG--23113)
SOWACS-3: a code for analyzing the system effects of large-leak sodium-water reactions in steam generators for LMFBR's, 5180
SPQR: a Monte Carlo reactor kinetics code (LMFBR), 2686 (ORNL/TM--7086)
Users' manual for the SSC-L code (LMFBR), 2408 (NUREG/CR--0452(Vol.1))
COMPUTER CODES/T CODES
Lagrangian finite-difference calculations of an explosion in a partially water-filled rigid cylindrical tank (TOODY code), 2833 (SAND--77-1394)
Pressure pulse propagation in piping analytical/experimental comparison (TRANSWRAP code), 2331 (NEDM--14161)
TEMP: a computer code to calculate fuel pin temperatures during a transient (LMFBR), 1735 (HEDL-TME--75-85)
THI3D-1: a computer program for steady-state thermal-hydraulic multichannel analysis (LMFBR), 52 (ANL--77-15)
TP1, a computer program for the calculation of reactivity and kinetic parameters by one-dimensional neutron transport perturbation theory (LMFBR), 2204 (KFK--2738)
TRIPOLI 01, a three-dimensional polykinetic Monte Carlo program. Pt.2. Constant data input and results obtained for a complex bench-mark example, 344 (CEA-CONF--3834(Pt.2))
TWOD-2: two-dimensional finite element fuel pin analysis code, 1321 (GEFR--00442)
COMPUTER CODES/V CODES
VENTURE: a code block for solving multigroup neutronics problems applying the finite-difference diffusion-theory approximation to neutron transport, version II (LMFBR), 2476 (ORNL--5062/R1)
CONCRETES
See also PRESTRESSED CONCRETE
REINFORCED CONCRETE
CONCRETES/ACOUSTIC MEASUREMENTS
Acoustic wave measurements in reator-grade concretes, 557 (CONF-770807--Pt.E)
CONCRETES/ACOUSTIC TESTING
Acoustic wave measurements in reactor-grade concretes, 5114
CONCRETES/CHEMICAL REACTION KINETICS
Large scale sodium interactions. Part 2. Preliminary test results for limestone concrete, 2821 (SAND--77-1059C)
Large scale sodium interactions. Part 3. Chemical phenomena with limestone concrete, 2826 (SAND--77-1095C)
Measurement of the penetration of liquid sodium into limestone concrete, 2848 (SAND--78-0078C)
Time-resolved penetration measurements of liquid sodium into limestone concrete, 2866 (SAND--78-1336C)
CONCRETES/CHEMICAL REACTIONS
Chemical phenomenology of the sodium/limestone concrete interaction, 3653
Measurement of the penetration of liquid sodium into limestone concrete, 3654
Sodium engineering and technology. Quarterly progress report, January, February, March 1977, 1757 (HEDL-TME--77-36)
Sodium interaction with limestone concrete test results, 3652
CONCRETES/COMPRESSION STRENGTH
Clinch River Breeder Reactor Plant. Technical review, Fall 1977, 988 (CRBRP-PMC--77-04)
Strength properties of concrete at elevated temperatures, 772 (CONF-790408--3)
Uniaxial compressive strengths of concrete for temperatures reaching 1033 K, 3811
CONCRETES/CRACKS
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
CONCRETES/DECOMPOSITION
Experimental and theoretical studies on water and gas release from heated concrete (LMFBR), 1497 (HEDL-SA--1380)
Heat and mass transport processes of a horizontal melting or decomposing layer under a molten pool, 4992
Influence of gas generation on high-temperature melt/concrete interactions, 2862 (SAND--78-0939C)
Intermediate scale sodium-concrete reaction tests, 1791 (HEDL-TME--77-99)
Large-scale sodium interactions: preliminary test results for limestone concrete, 4763
Model and computer code for energy and mass transport in decomposing concrete and related materials (LMFBR), 2891 (SAND--79-1733C)
Post-accident conditions: I. Fast reactor debris bed experiments. II. Molten core penetration measurements, 2863 (SAND--78-1223C)
Thermal behavior of concrete (LMFBR), 2824 (SAND--77-1093C)
Thermal behavior of concrete (LMFBR), 4764
Transient heat transfer in concrete, 734 (CONF-781079--4)
CONCRETES/DEHYDRATION
Interactions of LMFBR core debris with concrete, 506 (CONF-761001--P4)
CONCRETES/ELASTICITY
Strength properties of concrete at elevated temperatures, 772 (CONF-790408--3)

CONCRETES/EROSION
Acoustic diagnostic techniques for post-accident heat removal experiments (LMFBR), 507 (CONF-761001--P4)
CONCRETES/FRACTURE PROPERTIES
Concrete failure modes at elevated temperatures, 96 (ANL-78-10)
CONCRETES/MICROSTRUCTURE
Concrete failure modes at elevated temperatures, 96 (ANL-78-10)
CONCRETES/RESEARCH PROGRAMS
Plan for the determination of mechanical and thermal properties of concretes to temperatures of 621°C (1150°F), 2646 (ORNL/TM-6234)
CONCRETES/SORPTIVE PROPERTIES
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG-50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG-50820)
CONCRETES/THERMAL CONDUCTIVITY
Transient heat transfer in concrete, 734 (CONF-781079--4)
CONCRETES/THERMAL STRESSES
Advanced safety analysis thirteenth quarterly report, September--November 1977 (LMFBR), 1378 (GEFR--14038-13)
Concrete failure modes at elevated temperatures, 96 (ANL-78-10)
CONSERVATION (ENERGY)
See ENERGY CONSERVATION
CONTAINMENT
(Means and methods for preventing the escape of fission products to the atmosphere, particularly in the case of reactor accidents.)
See also CONTAINMENT BUILDINGS
CONTAINMENT SHELLS
CONTAINMENT SYSTEMS
CONTAINMENT/CLOSURES
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 1978 (INIS-mf--4592)
CONTAINMENT/COMPUTER CODES
Application of containment codes to LMFBRs in the United States, 592 (CONF-770817--4)
CONTAINMENT/HYDRODYNAMICS
Analysis of mechanical HCDA consequences with ARES for demonstration of primary containment integrity in SNR-300, 5046
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 5032
Response of fast reactor primary containments to whole core accident loadings, 1979 (INIS-mf--4592)
CONTAINMENT/MATHEMATICAL MODELS
Simulation of LMFBR excursion models by means of ICECO, 551 (CONF-770807--52)
Structural dynamics in LMFBR containment analysis. A brief survey of computational methods and codes, 564 (CONF-770807--Pt.E)
CONTAINMENT/PRESSURE GRADIENTS
Vapor transport and pressure rise behind the liner of reactor containments, 1977 (INIS-mf--4592)
CONTAINMENT BUILDINGS
Analysis of LMFBR containment response to a core-disruptive accident, 3620
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
CONTAINMENT BUILDINGS/AEROSOLS
Behavior of sodium--oxide and uranium--oxide aerosols in a large vessel (LMFBR), 809 (CONF-790816--18)
Preliminary results of CSTF aerosol behavior test, AB-1 (LMFBR), 1498 (HEDL-SA--1381)
CONTAINMENT BUILDINGS/AIR CLEANING SYSTEMS
Containment air cleaning for LMFBRs, 1605 (HEDL-SA--1713-FP)
CONTAINMENT BUILDINGS/IMPACT SHOCK
Potential hazard to secondary containment from HCDA-generated missiles and sodium fires (LMFBR), 2778 (SAN--0115-097-T1)
CONTAINMENT BUILDINGS/PERFORMANCE
Review of containment transients in a 2500 MW/sub t/ sodium cooled breeder reactor following postulated core disruptive accidents, 107 (ANL--78-10)
CONTAINMENT BUILDINGS/SEALS
Device for providing a leak-tight penetration for electric cables through a reactor vault roof (Patent; LMFBR), 3265
Process for the continuous control of the seal and strength of the containment of a reactor utilizing said process (Patent; LMFBR), 4266 (ANL-Trans--1111)
CONTAINMENT BUILDINGS/SPECIFICATIONS
Design and licensing of a flexible dual-containment approach (PWR, BWR, LMFBR), 4633
CONTAINMENT BUILDINGS/STRESS ANALYSIS
Analysis and application of prestressed concrete reactor vessels for LMFBR containment, 3542
Analysis of nonlinear fluid-structure interaction in LMFBR containment, 3544
Potential hazard to secondary containment from HCDA-generated missiles and sodium fires (LMFBR), 2778 (SAN--0115-097-T1)
CONTAINMENT BUILDINGS/STRESSES
LMFBR containment performance studies with a simple computer code, 4018
CONTAINMENT SHELLS
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part III: reactor assembly - deck. Part IV: reactor assembly - fabrication, 1085 (EPRI-NP--882(Vol.3))
Sealed heat access area enclosure (Patent), 3763
Splitting method for computing coupled hydrodynamic and structural response, 4404
Three-dimensional finite-element computations of the transient response of components typical of a reactor structure (SADCAT code), 790 (CONF-790802--52)
CONTAINMENT SHELLS/DEFORMATION
Comparison of transient PCRV model test results with analysis, 787 (CONF-790802--49)
CONTAINMENT SHELLS/DYNAMIC LOADS
Computer code SEURBNUK-2 for fast reactor containment safety studies, 3897
CONTAINMENT SHELLS/LEAK DETECTORS
Abnormal condition detector of a reactor container (Patent; LMFBR), 5182
CONTAINMENT SHELLS/LEAK TESTING
Method of continuous testing for leak-tightness and mechanical resistance of a reactor vessel jacket and a reactor in which said method is employed (Patent; LMFBR), 3786
CONTAINMENT SHELLS/LINERS
High Temperature Liner Feature Test, FT-3 (LMFBR), 1793 (HEDL-TME--77-102)
Leakage effects on LMFBR cell liners, 2861 (SAND--78-0742C)
CONTAINMENT SHELLS/REACTOR COOLING SYSTEMS
Leakage effects on LMFBR cell liners, 2861 (SAND--78-0742C)
CONTAINMENT SHELLS/REACTOR MATERIALS
Intermediate scale sodium-concrete reaction tests (LMFBR) 1791 (HEDL-TME--77-99)
CONTAINMENT SHELLS/SPECIFICATIONS
Composite containment for nuclear power (LWR, LMFBR, HTGR and HWR), 534 (CONF-770807--)
CONTAINMENT SHELLS/STRESS ANALYSIS
Circumferential wave propagation effects in thin cylindrical vessels, 572 (CONF-770807--Pt.E)
Comparison of ALICE predictions with SRI flexible vessel experiments (LMFBR), 3196
Composite containment for nuclear power (LWR, LMFBR, HTGR and HWR), 534 (CONF-770807--)
Eulerian finite-difference calculations of explosions in partially water-filled overstrong cylindrical containment vessels, 2832 (SAND--77-1342)
Eulerian method for large-displacement fluid-structure interaction in reactor containments, 4883
New Eulerian hydrodynamic technique for analyzing FBR containment with complex internal structures, 3194
CONTAINMENT SHELLS/THERMAL STRESSES
Heat transfer and thermal losses in above-core regions (LMFBR), 2279 (LA-UR--79-1230)
CONTAINMENT SYSTEMS
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Pool-type LMFBR Plant 1000 MWe phase a-extension-1 design. Part I. Executive summary. Interim report, 1086 (EPRI-NP--882-SY(Vol.1))
Reactor containment vessel (Patent; LMFBR), 5322
Response of secondary containment to presence of sodium and hydrogen, 1415 (GEFR-SP--171)
Sodium-water reaction product container for liquid metal cooled fast breeders (Patent), 5342
CONTAINMENT SYSTEMS/AEROSOLS
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2442 (NUREG/CR--0799)
CONTAINMENT SYSTEMS/AIR FILTERS
Acoustic and turbulent agglomeration of sodium aerosols. Final report, October 1, 1975--July 31, 1978, 932 (COO--2801-9)
CONTAINMENT SYSTEMS/COMPARATIVE EVALUATIONS
Comparison of containment systems for large sodium-cooled breeder reactors, 1810 (HEDL-TME--78-35)
CONTAINMENT SYSTEMS/DEFORMATION
Comparisons of REXCO and ICEPEL code calculations with tests of plastically deformable pipes filled with compressible fluids (LMFBR), 4759
CONTAINMENT SYSTEMS/DYNAMIC LOADS
COVA programme for the validation of computer codes for fast reactor containment studies, 3771
CONTAINMENT SYSTEMS/HEAT TRANSFER
Users' guide to CACECO containment analysis code (LMFBR), 1845 (HEDL-TME--79-22)
CONTAINMENT SYSTEMS/HYDRODYNAMICS
Users' guide to CACECO containment analysis code (LMFBR), 1845 (HEDL-TME--79-22)
CONTAINMENT SYSTEMS/LEAKS
Analyzing containment leakage from a sodium fire by the response surface method, 3370
CONTAINMENT SYSTEMS/LINERS
Vapor transport and pressure rise behind the liner of reactor containments, 5034
CONTAINMENT SYSTEMS/PERFORMANCE
Analytical validation of the CACECO containment analysis

code (LMFBR), 1840 (HEDL-TME--79-2)
CONTAINMENT SYSTEMS/PRESSURE GRADIENTS
Vapor transport and pressure rise behind the liner of reactor containments, 5034
CONTAINMENT SYSTEMS/RADIOACTIVITY TRANSPORT
HAARM-3 users manual (LMFBR), 301 (BMI-NUREG--1991)
LMFBR safety program. Quarterly technical progress report, April--June 1977 (Sodium, fuel, and fission product aerosol behavior), 42 (AI-ERDA--13205)
Quarterly technical progress report. Reactor safety, April--June 1978 (Sodium, fuel, and fission product aerosol behavior), 1136 (ESG-DOE--13242)
Reactor safety quarterly technical progress report, January--March 1978 (Sodium, fuel, and fission product aerosol behavior), 37 (AI-DOE--13234)
Reactor safety. Quarterly technical progress report, October--December 1978 (Sodium, fuel, and fission product aerosol behavior), 1150 (ESG-DOE--13264)
CONTAINMENT SYSTEMS/SCRUBBERS
Acoustic and turbulent agglomeration of sodium aerosols. Quarterly progress report, October 1, 1977--December 31, 1977 (LMFBR), 931 (COO--2801-8)
Acoustic and turbulent agglomeration of sodium aerosols. Progress report, January 1, 1977--December 31, 1977 (LMFBR), 930 (COO--2801-7)
CONTAINMENT SYSTEMS/STRESS ANALYSIS
Analysis of LMFBR containment response using a multifield implicit continuous-fluid Eulerian code (MICE), 3539
Comparison of ICECO code predictions with COVA experimental data (LMFBR), 3197
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 553 (CONF-770807--54)
Reactor development program progress report, July--August 1977 (LMFBR), 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977 (LMFBR), 271 (ANL-RDP--63)
Reactor Development Program. Progress report (LMFBR), 272 (ANL-RDP--64)
Reactor development program progress report, March 1978 (LMFBR), 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978 (LMFBR), 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978 (LMFBR), 278 (ANL-RDP--70)
Reactor development program. Progess report, June 1978 (LMFBR), 280 (ANL-RDP--72)
Structural dynamics in LMFBR containment analysis: a brief survey of computational methods and codes, 538 (CONF-770807--37)
Structural and containment response to LMFBR accidents, 726 (CONF-781022--27)
CONTAINMENT SYSTEMS/STRESSES
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code (MICE code), 552 (CONF-770807--53)
CONTAINMENT SYSTEMS/TESTING
Sodium oxide aerosol study: NSPP runs 101 to 105, data record report (LMFBR), 2608 (ORNL/NUREG/TM--179)
Tests in support of LMFBR, 4493
CONTROL ELEMENTS
See also SCRAM RODS
Guiding system for a control rod (Patent), 5357
Method and apparatus for controlling the neutron flux in nuclear reactors (Patent), 3131
Method and equipment for the performance reduction of a nuclear reactor during temperature increase (Patent), 3363
Reactor control rod (Patent), 5231
CONTROL ELEMENTS/DESIGN
Control rod for fast breeder, 5339
Control rod assembly for nuclear reactor (Patent; LMFBR), 5377
Variable flow control for a nuclear reactor control rod (Patent; LMFBR), 3428
CONTROL ELEMENTS/DISPLACEMENT GAGES
Monitoring device for nuclear reactor control rods (Patent), 3558
Tubular gage for a liquid-metal-cooled fast breeder reactor (Patent), 4473
CONTROL ELEMENTS/FABRICATION
Control rod assembly for liquid metal fast breeder reactors, 2765 (RDT-E--6-33T(Ammend.1)(6-78))
CONTROL ELEMENTS/INTERFERENCE
Interference of neutron-absorbing control rods in a large power fast reactor, 1859 (IAE--2842)
CONTROL ELEMENTS/OPERATION
Fast shutdown device for a nuclear reactor (Patent), 3480
Nuclear reactor control (Patent), 3055
CONTROL ELEMENTS/PERFORMANCE TESTING
Breeder reactor reference control materials. Semiannual report, January--June 1977, 1768 (HEDL-TME--77-58)
Breeder reactor reference control materials. Semiannual report, July--December 1977, 1797 (HEDL-TME--77-109)
Breeder reactor reference control materials. Semiannual status newsletter, January--June 1978, 1822 (HEDL-TME--78-69)
LMFBR reference control materials. Semiannual report, July--December 1976 (LMFBR), 1754 (HEDL-TME--77-33)
CONTROL ELEMENTS/RESEARCH PROGRAMS
LMFBR reference control materials. Semiannual report, July--December 1976 (LMFBR), 1754 (HEDL-TME--77-33)
CONTROL ELEMENTS/RUPTURES
B_4C absorber pin in-reactor rupture test, 3967
CONTROL ELEMENTS/TEMPERATURE EFFECTS
Correlation for boron carbide helium release in fast reactors, 1457 (HEDL-SA--1189-FP)
CONTROL ELEMENTS/TESTING
Control rod assembly for liquid metal fast breeder reactors, 2765 (RDT-E--6-33T(Ammend.1)(6-78))
CONTROL EQUIPMENT
See also FLOW REGULATORS
FLUIDIC CONTROL DEVICES
CONTROL EQUIPMENT/DESIGN
Apparatus for controlling coolant level in a liquid-metal-cooled nuclear reactor (Patent), 3454
CONTROL ROD DRIVES
Control rod drives (Patent; LMFBR), 5315
Drive for control rod of a nuclear reactor (Patent; LMFBR), 4425
Scram rod system for nuclear reactors (Patent; LMFBR), 4605
CONTROL ROD DRIVES/CONTROL SYSTEMS
Automatic control mechanism for nuclear reactor scram (Patent), 3559
CONTROL ROD DRIVES/DESIGN
Control rod and/or instrument tree assembly (Patent; LMFBR), 4419
Control rod drive mechanism (Patent; LMFBR), 5200
Control rod drive for a nuclear reactor (Patent), 3401
Position control device for a control rod (Patent; LMFBR) 5174
System for guiding a control rod (Patent; LMFBR), 5355
CONTROL ROD DRIVES/SEALS
Method of controlled maintenance of reactor (Patent; LMFBR), 5386
CONTROL ROD EFFECTIVENESS
See CONTROL ROD WORTHS
CONTROL ROD WORTHS
Control rod interactions in ZPPR-7G, a heterogeneous LMFBR benchmark assembly, 3677
Effective method for estimating multiple control rod worths in large fast reactors, 4402
CONTROL RODS
See CONTROL ELEMENTS
CONTROL SYSTEMS
(For automated processes including feedback.)
See also ON-LINE CONTROL SYSTEMS
REACTOR CONTROL SYSTEMS
CONTROL SYSTEMS/DESIGN
Equipment for inspection of austenitic stainless steel pipe welds, 1656 (HEDL-SA--1932)
Self locking drive system for rotating plug of a nuclear reactor (Patent), 3062
CONTROL THEORY (REACTOR)
See REACTOR KINETICS
CONVECTION
(Heat transfer by convection.)
Sodium natural convection from a vertical plate, 4169
COOLANT CLEANUP SYSTEMS
Method for removing fission products from a nuclear reactor coolant (Patent; for ^{137}Cs, ^{131}I, and tritium from sodium), 3791
Purification of sodium coolant by means of cold and hot traps and purification of the cover gas, 3313
Sampling and characterization of sodium-water reaction products, 2295 (LMEC--77-7)
COOLANT CLEANUP SYSTEMS/COLD TRAPS
Sodium water reaction (SWR) cleanup system study and improved designs of cold trap for SWR cleanup of LMFBR plants, 2318 (NEDM--14090)
COOLANT CLEANUP SYSTEMS/DESIGN
Heat transfer system in a fast breeder (Patent), 5176
Installation for purifying the liquid metal used for cooling the core of a fast neutron reactor (Patent), 4264 (ANL-Trans--1113)
Method of removing oxygen from molten metals in nuclear technology (Patent; LMFBR), 5380
Nuclear power plant with equipment for coolant cleaning (Patent), 3249
Primary and secondary sodium purification systems of fast reactors, 3785
Radionuclide trap (Patent; LMFBR), 3706
COOLANT CLEANUP SYSTEMS/OPERATION
Tasks of and methods for impurity control in sodium loops, 4383
COOLANT CLEANUP SYSTEMS/PERFORMANCE
Recent work on sodium-cooled reactor purification systems, 1519 (HEDL-SA--1446)
COOLANT CLEANUP SYSTEMS/TRAPS
Progress in radionuclide trap development (LMFBR), 1783 (HEDL-TME--77-85)
COOLANT LOOPS
See also IN PILE LOOPS
REACTOR COOLING SYSTEMS
COOLANT LOOPS/FIRE HAZARDS
Safety of high-parameter sodium loop, 5141
COOLANT LOOPS/OPERATION
Operation manual for sodium-measuring equipment test loop, 2737 (PNC-N--952-76-04)
COOLANTS
(See also specific coolant materials.)
See also ORGANIC COOLANTS

COOLANTS/CAVITATION
Bulk coolant cavitation in LMFBR containment loading following a whole-core explosion, 5051
COOLANTS/STANDARDS
Methods for the analysis of sodium and cover gas, 2767 (RDT-F--3-40T)
COOLANTS/THERMODYNAMIC PROPERTIES
High temperature properties of nuclear reactor coolants and thermodynamic power cycle working fluids. Technical progress report, December 1, 1977--November 30, 1978 (LMFBR), 939 (COO--3027-37)
COOLERS
See HEAT EXCHANGERS
COOLING SYSTEM (REACTOR)
See REACTOR COOLING SYSTEMS
COOLING SYSTEMS
See also COOLANT LOOPS
REACTOR COOLING SYSTEMS
COOLING SYSTEMS/DESIGN
Cooling system for the high wall of a nuclear reactor vessel (Patent; LMFBR), 5365
COPPER/PHYSICAL RADIATION EFFECTS
Radiation effects in structural materials, 3328
COPPER ALLOYS/SWELLING
Influence of fast diffusing substitutional elements on the swelling behaviour of Ni- and Cu-alloys, 4955
CORE CATCHERS
Apparatus of holding molten fuel in a reactor (Patent), 5328
Core catcher in a reactor (Patent), 5316
Core debris behavior and interactions with concrete, 593 (CONF-770817--5)
Observations on effects of stainless steel on UO_2-graphite interactions, 3656
Protection device for reactor safety (Patent; LMFBR), 5357
Protective coating for floor cooler (Patent; LMFBR), 4470
Safety equipment in a reactor (Patent; LMFBR), 5212
CORE CATCHERS/ABLATION
Survey of melt interactions with core retention material (LMFBR), 2888 (SAND--79-1685C)
CORE CATCHERS/AFTER-HEAT REMOVAL
Safety equipment for a reactor (Patent), 5214
CORE CATCHERS/COMPATIBILITY
Interactions of refractories and reactor materials with sodium, 4328
CORE CATCHERS/DECOMPOSITION
Heat and mass transport processes of a horizontal melting or decomposing layer under a molten pool (BWR; PWR; LMFBR), 4992
CORE CATCHERS/DESIGN
Apparatus for controlling molten core debris (Patent; LMFBR), 5455
Apparatus for retaining molten fuel in a reactor (Patent; LMFBR), 5208
Bottom cooler for nuclear reactors (Patent), 3799
Nuclear core debris collecting tray (Patent; LMFBR), 4258
Nuclear reactor core catching apparatus (Patent), 3797
Nuclear reactor (Patent; LMFBR), 4292
Safety equipment of a reactor (Patent; LMFBR), 5207
Safety equipment in a reactor (Patent; LMFBR), 5177
CORE CATCHERS/HEAT TRANSFER
Heat transfer by natural convection in confined medium (LMFBR), 101 (ANL--78-10)
CORE CATCHERS/PERFORMANCE
Method for estimating the performances of an internal core-catcher in a pool-type LMFBR, 102 (ANL--78-10)
CORE CATCHERS/PERFORMANCE TESTING
Interaction of heat-generating molten uranium dioxide with magnesia brick (LMFBR), 4674
Molten core interactions with commercial firebricks (LMFBR), 3204
Retention of molten core debris pools in composite sacrificial beds (LMFBR), 951 (COO--4261-10)
CORE CATCHERS/REACTOR MATERIALS
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978 (LMFBR), 2451 (NUREC/CR--0900)
CORE CATCHERS/THERMAL INSULATION
Core catcher tub with thermal insulation (Patent), 3260
CORE CATCHERS/THERMAL SHOCK
Interactions between molten core debris and core containment materials (LMFBR), 4675
CORIUM/AFTER-HEAT REMOVAL
Natural-convection heat transfer in a bed of fuel debris cooled at both top and bottom (LMFBR), 4015
Radiative heat transfer in a horizontal molten fuel layer with volumetric heating (LMFBR), 4016
Survey of melt interactions with core retention material (LMFBR), 2888 (SAND--79-1685C)
CORIUM/BOILING
Boiling glow regimes for carbide fuel and steel (LMFBR), 4003
Flow regime observations in two-phase volume-heated boiling pools (LMFBR), 4778
Fuel dispersal experiments with simulant fluids (LMFBR), 476 (CONF-761001--P4)
CORIUM/CHEMICAL REACTIONS
Interactions between molten-core debris and reactor materials, 3655
Sustained molten steel/concrete interactions tests: a preliminary report on the feasibility of experimental techniques, 2389 (NUREG/CR--0166)
CORIUM/COMPATIBILITY
Debris bed and sacrificial materials interactions at high temperatures (LMFBR), 3993
CORIUM/CREEP
Effect of creep on thermal fracturing in oxide crusts (LMFBR), 2855 (SAND--78-0255C)
CORIUM/CRITICALITY
Secondary criticality evaluations of postulated core melt-down accidents in early-sized LMFBR's, 1395 (GEFR-SP--037)
CORIUM/DRYOUT
Interpretation of debris bed dryout observed during the D-3 experiment (LMFBR), 3994
CORIUM/EVAPORATION
Condensation from a large HCDA vapor-gas bubble onto structures (LMFBR), 4005
CORIUM/FREEZING
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
CORIUM/HEAT FLUX
Studies of the formation and cooling of particulate fuel debris beds in sodium (LMFBR), 502 (CONF-761001--P4)
CORIUM/HEAT TRANSFER
Acoustic diagnostic techniques for post-accident heat removal experiments (LMFBR), 507 (CONF-761001--P4)
Debris bed studies and experiments at Sandia Laboratories (LMFBR), 2355 (NUREG/CR--0263)
Debris bed experiment No. 4: a preliminary look (LMFBR), 2894 (SAND--80-0217C)
Debris transport in horizontal piping (LMFBR), 4014
Effect of thermal stress on oxide crusts (LMFBR), 4677
Effect of radiative heat transfer on the thermal-fluid behavior of molten UO_2 (LMFBR), 4013
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978 (LMFBR), 2451 (NUREG/CR--0900)
Experimental investigations of heat transfer characteristics in liquid layers with internal heat sources (LMFBR), 503 (CONF-761001--P4)
Fast Reactor Safety Research Program. Quarterly report, January--March 1977 (LMFBR excursions, meltdown debris bed, sodium containment, and fuel motion detection), 2811 (SAND--77-0611)
First in-core molten fuel pool experiment (LMFBR), 2827 (SAND--77-1096C)
First in-core molten fuel pool experiment (LMFBR), 4673
Growth of molten core debris pools in concrete. Progress report, March 1, 1977--November 30, 1977 (LMFBR), 948 (COO--4261-4)
Heat removal from molten fuel pools (LMFBR), 504 (CONF-761001--P4)
Heat transfer and fluid dynamics in a volume-heated boiling pool (LMFBR), 505 (CONF-761001--P4)
Heat transfer from a round-bottom pool generating heat internally (LMFBR), 4676
Interaction of heat-generating molten uranium dioxide with magnesia brick (LMFBR), 4674
Interactions between molten core debris and core containment materials (LMFBR), 4675
Onset of thermal convection in a fluid-saturated porous layer with heat source (LMFBR), 4672
Status of the post accident heat removal program at GfK for fast breeder reactors, 84 (ANL--78-10)
Studies of the formation and cooling of particulate fuel debris beds in sodium (LMFBR), 502 (CONF-761001--P4)
Thermal interactions of a molten core debris pool with surrounding structural materials (LMFBR), 827 (CONF-790816--61)
CORIUM/HYDRAULICS
Debris transport in horizontal piping (LMFBR), 4014
Effect of radiative heat transfer on the thermal-fluid behavior of molten UO_2 (LMFBR), 4013
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
CORIUM/HYDRODYNAMICS
Analytical and experimental studies of transient fuel freezing (LMFBR), 482 (CONF-761001--P4)
Dynamics of solidification of flowing fluids with applications to LMFBR post-accident fuel relocation, 483 (CONF-761001--P4)
Hydrodynamic model for treating transient freezing in pin bundles (LMFBR), 481 (CONF-761001--P4)
CORIUM/LIQUID FLOW
Boiling glow regimes for carbide fuel and steel (LMFBR), 4003
CAMEL seven-pin fuel sweepout tests (LMFBR), 3998
Clad relocation dynamics: the physics and accident evolution implications (LMFBR), 475 (CONF-761001--P4)
Cladding relocation experiments (LMFBR), 474 (CONF-761001--P4)
Experiments on pressure-driven fuel compaction with reactor materials (LMFBR), 478 (CONF-761001--P4)
Experimental investigations of heat transfer characteristics in liquid layers with internal heat sources (LMFBR), 503 (CONF-761001--P4)
Heat removal from molten fuel pools (LMFBR), 504 (CONF-

761001--P4)
Heat transfer and fluid dynamics in a volume-heated boiling pool (LMFBR), 505 (CONF-761001--P4)
Mechanistic model of fuel flow regimes and fuel plateout in LMFBR overpower accidents, 4001
System hydraulic effects on fuel sweepout in the hypothetical TOP accident (LMFBR), 3995
Transient fuel solidification and relocation from core during transition-phase conditions (LMFBR), 4002
CORIUM/MOTION
Fast Reactor Safety Research Program. Quarterly report, January--March 1977 (LMFBR excursions, meltdown debris bed, sodium containment, and fuel motion detection), 2811 (SAND--77-0611)
CORIUM/SIMULATION
Experiments in the formation of particulate debris beds by contact of molten core debris with sodium (LMFBR), 4671
First in-reactor experiment with simulated LMFBR debris bed, 4670
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1976--December 31, 1978, 923 (COO--2571-15)
CORIUM/SOLIDIFICATION
Effects of noncondensible void fraction on freezing of flowing fluids (LMFBR), 4777
Mechanistic model of fuel flow regimes and fuel plateout in LMFBR overpower accidents, 4001
Transient fuel solidification and relocation from core during transition-phase conditions (LMFBR), 4002
CORIUM/TEMPERATURE DISTRIBUTION
Debris bed experiment No. 4: a preliminary look (LMFBR), 2894 (SAND--80-0217C)
Ground temperatures surrounding a molten fuel pool (LMFBR), 1478 (HEDL-SA--1324-F)
CORIUM/THERMAL CONDUCTIVITY
Effect of thermal stress on oxide crusts (LMFBR), 4677
LMFBR fuel analysis. Task B: Post-accident heat removal. Final report, October 1, 1976--September 30, 1977, 2377 (NUREG/CR--0012)
CORIUM/THERMAL STRESSES
Acoustic diagnostic techniques for post-accident heat removal experiments (LMFBR), 507 (CONF-761001--P4)
Interactions of LMFBR core debris with concrete, 506 (CONF-761001--P4)
CORIUM/THERMODYNAMIC PROPERTIES
Aerosol characterization from a simulated HDCA. Annual report. NRC program A1171-2 (LMFBR), 2301 (MLM-MU--77-70-0004)
Equations of state for LMFBR materials, 479 (CONF-761001--P4)
Heat removal from molten fuel pools (LMFBR), 504 (CONF-761001--P4)
Hydrodynamic model for treating transient freezing in pin bundles (LMFBR), 481 (CONF-761001--P4)
CORIUM/TWO-PHASE FLOW
Effects of noncondensible void fraction on freezing of flowing fluids (LMFBR), 4777
Flow regime observations in two-phase volume-heated boiling pools (LMFBR), 4778
CORIUM/VAPOR CONDENSATION
Condensation from a large HCDA vapor-gas bubble onto structures (LMFBR), 4005
CORIUM/VOID COEFFICIENT
Bubble collapse reactivity increases in boiling fuel/steel pools (LMFBR), 4789
CORIUM/VOID FRACTION
Volume-heated boiling pool flow behavior and application to transition phase accident conditions (LMFBR), 310 (BNL-NUREG--24984)
CORROSION FATIGUE/TEST FACILITIES
High temperature corrosion fatigue, 2895 (SERI/TP--31-248(Vol.2)(Pt.2))
CORROSION PRODUCTS/CHEMICAL COMPOSITION
Composition of the corrosion product oxide phases in the gaps of three LMFBR-type mixed oxide fuel pins, 3692
CORROSION PRODUCTS/DEPOSITION
Analysis of radioactive corrosion product transfer in sodium loop systems, 3496
CORROSION PRODUCTS/REMOVAL
Characterization of corrosion product deposits in sodium systems, 1523 (HEDL-SA--1452)
Economical removal of sodium water reaction products (SWRP) from an LMFBR intermediate heat transport system (IHTS), 523 (CONF-761107--28)
Removal of sodium/sodium water reaction products from the MSG by reaction with organic solvents (LMFBR), 2302 (MP--45-SA-002)
COUPLED FAST REACTOR MEASUREMENT FACILITY
See CFRMF REACTOR
COVER GAS
(Nonreactive gas covering the sodium coolant in a reactor vessel.)
Container for a liquid metal cooled reactor (Patent), 5333
Cover gas system in a reactor (Patent), 5321
COVER GAS/AEROSOLS
Natural evaporation of sodium under the conditions of mist formation, (2). Discussions of critical supersaturation model by observation and photographing of mist region, 3832
Sodium vapor deposition onto a horizontal flat plate above liquid sodium surface, (3). Concentration and diameter distributions of sodium mist in cover gas, 3780
COVER GAS/DROPLETS
Sodium mists behavior in cover gas space of an LMFBR: experimental study, 2144 (JAPFNR--406)
COVER GAS/HYDROGEN METERS
Electrochemical and physical methods for reactor diagnosis (LMFBR), 4069
COVER GAS/IMPURITIES
Problems of technology and corrosion in sodium coolant and cover gas (LMFBR), 3040 (ZfK--337)
COVER GAS/OXYGEN METERS
Electrochemical and physical methods for reactor diagnosis (LMFBR), 4069
COVER GAS/PURIFICATION
Apparatus for purifying a primary cover gas (Patent; LMFBR), 5196
COVER GAS/STANDARDS
Methods for the analysis of sodium and cover gas, 2767 (RDT-F--3-40T)
CRBR REACTOR
See CLINCH RIVER BREEDER REACTOR
CRITICAL ASSEMBLIES
See ZERO POWER REACTORS
CROLOY/PERMEABILITY
Tritium permeation through Fe-2 1/4 Cr-1 Mo steam generator material, 3273
CROSS SECTIONS
See also GROUP CONSTANTS
CROSS SECTIONS/NUCLEAR DATA COLLECTIONS
COVERX service module of the FORSS system (LMFBR), 2687 (ORNL/TM--7181)
KEDAK program compendium. Part VII: CALCUL-calculation, 2168 (KFK--2387(Pt.7))
CURIUM/TRANSMUTATION
Some preliminary investigations of the incineration of actinide waste from the UK and European nuclear power programmes, 1197 (EUR--5897)
Studies on recycling of actinides other than U and Pu, 1195 (EUR--5897)
CYCLES (THERMODYNAMIC)
See THERMODYNAMIC CYCLES
CZECHOSLOVAKIA/NUCLEAR POWER
Main trends of activities of the CMEA Standing Commission for Peaceful Uses of Atomic Energy, 4589

D

DATA ACQUISITION SYSTEMS
Microcomputer-controlled ultrasonic data acquisition system (LMFBR), 2663 (ORNL/TM--6531)
DATA ACQUISITION SYSTEMS/DESIGN
Equipment for inspection of austenitic stainless steel pipe welds, 1656 (HEDL-SA--1932)
DATA BASE MANAGEMENT
Manipulation of scientific data for nuclear energy calculations (COSMOS system), 3884
DECONTAMINATION
Experience with cleaning of sodium-wetted components and decontamination at Nuclear Research Centre Karlsruhe, 2115 (IWGFR--23)
DEFENSE
See NATIONAL DEFENSE
DELAYED NEUTRONS/EMISSION SPECTRA
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
DELAYED NEUTRONS/NEUTRON DETECTION
Process and apparatus for the detection and prelocalization of a can fracture in a fuel assembly of a fast nuclear reactor (Patent), 3092
DENATURED FUEL
Preliminary evaluation of alternative fuel cycle options utilizing fast breeders, 2563 (ORNL--5389)
DENATURED FUEL/ECONOMICS
Review of nuclear fuel cycle alternatives including certain features pertaining to weapon proliferation, 2845 (SAND--77-1727)
DENSITY/MEASURING METHODS
Errors in measuring level and density with purged dip tubes, 2634 (ORNL/TM--5995)
DESIGN BASIS ACCIDENTS
Assessment of structural dynamics problems in nuclear reactor safety, 2219 (KFK-EXT--8/78-5)
Reactor safety (PWR, BWR, HTGR, LMFBR), 5271
DESIGN BASIS ACCIDENTS/PRESSURE GRADIENTS
Experimental and theoretical studies on the pressure build-up of core materials in hypothetical accidents (LMFBR), 4216
DFR REACTOR/PERFORMANCE
Dounreay Project, 4922
DFR REACTOR/REACTOR COMPONENTS
UK fast reactor components: sodium removal decontamination and requalification, 2121 (IWGFR--23)
DFR REACTOR/REACTOR MAINTENANCE
UK fast reactor components: sodium removal decontamination and requalification, 2121 (IWGFR--23)
DISCHARGING (REACTOR)
See REACTOR FUELING
DISPERSION NUCLEAR FUELS
(A dispersion of nuclear fuel particles in a solid.)
DISPERSION NUCLEAR FUELS/FABRICATION

Dispersion nuclear fuel and process for its manufacture (Patent; LMFBR), 4448
DISPLACEMENT GAGES
Application of coded source x-radiography to the observation of nuclear fuel motion (LMFBR), 2844 (SAND--77-1724)
Eddy current position indicating apparatus for measuring displacements of core components of a liquid metal nuclear reactor (Patent), 4375
DISPLACEMENT GAGES/DESIGN
Tubular gage for a liquid-metal-cooled fast breeder reactor (Patent), 4473
DOSEMETERS/DESIGN
Fast reactor fluence dosimetry. Technical progress report, December 1976--May 1977, 40 (AI-ERDA--13198)
Fast reactor fluence dosimetry technical progress report for period January--March 1978, 38 (AI-DOE--13236)
DOUNREAY FAST REACTOR
See DFR REACTOR
DOUNREAY PROTOTYPE FAST REACTOR
See PFR REACTOR
D-T REACTORS/FORECASTING
Fission and fusion reactors. Critical issues facing the long term deployment of fission and fusion breeder reactors, 3375
DUAL-PURPOSE POWER PLANTS/DISTRICT HEATING
Load-varying operation of a nuclear power plant with fast breeder reactors, 3414
DUCTS/CRACKS
Cracked hexagonal ducts, 4482
Stress-intensity factors for irradiation-embrittled hexagonal subassembly ducts, 5087
DUCTS/DEFORMATION
Experiments on the response of hexagonal subassembly ducts to internal pressure pulses, 5089
Model for pressure in an LMFBR duct due to discharge of gas from a failed fuel pin, 5094
Proof tests of irradiated EBR-II ducts, 5091
DUCTS/PHYSICAL RADIATION EFFECTS
Proof tests of irradiated EBR-II ducts, 5091

E

EARTHQUAKES/GROUND MOTION
Study of vertical ground response spectrum shapes, 2800 (SAN--1011-114)
EBR-1 REACTOR/REACTOR OPERATION
Fast reactor operation in the United States, 673 (CONF-780407--6)
EBR-2 REACTOR
Effects of irradiation temperature, fluence, and heating rate on postirradiation flow properties of cladding under simulated temperature transient heating and deformation conditions, 4245
Estimates of time-dependent fatigue behavior of Type 316 stainless steel subject to irradiation damage in fast breeder and fusion power reactor systems, 4243
In-reactor deformation and fracture of austenitic stainless steels, 4232
Reassessment of the role of stress in development of radiation-induced microstructure, 4239
EBR-2 REACTOR/ACOUSTIC MONITORING
Acoustic leak detection-location. Quarterly technical progress report, April-June 1979, 1160 (ESG-DOE--13280)
Measurement of the acoustic noise background in the Experimental Breeder Reactor II, upper plenum, 191 (ANL-CT--77-29)
EBR-2 REACTOR/AFTER-HEAT REMOVAL
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1E, 257 (ANL/EBR--102)
Response of EBR-II to a complete loss of primary forced flow during power operation, 850 (CONF-800226--6)
Studies related to emergency decay heat removal in EBR-II, 823 (CONF-790816--57)
EBR-2 REACTOR/BIBLIOGRAPHIES
Bibliography of publications on Experimental Breeder Reactor No. II (EBR-II). 1955-July 1979, 260 (ANL/EBR--106)
EBR-2 REACTOR/BREEDING BLANKETS
Analysis of EBR-II blanket dosimetry, 833 (CONF-791051--16)
Effects of power and irradiation behavior on EBR-II blanket management, 4726
EBR-2 REACTOR/BURNUP
Effect of a time varying power level in EBR-II on mixed-oxide fuel burnup, 1629 (HEDL-SA--1759-FP)
Effect of a time-varying power level in EBR-II on mixed oxide fuel burnup, 3180
EBR-2 REACTOR/CALORIMETERS
Improved design for an active calorimeter, 4703
EBR-2 REACTOR/COLD TRAPS
Control of oxygen, hydrogen, and tritium in EBR-II sodium systems, 4027
Control of oxygen, hydrogen, and tritium in sodium systems at Experimental Breeder Reactor II, 2944 (UAC--41069)
EBR-2 REACTOR/CONTROL ELEMENTS
Sodium erosion of boron carbide from breached absorber pins, 1834 (HEDL-TME--78-104)
EBR-2 REACTOR/COOLANT CLEANUP SYSTEMS
Control of oxygen, hydrogen, and tritium in sodium systems at Experimental Breeder Reactor II, 2944 (UAC--41069)
Controlling cesium in the coolant of the Experimental Breeder Reactor II, 3072
Final safety analysis addendum to hazard summary report, experimental breeder reactor No. II (EBR-II): the EBR-II cover-gas cleanup system, 140 (ANL--78-89)
EBR-2 REACTOR/COVER GAS
EBR-II cover-gas cleanup system, 674 (CONF-780407--7)
EBR-2 REACTOR/DATA ACQUISITION SYSTEMS
Data systems in FFTF and EBR-II, 1668 (HEDL-SA--2022)
EBR-2 REACTOR/DOSIMETRY
Analysis of EBR-II blanket dosimetry, 833 (CONF-791051--16)
EBR-2 REACTOR/DUCTS
Irradiated EBR-II duct impact tests, 1777 (HEDL-TME--77-70)
Observations of dilation and bowing in Experimental Breeder Reactor II ducts and cladding, 3083
Parametric investigation of fracture of EBR-II ducts, 539 (CONF-770807--39)
Proof tests of irradiated EBR-II ducts, 5091
EBR-2 REACTOR/ENGINEERED SAFETY SYSTEMS
Reliability analysis applied to the SRM earthquake shutdown system (ESS), 258 (ANL/EBR--103)
EBR-2 REACTOR/FAILED ELEMENT DETECTION
Fission gas behavior in the EBR-II primary system, 4737
Fission-product releases to the primary system of EBR-II from April 1975 to March 1977, 152 (ANL--79-26)
Recent improvements in identifying fisson product sources in the Experimental Breeder Reactor II, 3491
Results of UO_2 diagnostic tests for run beyond cladding breach in EBR-II, 143 (ANL--78-99)
EBR-2 REACTOR/FAILED ELEMENT MONITORS
Computer modeling of the dynamic behavior of delayed-neutron concentrations in EBR-II, 3175
EBR-II fission-product-source Test No. 1. EBR-II project, 129 (ANL--78-58)
Efficacy of the EBR-II FERD system as an automatic trip device, 50 (ANL--76-94)
Identification of failed fuel element (Patent), 4257
EBR-2 REACTOR/FISSION PRODUCT RELEASE
Model to simulate the fission-product transport process in the Experimental Breeder Reactor II, 841 (CONF-791108--21)
EBR-2 REACTOR/FISSION YIELD
EDB-II validated, key fission product yields for fast reactor application, 2372 (NUREG/CP--0004(Vol.3))
Fission-rate measurements by activation techniques: methods, accuracies and applications (Development program), 1185 (EUR--5667(Pt.1))
EBR-2 REACTOR/FLOWMETERS
Interim ultrasonic sodium flow measurements on the EBR-II secondary system, 217 (ANL-CT--78-23)
EBR-2 REACTOR/FUEL ASSEMBLIES
EBR-2 experience with sodium cleaning and radioactivity decontamination, 2131 (IWGFR--23)
EBR-II environmental instrumented subassembly XX08: engineering and assembly, 83 (ANL--78-9)
EBR-II experience with sodium cleaning and radioactivity decontamination, 645 (CONF-780232--1)
Effects of power and irradiation behavior on EBR-II blanket management, 4726
Examination and evaluation of in-reactor fracture of shroud tubes in mixed-oxide-fuel experiment X159, 48 (ANL--76-44)
Experimental confirmation of the design to minimize vibration and wear in 61-pin wire-spaced EBR-II subassemblies, 3575
Experimental confirmation of the design to minimize vibration and wear in 61-pin wire-spaced EBR-II subassemblies, 1541 (HEDL-SA--1504-FP)
Operating limits for subassembly deformation in EBR-II, 594 (CONF-770822--5)
Performance of EBR-II MARK-II metallic driver fuel up to 675°C, 757 (CONF-790306--5)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Stress analysis of a nuclear reactor grid plenum assembly and its application to the EBR-II, 4541
Subassembly bowing experience in EBR-II, 5071
Terminal examination of the FSE and FSF EBR-II grid-spaced fuel assemblies, 1262 (GEFR--00321)
EBR-2 REACTOR/FUEL CANS
Analysis of various NDT techniques to determine their feasibility for detecting thin layers of ferrite on Type 316 stainless steel, 2746 (PNL--2805)
Observations of dilation and bowing in Experimental Breeder Reactor II ducts and cladding, 3083
Variability of cladding deformation of LMFBR fuel elements, 5107
EBR-2 REACTOR/FUEL CHANNELS
Proof tests of irradiated EBR-II ducts, 1939 (INIS-mf--4498)
EBR-2 REACTOR/FUEL CYCLE
Remote reprocessing of metal fuel for the EBR-II, 3145
Second electrolytic dissolution campaign of EBR-II fuel at ICPP, 1887 (ICP--1168)
EBR-2 REACTOR/FUEL ELEMENT CLUSTERS
Cooling of a simulated EBR-II subassembly with air and argon, 255 (ANL/EBR--100)
Proof tests of irradiated and unirradiated EBR-II

subassembly ducts, 544 (CONF-770807--44)
Subassembly bowing experience in EBR-II, 537 (CONF-770807--35)
Subassembly bowing experience in EBR-II, 1937 (INIS-mf--4498)
EBR-2 REACTOR/FUEL ELEMENT FAILURE
Experience with breached elements at EBR-II, 4733
Fission product control at EBR-II, 4734
Model to simulate the fission-product transport process in the Experimental Breeder Reactor II, 841 (CONF-791108--21)
Preparations at EBR-II for breached element operation, 4735
Results from experiment F11A after incurring cladding breach in EBR-II, 3573
Results of UO_2 diagnostic tests for run beyond cladding breach in EBR-II, 143 (ANL--78-99)
Safety related considerations for operation with defected elements in EBR-II, 405 (CONF-761001--P2)
EBR-2 REACTOR/FUEL ELEMENTS
Cumulative damage and Weibull analyses of EBR-II driver fuel lifetime, 3178
EBR-II experience on fission-product release from sodium-bonded fuel elements, 627 (CONF-771203--)
Experience in remotely fabricating EBR-II fuel, 3970
Fission-product releases to the primary system of EBR-II from April 1977 to May 1978, 153 (ANL--79-27)
Irradiation behavior of experimental Mark-II Experimental Breeder Reactor II driver fuel, 3058
Perspective on the EBR-II remote fabrication experience, 3179
Reactor development program. Progress report, 291 (ANL-RDP--83)
EBR-2 REACTOR/FUEL MANAGEMENT
Effects of power and irradiation behavior on EBR-II blanket management, 4726
EBR-2 REACTOR/FUEL PINS
Analysis of mixed oxide fuel irradiated in EBR-II: measured vs. predicted burnup, 1770 (HEDL-TME--77-60)
Performance of EBR-II MARK-II metallic driver fuel to 10 at.% burnup, 3574
Postirradiation examination results from experiment F11A (EBR-II subassemblies X141 and X141A), 1293 (GEFR--00399)
Statistical study of EBR-II fuel elements manufactured by the cold line at Argonne-West and by Atomics International, 64 (ANL--77-66)
EBR-2 REACTOR/HEAT EXCHANGERS
Design and operating experience of EBR-II Intermediate Heat Exchanger (IHX), 651 (CONF-780251--P2)
Design and operating experience of EBR-II intermediate heat exchanger, 847 (CONF-791205--18)
EBR-2 REACTOR/HYDROGEN METERS
Operational experience with EBR-II water-to-sodium leak detection system, 4727
EBR-2 REACTOR/IN CORE INSTRUMENTS
Design and fabrication of the EBR-II environmental instrumented subassembly: Test XXC7, 49 (ANL--76-78)
EBR-2 REACTOR/IN-SERVICE INSPECTION
Data-processing system for instrument maintenance and calibration at EBR-II, 253 (ANL/EBR--063)
Second mechanized in-service inspection of EBR-II steam generator, 138 (ANL--78-86)
EBR-2 REACTOR/IRRADIATION CAPSULES
Creep specimen container and EBR-II irradiation subassembly design, 3595
Design and use of the fission product source at EBR-II, 4736
EBR-2 REACTOR/LEAK DETECTORS
Operation of the water-to-sodium leak detection system at the experimental breeder reactor II, 3459
Sodium-to-gas leak detection. Annual technical progress report, government fiscal year 1977, 21 (AI-DOE--13211)
EBR-2 REACTOR/LOSS OF FLOW
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1E, 257 (ANL/EBR--102)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 7A, 259 (ANL/EBR--104)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1A, 256 (ANL/EBR--101)
Response of EBR-II to a complete loss of primary forced flow during power operation, 850 (CONF-800226--6)
EBR-2 REACTOR/NEUTRON FLUX
Analysis of EBR-II low-power dosimetry run 78C, 70 (ANL--77-76)
EBR-2 REACTOR/NEUTRON SPECTRA
EBR-II spectral parameters, Run 75D, 1826 (HEDL-TME--78-84)
EBR-2 REACTOR/ON-LINE MEASUREMENT SYSTEMS
Sodium sampling and impurity monitoring systems in U.S. breeder reactors, 1512 (HEDL-SA--1432)
EBR-2 REACTOR/OPTICAL EQUIPMENT
Radiation behavior of vitreous silica, 3843
EBR-2 REACTOR/PERSONNEL
Training experience at Experimental Breeder Reactor II, 691 (CONF-780563--2)
EBR-2 REACTOR/PRIMARY COOLANT CIRCUITS
Structural analyses of the EBR-II primary system piping for the EBR-II SHM operating conditions, 4731
EBR-2 REACTOR/RADIATION MONITORS
Response of EBR-II delayed-neutron monitor to tramp uranium and a fission product test source, 3680
EBR-2 REACTOR/RADIOACTIVE EFFLUENTS
Wake and dispersion models for the EBR-II building complex, 4624
EBR-2 REACTOR/RADIOACTIVE WASTE DISPOSAL
Waste production and management at EBR-II, 151 (ANL--79-14)
EBR-2 REACTOR/RADIOACTIVE WASTE MANAGEMENT
Radioactive waste management at a Liquid Metal Fast Breeder Reactor, 766 (CONF-790374--1)
EBR-2 REACTOR/RADIOACTIVITY TRANSPORT
Tritium and hydrogen transport in LMFBR systems: EBR-II, CRBR, and FFTF, 131 (ANL--78-64)
EBR-2 REACTOR/REACTIVITY
Correlations of calculated reactivities of EBR-II loadings, 3969
EBR-2 REACTOR/REACTIVITY INSERTIONS
Response of EBR-II to reactivity insertion, 46 (ANL--75-41)
EBR-2 REACTOR/REACTIVITY METERS
EBR-II wide-range reactivity meter, 4930
Practical power-reactor reactivity meter, 4236
EBR-2 REACTOR/REACTOR ACCIDENTS
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 5054
EBR-2 REACTOR/REACTOR COMPONENTS
EBR-2 experience with sodium cleaning and radioactivity decontamination, 2131 (IWGFR--23)
EBR-II experience with sodium cleaning and radioactivity decontamination, 645 (CONF-780232--1)
In-reactor deformation of solution annealed type 304L stainless steel, 4886
Investigations of materials compatibility relevant to the EBR-II system: FY 1977 and the transition period, 73 (ANL--77-86)
Investigations of materials compatibility relevant to the EBR-II system, FY 1978, 147 (ANL--78-104)
EBR-2 REACTOR/REACTOR CONTROL SYSTEMS
Practical power-reactor reactivity meter, 4236
Upgrading the EBR-II reactor shutdown system, 4720
EBR-2 REACTOR/REACTOR CORE RESTRAINTS
Property changes in fast-reactor core-support components due to low dose rate, long-time irradiation, 586 (CONF-770807--Pt.L)
EBR-2 REACTOR/REACTOR CORES
Effects of irradiation creep on ex-reactor mechanical properties, 4246
Experimental study of whole core thermal-hydraulic phenomena in EBR-II, 4300
Irradiation creep in bending of cold-worked AISI 316 stainless steel at low neutron fluence, 4247
Measurements of subassembly and core temperature distributions in an LMFBR, 5007
Physics design of a safety research modification of EBR-II, 4659
Property changes in fast-reactor core-support components due to low dose rate, long-time irradiation, 5119
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 5054
EBR-2 REACTOR/REACTOR EXPERIMENTAL FACILITIES
EBR-II Breached Fuel Test Facility, 824 (CONF-790816--58)
EBR-2 REACTOR/REACTOR INSTRUMENTATION
Data-processing system for instrument maintenance and calibration at EBR-II, 253 (ANL/EBR--063)
Data systems in FFTF and EBR-II, 1668 (HEDL-SA--2022)
EBR-2 REACTOR/REACTOR KINETICS
Catalog of rod-drop data from EBR-II runs 67-87, 164 (ANL--7542(Add.C))
Feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 4653
Radial-reactivity-coefficient weighting schemes for a fast reactor, 3682
Summary, analysis, and comparison of data from experiments with the EBR-II Mark IIB oscillator rod, 74 (ANL--77-87)
EBR-2 REACTOR/REACTOR MAINTENANCE
Computerized preventive-maintenance program for EBR-II reactor-associated mechanical and power-electrical components, 254 (ANL/EBR--071)
Data-processing system for instrument maintenance and calibration at EBR-II, 253 (ANL/EBR--063)
EBR-2 experience with sodium cleaning and radioactivity decontamination, 2131 (IWGFR--23)
EBR-II experience with sodium cleaning and radioactivity decontamination, 645 (CONF-780232--1)
Maintenance experience with sodium systems at Experimental Breeder Reactor II (EBR-I), 3923
Ten years' maintenance experience at EBR-II, 5436
EBR-2 REACTOR/REACTOR MATERIALS
Data and analyses for Inconel X750 springs irradiated in SURV-1, -3, -4, -5, and -6, 51 (ANL--77-11)
Investigations of materials compatibility relevant to the EBR-II system: FY 1977 and the transition period, 73 (ANL--77-86)
Investigations of materials compatibility relevant to the EBR-II system, FY 1978, 147 (ANL--78-104)
EBR-2 REACTOR/REACTOR OPERATION
Analytical study of the feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 116 (ANL--78-17)
EBR-II: summary of operating experience, 690 (CONF-

780963--1)
EBR-II operating experience, 1040 (DOE/TIC--11162)
EBR-II Project: Run 100, March 4 1979-April 15, 1979, 1041 (DOE/TIC--11163)
EBR-II Project: Run 99, January 3, 1979-February 22, 1979, 1042 (DOE/TIC--11164)
EBR-II Project: Run 104, October 7, 1979-December 3, 1979, 1043 (DOE/TIC--11165)
EBR-II Project: Run 101, April 16, 1979-June 25, 1979, 1044 (DOE/TIC--11166)
EBR-II Project: Run 102, June 25, 1979-August 20, 1979, 1045 (DOE/TIC--11167)
EBR-II Project: Run 103, August 20, 1979-October 6, 1979, 1046 (DOE/TIC--11168)
EBR-II operating experience, 595 (CONF-770822--6)
EBR-II: more than a decade of experience with an experimental LMFBR power plant, 5267
Fast reactor operation in the United States, 673 (CONF-780407--6)
Operating experience with experimental breeder reactor-II (EBR-II), 5288
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Reactor development program progress report, July 1978, 281 (ANL-RDP--73)
Reactor Development Program progress report, August 1978, 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978, 284 (ANL-RDP--76)
Reactor development program progress report, November 1978, 285 (ANL-RDP--77)
Reactor Development Program. Progress report, December 1978, 286 (ANL-RDP--78)
Reactor development program. Progress report, 287 (ANL-RDP--79)
Reactor development program progress report, March 1979, 289 (ANL-RDP--81)
Reactor development program. Progress report, 290 (ANL-RDP--82)
Reactor development program. Progress report, 291 (ANL-RDP--83)
Reactor development program. Progress report, July 1979, 293 (ANL-RDP--85)
Reactor development program. Progress report, 292 (ANL-RDP--84)
EBR-2 REACTOR/REACTOR PROTECTION SYSTEMS
Final safety analysis addenda to hazards summary report, Experimental Breeder Reactor II (EBR-II): upgrading of plant protection system. Volume I, 47 (ANL--76-34)
Safety philosophy in upgrading the EBR-II plant protection system, 404 (CONF-761001--P2)
EBR-2 REACTOR/REACTOR SAFETY
Development of technical specifications for EBR-II: some considerations for application to commercial LMFBR's, 422 (CONF-761001--P2)
LMFBR operational safety: the EBR-II experience, 728 (CONF-781022--30)
Operational-safety-testing experience at EBR-II, 822 (CONF-790816--55)
EBR-2 REACTOR/REACTOR SAFETY EXPERIMENTS
Experimentally based limits on SAREF test-fuel-motion reactivity feedback, 3645
EBR-2 REACTOR/REACTOR STABILITY
Experience with transient testing and simulation at EBR-II, 3659
EBR-2 REACTOR/RELIABILITY
Maintenance experience with sodium systems at Experimental Breeder Reactor II (EBR-I), 3923
EBR-2 REACTOR/SECONDARY COOLANT CIRCUITS
Analysis of EBR-II secondary sodium network for pressures pulses due to leaks of steam on water into sodium, 4543
Application of the pulsed-neutron activation technique for flow measurement at EBR-II, 61 (ANL--77-52)
Measurement of liquid sodium flow in the secondary system of the EBR-II by a neutron activation technique, 190 (ANL-CT--77-25)
EBR-2 REACTOR/SOLID FUELS
Possible metal and oxide fuel loadings of EBR-II utilizing $^{232}Th/^{233}U$, 3181
EBR-2 REACTOR/SPECIFICATIONS
Development of technical specifications for EBR-II: some considerations for application to commercial LMFBR's, 422 (CONF-761001--P2)
EBR-2 REACTOR/SPRINGS
Data and analyses for Inconel X750 springs irradiated in SURV-1, -3, -4, -5, and -6, 51 (ANL--77-11)
EBR-2 REACTOR/STEAM GENERATORS
Analysis of EBR-II steam-generator system for pressure pulses due to leaks of steam or water into sodium, 5062
Analysis of EBR-II steam-generator system for pressure pulses due to leaks of steam or water into sodium, 1973 (INIS-mf--4592)
Bore-side inspection of EBR-II steam generator tubes, 4732
Equipment for the nondestructive testing of 2-1/4 Cr-1 Mo duplex LMFBR steam generator tubing, 4343
Experimental evaluation of duplex tube heat transfer characteristics simulating steam generator external heating, 4369
First mechanized in-service inspection of EBR-II steam generator, 59 (ANL--77-46)
Nondestructive testing development program quarterly progress report for period ending March 31, 1977, 2508 (ORNL--5286)
Operational experience with EBR-II water-to-sodium leak detection system, 4727
Second mechanized in-service inspection of EBR-II steam generator, 138 (ANL--78-86)
Ultrasonic inspection of liquid-metal fast breeder reactor steam generator duplex tubing, 3051
EBR-2 REACTOR/THERMOCOUPLES
Brazed thermocouple pass-through for sodium service in a liquid-metal-cooled fast breeder reactor, 5415
EBR-2 REACTOR/TRANSIENTS
Experience with transient testing and simulation at EBR-II, 3659
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 5054
EBR-2 REACTOR/ULTRASONIC TESTING
Bore-side inspection of EBR-II steam generator tubes, 4732
EBR-2 REACTOR/WIND
Wake and dispersion models for the EBR-II building complex, 4624
ECCS
(Emergency core cooling system.)
Emergency cooling system of a nuclear reactor (Patent; LMFBR type reactors), 5401
Inherent emergency cooling of liquid metal fast breeder reactors by natural circulation, 631 (CONF-771203--)
Liquid metal cooled reactor (Patent), 5145
Nuclear reactor core cooling arrangement (Patent; LMFBR), 3758
ECCS/CONTROL SYSTEMS
Apparatus for controlling a core cooling system in case of emergency (Patent; LMFBR), 5379
Control equipment for emergency cooling system (Patent; LMFBR), 5343
Control system for emergency core cooling system (Patent) 5392
ECCS/DESIGN
Emergency core cooling device (Patent; LMFBR), 5313
ECCS/HYDRODYNAMICS
Hydrodynamics of emergency cooling of a sodium-cooled fast reactor, 1901 (INIS-mf--4280)
ECN/COORDINATED RESEARCH PROGRAMS
Annual report 1978, 2006 (INIS-mf--5244)
ECONOMICS
Alternative fuel cycles for breeder reactors, 665 (CONF-780401--)
Application of an LP model to breeder strategy studies, 770 (CONF-790402--20)
Assessment of economic incentives for the liquid metal fast breeder reactor, 5437
Availability analysis of commercial fast breeder reactor's steam generator system, 4602
Basic ideas on the development of fuel elements for fast breeder reactors, 2172 (KFK--2416)
Characteristics of the combined operation of thermal and fast power reactors, 4348
Clinch River reload core design study. Volume II: recommended core design evaluation, 1261 (GEFR--00320(vol.2))
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))
Comparative analysis of three of ERDA's major R and D programs, 3377
Comparison of the capital costs of light water reactor and liquid metal fast breeder reactor power plants, 2762 (RAND/R--2441-ACDA)
Considerations for commercializing the liquid metal fast breeder reactor, 1060 (EMD--77-5)
Core design of sodium-cooled fast breeders (SNR) with regard to strategic design targets, 3893
Core design: fuel management as a balance between in-core efficiency and economics, 3713
Cost/benefit and risk/benefit analyses in LMFBR program

planning, 4102
Detective rod and accident experiments, 2178 (KFK--2416)
Economic aspects of the development of nuclear power and fuel cycle industry in the USSR, 4315
Effect of core design changes on the doubling time and the fuel cycle cost of a 1,000 MWe LMFBR, 4128
Effect of steam cycle conditions upon the economics and design of a sodium-cooled fast reactor, 4129
Energy gap and the fast reactor, 4450
Examination of alternative nuclear breeding methods, 2755 (R--2267-DOE)
Fast reactor program reprocessing project-pyrochemical head-end preliminary technical and economic evaluation, 5454 (PNL-TR--356)
Fuel pin fission gas plenum location study, 1285 (GEFR--00390)
Fuel recycling, 4926
General Electric/Bechtel prototype large breeder reactor (PLBR), 4116
Guidebook to nuclear reactors, 3318
HEDL contribution to SRL fuel recycle program: quarterly report for April, May, and June 1977, 1675 (HEDL-TC--502-2)
High power fast reactors with combined use of uranium-235 and plutonium, 5419
How the architect-engineer manages design objectives and restraints for optimizing sodium cooled reactors, 4130
Impact of delays in plutonium use on the stationary growth rate of fast breeder reactor fuel, 958 (COO/4116--1)
Importance of the fast breeder for our energy supply, 1994 (INIS-mf--4816)
Incorporating the utility viewpoint in the design of the prototype large breeder reactor (PLBR), 4125
Interim assessment of the denatured ^{233}U fuel cycle: feasibility and nonproliferation characteristics, 2564 (ORNL--5398(Exec.Summ.))
Intermediate heat exchanger development for the Clinch River Breeder Reactor Plant, 4855
Investigation of the growth rate for joint fast breeder reactor and light water reactor operation, 943 (COO--4116-3)
Liquid metal fast breeder reactor, 4927
LMFBR: logic and technology, 623 (CONF-771203--)
Low-decontamination approach to a proliferation-resistant fuel cycle, 3366
Mathematical model for an integrated nuclear power syster, 4205
MIT LMFBR blanket research project. Quarterly progress report, July 1, 1977--September 30, 1977, 903 (COO--2250-30)
MIT LMFBR blanket physics project progress report No. 7, July 1, 1975--September 30, 1976, 901 (COO--2250-28)
MIT LMFBR Blanket Research Project. Quarterly progress report, October 1, 1977--December 31, 1977, 904 (COO--2250-31)
Nuclear design and economic comparison of a conventional and bullseye liquid-metal fast breeder reactor core, 3135
Nuclear fuel fabrication and refabrication cost estimation methodology, 2670 (ORNL/TM--6640)
Nuclear power plant, 5448
NUFACTS--Nuclear Fuel Cycle Activity Simulator: reference manual. Final report, 2933 (TID--29052)
Optimisation of a once-through steam generator for LMFBR, 4096
Optimisation of fuel design in relation to reactor performance and the conflicting demands of other parts of the fuel cycle, 4106
Optimization system design studies of advanced carbide fuel, 4848
Optimization of intermediate heat exchangers for sodium cooled fast breeder reactors, 4098
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 911 (COO--2426-133)
Performance of thorium fueled fast breeders, 1482 (HEDL-SA--1327-S)
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 664 (CONF-780401--)
Planning for the future generation, 3108
Politics of reprocessing, 3732
Radiation shield design for LMFBR spent-fuel shipping casks, 2814 (SAND--77-0971C)
Reactor technology. Atomic structure, 4287
Reliability technology in LMFBR optimisation, 4112
Review of nuclear fuel cycle alternatives including certain features pertaining to weapon proliferation, 2845 (SAND--77-1727)
Risk aversion and energy policy: a case for breeder research and development, 5441
Sensitivity analysis for fast reactor fuel cycle cost, 4717
Some considerations on fast breeder reactor penetration in Italy, 5262
Some plutonium recycle program fuel cycles having reduced proliferation characteristics, 3367
Statistical operation of nuclear power plants, 5264
Status of fast breeder development, 4386
Strategy for the practical utilization of thorium fuel cycles, 733 (CONF-781042--2)
Study of alternative boiler feed pump arrangements for a civil fast reactor, 4123
Systems descriptions and engineering costs for solar-related technologies. Volume I. Summary, 2306 (MTR--7485(Vol.1))
Systems descriptions and engineering costs for solar-related technologies. Volume IV. Conventional technologies for electric utility applications, 2307 (MTR--7485(Vol.4))
Temperature conditions in an LMFBR power plant from primary sodium to steam circuits, 4095
Thermal and economic performance of heterogeneous carbide-fueled reactors, 3966
Thorium assessment study quarterly progress report, third quarter fiscal 1977, 2636 (ORNL/TM--6025)
Tribology: research and development needs in advanced energy technology, 1459 (HEDL-SA--1191(Rev.))
UK strategy and programmes for advanced LMFBR fuels, 4819
Unique features of a sodium-cooled fast-breeder reactor, 375 (CONF-681093--)
Uranium availability and the breeder decision, 1131 (EQL-Memo--8)
World's power development and importance of nuclear power, 3830

EFR REACTOR
See JOYO REACTOR

ELECTRIC CABLES
See also COAXIAL CABLES

ELECTRIC CABLES/PERFORMANCE
High voltage instrument cables for 650°C in-vessel breeder reactor service, 1651 (HEDL-SA--1903-FP)

ELECTRIC CABLES/SEALS
Device for providing a leak-tight penetration for electric cables through a reactor vault roof (Patent; LMFBR), 3265
System of penetration of a nuclear reactor slab for measurement cables (LMFBR type reactors (Patent)), 5201

ELECTRIC POWER/DEMAND FACTORS
Role of nuclear power in the next few decades, 4621

ELECTRIC POWER/RESEARCH PROGRAMS
Power/energy progress report: a pastiche of developments promises near and long-term applications, 3841

ELECTRIC POWER INDUSTRY/ECONOMIC ANALYSIS
EVAP users manual, 1128 (EPRI-NP--1190-SR)

ELECTRIC UTILITIES/ECONOMETRICS
Econometric analysis of energy over the next 75 years, 4915

ELECTRICAL EQUIPMENT/RELIABILITY
Fast reactor safety. Quarterly technical progress report, July--September 1977 (LMFBR), 1776 (HEDL-TME--77-68)

ELECTROMAGNETIC PUMPS
Electromagnetic pump for FBR, 4565
Electromagnetic pump for fast breeder reactor, 4314
Large electro-magnetic pump for high temperature LMFBR applications, 4262

ELECTROMAGNETIC PUMPS/DESIGN
Annular linear induction pump with an externally supported duct (Patent), 3081
Conduction centrifugal electromagnetic pump (LMFBR), 3814

ELECTROMAGNETIC PUMPS/EFFICIENCY
Annular linear induction pump with an externally supported duct (Patent), 3081

ELECTROMAGNETIC PUMPS/FEASIBILITY STUDIES
Electromagnetic pumps for large pool-concept LMFBR, 1130 (EPRI-NP--1265)

ELECTROMAGNETIC PUMPS/OPERATION
Design and operating experience of electromagnetic pumps in the primary and secondary circuits of the BR-10 facility, 1951 (INIS-mf--4525)

ELECTROMAGNETIC PUMPS/OPTIMIZATION
Design and optimization of the electromagnetically energized liquid metal direct current conduction pumps, 1891 (IKE--5-203)

ELECTROMAGNETIC PUMPS/PERFORMANCE
Design and operating experience of electromagnetic pumps in the primary and secondary circuits of the BR-10 facility, 1951 (INIS-mf--4525)
Experimental study results of the TsLIN-5/700 cylindrical linear induction pump, 2351 (NIIEFA-A--0345)

ELECTROMAGNETIC PUMPS/PERFORMANCE TESTING
Results of experimental researches of electromagnetic pumps for the BOR-60 reactor, 1950 (INIS-mf--4525)

ELECTROMAGNETIC PUMPS/SPECIFICATIONS
Design and production technology of the TsLIN 5/700 electromagnetic pump, 1949 (INIS-mf--4525)
Electromagnetic pumps for large pool-concept LMFBR, 1130 (EPRI-NP--1265)

ELECTRONIC CIRCUITS/RESEARCH PROGRAMS
High-temperature electronics: an overview, 2892 (SAND--79-2319A)

EMERGENCY CORE COOLING SYSTEM
See ECCS

EMERGENCY RODS
See SCRAM RODS

ENERGY CONSERVATION
Carter puts nuclear power in strong position, 4532
Tribology: research and development needs in advanced energy technology, 1459 (HEDL-SA--1191(Rev.))

ENERGY CONSERVATION/FORECASTING
Impact of the new energy technologies, 4534

ENERGY DEMAND/FORECASTING
Impact of the new energy technologies, 4534

ENERGY MODELS

Dynamic model of the United States energy system: a tool for energy R and D planning, 5297
ENERGY POLICY
See also NATIONAL ENERGY PLAN
Alternate perspective on long-range energy options, 862 (CONF-770613O--)
Carter plan generally backed except on breeders, scrubbers, 4533
Impact of the new energy technologies, 4534
ENERGY POLICY/ENVIRONMENTAL IMPACTS
Analysis of ERDA's national energy plan, 4871
ENERGY POLICY/GLOBAL ASPECTS
Analysis of ERDA's national energy plan, 4871
ENERGY POLICY/SOCIAL IMPACT
Analysis of ERDA's national energy plan, 4871
ENERGY SOURCES
See also NUCLEAR FUELS
RENEWABLE ENERGY SOURCES
ENERGY SOURCES/COMPARATIVE EVALUATIONS
THoughts on the energy situation, 3919
ENERGY SOURCES/FORECASTING
Power into the 21st century, 4175
ENGINEERED SAFETY SYSTEMS
See also AIR CLEANING SYSTEMS
CONTAINMENT SYSTEMS
ECCS
LMFBR design transients and regulatory requirements, 3657
Reactor safety (PWR, BWR, HTGR, LMFBR), 5271
Tank of sodium cooled fast reactor (Patent), 5358
Vapor generator system equipment for fast breeder reactor (Patent), 5384
ENGINEERED SAFETY SYSTEMS/AIR CLEANING SYSTEMS
Experimental evaluation of acoustic agglomerators as an air cleaning system concept for emergency use in LMFBR plants. Final report, 1611 (DOE/ET/37203--1)
ENGINEERED SAFETY SYSTEMS/FIRE PREVENTION
Fire hazards analysis of barriers: an analytical approach (LMFBR), 3189
ENGINEERED SAFETY SYSTEMS/PERFORMANCE
Effect of engineered safety features on the risk of hypothetical LMFBR accidents, 3888
Overall separation efficiency requirement of the centrifugal separator for the LMFBR Sodium Water Reaction Pressure Relief System (SWRPS), 2319 (NEDM--14091)
ENGINEERED SAFETY SYSTEMS/PERFORMANCE TESTING
Advanced safety analysis thirteenth quarterly report, September--November 1977 (LMFBR), 1378 (GEFR--14038-13)
ENGINEERED SAFETY SYSTEMS/RELIABILITY
Advanced safety analysis thirteenth quarterly report, September--November 1977 (LMFBR), 1378 (GEFR--14038-13)
ENGINEERED SAFETY SYSTEMS/RELIEF VALVES
State-of-the-art of rupture disks for LMFBR application, 2316 (NEDM--13981)
ENGINEERED SAFETY SYSTEMS/SYSTEM FAILURE ANALYSIS
Design stage probabilistic assessment of prototype LMFBR safety systems, 4046
ENGINEERING
See also NUCLEAR ENGINEERING
SAFETY ENGINEERING
ENGINEERING/MANUALS
Sodium-NaK engineering handbook. Volume III. Sodium systems, safety, handling, and instrumentation, 3899
ENGINEERING TEST REACTOR
See ETR REACTOR
ENGLAND
See UNITED KINGDOM
ENRICO FERMI-1 REACTOR/ACCIDENTS
We almost lost Detroit (Book), 5416
ENRICO FERMI-1 REACTOR/CONTROL ELEMENTS
Irradiation effects of boron carbide used as control rod elements in fast breeder reactors, 3696
ENRICO FERMI-1 REACTOR/REACTOR DECOMMISSIONING
Decommissioning of Fermi-1, 3965
ENRICO FERMI-1 REACTOR/REACTOR OPERATION
Fast reactor operation in the United States, 673 (CONF-780407--6)
ENVIRONMENTAL EFFECTS
Carter puts nuclear power in strong position, 4532
Coprocessing to ameliorate the proliferation and waste management problems, 4632
Fast breeders and environment, 2013 (INTAT--78.147)
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 3121
Perspectives of nuclear energy development in European countries, 4509
ENVIRONMENTAL IMPACTS
Aerosol measurements and modeling for fast reactor safety. Annual report for FY 1978, 2423 (NUREG/CR--0676)
Analysis of ERDA's national energy plan, 4871
Breeder reactor program in the USA. Past, present and future, 4162
Breeders, 4208
Combustion of sodium in the open atmosphere, 1013 (DOE/EV--0046(Vol.2))
Control of nuclear power poses challenge to U.S., 3450
Energy Economic Data Base (EEDB) Program: Phase I, Volume I. Final report, 956 (COO--4954-1(Vol.1))
Energy Economic Data Base (EEDB) Program: Phase I, Volume II. Final report, 957 (COO--4954-1(Vol.2))
Environmental, safety, and public acceptance aspects of LMFBRS. Memo report, 2698 (PB--285567)
Environmental control aspects for fabrication, reprocessing and waste disposal of alternative LWR and LMFBR fuels, 2752 (PNL--3129)
Experimental study of the consequences of accidental sodium release in the form of peroxide aerosols on the tomato and the lettuce, 4814
FSAR Amendment 34: environmental technical specifications for the Fast Flux Test Facility (Chapter 18), 1729 (HEDL-TI--75002-34)
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
HEDL contribution to SRL fuel recycle program: quarterly report for April, May, and June 1977, 1675 (HEDL-TC--902-2)
HEDL contribution to SRL fuel recycle program. Quarterly report, January--March 1977, 1674 (HEDL-TC--902-1)
Inventory and relative biological hazard of LMFBR core materials, 2605 (ORNL/NUREG/TM--165)
Liquid-metal fast-breeder reactors: Preliminary safety and environmental information document. Volume VI, 1015 (DOE/NE--0003/6)
Nuclear reactor safety, 3126
Radiological environmental assessment of the recycle of LMFBR advanced fuels, 600 (CONF-771008--5)
Recommendations concerning models and parameters best suited to breeder reactor environmental radiological assessments, 2579 (ORNL--5529)
Review and evaluation of the Nuclear Regulatory Commission safety research program for fiscal year 1981: report to the Congress of the United States of America, 2366 (NUREG--0657)
Safety, safeguards, and environmental effects of liquid metal fast breeder reactors in relation to license ability and public acceptance. Final report, 2697 (PB--285544)
Safety and environmental impact of liquid metal fast breeder reactors, 5440
SNR-carbide program: its position between present and future, 4820
EPITHERMAL REACTORS
See also FAST REACTORS
EPITHERMAL REACTORS/DESIGN
Design considerations for epithermal pulse reactors, 2837 (SAND--77-1470)
ETR REACTOR/IN PILE LOOPS
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 541 (CONF-770807--40)
ETR REACTOR/REACTOR EXPERIMENTAL FACILITIES
Improved method for conducting failed fuel experiments in LWR's, 735 (CONF-781105--8)
EUROPE
See also BELGIUM
CZECHOSLOVAKIA
FEDERAL REPUBLIC OF GERMANY
FRANCE
ITALY
NETHERLANDS
SWITZERLAND
UNITED KINGDOM
USSR
EUROPE/NUCLEAR POWER
Perspectives of nuclear energy development in European countries, 4509
EUROPIUM BORIDES/COMPARATIVE EVALUATIONS
Hot pressing of EuB_6, 1596 (HEDL-SA--1678-FP)
EUROPIUM BORIDES/CORROSION
Corrosion of refractory borides in fused sodium, 4416
EUROPIUM BORIDES/FABRICATION
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
EUROPIUM BORIDES/HOT PRESSING
Hot pressing of EuB_6, 1596 (HEDL-SA--1678-FP)
EUROPIUM BORIDES/MICROSTRUCTURE
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Hot pressing of EuB_6, 1596 (HEDL-SA--1678-FP)
EUROPIUM BORIDES/PHYSICAL RADIATION EFFECTS
Results on an irradiation experiment on absorber materials for fast sodium-cooled reactors, 4365 (BNWL-tr--265)
EUROPIUM BORIDES/THERMAL CONDUCTIVITY
Thermal conductivity and thermal behavior of absorber materials for fast breeders (400 to 1600°K), 5292 (BNWL-tr--266)
EUROPIUM BORIDES/THERMAL EXPANSION
Hot pressing of EuB_6, 1596 (HEDL-SA--1678-FP)
EUROPIUM OXIDES/CHEMICAL REACTIONS
Studies of rare earth element as control rod material for LMFBR. Part V, 2157 (JAPFNR--494)
EUROPIUM OXIDES/COMPARATIVE EVALUATIONS
Experimental-calculation studies on efficiency of europium oxide rods of the BFS-29 assembly, 1211 (FEI--566)
Hot pressing of EuB_6, 1596 (HEDL-SA--1678-FP)
EUROPIUM OXIDES/MICROSTRUCTURE
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)

EUROPIUM OXIDES/PHYSICAL PROPERTIES
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Europia as a nuclear control material, 3691
EUROPIUM OXIDES/PHYSICAL RADIATION EFFECTS
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Results on an irradiation experiment on absorber materials for fast sodium-cooled reactors, 4365 (BNWL-tr--265)
EUROPIUM OXIDES/THERMAL CONDUCTIVITY
Thermal conductivity and thermal behavior of absorber materials for fast breeders (400 to 1600°K), 5292 (BNWL-tr--266)
EVAPORATORS/CORROSION
Studies of waterside corrosion and heat transfer on lmfbr evaporator tubes, 4167
EVAPORATORS/HEAT TRANSFER
Studies of waterside corrosion and heat transfer on lmfbr evaporator tubes, 4167
EVAPORATORS/TUBES
Temperature and stress responses of clean evaporator tubes under oscillatory water rivulet action in DNB region, 5074
EVENT TREE ANALYSIS
See FAILURE MODE ANALYSIS
EXCURSIONS
Accident trees: a framework for accident evaluation, 413 (CONF-761001--P2)
Advanced fuels program. Quarterly progress report, October--December 1977, 175 (ANL-AFP--34)
Advanced fuels program. Quarterly progress report, January--March 1977, 176 (ANL-AFP--35)
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977 (LMFBR), 2847 (SAND--77-1975)
Advanced reactor safety research. Quarterly report, April-June 1979, 2455 (NUREG/CR--0984(Vol.10))
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 2188 (KFK--2491)
Analysis of terminated TOP accidents in the FTR using the Los Alamos failure model, 2271 (LA-UR--78-2602)
Analysis of fuel-coolant interaction in the initiation and postexplosive stages of fast reactor credible accidents, 593 (CS-INIS--201)
Behavior of carbide fuel in local and whole core accidents, 430 (CONF-761001--P3)
CAMEL single-pin fuel sweepout test C2, 4749
Cassandre: A 2D multigroup diffusion Benchmark code for fast reactors power excursions analysis, 1993 (INIS-mf--4773)
Combined motion of fuel and coolant under high-ramp transient overpower conditions, 4767
Core catcher tub with thermal insulation, 3260
COVA programme for the validation of computer codes for fast reactor containment studies, 3772
Critical configurations and secondary excursions for high temperature fuel/steel mixtures, 445 (CONF-761001--P3)
Effect of failure incoherence in a LMFBR hypothetical overpower accident, 434 (CONF-761001--P3)
Effect of power skew on the FTR TOP accident, 3630
Effect of power skew on the FTR TOP, 1529 (HEDL-SA--1463FP)
Elastic and plastic properties of uranium dioxide from 5 to 330 GPa, 2548 (UCRL--82614(Rev.1))
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 5032
Ex-reactor transient fission gas release studies, fuel pin FNL-2-4, 1782 (HEDL-TME--77-83)
Failure of a high-power pin in a simulated $3/s TOP accident: Test E6 final report, 135 (ANL--78-73)
Fast Reactor Safety Research Program. Quarterly report, January--March 1977 (LMFBR excursions, meltdown debris bed, sodium containment, and fuel motion detection), 2811 (SAND--77-0611)
Finite-element method for above-core structures, 162 (ANL--79-104)
Fragmentation dynamics of molten UO_2 in sodium under TOP conditions, 4744
Fuel and fission gas response to simulated thermal transients: experimental results and correlation with fission gas release and swelling model, 3485
Fuel rod mechanics and failure analysis. Twenty-fourth quarterly report, May--July 1978, 1353 (GEFR--13923-24)
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2191 (KFK--2546)
Generalized Eulerian method in reactor containment analysis and its comparison with other numerical methods, 452 (CONF-761001--P3)
Improvement and verification of fast reactor safety analysis techniques. Progress report, 1 July 1977--30 September 1977, 919 (COO--2571-10)
LMFBR accident energetics and their role in licensing, 420 (CONF-761001--P2)
LMFBR Prompt Burst Excursion (PBE) experiments in the Annular Core Pulse Reactor (ACPR), 468 (CONF-761001--P4)
Mathematical and computational techniques employed in the deterministic approach to liquid-metal fast breeder reactor safety, 4334
Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 4816
Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 3521
Mechanistic analysis of LMFBR accident energetics, 3123
MONJU fuel pin safety irradiation program in GETR, 2030 (IWGFR--5)
Optimum nuclear pin bundle for prototypic thermal-hydraulic environment in large-scale testing, 3127
Outlet plenum mixing for transient overpower conditions of a one-exit nozzle LMFBR, 221 (ANL-CT--78-30)
Post-accident heat removal in LMFBRs, 1393 (GEFR-SP--023)
Post-test analysis of transient overpower TREAT test R9 for EOL FFTF-type fuel, 4751
Process of flattening of the heat release curve of a nuclear reactor core and reactor core using said process, 5403
Prompt burst energetics (PBE) studies, 2884 (SAND--79-0740C)
Quantitative comparison of solidification analysis for single-component and mixed-oxide fuels, 3489
Results of research into nuclear power plant safety, 1894 (INIS-mf--4054)
REXCO-EUR code - User's manual, 1193 (EUR--5813)
Sensitivity study of LMFBR core disassemblies, 3637
Sensitivity study of LMFBR core disassemblies, 2854 (SAND--78-0252C)
Sensitivity study on the damage potential of a liquid-metal fast breeder reactor core disassembly, 3241
Simulation of LMFBR excursion models by means of ICECO, 575 (CONF-770807--Pt.E)
Simulation of LMFBR excursion models by means of ICECO, 5057
SNR 2 - internal containments, 3911
Spatially continuous approach to the description of incoherencies in fast reactor accident analysis, 5273
Study of sodium boiling during a power transient in a heating duct. Investigation carried out within the scope of a study on the safety of fast neutron reactors, 1220 (FRNC-TH--765)
Study of the reactivity effect of bubble collapse in molten liquid metal cooled reactors, 2358 (NUREG--0286)
Transient-overpower test E8 on FFTF-type low-power-irradiated fuel, 78 (ANL--77-93)
Transient non-boiling heat transfer in a fuel rod bundle during accidental power excursions, 1940 (INIS-mf--4498)
TREAT TOP test H6: preliminary results, 3634
Uranium dioxide equation of state for LMFBR excursion analysis, 2224 (LA--4319)
Validation of the computer code AREs for calculating the tank load under overpower conditions, 4145
Void reactivity effects on fast reactor HCDA excursion energy, 4788
EXCURSIONS/CONTAINMENT
Simulation of LMFBR excursion models by means of ICECO, 551 (CONF-770807--52)
EXCURSIONS/ENERGY CONVERSION
Prompt burst energetics experiments: fresh oxide/sodium series, 2401 (NUREG/CR--0367)
EXCURSIONS/FISSION PRODUCT RELEASE
Analysis of LMFBR overpower accidents, including fission gas effects in the predisassembly and disassembly phase, 435 (CONF-761001--P3)
EXCURSIONS/FUEL ELEMENT FAILURE
Applicability of TREAT TOP experiments to post-failure dynamics, 3636
Final report of fuel dynamics Test E7, 54 (ANL--77-25)
Fracture mechanics of thin wall cylindrical pressure vessels: an interim review (LMFBR), 2742 (PNL--2417)
Fuel pin modeling for the prompt burst excursion (PBE) experiments, 3640
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments (LMFBR), 2871 (SAND--78-2085C)
In-reactor safety tests with fuels for fast neutron reactors, 2032 (IWGFR--5)
PLUTO2: a computer code for the analysis of overpower accidents in LMFBRs, 4768
Simple computational model for the prediction of fuel pin failure in the transient overpower accident, 3629
Summary and evaluation of fuel dynamics transient-overpower experiments: status 1974 (LMFBR), 58 (ANL--77-44)
Transient fission gas release effects on carbide fuel failure dynamics, 3633
Transient pressurization and transport of a two-component gas within interconnected porosity of solid mixed-oxide fuel (LMFBR), 3429
EXCURSIONS/FUEL MOTION DETECTION
Advanced reactor safety research. Quarterly report, October--December 1977 (LMFBR), 2397 (NUREG/CR--0323(Vol.5))
Advanced reactor safety research. Quarterly report, January--March 1978 (LMFBR), 2398 (NUREG/CR--0335(Vol. 6))
Advanced reactor safety research quarterly report, April-

June 1978 (LMFBR), 2411 (NUREG/CR--0469(Vol.7))
Advanced reactor safety research. Quarterly report, July-September 1978 (LMFBR), 2412 (NUREG/CR--0470)
EXCURSIONS/FUEL-CLADDING INTERACTIONS
Interaction of soltem UO_2 with stainless-steel cladding under TOP accident conditions, 3631
EXCURSIONS/FUEL-COOLANT INTERACTIONS
Combined motion of fuel and coolant due to fuel-coolant interactions under high ramp rate reactivity insertion, 132 (ANL--78-69)
Plateout and thermal loading considerations of fuel ejected during transient-over-power accidents in LMFBRs, 4748
EXCURSIONS/HEAT TRANSFER
Transition phase of fast reactor overpower excursions, 3624
EXCURSIONS/HYDRAULICS
Transition phase of fast reactor overpower excursions, 3624
EXCURSIONS/HYDRODYNAMICS
Effects of recent modeling developments in LMFBR prompt burst calculations, 3638
Hydrodynamic analysis of the LMFBR prompt burst excursion (PBE) experiment, 2817 (SAND--77-1016C)
Hydrodynamic analysis of the LMFBR prompt burst excursion (PBE) experiment, 4753
EXCURSIONS/MATHEMATICAL MODELS
EXCURS: a computing programme for analysis of core transient behaviour in a sodium cooled fast reactor, 2139 (JAERI-M--7280)
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 1474 (HEDL-SA--1300FP)
Simulation of transients in liquid-metal fast breeder reactor systems, 4337
EXCURSIONS/REACTIVITY INSERTIONS
Low sodium void cores, 730 (CONF-781022--32)
EXCURSIONS/SIMULATION
Applicability of TREAT TOP experiments to post-failure dynamics (LMFBR), 1534 (HEDL-SA--1489-FP)
Hydrodynamic analysis of the LMFBR prompt burst excursion (PBE) experiment, 2817 (SAND--77-1016C)
Hydrodynamic analysis of the LMFBR prompt burst excursion (PBE) experiment, 4753
Prompt burst energetics experiments uranium carbide series (LMFBR), 2850 (SAND--78-0232C)
Prompt burst energetics experiments: uranium carbide series. Preliminary results (LMFBR), 2387 (NUREG/CR--0137)
Sodium voiding in an annular channel heated by a single pin in overpower accident simulations, 351 (CEA-CONF--3996)
TREAT transient overpower experiment R12, 3635
EXCURSIONS/THERMAL STRESSES
Cladding failure in TREAT overpower experiments: a mechanistic interpretation and its implications for LMFBR safety analysis, 473 (CONF-761001--P4)
Results of recent TOP and LOF experiments in TREAT (LMFBR), 470 (CONF-761001--P4)
EXCURSIONS/THERMODYNAMICS
Prompt burst energetics experiments: uranium carbide series, 3639
EXPERIMENTAL BREEDER REACTOR-1
See EBR-1 REACTOR
EXPERIMENTAL BREEDER REACTOR-2
See EBR-2 REACTOR
EXPONENTIAL PILES
See SUBCRITICAL ASSEMBLIES

F

FAILED ELEMENT DETECTION
Acoustic data analysis: TREAT test R12, 4008
Barycentric coordinates technique for resolution of multiple fuel failures with gas tagging, 4635
Design and manufacture of gas tags for FFTF fuel and control assemblies, 5352
Design features of the fuel element computerized protection system Bessy, 2305 (MRR--160)
Detection device for fuel failure, 3360
Device to detect gases, in particular fission gases, in the cooling channel of a liquid-cooled nuclear reactor fuel element, 4556
Equipment for testing a group of nuclear reactor fuel elements for damage to the cans (Patent), 4579
Evaluation of hodoscopes for fuel-motion measurement in multipin bundles (LMFBR), 4025
Evolution of the core surveillance and protection system in fast reactors, 4234
Experience with breached elements at EBR-II, 4733
Failed fuel detector for nuclear reactors, 5399
Failed fuel detector, 5240
Failed fuel detector in reactor, 5242
Failure location analysis for tagged reactor assemblies, 1637 (HEDL-SA--1787-FP)
Fission gas behavior in the EBR-II primary system, 4737
Fission product monitoring in the sodium coolant during operation of a fast reactor, 4584 (KFK-tr--522)
Fission-product releases to the primary system of EBR-II from April 1975 to March 1977, 152 (ANL--79-26)
Fuel failure monitoring system for CRBRP, 3947
Fuel failure detection experiment using UO_2-loaded sodium in-pile loop, 3825
Gas tag designs for a generic LMFBR, 4660
Gas tag location systems for FFTF and CRBRP Failed assemblies, 1803 (HEDL-TME--78-14)
Gas tagging for fuel failure location using xenon and krypton, 1451 (HEDL-SA--1154)
In-core gas release capsule development, 1567 (HEDL-SA--1564)
Inspecting examination of mockup fuel assemblies of MONJU after sodium flow test, 2740 (PNCT--831-77-02)
Instrumentation and Controls Division biennial progress report, September 1, 1976--September 1, 1978, 2575 (ORNL--5483)
Liquid-metal cooling reactor, 5235
Local perturbation of nuclear reactor cooling. A remarkable experience, 3335
Measurements in PFR of importance to safety and reactor performance, 4058
Method of detecting leakage of reactor core components of liquid metal cooled fast reactors (Patent), 4451
Method of locating a leaking fuel element in a fast breeder power reactor (Patent), 3760
Model for predicting temperature fluctuation characteristics beyond the exit of LMFBR subassemblies with faults, 466 (CONF-761001--P4)
Outline of 'Monju' coordinated design, (3), 4613
Principles of determining damage to the fuel elements of fast power reactors by monitoring sodium and gas activity, 3711 (BNWL-tr--326)
Probabilistic identification of failed core assemblies from gas tag releases (PWR, BWR, LMFBR), 4636
Process for detecting and locating failed fuel elements in a nuclear reactor, 4595
Proposal for in-service inspection and monitoring of selected components located within or part of the primary containment of sodium cooled fast reactors, 2050 (IWGFR--10)
Protection of the sodium-cooled fast reactor during core melt-down, 4238
Reactor (Patent; LMFBR), 5335
Recent improvements in identifying fisson product sources in the Experimental Breeder Reactor II, 3491
Research and development activities relatives to the reactor vessel, 3678
Results from the run-beyond-cladding-breach irradiation of a predefected fuel pin (RBCB-6), 1846 (HEDL-TME--79-23)
Results of UO_2 diagnostic tests for run beyond cladding breach in EBR-II, 143 (ANL--78-99)
Statistical analysis of 17 TREAT experiments (LMFBR), 4010
Systems for detecting failed fuel in fast reactors, 4196
FAILED ELEMENT DETECTION/ACCURACY
Development of a methodology for analysis of delayed-neutron signals (LMFBR), 154 (ANL--79-57)
FAILED ELEMENT DETECTION/DESIGN
System for detecting the failure of a nuclear fuel rod in a nuclear reactor (Patent; LMFBR), 3301
FAILED ELEMENT DETECTION/FISSION PRODUCT RELEASE
Gaseous fission-product detector for LMFBR failed-fuel detection, 4197
FAILED ELEMENT DETECTION/MEASURING INSTRUMENTS
Gaseous fission-product detector for LMFBR failed-fuel detection, 4197
FAILED ELEMENT MONITORS
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977 (LMFBR), 2847 (SAND--77-1975)
Barycentric coordinates technique for resolution of multiple fuel failures with gas tagging (PWR, BWR, LMFBR), 4635
Failed fuel detector (Patent), 5240
Fast Reactor Safety Research Program. Quarterly report, January--March 1977 (LMFBR excursions, meltdown debris bed, sodium containment, and fuel motion detection), 2811 (SAND--77-0611)
Method and device for the detection of a failed fuel element (Patent), 5223
Method of detecting a fuel element failure (Patent), 5217
Probabilistic identification of failed core assemblies from gas tag releases (PWR, BWR, LMFBR), 4636
FAILED ELEMENT MONITORS/DESIGN
Device for detecting gases, in particular fission gases, in the coolant channel of a liquid-cooled nuclear reactor fuel element (Patent), 5166
Device for detecting radioactivity in a liquid metal coolant (Patent), 5249
Device to detect gases, in particular fission gases, in the cooling channel of a liquid-cooled nuclear reactor fuel element (Patent), 4556
Failed fuel detector for nuclear reactors (Patent, LMFBR750AIX-08)332910), 5399
Failed fuel detector in reactor (Patent; LMFBR), 5242
Liquid-metal cooling reactor (Patent), 5235
FAILED ELEMENT MONITORS/PERFORMANCE
Flash x-radiography for material motion detection (LMFBR) 2843 (SAND--77-1648C)
FAILED ELEMENT MONITORS/PERFORMANCE TESTING
Fuel failure detection experiment using UO_2-loaded sodium in-pile loop, 3825
Sodium engineering and technology technical progress report, October, November, December 1976 (LMFBR), 1742

(HEDL-TME--76-28)
Sodium engineering and technology. Technical progress report, April, May, June 1977 (LMFBR), 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, July, August, September 1977 (LMFBR), 1759 (HEDL-TME--77-38)
Sodium engineering and technology. Technical progress report, October, November, December 1977 (LMFBR), 1760 (HEDL-TME--77-39)
Sodium engineering and technology. Technical progress report, April, May, June 1978 (LMFBR), 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Technical progress report, April, May, June 1978 (LMFBR), 1807 (HEDL-TME--78-21)
Sodium technology. Progress report, April--June 1978 (LMFBR), 1829 (HEDL-TME--78-51)
Sodium technology progress report, July--September 1978 (LMFBR), 1830 (HEDL-TME--78-52)
Sodium technology progress report, January--March 1979 (LMFBR), 1847 (HEDL-TME--79-24)
FAILURE MODE ANALYSIS
Event tree analysis of core disruptive accident consequences safety R and D planning (LMFBR), 1407 (GEFR-SP--135)
FAILURE MODE ANALYSIS/MATHEMATICAL MODELS
Risk analysis methods development. Fifth quarterly report, January--March 1978 (LMFBR), 1355 (GEFR--14023-5)
Risk analysis methods development. Eighth quarterly report, October--December 1978 (LMFBR), 1357 (GEFR--14023-8)
Risk analysis methods development. Ninth quarterly report, January--March 1979 (LMFBR), 1358 (GEFR--14023-9)
Risk analysis methods development. Tenth quarterly report, April-June 1979 (LMFBR), 1359 (GEFR--14023-10)
User's guide for the Reliability Analysis System (RAS) (LMFBR), 2939 (TREE--1168)
FAILURES
Method of controlled maintenance of reactor (Patent; LMFBR), 5386
FARADAY GENERATORS
See MHD GENERATORS
FAST BREEDER BLANKET FACILITY (FBBF)
See SUBCRITICAL ASSEMBLIES
FAST BREEDER TYPE REACTORS
See FBR TYPE REACTORS
FAST FISSION/NUCLEAR REACTION YIELD
Fast reactor fission yields for ^{239}Pu and ^{241}Pu, 1886 (ICP--1050-11)
FAST FLUX TEST FACILITY REACTOR
See FFTF REACTOR
FAST NEUTRONS/SPECTRA UNFOLDING
Dosimeter based adjustments of fast neutron spectra, 1856 (HEDL-TME--1480(FP))
FAST NEUTRONS/TRANSMISSION
Mechanisms of fast neutron penetration in thick layers of sodium, 516 (COO--2509-4)
FAST REACTORS
See also CFRMF REACTOR
CLEMENTINE REACTOR
FBR TYPE REACTORS
FFTF REACTOR
LAMPRE-1 REACTOR
SEFOR REACTOR
SNEAK REACTOR
STF REACTOR
ZPPR REACTOR
ZPR-6 REACTOR
ZPR-9 REACTOR
FAST REACTORS/CONTROL ROD WORTHS
Effective method for estimating multiple control rod worths in large fast reactors, 4402
FAST REACTORS/EVALUATION
Possible long term options for the fast reactor plutonium fuel cycle, 4139
FAST REACTORS/FISSION PRODUCT RELEASE
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{233}U), 864 (CONF-7810133--5)
FAST REACTORS/FUEL CYCLE
Possible long term options for the fast reactor plutonium fuel cycle, 4139
FAST REACTORS/GROUP CONSTANTS
Few-group constants for calculating ksub(eff) and A(1/ksub(eff)) of fast reactors, 4518
FAST REACTORS/NEUTRON DOSIMETRY
Zero-power bais of fast reactor dosimetry, 10 (AEEW-R--1163)
FAST REACTORS/NEUTRON TRANSPORT
Flux synthesis programme KASY for the approximate solution of the three-dimensional multigroup-neutron-diffusion-equation. Present state, planned improvements and applications to reactor design problems, 4719
FAST REACTORS/REACTOR COOLING SYSTEMS
Chemical and physical changes at sodium-stainless steel interfaces in fast reactors, 4919
FAST REACTORS/REACTOR KINETICS
ENDF/B-V content and performance in fast reactor systems, 3685
Optimized iteration strategies and data management considerations for fast reactor finite difference diffusion theory codes, 4331
FAST REACTORS/REACTOR MATERIALS
Chemical and physical changes at sodium-stainless steel interfaces in fast reactors, 4919
FAST REACTORS/STEAM GENERATORS
Properties of stabilized chrome-molybdenum steels for steam generators of fast-neutron reactors with a sodium heat carrier (10 Kh2 and 25 M1 stabilized by Nb and Ti), 5422
FASTENERS
Connection device of an apparatus in a system with structures subject to relative motions (Patent; LMFBR), 5404
FAULT TREE ANALYSIS
COMCAN II-A: a computer program for automated common cause failure analysis (LMFBR), 2943 (TREE--1361)
FAULT TREE ANALYSIS/COMPUTER CODES
Automated common cause analysis using AUTOCC (For input to COMCAN II, in FORTRAN IV for CDC), 2769 (RE-A--78-241)
FAULT TREE SYSTEMS
See FAULT TREE ANALYSIS
FBR TYPE REACTORS
See also GCFR TYPE REACTORS
LMFBR TYPE REACTORS
ZEBRA REACTOR
Energy gap and the fast reactor, 4924
Estimates of time-dependent fatigue behavior of Type 316 stainless steel subject to irradiation damage in fast breeder and fusion power reactor systems, 4243
Fast breeder. Do we need it. How does it work, 3296
Status of fast breeder development, 4386
Status of French breeder development and German-French ccoperation, 3439
Thoughts on the energy situation, 3919
FBR TYPE REACTORS/ACCIDENTS
We almost lost Detroit (Book), 5416
FBR TYPE REACTORS/INTERNATIONAL COOPERATION
International progress with liquid-metal fast reactors, 3124
FBR TYPE REACTORS/LOSS OF FLOW
Temperature control of active core assemblies in a fast reactor in accidents, 1216 (FEI--711)
FBR TYPE REACTORS/MECHANICAL STRUCTURES
Analysis of dynamically loaded non-linear structures, 5045
FBR TYPE REACTORS/MULTIPLICATION FACTORS
Spatial mesh effect in three-dimensional diffusion calculations for fast reactors, 3722
FBR TYPE REACTORS/NEUTRON DIFFUSION EQUATION
Spatial mesh effect in three-dimensional diffusion calculations for fast reactors, 3722
FBR TYPE REACTORS/PLANNING
Energy gap and the fast reactor, 4490
FBR TYPE REACTORS/PRESTRESSED CONCRETE
Analysis of dynamically loaded non-linear structures, 5045
FBR TYPE REACTORS/REACTOR COMPONENTS
Method for cleaning components contaminated preferably with radioactive sodium and facility to apply the method (Patent), 4558
FBR TYPE REACTORS/REACTOR KINETICS
Calculational and experimental analysis of a ^{239}Pu sample irradiated in EBR-II, 3931
FBR TYPE REACTORS/REACTOR LICENSING
Constitutionality of section 7 of the Atomic Energy Act: Section 20 GG 'Kalkar decision' (German Federal Republic), 3693
FBR TYPE REACTORS/REACTOR SAFETY
Analysis of dynamically loaded non-linear structures, 5045
Safety of nuclear power plants with fast breeder reactors - engineering aspects, 4138
FBR TYPE REACTORS/RESEARCH PROGRAMS
Cooperative nuclear date and methods development. Twelfth quarterly report, January--March 1979, 1389 (GEFR--14074-12)
Present state of development of the fast breeder project in the Federal Republic of Germany, Belgium and the Netherlands, and progress achieved during 1975 and early 1976, 2081 (IWGFR--12)
FBR TYPE REACTORS/SPECIFICATIONS
Review of the development of fast breeder reactors in the USSR, 3045 (PNL-TR--400)
FBR TYPE REACTORS/STEAM SYSTEMS
Effect of the fast breeder concept on the reactor main characteristics and steam generation parameters, 1213 (FEI--607)
FEDAL
See FAILED ELEMENT DETECTION
FEDERAL REPUBLIC OF GERMANY/LMFBR TYPE REACTORS
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 3106 (DOE-tr--115)
FERRITE/CREEP
Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309)
FERRITE/GAS TUNGSTEN-ARC WELDING
Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309)
FERRITE/HARDNESS

Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309)
FERRITE/RUPTURES
Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309)
FERRITE/SHIELDED METAL-ARC WELDING
Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309)
FERRITES/LAYERS
Analysis of various NDT techniques to determine their feasibility for detecting thin layers of ferrite on Type 316 stainless steel, 2746 (PNL--2805)
FERRITIC STEELS/BRAZED JOINTS
High integrity steam generator tube/tube plate joints for the LMFBR, 3096
FERRITIC STEELS/COMPARATIVE EVALUATIONS
Ferritic steels in reactor tribology, 4177
FERRITIC STEELS/CORROSION
Waterside corrosion of stabilised 2 1/4%Cr-1%Mo ferritic steel under high heat flux conditions, 4194
FERRITIC STEELS/FABRICATION
Underwriting structural steels for the sodium-cooled fast reactor, 3090
FERRITIC STEELS/FRICTION
Ferritic steels in reactor tribology, 4177
FERRITIC STEELS/STRESS CORROSION
Corrosion behaviour of iron-chromium alloys used as boiler tube materials in fast reactor steam generators, 4184
FERRITIC STEELS/WEAR
Ferritic steels in reactor tribology, 4177
FFTF REACTOR
Effects of irradiation temperature, fluence, and heating rate on postirradiation flow properties of cladding under simulated temperature transient heating and deformation conditions, 4245
Response to NRC Q_2 set 8. FSAR supplement 24, 1697 (HEDL-TI--75001-24)
Survey and evaluation of FFTF instrumentation for systems code validation, 319 (BNL-NUREG--25506)
FFTF REACTOR/ACTIVITY LEVELS
Calculation of neutron source strength in FFTF fuel as a function of irradiation, 1835 (HEDL-TME--78-107)
FFTF REACTOR/AFTER-HEAT
Decay Heat for the Fast Test Reactor (FTR), 1748 (HEDL-TME--77-13)
Decay heat due to activation of core components, 1837 (HEDL-TME--78-111)
FFTF REACTOR/AFTER-HEAT REMOVAL
Application of optimal estimation techniques to FFTF decay heat removal analysis, 1617 (HEDL-SA--1741-FP)
Comparisons of DEMO calculations to FFTF pump and flow coastdown measurements, 2988 (WARD-NC--94000-1)
FFTF primary system transition to natural circulation from low reactor power, 1652 (HEDL-SA--1919-FP)
In-vessel natural circulation during a hypothetical loss-of-heat-sink accident in the Fast Flux Test Facility, 328 (BNL-NUREG--26131)
LMFBR fuel analysis. Task C: reliability, 2428 (NUREG/CR--0736)
Natural circulation in FFTF, 1658 (HEDL-SA--1945)
Planned natural-circulation testing in the Fast Flux Test Facility, 3660
Planned natural circulation testing in the Fast Flux Test Facility, 1526 (HEDL-SA--1458)
Post test evaluation of natural circulation in FFTF secondary loops, 1654 (HEDL-SA--1921-FP)
Review of the FFTF Natural Circulation test plans, 306 (BNL-NUREG--24040)
Simulation of FFTF hot-leg ruptures and loss-of-flow events, 3661
FFTF REACTOR/AUXILIARY SYSTEMS
Distribution of revisions to FFTF FSAR, 1728 (HEDL-TI--75002-33)
FFTF REACTOR/BEARINGS
FFTF hydrostatic pump bearing Phase-1 test report (final report), 3003 (WARD-PB--3045-1)
FFTF REACTOR/BLOWERS
Initial acceptance test experience with FFTF plant equipment, 1574 (HEDL-SA--1588)
FFTF REACTOR/BUILDING MATERIALS
FSAR supplement 21: response to NRC Q_2 set 5, 1694 (HEDL-TI--75001-21)
FFTF REACTOR/COLD TRAPS
Forced circulation cold trap assemblies for removal of sodium impurities from FFTF closed loop systems, 1857 (HWS--1880(Rev.2)(Add.1))
Recent work on sodium-cooled reactor purification systems, 1515 (HEDL-SA--1446)
Thermal performance tests of the FFTF closed loop cold trap, 1749 (HEDL-TME--77-20)
FFTF REACTOR/CONSTRUCTION
Evaluation of the status of the Fast Flux Test Facility program, 1059 (EMD--76-13)
Fast flux test facility major component testing experience and plant construction experience, 5289
FFTF status and test results, 1639 (HEDL-SA--1795)
FFTF REACTOR/CONTAINMENT
Containment response to postulated core meltdown accidents in the Fast Flux Test Facility, 307 (BNL-NUREG--24141-R)
FFTF REACTOR/CONTAINMENT BUILDINGS
Analysis of FFTF reactor cavity liners under ex-vessel PAHR conditions, 1672 (HEDL-TC--572(Rev.1))
Containment response to postulated ex-vessel core meltdown accidents in the fast flux test facility, 322 (BNL-NUREG--25522)
Fast Flux Test Facility containment building integrated leak-rate test, 3974
Integrated leak rate testing of the fast flux test facility reactor containment building, 1575 (HEDL-SA--1589-S)
FFTF REACTOR/CONTAINMENT SYSTEMS
Distribution of revisions to FFTF FSAR, 1714 (HEDL-TI--75002-18)
FFTF containment of hypothetical accidents, 1615 (HEDL-SA--1736-FP)
FFTF regulatory review for operating authorization, 1619 (HEDL-SA--1744-FP)
FSAR amendment 29: miscellaneous changes, 1724 (HEDL-TI--75002-29)
FSAR supplement 22: responses to NRC Q_2 set 6, 1695 (HEDL-TI--75001-22)
FFTF REACTOR/CONTRACTS
PMS: What are you getting for your money., 1583 (HEDL-SA--1630)
FFTF REACTOR/CONTROL ELEMENTS
Advanced absorber assembly design for breeder reactors. Summary, 1564 (HEDL-SA--1555-S)
Breeder reactor reference control materials. Semiannual report, January--June 1977, 1768 (HEDL-TME--77-58)
Breeder reactor reference control materials. Semiannual report, July--December 1977, 1797 (HEDL-TME--77-109)
Breeder reactor reference control materials. Semiannual status newsletter, January--June 1978, 1822 (HEDL-TME--78-69)
LMFBR reference control materials. Semiannual report, July--December 1976, 1754 (HEDL-TME--77-33)
FFTF REACTOR/CONTROL ROD DRIVES
Development of a roller nut control rod drive mechanism for the Fast Flux Test Facility, 5439
Review of FFTF and CRBRP control rod systems designs, 638 (CONF-771217--5)
Review of FFTF and CRBRP: control rod systems designs, 655 (CONF-780251--P2)
FFTF REACTOR/CONTROL SYSTEMS
FFTF development testing technical progress report, January, February, March 1976, 1743 (HEDL-TME--76-45)
FFTF REACTOR/COOLANT CLEANUP SYSTEMS
FFTF purification system performance during fill and initial temperature ascension, 1663 (HEDL-SA--1973-FP)
FFTF REACTOR/COVER GAS
Cover gas entrainment tests in FFTF hydraulic core mockup, 1738 (HEDL-TME--76-3)
FFTF REACTOR/DATA ACQUISITION SYSTEMS
Data systems in FFTF and EBR-II, 1668 (HEDL-SA--2022)
FFTF REACTOR/DELAYED NEUTRON PRECURSORS
Delayed-neutron parameters for the FFTF, 3683
Delayed neutron parameters for the FFTF, 1515 (HEDL-SA--1440)
FFTF REACTOR/DESIGN
Lmfbr fuel analysis. Task C: Reliability. Final report, 1 October 1977-15 November 1978, 2703 (PB--294243)
FFTF REACTOR/DESTRUCTIVE TESTING
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, April 1-June 30, 1979 (UO_2; PuO_2), 2264 (LA--7975-PR)
FFTF REACTOR/DIESEL ENGINES
FSAR supplement 16. Part 2. Response to NRC Q_2 set 2, 1689 (HEDL-TI--75001-16.2)
FFTF REACTOR/DISPLACEMENT GAGES
Liquid Metal Engineering Center (LMEC) annual technical progress report, January-December 1975, 1037 (DOE/TIC--11114)
FFTF REACTOR/DOCUMENTATION
Records management at Westinghouse Hanford Company, 1557 (HEDL-SA--1537-FP)
FFTF REACTOR/ECONOMIZERS
Operating experiences and analysis of FFTF and HTSF cold trap economizers, 1761 (HEDL-TME--77-43)
FFTF REACTOR/ELECTRIC CABLES
High voltage instrument cables for 650°C in-vessel breeder reactor service, 1651 (HEDL-SA--1903-FP)
FFTF REACTOR/ELECTRICAL EQUIPMENT
Distribution of revisions to FFTF FSAR, 2935 (TID--29350)
FSAR amendment 29: miscellaneous changes, 1724 (HEDL-TI--75002-29)
FSAR supplement 18: responses to NRC Q_1 set 6, 1691 (HEDL-TI--75001-18)
FFTF REACTOR/ELECTROMAGNETIC PUMPS
FFTF EM service pump design, application, and testing, 1494 (HEDL-SA--1371)
FFTF REACTOR/EMERGENCY PLAN
FFTF emergency plan, FSAR amendment 9, 1706 (HEDL-TI--75002-9)
FFTF FSAR Amendment 35. Revisions to emergency plan, 1730 (HEDL-TI--75002-35)
FFTF REACTOR/ENGINEERED SAFETY SYSTEMS
FSAR amendment 28, 1723 (HEDL-TI--75002-28)
FSAR supplement 30, 1703 (HEDL-TI--75001-30)
FFTF REACTOR/ENVIRONMENT
FFTF preoperational environmental survey program, 1804

(HEDL-TME--78-18)
FFTF REACTOR/ENVIRONMENTAL IMPACTS
FSAR Amendment 34: environmental technical specifications for the Fast Flux Test Facility (Chapter 18), 1729 (HEDL-TI--75002-34)
FFTF REACTOR/EXCURSIONS
Effect of power skew on the FTR TOP accident, 3630
Failure of a high-power pin in a simulated $3/s TOP accident: Test E6 final report, 135 (ANL--78-73)
Transient-overpower test E8 on FFTF-type low-power-irradiated fuel, 78 (ANL--77-93)
TREAT TOP test H6: preliminary results, 3634
FFTF REACTOR/FAILED ELEMENT DETECTION
Design and manufacture of gas tags for FFTF fuel and control assemblies, 5352
Failure location analysis for tagged reactor assemblies, 1637 (HEDL-SA--1787-FP)
Gas tagging for fuel failure location using xenon and krypton, 1451 (HEDL-SA--1154)
FFTF REACTOR/FAILED ELEMENT MONITORS
Fuel failure monitoring systems in U.S. breeder reactors, 1513 (HEDL-SA--1433)
Gas tag location systems for FFTF and CRBRP Failed assemblies, 1803 (HEDL-TME--78-14)
In-core gas release capsule development, 1567 (HEDL-SA--1564)
In-core gas release capsule development, 3968
In-core gas release capsule development, 1568 (HEDL-SA--1564-S)
FFTF REACTOR/FIRES
Summary of HEDL sodium fire tests, 1592 (HEDL-SA--1669)
FFTF REACTOR/FISSION FOIL DETECTORS
Spent thermal reactor fuel assembly characterization with solid state tract recorders, 1827 (HEDL-TME--78-89)
FFTF REACTOR/FLOW BLOCKAGE
Thermal-hydraulic correlations of a six-channel blockage in a sodium-cooled simulated LMFBR fuel assembly, 518 (CONF-761001--P4)
FFTF REACTOR/FUEL ASSEMBLIES
Allowable coolant outlet temperature differentials for FTR test assemblies in driver positions, 1781 (HEDL-TME--77-80)
Analytical study of the dilation of fast reactor fuel assembly ducts, 1595 (HEDL-SA--1677)
Breeder reactor grid-type subassembly design and evaluation. Quarterly progress report for the period ending December 31, 1977, 3000 (WARD-OX--3045-39)
Breeder reactor grid-type subassembly design and evaluation. Quarterly progress report for the period ending March 31, 1978, 3001 (WARD-OX--3045-40)
Coolant mixing in a 217-pin wire-wrapped FFTF fuel assembly, 3037 (WHAN-IR--33)
CORA: transient analysis code for a cluster of reactor core assemblies, 1642 (HEDL-SA--1838-FP)
Criticality analysis for FFTF fuel assemblies and fuel pins, 1673 (HEDL-TC--807)
Design of prototype carbide subassemblies and an evaluation of proof-testing plans in the FFTF, 5351
Dimensional analysis of FFTF driver fuel assemblies, 1778 (HEDL-TME--77-77)
Flow-induced vibrations of spiral wire-wrapped fuel assemblies, 5425
Flow-induced vibration and hydraulic test of the FTR 0°-0°-0°/wireless advanced wire-wrap fuel bundle assembly, 1320 (GEFR--00441)
High ^{240}Pu FTR/EMC experiments and analysis: Carbide fuel and UO_2 blanket subassembly worths, 1762 (HEDL-TME--77-44)
Hydraulic and vibration characterization results of prototypic water flow tests of a 217-rod grid spaced river assembly, 2995 (WARD-OX--3045-36)
Integrated quality status and inventory tracking system for FFTF driver fuel pins, 1646 (HEDL-SA--1854FP)
Interlaboratory computational comparisons of critical fast test reactor pin lattices, 776 (CONF-790602--60)
Maximum wake temperature and Nusselt number behind blockages in sodium-cooled bundles, 612 (CONF-771109--78)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976, 2991 (WARD-OX--3045-24)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1976, 2993 (WARD-OX--3045-27)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1976, 2994 (WARD-OX--3045-29)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1977, 2995 (WARD-OX--3045-31)
Structural analysis of experimental carbide fueled driver assmbly flow duct for testing in the FFTF, 5090
System design of carbide fuel. Quarterly progress report, April--June 1977, 910 (COO--2426-101)
Thermal-hydraulic correlations of a six-channel blockage in a sodium-cooled simulated LMFBR fuel assembly, 518 (CONF-761001--P4)
Thermal shock considerations pertaining to initial FTR core loading and refueling, 1779 (HEDL-TME--77-78)
Thermohydraulic and thermal stress aspects of a porous blockage in an LMFBR fuel assembly, 795 (CONF-790802--62)
FFTF REACTOR/FUEL CANS
Cladding breaches in mixed-oxide fuel pins, 4721
Cladding development and characterization in the United States, 1468 (HEDL-SA--1286)
Creep relaxation of fuel pin bending and ovalling stresses, 1647 (HEDL-SA--1860)
Effect of chemistry variations on the short-term rupture life and tensile properties of 20% cold-worked type 316 stainless steel, 4572
Effects of irradiation creep on ex-reactor mechanical properties, 1525 (HEDL-SA--1455)
FSAR supplement 12, part 2, responses to NRC Q_4-set 7; amendment 13, 1684 (HEDL-TI--75001-12.2)
High temperature in-reactor creep of 20% cold worked FTR cladding, 1505 (HEDL-SA--1402)
Length changes in FTR prototypic cladding irradiated in EBR-II to 1 x 10^{22} N/CM², E > 0.1 MeV (PIN B-65)(RM-24) 1734 (HEDL-TME--72-95)
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 543 (CONF-770807--43)
Mechanical behavior of fast reactor fuel pin cladding subjected to simulated overpower transients, 1802 (HEDL-TME--78-13)
Mechanical properties of transient-tested irradiated fast reactor cladding, 3972
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 5101
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 1924 (INIS-mf--4470)
Microstructural observations of AISI 316 stainless steel from high burnup fuel pins, 1665 (HEDL-SA--1983)
Observations of in-reactor endurance and rupture life for fueled and unfueled FTR cladding, 1625 (HEDL-SA--1753-S(Rev.))
Observations of in-reactor strain for fueled and unfueled FTR cladding, 1626 (HEDL-SA--1754-FP)
Observations of in-reactor strain for fueled and unfueled FTR cladding, 3177
Phenomenological model for mixed-oxide fuel pin cladding breaches, 4722
Technical bases: FFTF fuel/cladding damage criteria, 337 (BNWL-CC--2500)
Tensile property correlations for highly irradiated 20% C.W. type 316 stainless steel (Irradiation at 370 to 816°C at fast neutron fluence of 8.4 x 10^{22} n/cm² (E > 0.1 MeV)), 1528 (HEDL-SA--1462)
FFTF REACTOR/FUEL CHANNELS
DILATE: a 2-d structural program for the dilation response of hexagonal ducts, 1855 (HEDL-TME--79-72)
FFTF REACTOR/FUEL CYCLE
Dissolution of FFTF vendor fuel, 1655 (HEDL-SA--2931)
FFTF REACTOR/FUEL ELEMENT CLUSTERS
Experimental fuel assembly irradiation experience in EBR II, 1547 (HEDL-SA--1518)
Fuel pin bundle and hexagonal duct mechanical interaction, 1509 (HEDL-SA--1423)
Gas cooling test with a full-scale 217-pin bundle assembly, 1823 (HEDL-TME--78-78)
Structural analysis of experimental carbide fueled driver assembly flow duct for testing in the FFTF, 1938 (INIS-mf--4498)
FFTF REACTOR/FUEL ELEMENT FAILURE
Acoustic data analysis: TREAT test R12, 4008
Analysis of terminated TOP accidents in the FTR using the Los Alamos failure model, 2271 (LA-UR--78-2602)
Cladding breaches in mixed-oxide fuel pins, 4721
Cladding breaches in mixed oxide fuel pins, 1473 (HEDL-SA--1299-S)
Development of a Mk-II loop to simulate reactor hydraulic conditions, 149 (ANL--79-7)
Effect of intrasubassembly incoherencies on the fast test reactor unprotected transient overpower accident, 3059
Failure of a high-power pin in a simulated $3/s TOP accident: Test E6 final report, 135 (ANL--78-73)
Failure pattern within an FTR subassembly under a TOP accident, 4770
Fast reactor fuel pin performance requirements for off-normal events, 1561 (HEDL-SA--1551-FP)
Fuel rod mechanics and failure analysis. Nineteenth quarterly report, February--April 1977, 1348 (GEFR--13923-19)
Fuel rod mechanics and failure analysis. Twenty-first quarterly report, August--October 1977, 1350 (GEFR--13923-21)
Fuel rod mechanics and failure analysis. Twenty-third quarterly report, February 1978--April 1978, 1352 (GEFR--13923-23)
Mechanical failure of subassembly ducts and its effects on transition-phase analysis, 3992
Observations of in-reactor endurance and rupture life for fueled and unfueled FTR cladding, 3176
Phenomenological model for mixed-oxide fuel pin cladding breaches, 4722
Post-test analysis of transient overpower TREAT test R9 for BOL FFTF-type fuel, 4751
Transient-overpower test E8 on FFTF-type low-power-irradiated fuel, 78 (ANL--77-93)
FFTF REACTOR/FUEL ELEMENTS
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, April 1-June 30, 1979 (UO_2; PuO_2), 2264 (LA--7975-PR)

LMFBR fuel analysis. Task C: reliability, 2428 (NUREG/CR--0736)
Loss-of-flow test L5 on FFTF-type irradiated fuel, 118 (ANL--78-24)
System design of carbide fuel. Quarterly progress report, January--March 1978, 912 (COO--2426-136)
FFTF REACTOR/FUEL MANAGEMENT
Integrated quality status and inventory tracking system for fast flux test facility driver fuel pins, 3327
Nuclear startup, testing and core management of the FTR, 1612 (HEDL-SA--1729-FP)
FFTF REACTOR/FUEL PELLETS
FFTF driver fuel pellets: typical pellet lot data, 1035 (DOE/TIC--11087)
FFTF driver fuel pellets: typical pellet lot data, 1036 (DOE/TIC--11088)
Inspection techniques and processes for controlling FFTF fuel quality, 3971
FFTF REACTOR/FUEL PINS
Babcock and Wilcox plutonium fuel fabrication experience, 4999
Calibration of a fuel-to-cladding gap conductance model for fast reactor fuel pins, 1784 (HEDL-TME--77-86)
Cladding damage analysis applied to carbide TREAT tests HC2 and HC3, 3166
Critical experiments with fast test reactor fuel pins in water, 3141
Design and construction of the Fuels and Materials Examination Facility, 1645 (HEDL-SA--1850)
Early-in-life thermal performance of UO_2--PuO_2 fast reactor fuel, 1552 (HEDL-SA--1526-FP)
Effects of local cesium concentrations on mixed-oxide fuel behavior, 4723
Electro-optical fuel pin identification system, 1545 (HEDL-SA--1516)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, July 1-September 30, 1979, 2265 (LA--8132-PR)
Fast reactor fuel pin performance requirements for off-normal events, 1561 (HEDL-SA--1551-FP)
FFTF fuel story, 1662 (HEDL-SA--1959)
FSAR Q_1 responses supplement 12. Part 1, 1683 (HEDL-TI--75001-12-1)
FSAR supplement 12, part 2, responses to NRC Q_1-set 7; amendment 13, 1684 (HEDL-TI--75001-12.2)
Fuel motion in TREAT transient-over-power test E6, 4729
Influence of burnup on heat-rating-to-melting for UO_2-PuO_2 fuel, 1446 (HEDL-SA--737)
Inspection techniques and processes for controlling FFTF fuel quality, 1576 (HEDL-SA--1593-FP)
Integral heat rate-to-incipient melting in UO_2--PuC_2 fast reactor fuel, 1750 (HEDL-TME--77-23)
Integrated quality status and inventory tracking system for FFTF driver fuel pins, 1646 (HEDL-SA--1854FP)
O/M stability in mixed oxide fuel pins, 1767 (HEDL-TME--77-55)
Performance of commercially produced mixed-oxide fuels in EBR-II, 4724
Performance of commercially produced full-size FFTF fuel pins in GETR, 4725
Real-time analysis of FFTF fuel pin inspection data at the ^{252}Cf assay station, 1639 (HEDL-TME--79-1)
Response of FFTF core to protected reactivity addition transients, 1618 (HEDL-SA--1743-FP)
Rod scanner assay of FFTF fuel, 1752 (HEDL-TME--77-29)
Summary and evaluation of R-series loss-of-flow safety tests in TREAT, 471 (CONF-761001--P4)
Technical bases: FFTF fuel/cladding damage criteria, 337 (BNWL-CC--2500)
Test data and post-test analyses of three prototypic-length FFTF fuel pins transient tested in flowing sodium (HUT-L2), 1842 (HEDL-TME--79-9)
FFTF REACTOR/FUEL-COOLANT INTERACTIONS
Combined motion of fuel and coolant due to fuel-coolant interactions under high ramp rate reactivity insertion, 132 (ANL--78-69)
FFTF REACTOR/HEAT EXCHANGERS
Creep-rupture properties of a weld-overlaid type 304 stainless-steel forging, 4272
Effect of liquid sodium on FFTF IHX tube-to-tubesheet weld residue deposits, 1733 (HEDL-TME--72-86)
FFTF and CRBRP intermediate heat exchanger design, testing, and fabrication, 635 (CONF-771217--2)
FFTF and CRBRP intermediate heat exchanger design, testing and fabrication, 656 (CONF-780251--P2)
FFTF Dump Heat Exchanger design and development, 1444 (HEDL-SA--1354)
FFTF dump heat exchanger design and development, 657 (CONF-780251--P2)
High temperature structural design technology: validation. Quarterly progress report for the period ending May 31, 1977, 2972 (WARD-HT--3045-27)
High temperature structural design technology: validation. Quarterly progress report for period ending August 31, 1977 (Inelastic behavior and strain tolerance of SS 304 and 316 components for LMFBR and FFTF), 2973 (WARD-HT--3045-30)
High temperature structural design technology: validation. Quarterly progress report for period ending November 30, 1977 (Inelastic behavior and strain tolerances of stainless steel 304 and 316 components for LMFBR and FFTF), 2974 (WARD-HT--3045-31)
Optimization of intermediate heat exchangers for sodium cooled fast breeder reactors, 4098
Thermal-hydraulic analysis of the air dump heat exchangers in the Fast Flux Test Facility, 3600
FFTF REACTOR/HEAT TRANSFER
FFTF reactor characterization program, 1488 (HEDL-SA--1351)
FFTF REACTOR/HEATERS
Preheat operating experiences at the FFTF, 1573 (HEDL-SA--1587)
FFTF REACTOR/HOT CELLS
Design of the FMEF and material handling systems, 1571 (HEDL-SA--1576)
FFTF REACTOR/HYDRAULICS
FFTF reactor characterization program, 1488 (HEDL-SA--1351)
FFTF REACTOR/IN CORE INSTRUMENTS
MgO insulated coaxial instrument cable development for FFTF in-vessel temperature and voltage conditions, 1790 (HEDL-TME--77-98)
FFTF REACTOR/IN PILE LOOPS
Closed Loop In-Reactor Assembly (CLIRA)--A Fast Flux Test Facility test vehicle, 3383
Closed Loop In-Reactor Assembly (CLIRA): a fast flux test facility test vehicle, 1579 (HEDL-SA--1605-FP)
FFTF REACTOR/INFORMATION SYSTEMS
Document control and information retrieval system for the Fast Flux Test Facility (FFTF), 1447 (HEDL-SA--838)
FFTF REACTOR/IN-SERVICE INSPECTION
Conceptual design of a Surveillance and Inservice Inspection System for the primary piping and components, Fast Flux Test Facility. Phase C report, 2773 (RLO--1830-T6)
Equipment for inspection of austenitic stainless steel pipe welds, 1656 (HEDL-SA--1932)
FFTF REACTOR/IN-VESSEL HEAT EXCHANGERS
Maintenance and requalification of a large LMFBR component, 3924
FFTF REACTOR/IRRADIATION CAPSULES
Irradiation test program for FFTF, 3679
Small thermal oscillation analysis of the MOTA, 1801 (HEDL-TME--78-12)
Time step MOTA thermostat simulation, 1800 (HEDL-TME--78-11)
FFTF REACTOR/LEAK DETECTORS
Demonstration of contact and plugging tube type leak detector performance in FFTF reactor inlet guard pipe, 2296 (LMEC--77-8)
FSAR supplement 16. Part 2. Response to NRC Q_2 set 2, 1689 (HEDL-TI--75001-16.2)
FSAR supplement 23: responses to NRC Q_2 set 7, 1696 (HEDL-TI--75001-23)
FFTF REACTOR/LEAK TESTING
Fast Flux Test Facility acceptance test program and early results, 1580 (HEDL-SA--1606)
FFTF REACTOR/LEVEL INDICATORS
Calibration of the FFTF level measuring systems, 2291 (LMEC--77-3)
FFTF REACTOR/LOSS OF COOLANT
Analysis of the FFTF primary pipe rupture transients, 316 (BNL-NUREG--25493)
Potential gas entry into FFTF after a postulated pipe rupture, 3983
FFTF REACTOR/LOSS OF FLOW
Comparisons of DEMO calculations to FFTF pump and flow coastdown measurements, 2988 (WARD-NC--94000-1)
Computer simulation of natural circulation in FFTF secondary loops, 1653 (HEDL-SA--1920S)
FFTF primary system transition to natural circulation from low reactor power, 1652 (HEDL-SA--1919-FP)
FUSS: the integrated FUMO, SAS3A, neutronics update system, 4773
In-vessel natural circulation during a hypothetical loss-of-heat-sink accident in the Fast Flux Test Facility, 328 (BNL-NUREG--26131)
Loss-of-flow test L5 on FFTF-type irradiated fuel, 118 (ANL--78-24)
Mechanical failure of subassembly ducts and its effects on transition-phase analysis, 3992
SIMMER-II analysis of the R-7 TREAT test, 2433 (NUREG/CR--0760)
Simulation of FFTF hot-leg ruptures and loss-of-flow events, 3661
Summary and evaluation of R-series loss-of-flow safety tests in TREAT, 471 (CONF-761001--P4)
FFTF REACTOR/MATERIALS HANDLING
Handling of sodium for the FFTF, 1516 (HEDL-SA--1446)
FFTF REACTOR/MECHANICAL STRUCTURES
FSAR supplement 21: response to NRC Q_2 set 5, 1694 (HEDL-TI--75001-21)
FFTF REACTOR/MELTDOWN
Analysis of FFTF reactor cavity liners under ex-vessel PAHR conditions, 1672 (HEDL-TC--572(Rev.1))
Containment response to postulated core meltdown accidents in the Fast Flux Test Facility, 307 (BNL-NUREG--24141-R)
Containment response to postulated ex-vessel core meltdown accidents in the fast flux test facility, 322 (BNL-NUREG--25522)
Containment response to postulated core meltdown accidents in the fast flux test facility, 3053
Investigation of margins in FFTF containment design, 104 (ANL--78-10)
FFTF REACTOR/MISSILE PROTECTION

FFTF tornado missile barrier report, 1747 (HEDL-TME--76-65)
FFTF REACTOR/NEUTRON ABSORBERS
B_4C absorber pin in-reactor rupture test, 1563 (HEDL-SA--1554-FP)
Breeder reactor reference control materials. Semiannual status newsletter, June--December 1978, 1838 (HEDL-TME--78-115)
Experience in the analysis of nuclear-grade boron carbide, 1752 (HEDL-TME--77-100)
Hot pressing of EuB_6, 1596 (HEDL-SA--1678-FP)
Thermally induced stresses and fractures in boron carbide pellets, 1499 (HEDL-SA--1362-FP)
FFTF REACTOR/NEUTRON REFLECTORS
Calculation of resonant reaction rates near region interfaces in the FTR, 3681
Irradiation effects in FFTF radial reflector materials, 1841 (HEDL-TME--79-4)
FFTF REACTOR/NEUTRON SPECTRA
Dosimeter based adjustments of fast neutron spectra, 1856 (HEDL-TME--1480(FF))
FFTF REACTOR/NONDESTRUCTIVE TESTING
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, April 1-June 30, 1979 (UO_2; PuO_2), 2264 (LA--7975-PR)
FFTF REACTOR/ON-LINE MEASUREMENT SYSTEMS
Sodium sampling and impurity monitoring systems in U.S. breeder reactors, 1512 (HEDL-SA--1432)
FFTF REACTOR/OPTIMIZATION
U.S. Sodium-cooled breeder - seeking optimization, 4099
FFTF REACTOR/OXYGEN METERS
Operational experience with a modified liquid metal oxygen meter, 1809 (HEDL-TME--78-28)
FFTF REACTOR/PERFORMANCE TESTING
Fast Flux Test Facility acceptance test program and early results, 1580 (HEDL-SA--1606)
Nuclear startup, testing and core management of the FTR, 1612 (HEDL-SA--1729-FP)
FFTF REACTOR/PERSONNEL
FFTF implementation of training requirements for government and commercially owned facilities, 771 (CONF-790404--)
FFTF implementation of training requirments for government owned facilities, 1597 (HEDL-SA--1679)
FSAR amendment 11: changes to reflect supplement 13, part 1, 1708 (HEDL-TI--75002-11)
FSAR supplement 14: response to NRC Q_1 set 9, 1686 (HEDL-TI--75001-14)
FSAR supplement 16. Part 2. Response to NRC Q_2 set 2, 1689 (HEDL-TI--75001-16.2)
FFTF REACTOR/PHYSICAL RADIATION EFFECTS
Microstructural observations of AISI 316 stainless steel from high burnup fuel pins, 1665 (HEDL-SA--1983)
FFTF REACTOR/PIPE FITTINGS
Stress analysis of conical flued heads for FFTF liquid metal piping anchors, 1631 (HEDL-SA--1766)
FFTF REACTOR/PIPELINES
Inelastic analysis of pipelines in FFTF CLS module, 5451
FFTF REACTOR/PIPES
Computerized Interference Elimination report: FFTF cells 48S, 422E, 529A, and 529B, 1439 (HEDL--6617)
Dynamic testing of a prototypical FFTF piping system, 1181 (ETEC-TDR--79-10)
Effect of support clamps on elevated temperature piping, 1462 (HEDL-SA--1220)
Load rating and design criteria for pipe snubbers with extension struts, 1586 (HEDL-SA--1640)
Pipelines supported by nonlinear load-resisting mechanical snubbers, 1650 (HEDL-TME--78-30)
Practical considerations from construction of the FFTF pipe support system, 1594 (HEDL-SA--1676)
Stress analysis for the design of liquid metal piping in the Fast Flux Test Facility, 1570 (HEDL-SA--1575)
FFTF REACTOR/PLANNING
FFTF status, 3678
FFTF REACTOR/PRIMARY COOLANT CIRCUITS
Analysis of postulated FFTF pipe ruptures, 443 (CONF-761001--P3)
Comparative studies of FFTF upper-plenum mixing and stratification, 3973
Conceptual design of a Surveillance and Inservice Inspection System for the primary piping and components, Fast Flux Test Facility. Phase C report, 2773 (RLO--1830-T6)
Fast Flux Test Facility primary sodium valves, 1501 (HEDL-SA--1388)
FSAR supplement 19: response to NRC Q_2 set 3, 1692 (HEDL-TI--75001-19)
Inelastic analysis of pipeline in FFTF heat transport system, 1489 (HEDL-SA--1354-FP)
Preheat operating experiences at the FFTF, 1573 (HEDL-SA--1587)
Radioactive corrosion product release potential in sodium-cooled reactors, 1659 (HEDL-SA--1948)
Sodium aerosol and hydrogen generation tests, 1174 (ETEC--78-16)
Sodium/cavity gas effect on fatigue crack growth in 304SS under FFTF primary cold leg piping conditions, 2956 (WARD-CG--3045-2)
Tests of fluid mixing in inlet and outlet plenums of FFTF hydraulic core mockup, 1740 (HEDL-TME--76-5)
FFTF REACTOR/PUMPS
Design evolution of FFTF Heat Transport System pumps, 1491 (HEDL-SA--1368)
Design evolution of FFTF heat transport system pumps, 658 (CONF-780251--P2)
Evaluation and interpretation of the ANL-microphone data from the cavitation tests of the FFTF primary pump at LMEC--SPTF, 252 (ANL/CT/DA--1666)
FFTF hydrostatic pump bearing Phase-1 test report (final report), 3003 (WARD-PB--3045-1)
FFTF prototype pump testing in SPTF. Final report, 2292 (LMEC--77-4)
High temperature testing of a sodium pump, 3104
Summary report of FFTF prototype primary pump sodium test program, 1432 (HEDL--77-106)
FFTF REACTOR/QUALITY ASSURANCE
Application of quality assurance to the design, procurement, and construction of the Fast Flux Test Facility, 1538 (HEDL-SA--1499)
Design and development quality assurance requirements for the FFTF, 335 (BNWL--510)
Responses to NRC Q_2 set 1 quality assurance. FSAR supplement 15, 1687 (HEDL-TI--75001-15)
FFTF REACTOR/RADIATION HAZARDS
Radiological analysis of hypothetical accidents by computer, 1633 (HEDL-SA--1770)
FFTF REACTOR/RADIATION PROTECTION
FSAR amendment 15: miscellaneous changes, 1711 (HEDL-TI--75002-15)
FFTF REACTOR/RADIATION STREAMING
ORNL TSF pipe chase neutron streaming experiment: Phase Two, 2623 (ORNL-TM--4283)
FFTF REACTOR/RADIOACTIVE WASTE FACILITIES
FFTF gas processing systems, 3320
FFTF REACTOR/RADIOACTIVE WASTE PROCESSING
FFTF gas processing systems, 1465 (HEDL-SA--1230-S)
FFTF REACTOR/RADIOACTIVITY TRANSPORT
Tritium and hydrogen transport in LMFBR systems: EBR-II, CRBR, and FFTF, 131 (ANL--78-64)
FFTF REACTOR/REACTION KINETICS
Calculation of resonant reaction rates near region interfaces in the FTR, 3681
FFTF REACTOR/REACTIVITY
Subcritical reactivity monitoring: neutron yields from spontaneous (α,n) reactions in FFTF fuel, 1814 (HEDL-TME--78-39)
FFTF REACTOR/REACTIVITY INSERTIONS
Reactivity surveillance procedures for anomaly detection, 1796 (HEDL-TME--77-108)
Response of FFTF core to protected reactivity addition transients, 1618 (HEDL-SA--1743-FP)
FFTF REACTOR/REACTIVITY WORTHS
Neutron source strength in FFTF fuel as a function of irradiation, 3182
FFTF REACTOR/REACTOR ACCIDENTS
Application of generalized perturbation theory to fast reactor safety sensitivity studies, 816 (CONF-790816--29)
FFTF hot leg ruptures and loss of flow events, 1527 (HEDL-SA--1459)
FSAR supplement 13. Part I. Responses to NRC Q_1 set 8, 1685 (HEDL-TI--75001-13.1)
Planned natural-circulation testing in the Fast Flux Test Facility, 3660
Procedure for the use of probabilistic risk assessments to establish ranking of research and development goals, 5021
Radiological analysis of hypothetical accidents by computer, 1633 (HEDL-SA--1770)
FFTF REACTOR/REACTOR CHARGING MACHINES
Case history of fabricating numerical-controlled machinery for the nuclear industry, 5410
FFTF development testing technical progress report, January, February, March 1976, 1743 (HEDL-TME--76-45)
FFTF Fuel Handling System, port closures and seals: features and experience, 1492 (HEDL-SA--1369)
Removal of sodium from the IVHM orientation plug, 1773 (HEDL-TME--77-63)
Testing of FFTF fuel handling equipment, 4857
Testing of FFTF fuel handling equipment, 1484 (HEDL-SA--1333)
Value of prototype testing in the development of the in-vessel handling machine for FFTF, 3382
FFTF REACTOR/REACTOR COMPONENTS
Distribution of revisions to FFTF FSAR, 2935 (TID--29350)
Fast flux test facility major component testing experience and plant construction experience, 5289
FFTF and the ASME Code, 1535 (HEDL-SA--1490)
FFTF development testing technical progress report, January, February, March 1976, 1743 (HEDL-TME--76-45)
FFTF development testing. Technical progress report, July--September 1976, 1745 (HEDL-TME--76-47)
FFTF development testing technical progress report, April--June 1977, 1744 (HEDL-TME--76-46)
FFTF development testing technical progress repot, October--December 1976, 1746 (HEDL-TME--76-48)
FFTF report: drilled-in expansion bolts under static and alternating load, 1442 (HEDL-BR--5853-C-4(Rev.1))
FSAR supplement 23: responses to NRC Q_2 set 7, 1696 (HEDL-TI--75001-23)
Liquid Metal Engineering Center (LMEC). Annual technical progress report, January--December 1977, 2297 (LMEC--78-1)
Methods of assuring design adequacy of seismic III/I

supports, 1588 (HEDL-SA--1642-FP)
Monthly report No. 9 (September, October, and November 1977) of INTERATOM representative to Westinghouse Hanford Co., Richland, Washington (USA), 1892 (INB--414)
National friction, wear, and self-welding program status and plans, 1812 (HEDL-TME--78-38)
Nondestructive testing methods and equipment: Section 3.0 . Semiannual report to Oak Ridge National Laboratory, October 1978--March 1979. Advance copy, 1437 (HEDL--6557)
Sodium engineering and technology technical progress report, October, November, December 1976, 1742 (HEDL-TME--76-28)
Sodium engineering and technology. Technical progress report, April, May, June 1977, 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, July, August, September 1977, 1759 (HEDL-TME--77-38)
Sodium engineering and technology. Technical progress report, October, November, December 1977, 1760 (HEDL-TME--77-39)
Sodium engineering and technology technical progress report, January, February, March 1978, 1805 (HEDL-TME--78-20)
Sodium engineering and technology. Technical progress report, April, May, June 1978, 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Technical progress report, April, May, June 1978, 1807 (HEDL-TME--78-21)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, July--September 1977, 18 (AI-DOE--13208)
Sodium technology. Progress report, April--June 1978, 1829 (HEDL-TME--78-91)
Sodium technology progress report, July--September 1978, 1830 (HEDL-TME--78-92)
Sodium technology progress report, October--December 1978, 1831 (HEDL-TME--78-93)
Sodium technology progress report, January--March 1978, 1828 (HEDL-TME--78-90)
Sodium technology program. Quarterly technical progress report, January--March 1979, 1154 (ESG-DOE--13272)
Sodium technology progress report, January--March 1979, 1847 (HEDL-TME--79-24)
Sodium technology. Progress report, April-June 1979, 1848 (HEDL-TME--79-25)
Sodium vapor deposits observed at HEDL on large components, 1546 (HEDL-SA--1517)
Sodium vapor deposit technology, 1808 (HEDL-TME--78-23)
Swab test; a method to determine surface contamination of stainless steel reactor components by chloride and fluoride, 1765 (HEDL-TME--77-89)

FFTF REACTOR/REACTOR CONTROL SYSTEMS
FSAR amendment 29: miscellaneous changes, 1724 (HEDL-TI--75002-29)
Review of FFTF and CRBRP control rod systems designs, 638 (CONF-771217--5)

FFTF REACTOR/REACTOR COOLING SYSTEMS
Activated corrosion product radiation levels in the FFTF heat transport system cells and closed loop system modules, 1741 (HEDL-TME--76-10)
Analysis of piping systems with nonlinear supports subjected to seismic loading, 1632 (HEDL-SA--1765)
CLS/DHX module testing in SPTF. Final report, 2290 (LMEC--77-2)
Design analysis of liquid metal pipe supports, 1634 (HEDL-SA--1771)
Effects of support clamps on elevated temperature piping, 585 (CONF-770807--Pt.F)
Experience in the design, construction, and testing of the FFTF heat transport system, 1537 (HEDL-SA--1496)
High temperature penetrant procedure for liquid metal pipe welds, 1540 (HEDL-SA--1501-FP)
Inelastic analysis of two pipelines in the Fast Flux Test Facility, 1587 (HEDL-SA--1641)
Liquid velocity measurements in outlet plenum of FFTF hydraulic core mockup, 1739 (HEDL-TME--76-4)
Measurement of heat and momentum eddy diffusivities in recirculating LMFBR outlet plenum flows, 892 (COO--2245-61TR)
Natural circulation in FFTF, a loop type LMFBR, 4977
Sodium technology and cover gas seal development programs. Quarterly technical progress report, July--September 1977, 18 (AI-DOE--13208)
Summary stress results for the heat transport system piping and components, 1671 (HEDL-TC--517)
Validation of turbulence models for LMFBR outlet plenum flows, 4628

FFTF REACTOR/REACTOR CORE DISRUPTION
Effects of transient power histories on the intrasubassembly failure incoherencies, 1648 (HEDL-SA--1868)
FFTF containment of hypothetical accidents, 1615 (HEDL-SA--1736-FP)
Improved subassembly grouping for multi-channel top HCDA safety analysis, 1751 (HEDL-TME--77-25)
Multi-field hydrodynamic disassembly calculations with space--time kinetics: FX2/VENUS-III, 449 (CONF-761001--P3)
Summary and evaluation of transient test data on extended fuel motion resulting from unprotected loss of flow, 56 (ANL--77-40)
TREAT test H6-A 50 cents transient overpower accident simulation, 3098

FFTF REACTOR/REACTOR CORE RESTRAINTS
Design of the core support and restraint structures for FFTF and CRBRP, 640 (CONF-771217--7)
Design of the core support and restraint structures for FFTF and CRBRP, 648 (CONF-780251--P2)
FSAR supplement 19: response to NRC Q_2 set 3, 1692 (HEDL-TI--75001-19)

FFTF REACTOR/REACTOR CORES
Calculation of neutron source strength in FFTF fuel as a function of irradiation, 1835 (HEDL-TME--78-107)
Core engineering technical progress report, April--June 1977, 1763 (HEDL-TME--77-47)
Core engineering technical progress report, July--September 1977, 1764 (HEDL-TME--77-48)
Core engineering technical progress report, October--December 1977, 1765 (HEDL-TME--77-49)
Core engineering technical progress report, January, February, March 1978, 1815 (HEDL-TME--78-42)
Core engineering technical progress report, April, May, June 1978, 1816 (HEDL-TME--78-43)
Design of the core support and restraint structures for FFTF and CRBRP, 640 (CONF-771217--7)
Design of the core support and restraint structures for FFTF and CRBRP, 648 (CONF-780251--P2)
Experience in the use of FBR core component structural design criteria as applied to FFTF, 1638 (HEDL-SA--1794)

FFTF REACTOR/REACTOR EXPERIMENTAL FACILITIES
Irradiation test program for FFTF, 3679
Irradiation test program for FFTF, 1533 (HEDL-SA--1485)

FFTF REACTOR/REACTOR INSTRUMENTATION
Analysis of the ZPR-9 reverse approach to critical (RAC) low level flux monitor experiment, 2478 (ORNL--5181)
Data systems in FFTF and EBR-II, 1668 (HEDL-SA--2022)
FFTF core and primary sodium circuit instrumentation, 1450 (HEDL-SA--1082)
FFTF instrument tree design and development, 1493 (HEDL-SA--1370)
FSAR amendment 28, 1723 (HEDL-TI--75002-28)
FSAR supplement 16. Part 2. Response to NRC Q_2 set 2, 1689 (HEDL-TI--75001-16.2)
FSAR supplement 18: responses to NRC Q_1 set 6, 1691 (HEDL-TI--75001-18)
FSAR supplement 30, 1703 (HEDL-TI--75001-30)
High voltage instrument cables for 650°C in-vessel breeder reactor service, 1651 (HEDL-SA--1903-FP)
Instrument calibration program for startup of FFTF, 3323
Instrument calibration program for startup on FFTF, 1635 (HEDL-SA--1772)
Integrated quality status and inventory tracking system for fast flux test facility driver fuel pins, 3327
Nuclear instrumentation system design in FFTF and CRBRP, 1669 (HEDL-SA--2023)
Spent thermal reactor fuel assembly characterization with solid state tract recorders, 1827 (HEDL-TME--78-89)

FFTF REACTOR/REACTOR INTERNALS
Experience with simplified inelastic analysis of FFTF test assemblies, 1636 (HEDL-SA--1773)
FFTF scale-model characterization of flow-induced vibrational response of reactor internals, 1472 (HEDL-SA--1298)
FFTF scale-model characterization of flow induced vibrational response of reactor internals, 2109 (IWGFR--21)
FFTF vibration open test assembly (VOTA) engineering model calibration program, 1799 (HEDL-TME--78-10)
FTR HCM scale-model flow-induced vibration tests, Phases I and II. Final report, 1736 (HEDL-TME--75-96)
Scale-model characterization of flow-induced vibrational response of FTR internals: summary report, 1737 (HEDL-TME--76-1)

FFTF REACTOR/REACTOR KINETICS
Benefit-cost analysis for dynamic testing in the Fast Flux Test Facility, 2688 (ORO--5295-1)
Biases for current FFTF calculational methods, 1503 (HEDL-SA--1393)
Calculation of passive sensor perturbations in FFTF, 1769 (HEDL-TME--77-59)
Calculation of resonant reaction rates near region interfaces in the FFTF, 1522 (HEDL-SA--1449)
Delayed-neutron parameters for the FFTF, 3683
Detection of feedback resonances in FFTF using rod drop stability tests, 1795 (HEDL-TME--77-107)
Evaluation of rod drop stability tests in FFTF, 1794 (HEDL-TME--77-105)
FFTF dynamic modeling and sensitivity analysis, 4728
FFTF reactor characterization program, 1488 (HEDL-SA--1351)

FFTF REACTOR/REACTOR LICENSING
FSAR amendment 5, revisions to supplement 6, 1704 (HEDL-TI--75002-5)
Resolution of key safety-related issues in FFTF regulatory review, 421 (CONF-761001--P2)

FFTF REACTOR/REACTOR MATERIALS
Bilinear cyclic stress--strain analysis for Incoloy 800, 69 (ANL--77-74)
Development of an instrumented materials irradiation test for FFTF, 1649 (HEDL-SA--1881-FP)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim

report, 1618 (HEDL-TME--78-51)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Second interim report, 1844 (HEDL-TME--79-19)
FFTF and the ASME Code, 1535 (HEDL-SA--1490)
FFTF materials of construction and surveillance plans, 1644 (HEDL-SA--1846)
FFTF report: drilled-in expansion bolts under static and alternating load, 1442 (HEDL-ER--5853-C-4(Rev.1))
FSAR supplement 23: responses to NRC Q_2 set 7, 1656 (HEDL-TI--75001-23)
Irradiation effects in FFTF radial reflector materials, 1841 (HEDL-TME--79-4)
Mechanical properties of 16-8-2 girth welds on large-diameter pipe, 2543 (ORNL--5349)
Observations of in-reactor strain for fueled and unfueled FTR cladding, 1626 (HEDL-SA--1754-FP)
Tensile properties of 304 SS and 316 SS, 2549 (ORNL--5349)
U. S. programs on reference and advanced cladding/duct materials, 1455 (HEDL-SA--1175)
FFTF REACTOR/REACTOR OPERATION
FSAR amendment 11: changes to reflect supplement 13, part 1, 1706 (HEDL-TI--75002-11)
FFTF REACTOR/REACTOR PROTECTION SYSTEMS
Distribution of revisions to FFTF FSAR, 1728 (HEDL-TI--75002-33)
FSAR amendment 28, 1723 (HEDL-TI--75002-28)
FSAR amendment 29: miscellaneous changes, 1724 (HEDL-TI--75002-29)
FSAR supplement 18: responses to NRC Q_1 set 6, 1691 (HEDL-TI--75001-18)
FSAR supplement 30, 1703 (HEDL-TI--75001-30)
Testing of the FFTF plant protection system pressure transducers, 2293 (LMEC--77-5)
FFTF REACTOR/REACTOR SAFETY
Analysis of FFTF response to hypothetical earthquake with postulated primary piping leak and cooling by natural circulation, 1603 (HEDL-SA--1703-FP)
Distribution of revisions to FFTF FSAR, 1698 (HEDL-TI--75001-25)
Distribution of revisions to FFTF FSAR, 1688 (HEDL-TI--75001-16.1)
Distribution of revisions to FFTF FSAR, 1709 (HEDL-TI--75002-12)
Distribution of revisions to FFTF FSAR, 1715 (HEDL-TI--75002-19)
Distribution of revisions to FFTF FSAR, 1716 (HEDL-TI--75002-20)
Distribution of revisions to FFTF FSAR, 1722 (HEDL-TI--75002-26)
Distribution of revisions to FFTF FSAR, 2935 (TID--29350)
Fast reactor safety technical progress report, January--March 1977, 1774 (HEDL-TME--77-66)
Fast reactor safety technical progress report, April--June 1977, 1775 (HEDL-TME--77-67)
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)
FFTF FSAR, Amendment 21, 1717 (HEDL-TI--75002-21)
FFTF safety review, 1661 (HEDL-SA--1958)
FSAR amendment 8, 1705 (HEDL-TI--75002-8)
FSAR amendment 10, 1707 (HEDL-TI--75002-10)
FSAR amendment 14, FSAR revisions: response to NRC Q_2 set 1, quality assurance, 1710 (HEDL-TI--75002-14)
FSAR amendment 16, 1712 (HEDL-TI--75002-16)
FSAR amendment 17, 1713 (HEDL-TI--75002-17)
FSAR Amendment 22. Addition of response Q130.57 to Supplement 21, 1718 (HEDL-TI--75002-22)
FSAR amendment 23: (change to chapter 17, as made by FSAR supplement 26), 1719 (HEDL-TI--75002-23)
FSAR amendment 24: addition to supplement 13, Q211.33, NRC Q_1, Set 8, 1720 (HEDL-TI--75002-24)
FSAR amendment 25: miscellaneous revisions, 1721 (HEDL-TI--75002-25)
FSAR Amendment 31: changes to section 3.10, 1726 (HEDL-TI--75002-31)
FSAR amendment 32: miscellaneous changes, 1727 (HEDL-TI--75002-32)
FSAR Q_1 responses, 1681 (HEDL-TI--75001-10)
FSAR Q_1 responses. Supplement 11, 1682 (HEDL-TI--75001-11)
FSAR supplement 20, response to NRC Q_2 set 4, 1693 (HEDL-TI--75001-20)
FSAR supplement 26: response to NRC Q_2 Set 11, 1699 (HEDL-TI--75001-26)
FSAR supplement 27: response to NRC Q_2 Set 12, 1700 (HEDL-TI--75001-27)
FSAR supplement 28: response to NRC Q_2 Set 13, 1701 (HEDL-TI--75001-28)
FSAR supplement 29: response to NRC Q_2 set 14, 1702 (HEDL-TI--75001-29)
Resolution of key safety-related issues in FFTF regulatory review, 421 (CONF-761001--P2)
Revisions to FFTF FSAR. Supplement 9, Parts 1, 2, 3, 4, and 5, 1680 (HEDL-TI--75001-9)
Risk assessment methods application to the Fast Flux Test Facility, 4042
Safety analysis of experiments proposed for irradiation in FFTF, 1614 (HEDL-SA--1735-FP)
Safety aspects of carbide irradiations in FTR driver positions, 4861
Safety evaluation report. Fast Flux Test Facility. Project No. 448, 2361 (NUREG--0358)
Safety evaluation report related to operation of Fast Flux Test Facility. Supplement No. 1, 2362 (NUREG--0358(Suppl.1))
FFTF REACTOR/REACTOR STABILITY
Evaluation of rod drop stability tests in FFTF, 1794 (HEDL-TME--77-105)
FFTF REACTOR/REACTOR START-UP
Fast flux test facility startup plan, 1461 (HEDL-SA--1216(Rev.))
FFTF status and test results, 1639 (HEDL-SA--1795)
Nuclear startup, testing and core management of the FTR, 1612 (HEDL-SA--1729-FP)
Status of FFTF startup program and future FFTF utilization, 1593 (HEDL-SA--1671)
FFTF REACTOR/REACTOR VESSELS
FFTF and CRBRP reactor vessels, 642 (CONF-771217--9)
FFTF and CRBRP reactor vessels, 647 (CONF-780251--P2)
FFTF outlet nozzle design considering natural and forced convection flow in parallel annuli, with heating, 5429
FSAR supplement 17: responses to NRC Q_1 set 10, 1690 (HEDL-TI--75001-17)
FFTF REACTOR/REMOTE HANDLING EQUIPMENT
Cleaning, disassembly, and requalification of the FFTF in vessel handling machine, 1500 (HEDL-SA--1387)
Design of the FMEF and material handling systems, 1571 (HEDL-SA--1576)
FFTF core component measuring system, 4739
FFTF element measuring system, 4740
FSAR amendment 29: miscellaneous changes, 1724 (HEDL-TI--75002-29)
FFTF REACTOR/REMOTE VIEWING EQUIPMENT
Initial acceptance test experience with FFTF plant equipment, 1574 (HEDL-SA--1588)
Program outline under-sodium viewing, 1433 (HEDL--6232)
FFTF REACTOR/RESEARCH PROGRAMS
Fast flux test facility ready to run, 3316
FFTF REACTOR/RHR SYSTEMS
Containment response to postulated core meltdown accidents in the fast flux test facility, 3053
Planned natural circulation testing in the Fast Flux Test Facility, 1526 (HEDL-SA--1458)
FFTF REACTOR/RISK ASSESSMENT
Radiological analysis of hypothetical accidents by computer, 1633 (HEDL-SA--1770)
FFTF REACTOR/SEALS
Metallurgical evaluation of an FFTF PPS pressure transducer interface seal assembly after liquid sodium service, 1171 (ETEC--78-11)
Quarterly technical progress report. Sodium technology and cover gas seal development programs. October--December 1977, 26 (AI-DOE--13220)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1977, 41 (AI-ERDA--13204)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, January--March 1978, 34 (AI-DOE--13231)
FFTF REACTOR/SECONDARY COOLANT CIRCUITS
Computer simulation of natural circulation in FFTF secondary loops, 1653 (HEDL-SA--1920S)
Post test evaluation of natural circulation in FFTF secondary loops, 1654 (HEDL-SA--1921-FP)
FFTF REACTOR/SHIELDING
Design experience: FFTF shielding, 1585 (HEDL-SA--1634)
Design of FFTF shields, 4909
Physics problems of fast reactor shielding, 3277
FFTF REACTOR/SHIELDS
Methods for U.S. shielding calculations: applications to FFTF and CRBR designs, 742 (CONF-781117--3)
Summary of the ORNL shield design supporting analysis for the FFTF, 524 (CONF-770401--29)
FFTF REACTOR/SHOCK ABSORBERS
Dynamic testing of a prototypical FFTF piping system, 1181 (ETEC-TDR--79-10)
FFTF preproduction mechanical snubber qualification test program for Westinghouse/Hanford, 1440 (HEDL--6629)
FFTF REACTOR/SHROUDS
Fuel pin bundle and hexagonal duct mechanical interaction, 1509 (HEDL-SA--1423)
FFTF REACTOR/SOLID FUELS
Neutron source strength in FFTF fuel as a function of irradiation, 1611 (HEDL-SA--1728-FP)
FFTF REACTOR/SPECIFICATIONS
FFTF status and test results, 1639 (HEDL-SA--1795)
Revision of FFTF FSAR technical specifications, 1725 (HEDL-TI--75002-30)
FFTF REACTOR/SPENT FUEL CASKS
Spent fuel shipping cask designs for breeder reactors, 4810
FFTF REACTOR/SPENT FUEL ELEMENTS
Effect of thermal cycling during in-vessel storage (IVS) of FFTF core components, 1780 (HEDL-TME--77-79)
Gas cooling test with a full-scale 217-pin bundle assembly, 1823 (HEDL-TME--78-78)
Spent thermal reactor fuel assembly characterization with solid state tract recorders, 1827 (HEDL-TME--78-89)
FFTF REACTOR/SPENT FUEL STORAGE
Engineering study of dry near-surface interim storage of Fast Flux Test Facility spent fuel, 2771 (RHO-LD--66)
FFTF REACTOR/SPENT FUELS
Advantages of equipment testing in IEM cell mockup, 4809
Design and development of the examination equipment for

the fuels and materials examination facility, 4808
Design features and objectives of the fuels and materials examination facility, 4807
FFTF REACTOR/SUPPORTS
First article test report for FFTF heater supports, 1858 (HWS--2160)
FFTF REACTOR/TEST FACILITIES
Development of an instrumented materials irradiation test for FFTF, 1649 (HEDL-SA--1881-FP)
FFTF REACTOR/TESTING
Optimized FFTF Acceptance Test Program covering Phases III, IV, and V, 1542 (HEDL-SA--1505)
FFTF REACTOR/TRANSDUCERS
Testing of the FFTF plant protection system pressure transducers, 2293 (LMEC--77-5)
FFTF REACTOR/TRANSIENT OVERPOWER ACCIDENTS
Analysis of transient overpower accidents in the Fast Test Reactor using the Los Alamos Failure Model, 3071
Effect of intrasubassembly incoherencies on the fast test reactor unprotected transient overpower accident, 3059
Effects of transient power histories on the intrasubassembly failure incoherencies, 1648 (HEDL-SA--1868)
Fast reactor fuel pin performance requirements for off-normal events, 1561 (HEDL-SA--1551-FP)
Uncertainty analysis of consequences calculated by large computer codes, 1853 (HEDL-TME--79-42)
FFTF REACTOR/TRANSIENTS
Accustic data analysis: TREAT test R12, 4008
CORA: transient analysis code for a cluster of reactor core assemblies, 3222
Failure pattern within an FTR subassembly under a TOP accident, 4770
FFTF REACTOR/TUBES
High temperature structural design technology: validation. Quarterly progress report for period ending February 28, 1978 (Inelastic behavior and *strain tolerances of SS 304 and 316 components for* LMFBR and FFTF), 2975 (WARD-HT--3045-34)
FFTF REACTOR/ULTRASONIC TESTING
Ultrasonic inspection development at HEDL, 997 (CSNI-R--14)
FFTF REACTOR/VALVES
Dashpot development test for FFTF cold leg check valve, 3862
Dashpot development test for FFTF cold leg check valve, 3870
Development of small sodium valves for the Fast Flux Test Facility, 4858
Distribution of revisions to FFTF FSAR, 1714 (HEDL-TI--76002-18)
Fast Flux Test Facility primary sodium valves, 1501 (HEDL-SA--1368)
FSAR supplement 22: responses to NRC Q_2 set 6, 1695 (HEDL-TI--76001-22)
Initial acceptance test experience with FFTF plant equipment, 1574 (HEDL-SA--1588)
Performance test program of dashpot for FFTF cold leg check valve, 3861
Performance test program of dashpot for FFTF cold leg check valve, 3871
Three-dimensional inelastic analysis of a small liquid sodium valve, 1786 (HEDL-TME--77-91)
Three-dimensional inelastic analysis of a small liquid sodium valve, 1524 (HEDL-SA--1453)
FFTF REACTOR/WELDED JOINTS
Development of ultrasonic examination methods for austenitic stainless steel weld inspection, 1486 (HEDL-SA--1348)
Recent advances in feature extraction techniques being developed for ultrasonic examination of austenitic stainless steel welds, 1548 (HEDL-SA--1521)
Ultrasonic inspection development at HEDL, 997 (CSNI-R--14)
FIBERGLASS/SORPTIVE PROPERTIES
Filtration of sodium-fire aerosols, 3274
FILTERS
See also AIR FILTERS
FILTERS/EFFICIENCY
Filtration of sodium-fire aerosols, 3274
FIRE EXTINGUISHERS
System extinguishing a fire by insulating a liquid fuel (Patent; LMFBR type reactors), 5356
FIRE EXTINGUISHERS/DESIGN
Extinguishing system by isolation of the liquid fuel (Patent; LMFBR), 5354
FIRE EXTINGUISHERS/PERFORMANCE
Extinction of metal fires, 4859
FIRE EXTINGUISHERS/PERFORMANCE TESTING
Extinguisher powder for liquid metal fires, 3417
Testing of a graphite-based extinguishing powder for use on liquid metal fires, 4315 (DOE-tr--69)
FIRES
Acoustic and turbulent agglomeration of sodium aerosols. Final report, October 1, 1975--July 31, 1978, 932 (COO--2801-9)
Advanced Reactor Safety Research Program quarterly report, April--June 1977, 2830 (SAND--77-1134)
Aerodynamic properties of aerosols formed by a sodium pool fire, 3150
Aerosol behavior during sodium pool fires in a large vessel: CSTF tests AB1 and AB2, 1849 (HEDL-TME--79-28)
Aerosol behavior during sodium spray fires and comparison with computer codes, 1606 (HEDL-SA--1714-FP)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7, 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977, 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977, 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978, 2405 (NUREG/CR--0425)
Analyzing containment leakage from a sodium fire by the response surface method, 3370
Annual technical progress report: reactor safety, Government fiscal year 1978, 1145 (ESG-DOE--13254)
Application of acoustic agglomerators for emergency use in liquid-metal fast breeder reactor plants, 3239
Burning rates of sodium pool fires, 3413
Chemical reactions of sodium fire aerosols in the free atmosphere, 3283
Combustion of sodium in the open atmosphere, 1013 (DOE/EV--0046(Vol.2))
Containment of the Creys-Melville plant, 1905 (INIS-mf--4373)
CRBRP sodium fire tests. Technical progress report, May-June 1979, 1163 (ESG-DOE--13285)
CRBRP sodium fire tests. Quarterly technical progress report, October-December 1979, 1167 (ESG-DOE--13312)
Development of filtering devices for chemical aggressive aerosols, 2205 (KFK--2762)
Development of a code for description of sodium spray and pool fires. Part I: comparison between the codes SOFIRE II and NABRAND, 2211 (KFK--2824)
Device of extinguishing a liquid fuel by remoteness, 5192
Evaluation of postulated sodium spills and fires in an LMFBR, 3619
Experience in sodium technology of soviet fast reactors, 3435
Experiments on sodium fires and their aerosols, 4502
Experimental studies in extinguishing large odium fires, 4356
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2442 (NUREG/CR--0799)
Extinction of metal fires, 4859
Extinguisher powder for liquid metal fires, 3417
Extinguishment of sodium fires, 2772 (RISLEY-Trans--4009)
Facility for nuclear aerosol experiments, 4215
Facility of aerosol filtration, 5387
Filtration of aerosols produced by a sodium fire, 4603
Filtration of sodium-fire aerosols, 3274
Investigations into the sodium-steam surface interaction on a stagnant pool, 4370
Liquid metals fire control engineering handbook, 1843 (HEDL-TME--79-17)
LMFBR safety program. Quarterly technical progress report, April--June 1977, 42 (AI-ERDA--13205)
Location-dependent common-cause analysis with an application to fires, 3977
Multiple zone aerosol behavior model, 2472 (NUREG/CR--1294)
Performance of a wet cell washer for sodium fire aerosols, 688 (CONF-780819--P2)
Phenix intermediary heat exchanger intervention, 4611
Preliminary results of CSTF aerosol behavior test, AB-1, 1498 (HEDL-SA--1381)
Quarterly technical progress report. Reactor safety, April--June 1978, 1136 (ESG-DOE--13242)
Reactor safety quarterly technical progress report, January--March 1978, 37 (AI-DOE--13234)
Reactor safety. Quarterly technical progress report, October--December 1978, 1150 (ESG-DOE--13264)
Reactor safety. Quarterly technical progress report, January-March 1979, 1161 (ESG-DOE--13281)
Reactor safety. Quarterly technical progress report, April-June 1979, 1162 (ESG-DOE--13284)
Reactor safety. Annual technical progress report, Government fiscal year 1979, 1165 (ESG-DOE--13294)
Recent aerosol tests in the Containment Systems Test Facility, 1599 (HEDL-SA--1686)
Release of fission products from contaminated sodium fires, 497 (CONF-761001--P4)
Response of secondary containment to presence of sodium and hydrogen, 1415 (GEFR-SP--171)
Safety systems relative to the Creys-Malville power station, 4222
Sand filters as high efficiency aerosol filters in nuclear plants, 4600
Sodium engineering and technology technical progress report, January, February, March 1978, 1805 (HEDL-TME--78-20)
Sodium fire studies in France safety tests and *applications on an LMFBR, 496 (CONF-761001--P4)*
Sodium fire and containment leakage, 2001 (INIS-mf--4960)
Sodium spray release accident analysis for fast reactor safety studies, 498 (CONF-761001--P4)
State-of-the-art review of sodium fire analysis and current notions for improvements, 312 (BNL-NUREG--25140)
Statistical parametric analyses of sodium fire, 4761

Studies on aerosol behavior under accident conditions, 4218
Study of sodium combustion and fire extinction by pulverized substances. Role of additives, 1219 (FRNC-TH--709)
Summary of HEDL sodium fire tests, 1592 (HEDL-SA--1669)
Surface oxidation process prior to ignition of a sodium droplet, 4718
Testing of a graphite-based extinguishing powder for use on liquid metal fires, 4319 (DOE-tr--69)
FIRES/RADIOACTIVE AEROSOLS
Filtration of sodium fire aerosols, 4762
FIRES/RISK ASSESSMENT
Location dependent common cause analysis with an application to fires (Nuclear power plants), 737 (CONF-781105--57)
FISSION CHAMBERS
Instrumentation and Controls Division biennial progress report, September 1, 1976--September 1, 1978, 2575 (ORNL--5483)
FISSION CHAMBERS/NEUTRON DETECTION
Process and system for detecting and pre-locating a clad failure in a fast neutron nuclear reactor (Patent), 5203
Process and apparatus for the detection and prelocalization of a can fracture in a fuel assembly of a fast nuclear reactor (Patent), 3092
FISSION CHAMBERS/PERFORMANCE
Neutron induced current pulses in fission chambers (LMFBR), 210 (ANL-CT--78-14)
FISSION CHAMBERS/PERFORMANCE TESTING
Modification of the NBS double fission chamber for in-core operation in the Fast Test Reactor, 1755 (HEDL-TME--77-34(Vol.2))
Results from the testing of a TCE DC-14B and the ORNL FC-3 fission counter-chambers in the EBR-II NITF at temperatures up to 546°C. EBR-II run 82 (May 1976)--Run 89 (August 1977) (LMFBR), 196 (ANL-CT--77-37)
FISSION CHAMBERS/SPECIFICATIONS
Model of a fission counter system for optimizing performance at high gamma dose rates, 2656 (ORNL/TM--6408)
FISSION CHAMBERS/TESTING
Some results from the testing of a high temperature fission counter-chamber in the EBR-II J-2 thimble of the Nuclear Instrument Test Facilities (NITF), 676 (CONF-780469--1)
FISSION FOIL DETECTORS
See also THRESHOLD DETECTORS
FISSION FOIL DETECTORS/PERFORMANCE
Spent thermal reactor fuel assembly characterization with solid state tract recorders, 1827 (HEDL-TME--78-89)
FISSION FOIL DETECTORS/SPECIFICATIONS
Spent thermal reactor fuel assembly characterization with solid state tract recorders, 1827 (HEDL-TME--78-89)
FISSION FRAGMENT DETECTION/EDDY CURRENT TESTING
Out-of-pile experiment of fission gas release in LMFBR subassembly. 4. Feasibility study of gas release detection by use of flow fluctuation signal, 2154 (JAPFNR--482)
FISSION NEUTRONS
See also DELAYED NEUTRONS
FISSION NEUTRONS/TRANSMISSION
Mechanisms of fast neutron penetration in thick layers of sodium, 916 (COO--2509-4)
FISSION PRODUCT RELEASE
Absorbing seals for nuclear reactors, 5245
Advanced fuel recycle program progress report, January 1 to March 31, 1978, 2651 (ORNL/TM--6306)
Advanced fast reactor fuels program. Second annual progress report, July 1, 1975--September 30, 1976, 2234 (LA--7570-PR)
Advanced Reactor Safety Research Division. Quarterly progress report, January 1--March 31, 1979, 2444 (NUREG/CR--0820)
Advanced Reactor Safety Research Division quarterly progress report, April 1-June 30, 1979, 2458 (NUREG/CR--1036)
Advanced safety analysis. Twelfth quarterly report, June--August 1977, 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978, 1379 (GEFR--14038-15)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7, 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977, 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977, 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978, 2405 (NUREG/CR--0425)
Analysis of LMFBR overpower accidents, including fission gas effects in the predisassembly and disassembly phase, 435 (CONF-761001--P3)
Analysis of experimental fission gas behavior data in fast reactor fuel under steady state and transient conditions, 1204 (EURFNR--1464)
Analysis of TREAT transient overpower experiments using the PLUTO codes, 2251 (LA--7938-C)
Analyzing containment leakage from a sodium fire by the response surface method, 3370
Annual technical progress report: reactor safety, Government fiscal year 1978, 1145 (ESG-DOE--13254)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report, April--June 1977, 2601 (ORNL/NUREG/TM--142)
Breeder Reactor Aerosol Release and Transport Program quarterly progress report for July--September 1977, 2607 (ORNL/NUREG/TM--173)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report for October--December 1977, 2610 (ORNL/NUREG/TM--193)
Clinch River Breeder Reactor Plant Safety Study, 3889
Comparison of FISGAS swelling and gas release predictions with experiment, 2869 (SAND--78-1910C)
Comparison of FISGAS swelling and gas release predictions with experiment, 2258 (LA--7938-C)
Comparison of experiment and NEFIC model calculations of transient fission gas behavior, 16 (AERE-TP--793)
Control of radionuclide transport in sodium-cooled reactor primary circuits, 1582 (HEDL-SA--1625)
Core elements during power variations and disturbances, 3855 (EURFNR--1418)
Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels, 4841
Design, irradiation, and post-irradiation examination of Na-bonded (U,Pu)C fuel rods of the test group Mol 15, 3867 (EURFNR--1421)
Dose mortality relationships: implications for hypothetical accidental releases from FBRs, 3089
Dynamic intragranular fission gas behavior model, 2452 (NUREG/CR--0906)
EBR-II experience on fission-product release from sodium-bonded fuel elements, 627 (CONF-771203--)
Effects of grain boundary fission gas on transient fuel behavior, 3242
Evaluations of CRBRP thermal margin beyond the design base, 105 (ANL--78-10)
Ex-reactor transient fission gas release studies, fuel pin PNL-2-4, 1782 (HEDL-TME--77-83)
Examination of subassembly scale fuel motion using the SIMMER-II code, 2286 (LA-UR--79-2285)
Fast breeders and environment, 2013 (INTAT--78.147)
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)
Fission-gas bubble modeling for LMFBR accidents, 2819 (SAND--77-1018C)
Fission gas behavior in the EBR-II primary system, 4737
Fission gas bubble distribution in a mixed oxide fast reactor fuel pin, 368 (CEGB-RD/B/N--4194)
Fission gas behavior in mixed-oxide fuel during overpower and thermal transient tests, 1443 (HEDL-S/A--1552-FP)
Fission gas behavior in mixed-oxide fuel during transient overpower, 1620 (HEDL-SA--1747-FD)
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049
Fission product control at EBR-II, 4734
Fission-product releases to the primary system of EBR-II from April 1975 to March 1977, 152 (ANL--79-26)
Fission-product releases to the primary system of EBR-II from April 1977 to May 1978, 153 (ANL--79-27)
French irradiation test experience for carbide fuels, 4834
FSAR supplement 20, response to NRC Q_2 set 4, 1693 (HEDL-TI--75001-20)
Fuel Aerosol Simulant Test (FAST) plan, 2600 (ORNL/NUREG/TM--129)
Fuel and fission gas response to simulated thermal transients: experimental results and correlation with fission gas release and swelling model, 3485
Fuel particle and fission product release from LMFBR-core catcher, 494 (CONF-761001--P4)
Gaseous fission-product detector for LMFBR failed-fuel detection, 4197
HEDL contribution to SRL fuel recycle program: quarterly report for April, May, and June 1977, 1675 (HEDL-TC--902-2)
In-core gas release capsule development, 1568 (HEDL-SA--1564-S)
Influence of the physico-chemical form of the aerosol on the radiological consequences of notional accidental releases of radioactivity from a fast breeder reactor, 2355 (NRPB-R--73)
Internal pressurization in solid mixed-oxide fuel due to transient fission gas release (LMFBR), 4301
Irradiation and post-irradiation examination data from selected FSE fuel pins, 1303 (GEFR--00407)
Laboratory studies on melting and gas release behavior of irradiated fuel, 2031 (IWGFR--5)
LMFBR aerosol release and transport Program quarterly progress report, January--March 1978, 2385 (NUREG/CR--0117)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April--June 1978, 2400 (NUREG/CR--0340)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, July--September 1978, 2414 (NUREG/CR--0482)
LMFBR aerosol release and transport program. Quarterly progress report, October--December 1978, 2431

(NUREG/CR--0752)
LMFBR aerosol release and transport program. Quarterly progress report, January--March 1979, 2446 (NUREG/CR--0844)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April-June 1979, 2460 (NUREG/CR--1062)
LMFBR safety program. Quarterly technical progress report, April--June 1977, 42 (AI-ERDA--13205)
LMFBR safety and core systems programs. Progress report, January--March 1977, 2625 (ORNL/TM--5940)
Material release for various fuels following an HCDA in CRBR, 4667
Model to simulate the fission-product transport process in the Experimental Breeder Reactor II, 841 (CONF-791108--21)
Out-of-pile experiment of fission gas release in LMFBR subassembly. 4. Feasibility study of gas release detection by use of flow fluctuation signal, 2154 (JAFFNR--482)
Out-of-reactor transient fission gas release studies, 1507 (HEDL-SA--1407)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976, 2991 (WARD-OX--3045-24)
Physics evaluations and applications. Quarterly progress report for period ending October 31, 1977, 3030 (WARD-XS--3045-20)
Prediction of thermal consequences of plenum fission gas release in an LMFBR fuel assembly, 747 (CONF-781161--2)
Preliminary models for evaluating radiological source terms, 1310 (GEFR--00419)
Preparations at EBR-II for breached element operation, 4735
Progress in liquid-metal fast breeder reactor safety research and development - an overview of the issues, 4160
Prompt burst energetics experiments: uranium carbide series. Preliminary results, 2387 (NUREG/CR--0137)
Providing radiation safety at nuclear power plants, 5164
Quarterly technical progress report. Reactor safety, April--June 1978, 1136 (ESG-DOE--13242)
Radioactivity of long-lived nuclides in the primary circuit of the reactor BOR-60 during operation with defective fuel elements, 2222 (KFK-tr--576)
Radiological assessment models. Eleventh quarterly report, March--May 1977, 1371 (GEFR--14034-11)
Radiological assessment models. Thirteenth quarterly report, September--November 1977, 1372 (GEFR--14034-13)
Radiological assessment models fourteenth quarterly report, December 1977--February 1978, 1373 (GEFR--14034-14)
Radiological assessment models. Fifteenth quarterly report, March--May 1978, 1374 (GEFR--14034-15)
Radiological assessment models. Sixteenth quarterly report, June--August 1978, 1375 (GEFR--14034-16)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety quarterly technical progress report, January--March 1978, 37 (AI-DOE--13234)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
Reactor safety. Quarterly technical progress report, October--December 1978, 1150 (ESG-DOE--13264)
Recommendations concerning models and parameters best suited to breeder reactor environmental radiological assessments, 2579 (ORNL--5529)
Release of fission products from contaminated sodium fires (LMFBR), 497 (CONF-761001--P4)
Review of aerosol problems and the theory of aerosol physics with particular reference to sodium cooled fast reactors, 2896 (SRD-R--82)
Role of bubble-size equilibration in the transient behavior of fission gas, 123 (ANL--78-36)
Role of fission gas and fuel melting in fuel response during simulated hypothetical loss-of-flow transients, 3061
Source term model needs and developments, 1264 (GEFR--00324)
Studies on aerosol behavior under accident conditions, 4218
TM--U metallic fuel: LMFBR potential based on EBR-II driver-fuel performance, 4652
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
Transient fission gas release effects on carbide fuel failure dynamics, 3633
Transient pressurization and transport of a two-component gas within interconnected porosity of solid mixed-oxide fuel, 3429
UK irradiation experience relevant to advanced carbide fuel concepts for LMFBR's, 4832

FISSION PRODUCT RELEASE/COMPUTER CALCULATIONS
Aerosol measurements and modeling for fast reactor safety. Annual report for FY 1978, 2423 (NUREG/CR--0676)

FISSION PRODUCT RELEASE/GLOBAL ASPECTS
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)

FISSION PRODUCT RELEASE/MATHEMATICAL MODELS
ANS54: a computer subroutine for predicting fission gas release, 2469 (NUREG/CR--1213)
Generalized parametric model for transient gas release and swelling in oxide fuels (LMFBR; FRAS and PFRAS codes), 4327
Modelling the transient behaviour of fission gas, 15 (AERE-TP--782)
Numerical method of the aerosol behavior reference code, CRAB (LMFBR), 2421 (NUREG/CR--0620)

FISSION PRODUCT RELEASE/ON-LINE MEASUREMENT SYSTEMS
On-line ultrasonic gas entrainment monitor (Patent;LMFBR fission gas bubble release), 3731

FISSION PRODUCTS
Dynamic intragranular fission gas behavior model (LMFBR), 2452 (NUREG/CR--0906)

FISSION PRODUCTS/ACTIVITY LEVELS
Carbon-14 production in nuclear reactors, 3319

FISSION PRODUCTS/CHEMICAL REACTION KINETICS
Role of fission products in whole-core accidents in fast reactors, 3872

FISSION PRODUCTS/COMPARATIVE EVALUATIONS
Fast reactor programme. First quarter 1977 progress report, 1049 (ECN--22)

FISSION PRODUCTS/CROSS SECTIONS
Pseudo fission-product cross sections for a 1300 MWe fast breeder reactor (status July 1978), 1054 (ECN--52)

FISSION PRODUCTS/DISTRIBUTION FUNCTIONS
Model to describe the role of non-equilibrium intragranular fission gas bubbles during transient heating, 3415

FISSION PRODUCTS/ENVIRONMENTAL IMPACTS
Inventory and relative biological hazard of LMFBR core materials, 2605 (ORNL/NUREG/TM--165)

FISSION PRODUCTS/FISSION YIELD
EBR-II derived fission yields from vanadium encapsulated fission monitors, 1756 (HEDL-TME--77-34(Vol.2))

FISSION PRODUCTS/NUCLEAR REACTION KINETICS
Evaluated decay-scheme data for ILRR (Interlaboratory LMFBR Reaction Rate Program), 2938 (TREE--1116)

FISSION PRODUCTS/RADIATION HEATING
Decay heat of fission products and actinides of the SNR 300 (RASPA code), 2015 (ITB--76.08)

FISSION PRODUCTS/RECYCLING
Possible long term options for the fast reactor plutonium fuel cycle, 4139

FISSION PRODUCTS/TRANSMUTATION
Preliminary neutronic study of actinide transmutation in a fast reactor, 2652 (ORNL/TM--6309)

FISSION YIELD/ENERGY DEPENDENCE
Studies relative to the correlation of fission yields with neutron energy (LMFBR), 2370 (NUREG/CP--0004(Vol. 3))

FISSIONABLE MATERIALS MANAGEMENT
See NUCLEAR MATERIALS MANAGEMENT

FLASKS
See CASKS

FLOW BLOCKAGE
Advanced fuels safety comparisons, 4862
Analysis of Flow Impedance Phenomena. Final report, June 1, 1978-July 31, 1979, 955 (COO--4932.M001-2)
Analysis of severe hypothetical accidents, 4214
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 1925 (INIS-mf--4470)
Application of a microprocessor-based distributed system to subassembly fault detection of LMFBR, 3469
Assessment of fuel failure propagation in LMFBRs, 432 (CONF-761001--P3)
Assessment of debris transport methods in horizontal LMFBR piping for PAHR conditions, 3025 (WARD-SR--3045-9)
Behavior of carbide fuel in local and whole core accidents, 430 (CONF-761001--P3)
Blockages in LMFBR fuel assemblies: a review, 615 (CONF-771120--14)
Breeder reactor safety and core systems programs. Progress report, July--September 1977, 2643 (ORNL/TM--6158)
Breeder reactor safety and core systems programs progress report, October--December 1977, 2649 (ORNL/TM--6288)
Breeder reactor safety and core systems programs. Progress report, January--March 1978, 2658 (ORNL/TM--6439)
Breeder reactor safety and core systems programs. Progress report, April--June 1978, 2665 (ORNL/TM--6558)
Breeder Reactor Safety and Core Systems Programs. Progress report, July--September 1978, 2674 (ORNL/TM--6698)
Breeder Reactor Safety and Core Systems Programs progress report for October--December 1978, 2680 (ORNL/TM--6851)
Cladding motion in a 37-pin loss-of-flow experiment: SLSF P3, 3200
CLAYMORE code and its use for describing coolant boiling in LMFBR subassemblies, 3746
Clinch River Breeder Reactor Plant. Preliminary analysis of heat generating blockages in CRBRP fuel and radial blanket assemblies to determine detection requirements, 962 (CRBRP-ARD--0119)
Comparison of computational results of the SABRE LMFBR pin bundle blockage code with data from well-instrumented out-of-pile test bundles (THORS bundles 3A and 5A), 2681 (ORNL/TM--6862)

Computation studies of cladding relocation dynamics during liquid-metal fast breeder reactor transient undercooling accidents, 4273
Description of the testsections for local boiling experiments in the KNS-loop, 2186 (KFK--2475)
Detection of coolant blockages: problems and possibilities, 406 (CONF-761001--P2)
Detection of local boiling in an LMFBR subassembly by temperature fluctuations analysis at the outlet, 5012
Development work on core protective instrumentation, 4209
Effect of power skew on the FTR TOP, 1529 (HEDL-SA--1463FP)
Experimental studies on local cooling perturbations, 4143
Failure of a high-power pin in a simulated $3/s TOP accident: Test E6 final report, 135 (ANL--78-73)
Fast reactor programme. First quarter 1977 progress report, 1045 (ECN--22)
Fast reactor program. Combined second and third quarters 1977 progress report, 1050 (ECN--34)
Final report of fuel dynamics Test E7, 54 (ANL--77-25)
Flow in the inlet plenum feature model of the Clinch River Breeder Reactor, 4882
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
Fuel pins and core response under liquid-metal fast breeder reactor transient overpower accident conditions, 3070
Heat-transfer in a partially-blocked sodium-cooled rod bundle, 848 (CONF-791205--23)
Hydraulic simulation of local blockage in LMFBR fuel subassembly, 2148 (JAPFNR--434)
In-pile investigation of local cooling disturbance in LMFBR's (Mol 7C), 1910 (INIS-mf--4426)
In-pile investigation of local cooling perturbations (Mol 7C), 4144
Indication of a coolant blockage in a fuel element of a sodium-cooled reactor by temperature fluctuation measurements with steel--sodium thermocouples, 409 (CONF-761001--P2)
Influence of fission gases on mechanical energy release after hypothetical coolant flow accidents, 3914
Investigation of local cooling disturbances in an in-pile sodium loop in the BR2, 3074
LMFBR: subassembly fault detection and identification by temperature noise analysis, 408 (CONF-761001--P2)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
Local flow blockage experiments in 37-pin sodium cooled bundles with grid spacers, 2145 (JAPFNR--422)
Local sodium boiling behind local flow blockage in simulated lmfbr fuel subassembly, 4309
Maximum sodium temperature correlation for six-channel FBR subassembly blockages, 3982
Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 3521
Model for formation and growth of local blockages in grid spaced fast sodium cooled breeder fuel elements, 4406
MONJU fuel pin safety irradiation program in GETR, 2030 (IWCFR--5)
Multichannel model for relocation of molten fuel cladding in unprotected loss-of-flow accidents in liquid-metal fast breeder reactors, 3290
Multichannel clad-relocation model for fast-reactor loss-of-flow accidents, 158 (ANL--79-73)
Nucleation, dry-out and boiling behind a sodium-tight local blockage in a 9-pin bundle with helical wire spacers, 350 (CEA-CONF--3955)
Numerical results for a hexagonal fuel assembly with a planar blockage using the COMMIX-1A computer code, 2415 (NUREG/CR--0483)
Observations of the behavior of gas in the wake behind a corner blockage in fast breeder subassembly geometry, 2210 (KFK--2820)
ORNL breeder reactor safety: LOA 2, 3, 4, and 5. Quarterly technical progress report, January-March 1979, 2683 (ORNL/TM--6947)
Progress in liquid-metal fast breeder reactor safety research and development - an overview of the issues, 4180
Radiation heat transfer in a 19-pin sodium-voided bundle (LMFBR), 3981
Radiative heat transfer in a 19-pin sodium-voided bundle, 2595 (ORNL/MIT--274)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Recent results of a local blockage experiment in a sodium cooled electrically heated bundle, 519 (CONF-761001--P4)
Results of the temperature noise measurements in subchannels of sodium cooled electrically heated 28 rod bundle behind a blockage, 4998
Safety test facilities. Needs and concepts. A French evaluation, 346 (CEA-CONF--3849)
Simulation experiments on local cooling channel blockages in typical SNR fuel element clusters, 3715
Simultaneous freezing and melting in finite media, 3085
Sodium boiling in fast reactors: a state-of-the art review, 4979
Space--time dynamics of a fast breeder reactor for localized disturbances, 5257
Summary and evaluation of R-series loss-of-flow safety tests in TREAT, 471 (CONF-761001--P4)
Temperature distribution and local boiling behind a central blockage in a simulated FBR subassembly, 517 (CONF-761001--P4)
Temperature, flow, and acoustic noises in a locally blocked 37-pin bundle (LMFBR), 4511 (JAPFNR--263)
Theoretical and experimental investigation of the nonlinear structural dynamics of Fast Breeder Reactor fuel elements, 2195 (KFK--2584)
Thermal-hydraulic correlations of a six-channel blockage in a sodium-cooled simulated LMFBR fuel assembly, 518 (CONF-761001--P4)
Thermal-hydraulic analysis of a wire-wrapped 19-rod bundle with edge blockage, 3580
Thermal-hydraulic analysis of fuel blockages formed during transient overpower accidents in liquid-metal fast breeder reactors, 3065
Thermohydraulic and thermal stress aspects of a porous blockage in an LMFBR fuel assembly, 795 (CONF-790802--62)
Three-dimensional numerical simulation of flow blockage in a 19-pin LMFBR fuel assembly, 3953
Transfer function of temperature fluctuations for liquid metal slug flow, 3898
Transient sodium boiling characteristics at pump run down, 513 (CONF-761001--P4)
Transition phase of fast reactor overpower excursions, 3624
TREAT test H6-A 50 cents transient overpower accident simulation, 3098
Triangular edge-subchannel wire-wrap phi-functions for flow blockage analysis, 3951

FLOW BLOCKAGE/ACOUSTIC MONITORING
Acoustic resonances as a means of bloackage detection in sodium-cooled fast reactors, 9 (AEEW-R--1168)

FLOW BLOCKAGE/BOILING
An investigation of forced convection boiling of sodium at low heat fluxes in electrically heated seven pin bundles (LMFBR), 512 (CONF-761001--P4)
Interpretation of local boiling behaviour in the KNS blockage experiments, 2010 (INKA-Conf--79-082-001)
Steady state liquid metal boiling pressure drop characteristics (LMFBR), 514 (CONF-761001--P4)

FLOW BLOCKAGE/FLOW RATE
Detection of fuel assembly flow reductions in a heterogeneous core (LMFBR), 4796

FLOW BLOCKAGE/FUEL ELEMENT FAILURE
In-reactor safety tests with fuels for fast neutron reactors, 2032 (IWGFR--5)

FLOW BLOCKAGE/HEAT TRANSFER
Decay heat removal from a pin bundle (LMFBR), 521 (CONF-761001--P4)
Heat removal from a completely blocked breeder element by sodium boiling, 1906 (INIS-mf--4385)
Heat transfer measurements in an air model of a partly blocked reactor fuel subassembly (LMFBR), 4456
Incipient boiling of sodium in an annular channel heated by a single-pin with blockage, 5161
Local blockage studies in a heated multipin water experiment with fast reactor geometry (LMFBR), 365 (CEGB-RD/B/N--3810)
Sodium boiling tests in a 19-pin internally guard heated simulated LMFBR fuel assembly with a six-channel internal blockage: record of experimental data for THORS bundle 3C, 2679 (ORNL/TM--6792)
Temperature fluctuation of sodium in annular flow channel heated by single-pin with blockage, 3875

FLOW BLOCKAGE/HYDRAULICS
An investigation of forced convection boiling of sodium at low heat fluxes in electrically heated seven pin bundles (LMFBR), 512 (CONF-761001--P4)
Detection of fuel assembly flow reductions in a heterogeneous core (LMFBR), 4796
Edge blockage in a 19-pin sodium-cooled bundle (LMFBR), 614 (CONF-771120--8)
Local blockage studies in a heated multipin water experiment with fast reactor geometry (LMFBR), 365 (CEGB-RD/B/N--3810)
Local boiling of sodium in downstream of local flow blockage in a simulated LMFBR fuel subassembly, 520 (CONF-761001--P4)
Model to correlated residence time measurements behind blockages (LMFBR), 4791
Sodium boiling experiments in a 19 pin bundle: two phase coolant dynamics (LMFBR), 516 (CONF-761001--P4)
Sodium boiling tests in a 19-pin internally guard heated simulated LMFBR fuel assembly with a six-channel internal blockage: record of experimental data for THORS bundle 3C, 2679 (ORNL/TM--6792)

FLOW BLOCKAGE/HYDRODYNAMICS
Water modelling studies of the hydrodynamic

characteristics of impermeable blockages in an 11-pin geometry (LMFBR), 6 (AEEW-M--1471)
FLOW BLOCKAGE/MATHEMATICAL MODELS
Analysis of the central blockage wake in an LMFBR-subassembly, 3848
FLOW BLOCKAGE/NUSSELT NUMBER
Maximum wake temperature and Nusselt number behind blockages in sodium-cooled bundles (LMFBR), 4790
FLOW BLOCKAGE/PRESSURE DROP
Sodium boiling experiments in a 19 pin bundle: two phase coolant dynamics (LMFBR), 516 (CONF-761001--P4)
Steady state liquid metal boiling pressure drop characteristics (LMFBR), 514 (CONF-761001--P4)
FLOW BLOCKAGE/SIMULATION
Heat transfer measurements in an air model of a partly blocked reactor fuel subassembly (LMFBR), 4466
In-pile sodium loop for investigation of local cooling disturbances in LMFBR's, 4395
Local sodium boiling behind local flow blockage in simulated LMFBR fuel subassembly, 4312
Sodium boiling experiments in a seven-pin bundle: flow patterns and two-phase pressure drop, 4392
Sodium boiling experiments in a 7-pin bundle: investigations into some safety aspects of the KNK II driver zone, 4393
Steady-state sodium tests in a 19-pin internally guard-heated simulated LMFBR fuel assembly with a six-channel internal blockage: record of experimental data for THORS bundle 3C, 2661 (ORNL/TM--6498)
Water modelling studies of blockage with discrete permeabilities in an 11 pin geometry, 7 (AEEW-M--1484)
FLOW BLOCKAGE/TEMPERATURE DISTRIBUTION
Calculated vs experimental temperature distribution behind a six-channel central blockage (LMFBR), 4792
Edge blockage in a 19-pin sodium-cooled bundle (LMFBR), 514 (CONF-771120--8)
Local boiling of sodium in downstream of local flow blockage in a simulated LMFBR fuel subassembly, 520 (CONF-761001--P4)
Maximum wake temperature and Nusselt number behind blockages in sodium-cooled bundles (LMFBR), 4790
FLOW BLOCKAGE/TEMPERATURE GRADIENTS
Model for predicting temperature fluctuation characteristics beyond the exit of LMFBR subassemblies with faults, 466 (CONF-761001--P4)
Temperature fluctuation of sodium in annular flow channel heated by single-pin with blockage (LMFBR), 3873
FLOW BLOCKAGE/TEMPERATURE NOISE
Monte Carlo approach to the theoretical prediction of temperature noise in LMFBR sub-assemblies, 4994
Temperature fluctuations: an assessment of their use in the detection of fast reactor coolant blockages, 3280
FLOW BLOCKAGE/TURBULENT FLOW
Turbulence measurements in an air model of a partly blocked reactor fuel subassembly (LMFBR), 4457
FLOW REGULATORS
See also BAFFLES
VALVES
Flow orificing of large LMFBR cores with interassembly heat transfer, 532 (CONF-770611--38)
Fuel assembly for nuclear reactor (LMFBR; Patent), 5309
Structure for reducing convection currents within the pressure vessel of a fast reactor (Patent; LMFBR), 4423
Temperature-dependent liquid metal flowrate control device (Patent), 3406
FLOW REGULATORS/DESIGN
Device for controlling flow rate of coolant for an LMFBR type reactor plant (Patent), 5159
Method of controlling the secondary coolant in FBR (Patent), 5252
FLOW REGULATORS/FUEL ASSEMBLIES
Liquid metal cooled fast breeder nuclear reactors (Patent), 3130
FLOW REGULATORS/HYDRAULICS
Onset of cavitation in pressure dropping devices in water and sodium (LMFBR), 2044 (IWGFR--9)
FLOW REGULATORS/SPECIFICATIONS
Temperature-sensitive orifice: a pre-test report (LMFBR), 208 (ANL-CT--78-12)
FLOWMETERS
Electromagnetic flowmeters for fast reactors, 4990
Method and apparatus for pre-heating ducts forming liquid sodium flow passage (Patent), 3444
Ultra-sonic flow meter for the sodium cooled fast breeder reactor, 3754
FLOWMETERS/ACCURACY
Correlation measurements of sodium flow rate with magnetic sensors, 3547
FLOWMETERS/CALIBRATION
ALIP/Flowmeter calibration, 1177 (ETEC-TDR--78-13)
Calibration of 10'' EM flowmeter in SCTI: EFC-100E (LMFBR), 2502 (TI--04-LME-123)
Calibration of electromagnetic flowmeters by average-frequency method (LMFBR), 3948
Signal analysis method using cross-correlation of turbulence flow signals to determine calibration of permanent magnet sodium flowmeters, 603 (CONF-771023--23)
Sodium flow calibration using a pulsed neutron activation technique on a 400mm (16 inch) pipe at LMEC, 205 (ANL-CT--78-9)
FLOWMETERS/DESIGN
Electromagnetic flowmeters for fast reactors, 4631
FLOWMETERS/ELECTROMAGNETIC FIELDS
Theoretical analysis applied to electromagnetic instruments used in liquid sodium, 3869
FLOWMETERS/ELECTRONIC EQUIPMENT
Scram signal generator, 3228
FLOWMETERS/LIQUID FLOW
Bubble noise at magnetic flowmeters, 3466
FLOWMETERS/OPTIMIZATION
Theoretical model of an eddy-current flowsensor, 4359
FLOWMETERS/PERFORMANCE TESTING
Application of the pulsed-neutron activation technique for flow measurement at EBR-II, 61 (ANL--77-52)
Performance of FFTF-type eddy current flowmeters in the SLSF P-series test trains, 4684
FLOWMETERS/PULSED NEUTRON TECHNIQUES
Application of the pulsed-neutron activation technique for flow measurement at EBR-II, 61 (ANL--77-52)
FLOWMETERS/TRANSDUCERS
High-temperature shear-mode transducers for LMFBR ultrasonic flowmeters, 188 (ANL-CT--77-6)
FLUIDIC CONTROL DEVICES/DESIGN
Control device in a reactor (Patent; LMFBR), 5171
FLUIDIZED BED HEAT EXCHANGERS/DESIGN
Fluidized bed heat transport between parallel, horizontal tube-bundles., 4038
FLUIDIZED BED HEAT EXCHANGERS/HEAT TRANSFER
Fluidized bed heat transport between parallel, horizontal tube-bundles., 4038
FLUIDIZED-BED COMBUSTORS/LIQUID-METAL MHD GENERATORS
Investigation of two-phase liquid-metal magnetohydrodynamic power systems, 5301
FLUORIDE VOLATILITY PROCESS/PILOT PLANTS
Pilot plant reprocessing of the BOR-60 spent uranium fuel by using fluoride volutility method, 1881 (IAEA-AG--63-21)
FOOD CHAINS/CONTAMINATION
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
FORT SHEVCHENKO REACTOR
See BN-350 REACTOR
FORTISSIMO REACTOR
See RAPSODIE REACTOR
FOSSIL-FUEL POWER PLANTS
See also ELECTRIC UTILITIES
FOSSIL-FUEL POWER PLANTS/COMPARATIVE EVALUATIONS
Energy Economic Data Base (EEDB) Program: Phase I, Volume I. Final report, 956 (COO--4954-1(Vol.1))
Energy Economic Data Base (EEDB) Program: Phase I, Volume II. Final report, 957 (COO--4954-1(Vol.2))
FOSSIL-FUEL POWER PLANTS/ECONOMIC ANALYSIS
Energy Economic Data Base (EEDB) Program: Phase I, Volume I. Final report, 956 (COO--4954-1(Vol.1))
Energy Economic Data Base (EEDB) Program: Phase I, Volume II. Final report, 957 (COO--4954-1(Vol.2))
FOSSIL-FUEL POWER PLANTS/EVALUATION
Systems descriptions and engineering costs for solar-related technologies. Volume IV. Conventional technologies for electric utility applications, 2307 (MTR--7485(Vol.4))
FOSSIL-FUEL POWER PLANTS/RADIATION HAZARDS
Radiation risks from plutonium recycle, 4267
FR-2 REACTOR/IRRADIATION CAPSULES
High-pressure capsule for the irradiation of fuel swelling specimens in the FR2 reactor, 4508
FRANCE/FBR TYPE REACTORS
Status of French breeder development and German-French cooperation, 3439
FRANCE/INTERNATIONAL COOPERATION
Breeder development and Franco-German cooperation, 3440
FRANCE/LMFBR TYPE REACTORS
Breeder development and Franco-German cooperation, 3440
Breeder reactors, 355 (CEA-CONF--4212)
Breeders: operational experience with fast power reactors in five states - more intensive German-French breeder cooperation, 3530
Development of French programme on fast reactors, from March 1975 to March 1976, 2083 (IWGFR--12)
Development of French programme on fast reactors, from March 1976 to March 1977, 2092 (IWGFR--18)
Fast breeder reactor development program in France. Outlook for practical utilization, 4163
French advanced fuels development program (LMFBR), 4821
Future plans for the design and construction of fast reactor power stations, 4081
Past and present role of fast breeder reactors, 4057
Profiles of facilities used for FRB research and testing. Supplement 1, 2085 (IWGFR--13-1)
Programme and status of the development of the fast breeder reactor system in France, 4904
Progress in development and application of methods of washing and decontamination of objects in contact with sodium, 2122 (IWGFR--23)
FRANCE/NUCLEAR INDUSTRY
French nuclear industry, 4921
FRANCE/NUCLEAR POWER
Nuclear energy and electric power, 4823
Nuclear power generation plan in France, 5266
Reports from the Advisor Committee for Nuclear Power Generation, 1970-1974. Vol. II, 5460
FRANCE/NUCLEAR POWER PLANTS
Nuclear power generation plan in France, 5266

FRANCE/POWER REACTORS
Choice of systems and optimum use of nuclear material resources, 3720
FRANCE/REACTOR SAFETY
Nuclear safety in France, 3345
FRICTION/RESEARCH PROGRAMS
Tribology: research and development needs in advanced energy technology, 1459 (HEDL-SA--1192(Rev.))
FTR REACTOR
See FFTF REACTOR
FUEL ASSEMBLIES
See also FUEL ELEMENT CLUSTERS
Fuel assembly (Patent; LMFBR), 5382
Nuclear fuel assembly (Patent), 4449
Nuclear reactor fuel element assemblies (Patent; LMFBR), 4446
Nuclear reactor assembly (Patent), 5389
Nuclear reactor fuel element assemblies (Patent), 3704
FUEL ASSEMBLIES/AFTER-HEAT
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop (THORS bundle 6A) (LMFBR), 2677 (ORNL/TM--6778)
FUEL ASSEMBLIES/AFTER-HEAT REMOVAL
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop (LMFBR), 804 (CONF-790808--13)
Decay heat removal from a pin bundle (LMFBR), 521 (CONF-761001--P4)
FUEL ASSEMBLIES/BOILING
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 4793
Some comments on sodium behavior (boiling) in LMFBR wire-wrapped subassemblies, 4795
FUEL ASSEMBLIES/BREEDING RATIO
Nuclear reactor composite fuel assembly (Patent), 3094
FUEL ASSEMBLIES/CONFIGURATION
Nuclear fuel assembly (LMFBR; patent), 5130
FUEL ASSEMBLIES/CRACKS
Response of cracked hexagonal subassembly ducts to impact loading (LMFBR), 3193
Stress-intensity factors for irradiation-embrittled hexagonal subassembly ducts, 5087
FUEL ASSEMBLIES/DEFORMATION
Analytical method of fuel pin deformations in LMFBR assembly, 4317
Effect of nonuniform gaps on compaction of an LMFBR core, 4693
Experiments on the response of hexagonal subassembly ducts to internal pressure pulses, 577 (CONF-770807--Pt.E)
Irradiation-swelling-induced bow in fast reactor subassemblies, 4026
Parametric study of the nonlinear behavior of complete LMFBR subassemblies using the CORTRAN computer code, 583 (CONF-770807--Pt.E)
Parametric study of the nonlinear behaviour of complete LMFBR subassembly using the CORTRAN computer code, 5063
Response of subassembly model with internals, 573 (CONF-770807--Pt.E)
Subassembly analysis, 3549
Subassembly bowing experience in EBR-II, 5071
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 568 (CONF-770807--Pt.E)
FUEL ASSEMBLIES/DESIGN
Breeder reactor grid-type subassembly design and evaluation. Quarterly progress report for the period ending December 31, 1977, 3000 (WARD-OX--3045-39)
Breeder reactor grid-type subassembly design and evaluation. Quarterly progress report for the period ending March 31, 1978, 3001 (WARD-OX--3045-40)
Core engineering. Sixty-third quarterly report, May--July 1977 (LMFBR; FFTF), 1330 (GEFR--10028-63)
Core engineering. Sixty-fourth quarterly report, August--October 1977 (LMFBR; FFTF), 1331 (GEFR--10028-64)
Core engineering. Sixty-seventh quarterly report, May-July 1978 (LMFBR; FFTF), 1334 (GEFR--10028-67)
Core engineering. Sixty-eighth quarterly report, August--October 1978 (LMFBR), 1335 (GEFR--10028-68)
Fast breeder (Patent; LMFBR), 5234
Fuel assembly for a nuclear reactor (Patent; LMFBR), 5398
Fuel assembly (Patent; LMFBR), 5248
Fuel assembly (Patent; LMFBR), 5260
Fuel assembly (Patent; LMFBR), 5312
Fuel assemblies for nuclear reactor (Patent; LMFBR), 5366
Fuel assembly in FBR type reactor (Patent), 5187
Fuel assembly (Patent; LMFBR), 5198
Fuel assembly for a FBR type reactor (Patent), 5206
Fuel Assembly (Patent; LMFBR), 5218
Fuel assembly (Patent; LMFBR), 5173
Fuel assembly for fast breeder liquid metal cooled reactor (Patent), 3564
Nuclear fuel assembly (Patent; LMFBR), 5189
Nuclear reactor fuel element sub-assemblies (Patent; LMFBR), 4291
Nuclear reactor fuel assembly (Patent; LMFBR), 5374
Nuclear reactor (Patent; LMFBR), 5199
Oxide fuel element development. Quarterly progress report for period ending December 31, 1975 (Development and testing of LMFBR mixed-oxide fuel pins and fuel assemblies), 2990 (WARD-OX--3045-23)
Oxide fuel element development. Quarterly progress report for period ending June 30, 1977, 2996 (WARD-OX--3045-32)
FUEL ASSEMBLIES/DUCTS
Stress-intensity factors for irradiation-embrittled hexagonal subassembly ducts, 5087
FUEL ASSEMBLIES/ENGINEERING
Core engineering. Sixty-fifth quarterly report, November 1977--January 1978 (LMFBR; FFTF), 1332 (GEFR--10028-65)
FUEL ASSEMBLIES/FABRICATION
Breeder reactor grid-type subassembly design and evaluation. Quarterly progress report for the period ending December 31, 1977, 3000 (WARD-OX--3045-39)
Fabrication details for wire wrapped fuel assembly components (LMFBR), 868 (COO--2245-27TR(Rev.1))
Studies and fabrication of the fuel, 3879
FUEL ASSEMBLIES/FAILED ELEMENT DETECTION
Model for predicting temperature fluctuation characteristics beyond the exit of LMFBR subassemblies with faults, 466 (CONF-761001--P4)
FUEL ASSEMBLIES/FLOW BLOCKAGE
An investigation of forced convection boiling of sodium at low heat fluxes in electrically heated seven pin bundles (LMFBR), 512 (CONF-761001--P4)
Analysis of the central blockage wake in an LMFBR-subassembly, 3848
Analysis of Flow Impedance Phenomena. Final report, June 1, 1978-July 31, 1979 (LMFBR), 955 (COO--4932.M001-2)
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 1925 (INIS-mf--4470)
Blockages in LMFBR fuel assemblies: a review, 615 (CONF-771120--14)
Calculated vs experimental temperature distribution behind a six-channel central blockage (LMFBR), 4792
Decay heat removal from a pin bundle (LMFBR), 521 (CONF-761001--P4)
Detection of fuel assembly flow reductions in a heterogeneous core (LMFBR), 4796
Edge blockage in a 19-pin sodium-cooled bundle (LMFBR), 614 (CONF-771120--8)
Heat transfer measurements in an air model of a partly blocked reactor fuel subassembly (LMFBR), 4456
Hydraulic simulation of local blockage in LMFBR fuel subassembly, 2148 (JAPFNR--434)
Local boiling of sodium in downstream of local flow blockage in a simulated LMFBR fuel subassembly, 520 (CONF-761001--P4)
Local sodium boiling behind local flow blockage in simulated lmfbr fuel subassembly, 4309
Maximum wake temperature and Nusselt number behind blockages in sodium-cooled bundles (LMFBR), 4790
Maxiumum sodium temperature correlation for six-channel FBR subassembly blockages, 3982
Model for predicting temperature fluctuation characteristics beyond the exit of LMFBR subassemblies with faults, 466 (CONF-761001--P4)
Model to correlated residence time measurements behind blockages (LMFBR), 4791
Monte Carlo approach to the theoretical prediction of temperature noise in LMFBR sub-assemblies, 4994
Numerical results for a hexagonal fuel assembly with a planar blockage using the COMMIX-1A computer code, 2415 (NUREG/CR--0483)
Observations of the behavior of gas in the wake behind a corner blockage in fast breeder subassembly geometry, 2210 (KFK--2820)
Radiation heat transfer in a 19-pin sodium-voided bundle (LMFBR), 3981
Sodium boiling tests in a 19-pin internally guard heated simulated LMFBR fuel assembly with a six-channel internal blockage: record of experimental data for THORS bundle 3C, 2679 (ORNL/TM--6792)
Steady state liquid metal boiling pressure drop characteristics (LMFBR), 514 (CONF-761001--P4)
Steady-state sodium tests in a 19-pin internally guard-heated simulated LMFBR fuel assembly with a six-channel internal blockage: record of experimental data for THORS bundle 3C, 2661 (ORNL/TM--6498)
Temperature fluctuations: an assessment of their use in the detection of fast reactor coolant blockages, 3280
Thermohydraulic and thermal stress aspects of a porous blockage in an LMFBR fuel assembly, 795 (CONF-790802--62)
Three-dimensional numerical simulation of flow blockage in a 19-pin LMFBR fuel assembly, 3953
Transfer function of temperature fluctuations for liquid metal slug flow (LMFBR), 3898
Triangular edge-subchannel wire-wrap phi-functions for flow blockage analysis (LMFBR), 3951
Turbulence measurements in an air model of a partly blocked reactor fuel subassembly (LMFBR), 4457
Water modelling studies of the hydrodynamic characteristics of impermeable blockages in an 11-pin geometry (LMFBR), 6 (AEEW-M--1471)
FUEL ASSEMBLIES/FLOW REGULATORS
Fuel assembly for nuclear reactor (LMFBR; Patent), 5309
Onset of cavitation in pressure dropping devices in water and sodium (LMFBR), 2044 (IWGFR--9)
Temperature-dependent liquid metal flowrate control device (Patent), 3406
FUEL ASSEMBLIES/FLUID FLOW

Cavitation problems in fast reactor fuel subassemblies, 2038 (IWGFR--9)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1-May 31, 1979, 900 (COO--2245-70)
ENERGY 1A: a modified version of the ENERGY 1 thermal-hydraulic computer code for LMFBR wire wrap spacer fuel assemblies, 1766 (HEDL-TME--77-53)
Flow split model for LMFBR wire wrapped assemblies, 888 (COO--2245-56TR)
Fluid mixing studies in a hexagonal 61-pin, wire-wrapped rod bundle, 883 (COO--2245-51TR)
Hydraulic testing program on vented assembly core design (LMFBR), 1268 (GEFR--00349)
LMFBR vented assembly hydraulic modeling and testing, 1403 (GEFR-SP--065)
Methodology for statistical determination of fuel intra-assembly flow mixing uncertainty, 836 (CONF-791103--7(Summ))
Noise and DC balanced outlet temperature signals for monitoring coolant flow in LMFBR fuel elements, 5011
Nuclear reactor core configuration (Patent), 3455
Simple forced diversion model for study of thermal-hydraulic transients in LMFBR subassembly, 3849
Thermal-hydraulic evaluation of advanced wire-wrap assemblies (LMFBR), 4852
Three-dimensional numerical simulation of a 19-pin LMFBR fuel assembly in a hexagonal duct, 3581

FUEL ASSEMBLIES/FRACTURE PROPERTIES
Parametric investigation of dynamic fracture, 5073

FUEL ASSEMBLIES/FUEL-CLADDING INTERACTIONS
Oxide fuel element development. Quarterly progress report for period ending September 30, 1975, 2989 (WARD-OX--3045-20)

FUEL ASSEMBLIES/GAMMA FUEL SCANNING
Calculation of signals in coded-aperture imaging of many-pin bundles of LMFBR fuel, 2407 (NUREG/CR--0443)

FUEL ASSEMBLIES/HEAT TRANSFER
3-D slug flow heat transfer analysis of coupled coolant cells in finite LMFBR bundles, 889 (COO--2245-58TR)
Analysis of the feasibility of implementing an implicit temporal differencing schere in the SUPERENERGY code (LMFBR), 869 (COO--2245-35TR)
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 1925 (INIS-mf--4470)
Boiling incoherency effects in unprotected loss-of-flow accidents (LMFBR), 4771
COBRA-IV comparison with the W-ARD 11:1 LMFBR air flow test, 3162
COBRA-IV wire wrap data comparisons (LMFBR), 2751 (PNL--2938)
Combined forced and free laminar convection in verticale rod bundles with longitudinal flow (LMFBR), 4629
Comparisons of XX08 steady-state temperature measurements with analytical predictions (LMFBR), 3950
Comparison of semi-statistical hot channel factor and Monte Carlo analyses of fuel assembly coolant temperature uncertainties (LMFBR), 1272 (GEFR--00354)
Comparison of COBRA III-C and SABRE-1 (wire-wrap version) computational results with steady-state data from a 19-pin internally guard heated sodium-cooled bundle with a six-channel central blockage (THORS Bundle 3C) (LMFBR), 821 (CONF-790816--39)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1,1978--February 28, 1979, 899 (COO--2245-69)
Couple M: a computer program which models thermal-hydraulic and dimensional change behavior of a multi-pin FBR fuel assembly, 1789 (HEDL-TME--77-96)
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 611 (CONF-771109--77)
ENERGY 1A: a modified version of the ENERGY 1 thermal-hydraulic computer code for LMFBR wire wrap spacer fuel assemblies, 1766 (HEDL-TME--77-53)
Engineering analysis of mixed carbide fuels for large breeder reactors, 182 (ANL-AFP--46)
Evaluation of COBRA III-C and SABRE-I (wire wrap version) computational results by comparison with steady-state data from a 19-pin internally guard heated sodium cooled bundle with a six-channel central blockage (THORS bundle 3C) (LMFBR), 813 (CONF-790816--22)
Experimental observations of intersubassembly heat transfer effects during natural circulation (LMFBR), 4021
Flow distribution in edge subchannels of wire-wrapped 61-rod assemblies (LMFBR), 4690
Flow impedance test results at HEDL: chemical basis (LMFBR), 1516 (HEDL-SA--1425)
Heat transfer in the peripheral region of a fast reactor fuel assembly. Part I. Experimental equipment; solution prerequisites, technological experiments, 2950 (UJV--4333-T)
Heat-transfer in a partially-blocked sodium-cooled rod bundle (LMFBR), 848 (CONF-791205--23)
Laminar mixed-convection heat transfer in finite hexagonal bundles (LMFBR), 4656
LMFBR core thermal-hydraulic analysis accounting for interassembly heat transfer, 3586
Maximum sodium temperature correlation for six-channel FBR subassembly blockages, 3982
Natural circulation heat transfer testing with a simulated full-scale LMFBR 217-pin electrically heated fuel assembly: test data, 1676 (HEDL-TC--1022)
Natural convection boiling of sodium in a simulated FBR fuel assembly subchannel, 811 (CONF-790816--20)
PACT 2: probabilistic analysis of coolant and cladding temperatures (LMFBR), 1309 (GEFR--00417)
Possibilities for the determination of the heat transfer process between nuclear fuel rods and the cooling medium in a sodium-cooled reactor during operation, 3112 (DOE-tr--142)
Practical model of interassembly heat transfer in LMFBR assemblies, 3587
Pretest prediction of the W-1 SLSF experiment using the COMMIX-1A computer code (LMFBR), 2443 (NUREG/CR--0816)
Radiation heat transfer in a 19-pin sodium-voided bundle (LMFBR), 3981
Rod-bundle thermal-hydraulic analysis using boundary-fitted coordinate system (LMFBR), 2374 (NUREG/CR--0001)
Simple forced diversion model for study of thermal-hydraulic transients in LMFBR subassembly, 3849
Simple transient analysis of the THORS bundle 6A boiling test results (LMFBR), 679 (CONF-780622--37)
Simplified interassembly heat transfer model for the analysis of liquid-metal fast breeder reactor core restraint systems, 3082
Study of transient sodium boiling in LMFBR fuel bundles, 1289 (GEFR--00395)
Thermal-hydraulic evaluation of advanced wire-wrap assemblies (LMFBR), 4852
Thermal-hydraulic evaluation of advanced wire-wrap assemblies, 5003
Three-dimensional coupled coolant cell heat transfer analysis of finite hexagonal LMFBR bundles, 3954
Vented assembly core development program, FY-78 (LMFBR), 1284 (GEFR--00386)

FUEL ASSEMBLIES/HOT CHANNEL FACTOR
Comparison of semi-statistical hot channel factor and Monte Carlo analyses of fuel assembly coolant temperature uncertainties (LMFBR), 1272 (GEFR--00354)

FUEL ASSEMBLIES/HYDRAULICS
3-D slug flow heat transfer analysis of coupled coolant cells in finite LMFBR bundles, 889 (COO--2245-58TR)
Acoustic analysis from sodium boiling tests using THORS bundle 6A (LMFBR), 4797
Analysis of the feasibility of implementing an implicit temporal differencing scheme in the SUPERENERGY code (LMFBR), 869 (COO--2245-35TR)
Approach for treating two-dimensional coolant boiling in an LMFBR fuel subassembly, 4794
Assessment of the need to incorporate the variable swirl model in the ENERGY code (LMFBR), 878 (COO--2245-46TR)
Cavitation problems in fast reactor fuel subassemblies, 2038 (IWGFR--9)
COBRA-IV comparison with the WARD 11:1 scale LMFBR air flow tests, 2750 (PNL--2923)
COBRA-IV comparison with the W-ARD 11:1 LMFBR air flow test, 3162
COBRA-IV wire wrap data comparisons (LMFBR), 2751 (PNL--2938)
Comparisons of XX08 steady-state temperature measurements with analytical predictions (LMFBR), 3950
Comparison of semi-statistical hot channel factor and Monte Carlo analyses of fuel assembly coolant temperature uncertainties (LMFBR), 1272 (GEFR--00354)
Comparison of COBRA III-C and SABRE-1 (wire-wrap version) computational results with steady-state data from a 19-pin internally guard heated sodium-cooled bundle with a six-channel central blockage (THORS Bundle 3C) (LMFBR), 821 (CONF-790816--39)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, June 1, 1977--August 31, 1977, 884 (COO--2245-53)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1,1978--February 28, 1979, 899 (COO--2245-69)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1-May 31, 1979, 900 (COO--2245-70)
Couple M: a computer program which models thermal-hydraulic and dimensional change behavior of a multi-pin FBR fuel assembly, 1789 (HEDL-TME--77-96)
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 611 (CONF-771109--77)
Engineering analysis of mixed carbide fuels for large breeder reactors, 182 (ANL-AFP--46)
Experimental investigation of the turbulent flow through a wall subchannel of a rod bundle (LMFBR), 3555 (DOE-tr--176)
Experimental investigations of turbulent flows in rod bundles with and without spacer grids (LMFBR), 2214 (KFK--2834)
Flow distribution in edge subchannels of wire-wrapped 61-rod assemblies (LMFBR), 4690
Heat-transfer in a partially-blocked sodium-cooled rod bundle (LMFBR), 848 (CONF-791205--23)
Hydraulic simulation of local blockage in LMFBR fuel subassembly, 2148 (JAPFNR--434)
Hydraulic testing program on vented assembly core design, FY-78. Volume 1: vent hydraulics testing, 1314 (GEFR--00426-1)
Influence of the axial distribution of heat flux on sodium boiling in forced convection (LMFBR), 515 (CONF-761001--P4)
Laminar mixed-convection heat transfer in finite hexagonal bundles (LMFBR), 4656

LMFBR core thermal-hydraulic analysis accounting for interassembly heat transfer, 3586
LMFBR vented assembly hydraulic modeling and testing, 3583
Measurement and analysis of flow wall shear stress in an interior subchannel of triangular array rods (LMFBR), 881 (COO--2245-49TR)
Mixing experiments in LMFBR wire wrapped blanket assemblies, 875 (COO--2245-43TR)
Numerical simulation of the two-dimensional boiling (voiding) in LMFBR subassemblies, 511 (CONF-761001--P4)
Observations of the behavior of gas in the wake behind a corner blockage in fast breeder subassembly geometry, 2210 (KFK--2820)
PACT 2: probabilistic analysis of coolant and cladding temperatures (LMFBR), 1309 (GEFR--00417)
Practical model of interassembly heat transfer in LMFBR assemblies, 3587
Pressure drop measurements in LMFBR wire-wrapped blanket bundles, 3955
Pretest prediction of the W-1 SLSF experiment using the COMMIX-1A computer code (LMFBR), 2443 (NUREG/CR--0816)
Rod-bundle thermal-hydraulic analysis using boundary-fitted coordinate system (LMFBR), 2374 (NUREG/CR--0001)
Sodium boiling experiments in a 19 pin bundle: two phase coolant dynamics (LMFBR), 516 (CONF-761001--P4)
Some comments on sodium behavior (boiling) in LMFBR wire-wrapped subassemblies, 4795
Theory and application of a quasi-Eulerian fluid element for the STRAW code (LMFBR), 144 (ANL--78-100)
Thermal-hydraulic evaluation of advanced wire-wrap assemblies, 5003
Three-dimensional numerical simulation of flow blockage in a 19-pin LMFBR fuel assembly, 3953
Triangular edge-subchannel wire-wrap phi-functions for flow blockage analysis (LMFBR), 3951
Turbulent sweeping flow mixing model for wire wrapped LMFBR assemblies, 886 (COO--2245-55TR)
Turbulent mixing experiment and model for wire-wrapped assemblies (LMFBR), 3956
Vented assembly core development program, FY-77 (LMFBR), 1255 (GEFR--00291)
Vented assembly core development program, FY-78 (LMFBR), 1284 (GEFR--00386)

FUEL ASSEMBLIES/HYDRODYNAMICS
Effect of configuration distortion on velocity and temperature fields in the peripheral zone of a fast reactor fuel assembly at laminar flow, 2951 (UJV--4576-T)

FUEL ASSEMBLIES/IMPACT STRENGTH
Response of cracked hexagonal subassembly ducts to impact loading (LMFBR), 3193

FUEL ASSEMBLIES/IRRADIATION
Pre-irradiation concept description and cost assessment (Advanced LMFBR core design program), 1296 (GEFR--00402(Vol.2))
Pre-irradiation concept description and cost assessment (Advanced LMFBR core design program), 1297 (GEFR--00402(Vol.3))

FUEL ASSEMBLIES/IRRADIATION CAPSULES
System for extracting and inserting an irradiation capsule into a fuel assembly (Patent; LMFBR), 5347

FUEL ASSEMBLIES/IRRADIATION PLANTS
Pre-irradiation concept description and cost assessment (LMFBR), 1295 (GEFR--00402(Vol.1))

FUEL ASSEMBLIES/JACKETS
Transmission of sound waves through water in a PFR subassembly wrapper, 8 (AEEW-R--1140)

FUEL ASSEMBLIES/LAND TRANSPORT
Response of a grid spaced fuel assembly to shipping environment, 5085

FUEL ASSEMBLIES/LIQUID FLOW
Flow impedance test results at HEDL: chemical basis (LMFBR), 1510 (HEDL-SA--1425)
Mixing experiments in LMFBR wire wrapped blanket assemblies, 875 (COO--2245-43TR)

FUEL ASSEMBLIES/MECHANICAL VIBRATIONS
Flow-induced vibrations of spiral wire-wrapped fuel assemblies (LMFBR), 5425
Fuel element vibrations in a fast reactor core due to sodium flow, 2105 (IWGFR--21)
Hydraulic testing program on vented assembly core design, FY-78. Volume 2: pin vibration testing, 1315 (GEFR--00426-2)
Substantiation of vibration strength of nuclear reactor and steam generator internals; main problems, 2104 (IWGFR--21)

FUEL ASSEMBLIES/MELTDOWN
Calculation of signals in coded-aperture imaging of many-pin bundles of LMFBR fuel, 2407 (NUREG/CR--0443)
Flash x-radiography for material motion detection (LMFBR), 2843 (SAND--77-1648C)
Subassembly-to-subassembly meltthrough analytical studies, 574 (CONF-770807--Pt.E)

FUEL ASSEMBLIES/MOCKUP
Electron-beam welding of fuel pin simulators to a tubesheet (LMFBR), 2669 (ORNL/TM--6600)
Inspecting examination of mockup fuel assemblies of MONJU after sodium flow test, 2740 (PNCT--831-77-02)

FUEL ASSEMBLIES/NATURAL CONVECTION
Natural convection boiling of sodium in a simulated FBR fuel assembly subchannel, 811 (CONF-790816--20)

FUEL ASSEMBLIES/NEUTRON FLUX
FLEX: a code for calculating neutron flux microdistributions in lattices consisting of hexagonal fuel assemblies, 3842

FUEL ASSEMBLIES/PERFORMANCE
Inspecting examination of mockup fuel assemblies of MONJU after sodium flow test, 2740 (PNCT--831-77-02)

FUEL ASSEMBLIES/PERFORMANCE TESTING
Core engineering. Sixty-fourth quarterly report, August--October 1977 (LMFBR; FFTF), 1331 (GEFR--10028-64)
Design basis and FTR testing of an advanced wire-wrap driver fuel assembly (LMFBR), 3585
ECEL thorium assembly descriptions and data summaries (LMFBR), 1140 (ESG-DOE--13246)
Oxide fuel element development. Quarterly progress report for period ending June 30, 1977, 2996 (WARD-OX--3045-32)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1977 (LMFBR), 2997 (WARD-OX--3045-34)
System design of carbide fuel. Quarterly progress report, April--June 1977 (LMFBR), 910 (COO--2426-101)

FUEL ASSEMBLIES/PHYSICAL RADIATION EFFECTS
Irradiation-swelling-induced bow in fast reactor subassemblies, 4026
Structural analysis of experimental carbide fueled driver assmbly flow duct for testing in the FFTF, 5090

FUEL ASSEMBLIES/POWER DISTRIBUTION
System design of carbide fuel. Quarterly progress report, April--June 1977 (LMFBR), 910 (COO--2426-101)

FUEL ASSEMBLIES/PRESSURE DROP
Analysis of Flow Impedance Phenomena. Final report, June 1, 1978-July 31, 1979 (LMFBR), 955 (COO--4932.M001-2)
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 4793
Pressure drop measurements in LMFBR wire wrapped blanket assemblies, 874 (COO--2245-42TR)
Pressure drop measurements in LMFBR wire-wrapped blanket bundles, 3955

FUEL ASSEMBLIES/RADIATION MONITORING
Radiation and effluent control technology semiannual progress report, January--June 1976, 1753 (HEDL-TME--77-30)

FUEL ASSEMBLIES/REACTOR CHARGING MACHINES
System for charging and discharging the fuel of a nuclear reactor (LMFBR type reactors (Patent)), 5158

FUEL ASSEMBLIES/REMOTE HANDLING EQUIPMENT
Ex-vessel nuclear fuel transfer system (Patent), 3838
Nuclear reactor fuel transfer system (Patent), 3837

FUEL ASSEMBLIES/RESPONSE FUNCTIONS
Structural dynamics studies for single and clustered SNR-300 fuel elements: a comparison of analytical and experimental results, 1980 (INIS-mf--4592)

FUEL ASSEMBLIES/SAFEGUARDS
Preirradiation of LMFBR fresh fuel assemblies to improve proliferation resistance, 3569

FUEL ASSEMBLIES/SEISMIC EFFECTS
Numerical method for predicting seismic-induced impact between subassemblies in LMFBR cores, 3537

FUEL ASSEMBLIES/SHROUDS
Elastic--plastic analysis of pressurized ducts with rounded corners (LMFBR), 4329
Fuel assembly (Patent), 5135

FUEL ASSEMBLIES/SPACERS
Improved nuclear fuel assembly grid spacer (Patent; LMFBR), 4528
Spacer for supporting fuel element boxes (Patent; LMFBR), 3266
System of bracing intended for a bundle of parallel pins inside a fuel assembly of nuclear reactor (LMFBR; Patent), 5405

FUEL ASSEMBLIES/SPECIFICATIONS
Design basis and FTR testing of an advanced wire-wrap driver fuel assembly (LMFBR), 3585
Effect of alternative fuel cycles on LMFBR design, 3593
LMFBR design with the composite fuel assembly, 3595

FUEL ASSEMBLIES/STANDARDS
Driver fuel assembly (LMFBR), 2766 (RDT-E--13-16T)

FUEL ASSEMBLIES/STRESS ANALYSIS
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin reactor structures (LMFBR), 549 (CONF-770807--50)
Some problems of operation behaviour of hexagonal boxes for fuel elements of fast power reactors, 2223 (KFK-tr--578)
Subassembly analysis, 3549
Vented assembly core development program, FY-78 (LMFBR), 1284 (GEFR--00386)

FUEL ASSEMBLIES/STRESSES
Measurement and analysis of flow wall shear stress in an interior subchannel of triangular array rods (LMFBR), 881 (COO--2245-49TR)

FUEL ASSEMBLIES/SUPPORTS
Fuel assembly (Patent), 4606

FUEL ASSEMBLIES/TEMPERATURE DISTRIBUTION
Approximate method for predicting temperature distribution in wire wrapped fuel assemblies of a LMFBR, 871 (COO--2245-37TR)
Experimental determination of temperature fields in sodium-cooled rod bundles with hexagonal rod arrangement and grid spacers, 3840 (EURFNR--1413)

FUEL ASSEMBLIES/TEMPERATURE GRADIENTS

Computational results for a 7-pin hexagonal fuel assembly during a flow rundown transient using the COMMIX-1A computer code (LMFBR), 2471 (NUREG/CR--1285)
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 4793
Temperatures of EBR-II subassemblies in air or argon without forced cooling, 806 (CONF-790808--19)
THree-dimensional coupled coolant cell heat transfer analysis of finite hexagonal LMFBR bundles, 3954
FUEL ASSEMBLIES/TEST FACILITIES
Data management system for the Thermal-Hydraulic Out-of-Reactor Safety Facility computer-controlled data acquisition system configuration for bundle 3C operation (LMFBR), 2676 (ORNL/TM--6745)
FUEL ASSEMBLIES/THERMAL STRESSES
Effect of high external thermal loading on LMFBR subassembly integrity, 1972 (INIS-mf--4592)
Localized duct wall cyclic thermal stresses in vented assembly LMFBR cores, 1269 (GEFR--00351)
FUEL ASSEMBLIES/THERMODYNAMIC PROPERTIES
Effect of configuration distortion on velocity and temperature fields in the peripheral zone of a fast reactor fuel assembly at laminar flow, 2951 (UJV--4576-T)
FUEL ASSEMBLIES/TURBULENT FLOW
Assessment of the need to incorporate the variable swirl model in the ENERGY code (LMFBR), 878 (COO--2245-46TR)
Experimental investigation of the turbulent flow through a wall subchannel of a rod bundle (LMFBR), 3555 (DOE-tr--176)
Experimental investigations of turbulent flows in rod bundles with and without spacer grids (LMFBR), 2214 (KFK--2834)
Turbulent sweeping flow mixing model for wire wrapped LMFBR assemblies, 886 (COO--2245-55TR)
Turbulent mixing experiment and model for wire-wrapped assemblies (LMFBR), 3956
Turbulent sweeping flow mixing model for wire wrapped LMFBR assemblies, 887 (COO--2245-55TR(Rev.1))
FUEL ASSEMBLIES/TWO-PHASE FLOW
Acoustic analysis from sodium boiling tests using THORS bundle 6A (LMFBR), 4797
Sodium boiling in a full-length 19-pin simulated fuel assembly (THORS Bundle 6A), 2664 (ORNL/TM--6553)
FUEL ASSEMBLIES/VOID COEFFICIENT
Dependence of diffusion theory results on the mesh size for fast reactor calculations (LMFBR), 2212 (KFK--2827)
FUEL ASSEMBLIES/WELDED JOINTS
Electron-beam welding of fuel pin simulators to a tubesheet (LMFBR), 2669 (ORNL/TM--6600)
FUEL BUNDLES
See FUEL ELEMENT CLUSTERS
FUEL CANS
Clad relocation dynamics: the physics and accident evolution implications (LMFBR), 475 (CONF-761001--P4)
Cladding development and characterization in the United States, 1468 (HEDL-SA--1286)
Cladding relocation experiments (LMFBR), 474 (CONF-761001--P4)
Fuel can for a liquid-metal cooled fast breeder (Patent), 5235
Fuel rod for liquid metal-cooled nuclear reactors (Patent), 5132
FUEL CANS/CHEMICAL REACTIONS
Experimental and theoretical evaluation of defect growth of fuel pin cladding by chemical fuel-sodium interaction, 5099
FUEL CANS/CORROSION
Corrosion behavior of LMFBR fuel cladding in simulated water pool storage conditions, 2675 (ORNL/TM--6744)
Long-term in-reactor corrosion of stainless steel cladding in liquid sodium (LMFBR), 1628 (HEDL-SA--1756-5)
Long-term in-reactor corrosion of stainless-steel cladding in liquid sodium, 3168
Proposed mechanism for internal cladding corrosion in LMFBR mixed oxide fuel pins, 3389
FUEL CANS/CORROSION PROTECTION
Oxygen transport limitations in using getters to control fuel cladding chemical interaction (LMFBR), 1549 (HEDL-SA--1522)
FUEL CANS/CORROSION RESISTANCE
Nuclear fuel element (Patent), 5243
FUEL CANS/CREEP
LMFBR-fuel cladding thermal creep strain under linearly increasing internal pressure, 5084
FUEL CANS/DEFORMATION
Analysis of a hypothetical LMFBR accident using the codes FUTURE and FRUMP, 3987
Can swelling in fast-breeder fuel rods with oxidic and carbidic fuel, 3887
Cladding failure by local plastic instability, 1916 (INIS-mf--4470)
Effect of prior irradiation creep on the subsequent burst strength of 20% cold-worked type 316 stainless-steel cladding, 3518
Effective temperature of an expanding tube with a radial temperature gradient over the wall, 4436
Influence of the radial temperature gradient on cladding dilatation (LMFBR), 4507
Prediction of high strain-rate deformation of LMFBR cladding during reactor transients, 460 (CONF-761001--P3)
Variability of cladding deformation of LMFBR fuel elements, 5107
Wire wrap-cladding mechanical interaction in sodium-bounded elements (LMFBR), 3936
FUEL CANS/DESTRUCTIVE TESTING
Mechanical response of LMFBR and P1 cladding tubes under transient heating, 3813
FUEL CANS/DUCTS
Experiments on the response of hexagonal subassembly ducts to internal pressure pulses, 5089
FUEL CANS/DYNAMIC LOADS
Dynamic response of single hexagonal LMFBR core subassembly wrappers, 5105
FUEL CANS/EDDY CURRENT TESTING
Apparatus for testing smooth and ribbed tubing with pulsed eddy currents (LMFBR), 62 (ANL--77-53)
Eddy-current examination of irradiated fuel elements at the Hot Fuel Examination Facility (LMFBR), 4869
FUEL CANS/ELASTICITY
2-D thermoelastic analysis of LMFBR fuel rod claddings, 5100
FUEL CANS/ELECTROMAGNETIC TESTING
Analysis of various NDT techniques to determine their feasibility for detecting thin layers of ferrite on Type 316 stainless steel, 2746 (PNL--2805)
FUEL CANS/FABRICATION
Piping for nuclear power reactors. Review, 5446
Production and control of stainless steel cladding tubes for breeder reactors, 4411
Studies and fabrication of the fuel, 3879
FUEL CANS/FAILURES
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 3942
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
Physics of reactor safety. Quarterly report, April-June 1979 (LMFBR), 2462 (NUREG/CR--1096)
Process and system for detecting and pre-locating a clad failure in a fast neutron nuclear reactor (Patent), 5203
Process and apparatus for the detection and prelocalization of a can fracture in a fuel assembly of a fast nuclear reactor (Patent), 3092
FUEL CANS/FRACTURE PROPERTIES
Fracture mechanics of thin wall cylindrical pressure vessels: an interim review (LMFBR), 2742 (PNL--2417)
FUEL CANS/FUEL-CLADDING INTERACTIONS
Annual report of the working group 'fuel pin and fuel element mechanics' of the Institut fuer Reaktortechnik (IRT) of the Technische Hochschule Darmstadt for the Fast Breeder Project, 2203 (KFK--2690)
Behaviour and some properties of U-Pu oxide fuel rods of fast reactors, 2007 (INIS-mf--5308)
Experimental evaluation of the oxidation behavior of Nb, V, and Ti as candidate FCCI inhibitors, 1278 (GEFR--00370)
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
FUEL CANS/FUEL-COOLANT INTERACTIONS
Experimental and theoretical evaluation of defect growth of fuel pin cladding by chemical fuel-sodium interaction, 5099
FUEL CANS/HEAT TRANSFER
Two-dimensional heat conduction calculations on the pin cladding and coolant of a wire wrap bundle, 5075
FUEL CANS/INSPECTION
Remote examination of shroud tubes in LMFBR fuel elements, 4024
FUEL CANS/INTERGRANULAR CORROSION
Some electron microprobe analysis results concerning the interaction between uranium--plutonium mixed-oxide fuel and stainless-steel cladding, 3294
FUEL CANS/MAGNETIC FORCE WELDING
Pulsed magnetic welding of breeder reactor fuel pin end closures, 1485 (HEDL-SA--1343)
FUEL CANS/MANUFACTURING
Production and control of stainless steel cladding tubes for breeder reactors, 4401
FUEL CANS/MECHANICAL PROPERTIES
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 1577 (HEDL-SA--1598-FP)
Mechanical properties of transient-tested irradiated fast-reactor cladding (811° to 1644°K; 5.8 x 10^{22} n/cm^2), 1569 (HEDL-SA--1574)
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 5101
Nuclear fuel element (Patent), 5243
FUEL CANS/NONDESTRUCTIVE TESTING
Production and control of stainless steel cladding tubes for breeder reactors, 4401
FUEL CANS/PERFORMANCE
Analysis of the mechanical response of LMFBR fuel clads subjected to in-service property variations (SS-316), 4641
FUEL CANS/PERFORMANCE TESTING
Cumulative damage fraction design approach for LMFBR metallic fuel elements, 800 (CONF-790802--69)
Status of international fuel cladding development (LMFBR) 4851
FUEL CANS/PHYSICAL RADIATION EFFECTS
Characterization of residual stress profiles in irradiated fuel pin cladding, 5037

Characterization of residual stress profiles in irradiated fuel pin cladding (LMFBR), 1918 (INIS-mf--4470)
Development of cladding and structural materials, 2181 (KFK--2416)
Effects of stoichiometry on cladding reaction in mixed-oxide fuel at high burnup (PuO_2--UO_2), 1531 (HEDL-SA--1470-S)
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 1577 (HEDL-SA--1598-FP)
Effects of temperature changes on the swelling behavior of 20% cold-worked AISI type 316 stainless steel (LMFBR), 3057
Fast reactor fluence dosimetry. Technical progress report, October 1978-March 1979 (LMFBR), 1166 (ESG-DOE--13310)
Fuel adjacency effects on fast reactor cladding mechanical properties (LMFBR), 1581 (HEDL-SA--1609)
Mechanical properties of transient-tested irradiated fast-reactor cladding (811° to 1644°K; 5.8 x 10^{22} n/cm²), 1569 (HEDL-SA--1574)
Modeling of LMFBR fuel cladding mechanical behavior under transient conditions, 5068
Status of international fuel cladding development (LMFBR), 4851
Stress-free swelling in Type 316 stainless steel at high fluences, 4478
Variability of cladding deformation of LMFBR fuel elements, 5107

FUEL CANS/QUALITY CONTROL
Production and control of stainless steel cladding tubes for breeder reactors, 4401

FUEL CANS/REMOTE HANDLING
Remote examination of shroud tubes in LMFBR fuel elements, 4024

FUEL CANS/RESEARCH PROGRAMS
Reference fuel studies. Annual report, February 1976--January 1977 (LMFBR; stainless steel clad PuO_2-UO_2 fuel pins), 1235 (GEFR--00076)
Reference fuel studies semi-annual report, February--July 1977 (LMFBR; stainless steel clad PuO_2--UO_2 fuel rods), 1247 (GEFR--00258)

FUEL CANS/RUPTURES
Cumulative damage fraction design approach for LMFBR metallic fuel elements, 800 (CONF-790802--69)
Transient tube burst tests on fast reactor fuel cladding, 1048 (ECN--21)

FUEL CANS/SOLIDIFICATION
Theoretical investigations of the meltoff and resolidification process of fuel claddings during accidents in liquid metal cooled fast breeder reactors, 2200 (KFK--2662)

FUEL CANS/STATISTICAL MECHANICS
Statistical mechanical analysis of LMFBR fuel cladding tubes, 5068

FUEL CANS/STRAINS
Measurement of cladding strain during simulated transient tests, 1613 (HEDL-SA--1731-FP)
Simplified method of computing cladding and fuel strain during a slow overpower transient (LMFBR), 4769
Uncertainties in fast breeder reactor fuel pin cladding stress and strain calculations, 1476 (HEDL-SA--1316)

FUEL CANS/STRESS ANALYSIS
2-D thermoelastic analysis of LMFBR fuel rod claddings, 5100
CHaracterization of residual stress profiles in irradiated fuel pin cladding (LMFBR), 1918 (INIS-mf--4470)
Comparison of finite element calculations with experiments for the dynamic response of LMFBR core subassembly ducts, 3534
Some problems of operation behaviour of hexagonal boxes for fuel elements of fast power reactors, 2223 (KFK-tr--578)
Statistical mechanical analysis of LMFBR fuel cladding tubes, 5088
Stress analysis of fuel claddings with axial fins including creep effects (LMFBR), 4458
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 5077
Two dimensional structural analysis of reactor fuel element claddings due to local effects, 890 (COO--2245-59TR)

FUEL CANS/STRESSES
Annual report of the working group 'fuel pin and fuel element mechanics' of the Institut fuer Reaktortechnik (IRT) of the Technische Hochschule Darmstadt for the Fast Breeder Project, 2202 (KFK--2690)
Uncertainties in fast breeder reactor fuel pin cladding stress and strain calculations, 1476 (HEDL-SA--1316)

FUEL CANS/SWELLING
Nuclear fuel elements (Patent), 340°
Void swelling and microstructural changes in fuel pin cladding and unstressed specimens irradiated in DFR (LMFBR), 4960

FUEL CANS/THERMAL STRESSES
Effective temperature of an expanding tube with a radial temperature gradient over the wall, 4435
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 3942

FUEL CANS/TRANSIENT OVERPOWER ACCIDENTS
Fuel adjacency effects on fast reactor cladding mechanical properties (LMFBR), 1581 (HEDL-SA--1609)

FUEL CANS/WEAR
Fuel cladding: wire wrap wear in sodium, 1173 (ETEC--78-15)

FUEL CELL POWER PLANTS/EVALUATION
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))

FUEL CHANNELS/BENDING
Measurement of irradiation creep in bending (LMFBR), 1421 (GEFR-SP--198)

FUEL CHANNELS/BOILING
SAS3A analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 818 (CONF-790816--31)
Transient sodium boiling characteristics at pump run down (LMFBR), 513 (CONF-761001--P4)

FUEL CHANNELS/DEFORMATION
Model for pressure in an LMFBR duct due to discharge of gas from a failed fuel pin, 1934 (INIS-mf--4498)

FUEL CHANNELS/EMBRITTLEMENT
Effects of cracks in irradiation-embrittled hexagonal subassembly ducts (LMFBR), 3536

FUEL CHANNELS/FAILURE MODE ANALYSIS
Parametric investigation of dynamic fracture, 1927 (INIS-mf--4498)

FUEL CHANNELS/HEAT TRANSFER
Fuel configuration for a nuclear reactor cooled with liquid metal (Patent), 3728

FUEL CHANNELS/HYDRAULICS
Added mass and damping coefficients for hexagonal tube arrays, 250 (ANL-CT--79-51)
Laser-Doppler measurements of energy density spectra in turbulent channel flow, 4573 (DOE-tr--177)
Transient sodium boiling characteristics at pump run down (LMFBR), 513 (CONF-761001--P4)

FUEL CHANNELS/OPTIMIZATION
LMFBR fuel assembly channel wall cross section optimization, 1929 (INIS-mf--4498)
LMFBR fuel assembly channel wall cross section optimization, 5076

FUEL CHANNELS/PHYSICAL RADIATION EFFECTS
Effects of cracks in irradiation-embrittled hexagonal subassembly ducts (LMFBR), 3536

FUEL CHANNELS/STRESS ANALYSIS
Stress-intensity factors for irradiation-embrittled hexagonal subassembly ducts, 1933 (INIS-mf--4498)

FUEL CHANNELS/TURBULENT FLOW
Laser-Doppler measurements of energy density spectra in turbulent channel flow, 4573 (DOE-tr--177)

FUEL COOLING INSTALLATIONS
See SPENT FUEL STORAGE

FUEL CYCLE
See also FUEL MANAGEMENT
PLUTONIUM RECYCLE
THORIUM CYCLE
Accuracy and computational time of a hierarchy of growth rate definitions for breeder reactor fuel, 3111
Advanced fuel recycle program progress report, July 1--September 30, 1977, 2639 (ORNL/TM--6092)
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)
Alternative fuel cycles for breeder reactors, 628 (CONF-771203--)
Analysis of the impact of retrievable spent fuel storage, 2741 (PNL--2413)
Annual report 1977, 1948 (INIS-mf--4513)
Annual report 1978, 2006 (INIS-mf--5244)
Assessment of the breeding potential of U--Pu--Zr metal-fueled 1200-MW(e) LMFBRs, 4696
Breeders, 4208
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs: a preliminary report. Part I. Assumptions, constraints and methodology, 171 (ANL-AFP--30)
Build-up and decay of actinide nuclides in fuel cycle of nuclear reactors, 4467
Calculation of neutron source strength in FFTF fuel as a function of irradiation, 1835 (HEDL-TME--78-107)
Characteristics of the combined operation of thermal and fast power reactors, 4348
Clinch River Breeder Reactor Plant Project. 1977 technical progress report, 976 (CRBRP-ARD--0211)
Clinch River reload core design study. Volume I. Trade-off study and design recommendations, 1260 (GEFR--00320(Vol.1))
Closing the fast fuel cycle at Dounreay, 3101
Comparisons of sodium void and Doppler reactivities in large oxide and carbide LMFBRs, 125 (ANL--78-41)
Concept evaluation of nuclear fusion driven symbiotic energy systems, 844 (CONF-791204--34)
Conceptual study for the reprocessing of spent carbide and nitride fast reactor fuels in relation to gaseous radiological releases, 2640 (ORNL/TM--6100)
Cooperative nuclear data and methods development fast quarterly report, October--December 1976, 1382 (GEFR--14074-5)
Cooperative nuclear data and methods development sixth quarterly report, January--March 1977, 1383 (GEFR--

14074-6)
Cooperative nuclear data and methods development seventh quarterly report, April--June 1977 (LMFBR), 1384 (GEFR--14074-7)
Cooperative nuclear data and methods development. Eighth quarterly report, October--December 1977, 1385 (GEFR--14074-8)
Cooperative nuclear data and methods development. Ninth quarterly report, January--March 1978, 1386 (GEFR--14074-9)
Cooperative nuclear data and methods development. Tenth quarterly report, April--June 1978, 1387 (GEFR--14074-10)
Cooperative nuclear data and methods development. Eleventh quarterly report, July--December 1978, 1388 (GEFR--14074-11)
Cooperative nuclear data and methods development. Thirteenth quarterly report, April-June, 1979, 1390 (GEFR--14074-13)
Could nuclear waste recycled in reactors, 3828
Denatured fast reactor symbiosis (LMFER), 4715
Design and economics of large LMFBRs, 1477 (HEDL-SA--1321)
Developments in effluent control for breeder reprocessing facilities, 851 (CONF-800334--7)
Dissolution of FFTF vendor fuel, 1655 (HEDL-SA--1931)
Economic aspects of the development of nuclear power and fuel cycle industry in the USSR, 4315
Effect of plutonium isotopic composition on LMFBR fueling requirements, 4706
Effect of finite plant life on the doubling time of a breeder reactor population, 3709
Effect of alternative fuel cycles on the Clinch River Breeder Reactor, 3592
Effect of alternative fuel cycles on LMFBR design, 3593
Effect of core design changes on the doubling time and the fuel cycle cost of a 1,000 MWe LMFBR, 4128
Efficient calculation methods of fast reactor and fuel cycle thereof, 1897 (INIS-mf--4280)
Elimination of transuranium elements by burnup in a power fast breeder reactor, 3770
Energy Economic Data Base (EEDB) Program: Phase I, Volume I. Final report, 956 (COO--4954-1(Vol.1))
Energy Economic Data Base (EEDB) Program: Phase I, Volume II. Final report, 957 (COO--4954-1(Vol.2))
Energy from nuclear reactors. Pt. 4. The fast breeder: better utilization of uranium, 4461
Energy from the atom, 3850
Environmentally important radionuclides in nonproliferative fuel cycles, 864 (CONF-7810133--5)
Environmental control aspects for fabrication, reprocessing and waste disposal of alternative LWR and LMFBR fuels, 2752 (PNL--3129)
Errors in measuring level and density with purged dip tubes, 2634 (ORNL/TM--5995)
Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs, 2625 (ORNL/TM--5865/V5)
Fast breeder reactor. Energy without depletion of natural resources, 3482
Fast breeders and environment, 2013 (INTAT--78.147)
Fast reactor program reprocessing project-pyrochemical head-end preliminary technical and economic evaluation, 5454 (PNL-TR--356)
French advanced fuels development program, 4821
French nuclear industry, 4921
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
Fuel recycling, 4926
Guidebook to nuclear reactors, 3318
High power fast reactors with combined use of uranium-235 and plutonium, 5419
Impact of delays in plutonium use on the stationary growth rate of fast breeder reactor fuel, 958 (COO/4116--1)
Impact of fuel cycle cost optimization on the design of metal-fueled LMFBRs, 3214
Instrumentation and control development and design philosophy for Advanced Fuel Recycle, 2655 (ORNL/TM--6393)
International progress with liquid-metal fast reactors, 3124
Investigation of accuracy and computation time of a hierarchy of growth rate definitions, 942 (COO--4116-2)
Investigation of the growth rate for joint fast breeder reactor and light water reactor operation, 943 (COO--4116-3)
Key issues of nuclear power R and D in Japan, 3421
Large plant thorium-fueled reactor system characteristics, 4716
Laser driven fusion fission hybrids, 2947 (UCRL--79653(Rev.1))
Liquid metal fast breeder reactor safety: an overview including implications of alternate fuel cycles, 617 (CONF-771120--22)
Liquid metal fast breeder reactor, 4927
LMFBR: logic and technology, 623 (CONF-771203--)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
Lmfbr fuel analysis. Task C: Reliability. Final report, 1 October 1977-15 November 1978, 2703 (PB--294243)
Long-term options for the FR fuel cycle, 3719
Long-term atomic energy research, development and utilization program formulated, 3467
Low sodium void coefficient LMFBR cores, 400 (CONF-761001--P2)
Maintaining an effective breeder reactor programme, 4303
Material control in nuclear fuel fabrication facilities. Part I. Fuel descriptions and fabrication processes, P.O. 1236909 Final report, 2946 (UCRL--13942(Pt.1))
Metals and Ceramics Division annual progress report, October 1, 1978-June 30, 1979, 2585 (ORNL--5579)
Mixed fuel cycle hybrid LMFBR cores: design and analysis, 4917
Monthly report No. 9 (September, October, and November 1977) of INTERATOM representative to Westinghouse Hanford Co., Richland, Washington (USA), 1892 (INB--414)
Nuclear characteristics of large LMFBR's: homogeneous and heterogeneous designs, 663 (CONF-780401--)
Nuclear data and methods development and application to LMFBRs. Fourth annual progress report, fiscal year 1978, 1381 (GEFR--14073-4)
Nuclear fuel fabrication and refabrication cost estimation methodology, 2670 (ORNL/TM--6640)
Nuclear investigations of sodium-cooled fast breeders with uranium-plutonium or thorium-uranium cycles, 3 (AED-Conf--78-011-000)
Nuclear power without nuclear bombs. Linear accelerator-breeder concept for decoupling the nuclear power economy from nuclear weapons production, 2934 (TID--29088)
Nuclear proliferation and civilian nuclear power: report of the Nonproliferation Alternative Systems Assessment Program. Volume VI. Safety and environmental considerations for licensing, 1014 (DOE/NE--0001(Vol.6))
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)
Nuclear safety in France, 3345
Nuclear uncertainties as a cconsideration in reactor designs, 3159
Nuclex 78: broad offer - restrained interest. Report on the 5th international trade exhibition and expert meeting for the nuclear technological industry, 3312
Optimisation of fuel design in relation to reactor performance and the conflicting demands of other parts of the fuel cycle, 4106
Optimization of the doubling time t$sub 2$ and the fuel component of calculated expenditures e$sub f$ in fast reactors by means of partial recharging, 5444
Optimization system design studies of advanced carbide fuel, 4848
Optimization study of LMFBR having small sodium void coefficient from fuel cycle performance viewpoint, 4127
Past and present role of fast breeder reactors in the United Kingdom, 4055
Performance of 1000-MW(e) mixed fuel cycle LMFBRs, 4705
Performance of thorium fueled fast breeders, 1481 (HEDL-SA--1327-FP)
Performance of thorium fueled fast breeders, 1482 (HEDL-SA--1327-S)
Perspectives of the nuclear power development in the USSR and the strategy of fuel reprocessing, 1875 (IAEA-AG--63-12)
Physics and engineering characteristics of a LMFBR in long-term operation, 4546
Physics calculations for the Clinch River Breeder Reactor, 55 (ANL--77-27)
Physics evaluations and applications quarterly progress report for period ending July 31, 1977, 3029 (WARD-XS--3045-19)
Physics evaluations and applications quarterly progress report for period ending January 31, 1979 (LMFBR), 3035 (WARD-XS--3045-25)
Planning for the future generation, 3108
Possible long term options for the fast reactor plutonium fuel cycle, 4139
Preliminary evaluation of alternative fuel cycle options utilizing fast breeders, 2563 (ORNL--5389)
Program to establish LMFBR commercialization, 4367
Proposed strategy for power reactor development lets P.N. . down, 5179
Pyrochemical coprocessing of UO_2--PuO_2 LMFBR fuel by the Salt Transport Method, 2770 (RFP--2887)
Radiological assessment of reprocessing advanced liquid-metal fast breeder reactor fuels, 3768
Reactor application of actinide cross section data, 304 (BNL--50991)
Remote reprocessing of metal fuel for the EBR-II, 3145
Report of the Experts' Committee on Advanced Power Reactor Development on measures of the development, 5163
Reports from the Advisory Committee for Nuclear Power Generation, 1970-1974. Vol. II, 5460
Reprocessing of nuclear fuel and plutonium breeder commercialization: implications of deferral, 2761 (RAND-P--6226)
Review and evaluation of the Nuclear Regulatory Commission safety research program for fiscal year 1981: report to the Congress of the United States of

America, 2366 (NUREG--0657)
Review of United States program in LMFBR fuel reprocessing, 1869 (IAEA-AG--63-3)
Review of the UK fas reactor progras: March 1978, 2352 (NOR--3686)
Role of nuclear power in the next few decades, 4621
Role of the demand-duration curve in the evaluation of power station installation policies. Remarks on its effects on stations' utilization, generating capacity, load factor history and consumptions, 1184 (EUR--5599)
Safety, safeguards, and environmental effects of liquid metal fast breeder reactors in relation to license ability and public acceptance. Final report, 2697 (PB--285544)
Second electrolytic dissolution campaign of EBR-II fuel at ICPP, 1887 (ICP--1168)
Sensitivity analyses of fast reactor systems including thorium and uranium, 3674
Some considerations on fast breeder reactor penetration in Italy, 5262
Status of the research and development program on fast reactors in the USSR, 4313
Technical concept of fast breeder power plants, 1956 (INIS-mf--4816)
Thermal and economic performance of heterogeneous carbide-fueled reactors, 3966
Thorium assessment study quarterly progress report, third quarter fiscal 1977, 2636 (ORNL/TM--6025)
Thoughts on the development of fuel elements, 3851 (EURFNR--1418)
Thoughts on the energy situation, 3919
U.S. Sodium-cooled breeder - seeking optimization, 4099
Unique features of a sodium-cooled fast-breeder reactor, 375 (CONF-661093--)
Use of ^{232}Th--^{233}U fuel cycle in fast breeder reactors, 629 (CONF-771203--)
USSR fast reactor development program and its current state, 3740 (IAEA-CN--36/356)
Utilization factor of nuclear material in LMFBR, 4566
Utilization of the experimental reactor Osiris for the study and the development of fuels of the fast neutron reactor type, 354 (CEA-CONF--4192)

FUEL CYCLE/COMPARATIVE EVALUATIONS
Alternative fuel cycle options: performance characteristics and impact on nuclear power growth potential, 66 (ANL--77-70)
Alternative fuel cycles for breeder reactors, 665 (CONF-780401--)
Comparative assessment of the LMFBR and advanced converter fuel cycles, 3341
Fuel cycles of D_2O-, fast breeder and high temperature reactors, 2 (AED-Conf--77-498-087)
Heterogeneous oxide reference, transmuter, denatured core designs (Proliferation-resistant large core design study), 3216
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 664 (CONF-780401--)

FUEL CYCLE/COST
Fuel cycle cost studies: fabrication, reprocessing, and refabrication of LWR, SSCR, HWR, LMFBR, and HTGR fuels, 2662 (ORNL/TM--6522)
Simple procedure for determining implications of design changes on fast reactor fuel cycle cost and breeding performance, 915 (COO--2458-24)
Simple procedure for determining implications of design changes on fast reactor fuel cycle cost and breeding performance, 3174

FUEL CYCLE/ECONOMICS
Low-decontamination approach to a proliferation-resistant fuel cycle (BWR; PWR; LMFBR), 3366
NUFACTS--Nuclear Fuel Cycle Activity Simulator: reference manual. Final report (PWR; BWR; LMFBR; HTGR), 2933 (TID--29052)
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 911 (COO--2426-133)
Review of nuclear fuel cycle alternatives including certain features pertaining to weapon proliferation, 2845 (SAND--77-1727)
Sensitivity analysis for fast reactor fuel cycle cost (LMFBR), 4717
Some plutonium recycle program fuel cycles having reduced proliferation characteristics (BWR; PWR; LMFBR), 3367

FUEL CYCLE/EFFICIENCY
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 911 (COO--2426-133)

FUEL CYCLE/ENVIRONMENTAL IMPACTS
Liquid-metal fast-breeder reactors: Preliminary safety and environmental information document. Volume VI, 1015 (DOE/NE--0003/6)
Radiological environmental assessment of the recycle of LMFBR advanced fuels, 600 (CONF-771008--5)
SNR-carbide program: its position between present and future, 4820

FUEL CYCLE/EVALUATION
Alternative nuclear fuel cycles: the implications on uranium resource utilization, 3667

FUEL CYCLE/FEASIBILITY STUDIES
Interim assessment of the denatured ^{233}U fuel cycle: feasibility and nonproliferation characteristics, 2564 (ORNL--5298(Exec.Summ.))
Low-decontamination approach to a proliferation-resistant fuel cycle (LMFBR; PWR; BWR), 4714
Survey of alternative fuel cycle options without plutonium separation, 4713

FUEL CYCLE/FORECASTING
NUFACTS--Nuclear Fuel Cycle Activity Simulator: reference manual. Final report (PWR; BWR; LMFBR; HTGR) 2933 (TID--29052)
Uranium requirements for advanced fuel cycles in expanding nuclear power systems, 3369

FUEL CYCLE/GOVERNMENT POLICIES
Tail end of the fuel cycle: coping with the Carter edict, 4433

FUEL CYCLE/MATHEMATICAL MODELS
ARC System fuel cycle analysis capability, REBUS-2, 165 (ANL--7721)

FUEL CYCLE/NUCLEAR MATERIALS MANAGEMENT
Mass flows for LMFBRs fueled with various types of plutonium and fertile material, 2753 (PNL--3249)

FUEL CYCLE/PLANNING
Development of advanced fuels in Switzerland (LMFBR), 4823
Effects of fast breeders' characteristics on consumptions and expenditures related to electric power generation. An assessment for the European Community, 1183 (EUR--5598)
Review of nuclear fuel cycle alternatives including certain features pertaining to weapon proliferation, 2845 (SAND--77-1727)
SNR-carbide program: its position between present and future, 4820
Strategies in development of advanced fuels for LMFBR, 2136 (JAERI-M--6851)
Uranium availability and the breeder decision, 1131 (EQL-Memo--8)

FUEL CYCLE/PROLIFERATION
Liquid-metal fast-breeder reactors: Preliminary safety and environmental information document. Volume VI, 1015 (DOE/NE--0003/6)

FUEL CYCLE/RADIATION HAZARDS
Radiological significance of transuranium radioisotopes released to the environment during operation of the LMFBR fuel cycle, 5261
Radiological environmental assessment of the recycle of LMFBR advanced fuels, 600 (CONF-771008--5)

FUEL CYCLE/REACTOR KINETICS
Liquid-metal fast-breeder reactors: Preliminary safety and environmental information document. Volume VI, 1015 (DOE/NE--0003/6)
Mass flows for LMFBRs fueled with various types of plutonium and fertile material, 2753 (PNL--3249)

FUEL CYCLE/RESEARCH PROGRAMS
Advanced fuel recycle program progress report, April 1--June 30, 1977 (LMFBR; Voloxidation; dissolution; solvent extraction; off-gas processing; Iodox; disassembly), 2633 (ORNL/TM--5993)
Advanced fuel recycle program progress report, January 1 to March 31, 1978, 2651 (ORNL/TM--6306)
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
HEDL contribution to SRL fuel recycle program: quarterly report for April, May, and June 1977, 1675 (HEDL-TC--902-2)
HEDL contribution to SRL fuel recycle program. Quarterly report, January--March 1977, 1674 (HEDL-TC--902-1)

FUEL CYCLE/SAFEGUARDS
Fast breeder reactor: a millenium of peaceful power, 3488
Preconceptual design study of proliferation-resistant homogeneous oxide LMFBR cores, 1286 (GEFR--00392)

FUEL ELEMENT CLUSTERS
Analytic studies of subassembly failure propagation, 462 (CONF-761001--P3)
Core subassembly cluster dynamic response to an accidental pressure rise, 3621
Response of subassembly model with internals, 546 (CONF-770807--46)

FUEL ELEMENT CLUSTERS/BOILING
Incipient boiling of sodium in seven-pin bundle under forced convection conditions, 3548
SAS3D prediction of intrasubassembly boiling incoherence, 3665
SIMBO: a simple boiling model of the response of a simulated sodium-cooled breeder reactor subassembly to an undercooling transient, 2653 (ORNL/TM--6343)
Simple transient analysis of the THORS bundle 6A boiling test results, 3610

FUEL ELEMENT CLUSTERS/BOILING DETECTION
Acoustic measurements of the boiling stability tests on THORS sodium loop, 3819

FUEL ELEMENT CLUSTERS/DEFORMATION
Bundle to duct interaction compression tests using large diameter pins, 1319 (GEFR--00439)
Thermal/hydraulic bowing stability analysis of grid-supported multi-pin bundles with differential swelling and irradiation creep, 5080

FUEL ELEMENT CLUSTERS/DIMENSIONS
Bundle-duct clearance of HEDL mixed oxide subassemblies, 1449 (HEDL-SA--897)

FUEL ELEMENT CLUSTERS/DRYOUT
SAS3A simulations for a 19-pin dryout experiment, 3609
SAS3A simulations for a 19-pin dryout experiment (LMFBR), 680 (CONF-780622--42)
Sodium boiling experiments in a seven-pin bundle: flow

patterns and two-phase pressure drop, 4392
Sodium boiling incoherence in a 19-pin wire-wrapped bundle, 819 (CONF-790816--32)
FUEL ELEMENT CLUSTERS/DUCTS
Cracked hexagonal ducts, 4482
FUEL ELEMENT CLUSTERS/FLOW BLOCKAGE
Breeder reactor safety and core systems programs. Progress report, July--September 1977 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2643 (ORNL/TM--6158)
Breeder reactor safety and core systems programs progress report, October--December 1977 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2649 (ORNL/TM--6288)
Breeder reactor safety and core systems programs. Progress report, January--March 1978 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2658 (ORNL/TM--6439)
Breeder reactor safety and core systems programs. Progress report, April--June 1978 (Thermal-Hydraulic Out-of-Reactor Safety Facility), 2665 (ORNL/TM--6558)
Breeder Reactor Safety and Core Systems Programs. Progress report, July--September 1978 (Thermal-hydraulic-out-of-reactor safety facility), 2674 (ORNL/TM--6698)
Breeder Reactor Safety and Core Systems Programs progress report for October--December 1978 (Thermal-hydraulic-out-of-reactor safety facility), 2680 (ORNL/TM--6851)
CLAYMORE code and its use for describing coolant boiling in LMFBR subassemblies, 3746
Comparison of computational results of the SABRE LMFBR pin bundle blockage code with data from well-instrumented out-of-pile test bundles (THORS bundles 3A and 5A), 2681 (ORNL/TM--6862)
Detection of coolant blockages: problems and possibilities, 406 (CONF-761001--P2)
Fast reactor programme. First quarter 1977 progress report, 1049 (ECN--22)
Heat removal from a completely blocked breeder element by sodium boiling, 1906 (INIS-mf--4385)
In-pile investigation of local cooling disturbance in LMFBR's (Mol 7C), 1910 (INIS-mf--4426)
Incipient boiling of sodium in an annular channel heated by a single-pin with blockage, 5161
Indication of a coolant blockage in a fuel element of a sodium-cooled reactor by temperature fluctuation measurements with steel--sodium thermocouples, 409 (CONF-761001--P2)
LMFBR: subassembly fault detection and identification by temperature noise analysis, 408 (CONF-761001--P2)
Local flow blockage experiments in 37-pin sodium cooled bundles with grid spacers, 2145 (JAPFNR--422)
Sodium boiling experiments in a seven-pin bundle: flow patterns and two-phase pressure drop, 4392
Temperature, flow, and acoustic noises in a locally blocked 37-pin bundle (LMFBR), 4511 (JAPFNR--263)
FUEL ELEMENT CLUSTERS/FLOW REGULATORS
Device to control the coolant flow in fuel or fertile elements of nuclear reactors (Patent), 3423
FUEL ELEMENT CLUSTERS/FLUID FLOW
Boundary-value thermal-hydraulic solution in a reactor fuel bundle (LMFBR), 5411
Collection and evaluation of salt mixing data with the real time data acquisition syster (LMFBR), 870 (COO--2245-36TR)
Computation of temperature and velocity fields in fuel elements of fast sodium-cooled breeders passed by a parallel flow, 1890 (IKE--5-202)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1, 1977--May 31, 1977, 882 (COO--2245-50)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, September 1, 1977--November 30, 1977, 891 (COO--2245-60)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1, 1977--February 28, 1978, 894 (COO--2245-63)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1, 1978--May 31, 1978, 895 (COO--2245-64)
Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.2. A discrete model for squeeze flow between two adjacent LMFBR subassemblies, 3697
Damping of the transverse impulsive motion of a Timoshenko beam resting on a thin fluid layer (LMFBR), 4389
Experimental study on interchannel interaction of coolant in rod lattices with wire-wrap spacers, 1209 (FEI--556)
Hydrodynamic behavior of a bare rod bundle (LMFBR), 880 (COO--2245-48TR)
Investigation of combined free and forced convection in a 2 x 6 rod bundle (LMFBR), 336 (BNWL--2216)
Laboratory manual for salt mixing test in rod bundles, 893 (COO--2245-62TR)
Laminar, transition, and turbulent parallel flow pressure drop across wire-wrap-spaced rod bundles (LMFBR), 3288
Mixing experiments in an alternating wire wrapped assembly, 885 (COO--2245-54TR)
Prediction of local and integral turbulent transport properties for liquid-metal heat transfer in equilateral triangular rod arrays, 5414
Probabilistic evaluation of core-internal coolant flow distribution with correlation among fuel subassemblies, 4299
SAS3A calculations for forced convection sodium boiling at low power, 2852 (SAND--78-0236C)
Sodium flow distribution in test fuel assembly P-23B, 1817 (HEDL-TME--78-46)
Study of forced convection boiling of sodium at low heat fluxes in electrically heated seven-rod bundles, 4815
Turbulent interchange in triangular array bare rod bundles, 877 (COO--2245-45TR)
Turbulent flow split experiment and model for wire-wrapped assemblies, 3579
FUEL ELEMENT CLUSTERS/FUEL PINS
Deformation analysis of fuel pins within the wire-wrap assembly of an LMFBR, 3244
FUEL ELEMENT CLUSTERS/HEAT FLUX
Measurement of heat flux distribution of a prototype heater rod with sinusoidal axial power profile, 2218 (KFK-EXT--8/78-4)
FUEL ELEMENT CLUSTERS/HEAT TRANSFER
About some effects on the coolant temperature field in fuel assemblies with wire spacers (LMFBR), 1215 (FEI--624)
Boundary-value thermal-hydraulic solution in a reactor fuel bundle (LMFBR), 5411
CLAYMORE code and its use for describing coolant boiling in LMFBR subassemblies, 3746
DISTAV calculation code for determining sodium temperatures in deformed helicoid wire pin bundles in fast neutron reactors, 3483 (ANL-Trans--1140)
Experimental evidence of the effect of peripheral obstructions on the temperature from factor of a spiral wire bundle, 3903
FULMIX-II: a computer program for steady-state thermal-hydraulic analysis of wire wrapped rod bundles (LMFBR), 1318 (GEFR--00436)
Hydrodynamic behavior of a bare rod bundle (LMFBR), 880 (COO--2245-48TR)
Model for turbulent momentum and heat transport in large rod bundles (LMFBR), 68 (ANL--77-73)
Multicell slug flow heat transfer analysis of finite LMFBR bundles, 898 (COO--2245-68TR)
Prediction of local and integral turbulent transport properties for liquid-metal heat transfer in equilateral triangular rod arrays, 5414
Prediction of coolant mixing and peripheral flow in wire wrapped rod bundles (FULMIX-II Code), 1409 (GEFR-SP--140)
Progress in liquid metals heat transfer (LMFBR), 1895 (INIS-mf--4280)
SAS3A calculations for forced convection sodium boiling at low power, 2852 (SAND--78-0236C)
Sensitivity theory for reactor thermal-hydraulics problems, 2614 (ORNL/RSIC--42)
Sensitivity theory applied to a transient thermal-hydraulics problem, 2682 (ORNL/TM--6900)
SIMPLE-2: a computer code for calculation of steady-state thermal behavior of rod bundles with flow sweeping, 4564
Steady-state sodium tests in a 19-pin full-length simulated LMFBR fuel assembly: record of steady-state experimental data for THORS bundle 6a, 2641 (ORNL/TM--6106)
Study of forced convection boiling of sodium at low heat fluxes in electrically heated seven-rod bundles, 4815
Theoretical interpretation of boiling phenomena in electrically heated, sodium-cooled 7-rod arrays, 3902
Thermal-hydraulic analysis of a wire-wrapped 19-rod bundle with edge blockage, 3580
Transient non-boiling heat transfer in a fuel rod bundle during accidental power excursions, 1940 (INIS-mf--4498)
Transient code for analyzing LMFBR subassemblies including intersubassembly heat transfer (TCLUST1), 3224
FUEL ELEMENT CLUSTERS/HYDRAULICS
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, June 1, 1978--August 31, 1978, 896 (COO--2245-65)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, September 1, 1978--November 30, 1978, 897 (COO--2245-66)
FULMIX-II: a computer program for steady-state thermal-hydraulic analysis of wire wrapped rod bundles (LMFBR), 1318 (GEFR--00436)
Model for turbulent momentum and heat transport in large rod bundles (LMFBR), 68 (ANL--77-73)
Prediction of coolant mixing and peripheral flow in wire wrapped rod bundles (FULMIX-II Code), 1409 (GEFR-SP--140)
Sensitivity theory for reactor thermal-hydraulics problems, 2614 (ORNL/RSIC--42)
Sensitivity theory applied to a transient thermal-hydraulics problem, 2682 (ORNL/TM--6900)
SIMPLE-2: a computer code for calculation of steady-state thermal behavior of rod bundles with flow sweeping, 4564
Steady-state sodium tests in a 19-pin full-length simulated LMFBR fuel assembly: record of steady-state experimental data for THORS bundle 6a, 2641 (ORNL/TM--

€10€)
Thermal-hydraulic analysis of a wire-wrapped 19-rod bundle with edge blockage, 3580
FUEL ELEMENT CLUSTERS/LOSS OF FLOW
Flow rundown experiments in a seven pin bundle (LMFBR), 4391
Nucleation, dry-out and boiling behind a sodium-tight local blockage in a 9-pin bundle with helical wire spacers, 350 (CEA-CONF--3995)
Transient boiling of sodium in a 19-pin bundle under loss-of-flow conditions, 4513 (JAPFNR--262)
FUEL ELEMENT CLUSTERS/MELTDOWN
Effect of high external thermal loading on LMFBR subassembly integrity, 540 (CONF-770807--39)
FUEL ELEMENT CLUSTERS/OPTIMIZATION
Optimisation of fuel design in relation to reactor performance and the conflicting demands of other parts of the fuel cycle, 4106
FUEL ELEMENT CLUSTERS/PERFORMANCE TESTING
Experimental fuel assembly irradiation experience in EBR II, 1547 (HEDL-SA--1518)
FUEL ELEMENT CLUSTERS/PHYSICAL RADIATION EFFECTS
Thermal/hydraulic bowing stability analysis of grid-supported multi-pin bundles with differential swelling and irradiation creep, 5080
FUEL ELEMENT CLUSTERS/PRESSURE DROP
Laminar, transition, and turbulent parallel flow pressure drop across wire-wrap-spaced rod bundles (LMFBR), 3288
FUEL ELEMENT CLUSTERS/SHROUDS
Dynamic response of cracked hexagonal subassembly ducts, 788 (CONF-790802--50)
Effects of material properties on the dynamic response of pressure-loaded core subassembly wrappers, 3578
Fracture experiments with cracked and embrittled hexcan sections, 785 (CONF-790802--51)
Response of single subassembly hexcan wrappers to pressure loads, 461 (CONF-761001--P3)
Stress intensity factors for corner-cracked subassembly ducts, 463 (CONF-761001--P3)
FUEL ELEMENT CLUSTERS/SPACERS
Fuel element cluster of a nuclear reactor (Patent), 4580
Positioning and locking device for fuel pin to grid attachment (Patent; LMFBR), 3511
FUEL ELEMENT CLUSTERS/SPECIFICATIONS
Input parameters to codes which analyze LMFBR wire wrapped bundles. Revision 1, 867 (COO--2245-17TR(Rev.1))
FUEL ELEMENT CLUSTERS/STABILITY
Thermal/hydraulic bowing stability analysis of grid-supported multi-pin bundles with differential swelling and irradiation creep, 5080
FUEL ELEMENT CLUSTERS/SUPPORTS
Device for holding in position the pins of a cluster inside the casing of an assembly intended for nuclear reactors (Patent), 5458
Nuclear reactor fuel element sub-assemblies (Patent), 4450
FUEL ELEMENT CLUSTERS/TEMPERATURE DISTRIBUTION
Azimuthal non-uniformities of temperature of fuel elements arranged in regular lattices for turbulent liquid metal flow (LMFBR), 4906
Computation of temperature and velocity fields in fuel elements of fast sodium-cooled breeders passed by a parallel flow, 1890 (IKE--5-202)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, June 1, 1978--August 31, 1978, 896 (COO--2245-65)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, September 1, 1978--November 30, 1978, 897 (COO--2245-66)
DISTAV calculation code for determining sodium temperatures in deformed helicoid wire pin bundles in fast neutron reactors, 3483 (ANL-Trans--1140)
Experimental determination of temperature fields in sodium-cooled rod bundles with hexagonal rod arrangement and grid spacers, 2165 (KFK--2356)
MIPLO: a graphic program for the representation of temperature distributions in bundles with hexagonal rod configuration used in connection with MISTRAL-II (LMFBR), 3812 (EURFNR--1427)
Prediction of temperature distribution of a subassembly including intersubassembly heat transfer, 4459
Simple multichannel thermal-hydraulic model for study of the transient behavior of coolant in LMFBR subassembly, 3663
FUEL ELEMENT CLUSTERS/TESTING
TREAT: 20 years of transient testing, 3125
FUEL ELEMENT CLUSTERS/TRANSPORT
Response of a grid spaced fuel assembly to shipping environment, 1932 (INIS-mf--4498)
FUEL ELEMENT CLUSTERS/TURBULENT FLOW
Experimental investigations into coolant cross mixing in multi-rod clusters with grid-type spacers in turbulent sodium flow, 4615 (EURFNR--1425)
Experimental investigations of turbulent flows in rod bundles with and without spacer grids (LMFBR), 2213 (KFK--2834)
FUEL ELEMENT CLUSTERS/TWO-PHASE FLOW
Experimental investigation on air-distribution in water flowing through a 61-rod bundle with helical spacers (LMFBR), 3690
How local sodium boiling in rod bundles under really steady state boundary conditions is achieved on the CFNA loop, 345 (CEA-CONF--3994)
FUEL ELEMENT FAILURE
Acoustic data analysis: TREAT test R12, 4008
Acoustics of the Sodium Loop Safety Facility P2 experiment, 3826
Advanced carbide/nitride fuels program. Quarterly progress report for the period July--September 1977, 180 (ANL-AFP--40)
Advanced fuels program. Quarterly progress report, October--December 1977, 175 (ANL-AFP--34)
Advanced fuels program. Quarterly progress report, January--March 1977, 176 (ANL-AFP--35)
Advanced Fuels Program. Quarterly progress report for the period, July--September 1974, 167 (ANL-AFP--1)
Advanced fuels safety comparisons (LMFBR), 4862
Advanced fuels program. Quarterly progress report for the period April--June 1977, 179 (ANL-AFP--39)
Advanced Fuels Development Program. Quarterly progress report, October--December 1977, 183 (ANL-AFP--47)
Advanced fuels development program. Quarterly progress report, January--March 1978, 184 (ANL-AFP--51)
Advanced fuels development program. Quarterly progress report, April-June 1978, 185 (ANL-AFP--55)
Advanced fuels development program. Quarterly progress report, July-September 1978, 186 (ANL-AFP--59)
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977, 2847 (SAND--77-1975)
Advanced Reactor Safety Research Division. Quarterly progress report, January 1--March 31, 1979, 2444 (NUREG/CR--0820)
Analysis of hypothetical overpower accidents in the SNR-300 Mark 1A core with modeling of failure incoherence, 4394
Analysis of hypothetical core disruptive events in the Clinch River Breeder Reactor Plant, 980 (CRBRP-GEFR--00103)
Analysis of a hypothetical LMFBR accident using the codes FUTURE and FRUMP, 3987
Analysis of terminated TOP accidents in the FTR using the Los Alamos failure model, 2271 (LA-UR--78-2602)
Analysis of TREAT transient overpower experiments using the PLUTO2 codes, 1019 (DOE/TIC--10101)
Analysis of the effect of emergency operating regimes of a fast power reactor on the fuel performance, 3498
Analysis of internal fuel motion during PINEX-2 experiment (LMFBR), 2242 (LA--7938-C)
Analysis of fuel behaviour in SCARABEE 1st phase experiments (LMFBR), 2255 (LA--7938-C)
Analysis of TREAT tests L7 and L8 with SAS3D, LEVITATE and PLUTO2 (LMFBR), 2257 (LA--7938-C)
Analytic studies of subassembly failure propagation, 462 (CONF-761001--P3)
Applicability of TREAT TOP experiments to post-failure dynamics, 3636
Assessment of fuel failure propagation in LMFBRs, 432 (CONF-761001--P3)
Barycentric coordinates technique for resolution of multiple fuel failures with gas tagging, 4635
BEHAVE-SST interpretation of TREAT experiments HUT 5-5A and HUT 5-5B, 3985
Behavior of carbide fuel in local and whole core accidents, 430 (CONF-761001--P3)
Behavior of unirradiated sodium-bonded carbide during mild overpower transients, 3632
CAMEL seven-pin fuel sweepout tests, 3998
Case for fuel redesign after in pile safety experiments: the ''COMMANDO'' tests (LMFBR), 4840
Clad strain and melt-through failure mode analysis for fast-running application (LMFBR), 2245 (LA--7938-C)
Cladding breaches in mixed-oxide fuel pins, 4721
Cladding breaches in mixed oxide fuel pins, 1473 (HEDL-SA--1299-S)
Cladding failure in TREAT overpower experiments: a mechanistic interpretation and its implications for LMFBR safety analysis, 473 (CONF-761001--P4)
Cladding failure by local plastic instability, 80 (ANL--77-95)
Cladding failure by local plastic instability, 1916 (INIS-mf--4470)
Cladding motion in a 37-pin loss-of-flow exeriment: SLSF P3, 3200
Coded aperture imaging in many-pin fuel bundles, 3647
Comparison of finite element calculations with experiments for the dynamic response of LMFBR core subassembly ducts, 3534
Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading, 1627 (HEDL-SA--1755-FP)
Complementary information to summary report on fuel failures, theoretical approach, and special programs, 2021 (IWGFR--5)
Computation studies of cladding relocation dynamics during liquid-metal fast breeder reactor transient undercooling accidents, 4273
Control of radionuclide transport in sodium-cooled reactor primary circuits, 1582 (HEDL-SA--1625)
Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels, 4841
Detection of fuel assembly flow reductions in a heterogeneous core, 4796
Detection device for fuel failure, 3360
Detective rod and accident experiments, 2178 (KFK--2416)

Development of a Mk-II loop to simulate reactor hydraulic conditions, 149 (ANL--79-7)
Development of a methodology for analysis of delayed-neutron signals, 154 (ANL--79-57)
Device for detecting gases, in particular fission gases, in the coolant channel of a liquid-cooled nuclear reactor fuel element, 5166
Dispersive potential of irradiated breeder reactor fuel during a thermal transient, 4801
Effect of power skew on the FTR TOP, 1529 (HEDL-SA--1463FP)
Effect of intrasubassembly incoherencies on the fast test reactor unprotected transient overpower accident, 3059
Effects of grain boundary fission gas on transient fuel behavior, 3242
Effects of transient power histories on the intrasubassembly failure incoherencies, 1648 (HEDL-SA--1668)
EOS series of experiments in TREAT, 4752
EPIC: a computer program for fuel-coolant interactions, 436 (CONF-761001--P3)
Experience with breached elements at EBR-II, 4733
Experimental study of advanced fuel-pin failure phenomena (LMFBR), 4838
Experimental determination of plutonia and urania solubility in liquid metal (LMFBR), 1422 (GEFR-SP--202)
Failed fuel detector for nuclear reactors, 5399
Failed fuel pin performance in fast metal-cooled reactors, 3847
Failed fuel detector, 5240
Failure of a high-power pin in a simulated $3/s TOP accident: Test E6 final report, 135 (ANL--78-73)
Failure pattern within an FTR subassembly under a TOP accident, 4770
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
Fast integral model for the transient analysis of a melting fuel pin, 3628
Fast Reactor Safety Research Program. Quarterly report, January--March 1977, 2811 (SAND--77-0611)
Fast reactor safety technical progress report, January--March 1977, 1774 (HEDL-TME--77-66)
Fast reactor safety technical progress report, April--June 1977, 1775 (HEDL-TME--77-67)
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)
Fast reactor fuel pin performance requirements for off-normal events, 1561 (HEDL-SA--1551-FP)
Final report of fuel dynamics Test E7, 54 (ANL--77-25)
Fission gas behavior in mixed-oxide fuel during transient overpower, 1620 (HEDL-SA--1747-FD)
Fission product monitoring in the sodium coolant during operation of a fast reactor, 4584 (KFK-tr--522)
Fission product control at EBR-II, 4734
Fission-product releases to the primary system of EBR-II from April 1977 to May 1978, 153 (ANL--79-27)
Fragmentation dynamics of molten UO_2 in sodium under TOP conditions, 4744
FRESS pin failure model and its application to E-8 TREAT test, 1017 (DOE/TIC--10099)
FRESS pin failure model and its application to E-8 TREAT test (LMFBR), 2246 (LA--7938-C)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment (LMFBR), 759 (CONF-790361--1)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment (LMFBR), 2250 (LA--7938-C)
Fuel clad failures in Rapsodie reactor and an experimental irradiation program in order to obtain voluntary and spontaneous failures, 2018 (IWGFR--5)
Fuel crack volume predictions and measurements (LMFBR), 2240 (LA--7938-C)
Fuel displacement diagnostics for a 91-pin subassembly, 3646
Fuel failure on the Rapsodie subassembly 'Capricorn 1.b', 2028 (IWGFR--5)
Fuel motion in TREAT transient-over-power test E6, 4729
Fuel pin coolability in low power voiding, 3664
Fuel pin modeling for the prompt burst excursion (PBE) experiments, 3640
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments (LMFBR), 2247 (LA--7938-C)
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
Fuel pins and core response under liquid-metal fast breeder reactor transient overpower accident conditions, 3070
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2191 (KFK--2546)
Gas bubble adhesion to heat transfer surfaces, 3114
Gas tag designs for a generic LMFBR, 4660
GREK experimental approach to carbide fuel element licensing (LMFBR), 4839
HEDL contribution to SRL fuel recycle program. Quarterly report, January--March 1977, 1674 (HEDL-TC--902-1)
HEDL mixed oxide fuel pin breach experience in EBR-II, 1555 (HEDL-SA--1535-FP)
Improved method for conducting failed fuel experiments in LWRs (ETR sodium loop safety facility), 3975
In-core gas release capsule development, 1568 (HEDL-SA--1564-S)
In-reactor safety tests with fuels for fast neutron reactors, 2032 (IWGFR--5)
Influence of fuel-coolant-interactions on loss of flow type core disruptive accidents for the SNR-300, 439 (CONF-761001--P3)
Influence of TREAT nonprototypic effects on prediction of pin failure in LMFBRs, 2284 (LA-UR--79-2141)
Influence of thermal cracking on transient pre-failure molten fuel motion (LMFBR), 2241 (LA--7938-C)
Influence of asymmetric phenomena on fuel pin breach, 3164
Interpretation of local boiling behaviour in the KNS blockage experiments, 2010 (INKA-Conf--79-082-001)
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 4772
Intrusion of molten steel into cracks in solid fuel in a transient-undercooling accident in a liquid-metal fast breeder reactor, 4269
Investigation of local cooling disturbances in an in-pile sodium loop in the BR2, 3074
Irradiation behavior of experimental Mark-II Experimental Breeder Reactor II driver fuel, 3058
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
LMFBR fuel analysis. Task B: Post-accident heat removal. Final report, October 1, 1976--September 30, 1977, 2377 (NUREG/CR--0012)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
LMFBR operational safety: the EBR-II experience, 728 (CONF-781022--30)
Los Alamos Failure Model (LAFM): a code for the prediction of LMFBR fuel pin failure, 2228 (LA--7161-MS)
Loss-of-cooling experiments with single fuel pins, 469 (CONF-761001--P4)
Materials properties utilization in a cumulative mechanical damage function for LMFBR fuel pin failure analysis, 4477
Mathematical and computational techniques employed in the deterministic approach to liquid-metal fast breeder reactor safety, 4334
Measurement of cladding strain during simulated transient tests, 1613 (HEDL-SA--1731-FP)
Mechanical failure of subassembly ducts and its effects on transition-phase analysis, 3992
Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 3521
Mild transient overpower accidents with advanced fuels (LMFBR), 3198
Millisecond-period meltdown experiments on prompt-burst effects and molten-tin-water dropping experiments, 2724 (PNC-N--251-76-12(Vol.2))
Mixed oxide run-beyond-cladding-breach tests in EBR-II, 1556 (HEDL-SA--1536-FP)
Model for pressure in an LMFBR duct due to discharge of gas from a failed fuel pin, 1934 (INIS-mf--4498)
Model for pressure in an LMFBR duct due to discharge of gas from a failed fuel pin, 5094
Model to simulate the fission-product transport process in the Experimental Breeder Reactor II, 841 (CONF-791108--21)
MONJU fuel pin safety irradiation program in GETR, 2030 (IWGFR--5)
Observations of in-reactor endurance and rupture life for fueled and unfueled FTR cladding, 3176
ORNL breeder reactor safety: LOA 2, 3, 4, and 5. Quarterly technical progress report, January-March 1979, 2683 (ORNL/TM--6947)
Parametric investigation of dynamic fracture, 1927 (INIS-mf--4498)
Parametric investigation of dynamic fracture, 5073
Phenomenological model for mixed-oxide fuel pin cladding breaches, 4722
Physicochemical model for predicting sodium reaction swelling in breached LMFBR fuel and breeder elements, 1313 (GEFR--00424)
Pin failure modeling of the A series CABRI tests, 2870 (SAND--78-1919C)
PINEX-AR, a fuel dynamics code applied to PINEX-2 prediction and reactor analysis (LMFBR), 2244 (LA--7938-C)
PINEX II: French contribution to an international benchmark experiment (LMFBR), 2243 (LA--7938-C)
PNC irradiation programs, 2024 (IWGFR--5)
Post-test evaluation of the SLSF loss-of-flow safety experiment P2, 4750
Post-test analysis of transient overpower TREAT test R9 for BOL FFTF-type fuel, 4751
Preparations at EBR-II for breached element operation, 4735
Probabilistic identification of failed core assemblies from gas tag releases, 4636
Probabilistic design method for LMFBR fuel rods, 1919 (INIS-mf--4470)
Progress in liquid-metal fast breeder reactor safety research and development - an overview of the issues, 4180

Proof tests of irradiated EBR-II ducts, 5091
Radioactivity of long-lived nuclides in the BOR-60 primary circuit during operation with some defective fuel elements, 2342 (NIIAR-P--5(259))
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Recent KfK work on irradiation techniques for fast reactors, 4213
Results from experiment F11A after incurring cladding breach in EBR-II, 3573
Results from the run-beyond-cladding-breach irradiation of a predefected fuel pin (RBCB-6), 1846 (HEDL-TME--79-23)
Results from the run-beyond-cladding breach irradiation of a predefected fuel pin (RBCB-7), 1854 (HEDL-TME--79-62)
Results of recent TOP and LOF experiments in TREAT, 470 (CONF-761001--P4)
Results of fuel freezing tests with simulated CRBR-type fuel pins, 4000
Results of UO_2 diagnostic tests for run beyond cladding breach in EBR-II, 143 (ANL--78-99)
Results of the in-pile experimental programme SCARABEE, 4217
Review and perspective of FCI related activities in Japan, 2707 (PNC-N--251-76-12(Vol.1))
Safety problems related to microheterogeneities in physically mixed oxide fuels, 380 (CONF-761001--3)
Safety related considerations for operation with defected elements in EBR-II, 405 (CONF-761001--P2)
Safety test facilities. Needs and concepts. A French evaluation, 346 (CEA-CONF--3845)
SIEX design predictions for the PNC fuel pins in the HEDL P-E01 power-to-melt test, 1034 (DOE/TIC--11060)
SIFAIL: a subprogram to calculate cladding deformation and damage for fast reactor fuel pins, 1851 (HEDL-TME--79-34)
SIMMER-II analysis of the R-7 TREAT test (LMFBR), 2256 (LA--7938-C)
Simple computational model for the prediction of fuel pin failure in the transient overpower accident, 3629
Simulation of LOF accidents with directly electrical heated UO_2 pins, 472 (CONF-761001--P4)
Simulation of different transient clad failure mechanisms in fuel pin modelling, 2029 (IWGFR--5)
Simulation of cladding relocation in the TREAT-experiment R5 with the CMOT code (LMFBR), 2254 (LA--7938-C)
Sodium boiling with stainless steel clad melting and relocation out-of-pile experimental results and interpretation (LMFBR), 2248 (LA--7938-C)
Some comments on shock-induced fragmentation and detonating thermal explosions, 4678
Some experiences and inpile experimental programme on fuel coolant interaction in NSRR, 2710 (PNC-N--251-76-12(Vol.1))
Statistical analysis of 17 TREAT experiments (LMFBR), 4010
Status and summary of TREAT in-pile experiments on LMFBR response to hypothetical core disruptive accidents, 4978
Strain rate effects in transient overpower cladding failure analyses (LMFBR), 3986
Study of fuel freezing and channel plugging during hypothetical overpower transients, 480 (CONF-761001--P4)
Study of fuel failure due to manufacturing faults, 2019 (IWGFR--5)
Subassembly experiments and a computer code to analyze the dynamic core deformation during local failure propagation (LMFBR), 4405
Summary and evaluation of transient test data on extended fuel motion resulting from unprotected loss of flow, 56 (ANL--77-40)
Summary on fuel pin failures and theoretical approach, 2022 (IWGFR--5)
Survival of peripheral pins during a TOP-HCDA, 1624 (HEDL-SA--1752-FP)
System hydraulic effects on fuel sweepout in the hypothetical TOP accident, 3599
Systems for detecting failed fuel in fast reactors, 4196
Test data and post-test analyses of three prototypic-length FFTF fuel pins transient tested in flowing sodium (HUT-L2), 1842 (HEDL-TME--79-9)
Theoretical and experimental investigation of the nonlinear structural dynamics of Fast Breeder Reactor fuel elements, 2195 (KFK--2584)
Thermal-hydraulic analysis of fuel blockages formed during transient overpower accidents in liquid-metal fast breeder reactors, 3065
Thermodynamic studies of the sodium fuel reaction at General Electric, 2334 (NEDO--12325)
Transient tube burst tests on fast reactor fuel cladding, 1048 (ECN--21)
Transient-overpower test E8 on FFTF-type low-power-irradiated fuel, 78 (ANL--77-93)
Transient fission gas release effects on carbide fuel failure dynamics, 3623
Transient pressurization and transport of a two-component gas within interconnected porosity of solid mixed-oxide fuel, 3429
TREAT test H6-A 50 cents transient overpower accident simulation, 3098
UK irradiation experience relevant to advanced carbide fuel concepts for LMFBR's, 4632
Uncertainty analysis of consequences calculated by large computer codes, 1853 (HEDL-TME--79-42)
Use of demonstration fast reactor experience for assessing the radiation safety of fast power reactors at the design stage, 4092
Use of demonstration fast reactor experience in assessing the radiation safety of fast power reactors in the design stage, 3048 (PNL-TR--393)

FUEL ELEMENT FAILURE/DIAGNOSTIC TECHNIQUES
Hodoscope performance tests on a 91-pin fuel bundle at PARKA (LMFBR), 732 (CONF-781033--9)

FUEL ELEMENT FAILURE/FISSION PRODUCT RELEASE
Advanced safety analysis. Twelfth quarterly report, June--August 1977 (LMFBR), 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978 (LMFBR), 1379 (GEFR--14038-15)
Prediction of thermal consequences of plenum fission gas release in an LMFBR fuel assembly, 747 (CONF-781181--2)
Role of fission gas and fuel melting in fuel response during simulated hypothetical loss-of-flow transients (LMFBR), 3061

FUEL ELEMENT FAILURE/FUEL-COOLANT INTERACTIONS
Analysis of TREAT transient overpower experiments using the PLUTO codes (LMFBR), 2251 (LA--7938-C)
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments (LMFBR), 2871 (SAND--78-2085C)
Hydrodynamic fragmentation of drops (LMFBR), 2249 (LA--7938-C)

FUEL ELEMENT FAILURE/GASES
Pin plenum fission gas release model to describe fission gas effects in a voided channel (LMFBR), 4803

FUEL ELEMENT FAILURE/HYDRAULICS
Analysis of internal fuel motion during PINEX-2 experiment, 1590 (HEDL-SA--1658-S)
Comparison of the predictions from the multichannel clad relocation model to available in-pile experimental data (LMFBR), 2253 (LA--7938-C)
Fundamental aspects of molten clad relocation (LMFBR), 2252 (LA--7938-C)

FUEL ELEMENT FAILURE/HYDRODYNAMICS
Role of Rayleigh--Taylor instabilities in fuel-coolant interactions (LMFBR), 3376

FUEL ELEMENT FAILURE/LIQUID FLOW
Analysis of fuel dispersal in direct electrical heating experiments (LMFBR), 2259 (LA--7938-C)

FUEL ELEMENT FAILURE/MATHEMATICAL MODELS
Application of Larson--Miller parameter to LMFBR fuel failure dynamics, 4766
Application of LIFE transient codes to experiment and core design (LMFBR), 2998 (WARD-DX--3045-35)
Fracture mechanics of thin wall cylindrical pressure vessels: an interim review (LMFBR), 2742 (PNL--2417)
Fuel pin modeling for the prompt burst excursion (PBE) experiments (LMFBR), 2858 (SAND--78-0274C)
Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 4816
Multichannel model for relocation of molten fuel cladding in unprotected loss-of-flow accidents in liquid-metal fast breeder reactors, 3290
Numerical model of reactor fuel and coolant motions following pin failure (LMFBR; EPIC code), 4336
PECS-III: probabilistic evaluation of cladding lifetime in LMFBR fuel pins, 1245 (GEFR--00256)
PLUTO2: a computer code for the analysis of overpower accidents in LMFBRs, 4768
Simple fuel pin transient and melting model and its application to thermal-hydraulics in lmfbr subassembly, 4050
Transient deformation of LMFBR cores due to local failure: experimental and theoretical investigation, 4390

FUEL ELEMENT FAILURE/MEETINGS
International working group on fast reactors, 2017 (IWGFR--5)

FUEL ELEMENT FAILURE/MELTDOWN
Role of fission gas and fuel melting in fuel response during simulated hypothetical loss-of-flow transients (LMFBR), 3061

FUEL ELEMENT FAILURE/PRESSURE GRADIENTS
Pin plenum fission gas release model to describe fission gas effects in a voided channel (LMFBR), 4803

FUEL ELEMENT FAILURE/PROBABILITY
Fuel failure propagation reliability assessment (LMFBR), 3650

FUEL ELEMENT FAILURE/RADIOACTIVE AEROSOLS
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1978, 2418 (NUREG/CR--0587)

FUEL ELEMENT FAILURE/RAYLEIGH-TAYLOR INSTABILITY
Role of Rayleigh--Taylor instabilities in fuel-coolant interactions (LMFBR), 3376

FUEL ELEMENT FAILURE/RESEARCH PROGRAMS
Fuel failure studies and experiences in Italy, 2023 (IWGFR--5)
Fuel rod mechanics and failure analysis. Twentieth quarterly report, May--July 1977 (LMFBR), 1349 (GEFR--13923-20)
Fuel rod mechanics and failure analysis. Twenty-first

quarterly report, August--October 1977 (LMFBR), 1350 (GEFR--13923-21)
Fuel rod mechanics and failure analysis twenty-second quarterly report, November 1977--January 1978 (LMFBR), 1351 (GEFR--13923-22)
Fuel rod mechanics and failure analysis. Twenty-third quarterly report, February 1978--April 1978 (LMFBR), 1352 (GEFR--13923-23)
Post-failure phenomena in LMFBR top accidents. Final report, October 1, 1976--September 30, 1977, 2381 (NUREG/CR--0018)
Safety engineering sixteenth quarterly report, May--July 1976 (LMFBR), 1225 (GEAP--13923-16)
U.S. advanced fuels safety program (LMFBR), 4837

FUEL ELEMENT FAILURE/SIMULATION
Analysis of in-pile fuel disruption experiments (LMFBR), 2859 (SAND--78-0363C)
Breeder reactor safety and core systems programs. Progress report, July--September 1977 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2643 (ORNL/TM--6158)
Breeder reactor safety and core systems programs progress report, October--December 1977 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2649 (ORNL/TM--6288)
Breeder reactor safety and core systems programs. Progress report, January--March 1978 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2658 (ORNL/TM--6439)
Breeder reactor safety and core systems programs. Progress report, April--June 1978 (Thermal-Hydraulic Out-of-Reactor Safety Facility), 2665 (ORNL/TM--6558)
Breeder Reactor Safety and Core Systems Programs. Progress report, July--September 1978 (Thermal-hydraulic-out-of-reactor safety facility), 2674 (ORNL/TM--6658)
Breeder Reactor Safety and Core Systems Programs progress report for October--December 1978 (Thermal-hydraulic-out-of-reactor safety facility), 2680 (ORNL/TM--6851)
Effect of a loss of flow on a single LMFBR-type fuel pin, 5363
Evaluation of the effect of shutdown cracks in TREAT-tested fuel pins (LMFBR), 4765
F1 Phenomenological Test on fuel motion: final report (LMFBR), 126 (ANL--78-50)
Fluctuation analysis of fast reactor safety experiments in treat, 145 (ANL--78-102)
Freezing and melting phenomena in finite-media, with application to molten fuel containment for SLSF experiments (LMFBR), 736 (CONF-781105--20)
Fuel and fission gas response to simulated thermal transients: experimental results and correlation with fission gas release and swelling model (LMFBR), 3485
Fuel pin modeling for the prompt burst excursion (PBE) experiments (LMFBR), 2858 (SAND--78-0274C)
Fuel rod mechanics and failure analysis. Twenty-fourth quarterly report, May--July 1978 (LMFBR overpower transients), 1353 (GEFR--13923-24)
Heat transfer, sodium boiling and fuel pin integrity after a severe LMFBR piping failure, 4991
Improved method for conducting failed fuel experiments in LWR's (LMFBR), 735 (CONF-781105--8)
Linear heat rating for incipient fuel melting in UO_2--PuO_2 fuel, 1445 (HEDL-SA--464)
Modes of failure of fast reactor fuel pins irradiated under loss-of-coolant-flow conditions (LMFBR), 3073
Prompt burst energetics experiments: uranium carbide series. Preliminary results (LMFBR), 2387 (NUREG/CR--0137)
Reactor development program. Progess report, June 1978 (LMFBR), 280 (ANL-RDP--72)
Response of oxide fuel to simulated thermal transients (LMFBR), 3373
Simulation of fast breeder reactor pin behavior using UO_2 pins with direct electrical heating, 4296
Summary and evaluation of fuel dynamics transient-overpower experiments: status 1974 (LMFBR), 58 (ANL--77-44)
Test E3 on high-energy transient meltdown of irradiated UO_2 in a TREAT Mark-II loop (LMFBR), 79 (ANL--77-94)
Theoretical interpretation of SCARABEE single pin in-pile boiling experiments (LMFBR), 4396

FUEL ELEMENT FAILURE/STOCHASTIC PROCESSES
Stochastic processes in thermal-hydraulic flow fields (LMFBR), 4756

FUEL ELEMENT FAILURE/TIME DEPENDENCE
Analysis of transient overpower accidents in the Fast Test Reactor using the Los Alamos Failure Model, 3071

FUEL ELEMENT FAILURE/TRANSIENTS
Fuel rod mechanics and failure analysis. Nineteenth quarterly report, February--April 1977 (LMFBR), 1348 (GEFR--13923-19)

FUEL ELEMENTS
See also FUEL PINS
FUEL RODS
NUCLEAR FUELS
SPENT FUEL ELEMENTS
Basic ideas on the development of fuel elements for fast breeder reactors, 2172 (KFK--2416)
Fragmentation of uotsub 2$ and uc drops entering a sodium pool, 4171
Fuel elements for breeder power plants. International status, 2173 (KFK--2416)
Role of fission gas and fuel melting on transient fuel response, 3604
Safety device in a nuclear reactor fuel rod with a closed fission gas plenum (Patent), 5131
Safety problems related to microheterogeneities in physically mixed oxide fuels, 380 (CONF-761001--3)

FUEL ELEMENTS/BURNUP
CCB, a two-dimensional diffusion theory continuous cross-section burnup code for fast reactor analysis. Final report, 1081 (EPRI-NP--847)
Fast reactor fission yields for ^{233}U and ^{235}U irradiated in Row 4 of EBR-II, 1062 (ENICO--1028)

FUEL ELEMENTS/COMPATIBILITY
Compatibility of a uranium metallic fuel with OKH16N15M3B chrome-nickel steel (LMFBR), 5417

FUEL ELEMENTS/CONFIGURATION
Fission product arrangement of a fast neutron reactor (Patent), 3556

FUEL ELEMENTS/CORROSION PROTECTION
In-reactor performance of methods to control fuel-cladding chemical interaction (LMFBR), 1572 (HEDL-SA--1579)

FUEL ELEMENTS/DEFORMATION
Effect of phase instability of stainless steel on the cladding deformation profiles of LMFBR fuel elements, 4435

FUEL ELEMENTS/DESIGN
Advanced carbide/nitride fuels program. Quarterly progress report for the period July--September 1977 (LMFBR), 180 (ANL-AFP--40)
Advanced fuels program. Quarterly progress report, October--December 1977 (LMFBR; mixed carbides and mixed nitrides), 175 (ANL-AFP--34)
Advanced fuels program. Quarterly progress report, January--March 1977 (LMFBR; mixed carbides and mixed nitrides), 176 (ANL-AFP--35)
Advanced Fuels Program. Quarterly progress report for the period, July--September 1974 (LMFBR; mixed carbides and mixed nitrides), 167 (ANL-AFP--1)
Advanced fuels program. Quarterly progress report for the period April--June 1977 (LMFBR; mixed carbides and mixed nitrides), 179 (ANL-AFP--39)
Advanced Fuels Development Program. Quarterly progress report, October--December 1977 (LMFBR; mixed carbides and mixed nitrides), 183 (ANL-AFP--47)
Advanced fuels development program. Quarterly progress report, January--March 1978 (LMFBR; mixed carbides and nitrides), 184 (ANL-AFP--51)
Advanced fuels development program. Quarterly progress report, April-June 1978 (LMFBR; mixed carbides and mixed nitrides), 185 (ANL-AFP--55)
Advanced fuels development program. Quarterly progress report, July-September 1978 (LMFBR; mixed carbides and mixed nitrides), 186 (ANL-AFP--59)
Overview of fuel element design (LMFBR), 3255
Safety device in a nuclear reactor fuel rod with a closed fission gas plenum (Patent; LMFBR), 5221
System design of carbide fuel. Quarterly progress report, January--March 1978 (LMFBR), 912 (COO--2426-136)

FUEL ELEMENTS/DESTRUCTIVE TESTING
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, April 1--June 30, 1977 (UO_2; PuO_2), 2225 (LA--6924-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report 1 Oct--31 Dec 1977 (UO_2; PuO_2), 2229 (LA--7171-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, January 1--March 31, 1978 (UO_2; PuO_2), 2231 (LA--7266-PR)

FUEL ELEMENTS/FABRICATION
Advanced safety analysis. Twelfth quarterly report, June--August 1977 (LMFBR), 1377 (GEFR--14038-12)

FUEL ELEMENTS/FISSION PRODUCT RELEASE
Analysis of experimental fission gas behavior data in fast reactor fuel under steady state and transient conditions (LANGZEIT and KURZZEIT codes), 1204 (ZURFNR--1464)
ANS54: a computer subroutine for predicting fission gas release, 2469 (NUREG/CR--1213)
Comparison of experiment and NEFIC model calculations of transient fission gas behavior (LMFBR), 16 (AERE-TP--793)
Generalized parametric model for transient gas release and swelling in oxide fuels (LMFBR; FRAS and PFRAS codes), 4327
Laboratory studies on melting and gas release behavior of irradiated fuel, 2031 (IWGFR--5)
Transient pressurization and transport of a two-component gas within interconnected porosity of solid mixed-oxide fuel (LMFBR), 3429

FUEL ELEMENTS/FISSION PRODUCTS
Comparison of a fission-gas effects in a transient overpower test (HUT 5-7A) to FRAS3 code predictions (LMFBR), 1609 (HEDL-SA--1725-FP)

FUEL ELEMENTS/FUEL-CLADDING INTERACTIONS

Effects of stoichiometry on cladding reaction in mixed oxide fuel, 3170

FUEL ELEMENTS/HEAT TRANSFER
Heat conductivity between uo$sub 2$ core and casing in fast reactor fuel elements, 5442
Possibilities to determine the heat transfer between nuclear fuel elements and the coolant in a sodium cooled reactor during normal power operation, 2198 (KFK--2619)

FUEL ELEMENTS/IRRADIATION
Advanced fuels development program. Quarterly progress report, January--March 1978 (LMFBR; mixed carbides and nitrides), 184 (ANL-AFP--51)

FUEL ELEMENTS/ISOTOPE RATIO
Fast reactor fission yields for ^{233}U and ^{235}U irradiated in Row 4 of EBR-II, 1062 (ENICO--1028)

FUEL ELEMENTS/LEAK TESTING
Fuel subassembly leak test chamber for a nuclear reactor (Patent), 3734

FUEL ELEMENTS/MATHEMATICAL MODELS
Status of mechanical properties and models for LMFBR and LWR fuel element modeling, 4654

FUEL ELEMENTS/MECHANICAL VIBRATIONS
Investigation of added masses and damping factors for vibrations of tube and tube bundles in fluid, 2099 (IWGFR--21)

FUEL ELEMENTS/MEETINGS
Fuel element of the LMFBR, 2180 (KFK--2416)
Fuel element of the sodium breeder, 3866 (EURFNR--1418)

FUEL ELEMENTS/MELTDOWN
Evaluation of incoherency effect on cladding motion in R-series test, 3611
Laboratory studies on melting and gas release behavior of irradiated fuel, 2031 (IWGFR--5)

FUEL ELEMENTS/MICROSTRUCTURE
Comparison of a fission-gas effects in a transient overpower test (HUT 5-7A) to FRAS3 code predictions (LMFBR), 1605 (HEDL-SA--1725-FP)

FUEL ELEMENTS/NONDESTRUCTIVE TESTING
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, April 1--June 30, 1977 (UO_2; PuO_2), 2225 (LA--6924-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report 1 Oct--31 Dec 1977 (UO_2; PuO_2), 2229 (LA--7171-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, January 1--March 31, 1978 (UO_2; PuO_2), 2231 (LA--7266-PR)
Nondestructive analysis of irradiated fuels (BWR; PWR; LMFBR), 1487 (HEDL-SA--1350)

FUEL ELEMENTS/PERFORMANCE
Analysis of the effect of emergency operating regimes of a fast power reactor on the fuel performance, 3498
Influence of oxygen-metal ratio on mixed-oxide fuel performance, 1630 (HEDL-SA--1760-FP)
Irradiation performance of helium-bonded uranium--plutonium carbide fuel elements (LMFBR), 2274 (LA-UR--78-2932)
Life: III fuel-element performance code (LMFBR), 1132 (ERDA--77-56)
Status of mechanical properties and models for LMFBR and LWR fuel element modeling, 4654

FUEL ELEMENTS/PERFORMANCE TESTING
Advanced carbide/nitride fuels program. Quarterly progress report for the period July--September 1977 (LMFBR), 180 (ANL-AFP--40)
Advanced fuels program. Quarterly progress report, October--December 1977 (LMFBR; mixed carbides and mixed nitrides), 175 (ANL-AFP--34)
Advanced fuels program. Quarterly progress report, January--March 1977 (LMFBR; mixed carbides and mixed nitrides), 176 (ANL-AFP--35)
Advanced Fuels Program. Quarterly progress report for the period, July--September 1974 (LMFBR; mixed carbides and mixed nitrides), 167 (ANL-AFP--1)
Advanced fuels program. Quarterly progress report for the period April--June 1977 (LMFBR; mixed carbides and mixed nitrides), 179 (ANL-AFP--39)
Advanced Fuels Development Program. Quarterly progress report, October--December 1977 (LMFBR; mixed carbides and mixed nitrides), 183 (ANL-AFP--47)
Advanced fast reactor fuels program. Second annual progress report, July 1, 1975--September 30, 1976, 2234 (LA--7570-PR)
Advanced fuels development program. Quarterly progress report, October-December 1978 (LMFBR; mixed carbides and mixed nitrides), 187 (ANL-AFP--63)
Advanced fuels development program. Quarterly progress report, April-June 1978 (LMFBR; mixed carbides and mixed nitrides), 185 (ANL-AFP--55)
Advanced fuels development program. Quarterly progress report, July-September 1978 (LMFBR; mixed carbides and mixed nitrides), 186 (ANL-AFP--59)
Analytical study of the feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 116 (ANL--78-17)
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
Microstructural results from F20 power-to-melt experiment (LMFBR), 1277 (GEFR--00367)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1975 (Development and testing of LMFBR mixed-oxide fuel pins and fuel assemblies), 2990 (WARD-OX--3045-23)
Oxide fuel element development quarterly progress report for period ending June 30, 1976 (LMFBR), 2992 (WARD-OX--3045-26)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Study of BOR-60 reactor fuel element performance, 2341 (NIIAR-P--5(271))

FUEL ELEMENTS/QUALITY ASSURANCE
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, April 1--June 30, 1977 (UO_2; PuO_2), 2225 (LA--6924-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report 1 Oct--31 Dec 1977 (UO_2; PuO_2), 2229 (LA--7171-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: Irradiation tests. Progress report, July 1--September 30, 1977 (PuO_2; UO_2) 2226 (LA--7038-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, January 1--March 31, 1978 (UO_2; PuO_2), 2231 (LA--7266-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, April 1-June 30, 1979 (UO_2; PuO_2), 2264 (LA--7975-PR)
Quality assurance for breeder reactor fuel fabrication, 1608 (HEDL-SA--1724)

FUEL ELEMENTS/SPECIFICATIONS
Basic principles of prognostication for oxide fuel element working ability of sodium cooled fast reactors, 2027 (IWGFR--5)
Fuel elements for breeder power plants: international status, 3853 (EURFNR--1418)

FUEL ELEMENTS/STRAINS
Simplified method of computing cladding and fuel strain during a slow overpower transient (LMFBR), 4769

FUEL ELEMENTS/STRESS ANALYSIS
Development of a finite-strain fuel-element model (LMFBR) 542 (CONF-770807--41)
Effects of gap sizes on stresses and deflections of a fuel element, 793 (CONF-790802--59)
Life: III fuel-element performance code (LMFBR), 1132 (ERDA--77-56)

FUEL ELEMENTS/SUPPORTS
Liquid metal cooled nuclear reactor constructions (Patent), 3093

FUEL ELEMENTS/SURFACE CLEANING
Sodium removal of fuel elements by vacuum distillation, 2116 (IWGFR--23)

FUEL ELEMENTS/SWELLING
Generalized parametric model for transient gas release and swelling in oxide fuels (LMFBR; FRAS and PFRAS codes), 4327

FUEL ELEMENTS/TEMPERATURE DISTRIBUTION
Determination of the temperature in fuel elements of nuclear reactors (with liquid metal coolants) (Book: in Russian), 4094
Effects of fission gas bubbles in the bond on the temperature distribution in Na-bonded carbide fuel rods, 3895
Program for calculation of a nonstationary temperature field for a cylindrical fuel element (LMFBR), 2349 (NIIAR-P--255)

FUEL ELEMENTS/TRANSPORT
Design of containers for shipping unirradiated LMFBR assemblies, 4489

FUEL ELEMENTS/VAPORIZATION HEAT
Characterization of mixed LMFBR fuel-sodium aerosols generated by laser vaporization, 2744 (PNL--2500(Pt.1))
Translocation of mixed LMFBR fuel-sodium aerosols from the lung following inhalation by rodents, 2745 (PNL--2500(Pt.1))

FUEL ELEMENTS/VENTS
Vent mechanism (Patent; LMFBR), 5332

FUEL FABRICATION PLANTS/COST
Nuclear fuel fabrication and refabrication cost estimation methodology, 2670 (ORNL/TM--6640)
Sensitivity analysis of LMFBR fuel fabrication cost, 1674 (HEDL-TC--902-1)

FUEL FABRICATION PLANTS/ENVIRONMENTAL IMPACTS
Environmental control aspects for fabrication, reprocessing and waste disposal of alternative LWR and LMFBR fuels, 2752 (PNL--3129)

FUEL FABRICATION PLANTS/RADIOACTIVE EFFLUENTS
Radiation and effluent control technology semiannual progress report, January--June 1976, 1753 (HEDL-TME--77-30)

FUEL FABRICATION PLANTS/REVIEWS
Material control in nuclear fuel fabrication facilities.

Addendum to Part I: fuel descriptions and fabrication processes, 2945 (UCRL--13916(Pt.1)(Add.))
Material control in nuclear fuel fabrication facilities. Part I. Fuel descriptions and fabrication processes, P.O. 1236905 Final report, 2946 (UCRL--13942(Pt.1))

FUEL LOADING
See REACTOR FUELING

FUEL MANAGEMENT
Core design: fuel management as a balance between in-core efficiency and economics, 3713
Optimization of refueling scheme of fast reactor core by means of man machine interactive method, 4585

FUEL MANAGEMENT/COMPUTER CALCULATIONS
Efficient calculation methods of fast reactor and fuel cycle thereof, 1897 (INIS-mf--4280)

FUEL MANAGEMENT/OPTIMIZATION
Enrichment and control optimization in LMFBRs losing reactivity during burnup, 4484

FUEL MANAGEMENT/THREE-DIMENSIONAL CALCULATIONS
Critical experiments and analysis twenty-second quarterly report, January--March 1977 (LMFBR), 1337 (GEFR--13771-22)
Critical experiments and analysis (LMFBR), 1340 (GEFR--13771-25)
Critical experiments and analysis twenty-sixth quarterly report, January--March 1978 (LMFBR), 1341 (GEFR--13771-26)
Critical experiments and analysis. Twenty-eighth quarterly report, July--September 1978 (LMFBR), 1343 (GEFR--13771-28)
Critical experiments and analysis. Thirtieth quarterly report, January--March 1979 (LMFBR), 1345 (GEFR--13771-30)

FUEL MOTION DETECTION
Advanced reactor safety research. Quarterly report, October--December 1977 (LMFBR), 2397 (NUREG/CR--0323(Vol.5))
Advanced reactor safety research. Quarterly report, January--March 1978 (LMFBR), 2398 (NUREG/CR--0335(Vol. 6))
Advanced reactor safety research. Quarterly report, July-September 1978 (LMFBR), 2412 (NUREG/CR--0470)
Advanced reactor safety research. Quarterly report, April-June 1979 (LMFBR), 2455 (NUREG/CR--0984(Vol.10))
Interim report for the PINEX-2 transient test, 1852 (HEDL-TME--79-39)

FUEL MOTION DETECTION/MEETINGS
Topical report on fuel motion diagnostic systems, 2436 (NUREG/CR--0790)

FUEL MOTION DETECTION/PERFORMANCE TESTING
Analog and digital reconstructions of fuel pin images recorded with the prototype ACPR (UPGRADE) fuel motion diagnostic system, 2438 (NUREG/CR--0790)
Development of a coded aperture fuel motion diagnostics system for the ACPR (UPGRADE), 2437 (NUREG/CR--0790)
Flash x-radiography for material motion detection (LMFBR), 2441 (NUREG/CR--0790)
Potential for using coded aperture imaging for fuel motion detection measurement in the STF, 2439 (NUREG/CR--0790)
Relation between fuel motion and detector response for in-core fuel motion detection systems, 2440 (NUREG/CR--0790)

FUEL MOTION DETECTION/REMOTE VIEWING EQUIPMENT
PINEX-2 experiment: concept verification of an inherent shutdown mechanism for HCDA's (LMFBR), 1616 (HEDL-SA--1737-FP)

FUEL PARTICLES/FABRICATION
Hydrogen retention of (U,Pu)C/sub 2-y/ (LMFBR), 2666 (ORNL/TM--6568)
Properties and irradiation behavior of advanced oxide particle fuel (LMFBR, BWR, PWR), 4830

FUEL PARTICLES/PERFORMANCE TESTING
Initial stage restructuring in sphere-pac mixed-carbide fuel (LMFBR), 2755 (PNL-SA--7503)
Properties and irradiation behavior of advanced oxide particle fuel (LMFBR, BWR, PWR), 4830

FUEL PARTICLES/THERMAL CONDUCTIVITY
Thermal conductivity during initial stage restructuring in sphere-pac fuel (LMFBR), 3952

FUEL PELLETS/CHEMICAL ANALYSIS
Semi-automated uranium analysis by a modified Davies--Gray procedure, 1463 (HEDL-SA--1221)

FUEL PELLETS/CRACKS
Analysis of crack patterns in fast reactor fuel pellets, 14 (AERE-TP--719)
Analysis of crack patterns in fast reactor fuel pellets, 1913 (INIS-mf--4470)
Fuel crack volume predictions and measurements (LMFBR), 1584 (HEDL-SA--1631-FP)

FUEL PELLETS/DECOMPOSITION
Fuel disassembly experiments using the capacitor discharge vaporization (CDV) technique (LMFBR), 3995

FUEL PELLETS/DISSOLUTION
Dissolution of FFTF vendor fuel, 1655 (HEDL-SA--1931)

FUEL PELLETS/FABRICATION
Alternative oxide fuel pellet fabrication for irradiation testing (LMFBR), 1578 (HEDL-SA--1604-FP)
Babcock and Wilcox plutonium fuel fabrication experience, 4995
Fabrication of ThO_2, UO_2, and PuO_2-UO_2 pellets (LMFBR), 1504 (HEDL-SA--1399-FP)
Fabrication of 0.5-inch diameter FBR mixed oxide fuel pellets, 1650 (HEDL-SA--1895-FP)
Hydrogen retention of (U,Pu)O/sub 2-y/ (LMFBR), 2666 (ORNL/TM--6568)
Oxygen-to-metal ratio control during fabrication of mixed oxide fast breeder reactor fuel pellets, 3207
Preliminary fabrication studies of alternative LMFBR carbide fuels, 2238 (LA--7901-MS)
Remote fabrication of pellet fuels for United States breeder reactors, 1610 (HEDL-SA--1727-FP)

FUEL PELLETS/FISSION PRODUCT RELEASE
Effects of grain boundary fission gas on transient fuel behavior, 3242
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049

FUEL PELLETS/HEAT TRANSFER
Heat transmission during start-up in carbide fuel rods provided with average to large fabrication gaps (LMFBR) 3514 (DOE-tr--178)

FUEL PELLETS/MELTDOWN
Experimental study of advanced fuel-pin failure phenomena (LMFBR), 4838

FUEL PELLETS/MICROSTRUCTURE
Effects of grain boundary fission gas on transient fuel behavior, 3242

FUEL PELLETS/NONDESTRUCTIVE TESTING
Nondestructive testing development program. Quarterly progress report for period ending June 30, 1978 (LMFBR) 2570 (ORNL--5440)

FUEL PELLETS/PERFORMANCE TESTING
Experimental study of advanced fuel-pin failure phenomena (LMFBR), 4838

FUEL PELLETS/PHYSICAL RADIATION EFFECTS
Evaluation of the effect of shutdown cracks in TREAT-tested fuel pins (LMFBR), 4765
Fuel crack volume predictions and measurements (LMFBR), 1584 (HEDL-SA--1631-FP)

FUEL PELLETS/SHAPE
Dynamic shape factors for LMFBR mixed-oxide fuel aggregates, 3310

FUEL PELLETS/STABILITY
O/M stability in mixed oxide fuel pins, 1767 (HEDL-TME--77-55)

FUEL PELLETS/STOICHIOMETRY
Effects of stoichiometry on cladding reaction in mixed-oxide fuel, 1621 (HEDL-SA--1749-FP)
Influence of oxygen-metal ratio on mixed-oxide fuel performance, 1630 (HEDL-SA--1760-FP)

FUEL PELLETS/SWELLING
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049

FUEL PELLETS/THERMAL STRESSES
Analysis of crack patterns in fast reactor fuel pellets, 14 (AERE-TP--719)

FUEL PELLETS/X-RAY RADIOGRAPHY
Computerized fuel measurement from x-ray radiography (LMFBR), 1033 (DOE/TIC--11042)

FUEL PINS
Contribution to the specialists meeting on fuel failure mechanisms, 2020 (IWGFR--5)
Effects of local cesium concentrations on mixed-oxide fuel behavior, 1475 (HEDL-SA--1306S)
Engineering analysis of mixed carbide fuels for large breeder reactors, 182 (ANL-AFP--46)
Feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II (LMFBR), 4653
Fuel assembly (Patent; LMFBR), 5382
Fuel rod for liquid metal cooled nuclear reactors (Patent), 4421
Interaction between hyperstoichiometric (U,Pu)C and molten stainless-steel shroud material (LMFBR), 4649
Irradiation and post-irradiation examination data from selected FS and FS test pins, 1259 (GEFR--00305)
Modeling breeder reactor transient fission gas behavior: bubble equilibration effects, 3602
Modeling of the effects of grain-boundary fission gas on transient fuel behavior, 3603
Results from the run-beyond-cladding breach irradiation of a predefected fuel pin (RBCB-7) (LMFBR), 1854 (HEDL-TME--79-62)

FUEL PINS/ACPR REACTOR
Coded aperture imaging of reactor illuminated LMFBR fuel pins, 2815 (SAND--77-1014C)

FUEL PINS/AFTER-HEAT REMOVAL
Fuel pin coolability in low power voiding, 3664

FUEL PINS/BUBBLE GROWTH
Fission gas bubble distribution in a mixed oxide fast reactor fuel pin, 368 (CEGB-RD/B/N--4194)

FUEL PINS/BURNUP
Irradiation and post-irradiation examination data from selected FSE fuel pins (LMFBR), 1303 (GEFR--00407)
Oxygen distribution in fast reactor oxide fuels, 2009 (INKA-Conf--79-003-006)

FUEL PINS/CHEMICAL RADIATION EFFECTS
Chemical behaviour of mixed-carbide fuel rods under irradiation (LMFBR), 3894
US--UK technical exchange breeder reactor fuels: fuel pin chemistry, 1434 (HEDL--6297)

FUEL PINS/CORROSION PRODUCTS
Composition of the corrosion product oxide phases in the gaps of three LMFBR-type mixed oxide fuel pins, 3561
Composition of the corrosion product oxide phases in the gaps of three LMFBR-type mixed oxide fuel pins, 3692

FUEL PINS/CREEP

Creep behavior of mixed-carbide advanced nuclear fuel (LMFBR), 4867
FUEL PINS/DAMAGE
Regional-tailoring of EBR-II for slow transient tests (LMFBR), 3186
FUEL PINS/DEFORMATION
Comparison of fuel pin deformations with pressurized tube creep tests (LMFBR), 1506 (HEDL-SA--1405)
Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading (LMFBR), 1627 (HEDL-SA--1755-FP)
Comparison of fuel pin deformations with pressurized tube creep tests, 4248
Fuel column stability in irradiated mixed-oxide fuel (LMFBR), 1520 (HEDL-SA--1447-S)
Loss-of-cooling experiments with single fuel pins (LMFBR), 469 (CONF-761001--P4)
Probabilistic distributions of pin gaps within a wire-spaced fuel subassembly and sensitivities of the related uncertainties to pin gap, 3495
SIFAIL: a subprogram to calculate cladding deformation and damage for fast reactor fuel pins, 1851 (HEDL-TME--79-34)
Thermal bowing of wire-wrapped fuel pins in fast reactors, 1643 (HEDL-SA--1839)
Three-dimensional deflection analyses of wire-spaced fuel pin bundles under temperature and hydrodynamic force fields with irradiation effects (LMFBR), 3494
THree-dimensional analysis for fuel pin deformations in an LMFBR assembly, 1931 (INIS-mf--4498)
Three-dimensional analysis for fuel pin deformations in an LMFBR assembly, 5081
FUEL PINS/DESIGN
Application of core structural design guidelines in conceptual fuel pin design (LMFBR), 1410 (GEFR-SP--149)
Design and performance of sodium-bonded uranium--plutonium carbide fuel elements (LMFBR), 2275 (LA-UR--78-2933)
Fuel pin fission gas plenum location study (LMFBR), 1285 (GEFR--00390)
Fuel rod for a sodium-cooled reactor (Patent), 3287
Impact of design constraints on the selection of feasible designs (LMFBR), 3960
Neutronic considerations in the design of a fuel pin for a fast power reactor, 4225
FUEL PINS/DIMENSIONS
Optimum pin diameter for LMFBR carbide fuels, 5350
FUEL PINS/DISPLACEMENT GAGES
Application of coded source x-radiography to the observation of nuclear fuel motion (LMFBR), 2844 (SAND--77-1724)
FUEL PINS/FABRICATION
Advanced safety analysis. Eleventh quarterly report, March--May 1977 (LMFBR), 1376 (GEFR--14038-11)
Advanced safety analysis thirteenth quarterly report, September--November 1977 (LMFBR), 1378 (GEFR--14038-13)
Babcock and Wilcox plutonium fuel fabrication experience, 4995
Data for PNC fuel pins for HEDL P-E01 test (LMFBR), 1022 (DOE/TIC--10188)
Fabrication data for the US/UK safety test program L01 calibration fuel pins (LMFBR), 1021 (DOE/TIC--10187)
HEDL mixed oxide fuels fabrication development. Quarterly progress report, January--March 1977, 1787 (HEDL-TME--77-94)
LMFBR plutonium fuel development and fabrication, 1550 (HEDL-SA--1523-FP)
Pulsed magnetic welding of breeder reactor fuel pin end closures, 3937
FUEL PINS/FAILURE MODE ANALYSIS
Clad strain and melt-through failure mode analysis for fast-running application (LMFBR), 2245 (LA--7938-C)
FUEL PINS/FISSION PRODUCT RELEASE
Effects of grain boundary fission gas on transient fuel behavior, 3242
Ex-reactor transient fission gas release studies, fuel pin PNL-2-4 (LMFBR), 1782 (HEDL-TME--77-83)
Fission gas behavior in mixed-oxide fuel during overpower and thermal transient tests (LMFBR), 1443 (HEDL-S/A--1552-FP)
Irradiation and post-irradiation examination data from selected FSE fuel pins (LMFBR), 1303 (GEFR--00407)
Out-of-reactor transient fission gas release studies (LMFBR), 1507 (HEDL-SA--1407)
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
FUEL PINS/FISSION PRODUCTS
Behavior of dissolved fission gases prior to transient testing of fuel pins, II (AERE-M--2992)
Dynamic intragranular fission gas behavior model (LMFBR), 2452 (NUREG/CR--0906)
Fuel pin fission gas plenum location study (LMFBR), 1285 (GEFR--00390)
Model to describe the role of non-equilibrium intragranular fission gas bubbles during transient heating, 3415
FUEL PINS/FRAGMENTATION
Some comments on shock-induced fragmentation and detonating thermal explosions (LMFBR), 4678
FUEL PINS/FUEL-CLADDING INTERACTIONS
Annual report of the working group 'fuel pin and fuel element mechanics' of the Institut fuer Reaktortechnik (IRT) of the Technische Hochschule Darmstadt for the Fast Breeder Project, 2203 (KFK--2690)
Cladding component chemical transport in mixed-oxide fast reactor fuel pins: an additional (high burnup) mechanism for fuel cladding chemical interaction, 1299 (GEFR--00404)
FR2-Loop experimental series 5, irradiation, post-irradiation examination, and analysis of the FCMI (LMFBR), 4325 (DOE-tr--70)
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
FUEL PINS/GAMMA FUEL SCANNING
Computer analysis and control for non-destructive gamma scanning of LMFBR fuel pins, 4029
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development, irradiation tests. Progress report, July 1--September 30, 1978 , 2233 (LA--7559-PR)
Statistical study of EBR-II fuel elements manufactured by the cold line at Argonne-West and by Atomics International, 64 (ANL--77-66)
FUEL PINS/GETTERS
Oxygen getters for fast reactor fuel pins, 3484
Titanium oxide cesium getters for low O/M FBR fuel pins, 1640 (HEDL-SA--1828)
FUEL PINS/HEAT TRANSFER
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1,1978--February 28, 1979, 899 (COO--2245-69)
Gas bubble adhesion to heat transfer surfaces, 3114
Heat transmission during startup in carbide fuel rods provided with average to large fabrication gaps (LMFBR) 2184 (KFK--2472)
SIEX design predictions for the PNC fuel pins in the HEDL P-E01 power-to-melt test (LMFBR), 1034 (DOE/TIC--11060)
Two-dimensional heat conduction calculations on the pin cladding and coolant of a wire wrap bundle, 1928 (INIS-mf--4498)
W-1 SLSF experiment (LMFBR), 1600 (HEDL-SA--1688)
FUEL PINS/HYDRAULICS
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1,1978--February 28, 1979, 899 (COO--2245-69)
W-1 SLSF experiment (LMFBR), 1600 (HEDL-SA--1688)
FUEL PINS/INSPECTION
Use of hodoscopes to obtain tomographic resolution of fuel motion (LMFBR), 3570
FUEL PINS/ISOTOPE RATIO
Dependence of LMFBR fueling requirements on plutonium isotopic composition, 2754 (PNL--3255)
FUEL PINS/MECHANICAL PROPERTIES
Fuel properties of advanced fuels (U,Pu)CN important for out-of-pile and in-pile kinetics (LMFBR), 4866
FUEL PINS/MECHANICAL VIBRATIONS
Dynamic properties of fuel pins, 5038
FUEL PINS/MEETINGS
Advanced LMFBR fuels, 4817
FUEL PINS/MELTDOWN
Early-in-life thermal performance of UO_2--PuO_2 fast reactor fuel, 1552 (HEDL-SA--1526-FP)
Effective equation-of-state measurements on uranium dioxide (LMFBR), 4800
Rate effects in the dynamic vaporization of uranium dioxide (LMFBR), 4798
Simulation of LOF accidents with directly electrical heated UO_2 pins (LMFBR), 472 (CONF-761001--P4)
Theoretical considerations of rate effects in uranium dioxide (LMFBR), 4799
FUEL PINS/MOCKUP
State of the art of fuel pin simulators for LMFBR out-of-reactor safety tests: status report, 2627 (ORNL/TM--5889)
FUEL PINS/MOTION
Examination of subassembly scale fuel motion using the SIMMER-II code (LMFBR), 2286 (LA-UR--79-2285)
FUEL PINS/NONDESTRUCTIVE ANALYSIS
Rod scanner assay of FFTF fuel, 1752 (HEDL-TME--77-29)
FUEL PINS/OPTIMIZATION
CDFR fuel design optimisation, 4113
Optimum nuclear pin bundle for prototypic thermal-hydraulic environment in large-scale testing, 3127
Pin-diameter optimization of homogeneous and tightly coupled heterogeneous ^{233}U--Th metal-fueled LMFBRs, 4698
Pin diameter optimization in 1200 MWe heterogeneous vs. homogeneous LMFBRs, 531 (CONF-770611--37)
Super-Phenix 1 fuel element optimization = first check of overall behaviour, 4108
FUEL PINS/OSCILLATION MODES
Finite-element solution of added mass and damping of oscillating rods in viscous fluids (LMFBR), 216 (ANL-CT--78-22)
FUEL PINS/PERFORMANCE
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins, 2959 (WARD-CN--3045-4)
Assumptions, constraints and methodology of ANL advanced fuels system studies (LMFBR), 4847
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs: a preliminary report. Part I.

Assumptions, constraints and methodology, 171 (ANL-AFP--30)
Contribution to the structural analysis of cylindrical fuel rods of nuclear reactors with consideration of multidimensional behavior, based on finite-element-method, 2216 (KFK--2858)
Data-based evaluation of thermal performance mechanisms in mixed-oxide fuel pins, 1257 (GEFR--00295)
Design and performance of sodium-bonded uranium--plutonium carbide fuel elements (LMFBR), 2275 (LA-UR--78-2933)
Development of LMFBR core designs using reference and advanced oxide fuel, 4846
Failed fuel pin performance in fast metal-cooled reactors, 3847
Fast reactor fuel pin performance (LMFBR), 3553
Fast reactor fuel pin behaviour modelling in the UK, 17 (AERE-TP--796)
Generic transient limit curves for LMFBR core design guidance, 3961
HTFLO: a computer model of a resistively-heated UO_2 pin with a rate-dependent heat capacity (LMFBR), 2889 (SAND--79-1693)
Interactions between thermal and structural behavior in FBR fuel pins, 1412 (GEFR-SP--159)
Investigation of sodium-bonded carbide fuel assembly design (LMFBR), 4849
Irradiation performance analysis of UK fast reactor fuel (LMFBR), 4842
Large heterogeneous reference fuel design study. Final report (LMFBR), 1798 (HEDL-TME--78-1)
LIFE code system for analysis of oxide fuel pin thermal/structural behavior (LMFBR), 4845
Optimization system design studies of advanced carbide fuel (LMFBR), 4848
Performance of U--Pu--Zr metal fuel in 1000 MWe LMFBRs, 758 (CONF-790306--16)
PIPER: a new fast reactor fuel pin performance code, 2025 (IWGFR--5)
Progress in modeling carbide and nitride fuel performance in advanced LMFBRs, 4843
Safety aspects of fast reactor fuels (LMFBR), 1469 (HEDL-SA--1288)
Some observations on oxygen and carbon potentials in U--Pu--O and U--Pu--C systems (LMFBR), 4864
TWOD-2: two-dimensional finite element fuel pin analysis code, 1321 (GEFR--00442)

FUEL PINS/PERFORMANCE TESTING
Advanced safety analysis thirteenth quarterly report, September--November 1977 (LMFBR), 1378 (GEFR--14038-13)
Analysis of fuel-cladding chemical interaction at high burnup (LMFBR), 4647
Analysis of the structure and the thermal behavior of the UO_2--PuO_2 fuel in the irradiation experiment FR2 capsule test series 5a (LMFBR), 3515 (DOE-tr--175)
Analysis of fuel behaviour in SCARABEE 1st phase experiments (LMFBR), 2255 (LA--7538-C)
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins (LMFBR), 4844
Case for fuel redesign after in pile safety experiments: the ''COMMANDO'' tests (LMFBR), 4840
Chemical state of irradiated carbide fuel pins (LMFBR), 4868
CNEN program on advanced LMFBR fuels, 4824
Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels (LMFBR), 4841
Design and performance of shroud tubes (LMFBR), 4850
Effects of stoichiometry on cladding attack in mixed-oxide fuels to approx.3.6 at.% burnup (LMFBR), 4646
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, October 1-December 31, 1979, 2266 (LA--8238-PR)
Experience and future plan of fast reactor oxide fuels irradiation in Japan, 4826
Fabrication and irradiation performance of $Pu_{0.25}U_{0.75}O_{1.91}$ low O/M fuel (LMFBR), 1562 (HEDL-SA--1553)
FR2-Loop experimental series 5, irradiation, post-irradiation examination, and analysis of the FCMI (LMFBR), 4325 (DOE-tr--70)
French advanced fuels development program (LMFBR), 4821
French irradiation test experience for carbide fuels (LMFBR), 4834
German carbide irradiation test experience for fast reactors (LMFBR), 4833
German oxide fuel pin irradiation test experience for fast reactors, 2209 (KFK--2817)
GFEK experimental approach to carbide fuel element licensing (LMFBR), 4839
HEDL mixed oxide fuel pin breach experience in EBR-II, 1555 (HEDL-SA--1535-FP)
In-pile homogenization of mixed-oxide fuel (LMFBR), 4648
Irradiation behavior of sphere-pac carbide fuel (LMFBR), 4835
Irradiation and post-irradiation examination data from selected FSE fuel pins (LMFBR), 1303 (GEFR--00407)
Japanese development program for advanced LMFBR fuels, 4822
Mechanical behavior of a fuel pin for fast reactors: effect of the fuel form and of the approach-to-power on the change of the fuel stack length under irradiation, 4827
Mixed-nitride fuel performance in EBR-II (LMFBR), 4831
Mixed oxide run-beyond-cladding-breach tests in EBR-II, 1556 (HEDL-SA--1536-FP)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976 (LMFBR), 2991 (WARD-QX--3045-24)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1976 (LMFBR), 2993 (WARD-QX--3045-27)
Oxide fuel element development. Quarterly progress report for period ending June 30, 1977, 2996 (WARD-QX--3045-32)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1976 (LMFBR), 2994 (WARD-QX--3045-29)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1977 (LMFBR), 2995 (WARD-QX--3045-31)
Results of recent TOP and LOF experiments in TREAT (LMFBR), 470 (CONF-761001--P4)
Results of the in-pile experimental programs SCARABEE (LMFBR), 4217
Short terms experiments in BR2 towards a better fast fuel performance analysis, 1907 (INIS-mf--4426)
SIEX design predictions for the PNC fuel pins in the HEDL P-E01 power-to-melt test (LMFBR), 1034 (DOE/TIC--11060)
State of the art of fuel pin simulators for LMFBR out-of-reactor safety tests: status report, 2627 (ORNL/TM--5889)
Steady state irradiation behavior of mixed oxide fuel pins irradiated in EBR-II (LMFBR), 1598 (HEDL-SA--1683-FP)
Study of the transient correction factor used in TREAT reactor in-pile experiments, 121 (ANL--78-31)
Th--U metallic fuel: LMFBR potential based on EBR-II driver-fuel performance, 4652
UK irradiation experience relevant to advanced oxide fuel concepts for LMFBR's, 4825
UK irradiation experience relevant to advanced carbide fuel concepts for LMFBR's, 4832
US advanced LMFBR fuels development program, 4818
US experience in irradiation testing of advanced oxide fuels (LMFBR), 4828

FUEL PINS/PHYSICAL RADIATION EFFECTS
Design and performance of shroud tubes (LMFBR), 4850
FR2-Loop experimental series 5, irradiation, post-irradiation examination, and analysis of the FCMI (LMFBR), 4325 (DOE-tr--70)
French irradiation test experience for carbide fuels (LMFBR), 4834
German carbide irradiation test experience for fast reactors (LMFBR), 4833
Irradiation behavior of sphere-pac carbide fuel (LMFBR), 4835
Irradiation experiments of uranium carbide, carbonitride, and nitride fuels in JAERI (LMFBR), 4836
Mechanical properties of fast reactor fuel cladding for transient analysis, 5274
Results of the post-irradiation examinations of the Rapsodie I experiment fuel pins, 302 (BN--7612-04)
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
US--UK technical exchange breeder reactor fuels. Fuel pin chemistry (supporting information), 1490 (HEDL-SA--13638)

FUEL PINS/PLANNING
Development of advanced fuels in Switzerland (LMFBR), 4823
UK strategy and programmes for advanced LMFBR fuels, 4819

FUEL PINS/POWER COEFFICIENT
Analysis of the transient correction factor in TREAT reactor experiments, 4738

FUEL PINS/QUALITY ASSURANCE
Data for PNC fuel pins for HEDL P-E01 test (LMFBR), 1022 (DOE/TIC--10188)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development, irradiation tests. Progress report, July 1--September 30, 1978 , 2233 (LA--7559-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, October 1-December 31, 1979, 2266 (LA--8238-PR)

FUEL PINS/QUALITY CONTROL
Statistical study of EBR-II fuel elements manufactured by the cold line at Argonne-West and by Atomics International, 64 (ANL--77-66)

FUEL PINS/RADIONUCLIDE MIGRATION
Cesium migration in LMFBR fuel pins, 1559 (HEDL-SA--1543-FP)

FUEL PINS/REACTIVITY WORTHS
Analysis of advanced fuels critical experiments (LMFBR), 1287 (GEFR--00393)

FUEL PINS/REACTOR SAFETY
Advanced fuels safety comparisons (LMFBR), 4862

FUEL PINS/RESEARCH PROGRAMS
Advanced fuels program. Quarterly progress report, January--March 1976 (Mixed carbides and nitrides), 169 (ANL-AFP--28)
Advanced fuels program. Quarterly progress report, July--September 1976 (Mixed carbides and nitrides), 174 (ANL-AFP--33)

Advanced fuels program. Quarterly progress report, April--June 1976 (Mixed carbides and nitrides), 170 (ANL-AFP--25)
CNEN program on advanced LMFBR fuels, 4824
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976 (LMFBR), 2991 (WARD-OX--3045-24)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1976 (LMFBR), 2993 (WARD-OX--3045-27)
Reference fuel studies. Annual report, February 1976--January 1977 (LMFBR; stainless steel clad PuO_2-UC_2 fuel pins), 1235 (GEFR--00076)
UK irradiation experience relevant to advanced oxide fuel concepts for LMFBR's, 4825

FUEL PINS/SIMULATION
Fuel pin simulators for sodium boiling tests in the THORS facility, 2673 (ORNL/TM--6688)
Heater rods for simulation of fuel pins in liquid-metal-boiling experiments. Pt. 2, 2185 (KFK--2474)

FUEL PINS/SPACERS
Nuclear reactor fuel elements (Patent; LMFBR), 4444

FUEL PINS/SPECIFICATIONS
Assumptions, constraints and methodology of ANL advanced fuels system studies (LMFBR), 4847
Development of LMFBR core designs using reference and advanced oxide fuel, 4846
German oxide fuel pin irradiation test experience for fast reactors, 2209 (KFK--2817)
Optimization system design studies of advanced carbide fuel (LMFBR), 4848
Safety margins for sodium-bonded carbide fuel (LMFBR), 5349

FUEL PINS/STOICHIOMETRY
Actinide redistribution in the outer regions of mixed-oxide fuel, 3411
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development, irradiation tests. Progress report, July 1--September 30, 1978 , 2233 (LA--7559-PR)

FUEL PINS/STRESS ANALYSIS
Three-dimensional deflection analyses of wire-spaced fuel pin bundles under temperature and hydrodynamic force fields with irradiation effects (LMFBR), 3494

FUEL PINS/SUPPORTS
Nuclear reactor with fuel pin bracing grid (Patent), 3054
Nuclear reactor (Patent), 3262

FUEL PINS/SWELLING
Irradiation and post-irradiation examination data from selected FSE fuel pins (LMFBR), 1303 (GEFR--00407)
Swelling in mixed-oxide fuel pins (LMFBR), 3368

FUEL PINS/TEMPERATURE GRADIENTS
TEMP: a computer code to calculate fuel pin temperatures during a transient (LMFBR), 1735 (HEDL-TME--75-85)

FUEL PINS/TEST FACILITIES
Japanese development program for advanced LMFBR fuels, 4822

FUEL PINS/TESTING
Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading, 3165

FUEL PINS/THERMAL STRESSES
Results of recent TOP and LOF experiments in TREAT (LMFBR), 470 (CONF-761101--P4)
Thermal bowing of wire-wrapped fuel pins in fast reactors, 1643 (HEDL-SA--1839)

FUEL PINS/THERMODYNAMIC PROPERTIES
Thermophysical properties of liquid uranium carbide (LMFBR), 4865

FUEL PINS/TRANSIENTS
Advanced safety analysis. Eleventh quarterly report, March--May 1977 (LMFBR), 1376 (GEFR--14038-11)

FUEL POOLS
Facilities of fuel transfer for nuclear reactors (Patent; LMFBR), 4592

FUEL POOLS/DESIGN
Fuel handling and storage system for large commercial LMFBRs, 4870

FUEL REPROCESSING PLANTS
See also IDAHO CHEMICAL PROCESSING PLANT
Dounreay reprocessing plant closes nuclear fuel cycle, 3088

FUEL REPROCESSING PLANTS/ENVIRONMENTAL IMPACTS
Environmental control aspects for fabrication, reprocessing and waste disposal of alternative LWR and LMFBR fuels, 2752 (PNL--3129)

FUEL REPROCESSING PLANTS/FISSION PRODUCT RELEASE
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)

FUEL REPROCESSING PLANTS/FUEL CYCLE
Closing the fast fuel cycle at Dounreay, 3101

FUEL REPROCESSING PLANTS/MODIFICATIONS
Fast reactor fuel reprocessing in the United Kingdom, 1870 (IAEA-AG--63-4)

FUEL REPROCESSING PLANTS/MONITORING
Errors in measuring level and density with purged dip tubes, 2634 (ORNL/TM--6995)

FUEL REPROCESSING PLANTS/OFF-GAS SYSTEMS
Developments in effluent control for breeder reprocessing facilities, 851 (CONF-800334--7)

FUEL REPROCESSING PLANTS/ON-LINE CONTROL SYSTEMS
Instrumentation and control development and design philosophy for Advanced Fuel Recycle, 2655 (ORNL/TM--6393)

FUEL REPROCESSING PLANTS/PLUTONIUM RECYCLE
Impact of PFR reprocessing at Dounreay Nuclear Development Establishment, 4250

FUEL REPROCESSING PLANTS/RADIATION HAZARDS
Radiological assessment of reprocessing advanced liquid-metal fast breeder reactor fuels, 3768

FUEL REPROCESSING PLANTS/RADIOACTIVE EFFLUENTS
Developments in effluent control for breeder reprocessing facilities, 851 (CONF-800334--7)
Production and emission of carbon-14 from nuclear power stations and reprocessing plants and its radioecological significance, 4986

FUEL REPROCESSING PLANTS/RADIOACTIVE WASTES
Conceptual study for the reprocessing of spent carbide and nitride fast reactor fuels in relation to gasborne radiological releases, 2640 (ORNL/TM--6100)

FUEL REPROCESSING PLANTS/SAFETY
Problems of dismantling, treating and analyzing highly irradiated fuel elements, 5302

FUEL REPROCESSING PLANTS/SPENT FUEL STORAGE
Storage of fast reactor spent fuel at the reactor site and in reprocessing plants, 1880 (IAEA-AG--63-17)

FUEL RODS
Design of carbide fuel rods, 2176 (KFK--2416)

FUEL RODS/DESIGN
Development of a finite-strain fuel-element model, 5078
Fuel rod for fast breeder (Patent), 5359
Probabilistic design method for LMFBR fuel rods, 5086

FUEL RODS/ELASTICITY
2-D thermoelastic analysis of LMFBR fuel rod claddings, 1923 (INIS-mf--4470)

FUEL RODS/FISSION PRODUCTS
Consideration of fuel motion potential due to volatilization of metallic fission product inclusions, 3597

FUEL RODS/FUEL-CLADDING INTERACTIONS
Analysis of fuel/clad mechanical interaction in non-steady reactor operation via fuel rod modelling code IAMBUS, 5095
Behaviour and some properties of U-Pu oxide fuel rods of fast reactors, 2007 (INIS-mf--5308)
Chemical and mechanical interaction in the oxide fuel rod (LMFBR), 3857 (EURFNR--1418)

FUEL RODS/HEAT TRANSFER
Analysis of steady state combined forced and free convection data in rod bundles (LMFBR), 2757 (PNL-SA--7878)
Fast breeder cladding tubes provided with helical fins: development and testing, 3516 (DOE-tr--174)
Heat transfer around a circular cylinder in liquid sodium crossflow, 3815
Steady temperature distributions in a multi-region nuclear fuel rod (LMFBR), 5450
Thermal analysis of a variable geometry multi-region nuclear fuel rod, 626 (CONF-771203--)

FUEL RODS/HYDRAULICS
Fast breeder cladding tubes provided with helical fins: development and testing, 3516 (DOE-tr--174)

FUEL RODS/LIQUID FLOW
Analysis of steady state combined forced and free convection data in rod bundles (LMFBR), 2757 (PNL-SA--7878)

FUEL RODS/MOTION DETECTION SYSTEMS
Coded aperture imaging system for nuclear fuel motion detection, 2893 (SAND--80-0026)

FUEL RODS/NONDESTRUCTIVE TESTING
Layout, design and post irradiation examination of Na-bonded fuel pins of the test group Mol 15, 2183 (KFK--2451)

FUEL RODS/PERFORMANCE
Development of a finite-strain fuel-element model, 5078
Probabilistic design method for LMFBR fuel rods, 5086

FUEL RODS/PHYSICAL RADIATION EFFECTS
Chemical and mechanical interaction in the oxide fuel rod (LMFBR), 3857 (EURFNR--1418)
Design, irradiation, and post-irradiation examination of Na-bonded (U,Pu)C fuel rods of the test group Mol 15, 3867 (EURFNR--1421)
Layout, design and post irradiation examination of Na-bonded fuel pins of the test group Mol 15, 2183 (KFK--2451)

FUEL RODS/RESEARCH PROGRAMS
Reference fuel studies semi-annual report, February--July 1977 (LMFBR; stainless steel clad PuO_2--UO_2 fuel rods), 1247 (GEFR--00258)

FUEL RODS/SPACERS
Core and transition fuel assembly for a nuclear reactor (Patent), 3233

FUEL RODS/STRESS ANALYSIS
URANUS, a computer code for the thermal and mechanical analysis of fuel rod behavior, 1936 (INIS-mf--4498)

FUEL RODS/SUPPORTS
Core and transition fuel assembly for a nuclear reactor (Patent), 3233

FUEL RODS/SWELLING
Development of a finite-strain fuel-element model (LMFBR) 1941 (INIS-mf--4498)
FISGAS: a code for fission-gas migration and fuel swelling in an LMFBR accident, 2465 (NUREG/CR--1124)

FUEL RODS/TEMPERATURE DISTRIBUTION

Steady temperature distributions in a multi-region nuclear fuel rod (LMFBR), 5450
FUEL RODS/THERMAL CONDUCTIVITY
Steady temperature distributions in a multi-region nuclear fuel rod (LMFBR), 5450
FUEL RODS/THERMAL STRESSES
2-D thermoelastic analysis of LMFBR fuel rod claddings, 1923 (INIS-mf--4470)
FUEL RODS/TURBULENT FLOW
Application of Galerkin method to hydraulic analysis for turbulent fluid flow around LMFBR fuel rod, 3503
FUEL-CLADDING INTERACTIONS
Advanced Fuels Development Program. Quarterly progress report, October--December 1977, 183 (ANL-AFP--47)
Advanced fast reactor fuels program. Second annual progress report, July 1, 1975--September 30, 1976, 2234 (LA--7570-PR)
Advanced reactor safety research. Quarterly report, April-June 1979, 2455 (NUREG/CR--0984(Vol.10))
Analysis of fuel-cladding chemical interaction at high burnup (LMFBR), 4647
Analysis of fuel-cladding chemical interaction at high burnup (LMFBR), 1471 (HEDL-SA--1294S)
Analysis of fuel-cladding chemical interaction in mixed-oxide fuel at high burnup (LMFBR), 1821 (HEDL-TME--78-66)
Analysis of TREAT transient overpower experiments using the PLUTO2 codes (LMFBR), 1019 (DOE/TIC--10101)
Analysis of fuel/clad mechanical interaction in non-steady reactor operation via fuel rod modelling code IAMBUS, 1921 (INIS-mf--4470)
Analysis of fuel/clad mechanical interaction in non-steady reactor operation via fuel rod modelling code IAMBUS, 5095
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins, 2959 (WARD-CN--3045-4)
Annual report of the working group 'fuel pin and fuel element mechanics' of the Institut fuer Reaktortechnik (IRT) of the Technische Hochschule Darmstadt for the Fast Breeder Project, 2203 (KFK--2690)
Assessment of the HEDL P-23 special pins test. Methods to control fuel-cladding chemical interaction, 1819 (HEDL-TME--78-52)
Behaviour and some properties of U-Pu oxide fuel rods of fast reactors, 2007 (INIS-mf--5308)
Can swelling in fast-breeder fuel rods with oxidic and carbidic fuel, 3887
Chemical and mechanical interaction in the oxide fuel rod, 2177 (KFK--2416)
Chemical and mechanical interaction in the oxide fuel rod (LMFBR), 3857 (EURFNR--1418)
Chemical interaction at the FBR cladding fuel interfaces, 1908 (INIS-mf--4426)
Clad strain and melt-through failure mode analysis for fast-running application, 2245 (LA--7938-C)
Cladding component chemical transport in mixed-oxide fast reactor fuel pins: an additional (high burnup) mechanism for fuel cladding chemical interaction, 1299 (GEFR--00404)
Clinch River Breeder Reactor Plant. Internal/external cladding degradation, 564 (CRBRP-ARD--0147)
Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading, 1627 (HEDL-SA--1755-FP)
Compatibility of stainless-steel cladding materials with uranium carbide fuel, 3436
Contribution to the specialists meeting on fuel failure mechanisms, 2020 (IWGFR--5)
Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels, 4841
Design, irradiation and post-irradiation examination of the (U,Pu)C fuel pins of the test groups 6a and 6c, 2194 (KFK--2577)
Design of carbide fuel rods, 2176 (KFK--2416)
Effect of axial stress on the transient mechanical response of 20%, cold-worked Type 316 stainless-steel cladding, 3272
Effects of stoichiometry on cladding attack in mixed-oxide fuels to approx.3.6 at.% burnup (LMFBR), 4646
Effects of stoichiometry on cladding attack in mixed-oxide fuels to approx. 3.6 at% burnup, 1470 (HEDL-SA--1292-S)
Effects of stoichiometry on cladding reaction in mixed-oxide fuel at high burnup, 3572
Effects of stoichiometry on cladding reaction in mixed-oxide fuel at high burnup (PuO_2--UO_2), 1531 (HEDL-SA--1470-S)
Effects of stoichiometry on cladding attack in UO_2--PuO_2, 3293
Effects of stoichiometry on cladding reaction in mixed-oxide fuel, 1621 (HEDL-SA--1749-FP)
Effects of stoichiometry on cladding reaction in mixed oxide fuel, 3170
Experimental evaluation of the oxidation behavior of Nb, V, and Ti as candidate FCCI inhibitors, 1278 (GEFR--00370)
Fabrication and irradiation performance of $Pu_{0.25}U_{0.75}O_{1.91}$ low O/M fuel (LMFBR), 1562 (HEDL-SA--1553)
Fourth quarterly report 1976, 2161 (KFK--1276/4)
FR2-Loop experimental series 5, irradiation, post-irradiation examination, and analysis of the FCMI (LMFBR), 4325 (DOE-tr--70)
Fuel-clad stress--strain state at the beginning of a transient (KRASS code), 459 (CONF-761001--P3)
Fuel-cladding chemical interaction in mixed-oxide fuels (LMFBR), 1553 (HEDL-SA--1527-FP)
In-reactor behavior of materials used to control fuel-cladding chemical interaction (LMFBR), 1467 (HEDL-SA--1268)
In-reactor performance of methods to control fuel-cladding chemical interaction (LMFBR), 1572 (HEDL-SA--1579)
Influence of oxygen-metal ratio on mixed-oxide fuel performance, 1630 (HEDL-SA--1760-FP)
Influence of oxygen-to-metal ratio on mixed oxide fuel performance, 3171
Interaction between hyperstoichiometric (U,Pu)C and molten stainless-steel shroud material (LMFBR), 4649
Interaction of molten UO_2 with stainless-steel cladding under TOP accident conditions, 3631
Interactions between thermal and structural behavior in FBR fuel pins, 1412 (GEFR-SP--159)
Internal external cladding degradation, 2570 (WARD-D--0147)
Irradiation behaviour of carbide fuel elements in the BOR-60 breeder reactor, 4549
Irradiation performance of helium-bonded uranium--plutonium carbide fuel elements, 2274 (LA-UR--78-2932)
Irradiation behavior of experimental Mark-II Experimental Breeder Reactor II driver fuel, 3058
Layout, design and post irradiation examination of Na-bonded fuel pins of the test group Mol 15, 2183 (KFK--2451)
Mechanisms of fuel-cladding chemical interaction: US interpretation (LMFBR), 1392 (GEFR-SP--011)
Out-of-pile experiments performed in the U.S. Fuel Cladding Chemical Interaction (FCCI) Program, 1391 (GEFR-SP--010)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1975, 2989 (WARD-OX--3045-20)
Oxygen transport limitations in using getters to control fuel cladding chemical interaction, 1545 (HEDL-SA--1522)
Possibilities of application of experimental Kfk results from BR2 on SNR designs, 1909 (INIS-mf--4426)
Postirradiation examination results from experiment F11A (EBR-II subassemblies X141 and X141A), 1293 (GEFR--00399)
Reference fuel studies. Annual report, February 1976--January 1977, 1235 (GEFR--00076)
Results of irradiation tests of fast reactor oxide fuel and fuel elements, 2008 (INIS-mf--5308)
Safety engineering sixteenth quarterly report, May--July 1976, 1225 (GEAP--13923-16)
Some problems of operation behaviour of hexagonal boxes for fuel elements of fast power reactors, 2223 (KFK-tr--578)
Study of BOR-60 reactor fuel element performance, 2341 (NIIAR-P--5(271))
Swelling analysis of highly-rated MX-type LMFBR fuels. II. Microscopic swelling behaviour, 3700
Testing experimental fuel elements of the BN-600 fuel element type up to various depth of burn up in the BOR-60 reactor, 5254
Th--U metallic fuel: LMFBR potential based on EBR-II driver-fuel performance, 4652
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
US--UK technical exchange breeder reactor fuels: fuel pin chemistry, 1434 (HEDL--6297)
Utilization of the experimental reactor Osiris for the study and the development of fuels of the fast neutron reactor type, 354 (CEA-CONF--4192)
Wire wrap-cladding mechanical interaction in sodium-bounded elements (LMFBR), 3936
FUEL-CLADDING INTERACTIONS/COMPUTER CALCULATIONS
Computer analysis of the influence of design parameters, materials properties and operation conditions on the irradiation behavior of fast breeder fuel rods with oxide fuel, 1930 (INIS-mf--4498)
FUEL-CLADDING INTERACTIONS/STRAINS
Simplified method of computing cladding and fuel strain during a slow overpower transient (LMFBR), 4769
FUEL-CLADDING INTERACTIONS/TEMPERATURE DISTRIBUTION
Advanced carbide/nitride fuels program. Quarterly progress report for the period July--September 1977 (LMFBR), 180 (ANL-AFP--40)
Advanced Fuels Program. Quarterly progress report for the period, July--September 1974 (LMFBR; mixed carbides and mixed nitrides), 167 (ANL-AFP--1)
Advanced fuels program. Quarterly progress report for the period April--June 1977 (LMFBR; mixed carbides and mixed nitrides), 179 (ANL-AFP--39)
Advanced fuels development program. Quarterly progress report, January--March 1978 (LMFBR; mixed carbides and nitrides), 184 (ANL-AFP--51)
Advanced fuels development program. Quarterly progress report, April-June 1978 (LMFBR; mixed carbides and mixed nitrides), 185 (ANL-AFP--55)
Advanced fuels development program. Quarterly progress report, July-September 1978 (LMFBR; mixed carbides and mixed nitrides), 186 (ANL-AFP--59)
FUEL-COOLANT INTERACTIONS

Advanced fuels safety comparisons, 4862
Advanced reactor safety research. Quarterly report, October--December 1977, 2397 (NUREG/CR--0323(Vol.5))
Advanced reactor safety research. Quarterly report, January--March 1978, 2398 (NUREG/CR--0335(Vol.6))
Advanced reactor safety research. Quarterly report, July-September 1978, 2412 (NUREG/CR--0470)
Advanced reactor safety research. Quarterly report, April-June 1979, 2455 (NUREG/CR--0984(Vol.10))
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 552 (CONF-770807--53)
Analysis of reactor structural response to fuel sodium interaction in a hypothetical core disruptive accident, 2726 (PNC-N--251-76-12(Vol.2))
Analysis of in-pile MFCI experiments with carbide fuel, 3615
Analysis of the heat and mass transfer processes of UO_2 tubble in sodium, 817 (CONF-790816--30)
Analysis of TREAT transient overpower experiments using the PLUTO codes (LMFBR), 2251 (LA--7938-C)
Assessment of accident energetics in LMFBR core-disruptive accidents, 591 (CONF-770817--3)
Assessment of accident energetics in LMFBR core-disruptive accidents, 4498
Behavior of carbide fuel in local and whole core accidents, 430 (CONF-761001--P3)
Calculations of the possible consequences of molten fuel sodium interactions in subassembly and whole core geometries, 2731 (PNC-N--251-76-12(Vol.2))
Characterization of fragmented fuel from a thermal fuel-sodium interaction (LMFBR), 3271
Combined motion of fuel and coolant due to fuel-coolant interactions under high ramp rate reactivity insertion, 132 (ANL--78-69)
Comparison of finite element calculations with experiments for the dynamic response of LMFBR core subassembly ducts, 3534
Computational analysis of fuel--sodium interactions with an improved method (MUBTI code), 433 (CONF-761001--P3)
Coupled hydrodynamic-structural analysis of an integral flowing sodium test loop in the TREAT reactor, 794 (CONF-790802--61)
Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.1. Safety problems solved by flow singularity methods, 3695
Current status of experimental and theoretical work on sodium/fuel interaction(SFI) at Karlsruhe. Out-of-pile experiments, 2717 (PNC-N--251-76-12(Vol.1))
Current status of experimental and theoretical work on sodium/fuel interaction (SFI) at Karlsruhe 'code developments', 2728 (PNC-N--251-76-12(Vol.2))
Dynamic response of single hexagonal LMFBR core subassembly wrappers, 5105
Effect of uncertainties in thermophysical properties of UO_2 and sodium on MFCI's (LMFBR), 2897 (SRD-R--159)
Energy source for modeling HCDA bubbles, 5059
EPIC: a computer program for fuel-coolant interactions, 436 (CONF-761001--P3)
Evaluation of the potential for energetic fuel-coolant interactions in hypothetical LMFBR accidents, 4983
Experiments in the formation of particulate debris beds by contact of molten core debris with sodium (LMFBR), 4671
Experimental work at Harwell on the injection of sodium into liquid steel, 2716 (PNC-N--251-76-12(Vol.1))
Experimental studies of thermal interactions at AEE Winfrith, 2719 (PNC-N--251-76-12(Vol.1))
Experimental study on conversion of stored thermal energy to mechanical work in fuel-coolant interaction, 2720 (PNC-N--251-76-12(Vol.1))
Experimental and theoretical evaluation of defect growth of fuel pin cladding by chemical fuel-sodium interaction, 5095
Experiments on fuel-coolant interaction under transient conditions (LMFBR), 4220
Exploratory studies on carbide fuel/coolant interactions (LMFBR), 3997
Explosion tests on LMFBR-core models; an evaluation for reactor safety, 464 (CONF-761001--P3)
Fast reactor safety technical progress report, April--June 1977, 1775 (HEDL-TME--77-67)
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)
Fuel coolant interaction in fast reactors, 4982
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments (LMFBR), 2871 (SAND--78-2085C)
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
Fuel pins and core response under liquid-metal fast breeder reactor transient overpower accident conditions, 3070
Heat transfer and fluid flow aspects of fuel--coolant interactions (LMFBR), 526 (COO--2781-12TR)
Importance of sodium fuel interaction in fast reactor safety evaluation. CEA point of view, 2715 (PNC-N--251-76-12(Vol.1))
Influence of fuel-coolant-interactions on loss of flow type core disruptive accidents for the SNR-300, 439 (CONF-761001--P3)
Injection of sodium into liquid stainless steel. *A* report of the second experiment Na-SS/1 (LMFBR), 2722 (PNC-N--251-76-12(Vol.1))
Interactions with small and large sodium to UO_2 mass ratios, 2730 (PNC-N--251-76-12(Vol.2))
Internal external cladding degradation, 2970 (WARD-D--0147)
Investigations on fuel-coolant interaction with the RCN code VS-4, 2727 (PNC-N--251-76-12(Vol.2))
KADIS: a program to analyse the disassembly phase of hypothetical accidents in LMFBRs, 2189 (KFK--2497)
Kinetics of fission-vaporized UO_2 fuel determined from sampled fuel debris (LMFBR), 2890 (SAND--79-1708C)
LMFBR safety program. Quarterly technical progress report, April--June 1977, 42 (AI-ERDA--13205)
Mass and activity transport, 1436 (HEDL--6314)
Medium-scale melt-sodium fragmentation experiments, 2882 (SAND--79-0126C)
MELT-IIIB: an updated version of the melt code (LMFBR), 1836 (HEDL-TME--78-108)
Modeling ejection of fresh fuel into sodium under prompt-burst conditions (LMFBR), 3996
Molten fuel-sodium interaction in fast reactor accidents, 3781
Physicochemical model for predicting sodium reaction swelling in breached LMFBR fuel and breeder elements, 1313 (GEFR--00424)
Preliminary results from initial in-pile debris bed experiments, 89 (ANL--78-10)
Prompt burst energetics experiments: fresh oxide/sodium series, 2401 (NUREG/CR--0367)
Prompt burst energetics (PBE) studies, 2884 (SAND--79-0740C)
Quarterly technical progress report. Reactor safety, April--June 1978, 1136 (ESG-DOE--13242)
Radiological assessment models. Eleventh quarterly report, March--May 1977 (LMFBR), 1371 (GEFR--14034-11)
Radiological assessment models. Thirteenth quarterly report, September--November 1977 (LMFBR), 1372 (GEFR--14034-13)
Radiological assessment models fourteenth quarterly report, December 1977--February 1978 (LMFBR), 1373 (GEFR--14034-14)
Radiological assessment models. Fifteenth quarterly report, March--May 1978 (LMFBR), 1374 (GEFR--14034-15)
Radiological assessment models. Sixteenth quarterly report, June--August 1978 (LMFBR), 1375 (GEFR--14034-16)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor safety quarterly technical progress report, January--March 1978, 37 (AI-DOE--13234)
Reactor safety. Quarterly technical progress report, October--December 1978, 1150 (ESG-DOE--13264)
Recent advances in understanding large scale vapour explosions, 2718 (PNC-N--251-76-12(Vol.1))
Results from the run-beyond-cladding-breach irradiation of a predefected fuel pin (RBCB-6), 1846 (HEDL-TME--79-23)
Results from the run-beyond-cladding breach irradiation of a predefected fuel pin (RBCB-7) (LMFBR), 1854 (HEDL-TME--79-62)
Results of UO_2 diagnostic tests for run beyond cladding breach in EBR-II, 143 (ANL--78-99)
Review and perspective of FCI related activities in Japan, 2707 (PNC-N--251-76-12(Vol.1))
Review of fragmentation models relative to molten UO_2 breakup when quenched in sodium coolant, 2732 (PNC-N--251-76-12(Vol.2))
Role of fission products in whole-core accidents in fast reactors, 3872
Role of Rayleigh--Taylor instabilities in fuel-coolant interactions, 3376
Safety margins for sodium-bonded carbide fuel, 5349
Simulation of different transient clad failure mechanisms in fuel pin modelling, 2029 (IWGFR--5)
Sodium-fuel interaction: dropping experiments and subassembly test, 1194 (EUR--5854)
Some electron microprobe analysis results concerning the interaction between uranium--plutonium mixed-oxide fuel and stainless-steel cladding, 3294
Study of fuel failure due to manufacturing faults, 2019 (IWGFR--5)
Test E3 on high-energy transient meltdown of irradiated UO_2 in a TREAT Mark-II loop, 79 (ANL--77-94)
Theoretical and experimental investigation of the nonlinear structural dynamics of Fast Breeder Reactor fuel elements, 2195 (KFK--2584)
Thermal explosion hazards in (fast) nuclear reactors, 4033
TUFCI, an experimental facility to study the molten-fuel-coolant-interaction in a full scale fuel element, 2164 (KFK--2353)
Vapor explosion phenomena with respect to nuclear reactor safety assessment, 2394 (*NUREG/CR--0245*)

FUEL-COOLANT INTERACTIONS/CHEMICAL EXPLOSIONS
Recent advances in understanding large scale vapour explosions (LMFBR), 364 (CEGB-RD/B/N--3666)

FUEL-COOLANT INTERACTIONS/CHEMICAL REACTIONS

Experimental and theoretical evaluation of defect growth of fuel pin cladding by chemical fuel-sodium interaction, 1922 (INIS-mf--4470)
FUEL-COOLANT INTERACTIONS/COMPUTER CALCULATIONS
Post-failure phenomena in LMFBR top accidents. Final report, October 1, 1976--September 30, 1977, 2381 (NUREG/CR--0018)
FUEL-COOLANT INTERACTIONS/ENERGY TRANSFER
FCI potential of oxide and carbide fuels: results of the prompt burst series at Sandia Laboratories (LMFBR), 2885 (SAND--79-0752C)
FUEL-COOLANT INTERACTIONS/EXPLOSIONS
Liquid--liquid contact in vapor explosions (LMFBR), 485 (CONF-761001--P4)
Mechanisms of vapor explosions (LMFBR), 484 (CONF-761001--P4)
Theoretical investigations of fuel-coolant interaction (LMFBR), 4219
Vapor explosion experiments with simulant fluids (LMFBR), 487 (CONF-761001--P4)
FUEL-COOLANT INTERACTIONS/FRAGMENTATION
Evaluation of effects of finite mixing time and non-condensable gas on fuel sodium interactions, 4515
Fragmentation dynamics of molten UO_2 in sodium under TOP conditions, 4744
FUEL-COOLANT INTERACTIONS/GASES
Effects of internal circulation velocity and noncondensible gas on vapor condensation from a rising bubble (LMFBR), 4781
FUEL-COOLANT INTERACTIONS/HEAT TRANSFER
Analysis of fuel-coolant interaction in the initiation and postexplosive stages of fast reactor credible accidents (LMFBR), 993 (CS-INIS--201)
Comparison of carbide and oxide fuel-coolant interactions resulting from overpower transients (LMFBR), 181 (ANL-AFP--41)
Effect of internal radiation on the contact interface temperature between UO_2 and sodium (LMFBR), 4679
Effects of internal circulation velocity and noncondensible gas on vapor condensation from a rising bubble (LMFBR), 4781
Effects of sodium entrainment and heat transfer with UO_2 vapor during an HCDA (LMFBR), 4006
Heat transfer and pressure generation due to a temperature discontinuity at a liquid--liquid interface (LMFBR), 488 (CONF-761001--P4)
Influence of fission fragments and liquid--liquid contact on the minimum superheat for bubble nucleation in sodium (LMFBR), 5300
Theoretical model with variable masses for the molten fuel--sodium thermal interaction in a nuclear fast reactor, 5326
Transient energy transfer by conduction and radiation for a sudden contact between molten UO_2 and sodium, 122 (ANL--78-34)
Vapor film collapse during subcooled film boiling and its application to molten metal coolant interactions (BWR, PWR, LMFBR), 4634
FUEL-COOLANT INTERACTIONS/HYDRAULICS
Analysis of fuel-coolant interaction in the initiation and postexplosive stages of fast reactor credible accidents (LMFBR), 993 (CS-INIS--201)
Comparison of carbide and oxide fuel-coolant interactions resulting from overpower transients (LMFBR), 181 (ANL-AFP--41)
Influence of fission fragments and liquid--liquid contact on the minimum superheat for bubble nucleation in sodium (LMFBR), 5300
Study of fuel freezing and channel plugging during hypothetical overpower transients (LMFBR), 480 (CONF-761001--P4)
FUEL-COOLANT INTERACTIONS/HYDRODYNAMICS
A model for fuel fragmentation during molten fuel/coolant thermal interactions (LMFBR), 489 (CONF-761001--P4)
Effects of fuel-sodium interaction in TOP tests with electrically heated fuel pins (LMFBR), 491 (CONF-761001--P4)
Evaluation of effects of finite mixing time and non-condensable gas on fuel sodium interactions, 4515
Hydrodynamic fragmentation of drops (LMFBR), 2249 (LA--7938-C)
One-dimensional analyses on generation and propagation of pressure waves in compressible liquid resulting from fuel coolant interaction (LMFBR), 4551
Parametric study on reactor containment response to fuel-sodium interaction, 2734 (PNC-N--251-76-12(Vol.2))
Plateout and thermal loading considerations of fuel ejected during transient-over-power accidents in LMFBRs, 4748
Some aspects of mixing in large-mass, energetic fuel-coolant interactions (LMFBR), 486 (CONF-761001--P4)
Theoretical and experimental investigation of fuel-coolant interactions in a shock tube configuration (LMFBR), 490 (CONF-761001--P4)
FUEL-COOLANT INTERACTIONS/MATHEMATICAL MODELS
Combined motion of fuel and coolant under high-ramp transient overpower conditions (LMFBR), 4767
Liquid--liquid contact in vapor explosions (LMFBR), 485 (CONF-761001--P4)
Mechanisms of vapor explosions (LMFBR), 484 (CONF-761001--P4)
Model for fuel-sodium interaction. Application to the JEF experiments, 2729 (PNC-N--251-76-12(Vol.2))
Multichannel model for fuel-coolant interaction in a liquid-metal fast breeder reactor subassembly, 3078
Physical model and calculation code for fuel coolant interactions (LMFBR), 2723 (PNC-N--251-76-12(Vol.2))
Review of the meetings of the working group on the comparison of calculation models (LMFBR), 2733 (PNC-N--251-76-12(Vol.2))
Simulation experiment and analysis on the effects of incoherence in fuel coolant interaction (LMFBR), 2708 (PNC-N--251-76-12(Vol.1))
Transient deformation of LMFBR cores due to local failure: experimental and theoretical investigation, 4390
FUEL-COOLANT INTERACTIONS/MEETINGS
Proceedings of the third specialist meeting on sodium/fuel interaction in fast reactors, 2712 (PNC-N--251-76-12(Vol.1))
Proceedings of the third specialist meeting on sodium/fuel interaction in fast reactors, 2725 (PNC-N--251-76-12(Vol.2))
FUEL-COOLANT INTERACTIONS/PRESSURE GRADIENTS
Evaluation of effects of finite mixing time and non-condensable gas on fuel--sodium interactions, 4512
FCI potential of oxide and carbide fuels: results of the prompt burst series at Sandia Laboratories (LMFBR), 2885 (SAND--79-0752C)
Fuel-coolant interaction-phenomena under prompt burst conditions (LMFBR), 2881 (SAND--79-0123C)
Heat transfer and pressure generation due to a temperature discontinuity at a liquid--liquid interface (LMFBR), 488 (CONF-761001--P4)
Prompt Burst Energetics in the oxide/sodium system (LMFBR), 2875 (SAND--79-0079C)
Prompt Burst Energetics (PBE) experiment analyses using the SIMMER-II computer code (LMFBR), 2880 (SAND--79-0112C)
FUEL-COOLANT INTERACTIONS/REACTION KINETICS
Molten core debris-sodium interactions: M-Series experiments (LMFBR), 825 (CONF-790816--59)
FUEL-COOLANT INTERACTIONS/RESEARCH PROGRAMS
Final report on MIT contract on fuel-coolant interactions, 929 (COO--2781-15FR)
Fuel Coolant Thermal Interaction Project UC 79P. Quarterly progress report No. 7 (LMFBR), 927 (COO--2781-13)
Fuel--Coolant Thermal Interaction Project. Progress report No. 8 (LMFBR), 928 (COO--2781-14)
FUEL-COOLANT INTERACTIONS/SIMULATION
CAMEL single-pin fuel sweepout test C2 (LMFBR), 4749
Current status of experimental and theoretical work on sodium/fuel interaction (SFI) at Karlsruhe 'simulation experiments', 2721 (PNC-N--251-76-12(Vol.1))
Effects of energy losses of arbitrary magnitude on fuel quality, vapor density, and bubble diameter in an idealized expansion of mixtures of UO_2 and Na, 2384 (NUREG/CR--0115)
Experimental investigation of gas evolution as the mechanism for free-contact fragmentation (LMFBR), 3738
Fuel-coolant interactions. Some basic studies at the UKAEA Culham Laboratory (LMFBR), 2709 (PNC-N--251-76-12(Vol.1))
Fuel coolant interaction results in the fuel pins melting facility(PMF) (LMFBR), 2711 (PNC-N--251-76-12(Vol.1))
Millisecond-period meltdown experiments on prompt-burst effects and molten-tin-water dropping experiments (LMFBR), 2724 (PNC-N--251-76-12(Vol.2))
Prompt burst energetics experiments: uranium carbide series. Preliminary results (LMFBR), 2387 (NUREG/CR--0137)
Simulation experiment and analysis on the effects of incoherence in fuel coolant interaction (LMFBR), 2708 (PNC-N--251-76-12(Vol.1))
Some experiences and inpile experimental programme on fuel coolant interaction in NSRR (LMFBR), 2710 (PNC-N--251-76-12(Vol.1))
Vapor-explosion experiments with subcooled Freon (LMFBR), 57 (ANL--77-43)
Vapor explosion with subcooled freon, 2714 (PNC-N--251-76-12(Vol.1))
FUEL-COOLANT INTERACTIONS/TEMPERATURE GRADIENTS
Effect of internal radiation on the contact interface temperature between UO_2 and sodium (LMFBR), 4679
Vapor film collapse during subcooled film boiling and its application to molten metal coolant interactions (BWR, PWR, LMFBR), 4634
FUEL-COOLANT INTERACTIONS/TEST FACILITIES
TUFCI, an experimental facility to study the molten-fuel--coolant interaction in a full-scale fuel element (LMFBR), 4604 (DOE-tr--179)
FUEL-COOLANT INTERACTIONS/THERMAL SHOCK
Some comments on shock-induced fragmentation and detonating thermal explosions (LMFBR), 4678
FUEL-COOLANT INTERACTIONS/THERMODYNAMICS
A model for fuel fragmentation during molten fuel/coolant thermal interactions (LMFBR), 489 (CONF-761001--P4)
Effects of energy losses of arbitrary magnitude on fuel quality, vapor density, and bubble diameter in an idealized expansion of mixtures of UO_2 and Na, 2384 (NUREG/CR--0115)
Some aspects of mixing in large-mass, energetic fuel-

coolant interactions (LMFBR), 486 (CONF-761001--P4)
Thermodynamic studies of the sodium fuel reaction at General Electric, 2334 (NEDO--12325)
FUEL-COOLANT INTERACTIONS/TWO-PHASE FLOW
Effects of sodium entrainment and heat transfer with UO_2 vapor during an HCDA (LMFBR), 4006
FUGEN ATR
See JATR REACTOR
FUMES
See AEROSOLS
FUSED SALTS
See MOLTEN SALTS
FUSION REACTORS
See THERMONUCLEAR REACTORS

G

GADOLINIUM BORIDES/CORROSION
Corrosion of refractory borides in fused sodium, 4416
GADOLINIUM OXIDES/CHEMICAL REACTIONS
Studies of rare earth element as control rod material for LMFBR. Part V, 2157 (JAPFNR--494)
GAGES (PRESSURE)
See PRESSURE GAGES
GAMMA FUEL SCANNING
Differences in the ^{103}Ru and ^{106}Ru axial distributions in $(U,Pu)O_2$ fuel pins (LMFBR), 4268
GAMMA FUEL SCANNING/CAMAC SYSTEM
Computer analysis and control for non-destructive gamma scanning of LMFBR fuel pins, 4025
GAMMA FUEL SCANNING/DATA ANALYSIS
Computer analysis and control for nondestructive gamma scanning of LMFBR fuel pins, 3344
GAMMA FUEL SCANNING/PERFORMANCE
Calculation of signals in coded-aperture imaging of many-pin bundles of LMFBR fuel, 2407 (NUREG/CR--0443)
GAS COOLED FAST BREEDER REACTORS
See GCFR TYPE REACTORS
GAS COOLED REACTORS
See also GCFR TYPE REACTORS
HTGR TYPE REACTORS
GAS COOLED REACTORS/REACTOR SAFETY
Nuclear reactor safety, 3126
GAS COOLED REACTORS/RESEARCH PROGRAMS
Annual scientific report 1977, 298 (BLG--524)
GAS TUNGSTEN-ARC WELDING/FATIGUE
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3122
GAS TUNGSTEN-ARC WELDING/WELDED JOINTS
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3122
GCFR TYPE REACTORS/AFTER-HEAT REMOVAL
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
GCFR TYPE REACTORS/FUEL CANS
Reactor development program progress report, July 1978, 281 (ANL-RDP--73)
GCFR TYPE REACTORS/FUEL ELEMENTS
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor Development Program progress report, February 1979, 288 (ANL-RDP--80)
GCFR TYPE REACTORS/FUEL PINS
Reactor development program. Progress report, August 1979, 294 (ANL-RDP--86)
GCFR TYPE REACTORS/MELTDOWN
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
GCFR TYPE REACTORS/REACTIVITY WORTHS
Reactor Development Program progress report, August 1978, 282 (ANL-RDP--74)
Reactor Development Program. Progress report, December 1978, 286 (ANL-RDP--78)
Reactor development program. Progress report, 287 (ANL-RDP--79)
Reactor development program progress report, March 1979, 289 (ANL-RDP--81)
Reactor development program. Progress report, 290 (ANL-RDP--82)
Reactor development program. Progress report, 291 (ANL-RDP--83)
Reactor development program. Progress report, 292 (ANL-RDP--84)
GCFR TYPE REACTORS/REACTOR CORE DISRUPTION
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
GCFR TYPE REACTORS/REACTOR CORES
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
GCFR TYPE REACTORS/REACTOR KINETICS
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
GCFR TYPE REACTORS/REACTOR MATERIALS
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor development program. Progress report, August 1979, 294 (ANL-RDP--86)
GENERATORS (STEAM)
See STEAM GENERATORS
GERMAN FEDERAL REPUBLIC/ATOMIC ENERGY LAWS
Constitutionality of section 7 of the Atomic Energy Act: Section 20 GG 'Kalkar decision', 3693
Higher Administrative Court at Muenster expresses doubts concerning the constitutional character of section 7 of the Atomic Energy Act, 4453
GERMAN FEDERAL REPUBLIC/FBR TYPE REACTORS
Constitutionality of section 7 of the Atomic Energy Act: Section 20 GG 'Kalkar decision', 3693
Present state of development of the fast breeder project in the Federal Republic of Germany, Belgium and the Netherlands, and progress achieved during 1975 and early 1976, 2081 (IWGFR--12)
GERMAN FEDERAL REPUBLIC/INTERNATIONAL COOPERATION
Breeder development and Franco-German cooperation, 3440
GERMAN FEDERAL REPUBLIC/LMFBR TYPE REACTORS
Breeder development and Franco-German cooperation, 3440
Breeders: operational experience with fast power reactors in five states - more intensive German-French breeder cooperation, 3530
Future plans for the design and construction of fast reactor power stations, 4081
Future plans for the design and construction of fast reactor power stations in the Federal Republic of Germany, 4083
International fast breeder reactor development, 81 (ANL--77-XX-62)
Licensing procedure for fast breeders. Question raised in the Bundestag, 3925
Past and present role of fast breeder reactors in the Federal Republic of Germany, 4052
Past and present role of fast breeder reactors, 4057
Technical concept of the breeder nuclear power station and its realization in the FRG, 3479
West German perspective on the need for the plutonium-fueled LMFBR, 3133
GERMAN FEDERAL REPUBLIC/NUCLEAR POWER PLANTS
New nuclear power plants in the Federal Republic of Germany 1978, 3743
GERMAN FEDERAL REPUBLIC/REACTOR LICENSING
Fast breeder licensing: is it unconstitutional. Full text of the press statement by the Upper Administrative Court at Muenster, 4387
GERMANY (FEDERAL REPUBLIC)
See FEDERAL REPUBLIC OF GERMANY
GETTERS/PERFORMANCE
Oxygen getters for fast reactor fuel pins, 3484
Titanium oxide cesium getters for low O/M FBR fuel pins, 1640 (HEDL-SA--1828)
GRAPHITE/FISSION PRODUCT RELEASE
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
GREAT BRITAIN
See UNITED KINGDOM
GROUND MOTION/RESPONSE FUNCTIONS
Study of vertical ground response spectrum shapes, 2800 (SAN--1011-114)
GROUP CONSTANTS/CALCULATION METHODS
Determination of current weighted total cross sections in the unresolved energy region, 775 (CONF-790602--59)

H

HAFNIUM BORIDES/CORROSION
Corrosion of refractory borides in fused sodium, 4416
HALL GENERATORS
See MHD GENERATORS
HANFORD NEUTRON RADIOGRAPHY FACILITY
See TRIGA-1-HANFORD REACTOR
HANFORD RESERVATION/CONTRACTS
PMS: What are you getting for your money., 1583 (HEDL-SA--1630)
HASTELLOY X/CORROSION
Materials requirements for liquid metal fast breeder reactors, 3822
HASTELLOY X/FATIGUE
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)

Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (ENL-NUREG--50820)
HASTELLOY X/MECHANICAL PROPERTIES
Effects of strain rate on high temperature mechanical properties of irradiated Incoloy 800 and Hastelloy X, 4950
Oak Ridge National Laboratory (Summary of research activities on mechanical properties of LMFBR materials), 2511 (ORNL--5287)
HASTELLOY X/PHYSICAL RADIATION EFFECTS
Materials requirements for liquid metal fast breeder reactors, 3822
Radiation-damage considerations (Neutrons), 5008
HASTELLOY X/SWELLING
Materials requirements for liquid metal fast breeder reactors, 3822
HD 8077
See NICKEL BASE ALLOYS
HEAD END PROCESSES
See also VOLOXIDATION PROCESS
Fast reactor program reprocessing project-pyrochemical head-end preliminary technical and economic evaluation, 5454 (PNL-TR--356)
HEALTH HAZARDS
Influence of physico-chemical form on the consequences of hypothetical accidental releases from FBRs, 3278
HEAT EXCHANGERS
See also FLUIDIZED BED HEAT EXCHANGERS
Auxiliary cooling system for a primary heat exchanger working in a nuclear reactor (Patent; LMFBR type reactors), 5314
Design, R and D, and manufacture of the components of secondary circuits for fast sodium power plant, 4077
Heat exchanger with intermediate evaporating and condensing fluid (Patent, LMFBR), 3800
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Liquid metal cooled fast breeder nuclear reactors (Patent), 4422
Pipe plate and assembly for heat exchanger (Patent;LMFBR), 5156
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part V. Heat transport system components. Interim report, 1090 (EPRI-NP--882(Vol.4))
Tube boiler heat exchanger (Patent; LMFBR), 3473
HEAT EXCHANGERS/COMPUTER CODES
Application experience with codes and standards in the design of heat exchangers for liquid metal and gas cooled reactor systems; 5424
HEAT EXCHANGERS/CORROSION FATIGUE
High temperature corrosion fatigue, 2895 (SERI/TP--31-246(Vol.2)(Pt.2))
HEAT EXCHANGERS/CORROSION PRODUCTS
Economical removal of sodium water reaction products (SWRP) from an LMFBR intermediate heat transport system (IHTS), 523 (CONF-761107--28)
HEAT EXCHANGERS/DEFORMATION
Plastic buckling of axially compressed cylinders (LMFBR), 3014 (WARD-SD--3045-9)
HEAT EXCHANGERS/DESIGN
Advanced work on pumps and heat exchangers (LMFBR), 654 (CONF-780251--P2)
Heat exchangers (Patent, LMFBR), 4254
Heat Exchanger (Patent; LMFBR), 4447
Heat exchanger provided with plates (Patent; PWR; LMFBR), 5226
Heat exchangers (Patent), 5220
Heat exchanger for high temperatures and pressures (Patent), 4561
IHX design for pool type LMFBR system application, 3148
Liquid metal/water heat exchanger with replaceable tube bundles (Patent), 5222
Matrix heat exchanger (Patent), 4565
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part II. Appendixes, final report, 1072 (EPRI-NP--646(Vol2.))
Pool type IHX study for the Large Component Development Program (LMFBR), 373 (CENC--1397)
Structural design optimization of once-through type heat exchangers, 4366
Studies needed to prevent the use of expansion bends in LMFBR intermediate heat exchangers, 3807 (ANL-Trans--1128)
Tertiary Heat exchanger (Patent; LMFBR), 4525
THree-component heat exchanger (Patent;LMFBR), 5373
Tube in shell heat exchangers (Patent; LMFBR), 3730
HEAT EXCHANGERS/EFFICIENCY
Experimental investigation of the efficiency of intermediate heat exchangers of three-loop nuclear power plants, 3416
HEAT EXCHANGERS/FLOW REGULATORS
Device for controlling flow rate of coolant for an LMFBR type reactor plant (Patent), 5159
HEAT EXCHANGERS/FLUID FLOW
Experiments on fluidelastic instability in tube banks subject to liquid cross flow. Part I. Rectangular arrays (LMFBR), 229 (ANL-CT--78-44)
Review on fluid forces on circular cylinders in cross flow (LMFBR), 238 (ANL-CT--79-16)
HEAT EXCHANGERS/HEAT PIPES
Fundamental experiment of potassium heat exchanger using principle of heat pipe (LMFBR), 5151
HEAT EXCHANGERS/HEAT TRANSFER
Coupled shell-side and tube-side heat transfer model for heat exchangers (LMFBR), 224 (ANL-CT--78-34)
Initial considerations on the influence of thermal buoyancy on heat exchanger performance (relevant geometric, operational, thermal-hydraulic phenomena and modelling considerations) (LMFBR), 230 (ANL-CT--78-47)
HEAT EXCHANGERS/HYDRAULICS
Initial considerations on the influence of thermal buoyancy on heat exchanger performance (relevant geometric, operational, thermal-hydraulic phenomena *and modelling considerations*) (LMFBR), *230* (ANL-CT--78-47)
HEAT EXCHANGERS/HYDRODYNAMICS
Hydrodynamic forces on a group of tubes subjected to crossflow, 228 (ANL-CT--78-43)
HEAT EXCHANGERS/INDUSTRIAL RADIOGRAPHY
Current practices for ultrasonic and radiographic examination of tubes, tube plates and tube-plate welds of tube bundles in heat exchangers. Chapter 3, 3342
HEAT EXCHANGERS/IN-SERVICE INSPECTION
Inspection requirements and concepts for LMFBR heat exchangers and pump. A manufacturers view, 2054 (IWGFR--10)
HEAT EXCHANGERS/LEAK DETECTORS
Indirect heat transfer between reactive fluids and detection of leaks inducing a mixture between these fluids, 4289
Method and apparatus for locating a defective tube of a liquid metal-to-water tube type heat exchanger (Patent) 4326
Method for heat exchanger leak detection in a liquid metal cooled nuclear reactor (Patent), 4597
HEAT EXCHANGERS/LEAK TESTING
Large liquid metal fast breeder reactor Intermediate Heat Exchanger maintenance study report, 1023 (DOE/TIC--10224)
Method for leak-testing of liquid-metal water/steam heat exchangers (Patent), 5168
Process and apparatus for detecting the position of a failed tube in a tubular liquid metal-water heat exchanger (Patent), 4560
HEAT EXCHANGERS/LEAKS
Improvements in or relating to the blocking of micropores in a structure (Patent, LMFBR), 4253
Numerical method for solution of transient, homogeneous, equilibrium, two-phase flows in one space dimension (LMFBR), 156 (ANL--79-70)
HEAT EXCHANGERS/MECHANICAL VIBRATIONS
Acoustic radiation and scattering from a group of circular cylinders (LMFBR), 241 (ANL-CT--79-32)
Acoustically induced vibration of circular cylindrical rods (LMFBR), 4619
Effect of tube-support interaction on the dynamic responses of heat exchanger tubes (LMFBR), 550 (CONF-770807--51)
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 5093
Experiments on fluidelastic instability in tube banks subject to liquid cross flow. Part I. Rectangular arrays (LMFBR), 229 (ANL-CT--78-44)
Heat exchanger vibration, 2107 (IWGFR--21)
HEAT EXCHANGERS/MOLTEN METAL-WATER REACTIONS
Numerical method for solution of transient, homogeneous, equilibrium, two-phase flows in one space dimension (LMFBR), 156 (ANL--79-70)
HEAT EXCHANGERS/NEUTRON FLUX
Spatio energetic sensitivity of the equivalent thermal flux on the intermediate heat exchanger of a typical fast breeder reactor, 4911
HEAT EXCHANGERS/OPTIMIZATION
Intermediate heat exchanger leak on Phenix plant and their repair, 4107
Optimization of intermediate heat exchangers for sodium cooled fast breeder reactors, 4098
HEAT EXCHANGERS/PERFORMANCE TESTING
Experimental investigation of the efficiency of intermediate heat exchangers of three-loop nuclear power plants, 3416
HEAT EXCHANGERS/PUMPS
Exchanger pump unit for nuclear reactors (Patent), 4596
HEAT EXCHANGERS/REPAIR
Large liquid metal fast breeder reactor Intermediate Heat Exchanger maintenance study report, 1023 (DOE/TIC--10224)
HEAT EXCHANGERS/SEALS
Improvements in or relating to the blocking of micropores in a structure (Patent, LMFBR), 4253
HEAT EXCHANGERS/SPECIFICATIONS
Fast reactor (Patent), 5233
HEAT EXCHANGERS/STANDARDS
Application experience with codes and standards in the design of heat exchangers for liquid metal and gas cooled reactor systems, 5424
HEAT EXCHANGERS/STRESS ANALYSIS
Elastic-plastic-creep analysis of shells, 767 (CONF-790402--16)
HEAT EXCHANGERS/STRESSES
Determination of the bending loadings resulting from the superheated steam flow path variation in an expansion pipe-bend for sodium-water heat exchangers, 4514

HEAT EXCHANGERS/SUPPORTS
Device or installation for use in a liquid alkali metal environment, 3477
HEAT EXCHANGERS/TEMPERATURE CONTROL
Temperature control system for a J-module heat exchanger (Patent), 3707
HEAT EXCHANGERS/TUBES
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 1958 (INIS-mf--4541)
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 5093
Explosive plugging of nuclear heat exchangers, 1992 (INIS-mf--4760)
Temperature and stress responses of clean evaporator tubes under oscillatory water rivulet action in DNB region, 1954 (INIS-mf--4541)
Vibration tests on single heat exchanger tubes in air and static water, 2313 (ND-R--1995(R))
Vibro-impact responses of a tube with tube--baffle interaction (LMFBR), 247 (ANL-CT--78-11)
HEAT EXCHANGERS/ULTRASONIC TESTING
Current practices for ultrasonic and radiographic examination of tubes, tube plates and tube-plate welds of tube bundles in heat exchangers. Chapter 3, 3342
HEAT EXCHANGERS/WELDED JOINTS
Creep and tensile properties of transition weld joint materials, 2529 (ORNL--5309)
New welding method for tubes and tube plates of heat exchangers for FBRs, 3509
HEAT PIPES/PERFORMANCE TESTING
Fundamental experiment of potassium heat exchanger using principle of heat pipe, 5151
HEAT RESISTING ALLOYS/MECHANICAL PROPERTIES
Oak Ridge National Laboratory (Summary of research activities on mechanical properties of LMFBR materials), 2511 (ORNL--5287)
HEAT TRANSFER
See also CONVECTION
Heat transfer in reactor safety, 4174
Study of transient, buoyancy-induced flow stratification relevant to the primary pool of a liquid-metal-cooled fast breeder reactor, 4170
HEAT TRANSFER/MATHEMATICAL MODELS
Effect of internal thermal radiation on the contact interface temperature, 4812
HEAT TRANSFER/MEETINGS
Nuclear reactor safety heat transfer (BWR; PWR; LMFBR), 4585
HEAT TRANSFER/NUMERICAL SOLUTION
Transient radiative heat transfer between two emitting-absorbing media (Reactor core disruptions.), 4173
HEAT TRANSFER/TWO-DIMENSIONAL CALCULATIONS
Two-dimensional heat conduction calculations on the pin cladding and coolant of a wire wrap bundle, 5075
HEAT TRANSMISSION
See HEAT TRANSFER
HEATERS
See also SPACE HEATERS
Pre-heater for fast breeder reactor and its life, 4614
HEAVY WATER COOLED REACTORS
See also FR-2 REACTOR
PHWR TYPE REACTORS
HEAVY WATER COOLED REACTORS/PRIMARY COOLANT CIRCUITS
Measurement of tritium and tritiated water vapour in nuclear power installations. I. Tritium formation and transport in nuclear power installations, 3507
HEAVY WATER MODERATED REACTORS
See also CANDU TYPE REACTORS
FR-2 REACTOR
HWLWR TYPE REACTORS
PHWR TYPE REACTORS
HEAVY WATER MODERATED REACTORS/CONTAINMENT SHELLS
Composite containment for nuclear power, 534 (CONF-770807--)
HEAVY WATER MODERATED REACTORS/FUEL CYCLE
Fuel cycle cost studies: fabrication, reprocessing, and refabrication of LWR, SSCR, HWR, LMFBR, and HTGR fuels, 2662 (ORNL/TM--6522)
Interim assessment of the denatured ^{233}U fuel cycle: feasibility and nonproliferation characteristics, 2564 (ORNL--5398(Exec.Summ.))
HEAVY WATER MODERATED WATER COOLED REACTOR
See HWLWR TYPE REACTORS
HELIUM/REACTIVITY WORTHS
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
HELIUM/USES
Future helium requirements for energy related applications, 4920
HFR REACTOR/TRANSIENTS
Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
HIGH FLUX REACTOR PETTEN
See HFR REACTOR
HIGH-TEMPERATURE FUEL CELLS/RESEARCH PROGRAMS
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
HIGH-TEMPERATURE GAS-COOLED REACTOR
See HTGR TYPE REACTORS
HODOSCOPES/PERFORMANCE
Evaluation of hodoscopes for fuel-motion measurement in multipin bundles (LMFBR), 4025
Use of hodoscopes to obtain tomographic resolution of fuel motion (LMFBR), 3670
HOT CELLS
Fast Flux Test Facility core component measuring system, 4873
Fast Flux Test Facility element measuring system, 4874
HOT CELLS/DESIGN
Advantages of equipment testing in IEM cell mockup, 4809
Design and development of the examination equipment for the fuels and materials examination facility, 4808
Design features and objectives of the fuels and materials examination facility, 4807
Design features and objectives of the Fuels and Materials Examination Facility, 4875
Design of the fuels and materials examination facility and materials handling systems, 4023
HOT CELLS/OPERATION
Problems of dismantling, treating and analyzing highly irradiated fuel elements, 5302
HOT CELLS/PERFORMANCE TESTING
Advantages of equipment testing in the IEM cell mockup, 4876
HOT CELLS/SPECIFICATIONS
Design and construction of the Fuels and Materials Examination Facility, 1645 (HEDL-SA--1850)
HOT LABS/OPERATION
Problems of dismantling, treating and analyzing highly irradiated fuel elements, 5302
HTGR TYPE REACTORS
See also THTR-300 REACTOR
VHTR REACTOR
Present state and development potential of high temperature reactors, 4474
HTGR TYPE REACTORS/COMPARATIVE EVALUATIONS
Heat utilization of future reactor systems, 4424
HTGR TYPE REACTORS/CONTAINMENT SHELLS
Composite containment for nuclear power, 534 (CONF-770807--)
HTGR TYPE REACTORS/DESIGN BASIS ACCIDENTS
Reactor safety, 5271
HTGR TYPE REACTORS/ENGINEERED SAFETY SYSTEMS
Reactor safety, 5271
HTGR TYPE REACTORS/EVALUATION
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))
HTGR TYPE REACTORS/FISSION PRODUCT RELEASE
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
HTGR TYPE REACTORS/FISSION PRODUCTS
Carbon-14 production in nuclear reactors, 3319
HTGR TYPE REACTORS/FUEL ASSEMBLIES
Nuclear reactor core configuration (Patent), 3455
HTGR TYPE REACTORS/FUEL CYCLE
Effects of fast breeders' characteristics on consumptions and expenditures related to electric power generation. An assessment for the European Community, 1183 (EUR--5598)
Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs (HTGR fuel refabrication and off-gas reprocessing), 2625 (ORNL/TM--5865/V5)
Fuel cycle cost studies: fabrication, reprocessing, and refabrication of LWR, SSCR, HWR, LMFBR, and HTGR fuels, 2662 (ORNL/TM--6522)
Fuel cycles of D_2O-, fast breeder and high temperature reactors, 2 (AED-Conf--77-498-087)
Interim assessment of the denatured ^{233}U fuel cycle: feasibility and nonproliferation characteristics, 2564 (ORNL--5398(Exec.Summ.))
Material control in nuclear fuel fabrication facilities. Part I. Fuel descriptions and fabrication processes, P.O. 1236909 Final report, 2946 (UCRL--13942(Pt.1))
Nuclear fuel fabrication and refabrication cost estimation methodology, 2670 (ORNL/TM--6640)
HTGR TYPE REACTORS/HEAT EXCHANGERS
Application experience with codes and standards in the design of heat exchangers for liquid metal and gas cooled reactor systems, 5424
HTGR TYPE REACTORS/HYDROGEN PRODUCTION
Review of the potential for the use of nuclear reactors for hydrogen production, 4491
HTGR TYPE REACTORS/LIQUID-METAL MHD GENERATORS
Investigation of two-phase liquid-metal magnetohydrodynamic power systems, 5301
HTGR TYPE REACTORS/MATERIALS
Microstructural objectives for high-temperature alloys in advanced energy systems, 3349
HTGR TYPE REACTORS/NUCLEAR FUEL CONVERSION
Investigation of LMFBRs with Th blanket for supply of U-233 to HTGR, 2141 (JAERI-M--7763)
HTGR TYPE REACTORS/NUCLEAR FUELS

Optimization study of LMFBR with thorium-blanket for the supply of U-233 to multi-purpose HTGR, 4134
HTGR TYPE REACTORS/PIPES
Design of elevated temperature piping for advanced nuclear plants, 3147
HTGR TYPE REACTORS/PRESSURE VESSELS
Adsorption seal for nuclear reactors (Patent; HTGR; LMFBR), 3639
HTGR TYPE REACTORS/PRIMARY COOLANT CIRCUITS
Prediction of primary circuit contamination in power reactors, 4889
Prediction of primary circuit contamination in power reactors, 4893
HTGR TYPE REACTORS/REACTOR COMPONENTS
Metallic component with a chromium carbide base protective coating (Patent; HTGR; LMFBR), 5244
Needs for development in nondestructive testing for advanced reactor systems, 644 (CONF-780215--2)
Special information meeting on high-temperature structural design applications experience, Germantown, Maryland, September 14--15, 1978. Summary report, 2587 (ORNL/ERP--78/4)
HTGR TYPE REACTORS/REACTOR CORES
Nuclear reactor core configuration (Patent), 3455
HTGR TYPE REACTORS/REACTOR MATERIALS
Needs for development in nondestructive testing for advanced reactor systems, 644 (CONF-780215--2)
Special information meeting on high-temperature structural design applications experience, Germantown, Maryland, September 14--15, 1978. Summary report, 2587 (ORNL/ERP--78/4)
HTGR TYPE REACTORS/REACTOR PROTECTION SYSTEMS
Reactor safety, 5271
HTGR TYPE REACTORS/REACTOR SAFETY
Advanced Reactor Safety Research Division. Quarterly progress report, January 1--March 31, 1979, 2444 (NUREG/CR--0820)
Advanced Reactor Safety Research Division quarterly progress report, April 1-June 30, 1979, 2458 (NUREG/CR--1036)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1978, 2425 (NUREG/CR--0688)
Reports distributed under the NRC Reactor safety research foreign technical exchange program. Vol. VII (January-June 1979), 2463 (NUREG/CR--1101)
HTGR TYPE REACTORS/SPECIFICATIONS
Reactor safety, 5271
HTGR TYPE REACTORS/THORIUM CYCLE
Thorium assessment study quarterly progress report, third quarter fiscal 1977, 2636 (ORNL/TM--6025)
Thorium fuel cycles, 3346
HUMAN POPULATIONS/DOSE COMMITMENTS
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
Radiological significance of transuranium radioisotopes released to the environment during operation of the LMFBR fuel cycle, 5261
Radiological significance of transuranium radioisotopes released to the environment during operation of the LMFBR fuel cycle, 5265
HUMAN POPULATIONS/ENVIRONMENTAL EXPOSURE PATHWAY
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
HUMAN POPULATIONS/RADIATION DOSES
Environmental control aspects for fabrication, reprocessing and waste disposal of alternative LWR and LMFBR fuels, 2752 (PNL--3129)
Production and emission of carbon-14 from nuclear power stations and reprocessing plants and its radioecological significance, 4586
HWLWR TYPE REACTORS
See also JATR REACTOR
HWLWR TYPE REACTORS/RESEARCH PROGRAMS
Reactor physics activities relevant to FBR and ATR programs in PNC, Japan, November 1978-September 1979, 2151 (JAPFNR--472)
HYBRID REACTORS/COMPARATIVE EVALUATIONS
Laser driven fusion fission hybrids, 2947 (UCRL--79653(Rev.1))
HYBRID REACTORS/COST BENEFIT ANALYSIS
Economic regimes, 621 (CONF-771155--P2)
HYBRID REACTORS/ECONOMICS
Examination of alternative nuclear breeding methods, 2755 (R--2267-DOE)
HYBRID REACTORS/FUEL CYCLE
Concept evaluation of nuclear fusion driven symbiotic energy systems, 844 (CONF-791204--34)
HYDROGEN/DISSOLUTION
Dissolution ratio of hydrogen generated by small-leak sodium-water reaction, 4403
HYDROGEN 3
See TRITIUM
HYDROGEN METERS
Electrochemical and physical methods for reactor diagnosis (LMFBR), 4069
Hydrogen concentration meter utilizing a diffusion tube composed of 2 1/4 Cr-1 Mo steel and a sleeve of nickel (Patent), 3268
Technique for measuring hydrogen and water in inert gases and the hydrogen concentration in liquid sodium, 367 (CEGB-RD/B/N--4029)
HYDROGEN METERS/CALIBRATION
Calibration system for hydrogen meters in sodium (LMFBR), 4650
HYDROGEN PRODUCTION/ELECTROLYSIS
Review of the potential use of nuclear reactors for hydrogen production, 4347
HYDROGEN PRODUCTION/PLANNING
Review of the potential for the use of nuclear reactors for hydrogen production, 4491
HYDROGEN PRODUCTION/STEAM REFORMER PROCESSES
Review of the potential use of nuclear reactors for hydrogen production, 4347
HYDROGEN PRODUCTION/THERMOCHEMICAL PROCESSES
Review of the potential use of nuclear reactors for hydrogen production, 4347

I

IAEA
(International Atomic Energy Agency.)
IAEA/LMFBR TYPE REACTORS
Ninth annual meeting, Vienna, Austria, 30 March--2 April 1976. Summary report. Part I, 2033 (IWGFR--8)
IDAHO CHEMICAL PROCESSING PLANT/OPERATION
Second electrolytic dissolution campaign of EBR-II fuel at ICPP, 1887 (ICP--1168)
IMPURITIES/MEASURING METHODS
Investigation of measuring accuracy of plugging indicators, 4352
IN CORE INSTRUMENTS
(See also specific instruments.)
Acoustic detection of boiling in LMFBRs: an estimate of sensitivity derived from experiments during the commissioning of PFR, 5014
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977, 2847 (SAND--77-1975)
Advanced reactor safety research. Quarterly report, October--December 1977, 2397 (NUREG/CR--0323(Vol.5))
Advanced reactor safety research. Quarterly report, January--March 1978, 2398 (NUREG/CR--0335(Vol.6))
Advanced reactor safety research. Quarterly report, July-September 1978, 2412 (NUREG/CR--0470)
Application of ultrasonic thermometry in lmfbr safety research, 4910
Calculation of passive sensor perturbations in FFTF, 1769 (HEDL-TME--77-59)
Concepts of remote signal transmission for liquid-metal fast breeder reactors, 610 (CONF-771109--52)
Core exit instrumentation of the Clinch River Breeder Reactor Plant, 3769
Description of designs, fabrication and test data of piezoelectric pick-ups based on lithium niobates, 1210 (FEI--563)
Design and fabrication of the EBR-II environmental instrumented subassembly: Test XX07, 49 (ANL--76-78)
Development of an instrumented materials irradiation test for FFTF, 1649 (HEDL-SA--1861-FP)
Development work on core protective instrumentation, 4209
Device for tuning the acoustic control system to detect liquid-metal coolant boiling, 5445
EBR-II environmental instrumented subassembly XX08: engineering and assembly, 83 (ANL--78-9)
EBR-II wide-range reactivity meter, 4930
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
Fast Reactor Safety Research Program. Quarterly report, January--March 1977, 2811 (SAND--77-0611)
High-temperature acoustic transducers of sound pressure based on lithium niobate piezoelements, 1208 (FEI--536)
High-temperature acoustic detector, 5140
Improvements to level indicators for liquid metals, 5186
In-core fuel motion detection in the Sandia Pulse Reactor, 2816 (SAND--77-1015C)
Instrumentation development twenty-second quarterly report, October 1976--June 1977, 1347 (GEFR--13825-20-22)
Instrumentation and Controls Division biennial progress report, September 1, 1976--September 1, 1978, 2575 (ORNL--5483)
Investigation of the dynamic behaviour of detectors for gas bubbles in sodium flows, 3892
Modification of the NBS double fission chamber for in-core operation in the Fast Test Reactor, 1755 (HEDL-TME--77-34(Vol.2))
Neutron flux measuring device, 5167
Neutron noise analysis for malfunction diagnosis at sodium cooled reactors, 2197 (KFK--2589)
Principles of instrumentation of liquid-metal cooled fast reactors. Draft, 3336
Radiation behavior of vitreous silica, 3843
Radiation shielding device, 5178
Results from the testing of a TCE DC-14B and the ORNL FC-3 fission counter-chambers in the EBR-II NITF at temperatures up to 546°C. EBR-II run 82 (May 1976)--Run 89 (August 1977), 196 (ANL-CT--77-37)
Sodium boiling experiment in the reactor BOR-60, 3041 (ZfK--344)
Study of the signals measuring the temperature of sodium in a nuclear reactor, 5423
Temperature measurement device (Patent), 5406

Tritium meters for use in LMFBR sodium coolant, 120 (ANL--76-30)
IN CORE INSTRUMENTS/COAXIAL CABLES
MgO insulated coaxial instrument cable development for FFTF in-vessel temperature and voltage conditions, 1790 (HEDL-TME--77-98)
Nuclear instrumentation cable end seal (Patent), 3297
IN CORE INSTRUMENTS/DATA TRANSMISSION
Instrument development: advanced signal transmission systems. Final summary report, October 1976--June 1977 (LMFBR), 1242 (GEFR--00232)
IN CORE INSTRUMENTS/DESIGN
Theoretical analysis applied to electromagnetic instruments used in liquid sodium, 3869
IN CORE INSTRUMENTS/DISPLACEMENT GAGES
Détection method for the position of a sensor (Patent), 5136
IN CORE INSTRUMENTS/ELECTRONIC CIRCUITS
Research in remote signal transmission electronics, 2621 (ORNL/Sub--7644/10)
IN CORE INSTRUMENTS/NEUTRON DETECTORS
In-core neutron instruments (Patent), 5154
IN CORE INSTRUMENTS/TEMPERATURE MEASUREMENT
Investigations of temperature fluctuations in liquid sodium in order to determine characteristic flow parameters and thermocouple transfer functions, 2000 (INIS-mf--4911)
IN CORE INSTRUMENTS/TEMPERATURE NOISE
Investigations of temperature fluctuations in liquid sodium in order to determine characteristic flow parameters and thermocouple transfer functions, 2000 (INIS-mf--4911)
IN CORE INSTRUMENTS/TEST FACILITIES
Operation manual for sodium-measuring equipment test loop, 2737 (PNC-N--952-76-04)
IN CORE INSTRUMENTS/TRANSIENTS
Investigations of temperature fluctuations in liquid sodium in order to determine characteristic flow parameters and thermocouple transfer functions, 2000 (INIS-mf--4911)
IN PILE LOOPS/COOLING
In-pile investigation of local cooling perturbations (Mol 7C), 4144
INCOLOY 800
Utilization properties of some special steels for sodium cooled breeder reactors, 4412
INCOLOY 800/CORROSION
Corrosion of materials for sodium-cooled fast reactors, 3438
Steam generator materials engineering twelfth quarterly report, April--June 1977 (LMFBR), 1360 (GEFR--14025-12)
INCOLOY 800/CORROSION RESISTANCE
Selection of steam generator materials for sodium cooled fast breeders, 4418
Utilization properties of some special steels for sodium cooled breeder reactors, 4400
INCOLOY 800/CREEP
Development of annealed alloy 800 for elevated-temperature nuclear applications, 3167
Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
Evaluation of anelasticity and plastic creep limit for alloy 800, 3418
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
INCOLOY 800/DATA COMPILATION
Compilation of fatigue data for Incoloy 800 alloys, 268 (ANL/NSD--78-3)
INCOLOY 800/DUCTILITY
Notch ductility of Alloy 800 for the steam generators of breeder reactors, 4395
Notch ductility of Alloy 800 for liquid metal fast breeder reactor steam generator, 4410
INCOLOY 800/FATIGUE
Compilation of fatigue data for Incoloy 800 alloys, 268 (ANL/NSD--78-3)
Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
University of Cincinnati (Summary of research activities on mechanical properties of LMFBR type reactor materials), 2514 (ORNL--5287)
INCOLOY 800/FRACTURE PROPERTIES
Liquid-metal fast breeder reactor structural materials design considerations, 754 (CONF-790236--)
INCOLOY 800/MECHANICAL PROPERTIES
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Creep and hot ductility properties of alloy 800 for steam generator pipes of surregenerators, 4280
Effects of strain rate on high temperature mechanical properties of irradiated Incoloy 800 and Hastelloy X, 4950
Oak Ridge National Laboratory (Summary of research activities on mechanical properties of LMFBR materials), 2511 (ORNL--5287)
Overview of U.S. efforts directed towards development of mechanical properties data in support of FBR development, 752 (CONF-781219--5)
Status of Incoloy alloy 800 development for breeder reactor steam generators, 2616 (ORNL/Sub--4308/3)
University of Cincinnati (Summary of research activities on mechanical properties of LMFBR type reactor materials), 2514 (ORNL--5287)
INCOLOY 800/MICROSTRUCTURE
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
INCOLOY 800/PHYSICAL PROPERTIES
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
INCOLOY 800/PHYSICAL RADIATION EFFECTS
FR2-Loop experimental series 5, irradiation, post-irradiation examination, and analysis of the FCMI, 4325 (DOE-tr--70)
Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report, 1 (AD-A--047410)
INCOLOY 800/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
INCOLOY 800/STRAINS
Bilinear representation of the cyclic stress-strain behavior of Incoloy 800, 4179
INCOLOY 800/STRESS ANALYSIS
Bilinear cyclic stress--strain analysis for Incoloy 800, 69 (ANL--77-74)
INCOLOY 800/STRESS CORROSION
Behavior of Alloy 800 in sodium contaminated by sodium hydroxide, 4321
Constant extension rate testing for LMFBR steam generator applications, 2336 (NEDO--12668)
Residual stress measurement in austenitic alloy tubes, 4984
INCOLOY 800/STRESSES
Bilinear representation of the cyclic stress-strain behavior of Incoloy 800, 4179
Residual stress measurement in austenitic alloy tubes, 4984
INCOLOY 800/TENSILE PROPERTIES
Argonne National Laboratory, 2510 (ORNL--5287)
Bilinear cyclic stress--strain analysis for Incoloy 800, 69 (ANL--77-74)
Development of annealed alloy 800 for elevated-temperature nuclear applications, 3167
INCOLOY 800/THERMAL STRESSES
Summary of the effects of material combinations and weld joint geometries on the elastic stress in a dissimilar metal pipe joint, 2322 (NEDM--14109)
INCOLOY 800/ULTRASONIC TESTING
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2671 (ORNL/TM--6679)
INCOLOY 800/WELDED JOINTS
Method of assessing the impact of metallurgical noise and its reduction in ultrasonic testing of austenitic welds, 1413 (GEFR-SP--164)
Transition joint welding development for LMFBR steam generators, 4193
INCONEL 600/CORROSION
Materials requirements for liquid metal fast breeder reactors, 3822
INCONEL 600/CRACKS
Fatigue-crack propagation in dissimilar metal weldments (600/82/718, 718/82/316, 600/82/316, 800 and 1000°F), 2500 (ORNL--5255)
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 1622 (HEDL-SA--1750)
INCONEL 600/FATIGUE
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 1622 (HEDL-SA--1750)
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 3121
INCONEL 600/GAS TUNGSTEN-ARC WELDING
Fatigue-crack propagation in dissimilar metal weldments (600/82/718, 718/82/316, 600/82/316, 800 and 1000°F), 2500 (ORNL--5255)
INCONEL 600/PHYSICAL RADIATION EFFECTS
Irradiation effects in FFTF radial reflector materials, 1841 (HEDL-TME--79-4)
Materials requirements for liquid metal fast breeder reactors, 3822
Radiation-damage considerations (Neutrons), 5008
Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report, 1 (AD-A--047410)
INCONEL 600/STRESS CORROSION
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1978, 2425 (NUREG/CR--0688)
Residual stress measurement in austenitic alloy tubes, 4984
INCONEL 600/STRESSES
Residual stress measurement in austenitic alloy tubes, 4984
INCONEL 600/SWELLING
Materials requirements for liquid metal fast breeder reactors, 3822
INCONEL 617/MECHANICAL PROPERTIES
Oak Ridge National Laboratory (Summary of research activities on mechanical properties of LMFBR materials)

2511 (ORNL--5287)
INCONEL 625/CORROSION
Materials requirements for liquid metal fast breeder reactors, 3822
INCONEL 625/PHYSICAL RADIATION EFFECTS
Materials requirements for liquid metal fast breeder reactors, 3822
Radiation-damage considerations (Neutrons), 5008
Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report, 1 (AD-A--047410)
INCONEL 625/STRESS ANALYSIS
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 5070
INCONEL 625/SWELLING
Materials requirements for liquid metal fast breeder reactors, 3822
INCONEL 625/THERMAL ANALYSIS
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 5070
INCONEL 702/CORROSION
Materials requirements for liquid metal fast breeder reactors, 3822
INCONEL 702/PHYSICAL RADIATION EFFECTS
Materials requirements for liquid metal fast breeder reactors, 3822
Radiation-damage considerations (Neutrons), 5008
INCONEL 702/SWELLING
Materials requirements for liquid metal fast breeder reactors, 3822
INCONEL 706/CORROSION
Materials requirements for liquid metal fast breeder reactors, 3822
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium (700°C for 2000 hours), 1464 (HEDL-SA--1225FP(Rev.))
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
INCONEL 706/MICROSTRUCTURE
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
INCONEL 706/PHYSICAL RADIATION EFFECTS
In-reactor creep measurements, 3670
Materials requirements for liquid metal fast breeder reactors, 3822
Radiation-damage considerations (Neutrons), 5008
US experience in irradiation testing of advanced oxide fuels (LMFBR), 4826
INCONEL 706/SURFACE PROPERTIES
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
INCONEL 706/SWELLING
Materials requirements for liquid metal fast breeder reactors, 3822
INCONEL 718/CORROSION
Material properties requirements and priorities matrix for CRBRP, 1027 (DOE/TIC--10240)
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium (700°C for 2000 hours), 1464 (HEDL-SA--1225FP(Rev.))
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
WestingHouse Advanced Reactors Division (Summary of research activities on LMFBR type reactor structural materials), 2513 (ORNL--5287)
INCONEL 718/CRACKS
Fatigue crack propagation in Alloy 718: effect of heat treatment on microstructure and fatigue behavior (1100°F), 2498 (ORNL--5255)
Fatigue-crack propagation in dissimilar metal weldments (600/82/718, 718/82/316, 600/82/316, 800 and 1000°F), 2500 (ORNL--5255)
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 1622 (HEDL-SA--1750)
Heat-to-heat and/or melt practice variations in crack growth behavior of Inconel 718, 2550 (ORNL--5349)
INCONEL 718/CREEP
Analytical representation of the creep strain--time behavior of commercially heat-treated Alloy 718 (538 to 760°C), 2542 (ORNL--5349)
Inconel alloy 718 mechanical and physical property program (1000 to 1400°F, stresses <150 ksi), 2490 (ORNL--5255)
Mechanical property program of Alloy 718, 2481 (ORNL--5255)
INCONEL 718/DEFORMATION
Deformation of pressurized tubes of 316 SS and Alloy 718 (700 to 1200°F, hoop stresses to 77 ksi), 2499 (ORNL--5255)
INCONEL 718/FABRICATION
Status of technology of Alloy 718 for nuclear applications. Minutes of meeting, October 30, 1975, 1025 (DOE/TIC--10240)
INCONEL 718/FATIGUE
Evaluation of roll-extruded Alloy 718 tubing, 2940 (TREE--1255)
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 1622 (HEDL-SA--1750)
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 3121
Microstructure and low-cycle fatigue behavior of inconel 718, 589 (CONF-770807--Pt.L)
INCONEL 718/FRACTURE PROPERTIES
Liquid-metal fast breeder reactor structural materials design considerations, 754 (CONF-790236--)
INCONEL 718/FRICTION
Tribological behaviour of materials for use in sodium cooled fast breeder steam generator applications, 4176
INCONEL 718/GAS TUNGSTEN-ARC WELDING
Fatigue-crack propagation in dissimilar metal weldments (600/82/718, 718/82/316, 600/82/316, 800 and 1000°F), 2500 (ORNL--5255)
INCONEL 718/MECHANICAL PROPERTIES
Alloy 718 utilization in the Fast Flux Test Facility; Alloy 718 design data currently in nuclear systems materials handbook; general and specific design data needs for Alloy 718; Alloy 718 for code case 1592-4 applications (bolting); guidelines for required data on new materials for section III, elevated temperature nuclear construction, 1028 (DOE/TIC--10240)
Evaluation of roll-extruded alloy 718 tubes: seamless versus welded, 2942 (TREE--1360)
Evaluation of the additional materials data needed to support the use of Alloy 718 in non-welded nuclear reactor applications, 1026 (DOE/TIC--10240)
Hanford Engineering Development Laboratory (Summary of research activities on LMFBR structural materials), 2512 (ORNL--5287)
Material properties requirements and priorities matrix for CRBRP, 1027 (DOE/TIC--10240)
Mechanical property program of Alloy 718, 2538 (ORNL--5349)
Overview of U.S. efforts directed towards development of mechanical properties data in support of FBR development, 752 (CONF-781219--5)
Status of technology of Alloy 718 for nuclear applications. Minutes of meeting, October 30, 1975, 1025 (DOE/TIC--10240)
INCONEL 718/MEETINGS
Status of technology of Alloy 718 for nuclear applications. Minutes of meeting, October 30, 1975, 1025 (DOE/TIC--10240)
INCONEL 718/MICROSTRUCTURE
Fatigue crack propagation in Alloy 718: effect of heat treatment on microstructure and fatigue behavior (1100°F), 2498 (ORNL--5255)
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
Microstructure and low-cycle fatigue behavior of inconel 718, 589 (CONF-770807--Pt.L)
INCONEL 718/PHYSICAL PROPERTIES
Alloy 718 utilization in the Fast Flux Test Facility; Alloy 718 design data currently in nuclear systems materials handbook; general and specific design data needs for Alloy 718; Alloy 718 for code case 1592-4 applications (bolting); guidelines for required data on new materials for section III, elevated temperature nuclear construction, 1028 (DOE/TIC--10240)
Evaluation of the additional materials data needed to support the use of Alloy 718 in non-welded nuclear reactor applications, 1026 (DOE/TIC--10240)
Material properties requirements and priorities matrix for CRBRP, 1027 (DOE/TIC--10240)
Status of technology of Alloy 718 for nuclear applications. Minutes of meeting, October 30, 1975, 1025 (DOE/TIC--10240)
INCONEL 718/PHYSICAL RADIATION EFFECTS
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim report, 1818 (HEDL-TME--78-51)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Second interim report, 1844 (HEDL-TME--79-19)
Material properties requirements and priorities matrix for CRBRP, 1027 (DOE/TIC--10240)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1975, 2989 (WARD-OX--3045-20)
State of development of cladding and structural material for SNR core elements, 3858 (EURFNR--1418)
Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report, 1 (AD-A--047410)
INCONEL 718/RUPTURES
Mechanical property program of Alloy 718, 2481 (ORNL--5255)
INCONEL 718/SURFACE PROPERTIES
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
INCONEL 718/TENSILE PROPERTIES
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim

report, 1818 (HEDL-TME--78-51)
Evaluation of roll-extruded Alloy 718 tubing, 2940 (TREE--1255)
Mechanical property program of Alloy 718, 2481 (ORNL--5255)
INCONEL 718/USES
Application of Alloy 718 in the upper internals structure of the Clinch River Breeder Reactor, 1024 (DOE/TIC--10240)
INCONEL 718/WEAR
Tube/space plate interactions in sodium cooled fast breeder steam generators, 698 (CONF-781001--P1)
INCONEL 718/WEAR RESISTANCE
Sodium Technology Program: friction, wear, and self-welding. Quarterly progress report for period ending January 31, 1977, 2980 (WARD-NA--3045-42)
Sodium Technology Program: friction, wear, and self-welding. Quarterly progress report for period ending July 31, 1977, 2982 (WARD-NA--3045-49)
INCONEL 718/WELDABILITY
Evaluation of roll-extruded alloy 718 tubes: seamless versus welded, 2942 (TREE--1360)
INCONEL 718/YOUNG MODULUS
Elastic properties of engineering construction materials, 2485 (ORNL--5255)
INCONEL 82/CARBURIZATION
Carbon migration in transition joint welds, 1292 (GEFR--00398)
INCONEL 82/CREEP
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Creep and tensile properties of transition weld joint materials, 2529 (ORNL--5309)
Creep and creep-rupture behavior of ERNiCr-3 weld metal (454 to 732°C), 2565 (ORNL--5404)
Interim analytical description of the creep and creep-rupture behavior of ERNiCr-3 weld metal, 2659 (ORNL/TM--6464)
INCONEL 82/DECARBURIZATION
Carbon migration in transition joint welds, 1292 (GEFR--00398)
INCONEL 82/ELASTICITY
Stress-strain behavior of ERNiCr-3 weld filler metal under strain controlled cyclic loading, 2642 (ORNL/TM--6128)
INCONEL 82/FATIGUE
Cyclic stress--strain behavior of ERNiCr-3, 2548 (ORNL--5345)
Fatigue properties of transition weld joint materials, 2530 (ORNL--5309)
INCONEL 82/FRACTURE PROPERTIES
Interim analytical description of the creep and creep-rupture behavior of ERNiCr-3 weld metal, 2659 (ORNL/TM--6464)
INCONEL 82/MECHANICAL PROPERTIES
Effects of thermal aging on the mechanical properties of a 2-1/4 Cr-1Mo steel/Inconel 82 transition joint fusion zone, 1324 (GEFR--00446)
Oak Ridge National Laboratory (Summary of research activities on mechanical properties of LMFBR materials), 2511 (ORNL--5287)
INCONEL 82/MICROSTRUCTURE
Creep and creep-rupture behavior of ERNiCr-3 weld metal (454 to 732°C), 2565 (ORNL--5404)
INCONEL 82/PHYSICAL PROPERTIES
Mechanical and metallurgical behavior of weldments for LMFBR (Variation of ultrasonic velocity with orientation), 2491 (ORNL--5255)
INCONEL 82/RATCHETING
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
INCONEL 82/RUPTURES
Creep and tensile properties of transition weld joint materials, 2529 (ORNL--5309)
INCONEL 82/TENSILE PROPERTIES
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Creep and tensile properties of transition weld joint materials, 2496 (ORNL--5255)
Creep and tensile properties of transition weld joint materials, 2529 (ORNL--5309)
High-temperature structural design program semiannual progress report for period ending June 30, 1978, 2569 (ORNL--5433)
Strain-rate effects on the elevated-temperature behavior of ERNiCr-3 weld metal, 4028
Tensile properties of ERNiCr-3 (Inconel 82) weld metal, 2547 (ORNL--5345)
INCONEL 82/THERMAL TESTING
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
INCONEL 82/ULTRASONIC TESTING
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2671 (ORNL/TM--6679)
INCONEL 82/WELDED JOINTS
Effects of thermal aging on the mechanical properties of a 2-1/4 Cr-1Mo steel/Inconel 82 transition joint fusion zone, 1324 (GEFR--00446)
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
Method of assessing the impact of metallurgical noise and its reduction in ultrasonic testing of austenitic welds, 1413 (GEFR-SP--164)
INCONEL 82/YIELD STRENGTH
Strain-rate effects on the elevated-temperature behavior of ERNiCr-3 weld metal, 4028
INCONEL ALLOYS
See also INCONEL 600
INCONEL 617
INCONEL 625
INCONEL 702
INCONEL 706
INCONEL 718
INCONEL 82
INCONEL X750
INCONEL ALLOYS/CORROSION
Materials requirements for liquid metal fast breeder reactors, 3822
INCONEL ALLOYS/PHYSICAL RADIATION EFFECTS
Materials requirements for liquid metal fast breeder reactors, 3822
Radiation-damage considerations (Neutrons), 5008
Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report (Inconel 744, Sandvik 12R72HV), 1 (AD-A--047410)
INCONEL ALLOYS/RADIATION HEATING
Influence of sodium temperature, gamma heating and wall thickness on design strength of SLSF containment vessels, 5102
INCONEL ALLOYS/SWELLING
Materials requirements for liquid metal fast breeder reactors, 3822
INCONEL X750/CRACKS
Effect of stress ratio upon fatigue-crack growth in two structural alloys at elevated temperature, 2551 (ORNL--5349)
INCONEL X750/FRACTURE PROPERTIES
Effect of temperature on the elastic--plastic fracture toughness behavior of Inconel X-750, 2552 (ORNL--5349)
INCONEL X750/PHYSICAL RADIATION EFFECTS
Data and analyses for Inconel X750 springs irradiated in SURV-1, -3, -4, -5, and -6, 51 (ANL--77-11)
In-reactor stress relaxation of Inconel X750 springs, 4305
INCONEL X750/STRESS RELAXATION
In-reactor stress relaxation of Inconel X750 springs, 4305
IN-CORE FUEL MANAGEMENT
See FUEL MANAGEMENT
INDUSTRIAL RADIOGRAPHY
See also X-RAY RADIOGRAPHY
Current practices for ultrasonic and radiographic examination of tubes, tube plates and tube-plate welds of tube bundles in heat exchangers. Chapter 3, 3342
INFLATABLE SEALS/DESIGN
Door valve (Patent; LMFBR), 5393
INFORMATION SYSTEMS
Central computerized data base for LMFBR safety codes, 4552
IN-SERVICE INSPECTION
Clinch River Breeder Reactor Plant. Plan for inservice inspection, 967 (CRBRP-ARD--0173)
Conceptual design of a Surveillance and Inservice Inspection System for the primary piping and components, Fast Flux Test Facility. Phase C report, 2773 (RLO--1830-T6)
Current practices for ultrasonic and radiographic examination of tubes, tube plates and tube-plate welds of tube bundles in heat exchangers. Chapter 3, 3342
Data-processing system for instrument maintenance and calibration at EBR-II, 253 (ANL/EBR--063)
Equipment for inspection of austenitic stainless steel pipe welds, 1656 (HEDL-SA--1932)
First mechanized in-service inspection of EBR-II steam generator, 59 (ANL--77-46)
High quality tube-to-tubesheet joints - when, where and why, 2783 (SAN--0824-027-T1)
High temperature penetrant procedure for liquid metal pipe welds, 1540 (HEDL-SA--1501-FP)
Improvements to the maintainability and inspection of liquid metal systems. Volume 1. Overall study results, 1300 (GEFR--00405(Vol.1))
Improvements to the maintainability and inspection of liquid metal systems. Volume 2. Plant layout improvements, 1301 (GEFR--00405(Vol.2))
In-service inspection for ''Monju'', 2053 (IWGFR--10)
In-service inspection and monitoring of LMFBR in France, 2055 (IWGFR--10)
In-service inspection at the SNR 300 with the range of reactor vessel, 2059 (IWGFR--10)
In sodium materials monitoring for LMFBR, 2048 (IWGFR--10)
Initial acceptance test experience with FFTF plant equipment, 1574 (HEDL-SA--1588)
Inservice inspection of PFR secondary heat exchangers, 995 (CSNI-R--14)
Inspection of boiler tubes: status and plans, 2638

(ORNL/TM--6081)
Inspection requirements and concepts for LMFBR heat exchangers and pump. A manufacturers view, 2654 (IWGFR--16)
Method of assessing the impact of metallurgical noise and its reduction in ultrasonic testing of austenitic welds, 1413 (GEFR-SP--164)
Nondestructive testing development program. Quarterly progress report for period ending March 31, 1978, 2566 (ORNL--5417)
Nondestructive Testing Development Program. Quarterly progress report for period ending September 30, 1978, 2576 (ORNL--5490)
Progress outline under-sodium viewing, 1433 (HEDL--6232)
Proposal for in-service inspection and monitoring of selected components located within or part of the primary containment of sodium cooled fast reactors, 2650 (IWGFR--10)
Prototype Large Breeder Reactor: Phase II follow-on final report, 2916 (TID--26251)
Radiographic and ultrasonic inspection of an austenitic pump barrel, 2658 (IWGFR--10)
Review of the proceedings of the 8th world NDT conference, Annes, September 1976, 996 (CSNI-R--14)
Safety design of SNR-300; 388 (CONF-761001--P1)
Second mechanized in-service inspection of EBR-II steam generator, 138 (ANL--78-86)
Studies in non-destructive testing with potential for in-service inspection of LMFBRs, 2660 (IWGFR--10)
Ultrasonic techniques for in-service inspection of austenitic stainless steel welds at 200°C, 1560 (HEDL-SA--1546)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2672 (ORNL/TM--6679/R1)
INSTRUMENTS (MEASURING)
See MEASURING INSTRUMENTS
INSULATION (THERMAL)
See THERMAL INSULATION
INTEGRATED COOLING SYSTEMS/AFTER-HEAT REMOVAL
Fast neutron reactor (Patent), 5191
INTERNATIONAL ATOMIC ENERGY AGENCY
See IAEA
IODEX PROCESS
See IODOX PROCESS
IODIC ACID/STABILITY
Stability of iodic acid under Iodox interim storage conditions, 2648 (ORNL/TM--6287)
IODOX PROCESS/PERFORMANCE
Stability of iodic acid under Iodox interim storage conditions (LMFBR), 2648 (ORNL/TM--6287)
IODOX PROCESS/RESEARCH PROGRAMS
Advanced fuel recycle program progress report, July 1--September 30, 1977, 2635 (ORNL/TM--6092)
Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs, 2625 (ORNL/TM--5865/V5)
IONIZATION CHAMBERS
See also BORON COATED ION CHAMBERS
FISSION CHAMBERS
IONIZATION CHAMBERS/PERFORMANCE TESTING
Analysis of ZPPR-5 source level flux monitor experiments, 2536 (ORNL--5314)
IRON
See also FERRITE
IRON/FRICTION
Tribological behaviour of materials for use in sodium cooled fast breeder steam generator applications, 4176
IRON/NEUTRON SPECTRA
Integral data for the prediction of neutron propagation in iron--sodium mixtures, 4899
Two-dimensional shielding benchmarks for sodium and iron at Yayoi, 4501
IRON/NEUTRON TRANSPORT
Analysis of neutron propagation experiments in iron-sodium mixtures with the PROPANE calculational scheme for fast reactors, 1863 (IAEA--207)
Results of neutron-propagation experiments performed in iron-sodium mixtures using the source reactor HARMONIE and TAPIRO, 1862 (IAEA--207)
Two-dimensional shielding benchmarks for iron at YAYOI (I), 1864 (IAEA--207)
IRON ALLOYS
See also IRON BASE ALLOYS
IRON ALLOYS/ELASTICITY
Stress-strain behavior of ERNiCr-3 weld filler metal under strain controlled cyclic loading, 2642 (ORNL/TM--6128)
IRON ALLOYS/PHYSICAL RADIATION EFFECTS
Applications of simulation experiments in LMFBR core materials technology, 377 (CONF-760673--)
IRON BASE ALLOYS
See also STEELS
IRON BASE ALLOYS/CORROSION RESISTANCE
Improvement to high temperature alloys (Patent; LMFBR), 5367
IRON BASE ALLOYS/CREEP
Creep and stress-rupture behavior under internal pressure of tubes made from austenitic stainless steel X8 Cr Ni Mo Nb 1616 (Material No. 1.4981), 2206 (KFK--2772)
IRON BASE ALLOYS/FABRICATION
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
Improvement to high temperature alloys (Patent; LMFBR), 5367
IRON BASE ALLOYS/PHYSICAL RADIATION EFFECTS
Creep behavior of OX16H15M3B steel and comparison with AISI 316, 1666 (HEDL-SA--1983)
EBR-II and FFTF irradiation experiments, 1664 (HEDL-SA--1983)
Improvement to high temperature alloys (Patent; LMFBR), 5367
IRON BASE ALLOYS/SOLVENT PROPERTIES
Electro- and thermotransport of carbon in iron-nickel alloys, 2014 (IS-T--887)
IRON BASE ALLOYS/TENSILE PROPERTIES
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
IRRADIATION CAPSULES/REMOTE HANDLING
System for extracting and inserting an irradiation capsule into a fuel assembly (Patent; LMFBR), 5347
IRRADIATION DEVICES/FISSION YIELD
Fission-rate measurements by activation techniques: methods, accuracies and applications (Development program), 1185 (EUR--5667(Pt.1))
IRRADIATION DEVICES/SPECIFICATIONS
Device of irradiation and measurement of fuel elements for nuclear reactors (Patent), 5388
IRRADIATION PLANTS/COST
Pre-irradiation concept description and cost assessment (LMFBR), 1295 (GEFR--00402(Vol.1))
IRRADIATION PLANTS/SPECIFICATIONS
Pre-irradiation concept description and cost assessment (LMFBR), 1295 (GEFR--00402(Vol.1))
IRRADIATION REACTORS
(For isotope production and irradiation purposes; for producing fissile materials see PRODUCTION REACTORS.)
IRRADIATION REACTORS/DESIGN
Pre-irradiation concept description and cost assessment (Advanced LMFBR core design program), 1296 (GEFR--00402(Vol.2))
Pre-irradiation concept description and cost assessment (Advanced LMFBR core design program), 1297 (GEFR--00402(Vol.3))
ISOTOPE SEPARATION PLANTS/FISSION PRODUCT RELEASE
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
ITALY/LMFBR TYPE REACTORS
Design, R and D, and manufacture of the components of secondary circuits for fast sodium power plant, 4077
Future plans for the design and construction of fast reactor power stations, 4081
Future plans for the design and construction of fast reactor power stations in Italy, 4084
International fast breeder reactor development, 81 (ANL--77-XX-62)
Past and present role of fast breeder reactors in Italy, 4056
Past and present role of fast breeder reactors, 4057
Review of fast reactor activities in Italy, April 1977, 2089 (IWGFR--18)
Sodium components cleaning status in the Italian fast reactor program, 2124 (IWGFR--23)
Some considerations on fast breeder reactor penetration in Italy, 5262

J

JAERI
(Japanese Atomic Energy Research Institute.)
JAERI/NUCLEAR ENGINEERING
Reactor Engineering Division annual report. (April 1, 1976 - March 31, 1977), 2140 (JAERI-M--7291)
JAPAN/ENERGY POLICY
Report of the Experts' Committee on Advanced Power Reactor Development on measures of the development, 5163
JAPAN/HWLWR TYPE REACTORS
Reactor physics activities relevant to FBR and ATR programs in PNC, Japan, November 1978-September 1979, 2151 (JAPFNR--472)
JAPAN/JATR REACTOR
Revision of the second basic plans of power reactor development in Power Reactor and Nuclear Fuel Development Corporation, 3554
JAPAN/LMFBR TYPE REACTORS
Experience and future plan of fast reactor oxide fuels irradiation in Japan, 4826
Fast breeder reactor development in Japan. Progress report, July--September 1977, 3688 (JAPFNR--317)
Fast breeder reactor development in Japan. Progress report, October-December 1978, 3230 (JAPFNR--458)
Future plans for the design and construction of fast reactor power stations, 4081
Future plans for the design and construction of fast reactor power stations in Japan, 4085
International fast breeder reactor development, 81 (ANL--77-XX-62)
Japanese development program for advanced LMFBR fuels, 4822
Past and present role of fast breeder reactors in Japan, 4051
Past and present role of fast breeder reactors, 4057

Progress report on Fast Breeder Reactor development in Japan, January--March 1978, 3460 (JAPFNR--336)
Progress report on fast breeder reactor development in Japan, July-September 1978, 3258 (JAPFNR--460)
Reactor physics activities relevant to FBR and ATR programs in PNC, Japan, November 1978-September 1979, 2151 (JAPFNR--472)
Review of fast reactor progress in Japan, March 1976, 2082 (IWCFR--12)
Review of fast reactor progress in Japan, 2091 (IWCFR--18)
Revision of the second basic plans of power reactor development in Power Reactor and Nuclear Fuel Development Corporation, 3554
Study of the commercial fast breeder reactor in Japan, 5287

JAPAN/NUCLEAR POWER
Key issues of nuclear power R and D in Japan, 3421
Long-term atomic energy research, development and utilization program formulated, 3467
Proposed strategy for power reactor development lets P.N.C. down, 5179
Report of the Experts' Committee on Advanced Power Reactor Development on measures of the development, 5163

JAPAN ATOMIC ENERGY RESEARCH INSTITUTE
See JAERI

JAPAN ATR FUGEN
See JATR REACTOR

JAPAN FAST EXPERIMENTAL BREEDER REACTOR
See JOYO REACTOR

JAPANESE ATOMIC ENERGY RESEARCH INSTITUTE
See JAERI

JATR REACTOR
Revision of the second basic plans of power reactor development in Power Reactor and Nuclear Fuel Development Corporation, 3554

JFER REACTOR
See JOYO REACTOR

JOYO REACTOR/CONSTRUCTION
Progress report on fast breeder reactor development in Japan, October--December 1976, 4581 (JAPFNR--260)
Progress report on fast breeder reactor development in Japan. October 1975--January 1976, 2735 (PNC-N--251-76-26)

JOYO REACTOR/DESIGN
Fast breeder reactor development in Japan. Progress report, October--December 1977, 3526 (JAPFNR--316)
Progress report on fast breeder reactor development in Japan, April--June 1978, 2147 (JAPFNR--425)

JOYO REACTOR/FUEL PINS
PNC irradiation programs, 2024 (IWGFR--5)

JOYO REACTOR/MECHANICAL VIBRATIONS
Flow induced vibration studies for LMFBR in Japan: past and recent studies of FIV for JOYO and MONJU, 2102 (IWCFR--21)

JOYO REACTOR/NUCLEAR FUELS
Remote fabrication of FBR fuel at PNC, 3144

JOYO REACTOR/REACTOR COMPONENTS
Development of fast reactors and studies on materials, 4516
Experience on sodium removal from various components, 3817 (JAPFNR--319)
Experience on sodium removal from various components, 2127 (IWGFR--23)
Reactor system components of Japan's fast breeder reactors, 5283
Short review of sodium removal experience in PNC, 2119 (IWGFR--23)

JOYO REACTOR/REACTOR COOLING SYSTEMS
LMFBR coolant system components development in Japan, 5281

JOYO REACTOR/REACTOR MAINTENANCE
Experience on sodium removal from various components, 2127 (IWGFR--23)

JOYO REACTOR/RESEARCH PROGRAMS
Progress report on fast breeder reactor development in Japan, October - December 1977, 2736 (PNC-N--251-78-02)
Project of developing fast breeder reactors in Japan, 4207

JOYO REACTOR/SPECIFICATIONS
Past and present role of fast breeder reactors in Japan, 4051

K

KALKAR POWER REACTOR
See SNR-1 REACTOR

KALPAKKAM LMFBR REACTOR/ELECTRIC CABLES
Development of leak-proof cables for simplifying cable penetrations across reactor containment building, 5129

KALPAKKAM LMFBR REACTOR/POWER SUPPLIES
Power supply for control and instrumentation in Fast Breeder Test Reactor, 5128

KALPAKKAM LMFBR REACTOR/SEALS
Development of leak-proof cables for simplifying cable penetrations across reactor containment building, 5129

KARLSRUHE NUCLEAR RESEARCH CENTER
See KERNFORSCHUNGSZENTRUM KARLSRUHE

KARLSRUHE RESEARCH REACTOR FR-2
See FR-2 REACTOR

KERNFORSCHUNGSZENTRUM KARLSRUHE/LMFBR TYPE REACTORS
Status of the post accident heat removal program at GfK for fast breeder reactors, 84 (ANL--78-10)

KERNFORSCHUNGSZENTRUM KARLSRUHE/TEST FACILITIES
Experience with cleaning of sodium-wetted components and decontamination at Nuclear Research Centre Karlsruhe, 2115 (IWGFR--23)

KNK REACTOR/DECONTAMINATION
Status of sodium removal and component decontamination teechnology in the SNR program, 2112 (IWGFR--23)

KNK REACTOR/FUEL ELEMENT CLUSTERS
Indication of a coolant blockage in a fuel element of a sodium-cooled reactor by temperature fluctuation measurements with steel--sodium thermocouples, 409 (CONF-761001--P2)

KNK REACTOR/FUEL RODS
Technology of the production of breeder fuel elements, 2171 (KFK--2416)

KNK REACTOR/REACTOR COMPONENTS
Status of sodium removal and component decontamination teechnology in the SNR program, 2112 (IWGFR--23)

KNK REACTOR/REACTOR NOISE
Neutron noise analysis for malfunction diagnosis at sodium cooled reactors, 2197 (KFK--2589)

KNK REACTOR/REACTOR PROTECTION SYSTEMS
Shutdown systems of KNK and SNR 300, 4059

KNK REACTOR/REACTOR SHUTDOWN
Shutdown systers of KNK and SNR 300, 4059

KNK-2 REACTOR/FLOW BLOCKAGE
Sodium boiling experiments in a 7-pin bundle: investigations into some safety aspects of the KNK II driver zone, 4393

KNK-2 REACTOR/REACTOR CHANNELS
Recent KfK work on irradiation techniques for fast reactors, 4213

KNK-2 REACTOR/REACTOR CORES
DDT - a 3-dimensional program for the analysis of bowed reactor cores, 5036

KNK-2 REACTOR/REACTOR SAFETY
KNK-II safety test programme, 3912

KNK-2 REACTOR/RESEARCH PROGRAMS
Irradiation programme KNK II, 4902
KNK II - an experimental power station equipped with a fast core, 3315

KOMPAKTE NATRIUMGEKUEHLTE REAKTOR
See KNK REACTOR

KRITO CRITICAL ASSEMBLY
See STEK REACTOR

L

LAMPRE-1 REACTOR/REACTOR OPERATION
Fast reactor operation in the United States, 673 (CONF-780407--6)

LAND USE
Preliminary comparative assessment of land use for the satellite power system (SPS) and alternative electric energy technologies, 1001 (DOE/ER--0054)

LASER FUSION REACTORS/COMPARATIVE EVALUATIONS
Laser driven fusion fission hybrids, 2947 (UCRL--79653(Rev.1))

LASERS
Laser microsampling method for determination of retained fission gas in irradiated nuclear fuels, 159 (ANL--79-86)

LATTICES (REACTOR)
See REACTOR LATTICES

LEAK DETECTORS
Acoustic leak detection-location. Quarterly technial progress report, January--March 1979 (LMFBR), 1157 (ESG-DOE--13275)
Arrangement for leak detection (Patent), 4578
Detection system of sodium oxide vapors (Patent), 5247
Development of leak detection systems for LMFBR steam generators in the U.S., 703 (CONF-781001--P1)
Dual construction device having a mechanism for detecting leakage of sodium (Patent), 5329
Extremely sensible method and device for detecting metallic vapors (Patent; LMFBR type reactors), 5202
Leak detector of liquid sodium (Patent), 5340
Method for heat exchanger leak detection in a liquid metal cooled nuclear reactor (Patent), 4597
Procedure and circuit arrangement for leak detection (Patent), 4575
Sensor for ionizable elements (Patent; LMFBR), 4471
Sodium leak detector (Patent), 5160
Sodium leak detection, 2791 (SAN--0824-78)
Technique for detecting liquid metal leaks (Patent), 3304

LEAK DETECTORS/ACOUSTIC MONITORING
Acoustic leak detection system concept design, 1265 (GEFR--00340)

LEAK DETECTORS/CALIBRATION
Calibration system for hydrogen meters in sodium (LMFBR), 4656
Sodium ion leak detector. Quarterly technical progress report, January 1-April 1, 1978 (LMFBR), 945 (COO--4197-T1)
Sodium ion leak detector. Quarterly technical progress report, April 1-July 1, 1978 (LMFBR), 946 (COO--4197-T2)
Sodium ion leak detector. First annual technical

progress report, January 1-December 31, 1977 (LMFBR), 547 (COO--4157-T3)
LEAK DETECTORS/COMPARATIVE EVALUATIONS
Investigation and rating of sodium-to-gas leak detection techniques (LMFBR), 2794 (SAN--0824-T11)
LEAK DETECTORS/DESIGN
Abnormal condition detector of a reactor container (Patent; LMFBR), 5182
Development of leak detection systems for LMFBR steam generators in the U.S., 984 (CRBRP-GEFR-SP--040)
Method and apparatus for locating a defective tube of a liquid metal-to-water tube type heat exchanger (Patent), 4326
Sodium leak detector (Patent; LMFBR), 5216
Sodium leak detector (Patent), 5175
LEAK DETECTORS/FAILURES
Evaluation of heat transfer tube failure propagation due to sodium-water reaction in steam generator, 3782
LEAK DETECTORS/PERFORMANCE
Accident alarm in steam generators of sodium cooled fast reactor power plants. I. Testing the function of an ion pump pH-meter on simulated water penetration in liquid sodium, 4360
Interim report: leak detection test activities on the General Electric Steam Generator Test Rig (SGTR) (LMFBR), 1294 (GEFR--00400)
Leak detection of steam or water into sodium in steam generators of liquid-metal fast breeder reactors, 4881
LEAK DETECTORS/PERFORMANCE TESTING
Acoustic leak detection/location system for sodium heated steam generators, 1424 (GEFR-SP--212)
Development testing of leak injection devices for use in testing sodium-water leak detection modules, 4372
Leak detection response time characterization and optimization test analysis (LMFBR), 2788 (SAN--0824-T5)
Natural convection: sodium leak detection tests (LMFBR), 2786 (SAN--0824-T3)
Small pipe - natural convection - sodium leak detection tests (LMFBR), 2785 (SAN--0824-T6)
Sodium ionization detector response to extraneous materials (LMFBR), 1175 (ETEC--78-18)
Sodium ion leak detector: Quarterly technical progress report, January 1-April 1, 1978 (LMFBR), 945 (COO--4197-T1)
Sodium ion leak detector: Quarterly technical progress report, April 1-July 1, 1978 (LMFBR), 946 (COO--4197-T2)
Sodium-to-gas leak detection mockup tests (LMFBR), 2792 (SAN--0824-T5)
Test report: sodium-to-gas leak detection system screening tests (LMFBR), 2795 (SAN--0824-T12)
Testing of steam generator leak detectors on the high pressure test loop: interim report (LMFBR), 240 (ANL-CT--79-18)
LEAK DETECTORS/SPECIFICATIONS
Acoustic leak detection/location system for sodium heated steam generators, 1424 (GEFR-SP--212)
Investigation and rating of sodium-to-gas leak detection techniques (LMFBR), 2794 (SAN--0824-T11)
LEAKAGE
See LEAKS
LEAKS/PLUGGING
Improvements in or relating to the blocking of micropores in a structure (Patent, LMFBR), 4253
LETTUCE/BIOLOGICAL RADIATION EFFECTS
Experimental study of the consequences of accidental sodium release in the form of peroxide aerosols on the tomato and the lettuce; 4814
LETTUCE/CHEMICAL RADIATION EFFECTS
Experimental study of the consequences of accidental sodium release in the form of peroxide aerosols on the tomato and the lettuce; 4814
LEVEL INDICATORS
Improvements to level indicators for liquid metals (Patent), 5186
LEVEL INDICATORS/DESIGN
Mathematical model of an inductive type sodium level meter and some applications, 5317
LEVEL INDICATORS/ERRORS
Errors in measuring level and density with purged dip tubes, 2634 (ORNL/TM--5995)
LEVEL INDICATORS/PERFORMANCE TESTING
Liquid metal level measurement systems for reactor service, 1517 (HEDL-SA--1442)
LEVEL INDICATORS/SHIELDING
Radiation shields (Patent; LMFBR), 3306
LIGHT WATER BREEDER REACTORS
See LWBR TYPE REACTORS
LINERS/DEFORMATION
High Temperature Liner Feature Test, FT-3 (LMFBR), 1793 (HEDL-TME--77-102)
Thermoelastic buckling of plates in a cylindrical geometry against an elastic back support (LMFBR), 1670 (HEDL-SA--2066-FP)
LINERS/PERFORMANCE TESTING
Experimental evaluation of cell liners (LMFBR), 1536 (HEDL-SA--1494)
LINERS/PRESSURE GRADIENTS
Vapor transport and pressure rise behind the liner of reactor containments, 5034
LINERS/THERMAL STRESSES
Fatigue damage analysis procedure for thermal liners subjected to random thermal fluctuations, 1968 (INIS-mf--4543)
High Temperature Liner Feature Test, FT-3 (LMFBR), 1793 (HEDL-TME--77-102)
LINERS/THERMOELASTICITY
Thermoelastic buckling of plates in a cylindrical geometry against an elastic back support (LMFBR), 1670 (HEDL-SA--2066-FP)
LIQUID METAL FAST BREEDER REACTORS
See LMFBR TYPE REACTORS
LIQUID METAL TEST FACILITIES
See TEST FACILITIES
LIQUID METALS/CORROSIVE EFFECTS
Corrosion by liquid metals - Application to liquid sodium, 342 (CEA-BIB--226)
Sodium corrosion of wear resistant cobalt alloys (STELLITE), 3818
LIQUID METALS/DESIGN
Improvements in or relating to sensors for monitoring the electrical conductivity of electrically conductive fluids (Patent, LMFBR), 4290
LIQUID METALS/EVAPORATION
Natural evaporation of sodium under the conditions of mist formation (LMFBR), 4519
LIQUID METALS/FLOWMETERS
Analytical solution of some problems related with electromagnetic method of velocity measurement in complex channels, 1214 (FEI--622)
LIQUID METALS/LEVEL INDICATORS
Liquid metal level measurement systems for reactor service, 1517 (HEDL-SA--1442)
LIQUID METALS/MANUALS
Sodium-NaK engineering handbook. Volume III. Sodium systems, safety, handling, and instrumentation, 3899
LIQUID METALS/TEMPERATURE MONITORING
Improvements in or relating to sensors for monitoring the electrical conductivity of electrically conductive fluids (Patent, LMFBR), 4290
LIQUID METAL-WATER REACTIONS
See MOLTEN METAL-WATER REACTIONS
LIQUID-METAL MHD GENERATORS/SYSTEMS ANALYSIS
Investigation of two-phase liquid-metal magnetohydrodynamic power systems, 5301
LITHIUM/CORROSIVE EFFECTS
Corrosion resistance of alloys of the niobium-zirconium-oxygen system in molten lithium, 4417
LITHIUM-SULFUR BATTERIES/RESEARCH PROGRAMS
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
LMFBR TYPE REACTORS
See also BELOYARSK-3 REACTOR
BN-1600 REACTOR
BN-350 REACTOR
BOR-60 REACTOR
CLINCH RIVER BREEDER REACTOR
EBR-1 REACTOR
EBR-2 REACTOR
ENRICO FERMI-1 REACTOR
KALPAKKAM LMFBR REACTOR
PHENIX REACTOR
SBR-5 REACTOR
SNR-1 REACTOR
SNR-2 REACTOR
SUPER PHENIX REACTOR
Breeder reactor development: progress in Europe and Japan, discussion on principles in the USA, 4460
Comparison of fuel pin deformations with pressurized tube creep tests, 4248
Crack initiation and propagation as a consequence of thermal shock, 5025
Creep behaviour of 2 1/4Cr1MoNiNb steel, 4178
Critical technical issues: large LMFBR plant, 4189
Development of filtering devices for chemical aggressive aerosols, 2205 (KFK--2762)
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1066 (EPRI-NP--645-SY(Vol.1))
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1067 (EPRI-NP--645(Vol.2))
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report, 1068 (EPRI-NP--645(Vol.2)(App.))
Engineering aspects of the pool type LMFBR, 1000 MWe. Final report (Balance-of-plant), 1069 (EPRI-NP--645(Vol.3))
Experimental determination of cladding temperature fields in the critical regions of rod bundles with turbulent sodium flow and comparison with calculations, 4168
Fast breeder reactor development program in France. Outlook for practical utilization, 4163
Fragmentation of uo$sub 2$ and uc drops entering a sodium pool, 4171
Future of the breeder in the U.S., 860 (CONF-7706130--)
Heat transfer in reactor safety, 4174
Improvement to high temperature alloys, 5367
Instability analysis of elbows in the plastic range, 5116
International scene, 4925
Liquid metal cooled reactor (Patent), 5205
Liquid metal fast breeder reactors, 3395
LMFBR: logic and technology, 623 (CONF-771203--)
LMFBRs: where do we go from here, 861 (CONF-7706130--)
Low-temperature pool-type large breeder, 4190
Meeting U.S. electrical needs: is the breeder urgent, 624 (CONF-771203--)
Microstructural aspects of nuclear fuel, 5018

Nuclear reactor (Patent; Integrated pool-type), 3708
Nuclear reactor (Patent); 3563
Programme and status of the development of the fast breeder reactor systes in France, 4904
Revision of the second basic plans of power reactor development in Power Reactor and Nuclear Fuel Development Corporation, 3554
Sodium natural convection from a vertical plate, 4169
Study of the commercial fast breeder reactor in Japan, 5287
Study of transient, buoyancy-induced flow stratification relevant to the primary pool of a liquid-metal-cooled fast breeder reactor, 4170
Technical concept of the breeder nuclear power station and its realization in the FRG, 3479
US breeder reactor programme, 4340
US utilities argue for the breeder and reprocessing, 4486
Vapor transport and pressure rise behind the liner of reactor containments, 5034
Vibrational analysis of the SUPER PHENIX internal shells, 5079
West German perspective on the need for the plutonium-fueled LMFBR, 3133
What will the fast breeder bring us. As an important interlude, nuclear power utilization may be prolonged by fast breeders: but it may also end as a catastrophe, 4344
Why the breeder reactor is inevitable, 4378

LMFBR TYPE REACTORS/ACOUSTIC MONITORING
Assessment of the performance of a conceptual accoustic surveillance system for anomalous events in LMFBRs, 601 (CONF-771023--13)
High-temperature accoustic transducers of sound pressure based on lithium niobate piezoelements, 1208 (FEI--536)
High-temperature accoustic detector, 5140
Magnetostrictive probe (Patent), 4674

LMFBR TYPE REACTORS/ACTIVITY LEVELS
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)

LMFBR TYPE REACTORS/AFTER-HEAT
Experimental determination of decay power in EBR-II, 3978

LMFBR TYPE REACTORS/AFTER-HEAT REMOVAL
Assessment of debris transport methods in horizontal LMFBR piping for PAHR conditions, 3025 (WARD-SR--3045-9)
Autonomous device for after-heat removal from a sodium cooled fast neutron reactor (French patent application), 4332 (ANL-Trans--1106)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop, 756 (CONF-790239--1)
CORTRAN code for temperature predictions in an LMFBR during a natural circulation transient, 2756 (PNL-SA--7521)
Establishment of buoyancy-induced natural circulation in loop-type LMFBRs, 3666
Experimental study of the transition from forced to natural circulation in EBR-II at low power and flow, 805 (CONF-790808--18)
Interaction of heat-generating molten uranium dioxide with magnesia brick, 4674
LMFBR fuel analysis. Task C: Reliability aspects of LMFBRs. Final report, October 1, 1976--September 30, 1977, 2378 (NUREG/CR--0013)
Nuclear power plant with improved arrangements for the removal of post fission and emergency heating (Patent), 4288
Onset of thermal convection in a fluid-saturated porous layer with heat source, 4672
Optimisation of reactor design for natural circulation decay heat removal in a pool-type LMFBR, 4110
Post-scram LMFBR heat transport syster dynamics, 3337
SAS3D analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 838 (CONF-791103--92)
Sizing of decay heat rejection loops for LMFBRs, 4103
Sodium boiling experiments in natural convection with a thermal power equal to the decay heat, 3915
Study of transient and permanent flow in the event of natural convection in a confined environment, 1221 (FRAC-TH--783)

LMFBR TYPE REACTORS/AIR CLEANING SYSTEMS
Application of acoustic agglomerators for emergency use in LMFBR plants, 4665
Performance of a wet cell washer for sodium fire aerosols, 688 (CONF-780819--P2)
Recent aerosol tests in the Containment Systems Test Facility, 1595 (HEDL-SA--1686)
Separation of krypton and xenon from reactor atmospheres by selective permeation. Final report, 940 (COO--3536-13)

LMFBR TYPE REACTORS/AIR CONDITIONING
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XIII: balance of plant - evaluation of pool-related areas. Final report, 1116 (EPRI-NP--1014(Vol.11))

LMFBR TYPE REACTORS/AIR FILTERS
Facility of aerosol filtration (Patent), 5387
Filtration of sodium fire aerosols, 4762
High efficiency filtration of liquid-metal-generated aerosols, 4661
Nucleation and capture of condensible airborne contaminants in an aqueous scrubbing system, 1825 (HEDL-TME--78-82)
Sand filters as high efficiency aerosol filters in nuclear plants, 4600

LMFBR TYPE REACTORS/ATWS
Anticipated transients without scram for light water reactors: implications for liquid metal fast breeder reactors, 2760 (RAND/N--1188-DOE)
Feedback control systems for non-linear simulation of operational transients in LMFBRs, 329 (ENL-NUREG--26572)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)

LMFBR TYPE REACTORS/AUXILIARY SYSTEMS
Impact of building design on auxiliary liquid metal piping, 3151
Large pool LMFBR design. Volume 2. Balance of plant. Final report, 1125 (EPRI-NP--1016(Vol.2))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part V. Auxiliary systems. Part VI. Research and development needs, final report, 1076 (EPRI-NP--646(Vol.6))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VI: reactor auxiliary systems. Part VII: instrumentation and control, 1091 (EPRI-NP--882(Vol.5))
Pool-type LMFBR Plant 1000 MWe phase a-extension-1 design. Part I. Executive summary. Interim report, 1086 (EPRI-NP--882-SY(Vol.1))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part VI: auxiliary systems; Part VII: plant control and instrumentation; Part VIII: seismic analysis. Final report, 1112 (EPRI-NP--1014(Vol.7))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XII: balance of plant--plant description. Final report, 1114 (EPRI-NP--1014(Vol.9))

LMFBR TYPE REACTORS/AVAILABILITY
LMFBR pool plant: 1000 MWe. Volume 2. NSSS plant description. Final report, 1119 (EPRI-NP--1015(Vol.2)

LMFBR TYPE REACTORS/BACKGROUND NOISE
Acoustic background noise of a liquid metal fast breeder reactor, 3134

LMFBR TYPE REACTORS/BAFFLES
Horizontal baffle for nuclear reactors (Patent), 3759

LMFBR TYPE REACTORS/BEARINGS
Liquid metal bearings technology for large, high-temperature, sodium rotating machinery. Development and test of high-temperature proximity probe for use in liquid sodium. Fourth topical report, 2474 (NYO--3930-11)

LMFBR TYPE REACTORS/BELLOWS
Research and development needs to develop design tools for prediction of creep instability of flexible piping joints, 1152 (ESG-DOE--13268)
Simplified design methods for bellows, 1151 (ESG-DOE--13267)

LMFBR TYPE REACTORS/BIBLIOGRAPHIES
Liquid metal fast breeder reactors. A bibliography, January--December 1977, 2903 (TID--3333-S5)
LMFBR safety. 5. Review of current issues and bibliography of literature (1975--1976), 2598 (ORNL/NUREG/NSIC--139)

LMFBR TYPE REACTORS/BILATERAL AGREEMENTS
Breeder development and Franco-German cooperation, 3440

LMFBR TYPE REACTORS/BINARY ALLOY SYSTEMS
Method and apparatus of stabilizing metallic sodium (Patent), 5144

LMFBR TYPE REACTORS/BOILING
Numerical simulation of the two-dimensional boiling (voiding) in LMFBR subassemblies, 511 (CONF-761001--P4)

LMFBR TYPE REACTORS/BOILING DETECTION
Acoustic emission in subcooled nucleate pool boiling, 4510
Boiling detection in fast reactors by noise analysis studies performed in France, 5013
Designs for in-reactor sodium boiling detection and generation, 407 (CONF-761001--P2)
Detection of sodium vapor bubble collapse in a liquid metal fast breeder reactor, 5009
Detection of local boiling in an LMFBR subassembly by temperature fluctuations analysis at the outlet, 5012
Detection of acoustic emission events in the presence of parasitic noise, 5017
Device for tuning the acoustic control system to detect liquid-metal coolant boiling, 5445

LMFBR TYPE REACTORS/BORON COATED ION CHAMBERS
Fast reactor fluence dosimetry. Technical progress report, June--December 1977, 19 (AI-DOE--13209)

LMFBR TYPE REACTORS/BREEDING BLANKETS
Blanket assembly flow regulating device, 3218
Bouyancy effects on sodium coolant temperature profiles measured in an electrically heated mock-up of a 61-rod breeder reactor blanket assembly, 2928 (TID--28746)
Buoyancy effects on sodium coolant temperature profiles measured in an electrically heated mock-up of a 61-rod breeder reactor blanket assembly, 4049
Comparative breeding potential of ^{232}Th and ^{238}U in LMFBR blankets, 3933
Fast Breeder Blanket Facility (FBBF). Quarterly progress report, July 1, 1977--September 30, 1977. PNE-77-120, 934 (COO--2826-5)
Fast Breeder Blanket Facility (FBBF). Quarterly progress report, April 1, 1977--June 30, 1977, 933 (COO--2826-4)
Fast Breeder Blanket Facility (FBBF). Annual report,

January 31, 1976--December 31, 1977, 935 (COO--2826-7)
Fast Breeder Blanket Facility. Quarterly progress report, January 1, 1978--March 31, 1978, 936 (COO--2826-8)
Flow split measurements in LMFBR blanket assemblies, 873 (COO--2245-41TR)
Interfacial effects in fast reactors, 908 (COO--2250-37)
MIT LMFBR blanket research project. Quarterly progress report, April 1, 1977--June 30, 1977, 902 (COO--2250-29)
MIT LMFBR blanket research project. Quarterly progress report, July 1, 1977--September 30, 1977, 903 (COO--2250-30)
MIT LMFBR blanket physics project progress report No. 7, July 1, 1975--September 30, 1976, 901 (COO--2250-28)
MIT LMFBR Blanket Research Project. Quarterly progress report, October 1, 1977--December 31, 1977, 904 (COO--2250-31)
MIT LMFBR Blanket Research Project. Quarterly progress report, January 1, 1978--March 31, 1978, 905 (COO--2250-32)
MIT LMFBR blanket research project. Quarterly progress report, January 1, 1979--March 31, 1979, 907 (COO--2250-36)
MIT LMFBR blanket research project. Quarterly progress report, April 1-June 30, 1979, 909 (COO--2250-38)
Nuclear reactor with self-orificing radial blanket (Patent), 3764
Optimization study of LMFBR with thorium-blanket for the supply of U-233 to multi-purpose HTGR, 4134
PUMA: a technique for LMFBR blanket fuel management analysis, 3525
Radial blanket design and development. Quarterly progress report for period ending May 31, 1977, 3004 (WARD-RB--3045-19)
Radial blanket design and development. Quarterly progress report for period ending August 31, 1977, 3005 (WARD-RB--3045-21)
Radial blanket design and development quarterly progress report for period ending November 30, 1977, 3006 (WARD-RB--3045-22)
Radial blanket design and development. Quarterly progress report for period ending February 28, 1978, 3007 (WARD-RB--3045-24)
Radial blanket design and development. Quarterly progress report for period ending November 30, 1978, 3010 (WARD-RB--3045-31)
Radial blanket design and development. Quarterly progress report for period ending May 31, 1978, 3008 (WARD-RB--3045-29)
Radial blanket design and development. Quarterly progress report for period ending August 31, 1978, 3009 (WARD-RB--3045-30)
Radial blanket design and development. Quarterly progress report for period ending February 28, 1979, 3011 (WARD-RB--94000-1)
Simple representations of spectrum-averaged cross sections in LMFBR blankets, 3932
Simple representations of spectrum averaged cross sections in LMFBR blankets, 913 (COO--2458-22)
Use of thorium in LMFBR blankets, 4710
WARD blanket assembly pre-test predictions by SUPERENERGY, 872 (COO--2245-40TR)
ZPPR assembly 8: a study of thorium blanket zones in a heterogeneous LMFBR, 3535

LMFBR TYPE REACTORS/BREEDING PELLETS
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs. Part IV: impact of a pressure drop constraint on breeding performance and pin diameter optimization in 5000 MWt LMFBRs using sodium bonded carbide fuels, 172 (ANL-AFP--31)

LMFBR TYPE REACTORS/BREEDING RATIO
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs: a preliminary report. Part I. Assumptions, constraints and methodology, 171 (ANL-AFP--30)
Cross section adjustment applied to estimation of uncertainty in the breeding ratio of an LMFBR, 834 (CONF-791058--26)
Effect of Np-239 on fast reactor burnup calculation, 3827
Investigation of accuracy and computation time of a hierarchy of growth rate definitions, 942 (COO--4116-2)
Neutron theory, breeding properties and doubling time in a breeder reactor, 4172
Neutronics calculations with EQUICYCLE version 3 on two heterogeneous LMFBR concepts, 2855 (STUDSVIK-K2--79/90)
Performance of thorium-fueled fast breeders, 3292
Safety and breeding: related aspects of fast reactor cores having internal blankets, 401 (CONF-761001--P2)
Uncertainties in the breeding ratio of a large LMFBR, 671 (CONF-780401--16)

LMFBR TYPE REACTORS/BURNUP
Numerical study of burnup characteristics of 300 MWe LMFBR based on three-dimensional calculation, 3546

LMFBR TYPE REACTORS/CARBON METERS
Continuous method of determining the thermodynamic activity of carbon in sodium, 12 (AERE-R--8020)

LMFBR TYPE REACTORS/CASKS
Energy for the long run: fission or fusion, 3317

LMFBR TYPE REACTORS/CHROMIUM-MOLYBDENUM STEELS
Materials data requirements for the high-temperature structural design of 2 1/4 Cr-1 Mo steel components, 526 (CONF-770545--3)
Metallurgical aspects of the weldability of Cr-Mo stabilized ferritic steels, 348 (CEA-CONF--3987)

LMFBR TYPE REACTORS/CLEANING
Evaporative removal of sodium from reactor components, 3052

LMFBR TYPE REACTORS/CLOSURES
Maintenance system for immersed seals, specifically for nuclear reactors (Patent; LMFBR rotating closure plugs) 4420
System of penetration of a nuclear reactor slab for measurement cables (LMFBR type reactors (Patent)), 5201

LMFBR TYPE REACTORS/COLD TRAPS
Development of cold traps (LMFBR), 5194
Development of cold trap for LMFBR, 3470
Experiments on cold trap regeneration by NaH decomposition, 1030 (DOE/TIC--11039)
Impurity interaction analysis in mesh-packed cold traps, 3806
Meshless cold trap: a performance evaluation, 3594
Meshless cold trap a performance evaluation by test and analysis, 2294 (LMEC--77-6)
Performance analysis of mesh-packed cold traps, 3468
Sodium hydride precipitation in sodium cold traps, 1025 (DOE/TIC--11038)
Turbulent hydraulic penetration from turbulent pipe flow into stagnant columns, 2915 (TID--28198)

LMFBR TYPE REACTORS/COMMERCIALIZATION
Considerations for commercializing the liquid metal fast breeder reactor, 1060 (EMD--77-5)
Proceedings of the workshop on institutional alternatives for LMFBR development and commercialization held at the Mitre Corporation in McLean, Virginia on September 8 and 9, 1976. Final report, 2696 (PB--284227)
Program to establish LMFBR commercialization, 4367
Reprocessing of nuclear fuel and plutonium breeder commercialization: implications of deferral, 2761 (RAND-P--6226)
Risk aversion and energy policy: a case for breeder research and development, 5441

LMFBR TYPE REACTORS/COMPARATIVE EVALUATIONS
Heat utilization of future reactor systems, 4424
Laser driven fusion fission hybrids, 2947 (UCRL--79653(Rev.1))

LMFBR TYPE REACTORS/CONSTRUCTION
1000-MW(e) pool plant LMFBR fabrication and construction, 3959
Large pool LMFBR design. Volume 2. Balance of plant. Final report, 1125 (EPRI-NP--1016(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 2. NSSS plant description. Final report, 1119 (EPRI-NP--1015(Vol.2)
Status of the USSR fast reactor programme as of March 1977, 2088 (IWGFR--18)

LMFBR TYPE REACTORS/CONTAINMENT
ALICE: a hybrid Lagrangian--Eulerian code for containment analysis, 3662
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 567 (CONF-770807--Pt.E)
Application of containment codes to LMFBRs in the United States, 592 (CONF-770817--4)
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 5032
Response of fast reactor primary containments to whole core accident loadings, 1979 (INIS-mf--4592)
REXCO-EUR code - User's manual, 1193 (EUR--5813)
Simulation of LMFBR excursion models by means of ICECO, 5057
Structural dynamics in LMFBR containment analysis. A brief survey of computational methods and codes, 564 (CONF-770807--Pt.E)
structural dynamics in LMFBR containment analysis - a brief survey of computational methods and codes, 5041
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 1978 (INIS-mf--4592)
Transient containment response and inherent retention capability, 4499
Validation of explosion containment codes: analysis of bare rigid models in the COVA programme, 561 (CONF-770807--Pt.E)
Vapor transport and pressure rise behind the liner of reactor containments, 1977 (INIS-mf--4552)

LMFBR TYPE REACTORS/CONTAINMENT BUILDINGS
Analysis and application of prestressed concrete reactor vessels for LMFBR containment, 3542
Analysis of LMFBR containment response to a core-disruptive accident, 3620
Analysis of nonlinear fluid-structure interaction in LMFBR containment, 3544
Behavior of sodium--oxide and uranium--oxide aerosols in a large vessel, 809 (CONF-790816--18)
Containment air cleaning for LMFBRs, 1605 (HEDL-SA--1713-FP)
Design and licensing of a flexible dual-containment approach, 4633
Device for providing a leak-tight penetration for electric cables through a reactor vault roof (Patent; LMFBR), 3265
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Large pool LMFBR design. Volume 2. Balance of plant. Final report, 1125 (EPRI-NP--1016(Vol.2))
LMFBR containment performance studies with a simple

computer code, 4018
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XIII: balance of plant - evaluation of pool-related areas. Final report, 1116 (EPRI-NP--1014(Vol.11))
Preliminary results of CSTF aerosol behavior test, AB-1, 1498 (HEDL-SA--1381)
Process for the continuous control of the seal and strength of the containment of a reactor utilizing said process (Patent; LMFBR), 4266 (ANL-Trans--1111)
Review of containment transients in a 2500 MW/sub t/ sodium cooled breeder reactor following postulated core disruptive accidents, 107 (ANL--78-10)
LMFBR TYPE REACTORS/CONTAINMENT SHELLS
Abnormal condition detector of a reactor container (Patent; LMFBR), 5182
Analysis of dynamically loaded non-linear structures, 3821
Circumferential wave propagation effects in thin cylindrical vessels, 572 (CONF-770807--Pt.E)
Comparison of transient PCRV model test results with analysis, 787 (CONF-790802--49)
Comparison of ALICE predictions with SRI flexible vessel experiments, 3196
Composite containment for nuclear power, 534 (CONF-770807--)
Computer code SEURBNUK-2 for fast reactor containment safety studies, 3897
Heat transfer and thermal losses in above-core regions, 2275 (LA-UR--79-1230)
High Temperature Liner Feature Test, FT-3, 1793 (HEDL-TME--77-102)
Influence of sodium temperature, gamma heating and wall thickness on design strength of SLSF containment vessels, 5102
Intermediate scale sodium-concrete reaction tests, 1791 (HEDL-TME--77-99)
Leakage effects on LMFBR cell liners, 2861 (SAND--78-0742C)
Method of continuous testing for leak-tightness and mechanical resistance of a reactor vessel jacket and a reactor in which said method is employed (Patent; LMFBR), 3786
New Eulerian hydrodynamic technique for analyzing FBR containment with complex internal structures, 3194
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part III: reactor assembly - deck. Part IV: reactor assembly - fabrication, 1085 (EPRI-NP--882(Vol.3))
Sealed Heat access area enclosure (Patent), 3763
Three-dimensional finite-element computations of the transient response of components typical of a reactor structure (SADCAT code), 790 (CONF-790802--52)
LMFBR TYPE REACTORS/CONTAINMENT SYSTEMS
Acoustic and turbulent agglomeration of sodium aerosols. Quarterly progress report, October 1, 1977--December 31, 1977, 931 (COO--2801-8)
Acoustic and turbulent agglomeration of sodium aerosols. Progress report, January 1, 1977--December 31, 1977, 930 (COO--2801-7)
Acoustic and turbulent agglomeration of sodium aerosols. Final report, October 1, 1975--July 31, 1978, 932 (COO--2801-9)
Aerosol behavior during sodium pool fires in a large vessel: CSTF tests AB1 and AB2, 1849 (HEDL-TME--79-28)
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code (MICE code), 552 (CONF-770807--53)
Analysis of LMFBR containment response using a multifield implicit continuous-fluid Eulerian code (MICE), 3539
Analytical validation of the CACECO containment analysis code, 1840 (HEDL-TME--79-2)
Analyzing containment leakage from a sodium fire by the response surface method, 3370
Comparisons of REXCO and ICEPEL code calculations with tests of plastically deformable pipes filled with compressible fluids, 4759
Comparison of containment systems for large sodium-cooled breeder reactors, 1810 (HEDL-TME--78-35)
Comparison of ICECO code predictions with COVA experimental data, 3197
COVA programme for the validation of computer codes for fast reactor containment studies, 3771
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 553 (CONF-770807--54)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2442 (NUREG/CR--0759)
Filtration of aerosols produced by a sodium fire, 4603
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
LMFBR safety program. Quarterly technical progress report, April--June 1977 (Sodium, fuel, and fission product aerosol behavior), 42 (AI-ERDA--13205)
Pool-type LMFBR Plant 1000 MWe phase a-extension-1 design. Part I. Executive summary. Interim report, 1086 (EPRI-NP--882-SY(Vol.1))
Quarterly technical progress report. Reactor safety, April--June 1978 (Sodium, fuel, and fission product aerosol behavior), 1136 (ESG-DOE--13242)
Reactor containment vessel (Patent; LMFBR), 5322
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor safety quarterly technical progress report, January--March 1978 (Sodium, fuel, and fission product aerosol behavior), 37 (AI-DOE--13234)
Reactor safety. Quarterly technical progress report, October--December 1978 (Sodium, fuel, and fission product aerosol behavior), 1150 (ESG-DOE--13264)
Response of secondary containment to presence of sodium and hydrogen, 1415 (GEFR-SP--171)
Sodium oxide aerosol study: NSPP runs 101 to 105, data record report, 2608 (ORNL/NUREG/TM--179)
Sodium-water reaction product container for liquid metal cooled fast breeders (Patent), 5342
Structural dynamics in LMFBR containment analysis: a brief survey of computational methods and codes, 538 (CONF-770807--37)
Structural and containment response to LMFBR accidents, 726 (CONF-781022--27)
Tests in support of LMFBR, 4493
Users' guide to CACECO containment analysis code, 1845 (HEDL-TME--79-22)
LMFBR TYPE REACTORS/CONTROL ELEMENTS
Breeder reactor reference control materials. Semiannual report, January--June 1977, 1768 (HEDL-TME--77-58)
Breeder reactor reference control materials. Semiannual report, July--December 1977, 1797 (HEDL-TME--77-109)
Breeder reactor reference control materials. Semiannual status newsletter, January--June 1978, 1822 (HEDL-TME--78-69)
Control rod for fast breeder, 5339
Control rod assembly for nuclear reactor (Patent; LMFBR), 5377
Control rod assembly for liquid metal fast breeder reactors, 2765 (RDT-E--6-33T(Ammend.1)(6-78))
Correlation for boron carbide helium release in fast reactors, 1457 (HEDL-SA--1189-FP)
Effect of fast neutron irradiation on the structure of boron carbide, 4316
Europia as a nuclear control material, 3691
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, April 1--June 30, 1977 (UO_2; PuO_2), 2225 (LA--6924-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report 1 Oct--31 Dec 1977 (UO_2; PuO_2), 2229 (LA--7171-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, January 1--March 31, 1978 (UO_2; PuO_2), 2231 (LA--7266-PR)
Fast shutdown device for a nuclear reactor (Patent), 3480
Guiding system for a control rod (Patent), 5357
LMFBR reference control materials. Semiannual report, July--December 1976, 1754 (HEDL-TME--77-33)
Method and apparatus for controlling the neutron flux in nuclear reactors (Patent), 3131
Method and equipment for the performance reduction of a nuclear reactor during temperature increase (Patent), 3363
Monitoring device for nuclear reactor control rods (Patent), 3558
Nuclear reactor control (Patent), 3055
Reactor control rod (Patent), 5231
Studies of rare earth element as control rod material for LMFBR. Part V, 2157 (JAPFNR--494)
Tritium release from fast neutron irradiated boron carbide, 1452 (HEDL-SA--1164FP)
Tubular gage for a liquid-metal-cooled fast breeder reactor (Patent), 4473
Variable flow control for a nuclear reactor control rod (Patent; LMFBR), 3428
LMFBR TYPE REACTORS/CONTROL EQUIPMENT
Apparatus for controlling coolant level in a liquid-metal-cooled nuclear reactor (Patent), 3454
LMFBR TYPE REACTORS/CONTROL ROD DRIVES
Automatic control mechanism for nuclear reactor scram (Patent), 3559
Control rod and/or instrument tree assembly (Patent; LMFBR), 4419
Control rod drives (Patent; LMFBR), 5315
Control rod drive mechanism (Patent; LMFBR), 5280
Control rod drive for a nuclear reactor (Patent), 3401
Drive for control rod of a nuclear reactor (Patent;

LMFBR), 4425
Method of controlled maintenance of reactor (Patent; LMFBR), 5386
Position control device for a control rod (Patent; LMFBR), 5174
Scram rod system for nuclear reactors (Patent; LMFBR), 4605
System for guiding a control rod (Patent; LMFBR), 5355
LMFBR TYPE REACTORS/CONTROL ROD WORTHS
Control rod interactions in ZPPR-7G, a heterogeneous LMFBR benchmark assembly, 3677
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 1408 (GEFR-SP--138)
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 3157
LMFBR TYRE REACTORS/COOLANT CLEANUP SYSTEMS
Heat transfer system in a fast breeder (Patent), 5176
Installation for purifying the liquid metal used for cooling the core of a fast neutron reactor (Patent), 4264 (ANL-Trans--1113)
Method for removing fission products from a nuclear reactor coolant (Patent; for ^{137}Cs, ^{131}I, and tritium from sodium), 3791
Method of removing oxygen from molten metals in nuclear technology (Patent; LMFBR), 5380
Nuclear power plant with equipment for coolant cleaning (Patent), 3249
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part VI: auxiliary systems; Part VII: plant control and instrumentation; Part VIII: seismic analysis. Final report, 1112 (EPRI-NP--1014(Vol.7))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XIII: balance of plant - evaluation of pool-related areas. Final report, 1116 (EPRI-NP--1014(Vol.11))
Progress in radionuclide trap development, 1783 (HEDL-TME--77-85)
Radionuclide trap (Patent; LMFBR), 3706
Recent work on sodium-cooled reactor purification systems, 1519 (HEDL-SA--1446)
Removal of radioactive products from liquid metal coolants of LMFBRs under normal operation, 371 (CEGB/RD/B/N--4334)
Sampling and characterization of sodium-water reaction products, 2295 (LMEC--77-7)
Sodium water reaction (SWR) cleanup system study and improved designs of cold trap for SWR cleanup of LMFBR plants, 2318 (NEDM--14090)
Sorption on metal surfaces of radionuclides from sodium, 4277
Tasks of and methods for impurity control in sodium loops, 4383
LMFBR TYPE REACTORS/COOLANT LOOPS
Loop and pool fast reactors, 4132
LMFBR TYPE REACTORS/COOLANTS
Bulk coolant cavitation in LMFBR containment loading following a whole-core explosion, 5051
High temperature properties of nuclear reactor coolants and thermodynamic power cycle working fluids. Technical progress report, December 1, 1977--November 30, 1978, 939 (COO--3027-37)
Methods for the analysis of sodium and cover gas, 2767 (RDT-F--3-40T)
Physical properties of liquid sodium, 2159 (JEN--389)
Sodium, 1731 (HEDL-TI--76002)
Survey of the current state of knowledge of incipient boiling superheat in sodium, 2777 (RSA-TM--4)
LMFBR TYPE REACTORS/COORDINATED RESEARCH PROGRAMS
Activities of the OECD-NEA in the field of fast reactors, 2094 (IWGFR--18)
Commission of the European Communities - Activities in the field of fast reactors, 2086 (IWGFR--18)
LMFBR TYPE REACTORS/CORE CATCHERS
Apparatus for controlling molten core debris (Patent; LMFBR), 5455
Apparatus of holding molten fuel in a reactor (Patent), 5328
Apparatus for retaining molten fuel in a reactor (Patent; LMFBR), 5208
Bottom cooler for nuclear reactors (Patent), 3799
Collecting tank with evaporation protection for a nuclear reactor, 3456
Core catcher in a reactor (Patent), 5316
Core catcher tub with thermal insulation (Patent), 3260
Core debris behavior and interactions with concrete, 593 (CONF-770817--5)
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978, 2451 (NUREG/CR--0900)
Heat transfer by natural convection in confined medium, 101 (ANL--78-10)
Interactions of refractories and reactor materials with sodium, 4328
Interaction of heat-generating molten uranium dioxide with magnesia brick, 4674
Interactions between molten core debris and core containment materials, 4675
Molten core interactions with commercial firebricks, 3204
Nuclear core debris collecting tray (Patent; LMFBR), 4258
Nuclear reactor core catching apparatus (Patent), 3797
Nuclear reactor (Patent; LMFBR), 4292
Observations on effects of stainless steel on UO_2-graphite interactions, 3656
Protection device for reactor safety (Patent; LMFBR), 5397
Protective coating for floor cooler (Patent; LMFBR), 4470
Retention of molten core debris pools in composite sacrificial beds, 951 (COO--4261-10)
Safety equipment of a reactor (Patent; LMFBR), 5207
Safety equipment in a reactor (Patent; LMFBR), 5212
Safety equipment for a reactor (Patent), 5214
Safety equipment in a reactor (Patent; LMFBR), 5177
LMFBR TYPE REACTORS/CORE SPRAY SYSTEMS
Emergency system for nuclear reactors (LMFBR type reactors (Patent)), 5236
LMFBR TYPE REACTORS/CORIUM
Aerosol characterization from a simulated HDCA. Annual report. NRC program A1171-2, 2391 (MLM-MU--77-70-0004)
First in-core molten fuel pool experiment, 2827 (SAND--77-1096C)
LMFBR TYPE REACTORS/CORROSION PRODUCTS
Mechanism of release of radioactive products into liquid-metal coolants, their transport within the circuits and removal from LMFBRs, 3105
LMFBR TYPE REACTORS/COST
Comparison of the capital costs of light water reactor and liquid metal fast breeder reactor power plants, 2762 (RAND/R--2441-ACDA)
Design optimization of a prototype large breeder reactor safety system, 815 (CONF-790816--28)
Large pool LMFBR design. Volume 3, Part 2. Appendices L-CC. Final report, 1127 (EPRI-NP--1016(Vol.3)(Pt.2))
Relative capital cost of the LMFBR, 5270
LMFBR TYPE REACTORS/COST BENEFIT ANALYSIS
Cost/benefit and risk/benefit analyses in LMFBR program planning, 4102
Economic regimes, 621 (CONF-771155--P2)
LMFBR TYPE REACTORS/COVER GAS
Apparatus for purifying a primary cover gas (Patent; LMFBR), 5196
Container for a liquid metal cooled reactor (Patent), 5333
Cover gas system in a reactor (Patent), 5321
Diffusion coefficients of sodium vapors in argon and helium, 3252
Electrochemical and physical methods for reactor diagnosis, 4069
Methods for the analysis of sodium and cover gas, 2767 (RDT-F--3-40T)
Natural evaporation of sodium under the conditions of mist formation, (2). Discussions of critical supersaturation model by observation and photographing of mist region, 3832
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Problems of technology and corrosion in sodium coolant and cover gas (LMFBR), 3040 (ZfK--337)
Process and device of thermal shielding of the vessel of a nuclear reactor (LMFBR type reactor, cover gas (Patent)), 5228
Reactor cooling system (Patent), 3361
Sodium mists behavior in cover gas space of an LMFBR: experimental study, 2144 (JAPFNR--406)
Sodium vapor deposition onto a horizontal flat plate above liquid sodium surface, (3). Concentration and diameter distributions of sodium mist in cover gas, 3780
LMFBR TYPE REACTORS/CREEP
Creep-fatigue design criteria for application to a 2 1/4 Cr.-1 Mo LMFBR steam generator, 1961 (INIS-mf--4543)
LMFBR TYPE REACTORS/CRITICALITY
Benchmark calculations for a sodium-cooled breeder reactor by two- and three-dimensional diffusion methods. II, 3487
Updated analysis of the ZPPR-7 critical experiments: phases A, B, and C, 1266 (GEFR--00347)
LMFBR TYPE REACTORS/CROSS SECTIONS
KEDAK program compendium. Part VII: CALCUL-calculation, 2168 (KFK--2387(Pt.7))
LMFBR TYPE REACTORS/DAMPING
Damping of the radial impulsive motion of LMFBR core components separated by fluid squeeze films, 1987 (INIS-mf--4638)
LMFBR TYPE REACTORS/DEMONSTRATION PROGRAMS
Future plans for the design and construction of fast reactor power stations, 4081
LMFBR TYPE REACTORS/DENATURED FUEL
Preliminary evaluation of alternative fuel cycle options utilizing fast breeders, 2563 (ORNL--5389)
LMFBR TYPE REACTORS/DESIGN
Advanced liquid metal fast breeder reactor designs, 4032
Conservative pool concept for a large breeder reactor, 4192
Design considerations for large heterogeneous liquid-metal fast breeder reactors, 4270
Design guide for category IV reactors: liquid metal reactors, 303 (BNL--50831-4)
Design optimization of a prototype large breeder reactor safety system, 815 (CONF-790816--28)
Fast breeder nuclear reactor cooled with liquid metal (Patent), 4469
Fast neutron reactor (Patent), 3513

Fast nuclear reactor (Patent), 4373
Further examination of the pool type 1000 MWe LMFBR. Volume 2. Examination of NSSS concepts. Interim report, 1083 (EPRI-NP--881(Vol.2))
Further examination of the pool type 1000 MWe LMFBR. Volume 3. Examination of NSSS concepts (continued). Interim report, 1084 (EPRI-NP--881(Vol.3))
Further examination of the pool type 1000 MWe LMFBR. Volume 4. Examination of balance of plant. Interim report, 1085 (EPRI-NP--881(Vol.4))
Large pool LMFBR design. Volume 1. Reactor. Final report, 1095 (EPRI-NP--883(Vol.1))
Large pool LMFBR design. Volume 3. Appendixes. Final report, 1097 (EPRI-NP--883(Vol.3))
Large pool LMFBR design. Volume 4. Balance of plant. Final report, 1098 (EPRI-NP--883(Vol.4))
Large pool LMFBR design: executive summary, 1123 (EPRI-NP--1016-SY)
Large pool LMFBR design. Final report, 1124 (EPRI-NP--1016(Vol.1))
Materials technology for LMFBR steam generators, 3116
MIT LMFBR blanket research project. Quarterly progress report, July 1, 1978--September 30, 1978, 906 (COO--2250-34)
Nuclear reactor construction cooled with liquid metal (Patent), 5209
Oxide fuel element development. Quarterly progress report for period ending September 30, 1977, 2997 (WARD-QX--3045-34)
Patent, 3448
Pool-Type LMFBR Plant 1000 MWe Phase A design. Appendix: innovative design features, final report, 1079 (EPRI-NP--646(Vol.9))
Pool-type LMFBR plant, 1000 MWe Phase A design. Executive summary, 1070 (EPRI-NP--646-SY)
Pool-type LMFBR plant 1000 MWe Phase A-extension-2 design. Part 1: executive summary. Final report, 1106 (EPRI-NP--1014-SY(Vol.1))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XII: appendices. Final report, 1115 (EPRI-NP--1014(Vol.10))
Preconceptual study of 1000-MWe carbide-fueled LMFBR designs, 1138 (ESG-DOE--13244)
Reactor (Reactor core constituents support system; Patent), 3476
Recent commercial fast reactor designs with improved safety features, 4133
Unique features of a sodium-cooled fast-breeder reactor, 375 (CONF-681093--)
Use of quantitative risk and probabilistic safety criteria in the conceptual design of a large pool-type LMFBR, 4045

LMFBR TYPE REACTORS/DESIGN BASIS ACCIDENTS
Assessment of structural dynamics problems in nuclear reactor safety, 2219 (KFK-EXT--8/78-5)
Experimental and theoretical studies on the pressure build-up of core materials in hypothetical accidents, 4216
LMFBR design basis accidents and their accommodation, 5409
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part IX: constructability and fabricability; Part X: maintainability and inspectability; Part XI: safety. Final report, 1113 (EPRI-NP--1014(Vol.8))
Reactor safety, 5271

LMFBR TYPE REACTORS/DISPERSION NUCLEAR FUELS
Dispersion nuclear fuel and process for its manufacture (Patent; LMFBR), 4448

LMFBR TYPE REACTORS/DOPPLER COEFFICIENT
Measurement of the Doppler reactivity worth of UO_2 and ThO_2 in an LMFBR spectrum, 3156

LMFBR TYPE REACTORS/DUCTS
Gamma prime hardened nickel--iron based superalloy, 3362
Model for pressure in an LMFBR duct due to discharge of gas from a failed fuel pin, 5094

LMFBR TYPE REACTORS/ECCS
Apparatus for controlling a core cooling system in case of emergency (Patent; LMFBR), 5379
Control equipment for emergency cooling system (Patent; LMFBR), 5343
Control system for emergency core cooling system (Patent), 5392
Emergency core cooling device (Patent; LMFBR), 5313
Emergency cooling system of a nuclear reactor (Patent; LMFBR type reactors), 5401
Hydrodynamics of emergency cooling of a sodium-cooled fast reactor, 1901 (INIS-mf--4280)
Inherent emergency cooling of liquid metal fast breeder reactors by natural circulation, 631 (CONF-771203--)
Liquid metal cooled reactor (Patent), 5145
Nuclear reactor core cooling arrangement (Patent; LMFBR), 3758

LMFBR TYPE REACTORS/ECONOMIC ANALYSIS
Energy Economic Data Base (EEDB) Program: Phase I, Volume I. Final report, 956 (COO--4954-1(Vol.1))
Energy Economic Data Base (EEDB) Program: Phase I, Volume II. Final report, 957 (COO--4954-1(Vol.2))
EVAP users manual, 1128 (EPRI-NP--1190-SR)

LMFBR TYPE REACTORS/ECONOMICS
Application of an LP model to breeder strategy studies, 770 (CONF-790402--20)
Assessment of economic incentives for the liquid metal fast breeder reactor, 5437
Examination of alternative nuclear breeding methods, 2759 (R--2267-DOE)
Importance of the fast breeder for our energy supply, 1994 (INIS-mf--4816)
Liquid metal fast breeder reactor, 4927
Risk aversion and energy policy: a case for breeder research and development, 5441
Thermal and economic performance of heterogeneous carbide-fueled reactors, 3966
Uranium availability and the breeder decision, 1131 (EQL-Memo--8)

LMFBR TYPE REACTORS/ELECTRIC CABLES
Device for providing a leak-tight penetration for electric cables through a reactor vault roof (Patent; LMFBR), 3265
High voltage instrument cables for 650°C in-vessel breeder reactor service, 1651 (HEDL-SA--1903-FP)

LMFBR TYPE REACTORS/ELECTRIC GENERATORS
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XII: balance of plant--plant description. Final report, 1114 (EPRI-NP--1014(Vol.9))

LMFBR TYPE REACTORS/ELECTRICAL EQUIPMENT
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)

LMFBR TYPE REACTORS/ELECTROMAGNETIC PUMPS
Annular linear induction pump with an externally supported duct (Patent), 3081
Conduction centrifugal electromagnetic pump, 3814
Design and optimization of the electromagnetically energized liquid metal direct current conduction pumps, 1891 (IKE--5-203)
Electromagnetic pumps for large pool-concept LMFBR, 1130 (EPRI-NP--1265)
Large electro-magnetic pump for high temperature LMFBR applications, 4262

LMFBR TYPE REACTORS/ENERGY POLICY
Risk aversion and energy policy: a case for breeder research and development, 5441
SNR-carbide program: its position between present and future, 4820

LMFBR TYPE REACTORS/ENGINEERED SAFETY SYSTEMS
Advanced safety analysis thirteenth quarterly report, September--November 1977, 1378 (GEFR--14038-13)
Design stage probabilistic assessment of prototype LMFBR safety systems, 4046
Effect of engineered safety features on the risk of hypothetical LMFBR accidents, 3888
Experimental evaluation of acoustic agglomerators as an air cleaning system concept for emergency use in LMFBR plants. Final report, 1011 (DOE/ET/37203--1)
Fire hazards analysis of barriers: an analytical approach, 3189
Hydrogen ignition and recombination following postulated breeder reactor accidents, 1604 (HEDL-SA--1712-FP)
LMFBR design transients and regulatory requirements, 3657
Overall separation efficiency requirement of the centrifugal separator for the LMFBR Sodium Water Reaction Pressure Relief System (SWRPS), 2319 (NEDM--14091)
Reactor safety, 5271
State-of-the-art of rupture disks for LMFBR application, 2316 (NEDM--13981)
Tank of sodium cooled fast reactor (Patent), 5358
Vapor generator system equipment for fast breeder reactor (Patent), 5384

LMFBR TYPE REACTORS/ENVIRONMENTAL IMPACTS
Recommendations concerning models and parameters best suited to breeder reactor environmental radiological assessments, 2579 (ORNL--5529)
Safety and environmental impact of liquid metal fast breeder reactors, 5440

LMFBR TYPE REACTORS/EVALUATION
Breeder: now or never, 4154
Breeder reactor: a vital option, 3084
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))
Dynamic model of the United States energy system: a tool for energy R and D planning, 5297
Systems descriptions and engineering costs for solar-related technologies. Volume IV. Conventional technologies for electric utility applications, 2307 (MTR--7485(Vol.4))

LMFBR TYPE REACTORS/EVAPORATORS
Studies of waterside corrosion and heat transfer on lmfbr evaporator tubes, 4167
Temperature and stress responses of clean evaporator tubes under oscillatory water rivulet action in DNB region, 5074

LMFBR TYPE REACTORS/EXCURSIONS
Analysis of LMFBR overpower accidents, including fission gas effects in the predisassembly and disassembly phase, 435 (CONF-761001--P3)
Applicability of TREAT TOP experiments to post-failure dynamics, 3636
Applicability of TREAT TOP experiments to post-failure dynamics, 1534 (HEDL-SA--1489-FP)
Cladding failure in TREAT overpower experiments: a

mechanistic interpretation and its implications for LMFBR safety analysis, 473 (CONF-761001--P4)
Combined motion of fuel and coolant due to fuel-coolant interactions under high ramp rate reactivity insertion, 132 (ANL--78-69)
Effect of failure incoherence in a LMFBR hypothetical overpower accident, 434 (CONF-761001--P3)
Effect of power skew on the FTR TOP, 1529 (HEDL-SA--1463FP)
Effects of recent modeling developments in LMFBR prompt burst calculations, 3638
Elastic and plastic properties of uranium dioxide from 5 to 330 GPa, 2948 (UCRL--82614(Rev.1))
EXCURS: a computing programme for analysis of core transient behaviour in a sodium cooled fast reactor, 2139 (JAERI-M--7280)
Final report of fuel dynamics Test E7, 54 (ANL--77-25)
Fracture mechanics of thin wall cylindrical pressure vessels: an interim review, 2742 (PNL--2417)
Fuel pin modeling for the prompt burst excursion (PBE) experiments, 3640
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments, 2871 (SAND--78-2085C)
Hydrodynamic analysis of the LMFBR prompt burst excursion (PBE) experiment, 2817 (SAND--77-1016C)
Hydrodynamic analysis of the LMFBR prompt burst excursion (PBE) experiment, 4753
Improvement and verification of fast reactor safety analysis techniques. Progress report, 1 July 1977--30 September 1977, 919 (COO--2571-10)
In-reactor safety tests with fuels for fast neutron reactors, 2032 (IWGFR--5)
Interaction of molten UO_2 with stainless-steel cladding under TOP accident conditions, 3631
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 1474 (HEDL-SA--1300FP)
LMFBR Prompt Burst Excursion (PBE) experiments in the Annular Core Pulse Reactor (ACPR), 468 (CONF-761001--P4)
Low sodium void cores, 730 (CONF-781022--32)
Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 3521
Plateout and thermal loading considerations of fuel ejected during transient-over-power accidents in LMFBRs, 4748
PLUTO2: a computer code for the analysis of overpower accidents in LMFBRs, 4768
Prompt burst energetics experiments: uranium carbide series, 3639
Prompt burst energetics experiments uranium carbide series, 2850 (SAND--78-0232C)
Prompt burst energetics experiments: uranium carbide series. Preliminary results, 2387 (NUREG/CR--0137)
Prompt burst energetics experiments: fresh oxide/sodium series, 2401 (NUREG/CR--0367)
Prompt burst energetics (PBE) studies, 2884 (SAND--79-0740C)
Results of recent TOP and LOF experiments in TREAT, 470 (CONF-761001--P4)
Simple computational model for the prediction of fuel pin failure in the transient overpower accident, 3629
Simulation of transients in liquid-metal fast breeder reactor systems, 4337
Simulation of LMFBR excursion models by means of ICECO, 551 (CONF-770807--52)
Simulation of LMFBR excursion models by means of ICECO, 5057
Sodium voiding in an annular channel heated by a single pin in overpower accident simulations, 351 (CEA-CONF--3996)
Summary and evaluation of fuel dynamics transient-overpower experiments: status 1974, 58 (ANL--77-44)
Transient fission gas release effects on carbide fuel failure dynamics, 3633
Transient pressurization and transport of a two-component gas within interconnected porosity of solid mixed-oxide fuel, 3429
Transient non-boiling heat transfer in a fuel rod bundle during accidental power excursions, 1940 (INIS-mf--4498)
Transition phase of fast reactor overpower excursions, 3624
TREAT transient overpower experiment R12, 3635
Validation of the computer code ARES for calculating the tank load under overpower conditions, 4145

LMFBR TYPE REACTORS/EXPLOSIONS
LMFBR typical impulsive loading characterization and its application to simplified structural models, 5049
Validation of explosion containment codes: analysis of bare rigid models in the COVA programme, 5039

LMFBR TYPE REACTORS/FABRICATION
1000-MW(e) pool plant LMFBR fabrication and construction, 3959
Alloys for a liquid metal fast breeder reactor (Patent), 3091

LMFBR TYPE REACTORS/FAILED ELEMENT DETECTION
Detection device for fuel failure (Patent), 3360
Development of a methodology for analysis of delayed-neutron signals, 154 (ANL--79-57)
Equipment for testing a group of nuclear reactor fuel elements for damage to the cans (Patent), 4579
Evaluation of hodoscopes for fuel-motion measurement in multipin bundles, 4025
Failure location analysis for tagged reactor assemblies, 1637 (HEDL-SA--1787-FP)
Fission product monitoring in the sodium coolant during operation of a fast reactor, 4584 (KFK-tr--522)
Gaseous fission-product detector for LMFBR failed-fuel detection, 4197
Method of detecting leakage of reactor core components of liquid metal cooled fast reactors (Patent), 4451
Method of locating a leaking fuel element in a fast breeder power reactor (Patent), 3760
Principles of determining damage to the fuel elements of fast power reactors by monitoring sodium and gas activity, 3711 (BNWL-tr--326)
Probabilistic identification of failed core assemblies from gas tag relases, 4636
Process for detecting and locating failed fuel elements in a nuclear reactor (Patent), 4595
Reactor (Patent; LMFBR), 5335
Statistical analysis of 17 TREAT experiments, 4010
System for detecting the failure of a nuclear fuel rod in a nuclear reactor (Patent; LMFBR), 3301

LMFBR TYPE REACTORS/FAILED ELEMENT MONITORS
Barycentric coordinates technique for resolution of multiple fuel failures with gas tagging, 4635
Device for detecting gases, in particular fission gases, in the coolant channel of a liquid-cooled nuclear reactor fuel element (Patent), 5166
Device for detecting radioactivity in a liquid metal coolant (Patent), 5249
Device to detect gases, in particular fission gases, in the cooling channel of a liquid-cooled nuclear reactor fuel element (Patent), 4556
Failed fuel detector for nuclear reactors (Patent, LMFBR750AIX-08)332910), 5399
Failed fuel detector (Patent), 5240
Failed fuel detector in reactor (Patent; LMFBR), 5242
Flash x-radiography for material motion detection, 2843 (SAND--77-1648C)
Fuel failure detection experiment using UO_2-loaded sodium in-pile loop, 3825
Liquid-metal cooling reactor (Patent), 5235
Method and device for the detection of a failed fuel element (Patent), 5223
Method of detecting a fuel element failure (Patent), 5217
Probabilistic identification of failed core assemblies from gas tag relases, 4636
Sodium engineering and technology. Technical progress report, April, May, June 1977, 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, July, August, September 1977, 1759 (HEDL-TME--77-38)
Sodium engineering and technology. Technical progress report, October, November, December 1977, 1760 (HEDL-TME--77-39)
Sodium engineering and technnology. Technical progress report, April, May, June 1978, 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Technical progress report, April, May, June 1978, 1807 (HEDL-TME--78-21)
Sodium technology. Progress report, April--June 1978, 1829 (HEDL-TME--78-91)
Sodium technology progress report, July--September 1978, 1830 (HEDL-TME--78-92)
Sodium technology progress report, January--March 1979, 1847 (HEDL-TME--79-24)

LMFBR TYPE REACTORS/FAST FISSION
Fast reactor fission yields for ^{239}Pu and ^{241}Pu, 1886 (ICP--1050-11)

LMFBR TYPE REACTORS/FASTENERS
Steel Z6 CNTDV 25-15 for nuclear bolts. Development of a treatment eliminating structural retraction in service at high temperature, 3259

LMFBR TYPE REACTORS/FAULT TREE ANALYSIS
COMCAN II-A: a computer program for automated common cause failure analysis, 2943 (TREE--1361)

LMFBR TYPE REACTORS/FIRE EXTINGUISHERS
Extinguishing system by isolation of the liquid fuel (Patent; LMFBR), 5354
Extinguisher powder for liquid metal fires, 3417
System extinguishing a fire by insulating a liquid fuel (Patent; LMFBR type reactors), 5356
Testing of a graphite-based extinguishing powder for use on liquid metal fires, 4319 (DOE-tr--69)

LMFBR TYPE REACTORS/FIRES
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7, 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977, 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977, 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978, 2405 (NUREG/CR--0425)
Analyzing containment leakage from a sodium fire by the response surface method, 3370
Burning rates of sodium pool fires, 3413
Device of extinguishing a liquid fuel by remoteness (LMFBR, core catchers (Patent)), 5192
Extinction of metal fires, 4859

Filtration of sodium fire aerosols, 4762
Filtration of aerosols produced by a sodium fire, 4603
Investigations into the sodium-steam surface interaction on a stagnant pool, 4370
LMFBR safety program. Quarterly technical progress report, April--June 1977 (Sodium, fuel, and fission product aerosol behavior), 42 (AI-ERDA--13205)
Quarterly technical progress report. Reactor safety, April--June 1978 (Sodium, fuel, and fission product aerosol behavior), 1136 (ESG-DOE--13242)
Reactor safety. Quarterly technical progress report, October--December 1978 (Sodium, fuel, and fission product aerosol behavior), 1150 (ESG-DOE--13264)
Statistical parametric analyses of sodium fire, 4761
Summary of HEDL sodium fire tests, 1592 (HEDL-SA--1669)
Surface oxidation process prior to ignition of a sodium droplet, 4718

LMFBR TYPE REACTORS/FISSION CHAMBERS
Results from the testing of a TCE DC-14B and the ORNL FC-3 fission counter-chambers in the EBR-II NITF at temperatures up to 546°C. EBR-II run 82 (May 1976)--Run 89 (August 1977), 196 (ANL-CT--77-37)
Some results from the testing of a high temperature fission counter-chamber in the EBR-II J-2 thimble of the Nuclear Instrument Test Facilities (NITF), 676 (CONF-780469--1)

LMFBR TYPE REACTORS/FISSION FRAGMENT DETECTION
Out-of-pile experiment of fission gas release in LMFBR subassembly. 4. Feasibility study of gas release detection by use of flow fluctuation signal, 2154 (JAPFNR--482)

LMFBR TYPE REACTORS/FISSION PRODUCT RELEASE
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
On-line ultrasonic gas entrainment monitor (Patent;LMFBR fission gas bubble release), 3731

LMFBR TYPE REACTORS/FISSION PRODUCTS
Carbon-14 production in nuclear reactors, 3319
Inventory and relative biological hazard of LMFBR core materials, 2605 (ORNL/NUREG/TM--165)
Pseudo fission-product cross sections for a 1300 MWe fast breeder reactor (status July 1978), 1054 (ECN--52)

LMFBR TYPE REACTORS/FISSION SPECTRA
Influence of fission spectra uncertainties on calculated fast reactor parameters, 777 (CONF-790602--61)

LMFBR TYPE REACTORS/FISSION YIELD
Studies relative to the correlation of fission yields with neutron energy, 2370 (NUREG/CP--0004(Vol.3))

LMFBR TYPE REACTORS/FLOW BLOCKAGE
Acoustic resonances as a means of bloackage detection in sodium-cooled fast reactors, 9 (AEEW-R--1168)
In-pile sodium loop for investigation of local cooling disturbances in LMFBR's, 4395
In-reactor safety tests with fuels for fast neutron reactors, 2032 (IWGFR--5)
Interpretation of local boiling behaviour in the KNS blockage experiments, 2010 (INKA-Conf--79-082-001)
Investigation of local cooling disturbances in an in-pile sodium loop in the BR2, 3074
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
Local blockage studies in a heated multipin water experiment with fast reactor geometry, 365 (CEGB-RD/B/N--3810)
Local sodium boiling behind local flow blockage in simulated LMFBR fuel subassembly, 4312
Model for formation and growth of local blockages in grid spaced fast sodium cooled breeder fuel elements, 4406
Sodium boiling experiments in a 19 pin bundle: two phase coolant dynamics, 516 (CONF-761001--P4)
Sodium boiling experiments in a 7-pin bundle: investigations into some safety aspects of the KNK II driver zone, 4393
Space--time dynamics of a fast breeder reactor for localized disturbances, 5257
Temperature fluctuation of sodium in annular flow channel heated by single-pin with blockage, 3873
Temperature fluctuation of sodium in annular flow channel heated by single-pin with blockage, 3875
Water modelling studies of blockage with discrete permeabilities in an 11 pin geometry, 7 (AEEW-M--1484)

LMFBR TYPE REACTORS/FLOW REGULATORS
Temperature-sensitive orifice: a pre-test report, 208 (ANL-CT--78-12)

LMFBR TYPE REACTORS/FLOWMETERS
Analytical solution of some problems related with electromagnetic method of velocity measurement in complex channels, 1214 (FEI--622)
Calibration of 10'' PM flowmeter in SCTI: FRC-100E, 2902 (TI--04-LME-123)
Calibration of electromagnetic flowmeters by average-frequency method, 3948
Electromagnetic flowmeters for fast reactors, 4631
Electromagnetic flowmeters for fast reactors, 4990
High-temperature shear-mode transducers for LMFBR ultrasonic flowmeters, 188 (ANL-CT--77-6)
Method and apparatus for pre-heating ducts forming liquid sodium flow passage (Patent), 3444
Performance of FFTF-type eddy current flowmeters in the SLSF P-series test trains, 4684
Saras signal generator, 3228
Sodium flow calibration using a pulsed neutron activation technique on a 400mm (16 inch) pipe at LMEC, 205 (ANL-CT--78-9)
Theoretical model of an eddy-current flowsensor, 4359

LMFBR TYPE REACTORS/FLUIDIC CONTROL DEVICES
Control device in a reactor (Patent; LMFBR), 5171

LMFBR TYPE REACTORS/FORECASTING
Prospect of fast breeder reactor development, 5259
Use and status of fast breeder development, 3752

LMFBR TYPE REACTORS/FUEL ASSEMBLIES
3-D slug flow heat transfer analysis of coupled coolant cells in finite LMFBR bundles, 889 (COO--2245-58TR)
Acoustic analysis from sodium boiling tests using THORS bundle 6A, 4797
An investigation of forced convection boiling of sodium at low heat fluxes in electrically heated seven pin bundles, 512 (CONF-761001--P4)
Analysis of the feasibility of implementing an implicit temporal differencing scheme in the SUPERENERGY code, 869 (COO--2245-35TR)
Analysis of the central blockage wake in an LMFBR-subassembly, 3848
Analysis of Flow Impedance Phenomena. Final report, June 1, 1978-July 31, 1979, 955 (COO--4932.M001-2)
Analytical method of fuel pin deformations in LMFBR assembly, 4317
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 1925 (INIS-mf--4470)
Approximate method for predicting temperature distribution in wire wrapped fuel assemblies of a LMFBR, 871 (COO--2245-37TR)
Assessment of the need to incorporate the variable swirl model in the ENERGY code, 878 (COO--2245-46TR)
Blockages in LMFBR fuel assemblies: a review, 615 (CONF-771120--14)
Breeder reactor grid-type subassembly design and evaluation. Quarterly progress report for the period ending December 31, 1977, 3000 (WARD-QX--3045-39)
Breeder reactor grid-type subassembly design and evaluation. Quarterly progress report for the period ending March 31, 1978, 3001 (WARD-QX--3045-40)
Calculated vs experimental temperature distribution behind a six-channel central blockage, 4792
Calculation of signals in coded-aperture imaging of many-pin bundles of LMFBR fuel, 2407 (NUREG/CR--0443)
Cavitation problems in fast reactor fuel subassemblies, 2038 (IWGFR--9)
COBRA-IV comparison with the WARD 11:1 scale LMFBR air flow tests, 2750 (PNL--2923)
COBRA-IV comparison with the W-ARD 11:1 LMFBR air flow test, 3162
COBRA-IV wire wrap data comparisons, 2751 (PNL--2938)
Combined forced and free laminar convection in verticale rod bundles with longitudinal flow, 4629
Comparisons of XX08 steady-state temperature measurements with analytical predictions, 3950
Comparison of semi-statistical hot channel factor and Monte Carlo analyses of fuel assembly coolant temperature uncertainties, 1272 (GEFR--00354)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop, 804 (CONF-790808--13)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop (THORS bundle 6A), 2677 (ORNL/TM--6778)
Comparison of COBRA III-C and SABRE-1 (wire-wrap version) computational results with steady-state data from a 19-pin internally guard heated sodium-cooled bundle with a six-channel central blockage (THORS Bundle 3C), 821 (CONF-790816--39)
Computational results for a 7-pin hexagonal fuel assembly during a flow rundown transient using the COMMIX-1A computer code, 2471 (NUREG/CR--1285)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, June 1, 1977--August 31, 1977, 884 (COO--2245-53)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1,1978--February 28, 1979, 899 (COO--2245-69)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1-May 31, 1979, 900 (COO--2245-70)
Core engineering. Sixty-third quarterly report, May--July 1977, 1330 (GEFR--10028-63)
Core engineering. Sixty-eighth quarterly report, August--October 1978, 1335 (GEFR--10028-68)
Couple M: a computer program which models thermal-hydraulic and dimensional change behavior of a multi-pin FBR fuel assembly, 1789 (HEDL-TME--77-96)
Data management system for the Thermal-Hydraulic Out-of-Reactor Safety Facility computer-controlled data acquisition system configuration for bundle 3C operation, 2676 (ORNL/TM--6745)
Decay heat removal from a pin bundle, 521 (CONF-761001--P4)
Dependence of diffusion theory results on the mesh size for fast reactor calculations, 2212 (KFK--2827)
Design basis and FTR testing of an advanced wire-wrap driver fuel assembly, 3585
Detection of fuel assembly flow reductions in a heterogeneous core, 4796
Driver fuel assembly, 2766 (RDT-E--13-16T)
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 611 (CONF-771109--77)

ECEL thorium assembly descriptions and data summaries, 1140 (ESG-DOE--13246)
Edge blockage in a 19-pin sodium-cooled bundle, 614 (CONF-771120--8)
Effect of nonuniform gaps on compaction of an LMFBR core, 4693
Effect of alternative fuel cycles on LMFBR design, 3593
Effect of high external thermal loading on LMFBR subassembly integrity, 1972 (INIS-mf--4592)
Elastic--plastic analysis of pressurized ducts with rounded corners, 4329
Electron-beam welding of fuel pin simulators to a tubesheet, 2669 (ORNL/TM--6600)
ENERGY 1A: a modified version of the ENERGY 1 thermal-hydraulic computer code for LMFBR wire wrap spacer fuel assemblies, 1766 (HEDL-TME--77-53)
Engineering analysis of mixed carbide fuels for large breeder reactors, 182 (ANL-AFP--46)
Evaluation of COBRA III-C and SABRE-I (wire wrap version) computational results by comparison with steady-state data from a 19-pin internally guard heated sodium cooled bundle with a six-channel central blockage (THORS bundle 3C), 813 (CONF-790816--22)
Ex-vessel nuclear fuel transfer system (Patent), 3838
Experimental determination of temperature fields in sodium-cooled rod bundles with hexagonal rod arrangement and grid spacers, 3840 (EURFNR--1413)
Experimental observations of intersubassembly heat transfer effects during natural circulation, 4021
Experiments on the response of hexagonal subassembly ducts to internal pressure pulses, 577 (CONF-770807--Pt.E)
Experisental investigation of the turbulent flow through a wall subchannel of a rod bundle, 3555 (DOE-tr--176)
Experimental investigations of turbulent flows in rod bundles with and without spacer grids, 2214 (KFK--2834)
Fabrication details for wire wrapped fuel assembly components, 868 (COO--2245-27TR(Rev.1))
Fast breeder (Patent; LMFBR), 5234
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin reactor structures, 549 (CONF-770807--50)
Flash x-radiography for material motion detection, 2843 (SAND--77-1648C)
Flow distribution in edge subchannels of wire-wrapped 61-rod assemblies, 4690
Flow impedance test results at HEDL: chemical basis, 1510 (HEDL-SA--1425)
Flow-induced vibrations of spiral wire-wrapped fuel assemblies, 5425
Flow split model for LMFBR wire wrapped assemblies, 888 (COO--2245-56TR)
Fluid mixing studies in a hexagonal 61-pin, wire-wrapped rod bundle, 883 (COO--2245-51TR)
Fuel assembly for a nuclear reactor (Patent; LMFBR), 5398
Fuel assembly for nuclear reactor (LMFBR; Patent), 5309
Fuel assembly (Patent; LMFBR), 5382
Fuel assembly (Patent; LMFBR), 5248
Fuel assembly (Patent; LMFBR), 5250
Fuel assembly (Patent; LMFBR), 5312
Fuel assemblies for nuclear reactor (Patent; LMFBR), 5366
Fuel assembly in FBR type reactor (Patent), 5187
Fuel assembly (Patent; LMFBR), 5198
Fuel assembly for a FBR type reactor (Patent), 5206
Fuel Assembly (Patent; LMFBR), 5218
Fuel assembly (Patent; LMFBR), 5173
Fuel assembly (Patent), 5135
Fuel assembly (Patent), 4606
Fuel assembly for fast breeder liquid metal cooled reactor (Patent), 3564
Fuel element vibrations in a fast reactor core due to sodium flow, 2105 (IWGFR--21)
Heat transfer measurements in an air model of a partly blocked reactor fuel subassembly, 4456
Heat-transfer in a partially-blocked sodium-cooled rod bundle, 848 (CONF-791205--23)
Hydraulic testing program on vented assembly core design, 1268 (GEFR--00349)
Hydraulic simulation of local blockage in LMFBR fuel subassembly, 2148 (JAPFNR--434)
Hydraulic testing program on vented assembly core design, FY-78. Volume 1: vent hydraulics testing, 1314 (GEFR--00426-1)
Hydraulic testing program on vented assembly core design, FY-78. Volume 2: pin vibration testing, 1315 (GEFR--00426-2)
Improved nuclear fuel assembly grid spacer (Patent; LMFBR), 4528
Influence of the axial distribution of heat flux on sodium boiling in forced convection, 515 (CONF-761001--P4)
Irradiation-swelling-induced bow in fast reactor subassemblies, 4026
Laminar mixed-convection heat transfer in finite hexagonal bundles, 4656
Liquid metal cooled fast breeder nuclear reactors (Patent), 3095
LMFBR core thermal-hydraulic analysis accounting for interassembly heat transfer, 3586
LMFBR design with the composite fuel assembly, 3595
LMFBR vented assembly hydraulic modeling and testing, 3583
LMFBR vented assembly hydraulic modeling and testing, 1403 (GEFR-SP--065)
Local boiling of sodium in downstream of local flow blockage in a simulated LMFBR fuel subassembly, 520 (CONF-761001--P4)
Local sodium boiling behind local flow blockage in simulated lmfbr fuel subassembly, 4309
Localized duct wall cyclic thermal stresses in vented assembly LMFBR cores, 1269 (GEFR--00351)
Maximum wake temperature and Nusselt number behind blockages in sodium-cooled bundles, 4790
Maximum sodium temperature correlation for six-channel FBR subassembly blockages, 3982
Measurement and analysis of flow wall shear stress in an interior subchannel of triangular array rods, 881 (COO--2245-49TR)
Methodology for statistical determination of fuel intra-assembly flow mixing uncertainty, 836 (CONF-791103--7(Summ))
Mixing experiments in LMFBR wire wrapped blanket assemblies, 875 (COO--2245-43TR)
Model for predicting temperature fluctuation characteristics beyond the exit of LMFBR subassemblies with faults, 466 (CONF-761001--P4)
Model to correlated residence time measurements behind blockages, 4791
Monte Carlo approach to the theoretical prediction of temperature noise in LMFBR sub-assemblies, 4994
Natural circulation heat transfer testing with a simulated full-scale LMFBR 217-pin electrically heated fuel assembly: test data, 1676 (HEDL-TC--1022)
Natural convection boiling of sodium in a simulated FBR fuel assembly subchannel, 811 (CONF-790816--20)
Noise and DC balanced outlet temperature signals for monitoring coolant flow in LMFBR fuel elements, 5011
Nuclear fuel assembly (Patent; LMFBR), 5189
Nuclear fuel assembly (Patent), 4449
Nuclear fuel assembly (LMFBR; patent), 5130
Nuclear reactor fuel element assemblies (Patent; LMFBR), 4446
Nuclear reactor assembly (Patent), 5389
Nuclear reactor fuel transfer system (Patent), 3837
Nuclear reactor fuel element sub-assemblies (Patent; LMFBR), 4291
Nuclear reactor fuel assembly (Patent; LMFBR), 5374
Nuclear reactor (Patent; LMFBR), 5199
Nuclear reactor fuel element assemblies (Patent), 3704
Nuclear reactor core configuration (Patent), 3455
Nuclear reactor composite fuel assembly (Patent), 3094
Numerical simulation of the two-dimensional boiling (voiding) in LMFBR subassemblies, 511 (CONF-761001--P4)
Numerical results for a hexagonal fuel assembly with a planar blockage using the COMMIX-1A computer code, 2415 (NUREG/CR--0483)
Numerical method for predicting seismic-induced impact between subassemblies in LMFBR cores, 3537
Observations of the behavior of gas in the wake behind a corner blockage in fast breeder subassembly geometry, 2210 (KFK--2820)
Onset of cavitation in pressure dropping devices in water and sodium, 2044 (IWGFR--9)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1975, 2989 (WARD-OX--3045-20)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1975, 2990 (WARD-OX--3045-23)
Oxide fuel element development. Quarterly progress report for period ending June 30, 1977, 2996 (WARD-OX--3045-32)
PACT 2: probabilistic analysis of coolant and cladding temperatures, 1309 (GEFR--00417)
Parametric study of the nonlinear behavior of complete LMFBR subassemblies using the CORTRAN computer code, 583 (CONF-770807--Pt.E)
Parametric study of the nonlinear behaviour of complete LMFBR subassembly using the CORTRAN computer code, 5063
Parametric investigation of dynamic fracture, 5073
Possibilities for the determination of the heat transfer process between nuclear fuel rods and the cooling medium in a sodium-cooled reactor during operation, 3112 (DOE-tr--142)
Practical model of interassembly heat transfer in LMFBR assemblies, 3587
Pre-irradiation concept description and cost assessment, 1295 (GEFR--00402(Vol.1))
Pre-irradiation concept description and cost assessment (Advanced LMFBR core design program), 1296 (GEFR--00402(Vol.2))
Pre-irradiation concept description and cost assessment (Advanced LMFBR core design program), 1297 (GEFR--00402(Vol.3))
Pressure drop measurements in LMFBR wire wrapped blanket assemblies, 874 (COO--2245-42TR)
Pressure drop measurements in LMFBR wire-wrapped blanket bundles, 3955
Pretest prediction of the W-1 SLSF experiment using the COMMIX-1A computer code, 2443 (NUREG/CR--0816)
Radiation heat transfer in a 19-pin sodium-voided bundle, 3981
Response of subassembly model with internals, 573 (CONF-770807--Pt.E)
Response of a grid spaced fuel assembly to shipping environment, 5085

Response of cracked hexagonal subassembly ducts to impact loading, 3193
Rod-bundle thermal-hydraulic analysis using boundary-fitted coordinate system, 2374 (NUREG/CR--0001)
Simple forced diversion model for study of thermal-hydraulic transients in LMFBR subassembly, 3849
Simple transient analysis of the THORS bundle 6A boiling test results, 679 (CONF-780622--37)
Simplified interassembly heat transfer model for the analysis of liquid-metal fast breeder reactor core restraint systems, 3082
Sodium boiling experiments in a 19 pin bundle: two phase coolant dynamics, 516 (CONF-761001--P4)
Sodium boiling in a full-length 19-pin simulated fuel assembly (THORS Bundle 6A), 2664 (ORNL/TM--6553)
Sodium boiling tests in a 19-pin internally guard heated simulated LMFBR fuel assembly with a six-channel internal blockage: record of experimental data for THORS bundle 3C, 2679 (ORNL/TM--6792)
Some problems of operation behaviour of hexagonal boxes for fuel elements of fast power reactors, 2223 (KFK-tr--578)
Spacer for supporting fuel element boxes (Patent; LMFBR), 3266
Steady state liquid metal boiling pressure drop characteristics, 514 (CONF-761001--P4)
Steady-state sodium tests in a 19-pin internally guard-heated simulated LMFBR fuel assembly with a six-channel internal blockage: record of experimental data for THORS bundle 3C, 2661 (ORNL/TM--6498)
Stress-intensity factors for irradiation-embrittled hexagonal subassimbly ducts, 5087
Study of transient sodium boiling in LMFBR fuel bundles, 1285 (GEFR--00395)
Subassembly-to-subassembly meltthrough analytical studies, 574 (CONF-770607--Pt.E)
Subassembly analysis, 3549
Subassembly bowing experience in EBR-II, 5071
Substentiation of vibration strength of nuclear reactor and steam generator internals; main problems, 2104 (IWGFR--21)
System design of carbide fuel. Quarterly progress report, April--June 1977, 910 (COO--2426-101)
System for extracting and inserting an irradiation capsule into a fuel assembly (Patent; LMFBR), 5347
System for charging and discharging the fuel of a nuclear reactor (LMFBR type reactors (Patent)), 5158
System of bracing intended for a bundle of parallel pins inside a fuel assembly of nuclear reactor (LMFBR; Patent), 5405
Temperature-dependent liquid metal flowrate control device (Patent), 3406
Temperatures of EBR-II subassemblies in air or argon without forced cooling, 806 (CONF-790808--19)
Temperature fluctuations: an assessment of their use in the detection of fast reactor coolant blockages, 3280
Theory and application of a quasi-Eulerian fluid element for the STRAW code, 144 (ANL--78-100)
Thermal-hydraulic evaluation of advanced wire-wrap assemblies, 4852
Thermal-hydraulic evaluation of advanced wire-wrap assemblies, 5003
Thermohydraulic and thermal stress aspects of a porous blockage in an LMFBR fuel assembly, 795 (CONF-790802--62)
Three-dimensional numerical simulation of a 19-pin LMFBR fuel assembly in a hexagonal duct, 3581
Three-dimensional numerical simulation of flow blockage in a 19-pin LMFBR fuel assembly, 3953
Three-dimensional coupled coolant cell heat transfer analysis of finite hexagonal LMFBR bundles, 3954
Transfer function of temperature fluctuations for liquid metal slug flow, 3898
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 568 (CONF-770807--Pt.E)
Triangular edge-subchannel wire-wrap phi-functions for flow blockage analysis, 3951
Turbulence measurements in an air model of a partly blocked reactor fuel subassembly, 4457
Turbulent sweeping flow mixing model for wire wrapped LMFBR assemblies, 886 (COO--2245-55TR)
Turbulent mixing experiment and model for wire-wrapped assemblies, 3956
Turbulent sweeping flow mixing model for wire wrapped LMFBR assemblies, 887 (COO--2245-55TR(Rev.1))
Vented assembly core development program, FY-77, 1255 (GEFR--00291)
Vented assembly core development program, FY-78, 1284 (GEFR--00386)
Water modelling studies of the hydrodynamic characteristics of impermeable blockages in an 11-pin geometry, 6 (AEEW-M--1471)

LMFBR TYPE REACTORS/FUEL CANS

2-D thermoelastic analysis of LMFBR fuel rod claddings, 5100
Alloys for a liquid metal fast breeder reactor (Patent), 3091
Analysis of the mechanical response of LMFBR fuel clads subjected to in-service property variations, 4641
Analysis of a hypothetical LMFBR accident using the codes FUTURE and FRUMP, 3987
Annual report of the working group 'fuel pin and fuel element mechanics' of the Institut fuer Reaktortechnik (IRT) of the Technische Hochschule Darmstadt for the Fast Breeder Project, 2203 (KFK--2690)
Apparatus for testing smooth and ribbed tubing with pulsed eddy currents, 62 (ANL--77-53)
Can swelling in fast-breeder fuel rods with oxidic and carbidic fuel, 3887
Characterization of residual stress profiles in irradiated fuel pin cladding, 5037
Characterization of residual stress profiles in irradiated fuel pin cladding, 1918 (INIS-mf--4470)
Clad relocation dynamics: the physics and accident evolution implications, 475 (CONF-761001--P4)
Cladding development and characterization in the United States, 1468 (HEDL-SA--1286)
Cladding failure by local plastic instability, 1916 (INIS-mf--4470)
Cladding relocation experiments, 474 (CONF-761001--P4)
Comparison of finite element calculations with experiments for the dynamic response of LMFBR core subassembly ducts, 3534
Corrosion behavior of LMFBR fuel cladding in simulated water pool storage conditions, 2675 (ORNL/TM--6744)
Cumulative damage fraction design approach for LMFBR metallic fuel elements, 800 (CONF-790802--69)
Development of cladding and structural materials, 2181 (KFK--2416)
Dynamic response of single hexagonal LMFBR core subassembly wrappers, 5105
Eddy-current examination of irradiated fuel elements at the Hot Fuel Examination Facility, 4869
Effect of prior irradiation creep on the subsequent burst strength of 20% cold-worked type 316 stainless-steel cladding, 3518
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 3942
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 1577 (HEDL-SA--1598-FP)
Effects of stress on swelling in reactor fuel cladding, 1912 (INIS-mf--4470)
Effects of temperature changes on the swelling behavior of 20% cold-worked AISI type 316 stainless steel, 3057
Experimental evaluation of the oxidation behavior of Nb, V, and Ti as candidate FCCI inhibitors, 1278 (GEFR--00370)
Experiments on the response of hexagonal subassembly ducts to internal pressure pulses, 5089
Experimental and theoretical evaluation of defect growth of fuel pin cladding by chemical fuel-sodium interaction, 5099
Fast reactor fluence dosimetry. Technical progress report, October 1978-March 1979, 1166 (ESG-DOE--13310)
Ferritic steels in reactor tribology, 4177
Fracture mechanics of thin wall cylindrical pressure vessels: an interim review, 2742 (PNL--2417)
French program on LMFBR cladding materials development, 4931
Fuel adjacency effects on fast reactor cladding mechanical properties, 1581 (HEDL-SA--1609)
Fuel can for a liquid-metal cooled fast breeder (Patent), 5239
Fuel cladding: wire wrap wear in sodium, 1173 (ETEC--78-15)
Fuel rod for liquid metal-cooled nuclear reactors (Patent), 5132
Influence of the radial temperature gradient on cladding dilatation, 4507
Influence of sodium environment on the uniaxial tensile behavior of titanium modified type 316 stainless steel (Doe; 0.15 to 0.25 wt % Ti, 550 to 700°C, the Voce Equation), 3714
LMFBR-fuel cladding thermal creep strain under linearly increasing internal pressure, 1917 (INIS-mf--4470)
LMFBR-fuel cladding thermal creep strain under linearly increasing internal pressure, 5084
Long-term in-reactor corrosion of stainless steel cladding in liquid sodium, 1628 (HEDL-SA--1756-5)
Long-term in-reactor corrosion of stainless-steel cladding in liquid sodium, 3168
Mechanical response of LMFBR and PI cladding tubes under transient heating, 3813
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium, 1464 (HEDL-SA--1225FP(Rev.))
Modeling of LMFBR fuel cladding mechanical behavior under transient conditions, 1911 (INIS-mf--4470)
Modeling of LMFBR fuel cladding mechanical behavior under transient conditions, 5068
Modeling the mechanical response of a degraded reactor fuel clad, 4993
Nuclear fuel elements (Patent), 3405
Oxygen transport limitations in using getters to control fuel cladding chemical interaction, 1549 (HEDL-SA--1522)
Piping for nuclear power reactors. Review, 5446
Prediction of high strain-rate deformation of LMFBR cladding during reactor transients, 460 (CONF-761001--P3)
Process and system for detecting and pre-locating a clad failure in a fast neutron nuclear reactor (Patent), 5203
Process and apparatus for the detection and prelocalization of a can fracture in a fuel assembly

of a fast nuclear reactor (Patent), 3092
Production and control of stainless steel cladding tubes for breeder reactors, 4401
Production and control of stainless steel cladding tubes for breeder reactors, 4411
Proposed mechanism for internal cladding corrosion in LMFBR mixed oxide fuel pins, 3389
Pulsed magnetic welding of breeder reactor fuel pin end closures, 1485 (HEDL-SA--1343)
Reference fuel studies. Annual report, February 1976--January 1977 (LMFBR; stainless steel clad PuO_2-UO_2 fuel pins), 1235 (GEFR--00076)
Reference fuel studies semi-annual report, February--July 1977 (LMFBR; stainless steel clad PuO_2--UO_2 fuel rods), 1247 (GEFR--00258)
Some problems of operation behaviour of hexagonal boxes for fuel elements of fast power reactors, 2223 (KFK-tr--578)
Statistical mechanical analysis of LMFBR fuel cladding tubes, 1920 (INIS-mf--4470)
Statistical mechanical analysis of LMFBR fuel cladding tubes, 5088
Status of international fuel cladding development, 4851
Stress analysis of fuel claddings with axial fins including creep effects, 4458
Stress-free swelling in Type 316 stainless steel at high fluences, 4478
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 1915 (INIS-mf--4470)
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 5077
Theoretical investigations of the meltoff and resolidification process of fuel claddings during accidents in liquid metal cooled fast breeder reactors, 2200 (KFK--2662)
Theory of void nucleation in metals, 3432
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
Transient tube burst tests on fast reactor fuel cladding, 1048 (ECN--21)
Two dimensional structural analysis of reactor fuel element claddings due to local effects, 890 (COO--2245-59TR)
Two-dimensional heat conduction calculations on the pin cladding and coolant of a wire wrap bundle, 5075
Uncertainties in fast breeder reactor fuel pin cladding stress and strain calculations, 1476 (HEDL-SA--1316)
Variability of cladding deformation of LMFBR fuel elements, 1914 (INIS-mf--4470)
Variability of cladding deformation of LMFBR fuel elements, 5107
Wire wrap-cladding mechanical interaction in sodium-bounded elements, 3936

LMFBR TYPE REACTORS/FUEL CHANNELS
Added mass and damping coefficients for hexagonal tube arrays, 250 (ANL-CT--79-51)
Effects of cracks in irradiation-embrittled hexagonal subassembly ducts, 3536
Fuel configuration for a nuclear reactor cooled with liquid metal (Patent), 3728
Laser-Doppler measurements of energy density spectra in turbulent channel flow; 4573 (DOE-tr--177)
LMFBR fuel assembly channel wall cross section optimization, 1929 (INIS-mf--4498)
LMFBR fuel assembly channel wall cross section optimization, 5076
Measurement of irradiation creep in bending, 1421 (GEFR-SP--198)
Model for pressure in an LMFBR duct due to discharge of gas from a failed fuel pin, 1934 (INIS-mf--4498)
Parametric investigation of dynamic fracture, 1927 (INIS-mf--4498)
SAS3A analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 818 (CONF-790816--31)
Stress-intensity factors for irradiation-embrittled hexagonal subassembly ducts, 1933 (INIS-mf--4498)
Transient sodium boiling characteristics at pump run down, 513 (CONF-761001--P4)

LMFBR TYPE REACTORS/FUEL CYCLE
Accuracy and computational time of a hierarchy of growth rate definitions for breeder reactor fuel, 3111
Advanced fuel recycle program progress report, April 1--June 30, 1977 (LMFBR; Voloxidation; dissolution; solvent extraction; off-gas processing; Iodox; disassembly), 2633 (ORNL/TM--5993)
Advanced fuel recycle program progress report, January 1 to March 31, 1978, 2651 (ORNL/TM--6306)
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)
Alternative fuel cycle options: performance characteristics and impact on nuclear power growth potential, 66 (ANL--77-70)
Alternative fuel cycles for breeder reactors, 665 (CONF-780401--)
Alternative fuel cycles for breeder reactors, 628 (CONF-771203--)
ARC System fuel cycle analysis capability, REBUS-2, 165 (ANL--7721)
Breeders, 4208
Comparative assessment of the LMFBR and advanced converter fuel cycles, 3341
Concept evaluation of nuclear fusion driven symbiotic energy systems, 844 (CONF-791204--34)
Cooperative nuclear data and methods development seventh quarterly report, April--June 1977, 1384 (GEFR--14074-7)
Denatured fast reactor symbiosis, 4715
Development of advanced fuels in Switzerland, 4823
Effect of plutonium isotopic composition on LMFBR fueling requirements, 4706
Effect of finite plant life on the doubling time of a breeder reactor population, 3709
Effect of alternative fuel cycles on LMFBR design, 3593
Efficient calculation methods of fast reactor and fuel cycle thereof, 1897 (INIS-mf--4280)
Energy from nuclear reactors. Pt. 4. The fast breeder: better utilization of uranium, 4461
Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs, 2625 (ORNL/TM--5865/V5)
Fast breeder reactor. Energy without depletion of natural resources, 3482
Fast breeder reactor: a millenium of peaceful power, 3488
Fast reactor program reprocessing project-pyrochemical head-end preliminary technical and economic evaluation, 5454 (PNL-TR--356)
Fuel cycle cost studies: fabrication, reprocessing, and refabrication of LWR, SSCR, HWR, LMFBR, and HTGR fuels, 2662 (ORNL/TM--6522)
Fuel cycles of D_2O-, fast breeder and high temperature reactors, 2 (AED-Conf--77-498-087)
HEDL contribution to SRL fuel recycle program: quarterly report for April, May, and June 1977, 1675 (HEDL-TC--902-2)
Heterogeneous oxide reference, transmuter, denatured core designs (Proliferation-resistant large core design study), 3215
Impact of delays in plutonium use on the stationary growth rate of fast breeder reactor fuel, 958 (COO/4116--1)
Instrumentation and control development and design philosophy for Advanced Fuel Recycle, 2655 (ORNL/TM--6393)
Interim assessment of the denatured ^{233}U fuel cycle: feasibility and nonproliferation characteristics, 2564 (ORNL--5398(Exec.Summ.))
Investigation of the growth rate for joint fast breeder reactor and light water reactor operation, 943 (COO--4116-3)
Liquid metal fast breeder reactor, 4927
Liquid-metal fast-breeder reactors: Preliminary safety and environmental information document. Volume VI, 1015 (DOE/NE--0003/6)
Lmfbr fuel analysis. Task C: Reliability. Final report, 1 October 1977-15 November 1978, 2703 (PB--294243)
Long-term options for the FR fuel cycle, 3719
Low-decontamination approach to a proliferation-resistant fuel cycle, 4714
Low-decontamination approach to a proliferation-resistant fuel cycle, 3366
Mass flows for LMFBRs fueled with various types of plutonium and fertile material, 2753 (PNL--3249)
Material control in nuclear fuel fabrication facilities. Part I. Fuel descriptions and fabrication processes, P.O. 1236909 Final report, 2946 (UCRL--13942(Pt.1))
Mixed fuel cycle hybrid LMFBR cores: design and analysis, 4917
Nuclear fuel fabrication and refabrication cost estimation methodology, 2670 (ORNL/TM--6640)
Nuclear investigations of sodium-cooled fast breeders with uranium-plutonium or thorium-uranium cycles, 3 (AED-Conf--78-011-000)
Optimisation of fuel design in relation to reactor performance and the conflicting demands of other parts of the fuel cycle, 4106
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 911 (COO--2426-133)
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 664 (CONF-780401--)
Perspectives of the nuclear power development in the USSR and the strategy of fuel reprocessing, 1875 (IAEA-AG--63-12)
Physics evaluations and applications quarterly progress report for period ending January 31, 1979, 3035 (WARD-XS--3045-25)
Preconceptual design study of proliferation-resistant homogeneous oxide LMFBR cores, 1286 (GEFR--00392)
Preliminary evaluation of alternative fuel cycle options utilizing fast breeders, 2563 (ORNL--5389)
Pyrochemical coprocessing of UO_2--PuO_2 LMFBR fuel by the Salt Transport Method, 2770 (RFP--2887)
Radiological significance of transuranium radioisotopes released to the environment during operation of the LMFBR fuel cycle, 5261
Radiological environmental assessment of the recycle of LMFBR advanced fuels, 600 (CONF-771008--5)
Radiological assessment of reprocessing advanced liquid-metal fast breeder reactor fuels, 3768
Review of United States program in LMFBR fuel reprocessing, 1869 (IAEA-AG--63-3)
Sensitivity analysis for fast reactor fuel cycle cost,

4717
Sensitivity analyses of fast reactor systems including thorium and uranium, 3674
Simple procedure for determining implications of design changes on fast reactor fuel cycle cost and breeding performance, 915 (COO--2458-24)
Simple procedure for determining implications of design changes on fast reactor fuel cycle cost and breeding performance, 3174
SNR-carbide program: its position between present and future, 4820
Some plutonium recycle program fuel cycles having reduced proliferation characteristics, 3367
Strategies in development of advanced fuels for LMFBR, 2136 (JAERI-M--6851)
Survey of alternative fuel cycle options without plutonium separation, 4713
Uranium availability and the breeder decision, 1131 (EQL-Memo--8)
LMFBR TYPE REACTORS/FUEL ELEMENT CLUSTERS
About some effects on the coolant temperature field in fuel assemblies with wire spacers, 1215 (FEI--624)
Acoustic measurements of the boiling stability tests on THORS sodium loop, 3819
Analytic studies of subassembly failure propagation, 462 (CONF-761001--P3)
Azimuthal non-uniformities of temperature of fuel elements arranged in regular lattices for turbulent liquid metal flow, 4906
Boundary-value thermal-hydraulic solution in a reactor fuel bundle, 5411
Breeder reactor safety and core systems programs. Progress report, July--September 1977 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2643 (ORNL/TM--6158)
Breeder reactor safety and core systems programs progress report, October--December 1977 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2649 (ORNL/TM--6288)
Breeder reactor safety and core systems programs. Progress report, January--March 1978 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2658 (ORNL/TM--6439)
Breeder reactor safety and core systems programs. Progress report, April--June 1978 (Thermal-Hydraulic Out-of-Reactor Safety Facility), 2665 (ORNL/TM--6558)
Breeder Reactor Safety and Core Systems Programs. Progress report, July--September 1978 (Thermal-hydraulic-out-of-reactor safety facility), 2674 (ORNL/TM--6698)
Breeder Reactor Safety and Core Systems Programs progress report for October--December 1978 (Thermal-hydraulic-out-of-reactor safety facility), 2680 (ORNL/TM--6851)
Bundle-duct clearance of HEDL mixed oxide subassemblies, 1449 (HEDL-SA--897)
Bundle to duct interaction compression tests using large diameter pins, 1319 (GEFR--00439)
CLAYMORE code and its use for describing coolant boiling in LMFBR subassemblies; 3746
Collection and evaluation of salt mixing data with the real time data acquisition system, 870 (COO--2245-36TR)
Comparison of computational results of the SABRE LMFBR pin bundle blockage code with data from well-instrumented out-of-pile test bundles (THORS bundles 3A and 5A), 2681 (ORNL/TM--6862)
Computation of temperature and velocity fields in fuel elements of fast sodium-cooled breeders passed by a parallel flow, 1890 (IKE--5-202)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1, 1977--May 31, 1977, 882 (COO--2245-50)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, September 1, 1977--November 30, 1977, 891 (COO--2245-60)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1, 1977--February 28, 1978, 894 (COO--2245-63)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, June 1, 1978--August 31, 1978, 896 (COO--2245-65)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, September 1, 1978--November 30, 1978, 897 (COO--2245-66)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, March 1, 1978--May 31, 1978, 895 (COO--2245-64)
Core subassembly cluster dynamic response to an accidental pressure rise, 3621
Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.2. A discrete model for squeeze flow between two adjacent LMFBR subassemblies, 3697
Cracked hexagonal ducts, 4482
Damping of the transversal impulsive motion of a Timoshenko beam resting on a thin fluid layer, 4389
Deformation analysis of fuel pins within the wire-wrap assembly of an LMFBR, 3244
Detection of coolant blockages: problems and possibilities, 406 (CONF-761001--P2)
Device for holding in position the pins of a cluster inside the casing of an assembly intended for nuclear reactors (Patent), 5458
Device to control the coolant flow in fuel or fertile elements of nuclear reactors (Patent), 3423
DISTAV calculation code for determining sodium temperatures in deformed helicoid wire pin bundles in fast neutron reactors, 3483 (ANL-Trans--1140)
Dynamic response of cracked hexagonal subassembly ducts, 788 (CONF-790802--50)
Effect of high external thermal loading on LMFBR subassembly integrity, 540 (CONF-770807--39)
Effects of material properties on the dynamic response of pressure-loaded core subassembly wrappers, 3578
Experimental study on interchannel interaction of coolant in rod lattices with wire-wrap spacers, 1209 (FEI--556)
Experimental determination of temperature fields in sodium-cooled rod bundles with hexagonal rod arrangement and grid spacers, 2165 (KFK--2356)
Experimental investigations into coolant cross mixing in multi-rod clusters with grid-type spacers in turbulent sodium flow, 4615 (EURFNR--1425)
Experimental evidence of the effect of peripheral obstructions on the temperature from factor of a spiral wire bundle, 3903
Experimental investigation on air-distribution in water flowing through a 61-rod bundle with helical spacers, 3690
Experimental fuel assembly irradiation experience in EBR II, 1547 (HEDL-SA--1518)
Experimental investigations of turbulent flows in rod bundles with and without spacer grids, 2213 (KFK--2834)
Fast reactor programme. First quarter 1977 progress report, 1049 (ECN--22)
Flow rundown experiments in a seven pin bundle, 4391
Fracture experiments with cracked and embrittled hexcan sections, 789 (CONF-790802--51)
Fuel element cluster of a nuclear reactor (Patent), 4580
FULMIX-II: a computer program for steady-state thermal-hydraulic analysis of wire wrapped rod bundles, 1318 (GEFR--00436)
Heat removal from a completely blocked breeder element by sodium boiling, 1906 (INIS-mf--4385)
How local sodium boiling in rod bundles under really steady state boundary conditions is achieved on the CFNA loop, 349 (CEA-CONF--3994)
Hydrodynamic behavior of a bare rod bundle, 880 (COO--2245-48TR)
In-pile investigation of local cooling disturbance in LMFBR's (Mol 7C), 1910 (INIS-mf--4426)
Incipient boiling of sodium in an annular channel heated by a single-pin with blockage, 5161
Incipient boiling of sodium in seven-pin bundle under forced convection conditions, 3548
Indication of a coolant blockage in a fuel element of a sodium-cooled reactor by temperature fluctuation measurements with steel--sodium thermocouples, 409 (CONF-761001--P2)
Input parameters to codes which analyze LMFBR wire wrapped bundles. Revision 1, 867 (COO--2245-17TR(Rev.))
Investigation of combined free and forced convection in a 2 x 6 rod bundle, 336 (BNWL--2216)
Laboratory manual for salt mixing test in rod bundles, 893 (COO--2245-62TR)
Laminar, transition, and turbulent parallel flow pressure drop across wire-wrap-spaced rod bundles, 3288
LMFBR: subassembly fault detection and identification by temperature noise analysis, 408 (CONF-761001--P2)
Local flow blockage experiments in 37-pin sodium cooled bundles with grid spacers, 2145 (JAPFNR--422)
MIPLO: a graphic program for the representation of temperature distributions in bundles with hexagonal rod configuration used in connection with MISTRAL-II, 3812 (EURFNR--1427)
Mixing experiments in an alternating wire wrapped assembly, 885 (COO--2245-54TR)
Model for turbulent momentum and heat transport in large rod bundles, 68 (ANL--77-73)
Multicell slug flow heat transfer analysis of finite LMFBR bundles, 898 (COO--2245-68TR)
Nuclear reactor fuel element sub-assemblies (Patent), 4450
Nucleation, dry-out and boiling behind a sodium-tight local blockage in a 9-pin bundle with helical wire spacers, 350 (CEA-CONF--3995)
Optimisation of fuel design in relation to reactor performance and the conflicting demands of other parts of the fuel cycle, 4106
Positioning and locking device for fuel pin to grid attachment (Patent; LMFBR), 3511
Prediction of local and integral turbulent transport properties for liquid-metal heat transfer in equilateral triangular rod arrays, 5414
Prediction of coolant mixing and peripheral flow in wire wrapped rod bundles (FULMIX-II Code), 1409 (GEFR-SP--140)
Probabilistic evaluation of core-internal coolant flow distribution with correlation among fuel subassemblies, 4299
Progress in liquid metals heat transfer, 1895 (INIS-mf--4280)
Response of single subassembly hexcan wrappers to pressure loads, 461 (CONF-761001--P3)
Response of subassembly model with internals, 546 (CONF-

770807--46)
Response of a grid spaced fuel assembly to shipping environment, 1932 (INIS-mf--4498)
SAS3A calculations for forced convection sodium boiling at low power, 2852 (SAND--78-0236C)
SAS3A simulations for a 19-pin dryout experiment, 3609
SAS3A simulations for a 19-pin dryout experiment, 680 (CONF-780622--42)
SAS3D prediction of intrasubassembly boiling incoherence, 3665
Sensitivity theory applied to a transient thermal-hydraulics problem, 2682 (ORNL/TM--6900)
SIMBO; a simple boiling model of the response of a simulated sodium-cooled breeder reactor subassembly to an undercooling transient, 2653 (ORNL/TM--6343)
SIMPLE-2: a computer code for calculation of steady-state thermal behavior of rod bundles with flow sweeping, 4564
Simple multichannel thermal-hydraulic model for study of the transient behavior of coolant in LMFBR subassembly, 3663
Simple transient analysis of the THORS bundle 6A boiling test results, 3610
Sodium boiling experiments in a seven-pin bundle: flow patterns and two-phase pressure drop, 4392
Sodium boiling incoherence in a 19-pin wire-wrapped bundle, 819 (CONF-790816--32)
Sodium flow distribution in test fuel assembly P-23B, 1817 (HEDL-TME--78-46)
Steady-state sodium tests in a 19-pin full-length simulated LMFBR fuel assembly: record of steady-state experimental data for THORS bundle 6a, 2641 (ORNL/TM--6106)
Stress intensity factors for corner-cracked subassembly ducts, 463 (CONF-761001--P3)
Study of forced convection boiling of sodium at low heat fluxes in electrically heated seven-rod bundles, 4815
Temperature, flow, and acoustic noises in a locally blocked 37-pin bundle, 4511 (JAPFNR--263)
Theoretical interpretation of boiling phenomena in electrically heated, sodium-cooled 7-rod arrays, 3902
Thermal-hydraulic analysis of a wire-wrapped 19-rod bundle with edge blockage, 3580
Thermal/hydraulic bowing stability analysis of grid-supported multi-pin bundles with differential swelling and irradiation creep, 5080
Thermodynamic and fluiddynamic aspects in optimizing the design of fast reactor subassemblies, 4115
Transient boiling of sodium in a 19-pin bundle under loss-of-flow conditions, 4513 (JAPFNR--262)
Transient code for analyzing LMFBR subassemblies including intersubassembly heat transfer (TCLUST1), 3224
TREAT; 20 years of transient testing, 3125
Turbulent interchange in triangular array bare rod bundles, 877 (COO--2245-45TR)
Turbulent flow split experiment and model for wire-wrapped assemblies, 3579

LMFBR TYPE REACTORS/FUEL ELEMENT FAILURE
Advanced fuels safety comparisons, 4862
Advanced safety analysis: Twelfth quarterly report, June--August 1977, 1377 (GEFR--14038-12)
Advanced safety analysis: Fifteenth quarterly report, March--May 1978, 1379 (GEFR--14038-15)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1978, 2418 (NUREG/CR--0587)
Analysis of a hypothetical LMFBR accident using the codes FUTURE and FRUMP, 3987
Analysis of internal fuel motion during PINEX-2 experiment, 1590 (HEDL-SA--1658-S)
Application of Larson--Miller parameter to LMFBR fuel failure dynamics, 4766
Application of LIFE transient codes to experiment and core design, 2998 (WARD-OX--3045-35)
Assessment of fuel failure propagation in LMFBRs, 432 (CONF-761001--P3)
BEHAVE-SST interpretation of TREAT experiments HUT 5-5A and HUT 5-5B, 3985
Behavior of carbide fuel in local and whole core accidents, 430 (CONF-761001--P3)
Breeder reactor safety and core systems programs. Progress report, July--September 1977 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2643 (ORNL/TM--6158)
Breeder reactor safety and core systems programs progress report, October--December 1977 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2649 (ORNL/TM--6288)
Breeder reactor safety and core systems programs. Progress report, January--March 1978 (Thermal-Hydraulic-Out-of-Reactor Safety Facility), 2658 (ORNL/TM--6439)
Breeder reactor safety and core systems programs. Progress report, April--June 1978 (Thermal-Hydraulic Out-of-Reactor Safety Facility), 2665 (ORNL/TM--6558)
Breeder Reactor Safety and Core Systems Programs. Progress report, July--September 1978 (Thermal-hydraulic-out-of-reactor safety facility), 2674 (ORNL/TM--6698)
Breeder Reactor Safety and Core Systems Programs progress report for October--December 1978 (Thermal-hydraulic-out-of-reactor safety facility), 2680 (ORNL/TM--6851)
Case for fuel redesign after in pile safety experiments: the ''COMMANDO'' tests, 4840
Cladding failure in TREAT overpower experiments: a mechanistic interpretation and its implications for LMFBR safety analysis, 473 (CONF-761001--P4)
Cladding failure by local plastic instability, 1916 (INIS-mf--4470)
Coded aperture imaging in many-pin fuel bundles, 3647
Comparison of finite element calculations with experiments for the dynamic response of LMFBR core subassembly ducts, 3534
Complementary information to summary report on fuel failures, theoretical approach, and special programs, 2021 (IWGFR--5)
Evaluation of the effect of shutdown cracks in TREAT-tested fuel pins, 4765
Experimental study of advanced fuel-pin failure phenomena, 4838
Experimental determination of plutonia and urania solubility in liquid metal, 1422 (GEFR-SP--202)
Failed fuel pin performance in fast metal-cooled reactors, 3847
Fluctuation analysis of fast reactor safety experiments in treat, 145 (ANL--78-102)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment, 759 (CONF-790361--1)
Fuel and fission gas response to simulated thermal transients: experimental results and correlation with fission gas release and swelling model, 3485
Fuel clad failures in Rapsodie reactor and an experimental irradiation program in order to obtain voluntary and spontaneous failures, 2018 (IWGFR--5)
Fuel displacement diagnostics for a 91-pin subassembly, 3646
Fuel failure studies and experiences in Italy, 2023 (IWGFR--5)
Fuel failure propagation reliability assessment, 3650
Fuel pin modeling for the prompt burst excursion (PBE) experiments, 2858 (SAND--78-0274C)
Fuel rod mechanics and failure analysis. Nineteenth quarterly report, February--April 1977, 1348 (GEFR--13923-19)
Fuel rod mechanics and failure analysis. Twentieth quarterly report, May--July 1977, 1349 (GEFR--13923-20)
Fuel rod mechanics and failure analysis. Twenty-first quarterly report, August--October 1977, 1350 (GEFR--13923-21)
Fuel rod mechanics and failure analysis twenty-second quarterly report, November 1977--January 1978, 1351 (GEFR--13923-22)
Fuel rod mechanics and failure analysis. Twenty-third quarterly report, February 1978--April 1978, 1352 (GEFR--13923-23)
Fuel rod mechanics and failure analysis. Twenty-fourth quarterly report, May--July 1978, 1353 (GEFR--13923-24)
GFEK experimental approach to carbide fuel element licensing, 4839
Hodoscope performance tests on a 91-pin fuel bundle at PARKA, 732 (CONF-781033--9)
Hydrodynamic fragmentation of drops, 2249 (LA--7938-C)
Improved method for conducting failed fuel experiments in LWR's, 735 (CONF-781105--8)
Improved method for conducting failed fuel experiments in LWRs (ETR sodium loop safety facility), 3975
In-reactor safety tests with fuels for fast neutron reactors, 2032 (IWGFR--5)
Influence of TREAT nonprototypic effects on prediction of pin failure in LMFBRs, 2284 (LA-UR--79-2141)
Influence of asymmetric phenomena on fuel pin breach, 3164
International working group on fast reactors, 2017 (IWGFR--5)
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 4772
Intrusion of molten steel into cracks in solid fuel in a transient-undercooling accident in a liquid-metal fast breeder reactor, 4269
Linear heat rating for incipient fuel melting in UO_2--PuO_2 fuel, 1445 (HEDL-SA--464)
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
Los Alamos Failure Model (LAFM): a code for the prediction of LMFBR fuel pin failure, 2228 (LA--7161-MS)
Loss-of-cooling experiments with single fuel pins, 469 (CONF-761001--P4)
Materials properties utilization in a cumulative mechanical damage function for LMFBR fuel pin failure analysis, 4477
Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 4816
Model for pressure in an LMFBR duct due to discharge of gas from a failed fuel pin, 1934 (INIS-mf--4498)
Model for pressure in an LMFBR duct due to discharge of gas from a failed fuel pin, 5094
Modes of failure of fast reactor fuel pins irradiated under loss-of-coolant-flow conditions, 3073

Numerical model of reactor fuel and coolant motions following pin failure (LMFBR; EPIC code), 4336
Parametric investigation of dynamic fracture, 1927 (INIS-mf--4498)
Parametric investigation of dynamic fracture, 5073
PECS-III: probabilistic evaluation of cladding lifetime in LMFBR fuel pins, 1245 (GEFR--00256)
Physicochemical model for predicting sodium reaction swelling in breached LMFBR fuel and breeder elements, 1313 (GEFR--00424)
Post-failure phenomena in LMFBR top accidents. Final report, October 1, 1976--September 30, 1977, 2381 (NUREG/CR--0018)
Prediction of thermal consequences of plenum fission gas release in an LMFBR fuel assembly, 747 (CONF-781181--2)
Probabilistic design method for LMFBR fuel rods, 1919 (INIS-mf--4470)
Prompt burst energetics experiments: uranium carbide series. Preliminary results, 2387 (NUREG/CR--0137)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Response of oxide fuel to simulated thermal transients, 3373
Results from the run-beyond-cladding-breach irradiation of a predefected fuel pin (RBCB-6), 1846 (HEDL-TME--79-23)
Role of Rayleigh--Taylor instabilities in fuel-coolant interactions, 3376
Safety engineering sixteenth quarterly report, May--July 1976, 1225 (GEAP--13923-16)
SIFAIL: a subprogram to calculate cladding deformation and damage for fast reactor fuel pins, 1851 (HEDL-TME--79-34)
Simple fuel pin transient and melting model and its application to thermal-hydraulics in lmfbr subassembly, 4050
Simulation of fast breeder reactor pin behavior using UO_2 pins with direct electrical heating, 4296
Statistical analysis of 17 TREAT experiments, 4010
Stochastic processes in thermal-hydraulic flow fields, 4756
Strain rate effects in transient overpower cladding failure analyses, 3986
Study of fuel failure dué to manufacturing faults, 2019 (IWGFR--5)
Subassembly experiments and a computer code to analyze the dynamic core deformation during local failure propagation, 4405
Test E3 on high-energy transient meltdown of irradiated UO_2 in a TREAT Mark-II loop, 79 (ANL--77-94)
Theoretical interpretation of SCARABEE single pin in-pile boiling experiments, 4396
Theoretical and experimental investigation of the nonlinear structural dynamics of Fast Breeder Reactor fuel elements, 2195 (KFK--2584)
Transient tube burst tests on fast reactor fuel cladding, 1048 (ECN--21)
Transient deforsation of LMFBR cores due to local failure: experimental and theoretical investigation, 4390
U.S. advanced fuels safety program, 4837

LMFBR TYPE REACTORS/FUEL ELEMENTS
Advanced carbide/nitride fuels program. Quarterly progress report for the period July--September 1977, 180 (ANL-AFP--40)
Advanced fuels program. Quarterly progress report, October--December 1977 (LMFBR; mixed carbides and mixed nitrides), 175 (ANL-AFP--34)
Advanced fuels program. Quarterly progress report, January--March 1977 (LMFBR; mixed carbides and mixed nitrides), 176 (ANL-AFP--35)
Advanced Fuels Program. Quarterly progress report for the period, July--September 1974 (LMFBR; mixed carbides and mixed nitrides), 167 (ANL-AFP--1)
Advanced fuels program. Quarterly progress report for the period April--June 1977 (LMFBR; mixed carbides and mixed nitrides), 179 (ANL-AFP--39)
Advanced Fuels Development Program. Quarterly progress report, October--December 1977 (LMFBR; mixed carbides and mixed nitrides), 183 (ANL-AFP--47)
Advanced fuels development program. Quarterly progress report, January--March 1978 (LMFBR; mixed carbides and nitrides), 184 (ANL-AFP--51)
Advanced fast reactor fuels program. Second annual progress report, July 1, 1975--September 30, 1976, 2234 (LA--7570-PR)
Advanced fuels development program. Quarterly progress report, October-December 1978 (LMFBR; mixed carbides and mixed nitrides), 187 (ANL-AFP--63)
Advanced fuels development program. Quarterly progress report, April-June 1978 (LMFBR; mixed carbides and mixed nitrides), 185 (ANL-AFP--55)
Advanced fuels development program. Quarterly progress report, July-September 1978 (LMFBR; mixed carbides and mixed nitrides), 186 (ANL-AFP--59)
Analysis of experimental fission gas behavior data in fast reactor fuel under steady state and transient conditions (LANGZEIT and KURZZEIT codes), 1204 (EURFNR--1464)
Analytical study of the feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 116 (ANL--78-17)
ANS54: a computer subroutine for predicting fission gas release, 2469 (NUREG/CR--1213)
Basic ideas on the development of fuel elements for fast breeder reactors, 2172 (KFK--2416)
Basic principles of prognostication for oxide fuel element working ability of sodium cooled fast reactors, 2027 (IWGFR--5)
CCB, a two-dimensional diffusion theory continuous cross-section burnup code for fast reactor analysis. Final report, 1081 (EPRI-NP--847)
Characterization of mixed LMFBR fuel-sodium aerosols generated by laser vaporization, 2744 (PNL--2500(Pt.1))
Coded aperture imaging methods for fuel motion measurement, 417 (CONF-761001--P2)
Comparison of a fission-gas effects in a transient overpower test (HUT 5-7A) to FRA83 code predictions, 1609 (HEDL-SA--1725-FP)
Comparison of experiment and NEFIC model calculations of transient fission gas behavior, 16 (AERE-TP--793)
Compatibility of a uranium metallic fuel with OKH16N15M3B chrome-nickel steel, 5417
Determination of the temperature in fuel elements of nuclear reactors (with liquid metal coolants) (Book: in Russian), 4094
Development of a finite-strain fuel-element model, 542 (CONF-770807--41)
Effect of phase instability of stainless steel on the cladding deformation profiles of LMFBR fuel elements, 4435
Effects of fission gas bubbles in the bond on the temperature distribution in Na-bonded carbide fuel rods, 3895
Effects of gap sizes on stresses and deflections of a fuel element, 793 (CONF-790802--59)
Effects of stoichiometry on cladding reaction in mixed oxide fuel, 3170
Evaluation of incoherency effect on cladding motion in R-series test, 3611
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, April 1--June 30, 1977 (UO_2; PuO_2), 2225 (LA--6924-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report 1 Oct--31 Dec 1977 (UO_2; PuO_2), 2229 (LA--7171-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: Irradiation tests. Progress report, July 1--September 30, 1977 (PuO_2; UO_2) 2226 (LA--7038-PR)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, January 1--March 31, 1978 (UO_2; PuO_2), 2231 (LA--7266-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, April 1-June 30, 1979 (UO_2; PuO_2), 2264 (LA--7975-PR)
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
Fast reactor fission yields for ^{233}U and ^{235}U irradiated in Row 4 of EBR-II, 1062 (ENICO--1028)
Fission product arrangement of a fast neutron reactor (Patent), 3556
Fuel elements for breeder power plants. International status, 2173 (KFK--2416)
Fuel element of the LMFBR, 2180 (KFK--2416)
Fuel elements for breeder power plants: international status, 3853 (EURFNR--1418)
Fuel element of the sodium breeder, 3866 (EURFNR--1418)
Fuel subassembly leak test chamber for a nuclear reactor (Patent), 3734
Generalized parametric model for transient gas release and swelling in oxide fuels (LMFBR; FRAS and PFRAS codes), 4327
Heat conductivity between uo$sub 2$ core and casing in fast reactor fuel elements, 5442
In-reactor performance of methods to control fuel-cladding chemical interaction, 1572 (HEDL-SA--1579)
Influence of oxygen-metal ratio on mixed-oxide fuel performance, 1630 (HEDL-SA--1760-FP)
Investigation of added masses and damping factors for vibrations of tube and tube bundles in fluid, 2099 (IWGFR--21)
Irradiation performance of helium-bonded uranium--plutonium carbide fuel elements, 2274 (LA-UR--78-2932)
Laboratory studies on melting and gas release behavior of irradiated fuel, 2031 (IWGFR--5)
Life: III fuel-element performance code, 1132 (ERDA--77-56)
Microstructural results from F20 power-to-melt experiment, 1277 (GEFR--00367)
Nondestructive analysis of irradiated fuels, 1487 (HEDL-SA--1350)
Overview of fuel element design, 3255
Oxide fuel element development. Quarterly progress report for period ending December 31, 1975, 2990 (WARD-OX--3045-23)
Oxide fuel element development quarterly progress report for period ending June 30, 1976, 2992 (WARD-OX--3045-

26)
Possibilities to determine the heat transfer between nuclear fuel elements and the coolant in a sodium cooled reactor during normal power operation, 2198 (KFK--2619)
Program for calculation of a nonstationary temperature field for a cylindrical fuel element, 2349 (NIIAR-P--255)
Quality assurance for breeder reactor fuel fabrication, 1608 (HEDL-SA--1724)
Role of fission gas and fuel melting on transient fuel response, 3604
Safety device in a nuclear reactor fuel rod with a closed fission gas plenum (Patent; LMFBR), 5221
Safety device in a nuclear reactor fuel rod with a closed fission gas plenum (Patent), 5131
Safety problems related to microheterogeneities in physically mixed oxide fuels, 380 (CONF-761001--3)
Sodium removal of fuel elements by vacuum distillation, 2116 (IWGFR--23)
Status of mechanical properties and models for LMFBR and LWR fuel element modeling, 4654
System design of carbide fuel. Quarterly progress report, January--March 1978, 912 (COO--2426-136)
Transient pressurization and transport of a two-component gas within interconnected porosity of solid mixed-oxide fuel, 3429
Translocation of mixed LMFBR fuel-sodium aerosols from the lung following inhalation by rodents, 2745 (PNL--2500(Pt.1))
Vent mechanism (Patent; LMFBR), 5332

LMFBR TYPE REACTORS/FUEL MANAGEMENT
Core design: fuel management as a balance between in-core efficiency and economics, 3713
Critical experiments and analysis twenty-second quarterly report, January--March 1977, 1337 (GEFR--13771-22)
Critical experiments and analysis twenty-sixth quarterly report, January--March 1978, 1341 (GEFR--13771-26)
Critical experiments and analysis. Twenty-eighth quarterly report, July--September 1978, 1343 (GEFR--13771-28)
Critical experiments and analysis. Thirtieth quarterly report, January--March 1979, 1345 (GEFR--13771-30)
Enrichment and control optimization in LMFBRs losing reactivity during burnup, 4484
Loading method of core constituting elements (Patent; LMFBR), 5147
Optimization of the doubling time t$sub 2$ and the fuel component of calculated expenditures e$sub f$ in fast reactors by means of partial recharging, 5444
Optimization of refueling scheme of fast reactor core by means of man machine interactive method, 4585
Utilization factor of nuclear material in LMFBR, 4566

LMFBR TYPE REACTORS/FUEL MOTION DETECTION
Analog and digital reconstructions of fuel pin images recorded with the prototype ACPR (UPGRADE) fuel motion diagnostic system, 2436 (NUREG/CR--0790)
Development of a coded aperture fuel motion diagnostics system for the ACPR (UPGRADE), 2437 (NUREG/CR--0790)
Flash x-radiography for material motion detection, 2441 (NUREG/CR--0790)
Potential for using coded aperture imaging for fuel motion detection measurement in the STF, 2439 (NUREG/CR--0790)
Relation between fuel motion and detector response for in-core fuel motion detection systems, 2440 (NUREG/CR--0790)
Scram signal generator, 3228
Topical report on fuel motion diagnostic systems, 2436 (NUREG/CR--0790)

LMFBR TYPE REACTORS/FUEL PARTICLES
Hydrogen retention of (U,Pu)O/sub 2-y/, 2666 (ORNL/TM--6568)
Initial stage restructuring in sphere-pac mixed-carbide fuel, 2755 (PNL-SA--7503)
Preconceptual study of proliferation-resistant heterogeneous sphere-pac-fueled LMFBR cores, 2684 (ORNL/TM--6996)
Properties and irradiation behavior of advanced oxide particle fuel, 4830
THermal conductivity during initial stage restructuring in sphere-pac fuel, 3952

LMFBR TYPE REACTORS/FUEL PELLETS
Alternative oxide fuel pellet fabrication for irradiation testing, 1578 (HEDL-SA--1604-FP)
Analysis of crack patterns in fast reactor fuel pellets, 14 (AERE-TP--719)
Analysis of crack patterns in fast reactor fuel pellets, 1913 (INIS-mf--4470)
Computerized fuel measurement from x-ray radiography, 1033 (DOE/TIC--11042)
Effects of stoichiometry on cladding reaction in mixed-oxide fuel, 1621 (HEDL-SA--1749-FP)
Effects of grain boundary fission gas on transient fuel behavior, 3242
Evaluation of the effect of shutdown cracks in TREAT-tested fuel pins, 4765
Experimental study of advanced fuel-pin failure phenomena, 4838
Fabrication of ThO_2, UO_2, and PuO_2-UO_2 pellets, 1504 (HEDL-SA--1399-FP)
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049
Fuel crack volume predictions and measurements, 1584 (HEDL-SA--1631-FP)
Fuel disassembly experiments using the capacitor discharge vaporization (CDV) technique, 3995
Heat transmission during start-up in carbide fuel rods provided with average to large fabrication gaps, 3514 (DOE-tr--178)
Hydrogen retention of (U,Pu)O/sub 2-y/, 2666 (ORNL/TM--6568)
Influence of oxygen-metal ratio on mixed-oxide fuel performance, 1630 (HEDL-SA--1760-FP)
Preliminary fabrication studies of alternative LMFBR carbide fuels, 2238 (LA--7901-MS)
Remote fabrication of pellet fuels for United States breeder reactors, 1610 (HEDL-SA--1727-FP)

LMFBR TYPE REACTORS/FUEL PINS
Actinide redistribution in the outer regions of mixed-oxide fuel, 3411
Advanced fuels program. Quarterly progress report, January--March 1976 (Mixed carbides and nitrides), 169 (ANL-AFP--28)
Advanced fuels program. Quarterly progress report, July--September 1976 (Mixed carbides and nitrides), 174 (ANL-AFP--33)
Advanced fuels program. Quarterly progress report, April--June 1976 (Mixed carbides and nitrides), 170 (ANL-AFP--29)
Advanced fuels safety comparisons, 4862
Advanced LMFBR fuels, 4817
Advanced safety analysis. Eleventh quarterly report, March--May 1977, 1376 (GEFR--14038-11)
Advanced safety analysis thirteenth quarterly report, September--November 1977, 1378 (GEFR--14038-13)
Analysis of fuel-cladding chemical interaction at high burnup, 4647
Analysis of the transient correction factor in TREAT reactor experiments, 4738
Analysis of advanced fuels critical experiments, 1287 (GEFR--00393)
Analysis of the structure and the thermal behavior of the UO_2--PuO_2 fuel in the irradiation experiment FR2 capsule test series 5a, 3515 (DOE-tr--175)
Analysis of internal fuel motion during PINEX-2 experiment, 1590 (HEDL-SA--1658-S)
Analysis of fuel behaviour in SCARABEE 1st phase experiments, 2255 (LA--7938-C)
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins, 2959 (WARD-CN--3045-4)
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins, 4844
Annual report of the working group 'fuel pin and fuel element mechanics' of the Institut fuer Reaktortechnik (IRT) of the Technische Hochschule Darmstadt for the Fast Breeder Project, 2203 (KFK--2690)
Application of coded source x-radiography to the observation of nuclear fuel motion, 2844 (SAND--77-1724)
Application of core structural design guidelines in conceptual fuel pin design, 1410 (GEFR-SP--149)
Assumptions, constraints and methodology of ANL advanced fuels system studies, 4847
Behavior of dissolved fission gases prior to transient testing of fuel pins, 11 (AERE-M--2992)
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs: a preliminary report. Part I. Assumptions, constraints and methodology, 171 (ANL-AFP--30)
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs. Part IV: impact of a pressure drop constraint on breeding performance and pin diameter optimization in 5000 MWt LMFBRs using sodium bonded carbide fuels, 172 (ANL-AFP--31)
Case for fuel redesign after in pile safety experiments: the ''COMMANDO'' tests, 4840
CDFR fuel design optimisation, 4113
Cesium migration in LMFBR fuel pins, 1559 (HEDL-SA--1543-FP)
Chemical behaviour of mixed-carbide fuel rods under irradiation, 3894
Chemical state of irradiated carbide fuel pins, 4868
Cladding component chemical transport in mixed-oxide fast reactor fuel pins: an additional (high burnup) mechanism for fuel cladding chemical interaction, 1299 (GEFR--00404)
CNEN program on advanced LMFBR fuels, 4824
Coded aperture imaging of reactor illuminated LMFBR fuel pins, 2815 (SAND--77-1014C)
Comparison of fuel pin deformations with pressurized tube creep tests, 1506 (HEDL-SA--1405)
Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading, 1627 (HEDL-SA--1755-FP)
Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading, 3165
Composition of the corrosion product oxide phases in the gaps of three LMFBR-type mixed oxide fuel pins, 3561
Composition of the corrosion product oxide phases in the gaps of three LMFBR-type mixed oxide fuel pins, 3692
Computer analysis and control for non-destructive gamma scanning of LMFBR fuel pins, 4029
Contribution to the specialists meeting on fuel failure

mechanisms, 2020 (IWGFR--5)
Contribution to the structural analysis of cylindrical fuel rods of nuclear reactors with consideration of multidimensional behavior, based on finite-element-method, 2216 (KFK--2858)
Coolant mixing in LMFBR rod bundles and outlet plenum mixing transients. Progress report, December 1,1978--February 28, 1979, 899 (COO--2245-69)
Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels, 4841
Creep behavior of mixed-carbide advanced nuclear fuel, 4867
Data-based evaluation of thermal performance mechanisms in mixed-oxide fuel pins, 1257 (GEFR--00295)
Data for PNC fuel pins for HEDL P-E01 test, 1022 (DOE/TIC--10188)
Dépendence of LMFBR fueling requirements on plutonium isotopic composition, 2754 (PNL--3255)
Design and performance of shroud tubes, 4850
Design and performance of sodium-bonded uranium--plutonium carbide fuel elements, 2275 (LA-UR--78-2933)
Development of advanced fuels in Switzerland, 4823
Development of LMFBR core designs using reference and advanced oxide fuel, 4846
Dynamic intragranular fission gas behavior model, 2452 (NUREG/CR--0906)
Dynamic properties of fuel pins, 5038
Early-in-life thermal performance of UO_2--PuO_2 fast reactor fuel, 1552 (HEDL-SA--1526-FP)
Effective equation-of-state measurements on uranium dioxide, 4800
Effects of local cesium concentrations on mixed-oxide fuel behavior, 1475 (HEDL-SA--1306S)
Effects of grain boundary fission gas on transient fuel behavior, 3242
Engineering analysis of mixed carbide fuels for large breeder reactors, 182 (ANL-AFP--46)
Ex-reactor transient fission gas release studies, fuel pin PNL-2-4, 1782 (HEDL-TME--77-83)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development, irradiation tests. Progress report, July 1--September 30, 1978 , 2233 (LA--7559-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, July 1-September 30, 1979, 2265 (LA--8132-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, October 1-December 31, 1979, 2266 (LA--8238-PR)
Experience and future plan of fast reactor oxide fuels irradiation in Japan, 4826
Fabrication and irradiation performance of $Pu_{0.25}U_{0.75}O_{1.91}$ low O/M fuel, 1562 (HEDL-SA--1553)
Fabrication data for the US/UK safety test program L01 calibration fuel pins, 1021 (DOE/TIC--10187)
Failed fuel pin performance in fast metal-cooled reactors, 3847
Fast reactor fuel pin performance, 3553
Fast reactor fuel pin behaviour modelling in the UK, 17 (AERE-TP--796)
Feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 4653
Finite-element solution of added mass and damping of oscillating rods in viscous fluids, 216 (ANL-CT--78-22)
Fission gas bubble distribution in a mixed oxide fast reactor fuel pin, 368 (CEGB-RD/B/N--4194)
Fission gas behavior in mixed-oxide fuel during overpower and thermal transient tests, 1443 (HEDL-S/A--1552-FP)
FR2-Loop experimental series 5, irradiation, post-irradiation examination, and analysis of the FCMI, 4325 (DOE-tr--70)
French advanced fuels development program, 4821
French irradiation test experience for carbide fuels, 4834
Fuel assembly (Patent; LMFBR), 5382
Fuel column stability in irradiated mixed-oxide fuel, 1520 (HEDL-SA--1447-S)
Fuel pin coolability in low power voiding, 3664
Fuel pin fission gas plenum location study, 1285 (GEFR--00390)
Fuel pin simulators for sodium boiling tests in the THORS facility, 2673 (ORNL/TM--6686)
Fuel properties of advanced fuels (U,Pu)CN important for out-of-pile and in-pile kinetics, 4866
Fuel rod for liquid metal cooled nuclear reactors (Patent), 4421
Fuel rod for a sodium-cooled reactor (Patent), 3287
Generic transient limit curves for LMFBR core design guidance, 3961
German carbide irradiation test experience for fast reactors, 4833
German oxide fuel pin irradiation test experience for fast reactors, 2209 (KFK--2817)
GFEK experimental approach to carbide fuel element licensing, 4839
Heat transmission during startup in carbide fuel rods provided with average to large fabrication gaps, 2184 (KFK--2472)
Heater rods for simulation of fuel pins in liquid-metal-boiling experiments. Pt. 2, 2185 (KFK--2474)
HEDL mixed oxide fuels fabrication development. Quarterly progress report, January--March 1977, 1787 (HEDL-TME--77-94)
HEDL mixed oxide fuel pin breach experience in EBR-II, 1555 (HEDL-SA--1535-FP)
HTFLO: a computer model of a resistively-heated UO_2 pin with a rate-dependent heat capacity, 2889 (SAND--79-1693)
Impact of design constraints on the selection of feasible designs, 3960
In-pile homogenization of mixed-oxide fuel, 4648
Interaction between hyperstoichiometric (U,Pu)C and molten stainless-steel shroud material, 4649
Interactions between thermal and structural behavior in FBR fuel pins, 1412 (GEFR-SP--159)
Investigation of sodium-bonded carbide fuel assembly design, 4849
Investigation of irradiated uranium--plutonium carbonitride fuel by microprobe analysis, 3490
Irradiation behavior of sphere-pac carbide fuel, 4835
Irradiation experiments of uranium carbide, carbonitride, and nitride fuels in JAERI, 4836
Irradiation performance analysis of UK fast reactor fuel, 4842
Irradiation and post-irradiation examination data from selected F9 and F5 test pins, 1259 (GEFR--00305)
Irradiation and post-irradiation examination data from selected F9E fuel pins, 1303 (GEFR--00407)
Japanese development program for advanced LMFBR fuels, 4822
Large heterogeneous reference fuel design study. Final report, 1798 (HEDL-TME--78-1)
LIFE code system for analysis of oxide fuel pin thermal/structural behavior, 4845
Loss-of-cooling experiments with single fuel pins, 469 (CONF-761001--P4)
Mechanical behavior of a fuel pin for fast reactors: effect of the fuel form and of the approach-to-power on the change of the fuel stack length under irradiation, 4827
Mixed-nitride fuel performance in EBR-II, 4831
Mixed oxide run-beyond-cladding-breach tests in EBR-II, 1556 (HEDL-SA--1536-FP)
Model to describe the role of non-equilibrium intragranular fission gas bubbles during transient heating, 3415
Modeling breeder reactor transient fission gas behavior: bubble equilibration effects, 3602
Modeling of the effects of grain-boundary fission gas on transient fuel behavior, 3603
Neutronic considerations in the design of a fuel pin for a fast power reactor, 4225
Nuclear reactor fuel elements (Patent; LMFBR), 4444
Nuclear reactor with fuel pin bracing grid (Patent), 3054
Nuclear reactor (Patent), 3262
Optimization system design studies of advanced carbide fuel, 4848
Optimum nuclear pin bundle for prototypic thermal-hydraulic environment in large-scale testing, 3127
Optimum pin diameter for LMFBR carbide fuels, 5350
Out-of-reactor transient fission gas release studies, 1507 (HEDL-SA--1407)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976, 2991 (WARD-OX--3045-24)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1976, 2993 (WARD-OX--3045-27)
Oxide fuel element development. Quarterly progress report for period ending June 30, 1977, 2996 (WARD-OX--3045-32)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1976, 2994 (WARD-OX--3045-29)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1977, 2995 (WARD-OX--3045-31)
Oxygen getters for fast reactor fuel pins, 3484
Performance of U--Pu--Zr metal fuel in 1000 MWe LMFBRs, 758 (CONF-790306--16)
Pin-diameter optimization of homogeneous and tightly coupled heterogeneous ^{233}U--Th metal-fueled LMFBRs, 4698
Pin diameter optimization in 1200 MWe heterogeneous vs. homogeneous LMFBRs, 531 (CONF-770611--37)
PIPER: a new fast reactor fuel pin performance code, 2025 (IWGFR--5)
Probabilistic distributions of pin gaps within a wire-spaced fuel subassembly and sensitivities of the related uncertainties to pin gap, 3495
Progress in modeling carbide and nitride fuel performance in advanced LMFBRs, 4843
Proposed mechanism for internal cladding corrosion in LMFBR mixed oxide fuel pins, 3389
Pulsed magnetic welding of breeder reactor fuel pin end closures, 3937
Rate effects in the dynamic vaporization of uranium dioxide, 4798
Reference fuel studies. Annual report, February 1976--January 1977 (LMFBR; stainless steel clad PuO_2-UO_2 fuel pins), 1235 (GEFR--00076)
Regional-tailoring of EBR-II for slow transient tests, 3186
Results from the run-beyond-cladding breach irradiation

of a predefected fuel pin (RBCB-7), 1854 (HEDL-TME--79-62)
Results of the post-irradiation examinations of the Rapsodie I experiment fuel pins, 302 (BN--7612-04)
Safety aspects of fast reactor fuels, 1469 (HEDL-SA--1288)
Safety aspects of carbide irradiations in FTR driver positions, 4861
Safety margins for sodium-bonded carbide fuel, 5349
Short terms experiments in BR2 towards a better fast fuel performance analysis, 1907 (INIS-mf--4426)
SIEX design predictions for the PNC fuel pins in the HEDL P-E01 power-to-melt test, 1034 (DOE/TIC--11060)
SIFAIL: a subprogram to calculate cladding deformation and damage for fast reactor fuel pins, 1851 (HEDL-TME--79-34)
Simulation of LOF accidents with directly electrical heated UO_2 pins, 472 (CONF-761001--P4)
Some comments on shock-induced fragmentation and detonating thermal explosions, 4678
Some observations on oxygen and carbon potentials in U--Pu--O and U--Pu--C systems, 4864
State of the art of fuel pin simulators for LMFBR out-of-reactor safety tests: status report, 2627 (ORNL/TM--5889)
Statistical mechanical analysis of LMFBR fuel cladding tubes, 1920 (INIS-mf--4470)
Steady state irradiation behavior of mixed oxide fuel pins irradiated in EBR-II, 1598 (HEDL-SA--1683-FP)
Study of the transient correction factor used in TREAT reactor in-pile experiments, 121 (ANL--78-31)
Swelling in mixed-oxide fuel pins, 3368
TEMP: a computer code to calculate fuel pin temperatures during a transient, 1735 (HEDL-TME--75-85)
TH--U metallic fuel: LMFBR potential based on EBR-II driver-fuel performance, 4652
Theoretical considerations of rate effects in uranium dioxide, 4799
Thermal bowing of wire-wrapped fuel pins in fast reactors, 1643 (HEDL-SA--1839)
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
Thermophysical properties of liquid uranium carbide, 4865
THree-dimensional deflection analyses of wire-spaced fuel pin bundles under temperature and hydrodynamic force fields with irradiation effects, 3494
Three-dimensional analysis for fuel pin deformations in an LMFBR assembly, 1931 (INIS-mf--4498)
THree-dimensional analysis for fuel pin deformations in an LMFBR assembly, 5081
Titanium oxide cesium getters for low O/M FBR fuel pins, 1640 (HEDL-SA--1828)
Two-dimensional heat conduction calculations on the pin cladding and coolant of a wire wrap bundle, 1928 (INIS-mf--4498)
TWOD-2: two-dimensional finite element fuel pin analysis code, 1321 (GEFR--00442)
UK irradiation experience relevant to advanced oxide fuel concepts for LMFBR's, 4825
UK irradiation experience relevant to advanced carbide fuel concepts for LMFBR's, 4832
UK strategy and programmes for advanced LMFBR fuels, 4819
US advanced LMFBR fuels development program, 4818
US experience in irradiation testing of advanced oxide fuels, 4828
US--UK technical exchange breeder reactor fuels: fuel pin chemistry, 1434 (HEDL--6297)
US--UK technical exchange breeder reactor fuels. Fuel pin chemistry (supporting information), 1490 (HEDL-SA--1363S)
Use of hodoscopes to obtain tomographic resolution of fuel motion, 3570
W-1 SLSF experiment, 1600 (HEDL-SA--1688)

LMFBR TYPE REACTORS/FUEL POOLS
Facilities of fuel transfer for nuclear reactors (Patent; LMFBR), 4592
Fuel handling and storage system for large commercial LMFBRs, 4870

LMFBR TYPE REACTORS/FUEL RODS
2-D thermoelastic analysis of LMFBR fuel rod claddings, 1923 (INIS-mf--4470)
Analysis of fuel/clad mechanical interaction in non-steady reactor operation via fuel rod modelling code IAMBUS, 5095
Analysis of steady state combined forced and free convection data in rod bundles, 2757 (PNL-SA--7878)
Annual report of the working group 'fuel pin and fuel element mechanics' of the Institut fuer Reaktortechnik (IRT) of the Technische Hochschule Darmstadt for the Fast Breeder Project, 2203 (KFK--2690)
Application of Galerkin method to hydraulic analysis for turbulent fluid flow around LMFBR fuel rod, 3503
Chemical and mechanical interaction in the oxide fuel rod, 3867 (EURFNR--1418)
Coded aperture imaging system for nuclear fuel motion detection, 2893 (SAND--80-0026)
Consideration of fuel motion potential due to volatilization of metallic fission product inclusions, 3597
Core and transition fuel assembly for a nuclear reactor (Patent), 3233
Design, irradiation, and post-irradiation examination of Na-bonded (U,Pu)C fuel rods of the test group Mol 15, 3867 (EURFNR--1421)
Design of carbide fuel rods, 2176 (KFK--2416)
Development of a finite-strain fuel-element model, 5078
Development of a finite-strain fuel-element model, 1941 (INIS-mf--4498)
Fast breeder cladding tubes provided with helical fins: development and testing, 3516 (DOE-tr--174)
Fuel rod for fast breeder (Patent), 5359
Heat transfer around a circular cylinder in liquid sodium crossflow, 3815
Layout, design and post irradiation examination of Na-bonded fuel pins of the test group Mol 15, 2183 (KFK--2451)
Probabilistic design method for LMFBR fuel rods, 5086
Reference fuel studies semi-annual report, February--July 1977 (LMFBR; stainless steel clad PuO_2--UO_2 fuel rods), 1247 (GEFR--00258)
Steady temperature distributions in a multi-region nuclear fuel rod, 5450
Thermal analysis of a variable geometry multi-region nuclear fuel rod, 626 (CONF-771203--)

LMFBR TYPE REACTORS/FUEL-CLADDING INTERACTIONS
Advanced carbide/nitride fuels program. Quarterly progress report for the period July--September 1977, 180 (ANL-AFP--40)
Advanced Fuels Program. Quarterly progress report for the period, July--September 1974 (LMFBR; mixed carbides and mixed nitrides), 167 (ANL-AFP--1)
Advanced fuels program. Quarterly progress report for the period April--June 1977 (LMFBR; mixed carbides and mixed nitrides), 179 (ANL-AFP--39)
Advanced Fuels Development Program. Quarterly progress report, October--December 1977 (LMFBR; mixed carbides and mixed nitrides), 183 (ANL-AFP--47)
Advanced fuels development program. Quarterly progress report, January--March 1978 (LMFBR; mixed carbides and nitrides), 184 (ANL-AFP--51)
Advanced fuels development program. Quarterly progress report, April-June 1978 (LMFBR; mixed carbides and mixed nitrides), 185 (ANL-AFP--55)
Advanced fuels development program. Quarterly progress report, July-September 1978 (LMFBR; mixed carbides and mixed nitrides), 186 (ANL-AFP--59)
Analysis of fuel-cladding chemical interaction at high burnup, 4647
Analysis of fuel-cladding chemical interaction at high burnup, 1471 (HEDL-SA--12948)
Analysis of fuel-cladding chemical interaction in mixed-oxide fuel at high burnup, 1821 (HEDL-TME--78-66)
Analysis of fuel/clad mechanical interaction in non-steady reactor operation via fuel rod modelling code IAMBUS, 1921 (INIS-mf--4470)
Assessment of the HEDL P-23 special pins test. Methods to control fuel-cladding chemical interaction, 1819 (HEDL-TME--78-52)
Chemical and mechanical interaction in the oxide fuel rod, 2177 (KFK--2416)
Chemical interaction at the FBR cladding fuel interfaces, 1908 (INIS-mf--4426)
Computer analysis of the influence of design parameters, materials properties and operation conditions on the irradiation behavior of fast breeder fuel rods with oxide fuel, 1930 (INIS-mf--4498)
Contribution to the specialists meeting on fuel failure mechanisms, 2020 (IWGFR--5)
Effects of stoichiometry on cladding attack in mixed-oxide fuels to approx.3.6 at.% burnup, 4646
Effects of stoichiometry on cladding attack in mixed-oxide fuels to approx. 3.6 at% burnup, 1470 (HEDL-SA--1292-S)
Effects of stoichiometry on cladding reaction in mixed-oxide fuel at high burnup, 3572
Effects of stoichiometry on cladding reaction in mixed-oxide fuel at high burnup (PuO_2--UO_2), 1531 (HEDL-SA--1470-S)
Effects of stoichiometry on cladding attack in UO_2--PuO_2, 3293
Effects of stoichiometry on cladding reaction in mixed-oxide fuel, 1621 (HEDL-SA--1749-FP)
Fabrication and irradiation performance of $Pu_{0.25}U_{0.75}O_{1.91}$ low O/M fuel, 1562 (HEDL-SA--1553)
Fuel-cladding chemical interaction in mixed-oxide fuels, 1553 (HEDL-SA--1527-FP)
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
In-reactor performance of methods to control fuel-cladding chemical interaction, 1572 (HEDL-SA--1579)
Interaction between hyperstoichiometric (U,Pu)C and molten stainless-steel shroud material, 4649
Mechanisms of fuel-cladding chemical interaction: US interpretation, 1392 (GEFR-SP--011)
Out-of-pile experiments performed in the U.S. Fuel Cladding Chemical Interaction (FCCI) Program, 1391 (GEFR-SP--010)
Oxygen transport limitations in using getters to control fuel cladding chemical interaction, 1549 (HEDL-SA--1522)
Some problems of operation behaviour of hexagonal boxes for fuel elements of fast power reactors, 2223 (KFK-tr--578)
Wire wrap-cladding mechanical interaction in sodium-bounded elements, 3936

LMFBR TYPE REACTORS/FUEL-COOLANT INTERACTIONS
A model for fuel fragmentation during molten fuel/coolant thermal interactions, 489 (CONF-761001--P4)
Analysis of in-pile MFCI experiments with carbide fuel, 3615
Analysis of fuel-coolant interaction in the initiation and postexplosive stages of fast reactor credible accidents, 993 (CS-INIS--201)
Analysis of the heat and mass transfer processes of UO_2 bubble in sodium, 817 (CONF-790816--30)
Calculations of the possible consequences of molten fuel sodium interactions in subassembly and whole core geometries, 2731 (PNC-N--251-76-12(Vol.2))
CAMEL single-pin fuel swdepout test C2, 4749
Characterization of fragmented fuel from a thermal fuel-sodium interaction, 3271
Comparison of carbide and oxide fuel-coolant interactions resulting from overpower transients, 181 (ANL-AFP--41)
Comparison of finite element calculations with experiments for the dynamic response of LMFBR core subassembly ducts, 3534
Computational analysis of fuel--sodium interactions with an improved method (MURTI code), 433 (CONF-761001--P3)
Current status of experimental and theoretical work on sodium/fuel interaction(SFI) at Karlsruhe. Out-of-pile experiments, 2717 (PNC-N--251-76-12(Vol.1))
Current status of experimental and theoretical work on sodium/fuel interaction (SFI) at Karlsruhe 'simulation experiments', 2721 (PNC-N--251-76-12(Vol.1))
Current status of experimental and theoretical work on sodium/fuel interaction (SFI) at Karlsruhe 'code developments', 2728 (PNC-N--251-76-12(Vol.2))
Effect of internal radiation on the contact interface temperature between UO_2 and sodium, 4679
Effect of uncertainties in thermophysical properties of UO_2 ard sodium on MFCI's, 2897 (SRD-R--159)
Effects of fuel-sodium interaction in TOP tests with electrically heated fuel pins, 491 (CONF-761001--P4)
Effects of internal circulation velocity and noncondensible gas on vapor condensation from a rising bubble, 4781
Effects of sodium entrainment and heat transfer with UO_2 vapor during an HCDA, 4006
EPIC: a computer program for fuel-coolant interactions, 436 (CONF-761001--P3)
Evaluation of effects of finite mixing time and non-condensable gas on fuel--sodium interactions, 4512
Experiments in the formation of particulate debris beds by contact of molten core debris with sodium, 4671
Experimental study on conversion of stored thermal energy to mechanical work in fuel-coolant interaction, 2720 (PNC-N--251-76-12(Vol.1))
Experimental investigation of gas evolution as the mechanism for free-contact fragmentation, 3738
Experimental and theoretical evaluation of defect growth of fuel pin cladding by chemical fuel-sodium interaction, 1922 (INIS-mf--4470)
Experiments on fuel-coolant interaction under transient conditions, 4220
Exploratory studies on carbide fuel/coolant interactions, 3997
Final report on MIT contract on fuel-coolant interactions, 929 (COO--2781-15FR)
Fuel Coolant Thermal Interaction Project UC 79P. Quarterly progress report No. 7, 927 (COO--2781-13)
Fuel-coolant interactions. Some basic studies at the UKAEA Culham Laboratory, 2709 (PNC-N--251-76-12(Vol.1))
Fuel coolant interaction results in the fuel pins melting facility(PMF), 2711 (PNC-N--251-76-12(Vol.1))
Fuel--Ccolant Thermal Interaction Project. Progress report No. 8, 928 (COO--2781-14)
Heat transfer and pressure generation due to a temperature discontinuity at a liquid--liquid interface, 488 (CONF-761001--P4)
Heat transfer and fluid flow aspects of fuel--coolant interactions, 926 (COO--2781-12TR)
Importance of sodium fuel interaction in fast reactor safety evaluation. CEA point of view, 2715 (PNC-N--251-76-12(Vol.1))
Influence of fission fragments and liquid--liquid contact on the minimum superheat for bubble nucleation in sodium, 5300
Injection of sodium into liquid stainless steel. A report of the second experiment Na-SS/1, 2722 (PNC-N--251-76-12(Vol.1))
Interactions with small and large sodium to UO_2 mass ratios, 2730 (PNC-N--251-76-12(Vol.2))
Investigations on fuel-ccolant interaction with the RCN code VS-4, 2727 (PNC-N--251-76-12(Vol.2))
Liquid--liquid contact in vapor explosions, 485 (CONF-761001--P4)
Mechanisms of vapor explosions, 484 (CONF-761001--P4)
Millisecond-period meltdown experiments on prompt-burst effects and molten-tin-water dropping experiments, 2724 (PNC-N--251-76-12(Vol.2))
Model for fuel-sodium interaction. Application to the JEF experiments, 2729 (PNC-N--251-76-12(Vol.2))
Modeling ejection of fresh fuel into sodium under prompt-burst conditions, 3996
Multichannel model for fuel-coolant interaction in a liquid-metal fast breeder reactor subassembly, 3078
One-dimensional analyses on generation and propagation of pressure waves in compressible liquid resulting from fuel coolant interaction, 4551
Parametric study on reactor containment response to fuel-sodium interaction, 2734 (PNC-N--251-76-12(Vol.2))
Physical model and calculation code for fuel coolant interactions, 2723 (PNC-N--251-76-12(Vol.2))
Physicochemical model for predicting sodium reaction swelling in breached LMFBR fuel and breeder elements, 1313 (GEFR--00424)
Post-failure phenomena in LMFBR top accidents. Final report, October 1, 1976--September 30, 1977, 2381 (NUREG/CR--0018)
Proceedings of the third specialist meeting on sodium/fuel interaction in fast reactors, 2712 (PNC-N--251-76-12(Vol.1))
Proceedings of the third specialist meeting on sodium/fuel interaction in fast reactors, 2725 (PNC-N--251-76-12(Vol.2))
Prompt burst energetics experiments: uranium carbide series. Preliminary results, 2387 (NUREG/CR--0137)
Radiological assessment models. Eleventh quarterly report, March--May 1977, 1371 (GEFR--14034-11)
Radiological assessment models fourteenth quarterly report, December 1977--February 1978, 1373 (GEFR--14034-14)
Radiological assessment models. Fifteenth quarterly report, March--May 1978, 1374 (GEFR--14034-15)
Radiological assessment models. Sixteenth quarterly report, June--August 1978, 1375 (GEFR--14034-16)
Recent advances in understanding large scale vapour explosions, 2718 (PNC-N--251-76-12(Vol.1))
Recent advances in understanding large scale vapour explosions, 364 (CEGB-RD/B/N--3666)
Results from the run-beyond-cladding breach irradiation of a predefected fuel pin (RBCB-7), 1854 (HEDL-TME--79-62)
Review of fragmentation models relative to molten UO_2 breakup when quenched in sodium coolant, 2732 (PNC-N--251-76-12(Vol.2))
Review of the meetings of the working group on the comparison of calculation models, 2733 (PNC-N--251-76-12(Vol.2))
Simulation experiment and analysis on the effects of incoherence in fuel coolant interaction, 2708 (PNC-N--251-76-12(Vol.1))
Sodium-fuel interaction: dropping experiments and subassembly test, 1194 (EUR--5854)
Some aspects of mixing in large-mass, energetic fuel-coolant interactions, 486 (CONF-761001--P4)
Some comments on shock-induced fragmentation and detonating thermal explosions, 4678
Some electron microprobe analysis results concerning the interaction between uranium--plutonium mixed-oxide fuel and stainless-steel cladding, 3294
Some experiences and inpile experimental programme on fuel coolant interaction in NSRR, 2710 (PNC-N--251-76-12(Vol.1))
Study of fuel freezing and channel plugging during hypothetical overpower transients, 480 (CONF-761001--P4)
Theoretical and experimental investigation of fuel-coolant interactions in a shock tube configuration, 490 (CONF-761001--P4)
Theoretical model with variable masses for the molten fuel--sodium thermal interaction in a nuclear fast reactor, 5326
Theoretical investigations of fuel-coolant interaction, 4219
Thermodynamic studies of the sodium fuel reaction at General Electric, 2334 (NEDO--12325)
Transient energy transfer by conduction and radiation for a sudden contact between molten UO_2 and sodium, 122 (ANL--78-34)
Transient deformation of LMFBR cores due to local failure: experimental and theoretical investigation, 4390
TUFCI, an experimental facility to study the molten-fuel-coolant-interaction in a full scale fuel element, 2164 (KFK--2353)
TUFCI, an experimental facility to study the molten-fuel--coolant interaction in a full-scale fuel element, 4604 (DOE-tr--179)
Vapor explosion experiments with simulant fluids, 487 (CONF-761001--P4)
Vapor explosion with subcooled freon, 2714 (PNC-N--251-76-12(Vol.1))
Vapor explosion phenomena with respect to nuclear reactor safety assessment, 2394 (NUREG/CR--0245)
Vapor film collapse during subcooled film boiling and its application to molten metal coolant interactions, 4634
LMFBR TYPE REACTORS/GAMMA FUEL SCANNING
Differences in the ^{103}Ru and ^{106}Ru axial distributions in $(U,Pu)O_2$ fuel pins, 4268
LMFBR TYPE REACTORS/GAMMA RADIATION
Approximations of gamma cross sections for fast nuclear reactors, 75 (ANL--77-88)
LMFBR TYPE REACTORS/GASEOUS WASTES
Biological behavior of mixed LMFBR-fuel-sodium aerosols (Rats, ^{239}Pu), 2749 (PNL--2850(Pt.1))
Dissolution of LMFBR fuel-sodium aerosols (Plutonium dioxide), 2747 (PNL--2850(Pt.1))

Spectrophotometric analyses of LMFBR fuel-sodium aerosols (PuO_2, U), 2748 (PNL--2850(Pt.1))
LMFBR TYPE REACTORS/GOVERNMENT POLICIES
Breeder reactors--what are the prospects., 3351
Environmental, safety, and public acceptance aspects of LMFBRS. Memo report, 2698 (PB--285567)
Nuclear proliferation and nuclear power, 4872
LMFBR TYPE REACTORS/HAZARDS
Energy for the long run: fission or fusion, 3317
LMFBR TYPE REACTORS/HEALTH HAZARDS
Inhalation dose conversion factors for various radionuclides associated with Liquid Metal Fast Breeder Reactors. Part 2, 1246 (GEFR--00257)
LMFBR TYPE REACTORS/HEAT EXCHANGERS
Acoustic radiation and scattering from a group of circular cylinders, 241 (ANL-CT--79-32)
Acoustically induced vibration of circular cylindrical rods, 4619
Advanced work on pumps and heat exchangers, 654 (CONF-780251--P2)
Application experience with codes and standards in the design of heat exchangers for liquid metal and gas cooled reactor systems; 5424
Coupled shell-side and tube-side heat transfer model for heat exchangers, 224 (ANL-CT--78-34)
Creep and tensile properties of transition weld joint materials, 2529 (ORNL--5309)
Design, R and D, and manufacture of the components of secondary circuits for fast sodium power plant, 4077
Determination of the bending loadings resulting from the superheated steam flow path variation in an expansion pipe-bend for sodium-water heat exchangers, 4514
Device for controlling flow rate of coolant for an LMFBR type reactor plant (Patent), 5159
Device or installation for use in a liquid alkali metal environment (Patent), 3477
Economical removal of sodium water reaction products (SWRP) from an LMFBR intermediate heat transport system (IHTS), 523 (CONF-761107--28)
Effect of tube-support interaction on the dynamic responses of heat exchanger tubes, 550 (CONF-770807--51)
Elastic-plastic-creep analysis of shells, 767 (CONF-790402--16)
Exchanger pump unit for nuclear reactors (Patent), 4596
Experiments on fluidelastic instability in tube banks subject to liquid cross flow. Part I. Rectangular arrays, 229 (ANL-CT--78-44)
Fast reactor (Patent), 5233
Fundamental experiment of potassium heat exchanger using principle of heat pipe, 5151
Heat exchanger vibration; 2107 (IWGFR--21)
Heat exchanger with intermediate evaporating and condensing fluid (Patent, LMFBR), 3800
Heat exchangers (Patent, LMFBR), 4254
Heat Exchanger (Patent; LMFBR), 4447
Heat exchanger provided with plates (Patent; PWR; LMFBR), 5226
Heat exchangers (Patent), 5220
Heat exchanger for high temperatures and pressures (Patent), 4561
High temperature corrosion fatigue, 2895 (SERI/TP--31-248(Vol.2)(Pt.2))
Hydrodynamic forces on a group of tubes subjected to crossflow, 228 (ANL-CT--78-43)
IHX design for pool type LMFBR system application, 3148
Improvements in or relating to the blocking of micropores in a structure (Patent, LMFBR), 4253
Indirect Heat transfer between reactive fluids and detection of leaks inducing a mixture between these fluids (LMFBR type reactors (Patent)), 4289
Initial considerations on the influence of thermal buoyancy on heat exchanger performance (relevant geometric, operational; thermal-hydraulic phenomena and modelling considerations), 230 (ANL-CT--78-47)
Inspection requirements and concepts for LMFBR heat exchangers and pump. A manufacturers view, 2054 (IWGFR--10)
Large liquid metal fast breeder reactor Intermediate Heat Exchanger maintenance study report, 1023 (DOE/TIC--10224)
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Liquid metal cooled fast breeder nuclear reactors (Patent), 4422
Liquid metal/water heat exchanger with replaceable tube bundles (Patent), 5222
Matrix heat exchanger (Patent), 4555
Method and apparatus for locating a defective tube of a liquid metal-to-water tube type heat exchanger (Patent), 4326
Method for heat exchanger leak detection in a liquid metal cooled nuclear reactor (Patent), 4597
Method for leak-testing of liquid-metal water/steam heat exchangers (Patent), 5168
New welding method for tubes and tube plates of heat exchangers for FBRs, 3509
Numerical method for solution of transient, homogeneous, equilibrium, two-phase flows in one space dimension, 156 (ANL--79-70)
Pipe plate and assembly for heat exchanger (Patent;LMFBR) 5156
Plastic buckling of axially compressed cylinders, 3014 (WARD-SD--3045-9)
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part II. Appendixes, final report, 1072 (EPRI-NP--646(Vol2.))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part V. Heat transport system components. Interim report, 1090 (EPRI-NP--882(Vol.4))
Pool type IHX study for the Large Component Development Program, 373 (CENC--1397)
Process and apparatus for detecting the position of a failed tube in a tubular liquid metal-water heat exchanger (Patent), 4560
Review on fluid forces on circular cylinders in cross flow, 238 (ANL-CT--79-16)
Sensibility studies of the equivalent thermal neutron flux on the heat exchanger of a sodium cooled fast reactor. (1. Pt.), 1861 (IAEA--207)
Spatio energetic sensitivity of the equivalent thermal flux on the intermediate heat exchanger of a typical fast breeder reactor, 4911
Structural design optimization of once-through type heat exchangers, 4366
Studies needed to prevent the use of expansion bends in LMFBR intermediate heat exchangers, 3807 (ANL-Trans--1128)
Temperature and stress responses of clean evaporator tubes under oscillatory water rivulet action in DNB region, 1954 (INIS-mf--4541)
Tertiary heat exchanger (Patent; LMFBR), 4525
Three-component heat exchanger (Patent;LMFBR), 5373
Tube boiler heat exchanger (Patent; LMFBR), 3473
Tube in shell heat exchangers (Patent; LMFBR), 3730
Underwriting structural steels for the sodium-cooled fast reactor, 3090
Vibro-impact responses of a tube with tube--baffle interaction, 207 (ANL-CT--78-11)
LMFBR TYPE REACTORS/HEAT TRANSFER
Recent researches on thermal-hydrodynamic transient phenomena experienced in LMFBRs, 3443
User's guide to APACHE: a three-dimensional finite element program for steady-state or transient heat conduction analysis, 3018 (WARD-SD--3045-13)
LMFBR TYPE REACTORS/HEATERS
Pre-heater for fast breeder reactor and its life, 4614
LMFBR TYPE REACTORS/HYDRAULICS
Numerical simulation of the two-dimensional boiling (voiding) in LMFBR subassemblies, 511 (CONF-761001--P4)
LMFBR TYPE REACTORS/HYDRODYNAMICS
Recent researches on thermal-hydrodynamic transient phenomena experienced in LMFBRs, 3443
LMFBR TYPE REACTORS/HYDROGEN METERS
Calibration system for hydrogen meters in sodium, 4650
LMFBR TYPE REACTORS/HYDROGEN PRODUCTION
Review of the potential for the use of nuclear reactors for hydrogen production, 4491
LMFBR TYPE REACTORS/IN CORE INSTRUMENTS
Application of ultrasonic thermometry in lmfbr safety research, 4910
Description of designs, fabrication and test data of piezoelectric pick-ups based on lithium niobates, 1210 (FEI--563)
Detection method for the position of a sensor (Patent), 5136
High-temperature acoustic transducers of sound pressure based on lithium niobate piezoelements, 1208 (FEI--536)
In-core neutron instruments (Patent), 5154
Instrument development: advanced signal transmission systems. Final summary report, October 1976--June 1977, 1242 (GEFR--00232)
Instrumentation development twenty-second quarterly report, October 1976--June 1977, 1347 (GEFR--13825-20-22)
Investigations of temperature fluctuations in liquid sodium in order to determine characteristic flow parameters and thermocouple transfer functions, 2000 (INIS-mf--4911)
Nuclear instrumentation cable end seal (Patent), 3297
Operation manual for sodium-measuring equipment test loop, 2737 (PNC-N--952-76-04)
Research in remote signal transmission electronics, 2621 (ORNL/Sub--7644/10)
Temperature measurement device (Patent), 5406
Theoretical analysis applied to electromagnetic instruments used in liquid sodium, 3869
LMFBR TYPE REACTORS/INFLATABLE SEALS
Door valve (Patent; LMFBR), 5393
LMFBR TYPE REACTORS/IN-SERVICE INSPECTION
Studies in non-destructive testing with potential for in-service inspection of LMFBRs, 2060 (IWGFR--10)
Ultrasonic techniques for in-service inspection of austenitic stainless steel welds at 200°C, 1560 (HEDL-SA--1546)
LMFBR TYPE REACTORS/INSPECTION
Maintenance assessment for advanced nuclear power plants, 3381
LMFBR TYPE REACTORS/INTEGRATED COOLING SYSTEMS
Fast neutron reactor (Patent), 5191
Improvements to breeder reactor structures containing a hot liquid metal (Patent), 5310
Ways of solving some engineering problems in arrangement of integral and loop type fast reactors, 1217 (FEI--739)

LMFBR TYPE REACTORS/ISOTOPE PRODUCTION
Production of ^{232}U in a 1200-MW(e) liquid-metal fast breeder reactor, 3767
LMFBR TYPE REACTORS/KERNFORSCHUNGSZENTRUM KARLSRUHE
Fast Breeder Project. Quarterly report, 1977, 4908 (EURFNR--1435)
LMFBR TYPE REACTORS/KINETICS
Determination of current weighted total cross sections in the unresolved energy region, 775 (CONF-790602--59)
LMFBR TYPE REACTORS/LEAK DETECTORS
Acoustic detection for small-leak sodium-water reaction, 4439
Detection system of sodium oxide vapors (Patent), 5247
Development testing of leak injection devices for use in testing sodium-water leak detection modules, 4372
Evaluation of heat transfer tube failure propagation due to sodium-water reaction in steam generator, 3782
Investigation and rating of sodium-to-gas leak detection techniques, 2794 (SAN--0824-T11)
Leak detection response time characterization and optimization test analysis, 2788 (SAN--0824-T5)
Natural convection: sodium leak detection tests, 2786 (SAN--0824-T3)
Sensor for ionizable elements (Patent; LMFBR), 4471
Small pipe - natural convection - sodium leak detection tests, 2789 (SAN--0824-T6)
Sodium ion leak detector. Quarterly technical progress report, January 1-April 1, 1978, 945 (COO--4197-T1)
Sodium ion leak detector. Quarterly technical progress report, April 1-July 1, 1978, 946 (COO--4197-T2)
Sodium ion leak detector: First annual technical progress report, January 1-December 31, 1977, 947 (COO--4197-T3)
Sodium leak detector (Patent; LMFBR), 5216
Sodium leak detector (Patent), 5175
Sodium leak detector (Patent), 5160
Sodium-to-gas leak detection mockup tests, 2792 (SAN--0824-T9)
Test report: sodium-to-gas leak detection system screening tests, 2795 (SAN--0824-T12)
LMFBR TYPE REACTORS/LEVEL INDICATORS
Improvements to level indicators for liquid metals (Patent), 5186
Liquid metal level measurement systems for reactor service, 1517 (HEDL-SA--1442)
Mathematical model of an inductive type sodium level meter and some applications, 5317
Radiation shields (Patent; LMFBR), 3306
LMFBR TYPE REACTORS/LINERS
Cyclic-deformation resistance of weld-deposited Type 16-8-2 stainless steel at 593°C, 67 (ANL--77-72)
Fatigue damage analysis procedure for thermal liners subjected to random thermal fluctuations, 1968 (INIS-mf--4543)
High-temperature structural design data for austenitic stainless steel weldments, 2522 (ORNL--5309)
Low-cycle fatigue of Type 16-8-2 stainless steel ASA weld metal, 2482 (ORNL--5255)
LMFBR TYPE REACTORS/LIQUID FLOW
Experimental study of scram transients in generalized liquid-metal fast breeder reactor outlet plenums, 3117
LMFBR TYPE REACTORS/LIQUID-METAL MHD GENERATORS
Investigation of two-phase liquid-metal magnetohydrodynamic power systems, 5301
LMFBR TYPE REACTORS/LOSS OF COOLANT
Analysis of a loss-of-piping-integrity transient in an LMFBR fuel assembly, 3183
Comparative analysis of a hypothetical coolant loss accident in an LMFB reactor with the use of various calculation models for a common reference problem, 1198 (EUR--5946)
Criteria for TOP or LOPI termination in a LMFBR, 1406 (GEFR-SP--133)
Hydraulic response of an LMFBR primary system to pipe rupture, 4805
Multichannel analysis for predicting temperatures and boiling initiation in LMFBR subassemblies during a flow transient, 509 (CONF-761001--P4)
Pretest prediction of the W-1 SLSF experiment using the COMMIX-1A computer code, 2443 (NUREG/CR--0816)
Theoretical investigations of the meltoff and resolidification process of fuel claddings during accidents in liquid metal cooled fast breeder reactors, 2200 (KFK--2662)
W-1 SLSF experiment, 1600 (HEDL-SA--1688)
LMFBR TYPE REACTORS/LOSS OF FLOW
28-pin cladding relocation experiments, 4745
Acoustic noises with loss-of-flow sodium boiling experiment in 19-pin bundle, 2146 (JAPFNR--423)
Acoustics and voiding dynamics during SLSF simulations of LMFBR undercooling transients, 749 (CONF-781202--26)
Acoustics of the Sodium Loop Safety Facility P2 experiment, 3826
Analysis of in-pile fuel disruption experiments, 2859 (SAND--78-0363C)
Analysis of TREAT Tests L7 and L8 with SAS3D, LEVITATE and PLUTO2, 1020 (DOE/TIC--10102)
Analysis of fuel behaviour in SCARABEE 1st phase experiments, 2255 (LA--7936-C)
Analysis of TREAT tests L7 and L8 with SAS3D, LEVITATE and PLUTO2, 2257 (LA--7938-C)
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 3106 (DOE-tr--115)
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 5108
Application of the SIMMER-I code to LOF accidents in an LMFBR, 2230 (LA--7194-MS)
Approach for treating two-dimensional coolant boiling in an LMFBR fuel subassembly, 4794
Boiling incoherency effects in unprotected loss-of-flow accidents, 4771
Buoyancy effects on pressure loss in rod arrays under laminar flow, 3184
Buoyancy induced flow and heat redistribution during LMFBR core decay heat removal, 849 (CONF-800226--1)
Clad relocation dynamics: the physics and accident evolution implications, 475 (CONF-761001--P4)
Cladding motion in a 37-pin loss-of-flow exeriment: SLSF P3, 3200
Comparative analysis of a hypothetical loss of flow accident in a LMFBR using different computer models for a common benchmark problem, 3913
Comparative study of heterogeneous and homogeneous liquid-metal fast breeder reactor cores in some accident conditions, 3066
Comparision of SAS3D LOF transient analyses for 1200-MW(e) LMFBR conventional and nonconventional core designs, 4802
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop (THORS bundle 6A), 2677 (ORNL/TM--6778)
Comparison of the predictions from the multichannel clad relocation model to available in-pile experimental data, 2253 (LA--7938-C)
Comparison of FISGAS swelling and gas release predictions with experiment, 2258 (LA--7938-C)
Computational results for a 7-pin hexagonal fuel assembly during a flow rundown transient using the COMMIX-1A computer code, 2471 (NUREG/CR--1285)
Considerations on incoherency of boiling and voiding in liquid-metal fast breeder reactor subassemblies during a loss-of-flow accident, 3075
Contribution to the study of sodium boiling during slow pump coastdown in LMFBR subassemblies, 4980
Dispersive potential of irradiated breeder reactor fuel during a thermal transient, 4801
Doppler reactivity uncertainties and their effect upon a hypothetical LOF accident, 5272
Dual change-of-phase in forced flow on a finite wall, with application to SLSF safety analysis, 808 (CONF-790816--12)
Dynamic simulation of LMFBR plant under natural circulation, 325 (BNL-NUREG--25618)
Effect of high external thermal loading on LMFBR subassembly integrity, 5109
Effect of pump-stored kinetic energy on natural-circulation decay-heat removal in loop-type LMFBRs, 3187
Effect of a loss of flow on a single LMFBR-type fuel pin, 5353
Empirical fuel motion model for TREAT loss-of-flow test F1, 4743
Examination of subassembly scale fuel motion using the SIMMER-II code, 2286 (LA-UR--79-2285)
Experiments on pressure-driven fuel compaction with reactor materials, 478 (CONF-761001--P4)
Experimental observations of intersubassembly heat transfer effects during natural circulation, 4021
Experimental study of the transition from forced to natural circulation in EBR-II at low power and flow, 805 (CONF-790808--18)
F1 Phenomenological Test on fuel motion: final report, 126 (ANL--78-50)
Fast integral model for the transient analysis of a melting fuel pin, 3628
Final report on TREAT Test R3, a single-pin loss-of-flow experiment, 63 (ANL--77-54)
Flow behavior of volume-heated boiling pools: implications with respect to transition phase accident conditions, 3064
Freezing and melting phenomena in finite-media, with application to molten fuel containment for SLSF experiments, 736 (CONF-781105--20)
Fuel motion in loss-of-flow accidents (PLOFA code), 4903
Fundamental aspects of molten clad relocation, 2252 (LA--7938-C)
Heat transfer, sodium boiling and fuel pin integrity after a severe LMFBR piping failure, 4991
Hydrodynamics of emergency cooling of a sodium-cooled fast reactor, 1901 (INIS-mf--4280)
Implicit Eulerian hydrodynamics technique for multicomponent systems, 4637
Integral boiling phenomena under radial temperature gradients in a twelve rod bundle of LMFBR geometry, 510 (CONF-761001--P4)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
LMFBR transition to natural circulation from an initial isothermal state, 3979
LONAC: a computer program to investigate systems dynamics under conditions of low forced flow and natural convection, 2645 (ORNL/TM--6228)
Loss-of-cooling experiments with single fuel pins, 469

(CONF-761001--P4)
Loss-of-flow test L5 on FFTF-type irradiated fuel, 118 (ANL--78-24)
Low sodium void cores, 3068
Measurements of subassembly and core temperature distributions in an LMFBR, 4863
Molten fuel containment analysis for SLSF experiments, 837 (CONF-791103--25)
Multichannel model for relocation of molten fuel cladding in unprotected loss-of-flow accidents in liquid-metal fast breeder reactors, 3290
Multichannel clad-relocation model for fast-reactor loss-of-flow accidents, 158 (ANL--79-73)
Natural-circulation decay heat removal in an LMFBR, 4774
New scheme for solving the COBRA energy equations during natural-circulation conditions, 4020
Numerical simulation of the two-dimensional boiling (voiding) in LMFBR subassemblies, 511 (CONF-761001--P4)
Out-of-reactor transient fission gas release studies, 1507 (HEDL-SA--1407)
Pin plenum fission gas release model to describe fission gas effects in a voided channel, 4803
Post-test evaluation of the SLSF loss-of-flow safety experiment P2, 4750
Potential for plugged core pressurization following a hypothetical accident in an LMFBR, 3128
Reactor development program. Progress report, August 1979, 294 (ANL-RDP--86)
Results of recent TOP and LOF experiments in TREAT, 470 (CONF-761001--P4)
Role of fission gas and fuel melting in fuel response during simulated hypothetical loss-of-flow transients, 3061
SAS3D analysis of unprotected loss-of-flow transients for 1200-MW(electric) liquid-metal fast breeder reactor homogeneous and heterogeneous core designs, 3372
Self-actuated rate of change of pressure scram device for nuclear reactors (Patent), 3103
SIMMER-II analysis of the R-7 TREAT test, 2256 (LA--7938-C)
Simulation of LOF accidents with directly electrical heated UO_2 pins, 472 (CONF-761001--P4)
Sodium boiling experiments in a 19 pin bundle: two phase coolant dynamics, 516 (CONF-761001--P4)
Sodium boiling experiments in an annular test section under flow rundown conditions, 1201 (EURFNR--1454)
Sodium boiling in a full-length 19-pin simulated fuel assembly (THORS Bundle 6A), 2664 (ORNL/TM--6553)
Sodium boiling incoherence in a 19-pin wire-wrapped bundle, 819 (CONF-790816--32)
Sodium voiding dynamics and cladding motion in a 37-pin fuel assembly during an LOF transient, 3612
Sodium void reactivity reduction in metal-fueled LMFBRs, 3980
Some comments on sodium behavior (boiling) in LMFBR wire-wrapped subassemblies, 4795
Space--time dynamics of a fast breeder reactor for localized disturbances, 3846
Statistical model to identify boiling inception in TREAT tests, 4009
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 5077
Studies related to protected loss of flow accidents in a fast breeder reactor, 843 (CONF-791204--29)
Temperatures of EBR-II subassemblies in air or argon without forced cooling, 806 (CONF-790808--19)
Thermal buoyancy phenomena in a horizontal pipe during a flow coast-down thermal-hydraulic transient (scoping studies), 192 (ANL-CT--77-31)
Transient undercooling analysis of the dispersal mechanism test, 477 (CONF-761001--P4)
Transient sodium boiling characteristics at pump run down, 513 (CONF-761001--P4)
Transient boiling of sodium in a single-pin geometry under loss-of-flow conditions, 3829
Transient temperature distribution in reactor coolant channel following loss of flow, 5408
Transition to natural convection from low-temperature, low-flow conditions in loop-type LMFBRs, 3188
Treatment of incoherencies and uncertainties in LMFBR LOF accident analysis with PARSEC, 441 (CONF-761001--P3)
Unprotected loss-of-flow transients in large LMFBRs, 440 (CONF-761001--P3)
Visual investigation of reactor fuels response to simulated LOF heating conditions, first series, 2453 (NUREG/CR--0914)
Whole-core accidents in an LMFBR, 2312 (ND-R--178(R))
LMFBR TYPE REACTORS/M CODES
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 5044
LMFBR TYPE REACTORS/MAGNETIC FIELDS
Improvement of liquid-metal fast breeder reactor characteristics by applying a magnetic field, 3756
LMFBR TYPE REACTORS/MAINTENANCE
Maintenance assessment for advanced nuclear power plants, 3361
LMFBR TYPE REACTORS/MATERIALS
Microstructural objectives for high-temperature alloys in advanced energy systems, 3349
LMFBR TYPE REACTORS/MATHEMATICAL MODELS
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors, 4039
LMFBR TYPE REACTORS/MECHANICAL STRUCTURES
CREEP-PLAST II user's manual, 2626 (ORNL/TM--5868)
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 5032
Fluid-structure interaction analysis of a deck structure during a HCDA, 801 (CONF-790802--70)
More efficient creep ratcheting bounds, 2619 (ORNL/Sub--7322/1)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Final report, 1117 (EPRI-NP--1014(Vol.12))
LMFBR TYPE REACTORS/MECHANICAL VIBRATIONS
Damping of the radial impulsive motion of LMFBR core components separated by fluid squeeze films, 1987 (INIS-mf--4638)
Report on the second specialists' meeting on reactor noise (SMORN II), Gatlinburg, Tennessee, September 19th-23rd 1977, 2763 (RD-B-N--4254)
Simple steel/water model for preliminary studies of acoustic vibration in LMFBR, 5069
LMFBR TYPE REACTORS/MEETINGS
Design, construction, and operating experience of demonstration LMFBRs, 2898 (STI/PUB--490)
International Working Group on Fast Reactors eleventh annual meeting. Summary report, Part I, 2132 (IWGFR--24-1)
International Working Group on Fast Reactors eleventh annual meeting. Summary report, Part III, 2133 (IWGFR--24-3)
Ninth annual meeting, Vienna, Austria, 30 March-2 April 1976. Summary report. Part I, 2033 (IWGFR--8)
Optimisation of sodium-cooled fast reactors, 4036
Optimization of sodium cooled fast reactors. Conference report, 3745
Proceedings of the U.S./U.S.S.R. seminar on problems of design, development, fabrication, and test of breeder reactor components, 646 (CONF-780251--P2)
Proceedings of the workshop on institutional alternatives for LMFBR development and commercialization held at the Mitre Corporation in McLean, Virginia on September 8 and 9, 1976. Final report, 2696 (PB--264227)
Tenth annual meeting, 2095 (IWGFR--18)
LMFBR TYPE REACTORS/MELTDOWN
Accident progression for a loss of heat sink with scram in a LMFBR, 2406 (NUREG/CR--0427)
Accident progression for a loss-of-heat-sink with scram in a liquid-metal fast breeder reactor, 3109
Acoustic diagnostic techniques for post-accident heat removal experiments, 507 (CONF-761001--P4)
Advanced safety analysis. Twelfth quarterly report, June--August 1977, 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978, 1379 (GEFR--14038-15)
Analysis of a prototypic and a simulant-experiment related to freezing in flow channels, 1018 (DOE/TIC--10100)
Analysis of the heat and mass transfer processes of UO_2 bubble in sodium, 817 (CONF-790816--30)
Applicability of microwave heating to the simulation of the LMFBR meltdown process, 314 (BNL-NUREG--25421)
Application of ultrasonic thermometry in LMFBR safety research, 2831 (SAND--77-1157C)
Assessment of the loss-of-heat-sink accident with scram in the LMFBR, 309 (BNL-NUREG--24946)
Boilup threshold for the bottled-up transition phase pool, 1441 (HEDL--SA-1595-FP)
Chemical phenomenology of the sodium/limestone concrete interaction, 3653
Cladding relocation experiments, 474 (CONF-761001--P4)
Coded aperture imaging in many-pin fuel bundles, 2851 (SAND--78-0233C)
Combined motion of fuel and coolant under high-ramp transient overpower conditions, 4767
Comparison of measured and calculated average void fraction in volume-boiling pools with inclined boundaries, 326 (BNL-NUREG--25714)
Compendium of core debris retention technology, 1305 (GEFR--00411)
Computer simulation of LMFBR piping systems, 5064
Concrete failure modes at elevated temperatures, 96 (ANL--78-10)
Condensed review of the technology of post-accident heat removal for the liquid-metal fast breeder reactor, 3710
Considerations of the third line of assurance: post-accident heat removal and core retention in containment, 500 (CONF-761001--P4)
Cooling of particulate debris beds: analysis of the initial D-series experiments, 2868 (SAND--78-1754C)
Core debris penetration into concrete, 95 (ANL--78-10)
Coupled hydrodynamic-structural analysis of an integral flowing sodium test loop in the TREAT reactor, 794 (CONF-790802--61)
Critical experimental study of integral physics parameters in simulated LMFBR meltdown cores, 727 (CONF-781022--28)
Critical experimental study of integral physics parameters in simulated liquid-metal fast breeder reactor meltdown cores, 3067
Debris bed studies and experiments at Sandia Laboratories, 2395 (NUREG/CR--0263)
Debris bed and sacrificial materials interactions at

high temperatures, 3993
Debris bed heat removal models: boiling and dryout with top and bottom cooling (Deep bed model), 2878 (SAND--79-0091C)
Debris bed experiment No: 4: a preliminary look, 2894 (SAND--80-0217C)
Debris transport in horizontal piping, 4014
Depressurization of internally heated boiling pools, 3339
Effect of thermal stress on oxide crusts, 2818 (SAND--77-1017C)
Effect of thermal stress on oxide crusts, 4677
Effect of creep on thermal fracturing in oxide crusts, 3626
Effect of creep on thermal fracturing in oxide crusts, 2855 (SAND--78-0255C)
Effect of radiative heat transfer on the thermal-fluid behavior of molten UO_2, 4013
Effect of overlaying steel layers on the growth of molten core debris pools in concrete, 950 (COO--4261-9)
Effective equation-of-state measurements on uranium dioxide, 2825 (SAND--77-1094C)
Effects of noncondensible void fraction on freezing of flowing fluids, 4777
Energy increase from bubble collapse following recriticality in large molten pools, 4787
EOS series of experiments in TREAT, 4752
Evaluation of effects of finite mixing time and non-condensable gas on fuel sodium interactions, 4515
Evaluation of the potential for energetic fuel-coolant interactions in hypothetical LMFBR accidents, 4983
Evaluation of LMFBR fuel-motion diagnostics instrumentation with PARKA, 2273 (LA-UR--78-2711)
Evaluation of stochastic void models for bubble worth calculations, 780 (CONF-790602--65)
Experimental and theoretical studies on water and gas release from heated concrete, 1497 (HEDL-SA--1380)
Experimental work at Harwell on the injection of sodium into liquid steel, 2716 (PNC-N--251-76-12(Vol.1))
Experimental studies of the growth of an internally heated liquid pool in a solid bed, 3808
Experimental study of reactivity worths of simulated LMFBR meltdown configurations, 3684
Experimental studies of a heat generating porous bed, 92 (ANL--78-10)
Experimental and theoretical studies on water and gas release from heated concrete, 94 (ANL--78-10)
Experimental study of hydrogen jet ignition and jet extinguishment, 1824 (HEDL-TME--78-80)
Experimental study of the downward penetration of a hot liquid pool into the horizontal surface of a gas-releasing solid, 3206
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
Final report on TREAT Test R3, a single-pin loss-of-flow experiment, 63 (ANL--77-54)
Finite-difference methods in multi-dimensional two-phase flow, 2268 (LA-UR--77-2378)
First in-core molten fuel pool experiment, 2827 (SAND--77-1096C)
Fission-gas bubble modeling for LMFBR accidents, 2819 (SAND--77-1018C)
Flow regime observations in two-phase volume-heated boiling pools, 4778
FOAM: principal flow regime in a volume-heated boiling pool, 4779
Formation and stability of crust in molten pools. Technical progress report, February 1, 1977--October 1, 1977, 959 (COO/4171--1)
Formation of bubble boundary layer over an inclined porous plate, 3205
Fragmentation dynamics of molten UO_2 in sodium under TOP conditions, 4744
Freezing of a flowing liquid inside a melting tube, 4747
Fuel coolant interaction in fast reactors, 4982
Fuel dispersal experiments with simulant fluids, 476 (CONF-761001--P4)
Fuel motion in loss-of-flow accidents (PLOFA code), 4903
Ground temperatures surrounding a molten fuel pool, 1478 (HEDL-SA--1324-F)
Growth of molten core debris pools in concrete. Progress report, March 1, 1977--November 30, 1977, 948 (COO--4261-4)
Growth of molten core debris pools in concrete. Progress report, April 1--June 30, 1979, 953 (COO--4261-12)
Growth of molten core debris pools in concrete. Part II. A. Pool growth in composite beds; B. Effect of overlaying steel layers. Final report, March 1, 1978-September 30, 1979, 954 (COO--4261-14)
Heat transfer and fluid dynamics in a volume-heated boiling pool, 505 (CONF-761001--P4)
Heat transfer from a round-bottom pool generating heat internally, 4676
Heat transfer by natural convection in confined medium, 101 (ANL--78-10)
Heat transfer characteristics of a non-boiling pool with spatially uniform gas injection, 944 (COO--4171-3)
Hollow sphere formation in a gassy two-liquid pool, 4620
Hydrogen ignition and recombination following postulated breeder reactor accidents, 1604 (HEDL-SA--1712-FP)
Hydrogen jet recombination under postulated breeder reactor accident conditions, 100 (ANL--78-10)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1978--December 31, 1978, 923 (COO--2571-15)
Improvement and verification of fast reactor safety analysis techniques. Progress report, April 1, 1979-June 30, 1979, 924 (COO--2571-17)
In-vessel core debris coolability for large breeder reactors, 1308 (GEFR--00415)
Influence of gas generation on high-temperature melt/concrete interactions, 2862 (SAND--78-0939C)
Interactions between molten-core drbris and reactor materials, 3655
Interactions of UO_2 with reactor materials, 113 (ANL--78-10)
Intermediate scale sodium-concrete reaction tests, 99 (ANL--78-10)
Interpretation of debris bed dryout observed during the D-3 experiment, 3994
Investigation of molten-fuel relocation dynamics with simulant fluids, 4746
Investigation of the structural integrity of the reactor vessel for a postulated core meltdown accident, 5029
Large scale sodium interactions. Part 3. Chemical phenomena with limestone concrete, 2826 (SAND--77-1095C)
Large scale sodium test facility, 2835 (SAND--77-1421C)
Large scale sodium test facility at Sandia Laboratories, 97 (ANL--78-10)
Large scale sodium interactions with limestone concrete, 98 (ANL--78-10)
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
LMFBR fuel analysis. Task B: Post-accident heat removal. Final report, October 1, 1976--September 30, 1977, 2377 (NUREG/CR--0012)
LMFBR fuel analysis. Task B. Post-accident heat removal. Final report, October 1977--November 1978, 2429 (NUREG/CR--0737)
LMFBR fuel analysis. Task B: Post-accident heat removal. Final technical report 1 October 1977-15 November 1978, 2702 (PB--294102)
Measurement of the penetration of liquid sodium into limestone concrete, 3654
Measurement of the penetration of molten core materials into concrete using an acoustic technique, 114 (ANL--78-10)
Measurement of integral physics parameters in simulated LMFBR meltdown configurations, 3976
Medium-scale melt-sodium fragmentation experiments, 2882 (SAND--79-0126C)
Melting, boiling and freezing: the "transition phase" in fast reactor safety analysis, 4981
Method for estimating the performances of an internal core-catcher in a pool-type LMFBR, 102 (ANL--78-10)
Microwave heating simulations of fission energy generation in volume-boiling pool systems, 324 (BNL-NUREG--25575)
Microwave heating simulations of fission energy generation in volume-boiling pool systems, 3202
Molten core debris interactions with core containment materials, 112 (ANL--78-10)
Molten core debris-sodium interactions: M-Series experiments, 825 (CONF-790816--59)
Molten core interactions with commercial firebricks, 3204
Natural-convection heat transfer in a bed of fuel debris cooled at both top and bottom, 4015
Natural convection heat transfer in beds of inductively heated particles, 2403 (NUREG/CR--0408)
Nonequilibrium evaporation and condensation in liquid-metal fast breeder reactor fuel expansion, 4531
One-dimensional model for transient boilup of volume-heated pools for LMFBR transition phase analysis, 323 (BNL-NUREG--25535)
Particulate bed formation and phenomena, 91 (ANL--78-10)
Post-accident conditions: I. Fast reactor debris bed experiments. II. Molten core penetration measurements, 2863 (SAND--78-1223C)
Postaccident heat removal: debris-bed experiments D-2 and D-3, 2404 (NUREG/CR--0421)
Prediction of dryout heat fluxes in beds of volumetrically heated particles, 501 (CONF-761001--P4)
Preliminary results from initial in-pile debris bed experiments, 2846 (SAND--77-1828C)
Production of molten UO_2 pools by internal heating: apparatus and preliminary experimental heat transfer results, 4295
Quantitative comparison of solidification analysis for single-component and mixed-oxide fuels, 3489
Radiative heat transfer in a horizontal molten fuel layer with volumetric heating, 4016
Reactor safety. Quarterly technical progress report, October--December 1977, 29 (AI-DOE--13223)
Recriticality considerations for the loss-of-heat-sink accident with scram, 3627
Response of liquid metal fast breeder reactor containment to a hypothetical core meltdown accident, 4503
Retention of molten core debris pools in composite sacrificial beds, 951 (COO--4261-10)
Sandia in-core molten fuel pool experiment results, 2834 (SAND--77-1413C)
Sandia in-core molten fuel pool experiment preliminary results, 111 (ANL--78-10)

Secondary criticality evaluations of postulated core melt-down accidents in early-sized LMFBR's, 1395 (GEFR-SP--037)
Secondary criticality evaluations of postulated core melt-down accidents in early-sized LMFBR's, 88 (ANL--78-10)
Simplified multicomponent phase transition model, 4780
Simulation of boiling pools with internal heat sources by gas injection, 917 (COO--2554-6)
Simulation of heat and mass transfer processes in molten core debris-concrete systems, 952 (COO--4261-11)
Sodium concrete reactions, 1607 (HEDL-SA--1716-FP)
Sodium interaction with limestone concrete test results, 3652
Solution of radiation-conduction problems in LMFBR safety with collocation method, 3185
Status of the post accident heat removal program at GfK for fast breeder reactors, 84 (ANL--78-10)
Studies of the formation and cooling of particulate fuel debris beds in sodium, 502 (CONF-761001--P4)
Study of fuel freezing and channel plugging during hypothetical overpower transients, 480 (CONF-761001--P4)
Study of Heat transfer associated with melting of horizontal substrate, 3617
Study of Heat transfer from a flowing liquid to a melting wall, 2877 (SAND--79-0082C)
Study of post-accident molten fuel downward streaming through the axial shield structure in the liquid-metal fast breeder reactor, 4530
Study of thermal and hydrodynamic processes associated with melting of horizontal substrate, 2445 (NUREG/CR--0839)
Subassembly-to-subassembly meltthrough analytical studies, 5052
Summary of the first three in-core PAHR molten fuel pool experiments, 2876 (SAND--79-0081C)
Survey of melt interactions with core retention material, 2888 (SAND--79-1685C)
Sustained molten steel/concrete interactions tests: a preliminary report on the feasibility of experimental techniques, 2389 (NUREG/CR--0166)
Sustained molten steel/concrete interactions tests, 115 (ANL--78-10)
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 1975 (INIS-mf--4592)
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 5070
Thermal behavior of concrete, 2824 (SAND--77-1093C)
Thermal interactions of a molten core debris pool with surrounding structural materials, 827 (CONF-790816--61)
Thermo-fluid mechanics of volume-heated boiling pools, 331 (BNL-NUREG--50759)
Transient undercooling analysis of the dispersal mechanism test, 477 (CONF-761001--P4)
Transient energy transfer by conduction and radiation for a sudden contact between molten UO_2 and sodium, 122 (ANL--78-34)
Transient fuel solidification and relocation from core during transition-phase conditions, 4002
Turbulent convection in horizontal two-layer systems with and without interfacial freezing, 3618
Ultrasonic thermometry system for measuring very high temperatures in reactor safety experiments, 2883 (SAND--79-0621)
Viscosity of molten alumina, 119 (ANL--78-28)
Void distribution in boiling pools with internal heat generation, 3845
Volume-heated boiling pool flow behavior and application to transition phase accident conditions, 310 (BNL-NUREG--24984)

LMFBR TYPE REACTORS/MOLTEN METAL-WATER REACTIONS
Dissolution ratio of hydrogen generated by small-leak sodium-water reaction, 4403
Economical removal of sodium water reaction products (SWRP) from an LMFBR intermediate heat transport system (IHTS), 523 (CONF-761107--28)
Effect of large sodium-water reactions on LMFBR steam generators: initial results from SWAAM-1, 581 (CONF-770807--Pt.E)
Experimental results of sodium-water reaction Test No. 6, 2298 (LMEC-TDR--78-3)
Experimental results of Sodium--Water Reaction Tests Nos. 4 and 5 in LLTR, 1732 (HEDL-TI-LME--012)
Interim evaluation of Sodium--Water Reaction Test No. 1 data and comparison with TRANSWRAP analyses: Series I large leak test program, 1226 (GEFR--00027(L))
Investigations into the sodium-steam surface interaction on a stagnant pool, 2328 (NEDM--14149)
Measurement of the sound produced during steam injections into sodium, 4012
Report of study on safety with respect to sodium water reaction. Section 4. Water leak rate evaluation in the large scale sodium water reaction. Section 5. Concluding remarks. Appendix. Analysis code: summary, 3119 (ANL-Trans--1177)
Sodium-water reaction product flow system (Patent), 3403
SWAAM prediction of LLTR Series-II A-1a Test, 242 (ANL-CT--79-35)

LMFBR TYPE REACTORS/MULTIPLICATION FACTORS
Conclusions drawn from subcritical multiplication results in ZPPR, 668 (CONF-780401--12)
Spatial mesh effect in three-dimensional diffusion calculations for fast reactors, 3722

LMFBR TYPE REACTORS/NEUTRON ABSORBERS
Absorber balls tested for LMFBR secondary shutdown, 3868
Absorber materials for fast reactor control applications, 1456 (HEDL-SA--1177-FP)
Breeder reactor reference control materials. Semiannual status newsletter, June--December 1978, 1838 (HEDL-TME--78-115)
Fast reactor neutron absorber materials (EuB_6; B_4C; Eu_2O_3), 1601 (HEDL-SA--1690-FP)
Results on an irradiation experiment on absorber materials for fast sodium-cooled reactors, 4365 (BNWL-tr--265)

LMFBR TYPE REACTORS/NEUTRON DETECTORS
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)

LMFBR TYPE REACTORS/NEUTRON DOSIMETRY
Fast reactor fluence dosimetry. Technical progress report, December 1976--May 1977, 40 (AI-ERDA--13198)
Fast reactor fluence dosimetry technical progress report for period January--March 1978, 38 (AI-DOE--13236)
Reactor dosimetry integral reaction rate data in LMFBR benchmark and standard neutron fields: status, accuracy and implications, 1190 (EUR--5667(Pt.2))
Reference and standard benchmark field consensus fission yields for U.S. reactor dosimetry programs, 2371 (NUREG/CP--0004(Vol.3))
Status report on dosimetry benchmark neutron field development, characterization, and application, 2368 (NUREG/CP--0004(Vol.3))

LMFBR TYPE REACTORS/NEUTRON FLUX
Application of integral transport theory with linearly anisotropic scattering to the calculation of the neutron distribution in finite plate arrays of fast reactors, 5461 (DOE-tr--71)
Mechanisms of fast neutron penetration in thick layers of sodium, 916 (COO--2509-4)
Sensibility studies of the equivalent thermal neutron flux on the heat exchanger of a sodium cooled fast reactor. (1. Pt.), 1861 (IAEA--207)

LMFBR TYPE REACTORS/NEUTRON LEAKAGE
Improved treatment of the neutron streaming through control rod followers in a sodium-cooled fast reactor, 3079

LMFBR TYPE REACTORS/NEUTRON MONITORS
Fast reactor fluence dosimetry. Technical progress report, June--December 1977, 19 (AI-DOE--13209)
Summary of test results from the testing of a Westinghouse Model WX-30950 compensated ionization chamber in the EBR-II NITF 0-1 Thimble at temperatures up to 370°C (Experiment NI-3), 197 (ANL-CT--77-38)

LMFBR TYPE REACTORS/NEUTRON REFLECTORS
Interfacial effects in fast reactors, 908 (COO--2250-37)
Radial reflector assembly for liquid metal fast breeder reactors, 2764 (RDT-E--6-19T(3-78))

LMFBR TYPE REACTORS/NEUTRON SPECTRA
Analysis of exposure dependent heterogeneous FBR spectra using continuous slowing down-integral transport concepts, 914 (COO--2458-23)
Intercomparison of the intermediate-energy standard neutron fields at the NISUS and MOL-ΣΣ facilities by means of absolute fission chambers, 1867 (IAEA--208(Vol.2))
SPECTRA-IV, benchmark spectra based on LIB-IV, 2237 (LA--7861-MS)

LMFBR TYPE REACTORS/NEUTRON TRANSPORT
Analysis of neutron propagation experiments in iron-sodium mixtures with the PROPANE calculational scheme for fast reactors, 1863 (IAEA--207)
Experience in developing and using the VITAMIN-C 171-neutron, 36-gamma-ray group cross-section library, 2613 (ORNL/RSIC--41)
Nodal method for fast reactor analysis, 769 (CONF-790402--19)
Results of neutron-propagation experiments performed in iron-sodium mixtures using the source reactor HARMONIE and TAPIRO, 1862 (IAEA--207)
VITAMIN E: a multipurpose ENDF/B-V coupled neutron-gamma cross section library, 835 (CONF-791058--34)

LMFBR TYPE REACTORS/NONLINEAR PROBLEMS
Parametric study of the nonlinear behaviour of complete LMFBR subassembly using the CORTRAN computer code, 5063

LMFBR TYPE REACTORS/NOZZLES
Ratchetting and creep-fatigue evaluation for nozzle-to-cylinder intersection, 5306
Thermal elasto-plastic analysis in reactor vessel nozzles, 1944 (INIS-mf--4506)

LMFBR TYPE REACTORS/NUCLEAR DATA COLLECTIONS
Cooperative nuclear data and methods development sixth quarterly report, January--March 1977, 1383 (GEFR--14074-6)
Evaluated decay-scheme data for ILRR (Interlaboratory LMFBR Reaction Rate Program), 2938 (TREE--1116)

LMFBR TYPE REACTORS/NUCLEAR FUEL CONVERSION
Investigation of LMFBRs with Th blanket for supply of U-233 to HTGR, 2141 (JAERI-M--7763)

LMFBR TYPE REACTORS/NUCLEAR FUELS
Analysis of the breeding capability of various fast reactor fuels, 2776 (RRC--16)
Apparatus to simulate nuclear heating in advanced fuels (LMFBR; UC-PuC; UN-PuN), 168 (ANL-AFP--22)
Examination of fast reactor fuels and FBR analytical

quality assurance standards and methods. Progress report, January 1--March 31, 1979, 2236 (LA--7827-PR)
LMFBR mixed oxide fuels fabrication development semiannual, January--June 1977, 1788 (HEDL-TME--77-95)
Microstructure characterizaton of advanced oxide fuel (PuO_2--UO_2), 1454 (HEDL-SA--1171-FP)
Sensitivity analysis of LMFBR fuel fabrication cost, 1674 (HEDL-TC--902-1)
Swelling analysis of highly-rated MX-type LMFBR fuels. II. Microscopic swelling behavior, 3560
Utilization of the experimental reactor Osiris for the study and the development of fuels of the fast neutron reactor type, 354 (CEA-CONF--4192)
LMFBR TYPE REACTORS/NUCLEAR MATERIALS MANAGEMENT
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)
LMFBR TYPE REACTORS/OFF-GAS SYSTEMS
Stability of iodic acid under Iodox interim storage conditions, 2648 (ORNL/TM--6287)
LMFBR TYPE REACTORS/ON-LINE CONTROL SYSTEMS
Computer control system for sodium test loops, 3502
LMFBR TYPE REACTORS/OPTIMIZATION
CDFR fuel design optimisation, 4113
How the architect-engineer manages design objectives and restraints for optimizing sodium cooled reactors, 4130
On the optimization of a fast high-power reactor of LMFBR type by means of a non-convex programming mathematical model (Doubling time, SUMT method.), 4985
Optimisation of a once-through steam generator for LMFBR, 4096
Optimization study of a demonstration fast breeder reactor plant, 4120
Reliability technology in LMFBR optimisation, 4112
Temperature conditions in an LMFBR power plant from primary sodium to steam circuits, 4095
LMFBR TYPE REACTORS/OXYGEN METERS
Electrochemical oxygen meters: state-of-the-art, March 1977, 193 (ANL-CT--77-33)
Electrochemical oxygen sensor for measurement of oxygen in liquid sodium, 3520
Measuring probe and method to determine the oxygen content of gases, vapours and liquids, in particular for liquid metals, 3286
LMFBR TYPE REACTORS/PERFORMANCE
Fast breeder reactors, current status and development trends, 3497
Performance characteristics of homogeneous versus heterogeneous liquid--metal fast breeder reactors, 3137
LMFBR TYPE REACTORS/PERFORMANCE TESTING
Mobile helium cooling loop system for in-reactor PAHR experiments, 4730
LMFBR TYPE REACTORS/PIPE FITTINGS
Analysis of piping systems for creep, 1965 (INIS-mf--4543)
Coupled hydrodynamic-structural response analysis of piping systems, 76 (ANL--77-91)
Effects of geometric nonuniformities on the stresses in piping elbows, 3012 (WARD-SD--3045-7)
Fatigue-crack propagation analysis of LMFBR piping, 1530 (HEDL-SA--1469)
Plastic collapse of a piping elbow: convergence of a finite element shell analysis, 3016 (WARD-SD--3045-11)
Results from a buckling test of a 16-inch (406mm) diameter piping elbow, 2976 (WARD-HT--3045-35)
Stresscoat test of 6-inch pipe clamp in TTF, 2300 (LMEC-TDR--78-5)
Thermal mixer mixing correlations for both sodium and water, 3161
LMFBR TYPE REACTORS/PIPE JOINTS
Fatigue properties of transition weld joint materials, 2530 (ORNL--5309)
Instability analysis of elbows in the plastic range, 1963 (INIS-mf--4543)
Plastic creep behavior analysis of an elbow pipe, 1960 (INIS-mf--4543)
Survey of available creep and tensile data for alloy 800H, 2528 (ORNL--5309)
LMFBR TYPE REACTORS/PIPELINES
Analysis of piping systems for creep, 1965 (INIS-mf--4543)
Computer simulation of LMFBR piping systems, 5064
Plastic buckling of axially compressed cylinders, 3014 (WARD-SD--3045-9)
LMFBR TYPE REACTORS/PIPES
Analysis for out of plane bending on curved pipes in creep: Development of method and design factors, 2069 (IWGFR--11)
Analysis of piping systems for creep, 5125
Analysis of ORNL pipe ratchetting tests TTT-1 and TTT-2, 2447 (NUREG/CR--0846)
Comparisons of REXCO and ICEPEL code calculations with tests of plastically deformable pipes filled with compressible fluids, 4759
Comparison of two approximate analyses of piping systems in a state of creep, 2066 (IWGFR--11)
Comparison of ICEPEL code predictions with straight flexible pipe experiments, 3533
Compilation of references, data sources and analysis methods for LMFBR primary piping system components, 3442
Computer modelling of piping components for transient hydrodynamic-structural response, 3532
Computer simulation of LMFBR piping systems, 545 (CONF-770807--45)
Crack growth in Types 304 and 316 stainless steel under prototypic LMFBR primary piping conditions, 2957 (WARD-CG--3045-3)
Crack propagation investigation related to the leak-before-break concept for LMFBR piping, 4226
Creep buckling of shells, 1964 (INIS-mf--4543)
Flow measurement in main sodium pipes, 3063
Heat shields, for pump or pipe installations (Patent; LMFBR), 4594
High-temperature piping design technology. Quarterly technical progress report, July--September 1978, 1143 (ESG-DOE--13249)
Icepel analysis of and comparison with simple elastic--plastic piping experiments, 148 (ANL--78-105)
Impact of building design on auxiliary liquid metal piping, 3151
Inelastic piping flexibility analysis. A beam type method, 2067 (IWGFR--11)
Instability analysis of elbows in the plastic range, 1963 (INIS-mf--4543)
Mechanical property characterization of large-diameter pipes of type 316 stainless steel welded with 16-8-2 filler metal, 2546 (ORNL--5349)
Pipe support for use in a nuclear system (Patent; LMFBR), 5193
Pipes in steel or special materials for nuclear boilers, 3505
Plastic creep behaviour analysis of an elbow pipe, 5124
Preliminary analysis and screening criteria for elevated temperature piping, 3150
Probabilistic leak analysis for LMFBR primary coolant piping, 1228 (GEFR--00041)
Response of water-filled pipes to pressure pulses, 5035
Sodium piping survey to July 1977, 30 (AI-DOE--13225)
Stresscoat test of 6-inch pipe clamp in TTF: article B, 1180 (ETEC-TDR--79-7)
Thermal ratchetting tests of Type 304 stainless steel pipe: specimens TTT-1 and TTT-2, 2562 (ORNL--5386)
Thermal ratchetting test of type 316 stainless steel seamless to seam-welded pipe: specimen TTT-4, 2568 (ORNL--5430)
Use of stress indices for piping under ASME Code Case N-47, 1146 (ESG-DOE--13257)
Wall penetration of a pipe operated at high temperatures, especially liner penetration (Patent; LMFBR), 4374
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)
LMFBR TYPE REACTORS/PLANNING
Birth of the breeder (UK), 4905
Breeder--now or never (USA), 3461
Design trade-offs in view of safety considerations, 4131
Discussion of the ERDA breeder program in the USA. Critical survey of the related proliferation problems, 4276
Future plans for the design and construction of fast reactor power stations, 4081
Future plans for the design and construction of fast reactor power stations in the Federal Republic of Germany, 4083
Future plans for the design and construction of fast reactor power stations in Italy, 4084
Future plans for the design and construction of fast reactor power stations in Japan, 4085
Future plans for the design and construction of fast reactor power stations in the United Kingdom, 4086
International fast breeder reactor development, 81 (ANL--77-XX-62)
Maintaining an effective breeder reactor programme, 4303
Past and present role of fast breeder reactors in Japan, 4051
Past and present role of fast breeder reactors in the Federal Republic of Germany, 4052
Past and present role of fast breeder reactors in the USSR, 4054
Past and present role of fast breeder reactors in the United Kingdom, 4055
Past and present role of fast breeder reactors in Italy, 4056
Past and present role of fast breeder reactors, 4057
Perspective on long-range nuclear energy options, 599 (CONF-770973--1)
Potential of large heterogeneous reactors, 4141
Road to energy independence: the breeder reactor, 630 (CONF-771203--)
Role of the breeder reactor in our energy future, 625 (CONF-771203--)
Scaling up the fast breeder, 4302
Some considerations on fast breeder reactor penetration in Italy, 5262
Status of the research and development program on fast reactors in the USSR, 4313
U.S. reactor development program, 5430
USSR fast reactor development program and its current state, 3740 (IAEA-CN--36/356)
LMFBR TYPE REACTORS/PLUTONIUM RECYCLE
Cooperative nuclear data and methods development fifth quarterly report, October--December 1976, 1382 (GEFR--14074-5)
Cooperative nuclear data and methods development. Eighth quarterly report, October--December 1977, 1385

(GEFR--14074-8)
Fuel recycling, 4926
High power fast reactors with combined use of uranium-235 and plutonium, 5419
LMFBR TYPE REACTORS/POISSON EQUATION
Analysis of nonlinear fluid-structure interaction in LMFBR containment, 3544
LMFBR TYPE REACTORS/POOL BOILING
BOPSI - a model for the theoretical description of the behaviour of boiling fuel-steel arrays sealed off on all sides, 2011 (INKA-Conf--79-134-001)
LMFBR TYPE REACTORS/POWER DISTRIBUTION
Power flattening by enrichment zoning in a fast power reactor, 4224
Reduction of power distribution sensitivity in heterogeneous LMFBRs, 4704
Sensitivity of the power distribution in large heterogeneous LMFBR designs, 527 (CONF-770611--31)
LMFBR TYPE REACTORS/POWER-COOLING-MISMATCH ACCIDENTS
Computation studies of cladding relocation dynamics during liquid-metal fast breeder reactor transient undercooling accidents, 4273
LMFBR TYPE REACTORS/PRESSURE GAGES
Measuring fluid pressure (Patent; LMFBR), 3835
Pressure sensor for high-temperature liquids (Patent; LMFBR), 3481
LMFBR TYPE REACTORS/PRESSURE VESSELS
Absorbing seals for nuclear reactors (Patent; LMFBR), 5245
Crack propagation investigation related to the leak-before-break concept for LMFBR piping, 4226
Elastic and elastic-plastic buckling of vessel heads computation by the CEASEMT system, 1943 (INIS-mf--4506)
Elevated temperature, cyclic loadings and irradiation effects on fatigue crack of lmfbr pressure vessels, 3332
Thermal elasto-plastic analysis in reactor vessel nozzles, 1944 (INIS-mf--4506)
Thermal ratchetting in pressure vessels, 1946 (INIS-mf--4506)
LMFBR TYPE REACTORS/PRIMARY COOLANT CIRCUITS
Acoustic detection of boiling in sodium test loops, 4683
Acoustic measurements of the boiling stability tests on THORS sodium loop, 602 (CONF-771023--22)
Analysis of radioactive corrosion product transfer in sodium loop systems, 3496
Analytical modeling of core hydraulics and flow management in breeder reactors, 831 (CONF-790934--1)
Auxiliary cooling system for a primary heat exchanger working in a nuclear reactor (Patent; LMFBR type reactors), 5314
Boiling heat transfer under forced convection of sodium, 3783
Bubble dynamics in a superheated liquid, 53 (ANL--77-20)
Bubble separator for fast breeder reactors (Patent), 5376
Carbon in sodium: a status review of the USA R and D work, 1660 (HEDL-SA--1950-FP)
Carbon transport in a bimetallic sodium loop simulating the intermediate heat transport system of a liquid metal fast breeder reactor, 1416 (GEFR-SP--172)
Characterization of the temperature fluctuations generated in a thermal mixing tee (sodium versus water behavior), 199 (ANL-CT--78-2)
Characterization of corrosion product deposits in sodium systems, 1523 (HEDL-SA--1452)
Characteriztion of corrosion product deposits in sodium systems, 2126 (IWGFR--23)
Comparison of experiment with analysis of a water-filled plastically deforming pipe using the computer code PTA-1, 3024 (WARD-SR--3045-8)
Computer model for tritium transport in and release from the CRBRP and other LMBRs, 4666
Computer modelling of piping components for transient hydrodynamic-structural response, 3532
Connection device of an apparatus in a system with structures subject to relative motions (Patent; LMFBR), 5404
Control of radionuclide transport in sodium-cooled reactor primary circuits, 1582 (HEDL-SA--1625)
Corrosion of refractory borides in fused sodium, 4416
Decontamination of LMFBR components, 25 (AI-DOE--13218)
Detection and evaluation of the development of cavitation by direct listening of the ultrasonic field with the help of an heteridyne frequency shifting system, 2035 (IWGFR--9)
Development of acidic processes for decontaminating LMFBR components, 2128 (IWGFR--23)
Device for the transfer of coolant in a nuclear reactor (Patent; LMFBR type reactors), 5210
Direct numerical simulation of turbulent velocity, pressure, and temperature fields in channel flows (LMFBR; TURBIT-2 code), 3451 (DOE-tr--61)
Electrochemical system for determining the oxygen concentration in a liquid alkaline metal (Patent; sodium of LMFBR type reactors), 5170
Electromagnetic pumps for fast reactors primary cooling circuits, 2350 (NIIEFA-A--0340)
Experimental studies in extinguishing large odium fires, 4356
Experimental study resulds of the TsLIN-5/700 cylindrical linear induction pump, 2351 (NIIEFA-A--0345)
Extremely sensible method and device for detecting metallic vapors (Patent; LMFBR type reactors), 5202
Feasibility of decontamination of LMFBR coolant by low-pressure distillation, 3928
Final report and design guide for cavitation-free LMFBR hydraulic components, 203 (ANL-CT--78-7)
Finite element formulation for fluid-structure interaction in three-dimensional space, 5308
Fracture of nuclear piping caused by impact loading, 3471
Growth of a sodium vapour bubble rising in the superheated liquid, 3865
Heat transfer effect of entrained gas in liquid sodium systems, 3281
Heat transfer from internally heated fluids with temperature dependent viscosity, 2215 (KFK--2841)
Improvements to the maintainability and inspection of liquid metal systems. Volume 1. Overall study results, 1300 (GEFR--00405(Vol.1))
Improvements to the maintainability and inspection of liquid metal systems. Volume 2. Plant layout improvements, 1301 (GEFR--00405(Vol.2))
Intercomparison of auto- and cross-power spectral density surveillance systems for sodium boiling detection in fast reactors, 3269
International piping benchmarks: use of the simplified code PACE 2, 2315 (ND-R--304(R))
Investigation of the impurity deposition rate of the plugging indicator, 4682
Investigation of the dynamic behaviour of detectors for gas bubbles in sodium flows, 3892
Large pool LMFBR design. Final report. Volume 1. Reactor, 1094 (EPRI-NP--883(Vol.1))
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
LIMBO computer code for analyzing coolant-voiding dynamics in LMFBR safety tests, 161 (ANL--79-91)
Liquid-cooled nuclear reactor (Patent; LMFBR), 3805 (ANL-Trans--1127)
Liquid metal fast breeder reactor, 4927
Liquid metal cooled nuclear reactor (Patent), 5338
LMFBR pool plant: 1000 MWe. Volume 2. NSSS plant description. Final report, 1119 (EPRI-NP--1015(Vol.2)
LMFBR pool plant: 1000 MWe. Volume 3. Pool reactor engineering, NSSS. Final report, 1120 (EPRI-NP--1015(Vol.3))
LMFBR thermal hydraulics, 3160
Low-cycle fatigue tests on primary coolant piping system components of fast reactors, 2150 (JAPFNR--459)
Mass and activity transport, 1436 (HEDL--6314)
Material properties requirements for LMFBR structural design: general considerations and data needs, 605 (CONF-771052--1)
Measurement of tritium and tritiated water vapour in nuclear power installations. I. Tritium formation and transport in nuclear power installations, 3507
Method and circuit arrangement for the detection of cooling disturbances (Patent), 3261
Method for cooling a breeder reactor and breeder reactor for applying the method (Patent), 4260
Method for pre-heating lmfbr type reactors (Patent), 3407
Method of computing the effect of gas voids in liquid metal cooling, 5142 (SMRE-Transl-7200)
Model for evaluating probabilities of primary system retention of core debris and time of release in LMFBR risk assessments, 499 (CONF-761001--P4)
Natural evaporation of sodium under the conditions of mist formation, 4519
Neutron transport by sodium pipes going through fast reactor shielding 20., 1898 (INIS-mf--4280)
Nuclear reactor (Patent; LMFBR), 4363
Nuclear reactor facility (Patent; improved inspection and maintenance capabilities), 3757
Numerical fluid-structure interaction analysis of piping systems, 5027
Overview of the U.S. programs on properties of primary circuit materials, 606 (CONF-771052--2)
Plastic in-plane bending and buckling of an elbow: comparison of experimental and simplified analysis results (LMFBR), 2978 (WARD-HT--94000-2)
PLENUM-2A: a program for transient analysis of LMFBR outlet plenums, 239 (ANL-CT--79-17)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part V. Heat transport system components. Interim report, 1090 (EPRI-NP--882(Vol.4))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part V: heat transport systems. Final report, 1111 (EPRI-NP--1014(Vol.6))
Possibilities to determine the heat transfer between nuclear fuel elements and the coolant in a sodium cooled reactor during normal power operation, 2198 (KFK--2619)
Prediction of primary circuit contamination in power reactors, 4889
Prediction of primary circuit contamination in power reactors, 4893
Preliminary analysis and screening criteria for elevated temperature piping, 3333
Primary cooling device for a sodium cooled fast breeder (Patent), 5372
Probabilistic leak analysis for LMFBR primary coolant piping, 1228 (GEFR--00041)

Probabilistic assessment in structural analysis of main coolant systems for LMFBR under anticipated thermal transients, 1991 (INIS-mf--4690)
Probabilistic assessment in structural analysis of main coolant systems for LMFBR under anticipated thermal transients, 5127
Process for cooling a breeder reactor and breeder reactor for carrying out the process (Patent), 4557
PTAC: a computer program for pressure-transient analysis, including the effects of cavitation, 82 (ANL--78-4)
Purification of sodium coolant by means of cold and hot traps and purification of the cover gas, 3313
Radioactive corrosion product release potential in sodium-cooled reactors, 1659 (HEDL-SA--1948)
Radionuclide trap for liquid-metal-cooled reactors, 3938
Radionuclide trap for liquid metal cooled reactors, 1558 (HEDL-SA--1540-FP)
Reactor cooling system (Patent), 3361
Removal of radioactive products from liquid metal coolants of LMFBRs under normal operation, 371 (CEGB/RD/B/N--4334)
Safety analysis of the primary heat transport systems of LMFBRs, 456 (CONF-761001--P3)
Selection of bearing materials for commercial LMFBR flexible joint applications, 39 (AI-DOE--13238)
Simple steel/water model for preliminary studies of acoustic vibration in LMFBR, 1952 (INIS-mf--4541)
Simulation of a thermohydraulic transient in a pipe using the COMMIX-1A computer code, 2473 (NUREG/CR--1323)
Single-phase sodium pump model for LMFBR thermal-hydraulic analysis, 318 (BNL-NUREG--25498)
Sodium circulating system for a reactor (Patent), 5368
Sodium component reliability data collection at CREDO, 778 (CONF-790602--62)
Sodium engineering and technology. Technical progress report, April, May, June 1977, 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, July, August, September 1977, 1759 (HEDL-TME--77-38)
Sodium engineering and technology. Technical progress report, October, November, December 1977, 1760 (HEDL-TME--77-39)
Sodium engineering and technology technical progress report, January, February, March 1978, 1805 (HEDL-TME--78-20)
Sodium engineering and technnology. Technical progress report, April, May, June 1978, 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Technical progress report, April, May, June 1978, 1807 (HEDL-TME--78-21)
Sodium ionization detector response to extraneous materials, 1175 (ETEC--78-18)
Sodium technology. Progress report, April--June 1978, 1829 (HEDL-TME--78-91)
Sodium technology progress report, July--September 1978, 1830 (HEDL-TME--78-92)
Sodium technology progress report, October--December 1978, 1831 (HEDL-TME--78-93)
Sodium technology progress report, January--March 1978, 1828 (HEDL-TME--78-90)
Sodium technology. Progress report, April-June 1979, 1848 (HEDL-TME--79-25)
Steels for the primary circuits of the sodium cooled breeder reactor, 4397
Steels for the primary circuits of the sodium cooled breeder reactor, 4413
Strainer device (Patent; LMFBR), 5324
Study of basic approaches to the design of the primary system of loop-type LMFBRs, 166 (ANL/A--78-3)
Study of piping configurations, 265 (ANL/ENG--80-02)
Study on the tritium removal from the sodium in LMFBR, 684 (CONF-780819--P1)
Summary of LMEC sodium valve operating history, 2901 (TI--00-LME-023)
Surveillance of the vibrational behaviour of primary-circuit components, 4195
Test facility for large-diameter bellows, 2068 (IWGFR--11)
Test verification of seismic response of LMFBR piping systems. Quarterly technical progress report, 2804 (SAN--1011-200)
Testing of components of the heat transfer systems of sodium-cooled fast breeders in a large-scale test facility, 3905
Thermodynamic theory of cavitation nuclei in dilute liquid-gas solutions, 223 (ANL-CT--78-33)
Topical problems of corrosion research for nuclear power purposes, 3701
Transient analysis of the primary system of a liquid metal-cooled fast breeder reactor plant, 5256
Transient flow and heat transfer of liquid sodium coolant in the outlet plenum of a fast nuclear reactor, 3392

LMFBR TYPE REACTORS/PROLIFERATION
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)

LMFBR TYPE REACTORS/PUBLIC OPINION
Safety, safeguards, and environmental effects of liquid metal fast breeder reactors in relation to license ability and public acceptance. Final report, 2697 (PB--285544)

LMFBR TYPE REACTORS/PUBLIC RELATIONS
Nuclear crisis. A question of breeding (Book), 4878

LMFBR TYPE REACTORS/PUMPS
Advanced work on pumps and heat exchangers, 654 (CONF-780251--P2)
AI Subscale Inducer Test Article: first and second 300 hour endurance tests, 2299 (LMEC-TDR--78-4)
Applications of cavitation analysis to design and operation of SPTF-HFL pump loops, 2807 (SAN/0700--1)
Conditioning of liquid sodium pumps by the use of acoustic methods, 3391
Design, R and D, and manufacture of the components of secondary circuits for fast sodium power plant, 4077
Diagnosing malfunctions in liquid sodium hydrostatic bearings, 4434
Effect of pump cavitation on the design of the primary pumps for C.F.R, 2041 (IWGFR--9)
Endurance testing of prototypic subscale inducer pump at SCTL, 1178 (ETEC-TDR--79-4)
Erosion by cavitation in the diffuser of a mechanical pump, 2034 (IWGFR--9)
Evaluation of SPTF liquid rheostat for ISIP test program, 1179 (ETEC-TDR--79-6)
Final report and design guide for cavitation-free LMFBR hydraulic components, 203 (ANL-CT--78-7)
Head-flow mapping and low NPSH testing of a prototypic subscale inducer pump at SCTL, 1182 (ETEC-TDR--79-11)
Inspection requirements and concepts for LMFBR heat exchangers and pump. A manufacturers view, 2054 (IWGFR--10)
Intermediate-size inducer pump program. Annual technical progress report, government fiscal year 1978, 1144 (ESG-DOE--13252)
Large electromagnetic pumps, 1402 (GEFR-SP--064)
Large scale primary sodium pumps, 5065 (ANL-Trans--1173)
Monitoring the condition of sodium pumps using acoustic methods, 3398 (RISLEY-Trans--4195)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part V. Heat transport system components. Interim report, 1090 (EPRI-NP--882(Vol.4))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XIII: balance of plant - evaluation of pool-related areas. Final report, 1116 (EPRI-NP--1014(Vol.11))
Pump tank divider plate for sump suction sodium pumps (Patent; LMFBR), 4472
Selection of the main circulation pumps for the first loop of promising plants with sodium heat carrier, 3777
Simple steel/water model for preliminary studies of acoustic vibration in LMFBR, 5069
Water testing of the inducer pump, 44 (AI-ERDA--13207)

LMFBR TYPE REACTORS/RADIATION HAZARDS
Dose mortality relationships: implications for hypothetical accidental releases from FBRs, 3089
Influence of the physico-chemical form of the aerosol on the radiological consequences of notional accidental releases of radioactivity from a fast breeder reactor, 2355 (NRPB-R--73)

LMFBR TYPE REACTORS/RADIATION HEATING
Influence of sodium temperature, gamma heating and wall thickness on design strength of SLSF containment vessels, 5102

LMFBR TYPE REACTORS/RADIATION PROTECTION
Safety of fast sodium-cooled reactors, 4284

LMFBR TYPE REACTORS/RADIATION STREAMING
Experimental investigation of neutrons streaming through the grid-plate shield of liquid-metal fast breeder reactors, 3844

LMFBR TYPE REACTORS/RADIOACTIVE AEROSOLS
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7, 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977, 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977, 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978, 2405 (NUREG/CR--0425)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1-December 31, 1978, 2461 (NUREG/CR--1084)
Dynamic shape factors for LMFBR mixed-oxide fuel aggregates, 3310
Studies on aerosol behavior under accident conditions, 4218

LMFBR TYPE REACTORS/RADIOACTIVE EFFLUENTS
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
Inhalation dose conversion factors for various radionuclides associated with Liquid Metal Fast Breeder Reactors. Part 2, 1246 (GEFR--00257)
Radiological significance of transuranium radioisotopes released to the environment during operation of the LMFBR fuel cycle, 5265

LMFBR TYPE REACTORS/RADIOACTIVE MATERIALS
Inventory and relative biological hazard of LMFBR core materials, 2605 (ORNL/NUREG/TM--165)

LMFBR TYPE REACTORS/RADIOACTIVE WASTE DISPOSAL

Burning actinides in very hard spectrum reactors, 2774 (RLO--2227/T32-2)
Could nuclear waste recycled in reactors, 3828
Elimination of transuranium elements by burnup in a power fast breeder reactor, 3770
Preliminary neutronic study of actinide transmutation in a fast reactor, 2652 (ORNL/TM--6309)
LMFBR TYPE REACTORS/RADIOACTIVE WASTE PROCESSING
Disposal of radioactive sodium waste (Direct oxidation; reaction with molten NaOH), 139 (ANL--78-87)
LMFBR TYPE REACTORS/RADIOACTIVE WASTES
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
LMFBR TYPE REACTORS/RADIOACTIVITY TRANSPORT
Control of tritium in liquid-metal-cooled fast breeder reactors (LMFBRs), 3393
LMFBR TYPE REACTORS/REACTIVITY
Determination of reactivity from power spectral density measurements with ^{252}Cf, 3735
Sensitivity analyses of fast reactor systems including thorium and uranium, 681 (CONF-780622--43)
LMFBR TYPE REACTORS/REACTIVITY COEFFICIENTS
Comparisons of sodium void and Doppler reactivities in large oxide and carbide LMFBRs, 125 (ANL--78-41)
LMFBR TYPE REACTORS/REACTIVITY INSERTIONS
Calculation of the reactivity due to bubble collapse with the probability table method, 3736
LMFBR TYPE REACTORS/REACTIVITY METERS
LMFBR reactivity surveillance using ex-core detectors, 4707
LMFBR TYPE REACTORS/REACTIVITY WORTHS
Study on sodium void reactivity worth predictional method, 5152 (JAPFNR--259)
LMFBR TYPE REACTORS/REACTOR ACCIDENTS
Accident trees: a framework for accident evaluation, 413 (CONF-761001--P2)
Activities in SBL-FPL loops for safety study of LMFBR(I), 2152 (JAPFNR--473)
Advanced safety analysis. Eleventh quarterly report, March--May 1977, 1376 (GEFR--14038-11)
Advanced thermohydraulic simulation code for transients in LMFBRs (SSC-L code), 332 (BNL-NUREG--50773)
Aerosol behavior during sodium pool fires in a large vessel: CSTF tests AB1 and AB2, 1849 (HEDL-TME--79-28)
Aerosol behavior during sodium spray fires and comparison with computer codes, 1606 (HEDL-SA--1714-FP)
Aerosol measurements and modeling for fast reactor safety. Annual report for FY 1978, 2423 (NUREG/CR--0676)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January 1-March 31, 1979, 2468 (NUREG/CR--1165)
Analytic studies of subassembly failure propagation, 462 (CONF-761001--P3)
Analytical validation of the CACECO containment analysis code, 1840 (HEDL-TME--79-2)
Application of generalized perturbation theory to fast reactor safety sensitivity studies, 816 (CONF-790816--29)
Behavior of carbide fuel in local and whole core accidents, 430 (CONF-761001--P3)
Behavior of sodium--oxide and uranium--oxide aerosols in a large vessel, 809 (CONF-790816--18)
Behavior of sodium oxide, uranium oxide and mixed sodium oxide-uranium oxide aerosols in a large vessel, 854 (CONF-800434--3)
Calculation of the fragmentation of UO_2 by capacitor discharge: nonequilibrium model, 4297
Characterization of LMFBR fuel-sodium aerosols, 3506
Charge development and analysis of recent UK experiments in the COVA model test programme, 563 (CONF-770807--Pt.E)
Cladding failure by local plastic instability, 80 (ANL--77-95)
Combustion of large sodium pools, 315 (BNL-NUREG--25492)
Combustion of sodium in the open atmosphere, 1013 (DOE/EV--0046(Vol.2))
Comparison of computer code predictions with COVA experiments, 4760
Compendium of computer codes for the safety analysis of fast breeder reactors, 1002 (DOE/ET--0009)
Computer simulation of LMFBR piping systems, 545 (CONF-770807--45)
Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.1. Safety problems solved by flow singularity methods, 3699
Design and operational evaluation of a differential pressure local void fraction probe, 3648
Development of a code for description of sodium spray and pool fires. Part I: comparison between the codes SOFIRE II and NABRAND, 2211 (KFK--2824)
Display of the predictions of large fast reactor safety analysis codes via computer-generated movies, 1551 (HEDL-SA--1525-FP)
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 4753
EDF research on fast neutron reactors, 5293 (DOE-tr--28)
Effects of grain boundary fission gas on transient fuel behavior, 3242
EPIC: a computer program for fuel-coolant interactions, 436 (CONF-761001--P3)
Experiments on sodium fires and their aerosols, 4502
Experimental studies of thermal interactions at AEE Winfrith, 2719 (PNC-N--251-76-12(Vol.1))
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere. Annual report Sep 1977--Jan 1978, 2699 (PB--286865)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2442 (NUREG/CR--0799)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere. Annual report, 1 October 1977--30 September 1978, 2704 (PB--295077)
Facility for nuclear aerosol experiments, 4215
FCI potential of oxide and carbide fuels: results of the prompt burst series at Sandia Laboratories, 2885 (SAND--79-0752C)
Feasibility study for a postaccident heat removal facility, 2227 (LA--7133-MS)
Feasibility study for a post-accident heat removal facility, 3644
Film boiling and vapor explosions from small spheres, 3203
Finite element solution of transient fluid-structure problems in Lagrangian coordinates, 465 (CONF-761001--P3)
Flow dynamics of volume-heated boiling pools, 313 (BNL-NUREG--25297)
Fuel and cladding motion surveillance, 416 (CONF-761001--P2)
HAARM-3 users manual, 301 (BMI-NUREG--1991)
Hydrogen jet recombination under postulated LMFBR accident conditions, 1458 (HEDL-SA--1190FP)
Impact of advanced systems on LMFBR accident analysis code development, 829 (CONF-790902--3)
Importance of scale and triggering effects in vapor explosions, 2828 (SAND--77-1101C)
In-reactor experiments with simulated LMFBR debris beds, 2836 (SAND--77-1443C)
Influence of the axial distribution of heat flux on sodium boiling in forced convection, 515 (CONF-761001--P4)
Influence of physico-chemical form on the consequences of hypothetical accidental releases from FBRs, 3278
Interim report for the PINEX-2 transient test, 1852 (HEDL-TME--79-39)
Interpretation of debris bed dryout observed during the D-3 experiment, 2865 (SAND--78-1251C)
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 4772
Large scale test technology, 2829 (SAND--77-1117C)
Large scale sodium interactions. Part 1. Test facility design, 2822 (SAND--77-1073C)
LMFBR accident consequences assessment, 1466 (HEDL-SA--1241)
LMFBR accident delineation study: approach and preliminary results, 2887 (SAND--79-1602C)
LMFBR aerosol release and transport program. Quarterly progress report, January--March 1979, 2446 (NUREG/CR--0844)
LMFBR containment performance studies with a simple computer code, 4018
LMFBR design transients and regulatory requirements, 3657
LMFBR post accident heat removal testing needs and conceptual design of a test facility, 2217 (KFK-EXT--8/76-4)
LMFBR typical impulsive loading characterization and its application to simplified structural models, 570 (CONF-770807--Pt.E)
LMFBR typical impulsive loading characterization and its application to simplified structural models, 5049
Material problems in accident analysis of prestressed concrete reactor vessels, 560 (CONF-770807--Pt.E)
Mathematical and computational techniques employed in the deterministic approach to liquid-metal fast breeder reactor safety, 4334
Measurements of sodium oxide agglomerate properties, 4662
Mobile helium cooling loop system for in-reactor PAHR experiments, 2810 (SAND--77-0161C)
Modelling the transient behaviour of fission gas, 15 (AERE-TP--782)
Molten fuel-sodium interaction in fast reactor accidents, 3781
Multiple zone aerosol behavior model, 2472 (NUREG/CR--1294)
Natural convection boiling of sodium in a simulated FBR fuel assembly subchannel, 811 (CONF-790816--20)
Neutronic coupling of feedback effects, 428 (CONF-761001--P2)
Nucleation and capture of condensible airborne contaminants in an aqueous scrubbing system, 1825 (HEDL-TME--78-82)
Parametric approach to LMFBR safety evaluation (PARSEC code), 5258
Phenomena and scenarios related to a loss-of-heat-sink accident (with scram) in an LMFBR, 321 (BNL-NUREG--25521)
Physics of reactor safety. Quarterly report, July-September 1979, 2470 (NUREG/CR--1252)
Post-accident heat removal in LMFBRs, 1393 (GEFR-SP--023)
Post-accident heat removal in LMFBR's, 4987
Pressure and temperature straining of liquid sodium heated sectional steam generators in accident situations, 4285

Primary aerosol particle-size distributions from homogeneous nucleation condensation and particle growth, 3326
Probabilistic fast reactor accident analysis, 4335
Probabilistic accident analysis with deterministic codes using stochastically variable parameters, 3737
Protedure for the use of probabilistic risk assessments to establish ranking of research and development goals, 5021
Rate effects in the dynamic vaporization of uranium dioxide, 2820 (SAND--77-1032C)
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor safety. Quarterly technical progress report, October--December 1977, 29 (AI-DOE--13223)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
Recent improvements in the prediction of reactivity coefficients relevant to LMFBR accident analysis, 418 (CONF-761001--P2)
Release of fission products from contaminated sodium fires, 497 (CONF-761001--P4)
Response of subassembly model with internals, 546 (CONF-770807--46)
Response of subassembly model with internals, 573 (CONF-770807--Pt.E)
Response of secondary containment to presence of sodium and hydrogen, 1415 (GEFR-SP--171)
Risk analysis methods development. Sixth--Seventh quarterly reports, April--September 1978, 1356 (GEFR--14023-6/7)
Role of mechanistic analysis in providing PAHR initial conditions, 2269 (LA-UR--78-495)
Role of mechanistic analysis in providirg PAHR initial conditions, 85 (ANL--78-10)
SACRD: a data base for fast reactor safety computer codes, general description, 2573 (ORNL--5477/V1)
Safety aspects of fast reactor fuels, 1469 (HEDL-SA--1288.)
Safety of fast reactors, 4741
SAS4A LMFBR accident analysis code system: a progress report, 448 (CONF-761001--P3)
Simulation of fast breeder reactor pin behavior using UO_2 pins with direct electrical heating, 4296
Sodium boiling experiments in the frame of fast reactor safety studies, 3774
Sodium boiling in fast reactors: a state-of-the art review, 4979
Sodium fire studies in France safety tests and applications on an LMFBR, 496 (CONF-761001--P4)
Sodium oxide aerosol study: NSPP runs 101 to 105, data record report, 2608 (ORNL/NUREG/TM--179)
Sodium oxide aerosol behavior in a closed chamber under thermal convection flow, 3775 (JAPFNR--306)
Sodium oxide/hydroxide aerosol properties and behavior in a large vessel, 686 (CONF-780819--P2)
Sodium spray release accident analysis for fast reactor safety studies, 498 (CONF-761001--P4)
Some approximations in aerosol behavior models for source-term computation, 4663
Space--time dynamics of a fast breeder reactor for localized disturbances, 5257
Spatially continuous approach to the description of incoherencies in fast reactor accident analysis, 5273
Specialists' meeting on equations of state of materials of relevance to the analysis of hypothetical fast breeder reactor accidents, 2134 (IWGFR--26)
Structural mechanics in reactor technology. Vol. E. Structural dynamics in fast reactor accident analysis, 4884
structural dynamics in LMFBR containment analysis - a brief survey of computational methods and codes, 5041
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors (CURL-L code), 999 (CURL--53)
Testing philosophy and simulation techniques, 4501
Tests in support of LMFBR, 4493
Thermal explosion hazards in (fast) nuclear reactors, 4033
Thermodynamic state, specific heat, and enthalpy function of saturated UO_2 vapor between 3000 K and 5000 K, 1203 (EURFNR--1460)
Thermodynamic properties of sodium for safety analysis, 4680
Time-resolved penetration measurements of liquid sodium into limestone concrete, 2866 (SAND--78-1336C)
Time-resolved penetration measurements of liquid sodium into limestone concrete, 4017
Transient containment response and inherent retention capability, 4499
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 568 (CONF-770807--Pt.E)
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 5047
Uranium and sodium oxide aerosol experiments: NSPP tests 201-203 and tests 301-302, data record report (HAARM-3 code validation), 2456 (NUREG/CR--1002)
Validation of explosion containment codes: analysis of bare rigid models in the COVA programme, 561 (CONF-770807--Pt.E)
Views on post-accident heat removal, 86 (ANL--78-10)

LMFBR TYPE REACTORS/REACTOR CHANNELS
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 5108

LMFBR TYPE REACTORS/REACTOR CHARGING MACHINES
Device for fast reactor charging (Patent), 5456
Double arm handling device for nuclear reactor (Liquid sodium cooled reactor (Patent)), 5157
Equipment for FBR type reactor (Patent), 5139
Fast reactor recharging device (Patent), 3251
Fuel handling and storage system for large commercial LMFBRs, 4870
Fuel handling experience with liquid-metal reactors, 4070
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Nuclear reactor fueling system (Patent), 4445
Reactor (Patent; LMFBR), 5341
Reactor fuel charging equipment (liquid sodium cooled reactors (Patent)), 4286
Refueling machine (Patent; LMFBR), 5183
Refueling device for a nuclear reactor with fast neutrons (Patent), 3399
Refueling facilities (Patent), 3402
See-through device for a refueling machine (Patent; LMFBR), 5224
Transit device for reactor fueling (Patent; LMFBR), 5457
Turnstile device for fuel unloading of nuclear reactors (Patent; LMFBR), 4265 (ANL-Trans--1112)

LMFBR TYPE REACTORS/REACTOR COMPONENTS
Accurate numerical solutions for elastic-plastic models, 163 (ANL--80-31)
Acoustic wave measurements in reator-grade concretes, 557 (CONF-770807--Pt.E)
Analysis of tests on axially compressed cylinders, 3013 (WARD-SD--3045-8)
APRICOT Program: comparison and benchmarking of computational methods for analysis of LMFBR structural response to postulated core disruptive accidents. Phase I report, 2808 (SAN/1112--1)
Assessment of seismic analysis procedures for LMFBR in-core components, 2803 (SAN--1011-118R)
Baseline inspection of three transition joint life test articles, 1307 (GEFR--00414)
Behavior of annealed type 316 stainless steel under monotonic and cyclic biaxial loading at room temperature, 5103
CEASEMT system of finite element computer programs - use for inelastic analysis in liquid metal cooled reactor components, 2065 (IWGFR--11)
Cleaning of small components of complex geometry by means of the soium--alcohol reaction, 2123 (IWGFR--23)
COMCAN II-A: a computer program for automated common cause failure analysis, 2943 (TREE--1361)
Considerations for weldment design for elevated temperature applications, 2071 (IWGFR--11)
Corrosion and cleaning aspects of sodium side crevices in components of LMFBR's, 2114 (IWGFR--23)
Decontamination of LMFBR components, 25 (AI-DOE--13218)
Development and application of the PLANS computer program for analysis of nuclear reactor structural components, 2617 (ORNL/Sub--4485/1)
Development of acoustic monitoring techniques of LMFBRs, 2056 (IWGFR--10)
Development of the glycolic--citric acids (GCA) process for decontamination of LMFBR components, 3940
Development of the PLANS compuuter program for elastic--plastic-creep analysis of nuclear reactor structural components, 2618 (ORNL/SUB--4485/2)
Development of the Centralized Reliability Data Organization (CREDO), 839 (CONF-791103--99)
Dynamic instability analysis of axisymmetric shells by finite element method with convected coordinates, 536 (CONF-770807--34)
Dynamic instability analysis of axisymmetric shells by finite element method with convected coordinates, 1989 (INIS-mf--4690)
Effect of swelling and creep on LMFBR performance, 4476
Effect of sodium environment on the creep-rupture and low-cycle fatigue behavior of austenitic stainless steels, 607 (CONF-771052--3)
Effect of sodium environment on breeder reactor components, 1508 (HEDL-SA--1420)
Effect of high external thermal loading on LMFBR subassembly integrity, 5109
Effect of model choice and sample size on statistical tolerance limits, 2267 (LA--8292-MS)
Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
Energy Technology Engineering Center (ETEC). Annual technical progress report, January--December 1978, 1176 (ETEC--79-1)
Establishing constitutive equations for use in design of high-temperature fast-reactor structures, 3385
Evaluation of thermocyclic strength of structural materials and structural elements of nuclear power plants with sodium heat carrier, 4588
Evaluation of seismic analysis techniques for LMFBR piping and equipment, 2801 (SAN--1011-116)
Evaluation of seismic analysis techniques for breeder reactor piping and equipment. Quarterly technical

progress report, 2805 (SAN--1011-202)
Evaluation of inelastic analysis methods, 1966 (INIS-mf--4543)
Evaluation of inelastic analysis methods, 5126
Evaporative removal of sodium from reactor components, 3939
Experience with cleaning of sodium-wetted components and decontamination at Nuclear Research Centre Karlsruhe, 2115 (IWGFR--23)
Experimental determination of reliability data, 3921
Experimental parameter investigations on the tribological behavior of Stellite 6 in liquid sodium, 3295
Experimental evaluation of cell liners, 1536 (HEDL-SA--1494)
Exploratory testing in support of constitutive equation development for inelastic analysis, 2070 (IWGFR--11)
Finite element method in nonlinear dynamic analysis of axisymmetric shells: theory and computer program, 189 (ANL-CT--77-23)
Finite element elastic-plastic analysis of LMFBR components, 3820
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin ractor structures, 558 (CONF-770807--Pt.E)
Finite element formulation for thermal stress analysis of thin reactor structures, 3535
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin reactor structures, 5053
Finite element elastic-plastic analysis of LMFBR components, 1967 (INIS-mf--4543)
Finite element elastic-plastic analysis of LMFBR components, 5120
Friction, wear, and corrosion of laves-hardened nickel alloy hardsurfacing in sodium, 1502 (HEDL-SA--1391)
High temperature structural design technology: validation. Quarterly progress report for the period ending May 31, 1977, 2972 (WARD-HT--3045-27)
High-Temperature Structural Design Program. Semiannual progress report for period ending December 31, 1976, 2507 (ORNL--5281)
High temperature structural design technology: validation. Quarterly progress report for period ending August 31, 1977 (Inelastic behavior and strain tolerance of SS 304 and 316 components for LMFBR and FFTF), 2973 (WARD-HT--3045-30)
High temperature structural design technology: validation. Quarterly progress report for period ending November 30, 1977 (Inelastic behavior and strain tolerances of stainless steel 304 and 316 components for LMFBR and FFTF), 2974 (WARD-HT--3045-31)
High-temperature structural design: 1977 summary and status report, 2567 (ORNL--5419)
High temperature structural design technology: validation. Quarterly progress report for period ending February 28, 1978 (Inelastic behavior and strain tolerances of SS 304 and 316 components for LMFBR and FFTF), 2975 (WARD-HT--3045-34)
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977 (Time-dependent inelastic behavior of LMFBR materials and structures), 3015 (WARD-SD--3045-10)
Horizontal baffle for nuclear reactors, 3359
Implementation of the unified plasticity--creep constitutive equations with the finite element method, 2615 (ORNL/SUB--79/55465/1)
In-reactor deformation and fracture of austenitic stainless steels, 2650 (ORNL/TM--6296)
In-service inspection and monitoring of LMFBR in France, 2055 (IWGFR--10)
Inelastic structural analysis: design implications and experience, 3384
Instability analysis of elbows in the plastic range, 1963 (INIS-mf--4543)
INTERATOM experience of cleaning sodium-wetted components, 2117 (IWGFR--23)
Irradiation creep data in support of LMFBR core design, 4887
Irradiation effects and design of LMFBR permanent reactor structures, 4891
Large pool LMFBR design. Appendices A-K. Final report, 1126 (EPRI-NP--1016(Vol.3)(Pt.1))
Large pool LMFBR design. Volume 3, Part 2. Appendices L-CC. Final report, 1127 (EPRI-NP--1016(Vol.3)(Pt.2))
Liquid Metal Engineering Center (LMEC). Annual technical progress report, January--December 1977, 2297 (LMEC--78-1)
LMFBR hardware and commercial standards, 5438
LMFBR pool plant: 1000 MWe. Volume 1. Executive summary. Final report, 1118 (EPRI-NP--1015-SY(Vol.1))
LMFBR pool plant: 1000 MWe. Volume 3. Appendices. Final report, 1121 (EPRI-NP--1015(Vol.3)(App.))
LMFBR pool plant: 1000 MWe. Volume 4. Balance of plant. Final report, 1122 (EPRI-NP--1015(Vol.4))
Long-range program plan for high-temperature structural design, 2558 (ORNL--5369)
Maintenance equipment for a fast reactor (Patent; LMFBR), 5197
Materials requirements for liquid metal fast breeder reactors, 3822
Materials data requirements for the high-temperature structural design of 2 1/4Cr-1 Mo steel components, 4157
MATLIB: a computer library of material properties verification manual, 3021 (WARD-SD--94000-2)
Metallic component with a chromium carbide base protective coating (Patent; HTGR; LMFBR), 5244
Methods of analysis in the structural design of LMFBR components - French practice, 2077 (IWGFR--11)
Modified 9 Cr-1 Mo steel development program progress report, March 31, 1979, 2589 (ORNL/BRP--79/4)
Monthly report No. 9 (September, October, and November 1977) of INTERATOM representative to Westinghouse Hanford Co., Richland, Washington (USA), 1892 (INB--414)
National friction, wear, and self-welding program status and plans, 1812 (HEDL-TME--78-38)
Needs for development in nondestructive testing for advanced reactor systems, 644 (CONF-780215--2)
Non-aqueous removal of sodium from reactor components, 2129 (IWGFR--23)
Nondestructive testing development program. Quarterly progress report for period ending September 30, 1977, 2555 (ORNL--5350)
Nondestructive testing development program. Quarterly progress report for period ending December 31, 1977, 2561 (ORNL--5385)
Nondestructive testing development program. Quarterly progress report for period ending March 31, 1978, 2566 (ORNL--5417)
Nondestructive testing development program quarterly progress report for period ending March 31, 1977, 2508 (ORNL--5286)
Nondestructive testing development program. Quarterly progress report for period ending June 30, 1978, 2570 (ORNL--5440)
Nondestructive testing development program semiannual progress report for period ending March 31, 1979, 2588 (ORNL/BRP--79/3)
Nuclear safety and reliability engineering. Quarterly progress report for period ending March 31, 1979, 3026 (WARD-SR--94000-1)
Nuclear safety and reliability engineering. Quarterly progress report for period ending June 30, 1979, 3027 (WARD-SR--94000-2)
Overview of US efforts to validate analysis methods and design criteria, 760 (CONF-790363--1)
Parameter survey on the saturation boiling process for crevice sodium removal, 3816 (JAPFNR--318)
Parameter survey on the saturation boiling proceess for crevice sodium removal, 2120 (IWGFR--23)
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part IV. Appendix, final report, 1075 (EPRI-NP--646(Vol.5))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part VII. Balance-of-plant final report, 1077 (EPRI-NP--646(Vol.7))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part VI. Appendixes, final report, 1078 (EPRI-NP--646(Vol.8))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part II: plant summary description. Final report, 1107 (EPRI-NP--1014(Vol.2))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part III: reactor assembly, Sec. 2-6--Appendix IIIB. Final report, 1109 (EPRI-NP--1014(Vol.4))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part IX: constructability and fabricability; Part X: maintainability and inspectability; Part XI: safety. Final report, 1113 (EPRI-NP--1014(Vol.8))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XII: balance of plant--plant description. Final report, 1114 (EPRI-NP--1014(Vol.9))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XIII: balance of plant - evaluation of pool-related areas. Final report, 1116 (EPRI-NP--1014(Vol.11))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Final report, 1117 (EPRI-NP--1014(Vol.12))
Probabilistic methods for LMFBR application, 1602 (HEDL-SA--1695-FP)
Progress in development and application of methods of washing and decontamination of objects in contact with sodium (France; LMFBR), 2122 (IWGFR--23)
Progress report on fast breeder reactor development in Japan, October--December 1976, 4581 (JAPFNR--260)
Progress report on fast breeder reactor development in Japan, July-September 1978, 3258 (JAPFNR--460)
Proposal for in-service inspection and monitoring of selected components located within or part of the primary containment of sodium cooled fast reactors, 2050 (IWGFR--10)
Proposal for a decision by the council on the determination of a research programme of the European Atomic Community in the field of codes and standards of fast reactors (structural integrity of components), 3314
Quarterly technical progress report. Sodium technology and cover gas seal development programs. October--December 1977, 26 (AI-DOE--13220)
Reaction rate of sodium with ethanol and other alcohols, 4480
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progress report, May 1978,

279 (ANL-RDP--71)
Reactor development program progress report, July 1978, 281 (ANL-RDP--73)
Reactor Development Program progress report, August 1978, 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978, 284 (ANL-RDP--76)
Reactor development program progress report, November 1978, 285 (ANL-RDP--77)
Reactor Development Program. Progress report, 283 (ANL-RDP--75)
Reactor Development Program. Progress report, December 1978, 286 (ANL-RDP--78)
Reactor development program. Progress report, 287 (ANL-RDP--79)
Reactor Development Program progress report, February 1979, 288 (ANL-RDP--80)
Reactor development program progress report, March 1979, 289 (ANL-RDP--81)
Reactor development program. Progress report, 290 (ANL-RDP--82)
Reactor development program. Progress report, 291 (ANL-RDP--83)
Reactor development program. Progress report, July 1979, 293 (ANL-RDP--85)
Reactor development program. Progress report, 292 (ANL-RDP--84)
Recent efforts of PNC on creep-fatigue, creep-buckling and thermal ratchetting of the LMFBR primary coolant system components, 2076 (IWGFR--11)
Response of breeder reactor components and systems to abnormal events, 3540
Review of ANL base technology studies in support of the U.S. LMFBR vibration program, 2098 (IWGFR--21)
Scale modeling of finite length fluid annular gaps for flow-induced vibration testing, 244 (ANL-CT--79-40)
Selection of process parameters for sodium removal via the water vapor nitrogen process, 1772 (HEDL-TME--77-62)
Short review of sodium removal experience in PNC, 2119 (IWGFR--23)
Simplified methods of analysis, 2079 (IWGFR--11)
Simplified inelastic analyses using one-dimensional models, 2620 (ORNL/SUB--7463/1)
Sodium components cleaning status in the Italian fast reactor program, 2124 (IWGFR--23)
Sodium component reliability data collection at CREDO, 778 (CONF-790602--62)
Sodium component reliability data collection at CREDO, 3172
Sodium engineering and technology technical progress report, October, November, December 1976, 1742 (HEDL-TME--76-28)
Sodium engineering and technology. Technical progress report, April, May, June 1977, 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, July, August, September 1977, 1759 (HEDL-TME--77-38)
Sodium engineering and technology. Technical progress report, October, November, December 1977, 1760 (HEDL-TME--77-39)
Sodium engineering and technology technical progress report, January, February, March 1978, 1805 (HEDL-TME--78-20)
Sodium engineering and technnology. Technical progress report, April, May, June 1978, 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Technical progress report, April, May, June 1978, 1807 (HEDL-TME--78-21)
Sodium--NaK engineering handbook. Volume IV. Sodium pumps, valves, piping, and auxiliary equipment (Book), 4037
Sodium removal and decontamination, 2111 (IWGFR--23)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1977, 41 (AI-ERDA--13204)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, January--March 1978, 34 (AI-DOE--13231)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1978, 1133 (ESG-DOE--13239)
Sodium technology program quarterly technical progress report, July--September 1978, 1141 (ESG-DOE--13247)
Sodium Technology Program. Quarterly technical progress report, October--December 1978, 1147 (ESG-DOE--13261)
Sodium technology. Progress report, April--June 1978, 1829 (HEDL-TME--78-91)
Sodium technology progress report, July--September 1978, 1830 (HEDL-TME--78-92)
Sodium technology progress report, October--December 1978, 1831 (HEDL-TME--78-93)
Sodium technology progress report, January--March 1978, 1828 (HEDL-TME--78-90)
Sodium technology program. Quarterly technical progress report, January--March 1979, 1154 (ESG-DOE--13272)
Sodium Technology Program. Quarterly technical progress report, April-June 1979, 1158 (ESG-DOE--13278)
Sodium technology progress report, January--March 1979, 1847 (HEDL-TME--79-24)
Sodium technology. Progress report, April-June 1979, 1848 (HEDL-TME--79-25)
Sodium technology program. Quarterly technical progress report, July-September 1979, 1164 (ESG-DOE--13290)
Sodium vapor deposit technology, 1808 (HEDL-TME--78-23)
Some aspects of high temperature structural design on LMFBR system and components, 2075 (IWGFR--11)
Some comments on thermomechanical constitutive equations for inelastic analysis of LMFBR components, 5123
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 5104
Special information meeting on high-temperature structural design applications experience, Germantown, Maryland, September 14--15, 1978. Summary report, 2587 (ORNL/BRP--78/4)
Specialists meeting on high temperature structural design technology of LMFBRs, Champion, Pennsylvania, U.S.A., April 27-30, 1976. Summary report, 2063 (IWGFR--11)
Specialists meeting on LMFBR flow induced vibrations, 2100 (IWGFR--21)
Stress-affected microstructural development and creep-swelling interrelationship, 1453 (HEDL-SA--1167)
Structural analysis technology for high-temperature design, 4536
Structural design verification testing techniques at Westinghouse Advanced Reactors Division, 2977 (WARD-HT--94000-1)
Summary of sodium removal and decontamination programs in the U.S.A., 1511 (HEDL-SA--1429FP)
Summary of sodium removal and decontamination programs in the USA, 2125 (IWGFR--23)
Thermal and thermal stress analysis of a pool type LMFBR deck structure, 786 (CONF-790802--48)
Thin circular cylinder under axisymmetrical thermal and mechanical loading, 1959 (INIS-mf--4543)
TNO experience on sodium cleaning of large plant components by vacuum distillation, 2113 (IWGFR--23)
UK fast reactor components: sodium removal decontamination and requalification, 2121 (IWGFR--23)
UK fast reactor components. Sodium removal decontamination and requalification, 2003 (INIS-mf--5083)
Ultrasonic testing of austenitic components of sodium cooled fast reactors, 2049 (IWGFR--10)
Ultrasonic testing, state of the art and possible developments, 2051 (IWGFR--10)
Ultrasonic scanner for stainless steel weld inspections, 137 (ANL--78-84)
US LMFBR coolant system components, 5282
User's guide for the Reliability Analysis System (RAS), 2939 (TREE--1168)
User's guide to MAT3D: a three-dimensional finite element mesh generator program for eight-node isoparametric elements, 3017 (WARD-SD--3045-12)
User's manual for finite-element computer code, CREEP-PLAST, 215 (ANL-CT--78-21)
Water vapor nitrogen process for removing sodium from LMFBR components, 1518 (HEDL-SA--1444)

LMFBR TYPE REACTORS/REACTOR CONTROL SYSTEMS
Application of a microprocessor-based distributed system to subassembly fault detection of LMFBR, 3469
Collection and transmission of milli-volt-level data on a liquid-metal fast-breeder reactor, 4237
Comprehensive method of common-mode failure analysis for LMFBR safety systems, 414 (CONF-761001--P2)
Control for nuclear reactor (Patent), 3787
Hydraulically supported absorber balls shutdown system for inherently safe LMFBR's, 410 (CONF-761001--P2)
Influence of control rod worth interactions on LMFBR control systems design, 855 (CONF-800507--5)
Nuclear reactor control (Patent), 3475
Nuclear reactor with liquid metal cooling (Patent), 3795
Nuclear reactor equipped with a control mechanism (Patent; LMFBR), 4559
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VI: reactor auxiliary systems. Part VII: instrumentation and control, 1091 (EPRI-NP--882(Vol.5))
Principles of instrumentation of liquid-metal cooled fast reactors. Draft, 3336
Rodded shutdown system for a nuclear reactor (Patent), 3789
RODMOD: a code for control rod positioning, 2571 (ORNL--5466)
Thermal hydraulic response of an LMFBR plant to upset events, 4975
Vapor temperature control device for fast breeder reactor plant (Patent), 5325

LMFBR TYPE REACTORS/REACTOR COOLING SYSTEMS
ALIP/Flowmeter calibration, 1177 (ETEC-TDR--78-13)
Analogy of water as compared to sodium in cavitation, 2042 (IWGFR--9)
Auxiliary cooling device for the primary fluid heat exchanger of a nuclear reactor (Patent), 3250
Behavior of an iron manganese alloy as a monitor for carbon activity in liquid sodium, 2985 (WARD-NA--3045-54)
Binary cycle with potassium and N_2O_4 vapors for NPP with a fast sodium reactor, 1904 (INIS-mf--4316)
Chemical and physical changes at sodium-stainless steel interfaces in fast reactors, 4919
Compilation of piping benchmark problems - cooperative

international effort, 2135 (IWGFR--27)
Computer simulation of LMFBR piping systems, 559 (CONF-770807--Pt.E)
Coupled hydrodynamic-structural response analysis of piping systems, 76 (ANL--77-91)
Design analysis of liquid metal pipe supports, 1634 (HEDL-SA--1771)
Design guidelines for elbows with geometric nonuniformities, 3019 (WARD-SD--3045-16)
Determination of thermocouple transfer-functions and fluid-flow velocities by temperature-noise measurements in liquid sodium, 5010
Development and testing of a tritium meter for sodium systems, 4702
Developments in electrolytic oxygen meter probes for sodium use, 3217
Device for cooling the upper part of the vessel of a liquid sodium cooled reactor (Patent application), 4338 (ANL-Trans--1108)
Device for connecting two tubular ducts mounted end-to-end (Patent application; LMFBR), 4339 (ANL-Trans--1109)
Device of thermal insulation and mechanical protection of a circuit (Patent), 5361
Dual construction device having a mechanism for detecting leakage of sodium (Patent), 5329
Dynamic response of circular tubes subjected to liquid cross flow, 235 (ANL-CT--79-06)
Electromagnetic pump for FBR, 4565
Electromagnetic pump for fast breeder reactor, 4314
Elevated temperature creep and fatigue damage of a 2.25 Cr--1 Mo steel weldment, 2841 (SAND--77-1556)
Evaluations of the piping system inelastic analysis computer program PIRAX2, 24 (AI-DOE--13216)
Expansion joint (Patent; LMFBR centrifugal pumps), 5138
Experiental investigation of the formation of critical boiling nuclei in superheated sodium, 4388
Experimental validation of PTA-1 computer code for pressure-transient analysis including the effect of pipe plasticity, 124 (ANL--78-38)
Fast reactor flow induced vibration with particular reference to PFR and conceptual CDFR design, 2101 (IWGFR--21)
Flow in sodium loop surge tank, 4517
FTMOC-2D: a computer program for two-dimensional fluid-transient analysis by the method of characteristics, 219 (ANL-CT--78-26)
Fundamental experiment of potassium heat exchanger using principle of heat pipe, 5151
High-integrity thermocouples for in-pile applications, 4230
High-temperature piping design technology. Quarterly technical progress report, April--June 1977, 43 (AI-ERDA--13206)
High-temperature piping design technology. Quarterly technical progress report, July--September 1977, 23 (AI-DOE--13214)
High-temperature piping design technology. Quarterly technical progress report, October--December 1977, 28 (AI-DOE--13222)
High-temperature piping design technology. Quarterly technical progress report, January--March 1978, 36 (AI-DOE--13233)
High-temperature piping design technology. Quarterly technical progress report, April--June 1978, 1135 (ESG-DOE--13241)
High-temperature piping design technology. Semi-annual technical progress report, October 1978--March 1979, 1156 (ESG-DOE--13274)
Hydrogen consentration meter utilizing a diffusion tube composed of 2 1/4 Cr-1 Mo steel and a sleeve of nickel (Patent), 3268
Improvements in or relating to pipe joints (Patent; LMFBR), 3729
Influence of scale size and fluid thermal properties in simulating LMFBR outlet plenum behavior, 4854
Influence of the chemical composition of austenitic stainless steels on their corrosion behaviour in high-temperature sodium, 3527
Insulating and protecting systems for a circuit (Patent; LMFBR), 5360
Investigation of measuring accuracy of plugging indicators, 4352
Leak detector of liquid sodium (Patent), 5340
Liquid-metal cooled fast breeder (Patent), 5344
Liquid metal cooled fast breeder (Patent), 5337
Liquid metal cooled fast breeder reactor (Patent), 5345
Liquid metal cooling reactor (Patent), 5225
Liquid metal cooled fast breeder nuclear reactors (Patent), 3234
Liquid metal cooled nuclear reactor (Patent), 5190
Liquid metal cooled reactor and process for protecting the channels against a blocking (Patent), 4323
Liquid sodium cooled fast reactor (Patent), 4294
LMFBR flexible pipe joint development program. Annual technical progress report, government fiscal year 1977, 22 (AI-DOE--13212)
Loop heat capacity models and their effects for DEMO natural circulation transient analysis, 2987 (WARD-NC--3045-2)
Mass and activity transport in flowing sodium systems, 1521 (HEDL-SA--1448)
Measurement of heat and momentum eddy diffusivities in recirculating LMFBR outlet plenum flows, 892 (COO--2245-61TR)
Measurements of hydrogen concentration in liquid sodium by using an inert gas carrier method, 3107
Method for draining liquid metal (Patent; LMFBR), 5378
Method of preventing sodium from flowing when pipes of a fast breeder reactor are injured (Patent750AIX-08) 341043), 5375
Method of preheating a nuclear reactor cooling system (Patent; LMFBR), 5181
Method of safe operation of LMFBR type reactor (Patent), 3404
Monitoring of oxygen and hydrogen in a sodium circulation loop by electromechanical measuring methods, 5420
Natural circulation heat transfer in pool-type LMFBR's, 4974
Neutron transport through straight and once bent sodium pipe in shielding of fast reactor, 4913
Nondestructive testing, 2519 (ORNL--5309)
Nuclear power plant with improved arrangements for the removal of post fission and emergency heating (Patent), 4288
Nuclear reactors (Patent; LMFBR), 4259
Nuclear reactor (Patent; LMFBR), 5453
Nuclear reactor (Patents; LMFBR with integrated type reactor vessel), 5319
Parameter optimization of AES with a large fast reactor, 5418
Physical characteristics of corrosion product deposits, 2986 (WARD-NA--940002)
Pipe connector (Patent; LMFBR), 5134
Pipe support for use in a nuclear system (Patent; LMFBR), 4377
Pipe support (Patent), 3305
Piping and fittings, 2523 (ORNL--5309)
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part II. Heat transport systems, final report, 1071 (EPRI-NP--646(Vol.1))
Predictive technique for temperature and eddy diffusivity distributions in liquid metal turbulent pipe flow, 5006
Pressure pulse propagation in piping analytical/experimental comparison (TRANSWRAP code), 2331 (NEDM--14161)
Pressure sensor (Patent), 3298
Pressure transient analysis in piping systems including the effects of plastic deformation and cavitation (PTA-2 code), 218 (ANL-CT--78-24)
Problems of technology and corrosion in sodium coolant and cover gas (LMFBR), 3040 (ZfK--337)
Procedure and equipment for regenerating cooling traps in liquid metal circuits (Patent), 5215
Process and device for thermal energy production (Patent) 4361
Process instruments for sodium cooled fast reactors, 5115
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity, 554 (CONF-770807--55)
Quarterly technical progress report. Sodium technology and cover gas seal development programs. October--December 1977, 26 (AI-DOE--13220)
Rapid-action valve especially for liquid metal (Patent), 5185
Rupture disc (Patent; LMFBR intermediate heat transport system), 4256
Signal analysis method using cross-correlation of turbulence flow signals to determine calibration of permanent magnet sodium flowmeters, 603 (CONF-771023--23)
Single-phase pump model for analysis of LMFBR heat transport systems, 2392 (NUREG/CR--0240)
Sodium impurity monitoring, 1435 (HEDL--6313)
Sodium leak detection, 2791 (SAN--0824-T8)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1977, 41 (AI-ERDA--13204)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, January--March 1978, 34 (AI-DOE--13231)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1978, 1133 (ESG-DOE--13239)
Sodium-to-gas leak detection. Annual technical progress report, government fiscal year 1977, 21 (AI-DOE--13211)
Some comments on thermomechanical constitutive equations for inelastic analysis of LMFBR components, 1969 (INIS-mf--4543)
Some properties of iron-base materials with calcium fluoride additions for frictional units of nuclear plants, 4463
Standpipe-bubbler pump level control study system design layout (Task A) W.P. 4413. Engineering memorandum No. 0153, 2910 (TID--27895)
Statistical analysis of interacting coolant channels, 3577
Status report on ultrasonic testing of austenitic welds, 3772
Study of mist formation in a convective field. Effect of turbulent fluctuation on the mechanism of mist formation, 4282
Study of the density interface in a stratified LMFBR outlet plenum, 4626

Superheat in flowing sodium. Paper 3.10, 5452
Supports for pipes (Patent), 4607
Survey of LMFBR cavitation technology in the U.S.A, 2043 (IWGFR--9)
Tank of sodium cooled fast reactor (Patent), 5358
Technique for detecting liquid metal leaks (Patent), 3304
Temperature control system for a J-module heat exchanger (Patent), 3707
Thermal-hydraulics design guide for an Advanced Design Thermal Mixer (including development/testing details), 233 (ANL-CT--79-4)
Thermal plant for energy production (Patent; LMFBR), 5232
Thermal power plant (Patent; LMFBR), 3733
Tritium permeation through oxidized 304 and 316 stainless steel, 1480 (HEDL-SA--1326)
Ultra-sonic flow meter for the sodium cooled fast breeder reactor, 3754
US LMFBR coolant system components, 5282
Use of temperature variance to detect sodium boiling, 3238
Validation of turbulence models for LMFBR outlet plenum flows, 4628
Vapor temperature control device for fast breeder reactor plant (Patent), 5325

LMFBR TYPE REACTORS/REACTOR CORE DISRUPTION
1978 annual report: aerosol characterization from a simulated HCDA, 2430 (NUREG/CR--0740)
A look at alternative core disruption accidents in LMFBR's. Part II. A general evaluation approach to risk-benefit for large technological systems and its application to nuclear power, 2693 (PB--280695)
A qualification testing program plan for SIMMER: A computer code for LMFBR disrupted core analysis. Research program planning report, 2694 (PB--283030)
Above-core structural response to a molten core disassembly, 4757
Advanced fuels safety comparisons, 4862
Aerodynamic properties of aerosols formed by a sodium pool fire, 3190
Aerosol characterization from a simulated HDCA. Annual report. NRC program A1171-2, 2301 (MLM-MU--77-70-0004)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7, 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977, 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977, 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978, 2405 (NUREG/CR--0425)
Agglomeration characteristics of fast reactor HCDA aerosols, 683 (CONF-780819--13)
ALICE: a hybrid Lagrangian--Eulerian code for containment analysis, 3662
Analysis and measurement of solidification dynamics of flowing two-phase noncondensable mixtures, 3622
Analysis and application of prestressed concrete reactor vessels for LMFBR containment, 3542
Analysis of transient fluid-structure problems using an advanced Eulerian method, 4487
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code (MICE code), 552 (CONF-770807--53)
Analysis of the ZPPR-5 critical experiments: simulating hypothetical core disruptive accidents, 1238 (GEFR--00109)
Analysis of core disruptive accidents in carbide-fueled LMFBRs, 4860
Analysis of reactor structural response to fuel sodium interaction in a hypothetical core disruptive accident, 2726 (PNC-N--251-76-120Vol.2))
Analysis of aerosol particles undergoing gravitational agglomeration. Annual progress report, December 15, 1976--September 30, 1977, 2379 (NUREG/CR--0015)
Analysis of in-pile fuel disruption experiments, 3608
Analysis of LMFBR containment response to a core-disruptive accident, 3620
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 2188 (KFK--2491)
Analysis of prestressed concrete vessels for HCDA loads, 3991
Analysis of hypothetical LMFBR whole-core accidents in the USA, 729 (CONF-781022--31)
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 567 (CONF-770807--Pt.E)
Analysis of nonlinear fluid structure interaction transient in fast reactors, 146 (ANL--78-103)
Analysis of TREAT Tests L7 and L8 with SAS3D, LEVITATE and PLUTO2, 1020 (DOE/TIC--10102)
Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST), 2424 (NUREG/CR--0678)
Analysis of aerosol particles undergoing gravitational agglomeration. Annual progress report, October 1, 1977--September 30, 1978, 2434 (NUREG/CR--0780)
Analysis of LMFBR containment response using a multifield implicit continuous-fluid Eulerian code (MICE), 3539
Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST), 2597 (ORNL/NUREG/CR--0678)
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 5044
Analysis of Sandia in-pile EOS experiments, 2879 (SAND--79-0107C)
Analysis of fuel dispersal in direct electrical heating experiments, 2259 (LA--7938-C)
Analysis of a prototypic and a simulant experiment related to freezing in flow channels, 2260 (LA--7938-C)
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 3106 (DOE-tr--115)
Analytical and experimental studies of transient fuel freezing, 482 (CONF-761001--P4)
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 1925 (INIS-mf--4470)
Application of containment codes to LMFBRs in the United States, 592 (CONF-770817--4)
Application of containment codes to LMFBRs in the United States, 4496
Application of a coupled Euler-Lagrange computer program to the structural response of an LMFBR, 4500
Application of a nonredundant pinhole array to a test fuel element at TREAT, 4011
Application of acoustic agglomerators for emergency use in liquid-metal fast breeder reactor plants, 3239
Approximate inversion method for five point difference matrix equations, 2276 (LA-UR--79-162)
APRICOT Program: comparison and benchmarking of computational methods for analysis of LMFBR structural response to postulated core disruptive accidents. Phase I report, 2808 (SAN/1112--1)
Assessment of transport effects in LMFBR safety neutronics, 427 (CONF-761001--P2)
Assessment of accident energetics in LMFBR core-disruptive accidents, 591 (CONF-770817--3)
*Assessment of accident energetics in LMFBR core-*disruptive accidents, 4498
Assessment of debris transport methods in horizontal LMFBR piping for PAHR conditions, 3025 (WARD-SR--3045-9)
Assessment of the effect of reactor size on hypothetical core disruptive accidents, 4105
Attenuation of HCDA work potential by heat transfer, 4004
Attenuation of particles through leak paths, 687 (CONF-780819--P2)
Attenuation of airborne debris from LMFBR accidents, 1591 (HEDL-SA--1665)
Attenuation of airborne debris from liquid-metal fast breeder reactor accidents, 3076
Boiling glow regimes for carbide fuel and steel, 4003
Boilup threshold for the bottled-up transition-phase pool, 4007
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report, April--June 1977, 2601 (ORNL/NUREG/TM--142)
Breeder Reactor Aerosol Release and Transport Program quarterly progress report for July--September 1977, 2607 (ORNL/NUREG/TM--173)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report for October--December 1977, 2610 (ORNL/NUREG/TM--193)
Bubble behavior in LMFBR core disruptive accidents. Annual report, July 1, 1976--September 30, 1977, 2375 (NUREG/CR--0002)
Bubble behavior in LMFBR core disruptive accidents. Annual report, October 1977--September 1978, 2420 (NUREG/CR--0604)
Bubble behavior in LMFBR core disruptive accidents. Annual report, 1 October 1977-30 September 1978, 2701 (PB--293190)
Bubble collapse reactivity increases in boiling fuel/steel pools, 4789
Bubble-induced heat transfer in a heat generating liquid layer, 109 (ANL--78-10)
Bubble worth variation in molten cores from a hypothetical core disruptive accident, 3270
CAMEL seven-pin fuel sweepout tests, 3998
Certain aspects of alternative core disruption accidents in LMFBRs, 3877
Characterization of agglomerates of UO_2 aerosol particles, 2416 (NUREG/CR--0489)
Characterization of an energy source for modeling hypothetical core disruptive accidents in nuclear reactors. First interim report, 266 (ANL/K72--2655-1)
Chemical simulation modeling of fuel motion in LMFBRs, 4093
Chemical simulation modeling of heat transfer in LMFBRs, 1012 (DOE/ET/37205--T1)
Close-in sampling of aerosols from fission-vaporized UO_2 fuel, 3649
Close-in sampling of aerosols from fission vaporized UO_2 fuel, 2856 (SAND--78-0257C)
Coded aperture imaging of reactor-illuminated LMFBR fuel pins, 4755
Comparison of ICECO predictions of wave propagation in the rigid two-dimensional vessel experiments, 3641
Comparison of measured and calculated average void fraction in volume-boiling pools with inclined boundaries, 326 (BNL-NUREG--25714)
Comparison of FISGAS swelling and gas release

predictions with experiment, 2869 (SAND--78-1910C)
Comparison of experiment with analysis of a water-filled plastically deforming pipe using the computer code PTA-1, 3024 (WARD-SR--3045-8)
Comparison of REXCO code predictions with flexible vessel experiments, 3538
Comparison of ICECO code predictions with flexible vessel experiments, 3543
Comparison of the HAARM-3 fallout model with Nuclear Safety Pilot Plant (NSPP) data, 779 (CONF-790602--63)
Comparison of the HAARM-3 fallout model with nuclear safety pilot plant (NSPP) data, 3191
Comparison of ALICE predictions with SRI flexible vessel experiments, 3196
Comparison of ICECO code predictions with COVA experimental data, 3197
Computer code for SEURBNUK-2 for fast reactor explosion containment safety studies, 295 (AWRE--49/91/87)
Computer simulation of LMFBR piping systems, 559 (CONF-770807--Pt.E)
Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2360 (NUREG--0344)
Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2691 (PB--273304)
Condensation from a large HCDA vapor-gas bubble onto structures, 738 (CONF-781105--58)
Condensation from a large HCDA vapor-gas bubble onto structures, 4005
Confidence level in the calculations of HCDA consequences using large codes, 1641 (HEDL-SA--1835)
Considerations on a PAHR test facility, 395 (CONF-761001--P1)
Considerations of the third line of assurance: post-accident heat removal and core retention in containment, 500 (CONF-761001--P4)
Convective heat transfer correlations for molten core debris pools growing in concrete, 949 (COO--4261-8)
Core debris behavior and interactions with concrete, 593 (CONF-770817--5)
Core debris behaviour and interactions with concrete, 4495
Core debris deposition in the primary heat transport system piping of LMFBRs, 93 (ANL--78-10)
Core disruptive accident and recriticality analysis with FX2-POOL, 450 (CONF-761001--P3)
Crab user's manual, 2449 (NUREG/CR--0872)
Critical configurations and secondary excursions for high temperature fuel/steel mixtures, 445 (CONF-761001--P3)
Current state of analysis of recriticality under PAHR conditions, 87 (ANL--78-10)
Debris bed and sacrificial materials interactions at high temperatures, 2864 (SAND--78-1249C)
Debris bed and sacrificial materials interactions at high temperatures, 3993
Debris transport in horizontal piping, 4014
Deposition of aerosols formed by HCDA due to decay heat transport in LMFBR inner containment atmospheres, 493 (CONF-761001--P4)
Development of the capacitor discharge vaporization technique to produce aerosols formed under conditions postulated for hypothetical core disruptive accidents, 2604 (ORNL/NUREG/TM--160)
Development of a probabilistic model of containment conditions following a core disruption accident in a breeder reactor, 4041
Disassembly phase energetics: an examination of the impact of SIMMER models and assumptions, 2457 (NUREG/CR--1027)
Dispersive potential of irradiated breeder reactor fuel during a thermal transient, 4801
Dryout heat fluxes for inductively heated particulate beds, 4529
Dryout heat flux in debris beds containing nonheated constituents and particles of different sizes, 3616
Dynamic structural response of LMFBR head closures to hypothetical core disruptive accidents, 3541
Dynamics of solidification of flowing fluids with applications to LMFBR post-accident fuel relocation, 483 (CONF-761001--P4)
Effect of engineered safety features on the risk of hypothetical LMFBR accidents, 3888
Effect of energy density on aerosol yield and primary particle sizes produced by the capacitor discharge vaporization (CDV) of UO_2, 2386 (NUREG/CR--0120)
Effect of particle size distribution and non-heated constituents on debris bed dry-out, 90 (ANL--78-10)
Effect of overlaying steel layers on the growth of molten core debris pools in concrete, 950 (COO--4261-9)
Effect of fluid-to-structure heat transfer on the structural damage potential to a liquid-metal fast breeder reactor, 3110
Effects of fuel-sodium interaction in TOP tests with electrically heated fuel pins, 491 (CONF-761001--P4)
Effects of internal circulation velocity and noncondensible gas on vapor condensation from a rising bubble, 4781
Effects of internal circulation velocity and noncondensable gas on vapor condensation from a rising bubble, 3567
Effects of energy losses of arbitrary magnitude on fuel quality, vapor density, and bubble diameter in an idealized expansion of mixtures of UO_2 and Na, 2384 (NUREG/CR--0115)
Effects of recent modeling developments in prompt burst hypothetical core disruptive accident calculations, 3486
Effects of sodium entrainment and heat transfer with UO_2 vapor during an HCDA, 4006
Effects of energy losses of arbitrary magnitude on fuel quality, vapor density, and bubble diameter in an idealized expansion of mixtures of UO_2 and sodium, 3311
Effects of scattering on radiative cooling of a large HCDA-produced vapor bubble, 812 (CONF-790816--21)
Energy source for modeling HCDA bubbles, 5059
Energy source for modeling HCDA bubbles, 1981 (INIS-mf--4592)
Equations of state for LMFBR materials, 479 (CONF-761001--P4)
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 553 (CONF-770807--54)
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 582 (CONF-770807--Pt.E)
Eulerian finite-difference calculations of explosions in partially water-filled overstrong cylindrical containment vessels, 2832 (SAND--77-1342)
Eulerian method for large-displacement fluid-structure interaction in reactor containments, 618 (CONF-771120--23)
Evaluation of explicit finite-difference techniques for LMFBR safety analysis, 453 (CONF-761001--P3)
Evaluation of computational techniques for LMFBR safety analysis, 2813 (SAND--77-0924C)
Evaluation of computational techniques for LMFBR safety analysis, 3686
Evaluation of hodoscopes for fuel-motion measurement in multipin bundles, 4025
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978, 2451 (NUREG/CR--0900)
Evaluation of Lagrangian, Eulerian, and arbitrary Lagrangian-Eulerian methods for fluid-structure interaction problems in HCDA analysis, 791 (CONF-790802--55)
Event tree analysis of core disruptive accident consequences safety R and D planning, 1407 (GEFR-SP--135)
Experimental investigations of heat transfer characteristics in liquid layers with internal heat sources, 503 (CONF-761001--P4)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2396 (NUREG/CR--0287)
Experimental studies in CDA work-energy attenuation. Quarterly progress report No. 17, 1 January to 31 March 1979, 2779 (SAN--0115-T5)
Experimental studies in CDA work-energy attenuation. Quarterly progress report No. 18, 1 April-30 June 1979, 2780 (SAN--0115-T6)
Experiments on the response of rigid and flexible reactor vessel models to a simulated hypothetical core disruptive accident, 267 (ANL/K76--2655-5)
Experimental stress analysis in fast nuclear reactor safety., 4221
Exploratory studies on carbide fuel/coolant interactions, 3997
Extension of HCDA safety analysis to large PCRV containment structures, 576 (CONF-770807--Pt.E)
Fast integral modeling of hypothetical core disruptive accidents in liquid-metal fast breeder reactors, 3289
First visual in-pile fuel disruption experiments, 3607
First visual in-pile fuel disruption experiments, 2857 (SAND--78-0266C)
FISGAS: a code for fission-gas migration and fuel swelling in an LMFBR accident, 2465 (NUREG/CR--1124)
Fission gas bubble modeling for LMFBR accidents, 4804
Flow visualization in heat-generating porous media, 2809 (SAND--76-0614)
Fluid-structure interaction analysis of a deck structure during a HCDA, 801 (CONF-790802--70)
Fuel Aerosol Simulant Test (FAST) plan, 2600 (ORNL/NUREG/TM--129)
Fuel aerosol simulant test data record report: argon tests, 2464 (NUREG/CR--1123)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment, 759 (CONF-790361--1)
Fuel and fission gas response to simulated thermal transients: experimental results and correlation with fission gas release and swelling model, 3485
Fuel-coolant interaction-phenomena under prompt burst conditions, 2881 (SAND--79-0123C)
Fuel disassembly experiments using the capacitor discharge vaporization (CDV) technique, 3995
Fuel particle and fission product release from LMFBR-core catcher, 494 (CONF-761001--P4)
Fuel vapor transport through a sodium pool, 4668
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2191 (KFK--2546)
Generalized Eulerian method in reactor containment analysis and its comparison with other numerical methods, 452 (CONF-761001--P3)

Generic considerations of LMFBR hypothetical accident energetics, 725 (CONF-781022--25)
Gravitational agglomeration of aerosols, 4664
Gravitational collision efficiency of LMFBR aerosols with size-dependent density, 4019
Gravitational agglomeration of post-HCDA LMFBR aerosols, 4048
Gravitational collision efficiency of post hypothetical core disruptive accident Liquid-Metal Fast Breeder Reactor aerosols: spherical particles, 3060
Heat and mass transport processes of a horizontal melting or decomposing layer under a molten pool, 4992
Heat conduction by MWR using semi-infinite media trial functions, 4742
Heat removal from molten fuel pools, 504 (CONF-761001--P4)
Heat transfer in volumetrically-heated pools with gas injection at the boundaries, 108 (ANL--78-10)
Heat transfer and fluid flow aspects of fuel--coolant interactions, 926 (COO--2781-12TR)
Heat transfer and thermal losses in above-core regions, 2279 (LA-UR--79-1230)
Hydrodynamic model for treating transient freezing in pin bundles, 481 (CONF-761001--P4)
Hydrodynamical experiments on an enlarged model of a fast reactor fuel assembly, 1902 (INIS-mf--4280)
Hydrodynamic and elastoplastic structural analysis of fast breeder reactor core accident, 1983 (INIS-mf--4592)
Hypothetical core disruptive accident analysis of a 2000 MWsub(e) liquid metal cooled fast breeder reactor, 2187 (KFK--2490)
Impact of SIMMER-II model uncertainties on predicted postdisassembly dynamics, 2459 (NUREG/CR--1058)
Importance of heat transfer in hypothetical core disruptive accident analysis, 4437
Improvement and verification of fast reactor safety analysis techniques. Progress report, April 1, 1977--June 30, 1977, 918 (COO--2571-9)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1977--December 31, 1977, 920 (COO--2571-11)
Improvement and verification of fast reactor safety analysis techniques. Progress report, 1 July 1977--30 September 1977, 919 (COO--2571-10)
Improvement and verification of fast reactor safety analysis techniques. Progress report, January 1, 1978--March 31, 1978, 921 (COO--2571-12)
Improvement and verification of fast reactor safety analysis techniques. Progress report, July 1, 1978--September 30, 1978, 922 (COO--2571-14)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1979-March 31, 1980, 925 (COO--2571-19)
In-reactor experiments on the cooling of fast reactor debris, 2860 (SAND--78-0437C)
In-reactor experiments on the cooling of fast reactor debris, 3077
Integral postdisassembly energetics test: a preliminary investigation, 2285 (LA-UR--79-2245)
Interactions of LMFBR core debris with concrete, 506 (CONF-761001--P4)
Internal pressurization in solid mixed-oxide fuel due to transient fission gas release, 4301
KADIS; a program to analyze the disassembly phase of hypothetical accidents in (LMFBRs), 5462 (DOE-tr--113)
KADIS: a program to analyse the disassembly phase of hypothetical accidents in LMFBRs, 2189 (KFK--2497)
Kinetics of fission-vaporized UO_2 fuel determined from sampled fuel debris, 2890 (SAND--79-1708C)
Lagrangian finite-difference calculations of an explosion in a partially water-filled rigid cylindrical tank (TOODY code), 2833 (SAND--77-1394)
Large-scale deterministic computer code systems and LMFBR safety: a perspective, 447 (CONF-761001--P3)
Large scale sodium interactions. Part 2. Preliminary test results for limestone concrete, 2821 (SAND--77-1059C)
Large-scale sodium interactions: preliminary test results for limestone concrete, 4763
Liquid--liquid contact in vapor explosions, 485 (CONF-761001--P4)
Liquid-liquid contact in vapor explosion, 141 (ANL--78-92)
LMFBR accident energetics and their role in licensing, 420 (CONF-761001--P2)
LMFBR aerosol release end transport Program quarterly progress report, January--March 1978, 2385 (NUREG/CR--0117)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April--June 1978, 2400 (NUREG/CR--0340)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, July--September 1978, 2414 (NUREG/CR--0482)
LMFBR aerosol release and transport program. Quarterly progress report, October--December 1978, 2431 (NUREG/CR--0752)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April-June 1979, 2460 (NUREG/CR--1062)
LMFBR safety and core systems programs. Progress report, January--March 1977, 2629 (ORNL/TM--5940)
Main aspects of the design of a support structure of a LMFBR with particular reference to the explosive accident consequences, 571 (CONF-770807--Pt.E)
Measurement of the penetration of liquid sodium into limestone concrete, 2848 (SAND--78-0078C)
Measurement and analysis of transient vaporization in oxide fuel materials, 2872 (SAND--78-2140C)
Measurement and analysis of drag in multiphase flow systems, 2278 (LA-UR--79-811)
Mechanisms of vapor explosions, 484 (CONF-761001--P4)
Mechanistic model of fuel flow regimes and fuel plateout in LMFBR overpower accidents, 4001
Mechanistic analysis of LMFBR accident energetics, 3123
Mitigating effect of coolant cavitation in the response of LMFBR containment to a whole-core accident, 458 (CONF-761001--P3)
Model and computer code for energy and mass transport in decomposing concrete and related materials, 2891 (SAND--79-1733C)
Model for evaluating probabilities of primary system retention of core debris and time of release in LMFBR risk assessments, 499 (CONF-761001--P4)
Modeling and numerical methods of TWOPOOL, 3605
Modeling ejection of fresh fuel into sodium under prompt-burst conditions, 3996
Modeling of reactor internals in the HCDA analysis, 565 (CONF-770807--Pt.E)
Molten fuel containment analysis for SLSF experiments, 837 (CONF-791103--25)
Molten fuel relocation and connected problems: the GELCO code, comparison with experimental results, application to reactor, 2261 (LA--7938-C)
Multi-field hydrodynamic disassembly calculations with space--time kinetics: FX2/VENUS-III, 449 (CONF-761001--P3)
Multiphase transients with coolant and core materials in LMFBR core disruptive accident energetics evaluations, 2391 (NUREG/CR--0224)
Multiphase transients with coolant and core materials in LMFBR core disruptive accident energetics evaluations. Technical report, 2695 (PB--283231)
Natural convection heat transfer in beds of inductively heated particles. Topical report, 2700 (PB--287481)
Network model of free convection within internally heated porous media, 2823 (SAND--77-1092C)
Network model of free convection within internally heated porous media, 2849 (SAND--78-0216C)
Neutronic analysis of LMFBRs during severe core disruptive accidents, 2592 (ORNL/CSD--35)
New Eulerian hydrodynamic technique for analyzing FBR containment with complex internal structures, 3194
Nonequilibrium evaporation and condensation in liquid-metal fast breeder reactor fuel expansion, 4531
Nonequilibrium phenomena in flashing water used as an HCDA source simulant. Technical report No. 8, 2781 (SAN--0115-T7)
Nonprototypic effects due to fuel length and number of pins in in-pile testing, 4754
Numerical thermal mixing in Eulerian calculations of coupled thermo/hydrodynamic motions, 2419 (NUREG/CR--0594)
Numerical method of the aerosol behavior reference code, CRAB, 2421 (NUREG/CR--0620)
Optimum few-group cross section set for HCDAs in heterogeneous LMFBRs, 1418 (GEFR-SP--180)
Optimum nuclear pin bundle for prototypic thermal-hydraulic environment in large-scale testing, 3127
ORNL experiments to characterize fuel release from the reactor primary containment in severe LMFBR accidents, 853 (CONF-800434--2)
Overview and status of the SIMMER testing program, 2280 (LA-UR--79-1874)
Overview of core disruptive accidents, 590 (CONF-770817--2)
Parametric study on reactor containment response to fuel-sodium interaction, 2734 (PNC-N--251-76-12(Vol.2))
Phenomenological modeling of SRI condensible vapor source experiments, 3201
Physics of liquid metal fast breeder reactor safety, 4333
PINEX-2 experiment: concept verification of an inherent shutdown mechanism for HCDA's, 1616 (HEDL-SA--1737-FP)
Possible mechanisms for the formation of the observed and expected compounds during a Hypothetical Core Disruptive Accident (HCDA), 2466 (NUREG/CR--1134)
Post-accident fuel relocation and heat removal in the LMFBR, 330 (BNL-NUREG--50603)
Postaccident heat removal: debris-bed experiments D-2 and D-3, 2404 (NUREG/CR--0421)
Potential hazard to secondary containment from HCDA-generated missiles and sodium fires, 2778 (SAN--0115-097-T1)
Prediction of dryout heat fluxes in beds of volumetrically heated particles, 501 (CONF-761001--P4)
Preliminary results from initial in-pile debris bed experiments, 89 (ANL--78-10)
Preliminary models for evaluating radiological source terms, 1310 (GEFR--00419)
Primary aerosol particle-size distribution from homogeneous nucleation condensation and particle growth, 2364 (NUREG--0391)
Probabilistic/deterministic procedure for analyzing LMFBR core disruptive accidents, 451 (CONF-761001--P3)
Probabilistic analysis of liquid-metal fast breeder reactor accident consequences with response surface

techniques, 3809
Prompt Burst Energetics (PBE) experiment analyses using the SIMMER-II computer code, 2880 (SAND--79-0112C)
PROSA-1: a probabilistic response-surface analysis code, 128 (ANL--78-56)
Qualification testing program plan for SIMMER. A computer code for LMFBR disrupted core analysis, 2365 (NUREG--0457(Rev.0))
Quasi-Eulerian method for analyzing slug impact and coolant spillage in a fast-reactor accident, 160 (ANL--79-89)
Radiological assessment models. Eleventh quarterly report, March--May 1977, 1371 (GEFR--14034-11)
Radiological assessment models. Thirteenth quarterly report, September--November 1977, 1372 (GEFR--14034-13)
Radiological assessment models fourteenth quarterly report, December 1977--February 1978, 1373 (GEFR--14034-14)
Radiological assessment models. Fifteenth quarterly report, March--May 1978, 1374 (GEFR--14034-15)
Radiological assessment models. Sixteenth quarterly report, June--August 1978, 1375 (GEFR--14034-16)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor safety quarterly technical progress report, January--March 1978 (Sodium, fuel, and fission product aerosol behavior), 37 (AI-DOE--13234)
Reactor safety. Annual technical progress report, Government fiscal year 1979, 1165 (ESG-DOE--13294)
Reactor vessel structural response tests at FBR hypothetical accident, 4586
Reponse of water-filled pipes to pressure pulses, 578 (CONF-770807--Pt.E)
Response of fluid-filled vessels to internal explosions, 3642
Response of simple, scale model reactor vessels to a simulated HCDA loading; 562 (CONF-770807--Pt.E)
Response of breeder reactor components and systems to abnormal events, 3540
Response of fast reactor primary containments to whole core accident loadings; 1979 (INIS-mf--4592)
Review of containment transients in a 2500 MW/sub t/ sodium cooled breeder reactor following postulated core disruptive accidents, 107 (ANL--78-10)
Review of aerosol problems and the theory of aerosol physics with particular reference to sodium cooled fast reactors, 2896 (SRD-R--82)
Risk analysis methods development. Fourth quarterly report, October--December 1977, 1354 (GEFR--14023-4)
Role of distributed microscopic physical phenomena in probabilistic accident analysis with deterministic codes, 4047
Role of fission products in whole-core accidents in fast reactors, 3872
Role of radiative heat transfer in post-disassembly fuel self-mixing, 3625
Role of similitude in the design of LMFBR safety-related simulation experiments, 2282 (LA-UR--79-1956)
Role of wall heat transfer and other system variables on fuel compaction and recriticality, 446 (CONF-761001--P3)
Safety analysis of the primary heat transport systems of LMFBRs, 456 (CONF-761001--P3)
Safety aspects of carbide irradiations in FTR driver positions, 4861
SAS3D analysis of unprotected loss-of-flow transients for 1200-MW(electric) liquid-metal fast breeder reactor homogeneous and heterogeneous core designs, 3372
Sensitivity study of LMFBR core disassemblies, 3637
Sensitivity study of LMFBR core disassemblies, 2854 (SAND--78-0252C)
Sensitivity analysis of the HAARM-3 code (LMFBR aerosol agglomeration), 2417 (NUREG/CR--0527)
Sensitivity study on the damage potential of a liquid-metal fast breeder reactor core disassembly, 3241
SIMMER analysis of SRI high pressure bubble expansion experiments, 2277 (LA-UR--79-770)
SIMMER analysis of SRI high pressure bubble expansion experiments, 2262 (LA--7938-C)
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2409 (NUREG/CR--0453(Vol.1))
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2410 (NUREG/CR--0453(Vol.2))
SIMMER-II code and its applications, 2281 (LA-UR--79-1918)
SIMMER-VENUS II comparison for mechanical disassembly of an LMFBR, 4782
Simulation of hypothetical core disruptive accidents in vessel models, 454 (CONF-761001--P3)
Simulation of different transient clad failure mechanisms in fuel pin modelling, 2029 (IWGFR--5)
Simulation of cladding relocation in the TREAT-experiment R5 with the CMOT code, 2254 (LA--7938-C)
Simultaneous freezing and melting in finite media, 3085
Sodium slug kinetic energy behavior for varying HCDA energetics, 3990
Solution of radiation-conduction problems in LMFBR safety with collocation method, 3185
Some aspects of mixing in large-mass, energetic fuel-coolant interactions, 486 (CONF-761001--P4)
Some aspects of the structural response of pool-type LMFBR systems to HCDA and seismic events, 457 (CONF-761001--P3)
Some potential reductions in the release of radioactivity under LMFBR accident conditions, 495 (CONF-761001--P4)
Some recriticality studies with SIMMER-II, 2287 (LA-UR--79-2340)
Source term assessment concepts for LMFBRS: Aerosol Release and Transport (ART) Analytical Program, 2599 (ORNL/NUREG/TM--124)
Source term model needs and developments, 1264 (GEFR--00324)
Specialists' workshop on predictive analysis of material dynamics in LMFBR safety experiments, March 13-15, 1979, 2239 (LA--7938-C)
Splitting method for computing coupled hydrodynamic and structural response, 4404
SPQR: a Monte Carlo reactor kinetics code, 2686 (ORNL/TM--7086)
State of the art in aerosol modelling for LMFBR safety analysis, 492 (CONF-761001--P4)
Statistical analysis of SIMMER-II results, 3651
Status and summary of TREAT in-pile experiments on LMFBR response to hypothetical core disruptive accidents, 4978
Stochastically variable parameters in probabilistic accident analysis, 4785
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 547 (CONF-770807--47)
Structural and containment response to LMFBR accidents, 726 (CONF-781022--27)
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 1978 (INIS-mf--4592)
Structural formulation for upper internals of LMFBR, 799 (CONF-790802--68)
Structural response of the upper internals, 3195
Structural response of 1/20 scale models of above core structures to increasingly energetic hypothetical core disruptive accidents. Technical report 7, 2782 (SAN--0115-T8)
Study of core disruptive accidents in a large metal-fueled LMFBR, 3199
Study of dryout heat fluxes in beds of inductively heated particles, 2357 (NUREG--0262)
Study of the reactivity effect of bubble collapse in molten liquid metal cooled reactors, 2358 (NUREG--0286)
Study of the dispersive potential of irradiated fuel using in-core experiments, 2874 (SAND--79-0057C)
Subassembly experiments and a computer code to analyze the dynamic core deformation during local failure propagation, 4405
Summary of treat experiments on oxide core-disruptive accidents, 150 (ANL--79-13)
Surface ablation in the impingement region of a liquid jet, 3614
Surface radiation properties between nuclear reactor materials in contact, 941 (COO--4040-3)
Survey of existing momentum exchange models in two-phase flows for use in the SIMMER fast reactor safety analysis code, 2390 (NUREG/CR--0167)
System hydraulic effects on fuel sweepout in the hypothetical TOP accident, 3999
Termination phase of core disruptive accidents in LMFBRs, 2263 (LA--7938-C)
Thermal behavior of concrete, 4764
Thermal coitions controlling subassembly failure propagation during the transition phase in an LMFBR, 3623
Thermo-fluid mechanics of volume-heated boiling pools, 110 (ANL--78-10)
Three-dimensional fluid-structure interaction calculations for the dynamic response of a pool-type reactor's in-tank component, 3989
Three-dimensional finite-element computations of the transient response of components typical of a reactor structure (SADCAT code), 790 (CONF-790802--52)
Three-dimensional finite element formulation for fluid-structure interaction, 797 (CONF-790802--65)
Three-dimensional fluid-structure interaction dynamics of a pool-reactor in-tank component, 798 (CONF-790802--67)
Time-resolved coded aperture imaging system for nuclear fuel motion measurements, 4988
Transient radiative heat transfer between two emitting-absorbing media (Reactor core disruptions.), 4173
Transport/diffusion comparisons for small-core LMFBR

disruptive accidents, 4786
Transport-diffusion comparisons for small core LMFBR disruptive accidents, 2594 (ORNL/CSD/TM--38)
Transport processes in LMFBR core disruptive accidents, 2270 (LA-UR--78-1265)
Two-phase momentum exchange experiment and analysis, 3613
Uncertainty analysis of consequences calculated by large computer codes, 1853 (HEDL-TME--79-42)
Updated work plan for the FAST/CRI-III fuel vaporization and transport experiments, 2450 (NUREG/CR--0884)
Uranium dioxide equation of state for LMFBR excursion analysis, 2224 (LA--4319)
Value of distributed particle in cell techniques, 3606
Vapor explosion experiments with simulant fluids, 487 (CONF-761001--P4)
Vapor-explosion experiments with subcooled Freon, 57 (ANL--77-43)
VENUS-III two-dimensional multi-component thermal hydraulic techniques, 768 (CONF-790402--18)
Viscosity of molten alumina (2394° and 2742°K; LMFBR accident simulation), 3718
Void reactivity effects on fast reactor HCDA excursion energy, 4788
Work-energy characterization for core-disruptive accidents, 444 (CONF-761001--P3)

LMFBR TYPE REACTORS/REACTOR CORE RESTRAINTS
Comparison and verification of the core restraint codes NUBOW-2D, NUBOW-3D, and PARABOW: Level II, 209 (ANL-CT--78-13)
Core restraint development. Quarterly progress report for period ending May 31, 1977, 2960 (WARD-CR--3045-17)
Core restraint engineering. Twelfth quarterly report, May--June 1977, 1365 (GEFR--14031-12)
Core restraint development. Quarterly progress report for period ending August 31, 1977, 2961 (WARD-CR--3045-19)
Core restraint engineering. Ninth quarterly report, August--October 1976, 1362 (GEFR--14031-9)
Core restraint engineering. Thirteenth quarterly report, August--October 1977, 1366 (GEFR--14031-13)
Core restraint development. Quarterly progress report for period ending November 30, 1977, 2963 (WARD-CR--3045-21)
Core restraint engineering. Tenth quarterly report, November--December 1976 and January 1977, 1363 (GEFR--14031-10)
Core restraint system seismic modeling capabilities, 1241 (GEFR--00156)
Core restraint engineering. Fourteenth quarterly report, November 1977--January 1978, 1367 (GEFR--14031-14)
Core restraint engineering. Eleventh quarterly report, February--April 1977, 1364 (GEFR--14031-11)
Core restraint engineering. Fifteenth quarterly report, February--April 1978, 1368 (GEFR--14031-15)
Core restraint seismic test plan, 1274 (GEFR--00357)
Core restraint development. Quarterly progress report for period ending February 28, 1978, 2964 (WARD-CR--3045-22)
Core restraint development. Quarterly progress report for period ending May 31, 1978, 2965 (WARD-CR--3045-23)
Core restraint performance of large heterogeneous reference cores, 178 (ANL-AFP--37)
Core restraint engineering. Sixteenth quarterly report, May--July 1978, 1369 (GEFR--14031-16)
Core restraint engineering. Seventeenth quarterly report, August--October 1978, 1370 (GEFR--14031-17)
Core restraint development. Quarterly progress report for period ending August 31, 1978, 2966 (WARD-CR--3045-24)
Core restraint system design guidelines, 1312 (GEFR--00423)
Core restraint development. Quarterly progress report for period ending November 30, 1978, 2967 (WARD-CR--94000-1)
Core restraint development. Quarterly progress report for period ending February 28, 1979, 2968 (WARD-CR--94000-2)
Core restraint development. Quarterly progress report for period ending May 31, 1979, 2969 (WARD-CR--94000-3)
Development and preliminary verification of CORTAC-3D, 1290 (GEFR--00396)
Device for protecting deformations of reactor cores (Patent; LMFBR), 5371
Device for supporting the core of a fast neutron reactor (Patent), 4263 (ANL-Trans--1114)
Fast reactor core restraint systems, 4122
Liquid metal cooled reactor provided with a system limiting the core displacement with respect to control rods (Patent), 4426
Liquid metal cooled reactor provided with a system limiting the core displacement with respect to control rods (Patent), 4427
Magnetic nuclear core restraint and control (Patent: LMFBR), 3358
Magnetic nuclear core restraint and control (Patent), 3235
National core restraint development program: seven row test results, 2962 (WARD-CR--3045-20)
National core restraint program code verification/comparison study, problem level I-D, 1236 (GEFR--00101)
National core restraint development program code verification/comparison study, problem level I-B, 1243 (GEFR--00239)
NUBOW-2D inelastic: a FORTRAN program for static two-dimensional structural analysis of bowed reactor cores, including effects of irradiation creep and swelling, 194 (ANL-CT--77-34)
Nuclear core positioning system (Patent; LMFBR), 3300
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Simplified interassembly heat transfer model for the analysis of liquid-metal fast breeder reactor core restraint systems, 3082
Summary of the CORTAC verification activity and the evaluation of 3-D effects, 1256 (GEFR--00293)
Thermal-hydraulic modeling for the analysis of LMFBR core restraint transient responses (CORTAC-3D code), 3223
UK/USA core restraint exchange study NUBOW-3D results, 226 (ANL-CT--78-40)

LMFBR TYPE REACTORS/REACTOR CORES
Advanced safety analysis. Eleventh quarterly report, March--May 1977, 1376 (GEFR--14038-11)
Analysis of advanced fuels critical experiments, 1287 (GEFR--00393)
Analysis of bowed reactor cores using the FIAT-program, 1935 (INIS-mf--4498)
Analysis of bowed reactor cores using the FIAT-program, 5097
Analysis of the differences in breeding ratio and fissile inventory between heterogeneous and homogeneous liquid-metal fast breeder reactors, 3056
Analytical method to accurately predict LMFBR core flow distribution, 781 (CONF-790602--87)
Analytical method to accurately predict LMFBR core flow distribution (CATFISH code), 3216
Approach to selected structural mechanics problems of the fast power reactor core, 4568
Approximate simulation technique for thermal and hydraulic parameters of a reactor core, 1212 (FEI--597)
Assessment of the breeding potential of U--Pu--Zr metal-fueled 1200-MW(e) LMFBRs, 4696
Assumed-mode modeling for fast reactor core seismic analysis, 3943
Axial parfait LMFBR heterogeneous core designs, 3590
Bracing system for the fuel elements of a reactor core (Patent), 3299
Breeding performance potential for (U--Th) oxide, carbide, nitride, and metal-fueled LMFBRs, 3588
Bulk coolant cavitation in LMFBR containment loading following a whole-core explosion, 1976 (INIS-mf--4592)
Coded aperture imaging: a comparison between Fresnel zone apertures and uniformly redundant array apertures (LMFBR fuel motion detection), 2867 (SAND--78-1625)
Comparision of SAS3D LOF transient analyses for 1200-MW(e) LMFBR conventional and nonconventional core designs, 4802
Comparison between physics parameters in conventional and heterogeneous LMFBRs using results from ZPPR, 672 (CONF-780401--20)
Coolant mixing in the LMFBR outlet plenum, 876 (COO--2245-44TR)
Core component materials for sodium-cooled fast reactors, 3433
Core design methods for advanced LMFBRs, 1460 (HEDL-SA--1205)
Core design and optimization of high performance low sodium void 1000 MWe heterogeneous oxide LMFBR cores, 1884 (IAEA-SM--244/66)
Core engineering sixty-second quarterly report, February--April 1977, 1329 (GEFR--10028-62)
Core engineering. Sixty-third quarterly report, May--July 1977, 1330 (GEFR--10028-63)
Core engineering. Sixty-fourth quarterly report, August--October 1977, 1331 (GEFR--10028-64)
Core engineering. Sixty-fifth quarterly report, November 1977--January 1978, 1332 (GEFR--10028-65)
Core engineering. Sixty-sixth quarterly report, February 1978--April 1978, 1333 (GEFR--10028-66)
Core engineering. Sixty-seventh quarterly report, May-July 1978, 1334 (GEFR--10028-67)
Core engineering. Sixty-eighth quarterly report, August--October 1978, 1335 (GEFR--10028-68)
Core engineering. Sixty ninth quarterly report, November 1978--January 1979, 1336 (GEFR--10028-69)
Core structural analysis codes verification/qualification, 3946
Critical experiments and analysis. Twenty-third quarterly report, April--June 1977, 1338 (GEFR--13771-23)
DDT-A 3-dimensional program for the analysis of bowed reactor cores, 1942 (INIS-mf--4498)
Design and economics of large LMFBRs, 1477 (HEDL-SA--1321)

Design configuretions for controlling sodium void worth in large FBR cores, 4694
Design considerations in liquid metal fast breeder reactor upper internals structures, 3330
Dispersion strengthened ferritic alloy for use in liquid-metal fast breeder reactors (LMFBRS) (Patent; 13 to 25% Cr, 0.2 to 2% Ti, <2% Mo, <2% Al, <2% Y_2O_3), 3792
Effect of nonuniform gaps on compaction of an LMFBR core, 4693
Effect of operating temperature on LMFBR core performance, 341 (CE-FBR--77-26)
Effect on performance of core height reduction in 1200-MW(e) LMFBRs, 4695
Evaluation of stochastic void models for bubble worth calculations, 3155
Evolution of French fast neutron reactor core design and performance, 4111
Experimental study of LMFBR heterogeneous core at FCA, 2143 (JAERI-M--8117)
Fast breeder reactor (Patent), 4527
Fast breeder reactor and fuel assemblies forming the core (Patent), 5241
Fast reactor (Patent), 5364
FBR core design with the composite fuel assembly, 1532 (HEDL-SA--1477)
FIC: a finite element code for calculating added mass and damping coefficients. User's manual, 246 (ANL-CT--79-46)
Finite-element code for computing added mass coefficients, 227 (ANL-CT--78-42)
Flow orificing of large LMFBR cores with interassembly heat transfer, 532 (CONF-770611--38)
Fuel element of the sodium breeder, 3866 (EURFNR--1418)
Generic transient limit curves for LMFBR core design guidance, 3961
Heterogeneous cores for LMFBR improves breeding, 3276
Impact of bypass flow on thermal transients in LMFBR, 4691
Impact of fuel cycle cost optimization on the design of metal-fueled LMFBRs, 3214
Influence of core assembly refueling requirements on LMFBR core system design, 3329
Investigation of sodium-bonded carbide fuel assembly design, 4849
Investigation of the three-dimensional thermoelastic deformation of the core assembly of a fast breeder reactor under steady-state operating conditions, 5459 (EURFNR--1412)
Irradiated Type 304 SS bend test ductility, 856 (CONF-800607--28)
Large heterogeneous reference fuel design study. Final report, 1798 (HEDL-TME--78-1)
LMFBR Prompt Burst Excursion (PBE) experiments in the Annular Core Pulse Reactor (ACPR), 468 (CONF-761001--P4)
Mass flows for LMFBRs fueled with various types of plutonium and fertile material, 2753 (PNL--3249)
Measurements of subassembly and core temperature distributions in an LMFBR, 4863
Measurements of temperature fluctuations in the mixing of hot and cold air jets, 366 (CEGB-RD/B/N--3982)
Measurements of subassembly and core temperature distributions in an LMFBR, 5007
Mechanical design trade-off studies of reactor core for LMFBR, 4118
Method of reducing the hazard which may occur as a consequence of a reactor core meltdown (Patent), 3565
Mixed fuel cycle hybrid LMFBR cores: design and analysis, 4917
Modeling fluid structure coupling for LMFBR cores, 3944
Modeling of reactor internals in the HCDA analysis, 5042
Neutron and gamma transport effects by heterogeneous core designs, 528 (CONF-770611--34)
NUBOW-2D inelastic: a computer program for the bowing history of reactor cores, 4699
NUBOW-3D (inelastic): a FORTRAN program for the static three-dimensional structural analysis of bowed reactor cores including the effects of irradiation creep and swelling, 213 (ANL-CT--78-19)
Nuclear characteristics of large LMFBR's: homogeneous and heterogeneous designs, 663 (CONF-780401--)
Nuclear design of heterogeneous carbide-fueled LMFBR cores, 3962
Nuclear performance of liquid--metal fast breeder reactors designed to preclude energetic hypothetical core disruptive accidents, 3139
Nuclear reactor (Patent; LMFBR), 5230
Nuclear reactor (Patent; LMFBR), 3267
Nuclear reactor with liquid metal cooling (Patent), 3793
Nuclear reactor with liquid metal cooling (Patent), 3795
Nuclear reactor core configuration (Patent), 3455
Nuclear reactor (Patent), 3474
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Design and performance of reference cores. Research project 620-25, 1101 (EPRI-NP--1000(Vol.1))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendixes A and B. Research project 620-25, 1102 (EPRI-NP--1000(Vol.2))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendix C. Research project 620-25, 1103 (EPRI-NP--1000(Vol.3))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendixes D and E. Research project 620-25, 1104 (EPRI-NP--1000(Vol.4))
ORIFIS: a computer core to distribute reactor core coolant in large FBRs, 4692
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 911 (COO--2426-133)
Physics aspects in the design of heterogeneous cores, 669 (CONF-780401--13)
Physics performance of heterogeneous LMFBRs with internal axial blankets, 3963
Physics performances of a heterogeneous fast reactor core concept studied in MASURCA, 3138
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part IV. Reactor assembly and core, final report, 1074 (EPRI-NP--646(Vol.4))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 1-6. Interim report, 1087 (EPRI-NP--882(Vol. A))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 7-11. Interim report, 1088 (EPRI-NP--882(Vol.2B))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part III: reactor assembly, Sec. 1--2.5. Final report, 1108 (EPRI-NP--1014(Vol.3))
Potential and limitation of the heterogeneous reactor concept, 529 (CONF-770611--35)
Potential of large heterogeneous reactors, 620 (CONF-771123--2)
Preconceptual study of proliferation-resistant heterogeneous sphere-pac-fueled LMFBR cores, 2684 (ORNL/TM--6996)
Preliminary test plan for seismic feature tests, 234 (ANL-CT--79-5)
Preliminary study of fluid effects on reactor core seismic response, 247 (ANL-CT--79-47)
Procedures for measuring bowing/expansion reactivity parameters in an LMFBR, 3676
Process of flattening of the heat release curve of a nuclear reactor core and reactor core using said process (Patent), 5403
Protection of the sodium-cooled fast reactor during core melt-down, 4238
Review of literature on unsteady forced convection heat transfer with application to LMFBR thermal striping, 2932 (TID--28937)
SCRAP: input, output, and source listings, 248 (ANL-CT--79-48)
SCRAP: theory and modeling considerations, 249 (ANL-CT--79-49)
Sensitivity of power peaking analysis to large reactor core modeling, 173 (ANL-AFP--32)
Study on plan of mock-up critical experiment for large fast reactors by using the FCA. (Study on an amount of Pu fuel needed for partial mock-up experiment in large fast reactors), 2153 (JAPFNR--479)
Systematic approach for constructing low sodium void heterogeneous cores, 530 (CONF-770611--36)
THI3D-1: a computer program for steady-state thermal-hydraulic multichannel analysis, 52 (ANL--77-15)
Three-dimensional thermal-hydraulic analysis of wire-wrapped rods in liquid-metal fast breeder reactor core assemblies, 4381
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 5047
Unique thermal and hydraulic features of the light-water breeder reactor, 3591
Use of integral data in the development of design methods for fast reactors, 660 (CONF-780401--)

LMFBR TYPE REACTORS/REACTOR FUELING
Development of backup refueling methods, 1291 (GEFR--00397)
Double arm handling device for nuclear reactor (Liquid sodium cooled reactor (Patent)), 5157
Liquid metal cooled fast breeder nuclear reactors (Patent), 3248
LMFBR refueling force limits criteria, testing and evaluation, 1244 (GEFR--00255)
LMFBR refueling force limits criteria, testing, and evaluation, 3673
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 1408 (GEFR-SP--138)
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 3157
Nuclear reactor fuel transfer system (Patent), 3837
Nuclear reactor refueling system (Patent), 3557

LMFBR TYPE REACTORS/REACTOR INSTRUMENTATION
Concepts of remote signal transmission for liquid-metal fast breeder reactors, 610 (CONF-771109--52)
Criss power spectral density: a method for correlating signal components from different frequency ranges, 2207 (KFK--2794)
Equipment for detecting fission products (Patent), 4576
Fast reactor instrumentation development is aimed at a commercial plant, 4346
Fast reactor fluence dosimetry. Technical progress report, October 1978-March 1979, 1166 (EGG-DOE--13310)
Fast reactor fluence dosimetry. Technical progress report, April-September 1979, 1168 (EGG-DOE--13313)

Instrumentation and Controls Division biennial progress report, September 1, 1976--September 1, 1978, 2575 (ORNL--5483)
Intercomparison of auto- and cross-power spectral density surveillance systems for sodium boiling detection in fast reactors, 3269
Investigation of the impurity deposition rate of the plugging indicator, 4682
Microcomputer-controlled ultrasonic data acquisition system, 2663 (ORNL/TM--6531)
Model of a fission counter system for optimizing performance at high gamma dose rates, 2656 (ORNL/TM--6408)
Monitoring the condition of sodium pumps using acoustic methods, 3398 (RISLEY-Trans--4105)
Neutron flux measuring device (liquid sodium cooled reactors (Patent)), 5167
Neutron induced current pulses in fission chambers, 210 (ANL-CT--78-14)
Out-of-pile experiment of fission gas release in LMFBR subassembly. 4. Feasibility study of gas release detection by use of flow fluctuation signal, 2154 (JAPFNR--482)
Performance of an electromagnetic temperature sensor in liquid sodium, 4350
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VI: reactor auxiliary systems. Part VII: instrumentation and control, 1091 (EPRI-NP--882(Vol.5))
Pool-type LMFBR Plant 1000 MWe phase a-extension-1 design. Part I. Executive summary. Interim report, 1086 (EPRI-NP--882-SY(Vol.1))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XII: balance of plant--plant description. Final report, 1114 (EPRI-NP--1014(Vol.9))
Principles of instrumentation of liquid-metal cooled fast reactors. Draft, 3336
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor development program progress report, July 1978, 281 (ANL-RDP--73)
Reactor Development Program progress report, August 1978, 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978, 284 (ANL-RDP--76)
Reactor development program progress report, November 1978, 285 (ANL-RDP--77)
Reactor Development Program. Progress report, 283 (ANL-RDP--75)
Reactor Development Program. Progress report, December 1978, 286 (ANL-RDP--78)
Reactor development program. Progress report, 287 (ANL-RDP--79)
Reactor Development Program progress report, February 1979, 288 (ANL-RDP--80)
Reactor development program progress report, March 1979, 289 (ANL-RDP--81)
Reactor development program. Progress report, 290 (ANL-RDP--82)
Reactor development program. Progress report, 291 (ANL-RDP--83)
Reactor development program. Progress report, 292 (ANL-RDP--84)
Recent developments in equipment for sodium test loops and fast reactors, 4537
Review of the acoustic detection of boiling in nuclear reactors, 5031
Sodium ion leak detector. Quarterly technical progress report, January 1-April 1, 1978, 945 (COO--4197-T1)
Sodium ion leak detector. Quarterly technical progress report, April 1-July 1, 1978, 946 (COO--4197-T2)
Sodium ion leak detector. First annual technical progress report, January 1-December 31, 1977, 947 (COO--4197-T3)
Use of gallium and its alloys as high-temperature couplants for acoustic transducers, 4681

LMFBR TYPE REACTORS/REACTOR INTERNALS
An approach to the on-load surveillance of sodium cooled reactors by acoustic methods, 2057 (IWGFR--10)
Basic specimen testing, 2501 (ORNL--5255)
COMMIX-1: a three-dimensional transient single-phase component computer program for thermal-hydraulic analysis, 2435 (NUREG/CR--0785)
Damping of the radial impulsive motion of LMFBR core components separated by fluid squeeze films, 1987 (INIS-mf--4638)
Defectiveness detector (Patent), 5323
Design considerations in liquid metal fast breeder reactor upper internals structures, 3330
Duct dilation experiments in EBR-II, 3941
Eddy current position indicating apparatus for measuring displacements of core components of a liquid metal nuclear reactor (Patent), 4375
Finite-element method for above-core structures, 162 (ANL--79-104)
Fluid forces on rods vibrating in finite length annular regions, 232 (ANL-CT--79-3)
In sodium materials monitoring for LMFBR, 2048 (IWGFR--10)
Influence of scale size and fluid thermal properties in simulating LMFBR outlet plenum behavior, 5005
Large pool LMFBR design. Final report. Volume 1. Reactor, 1094 (EPRI-NP--883(Vol.1))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Liquid metal cooled fast breeder reactor (Patent), 5345
PLENUM-2: a two-region outlet plenum model, 212 (ANL-CT--78-16)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 1-6. Interim report, 1087 (EPRI-NP--882(Vol. A))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 7-11. Interim report, 1088 (EPRI-NP--882(Vol.2B))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part III: reactor assembly, Sec. 1--2.5. Final report, 1108 (EPRI-NP--1014(Vol.3))
Sodium effects on mechanical properties of structural materials, 2503 (ORNL--5255)
Sodium vapor deposition onto a horizontal flat plate above liquid sodium surface. II. Analysis of sodium vapor deposition rate with sodium mist growth within main flow region, 4567
Structural formulation for upper internals of LMFBR, 799 (CONF-790802--68)
Structural response of the upper internals, 3195
Structural response of 1/20 scale models of above core structures to increasingly energetic hypothetical core disruptive accidents. Technical report 7, 2782 (SAN--0115-T8)
Structure for reducing convection currents within the pressure vessel of a fast reactor (Patent; LMFBR), 4423
Television/still camera with common optical system for reactor inspection, 2052 (IWGFR--10)
Three-dimensional fluid-structure interaction dynamics of a pool-reactor in-tank component, 798 (CONF-790802--67)
Tubular specimen testing, 2502 (ORNL--5255)

LMFBR TYPE REACTORS/REACTOR KINETICS
Analysis of the ZPPR-4 critical experiments, Phases 3 and 4, 1237 (GEFR--00108)
Analysis of the ZPPR-8 critical experiments, 1323 (GEFR--00445)
Analysis of exposure-dependent heterogeneous FBR spectra using continuous slowing down integral transport concepts, 3154
Application of integral transport theory with linearly anisotropic scattering to the calculation of the neutron distribution in finite plate arrays of fast reactors, 5461 (DOE-tr--71)
Assessment of nuclear data files via benchmark calculations: a report on the NEACRP/IAEA international comparison calculation of a large LMFBR, 667 (CONF-780401--11)
Assessment of generation method of nuclear reactor constants set using the JENDL-2 nuclear data file, 2155 (JAPFNR--487)
Benchmark calculations for a sodium-cooled breeder reactor by two- and three-dimensional diffusion methods, 4379
Benchmark analysis of liquid-metal fast breeder reactor nuclear design methods, 4380
BRENDA: a dynamic simulator for a sodium-cooled fast reactor power plant, 2393 (NUREG/CR--0244)
Calculation program for fast reactor design, 2. Multi-dimensional perturbation theory code based on diffusion approximation: PERKY, 2137 (JAERI-M--6993)
Calculations of physics characteristics of the fast reactor core, 1896 (INIS-mf--4280)
Comparison of the performance of several neutron diffusion computer codes for a fast breeder reactor, 4638
Comparison between physics parameters in conventional and heterogeneous LMFBRs using results from ZPPR, 672 (CONF-780401--20)
Cooperative nuclear data and methods development fifth quarterly report, October--December 1976, 1382 (GEFR--14074-5)
Cooperative nuclear data and methods development seventh quarterly report, April--June 1977, 1384 (GEFR--14074-7)
Cooperative nuclear data and methods development. Eighth quarterly report, October--December 1977, 1385 (GEFR--14074-8)
Cooperative nuclear data and methods development. Ninth quarterly report, January--March 1978, 1386 (GEFR--14074-9)
Cooperative nuclear data and methods development. Tenth quarterly report, April--June 1978, 1387 (GEFR--14074-10)
Cooperative nuclear date and methods development. Twelfth quarterly report, January--March 1979, 1389 (GEFR--14074-12)
Cooperative nuclear data and methods development. Eleventh quarterly report, July--December 1978, 1388 (GEFR--14074-11)
Cooperative nuclear data and methods development. Thirteenth quarterly report, April-June, 1979, 1390 (GEFR--14074-13)
COVERX service module of the FORSS system, 2687 (ORNL/TM--7181)
Critical experiments and analysis twenty-second quarterly report, January--March 1977, 1337 (GEFR--13771-22)

Critical experiments and analysis. Twenty-third quarterly report, April--June 1977, 1338 (GEFR--13771-23)
Critical experiments and analysis twenty-fourth quarterly report, July--September 1977, 1339 (GEFR--13771-24)
Critical experiments and analysis, 1340 (GEFR--13771-25)
Critical experiments and analysis twenty-sixth quarterly report, January--March 1978, 1341 (GEFR--13771-26)
Critical experiments and analysis. Twenty-seventh quarterly report, April--June 1978, 1342 (GEFR--13771-27)
Critical experimental study of integral physics parameters in simulated LMFBR meltdown cores, 727 (CONF-781022--28)
Critical experiments and analysis. Twenty-eighth quarterly report, July--September 1978, 1343 (GEFR--13771-28)
Critical experiments and analysis. Twenty-ninth quarterly report, October--December 1978, 1344 (GEFR--13771-29)
Critical experiments and analysis. Thirtieth quarterly report, January--March 1979, 1345 (GEFR--13771-30)
Critical experiments and analysis. Thirty-first quarterly report, April-June 1979, 1346 (GEFR--13771-31)
Criticality studies on partially inserted rod configurations, 662 (CONF-780401--)
Current status of fast reactor physics, 865 (CONF-7910112--2)
Design considerations for large heterogeneous liquid-metal fast breeder reactors, 4270
Design configurations for controlling sodium void worth in large FBR cores, 1479 (HEDL-SA--1325)
Development of accurate data for the design of fast reactors, 2705 (PSL--250)
EBR-II validated, key fission product yields for fast reactor application, 1496 (HEDL-SA--1375)
Effectiveness of three rebalance methods in deep penetration problems, 840 (CONF-791103--105)
Efficiency of different techniques of physical flattening by fuel while selection of optimum arrangement of large fast reactor core, 2348 (NIIAR-P--240)
Efficient calculation methods of fast reactor and fuel cycle thereof, 1897 (INIS-mf--4280)
ENDF/B-V content and performance in fast reactor systems, 3685
Evaluation of desirable accuracy for nuclear data in fast reactors by optimization method, 4610
Evaluation of stochastic void models for bubble worth calculations, 3155
Experimental studies of large conventional LMFBR cores at ZPPR, 3044 (ZPR-TM--349)
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
FX2-TH: a two-dimensional nuclear reactor kinetics code with thermal-hydraulic feedback, 142 (ANL--78-97)
Influence of fission spectra uncertainties on calculated fast reactor parameters, 777 (CONF-790602--61)
Input data requirements for special processors in the computation system containing the VENTURE neutronics code, 2479 (ORNL--5229/R1)
Integral alpha and point conversion ratio measurements in advanced fuels critical assemblies, 3675
Interfacial effects in fast reactors, 908 (COO--2250-37)
Investigation on neutronic performances of large scale heterogeneous LMFBR, 2156 (JAPFNR--488)
KINTIC-2 user's manual, 2190 (KFK--2508)
Large pool LMFBR design. Appendices A-K. Final report, 1126 (EPRI-NP--1016(Vol.3)(Pt.1))
Liquid metal fast breeder reactor, 4927
LMFBR and GCFR support work, 133 (ANL--78-70)
Monte Carlo benchmarking of fast reactor computations, 3945
Neutron and gamma transport effects by heterogeneous core designs, 528 (CONF-770611--34)
Neutron theory, breeding properties and doubling time in a breeder reactor, 4172
Nodal method for solving transient fewgroup neutron diffusion equations, 127 (ANL--78-51)
Nuclear characteristics of large LMFBR's: homogeneous and heterogeneous designs, 663 (CONF-780401--)
Nuclear data sensitivity coefficients for A (^{233}U--^{232}Th) fueled LMFBR, 670 (CONF-780401--15)
Nuclear data and methods development and application to LMFBRs. Fourth annual progress report, fiscal year 1978, 1381 (GEFR--14073-4)
Nuclear data and methods development and application to LMFBRs. Third annual progress report, fiscal year 1977, 1380 (GEFR--14073-3)
Nuclear performance of liquid--metal fast breeder reactors designed to preclude energetic hypothetical core disruptive accidents, 3139
Nuclear uncertainties as a cconsideration in reactor designs, 3159
Optimization of a fast high-power reactor of LMFBR type by means of a non-convex programming mathematical model, 5066
Physics and engineering characteristics of a LMFBR in long-term operation, 4546
Physics aspects in the design of heterogeneous cores, 669 (CONF-780401--13)
Physics evaluations and applications , 3028 (WARD-XS--3045-18)
Physics evaluations and applications quarterly progress report for period ending July 31, 1977, 3029 (WARD-XS--3045-19)
Physics evaluations and applications. Quarterly progress report for period ending October 31, 1977, 3030 (WARD-XS--3045-20)
Physics evaluations and applications. Quarterly progress report for period ending January 31, 1978, 3031 (WARD-XS--3045-21)
Physics evaluations and applications. Quarterly progress report for period ending April 30, 1978, 3032 (WARD-XS--3045-22)
Physics evaluations and applications quarterly progress report for period ending July 31, 1978, 3033 (WARD-XS--3045-23)
Physics evaluations and applications quarterly progress report for period ending January 31, 1979, 3035 (WARD-XS--3045-25)
Physics evaluations and applications quarterly progress report for period ending October 31, 1978, 3034 (WARD-XS--3045-24)
Physics evaluations and applications. Quarterly progress report for period ending April 30, 1979, 3036 (WARD-XS--94000-1)
Physics investigations of a compact simulation of a large fast breeder reactor. SNEAK-Assembly 10, 2193 (KFK--2573)
Physics studies of a heterogeneous liquid--metal fast breeder reactor, 3136
Potential and limitation of the heterogeneous reactor concept, 529 (CONF-770611--35)
Progress report on fast breeder reactor development in Japan, July-September 1978, 3258 (JAPFNR--460)
Reactor application of actinide cross section data, 304 (BNL--50991)
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Reactor development program progress report, July 1978, 281 (ANL-RDP--73)
Reactor Development Program progress report, August 1978, 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978, 284 (ANL-RDP--76)
Reactor development program progress report, November 1978, 285 (ANL-RDP--77)
Reactor Development Program. Progress report, 283 (ANL-RDP--75)
Reactor Development Program. Progress report, December 1978, 286 (ANL-RDP--78)
Reactor development program. Progress report, 287 (ANL-RDP--79)
Reactor Development Program progress report, February 1979, 288 (ANL-RDP--80)
Reactor development program progress report, March 1979, 289 (ANL-RDP--81)
Reactor development program. Progress report, 290 (ANL-RDP--82)
Reactor development program. Progress report, 291 (ANL-RDP--83)
Reactor development program. Progress report, July 1979, 293 (ANL-RDP--85)
Reactor development program. Progress report, 292 (ANL-RDP--84)
Reactor development program. Progress report, August 1979, 294 (ANL-RDP--86)
Reactor physics parameters of alternate fueled fast breeder reactor core designs, 3291
Reactor physics parameters of alternate fueled FBR core designs, 1483 (HEDL-SA--1329)
Reactor theory and physical experiments, 2162 (KFK--1277/2)
Response matrix method for large LMFBR analysis, 177 (ANL-AFP--36)
Sensitivity of the power distribution in large heterogeneous LMFBR designs, 527 (CONF-770611--31)
Sensitivity analyses of fast reactor systems including thorium and uranium, 3674
Sensitivity analysis of integral parameters to selected cross sections for an LMFBR heterogeneous core, 3152
Simulating the lmfbr neutronics and primary heat transport with DNSP, 1893 (INIS-mf--4052)

Specification of system - independent sequencing calls for modular code schemds, 2311 (ND-R--50(R))
SPECTRA-IV, benchmark spectra based on LIB-IV, 2237 (LA--7861-MS)
Technique for sensitivity analysis of space- and energy-dependent burnup calculations, 3153
Test of the diffusion theory difference equations in slab geometry (computer code VANCER), 2560 (ORNL--5381)
Thermal hydraulic response of an LMFBR plant to upset events, 4975
TP1, a computer program for the calculation of reactivity and kinetic parameters by one-dimensional neutron transport perturbation theory, 2204 (KFK--2738)
Two-dimensional model of a large power sodium-cooled fast breeder reactor with an oxide fuel for test calculations, 2339 (NIIAR-P--4(270))
Use of integral data in the development of design methods for fast reactors, 660 (CONF-780401--)
VENTURE: a code block for solving multigroup neutronics problems applying the finite-difference diffusion-theory approximation to neutron transport, version II, 2476 (ORNL--5062/R1)
ZPPR assembly 9-A 700-MW(e)-sized LMFBR benchmark, 3930

LMFBR TYPE REACTORS/REACTOR LICENSING
Are LMFBR permits unconstitutional (German Feferal Republic), 4275
Development of licensing requirements for LMFBRs: a reactor designer's view, 2905 (TID--27798)
Fast breeder licensing: is it unconstitutional. Full text of the press statement by the Upper Administrative Court at Muenster, 4387
Licensing procedure for fast breeders. Question raised in the Bundestag (German Federal Republic), 3925
LMFBR pool plant: 1000 MWe. Volume 1. Executive summary. Final report, 1118 (EPRI-NP--1015-SY(Vol.1))
LMFBR pool plant: 1000 MWe. Volume 3. Pool reactor engineering, NSSS. Final report, 1120 (EPRI-NP--1015(Vol.3))
Probabilistic methods in reactor licensing, 4040
Role of reliability and risk assessment in LMFBR design: implementation of reliability in LMFBR design, 4505
Safety issues in licensing commercial LMFBR's, 384 (CONF-761001--P1)

LMFBR TYPE REACTORS/REACTOR MAINTENANCE
Design of sodium cooled reactor systems and components for maintainability, 1543 (HEDL-SA--1506)
Fuel handling and storage system for large commercial LMFBRs, 4712
Large liquid metal fast breeder reactor Intermediate Heat Exchanger maintenance study report, 1023 (DOE/TIC--10224)
Large pool LMFBR design. Volume 2. Balance of plant. Final report, 1125 (EPRI-NP--1016(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 3. Appendices. Final report, 1121 (EPRI-NP--1015(Vol.3)(App.))
Maintenance cask (Patent; LMFBR), 5227
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part IX: constructability and fabricability; Part X: maintainability and inspectability; Part XI: safety. Final report, 1113 (EPRI-NP--1014(Vol.8))

LMFBR TYPE REACTORS/REACTOR MATERIALS
Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309)
Advanced safety analysis thirteenth quarterly report, September--November 1977, 1378 (GEFR--14038-13)
Analysis of the time-dependent fatigue behavior of 2 1/4 Cr--1 Mo steel based on the concept of linear summation of creep and fatigue damage, 2524 (ORNL--5309)
Analysis of the fatigue crack growth behavior of isothermally annealed 2 1/4 Cr--1 Mo steel, 2525 (ORNL--5309)
Analytical representation of the creep strain--time behavior of commercially heat-treated Alloy 718, 2542 (ORNL--5349)
Applications of simulation experiments in LMFBR core materials technology, 377 (CONF-760673--)
Application of damage-rate approach to creep-fatigue life prediction analysis in different heats of Type 304 stainless steel, 2483 (ORNL--5255)
Assessment of the performance of UK CFR candidate structural materials, 3744
Basic specimen testing, 2501 (ORNL--5255)
Behavior of annealed type 316 stainless steel under monotonic and cyclic biaxial loading at room temperature, 1962 (INIS-mf--4543)
Behaviour of materials in fast reactors, 13 (AERE-TP--692)
Breeder reactor program: materials. Technical status report for June 1978, 2591 (ORNL/BRP/M--78/6)
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
C-1 irradiation creep in bending experiment: summary description and results of the first two interim examinations, 1298 (GEFR--00403)
Calculation of atomic displacement dose in fast reactors, 1187 (EUR--5667(Pt.1))
Charged particle irradiations in the United States Breeder Reactor Program, 785 (CONF-790731--1)
Chemical and physical changes at sodium-stainless steel interfaces in fast reactors, 4919
Clad/duct materials development. Technical status report for June 1978, 2590 (ORNL/BRP/CD--78/6)
Comparison of the swelling produced in nickel by neutron irradiation and by ion bombardment, 4949
Comparison of the irradiation effects on swelling and microstructure in commercial alloy A-286 and a simple Fe--25 Ni--15Cr gamma prime hardened alloy, 4954
Complex materials behavior studies in support of design methods data list using reference heats, 2541 (ORNL--5349)
Composition of eta carbide phase in 1 1/4 Cr--1Mo, 5334
Compressive creep of type 316 stainless steel at 1100°F, 2487 (ORNL--5255)
Considerations for the future development of shell- and core-structural materials for fast breeders, 5149 (EURFNR--1404)
Constitution and properties of CrMoNb steels for steam generator components of sodium-cooled nuclear reactors, 994 (CS-INIS--212)
Core component materials for sodium-cooled fast reactors, 3437
Core performance evaluation of advanced Clad/Duct alloys (D9; D11; M813; PE16; D21; D25; D66; INC706; D68; HT9; D57), 1302 (GEFR--00406)
Core restraint development. Quarterly progress report for period ending August 31, 1977, 2961 (WARD-CR--3045-19)
Corrosion of refractory borides in fused sodium, 4416
Corrosion and cleaning aspects of sodium side crevices in components of LMFBR's, 2114 (IWGFR--23)
Corrosion of materials for sodium-cooled fast reactors, 3434
Corrosion by liquid metals - Application to liquid sodium, 342 (CEA-BIB--226)
Crack growth in Types 304 and 316 stainless steel under prototypic LMFBR primary piping conditions, 2957 (WARD-CG--3045-3)
Creep and tensile properties of transition weld joint materials, 2496 (ORNL--5255)
Creep and rupture behavior of 2 1/4 Cr--1 Mo steel, 2531 (ORNL--5309)
Creep tensile instability, 3020 (WARD-SD--9400C-1)
Cross sections requirements for the prediction of gas production rates for use in irradiation damage studies in LMFBR, 4996
Cyclic-deformation resistance of weld-deposited Type 16-8-2 stainless steel at 593°C, 67 (ANL--77-72)
Damage analysis: damage function development and application, 1189 (EUR--5667(Pt.2))
Deformation of pressurized tubes of 316 SS and Alloy 718, 2499 (ORNL--5255)
Design applications of irradiation creep and swelling data, 682 (CONF-780622--67)
Design rules for high temperature plant - the implications of recent research in relation to current practice, 5015
Development of fast reactors and studies on materials, 4516
Development of LIFE4-CN: a combined code for steady-state and transient analyses of advanced LMFBR fuels, 828 (CONF-790884--2)
Dispersion strengthened ferritic alloy for use in liquid-metal fast breeder reactors (LMFBRS) (Patent; 13 to 25% Cr, 0.2 to 2% Ti, <2% Mo, <2% Al, <2% Y_2O_3), 3792
Ductility of irradiated type 304 and 316 stainless steels, 4947
Effect of sodium on the mechanical properties of 2 1/4 Cr--1 Mo steel, 2535 (ORNL--5309)
Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)
Effect of stress ratio upon fatigue-crack growth in two structural alloys at elevated temperature, 2551 (ORNL--5349)
Effect of temperature on the elastic--plastic fracture toughness behavior of Inconel X-750, 2552 (ORNL--5349)
Effect of sodium environment on breeder reactor components, 1508 (HEDL-SA--1420)
Effect of chemistry variations on the short-term rupture life and tensile properties of 20% cold-worked type 316 stainless steel, 4572
Effect of fast neutron irradiation and helium injection on the mechanical properties of austenitic stainless steel, 4940
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys, 4969
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys, 352 (CEA-CONF--4013)
Effects of irradiation creep on ex-reactor mechanical properties, 1525 (HEDL-SA--1455)
Effects of fast reactor exposure on the mechanical properties of stainless steels, 4934
Effects of irradiation on the fracture behavior of austenitic stainless steels, 4937
Effects of irradiation on fatigue and crack propagation in austenitic stainless steels, 4938
Effects of metallurgical variables on creep on type 316 stainless steels, 4945
Effects of strain rate on high temperature mechanical properties of irradiated Incoloy 800 and Hastelloy X, 4950

Effects of alloy composition on void swelling, 4965
Effects of irradiation on swelling and microstructural stability of precipitation strengthened alloys, 4967
Effects of temperature changes on 20% cold worked AISI 316 stainless steel swelling, 3002 (WARD-OX--3045-45)
Effects of stress concentration and defects on materials constitutive equations under dynamic loading, 587 (CONF-770807--Pt.L)
Elastic properties of engineering construction materials, 2489 (ORNL--5255)
Elastoplastic fracture mechanics approach for LMFBR, 998 (CSNI-R--32(Vol.2))
Electron microscope observations on pore swelling of the steel 1.4970 in the RAPSODIE cluster experiment, 3886
Elevated temperature creep and fatigue damage of a 2.25 Cr--1 Mo steel weldment, 2841 (SAND--77-1556)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, July 1-September 30, 1979, 2265 (LA--8132-PR)
Excess sub-surface swelling produced by Ni ion bombardment (LMFBR; SS-304; SS-316; SS-321), 4956
Experimental high temperature coefficients of compressibility and expansivity of liquid sodium and other related properties, 938 (COO--3027-27)
Experimental and theoretical studies on water and gas release from heated concrete, 1497 (HEDL-SA--1380)
Experiments with sliding suspension in liquid sodium, 4414
Experimental irradiation of fracture mechanics specimens in fast reactors, 1438 (HEDL--6583)
Experimental determination of plutonia and urania solubility in liquid metal, 1422 (GEFR-SP--202)
Fast reactor fission yield measurement program at the Idaho National Engineering Laboratory, 2369 (NUREG/CP--0004(Vol.3))
Fatigue crack propagation in types 304 and 308 stainless steel at elevated temperatures, 4504
Fatigue crack propagation in Alloy 718: effect of heat treatment on microstructure and fatigue behavior, 2498 (ORNL--5255)
Fatigue-crack propagation response of two nickel-base alloys in a liquid sodium environment, 1622 (HEDL-SA--1750)
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3338
FBR structural material test program, 4430 (JAPFNR--264)
Fracture toughness of LMFBR steam generator materials, 2506 (ORNL--5255)
Fracture toughness of LMFBR steam generator materials, 2554 (ORNL--5349)
French program on LMFBR cladding materials development, 4931
Friction, wear, corrosion, and self-welding of Tribaloy 700 hardsurfacing in sodium, 1811 (HEDL-TME--78-36)
Friction and wear tests in support of LMFBR steam generator tube/tube spacer plate interactions, 2981 (WARD-NA--3045-48)
Fundamental aspects of the evolution of, and phase changes in, metals and alloys under irradiation, 353 (CEA-CONF--4014)
Fundamental aspects of the evolution of, and phase changes in, metals and alloys under irradiation, 4973
Further development of cladding and core structural materials, 3859 (EURFNR--1418)
Heat-to-heat variation of 2 1/4 Cr--1 Mo steel, 2492 (ORNL--5255)
Heat-to-heat and/or melt practice variations in crack growth behavior of Inconel 718, 2550 (ORNL--5349)
Helium production in FBR out-of-core structural components, 1514 (HEDL-SA--1439)
High-temperature structural design data for austenitic stainless steel weldments, 2522 (ORNL--5309)
High-temperature design, 2497 (ORNL--5255)
High-temperature structural design program semiannual progress report for period ending June 30, 1978, 2569 (ORNL--5433)
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977 (Time-dependent inelastic behavior of LMFBR materials and structures), 3015 (WARD-SD--3045-10)
High-temperature structural design program semiannual progress report for period ending December 31, 1978, 2581 (ORNL--5540)
Importance and status of (n,α)-cross sections for a reliable prediction of radiation damage in stainless steel, 1205 (EURFNR--1465)
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
In-reactor corrosion behavior of stainless steel cladding in high temperature sodium, 1448 (HEDL-SA--859(FP))
Inconel alloy 718 mechanical and physical property program, 2490 (ORNL--5255)
Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steel, 2485 (ORNL--5255)
Influence of strain rate and test temperature on ductility of type 316 stainless steel, 2486 (ORNL--5255)
Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steels, 2540 (ORNL--5349)
Influence of sodium environment on the uniaxial tensile behavior of titanium modified type 316 stainless steel (Doe; 0.15 to 0.25 wt % Ti, 550 to 700°C, the Voce Equation), 3714
Influence of helium on the mechanical properties of DIN 1.4970 austenitic steel, 4952
Influence of fast diffusing substitutional elements on the swelling behaviour of Ni- and Cu-alloys, 4955
Influence of alloying on the irradiation creep of nickel, 4957
Influence of alloy constitution on the swelling of austenitic stainless steels and nickel based alloys, 4959
Influence of metallurgical variables on void swelling in type 316 steel, 4968
Influence of small amounts of niobium on mechanical and corrosion properties of type 304 stainless steel (482 to 649 degrees C), 2647 (ORNL/TM--6285)
Influence of the sodium coolant on the materials characteristics, 4210
Interim analysis of the creep strain--time characteristics of annealed and isothermally annealed 2 1/4 Cr--1 Mo steel, 2494 (ORNL--5255)
Interpretation of high-temperature creep of Type 304 stainless steel, 2484 (ORNL--5255)
Introduction to materials consideration for LMFBR components, 4813
Irradiation effects and design of LMFBR permanent reactor structures, 4912
Irradiation creep in breeder reactor structural materials, 4941
Irradiation creep in fast reactor core component materials, 4942
Irradiation induced creep and swelling of cold-worked W.-Nr. 1.4981 irradiated in the RAPSODIE reactor, 4944
Irradiation embrittlement of type 304 stainless steel welds and plate at 823 K (550°C), 4946
Irradiation under stress and the resulting microstructure, 4958
Irradiation creep-swelling coupling: microstructural modeling and data analysis, 4971
Large pool LMFBR design. Volume 3, Part 2. Appendices L-CC. Final report, 1127 (EPRI-NP--1016(Vol.3)(Pt.2))
Liquid-metal valves, 4643
Liquid Metal Fast Breeder Reactor Materials Development Program. Quarterly progress report for period ending March 31, 1977 (ORNL), 2520 (ORNL--5309)
Liquid metal fast breeder reactor structural materials design considerations, 755 (CONF-790236--1)
Liquid metals fire control engineering handbook, 1843 (HEDL-TME--79-17)
LMFBR and GCFR support work, 133 (ANL--78-70)
Low-cycle fatigue of Type 16-8-2 stainless steel ASA weld metal, 2482 (ORNL--5255)
Low-cycle fatigue and cyclic-deformation behavior of SMA type 308 (CRE) stainless steel weld metal at 571°C, 2539 (ORNL--5349)
Low cycle fatigue behavior of Types 304 and 316 stainless steel tested in sodium at 550°C, 3308
Material consideration for large sodium-heated steam generators, 4644
Material selection for a sodium-heated steam generator, 4645
Materials for advanced nuclear energy systems, 622 (CONF-771203--)
Materials compatibility in liquid sodium, 1565 (HEDL-SA--1559)
Materials data for severe variable loading, 5016
Measurement and analysis of transient vaporization in oxide fuel materials, 2872 (SAND--78-2140C)
Measurements and calculations of integral capture cross-sections of structural materials in fast reactor spectra, 1199 (EUR--6108)
Mechanical property program of Alloy 718, 2481 (ORNL--5255)
Mechanical property characterization of Type 316 stainless steel reference heat, 2488 (ORNL--5255)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 2495 (ORNL--5255)
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
Mechanical properties of carburized stainless steel in sodium, 2505 (ORNL--5255)
Mechanical properties of a 2 1/4 Cr--1 Mo steel forging for LMFBR tubesheets, 2532 (ORNL--5309)
Mechanical properties of tubesheet forgings for LMFBR steam generators, 2559 (ORNL--5378)
Mechanical property program of Alloy 718, 2538 (ORNL--5349)
Mechanical property characterization of large-diameter pipes of type 316 stainless steel welded with 16-8-2 filler metal, 2546 (ORNL--5349)
Mechanical properties of liquid-metal fast breeder reactor primary piping materials (SS 304; SS 316), 4571
Mechanical properties of irradiated austenitic stainless steel 1.4970, 4935
Mechanical properties test matrices on type 316 stainless steel and 2 1/4 Cr--1 Mo steel for U.S. Department of Energy Breeder Reactor Program, 2586

(ORNL/BRP--78/3)
Metallurgical characterization of prototypic tubesheet forging, 2480 (ORNL--5255)
Microstructural changes in ion-irradiated commercial alloys (475 to 725°C), 5277
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium, 1464 (HEDL-SA--1225FP(Rev.))
Model and computer code for energy and mass transport in decomposing concrete and related materials, 2891 (SAND--79-1733C)
More efficient creep ratcheting bounds, 2619 (ORNL/Sub--7322/1)
Multiaxial creep equations for nonlinear and volume-nonconservative in-reactor creep, 3140
National friction, wear, and self-welding program status and plans, 1813 (HEDL-TME--78-38)
Needs for development in nondestructive testing for advanced reactor systems, 644 (CONF-780215--2)
Neutron spectrometry data in LMFBR benchmark and standard neutron fields, 1188 (EUR--5667(Pt.1))
Nonlinear plasticity model for structural alloys at elevated temperature, 2668 (ORNL/TM--6582)
Piping and fittings, 2523 (ORNL--5309)
Post irradiation mechanical properties of annealed and cold worked 316 stainless steel after irradiation to high fast neutron fluences, 4936
Post-irradiation mechanical properties of AISI type 316 steel and Nimonic PE16 alloy, 4939
Prediction of radiation damage in structural materials outside the reactor core, 1186 (EUR--5667(Pt.1))
Progress report on fast breeder reactor development in Japan, July-September 1978, 3258 (JAPFNR--460)
Properties of primary circuit structural materials including environmental effects, 2110 (IWGFR--22)
Radiation effects in breeder reactor structural materials, 4928
Radiation effects in ferritic steels, 4951
Radiation damages in constructional steels and high-nickel alloys irradiated with neutrons, 4970
Reactions of stabilized austenitic stainless steel in liquid sodium, 1903 (INIS-mf--4315)
Recent determination of the irradiation creep rate of cold worked 316, 4943
Representation of elevated-temperature tensile behavior of Type 304 stainless steel in a sodium environment, 4355
Research and development programme in the DEBENE-area for fast breeder material development, 4932
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
Role of simulation in the U.S. LMFBR Program, 4475
Selection of bearing materials for commercial LMFBR flexible joint applications, 39 (AI-DOE--13238)
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium (850-1140°F at stresses from 6000-16000 psi), 533 (CONF-770735--4)
Sodium effects on mechanical properties of structural materials, 2503 (ORNL--5255)
Sodium effects on mechanical properties of structural materials, 2553 (ORNL--5349)
Sodium--NaK engineering handbook. Volume IV. Sodium pumps, valves, piping, and auxiliary equipment (Book), 4037
Some properties of iron-base materials with calcium fluoride additions for frictional units of nuclear plants, 4463
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 535 (CONF-770807--27)
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 1990 (INIS-mf--4690)
Special information meeting on high-temperature structural design applications experience, Germantown, Maryland, September 14--15, 1978. Summary report, 2587 (ORNL/BRP--78/4)
Specimen size considerations in fatigue-crack growth rate testing, 1832 (HEDL-TME--78-99)
Standardization of dosimetry and damage analysis work for U.S. LWR, FBR, and MFR development program, 1495 (HEDL-SA--1374)
Status of Incoloy alloy 800 development for breeder reactor steam generators, 2616 (ORNL/Sub--4308/3)
Status of technology of Alloy 718 for nuclear applications. Minutes of meeting, October 30, 1975, 1025 (DOE/TIC--10240)
Steam-side/water-side corrosion: the effect of heat flux on the corrosion of 2 1/4 Cr--1 Mo steel by superheated steam, 2533 (ORNL--5309)
Strength properties of concrete at elevated temperatures, 772 (CONF-790408--3)
Stress-free swelling in type 304 stainless steel at high fluences, 4271
Stress-strain behavior of ERNiCr-3 weld filler metal under strain controlled cyclic loading, 2642 (ORNL/TM--6128)
Studies of rare earth element as control rod material for LMFBR. Part V, 2157 (JAPFNR--494)
Surface radiation properties between nuclear reactor materials in contact, 941 (COO--4040-3)
Survey of available creep and tensile data for alloy 800H, 2528 (ORNL--5309)
Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report, 1 (AD-A--047410)
Swelling behavior of cold worked type 316 stainless steel, 4963
Swelling in neutron-irradiated 300-series stainless steels, 4961
Swelling of Type-316 stainless steel at high fluences in EBR-2, 3528
Swelling of types-304, -316, and -321 stainless steels at high fluences in EBR-II, 1232 (GEFR--00062)
Theory of particle redistribution in an irradiation environment, 4953
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2493 (ORNL--5255)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2534 (ORNL--5309)
Thermal analysis of an in-reactor LMFBR irradiation creep experiment, 3231
Thermal conductivity and thermal behavior of absorber materials for fast breeders, 5292 (BNWL-tr--266)
Thermal conductivities of mixed carbide fuel and blanket materials, 2289 (LA-UR--80-1283)
Thermal expansion worths for a liquid-metal fast breeder reactor inferred from small-sample reactivity measurements, 3766
Time creep tests on irradiated specimens for the Mol 1Al radiation program, 5146 (EURFNR--1405)
Time-resolved penetration measurements of liquid sodium into limestone concrete, 4017
Transient heat transfer in concrete, 734 (CONF-781079--4)
Tribological studies in sodium, 4201
Tubular specimen testing, 2502 (ORNL--5255)
U. S. programs on reference and advanced cladding/duct materials, 1455 (HEDL-SA--1175)
UKAEA fast reactor project research and development programme on fuel element cladding and sub-assembly wrapper materials, 4933
UKAEA void simulation in fast reactor structural materials, 4966
Unified creep-plasticity model for structural metals at high temperature, 2630 (ORNL/TM--5969)
Utilization properties of some special steels for sodium cooled breeder reactors, 4400
Utilization properties of some special steels for sodium cooled breeder reactors, 4412
Void formation in stabilized austenitic stainless steel, 4962
Void swelling and microstructural changes in fuel pin cladding and unstressed specimens irradiated in DFR, 4960
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)

LMFBR TYPE REACTORS/REACTOR NOISE
Report on the second specialists' meeting on reactor noise (SMORN II), Gatlinburg, Tennessee, September 19th-23rd 1977, 2763 (RD-B-N--4254)

LMFBR TYPE REACTORS/REACTOR OPERATION
LMFBR pool plant: 1000 MWe. Volume 3. Pool reactor engineering, NSSS. Final report, 1120 (EPRI-NP--1015(Vol.3))
Load-varying operation of a nuclear power plant with fast breeder reactors, 3414
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part II: plant summary description. Final report, 1107 (EPRI-NP--1014(Vol.2))

LMFBR TYPE REACTORS/REACTOR PHYSICS
Benchmark calculations for a fast sodium-cooled breeder reactor according to the method of finite elements, 1889 (IKE--4-87)

LMFBR TYPE REACTORS/REACTOR PROTECTION SYSTEMS
Absorber balls tested for LMFBR secondary shutdown, 3868
Application of reactor scram experience in reliability analysis of shutdown systems, 3920
Comprehensive method of common-mode failure analysis for LMFBR safety systems, 414 (CONF-761001--P2)
Experiments and analyses for an LMFBR inherent shutdown system, 4661
Hydraulically supported absorber balls shutdown system for inherently safe LMFBR's, 410 (CONF-761001--P2)
Method of preventing sodium from flowing when pipes of a fast breeder reactor are injured (Patent750AIX-08) 341043), 5375
Probabilistic approaches to advanced reactor design optimization, 5020
Reactor safety, 5271
Reactor scram experience for reliability analysis of LMFBR shutdown systems, 632 (CONF-771203--)
Ultrasonic dynamic imaging (UDI) system to determine the size and velocity of large spherical simulated bubbles in liquids, 832 (CONF-791008--5)

LMFBR TYPE REACTORS/REACTOR SAFETY
Advanced Reactor Safety Research Program quarterly report, April--June 1977, 2830 (SAND--77-1134)
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977, 2847 (SAND--77-1975)
Advanced reactor safety research. Quarterly report, October--December 1977, 2397 (NUREG/CR--0323(Vol.5))
Advanced reactor safety research. Quarterly report, January--March 1978, 2398 (NUREG/CR--0335(Vol.6))
Advanced Reactor Safety Research Division. Quarterly progress report, January 1--March 31, 1979, 2444 (NUREG/CR--0820)

Advanced reactor safety research quarterly report, April-June 1978, 2411 (NUREG/CR--0469(Vol.7))
Advanced reactor safety research. Quarterly report, July-September 1978, 2412 (NUREG/CR--0470)
Advanced reactor safety research. Quarterly report, April-June 1979, 2455 (NUREG/CR--0984(Vol.10))
Advanced Reactor Safety Research Division quarterly progress report, April 1-June 30, 1979, 2458 (NUREG/CR--1036)
Advanced safety analysis: Eleventh quarterly report, March--May 1977, 1376 (GEFR--14038-11)
Advanced safety analysis thirteenth quarterly report, September--November 1977, 1378 (GEFR--14038-13)
Analysis of core disruptive accidents in carbide-fueled LMFBRs, 4860
Annual technical progress report: reactor safety, Government fiscal year 1978, 1145 (ESG-DOE--13254)
Applicability of the Reactor Safety Study (WASH-1400) to LMFBR risk assessments, 419 (CONF-761001--P2)
Application of ultrasonic thermometry in lmfbr safety research, 4910
Application of probabilistic methods to safety R and D and design choices, 5019
Breeder reactor safety and core systems programs. Progress report, April--June 1977, 2635 (ORNL/TM--6020)
Breeders, 4208
Cassandre: A 2D multigroup diffusion Benchmark code for fast reactors power excursions analysis, 1993 (INIS-mf--4773)
CEC activities in the field of LMFBR safety, 431 (CONF-761001--P3)
Central computerized data base for liquid metal fast breeder reactor safety codes, 438 (CONF-761001--P3)
Central computerized data base for LMFBR safety codes, 4552
Chemical reactions of sodium fire aerosols in the free atmosphere, 3283
Design considerations for epithermal pulse reactors, 2837 (SAND--77-1470)
Design trade-offs in view of safety considerations, 4131
Designing for safety in fast reactors in the presence of uncertainties, 423 (CONF-761001--P2)
Energy from nuclear reactors. Pt. 5. Fast breeder reactor safety, 4462
Energy source for modeling HCDA bubbles, 5059
Experiments on fuel-coolant interaction under transient conditions, 4220
Fast breeder reactor I, 3462
Fast reactor safety and related physics. Volume IV. Phenomenology, 508 (CONF-761001--P4)
Fast Reactor Safety Research Program. Quarterly report, January--March 1977, 2811 (SAND--77-0611)
Fast reactor safety technical progress report, January--March 1977, 1774 (HEDL-TME--77-66)
Fast reactor safety technical progress report, April--June 1977, 1775 (HEDL-TME--77-67)
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)
French program for advancement of nuclear power plants with fast breeders, 3240
GE-LOA-2 tasks. 1979 annual report, October 1978-June 1979 (LMFBR safe shutdown), 1328 (GEFR--00468)
Hypothetical accident rules FBR safety. Report on the fast breeder reactor safety conference in Chicago, 4544
In-pile investigation of local cooling perturbations (Mol 7C), 4144
Inherently safe reactor design, 4135
Inventory and relative biological hazard of LMFBR core materials, 2605 (ORNL/NUREG/TM--165)
Key issues on safety design basis selection and safety assessment, 381 (CONF-761001--P1)
Key safety issues for fast breeder reactors, 345 (CEA-CONF--3848)
Liquid metal fast breeder reactor safety: an overview including implications of alternate fuel cycles, 617 (CONF-771120--22)
LMFBR and GCFR support work, 133 (ANL--78-70)
LMFBR design basis accidents and their accommodation, 5409
LMFBR pool plant: 1000 MWe. Volume 1. Executive summary. Final report, 1118 (EPRI-NP--1015-SY(Vol.1))
LMFBR pool plant: 1000 MWe. Volume 2. NSSS plant description. Final report, 1119 (EPRI-NP--1015(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 3. Pool reactor engineering, NSSS. Final report, 1120 (EPRI-NP--1015(Vol.3))
LMFBR safety. 5. Review of current issues and bibliography of literature (1975--1976), 2598 (ORNL/NUREG/NSIC--139)
LMFBR safety program. Annual technical progress report. Government fiscal year, 1977, 20 (AI-DOE--13210)
LMFBR safety. 6. Review of current issues and bibliography of literature (1977), 2399 (NUREG/CR--0339)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
LMFBR safety. 7. Review of current issues and bibliography of literature (1978), 2467 (NUREG/CR--1160)
Nuclear reactor safety, 3126
Nuclear safety research in France, 347 (CEA-CONF--3890)
Observations of the behavior of gas in the wake behind a corner blockage in fast breeder subassembly geometry, 2210 (KFK--2820)
ORNL breeder reactor safety: LOA 2, 3, 4, and 5. Quarterly technical progress report, January-March 1979 (Thermal-Hydraulic-out-of-Reactor Safety Facility) 2683 (ORNL/TM--6947)
Physics of reactor safety. Quarterly report, April--June 1977, 65 (ANL--77-69)
Physics of reactor safety. Quarterly report, January--March 1977, 60 (ANL--77-48)
Physics of reactor safety. Quarterly report, July--September 1977, 77 (ANL--77-92)
Physics of reactor safety. Quarterly report, October--December 1977, 117 (ANL--78-23)
Physics of reactor safety. Quarterly report, January--March 1978, 2388 (NUREG/CR--0148)
Physics of reactor safety. Quarterly report, April--June 1978, 2413 (NUREG/CR--0477)
Physics of reactor safety. Quarterly report, July--September 1978, 2422 (NUREG/CR--0653)
Physics of reactor safety. Quarterly report, October--December 1978, 2432 (NUREG/CR--0759)
Physics of reactor safety. Quarterly report, January--March 1979, 2448 (NUREG/CR--0864)
Physics of reactor safety. Quarterly report, July-September 1979, 2470 (NUREG/CR--1252)
Preliminary results of CSTF aerosol behavior test, AB-1, 1498 (HEDL-SA--1381)
Progress in liquid-metal fast breeder reactor safety research and development - an overview of the issues, 4180
Radiological assessment models. Thirteenth quarterly report, September--November 1977, 1372 (GEFR--14034-13)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor development program progress report, July 1978, 281 (ANL-RDP--73)
Reactor Development Program progress report, August 1978, 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978, 284 (ANL-RDP--76)
Reactor development program progress report, November 1978, 285 (ANL-RDP--77)
Reactor Development Program. Progress report, 283 (ANL-RDP--75)
Reactor Development Program. Progress report, December 1978, 286 (ANL-RDP--78)
Reactor development program. Progress report, 287 (ANL-RDP--79)
Reactor development program progress report, March 1979, 289 (ANL-RDP--81)
Reactor development program. Progress report, 290 (ANL-RDP--82)
Reactor development program. Progress report, 291 (ANL-RDP--83)
Reactor development program. Progress report, July 1979, 293 (ANL-RDP--85)
Reactor development program. Progress report, 292 (ANL-RDP--84)
Reactor development program. Progress report, August 1979, 294 (ANL-RDP--86)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1978, 2425 (NUREG/CR--0688)
Reactor safety. Quarterly technical progress report, January-March 1979, 1161 (ESG-DOE--13281)
Reactor safety. Quarterly technical progress report, April-June 1979, 1162 (ESG-DOE--13284)
Reactor safety. Annual technical progress report, Government fiscal year 1979, 1165 (ESG-DOE--13294)
Recent commercial fast reactor designs with improved safety features, 4133
Report on the research projects in the field of reactor safety sponsored by the Federal Minister for Research and Technology. Period under report: January 1 - March 31, 1978, 1427 (GRS-F--63)
Report on the projects in the field of reactor safety sponsored by the Federal Ministry for Research and Technology. Period under report: 1st July to 30th September 1978, 1429 (GRS-F--70)
Reports distributed under the NRC Reactor safety research foreign technical exchange program. Vol. VII (January-June 1979), 2463 (NUREG/CR--1101)
Reports on research projects sponsored by the Federal Minister for Research and Technology in the field of reactor safety. Progress report for the period from October 1 to December 31, 1978, 1430 (GRS-F--74)
Reports on research projects sponsored by the Federal Minister for Research und Technology in the field of reactor safety. Period under report 1st January to 31st March. Progress report, 1431 (GRS-F--79)
Results of research into nuclear power plant safety, 1894 (INIS-mf--4054)
Results of the in-pile experimental programm SCARABEE, 4217
Review of high temperature measurement techniques for LMFBR safety experiments, 2373 (NUREG/CP--0007)
REXCO-EUR code - User's manual, 1193 (EUR--5813)
Risk allocation approach to reactor safety design and evaluation, 4044
Risk analysis methods development. Fifth quarterly report, January--March 1978, 1355 (GEFR--14023-5)
Risk analysis methods development. Eighth quarterly

report, October--December 1978, 1357 (GEFR--14023-8)
Risk analysis methods development. Ninth quarterly report, January--March 1979, 1358 (GEFR--14023-9)
Risk analysis methods development. Tenth quarterly report, April-June 1979, 1359 (GEFR--14023-10)
Role of reliability and risk assessment in LMFBR design: implementation of reliability in LMFBR design, 5022
SACRD: a data base for fast reactor safety computer codes, contents and glossary of Version 1 of the system, 2574 (ORNL--5477/V2)
Safety analysis of the fast breeder reactor confinement main problems: application to Super Phenix, 5290
Safety and environmental impact of liquid metal fast breeder reactors, 5440
Safety design criteria for liquid metal fast breeder reactors, 5291
Safety issues in licensing commercial LMFBR's, 384 (CONF-761001--P1)
Safety issues for advanced-fueled LMFBRs, 437 (CONF-761001--P3)
Safety of the fast reactor, 4542
Safety of sodium-cooled fast reactors (USSR), 3739 (IAEA-CN--36/342)
Safety related design considerations for large fast breeder plants, 394 (CONF-761001--P1)
Safety test facilities. Needs and concepts. A French evaluation, 397 (CONF-761001--P1)
Sodium loop safety facility, 3890
Some basic research needs related to LWR and FBR safety, 3601
Some thoughts on fast reactor safety, 385 (CONF-761001--P1)
Specialists' workshop on predictive analysis of material dynamics in LMFBR safety experiments, March 13-15, 1979, 2239 (LA--7938-C)
State-of-the-art review of sodium fire analysis and current notions for improvements, 312 (BNL-NUREG--25140)
Technical concept of fast breeder power plants, 1996 (INIS-mf--4816)
Thermal and hydraulic aspects of nuclear reactor safety. Volume II. Liquid metal fast breeder reactors, 4929
U.S. advanced fuels safety program, 4837
Use of quantitative risk and probabilistic safety criteria in the conceptual design of a large pool-type LMFBR, 4045
Validation of the computer code ARES for calculating the tank load under overpower conditions, 4145

LMFBR TYPE REACTORS/REACTOR SAFETY EXPERIMENTS
Acoustics of the Sodium Loop Safety Facility P2 experiment, 3826
Analytic prediction of thermal profile development and inversion for use in in-pile experimentation (LMFBR core meltdown), 3097
How local sodium boiling in rod bundles under really steady state boundary conditions is achieved on the CFNA loop, 349 (CEA-CONF--3994)
In-pile experiments and test facilities proposed for fast reactor safety, 415 (CONF-761001--P2)
Safety test facilities. Needs and concepts. A French evaluation, 346 (CEA-CONF--3849)
The SAREF program, 396 (CONF-761001--P1)

LMFBR TYPE REACTORS/REACTOR SAFETY FUSES
Fuse and application of said fuse to the construction of an emergency shutdown system for a nuclear reactor (Patent; LMFBR), 3788
Fuse applied to designing a scram device for nuclear reactor (LMFBR type reactor (Patent)), 5237
Self-actuated shutdown system for a commercial size LMFBR. Final report, 1080 (EPRI-NP--846)

LMFBR TYPE REACTORS/REACTOR SHUTDOWN
Advanced safety analysis. Twelfth quarterly report, June--August 1977, 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978, 1379 (GEFR--14038-15)
Application of reactor scram experience in reliability analysis of shutdown systems, 3920

LMFBR TYPE REACTORS/REACTOR SITES
Correlation of ground response spectra with modified mercalli site intensity. Topical report, 2799 (SAN--1011-113R)

LMFBR TYPE REACTORS/REACTOR TECHNOLOGY
International cooperation on breeder reactors, 3927
Sodium-NaK engineering handbook. Volume III. Sodium systems, safety, handling, and instrumentation, 3899
Some topics of sodium technology research and development in P.N.C., Japan, 2353 (NP--21709)
Thermal analysis of liquid--metal fast breeder reactors (Book), 3917

LMFBR TYPE REACTORS/REACTOR VESSELS
Adsorption seal for nuclear reactors (Patent; HTGR; LMFBR), 3839
ALICE: a hybrid Lagrangian-Eulerian code for calculating fluid-structure interaction transients in fast-reactor containment, 157 (ANL--79-72)
Analysis of slug impact and coolant spillage using a hybrid Lagrangian--Eulerian method, 4758
Analysis of prestressed concrete vessels for HCDA loads, 3991
Analysis of dynamically loaded non-linear structures, 555 (CONF-770807--Pt.E)
Comparison of computer code predictions with COVA experiments, 4760
Comparison of REXCO code predictions with flexible vessel experiments, 3538
Comparison of ICECO code predictions with flexible vessel experiments, 3543
Cooling system for the high wall of a nuclear reactor vessel (Patent; LMFBR), 5365
Core disruptive accident margin seal (Patent), 3762
Core disruptive accident margin seal (Patent), 3302
Cover gas seal components. Quarterly technical progress report, April--June 1978, 1134 (ESG-DOE--13240)
Cover gas seal components. Quarterly technical progress report, July--September 1978, 1142 (ESG-DOE--13248)
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, October--December 1978, 1148 (ESG-DOE--13262)
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, January--March 1979, 1155 (ESG-DOE--13273)
Cover gas seal components. Quarterly technical progress report, April--June 1979, 1159 (ESG-DOE--13279)
Device for thermal shielding of a reactor vessel (Patent; LMFBR), 3801 (ANL-Trans--1121)
Device for thermal insulation of a vessel wall (Patent; LMFBR), 4322
Device for thermal protection of a nuclear reactor vessel (Patent), 3400
Dried hot concrete vessel for nuclear reactors: proposal of a new design concept, 3716
Dynamic structural response of LMFBR head closures to hypothetical core disruptive accidents, 3541
Elastic and elastic-plastic buckling of vessel heads. Computation by the CEASEMT system, 5110
Experiments on the response of rigid and flexible reactor vessel models to a simulated hypothetical core disruptive accident, 267 (ANL/K76--2655-5)
Experimental tests on buckling of ellipsoidal vessel heads under internal pressure, 359 (CEA-N--2075)
Extension of HCDA safety analysis to large PCRV containment structures, 548 (CONF-770807--49)
Extension of HCDA safety analysis to large PCRV containment structures, 576 (CONF-770807--Pt.E)
Extension of HCDA safety analysis to large PCRV containment structures, 5058
Fast breeder of loop type liquid metal cooling system (Patent), 5246
Fast nuclear reactor (Patent), 5449
First in-core molten fuel pool experiment, 2827 (SAND--77-1096C)
Heat insulating system for the horizontal closing surfaces for a liquid metal cooled nuclear reactor (Patent), 3803 (ANL-Trans--1120)
Heat-insulated device, for insulating the top part of the annular space between the main vessel and the safety vessel of a fast-neutron reactor (Patent; LMFBR) 4362
Heat insulating system, especially for insulating the upper zone of the annulus separating the primary and safety vessels of a fast reactor (Patent), 3804 (ANL-Trans--1124)
Improvement to structures containing a hot liquid metal in breeder reactors (Patent), 5143
Influence of sodium temperature, gamma heating and wall thickness on design strength of SLSF containment vessels, 1945 (INIS-mf--4506)
Insulating structure (Patent; LMFBR), 5362
Large pool LMFBR design. Final report. Volume 1. Reactor, 1094 (EPRI-NP--883(Vol.1))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Liquid metal cooled nuclear reactor (Patent), 3445
Liquid metal cooled nuclear reactor (Patent), 4428
Liquid metal cooled fast breeder reactor (Patent), 3478
Liquid sodium cooled fast reactor (Patent), 4294
Main aspects of the design of a support structure of a LMFBR with particular reference to the explosive accident consequences, 571 (CONF-770807--Pt.E)
Main aspects of the design of a support structure of a LMFBR with particular reference to the explosive accident consequences, 5050
Maintenance device for liquid seals in nuclear reactors (Patent), 3765
Material problems in accident analysis of prestressed concrete reactor vessels, 560 (CONF-770807--Pt.E)
Nuclear reactors (Patent; LMFBR), 4376
Nuclear reactor with rotating closure (Patent), 5169
Nuclear reactor core servicing apparatus (Patent; LMFBR), 4255
Nuclear reactor apparatus (Patent, LMFBR), 3834
Nuclear reactor pressure vessel support system (Patent; LMFBR), 3449
Nuclear reactor with liquid metal cooling (Patent), 3793
Nuclear reactor with liquid metal cooling, 3794
Nuclear reactor with liquid metal cooling (Patent), 3795
Nuclear reactor with equipment for preventing the convection of metal vapors (Patent), 3452
Nuclear reactor (Patent), 3102
Nuclear reactor (liquid sodium cooled reactor (patent)), 5148
Plastic buckling of axially compressed cylinders, 3014 (WARD-SD--3045-9)

Plug-to-plug gas transfer system (Patent; LMFBR closure head plug), 3761
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part III. Deck structure, final report, 1073 (EPRI-NP--646(Vol.3))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 1-6. Interim report, 1087 (EPRI-NP--882(Vol.2A))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 7-11. Interim report, 1088 (EPRI-NP--882(Vol.2B))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part III: reactor assembly - deck. Part IV: reactor assembly - fabrication, 1089 (EPRI-NP--882(Vol.3))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part III: reactor assembly, Sec. 1--2.5. Final report, 1108 (EPRI-NP--1014(Vol.3))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part IV: reactor deck. Final report, 1110 (EPRI-NP--1014(Vol.5))
Process and apparatus for cooling the wall of the vessel of a fast neutron reactor (Patent), 3232
Process for the continuous control of the seal and strength of the containment of a reactor utilizing said process (Patent; LMFBR), 4266 (ANL-Trans--1111)
Reactor rotating shield with convection barrier for metal vapours (Patent), 4526
Reactor vessel structural response tests at FBR hypothetical accident, 4586
Reactor vessel (Patent, LMFBR), 5188
Response of simple, scale model reactor vessels to a simulated HCDA loading; 562 (CONF-770807--Pt.E)
Response of simple, scale model reactor vessels to a simulated HCDA loading; 5106
Room-temperature inelastic test of a nozzle-to-spherical-shell model subjected to pressure and moment loading, 2644 (ORNL/TM--6170)
Rotary plug (Patent), 5394
Rotary shield plug (Patent), 5402
Rotating plug bearing and seal (Patent; LMFBR), 4364
Safety valve system for a nuclear vessel cover gas (Patent; LMFBR), 5396
Seal for turnable lids on nuclear reactors (Patent; LMFBR), 4429
Sealing device (Patent), 5137
Selection of reactor cover seals and bearings for a 1000-MW(e) LMFBR, 3964
Self locking drive system for rotating plug of a nuclear reactor (Patent), 3790
Sensitivity study on the damage potential of a liquid-metal fast breeder reactor core disassembly, 3241
Shielding plug device (Patent), 5229
Sodium vapor deposition on a simulated model of an LMFBR rotating shield plug annulus (2), 3823 (JAPFNR--398)
Sodium vapor deposition on a simulated model of an LMFBR rotating shield plug annulus (1), 3824 (JAPFNR--405)
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 547 (CONF-770807--47)
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 765 (CONF-790370--1)
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 796 (CONF-790802--63)
System for cooling the upper wall of a nuclear reactor vessel (Patent; LMFBR); 3802 (ANL-Trans--1119)
Thermal elasto-plastic analysis in reactor vessel nozzles, 5111
Thermal insulation system for a vessel (Patent; LMFBR), 5363
Thermal protection device for a nuclear reactor slab (Patent; LMFBR), 5385
Thermal ratchetting in pressure vessels, 1946 (INIS-mf--4506)
Thermal ratchetting in pressure vessels, 5113
Thermoelastic buckling of plates in a cylindrical geometry against an elastic back support, 1670 (HEDL-SA--2066-FP)
Transient heat transfer in concrete, 734 (CONF-781079--4)
Transient analysis of LMFBR reinforced/prestressed concrete containment, 802 (CONF-790802--73)
User's manual heatup closed cell H and V failure transient analysis code, 1820 (HEDL-TME--78-57)
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)
LMFBR TYPE REACTORS/RELIABILITY
Reliability technology in LMFBR optimisation, 4112
LMFBR TYPE REACTORS/REMOTE HANDLING EQUIPMENT
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, January--March 1979, 1155 (ESG-DOE--13273)
Fuel Handling and storage system for large commercial LMFBRs, 4712
Fuel Handling experience with liquid-metal reactors, 4070
Nuclear reactor refueling system (Patent), 3557
Nuclear reactor refuelling system (Patent; LMFBR), 3424
Nuclear reactors (Patent; LMFBR), 3425
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part VI: auxiliary systems; Part VII: plant control and instrumentation; Part VIII: seismic analysis. Final report, 1112 (EPRI-NP--1014(Vol.7))
System for the transfer of nuclear fuels outside the vessel (LMFBR type reactors; patent), 4591
System of extraction and introduction of an irradiation capsule into a fuel assembly (Patent; LMFBR type reactors), 5348
LMFBR TYPE REACTORS/REMOTE VIEWING EQUIPMENT
Development of sodium penetration equipment, 5162
Liquid metal cooled nuclear reactors (Patent), 4324
Program outline under-sodium viewing, 1433 (HEDL--6232)
Television/still camera with common optical system for reactor inspection, 2052 (IWGFR--10)
Ultrasonic off-normal imaging techniques for under sodium viewing, 1667 (HEDL-SA--2014)
UV viewing through sodium coolant, 3264
LMFBR TYPE REACTORS/RESEARCH PROGRAMS
Birth of the breeder (UK), 4905
Breeder reactor program in the USA. Past, present and future, 4162
Breeder reactors, 355 (CEA-CONF--4212)
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
Comparative analysis of three of ERDA's major R and D programs, 3377
Comparative analysis of three of ERDA's major R and D programs, 3378
Development of French programme on fast reactors, from March 1975 to March 1976, 2083 (IWGFR--12)
Development of French programme on fast reactors, from March 1976 to March 1977, 2092 (IWGFR--18)
Fast Breeder Project. Quarterly report, 1977, 4908 (EURFNR--1435)
Fast breeder reactor development in Japan. Progress report, October--December 1977, 3526 (JAPFNR--316)
Fast breeder reactor development in Japan. Progress report, July--September 1977, 3688 (JAPFNR--317)
Fast breeder reactor development in Japan. Progress report, October-December 1978, 3230 (JAPFNR--458)
Fast reactor programme. Fourth quarter 1977 progress report, 1051 (ECN--41)
Fourth quarterly report 1976, 2161 (KFK--1276/4)
Impact of Clinch River Breeder Reactor Plant on breeder research and development programs, 3340
International fast breeder reactor development, 81 (ANL--77-XX-62)
International Working Group on Fast Reactors eighth annual meeting. Summary report, Part II, 2016 (IWGFR--3)
Outlook of the fast breeder reactor development in U.S.S.R., 4206
Past and present role of fast breeder reactors in Japan, 4051
Past and present role of fast breeder reactors in the Federal Republic of Germany, 4052
Performance Measurement System Implementation Guide. RRT Management Control System, 1004 (DOE/ET--0050/2)
Performance Measurement System Review Team Handbook. RRT Management Control System, 1010 (DOE/ET--0050/8)
Performance measurement system: system description, 1003 (DOE/ET--0050/1)
Performance measurement system: data analysis guide, 1006 (DOE/ET--0050/4)
Performance Measurement System: surveillance guide, 1007 (DOE/ET--0050/5)
Performance Measurement System: work breakdown structure (WBS) guide, 1008 (DOE/ET--0050/6)
Performance measurement system: Mini-PMS guide, 1009 (DOE/ET--0050/7)
Performance measurement system: contractor reporting instructions, 1005 (DOE/ET--0050/3(Rev.))
Present state of development of the fast breeder project in the Federal Republic of Germany, Belgium and the Netherlands, and progress achieved during 1976 and early 1977, 2087 (IWGFR--18)
Progress report on Fast Breeder Reactor development in Japan, January--March 1978, 3460 (JAPFNR--336)
Reactor Engineering Division annual report, April 1, 1977-March 31, 1978, 2142 (JAERI-M--7844)
Reactor physics activities relevant to FBR and ATR programs in PNC, Japan, November 1978-September 1979, 2151 (JAPFNR--472)
Review of fast reactor progress in Japan, March 1976, 2082 (IWGFR--12)
Review of fast reactor activities in Italy, April 1977, 2089 (IWGFR--18)
Review of the UK fast reactor programme. March 1977, 2090 (IWGFR--18)
Review of fast reactor progress in Japan, 2091 (IWGFR--18)
Review of the UK fas reactor program: March 1978, 2352 (NOR--3686)
State of work on fast reactors in the USSR up to March 1979, 3348 (RISLEY-Trans--4087)
Status of the U.S.A. liquid metal fast breeder programme, April 1976, 2084 (IWGFR--12)
Status summary report advanced reactor safety research. Buff book 2 (USA; LMFBR), 2359 (NUREG--0330(Vol.3)(No.1))
U.S. LMFBR programme as of 4-1-77, 2093 (IWGFR--18)
LMFBR TYPE REACTORS/RESPONSE FUNCTIONS
Dynamic response of single hexagonal LMFBR core subassembly wrappers, 1970 (INIS-mf--4592)

LMFBR TYPE REACTORS/REVIEWS
Breeders: operational experience with fast power reactors in five states - more intensive German-French breeder cooperation, 3330
Fast breeder reactor, 3500
Liquid metal cooled fast reactors development in France, 3279
LMFBR--an international effort, 3773
LMFBR TYPE REACTORS/RHR SYSTEMS
Atomic power plant (Patent; LMFBR), 5391
Autonomous device for after-heat removal from a sodium cooled fast neutron reactor (French patent application), 4332 (ANL-Trans--1106)
Core cooling system for reactor (Patent; LMFBR), 5155
Effect of repair times on relative SHRS reliability, 3022 (WARD-SR--3045-6)
Effect of pump-stored kinetic energy on natural-circulation decay-heat removal in loop-type LMFBRs, 3187
First in-reactor experiment with simulated LMFBR debris bed, 4670
Influence of the main condenser on SHRS reliability, 1426 (GEFR-SP--00183)
Investigation of optimal redundancy for a specific system objective, 1888 (IDO--1570-T31)
Large LMFBR shutdown heat removal system reliability trade-off study, 3023 (WARD-SR--3045-7)
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XIII: balance of plant - evaluation of pool-related areas. Final report, 1116 (EPRI-NP--1014(Vol.11))
Reliability of liquid metal breeder reactor cooling systems, 1417 (GEFR-SP--177)
Treatment of dependencies in reliability analyses, 3324
LMFBR TYPE REACTORS/RISK ASSESSMENT
LMFBR accident delineation study: approach and preliminary results, 2887 (SAND--79-1602C)
Recommendations concerning models and parameters best suited to breeder reactor environmental radiological assessments, 2579 (ORNL--5529)
Risk allocation approach to reactor safety design and evaluation, 1394 (GEFR-SP--027)
Risk analysis methods development. Sixth--Seventh quarterly reports, April--September 1978, 1356 (GEFR--14023-6/7)
Role of reliability and risk assessment in LMFBR design: implementation of reliability in LMFBR design, 4505
Sodium fire and containment leakage, 2001 (INIS-mf--4960)
LMFBR TYPE REACTORS/ROLLER BEARINGS
Testing N 205 type antifriction bearings in liquid sodium, 5172
LMFBR TYPE REACTORS/RUPTURES
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)
LMFBR TYPE REACTORS/S CODES
Computer models for subassembly simulation, 3551
LMFBR TYPE REACTORS/SAFETY
Compilation of references, data sources and analysis methods for LMFBR primary piping system components, 3442
LMFBR TYPE REACTORS/SAFETY ENGINEERING
Nuclear reactor with several cores (Patent), 4252
Nuclear safety and reliability engineering. Quarterly progress report for period ending March 31, 1979, 3026 (WARD-SR--94000-1)
Nuclear safety and reliability engineering. Quarterly progress report for period ending June 30, 1979, 3027 (WARD-SR--94000-2)
Safety of high-parameter sodium loop, 5141
LMFBR TYPE REACTORS/SCRAM
Application of reactor scram experience in reliability analysis of shutdown systems, 3920
Experiments and analyses for an LMFBR inherent shutdown system, 4661
Experimental study of scram transients in generalized liquid-metal fast breeder reactor outlet plenums, 3117
Hydraulic tests on an inherent secondary shutdown assembly for LMFBRs, 3668
Neutron absorber dropping device for nuclear reactors (Patent), 3307
Reactor scram experience for reliability analysis of LMFBR shutdown systems, 632 (CONF-771203--)
LMFBR TYPE REACTORS/SCRAM RODS
Control rod assembly (Patent), 5336
Control rod for a fast breeder (Patent), 5251
Emergency scram actuation device for nuclear reactors (Patent; LMFBR), 3263
Method and apparatus for controlling the neutron flux in nuclear reactors (Patent), 3131
Safety arrangement for nuclear reactors (Patent; LMFBR), 3303
Scram device having a multiplicity of neutron absorbing masses (Patent; LMFBR), 3285
Scram rod system for nuclear reactors (Patent; LMFBR), 4605
LMFBR TYPE REACTORS/SEALING MATERIALS
Selection of a sodium- and radiation-resistant sealant for LMFBR equipment cell penetrations, 32 (AI-DOE--13227)
LMFBR TYPE REACTORS/SEALS
Core disruptive accident margin seal (Patent; LMFBR), 3453
Cover gas seal components and sodium component development programs. Quarterly technical progress report, January--March 1978, 35 (AI-DOE--13232)
Fluid mechanics model to estimate the leakage of incompressible fluids through labyrinth seals, 2654 (ORNL/TM--6373)
Liquid-metal dip seal with pneumatic spring (Patent), 4523
LMFBR cover gas seals design guide addendum and seal technology summary, 1139 (ESG-DOE--13245)
Quarterly technical progress report cover gas seal components and sodium component development programs. October--December 1977, 27 (AI-DOE--13221)
Rotary plug seal device for liquid metal cooled reactor (Patent), 5219
Rotary shield plug (Patent; LMFBR), 5381
Sodium technology and cover gas seal development programs. Quarterly technical progress report, July--September 1977, 18 (AI-DOE--13208)
Testing and evaluation of elastomeric seals for sodium-cooled fast reactor systems, 5435
Ultrasonic dip seal maintenance system (Patent; LMFBR), 3446
LMFBR TYPE REACTORS/SECONDARY COOLANT CIRCUITS
Application of the pulsed-neutron activation technique for flow measurement at EBR-II, 61 (ANL--77-52)
Computer modelling of piping components for transient hydrodynamic-structural response, 3532
Computing the effect of plastic deformation of piping on pressure transient propagation, 616 (CONF-771120--20)
Cooling device for nuclear power plant (Patent), 5133
Directional integration method for two-dimensional fluid transients, 4485
Flow induced vibration of secondary piping of LMFBR, 2108 (IWGFR--21)
Improvement to the secondary circuits of a nuclear reactor (Patent; LMFBR), 5346
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Liquid level control system of fast reactor secondary cooling system (Patent), 5390
Mechanical properties of carburized stainless steel in sodium, 2505 (ORNL--5255)
Method of controlling the secondary coolant in FBR (Patent), 5252
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Pressure pulse propagation in piping systems. Final report, 2354 (NP--22742)
PTAC: a computer program for pressure-transient analysis, including the effects of cavitation, 82 (ANL--78-4)
Secondary heat transfer circuits for nuclear reactor plant (Patent), 4293
TRANSWRAP-II analyes of the Stanford Research Institute IHTS/relief system simulation tests (Pressure pulses from Na/H_2O reactions), 1322 (GEFR--00444)
LMFBR TYPE REACTORS/SEISMIC EFFECTS
Correlation of ground response spectra with modified mercalli site intensity. Topical report, 2799 (SAN--1011-113R)
Large pool LMFBR design. Volume 2. Balance of plant. Final report, 1125 (EPRI-NP--1016(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 3. Appendices. Final report, 1121 (EPRI-NP--1015(Vol.3)(App.))
Seismic design verification of LMFBR structures, 2802 (SAN--1011-117)
Seismic design and development for fast reactors: a design-application perspective with directions for improvement, 1623 (HEDL-SA--1751)
Some aspects of the structural response of pool-type LMFBR systems to HCDA and seismic events, 457 (CONF-761001--P3)
Study of vertical ground response spectrum shapes, 2800 (SAN--1011-114)
LMFBR TYPE REACTORS/SERVICE LIFE
Effect of finite plant life on the doubling time of a breeder reactor population, 3709
LMFBR TYPE REACTORS/SHELLS
Creep buckling of shells, 1964 (INIS-mf--4543)
LMFBR TYPE REACTORS/SHIELDING
Benchmark problems for the shieldings of a fast neutron reactors, 1865 (IAEA--207)
Deep penetration calculations, 2288 (LA-UR--80-1159)
Development of a computer code for neutron streaming calculation in LMFBR (MADONNA code), 4897
Direct-coupled-ray method for design-oriented three-dimensional transport analysis, 4330
Gamma heating measurements in LMFBR shields with thermoluminescent dosimeters, 4202
Integral data for the prediction of neutron propagation in iron--sodium mixtures, 4899
Neutron shielding block (Patent), 5311
Nuclear data needs for fast breeder reactor shielding, 744 (CONF-781117--5)
Nuclear reactor removable radial shielding assembly

having a self-bowing feature (Patent), 3836
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XII: balance of plant--plant description. Final report, 1114 (EPRI-NP--1014(Vol.9))
Results of neutron propagation in steel sodium mixtures with various source spectra on Harmonie and Tapiro, 4898
Study of applicability of an albedo Monte Carlo method for neutron streaming calculation, 4896
Study of fast neutron streaming through the core support-plate shield of a LMFBR, 4914
Support structure for the lateral neutron shield system of a fast reactor core (Patent), 4443
Two-dimensional shielding benchmarks for sodium and iron at Yayoi, 4901
Two-dimensional shielding benchmarks for sodium and iron at YAYOI, 2953 (UTNL-R--0046)
Two-dimensional shielding benchmarks for iron at YAYOI (I), 1864 (IAEA--207)
UK fast reactor shield design and performance, 4900
LMFBR TYPE REACTORS/SHIELDING MATERIALS
Shielding materials, 1589 (HEDL-SA--1643)
LMFBR TYPE REACTORS/SHIELDS
Experimental investigation of neutrons streaming through the grid-plate shield of liquid-metal fast breeder reactors, 3844
Experimental study on fast neutron streaming through grid-plate shield of a LMFBR, 2952 (UTNL-R--0030)
Method of shielding a liquid-metal-cooled reactor (Patent), 3512
Packed rod neutron shield for fast nuclear reactors (Patent; LMFBR), 3457
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 7-11. Interim report, 1088 (EPRI-NP--882(Vol.2B))
Radiation shielding device (Patent; LMFBR), 5178
U.S. integral and benchmark experiments, 741 (CONF-781117--2)
LMFBR TYPE REACTORS/SHROUDS
Computation of the weight function from a stress intensity factor, 72 (ANL--77-82)
Effect of swelling and creep on liquid-metal fast breeder reactor performance, 3458
Flow duct for nuclear reactors (Patent; LMFBR), 3703
Plane-strain stress intensity factors for cracked hexagonal subassembly ducts, 71 (ANL--77-77)
Remote examination of shroud tubes in LMFBR fuel elements, 2272 (LA-UR--78-2650)
LMFBR TYPE REACTORS/SIMULATION
Physics investigations of a compact simulation of a large fast breeder reactor. SNEAK-Assembly 10, 2193 (KFK--2573)
LMFBR TYPE REACTORS/SODIUM
Large-scale use of sodium, 1997 (INIS-mf--4816)
Low heat flux sodium voiding using the drift flux formulation, 3347
Study of sodium boiling during a power transient in a heating duct. Investigation carried out within the scope of a study on the safety of fast neutron reactors, 1220 (FRNC-TH--765)
LMFBR TYPE REACTORS/SOLID FUELS
Effects of local cesium concentrations on mixed-oxide fuel behavior, 1475 (HEDL-SA--1306S)
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, October 1--December 31, 1978 (UO_2; PuO_2), 2235 (LA--7678-PR)
Influence of oxygen-to-metal ratio on mixed oxide fuel performance, 3171
Oxygen redistribution in LMFBR fuels, 2335 (NEDO--12326)
Prediction of the thermal conductivity of sphere-pac fuel, 3584
Pu, U redistribution in $(U,Pu)O_2$ fuels by temperature gradients, 2333 (NEDO--12324)
Radial distribution of retained fission gas in irradiated mixed-oxide fuel, 3576
Role of bubble-size equilibration in the transient behavior of fission gas, 123 (ANL--78-36)
Swelling analysis of highly-rated MX-type LMFBR fuels. II. Microscopic swelling behaviour, 3700
LMFBR TYPE REACTORS/SPECIFICATIONS
Breeder reactors, 355 (CEA-CONF--4212)
Efficiency of different techniques of physical flattening by fuel while selection of optimum arrangement of large fast reactor core, 2348 (NIIAR-P--240)
Further examination of the pool type 1000 MWe LMFBR. Volume 1. Executive summary, 1082 (EPRI-NP--881-SY(Vol.1))
Future plans for the design and construction of fast reactor power stations in the USSR, 4087
Pool-type large breeder reactor plant design, 3958
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XII: appendices. Final report, 1115 (EPRI-NP--1014(Vol.10))
Reactor safety, 5271
Status of the research and development program on fast reactors in the USSR, 4313
LMFBR TYPE REACTORS/SPENT FUEL CASKS
Thermal evaluation facility for LMFBR spent fuel transport, 2886 (SAND--79-1366)
LMFBR TYPE REACTORS/SPENT FUEL ELEMENTS
Computer analysis and control for nondestructive gamma scanning of LMFBR fuel pins, 3344
Cooling device of a spent fuel (Patent; LMFBR), 5204
Evaluation of organic coolants for the transportation of LMFBR spent fuel rods, 2839 (SAND--77-1486)
Laser microsampling method for determination of retained fission gas in irradiated nuclear fuels, 159 (ANL--79-86)
Optimized spent fuel storage and shipping systems, 1288 (GEFR--00394)
Phosphate-bonded zirconia ramming compounds for the thermal stripping of the fuel elements of fast reactors, 5294
Radiation shield design for LMFBR spent-fuel shipping casks, 2814 (SAND--77-0971C)
Radiation source terms in LWR and LMFBR spent fuel. Final report, 1100 (EPRI-NP--948)
Re-treatment of fast breeder fuel elements, 3860 (EURFNR--1418)
LMFBR TYPE REACTORS/SPENT FUEL STORAGE
Criticality calculations for fast reactor fuel storage facilities, 4657
Evaluation of organic coolants for the transportation of LMFBR spent fuel rods, 2839 (SAND--77-1486)
Fuel handling experience with liquid-metal reactors, 4070
Storage of fast reactor spent fuel at the reactor site and in reprocessing plants, 1880 (IAEA-AG--63-17)
LMFBR TYPE REACTORS/SPENT FUELS
Physical characteristics of spent LMFBR fuel, 1876 (IAEA-AG--63-13)
Spent fuel cleaning device (Patent; LMFBR), 5211
LMFBR TYPE REACTORS/STANDARDS
RDT Standards index, 2768 (RDT-INDEX--(01-79))
LMFBR TYPE REACTORS/STEAM GENERATORS
Accident alarm in steam generators of sodium cooled fast reactor power plants. I. Testing the function of an ion pump pH-meter on simulated water penetration in liquid sodium, 4360
Accident alarm in steam generators in sodium cooled fast reactor power plants. III. Experimental research in flow fluctuations in pipes following water leak in sodium, 3723
Accident alarm in steam generators in sodium cooled fast reactor power plants. II. Measuring the acoustic spectrum induced by the sodium/water reaction as a method of breakdown detection of liquid sodium-heated steam generators, 3831
Accident control element of sectional liquid metal steam generator (Patent), 5320
Accident of sodium steam generator element - LEWISA program, 992 (CS-INIS--199)
Acoustic detection for small-leak sodium-water reaction, 4441
Acoustic leak detection-location. Quarterly technical progress report, October--December 1978, 1149 (ESG-DOE--13263)
Acoustic leak detection system concept design, 1265 (GEFR--00340)
Acoustic leak detection-location. Quarterly technial progress report, January--March 1979, 1157 (ESG-DOE--13275)
Acoustic leak detection/location system for sodium heated steam generators, 1424 (GEFR-SP--212)
Acoustical methods of leak detection in sodium-water steam generators (a survey paper), 717 (CONF-781001--P2)
Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309)
Analyses of hydrodynamic effects of large sodium-water reactions, 1974 (INIS-mf--4592)
Analysis of the time-dependent fatigue behavior of 2 1/4 Cr--1 Mo steel based on the concept of linear summation of creep and fatigue damage, 2524 (ORNL--5309)
Analysis of the fatigue crack growth behavior of isothermally annealed 2 1/4 Cr--1 Mo steel, 2525 (ORNL--5309)
Analysis of the U.S. large leak test program Series I sodium--water reaction test results, 1414 (GEFR-SP--165)
Analysis of hydrodynamic effects of large sodium-water reactions, 5060
Apparatus and method for thermal power generation (Patent, LMFBR), 3705
Arrangement for leak detection (Patent), 4578
Availability analysis of commercial fast breeder reactor's steam generator system, 4602
B and W basis for design selections for intermediate ''A'' single wall steam generator design, 2925 (TID--28712)
Basis for Westinghouse double wall tube steam generator with third fluid leak detection capability extracted from Westinghouse proposal to the Department of Energy to develop a steam generator for large scale liquid metal fast breeder reactors, 2927 (TID--28715)
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Breeder reactor program: materials. Technical status report for June 1978, 2591 (ORNL/BRP/M--78/6)
Calibration system for hydrogen meters in sodium, 4650
Caustic stress corrosion tests for the LLTR, 2323 (NEDM--

14110)
Caustic stress corrosion of Fe--Cr--Ni austenitic alloys, 4281
Characterization of ESR and VAR 2-1/4Cr--1Mo alloy tubing, 2326 (NEDM--14145)
Characteristics of transition boiling in sodium-heated steam generator tubes, 3237
Comparison of results from large-leak sodium/water tests at LLTR with analysis, 987 (CRBRP-GEFR-SP--00043)
Composition of eta carbide phase in 1 1/4 Cr--1Mo, 5334
Constant extension rate testing for LMFBR steam generator applications, 2336 (NEDO--12668)
Control of water leakage into sodium by acoustic noise, 5318
Corrosion critique of the 2 1/4 Cr--1 Mo steel for LMFBR steam generation system applications, 2363 (NUREG--0387)
Corrosion and impurities deposition effects under DNB conditions, 1398 (GEFR-SP--045)
Corrosion of steels in molten sodium hydroxide, 4438
Corrosion fatigue of 2-1/4 Cr--1 Mo steel in caustic at 316°C, 1280 (GEFR--00375)
Corrosion of materials for sodium-cooled fast reactors, 3438
Corrosion and impurities deposition effects under DNB conditions, 697 (CONF-781001--P1)
Corrosion of 2 1/4 Cr-1Mo steel under superheat transfer conditions, 4182
Corrosion behaviour of iron-chromium alloys used as boiler tube materials in fast reactor steam generators, 4184
Corrosion issues in steam generators of the fast breeder reactor systems, 1419 (GEFR-SP--191)
Creep and tensile properties of transition weld joint materials, 2496 (ORNL--5255)
Creep and rupture behavior of 2 1/4 Cr--1 Mo steel, 2531 (ORNL--5309)
Creep and hot ductility properties of alloy 800 for steam generator pipes of surregeneretors, 4280
Creep-fatigue design criteria for application to a 2 1/4 Cr.-1 Mo LMFBR steam generator, 1961 (INIS-mf--4543)
Creep-fatigue design criteria for application to a 2 1/4 Cr-1 Mo LMFBR steam generator, 5118
Critical heat flux tests at low water flow and 7.3 MPa: interim report, 206 (ANL-CT--78-10)
Critical heat flux data with stress calculations in an LMFBR steam generator tube, 220 (ANL-CT--78-27)
Critical Heat flux measurements with sodium heating and low water flowrate, 225 (ANL-CT--78-39)
Critical heat flux measurements in an LMFBR evaporator tube, 3957
Decarburization of 2-1/4Cr--1Mo in flowing sodium, 696 (CONF-781001--P1)
Design, R and D, and manufacture of the components of secondary circuits for fast sodium power plant, 4077
Design basis of and materials requirement for sodium heated steam generators for fast reactors, 5150
Design philosophy and functional requirements of a sodium heated steam generator made of ferritic steel, 4149
Development of LMFBR steam generator leak protection systems, 4856
Development testing of leak injection devices for use in testing sodium-water leak detection modules, 4372
Development of leak detection systems for LMFBR steam generators in the U.S., 984 (CRBRP-GEFR-SP--040)
Development and test results of Westinghouse double wall tube steam generator including thermal model test, 2926 (TID--28713)
Development of leak detection systers for LMFBR steam generators in the U.S., 703 (CONF-781001--P1)
Development and production of tubes with inner finning for nuclear power, 3755
Development of 9Cr-Mo steel for fast breeder reactor steam generators, 4156
Development of annealed alloy 800 for elevated-temperature nuclear applications, 3167
Device for starting a steam generator by heating sodium in a reactor (Patent), 5330
Direct and indirect heating effect in the DNB tests for sodium heated steam generators for LMFBR's, 5299
Dissolution ratio of hydrogen generated by small-leak sodium-water reaction, 4409
Dryout characteristics at low mass velocities in a vertical straight tube of a steam generator, 4166
Dynamic instabilities in tubes of a large capacity, straight-tube, once-through sodium heated steam generator, 4274
Dynamic instability analysis of rupture disks by finite element method, 3988
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 5040
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 1971 (INIS-mf--4592)
Effect of sodium on the mechanical properties of 2 1/4 Cr--1 Mo steel, 2535 (ORNL--5309)
Effect of large sodium-water reactions on LMFBR steam generators; initial results from SWAAM-1, 581 (CONF-770807--Pt.E)
Effect of large sodium-water reactions on LMFBR steam generators: initial results from SWAAM-I, 5098
Effects of nozzle-to-target distance on wastage in small-leak sodium-water reactions, 3430
Electrochemical and physical methods for reactor diagnosis, 4069
Evaluation of strain cycling effects in the DNB zone of a sodium-heated steam generator, 983 (CRBRP-GEFR-SP--036)
Experimental results of sodium-water reaction test No. 1 in LLTR, 1678 (HEDL-TI--45-LME-006)
Experimental results of sodium-water reaction test No. 3 in LLTR, 1677 (HEDL-TI--45-LME-009)
Experimental results of sodium-water reaction test No. 2 in LLTR, 1679 (HEDL-TI--45-LME-007)
Experimental study of abnormal processes with small leaks of water into sodium in models of steam generators of reverse design, 713 (CONF-781001--P2)
Experiments on fluidelastic instability in tube banks subject to liquid cross flow. Part II. Mixed arrays, 245 (ANL-CT--79-45)
Facing the materials challenge in fast reactor steam generator technology, 3751
Fail-safety of LMFBR steam generator systems, 566 (CONF-770807--Pt.E)
Fail-safety of LMFBR steam generator systems, 5043
Fatigue crack growth properties of type-316 plate and 16-8-2 stainless steel welds in air and high carbon liquid sodium, 1258 (GEFR--00303)
Feasibility of acoustic leak location for WTD duplex-tube steam generators, 1327 (GEFR--00466)
Flow instability analysis in sodium-heated once-through steam generators, 3163
Fluidized bed steam generator concepts for LMFBR, 5295
Fluidized bed steam generator (Patent), 5331
Foster Wheeler protected bayonet tube LMFBR steam generator preliminary design, 2921 (TID--28273/1)
Foster Wheeler protected bayonet tube LMFBR steam generator preliminary design. Volume II. Appendices, 2922 (TID--28273/2)
Fracture toughness of LMFBR steam generator materials, 2506 (ORNL--5255)
Fracture toughness of LMFBR steam generator materials, 2554 (ORNL--5349)
Full scale tests and thermal design correlation for coiled once-through steam generators, 5001
Heat exchanger with intermediate evaporating and condensing fluid (Patent, LMFBR), 3800
Heat-to-heat variation of 2 1/4 Cr--1 Mo steel, 2492 (ORNL--5255)
Heat transfer with hockey-stick steam generator, 1404 (GEFR-SP--070)
Heat transfer with hockey-stick steam generator, 699 (CONF-781001--P1)
Heat transfer with double wall steam generator, 701 (CONF-781001--P1)
Heavy section steel technology (HSST) program, 3115
High reliability straight tube LMFBR steam generator design, 3149
High-resolution boreside radiography of small-diameter tube-to-tubesheet welds, 2572 (ORNL--5474)
Historic development of steels containing 8-10% Mo and future directions for LMFBR applications, 4155
Hydrogen burden from the steam side corrosion in sodium-heated steam generators, 3519
Inelastic thermal transient analysis of tubesheets, 2078 (IWGFR--11)
Inelastic stress analysis of steam generator's tube sheet for fast breeder reactor, 4283
Influence of heat exchange between reaction products of the interaction of sodium with water and structural elements of the steam generator on the parameters of the large leak emergency mode, 714 (CONF-781001--P2)
Inspection requirements and concepts for LMFBR heat exchangers and pump. A manufacturers view, 2054 (IWGFR--10)
Intentional steam tube failure in an LMFBR-type steam generator, 3571
Interim analysis of the creep strain--time characteristics of annealed and isothermally annealed 2 1/4 Cr--1 Mo steel, 2494 (ORNL--5255)
Interim evaluation of Sodium--Water Reaction Test No. 1 data and comparison with TRANSWRAP analyses: Series I large leak test program, 1226 (GEFR--00027(L))
Interim evaluation of data from sodium-water reaction tests SWR-3, SWR-4, and SWR-5 and comparison with transwrap analyses. Series I: large-leak test program, 1276 (GEFR--00366)
Interim report: leak detection test activities on the General Electric Steam Generator Test Rig (SGTR), 1294 (GEFR--00400)
Internal bore welding of 2 1/4 Cr-1 Mo steel tube-to-tubesheet joints, 2580 (ORNL--5538)
Inverse steam generator especially for liquid metals (Patent), 5184
Investigation of added masses and damping factors for vibrations of tube and tube bundles in fluid, 2099 (IWGFR--21)
Large-amplitude thermal oscillations measured in an LMFBR steam generator tube, 4688
Leak detection of steam or water into sodium in steam generators of liquid-metal fast breeder reactors, 4881
Leak location in a double wall tube steam generator, 1425 (GEFR-SP--213)
Liquid Metal Fast Breeder Reactor Materials Development Program. Quarterly progress report for period ending March 31, 1977 (ORNL), 2520 (ORNL--5309)

LLTR Series I test request. Revision 4. GE specification No. 22A3924, Rev. 4, 2907 (TID--27817)
LMFBR steam generators areas requiring special attention, 5427
LMFBR steam generators: behavior of heat exchange tubes faced with a through crack resulting in contact between sodium and water, 3069
Main results of experiments with a major leak of water into sodium conducted in nineteen-tube models, 716 (CONF-781001--P2)
Material consideration for large sodium-heated steam generators, 4644
Material selection for a sodium-heated steam generator, 4645
Materials technology for LMFBR steam generators, 3116
Measurement and correlation of critical heat flux in a sodium heated steam generator tube, 211 (ANL-CT--78-15)
Measurement of the sound produced during steam injections into sodium, 201 (ANL-CT--78-5)
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 2495 (ORNL--5255)
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
Mechanical properties of a 2 1/4 Cr--1 Mo steel forging for LMFBR tubesheets, 2532 (ORNL--5309)
Mechanical properties of tubesheet forgings for LMFBR steam generators, 2559 (ORNL--5378)
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
Metallurgical characterization of prototypic tubesheet forging, 2480 (ORNL--5255)
Metallurgical evaluation of the Modular Steam Generator (MSG) after LLTR testing, 1172 (ETEC--78-12)
Method of controlling steam temperature of a fluid heating separation type steam generator (Patent; LMFBR), 5395
Model studies of bubble size distribution and sound propagation at microleaks in sodium-heated steam generators, 3229
Modular Steam Generator test report: post-performance test disassembly and examination, 2936 (TR--097-330-009)
Modular steam generator final project report, 2937 (TR--097-330-010)
Notch ductility of Alloy 800 for the steam generators of breeder reactors, 4399
Notch ductility of Alloy 800 for liquid metal fast breeder reactor steam generator, 4410
Operating experience and sodium-water reaction testing in the Large Leak Test Rig, 4371
Operating experience and sodium-water reaction testing in the large leak test rig (DOE), 3749
Outline of sodium-water reaction test in case of large leak with SWAT-3 testing equipments, 3833
Plugging/unplugging of defects in LMFBR steam generator tubing, 1253 (GEFR--00274(L))
Post-CHF Heat transfer and transition boiling characteristics in an LMFBR steam generator tube, 237 (ANL-CT--79-14)
Post test examination of double-wall tube for interface wear and water side corrosion effects in a liquid metal heated steam generator, 2979 (WARD-I--10134-2)
Preliminary self wastage test results from CRACKPOT facility, 1254 (GEFR--00279(L))
Preliminary design: duplex tube low-pressure saturated steam generator for large LMFBR plant. Final report, 1129 (EPRI-NP--1219)
Pressure and temperature straining of liquid sodium heated sectional steam generators in accident situations, 4285
Pressure transient analysis in single and two-phase water by finite difference methods, 5028
Pressure transient analysis in single and two-phase water by finite difference methods, 1986 (INIS-mf--4638)
Problems of sodium/water steam generator safety and their solution in the USSR, 4078
Problems of heat exchange and hydrodynamics of sodium-water steam generators for fast-neutron reactors, 711 (CONF-781001--P2)
Procedure and circuit arrangement for leak detection (Patent), 4575
Program for the development of design data LMFBR steam generator materials, 1234 (GEFR--00067-3)
Progress of LMFBR steam generator testing in the US, 1420 (GEFR-SP--196)
Protected bayonet tube steam generator proof-of-principle tests. Final report, 2920 (TID--28269)
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity, 1988 (INIS-mf--4638)
PTA-1-RD: a computer program for analysis of pressure transients in hydraulic networks including the effects of noninstantaneous rupture discs, 222 (ANL-CT--78-32)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Recent experimental results on small leak behavior and interpretation for leak detection, 702 (CONF-781001--P1)
Reliability of various tube-to-tubesheet weld configurations, 3038 (WNET--116)
Removal of residual sodium from AI modular steam generator (SCTI-SP-312), 2758 (PP--04-PE-001)
Removal of sodium/sodium water reaction products from the MSG by reaction with organic solvents, 2302 (MP--45-SA-002)
Research program on an acoustical method of leak detection in sodium-water steam generators for 1978--1979, 719 (CONF-781001--P2)
Restraints for operation of FBTR steam generator, 5296
Results of small leak behavior and damage propagation tests in the U.S., 2324 (NEDM--14131)
Results of study of American specimens of welded joints between tubes and tubesheets, 709 (CONF-781001--P2)
Safety appliance for a steam generator heated by liquid metal (Patent), 3447
Seismic design study on cantilever cylindrical shells, 2909 (TID--27889)
Selection of steam generator materials for sodium cooled breeder reactors, 4398
Selection of the design basis leak for LMFBR steam generators, 1397 (GEFR-SP--044)
Selection of steam generator materials for sodium cooled fast breeders, 4418
Self-wastage phenomena. Volume II. Experimental data from GE test facilities, 1230 (GEFR--00051(L)-2)
Self-wastage phenomena. Volume I. State-of-the-art data review and evaluation, 1229 (GEFR--00051(L)-1)
SERP deposition from testing and cleaing an LMFBR generator, 3173
Simulation study of the secondary rupture of SG tubing for LMFBR, 1982 (INIS-mf--4592)
Simulation of the dynamic characteristics of steam generator for FBR plant, 3725
Simulation study of the secondary rupture of SG tubing for LMFBR, 5096
Small leak detection by measuring surface oscillation during sodium-water reaction in steam generator, 4587
Small leak scoping tests: secondary tube failure test; sodium/water reaction flame photography, 2325 (NEDM--14137)
Small leak damage and behavior test results, 2317 (NEDM--14044)
Small leak shutdown, location, and behavior, 2320 (NEDM--14092)
Small leaks of water into sodium and their detection by concentration methods, 712 (CONF-781001--P2)
Sodium heated steam generators. Near term and projected information needs-ferritic steels, 4150
Sodium-water reaction testing in the LLTR, 4651
Sodium--water reaction test in LLTR. Series I. Final report, 1170 (ETEC--78-10)
Sodium--water reaction product deposition and post-test cleaning of the modular steam generator, 1169 (ETEC--78-9)
Sodium-water reaction test facility (SWAT-3), 5195
Some aspects of modeling power plant thermal hydraulic transients, 4298
Some estimates of the prospects for dual-wall sodium-water steam generators, 707 (CONF-781001--P2)
SOWACS-3: a code for analyzing the system effects of large-leak sodium-water reactions in steam generators for LMFBR's, 5180
Steam generators of sodium cooled fast reactors, 4599
Steam generator materials engineering twelfth quarterly report, April--June 1977, 1360 (GEFR--14029-12)
Steam generator materials engineering thirteenth quarterly report, July--September 1977, 1361 (GEFR--14029-13)
Steam-side/water-side corrosion: the effect of heat flux on the corrosion of 2 1/4 Cr--1 Mo steel by superheated steam, 2533 (ORNL--5309)
Stress corrosion studies for 2 1/4CrlMo steel, 4183
Stress-rupture properties of sodium-decarburized and thermally aged 2 1/4 Cr-1 Mo steel, 3169
Stress-strain behavior of ERNiCr-3 weld filler metal under strain controlled cyclic loading, 2642 (ORNL/TM--6128)
Studies of thermal-hydrodynamic flow instability, 2. Effects of heating condition of thermal-hydrodynamic flow instability, 4358
Studies on temperature-controlled pool-boiling heat transfer, 3778
Study of the vertical straight tube type steam generator for LMFBR, 1. Test rig of a sodium-heated steam generator and experimental results of dryout, 3550
Substantiation of vibration strength of nuclear reactor and steam generator internals; main problems, 2104 (IWGFR--21)
Suitability of 2--1/4Cr--1Mo steel for LMFBR Steam Generation System applications: a critique of NUREG-0387, 2923 (TID--28546)
SWAAM prediction of LLTR Series-II A-1a Test, 242 (ANL-CT--79-35)
Test rig of straight tube type sodium-heated steam generator, 4553
Testing of steam generator leak detectors on the high pressure test loop: interim report, 240 (ANL-CT--79-18)
Tests and analysis in support of an acoustic leak detection/location system (progress report), 1283 (GEFR--00384)
Theoretical predictions of local heat transfer and water purity parameters for transition boiling based upon a film dryout model, 2321 (NEDM--14104)

Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2493 (ORNL--5255)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2534 (ORNL--5309)
Thermal-hydraulics in a helical coil tube steam generator, 700 (CONF-781001--P1)
Thermo-hydrodynamic instability test for 0.3 MWt sodium-heated steam generator, 4311
Thermohydraulics of steam generators, 4223
Third US/USSR LMFBR steam generator seminar, 724 (CONF-781001--P3)
Third US/USSR LMFBR steam generator seminar. Volume 1. US papers, 692 (CONF-781001--P1)
Third US/USSR LMFBR steam generator seminar. Volume 2. USSR papers, 705 (CONF-781001--P2)
Toughness of 2 1/4Cr-1Mo steel for LMFBR steam generator applications, 4159
Transition joint welding development for LMFBR steam generators, 4193
Tribological behaviour of materials for use in sodium cooled fast breeder steam generator applications, 4176
Tritium permeation through steam generator materials, 4483
Tritium permeation through Fe-2 1/4 Cr-1 Mo steam generator material, 3273
Tube/space plate interactions in sodium cooled fast breeder steam generators, 698 (CONF-781001--P1)
U.S. program for large sodium/water reaction tests, 643 (CONF-780203--9)
U.S. program for large sodium/water reaction tests, 704 (CONF-781001--P1)
Ultrasonic inspection methods for small-bore applications, 3689
Ultrasonic inspection for wastage in the LMFBR steam generator due to sodium--water reactions, 659 (CONF-780374--1)
USSR steam generator materials examination of test specimens, 1306 (GEFR--00413)
Validation of the computer program PTA-1-RD, 195 (ANL-CT--77-35)
Wastage phenomena due to small leak sodium-water reaction. Reaction temperature and wastage pattern, 4570
Wastage phenomena by small leak sodium-water reaction. II. Parameters effect, 3552
Water leaks in sodium-heated fast reactor boilers, 3712
Weldability and joint properties of advanced carbon stabilized 2.25Cr-1Mo steel for LMFBR, 4187

LMFBR TYPE REACTORS/STEAM LINES
Numerical evaluation of an inelastic piping elbow element, 3331

LMFBR TYPE REACTORS/STEAM SYSTEMS
Checklist for comparing LMFBR steam cycles, 3212
Comparison of LMFBR steam cycle conditions considering future technical improvements, 3211
Considerations in selection of steam conditions for sodium-cooled fast breeder reactors, 3209
Effect of steam cycle on the transient behavior of LMFBRs, 3596
Improvements to the maintainability and inspection of liquid metal systems. Volume 1. Overall study results, 1300 (GEFR--00405(Vol.1))
Improvements to the maintainability and inspection of liquid metal systems. Volume 2. Plant layout improvements, 1301 (GEFR--00405(Vol.2))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
LMFBR pool plant: 1000 MWe. Volume 1. Executive summary. Final report, 1118 (EPRI-NP--1015-SY(Vol.1))
LMFBR pool plant: 1000 MWe. Volume 2. NSSS plant description. Final report, 1119 (EPRI-NP--1015(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 3. Pool reactor engineering, NSSS. Final report, 1120 (EPRI-NP--1015(Vol.3))
LMFBR steam cycle design trade-offs, 4126
LMFBR steam cycle selection, 3208
LMFBR steam cycles: is efficiency the ultimate goal, 3213
Pool-type LMFBR Plant 1000 MWe phase a-extension-1 design. Part I. Executive summary. Interim report, 1086 (EPRI-NP--882-SY(Vol.1))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XII: balance of plant--plant description. Final report, 1114 (EPRI-NP--1014(Vol.9))
Steam cycle for high power liquid metal fast breeder reactor plants, 4114

LMFBR TYPE REACTORS/STRESS ANALYSIS
Analyses of hydrodynamic effects of large sodium-water reactions, 1974 (INIS-mf--4592)
Analysis of dynamically loaded non-linear structures, 3821
Finite element elastic-plastic analysis of LMFBR components, 1967 (INIS-mf--4543)
Finite element elastic-plastic analysis of LMFBR components, 5120
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 5070

LMFBR TYPE REACTORS/SUPERHEATERS
Device for starting a steam generator by heating sodium in a reactor (Patent), 5330
Improvements in or relating to heat exchangers (Patent), 3364
Nuclear power plant (Patent), 5448

LMFBR TYPE REACTORS/SUPPORTS
High-Temperature Structural Design Program. Semiannual progress report for period ending December 31, 1976, 2507 (ORNL--5281)

LMFBR TYPE REACTORS/SWELLING
Swelling analysis of highly-rated MX-type LMFBR fuels. II. Microscopic swelling behaviour, 3700

LMFBR TYPE REACTORS/SYSTEM FAILURE ANALYSIS
COMCAN II: a computer program for common cause failure analysis, 2941 (TREE--1289)

LMFBR TYPE REACTORS/TECHNOLOGY ASSESSMENT
Reason enough for the breeder, 3798

LMFBR TYPE REACTORS/TEMPERATURE MONITORING
Application of ultrasonic thermometry in lmfbr safety research, 4910
Improvements in or relating to sensors for monitoring the electrical conductivity of electrically conductive fluids (Patent, LMFBR), 4290

LMFBR TYPE REACTORS/TEMPERATURE NOISE
Effects of nonlinear or ''not-linear'' characteristics of reactor kinetics on power reactor noise analysis and proposal of application of some newly developing techniques to power reactor noise analysis, 5002

LMFBR TYPE REACTORS/TEST FACILITIES
50 MW-trial circuit. Quarterly report, first quarter 1978, 5463 (TNO-LMEC--29)
Activities in SBL-FPL loops for safety study of LMFBR(I), 2152 (JAPFNR--473)
Analysis of SBTF quadelliptical furnaces, 2596 (ORNL/MIT--285)
Analysis of Flow Impedance Phenomena. Final report, June 1, 1978-July 31, 1979, 955 (COO--4932.M001-2)
Characterization of an energy source for modeling hypothetical core disruptive accidents in nuclear reactors. First interim report, 266 (ANL/K72--2655-1)
Facility for nuclear aerosol experiments, 4215
Fast Breeder Blanket Facility. Quarterly progress report, April 1, 1978--June 30, 1978, 937 (COO--2826-9)
How local sodium boiling in rod bundles under really steady state boundary conditions is achieved on the CFNA loop, 349 (CEA-CONF--3994)
LMFBR safety and core systems programs. Progress report, January--March 1977, 2629 (ORNL/TM--5940)
Operation 50 MW circuit. Quarterly report, second quarter 1978, 5464 (TNO-LMEC--30)
Overview of U.S. fast reactor irradiation test vehicles, 1554 (HEDL-SA--1530)
Profiles of facilities used for FRB research and testing. Supplement 1 (France), 2085 (IWGFR--13-1)
Progress in the construction of experimental sodium loop SMT-1, 1899 (INIS-mf--4280)
SLSF delayed neutron detection with the on-line sodium sampling system, 739 (CONF-781105--66)
SLSF loop handling system. Volume I. Structural analysis, 261 (ANL/ENG--79-05)
SLSF loop hanlding system. Volume II. Cradle analysis for normal and accidental loading, 262 (ANL/ENG--79-06)
SLSF loop handling system. Volume IV. Analysis verifications and supporting appendices, 264 (ANL/ENG--79-08)
SLSF loop handling system. Volume III. AISC code evaluations and analysis of critical attachments, 263 (ANL/ENG--79-07)
Sodium test rigs for Britain's commercial reactor, 4342
THORS: a high-temperature sodium test facility rated at 2.0 MW, 814 (CONF-790816--24)

LMFBR TYPE REACTORS/THERMAL ANALYSIS
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 5070

LMFBR TYPE REACTORS/THERMAL INSULATION
Fast breeder reactors (Patent), 3562
Nuclear reactor insulation and preheat system (Patent), 3427
Sodium-water reaction product flow system (Patent), 3403

LMFBR TYPE REACTORS/THERMAL SHIELDS
Horizontal baffle for nuclear reactors, 3359
Like-proof insulating panel (Patent; LMFBR), 5370
System for fixing insulating panels (Patent; LMFBR), 5369
Thermal radiation transfer through LMFBR deck insulation, 3582

LMFBR TYPE REACTORS/THERMAL STRESSES
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin reactor structures, 5053

LMFBR TYPE REACTORS/THERMODYNAMIC CYCLES
Effect of steam cycle conditions upon the economics and design of a sodium-cooled fast reactor, 4129

LMFBR TYPE REACTORS/THORIUM
Optimization study of LMFBR with thorium-blanket for the supply of U-233 to multi-purpose HTGR, 4134

LMFBR TYPE REACTORS/THORIUM CYCLE
^{233}U--^{232}Th fuel cycle as an alternative to LMFBRs, 4708
Analytical study of the feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 116 (ANL--78-17)
Breeding performance potential for (U--Th) oxide, carbide, nitride, and metal-fueled LMFBRs, 3588
ECEL thorium assembly descriptions and data summaries, 1140 (ESG-DOE--13246)
Feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 4653
Investigation of LMFBRs with Th blanket for supply of U-233 to HTGR, 2141 (JAERI-M--7763)

Nuclear data sensitivity coefficients for A (^{233}U-^{232}Th) fueled LMFBR, 670 (CONF-780401--15)
Performance characteristics of thorium cycle in CANDU reactors and LMFBRs, 4709
Performance of various fuel cycles based on thorium in LMFBRs, 4711
Performance of thorium fueled fast breeders, 1481 (HEDL-SA--1327-FP)
Performance of thorium fueled fast breeders, 1482 (HEDL-SA--1327-S)
Performance of thorium-fueled fast breeders, 3292
Reactor physics parameters of alternate fueled fast breeder reactor core designs, 3291
Reactor physics parameters of alternate fueled FBR core designs, 1483 (HEDL-SA--1329)
Realities of utilizing thorium-based fuels in LWRs and LMFBRs, 4655
Thorium assessment study quarterly progress report, third quarter fiscal 1977, 2636 (ORNL/TM--6025)
Use of ^{232}Th--^{233}U fuel cycle in fast breeder reactors, 629 (CONF-771203--)
Use of thorium in LMFBR blankets, 4710
LMFBR TYPE REACTORS/TOPPING CYCLES
Cesium vapor cycle for an advanced LMFBR, 5434
LMFBR TYPE REACTORS/TRANSDUCERS
Acoustic transducer and its procedure of fabrication (Patent; LMFBR), 5447
Ultrasonic transducers (Patent), 3426
LMFBR TYPE REACTORS/TRANSIENT OVERPOWER ACCIDENTS
Analysis of TREAT transient overpower experiments using the PLUTO2 codes, 1019 (DOE/TIC--10101)
Analysis of internal fuel motion during PINEX-2 experiment, 1590 (HEDL-SA--1658-S)
Analysis of internal fuel motion during PINEX-2 experiment, 2242 (LA--7938-C)
Analysis of TREAT transient overpower experiments using the PLUTO codes, 2251 (LA--7938-C)
Analysis of proposed transient overpower experiments, 740 (CONF-781108--)
Clad strain and melt-through failure mode analysis for fast-running application, 2245 (LA--7938-C)
Comparative study of heterogeneous and homogeneous liquid-metal fast breeder reactor cores in some accident conditions, 3066
Comparison of FISGAS swelling and gas release predictions with experiment, 2258 (LA--7938-C)
Comparison of a fission-gas effects in a transient overpowar test (HUT 5-7A) to FRAS3 code predictions, 1609 (HEDL-SA--1725-FP)
Criteria for TOP or LOPI termination in a LMFBR, 1406 (GEFR-SP--133)
Effect of fuel design and material on LMFBR terminated transient overpower performance, 3227
Fission gas behavior in mixed-oxide fuel during overpower and thermal transient tests, 1443 (HEDL-S/A--1552-FP)
Fission gas behavior in mixed-oxide fuel during transient overpower, 1620 (HEDL-SA--1747-FD)
FRESS pin failure model and its application to E-8 TREAT test, 1017 (DOE/TIC--10099)
FRESS pin failure model and its application to E-8 TREAT test, 2246 (LA--7938-C)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment, 2250 (LA--7938-C)
Fuel crack volume predictions and measurements, 2240 (LA--7938-C)
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments, 2247 (LA--7938-C)
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
Fuel pins and core response under liquid-metal fast breeder reactor transient overpower accident conditions, 3070
Fuel rod mechanics and failure analysis. Twenty-fourth quarterly report, May--July 1978, 1353 (GEFR--13923-24)
Influence of TREAT nonprototypic effects on prediction of pin failure in LMFBRs, 2284 (LA-UR--79-2141)
Influence of thermal cracking on transient pre-failure molten fuel motion, 2241 (LA--7938-C)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
Matheratics clinic. Nuclear safety code study, 2806 (SAN--1359-T1)
MELT-IIIB: an updated version of the melt code, 1836 (HEDL-TME--78-108)
Mild transient overpower accidents with advanced fuels, 3198
Pin failure modeling of the A series CABRI tests, 2870 (SAND--78-1919C)
PINEX-AR, a fuel dynamics code applied to PINEX-2 prediction and reactor analysis, 2244 (LA--7938-C)
PINEX II: French contribution to an international benchmark experiment, 2243 (LA--7938-C)
Prompt Burst Energetics in the oxide/sodium system, 2875 (SAND--79-0079C)
Sodium boiling with stainless steel clad melting and relocation out-of-pile experimental results and interpretation, 2248 (LA--7938-C)
Survival of peripheral pins during a TOP-HCDA, 1624 (HEDL-SA--1752-FP)
Thermal-hydraulic analysis of fuel blockages formed during transient overpower accidents in liquid-metal fast breeder reactors, 3065
Whole-core accidents in an LMFBR, 2312 (ND-R--178(R))
LMFBR TYPE REACTORS/TRANSIENTS
ALICE: a hybrid Lagrangian-Eulerian code for calculating fluid-structure interaction transients in fast-reactor containment, 157 (ANL--79-72)
Analysis of experimental fission gas behavior data in fast reactor fuel under steady state and transient conditions (LANGZEIT and KURZZEIT codes), 1204 (EURFNR--1464)
Analysis of a hypothetical LMFBR accident using the codes FUTURE and FRUMP, 3987
Application of multiple timestep integration method in SSC, 320 (BNL-NUREG--25519)
BEHAVE-SST interpretation of TREAT experiments HUT 5-5A and HUT 5-5B, 3985
Behavior of unirradiated sodium-bonded carbide during mild overpower transients, 3632
Comparative transient analysis of metal and oxide fueled LMFBR (Loop-type and pool-type designs), 251 (ANL-CT--80-1)
Comparison of experiment and NEFIC model calculations of transient fission gas behavior, 16 (AERE-TP--793)
Confirmatory simulation of safety and operational transients in LMFBR systems, 311 (BNL-NUREG--24988)
CORTRAN code for whole-core LMFBR transient thermal-hydraulic analysis, 3225
CURL: a transient simulation code for LMFBRs, 4775
Damping of the radial impulsive motion of LMFBR core components separated by fluid squeeze films, 5030
Effect of steam cycle on the transient behavior of LMFBRs, 3596
EPRI--CURL dynamic analysis of loop type LMFBRs. Final report, 1105 (EPRI-NP--1001)
Experimental and analytical study of transients in LMFBR outlet plenums, 3667
FBR core transient simulation, 3219
Fuel-clad stress--strain state at the beginning of a transient (KRASS code), 459 (CONF-761001--P3)
LMFBR design transients and regulatory requirements, 3657
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
LONAC: a computer program to investigate systems dynamics under conditions of low forced flow and natural convection, 2645 (ORNL/TM--6228)
Measurement of cladding strain during simulated transient tests, 1613 (HEDL-SA--1731-FP)
Model to describe the role of non-equilibrium intragranular fission gas bubbles during transient heating, 3415
Modeling breeder reactor transient fission gas behavior: bubble equilibration effects, 3602
Modeling of the effects of grain-boundary fission gas on transient fuel behavior, 3603
Modified version of COBRA for whole-core LMFBR transient analysis, 3221
Numerical results obtained from the three dimensional transient single phase version of the COMMIX computer code, 200 (ANL-CT--78-3)
Numerical simulation of thermohydraulic transients in LMFBR systems, 3658
Outlet plenum mixing for transient overpower conditions of a one-exit nozzle LMFBR, 221 (ANL-CT--78-30)
Plenum-2A, a program for transient analysis of liquid-metal fast breeder reactor outlet plenums, 3050
PLOOP code for the primary loop coolant flow and heat transfer analysis of certain pool-type LMFBRs, 4776
Prediction of high strain-rate deformation of LMFBR cladding during reactor transients, 460 (CONF-761001--P3)
Probabilistic assessment in structural analysis of main coolant systems for LMFBR under anticipated thermal transients, 5127
Regional-tailoring of EBR-II for slow transient tests, 3186
Results of the in-pile experimental programm SCARABEE, 4217
Role of fission gas and fuel melting on transient fuel response, 3604
SIMBO: a simple boiling model of the response of a simulated sodium-cooled breeder reactor subassembly to an undercooling transient, 2653 (ORNL/TM--6343)
Simple multichannel thermal-hydraulic model for study of the transient behavior of coolant in LMFBR subassembly, 3663
Simplified method of computing cladding and fuel strain during a slow overpower transient, 4769
Simulation of operational and safety transients in LMFBR systems (SSC Code), 305 (BNL-NUREG--23113)
Strain rate effects in transient overpower cladding failure analyses, 3986
Study of transient sodium boiling in LMFBR fuel bundles, 1289 (GEFR--00395)
TEMP: a computer code to calculate fuel pin temperatures during a transient, 1735 (HEDL-TME--75-85)
Transient analysis of the primary system of a liquid metal-cooled fast breeder reactor plant, 5256
Transient code for analyzing LMFBR subassemblies including intersubassembly heat transfer (TCLUST1), 3224
Transient thermal-hydraulic analysis in the forced-convection regime (TRANSENERGY), 3226
Users' manual for the SSC-L code, 2408 (NUREG/CR--0452(Vol.1))

Whole-core thermal-hydraulic transient code development and verification for LMFBR analysis, 773 (CONF-790602--36)
Whole-core thermal-hydraulic transient code development and verification for LMFBR analysis, 3220
LMFBR TYPE REACTORS/TRITIUM METERS
Tritium meters for use in LMFBR sodium coolant, 120 (ANL--78-30)
LMFBR TYPE REACTORS/TUBES
Fracture of longitudinally cracked ductile tubes, 5033
Fracture of longitudinally cracked ductile tubes, 1953 (INIS-mf--4541)
Pipes in steel or special materials for nuclear boilers, 3505
LMFBR TYPE REACTORS/TURBOGENERATORS
Study of alternative boiler feed pump arrangements for a civil fast reactor, 4123
LMFBR TYPE REACTORS/TWO-PHASE FLOW
Numerical method for a transient two-fluid model, 356 (CEA-CONF--4339)
LMFBR TYPE REACTORS/URANIUM 233
Optimization study of LMFBR with thorium-blanket for the supply of U-233 to multi-purpose HTGR, 4134
LMFBR TYPE REACTORS/VALVES
AI/LMEC experience with freeze seal and bellows seal valves, 2900 (TI--00-LME-014)
Analysis of sodium valve reliability data at CREDO, 810 (CONF-790816--19)
Cavitation problems in sodium valves, 2036 (IWGFR--9)
Design, R and D, and manufacture of the components of secondary circuits for fast sodium power plant, 4077
Initial data collection efforts of CREDO. Sodium valve failures, 2309 (NCSR-R--20)
Liquid-metal valves, 4643
SPTF Flow Loop 18 inch butterfly valve cavitation test report, SPTF-LPP, 2911 (TID--28094)
Techniques for the thermal/hydraulic analysis of LMFBR check valves, 846 (CONF-791205--3)
Valves for fast sodium reactors, 5383
LMFBR TYPE REACTORS/VAPOR CONDENSERS
Vapor generator system equipment for fast breeder reactor (Patent), 5384
LMFBR TYPE REACTORS/VOID COEFFICIENT
Analysis of sodium-void experiments in ZPPR-3 modified Phase 3 core, 2201 (KFK--2668)
Analysis of sodium void coefficient in heterogeneous core fast power reactors, 4104
Calculation of the reactivity due to bubble collapse with the probability table method, 2593 (ORNL/CSD/TM--35)
Design configurations for controlling sodium void worth in large FBR cores, 1479 (HEDL-SA--1325)
Effects of thorium breeder material on sodium-void reactivity, 3934
Low sodium void coefficient LMFBR cores, 400 (CONF-761001--P2)
Low sodium void cores, 730 (CONF-781022--32)
Neutronics calculations with EQUICYCLE version 3 on two heterogeneous LMFBR concepts, 2899 (STUDSVIK-K2--79/90)
Optimization study of LMFBR having small sodium void coefficient from fuel cycle performance viewpoint, 4127
Performance of 1000-MW(e) mixed fuel cycle LMFBRs (^{233}U--Th cycle), 4705
Present status of sodium void reactivity predictions in conventional and nonconventional fast reactor core designs, 661 (CONF-780401--)
LMFBR TYPE REACTORS/WASTE MANAGEMENT
Breeders, 4208
LMFBR TYPE REACTORS/WELDED JOINTS
Exploration of the influence of welding variables on notch ductility of irradiated austenitic stainless steel welds, 4948
Fatigue-crack propagation in dissimilar metal weldments, 2500 (ORNL--5255)
Ultrasonic techniques for in-service inspection of austenitic stainless steel welds at 200°C, 1560 (HEDL-SA--1546)
LOADING MACHINES (REACTOR)
See REACTOR CHARGING MACHINES
LOADING (REACTOR)
See REACTOR FUELING
LOS ALAMOS MOLT. PLUT. REACTOR EXPERIMENT
See LAMPRE-1 REACTOR
LOSS OF COOLANT
Analysis of the FFTF primary pipe rupture transients, 316 (BNL-NUREG--25493)
Comparative analysis of a hypothetical coolant loss accident in an LMFB reactor with the use of various calculation models for a common reference problem, 1198 (EUR--5946)
Core elements during ramp powers and incidents, 2179 (KFK--2416)
Creep behaviour of SNR cladding tube material under the temperature transients relevant to cooling disturbances, 3891
Depressurization of internally heated boiling pools, 3339
Detective rod and accident experiments, 2178 (KFK--2416)
Effect of internal thermal radiation on the contact interface temperature, 4812
Effect of high external thermal loading on LMFBR subassembly integrity, 1972 (INIS-mf--4592)
Energy from nuclear reactors. Pt. 5. Fast breeder reactor safety, 4462
EXCURS: a computing programme for analysis of core transient behaviour in a sodium cooled fast reactor, 2139 (JAERI-M--7280)
Finite-difference methods in multi-dimensional two-phase flow, 2268 (LA-UR--77-2378)
Heat transfer in reactor safety, 4174
Intercomparison of auto- and cross-power spectral density surveillance systems for sodium boiling detection in fast reactors, 3269
LMFBR safety program. Quarterly technical progress report, April--June 1977, 42 (AI-ERDA--13205)
Pipe rupture studies for the CRBR using DEMO and SAS, 442 (CONF-761001--P3)
Potential gas entry into FFTF after a postulated pipe rupture, 3983
Primary pipe rupture accident analysis for the Clinch River Breeder Reactor, 3492
Quarterly technical progress report. Reactor safety, April--June 1978, 1136 (ESG-DOE--13242)
Reactor safety. Quarterly technical progress report, October--December 1978, 1150 (ESG-DOE--13264)
Results of research into nuclear power plant safety, 1894 (INIS-mf--4054)
Sodium leak detector, 5175
Theoretical investigations of the meltoff and resolidification process of fuel claddings during accidents in liquid metal cooled fast breeder reactors, 2200 (KFK--2662)
Thermal explosion hazards in (fast) nuclear reactors, 4033
LOSS OF COOLANT/COMPUTER CALCULATIONS
Criteria for TOP or LOPI termination in a LMFBR, 1406 (GEFR-SP--133)
LOSS OF COOLANT/HEAT TRANSFER
Multichannel analysis for predicting temperatures and boiling initiation in LMFBR subassemblies during a flow transient, 509 (CONF-761001--P4)
Pretest prediction of the W-1 SLSF experiment using the COMMIX-1A computer code (LMFBR), 2443 (NUREG/CR--0816)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
W-1 SLSF experiment (LMFBR), 1600 (HEDL-SA--1688)
LOSS OF COOLANT/HYDRAULICS
Analysis of a loss-of-piping-integrity transient in an LMFBR fuel assembly, 3183
Hydraulic response of an LMFBR primary system to pipe rupture, 4805
Multichannel analysis for predicting temperatures and boiling initiation in LMFBR subassemblies during a flow transient, 509 (CONF-761001--P4)
Pretest prediction of the W-1 SLSF experiment using the COMMIX-1A computer code (LMFBR), 2443 (NUREG/CR--0816)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
W-1 SLSF experiment (LMFBR), 1600 (HEDL-SA--1688)
LOSS OF FLOW
Accident trees: a framework for accident evaluation, 413 (CONF-761001--P2)
Advanced fuels program. Quarterly progress report, October--December 1977, 175 (ANL-AFP--34)
Advanced fuels program. Quarterly progress report, January--March 1977, 176 (ANL-AFP--35)
Analysis of core disruptive accidents in carbide-fueled LMFBRs, 4860
Analysis of in-pile fuel disruption experiments, 3608
Analysis of TREAT Tests L7 and L8 with SAS3D, LEVITATE and PLUTO2 (LMFBR), 1020 (DOE/TIC--10102)
Analysis of FFTF response to hypothetical earthquake with postulated primary piping leak and cooling by natural circulation, 1603 (HEDL-SA--1703-FP)
Analysis of severe hypothetical accidents, 4214
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 5108
Assessment of the consequences of boiling in the radial blanket due to hypothetical major pipe leaks, 3371
Atomic power plant, 5391
Clad relocation dynamics: the physics and accident evolution implications (LMFBR), 475 (CONF-761001--P4)
Comparative study of heterogeneous and homogeneous liquid-metal fast breeder reactor cores in some accident conditions, 3066
Comparison of neutronics calculations in a loss-of-flow accident, 426 (CONF-761001--P2)
Comparisons of DEMO calculations to FFTF pump and flow coastdown measurements, 2988 (WARD-NC--94000-1)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1E, 257 (ANL/EBR--102)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 7A, 259 (ANL/EBR--104)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1A, 256 (ANL/EBR--101)
Computer simulation of natural circulation in FFTF

secondary loops, 1653 (HEDL-SA--1920S)
Core elements during ramp powers and incidents, 2179 (KFK--2416)
Current state of analysis of recriticality under PAHR conditions, 87 (ANL--78-10)
Disassembly phase energetics: an examination of the impact of SIMMER models and assumptions, 2457 (NUREG/CR--1027)
Dispersive potential of irradiated breeder reactor fuel during a thermal transient (LMFBR), 4801
Effect of high external thermal loading on LMFBR subassembly integrity, 5109
Experience with transient testing and simulation at EBR-II, 3659
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
Fast reactor programme. First quarter 1977 progress report, 1049 (ECN--22)
Fast reactor safety technical progress report, April--June 1977, 1775 (HEDL-TME--77-67)
Fast reactor program. Combined second and third quarters 1977 progress report, 1050 (ECN--34)
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)
FFTF hot leg ruptures and loss of flow events, 1527 (HEDL-SA--1459)
FFTF primary system transition to natural circulation from low reactor power, 1652 (HEDL-SA--1919-FP)
Final report on TREAT Test R3, a single-pin loss-of-flow experiment (LMFBR), 63 (ANL--77-54)
First visual in-pile fuel disruption experiments, 3607
FSAR supplement 13. Part I. Responses to NRC Q_1 set 8, 1685 (HEDL-TI--75001-13.1)
Fuel motion in loss-of-flow accidents (PLOFA code), 4903
FUSS: the integrated FUMO, SAS3A, neutronics update system, 4773
Heat transfer and fluid dynamics in a volume-heated boiling pool, 505 (CONF-761001--P4)
Heat transfer and fluid flow aspects of fuel--coolant interactions, 926 (COO--2781-12TR)
Hypothetical core disruptive accident analysis of a 2000 MWsub(e) liquid metal cooled fast breeder reactor, 2187 (KFK--2490)
Impact of SIMMER-II model uncertainties on predicted postdisassembly dynamics, 2459 (NUREG/CR--1058)
Importance of heat transfer in hypothetical core disruptive accident analysis, 4437
Improved method for conducting failed fuel experiments in LWRs, 3975
In-reactor safety tests with fuels for fast neutron reactors, 2032 (IWGFR--5)
In-vessel natural circulation during a hypothetical loss-of-heat-sink accident in the Fast Flux Test Facility, 328 (BNL-NUREG--26131)
Incipient boiling of sodium in an annular channel heated by a single-pin with blockage, 5161
Influence of fuel-coolant-interactions on loss of flow type core disruptive accidents for the SNR-300, 439 (CONF-761001--P3)
Influence of fission gases on mechanical energy release after hypothetical coodant flow accidents, 3914
LMFBR accident energetics and their role in licensing, 420 (CONF-761001--P2)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
Loss-of-flow test L5 on FFTF-type irradiated fuel, 118 (ANL--78-24)
Mechanical failure of subassembly ducts and its effects on transition-phase analysis, 3992
Melting, boiling and freezing: the ''transition phase'' in fast reactor safety analysis, 4981
Method and apparatus for controlling the neutron flux in nuclear reactors, 3131
Method for assessing core-wide incoherency effects on LMFBR whole-core accident evolution, 429 (CONF-761001--P3)
Method for vaporizing mixed oxide fast reactor fuels for animal inhalation studies, 4545
Microwave heating simulations of fission energy generation in volume-boiling pool systems, 3202
Modes of failure of fast reactor fuel pins irradiated under loss-of-coolant-flow conditions, 3073
MONJU fuel pin safety irradiation program in GETR, 2030 (IWGFR--5)
Natural circulation boosts safety of pool-type fast reactor, 3080
Parametric approach to LMFBR safety evaluation, 5258
PHysics of reactor safety. Quarterly report, April--June 1977, 65 (ANL--77-69)
PHysics of reactor safety. Quarterly report, January--March 1977, 60 (ANL--77-48)
PHysics of reactor safety. Quarterly report, July--September 1977, 77 (ANL--77-92)
PHysics of reactor safety. Quarterly report, October--December 1977, 117 (ANL--78-23)
PHysics of reactor safety. Quarterly report, January--March 1978, 2388 (NUREG/CR--0148)
PHysics of reactor safety. Quarterly report, April--June 1978, 2413 (NUREG/CR--0477)
Physics of reactor safety. Quarterly report, July--September 1978, 2422 (NUREG/CR--0653)
PHysics of reactor safety. Quarterly report, October--December 1978, 2432 (NUREG/CR--0759)
Physics of reactor safety. Quarterly report, January--March 1979, 2448 (NUREG/CR--0864)
Physics of reactor safety. Quarterly report, April-June 1979, 2462 (NUREG/CR--1096)
Post-accident heat removal in LMFBRs, 1393 (GEFR-SP--023)
Post test evaluation of natural circulation in FFTF secondary loops, 1654 (HEDL-SA--1921-FP)
Potential for plugged core pressurization following a hypothetical accident in an LMFBR, 3128
Probabilistic/deterministic procedure for analyzing LMFBR core disruptive accidents, 451 (CONF-761001--P3)
Progress in liquid-metal fast breeder reactor safety research and development - an overview of the issues, 4180
Radiative heat transfer in a 19-pin sodium-voided bundle, 2595 (ORNL/MIT--274)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
Response of EBR-II to a complete loss of primary forced flow during power operation, 850 (CONF-800226--6)
Results of fuel freezing tests with simulated CRBR-type fuel pins, 4000
Safety test facilities. Needs and concepts. A French evaluation, 346 (CEA-CONF--3849)
SAS3D analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 838 (CONF-791103--92)
Self-actuated rate of change of pressure scram device for nuclear reactors, 3103
SIMMER-II analysis of the R-7 TREAT test, 2433 (NUREG/CR--0760)
Simple transient analysis of the THORS bundle 6A boiling test results, 679 (CONF-780622--37)
Simulation of an HCDA sequence on the ZPPR critical facility, 402 (CONF-761001--P2)
Simulation of boiling pools with internal heat sources by gas injection, 917 (COO--2554-6)
Simulation of FFTF hot-leg ruptures and loss-of-flow events, 3661
Single-phase pump model for analysis of LMFBR heat transport systems, 2392 (NUREG/CR--0240)
Sodium boiling in fast reactors: a state-of-the art review, 4979
Sodium boiling incoherence in a 19-pin wire-wrapped bundle, 819 (CONF-790816--32)
Some recriticality studies with SIMMER-II, 2287 (LA-UR--79-2340)
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 5077
Studies related to emergency decay heat removal in EBR-II, 823 (CONF-790816--57)
Subassembly-to-subassembly meltthrough analytical studies, 5052
Summary and evaluation of R-series loss-of-flow safety tests in TREAT, 471 (CONF-761001--P4)
Summary and evaluation of transient test data on extended fuel motion resulting from unprotected loss of flow, 56 (ANL--77-40)
Temperature control of active core assemblies in a fast reactor in accidents, 1216 (FEI--711)
Thermal analysis of an in-reactor LMFBR irradiation creep experiment, 3231
Transient analysis of the primary system of a liquid metal-cooled fast breeder reactor plant, 5256
Transient containment response and inherent retention capability, 4499
Transport processes in LMFBR core disruptive accidents, 2270 (LA-UR--78-1265)
Transport and reactor theory. Progress report, July 1--September 30, 1978, 2232 (LA--7554-PR)
Treatment of incoherencies and uncertainties in LMFBR LOF accident analysis with PARSEC, 441 (CONF-761001--P3)
Unprotected loss-of-flow transients in large LMFBRs, 440 (CONF-761001--P3)
Use of temperature variance to detect sodium boiling, 3238
Volume-heated boiling pool flow behavior and application to transition phase accident conditions, 310 (BNL-NUREG--24984)

Whole-core accidents in an LMFBR, 2312 (ND-R--178(R))
LOSS OF FLOW/ACOUSTIC MONITORING
Acoustics of the Sodium Loop Safety Facility P2 experiment, 3826
LOSS OF FLOW/AFTER-HEAT REMOVAL
Buoyancy induced flow and heat redistribution during LMFBR core decay heat removal, 849 (CONF-800226--1)
Dynamic simulation of LMEBR plant under natural circulation, 325 (BNL-NUREG--25618)
Effect of pump-stored kinetic energy on natural-circulation decay-heat removal in loop-type LMFBRs, 3187
LMFBR transition to natural circulation from an initial isothermal state, 3979
Natural-circulation decay heat removal in an LMFBR, 4774
Studies related to protected loss of flow accidents in a fast breeder reactor, 843 (CONF-791204--29)
Transition to natural convection from low-temperature, low-flow conditions in loop-type LMFBRs, 3188
LOSS OF FLOW/BOILING
Approach for treating two-dimensional coolant boiling in an LMFBR fuel subassembly, 4794
Considerations on incoherency of boiling and voiding in liquid-metal fast breeder reactor subassemblies during a loss-of-flow accident, 3075
Transient sodium boiling characteristics at pump run down (LMFBR), 513 (CONF-761001--P4)
LOSS OF FLOW/BOILING DETECTION
Acoustic noises with loss-of-flow sodium boiling experiment in 19-pin bundle (LMFBR), 2146 (JAPFNR--423)
Acoustics and voiding dynamics during SLSF simulations of LMFBR undercooling transients, 749 (CONF-781202--26)
LOSS OF FLOW/BUBBLE GROWTH
Sodium boiling in a full-length 19-pin simulated fuel assembly (THORS Bundle 6A), 2664 (ORNL/TM--6553)
LOSS OF FLOW/COMPUTER CALCULATIONS
SAS3D analysis of unprotected loss-of-flow transients for 1200-MW(electric) liquid-metal fast breeder reactor homogeneous and heterogeneous core designs, 3372
LOSS OF FLOW/FISSION PRODUCT RELEASE
Comparison of FISGAS swelling and gas release predictions with experiment (LMFBR), 2258 (LA--7938-C)
LOSS OF FLOW/FLOW BLOCKAGE
Cladding motion in a 37-pin loss-of-flow exeriment: SLSF P3 (LMFBR), 3200
LOSS OF FLOW/FUEL ASSEMBLIES
Boiling incoherency effects in unprotected loss-of-flow accidents (LMFBR), 4771
Some comments on sodium behavior (boiling) in LMFBR wire-wrapped subasemblies, 4795
LOSS OF FLOW/FUEL ELEMENT FAILURE
Analysis of in-pile fuel disruption experiments (LMFBR), 2859 (SAND--78-0363C)
Analysis of fuel behaviour in SCARABEE 1st phase experiments (LMFBR), 2255 (LA--7938-C)
Analysis of TREAT tests L7 and L8 with SAS3D, LEVITATE and PLUTO2 (LMFBR), 2257 (LA--7938-C)
Cladding motion in a 37-pin loss-of-flow exeriment: SLSF P3 (LMFBR), 3200
Comparison of the predictions from the multichannel clad relocation model to available in-pile experimental data (LMFBR), 2253 (LA--7938-C)
Effect of a loss of flow on a single LMFBR-type fuel pin, 5353
F1 Phenomenological Test on fuel motion: final report (LMFBR), 126 (ANL--78-50)
Fast integral model for the transient analysis of a melting fuel pin, 3628
Freezing and melting phenomena in finite-media, with application to molten fuel containment for SLSF experiments (LMFBR), 736 (CONF-781105--20)
Fundamental aspects of molten clad relocation (LMFBR), 2252 (LA--7938-C)
Heat transfer, sodium boiling and fuel pin integrity after a severe LMFBR piping failure, 4991
Multichannel model for relocation of molten fuel cladding in unprotected loss-of-flow accidents in liquid-metal fast breeder reactors, 3290
Pin plenum fission gas release model to describe fission gas effects in a voided channel (LMFBR), 4803
Post-test evaluation of the SLSF loss-of-flow safety experimert P2 (LMFBR), 4750
Role of fission gas and fuel melting in fuel response during simulated hypothetical loss-of-flow transients (LMFBR), 3061
SIMMER-II analysis of the R-7 TREAT test (LMFBR), 2256 (LA--7938-C)
LOSS OF FLOW/FUEL PINS
Examination of subassembly scale fuel motion using the SIMMER-II code (LMFBR), 2286 (LA-UR--79-2285)
LOSS OF FLOW/HEAT TRANSFER
Buoyancy effects on pressure loss in rod arrays under laminar flow (LMFBR), 3184
Buoyancy induced flow and heat redistribution during LMFBR core decay heat removal, 849 (CONF-800226--1)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop (THORS bundle 6A) (LMFBR), 2677 (ORNL/TM--6778)
Computational results for a 7-pin hexagonal fuel assembly during a flow rundown transient using the COMMIX-1A computer code (LMFBR), 2471 (NUREG/CR--1285)
Contribution to the study of sodium boiling during slow pump coastdown in LMFBR subassemblies, 4980
Dual change-of-phase in forced flow on a finite wall, with application to SLSF safety analysis, 808 (CONF-790816--12)
Experiments on pressure-driven fuel compaction with reactor materials (LMFBR), 478 (CONF-761001--P4)
Experimental observations of intersubassembly heat transfer effects during natural circulation (LMFBR), 4021
Experimental study of the transition from forced to natural circulation in EBR-II at low power and flow, 805 (CONF-790808--18)
Heat transfer, sodium boiling and fuel pin integrity after a severe LMFBR piping failure, 4991
Integral boiling phenomena under radial temperature gradients in a twelve rod bundle of LMFBR geometry, 510 (CONF-761001--P4)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
LMFBR transition to natural circulation from an initial isothermal state, 3979
Measurements of subassembly and core temperature distributions in an LMFBR, 4863
Molten fuel containment analysis for SLSF experiments (LMFBR), 837 (CONF-791103--25)
Natural-circulation decay heat removal in an LMFBR, 4774
New scheme for solving the COBRA energy equations during natural-circulation conditions (LMFBR), 4020
Reactor development program. Progress report, August 1979 (LMFBR), 294 (ANL-RDP--86)
SIMMER-II analysis of the R-7 TREAT test (LMFBR), 2256 (LA--7938-C)
Statistical model to identify boiling inception in TREAT tests (LMFBR), 4009
Temperatures of EBR-II subassemblies in air or argon without forced cooling, 806 (CONF-790808--19)
Transient undercooling analysis of the dispersal mechanism test (LMFBR), 477 (CONF-761001--P4)
Transient temperature distribution in reactor coolant channel following loss of flow, 5408
LOSS OF FLOW/HYDRAULICS
Application of the SIMMER-I code to LOF accidents in an LMFBR, 2230 (LA--7194-MS)
Buoyancy effects on pressure loss in rod arrays under laminar flow (LMFBR), 3184
Buoyancy induced flow and heat redistribution during LMFBR core decay heat removal, 849 (CONF-800226--1)
Computational results for a 7-pin hexagonal fuel assembly during a flow rundown transient using the COMMIX-1A computer code (LMFBR), 2471 (NUREG/CR--1285)
Hydrodynamics of emergency cooling of a sodium-cooled fast reactor, 1901 (INIS-mf--4280)
Implicit Eulerian hydrodynamics technique for multicomponent systems (LMFBR), 4637
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
LMFBR transition to natural circulation from an initial isothermal state, 3979
LONAC: a computer program to investigate systems dynamics under conditions of low forced flow and natural convection, 2645 (ORNL/TM--6228)
Natural-circulation decay heat removal in an LMFBR, 4774
New scheme for solving the COBRA energy equations during natural-circulation conditions (LMFBR), 4020
Numerical simulation of the two-dimensional boiling (voiding) in LMFBR subassemblies, 511 (CONF-761001--P4)
Reactor development program. Progress report, August 1979 (LMFBR), 294 (ANL-RDP--86)
SIMMER-II analysis of the R-7 TREAT test (LMFBR), 2256 (LA--7938-C)
Sodium boiling experiments in a 19 pin bundle: two phase coolant dynamics (LMFBR), 516 (CONF-761001--P4)
Thermal buoyancy phenomena in a horizontal pipe during a flow coast-down thermal-hydraulic transient (scoping studies) (LMFBR), 192 (ANL-CT--77-31)
Transient sodium boiling characteristics at pump run down (LMFBR), 513 (CONF-761001--P4)
Transient temperature distribution in reactor coolant channel following loss of flow, 5408
LOSS OF FLOW/HYDRODYNAMICS
Acoustics and voiding dynamics during SLSF simulations of LMFBR undercooling transients, 749 (CONF-781202--26)
LOSS OF FLOW/LIQUID FLOW
Analysis of TREAT tests L7 and L8 with SAS3D, LEVITATE and PLUTO2 (LMFBR), 2257 (LA--7938-C)
LOSS OF FLOW/MATHEMATICAL MODELS
Comparative analysis of a hypothetical loss of flow accident in a LMFBR using different computer models for a common benchmark problem, 3913
Implicit Eulerian hydrodynamics technique for multicomponent systems (LMFBR), 4637
LOSS OF FLOW/MELTDOWN
28-pin cladding relocation experiments (LMFBR), 4745
Empirical fuel motion model for TREAT loss-of-flow test F1 (LMFBR), 4743
Multichannel clad-relocation model for fast-reactor loss-of-flow accidents, 158 (ANL--79-73)
Sodium voiding dynamics and cladding motion in a 37-pin fuel assembly during an LOF transient, 3612
LOSS OF FLOW/POOL BOILING

Flow behavior of volume-heated boiling pools: implications with respect to transition phase accident conditions, 3064
LOSS OF FLOW/POWER COEFFICIENT
Comparision of SAS3D LOF transient analyses for 1200-MW(e) LMFBR conventional and nonconventional core designs, 4802
LOSS OF FLOW/PRESSURE DROP
Sodium boiling experiments in a 19 pin bundle: two phase coolant dynamics (LMFBR), 516 (CONF-761001--P4)
LOSS OF FLOW/REACTIVITY
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 3106 (DOE-tr--115)
LOSS OF FLOW/REACTIVITY INSERTIONS
Doppler reactivity uncertainties and their effect upon a hypothetical LOF accident (LMFBR), 5272
Space--time dynamics of a fast breeder reactor for localized disturbances, 3846
LOSS OF FLOW/REACTOR CORE DISRUPTION
Visual investigation of reactor fuels response to simulated LOF heating conditions, first series (LMFBR), 2453 (NUREG/CR--0914)
LOSS OF FLOW/SIMULATION
Flow rundown experiments in a seven pin bundle (LMFBR), 4391
Nucleation, dry-out and boiling behind a sodium-tight local blockage in a 9-pin bundle with helical wire spacers, 350 (CEA-CONF--3995)
Post-test evaluation of the SLSF loss-of-flow safety experiment P2 (LMFBR), 4750
Sodium boiling experiments in an annular test section under flow rundown conditions, 1201 (EURFNR--1454)
Transient boiling of sodium in a 19-pin bundle under loss-of-flow conditions, 4513 (JAPFNR--262)
Transient boiling of sodium in a single-pin geometry under loss-of-flow conditions, 3829
LOSS OF FLOW/TEMPERATURE GRADIENTS
Out-of-reactor transient fission gas release studies (LMFBR), 1507 (HEDL-SA--1407)
LOSS OF FLOW/THERMAL STRESSES
Cladding motion in a 37-pin loss-of-flow exeriment: SLSF P3 (LMFBR), 3200
Loss-of-cooling experiments with single fuel pins (LMFBR), 469 (CONF-761001--P4)
Results of recent TOP and LOF experiments in TREAT (LMFBR), 470 (CONF-761001--P4)
Simulation of LOF accidents with directly electrical heated UO_2 pins (LMFBR), 472 (CONF-761001--P4)
LOSS OF FLOW/TWO-PHASE FLOW
Integral boiling phenomena under radial temperature gradients in a twelve rod bundle of LMFBR geometry, 510 (CONF-761001--P4)
Statistical model to identify boiling inception in TREAT tests (LMFBR), 4009
Transient undercooling analysis of the dispersal mechanism test (LMFBR), 477 (CONF-761001--P4)
LOSS OF FLOW/VOID COEFFICIENT
Low sodium void cores, 3068
Sodium void reactivity reduction in metal-fueled LMFBRs, 3980
LWBR TYPE REACTORS/FUEL CYCLE
Monthly report No. 9 (September, October, and November 1977) of INTERATOM representative to Westinghouse Hanford Co., Richland, Washington (USA), 1892 (INB--414)

M

MA 754
See NICKEL BASE ALLOYS
MA 956
See IRON BASE ALLOYS
MAGNETOHYDRODYNAMIC GENERATORS
See MHD GENERATORS
MAGNOX TYPE REACTORS/ECONOMICS
Planning for the future generation, 3108
MAN/INTERNAL IRRADIATION
Inhalation dose conversion factors for various radionuclides associated with Liquid Metal Fast Breeder Reactors. Part 2, 1246 (GEFR--00257)
MAN/RADIATION DOSES
Inhalation dose conversion factors for various radionuclides associated with Liquid Metal Fast Breeder Reactors. Part 2, 1246 (GEFR--00257)
MANGANESE ALLOYS/ELASTICITY
Stress-strain behavior of ERNiCr-3 weld filler metal under strain controlled cyclic loading, 2642 (ORNL/TM--6128)
MANGANESE ALLOYS/FABRICATION
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
MANGANESE ALLOYS/PHYSICAL RADIATION EFFECTS
EBR-II and FFTF irradiation experiments, 1664 (HEDL-SA--1983)
MANGANESE ALLOYS/TENSILE PROPERTIES
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
MANOMETERS
See PRESSURE GAGES
MARCOULE PHENIX REACTOR
See PHENIX REACTOR
MATERIALS TESTING
See also NONDESTRUCTIVE TESTING
Detection and evaluation of the development of cavitation by direct listening of the ultrasonic field with the help of an heteridyne frequency shifting system (LMFBR), 2035 (IWGFR--9)
MATHEMATICAL MODELS/AFTER-HEAT REMOVAL
Advanced safety analysis. Twelfth quarterly report, June--August 1977 (LMFBR), 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978 (LMFBR), 1379 (GEFR--14038-15)
LMFBR fuel analysis. Task B. Post-accident heat removal. Final report, October 1977--November 1978, 2429 (NUREG/CR--0737)
MATHEMATICAL MODELS/BUBBLE GROWTH
Bubble dynamics in a superheated liquid (LMFBR), 53 (ANL--77-20)
MATHEMATICAL MODELS/CONTAINMENT
Simulation of LMFBR excursion models by means of ICECO, 551 (CONF-770807--52)
Structural dynamics in LMFBR containment analysis. A brief survey of computational methods and codes, 564 (CONF-770807--Pt.E)
MATHEMATICAL MODELS/EXCURSIONS
EXCURS: a computing programme for analysis of core transient behaviour in a sodium cooled fast reactor, 2139 (JAERI-M--7280)
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 1474 (HEDL-SA--1300FP)
Simulation of transients in liquid-metal fast breeder reactor systems, 4337
MATHEMATICAL MODELS/FAILURE MODE ANALYSIS
Risk analysis methods development. Fifth quarterly report, January--March 1978 (LMFBR), 1355 (GEFR--14023-5)
Risk analysis methods development. Eighth quarterly report, October--December 1978 (LMFBR), 1357 (GEFR--14023-8)
Risk analysis methods development. Ninth quarterly report, January--March 1979 (LMFBR), 1358 (GEFR--14023-9)
Risk analysis methods development. Tenth quarterly report, April-June 1979 (LMFBR), 1359 (GEFR--14023-10)
User's guide for the Reliability Analysis System (RAS) (LMFBR), 2939 (TREE--1168)
MATHEMATICAL MODELS/FISSION PRODUCT RELEASE
ANS54: a computer subroutine for predicting fission gas release, 2469 (NUREG/CR--1213)
Generalized parametric model for transient gas release and swelling in oxide fuels (LMFBR; FRAS and PFRAS codes), 4327
Modelling the transient behaviour of fission gas, 15 (AERE-TP--782)
Numerical method of the aerosol behavior reference code, CRAB (LMFBR), 2421 (NUREG/CR--0620)
MATHEMATICAL MODELS/FLOW BLOCKAGE
Analysis of the central blockage wake in an LMFBR-subassembly, 3848
MATHEMATICAL MODELS/FUEL CYCLE
ARC System fuel cycle analysis capability, REBUS-2, 165 (ANL--7721)
MATHEMATICAL MODELS/FUEL ELEMENT FAILURE
Application of Larson--Miller parameter to LMFBR fuel failure dynamics, 4766
Application of LIFE transient codes to experiment and core design (LMFBR), 2998 (WARD-QX--3045-35)
Fracture mechanics of thin wall cylindrical pressure vessels: an interim review (LMFBR), 2742 (PNL--2417)
Fuel pin modeling for the prompt burst excursion (PBE) experiments (LMFBR), 2858 (SAND--78-0274C)
Mechanistic study of fuel freezing, channel plugging, and continued coolability during fast reactor overpower excursions, 4816
Multichannel model for relocation of molten fuel cladding in unprotected loss-of-flow accidents in liquid-metal fast breeder reactors, 3290
Numerical model of reactor fuel and coolant motions following pin failure (LMFBR; EPIC code), 4336
PECS-III: probabilistic evaluation of cladding lifetime in LMFBR fuel pins, 1245 (GEFR--00256)
PLUTO2: a computer code for the analysis of overpower accidents in LMFBRs, 4768
Simple fuel pin transient and melting model and its application to thermal-hydraulics in lmfbr subassembly, 4050
Transient deformation of LMFBR cores due to local failure: experimental and theoretical investigation, 4390
MATHEMATICAL MODELS/FUEL ELEMENTS
Status of mechanical properties and models for LMFBR and LWR fuel element modeling, 4654
MATHEMATICAL MODELS/FUEL-COOLANT INTERACTIONS
Combined motion of fuel and coolant under high-ramp transient overpower conditions (LMFBR), 4767
Liquid--liquid contact in vapor explosions (LMFBR), 485 (CONF-761001--P4)
Mechanisms of vapor explosions (LMFBR), 484 (CONF-761001--P4)
Model for fuel-sodium interaction. Application to the JEF experiments, 2729 (PNC-N--251-76-12(Vol.2))
Multichannel model for fuel-coolant interaction in a

liquid-metal fast breeder reactor subassembly, 3078
Physical model and calculation code for fuel coolant interactions (LMFBR), 2723 (PNC-N--251-76-12(Vol.2))
Review of the meetings of the working group on the comparison of calculation models (LMFBR), 2733 (PNC-N--251-76-12(Vol.2))
Simulation experiment and analysis on the effects of incoherence in fuel coolant interaction (LMFBR), 2708 (PNC-N--251-76-12(Vol.1))
Transient deformation of LMFBR cores due to local failure: experimental and theoretical investigation, 4390
MATHEMATICAL MODELS/HEAT TRANSFER
Effect of internal thermal radiation on the contact interface temperature, 4812
MATHEMATICAL MODELS/LMFBR TYPE REACTORS
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors, 4039
MATHEMATICAL MODELS/LOSS OF FLOW
Comparative analysis of a hypothetical loss of flow accident in a LMFBR using different computer models for a common benchmark problem, 3913
Implicit Eulerian hydrodynamics technique for multicomponent systems (LMFBR), 4637
MATHEMATICAL MODELS/MELTDOWN
Critical experimental study of integral physics parameters in simulated LMFBR meltdown cores, 727 (CONF-781022--28)
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
MATHEMATICAL MODELS/MOLTEN METAL-WATER REACTIONS
SOWACS-3: a code for analyzing the system effects of large-leak sodium-water reactions in steam generators for LMFBR's, 5180
MATHEMATICAL MODELS/NUCLEAR POWER
Mathematical model for an integrated nuclear power system, 4205
MATHEMATICAL MODELS/POOL BOILING
Heat removal characteristics of volume-heated boiling pools with inclined boundaries in bubbly flow regime, 327 (BNL-NUREG--26083)
MATHEMATICAL MODELS/POWER DISTRIBUTION
Sensitivity of power peaking analysis to large reactor core modeling (LMFBR), 173 (ANL-AFP--32)
MATHEMATICAL MODELS/PRIMARY COOLANT CIRCUITS
Transient analysis of the primary system of a liquid metal-cooled fast breeder reactor plant, 5256
MATHEMATICAL MODELS/PUMPS
Single-phase sodium pump model for LMFBR thermal-hydraulic analysis, 318 (BNL-NUREG--25498)
MATHEMATICAL MODELS/RADIOACTIVE AEROSOLS
HAARM-3 users manual (LMFBR), 301 (BMI-NUREG--1991)
MATHEMATICAL MODELS/RADIOACTIVITY TRANSPORT
Analysis of radioactive corrosion product transfer in sodium loop systems, 3496
Numerical method of the aerosol behavior reference code, CRAB (LMFBR), 2421 (NUREG/CR--0620)
MATHEMATICAL MODELS/REACTIVITY
Prediction of primary circuit contamination in power reactors (PWR; LMFBR; HTGR), 4889
MATHEMATICAL MODELS/REACTOR ACCIDENTS
Advanced thermohydraulic simulation code for transients in LMFBRs (SSC-L code), 332 (BNL-NUREG--50773)
Compendium of computer codes for the safety analysis of fast breeder reactors, 1002 (DOE/ET--0009)
EDF research on fast neutron reactors, 5293 (DOE-tr--28)
Mathematical and computational techniques employed in the deterministic approach to liquid-metal fast breeder reactor safety, 4334
Parametric approach to LMFBR safety evaluation (PARSEC code), 5258
Probabilistic fast reactor accident analysis, 4335
Probabilistic accident analysis with deterministic codes using stochastically variable parameters (LMFBR), 3737
SACRD: a data base for fast reactor safety computer codes, general description, 2573 (ORNL--5477/V1)
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors (CURL-L code), 999 (CURL--53)
MATHEMATICAL MODELS/REACTOR CONTROL SYSTEMS
Feedback control systems for non-linear simulation of operational transients in LMFBRs, 317 (BNL-NUREG--25497)
Feedback control systems for non-linear simulation of operational transients in LMFBRs, 329 (BNL-NUREG--26572)
RODMOD: a code for control rod positioning (LMFBR), 2571 (ORNL--5466)
MATHEMATICAL MODELS/REACTOR CORE DISRUPTION
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 2188 (KFK--2491)
Analysis of hypothetical LMFBR whole-core accidents in the USA, 729 (CONF-781022--31)
Analysis of TREAT Tests L7 and L8 with SAS3D, LEVITATE and PLUTO2 (LMFBR), 1020 (DOE/TIC--10102)
Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2691 (PB--273304)
Confidence level in the calculations of HCDA consequences using large codes (LMFBR), 1641 (HEDL-SA--1835)
Disassembly phase energetics: an examination of the impact of SIMMER models and assumptions, 2457 (NUREG/CR--1027)
Effects of recent modeling developments in prompt burst hypothetical core disruptive accident calculations (LMFBR), 3486
Evaluation of computational techniques for LMFBR safety analysis, 2813 (SAND--77-0924C)
Fast integral modeling of hypothetical core disruptive accidents in liquid-metal fast breeder reactors, 3289
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2191 (KFK--2546)
Hypothetical core disruptive accident analysis of a 2000 MWsub(e) liquid metal cooled fast breeder reactor, 2187 (KFK--2490)
Impact of SIMMER-II model uncertainties on predicted postdisassembly dynamics, 2459 (NUREG/CR--1058)
KADIS: a program to analyse the disassembly phase of hypothetical accidents in LMFBRs, 2189 (KFK--2497)
Model for evaluating probabilities of primary system retention of core debris and time of release in LMFBR risk assessments, 499 (CONF-761001--P4)
Modeling of reactor internals in the HCDA analysis, 565 (CONF-770807--Pt.E)
Probabilistic analysis of liquid-metal fast breeder reactor accident consequences with response surface techniques, 3809
PROSA-1: a probabilistic response-surface analysis code (LMFBR), 128 (ANL--78-56)
Qualification testing program plan for SIMMER. A computer code for LMFBR disrupted core analysis, 2365 (NUREG--0457(Rev.0))
Reactor development program progress report, July--August 1977 (LMFBR), 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977 (LMFBR), 271 (ANL-RDP--63)
Reactor Development Program. Progress report (LMFBR), 272 (ANL-RDP--64)
Reactor development program progress report, Jan 1978 (LMFBR), 275 (ANL-RDP--67)
Reactor development program. Progress report, November 1977 (LMFBR), 273 (ANL-RDP--65)
Reactor development program progress report, December 1977 (LMFBR), 274 (ANL-RDP--66)
Reactor development program progress report, March 1978 (LMFBR), 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978 (LMFBR), 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978 (LMFBR), 278 (ANL-RDP--70)
Sensitivity study of LMFBR core disassemblies, 3637
Uncertainty analysis of consequences calculated by large computer codes, 1853 (HEDL-TME--79-42)
MATHEMATICAL MODELS/REACTOR SAFETY EXPERIMENTS
Analytic prediction of thermal profile development and inversion for use in in-pile experimentation (LMFBR core meltdown), 3097
MATHEMATICAL MODELS/TRANSIENT OVERPOWER ACCIDENTS
Fuel rod mechanics and failure analysis. Twenty-fourth quarterly report, May--July 1978 (LMFBR overpower transients), 1353 (GEFR--13923-24)
Mathematics clinic. Nuclear safety code study (LMFBR), 2806 (SAN--1359-T1)
MATHEMATICAL MODELS/TRANSIENTS
Application of multiple timestep integration method in SSC, 320 (BNL-NUREG--25519)
EPRI--CURL dynamic analysis of loop type LMFBRs. Final report, 1105 (EPRI-NP--1001)
MATHEMATICAL MODELS/TWO-PHASE FLOW
Heat removal characteristics of volume-heated boiling pools with inclined boundaries in bubbly flow regime, 327 (BNL-NUREG--26083)
MATHEMATICAL MODELS/WATER HAMMER
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity (LMFBR), 554 (CONF-770807--55)
MEASURING INSTRUMENTS
See also ANEMOMETERS
CALORIMETERS
CARBON METERS
DISPLACEMENT GAGES
DOSEMETERS
FLOWMETERS
HYDROGEN METERS
LEVEL INDICATORS
OXYGEN METERS
PRESSURE GAGES
THERMOCOUPLES
THERMOMETERS
THICKNESS GAGES
TRITIUM METERS
MEASURING INSTRUMENTS/DESIGN
Device for measuring neutron flux in a nuclear reactor (Patent), 3132
MECHANICAL PROPERTIES/RESEARCH PROGRAMS
Mechanical properties of crystalline solids. Progress report, December 1, 1978-November 30, 1979, 866 (COO--2172-29)
MECHANICAL STRUCTURES
See also BELLOWS
SUPPORTS
MECHANICAL STRUCTURES/BOUNDARY CONDITIONS
Eulerian algorithm for analyzing fluid-structure

interaction in the fast reactor containment, 5032
MECHANICAL STRUCTURES/DEFORMATION
Elastic and elastic-plastic buckling of vessel heads. Computation by the CEASEMT system, 5110
MECHANICAL STRUCTURES/RATCHETING
More efficient creep ratcheting bounds (LMFBR), 2619 (ORNL/Sub--7322/1)
MECHANICAL STRUCTURES/STRESS ANALYSIS
CREEP-PLAST II user's manual, 2626 (ORNL/TM--5868)
Fluid-structure interaction analysis of a deck structure during a HCDA (LMFBR), 801 (CONF-790802--70)
MECHANICAL STRUCTURES/STRESSES
Analysis of dynamically loaded non-linear structures, 5045
MEETINGS/ACOUSTIC EMISSION TESTING
Review of the proceedings of the 8th world NDT conference, Annes, September 1976, 996 (CSNI-R--14)
MEETINGS/CHROMIUM-MOLYBDENUM STEELS
Ferritic steels for fast reactor steam generators, 4030
Ferritic steels for fast reactor steam generators, 4031
MEETINGS/FUEL ELEMENT FAILURE
International working group on fast reactors, 2017 (IWGFR--5)
MEETINGS/FUEL ELEMENTS
Fuel element of the LMFBR, 2180 (KFK--2416)
Fuel element of the sodium breeder, 3866 (EURFNR--1418)
MEETINGS/FUEL MOTION DETECTION
Topical report on fuel motion diagnostic systems, 2436 (NUREG/CR--0790)
MEETINGS/FUEL PINS
Advanced LMFBR fuels, 4817
MEETINGS/FUEL-COOLANT INTERACTIONS
Proceedings of the third specialist meeting on sodium/fuel interaction in fast reactors, 2712 (PNC-N--251-76-12(Vol.1))
Proceedings of the third specialist meeting on sodium/fuel interaction in fast reactors, 2725 (PNC-N--251-76-12(Vol.2))
MEETINGS/HEAT TRANSFER
Nuclear reactor safety heat transfer (BWR; PWR; LMFBR), 4989
MEETINGS/INCONEL 718
Status of technology of Alloy 718 for nuclear applications. Minutes of meeting, October 30, 1975, 1025 (DOE/TIC--10240)
MEETINGS/LMFBR TYPE REACTORS
Design, construction, and operating experience of demonstration LMFBRs, 2898 (STI/PUB--490)
International Working Group on Fast Reactors eleventh annual meeting. Summary report, Part I, 2132 (IWGFR--24-1)
International Working Group on Fast Reactors eleventh annual meeting. Summary report, Part III, 2133 (IWGFR--24-3)
Ninth annual meeting, Vienna, Austria, 30 March--2 April 1976. Summary report. Part I, 2033 (IWGFR--8)
Optimisation of sodium-cooled fast reactors, 4036
Optimization of sodium cooled fast reactors. Conference report, 3745
Proceedings of the U.S./U.S.S.R. seminar on problems of design, development, fabrication, and test of breeder reactor components, 646 (CONF-780251--P2)
Proceedings of the workshop on institutional alternatives for LMFBR development and commercialization held at the Mitre Corporation in McLean, Virginia on September 8 and 9, 1976. Final report, 2696 (PB--284227)
Tenth annual meeting, 2095 (IWGFR--18)
MEETINGS/NUCLEAR INDUSTRY
Nuclex 78: broad offer - restrained interest. Report on the 5th international trade exhibition and expert meeting for the nuclear technological industry, 3312
MEETINGS/PHYSICAL RADIATION EFFECTS
Proceedings of the Indo-German seminar on radiation damage, 863 (CONF-7711121--)
Radiation effects in bredder reactor structural materials, 4928
MEETINGS/REACTOR ACCIDENTS
Nuclear reactor safety heat transfer (BWR; PWR; LMFBR), 4989
Specialists' meeting on equations of state of materials of relevance to the analysis of hypothetical fast breeder reactor accidents, 2134 (IWGFR--26)
MEETINGS/REACTOR COMPONENTS
Specialists meeting on high temperature structural design technology of LMFBRs, Champion, Pennsylvania, U.S.A., April 27-30, 1976. Summary report, 2063 (IWGFR--11)
MEETINGS/REACTOR CORE DISRUPTION
Specialists' workshop on predictive analysis of material dynamics in LMFBR safety experiments, March 13-15, 1979, 2239 (LA--7938-C)
MEETINGS/REACTOR CORES
Fuel element of the sodium breeder, 3866 (EURFNR--1418)
MEETINGS/REACTOR MATERIALS
Effects of radiation on structural materials: proceedings of the international symposium, 9th, 1978, 4229
Properties of primary circuit structural materials including environmental effects (LMFBR), 2110 (IWGFR--22)
Specialists meeting on high temperature structural design technology of LMFBRs, Champion, Pennsylvania, U.S.A., April 27-30, 1976. Summary report, 2063 (IWGFR--11)
MEETINGS/REACTOR SAFETY
Fast reactor safety and related physics. Volume IV. Phenomenology, 508 (CONF-761001--P4)
Specialists' workshop on predictive analysis of material dynamics in LMFBR safety experiments, March 13-15, 1979, 2239 (LA--7938-C)
Thermal and hydraulic aspects of nuclear reactor safety. Volume II. Liquid metal fast breeder reactors, 4929
MEETINGS/REACTOR TECHNOLOGY
Structural mechanics in reactor technology. Vol. E. Structural dynamics in fast reactor accident analysis, 4884
MEETINGS/STEAM GENERATORS
Third US/USSR LMFBR steam generator seminar, 724 (CONF-781001--P3)
Third US/USSR LMFBR steam generator seminar. Volume 1. US papers, 692 (CONF-781001--P1)
Third US/USSR LMFBR steam generator seminar. Volume 2. USSR papers, 705 (CONF-781001--P2)
MEETINGS/SURFACE CLEANING
Sodium removal and decontamination (LMFBR), 2111 (IWGFR--23)
MEETINGS/ULTRASONIC TESTING
Review of the proceedings of the 8th world NDT conference, Annes, September 1976, 996 (CSNI-R--14)
MELTDOWN
See also CORE CATCHERS
CORIUM
A look at alternative core disruption accidents in LMFBR's. Part II. A general evaluation approach to risk-benefit for large technological systems and its application to nuclear power, 2693 (PB--280695)
Accident progression for a loss of heat sink with scram in a LMFBR, 2406 (NUREG/CR--0427)
Accident progression for a loss-of-heat-sink with scram in a liquid-metal fast breeder reactor, 3109
Advanced Reactor Safety Research Program quarterly report, April--June 1977, 2830 (SAND--77-1134)
Advanced safety analysis thirteenth quarterly report, September--November 1977, 1378 (GEFR--14038-13)
Analysis and measurement of solidification dynamics of flowing two-phase noncondensable mixtures, 3622
Analysis of in-pile fuel disruption experiments, 3608
Analysis of in-pile MFCI experiments with carbide fuel, 3615
Analysis of FFTF reactor cavity liners under ex-vessel PAHR conditions, 1672 (HEDL-TC--572(Rev.1))
Analysis of internal fuel motion during PINEX-2 experiment, 1590 (HEDL-SA--1658-S)
Analysis of the heat and mass transfer processes of UO_2 bubble in sodium, 817 (CONF-790816--30)
Analysis of Sandia in-pile EOS experiments, 2879 (SAND--79-0107C)
Analytic prediction of thermal profile development and inversion for use in in-pile experimentation, 3097
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 1925 (INIS-mf--4470)
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 5108
Annual technical progress report: reactor safety, Government fiscal year 1978, 1145 (ESG-DOE--13254)
Apparatus of holding molten fuel in a reactor, 5328
Apparatus for retaining molten fuel in a reactor, 5208
Assessment of accident energetics in LMFBR core-disruptive accidents, 591 (CONF-770817--3)
Assessment of accident energetics in LMFBR core-disruptive accidents, 4498
BOPSI - a model for the theoretical description of the behaviour of boiling fuel-steel arrays sealed off on all sides, 2011 (INKA-Conf--79-134-001)
Bottom cooler for nuclear reactors, 3799
Bubble collapse reactivity increases in boiling fuel/steel pools, 4789
Bubble worth variation in molten cores from a hypothetical core disruptive accident, 3270
Calculation of the fragmentation of UO_2 by capacitor discharge: nonequilibrium model, 4297
Calculations of the possible consequences of molten fuel sodium interactions in subassembly and whole core geometries, 2731 (PNC-N--251-76-12(Vol.2))
Calculation of signals in coded-aperture imaging of many-pin bundles of LMFBR fuel, 2407 (NUREG/CR--0443)
Chemical phenomenology of the sodium/limestone concrete interaction, 3653
Chemical simulation modeling of fuel motion in LMFBRs, 4093
Chemical simulation modeling of heat transfer in LMFBRs, 1012 (DOE/ET/37205--T1)
Clad strain and melt-through failure mode analysis for fast-running application, 2245 (LA--7938-C)
Cladding motion in a 37-pin loss-of-flow exeriment: SLSF P3, 3200
Cladding relocation experiments (LMFBR), 474 (CONF-761001--P4)
Coded aperture imaging in many-pin fuel bundles, 3647
Collecting tank with evaporation protection for a nuclear reactor, 3456
Comparative analysis of a hypothetical coolant loss accident in an LMFB reactor with the use of various calculation models for a common reference problem, 1198 (EUR--5946)

Comparison of the predictions from the multichannel clad relocation model to available in-pile experimental data, 2253 (LA--7938-C)
Computer simulation of LMFBR piping systems, 5064
Concrete failure modes at elevated temperatures (LMFBR), 96 (ANL--78-10)
Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2360 (NUREG--0344)
Containment response to postulated core meltdown accidents in the Fast Flux Test Facility, 307 (BNL-NUREG--24141-R)
Containment response to postulated ex-vessel core meltdown accidents in the fast flux test facility, 322 (BNL-NUREG--25522)
Containment response to postulated core meltdown accidents in the fast flux test facility, 3053
Control rod for a fast breeder, 5251
Convective heat transfer correlations for molten core debris pools growing in concrete, 949 (COO--4261-8)
Core catcher in a reactor, 5316
Core debris behavior and interactions with concrete, 593 (CONF-770817--5)
Current status of experimental and theoretical work on sodium/fuel interaction(SFI) at Karlsruhe. Out-of-pile experiments, 2717 (PNC-N--251-76-12(Vol.1))
Current state of analysis of recriticality under PAHR conditions, 87 (ANL--78-10)
Debris bed and sacrificial materials interactions at high temperatures, 2864 (SAND--78-1249C)
Debris transport in horizontal piping, 4014
Deposition of aerosols formed by HCDA due to decay heat transport in LMFBR inner containment atmospheres, 493 (CONF-761001--P4)
Design of the core catcher system for the fast breeder reactor SNR 300, 3776
Dual change-of-phase in forced flow on a finite wall, with application to SLSF safety analysis, 808 (CONF-790816--12)
Dynamic behavior of SNR-300 core retention device and experimental support of the design concept, 103 (ANL--78-10)
Early-in-life thermal performance of UO_2--PuO_2 fast reactor fuel, 1552 (HEDL-SA--1526-FP)
Effect of high external thermal loading on LMFBR subassembly integrity, 540 (CONF-770807--39)
Effect of thermal stress on oxide crusts, 2818 (SAND--77-1017C)
Effect of thermal stress on oxide crusts, 4677
Effect of creep on thermal fracturing in oxide crusts, 3626
Effect of high external thermal loading on LMFBR subassembly integrity, 5109
Effective equation-of-state measurements on uranium dioxide (LMFBR), 4800
Evaluations of CRBRP thermal margin beyond the design base, 608 (CONF-771108--3)
Evaluation of materials for CRBRP core retention. Annual progress report, 2382 (NUREG/CR--0076)
Evaluation of incoherency effect on cladding motion in R-series test, 3611
Evaluations of CRBRP thermal margin beyond the design base, 105 (ANL--78-10)
Ex-vessel containment response to a core meltdown, 106 (ANL--78-10)
Experimental investigations on the compatibility of a SNR-type corium with graphite, 467 (CONF-761001--P4)
Experiments on pressure-driven fuel compaction with reactor materials, 478 (CONF-761001--P4)
Experimental investigations of heat transfer characteristics in liquid layers with internal heat sources, 503 (CONF-761001--P4)
Experiments in the formation of particulate debris beds by contact of molten core debris with sodium, 4671
Experimental study of advanced fuel-pin failure phenomena, 4838
Experimental work at Harwell on the injection of sodium into liquid steel, 2716 (PNC-N--251-76-12(Vol.1))
Experimentally based limits on SAREF test-fuel-motion reactivity feedback, 3645
Experimental and theoretical studies on water and gas release from heated concrete (LMFBR), 94 (ANL--78-10)
Failure of a high-power pin in a simulated $3/s TOP accident: Test E6 final report, 135 (ANL--78-73)
Fast integral model for the transient analysis of a melting fuel pin, 3628
Fast Reactor Safety Research Program. Quarterly report, January--March 1977, 2811 (SAND--77-0611)
Fast reactor safety technical progress report, January--March 1977, 1774 (HEDL-TME--77-66)
Fast reactor safety technical progress report, April--June 1977, 1775 (HEDL-TME--77-67)
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)
Final report of fuel dynamics Test E7, 54 (ANL--77-25)
Final report on TREAT Test R3, a single-pin loss-of-flow experiment (LMFBR), 63 (ANL--77-54)
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin ractor structures, 558 (CONF-770807--Pt.E)
First in-core molten fuel pool experiment, 4673
First in-reactor experiment with simulated LMFBR debris bed, 4670
First visual in-pile fuel disruption experiments, 3607
Flash x-radiography for material motion detection, 2843 (SAND--77-1648C)
Fuel and cladding motion surveillance, 416 (CONF-761001--P2)
Fuel dispersal experiments with simulant fluids (LMFBR), 476 (CONF-761001--P4)
Fuel displacement diagnostics for a 91-pin subassembly, 3646
Fuel motion in loss-of-flow accidents (PLOFA code), 4903
Fuel particle and fission product release from LMFBR-core catcher, 494 (CONF-761001--P4)
Fuel pin coolability in low power voiding, 3664
Fundamental aspects of molten clad relocation, 2252 (LA--7938-C)
Heat and mass transport processes of a horizontal melting or decomposing layer under a molten pool, 4992
Heat transfer from a round-bottom pool generating heat internally, 4676
Heat transfer in reactor safety, 4174
Hollow sphere formation in a gassy two-liquid pool (LMFBR), 4620
Hydrodynamic fragmentation of drops, 2249 (LA--7938-C)
Importance of sodium fuel interaction in fast reactor safety evaluation. CEA point of view, 2715 (PNC-N--251-76-12(Vol.1))
Improvement and verification of fast reactor safety analysis techniques. Progress report, January 1, 1978--March 31, 1978, 921 (COO--2571-12)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1979-March 31, 1980, 925 (COO--2571-19)
In-core fuel motion detection in the Sandia Pulse Reactor, 2816 (SAND--77-1015C)
In-reactor experiments with simulated LMFBR debris beds, 2836 (SAND--77-1443C)
Influence of burnup on heat-rating-to-melting for UO_2-PuO_2 fuel, 1446 (HEDL-SA--737)
Integral postdisassembly energetics test: a preliminary investigation, 2285 (LA-UR--79-2245)
Interactions of LMFBR core debris with concrete, 506 (CONF-761001--P4)
Interactions between molten core debris and core containment materials, 4675
Interactions with small and large sodium to UO_2 mass ratios, 2730 (PNC-N--251-76-12(Vol.2))
Interaction of molten UO_2 with stainless-steel cladding under TOP accident conditions, 3631
Interactions between molten-core drbris and reactor materials, 3655
Interpretation of debris bed dryout observed during the D-3 experiment, 2865 (SAND--78-1251C)
Investigations on fuel-coolant interaction with the RCN code VS-4, 2727 (PNC-N--251-76-12(Vol.2))
Investigation of margins in FFTF containment design, 104 (ANL--78-10)
Investigation of the structural integrity of the reactor vessel for a postulated core meltdown accident, 5029
KADIS: a program to analyse the disassembly phase of hypothetical accidents in LMFBRs, 2189 (KFK--2497)
Laboratory studies on melting and gas release behavior of irradiated fuel, 2031 (IWGFR--5)
Liquid--liquid contact in vapor explosions, 485 (CONF-761001--P4)
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
LMFBR safety program. Annual technical progress report. Government fiscal year, 1977, 20 (AI-DOE--13210)
Loss-of-flow test L5 on FFTF-type irradiated fuel, 118 (ANL--78-24)
Measurement of the penetration of liquid sodium into limestone concrete, 3654
Mechanical failure of subassembly ducts and its effects on transition-phase analysis, 3992
Mechanisms of vapor explosions, 484 (CONF-761001--P4)
MELT-IIIB: an updated version of the melt code (LMFBR), 1836 (HEDL-TME--78-108)
Method of reducing the hazard which may occur as a consequence of a reactor core meltdown, 3565
Mobile helium cooling loop system for in-reactor PAHR experiments, 2810 (SAND--77-0161C)
Molten core interactions with commercial firebricks (LMFBR), 3204
Molten fuel containment analysis for SLSF experiments, 837 (CONF-791103--25)
Molten fuel relocation and connected problems: the GELCO code, comparison with experimental results, application to reactor, 2261 (LA--7938-C)
Multichannel clad-relocation model for fast-reactor loss-of-flow accidents, 158 (ANL--79-73)
Network model of free convection within internally heated porous media, 2823 (SAND--77-1092C)
Nonequilibrium phenomena in flashing water used as an HCDA source simulant. Technical report No. 8, 2781 (SAN--0115-T7)
Nuclear reactor core catching apparatus, 3797
Nuclear reactor, 4292
Onset of thermal convection in a fluid-saturated porous layer with heat source, 4672
ORNL experiments to characterize fuel release from the reactor primary containment in severe LMFBR accidents, 853 (CONF-800434--2)

Particulate bed formation and phenomena, 91 (ANL--78-10)
Physics of liquid metal fast breeder reactor safety, 4333
Post-accident fuel relocation and heat removal in the LMFBR, 330 (BNL-NUREG--50603)
Preliminary results from initial in-pile debris bed experiments (LMFBR), 2846 (SAND--77-1828C)
Protection device for reactor safety, 5397
Protection of the sodium-cooled fast reactor during core melt-down, 4238
Protective coating for floor cooler, 4470
Quantitative comparison of solidification analysis for single-component and mixed-oxide fuels, 3489
Radiological assessment models. Eleventh quarterly report, March--May 1977, 1371 (GEFR--14034-11)
Radiological assessment models fourteenth quarterly report, December 1977--February 1978, 1373 (GEFR--14034-14)
Radiological assessment models. Fifteenth quarterly report, March--May 1978, 1374 (GEFR--14034-15)
Radiological assessment models. Sixteenth quarterly report, June--August 1978, 1375 (GEFR--14034-16)
Rate effects in the dynamic vaporization of uranium dioxide (LMFBR), 4798
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
Reponse of water-filled pipes to pressure pulses, 578 (CONF-770807--Pt.E)
Response of liquid metal fast breeder reactor containment to a hypothetical core meltdown accident, 4503
Response of water-filled pipes to pressure pulses, 5035
Review and perspective of FCI related activities in Japan, 2707 (PNC-N--251-76-12(Vol.1))
Review of the meetings of the working group on the comparison of calculation models, 2733 (PNC-N--251-76-12(Vol.2))
Role of fission gas and fuel melting on transient fuel response, 3604
Role of fission gas and fuel melting in fuel response during simulated hypothetical loss-of-flow transients, 3061
Role of Rayleigh--Taylor instabilities in fuel-coolant interactions, 3376
Role of wall heat transfer and other system variables on fuel compaction and recriticality, 446 (CONF-761001--P3)
Safety equipment of a reactor, 5207
Safety equipment in a reactor, 5212
Safety equipment for a reactor, 5214
Safety equipment in a reactor, 5177
Safety systems relative to the Creys-Malville power station, 4222
Sandia in-core molten fuel pool experiment results, 2834 (SAND--77-1413C)
Simulation of LOF accidents with directly electrical heated UO_2 pins, 472 (CONF-761001--P4)
Simulation of cladding relocation in the TREAT-experiment R5 with the CMOT code, 2254 (LA--7938-C)
Sodium boiling with stainless steel clad melting and relocation out-of-pile experimental results and interpretation, 2248 (LA--7938-C)
Sodium interaction with limestone concrete test results, 3652
Sodium voiding dynamics and cladding motion in a 37-pin fuel assembly during an LOF transient, 3612
Some aspects of mixing in large-mass, energetic fuel-coolant interactions, 486 (CONF-761001--P4)
Specialists' meeting on equations of state of materials of relevance to the analysis of hypothetical fast breeder reactor accidents, 2134 (IWGFR--26)
Statistical analysis of 17 TREAT experiments, 4010
Status and summary of TREAT in-pile experiments on LMFBR response to hypothetical core disruptive accidents, 4978
Studies on molten fuel, 4142
Study of the reactivity effect of bubble collapse in molten liquid metal cooled reactors, 2358 (NUREG--0286)
Subassembly-to-subassembly meltthrough analytical studies, 574 (CONF-770807--Pt.E)
Subassembly-to-subassembly meltthrough analytical studies, 5052
Summary and evaluation of R-series loss-of-flow safety tests in TREAT, 471 (CONF-761001--P4)
Summary and evaluation of transient test data on extended fuel motion resulting from unprotected loss of flow, 56 (ANL--77-40)
Summary of treat experiments on oxide core-disruptive accidents, 150 (ANL--79-13)
Surface ablation in the impingement region of a liquid jet, 3614
Theoretical considerations of rate effects in uranium dioxide (LMFBR), 4799
Theoretical investigations of the meltoff and resolidification process of fuel claddings during accidents in liquid metal cooled fast breeder reactors, 2200 (KFK--2662)
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 541 (CONF-770807--40)
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 1975 (INIS-mf--4592)
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 5070
Thermal coitions controlling subassembly failure propagation during the transition phase in an LMFBR, 3623
Thermodynamic state, specific heat, and enthalpy function of saturated UO_2 vapor between 3000 K and 5000 K, 1203 (EURFNR--1460)
Thoughts on the energy situation, 3919
Time-resolved coded aperture imaging system for nuclear fuel motion measurements, 4986
Transient undercooling analysis of the dispersal mechanism test (LMFBR), 477 (CONF-761001--P4)
Transient containment response and inherent retention capability, 4499
Transient energy transfer by conduction and radiation for a sudden contact between molten UO_2 and sodium, 122 (ANL--78-34)
Transport processes in LMFBR core disruptive accidents, 2270 (LA-UR--78-1265)
TREAT test H6-A 50 cents transient overpower accident simulation, 3098
TREAT TOP test H6: preliminary results, 3634
Updated work plan for the FAST/CRI-III fuel vaporization and transport experiments, 2450 (NUREG/CR--0884)
Vapor film collapse during subcooled film boiling and its application to molten metal coolant interactions, 4634
Views on post-accident heat removal, 86 (ANL--78-10)
Void reactivity effects on fast reactor HCDA excursion energy, 4788
Work-energy characterization for core-disruptive accidents, 444 (CONF-761001--P3)

MELTDOWN/AFTER-HEAT
Compendium of core debris retention technology (LMFBR), 1305 (GEFR--00411)
Experimental study of the downward penetration of a hot liquid pool into the horizontal surface of a gas-releasing solid (LMFBR), 3206
Heat transfer by natural convection in confined medium (LMFBR), 101 (ANL--78-10)
Natural convection heat transfer in beds of inductively heated particles (LMFBR), 2403 (NUREG/CR--0408)
Postaccident heat removal: debris-bed experiments D-2 and D-3 (LMFBR), 2404 (NUREG/CR--0421)

MELTDOWN/AFTER-HEAT REMOVAL
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977 (LMFBR), 2847 (SAND--77-1975)
Advanced reactor safety research. Quarterly report, October--December 1977 (LMFBR), 2397 (NUREG/CR--0323(Vol.5))
Advanced reactor safety research. Quarterly report, January--March 1978 (LMFBR), 2398 (NUREG/CR--0335(Vol. 6))
Advanced reactor safety research quarterly report, April-June 1978 (LMFBR), 2411 (NUREG/CR--0469(Vol.7))
Advanced reactor safety research. Quarterly report, July-September 1978 (LMFBR), 2412 (NUREG/CR--0470)
Advanced reactor safety research. Quarterly report, April-June 1979 (LMFBR), 2455 (NUREG/CR--0984(Vol.10))
Advanced safety analysis. Twelfth quarterly report, June--August 1977 (LMFBR), 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978 (LMFBR), 1379 (GEFR--14038-15)
Condensed review of the technology of post-accident heat removal for the liquid-metal fast breeder reactor, 3710
Cooling of particulate debris beds: analysis of the initial D-series experiments (LMFBR), 2868 (SAND--78-1754C)
Effect of radiative heat transfer on the thermal-fluid behavior of molten UO_2 (LMFBR), 4313
In-vessel core debris coolability for large breeder reactors, 1308 (GEFR--00415)
LMFBR fuel analysis. Task B. Post-accident heat removal. Final report, October 1977--November 1978, 2429 (NUREG/CR--0737)
LMFBR fuel analysis. Task B: Post-accident heat removal. Final technical report 1 October 1977-15 November 1978, 2702 (PB--294102)
Production of molten UO_2 pools by internal heating: apparatus and preliminary experimental heat transfer results, 4295
Sandia in-core molten fuel pool experiment preliminary

results (LMFBR), 111 (ANL--78-10)
Status of the post accident heat removal program at GfK for fast breeder reactors, 84 (ANL--78-10)
MELTDOWN/ATMOSPHERES
Experimental study of hydrogen jet ignition and jet extinguishment (LMFBR), 1824 (HEDL-TME--78-80)
MELTDOWN/CHEMICAL REACTION KINETICS
Influence of gas generation on high-temperature melt/concrete interactions (BWR; PWR; LMFBR), 2862 (SAND--78-0939C)
Large scale sodium interactions. Part 3. Chemical phenomena with limestone concrete (LMFBR), 2826 (SAND--77-1095C)
Large scale sodium test facility (LMFBR), 2835 (SAND--77-1421C)
MELTDOWN/CHEMICAL REACTIONS
Hydrogen ignition and recombination following postulated breeder reactor accidents, 1604 (HEDL-SA--1712-FP)
Hydrogen jet recombination under postulated breeder reactor accident conditions (LMFBR), 100 (ANL--78-10)
Interactions of UO_2 with reactor materials (LMFBR), 113 (ANL--78-10)
Intermediate scale sodium-concrete reaction tests (LMFBR), 99 (ANL--78-10)
Large scale sodium interactions with limestone concrete (LMFBR), 98 (ANL--78-10)
Molten core debris interactions with core containment materials (LMFBR), 112 (ANL--78-10)
Sodium concrete reactions (LMFBR), 1607 (HEDL-SA--1716-FP)
Sustained molten steel/concrete interactions tests: a preliminary report on the feasibility of experimental techniques, 2389 (NUREG/CR--0166)
Sustained molten steel/concrete interactions tests (LMFBR), 115 (ANL--78-10)
MELTDOWN/CONTAINMENT
Advanced safety analysis: Twelfth quarterly report, June--August 1977 (LMFBR), 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978 (LMFBR), 1379 (GEFR--14038-15)
Condensed review of the technology of post-accident heat removal for the liquid-metal fast breeder reactor, 3710
Experimental and theoretical studies on water and gas release from heated concrete (LMFBR), 1497 (HEDL-SA--1380)
Thermal behavior of concrete (LMFBR), 2824 (SAND--77-1093C)
MELTDOWN/CONTAINMENT SYSTEMS
Considerations of the third line of assurance: post-accident heat removal and core retention in containment (LMFBR), 500 (CONF-761001--P4)
MELTDOWN/CORE CATCHERS
Method for estimating the performances of an internal core-catcher in a pool-type LMFBR, 102 (ANL--78-10)
Survey of melt interactions with core retention material (LMFBR), 2888 (SAND--79-1685C)
MELTDOWN/CRITICALITY
Advanced safety analysis. Twelfth quarterly report, June--August 1977 (LMFBR), 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978 (LMFBR), 1379 (GEFR--14038-15)
Assessment of the loss-of-heat-sink accident with scram in the LMFBR, 309 (BNL-NUREG--24946)
Energy increase from bubble collapse following recriticality in large molten pools (LMFBR), 4787
Recriticality considerations for the loss-of-heat-sink accident with scram, 3627
Secondary criticality evaluations of postulated core melt-down accidents in early-sized LMFBR's, 1395 (GEFR-SP--037)
Secondary criticality evaluations of postulated core melt-down accidents in early-sized LMFBR's, 88 (ANL--78-10)
MELTDOWN/DRYOUT
Prediction of dryout heat fluxes in beds of volumetrically heated particles (LMFBR), 501 (CONF-761001--P4)
MELTDOWN/FISSION PRODUCT RELEASE
Fission-gas bubble modeling for LMFBR accidents, 2819 (SAND--77-1018C)
MELTDOWN/FLUID FLOW
Thermo-fluid mechanics of volume-heated boiling pools (LMFBR), 331 (BNL-NUREG--50759)
MELTDOWN/FUEL-COOLANT INTERACTIONS
Combined motion of fuel and coolant under high-ramp transient overpower conditions (LMFBR), 4767
Coupled hydrodynamic-structural analysis of an integral flowing sodium test loop in the TREAT reactor, 794 (CONF-790802--61)
Evaluation of effects of finite mixing time and non-condensable gas on fuel sodium interactions, 4515
Evaluation of the potential for energetic fuel-coolant interactions in hypothetical LMFBR accidents, 4983
Fragmentation dynamics of molten UO_2 in sodium under TOP conditions, 4744
Fuel coolant interaction in fast reactors, 4982
Medium-scale melt-sodium fragmentation experiments, 2882 (SAND--79-0126C)
Molten core debris-sodium interactions: M-Series experiments (LMFBR), 825 (CONF-790816--59)
MELTDOWN/HEAT FLUX
Prediction of dryout heat fluxes in beds of volumetrically heated particles (LMFBR), 501 (CONF-761001--P4)
MELTDOWN/HEAT TRANSFER
Comparison of measured and calculated average void fraction in volume-boiling pools with inclined boundaries (LMFBR), 326 (BNL-NUREG--25714)
Compendium of core debris retention technology (LMFBR), 1305 (GEFR--00411)
Considerations of the third line of assurance: post-accident heat removal and core retention in containment (LMFBR), 500 (CONF-761001--P4)
Cooling of particulate debris beds: analysis of the initial D-series experiments (LMFBR), 2868 (SAND--78-1754C)
Core debris penetration into concrete (LMFBR), 95 (ANL--78-10)
Debris bed studies and experiments at Sandia Laboratories (LMFBR), 2395 (NUREG/CR--0263)
Debris bed heat removal models: boiling and dryout with top and bottom cooling (Deep bed model), 2878 (SAND--79-0091C)
Debris bed experiment No. 4: a preliminary look (LMFBR), 2894 (SAND--80-0217C)
Effect of radiative heat transfer on the thermal-fluid behavior of molten UO_2 (LMFBR), 4013
Effect of overlaying steel layers on the growth of molten core debris pools in concrete (LMFBR), 950 (COO--4261-9)
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978 (LMFBR), 2451 (NUREG/CR--0900)
First in-core molten fuel pool experiment (LMFBR), 2827 (SAND--77-1096C)
Formation and stability of crust in molten pools. Technical progress report, February 1, 1977--October 1, 1977 (LMFBR), 959 (COO/4171--1)
Formation of bubble boundary layer over an inclined porous plate (LMFBR), 3205
Growth of molten core debris pools in concrete. Progress report, March 1, 1977--November 30, 1977 (LMFBR), 948 (COO--4261-4)
Growth of molten core debris pools in concrete. Part II. A. Pool growth in composite beds; B. Effect of overlaying steel layers. Final report, March 1, 1978-September 30, 1979 (LMFBR), 954 (COO--4261-14)
Heat transfer and fluid dynamics in a volume-heated boiling pool (LMFBR), 505 (CONF-761001--P4)
Heat transfer by natural convection in confined medium (LMFBR), 101 (ANL--78-10)
Heat transfer characteristics of a non-boiling pool with spatially uniform gas injection (LMFBR), 944 (COO--4171-3)
Improvement and verification of fast reactor safety analysis techniques. Progress report, April 1, 1979-June 30, 1979, 924 (COO--2571-17)
Interpretation of debris bed dryout observed during the D-3 experiment (LMFBR), 3994
LMFBR fuel analysis. Task B: Post-accident heat removal. Final report, October 1, 1976--September 30, 1977, 2377 (NUREG/CR--0012)
Melting, boiling and freezing: the ''transition phase'' in fast reactor safety analysis, 4981
Method for estimating the performances of an internal core-catcher in a pool-type LMFBR, 102 (ANL--78-10)
Microwave heating simulations of fission energy generation in volume-boiling pool systems (LMFBR), 3202
Molten core debris interactions with core containment materials (LMFBR), 112 (ANL--78-10)
Natural-convection heat transfer in a bed of fuel debris cooled at both top and bottom (LMFBR), 4015
Natural convection heat transfer in beds of inductively heated particles (LMFBR), 2403 (NUREG/CR--0408)
One-dimensional model for transient boilup of volume-heated pools for LMFBR transition phase analysis, 323 (BNL-NUREG--25535)
Radiative heat transfer in a horizontal molten fuel layer with volumetric heating (LMFBR), 4016
Reactor safety. Quarterly technical progress report, October--December 1977 (LMFBR), 29 (AI-DOE--13223)
Retention of molten core debris pools in composite sacrificial beds (LMFBR), 951 (COO--4261-10)
Sandia in-core molten fuel pool experiment preliminary results (LMFBR), 111 (ANL--78-10)
Simplified multicomponent phase transition model (LMFBR), 4780
Simulation of heat and mass transfer processes in molten core debris-concrete systems (LMFBR), 952 (COO--4261-11)
Studies of the formation and cooling of particulate fuel debris beds in sodium (LMFBR), 502 (CONF-761001--P4)
Study of heat transfer associated with melting of horizontal substrate, 3617
Study of heat transfer from a flowing liquid to a melting wall, 2877 (SAND--79-0082C)
Study of thermal and hydrodynamic processes associated with melting of horizontal substrate, 2445 (NUREG/CR--0839)
Summary of the first three in-core FAHR molten fuel pool experiments, 2876 (SAND--79-0081C)
Thermal interactions of a molten core debris pool with surrounding structural materials (LMFBR), 827 (CONF-790816--61)
Thermo-fluid mechanics of volume-heated boiling pools

(LMFBR), 331 (BNL-NUREG--50759)
Turbulent convection in horizontal two-layer systems with and without interfacial freezing, 3618
Viscosity of molten alumina (LMFBR), 119 (ANL--78-28)
MELTDOWN/HYDRAULICS
Comparison of measured and calculated average void fraction in volume-boiling pools with inclined boundaries (LMFBR), 326 (BNL-NUREG--25714)
Compendium of core debris retention technology (LMFBR), 1305 (GEFR--00411)
Core debris penetration into concrete (LMFBR), 95 (ANL--78-10)
Debris bed and sacrificial materials interactions at high temperatures (LMFBR), 3993
Effect of creep on thermal fracturing in oxide crusts (LMFBR), 2855 (SAND--78-0255C)
Effect of radiative heat transfer on the thermal-fluid behavior of molten UO_2 (LMFBR), 4013
Experimental study of the downward penetration of a hot liquid pool into the horizontal surface of a gas-releasing solid (LMFBR), 3206
Growth of molten core debris pools in concrete. Progress report, April 1--June 30, 1979 (LMFBR), 953 (COO--4261-12)
Growth of molten core debris pools in concrete. Part II. A. Pool growth in composite beds; B. Effect of overlaying steel layers. Final report, March 1, 1978-September 30, 1979 (LMFBR), 954 (COO--4261-14)
Heat transfer characteristics of a non-boiling pool with spatially uniform gas injection (LMFBR), 944 (COO--4171-3)
Method for estimating the performances of an internal core-catcher in a pool-type LMFBR, 102 (ANL--78-10)
Microwave heating simulations of fission energy generation in volume-boiling pool systems (LMFBR), 3202
One-dimensional model for transient boilup of volume-heated pools for LMFBR transition phase analysis, 323 (BNL-NUREG--25535)
Retention of molten core debris pools in composite sacrificial beds (LMFBR), 951 (COO--4261-10)
Simulation of heat and mass transfer processes in molten core debris-concrete systems (LMFBR), 952 (COO--4261-11)
Transient fuel solidification and relocation from core during transition-phase conditions (LMFBR), 4002
Volume-heated boiling pool flow behavior and application to transition phase accident conditions (LMFBR), 310 (BNL-NUREG--24984)
MELTDOWN/HYDRODYNAMICS
Boilup threshold for the bottled-up transition phase pool (LMFBR), 1441 (HEDL--SA-1595-FP)
Formation and stability of crust in molten pools. Technical progress report, February 1, 1977--October 1, 1977 (LMFBR), 959 (COO/4171--1)
Melting, boiling and freezing: the ''transition phase'' in fast reactor safety analysis, 4981
Nonequilibrium evaporation and condensation in liquid-metal fast breeder reactor fuel expansion, 4531
Study of thermal and hydrodynamic processes associated with melting of horizontal substrate, 2445 (NUREG/CR--0839)
MELTDOWN/LIQUID FLOW
Growth of molten core debris pools in concrete. Progress report, April 1--June 30, 1979 (LMFBR), 953 (COO--4261-12)
Heat transfer and fluid dynamics in a volume-heated boiling pool (LMFBR), 505 (CONF-761001--P4)
Reactor safety. Quarterly technical progress report, October--December 1977 (LMFBR), 29 (AI-DOE--13223)
Simplified multicomponent phase transition model (LMFBR), 4780
Study of fuel freezing and channel plugging during hypothetical overpower transients (LMFBR), 480 (CONF-761001--P4)
Study of post-accident molten fuel downward streaming through the axial shield structure in the liquid-metal fast breeder reactor, 4530
MELTDOWN/MASS TRANSFER
Effect of overlaying steel layers on the growth of molten core debris pools in concrete (LMFBR), 960 (COO--4261-9)
MELTDOWN/MATHEMATICAL MODELS
Critical experimental study of integral physics parameters in simulated LMFBR meltdown cores, 727 (CONF-781022--28)
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
MELTDOWN/POOL BOILING
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977 (LMFBR), 2847 (SAND--77-1975)
Depressurization of internally heated boiling pools, 3339
Simulation of boiling pools with internal heat sources by gas injection (LMFBR core meltdown), 917 (COO--2554-6)
Void distribution in boiling pools with internal heat generation (LMFBR), 3845
MELTDOWN/RADIANT HEAT TRANSFER
Solution of radiation-conduction problems in LMFBR safety with collocation method, 3185
MELTDOWN/REACTIVITY COEFFICIENTS
Energy increase from bubble collapse following recriticality in large molten pools (LMFBR), 4787
MELTDOWN/REACTIVITY WORTHS
Evaluation of stochastic void models for bubble worth calculations, 780 (CONF-790602--65)
Experimental study of reactivity worths of simulated LMFBR meltdown configurations, 3684
Measurement of integral physics parameters in simulated LMFBR meltdown configurations, 3976
MELTDOWN/REACTOR KINETICS
Critical experimental study of integral physics parameters in simulated liquid-metal fast breeder reactor meltdown cores, 3067
MELTDOWN/SIMULATION
28-pin cladding relocation experiments (LMFBR), 4745
Analysis of a prototypic and a simulant-experiment related to freezing in flow channels (LMFBR), 1018 (DOE/TIC--10100)
Applicability of microwave heating to the simulation of the LMFBR meltdown process, 314 (BNL-NUREG--25421)
Coded aperture imaging in many-pin fuel bundles (LMFBR), 2851 (SAND--78-0233C)
Empirical fuel motion model for TREAT loss-of-flow test F1 (LMFBR), 4743
EOS series of experiments in TREAT (LMFBR), 4752
Experimental studies of the growth of an internally heated liquid pool in a solid bed (LMFBR), 3808
Experimental studies of a heat generating porous bed, 92 (ANL--78-10)
Freezing of a flowing liquid inside a melting tube (LMFBR), 4747
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1978--December 31, 1978, 923 (COO--2571-15)
Investigation of molten-fuel relocation dynamics with simulant fluids (LMFBR), 4746
Large scale sodium test facility (LMFBR), 2835 (SAND--77-1421C)
Microwave heating simulations of fission energy generation in volume-boiling pool systems, 324 (BNL-NUREG--25575)
Post-accident conditions: I. Fast reactor debris bed experiments. II. Molten core penetration measurements, 2863 (SAND--78-1223C)
MELTDOWN/TEMPERATURE DISTRIBUTION
Ground temperatures surrounding a molten fuel pool (LMFBR), 1478 (HEDL-SA--1324-F)
MELTDOWN/TEMPERATURE MEASUREMENT
Application of ultrasonic thermometry in LMFBR safety research, 2831 (SAND--77-1157C)
Ultrasonic thermometry system for measuring very high temperatures in reactor safety experiments, 2883 (SAND--79-0621)
MELTDOWN/TEST FACILITIES
Evaluation of LMFBR fuel-motion diagnostics instrumentation with PARKA, 2273 (LA-UR--78-2711)
Large scale sodium test facility at Sandia Laboratories (LMFBR), 97 (ANL--78-10)
Measurement of the penetration of molten core materials into concrete using an acoustic technique (LMFBR), 114 (ANL--78-10)
Sustained molten steel/concrete interactions tests: a preliminary report on the feasibility of experimental techniques, 2389 (NUREG/CR--0166)
MELTDOWN/THERMODYNAMICS
Effective equation-of-state measurements on uranium dioxide (LMFBR), 2825 (SAND--77-1094C)
MELTDOWN/TWO-PHASE FLOW
Effects of noncondensible void fraction on freezing of flowing fluids (LMFBR), 4777
Finite-difference methods in multi-dimensional two-phase flow (BWR; PWR; LMFBR), 2268 (LA-UR--77-2378)
Flow regime observations in two-phase volume-heated boiling pools (LMFBR), 4778
FOAM: principal flow regime in a volume-heated boiling pool (LMFBR), 4779
Volume-heated boiling pool flow behavior and application to transition phase accident conditions (LMFBR), 310 (BNL-NUREG--24984)
MELTDOWN/ULTRASONIC TESTING
Acoustic diagnostic techniques for post-accident heat removal experiments (LMFBR), 507 (CONF-761001--P4)
MHD GENERATORS
See also COAL-FIRED MHD GENERATORS
LIQUID-METAL MHD GENERATORS
Application of magnetohydrodynamic generators in nuclear power engineering, 5024
MHD POWER PLANTS/EVALUATION
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))
MICHIGAN/BREEDER REACTORS
We almost lost Detroit (Book), 5416
MICHIGAN/FBR TYPE REACTORS
We almost lost Detroit (Book), 5416
MICROSEISMIC MONITORING
See ACOUSTIC MONITORING
MINE-MOUTH GENERATING PLANTS
See FOSSIL-FUEL POWER PLANTS
MIXERS/DESIGN

Thermal-hydraulics design guide for an Advanced Design Thermal Mixer (including development/testing details) (LMFBR), 233 (ANL-CT--79-4)
MOLTEN CARBONATE FUEL CELLS
See HIGH-TEMPERATURE FUEL CELLS
MOLTEN METAL-WATER REACTIONS
Analysis of the U.S. large leak test program Series I sodium--water reaction test results (LMFBR), 1414 (GEFR-SP--165)
Behavior of alloy 800 in sodium contaminated by soda, 4306
Effects of nozzle-to-target distance on wastage in small-leak sodium-water reactions, 3430
Fuel-coolant interactions. Some basic studies at the UKAEA Culham Laboratory (LMFBR), 2709 (PNC-N--251-76-12(Vol.1))
Interim evaluation of data from sodium-water reaction tests SWR-3, SWR-4, and SWR-5 and comparison with transwrap analyses. Series I: large-leak test program, 1276 (GEFR--00366)
Investigations into the sodium-steam surface interaction on a stagnant pool, 2328 (NEDM--14149)
Main results of experiments with a major leak of water into sodium conducted in nineteen-tube models, 716 (CONF-781001--P2)
Report of study on safety with respect to sodium water reaction. Section 4. Water leak rate evaluation in the large scale sodium water reaction. Section 5. Concluding remarks. Appendix. Analysis code: summary, 3119 (ANL-Trans--1177)
SERP deposition from testing and cleaing an LMFBR generator, 3173
Simulation experiment and analysis on the effects of incoherence in fuel coolant interaction (LMFBR), 2708 (PNC-N--251-76-12(Vol.1))
SWAAM prediction of LLTR Series-II A-1a Test, 242 (ANL-CT--79-35)
Vapor explosion phenomena with respect to nuclear reactor safety assessment, 2394 (NUREG/CR--0245)
Wastage phenomena by small leak sodium-water reaction. II. Parameters effect, 3552
MOLTEN METAL-WATER REACTIONS/ACOUSTIC MONITORING
Acoustic detection for small-leak sodium-water reaction, 4439
Measurement of the sound produced during steam injections into sodium (LMFBR), 4012
MOLTEN METAL-WATER REACTIONS/CHEMICAL REACTION KINETICS
Wastage phenomena due to small leak sodium-water reaction. Reaction temperature and wastage pattern, 4570
MOLTEN METAL-WATER REACTIONS/CORROSION PRODUCTS
Economical removal of sodium water reaction products (SWRP) from an LMFBR intermediate heat transport system (IHTS), 523 (CONF-761107--28)
MOLTEN METAL-WATER REACTIONS/FRAGMENTATION
Experimental investigation of gas evolution as the mechanism for free-contact fragmentation, 3738
MOLTEN METAL-WATER REACTIONS/HEAT TRANSFER
Vapor film collapse during subcooled film boiling and its application to molten metal coolant interactions (BWR, PWR, LMFBR), 4634
MOLTEN METAL-WATER REACTIONS/HYDRAULICS
Experimental results of sodium-water reaction Test No. 6 (LMFBR), 2298 (LMEC-TDR--78-3)
Experimental results of Sodium--Water Reaction Tests Nos. 4 and 5 in LLTR (LMFBR), 1732 (HEDL-TI-LME--012)
Numerical method for solution of transient, homogeneous, equilibrium, two-phase flows in one space dimension (LMFBR), 156 (ANL--79-70)
MOLTEN METAL-WATER REACTIONS/MATHEMATICAL MODELS
SOWACS-3: a code for analyzing the system effects of large-leak sodium-water reactions in steam generators for LMFBR's, 5180
MOLTEN METAL-WATER REACTIONS/PRESSURE GRADIENTS
Experimental results of Sodium--Water Reaction Tests Nos. 4 and 5 in LLTR (LMFBR), 1732 (HEDL-TI-LME--012)
MOLTEN METAL-WATER REACTIONS/SIMULATION
Liquid-liquid contact in vapor explosion, 141 (ANL--78-92)
MOLTEN METAL-WATER REACTIONS/TEMPERATURE GRADIENTS
Experimental results of sodium-water reaction Test No. 6 (LMFBR), 2298 (LMEC-TDR--78-3)
Vapor film collapse during subcooled film boiling and its application to molten metal coolant interactions (BWR, PWR, LMFBR), 4634
MOLTEN METAL-WATER REACTIONS/TEST FACILITIES
Measurement of the sound produced during steam injections into sodium (LMFBR), 4012
Operating experience and sodium-water reaction testing in the Large Leak Test Rig, 4371
Operating experience and sodium-water reaction testing in the large leak test rig (DOE), 3749
Sodium-water reaction test facility (SWAT-3), 5195
U.S. program for large sodium/water reaction tests (LMFBR), 643 (CONF-780203--9)
MOLTEN METAL-WATER REACTIONS/TIME DEPENDENCE
Millisecond-period meltdown experiments on prompt-burst effects and molten-tin-water dropping experiments (LMFBR), 2724 (PNC-N--251-76-12(Vol.2))
MOLTEN METAL-WATER REACTIONS/TWO-PHASE FLOW
Numerical method for solution of transient, homogeneous, equilibrium, two-phase flows in one space dimension (LMFBR), 156 (ANL--79-70)
MOLTEN SALT REACTORS/REACTOR COMPONENTS
Needs for development in nondestructive testing for advanced reactor systems, 644 (CONF-780215--2)
MOLTEN SALT REACTORS/REACTOR MATERIALS
Needs for development in nondestructive testing for advanced reactor systems, 644 (CONF-780215--2)
MOLTEN SALTS
Fast reactor program reprocessing project-pyrochemical head-end preliminary technical and economic evaluation, 5454 (PNL-TR--356)
MOLYBDENUM/CHEMICAL VAPOR DEPOSITION
Effect of ion-plated molybdenum on corrosion of V/Mo alloys in liquid sodium, 3742
MOLYBDENUM/INTEGRAL CROSS SECTIONS
Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
MOLYBDENUM 99/LUNG CLEARANCE
Inhalation dose conversion factors for various radionuclides associated with Liquid Metal Fast Breeder Reactors. Part 2, 1246 (GEFR--00257)
MOLYBDENUM 99/RADIOACTIVE AEROSOLS
Inhalation dose conversion factors for various radionuclides associated with Liquid Metal Fast Breeder Reactors. Part 2, 1246 (GEFR--00257)
MOLYBDENUM ALLOYS/CORROSION PROTECTION
Effect of ion-plated molybdenum on corrosion of V/Mo alloys in liquid sodium, 3742
MOLYBDENUM ALLOYS/CORROSION RESISTANCE
Improvement to high temperature alloys (Patent; LMFBR), 5367
MOLYBDENUM ALLOYS/CREEP
Creep and stress-rupture behavior under internal pressure of tubes made from austenitic stainless steel X8 Cr Ni Mo Nb 1616 (Material No. 1.4981), 2206 (KFK--2773)
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
MOLYBDENUM ALLOYS/DECARBURIZATION
Development of steel tubes for steam generator of fast breeder reactor (2¼ Cr - 1 Mo steel), 4616
MOLYBDENUM ALLOYS/FABRICATION
Alloys for a liquid metal fast breeder reactor (Patent), 3091
Dispersion strengthened ferritic alloy for use in liquid-metal fast breeder reactors (LMFBRS) (Patent; 13 to 25% Cr, 0.2 to 2% Ti, <2% Mo, <2% Al, <2% Y_2O_3), 3792
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
Improvement to high temperature alloys (Patent; LMFBR), 5367
MOLYBDENUM ALLOYS/PHYSICAL RADIATION EFFECTS
Creep behavior of OX16H15M3B steel and comparison with AISI 316, 1666 (HEDL-SA--1983)
EBR-II and FFTF irradiation experiments, 1664 (HEDL-SA--1983)
Improvement to high temperature alloys (Patent; LMFBR), 5367
Influence of cold work on the in-pile stress rupture strength of 16 chromium--16 nickel--niobium austenitic stainless steels, 4554
MOLYBDENUM ALLOYS/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
MOLYBDENUM ALLOYS/TENSILE PROPERTIES
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
MONITORS (FAILED ELEMENTS)
See FAILED ELEMENT MONITORS
MONITORS (REACTOR)
See REACTOR CONTROL SYSTEMS
MONJU REACTOR/CONTROL ROD DRIVES
Test result for the control rod drive mechanism in sodium for prototype LMFBR 'Monju', 4550
MONJU REACTOR/CONTROL ROD WORTHS
Adequacy of the analysis of mock-up control rod experiment with FCA, 2138 (JAERI-M--7139)
MONJU REACTOR/DESIGN
Fast breeder reactor development in Japan. Progress report, October--December 1977, 3526 (JAPFNR--316)
Fast breeder reactor development in Japan. Progress report, July--September 1977, 3688 (JAPFNR--317)
Fourth conceptual design of 'Monju' plant, 4320
Outline of 'Monju' coordinated design, (3), 4613
Progress report on fast breeder reactor development in Japan, October--December 1976, 4581 (JAPFNR--260)
Progress report on fast breeder reactor development in Japan, April--June 1978, 2147 (JAPFNR--425)
Safety-related design of MONJU, 389 (CONF-761001--P1)
MONJU REACTOR/EXCURSIONS
MONJU fuel pin safety irradiation program in GETR, 2030 (IWGFR--5)
MONJU REACTOR/FLOW BLOCKAGE
MONJU fuel pin safety irradiation program in GETR, 2030 (IWGFR--5)
MONJU REACTOR/FLOWMETERS
Ultrasonic flow-meter test in sodium, 4227
MONJU REACTOR/FUEL ASSEMBLIES
Inspecting examination of mockup fuel assemblies of MONJU after sodium flow test, 2740 (PNCT--831-77-02)
Test on ''MONJU'' fuel subassemblies (the first and the second test fabrications), 4310 (JAPFNR--296)
MONJU REACTOR/FUEL CANS
Creep and creep-rupture properties of the nuclear fuel

cladding tube for fast breeder reactor in high temperature sodium: on the cladding tube (AISI Type 316SS, effect of boron content) manufactured in 1974 for MONJU, 2149 (JAPFNR--435)
Development of nondestructive measurement of cold work rate, (1), 2739 (PNCT--831-77-01)
MONJU REACTOR/FUEL ELEMENT FAILURE
MONJU fuel pin safety irradiation program in GETR, 2030 (IWGFR--5)
MONJU REACTOR/FUEL PELLETS
Determination of O/M ratios of UO_2-PuO_2 mixed oxide fuel, (1). Statistical analysis of O/M ratios, 2738 (PNCT--831-75-02)
MONJU REACTOR/FUEL PINS
PNC irradiation programs, 2024 (IWGFR--5)
MONJU REACTOR/HEAT EXCHANGERS
Design of thy MONJU heat transport system and the related R and D work, including steam generator, 4075
MONJU REACTOR/IN-SERVICE INSPECTION
In-service inspection for ''Monju'', 2053 (IWGFR--10)
MONJU REACTOR/LEAKS
Safety evaluation of the Monju steam generator, 411 (CONF-761001--P2)
MONJU REACTOR/LOSS OF FLOW
MONJU fuel pin safety irradiation program in GETR, 2030 (IWGFR--5)
MONJU REACTOR/MECHANICAL VIBRATIONS
Flow induced vibration studies for LMFBR in Japan: past and recent studies of FIV for JOYO and MONJU, 2102 (IWGFR--21)
MONJU REACTOR/NEUTRON SPECTRA
Computer simulation and neutron, heavy-ion and electron irradiation correlation, 4972
MONJU REACTOR/NUCLEAR FUELS
Remote fabrication of FBR fuel at PNC, 3144
MONJU REACTOR/PLANNING
Outline of the preliminary working design (1) of prototype FBR ''Monju'', 3508
Progress report on fast breeder reactor development in Japan. October 1975--January 1976, 2735 (PNC-N--251-76-26)
MONJU REACTOR/PRIMARY COOLANT CIRCUITS
Design of thy MONJU heat transport system and the related R and D work, including steam generator, 4075
Water test of the MONJU primary sodium pump mock-up, 3918 (JAPFNR--320)
MONJU REACTOR/REACTIVITY WORTHS
Study on sodium void reactivity worth predictional method, 5152 (JAPFNR--259)
MONJU REACTOR/REACTOR CHARGING MACHINES
Experience on sodium removal from various components, 2127 (IWGFR--23)
MONJU REACTOR/REACTOR COMPONENTS
Experience on sodium removal from various components, 3817 (JAPFNR--319)
Reactor system components of Japan's fast breeder reactors, 5283
MONJU REACTOR/REACTOR COOLING SYSTEMS
Actual status of sodium cavitation studies in Japan, 2046 (IWGFR--9)
LMFBR coolant system components development in Japan, 5281
MONJU REACTOR/REACTOR CORE DISRUPTION
Experimental study on dynamic response of reactor vessel to an HCDA, 4494
MONJU REACTOR/REACTOR CORES
Effect of core design changes on the doubling time and the fuel cycle cost of a 1,000 MWe LMFBR, 4128
MONJU REACTOR/REACTOR KINETICS
Mock-up critical experiments for prototype fast breeder reactor 'Monju', 5153
MONJU REACTOR/REACTOR MAINTENANCE
Experience on sodium removal from various components, 2127 (IWGFR--23)
MONJU REACTOR/REACTOR MATERIALS
Materials for fast breeder prototype reactor 'Monju', 4520
MONJU REACTOR/REACTOR SAFETY
Safety-related design of MONJU, 389 (CONF-761001--P1)
MONJU REACTOR/RESEARCH PROGRAMS
Progress report on fast breeder reactor development in Japan, October - December 1977, 2736 (PNC-N--251-78-02)
Project of developing fast breeder reactors in Japan, 4207
MONJU REACTOR/SPECIFICATIONS
Past and present role of fast breeder reactors in Japan, 4051
MONJU REACTOR/SPENT FUEL ELEMENTS
Decay heat removal test of spent fuel in 'Monju' ex-vessel transfer machine, 4442
MONJU REACTOR/SPENT FUELS
Decay heat removal test of spent fuel in ''Monju'' ex-vessel transfer machine, phase 2, 3726
MONJU REACTOR/STEAM GENERATORS
Design of thy MONJU heat transport system and the related R and D work, including steam generator, 4075
Heat transfer characteristics of steam generators for FBR, 4612
Initial pressure spike and its propagation phenomena in sodium-water reaction tests for MONJU steam generators, 579 (CONF-770807--Pt.E)
Initial pressure spike and its propagation phenomena in sodium-water reaction tests for MONJU steam generators, 5092
Post-performance examination of the 50 MW steam generator for the prototype fast breeder reactor 'MONJU', 4151
Research and development on steam generator for fast breeder reactor, 4569
MONJU REACTOR/VALVES
Flow induced vibration of the large-sized sodium valve for MONJU, 2106 (IWGFR--21)
MOTION DETECTION SYSTEMS/DESIGN
Coded aperture imaging system for nuclear fuel motion detection, 2893 (SAND--80-0026)
MULTIGROUP THEORY/GROUP CONSTANTS
Determination of current weighted total cross sections in the unresolved energy region, 775 (CONF-790602--59)
MULTIPLICATION FACTORS/MEASURING METHODS
Conclusions drawn from subcritical multiplication results in ZPPR (LMFBR), 668 (CONF-780401--12)

N

NATIONAL DEFENSE
Nuclear proliferation and nuclear power, 4872
NATIONAL ENERGY PLAN
Carter plan generally backed except on breeders, scrubbers, 4533
Carter puts nuclear power in strong position, 4532
NEODYMIUM ISOTOPES/INTEGRAL CROSS SECTIONS
Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
NEPTUNIUM/TRANSMUTATION
Some preliminary investigations of the incineration of actinide waste from the UK and European nuclear power programmes, 1197 (EUR--5897)
Studies on recycling of actinides other than U and Pu, 1195 (EUR--5897)
NEPTUNIUM 237 TARGET/NEUTRON REACTIONS
EBR-II derived fission yields from vanadium encapsulated fission monitors, 1756 (HEDL-TME--77-34(Vol.2))
Fission-rate measurements by activation techniques: methods, accuracies and applications (Development program), 1185 (EUR--5667(Pt.1))
NETHERLANDS/ENERGY ANALYSIS
Annual report 1978, 2006 (INIS-mf--5244)
NETHERLANDS/FBR TYPE REACTORS
Present state of development of the fast breeder project in the Federal Republic of Germany, Belgium and the Netherlands, and progress achieved during 1975 and early 1976, 2081 (IWGFR--12)
NETHERLANDS ORGANIZATIONS
See also ECN
NETHERLANDS ORGANIZATIONS/COORDINATED RESEARCH PROGRAMS
Annual report 1977, 1948 (INIS-mf--4513)
NEUTRON ABSORBERS/PERFORMANCE
Europia as a nuclear control material (LMFBR), 3691
Fast reactor neutron absorber materials (EuB_6; B_4C; Eu_2O_3), 1601 (HEDL-SA--1690-FP)
NEUTRON ABSORBERS/PHYSICAL PROPERTIES
Absorber materials for fast reactor control applications, 1456 (HEDL-SA--1177-FP)
NEUTRON ABSORBERS/PHYSICAL RADIATION EFFECTS
Results on an irradiation experiment on absorber materials for fast sodium-cooled reactors, 4365 (BNWL-tr--265)
NEUTRON ABSORBERS/RESEARCH PROGRAMS
Breeder reactor reference control materials. Semiannual status newsletter, June--December 1978, 1838 (HEDL-TME--78-115)
NEUTRON CAMERAS/PERFORMANCE TESTING
Hodoscope performance tests on a 91-pin fuel bundle at PARKA, 732 (CONF-781033--9)
NEUTRON DETECTION/FISSION CHAMBERS
Modification of the NBS double fission chamber for in-core operation in the Fast Test Reactor, 1755 (HEDL-TME--77-34(Vol.2))
Process and system for detecting and pre-locating a clad failure in a fast neutron nuclear reactor (Patent), 5203
Process and apparatus for the detection and prelocalization of a can fracture in a fuel assembly of a fast nuclear reactor (Patent), 3092
NEUTRON DETECTION/NEUTRON MONITORS
Neutron flux measuring device (liquid sodium cooled reactors (Patent)), 5167
NEUTRON DETECTORS
See also BORON COATED ION CHAMBERS
FISSION CHAMBERS
FISSION FOIL DETECTORS
THRESHOLD DETECTORS
NEUTRON DETECTORS/DATA PROCESSING
Dosimeter based adjustments of fast neutron spectra, 1856 (HEDL-TME--1480(FP))
NEUTRON DETECTORS/DESIGN
Instrumentation development twenty-second quarterly report, October 1976--June 1977 (LMFBR), 1347 (GEFR--13825-20-22)
NEUTRON DETECTORS/PERFORMANCE TESTING
Reactor Development Program progress report, May--June 1977 (LMFBR), 269 (ANL-RDP--61)
NEUTRON DIFFUSION EQUATION/ANALYTICAL SOLUTION
Nodal method for solving transient fewgroup neutron

diffusion equations, 127 (ANL--78-51)
NEUTRON DIFFUSION EQUATION/CORRECTIONS
Spatial mesh effect in three-dimensional diffusion calculations for fast reactors, 3722
NEUTRON DIFFUSION EQUATION/FINITE DIFFERENCE METHOD
Optimized iteration strategies and data management considerations for fast reactor finite difference diffusion theory codes, 4331
Test of the diffusion theory difference equations in slab geometry (computer code VANCER), 2560 (ORNL--5381)
NEUTRON DIFFUSION EQUATION/NUMERICAL SOLUTION
Flux synthesis programme KASY for the approximate solution of the three-dimensional multigroup-neutron-diffusion-equation. Present state, planned improvements and applications to reactor design problems, 4719
NEUTRON DIFFUSION EQUATION/THREE-DIMENSIONAL CALCULATIONS
VENTURE: a code block for solving multigroup neutronics problems applying the finite-difference diffusion-theory approximation to neutron transport, version II (LMFBR), 2476 (ORNL--5062/R1)
NEUTRON DOSIMETRY
Reactor dosimetry integral reaction rate data in LMFBR benchmark and standard neutron fields: status, accuracy and implications, 1190 (EUR--5667(Pt.2))
Zero-power baiss of fast reactor dosimetry, 10 (AEEW-R--1183)
NEUTRON DOSIMETRY/BENCHMARKS
Reference and standard benchmark field consensus fission yields for U.S. reactor dosimetry programs (LMFBR), 2371 (NUREG/CP--0004(Vol.3))
Status report on dosimetry benchmark neutron field development, characterization, and application, 2368 (NUREG/CP--0004(Vol.3))
NEUTRON DOSIMETRY/DATA COMPILATION
Reactor dosimetry integral reaction rate data in LMFBR Benchmark and standard neutron fields: status, accuracy and implications, 1191 (EUR--5667(Suppl.))
NEUTRON DOSIMETRY/THRESHOLD DETECTORS
Dosimeter sample preparation, quality assurance, and materials development for the ILRR, FRMDC, and FFTF dosimetry programs, 604 (CONF-771036--2)
NEUTRON FLUX/IN CORE INSTRUMENTS
Neutron flux measuring device (liquid sodium cooled reactors (Patent)), 5167
NEUTRON FLUX/MEASURING INSTRUMENTS
Device for measuring neutron flux in a nuclear reactor (Patent), 3132
NEUTRON FLUX/SPATIAL DISTRIBUTION
TRIPOLI 01, a three-dimensional polykinetic Monte Carlo program. Pt.2. Constant data input and results obtained for a complex bench-mark example, 344 (CEA-CONF--3834(Pt.2))
NEUTRON MONITORS/PERFORMANCE TESTING
Fast reactor fluence dosimetry. Technical progress report, June--December 1977 (LMFBR), 19 (AI-DOE--13209)
Summary of test results from the testing of a Westinghouse Model WX-30950 compensated ionization chamber in the EBR-II NITF 0-1 Thimble at temperatures up to 370°C (Experiment NI-3), 197 (ANL-CT--77-38)
NEUTRON MULTIPLIER FACILITY
See SUBCRITICAL ASSEMBLIES
NEUTRON REACTIONS/CROSS SECTIONS
Reactor dosimetry integral reaction rate data in LMFBR Benchmark and standard neutron fields: status, accuracy and implications, 1191 (EUR--5667(Suppl.))
Sensitivity analyses of fast reactor systems including thorium and uranium, 681 (CONF-780622--43)
NEUTRON REACTIONS/FAST FISSION
EBR-II derived fission yields from vanadium encapsulated fission monitors, 1756 (HEDL-TME--77-34(Vol.2))
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
Fast reactor fission yields for ^{239}Pu and ^{241}Pu, 1886 (ICP--1050-11)
Fast reactor fission yields for ^{240}Pu and ^{242}Pu, 1885 (ICP--1050-4)
NEUTRON REACTIONS/FISSION
Fission-rate measurements by activation techniques: methods, accuracies and applications (Development program), 1185 (EUR--5667(Pt.1))
NEUTRON REACTIONS/INELASTIC SCATTERING
Cross sections, angular distributions, and magnetic substate populations in the ^{23}Na(n,n'γ) reaction, 4382
NEUTRON REACTIONS/THERMAL FISSION
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
NEUTRON REFLECTORS/NEUTRON REACTIONS
Interfacial effects in fast reactors (LMFBR), 908 (COO--2250-37)
NEUTRON REFLECTORS/STANDARDS
Radial reflector assembly for liquid metal fast breeder reactors, 2764 (RDT-E--6-19T(3-78))
NEUTRON SLOWING-DOWN THEORY/HETEROGENEOUS EFFECTS
Analysis of exposure dependent heterogeneous FBR spectra using continuous slowing down-integral transport concepts, 914 (COO--2458-23)
NEUTRON SPECTRA/NUCLEAR DATA COLLECTIONS
SPECTRA-IV, benchmark spectra based on LIB-IV, 2237 (LA--7861-MS)
NEUTRON TRANSPORT/THREE-DIMENSIONAL CALCULATIONS
Direct-coupled-ray method for design-oriented three-dimensional transport analysis (LMFBR), 4330
NEUTRON TRANSPORT THEORY
See also MULTIGROUP THEORY
NEUTRON TRANSPORT THEORY/ACCURACY
Neutron transport studies in fast reactor shields, 4608
NEUTRON TRANSPORT THEORY/CALCULATION METHODS
Determination of current weighted total cross sections in the unresolved energy region, 775 (CONF-790602--59)
NEUTRON TRANSPORT THEORY/NUCLEAR DATA COLLECTIONS
VITAMIN E: a multipurpose ENDF/B-V coupled neutron-gamma cross section library, 835 (CONF-791058--34)
NEUTRON TRANSPORT THEORY/RESEARCH PROGRAMS
Transport and reactor theory. Progress report, July 1--September 30, 1978, 2232 (LA--7554-PR)
NEUTRONIC DAMAGE FUNCTIONS
Damage analysis: damage function development and application (LMFBR; GTR), 1189 (EUR--5667(Pt.2))
NEW MEXICO/RADIOACTIVE WASTE FACILITIES
Policy report on high level radioactive wastes, 5433
NICKEL/PHYSICAL RADIATION EFFECTS
Irradiation under stress and the resulting microstructure, 4958
Radiation effects in structural materials, 3328
Theory of void nucleation in metals (Ion beams), 3432
NICKEL/SWELLING
Comparison of the swelling produced in nickel by neutron irradiation and by ion bombardment, 4949
NICKEL ALLOYS
See also CHROMIUM-NICKEL STEELS
NICKEL BASE ALLOYS
NICKEL-CHROMIUM STEELS
NICKEL ALLOYS/CORROSION RESISTANCE
Improvement to high temperature alloys (Patent; LMFBR), 5367
NICKEL ALLOYS/CREEP
Creep and stress-rupture behavior under internal pressure of tubes made from austenitic stainless steel X8 Cr Ni Mo Nb 1616 (Material No. 1.4981), 2206 (KFK--2773)
Influence of alloying on the irradiation creep of nickel, 4957
NICKEL ALLOYS/FABRICATION
Alloys for a liquid metal fast breeder reactor (Patent), 3091
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
Improvement to high temperature alloys (Patent; LMFBR), 5367
NICKEL ALLOYS/PHYSICAL RADIATION EFFECTS
Applications of simulation experiments in LMFBR core materials technology, 377 (CONF-760673--)
Creep behavior of 0X16H15M3B steel and comparison with AISI 316, 1666 (HEDL-SA--1983)
EBR-II and FFTF irradiation experiments, 1664 (HEDL-SA--1983)
Fundamental aspects of the evolution of, and phase changes in, metals and alloys under irradiation, 4973
Improvement to high temperature alloys (Patent; LMFBR), 5367
Radiation-damage considerations (Neutrons), 5008
Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report (Inconel 744, Sandvik 12R72HV), 1 (AD-A--047410)
NICKEL ALLOYS/SOLVENT PROPERTIES
Electro- and thermotransport of carbon in iron-nickel alloys, 2014 (IS-T--887)
NICKEL ALLOYS/SWELLING
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys, 4969
Effects of irradiation on swelling and microstructural stability of precipitation strengthened alloys, 4967
Influence of fast diffusing substitutional elements on the swelling behaviour of Ni- and Cu-alloys, 4955
NICKEL ALLOYS/TENSILE PROPERTIES
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
NICKEL BASE ALLOYS
See also INCONEL ALLOYS
TRIBALOY 700
NICKEL BASE ALLOYS/CHEMICAL RADIATION EFFECTS
Fundamental aspects of the evolution of, and phase changes in, metals and alloys under irradiation, 353 (CEA-CONF--4014)
NICKEL BASE ALLOYS/CORROSION
Friction, wear, and corrosion of laves-hardened nickel alloy hardsurfacing in sodium, 1502 (HEDL-SA--1391)
NICKEL BASE ALLOYS/PHYSICAL RADIATION EFFECTS
International conference on irradiation effects in structural materials for breeder reactors, 4888
Microstructural changes in ion-irradiated commercial alloys (475 to 725°C), 5277
Nickel and nitrogen ion irradiation induced void swelling and defect microstructures in Ni--Al, Ni--Cr and Ni--Ti solid solutions (3.5 MeV ^{58}Ni^{+}, 400 keV ^{14}N^{+} and 400 keV ^{14}N^{+}i^{+}), 3374
Radiation damages in constructional steels and high-nickel alloys irradiated with neutrons, 4970
NICKEL BASE ALLOYS/SWELLING
Influence of alloy constitution on the swelling of austenitic stainless steels and nickel based alloys, 4959
NICKEL-CHROMIUM STEELS
(Steels containing Ni and Cr; the Cr content is

usually 0.5 to 2.0%, the Ni content is higher.)
NICKEL-CHROMIUM STEELS/CRACKS
Behavior of alloy 800 in sodium contaminated by soda, 4306
NICKEL-CHROMIUM STEELS/CREEP
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
Survey of available creep and tensile data for alloy 800H, 2637 (ORNL/TM--6029)
Survey of available creep and tensile data for alloy 800H, 2528 (ORNL--5309)
NICKEL-CHROMIUM STEELS/MECHANICAL PROPERTIES
EG and G Idaho, Inc., 2516 (ORNL--5287)
Oak Ridge National Laboratory (Summary of research activities on mechanical properties of LMFBR materials), 2511 (ORNL--5287)
NICKEL-CHROMIUM STEELS/PHYSICAL RADIATION EFFECTS
Comparison of the irradiation effects on swelling and microstructure in commercial alloy A-286 and a simple Fe--25 Ni--15Cr gamma prime hardened alloy, 4954
Radiation effects in structural materials, 3328
NICKEL-CHROMIUM STEELS/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
NICKEL-CHROMIUM STEELS/STRESS CORROSION
Behavior of alloy 800 in sodium contaminated by soda, 4306
NICKEL-CHROMIUM STEELS/SWELLING
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys (LMFBR), 352 (CEA-CONF--4013)
NICKEL-CHROMIUM STEELS/TENSILE PROPERTIES
Survey of available creep and tensile data for alloy 800H, 2637 (ORNL/TM--6029)
Survey of available creep and tensile data for alloy 800H, 2528 (ORNL--5309)
NICKEL-CHROMIUM STEELS/ULTRASONIC TESTING
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2571 (ORNL/TM--6679)
NICKEL-CHROMIUM STEELS/WELDING
Nondestructive testing, 2519 (ORNL--5309)
NIMONIC PE16/CORROSION
Materials requirements for liquid metal fast breeder reactors, 3822
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium (700°C for 2000 hours), 1464 (HEDL-SA--1225FP(Rev.))
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
NIMONIC PE16/CREEP
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
NIMONIC PE16/MICROSTRUCTURE
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
NIMONIC PE16/PHYSICAL RADIATION EFFECTS
In-reactor creep measurements, 3670
Materials requirements for liquid metal fast breeder reactors, 3822
Post-irradiation mechanical properties of AISI type 316 steel and Nimonic PE16 alloy, 4939
Radiation-damage considerations (Neutrons), 5008
Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report, 1 (AD-A--047410)
Theory of void nucleation in metals (Ion beams), 3432
NIMONIC PE16/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
NIMONIC PE16/SURFACE PROPERTIES
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
NIMONIC PE16/SWELLING
Materials requirements for liquid metal fast breeder reactors, 3822
Void swelling and microstructural changes in fuel pin cladding and unstressed specimens irradiated in DFR, 4960
NIOBIUM/OXIDATION
Experimental evaluation of the oxidation behavior of Nb, V, and Ti as candidate PCCI inhibitors, 1278 (GEFR--00370)
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
NIOBIUM/PHYSICAL RADIATION EFFECTS
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
Radiation-damage considerations (Neutrons), 5008
NIOBIUM ALLOYS
See also NIOBIUM BASE ALLOYS
NIOBIUM ALLOYS/CREEP
Creep and stress-rupture behavior under internal pressure of tubes made from austenitic stainless steel X8 Cr Ni Mo Nb 1616 (Material No. 1.4981), 2206 (KFK--2773)
NIOBIUM ALLOYS/ELASTICITY
Stress-strain behavior of ERNiCr-3 weld filler metal under strain controlled cyclic loading, 2642 (ORNL/TM--6128)
NIOBIUM ALLOYS/PHYSICAL RADIATION EFFECTS
Creep behavior of OX16H15M3B steel and comparison with AISI 316, 1666 (HEDL-SA--1983)
NIOBIUM BASE ALLOYS/CORROSION RESISTANCE
Corrosion resistance of alloys of the niobium-zirconium-oxygen system in molten lithium, 4417
NOBLE GASES
See RARE GASES
NONDESTRUCTIVE TESTING
See also ACOUSTIC TESTING
INDUSTRIAL RADIOGRAPHY
NONDESTRUCTIVE TESTING/RESEARCH PROGRAMS
Nondestructive testing development program. Quarterly progress report for period ending September 30, 1977 (LMFBR), 2555 (ORNL--5350)
Nondestructive testing development program. Quarterly progress report for period ending December 31, 1977 (LMFBR), 2561 (ORNL--5385)
Nondestructive testing development program. Quarterly progress report for period ending March 31, 1978 (LMFBR), 2566 (ORNL--5417)
Nondestructive testing development program quarterly progress report for period ending March 31, 1977, 2508 (ORNL--5286)
Nondestructive testing development program. Quarterly progress report for period ending June 30, 1978 (LMFBR) 2570 (ORNL--5440)
Nondestructive Testing Development Program. Quarterly progress report for period ending September 30, 1978, 2576 (ORNL--5490)
Nondestructive testing development program semiannual progress report for period ending March 31, 1979 (LMFBR), 2588 (ORNL/BRP--79/3)
NON-PROLIFERATION TREATY
Thoughts on the energy situation, 3919
NORTHERN IRELAND
See UNITED KINGDOM
NOZZLES/DESIGN
Ratchetting and creep-fatigue evaluation for nozzle-to-cylinder intersection, 5306
NOZZLES/STRESS ANALYSIS
Thermal elasto-plastic analysis in reactor vessel nozzles, 5111
NOZZLES/THERMAL STRESSES
Thermal elasto-plastic analysis in reactor vessel nozzles, 1944 (INIS-mf--4506)
NRTS-ETR REACTOR
See ETR REACTOR
NUCLEAR DATA COLLECTIONS
Cooperative nuclear data and methods development. Eighth quarterly report, October--December 1977 (LMFBR) 1385 (GEFR--14074-8)
ENDF/B-V content and performance in fast reactor systems, 3685
Experience in developing and using the VITAMIN-C 171-neutron, 36-gamma-ray group cross-section library, 2613 (ORNL/RSIC--41)
NUCLEAR DATA COLLECTIONS/GROUP CONSTANTS
Cooperative nuclear date and methods development. Twelfth quarterly report, January--March 1979, 1389 (GEFR--14074-12)
NUCLEAR DATA COLLECTIONS/SPECIFICATIONS
VITAMIN E: a multipurpose ENDF/B-V coupled neutron-gamma cross section library, 835 (CONF-791058--34)
NUCLEAR ENERGY/RECOMMENDATIONS
Alternate perspective on long-range energy options, 862 (CONF-7706130--)
NUCLEAR ENGINEERING
Reactor technology. Atomic structure, 4287
NUCLEAR ENGINEERING/RESEARCH PROGRAMS
Reactor Engineering Division annual report. (April 1, 1976 - March 31, 1977), 2140 (JAERI-M--7291)
NUCLEAR FUELS
See also DENATURED FUEL
DISPERSION NUCLEAR FUELS
FUEL ELEMENTS
SPENT FUELS
Influence of core assembly refueling requirements on LMFBR core system design, 3329
NUCLEAR FUELS/BREEDING RATIO
Analysis of the breeding capability of various fast reactor fuels, 2776 (RRC--16)
NUCLEAR FUELS/CHEMICAL COMPOSITION
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, January 1--March 31, 1979, 2236 (LA--7827-PR)
NUCLEAR FUELS/DISSOLUTION
Dissolution of mixed oxide fuel as a function of fabrication variables, 1657 (HEDL-SA--1935)
NUCLEAR FUELS/FABRICATION
French fast breeder reactor fuel fabrication, 3143
Manufacture of the second core of Rapsodie - Type 2 A - Fortissimo version, 360 (CEA-R--4881)
Remote fabrication of FBR fuel at PNC, 3144
U.K. development toward remote fabrication of breeder reactor fuel, 3142
NUCLEAR FUELS/FUEL-CLADDING INTERACTIONS
Utilization of the experimental reactor Osiris for the study and the development of fuels of the fast neutron reactor type, 354 (CEA-CONF--4192)
NUCLEAR FUELS/MICROSTRUCTURE

Microstructure characterizaton of advanced oxide fuel (PuO_2--UO_2), 1454 (HEDL-SA--1171-FP)
NUCLEAR FUELS/OPTIMIZATION
Choice of systems and optimum use of nuclear material resources, 3720
NUCLEAR FUELS/PERFORMANCE
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs: a preliminary report. Part I. Assumptions, constraints and methodology, 171 (ANL-AFP--30)
NUCLEAR FUELS/PHASE TRANSFORMATIONS
BOPSI - a model for the theoretical description of the behaviour of boiling fuel-steel arrays sealed off on all sides, 2011 (INKA-Conf--79-134-001)
NUCLEAR FUELS/PHYSICAL RADIATION EFFECTS
Model to describe the role of non-equilibrium intragranular fission gas bubbles during transient heating, 3415
NUCLEAR FUELS/QUALITY ASSURANCE
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, January 1--March 31, 1979, 2236 (LA--7827-PR)
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, July 1-September 30, 1979, 2265 (LA--8132-PR)
NUCLEAR FUELS/REPROCESSING
Review of nuclear fuel cycle alternatives including certain features pertaining to weapon proliferation, 2845 (SAND--77-1727)
NUCLEAR FUELS/RESEARCH PROGRAMS
FY 1976 operation program of PNC, 5213
NUCLEAR FUELS/SWELLING
Swelling analysis of highly-rated MX-type LMFBR fuels. II. Microscopic swelling behavior, 3560
NUCLEAR FUELS/TEST FACILITIES
Apparatus to simulate nuclear heating in advanced fuels (LMFBR; UC-PuC; UN-PuN), 168 (ANL-AFP--22)
NUCLEAR FUELS/VAPOR CONDENSATION
Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2691 (PB--273304)
NUCLEAR INDUSTRY
French nuclear industry, 4921
NUCLEAR INDUSTRY/MEETINGS
Nuclex 78: broad offer - restrained interest. Report on the 5th international trade exhibition and expert meeting for the nuclear technological industry, 3312
NUCLEAR INDUSTRY/RADIOACTIVE EFFLUENTS
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
NUCLEAR MATERIALS MANAGEMENT
Instrumentation and control development and design philosophy for Advanced Fuel Recycle, 2655 (ORNL/TM--6393)
NUCLEAR MATERIALS MANAGEMENT/GOVERNMENT POLICIES
Tail end of the fuel cycle: coping with the Carter edict, 4433
NUCLEAR POWER
Nuclear power generation plan in France, 5266
On the development of nuclear power, 5023
NUCLEAR POWER/ACCELERATOR BREEDERS
Nuclear power without nuclear bombs. Linear accelerator-breeder concept for decoupling the nuclear power economy from nuclear weapons production, 2934 (TID--29088)
NUCLEAR POWER/COST
Planning for the future generation, 3108
NUCLEAR POWER/ECONOMIC ANALYSIS
Nuclear strategy of the Department of Energy, 1000 (DOE/ER--0025-D)
NUCLEAR POWER/ENERGY POLICY
Nuclear power and the proliferation issue, 3747
NUCLEAR POWER/FORECASTING
Nuclear power today and tomorrow, 3256
Role of nuclear power in the next few decades, 4621
NUCLEAR POWER/FUEL CYCLE
Energy from the atom, 3850
NUCLEAR POWER/GOVERNMENT POLICIES
Nuclear proliferation and nuclear power, 4872
NUCLEAR POWER/MATHEMATICAL MODELS
Mathematical model for an integrated nuclear power system, 4205
NUCLEAR POWER/PLANNING
Energy policy and the role of nuclear power (United Kingdom), 4623
Main trends of activities of the CMEA Standing Commission for Peaceful Uses of Atomic Energy (CzecHoslovakia), 4589
Nuclear prospects. The American view, 5255
Proposed strategy for power reactor development lets P.N.C. down (Japan), 5179
Report of the Experts' Committee on Advanced Power Reactor Development on measures of the development, 5163
Reports from the Advisory Committee for Nuclear Power Generation, 1970-1974. Vol. II, 5460
NUCLEAR POWER/PUBLIC OPINION
Clinch River Breeder Reactor and energy independence, 859 (CONF-7706129--)
NUCLEAR POWER/PUBLIC RELATIONS
Nuclear safety in France, 3345
NUCLEAR POWER/RESEARCH PROGRAMS
Key issues of nuclear power R and D in Japan, 3421
Long-term atomic energy research, development and utilization program formulated (Japan), 3467
NUCLEAR POWER/REVIEWS
Nuclear energy and electric power, 4923
NUCLEAR POWER PLANTS
See also OFFSHORE NUCLEAR POWER PLANTS
New nuclear power plants in the Federal Republic of Germany 1978, 3743
NUCLEAR POWER PLANTS/ACCIDENTS
We almost lost Detroit (Book), 5416
NUCLEAR POWER PLANTS/COMPARATIVE EVALUATIONS
Energy Economic Data Base (EEDB) Program: Phase I, Volume I. Final report, 956 (COO--4954-1(Vol.1))
Energy Economic Data Base (EEDB) Program: Phase I, Volume II. Final report, 957 (COO--4954-1(Vol.2))
Nuclear fuel cycle. Pt. 4. The reactors, 4349
NUCLEAR POWER PLANTS/CONTAINMENT SHELLS
Eulerian method for large-displacement fluid-structure interaction in reactor containments, 4883
NUCLEAR POWER PLANTS/DATA
Domestic and international deployment of reactor systems: status and rationale, 2475 (ORAU/IEA--79-2(M)
NUCLEAR POWER PLANTS/DESIGN
Nuclear power plants of the Soviet Union, 4307
NUCLEAR POWER PLANTS/ECONOMIC ANALYSIS
Energy Economic Data Base (EEDB) Program: Phase I, Volume I. Final report, 956 (COO--4954-1(Vol.1))
Energy Economic Data Base (EEDB) Program: Phase I, Volume II. Final report, 957 (COO--4954-1(Vol.2))
NUCLEAR POWER PLANTS/ECONOMICS
Economic aspects of the development of nuclear power and fuel cycle industry in the USSR, 4315
World's power development and importance of nuclear power, 3830
NUCLEAR POWER PLANTS/ENERGY POLICY
Control of nuclear power poses challenge to U.S., 3450
NUCLEAR POWER PLANTS/FINANCING
Costs and financing of advanced reactor type development. Excerpt (German Federal Republic), 4563
NUCLEAR POWER PLANTS/FIRES
Location dependent common cause analysis with an application to fires, 737 (CONF-781105--57)
NUCLEAR POWER PLANTS/FORECASTING
Economic aspects of the development of nuclear power and fuel cycle industry in the USSR, 4315
World's power development and importance of nuclear power, 3830
NUCLEAR POWER PLANTS/FUEL CYCLE
Economic aspects of the development of nuclear power and fuel cycle industry in the USSR, 4315
Energy Economic Data Base (EEDB) Program: Phase I, Volume II. Final report, 957 (COO--4954-1(Vol.2))
NUFACTS--Nuclear Fuel Cycle Activity Simulator: reference manual. Final report, 2933 (TID--29052)
Review of nuclear fuel cycle alternatives including certain features pertaining to weapon proliferation, 2845 (SAND--77-1727)
Uranium requirements for advanced fuel cycles in expanding nuclear power systems, 3369
NUCLEAR POWER PLANTS/MARKET
Domestic and international deployment of reactor systems: status and rationale, 2475 (ORAU/IEA--79-2(M)
NUCLEAR POWER PLANTS/PERSONNEL DOSIMETRY
Providing radiation safety at nuclear power plants, 5164
NUCLEAR POWER PLANTS/PIPES
Load rating and design criteria for pipe snubbers with extension struts, 1586 (HEDL-SA--1640)
NUCLEAR POWER PLANTS/PLANNING
Domestic and international deployment of reactor systems: status and rationale, 2475 (ORAU/IEA--79-2(M)
Nuclear power generation plan in France, 5266
Role of the demand-duration curve in the evaluation of power station installation policies. Remarks on its effects on stations' utilization, generating capacity, load factor history and consumptions, 1184 (EUR--5599)
NUCLEAR POWER PLANTS/RADIATION HAZARDS
Radiation risks from plutonium recycle, 4267
NUCLEAR POWER PLANTS/RADIATION PROTECTION
Providing radiation safety at nuclear power plants, 5164
NUCLEAR POWER PLANTS/RADIOACTIVE EFFLUENTS
Production and emission of carbon-14 from nuclear power stations and reprocessing plants and its radioecological significance, 4986
NUCLEAR POWER PLANTS/REACTOR COMPONENTS
Re-evaluating your nuclear program needs: how to benefit from your vendor's Q.A. program, 830 (CONF-790905--1)
NUCLEAR POWER PLANTS/REACTOR LICENSING
DOE to speed reactor licensing, 4384
NUCLEAR POWER PLANTS/REACTOR OPERATION
Characteristics of the combined operation of thermal and fast power reactors, 4348
NUCLEAR POWER PLANTS/REACTOR SAFETY
Application of probabilistic methods in the field of nuclear safety, 5263
Risk allocation approach to reactor safety design and evaluation, 4044
NUCLEAR POWER PLANTS/STANDARDS
RDT Standards Index, 2768 (RDT-INDEX--(01-79))
NUCLEAR POWER PLANTS/TECHNOLOGY ASSESSMENT
Development of nuclear power engineering in the USSR, 4308

NUCLEAR REACTORS
See REACTORS
NUCLEAR WASTES
See RADIOACTIVE WASTES
NUCLEAR WEAPONS/DECISION MAKING
Carter puts nuclear power in strong position, 4532
NUCLEATE BOILING/ACOUSTIC MONITORING
Acoustic emission in subcooled nucleate pool boiling, 4510
NUTS
See FASTENERS

O

OCEANS
See SEAS
OFF-GAS SYSTEMS
Head-end and nuclear gas purification research on LMFBR fuel reprocessing in Belgium, 1874 (IAEA-AG--63-8)
OFF-GAS SYSTEMS/IODOX PROCESS
Stability of iodic acid under Iodox interim storage conditions (LMFBR), 2648 (ORNL/TM--6267)
OFFSHORE NUCLEAR POWER PLANTS/REACTOR LICENSING
DOE to speed reactor licensing, 4384
OIL SHALES/SYNTHETIC FUELS
Dynamic model of the United States energy system: a tool for energy R and D planning, 5297
ON-LINE CONTROL SYSTEMS/RELIABILITY
Computer control system for sodium test loops, 3502
OPEN-CYCLE SYSTEMS/EVALUATION
Systems descriptions and engineering costs for solar-related technologies. Volume IV. Conventional technologies for electric utility applications, 2307 (MTR--7485(Vol.4))
OPENINGS
See also APERTURES
OPENINGS/LEAKS
From PHENIX to SUPER PHENIX: mechanical structures assuring reactor vessel tightness at main sodium pump penetrations, 5072
ORBITAL SOLAR POWER PLANTS/LAND REQUIREMENTS
Preliminary comparative assessment of land use for the satellite power system (SPS) and alternative electric energy technologies, 1001 (DOE/ER--0054)
ORGANIC COOLANTS/EVALUATION
Evaluation of organic coolants for the transportation of LMFBR spent fuel rods, 2839 (SAND--77-1486)
OXYGEN/MONITORING
Electrochemical oxygen meters for liquid sodium fast breeder reactor systems, 5432
Monitoring of impurities in liquid metal fast breeder reactors (LMFBR), 5431
OXYGEN/QUANTITATIVE CHEMICAL ANALYSIS
Electrochemical system for determining the oxygen concentration in a liquid alkaline metal (Patent; sodium of LMFBR type reactors), 5170
OXYGEN EFFECT (RADIOBIOLOGY)
See OXYGEN
OXYGEN METERS
Electrochemical system for determining the oxygen concentration in a liquid alkaline metal (Patent; sodium of LMFBR type reactors), 5170
Electrochemical and physical methods for reactor diagnosis (LMFBR), 4069
Measuring probe and method for determining the oxygen content in gases, vapors, and liquids, especially in liquid metals (Patent), 3566
OXYGEN METERS/DESIGN
Electrochemical oxygen meters for liquid sodium fast breeder reactor systems, 5432
OXYGEN METERS/FABRICATION
Electrochemical oxygen meters: state-of-the-art, March 1977 (LMFBR), 193 (ANL-CT--77-33)
OXYGEN METERS/PERFORMANCE
Electrochemical oxygen meters: state-of-the-art, March 1977 (LMFBR), 193 (ANL-CT--77-33)
Electrochemical oxygen sensor for measurement of oxygen in liquid sodium, 3520
Electrochemical oxygen meters for liquid sodium fast breeder reactor systems, 5432
Monitoring of impurities in liquid metal fast breeder reactors (LMFBR), 5431
OXYGEN METERS/PROBES
Measuring probe and method to determine the oxygen content of gases, vapours and liquids, in particular for liquid metals, 3286

P

PARABOLIC COLLECTORS/RESEARCH PROGRAMS
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
PARKA REACTOR/HODOSCOPES
Hodoscope performance tests on a 91-pin fuel bundle at PARKA, 732 (CONF-781033--9)
PARKA REACTOR/REACTOR INSTRUMENTATION
Evaluation of LMFBR fuel-motion diagnostics instrumentation with PARKA, 2273 (LA-UR--78-2711)
PARTICLES (FUEL)
See FUEL PARTICLES
PCM ACCIDENTS
See POWER-COOLING-MISMATCH ACCIDENTS
PEBBLE BED REACTORS
See also THTR-300 REACTOR
PEBBLE BED REACTORS/FUEL CYCLE
Material control in nuclear fuel fabrication facilities. Part I. Fuel descriptions and fabrication processes, P.O. 1236909 Final report, 2946 (UCRL--13942(Pt.1))
PEC BRASIMONE REACTOR/PRIMARY COOLANT CIRCUITS
Problems of designing and testing primary loop components of fat reactors, 4064
PEC BRASIMONE REACTOR/REACTOR COMPONENTS
Contribution of Italian industry to the development of reactor components and fuel-handling systems of fast reactors, 4072
Problems of designing and testing primary loop components of fat reactors, 4064
PELLETS (FUEL)
See FUEL PELLETS
PERFORMANCE
Fast breeder reactor, 3499
PERSONNEL/EDUCATION
New type of simulator, developped for Super-Phenix breeder and for PWR, allows phenomena analysis as well as process control training, 3246
PETTEN HIGH FLUX REACTOR
See HFR REACTOR
PETTEN STEK REACTOR
See STEK REACTOR
PFR REACTOR
Gas bubble adhesion to heat transfer surfaces, 3114
PFR REACTOR/BOILING DETECTION
Acoustic detection of boiling in LMFBRs: an estimate of sensitivity derived from experiments during the commissioning of PFR, 5014
PFR REACTOR/DATA PROCESSING
Databank for the Prototype Fast Reactor (Book), 4165
PFR REACTOR/DESIGN
Commercial fast reactor, 4035
Prototype fast reactor Dounreay: some interesting aspects of its design and construction, 5407
PFR REACTOR/ECONOMICS
Planning for the future generation, 3108
PFR REACTOR/FUEL ASSEMBLIES
Comparison of the application of plate and beam theories to the elastic dilation and interaction of PFR sub-assembly wrappers, 2310 (ND-R--9(S))
Design, construction, and operating experience of demonstration LMFBR. The application of core and fuel performance experience in British reactors to commercial fast reactor design, 4080
Transmission of sound waves through water in a PFR subassembly wrapper, 8 (AEEW-R--1140)
PFR REACTOR/FUEL ELEMENTS
Contribution of Dounreay to the development of fast reactors, 3100
Procedures used in the UK for the ceramographic examination of $(UPu)O_2$ oxide fuels for the Dounreay Prototype Fast Reactor, 3257
PFR REACTOR/FUEL MANAGEMENT
Manipulation of scientific data for nuclear energy calculations, 3884
PFR REACTOR/FUEL PINS
Design, construction, and operating experience of demonstration LMFBR. The application of core and fuel performance experience in British reactors to commercial fast reactor design, 4080
PFR REACTOR/FUEL POOLS
Fuel and component handling in PFR and intentions for CDFR, 4068
PFR REACTOR/GAMMA DOSIMETRY
Zero-power basis of fast reactor dosimetry, 2367 (NUREG/CP--0004(Vol.1))
PFR REACTOR/HEAT EXCHANGERS
Explosive plugging of nuclear heat exchangers, 1992 (INIS-mf--4760)
High integrity steam generator tube/tube plate joints for the LMFBR, 3096
Inservice inspection of PFR secondary heat exchangers, 995 (CSNI-R--14)
Vibration tests on single heat exchanger tubes in air and static water, 2313 (ND-R--199(R))
PFR REACTOR/INFORMATION SYSTEMS
Databank for the prototype fast reactor, 3885
PFR REACTOR/MODIFICATIONS
Some post operational adjustments to the prototype fast reactor at Dounreay, 3282
PFR REACTOR/NEUTRON DOSIMETRY
Zero-power basis of fast reactor dosimetry, 2367 (NUREG/CP--0004(Vol.1))
PFR REACTOR/NUCLEAR FUELS
U.K. development toward remote fabrication of breeder reactor fuel, 3142
PFR REACTOR/PERFORMANCE
Dounreay Project, 4922
PFR REACTOR/PLUTONIUM RECYCLE
Impact of PFR reprocessing at Dounreay Nuclear Development Establishment, 4250
PFR REACTOR/PRIMARY COOLANT CIRCUITS
Natural circulation boosts safety of pool-type fast reactor, 3080
Operating experience with the PFR primary circuit and

design intentions for CDFR, 4067
PFR REACTOR/PUMPS
Cavitation work conducted at Risley engineering and materials laboratories, 2039 (IWGFR--9)
PFR REACTOR/RADIATION PROTECTION
Radiological protection in the prototype fast reactor, Dounreay, Scotland, 4251
PFR REACTOR/REACTIVITY COEFFICIENTS
Measurements in PFR of importance to safety and reactor performance, 4058
PFR REACTOR/REACTOR CHARGING MACHINES
Fuel and component handling in PFR and intentions for CDFR, 4068
PFR REACTOR/REACTOR COMPONENTS
UK fast reactor components: sodium removal decontamination and requalification, 2121 (IWGFR--23)
PFR REACTOR/REACTOR CONTROL SYSTEMS
Commissioning of Prototype Fast-Reactor controls, 4198
Instrumentation and control systems on PFR, 4540
Noise problems in PFR safety system power supplies, 2314 (ND-R--230(R))
PFR REACTOR/REACTOR COOLING SYSTEMS
Fast reactor flow induced vibration with particular reference to PFR and conceptual CDFR design, 2101 (IWGFR--21)
Five years experience of the operation of the sodium circuits of the Dounreay Prototype Fast Reactor, 1998 (INIS-mf--4857)
PFR REACTOR/REACTOR INSTRUMENTATION
Instrumentation and control systems on PFR, 4540
PFR REACTOR/REACTOR KINETICS
Measurements in PFR of importance to safety and reactor performance, 4058
PFR REACTOR/REACTOR MAINTENANCE
UK fast reactor components: sodium removal decontamination and requalification, 2121 (IWGFR--23)
PFR REACTOR/REACTOR OPERATION
Past and present role of fast breeder reactors in the United Kingdom, 4055
PFR REACTOR/REMOTE HANDLING EQUIPMENT
Fuel and component handling in PFR and intentions for CDFR, 4068
PFR REACTOR/REMOTE VIEWING EQUIPMENT
Closed circuit television equipment developed by Berkeley Nuclear Laboratory for use on the Dounreay prototype fast reactor, 2047 (IWGFR--10)
PFR REACTOR/RESEARCH PROGRAMS
Contribution of Dounreay to the development of fast reactors, 3100
PFR REACTOR/SECONDARY COOLANT CIRCUITS
Static and cyclic testing of a PFR secondary circuit pipe bend, 2074 (IWGFR--11)
PFR REACTOR/SHIELDING
Physics problems of fast reactor shielding, 3277
PFR REACTOR/STEAM GENERATORS
High integrity steam generator tube/tube plate joints for the LMFBR, 3096
Material choices for the commercial fast reactor steam generators, 4153
Operating experience with the PFR evaporators, 4148
Operation of Protype Fast Reactor steam generators led directly to commercial-size design, 4539
PFR REACTOR/STEAM SYSTEMS
Operation of the PFR and design of the CDFR secondary circuit, 4073
Water chemistry in the Dounreay prototype fast reactor (PFR) power station, 4034
PFR REACTOR/ULTRASONIC TESTING
Inservice inspection of PFR secondary heat exchangers, 995 (CSNI-R--14)
PHENIX REACTOR/ACOUSTIC TESTING
Appliance of stress wave emission in Phenix reactor, 2062 (IWGFR--10)
PHENIX REACTOR/CONSTRUCTION
Building of the first commercial fast breeder in France, 3129
Phenix construction and operating experience, 5278
PHENIX REACTOR/FAILED ELEMENT DETECTION
Systems for detecting failed fuel in fast reactors, 4196
PHENIX REACTOR/FIRE EXTINGUISHERS
Extinguishment of sodium fires, 2772 (RISLEY-Trans--4009)
PHENIX REACTOR/FIRES
Phenix intermediary heat exchanger intervention, 4611
Study of sodium combustion and fire extinction by pulverized substances. Role of additives, 1219 (FRNC-TH--709)
PHENIX REACTOR/FUEL ELEMENT FAILURE
Systems for detecting failed fuel in fast reactors, 4196
PHENIX REACTOR/HEAT EXCHANGERS
Intermediate heat exchanger leak on Phenix plant and their repair, 4107
Phenix intermediary heat exchanger intervention, 4611
Rapsodie and Phenix plants intermediate heat exchangers experience, 4642
Studies needed to prevent the use of expansion bends in LMFBR intermediate heat exchangers, 3807 (ANL-Trans--1128)
PHENIX REACTOR/MECHANICAL VIBRATIONS
Neutron noise induced by vibration on the French PHENIX LMFBR, 4995
PHENIX REACTOR/PRIMARY COOLANT CIRCUITS
Primary circuits of Phenix and Super-Phenix, 4062
Primary sodium pumps of Phenix and Superphenix, 5067 (ANL-Trans--1174)
Some aspects of the CEA investigations on the mechanical behaviour of 316 steels in the medium temperature range, 2072 (IWGFR--11)
PHENIX REACTOR/REACTOR ACCIDENTS
EDF research on fast neutron reactors, 5293 (DOE-tr--28)
PHENIX REACTOR/REACTOR COMPONENTS
Application of James-Stein estimators in the evaluation of the Phenix reactor data bank, 4043
One aspect of the construction of superphenic; the on-site assembly of certain components of the nuclear boiler, 3908
PHENIX REACTOR/REACTOR CONTROL SYSTEMS
Evolution of the core surveillance and protection system in fast reactors, 4234
PHENIX REACTOR/REACTOR CORES
Thermohydraulics of the core of fast neutron reactors, 4211
PHENIX REACTOR/REACTOR FUELING
Safety aspects of fast reactor core operation, 4090
PHENIX REACTOR/REACTOR MAINTENANCE
PHENIX plant: three years of operation, 596 (CONF-770822--8)
PHENIX REACTOR/REACTOR NOISE
Neutron noise induced by vibration on the French PHENIX LMFBR, 4995
PHENIX REACTOR/REACTOR OPERATION
Analysis of the performances of the assemblies and of the core of PHENIX, 3524 (BNWL-tr--334)
One year of Phenix operation, 5303 (BNWL-tr--317)
Operating experience with the Phenix nuclear power station from the point of view of safety, 387 (CONF-761001--P1)
Past and present role of fast breeder reactors in France: experience gained with Rapsodie and Phenix, 4053
Phenix construction and operating experience, 5278
PHENIX plant: three years of operation, 596 (CONF-770822--8)
Phenix power station experience, 5268
Status of Phenix and Super Phenix, 4191
PHENIX REACTOR/REACTOR PROTECTION SYSTEMS
Computers processing the temperature in the core of Phenix, 2303 (MRR--160)
PHENIX REACTOR/REACTOR SAFETY
Consequences of safety prescriptions for fast breeder reactor design in France, 4136
French program for advancement of nuclear power plants with fast breeders, 3240
Operating experience with the Phenix nuclear power station from the point of view of safety, 387 (CONF-761001--P1)
Safety aspects of fast reactor core operation, 4090
Safety conclusions from start-up tests and from the analysis of the core behaviour of Phenix, 386 (CONF-761001--P1)
PHENIX REACTOR/REACTOR START-UP
Safety conclusions from start-up tests and from the analysis of the core behaviour of Phenix, 386 (CONF-761001--P1)
PHENIX REACTOR/SHIELDING
Physics problems of fast reactor shielding, 3277
PHENIX REACTOR/STEAM SYSTEMS
Design, construction, and operating experience of secondary sodium circuits of fast reactors, 4074
PHOSPHORUS/METALLURGICAL EFFECTS
Joining technology development summary, 189a OH024, 751 (CONF-781219--4)
PHWR TYPE REACTORS/FUEL CYCLE
Fuel cycles of D_2O-, fast breeder and high temperature reactors, 2 (AED-Conf--77-498-087)
PHYSICAL RADIATION EFFECTS/MEETINGS
Proceedings of the Indo-German seminar on radiation damage, 863 (CONF-7711121--)
Radiation effects in breeder reactor structural materials, 4928
PINS (FUEL)
See FUEL PINS
PIPE FITTINGS/CRACKS
Fatigue-crack propagation analysis of LMFBR piping, 1530 (HEDL-SA--1469)
PIPE FITTINGS/CREEP
Analysis of piping systems for creep, 1965 (INIS-mf--4543)
PIPE FITTINGS/FABRICATION
Breeder reactor program: materials. Technical status report for June 1978, 2591 (ORNL/BRP/M--78/6)
PIPE FITTINGS/HYDRAULICS
Thermal mixer mixing correlations for both sodium and water (LMFBR), 3161
PIPE FITTINGS/INSTABILITY
Instability analysis of elbows in the plastic range, 5116
PIPE FITTINGS/MECHANICAL TESTS
Results from a buckling test of a 16-inch (406mm) diameter piping elbow (LMFBR; SS-304), 2976 (WARD-HT--3045-35)
PIPE FITTINGS/NONDESTRUCTIVE TESTING
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
PIPE FITTINGS/SPECIFICATIONS
Design guidelines for elbows with geometric nonuniformities (LMFBR), 3019 (WARD-SD--3045-16)

PIPE FITTINGS/STRESS ANALYSIS
Coupled hydrodynamic-structural response analysis of piping systems (LMFBR), 76 (ANL--77-91)
Creep buckling of shells, 5117
Effects of geometric nonuniformities on the stresses in piping elbows (LMFBR), 3012 (WARD-SD--3045-7)
Plastic collapse of a piping elbow: convergence of a finite element shell analysis (LMFBR), 3016 (WARD-SD--3045-11)
Plastic in-plane bending and buckling of an elbow: comparison of experimental and simplified analysis results (LMFBR), 2978 (WARD-HT--94000-2)
PIPE FITTINGS/STRESSES
Stresscoat test of 6-inch pipe clamp in TTF (LMFBR), 2300 (LMEC-TDR--78-5)
PIPE FITTINGS/THERMAL EXPANSION
Study of piping configurations (LMFBR), 265 (ANL/ENG--80-02)
PIPE FITTINGS/THERMAL FATIGUE
Characterization of the temperature fluctuations generated in a thermal mixing tee (sodium versus water behavior) (LMFBR), 199 (ANL-CT--78-2)
PIPE JOINTS/CREEP
Plastic creep behavior analysis of an elbow pipe, 1960 (INIS-mf--4543)
PIPE JOINTS/DESIGN
Device for connecting two tubular ducts mounted end-to-end (Patent application; LMFBR), 4339 (ANL-Trans--1109)
Improvements in or relating to pipe joints (Patent; LMFBR), 3729
Pipe connector (Patent; LMFBR), 5134
PIPE JOINTS/EXPANSION JOINTS
LMFBR flexible pipe joint development program. Annual technical progress report, government fiscal year 1977, 22 (AI-DOE--13212)
PIPE JOINTS/NONDESTRUCTIVE TESTING
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
PIPE JOINTS/STRESS ANALYSIS
Instability analysis of elbows in the plastic range, 1963 (INIS-mf--4543)
PIPELINES/CREEP
Analysis of piping systems for creep, 1965 (INIS-mf--4543)
PIPELINES/DEFORMATION
Plastic buckling of axially compressed cylinders (LMFBR), 3014 (WARD-SD--3045-9)
PIPELINES/FABRICATION
Breeder reactor program: materials. Technical status report for June 1978, 2591 (ORNL/BRP/M--78/6)
PIPELINES/FASTENERS
Connection device of an apparatus in a system with structures subject to relative motions (Patent; LMFBR), 5404
PIPES/CRACKS
Crack growth in Types 304 and 316 stainless steel under prototypic LMFBR primary piping conditions, 2957 (WARD-CG--3045-3)
Crack propagation investigation related to the leak-before-break concept for LMFBR piping, 4226
PIPES/CREEP
Creep buckling of shells, 1964 (INIS-mf--4543)
High-temperature piping design technology. Quarterly technical progress report, July--September 1978 (LMFBR), 1143 (ESG-DOE--13249)
PIPES/DECARBURIZATION
Carbon transport in a bimetallic sodium loop simulating the intermediate heat transport system of a liquid metal fast breeder reactor, 1416 (GEFR-SP--172)
PIPES/DEFORMATION
Comparisons of REXCO and ICEPEL code calculations with tests of plastically deformable pipes filled with compressible fluids (LMFBR), 4759
Experimental validation of PTA-1 computer code for pressure-transient analysis including the effect of pipe plasticity, 124 (ANL--78-38)
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977 (Time-dependent inelastic behavior of LMFBR materials and structures), 3015 (WARD-SD--3045-10)
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity, 1988 (INIS-mf--4638)
PIPES/DESIGN
Design of elevated temperature piping for advanced nuclear plants, 3147
High-temperature piping design technology. Quarterly technical progress report, April--June 1977 (LMFBR), 43 (AI-ERDA--13206)
High-temperature piping design technology. Quarterly technical progress report, July--September 1977 (LMFBR), 23 (AI-DOE--13214)
High-temperature piping design technology. Quarterly technical progress report, October--December 1977 (LMFBR), 28 (AI-DOE--13222)
High-temperature piping design technology. Quarterly technical progress report, January--March 1978 (LMFBR), 36 (AI-DOE--13233)
High-temperature piping design technology. Quarterly technical progress report, April--June 1978 (LMFBR), 1135 (ESG-DOE--13241)
High-temperature piping design technology. Semi-annual technical progress report, October 1978--March 1979 (LMFBR), 1156 (ESG-DOE--13274)
Impact of building design on auxiliary liquid metal piping, 3151
PIPES/FABRICATION
Pipes in steel or special materials for nuclear boilers, 3505
Piping for nuclear power reactors. Review, 5446
PIPES/FAILURES
High-temperature piping design technology. Quarterly technical progress report, April--June 1977 (LMFBR), 43 (AI-ERDA--13206)
High-temperature piping design technology. Quarterly technical progress report, July--September 1977 (LMFBR) 23 (AI-DOE--13214)
High-temperature piping design technology. Quarterly technical progress report, October--December 1977 (LMFBR), 28 (AI-DOE--13222)
High-temperature piping design technology. Quarterly technical progress report, January--March 1978 (LMFBR), 36 (AI-DOE--13233)
High-temperature piping design technology. Quarterly technical progress report, April--June 1978 (LMFBR), 1135 (ESG-DOE--13241)
Probabilistic leak analysis for LMFBR primary coolant piping, 1228 (GEFR--00041)
Sodium piping survey to July 1977, 30 (AI-DOE--13225)
PIPES/FATIGUE
High-temperature piping design technology. Quarterly technical progress report, July--September 1978 (LMFBR) 1143 (ESG-DOE--13249)
Low-cycle fatigue tests on primary coolant piping system components of fast reactors, 2150 (JAPFNR-=459)
PIPES/HYDRAULICS
Simulation of a thermohydraulic transient in a pipe using the COMMIX-1A computer code, 2473 (NUREG/CR--1323)
PIPES/HYDRODYNAMICS
Analysis of mechanical HCDA consequences in the coolant loops for demonstration of primary containment integrity in SNR 300, 5048
PIPES/IMPACT TESTS
Fracture of nuclear piping caused by impact loading (LMFBR), 3471
PIPES/MECHANICAL PROPERTIES
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
PIPES/NONDESTRUCTIVE TESTING
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
PIPES/PRESSURE GRADIENTS
Comparison of experiment with analysis of a water-filled plastically deforming pipe using the computer code PTA-1 (LMFBR), 3024 (WARD-SR--3045-8)
Computer simulation of LMFBR piping systems (Accident conditions), 545 (CONF-770807--45)
PIPES/RATCHETING
Analysis of ORNL pipe ratchetting tests TTT-1 and TTT-2 (LMFBR), 2447 (NUREG/CR--0846)
Thermal ratchetting tests of Type 304 stainless steel pipe: specimens TTT-1 and TTT-2, 2562 (ORNL--5386)
Thermal ratchetting test of type 316 stainless steel seamless to seam-welded pipe: specimen TTT-4, 2568 (ORNL--5430)
PIPES/RESPONSE FUNCTIONS
Response of water-filled pipes to pressure pulses, 5035
PIPES/RESTRAINTS
Load rating and design criteria for pipe snubbers with extension struts, 1586 (HEDL-SA--1640)
PIPES/SEISMIC EFFECTS
Test verification of seismic response of LMFBR piping systems. Quarterly technical progress report, 2804 (SAN--1011-200)
PIPES/SPECIFICATIONS
Use of stress indices for piping under ASME Code Case N-47 (LMFBR), 1146 (ESG-DOE--13257)
PIPES/STANDARDS
Preliminary analysis and screening criteria for elevated temperature piping, 3150
PIPES/STRESS ANALYSIS
Analysis for out of plane bending on curved pipes in creep: Development of method and design factors, 2069 (IWGFR--11)
Analysis of piping systems for creep, 5125
Comparison of two approximate analyses of piping systems in a state of creep, 2066 (IWGFR--11)
Comparison of ICEPEL code predictions with straight flexible pipe experiments, 3533
Computer modelling of piping components for transient hydrodynamic-structural response (LMFBR), 3532
Evaluations of the piping system inelastic analysis computer program PIRAX2 (LMFBR), 24 (AI-DOE--13216)
Icepel analysis of and comparison with simple elastic--plastic piping experiments (LMFBR), 148 (ANL--78-105)
Inelastic piping flexibility analysis. A beam type method, 2067 (IWGFR--11)
Instability analysis of elbows in the plastic range, 1963 (INIS-mf--4543)
International piping benchmarks: use of the simplified code PACE 2 (LMFBR), 2315 (ND-R--304(R))

Plastic creep behaviour analysis of an elbow pipe, 5124
Preliminary analysis and screening criteria for elevated temperature piping, 3333
PIPES/STRESSES
Response of water-filled pipes to pressure pulses, 5035
PIPES/SUPPORTS
Pipe support for use in a nuclear system (Patent; LMFBR), 4377
Pipe support for use in a nuclear system (Patent; LMFBR), 5193
Pipe support (Patent), 3305
Stresscoat test of 6-inch pipe clamp in TTF: article B (LMFBR), 1180 (ETEC-TDR--79-7)
Wall penetration of a pipe operated at high temperatures, especially liner penetration (Patent; LMFBR), 4374
PIPES/SYSTEM FAILURE ANALYSIS
Creep buckling of shells, 1964 (INIS-mf--4543)
PIPES/TEMPERATURE DISTRIBUTION
Simulation of a thermohydraulic transient in a pipe using the COMMIX-1A computer code, 2473 (NUREG/CR--1323)
PIPES/THERMAL EXPANSION
Study of piping configurations (LMFBR), 265 (ANL/ENG--80-02)
PIPES/THERMAL SHIELDS
Heat shields, for pump or pipe installations (Patent; LMFBR), 4594
PIPES/THERMAL STRESSES
Analysis of ORNL pipe ratchetting tests TTT-1 and TTT-2 (LMFBR), 2447 (NUREG/CR--0846)
PLANTS/RADIONUCLIDE KINETICS
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
PLANTS (POWER)
See POWER PLANTS
PLATFORM MOUNTED NUCLEAR PLANT
See OFFSHORE NUCLEAR POWER PLANTS
PLBR REACTOR
Incorporating the utility viewpoint in the design of the prototype large breeder reactor (PLBR), 4125
PLBR REACTOR/CONTAINMENT BUILDINGS
PLBR Phase II: (follow-on) reports, 340 (BR-E--180(Vol. 2))
Primary heat transport system and reactor containment building: layout selection study. Prototype large breeder reactor. Phase II, 2917 (TID--28256)
Prototype large breeder reactor. Phase II. Extension studies. Part II. Reactor assembly, 1249 (GEFR--00260)
Prototype large breeder reactor. Phase II Extension studies. Part I. Summary, 1250 (GEFR--00260(Pt.1) (Summ.))
PLBR REACTOR/COST
PLBR capital cost assessment, 4686
PLBR REACTOR/DESIGN
Critique of the PLBR Phase A Guidelines. Final report, 1099 (EPRI-NP--915)
Liquid Metal Fast Breeder Reactor conceptual plant design 1000 MWe. Volume V. Cost/schedule, 2904 (TID--27701/5)
PLBR phase II follow-on resolution of key issues, 1206 (FBR--77-4)
PLBR Project. Design criteria for the Prototype Large Breeder Reactor, 2912 (TID--28193)
Prototype large breeder reactor pool concept, 4687
Prototype large breeder reactor. Phase II. Follow-on final report, 2930 (TID--28756)
Prototype Large Breeder Reactor: Phase II extension. Volume I. Conceptual design studies, 2931 (TID--28758)
PLBR REACTOR/FUEL ASSEMBLIES
Pre-irradiation concept description and cost assessment (Advanced LMFBR core design program), 1296 (GEFR--00402(Vol.2))
Pre-irradiation concept description and cost assessment (Advanced LMFBR core design program), 1297 (GEFR--00402(Vol.3))
PLBR REACTOR/FUEL CYCLE
Large plant thorium-fueled reactor system characteristics, 4716
PLBR REACTOR/FUEL POOLS
Fuel handling and storage system for large commercial LMFBRs, 4870
PLBR REACTOR/LIQUID FLOW
Mixing in a pool-type PLBR after a scram, 243 (ANL-CT--79-36)
PLBR REACTOR/OPTIMIZATION
Optimization of the Westinghouse/Stone and Webster prototype large breeder reactor, 4140
U.S. Sodium-cooled breeder - seeking optimization, 4099
PLBR REACTOR/PIPES
Design of elevated temperature piping for advanced nuclear plants, 3147
PLBR REACTOR/PLANNING
Atomics International (AI) prototype large breeder reactor (PLBR), 4124
General Electric/Bechtel prototype large breeder reactor (PLBR), 4116
Monthly report No. 9 (September, October, and November 1977) of INTERATOM representative to Westinghouse Hanford Co., Richland, Washington (USA), 1892 (INB--414)
Prototype Large Breeder Reactor: Phase II follow-on final report. Executive summary, 2918 (TID--28259)
Status of Prototype Large Breeder Reactor (PLBR) designs, 4916
PLBR REACTOR/PRIMARY COOLANT CIRCUITS
Final report: Phase II extension, Prototype Large Breeder Reactor. Primary heat transport system cell studies, 2929 (TID--28755)
PLBR Phase II: (follow-on) reports, 340 (BR-E--180(Vol. 2))
PLBR Phase II follow-on studies: resolution of key issues, 1207 (FBR--77-4)
Primary heat transport system and reactor containment building: layout selection study. Prototype large breeder reactor. Phase II, 2917 (TID--28256)
Prototype large breeder reactor. Phase II. Extension studies. Part 2. Reactor assembly, 1248 (GEFR--00260)
Prototype Large Breeder Reactor. Phase II extension studies. Part 1. Summary, 1252 (GEFR--00260(Summ.))
Prototype Large Breeder Reactor: primary heat transport system cell studies. Final report, Phase II extension, 2919 (TID--28265)
Prototype large breeder reactor. Phase II Extension studies. Part I. Summary, 1250 (GEFR--00260(Pt.1) (Summ.))
Prototype Large Breeder Reactor. Phase II. Extension studies. Part III. Heat transport systems, 1251 (GEFR--00260(Pt.3))
PLBR REACTOR/REACTOR ACCIDENTS
Automated common cause analysis using AUTOCC (For input to COMCAN II, in FORTRAN IV for CDC), 2769 (RE-A--7d-241)
PLBR REACTOR/REACTOR CHARGING MACHINES
Fuel handling and storage system for large commercial LMFBRs, 4870
PLBR Phase II follow-on studies: resolution of key issues, 1207 (FBR--77-4)
PLBR REACTOR/REACTOR COMPONENTS
PLBR Phase II: (follow-on) reports, 338 (BR-E--180(Vol. 1))
PLBR Phase II: (follow on) reports. Volume II, 339 (BR-E--180(Vol.2))
Prototype Large Breeder Reactor: Phase II extension. Volume I. Conceptual design studies, 2913 (TID--28194)
Prototype Large Breeder Reactor: Phase II follow-on final report, 2916 (TID--28251)
PLBR REACTOR/REACTOR CONTROL SYSTEMS
PLBR Phase II follow-on studies: resolution of key issues, 1207 (FBR--77-4)
PLBR REACTOR/REACTOR COOLING SYSTEMS
PLBR Phase II: (follow-on) reports, 340 (BR-E--180(Vol. 2))
Prototype Large Breeder Reactor. Phase II extension. Volume II. ELTEMP program update, 2914 (TID--28195)
PLBR REACTOR/REACTOR CORE DISRUPTION
PLBR core selection for low CDA energetics: Liquid Metal Fast Breeder Reactor design project, 45 (AI/FBR--77-1)
PLBR REACTOR/REACTOR CORES
Nuclear design and economic comparison of a conventional and bullseye liquid-metal fast breeder reactor core, 3135
PLBR core selection for low CDA energetics: Liquid Metal Fast Breeder Reactor design project, 45 (AI/FBR--77-1)
Prototype large breeder reactor. Phase II. Extension studies. Part II. Reactor assembly, 1249 (GEFR--00260)
Prototype large breeder reactor. Phase II Extension studies. Part I. Summary, 1250 (GEFR--00260(Pt.1) (Summ.))
Radial parfait core design study, 2954 (WARD--353)
PLBR REACTOR/REACTOR INTERNALS
PLBR Phase II follow-on studies: resolution of key issues, 1207 (FBR--77-4)
Prototype large breeder reactor. Phase II. Extension studies. Part II. Reactor assembly, 1249 (GEFR--00260)
PLBR REACTOR/REACTOR PROTECTION SYSTEMS
Optimization and common cause analysis of a prototype large breeder reactor safety system, 807 (CONF-790816--2)
PLBR REACTOR/REACTOR SIMULATORS
Hybrid Computer Model of the Prototype Large Breeder Reactor plant and control system, 4976
PLBR REACTOR/REACTOR VESSELS
PLBR Phase II follow-on studies: resolution of key issues, 1207 (FBR--77-4)
Prototype large breeder reactor. Phase II. Extension studies. Part 2. Reactor assembly, 1248 (GEFR--00260)
Prototype Large Breeder Reactor. Phase II extension studies. Part 1. Summary, 1252 (GEFR--00260(Summ.))
Prototype large breeder reactor. Phase II. Extension studies. Part II. Reactor assembly, 1249 (GEFR--00260)
Prototype large breeder reactor. Phase II Extension studies. Part I. Summary, 1250 (GEFR--00260(Pt.1) (Summ.))
PLBR REACTOR/SCRAM
Mixing in a pool-type PLBR after a scram, 243 (ANL-CT--79-36)
PLBR REACTOR/STEAM GENERATORS

Design approaches and programs for development of steam generators for U.S. LMFBR plants beyond CRBRP, 695 (CONF-781001--P1)
PLBR REACTOR/STEAM SYSTEMS
Comparison of LMFBR steam cycles, 3210
PLBR Phase II: (follow-on) reports, 340 (BR-E--180(Vol. 2))
PLBR Phase II follow-on studies: resolution of key issues, 1207 (FBR--77-4)
Prototype large breeder reactor. Phase II Extension studies. Part I. Summary, 1250 (GEFR--00260(Pt.1) (Summ.))
PLUGS
See CLOSURES
PLUTONIUM/DECISION MAKING
Carter plan generally backed except on breeders, scrubbers, 4533
PLUTONIUM/FISSION PRODUCTS
Considerations on the gamma activity of the Pu product arising from LMFBR's fuel reprocessing, 1873 (IAEA-AG--63-7)
PLUTONIUM/RADIOMETRIC ANALYSIS
Radiation and effluent control technology semiannual progress report, January--June 1976, 1753 (HEDL-TME--77-30)
PLUTONIUM/RECOVERY
Plutonium recovery goes on-steam, 3087
PLUTONIUM/REPROCESSING
Possible long term options for the fast reactor plutonium fuel cycle, 4139
PLUTONIUM 239/AEROSOLS
Biological behavior of mixed LMFBR-fuel-sodium aerosols (Rats, ^{239}Pu), 2749 (PNL--2850(Pt.1))
PLUTONIUM 239/INTESTINAL ABSORPTION
Biological behavior of mixed LMFBR-fuel-sodium aerosols (Rats, ^{239}Pu), 2749 (PNL--2850(Pt.1))
PLUTONIUM 239/NEUTRON REACTIONS
Fast reactor fission yields for ^{239}Pu and ^{241}Pu, 1886 (ICP--1050-11)
PLUTONIUM 239/TISSUE DISTRIBUTION
Biological behavior of mixed LMFBR-fuel-sodium aerosols (Rats, ^{239}Pu), 2749 (PNL--2850(Pt.1))
PLUTONIUM 239 TARGET/NEUTRON REACTIONS
EBR-II derived fission yields from vanadium encapsulated fission monitors, 1756 (HEDL-TME--77-34(Vol.2))
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
Fission-rate measurements by activation techniques: methods, accuracies and applications (Development program), 1185 (EUR--5667(Pt.1))
PLUTONIUM 240 TARGET/NEUTRON REACTIONS
Fast reactor fission yields for ^{240}Pu and ^{242}Pu, 1885 (ICP--1050-4)
PLUTONIUM 241/NEUTRON REACTIONS
Fast reactor fission yields for ^{239}Pu and ^{241}Pu, 1886 (ICP--1050-11)
PLUTONIUM 241 TARGET/NEUTRON REACTIONS
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
PLUTONIUM 242 TARGET/NEUTRON REACTIONS
Fast reactor fission yields for ^{240}Pu and ^{242}Pu, 1885 (ICP--1050-4)
PLUTONIUM CARBIDES/CHEMICAL RADIATION EFFECTS
Chemical state of irradiated carbide fuel pins (LMFBR), 4868
PLUTONIUM CARBIDES/COMPARATIVE EVALUATIONS
Physical aspects of choosing fuel for a research fast reactor, 1218 (FEI--850)
PLUTONIUM CARBIDES/CREEP
Creep behavior of mixed-carbide advanced nuclear fuel (LMFBR), 4867
PLUTONIUM CARBIDES/FABRICATION
Preliminary fabrication studies of alternative LMFBR carbide fuels, 2238 (LA--7901-MS)
PLUTONIUM CARBIDES/FISSION PRODUCT RELEASE
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049
PLUTONIUM CARBIDES/MECHANICAL PROPERTIES
Fuel properties of advanced fuels (U,Pu)CN important for out-of-pile and in-pile kinetics (LMFBR), 4866
PLUTONIUM CARBIDES/MICROSTRUCTURE
Initial stage restructuring in sphere-pac mixed-carbide fuel, 2755 (PNL-SA--7503)
PLUTONIUM CARBIDES/PHASE STUDIES
Equilibrium thermodynamics of uranium--plutonium carbide LMFBR fuel, 3568
PLUTONIUM CARBIDES/PHYSICAL RADIATION EFFECTS
Advanced fast reactor fuels program. Second annual progress report, July 1, 1975--September 30, 1976, 2234 (LA--7570-PR)
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins (LMFBR), 4844
Chemical state of irradiated carbide fuel pins (LMFBR), 4868
CNEN program on advanced LMFBR fuels, 4824
Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels (LMFBR), 4841
Design, irradiation, and post-irradiation examination of Na-bonded (U,Pu)C fuel rods of the test group Mol 15, 3867 (EURFNR--1421)
French irradiation test experience for carbide fuels (LMFBR), 4834
German carbide irradiation test experience for fast reactors (LMFBR), 4833
Irradiation behavior of sphere-pac carbide fuel (LMFBR), 4835
Irradiation experiments of uranium carbide, carbonitride, and nitride fuels in JAERI (LMFBR), 4836
Irradiation performance analysis of UK fast reactor fuel (LMFBR), 4842
Irradiation performance of helium-bonded uranium--plutonium carbide fuel elements (LMFBR), 2274 (LA-UR--78-2932)
Progress in modeling carbide and nitride fuel performance in advanced LMFBRs, 4843
Status of carbide fuel element development, 3856 (EURFNR--1418)
UK irradiation experience relevant to advanced carbide fuel concepts for LMFBR's, 4832
US advanced LMFBR fuels development program, 4818
PLUTONIUM CARBIDES/SWELLING
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049
PLUTONIUM CARBIDES/THERMAL CONDUCTIVITY
Thermal conductivities of mixed carbide fuel and blanket materials, 2289 (LA-UR--80-1283)
PLUTONIUM CARBIDES/THERMAL DIFFUSIVITY
Thermal conductivities of mixed carbide fuel and blanket materials, 2289 (LA-UR--80-1283)
PLUTONIUM CARBIDES/THERMODYNAMIC PROPERTIES
Some observations on oxygen and carbon potentials in U--Pu--O and U--Pu--C systems (LMFBR), 4864
PLUTONIUM COMPOUNDS/PHYSICAL RADIATION EFFECTS
Investigation of irradiated uranium--plutonium carbonitride fuel by microprobe analysis, 3490
PLUTONIUM DIOXIDE/AUTORADIOGRAPHY
Procedures used in the UK for the ceramographic examination of $(UPu)O_2$ oxide fuels for the Dounreay Prototype Fast Reactor, 3257
PLUTONIUM DIOXIDE/CERAMOGRAPHY
Procedures used in the UK for the ceramographic examination of $(UPu)O_2$ oxide fuels for the Dounreay Prototype Fast Reactor, 4 (AED-Conf--78-114)
PLUTONIUM DIOXIDE/CHEMICAL RADIATION EFFECTS
US--UK technical exchange breeder reactor fuels: fuel pin chemistry, 1434 (HEDL--6297)
PLUTONIUM DIOXIDE/DIFFUSION
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7 (LMFBR; time-dependent aerosol suspension behavior), 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977 (LMFBR; time dependent aerosol suspension behavior), 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977 (LMFBR; time-dependent aerosol suspension behavior), 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978 (LMFBR; time-dependent aerosol suspension behavior), 2405 (NUREG/CR--0425)
PLUTONIUM DIOXIDE/DISSOLUTION
Dissolution of FFTF vendor fuel, 1655 (HEDL-SA--1931)
Study of the dissolution of refractory PuO_2 in aqueous hydriodic acid solutions, 5000
PLUTONIUM DIOXIDE/EVAPORATION
Method for vaporizing mixed oxide fast reactor fuels for animal inhalation studies, 4545
PLUTONIUM DIOXIDE/FABRICATION
Alternative oxide fuel pellet fabrication for irradiation testing (LMFBR), 1578 (HEDL-SA--1604-FP)
Babcock and Wilcox plutonium fuel fabrication experience, 4999
Fabrication of ThO_2, UO_2, and PuO_2-UO_2 pellets, 1504 (HEDL-SA--1399-FP)
Fabrication of 0.5-inch diameter FBR mixed oxide fuel pellets, 1650 (HEDL-SA--1895-FP)
Hydrogen retention of (U,Pu)O/sub 2-y/, 2666 (ORNL/TM--6568)
LMFBR mixed oxide fuels fabrication development semiannual, January--June 1977, 1788 (HEDL-TME--77-95)
LMFBR plutonium fuel development and fabrication, 1550 (HEDL-SA--1523-FP)
Microstructural aspects of nuclear fuel, 5018
PLUTONIUM DIOXIDE/MECHANICAL PROPERTIES
Analysis of crack patterns in fast reactor fuel pellets, 14 (AERE-TP--719)
Safety aspects of fast reactor fuels, 1469 (HEDL-SA--1288)
PLUTONIUM DIOXIDE/MICROSTRUCTURE
Analysis of the structure and the thermal behavior of the UO_2--PuO_2 fuel in the irradiation experiment FR2 capsule test series 5a (LMFBR), 3515 (DOE-tr--175)
Microstructure characterizaton of advanced oxide fuel (PuO_2--UO_2), 1454 (HEDL-SA--1171-FP)
Microstructural aspects of nuclear fuel, 5018
Procedures used in the UK for the ceramographic examination of $(UPu)O_2$ oxide fuels for the Dounreay Prototype Fast Reactor, 4 (AED-Conf--78-114)
PLUTONIUM DIOXIDE/PHYSICAL RADIATION EFFECTS
Analysis of the structure and the thermal behavior of the UO_2--PuO_2 fuel in the irradiation experiment FR2 capsule test series 5a (LMFBR), 3515 (DOE-tr--175)

Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins (LMFBR), 4844
Cesium migration in LMFBR fuel pins, 1559 (HEDL-SA--1543-FP)
Chemical and mechanical interaction in the oxide fuel rod (LMFBR), 3857 (EURFNR--1418)
CNEN program on advanced LMFBR fuels, 4824
Ex-reactor transient fission gas release studies, fuel pin PNL-2-4 (LMFBR), 1782 (HEDL-TME--77-83)
Experience and future plan of fast reactor oxide fuels irradiation in Japan, 4826
Fabrication and irradiation performance of $Pu_{0.25}U_{0.75}O_{1.91}$ low O/M fuel, 1562 (HEDL-SA--1553)
Fission gas bubble distribution in a mixed oxide fast reactor fuel pin, 368 (CEGB-RD/B/N--4194)
FR2-Loop experimental series 5, irradiation, post-irradiation examination, and analysis of the FCMI, 4325 (DOE-tr--70)
Fuel and fission gas response to simulated thermal transients: experimental results and correlation with fission gas release and swelling model, 3485
HEDL mixed oxide fuels fabrication development. Quarterly progress report, January--March 1977, 1787 (HEDL-TME--77-94)
Integral heat rate-to-incipient melting in UO_2--PuO_2 fast reactor fuel, 1750 (HEDL-TME--77-23)
Irradiation performance analysis of UK fast reactor fuel (LMFBR), 4842
Irradiation and post-irradiation examination data from selected F9E fuel pins, 1303 (GEFR--00407)
LIFE code system for analysis of oxide fuel pin thermal/structural behavior (LMFBR), 4845
Mechanical behavior of a fuel pin for fast reactors: effect of the fuel form and of the approach-to-power on the change of the fuel stack length under irradiation, 4827
Microstructural results from F20 power-to-melt experiment (LMFBR), 1277 (GEFR--00367)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976 (LMFBR), 2991 (WARD-OX--3045-24)
Oxide fuel element development quarterly progress report for period ending June 30, 1976, 2992 (WARD-OX--3045-26)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1976 (LMFBR), 2993 (WARD-OX--3045-27)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1976 (LMFBR), 2994 (WARD-OX--3045-29)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1977 (LMFBR), 2995 (WARD-OX--3045-31)
Properties and irradiation behavior of advanced oxide particle fuel (LMFBR, BWR, PWR), 4830
Reference fuel studies. Annual report, February 1976--January 1977 (LMFBR; stainless steel clad PuO_2-UO_2 fuel pins), 1235 (GEFR--00076)
Reference fuel studies semi-annual report, February--July 1977 (LMFBR; stainless steel clad PuO_2--UO_2 fuel rods), 1247 (GEFR--00258)
Results of irradiation tests of fast reactor oxide fuel and fuel elements, 2008 (INIS-mf--5308)
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
UK irradiation experience relevant to advanced oxide fuel concepts for LMFBR's, 4825
US advanced LMFBR fuels development program, 4818
US experience in irradiation testing of advanced oxide fuels (LMFBR), 4828
US--UK technical exchange breeder reactor fuels. Fuel pin chemistry (supporting information), 1490 (HEDL-SA--13638)
Utilization of the experimental reactor Osiris for the study and the development of fuels of the fast neutron reactor type, 354 (CEA-CONF--4192)

PLUTONIUM DIOXIDE/SOLIDIFICATION
Quantitative comparison of solidification analysis for single-component and mixed-oxide fuels, 3489

PLUTONIUM DIOXIDE/SOLUBILITY
Experimental determination of plutonia and urania solubility in liquid metal, 1422 (GEFR-SP--202)

PLUTONIUM DIOXIDE/STOICHIOMETRY
Oxygen distribution in fast reactor oxide fuels, 2009 (INKA-Conf--79-003-006)
Oxygen-to-metal ratio control during fabrication of mixed oxide fast breeder reactor fuel pellets, 3207

PLUTONIUM DIOXIDE/SWELLING
Swelling in mixed-oxide fuel pins (LMFBR), 3368

PLUTONIUM DIOXIDE/THERMODYNAMIC PROPERTIES
Some observations on oxygen and carbon potentials in U--Pu--O and U--Pu--C systems (LMFBR), 4864

PLUTONIUM NITRIDES/FISSION PRODUCT RELEASE
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049

PLUTONIUM NITRIDES/MECHANICAL PROPERTIES
Fuel properties of advanced fuels (U,Pu)CN important for out-of-pile and in-pile kinetics (LMFBR), 4866

PLUTONIUM NITRIDES/PHYSICAL RADIATION EFFECTS
Advanced fast reactor fuels program. Second annual progress report, July 1, 1975--September 30, 1976, 2234 (LA--7570-PR)
Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels (LMFBR), 4841
Irradiation experiments of uranium carbide, carbonitride, and nitride fuels in JAERI (LMFBR), 4836
Mixed-nitride fuel performance in EBR-II (LMFBR), 4831
Progress in modeling carbide and nitride fuel performance in advanced LMFBRs, 4843
US advanced LMFBR fuels development program, 4818

PLUTONIUM NITRIDES/SWELLING
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049

PLUTONIUM OXIDES
Dynamic shape factors for LMFBR mixed-oxide fuel aggregates, 3310

PLUTONIUM OXIDES/AEROSOLS
Dissolution of LMFBR fuel-sodium aerosols (Plutonium dioxide), 2747 (PNL--2850(Pt.1))
Spectrophotometric analyses of LMFBR fuel-sodium aerosols (PuO_2, U), 2748 (PNL--2850(Pt.1))

PLUTONIUM OXIDES/CORROSION
Proposed mechanism for internal cladding corrosion in LMFBR mixed oxide fuel pins, 3389

PLUTONIUM OXIDES/FABRICATION
Manufacture of the second core of Rapsodie - Type 2 A - Fortissimo version, 360 (CEA-R--4881)

PLUTONIUM OXIDES/QUANTITATIVE CHEMICAL ANALYSIS
Nuclear oxide fuel analysis, 3350

PLUTONIUM OXIDES/THERMAL CONDUCTIVITY
Experimental and theoretical evaluation of defect growth of fuel pin cladding by chemical fuel-sodium interaction, 5099

PLUTONIUM RECYCLE
Alternative fuel cycles for breeder reactors, 665 (CONF-780401--)
Cooperative nuclear data and methods development fifth quarterly report, October--December 1976 (LMFBR), 1382 (GEFR--14074-5)
Cooperative nuclear data and methods development sixth quarterly report, January--Mach 1977 (LMFBR), 1383 (GEFR--14074-6)
Cooperative nuclear data and methods development. Eighth quarterly report, October--December 1977 (LMFBR) 1385 (GEFR--14074-8)
Cooperative nuclear data and methods development. Ninth quarterly report, January--March 1978, 1386 (GEFR--14074-9)
Cooperative nuclear data and methods development. Tenth quarterly report, April--June 1978, 1387 (GEFR--14074-10)
Cooperative nuclear date and methods development. Twelfth quarterly report, January--March 1979, 1389 (GEFR--14074-12)
Cooperative nuclear data and methods development. Eleventh quarterly report, July--December 1978, 1388 (GEFR--14074-11)
Cooperative nuclear data and methods development. Thirteenth quarterly report, April-June, 1979, 1390 (GEFR--14074-13)
Fuel recycling, 4926
Impact of PFR reprocessing at Dounreay Nuclear Development Establishment, 4250
Importance of the fast breeder for our energy supply, 1994 (INIS-mf--4816)
Low-decontamination approach to a proliferation-resistant fuel cycle, 3366
Nuclear data and methods development and application to LMFBRs. Fourth annual progress report, fiscal year 1978, 1381 (GEFR--14073-4)
Nuclear power today and tomorrow, 3256
Performance of thorium fueled fast breeders, 1481 (HEDL-SA--1327-FP)
Plutonium processing for the fast reactor fuel cycle, 3086
Politics of reprocessing, 3732
Radiation risks from plutonium recycle, 4267
Some plutonium recycle program fuel cycles having reduced proliferation characteristics, 3367
Uranium requirements for advanced fuel cycles in expanding nuclear power systems, 3369
US utilities argue for the breeder and reprocessing, 4486

PLUTONIUM RECYCLE/CONTROL
Instrumentation and control development and design philosophy for Advanced Fuel Recycle, 2655 (ORNL/TM--6393)

PLUTONIUM RECYCLE/ECONOMICS
High power fast reactors with combined use of uranium-235 and plutonium (LMFBR), 5419
Impact of delays in plutonium use on the stationary growth rate of fast breeder reactor fuel, 958 (COO/4116--1)
Investigation of the growth rate for joint fast breeder reactor and light water reactor operation, 943 (COO--4116-3)

PLUTONIUM RECYCLE/PLANNING
Review of nuclear fuel cycle alternatives including certain features pertaining to weapon proliferation, 2845 (SAND--77-1727)

PLUTONIUM RECYCLE/RESEARCH PROGRAMS
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)

PNC
(Power Reactor Nuclear Fuel Development Corporation.)

PNC/RESEARCH PROGRAMS
Ten years' history of Power Reactor and Nuclear Fuel Development Corporation, 3394
POISSON EQUATION/STRESSES
Analysis of nonlinear fluid-structure irteraction in LMFBR containment, 3544
POOL BOILING/HEAT TRANSFER
Heat removal characteristics of volume-heated boiling pools with inclined boundaries in bubbly flow regime, 327 (BNL-NUREG--26083)
Simulation of boiling pools with internal heat sources by gas injection (LMFBR core meltdown), 917 (COO--2554-6)
POOL BOILING/MATHEMATICAL MODELS
Heat removal characteristics of volume-heated boiling pools with inclined boundaries in bubbly flow regime, 327 (BNL-NUREG--26083)
POOL TYPE REACTORS
See also STEK REACTOR
POOL TYPE REACTORS/COOLANT LOOPS
Loop and pool fast reactors, 4132
POSITION INDICATORS
See DISPLACEMENT GAGES
POWER DEMAND/FORECASTING
Econometric analysis of energy over the next 75 years, 4630
Nuclear power today and tomorrow, 3256
POWER DENSITY/TWO-DIMENSIONAL CALCULATIONS
FLEX: a code for calculating neutron flux microdistributions in lattices consisting of hexagonal fuel assemblies, 3842
POWER DISTRIBUTION/MATHEMATICAL MODELS
Sensitivity of power peaking analysis to large reactor core modeling (LMFBR), 173 (ANL-AFP--32)
POWER EXCURSIONS
See EXCURSIONS
POWER GENERATION/ECONOMETRICS
Econometric analysis of energy over the next 75 years, 4630
POWER GENERATION/FORECASTING
Econometric analysis of energy over the next 75 years, 4630
Econometric analysis of energy over the next 75 years, 4915
POWER GENERATION/SYSTEMS ANALYSIS
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))
POWER GENERATION/TECHNOLOGY ASSESSMENT
Potential of advanced generation technologies for Northeast utilities system, 3325
POWER PLANTS
See also DUAL-PURPOSE POWER PLANTS
FUEL CELL POWER PLANTS
MHD POWER PLANTS
POWER PLANTS/COMPARATIVE EVALUATIONS
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))
POWER PLANTS/ECONOMICS
Systems descriptions and engineering costs for solar-related technologies. Volume I. Summary, 2306 (MTR--7485(Vol.1))
POWER PLANTS/LAND REQUIREMENTS
Preliminary comparative assessment of land use for the satellite power system (SPS) and alternative electric energy technologies, 1001 (DOE/ER--0054)
POWER PLANTS/TECHNOLOGY ASSESSMENT
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))
POWER REACTORS
See also BELOYARSK-1 REACTOR
BELOYARSK-2 REACTOR
BELOYARSK-3 REACTOR
BOR-60 REACTOR
CLINCH RIVER BREEDER REACTOR
DFR REACTOR
EBR-1 REACTOR
EBR-2 REACTOR
ENRICO FERMI-1 REACTOR
JATR REACTOR
JOYO REACTOR
KNK REACTOR
KNK-2 REACTOR
LAMPRE-1 REACTOR
MAGNOX TYPE REACTORS
MONJU REACTOR
PEC BRASIMONE REACTOR
PFR REACTOR
PHENIX REACTOR
PLBR REACTOR
PROCESS HEAT REACTORS
SEFOR REACTOR
SHIPPINGPORT REACTOR
SNR-1 REACTOR
SNR-2 REACTOR
THTR-300 REACTOR
WAGR REACTOR
WWER TYPE REACTORS
POWER REACTORS/DESIGN
Guidebook to nuclear reactors, 3318
POWER REACTORS/FUEL CYCLE
Build-up and decay of actinide nuclides in fuel cycle of nuclear reactors, 4467
POWER REACTORS/HEAT TRANSFER
Sensitivity theory for reactor thermal-hydraulics problems, 3375
POWER REACTORS/PRESSURE VESSELS
Seismic design study on cantilever cylindrical shells, 4304
POWER REACTORS/REACTOR COMPONENTS
Review of the proceedings of the 8th world NDT conference, Annes, September 1976, 996 (CSNI-R--14)
POWER REACTORS/REACTOR CORES
Sensitivity theory for reactor thermal-hydraulics problems, 3375
POWER REACTORS/REVIEWS
Choice of systems and optimum use of nuclear material resources, 3720
POWER REACTORS/STEAM GENERATORS
Seismic design study on cantilever cylindrical shells, 4304
POWER REACTORS/THORIUM CYCLE
Strategy for the practical utilization of thorium fuel cycles, 733 (CONF-781042--2)
POWER SUPPLIES
LMFBR fuel analysis. Task C: Reliability aspects of LMFBRs. Final report, October 1, 1976--September 30, 1977, 2378 (NUREG/CR--0013)
POWER SYSTEMS/RESEARCH PROGRAMS
Power/energy progress report: a pastiche of developments promises near and long-term applications, 3841
POWER-COOLING-MISMATCH ACCIDENTS/FUEL ELEMENT FAILURE
Computation studies of cladding relocation dynamics during liquid-metal fast breeder reactor transient undercooling accidents, 4273
PRESSURE GAGES/DESIGN
Measuring fluid pressure (Patent; LMFBR), 3835
Pressure sensor for high-temperature liquids (Patent; LMFBR), 3481
Pressure sensor (Patent), 3298
PRESSURE TUBES/CREEP
Comparison of fuel pin deformations with pressurized tube creep tests, 4248
PRESSURE VESSELS/CLOSURES
Adsorption seal for nuclear reactors (Patent; HTGR; LMFBR), 3839
PRESSURE VESSELS/CRACKS
Crack propagation investigation related to the leak-before-break concept for LMFBR piping, 4226
Elevated temperature, cyclic loadings and irradiation effects on fatigue crack of lmfbr pressure vessels, 3332
PRESSURE VESSELS/CREEP
Effect of neutron irradiation on creep properties of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1056 (ECN--61)
PRESSURE VESSELS/PHYSICAL RADIATION EFFECTS
Effect of neutron irradiation on creep properties of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1056 (ECN--61)
PRESSURE VESSELS/SEALS
Absorbing seals for nuclear reactors (Patent; LMFBR), 5245
PRESSURE VESSELS/SEISMIC EFFECTS
Seismic design study on cantilever cylindrical shells, 4304
PRESSURE VESSELS/STRESS ANALYSIS
Elastic and elastic-plastic buckling of vessel heads computation by the CEASEMT system, 1943 (INIS-mf--4506)
Thermal ratchetting in pressure vessels, 1946 (INIS-mf--4506)
PRESSURE VESSELS/THERMAL STRESSES
Thermal elasto-plastic analysis in reactor vessel nozzles, 1944 (INIS-mf--4506)
PRESSURIZED WATER REACTORS
See PWR TYPE REACTORS
PRESTRESSED CONCRETE/STRESS ANALYSIS
Extension of HCDA safety analysis to large PCRV containment structures, 5058
PRESTRESSED CONCRETE/STRESSES
Analysis of dynamically loaded non-linear structures, 5045
PRIMARY COOLANT CIRCUITS
Bubble separator for fast breeder reactors (Patent), 5376
Device for the transfer of coolant in a nuclear reactor (Patent; LMFBR type reactors), 5210
Large pool LMFBR design. Final report. Volume 1. Reactor, 1094 (EPRI-NP--883(Vol.1))

Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Liquid-cooled nuclear reactor (Patent; LMFBR), 3805 (ANL-Trans--1127)
Nuclear reactor facility (Patent; improved inspection and maintenance capabilities), 3757
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part V. Heat transport system components. Interim report, 1090 (EPRI-NP--882(Vol.4))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Process for cooling a breeder reactor and breeder reactor for carrying out the process (Patent), 4557
Safety analysis of the primary heat transport systems of LMFBRs, 456 (CONF-761001--P3)
Sodium circulating system for a reactor (Patent), 5368
Steels for the primary circuits of the sodium cooled breeder reactor, 4413

PRIMARY COOLANT CIRCUITS/ACOUSTIC MONITORING
Acoustic detection of boiling in sodium test loops (LMFBR), 4683

PRIMARY COOLANT CIRCUITS/ACTIVITY LEVELS
Prediction of primary circuit contamination in power reactors, 4893

PRIMARY COOLANT CIRCUITS/BEARINGS
Selection of bearing materials for commercial LMFBR flexible joint applications, 39 (AI-DOE--13238)

PRIMARY COOLANT CIRCUITS/BELLOWS
Test facility for large-diameter bellows, 2068 (IWGFR--11)

PRIMARY COOLANT CIRCUITS/BOILING DETECTION
Acoustic detection of boiling in sodium test loops (LMFBR), 4683
Acoustic measurements of the boiling stability tests on THORS sodium loop (LMFBR), 602 (CONF-771023--22)
Intercomparison of auto- and cross-power spectral density surveillance systems for sodium boiling detection in fast reactors, 3269
Investigation of the dynamic behaviour of detectors for gas bubbles in sodium flows, 3892

PRIMARY COOLANT CIRCUITS/BUBBLE GROWTH
Bubble dynamics in a superheated liquid (LMFBR), 53 (ANL--77-20)
Growth of a sodium vapour bubble rising in the superheated liquid (LMFBR), 3865
Thermodynamic theory of cavitation nuclei in dilute liquid-gas solutions (LMFBR), 223 (ANL-CT--78-33)

PRIMARY COOLANT CIRCUITS/CAVITATION
Final report and design guide for cavitation-free LMFBR hydraulic components, 203 (ANL-CT--78-7)

PRIMARY COOLANT CIRCUITS/CONFIGURATION
Method for cooling a breeder reactor and breeder reactor for applying the method (Patent), 4260

PRIMARY COOLANT CIRCUITS/COOLANT CLEANUP SYSTEMS
Purification of sodium coolant by means of cold and hot traps and purification of the cover gas, 3313
Study on the tritium removal from the sodium in LMFBR, 684 (CONF-780819--P1)

PRIMARY COOLANT CIRCUITS/CORROSION
Sodium engineering and technology technical progress report, October, November, December 1976 (LMFBR), 1742 (HEDL-TME--76-28)
Sodium engineering and technology. Technical progress report, October, November, December 1977 (LMFBR), 1760 (HEDL-TME--77-39)
Sodium engineering and technnology. Technical progress report, April, May, June 1978 (LMFBR), 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Technical progress report, April, May, June 1978 (LMFBR), 1807 (HEDL-TME--78-21)
Sodium technology. Progress report, April--June 1978 (LMFBR), 1829 (HEDL-TME--78-91)
Sodium technology progress report, July--September 1978 (LMFBR), 1830 (HEDL-TME--78-92)
Sodium technology progress report, October--December 1978 (LMFBR), 1831 (HEDL-TME--78-93)
Sodium technology. Progress report, April-June 1979 (LMFBR), 1848 (HEDL-TME--79-25)

PRIMARY COOLANT CIRCUITS/CORROSION PRODUCTS
Analysis of radioactive corrosion product transfer in sodium loop systems, 3496
Characterization of corrosion product deposits in sodium systems, 1523 (HEDL-SA--1452)
Characteriztion of corrosion product deposits in sodium systems (LMFBR), 2126 (IWGFR--23)
Radionuclide trap for liquid-metal-cooled reactors, 3938
Radionuclide trap for liquid metal cooled reactors, 1558 (HEDL-SA--1540-FP)

PRIMARY COOLANT CIRCUITS/DECONTAMINATION
Decontamination of LMFBR components, 25 (AI-DOE--13218)
Development of acidic processes for decontaminating LMFBR components, 2128 (IWGFR--23)
Feasibility of decontamination of LMFBR coolant by low-pressure distillation, 3928

PRIMARY COOLANT CIRCUITS/DESIGN
LMFBR pool plant: 1000 MWe. Volume 2. NSSS plant description. Final report, 1119 (EPRI-NP--1015(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 3. Pool reactor engineering, NSSS. Final report, 1120 (EPRI-NP--1015(Vol.3))
Nuclear reactor (Patent; LMFBR), 4363
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part V: heat transport systems. Final report, 1111 (EPRI-NP--1014(Vol.6))
Primary cooling device for a sodium cooled fast breeder (Patent), 5372
Study of basic approaches to the design of the primary system of loop-type LMFBRs, 166 (ANL/A--78-3)

PRIMARY COOLANT CIRCUITS/DISTURBANCES
Method and circuit arrangement for the detection of cooling disturbances, 3261

PRIMARY COOLANT CIRCUITS/ELECTROMAGNETIC PUMPS
Electromagnetic pumps for fast reactors primary cooling circuits, 2350 (NIIEFA-A--0340)
Experimental study results of the TsLIN-5/700 cylindrical linear induction pump, 2351 (NIIEFA-A--0345)

PRIMARY COOLANT CIRCUITS/FAILURES
Model for evaluating probabilities of primary system retention of core debris and time of release in LMFBR risk assessments, 499 (CONF-761001--P4)

PRIMARY COOLANT CIRCUITS/FILTERS
Strainer device (Patent; LMFBR), 5324

PRIMARY COOLANT CIRCUITS/FIRES
Experimental studies in extinguishing large odium fires (LMFBR), 4356

PRIMARY COOLANT CIRCUITS/FLUID FLOW
PLENUM-2A: a program for transient analysis of LMFBR outlet plenums, 239 (ANL-CT--79-17)
Transient flow and heat transfer of liquid sodium coolant in the outlet plenum of a fast nuclear reactor, 3392

PRIMARY COOLANT CIRCUITS/HEAT EXCHANGERS
Auxiliary cooling system for a primary heat exchanger working in a nuclear reactor (Patent; LMFBR type reactors), 5314

PRIMARY COOLANT CIRCUITS/HEAT TRANSFER
Boiling heat transfer under forced convection of sodium, 3783
Growth of a sodium vapour bubble rising in the superheated liquid (LMFBR), 3865
Heat transfer effect of entrained gas in liquid sodium systems, 3281
Heat transfer from internally heated fluids with temperature dependent viscosity, 2215 (KFK--2841)
LMFBR thermal hydraulics, 3160
Method of computing the effect of gas voids in liquid metal cooling, 5142 (SMRE-Transl--7200)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part V: heat transport systems. Final report, 1111 (EPRI-NP--1014(Vol.6))
Possibilities to determine the heat transfer between nuclear fuel elements and the coolant in a sodium cooled reactor during normal power operation, 2198 (KFK--2619)
Transient flow and heat transfer of liquid sodium coolant in the outlet plenum of a fast nuclear reactor, 3392

PRIMARY COOLANT CIRCUITS/HEATING
Method for pre-heating lmfbr type reactors (Patent), 3407

PRIMARY COOLANT CIRCUITS/HYDRAULICS
Analytical modeling of core hydraulics and flow management in breeder reactors, 831 (CONF-790934--1)
Final report and design guide for cavitation-free LMFBR hydraulic components, 203 (ANL-CT--78-7)
Finite element formulation for fluid-structure interaction in three-dimensional space (LMFBR), 5308
Growth of a sodium vapour bubble rising in the superheated liquid (LMFBR), 3865
Heat transfer from internally heated fluids with temperature dependent viscosity, 2215 (KFK--2841)
LIMBO computer code for analyzing coolant-voiding dynamics in LMFBR safety tests, 161 (ANL--79-91)
LMFBR thermal hydraulics, 3160
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part V: heat transport systems. Final report, 1111 (EPRI-NP--1014(Vol.6))
PTAC: a computer program for pressure-transient analysis, including the effects of cavitation (LMFBR), 82 (ANL--78-4)

PRIMARY COOLANT CIRCUITS/HYDRODYNAMICS
Computer modelling of piping components for transient hydrodynamic-structural response (LMFBR), 3532
Numerical fluid-structure interaction analysis of piping systems (LMFBR), 5027

PRIMARY COOLANT CIRCUITS/IMPURITIES
Investigation of the impurity deposition rate of the plugging indicator (LMFBR), 4682

PRIMARY COOLANT CIRCUITS/IN-SERVICE INSPECTION
Improvements to the maintainability and inspection of liquid metal systems. Volume 1. Overall study results (LMFBR), 1300 (GEFR--00405(Vol.1))
Improvements to the maintainability and inspection of liquid metal systems. Volume 2. Plant layout improvements (LMFBR), 1301 (GEFR--00405(Vol.2))

PRIMARY COOLANT CIRCUITS/LEAK DETECTORS
Extremely sensible method and device for detecting metallic vapors (Patent; LMFBR type reactors), 5202
Sodium ionization detector response to extraneous materials (LMFBR), 1175 (ETEC--78-18)

PRIMARY COOLANT CIRCUITS/LEAKS
Probabilistic leak analysis for LMFBR primary coolant piping, 1228 (GEFR--00041)

PRIMARY COOLANT CIRCUITS/LIQUID METALS

Natural evaporation of sodium under the conditions of mist formation (LMFBR), 4519
PRIMARY COOLANT CIRCUITS/MATERIALS TESTING
Detection and evaluation of the development of cavitation by direct listening of the ultrasonic field with the help of an heteridyne frequency shifting system (LMFBR), 2035 (IWGFR--9)
PRIMARY COOLANT CIRCUITS/MATHEMATICAL MODELS
Transient analysis of the primary system of a liquid metal-cooled fast breeder reactor plant, 5256
PRIMARY COOLANT CIRCUITS/MECHANICAL VIBRATIONS
Simple steel/water model for preliminary studies of acoustic vibration in LMFBR, 1952 (INIS-mf--4541)
Surveillance of the vibrational behaviour of primary-circuit components, 4195
PRIMARY COOLANT CIRCUITS/NATURAL CONVECTION
Natural circulation boosts safety of pool-type fast reactor, 3080
PRIMARY COOLANT CIRCUITS/OPTIMIZATION
Optimisation of reactor design for natural circulation decay heat removal in a pool-type LMFBR, 4110
PRIMARY COOLANT CIRCUITS/OXYGEN METERS
Electrochemical system for determining the oxygen concentration in a liquid alkaline metal (Patent; sodium of LMFBR type reactors), 5170
PRIMARY COOLANT CIRCUITS/PERFORMANCE
Sodium component reliability data collection at CREDO (LMFBR), 778 (CONF-790602--62)
PRIMARY COOLANT CIRCUITS/PERFORMANCE TESTING
Testing of components of the heat transfer systems of sodium-cooled fast breeders in a large-scale test facility, 3905
PRIMARY COOLANT CIRCUITS/PIPE FITTINGS
Characterization of the temperature fluctuations generated in a thermal mixing tee (sodium versus water behavior) (LMFBR), 199 (ANL-CT--78-2)
Plastic in-plane bending and buckling of an elbow: comparison of experimental and simplified analysis results (LMFBR), 2978 (WARD-HT--94000-2)
Study of piping configurations (LMFBR), 265 (ANL/ENG--80-02)
PRIMARY COOLANT CIRCUITS/PIPELINES
Connection device of an apparatus in a system with structures subject to relative motions (Patent; LMFBR), 5404
PRIMARY COOLANT CIRCUITS/PIPES
Carbon transport in a bimetallic sodium loop simulating the intermediate heat transport system of a liquid metal fast breeder reactor, 1416 (GEFR-SP--172)
Comparison of experiment with analysis of a water-filled plastically deforming pipe using the computer code PTA-1 (LMFBR), 3024 (WARD-SR--3045-8)
International piping benchmarks: use of the simplified code PACE 2 (LMFBR), 2315 (ND-R--304(R))
Low-cycle fatigue tests on primary coolant piping system components of fast reactors, 2150 (JAPFNR--459)
Preliminary analysis and screening criteria for elevated temperature piping, 3333
Simulation of a thermohydraulic transient in a pipe using the COMMIX-1A computer code, 2473 (NUREG/CR--1323)
Study of piping configurations (LMFBR), 265 (ANL/ENG--80-02)
Test verification of seismic response of LMFBR piping systems. Quarterly technical progress report, 2804 (SAN--1011-200)
PRIMARY COOLANT CIRCUITS/PUMPS
Liquid metal cooled nuclear reactor (Patent), 5338
Single-phase sodium pump model for LMFBR thermal-hydraulic analysis, 318 (BNL-NUREG--25498)
PRIMARY COOLANT CIRCUITS/RADIATION STREAMING
Neutron transport by sodium pipes going through fast reactor shielding 20., 1898 (INIS-mf--4280)
PRIMARY COOLANT CIRCUITS/RADIOACTIVITY TRANSPORT
Analysis of radioactive corrosion product transfer in sodium loop systems, 3496
Characteriztion of corrosion product deposits in sodium systems (LMFBR), 2126 (IWGFR--23)
Computer model for tritium transport in and release from the CRBRP and other LMFBRs, 4666
Control of radionuclide transport in sodium-cooled reactor primary circuits, 1582 (HEDL-SA--1625)
Mass and activity transport (LMFBR), 1436 (HEDL--6314)
Measurement of tritium and tritiated water vapour in nuclear power installations. I. Tritium formation and transport in nuclear power installations, 3507
Radioactive corrosion product release potential in sodium-cooled reactors, 1659 (HEDL-SA--1948)
Removal of radioactive products from liquid metal coolants of LMFBRs under normal operation, 371 (CEGB/RD/B/N--4334)
Sodium engineering and technology technical progress report, October, November, December 1976 (LMFBR), 1742 (HEDL-TME--76-28)
Sodium engineering and technology. Technical progress report, April, May, June 1977 (LMFBR), 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, July, August, September 1977 (LMFBR), 1759 (HEDL-TME--77-38)
Sodium engineering and technology technical progress report, January, February, March 1978 (LMFBR), 1805 (HEDL-TME--78-20)
Sodium engineering and technnology. Technical progress report, April, May, June 1978 (LMFBR), 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Technical progress report, April, May, June 1978 (LMFBR), 1807 (HEDL-TME--78-21)
Sodium technology. Progress report, April--June 1978 (LMFBR), 1829 (HEDL-TME--78-91)
Sodium technology progress report, July--September 1978 (LMFBR), 1830 (HEDL-TME--78-92)
Sodium technology progress report, October--December 1978 (LMFBR), 1831 (HEDL-TME--78-93)
Sodium technology progress report, January--March 1978 (LMFBR), 1828 (HEDL-TME--78-90)
Sodium technology. Progress report, April-June 1979 (LMFBR), 1848 (HEDL-TME--79-25)
PRIMARY COOLANT CIRCUITS/REACTIVITY
Prediction of primary circuit contamination in power reactors (PWR; LMFBR; HTGR), 4889
PRIMARY COOLANT CIRCUITS/REACTOR MAINTENANCE
Improvements to the maintainability and inspection of liquid metal systems. Volume 1. Overall study results (LMFBR), 1300 (GEFR--00405(Vol.1))
Improvements to the maintainability and inspection of liquid metal systems. Volume 2. Plant layout improvements (LMFBR), 1301 (GEFR--00405(Vol.2))
PRIMARY COOLANT CIRCUITS/REACTOR MATERIALS
Material properties requirements for LMFBR structural design: general considerations and data needs, 605 (CONF-771052--1)
Overview of the U.S. programs on properties of primary circuit materials, 606 (CONF-771052--2)
PRIMARY COOLANT CIRCUITS/REACTOR NOISE
Surveillance of the vibrational behaviour of primary-circuit components, 4195
PRIMARY COOLANT CIRCUITS/RELIABILITY
Sodium component reliability data collection at CREDO (LMFBR), 778 (CONF-790602--62)
PRIMARY COOLANT CIRCUITS/RUPTURES
Fracture of nuclear piping caused by impact loading (LMFBR), 3471
PRIMARY COOLANT CIRCUITS/STRESS ANALYSIS
Numerical fluid-structure interaction analysis of piping systems (LMFBR), 5027
Probabilistic assessment in structural analysis of main coolant systems for LMFBR under anticipated thermal transients, 5127
PRIMARY COOLANT CIRCUITS/SURFACE CLEANING
Development of acidic processes for decontaminating LMFBR components, 2128 (IWGFR--23)
PRIMARY COOLANT CIRCUITS/TRANSIENTS
Probabilistic assessment in structural analysis of main coolant systems for LMFBR under anticipated thermal transients, 1991 (INIS-mf--4690)
PRIMARY COOLANT CIRCUITS/TRAPS
Radionuclide trap for liquid-metal-cooled reactors, 3938
Radionuclide trap for liquid metal cooled reactors, 1558 (HEDL-SA--1540-FP)
PRIMARY COOLANT CIRCUITS/TURBULENT FLOW
Direct numerical simulation of turbulent velocity, pressure, and temperature fields in channel flows (LMFBR; TURBIT-2 code), 3451 (DOE-tr--61)
PRIMARY COOLANT CIRCUITS/TWO-PHASE FLOW
LIMBO computer code for analyzing coolant-voiding dynamics in LMFBR safety tests, 161 (ANL--79-91)
PRIMARY COOLANT CIRCUITS/VALVES
Summary of LMEC sodium valve operating history (LMFBR), 2901 (TI--00-LME-023)
PRIMARY COOLANT CIRCUITS/VOIDS
Method of computing the effect of gas voids in liquid metal cooling, 5142 (SMRE-Transl--7200)
PRIMARY COOLANT CIRCUITS/WATER HAMMER
PTAC: a computer program for pressure-transient analysis, including the effects of cavitation (LMFBR), 82 (ANL--78-4)
PROCESS HEAT REACTORS/DISTRICT HEATING
Load-varying operation of a nuclear power plant with fast breeder reactors, 3414
PROCESS HEAT REACTORS/FEASIBILITY STUDIES
Heat utilization of future reactor systems, 4424
PROCESS HEAT REACTORS/HYDROGEN PRODUCTION
Review of the potential for the use of nuclear reactors for hydrogen production, 4491
PROLIFERATION
Nuclear proliferation and civilian nuclear power: report of the Nonproliferation Alternative Systems Assessment Program. Volume VI. Safety and environmental considerations for licensing, 1014 (DOE/NE--0001(Vol.6))
PROLIFERATION/SAFEGUARDS
Nuclear proliferation and nuclear power, 4872
PROTOTYPE FAST REACTOR (DOUNREAY)
See PFR REACTOR
PROTOTYPE LARGE BREEDER REACTOR
See PLBR REACTOR
PUBLIC UTILITIES
See also ELECTRIC UTILITIES
PUBLIC UTILITIES/ECONOMICS
Incorporating the utility viewpoint in the design of the prototype large breeder reactor (PLBR), 4125
PULSED REACTORS
See also ACPR REACTOR
SPR-3 REACTOR

PULSED REACTORS/DESIGN
Design considerations for epithermal pulse reactors, 2837 (SAND--77-1470)
PUMPS
See also ELECTROMAGNETIC PUMPS
Design, R and D, and manufacture of the components of secondary circuits for fast sodium power plant, 4077
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part V. Heat transport system components. Interim report, 1090 (EPRI-NP--882(Vol.4))
PUMPS/ACOUSTIC MONITORING
Conditioning of liquid sodium pumps by the use of acoustic methods, 3391
Monitoring the condition of sodium pumps using acoustic methods, 3398 (RISLEY-Trans--4105)
PUMPS/BAFFLES
Pump tank divider plate for sump suction sodium pumps (Patent; LMFBR), 4472
PUMPS/BEARINGS
Diagnosing malfunctions in liquid sodium hydrostatic bearings, 4434
PUMPS/CAVITATION
Applications of cavitation analysis to design and operation of SPTF-HFL pump loops, 2807 (SAN/0700--1)
Conditioning of liquid sodium pumps by the use of acoustic methods, 3391
Final report and design guide for cavitation-free LMFBR hydraulic components, 203 (ANL-CT--78-7)
Head-flow mapping and low NPSH testing of a prototypic subscale inducer pump at SCTL (LMFBR), 1182 (ETEC-TDR--79-11)
Monitoring the condition of sodium pumps using acoustic methods, 3398 (RISLEY-Trans--4105)
PUMPS/DESIGN
Advanced work on pumps and heat exchangers (LMFBR), 654 (CONF-780251--P2)
Intermediate-size inducer pump program. Annual technical progress report, government fiscal year 1978 (LMFBR), 1144 (ESG-DOE--13252)
Large scale primary sodium pumps (LMFBR), 5065 (ANL-Trans--1173)
PUMPS/HYDRAULICS
Final report and design guide for cavitation-free LMFBR hydraulic components, 203 (ANL-CT--78-7)
Large electromagnetic pumps (LMFBR), 1402 (GEFR-SP--064)
PUMPS/IN-SERVICE INSPECTION
Inspection requirements and concepts for LMFBR heat exchangers and pump. A manufacturers view, 2054 (IWGFR--10)
PUMPS/LEAKS
From PHENIX to SUPER PHENIX: mechanical structures assuring reactor vessel tightness at main sodium pump penetrations, 5072
PUMPS/MATHEMATICAL MODELS
Single-phase sodium pump model for LMFBR thermal-hydraulic analysis, 318 (BNL-NUREG--25498)
PUMPS/MECHANICAL VIBRATIONS
Simple steel/water model for preliminary studies of acoustic vibration in LMFBR, 5069
Water testing of the inducer pump (LMFBR), 44 (AI-ERDA--13207)
PUMPS/OPENINGS
From PHENIX to SUPER PHENIX: mechanical structures assuring reactor vessel tightness at main sodium pump penetrations, 5072
PUMPS/OPTIMIZATION
Selection of the main circulation pumps for the first loop of promising plants with sodium heat carrier (LMFBR), 3777
PUMPS/PERFORMANCE
Effect of pump cavitation on the design of the primary pumps for C.F.R (LMFBR), 2041 (IWGFR--9)
Erosion by cavitation in the diffuser of a mechanical pump, 2034 (IWGFR--9)
Large electromagnetic pumps (LMFBR), 1402 (GEFR-SP--064)
Single-phase pump model for analysis of LMFBR heat transport systems, 2392 (NUREG/CR--0240)
PUMPS/PERFORMANCE TESTING
AI Subscale Inducer Test Article: first and second 300 hour endurance tests, 2299 (LMEC-TDR--78-4)
Endurance testing of prototypic subscale inducer pump at SCTL (LMFBR), 1178 (ETEC-TDR--79-4)
Head-flow mapping and low NPSH testing of a prototypic subscale inducer pump at SCTL (LMFBR), 1182 (ETEC-TDR--79-11)
Water testing of the inducer pump (LMFBR), 44 (AI-ERDA--13207)
PUMPS/TEST FACILITIES
Evaluation of SPTF liquid rheostat for ISIP test program (LMFBR), 1179 (ETEC-TDR--79-6)
Water testing of the inducer pump (LMFBR), 44 (AI-ERDA--13207)
PUREX PROCESS
Considerations on the gamma activity of the Pu product arising from LMFBR's fuel reprocessing, 1873 (IAEA-AG--63-7)
PWR TYPE REACTORS
See also SHIPPINGPORT REACTOR
WWER TYPE REACTORS
Importance of the fast breeder for our energy supply, 1994 (INIS-mf--4816)
PWR TYPE REACTORS/ACTIVITY LEVELS
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
PWR TYPE REACTORS/ATWS
Anticipated transients without scram for light water reactors: implications for liquid metal fast breeder reactors, 2760 (RAND/N--1188-DOE)
PWR TYPE REACTORS/AVAILABILITY
Statistical operation of nuclear power plants, 5264
PWR TYPE REACTORS/COMPARATIVE EVALUATIONS
Heat utilization of future reactor systems, 4424
PWR TYPE REACTORS/CONTAINMENT BUILDINGS
Design and licensing of a flexible dual-containment approach, 4633
PWR TYPE REACTORS/CONTAINMENT SHELLS
Composite containment for nuclear power, 534 (CONF-770807--)
PWR TYPE REACTORS/COST
Comparison of the capital costs of light water reactor and liquid metal fast breeder reactor power plants, 2762 (RAND/R--2441-ACDA)
PWR TYPE REACTORS/DESIGN BASIS ACCIDENTS
Assessment of structural dynamics problems in nuclear reactor safety, 2219 (KFK-EXT--8/78-5)
Reactor safety, 5271
PWR TYPE REACTORS/ECONOMICS
Investigation of the growth rate for joint fast breeder reactor and light water reactor operation, 943 (COO--4116-3)
PWR TYPE REACTORS/ENGINEERED SAFETY SYSTEMS
Reactor safety, 5271
PWR TYPE REACTORS/FAILED ELEMENT DETECTION
Probabilistic identification of failed core assemblies from gas tag releases, 4636
PWR TYPE REACTORS/FAILED ELEMENT MONITORS
Barycentric coordinates technique for resolution of multiple fuel failures with gas tagging, 4635
Probabilistic identification of failed core assemblies from gas tag releases, 4636
PWR TYPE REACTORS/FISSION FOIL DETECTORS
Spent thermal reactor fuel assembly characterization with solid state tract recorders, 1827 (HEDL-TME--78-89)
PWR TYPE REACTORS/FISSION PRODUCT RELEASE
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
PWR TYPE REACTORS/FISSION PRODUCTS
Carbon-14 production in nuclear reactors, 3319
PWR TYPE REACTORS/FUEL CANS
Piping for nuclear power reactors. Review, 5446
Two dimensional structural analysis of reactor fuel element claddings due to local effects, 890 (COO--2245-59TR)
PWR TYPE REACTORS/FUEL CYCLE
Alternative fuel cycle options: performance characteristics and impact on nuclear power growth potential, 66 (ANL--77-70)
Interim assessment of the denatured ^{233}U fuel cycle: feasibility and nonproliferation characteristics, 2564 (ORNL--5398(Exec.Summ.))
Investigation of the growth rate for joint fast breeder reactor and light water reactor operation, 943 (COO--4116-3)
Low-decontamination approach to a proliferation-resistant fuel cycle, 4714
Low-decontamination approach to a proliferation-resistant fuel cycle, 3366
Nuclear fuel fabrication and refabrication cost estimation methodology, 2670 (ORNL/TM--6640)
Some plutonium recycle program fuel cycles having reduced proliferation characteristics, 3367
Survey of alternative fuel cycle options without plutonium separation, 4713
PWR TYPE REACTORS/FUEL ELEMENT FAILURE
HEDL contribution to SRL fuel recycle program. Quarterly report, January--March 1977, 1674 (HEDL-TC--902-1)
PWR TYPE REACTORS/FUEL ELEMENTS
ANS54: a computer subroutine for predicting fission gas release, 2469 (NUREG/CR--1213)
Nondestructive analysis of irradiated fuels, 1487 (HEDL-SA--1350)
Status of mechanical properties and models for LMFBR and LWR fuel element modeling, 4654
PWR TYPE REACTORS/FUEL MANAGEMENT
Core design: fuel management as a balance between in-core efficiency and economics, 3713
PWR TYPE REACTORS/FUEL PARTICLES
Properties and irradiation behavior of advanced oxide particle fuel, 4830
PWR TYPE REACTORS/HEAT EXCHANGERS
Heat exchanger provided with plates (Patent; PWR; LMFBR), 5226
PWR TYPE REACTORS/LOSS OF COOLANT
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
PWR TYPE REACTORS/MECHANICAL VIBRATIONS
Calculation of structures by a method of substructures defined by their eigenmodes. Linear and nonlinear

applications. Tristana code, 357 (CEA-CONF--4384)
Report on the second specialists' meeting on reactor noise (SMORN II), Gatlinburg, Tennessee, September 19th-23rd 1977, 2763 (RD-B-N--4254)
PWR TYPE REACTORS/MELTDOWN
Finite-difference methods in multi-dimensional two-phase flow, 2268 (LA-UR--77-2378)
Influence of gas generation on high-temperature melt/concrete interactions, 2862 (SAND--78-0939C)
Sustained molten steel/concrete interactions tests: a preliminary report on the feasibility of experimental techniques, 2389 (NUREG/CR--0166)
PWR TYPE REACTORS/MOLTEN METAL-WATER REACTIONS
Vapor explosion phenomena with respect to nuclear reactor safety assessment, 2394 (NUREG/CR--0245)
Vapor film collapse during subcooled film boiling and its application to molten metal coolant interactions, 4634
PWR TYPE REACTORS/NEUTRON DOSIMETRY
Status report on dosimetry benchmark neutron field development, characterization, and application, 2368 (NUREG/CP--0004(Vol.3))
PWR TYPE REACTORS/NUCLEAR MATERIALS MANAGEMENT
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)
PWR TYPE REACTORS/PIPES
Pipes in steel or special materials for nuclear boilers, 3505
PWR TYPE REACTORS/PRIMARY COOLANT CIRCUITS
Piping for nuclear power reactors. Review, 5446
Prediction of primary circuit contamination in power reactors, 4889
Prediction of primary circuit contamination in power reactors, 4893
Surveillance of the vibrational behaviour of primary-circuit components, 4195
Topical problems of corrosion research for nuclear power purposes, 3701
PWR TYPE REACTORS/PROLIFERATION
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)
PWR TYPE REACTORS/RADIOACTIVE EFFLUENTS
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
PWR TYPE REACTORS/RADIOACTIVE WASTES
Fuel quantities, activity inventories, and radioactive releases from light-water reactors and sodium-cooled fast breeders, 3510 (DOE-tr--27)
PWR TYPE REACTORS/REACTOR ACCIDENTS
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January 1-March 31, 1979, 2468 (NUREG/CR--1165)
PWR TYPE REACTORS/REACTOR CORE DISRUPTION
Heat and mass transport processes of a horizontal melting or decomposing layer under a molten pool, 4992
PWR TYPE REACTORS/REACTOR CORES
Method of reducing the hazard which may occur as a consequence of a reactor core meltdown (Patent), 3565
PWR TYPE REACTORS/REACTOR INSTRUMENTATION
Review of the acoustic detection of boiling in nuclear reactors, 5031
PWR TYPE REACTORS/REACTOR LICENSING
Probabilistic methods in reactor licensing, 4040
PWR TYPE REACTORS/REACTOR MATERIALS
Materials for advanced nuclear energy systems, 622 (CONF-771203--)
Prediction of radiation damage in structural materials outside the reactor core, 1186 (EUR--5667(Pt.1))
Standardization of dosimetry and damage analysis work for U.S. LWR, FBR, and MFR development program, 1495 (HEDL-SA--1374)
PWR TYPE REACTORS/REACTOR NOISE
Report on the second specialists' meeting on reactor noise (SMORN II), Gatlinburg, Tennessee, September 19th-23rd 1977, 2763 (RD-B-N--4254)
PWR TYPE REACTORS/REACTOR PROTECTION SYSTEMS
Reactor safety, 5271
PWR TYPE REACTORS/REACTOR SAFETY
Nuclear safety research in France, 347 (CEA-CONF--3890)
Report on the research projects in the field of reactor safety sponsored by the Federal Minister for Research and Technology. Period under report: January 1 - March 31, 1978, 1427 (GRS-F--63)
Report on the projects in the field of reactor safety sponsored by the Federal Ministry for Research and Technology. Period under report: 1st July to 30th September 1978, 1429 (GRS-F--70)
Reports distributed under the NRC Reactor safety research foreign technical exchange program. Vol. VII (January-June 1979), 2463 (NUREG/CR--1101)
Reports on research projects sponsored by the Federal Minister for Research and Technology in the field of reactor safety. Progress report for the period from October 1 to December 31, 1978, 1430 (GRS-F--74)
Reports on research projects sponsored by the Federal Minister for Research und Technology in the field of reactor safety. Period under report 1st January to 31st March. Progress report, 1431 (GRS-F--79)
Some basic research needs related to LWR and FBR safety, 3601
PWR TYPE REACTORS/REACTOR SIMULATORS
New type of simulator, developped for Super-Phenix breeder and for PWR, allows phenomena analysis as well as process control training, 3246
PWR TYPE REACTORS/SPECIFICATIONS
Reactor safety, 5271
PWR TYPE REACTORS/SPENT FUEL ELEMENTS
Radiation source terms in LWR and LMFBR spent fuel. Final report, 1100 (EPRI-NP--948)
Spent thermal reactor fuel assembly characterization with solid state tract recorders, 1827 (HEDL-TME--78-89)
PWR TYPE REACTORS/STEAM GENERATORS
Caustic stress corrosion of Fe--Cr--Ni austenitic alloys, 4281
Heavy section steel technology (HSST) program, 3115
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1978, 2425 (NUREG/CR--0688)
Thermohydraulics of steam generators, 4223
PWR TYPE REACTORS/THORIUM CYCLE
Realities of utilizing thorium-based fuels in LWRs and LMFBRs, 4655
Thorium assessment study quarterly progress report, third quarter fiscal 1977, 2636 (ORNL/TM--6025)
Thorium fuel cycles, 3346
PWR TYPE REACTORS/TUBES
Pipes in steel or special materials for nuclear boilers, 3505
PWR TYPE REACTORS/TWO-PHASE FLOW
Numerical method for a transient two-fluid model, 356 (CEA-CONF--4339)

Q

QUALITY ASSURANCE
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, July 1-September 30, 1979, 2265 (LA--8132-PR)

R

RADIATION DAMAGE (BIOLOGICAL)
See RADIATION INJURIES
RADIATION DECONTAMINATION
See DECONTAMINATION
RADIATION DOSEMETERS
See DOSEMETERS
RADIATION INJURIES
Influence of physico-chemical form on the consequences of hypothetical accidental releases from FBRs, 3278
RADIATION STREAMING
Neutron transport by sodium pipes going through fast reactor shielding 20., 1898 (INIS-mf--4280)
RADIOACTIVE AEROSOLS
Application of acoustic agglomerators for emergency use in LMFBR plants, 4665
Development of the capacitor discharge vaporization technique to produce aerosols formed under conditions postulated for hypothetical core disruptive accidents, 2604 (ORNL/NUREG/TM--160)
Fuel Aerosol Simulant Test (FAST) plan, 2600 (ORNL/NUREG/TM--129)
Fuel particle and fission product release from LMFBR-core catcher, 494 (CONF-761001--P4)
Gravitational agglomeration of aerosols (LMFBR), 4664
LMFBR aerosol release and transport program. Quarterly progress report, January--March 1979, 2446 (NUREG/CR--0844)
Measurements of sodium oxide agglomerate properties (LMFBR), 4662
Recent aerosol tests in the Containment Systems Test Facility, 1599 (HEDL-SA--1686)
Review of aerosol problems and the theory of aerosol physics with particular reference to sodium cooled fast reactors, 2896 (SRD-R--82)
Some approximations in aerosol behavior models for source-term computation (LMFBR), 4663
Some potential reductions in the release of radioactivity under LMFBR accident conditions, 495 (CONF-761001--P4)
State of the art in aerosol modelling for LMFBR safety analysis, 492 (CONF-761001--P4)
Studies on aerosol behavior under accident conditions, 4218
Uranium and sodium oxide aerosol experiments: NSPP tests 201-203 and tests 301-302, data record report (HAARM-3 code validation), 2456 (NUREG/CR--1002)
RADIOACTIVE AEROSOLS/AERODYNAMICS
characterization of LMFBR fuel-sodium aerosols, 3506
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2396 (NUREG/CR--0287)
RADIOACTIVE AEROSOLS/AGGLOMERATION
Agglomeration characteristics of fast reactor HCDA aerosols, 683 (CONF-780819--13)
Analysis of aerosol particles undergoing gravitational

agglomeration. Annual progress report, December 15, 1976--September 30, 1977 (LMFBR), 2379 (NUREG/CR--0015)
Analysis of aerosol particles undergoing gravitational agglomeration. Annual progress report, October 1, 1977--September 30, 1978 (LMFBR), 2434 (NUREG/CR--0780)
Application of acoustic agglomerators for emergency use in liquid-metal fast breeder reactor plants, 3239
Sensitivity analysis of the HAARM-3 code (LMFBR aerosol agglomeration), 2417 (NUREG/CR--0527)
RADIOACTIVE AEROSOLS/COMPUTER CALCULATIONS
Aerosol measurements and modeling for fast reactor safety. Annual report for FY 1978, 2423 (NUREG/CR--0676)
RADIOACTIVE AEROSOLS/CONTAINMENT
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7 (LMFBR; time-dependent aerosol suspension behavior), 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977 (LMFBR; time dependent aerosol suspension behavior), 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977 (LMFBR; time-dependent aerosol suspension behavior), 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978 (LMFBR; time-dependent aerosol suspension behavior), 2405 (NUREG/CR--0425)
LMFBR safety program. Quarterly technical progress report, April--June 1977 (Sodium, fuel, and fission product aerosol behavior), 42 (AI-ERDA--13205)
Quarterly technical progress report. Reactor safety, April--June 1978 (Sodium, fuel, and fission product aerosol behavior), 1136 (ESG-DOE--13242)
Reactor safety quarterly technical progress report, January--March 1978 (Sodium, fuel, and fission product aerosol behavior), 37 (AI-DOE--13234)
Reactor safety. Quarterly technical progress report, October--December 1978 (Sodium, fuel, and fission product aerosol behavior), 1150 (ESG-DOE--13264)
RADIOACTIVE AEROSOLS/DEPOSITION
Deposition of aerosols formed by HCDA due to decay heat transport in LMFBR inner containment atmospheres, 493 (CONF-761001--P4)
RADIOACTIVE AEROSOLS/DIFFUSION
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1-December 31, 1978, 2461 (NUREG/CR--1084)
RADIOACTIVE AEROSOLS/ENVIRONMENTAL IMPACTS
Experimental study of the consequences of accidental sodium release in the form of peroxide aerosols on the tomato and the lettuce, 4814
RADIOACTIVE AEROSOLS/FILTERS
Development of filtering devices for chemical aggressive aerosols, 2205 (KFK--2762)
RADIOACTIVE AEROSOLS/FILTRATION
Filtration of sodium fire aerosols, 4762
Filtration of aerosols produced by a sodium fire, 4603
RADIOACTIVE AEROSOLS/GRAVITATION
Gravitational agglomeration of post-HCDA LMFBR aerosols, 4048
RADIOACTIVE AEROSOLS/HEALTH HAZARDS
Characterization of mixed LMFBR fuel-sodium aerosols generated by laser vaporization, 2744 (PNL--2500(Pt.1))
Influence of physico-chemical form on the consequences of hypothetical accidental releases from FBRs, 3278
Translocation of mixed LMFBR fuel-sodium aerosols from the lung following inhalation by rodents, 2745 (PNL--2500(Pt.1))
RADIOACTIVE AEROSOLS/INHALATION
Inhalation dose conversion factors for various radionuclides associated with Liquid Metal Fast Breeder Reactors. Part 2, 1246 (GEFR--00257)
RADIOACTIVE AEROSOLS/MATHEMATICAL MODELS
HAARM-3 users manual (LMFBR), 301 (BMI-NUREG--1991)
RADIOACTIVE AEROSOLS/MOTION
Gravitational collision efficiency of post hypothetical core disruptive accident Liquid-Metal Fast Breeder Reactor aerosols: spherical particles, 3060
RADIOACTIVE AEROSOLS/PARTICLE SIZE
Characterization of agglomerates of UO_2 aerosol particles (LMFBR), 2416 (NUREG/CR--0489)
Effect of energy density on aerosol yield and primary particle sizes produced by the capacitor discharge vaporization (CDV) of UO_2 (LMFBR), 2386 (NUREG/CR--0120)
Primary aerosol particle-size distribution from homogeneous nucleation condensation and particle growth (LMFBR), 2364 (NUREG--0391)
RADIOACTIVE AEROSOLS/RADIATION INJURIES
Influence of physico-chemical form on the consequences of hypothetical accidental releases from FBRs, 3278
RADIOACTIVE AEROSOLS/RADIOACTIVITY TRANSPORT
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1978, 2418 (NUREG/CR--0587)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January 1-March 31, 1979, 2468 (NUREG/CR--1165)
Attenuation of airborne debris from LMFBR accidents, 1591 (HEDL-SA--1665)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report, April--June 1977, 2601 (ORNL/NUREG/TM--142)
Breeder Reactor Aerosol Release and Transport Program quarterly progress report for July--September 1977, 2607 (ORNL/NUREG/TM--173)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report for October--December 1977, 2610 (ORNL/NUREG/TM--193)
Crab user's manual, 2449 (NUREG/CR--0872)
LMFBR aerosol release and transport Program quarterly progress report, January--March 1978, 2385 (NUREG/CR--0117)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April--June 1978, 2400 (NUREG/CR--0340)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, July--September 1978, 2414 (NUREG/CR--0482)
LMFBR aerosol release and transport program. Quarterly progress report, October--December 1978, 2431 (NUREG/CR--0752)
Numerical method of the aerosol behavior reference code, CRAB (LMFBR), 2421 (NUREG/CR--0620)
RADIOACTIVE AEROSOLS/REMOVAL
Nucleation and capture of condensible airborne contaminants in an aqueous scrubbing system (LMFBR), 1825 (HEDL-TME--78-82)
RADIOACTIVE AEROSOLS/SPATIAL DISTRIBUTION
Multiple zone aerosol behavior model (LMFBR), 2472 (NUREG/CR--1294)
RADIOACTIVE BIOLOGICAL WASTES
See RADIOACTIVE WASTES
RADIOACTIVE EFFLUENTS
See also RADIOACTIVE WASTES
RADIOACTIVE EFFLUENTS/RADIATION DOSES
Production and emission of carbon-14 from nuclear power stations and reprocessing plants and its radioecological significance, 4986
RADIOACTIVE EFFLUENTS/RADIATION MONITORING
Radiation and effluent control technology semiannual progress report, January--June 1976, 1753 (HEDL-TME--77-30)
RADIOACTIVE MATERIALS
See also FISSION PRODUCTS
RADIOACTIVE WASTES
RADIOACTIVE MATERIALS/ENVIRONMENTAL IMPACTS
Inventory and relative biological hazard of LMFBR core materials, 2605 (ORNL/NUREG/TM--165)
RADIOACTIVE WASTE DISPOSAL/COST
Nuclear shipping and waste disposal cost estimates, 2631 (ORNL/TM--5976)
RADIOACTIVE WASTE DISPOSAL/ENVIRONMENTAL IMPACTS
Environmental control aspects for fabrication, reprocessing and waste disposal of alternative LWR and LMFBR fuels, 2752 (PNL--3129)
RADIOACTIVE WASTE DISPOSAL/TRANSMUTATION
Burning actinides in very hard spectrum reactors, 2774 (RLO--2227/T32-2)
Could nuclear waste recycled in reactors (LMFBR), 3828
Preliminary neutronic study of actinide transmutation in a fast reactor, 2652 (ORNL/TM--6309)
RADIOACTIVE WASTE MANAGEMENT
See also RADIOACTIVE WASTE STORAGE
Cooperative nuclear data and methods development. Twelfth quarterly report, January--March 1979, 1389 (GEFR--14074-12)
Policy report on high level radioactive wastes, 5433
Radioactive waste management at a Liquid Metal Fast Breeder Reactor, 766 (CONF-790374--1)
RADIOACTIVE WASTE MANAGEMENT/TRANSMUTATION
Feasibility studies of actinide recycle in LMFBRs as a waste management alternative, 2689 (PB--254737)
Performance considerations of nuclear reactor actinide recycle as a waste management alternative, 3926
RADIOACTIVE WASTE PROCESSING
See also IODOX PROCESS
Disposal of radioactive sodium waste (Direct oxidation; reaction with molten NaOH), 139 (ANL--78-87)
RADIOACTIVE WASTE PROCESSING/TRANSMUTATION
Quantitative assessment of nuclear incineration of actinide waste, 4879
Reactor physics aspects of burning actinides in a nuclear reactor, 1196 (EUR--5897)
Some preliminary investigations of the incineration of actinide waste from the UK and European nuclear power programmes, 1197 (EUR--5897)
Studies on recycling of actinides other than U and Pu, 1195 (EUR--5897)
RADIOACTIVE WASTE STORAGE/CONTAINERS
Studying behaviour of hot wastes from reprocessing of fast reactor fuel elements by the gas-fluoride method, 4598
RADIOACTIVE WASTES
See also RADIOACTIVE EFFLUENTS
RADIOACTIVE WASTES/COST
Nuclear shipping and waste disposal cost estimates, 2631 (ORNL/TM--5976)
RADIOACTIVE WASTES/MAXIMUM PERMISSIBLE CONCENTRATION
Hazards of waste arising from the use of thorium fuels in power reactor systems, 4146
RADIOACTIVE WASTES/TRANSMUTATION
Elimination of transuranium elements by burnup in a

power fast breeder reactor, 3770
RADIOACTIVE WASTES/WASTE TRANSPORTATION
Nuclear shipping and waste disposal cost estimates, 2631 (ORNL/TM--5976)
RADIOACTIVITY TRANSPORT
Crab user's manual, 2449 (NUREG/CR--0872)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April-June 1979, 2460 (NUREG/CR--1062)
Sodium oxide aerosol behavior in a closed chamber under thermal convection flow (LMFBR), 3775 (JAPFNR--306)
RADIOACTIVITY TRANSPORT/MATHEMATICAL MODELS
Analysis of radioactive corrosion product transfer in sodium loop systems, 3496
Numerical method of the aerosol behavior reference code, CRAB (LMFBR), 2421 (NUREG/CR--0620)
RADIOCARBON DATING
See CARBON 14
RADIOGRAPHY (INDUSTRIAL)
See INDUSTRIAL RADIOGRAPHY
RADIUM/SEPARATION PROCESSES
Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs, 2625 (ORNL/TM--5865/V5)
RAPSODIE REACTOR/CLOSURES
Replacement of the Rapsodie control plug: experience with an important operation, 4088
RAPSODIE REACTOR/FAILED ELEMENT DETECTION
Systems for detecting failed fuel in fast reactors, 4196
RAPSODIE REACTOR/FUEL CANS
Variability of cladding deformation of LMFBR fuel elements, 5107
RAPSODIE REACTOR/FUEL ELEMENT FAILURE
Fuel clad failures in Rapsodie reactor and an experimental irradiation program in order to obtain voluntary and spontaneous failures, 2018 (IWGFR--5)
Fuel failure on the Rapsodie subassembly 'Capricorn 1.b', 2028 (IWGFR--5)
Systems for detecting failed fuel in fast reactors, 4196
RAPSODIE REACTOR/FUEL PINS
Behavior of standard Rapsodie Fortissimo fuel at high burnup, 3522 (BNWL-tr--335)
RAPSODIE REACTOR/HEAT EXCHANGERS
Rapsodie and Phenix plants intermediate heat exchangers experience, 4642
RAPSODIE REACTOR/NUCLEAR FUELS
Manufacture of the second core of Rapsodie - Type 2 A - Fortissimo version, 360 (CEA-R--4881)
RAPSODIE REACTOR/REACTOR CONTROL SYSTEMS
Evolution of the core surveillance and protection system in fast reactors, 4234
Replacement of the Rapsodie control plug: experience with an important operation, 4088
RAPSODIE REACTOR/REACTOR MAINTENANCE
Replacement of the Rapsodie control plug: experience with an important operation, 4088
RAPSODIE REACTOR/REACTOR OPERATION
Past and present role of fast breeder reactors in France: experience gained with Rapsodie and Phenix, 4053
RAPSODIE REACTOR/REACTOR SAFETY
Consequences of safety prescriptions for fast breeder reactor design in France, 4136
French program for advancement of nuclear power plants with fast breeders, 3240
RAPSODIE REACTOR/SHIELDING
Neutron transport studies in fast reactor shields, 4608
RAPSODIE REACTOR/TEMPERATURE MEASUREMENT
Study of the signals measuring the temperature of sodium in a nuclear reactor, 5423
RARE GASES
See also ARGON
HELIUM
RARE GASES/CHEMICAL ANALYSIS
Technique for measuring hydrogen and water in inert gases and the hydrogen concentration in liquid sodium, 367 (CEGB-RD/B/N--4029)
REACTIVITY
See also REACTIVITY INSERTIONS
REACTIVITY/MATHEMATICAL MODELS
Prediction of primary circuit contamination in power reactors (PWR; LMFBR; HTGR), 4889
REACTIVITY/MEASURING METHODS
Determination of reactivity from power spectral density measurements with ^{252}Cf (LMFBR), 3735
REACTIVITY INSERTIONS/CALCULATION METHODS
Calculation of the reactivity due to bubble collapse with the probability table method, 3736
REACTIVITY METERS
LMFBR reactivity surveillance using ex-core detectors, 4707
REACTOR ACCIDENTS
See also ATWS
DESIGN BASIS ACCIDENTS
EXCURSIONS
FUEL ELEMENT FAILURE
LOSS OF COOLANT
LOSS OF FLOW
MELTDOWN
POWER-COOLING-MISMATCH ACCIDENTS
REACTOR CORE DISRUPTION
TRANSIENT OVERPOWER ACCIDENTS
Accident trees: a framework for accident evaluation (LMFBR), 413 (CONF-761001--P2)
Acoustic analysis from sodium boiling tests using THORS bundle 6A, 4797
Advanced Reactor Safety Research Division quarterly progress report, April 1-June 30, 1979, 2458 (NUREG/CR--1036)
Advanced safety analysis thirteenth quarterly report, September--November 1977, 1378 (GEFR--14038-13)
Aerosol behavior during sodium spray fires and comparison with computer codes (LMFBR), 1606 (HEDL-SA--1714-FP)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1-December 31, 1978, 2461 (NUREG/CR--1084)
Analyses of hydrodynamic effects of large sodium-water reactions, 1974 (INIS-mf--4592)
Analysis of a hypothetical LMFBR accident using the codes FUTURE and FRUMP, 3987
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 5044
Analysis of mechanical HCDA consequences with ARES for demonstration of primary containment integrity in SNR-300, 5046
Analysis of mechanical HCDA consequences in the coolant loops for demonstration of primary containment integrity in SNR 300, 5048
Analysis of EBR-II steam-generator system for pressure pulses due to leaks of steam or water into sodium, 1973 (INIS-mf--4592)
Analytic studies of subassembly failure propagation, 462 (CONF-761001--P3)
Applicability of the Reactor Safety Study (WASH-1400) to LMFBR risk assessments, 419 (CONF-761001--P2)
Applicability of TREAT TOP experiments to post-failure dynamics, 1534 (HEDL-SA--1489-FP)
Application of generalized perturbation theory to fast reactor safety sensitivity studies, 816 (CONF-790816--29)
Application of a microprocessor-based distributed system to subassembly fault detection of LMFBR, 3469
Assessment of accident risks in the CRBRP. Volume 2. Appendices, 961 (CRBRP--1(Vol.2))
Behavior of carbide fuel in local and whole core accidents, 430 (CONF-761001--P3)
Behavior of sodium oxide, uranium oxide and mixed sodium oxide-uranium oxide aerosols in a large vessel, 854 (CONF-800434--3)
Boiling detection in fast reactors by noise analysis studies performed in France, 5013
Bulk coolant cavitation in LMFBR containment loading following a whole-core explosion, 5051
Bulk coolant cavitation in LMFBR containment loading following a whole-core explosion, 1976 (INIS-mf--4592)
Calculation of the fragmentation of UO_2 by capacitor discharge: nonequilibrium model, 4297
Central computerized data base for liquid metal fast breeder reactor safety codes, 438 (CONF-761001--P3)
Central computerized data base for LMFBR safety codes, 4552
Characterization of mixed LMFBR fuel-sodium aerosols generated by laser vaporization, 2744 (PNL--2500(Pt.1))
Clinch River Breeder Reactor Plant. Technical review, Winter 1978, 989 (CRBRP-PMC--78-01)
Clinch River Breeder Reactor Plant Safety Study, 3889
Coded aperture imaging system for nuclear fuel motion detection, 2893 (SAND--80-0026)
Combustion of large sodium pools, 315 (BNL-NUREG--25492)
Comparisons of REXCO and ICEPEL code calculations with tests of plastically deformable pipes filled with compressible fluids, 4759
Comparison of containment systems for large sodium-cooled breeder reactors, 1810 (HEDL-TME--78-35)
Comparison of carbide and oxide fuel-coolant interactions resulting from overpower transients, 181 (ANL-AFP--41)
Comparison of safety characteristics of the advanced reactor lines fast breeder and HTR. Report to the committee for internal affairs of the German Bundestag. Materials, 2004 (INIS-mf--5107)
Computational analysis of fuel--sodium interactions with an improved method, 433 (CONF-761001--P3)
Computer simulation of LMFBR piping systems, 545 (CONF-770807--45)
Core catcher tub with thermal insulation, 3260
Core elements during ramp powers and incidents, 2179 (KFK--2416)
CRBRP safety study: an assessment of accident risks in the CRBRP. Volume I. Main report, 960 (CRBRP--1(Vol.))
CRBRP sodium fire tests. Quarterly technical progress report, October-December 1979, 1167 (ESG-DOE--13312)
CRBRP steam generator modeling techniques for pressure excursions generated by sodium/water reactions, 580 (CONF-770807--Pt.E)
Design and operational evaluation of a differential pressure local void fraction probe, 3648
Design requirements for the SNR-300 containment system, 425 (CONF-761001--P2)
Detailed non-linear analysis of the response of the deck of a fast breeder reactor under accidental sodium impact, 5055
Detailed non-linear analysis of the response of the deck of a fast breeder reactor under accidental sodium impact, 1984 (INIS-mf--4592)

Detective rod and accident experiments, 2178 (KFK--2416)
Development of filtering devices for chemical aggressive aerosols, 2205 (KFK--2762)
Dose mortality relationships: implications for hypothetical accidental releases from FBRs, 3089
Dynamic instability analysis of axisymmetric shells by finite element method with convected coordinates, 1989 (INIS-mf--4690)
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 1971 (INIS-mf--4592)
Dynamic response of single hexagonal LMFBR core subassembly wrappers, 1970 (INIS-mf--4592)
Effect of thermal stress on oxide crusts, 2818 (SAND--77-1017C)
Effect of large sodium-water reactions on LMFBR steam generators: initial results from SWAAM-1, 581 (CONF-770807--Pt.E)
Effects of grain boundary fission gas on transient fuel behavior, 3242
Energy from nuclear reactors. Pt. 4. The fast breeder: better utilization of uranium, 4461
Energy source for modeling HCDA bubbles, 5059
EPIC: a computer program for fuel-coolant interactions, 436 (CONF-761001--P3)
EPRI--CURL dynamic analysis of loop type LMFBRs. Final report, 1105 (EPRI-NP--1001)
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 5032
Evaluation of computational techniques for LMFBR safety analysis, 3686
Experiments on sodium fires and their aerosols, 4502
Experimental study of the consequences of accidental sodium release in the form of peroxide aerosols on the tomato and the lettuce, 4814
Experimental work at Harwell on the injection of sodium into liquid steel, 2716 (PNC-N--251-76-12(Vol.1))
Experimental results of sodium-water reaction Test No. 6, 2298 (LMEC-TDR--78-3)
Experimental and theoretical studies on water and gas release from heated concrete, 94 (ANL--78-10)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere. Annual report Sep 1977--Jan 1978, 2699 (PB--286865)
Experiments on the response of hexagonal subassembly ducts to internal pressure pulses, 577 (CONF-770807--Pt.E)
Experiments on the response of hexagonal subassembly ducts to internal pressure pulses, 5089
Extension of HCDA safety analysis to large PCRV containment structures, 5058
Facility for nuclear aerosol experiments, 4215
Fail-safety of LMFBR steam generator systems, 566 (CONF-770807--Pt.E)
FFTF hot leg ruptures and loss of flow events, 1527 (HEDL-SA--1459)
Final report on MIT contract on fuel-coolant interactions, 929 (COO--2781-15FR)
Final safety analysis addendum to hazard summary report, experimental breeder reactor No. II (EBR-II): the EBR-II cover-gas cleanup system, 140 (ANL--78-89)
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin reactor structures, 5053
First in-core molten fuel pool experiment, 2827 (SAND--77-1096C)
FSAR supplement 13. Part I. Responses to NRC Q_1 set 8, 1685 (HEDL-TI--75001-13.1)
FSAR supplement 20, response to NRC Q_2 set 4, 1693 (HEDL-TI--75001-20)
FSAR supplement 29: response to NRC Q_2 set 14, 1702 (HEDL-TI--75001-29)
Fuel and cladding motion surveillance, 416 (CONF-761001--P2)
Fuel pin coolability in low power voiding, 3664
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2191 (KFK--2546)
High Temperature Liner Feature Test, FT-3, 1793 (HEDL-TME--77-102)
Hydraulically supported absorber balls shutdown system for inherently safe LMFBR's, 410 (CONF-761001--P2)
Hydrogen jet recombination under postulated LMFBR accident conditions, 1458 (HEDL-SA--1190FP)
Icepel analysis of and comparison with simple elastic--plastic piping experiments, 148 (ANL--78-105)
Influence of the physico-chemical form of the aerosol on the radiological consequences of notional accidental releases of radioactivity from a fast breeder reactor, 2355 (NRPB-R--73)
Inherent emergency cooling of liquid metal fast breeder reactors by natural circulation, 631 (CONF-771203--)
Initial pressure spike and its propagation phenomena in sodium-water reaction tests for MONJU steam generators, 579 (CONF-770807--Pt.E)
Intermediate scale sodium-concrete reaction tests, 1791 (HEDL-TME--77-99)
Intermediate scale sodium-concrete reaction tests, 99 (ANL--78-10)
Intermediate heat exchanger leak on Phenix plant and their repair, 4107
Interpretation of debris bed dryout observed during the D-3 experiment, 2865 (SAND--78-1251C)
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 4772
Key issues on safety design basis selection and safety assessment, 381 (CONF-761001--P1)
KINTIC-2 user's manual, 2190 (KFK--2508)
Large-scale use of sodium, 1997 (INIS-mf--4816)
Lid construction for nuclear reactor vessel, 3796
LMFBR containment performance studies with a simple computer code, 4018
LMFBR design transients and regulatory requirements, 3657
LMFBR fuel analysis. Task C: reliability, 2428 (NUREG/CR--0736)
LMFBR safety program. Annual technical progress report. Government fiscal year, 1977, 20 (AI-DOE--13210)
LMFBR typical impulsive loading characterization and its application to simplified structural models, 570 (CONF-770807--Pt.E)
LMFBR typical impulsive loading characterization and its application to simplified structural models, 5049
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 1408 (GEFR-SP--138)
Los Alamos Failure Model (LAFM): a code for the prediction of LMFBR fuel pin failure, 2228 (LA--7161-MS)
Main aspects of the design of a support structure of a LMFBR with particular reference to the explosive accident consequences, 5050
Material problems in accident analysis of prestressed concrete reactor vessels, 560 (CONF-770807--Pt.E)
Method of controlled maintenance of reactor, 5386
Model to describe the role of non-equilibrium intragranular fission gas bubbles during transient heating, 3415
Modeling of reactor internals in the HCDA analysis, 5042
Molten core debris-sodium interactions: M-Series experiments, 825 (CONF-790816--59)
Nuclear reactor safety, 3126
Nuclear safety research in France, 347 (CEA-CONF--3890)
Nuclear safety and reliability engineering. Quarterly progress report for period ending March 31, 1979, 3026 (WARD-SR--94000-1)
Nuclear safety and reliability engineering. Quarterly progress report for period ending June 30, 1979, 3027 (WARD-SR--94000-2)
Nuclear safety in France, 3345
Nucleation, dry-out and boiling behind a sodium-tight local blockage in a 9-pin bundle with helical wire spacers, 350 (CEA-CONF--3995)
One-dimensional analyses on generation and propagation of pressure waves in compressible liquid resulting from fuel coolant interaction, 4551
Outline of sodium-water reaction test in case of large leak with SWAT-3 testing equipments, 3833
Overview of the CRBRP safety study, 991 (CRBRP-PS--01)
Parametric study of the nonlinear behavior of complete LMFBR subassemblies using the CORTRAN computer code, 583 (CONF-770807--Pt.E)
Parametric study of the nonlinear behaviour of complete LMFBR subassembly using the CORTRAN computer code, 5063
Phenomena and scenarios related to a loss-of-heat-sink accident (with scram) in an LMFBR, 321 (BNL-NUREG--25521)
Physics of reactor safety. Quarterly report, April--June 1977, 65 (ANL--77-69)
Physics of reactor safety. Quarterly report, January--March 1977, 60 (ANL--77-48)
Physics of reactor safety. Quarterly report, July--September 1977, 77 (ANL--77-92)
Physics of reactor safety. Quarterly report, October--December 1977, 117 (ANL--78-23)
Physics of reactor safety. Quarterly report, January--March 1978, 2388 (NUREG/CR--0148)
Physics of reactor safety. Quarterly report, April--June 1978, 2413 (NUREG/CR--0477)
Physics of reactor safety. Quarterly report, July--September 1978, 2422 (NUREG/CR--0653)
Physics of reactor safety. Quarterly report, October--December 1978, 2432 (NUREG/CR--0759)
Physics of reactor safety. Quarterly report, January--March 1979, 2448 (NUREG/CR--0864)
Physics of reactor safety. Quarterly report, April-June 1979, 2462 (NUREG/CR--1096)
Planned natural-circulation testing in the Fast Flux Test Facility, 3660
PLBR Phase II: (follow-on) reports, 338 (BR-E--180(Vol. 1))
Prediction of thermal consequences of plenum fission gas release in an LMFBR fuel assembly, 747 (CONF-781181--2)
Preliminary models for evaluating radiological source terms, 1310 (GEFR--00419)
Pressure and temperature straining of liquid sodium heated sectional steam generators in accident situations, 4285
Primary aerosol particle-size distributions from homogeneous nucleation condensation and particle growth, 3326
Primary pipe rupture accident analysis for the Clinch River Breeder Reactor, 3492
Production of molten UO_2 pools by internal heating: apparatus and preliminary experimental heat transfer results, 4295
Progress in liquid-metal fast breeder reactor safety research and development - an overview of the issues,

4180
Progress report on the construction of Kalkar Nuclear Power Station and the planning of SNR-2, 5304 (RISLEY-Trans--3066)
Radiological analysis of hypothetical accidents by computer, 1633 (HEDL-SA--1770)
Rate effects in the dynamic vaporization of uranium dioxide, 2820 (SAND--77-1032C)
Reactor Development Program progress report, May--June 1977 (LMFBR), 269 (ANL-RDP--61)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor Development Program progress report, August 1978, 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978, 284 (ANL-RDP--76)
Reactor development program progress report, November 1978, 285 (ANL-RDP--77)
Reactor Development Program. Progress report, 283 (ANL-RDP--75)
Reactor Development Program. Progress report, December 1978, 286 (ANL-RDP--78)
Reactor development program. Progress report, 287 (ANL-RDP--79)
Reactor Development Program progress report, February 1979, 288 (ANL-RDP--80)
Reactor development program progress report, March 1979, 289 (ANL-RDP--81)
Reactor development program. Progress report, 290 (ANL-RDP--82)
Reactor development program. Progress report, 291 (ANL-RDP--83)
Reactor development program. Progress report, July 1979, 293 (ANL-RDP--85)
Reactor development program. Progress report, 292 (ANL-RDP--84)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
Research and development on steam generator for fast breeder reactor, 4569
Response of subassembly model with internals, 546 (CONF-770807--46)
Response of subassembly model with internals, 573 (CONF-770807--Pt.E)
Response of secondary containment to presence of sodium and hydrogen, 1415 (GEFR-SP--171)
Response of simple, scale model reactor vessels to a simulated HCDA loading, 5106
Risk analysis methods development. Sixth--Seventh quarterly reports, April--September 1978, 1356 (GEFR--14023-6/7)
Role of fission products in whole-core accidents in fast reactors, 3872
SACRD: a data base for fast reactor safety computer codes, contents and glossary of Version 1 of the system, 2574 (ORNL--5477/V2)
Safety aspects of fast reactor fuels, 1469 (HEDL-SA--1288)
Safety-related design of MONJU, 389 (CONF-761001--P1)
Safety test facilities. Needs and concepts. A French evaluation, 397 (CONF-761001--P1)
Separation of krypton and xenon from reactor atmospheres by selective permeation. Final report, 940 (COO--3536-13)
Simulation of fast breeder reactor pin behavior using UO_2 pins with direct electrical heating, 4296
Simulation study of the secondary rupture of SG tubing for LMFBR, 1982 (INIS-mf--4592)
Sodium aerosol generation, 3702
Sodium fire studies in France safety tests and applications on an LMFBR, 496 (CONF-761001--P4)
Sodium loop safety facility, 3890
Sodium spray release accident analysis for fast reactor safety studies, 498 (CONF-761001--P4)
Sodium voiding in an annular channel heated by a single pin in overpower accident simulations, 351 (CEA-CONF--3996)
Sodium-water reaction test facility (SWAT-3), 5195
SOWACS-3: a code for analyzing the system effects of large-leak sodium-water reactions in steam generators for LMFBR's, 5180
Space--time dynamics of a fast breeder reactor for localized disturbances, 5257
Status of the post accident heat removal program at GfK for fast breeder reactors, 84 (ANL--78-10)
Stress-intensity factors for irradiation-embrittled hexagonal subassembly ducts, 1933 (INIS-mf--4498)
Structural dynamics in LMFBR containment analysis: a brief survey of computational methods and codes, 538 (CONF-770807--37)
Structural mechanics in reactor technology. Vol. E. Structural dynamics in fast reactor accident analysis, 4884
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 5054
Structural dynamics studies for single and clustered SNR-300 fuel elements: a comparison of analytical and experimental results, 5056
Structural dynamics studies for single and clustered SNR-300 fuel elements: a comparison of analytical and experimental results, 1980 (INIS-mf--4592)
Studies and research relatives to the safety of the Super-Phenix project, 3883
Tank of sodium cooled fast reactor, 5358
Technical bases: FFTF fuel/cladding damage criteria, 337 (BNWL-CC--2500)
Testing philosophy and simulation techniques, 4501
Tests in support of LMFBR, 4493
Theory and application of a quasi-Eulerian fluid element for the STRAW code, 144 (ANL--78-100)
Thermal and hydraulic aspects of nuclear reactor safety. Volume II. Liquid metal fast breeder reactors, 4929
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 1975 (INIS-mf--4592)
Thermal explosion hazards in (fast) nuclear reactors, 4033
Thermodynamic state, specific heat, and enthalpy function of saturated UO_2 vapor between 3000 K and 5000 K, 1203 (EURFNR--1460)
Thermodynamic properties of sodium for safety analysis (LMFBR), 4680
Time-resolved penetration measurements of liquid sodium into limestone concrete, 2866 (SAND--78-1336C)
Time-resolved penetration measurements of liquid sodium into limestone concrete (LMFBR), 4017
Transient analysis of the primary system of a liquid metal-cooled fast breeder reactor plant, 5256
Transient containment response and inherent retention capability, 4499
Transient heat transfer in concrete, 734 (CONF-781079--4)
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 568 (CONF-770807--Pt.E)
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 5047
Transient radiative heat transfer between two emitting-absorbing media, 4173
Use of hodoscopes to obtain tomographic resolution of fuel motion, 3570
Users' guide to CACECO containment analysis code, 1845 (HEDL-TME--79-22)
Validation of explosion containment codes: analysis of bare rigid models in the COVA programme, 561 (CONF-770807--Pt.E)
Validation of explosion containment codes: analysis of bare rigid models in the COVA programme, 5039
Vapor transport and pressure rise behind the liner of reactor containments, 1977 (INIS-mf--4592)

REACTOR ACCIDENTS/AEROSOLS
Aerosol behavior during sodium pool fires in a large vessel: CSTF tests AB1 and AB2, 1849 (HEDL-TME--79-28)
Behavior of sodium--oxide and uranium--oxide aerosols in a large vessel (LMFBR), 809 (CONF-790816--18)
Combustion of sodium in the open atmosphere (LMFBR), 1013 (DOE/EV--0046(Vol.2))
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere. Annual report, 1 October 1977--30 September 1978, 2704 (PB--295077)
Reactor safety. Quarterly technical progress report, October--December 1977 (LMFBR), 29 (AI-DOE--13223)
Sodium oxide aerosol study: NSPP runs 101 to 105, data record report (LMFBR), 2608 (ORNL/NUREG/TM--179)
Sodium oxide/hydroxide aerosol properties and behavior in a large vessel, 686 (CONF-780819--P2)

REACTOR ACCIDENTS/AFTER-HEAT REMOVAL
Advanced safety analysis. Eleventh quarterly report, March--May 1977 (LMFBR), 1376 (GEFR--14038-11)
Feasibility study for a postaccident heat removal facility (LMFBR), 2227 (LA--7133-MS)
Feasibility study for a post-accident heat removal facility, 3644
In-reactor experiments with simulated LMFBR debris beds, 2836 (SAND--77-1443C)
LMFBR post accident heat removal testing needs and conceptual design of a test facility, 2217 (KFK-EXT--8/76-4)
Mobile helium cooling loop system for in-reactor PAHR experiments, 2810 (SAND--77-0161C)
Natural convection boiling of sodium in a simulated FBR fuel assembly subchannel, 811 (CONF-790816--20)
Post-accident heat removal in LMFBRs, 1393 (GEFR-SP--023)
Post-accident heat removal in LMFBR's, 4987
Role of mechanistic analysis in providing PAHR initial conditions, 2269 (LA-UR--78-495)
Role of mechanistic analysis in providing PAHR initial conditions, 85 (ANL--78-10)
Views on post-accident heat removal, 86 (ANL--78-10)

REACTOR ACCIDENTS/BOILING
Sodium boiling in fast reactors: a state-of-the art review, 4979

REACTOR ACCIDENTS/CALCULATION METHODS
Spatially continuous approach to the description of incoherencies in fast reactor accident analysis, 5273

REACTOR ACCIDENTS/COMPUTER CALCULATIONS
Impact of advanced systems on LMFBR accident analysis code development, 829 (CONF-790902--3)

REACTOR ACCIDENTS/COMPUTER CODES

SAS4A LMFBR accident analysis code system: a progress report, 448 (CONF-761001--P3)
structural dynamics in LMFBR containment analysis - a brief survey of computational methods and codes, 5041
REACTOR ACCIDENTS/COMPUTER GRAPHICS
Display of the predictions of large fast reactor safety analysis codes via computer-generated movies, 1551 (HEDL-SA--1525-FP)
REACTOR ACCIDENTS/CONTAINMENT
Comparison of computer code predictions with COVA experiments (LMFBR), 4760
Safety of fast reactors (LMFBR), 4741
REACTOR ACCIDENTS/DOPPLER COEFFICIENT
Neutronic coupling of feedback effects, 428 (CONF-761001--P2)
REACTOR ACCIDENTS/ENVIRONMENTAL IMPACTS
Combustion of sodium in the open atmosphere (LMFBR), 1013 (DOE/EV--0046(Vol.2))
REACTOR ACCIDENTS/EXPLOSIONS
Importance of scale and triggering effects in vapor explosions (LMFBR), 2828 (SAND--77-1101C)
REACTOR ACCIDENTS/FAILURE MODE ANALYSIS
LMFBR accident delineation study: approach and preliminary results, 2887 (SAND--79-1602C)
REACTOR ACCIDENTS/FAULT TREE ANALYSIS
Automated common cause analysis using AUTOCC (For input to COMCAN II, in FORTRAN IV for CDC), 2769 (RE-A--78-241)
REACTOR ACCIDENTS/FILM BOILING
Film boiling and vapor explosions from small spheres (LMFBR), 3203
REACTOR ACCIDENTS/FIRES
Development of a code for description of sodium spray and pool fires. Part I: comparison between the codes SOFIRE II and NABRAND (LMFBR), 2211 (KFK--2824)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2442 (NUREG/CR--0799)
REACTOR ACCIDENTS/FISSION PRODUCT RELEASE
Aerosol measurements and modeling for fast reactor safety. Annual report for FY 1978, 2423 (NUREG/CR--0676)
LMFBR aerosol release and transport program. Quarterly progress report, January--March 1979, 2446 (NUREG/CR--0844)
Modelling the transient behaviour of fission gas, 15 (AERE-TP--782)
Release of fission products from contaminated sodium fires (LMFBR), 497 (CONF-761001--P4)
REACTOR ACCIDENTS/FUEL ASSEMBLIES
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 4793
REACTOR ACCIDENTS/FUEL ELEMENT FAILURE
Cladding failure by local plastic instability, 80 (ANL--77-95)
REACTOR ACCIDENTS/FUEL MOTION DETECTION
Interim report for the PINEX-2 transient test, 1852 (HEDL-TME--79-39)
REACTOR ACCIDENTS/FUEL-COOLANT INTERACTIONS
Experimental studies of thermal interactions at AEE Winfrith, 2719 (PNC-N--251-76-12(Vol.1))
FCI potential of oxide and carbide fuels: results of the prompt burst series at Sandia Laboratories (LMFBR), 2885 (SAND--79-0752C)
Molten fuel-sodium interaction in fast reactor accidents, 3781
REACTOR ACCIDENTS/HEAT TRANSFER
Activities in SBL-FPL loops for safety study of LMFBR(I), 2152 (JAPFNR--473)
Analytical validation of the CACECO containment analysis code (LMFBR), 1840 (HEDL-TME--79-2)
Physics of reactor safety. Quarterly report, July-September 1979 (LMFBR), 2470 (NUREG/CR--1252)
REACTOR ACCIDENTS/HYDRAULICS
Activities in SBL-FPL loops for safety study of LMFBR(I), 2152 (JAPFNR--473)
Analytical validation of the CACECO containment analysis code (LMFBR), 1840 (HEDL-TME--79-2)
Influence of the axial distribution of heat flux on sodium boiling in forced convection (LMFBR), 515 (CONF-761001--P4)
Physics of reactor safety. Quarterly report, July-September 1979 (LMFBR), 2470 (NUREG/CR--1252)
REACTOR ACCIDENTS/HYDRODYNAMICS
Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.1. Safety problems solved by flow singularity methods, 3699
Finite element solution of transient fluid-structure problems in Lagrangian coordinates, 465 (CONF-761001--P3)
Flow dynamics of volume-heated boiling pools, 313 (BNL-NUREG--25297)
REACTOR ACCIDENTS/INFORMATION NEEDS
Large scale test technology (LMFBR), 2829 (SAND--77-1117C)
REACTOR ACCIDENTS/MATHEMATICAL MODELS
Advanced thermohydraulic simulation code for transients in LMFBRs (SSC-L code), 332 (BNL-NUREG--50773)
Compendium of computer codes for the safety analysis of fast breeder reactors, 1002 (DOE/ET--0009)
EDF research on fast neutron reactors, 5293 (DOE-tr--28)
Mathematical and computational techniques employed in the deterministic approach to liquid-metal fast breeder reactor safety, 4334
Parametric approach to LMFBR safety evaluation (PARSEC code), 5258
Probabilistic fast reactor accident analysis, 4335
Probabilistic accident analysis with deterministic codes using stochastically variable parameters (LMFBR), 3737
SACRD: a data base for fast reactor safety computer codes, general description, 2573 (ORNL--5477/V1)
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors (CURL-L code) 999 (CURL--53)
REACTOR ACCIDENTS/MEETINGS
Nuclear reactor safety heat transfer (BWR; PWR; LMFBR), 4989
Specialists' meeting on equations of state of materials of relevance to the analysis of hypothetical fast breeder reactor accidents, 2134 (IWGFR--26)
REACTOR ACCIDENTS/MULTI-PARAMETER ANALYSIS
Probabilistic accident analysis with deterministic codes using stochastically variable parameters (LMFBR), 3737
REACTOR ACCIDENTS/RADIOACTIVE AEROSOLS
Aerosol measurements and modeling for fast reactor safety. Annual report for FY 1978, 2423 (NUREG/CR--0676)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January 1-March 31, 1979, 2468 (NUREG/CR--1165)
Application of acoustic agglomerators for emergency use in LMFBR plants, 4665
characterization of LMFBR fuel-sodium aerosols, 3506
HAARM-3 users manual (LMFBR), 301 (BMI-NUREG--1991)
Influence of physico-chemical form on the consequences of hypothetical accidental releases from FBRs, 3278
Measurements of sodium oxide agglomerate properties (LMFBR), 4662
Multiple zone aerosol behavior model (LMFBR), 2472 (NUREG/CR--1294)
Nucleation and capture of condensible airborne contaminants in an aqueous scrubbing system (LMFBR), 1825 (HEDL-TME--78-82)
Some approximations in aerosol behavior models for source-term computation (LMFBR), 4663
Uranium and sodium oxide aerosol experiments: NSPP tests 201-203 and tests 301-302, data record report (HAARM-3 code validation), 2456 (NUREG/CR--1002)
REACTOR ACCIDENTS/RADIOACTIVITY TRANSPORT
Sodium oxide aerosol behavior in a closed chamber under thermal convection flow (LMFBR), 3775 (JAPFNR--306)
REACTOR ACCIDENTS/REACTIVITY COEFFICIENTS
Recent improvements in the prediction of reactivity coefficients relevant to LMFBR accident analysis, 418 (CONF-761001--P2)
REACTOR ACCIDENTS/REACTIVITY WORTHS
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 3157
REACTOR ACCIDENTS/RISK ASSESSMENT
LMFBR accident consequences assessment, 1466 (HEDL-SA--1241)
Procedure for the use of probabilistic risk assessments to establish ranking of research and development goals, 5021
REACTOR ACCIDENTS/SIMULATION
Charge development and analysis of recent UK experiments in the COVA model test programme, 563 (CONF-770807--Pt.)
Large scale test technology (LMFBR), 2829 (SAND--77-1117C)
Sodium boiling experiments in the frame of fast reactor safety studies, 3774
structural dynamics in LMFBR containment analysis - a brief survey of computational methods and codes, 5041
REACTOR ACCIDENTS/SODIUM
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2442 (NUREG/CR--0799)
REACTOR ACCIDENTS/TEST FACILITIES
Large scale test technology (LMFBR), 2829 (SAND--77-1117C)
Large scale sodium interactions. Part 1. Test facility design, 2822 (SAND--77-1073C)
REACTOR ACCIDENTS/VAPORS
Importance of scale and triggering effects in vapor explosions (LMFBR), 2828 (SAND--77-1101C)
REACTOR CHANNELS
(Passage through the reactor.)
See also FUEL CHANNELS
REACTOR CHANNELS/LOSS OF FLOW
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 5108
REACTOR CHARGING MACHINES
Device for fast reactor charging (Patent), 5456
Fast reactor recharging device (Patent), 3251
Fuel handling experience with liquid-metal reactors, 4070
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Nuclear reactor fueling system (Patent), 4445
REACTOR CHARGING MACHINES/DESIGN
Fuel handling and storage system for large commercial LMFBRs, 4870
Reactor (Patent; LMFBR), 5341
Refueling machine (Patent; LMFBR), 5183
Transit device for reactor fueling (Patent; LMFBR), 5457

Turnstile device for fuel unloading of nuclear reactors (Patent; LMFBR), 4265 (ANL-Trans--1112)
REACTOR CHARGING MACHINES/REMOTE VIEWING EQUIPMENT
See-through device for a refueling machine (Patent; LMFBR), 5224
REACTOR COMPONENTS
See also BREEDING BLANKETS
CONTROL ELEMENTS
CONTROL ROD DRIVES
CORE CATCHERS
FUEL ELEMENTS
REACTOR CHANNELS
REACTOR CHARGING MACHINES
REACTOR COOLING SYSTEMS
REACTOR CORES
REACTOR INTERNALS
REACTOR SAFETY FUSES
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977 (Time-dependent inelastic behavior of LMFBR materials and structures), 3015 (WARD-SD--3045-10)
Large pool LMFBR design. Appendices A-K. Final report, 1126 (EPRI-NP--1016(Vol.3)(Pt.1))
Reactor development program. Progress report, May 1978 (LMFBR), 279 (ANL-RDP--71)
US LMFBR coolant system components, 5282
REACTOR COMPONENTS/ACOUSTIC EMISSION TESTING
Review of the proceedings of the 8th world NDT conference, Annes, September 1976, 996 (CSNI-R--14)
REACTOR COMPONENTS/ACOUSTIC MONITORING
Development of acoustic monitoring techniques of LMFBRs, 2056 (IWGFR--10)
REACTOR COMPONENTS/CARBURIZATION
Effect of sodium environment on the creep-rupture and low-cycle fatigue behavior of austenitic stainless steels, 607 (CONF-771052--3)
REACTOR COMPONENTS/CLEANING
Evaporative removal of sodium from reactor components, 3052
Parameter survey on the saturation boiling process for crevice sodium removal, 3816 (JAPFNR--318)
Reaction rate of sodium with ethanol and other alcohols, 4480
Sodium engineering and technology technical progress report, October, November, December 1976 (LMFBR), 1742 (HEDL-TME--76-28)
Sodium engineering and technology. Technical progress report, April, May, June 1977 (LMFBR), 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, July, August, September 1977 (LMFBR), 1759 (HEDL-TME--77-38)
Sodium engineering and technology. Technical progress report, October, November, December 1977 (LMFBR), 1760 (HEDL-TME--77-39)
Sodium engineering and technology technical progress report, January, February, March 1978 (LMFBR), 1805 (HEDL-TME--78-20)
Sodium engineering and technnology. Technical progress report, April, May, June 1978 (LMFBR), 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Technical progress report, April, May, June 1978 (LMFBR), 1807 (HEDL-TME--78-21)
Sodium technology. Progress report, April--June 1978 (LMFBR), 1829 (HEDL-TME--78-91)
Sodium technology progress report, July--September 1978 (LMFBR), 1830 (HEDL-TME--78-92)
Sodium technology progress report, October--December 1978 (LMFBR), 1831 (HEDL-TME--78-93)
Sodium technology progress report, January--March 1978 (LMFBR), 1828 (HEDL-TME--78-90)
Sodium technology program. Quarterly technical progress report, January--March 1979, 1154 (ESG-DOE--13272)
Sodium technology progress report, January--March 1979 (LMFBR), 1847 (HEDL-TME--79-24)
Sodium technology. Progress report, April-June 1979 (LMFBR), 1848 (HEDL-TME--79-25)
REACTOR COMPONENTS/COATINGS
Friction, wear, and corrosion of laves-hardened nickel alloy hardsurfacing in sodium, 1502 (HEDL-SA--1391)
REACTOR COMPONENTS/CORROSION
Effect of sodium environment on breeder reactor components, 1508 (HEDL-SA--1420)
REACTOR COMPONENTS/DATA COMPILATION
Development of the Centralized Reliability Data Organization (CREDO) (LMFBR), 839 (CONF-791103--99)
REACTOR COMPONENTS/DECONTAMINATION
Decontamination of LMFBR components, 25 (AI-DOE--13218)
Development of the glycolic--citric acids (GCA) process for decontamination of LMFBR components, 3940
Experience with cleaning of sodium-wetted components and decontamination at Nuclear Research Centre Karlsruhe, 2115 (IWGFR--23)
Method for cleaning components contaminated preferably with radioactive sodium and facility to apply the method (Patent), 4558
Quarterly technical progress report. Sodium technology and cover gas seal development programs. October--December 1977 (LMFBR), 26 (AI-DOE--13220)
Sodium removal and decontamination (LMFBR), 2111 (IWGFR--23)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1977 (LMFBR), 41 (AI-ERDA--13204)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, July--September 1977 (LMFBR), 18 (AI-DOE--13208)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, January--March 1978 (LMFBR), 34 (AI-DOE--13231)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1978 (LMFBR), 1133 (ESG-DOE--13239)
Sodium technology program quarterly technical progress report, July--September 1978 (LMFBR), 1141 (ESG-DOE--13247)
Sodium Technology Program. Quarterly technical progress report, October--December 1978 (LMFBR), 1147 (ESG-DOE--13261)
Sodium technology program. Quarterly technical progress report, January--March 1979, 1154 (ESG-DOE--13272)
Sodium Technology Program. Quarterly technical progress report, April-June 1979, 1158 (ESG-DOE--13278)
Sodium technology program. Quarterly technical progress report, July-September 1979, 1164 (ESG-DOE--13290)
Summary of sodium removal and decontamination programs in the U.S.A. (LMFBR), 1511 (HEDL-SA--1429FP)
UK fast reactor components. Sodium removal decontamination and requalification, 2003 (INIS-mf--5083)
REACTOR COMPONENTS/DEFORMATION
Analysis of tests on axially compressed cylinders (LMFBR) 3013 (WARD-SD--3045-8)
Recent efforts of PNC on creep-fatigue, creep-buckling and thermal ratchetting of the LMFBR primary coolant system components, 2076 (IWGFR--11)
REACTOR COMPONENTS/DEPOSITS
Sodium vapor deposit technology, 1808 (HEDL-TME--78-23)
REACTOR COMPONENTS/DESIGN
Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
High-Temperature Structural Design Program. Semiannual progress report for period ending December 31, 1976 (LMFBR), 2507 (ORNL--5281)
High-temperature structural design: 1977 summary and status report (LMFBR), 2567 (ORNL--5419)
High-temperature structural design program semiannual progress report for period ending June 30, 1978 (LMFBR) 2569 (ORNL--5433)
LMFBR hardware and commercial standards, 5438
LMFBR pool plant: 1000 MWe. Volume 1. Executive summary. Final report, 1118 (EPRI-NP--1015-SY(Vol.1))
LMFBR pool plant: 1000 MWe. Volume 3. Appendices. Final report, 1121 (EPRI-NP--1015(Vol.3)(App.))
LMFBR pool plant: 1000 MWe. Volume 4. Balance of plant. Final report, 1122 (EPRI-NP--1015(Vol.4))
Long-range program plan for high-temperature structural design (LMFBR), 2558 (ORNL--5369)
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part IV. Appendix, final report, 1075 (EPRI-NP--646(Vol.5))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part VII. Balance-of-plant final report, 1077 (EPRI-NP--646(Vol.7))
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part VI. Appendixes, final report, 1078 (EPRI-NP--646(Vol.8))
Reactor development program progress report, July 1978 (LMFBR), 281 (ANL-RDP--73)
Reactor Development Program progress report, August 1978 (LMFBR), 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978 (LMFBR), 284 (ANL-RDP--76)
Reactor development program progress report, November 1978 (LMFBR), 285 (ANL-RDP--77)
Reactor Development Program. Progress report (LMFBR), 283 (ANL-RDP--75)
Reactor Development Program. Progress report, December 1978 (LMFBR), 286 (ANL-RDP--78)
Reactor development program. Progress report (LMFBR), 287 (ANL-RDP--79)
Reactor Development Program progress report, February 1979 (LMFBR), 288 (ANL-RDP--80)
Reactor development program progress report, March 1979 (LMFBR), 289 (ANL-RDP--81)
Reactor development program. Progress report (LMFBR), 290 (ANL-RDP--82)
Reactor development program. Progress report (LMFBR), 291 (ANL-RDP--83)
Reactor development program. Progress report, July 1979 (LMFBR), 293 (ANL-RDP--85)
Reactor development program. Progress report, 292 (ANL-RDP--84)
Structural analysis technology for high-temperature design, 4536
REACTOR COMPONENTS/ELASTICITY
Accurate numerical solutions for elastic-plastic models (LMFBR), 163 (ANL--80-31)
REACTOR COMPONENTS/FABRICATION
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part IX: constructability and fabricability; Part X: maintainability and inspectability; Part XI: safety. Final report, 1113 (EPRI-NP--1014(Vol.8))

Re-evaluating your nuclear program needs: how to benefit from your vendor's Q.A. program, 830 (CONF-790905--1)
REACTOR COMPONENTS/FAILURE MODE ANALYSIS
Risk analysis methods development. Fifth quarterly report, January--March 1978 (LMFBR), 1355 (GEFR--14023-5)
Risk analysis methods development. Eighth quarterly report, October--December 1978 (LMFBR), 1357 (GEFR--14023-8)
Risk analysis methods development. Ninth quarterly report, January--March 1979 (LMFBR), 1358 (GEFR--14023-9)
Risk analysis methods development. Tenth quarterly report, April-June 1979 (LMFBR), 1359 (GEFR--14023-10)
User's guide for the Reliability Analysis System (RAS) (LMFBR), 2939 (TREE--1168)
REACTOR COMPONENTS/FAILURES
COMCAN II-A: a computer program for automated common cause failure analysis (LMFBR), 2943 (TREE--1361)
REACTOR COMPONENTS/FATIGUE
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part III: reactor assembly, Sec. 2-6-- Appendix IIIB. Final report, 1109 (EPRI-NP--1014(Vol. 4))
REACTOR COMPONENTS/FRICTION
National friction, wear, and self-welding program status and plans (LMFBR), 1812 (HEDL-TME--78-38)
REACTOR COMPONENTS/INDUSTRIAL RADIOGRAPHY
Current practices for ultrasonic and radiographic examination of tubes, tube plates and tube-plate welds of tube bundles in heat exchangers. Chapter 3, 3342
REACTOR COMPONENTS/IN-SERVICE INSPECTION
In-service inspection and monitoring of LMFBR in France, 2055 (IWGFR--10)
Proposal for in-service inspection and monitoring of selected components located within or part of the primary containment of sodium cooled fast reactors, 2050 (IWGFR--10)
REACTOR COMPONENTS/LINERS
Experimental evaluation of cell liners (LMFBR), 1536 (HEDL-SA--1494)
REACTOR COMPONENTS/LOSS OF FLOW
Effect of high external thermal loading on LMFBR subassembly integrity, 5109
REACTOR COMPONENTS/MECHANICAL TESTS
Structural design verification testing techniques at Westinghouse Advanced Reactors Division (LMFBR), 2977 (WARD-HT--94000-1)
REACTOR COMPONENTS/MECHANICAL VIBRATIONS
Flow-induced vibration bench testing of reactor components, 1957 (INIS-mf--4541)
Flow-induced vibration bench testing of reactor components, 5083
Review of ANL base technology studies in support of the U.S. LMFBR vibration program, 2098 (IWGFR--21)
Scale modeling of finite length fluid annular gaps for flow-induced vibration testing (LMFBR), 244 (ANL-CT--79-40)
Specialists meeting on LMFBR flow induced vibrations, 2100 (IWGFR--21)
Vibrational analysis of the SUPER PHENIX internal shells, 5079
REACTOR COMPONENTS/MEETINGS
Specialists meeting on high temperature structural design technology of LMFBRs, Champion, Pennsylvania, U.S.A., April 27-30, 1976. Summary report, 2063 (IWGFR--11)
REACTOR COMPONENTS/NONDESTRUCTIVE TESTING
Needs for development in nondestructive testing for advanced reactor systems, 644 (CONF-780215--2)
Nondestructive testing development program. Quarterly progress report for period ending September 30, 1977 (LMFBR), 2555 (ORNL--5350)
Nondestructive testing development program. Quarterly progress report for period ending December 31, 1977 (LMFBR), 2561 (ORNL--5385)
Nondestructive testing development program. Quarterly progress report for period ending March 31, 1978 (LMFBR), 2566 (ORNL--5417)
Nondestructive testing development program quarterly progress report for period ending March 31, 1977, 2508 (ORNL--5286)
Nondestructive testing development program. Quarterly progress report for period ending June 30, 1978 (LMFBR), 2570 (ORNL--5440)
Nondestructive testing development program semiannual progress report for period ending March 31, 1979 (LMFBR), 2588 (ORNL/BRP--79/3)
Studies in non-destructive testing with potential for in-service inspection of LMFBRs, 2060 (IWGFR--10)
REACTOR COMPONENTS/PERFORMANCE
Sodium component reliability data collection at CREDO (LMFBR), 778 (CONF-790602--62)
REACTOR COMPONENTS/PERFORMANCE TESTING
Energy Technology Engineering Center (ETEC). Annual technical progress report, January--December 1978 (LMFBR), 1176 (ETEC--79-1)
Liquid Metal Engineering Center (LMEC). Annual technical progress report, January--December 1977, 2297 (LMEC--78-1)
REACTOR COMPONENTS/PHYSICAL RADIATION EFFECTS
Effect of swelling and creep on LMFBR performance, 4476
Effects of radiation on structural materials: proceedings of the international symposium, 9th, 1978, 4229
Irradiation creep data in support of LMFBR core design, 4887
Irradiation effects and design of LMFBR permanent reactor structures, 4891
Stress-affected microstructural development and creep-swelling interrelationship, 1453 (HEDL-SA--1167)
REACTOR COMPONENTS/PLASTICITY
Accurate numerical solutions for elastic-plastic models (LMFBR), 163 (ANL--80-31)
REACTOR COMPONENTS/PROTECTIVE COATINGS
Metallic component with a chromium carbide base protective coating (Patent: HTGR; LMFBR), 5244
REACTOR COMPONENTS/RELIABILITY
Development of the Centralized Reliability Data Organization (CREDO) (LMFBR), 839 (CONF-791103--99)
Effect of model choice and sample size on statistical tolerance limits (LMFBR), 2267 (LA--8292-MS)
Experimental determination of reliability data (LMFBR), 3921
Fast reactor safety technical progress report, April--June 1977 (LMFBR), 1775 (HEDL-TME--77-67)
Fast reactor safety. Quarterly technical progress report, July--September 1977 (LMFBR), 1776 (HEDL-TME--77-68)
Nuclear safety and reliability engineering. Quarterly progress report for period ending March 31, 1979 (LMFBR), 3026 (WARD-SR--94000-1)
Nuclear safety and reliability engineering. Quarterly progress report for period ending June 30, 1979 (LMFBR) 3027 (WARD-SR--94000-2)
Probabilistic methods for LMFBR application, 1602 (HEDL-SA--1695-FP)
Sodium component reliability data collection at CREDO (LMFBR), 778 (CONF-790602--62)
Sodium component reliability data collection at CREDO (LMFBR), 3172
REACTOR COMPONENTS/REMOTE VIEWING EQUIPMENT
Program outline under-sodium viewing (LMFBR), 1433 (HEDL--6232)
REACTOR COMPONENTS/RESEARCH PROGRAMS
Progress report on fast breeder reactor development in Japan, July-September 1978, 3258 (JAPFNR--460)
Reactor development program. Progress report, April 1978 (LMFBR), 278 (ANL-RDP--70)
REACTOR COMPONENTS/SAFETY
Compilation of references, data sources and analysis methods for LMFBR primary piping system components, 3442
REACTOR COMPONENTS/SEISMIC EFFECTS
Assessment of seismic analysis procedures for LMFBR in-core components, 2803 (SAN--1011-118R)
Evaluation of seismic analysis techniques for LMFBR piping and equipment, 2801 (SAN--1011-116)
Evaluation of seismic analysis techniques for breeder reactor piping and equipment. Quarterly technical progress report, 2805 (SAN--1011-202)
Seismic design verification of LMFBR structures, 2802 (SAN--1011-117)
Study of vertical ground response spectrum shapes, 2800 (SAN--1011-114)
REACTOR COMPONENTS/SPECIFICATIONS
Large pool LMFBR design. Volume 3, Part 2. Appendices L-CC. Final report, 1127 (EPRI-NP--1016(Vol.3)(Pt.2))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part II: plant summary description. Final report, 1107 (EPRI-NP--1014(Vol.2))
REACTOR COMPONENTS/STANDARDS
Proposal for a decision by the council on the determination of a research programme of the European Atomic Community in the field of codes and standards of fast reactors (structural integrity of components), 3314
REACTOR COMPONENTS/STATISTICAL MODELS
Effect of model choice and sample size on statistical tolerance limits (LMFBR), 2267 (LA--8292-MS)
REACTOR COMPONENTS/STRESS ANALYSIS
APRICOT Program: comparison and benchmarking of computational methods for analysis of LMFBR structural response to postulated core disruptive accidents. Phase I report, 2808 (SAN/1112--1)
CEASEMT system of finite element computer programs - use for inelastic analysis in liquid metal cooled reactor components, 2065 (IWGFR--11)
Considerations for weldment design for elevated temperature applications, 2071 (IWGFR--11)
Development and application of the PLANS computer program for analysis of nuclear reactor structural components (LMFBR), 2617 (ORNL/Sub--4485/1)
Development of the PLANS compuuter program for elastic--plastic-creep analysis of nuclear reactor structural components, 2618 (ORNL/SUB--4485/2)
Dynamic instability analysis of axisymmetric shells by finite element method with convected coordinates, 536 (CONF-770807--34)
Dynamic instability analysis of axisymmetric shells by finite element method with convected coordinates, 1989 (INIS-mf--4690)
Establishing constitutive equations for use in design of high-temperature fast-reactor structures, 3385
Evaluation of thermocyclic strength of structural

materials and structural elements of nuclear power plants with sodium heat carrier, 4588
Evaluation of inelastic analysis methods, 1966 (INIS-mf--4543)
Evaluation of inelastic analysis methods, 5126
Exploratory testing in support of constitutive equation development for inelastic analysis, 2070 (IWGFR--11)
Finite element method in nonlinear dynamic analysis of axisymmetric shells: theory and computer program (LMFBR), 189 (ANL-CT--77-23)
Finite element elastic-plastic analysis of LMFBR components, 3820
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin ractor structures, 558 (CONF-770807--Pt.E)
Finite element formulation for thermal stress analysis of thin reactor structures (LMFBR), 3535
Finite element elastic-plastic analysis of LMFBR components, 1967 (INIS-mf--4543)
Finite element elastic-plastic analysis of LMFBR components, 5120
Implementation of the unified plasticity--creep constitutive equations with the finite element method (LMFBR), 2615 (ORNL/SUB--79/55455/1)
Inelastic structural analysis: design implications and experience, 3384
Instability analysis of elbows in the plastic range, 1963 (INIS-mf--4543)
MATLIB: a computer library of material properties verification manual, 3021 (WARD-SD--94000-2)
Methods of analysis in the structural design of LMFBR components - French practice, 2077 (IWGFR--11)
Response of breeder reactor components and systems to abnormal events, 3540
Simplified methods of analysis, 2079 (IWGFR--11)
Simplified inelastic analyses using one-dimensional models, 2620 (ORNL/SUB--7463/1)
Some comments on thermomechanical constitutive equations for inelastic analysis of LMFBR components, 5123
Special information meeting on high-temperature structural design applications experience, Germantown, Maryland, September 14--15, 1978. Summary report (LMFBR; HTGR), 2587 (ORNL/BRP--78/4)
Structural design verification testing techniques at Westinghouse Advanced Reactors Division (LMFBR), 2977 (WARD-HT--94000-1)
Thermal and thermal stress analysis of a pool type LMFBR deck structure, 786 (CONF-790802--48)
User's guide to MAT3D: a three-dimensional finite element mesh generator program for eight-node isoparametric elements, 3017 (WARD-SD--3045-12)
User's manual for finite-element computer code, CREEP-PLAST, 215 (ANL-CT--78-21)

REACTOR COMPONENTS/SURFACE CLEANING
Cleaning of small components of complex geometry by means of the soium--alcohol reaction (LMFBR), 2123 (IWGFR--23)
Corrosion and cleaning aspects of sodium side crevices in components of LMFBR's, 2114 (IWGFR--23)
Development of the glycolic--citric acids (GCA) process for decontamination of LMFBR components, 3940
Evaporative removal of sodium from reactor components (LMFBR), 3939
Experience with cleaning of sodium-wetted components and decontamination at Nuclear Research Centre Karlsruhe, 2115 (IWGFR--23)
INTERATOM experience of cleaning sodium-wetted components, 2117 (IWGFR--23)
Maintenance equipment for a fast reactor (Patent; LMFBR), 5197
Non-aqueous removal of sodium from reactor components (LMFBR), 2129 (IWGFR--23)
Parameter survey on the saturation boiling proceess for crevice sodium removal (LMFBR), 2120 (IWGFR--23)
Progress in development and application of methods of washing and decontamination of objects in contact with sodium (France; LMFBR), 2122 (IWGFR--23)
Selection of process parameters for sodium removal via the water vapor nitrogen process (LMFBR), 1772 (HEDL-TME--77-62)
Short review of sodium removal experience in PNC, 2119 (IWGFR--23)
Sodium components cleaning status in the Italian fast reactor program, 2124 (IWGFR--23)
Sodium removal and decontamination (LMFBR), 2111 (IWGFR--23)
Sodium technology program quarterly technical progress report, July--September 1978 (LMFBR), 1141 (ESG-DOE--13247)
Sodium Technology Program. Quarterly technical progress report, April-June 1979, 1158 (ESG-DOE--13278)
Sodium technology program. Quarterly technical progress report, July-September 1979, 1164 (ESG-DOE--13290)
Summary of sodium removal and decontamination programs in the U.S.A. (LMFBR), 1511 (HEDL-SA--1429FP)
Summary of sodium removal and decontamination programs in the USA (LMFBR), 2125 (IWGFR--23)
TNO experience on sodium cleaning of large plant components by vacuum distillation, 2113 (IWGFR--23)
UK fast reactor components: sodium removal decontamination and requalification (LMFBR), 2121 (IWGFR--23)
UK fast reactor components. Sodium removal decontamination and requalification, 2003 (INIS-mf--5083)
Water vapor nitrogen process for removing sodium from LMFBR components, 1518 (HEDL-SA--1444)

REACTOR COMPONENTS/SURFACE CONTAMINATION
Swab test: a method to determine surface contamination of stainless steel reactor components by chloride and fluoride, 1785 (HEDL-TME--77-89)

REACTOR COMPONENTS/TESTING
Software development for the Mixing Components Test Facility (LMFBR components), 236 (ANL-CT--79-11)
Some aspects of high temperature structural design on LMFBR system and components, 2075 (IWGFR--11)

REACTOR COMPONENTS/THERMAL CYCLING
Evaluation of thermocyclic strength of structural materials and structural elements of nuclear power plants with sodium heat carrier, 4588

REACTOR COMPONENTS/THERMAL SHOCK
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part III: reactor assembly, Sec. 2-6--Appendix IIIB. Final report, 1109 (EPRI-NP--1014(Vol. 4))

REACTOR COMPONENTS/THERMAL STRESSES
Finite-element formulations for the thermal stress analysis of two- and three-dimensional thin reactor structures, 5053
Thin circular cylinder under axisymmetrical thermal and mechanical loading, 1959 (INIS-mf--4543)

REACTOR COMPONENTS/TRIBOLOGY
Experimental parameter investigations on the tribological behavior of Stellite 6 in liquid sodium, 3295

REACTOR COMPONENTS/ULTRASONIC TESTING
Current practices for ultrasonic and radiographic examination of tubes, tube plates and tube-plate welds of tube bundles in heat exchangers. Chapter 3, 3342
Review of the proceedings of the 8th world NDT conference, Annes, September 1976, 996 (CSNI-R--14)
Ultrasonic testing of austenitic components of sodium cooled fast reactors, 2049 (IWGFR--10)
Ultrasonic testing, state of the art and possible developments (LMFBR), 2051 (IWGFR--10)

REACTOR COMPONENTS/WEAR
National friction, wear, and self-welding program status and plans (LMFBR), 1812 (HEDL-TME--78-38)

REACTOR COMPONENTS/WELDED JOINTS
Baseline inspection of three transition joint life test articles (LMFBR), 1307 (GEFR--00414)
Ultrasonic scanner for stainless steel weld inspections (LMFBR), 137 (ANL--78-84)

REACTOR COMPONENTS/WETTABILITY
Quarterly technical progress report cover gas seal components and sodium component development programs. October--December 1977 (LMFBR), 27 (AI-DOE--13221)

REACTOR CONTROL RODS
See CONTROL ELEMENTS

REACTOR CONTROL SYSTEMS
(The processes and operations ensuring the control and safe running of a nuclear reactor.)
Control for nuclear reactor (Patent), 3787
Hydraulically supported absorber balls shutdown system for inherently safe LMFBR's, 410 (CONF-761001--P2)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VI: reactor auxiliary systems. Part VII: instrumentation and control, 1091 (EPRI-NP--882(Vol.5))
Rodded shutdown system for a nuclear reactor (Patent), 3789
Vapor temperature control device for fast breeder reactor plant (Patent), 5325

REACTOR CONTROL SYSTEMS/CONTROL ROD WORTHS
Influence of control rod worth interactions on LMFBR control systems design, 855 (CONF-800607--5)

REACTOR CONTROL SYSTEMS/DESIGN
Nuclear reactor equipped with a control mechanism (Patent; LMFBR), 4559

REACTOR CONTROL SYSTEMS/MATHEMATICAL MODELS
Feedback control systems for non-linear simulation of operational transients in LMFBRs, 317 (BNL-NUREG--25497)
Feedback control systems for non-linear simulation of operational transients in LMFBRs, 329 (BNL-NUREG--26572)
RODMOD: a code for control rod positioning (LMFBR), 2571 (ORNL--5466)

REACTOR CONTROL SYSTEMS/MICROPROCESSORS
Application of a microprocessor-based distributed system to subassembly fault detection of LMFBR, 3469

REACTOR CONTROL SYSTEMS/RELIABILITY
Collection and transmission of milli-volt-level data on a liquid-metal fast-breeder reactor, 4237

REACTOR CONTROL SYSTEMS/SUPPORTS
Nuclear reactor with liquid metal cooling (Patent), 3795

REACTOR CONTROL SYSTEMS/SYSTEM FAILURE ANALYSIS
Comprehensive method of common-mode failure analysis for LMFBR safety systems, 414 (CONF-761001--P2)

REACTOR CONTROL THEORY
See REACTOR KINETICS

REACTOR COOLING SYSTEMS
See also INTEGRATED COOLING SYSTEMS
PRIMARY COOLANT CIRCUITS
RHR SYSTEMS

SECONDARY COOLANT CIRCUITS
SHROUDS
Liquid metal cooled fast breeder reactor (Patent), 5345
Liquid metal cooling reactor (Patent), 5225
Liquid metal cooled fast breeder nuclear reactors (Patent), 3234
Liquid metal cooled nuclear reactor (Patent), 5190
Method of preventing sodium from flowing when pipes of a fast breeder reactor are injured (Patent750AIX-08) 341043), 5375
Nuclear power plant with improved arrangements for the removal of post fission and emergency heating (Patent), 4288
Nuclear reactor (Patents; LMFBR with integrated type reactor vessel), 5319
Sodium impurity monitoring, 1435 (HEDL--6313)
System for cooling the upper wall of a nuclear reactor vessel (Patent; LMFBR), 3802 (ANL-Trans--1119)
US LMFBR coolant system components, 5282
REACTOR COOLING SYSTEMS/BOILING DETECTION
Use of temperature variance to detect sodium boiling, 3238
REACTOR COOLING SYSTEMS/CHEMICAL ANALYSIS
Behavior of an iron manganese alloy as a monitor for carbon activity in liquid sodium, 2985 (WARD-NA--3045-54)
REACTOR COOLING SYSTEMS/COLD TRAPS
Procedure and equipment for regenerating cooling traps in liquid metal circuits (Patent), 5215
REACTOR COOLING SYSTEMS/CORROSION
Influence of the chemical composition of austenitic stainless steels on their corrosion behaviour in high-temperature sodium, 3527
Problems of technology and corrosion in sodium coolant and cover gas (LMFBR), 3040 (ZfK--337)
REACTOR COOLING SYSTEMS/CORROSION PRODUCTS
Physical characteristics of corrosion product deposits, 2986 (WARD-NA--940002)
REACTOR COOLING SYSTEMS/CORROSION PROTECTION
Some properties of iron-base materials with calcium fluoride additions for frictional units of nuclear plants, 4463
REACTOR COOLING SYSTEMS/DESIGN
Device for cooling the upper part of the vessel of a liquid sodium cooled reactor (Patent application), 4338 (ANL-Trans--1108)
Influence of scale size and fluid thermal properties in simulating LMFBR outlet plenum behavior, 4854
Liquid-metal cooled fast breeder (Patent), 5344
Nuclear reactors (Patent; LMFBR), 4259
Nuclear reactor (Patent; LMFBR), 5453
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part II. Heat transport systems, final report, 1071 (EPRI-NP--646(Vol.1))
Thermal plant for energy production (Patent; LMFBR), 5232
Thermal power plant (Patent; LMFBR), 3733
REACTOR COOLING SYSTEMS/ELECTROMAGNETIC PUMPS
Electromagnetic pump for FBR, 4565
Electromagnetic pump for fast breeder reactor, 4314
REACTOR COOLING SYSTEMS/EXPANSION JOINTS
Expansion joint (Patent; LMFBR centrifugal pumps), 5138
REACTOR COOLING SYSTEMS/FAILURES
User's manual heatup closed cell H and V failure transient analysis code (LMFBR), 1820 (HEDL-TME--78-57)
REACTOR COOLING SYSTEMS/FISSION PRODUCTS
Radioactivity of long-lived nuclides in the BOR-60 primary circuit during operation with some defective fuel elements, 2342 (NIIAR-P--5(299))
REACTOR COOLING SYSTEMS/FLOW MODELS
CRBRP outlet plenum behavior during steady state and transient conditions, 4627
Study of the density interface in a stratified LMFBR outlet plenum, 4626
Validation of turbulence models for LMFBR outlet plenum flows, 4628
REACTOR COOLING SYSTEMS/FLOW REGULATORS
Liquid metal cooled fast breeder (Patent), 5337
REACTOR COOLING SYSTEMS/FLOWMETERS
ALIP/Flowmeter calibration, 1177 (ETEC-TDR--78-13)
Signal analysis method using cross-correlation of turbulence flow signals to determine calibration of permanent magnet sodium flowmeters, 603 (CONF-771023--23)
Ultra-sonic flow meter for the sodium cooled fast breeder reactor, 3754
REACTOR COOLING SYSTEMS/FLUID FLOW
Flow in sodium loop surge tank, 4517
FTMOC-2D: a computer program for two-dimensional fluid-transient analysis by the method of characteristics (LMFBR), 219 (ANL-CT--78-26)
Measurement of heat and momentum eddy diffusivities in recirculating LMFBR outlet plenum flows, 892 (COO--2245-61TR)
REACTOR COOLING SYSTEMS/HEAT EXCHANGERS
Auxiliary cooling device for the primary fluid heat exchanger of a nuclear reactor (Patent), 3250
Method of safe operation of LMFBR type reactor (Patent), 3404
Temperature control system for a J-module heat exchanger (Patent), 3707
REACTOR COOLING SYSTEMS/HEAT TRANSFER
Loop heat capacity models and their effects for DEMO natural circulation transient analysis (LMFBR), 2987 (WARD-NC--3045-2)
Measurement of heat and momentum eddy diffusivities in recirculating LMFBR outlet plenum flows, 892 (COO--2245-61TR)
User's manual heatup closed cell H and V failure transient analysis code (LMFBR), 1820 (HEDL-TME--78-57)
REACTOR COOLING SYSTEMS/HYDRAULICS
Analogy of water as compared to sodium in cavitation (LMFBR), 2042 (IWGFR--9)
Determination of thermocouple transfer-functions and fluid-flow velocities by temperature-noise measurements in liquid sodium, 5010
Survey of LMFBR cavitation technology in the U.S.A, 2043 (IWGFR--9)
REACTOR COOLING SYSTEMS/HYDROGEN METERS
Hydrogen consentration meter utilizing a diffusion tube composed of 2 1/4 Cr-1 Mo steel and a sleeve of nickel (Patent), 3268
Measurements of hydrogen concentration in liquid sodium by using an inert gas carrier method, 3107
REACTOR COOLING SYSTEMS/LEAK DETECTORS
Dual construction device having a mechanism for detecting leakage of sodium (Patent), 5329
Leak detector of liquid sodium (Patent), 5340
Sodium leak detection, 2791 (SAN--0824-T8)
Technique for detecting liquid metal leaks (Patent), 3304
REACTOR COOLING SYSTEMS/LEAK TESTING
Sodium-to-gas leak detection. Annual technical progress report, government fiscal year 1977 (LMFBR), 21 (AI-DOE--13211)
REACTOR COOLING SYSTEMS/LEAKS
Leakage effects on LMFBR cell liners, 2861 (SAND--78-0742C)
Method for draining liquid metal (Patent; LMFBR), 5378
REACTOR COOLING SYSTEMS/LIQUID FLOW
Dynamic response of circular tubes subjected to liquid cross flow (LMFBR), 235 (ANL-CT--79-06)
REACTOR COOLING SYSTEMS/MECHANICAL VIBRATIONS
Dynamic response of circular tubes subjected to liquid cross flow (LMFBR), 235 (ANL-CT--79-06)
Fast reactor flow induced vibration with particular reference to PFR and conceptual CDFR design, 2101 (IWGFR--21)
REACTOR COOLING SYSTEMS/MIXERS
Thermal-hydraulics design guide for an Advanced Design Thermal Mixer (including development/testing details) (LMFBR), 233 (ANL-CT--79-4)
REACTOR COOLING SYSTEMS/MONITORING
Monitoring of oxygen and hydrogen in a sodium circulation loop by electromechanical measuring methods (LMFBR), 5420
REACTOR COOLING SYSTEMS/NATURAL CONVECTION
Natural circulation heat transfer in pool-type LMFBR's, 4974
Study of mist formation in a convective field. Effect of turbulent fluctuation on the mechanism of mist formation (LMFBR), 4282
REACTOR COOLING SYSTEMS/NEUTRON TRANSPORT
Interpretation and experiment on the neutron flux in the cooling pipes of fast reactors (a combined method SN-Monte Carlo-albedo for a rational calculation of the rupture), 1192 (EUR--5682)
Neutron transport through straight and once bent sodium pipe in shielding of fast reactor, 4913
REACTOR COOLING SYSTEMS/NUCLEATE BOILING
Experimental investigation of the formation of critical boiling nuclei in superheated sodium, 4388
REACTOR COOLING SYSTEMS/OPERATION
Method of preheating a nuclear reactor cooling system (Patent; LMFBR), 5181
REACTOR COOLING SYSTEMS/OPTIMIZATION
Parameter optimization of AES with a large fast reactor (LMFBR), 5418
REACTOR COOLING SYSTEMS/OXYGEN METERS
Developments in electrolytic oxygen meter probes for sodium use, 3217
REACTOR COOLING SYSTEMS/PIPE FITTINGS
Design guidelines for elbows with geometric nonuniformities (LMFBR), 3019 (WARD-SD--3045-16)
REACTOR COOLING SYSTEMS/PIPE JOINTS
Device for connecting two tubular ducts mounted end-to-end (Patent application; LMFBR), 4339 (ANL-Trans--1109)
Improvements in or relating to pipe joints (Patent; LMFBR), 3729
LMFBR flexible pipe joint development program. Annual technical progress report, government fiscal year 1977, 22 (AI-DOE--13212)
Pipe connector (Patent; LMFBR), 5134
REACTOR COOLING SYSTEMS/PIPES
Evaluations of the piping system inelastic analysis computer program PIRAX2 (LMFBR), 24 (AI-DOE--13216)
High-temperature piping design technology. Quarterly technical progress report, April--June 1977 (LMFBR), 43 (AI-ERDA--13206)
High-temperature piping design technology. Quarterly technical progress report, July--September 1977 (LMFBR) 23 (AI-DOE--13214)
High-temperature piping design technology. Quarterly technical progress report, October--December 1977 (LMFBR), 28 (AI-DOE--13222)
High-temperature piping design technology. Quarterly technical progress report, January--March 1978 (LMFBR), 36 (AI-DOE--13233)

High-temperature piping design technology. Quarterly technical progress report, April--June 1978 (LMFBR), 1135 (ESG-DOE--13241)
High-temperature piping design technology. Semi-annual technical progress report, October 1978--March 1979 (LMFBR), 1156 (ESG-DOE--13274)
Pipe suppport for use in a nuclear system (Patent; LMFBR), 4377
Pipe support (Patent), 3305
REACTOR COOLING SYSTEMS/PRESSURE GAGES
Pressure sensor (Patent), 3298
REACTOR COOLING SYSTEMS/PRESSURE GRADIENTS
Experimental validation of PTA-1 computer code for pressure-transient analysis including the effect of pipe plasticity, 124 (ANL--78-38)
Pressure transient analysis in piping systems including the effects of plastic deformation and cavitation (PTA-2 code), 218 (ANL-CT--78-24)
REACTOR COOLING SYSTEMS/PROBES
Development and testing of a tritium meter for sodium systems, 4702
REACTOR COOLING SYSTEMS/PUMPS
Single-phase pump model for analysis of LMFBR heat transport systems, 2392 (NUREG/CR--0240)
Standpipe-bubbler pump level control study system design layout (Task A) W.P. 4413. Engineering memorandum No. 0153, 2910 (TID--27895)
REACTOR COOLING SYSTEMS/RADIOACTIVITY TRANSPORT
Mass and activity transport in flowing sodium systems, 1521 (HEDL-SA--1448)
Sodium technology progress report, January--March 1979 (LMFBR), 1847 (HEDL-TME--79-24)
REACTOR COOLING SYSTEMS/REACTOR INSTRUMENTATION
Process instruments for sodium cooled fast reactors, 5115
REACTOR COOLING SYSTEMS/REACTOR SAFETY
Some comments on thermomechanical constitutive equations for inelastic analysis of LMFBR components, 1969 (INIS-mf--4543)
REACTOR COOLING SYSTEMS/RELIEF VALVES
Rupture disc (Patent; LMFBR intermediate heat transport system), 4256
REACTOR COOLING SYSTEMS/RUPTURES
Interpretation and experiment on the neutron flux in the cooling pipes of fast reactors (a combined method SN-Monte Carlo-albedo for a rational calculation of the rupture), 1192 (EUR--5682)
REACTOR COOLING SYSTEMS/SEALS
Quarterly technical progress report. Sodium technology and cover gas seal development programs. October--December 1977 (LMFBR), 26 (AI-DOE--13220)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1977 (LMFBR), 41 (AI-ERDA--13204)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, July--September 1977 (LMFBR), 18 (AI-DOE--13208)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, January--March 1978 (LMFBR), 34 (AI-DOE--13231)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1978 (LMFBR), 1133 (ESG-DOE--13239)
REACTOR COOLING SYSTEMS/SIMULATION
Computer simulation of LMFBR piping systems, 559 (CONF-770807--Pt.E)
REACTOR COOLING SYSTEMS/STRESS ANALYSIS
Compilation of piping benchmark problems - cooperative international effort, 2135 (IWGFR--27)
Coupled hydrodynamic-structural response analysis of piping systems (LMFBR), 76 (ANL--77-91)
REACTOR COOLING SYSTEMS/SUPPORTS
Design analysis of liquid metal pipe supports, 1634 (HEDL-SA--1771)
Supports for pipes (Patent), 4607
REACTOR COOLING SYSTEMS/TEMPERATURE CONTROL
Vapor temperature control device for fast breeder reactor plant (Patent), 5325
REACTOR COOLING SYSTEMS/TEMPERATURE GRADIENTS
Statistical analysis of interacting coolant channels (LMFBR), 3577
REACTOR COOLING SYSTEMS/THERMAL DIFFUSIVITY
Predictive technique for temperature and eddy diffusivity distributions in liquid metal turbulent pipe flow, 5006
REACTOR COOLING SYSTEMS/THERMAL INSULATION
Device of thermal insulation and mechanical protection of a circuit (Patent), 5361
REACTOR COOLING SYSTEMS/THERMAL SHIELDS
Insulating and protecting systems for a circuit (Patent; LMFBR), 5360
REACTOR COOLING SYSTEMS/THERMOCOUPLES
High-integrity thermocouples for in-pile applications, 4230
REACTOR COOLING SYSTEMS/THERMODYNAMIC CYCLES
Binary cycle with potassium and N_2O_4 vapors for NPP with a fast sodium reactor, 1904 (INIS-mf--4316)
REACTOR COOLING SYSTEMS/TRANSIENTS
Pressure pulse propagation in piping analytical/experimental comparison (TRANSWRAP code), 2331 (NEDM--14161)
REACTOR COOLING SYSTEMS/VALVES
Rapid-action valve especially for liquid metal (Patent), 5185
REACTOR COOLING SYSTEMS/WATER HAMMER
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity (LMFBR), 554 (CONF-770807--55)
REACTOR COOLING SYSTEMS/WELDED JOINTS
Nondestructive testing, 2519 (ORNL--5309)
Status report on ultrasonic testing of austenitic welds (LMFBR), 3772
REACTOR COOLING SYSTEMS/WORKING FLUIDS
Binary cycle with potassium and N_2O_4 vapors for NPP with a fast sodium reactor, 1904 (INIS-mf--4316)
REACTOR CORE DISRUPTION
Accident progression for a loss-of-heat-sink with scram in a liquid-metal fast breeder reactor, 3109
Advanced fuels safety comparisons (LMFBR), 4862
Advanced Reactor Safety Research Program quarterly report, April--June 1977, 2830 (SAND--77-1134)
Analog and digital reconstructions of fuel pin images recorded with the prototype ACPR (UPGRADE) fuel motion diagnostic system, 2438 (NUREG/CR--0790)
Analysis of simulated HCDA experiments in ZPPR, 403 (CONF-761001--P2)
Analysis of slug impact and coolant spillage using a hybrid Lagrangian--Eulerian method, 4758
Analysis of in-pile fuel disruption experiments, 2859 (SAND--78-0363C)
Analysis of in-pile fuel disruption experiments, 3608
Analysis of hypothetical core disruptive events in the Clinch River Breeder Reactor Plant, 980 (CRBRP-GEFR--00103)
Analysis of FFTF reactor cavity liners under ex-vessel PAHR conditions, 1672 (HEDL-TC--572(Rev.1))
Analysis of mechanical HCDA consequences with ARES for demonstration of primary containment integrity in SNR-300, 556 (CONF-770807--Pt.E)
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 567 (CONF-770807--Pt.E)
Analysis of mechanical HCDA consequences in the coolant loops for demonstration of primary containment integrity in SNR 300, 569 (CONF-770807--Pt.E)
Analysis of nonlinear fluid-structure interaction in LMFBR containment, 3544
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code, 5044
Analysis of mechanical HCDA consequences in the coolant loops for demonstration of primary containment integrity in SNR 300, 5048
Analysis of Sandia in-pile EOS experiments, 2879 (SAND--79-0107C)
Analytical and experimental studies of transient fuel freezing (LMFBR), 482 (CONF-761001--P4)
Annual technical progress report: reactor safety, Government fiscal year 1978, 1145 (ESG-DOE--13254)
Applicability of microwave heating to the simulation of the LMFBR meltdown process, 314 (BNL-NUREG--25421)
Application of the SIMMER-I code to LOF accidents in an LMFBR, 2230 (LA--7194-MS)
Application of a nonredundant pinhole array to a test fuel element at TREAT (LMFBR), 4011
Application of probabilistic methods to safety R and D and design choices, 5019
APRICOT Program: comparison and benchmarking of computational methods for analysis of LMFBR structural response to postulated core disruptive accidents. Phase I report, 2808 (SAN/1112--1)
Assessment of fuel failure propagation in LMFBRs, 432 (CONF-761001--P3)
Assessment of accident energetics in LMFBR core-disruptive accidents, 591 (CONF-770817--3)
Assessment of accident energetics in LMFBR core-disruptive accidents, 4498
Assessment of fuel freezing and drainage phenomena in a reactor shield plug following a core disruptive accident, 3717
Assessment of the loss-of-heat-sink accident with scram in the LMFBR, 309 (BNL-NUREG--24946)
Assessment of the effect of reactor size on hypothetical core disruptive accidents, 4105
Behaviour of the core of a fast sodium-cooled breeder reactor of 2000 MW(e) during disruptive accidents with a very low likelihood of occurrence, 3465 (DOE-tr--90)
Breeder reactor safety and core systems programs. Progress report, April--June 1977, 2635 (ORNL/TM--6020)
Breeder reactor safety and core systems programs. Progress report, July--September 1977, 2643 (ORNL/TM--6158)
Breeder reactor safety and core systems programs progress report, October--December 1977, 2649 (ORNL/TM--6288)
Breeder reactor safety and core systems programs. Progress report, January--March 1978, 2658 (ORNL/TM--6439)
Breeder reactor safety and core systems programs. Progress report, April--June 1978, 2665 (ORNL/TM--6558)
Breeder Reactor Safety and Core Systems Programs. Progress report, July--September 1978, 2674 (ORNL/TM--6698)
Breeder Reactor Safety and Core Systems Programs progress report for October--December 1978, 2680 (ORNL/TM--6854)
Certain aspects of alternative core disruption accidents in LMFBRs, 3877
Chemical simulation modeling of fuel motion in LMFBRs,

4093
Clinch River Breeder Reactor Plant. MAXPRES-2: computer code verification, 968 (CRBRP-ARD--0175)
Coded aperture imaging methods for fuel motion measurement, 417 (CONF-761001--P2)
Comparative analysis of a hypothetical coolant loss accident in an LMFB reactor with the use of various calculation models for a common reference problem, 1198 (EUR--5946)
Comparison of ANL containment codes with SNR-300 simulation experiments, 455 (CONF-761001--P3)
Comparison of measured and calculated average void fraction in volume-boiling pools with inclined boundaries, 326 (BNL-NUREG--25714)
Comparisons of REXCO code predictions with SRI SM-2 experimental results, 792 (CONF-790802--56)
Comparison of transient PCRV model test results with analysis, 787 (CONF-790802--49)
Compendium of core debris retention technology, 1305 (GEFR--00411)
Condensation from a large HCDA vapor-gas bubble onto structures (LMFBR), 4005
Considerations of the third line of assurance: post-accident heat removal and core retention in containment (LMFBR), 500 (CONF-761001--P4)
Containment response to postulated core meltdown accidents in the Fast Flux Test Facility, 307 (BNL-NUREG--24141-R)
Containment of the Creys-Melville plant, 1905 (INIS-mf--4373)
Core debris behavior and interactions with concrete, 593 (CONF-770817--5)
Core debris behaviour and interactions with concrete, 4495
Core debris deposition in the primary heat transport system piping of LMFBRs, 93 (ANL--78-10)
Core debris penetration into concrete, 95 (ANL--78-10)
Core disruptive accident margin seal, 3302
CRBRP structural and thermal margin beyond the design base, 820 (CONF-790816--37)
Critical experiments and analysis twenty-second quarterly report, January--March 1977, 1337 (GEFR--13771-22)
Critical experiments and analysis, 1340 (GEFR--13771-25)
Critical experiments and analysis twenty-sixth quarterly report, January--March 1978, 1341 (GEFR--13771-26)
Critical experiments and analysis. Twenty-seventh quarterly report, April--June 1978, 1342 (GEFR--13771-27)
Critical experiments and analysis. Twenty-eighth quarterly report, July--September 1978, 1343 (GEFR--13771-28)
Critical experiments and analysis. Thirtieth quarterly report, January--March 1979, 1345 (GEFR--13771-30)
Data processing and data collection in Super-Phenix, 4235
Debris bed and sacrificial materials interactions at high temperatures (LMFBR), 3993
Debris bed experiment No. 4: a preliminary look, 2894 (SAND--80-0217C)
Design trade-offs in view of safety considerations, 4131
Development of a coded aperture fuel motion diagnostics system for the ACPR (upgrade), 2840 (SAND--77-1553C)
Development of a probabilistic model of containment conditions following a core disruption accident in a breeder reactor, 4041
Development of a coded aperture fuel motion diagnostics system for the ACPR (UPGRADE), 2437 (NUREG/CR--0790)
Effect of creep on thermal fracturing in oxide crusts, 3626
Effect of creep on thermal fracturing in oxide crusts, 2855 (SAND--78-0255C)
Effect of power skew on the FTR TOP, 1529 (HEDL-SA--1463FP)
Effect of overlaying steel layers on the growth of molten core debris pools in concrete, 950 (COO--4261-9)
Effect of intrasubassembly incoherencies on the fast test reactor unprotected transient overpower accident, 3059
Effects of fuel-sodium interaction in TOP tests with electrically heated fuel pins (LMFBR), 491 (CONF-761001--P4)
Effects of internal circulation velocity and noncondensible gas on vapor condensation from a rising bubble (LMFBR), 4781
Effects of transient power histories on the intrasubassembly failure incoherencies, 1648 (HEDL-SA--1868)
Energy source for modeling HCDA bubbles, 5059
Energy source for modeling HCDA bubbles, 1981 (INIS-mf--4592)
Equations of state for LMFBR materials, 479 (CONF-761001--P4)
Eulerian method for large-displacement fluid-structure interaction in reactor containments, 4883
Evaluation of explicit finite-difference techniques for LMFBR safety analysis, 453 (CONF-761001--P3)
Evaluation of the effect of shutdown cracks in TREAT-tested fuel pins, 4765
Evaluation of computational techniques for LMFBR safety analysis, 3686
Evaluation of hodoscopes for fuel-motion measurement in multipin bundles (LMFBR), 4025
Evaluation of Lagrangian, Eulerian, and arbitrary Lagrangian-Eulerian methods for fluid-structure interaction problems in HCDA analysis, 791 (CONF-790802--55)
Ex-vessel containment response to a core meltdown, 106 (ANL--78-10)
Examination of subassembly scale fuel motion using the SIMMER-II code, 2286 (LA-UR--79-2285)
Experimental study on dynamic response of reactor vessel to an HCDA, 4494
Experimental studies of the growth of an internally heated liquid pool in a solid bed, 3808
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2396 (NUREG/CR--0287)
Experimental studies in CDA work-energy attenuation. Quarterly progress report No. 18, 1 April-30 June 1979, 2780 (SAN--0115-T6)
Exploratory studies on carbide fuel/coolant interactions (LMFBR), 3997
Extension of HCDA safety analysis to large PCRV containment structures, 548 (CONF-770807--49)
Extension of HCDA safety analysis to large PCRV containment structures, 576 (CONF-770807--Pt.2)
FFTF containment of hypothetical accidents, 1615 (HEDL-SA--1736-FP)
First visual in-pile fuel disruption experiments, 3607
Fission-gas bubble modeling for LMFBR accidents, 2819 (SAND--77-1018C)
Fission gas behavior in mixed-oxide fuel during transient overpower, 1620 (HEDL-SA--1747-FD)
Flow regime observations in two-phase volume-heated boiling pools, 4778
Formation and stability of crust in molten pools. Technical progress report, February 1, 1977--October 1, 1977, 959 (COO/4171--1)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment (LMFBR), 759 (CONF-790361--1)
Fuel--Coolant Thermal Interaction Project. Progress report No. 8, 928 (COO--2781-14)
Fuel disassembly experiments using the capacitor discharge vaporization (CDV) technique (LMFBR), 3995
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
Fuel vapor transport through a sodium pool (LMFBR), 4668
Generalized Eulerian method in reactor containment analysis and its comparison with other numerical methods, 452 (CONF-761001--P3)
Gravitational agglomeration of post-HCDA LMFBR aerosols, 4048
Growth of molten core debris pools in concrete. Progress report, April 1--June 30, 1979, 953 (COO--4261-12)
Growth of molten core debris pools in concrete. Part II. A. Pool growth in composite beds; B. Effect of overlaying steel layers. Final report, March 1, 1978-September 30, 1979, 954 (COO--4261-14)
Heat removal from molten fuel pools (LMFBR), 504 (CONF-761001--P4)
Heat transfer characteristics of a non-boiling pool with spatially uniform gas injection, 944 (COO--4171-3)
Hydrodynamic model for treating transient freezing in pin bundles (LMFBR), 481 (CONF-761001--P4)
Hydrodynamic analysis of the LMFBR prompt burst excursion (PBE) experiment, 2817 (SAND--77-1016C)
Improved subassembly grouping for multi-channel top HCDA safety analysis, 1751 (HEDL-TME--77-25)
Improvement and verification of fast reactor safety analysis techniques. Progress report, July 1, 1978--September 30, 1978, 922 (COO--2571-14)
Improvement and verification of fast reactor safety analysis techniques. Progress report, April 1, 1979-June 30, 1979, 924 (COO--2571-17)
Influence of fuel-coolant-interactions on loss of flow type core disruptive accidents for the SNR-300, 439 (CONF-761001--P3)
Interactions of LMFBR core debris with concrete, 506 (CONF-761001--P4)
Interactions of refractories and reactor materials with sodium, 4328
Interpretation of debris bed dryout observed during the D-3 experiment, 3994
Inventory and relative biological hazard of LMFBR core materials, 2605 (ORNL/NUREG/TM--165)
Investigation of margins in FFTF containment design, 104 (ANL--78-10)
Key safety issues for fast breeder reactors, 383 (CONF-761001--P1)
Lagrangian finite-difference calculations of an explosion in a partially water-filled rigid cylindrical tank (TOODY code), 2833 (SAND--77-1394)
Licensing aspects in the verification of the SNR 300 design concept against hypothetical accidents, 382 (CONF-761001--P1)
Liquid--liquid contact in vapor explosions (LMFBR), 485 (CONF-761001--P4)
LMFBR accident energetics and their role in licensing, 420 (CONF-761001--P2)
LMFBR and GCFR support work, 133 (ANL--78-70)
LMFBR design basis accidents and their accommodation, 5409
LMFBR fuel analysis. Task B: Post-accident heat removal. Final report, October 1, 1976--September 30,

1977, 2377 (NUREG/CR--0012)
LMFBR safety. 5. Review of current issues and bibliography of literature (1975--1976), 2598 (ORNL/NUREG/NSIC--139)
Local perturbation of nuclear reactor cooling. A remarkable experience, 3335
Low sodium void cores, 3068
Main aspects of the design of a support structure of a LMFBR with particular reference to the explosive accident consequences, 571 (CONF-770807--Pt.E)
Mathematical and computational techniques employed in the deterministic approach to liquid-metal fast breeder reactor safety, 4334
Measurement and analysis of transient vaporization in oxide fuel materials (LMFBR), 2872 (SAND--78-2140C)
Mechanisms of vapor explosions (LMFBR), 484 (CONF-761001--P4)
Method for assessing core-wide incoherency effects on LMFBR whole-core accident evolution, 429 (CONF-761001--P3)
Modeling ejection of fresh fuel into sodium under prompt-burst conditions (LMFBR), 3996
Neutronic coupling of feedback effects, 428 (CONF-761001--P2)
Nonequilibrium evaporation and condensation in liquid-metal fast breeder reactor fuel expansion, 4531
Nuclear accident simulation in a 1/6 scale model of the SNR-300 fast breeder reactor, 4497
Nuclear performance of liquid--metal fast breeder reactors designed to preclude energetic hypothetical core disruptive accidents, 3139
Optimum nuclear pin bundle for prototypic thermal-hydraulic environment in large-scale testing, 3127
ORNL breeder reactor safety: LOA 2, 3, 4, and 5. Quarterly technical progress report, January-March 1979, 2683 (ORNL/TM--6947)
Overview of core disruptive accidents, 590 (CONF-770817--2)
PLBR core selection for low CDA energetics: Liquid Metal Fast Breeder Reactor design project, 45 (AI/FBR--77-1)
Potential for plugged core pressurization following a hypothetical accident in an LMFBR, 3128
Prediction of dryout heat fluxes in beds of volumetrically heated particles (LMFBR), 501 (CONF-761001--P4)
Prediction of the thermal conductivity of UO_2 vapor, 4622
Probabilistic/deterministic procedure for analyzing LMFBR core disruptive accidents, 451 (CONF-761001--P3)
Probabilistic accident analysis with deterministic codes using stochastically variable parameters, 3737
Prompt burst energetics (PBE) studies, 2884 (SAND--79-0740C)
Protection device for reactor safety, 5397
Protection of the sodium-cooled fast reactor during core melt-down, 4238
Radial parfait core design study, 2954 (WARD--353)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progress report, May 1978 (LMFBR), 279 (ANL-RDP--71)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Reactor development program. Progress report, August 1979, 294 (ANL-RDP--86)
Reactor safety quarterly technical progress report, January--March 1978, 37 (AI-DOE--13234)
Reactor safety. Quarterly technical progress report, October--December 1978, 1150 (ESG-DOE--13264)
Reactor vessel structural response tests at FBR hypothetical accident, 4586
Reponse of water-filled pipes to pressure pulses, 578 (CONF-770807--Pt.E)
Resolution of key safety-related issues in FFTF regulatory review, 421 (CONF-761001--P2)
Response of liquid metal fast breeder reactor containment to a hypothetical core meltdown accident, 4503
Response of simple, scale model reactor vessels to a simulated HCDA loading, 562 (CONF-770807--Pt.E)
Response of breeder reactor components and systems to abnormal events, 3540
Response of fast reactor primary containments to whole core accident loadings, 1979 (INIS-mf--4592)
Retention of molten core debris pools in composite sacrificial beds, 951 (COO--4261-10)
Risk analysis methods development. Fourth quarterly report, October--December 1977 (LMFBR), 1354 (GEFR--14023-4)
Role of distributed microscopic physical phenomena in probabilistic accident analysis with deterministic codes, 4047
Role of mechanistic analysis in providing PAHR initial conditions, 85 (ANL--78-10)
Safety analysis aspects of a 2000 MWe LMFBR core, 393 (CONF-761001--P1)
Safety aspects of carbide irradiations in FTR driver positions, 4861
Safety design of SNR-300, 388 (CONF-761001--P1)
Safety-related design considerations for the Clinch River Breeder Reactor Plant, 390 (CONF-761001--P1)
Safety study. The Clinch River Breeder Reactor Plant, 1999 (INIS-mf--4862)
SAS4A LMFBR accident analysis code system: a progress report, 448 (CONF-761001--P3)
SIMMER-I accident consequence calculations, 4784
Simplified multicomponent phase transition model, 4780
Simulation of an HCDA sequence on the ZPPR critical facility, 402 (CONF-761001--P2)
Simulation of heat and mass transfer processes in molten core debris-concrete systems, 952 (COO--4261-11)
Some aspects of mixing in large-mass, energetic fuel-coolant interactions (LMFBR), 486 (CONF-761001--P4)
Some aspects of the structural response of pool-type LMFBR systems to HCDA and seismic events, 457 (CONF-761001--P3)
Status and summary of TREAT in-pile experiments on LMFBR response to hypothetical core disruptive accidents, 4978
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 547 (CONF-770807--47)
Structural response of 1/20-scale models of the Clinch River Breeder Reactor to a simulated hypothetical core disruptive accident. Technical report 4, 1016 (DOE/TIC--10063)
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 1978 (INIS-mf--4592)
Studies of the formation and cooling of particulate fuel debris beds in sodium, 502 (CONF-761001--P4)
Study of core disruptive accidents in a large metal-fueled LMFBR, 3199
Study of heat transfer associated with melting of horizontal substrate, 3617
Study of heat transfer from a flowing liquid to a melting wall, 2877 (SAND--79-0082C)
Study of the containment system of the planned SNR-2 Fast Breeder Reactor, 685 (CONF-780819--P1)
Study of thermal and hydrodynamic processes associated with melting of horizontal substrate, 2445 (NUREG/CR--0839)
Study of the dispersive potential of irradiated fuel using in-core experiments, 2874 (SAND--79-0057C)
Subassembly experiments and a computer code to analyze the dynamic core deformation during local failure propagation (LMFBR), 4405
Summary and evaluation of transient test data on extended fuel motion resulting from unprotected loss of flow, 56 (ANL--77-40)
Summary of the first three in-core PAHR molten fuel pool experiments, 2876 (SAND--79-0081C)
Survey of melt interactions with core retention material, 2868 (SAND--79-1685C)
System damage potential for CRBRP, 4783
Tests in support of LMFBR, 4493
Theoretical prediction of the thermal conductivity of uranium carbide vapor, 4431
Theoretical prediction of the thermal conductivity of uranium nitride vapor, 4432
Three-dimensional finite-element computations of the transient response of components typical of a reactor structure (SADCAT code), 790 (CONF-790802--52)
Three-dimensional finite element formulation for fluid-structure interaction, 797 (CONF-790802--65)
Transient deformation of LMFBR cores due to local failure: experimental and theoretical investigation, 4390
Transient radiative heat transfer between two emitting-absorbing media, 4173
Transition phase of fast reactor overpower excursions, 3624
Transport and reactor theory. Progress report, July 1--September 30, 1978, 2232 (LA--7554-PR)
Turbulent convection in horizontal two-layer systems with and without interfacial freezing, 3618
U.S. advanced fuels safety program, 4837
Ultrasonic dynamic imaging (UDI) system to determine the size and velocity of large spherical simulated bubbles in liquids, 832 (CONF-791008--5)
Updated work plan for the FAST/CRI-III fuel vaporization and transport experiments, 2450 (NUREG/CR--0884)
Vapor explosion experiments with simulant fluids (LMFBR), 487 (CONF-761001--P4)
Viscosity of molten alumina, 119 (ANL--78-28)
Viscosity of molten alumina, 3718
Volume-heated boiling pool flow behavior and application to transition phase accident conditions, 310 (BNL-NUREG--24984)
Work-energy characterization for core-disruptive accidents, 444 (CONF-761001--P3)

REACTOR CORE DISRUPTION/AEROSOLS
1978 annual report: aerosol characterization from a simulated HCDA, 2430 (NUREG/CR--0740)
Aerodynamic properties of aerosols formed by a sodium pool fire (LMFBR), 3190
Aerosol characterization from a simulated HDCA. Annual report. NRC program A1171-2 (LMFBR), 2301 (MLM-MU--77-70-0004)
Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST) (LMFBR), 2424 (NUREG/CR--0678)
Close-in sampling of aerosols from fission-vaporized UO_2 fuel, 3649
Comparison of the HAARM-3 fallout model with Nuclear Safety Pilot Plant (NSPP) data (LMFBR), 779 (CONF-

790602--63)
Comparison of the HAARM-3 fallout model with nuclear safety pilot plant (NSPP) data (LMFBR), 3191
Fuel aerosol simulant test data record report: argon tests (LMFBR), 2464 (NUREG/CR--1123)
Gravitational collision efficiency of LMFBR aerosols with size-dependent density, 4019
REACTOR CORE DISRUPTION/AFTER-HEAT REMOVAL
Analysis of LMFBR containment response to a core-disruptive accident, 3620
Bubble-induced heat transfer in a heat generating liquid layer (LMFBR), 109 (ANL--78-10)
Considerations on a PAHR test facility (LMFBR), 395 (CONF-761001--P1)
Convective heat transfer correlations for molten core debris pools growing in concrete (LMFBR), 949 (COO--4261-8)
Dryout heat fluxes for inductively heated particulate beds, 4529
Dryout heat flux in debris beds containing nonheated constituents and particles of different sizes (LMFBR), 3616
Flow visualization in heat-generating porous media (LMFBR), 2809 (SAND--76-0614)
In-reactor experiments on the cooling of fast reactor debris (LMFBR), 3077
Post-accident fuel relocation and heat removal in the LMFBR, 330 (BNL-NUREG--50603)
REACTOR CORE DISRUPTION/BUBBLE GROWTH
Bubble behavior in LMFBR core disruptive accidents. Annual report, July 1, 1976--September 30, 1977, 2375 (NUREG/CR--0002)
Effects of energy losses of arbitrary magnitude on fuel quality, vapor density, and bubble diameter in an idealized expansion of mixtures of UO_2 and sodium, 3311
REACTOR CORE DISRUPTION/BUBBLES
Bubble behavior in LMFBR core disruptive accidents. Annual report, 1 October 1977-30 September 1978, 2701 (PB--293190)
REACTOR CORE DISRUPTION/CAVITATION
Mitigating effect of coolant cavitation in the response of LMFBR containment to a whole-core accident, 458 (CONF-761001--P3)
REACTOR CORE DISRUPTION/CHEMICAL REACTION KINETICS
Large scale sodium interactions. Part 2. Preliminary test results for limestone concrete, 2821 (SAND--77-1059C)
Large-scale sodium interactions: preliminary test results for limestone concrete, 4763
Measurement of the penetration of liquid sodium into limestone concrete, 2848 (SAND--78-0078C)
Role of fission products in whole-core accidents in fast reactors, 3872
Thermal behavior of concrete (LMFBR), 4764
REACTOR CORE DISRUPTION/CHEMICAL REACTIONS
Possible mechanisms for the formation of the observed and expected compounds during a Hypothetical Core Disruptive Accident (HCDA) (LMFBR), 2466 (NUREG/CR--1134)
REACTOR CORE DISRUPTION/COMPUTER CALCULATIONS
A qualification testing program plan for SIMMER; A computer code for LMFBR disrupted core analysis. Research program planning report, 2694 (PB--283030)
Application of containment codes to LMFBRs in the United States, 4496
Application of a coupled Euler-Lagrange computer program to the structural response of an LMFBR, 4500
Mechanistic analysis of LMFBR accident energetics, 3123
Overview and status of the SIMMER testing program, 2280 (LA-UR--79-1874)
SAS3D analysis of unprotected loss-of-flow transients for 1200-MW(electric) liquid-metal fast breeder reactor homogeneous and heterogeneous core designs, 3372
Sensitivity study of LMFBR core disassemblies, 2854 (SAND--78-0252C)
REACTOR CORE DISRUPTION/COMPUTER CODES
Application of containment codes to LMFBRs in the United States, 592 (CONF-770817--4)
Large-scale deterministic computer code systems and LMFBR safety: a perspective, 447 (CONF-761001--P3)
REACTOR CORE DISRUPTION/CONCRETES
Convective heat transfer correlations for molten core debris pools growing in concrete (LMFBR), 949 (COO--4261-8)
REACTOR CORE DISRUPTION/CONTAINMENT
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977 (LMFBR), 2847 (SAND--77-1975)
Analysis of LMFBR containment response to an HCDA using a multifield Eulerian code (MICE code), 552 (CONF-770807--53)
Attenuation of particles through leak paths, 687 (CONF-780819--P2)
Attenuation of airborne debris from liquid-metal fast breeder reactor accidents, 3076
Effect of engineered safety features on the risk of hypothetical LMFBR accidents, 3888
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 553 (CONF-770807--54)
Evaluations of CRBRP thermal margin beyond the design base, 608 (CONF-771108--3)
Fast Reactor Safety Research Program. Quarterly report, January--March 1977 (LMFBR excursions, meltdown debris bed, sodium containment, and fuel motion detection), 2811 (SAND--77-0611)
Parametric study on reactor containment response to fuel-sodium interaction, 2734 (PNC-N--251-76-12(Vol.2))
Structural and containment response to LMFBR accidents, 726 (CONF-781022--27)
REACTOR CORE DISRUPTION/CONTAINMENT BUILDINGS
Potential hazard to secondary containment from HCDA-generated missiles and sodium fires (LMFBR), 2778 (SAN--0115-097-T1)
REACTOR CORE DISRUPTION/CRITICALITY
Critical configurations and secondary excursions for high temperature fuel/steel mixtures, 445 (CONF-761001--P3)
Current state of analysis of recriticality under PAHR conditions, 87 (ANL--78-10)
Role of wall heat transfer and other system variables on fuel compaction and recriticality, 446 (CONF-761001--P3)
Some recriticality studies with SIMMER-II (LMFBR), 2287 (LA-UR--79-2340)
REACTOR CORE DISRUPTION/CROSS SECTIONS
Optimum few-group cross section set for HCDAs in heterogeneous LMFBRs, 1418 (GEFR-SP--180)
REACTOR CORE DISRUPTION/DRYOUT
Effect of particle size distribution and non-heated constituents on debris bed dry-out, 90 (ANL--78-10)
REACTOR CORE DISRUPTION/DYNAMIC LOADS
Analysis of nonlinear fluid structure interaction transient in fast reactors, 146 (ANL--78-103)
REACTOR CORE DISRUPTION/ENERGY YIELD
Generic considerations of LMFBR hypothetical accident energetics, 725 (CONF-781022--25)
Multiphase transients with coolant and core materials in LMFBR core disruptive accident energetics evaluations. Technical report, 2695 (PB--283231)
Physics of liquid metal fast breeder reactor safety, 4333
Sensitivity study on the damage potential of a liquid-metal fast breeder reactor core disassembly, 3241
REACTOR CORE DISRUPTION/EXPLOSIONS
Liquid-liquid contact in vapor explosion (LMFBR), 141 (ANL--78-92)
REACTOR CORE DISRUPTION/FAILURE MODE ANALYSIS
Event tree analysis of core disruptive accident consequences safety R and D planning (LMFBR), 1407 (GEFR-SP--135)
REACTOR CORE DISRUPTION/FIRES
Reactor safety. Annual technical progress report, Government fiscal year 1979 (LMFBR), 1165 (ESG-DOE--13294)
REACTOR CORE DISRUPTION/FISSION PRODUCT RELEASE
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7 (LMFBR; time-dependent aerosol suspension behavior), 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977 (LMFBR; time dependent aerosol suspension behavior), 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977 (LMFBR; time-dependent aerosol suspension behavior), 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978 (LMFBR; time-dependent aerosol suspension behavior), 2405 (NUREG/CR--0425)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report, April--June 1977, 2601 (ORNL/NUREG/TM--142)
Breeder Reactor Aerosol Release and Transport Program quarterly progress report for July--September 1977, 2607 (ORNL/NUREG/TM--173)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report for October--December 1977, 2610 (ORNL/NUREG/TM--193)
Comparison of FISGAS swelling and gas release predictions with experiment, 2869 (SAND--78-1910C)
Fuel Aerosol Simulant Test (FAST) plan, 2600 (ORNL/NUREG/TM--129)
Fuel and fission gas response to simulated thermal transients: experimental results and correlation with fission gas release and swelling model (LMFBR), 3485
Fuel particle and fission product release from LMFBR-core catcher, 494 (CONF-761001--P4)
Internal pressurization in solid mixed-oxide fuel due to transient fission gas release (LMFBR), 4301
LMFBR aerosol release and transport Program quarterly progress report, January--March 1978, 2385 (NUREG/CR--0117)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April--June 1978, 2400 (NUREG/CR--0340)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, July--September 1978, 2414 (NUREG/CR--0482)
LMFBR aerosol release and transport program. Quarterly progress report, October--December 1978, 2431 (NUREG/CR--0752)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April-June 1979, 2460 (NUREG/CR--1062)

LMFBR safety and core systems programs. Progress report, January--March 1977, 2629 (ORNL/TM--5940)
Material release for various fuels following an HCDA in CRBR, 4667
Numerical method of the aerosol behavior reference code, CRAB (LMFBR), 2421 (NUREG/CR--0620)
Preliminary models for evaluating radiological source terms, 1310 (GEFR--00419)
Radiological assessment models. Eleventh quarterly report, March--May 1977 (LMFBR), 1371 (GEFR--14034-11)
Radiological assessment models. Thirteenth quarterly report, September--November 1977 (LMFBR), 1372 (GEFR--14034-13)
Radiological assessment models fourteenth quarterly report, December 1977--February 1978 (LMFBR), 1373 (GEFR--14034-14)
Radiological assessment models. Fifteenth quarterly report, March--May 1978 (LMFBR), 1374 (GEFR--14034-15)
Radiological assessment models. Sixteenth quarterly report, June--August 1978 (LMFBR), 1375 (GEFR--14034-16)
Review of aerosol problems and the theory of aerosol physics with particular reference to sodium cooled fast reactors, 2896 (SRD-R--82)
Source term model needs and developments, 1264 (GEFR--00324)

REACTOR CORE DISRUPTION/FLASHING
Nonequilibrium phenomena in flashing water used as an HCDA source simulant. Technical report No. 8 (LMFBR), 2781 (SAN--0115-T7)

REACTOR CORE DISRUPTION/FLOW BLOCKAGE
Assessment of debris transport methods in horizontal LMFBR piping for PAHR conditions, 3025 (WARD-SR--3045-9)
Simultaneous freezing and melting in finite media (LMFBR), 3085
TREAT test H6-A 50 cents transient overpower accident simulation, 3098

REACTOR CORE DISRUPTION/FLUID FLOW
Effects of internal circulation velocity and noncondensable gas on vapor condensation from a rising bubble (LMFBR), 3567
Model and computer code for energy and mass transport in decomposing concrete and related materials (LMFBR), 2891 (SAND--79-1733C)

REACTOR CORE DISRUPTION/FRAGMENTATION
Bubble behavior in LMFBR core disruptive accidents. Annual report, July 1, 1976--September 30, 1977, 2375 (NUREG/CR--0002)
Preliminary results from initial in-pile debris bed experiments, 89 (ANL--78-10)

REACTOR CORE DISRUPTION/FUEL ELEMENT FAILURE
Analysis of fuel dispersal in direct electrical heating experiments (LMFBR), 2259 (LA--7938-C)
Simulation of different transient clad failure mechanisms in fuel pin modelling, 2029 (IWGFR--5)
Simulation of cladding relocation in the TREAT-experiment R5 with the CMOT code (LMFBR), 2254 (LA--7938-C)

REACTOR CORE DISRUPTION/FUEL MOTION DETECTION
Advanced reactor safety research. Quarterly report, October--December 1977 (LMFBR), 2397 (NUREG/CR--0323(Vol.5))
Advanced reactor safety research. Quarterly report, January--March 1978 (LMFBR), 2398 (NUREG/CR--0335(Vol. 6))
Advanced reactor safety research quarterly report, April-June 1978 (LMFBR), 2411 (NUREG/CR--0469(Vol.7))
Advanced reactor safety research. Quarterly report, July-September 1978 (LMFBR), 2412 (NUREG/CR--0470)
Advanced reactor safety research. Quarterly report, April-June 1979 (LMFBR), 2455 (NUREG/CR--0984(Vol.10))
PINEX-2 experiment: concept verification of an inherent shutdown mechanism for HCDA's (LMFBR), 1616 (HEDL-SA--1737-FP)

REACTOR CORE DISRUPTION/FUEL RODS
FISGAS: a code for fission-gas migration and fuel swelling in an LMFBR accident, 2465 (NUREG/CR--1124)

REACTOR CORE DISRUPTION/FUEL-COOLANT INTERACTIONS
Analysis of reactor structural response to fuel sodium interaction in a hypothetical core disruptive accident, 2726 (PNC-N--251-76-12(Vol.2))
Effects of energy losses of arbitrary magnitude on fuel quality, vapor density, and bubble diameter in an idealized expansion of mixtures of UO_2 and Na, 2384 (NUREG/CR--0115)
Fuel-coolant interaction-phenomena under prompt burst conditions (LMFBR), 2881 (SAND--79-0123C)
Kinetics of fission-vaporized UO_2 fuel determined from sampled fuel debris (LMFBR), 2890 (SAND--79-1708C)
Prompt Burst Energetics (PBE) experiment analyses using the SIMMER-II computer code (LMFBR), 2880 (SAND--79-0112C)
Radiological assessment models. Thirteenth quarterly report, September--November 1977 (LMFBR), 1372 (GEFR--14034-13)
Vapor-explosion experiments with subcooled Freon (LMFBR), 57 (ANL--77-43)

REACTOR CORE DISRUPTION/GASES
Fission gas bubble modeling for LMFBR accidents, 4804

REACTOR CORE DISRUPTION/HEAT TRANSFER
Analysis of core disruptive accidents in carbide-fueled LMFBRs, 4860
Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST) (LMFBR), 2597 (ORNL/NUREG/CR--0678)
Analytical studies of a finite six-channel blockage in a LMFBR subassembly, 1925 (INIS-mf--4470)
Attenuation of HCDA work potential by heat transfer (LMFBR), 4004
Bubble-induced heat transfer in a heat generating liquid layer (LMFBR), 109 (ANL--78-10)
Chemical simulation modeling of heat transfer in LMFBRs, 1012 (DOE/ET/37205--T1)
Convective heat transfer correlations for molten core debris pools growing in concrete (LMFBR), 949 (COO--4261-8)
Debris transport in horizontal piping (LMFBR), 4014
Effect of fluid-to-structure heat transfer on the structural damage potential to a liquid-metal fast breeder reactor, 3110
Effects of internal circulation velocity and noncondensable gas on vapor condensation from a rising bubble (LMFBR), 3567
Effects of sodium entrainment and heat transfer with UO_2 vapor during an HCDA (LMFBR), 4006
Effects of scattering on radiative cooling of a large HCDA-produced vapor bubble (LMFBR), 812 (CONF-790816--21)
Experimental investigations of heat transfer characteristics in liquid layers with internal heat sources (LMFBR), 503 (CONF-761001--P4)
Heat and mass transport processes of a horizontal melting or decomposing layer under a molten pool (BWR; PWR; LMFBR), 4992
Heat conduction by MWR using semi-infinite media trial functions (LMFBR), 4742
Heat transfer in volumetrically-heated pools with gas injection at the boundaries (LMFBR), 108 (ANL--78-10)
Heat transfer and fluid flow aspects of fuel--coolant interactions (LMFBR), 926 (COO--2781-12TR)
Heat transfer and thermal losses in above-core regions (LMFBR), 2279 (LA-UR--79-1230)
Importance of heat transfer in hypothetical core disruptive accident analysis, 4437
Improvement and verification of fast reactor safety analysis techniques. Progress report, 1 July 1977--30 September 1977, 919 (COO--2571-10)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1979-March 31, 1980 (LMFBR), 925 (COO--2571-19)
In-reactor experiments on the cooling of fast reactor debris, 2860 (SAND--78-0437C)
LMFBR safety and core systems programs. Progress report, January--March 1977, 2629 (ORNL/TM--5940)
Model and computer code for energy and mass transport in decomposing concrete and related materials (LMFBR), 2891 (SAND--79-1733C)
Multi-field hydrodynamic disassembly calculations with space--time kinetics: FX2/VENUS-III, 449 (CONF-761001--P3)
Natural convection heat transfer in beds of inductively heated particles. Topical report (LMFBR), 2700 (PB--287481)
Network model of free convection within internally heated porous media (LMFBR), 2823 (SAND--77-1092C)
Network model of free convection within internally heated porous media (LMFBR), 2849 (SAND--78-0216C)
Phenomenological modeling of SRI condensible vapor source experiments (LMFBR), 3201
Postaccident heat removal: debris-bed experiments D-2 and D-3 (LMFBR), 2404 (NUREG/CR--0421)
Radiological assessment models. Thirteenth quarterly report, September--November 1977 (LMFBR), 1372 (GEFR--14034-13)
Role of radiative heat transfer in post-disassembly fuel self-mixing, 3625
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2409 (NUREG/CR--0453(Vol.1))
SIMMER-II code and its applications (LMFBR), 2281 (LA-UR--79-1918)
SIMMER-VENUS II comparison for mechanical disassembly of an LMFBR, 4782
Statistical analysis of SIMMER-II results, 3651
Stochastically variable parameters in probabilistic accident analysis (LMFBR), 4785
Study of dryout heat fluxes in beds of inductively heated particles (LMFBR), 2357 (NUREG--0262)
Summary of treat experiments on oxide core-disruptive accidents (LMFBR), 150 (ANL--79-13)
Thermal coitions controlling subassembly failure propagation during the transition phase in an LMFBR, 3623
Thermo-fluid mechanics of volume-heated boiling pools (LMFBR), 110 (ANL--78-10)
VENUS-III two-dimensional multi-component thermal hydraulic techniques, 768 (CONF-790402--18)
Visual investigation of reactor fuels response to simulated LOF heating conditions, first series (LMFBR), 2453 (NUREG/CR--0914)

REACTOR CORE DISRUPTION/HYDRAULICS
Boiling glow regimes for carbide fuel and steel (LMFBR), 4003
Boilup threshold for the bottled-up transition-phase pool (LMFBR), 4007
CAMEL seven-pin fuel sweepout tests (LMFBR), 3998

Chemical simulation modeling of heat transfer in LMFBRs, 1012 (DOE/ET/37205--T1)
Debris transport in horizontal piping (LMFBR), 4014
Fluid-structure interaction analysis of a deck structure during a HCDA (LMFBR), 801 (CONF-790802--70)
Heat conduction by MWR using semi-infinite media trial functions (LMFBR), 4742
Heat transfer and fluid flow aspects of fuel--coolant interactions (LMFBR), 926 (COO--2781-12TR)
Heat transfer and thermal losses in above-core regions (LMFBR), 2279 (LA-UR--79-1230)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1979-March 31, 1980 (LMFBR), 925 (COO--2571-19)
Integral postdisassembly energetics test: a preliminary investigation (LMFBR), 2285 (LA-UR--79-2245)
LMFBR safety and core systems programs. Progress report, January--March 1977, 2629 (ORNL/TM--5940)
Measurement and analysis of drag in multiphase flow systems (LMFBR), 2278 (LA-UR--79-811)
Molten fuel containment analysis for SLSF experiments (LMFBR), 837 (CONF-791103--25)
Nonequilibrium phenomena in flashing water used as an HCDA source simulant. Technical report No. 8 (LMFBR), 2781 (SAN--0115-T7)
Phenomenological modeling of SRI condensible vapor source experiments (LMFBR), 3201
Quasi-Eulerian method for analyzing slug impact and coolant spillage in a fast-reactor accident, 160 (ANL--79-89)
Radiological assessment models. Thirteenth quarterly report, September--November 1977 (LMFBR), 1372 (GEFR--14034-13)
SIMMER analysis of SRI high pressure bubble expansion experiments (LMFBR), 2277 (LA-UR--79-770)
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2409 (NUREG/CR--0453(Vol.1))
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2410 (NUREG/CR--0453(Vol.2))
SIMMER-II code and its applications (LMFBR), 2281 (LA-UR--79-1918)
Sodium slug kinetic energy behavior for varying HCDA energetics (LMFBR), 3990
Stochastically variable parameters in probabilistic accident analysis (LMFBR), 4785
Structural formulation for upper internals of LMFBR, 799 (CONF-790802--68)
Summary of treat experiments on oxide core-disruptive accidents (LMFBR), 150 (ANL--79-13)
System hydraulic effects on fuel sweepout in the hypothetical TOP accident (LMFBR), 3999
Termination phase of core disruptive accidents in LMFBRs, 2263 (LA--7938-C)
Thermo-fluid mechanics of volume-heated boiling pools (LMFBR), 110 (ANL--78-10)
Three-dimensional fluid-structure interaction calculations for the dynamic response of a pool-type reactor's in-tank component (LMFBR), 3989
VENUS-III two-dimensional multi-component thermal hydraulic techniques, 768 (CONF-790402--18)
Visual investigation of reactor fuels response to simulated LOF heating conditions, first series (LMFBR), 2453 (NUREG/CR--0914)

REACTOR CORE DISRUPTION/HYDRODYNAMICS
ALICE: a hybrid Lagrangian--Eulerian code for containment analysis, 3662
Analysis and measurement of solidification dynamics of flowing two-phase noncondensable mixtures, 3622
Analysis of transient fluid-structure problems using an advanced Eulerian method, 4487
Analysis of nonlinear fluid structure interaction transient in fast reactors, 146 (ANL--78-103)
Analysis of LMFBR containment response using a multifield implicit continuous-fluid Eulerian code (MICE), 3539
Bubble behavior in LMFBR core disruptive accidents. Annual report, July 1, 1976--September 30, 1977, 2375 (NUREG/CR--0002)
Comparison of ICECO predictions of wave propagation in the rigid two-dimensional vessel experiments, 3641
Comparison of ALICE predictions with SRI flexible vessel experiments (LMFBR), 3196
Computer code for SEURBNUK-2 for fast reactor explosion containment safety studies, 295 (AWRE--49/91/87)
Computer simulation of LMFBR piping systems, 559 (CONF-770807--Pt.E)
Condensation from a large HCDA vapor-gas bubble onto structures (LMFBR), 738 (CONF-781105--58)
Core disruptive accident and recriticality analysis with FX2-POOL, 450 (CONF-761001--P3)
Debris bed and sacrificial materials interactions at high temperatures (LMFBR), 2864 (SAND--78-1249C)
Dynamics of solidification of flowing fluids with applications to LMFBR post-accident fuel relocation, 483 (CONF-761001--P4)
Eulerian algorithm for analyzing fluid-structure interaction in the fast reactor containment, 582 (CONF-770807--Pt.E)
Eulerian method for large-displacement fluid-structure interaction in reactor containments, 618 (CONF-771120--23)
Hydrodynamical experiments on an enlarged model of a fast reactor fuel assembly, 1902 (INIS-mf--4280)
Hydrodynamic and elastoplastic structural analysis of fast breeder reactor core accident, 1983 (INIS-mf--4592)
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1977--December 31, 1977, 920 (COO--2571-11)
KADIS: a program to analyze the disassembly phase of hypothetical accidents in (LMFBRs), 5462 (DOE-tr--113)
Modeling and numerical methods of TWOPOOL (LMFBR), 3605
Multi-field hydrodynamic disassembly calculations with space--time kinetics: FX2/VENUS-III, 449 (CONF-761001--P3)
Multiphase transients with coolant and core materials in LMFBR core disruptive accident energetics evaluations, 2391 (NUREG/CR--0224)
New Eulerian hydrodynamic technique for analyzing FBR containment with complex internal structures, 3194
Numerical thermal mixing in Eulerian calculations of coupled thermo/hydrodynamic motions (LFMBR), 2419 (NUREG/CR--0594)
Response of fluid-filled vessels to internal explosions, 3642
Safety analysis of the primary heat transport systems of LMFBRs, 456 (CONF-761001--P3)
Splitting method for computing coupled hydrodynamic and structural response, 4404
Statistical analysis of SIMMER-II results, 3651
Structural response of the upper internals (LMFBR), 3195
Two-phase momentum exchange experiment and analysis, 3613
Uranium dioxide equation of state for LMFBR excursion analysis, 2224 (LA--4319)
Value of distributed particle in cell techniques (LMFBR), 3606

REACTOR CORE DISRUPTION/LIQUID FLOW
Analysis of a prototypic and a simulant experiment related to freezing in flow channels (LMFBR), 2260 (LA--7938-C)
Mechanistic model of fuel flow regimes and fuel plateout in LMFBR overpower accidents, 4001
Molten fuel relocation and connected problems: the GELCO code, comparison with experimental results, application to reactor (LMFBR), 2261 (LA--7938-C)
SIMMER analysis of SRI high pressure bubble expansion experiments (LMFBR), 2262 (LA--7938-C)

REACTOR CORE DISRUPTION/MASS TRANSFER
Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST) (LMFBR), 2597 (ORNL/NUREG/CR--0678)
Heat and mass transport processes of a horizontal melting or decomposing layer under a molten pool (BWR; PWR; LMFBR), 4992
Transport processes in LMFBR core disruptive accidents, 2270 (LA-UR--78-1265)

REACTOR CORE DISRUPTION/MATHEMATICAL MODELS
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 2188 (KFK--2491)
Analysis of hypothetical LMFBR whole-core accidents in the USA, 729 (CONF-781022--31)
Analysis of TREAT Tests L7 and L8 with SAS3D, LEVITATE and PLUTO2 (LMFBR), 1020 (DOE/TIC--10102)
Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2691 (PB--273304)
Confidence level in the calculations of HCDA consequences using large codes (LMFBR), 1641 (HEDL-SA--1835)
Disassembly phase energetics: an examination of the impact of SIMMER models and assumptions, 2457 (NUREG/CR--1027)
Effects of recent modeling developments in prompt burst hypothetical core disruptive accident calculations (LMFBR), 3486
Evaluation of computational techniques for LMFBR safety analysis, 2813 (SAND--77-0924C)
Fast integral modeling of hypothetical core disruptive accidents in liquid-metal fast breeder reactors, 3289
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2191 (KFK--2546)
Hypothetical core disruptive accident analysis of a 2000 MWsub(e) liquid metal cooled fast breeder reactor, 2187 (KFK--2490)
Impact of SIMMER-II model uncertainties on predicted postdisassembly dynamics, 2459 (NUREG/CR--1058)
KADIS: a program to analyse the disassembly phase of hypothetical accidents in LMFBRs, 2189 (KFK--2497)
Model for evaluating probabilities of primary system retention of core debris and time of release in LMFBR risk assessments, 499 (CONF-761001--P4)
Modeling of reactor internals in the HCDA analysis, 565 (CONF-770807--Pt.E)
Probabilistic analysis of liquid-metal fast breeder reactor accident consequences with response surface techniques, 3809
PROSA-1: a probabilistic response-surface analysis code (LMFBR), 128 (ANL--78-56)
Qualification testing program plan for SIMMER. A computer code for LMFBR disrupted core analysis, 2365 (NUREG--0457(Rev.0))
Reactor development program progress report, July--August 1977 (LMFBR), 270 (ANL-RDP--62)
Reactor development program. Progress report,

September 1977 (LMFBR), 271 (ANL-RDP--63)
Reactor Development Program. Progress report (LMFBR), 272 (ANL-RDP--64)
Reactor development program progress report, Jan 1978 (LMFBR), 275 (ANL-RDP--67)
Reactor development program. Progress report, November 1977 (LMFBR), 273 (ANL-RDP--65)
Reactor development program progress report, December 1977 (LMFBR), 274 (ANL-RDP--66)
Reactor development program progress report, March 1978 (LMFBR), 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978 (LMFBR), 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978 (LMFBR), 278 (ANL-RDP--70)
Sensitivity study of LMFBR core disassemblies, 3637
Uncertainty analysis of consequences calculated by large computer codes, 1853 (HEDL-TME--79-42)
REACTOR CORE DISRUPTION/MEETINGS
Specialists' workshop on predictive analysis of material dynamics in LMFBR safety experiments, March 13-15, 1979, 2239 (LA--7938-C)
REACTOR CORE DISRUPTION/MELTDOWN
Condensation of fuel onto the above-core structure during an LMFBR core-disruptive accident, 2360 (NUREG--0344)
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978 (LMFBR), 2451 (NUREG/CR--0900)
Surface ablation in the impingement region of a liquid jet, 3614
REACTOR CORE DISRUPTION/NEUTRON TRANSPORT
Assessment of transport effects in LMFBR safety neutronics, 427 (CONF-761001--P2)
REACTOR CORE DISRUPTION/PHOTOGRAPHY
Time-resolved coded aperture imaging system for nuclear fuel motion measurements, 4988
REACTOR CORE DISRUPTION/POWER DISTRIBUTION
SIMMER-VENUS II comparison for mechanical disassembly of an LMFBR, 4782
REACTOR CORE DISRUPTION/PRESSURE GRADIENTS
Characterization of an energy source for modeling hypothetical core disruptive accidents in nuclear reactors. First interim report (LMFBR), 266 (ANL/K72--2655-1)
Comparison of experiment with analysis of a water-filled plastically deforming pipe using the computer code PTA-1 (LMFBR), 3024 (WARD-SR--3045-8)
Comparison of ICECO code predictions with COVA experimental data (LMFBR), 3197
Dispersive potential of irradiated breeder reactor fuel during a thermal transient (LMFBR), 4801
Experiments on the response of rigid and flexible reactor vessel models to a simulated hypothetical core disruptive accident (LMFBR), 267 (ANL/K76--2655-5)
Fission gas bubble modeling for LMFBR accidents, 4804
Measurement and analysis of drag in multiphase flow systems (LMFBR), 2278 (LA-UR--79-811)
Review of containment transients in a 2500 MW/sub t/ sodium cooled breeder reactor following postulated core disruptive accidents, 107 (ANL--78-10)
SIMMER analysis of SRI high pressure bubble expansion experiments (LMFBR), 2277 (LA-UR--79-770)
Structural response of 1/20 scale models of above core structures to increasingly energetic hypothetical core disruptive accidents. Technical report 7 (LMFBR), 2782 (SAN--0115-T8)
Three-dimensional fluid-structure interaction dynamics of a pool-reactor in-tank component (LMFBR), 798 (CONF-790802--67)
REACTOR CORE DISRUPTION/RADIANT HEAT TRANSFER
Solution of radiation-conduction problems in LMFBR safety with collocation method, 3185
Surface radiation properties between nuclear reactor materials in contact, 941 (COO--4040-3)
REACTOR CORE DISRUPTION/RADIOACTIVE AEROSOLS
Agglomeration characteristics of fast reactor HCDA aerosols, 683 (CONF-780819--13)
Analysis of aerosol particles undergoing gravitational agglomeration. Annual progress report, December 15, 1976--September 30, 1977 (LMFBR), 2379 (NUREG/CR--0015)
Analysis of aerosol particles undergoing gravitational agglomeration. Annual progress report, October 1, 1977--September 30, 1978 (LMFBR), 2434 (NUREG/CR--0780)
Application of acoustic agglomerators for emergency use in liquid-metal fast breeder reactor plants, 3239
Attenuation of airborne debris from LMFBR accidents, 1591 (HEDL-SA--1665)
Characterization of agglomerates of UO_2 aerosol particles (LMFBR), 2416 (NUREG/CR--0489)
Close-in sampling of aerosols from fission vaporized UO_2 fuel (LMFBR), 2856 (SAND--78-0257C)
Deposition of aerosols formed by HCDA due to decay heat transport in LMFBR inner containment atmospheres, 493 (CONF-761001--P4)
Development of the capacitor discharge vaporization technique to produce aerosols formed under conditions postulated for hypothetical core disruptive accidents, 2604 (ORNL/NUREG/TM--160)
Effect of energy density on aerosol yield and primary particle sizes produced by the capacitor discharge vaporization (CDV) of UO_2 (LMFBR), 2386 (NUREG/CR--0120)
Fuel particle and fission product release from LMFBR-core catcher, 494 (CONF-761001--P4)
Gravitational agglomeration of aerosols (LMFBR), 4664
Gravitational collision efficiency of post hypothetical core disruptive accident Liquid-Metal Fast Breeder Reactor aerosols: spherical particles, 3060
Numerical method of the aerosol behavior reference code, CRAB (LMFBR), 2421 (NUREG/CR--0620)
ORNL experiments to characterize fuel release from the reactor primary containment in severe LMFBR accidents, 853 (CONF-800434--2)
Primary aerosol particle-size distribution from homogeneous nucleation condensation and particle growth (LMFBR), 2364 (NUREG--0391)
Reactor safety. Annual technical progress report, Government fiscal year 1979 (LMFBR), 1165 (ESG-DOE--13294)
Sensitivity analysis of the HAARM-3 code (LMFBR aerosol agglomeration), 2417 (NUREG/CR--0527)
Some potential reductions in the release of radioactivity under LMFBR accident conditions, 495 (CONF-761001--P4)
Source term assessment concepts for LMFBRS: Aerosol Release and Transport (ART) Analytical Program, 2599 (ORNL/NUREG/TM--124)
State of the art in aerosol modelling for LMFBR safety analysis, 492 (CONF-761001--P4)
REACTOR CORE DISRUPTION/RADIOACTIVITY TRANSPORT
Crab user's manual, 2449 (NUREG/CR--0872)
FISGAS: a code for fission-gas migration and fuel swelling in an LMFBR accident, 2465 (NUREG/CR--1124)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April-June 1979, 2460 (NUREG/CR--1062)
REACTOR CORE DISRUPTION/REACTIVITY
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 3106 (DOE-tr--115)
Transport-diffusion comparisons for small core LMFBR disruptive accidents, 2594 (ORNL/CSD/TM--38)
REACTOR CORE DISRUPTION/REACTIVITY COEFFICIENTS
Neutronic analysis of LMFBRs during severe core disruptive accidents, 2592 (ORNL/CSD--35)
SIMMER-VENUS II comparison for mechanical disassembly of an LMFBR, 4782
Stochastically variable parameters in probabilistic accident analysis (LMFBR), 4785
Transport/diffusion comparisons for small-core LMFBR disruptive accidents, 4786
Void reactivity effects on fast reactor HCDA excursion energy (LMFBR), 4788
REACTOR CORE DISRUPTION/REACTIVITY INSERTIONS
A look at alternative core disruption accidents in LMFBR's. Part II. A general evaluation approach to risk-benefit for large technological systems and its application to nuclear power, 2693 (PB--280695)
Study of the reactivity effect of bubble collapse in molten liquid metal cooled reactors, 2358 (NUREG--0286)
REACTOR CORE DISRUPTION/REACTIVITY WORTHS
Analysis of core disruptive accidents in carbide-fueled LMFBRs, 4860
Bubble worth variation in molten cores from a hypothetical core disruptive accident (LMFBR), 3270
REACTOR CORE DISRUPTION/REACTOR KINETICS
Integral postdisassembly energetics test: a preliminary investigation (LMFBR), 2285 (LA-UR--79-2245)
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2409 (NUREG/CR--0453(Vol.1))
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2410 (NUREG/CR--0453(Vol.2))
SPQR: a Monte Carlo reactor kinetics code (LMFBR), 2686 (ORNL/TM--7086)
REACTOR CORE DISRUPTION/SIMULATION
Analysis of the ZPPR-5 critical experiments: simulating hypothetical core disruptive accidents, 1238 (GEFR--00109)
Characterization of an energy source for modeling hypothetical core disruptive accidents in nuclear reactors. First interim report (LMFBR), 266 (ANL/K72--2655-1)
Coded aperture imaging of reactor-illuminated LMFBR fuel pins, 4755
Eulerian finite-difference calculations of explosions in partially water-filled overstrong cylindrical containment vessels, 2832 (SAND--77-1342)
First visual in-pile fuel disruption experiments (LMFBR), 2857 (SAND--78-0266C)
Improvement and verification of fast reactor safety analysis techniques. Progress report, April 1, 1977--June 30, 1977, 918 (COO--2571-9)
Improvement and verification of fast reactor safety analysis techniques. Progress report, 1 July 1977--30 September 1977, 919 (COO--2571-10)
Improvement and verification of fast reactor safety analysis techniques. Progress report, January 1, 1978--March 31, 1978, 921 (COO--2571-12)
Nonprototypic effects due to fuel length and number of pins in in-pile testing (LMFBR), 4754
Role of similitude in the design of LMFBR safety-related simulation experiments, 2282 (LA-UR--79-1956)
Simulation of hypothetical core disruptive accidents in vessel models, 454 (CONF-761001--P3)
Summary of treat experiments on oxide core-disruptive

accidents (LMFBR), 150 (ANL--79-13)
REACTOR CORE DISRUPTION/STRESS ANALYSIS
Experimental stress analysis in fast nuclear reactor safety. (LMFBR), 4221
Hydrodynamic and elastoplastic structural analysis of fast breeder reactor core accident, 1983 (INIS-mf--4592)
Reactor development program. Progress report, September 1977 (LMFBR), 271 (ANL-RDP--63)
REACTOR CORE DISRUPTION/STRESSES
Above-core structural response to a molten core disassembly (LMFBR), 4757
Analysis and application of prestressed concrete reactor vessels for LMFBR containment, 3542
Analysis of prestressed concrete vessels for HCDA loads (LMFBR), 3991
Comparison of REXCO code predictions with flexible vessel experiments (LMFBR), 3538
Comparison of ICECO code predictions with flexible vessel experiments (LMFBR), 3543
Dynamic structural response of LMFBR head closures to hypothetical core disruptive accidents, 3541
Structural response of 1/20 scale models of above core structures to increasingly energetic hypothetical core disruptive accidents. Technical report 7 (LMFBR), 2782 (SAN--0115-T8)
REACTOR CORE DISRUPTION/TEMPERATURE GRADIENTS
Review of containment transients in a 2500 MW/sub t/ sodium cooled breeder reactor following postulated core disruptive accidents, 107 (ANL--78-10)
REACTOR CORE DISRUPTION/TEST FACILITIES
Coded aperture imaging of reactor-illuminated LMFBR fuel pins, 4755
REACTOR CORE DISRUPTION/THERMODYNAMICS
Condensation from a large HCDA vapor-gas bubble onto structures (LMFBR), 738 (CONF-781105--58)
Effects of energy losses of arbitrary magnitude on fuel quality, vapor density, and bubble diameter in an idealized expansion of mixtures of UO_2 and sodium, 3311
Experimental studies in CDA work-energy attenuation. Quarterly progress report No. 17, 1 January to 31 March 1979 (LMFBR), 2779 (SAN--0115-T5)
Improvement and verification of fast reactor safety analysis techniques. Progress report, April 1, 1977--June 30, 1977, 918 (COO--2571-9)
Modeling and numerical methods of TWOPOOL (LMFBR), 3605
Numerical thermal mixing in Eulerian calculations of coupled thermo/hydrodynamic motions (LFMBR), 2419 (NUREG/CR--0594)
Possible mechanisms for the formation of the observed and expected compounds during a Hypothetical Core Disruptive Accident (HCDA) (LMFBR), 2466 (NUREG/CR--1134)
REACTOR CORE DISRUPTION/TWO-DIMENSIONAL CALCULATIONS
Approximate inversion method for five point difference matrix equations (LMFBR), 2276 (LA-UR--79-162)
REACTOR CORE DISRUPTION/TWO-PHASE FLOW
Effects of sodium entrainment and heat transfer with UO_2 vapor during an HCDA (LMFBR), 4006
Survey of existing momentum exchange models in two-phase flows for use in the SIMMER fast reactor safety analysis code (LMFBR), 2390 (NUREG/CR--0167)
REACTOR CORE DISRUPTION/VOID COEFFICIENT
Bubble collapse reactivity increases in boiling fuel/steel pools (LMFBR), 4789
REACTOR CORE DISRUPTION/VOIDS
Bubble behavior in LMFBR core disruptive accidents. Annual report, October 1977--September 1978, 2420 (NUREG/CR--0604)
REACTOR CORE RESTRAINTS
Core restraint system design guidelines (LMFBR), 1312 (GEFR--00423)
Liquid metal cooled reactor provided with a system limiting the core displacement with respect to control rods (Patent), 4426
Liquid metal cooled reactor provided with a system limiting the core displacement with respect to control rods (Patent), 4427
Magnetic nuclear core restraint and control (Patent), 3235
Thermal-hydraulic modeling for the analysis of LMFBR core restraint transient responses (CORTAC-3D code), 3223
REACTOR CORE RESTRAINTS/DESIGN
Core restraint engineering. Fourteenth quarterly report, November 1977--January 1978 (LMFBR), 1367 (GEFR--14031-14)
Core restraint engineering. Eleventh quarterly report, February--April 1977 (LMFBR), 1364 (GEFR--14031-11)
Core restraint engineering. Fifteenth quarterly report, February--April 1978 (LMFBR), 1368 (GEFR--14031-15)
Core restraint engineering. Sixteenth quarterly report, May--July 1978 (LMFBR), 1369 (GEFR--14031-16)
Core restraint engineering. Seventeenth quarterly report, August--October 1978 (LMFBR), 1370 (GEFR--14031-17)
Device for protecting deformations of reactor cores (Patent; LMFBR), 5371
Device for supporting the core of a fast neutron reactor (Patent), 4263 (ANL-Trans--1114)
Magnetic nuclear core restraint and control (Patent: LMFBR), 3358
National core restraint development program: seven row test results (LMFBR), 2962 (WARD-CR--3045-20)
Nuclear core positioning system (Patent; LMFBR), 3300
REACTOR CORE RESTRAINTS/PERFORMANCE
Core restraint performance of large heterogeneous reference cores, 178 (ANL-AFP--37)
REACTOR CORE RESTRAINTS/PERFORMANCE TESTING
Core restraint seismic test plan (LMFBR), 1274 (GEFR--00357)
Core restraint development. Quarterly progress report for period ending February 28, 1979 (LMFBR), 2968 (WARD-CR--94000-2)
National core restraint development program: seven row test results (LMFBR), 2962 (WARD-CR--3045-20)
REACTOR CORE RESTRAINTS/RESEARCH PROGRAMS
Core restraint development. Quarterly progress report for period ending May 31, 1977 (LMFBR), 2960 (WARD-CR--3045-17)
Core restraint engineering. Twelfth quarterly report, May--June 1977 (LMFBR), 1365 (GEFR--14031-12)
Core restraint development. Quarterly progress report for period ending August 31, 1977 (LMFBR), 2961 (WARD-CR--3045-19)
Core restraint engineering. Ninth quarterly report, August--October 1976 (LMFBR), 1362 (GEFR--14031-9)
Core restraint engineering. Thirteenth quarterly report, August--October 1977 (LMFBR), 1366 (GEFR--14031-13)
Core restraint development. Quarterly progress report for period ending November 30, 1977 (LMFBR), 2963 (WARD-CR--3045-21)
Core restraint engineering. Tenth quarterly report, November--December 1976 and January 1977 (LMFBR), 1363 (GEFR--14031-10)
Core restraint development. Quarterly progress report for period ending February 28, 1978 (LMFBR), 2964 (WARD-CR--3045-22)
Core restraint development. Quarterly progress report for period ending May 31, 1978 (LMFBR), 2965 (WARD-CR--3045-23)
Core restraint development. Quarterly progress report for period ending August 31, 1978 (LMFBR), 2966 (WARD-CR--3045-24)
Core restraint development. Quarterly progress report for period ending November 30, 1978 (LMFBR), 2967 (WARD-CR--94000-1)
Core restraint development. Quarterly progress report for period ending February 28, 1979 (LMFBR), 2968 (WARD-CR--94000-2)
Core restraint development. Quarterly progress report for period ending May 31, 1979 (LMFBR), 2969 (WARD-CR--94000-3)
REACTOR CORE RESTRAINTS/SEISMIC EFFECTS
Core restraint system seismic modeling capabilities (LMFBR), 1241 (GEFR--00156)
Core restraint seismic test plan (LMFBR), 1274 (GEFR--00357)
REACTOR CORE RESTRAINTS/STRESS ANALYSIS
Comparison and verification of the core restraint codes NUBOW-2D, NUBOW-3D, and PARABOW: Level II (LMFBR), 209 (ANL-CT--78-13)
Development and preliminary verification of CORTAC-3D (LMFBR), 1290 (GEFR--00396)
National core restraint program code verification/comparison study, problem level I-D (LMFBR), 1236 (GEFR--00101)
National core restraint development program code verification/comparison study, problem level I-B (LMFBR), 1243 (GEFR--00239)
NUBOW-2D inelastic: a FORTRAN program for static two-dimensional structural analysis of bowed reactor cores, including effects of irradiation creep and swelling (LMFBR), 194 (ANL-CT--77-34)
Reactor Development Program progress report, May--June 1977 (LMFBR), 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977 (LMFBR), 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977 (LMFBR), 271 (ANL-RDP--63)
Reactor Development Program. Progress report (LMFBR), 272 (ANL-RDP--64)
Reactor development program progress report, March 1978 (LMFBR), 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978 (LMFBR), 276 (ANL-RDP--68)
Summary of the CORTAC verification activity and the evaluation of 3-D effects (LMFBR), 1256 (GEFR--00293)
UK/USA core restraint exchange study NUBOW-3D results (LMFBR), 226 (ANL-CT--78-40)
REACTOR CORES
Comparision of SAS3D LOF transient analyses for 1200-MW(e) LMFBR conventional and nonconventional core designs, 4802
Fast breeder reactor (Patent), 4527
Fast breeder reactor and fuel assemblies forming the core (Patent), 5241
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 7-11. Interim report, 1088 (EPRI-NP--882(Vol.2B))
REACTOR CORES/BREEDING RATIO
Assessment of the breeding potential of U--Pu--Zr metal-fueled 1200-MW(e) LMFBRs, 4696
Breeding performance potential for (U--Th) oxide,

carbide, nitride, and metal-fueled LMFBRs, 3588
REACTOR CORES/CLOSURES
Nuclear reactor (Patent; LMFBR), 3267
REACTOR CORES/CONFIGURATION
Advanced safety analysis. Eleventh quarterly report, March--May 1977 (LMFBR), 1376 (GEFR--14038-11)
Potential of large heterogeneous reactors (LMFBR), 620 (CONF-771123--2)
REACTOR CORES/DEFORMATION
Analysis of bowed reactor cores using the FIAT-program, 1935 (INIS-mf--4498)
Analysis of bowed reactor cores using the FIAT-program, 5097
Core structural analysis codes verification/qualification (LMFBR), 3946
DDT - a 3-dimensional program for the analysis of bowed reactor cores, 5036
DDT-A 3-dimensional program for the analysis of bowed reactor cores (LMFBR), 1942 (INIS-mf--4498)
Investigation of the three-dimensional thermoelastic deformation of the core assembly of a fast breeder reactor under steady-state operating conditions, 5459 (EURFNR--1412)
NUBOW-2D inelastic: a computer program for the bowing history of reactor cores (LMFBR), 4699
NUBOW-3D (inelastic): a FORTRAN program for the static three-dimensional structural analysis of bowed reactor cores including the effects of irradiation creep and swelling (LMFBR), 213 (ANL-CT--78-19)
REACTOR CORES/DESIGN
Core design methods for advanced LMFBRs, 1460 (HEDL-SA--1205)
Core design and optimization of high performance low sodium void 1000 MWe heterogeneous oxide LMFBR cores, 1884 (IAEA-SM--244/66)
Core engineering. Sixty ninth quarterly report, November 1978--January 1979 (LMFBR; FFTF), 1336 (GEFR--10028-69)
Design and economics of large LMFBRs, 1477 (HEDL-SA--1321)
Design considerations in liquid metal fast breeder reactor upper internals structures, 3330
Effect of operating temperature on LMFBR core performance, 341 (CE-FBR--77-26)
Fast reactor (Patent), 5364
FBR core design with the composite fuel assembly, 1532 (HEDL-SA--1477)
Generic transient limit curves for LMFBR core design guidance, 3961
Heterogeneous cores for LMFBR improves breeding, 3276
High-temperature structural design: 1977 summary and status report (LMFBR), 2567 (ORNL--5419)
Influence of core assembly refueling requirements on LMFBR core system design, 3329
Mechanical design trade-off studies of reactor core for LMFBR, 4118
Mixed fuel cycle hybrid LMFBR cores: design and analysis, 4917
Nuclear characteristics of large LMFBR's: homogeneous and heterogeneous designs, 663 (CONF-780401--)
Nuclear performance of liquid--metal fast breeder reactors designed to preclude energetic hypothetical core disruptive accidents, 3139
Nuclear reactor (Patent; LMFBR), 5230
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Design and performance of reference cores. Research project 620-25, 1101 (EPRI-NP--1000(Vol.1))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendixes A and B. Research project 620-25, 1102 (EPRI-NP--1000(Vol.2))
Optimization of radially heterogenous 1000-MW(e) LMFBR core configurations. Appendix C. Research project 620-25, 1103 (EPRI-NP--1000(Vol.3))
Optimization of radially heterogeneous 1000-MW(e) LMFBR core configurations. Appendixes D and E. Research project 620-25, 1104 (EPRI-NP--1000(Vol.4))
Physics aspects in the design of heterogeneous cores (LMFBR), 669 (CONF-780401--13)
Physics performances of a heterogeneous fast reactor core concept studied in MASURCA, 3138
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part IV. Reactor assembly and core, final report, 1074 (EPRI-NP--646(Vol.4))
Research and development activities concerning the Super-Phenix core, 3881
Use of integral data in the development of design methods for fast reactors, 660 (CONF-780401--)
REACTOR CORES/ENERGY TRANSFER
LMFBR Prompt Burst Excursion (PBE) experiments in the Annular Core Pulse Reactor (ACPR), 468 (CONF-761001--P4)
REACTOR CORES/ENGINEERING
Core engineering sixty-second quarterly report, February--April 1977 (LMFBR; FFTF), 1329 (GEFR--10028-62)
Core engineering. Sixty-third quarterly report, May--July 1977 (LMFBR; FFTF), 1330 (GEFR--10028-63)
Core engineering. Sixty-fourth quarterly report, August--October 1977 (LMFBR; FFTF), 1331 (GEFR--10028-64)
Core engineering. Sixty-fifth quarterly report, November 1977--January 1978 (LMFBR; FFTF), 1332 (GEFR--10028-65)
Core engineering. Sixty-seventh quarterly report, May-July 1978 (LMFBR; FFTF), 1334 (GEFR--10028-67)
Core engineering. Sixty-eighth quarterly report, August--October 1978 (LMFBR), 1335 (GEFR--10028-68)
REACTOR CORES/EXPLOSIONS
Bulk coolant cavitation in LMFBR containment loading following a whole-core explosion, 5051
Bulk coolant cavitation in LMFBR containment loading following a whole-core explosion, 1976 (INIS-mf--4592)
REACTOR CORES/FLOW REGULATORS
Flow orificing of large LMFBR cores with interassembly heat transfer, 532 (CONF-770611--38)
REACTOR CORES/FLUID FLOW
Coolant mixing in the LMFBR outlet plenum, 876 (COO--2245-44TR)
Sensitivity theory for reactor thermal-hydraulics problems, 3375
REACTOR CORES/FUEL ELEMENTS
Bracing system for the fuel elements of a reactor core, 3299
REACTOR CORES/HEAT TRANSFER
Approximate simulation technique for thermal and hydraulic parameters of a reactor core (LMFBR), 1212 (FEI--597)
Impact of bypass flow on thermal transients in LMFBR, 4691
Review of literature on unsteady forced convection heat transfer with application to LMFBR thermal striping, 2932 (TID--28937)
THI3D-1: a computer program for steady-state thermal-hydraulic multichannel analysis (LMFBR), 52 (ANL--77-15)
Three-dimensional thermal-hydraulic analysis of wire-wrapped rods in liquid-metal fast breeder reactor core assemblies, 4381
REACTOR CORES/HETEROGENEOUS EFFECTS
Analysis of the differences in breeding ratio and fissile inventory between heterogeneous and homogeneous liquid-metal fast breeder reactors, 3056
Experimental study of LMFBR heterogeneous core at FCA, 2143 (JAERI-M--8117)
Neutron and gamma transport effects by heterogeneous core designs (LMFBR), 528 (CONF-770611--34)
REACTOR CORES/HYDRAULICS
Analytical method to accurately predict LMFBR core flow distribution, 781 (CONF-790602--87)
Analytical method to accurately predict LMFBR core flow distribution (CATFISH code), 3216
Approximate simulation technique for thermal and hydraulic parameters of a reactor core (LMFBR), 1212 (FEI--597)
Impact of bypass flow on thermal transients in LMFBR, 4691
Modeling fluid structure coupling for LMFBR cores, 3944
ORIFIS: a computer core to distribute reactor core coolant in large FBRs, 4692
Thermohydraulics of the core of fast neutron reactors, 4211
THI3D-1: a computer program for steady-state thermal-hydraulic multichannel analysis (LMFBR), 52 (ANL--77-15)
Three-dimensional thermal-hydraulic analysis of wire-wrapped rods in liquid-metal fast breeder reactor core assemblies, 4381
REACTOR CORES/MEETINGS
Fuel element of the sodium breeder, 3866 (EURFNR--1418)
REACTOR CORES/MELTDOWN
Method of reducing the hazard which may occur as a consequence of a reactor core meltdown (Patent), 3565
Protection of the sodium-cooled fast reactor during core melt-down, 4238
REACTOR CORES/NEUTRON REACTIONS
^{235}U, ^{238}U, and ^{239}Pu α value measurements in the BOR-60 reactor core, 3463
REACTOR CORES/OPTIMIZATION
Core design and optimization of high performance low sodium void 1000 MWe heterogeneous oxide LMFBR cores, 1884 (IAEA-SM--244/66)
REACTOR CORES/POWER DISTRIBUTION
Sensitivity of power peaking analysis to large reactor core modeling (LMFBR), 173 (ANL-AFP--32)
REACTOR CORES/REACTION KINETICS
Analysis of advanced fuels critical experiments (LMFBR), 1287 (GEFR--00393)
REACTOR CORES/REACTIVITY COEFFICIENTS
Effect of nonuniform gaps on compaction of an LMFBR core, 4693
Physics performance of heterogeneous LMFBRs with internal axial blankets, 3963
Procedures for measuring bowing/expansion reactivity parameters in an LMFBR, 3676
Systematic approach for constructing low sodium void heterogeneous cores (LMFBR), 530 (CONF-770611--36)
REACTOR CORES/REACTIVITY WORTHS
Axial parfait LMFBR heterogeneous core designs, 3590
Critical experiments and analysis. Twenty-third quarterly report, April--June 1977 (LMFBR), 1338 (GEFR--13771-23)
Evaluation of stochastic void models for bubble worth calculations (LMFBR), 3155
Performance potential of (Th,U) carbide and (Th,U) nitride fuel in 1200 MWe LMFBR's, 911 (COO--2426-133)
Physics performance of heterogeneous LMFBRs with

internal axial blankets, 3963
REACTOR CORES/REACTOR ACCIDENTS
Modeling of reactor internals in the HCDA analysis, 5042
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 5054
REACTOR CORES/REACTOR KINETICS
Analysis of advanced fuels critical experiments (LMFBR), 1287 (GEFR--00393)
Analysis of the differences in breeding ratio and fissile inventory between heterogeneous and homogeneous liquid-metal fast breeder reactors, 3056
Fast neutron reactor core research at the C.E.A., 362 (CEA-R--4911)
Large heterogeneous reference fuel design study. Final report (LMFBR), 1798 (HEDL-TME--78-1)
Study on plan of mock-up critical experiment for large fast reactors by using the FCA. (Study on an amount of Pu fuel needed for partial mock-up experiment in large fast reactors), 2153 (JAPFNR--479)
REACTOR CORES/REACTOR LATTICE PARAMETERS
Preconceptual study of proliferation-resistant heterogeneous sphere-pac-fueled LMFBR cores, 2684 (ORNL/TM--6996)
REACTOR CORES/REACTOR SAFETY
Physics and safety aspects of preliminary SNR 2 core designs, 4137
REACTOR CORES/REMOTE VIEWING EQUIPMENT
Coded aperture imaging: a comparison between Fresnel zone apertures and uniformly redundant array apertures (LMFBR fuel motion detection), 2867 (SAND--78-1625)
REACTOR CORES/RESEARCH PROGRAMS
Core engineering. Sixty-fifth quarterly report, November 1977--January 1978 (LMFBR; FFTF), 1332 (GEFR--10028-65)
Core engineering. Sixty-sixth quarterly report, February 1978--April 1978 (LMFBR), 1333 (GEFR--10028-66)
REACTOR CORES/SEISMIC EFFECTS
Assumed-mode modeling for fast reactor core seismic analysis, 3943
FIC: a finite element code for calculating added mass and damping coefficients. User's manual (LMFBR), 246 (ANL-CT--79-46)
Finite-element code for computing added mass coefficients (LMFBR), 227 (ANL-CT--78-42)
Modeling fluid structure coupling for LMFBR cores, 3944
Preliminary test plan for seismic feature tests, 234 (ANL-CT--79-5)
Preliminary study of fluid effects on reactor core seismic response (LMFBR), 247 (ANL-CT--79-47)
SCRAP: input, output, and source listings, 248 (ANL-CT--79-48)
SCRAP: theory and modeling considerations (LMFBR), 249 (ANL-CT--79-49)
REACTOR CORES/SPECIFICATIONS
Axial parfait LMFBR heterogeneous core designs, 3590
Investigation of sodium-bonded carbide fuel assembly design (LMFBR), 4849
Nuclear design of heterogeneous carbide-fueled LMFBR cores, 3962
REACTOR CORES/STRESS ANALYSIS
Trial application of the draft structural design criteria for breeder reactor core components to a typical blanket assembly duct;sup 1; (DOE), 3334
REACTOR CORES/STRESSES
Assumed-mode modeling for fast reactor core seismic analysis, 3943
REACTOR CORES/SUPPORTS
Nuclear reactor with liquid metal cooling, 3793
Nuclear reactor with liquid metal cooling (Patent), 3795
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 1-6. Interim report, 1087 (EPRI-NP--882(Vol.2 A))
Property changes in fast-reactor core-support components due to low dose rate, long-time irradiation, 5119
REACTOR CORES/TEMPERATURE DISTRIBUTION
Measurements of subassembly and core temperature distributions in an LMFBR, 4863
Measurements of temperature fluctuations in the mixing of hot and cold air jets, 366 (CEGB-RD/B/N--3982)
Measurements of subassembly and core temperature distributions in an LMFBR, 5007
REACTOR CORES/THERMAL FATIGUE
Review of literature on unsteady forced convection heat transfer with application to LMFBR thermal striping, 2932 (TID--28937)
REACTOR CORES/THERMAL INSULATION
Nuclear reactor (Patent), 3474
REACTOR CORES/THERMAL STRESSES
Approach to selected structural mechanics problems of the fast power reactor core, 4568
Investigation of the three-dimensional thermoelastic deformation of the core assembly of a fast breeder reactor under steady-state operating conditions, 5459 (EURFNR--1412)
REACTOR CORES/TRANSIENTS
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 5047
REACTOR CORES/VOID COEFFICIENT
Design configurations for controlling sodium void worth in large FBR cores, 4694
Effect on performance of core height reduction in 1200-MW(e) LMFBRs, 4695
REACTOR FUEL ELEMENTS
See FUEL ELEMENTS
REACTOR FUELING
Development of backup refueling methods (LMFBR), 1291 (GEFR--00397)
LMFBR refueling force limits criteria, testing and evaluation, 1244 (GEFR--00255)
REACTOR FUELING/CLOSURES
Self locking drive system for rotating plug of a nuclear reactor (Patent), 3062
REACTOR FUELING/REACTOR ACCIDENTS
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 1408 (GEFR-SP--138)
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 3157
REACTOR FUELING/STRESSES
LMFBR refueling force limits criteria, testing, and evaluation, 3673
REACTOR FUELS
See NUCLEAR FUELS
REACTOR INSTRUMENTATION
Concepts of remote signal transmission for liquid-metal fast breeder reactors, 610 (CONF-771109--52)
Equipment for detecting fission products (Patent), 4576
Fast reactor fluence dosimetry. Technical progress report, October 1978-March 1979 (LMFBR), 1166 (ESG-DOE--13310)
Fast reactor fluence dosimetry. Technical progress report, April-September 1979 (LMFBR), 1168 (ESG-DOE--13313)
Model of a fission counter system for optimizing performance at high gamma dose rates (LMFBR), 2656 (ORNL/TM--6408)
Monitoring the condition of sodium pumps using acoustic methods, 3398 (RISLEY-Trans--4105)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VI: reactor auxiliary systems. Part VII: instrumentation and control, 1091 (EPRI-NP--882(Vol.5))
Pool-type LMFBR Plant 1000 MWe phase a-extension-1 design. Part I. Executive summary. Interim report, 1086 (EPRI-NP--882-SY(Vol.1))
Reactor development program. Progress report, May 1978 (LMFBR), 279 (ANL-RDP--71)
REACTOR INSTRUMENTATION/ACCURACY
Criss power spectral density: a method for correlating signal components from different frequency ranges, 2207 (KFK--2794)
REACTOR INSTRUMENTATION/ACOUSTIC MONITORING
Review of the acoustic detection of boiling in nuclear reactors, 5031
REACTOR INSTRUMENTATION/BOILING DETECTION
Intercomparison of auto- and cross-power spectral density surveillance systems for sodium boiling detection in fast reactors, 3269
Review of the acoustic detection of boiling in nuclear reactors, 5031
REACTOR INSTRUMENTATION/DATA ACQUISITION SYSTEMS
Microcomputer-controlled ultrasonic data acquisition system (LMFBR), 2663 (ORNL/TM--6531)
REACTOR INSTRUMENTATION/DESIGN
Reactor development program progress report, July 1978 (LMFBR), 281 (ANL-RDP--73)
Reactor Development Program progress report, August 1978 (LMFBR), 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978 (LMFBR), 284 (ANL-RDP--76)
Reactor development program progress report, November 1978 (LMFBR), 285 (ANL-RDP--77)
Reactor Development Program. Progress report (LMFBR), 283 (ANL-RDP--75)
Reactor Development Program. Progress report, December 1978 (LMFBR), 286 (ANL-RDP--78)
Reactor development program. Progress report (LMFBR), 287 (ANL-RDP--79)
Reactor Development Program progress report, February 1979 (LMFBR), 288 (ANL-RDP--80)
Reactor development program progress report, March 1979 (LMFBR), 289 (ANL-RDP--81)
Reactor development program. Progress report (LMFBR), 290 (ANL-RDP--82)
Reactor development program. Progress report (LMFBR), 291 (ANL-RDP--83)
Reactor development program. Progress report, 292 (ANL-RDP--84)
REACTOR INSTRUMENTATION/FISSION CHAMBERS
Neutron induced current pulses in fission chambers (LMFBR), 210 (ANL-CT--78-14)
REACTOR INSTRUMENTATION/PERFORMANCE
Intercomparison of auto- and cross-power spectral density surveillance systems for sodium boiling detection in fast reactors, 3269
Investigation of the impurity deposition rate of the plugging indicator (LMFBR), 4682
REACTOR INSTRUMENTATION/RESEARCH PROGRAMS
Instrumentation and Controls Division biennial progress report, September 1, 1976--September 1, 1978, 2575 (ORNL--5483)
REACTOR INSTRUMENTATION/SPECIFICATIONS

Fast reactor instrumentation development is aimed at a commercial plant, 4346
REACTOR INSTRUMENTATION/TEST FACILITIES
Recent developments in equipment for sodium test loops and fast reactors, 4537
REACTOR INSTRUMENTATION/THERMOMETERS
Performance of an electromagnetic temperature sensor in liquid sodium (LMFBR), 4350
REACTOR INSTRUMENTATION/TRANSDUCERS
Use of gallium and its alloys as high-temperature couplants for acoustic transducers (LMFBR), 4681
REACTOR INSTRUMENTATION/ULTRASONIC TESTING
Ultrasonic dynamic imaging (UDI) system to determine the size and velocity of large spherical simulated bubbles in liquids (LMFBR), 832 (CONF-791008--5)
REACTOR INTERNALS
Large pool LMFBR design. Final report. Volume 1. Reactor, 1094 (EPRI-NP--883(Vol.1))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Liquid metal cooled fast breeder reactor (Patent), 5345
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 1-6. Interim report, 1087 (EPRI-NP--882(Vol.2 A))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 7-11. Interim report, 1088 (EPRI-NP--882(Vol.2B))
REACTOR INTERNALS/ACOUSTIC MONITORING
An approach to the on-load surveillance of sodium cooled reactors by acoustic methods, 2057 (IWGFR--10)
Defectiveness detector (Patent), 5323
REACTOR INTERNALS/DAMPING
Damping of the radial impulsive motion of LMFBR core components separated by fluid squeeze films, 1987 (INIS-mf--4638)
REACTOR INTERNALS/DEFORMATION
Duct dilation experiments in EBR-II (LMFBR), 3941
Structural response of 1/20 scale models of above core structures to increasingly energetic hypothetical core disruptive accidents. Technical report 7 (LMFBR), 2782 (SAN--0115-T8)
REACTOR INTERNALS/DEPOSITS
Sodium vapor deposition onto a horizontal flat plate above liquid sodium surface. II. Analysis of sodium vapor deposition rate with sodium mist growth within main flow region, 4567
REACTOR INTERNALS/DESIGN
Design considerations in liquid metal fast breeder reactor upper internals structures, 3330
REACTOR INTERNALS/DISPLACEMENT GAGES
Eddy current position indicating apparatus for measuring displacements of core components of a liquid metal nuclear reactor (Patent), 4375
REACTOR INTERNALS/FLOW REGULATORS
Structure for reducing convection currents within the pressure vessel of a fast reactor (Patent; LMFBR), 4423
REACTOR INTERNALS/FLUID FLOW
PLENUM-2: a two-region outlet plenum model, 212 (ANL-CT--78-16)
REACTOR INTERNALS/HEAT TRANSFER
COMMIX-1: a three-dimensional transient single-phase component computer program for thermal-hydraulic analysis (LMFBR), 2435 (NUREG/CR--0785)
REACTOR INTERNALS/HYDRAULICS
COMMIX-1: a three-dimensional transient single-phase component computer program for thermal-hydraulic analysis (LMFBR), 2435 (NUREG/CR--0785)
REACTOR INTERNALS/IN-SERVICE INSPECTION
In sodium materials monitoring for LMFBR, 2048 (IWGFR--10)
REACTOR INTERNALS/INSPECTION
Television/still camera with common optical system for reactor inspection (LMFBR), 2052 (IWGFR--10)
REACTOR INTERNALS/MECHANICAL VIBRATIONS
Damping of the radial impulsive motion of LMFBR core components separated by fluid squeeze films, 1987 (INIS-mf--4638)
Fluid forces on rods vibrating in finite length annular regions (LMFBR), 232 (ANL-CT--79-3)
REACTOR INTERNALS/PHYSICAL RADIATION EFFECTS
Duct dilation experiments in EBR-II (LMFBR), 3941
REACTOR INTERNALS/STRESS ANALYSIS
Finite-element method for above-core structures (LMFBR), 162 (ANL--79-104)
Structural formulation for upper internals of LMFBR, 799 (CONF-790802--68)
Structural response of the upper internals (LMFBR), 3195
Three-dimensional fluid-structure interaction dynamics of a pool-reactor in-tank component (LMFBR), 798 (CONF-790802--67)
REACTOR INTERNALS/THERMAL STRESSES
CRBRP outlet plenum behavior during steady state and transient conditions, 4627
REACTOR KINETICS
Analysis of the ZPPR-7 critical experiments, 976 (CRBRP-GEFR--00025)
Analysis of the ZPPR-4 critical experiments, Phases 3 and 4, 1237 (GEFR--00108)
Analysis of ZPPR-6 critical experiments, 981 (CRBRP-GEFR--00323)
Analysis of advanced fuels critical experiments, 1287 (GEFR--00393)
Analysis of exposure dependent heterogeneous FBR spectra using continuous slowing down-integral transport concepts, 914 (COO--2458-23)
Analysis of the ZPPR-8 critical experiments, 1323 (GEFR--00445)
Analysis of exposure-dependent heterogeneous FBR spectra using continuous slowing down integral transport concepts, 3154
Analysis of the differences in breeding ratio and fissile inventory between heterogeneous and homogeneous liquid-metal fast breeder reactors, 3056
Application of integral transport theory with linearly anisotropic scattering to the calculation of the neutron distribution in finite plate arrays of fast reactors, 5461 (DOE-tr--71)
Approximations of gamma cross sections for fast nuclear reactors, 75 (ANL--77-88)
Assessment of transport effects in LMFBR safety neutronics, 427 (CONF-761001--P2)
Assessment of the loss-of-heat-sink accident with scram in the LMFBR, 309 (BNL-NUREG--24946)
Axial parfait LMFBR heterogeneous core designs, 3590
Benchmark calculations for a sodium-cooled breeder reactor by two- and three-dimensional diffusion methods, 4379
Benchmark analysis of liquid-metal fast breeder reactor nuclear design methods, 4380
Benchmark calculations for a sodium-cooled breeder reactor by two- and three-dimensional diffusion methods. II, 3487
Benefit-cost analysis for dynamic testing in the Fast Flux Test Facility, 2688 (ORO--5295-1)
Biases for current FFTF calculational methods, 1503 (HEDL-SA--1393)
Breeder reactor safety and core systems programs. Progress report, April--June 1977, 2635 (ORNL/TM--6020)
Breeding performance of carbide and nitride fuels in 2000 MWe LMFBRs. Part IV: impact of a pressure drop constraint on breeding performance and pin diameter optimization in 5000 MWt LMFBRs using sodium bonded carbide fuels, 172 (ANL-AFP--31)
Breeding performance potential for (U--Th) oxide, carbide, nitride, and metal-fueled LMFBRs, 3588
BRENDA: a dynamic simulator for a sodium-cooled fast reactor power plant, 2393 (NUREG/CR--0244)
Calculation of passive sensor perturbations in FFTF, 1769 (HEDL-TME--77-59)
Calculation program for fast reactor design, 2. Multi-dimensional perturbation theory code based on diffusion approximation: PERKY, 2137 (JAERI-M--6993)
Calculation of resonant reaction rates near region interfaces in the FFTF, 1522 (HEDL-SA--1449)
Calculational and experimental analysis of a ^{239}Pu sample irradiated in EBR-II, 3931
Cassandre: A 2D multigroup diffusion Benchmark code for fast reactors power excursions analysis, 1993 (INIS-mf--4773)
Catalog of rod-drop data from EBR-II runs 67-87, 164 (ANL--7542(Add.C))
CCB, a two-dimensional diffusion theory continuous cross-section burnup code for fast reactor analysis. Final report, 1081 (EPRI-NP--847)
Clinch River Breeder Reactor Plant Project. 1977 technical progress report, 976 (CRBRP-ARD--0211)
Clinch River reload core design study. Volume II: recommended core design evaluation, 1261 (GEFR--00320(vol.2))
Comparison of the performance of several neutron diffusion computer codes for a fast breeder reactor, 4638
Cooperative nuclear date and methods development. Twelfth quarterly report, January--March 1979, 1389 (GEFR--14074-12)
Core design methods for advanced LMFBRs, 1460 (HEDL-SA--1205)
Core design of sodium-cooled fast breeders (SNR) with regard to strategic design targets, 3893
Core disruptive accident and recriticality analysis with FX2-POOL, 450 (CONF-761001--P3)
Core engineering technical progress report, April--June 1977, 1763 (HEDL-TME--77-47)
Core engineering technical progress report, July--September 1977, 1764 (HEDL-TME--77-48)
Core engineering technical progress report, October--December 1977, 1765 (HEDL-TME--77-49)
Core engineering technical progress report, January, February, March 1978, 1815 (HEDL-TME--78-42)
Critical experiments and analysis twenty-second quarterly report, January--March 1977 (LMFBR), 1337 (GEFR--13771-22)
Critical experiments and analysis. Twenty-third quarterly report, April--June 1977 (LMFBR), 1338 (GEFR--13771-23)
Critical experiments and analysis twenty-fourth quarterly report, July--September 1977 (LMFBR), 1339 (GEFR--13771-24)
Critical experiments and analysis, 1340 (GEFR--13771-25)
Critical experiments and analysis twenty-sixth quarterly report, January--March 1978 (LMFBR), 1341 (GEFR--13771-26)
Critical experiments and analysis. Twenty-seventh quarterly report, April--June 1978 (LMFBR), 1342 (GEFR-

-13771-27)
Critical experiments and analysis. Twenty-eighth quarterly report, July--September 1978 (LMFBR), 1343 (GEFR--13771-28)
Critical experiments and analysis. Twenty-ninth quarterly report, October--December 1978 (LMFBR), 1344 (GEFR--13771-29)
Critical experiments and analysis. Thirtieth quarterly report, January--March 1979 (LMFBR), 1345 (GEFR--13771-30)
Critical experiments and analysis. Thirty-first quarterly report, April-June 1979 (LMFBR), 1346 (GEFR--13771-31)
Critical experimental study of integral physics parameters in simulated liquid-metal fast breeder reactor meltdown cores, 3067
Criticality studies on partially inserted rod configurations, 662 (CONF-780401--)
CURL: a transient simulation code for LMFBRs, 4775
Current status of fast reactor physics, 865 (CONF-7910112--2)
Delayed-neutron parameters for the FFTF, 3683
Delayed neutron parameters for the FFTF, 1515 (HEDL-SA--1440)
Dependence of LMFBR fueling requirements on plutonium isotopic composition, 2754 (PNL--3255)
Design configurations for controlling sodium void worth in large FBR cores, 1479 (HEDL-SA--1325)
Detection of feedback resonances in FFTF using rod drop stability tests, 1795 (HEDL-TME--77-107)
Determination of dynamic parameters of the reactor Bor-60 by means of a reactivity modulator, 3039 (ZfK--325)
Determination of reactivity from power spectral density measurements with ^{252}Cf, 3735
Effect of the fast breeder concept on the reactor main characteristics and steam generation parameters, 1213 (FEI--607)
Effectiveness of three rebalance methods in deep penetration problems (LMFBR), 840 (CONF-791103--105)
Effects of recent modeling developments in prompt burst hypothetical core disruptive accident calculations, 3486
Efficiency of different techniques of physical flattening by fuel while selection of optimum arrangement of large fast reactor core, 2348 (NIIAR-P--240)
Efficient calculation methods of fast reactor and fuel cycle thereof, 1897 (INIS-mf--4280)
Elimination of transuraniun elements by burnup in a power fast breeder reactor, 3770
ENDF/B-V content and performance in fast reactor systems, 3685
EPRI--CURL dynamic analysis of loop type LMFBRs. Final report, 1105 (EPRI-NP--1001)
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
Evaluation of rod drop stability tests in FFTF, 1794 (HEDL-TME--77-105)
Evaluation of stochastic void models for bubble worth calculations, 3155
EXCURS: a computing programme for analysis of core transient behaviour in a sodium cooled fast reactor, 2139 (JAERI-M--7280)
Experimental studies of 350 Mw(e) heterogeneous LMFBR cores at ZPPR, 3043 (ZPR-TM--348)
Experimental studies of large conventional LMFBR cores at ZPPR, 3044 (ZPR-TM--349)
Fast Breeder Project. Quarterly report, 1977, 4908 (EURFNR--1435)
Fast breeder reactor development in Japan. Progress report, October--December 1977, 3526 (JAPFNR--316)
Fast Breeder Blanket Facility. Quarterly progress report, April 1, 1978--June 30, 1978, 937 (COO--2826-9)
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
Fast breeder reactor development in Japan. Progress report, October-December 1978, 3230 (JAPFNR--458)
Fast neutron reactor core research at the C.E.A., 362 (CEA-R--4911)
Fast reactor safety technical progress report, April--June 1977, 1775 (HEDL-TME--77-67)
Feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II, 4653
Few-group constants for calculating ksub(eff) and Δ(1/ksub(eff)) of fast reactors, 4518
FFTF dynamic modeling and sensitivity analysis, 4728
FFTF reactor characterization program, 1488 (HEDL-SA--1351)
Flux synthesis programme KASY for the approximate solution of the three-dimensional multigroup-neutron-diffusion-equation. Present state, planned improvements and applications to reactor design problems, 4719
FRODA - a program for the analysis of frequency dynamics experiments, 363 (CEGB-RD/B/N--3414)
FSAR amendment 5, revisions to supplement 6, 1704 (HEDL-TI--75002-5)
FUSS: the integrated FUMO, SAS3A, neutronics update system, 4773
Influence of fission spectra uncertainties on calculated fast reactor parameters, 777 (CONF-790602--61)
Integral alpha and point conversion ratio measurements in advanced fuels critical assemblies, 3675
Integral postdisassembly energetics test: a preliminary investigation, 2285 (LA-UR--79-2245)
Interfacial effects in fast reactors, 908 (COO--2250-37)
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 1474 (HEDL-SA--1300FP)
Investigation on neutronic performances of large scale heterogeneous LMFBR, 2156 (JAPFNR--488)
KEDAK program compendium. Part VII: CALCUL-calculation, 2168 (KFK--2387(Pt.7))
Large heterogeneous reference fuel design study. Final report, 1798 (HEDL-TME--78-1)
Large plant thorium-fueled reactor system characteristics, 4716
Large pool LMFBR design: executive summary, 1123 (EPRI-NP--1016-SY)
Large pool LMFBR design. Appendices A-K. Final report, 1126 (EPRI-NP--1016(Vol.3)(Pt.1))
Liquid metal fast breeder reactor, 4927
Liquid-metal fast-breeder reactors: Preliminary safety and environmental information document. Volume VI, 1015 (DOE/NE--0003/6)
LMFBR and GCFR support work, 133 (ANL--78-70)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
LMFBR safety and core systems programs. Progress report, January--March 1977, 2629 (ORNL/TM--5940)
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 1408 (GEFR-SP--138)
Low-decontamination approach to a proliferation-resistant fuel cycle, 4714
Low sodium void cores, 730 (CONF-781022--32)
Mass flows for LMFBRs fueled with various types of plutonium and fertile material, 2753 (PNL--3249)
Measurements in PFR of importance to safety and reactor performance, 4058
Measurement of the Doppler reactivity worth of UO_2 and ThO_2 in an LMFBR spectrum, 3156
MIT LMFBR blanket research project. Quarterly progress report, April 1, 1977--June 30, 1977, 902 (COO--2250-29)
MIT LMFBR blanket research project. Quarterly progress report, July 1, 1977--September 30, 1977, 903 (COO--2250-30)
MIT LMFBR blanket physics project progress report No. 7, July 1, 1975--September 30, 1976, 901 (COO--2250-28)
MIT LMFBR blanket research project. Quarterly progress report, April 1-June 30, 1979, 909 (COO--2250-38)
Mock-up critical experiments for prototype fast breeder reactor 'Monju', 5153
Monte Carlo benchmarking of fast reactor computations, 3945
Multi-field hydrodynamic disassembly calculations with space--time kinetics: FX2/VENUS-III, 449 (CONF-761001--P3)
Neutron and gamma transport effects by heterogeneous core designs (LMFBR), 528 (CONF-770611--34)
Neutron theory, breeding properties and doubling time in a breeder reactor, 4172
Neutronic coupling of feedback effects, 428 (CONF-761001--P2)
Neutronic analysis of LMFBRs during severe core disruptive accidents, 2592 (ORNL/CSD--35)
Nuclear energy and electric power, 4923
Nuclear performance of liquid--metal fast breeder reactors designed to preclude energetic hypothetical core disruptive accidents, 3139
Optimization of a fast high-power reactor of LMFBR type by means of a non-convex programming mathematical model, 5066
Optimum few-group cross section set for HCDAs in heterogeneous LMFBRs, 1418 (GEFR-SP--180)
Parameter sensitivity study in the dynamic simulation of a sodium cooled breeder reactor power plant, 2380 (NUREG/CR--0016)
Parametric approach to LMFBR safety evaluation, 5258
Performance considerations of nuclear reactor actinide recycle as a waste management alternative, 3926
Performance of U--Pu--Zr metal fuel in 1000 MWe LMFBRs, 758 (CONF-790306--16)
Performance characteristics of homogeneous versus heterogeneous liquid--metal fast breeder reactors, 3137
Perturbation measurements on the BOR-60 reactor, 3042 (ZfK--348)
Physics and engineering characteristics of a LMFBR in long-term operation, 4546
Physics calculations for the Clinch River Breeder Reactor, 55 (ANL--77-27)
Physics evaluations and applications quarterly progress report for period ending January 31, 1979 (LMFBR), 3035 (WARD-XS--3045-25)
Physics evaluations and applications quarterly progress report for period ending October 31, 1978 (LMFBR), 3034 (WARD-XS--3045-24)
Physics evaluations and applications. Quarterly progress report for period ending April 30, 1979 (LMFBR), 3036 (WARD-XS--94000-1)
Physics investigations of a compact simulation of a large fast breeder reactor. SNEAK-Assembly 10, 2193 (KFK--2573)
Physics performance of heterogeneous LMFBRs with

internal axial blankets, 3963
Physics performances of a heterogeneous fast reactor core concept studied in MASURCA, 3138
Potential and limitation of the heterogeneous reactor concept (LMFBR), 529 (CONF-770611--35)
Preliminary evaluation of alternative fuel cycle options utilizing fast breeders, 2563 (ORNL--5389)
Present status of sodium void reactivity predictions in conventional and nonconventional fast reactor core designs, 661 (CONF-780401--)
Progress report on fast breeder reactor development in Japan, October--December 1976, 4581 (JAPFNR--260)
Progress report on Fast Breeder Reactor development in Japan, January--March 1978, 3460 (JAPFNR--336)
Progress report on fast breeder reactor development in Japan, July-September 1978, 3258 (JAPFNR--460)
Radial-reactivity-coefficient weighting schemes for a fast reactor, 3682
Reactivity surveillance procedures for anomaly detection, 1796 (HEDL-TME--77-108)
Reactivity effects in the BN-350 reactor, 4617
Reactivity effects analysis as a means of fast reactor diagnostics, 2340 (NIIAR-P--4(338))
Reactor Development Program progress report, May--June 1977 (LMFBR), 269 (ANL-RDP--61)
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progress report, May 1978 (LMFBR), 279 (ANL-RDP--71)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Reactor development program progress report, July 1978, 281 (ANL-RDP--73)
Reactor Development Program progress report, August 1978, 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978, 284 (ANL-RDP--76)
Reactor development program progress report, November 1978, 285 (ANL-RDP--77)
Reactor Development Program. Progress report, 283 (ANL-RDP--75)
Reactor Development Program. Progress report, December 1978, 286 (ANL-RDP--78)
Reactor development program. Progress report, 287 (ANL-RDP--79)
Reactor Development Program progress report, February 1979, 288 (ANL-RDP--80)
Reactor development program progress report, March 1979, 289 (ANL-RDP--81)
Reactor development program. Progress report, 290 (ANL-RDP--82)
Reactor development program. Progress report, 291 (ANL-RDP--83)
Reactor development program. Progress report, July 1979, 293 (ANL-RDP--85)
Reactor development program. Progress report, 292 (ANL-RDP--84)
Reactor development program. Progress report, August 1979, 294 (ANL-RDP--86)
Reactor Engineering Division annual report. (April 1, 1976 - March 31, 1977), 2140 (JAERI-M--7291)
Reactor Engineering Division annual report, April 1, 1977-March 31, 1978, 2142 (JAERI-M--7844)
Reactor physics parameters of alternate fueled fast breeder reactor core designs, 3291
Reactor physics parameters of alternate fueled FBR core designs, 1483 (HEDL-SA--1329)
Reactor physics activities relevant to FBR and ATR programs in PNC, Japan, November 1978-September 1979, 2151 (JAPFNR--472)
Reactor safety, 5271
Reactor theory and physical experiments (LMFBR), 2162 (KFK--1277/2)
Realities of utilizing thorium-based fuels in LWRs and LMFBRs, 4655
Recommended CRBRP reload core designs using (U--Pu)C fuel, 3589
Response matrix method for large LMFBR analysis, 177 (ANL-AFP--36)
Response of EBR-II to reactivity insertion, 46 (ANL--75-41)
RODMOD: a code for control rod positioning, 2571 (ORNL--5466)
Safety of fast reactors, 4741
Sensitivity analyses of fast reactor systems including thorium and uranium, 3674
Sensitivity analysis of integral parameters to selected cross sections for an LMFBR heterogeneous core, 3152
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2409 (NUREG/CR--0453(Vol.1))
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2410 (NUREG/CR--0453(Vol.2))
Simple representations of spectrum-averaged cross sections in LMFBR blankets, 3932
Simulating the lmfbr neutronics and primary heat transport with DNSP, 1893 (INIS-mf--4052)
Space--time dynamics of a fast breeder reactor for localized disturbances, 3846
Spatially continuous approach to the description of incoherencies in fast reactor accident analysis, 5273
SPQR: a Monte Carlo reactor kinetics code, 2686 (ORNL/TM--7086)
Study on plan of mock-up critical experiment for large fast reactors by using the FCA. (Study on an amount of Pu fuel needed for partial mock-up experiment in large fast reactors), 2153 (JAPFNR--479)
Subcritical reactivity monitoring: neutron yields from spontaneous (α,n) reactions in FFTF fuel, 1814 (HEDL-TME--78-39)
Summary, analysis, and comparison of data from experiments with the EBR-II Mark IIB oscillator rod, 74 (ANL--77-87)
Summary of results for the SNEAK-9 series of critical experiments and conclusions for the accuracy of predicted physics parameters of the SNR-300, 2196 (KFK--2586)
Survey and evaluation of FFTF instrumentation for systems code validation, 319 (BNL-NUREG--25506)
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors, 999 (CURL--53)
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors, 4039
Technical review, 990 (CRBRP-PMC--79-01)
Technique for sensitivity analysis of space- and energy-dependent burnup calculations, 3153
Test of the diffusion theory difference equations in slab geometry (computer code VANCER), 2560 (ORNL--5381)
Theoretical and experimental studies on the physical characteristics of the BN-350 reactor, 4061
Theoretical evaluation of ex-vessel monitoring for initial fuel loading of a liquid-metal fast breeder reactor, 3158
Thermal analysis of liquid--metal fast breeder reactors, 3917
Thermal hydraulic response of an LMFBR plant to upset events, 4975
TP1, a computer program for the calculation of reactivity and kinetic parameters by one-dimensional neutron transport perturbation theory (LMFBR), 2204 (KFK--2738)
Two-dimensional model of a large power sodium-cooled fast breeder reactor with an oxide fuel for test calculations, 2339 (NIIAR-P--4(270))
Uncertainties in the breeding ratio of a large LMFBR, 671 (CONF-780401--16)
Updated analysis of the ZPPR-7 critical experiments: phases A, B, and C, 1266 (GEFR--00347)
Use of integral data in the development of design methods for fast reactors, 660 (CONF-780401--)
ZPPR assembly 9-A 700-MW(e)-sized LMFBR benchmark, 3930

REACTOR KINETICS/BENCHMARKS
Assessment of nuclear data files via benchmark calculations: a report on the NEACRP/IAEA international comparison calculation of a large LMFBR, 667 (CONF-780401--11)
Critical experimental study of integral physics parameters in simulated LMFBR meltdown cores, 727 (CONF-781022--28)

REACTOR KINETICS/CALCULATION METHODS
Nodal method for solving transient fewgroup neutron diffusion equations (LMFBR), 127 (ANL--78-51)

REACTOR KINETICS/COMPUTER CALCULATIONS
Specification of system - independent sequencing calls for modular code schemes (LMFBR), 2311 (ND-R--50(R))
SPECTRA-IV, benchmark spectra based on LIB-IV, 2237 (LA--7861-MS)

REACTOR KINETICS/COMPUTER CODES
FX2-TH: a two-dimensional nuclear reactor kinetics code with thermal-hydraulic feedback, 142 (ANL--78-97)

REACTOR KINETICS/CROSS SECTIONS
COVERX service module of the FORSS system (LMFBR), 2687 (ORNL/TM--7181)
Reactor application of actinide cross section data, 304 (BNL--50991)

REACTOR KINETICS/DATA COMPILATION
Evaluation of desirable accuracy for nuclear data in fast reactors by optimization method, 4610
Physics evaluations and applications (LMFBR; VENTURE code), 3028 (WARD-XS--3045-18)
Physics evaluations and applications. Quarterly progress report for period ending October 31, 1977 (LMFBR; VENTURE code), 3030 (WARD-XS--3045-20)
Physics evaluations and applications. Quarterly progress report for period ending January 31, 1978, 3031 (WARD-XS--3045-21)
Physics evaluations and applications. Quarterly progress report for period ending April 30, 1978

(LMFBR), 3032 (WARD-XS--3045-22)
Physics evaluations and applications quarterly progress report for period ending July 31, 1978 (LMFBR), 3033 (WARD-XS--3045-23)
REACTOR KINETICS/DATA PROCESSING
Development of accurate data for the design of fast reactors, 2705 (P2L--250)
REACTOR KINETICS/FINITE DIFFERENCE METHOD
Optimized iteration strategies and data management considerations for fast reactor finite difference diffusion theory codes, 4331
REACTOR KINETICS/HETEROGENEOUS EFFECTS
Comparison between physics parameters in conventional and heterogeneous LMFBRs using results from ZPPR, 672 (CONF-780401--20)
Design considerations for large heterogeneous liquid-metal fast breeder reactors, 4270
Nuclear characteristics of large LMFBR's: homogeneous and heterogeneous designs, 663 (CONF-780401--)
Physics aspects in the design of heterogeneous cores (LMFBR), 669 (CONF-780401--13)
Physics studies of a heterogeneous liquid--metal fast breeder reactor, 3136
Sensitivity of the power distribution in large heterogeneous LMFBR designs, 527 (CONF-770611--31)
REACTOR KINETICS/MULTI-PARAMETER ANALYSIS
Nuclear data sensitivity coefficients for A (^{233}U--^{232}Th) fueled LMFBR, 670 (CONF-780401--15)
REACTOR KINETICS/NEUTRON TRANSPORT THEORY
Transport and reactor theory. Progress report, July 1--September 30, 1978, 2232 (LA--7554-PR)
REACTOR KINETICS/NONLINEAR PROBLEMS
Effects of nonlinear or ''not-linear'' characteristics of reactor kinetics on power reactor noise analysis and proposal of application of some newly developing techniques to power reactor noise analysis, 5002
REACTOR KINETICS/NUCLEAR DATA COLLECTIONS
Assessment of generation method of nuclear reactor constants set using the JENDL-2 nuclear data file, 2155 (JAPFNR--487)
Cooperative nuclear data and methods development. Eighth quarterly report, October--December 1977 (LMFBR), 1385 (GEFR--14074-8)
EBR-II validated, key fission product yields for fast reactor application, 1496 (HEDL-SA--1375)
Input data requirements for special processors in the computation system containing the VENTURE neutronics code (LMFBR), 2479 (ORNL--5229/R1)
Nuclear data sensitivity coefficients for A (^{233}U--^{232}Th) fueled LMFBR, 670 (CONF-780401--15)
Nuclear uncertainties as a cconsideration in reactor designs (LMFBR), 3159
REACTOR KINETICS/ONE-DIMENSIONAL CALCULATIONS
Calculations of physics characteristics of the fast reactor core, 1896 (INIS-mf--4280)
REACTOR KINETICS/RESEARCH PROGRAMS
Cooperative nuclear data and methods development fifth quarterly report, October--December 1976 (LMFBR), 1382 (GEFR--14074-5)
Cooperative nuclear data and methods development sixth quarterly report, January--March 1977 (LMFBR), 1383 (GEFR--14074-6)
Cooperative nuclear data and methods development seventh quarterly report, April--June 1977 (LMFBR), 1384 (GEFR--14074-7)
Cooperative nuclear data and methods development. Eighth quarterly report, October--December 1977 (LMFBR), 1385 (GEFR--14074-8)
Cooperative nuclear data and methods development. Ninth quarterly report, January--March 1978 (LMFBR), 1386 (GEFR--14074-9)
Cooperative nuclear data and methods development. Tenth quarterly report, April--June 1978 (LMFBR), 1387 (GEFR--14074-10)
Cooperative nuclear data and methods development. Eleventh quarterly report, July--December 1978 (LMFBR), 1388 (GEFR--14074-11)
Cooperative nuclear data and methods development. Thirteenth quarterly report, April-June, 1979 (LMFBR), 1390 (GEFR--14074-13)
Nuclear data and methods development and application to LMFBRs. Fourth annual progress report, fiscal year 1978, 1381 (GEFR--14073-4)
Nuclear data and methods development and application to LMFBRs. Third annual progress report, fiscal year 1977, 1380 (GEFR--14073-3)
Physics evaluations and applications quarterly progress report for period ending July 31, 1977 (LMFBR), 3029 (WARD-XS--3045-19)
REACTOR KINETICS/THREE-DIMENSIONAL CALCULATIONS
VENTURE: a code block for solving multigroup neutronics problems applying the finite-difference diffusion-theory approximation to neutron transport, version II (LMFBR), 2476 (ORNL--5062/R1)
REACTOR KINETICS/TWO-DIMENSIONAL CALCULATIONS
Calculations of physics characteristics of the fast reactor core, 1896 (INIS-mf--4280)
KINTIC-2 user's manual (LMFBR), 2190 (KFK--2508)
REACTOR LATTICE PARAMETERS
Biases for current FFTF calculational methods, 1503 (HEDL-SA--1393)
Core design and optimization of high performance low sodium void 1000 MWe heterogeneous oxide LMFBR cores, 1884 (IAEA-SM--244/66)
Enrichment and control optimization in LMFBRs losing reactivity during burnup, 4484
Fission product yields during irradiation of ^{235}U and ^{239}Pu in the BOR-60 reactor, 4466
Mixed fuel cycle hybrid LMFBR cores: design and analysis, 4917
Performance of 1000-MW(e) mixed fuel cycle LMFBRs, 4705
Preconceptual study of proliferation-resistant heterogeneous sphere-pac-fueled LMFBR cores, 2684 (ORNL/TM--6996)
Preliminary evaluation of alternative fuel cycle options utilizing fast breeders, 2563 (ORNL--5389)
Response matrix method for large LMFBR analysis, 177 (ANL-AFP--36)
Theoretical evaluation of ex-vessel monitoring for initial fuel loading of a liquid metal fast breeder reactor, 774 (CONF-790602--52)
ZPPR assembly 9-A 700-MW(e)-sized LMFBR benchmark, 3930
REACTOR LATTICES/NEUTRON SPECTRA
Spectral characterization by combining neutron spectroscopy, analytical calculations, and integral measurements, 1866 (IAEA--208(Vol.1))
REACTOR LATTICES/POWER DENSITY
FLEX: a code for calculating neutron flux microdistributions in lattices consisting of hexagonal fuel assemblies, 3842
REACTOR LICENSING
Role of reliability and risk assessment in LMFBR design: implementation of reliability in LMFBR design, 4505
REACTOR LICENSING/ENERGY POLICY
DOE to speed reactor licensing, 4384
REACTOR LICENSING/LEGAL ASPECTS
Are LMFBR permits unconstitutional (German Feferal Republic), 4275
Fast breeder licensing: is it unconstitutional. Full text of the press statement by the Upper Administrative Court at Muenster, 4387
Licensing procedure for fast breeders. Question raised in the Bundestag (German Federal Republic), 3925
REACTOR LICENSING/REGULATIONS
Development of licensing requirements for LMFBRs: a reactor designer's view, 2905 (TID--27798)
REACTOR LICENSING/RISK ASSESSMENT
Probabilistic methods in reactor licensing, 4040
REACTOR MAINTENANCE
Design of sodium cooled reactor systems and components for maintainability, 1543 (HEDL-SA--1506)
REACTOR MATERIALS
(See also specific materials.)
See also NUCLEAR FUELS
Design rules for high temperature plant = the implications of recent research in relation to current practice, 5015
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977 (Time-dependent inelastic behavior of LMFBR materials and structures), 3015 (WARD-SD--3045-10)
Liquid-metal valves (LMFBR), 4643
Liquid metal fast breeder reactor structural materials design considerations, 755 (CONF-790236--1)
LMFBR and GCFR support work, 133 (ANL--78-70)
Long-range program plan for high-temperature structural design (LMFBR), 2558 (ORNL--5369)
Material consideration for large sodium-heated steam generators (LMFBR), 4644
Material selection for a sodium-heated steam generator (LMFBR), 4645
Utilization properties of some special steels for sodium cooled breeder reactors, 4412
REACTOR MATERIALS/ABRASION
Tribological studies in sodium, 4201
REACTOR MATERIALS/AGING
Thermal aging of 2 1/4 Cr--1 Mo steel, 2544 (ORNL--5349)
REACTOR MATERIALS/CARBURIZATION
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
Mechanical properties of carburized stainless steel in sodium, 2505 (ORNL--5255)
REACTOR MATERIALS/CHEMICAL RADIATION EFFECTS
Fundamental aspects of the evolution of, and phase changes in, metals and alloys under irradiation, 353 (CEA-CONF--4014)
REACTOR MATERIALS/CHEMICAL REACTIONS
Time-resolved penetration measurements of liquid sodium into limestone concrete (LMFBR), 4017
REACTOR MATERIALS/COMPARATIVE EVALUATIONS
Core performance evaluation of advanced Clad/Duct alloys (D9; D11; M813; PE16; D21; D25; D66; INC706; D68; HT9; D57), 1302 (GEFR--00406)
REACTOR MATERIALS/COMPATIBILITY
Materials compatibility in liquid sodium, 1565 (HEDL-SA--1559)
Studies of rare earth element as control rod material for LMFBR. Part V, 2157 (JAPFNR--494)
REACTOR MATERIALS/COMPRESSION STRENGTH
Strength properties of concrete at elevated temperatures, 772 (CONF-790408--3)
REACTOR MATERIALS/COMPUTER CODES
Development of LIFE4-CN: a combined code for steady-state and transient analyses of advanced LMFBR fuels, 828 (CONF-790884--2)

REACTOR MATERIALS/CORROSION
Chemical and physical changes at sodium-stainless steel interfaces in fast reactors, 4919
Corrosion of refractory borides in fused sodium, 4416
Corrosion of materials for sodium-cooled fast reactors, 3434
Effect of sodium environment on breeder reactor components, 1508 (HEDL-SA--1420)
In-reactor corrosion behavior of stainless steel cladding in high temperature sodium, 1448 (HEDL-SA--859(FP))
Influence of the sodium coolant on the materials characteristics (LMFBR), 4210
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium (700°C for 2000 hours), 1464 (HEDL-SA--1225FP(Rev.))
Reactions of stabilized austenitic stainless steel in liquid sodium (LMFBR), 1903 (INIS-mf--4315)
Steam-side/water-side corrosion: the effect of heat flux on the corrosion of 2 1/4 Cr--1 Mo steel by superheated steam, 2533 (ORNL--5309)
REACTOR MATERIALS/CORROSION PROTECTION
Some properties of iron-base materials with calcium fluoride additions for frictional units of nuclear plants, 4463
REACTOR MATERIALS/CORROSIVE EFFECTS
Corrosion by liquid metals - Application to liquid sodium, 342 (CEA-BIB--226)
REACTOR MATERIALS/CRACKS
Crack growth in Types 304 and 316 stainless steel under prototypic LMFBR primary piping conditions, 2957 (WARD-CG--3045-3)
Effect of stress ratio upon fatigue-crack growth in two structural alloys at elevated temperature (SA-386 Grade 11 and Inconel X-750), 2551 (ORNL--5349)
Fatigue crack propagation in Alloy 718: effect of heat treatment on microstructure and fatigue behavior, 2498 (ORNL--5255)
Heat-to-heat and/or melt practice variations in crack growth behavior of Inconel 718, 2550 (ORNL--5349)
Mechanical properties of carburized stainless steel in sodium, 2505 (ORNL--5255)
REACTOR MATERIALS/CREEP
Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309)
Analytical representation of the creep strain--time behavior of commercially heat-treated Alloy 718 (538 to 760°C), 2542 (ORNL--5349)
Basic specimen testing, 2501 (ORNL--5255)
C-1 irradiation creep in bending experiment: summary description and results of the first two interim examinations (LMFBR), 1298 (GEFR--00403)
Compressive creep of type 316 stainless steel at 1100°F, 2487 (ORNL--5255)
Considerations for the future development of shell- and core-structural materials for fast breeders, 5149 (EURFNR--1404)
Continuous cycling and creep--fatigue behavior of 2 1/4 Cr--1 Mo steel, 2545 (ORNL--5349)
Creep and rupture behavior of 2 1/4 Cr--1 Mo steel, 2531 (ORNL--5309)
Creep behaviour of SNR cladding tube material under the temperature transients relevant to cooling disturbances, 3891
Creep-rupture-strength and creep-behaviour of stainless steel X6CrNi 1811 (DIN 1.4948), 2158 (JEN--363)
Creep tensile instability (LMFBR), 3020 (WARD-SD--94000-1)
Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)
Effects of metallurgical variables on creep on type 316 stainless steels (LMFBR), 4945
Elevated temperature creep and fatigue damage of a 2.25 Cr--1 Mo steel weldment, 2841 (SAND--77-1556)
High-temperature design, 2497 (ORNL--5255)
Inconel alloy 718 mechanical and physical property program, 2490 (ORNL--5255)
Interim analysis of the creep strain--time characteristics of annealed and isothermally annealed 2 1/4 Cr--1 Mo steel, 2494 (ORNL--5255)
Interpretation of high-temperature creep of Type 304 stainless steel, 2484 (ORNL--5255)
Low-cycle fatigue of Type 16-8-2 stainless steel ASA weld metal, 2482 (ORNL--5255)
Materials data for severe variable loading, 5016
Mechanical property program of Alloy 718, 2481 (ORNL--5255)
Mechanical property characterization of Type 316 stainless steel reference heat, 2488 (ORNL--5255)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
Mechanical properties of carburized stainless steel in sodium, 2505 (ORNL--5255)
More efficient creep ratcheting bounds (LMFBR), 2619 (ORNL/Sub--7322/1)
Nonlinear plasticity model for structural alloys at elevated temperature (LMFBR), 2668 (ORNL/TM--6582)
Sodium effects on mechanical properties of structural materials, 2503 (ORNL--5255)
Sodium effects on mechanical properties of structural materials, 2553 (ORNL--5349)
Survey of available creep and tensile data for alloy 800H, 2528 (ORNL--5309)
Thermal aging of 2 1/4 Cr--1 Mo steel, 2544 (ORNL--5349)
Thermal analysis of an in-reactor LMFBR irradiation creep experiment, 3231
Time creep tests on irradiated specimens for the Mol 1A1 radiation program (LMFBR; chromium molybdenum steels), 5146 (EURFNR--1405)
Unified creep-plasticity model for structural metals at high temperature (LMFBR), 2630 (ORNL/TM--5969)
REACTOR MATERIALS/DECARBURIZATION
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
REACTOR MATERIALS/DECOMPOSITION
Model and computer code for energy and mass transport in decomposing concrete and related materials (LMFBR), 2891 (SAND--79-1733C)
Transient heat transfer in concrete (LMFBR), 734 (CONF-781079--4)
REACTOR MATERIALS/DEFORMATION
Deformation of pressurized tubes of 316 SS and Alloy 718, 2499 (ORNL--5255)
REACTOR MATERIALS/DOSIMETRY
Standardization of dosimetry and damage analysis work for U.S. LWR, FBR, and MFR development program, 1495 (HEDL-SA--1374)
REACTOR MATERIALS/DUCTILITY
Influence of strain rate and test temperature on ductility of type 316 stainless steel, 2486 (ORNL--5255)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
REACTOR MATERIALS/ELASTICITY
Elastic properties of engineering construction materials, 2489 (ORNL--5255)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
Strength properties of concrete at elevated temperatures, 772 (CONF-790408--3)
Stress-strain behavior of ERNiCr-3 weld filler metal under strain controlled cyclic loading, 2642 (ORNL/TM--6128)
REACTOR MATERIALS/EVAPORATION
Measurement and analysis of transient vaporization in oxide fuel materials (LMFBR), 2872 (SAND--78-2140C)
REACTOR MATERIALS/FABRICATION
Breeder reactor program: materials. Technical status report for June 1978, 2591 (ORNL/BRP/M--78/6)
Dispersion strengthened ferritic alloy for use in liquid-metal fast breeder reactors (LMFBRS) (Patent; 13 to 25% Cr, 0.2 to 2% Ti, <2% Mo, <2% Al, <2% Y_2O_3), 3792
Piping and fittings, 2523 (ORNL--5309)
REACTOR MATERIALS/FATIGUE
Analysis of the time-dependent fatigue behavior of 2 1/4 Cr--1 Mo steel based on the concept of linear summation of creep and fatigue damage, 2524 (ORNL--5309)
Analysis of the fatigue crack growth behavior of isothermally annealed 2 1/4 Cr--1 Mo steel, 2525 (ORNL--5309)
Application of damage-rate approach to creep-fatigue life prediction analysis in different heats of Type 304 stainless steel, 2483 (ORNL--5255)
Continuous cycling and creep--fatigue behavior of 2 1/4 Cr--1 Mo steel, 2545 (ORNL--5349)
Cyclic-deformation resistance of weld-deposited Type 16-8-2 stainless steel at 593°C, 67 (ANL--77-72)
Cyclic stress--strain behavior of ERNiCr-3, 2548 (ORNL--5349)
Elevated temperature creep and fatigue damage of a 2.25 Cr--1 Mo steel weldment, 2841 (SAND--77-1556)
Evaluation of roll-extruded Alloy 718 tubing, 2940 (TREE--1255)
Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steel, 2485 (ORNL--5255)
Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steels, 2540 (ORNL--5349)
Low-cycle fatigue of Type 16-8-2 stainless steel ASA weld metal, 2482 (ORNL--5255)
Low-cycle fatigue and cyclic-deformation behavior of SMA type 308 (CRE) stainless steel weld metal at 571°C, 2539 (ORNL--5349)
Low cycle fatigue behavior of Types 304 and 316 stainless steel tested in sodium at 550°C, 3308
Sodium effects on mechanical properties of structural materials, 2503 (ORNL--5255)
Sodium effects on mechanical properties of structural materials, 2553 (ORNL--5349)
Specimen size considerations in fatigue-crack growth rate testing (LMFBR; SS-304), 1832 (HEDL-TME--78-99)
REACTOR MATERIALS/FIRE FIGHTING
Liquid metals fire control engineering handbook, 1843 (HEDL-TME--79-17)
REACTOR MATERIALS/FIRE HAZARDS
Liquid metals fire control engineering handbook, 1843 (HEDL-TME--79-17)
REACTOR MATERIALS/FISSION YIELD
Fast reactor fission yield measurement program at the Idaho National Engineering Laboratory, 2369 (NUREG/CP--0004(Vol.3))
REACTOR MATERIALS/FRACTURE PROPERTIES
Effect of temperature on the elastic--plastic fracture toughness behavior of Inconel X-750, 2552 (ORNL--5349)

Effect of chemistry variations on the short-term rupture life and tensile properties of 20% cold-worked type 316 stainless steel (LMFBR; FFTF), 4572
Fracture toughness of LMFBR steam generator materials (2¼ Cr--1 Mo steel), 2506 (ORNL--5255)
Fracture toughness of LMFBR steam generator materials, 2554 (ORNL--5349)
Further development of cladding and core structural materials (LMFBR), 3859 (EURFNR--1418)
Mechanical properties test matrices on type 316 stainless steel and 2 1/4 Cr--1 Mo steel for U.S. Department of Energy Breeder Reactor Program, 2586 (ORNL/BRP--78/3)
Specimen size considerations in fatigue-crack growth rate testing (LMFBR; SS-304), 1832 (HEDL-TME--78-99)

REACTOR MATERIALS/FRACTURES
Effect of sodium on the mechanical properties of 2 1/4 Cr--1 Mo steel, 2535 (ORNL--5309)

REACTOR MATERIALS/FRICTION
National friction, wear, and self-welding program status and plans (LMFBR), 1813 (HEDL-TME--78-38)
Selection of bearing materials for commercial LMFBR flexible joint applications, 39 (AI-DOE--13238)

REACTOR MATERIALS/GAS PRODUCTION RATES
Helium production in fast breeder reactor out-of-core structural components, 4240

REACTOR MATERIALS/GAS TUNGSTEN-ARC WELDING
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)

REACTOR MATERIALS/HARDNESS
Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)
Tubular specimen testing, 2502 (ORNL--5255)

REACTOR MATERIALS/HEAT TRANSFER
Transient heat transfer in concrete (LMFBR), 734 (CONF-781079--4)

REACTOR MATERIALS/HEAT TREATMENTS
Tubular specimen testing, 2502 (ORNL--5255)

REACTOR MATERIALS/IMPACT STRENGTH
Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)

REACTOR MATERIALS/LEAK TESTING
Liquid metals fire control engineering handbook, 1843 (HEDL-TME--79-17)

REACTOR MATERIALS/MATERIALS TESTING
Experimental irradiation of fracture mechanics specimens in fast reactors, 1438 (HEDL--6583)
FBR structural material test program, 4430 (JAPFNR--264)
Program for the development of design data: LMFBR steam generator materials, 1233 (GEFR--00067-2)
Research and development programme in the DEBENE-area for fast breeder material development, 4932

REACTOR MATERIALS/MECHANICAL PROPERTIES
Characterization of ESR and VAR 2-1/4Cr--1Mo alloy tubing (LMFBR), 2326 (NEDM--14145)
Constitution and properties of CrMoNb steels for steam generator components of sodium-cooled nuclear reactors, 994 (CS-INIS--212)
Friction, wear, corrosion, and self-welding of Tribaloy 700 hardsurfacing in sodium (LMFBR), 1811 (HEDL-TME--78-36)
Influence of helium on the mechanical properties of DIN 1.4970 austenitic steel (LMFBR), 4952
Influence of the sodium coolant on the materials characteristics (LMFBR), 4210
Introduction to materials consideration for LMFBR components, 4813
Material properties requirements for LMFBR structural design: general considerations and data needs, 605 (CONF-771052--1)
Mechanical properties test data for structural materials. Quarterly progress report for period ending April 30, 1977, 2509 (ORNL--5287)
Mechanical property program of Alloy 718, 2538 (ORNL--5349)
Mechanical properties of liquid-metal fast breeder reactor primary piping materials (SS 304; SS 316), 4571
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys (LMFBR: 2¼ Cr-1 Mo), 535 (CONF-770807--27)
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 1990 (INIS-mf--4690)
Status of Incoloy alloy 800 development for breeder reactor steam generators, 2616 (ORNL/Sub--4308/3)

REACTOR MATERIALS/MECHANICAL TESTS
High temperature structural design technology: validation. Quarterly progress report for the period ending May 31, 1977 (Inelastic behavior and strain tolerance of SS304 and 316 components for LMFBR and FFTF), 2972 (WARD-HT--3045-27)
High temperature structural design technology: validation. Quarterly progress report for period ending August 31, 1977 (Inelastic behavior and strain tolerance of SS 304 and 316 components for LMFBR and FFTF), 2973 (WARD-HT--3045-30)
High temperature structural design technology: validation. Quarterly progress report for period ending November 30, 1977 (Inelastic behavior and strain tolerances of stainless steel 304 and 316 components for LMFBR and FFTF), 2974 (WARD-HT--3045-31)

REACTOR MATERIALS/MEETINGS
Effects of radiation on structural materials: proceedings of the international symposium, 9th, 1978, 4229
Properties of primary circuit structural materials including environmental effects (LMFBR), 2110 (IWGFR--22)
Specialists meeting on high temperature structural design technology of LMFBRs, Champion, Pennsylvania, U.S.A., April 27-30, 1976. Summary report, 2063 (IWGFR--11)

REACTOR MATERIALS/MICROSTRUCTURE
Metallurgical characterization of prototypic tubesheet forging, 2480 (ORNL--5255)

REACTOR MATERIALS/NEUTRON DOSIMETRY
Neutron spectrometry data in LMFBR benchmark and standard neutron fields, 1188 (EUR--5667(Pt.1))

REACTOR MATERIALS/NEUTRON SPECTRA
Benchmark tests of JENDL-1 for structural materials, 1200 (EUR--6108)

REACTOR MATERIALS/NEUTRONIC DAMAGE FUNCTIONS
Calculation of atomic displacement dose in fast reactors, 1187 (EUR--5667(Pt.1))
Damage analysis: damage function development and application (LMFBR; GTR), 1189 (EUR--5667(Pt.2))
Prediction of radiation damage in structural materials outside the reactor core (PWR; LMFBR), 1186 (EUR--5667(Pt.1))

REACTOR MATERIALS/NONDESTRUCTIVE TESTING
Breeder reactor program: materials. Technical status report for June 1978, 2591 (ORNL/BRP/M--78/6)
Needs for development in nondestructive testing for advanced reactor systems, 644 (CONF-780215--2)

REACTOR MATERIALS/OPTICAL PROPERTIES
Surface radiation properties between nuclear reactor materials in contact (LMFBR core disruptive accident), 941 (COO--4049-3)

REACTOR MATERIALS/PERFORMANCE TESTING
Intermediate scale sodium-concrete reaction tests (LMFBR) 1791 (HEDL-TME--77-99)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)

REACTOR MATERIALS/PHASE STUDIES
Composition of eta carbide phase in 1 1/4 Cr--1Mo, 5334

REACTOR MATERIALS/PHYSICAL PROPERTIES
Friction, wear, corrosion, and self-welding of Tribaloy 700 hardsurfacing in sodium (LMFBR), 1811 (HEDL-TME--78-36)

REACTOR MATERIALS/PHYSICAL RADIATION EFFECTS
Applications of simulation experiments in LMFBR core materials technology, 377 (CONF-760673--)
Behaviour of materials in fast reactors, 13 (AERE-TP--692)
C-1 irradiation creep in bending experiment: summary description and results of the first two interim examinations (LMFBR), 1298 (GEFR--00403)
Charged particle irradiations in the United States Breeder Reactor Program, 785 (CONF-790731--1)
Clad/duct materials development. Technical status report for June 1978, 2590 (ORNL/BRP/CD--78/6)
Comparison of the swelling produced in nickel by neutron irradiation and by ion bombardment (LMFBR), 4949
Comparison of the irradiation effects on swelling and microstructure in commercial alloy A-286 and a simple Fe--25 Ni--15Cr gamma prime hardened alloy (LMFBR), 4954
Core component materials for sodium-cooled fast reactors, 3433
Core component materials for sodium-cooled fast reactors, 3437
Cross sections requirements for the prediction of gas production rates for use in irradiation damage studies in LMFBR, 4996
Design applications of irradiation creep and swelling data (LMFBR), 682 (CONF-780622--67)
Development and evaluation of a stress-free swelling correlation for 20 percent cold-worked Type 316 stainless steel, 5276
Development of LIFE4-CN: a combined code for steady-state and transient analyses of advanced LMFBR fuels, 828 (CONF-790884--2)
Effect of fast neutron irradiation and helium injection on the mechanical properties of austenitic stainless steel (LMFBR), 4940
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys (LMFBR), 4969
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys (LMFBR), 352 (CEA-CONF--4013)
Effects of irradiation creep on ex-reactor mechanical properties (LMFBR; SS-316), 1525 (HEDL-SA--1455)
Effects of fast reactor exposure on the mechanical properties of stainless steels, 4934
Effects of irradiation on the fracture behavior of austenitic stainless steels (LMFBR), 4937
Effects of irradiation on fatigue and crack propagation in austenitic stainless steels (LMFBR), 4938
Effects of strain rate on high temperature mechanical properties of irradiated Incoloy 800 and Hastelloy X (LMFBR), 4950
Effects of irradiation on swelling and microstructural stability of precipitation strengthened alloys (LMFBR), 4967

Effects of radiation on structural materials: proceedings of the international symposium, 9th, 1978, 4229
Electron microscope observations on pore swelling of the steel 1.4970 in the RAPSODIE cluster experiment, 3886
Excess sub-surface swelling produced by Ni ion bombardment (LMFBR; SS-304; SS-316; SS-321), 4956
French program on LMFBR cladding materials development, 4931
Fundamental aspects of the evolution of, and phase changes in, metals and alloys under irradiation (LMFBR), 4973
Further development of cladding and core structural materials (LMFBR), 3859 (EURFNR--1418)
Helium production in FBR out-of-core structural components, 1514 (HEDL-SA--1439)
Helium production in fast breeder reactor out-of-core structural components, 4240
Importance and status of (n,α)-cross sections for a reliable prediction of radiation damage in stainless steel, 1205 (EURFNR--1465)
In-reactor behavior of materials used to control fuel-cladding chemical interaction (LMFBR), 1467 (HEDL-SA--1268)
Influence of fast diffusing substitutional elements on the swelling behaviour of Ni- and Cu-alloys (LMFBR), 4955
Influence of alloying on the irradiation creep of nickel (LMFBR), 4957
Influence of alloy constitution on the swelling of austenitic stainless steels and nickel based alloys (LMFBR), 4959
Influence of metallurgical variables on void swelling in type 316 steel (LMFBR), 4968
International conference on irradiation effects in structural materials for breeder reactors, 4888
Irradiation effects and design of LMFBR permanent reactor structures, 4912
Irradiation creep in breeder reactor structural materials, 4941
Irradiation creep in fast reactor core component materials, 4942
Irradiation induced creep and swelling of cold-worked W.-Nr. 1.4981 irradiated in the RAPSODIE reactor (LMFBR), 4944
Irradiation under stress and the resulting microstructure (LMFBR), 4958
Irradiation creep-swelling coupling: microstructural modeling and data analysis (LMFBR), 4971
Materials for advanced nuclear energy systems, 622 (CONF-771203--)
Mechanical properties of irradiated austenitic stainless steel 1.4970 (LMFBR), 4935
Microstructural changes in ion-irradiated commercial alloys (475 to 725°C), 5277
Post irradiation mechanical properties of annealed and cold worked 316 stainless steel after irradiation to high fast neutron fluences (LMFBR), 4936
Post-irradiation mechanical properties of AISI type 316 steel and Nimonic PE16 alloy (LMFBR), 4939
Radiation effects in breeder reactor structural materials, 4928
Radiation effects in ferritic steels (LMFBR), 4951
Radiation damages in constructional steels and high-nickel alloys irradiated with neutrons (LMFBR), 4970
Recent determination of the irradiation creep rate of cold worked 316 (LMFBR), 4943
Report of the Ad Hoc Panel on the use of accelerators to study irradiation effects, 2690 (PB--263917)
Role of simulation in the U.S. LMFBR Program, 4475
Standardization of dosimetry and damage analysis work for U.S. LWR, FBR, and MFR development program, 1495 (HEDL-SA--1374)
Stress-free swelling in type 304 stainless steel at high fluences (LMFBR), 4271
Swelling and alloy stability of potential fast-breeder-reactor structural alloys irradiated in NRL experiment h-5. Interim report, 1 (AD-A--047410)
Swelling in neutron-irradiated 300-series stainless steels (LMFBR), 4961
Swelling of Type-316 stainless steel at high fluences in EBR-2 (LMFBR), 3528
Swelling of types-304, -316, and -321 stainless steels at high fluences in EBR-II (LMFBR), 1232 (GEFR--00062)
Tensile properties of fast reactor irradiated Type 304 stainless steel, 5275
Theory of particle redistribution in an irradiation environment (LMFBR), 4953
Thermal analysis of an in-reactor LMFBR irradiation creep experiment, 3231
UKAEA fast reactor project research and development programme on fuel element cladding and sub-assembly wrapper materials, 4933
UKAEA void simulation in fast reactor structural materials, 4966
Void formation in stabilized austenitic stainless steel (LMFBR), 4962
Void swelling and microstructural changes in fuel pin cladding and unstressed specimens irradiated in DFR (LMFBR), 4960

REACTOR MATERIALS/PLASTICITY
Nonlinear plasticity model for structural alloys at elevated temperature (LMFBR), 2668 (ORNL/TM--6582)
Unified creep-plasticity model for structural metals at high temperature (LMFBR), 2630 (ORNL/TM--5969)

REACTOR MATERIALS/QUALITY ASSURANCE
Examination of fast reactor fuels and FBR analytical quality assurance standards and methods. Progress report, July 1-September 30, 1979, 2265 (LA--8132-PR)

REACTOR MATERIALS/REACTIVITY WORTHS
Thermal expansion worths for a liquid-metal fast breeder reactor inferred from small-sample reactivity measurements, 3766

REACTOR MATERIALS/RESEARCH PROGRAMS
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978 (LMFBR), 2451 (NUREG/CR--0900)
High-temperature structural design program semiannual progress report for period ending December 31, 1978, 2581 (ORNL--5540)
Liquid Metal Fast Breeder Reactor Materials Development Program. Quarterly progress report for period ending March 31, 1977 (ORNL), 2520 (ORNL--5309)
Mechanical properties test data for structural materials. Quarterly progress report for period ending April 30, 1977, 2509 (ORNL--5287)
Metals and Ceramics Division annual progress report, October 1, 1978-June 30, 1979, 2585 (ORNL--5579)
Overview of the U.S. programs on properties of primary circuit materials, 606 (CONF-771052--2)
Progress report on fast breeder reactor development in Japan, July-September 1978, 3258 (JAPFNR--460)
U. S. programs on reference and advanced cladding/duct materials, 1455 (HEDL-SA--1175)

REACTOR MATERIALS/RUPTURES
Advanced ferritic alloys development for LMFBR steam generators, 2526 (ORNL--5309)
Creep and rupture behavior of 2 1/4 Cr--1 Mo steel, 2531 (ORNL--5309)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)

REACTOR MATERIALS/SLIDING FRICTION
Experiments with sliding suspension in liquid sodium (LMFBR), 4414

REACTOR MATERIALS/SOLUBILITY
Experimental determination of plutonia and urania solubility in liquid metal (LMFBR), 1422 (GEFR-SP--202)

REACTOR MATERIALS/SPECIFICATIONS
Large pool LMFBR design. Volume 3, Part 2. Appendices L-CC. Final report, 1127 (EPRI-NP--1016(Vol.3)(Pt.2))
Program for the development of design data: LMFBR steam generator materials, 1233 (GEFR--00067-2)

REACTOR MATERIALS/STEAM GENERATORS
Friction and wear tests in support of LMFBR steam generator tube/tube spacer plate interactions, 2981 (WARD-NA--3045-48)

REACTOR MATERIALS/STRESS ANALYSIS
Effects of stress concentration and defects on materials constitutive equations under dynamic loading, 587 (CONF-770807--Pt.L)
Special information meeting on high-temperature structural design applications experience, Germantown, Maryland, September 14--15, 1978. Summary report (LMFBR; HTGR), 2587 (ORNL/BRP--78/4)

REACTOR MATERIALS/SUBMERGED ARC WELDING
High-temperature structural design data for austenitic stainless steel weldments, 2522 (ORNL--5309)
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)

REACTOR MATERIALS/SURFACE CLEANING
Corrosion and cleaning aspects of sodium side crevices in components of LMFBR's, 2114 (IWGFR--23)

REACTOR MATERIALS/SWELLING
Effects of alloy composition on void swelling (LMFBR), 4965
Effects of temperature changes on 20% cold worked AISI 316 stainless steel swelling (LMFBR), 3002 (WARD-OX--3045-45)
Swelling behavior of cold worked type 316 stainless steel (LMFBR), 4963

REACTOR MATERIALS/TENSILE PROPERTIES
Complex materials behavior studies in support of design methods data list using reference heats, 2541 (ORNL--5349)
Creep and tensile properties of transition weld joint materials, 2496 (ORNL--5255)
Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)
Effect of chemistry variations on the short-term rupture life and tensile properties of 20% cold-worked type 316 stainless steel (LMFBR; FFTF), 4572
Evaluation of roll-extruded Alloy 718 tubing, 2940 (TREE--1255)
Heat-to-heat variation of 2 1/4 Cr--1 Mo steel, 2492 (ORNL--5255)
High-temperature structural design program semiannual progress report for period ending June 30, 1978 (LMFBR) 2569 (ORNL--5433)
Influence of sodium environment on the uniaxial tensile behavior of titanium modified type 316 stainless steel (Doe; 0.15 to 0.25 wt % Ti, 550 to 700°C, the Voce Equation), 3714
Low-cycle fatigue and cyclic-deformation behavior of SMA

type 308 (CRE) stainless steel weld metal at 571°C, 2539 (ORNL--5349)
Mechanical property program of Alloy 718, 2481 (ORNL--5255)
Mechanical property characterization of Type 316 stainless steel reference heat, 2488 (ORNL--5255)
Mechanical properties of transition joint materials in support of LMFBR steam generator design (2¼ Cr--1 Mo), 2495 (ORNL--5255)
Mechanical properties of a 2 1/4 Cr--1 Mo steel forging for LMFBR tubesheets, 2532 (ORNL--5309)
Mechanical properties of tubesheet forgings for LMFBR steam generators, 2559 (ORNL--5378)
Mechanical properties of 16-8-2 girth welds on large-diameter pipe, 2543 (ORNL--5349)
Mechanical property characterization of large-diameter pipes of type 316 stainless steel welded with 16-8-2 filler metal, 2546 (ORNL--5349)
Mechanical properties test matrices on type 316 stainless steel and 2 1/4 Cr--1 Mo steel for U.S. Department of Energy Breeder Reactor Program, 2586 (ORNL/BRP--78/3)
Survey of available creep and tensile data for alloy 800H, 2528 (ORNL--5309)
Tensile properties of ERNICr-3 (Inconel 82) weld metal, 2547 (ORNL--5349)
Tensile properties of 304 SS and 316 SS, 2549 (ORNL--5349)
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2493 (ORNL--5255)
Thermal aging of 2 1/4 Cr--1 Mo steel, 2544 (ORNL--5349)
Tubular specimen testing, 2502 (ORNL--5255)
REACTOR MATERIALS/TEST FACILITIES
National friction, wear, and self-welding program status and plans (LMFBR), 1813 (HEDL-TME--78-38)
REACTOR MATERIALS/TESTING
Core restraint development. Quarterly progress report for period ending August 31, 1977 (LMFBR), 2961 (WARD-CR--3045-19)
REACTOR MATERIALS/THERMAL CONDUCTIVITY
Thermal conductivity and thermal behavior of absorber materials for fast breeders (400 to 1600°K), 5292 (BNWL-tr--266)
Thermal conductivities of mixed carbide fuel and blanket materials (LMFBR), 2289 (LA-UR--80-1283)
REACTOR MATERIALS/THERMAL DIFFUSIVITY
Thermal conductivities of mixed carbide fuel and blanket materials (LMFBR), 2289 (LA-UR--80-1283)
REACTOR MATERIALS/THERMAL STRESSES
Advanced safety analysis thirteenth quarterly report, September--November 1977 (LMFBR), 1378 (GEFR--14038-13)
REACTOR MATERIALS/WEAR
Experiments with sliding suspension in liquid sodium (LMFBR), 4414
Friction and wear tests in support of LMFBR steam generator tube/tube spacer plate interactions, 2981 (WARD-NA--3045-48)
National friction, wear, and self-welding program status and plans (LMFBR), 1813 (HEDL-TME--78-38)
Selection of bearing materials for commercial LMFBR flexible joint applications, 39 (AI-DOE--13238)
Tribological studies in sodium, 4201
REACTOR MATERIALS/YIELD STRENGTH
Thermal aging effects on 2 1/4 Cr--1 Mo steel, 2534 (ORNL--5309)
REACTOR MATERIALS/YOUNG MODULUS
Elastic properties of engineering construction materials, 2489 (ORNL--5255)
REACTOR NOISE/CORRELATION FUNCTIONS
Determination of BOR-60 reactor dynamic characteristics using data from statistic experiments, 2345 (NIIAR-P--18(312))
REACTOR OPERATION/OPTIMIZATION
CHaracteristics of the combined operation of thermal and fast power reactors, 4348
REACTOR PROTECTION SYSTEMS
Experiments and analyses for an LMFBR inherent shutdown system, 4661
Hydraulically supported absorber balls shutdown system for inherently safe LMFBR's, 410 (CONF-761001--P2)
Method of preventing sodium from flowing when pipes of a fast breeder reactor are injured (Patent750AIX-08) 341043), 5375
Reactor safety (PWR, BWR, HTGR, LMFBR), 5271
REACTOR PROTECTION SYSTEMS/DESIGN
Probabilistic approaches to advanced reactor design optimization, 5020
REACTOR PROTECTION SYSTEMS/HYDRAULIC CONTROL DEVICES
Absorber balls tested for LMFBR secondary shutdown, 3868
REACTOR PROTECTION SYSTEMS/REACTOR INSTRUMENTATION
Ultrasonic dynamic imaging (UDI) system to determine the size and velocity of large spherical simulated bubbles in liquids (LMFBR), 832 (CONF-791008--5)
REACTOR PROTECTION SYSTEMS/RELIABILITY
Application of reactor scram experience in reliability analysis of shutdown systems, 3920
Reactor scram experience for reliability analysis of LMFBR shutdown systems, 632 (CONF-771203--)
REACTOR PROTECTION SYSTEMS/SYSTEM FAILURE ANALYSIS
Comprehensive method of common-mode failure analysis for LMFBR safety systems, 414 (CONF-761001--P2)
REACTOR SAFETY
(Theoretical and experimental investigations of the behavior of reactor types and designs under various real or hypothetical accidents.)
See also FAULT TREE ANALYSIS
REACTOR SAFETY EXPERIMENTS
A model for fuel fragmentation during molten fuel/coolant thermal interactions, 489 (CONF-761001--P4)
Abnormal condition detector of a reactor container, 5182
Accident of sodium steam generator element - LEWISA program, 992 (CS-INIS--199)
Acoustic analysis from sodium boiling tests using THORS bundle 6A, 4797
Acoustic diagnostic techniques for post-accident heat removal experiments, 507 (CONF-761001--P4)
Acoustic data analysis: TREAT test R12, 4008
Activities in SBL-FPL loops for safety study of LMFBR(I), 2152 (JAPFNR--473)
Advanced carbide/nitride fuels program. Quarterly progress report for the period July--September 1977, 180 (ANL-AFP--40)
Advanced Fuels Program. Quarterly progress report for the period, July--September 1974, 167 (ANL-AFP--1)
Advanced fuels safety comparisons, 4862
Advanced fuels program. Quarterly progress report for the period April--June 1977, 179 (ANL-AFP--39)
Advanced Fuels Development Program. Quarterly progress report, October--December 1977, 183 (ANL-AFP--47)
Advanced fuels development program. Quarterly progress report, January--March 1978, 184 (ANL-AFP--51)
Advanced fuels development program. Quarterly progress report, October-December 1978, 187 (ANL-AFP--63)
Advanced fuels development program. Quarterly progress report, April-June 1978, 185 (ANL-AFP--55)
Advanced fuels development program. Quarterly progress report, July-September 1978, 186 (ANL-AFP--59)
Advanced Reactor Safety Research Division. Quarterly progress report, January 1--March 31, 1979, 2444 (NUREG/CR--0820)
Advanced safety analysis. Twelfth quarterly report, June--August 1977, 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978, 1379 (GEFR--14038-15)
Aerodynamic properties of aerosols formed by a sodium pool fire, 3190
Aerosol behavior during sodium pool fires in a large vessel: CSTF tests AB1 and AB2, 1849 (HEDL-TME--79-28)
Aerosol behavior during sodium spray fires and comparison with computer codes, 1606 (HEDL-SA--1714-FP)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7, 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977, 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977, 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978, 2405 (NUREG/CR--0425)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1978, 2418 (NUREG/CR--0587)
Aerosol measurements and modeling for fast reactor safety. Annual report for FY 1978, 2423 (NUREG/CR--0676)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January 1-March 31, 1979, 2468 (NUREG/CR--1165)
ALICE: a hybrid Lagrangian-Eulerian code for calculating fluid-structure interaction transients in fast-reactor containment, 157 (ANL--79-72)
An investigation of forced convection boiling of sodium at low heat fluxes in electrically heated seven pin bundles, 512 (CONF-761001--P4)
Analysis of postulated FFTF pipe ruptures, 443 (CONF-761001--P3)
Analysis of EBR-II secondary sodium network for pressures pulses due to leaks of steam on water into sodium, 4543
Analysis of core disruptive accidents in carbide-fueled LMFBRs, 4860
Analysis of reactor structural response to fuel sodium interaction in a hypothetical core disruptive accident, 2726 (PNC-N--251-76-12(Vol.2))
Analysis of the central blockage wake in an LMFBR-subassembly, 3848
Analysis of hypothetical core disruptive events in the Clinch River Breeder Reactor Plant, 980 (CRBRP-GEFR--00103)
Analysis of a hypothetical LMFBR accident using the codes FUTURE and FRUMP, 3987
Analysis of prestressed concrete vessels for HCDA loads, 3991
Analysis of FFTF reactor cavity liners under ex-vessel PAHR conditions, 1672 (HEDL-TC--572(Rev.1))
Analysis of TREAT Tests L7 and L8 with SAS3D, LEVITATE and PLUTO2, 1020 (DOE/TIC--10102)
Analysis of TREAT transient overpower experiments using the PLUTO2 codes, 1019 (DOE/TIC--10101)
Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST), 2424 (NUREG/CR--0678)

Analysis of LMFBR containment response using a multifield implicit continuous-fluid Eulerian code (MICE), 3539
Analysis of the heat and mass transfer processes of a UO_2 bubble in sodium for the Fuel Aerosol Simulant Test (FAST), 2597 (ORNL/NUREG/CR--0678)
Analysis of the FFTF primary pipe rupture transients, 316 (BNL-NUREG--25493)
Analysis of sodium void coefficient in heterogeneous core fast power reactors, 4104
Analysis of dynamically loaded non-linear structures, 5045
Analysis of internal fuel motion during PINEX-2 experiment, 2242 (LA--7938-C)
Analysis of TREAT transient overpower experiments using the PLUTO codes, 2251 (LA--7938-C)
Analysis of fuel behaviour in SCARABEE 1st phase experiments, 2255 (LA--7938-C)
Analysis of TREAT tests L7 and L8 with SAS3D, LEVITATE and PLUTO2, 2257 (LA--7938-C)
Analysis of fuel dispersal in direct electrical heating experiments, 2259 (LA--7938-C)
Analysis of a prototypic and a simulant experiment related to freezing in flow channels, 2260 (LA--7938-C)
Analysis of FFTF response to hypothetical earthquake with postulated primary piping leak and cooling by natural circulation, 1603 (HEDL-SA--1703-FP)
Analysis of piping systems for creep, 5125
Analysis of a loss-of-piping-integrity transient in an LMFBR fuel assembly, 3183
Analysis of proposed transient overpower experiments, 740 (CONF-781108--)
Analysis of severe hypothetical accidents, 4214
Analysis of the disassembly phase of hypothetical core disruptive accidents (HCDA) for the SNR-2000, 3106 (DOE-tr--115)
Analytical and experimental studies of transient fuel freezing, 482 (CONF-761001--P4)
Analytical validation of the CACECO containment analysis code, 1840 (HEDL-TME--79-2)
Annual report 1977, 1948 (INIS-mf--4513)
Annual report 1978, 2006 (INIS-mf--5244)
Anticipated transients without scram for light water reactors: implications for liquid metal fast breeder reactors, 2760 (RAND/N--1188-DOE)
Apparatus for retaining molten fuel in a reactor, 5208
Applicability of the Reactor Safety Study (WASH-1400) to LMFBR risk assessments, 419 (CONF-761001--P2)
Application of containment codes to LMFBRs in the United States, 4496
Application of probabilistic methods in the field of nuclear safety, 5263
Application of ultrasonic thermometry in lmfbr safety research, 4910
Application of a nonredundant pinhole array to a test fuel element at TREAT, 4011
Application of probabilistic methods to safety R and D and design choices, 5019
Approach for treating two-dimensional coolant boiling in an LMFBR fuel subassembly, 4794
Assessment of accident risks in the CRBRP. Volume 2. Appendices, 961 (CRBRP--1(Vol.2))
Assessment of fuel freezing and drainage phenomena in a reactor shield plug following a core disruptive accident, 3717
Assessment of the loss-of-heat-sink accident with scram in the LMFBR, 309 (BNL-NUREG--24946)
Assessment of debris transport methods in horizontal LMFBR piping for PAHR conditions, 3025 (WARD-SR--3045-9)
Assessment of the effect of reactor size on hypothetical core disruptive accidents, 4105
Assessment of structural dynamics problems in nuclear reactor safety, 2219 (KFK-EXT--8/78-5)
Attenuation of HCDA work potential by heat transfer, 4004
Attenuation of airborne debris from LMFBR accidents, 1591 (HEDL-SA--1665)
BEHAVE-SST interpretation of TREAT experiments HUT 5-5A and HUT 5-5B, 3985
Behavior of sodium--oxide and uranium--oxide aerosols in a large vessel, 809 (CONF-790816--18)
Behaviour of the core of a fast sodium-cooled breeder reactor of 2000 MW(e) during disruptive accidents with a very low likelihood of occurrence, 3465 (DOE-tr--90)
Birth of the breeder, 4905
Blockages in LMFBR fuel assemblies: a review, 615 (CONF-771120--14)
Boiling glow regimes for carbide fuel and steel, 4003
Boiling incoherency effects in unprotected loss-of-flow accidents, 4771
Boilup threshold for the bottled-up transition-phase pool, 4007
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report, April--June 1977, 2601 (ORNL/NUREG/TM--142)
Breeder reactor safety and core systems programs. Progress report, July--September 1977, 2643 (ORNL/TM--6158)
Breeder Reactor Aerosol Release and Transport Program quarterly progress report for July--September 1977, 2607 (ORNL/NUREG/TM--173)
Breeder reactor safety and core systems programs progress report, October--December 1977, 2649 (ORNL/TM--6288)
Breeder Reactor Aerosol Release and Transport Program. Quarterly progress report for October--December 1977, 2610 (ORNL/NUREG/TM--193)
Breeder reactor safety and core systems programs. Progress report, January--March 1978, 2658 (ORNL/TM--6439)
Breeder reactor safety and core systems programs. Progress report, April--June 1978, 2665 (ORNL/TM--6558)
Breeder Reactor Safety and Core Systems Programs. Progress report, July--September 1978, 2674 (ORNL/TM--6698)
Breeder Reactor Safety and Core Systems Programs progress report for October--December 1978, 2680 (ORNL/TM--6851)
Breeders, 4208
Bubble behavior in LMFBR core disruptive accidents. Annual report, October 1977--September 1978, 2420 (NUREG/CR--0604)
Bubble collapse reactivity increases in boiling fuel/steel pools, 4789
Bubble separator for fast breeder reactors, 5376
Bubble worth variation in molten cores from a hypothetical core disruptive accident, 3270
Building of the first commercial fast breeder in France, 3129
Buoyancy effects on pressure loss in rod arrays under laminar flow, 3184
Buoyancy induced flow and heat redistribution during LMFBR core decay heat removal, 849 (CONF-800226--1)
Calculated vs experimental temperature distribution behind a six-channel central blockage, 4792
Calculation of signals in coded-aperture imaging of many-pin bundles of LMFBR fuel, 2407 (NUREG/CR--0443)
Calculation of structures by a method of substructures defined by their eigenmodes. Linear and nonlinear applications. Tristana code, 357 (CEA-CONF--4384)
CAMEL seven-pin fuel sweepout tests, 3998
Cassandre: A 2D multigroup diffusion Benchmark code for fast reactors power excursions analysis, 1993 (INIS-mf--4773)
Central computerized data base for liquid metal fast breeder reactor safety codes, 438 (CONF-761001--P3)
Certain aspects of alternative core disruption accidents in LMFBRs, 3877
Characterization of fragmented fuel from a thermal fuel-sodium interaction, 3271
Characterization of an energy source for modeling hypothetical core disruptive accidents in nuclear reactors. First interim report, 266 (ANL/K72--2655-1)
Chemical reactions of sodium fire aerosols in the free atmosphere, 3283
Chemical simulation modeling of heat transfer in LMFBRs, 1012 (DOE/ET/37205--T1)
Clad relocation dynamics: the physics and accident evolution implications, 475 (CONF-761001--P4)
Clad strain and melt-through failure mode analysis for fast-running application, 2245 (LA--7938-C)
Cladding failure in TREAT overpower experiments: a mechanistic interpretation and its implications for LMFBR safety analysis, 473 (CONF-761001--P4)
Cladding motion in a 37-pin loss-of-flow exeriment: SLSF P3, 3200
Cladding relocation experiments, 474 (CONF-761001--P4)
Clinch River Breeder Reactor Plant. Technical review, Winter 1978, 989 (CRBRP-PMC--78-01)
Clinch River Breeder Reactor Plant. Integrity of primary and intermediate heat transport system piping in containment, 971 (CRBRP-ARD--0185(Vol.1))
Clinch River Breeder Reactor Plant Safety Study, 3889
Clinch River Breeder Reactor Plant safety study: summary and results, 677 (CONF-780507--15)
Collecting tank with evaporation protection for a nuclear reactor, 3456
Combustion of large sodium pools, 315 (BNL-NUREG--25492)
Combustion of sodium in the open atmosphere, 1013 (DOE/EV--0046(Vol.2))
COMCAN II-A: a computer program for automated common cause failure analysis, 2943 (TREE--1361)
Comparision of SAS3D LOF transient analyses for 1200-MW(e) LMFBR conventional and nonconventional core designs, 4802
Comparison of containment systems for large sodium-cooled breeder reactors, 1810 (HEDL-TME--78-35)
Comparison of the behavior during a TUC of CRBR carbide reload designs to the reference oxide design, 3984
Comparison of measured and calculated average void fraction in volume-boiling pools with inclined boundaries, 326 (BNL-NUREG--25714)
Comparison of experiment with analysis of a water-filled plastically deforming pipe using the computer code PTA-1, 3024 (WARD-SR--3045-8)
Comparison of REXCO code predictions with flexible vessel experiments, 3538
Comparison of the HAARM-3 fallout model with Nuclear Safety Pilot Plant (NSPP) data, 779 (CONF-790602--63)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop (THORS bundle 6A), 2677 (ORNL/TM--6778)
Comparison of the predictions from the multichannel clad relocation model to available in-pile experimental data, 2253 (LA--7938-C)
Comparison of FISGAS swelling and gas release

predictions with experiment, 2258 (LA--7938-C)
Comparisons of DEMO calculations to FFTF pump and flow coastdown measurements, 2988 (WARD-NC--94000-1)
Comparison of the HAARM-3 fallout model with nuclear safety pilot plant (NSPP) data, 3191
Comparison of ALICE predictions with SRI flexible vessel experiments, 3196
Comparison of ICECO code predictions with COVA experimental data, 3197
Comparison of safety characteristics of the advanced reactor lines fast breeder and HTR. Report to the committee for internal affairs of the German Bundestag. Materials, 2004 (INIS-mf--5107)
Comparison of experiment and NEFIC model calculations of transient fission gas behavior, 16 (AERE-TP--793)
Compendium of computer codes for the safety analysis of fast breeder reactors, 1002 (DOE/ET--0009)
Compendium of core debris retention technology, 1305 (GEFR--00411)
Compilation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 7A, 259 (ANL/EBR--104)
Computational analysis of fuel--sodium interactions with an improved method, 433 (CONF-761001--P3)
Computational results for a 7-pin hexagonal fuel assembly during a flow rundown transient using the COMMIX-1A computer code, 2471 (NUREG/CR--1285)
Computer code SEURBNUK-2 for fast reactor containment safety studies, 3897
Computer models for subassembly simulation, 3551
Computer simulation of natural circulation in FFTF secondary loops, 1653 (HEDL-SA--1920S)
Concepts on high temperature design analysis for SNR 300, 2073 (IWGFR--11)
Condensation from a large HCDA vapor-gas bubble onto structures, 4005
Confidence level in the calculations of HCDA consequences using large codes, 1641 (HEDL-SA--1835)
Confirmatory simulation of safety and operational transients in LMFBR systems, 311 (BNL-NUREG--24988)
Consequences of safety prescriptions for fast breeder reactor design in France, 4136
Considerations of the third line of assurance: post-accident heat removal and core retention in containment, 500 (CONF-761001--P4)
Construction of Soviet fast reactor BN-600, 4415
Container for a liquid metal cooled reactor, 5333
Containment response to postulated ex-vessel core meltdown accidents in the fast flux test facility, 322 (BNL-NUREG--25522)
Containment of the Creys-Malville plant, 5122
Control equipment for emergency cooling system, 5343
Convective heat transfer correlations for molten core debris pools growing in concrete, 949 (COO--4261-8)
Core catcher in a reactor, 5316
Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.2. A discrete model for squeeze flow between two adjacent LMFBR subassemblies, 3697
Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.1. Safety problems solved by flow singularity methods, 3699
COVA programme for the validation of computer codes for fast reactor containment studies, 3771
CRBRP safety study: an assessment of accident risks in the CRBRP. Volume I. Main report, 960 (CRBRP--1(Vol.1))
CRBRP safety study: an assessment of risk, 633 (CONF-771203--)
CRBRP sodium fire tests. Technical progress report, May-June 1979, 1163 (ESG-DOE--13285)
CRBRP sodium fire tests. Quarterly technical progress report, October-December 1979, 1167 (ESG-DOE--13312)
CRBRP structural and thermal margin beyond the design base, 820 (CONF-790816--37)
Creys-Malville power station, 3882
Criteria for TOP or LOPI termination in a LMFBR, 1406 (GEFR-SP--133)
CURL: a transient simulation code for LMFBRs, 4775
Data management system for the Thermal-Hydraulic Out-of-Reactor Safety Facility computer-controlled data acquisition system configuration for bundle 3C operation, 2676 (ORNL/TM--6745)
Debris bed and sacrificial materials interactions at high temperatures, 3993
Debris bed experiment No. 4: a preliminary look, 2894 (SAND--80-0217C)
Debris transport in horizontal piping, 4014
Decay heat removal from a pin bundle, 521 (CONF-761001--P4)
Decay heat removal plan of the SNR-300: a licensed concept, 424 (CONF-761001--P2)
Dependence of diffusion theory results on the mesh size for fast reactor calculations, 2212 (KFK--2827)
Deposition of aerosols formed by HCDA due to decay heat transport in LMFBR inner containment atmospheres, 493 (CONF-761001--P4)
Design features of the fuel element computerized protection system Bessy, 2305 (MRR--160)
Design trade-offs in view of safety considerations, 4131
Designing for safety in fast reactors in the presence of uncertainties, 423 (CONF-761001--P2)
Detection of fuel assembly flow reductions in a heterogeneous core, 4796
Detection device for fuel failure, 3360
Development of technical specifications for EBR-II: some considerations for application to commercial LMFBR's, 422 (CONF-761001--P2)
Development work on core protective instrumentation, 4209
Development of a code for description of sodium spray and pool fires. Part I: comparison between the codes SOFIRE II and NABRAND, 2211 (KFK--2824)
Device for protecting deformations of reactor cores, 5371
Dispersive potential of irradiated breeder reactor fuel during a thermal transient, 4801
Display of the predictions of large fast reactor safety analysis codes via computer-generated movies, 1551 (HEDL-SA--1525-FP)
Dissolution ratio of hydrogen generated by small-leak sodium-water reaction, 4403
Distribution of revisions to FFTF FSAR, 1714 (HEDL-TI--75002-18)
Distribution of revisions to FFTF FSAR, 1698 (HEDL-TI--75001-25)
Distribution of revisions to FFTF FSAR, 1688 (HEDL-TI--75001-16.1)
Distribution of revisions to FFTF FSAR, 1709 (HEDL-TI--75002-12)
Distribution of revisions to FFTF FSAR, 1715 (HEDL-TI--75002-19)
Distribution of revisions to FFTF FSAR, 1716 (HEDL-TI--75002-20)
Distribution of revisions to FFTF FSAR, 1722 (HEDL-TI--75002-26)
Distribution of revisions to FFTF FSAR, 2935 (TID--29350)
Dynamic boiling tests in a 19-pin simulated LMFBR fuel assembly, 4793
Dynamic structural response of LMFBR head closures to hypothetical core disruptive accidents, 3541
Dynamics of solidification of flowing fluids with applications to LMFBR post-accident fuel relocation, 483 (CONF-761001--P4)
EBR-II operating experience, 1040 (DOE/TIC--11162)
Edge blockage in a 19-pin sodium-cooled bundle, 614 (CONF-771120--8)
Effect of the fast breeder concept on the reactor main characteristics and steam generation parameters, 1213 (FEI--607)
Effect of creep on thermal fracturing in oxide crusts, 2855 (SAND--78-0255C)
Effect of radiative heat transfer on the thermal-fluid behavior of molten UO_2, 4013
Effect of overlaying steel layers on the growth of molten core debris pools in concrete, 950 (COO--4261-9)
Effect of uncertainties in thermophysical properties of UO_2 and sodium on MFCI's, 2897 (SRD-R--159)
Effect of pump-stored kinetic energy on natural-circulation decay-heat removal in loop-type LMFBRs, 3187
Effect of intrasubassembly incoherencies on the fast test reactor unprotected transient overpower accident, 3059
Effective equation-of-state measurements on uranium dioxide, 4800
Effects of fuel-sodium interaction in TOP tests with electrically heated fuel pins, 491 (CONF-761001--P4)
Effects of noncondensible void fraction on freezing of flowing fluids, 4777
Effects of internal circulation velocity and noncondensible gas on vapor condensation from a rising bubble, 4781
Effects of sodium entrainment and heat transfer with UO_2 vapor during an HCDA, 4006
Effects of scattering on radiative cooling of a large HCDA-produced vapor bubble, 812 (CONF-790816--21)
Effects of transient power histories on the intrasubassembly failure incoherencies, 1648 (HEDL-SA--1868)
Energy from nuclear reactors. Pt. 5. Fast breeder reactor safety, 4462
Energy gap and the fast reactor, 4490
Energy increase from bubble collapse following recriticality in large molten pools, 4787
Energy source for modeling HCDA bubbles, 5059
Environmental, safety, and public acceptance aspects of LMFBRS. Memo report, 2698 (PB--285567)
Equations of state for LMFBR materials, 479 (CONF-761001--P4)
Eulerian method for large-displacement fluid-structure interaction in reactor containments, 4883
Evaluation of explicit finite-difference techniques for LMFBR safety analysis, 453 (CONF-761001--P3)
Evaluation of LMFBR fuel-motion diagnostics instrumentation with PARKA, 2273 (LA-UR--78-2711)
Evaluation of hodoscopes for fuel-motion measurement in multipin bundles, 4025
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978, 2451 (NUREG/CR--0900)
Event tree analysis of core disruptive accident consequences safety R and D planning, 1407 (GEFR-SP--135)
Examination of subassembly scale fuel motion using the SIMMER-II code, 2286 (LA-UR--79-2285)
Experience with transient testing and simulation at EBR-II, 3659

Experimental investigations on the compatibility of a SNR-type corium with graphite, 467 (CONF-761001--P4)
Experiments on pressure-driven fuel compaction with reactor materials, 478 (CONF-761001--P4)
Experimental investigations of heat transfer characteristics in liquid layers with internal heat sources, 503 (CONF-761001--P4)
Experimental work at Harwell on the injection of sodium into liquid steel, 2716 (PNC-N--251-76-12(Vol.1))
Experimental studies of thermal interactions at AEE Winfrith, 2719 (PNC-N--251-76-12(Vol.1))
Experimental study on conversion of stored thermal energy to mechanical work in fuel-coolant interaction, 2720 (PNC-N--251-76-12(Vol.1))
Experimental results of sodium-water reaction Test No. 6, 2298 (LMEC-TDR--78-3)
Experimental investigation of the formation of critical boiling nuclei in superheated sodium, 4388
Experimental study of reactivity worths of simulated LMFBR meltdown configurations, 3684
Experimental determination of local temperature field variations due to spacer grids in the cladding tubes of a rod cluster flowed through by sodium, 3906
Experimental determination of decay power in EBR-II, 3978
Experimental observations of intersubassembly heat transfer effects during natural circulation, 4021
Experimental study of hydrogen jet ignition and jet extinguishment, 1824 (HEDL-TME--78-80)
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere, 2442 (NUREG/CR--0799)
Experimental studies in CDA work-energy attenuation. Quarterly progress report No. 17, 1 January to 31 March 1979, 2779 (SAN--0115-T5)
Experimental studies on local cooling perturbations, 4143
Experimental study of the transition from forced to natural circulation in EBR-II at low power and flow, 805 (CONF-790808--18)
Experimental study of the downward penetration of a hot liquid pool into the horizontal surface of a gas-releasing solid, 3206
Experiments on the response of rigid and flexible reactor vessel models to a simulated hypothetical core disruptive accident, 267 (ANL/K76--2655-5)
Experimental and theoretical studies on the pressure build-up of core materials in hypothetical accidents, 4216
Experiments on fuel-coolant interaction under transient conditions (LMFBR), 4220
Exploratory studies on carbide fuel/coolant interactions, 3997
Extinguishment of sodium fires, 2772 (RISLEY-Trans--4009)
Facility for nuclear aerosol experiments, 4215
Fast Breeder Project. Quarterly report, 1977, 4908 (EURFNR--1435)
Fast Breeder Blanket Facility. Quarterly progress report, April 1, 1978--June 30, 1978, 937 (COO--2826-9)
Fast breeder reactor I, 3462
Fast breeder reactor, 3499
Fast breeder reactor, 3500
Fast breeder reactor development in Japan. Progress report, October-December 1978, 3230 (JAPFNR--458)
Fast breeder. Do we need it. How does it work, 3296
Fast reactor instrumentation development is aimed at a commercial plant, 4346
Fast reactor fuel pin performance requirements for off-normal events, 1561 (HEDL-SA--1551-FP)
Fast reactor fuel pin performance, 3553
FCI potential of oxide and carbide fuels: results of the prompt burst series at Sandia Laboratories, 2885 (SAND--79-0752C)
Feasibility study for a post-accident heat removal facility, 3644
FFTF containment of hypothetical accidents, 1615 (HEDL-SA--1736-FP)
FFTF FSAR, Amendment 21, 1717 (HEDL-TI--75002-21)
FFTF FSAR Amendment 35. Revisions to emergency plan, 1730 (HEDL-TI--75002-35)
FFTF primary system transition to natural circulation from low reactor power, 1652 (HEDL-SA--1919-FP)
FFTF safety review, 1661 (HEDL-SA--1958)
Film boiling and vapor explosions from small spheres, 3203
Finite-element method for above-core structures, 162 (ANL--79-104)
First in-core molten fuel pool experiment, 2827 (SAND--77-1096C)
FISGAS: a code for fission-gas migration and fuel swelling in an LMFBR accident, 2465 (NUREG/CR--1124)
Fission and fusion reactors. Critical issues facing the long term deployment of fission and fusion breeder reactors, 3379
Fission gas bubble modeling for LMFBR accidents, 4804
Fission gas behavior in mixed-oxide fuel during transient overpower, 1620 (HEDL-SA--1747-FD)
Flow and mixing conditions in the upper plenum of the SNR 300, 3900
Flow regime observations in two-phase volume-heated boiling pools, 4778
Flow rundown experiments in a seven pin bundle, 4391
Fluid-structure interaction analysis of a deck structure during a HCDA, 804 (CONF-790802--70)
FOAM: principal flow regime in a volume-heated boiling pool, 4779
Formation of bubble boundary layer over an inclined porous plate, 3205
Fourth quarterly report 1976, 2161 (KFK--1276/4)
French program for advancement of nuclear power plants with fast breeders, 3240
FRESS pin failure model and its application to E-8 TREAT test, 2246 (LA--7938-C)
FSAR amendment 8, 1705 (HEDL-TI--75002-8)
FSAR amendment 10, 1707 (HEDL-TI--75002-10)
FSAR amendment 14, FSAR revisions: response to NRC Q_2 set 1, quality assurance, 1710 (HEDL-TI--75002-14)
FSAR amendment 11: changes to reflect supplement 13, part 1, 1708 (HEDL-TI--75002-11)
FSAR amendment 15: miscellaneous changes, 1711 (HEDL-TI--75002-15)
FSAR amendment 16, 1712 (HEDL-TI--75002-16)
FSAR amendment 17, 1713 (HEDL-TI--75002-17)
FSAR Amendment 22. Addition of response Q130.57 to Supplement 21, 1718 (HEDL-TI--75002-22)
FSAR amendment 23: (change to chapter 17, as made by FSAR supplement 26), 1719 (HEDL-TI--75002-23)
FSAR amendment 24: addition to supplement 13, Q211.33, NRC Q_1, Set 8, 1720 (HEDL-TI--75002-24)
FSAR amendment 25: miscellaneous revisions, 1721 (HEDL-TI--75002-25)
FSAR Amendment 31: changes to section 3.10, 1726 (HEDL-TI--75002-31)
FSAR amendment 32: miscellaneous changes, 1727 (HEDL-TI--75002-32)
FSAR Q_1 responses, 1681 (HEDL-TI--75001-10)
FSAR Q_1 responses. Supplement 11, 1682 (HEDL-TI--75001-11)
FSAR supplement 12, part 2, responses to NRC Q_1-set 7; amendment 13, 1684 (HEDL-TI--75001-12.2)
FSAR supplement 13. Part I. Responses to NRC Q_1 set 8, 1685 (HEDL-TI--75001-13.1)
FSAR supplement 14: response to NRC Q_1 set 9, 1686 (HEDL-TI--75001-14)
FSAR supplement 16. Part 2. Response to NRC Q_2 set 2, 1689 (HEDL-TI--75001-16.2)
FSAR supplement 17: responses to NRC Q_1 set 10, 1690 (HEDL-TI--75001-17)
FSAR supplement 18: responses to NRC Q_1 set 6, 1691 (HEDL-TI--75001-18)
FSAR supplement 19: response to NRC Q_2 set 3, 1692 (HEDL-TI--75001-19)
FSAR supplement 21: response to NRC Q_2 set 5, 1694 (HEDL-TI--75001-21)
FSAR supplement 22: responses to NRC Q_2 set 6, 1695 (HEDL-TI--75001-22)
FSAR supplement 23: responses to NRC Q_2 set 7, 1696 (HEDL-TI--75001-23)
FSAR supplement 20, response to NRC Q_2 set 4, 1693 (HEDL-TI--75001-20)
FSAR supplement 26: response to NRC Q_2 Set 11, 1699 (HEDL-TI--75001-26)
FSAR supplement 27: response to NRC Q_2 Set 12, 1700 (HEDL-TI--75001-27)
FSAR supplement 28: response to NRC Q_2 Set 13, 1701 (HEDL-TI--75001-28)
FSAR supplement 29: response to NRC Q_2 set 14, 1702 (HEDL-TI--75001-29)
Fuel aerosol simulant test data record report: argon tests, 2464 (NUREG/CR--1123)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment, 759 (CONF-790361--1)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment, 2250 (LA--7938-C)
Fuel assembly in FBR type reactor, 5187
Fuel assembly, 5173
Fuel-coolant interactions. Some basic studies at the UKAEA Culham Laboratory, 2709 (PNC-N--251-76-12(Vol.1))
Fuel coolant interaction results in the fuel pins melting facility(PMF), 2711 (PNC-N--251-76-12(Vol.1))
Fuel-coolant interaction-phenomena under prompt burst conditions, 2881 (SAND--79-0123C)
Fuel crack volume predictions and measurements, 2240 (LA--7938-C)
Fuel disassembly experiments using the capacitor discharge vaporization (CDV) technique, 3995
Fuel dispersal experiments with simulant fluids, 476 (CONF-761001--P4)
Fuel particle and fission product release from LMFBR-core catcher, 494 (CONF-761001--P4)
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments, 2871 (SAND--78-2085C)
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments, 2247 (LA--7938-C)
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
Fuel rod mechanics and failure analysis. Twentieth quarterly report, May--July 1977, 1349 (GEFR--13923-20)
Fundamental aspects of molten clad relocation, 2252 (LA--7938-C)
FUSS: the integrated FUMO, SAS3A, neutronics update system, 4773
Gravitational collision efficiency of LMFBR aerosols with size-dependent density, 4019
Gravitational collision efficiency of post hypothetical core disruptive accident Liquid-Metal Fast Breeder Reactor aerosols: spherical particles, 3060
Ground temperatures surrounding a molten fuel pool, 1478

(HEDL-SA--1324-F)
Growth of molten core debris pools in concrete. Progress report, April 1--June 30, 1979, 953 (COO--4261-12)
Growth of molten core debris pools in concrete. Part II. A. Pool growth in composite beds; B. Effect of overlaying steel layers. Final report, March 1, 1978-September 30, 1979, 954 (COO--4261-14)
Guidebook to nuclear reactors, 3318
Heat conduction by MWR using semi-infinite media trial functions, 4742
Heat Exchanger, 4447
Heat removal from molten fuel pools, 504 (CONF-761001--P4)
Heat transfer and pressure generation due to a temperature discontinuity at a liquid--liquid interface, 488 (CONF-761001--P4)
Heat transfer and fluid dynamics in a volume-heated boiling pool, 505 (CONF-761001--P4)
Heat transfer, sodium boiling and fuel pin integrity after a severe LMFBR piping failure, 4991
Heat transfer and fluid flow aspects of fuel--coolant interactions, 926 (COO--2781-12TR)
Heat transfer characteristics of a non-boiling pool with spatially uniform gas injection, 944 (COO--4171-3)
Heat transfer and thermal losses in above-core regions, 2279 (LA-UR--79-1230)
Heat transfer in reactor safety, 4174
High-temperature acoustic detector, 5140
Hodoscope performance tests on a 91-pin fuel bundle at PARKA, 732 (CONF-781033--9)
How the architect-engineer manages design objectives and restraints for optimizing sodium cooled reactors, 4130
Hydrodynamic model for treating transient freezing in pin bundles, 481 (CONF-761001--P4)
Hydrodynamics of emergency cooling of a sodium-cooled fast reactor, 1901 (INIS-mf--4280)
Hydrodynamical experiments on an enlarged model of a fast reactor fuel assembly, 1902 (INIS-mf--4280)
Hydrodynamic fragmentation of drops, 2249 (LA--7938-C)
Hydrogen ignition and recombination following postulated breeder reactor accidents, 1604 (HEDL-SA--1712-FP)
Hypothetical accident rules FBR safety. Report on the fast breeder reactor safety conference in Chicago, 4544
Icepel analysis of and comparison with simple elastic--plastic piping experiments, 148 (ANL--78-105)
Impact of advanced systems on LMFBR accident analysis code development, 829 (CONF-790902--3)
Importance of scale and triggering effects in vapor explosions, 2828 (SAND--77-1101C)
Importance of sodium fuel interaction in fast reactor safety evaluation. CEA point of view, 2715 (PNC-N--251-76-12(Vol.1))
Improvement and verification of fast reactor safety analysis techniques. Progress report, October 1, 1979-March 31, 1980, 925 (COO--2571-19)
In-pile investigation of local cooling perturbations (Mol 7C), 4144
In-pile sodium loop for investigation of local cooling disturbances in LMFBR's, 4395
In-vessel natural circulation during a hypothetical loss-of-heat-sink accident in the Fast Flux Test Facility, 328 (BNL-NUREG--26131)
Influence of the axial distribution of heat flux on sodium boiling in forced convection, 515 (CONF-761001--P4)
Influence of TREAT nonprototypic effects on prediction of pin failure in LMFBRs, 2284 (LA-UR--79-2141)
Influence of thermal cracking on transient pre-failure molten fuel motion, 2241 (LA--7938-C)
Inherently safe reactor design, 4135
Integral boiling phenomena under radial temperature gradients in a twelve rod bundle of LMFBR geometry, 510 (CONF-761001--P4)
Integral postdisassembly energetics test: a preliminary investigation, 2285 (LA-UR--79-2245)
Interactions of LMFBR core debris with concrete, 506 (CONF-761001--P4)
Intermediate heat exchanger leak on Phenix plant and their repair, 4107
Internal pressurization in solid mixed-oxide fuel due to transient fission gas release, 4301
International progress with liquid-metal fast reactors, 3124
Interpretation of debris bed dryout observed during the D-3 experiment, 3994
Intersubassembly incoherencies and grouping techniques in LMFBR hypothetical overpower accident, 4772
Inventory and relative biological hazard of LMFBR core materials, 2605 (ORNL/NUREG/TM--165)
Investigations of decay heat removal by natural convection with boiling in sodium cooled fast reactors, 2199 (KFK--2660)
KADIS: a program to analyze the disassembly phase of hypothetical accidents in (LMFBRs), 5462 (DOE-tr--113)
Key issues on safety design basis selection and safety assessment, 381 (CONF-761001--P1)
Key safety issues for fast breeder reactors, 383 (CONF-761001--P1)
Key safety issues for fast breeder reactors, 345 (CEA-CONF--3848)
Kinetics of fission-vaporized UO_2 fuel determined from sampled fuel debris, 2890 (SAND--79-1708C)
KNK-II safety test programme, 3912
Large-scale deterministic computer code systems and LMFBR safety: a perspective, 447 (CONF-761001--P3)
Large scale sodium test facility, 2835 (SAND--77-1421C)
Licensing aspects in the verification of the SNR 300 design concept against hypothetical accidents, 382 (CONF-761001--P1)
Liquid--liquid contact in vapor explosions, 485 (CONF-761001--P4)
Liquid metal fast breeder reactor safety: an overview including implications of alternate fuel cycles, 617 (CONF-771120--22)
Liquid metal fast breeder reactor, 4927
Liquid-metal fast-breeder reactors: Preliminary safety and environmental information document. Volume VI, 1015 (DOE/NE-0003/6)
LMFBR accident delineation study: approach and preliminary results, 2887 (SAND--79-1602C)
LMFBR aerosol release and transport Program quarterly progress report, January--March 1978, 2385 (NUREG/CR--0117)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April--June 1978, 2400 (NUREG/CR--0340)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, July--September 1978, 2414 (NUREG/CR--0482)
LMFBR aerosol release and transport program. Quarterly progress report, October--December 1978, 2431 (NUREG/CR--0752)
LMFBR Aerosol Release and Transport Program. Quarterly progress report, April-June 1979, 2460 (NUREG/CR--1062)
LMFBR and GCFR support work, 133 (ANL--78-70)
LMFBR containment performance studies with a simple computer code, 4018
LMFBR design basis accidents and their accommodation, 5409
LMFBR design transients and regulatory requirements, 3657
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
LMFBR fuel analysis. Task B: Post-accident heat removal. Final report, October 1, 1976--September 30, 1977, 2377 (NUREG/CR--0012)
LMFBR fuel analysis. Task C: reliability, 2428 (NUREG/CR--0736)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
LMFBR fuel analysis. Task B. Post-accident heat removal. Final report, October 1977--November 1978, 2429 (NUREG/CR--0737)
LMFBR operational safety: the EBR-II experience, 728 (CONF-781022--30)
LMFBR pool plant: 1000 MWe. Volume 1. Executive summary. Final report, 1118 (EPRI-NP--1015-SY(Vol.1))
LMFBR pool plant: 1000 MWe. Volume 2. NSSS plant description. Final report, 1119 (EPRI-NP--1015(Vol.2)
LMFBR pool plant: 1000 MWe. Volume 3. Pool reactor engineering, NSSS. Final report, 1120 (EPRI-NP--1015(Vol.3))
LMFBR Prompt Burst Excursion (PBE) experiments in the Annular Core Pulse Reactor (ACPR), 468 (CONF-761001--P4)
LMFBR safety program. Quarterly technical progress report, April--June 1977, 42 (AI-ERDA--13205)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
LMFBR transition to natural circulation from an initial isothermal state, 3979
Loading error simulations and control worth measurements in a ZPPR critical assembly of heterogeneous configuration, 1408 (GEFR-SP--138)
Local boiling of sodium in downstream of local flow blockage in a simulated LMFBR fuel subassembly, 520 (CONF-761001--P4)
Location dependent common cause analysis with an application to fires, 737 (CONF-781105--57)
Location-dependent common-cause analysis with an application to fires, 3977
Long-term atomic energy research, development and utilization program formulated, 3467
Los Alamos Failure Model (LAFM): a code for the prediction of LMFBR fuel pin failure, 2228 (LA--7161-MS)
Loss-of-cooling experiments with single fuel pins, 469 (CONF-761001--P4)
Low sodium void coefficient LMFBR cores, 400 (CONF-761001--P2)
Main aspects of the design of a support structure of a LMFBR with particular reference to the explosive accident consequences, 5050
Main safety features of the Super-Phenix project, 391 (CONF-761001--P1)
Mathematical and computational techniques employed in the deterministic approach to liquid-metal fast breeder reactor safety, 4334
Mathematics clinic. Nuclear safety code study, 2806 (SAN--1359-T1)
Maximum wake temperature and Nusselt number behind blockages in sodium-cooled bundles, 4790
Maxiumum sodium temperature correlation for six-channel FBR subassembly blockages, 3982
Measurement of the sound produced during steam

injections into sodium, 4012
Measurement and analysis of transient vaporization in oxide fuel materials, 2872 (SAND--78-2140C)
Measurement and analysis of drag in multiphase flow systems, 2278 (LA-UR--79-811)
Mechanical failure of subassembly ducts and its effects on transition-phase analysis, 3992
Mechanisms of vapor explosions, 484 (CONF-761001--P4)
Mechanistic model of fuel flow regimes and fuel plateout in LMFBR overpower accidents, 4001
MELT-IIIB: an updated version of the melt code, 1836 (HEDL-TME--78-108)
Method and circuit arrangement for the detection of cooling disturbances, 3261
Method of safe operation of LMFBR type reactor, 3404
Microwave heating simulations of fission energy generation in volume-boiling pool systems, 3202
Mild transient overpower accidents with advanced fuels, 3198
Model and computer code for energy and mass transport in decomposing concrete and related materials, 2891 (SAND--79-1733C)
Model for evaluating probabilities of primary system retention of core debris and time of release in LMFBR risk assessments, 499 (CONF-761001--P4)
Model for formation and growth of local blockages in grid spaced fast sodium cooled breeder fuel elements, 4406
Model to correlated residence time measurements behind blockages, 4791
Modeling ejection of fresh fuel into sodium under prompt-burst conditions, 3996
Modelling the transient behaviour of fission gas, 15 (AERE-TP--782)
Molten core debris-sodium interactions: M-Series experiments, 825 (CONF-790816--59)
Molten core interactions with commercial firebricks, 3204
Molten fuel containment analysis for SLSF experiments, 837 (CONF-791103--25)
Molten fuel relocation and connected problems: the GELCO code, comparison with experimental results, application to reactor, 2261 (LA--7938-C)
Multichannel analysis for predicting temperatures and boiling initiation in LMFBR subassemblies during a flow transient, 509 (CONF-761001--P4)
Multiple zone aerosol behavior model, 2472 (NUREG/CR--1294)
Natural circulation boosts safety of pool-type fast reactor, 3080
Natural-convection heat transfer in a bed of fuel debris cooled at both top and bottom, 4015
Natural convection heat transfer in beds of inductively heated particles, 2403 (NUREG/CR--0408)
Neutronic analysis of LMFBRs during severe core disruptive accidents, 2592 (ORNL/CSD--35)
New scheme for solving the COBRA energy equations during natural-circulation conditions, 4020
Nonequilibrium phenomena in flashing water used as an HCDA source simulant. Technical report No. 8, 2781 (SAN--0115-T7)
Nuclear power plant with improved arrangements for the removal of post fission and emergency heating, 4288
Nuclear reactor, 4292
Nuclear reactor, 5199
Nuclear reactor with liquid metal cooling, 3793
Nuclear reactor control, 3055
Nuclear reactor safety, 3126
Nuclear safety and reliability engineering. Quarterly progress report for period ending March 31, 1979, 3026 (WARD-SR--94000-1)
Nuclear safety and reliability engineering. Quarterly progress report for period ending June 30, 1979, 3027 (WARD-SR--94000-2)
Nuclear safety in France, 3345
Numerical simulation of the two-dimensional boiling (voiding) in LMFBR subassemblies, 511 (CONF-761001--P4)
Numerical simulation of thermohydraulic transients in LMFBR systems, 3658
Numerical thermal mixing in Eulerian calculations of coupled thermo/hydrodynamic motions, 2419 (NUREG/CR--0594)
Numerical method of the aerosol behavior reference code, CRAB, 2421 (NUREG/CR--0620)
Numerical method for predicting seismic-induced impact between subassemblies in LMFBR cores, 3537
Observations of the behavior of gas in the wake behind a corner blockage in fast breeder subassembly geometry, 2210 (KFK--2820)
One-dimensional model for transient boilup of volume-heated pools for LMFBR transition phase analysis, 323 (BNL-NUREG--25535)
Operating experience with the Phenix nuclear power station from the point of view of safety, 387 (CONF-761001--P1)
Operational-safety-testing experience at EBR-II, 822 (CONF-790816--55)
Optimisation of decay heat removal systems for SNR 2 with respect to safety and reliability, 4100
Optimisation of fuel design in relation to reactor performance and the conflicting demands of other parts of the fuel cycle, 4106
Optimisation of reactor design for natural circulation decay heat removal in a pool-type LMFBR, 4110
Optimization of sodium cooled fast reactors. Conference report, 3745
Optimum few-group cross section set for HCDAs in heterogeneous LMFBRs, 1418 (GEFR-SP--180)
Optimum nuclear pin bundle for prototypic thermal-hydraulic environment in large-scale testing, 3127
ORNL experiments to characterize fuel release from the reactor primary containment in severe LMFBR accidents, 853 (CONF-800434--2)
Out-of-reactor transient fission gas release studies, 1507 (HEDL-SA--1407)
Overview of the CRBRP safety study, 991 (CRBRP-PS--01)
Parametric approach to LMFBR safety evaluation, 5258
Parametric study on reactor containment response to fuel-sodium interaction, 2734 (PNC-N--251-76-12(Vol.2))
Phenomenological modeling of SRI condensible vapor source experiments, 3201
Physics and safety aspects of preliminary SNR 2 core designs, 4137
Physics of reactor safety. Quarterly report, April-June 1979, 2462 (NUREG/CR--1096)
Pin plenum fission gas release model to describe fission gas effects in a voided channel, 4803
PINEX-2 experiment: concept verification of an inherent shutdown mechanism for HCDA's, 1616 (HEDL-SA--1737-FP)
PINEX-AR, a fuel dynamics code applied to PINEX-2 prediction and reactor analysis, 2244 (LA--7938-C)
PINEX II: French contribution to an international benchmark experiment, 2243 (LA--7938-C)
Planned natural-circulation testing in the Fast Flux Test Facility, 3660
PLOOP code for the primary loop coolant flow and heat transfer analysis of certain pool-type LMFBRs, 4776
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part IX: constructability and fabricability; Part X: maintainability and inspectability; Part XI: safety. Final report, 1113 (EPRI-NP--1014(Vol.8))
Possible mechanisms for the formation of the observed and expected compounds during a Hypothetical Core Disruptive Accident (HCDA), 2466 (NUREG/CR--1134)
Post-failure phenomena in LMFBR top accidents. Final report, October 1, 1976--September 30, 1977, 2381 (NUREG/CR--0018)
Post test evaluation of natural circulation in FFTF secondary loops, 1654 (HEDL-SA--1921-FP)
Postaccident heat removal: debris-bed experiments D-2 and D-3, 2404 (NUREG/CR--0421)
Potential gas entry into FFTF after a postulated pipe rupture, 3983
Potential of large heterogeneous reactors, 4141
Potential hazard to secondary containment from HCDA-generated missiles and sodium fires, 2778 (SAN--0115-097-T1)
Power/energy progress report: a pastiche of developments promises near and long-term applications, 3841
Prediction of dryout heat fluxes in beds of volumetrically heated particles, 501 (CONF-761001--P4)
Prediction of the thermal conductivity of UO_2 vapor, 4622
Preliminary results of CSTF aerosol behavior test, AB-1, 1498 (HEDL-SA--1381)
Preliminary study of fluid effects on reactor core seismic response, 247 (ANL-CT--79-47)
Preparations at EBR-II for breached element operation, 4735
Present state and development potential of high temperature reactors, 4474
Pretest prediction of the W-1 SLSF experiment using the COMMIX-1A computer code, 2443 (NUREG/CR--0816)
Primary circuit thermal hydraulic analysis of Super Phenix 1 Reactor; sodium and structures temperatures calculations; salt water tests - hot water tests, 3904
Primary cooling device for a sodium cooled fast breeder, 5372
Probabilistic methods in reactor licensing, 4040
Probabilistic assessment in structural analysis of main coolant systems for LMFBR under anticipated thermal transients, 5127
Problems of sodium/water steam generator safety and their solution in the USSR, 4078
Progress report on fast breeder reactor development in Japan. October 1975--January 1976, 2735 (PNC-N--251-76-26)
Progress report on Fast Breeder Reactor development in Japan, January--March 1978, 3460 (JAPFNR--336)
Progress report on the construction of Kalkar Nuclear Power Station and the planning of SNR-2, 5304 (RISLEY-Trans--3066)
Progress report on fast breeder reactor development in Japan, October - December 1977, 2736 (PNC-N--251-78-02)
Prompt Burst Energetics in the oxide/sodium system, 2875 (SAND--79-0079C)
Prompt Burst Energetics (PBE) experiment analyses using the SIMMER-II computer code, 2880 (SAND--79-0112C)
Protective coating for floor cooler, 4470
Publication list concerning LMFBR-work of KFK from 1976 until 1978, 2208 (KFK--2802-B)
Quarterly technical progress report. Reactor safety, April--June 1978, 1136 (ESG-DOE--13242)
Quasi-Eulerian method for analyzing slug impact and coolant spillage in a fast-reactor accident, 160 (ANL--79-89)
Radiation heat transfer in a 19-pin sodium-voided bundle,

3981
Radiative heat transfer in a horizontal molten fuel layer with volumetric heating, 4016
Radioactivity in the primary circuit of the fast BOR-60 reactor, 3695
Radiological assessment models. Thirteenth quarterly report, September--November 1977, 1372 (GEFR--14034-13)
Radiological analysis of hypothetical accidents by computer, 1633 (HEDL-SA--1770)
Rate effects in the dynamic vaporization of uranium dioxide, 4798
Reactor, 5341
Reactor, 3476
Reactor containment vessel, 5322
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor development program progress report, July 1978 (LMFBR), 281 (ANL-RDP--73)
Reactor Development Program progress report, August 1978 (LMFBR), 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978 (LMFBR), 284 (ANL-RDP--76)
Reactor development program progress report, November 1978 (LMFBR), 285 (ANL-RDP--77)
Reactor Development Program. Progress report (LMFBR), 283 (ANL-RDP--75)
Reactor Development Program. Progress report, December 1978 (LMFBR), 286 (ANL-RDP--78)
Reactor development program. Progress report (LMFBR), 287 (ANL-RDP--79)
Reactor Development Program progress report, February 1979, 288 (ANL-RDP--80)
Reactor development program progress report, March 1979 (LMFBR), 289 (ANL-RDP--81)
Reactor development program. Progress report (LMFBR), 290 (ANL-RDP--82)
Reactor development program. Progress report (LMFBR), 291 (ANL-RDP--83)
Reactor development program. Progress report, July 1979 (LMFBR), 293 (ANL-RDP--85)
Reactor development program. Progress report, 292 (ANL-RDP--84)
Reactor development program. Progress report, August 1979 (LMFBR), 294 (ANL-RDP--86)
Reactor safety, 5271
Reactor safety. Quarterly technical progress report, October--December 1977, 29 (AI-DOE--13223)
Reactor safety quarterly technical progress report, January--March 1978, 37 (AI-DOE--13234)
Reactor safety. Quarterly technical progress report, October--December 1978, 1150 (ESG-DOE--13264)
Reactor vessel structural response tests at FBR hypothetical accident, 4586
Recent advances in understanding large scale vapour explosions, 2718 (PNC-N--251-76-12(Vol.1))
Recent advances in understanding large scale vapour explosions, 364 (CEGB-RD/B/N--3666)
Recent commercial fast reactor designs with improved safety features, 4133
Recent results of a local blockage experiment in a sodium cooled electrically heated bundle, 519 (CONF-761001--P4)
Regional-tailoring of EBR-II for slow transient tests, 3186
RELAP4/SNR: a program to simulate steam generator transients of FBRs, 3192
Release of fission products from contaminated sodium fires, 497 (CONF-761001--P4)
Reliability technology in LMFBR optimisation, 4112
Research and development activities relatives to the reactor vessel, 3878
Research and development activities concerning the Super-Phenix core, 3881
Resolution of key safety-related issues in FFTF regulatory review, 421 (CONF-761001--P2)
Response of liquid metal fast breeder reactor containment to a hypothetical core meltdown accident, 4503
Response of breeder reactor components and systems to abnormal events, 3540
Response of secondary containment to presence of sodium and hydrogen, 1415 (GEFR-SP--171)
Response of simple, scale model reactor vessels to a simulated HCDA loading, 5106
Response of cracked hexagonal subassembly ducts to impact loading, 3493
Response of EBR-II to a complete loss of primary forced flow during power operation, 850 (CONF-800226--6)
Response to NRC Q_2 set 8. FSAR supplement 24, 1697 (HEDL-TI--75001-24)
Responses to NRC Q_2 set 1 quality assurance. FSAR supplement 15, 1687 (HEDL-TI--75001-15)
Results of recent TOP and LOF experiments in TREAT, 470 (CONF-761001--P4)
Results of fuel freezing tests with simulated CRBR-type fuel pins, 4000
Results of research into nuclear power plant safety, 1894 (INIS-mf--4054)
Results of the temperature noise measurements in subchannels of sodium cooled electrically heated 28 rod bundle behind a blockage, 4998
Results of the in-pile experimental programm SCARABEE, 4217
Retention of molten core debris pools in composite sacrificial beds, 951 (COO--4261-10)
Review of fragmentation models relative to molten UO_2 breakup when quenched in sodium coolant, 2732 (PNC-N--251-76-12(Vol.2))
Revisions to FFTF FSAR. Supplement 9, Parts 1, 2, 3, 4, and 5, 1680 (HEDL-TI--75001-9)
REXCO-EUR code - User's manual, 1193 (EUR--5813)
Risk allocation approach to reactor safety design and evaluation, 4044
Risk allocation approach to reactor safety design and evaluation, 1394 (GEFR-SP--027)
Risk analysis methods development. Tenth quarterly report, April-June 1979 (LMFBR), 1359 (GEFR--14023-10)
Risk assessment methods application to the Fast Flux Test Facility, 4042
Role of fission gas and fuel melting in fuel response during simulated hypothetical loss-of-flow transients, 3061
Role of reliability and risk assessment in LMFBR design: implementation of reliability in LMFBR design, 4505
Role of reliability and risk assessment in LMFBR design: implementation of reliability in LMFBR design, 5022
SACRD: a data base for fast reactor safety computer codes, general description, 2573 (ORNL--5477/V1)
SACRD: a data base for fast reactor safety computer codes, contents and glossary of Version 1 of the system, 2574 (ORNL--5477/V2)
Safe operation of the BOR-60 experimental fast reactor in power plant conditions, 4091
Safety, safeguards, and environmental effects of liquid metal fast breeder reactors in relation to license ability and public acceptance. Final report, 2697 (PB--285544)
Safety analysis aspects of a 2000 MWe LMFBR core, 393 (CONF-761001--P1)
Safety analysis of the primary heat transport systems of LMFBRs, 456 (CONF-761001--P3)
Safety analysis of the fast breeder reactor confinement main problems: application to Super Phenix, 5290
Safety analysis of experiments proposed for irradiation in FFTF, 1614 (HEDL-SA--1735-FP)
Safety and breeding: related aspects of fast reactor cores having internal blankets, 401 (CONF-761001--P2)
Safety and environmental impact of liquid metal fast breeder reactors, 5440
Safety approach to the selection of design criteria for the CRBRP reactor refueling system, 826 (CONF-790816--60)
Safety aspects in nuclear core design of LMFBRs, 399 (CONF-761001--P2)
Safety aspects of carbide irradiations in FTR driver positions, 4861
Safety aspects of fast reactor core operation, 4090
Safety conclusions from start-up tests and from the analysis of the core behaviour of Phenix, 386 (CONF-761001--P1)
Safety design of SNR-300, 388 (CONF-761001--P1)
Safety design criteria for liquid metal fast breeder reactors, 5291
Safety engineering sixteenth quarterly report, May--July 1976, 1225 (GEAP--13923-16)
Safety equipment in a reactor, 5212
Safety equipment for a reactor, 5214
Safety equipment in a reactor, 5177
Safety evaluation of the Monju steam generator, 411 (CONF-761001--P2)
Safety evaluation report. Fast Flux Test Facility. Project No. 448, 2361 (NUREG--0358)
Safety evaluation report related to operation of Fast Flux Test Facility. Supplement No. 1, 2362 (NUREG--0358(Suppl.1))
Safety issues in licensing commercial LMFBR's, 384 (CONF-761001--P1)
Safety issues for advanced-fueled LMFBRs, 437 (CONF-761001--P3)
Safety of the fast reactor, 4542
Safety of fast reactors, 4741
Safety of sodium-cooled fast reactors (USSR), 3739 (IAEA-CN--36/342)
Safety of nuclear power plants with fast breeder reactors - engineering aspects, 4438
Safety of fast sodium-cooled reactors, 4284
Safety of sodium-cooled fast breeders, using the example of the 300 MWe breeder prototype power plant at Kalkar

(SNR 300), 1995 (INIS-mf--4816)
Safety-related design of MONJU, 389 (CONF-761001--P1)
Safety-related design considerations for the Clinch River Breeder Reactor Plant, 390 (CONF-761001--P1)
Safety related design considerations for large fast breeder plants, 394 (CONF-761001--P1)
Safety related considerations for operation with defected elements in EBR-II, 405 (CONF-761001--P2)
Safety study. The Clinch River Breeder Reactor Plant, 1999 (INIS-mf--4862)
Safety systems relative to the Creys-Malville power station, 4222
SA83D analysis of natural convection boiling behavior in the Sodium Boiling Test Facility, 838 (CONF-791103--92)
Secondary criticality evaluations of postulated core melt-down accidents in early-sized LMFBR's, 1395 (GEFR-SP--037)
Seismic analysis for the Super-Phenix reactor, 343 (CEA-CONF--3749)
SIMMER analysis of SRI high pressure bubble expansion experiments, 2277 (LA-UR--79-770)
SIMMER analysis of SRI high pressure bubble expansion experiments, 2262 (LA--7938-C)
SIMMER-I accident consequence calculations, 4784
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2409 (NUREG/CR--0453(Vol.1))
SIMMER-II: a computer program for LMFBR disrupted core analysis, 2410 (NUREG/CR--0453(Vol.2))
SIMMER-II code and its applications, 2281 (LA-UR--79-1918)
SIMMER-II analysis of the R-7 TREAT test, 2256 (LA--7938-C)
SIMMER-VENUS II comparison for mechanical disassembly of an LMFBR, 4782
Simple and consistent equation of state for sodium in the single phase and two phase regions, 2713 (PNC-N--251-76-12(Vol.1))
Simplified multicomponent phase transition model, 4780
Simulation of LOF accidents with directly electrical heated UO_2 pins, 472 (CONF-761001--P4)
Simulation experiment and analysis on the effects of incoherence in fuel coolant interaction, 2708 (PNC-N--251-76-12(Vol.1))
Simulation of FFTF hot-leg ruptures and loss-of-flow events, 3661
Simulation of heat and mass transfer processes in molten core debris-concrete systems, 952 (COO--4261-11)
Simulation of cladding relocation in the TREAT-experiment R5 with the CMOT code, 2254 (LA--7938-C)
Sizing of decay heat rejection loops for LMFBRs, 4103
SLSF delayed neutron detection with the on-line sodium sampling system, 739 (CONF-781105--66)
Sodium boiling experiments in a 19 pin bundle: two phase coolant dynamics, 516 (CONF-761001--P4)
Sodium boiling experiments in a seven-pin bundle: flow patterns and two-phase pressure drop, 4392
Sodium boiling experiments in a 7-pin bundle: investigations into some safety aspects of the KNK II driver zone, 4393
Sodium boiling with stainless steel clad melting and relocation out-of-pile experimental results and interpretation, 2248 (LA--7938-C)
Sodium concrete reactions, 1607 (HEDL-SA--1716-FP)
Sodium fire studies in France safety tests and applications on an LMFBR, 496 (CONF-761001--P4)
Sodium fire and containment leakage, 2001 (INIS-mf--4960)
Sodium slug kinetic energy behavior for varying HCDA energetics, 3990
Sodium spray release accident analysis for fast reactor safety studies, 498 (CONF-761001--P4)
Sodium void reactivity reduction in metal-fueled LMFBRs, 3980
Sodium-water reactions in the steam generators of fast neutron nuclear power stations, 4212
Some aspects of mixing in large-mass, energetic fuel-coolant interactions, 486 (CONF-761001--P4)
Some aspects of high temperature structural design on LMFBR system and components, 2075 (IWGFR--11)
Some comments on sodium behavior (boiling) in LMFBR wire-wrapped subasemblies, 4795
Some comments on thermomechanical constitutive equations for inelastic analysis of LMFBR components, 1969 (INIS-mf--4543)
Some comments on thermomechanical constitutive equations for inelastic analysis of LMFBR components, 5123
Some experiences and inpile experimental programme on fuel coolant interaction in NSRR, 2710 (PNC-N--251-76-12(Vol.1))
Some potential reductions in the release of radioactivity under LMFBR accident conditions, 495 (CONF-761001--P4)
Some recriticality studies with SIMMER-II, 2287 (LA-UR--79-2340)
Some thoughts on fast reactor safety, 385 (CONF-761001--P1)
SPQR: a Monte Carlo reactor kinetics code, 2686 (ORNL/TM--7086)
State of the art in aerosol modelling for LMFBR safety analysis, 492 (CONF-761001--P4)
State-of-the-art review of sodium fire analysis and current notions for improvements, 312 (BNL-NUREG--25140)
Statistical model to identify boiling inception in TREAT tests, 4009
Statistical analysis of 17 TREAT experiments, 4010
Status of fast breeder development, 4386
Steady state liquid metal boiling pressure drop characteristics, 514 (CONF-761001--P4)
Stochastically variable parameters in probabilistic accident analysis, 4785
Strain rate effects in transient overpower cladding failure analyses, 3986
Stress intensity factors for corner-cracked subassembly ducts, 463 (CONF-761001--P3)
Structural formulation for upper internals of LMFBR, 799 (CONF-790802--68)
Structural response of the upper internals, 3195
Structural response of 1/20 scale models of above core structures to increasingly energetic hypothetical core disruptive accidents. Technical report 7, 2782 (SAN--0115-T8)
Studies and research relatives to the safety of the Super-Phenix project, 3883
Studies of the formation and cooling of particulate fuel debris beds in sodium, 502 (CONF-761001--P4)
Studies on aerosol behavior under accident conditions, 4218
Studies related to emergency decay heat removal in EBR-II, 823 (CONF-790816--57)
Studies related to protected loss of flow accidents in a fast breeder reactor, 843 (CONF-791204--29)
Study of core disruptive accidents in a large metal-fueled LMFBR, 3199
Study of fuel freezing and channel plugging during hypothetical overpower transients, 480 (CONF-761001--P4)
Study of sodium boiling during a power transient in a heating duct. Investigation carried out within the scope of a study on the safety of fast neutron reactors, 1220 (FRNC-TH--765)
Study of transient sodium boiling in LMFBR fuel bundles, 1289 (GEFR--00395)
Subassembly experiments and a computer code to analyze the dynamic core deformation during local failure propagation, 4405
Summary and evaluation of R-series loss-of-flow safety tests in TREAT, 471 (CONF-761001--P4)
Summary of treat experiments on oxide core-disruptive accidents, 150 (ANL--79-13)
Superphenix in detail. Consequent execution of construction programs for nuclear power plants, 3355
Survey of melt interactions with core retention material, 2888 (SAND--79-1685C)
Survival of peripheral pins during a TOP-HCDA, 1624 (HEDL-SA--1752-FP)
Sustained molten steel/concrete interactions tests: a preliminary report on the feasibility of experimental techniques, 2389 (NUREG/CR--0166)
System damage potential for CRBRP, 4783
System hydraulic effects on fuel sweepout in the hypothetical TOP accident, 3999
Technical concept of fast breeder power plants, 1996 (INIS-mf--4816)
TEMP: a computer code to calculate fuel pin temperatures during a transient, 1735 (HEDL-TME--75-85)
Temperature distribution and local boiling behind a central blockage in a simulated FBR subassembly, 517 (CONF-761001--P4)
Temperature fluctuations: an assessment of their use in the detection of fast reactor coolant blockages, 3280
Termination phase of core disruptive accidents in LMFBRs, 2263 (LA--7938-C)
The SAREF program, 396 (CONF-761001--P1)
Theoretical and experimental investigation of fuel-coolant interactions in a shock tube configuration, 490 (CONF-761001--P4)
Theoretical considerations of rate effects in uranium dioxide, 4799
Theoretical interpretation of SCARABEE single pin in-pile boiling experiments, 4396
Theoretical and experimental investigation of the nonlinear structural dynamics of Fast Breeder Reactor fuel elements, 2195 (KFK--2584)
Theoretical investigations of fuel-coolant interaction, 4219
Thermal-hydraulic correlations of a six-channel blockage in a sodium-cooled simulated LMFBR fuel assembly, 518 (CONF-761001--P4)
Thermal interactions of a molten core debris pool with surrounding structural materials, 827 (CONF-790816--61)
Thoughts on the energy situation, 3919
Three-dimensional fluid-structure interaction calculations for the dynamic response of a pool-type reactor's in-tank component, 3989
Three-dimensional fluid-structure interaction dynamics of a pool-reactor in-tank component, 798 (CONF-790802--67)
Time-resolved penetration measurements of liquid sodium into limestone concrete, 4017
Transient undercooling analysis of the dispersal mechanism test, 477 (CONF-761001--P4)
Transient sodium boiling characteristics at pump run down, 513 (CONF-761001--P4)
Transient containment response and inherent retention capability, 4499
Transient deformation of LMFBR cores due to local

failure: experimental and theoretical investigation, 4390
Transient fuel solidification and relocation from core during transition-phase conditions, 4002
Transient temperature distribution in reactor coolant channel following loss of flow, 5408
Transit device for reactor fueling, 5457
Transition to natural convection from low-temperature, low-flow conditions in loop-type LMFBRs, 3188
Transport/diffusion comparisons for small-core LMFBR disruptive accidents, 4786
Trial application of the draft structural design criteria for breeder reactor core components to a typical blanket assembly duct;sup 1;, 3334
Ultrasonic dynamic imaging (UDI) system to determine the size and velocity of large spherical simulated bubbles in liquids, 832 (CONF-791008--5)
Use and status of fast breeder development, 3752
Use of demonstration fast reactor experience for assessing the radiation safety of fast power reactors at the design stage, 4092
Use of quantitative risk and probabilistic safety criteria in the conceptual design of a large pool-type LMFBR, 4045
Users' guide to CACECO containment analysis code, 1845 (HEDL-TME--79-22)
Users' manual for the SSC-L code, 2408 (NUREG/CR--0452(Vol.1))
Validation of the computer code ARES for calculating the tank load under overpower conditions, 4145
Vapor explosion experiments with simulant fluids, 487 (CONF-761001--P4)
Vapor explosion with subcooled freon, 2714 (PNC-N--251-76-12(Vol.1))
Vapor explosion phenomena with respect to nuclear reactor safety assessment, 2394 (NUREG/CR--0245)
Vapor generator system equipment for fast breeder reactor, 5384
Visual investigation of reactor fuels response to simulated LOF heating conditions, first series, 2453 (NUREG/CR--0914)
Void reactivity effects on fast reactor HCDA excursion energy, 4788
W-1 SLSF experiment, 1600 (HEDL-SA--1688)
What will the fast breeder bring us. As an important interlude, nuclear power utilization may be prolonged by fast breeders: but it may also end as a catastrophe, 4344
Whole-core thermal-hydraulic transient code development and verification for LMFBR analysis, 773 (CONF-790602--36)
Whole-core accidents in an LMFBR, 2312 (ND-R--178(R))
World's power development and importance of nuclear power, 3830

REACTOR SAFETY/BIBLIOGRAPHIES
LMFBR safety. 5. Review of current issues and bibliography of literature (1975--1976), 2598 (ORNL/NUREG/NSIC--139)
LMFBR safety. 6. Review of current issues and bibliography of literature (1977), 2399 (NUREG/CR--0339)
LMFBR safety. 7. Review of current issues and bibliography of literature (1978), 2467 (NUREG/CR--1160)
Reports distributed under the NRC Reactor safety research foreign technical exchange program. Vol. VII (January-June 1979), 2463 (NUREG/CR--1101)

REACTOR SAFETY/COMPUTER CODES
Central computerized data base for LMFBR safety codes, 4552

REACTOR SAFETY/INTERNATIONAL COOPERATION
Reports distributed under the NRC Reactor Safety Research Foreign Technical Exchange Program. Volume VI, July--December 1978, 2426 (NUREG/CR--0692)

REACTOR SAFETY/MEETINGS
Fast reactor safety and related physics. Volume IV. Phenomenology, 508 (CONF-761001--P4)
Specialists' workshop on predictive analysis of material dynamics in LMFBR safety experiments, March 13-15, 1979, 2239 (LA--7938-C)
Thermal and hydraulic aspects of nuclear reactor safety. Volume II. Liquid metal fast breeder reactors, 4929

REACTOR SAFETY/REACTOR CORE DISRUPTION
Local perturbation of nuclear reactor cooling. A remarkable experience, 3335

REACTOR SAFETY/RESEARCH PROGRAMS
Advanced Reactor Safety Research Program quarterly report, April--June 1977 (LMFBR), 2830 (SAND--77-1134)
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977 (LMFBR), 2847 (SAND--77-1975)
Advanced reactor safety research. Quarterly report, October--December 1977 (LMFBR), 2397 (NUREG/CR--0323(Vol.5))
Advanced reactor safety research. Quarterly report, January--March 1978 (LMFBR), 2398 (NUREG/CR--0335(Vol. 6))
Advanced Reactor Safety Research Division. Quarterly progress report, January 1--March 31, 1979 (HTGR; LMFBR), 2444 (NUREG/CR--0820)
Advanced reactor safety research quarterly report, April-June 1978 (LMFBR), 2411 (NUREG/CR--0469(vol.7))
Advanced reactor safety research. Quarterly report, July-September 1978 (LMFBR), 2412 (NUREG/CR--0470)
Advanced reactor safety research. Quarterly report, April-June 1979 (LMFBR), 2455 (NUREG/CR--0984(Vol.10))
Advanced Reactor Safety Research Division quarterly progress report, April 1-June 30, 1979, 2458 (NUREG/CR--1036)
Advanced safety analysis. Eleventh quarterly report, March--May 1977 (LMFBR), 1376 (GEFR--14038-11)
Advanced safety analysis thirteenth quarterly report, September--November 1977 (LMFBR), 1378 (GEFR--14038-13)
Annual technical progress report: reactor safety, Government fiscal year 1978, 1145 (ESG-DOE--13254)
Breeder reactor safety and core systems programs. Progress report, April--June 1977, 2635 (ORNL/TM--6020)
CEC activities in the field of LMFBR safety, 431 (CONF-761001--P3)
December 1977 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2605 (ORNL/NUREG/TM--182)
Fast Reactor Safety Research Program. Quarterly report, January--March 1977 (LMFBR excursions, meltdown debris bed, sodium containment, and fuel motion detection), 2811 (SAND--77-0611)
Fast reactor safety technical progress report, January--March 1977 (LMFBR), 1774 (HEDL-TME--77-66)
Fast reactor safety technical progress report, April--June 1977 (LMFBR), 1775 (HEDL-TME--77-67)
Fast reactor safety. Quarterly technical progress report, July--September 1977 (LMFBR), 1776 (HEDL-TME--77-68)
February 1978 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2611 (ORNL/NUREG/TM--197)
GE-LOA-2 tasks. 1979 annual report, October 1978-June 1979 (LMFBR safe shutdown), 1328 (GEFR--00468)
LMFBR safety and core systems programs. Progress report, January--March 1977, 2629 (ORNL/TM--5940)
LMFBR safety program. Annual technical progress report. Government fiscal year, 1977, 20 (AI-DOE--13210)
March 1978 monthly highlights, Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2612 (ORNL/NUREG/TM--201)
Monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, August 1977, 2602 (ORNL/NUREG/TM--148)
Monthly highlights for Office of Nuclear Regulatory Research programs at Oak Ridge National Laboratory, 2603 (ORNL/NUREG/TM--158)
November 1977 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2606 (ORNL/NUREG/TM--172)
Nuclear safety research in France, 347 (CEA-CONF--3890)
ORNL breeder reactor safety: LOA 2, 3, 4, and 5. Quarterly technical progress report, January-March 1979 (Thermal-Hydraulic-out-of-Reactor Safety Facility) 2683 (ORNL/TM--6947)
Physics of reactor safety. Quarterly report, April--June 1977 (LMFBR), 65 (ANL--77-69)
Physics of reactor safety. Quarterly report, January--March 1977 (LMFBR), 60 (ANL--77-48)
Physics of reactor safety. Quarterly report, July--September 1977 (LMFBR), 77 (ANL--77-92)
Physics of reactor safety. Quarterly report, October--December 1977 (LMFBR), 117 (ANL--78-23)
Physics of reactor safety. Quarterly report, January--March 1978 (LMFBR), 2388 (NUREG/CR--0148)
Physics of reactor safety. Quarterly report, April--June 1978 (LMFBR), 2413 (NUREG/CR--0477)
Physics of reactor safety. Quarterly report, July--September 1978 (LMFBR), 2422 (NUREG/CR--0653)
Physics of reactor safety. Quarterly report, October--December 1978 (LMFBR), 2432 (NUREG/CR--0759)
Physics of reactor safety. Quarterly report, January--March 1979 (LMFBR), 2448 (NUREG/CR--0864)
Physics of reactor safety. Quarterly report, July-September 1979 (LMFBR), 2470 (NUREG/CR--1252)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1978, 2425 (NUREG/CR--0688)
Reactor safety. Quarterly technical progress report, January-March 1979 (LMFBR), 1161 (ESG-DOE--13281)
Reactor safety. Quarterly technical progress report, April-June 1979, 1162 (ESG-DOE--13284)
Reactor safety. Annual technical progress report, Government fiscal year 1979 (LMFBR), 1165 (ESG-DOE--13294)
Report on the research projects in the field of reactor safety sponsored by the Federal Minister for Research and Technology. Period under report: January 1 - March 31, 1978, 1427 (GRS-F--63)
Report on the projects in the field of reactor safety sponsored by the Federal Ministry for Research and Technology. Period under report: 1st July to 30th September 1978, 1429 (GRS-F--70)
Reports distributed under the NRC Reactor Safety Research Foreign Technical Exchange Program. Volume VI, July--December 1978, 2426 (NUREG/CR--0692)
Reports on research projects in the field of reactor safety sponsored by the Federal Minister for Research and Technology. Period under report: April 1 to June 30, 1978, 1428 (GRS-F--66)
Reports on research projects sponsored by the Federal Minister for Research and Technology in the field of

reactor safety. Progress report for the period from October 1 to December 31, 1978, 1430 (GRS-F--74)
Reports on research projects sponsored by the Federal Minister for Research und Technology in the field of reactor safety. Period under report 1st January to 31st March. Progress report, 1431 (GRS-F--79)
Review and evaluation of the Nuclear Regulatory Commission safety research program for fiscal year 1981: report to the Congress of the United States of America, 2366 (NUREG--0657)
Risk analysis methods development. Fifth quarterly report, January--March 1978 (LMFBR), 1355 (GEFR--14023-5)
Risk analysis methods development. Eighth quarterly report, October--December 1978 (LMFBR), 1357 (GEFR--14023-8)
Risk analysis methods development. Ninth quarterly report, January--March 1979 (LMFBR), 1358 (GEFR--14023-9)
Some basic research needs related to LWR and FBR safety, 3601
U.S. advanced fuels safety program (LMFBR), 4837

REACTOR SAFETY/REVIEWS
Progress in liquid-metal fast breeder reactor safety research and development - an overview of the issues, 4180

REACTOR SAFETY/TEMPERATURE MEASUREMENT
Review of high temperature measurement techniques for LMFBR safety experiments, 2373 (NUREG/CP--0007)

REACTOR SAFETY/TEST FACILITIES
Applicability of SAREF to alternative fuels, 3643
Design considerations for epithermal pulse reactors, 2837 (SAND--77-1470)
In-pile experiments and test facilities proposed for fast reactor safety, 415 (CONF-761001--P2)
Safety test facilities. Needs and concepts. A French evaluation, 397 (CONF-761001--P1)
Sodium loop safety facility, 3890

REACTOR SAFETY EXPERIMENTS
See also ECCS
Acoustics of the Sodium Loop Safety Facility P2 experiment, 3826
Role of similitude in the design of LMFBR safety-related simulation experiments, 2282 (LA-UR--79-1956)
Safety test facilities. Needs and concepts. A French evaluation, 346 (CEA-CONF--3849)
The SAREF program, 396 (CONF-761001--P1)

REACTOR SAFETY EXPERIMENTS/MATHEMATICAL MODELS
Analytic prediction of thermal profile development and inversion for use in in-pile experimentation (LMFBR core meltdown), 3097

REACTOR SAFETY FUSES/DESIGN
Fuse and application of said fuse to the construction of an emergency shutdown system for a nuclear reactor (Patent; LMFBR), 3788
Self-actuated shutdown system for a commercial size LMFBR. Final report, 1080 (EPRI-NP--846)

REACTOR SHUTDOWN/SAFETY ENGINEERING
Advanced safety analysis. Twelfth quarterly report, June--August 1977 (LMFBR), 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978 (LMFBR), 1379 (GEFR--14038-15)

REACTOR SITES/EARTHQUAKES
Correlation of ground response spectra with modified mercalli site intensity. Topical report, 2799 (SAN--1011-113R)

REACTOR TECHNOLOGY
Reactor technology. Atomic structure, 4287
Sodium-NaK engineering handbook. Volume III. Sodium systems, safety, handling, and instrumentation (LMFBR), 3899

REACTOR TECHNOLOGY/INTERNATIONAL COOPERATION
International cooperation on breeder reactors, 3927

REACTOR TECHNOLOGY/MEETINGS
Structural mechanics in reactor technology. Vol. E. Structural dynamics in fast reactor accident analysis, 4884

REACTOR TECHNOLOGY/NUCLEAR DATA COLLECTIONS
VITAMIN-E: an ENDF/B-V multigroup cross-section library for LMFBR core and shield, LWR shield, dosimetry and fusion blanket technology, 2577 (ORNL--5505)

REACTOR VESSELS
Abnormal condition detector of a reactor container, 5182
Analysis and application of prestressed concrete reactor vessels for LMFBR containment, 3542
Analysis of transient fluid-structure problems using an advanced Eulerian method, 4487
Analysis of hypothetical core disruptive events in the Clinch River Breeder Reactor Plant, 980 (CRBRP-GEFR--00103)
Analysis of FFTF reactor cavity liners under ex-vessel PAHR conditions, 1672 (HEDL-TC--572(Rev.1))
Apparatus of holding molten fuel in a reactor, 5328
Apparatus for controlling coolant level in a liquid-metal-cooled nuclear reactor, 3454
Apparatus for retaining molten fuel in a reactor, 5208
BN-350 reactor shielding studies, 4890
Charge development and analysis of recent UK experiments in the COVA model test programme, 563 (CONF-770807--Pt.E)
Clinch River Breeder Reactor Plant. MAXPRES-2: computer code verification, 968 (CRBRP-ARD--0175)
Closure head capability for third level structural margin loading, 2971 (WARD-D--0178)
Concept of the primary heat transfer systems of the SNR 2, 3901
Concrete failure modes at elevated temperatures, 96 (ANL--78-10)
Containment of the Creys-Malville plant, 5122
Core catcher in a reactor, 5316
Core debris behaviour and interactions with concrete, 4495
Core debris penetration into concrete, 95 (ANL--78-10)
Core disruptive accident margin seal, 3453
Cover gas system in a reactor, 5321
CRBRP design and test results for fuel handling systems, plugs, and seals, 649 (CONF-780251--P2)
Creys-Malville power plant (Super Phenix): the main options of the reactor building ventilation system, 3909
Design rules for high temperature plant = the implications of recent research in relation to current practice, 5015
Device for cooling the upper part of the vessel of a liquid sodium cooled reactor, 4338 (ANL-Trans--1108)
Dynamic behavior of SNR-300 core retention device and experimental support of the design concept, 103 (ANL--78-10)
Effects of notches on elevated-temperature, low-cycle fatigue behavior of Type 304 stainless steel, 748 (CONF-781202--25)
Effects of neutron irradiation and fatigue on ductility of stainless steel DIN-1-4948, 4242
Elevated temperature J/sub Ic/ fracture toughness behavior of type 304 stainless steel and type 308 stainless steel weldment. Interim report, 1833 (HEDL-TME--78-101)
Emergency system for nuclear reactors, 5236
Evaluation of computational techniques for LMFBR safety analysis, 3686
Evaluation of Lagrangian, Eulerian, and arbitrary Lagrangian-Eulerian methods for fluid-structure interaction problems in HCDA analysis, 791 (CONF-790802--55)
Experimental study on dynamic response of reactor vessel to an HCDA, 4494
Experimental and theoretical studies on water and gas release from heated concrete (LMFBR), 94 (ANL--78-10)
Experimental study of hydrogen jet ignition and jet extinguishment, 1824 (HEDL-TME--78-80)
Experimental stress analysis in fast nuclear reactor safety., 4221
Experimental tests on buckling of ellipsoidal vessel heads under internal pressure, 359 (CEA-N--2075)
Extension of HCDA safety analysis to large PCRV containment structures, 548 (CONF-770807--49)
Fast neutron nuclear reactor, 3448
Fast neutron reactor, 3513
Fast nuclear reactor (Patent), 5449
Fast reactor program. Combined second and third quarters 1977 progress report, 1050 (ECN--34)
FFTF and CRBRP reactor vessels, 642 (CONF-771217--9)
FFTF and CRBRP reactor vessels, 647 (CONF-780251--P2)
FFTF outlet nozzle design considering natural and forced convection flow in parallel annuli, with heating, 5429
From Phenix to Super Phenix: mechanical structures assuring reactor vessel tightness at main sodium pump penetrations, 584 (CONF-770807--Pt.F)
FSAR supplement 17: responses to NRC Q_1 set 10, 1690 (HEDL-TI--75001-17)
Heat transfer by natural convection in confined medium, 101 (ANL--78-10)
Heat transfer in volumetrically-heated pools with gas injection at the boundaries, 108 (ANL--78-10)
Improvements to breeder reactor structures containing a hot liquid metal, 5310
Improvement to structures containing a hot liquid metal in breeder reactors, 5143
In-service inspection for ''Monju'', 2053 (IWGFR--10)
In-service inspection and monitoring of LMFBR in France, 2056 (IWGFR--10)
In-service inspection at the SNR 300 with the range of reactor vessel, 2059 (IWGFR--10)
Intermediate scale sodium-concrete reaction tests, 99 (ANL--78-10)
Investigation of margins in FFTF containment design, 104 (ANL--78-10)
Investigation of the structural integrity of the reactor vessel for a postulated core meltdown accident, 5029
Large pool LMFBR design. Final report. Volume 1. Reactor, 1094 (EPRI-NP--883(Vol.1))
Large pool LMFBR design. Volume 1. Reactor. Final report, 1095 (EPRI-NP--883(Vol.1))
Large pool LMFBR design. Volume 3. Appendixes. Final report, 1097 (EPRI-NP--883(Vol.3))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Large pool LMFBR design. Final report, 1124 (EPRI-NP--1016(Vol.1))
Large scale sodium test facility at Sandia Laboratories, 97 (ANL--78-10)
Large scale sodium interactions with limestone concrete, 98 (ANL--78-10)
Liquid-metal dip seal with pneumatic spring, 4523
Liquid metal cooled reactor provided with a system limiting the core displacement with respect to control

rods, 4426
Liquid metal cooled reactor provided with a system limiting the core displacement with respect to control rods, 4427
Liquid metal cooled nuclear reactor constructions, 3093
Liquid sodium cooled fast reactor (Patent), 4294
LMFBR typical impulsive loading characterization and its application to simplified structural models, 570 (CONF-770807--Pt.E)
Main aspects of the design of a support structure of a LMFBR with particular reference to the explosive accident consequences, 571 (CONF-770807--Pt.E)
Measurement of the penetration of molten core materials into concrete using an acoustic technique, 114 (ANL--78-10)
Method of continuous testing for leak-tightness and mechanical resistance of a reactor vessel jacket and a reactor in which said method is employed, 3786
Mixing studies for geometric variations of the CRBR outlet plenum, 231 (ANL-CT--79-1)
Natural circulation heat transfer in pool-type LMFBR's, 4974
Nuclear accident simulation in a 1/6 scale model of the SNR-300 fast breeder reactor, 4497
Nuclear reactor, 3708
Nuclear reactor, 5319
ORNL TSF pipe chase neutron streaming experiment: Phase Two, 2623 (ORNL-TM--4283)
Performance tests of sodium dip seals, 31 (AI-DOE--13226)
Physics of liquid metal fast breeder reactor safety, 4333
PLBR phase II follow-on resolution of key issues, 1206 (FBR--77-4)
PLBR Phase II follow-on studies: resolution of key issues, 1207 (FBR--77-4)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 1-6. Interim report, 1087 (EPRI-NP--882(Vol.2 A))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 7-11. Interim report, 1088 (EPRI-NP--882(Vol.2B))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part III: reactor assembly - deck. Part IV: reactor assembly - fabrication, 1089 (EPRI-NP--882(Vol.3))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part III: reactor assembly, Sec. 1--2.5. Final report, 1108 (EPRI-NP--1014(Vol.3))
Prototype large breeder reactor. Phase II. Extension studies. Part 2. Reactor assembly, 1248 (GEFR--00260)
Prototype Large Breeder Reactor. Phase II extension studies. Part 1. Summary, 1252 (GEFR--00260(Summ.))
Prototype large breeder reactor. Phase II. Extension studies. Part II. Reactor assembly, 1249 (GEFR--00260)
Prototype large breeder reactor. Phase II Extension studies. Part I. Summary, 1250 (GEFR--00260(Pt.1)(Summ.))
Reactor, 5341
Research and development activities relatives to the reactor vessel, 3878
Safety equipment in a reactor, 5212
Safety equipment for a reactor, 5214
Sealed heat access area enclosure, 3763
Sensitivity study on the damage potential of a liquid-metal fast breeder reactor core disassembly, 3241
Simulation of hypothetical core disruptive accidents in vessel models, 454 (CONF-761001--P3)
Simulation of heat and mass transfer processes in molten core debris-concrete systems, 952 (COO--4261-11)
Special information meeting on high-temperature structural design applications experience, Germantown, Maryland, September 14--15, 1978. Summary report, 2587 (ORNL/BRP--78/4)
Structural response of 1/20-scale models of the Clinch River Breeder Reactor to a simulated hypothetical core disruptive accident. Technical report 4, 1016 (DOE/TIC--10063)
Study of basic approaches to the design of the primary system of loop-type LMFBRs, 166 (ANL/A--78-3)
Summary of the ORNL shield design supporting analysis for the FFTF, 524 (CONF-770401--29)
System for fixing insulating panels, 5369
System for the transfer of nuclear fuels outside the vessel, 4591
Transient containment response and inherent retention capability, 4499
Transient heat transfer in concrete (LMFBR), 734 (CONF-781079--4)
Ultrasonic dip seal maintenance system, 3446
User's manual for finite-element computer code, CREEP-PLAST, 215 (ANL-CT--78-21)
Vapor transport and pressure rise behind the liner of reactor containments, 5034
Vibration measurements and analysis for the reactor vessel and internals of the SNR-300, 2103 (IWGFR--21)
Wall penetration of a pipe operated at high temperatures, especially liner penetration, 4374
Ways of solving some engineering problems in arrangement of integral and loop type fast reactors, 1217 (FEI--739)
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)

REACTOR VESSELS/BAFFLES
Nuclear reactor (Patent), 3102

REACTOR VESSELS/CLOSURES
Adsorption seal for nuclear reactors (Patent; HTGR; LMFBR), 3839
Core disruptive accident margin seal (Patent), 3762
Core disruptive accident margin seal (Patent), 3302
Dynamic structural response of LMFBR head closures to hypothetical core disruptive accidents, 3541
Heat insulating system for the horizontal closing surfaces for a liquid metal cooled nuclear reactor (Patent), 3803 (ANL-Trans--1120)
Lid construction for nuclear reactor vessel (Patent), 3796
Maintenance device for liquid seals in nuclear reactors (Patent), 3765
Nuclear reactor with rotating closure (Patent), 5169
Nuclear reactor core servicing apparatus (Patent; LMFBR), 4255
Nuclear reactor apparatus (Patent, LMFBR), 3834
Nuclear reactor with equipment for preventing the convection of metal vapors (Patent), 3452
Plug-to-plug gas transfer system (Patent; LMFBR closure head plug), 3761
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part III. Deck structure, final report, 1073 (EPRI-NP--646(Vol.3))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part IV: reactor deck. Final report, 1110 (EPRI-NP--1014(Vol.5))
Reactor rotating shield with convection barrier for metal vapours (Patent), 4526
Rotary plug (Patent), 5394
Rotary shield plug (Patent), 5402
Rotating plug bearing and seal (Patent; LMFBR), 4364
Sealing device (Patent), 5137
Selection of reactor cover seals and bearings for a 1000-MW(e) LMFBR, 3964
Self locking drive system for rotating plug of a nuclear reactor (Patent), 3790
Shielding plug device (Patent), 5229
Sodium vapor deposition on a simulated model of an LMFBR rotating shield plug annulus (2), 3823 (JAPFNR--398)
Sodium vapor deposition on a simulated model of an LMFBR rotating shield plug annulus (1), 3824 (JAPFNR--405)
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 547 (CONF-770807--47)

REACTOR VESSELS/COOLING
Nuclear reactor (liquid sodium cooled reactor (patent)), 5148
Process and apparatus for cooling the wall of the vessel of a fast neutron reactor (Patent), 3232

REACTOR VESSELS/COOLING SYSTEMS
Cooling system for the high wall of a nuclear reactor vessel (Patent; LMFBR), 5365

REACTOR VESSELS/COVER GAS
Nuclear reactor with liquid metal cooling (Patent), 3794

REACTOR VESSELS/DEFORMATION
Elastic and elastic-plastic buckling of vessel heads. Computation by the CEASEMT system, 5110
Elastoplastic and nonsymmetric buckling analysis by finite element of Super-Phenix primary vessel head, 5112
Plastic buckling of axially compressed cylinders (LMFBR), 3014 (WARD-SD--3045-9)
Reactor vessel structural response tests at FBR hypothetical accident, 4586

REACTOR VESSELS/DESIGN
Dried hot concrete vessel for nuclear reactors: proposal of a new design concept (LMFBR), 3716
Fast breeder of loop type liquid metal cooling system (Patent), 5246
Liquid metal cooled nuclear reactor (Patent), 3445
Reactor vessel (Patent, LMFBR), 5188

REACTOR VESSELS/DYNAMIC LOADS
Analysis of dynamically loaded non-linear structures, 555 (CONF-770807--Pt.E)

REACTOR VESSELS/HYDRAULICS
ALICE: a hybrid Lagrangian-Eulerian code for calculating fluid-structure interaction transients in fast-reactor containment (LMFBR), 157 (ANL--79-72)

REACTOR VESSELS/LEAKS
From PHENIX to SUPER PHENIX: mechanical structures assuring reactor vessel tightness at main sodium pump penetrations, 5072

REACTOR VESSELS/LINERS
Thermoelastic buckling of plates in a cylindrical geometry against an elastic back support (LMFBR), 1670 (HEDL-SA--2066-FP)

REACTOR VESSELS/NOZZLES
Thermal elasto-plastic analysis in reactor vessel nozzles, 5111

REACTOR VESSELS/PERFORMANCE TESTING
First in-core molten fuel pool experiment (LMFBR), 2827 (SAND--77-1096C)

REACTOR VESSELS/PRESTRESSED CONCRETE
Extension of HCDA safety analysis to large PCRV

containment structures, 5058
REACTOR VESSELS/PUMPS
From PHENIX to SUPER PHENIX: mechanical structures assuring reactor vessel tightness at main sodium pump penetrations, 5072
REACTOR VESSELS/REACTOR COOLING SYSTEMS
System for cooling the upper wall of a nuclear reactor vessel (Patent; LMFBR), 3802 (ANL-Trans--1119)
User's manual heatup closed cell H and V failure transient analysis code (LMFBR), 1820 (HEDL-TME--78-57)
REACTOR VESSELS/REACTOR SAFETY
Response of simple, scale model reactor vessels to a simulated HCDA loading, 5106
REACTOR VESSELS/SEALS
Cover gas seal components. Quarterly technical progress report, April--June 1978, 1134 (ESG-DOE--13240)
Cover gas seal components. Quarterly technical progress report, July--September 1978, 1142 (ESG-DOE--13248)
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, October--December 1978, 1148 (ESG-DOE--13262)
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, January--March 1979 (LMFBR), 1155 (ESG-DOE--13273)
Cover gas seal components. Quarterly technical progress report, April--June 1979, 1159 (ESG-DOE--13279)
Process for the continuous control of the seal and strength of the containment of a reactor utilizing said process (Patent; LMFBR), 4266 (ANL-Trans--1111)
Seal for turnable lids on nuclear reactors (Patent; LMFBR), 4429
Selection of reactor cover seals and bearings for a 1000-MW(e) LMFBR, 3964
REACTOR VESSELS/SEISMIC EFFECTS
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 796 (CONF-790802--63)
REACTOR VESSELS/STRESS ANALYSIS
Analysis of slug impact and coolant spillage using a hybrid Lagrangian--Eulerian method (LMFBR), 4758
Analysis of prestressed concrete vessels for HCDA loads (LMFBR), 3991
Comparison of REXCO code predictions with flexible vessel experiments (LMFBR), 3538
Comparison of ICECO code predictions with flexible vessel experiments (LMFBR), 3543
Experiments on the response of rigid and flexible reactor vessel models to a simulated hypothetical core disruptive accident (LMFBR), 267 (ANL/K76--2655-5)
Extension of HCDA safety analysis to large PCRV containment structures, 576 (CONF-770807--Pt.E)
Influence of sodium temperature, gamma heating and wall thickness on design strength of SLSF containment vessels, 1945 (INIS-mf--4506)
Material problems in accident analysis of prestressed concrete reactor vessels, 560 (CONF-770807--Pt.E)
Response of simple, scale model reactor vessels to a simulated HCDA loading, 562 (CONF-770807--Pt.E)
Room-temperature inelastic test of a nozzle-to-spherical-shell model subjected to pressure and moment loading (LMFBR), 2644 (ORNL/TM--6170)
Thermal ratchetting in pressure vessels, 1946 (INIS-mf--4506)
Transient analysis of LMFBR reinforced/prestressed concrete containment, 802 (CONF-790802--73)
REACTOR VESSELS/STRESSES
Comparison of computer code predictions with COVA experiments (LMFBR), 4760
REACTOR VESSELS/SUPPORTS
Liquid metal cooled nuclear reactor (Patent), 4428
Liquid metal cooled fast breeder reactor (Patent), 3478
Main aspects of the design of a support structure of a LMFBR with particular reference to the explosive accident consequences, 5050
Nuclear reactor pressure vessel support system (Patent; LMFBR), 3449
Nuclear reactor with liquid metal cooling, 3793
Nuclear reactor with liquid metal cooling (Patent), 3795
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 765 (CONF-790370--1)
REACTOR VESSELS/TEMPERATURE CONTROL
Device for thermal protection of a nuclear reactor vessel (Patent), 3400
REACTOR VESSELS/THERMAL ANALYSIS
Thermal elasto-plastic analysis in reactor vessel nozzles, 5111
Thermal ratchetting in pressure vessels, 5113
REACTOR VESSELS/THERMAL INSULATION
Heat-insulated device, for insulating the top part of the annular space between the main vessel and the safety vessel of a fast-neutron reactor (Patent; LMFBR), 4362
Heat insulating system, especially for insulating the upper zone of the annulus separating the primary and safety vessels of a fast reactor (Patent), 3804 (ANL-Trans--1124)
Nuclear reactors (Patent; LMFBR), 4376
Thermal protection device for a nuclear reactor slab (Patent; LMFBR), 5385
REACTOR VESSELS/THERMAL SHIELDS
Device for thermal shielding of a reactor vessel (Patent; LMFBR), 3801 (ANL-Trans--1121)
Device for thermal insulation of a vessel wall (Patent; LMFBR), 4322
Insulating structure (Patent; LMFBR), 5362
Thermal insulation system for a vessel (Patent; LMFBR), 5363
REACTOR VESSELS/THERMAL SHOCK
Material problems in accident analysis of prestressed concrete reactor vessels, 560 (CONF-770807--Pt.E)
REACTOR VESSELS/THERMAL STRESSES
Thermal elasto-plastic analysis in reactor vessel nozzles, 5111
REACTOR VESSELS/VALVES
Safety valve system for a nuclear vessel cover gas (Patent; LMFBR), 5396
REACTORS
See also BREEDER REACTORS
EPITHERMAL REACTORS
GAS COOLED REACTORS
HEAVY WATER COOLED REACTORS
HEAVY WATER MODERATED REACTORS
IRRADIATION REACTORS
MOLTEN SALT REACTORS
POWER REACTORS
PROCESS HEAT REACTORS
PULSED REACTORS
WATER COOLED REACTORS
WATER MODERATED REACTORS
REACTORS/MHD GENERATORS
Application of magnetohydrodynamic generators in nuclear power engineering, 5024
RECTENNAS/LAND REQUIREMENTS
Preliminary comparative assessment of land use for the satellite power system (SPS) and alternative electric energy technologies, 1001 (DOE/ER--0054)
RECYCLE (FUEL)
See FUEL CYCLE
RECYCLING (FUEL)
See REPROCESSING
REFLECTORS (NEUTRON)
See NEUTRON REFLECTORS
REINFORCED CONCRETE/RESEARCH PROGRAMS
Plan for the determination of mechanical and thermal properties of concretes to temperatures of 621°C (1150°F), 2646 (ORNL/TM--6234)
RELIEF VALVES/PERFORMANCE
Dynamic instability analysis of rupture disks by finite element method (LMFBR), 3988
State-of-the-art of rupture disks for LMFBR application, 2316 (NEDM--13981)
RELIEF VALVES/SPECIFICATIONS
State-of-the-art of rupture disks for LMFBR application, 2316 (NEDM--13981)
REMOTE HANDLING/COST
Optimized spent fuel storage and shipping systems (LMFBR) 1288 (GEFR--00394)
REMOTE HANDLING/OPTIMIZATION
Optimized spent fuel storage and shipping systems (LMFBR) 1288 (GEFR--00394)
REMOTE HANDLING EQUIPMENT
Fuel handling and storage system for large commercial LMFBRs, 4712
Fuel handling experience with liquid-metal reactors, 4070
Nuclear reactor refueling system (Patent), 3557
System for the transfer of nuclear fuels outside the vessel (LMFBR type reactors; patent), 4591
System of extraction and introduction of an irradiation capsule into a fuel assembly (Patent; LMFBR type reactors), 5348
REMOTE HANDLING EQUIPMENT/COOLING SYSTEMS
Ex-vessel nuclear fuel transfer system (Patent), 3838
Nuclear reactor fuel transfer system (Patent), 3837
REMOTE HANDLING EQUIPMENT/DESIGN
Remote examination of shroud tubes in LMFBR fuel elements, 4024
SLSF loop handling system. Volume I. Structural analysis (LMFBR), 261 (ANL/ENG--79-05)
REMOTE HANDLING EQUIPMENT/PERFORMANCE TESTING
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, January--March 1979 (LMFBR), 1155 (ESG-DOE--13273)
REMOTE HANDLING EQUIPMENT/STRESS ANALYSIS
SLSF loop handling system. Volume I. Structural analysis (LMFBR), 261 (ANL/ENG--79-05)
SLSF loop hanlding system. Volume II. Cradle analysis for normal and accidental loading (LMFBR), 262 (ANL/ENG--79-06)
SLSF loop handling system. Volume IV. Analysis verifications and supporting appendices (LMFBR), 264 (ANL/ENG--79-08)
SLSF loop handling system. Volume III. AISC code evaluations and analysis of critical attachments (LMFBR), 263 (ANL/ENG--79-07)
REMOTE VIEWING EQUIPMENT
See-through device for a refueling machine (Patent; LMFBR), 5224
REMOTE VIEWING EQUIPMENT/DESIGN
Liquid metal cooled nuclear reactors (Patent), 4324
Television/still camera with common optical system for reactor inspection (LMFBR), 2052 (IWGFR--10)
UV viewing through sodium coolant, 3264

REMOTE VIEWING EQUIPMENT/PERFORMANCE TESTING
Development of sodium penetration equipment (LMFBR), 5162
PINEX-2 experiment: concept verification of an inherent shutdown mechanism for HCDA's (LMFBR), 1616 (HEDL-SA--1737-FP)
Ultrasonic off-normal imaging techniques for under sodium viewing (LMFBR), 1667 (HEDL-SA--2014)
REMOTE VIEWING EQUIPMENT/PLANNING
Program outline under-sodium viewing (LMFBR), 1433 (HEDL--6232)
RENEWABLE ENERGY SOURCES/FORECASTING
Impact of the new energy technologies, 4534
REPROCESSING
See also FLUORIDE VOLATILITY PROCESS
PUREX PROCESS
Re-treatment of fast breeder fuel elements, 3860 (EURFNR--1418)
REPROCESSING/CRITICALITY
Interlaboratory computational comparisons of critical fast test reactor pin lattices, 3146
REPROCESSING/ECONOMIC ANALYSIS
Reprocessing of nuclear fuel and plutonium breeder commercialization: implications of deferral, 2761 (RAND-P--6226)
REPROCESSING/GOVERNMENT POLICIES
Nuclear proliferation and nuclear power, 4872
REPROCESSING/RESEARCH PROGRAMS
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)
Possibilities for solving the problem of reprocessing fuel from fast breeders. Survey on the basis of reports by experts on the meeting of the IAEA in May 1976 in Leningrad, 4455
REPROCESSING/SOCIO-ECONOMIC FACTORS
Reprocessing of nuclear fuel and plutonium breeder commercialization: implications of deferral, 2761 (RAND-P--6226)
RESEARCH PROGRAMS/APPLIANCES
Comparative analysis of three of ERDA's major R and D programs, 3378
RESEARCH PROGRAMS/BELGIUM
Annual scientific report 1976 (Centre d'Etude de l'Energie Nucleaire, Mol), 297 (BLG--520)
RESEARCH PROGRAMS/BR-2 REACTOR
Annual scientific report 1975 (Summaries of research activities at Centre d'Etude de l'Energie Nucleaire, Mol, Belgium), 296 (BLG--515)
Annual scientific report 1977, 298 (BLG--524)
RESEARCH PROGRAMS/BREEDER REACTORS
France sets standard for fast reactor projects, 3236
RESEARCH PROGRAMS/BREEDING BLANKETS
Fast Breeder Blanket Facility. Quarterly progress report, January 1, 1978--March 31, 1978, 936 (COO--2826-8)
RESEARCH PROGRAMS/CERAMICS
Metals and Ceramics Division annual progress report, October 1, 1978-June 30, 1979, 2585 (ORNL--5579)
RESEARCH PROGRAMS/CLINCH RIVER BREEDER REACTOR
Clinch River Breeder Reactor Plant Project. 1977 technical progress report, 976 (CRBRP-ARD--0211)
RESEARCH PROGRAMS/COAL
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
RESEARCH PROGRAMS/COAL-FIRED MHD GENERATORS
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
RESEARCH PROGRAMS/CONCRETES
Plan for the determination of mechanical and thermal properties of concretes to temperatures of 621°C (1150°F), 2646 (ORNL/TM--6234)
RESEARCH PROGRAMS/CONTROL ELEMENTS
LMFBR reference control materials. Semiannual report, July--December 1976 (LMFBR), 1754 (HEDL-TME--77-33)
RESEARCH PROGRAMS/DOCUMENTATION
Status summary report advanced reactor safety research. Buff book 2 (USA; LMFBR), 2359 (NUREG--0330(Vol.3)(No. 1))
RESEARCH PROGRAMS/ELECTRIC POWER
Power/energy progress report: a pastiche of developments promises near and long-term applications, 3841
RESEARCH PROGRAMS/ELECTRONIC CIRCUITS
High-temperature electronics: an overview, 2892 (SAND--79-2319A)
RESEARCH PROGRAMS/FBR TYPE REACTORS
Cooperative nuclear date and methods development. Twelfth quarterly report, January--March 1979, 1389 (GEFR--14074-12)
Present state of development of the fast breeder project in the Federal Republic of Germany, Belgium and the Netherlands, and progress achieved during 1975 and early 1976, 2081 (IWGFR--12)
RESEARCH PROGRAMS/FFTF REACTOR
Fast flux test facility ready to run, 3316
RESEARCH PROGRAMS/FRICTION
Tribology: research and development needs in advanced energy technology, 1459 (HEDL-SA--1191(Rev.))
RESEARCH PROGRAMS/FUEL CANS
Reference fuel studies. Annual report, February 1976--January 1977 (LMFBR; stainless steel clad PuO_2-UO_2 fuel pins), 1235 (GEFR--00076)
Reference fuel studies semi-annual report, February--July 1977 (LMFBR; stainless steel clad PuO_2--UO_2 fuel rods), 1247 (GEFR--00258)
RESEARCH PROGRAMS/FUEL CYCLE
Advanced fuel recycle program progress report, April 1--June 30, 1977 (LMFBR; Voloxidation; dissolution; solvent extraction; off-gas processing; Iodox; disassembly), 2633 (ORNL/TM--5993)
Advanced fuel recycle program progress report, January 1 to March 31, 1978, 2651 (ORNL/TM--6306)
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
HEDL contribution to SRL fuel recycle program: quarterly report for April, May, and June 1977, 1675 (HEDL-TC--902-2)
HEDL contribution to SRL fuel recycle program. Quarterly report, January--March 1977, 1674 (HEDL-TC--902-1)
RESEARCH PROGRAMS/FUEL ELEMENT FAILURE
Fuel failure studies and experiences in Italy, 2023 (IWGFR--5)
Fuel rod mechanics and failure analysis. Twentieth quarterly report, May--July 1977 (LMFBR), 1349 (GEFR--13923-20)
Fuel rod mechanics and failure analysis. Twenty-first quarterly report, August--October 1977 (LMFBR), 1350 (GEFR--13923-21)
Fuel rod mechanics and failure analysis twenty-second quarterly report, November 1977--January 1978 (LMFBR), 1351 (GEFR--13923-22)
Fuel rod mechanics and failure analysis. Twenty-third quarterly report, February 1978--April 1978 (LMFBR), 1352 (GEFR--13923-23)
Post-failure phenomena in LMFBR top accidents. Final report, October 1, 1976--September 30, 1977, 2381 (NUREG/CR--0018)
Safety engineering sixteenth quarterly report, May--July 1976 (LMFBR), 1225 (GEAP--13923-16)
U.S. advanced fuels safety program (LMFBR), 4837
RESEARCH PROGRAMS/FUEL PINS
Advanced fuels program. Quarterly progress report, January--March 1976 (Mixed carbides and nitrides), 169 (ANL-AFP--28)
Advanced fuels program. Quarterly progress report, July--September 1976 (Mixed carbides and nitrides), 174 (ANL-AFP--33)
Advanced fuels program. Quarterly progress report, April--June 1976 (Mixed carbides and nitrides), 170 (ANL-AFP--29)
CNEN program on advanced LMFBR fuels, 4824
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976 (LMFBR), 2991 (WARD-OX--3045-24)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1976 (LMFBR), 2993 (WARD-OX--3045-27)
Reference fuel studies. Annual report, February 1976--January 1977 (LMFBR; stainless steel clad PuO_2-UO_2 fuel pins), 1235 (GEFR--00076)
UK irradiation experience relevant to advanced oxide fuel concepts for LMFBR's, 4825
RESEARCH PROGRAMS/FUEL RODS
Reference fuel studies semi-annual report, February--July 1977 (LMFBR; stainless steel clad PuO_2--UO_2 fuel rods), 1247 (GEFR--00258)
RESEARCH PROGRAMS/FUEL-COOLANT INTERACTIONS
Final report on MIT contract on fuel-coolant interactions, 929 (COO--2781-15FR)
Fuel Coolant Thermal Interaction Project UC 79P. Quarterly progress report No. 7 (LMFBR), 927 (COO--2781-13)
Fuel--Coolant Thermal Interaction Project. Progress report No. 8 (LMFBR), 928 (COO--2781-14)
RESEARCH PROGRAMS/GAS COOLED REACTORS
Annual scientific report 1977, 298 (BLG--524)
RESEARCH PROGRAMS/HIGH-TEMPERATURE FUEL CELLS
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
RESEARCH PROGRAMS/HWLWR TYPE REACTORS
Reactor physics activities relevant to FBR and ATR programs in PNC, Japan, November 1978-September 1979, 2151 (JAPFNR--472)
RESEARCH PROGRAMS/IODOX PROCESS
Advanced fuel recycle program progress report, July 1--September 30, 1977, 2639 (ORNL/TM--6092)
Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs, 2625 (ORNL/TM--5865/V5)
RESEARCH PROGRAMS/JOYO REACTOR
Progress report on fast breeder reactor development in Japan, October - December 1977, 2736 (PNC-N--251-78-02)
Project of developing fast breeder reactors in Japan, 4207
RESEARCH PROGRAMS/KNK-2 REACTOR
Irradiation programme KNK II, 4902
KNK II - an experimental power station equipped with a fast core, 3315
RESEARCH PROGRAMS/LITHIUM-SULFUR BATTERIES
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
RESEARCH PROGRAMS/LMFBR TYPE REACTORS
Birth of the breeder (UK), 4905
Breeder reactor program in the USA. Past, present and future, 4162
Breeder reactors, 355 (CEA-CONF--4212)

Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
Comparative analysis of three of ERDA's major R and D programs, 3377
Comparative analysis of three of ERDA's major R and D programs, 3378
Development of French programme on fast reactors, from March 1975 to March 1976, 2083 (IWGFR--12)
Development of French programme on fast reactors, from March 1976 to March 1977, 2092 (IWGFR--18)
Fast Breeder Project. Quarterly report, 1977, 4908 (EURFNR--1435)
Fast breeder reactor development in Japan. Progress report, October--December 1977, 3526 (JAPFNR--316)
Fast breeder reactor development in Japan. Progress report, July--September 1977, 3688 (JAPFNR--317)
Fast breeder reactor development in Japan. Progress report, October-December 1978, 3230 (JAPFNR--458)
Fast reactor programme. Fourth quarter 1977 progress report, 1051 (ECN--41)
Fourth quarterly report 1976, 2161 (KFK--1276/4)
Impact of Clinch River Breeder Reactor Plant on breeder research and development programs, 3340
International fast breeder reactor development, 81 (ANL--77-XX-62)
International Working Group on Fast Reactors eighth annual meeting. Summary report, Part II, 2016 (IWGFR--3)
Outlook of the fast breeder reactor development in U.S.S.R., 4206
Past and present role of fast breeder reactors in Japan, 4051
Past and present role of fast breeder reactors in the Federal Republic of Germany, 4052
Performance Measurement System Implementation Guide. RRT Management Control System, 1004 (DOE/ET--0050/2)
Performance Measurement System Review Team Handbook. RRT Management Control System, 1010 (DOE/ET--0050/8)
Performance measurement system: system description, 1003 (DOE/ET--0050/1)
Performance measurement system: data analysis guide, 1006 (DOE/ET--0050/4)
Performance Measurement System: surveillance guide, 1007 (DOE/ET--0050/5)
Performance Measurement System: work breakdown structure (WBS) guide, 1008 (DOE/ET--0050/6)
Performance measurement system: Mini-PMS guide, 1009 (DOE/ET--0050/7)
Performance measurement system: contractor reporting instructions, 1005 (DOE/ET--0050/3(Rev.))
Present state of development of the fast breeder project in the Federal Republic of Germany, Belgium and the Netherlands, and progress achieved during 1976 and early 1977, 2087 (IWGFR--18)
Progress report on Fast Breeder Reactor development in Japan, January--March 1978, 3460 (JAPFNR--336)
Reactor Engineering Division annual report, April 1, 1977-March 31, 1978, 2142 (JAERI-M--7844)
Reactor physics activities relevant to FBR and ATR programs in PNC, Japan, November 1978-September 1979, 2151 (JAPFNR--472)
Review of fast reactor progress in Japan, March 1976, 2082 (IWGFR--12)
Review of fast reactor activities in Italy, April 1977, 2089 (IWGFR--18)
Review of the UK fast reactor programme. March 1977, 2090 (IWGFR--18)
Review of fast reactor progress in Japan, 2091 (IWGFR--18)
Review of the UK fas reactor program: March 1978, 2352 (NOR--3686)
State of work on fast reactors in the USSR up to March 1979, 3348 (RISLEY-Trans--4087)
Status of the U.S.A. liquid metal fast breeder programme, April 1976, 2084 (IWGFR--12)
Status summary report advanced reactor safety research. Buff book 2 (USA; LMFBR), 2359 (NUREG--0330(Vol.3)(No. 1))
U.S. LMFBR programme as of 4-1-77, 2093 (IWGFR--18)

RESEARCH PROGRAMS/MANAGEMENT
Performance Measurement System Implementation Guide. RRT Management Control System (LMFBR), 1004 (DOE/ET--0050/2)
Performance Measurement System Review Team Handbook. RRT Management Control System (LMFBR), 1010 (DOE/ET--0050/8)
Performance measurement system: system description (LMFBR), 1003 (DOE/ET--0050/1)
Performance measurement system: data analysis guide (LMFBR), 1006 (DOE/ET--0050/4)
Performance Measurement System: surveillance guide (LMFBR), 1007 (DOE/ET--0050/5)
Performance Measurement System: work breakdown structure (WBS) guide (LMFBR), 1008 (DOE/ET--0050/6)
Performance measurement system: Mini-PMS guide (LMFBR), 1009 (DOE/ET--0050/7)
Performance measurement system: contractor reporting instructions (LMFBR), 1005 (DOE/ET--0050/3(Rev.))

RESEARCH PROGRAMS/MECHANICAL PROPERTIES
Mechanical properties of crystalline solids. Progress report, December 1, 1978-November 30, 1979, 866 (COO--2172-29)

RESEARCH PROGRAMS/MONJU REACTOR
Progress report on fast breeder reactor development in Japan, October - December 1977, 2736 (PNC-N--251-78-02)
Project of developing fast breeder reactors in Japan, 4207

RESEARCH PROGRAMS/NEUTRON ABSORBERS
Breeder reactor reference control materials. Semiannual status newsletter, June--December 1978, 1838 (HEDL-TME--78-115)

RESEARCH PROGRAMS/NEUTRON TRANSPORT THEORY
Transport and reactor theory. Progress report, July 1--September 30, 1978, 2232 (LA--7554-PR)

RESEARCH PROGRAMS/NONDESTRUCTIVE TESTING
Nondestructive testing development program. Quarterly progress report for period ending September 30, 1977 (LMFBR), 2555 (ORNL--5350)
Nondestructive testing development program. Quarterly progress report for period ending December 31, 1977 (LMFBR), 2561 (ORNL--5385)
Nondestructive testing development program. Quarterly progress report for period ending March 31, 1978 (LMFBR), 2566 (ORNL--5417)
Nondestructive testing development program quarterly progress report for period ending March 31, 1977, 2508 (ORNL--5286)
Nondestructive testing development program. Quarterly progress report for period ending June 30, 1978 (LMFBR) 2570 (ORNL--5440)
Nondestructive Testing Development Program. Quarterly progress report for period ending September 30, 1978, 2576 (ORNL--5490)
Nondestructive testing development program semiannual progress report for period ending March 31, 1979 (LMFBR), 2588 (ORNL/BRP--79/3)

RESEARCH PROGRAMS/NUCLEAR ENGINEERING
Reactor Engineering Division annual report. (April 1, 1976 - March 31, 1977), 2140 (JAERI-M--7291)

RESEARCH PROGRAMS/NUCLEAR FUELS
FY 1976 operation program of PNC, 5213

RESEARCH PROGRAMS/NUCLEAR POWER
Key issues of nuclear power R and D in Japan, 3421
Long-term atomic energy research, development and utilization program formulated (Japan), 3467

RESEARCH PROGRAMS/PARABOLIC COLLECTORS
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)

RESEARCH PROGRAMS/PFR REACTOR
Contribution of Dounreay to the development of fast reactors, 3100

RESEARCH PROGRAMS/PLUTONIUM RECYCLE
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)

RESEARCH PROGRAMS/PNC
Ten years' history of Power Reactor and Nuclear Fuel Development Corporation, 3394

RESEARCH PROGRAMS/POWER SYSTEMS
Power/energy progress report: a pastiche of developments promises near and long-term applications, 3841

RESEARCH PROGRAMS/REACTOR COMPONENTS
Progress report on fast breeder reactor development in Japan, July-September 1978, 3258 (JAPFNR--460)
Reactor development program. Progress report, April 1978 (LMFBR), 278 (ANL-RDP--70)

RESEARCH PROGRAMS/REACTOR CORE RESTRAINTS
Core restraint development. Quarterly progress report for period ending May 31, 1977 (LMFBR), 2960 (WARD-CR--3045-17)
Core restraint engineering. Twelfth quarterly report, May--June 1977 (LMFBR), 1365 (GEFR--14031-12)
Core restraint development. Quarterly progress report for period ending August 31, 1977 (LMFBR), 2961 (WARD-CR--3045-19)
Core restraint engineering. Ninth quarterly report, August--October 1976 (LMFBR), 1362 (GEFR--14031-9)
Core restraint engineering. Thirteenth quarterly report, August--October 1977 (LMFBR), 1366 (GEFR--14031-13)
Core restraint development. Quarterly progress report for period ending November 30, 1977 (LMFBR), 2963 (WARD-CR--3045-21)
Core restraint engineering. Tenth quarterly report, November--December 1976 and January 1977 (LMFBR), 1363 (GEFR--14031-10)
Core restraint development. Quarterly progress report for period ending February 28, 1978 (LMFBR), 2964 (WARD-CR--3045-22)
Core restraint development. Quarterly progress report for period ending May 31, 1978 (LMFBR), 2965 (WARD-CR--3045-23)
Core restraint development. Quarterly progress report for period ending August 31, 1978 (LMFBR), 2966 (WARD-CR--3045-24)
Core restraint development. Quarterly progress report for period ending November 30, 1978 (LMFBR), 2967 (WARD-CR--94000-1)
Core restraint development. Quarterly progress report for period ending February 28, 1979 (LMFBR), 2968 (WARD-CR--94000-2)
Core restraint development. Quarterly progress report for period ending May 31, 1979 (LMFBR), 2969 (WARD-CR--94000-3)

RESEARCH PROGRAMS/REACTOR CORES
Core engineering. Sixty-fifth quarterly report,

November 1977--January 1978 (LMFBR; FFTF), 1332 (GEFR--10028-65)
Core engineering. Sixty-sixth quarterly report, February 1978--April 1978 (LMFBR), 1333 (GEFR--10028-66)
RESEARCH PROGRAMS/REACTOR INSTRUMENTATION
Instrumentation and Controls Division biennial progress report, September 1, 1976--September 1, 1978, 2575 (ORNL--5483)
RESEARCH PROGRAMS/REACTOR KINETICS
Cooperative nuclear data and methods development fifth quarterly report, October--December 1976 (LMFBR), 1382 (GEFR--14074-5)
Cooperative nuclear data and methods development sixth quarterly report, January--Mach 1977 (LMFBR), 1383 (GEFR--14074-6)
Cooperative nuclear data and methods development seventh quarterly report, April--June 1977 (LMFBR), 1384 (GEFR--14074-7)
Cooperative nuclear data and methods development. Eighth quarterly report, October--December 1977 (LMFBR), 1385 (GEFR--14074-8)
Cooperative nuclear data and methods development. Ninth quarterly report, January--March 1978 (LMFBR), 1386 (GEFR--14074-9)
Cooperative nuclear data and methods development. Tenth quarterly report, April--June 1978 (LMFBR), 1387 (GEFR--14074-10)
Cooperative nuclear data and methods development. Eleventh quarterly report, July--December 1978 (LMFBR), 1388 (GEFR--14074-11)
Cooperative nuclear data and methods development. Thirteenth quarterly report, April-June, 1979 (LMFBR), 1390 (GEFR--14074-13)
Nuclear data and methods development and application to LMFBRs. Fourth annual progress report, fiscal year 1978, 1381 (GEFR--14073-4)
Nuclear data and methods development and application to LMFBRs. Third annual progress report, fiscal year 1977, 1380 (GEFR--14073-3)
Physics evaluations and applications quarterly progress report for period ending July 31, 1977 (LMFBR), 3029 (WARD-XS--3045-19)
RESEARCH PROGRAMS/REACTOR MATERIALS
Evaluation of materials for retention of sodium and core debris in reactor systems. Annual progress report, September 1977-December 1978 (LMFBR), 2451 (NUREG/CR--0900)
High-temperature structural design program semiannual progress report for period ending December 31, 1978, 2581 (ORNL--5540)
Liquid Metal Fast Breeder Reactor Materials Development Program. Quarterly progress report for period ending March 31, 1977 (ORNL), 2520 (ORNL--5309)
Mechanical properties test data for structural materials. Quarterly progress report for period ending April 30, 1977, 2509 (ORNL--5287)
Metals and Ceramics Division annual progress report, October 1, 1978-June 30, 1979, 2585 (ORNL--5579)
Overview of the U.S. programs on properties of primary circuit materials, 606 (CONF-771052--2)
Progress report on fast breeder reactor development in Japan, July-September 1978, 3258 (JAPFNR--460)
U. S. programs on reference and advanced cladding/duct materials, 1455 (HEDL-SA--1175)
RESEARCH PROGRAMS/REACTOR SAFETY
Advanced Reactor Safety Research Program quarterly report, April--June 1977 (LMFBR), 2830 (SAND--77-1134)
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977 (LMFBR), 2847 (SAND--77-1975)
Advanced reactor safety research. Quarterly report, October--December 1977 (LMFBR), 2397 (NUREG/CR--0323(Vol.5))
Advanced reactor safety research. Quarterly report, January--March 1978 (LMFBR), 2398 (NUREG/CR--0335(Vol. 6))
Advanced Reactor Safety Research Division. Quarterly progress report, January 1--March 31, 1979 (HTGR; LMFBR), 2444 (NUREG/CR--0820)
Advanced reactor safety research quarterly report, April-June 1978 (LMFBR), 2411 (NUREG/CR--0469(Vol.7))
Advanced reactor safety research. Quarterly report, July-September 1978 (LMFBR), 2412 (NUREG/CR--0470)
Advanced reactor safety research. Quarterly report, April-June 1979 (LMFBR), 2455 (NUREG/CR--0984(Vol.10))
Advanced Reactor Safety Research Division quarterly progress report, April 1-June 30, 1979, 2458 (NUREG/CR--1036)
Advanced safety analysis. Eleventh quarterly report, March--May 1977 (LMFBR), 1376 (GEFR--14038-11)
Advanced safety analysis thirteenth quarterly report, September--November 1977 (LMFBR), 1378 (GEFR--14038-13)
Annual technical progress report: reactor safety, Government fiscal year 1978, 1145 (ESG-DOE--13254)
Breeder reactor safety and core systems programs. Progress report, April--June 1977, 2635 (ORNL/TM--6020)
CEC activities in the field of LMFBR safety, 431 (CONF-761001--P3)
December 1977 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2609 (ORNL/NUREG/TM--182)
Fast Reactor Safety Research Program. Quarterly report, January--March 1977 (LMFBR excursions, meltdown debris bed, sodium containment, and fuel motion detection), 2811 (SAND--77-0611)
Fast reactor safety technical progress report, January--March 1977 (LMFBR), 1774 (HEDL-TME--77-66)
Fast reactor safety technical progress report, April--June 1977 (LMFBR), 1775 (HEDL-TME--77-67)
Fast reactor safety. Quarterly technical progress report, July--September 1977 (LMFBR), 1776 (HEDL-TME--77-68)
February 1978 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2611 (ORNL/NUREG/TM--197)
GE-LOA-2 tasks. 1979 annual report, October 1978-June 1979 (LMFBR safe shutdown), 1328 (GEFR--00468)
LMFBR safety and core systems programs. Progress report, January--March 1977, 2629 (ORNL/TM--5940)
LMFBR safety program. Annual technical progress report. Government fiscal year, 1977, 20 (AI-DOE--13210)
March 1978 monthly highlights, Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2612 (ORNL/NUREG/TM--201)
Monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, August 1977, 2602 (ORNL/NUREG/TM--148)
Monthly highlights for Office of Nuclear Regulatory Research programs at Oak Ridge National Laboratory, 2603 (ORNL/NUREG/TM--158)
November 1977 monthly highlights for Office of Nuclear Regulatory Research Programs at Oak Ridge National Laboratory, 2606 (ORNL/NUREG/TM--172)
Nuclear safety research in France, 347 (CEA-CONF--3890)
ORNL breeder reactor safety: LOA 2, 3, 4, and 5. Quarterly technical progress report, January-March 1979 (Thermal-Hydraulic-out-of-Reactor Safety Facility) 2683 (ORNL/TM--6947)
Physics of reactor safety. Quarterly report, April--June 1977 (LMFBR), 65 (ANL--77-69)
Physics of reactor safety. Quarterly report, January--March 1977 (LMFBR), 60 (ANL--77-48)
Physics of reactor safety. Quarterly report, July--September 1977 (LMFBR), 77 (ANL--77-92)
Physics of reactor safety. Quarterly report, October-December 1977 (LMFBR), 117 (ANL--78-23)
Physics of reactor safety. Quarterly report, January--March 1978 (LMFBR), 2388 (NUREG/CR--0148)
Physics of reactor safety. Quarterly report, April--June 1978 (LMFBR), 2413 (NUREG/CR--0477)
Physics of reactor safety. Quarterly report, July--September 1978 (LMFBR), 2422 (NUREG/CR--0653)
Physics of reactor safety. Quarterly report, October--December 1978 (LMFBR), 2432 (NUREG/CR--0759)
Physics of reactor safety. Quarterly report, January--March 1979 (LMFBR), 2448 (NUREG/CR--0864)
Physics of reactor safety. Quarterly report, July-September 1979 (LMFBR), 2470 (NUREG/CR--1252)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1978, 2425 (NUREG/CR--0688)
Reactor safety. Quarterly technical progress report, January-March 1979 (LMFBR), 1161 (ESG-DOE--13281)
Reactor safety. Quarterly technical progress report, April-June 1979, 1162 (ESG-DOE--13284)
Reactor safety. Annual technical progress report, Government fiscal year 1979 (LMFBR), 1165 (ESG-DOE--13294)
Report on the research projects in the field of reactor safety sponsored by the Federal Minister for Research and Technology. Period under report: January 1 - March 31, 1978, 1427 (GRS-F--63)
Report on the projects in the field of reactor safety sponsored by the Federal Ministry for Research and Technology. Period under report: 1st July to 30th September 1978, 1429 (GRS-F--70)
Reports distributed under the NRC Reactor Safety Research Foreign Technical Exchange Program. Volume VI, July--December 1978, 2426 (NUREG/CR--0692)
Reports on research projects in the field of reactor safety sponsored by the Federal Minister for Research and Technology. Period under report: April 1 to June 30, 1978, 1428 (GRS-F--66)
Reports on research projects sponsored by the Federal Minister for Research and Technology in the field of reactor safety. Progress report for the period from October 1 to December 31, 1978, 1430 (GRS-F--74)
Reports on research projects sponsored by the Federal Minister for Research und Technology in the field of reactor safety. Period under report 1st January to 31st March. Progress report, 1431 (GRS-F--79)
Review and evaluation of the Nuclear Regulatory Commission safety research program for fiscal year 1981: report to the Congress of the United States of America, 2366 (NUREG--0657)
Risk analysis methods development. Fifth quarterly report, January--March 1978 (LMFBR), 1355 (GEFR--14023-5)
Risk analysis methods development. Eighth quarterly report, October--December 1978 (LMFBR), 1357 (GEFR--14023-8)
Risk analysis methods development. Ninth quarterly report, January--March 1979 (LMFBR), 1358 (GEFR--14023-9)
Some basic research needs related to LWR and FBR safety,

3601
U.S. advanced fuels safety program (LMFBR), 4837
RESEARCH PROGRAMS/REINFORCED CONCRETE
Plan for the determination of mechanical and thermal properties of concretes to temperatures of 621°C (1150°F), 2646 (ORNL/TM--6234)
RESEARCH PROGRAMS/REPROCESSING
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)
Possibilities for solving the problem of reprocessing fuel from fast breeders. Survey on the basis of reports by experts on the meeting of the IAEA in May 1976 in Leningrad, 4455
RESEARCH PROGRAMS/SAFETY ENGINEERING
Nuclear safety and reliability engineering. Quarterly progress report for period ending March 31, 1979 (LMFBR), 3026 (WARD-SR--94000-1)
Nuclear safety and reliability engineering. Quarterly progress report for period ending June 30, 1979 (LMFBR), 3027 (WARD-SR--94000-2)
RESEARCH PROGRAMS/SNR-1 REACTOR
Annual scientific report 1975 (Summaries of research activities at Centre d'Etude de l'Energie Nucleaire, Mol, Belgium), 296 (BLG--515)
Annual scientific report 1977, 298 (BLG--524)
Publication list concerning LMFBR-work of KFK from 1976 until 1978, 2208 (KFK--2802-B)
RESEARCH PROGRAMS/SPACE HEATERS
Comparative analysis of three of ERDA's major R and D programs, 3377
RESEARCH PROGRAMS/STRESS CORROSION
Topical problems of corrosion research for nuclear power purposes, 3701
RESEARCH PROGRAMS/SYNTHETIC FUELS
Comparative analysis of three of ERDA's major R and D programs, 3377
Comparative analysis of three of ERDA's major R and D programs, 3378
RESEARCH PROGRAMS/THERMONUCLEAR REACTORS
CHemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
Reactor Engineering Division annual report, April 1, 1977-March 31, 1978, 2142 (JAERI-M--7844)
RESEARCH PROGRAMS/TRIBOLOGY
National friction, wear, and self-welding program status and plans (LMFBR), 1812 (HEDL-TME--78-38)
RESEARCH PROGRAMS/US DOE
Comparative analysis of three of ERDA's major R and D programs, 3378
RESEARCH PROGRAMS/US ERDA
Comparative analysis of three of ERDA's major R and D programs, 3378
RESEARCH PROGRAMS/VHTR REACTOR
Reactor Engineering Division annual report, April 1, 1977-March 31, 1978, 2142 (JAERI-M--7844)
RESEARCH PROGRAMS/VOLOXIDATION PROCESS
Advanced fuel recycle program progress report, July 1--September 30, 1977, 2639 (ORNL/TM--6092)
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)
Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs, 2625 (ORNL/TM--5865/V5)
RESEARCH PROGRAMS/WATER MODERATED REACTORS
Annual scientific report 1977, 298 (BLG--524)
RESEARCH PROGRAMS/WEAR
Tribology: research and development needs in advanced energy technology, 1459 (HEDL-SA--1191(Rev.))
RESEARCH PROGRAMS/WELDED JOINTS
Welding experience with tube-to-tubesheet joints of steam generators in 2 1/4Cr-Mo stabilised ferritic steel, 4186
RESEARCH REACTORS
See also ACPR REACTOR
CLEMENTINE REACTOR
EBR-1 REACTOR
ETR REACTOR
FFTF REACTOR
FR-2 REACTOR
HFR REACTOR
SBR-5 REACTOR
SNEAK REACTOR
SPR-3 REACTOR
STF REACTOR
TSR-2 REACTOR
ZEBRA REACTOR
ZPPR REACTOR
RESEARCH REACTORS/FUEL MOTION DETECTION
Topical report on fuel motion diagnostic systems, 2436 (NUREG/CR--0790)
RESEARCH REACTORS/NUCLEAR FUELS
Physical aspects of choosing fuel for a research fast reactor, 1218 (FEI--850)
RESIDUES (RADIOACTIVE)
See RADIOACTIVE WASTES
RESISTANCE WELDING/EQUIPMENT
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
RESPONSE MATRIX METHOD
Response matrix method for large LMFBR analysis, 177 (ANL-AFP--36)
RHEOSTATS/PERFORMANCE TESTING
Evaluation of SPTF liquid rheostat for ISIP test program, 1179 (ETEC-TDR--79-6)
RHR SYSTEMS
(Residual heat removal.)
Advanced safety analysis. Twelfth quarterly report, June--August 1977, 1377 (GEFR--14038-12)
Advanced safety analysis. Fifteenth quarterly report, March--May 1978, 1379 (GEFR--14038-15)
Comparison of numerical results with experimental data for single-phase natural convection in an experimental sodium loop, 804 (CONF-790808--13)
Containment response to postulated core meltdown accidents in the fast flux test facility, 3053
Core cooling system for reactor (Patent; LMFBR), 5155
CRBRP decay heat removal systems, 652 (CONF-780251--P2)
Flow visualization in heat-generating porous media, 2809 (SAND--76-0614)
Interaction of heat-generating molten uranium dioxide with magnesia brick, 4674
Large pool LMFBR design. Final report. Volume 2. Plant and systems, 1096 (EPRI-NP--883(Vol.2))
Large pool LMFBR design. Volume 1. Reactor. Final report, 1095 (EPRI-NP--883(Vol.1))
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Large pool LMFBR design. Final report, 1124 (EPRI-NP--1016(Vol.1))
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
Onset of thermal convection in a fluid-saturated porous layer with heat source, 4672
Optimization and common cause analysis of a prototype large breeder reactor safety system, 807 (CONF-790816--2)
Planned natural circulation testing in the Fast Flux Test Facility, 1526 (HEDL-SA--1458)
Pool-Type LMFBR Plant 1000 MWe Phase A design. Part II. Heat transport systems, final report, 1071 (EPRI-NP--646(Vol.1))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Pool-type LMFBR plant 1000 MWe Phase A-Extension-2 design. Part XIII: balance of plant - evaluation of pool-related areas. Final report, 1116 (EPRI-NP--1014(Vol.11))
Study of dryout heat fluxes in beds of inductively heated particles, 2357 (NUREG--0262)
Testing of the CRBRP Direct Heat Removal Service in a 1/21 scale model, 803 (CONF-790808--1)
RHR SYSTEMS/DESIGN
Atomic power plant (Patent; LMFBR), 5391
Autonomous device for after-heat removal from a sodium cooled fast neutron reactor (French patent application) 4332 (ANL-Trans--1106)
RHR SYSTEMS/HEAT TRANSFER
Effect of pump-stored kinetic energy on natural-circulation decay-heat removal in loop-type LMFBRs, 3187
RHR SYSTEMS/MOCKUP
First in-reactor experiment with simulated LMFBR debris bed, 4670
Mobile helium cooling loop system for in-reactor PAHR experiments (LMFBR), 4730
RHR SYSTEMS/PERFORMANCE
Effect of repair times on relative SHRS reliability (LMFBR), 3022 (WARD-SR--3045-6)
RHR SYSTEMS/RELIABILITY
Effect of repair times on relative SHRS reliability (LMFBR), 3022 (WARD-SR--3045-6)
Influence of the main condenser on SHRS reliability (LMFBR), 1426 (GEFR-SP--00183)
Large LMFBR shutdown heat removal system reliability trade-off study, 3023 (WARD-SR--3045-7)
Reliability of liquid metal breeder reactor cooling systems, 1417 (GEFR-SP--177)
Treatment of dependencies in reliability analyses (LMFBR; PROBCALC Code), 3324
RHR SYSTEMS/SYSTEM FAILURE ANALYSIS
Investigation of optimal redundancy for a specific system objective, 1888 (IDO--1570-T31)
RICHLAND FFTF REACTOR
See FFTF REACTOR
RISK ASSESSMENT
Risk allocation approach to reactor safety design and evaluation (LMFBR), 1394 (GEFR-SP--027)
Risk analysis methods development. Sixth-Seventh quarterly reports, April--September 1978 (LMFBR), 1356 (GEFR--14023-6/7)
RIVETS
See FASTENERS
ROD BUNDLES
Experimental determination of cladding temperature fields in the critical regions of rod bundles with turbulent sodium flow and comparison with calculations, 4168
ROLLER BEARINGS/WEAR
Testing N 205 type antifriction bearings in liquid sodium (LMFBR), 5172
RUNAWAY (REACTOR ACCIDENT)
See EXCURSIONS
RUPTURE DISKS
See RELIEF VALVES

SAFEGUARDS/GOVERNMENT POLICIES
Nuclear proliferation and nuclear power, 4872
SAFETY ENGINEERING
Progress in liquid-metal fast breeder reactor safety research and development - an overview of the issues, 4180
SAFETY ENGINEERING/RESEARCH PROGRAMS
Nuclear safety and reliability engineering. Quarterly progress report for period ending March 31, 1979 (LMFBR), 3026 (WARD-SR--94000-1)
Nuclear safety and reliability engineering. Quarterly progress report for period ending June 30, 1979 (LMFBR), 3027 (WARD-SR--94000-2)
SAFETY RODS
See SCRAM RODS
SAFETY TEST FACILITY REACTOR
See STF REACTOR
SAMARIUM BORIDES/CORROSION
Corrosion of refractory borides in fused sodium, 4416
SAMARIUM ISOTOPES/INTEGRAL CROSS SECTIONS
Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
SAND/SORPTIVE PROPERTIES
Filtration of sodium-fire aerosols, 3274
SATELLITE POWER SYSTEM
See ORBITAL SOLAR POWER PLANTS
SATELLITE SOLAR POWER STATIONS
See ORBITAL SOLAR POWER PLANTS
SBR-5 REACTOR/CONSTRUCTION
BN-350 reactor. Development, construction and operating experience, 4204 (RISLEY-Trans--4010)
SBR-5 REACTOR/ELECTROMAGNETIC PUMPS
Design and operating experience of electromagnetic pumps in the primary and secondary circuits of the BR-10 facility, 1951 (INIS-mf--4525)
SBR-5 REACTOR/FAILED ELEMENT DETECTION
Principles of determining damage to the fuel elements of fast power reactors by monitoring sodium and gas activity, 3711 (BNWL-tr--326)
SBR-5 REACTOR/FUEL CANS
Circumferential nonuniformity of cladding radiation swelling of fast reactor peripheral fuel elements, 4465
SBR-5 REACTOR/REACTOR OPERATION
BN-350 reactor. Development, construction and operating experience, 4204 (RISLEY-Trans--4010)
Experience in sodium technology of soviet fast reactors, 3435
SBR-5 REACTOR/SCRAM
Behavior of chromel-alumel thermocouples during emergency shutdown of the BR-10 reactor, 4521
SBR-5 REACTOR/THERMOCOUPLES
Behaviour of chromel-alumel thermocouples during emergency shutdown of the BR-10 reactor, 4522
SCHMEHAUSEN THTR REACTOR
See THTR-300 REACTOR
SCHNELLER NATRIUMGEKUEHLTER REAKTOR
See SNR-1 REACTOR
SCRAM RODS
Control rod assembly (Patent), 5336
Method and apparatus for controlling the neutron flux in nuclear reactors (Patent), 3131
Scram rod system for nuclear reactors (Patent; LMFBR), 4605
SCRAM RODS/BELLOWS
Emergency scram actuation device for nuclear reactors (Patent; LMFBR), 3263
SCRAM RODS/DESIGN
Control rod for a fast breeder (Patent), 5251
Scram device having a multiplicity of neutron absorbing masses (Patent; LMFBR), 3285
SCRAM RODS/OPERATION
Safety arrangement for nuclear reactors (Patent; LMFBR), 3303
Self-actuated rate of change of pressure scram device for nuclear reactors (Patent), 3103
SCREWS
See FASTENERS
SCRUBBERS/DECISION MAKING
Carter plan generally backed except on breeders, scrubbers, 4533
SCRUBBERS/PERFORMANCE TESTING
Acoustic and turbulent agglomeration of sodium aerosols. Quarterly progress report, October 1, 1977--December 31, 1977 (LMFBR), 931 (COO--2801-8)
Acoustic and turbulent agglomeration of sodium aerosols. Progress report, January 1, 1977--December 31, 1977 (LMFBR), 930 (COO--2801-7)
SCRUBBERS/SORPTIVE PROPERTIES
Filtration of sodium-fire aerosols, 3274
SEALING MATERIALS/PERFORMANCE TESTING
Selection of a sodium- and radiation-resistant sealant for LMFBR equipment cell penetrations, 32 (AI-DOE--13227)
SEALS
See also INFLATABLE SEALS
Maintenance system for immersed seals, specifically for nuclear reactors (Patent; LMFBR rotating closure plugs), 4420
Rotary shield plug (Patent; LMFBR), 5361
Seal for turnable lids on nuclear reactors (Patent; LMFBR), 4429
SEALS/DESIGN
Absorbing seals for nuclear reactors (Patent; LMFBR), 5245
Core disruptive accident margin seal (Patent; LMFBR), 3453
Liquid-metal dip seal with pneumatic spring (Patent), 4523
Method of controlled maintenance of reactor (Patent; LMFBR), 5386
Rotary plug seal device for liquid metal cooled reactor (Patent), 5219
SEALS/FABRICATION
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, January--March 1979 (LMFBR), 1155 (ESG-DOE--13273)
SEALS/LEAKS
Fluid mechanics model to estimate the leakage of incompressible fluids through labyrinth seals (LMFBR), 2654 (ORNL/TM--6373)
SEALS/MAINTENANCE
Ultrasonic dip seal maintenance system (Patent; LMFBR), 3446
SEALS/PERFORMANCE TESTING
Cover gas seal components and sodium component development programs. Quarterly technical progress report, January--March 1978 (LMFBR), 35 (AI-DOE--13232)
Cover gas seal components and reactor components: fuel handling. Quarterly technical progress report, January--March 1979 (LMFBR), 1155 (ESG-DOE--13273)
LMFBR cover gas seals design guide addendum and seal technology summary, 1139 (ESG-DOE--13245)
Quarterly technical progress report. Sodium technology and cover gas seal development programs. October--December 1977 (LMFBR), 26 (AI-DOE--13220)
Quarterly technical progress report cover gas seal components and sodium component development programs. October--December 1977 (LMFBR), 27 (AI-DOE--13221)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1977 (LMFBR), 41 (AI-ERDA--13204)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, July--September 1977 (LMFBR), 18 (AI-DOE--13208)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, January--March 1978 (LMFBR), 34 (AI-DOE--13231)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1978 (LMFBR), 1133 (ESG-DOE--13239)
Testing and evaluation of elastomeric seals for sodium-cooled fast reactor systems, 5435
SEALS/TEST FACILITIES
Deformation of the Sandia metallic ring seal test fixture (LMFBR spent fuel casks), 2873 (SAND--78-2191)
SEAS/DESIGN
Rotating plug bearing and seal (Patent; LMFBR), 4364
SECONDARY COOLANT CIRCUITS
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part VIII: balance of plant, 1092 (EPRI-NP--882(Vol.6))
Secondary heat transfer circuits for nuclear reactor plant (Patent), 4293
SECONDARY COOLANT CIRCUITS/DESIGN
Improvement to the secondary circuits of a nuclear reactor (Patent; LMFBR), 5346
SECONDARY COOLANT CIRCUITS/FLOW REGULATORS
Method of controlling the secondary coolant in FBR (Patent), 5252
SECONDARY COOLANT CIRCUITS/FLOWMETERS
Application of the pulsed-neutron activation technique for flow measurement at EBR-II, 61 (ANL--77-52)
Cooling device for nuclear power plant (Patent), 5133
SECONDARY COOLANT CIRCUITS/HYDRAULICS
Directional integration method for two-dimensional fluid transients, 4485
PTAC: a computer program for pressure-transient analysis, including the effects of cavitation (LMFBR), 82 (ANL--78-4)
SECONDARY COOLANT CIRCUITS/HYDRODYNAMICS
Computer modelling of piping components for transient hydrodynamic-structural response (LMFBR), 3532
SECONDARY COOLANT CIRCUITS/MECHANICAL VIBRATIONS
Flow induced vibration of secondary piping of LMFBR, 2108 (IWGFR--21)
SECONDARY COOLANT CIRCUITS/MOLTEN METAL-WATER REACTIONS
Computing the effect of plastic deformation of piping on pressure transient propagation (LMFBR), 616 (CONF-771120--20)
SECONDARY COOLANT CIRCUITS/PLANNING
Design considerations and cost analyses of the secondary system of SNR 2, 4121
SECONDARY COOLANT CIRCUITS/PRESSURE GRADIENTS
Computing the effect of plastic deformation of piping on pressure transient propagation (LMFBR), 616 (CONF-771120--20)
Pressure pulse propagation in piping systems. Final report (LMFBR), 2354 (NP--22742)
TRANSWRAP-II analyes of the Stanford Research Institute

IHTS/relief system simulation tests (Pressure pulses from Na/H_2O reactions), 1322 (GEFR--00444)
SECONDARY COOLANT CIRCUITS/VALVES
Liquid level control system of fast reactor secondary cooling system (Patent), 5390
SECONDARY COOLANT CIRCUITS/WATER HAMMER
PTAC: a computer program for pressure-transient analysis, including the effects of cavitation (LMFBR), 82 (ANL--78-4)
SEFOR REACTOR/CONSTRUCTION
SEFOR: the most promising concept, 374 (CONF-681093--)
SEFOR REACTOR/DOPPLER COEFFICIENT
Study of the contribution to Doppler effect from structural materials in fast power reactors, 4997
SEFOR REACTOR/REACTOR MATERIALS
Study of the contribution to Doppler effect from structural materials in fast power reactors, 4997
SEFOR REACTOR/REACTOR OPERATION
Fast reactor operation in the United States, 673 (CONF-780407--6)
SEISMIC EFFECTS
Added mass and damping coefficients for hexagonal tube arrays, 250 (ANL-CT--79-51)
Advanced Reactor Safety Research Division. Quarterly progress report, January 1--March 31, 1979, 2444 (NUREG/CR--0820)
Analysis of piping systems with nonlinear supports subjected to seismic loading, 1632 (HEDL-SA--1769)
Analysis of FFTF response to hypothetical earthquake with postulated primary piping leak and cooling by natural circulation, 1603 (HEDL-SA--1703-FP)
Assessment of seismic analysis procedures for LMFBR in-core components, 2803 (SAN--1011-118R)
Assumed-mode modeling for fast reactor core seismic analysis, 3943
Clinch River Breeder Reactor Plant. Technical review, Fall 1977, 988 (CRBRP-FMC--77-04)
Core restraint engineering. Tenth quarterly report, November--December 1976 and January 1977, 1363 (GEFR--14031-10)
Core restraint system seismic modeling capabilities, 1241 (GEFR--00156)
Core restraint engineering. Fourteenth quarterly report, November 1977--January 1978, 1367 (GEFR--14031-14)
Core restraint engineering. Eleventh quarterly report, February--April 1977, 1364 (GEFR--14031-11)
Core restraint engineering. Fifteenth quarterly report, February--April 1978, 1368 (GEFR--14031-15)
Core restraint seismic test plan, 1274 (GEFR--00357)
Core restraint engineering. Sixteenth quarterly report, May--July 1978, 1369 (GEFR--14031-16)
Core restraint engineering. Seventeenth quarterly report, August--October 1978, 1370 (GEFR--14031-17)
Correlation of ground response spectra with modified mercalli site intensity. Topical report, 2799 (SAN--1011-113R)
Distribution of revisions to FFTF FSAR, 1715 (HEDL-TI--75002-19)
Dynamic testing of a prototypical FFTF piping system, 1161 (ETEC-TDR--79-10)
Evaluation of the influence of seismic restraint characteristics on LMFBR piping, 761 (CONF-790363--2)
Fast reactor safety technical progress report, April--June 1977, 1775 (HEDL-TME--77-67)
FFTF preproduction mechanical snubber qualification test program for Westinghouse/Hanford, 1440 (HEDL--6629)
FIC: a finite element code for calculating added mass and damping coefficients. User's manual, 246 (ANL-CT--79-46)
Finite-element code for computing added mass coefficients, 227 (ANL-CT--78-42)
FSAR Amendment 22. Addition of response Q130.57 to Supplement 21, 1718 (HEDL-TI--75002-22)
FSAR supplement 21: response to NRC Q_2 set 5, 1694 (HEDL-TI--75001-21)
Irradiated Type 304 SS bend test ductility, 856 (CONF-800607--28)
Key issues on safety design basis selection and safety assessment, 381 (CONF-761001--P1)
Large pool LMFBR design. Volume 2. Balance of plant. Final report, 1125 (EPRI-NP--1016(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 3. Appendices. Final report, 1121 (EPRI-NP--1015(Vol.3)(App.))
Load rating and design criteria for pipe snubbers with extension struts, 1586 (HEDL-SA--1640)
Methods of assuring design adequacy of seismic III/I supports, 1588 (HEDL-SA--1642-FP)
Modeling fluid structure coupling for LMFBR cores, 3944
Numerical method for predicting seismic-induced impact between subassemblies in LMFBR cores, 3537
Pipelines supported by nonlinear load-resisting mechanical snubbers, 1850 (HEDL-TME--79-30)
PLBR Phase II: (follow-on) reports, 338 (BR-E--180(Vol. 1))
PLBR Phase II follow-on studies: resolution of key issues, 1207 (FBR--77-4)
Preliminary test plan for seismic feature tests, 234 (ANL-CT--79-5)
Preliminary study of fluid effects on reactor core seismic response (LMFBR), 247 (ANL-CT--79-47)
Preliminary design: duplex tube low-pressure saturated steam generator for large LMFBR plant. Final report, 1129 (EPRI-NP--1219)
Prototype large breeder reactor. Phase II. Extension studies. Part 2. Reactor assembly, 1248 (GEFR--00260)
Prototype Large Breeder Reactor. Phase II extension studies. Part 1. Summary, 1252 (GEFR--00260(Summ.))
Prototype Large Breeder Reactor: Phase II extension. Volume I. Conceptual design studies, 2913 (TID--28194)
Prototype large breeder reactor. Phase II. Extension studies. Part II. Reactor assembly, 1249 (GEFR--00260)
Prototype large breeder reactor. Phase II Extension studies. Part I. Summary, 1250 (GEFR--00260(Pt.1)(Summ.))
Prototype Large Breeder Reactor: Phase II extension. Volume I. Conceptual design studies, 2931 (TID--28758)
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reliability analysis applied to the SRM earthquake shutdown system (ESS), 258 (ANL/EBR--103)
Review and evaluation of the Nuclear Regulatory Commission safety research program for fiscal year 1981: report to the Congress of the United States of America, 2366 (NUREG--0657)
Safety-related design of MONJU, 389 (CONF-761001--P1)
Safety systems relative to the Creys-Malville power station, 4222
SCRAP: input, output, and source listings, 248 (ANL-CT--79-48)
SCRAP: theory and modeling considerations, 249 (ANL-CT--79-49)
Seismic analysis for the Super-Phenix Reactor, 392 (CONF-761001--P1)
Seismic analysis for the Super-Phenix reactor, 343 (CEA-CONF--3749)
Seismic design study on cantilever cylindrical shells, 2909 (TID--27889)
Seismic design study on cantilever cylindrical shells, 4304
Seismic design verification of LMFBR structures, 2802 (SAN--1011-117)
Seismic design and development for fast reactors: a design-application perspective with directions for improvement, 1623 (HEDL-SA--1751)
Self locking drive system for rotating plug of a nuclear reactor, 3062
Some aspects of the structural response of pool-type LMFBR systems to HCDA and seismic events, 457 (CONF-761001--P3)
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 765 (CONF-790370--1)
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 796 (CONF-790802--63)
Study of vertical ground response spectrum shapes, 2800 (SAN--1011-114)
Test verification of seismic response of LMFBR piping systems. Quarterly technical progress report, 2804 (SAN--1011-200)
SEISMIC EFFECTS/CALCULATION METHODS
Evaluation of seismic analysis techniques for LMFBR piping and equipment, 2801 (SAN--1011-116)
Evaluation of seismic analysis techniques for breeder reactor piping and equipment. Quarterly technical progress report, 2805 (SAN--1011-202)
SEMICONDUCTOR DEVICES/PERFORMANCE
Research in remote signal transmission electronics, 2621 (ORNL/Sub--7644/10)
SHEATHS (FUEL)
See FUEL CANS
SHELLS/CREEP
Creep buckling of shells, 1964 (INIS-mf--4543)
SHELLS/STRESS ANALYSIS
Creep buckling of shells, 5117
Dynamic instability analysis of axisymmetric shells by finite element method with convected coordinates, 536 (CONF-770807--34)
SHELLS/SYSTEM FAILURE ANALYSIS
Creep buckling of shells, 1964 (INIS-mf--4543)
SHELLS (CONTAINMENT)
See CONTAINMENT SHELLS
SHIELDING
Neutron shielding block (Patent), 5311
Nuclear reactor removable radial shielding assembly having a self-bowing feature (Patent), 3836
Radiation shields (Patent; LMFBR), 3306
Two-dimensional shielding benchmarks for sodium and iron at YAYOI, 2953 (UTNL-R--0046)
SHIELDING/BENCHMARKS
Benchmark problems for the shieldings of a fast neutron reactors, 1865 (IAEA--207)
SHIELDING/DESIGN

Methods for U.S. shielding calculations: applications to FFTF and CRBR designs, 742 (CONF-781117--3)
UK fast reactor shield design and performance, 4900
SHIELDING/INFORMATION NEEDS
Nuclear data needs for fast breeder reactor shielding, 744 (CONF-781117--5)
SHIELDING/MONTE CARLO METHOD
Deep penetration calculations (LMFBR), 2288 (LA-UR--80-1159)
SHIELDING/NEUTRON SPECTRA
Integral data for the prediction of neutron propagation in iron--sodium mixtures, 4899
Results of neutron propagation in steel sodium mixtures with various source spectra on Harmonie and Tapiro, 4898
Two-dimensional shielding benchmarks for sodium and iron at Yayoi, 4901
SHIELDING/NEUTRON TRANSPORT
Direct-coupled-ray method for design-oriented three-dimensional transport analysis (LMFBR), 4330
Investigation of steel--sodium--iron shields, 745 (CONF-781117--6)
Two-dimensional shielding benchmarks for iron at YAYOI (I), 1864 (IAEA--207)
SHIELDING/RADIATION HEATING
Gamma heating measurements in LMFBR shields with thermoluminescent dosimeters, 4202
SHIELDING/RADIATION STREAMING
Development of a computer code for neutron streaming calculation in LMFBR (MADONNA code), 4897
Streaming problems are the major worry for shielding experts, 4492
Study of applicability of an albedo Monte Carlo method for neutron streaming calculation (LMFBR), 4896
Study of fast neutron streaming through the core support-plate shield of a LMFBR, 4914
SHIELDING/SUPPORTS
Support structure for the lateral neutron shield system of a fast reactor core (Patent), 4443
SHIELDING MATERIALS/EFFICIENCY
Radiation and effluent control technology semiannual progress report, January--June 1976 (Lamipore (flexible)), 1753 (HEDL-TME--77-30)
SHIELDING MATERIALS/MECHANICAL PROPERTIES
Shielding materials (LMFBR), 1589 (HEDL-SA--1643)
SHIELDING MATERIALS/PHYSICAL PROPERTIES
Shielding materials (LMFBR), 1589 (HEDL-SA--1643)
SHIELDS
See also BIOLOGICAL SHIELDS
THERMAL SHIELDS
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 7-11. Interim report, 1088 (EPRI-NP--882(Vol.2B))
SHIELDS/DESIGN
Method of shielding a liquid-metal-cooled reactor (Patent), 3512
Nuclear data needs for fast breeder reactor shielding, 744 (CONF-781117--5)
Packed rod neutron shield for fast nuclear reactors (Patent; LMFBR), 3457
Radiation shielding device (Patent; LMFBR), 5178
SHIELDS/NEUTRON FLUX
Experimental investigation of neutrons streaming through the grid-plate shield of liquid-metal fast breeder reactors, 3844
SHIELDS/NEUTRON TRANSPORT
U.S. integral and benchmark experiments (LMFBR), 741 (CONF-781117--2)
SHIELDS/RADIATION STREAMING
Experimental study on fast neutron streaming through grid-plate shield of a LMFBR, 2952 (UTNL-R--0030)
SHIPMENT
See TRANSPORT
SHIPPINGPORT REACTOR/REACTOR CORES
Unique thermal and hydraulic features of the light-water breeder reactor, 3591
SHROUDS
(Cover enveloping the active length of a fuel assembly, to stabilize the coolant flow through the assembly.)
SHROUDS/DEFORMATION
Effect of swelling and creep on liquid-metal fast breeder reactor performance, 3458
Effects of material properties on the dynamic response of pressure-loaded core subassembly wrappers, 3578
Response of single subassembly hexcan wrappers to pressure loads, 461 (CONF-761001--P3)
SHROUDS/DESIGN
Flow duct for nuclear reactors (Patent; LMFBR), 3703
SHROUDS/FRACTURE PROPERTIES
Fracture experiments with cracked and embrittled hexcan sections, 789 (CONF-790802--51)
SHROUDS/INSPECTION
Remote examination of shroud tubes in LMFBR fuel elements, 2272 (LA-UR--78-2650)
SHROUDS/STRESS ANALYSIS
Computation of the weight function from a stress intensity factor (LMFBR), 72 (ANL--77-82)
Dynamic response of cracked hexagonal subassembly ducts, 788 (CONF-790802--50)
Elastic--plastic analysis of pressurized ducts with rounded corners (LMFBR), 4329
Plane-strain stress intensity factors for cracked hexagonal subassembly ducts (LMFBR), 71 (ANL--77-77)
SHROUDS/STRESSES
Stress intensity factors for corner-cracked subassembly ducts, 463 (CONF-761001--P3)
SHUTDOWN (REACTOR)
See REACTOR SHUTDOWN
SILICA/PHYSICAL RADIATION EFFECTS
Radiation behavior of vitreous silica, 3843
SILVER/ACTIVATION ANALYSIS
Activation analysis for the determination of the specific activity of radionuclides in metallic sodium, 5 (AED-Conf--78-274-000)
SITES (REACTOR)
See REACTOR SITES
SLABS/NEUTRON TRANSPORT
Test of the diffusion theory difference equations in slab geometry (computer code VANCER), 2560 (ORNL--5381)
SLOWING-DOWN THEORY (NEUTRON)
See NEUTRON SLOWING-DOWN THEORY
SLUGS (FUEL)
See FUEL RODS
SNEAK REACTOR/REACTOR KINETICS
Physics investigations of a compact simulation of a large fast breeder reactor. SNEAK-Assembly 10, 2193 (KFK--2573)
SNR REACTOR
See SNR-1 REACTOR
SNR-1 REACTOR
Effects of neutron irradiation and fatigue on ductility of stainless steel DIN 1.4948, 1053 (ECN--50)
Report of the activities during the years 1977 and 1978, 2005 (INIS-mf--5114)
SNR-1 REACTOR/AFTER-HEAT REMOVAL
Decay heat removal plan of the SNR-300: a licensed concept, 424 (CONF-761001--P2)
Investigations of decay heat removal by natural convection with boiling in sodium cooled fast reactors, 2199 (KFK--2660)
SNR-1 REACTOR/BOILING DETECTION
Detection of band-limited components in noise signals by surveillance of the auto- and cross power spectral density, 2192 (KFK--2559)
SNR-1 REACTOR/CONSTRUCTION
Aim, construction and operation of the fast-breeder nuclear power station in Kalkar (SNR-300), 3874
Construction license for mechanical engineering and electrical engineering components of the SNR, 3388
Kalkar Nuclear Power Station (SNR 300), 1047 (DOUNREAY-TRANS--813)
Kernkraftwerk Kalkar (SNR-300) - construction of the inerting systems WJ01 and WJ02 and the technical heavy-current equipment for the power supply of the protection system. Recommendation of the Reaktorsicherheitskommission during its 134th meeting on May 17th, 1978, 3525
Progress report on the construction of Kalkar Nuclear Power Station and the planning of SNR-2, 5304 (RISLEY-Trans--3066)
SNR construction experience, 5279
Stop on construction of fast breeder at Kalkar refused, 3531
Success and problems of fast breeder development. Report on the 1979 status report of the Fast Breeder Project given in Karlsruhe on February 12, 1979, 3120
SNR-1 REACTOR/CONTAINMENT
Analysis of mechanical HCDA consequences with ARES for demonstration of primary containment integrity in SNR-300, 5046
Simulation of LMFBR excursion models by means of ICECO, 5057
SNR-1 REACTOR/CONTAINMENT SHELLS
Experience in welding of the weather-proof steel outer shell of a reactor containment, 5260
SNR-1 REACTOR/CONTAINMENT SYSTEMS
Design requirements for the SNR-300 containment system, 425 (CONF-761001--P2)
SNR-1 REACTOR/CONTROL ELEMENTS
Design view points and material aspects for SNR absorber, 2012 (INTAT--78-70)
Special features of the thermohydraulic design of control/scram and secondary shutdown elements of the SNR 300, 3896
SNR-1 REACTOR/CORE CATCHERS
Design of the core catcher system for the fast breeder reactor SNR 300, 3776
Studies on molten fuel, 4142
SNR-1 REACTOR/CREEP
Effect of neutron irradiation on creep properties of 16Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1056 (ECN--61)
SNR-1 REACTOR/CRITICALITY
Use of zero power plutonium reactor measurements as a support of criticality prediction for the SNR-300, 3410
SNR-1 REACTOR/DECONTAMINATION
Status of sodium removal and component decontamination teechnology in the SNR program, 2112 (IWGFR--23)
SNR-1 REACTOR/DESIGN
Safety design of SNR-300, 388 (CONF-761001--P1)
SNR-1 REACTOR/DOPPLER EFFECT
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
SNR-1 REACTOR/ENVIRONMENTAL EFFECTS
Fast breeders and environment, 2013 (INTAT--78.147)

SNR-1 REACTOR/ENVIRONMENTAL EXPOSURE PATHWAY
Fast breeders and environment, 2013 (INTAT--78.147)
SNR-1 REACTOR/EXCURSIONS
Analysis of LMFBR overpower accidents, including fission gas effects in the predisassembly and disassembly phase, 435 (CONF-761001--P3)
Effect of failure incoherence in a LMFBR hypothetical overpower accident, 434 (CONF-761001--P3)
Simulation of LMFBR excursion models by means of ICECO, 575 (CONF-770807--Pt.E)
Simulation of LMFBR excursion models by means of ICECO, 5057
SNR-1 REACTOR/FAILED ELEMENT DETECTION
Design features of the fuel element computerized protection system Bessy, 2305 (MRR--160)
SNR-1 REACTOR/FISSION PRODUCTS
Contribution to the characterization of radioactive surfaces after sodium corrosion, 2118 (IWGFR--23)
Decay Heat of fission products and actinides of the SNR 300 (RASPA code), 2015 (ITB--76.08)
SNR-1 REACTOR/FLOW BLOCKAGE
Description of the testsections for local boiling experiments in the KNS-loop, 2186 (KFK--2475)
Experimental studies on local cooling perturbations, 4143
Fast reactor program. Combined second and third quarters 1977 progress report, 1050 (ECN--34)
Recent results of a local blockage experiment in a sodium cooled electrically heated bundle, 519 (CONF-761001--P4)
Results of the temperature noise measurements in subchannels of sodium cooled electrically heated 28 rod bundle behind a blockage, 4998
Temperature distribution and local boiling behind a central blockage in a simulated FBR subassembly, 517 (CONF-761001--P4)
SNR-1 REACTOR/FUEL ASSEMBLIES
Experiments on the fluid dynamics and thermodynamics of rod bundles to verify and support the design of SNR-300 fuel elements: status and open problems, 4079
Mechanical behavior of honeycomb spot-welded spacer grids irradiated in two fuel rod bundles, 3254
Physics investigations of sodium-cooled fast reactors: SNEAK-assembly 9C, 1202 (EURFNR--1457)
Recent results of a local blockage experiment in a sodium cooled electrically heated bundle, 519 (CONF-761001--P4)
Structural dynamics studies for single and clustered SNR-300 fuel elements: a comparison of analytical and experimental results, 1980 (INIS-mf--4592)
Temperature distribution and local boiling behind a central blockage in a simulated FBR subassembly, 517 (CONF-761001--P4)
SNR-1 REACTOR/FUEL CANS
Creep behaviour of SNR cladding tube material under the temperature transients relevant to cooling disturbances, 3891
Effective temperature of an expanding tube with a radial temperature gradient over the wall, 4436
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
Status of development of cladding and structural materials for the SNR core elements, 2170 (KFK--2416)
SNR-1 REACTOR/FUEL CHANNELS
Status of development of cladding and structural materials for the SNR core elements, 2170 (KFK--2416)
SNR-1 REACTOR/FUEL CYCLE
Thoughts on the development of fuel elements, 3851 (EURFNR--1418)
SNR-1 REACTOR/FUEL ELEMENT CLUSTERS
Experimental investigations into coolant cross mixing in multirod-bundles with grid-type spacers in turbulently flowing sodium, 2166 (KFK--2360)
Experimental determination of local temperature field variations due to spacer grids in the cladding tubes of a rod cluster flowed through by sodium, 3906
Measurement of heat flux distribution of a prototype heater rod with sinusoidal axial power profile, 2218 (KFK-EXT--8/78-4)
Results of the temperature noise measurements in subchannels of sodium cooled electrically heated 28 rod bundle behind a blockage, 4998
Simulation experiments on local cooling channel blockages in typical SNR fuel element clusters, 3715
SNR-1 REACTOR/FUEL ELEMENT FAILURE
Analysis of hypothetical overpower accidents in the SNR-300 Mark 1A core with modeling of failure incoherence, 4394
Detective rod and accident experiments, 2178 (KFK--2416)
Simulation of fast breeder reactor pin behavior using UO_2 pins with direct electrical heating, 4296
Summary on fuel pin failures and theoretical approach, 2022 (IWGFR--5)
SNR-1 REACTOR/FUEL ELEMENTS
Cavitation problems in mixing devices of SNR-300 fuel elements, 2037 (IWGFR--9)
Core elements during power variations and disturbances, 3855 (EURFNR--1418)
Safety problems related to microheterogeneities in physically mixed oxide fuels, 380 (CONF-761001--3)
Status of the development of the carbidic fuel element, 2174 (KFK--2416)
SNR-1 REACTOR/FUEL PINS
Design, irradiation and post-irradiation examination of the (U,Pu)C fuel pins of the test groups 6a and 6c, 2194 (KFK--2577)
Heater rods for simulation of fuel pins in liquid-metal-boiling experiments. Pt. 1, 2167 (KFK--2368)
Heating rods for simulation of fuel pins in liquid metal boiling experiments. Part I, 4609 (EURFNR--1447)
Possibilities of application of experimental Kfk results from BR2 on SNR designs, 1909 (INIS-mf--4426)
Results of the postirradiation examinations of the Rapsodie-1 experiment fuel pins, 4506
Thoughts on the development of fuel elements, 3851 (EURFNR--1418)
SNR-1 REACTOR/FUEL POOLS
Tank for storage of spent fuel elements under sodium: special design features and solutions proposed, 4071
SNR-1 REACTOR/FUEL RODS
Liquid-metal fast breeder reactor fuel rod performance and modeling at high burnup, 3517
Status of carbide fuel element development, 3856 (EURFNR--1418)
Technology of the production of breeder fuel elements, 2171 (KFK--2416)
SNR-1 REACTOR/FUEL-COOLANT INTERACTIONS
Explosion tests on LMFBR-core models; an evaluation for reactor safety, 464 (CONF-761001--P3)
Influence of fuel-coolant-interactions on loss of flow type core disruptive accidents for the SNR-300, 439 (CONF-761001--P3)
SNR-1 REACTOR/HEAT EXCHANGERS
Development, design, construction, and testing of pumps, intermediate heat exchangers and manipulator systems for in-service inspection of SNR 300, 4065
SNR-1 REACTOR/HYDRAULICS
Reactor technology, 2163 (KFK--1277/2)
SNR-1 REACTOR/IN-SERVICE INSPECTION
In-service inspection at the SNR 300 with the range of reactor vessel, 2059 (IWGFR--10)
SNR-1 REACTOR/INTEGRAL CROSS SECTIONS
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
SNR-1 REACTOR/LAWSUITS
Ability to challenge partial licences according to the Atomic Law. Remarks on the verdict of the High Court at Muenster on 16. June 1978, 3545
Parliamentary powers concerning guiding political decisions. Decision of the OVG Muenster to present the licensing case of the Kalkar fast breeder to a higher court, 3779
SNR-1 REACTOR/LEAK DETECTORS
Background noise measurements on prototype of SNR 300 steam generator at Hengelo, 1423 (GEFR-SP--210)
SNR-1 REACTOR/LEGAL ASPECTS
Reservations concerning and precision of the Atomic Energy Act. The constitutionality of the fast breeder of Kalkar, 3422
SNR-1 REACTOR/LOSS OF FLOW
Analysis of severe hypothetical accidents, 4214
Influence of fuel-coolant-interactions on loss of flow type core disruptive accidents for the SNR-300, 439 (CONF-761001--P3)
Influence of fission gases on mechanical energy release after hypothetical coolant flow accidents, 3914
SNR-1 REACTOR/MELTDOWN
Dynamic behavior of SNR-300 core retention device and experimental support of the design concept, 103 (ANL--78-10)
Experimental investigations on the compatibility of a SNR-type corium with graphite, 467 (CONF-761001--P4)
SNR-1 REACTOR/NEUTRON ABSORBERS
Design view points and material aspects for SNR absorber, 2012 (INTAT--78-70)
Fluiddynamic investigations with the absorbers of the first and second shut down unit of the SNR-300, 2202 (KFK--2684)
SNR-1 REACTOR/OPERATION
Success and problems of fast breeder development. Report on the 1979 status report of the Fast Breeder Project given in Karlsruhe on February 12, 1979, 3120
SNR-1 REACTOR/PIPES
Analysis of mechanical HCDA consequences in the coolant loops for demonstration of primary containment integrity in SNR 300, 5048
SNR-1 REACTOR/PLANNING
Development of fast breeder reactors in Germany, Belgium, and the Netherlands, 4101
SNR-1 REACTOR/PRESSURE VESSELS
Effect of neutron irradiation on creep properties of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1056 (ECN--61)
Effect of neutron irradiation on sequential creep-fatigue interaction of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1058 (ECN--74)
SNR-1 REACTOR/PRIMARY COOLANT CIRCUITS
Contribution to the characterization of radioactive surfaces after sodium corrosion, 2118 (IWGFR--23)
SNR-1 REACTOR/PUMPS
Development, design, construction, and testing of pumps, intermediate heat exchangers and manipulator systems for in-service inspection of SNR 300, 4065
Development of a bearing for sodium pumps, 3390
NERATOOM work on pump development, 2040 (IWGFR--9)
Radiographic and ultrasonic inspection of an austenitic

pump barrel, 2058 (IWGFR--10)
SNR-1 REACTOR/REACTIVITY WORTHS
Fast reactor program. Combined second and third quarters 1977 progress report, 1050 (ECN--34)
SNR-1 REACTOR/REACTOR ACCIDENTS
Simulation of fast breeder reactor pin behavior using UO_2 pins with direct electrical heating, 4296
SNR-1 REACTOR/REACTOR COMPONENTS
Concepts on high temperature design analysis for SNR 300, 2073 (IWGFR--11)
Effects of neutron irradiation and fatigue on ductility of stainless steel DIN-1-4948, 4242
Influence of creep-fatigue interaction on behaviour of type 304 stainless steel, 2064 (IWGFR--11)
SNR-300, strategy and state of the elevated temperature design, 3386
Status of sodium removal and component decontamination teechnology in the SNR program, 2112 (IWGFR--23)
SNR-1 REACTOR/REACTOR CONTROL SYSTEMS
Fluiddynamic investigations with the absorbers of the first and second shut down unit of the SNR-300, 2202 (KFK--2684)
SNR-1 REACTOR/REACTOR COOLING SYSTEMS
Interpretation and experiment on the neutron flux in the cooling pipes of fast reactors (a combined method SN-Monte Carlo-albedo for a rational calculation of the rupture), 1192 (EUR--5682)
SNR coolant system components, 5280
SNR-1 REACTOR/REACTOR CORE DISRUPTION
Analysis of mechanical HCDA consequences with ARES for demonstration of primary containment integrity in SNR-300, 556 (CONF-770807--Pt.E)
Analysis of mechanical HCDA consequences in the coolant loops for demonstration of primary containment integrity in SNR 300, 569 (CONF-770807--Pt.E)
Analysis of mechanical HCDA consequences in the coolant loops for demonstration of primary containment integrity in SNR 300, 5048
Comparison of ANL containment codes with SNR-300 simulation experiments, 455 (CONF-761001--P3)
Influence of fuel-coolant-interactions on loss of flow type core disruptive accidents for the SNR-300, 439 (CONF-761001--P3)
Nuclear accident simulation in a 1/6 scale model of the SNR-300 fast breeder reactor, 4497
SNR-1 REACTOR/REACTOR CORE RESTRAINTS
Core restraint concept of the SNR 300 - potential and results, 3916
SNR-1 REACTOR/REACTOR CORES
Core design of sodium-cooled fast breeders (SNR) with regard to strategic design targets, 3893
DDT - a 3-dimensional program for the analysis of bowed reactor cores, 5036
Flow and mixing conditions in the upper plenum of the SNR 300, 3900
SNR-cores: KNK II, SNR-300 to SNR-2, 3852 (EURFNR--1418)
State of development of cladding and structural material for SNR core elements, 3858 (EURFNR--1418)
SNR-1 REACTOR/REACTOR INSTRUMENTATION
Development work on core protective instrumentation, 4209
SNR-1 REACTOR/REACTOR INTERNALS
Vibration measurements and analysis for the reactor vessel and internals of the SNR-300, 2103 (IWGFR--21)
SNR-1 REACTOR/REACTOR KINETICS
Flux synthesis programme KASY for the approximate solution of the three-dimensional multigroup-neutron-diffusion-equation. Present state, planned improvements and applications to reactor design problems, 4719
Summary of results for the SNEAK-9 series of critical experiments and conclusions for the accuracy of predicted physics parameters of the SNR-300, 2196 (KFK--2586)
SNR-1 REACTOR/REACTOR LICENSING
3rd part licence for SNR-300, Kalkar (No. 7;3 SNR), 3322
Ability to challenge partial licences according to the Atomic Law. Remarks on the verdict of the High Court at Muenster on 16. June 1978, 3545
Actual controlling of standards concerning the 'fast breeder reactor'. Remarks on the decision of the OVG Muenster to present a case to the Federal Constitutional Court, 3753
Building stop for Kalkar fast breeder rejected, 4583
Consequences of the OVG Muenster's decision on Kalkar, 4440
Constitutional questions of the decision of the OVG Muenster concerning the Kalkar proceedings, 4279
Construction license for mechanical engineering and electrical engineering components of the SNR, 3388
Decision on 'Fast Breeder' passed on to Federal Constitutional Court, 4345
Federal Constitutional Court affirms admissibility of decision in the matter of the Fast Breeder Kalkar, 3748
Higher Administrative Court at Muenster expresses doubts concerning the constitutional character of section 7 of the Atomic Energy Act, 4453
Licensing aspects in the verification of the SNR 300 design concept against hypothetical accidents, 382 (CONF-761001--P1)
No fast breeder for the Federal Republic of Germany. The problem of a tendency towards non-licensing, 3387
Notice of a publication according to article 17, paragraph 1, in connection with article 4, paragraph 1, of the rules of procedure in nuclear law. Dated 15th December 1977, 4278
Open road to control of constitutionality of section 7 of the Atomic Energy Act. Comments on the interim notice of the Federal Constitutional Court in the matter of the 'fast breeder' at Kalkar, 3698
Parliamentary powers concerning guiding political decisions. Decision of the OVG Muenster to present the licensing case of the Kalkar fast breeder to a higher court, 3779
Sword of Damocles, or: the fast breeder in Kalkar and the Higher Administrative Court at Muenster, 4353
SNR-1 REACTOR/REACTOR MATERIALS
Behavior of steel X5CrNi1811 under combined creep and cyclic loading at 823°K, 4454
Creep behaviour of SNR cladding tube material under the temperature transients relevant to cooling disturbances, 3891
State of development of cladding and structural material for SNR core elements, 3858 (EURFNR--1418)
Study of mechanical characteristics of structural materials for the SNR plant, 4200
Thoughts on the development of fuel elements, 3851 (EURFNR--1418)
SNR-1 REACTOR/REACTOR NOISE
Neutron noise analysis for malfunction diagnosis at sodium cooled reactors, 2197 (KFK--2589)
SNR-1 REACTOR/REACTOR PROTECTION SYSTEMS
Design features of the fuel element computerized protection system Bessy, 2305 (MRR--166)
Development work on core protective instrumentation, 4209
Shutdown systems of KNK and SNR 300, 4059
SNR-1 REACTOR/REACTOR SAFETY
Comparison of safety characteristics of the advanced reactor lines fast breeder and HTR. Report to the committee for internal affairs of the German Bundestag. Materials, 2004 (INIS-mf--5107)
Experimental studies on local cooling perturbations, 4143
Licensing aspects in the verification of the SNR 300 design concept against hypothetical accidents, 382 (CONF-761001--P1)
Progress report on the construction of Kalkar Nuclear Power Station and the planning of SNR-2, 5304 (RISLEY-Trans--3066)
Safety design of SNR-300, 388 (CONF-761001--P1)
Safety of sodium-cooled fast breeders, using the example of the 300 MWe breeder prototype power plant at Kalkar (SNR 300), 1995 (INIS-mf--4816)
Technical concept of fast breeder power plants, 1996 (INIS-mf--4816)
SNR-1 REACTOR/REACTOR SHUTDOWN
Fluiddynamic investigations with the absorbers of the first and second shut down unit of the SNR-300, 2202 (KFK--2684)
Shutdown systems of KNK and SNR 300, 4059
SNR-1 REACTOR/REACTOR VESSELS
Fast reactor program. Combined second and third quarters 1977 progress report, 1050 (ECN--34)
SNR-1 REACTOR/REMOTE HANDLING EQUIPMENT
Development, design, construction, and testing of pumps, intermediate heat exchangers and manipulator systems for in-service inspection of SNR 300, 4065
SNR-1 REACTOR/RESEARCH PROGRAMS
Annual scientific report 1975 (Summaries of research activities at Centre d'Etude de l'Energie Nucleaire, Mol, Belgium), 296 (BLG--515)
Annual scientific report 1977, 298 (BLG--524)
Publication list concerning LMFBR-work of KFK from 1976 until 1978, 2208 (KFK--2802-B)
SNR-1 REACTOR/SAFEGUARDS
Status of the safeguards system developed for the LMFBR prototype power plant SNR-300 (KKW Kalkar), 3354
SNR-1 REACTOR/SHIELDING
Physics problems of fast reactor shielding, 3277
SNR-1 REACTOR/SPENT FUEL ELEMENTS
Handling of spent fuel elements at the Kalkar nuclear power station, 3907
SNR-1 REACTOR/SPENT FUEL STORAGE
Tank for storage of spent fuel elements under sodium: special design features and solutions proposed, 4071
SNR-1 REACTOR/STEAM GENERATORS
Analysis of flow induced vibration in heat exchangers, 2097 (IWGFR--21)
Background noise measurements on prototype of SNR-300 steam generator in the 50 MW test facility at Hengelo, The Netherlands, 1273 (GEFR--00355(Rev.1))
Background noise measurements on prototype of SNR 300 steam generator at Hengelo, 1423 (GEFR-SP--210)
Courses of accidents in sodium-heated steam generators and their control, using the SNR-300 as an example, 3910
Development, design, construction, and prototype test experience of steam generators for SNR 300, 4076
RELAP4/SNR: a program to simulate steam generator transients of FBRs, 3192
Results of the test and inspection programme of the prototype SNR-300 steam generators, 4152
Vibration-acceleration measurements on prototype steam generators, 2061 (IWGFR--10)
Wear behaviour of Nb-stabilizated 2 1/4CrMo steel tubes in sodium, 4185
Welding experience with tube-to-tubesheet joints of steam generators in 2 1/4Cr-Mo stabilised ferritic

steel, 4186
SNR-1 REACTOR/TRANSIENTS
Core elements during ramp powers and incidents, 2179 (KFK--2416)
Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
RELAP4/SNR: a program to simulate steam generator transients of FBRs, 3192
Structural dynamics studies for single and clustered SNR-300 fuel elements: a comparison of analytical and experimental results, 5056
SNR-1 REACTOR/VALVES
Cavitation experiments at butterfly valves in water and in sodium at 850K, 2045 (IWGFR--9)
Valves for the sodium-cooled fast breeder KKW Kalkar (SNR 300), 4907
SNR-2 REACTOR/CONTAINMENT SYSTEMS
Study of the containment system of the planned SNR-2 Fast Breeder Reactor, 685 (CONF-780819--P1)
SNR-2 REACTOR/COOLANT LOOPS
Design considerations for the primary system and the primary components of SNR-2, 4119
SNR-2 REACTOR/DESIGN
Safety analysis aspects of a 2000 MWe LMFBR core, 393 (CONF-761001--P1)
Status of preliminary design of SNR 2, 5286
SNR-2 REACTOR/FUEL RODS
Core and fuel element design for the SNR-2, 3854 (EURFNR--1418)
First drafts of core and fuel elements for the SNR-2 reactor, 2175 (KFK--2416)
SNR-2 REACTOR/PLANNING
Development of fast breeder reactors in Germany, Belgium, and the Netherlands, 4101
SNR-2 REACTOR/PRIMARY COOLANT CIRCUITS
Concept of the primary heat transfer systems of the SNR 2, 3901
SNR-2 REACTOR/REACTIVITY COEFFICIENTS
Safety aspects in nuclear core design of LMFBRs, 399 (CONF-761001--P2)
SNR-2 REACTOR/REACTOR COMPONENTS
Design considerations for the primary system and the primary components of SNR-2, 4119
SNR-2 REACTOR/REACTOR CORE DISRUPTION
Behaviour of the core of a fast sodium-cooled breeder reactor of 2000 MW(e) during disruptive accidents with a very low likelihood of occurrence, 3465 (DOE-tr--90)
SNR-2 REACTOR/REACTOR CORES
Core and fuel element design for the SNR-2, 3854 (EURFNR--1418)
Physics and safety aspects of preliminary SNR 2 core designs, 4137
SNR-2 REACTOR/SAFETY ENGINEERING
SNR 2 - internal containments, 3911
SNR-2 REACTOR/SECONDARY COOLANT CIRCUITS
Design considerations and cost analyses of the secondary system of SNR 2, 4121
SNR-300 REACTOR
See SNR-1 REACTOR
SODA ASH
See SODIUM CARBONATES
SODIUM/ACTIVATION ANALYSIS
Activation analysis for the determination of the specific activity of radionuclides in metallic sodium, 5 (AED-Conf--78-274-000)
SODIUM/ADSORPTION
Filtration of sodium-fire aerosols, 3274
SODIUM/AEROSOL GENERATORS
Sodium aerosol generation, 3702
SODIUM/AEROSOLS
Biological behavior of mixed LMFBR-fuel-sodium aerosols (Rats, ^{239}Pu), 2749 (PNL--2850(Pt.1))
Chemical reactions of sodium fire aerosols in the free atmosphere, 3283
Dissolution of LMFBR fuel-sodium aerosols (Plutonium dioxide), 2747 (PNL--2850(Pt.1))
Experimental investigation of aerosol behavior in a post-LMFBR accident reactor containment atmosphere. Annual report Sep 1977--Jan 1978, 2699 (PB--286865)
Spectrophotometric analyses of LMFBR fuel-sodium aerosols (PuO_2, U), 2748 (PNL--2850(Pt.1))
SODIUM/BIOLOGICAL RADIATION EFFECTS
Experimental study of the consequences of accidental sodium release in the form of peroxide aerosols on the tomato and the lettuce, 4814
SODIUM/BOILING
Low heat flux sodium voiding using the drift flux formulation, 3347
Sodium boiling in fast reactors: a state-of-the art review, 4979
Sodium boiling experiments at the BOR-60 reactor, 2346 (NIIAR-P--24(358))
Study of sodium boiling during a power transient in a heating duct. Investigation carried out within the scope of a study on the safety of fast neutron reactors, 1220 (FRNC-TH--765)
Survey of the current state of knowledge of incipient boiling superheat in sodium, 2777 (RSA-TM--4)
Transient boiling of sodium in a single-pin geometry under loss-of-flow conditions, 3829
SODIUM/BOILING DETECTION
Experiments in sodium boiling on the BOR-60 reactor, 3419
SODIUM/BUBBLE GROWTH
Thermodynamic theory of cavitation nuclei in dilute liquid-gas solutions, 223 (ANL-CT--78-33)
SODIUM/CAVITATION
Actual status of sodium cavitation studies in Japan, 2046 (IWGFR--9)
Analogy of water as compared to sodium in cavitation, 2042 (IWGFR--9)
Cavitation experiments at butterfly valves in water and in sodium at 850K, 2045 (IWGFR--9)
Onset of cavitation in pressure dropping devices in water and sodium, 2044 (IWGFR--9)
SODIUM/CHEMICAL ANALYSIS
Technique for measuring hydrogen and water in inert gases and the hydrogen concentration in liquid sodium, 367 (CEGB-RD/B/N--4029)
SODIUM/CHEMICAL RADIATION EFFECTS
Experimental study of the consequences of accidental sodium release in the form of peroxide aerosols on the tomato and the lettuce, 4814
SODIUM/CHEMICAL REACTION KINETICS
Large scale sodium interactions. Part 2. Preliminary test results for limestone concrete, 2821 (SAND--77-1059C)
Large scale sodium interactions. Part 3. Chemical phenomena with limestone concrete, 2826 (SAND--77-1095C)
Measurement of the penetration of liquid sodium into limestone concrete, 2848 (SAND--78-0078C)
Time-resolved penetration measurements of liquid sodium into limestone concrete, 2866 (SAND--78-1336C)
SODIUM/CHEMICAL REACTIONS
Chemical phenomenology of the sodium/limestone concrete interaction, 3653
Measurement of the penetration of liquid sodium into limestone concrete, 3654
Sodium interaction with limestone concrete test results, 3652
SODIUM/COLD TRAPS
Development of cold trap for LMFBR, 3470
SODIUM/COMBUSTION
Chemical reactions of sodium fire aerosols in the free atmosphere, 3283
Combustion of large sodium pools, 315 (BNL-NUREG--25492)
Study of sodium combustion and fire extinction by pulverized substances. Role of additives, 1219 (FRNC-TH--709)
SODIUM/COMBUSTION KINETICS
Sodium fire studies in France safety tests and applications on an LMFBR, 496 (CONF-761001--P4)
SODIUM/COMBUSTION PROPERTIES
Burning rates of sodium pool fires, 3413
SODIUM/COMPATIBILITY
Materials compatibility in liquid sodium, 1565 (HEDL-SA--1559)
SODIUM/COMPRESSIBILITY
Experimental high temperature coefficients of compressibility and expansivity of liquid sodium and other related properties, 938 (COO--3027-27)
SODIUM/CORROSIVE EFFECTS
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Chemical and physical changes at sodium-stainless steel interfaces in fast reactors, 4919
Corrosion of irradiated stainless steel in hot-trapped sodium, 1771 (HEDL-TME--77-61)
Corrosion of refractory borides in fused sodium, 4416
Corrosion behavior of sodium-exposed stainless steels in chloride-containing aqueous solutions, 3275
Corrosion of 2 1/4 Cr-1Mo steel under superheat transfer conditions, 4182
Corrosion issues in steam generators of the fast breeder reactor systems, 1419 (GEFR-SP--191)
Development of steel tubes for steam generator of fast breeder reactor (2¼ Cr - 1 Mo steel), 4616
Effect of carbides on the decarburization behavior of 2.25 Cr-1 Mo steel in high temperature sodium, 4464
Influence of the chemical composition of austenitic stainless steels on their corrosion behaviour in high-temperature sodium, 3527
Intentional steam tube failure in an LMFBR-type steam generator, 3571
Interactions of refractories and reactor materials with sodium, 4328
Large-scale sodium interactions: preliminary test results for limestone concrete, 4763
Long-term in-reactor corrosion of stainless-steel cladding in liquid sodium, 3168
Materials requirements for liquid metal fast breeder reactors, 3822
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium (700°C for 2000 hours), 1464 (HEDL-SA--1225FP(Rev.))
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
Properties of stabilized chrome-molybdenum steels for steam generators of fast-neutron reactors with a sodium heat carrier (10 Kh2 and 25 M1 stabilized by Nb and Ti), 5422
Sodium/cavity gas effect on fatigue crack growth in 304SS under FFTF primary cold leg piping conditions,

2956 (WARD-CG--3045-2)
Sodium corrosion of wear resistant cobalt alloys (STELLITE), 3818
Sodium Technology Program: friction, wear, and self-welding. Quarterly progress report for period ending July 31, 1977, 2982 (WARD-NA--3045-49)
Thermal behavior of concrete (LMFBR), 4764
Topographical, microstructural, and chemical effects of simulated high heat flux on the corrosion of Type 316 stainless steel in flowing sodium, 5305
Wastage phenomena due to small leak sodium-water reaction. Reaction temperature and wastage pattern, 4570
Westinghouse Advanced Reactors Division (Summary of research activities on LMFBR type reactor structural materials), 2513 (ORNL--5287)
SODIUM/DEPOSITION
Sodium vapor deposition onto a horizontal flat plate above liquid sodium surface. II. Analysis of sodium vapor deposition rate with sodium mist growth within main flow region, 4567
SODIUM/DIFFUSION
Diffusion coefficients of sodium vapors in argon and helium, 3252
SODIUM/DISTILLATION
Feasibility of decontamination of LMFBR coolant by low-pressure distillation, 3928
SODIUM/EQUATIONS OF STATE
Simple and consistent equation of state for sodium in the single phase and two phase regions, 2713 (PNC-N--251-76-12(Vol.1))
SODIUM/EVAPORATION
LMFBR containment performance studies with a simple computer code, 4018
Natural evaporation of sodium under the conditions of mist formation, (2). Discussions of critical supersaturation model by observation and photographing of mist region, 3832
SODIUM/FIRE FIGHTING
Liquid metals fire control engineering handbook, 1843 (HEDL-TME--79-17)
SODIUM/FIRE HAZARDS
Liquid metals fire control engineering handbook, 1843 (HEDL-TME--79-17)
SODIUM/FIRES
Aerodynamic properties of aerosols formed by a sodium pool fire (LMFBR), 3190
Aerosol behavior during sodium spray fires and comparison with computer codes, 1606 (HEDL-SA--1714-FP)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7 (LMFBR; time-dependent aerosol suspension behavior), 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977 (LMFBR; time dependent aerosol suspension behavior), 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977 (LMFBR; time-dependent aerosol suspension behavior), 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978 (LMFBR; time-dependent aerosol suspension behavior), 2405 (NUREG/CR--0425)
Combustion of sodium in the open atmosphere, 1013 (DOE/EV--0046(Vol.2))
Development of filtering devices for chemical aggressive aerosols, 2205 (KFK--2762)
Experiments on sodium fires and their aerosols, 4502
Experimental studies in extinguishing large odium fires, 4356
Extinction of metal fires, 4859
Facility for nuclear aerosol experiments (LMFBR), 4215
Investigations into the sodium-steam surface interaction on a stagnant pool, 4370
LMFBR safety program. Quarterly technical progress report, April--June 1977 (Sodium, fuel, and fission product aerosol behavior), 42 (AI-ERDA--13205)
Preliminary results of CSTF aerosol behavior test, AB-1 (LMFBR), 1498 (HEDL-SA--1381)
Quarterly technical progress report. Reactor safety, April--June 1978 (Sodium, fuel, and fission product aerosol behavior), 1136 (ESG-DOE--13242)
Reactor safety. Quarterly technical progress report, October--December 1978 (Sodium, fuel, and fission product aerosol behavior), 1150 (ESG-DOE--13264)
Sodium fire studies in France safety tests and applications on an LMFBR, 496 (CONF-761001--P4)
Sodium spray release accident analysis for fast reactor safety studies, 498 (CONF-761001--P4)
State-of-the-art review of sodium fire analysis and current notions for improvements, 312 (BNL-NUREG--25140)
Statistical parametric analyses of sodium fire, 4761
SODIUM/FLOW RATE
Correlation measurements of sodium flow rate with magnetic sensors, 3547
Flow measurement in main sodium pipes, 3063
SODIUM/FLOWMETERS
Electromagnetic flowmeters for fast reactors, 4631
Theoretical model of an eddy-current flowsensor, 4359
SODIUM/FLUID FLOW
Sodium engineering and technology. Quarterly progress report, January, February, March 1977, 1757 (HEDL-TME--77-36)
SODIUM/HEALTH HAZARDS
Translocation of mixed LMFBR fuel-sodium aerosols from the lung following inhalation by rodents, 2745 (PNL--2500(Pt.1))
SODIUM/HEAT TRANSFER
Effect of internal thermal radiation on the contact interface temperature, 4812
SODIUM/IMPACT SHOCK
Detailed non-linear analysis of the response of the deck of a fast breeder reactor under accidental sodium impact, 5055
SODIUM/IMPURITIES
First application of the Bailey Control Micro-Z system. Control of sodium purity in the Super Phenix reactor, 3284
Investigation of measuring accuracy of plugging indicators, 4352
Sodium impurity monitoring, 1435 (HEDL--6313)
SODIUM/ISOTOPE RATIO
Determination of cesium content in the BOR-60 primary cooling circuit, 4357
SODIUM/LEAK DETECTORS
Detection system of sodium oxide vapors (Patent), 5247
SODIUM/LEAK TESTING
Liquid metals fire control engineering handbook, 1843 (HEDL-TME--79-17)
SODIUM/MANUALS
Sodium-NaK engineering handbook. Volume III. Sodium systems, safety, handling, and instrumentation, 3899
SODIUM/METALLURGICAL EFFECTS
Composition of eta carbide phase in 1 1/4 Cr--1Mo, 5334
Effect of sodium on the mechanical properties of 2 1/4 Cr--1 Mo steel, 2535 (ORNL--5309)
Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steel, 2485 (ORNL--5255)
Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steels, 2540 (ORNL--5349)
Influence of sodium environment on the uniaxial tensile behavior of titanium modified type 316 stainless steel (Doe; 0.15 to 0.25 wt % Ti, 550 to 700°C, the Voce Equation), 3714
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
Mechanical properties of carburized stainless steel in sodium, 2505 (ORNL--5255)
Sodium effects on mechanical properties of structural materials, 2503 (ORNL--5255)
Sodium effects on mechanical properties of structural materials, 2553 (ORNL--5349)
SODIUM/MOLTEN METAL-WATER REACTIONS
Acoustic detection for small-leak sodium-water reaction, 4439
Dissolution ratio of hydrogen generated by small-leak sodium-water reaction, 4403
SODIUM/MONITORING
Development of cold trap for LMFBR, 3470
SODIUM/NEUTRON SPECTRA
Integral data for the prediction of neutron propagation in iron--sodium mixtures, 4899
Results of neutron propagation in steel sodium mixtures with various source spectra on Harmonie and Tapiro, 4898
Two-dimensional shielding benchmarks for sodium and iron at Yayoi, 4901
SODIUM/NEUTRON TRANSPORT
Analysis of neutron propagation experiments in iron-sodium mixtures with the PROPANE calculational scheme for fast reactors, 1863 (IAEA--207)
Mechanisms of fast neutron penetration in thick layers of sodium, 916 (COO--2509-4)
Results of neutron-propagation experiments performed in iron-sodium mixtures using the source reactor HARMONIE and TAPIRO, 1862 (IAEA--207)
SODIUM/NUCLEATE BOILING
Experimental investigation of the formation of critical boiling nuclei in superheated sodium, 4388
SODIUM/OXIDATION
Surface oxidation process prior to ignition of a sodium droplet, 4718
SODIUM/OXYGEN METERS
Electrochemical oxygen sensor for measurement of oxygen in liquid sodium, 3520
Measuring probe and method to determine the oxygen content of gases, vapours and liquids, in particular for liquid metals, 3286
SODIUM/PHYSICAL PROPERTIES
Physical properties of liquid sodium, 2159 (JEN--389)
Sodium, 1731 (HEDL-TI--76002)
SODIUM/PRESSURE GAGES
Device for measuring liquid sodium absolute and differential pressures in the fast nuclear reactor coolant circuit, 4593
SODIUM/PURIFICATION
Installation for purifying the liquid metal used for cooling the core of a fast neutron reactor (Patent), 4264 (ANL-Trans--1113)
Method of removing oxygen from molten metals in nuclear technology (Patent; LMFBR), 5380

Recent work on sodium-cooled reactor purification systems, 1519 (HEDL-SA--1446)
Sorption on metal surfaces of radionuclides from sodium, 4277
SODIUM/QUANTITATIVE CHEMICAL ANALYSIS
Measuring probe and method for determining the oxygen content in gases, vapors, and liquids, especially in liquid metals (Patent), 3566
Sodium sampling and impurity monitoring systems in U.S. breeder reactors, 1512 (HEDL-SA--1432)
SODIUM/RADIOACTIVE AEROSOLS
Facility for nuclear aerosol experiments (LMFBR), 4215
SODIUM/RADIOACTIVE WASTE PROCESSING
Disposal of radioactive sodium waste (Direct oxidation; reaction with molten NaOH), 139 (ANL--78-87)
SODIUM/REMOVAL
Evaporative removal of sodium from reactor components, 3052
Parameter survey on the saturation boiling process for crevice sodium removal, 3816 (JAPFNR--318)
Quarterly technical progress report. Sodium technology and cover gas seal development programs. October--December 1977 (LMFBR), 26 (AI-DOE--13220)
Reaction rate of sodium with ethanol and other alcohols, 4480
Removal of residual sodium from AI modular steam generator (SCTI-SP-312), 2758 (PP--04-PE-001)
Removal of sodium/sodium water reaction products from the MSG by reaction with organic solvents (LMFBR), 2302 (MP--45-SA-002)
Sodium engineering and technology technical progress report, October, November, December 1976 (LMFBR), 1742 (HEDL-TME--76-28)
Sodium engineering and technology. Technical progress report, April, May, June 1977 (LMFBR), 1758 (HEDL-TME--77-37)
Sodium engineering and technology. Technical progress report, July, August, September 1977 (LMFBR), 1759 (HEDL-TME--77-38)
Sodium engineering and technology. Technical progress report, October, November, December 1977 (LMFBR), 1760 (HEDL-TME--77-39)
Sodium engineering and technology technical progress report, January, February, March 1978 (LMFBR), 1805 (HEDL-TME--78-20)
Sodium engineering and technology. Technical progress report, April, May, June 1978 (LMFBR), 1806 (HEDL-TME--78-21)
Sodium engineering and technology. Technical progress report, April, May, June 1978 (LMFBR), 1807 (HEDL-TME--78-21)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1977 (LMFBR), 41 (AI-ERDA--13204)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, July--September 1977 (LMFBR), 18 (AI-DOE--13208)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, January--March 1978 (LMFBR), 34 (AI-DOE--13231)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1978 (LMFBR), 1133 (ESG-DOE--13239)
Sodium technology program quarterly technical progress report, July--September 1978, 1141 (ESG-DOE--13247)
Sodium Technology Program. Quarterly technical progress report, October--December 1978 (LMFBR), 1147 (ESG-DOE--13261)
Sodium technology. Progress report, April--June 1978 (LMFBR), 1829 (HEDL-TME--78-91)
Sodium technology progress report, July--September 1978 (LMFBR), 1830 (HEDL-TME--78-92)
Sodium technology progress report, October--December 1978 (LMFBR), 1831 (HEDL-TME--78-93)
Sodium technology progress report, January--March 1978 (LMFBR), 1828 (HEDL-TME--78-90)
Sodium technology program. Quarterly technical progress report, January--March 1979, 1154 (ESG-DOE--13272)
Sodium Technology Program. Quarterly technical progress report, April-June 1979, 1158 (ESG-DOE--13278)
Sodium technology progress report, January--March 1979 (LMFBR), 1847 (HEDL-TME--79-24)
Sodium technology. Progress report, April-June 1979 (LMFBR), 1848 (HEDL-TME--79-25)
Sodium technology program. Quarterly technical progress report, July-September 1979, 1164 (ESG-DOE--13290)
Summary of sodium removal and decontamination programs in the U.S.A., 1511 (HEDL-SA--1429FP)
Water vapor nitrogen process for removing sodium from LMFBR components, 1518 (HEDL-SA--1444)
SODIUM/SPRAYS
Sodium spray release accident analysis for fast reactor safety studies, 498 (CONF-761001--P4)
SODIUM/SUPERHEATING
Superheat in flowing sodium. Paper 3.10, 5452
SODIUM/TEST FACILITIES
Large scale sodium test facility, 2835 (SAND--77-1421C)
Sodium, 1731 (HEDL-TI--76002)
SODIUM/THERMODYNAMIC PROPERTIES
Equations of state for LMFBR materials, 479 (CONF-761001--P4)
High temperature properties of nuclear reactor coolants and thermodynamic power cycle working fluids. Technical progress report, December 1, 1977--November 30, 1978 (LMFBR), 939 (COO--3027-37)
Large-scale use of sodium, 1997 (INIS-mf--4816)
Thermodynamic properties of sodium for safety analysis, 4680
SODIUM/VISCOSITY
Experimental determination of viscosity of sodium vapor, 3420
SODIUM/VOID COEFFICIENT
Analysis of sodium-void experiments in ZPPR-3 modified Phase 3 core, 2201 (KFK--2668)
Critical experiments and analysis twenty-second quarterly report, January--March 1977 (LMFBR), 1337 (GEFR--13771-22)
Critical experiments and analysis twenty-fourth quarterly report, July--September 1977 (LMFBR), 1339 (GEFR--13771-24)
Critical experiments and analysis (LMFBR), 1340 (GEFR--13771-25)
Critical experiments and analysis twenty-sixth quarterly report, January--March 1978 (LMFBR), 1341 (GEFR--13771-26)
Critical experiments and analysis. Twenty-seventh quarterly report, April--June 1978 (LMFBR), 1342 (GEFR--13771-27)
Critical experiments and analysis. Twenty-eighth quarterly report, July--September 1978 (LMFBR), 1343 (GEFR--13771-28)
Critical experiments and analysis. Thirtieth quarterly report, January--March 1979 (LMFBR), 1345 (GEFR--13771-30)
SODIUM 23/ENERGY LEVELS
Cross sections, angular distributions, and magnetic substate populations in the $^{23}Na(n,n'\gamma)$ reaction, 4382
SODIUM 23 TARGET/NEUTRON REACTIONS
Cross sections, angular distributions, and magnetic substate populations in the $^{23}Na(n,n'\gamma)$ reaction, 4382
SODIUM CARBONATES/PHASE DIAGRAMS
Study of the Na-C-O and Na-H-O ternary systems in the sodium rich corner, 361 (CEA-R--4905)
SODIUM CHLORIDES/CORROSIVE EFFECTS
Waterside corrosion of stabilised 2 1/4%Cr-1%Mo ferritic steel under high heat flux conditions, 4194
SODIUM COOLED REACTORS
See also BELOYARSK-3 REACTOR
BN-350 REACTOR
BOR-60 REACTOR
CLINCH RIVER BREEDER REACTOR
EBR-1 REACTOR
EBR-2 REACTOR
ENRICO FERMI-1 REACTOR
FFTF REACTOR
KNK REACTOR
KNK-2 REACTOR
LAMPRE-1 REACTOR
LMFBR TYPE REACTORS
MONJU REACTOR
PFR REACTOR
PHENIX REACTOR
RAPSODIE REACTOR
SBR-5 REACTOR
SEFOR REACTOR
SNR-1 REACTOR
SNR-2 REACTOR
SUPER PHENIX REACTOR
SODIUM COOLED REACTORS/BOILING DETECTION
Possibility of acoustic detection on sodium boiling in a fast reactor by a pulse system, 3396
SODIUM COOLED REACTORS/COOLANTS
Simple and consistent equation of state for sodium in the single phase and two phase regions, 2713 (PNC-N--251-76-12(Vol.1))
SODIUM COOLED REACTORS/COVER GAS
Sodium deposition from fast reactor gas blankets - factors influencing the choice of argon or helium cover gas, 4117
SODIUM COOLED REACTORS/NUCLEAR FUELS
Physical aspects of choosing fuel for a research fast reactor, 1218 (FEI--850)
SODIUM COOLED REACTORS/OPTIMIZATION
U.S. Sodium-cooled breeder - seeking optimization, 4099
SODIUM COOLED REACTORS/PRIMARY COOLANT CIRCUITS
Device for measuring liquid sodium absolute and differential pressures in the fast nuclear reactor coolant circuit, 4593
SODIUM COOLED REACTORS/REACTOR COOLING SYSTEMS
Chemical and physical changes at sodium-stainless steel interfaces in fast reactors, 4919
SODIUM COOLED REACTORS/REACTOR MATERIALS
Chemical and physical changes at sodium-stainless steel interfaces in fast reactors, 4919
Description of the sodium loop ML-3, 3357
SODIUM COOLED REACTORS/REACTOR VESSELS
Lid construction for nuclear reactor vessel (Patent), 3796
SODIUM COOLED REACTORS/STEAM GENERATORS
Properties of stabilized chrome-molybdenum steels for steam generators of fast-neutron reactors with a sodium heat carrier (10 Kh2 and 25 M1 stabilized by Nb and Ti), 5422
Reverse steam generator, 4577

Safety appliance for a steam generator heated by liquid metal (Patent), 3447
SODIUM HYDROXIDES/CORROSIVE EFFECTS
Behavior of Alloy 800 in sodium contaminated by sodium hydroxide, 4321
Caustic stress corrosion of Fe--Cr--Ni austenitic alloys (350°C), 4281
Corrosion of steels in molten sodium hydroxide, 4438
Corrosion behaviour of iron-chromium alloys used as boiler tube materials in fast reactor steam generators, 4184
Waterside corrosion of stabilised 2 1/4%Cr-1%Mo ferritic steel under high heat flux conditions, 4194
SODIUM HYDROXIDES/PHASE DIAGRAMS
Study of the Na-C-O and Na-H-O ternary systems in the sodium rich corner, 361 (CEA-R--4905)
SODIUM OXIDES/ADSORPTION
Filtration of sodium-fire aerosols, 3274
SODIUM OXIDES/DIFFUSION
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7 (LMFBR; time-dependent aerosol suspension behavior), 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977 (LMFBR; time dependent aerosol suspension behavior), 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977 (LMFBR; time-dependent aerosol suspension behavior), 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978 (LMFBR; time-dependent aerosol suspension behavior), 2405 (NUREG/CR--0425)
SOLAR COOLING SYSTEMS/ECONOMICS
Systems descriptions and engineering costs for solar-related technologies. Volume I. Summary, 2306 (MTR--7485(Vol.1))
SOLAR HEATING SYSTEMS/ECONOMICS
Systems descriptions and engineering costs for solar-related technologies. Volume I. Summary, 2306 (MTR--7485(Vol.1))
SOLAR PROCESS HEAT/ECONOMICS
Systems descriptions and engineering costs for solar-related technologies. Volume I. Summary, 2306 (MTR--7485(Vol.1))
SOLAR THERMAL POWER PLANTS
High temperature corrosion fatigue, 2895 (SERI/TP--31-248(Vol.2)(Pt.2))
SOLAR WATER HEATERS/ECONOMICS
Systems descriptions and engineering costs for solar-related technologies. Volume I. Summary, 2306 (MTR--7485(Vol.1))
SOLID FUELS
See also DISPERSION NUCLEAR FUELS
Effects of local cesium concentrations on mixed-oxide fuel behavior, 1475 (HEDL-SA--1306S)
Pu, U redistribution in $(U,Pu)O_2$ fuels by temperature gradients, 2333 (NEDO--12324)
Radial distribution of retained fission gas in irradiated mixed-oxide fuel, 3576
SOLID FUELS/DESTRUCTIVE TESTING
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, October 1--December 31, 1978 (UO_2; PuO_2), 2235 (LA--7678-PR)
SOLID FUELS/FISSION PRODUCT RELEASE
Role of bubble-size equilibration in the transient behavior of fission gas, 123 (ANL--78-36)
SOLID FUELS/NONDESTRUCTIVE TESTING
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, October 1--December 31, 1978 (UO_2; PuO_2), 2235 (LA--7678-PR)
SOLID FUELS/QUALITY ASSURANCE
Examination of fast reactor fuels, FBR analytical quality assurance standards and methods, and analytical methods development: irradiation tests. Progress report, October 1--December 31, 1978 (UO_2; PuO_2), 2235 (LA--7678-PR)
SOLID FUELS/STOICHIOMETRY
Oxygen redistribution in LMFBR fuels, 2335 (NEDO--12326)
SOLID FUELS/THERMAL CONDUCTIVITY
Prediction of the thermal conductivity of sphere-pac fuel, 3584
SOUTHWEST EXPERIMENT FAST OXIDE REACTOR
See SEFOR REACTOR
SOVIET BREEDER REACTOR-5
See SBR-5 REACTOR
SOVIET UNION
See USSR
SPACE HEATERS/RESEARCH PROGRAMS
Comparative analysis of three of ERDA's major R and D programs, 3377
SPACERS/DESIGN
Improved nuclear fuel assembly grid spacer (Patent; LMFBR), 4528
Positioning and locking device for fuel pin to grid attachment (Patent; LMFBR), 3511
SPECIFIC GRAVITY
See DENSITY
SPECIFIC WEIGHT
See DENSITY
SPECTRAL SHIFT CONTROL
(Type of moderator control in which the neutron spectrum is intentionally changed.)
SPECTRAL SHIFT CONTROL/FUEL CYCLE
Fuel cycle cost studies: fabrication, reprocessing, and refabrication of LWR, SSCR, HWR, LMFBR, and HTGR fuels, 2662 (ORNL/TM--6522)
SPENT FUEL CASKS
Fast reactor spent fuels transportation problems, 1878 (IAEA-AG--63-15)
SPENT FUEL CASKS/BIOLOGICAL SHIELDS
Radiation shield design for LMFBR spent-fuel shipping casks, 2814 (SAND--77-0971C)
SPENT FUEL CASKS/COOLING
Evaluation of organic coolants for the transportation of LMFBR spent fuel rods, 2839 (SAND--77-1486)
SPENT FUEL CASKS/CRITICALITY
Subcriticality guidelines for liquid-metal fast breeder reactor spent fuel shipping cask designs, 3431
SPENT FUEL CASKS/DESIGN
Conceptual designs for LMFBR spent fuel shipping casks, 2838 (SAND--77-1483)
Conceptual designs of spent-fuel shipping casks for the U.S. Breeder Reactor Technology Program, 2853 (SAND--78-0247C)
LMFBR spent fuel transport: conceptual design and partial safety analysis of a sodium-cooled cask, 2622 (ORNL-TM--3689)
Spent fuel shipping cask designs for breeder reactors, 4810
Spent fuel shipping system for large commercial LMFBRs, 4811
Spent-fuel shipping system for large commercial LMFBRs, 4877
SPENT FUEL CASKS/IMPACT TESTS
Inelastic response of metallic impact limiters, 5121
SPENT FUEL CASKS/PERFORMANCE TESTING
Thermal evaluation facility for LMFBR spent fuel transport, 2886 (SAND--79-1366)
SPENT FUEL CASKS/SAFETY
LMFBR spent fuel transport: conceptual design and partial safety analysis of a sodium-cooled cask, 2622 (ORNL-TM--3689)
Subcriticality design considerations for LMFBR spent fuel shipping casks, 4488
SPENT FUEL CASKS/SEALS
Deformation of the Sandia metallic ring seal test fixture, 2873 (SAND--78-2191)
SPENT FUEL CASKS/SHOCK ABSORBERS
Inelastic response of metallic impact limiters, 1926 (INIS-mf--4492)
SPENT FUEL CASKS/THERMAL STRESSES
Thermal evaluation facility for LMFBR spent fuel transport, 2886 (SAND--79-1366)
SPENT FUEL ELEMENTS/CLEANING
Some aspects of cleaning and transport of spent fast reactor fuels, 1877 (IAEA-AG--63-14)
SPENT FUEL ELEMENTS/COOLING
Cooling device of a spent fuel (Patent; LMFBR), 5204
SPENT FUEL ELEMENTS/DECLADDING
Decladding of BOR-60 and BR-5 fuel elements by clad melting, 2343 (NIIAR-P--17(283))
Thermal decladding of BOR-60 fuel elements, 1879 (IAEA-AG--63-16)
Thermal opening of irradiated uranium oxide fuel elements of BR-5 reactor with fuel separation by solution, 4547
SPENT FUEL ELEMENTS/DESTRUCTIVE TESTING
Laser microsampling method for determination of retained fission gas in irradiated nuclear fuels (LMFBR), 159 (ANL--79-86)
SPENT FUEL ELEMENTS/FISSION PRODUCTS
Laser microsampling method for determination of retained fission gas in irradiated nuclear fuels (LMFBR), 159 (ANL--79-86)
Radiation source terms in LWR and LMFBR spent fuel. Final report, 1100 (EPRI-NP--948)
SPENT FUEL ELEMENTS/HEAD END PROCESSES
Techniques for shearing and dissolving LMFBR fuels, 1868 (IAEA-AG--63-1)
SPENT FUEL ELEMENTS/INSPECTION
Design of the fuels and materials examination facility and materials handling systems, 4023
SPENT FUEL ELEMENTS/MELTING
Phosphate-bonded zirconia ramming compounds for the thermal stripping of the fuel elements of fast reactors, 5294
SPENT FUEL ELEMENTS/NEUTRON FLUX
Spent thermal reactor fuel assembly characterization with solid state tract recorders, 1827 (HEDL-TME--78-89)
SPENT FUEL ELEMENTS/NONDESTRUCTIVE ANALYSIS
System for nondestructive assay of spent fuel subassemblies: comparison of calculations and measurements, 842 (CONF-791117--3)
SPENT FUEL ELEMENTS/REMOTE HANDLING
Advantages of equipment testing in the IEM cell mockup, 4876
Design features and objectives of the Fuels and Materials Examination Facility, 4875

Fast Flux Test Facility core component measuring system, 4873
Fast Flux Test Facility element measuring system, 4874
Optimized spent fuel storage and shipping systems (LMFBR), 1288 (GEFR--00394)
SPENT FUEL ELEMENTS/REMOTE HANDLING EQUIPMENT
Nuclear reactor refuelling system (Patent; LMFBR), 3424
Nuclear reactors (Patent; LMFBR), 3425
SPENT FUEL ELEMENTS/REPROCESSING
Advanced fuel recycle program progress report, April 1--June 30, 1977 (LMFBR; Voloxidation; dissolution; solvent extraction; off-gas processing; Iodox; disassembly), 2633 (ORNL/TM--5993)
Phosphate-bonded zirconia ramming compounds for the thermal stripping of the fuel elements of fast reactors, 5294
Possibilities for solving the problem of reprocessing fuel from fast breeders. Survey on the basis of reports by experts on the meeting of the IAEA in May 1976 in Leningrad, 4455
Re-treatment of fast breeder fuel elements, 3860 (EURFNR--1418)
SPENT FUEL ELEMENTS/SPENT FUEL STORAGE
Cooling device of a spent fuel (Patent; LMFBR), 5204
SPENT FUEL ELEMENTS/TRANSPORT
Conceptual designs for LMFBR spent fuel shipping casks, 2838 (SAND--77-1483)
Evaluation of organic coolants for the transportation of LMFBR spent fuel rods, 2839 (SAND--77-1486)
Optimized spent fuel storage and shipping systems (LMFBR), 1288 (GEFR--00394)
Radiation shield design for LMFBR spent-fuel shipping casks, 2814 (SAND--77-0971C)
Spent-fuel shipping system for large commercial LMFBRs, 4877
SPENT FUEL STORAGE
Analysis of the impact of retrievable spent fuel storage, 2741 (PNL--2413)
Fuel handling experience with liquid-metal reactors, 4070
Storage of fast reactor spent fuel at the reactor site and in reprocessing plants, 1880 (IAEA-AG--63-17)
SPENT FUEL STORAGE/CRITICALITY
Criticality calculations for fast reactor fuel storage facilities (LMFBR), 4667
SPENT FUEL STORAGE/FEASIBILITY STUDIES
Engineering study of dry near-surface interim storage of Fast Flux Test Facility spent fuel, 2771 (RHO-LD--66)
SPENT FUELS/DISSOLUTION
Dissolution of mixed oxide fuel as a function of fabrication variables, 1657 (HEDL-SA--1935)
SPENT FUELS/FLUORIDE VOLATILITY PROCESS
Experimental reprocessing of irradiated uranium fuel from BOR-60 reactor by fluoride volatility method, 2344 (NIIAR-P--18(284))
Pilot plant reprocessing of the BOR-60 spent uranium fuel by using fluoride volutility method, 1881 (IAEA-AG--63-21)
Studying behaviour of hot wastes from reprocessing of fast reactor fuel elements by the gas-fluoride method, 4598
SPENT FUELS/ISOTOPE RATIO
Physical characteristics of spent LMFBR fuel, 1876 (IAEA-AG--63-13)
SPENT FUELS/PHYSICAL PROPERTIES
Physical characteristics of spent LMFBR fuel, 1876 (IAEA-AG--63-13)
SPENT FUELS/PYROMETALLURGY
Pyrochemical processing of LWR and LMFBR fuels by the salt transport method, 4249
SPENT FUELS/RADIOACTIVE WASTE DISPOSAL
Preliminary neutronic study of actinide transmutation in a fast reactor, 2652 (ORNL/TM--6309)
SPENT FUELS/REMOTE HANDLING EQUIPMENT
Advantages of equipment testing in IEM cell mockup, 4809
Design and development of the examination equipment for the fuels and materials examination facility, 4808
Design features and objectives of the fuels and materials examination facility, 4807
SPENT FUELS/REPROCESSING
Advanced fuel recycle program progress report, July 1--September 30, 1977, 2639 (ORNL/TM--6092)
Advanced fuel recycle program progress report, January 1 to March 31, 1978, 2651 (ORNL/TM--6306)
Coprocessing to ameliorate the proliferation and waste management problems, 4632
Coprocessing: an evaluation of chemical reprocessing without plutonium separation, 3365
Development and status of LMFBR fuel reprocessing in the Federal Republic of Germany, 1872 (IAEA-AG--63-6)
Dounreay reprocessing plant closes nuclear fuel cycle, 3088
Head-end and nuclear gas purification research on LMFBR fuel reprocessing in Belgium, 1874 (IAEA-AG--63-8)
Nuclear proliferation and nuclear power, 4872
Plutonium recovery goes on-steam, 3087
Pyrochemical coprocessing of UO_2--PuO_2 LMFBR fuel by the Salt Transport Method, 2770 (RFP--2887)
Pyrochemical processing of LWR and LMFBR fuels by the salt transport method, 4249
Remote reprocessing of metal fuel for the EBR-II, 3145
Report of the IAEA advisory group meeting on LMFBR fuel reprocessing, 1882 (IAEA-AG--63-27)
Reprocessing of ''fast'' fuel in France (LMFBR), 1871 (IAEA-AG--63-5)
Reprocessing of nuclear fuel and plutonium breeder commercialization: implications of deferral, 2761 (RAND-P--6226)
Reprocessing fast reactor fuel in Britain, 3504
Review of United States program in LMFBR fuel reprocessing, 1869 (IAEA-AG--63-3)
Second electrolytic dissolution campaign of EBR-II fuel at ICPP, 1887 (ICP--1168)
SPENT FUELS/SURFACE CLEANING
Spent fuel cleaning device (Patent; LMFBR), 5211
SPENT FUELS/TRANSPORT
Fast reactor spent fuels transportation problems, 1878 (IAEA-AG--63-15)
Head-end and nuclear gas purification research on LMFBR fuel reprocessing in Belgium, 1874 (IAEA-AG--63-8)
Nuclear shipping and waste disposal cost estimates, 2631 (ORNL/TM--5976)
SPR-3 REACTOR/NEUTRON DETECTORS
In-core fuel motion detection in the Sandia Pulse Reactor, 2816 (SAND--77-1015C)
SR-OB REACTOR
See SUBCRITICAL ASSEMBLIES
STAINLESS STEEL-16-8-2/CRACKS
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3338
STAINLESS STEEL-16-8-2/CREEP
Cyclic-deformation resistance of weld-deposited Type 16-8-2 stainless steel at 593°C, 67 (ANL--77-72)
Low-cycle fatigue of Type 16-8-2 stainless steel ASA weld metal, 2482 (ORNL--5255)
STAINLESS STEEL-16-8-2/FATIGUE
Argonne National Laboratory, 2510 (ORNL--5287)
Cyclic-deformation resistance of weld-deposited Type 16-8-2 stainless steel at 593°C, 67 (ANL--77-72)
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3122
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3338
Low-cycle fatigue of Type 16-8-2 stainless steel ASA weld metal, 2482 (ORNL--5255)
STAINLESS STEEL-16-8-2/FRACTURE PROPERTIES
Argonne National Laboratory, 2510 (ORNL--5287)
STAINLESS STEEL-16-8-2/GAS TUNGSTEN-ARC WELDING
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3122
STAINLESS STEEL-16-8-2/HARDNESS
Basic welding and brazing research: examination of 16-8-2 simulated welds, 2527 (ORNL--5309)
STAINLESS STEEL-16-8-2/MECHANICAL PROPERTIES
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Joining technology development summary, 189a OH024, 751 (CONF-781219--4)
Oak Ridge National Laboratory (Summary of research activities on mechanical properties of LMFBR materials) 2511 (ORNL--5287)
STAINLESS STEEL-16-8-2/PHASE STUDIES
Basic welding and brazing research: examination of 16-8-2 simulated welds, 2527 (ORNL--5309)
STAINLESS STEEL-16-8-2/RUPTURES
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
STAINLESS STEEL-16-8-2/TENSILE PROPERTIES
Mechanical properties of 16-8-2 girth welds on large-diameter pipe, 2543 (ORNL--5349)
Mechanical property characterization of large-diameter pipes of type 316 stainless steel welded with 16-8-2 filler metal, 2546 (ORNL--5349)
STAINLESS STEEL-16-8-2/WELDED JOINTS
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3122
Method of assessing the impact of metallurgical noise and its reduction in ultrasonic testing of austenitic welds, 1413 (GEFR-SP--164)
STAINLESS STEEL-18-8/PHYSICAL RADIATION EFFECTS
Radiation-damage considerations (Neutrons), 5008
STAINLESS STEEL-20-25/USES
Modern applications for cast and wrought superalloys, 3810
STAINLESS STEEL-304/CARBURIZATION
Decarburization of 2-1/4Cr--1Mo in flowing sodium, 696 (CONF-781001--P1)
Effect of sodium environment on the creep-rupture and low-cycle fatigue behavior of austenitic stainless steels, 607 (CONF-771052--3)
Effect of variations in carbon activity on the carburization of austenitic steels in sodium. Exploratory tests, 372 (CEGB-RD/B/N--4338)
Steam generator materials engineering twelfth quarterly report, April--June 1977 (LMFBR), 1360 (GEFR--14029-12)
Study of decarburization constants of pearlitic steels type 2.25Cr--1Mo and carburization of 12KH18N9 and 304 steels, 722 (CONF-781001--P2)

STAINLESS STEEL-304/CORROSION
Corrosion and cleaning aspects of sodium side crevices in components of LMFBR's, 2114 (IWGFR--23)
Corrosion behavior of sodium-exposed stainless steels in chloride-containing aqueous solutions, 3275
Materials requirements for liquid metal fast breeder reactors, 3822
Quarterly technical progress report. Sodium technology and cover gas seal development programs. October--December 1977 (LMFBR), 26 (AI-DOE--13220)
Sodium/cavity gas effect on fatigue crack growth in 304SS under FFTF primary cold leg piping conditions, 2956 (WARD-CG--3045-2)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, July--September 1977 (LMFBR), 18 (AI-DOE--13208)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, January--March 1978 (LMFBR), 34 (AI-DOE--13231)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1978 (LMFBR), 1133 (ESG-DOE--13239)
Sodium technology program quarterly technical progress report, July--September 1978, 1141 (ESG-DOE--13247)
USSR steam generator materials examination of test specimens, 1306 (GEFR--00413)
STAINLESS STEEL-304/CORROSION RESISTANCE
Influence of small amounts of niobium on mechanical and corrosion properties of type 304 stainless steel (482 to 649 degrees C), 2647 (ORNL/TM--6285)
STAINLESS STEEL-304/CRACKS
Crack growth in Types 304 and 316 stainless steel under prototypic LMFBR primary piping conditions, 2957 (WARD-CG--3045-3)
Elevated temperature fatigue crack growth behavior of Type 304/308 Stainless Steel weldments in sodium/cavity gas environment, 2958 (WARD-CG--3045-4)
Fatigue crack propagation in types 304 and 308 stainless steel at elevated temperatures, 4504
Fracture of longitudinally cracked ductile tubes, 5033
STAINLESS STEEL-304/CREEP
Analysis of ORNL pipe ratchetting tests TTT-1 and TTT-2, 2447 (NUREG/CR--0846)
Basic specimen testing, 2501 (ORNL--5255)
Creep-fatigue life prediction for different heats of Type 304 stainless steel by linear-damage rule, strain-range partitioning method, and damage-rate approach, 130 (ANL--78-59)
Creep-rupture properties of a weld-overlaid type 304 stainless-steel forging, 4272
Effect of neutron irradiation on creep properties of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1056 (ECN--61)
Effects of notches on elevated-temperature, low-cycle fatigue behavior of Type 204 stainless steel (593°C), 748 (CONF-781202--25)
Elevated-temperature low-cycle fatigue behavior of different heats of Type 304 stainless steel (593°C), 4318
Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
High temperature structural design technology: validation. Quarterly progress report for the period ending May 31, 1977 (Inelastic behavior and strain tolerance of SS304 and 316 components for LMFBR and FFTF), 2972 (WARD-HT--3045-27)
High temperature structural design technology: validation. Quarterly progress report for period ending August 31, 1977, 2973 (WARD-HT--3045-30)
High temperature structural design technology: validation. Quarterly progress report for period ending November 30, 1977, 2974 (WARD-HT--3045-31)
High-temperature design, 2497 (ORNL--5255)
High-temperature piping design technology. Quarterly technical progress report, July--September 1978, 1143 (ESG-DOE--13249)
High temperature structural design technology: validation. Quarterly progress report for period ending February 28, 1978, 2975 (WARD-HT--3045-34)
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977, 3015 (WARD-SD--3045-10)
Influence of creep-fatigue interaction on behaviour of type 304 stainless steel, 2064 (IWGFR--11)
Influence of small amounts of niobium on mechanical and corrosion properties of type 304 stainless steel (482 to 649 degrees C), 2647 (ORNL/TM--6285)
Interpretation of high-temperature creep of Type 304 stainless steel, 2484 (ORNL--5255)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
Mechanical equation of state analysis of elevated temperature cyclic deformation of austenitic stainless steels, 588 (CONF-770807--Pt.L)
Multiaxial creep equations for nonlinear and volume-nonconservative in-reactor creep (LMFBR), 3140
Plastic creep behavior analysis of an elbow pipe, 1960 (INIS-mf--4543)
Substructures developed during creep and cyclic tests of type 304 stainless steel (heat 9T2796), 2517 (ORNL--5293)
Unified creep-plasticity model for structural metals at high temperature, 2630 (ORNL/TM--5969)
STAINLESS STEEL-304/DECARBURIZATION
Carbon transport in a bimetallic sodium loop simulating the intermediate heat transport system of a liquid metal fast breeder reactor, 1416 (GEFR-SP--172)
USSR steam generator materials examination of test specimens, 1306 (GEFR--00413)
STAINLESS STEEL-304/DEFORMATION
Elevated-temperature deformation and failure test of a type 304 stainless steel capped cylindrical shell: specimen CC-2, 2685 (ORNL/TM--6998)
Subassembly bowing experience in EBR-II, 5071
STAINLESS STEEL-304/DUCTILITY
Ductility of irradiated type 304 and 316 stainless steels (LMFBR), 4947
Irradiated Type 304 SS bend test ductility, 856 (CONF-800607--28)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
STAINLESS STEEL-304/ELASTICITY
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
STAINLESS STEEL-304/ELECTRON BEAM WELDING
Electron beam welding of austenitic stainless steel. Elevated temperature properties, 3441
STAINLESS STEEL-304/EMBRITTLEMENT
Irradiation embrittlement of type 304 stainless steel welds and plate at 823 K (550°C) (LMFBR), 4946
STAINLESS STEEL-304/EQUATIONS OF STATE
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 5104
STAINLESS STEEL-304/FATIGUE
Application of damage-rate approach to creep-fatigue life prediction analysis in different heats of Type 304 stainless steel, 2483 (ORNL--5255)
Argonne National Laboratory, 2510 (ORNL--5287)
Creep-fatigue life prediction for different heats of Type 304 stainless steel by linear-damage rule, strain-range partitioning method, and damage-rate approach, 130 (ANL--78-59)
Effects of notches on elevated-temperature, low-cycle fatigue behavior of Type 204 stainless steel (593°C), 748 (CONF-781202--25)
Elevated-temperature low-cycle fatigue behavior of different heats of Type 304 stainless steel (593°C), 4318
Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
Fatigue crack propagation in types 304 and 308 stainless steel at elevated temperatures, 4504
Influence of creep-fatigue interaction on behaviour of type 304 stainless steel, 2064 (IWGFR--11)
Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steel, 2485 (ORNL--5255)
Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steels, 2540 (ORNL--5349)
Low cycle fatigue behavior of Types 304 and 316 stainless steel tested in sodium at 550°C, 3308
Low-cycle fatigue tests on primary coolant piping system components of fast reactors, 2150 (JAPFNR--459)
Materials requirements for liquid metal fast breeder reactors, 3822
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1977, 333 (BNL-NUREG--50785)
Reactor safety research programs. Quarterly progress report, January 1--March 31, 1978, 334 (BNL-NUREG--50820)
Specimen size considerations in fatigue-crack growth rate testing, 1832 (HEDL-TME--78-99)
University of Cincinnati (Summary of research activities on mechanical properties of LMFBR type reactor materials), 2514 (ORNL--5287)
STAINLESS STEEL-304/FRACTURE PROPERTIES
Argonne National Laboratory, 2510 (ORNL--5287)
Elastoplastic fracture mechanics approach for LMFBR, 998 (CSNI-R--32(Vol.2))
Elevated temperature J/sub Ic/ fracture toughness behavior of type 304 stainless steel and type 308 stainless steel weldment. Interim report, 1833 (HEDL-TME--78-101)
Fracture toughness of irradiated AISI 304 and 316 stainless steels, 4244
Further development of cladding and core structural materials (LMFBR), 3859 (EURFNR--1418)
Liquid-metal fast breeder reactor structural materials design considerations, 754 (CONF-790236--)
Specimen size considerations in fatigue-crack growth rate testing, 1832 (HEDL-TME--78-99)
STAINLESS STEEL-304/GAS TUNGSTEN-ARC WELDING
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)
STAINLESS STEEL-304/MECHANICAL PROPERTIES
Analysis of tests on axially compressed cylinders (LMFBR) 3013 (WARD-SD--3045-8)
Breeder reactor program: materials. Technical status report for June 1978, 2591 (ORNL/BRP/M--78/6)
Effect of sodium environment on the creep-rupture and low-cycle fatigue behavior of austenitic stainless steels, 607 (CONF-771052--3)

Exploratory testing in support of constitutive equation development for inelastic analysis, 2070 (IWGFR--11)
High-Temperature Structural Design Program. Semiannual progress report for period ending December 31, 1976, 2507 (ORNL--5281)
High-temperature structural design: 1977 summary and status report, 2567 (ORNL--5419)
Joining technology development summary, 189a OH024, 751 (CONF-781219--4)
Mechanical properties of liquid-metal fast breeder reactor primary piping materials, 4571
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
Oak Ridge National Laboratory (Summary of research activities on mechanical properties of LMFBR materials), 2511 (ORNL--5287)
Overview of U.S. efforts directed towards development of mechanical properties data in support of FBR development, 752 (CONF-781219--5)
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 1990 (INIS-mf--4690)
University of Cincinnati (Summary of research activities on mechanical properties of LMFBR type reactor materials), 2514 (ORNL--5287)
WestingHouse Advanced Reactors Division (Summary of research activities on LMFBR type reactor structural materials), 2513 (ORNL--5287)
STAINLESS STEEL-304/MICROSTRUCTURE
Substructures developed during creep and cyclic tests of type 304 stainless steel (heat 9T2796), 2517 (ORNL--5293)
STAINLESS STEEL-304/OXIDATION
Emissivity of sodium wetted and oxidized Type 304 stainless steel, 852 (CONF-800401--5)
STAINLESS STEEL-304/PERMEABILITY
Tritium permeation through oxidized 304 and 316 stainless steel, 1480 (HEDL-SA--1326)
STAINLESS STEEL-304/PHYSICAL PROPERTIES
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium (850-1140°F at stresses from 6000-16000 psi), 533 (CONF-770735--4)
STAINLESS STEEL-304/PHYSICAL RADIATION EFFECTS
Analysis of various NDT techniques to determine their feasibility for detecting thin layers of ferrite on Type 316 stainless steel, 2746 (PNL--2805)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim report, 1818 (HEDL-TME--78-51)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Second interim report, 1844 (HEDL-TME--79-19)
Effect of neutron irradiation on creep properties of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1056 (ECN--61)
Effects of fast reactor exposure on the mechanical properties of stainless steels, 4934
Effects of neutron irradiation and fatigue on ductility of stainless steel DIN 1.4948, 1053 (ECN--50)
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
Fast-neutron swelling of Type 304 stainless steels, 3671
Fracture toughness of irradiated AISI 304 and 316l stainless steels, 4244
Further development of cladding and core structural materials (LMFBR), 3859 (EURFNR--1418)
In-reactor deformation and fracture of austenitic stainless steels, 2650 (ORNL/TM--6296)
In-reactor creep measurements, 3670
In-reactor deformation and fracture of austenitic stainless steels, 4232
Irradiated Type 304 SS bend test ductility, 856 (CONF-800607--28)
Irradiation creep data in support of LMFBR core design, 4887
Irradiation creep in breeder reactor structural materials, 4941
Irradiation effects on the behavior of structural materials at elevated temperature (Fast neutrons), 3750
Low-cycle fatigue of three irradiated and unirradiated Vanstar alloys, 4231
Materials requirements for liquid metal fast breeder reactors, 3822
Mixed-nitride fuel performance in EBR-II (LMFBR), 4831
Neutron swelling observations on austenitic stainless steels irradiated in EBR-II, 376 (CONF-760673--)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1975, 2990 (WARD-OX--3045-23)
Property changes in fast-reactor core-support components due to low dose rate, long-time irradiation, 5119
Radiation-damage considerations (Neutrons), 5008
Stress-free swelling in type 304 stainless steel at high fluences, 4271
Swelling of types-304, -316, and -321 stainless steels at high fluences in EBR-II (LMFBR), 1232 (GEFR--00062)
Tensile properties of fast reactor irradiated Type 304 stainless steel, 5275
STAINLESS STEEL-304/PLASTICITY
Unified creep-plasticity model for structural metals at high temperature, 2630 (ORNL/TM--5969)
STAINLESS STEEL-304/STRAINS
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977, 3015 (WARD-SD--3045-10)
STAINLESS STEEL-304/STRESS ANALYSIS
Establishing constitutive equations for use in design of high-temperature fast-reactor structures, 3385
STAINLESS STEEL-304/STRESS CORROSION
Caustic stress corrosion tests for the LLTR, 2323 (NEDM--14110)
Sodium technology and cover gas seal development programs. Quarterly technical progress report, April--June 1977 (LMFBR), 41 (AI-ERDA--13204)
STAINLESS STEEL-304/SUBMERGED ARC WELDING
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)
STAINLESS STEEL-304/SURFACE COATING
Emissivity of sodium wetted and oxidized Type 304 stainless steel, 852 (CONF-800401--5)
STAINLESS STEEL-304/SWELLING
Excess sub-surface swelling produced by Ni ion bombardment, 4956
Materials requirements for liquid metal fast breeder reactors, 3822
Swelling in neutron-irradiated 300-series stainless steels, 4961
STAINLESS STEEL-304/TENSILE PROPERTIES
Creep-fatigue life prediction for different heats of Type 304 stainless steel by linear-damage rule, strain-range partitioning method, and damage-rate approach, 130 (ANL--78-59)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim report, 1818 (HEDL-TME--78-51)
FSAR supplement 23: responses to NRC Q_2 set 7, 1696 (HEDL-TI--75001-23)
High-temperature structural design program semiannual progress report for period ending June 30, 1978, 2569 (ORNL--5433)
Representation of elevated-temperature tensile behavior of Type 304 stainless steel in a sodium environment ((550 and 700°C and strain rates of 3.81×10^{-6} to 1.90×10^{-3} s^{-1})), 4355
Research report on design allowable values of structural materials for LMFBR, 2706 (PNC-J--225-78-04)
Tensile properties of 304 SS and 316 SS, 2549 (ORNL--5349)
STAINLESS STEEL-304/TESTING
High-temperature structural design program semiannual progress report for period ending December 31, 1978, 2581 (ORNL--5540)
Welding the Clinch River Breeder Reactor core support structure, 3253
STAINLESS STEEL-304/THERMOELASTICITY
Thermal ratchetting tests of Type 304 stainless steel pipe: specimens TTT-1 and TTT-2, 2562 (ORNL--5386)
STAINLESS STEEL-304/WELDED JOINTS
Electron beam welding of austenitic stainless steel. Elevated temperature properties, 3441
Elevated temperature fatigue crack growth behavior of Type 304/308 Stainless Steel weldments in sodium/cavity gas environment, 2958 (WARD-CG--3045-4)
Elevated temperature J/sub Ic/ fracture toughness behavior of type 304 stainless steel and type 308 stainless steel weldment. Interim report, 1833 (HEDL-TME--78-101)
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
Welding the Clinch River Breeder Reactor core support structure, 3253
STAINLESS STEEL-304/WELDING
Nondestructive testing, 2519 (ORNL--5309)
Welding the core support plate for the Clinch River breeder reactor plant, USA, 4199
STAINLESS STEEL-304L/CREEP
Irradiation creep-swelling coupling: microstructural modeling and data analysis, 4971
STAINLESS STEEL-304L/PERMEABILITY
Diffusion and trapping of tritium in grain boundaries of 304L stainless steel, 3741
STAINLESS STEEL-304L/PHYSICAL RADIATION EFFECTS
Creep and swelling in EBR-II reactor components, 3669
Fast-neutron swelling of Type 304 stainless steels, 3671
In-reactor deformation of solution annealed type 304L stainless steel, 4886
Neutron swelling observations on austenitic stainless steels irradiated in EBR-II, 376 (CONF-760673--)
STAINLESS STEEL-304L/STRESS CORROSION
Behavior of Alloy 800 in sodium contaminated by sodium hydroxide, 4321
STAINLESS STEEL-304L/SWELLING
Irradiation creep-swelling coupling: microstructural modeling and data analysis, 4971
STAINLESS STEEL-308/CRACKS
Elevated temperature fatigue crack growth behavior of Type 304/308 Stainless Steel weldments in sodium/cavity gas environment, 2958 (WARD-CG--3045-4)
Fatigue crack propagation in types 304 and 308 stainless steel at elevated temperatures, 4504
STAINLESS STEEL-308/FATIGUE
Fatigue crack propagation in types 304 and 308 stainless steel at elevated temperatures, 4504
Low-cycle fatigue and cyclic-deformation behavior of SMA type 308 (CRE) stainless steel weld metal at 571°C,

2539 (ORNL--5349)
STAINLESS STEEL-308/FRACTURE PROPERTIES
Elevated temperature J/sub Ic/ fracture toughness behavior of type 304 stainless steel and type 308 stainless steel weldment. Interim report, 1833 (HEDL-TME--78-101)
STAINLESS STEEL-308/MECHANICAL PROPERTIES
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Joining technology development summary, 189a OH024, 751 (CONF-781219--4)
Westinghouse Advanced Reactors Division (Summary of research activities on LMFBR type reactor structural materials), 2513 (ORNL--5287)
STAINLESS STEEL-308/METALLOGRAPHY
Metallographic and fractographic observations of posttest creep-fatigue specimens of weld-deposited Type 308 CRE stainless steel, 136 (ANL--78-74)
STAINLESS STEEL-308/MICROSTRUCTURE
Metallographic and fractographic observations of posttest creep-fatigue specimens of weld-deposited Type 308 CRE stainless steel, 136 (ANL--78-74)
STAINLESS STEEL-308/PHYSICAL RADIATION EFFECTS
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Second interim report, 1844 (HEDL-TME--79-19)
Exploration of the influence of welding variables on notch ductility of irradiated austenitic stainless steel welds, 4948
STAINLESS STEEL-308/TENSILE PROPERTIES
High-temperature structural design program semiannual progress report for period ending June 30, 1978, 2569 (ORNL--5433)
Low-cycle fatigue and cyclic-deformation behavior of SMA type 308 (CRE) stainless steel weld metal at 571°C, 2539 (ORNL--5349)
STAINLESS STEEL-308/TESTING
High-temperature structural design program semiannual progress report for period ending December 31, 1978, 2581 (ORNL--5540)
STAINLESS STEEL-308/WELDED JOINTS
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Elevated temperature fatigue crack growth behavior of Type 304/308 Stainless Steel weldments in sodium/cavity gas environment, 2958 (WARD-CG--3045-4)
Elevated temperature J/sub Ic/ fracture toughness behavior of type 304 stainless steel and type 308 stainless steel weldment. Interim report, 1833 (HEDL-TME--78-101)
STAINLESS STEEL-308L/PHYSICAL RADIATION EFFECTS
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim report, 1818 (HEDL-TME--78-51)
STAINLESS STEEL-308L/TENSILE PROPERTIES
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim report, 1818 (HEDL-TME--78-51)
STAINLESS STEEL-310/CORROSION
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium (700°C for 2000 hours), 1464 (HEDL-SA--1225FP(Rev.))
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
STAINLESS STEEL-310/MICROSTRUCTURE
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
STAINLESS STEEL-310/SURFACE PROPERTIES
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
STAINLESS STEEL-316/BENDING
Irradiation creep in bending of cold-worked AISI 316 stainless steel at low neutron fluence, 4247
STAINLESS STEEL-316/CARBURIZATION
Decarburization of 2-1/4Cr--1Mo in flowing sodium, 696 (CONF-781001--P1)
Effect of sodium environment on the creep-rupture and low-cycle fatigue behavior of austenitic stainless steels, 607 (CONF-771052--3)
Effect of variations in carbon activity on the carburization of austenitic steels in sodium. Exploratory tests, 372 (CEGB-RD/B/N--4338)
Mechanical properties of decarburized 2 1/4 Cr--Mo steel in sodium, 2504 (ORNL--5255)
Mechanical properties of carburized stainless steel in sodium, 2505 (ORNL--5255)
STAINLESS STEEL-316/CHEMICAL REACTIONS
Studies of rare earth element as control rod material for LMFBR. Part V, 2157 (JAPFNR--494)
STAINLESS STEEL-316/COLD WORKING
Development of nondestructive measurement of cold work rate, (1), 2739 (PNCT--831-77-01)
STAINLESS STEEL-316/CORROSION
Corrosion of irradiated stainless steel in hot-trapped sodium, 1771 (HEDL-TME--77-61)
Corrosion behavior of sodium-exposed stainless steels in chloride-containing aqueous solutions, 3275
Corrosion behavior of LMFBR fuel cladding in simulated water pool storage conditions, 2675 (ORNL/TM--6744)
Corrosion of materials for sodium-cooled fast reactors, 3438
In-reactor corrosion behavior of stainless steel cladding in high temperature sodium, 1448 (HEDL-SA--859(FP))
Long-term in-reactor corrosion of stainless steel cladding in liquid sodium (LMFBR), 1628 (HEDL-SA--1756-5)
Long-term in-reactor corrosion of stainless-steel cladding in liquid sodium, 3168
Materials requirements for liquid metal fast breeder reactors, 3822
Microstructural characterization of advanced ferrous alloys exposed to liquid sodium (700°C for 2000 hours), 1464 (HEDL-SA--1225FP(Rev.))
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
Modeling the mechanical response of a degraded reactor fuel clad, 4993
Sodium technology program quarterly technical progress report, July--September 1978, 1141 (ESG-DOE--13247)
Steam generator materials engineering twelfth quarterly report, April--June 1977 (LMFBR), 1360 (GEFR--14029-12)
Topographical, microstructural, and chemical effects of simulated high heat flux on the corrosion of Type 316 stainless steel in flowing sodium (LMFBR type reactors) 5305
STAINLESS STEEL-316/CRACKS
Crack growth in Types 304 and 316 stainless steel under prototypic LMFBR primary piping conditions, 2957 (WARD-CG--3045-3)
Crack initiation and propagation as a consequence of thermal shock, 5025
Fatigue-crack propagation in dissimilar metal weldments (600/82/718, 718/82/316, 600/82/316, 800 and 1000°F), 2500 (ORNL--5255)
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3338
Mechanical properties of carburized stainless steel in sodium, 2505 (ORNL--5255)
STAINLESS STEEL-316/CREEP
Basic specimen testing, 2501 (ORNL--5255)
C-1 irradiation creep in bending experiment: summary description and results of the first two interim examinations, 1298 (GEFR--00403)
Comparison of fuel pin deformations with pressurized tube creep tests (LMFBR), 1506 (HEDL-SA--1405)
Comparison of fuel pin deformations with pressurized tube creep tests, 4248
Compressive creep of type 316 stainless steel at 1100°F, 2487 (ORNL--5255)
Considerations for the future development of shell- and core-structural materials for fast breeders, 5149 (EURFNR--1404)
Core engineering. Sixty-fourth quarterly report, August--October 1977, 1331 (GEFR--10028-64)
Creep and creep-rupture properties of the nuclear fuel cladding tube for fast breeder reactor in high temperature sodium: on the cladding tube (AISI Type 316SS, effect of boron content) manufactured in 1974 for MONJU, 2149 (JAPFNR--435)
Creep failure time of 20% cold-worked type 316 stainless steel, 4261
Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)
Effects of metallurgical variables on creep on type 316 stainless steels (LMFBR), 4945
Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
High temperature structural design technology: validation. Quarterly progress report for the period ending May 31, 1977 (Inelastic behavior and strain tolerance of SS304 and 316 components for LMFBR and FFTF), 2972 (WARD-HT--3045-27)
High temperature structural design technology: validation. Quarterly progress report for period ending August 31, 1977, 2973 (WARD-HT--3045-30)
High temperature structural design technology: validation. Quarterly progress report for period ending November 30, 1977, 2974 (WARD-HT--3045-31)
High-temperature design, 2497 (ORNL--5255)
High-temperature piping design technology. Quarterly technical progress report, July--September 1978, 1143 (ESG-DOE--13249)
High temperature structural design technology: validation. Quarterly progress report for period ending February 28, 1978, 2975 (WARD-HT--3045-34)
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977, 3015 (WARD-SD--3045-10)
LMFBR-fuel cladding thermal creep strain under linearly increasing internal pressure, 1917 (INIS-mf--4470)
LMFBR-fuel cladding thermal creep strain under linearly increasing internal pressure, 5084
Materials requirements for liquid metal fast breeder

reactors, 3822
Mechanical property characterization of Type 316 stainless steel reference heat, 2488 (ORNL--5255)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
Mechanical properties of carburized stainless steel in sodium, 2505 (ORNL--5255)
Mechanical equation of state analysis of elevated temperature cyclic deformation of austenitic stainless steels, 588 (CONF-770807--Pt.L)
Multiaxial creep equations for nonlinear and volume-nonconservative in-reactor creep (LMFBR), 3140
Reactor Development Program progress report, February 1979, 288 (ANL-RDP--80)
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
Sodium effects on mechanical properties of structural materials, 2503 (ORNL--5255)
Sodium effects on mechanical properties of structural materials, 2553 (ORNL--5349)
Some aspects of the CEA investigations on the mechanical behaviour of 316 steels in the medium temperature range, 2072 (IWGFR--11)
Tertiary creep of solution treated AISI 316 stainless steel in air and in sodium at 550°C, 370 (CEGB/RD/B/N--4241)
STAINLESS STEEL-316/DECARBURIZATION
Steam generator materials engineering twelfth quarterly report, April--June 1977 (LMFBR), 1360 (GEFR--14029-12)
STAINLESS STEEL-316/DEFORMATION
Deformation of pressurized tubes of 316 SS and Alloy 718 (700 to 1200°F, hoop stresses to 77 ksi), 2499 (ORNL--5255)
Experiments on the response of hexagonal subassembly ducts to internal pressure pulses, 5089
STAINLESS STEEL-316/DUCTILITY
Ductility of irradiated type 304 and 316 stainless steels (LMFBR), 4947
Influence of strain rate and test temperature on ductility of type 316 stainless steel, 2486 (ORNL--5255)
Irradiated Type 304 SS bend test ductility, 856 (CONF-800607--28)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
STAINLESS STEEL-316/ELASTICITY
Behavior of annealed type 316 stainless steel under monotonic and cyclic biaxial loading at room temperature, 1962 (INIS-mf--4543)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
STAINLESS STEEL-316/ELECTRON BEAM WELDING
Electron beam welding of austenitic stainless steel. Elevated temperature properties, 3441
STAINLESS STEEL-316/EQUATIONS OF STATE
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 5104
STAINLESS STEEL-316/FABRICATION
Underwriting structural steels for the sodium-cooled fast reactor, 3090
STAINLESS STEEL-316/FAILURES
Effect of axial stress on the transient mechanical response of 20%, cold-worked Type 316 stainless-steel cladding, 3272
STAINLESS STEEL-316/FATIGUE
Elevated temperature fatigue: design-application perspective with directions for improvement, 5307
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3122
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3338
High-temperature piping design technology. Quarterly technical progress report, April--June 1977, 43 (AI-ERDA--13206)
Influence of sodium environment on the low-cycle fatigue behavior of austenitic stainless steels, 2540 (ORNL--5349)
Low cycle fatigue behavior of Types 304 and 316 stainless steel tested in sodium at 550°C, 3308
Sodium effects on mechanical properties of structural materials, 2503 (ORNL--5255)
Sodium effects on mechanical properties of structural materials, 2553 (ORNL--5349)
STAINLESS STEEL-316/FERRITES
Analysis of various NDT techniques to determine their feasibility for detecting thin layers of ferrite on Type 316 stainless steel, 2746 (PNL--2805)
STAINLESS STEEL-316/FRACTURE PROPERTIES
Effect of chemistry variations on the short-term rupture life and tensile properties of 20% cold-worked type 316 stainless steel, 4572
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 3942
Elastoplastic fracture mechanics approach for LMFBR, 998 (CSNI-R--32(Vol.2))
Fatigue crack growth properties of type-316 plate and 16-8-2 stainless steel welds in air and high carbon liquid sodium, 1258 (GEFR--00303)
Fracture toughness of irradiated AISI 304 and 3161 stainless steels, 4244
Further development of cladding and core structural materials (LMFBR), 3859 (EURFNR--1418)
Liquid-metal fast breeder reactor structural materials design considerations, 754 (CONF-790236--)
Mechanical properties test matrices on type 316 stainless steel and 2 1/4 Cr--1 Mo steel for U.S. Department of Energy Breeder Reactor Program, 2586 (ORNL/BRP--78/3)
Steam generator materials engineering twelfth quarterly report, April--June 1977 (LMFBR), 1360 (GEFR--14029-12)
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 5077
STAINLESS STEEL-316/GAS TUNGSTEN-ARC WELDING
Fatigue-crack propagation in dissimilar metal weldments (600/82/718, 718/82/316, 600/82/316, 800 and 1000°F), 2500 (ORNL--5255)
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3122
Mechanical properties of 16-8-2 girth welds on large-diameter pipe, 2543 (ORNL--5349)
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)
STAINLESS STEEL-316/GRAIN SIZE
Tubular specimen testing, 2502 (ORNL--5255)
STAINLESS STEEL-316/HARDNESS
Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)
Tubular specimen testing, 2502 (ORNL--5255)
STAINLESS STEEL-316/HEAT TREATMENTS
Tubular specimen testing, 2502 (ORNL--5255)
STAINLESS STEEL-316/IMPACT STRENGTH
Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)
STAINLESS STEEL-316/MECHANICAL PROPERTIES
Analysis of the mechanical response of LMFBR fuel clads subjected to in-service property variations, 4641
Assessment of the performance of UK CFR candidate structural materials, 3744
Effect of sodium environment on the creep-rupture and low-cycle fatigue behavior of austenitic stainless steels, 607 (CONF-771052--3)
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 1577 (HEDL-SA--1598-FP)
Hanford Engineering Development Laboratory (Summary of research activities on LMFBR structural materials), 2512 (ORNL--5287)
High-Temperature Structural Design Program. Semiannual progress report for period ending December 31, 1976, 2507 (ORNL--5281)
High-temperature structural design: 1977 summary and status report, 2567 (ORNL--5419)
Joining technology development summary, 189a OH024, 751 (CONF-781219--4)
Mechanical response of LMFBR and P1 cladding tubes under transient heating, 3813
Mechanical properties of liquid-metal fast breeder reactor primary piping materials, 4571
Mechanical properties of transient-tested irradiated fast-reactor cladding (811° to 1644°K; 5.8 x 10^{22} n/cm²), 1569 (HEDL-SA--1574)
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 5101
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 1924 (INIS-mf--4470)
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
Mechanical properties test program on structural materials in a sodium environment, 155 (ANL--79-63)
Modeling of LMFBR fuel cladding mechanical behavior under transient conditions, 1911 (INIS-mf--4470)
Oak Ridge National Laboratory (Summary of research activities on mechanical properties of LMFBR materials) 2511 (ORNL--5287)
Overview of U.S. efforts directed towards development of mechanical properties data in support of FBR development, 752 (CONF-781219--5)
Some trends in constitutive equation model development for high-temperature behavior of fast-reactor structural alloys, 1990 (INIS-mf--4690)
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 1915 (INIS-mf--4470)
Westinghouse Advanced Reactors Division (Summary of research activities on LMFBR type reactor structural materials), 2513 (ORNL--5287)
STAINLESS STEEL-316/MICROSTRUCTURE
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 5077
STAINLESS STEEL-316/OXIDATION
Experimental evaluation of the oxidation behavior of Nb, V, and Ti as candidate FCCI inhibitors, 1278 (GEFR--00370)
STAINLESS STEEL-316/PERMEABILITY
Tritium permeation through oxidized 304 and 316 stainless steel, 1480 (HEDL-SA--1326)
STAINLESS STEEL-316/PHYSICAL PROPERTIES

Effect of phase instability of stainless steel on the cladding deformation profiles of LMFBR fuel elements, 4435
STAINLESS STEEL-316/PHYSICAL RADIATION EFFECTS
Analysis of various NDT techniques to determine their feasibility for detecting thin layers of ferrite on Type 316 stainless steel, 2746 (PNL--2805)
Applications of simulation experiments in LMFBR core materials technology, 377 (CONF-760673--)
Behaviour of materials in fast reactors, 13 (AERE-TP--692)
C-1 irradiation creep in bending experiment: summary description and results of the first two interim examinations, 1298 (GEFR--00403)
Clad/duct materials development. Technical status report for June 1978, 2590 (ORNL/BRP/CD--78/6)
Clinch River Breeder Reactor Plant. Wire wrap cladding interaction in LMFBR fuel rods, 965 (CRBRP-ARD--0149)
Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels (LMFBR), 4841
Creep and swelling in EBR-II reactor components, 3669
Creep behavior of OX16H15M3B steel and comparison with AISI 316, 1666 (HEDL-SA--1983)
Creep relaxation of fuel pin bending and ovalling stresses, 1647 (HEDL-SA--1860)
Cumulative damage fraction design approach for LMFBR metallic fuel elements, 800 (CONF-790802--69)
Development and evaluation of a stress-free swelling correlation for 20 percent cold-worked Type 316 stainless steel, 5276
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim report, 1818 (HEDL-TME--78-51)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Second interim report, 1844 (HEDL-TME--79-19)
Effect of prior irradiation creep on the subsequent burst strength of 20% cold-worked type 316 stainless-steel cladding, 3518
Effect of swelling and creep on liquid-metal fast breeder reactor performance, 3458
Effect of fast neutron irradiation and helium injection on the mechanical properties of austenitic stainless steel, 4940
Effects of stress on swelling in 316 stainless steel, 3863
Effects of irradiation creep on ex-reactor mechanical properties, 1525 (HEDL-SA--1455)
Effects of fast reactor exposure on the mechanical properties of stainless steels, 4934
Effects of stoichiometry on cladding reaction in mixed-oxide fuel at high burnup (PuO_2--UO_2), 1531 (HEDL-SA--1470-S)
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 1577 (HEDL-SA--1598-FP)
Effects of stress on swelling in reactor fuel cladding, 1912 (INIS-mf--4470)
Effects of temperature changes on the swelling behavior of 20% cold-worked AISI type 316 stainless steel, 3057
Effects of irradiation temperature, fluence, and heating rate on postirradiation flow properties of cladding under simulated temperature transient heating and deformation conditions, 4245
Effects of irradiation creep on ex-reactor mechanical properties, 4246
Estimates of time-dependent fatigue behavior of Type 316 stainless steel subject to irradiation damage in fast breeder and fusion power reactor systems, 4243
Experience and future plan of fast reactor oxide fuels irradiation in Japan, 4826
Fabrication and irradiation performance of $Pu_{0.25}U_{0.75}O_{1.91}$ low O/M fuel, 1562 (HEDL-SA--1553)
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
Fracture toughness of irradiated AISI 304 and 3161 stainless steels, 4244
French irradiation test experience for carbide fuels (LMFBR), 4834
Fuel adjacency effects on fast reactor cladding mechanical properties, 1581 (HEDL-SA--1609)
Further development of cladding and core structural materials (LMFBR), 3859 (EURFNR--1418)
High temperature in-reactor creep of 20% cold worked FTR cladding, 1505 (HEDL-SA--1402)
In-reactor stress relaxation in bending of 20% cold-worked 316 stainless steel, 4582
In-reactor deformation and fracture of austenitic stainless steels, 2650 (ORNL/TM--6296)
In-reactor creep measurements, 3670
In-reactor deformation and fracture of austenitic stainless steels, 4232
Increased swelling in 20% cold worked 316 stainless steel due to inreactor temperature reductions, 3864
Irradiated Type 304 SS bend test ductility, 856 (CONF-800607--28)
Irradiation behavior of sphere-pac carbide fuel (LMFBR), 4835
Irradiation performance analysis of UK fast reactor fuel (LMFBR), 4842
Irradiation creep data in support of LMFBR core design, 4887
Irradiation creep in breeder reactor structural materials, 4941
Irradiation effects on the behavior of structural materials at elevated temperature (Fast neutrons), 3750
Irradiation and post-irradiation examination data from selected F9E fuel pins, 1303 (GEFR--00407)
Irradiation effects in FFTF radial reflector materials, 1841 (HEDL-TME--79-4)
Irradiation creep in bending of cold-worked AISI 316 stainless steel at low neutron fluence, 4247
Low-cycle fatigue of three irradiated and unirradiated Vanstar alloys, 4231
Low-swelling stainless key to LMFBR development, 5253
Materials requirements for liquid metal fast breeder reactors, 3822
Mechanical properties of fast reactor fuel cladding for transient analysis, 5274
Mechanical behavior of a fuel pin for fast reactors: effect of the fuel form and of the approach-to-power on the change of the fuel stack length under irradiation, 4827
Mechanical behavior of fast reactor fuel pin cladding subjected to simulated overpower transients, 1802 (HEDL-TME--78-13)
Mechanical properties of transient-tested irradiated fast reactor cladding, 3972
Mechanical properties of transient-tested irradiated fast-reactor cladding (811° to 1644°K; 5.8 x 10^{22} n/cm²), 1569 (HEDL-SA--1574)
Microstructural observations of AISI 316 stainless steel from high burnup fuel pins, 1665 (HEDL-SA--1983)
Mixed-nitride fuel performance in EBR-II (LMFBR), 4831
Modeling of LMFBR fuel cladding mechanical behavior under transient conditions, 5068
Modeling the mechanical response of a degraded reactor fuel clad, 4993
Neutron swelling observations on austenitic stainless steels irradiated in EBR-II, 376 (CONF-760673--)
Observations of in-reactor strain for fueled and unfueled FTR cladding, 1626 (HEDL-SA--1754-FP)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1975, 2990 (WARD-OX--3045-23)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976 (LMFBR), 2991 (WARD-OX--3045-24)
Oxide fuel element development quarterly progress report for period ending June 30, 1976, 2992 (WARD-OX--3045-26)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1976 (LMFBR), 2993 (WARD-OX--3045-27)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1976 (LMFBR), 2994 (WARD-OX--3045-29)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1977 (LMFBR), 2995 (WARD-OX--3045-31)
Performance of Ti-modified Type 316 stainless-steel cladding in mixed-oxide fuel pins, 3672
Post irradiation mechanical properties of annealed and cold worked 316 stainless steel after irradiation to high fast neutron fluences (LMFBR), 4936
Post-irradiation mechanical properties of AISI type 316 steel and Nimonic PE16 alloy, 4939
Radiation-damage considerations (Neutrons), 5008
Radiation effects in structural materials, 3328
Reassessment of the role of stress in development of radiation-induced microstructure, 4239
Recent determination of the irradiation creep rate of cold worked 316, 4943
Reference fuel studies. Annual report, February 1976--January 1977 (LMFBR; stainless steel clad PuO_2--UO_2 fuel pins), 1235 (GEFR--00076)
Reference fuel studies semi-annual report, February--July 1977 (LMFBR; stainless steel clad PuO_2--UO_2 fuel rods), 1247 (GEFR--00258)
Stress effect on the void swelling incubation period, 4341
Stress-free swelling in Type 316 stainless steel at high fluences, 4478
Structural analysis of experimental carbide fueled driver assmbly flow duct for testing in the FFTF, 5090
Swelling of Type-316 stainless steel at high fluences in EBR-2, 3528
Swelling of types-304, -316, and -321 stainless steels at high fluences in EBR-II (LMFBR), 1232 (GEFR--00062)
Swelling of Type-316 stainless steel at high fluences in EBR-II, 3529
Tensile property correlations for highly irradiated 20% C.W. type 316 stainless steel (Irradiation at 370 to 816°C at fast neutron fluence of 8.4 x 10^{22} n/cm² (E > 0.1 MeV)), 1528 (HEDL-SA--1462)
Tensile property correlations for highly irradiated 20 percent cold-worked Type 316 stainless steel, 4241
Theory of void nucleation in metals (Ion beams), 3432
Topographical, microstructural, and chemical effects of simulated high heat flux on the corrosion of Type 316 stainless steel in flowing sodium (LMFBR type reactors) 5305
STAINLESS STEEL-316/RADIATION HEATING
Influence of sodium temperature, gamma heating and wall thickness on design strength of SLSF containment vessels, 5102

STAINLESS STEEL-316/RATCHETING
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
Thermal ratchetting test of type 316 stainless steel seamless to seam-welded pipe: specimen TTT-4, 2568 (ORNL--5430)
STAINLESS STEEL-316/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
STAINLESS STEEL-316/RUPTURES
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)
STAINLESS STEEL-316/STRAINS
High temperature structural design technology: application. Semiannual progress report for the the period ending September 30, 1977, 3015 (WARD-SD--3045-10)
STAINLESS STEEL-316/STRESS ANALYSIS
Behavior of annealed type 316 stainless steel under monotonic and cyclic biaxial loading at room temperature, 5103
Establishing constitutive equations for use in design of high-temperature fast-reactor structures, 3385
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 5077
STAINLESS STEEL-316/STRESS CORROSION
Behavior of Alloy 800 in sodium contaminated by sodium hydroxide, 4321
Caustic stress corrosion of Fe--Cr--Ni austenitic alloys (350°C), 4281
STAINLESS STEEL-316/STRESS RELAXATION
In-reactor stress relaxation in bending of 20% cold-worked 316 stainless steel, 4582
STAINLESS STEEL-316/SUBMERGED ARC WELDING
High-temperature structural design data for austenitic stainless steel weldments, 2522 (ORNL--5309)
Low-cycle fatigue of Type 16-8-2 stainless steel ASA weld metal, 2482 (ORNL--5255)
Mechanical and metallurgical behavior of weldments for LMFBR, 2491 (ORNL--5255)
Welding development and mechanical testing of weldments for stainless steel components, 2521 (ORNL--5309)
STAINLESS STEEL-316/SURFACE PROPERTIES
Microstructural and surface characterization of commercial candidate LMFBR fuel cladding and duct alloys after exposure to flowing sodium at 700°C, 2984 (WARD-NA--3045-53)
STAINLESS STEEL-316/SWELLING
Effects of stress on swelling in 316 stainless steel, 3863
Effects of temperature changes on 20% cold worked AISI 316 stainless steel swelling, 3002 (WARD-OX--3045-45)
Effects of stress on swelling in reactor fuel cladding, 1912 (INIS-mf--4470)
Effects of temperature changes on the swelling behavior of 20% cold-worked AISI type 316 stainless steel, 3057
Excess sub-surface swelling produced by Ni ion bombardment, 4956
Influence of metallurgical variables on void swelling in type 316 steel, 4968
Materials requirements for liquid metal fast breeder reactors, 3822
Swelling behavior of cold worked type 316 stainless steel, 4963
Swelling in neutron-irradiated 300-series stainless steels, 4961
Swelling of Type-316 stainless steel at high fluences in EBR-2, 3528
Void swelling and microstructural changes in fuel pin cladding and unstressed specimens irradiated in DFR, 4960
STAINLESS STEEL-316/TENSILE PROPERTIES
Argonne National Laboratory, 2510 (ORNL--5287)
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Complex materials behavior studies in support of design methods data list using reference heats, 2541 (ORNL--5349)
Ductility and strength of FFTF/CRBRP structural materials irradiated in various spectra. Interim report, 1818 (HEDL-TME--78-51)
Effect of simulated service conditions on stainless steel type 316, 2308 (N--78-11243)
Effect of chemistry variations on the short-term rupture life and tensile properties of 20% cold-worked type 316 stainless steel, 4572
FSAR supplement 23: responses to NRC Q_2 set 7, 1696 (HEDL-TI--75001-23)
Fuel rod mechanics and failure analysis. Twenty-fourth quarterly report, May--July 1978 (LMFBR overpower transients), 1353 (GEFR--13923-24)
High-temperature structural design program semiannual progress report for period ending June 30, 1978, 2569 (ORNL--5433)
Influence of sodium environment on the uniaxial tensile behavior of titanium modified type 316 stainless steel (Doe; 0.15 to 0.25 wt % Ti, 550 to 700°C, the Voce Equation), 3714
Mechanical property characterization of Type 316 stainless steel reference heat, 2488 (ORNL--5255)
Mechanical property characterization of large-diameter pipes of type 316 stainless steel welded with 16-8-2 filler metal, 2546 (ORNL--5349)
Mechanical properties test matrices on type 316 stainless steel and 2 1/4 Cr--1 Mo steel for U.S. Department of Energy Breeder Reactor Program, 2586 (ORNL/BRP--78/3)
Research report on design allowable values of structural materials for LMFBR, 2706 (PNC-J--225-78-04)
Tensile properties of 304 SS and 316 SS, 2549 (ORNL--5349)
Tensile property correlations for highly irradiated 20% C.W. type 316 stainless steel (Irradiation at 370 to 816°C at fast neutron fluence of 8.4×10^{22} n/cm² (E > 0.1 MeV)), 1528 (HEDL-SA--1462)
Tubular specimen testing, 2502 (ORNL--5255)
STAINLESS STEEL-316/TESTING
High-temperature structural design program semiannual progress report for period ending December 31, 1978, 2581 (ORNL--5540)
STAINLESS STEEL-316/THERMAL STRESSES
Summary of the effects of material combinations and weld joint geometries on the elastic stress in a dissimilar metal pipe joint, 2322 (NEDM--14109)
STAINLESS STEEL-316/THERMAL TESTING
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
STAINLESS STEEL-316/ULTRASONIC TESTING
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2671 (ORNL/TM--6679)
STAINLESS STEEL-316/WEAR RESISTANCE
Sodium Technology Program: friction, wear, and self-welding. Quarterly progress report for period ending July 31, 1977, 2982 (WARD-NA--3045-49)
STAINLESS STEEL-316/WELDED JOINTS
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
Electron beam welding of austenitic stainless steel. Elevated temperature properties, 3441
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3122
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
Method of assessing the impact of metallurgical noise and its reduction in ultrasonic testing of austenitic welds, 1413 (GEFR-SP--164)
Transition joint welding development for LMFBR steam generators, 4193
STAINLESS STEEL-316/WELDING
Nondestructive testing, 2519 (ORNL--5309)
STAINLESS STEEL-316L/STRESS CORROSION
Behavior of Alloy 800 in sodium contaminated by sodium hydroxide, 4321
STAINLESS STEEL-318/CORROSION
Materials requirements for liquid metal fast breeder reactors, 3822
STAINLESS STEEL-318/PHYSICAL RADIATION EFFECTS
Materials requirements for liquid metal fast breeder reactors, 3822
Radiation-damage considerations (Neutrons), 5008
STAINLESS STEEL-318/SWELLING
Materials requirements for liquid metal fast breeder reactors, 3822
STAINLESS STEEL-321/CORROSION
Materials requirements for liquid metal fast breeder reactors, 3822
STAINLESS STEEL-321/ELECTRON BEAM WELDING
Electron beam welding of austenitic stainless steel. Elevated temperature properties, 3441
STAINLESS STEEL-321/PHYSICAL RADIATION EFFECTS
Irradiation creep in fast reactor core component materials, 4942
Materials requirements for liquid metal fast breeder reactors, 3822
Radiation-damage considerations (Neutrons), 5008
Radiation effects in structural materials, 3328
Swelling of types-304, -316, and -321 stainless steels at high fluences in EBR-II (LMFBR), 1232 (GEFR--00062)
STAINLESS STEEL-321/SWELLING
Excess sub-surface swelling produced by Ni ion bombardment, 4956
Materials requirements for liquid metal fast breeder reactors, 3822
Swelling in neutron-irradiated 300-series stainless steels, 4961
Void swelling and microstructural changes in fuel pin cladding and unstressed specimens irradiated in DFR, 4960
STAINLESS STEEL-321/WELDED JOINTS
Electron beam welding of austenitic stainless steel. Elevated temperature properties, 3441
STAINLESS STEELS
See also STAINLESS STEEL-18-8
STAINLESS STEEL-20-25
STAINLESS STEEL-304
STAINLESS STEEL-304L
STAINLESS STEEL-308

STAINLESS STEEL-310
STAINLESS STEEL-316
STAINLESS STEEL-321
Utilization properties of some special steels for sodium cooled breeder reactors, 4412
STAINLESS STEELS/BIBLIOGRAPHIES
Corrosion of stainless steel. Volume 2. 1977-March, 1979 (a bibliography with abstracts). Report for 1977-March 1979, 2356 (NTIS/PS--79/0208)
STAINLESS STEELS/CARBURIZATION
Compatibility of stainless-steel cladding materials with uranium carbide fuel, 3436
STAINLESS STEELS/CHEMICAL COMPOSITION
Influence of the chemical composition of austenitic stainless steels on their corrosion behaviour in high-temperature sodium, 3527
STAINLESS STEELS/COMPARATIVE EVALUATIONS
Steels for the primary circuits of the sodium cooled breeder reactor, 4397
STAINLESS STEELS/CORROSION
Chemical and physical changes at sodium-stainless steel interfaces in fast reactors, 4919
Corrosion of stainless steel. Volume 2. 1977-March, 1979 (a bibliography with abstracts). Report for 1977-March 1979, 2356 (NTIS/PS--79/0208)
Influence of the chemical composition of austenitic stainless steels on their corrosion behaviour in high-temperature sodium, 3527
Program for the development of design data LMFBR steam generator materials, 1234 (GEFR--00067-3)
Reactions of stabilized austenitic stainless steel in liquid sodium, 1903 (INIS-mf--4315)
Sodium corrosion of wear resistant cobalt alloys (STELLITE), 3818
STAINLESS STEELS/CORROSION RESISTANCE
Selection of steam generator materials for sodium cooled fast breeders, 4418
STAINLESS STEELS/CREEP
Contribution of Dounreay to the development of fast reactors, 3100
Creep-rupture-strength and creep-behaviour of stainless steel X6CrNi 1811 (DIN 1.4948), 2158 (JEN--363)
Nonlinear plasticity model for structural alloys at elevated temperature, 2668 (ORNL/TM--6582)
Statistical mechanical analysis of LMFBR fuel cladding tubes, 1920 (INIS-mf--4470)
Statistical mechanical analysis of LMFBR fuel cladding tubes, 5088
STAINLESS STEELS/CRYSTAL-PHASE TRANSFORMATIONS
Dimensional instability of CF8 stainless-steel castings at elevated temperatures, 4806
STAINLESS STEELS/DEFORMATION
Variability of cladding deformation of LMFBR fuel elements, 1914 (INIS-mf--4470)
Variability of cladding deformation of LMFBR fuel elements, 5107
STAINLESS STEELS/FABRICATION
Piping and fittings, 2523 (ORNL--5309)
Production and control of stainless steel cladding tubes for breeder reactors, 4401
Production and control of stainless steel cladding tubes for breeder reactors, 4411
STAINLESS STEELS/FRACTURE PROPERTIES
Stress-intensity factors for irradiation-embrittled hexagonal subassembly ducts, 5087
STAINLESS STEELS/FUEL-CLADDING INTERACTIONS
Compatibility of stainless-steel cladding materials with uranium carbide fuel, 3436
STAINLESS STEELS/GAS PRODUCTION RATES
Helium production in fast breeder reactor out-of-core structural components, 4240
STAINLESS STEELS/HEAT TREATMENTS
Process for stabilizing dimensions of duplex stainless steels for service at elevated temperatures (Patent), 5465
STAINLESS STEELS/JOINING
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
STAINLESS STEELS/MASS TRANSFER
Flow impedance test results at HEDL: chemical basis, 1510 (HEDL-SA--1425)
STAINLESS STEELS/MECHANICAL PROPERTIES
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Steels for the primary circuits of the sodium cooled breeder reactor, 4397
STAINLESS STEELS/OXIDATION
Oxygen transport limitations in using getters to control fuel cladding chemical interaction (LMFBR), 1549 (HEDL-SA--1522)
STAINLESS STEELS/PHASE TRANSFORMATIONS
Process for stabilizing dimensions of duplex stainless steels for service at elevated temperatures (Patent), 5465
STAINLESS STEELS/PHYSICAL RADIATION EFFECTS
Contribution of Dounreay to the development of fast reactors, 3100
Cross sections requirements for the prediction of gas production rates for use in irradiation damage studies in LMFBR, 4996
Design applications of irradiation creep and swelling data (LMFBR), 682 (CONF-780622--67)
Development of cladding and structural materials, 2181 (KFK--2416)
Effects of irradiation on the fracture behavior of austenitic stainless steels (LMFBR), 4937
Effects of irradiation on fatigue and crack propagation in austenitic stainless steels (LMFBR), 4938
Helium production in fast breeder reactor out-of-core structural components, 4240
Importance and status of (n,α)-cross sections for a reliable prediction of radiation damage in stainless steel (Fast and thermal neutrons), 1205 (EURFNR--1465)
International conference on irradiation effects in structural materials for breeder reactors, 4888
Prediction of radiation damage in structural materials outside the reactor core, 1186 (EUR--5667(Pt.1))
State of development of cladding and structural material for SNR core elements, 3858 (EURFNR--1418)
Statistical mechanical analysis of LMFBR fuel cladding tubes, 1920 (INIS-mf--4470)
Stress-intensity factors for irradiation-embrittled hexagonal subassembly ducts, 5087
US experience in irradiation testing of advanced oxide fuels (LMFBR), 4828
Variability of cladding deformation of LMFBR fuel elements, 1914 (INIS-mf--4470)
Variability of cladding deformation of LMFBR fuel elements, 5107
STAINLESS STEELS/PLASTICITY
Nonlinear plasticity model for structural alloys at elevated temperature, 2668 (ORNL/TM--6582)
STAINLESS STEELS/SHRINKAGE
Dimensional instability of CF8 stainless-steel castings at elevated temperatures, 4806
STAINLESS STEELS/STRESS CORROSION
Residual stress measurement in austenitic alloy tubes, 4984
STAINLESS STEELS/STRESSES
Residual stress measurement in austenitic alloy tubes, 4984
STAINLESS STEELS/SWELLING
Effect of structure and alloying elements on void formation in austenitic steels and nickel alloys (LMFBR), 352 (CEA-CONF--4013)
Effects of alloy composition on void swelling, 4965
Influence of alloy constitution on the swelling of austenitic stainless steels and nickel based alloys, 4959
STAINLESS STEELS/TEMPERATURE EFFECTS
Steels for the primary circuits of the sodium cooled breeder reactor, 4397
STAINLESS STEELS/WELDABILITY
Steels for the primary circuits of the sodium cooled breeder reactor, 4397
STAINLESS STEELS/WELDING
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
STANDARDS/TABLES
RDT Standards Index, 2768 (RDT-INDEX--(01-79))
STEAM/CORROSIVE EFFECTS
Steam-side/water-side corrosion: the effect of heat flux on the corrosion of 2 1/4 Cr--1 Mo steel by superheated steam (502 to 522C), 2533 (ORNL--5309)
STEAM/REACTIVITY WORTHS
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
STEAM GENERATORS
Apparatus and method for thermal power generation (Patent, LMFBR), 3705
Design, R and D, and manufacture of the components of secondary circuits for fast sodium power plant, 4077
Development of annealed alloy 800 for elevated-temperature nuclear applications, 3167
Device for starting a steam generator by heating sodium in a reactor (Patent), 5330
Effect of large sodium-water reactions on LMFBR steam generators: initial results from SWAAM-1, 581 (CONF-770807--Pt.E)
Facing the materials challenge in fast reactor steam generator technology, 3751
Heat exchanger with intermediate evaporating and condensing fluid (Patent, LMFBR), 3800
Inverse steam generator especially for liquid metals (Patent), 5184
Program for the development of design data LMFBR steam generator materials, 1234 (GEFR--00067-3)
Restraints for operation of FBTR steam generator, 5296
Steam generators of sodium cooled fast reactors, 4599
STEAM GENERATORS/ACOUSTIC MONITORING
Accident alarm in steam generators in sodium cooled fast reactor power plants. II. Measuring the acoustic spectrum induced by the sodium/water reaction as a method of breakdown detection of liquid sodium-heated steam generators, 3831
Acoustic detection for small-leak sodium-water reaction, 4439
STEAM GENERATORS/ACOUSTIC TESTING
Tests and analysis in support of an acoustic leak detection/location system (progress report) (LMFBR), 1283 (GEFR--00384)
STEAM GENERATORS/BURNOUT
Direct and indirect heating effect in the DNB tests for

sodium heated steam generators for LMFBR's, 5299
STEAM GENERATORS/CORROSION
Corrosion critique of the 2 1/4 Cr--1 Mo steel for LMFBR steam generation system applications, 2363 (NUREG--0387)
Corrosion and impurities deposition effects under DNB conditions, 1398 (GEFR-SP--045)
Corrosion of steels in molten sodium hydroxide, 4438
Corrosion of materials for sodium-cooled fast reactors, 3438
Corrosion and impurities deposition effects under DNB conditions, 697 (CONF-781001--P1)
Hydrogen burden from the steam side corrosion in sodium-heated steam generators, 3519
Metallurgical evaluation of the Modular Steam Generator (MSG) after LLTR testing (LMFBR), 1172 (ETEC--78-12)
Post test examination of double-wall tube for interface wear and water side corrosion effects in a liquid metal heated steam generator, 2979 (WARD-I--10134-2)
Preliminary self wastage test results from CRACKPOT facility, 1254 (GEFR--00279(L))
Steam generator materials engineering twelfth quarterly report, April--June 1977 (LMFBR), 1360 (GEFR--14029-12)
Steam generator materials engineering thirteenth quarterly report, July--September 1977 (LMFBR), 1361 (GEFR--14029-13)
Suitability of 2--1/4Cr--1Mo steel for LMFBR Steam Generation System applications: a critique of NUREG-0387, 2923 (TID--28546)
Ultrasonic inspection for wastage in the LMFBR steam generator due to sodium--water reactions, 659 (CONF-780374--1)
USSR steam generator materials examination of test specimens, 1306 (GEFR--00413)
Wastage phenomena due to small leak sodium-water reaction. Reaction temperature and wastage pattern, 4570
STEAM GENERATORS/CORROSION FATIGUE
Corrosion fatigue of 2-1/4 Cr--1 Mo steel in caustic at 316°C, 1280 (GEFR--00375)
STEAM GENERATORS/CORROSION PRODUCTS
Removal of sodium/sodium water reaction products from the MSG by reaction with organic solvents (LMFBR), 2302 (MP--45-SA-002)
Sodium--water reaction product deposition and post-test cleaning of the modular steam generator, 1169 (ETEC--78-9)
STEAM GENERATORS/CREEP
Creep-fatigue design criteria for application to a 2 1/4 Cr.-1 Mo LMFBR steam generator, 1961 (INIS-mf--4543)
STEAM GENERATORS/CRITICAL FLOW
Experiments on fluidelastic instability in tube banks subject to liquid cross flow. Part II. Mixed arrays, 245 (ANL-CT--79-45)
STEAM GENERATORS/CRITICAL HEAT FLUX
Critical heat flux tests at low water flow and 7.3 MPa: interim report, 206 (ANL-CT--78-10)
Critical heat flux measurements with sodium heating and low water flowrate, 225 (ANL-CT--78-39)
Critical heat flux measurements in an LMFBR evaporator tube, 3957
Measurement and correlation of critical heat flux in a sodium heated steam generator tube, 211 (ANL-CT--78-15)
Post-CHF heat transfer and transition boiling characteristics in an LMFBR steam generator tube, 237 (ANL-CT--79-14)
STEAM GENERATORS/DEPARTURE NUCLEATE BOILING
Some aspects of modeling power plant thermal hydraulic transients, 4298
STEAM GENERATORS/DESIGN
B and W basis for design selections for intermediate "A" single wall steam generator design (LMFBR), 2925 (TID--28712)
Basis for Westinghouse double wall tube steam generator with third fluid leak detection capability extracted from Westinghouse proposal to the Department of Energy to develop a steam generator for large scale liquid metal fast breeder reactors (LMFBR), 2927 (TID--28715)
Development and test results of Westinghouse double wall tube steam generator including thermal model test (LMFBR), 2926 (TID--28713)
Fluidized bed steam generator concepts for LMFBR, 5295
Foster Wheeler protected bayonet tube LMFBR steam generator preliminary design, 2921 (TID--28273/1)
Foster Wheeler protected bayonet tube LMFBR steam generator preliminary design. Volume II. Appendices, 2922 (TID--28273/2)
Full scale tests and thermal design correlation for coiled once-through steam generators, 5001
High reliability straight tube LMFBR steam generator design, 3149
LMFBR steam generators areas requiring special attention, 5427
Material consideration for large sodium-heated steam generators (LMFBR), 4644
Material selection for a sodium-heated steam generator (LMFBR), 4645
Preliminary design: duplex tube low-pressure saturated steam generator for large LMFBR plant. Final report, 1129 (EPRI-NP--1219)
Reverse steam generator, 4577
Some estimates of the prospects for dual-wall sodium-water steam generators, 707 (CONF-781001--P2)
STEAM GENERATORS/DRYOUT
Direct and indirect heating effect in the DNB tests for sodium heated steam generators for LMFBR's, 5299
STEAM GENERATORS/DUCTILITY
Notch ductility of Alloy 800 for liquid metal fast breeder reactor steam generator, 4410
STEAM GENERATORS/FABRICATION
Development and production of tubes with inner finning for nuclear power, 3755
Selection of steam generator materials for sodium cooled fast breeders, 4418
STEAM GENERATORS/FAILURE MODE ANALYSIS
Operating experience and sodium-water reaction testing in the large leak test rig (DOE), 3749
STEAM GENERATORS/FAILURES
Accident of sodium steam generator element - LEWISA program, 992 (CS-INIS--199)
Fail-safety of LMFBR steam generator systems, 566 (CONF-770807--Pt.E)
Fail-safety of LMFBR steam generator systems, 5043
Intentional steam tube failure in an LMFBR-type steam generator, 3571
Pressure and temperature straining of liquid sodium heated sectional steam generators in accident situations, 4285
PTA-1-RD: a computer program for analysis of pressure transients in hydraulic networks including the effects of noninstantaneous rupture discs (LMFBR), 222 (ANL-CT--78-32)
Validation of the computer program PTA-1-RD (LMFBR), 195 (ANL-CT--77-35)
STEAM GENERATORS/FLUIDIZED BED
Fluidized bed steam generator (Patent), 5331
STEAM GENERATORS/FORCED CONVECTION
Dryout characteristics at low mass velocities in a vertical straight tube of a steam generator, 4166
STEAM GENERATORS/HEAT TRANSFER
Direct and indirect heating effect in the DNB tests for sodium heated steam generators for LMFBR's, 5299
Dryout characteristics at low mass velocities in a vertical straight tube of a steam generator, 4166
Heat transfer with hockey-stick steam generator (LMFBR), 1404 (GEFR-SP--070)
Heat transfer with hockey-stick steam generator, 699 (CONF-781001--P1)
Heat transfer with double wall steam generator (LMFBR), 701 (CONF-781001--P1)
Large-amplitude thermal oscillations measured in an LMFBR steam generator tube, 4688
Problems of heat exchange and hydrodynamics of sodium-water steam generators for fast-neutron reactors, 711 (CONF-781001--P2)
Studies on temperature-controlled pool-boiling heat transfer, 3778
Theoretical predictions of local heat transfer and water purity parameters for transition boiling based upon a film dryout model (LMFBR), 2321 (NEDM--14104)
Thermal-hydraulics in a helical coil tube steam generator, 700 (CONF-781001--P1)
Thermo-hydrodynamic instability test for 0.3 MWt sodium-heated steam generator, 4311
STEAM GENERATORS/HYDRAULICS
Flow instability analysis in sodium-heated once-through steam generators (LMFBR), 3163
Thermal-hydraulics in a helical coil tube steam generator, 700 (CONF-781001--P1)
STEAM GENERATORS/HYDRODYNAMICS
Analysis of hydrodynamic effects of large sodium-water reactions, 5060
Dynamic instabilities in tubes of a large capacity, straight-tube, once-through sodium heated steam generator, 4274
Pressure transient analysis in single and two-phase water by finite difference methods, 5028
Problems of heat exchange and hydrodynamics of sodium-water steam generators for fast-neutron reactors, 711 (CONF-781001--P2)
Studies of thermal-hydrodynamic flow instability, 2. Effects of heating condition of thermal-hydrodynamic flow instability, 4358
Thermo-hydrodynamic instability test for 0.3 MWt sodium-heated steam generator, 4311
STEAM GENERATORS/IN-SERVICE INSPECTION
Inspection requirements and concepts for LMFBR heat exchangers and pump. A manufacturers view, 2054 (IWGFR--10)
STEAM GENERATORS/INSPECTION
Nondestructive testing development program. Quarterly progress report for period ending September 30, 1977 (LMFBR), 2555 (ORNL--5350)
STEAM GENERATORS/LEAK DETECTORS
Accident alarm in steam generators of sodium cooled fast reactor power plants. I. Testing the function of an ion pump pH-meter on simulated water penetration in liquid sodium, 4360
Accident alarm in steam generators in sodium cooled fast reactor power plants. III. Experimental research in flow fluctuations in pipes following water leak in sodium, 3723
Accident alarm in steam generators in sodium cooled fast reactor power plants. II. Measuring the acoustic spectrum induced by the sodium/water reaction as a method of breakdown detection of liquid sodium-heated

steam generators, 3831
Acoustic leak detection-location. Quarterly technical progress report, October--December 1978 (LMFBR), 1149 (ESG-DOE--13263)
Acoustic leak detection system concept design, 1265 (GEFR--00340)
Acoustic leak detection-location. Quarterly technical progress report, April-June 1979, 1160 (ESG-DOE--13280)
Acoustic leak detection/location system for sodium heated steam generators, 1424 (GEFR-SP--212)
Arrangement for leak detection (Patent), 4578
Calibration system for hydrogen meters in sodium (LMFBR), 4650
Development of leak detection systems for LMFBR steam generators in the U.S., 984 (CRBRP-GEFR-SP--040)
Development of leak detection systems for LMFBR steam generators in the U.S., 703 (CONF-781001--P1)
Electrochemical and physical methods for reactor diagnosis (LMFBR), 4069
Interim report: leak detection test activities on the General Electric Steam Generator Test Rig (SGTR) (LMFBR), 1294 (GEFR--00400)
Procedure and circuit arrangement for leak detection (Patent), 4575
Testing of steam generator leak detectors on the high pressure test loop: interim report (LMFBR), 240 (ANL-CT--79-18)
Tests and analysis in support of an acoustic leak detection/location system (progress report) (LMFBR), 1283 (GEFR--00384)
STEAM GENERATORS/LEAK TESTING
Acoustic detection for small-leak sodium-water reaction, 4441
Development testing of leak injection devices for use in testing sodium-water leak detection modules, 4372
Feasibility of acoustic leak location for WTD duplex-tube steam generators, 1327 (GEFR--00466)
Leak detection of steam or water into sodium in steam generators of liquid-metal fast breeder reactors, 4881
Leak location in a double wall tube steam generator (LMFBR), 1425 (GEFR-SP--213)
LLTR Series I test request. Revision 4. GE specification No. 22A3924, Rev. 4 (LMFBR), 2907 (TID--27817)
Measurement of the sound produced during steam injections into sodium, 201 (ANL-CT--78-5)
Operating experience and sodium-water reaction testing in the Large Leak Test Rig, 4371
Small leak detection by measuring surface oscillation during sodium-water reaction in steam generator, 4587
U.S. program for large sodium/water reaction tests (LMFBR), 643 (CONF-780203--9)
U.S. program for large sodium/water reaction tests, 704 (CONF-781001--P1)
STEAM GENERATORS/LEAKS
Acoustic leak detection-location. Quarterly technical progress report, April-June 1979, 1160 (ESG-DOE--13280)
Acoustical methods of leak detection in sodium-water steam generators (a survey paper), 717 (CONF-781001--P2)
Analyses of hydrodynamic effects of large sodium-water reactions, 1974 (INIS-mf--4592)
Analysis of the U.S. large leak test program Series I sodium--water reaction test results (LMFBR), 1414 (GEFR-SP--165)
Comparison of results from large-leak sodium/water tests at LLTR with analysis, 987 (CRBRP-GEFR-SP--00043)
Control of water leakage into sodium by acoustic noise, 5318
Development of LMFBR steam generator leak protection systems, 4856
Dissolution ratio of hydrogen generated by small-leak sodium-water reaction, 4409
Effects of nozzle-to-target distance on wastage in small-leak sodium-water reactions, 3430
Experimental results of sodium-water reaction test No. 1 in LLTR, 1678 (HEDL-TI--45-LME-006)
Experimental study of abnormal processes with small leaks of water into sodium in models of steam generators of reverse design, 713 (CONF-781001--P2)
Interim evaluation of Sodium--Water Reaction Test No. 1 data and comparison with TRANSWRAP analyses: Series I large leak test program, 1226 (GEFR--00027(L))
Interim evaluation of data from sodium-water reaction tests SWR-3, SWR-4, and SWR-5 and comparison with transwrap analyses. Series I: large-leak test program, 1276 (GEFR--00366)
LMFBR steam generators: behavior of heat exchange tubes faced with a through crack resulting in contact between sodium and water, 3069
Main results of experiments with a major leak of water into sodium conducted in nineteen-tube models, 716 (CONF-781001--P2)
Model studies of bubble size distribution and sound propagation at microleaks in sodium-heated steam generators, 3229
Outline of sodium-water reaction test in case of large leak with SWAT-3 testing equipments, 3833
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity, 1988 (INIS-mf--4638)
Recent experimental results on small leak behavior and interpretation for leak detection (LMFBR), 702 (CONF-781001--P1)
Research program on an acoustical method of leak detection in sodium-water steam generators for 1978--1979, 719 (CONF-781001--P2)
Results of small leak behavior and damage propagation tests in the U.S. (LMFBR), 2324 (NEDM--14131)
Selection of the design basis leak for LMFBR steam generators, 1397 (GEFR-SP--044)
Self-wastage phenomena. Volume II. Experimental data from GE test facilities, 1230 (GEFR--00051(L)-2)
Self-wastage phenomena. Volume I. State-of-the-art data review and evaluation (LMFBR), 1229 (GEFR--00051(L)-1)
Small leak scoping tests: secondary tube failure test; sodium/water reaction flame photography, 2325 (NEDM--14137)
Small leak damage and behavior test results (LMFBR), 2317 (NEDM--14044)
Small leak shutdown, location, and behavior (LMFBR), 2320 (NEDM--14092)
Small leaks of water into sodium and their detection by concentration methods, 712 (CONF-781001--P2)
Sodium-water reaction testing in the LLTR (LMFBR), 4651
Sodium-water reactions in the steam generators of fast neutron nuclear power stations, 4212
Ultrasonic inspection for wastage in the LMFBR steam generator due to sodium--water reactions, 659 (CONF-780374--1)
Wastage phenomena due to small leak sodium-water reaction. Reaction temperature and wastage pattern, 4570
Wastage phenomena by small leak sodium-water reaction. II. Parameters effect, 3552
Water leaks in sodium-heated fast reactor boilers, 3712
STEAM GENERATORS/MATERIALS
Properties of stabilized chrome-molybdenum steels for steam generators of fast-neutron reactors with a sodium heat carrier (10 Kh2 and 25 M1 stabilized by Nb and Ti), 5422
STEAM GENERATORS/MECHANICAL VIBRATIONS
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 5093
Experiments on fluidelastic instability in tube banks subject to liquid cross flow. Part II. Mixed arrays, 245 (ANL-CT--79-45)
Investigation of added masses and damping factors for vibrations of tube and tube bundles in fluid, 2099 (IWGFR--21)
Substantiation of vibration strength of nuclear reactor and steam generator internals; main problems, 2104 (IWGFR--21)
STEAM GENERATORS/MEETINGS
Third US/USSR LMFBR steam generator seminar, 724 (CONF-781001--P3)
Third US/USSR LMFBR steam generator seminar. Volume 1. US papers, 692 (CONF-781001--P1)
Third US/USSR LMFBR steam generator seminar. Volume 2. USSR papers, 705 (CONF-781001--P2)
STEAM GENERATORS/MOLTEN METAL-WATER REACTIONS
Accident of sodium steam generator element - LEWISA program, 992 (CS-INIS--199)
Analysis of the U.S. large leak test program Series I sodium--water reaction test results (LMFBR), 1414 (GEFR-SP--165)
Analysis of hydrodynamic effects of large sodium-water reactions, 5060
Analysis of EBR-II steam-generator system for pressure pulses due to leaks of steam or water into sodium, 5062
CRBRP steam generator modeling techniques for pressure excursions generated by sodium/water reactions, 5061
Dissolution ratio of hydrogen generated by small-leak sodium-water reaction, 4403
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 5040
Effect of large sodium-water reactions on LMFBR steam generators: initial results from SWAAM-I, 5098
Effects of nozzle-to-target distance on wastage in small-leak sodium-water reactions, 3430
Initial pressure spike and its propagation phenomena in sodium-water reaction tests for MONJU steam generators, 5092
Interim evaluation of data from sodium-water reaction tests SWR-3, SWR-4, and SWR-5 and comparison with transwrap analyses. Series I: large-leak test program, 1276 (GEFR--00366)
Problems of sodium/water steam generator safety and their solution in the USSR, 4078
SERP deposition from testing and cleaing an LMFBR generator, 3173
Sodium--water reaction test in LLTR. Series I. Final report, 1170 (ETEC--78-10)
Sodium-water reaction test facility (SWAT-3), 5195
SOWACS-3: a code for analyzing the system effects of large-leak sodium-water reactions in steam generators for LMFBR's, 5180
STEAM GENERATORS/NONDESTRUCTIVE TESTING
Nondestructive testing development program semiannual progress report for period ending March 31, 1979 (LMFBR), 2588 (ORNL/BRP--79/3)
STEAM GENERATORS/PERFORMANCE TESTING
Full scale tests and thermal design correlation for coiled once-through steam generators, 5001
Modular Steam Generator test report: post-performance

test disassembly and examination (LMFBR), 2936 (TR--097-330-009)
Modular steam generator final project report (LMFBR), 2937 (TR--097-330-010)
Progress of LMFBR steam generator testing in the US, 1420 (GEFR-SP--196)
Protected bayonet tube steam generator proof-of-principle tests. Final report (LMFBR), 2920 (TID--28269)
Study of the vertical straight tube type steam generator for LMFBR, 1. Test rig of a sodium-heated steam generator and experimental results of dryout, 3550
STEAM GENERATORS/PERMEABILITY
Tritium permeation through steam generator materials, 4483
STEAM GENERATORS/PHYSICAL PROTECTION DEVICES
Safety appliance for a steam generator heated by liquid metal (Patent), 3447
STEAM GENERATORS/PIPE FITTINGS
Accident control element of sectional liquid metal steam generator (Patent), 5320
STEAM GENERATORS/PIPES
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity, 1988 (INIS-mf--4638)
STEAM GENERATORS/PLUGGING
Plugging/unplugging of defects in LMFBR steam generator tubing, 1253 (GEFR--00274(L))
STEAM GENERATORS/PRESSURE GRADIENTS
Analysis of EBR-II steam-generator system for pressure pulses due to leaks of steam or water into sodium, 1973 (INIS-mf--4592)
PTA-1-RD: a computer program for analysis of pressure transients in hydraulic networks including the effects of noninstantaneous rupture discs (LMFBR), 222 (ANL-CT--78-32)
Validation of the computer program PTA-1-RD (LMFBR), 195 (ANL-CT--77-35)
STEAM GENERATORS/REACTOR MATERIALS
CHaracterization of ESR and VAR 2-1/4Cr--1Mo alloy tubing (LMFBR), 2326 (NEDM--14145)
STEAM GENERATORS/REACTOR SAFETY
Problems of sodium/water steam generator safety and their solution in the USSR, 4078
STEAM GENERATORS/RELIABILITY
Availability analysis of commercial fast breeder reactor's steam generator system, 4602
Corrosion issues in steam generators of the fast breeder reactor systems, 1419 (GEFR-SP--191)
High reliability straight tube LMFBR steam generator design, 3149
STEAM GENERATORS/RELISF VALVES
Dynamic instability analysis of rupture disks by finite element method (LMFBR), 3988
STEAM GENERATORS/RUPTURES
Experimental results of sodium-water reaction test No. 3 in LLTR, 1677 (HEDL-TI--45-LMB-009)
Experimental results of sodium-water reaction test No. 2 in LLTR, 1679 (HEDL-TI--45-LME-007)
Influence of heat exchange between reaction products of the interaction of sodium with water and structural elements of the steam generator on the parameters of the large leak emergency mode, 714 (CONF-781001--P2)
STEAM GENERATORS/SEISMIC EFFECTS
Seismic design study on cantilever cylindrical shells (LMFBR), 2909 (TID--27889)
Seismic design study on cantilever cylindrical shells, 4304
STEAM GENERATORS/SIMULATION
Low-amplitude steady states in a sodium heated steam generator, 4228
Simulation of the dynamic characteristics of steam generator for FBR plant, 3725
STEAM GENERATORS/SPACERS
Friction and wear tests in support of LMFBR steam generator tube/tube spacer plate interactions, 2981 (WARD-NA--3045-48)
STEAM GENERATORS/SPECIFICATIONS
Design basis of and materials requirement for sodium heated steam generators for fast reactors, 5150
Design philosophy and functional requirements of a sodium heated steam generator made of ferritic steel, 4149
Sodium heated steam generators. Near term and projected information needs-ferritic steels, 4150
STEAM GENERATORS/STRESS ANALYSIS
Computerized thermal input for steam generator stress analysis, 1956 (INIS-mf--4541)
Computerized thermal input for steam generator stress analysis, 5082
Inelastic thermal transient analysis of tubesheets, 2078 (IWGFR--11)
Inelastic stress analysis of steam generator's tube sheet for fast breeder reactor, 4283
Seismic design study on cantilever cylindrical shells (LMFBR), 2909 (TID--27889)
STEAM GENERATORS/STRESS CORROSION
Caustic stress corrosion tests for the LLTR, 2323 (NEDM--14110)
Constant extension rate testing for LMFBR steam generator applications, 2336 (NEDO--12668)
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1978, 2425 (NUREG/CR--0688)
STEAM GENERATORS/STRESS INTENSITY FACTORS
Creep-fatigue design criteria for application to a 2 1/4 Cr-1 Mo LMFBR steam generator, 5118
STEAM GENERATORS/SURFACE CLEANING
Removal of residual sodium from AI modular steam generator (SCTI-SP-312) (LMFBR), 2758 (PP--04-PE-001)
Removal of sodium/sodium water reaction products from the MSG by reaction with organic solvents (LMFBR), 2302 (MP--45-SA-002)
Sodium--water reaction product deposition and post-test cleaning of the modular steam generator, 1169 (ETEC--78-9)
STEAM GENERATORS/TEMPERATURE CONTROL
Method of controlling steam temperature of a fluid heating separation type steam generator (Patent; LMFBR) 5395
STEAM GENERATORS/TEST FACILITIES
Comparison of results from large-leak sodium/water tests at LLTR with analysis, 987 (CRBRP-GEFR-SP--00043)
Small leak damage and behavior test results (LMFBR), 2317 (NEDM--14044)
Sodium-water reaction testing in the LLTR (LMFBR), 4651
Test rig of straight tube type sodium-heated steam generator, 4553
STEAM GENERATORS/THERMAL ANALYSIS
Computerized thermal input for steam generator stress analysis, 5082
STEAM GENERATORS/THERMAL STRESSES
Evaluation of strain cycling effects in the DNB zone of a sodium-heated steam generator, 983 (CRBRP-GEFR-SP--036)
STEAM GENERATORS/THERMODYNAMICS
Thermohydraulics of steam generators, 4223
STEAM GENERATORS/TRANSITION BOILING
Characteristics of transition boiling in sodium-heated steam generator tubes, 3237
STEAM GENERATORS/TUBES
Acoustic leak detection-location. Quarterly technial progress report, January--March 1979 (LMFBR), 1157 (ESG-DOE--13275)
Assessment of normalized and tempered versus annealed or isothermally annealed 2-1/4 Cr--1 Mo steel, 2657 (ORNL/TM--6411)
Caustic stress corrosion of Fe--Cr--Ni austenitic alloys, 4281
Critical heat flux data with stress calculations in an LMFBR steam generator tube, 220 (ANL-CT--78-27)
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 5040
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 1971 (INIS-mf--4592)
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 5093
Friction and wear tests in support of LMFBR steam generator tube/tube spacer plate interactions, 2981 (WARD-NA--3045-48)
Materials characterization: study of decarburization influence on mechanical properties of CRBR steam generator tubing, 1317 (GEFR--00432)
Pressure transient analysis in single and two-phase water by finite difference methods, 1986 (INIS-mf--4638)
Simulation study of the secondary rupture of SG tubing for LMFBR, 1982 (INIS-mf--4592)
Simulation study of the secondary rupture of SG tubing for LMFBR, 5096
Tribological behaviour of materials for use in sodium cooled fast breeder steam generator applications, 4176
Ultrasonic inspection methods for small-bore applications (LMFBR steam generators), 3689
STEAM GENERATORS/ULTRASONIC TESTING
Equipment for the nondestructive testing of 2-1/4 Cr-1 Mo duplex LMFBR steam generator tubing, 4343
Ultrasonic inspection for wastage in the LMFBR steam generator due to sodium--water reactions, 659 (CONF-780374--1)
Ultrasonic inspection of liquid-metal fast breeder reactor steam generator duplex tubing, 3051
STEAM GENERATORS/WEAR
Post test examination of double-wall tube for interface wear and water side corrosion effects in a liquid metal heated steam generator, 2979 (WARD-I--10134-2)
Tube/space plate interactions in sodium cooled fast breeder steam generators, 698 (CONF-781001--P1)
STEAM GENERATORS/WELDED JOINTS
Fatigue crack growth properties of type-316 plate and 16-8-2 stainless steel welds in air and high carbon liquid sodium, 1258 (GEFR--00303)
High-resolution boreside radiography of small-diameter tube-to-tubesheet welds (LMFBR), 2572 (ORNL--5474)
Nondestructive testing development program. Quarterly progress report for period ending March 31, 1978 (LMFBR), 2566 (ORNL--5417)
Nondestructive testing development program. Quarterly progress report for period ending June 30, 1978 (LMFBR) 2570 (ORNL--5440)
Reliability of various tube-to-tubesheet weld configurations (LMFBR), 3038 (WNET--116)
Results of study of American specimens of welded joints between tubes and tubesheets, 709 (CONF-781001--P2)
Transition joint welding development for LMFBR steam generators, 4193

STEAM LINES/COMPUTER-AIDED DESIGN
Numerical evaluation of an inelastic piping elbow element, 3331
STEAM SUPERHEATERS
See SUPERHEATERS
STEAM SYSTEMS
Large pool LMFBR design. Executive summary, 1093 (EPRI-NP--883-SY)
Pool-type LMFBR Plant 1000 MWe phase a-extension-1 design. Part I. Executive summary. Interim report, 1086 (EPRI-NP--882-SY(Vol.1))
STEAM SYSTEMS/DESIGN
LMFBR pool plant: 1000 MWe. Volume 1. Executive summary. Final report, 1118 (EPRI-NP--1015-SY(Vol.1))
LMFBR pool plant: 1000 MWe. Volume 2. NSSS plant description. Final report, 1119 (EPRI-NP--1015(Vol.2))
LMFBR pool plant: 1000 MWe. Volume 3. Pool reactor engineering, NSSS. Final report, 1120 (EPRI-NP--1015(Vol.3))
STEAM SYSTEMS/IN-SERVICE INSPECTION
Improvements to the maintainability and inspection of liquid metal systems. Volume 1. Overall study results (LMFBR), 1300 (GEFR--00405(Vol.1))
Improvements to the maintainability and inspection of liquid metal systems. Volume 2. Plant layout improvements (LMFBR), 1301 (GEFR--00405(Vol.2))
STEAM SYSTEMS/REACTOR KINETICS
Effect of the fast breeder concept on the reactor main characteristics and steam generation parameters, 1213 (FEI--607)
STEAM SYSTEMS/REACTOR MAINTENANCE
Improvements to the maintainability and inspection of liquid metal systems. Volume 1. Overall study results (LMFBR), 1300 (GEFR--00405(Vol.1))
Improvements to the maintainability and inspection of liquid metal systems. Volume 2. Plant layout improvements (LMFBR), 1301 (GEFR--00405(Vol.2))
STEAM SYSTEMS/SPECIFICATIONS
Effect of the fast breeder concept on the reactor main characteristics and steam generation parameters, 1213 (FEI--607)
STEEL-0KH16N15M3B/PHYSICAL RADIATION EFFECTS
Results of irradiation tests of fast reactor oxide fuel and fuel elements, 2008 (INIS-mf--5308)
STEEL-1KH18N10T/PHYSICAL RADIATION EFFECTS
Study of BOR-60 reactor fuel element performance, 2341 (NIIAR-P--5(271))
STEEL-1KH18N10T/TENSILE PROPERTIES
Study of BOR-60 reactor fuel element performance, 2341 (NIIAR-P--5(271))
STEEL-ASTM-A508/MECHANICAL PROPERTIES
Heavy section steel technology (HSST) program, 3115
STEEL-ASTM-A508/PHYSICAL RADIATION EFFECTS
Heavy section steel technology (HSST) program, 3115
STEEL-ASTM-A516/STRESS CORROSION
Caustic stress corrosion tests for the LLTR, 2323 (NEDM--14110)
STEEL-ASTM-A533/MECHANICAL PROPERTIES
Heavy section steel technology (HSST) program, 3115
STEEL-ASTM-A533/PHYSICAL RADIATION EFFECTS
Heavy section steel technology (HSST) program, 3115
STEEL-DIN-1-4948/CREEP
Effect of neutron irradiation on creep properties of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1056 (ECN--61)
STEEL-DIN-1-4948/PHYSICAL RADIATION EFFECTS
Effect of neutron irradiation on creep properties of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1056 (ECN--61)
Effect of neutron irradiation on sequential creep-fatigue interaction of 18Cr-11Ni (DIN 1.4948) stainless steel plate and welded joints at 823 K, 1058 (ECN--74)
Effects of neutron irradiation and fatigue on ductility of stainless steel DIN 1.4948, 1053 (ECN--50)
Effects of neutron irradiation and fatigue on ductility of stainless steel DIN-1-4948, 4242
Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
STEEL-DIN-1-4948/TENSILE PROPERTIES
Tensile properties of irradiated and fatigue exposed stainless steel DIN X 6 CrNi 1811 (similar to AISI type 304) plate and welded joints, 1057 (ECN--73)
STEEL-DIN-1-4970/MECHANICAL PROPERTIES
Fast Breeder Project. Second quarterly report, 1977, 3472 (DOE-tr--40)
STEELS
See also AUSTENITIC STEELS
CARBON STEELS
CHROMIUM STEELS
FERRITIC STEELS
STAINLESS STEELS
STEEL-ASTM-A508
STEEL-ASTM-A516
STEEL-ASTM-A533
Steels for the primary circuits of the sodium cooled breeder reactor, 4413
Utilization properties of some special steels for sodium cooled breeder reactors, 4412
STEELS/CRACKS
Effect of stress ratio upon fatigue-crack growth in two structural alloys at elevated temperature (SA-386 Grade 11 and Inconel X-750), 2551 (ORNL--5349)
STEELS/CREEP
Creep in sodium: a review, 369 (CEGB/RD/B/N--4219)
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
STEELS/DECARBURIZATION
Development of steel tubes for steam generator of fast breeder reactor (2¼ Cr - 1 Mo steel), 4616
STEELS/DEFORMATION
Elastic and elastic-plastic buckling of vessel heads computation by the CEASEMT system, 1943 (INIS-mf--4506)
STEELS/ELASTICITY
Thermal elasto-plastic analysis in reactor vessel nozzles, 1944 (INIS-mf--4506)
STEELS/FABRICATION
Alloys for a liquid metal fast breeder reactor (Patent), 3091
STEELS/HEAT TREATMENTS
Steel Z6 CNTDV 25-15 for nuclear bolts. Development of a treatment eliminating structural retraction in service at high temperature, 3259
STEELS/INTEGRAL CROSS SECTIONS
Measurements and calculations of integral capture cross-sections of structural materials in fast reactor spectra, 1199 (EUR--6108)
STEELS/MECHANICAL VIBRATIONS
Simple steel/water model for preliminary studies of acoustic vibration in LMFBR, 1952 (INIS-mf--4541)
Simple steel/water model for preliminary studies of acoustic vibration in LMFBR, 5069
STEELS/NEUTRON SPECTRA
Results of neutron propagation in steel sodium mixtures with various source spectra on Harmonie and Tapiro, 4898
STEELS/PHASE TRANSFORMATIONS
BOPSI - a model for the theoretical description of the behaviour of boiling fuel-steel arrays sealed off on all sides, 2011 (INKA-Conf--79-134-001)
STEELS/PHYSICAL RADIATION EFFECTS
Radiation damages in constructional steels and high-nickel alloys irradiated with neutrons, 4970
STEELS/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
STEELS/STRESS ANALYSIS
Elastic and elastic-plastic buckling of vessel heads computation by the CEASEMT system, 1943 (INIS-mf--4506)
STEEL-X6CRNI1811/CREEP
Creep-rupture-tests on the stainless steel X6 CrNi1811 (DIN 1.4948) in the frame of the ''Extrapolation-Program'' Pt. 2, 2160 (JEN--447)
STEEL-X6CRNI1811/PHYSICAL RADIATION EFFECTS
Study of mechanical characteristics of structural materials for the SNR plant, 4200
STEK REACTOR/INTEGRAL CROSS SECTIONS
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
STELLITE/CORROSION
Sodium corrosion of wear resistant cobalt alloys (STELLITE), 3818
STELLITE/PHYSICAL RADIATION EFFECTS
State of development of cladding and structural material for SNR core elements, 3858 (EURFNR--1418)
STELLITE/TRIBOLOGY
Experimental parameter investigations on the tribological behavior of Stellite 6 in liquid sodium, 3295
STELLITE 156/MICROSTRUCTURE
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium (850-1140°F at stresses from 6000-16000 psi), 533 (CONF-770735--4)
STELLITE 156/PHYSICAL PROPERTIES
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium (850-1140°F at stresses from 6000-16000 psi), 533 (CONF-770735--4)
STELLITE 156/SURFACE PROPERTIES
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium (850-1140°F at stresses from 6000-16000 psi), 533 (CONF-770735--4)
STELLITE 156/WELDABILITY
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium (850-1140°F at stresses from 6000-16000 psi), 533 (CONF-770735--4)
STELLITE 6/MICROSTRUCTURE
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium (850-1140°F at stresses from 6000-16000 psi), 533 (CONF-770735--4)
STELLITE 6/PHYSICAL PROPERTIES
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium (850-1140°F at stresses from 6000-16000 psi), 533 (CONF-770735--4)
STELLITE 6/SURFACE PROPERTIES
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium (850-1140°F at stresses from 6000-16000 psi), 533 (CONF-770735--4)
STELLITE 6/WELDABILITY
Self-welding evaluation of stellite 6 and stellite 156 in flowing sodium (850-1140°F at stresses from 6000-16000 psi), 533 (CONF-770735--4)
STF REACTOR
Applicability of SAREF to alternative fuels, 3643
STF REACTOR/FUEL MOTION DETECTION

Potential for using coded aperture imaging for fuel motion detection measurement in the STF, 2439 (NUREG/CR--0790)
STOODY
See STELLITE 6
STORAGE (SPENT FUEL)
See SPENT FUEL STORAGE
STREAMING (RADIATION)
See RADIATION STREAMING
STRESS ANALYSIS
Numerical evaluation of an inelastic piping elbow element, 3331
STRESS ANALYSIS/FINITE ELEMENT METHOD
Finite element method in nonlinear dynamic analysis of axisymmetric shells: theory and computer program (LMFBR), 189 (ANL-CT--77-23)
STRESS CORROSION/RESEARCH PROGRAMS
Topical problems of corrosion research for nuclear power purposes, 3701
STRUCTURES (MECHANICS)
See MECHANICAL STRUCTURES
STUDS
See FASTENERS
SUBCRITICAL ASSEMBLIES/DESIGN
Fast Breeder Blanket Facility (FBBF). Quarterly progress report, July 1, 1977--September 30, 1977. PNE-77-120, 934 (COO--2826-5)
Fast Breeder Blanket Facility (FBBF). Quarterly progress report, April 1, 1977--June 30, 1977, 933 (COO--2826-4)
Fast Breeder Blanket Facility (FBBF). Annual report, January 31, 1976--December 31, 1977, 935 (COO--2826-7)
Purdue University fast breeder blanket facility, 666 (CONF-780401--)
SUPER PHENIX REACTOR
Construction of Super-Phenix and the european cooperation in the field of breeders, 3501
Creys-Malville power plant, 3397
Creys-Malville power station, 3882
Super-Phenix: first step in the commercial development of breeder reactors, 3727
Superphenix. A breeder reactor in full scale, 4524
Thoughts on the energy situation, 3919
SUPER PHENIX REACTOR/BUILDINGS
Photoelastic investigation of a reactor building, 4147
SUPER PHENIX REACTOR/CONSTRUCTION
Building of the first commercial fast breeder in France, 3129
Construction of the world's first full-scale fast breeder reactor. 1. Organization of an international project, 3694
Future plans for the design and construction of fast breeder reactors in France, 4082
Half-time in the construction of 'Superphenix'. The nuclear power plant serves as a model for the future French standard breeder, 3356
Status of Phenix and Super Phenix, 4191
SuperPhenix in detail. Consequent execution of construction programs for nuclear power plants, 3355
SUPER PHENIX REACTOR/CONTAINMENT BUILDINGS
Creys-Malville power plant (Super Phenix): the main options of the reactor building ventilation system, 3909
SUPER PHENIX REACTOR/CONTAINMENT SHELLS
Containment of the Creys-Melville plant, 1905 (INIS-mf--4373)
Vibrational analysis of the Superphenix internal shells, 3724
SUPER PHENIX REACTOR/CONTAINMENT SYSTEMS
Containment of the Creys-Malville plant, 5122
SUPER PHENIX REACTOR/COOLANTS
First application of the Bailey Control Micro-Z system. Control of sodium purity in the Super Phenix reactor, 3284
SUPER PHENIX REACTOR/COST
Fast-Breeders. Their current position and their future prospects, 3245
Impressive Super Phenix, 3113
SUPER PHENIX REACTOR/DESIGN
Main safety features of the Super-Phenix project, 391 (CONF-761001--P1)
Super-Phenix: status of the Creys-Malville plant, 5285
SUPER PHENIX REACTOR/FAILED ELEMENT DETECTION
Systems for detecting failed fuel in fast reactors, 4196
SUPER PHENIX REACTOR/FIRE EXTINGUISHERS
Extinguishment of sodium fires, 2772 (RISLEY-Trans--4009)
SUPER PHENIX REACTOR/FUEL ASSEMBLIES
Studies and fabrication of the fuel, 3879
SUPER PHENIX REACTOR/FUEL CANS
Studies and fabrication of the fuel, 3879
SUPER PHENIX REACTOR/FUEL CYCLE
Breeders, 4208
SUPER PHENIX REACTOR/FUEL ELEMENT FAILURE
Systems for detecting failed fuel in fast reactors, 4196
SUPER PHENIX REACTOR/FUEL RINS
Advanced mixed oxide fuel element for fast reactors, 4829
Super-Phenix 1 fuel element optimization - first check of overall behaviour, 4108
SUPER PHENIX REACTOR/LOAD MANAGEMENT
Effects of load following on the core and the components of the Super Phenix sodium circuits, 358 (CEA-CR--13)
SUPER PHENIX REACTOR/MECHANICAL VIBRATIONS
Calculation of structures by a method of substructures defined by their eigenmodes. Linear and nonlinear applications. Tristana code, 357 (CEA-CONF--4384)
Vibrational analysis of the SUPERPHENIX internal shells, 1955 (INIS-mf--4541)
SUPER PHENIX REACTOR/NUCLEAR FUELS
French fast breeder reactor fuel fabrication, 3143
SUPER PHENIX REACTOR/ON-LINE CONTROL SYSTEMS
Computers in the core supervision and protection system at Creys Malville (Super Phenix), 2304 (MRR--160)
Contronic 3 system from Hartmann and Braun will assume measurement and control functions of the Super-Phenix reactor, 3247
SUPER PHENIX REACTOR/PLANNING
Development of fast breeder reactors in Germany, Belgium, and the Netherlands, 4101
SUPER PHENIX REACTOR/PRIMARY COOLANT CIRCUITS
Primary circuit thermal hydraulic analysis of Super Phenix 1 Reactor; sodium and structures temperatures calculations; salt water tests - hot water tests, 3904
Primary circuits of Phenix and Super-Phenix, 4062
Primary sodium pumps of Phenix and Superphenix, 5067 (ANL-Trans--1174)
Problems of designing and testing primary loop components of fat reactors, 4064
SUPER PHENIX REACTOR/REACTOR ACCIDENTS
Detailed non-linear analysis of the response of the deck of a fast breeder reactor under accidental sodium impact, 5055
Detailed non-linear analysis of the response of the deck of a fast breeder reactor under accidental sodium impact, 1984 (INIS-mf--4592)
EDF research on fast neutron reactors, 5293 (DOE-tr--28)
SUPER PHENIX REACTOR/REACTOR COMPONENTS
Contribution of Italian industry to the development of reactor components and fuel-handling systems of fast reactors, 4072
Problems of designing and testing primary loop components of fat reactors, 4064
Vibrational analysis of the SUPER PHENIX internal shells, 5079
SUPER PHENIX REACTOR/REACTOR CONTROL SYSTEMS
Control system adopted for Super-Phenix. Reasons for choice and evaluation of performance, 4233
Data processing and data collection in Super-Phenix, 4235
Evolution of the core surveillance and protection system in fast reactors, 4234
SUPER PHENIX REACTOR/REACTOR CORES
Fast neutron reactor core research at the C.E.A., 362 (CEA-R--4911)
Research and development activities concerning the Super-Phenix core, 3881
Thermohydraulics of the core of fast neutron reactors, 4211
SUPER PHENIX REACTOR/REACTOR LICENSING
Example of regulating process for an advanced reactor: Creys-Malville, 1985 (INIS-mf--4623)
SUPER PHENIX REACTOR/REACTOR PROTECTION SYSTEMS
Application of probabilistic methods in the field of nuclear safety, 5263
SUPER PHENIX REACTOR/REACTOR SAFETY
Breeders, 4208
Consequences of safety prescriptions for fast breeder reactor design in France, 4136
Containment of the Creys-Malville plant, 5122
French program for advancement of nuclear power plants with fast breeders, 3240
Key safety issues for fast breeder reactors, 383 (CONF-761001--P1)
Key safety issues for fast breeder reactors, 345 (CEA-CONF--3848)
Main safety features of the Super-Phenix project, 391 (CONF-761001--P1)
Safety analysis of the fast breeder reactor confinement main problems: application to Super Phenix, 5290
Safety systems relative to the Creys-Malville power station, 4222
Studies and research relatives to the safety of the Super-Phenix project, 3883
SUPER PHENIX REACTOR/REACTOR SIMULATORS
New type of simulator, developped for Super-Phenix breeder and for PWR, allows phenomena analysis as well as process control training, 3246
SUPER PHENIX REACTOR/REACTOR VESSELS
Elastoplastic and nonsymmetric buckling analysis by finite element of Super-Phenix primary vessel head, 5112
From Phenix to Super Phenix: mechanical structures assuring reactor vessel tightness at main sodium pump penetrations, 584 (CONF-770807--Pt.F)
From PHENIX to SUPER PHENIX: mechanical structures assuring reactor vessel tightness at main sodium pump penetrations, 5072
Research and development activities relatives to the reactor vessel, 3878
SUPER PHENIX REACTOR/SEISMIC EFFECTS
Seismic analysis for the Super-Phenix Reactor, 392 (CONF-761001--P1)
Seismic analysis for the Super-Phenix reactor, 343 (CEA-CONF--3749)
SUPER PHENIX REACTOR/SPECIFICATIONS
Future plans for the design and construction of fast breeder reactors in France, 4082
Work starts in SuperPhenix at the Creys-Malville site,

4535
SUPER PHENIX REACTOR/STEAM GENERATORS
Behavior of alloy 800 in sodium contaminated by soda, 4306
Careful attention to detail was necessary in developing the SuperPhenix steam generators, 4538
Design and construction of the nuclear boiler, 3880
Heat transfer in helical tube sodium heated steam generators, 5298
Low-amplitude steady states in a sodium heated steam generator, 4228
Sodium-water reactions in the steam generators of fast neutron nuclear power stations, 4212
SUPER PHENIX REACTOR/STEAM SYSTEMS
Design, construction, and operating experience of secondary sodium circuits of fast reactors, 4074
SUPER PHENIX REACTOR/STRESS ANALYSIS
Elastoplastic and nonsymmetric buckling analysis by finite element of Super-Phenix primary vessel head, 1947 (INIS-mf--4506)
SUPER PHENIX REACTOR/WASTE MANAGEMENT
Breeders, 4208
SUPERCRITICAL FLOW
See TURBULENT FLOW
SUPERHEATERS
Device for starting a steam generator by heating sodium in a reactor (Patent), 5330
Improvements in or relating to heat exchangers (Patent), 3364
Nuclear power plant (Patent), 5448
SUPPORTS
Pool-type LMFBR plant 1000 MWe Phase A-Extension-1 design. Part II. Reactor assembly: structures. Sections 1-6. Interim report, 1087 (EPRI-NP--882(Vol.2 A))
SUPPORTS/DESIGN
High-Temperature Structural Design Program. Semiannual progress report for period ending December 31, 1976 (LMFBR), 2507 (ORNL--5281)
Nuclear reactor pressure vessel support system (Patent; LMFBR), 3449
SUPPORTS/INTERACTIONS
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 1958 (INIS-mf--4541)
SUPPORTS/SEISMIC EFFECTS
Study of structural attachments of a pool type LMFBR vessel through seismic analysis of a simplified three dimensional finite element model, 765 (CONF-790370--1)
SUPPORTS/STRESS ANALYSIS
Stresscoat test of 6-inch pipe clamp in TTF: article B (LMFBR), 1180 (ETEC-TDR--79-7)
SUPPORTS/WELDING
Welding the core support plate for the Clinch River breeder reactor plant, USA, 4199
SURFACE CLEANING
Cleaning of small components of complex geometry by means of the solum--alcohol reaction (LMFBR), 2123 (IWGFR--23)
Corrosion and cleaning aspects of sodium side crevices in components of LMFBR's, 2114 (IWGFR--23)
Experience with cleaning of sodium-wetted components and decontamination at Nuclear Research Centre Karlsruhe, 2115 (IWGFR--23)
INTERATOM experience of cleaning sodium-wetted components, 2117 (IWGFR--23)
Non-aqueous removal of sodium from reactor components (LMFBR), 2129 (IWGFR--23)
Parameter survey on the saturation boiling proceess for crevice sodium removal (LMFBR), 2120 (IWGFR--23)
Progress in development and application of methods of washing and decontamination of objects in contact with sodium (France; LMFBR), 2122 (IWGFR--23)
Short review of sodium removal experience in PNC, 2119 (IWGFR--23)
Sodium components cleaning status in the Italian fast reactor program, 2124 (IWGFR--23)
Sodium removal of fuel elements by vacuum distillation, 2116 (IWGFR--23)
TNO experience on sodium cleaning of large plant components by vacuum distillation, 2113 (IWGFR--23)
UK fast reactor components: sodium removal decontamination and requalification (LMFBR), 2121 (IWGFR--23)
SURFACE CLEANING/MEETINGS
Sodium removal and decontamination (LMFBR), 2111 (IWGFR--23)
SURFACE COATING/EMISSIVITY
Emissivity of sodium wetted and oxidized Type 304 stainless steel, 852 (CONF-800401--5)
SWIMMING POOL REACTORS
See POOL TYPE REACTORS
SWITZERLAND/LMFBR TYPE REACTORS
Development of advanced fuels in Switzerland (LMFBR), 4823
SYNTHETIC FUELS/ECONOMICS
Systems descriptions and engineering costs for solar-related technologies. Volume I. Summary, 2306 (MTR--7485(Vol.1))
SYNTHETIC FUELS/EVALUATION
Dynamic model of the United States energy system: a tool for energy R and D planning, 5297
SYNTHETIC FUELS/RESEARCH PROGRAMS
Comparative analysis of three of ERDA's major R and D programs, 3377
Comparative analysis of three of ERDA's major R and D programs, 3378
SYSTEM FAILURE ANALYSIS
See also FAILURE MODE ANALYSIS
FAULT TREE ANALYSIS
COMCAN II: a computer program for common cause failure analysis (LMFBR), 2941 (TREE--1289)
Investigation of optimal redundancy for a specific system objective, 1888 (IDO--1570-T31)

T

TANTALUM BORIDES/CORROSION
Corrosion of refractory borides in fused sodium, 4416
TECHNETIUM 99/ENVIRONMENTAL EXPOSURE PATHWAY
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
TECHNETIUM 99/ENVIRONMENTAL TRANSPORT
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
TECHNETIUM 99/RADIOECOLOGICAL CONCENTRATION
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
TEST FACILITIES
Facility for nuclear aerosol experiments, 4215
Fast Breeder Blanket Facility. Quarterly progress report, April 1, 1978--June 30, 1978, 937 (COO--2826-9)
How local sodium boiling in rod bundles under really steady state boundary conditions is achieved on the CFNA loop, 349 (CEA-CONF--3994)
Recent developments in equipment for sodium test loops and fast reactors, 4537
Sodium test rigs for Britain's commercial reactor, 4342
Sodium-water reaction testing in the LLTR (LMFBR), 4651
TEST FACILITIES/DATA ACQUISITION SYSTEMS
Data management system for the Thermal-Hydraulic Out-of-Reactor Safety Facility computer-controlled data acquisition system configuration for bundle 3C operation (LMFBR), 2676 (ORNL/TM--6745)
TEST FACILITIES/DATA PROCESSING
Software development for the Mixing Components Test Facility (LMFBR components), 236 (ANL-CT--79-11)
TEST FACILITIES/DECONTAMINATION
Experience with cleaning of sodium-wetted components and decontamination at Nuclear Research Centre Karlsruhe, 2115 (IWGFR--23)
TEST FACILITIES/DESIGN
Development of an instrumented materials irradiation test for FFTF, 1649 (HEDL-SA--1881-FP)
TEST FACILITIES/FEASIBILITY STUDIES
Feasibility study for a postaccident heat removal facility (LMFBR), 2227 (LA--7133-MS)
TEST FACILITIES/FLOWMETERS
Progress in the construction of experimental sodium loop SMT-1, 1899 (INIS-mf--4280)
TEST FACILITIES/HEAT TRANSFER
Analysis of SBTF quadelliptical furnaces (LMFBR), 2596 (ORNL/MIT--285)
TEST FACILITIES/HYDRAULICS
Analysis of Flow Impedance Phenomena. Final report, June 1, 1978-July 31, 1979 (LMFBR), 955 (COO--4932.M001-2)
TEST FACILITIES/LEVEL INDICATORS
Progress in the construction of experimental sodium loop SMT-1, 1899 (INIS-mf--4280)
TEST FACILITIES/ON-LINE MEASUREMENT SYSTEMS
SLSF delayed neutron detection with the on-line sodium sampling system (LMFBR), 739 (CONF-781105--66)
TEST FACILITIES/PERFORMANCE
50 MW-trial circuit. Quarterly report, first quarter 1978, 5463 (TNO-LMEC--29)
Operation 50 MW circuit. Quarterly report, second quarter 1978, 5464 (TNO-LMEC--30)
TEST FACILITIES/PERFORMANCE TESTING
Characterization of an energy source for modeling hypothetical core disruptive accidents in nuclear reactors. First interim report (LMFBR), 266 (ANL/K72--2655-1)
TEST FACILITIES/REMOTE HANDLING EQUIPMENT
SLSF loop handling system. Volume I. Structural analysis (LMFBR), 261 (ANL/ENG--79-05)
SLSF loop hanlding system. Volume II. Cradle analysis for normal and accidental loading (LMFBR), 262 (ANL/ENG--79-06)
SLSF loop handling system. Volume IV. Analysis verifications and supporting appendices (LMFBR), 264 (ANL/ENG--79-08)
SLSF loop handling system. Volume III. AISC code evaluations and analysis of critical attachments (LMFBR), 263 (ANL/ENG--79-07)
TEST FACILITIES/SPECIFICATIONS
Activities in SBL-FPL loops for safety study of LMFBR(I), 2152 (JAPFNR--473)
Profiles of facilities used for FRB research and testing. Supplement 1 (France), 2085 (IWGFR--13-1)
Progress in the construction of experimental sodium loop SMT-1, 1899 (INIS-mf--4280)

THORS: a high-temperature sodium test facility rated at 2.0 MW (LMFBR), 614 (CONF-790816--24)
TUFCI, an experimental facility to study the molten-fuel--coolant interaction in a full-scale fuel element (LMFBR), 4604 (DOE-tr--179)
TEST FACILITIES/SURFACE CLEANING
Experience with cleaning of sodium-wetted components and decontamination at Nuclear Research Centre Karlsruhe, 2115 (IWGFR--23)
TEST FACILITIES/THICKNESS GAGES
Liquid metal bearings technology for large, high-temperature, sodium rotating machinery. Development and test of high-temperature proximity probe for use in liquid sodium. Fourth topical report, 2474 (NYO--3930-11)
TEST FAST BREEDER REACTOR KALPAKKAM
See KALPAKKAM LMFBR REACTOR
TEST REACTORS
See also STF REACTOR
TEST REACTORS/IRRADIATION DEVICES
Device of irradiation and measurement of fuel elements for nuclear reactors (Patent), 5388
THERMAL INSULATION/DESIGN
Heat insulating system for the horizontal closing surfaces for a liquid metal cooled nuclear reactor (Patent), 3803 (ANL-Trans--1120)
Heat-insulated device, for insulating the top part of the annular space between the main vessel and the safety vessel of a fast-neutron reactor (Patent; LMFBR), 4362
THERMAL SHIELDS
Heat shields, for pump or pipe installations (Patent; LMFBR), 4594
Thermal radiation transfer through LMFBR deck insulation, 3582
THERMAL SHIELDS/DESIGN
Device for thermal insulation of a vessel wall (Patent; LMFBR), 4322
Insulating and protecting systems for a circuit (Patent; LMFBR), 5360
Insulating structure (Patent; LMFBR), 5362
Like-proof insulating panel (Patent; LMFBR), 5370
Thermal insulation system for a vessel (Patent; LMFBR), 5363
THERMAL SHIELDS/FASTENERS
System for fixing insulating panels (Patent; LMFBR), 5369
THERMIONIC CONVERTERS/EVALUATION
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))
THERMOCOUPLES/PERFORMANCE
Behavior of chromel-alumel thermocouples during emergency shutdown of the BR-10 reactor, 4521
THERMODYNAMIC CYCLES/EVALUATION
Comparative study and evaluation of advanced-cycle systems. Final report, 1063 (EPRI-AF--664(Vol.1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1064 (EPRI-AF--664(Vol.2)(Pt. 1))
Comparative study and evaluation of advanced-cycle systems. Final report, 1065 (EPRI-AF--664(Vol.2)(Pt. 2))
THERMOMETERS/CALIBRATION
Application of ultrasonic thermometry in lmfbr safety research, 4910
THERMOMETERS/DESIGN
Application of ultrasonic thermometry in lmfbr safety research, 4910
THERMOMETERS/PERFORMANCE
Performance of an electromagnetic temperature sensor in liquid sodium (LMFBR), 4350
THERMONUCLEAR REACTOR MATERIALS/DOSIMETRY
Standardization of dosimetry and damage analysis work for U.S. LWR, FBR, and MFR development program, 1495 (HEDL-SA--1374)
THERMONUCLEAR REACTOR MATERIALS/NEUTRONIC DAMAGE FUNCTIONS
Damage analysis: damage function development and application, 1189 (EUR--5667(Pt.2))
THERMONUCLEAR REACTOR MATERIALS/PHYSICAL RADIATION EFFECTS
Fusion materials (Materials requirements), 4452
Standardization of dosimetry and damage analysis work for U.S. LWR, FBR, and MFR development program, 1495 (HEDL-SA--1374)
THERMONUCLEAR REACTORS
(For use in cases where certain aspects of either hypothetical or real thermonuclear reactors are discussed.)
See also D-T REACTORS
LASER FUSION REACTORS
TOKAMAK TYPE REACTORS
THERMONUCLEAR REACTORS/COST BENEFIT ANALYSIS
Economic regimes, 621 (CONF-771155--P2)
THERMONUCLEAR REACTORS/ECONOMICS
Planning for the future generation, 3108
THERMONUCLEAR REACTORS/FIRST WALL
Estimates of time-dependent fatigue behavior of Type 316 stainless steel subject to irradiation damage in fast breeder and fusion power reactor systems, 4243
THERMONUCLEAR REACTORS/FORECASTING
Fission and fusion reactors. Critical issues facing the long term deployment of fission and fusion breeder reactors, 3379
THERMONUCLEAR REACTORS/LIQUID-METAL MHD GENERATORS
Investigation of two-phase liquid-metal magnetohydrodynamic power systems, 5301
THERMONUCLEAR REACTORS/MHD GENERATORS
Application of magnetohydrodynamic generators in nuclear power engineering, 5024
THERMONUCLEAR REACTORS/NEUTRON TRANSPORT
Experience in developing and using the VITAMIN-C 171-neutron, 36-gamma-ray group cross-section library, 2613 (ORNL/RSIC--41)
VITAMIN E: a multipurpose ENDF/B-V coupled neutron-gamma cross section library, 835 (CONF-791058--34)
THERMONUCLEAR REACTORS/REACTOR MATERIALS
Materials for advanced nuclear energy systems, 622 (CONF-771203--)
THERMONUCLEAR REACTORS/RESEARCH PROGRAMS
Chemical Engineering Division research highlights, 1977, 134 (ANL--78-70)
Reactor Engineering Division annual report, April 1, 1977-March 31, 1978, 2142 (JAERI-M--7844)
THERMONUCLEAR REACTORS/STEAM GENERATORS
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 5040
THERMONUCLEAR REACTORS/THERMONUCLEAR REACTOR MATERIALS
Standardization of dosimetry and damage analysis work for U.S. LWR, FBR, and MFR development program, 1495 (HEDL-SA--1374)
THERMONUCLEAR WEAPONS
See NUCLEAR WEAPONS
THICKNESS GAGES/PERFORMANCE TESTING
Liquid metal bearings technology for large, high-temperature, sodium rotating machinery. Development and test of high-temperature proximity probe for use in liquid sodium. Fourth topical report, 2474 (NYO--3930-11)
THORIUM/BREEDING BLANKETS
Optimization study of LMFBR with thorium-blanket for the supply of U-233 to multi-purpose HTGR, 4134
THORIUM 232/NUCLEAR DATA COLLECTIONS
Sensitivity analyses of fast reactor systems including thorium and uranium, 3674
THORIUM 232 TARGET/NEUTRON REACTIONS
Sensitivity analyses of fast reactor systems including thorium and uranium, 681 (CONF-780622--43)
THORIUM CARBIDES/FABRICATION
Preliminary fabrication studies of alternative LMFBR carbide fuels, 2238 (LA--7901-MS)
THORIUM CYCLE
Feasibility of irradiating $^{233}U/^{232}Th$ metal fuel experiments in EBR-II (LMFBR), 4653
Performance of thorium-fueled fast breeders, 3292
Reactor physics parameters of alternate fueled fast breeder reactor core designs, 3291
Reactor physics parameters of alternate fueled FBR core designs, 1483 (HEDL-SA--1329)
Realities of utilizing thorium-based fuels in LWRs and LMFBRs, 4655
Thorium fuel cycles, 3346
Use of ^{232}Th--^{233}U fuel cycle in fast breeder reactors, 629 (CONF-771203--)
THORIUM CYCLE/BREEDING BLANKETS
Investigation of LMFBRs with Th blanket for supply of U-233 to HTGR, 2141 (JAERI-M--7763)
THORIUM CYCLE/BREEDING RATIO
Breeding performance potential for (U--Th) oxide, carbide, nitride, and metal-fueled LMFBRs, 3588
THORIUM CYCLE/COMPARATIVE EVALUATIONS
Performance characteristics of thorium cycle in CANDU reactors and LMFBRs, 4709
THORIUM CYCLE/ECONOMICS
Strategy for the practical utilization of thorium fuel cycles, 733 (CONF-781042--2)
THORIUM CYCLE/EFFICIENCY
Performance characteristics of thorium cycle in CANDU reactors and LMFBRs, 4709
THORIUM CYCLE/FEASIBILITY STUDIES
^{233}U--^{232}Th fuel cycle as an alternative to LMFBRs, 4708
THORIUM CYCLE/FUEL MANAGEMENT
Use of thorium in LMFBR blankets, 4710
THORIUM CYCLE/HEALTH HAZARDS
Hazards of waste arising from the use of thorium fuels in power reactor systems, 4146
THORIUM CYCLE/PERFORMANCE
Performance of various fuel cycles based on thorium in LMFBRs, 4711
Performance of thorium fueled fast breeders, 1482 (HEDL-SA--1327-S)
THORIUM CYCLE/PLANNING
Performance of thorium fueled fast breeders, 1481 (HEDL-SA--1327-FP)
Review of nuclear fuel cycle alternatives including certain features pertaining to weapon proliferation, 2845 (SAND--77-1727)
Strategy for the practical utilization of thorium fuel cycles, 733 (CONF-781042--2)
Thorium assessment study quarterly progress report, third quarter fiscal 1977, 2636 (ORNL/TM--6025)
THORIUM OXIDES/FABRICATION
Alternative oxide fuel pellet fabrication for

irradiation testing (LMFBR), 1578 (HEDL-SA--1604-FP)
Fabrication of ThO_2, UO_2, and PuO_2-UO_2 pellets, 1504 (HEDL-SA--1399-FP)
Fabrication of 0.5-inch diameter FBR mixed oxide fuel pellets, 1650 (HEDL-SA--1895-FP)
THORIUM OXIDES/MELTDOWN
Studies on molten fuel, 4142
THRESHOLD DETECTORS
See also FISSION FOIL DETECTORS
THRESHOLD DETECTORS/FABRICATION
Dosimeter sample preparation, quality assurance, and materials development for the ILRR, FRMDC, and FFTF dosimetry programs, 604 (CONF-771036--2)
THTR-300 REACTOR/REACTOR SAFETY
Comparison of safety characteristics of the advanced reactor lines fast breeder and HTR. Report to the committee for internal affairs of the German Bundestag. Materials, 2004 (INIS-mf--5107)
TITANIUM/METALLURGICAL EFFECTS
Joining technology development summary, 189a OH024, 751 (CONF-781219--4)
Nickel and nitrogen ion irradiation induced void swelling and defect microstructures in Ni--Al, Ni--Cr and Ni--Ti solid solutions (3.5 MeV $^{58}Ni^+$, 400 keV $^{14}N^+$ and 400 keV $^{14}N^{1+}$), 3374
TITANIUM/OXIDATION
Experimental evaluation of the oxidation behavior of Nb, V, and Ti as candidate FCCI inhibitors, 1278 (GEFR--00370)
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
TITANIUM/PHYSICAL RADIATION EFFECTS
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
TITANIUM ALLOYS/CREEP
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
TITANIUM ALLOYS/FABRICATION
Alloys for a liquid metal fast breeder reactor (Patent), 3091
Dispersion strengthened ferritic alloy for use in liquid-metal fast breeder reactors (LMFBRS) (Patent; 13 to 25% Cr, 0.2 to 2% Ti, <2% Mo, <2% Al, <2% Y_2O_3), 3792
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
TITANIUM ALLOYS/PHYSICAL RADIATION EFFECTS
Microstructural changes in ion-irradiated commercial alloys (475 to 725°C), 5277
Nickel and nitrogen ion irradiation induced void swelling and defect microstructures in Ni--Al, Ni--Cr and Ni--Ti solid solutions (3.5 MeV $^{58}Ni^+$, 400 keV $^{14}N^+$ and 400 keV $^{14}N^{1+}$), 3374
TITANIUM ALLOYS/RESISTANCE WELDING
Resistance welding of pressurized capsules for in-pile creep experiments, 3412
TITANIUM ALLOYS/TENSILE PROPERTIES
Gamma prime hardened nickel--iron based superalloy (Patent), 3362
TOKAMAK DEVICES/CASKS
Energy for the long run: fission or fusion (Comparison of fission and fusion reactors), 3317
TOKAMAK DEVICES/HAZARDS
Energy for the long run: fission or fusion (Comparison of fission and fusion reactors), 3317
TOKAMAK TYPE REACTORS/COMPARATIVE EVALUATIONS
Economic evaluation of tokamak power plants, 4181
TOKAMAK TYPE REACTORS/FEASIBILITY STUDIES
Economic evaluation of tokamak power plants, 4181
TOMATOES/BIOLOGICAL RADIATION EFFECTS
Experimental study of the consequences of accidental sodium release in the form of peroxide aerosols on the tomato and the lettuce, 4814
TOMATOES/CHEMICAL RADIATION EFFECTS
Experimental study of the consequences of accidental sodium release in the form of peroxide aerosols on the tomato and the lettuce, 4814
TOP ACCIDENTS
See TRANSIENT OVERPOWER ACCIDENTS
TOPPING CYCLES/THERMAL EFFICIENCY
Cesium vapor cycle for an advanced LMFBR, 5434
TOWER SHIELDING REACTOR-2
See TSR-2 REACTOR
TRANSDUCERS
Description of designs, fabrication and test data of piezoelectric pick-ups based on lithium niobates, 1210 (FEI--563)
High-temperature acoustic transducers of sound pressure based on lithium niobate piezoelements, 1208 (FEI--536)
Ultrasonic transducers (Patent), 3426
TRANSDUCERS/DESIGN
High-temperature shear-mode transducers for LMFBR ultrasonic flowmeters, 188 (ANL-CT--77-6)
TRANSDUCERS/FABRICATION
Acoustic transducer and its procedure of fabrication (Patent; LMFBR), 5447
TRANSDUCERS/SPECIFICATIONS
Use of gallium and its alloys as high-temperature couplants for acoustic transducers (LMFBR), 4681
TRANSFER (HEAT)
See HEAT TRANSFER
TRANSIENT OVERPOWER ACCIDENTS
Comparative study of heterogeneous and homogeneous liquid-metal fast breeder reactor cores in some accident conditions, 3066
Comparison of a fission-gas effects in a transient overpower test (HUT 5-7A) to FRAS3 code predictions (LMFBR), 1609 (HEDL-SA--1725-FP)
Whole-core accidents in an LMFBR, 2312 (ND-R--178(R))
TRANSIENT OVERPOWER ACCIDENTS/COMPUTER CALCULATIONS
Criteria for TOP or LOPI termination in a LMFBR, 1406 (GEFR-SP--133)
TRANSIENT OVERPOWER ACCIDENTS/FISSION PRODUCT RELEASE
Comparison of FISGAS swelling and gas release predictions with experiment (LMFBR), 2258 (LA--7938-C)
Fission gas behavior in mixed-oxide fuel during overpower and thermal transient tests (LMFBR), 1443 (HEDL-S/A--1552-FP)
Fission gas behavior in mixed-oxide fuel during transient overpower (LMFBR), 1620 (HEDL-SA--1747-FD)
TRANSIENT OVERPOWER ACCIDENTS/FLOW BLOCKAGE
Fuel pins and core response under liquid-metal fast breeder reactor transient overpower accident conditions, 3070
Thermal-hydraulic analysis of fuel blockages formed during transient overpower accidents in liquid-metal fast breeder reactors, 3065
TRANSIENT OVERPOWER ACCIDENTS/FUEL ELEMENT FAILURE
Analysis of TREAT transient overpower experiments using the PLUTO2 codes (LMFBR), 1019 (DOE/TIC--10101)
Analysis of internal fuel motion during PINEX-2 experiment (LMFBR), 2242 (LA--7938-C)
Analysis of TREAT transient overpower experiments using the PLUTO codes (LMFBR), 2251 (LA--7938-C)
Analysis of transient overpower accidents in the Fast Test Reactor using the Los Alamos Failure Model, 3071
Clad strain and melt-through failure mode analysis for fast-running application (LMFBR), 2245 (LA--7938-C)
Fission gas behavior in mixed-oxide fuel during transient overpower (LMFBR), 1620 (HEDL-SA--1747-FD)
FRESS pin failure model and its application to E-8 TREAT test, 1017 (DOE/TIC--10099)
FRESS pin failure model and its application to E-8 TREAT test (LMFBR), 2246 (LA--7938-C)
Fuel and coolant motions following pin failure: EPIC models and the PBE-5S experiment (LMFBR), 2250 (LA--7938-C)
Fuel crack volume predictions and measurements (LMFBR), 2240 (LA--7938-C)
Fuel pin modeling of the fresh oxide/sodium prompt burst energetics experiments (LMFBR), 2247 (LA--7938-C)
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
Fuel pins and core response under liquid-metal fast breeder reactor transient overpower accident conditions, 3070
Influence of thermal cracking on transient pre-failure molten fuel motion (LMFBR), 2241 (LA--7938-C)
Mild transient overpower accidents with advanced fuels (LMFBR), 3198
Pin failure modeling of the A series CABRI tests, 2870 (SAND--78-1919C)
PINEX-AR, a fuel dynamics code applied to PINEX-2 prediction and reactor analysis (LMFBR), 2244 (LA--7938-C)
PINEX II: French contribution to an international benchmark experiment (LMFBR), 2243 (LA--7938-C)
Sodium boiling with stainless steel clad melting and relocation out-of-pile experimental results and interpretation (LMFBR), 2248 (LA--7938-C)
Survival of peripheral pins during a TOP-HCDA (LMFBR), 1624 (HEDL-SA--1752-FP)
TRANSIENT OVERPOWER ACCIDENTS/FUEL-CLADDING INTERACTIONS
Analysis of TREAT transient overpower experiments using the PLUTO2 codes (LMFBR), 1019 (DOE/TIC--10101)
TRANSIENT OVERPOWER ACCIDENTS/FUEL-COOLANT INTERACTIONS
Fuel pins and core response under liquid-metal fast breeder reactor transient overpower accident conditions, 3070
MELT-IIIB: an updated version of the melt code (LMFBR), 1836 (HEDL-TME--78-108)
Prompt Burst Energetics in the oxide/sodium system (LMFBR), 2875 (SAND--79-0079C)
TRANSIENT OVERPOWER ACCIDENTS/HEAT TRANSFER
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
TRANSIENT OVERPOWER ACCIDENTS/HYDRAULICS
Fuel pins and core response under LMFBR top accident conditions, 1539 (HEDL-SA--1500-FP)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
TRANSIENT OVERPOWER ACCIDENTS/MATHEMATICAL MODELS
Fuel rod mechanics and failure analysis. Twenty-fourth quarterly report, May--July 1978 (LMFBR overpower transients), 1353 (GEFR--13923-24)
Mathematics clinic. Nuclear safety code study (LMFBR), 2806 (SAN--1359-T1)
TRANSIENT OVERPOWER ACCIDENTS/MELTDOWN
MELT-IIIB: an updated version of the melt code (LMFBR), 1836 (HEDL-TME--78-108)
TRANSIENT OVERPOWER ACCIDENTS/RISK ASSESSMENT
Analysis of proposed transient overpower experiments, 740 (CONF-781108--)
TRANSIENT OVERPOWER ACCIDENTS/TEMPERATURE GRADIENTS
Influence of TREAT nonprototypic effects on prediction

of pin failure in LMFBRs, 2284 (LA-UR--79-2141)
TRANSIENT OVERPOWER ACCIDENTS/THERMAL STRESSES
Influence of TREAT nonprototypic effects on prediction of pin failure in LMFBRs, 2284 (LA-UR--79-2141)
TRANSIENT REACTOR TEST FACILITY
See TREAT REACTOR
TRANSIENTS
A look at alternative core disruption accidents in LMFBR's. Part II. A general evaluation approach to risk-benefit for large technological systems and its application to nuclear power, 2693 (PB--280695)
Acoustic data analysis: TREAT test R12, 4008
Advanced fuels program. Quarterly progress report, October--December 1977, 175 (ANL-AFP--34)
Advanced fuels program. Quarterly progress report, January--March 1977, 176 (ANL-AFP--35)
Advanced Reactor Safety Research Program. Quarterly report, July--September 1977, 2847 (SAND--77-1975)
Advanced safety analysis. Eleventh quarterly report, March--May 1977, 1376 (GEFR--14038-11)
Advanced thermohydraulic simulation code for transients in LMFBRs (SSC-L code), 332 (BNL-NUREG--50773)
Analysis of LMFBR overpower accidents, including fission gas effects in the predisassembly and disassembly phase, 435 (CONF-761001--P3)
Analysis of postulated FFTF pipe ruptures, 443 (CONF-761001--P3)
Analysis of experimental fission gas behavior data in fast reactor fuel under steady state and transient conditions, 1204 (EURFNR--1464)
Analysis of core disruptive accidents in carbide-fueled LMFBRs, 4860
Analysis of reactor structural response to fuel sodium interaction in a hypothetical core disruptive accident, 2726 (PNC-N--251-76-12(Vol.2))
Analysis of hypothetical overpower accidents in the SNR-300 Mark 1A core with modeling of failure incoherence, 4394
Analysis of a hypothetical LMFBR accident using the codes FUTURE and FRUMP, 3987
Analysis of nonlinear fluid structure interaction transient in fast reactors, 146 (ANL--78-103)
Analysis of the FFTF primary pipe rupture transients, 316 (BNL-NUREG--25493)
Analysis of the effect of emergency operating regimes of a fast power reactor on the fuel performance, 3498
Analysis of mechanical HCDA consequences in the coolant loops for demonstration of primary containment integrity in SNR 300, 5048
Analysis of hydrodynamic effects of large sodium-water reactions, 5060
Analysis of EBR-II steam-generator system for pressure pulses due to leaks of steam or water into sodium, 5062
Analysis of severe hypothetical accidents, 4214
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins, 4844
Applicability of TREAT TOP experiments to post-failure dynamics, 3636
Applicability of TREAT TOP experiments to post-failure dynamics, 1534 (HEDL-SA--1489-FP)
Application of Larson--Miller parameter to LMFBR fuel failure dynamics, 4766
Application of LIFE transient codes to experiment and core design, 2998 (WARD-OX--3045-35)
Application of generalized perturbation theory to fast reactor safety sensitivity studies, 816 (CONF-790816--29)
Application of Alloy 718 in the upper internals structure of the Clinch River Breeder Reactor, 1024 (DOE/TIC--10240)
BEHAVE-SST interpretation of TREAT experiments HUT 5-5A and HUT 5-5B, 3985
CAMEL seven-pin fuel sweepout tests, 3998
Chemical and mechanical interaction in the oxide fuel rod, 2177 (KFK--2416)
Cladding damage analysis applied to carbide TREAT tests HC2 and HC3, 3166
Cladding failure by local plastic instability, 80 (ANL--77-95)
Cladding failure by local plastic instability, 1916 (INIS-mf--4470)
Combined motion of fuel and coolant under high-ramp transient overpower conditions, 4767
Comparative transient analysis of metal and oxide fueled LMFBR, 251 (ANL-CT--80-1)
Comparison of neutronics calculations in a loss-of-flow accident, 426 (CONF-761001--P2)
Comparison of carbide and oxide fuel-coolant interactions resulting from overpower transients, 181 (ANL-AFP--41)
Comparison of the behavior during a TUC of CRBR carbide reload designs to the reference oxide design, 3984
Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading, 1627 (HEDL-SA--1755-FP)
Comparison of transient PCRV model test results with analysis, 787 (CONF-790802--49)
Comparison of in-reactor and out-of-reactor fuel pin cladding strain under transient loading, 3165
Comparison of experiment and NEFIC model calculations of transient fission gas behavior (LMFBR), 16 (AERE-TP--793)
Compliation of data from EBR-II natural-circulation-test procedure EX-140, Section IV, Addendum 1A, 256 (ANL/EBR--101)
Computation studies of cladding relocation dynamics during liquid-metal fast breeder reactor transient undercooling accidents, 4273
Computer modelling of piping components for transient hydrodynamic-structural response, 3532
Computerized thermal input for steam generator stress analysis, 1956 (INIS-mf--4541)
Computerized thermal input for steam generator stress analysis, 5082
Considerations on incoherency of boiling and voiding in liquid-metal fast breeder reactor subassemblies during a loss-of-flow accident, 3075
CORA: transient analysis code for a cluster of reactor core assemblies, 3222
Core elements during ramp powers and incidents, 2179 (KFK--2416)
Core elements during power variations and disturbances, 3855 (EURFNR--1418)
Core engineering sixty-second quarterly report, February--April 1977, 1329 (GEFR--10028-62)
Core restraint concept of the SNR 300 - potential and results, 3916
Core subassembly cluster dynamic response to an accidental pressure rise, 3621
CORTRAN code for whole-core LMFBR transient thermal-hydraulic analysis, 3225
Coupled problems in transient fluid and structural dynamics in nuclear engineering. Pt.1. Safety problems solved by flow singularity methods, 3699
CRBRP outlet plenum behavior during steady state and transient conditions, 4627
Creep behaviour of SNR cladding tube material under the temperature transients relevant to cooling disturbances, 3891
Damping of the transverse impulsive motion of a Timoshenko beam resting on a thin fluid layer, 4389
Damping of the radial impulsive motion of LMFBR core components separated by fluid squeeze films, 1987 (INIS-mf--4638)
Developments in the LASL Fuel Pin Imaging System: PINEX-3A, 2283 (LA-UR--79-2037)
Directional integration method for two-dimensional fluid transients, 4485
Dissolution ratio of hydrogen generated by small-leak sodium-water reaction, 4409
Dynamic response of single hexagonal LMFBR core subassembly wrappers, 5105
Dynamic simulation of LMFBR plant under natural circulation, 325 (BNL-NUREG--25618)
Dynamic structural response of LMFBR head closures to hypothetical core disruptive accidents, 3541
Effect of failure incoherence in a LMFBR hypothetical overpower accident, 434 (CONF-761001--P3)
Effect of steam cycle on the transient behavior of LMFBRs, 3596
Effect of power skew on the FTR TOP accident, 3630
Effect of axial stress on the transient mechanical response of 20%, cold-worked Type 316 stainless-steel cladding, 3272
Effect of large sodium-water reactions on LMFBR steam generators: initial results from SWAAM-I, 5098
Effects of fuel-sodium interaction in TOP tests with electrically heated fuel pins, 491 (CONF-761001--P4)
Effects of recent modeling developments in prompt burst hypothetical core disruptive accident calculations, 3486
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 3942
Effects of multiple transients on fast reactor fuel pin cladding mechanical properties, 1577 (HEDL-SA--1598-FP)
Effects of grain boundary fission gas on transient fuel behavior, 3242
Empirical method to calculate Clinch River Breeder Reactor Plant (CRBRP) inlet plenum transient temperatures, 4853
Empirical method to calculate Clinch River Breeder Reactor Plant (CRBRP) inlet plenum transient temperatures, 5004
Eulerian method for large-displacement fluid-structure interaction in reactor containments, 4883
Evaluation of the effect of shutdown cracks in TREAT-tested fuel pins, 4765
Evaluation of effects of finite mixing time and non-condensable gas on fuel sodium interactions, 4515
Evaluation of computational techniques for LMFBR safety analysis, 3686
Ex-reactor transient fission gas release studies, fuel pin PNL-2-4, 1782 (HEDL-TME--77-83)
EXCURS: a computing programme for analysis of core transient behaviour in a sodium cooled fast reactor, 2139 (JAERI-M--7280)
Experience with transient testing and simulation at EBR-II, 3659
Experimental study on conversion of stored thermal energy to mechanical work in fuel-coolant interaction, 2720 (PNC-N--251-76-12(Vol.1))
Experimental and analytical study of transients in LMFBR outlet plenums, 3667
Experimental study of scram transients in generalized liquid-metal fast breeder reactor outlet plenums, 3117
Experiments on the response of hexagonal subassembly

ducts to internal pressure pulses, 5089
Experiments on fuel-coolant interaction under transient conditions, 4220
Failure of a high-power pin in a simulated $3/s TOP accident: Test E6 final report, 135 (ANL--78-73)
Failure pattern within an FTR subassembly under a TOP accident, 4770
Fast reactor safety technical progress report, January--March 1977, 1774 (HEDL-TME--77-66)
Fast reactor programme. First quarter 1977 progress report, 1049 (ECN--22)
Fast reactor program. Combined second and third quarters 1977 progress report, 1050 (ECN--34)
Fast reactor safety. Quarterly technical progress report, July--September 1977, 1776 (HEDL-TME--77-68)
Fast reactor programme. First quarter 1978 progress report, 1052 (ECN--48)
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
FBR core transient simulation, 3219
Feedback control systems for non-linear simulation of operational transients in LMFBRs, 317 (BNL-NUREG--25497)
Final report of fuel dynamics Test E7, 54 (ANL--77-25)
Finite-element method for above-core structures, 162 (ANL--79-104)
Fission gas behavior in mixed-oxide fuel during overpower and thermal transient tests, 1443 (HEDL-S/A--1552-FP)
Flash x-radiography for material motion detection, 2843 (SAND--77-1648C)
Flow and mixing conditions in the upper plenum of the SNR 300, 3900
FSAR Q_1 responses supplement 12. Part 1, 1683 (HEDL-TI--75001-12-1)
FSAR supplement 12, part 2, responses to NRC Q_1-set 7; amendment 13, 1684 (HEDL-TI--75001-12.2)
FTMOC-2D: a computer program for two-dimensional fluid-transient analysis by the method of characteristics, 219 (ANL-CT--78-26)
Fuel and fission gas response to simulated thermal transients: experimental results and correlation with fission gas release and swelling model, 3485
Fuel-clad stress--strain state at the beginning of a transient, 459 (CONF-761001--P3)
Fuel motion in TREAT transient-over-power test E6, 4729
Fuel rod mechanics and failure analysis. Nineteenth quarterly report, February--April 1977, 1348 (GEFR--13923-19)
Fuel rod mechanics and failure analysis. Twentieth quarterly report, May--July 1977, 1349 (GEFR--13923-20)
Fuel rod mechanics and failure analysis. Twenty-first quarterly report, August--October 1977, 1350 (GEFR--13923-21)
Fuel rod mechanics and failure analysis twenty-second quarterly report, November 1977--January 1978, 1351 (GEFR--13923-22)
Fuel rod mechanics and failure analysis. Twenty-third quarterly report, February 1978--April 1978, 1352 (GEFR--13923-23)
Fuel rod mechanics and failure analysis. Twenty-fourth quarterly report, May--July 1978, 1353 (GEFR--13923-24)
Further development of the LMFBR accident analysis codes HOPE and KADIS: automatic data transfer, new equation of state, 2191 (KFK--2546)
Generalized parametric model for transient gas release and swelling in oxide fuels, 4327
Generic transient limit curves for LMFBR core design guidance, 3961
Heat transfer in reactor safety, 4174
High-temperature design, 2497 (ORNL--5255)
Hydrodynamics of emergency cooling of a sodium-cooled fast reactor, 1901 (INIS-mf--4280)
Improved method for conducting failed fuel experiments in LWRs, 3975
Incipient boiling of sodium in an annular channel heated by a single-pin with blockage, 5161
Inelastic response of metallic impact limiters, 1926 (INIS-mf--4492)
Initial pressure spike and its propagation phenomena in sodium-water reaction tests for MONJU steam generators, 5092
Interaction of molten UO_2 with stainless-steel cladding under TOP accident conditions, 3631
Interim report for the PINEX-2 transient test, 1852 (HEDL-TME--79-39)
Intermediate heat exchanger development for the Clinch River Breeder Reactor Plant, 4855
Investigations of temperature fluctuations in liquid sodium in order to determine characteristic flow parameters and thermocouple transfer functions, 2000 (INIS-mf--4911)
KINTIC-2 user's manual, 2190 (KFK--2508)
Large electro-magnetic pump for high temperature LMFBR applications, 4262
Liquid-metal fast breeder reactor structural materials design considerations, 754 (CONF-790236--)
LMFBR design transients and regulatory requirements, 3657
LMFBR fuel analysis. Task A: Oxide fuel dynamics. Final report, October 1, 1976--September 30, 1977, 2376 (NUREG/CR--0011)
LMFBR safety and sodium boiling, 731 (CONF-781022--41)
Los Alamos Failure Model (LAFM): a code for the prediction of LMFBR fuel pin failure, 2228 (LA--7161-MS)
Low-amplitude steady states in a sodium heated steam generator, 4228
Low heat flux sodium voiding using the drift flux formulation, 3347
Low sodium void cores, 3068
Measurements of subassembly and core temperature distributions in an LMFBR, 5007
Measurement of heat flux distribution of a prototype heater rod with sinusoidal axial power profile, 2218 (KFK-EXT--8/78-4)
Mechanical properties of fast reactor fuel cladding for transient analysis, 5274
Mechanical response of LMFBR and P1 cladding tubes under transient heating, 3813
Mechanical behavior of fast reactor fuel pin cladding subjected to simulated overpower transients, 1802 (HEDL-TME--78-13)
Mechanical properties of transient-tested irradiated fast reactor cladding, 3972
Mechanical properties of transient-tested irradiated fast-reactor cladding, 1569 (HEDL-SA--1574)
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 5101
Mechanical response of FFTF reference and P1 cladding tubes under transient heating, 1924 (INIS-mf--4470)
Mechanistic model of fuel flow regimes and fuel plateout in LMFBR overpower accidents, 4001
Model to describe the role of non-equilibrium intragranular fission gas bubbles during transient heating, 3415
Modeling breeder reactor transient fission gas behavior: bubble equilibration effects, 3602
Modeling of the effects of grain-boundary fission gas on transient fuel behavior, 3603
Modeling of LMFBR fuel cladding mechanical behavior under transient conditions, 1911 (INIS-mf--4470)
Modeling of LMFBR fuel cladding mechanical behavior under transient conditions, 5068
Modelling the transient behaviour of fission gas, 15 (AERE-TP--782)
Modified version of COBRA for whole-core LMFBR transient analysis, 3221
Multiphase transients with coolant and core materials in LMFBR core disruptive accident energetics evaluations, 2391 (NUREG/CR--0224)
Multiphase transients with coolant and core materials in LMFBR core disruptive accident energetics evaluations. Technical report, 2695 (PB--283231)
National core restraint program code verification/comparison study, problem level I-D, 1236 (GEFR--00101)
National core restraint development program code verification/comparison study, problem level I-B, 1243 (GEFR--00239)
Natural circulation heat transfer in pool-type LMFBR's, 4974
Nodal method for solving transient fewgroup neutron diffusion equations, 127 (ANL--78-51)
Numerical results obtained from the three dimensional transient single phase version of the COMMIX computer code, 200 (ANL-CT--78-3)
Numerical method for a transient two-fluid model, 356 (CEA-CONF--4339)
Optimum nuclear pin bundle for prototypic thermal-hydraulic environment in large-scale testing, 3127
Oxide fuel element development. Quarterly progress report for period ending December 31, 1975, 2990 (WARD-OX--3045-23)
Plateout and thermal loading considerations of fuel ejected during transient-over-power accidents in LMFBRs, 4748
PLENUM-2A: a program for transient analysis of LMFBR outlet plenums, 239 (ANL-CT--79-17)
Plenum-2A, a program for transient analysis of liquid-metal fast breeder reactor outlet plenums, 3050
PLUTO2: a computer code for the analysis of overpower accidents in LMFBRs, 4768
Post-failure phenomena in LMFBR top accidents. Final report, October 1, 1976--September 30, 1977, 2381 (NUREG/CR--0018)
Post-scram LMFBR heat transport system dynamics, 3337
Post-test analysis of transient overpower TREAT test R9 for BOL FFTF-type fuel, 4751
Potential of large heterogeneous reactors, 4141
Potential for plugged core pressurization following a hypothetical accident in an LMFBR, 3128
Prediction of high strain-rate deformation of LMFBR cladding during reactor transients, 460 (CONF-761001--P3)
Pressure pulse propagation in piping analytical/experimental comparison, 2331 (NEDM--14161)
Pressure transient analysis in piping systems including the effects of plastic deformation and cavitation, 218 (ANL-CT--78-24)
Pressure transient analysis in single and two-phase water by finite difference methods, 5028
Pressure transient analysis in single and two-phase water by finite difference methods, 1986 (INIS-mf--4638)
Probabilistic assessment in structural analysis of main coolant systems for LMFBR under anticipated thermal

transients, 1991 (INIS-mf--4690)
Probabilistic assessment in structural analysis of main coolant systems for LMEBR under anticipated thermal transients, 5127
Prototype Large Breeder Reactor. Phase II. Extension studies. Part III. Heat transport systems, 1251 (GEFR--00260(Pt.3))
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity, 554 (CONF-770807--55)
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity, 1988 (INIS-mf--4638)
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor development program progress report, July 1978, 281 (ANL-RDP--73)
Reactor Development Program progress report, August 1978, 282 (ANL-RDP--74)
Reactor development program. Progress report, October 1978, 284 (ANL-RDP--76)
Reactor development program progress report, November 1978, 285 (ANL-RDP--77)
Reactor Development Program. Progress report, 283 (ANL-RDP--75)
Reactor Development Program. Progress report, December 1978, 286 (ANL-RDP--78)
Reactor development program. Progress report, 287 (ANL-RDP--79)
Reactor Development Program progress report, February 1979, 288 (ANL-RDP--80)
Reactor development program progress report, March 1979, 289 (ANL-RDP--81)
Reactor development program. Progress report, 290 (ANL-RDP--82)
Reactor development program. Progress report, 291 (ANL-RDP--83)
Reactor development program. Progress report, July 1979, 293 (ANL-RDP--85)
Reactor development program. Progress report, 292 (ANL-RDP--84)
Recent researches on thermal-hydrodynamic transient phenomena experienced in LMFBRs, 3443
RELAP4/SNR: a program to simulate steam generator transients of FBRs, 3192
Response of oxide fuel to simulated thermal transients, 3373
Response of water-filled pipes to pressure pulses, 5035
Response of FFTF core to protected reactivity addition transients, 1618 (HEDL-SA--1743-FP)
Results of fuel freezing tests with simulated CRBR-type fuel pins, 4000
Results of the in-pile experimental programm SCARABEE, 4217
Review of containment transients in a 2500 MW/sub t/ sodium cooled breeder reactor following postulated core disruptive accidents, 107 (ANL--78-10)
Role of fission gas and fuel melting on transient fuel response, 3604
Safety aspects of fast reactor fuels, 1469 (HEDL-SA--1288)
Safety engineering sixteenth quarterly report, May--July 1976, 1225 (GEAP--13923-16)
Safety problems related to microheterogeneities in physically mixed oxide fuels, 380 (CONF-761001--3)
SIMBO: a simple boiling model of the response of a simulated sodium-cooled breeder reactor subassembly to an undercooling transient, 2653 (ORNL/TM--6343)
Simple computational model for the prediction of fuel pin failure in the transient overpower accident, 3629
Simple forced diversion model for study of thermal-hydraulic transients in LMFBR subassembly, 3849
Simple fuel pin transient and melting model and its application to thermal-hydraulics in lmfbr subassembly, 4050
Simple multichannel thermal-hydraulic model for study of the transient behavior of coolant in LMFBR subassembly, 3663
Simplified thermal transient and inelastic analysis screening methods per appendix T, Code Case 1592 for 2 1/4 Cr-1 Mo steel, 4481
Simulation of transients in liquid-metal fast breeder reactor systems, 4337
Single-phase pump model for analysis of LMFBR heat transport systems, 2392 (NUREG/CR--0240)
Sodium boiling in fast reactors: a state-of-the art review, 4979
Sodium boiling incoherence in a 19-pin wire-wrapped bundle, 819 (CONF-790816--32)
Some aspects of modeling power plant thermal hydraulic transients, 4298
Some comments on thermomechanical constitutive equations for inelastic analysis of LMFBR components, 1969 (INIS-mf--4543)
Spatially continuous approach to the description of incoherencies in fast reactor accident analysis, 5273
Status and summary of TREAT in-pile experiments on LMFBR response to hypothetical core disruptive accidents, 4978
Strain rate effects in transient overpower cladding failure analyses, 3986
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 1915 (INIS-mf--4470)
Stress-strain properties of fast reactor fuel cladding under constant pressure transient heating conditions, 5077
Structural response of large LMFBR head closures to hypothetical core disruptive accidents, 5054
Structural dynamics studies for single and clustered SNR-300 fuel elements: a comparison of analytical and experimental results, 5056
Structural dynamics studies for single and clustered SNR-300 fuel elements: a comparison of analytical and experimental results, 1980 (INIS-mf--4592)
Studies of waterside corrosion and heat transfer on lmfbr evaporator tubes, 4167
Studies on aerosol behavior under accident conditions, 4218
Study of fuel freezing and channel plugging during hypothetical overpower transients, 480 (CONF-761001--P4)
Study of sodium boiling during a power transient in a heating duct. Investigation carried out within the scope of a study on the safety of fast neutron reactors, 1220 (FRNC-TH--765)
Study of the transient correction factor used in TREAT reactor in-pile experiments, 121 (ANL--78-31)
Study of transient and permanent flow in the event of natural convection in a confined environment, 1221 (FRNC-TH--783)
Summary and evaluation of transient test data on extended fuel motion resulting from unprotected loss of flow, 56 (ANL--77-40)
Summary and evaluation of fuel dynamics transient-overpower experiments: status 1974, 58 (ANL--77-44)
Summary of the CORTAC verification activity and the evaluation of 3-D effects, 1256 (GEFR--00293)
System hydraulic effects on fuel sweepout in the hypothetical TOP accident, 3999
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors, 999 (CURL--53)
System modeling for transient analysis of loop-type liquid-metal-cooled fast breeder reactors, 4039
Theoretical and experimental investigation of the nonlinear structural dynamics of Fast Breeder Reactor fuel elements, 2195 (KFK--2584)
Thermal analysis of liquid--metal fast breeder reactors, 3917
Thermal analysis of an in-reactor LMFBR irradiation creep experiment, 3231
Thermal buoyancy phenomena in a horizontal pipe during a flow coast-down thermal-hydraulic transient (scoping studies), 192 (ANL-CT--77-31)
Thermal elasto-plastic analysis in reactor vessel nozzles, 1944 (INIS-mf--4506)
Thermal elasto-plastic analysis in reactor vessel nozzles, 5111
Thermal hydraulic response of an LMFBR plant to upset events, 4975
Thermal-hydraulic modeling for the analysis of LMFBR core restraint transient responses, 3223
Thermocyclic strength estimation for structural materials and components of nuclear power plants with sodium-cooled reactors, 4590
Transient analysis of the primary system of a liquid metal-cooled fast breeder reactor plant, 5256
Transient boiling of sodium in a 19-pin bundle under loss-of-flow conditions, 4513 (JAPFNR--262)
Transient tube burst tests on fast reactor fuel cladding, 1048 (ECN--21)
Transient deformation of LMFBR cores due to local failure: experimental and theoretical investigation, 4390
Transient-overpower test E8 on FFTF-type low-power-irradiated fuel, 78 (ANL--77-93)
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 568 (CONF-770807--Pt.E)
Transient boiling of sodium in a single-pin geometry under loss-of-flow conditions, 3829
Transient non-boiling heat transfer in a fuel rod bundle during accidental power excursions, 1940 (INIS-mf--4498)
Transient response of fast-reactor core subassemblies to pressure loads: a combined analytical and experimental approach, 5047
Transient flow and heat transfer of liquid sodium coolant in the outlet plenum of a fast nuclear reactor, 3392
Transient radiative heat transfer between two emitting-absorbing media, 4173
Transient code for analyzing LMFBR subassemblies including intersubassembly heat transfer (TCLUST1), 3224
Transient thermal-hydraulic analysis in the forced-convection regime (TRANSENERGY), 3226
TREAT: 20 years of transient testing, 3125
TREAT transient overpower experiment R12, 3635
Validation of the computer code ARES for calculating the tank load under overpower conditions, 4145
Whole-core thermal-hydraulic transient code development and verification for LMFBR analysis, 3220

TRANSIENTS/FUEL CANS
Simplified method of computing cladding and fuel strain

during a slow overpower transient (LMFBR), 4769
TRANSIENTS/FUEL ELEMENT FAILURE
Behavior of unirradiated sodium-bonded carbide during mild overpower transients, 3632
Measurement of cladding strain during simulated transient tests, 1613 (HEDL-SA--1731-FP)
TRANSIENTS/FUEL ELEMENTS
Simplified method of computing cladding and fuel strain during a slow overpower transient (LMFBR), 4769
TRANSIENTS/FUEL-CLADDING INTERACTIONS
Simplified method of computing cladding and fuel strain during a slow overpower transient (LMFBR), 4769
TRANSIENTS/HEAT TRANSFER
Confirmatory simulation of safety and operational transients in LMFBR systems, 311 (BNL-NUREG--24988)
Numerical simulation of thermohydraulic transients in LMFBR systems, 3658
PLOOP code for the primery loop coolant flow and heat transfer analysis of certain pool-type LMFBRs, 4776
Simulation of operational and safety transients in LMFBR systems (SSC Code), 305 (BNL-NUREG--23113)
Users' manual for the SSC-L code (LMFBR), 2408 (NUREG/CR--0452(Vol.1))
TRANSIENTS/HYDRAULICS
Confirmatory simulation of safety and operational transients in LMFBR systems, 311 (BNL-NUREG--24988)
LONAC: a computer program to investigate systems dynamics under conditions of low forced flow and natural convection, 2645 (ORNL/TM--6228)
Numerical simulation of thermohydraulic transients in LMFBR systems, 3658
Outlet plenum mixing for transient overpower conditions of a one-exit nozzle LMFBR, 221 (ANL-CT--78-30)
PLOOP code for the primary loop coolant flow and heat transfer analysis of certain pool-type LMFBRs, 4776
Simulation of operational and safety transients in LMFBR systems (SSC Code), 305 (BNL-NUREG--23113)
Study of transient sodium boiling in LMFBR fuel bundles, 1289 (GEFR--00395)
Users' manual for the SSC-L code (LMFBR), 2408 (NUREG/CR--0452(Vol.1))
Whole-core thermal-hydraulic transient code development and verification for LMFBR analysis, 773 (CONF-790602--36)
TRANSIENTS/HYDRODYNAMICS
Damping of the radial impulsive motion of LMFBR core components separated by fluid squeeze films, 5030
TRANSIENTS/MATHEMATICAL MODELS
Application of multiple timestep integration method in SSC, 320 (BNL-NUREG--25519)
EPRI--CURL dynamic analysis of loop type LMFBRs. Final report, 1105 (EPRI-NP--1001)
TRANSIENTS/NATURAL CONVECTION
Whole-core thermal-hydraulic transient code development and verification for LMFBR analysis, 773 (CONF-790602--36)
TRANSIENTS/PRESSURE GRADIENTS
ALICE: a hybrid Lagrangian-Eulerian code for calculating fluid-structure interaction transients in fast-reactor containment (LMFBR), 157 (ANL--79-72)
TRANSIENTS/REACTOR KINETICS
CURL: a transient simulation code for LMFBRs, 4775
TRANSIENTS/TEMPERATURE GRADIENTS
Regional-tailering of EBR-II for slow transient tests (LMFBR), 3186
TEMP: a computer code to calculate fuel pin temperatures during a transient (LMFBR), 1735 (HEDL-TME--75-85)
TRANSPLUTONIUM ELEMENTS
See also AMERICIUM
CURIUM
TRANSPLUTONIUM ELEMENTS/BURNUP
Performance considerations of nuclear reactor actinide recycle as a waste management alternative, 3926
TRANSPORT
(Limited to the movement of goods and persons.)
TRANSPORT/COST
Optimized spent fuel storage and shipping systems (LMFBR), 1288 (GEFR--00394)
TRANSPORT/OPTIMIZATION
Optimized spent fuel storage and shipping systems (LMFBR), 1288 (GEFR--00394)
TRANSURANIUM ELEMENTS
See also NEPTUNIUM
PLUTONIUM
TRANSPLUTONIUM ELEMENTS
TRANSURANIUM ELEMENTS/ENVIRONMENTAL EXPOSURE PATHWAY
Radiological significance of transuranium radioisotopes released to the environment during operation of the LMFBR fuel cycle, 5261
TRANSURANIUM ELEMENTS/RADIATION HAZARDS
Radiological significance of transuranium radioisotopes released to the environment during operation of the LMFBR fuel cycle, 5265
TRANSURANIUM ELEMENTS/RADIONUCLIDE MIGRATION
Progress in liquid-metal fast breeder reactor safety research and development - an overview of the issues, 4180
TRANSURANIUM ELEMENTS/TRANSMUTATION
Elimination of transuranium elements by burnup in a power fast breeder reactor, 3770
TRAPS
See also COLD TRAPS
TRAPS/DESIGN
Progress in radionuclide trap development (LMFBR), 1783 (HEDL-TME--77-85)
TRAPS/PERFORMANCE TESTING
Radionuclide trap for liquid metal cooled reactors, 1558 (HEDL-SA--1540-FP)
TRAPS/SPECIFICATIONS
Radionuclide trap for liquid-metal-cooled reactors, 3938
TREAT REACTOR/FUEL PINS
Analysis of the transient correction factor in TREAT reactor experiments, 4738
TREAT REACTOR/IN PILE LOOPS
Coupled hydrodynamic-structural analysis of an integral flowing sodium test loop in the TREAT reactor, 794 (CONF-790802--61)
Development of a Mk-II loop to simulate reactor hydraulic conditions, 149 (ANL--79-7)
TREAT REACTOR/MODIFICATIONS
TREAT: 20 years of transient testing, 3125
TREAT REACTOR/POWER COEFFICIENT
Study of the transient correction factor used in TREAT reactor in-pile experiments, 121 (ANL--78-31)
TREAT REACTOR/REACTOR OPERATION
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
Reactor development program. Progress report, July 1979, 293 (ANL-RDP--85)
TREAT REACTOR/REACTOR SAFETY EXPERIMENTS
Experimentally based limits on SAREF test-fuel-motion reactivity feedback, 3645
Status and summary of TREAT in-pile experiments on LMFBR response to hypothetical core disruptive accidents, 4978
Study of the transient correction factor used in TREAT reactor in-pile experiments, 121 (ANL--78-31)
TREAT REACTOR/REMOTE VIEWING EQUIPMENT
Developments in the LASL Fuel Pin Imaging System: PINEX-3A, 2283 (LA-UR--79-2037)
TREAT REACTOR/TEST FACILITIES
Application of a nonredundant pinhole array to a test fuel element at TREAT, 4011
Developments in the LASL Fuel Pin Imaging System: PINEX-3A, 2283 (LA-UR--79-2037)
TRIBALOY 400/SELF-WELDING
Self-welding evaluation of Tribaloy 400, 700, and 800 in flowing sodium, 2983 (WARD-NA--3045-52)
TRIBALOY 700/MECHANICAL PROPERTIES
Friction, wear, corrosion, and self-welding of Tribaloy 700 hardsurfacing in sodium, 1811 (HEDL-TME--78-36)
TRIBALOY 700/PHYSICAL PROPERTIES
Friction, wear, corrosion, and self-welding of Tribaloy 700 hardsurfacing in sodium, 1811 (HEDL-TME--78-36)
TRIBALOY 700/SELF-WELDING
Self-welding evaluation of Tribaloy 400, 700, and 800 in flowing sodium, 2983 (WARD-NA--3045-52)
TRIBALOY 800/SELF-WELDING
Self-welding evaluation of Tribaloy 400, 700, and 800 in flowing sodium, 2983 (WARD-NA--3045-52)
TRIBOLOGY/RESEARCH PROGRAMS
National friction, wear, and self-welding program status and plans (LMFBR), 1812 (HEDL-TME--78-38)
TRIGA-1-HANFORD REACTOR/REACTOR EXPERIMENTAL FACILITIES
Neutron radiography facility at the Hanford Engineering Development Laboratory, 1544 (HEDL-SA--1514)
TRITIUM/DIFFUSION
Diffusion and trapping of tritium in grain boundaries of 304L stainless steel, 3741
Tritium permeation through oxidized 304 and 316 stainless steel, 1480 (HEDL-SA--1326)
Tritium permeation through Fe-2 1/4 Cr-1 Mo steam generator material, 3273
TRITIUM/ENVIRONMENTAL EXPOSURE PATHWAY
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
TRITIUM/ENVIRONMENTAL TRANSPORT
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
TRITIUM/MEASURING INSTRUMENTS
Development and testing of a tritium meter for sodium

systems, 4702
TRITIUM/RADIOACTIVITY TRANSPORT
Computer model for tritium transport in and release from the CRBRP and other LMFBRs, 4666
Measurement of tritium and tritiated water vapour in nuclear power installations. I. Tritium formation and transport in nuclear power installations, 3507
TRITIUM/RADIOECOLOGICAL CONCENTRATION
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
TRITIUM/REMOVAL
Control of tritium in liquid-metal-cooled fast breeder reactors (LMFBRs), 3393
Study on the tritium removal from the sodium in LMFBR, 684 (CONF-780819--P1)
TRITIUM METERS/DESIGN
Tritium meters for use in LMFBR sodium coolant, 120 (ANL--78-30)
TRITIUM RECOVERY
Sodium engineering and technology. Quarterly progress report, January, February, March 1977, 1757 (HEDL-TME--77-36)
TSR-2 REACTOR/REACTOR EXPERIMENTAL FACILITIES
Shielding experimental methods, 743 (CONF-781117--4)
TUBES
(For objects of tubular shape; not for DRIFT TUBES, ELECTRON TUBES or IMAGE STORAGE TUBES.)
See also PRESSURE TUBES
TUBES/ACOUSTIC EMISSION TESTING
Acoustic leak detection-location. Quarterly technial progress report, January--March 1979 (LMFBR), 1157 (ESG-DOE--13275)
TUBES/CRACKS
Fracture of longitudinally cracked ductile tubes, 5033
Fracture of longitudinally cracked ductile tubes, 1953 (INIS-mf--4541)
TUBES/CRITICAL HEAT FLUX
Critical heat flux data with stress calculations in an LMFBR steam generator tube, 220 (ANL-CT--78-27)
TUBES/EXPLOSION WELDING
Explosive plugging of nuclear heat exchangers, 1992 (INIS-mf--4760)
TUBES/FABRICATION
Pipes in steel or special materials for nuclear boilers, 3505
TUBES/FAILURES
Dynamic loadings of sodium-water reactions in LMFBR and fusion power designs, 5040
TUBES/INTERACTIONS
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 1958 (INIS-mf--4541)
TUBES/LEAK DETECTORS
Acoustic leak detection-location. Quarterly technial progress report, January--March 1979 (LMFBR), 1157 (ESG-DOE--13275)
TUBES/LEAKS
Pressure transient analysis in single and two-phase water by finite difference methods, 1986 (INIS-mf--4638)
TUBES/MECHANICAL VIBRATIONS
Vibration tests on single heat exchanger tubes in air and static water, 2313 (ND-R--199(R))
Vibro-impact responses of a tube with tube--baffle interaction (LMFBR), 207 (ANL-CT--78-11)
TUBES/MOLTEN METAL-WATER REACTIONS
Simulation study of the secondary rupture of SG tubing for LMFBR, 5096
TUBES/RUPTURES
Simulation study of the secondary rupture of SG tubing for LMFBR, 1982 (INIS-mf--4592)
Simulation study of the secondary rupture of SG tubing for LMFBR, 5096
TUBES/STRESS ANALYSIS
Temperature and stress responses of clean evaporator tubes under oscillatory water rivulet action in DNB region, 1954 (INIS-mf--4541)
Temperature and stress responses of clean evaporator tubes under oscillatory water rivulet action in DNB region, 5074
TUBES/SUPPORTS
Effect of tube-support interaction on the dynamic response of heat exchanger tubes, 1958 (INIS-mf--4541)
TUBES/TRANSIENTS
Pressure transient analysis in single and two-phase water by finite difference methods, 1986 (INIS-mf--4638)
TUBES/ULTRASONIC TESTING
Ultrasonic inspection methods for small-bore applications (LMFBR steam generators), 3689
TUBES/WELDED JOINTS
High quality tube-to-tubesheet joints - when, where and why, 2783 (SAN--0824-027-T1)
TUBES/WELDING
Development of a new tube-to-tubesheet welding type for FBR's heat exchangers, 4408
TUBES (CONDUITS)
See PIPES
TUNGSTEN/STRESS ANALYSIS
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 5070
TUNGSTEN/THERMAL ANALYSIS
Thermal and stress analyses of meltdown cups for LMFBR safety experiments using SLSF in-reactor loops, 5070
TUNGSTEN ALLOYS/MICROSTRUCTURE
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
TUNGSTEN ALLOYS/PHYSICAL PROPERTIES
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
TUNGSTEN ALLOYS/PHYSICAL RADIATION EFFECTS
Breeder Reactor Materials Development Program quarterly progress report for period ending June 30, 1977, 2556 (ORNL--5359)
TUNGSTEN CARBIDES/SLIDING FRICTION
Experiments with sliding suspension in liquid sodium, 4414
TURBULENT FLOW
Experimental determination of cladding temperature fields in the critical regions of rod bundles with turbulent sodium flow and comparison with calculations, 4168
TURBULENT FLOW/THREE-DIMENSIONAL CALCULATIONS
Direct numerical simulation of turbulent velocity, pressure, and temperature fields in channel flows (LMFBR; TURBIT-2 code), 3451 (DOE-tr--61)
TWO-PHASE FLOW/MATHEMATICAL MODELS
Heat removal characteristics of volume-heated boiling pools with inclined boundaries in bubbly flow regime, 327 (BNL-NUREG--26083)
TWO-PHASE FLOW/VOID FRACTION
Heat removal characteristics of volume-heated boiling pools with inclined boundaries in bubbly flow regime, 327 (BNL-NUREG--26083)

U

ULTRASONIC TESTING
Baseline inspection of three transition joint life test articles (LMFBR), 1307 (GEFR--00414)
Current practices for ultrasonic and radiographic examination of tubes, tube plates and tube-plate welds of tube bundles in heat exchangers. Chapter 3, 3342
Development of ultrasonic examination methods for austenitic stainless steel weld inspection, 1486 (HEDL-SA--1348)
Measurement of the penetration of molten core materials into concrete using an acoustic technique, 114 (ANL--78-10)
Recent advances in feature extraction techniques being developed for ultrasonic examination of austenitic stainless steel welds, 1548 (HEDL-SA--1521)
Ultrasonic scanner for stainless steel weld inspections (LMFBR), 137 (ANL--78-84)
ULTRASONIC TESTING/CONTROL SYSTEMS
Equipment for inspection of austenitic stainless steel pipe welds, 1656 (HEDL-SA--1932)
ULTRASONIC TESTING/DATA ACQUISITION SYSTEMS
Equipment for inspection of austenitic stainless steel pipe welds, 1656 (HEDL-SA--1932)
ULTRASONIC TESTING/MEETINGS
Review of the proceedings of the 8th world NDT conference, Annes, September 1976, 996 (CSNI-R--14)
ULTRASONIC TESTING/NOISE
Method of assessing the impact of metallurgical noise and its reduction in ultrasonic testing of austenitic welds, 1413 (GEFR-SP--164)
ULTRASONIC WAVES/USES
Application of ultrasonic thermometry in lmfbr safety research, 4910
ULTRASONICS
See ULTRASONIC WAVES
UNITED KINGDOM/ENERGY POLICY
UK strategy and programmes for advanced LMFBR fuels, 4819
UNITED KINGDOM/FBR TYPE REACTORS
Energy gap and the fast reactor, 4924
UNITED KINGDOM/FUEL REPROCESSING PLANTS
Fast reactor fuel reprocessing in the United Kingdom, 1870 (IAEA-AG--63-4)
UNITED KINGDOM/LMFBR TYPE REACTORS
Birth of the breeder, 4905
Future plans for the design and construction of fast reactor power stations, 4081
Future plans for the design and construction of fast reactor power stations in the United Kingdom, 4086
International fast breeder reactor development, 81 (ANL--77-XX-62)
Nuclear crisis. A question of breeding (Book), 4878
Past and present role of fast breeder reactors in the United Kingdom, 4055
Past and present role of fast breeder reactors, 4057
Review of the UK fast reactor programme. March 1977, 2090 (IWGFR--18)
Review of the UK fas reactor program: March 1978, 2352 (NOR--3686)
UK fast reactor components: sodium removal decontamination and requalification, 2121 (IWGFR--23)
UK fast reactor components. Sodium removal decontamination and requalification, 2003 (INIS-mf--

5083)
UK irradiation experience relevant to advanced oxide fuel concepts for LMFBR's, 4825
UK strategy and programmes for advanced LMFBR fuels, 4819
UNITED KINGDOM/NUCLEAR POWER
Energy policy and the role of nuclear power, 4623
UNITED STATES OF AMERICA
See USA
UNLOADING (REACTOR)
See REACTOR FUELING
URANIUM/AEROSOLS
Spectrophotometric analyses of LMFBR fuel-sodium aerosols (PuO_2, U), 2748 (PNL--2850(Pt.1))
URANIUM/RECOVERY
Plutonium recovery goes on-stream, 3087
URANIUM/SUPPLY AND DEMAND
United States uranium position, 4885
URANIUM/TITRATION
Semi-automated uranium analysis by a modified Davies--Gray procedure, 1463 (HEDL-SA--1221)
URANIUM 232/ENVIRONMENTAL EXPOSURE PATHWAY
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
URANIUM 232/ENVIRONMENTAL TRANSPORT
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
URANIUM 232/RADIOECOLOGICAL CONCENTRATION
Environmentally important radionuclides in nonproliferative fuel cycles (^{3}H, ^{14}C, ^{99}Tc, and ^{232}U), 864 (CONF-7810133--5)
URANIUM 233/NUCLEAR DATA COLLECTIONS
Sensitivity analyses of fast reactor systems including thorium and uranium, 3674
URANIUM 233 TARGET/NEUTRON REACTIONS
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
Sensitivity analyses of fast reactor systems including thorium and uranium, 681 (CONF-780622--43)
URANIUM 235 TARGET/NEUTRON REACTIONS
EBR-II derived fission yields from vanadium encapsulated fission monitors, 1756 (HEDL-TME--77-34(Vol.2))
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
Fission-rate measurements by activation techniques: methods, accuracies and applications (Development program), 1185 (EUR--5667(Pt.1))
URANIUM 238 TARGET/NEUTRON REACTIONS
EBR-II derived fission yields from vanadium encapsulated fission monitors, 1756 (HEDL-TME--77-34(Vol.2))
Evaluated delayed neutron spectra and their importance in reactor calculations, 4562
Fission-rate measurements by activation techniques: methods, accuracies and applications (Development program), 1185 (EUR--5667(Pt.1))
URANIUM CARBIDES/CARBURIZATION
Compatibility of stainless-steel cladding materials with uranium carbide fuel, 3436
URANIUM CARBIDES/CHEMICAL RADIATION EFFECTS
Chemical state of irradiated carbide fuel pins (LMFBR), 4868
URANIUM CARBIDES/COMPARATIVE EVALUATIONS
Physical aspects of choosing fuel for a research fast reactor, 1218 (FEI--850)
URANIUM CARBIDES/CREEP
Creep behavior of mixed-carbide advanced nuclear fuel (LMFBR), 4867
URANIUM CARBIDES/FABRICATION
Preliminary fabrication studies of alternative LMFBR carbide fuels, 2238 (LA--7901-MS)
URANIUM CARBIDES/FISSION PRODUCT RELEASE
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049
URANIUM CARBIDES/FUEL-CLADDING INTERACTIONS
Compatibility of stainless-steel cladding materials with uranium carbide fuel, 3436
URANIUM CARBIDES/MECHANICAL PROPERTIES
Fuel properties of advanced fuels (U,Pu)CN important for out-of-pile and in-pile kinetics (LMFBR), 4866
URANIUM CARBIDES/MICROSTRUCTURE
Initial stage restructuring in sphere-pac mixed-carbide fuel, 2755 (PNL-SA--7503)
URANIUM CARBIDES/PHASE STUDIES
Equilibrium thermodynamics of uranium--plutonium carbide LMFBR fuel, 3568
URANIUM CARBIDES/PHYSICAL RADIATION EFFECTS
Advanced fast reactor fuels program. Second annual progress report, July 1, 1975--September 30, 1976, 2234 (LA--7570-PR)
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins (LMFBR), 4844
Chemical state of irradiated carbide fuel pins (LMFBR), 4868
CNEN program on advanced LMFBR fuels, 4824
Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels (LMFBR), 4841
Design, irradiation, and post-irradiation examination of Na-bonded (U,Pu)C fuel rods of the test group Mol 15, 3867 (EURFNR--1421)
French irradiation test experience for carbide fuels (LMFBR), 4834
German carbide irradiation test experience for fast reactors (LMFBR), 4833
Irradiation behavior of sphere-pac carbide fuel (LMFBR), 4835
Irradiation experiments of uranium carbide, carbonitride, and nitride fuels in JAERI (LMFBR), 4836
Irradiation performance analysis of UK fast reactor fuel (LMFBR), 4842
Irradiation behaviour of carbide fuel elements in the BOR-60 breeder reactor, 4549
Irradiation performance of helium-bonded uranium--plutonium carbide fuel elements (LMFBR), 2274 (LA-UR--78-2932)
Progress in modeling carbide and nitride fuel performance in advanced LMFBRs, 4843
Status of carbide fuel element development, 3856 (EURFNR--1418)
UK irradiation experience relevant to advanced carbide fuel concepts for LMFBR's, 4832
US advanced LMFBR fuels development program, 4818
URANIUM CARBIDES/SWELLING
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049
URANIUM CARBIDES/THERMAL CONDUCTIVITY
Theoretical prediction of the thermal conductivity of uranium carbide vapor, 4431
Thermal conductivities of mixed carbide fuel and blanket materials, 2289 (LA-UR--80-1283)
URANIUM CARBIDES/THERMAL DIFFUSIVITY
Thermal conductivities of mixed carbide fuel and blanket materials, 2289 (LA-UR--80-1283)
URANIUM CARBIDES/THERMODYNAMIC PROPERTIES
Some observations on oxygen and carbon potentials in U--Pu--O and U--Pu--C systems (LMFBR), 4864
Thermophysical properties of liquid uranium carbide (LMFBR), 4865
URANIUM COMPOUNDS/PHYSICAL RADIATION EFFECTS
Investigation of irradiated uranium--plutonium carbonitride fuel by microprobe analysis, 3490
URANIUM COMPOUNDS/THERMODYNAMIC PROPERTIES
Fast reactor programme. Combined second and third quarters 1978 progress report, 1055 (ECN--59)
URANIUM DIOXIDE/AUTORADIOGRAPHY
Procedures used in the UK for the ceramographic examination of $(UPu)O_2$ oxide fuels for the Dounreay Prototype Fast Reactor, 3257
URANIUM DIOXIDE/CERAMOGRAPHY
Procedures used in the UK for the ceramographic examination of $(UPu)O_2$ oxide fuels for the Dounreay Prototype Fast Reactor, 4 (AED-Conf--78-114)
URANIUM DIOXIDE/CHEMICAL RADIATION EFFECTS
US--UK technical exchange breeder reactor fuels: fuel pin chemistry, 1434 (HEDL--6297)
URANIUM DIOXIDE/DIFFUSION
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, April 1--June 30, 1977. Task 7 (LMFBR; time-dependent aerosol suspension behavior), 299 (BMI-NUREG--1983)
Aerosol measurements and modeling for fast reactor safety: task 7. Annual report for FY 1977 (LMFBR; time dependent aerosol suspension behavior), 300 (BMI-NUREG--1987)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, October 1--December 31, 1977 (LMFBR; time-dependent aerosol suspension behavior), 2383 (NUREG/CR--0084)
Aerosol measurements and modeling for fast reactor safety. Quarterly progress report, January--March 1978 (LMFBR; time-dependent aerosol suspension behavior), 2405 (NUREG/CR--0425)
URANIUM DIOXIDE/DISSOLUTION
Dissolution of FFTF vendor fuel, 1655 (HEDL-SA--1931)
Thermal opening of irradiated uranium oxide fuel elements of BR-5 reactor with fuel separation by solution, 4547
URANIUM DIOXIDE/ELASTICITY
Elastic and plastic properties of uranium dioxide from 5 to 330 GPa, 2948 (UCRL--82614(Rev.1))
URANIUM DIOXIDE/EQUATIONS OF STATE
Analysis of Sandia in-pile EOS experiments, 2879 (SAND--79-0107C)
Uranium dioxide equation of state for LMFBR excursion analysis, 2224 (LA--4319)
URANIUM DIOXIDE/EVAPORATION
Close-in sampling of aerosols from fission vaporized UO_2 fuel (LMFBR), 2856 (SAND--78-0257C)
Fuel aerosol simulant test data record report: argon tests (LMFBR), 2464 (NUREG/CR--1123)
Kinetics of fission-vaporized UO_2 fuel determined from sampled fuel debris, 2890 (SAND--79-1708C)
Method for vaporizing mixed oxide fast reactor fuels for animal inhalation studies, 4545
Primary aerosol particle-size distributions from homogeneous nucleation condensation and particle growth, 3326
Rate effects in the dynamic vaporization of uranium dioxide, 2820 (SAND--77-1032C)
Rate effects in the dynamic vaporization of uranium dioxide (LMFBR), 4798
Theoretical considerations of rate effects in uranium dioxide (LMFBR), 4799
URANIUM DIOXIDE/FABRICATION
Alternative oxide fuel pellet fabrication for

irradiation testing (LMFBR), 1578 (HEDL-SA--1604-FP)
Babbcock and Wilcox plutonium fuel fabrication experience, 4999
Fabrication of ThO_2, UO_2, and PuO_2-UO_2 pellets, 1504 (HEDL-SA--1399-FP)
Fabrication of 0.5-inch diameter FBR mixed oxide fuel pellets, 1650 (HEDL-SA--1695-FP)
Hydrogen retention of (U,Pu)O/sub 2-y/, 2666 (ORNL/TM--6568)
LMFBR mixed oxide fuels fabrication development semiannual, January--June 1977, 1788 (HEDL-TME--77-95)
LMFBR plutonium fuel development and fabrication, 1550 (HEDL-SA--1523-FP)
Microstructural aspects of nuclear fuel, 5018
URANIUM DIOXIDE/FRAGMENTATION
Calculation of the fragmentation of UO_2 by capacitor discharge: nonequilibrium model, 4297
URANIUM DIOXIDE/HEAT TRANSFER
Effect of internal thermal radiation on the contact interface temperature, 4812
URANIUM DIOXIDE/MECHANICAL PROPERTIES
Analysis of crack patterns in fast reactor fuel pellets, 14 (AERE-TP--719)
Safety aspects of fast reactor fuels, 1469 (HEDL-SA--1288)
URANIUM DIOXIDE/MELTDOWN
Studies on molten fuel, 4142
URANIUM DIOXIDE/MICROSTRUCTURE
Analysis of the structure and the thermal behavior of the UO_2--PuO_2 fuel in the irradiation experiment FR2 capsule test series 5a (LMFBR), 3515 (DOE-tr--175)
Microstructure characterizaton of advanced oxide fuel (PuO_2--UO_2), 1454 (HEDL-SA--1171-FP)
Microstructural aspects of nuclear fuel, 5018
Procedures used in the UK for the ceramographic examination of $(UPu)O_2$ oxide fuels for the Dounreay Prototype Fast Reactor, 4 (AED-Conf--78-114)
URANIUM DIOXIDE/PHYSICAL PROPERTIES
Effect of uncertainties in thermophysical properties of UO_2 and sodium on MFCI's, 2897 (SRD-R--159)
URANIUM DIOXIDE/PHYSICAL RADIATION EFFECTS
Analysis of the structure and the thermal behavior of the UO_2--PuO_2 fuel in the irradiation experiment FR2 capsule test series 5a (LMFBR), 3515 (DOE-tr--175)
Analytical comparison of the irradiation behavior of fast reactor carbide and oxide fuel pins (LMFBR), 4844
Cesium migration in LMFBR fuel pins, 1559 (HEDL-SA--1543-FP)
Chemical and mechanical interaction in the oxide fuel rod (LMFBR), 3857 (EURFNR--1418)
CNEN program on advanced LMFBR fuels, 4824
Ex-reactor transient fission gas release studies, fuel pin PNL-2-4 (LMFBR), 1782 (HEDL-TME--77-83)
Experience and future plan of fast reactor oxide fuels irradiation in Japan, 4826
Fabrication and irradiation performance of $Pu_{0.25}U_{0.75}O_{1.91}$ low O/M fuel, 1562 (HEDL-SA--1553)
Fission gas bubble distribution in a mixed oxide fast reactor fuel pin, 368 (CEGB-RD/B/N--4194)
FR2-Loop experimental series 5, irradiation, post-irradiation examination, and analysis of the FCMI, 4325 (DOE-tr--70)
Fuel and fission gas response to simulated thermal transients: experimental results and correlation with fission gas release and swelling model, 3485
HEDL mixed oxide fuels fabrication development. Quarterly progress report, January--March 1977, 1787 (HEDL-TME--77-94)
Integral heat rate-to-incipient melting in UO_2--PuO_2 fast reactor fuel, 1750 (HEDL-TME--77-23)
Irradiation performance analysis of UK fast reactor fuel (LMFBR), 4842
Irradiation and post-irradiation examination data from selected F9E fuel pins, 1303 (GEFR--00407)
LIFE code system for analysis of oxide fuel pin thermal/structural behavior (LMFBR), 4845
Mechanical behavior of a fuel pin for fast reactors: effect of the fuel form and of the approach-to-power on the change of the fuel stack length under irradiation, 4827
Microstructural results from F20 power-to-melt experiment (LMFBR), 1277 (GEFR--00367)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1976 (LMFBR), 2991 (WARD-QX--3045-24)
Oxide fuel element development quarterly progress report for period ending June 30, 1976, 2992 (WARD-QX--3045-26)
Oxide fuel element development. Quarterly progress report for period ending September 30, 1976 (LMFBR), 2993 (WARD-QX--3045-27)
Oxide fuel element development. Quarterly progress report for period ending December 31, 1976 (LMFBR), 2994 (WARD-QX--3045-29)
Oxide fuel element development. Quarterly progress report for period ending March 31, 1977 (LMFBR), 2995 (WARD-QX--3045-31)
Properties and irradiation behavior of advanced oxide particle fuel (LMFBR, BWR, PWR), 4830
Reference fuel studies. Annual report, February 1976--January 1977 (LMFBR; stainless steel clad PuO_2-UO_2 fuel pins), 1235 (GEFR--00076)
Reference fuel studies semi-annual report, February--July 1977 (LMFBR; stainless steel clad PuO_2--UO_2 fuel rods), 1247 (GEFR--00258)
Results of irradiation tests of fast reactor oxide fuel and fuel elements, 2008 (INIS-mf--5308)
Thermochemical data and its use in modeling chemical behavior in mixed-oxide fuel pins, 1566 (HEDL-SA--1562-FP)
UK irradiation experience relevant to advanced oxide fuel concepts for LMFBR's, 4825
US advanced LMFBR fuels development program, 4818
US experience in irradiation testing of advanced oxide fuels (LMFBR), 4828
US--UK technical exchange breeder reactor fuels. Fuel pin chemistry (supporting information), 1490 (HEDL-SA--1363S)
Utilization of the experimental reactor Osiris for the study and the development of fuels of the fast neutron reactor type, 354 (CEA-CONF--4192)
URANIUM DIOXIDE/PLASTICITY
Elastic and plastic properties of uranium dioxide from 5 to 330 GPa, 2948 (UCRL--82614(Rev.1))
URANIUM DIOXIDE/RADIOACTIVE AEROSOLS
Characterization of agglomerates of UO_2 aerosol particles (LMFBR), 2416 (NUREG/CR--0489)
URANIUM DIOXIDE/SOLIDIFICATION
Quantitative comparison of solidification analysis for single-component and mixed-oxide fuels, 3489
URANIUM DIOXIDE/SOLUBILITY
Experimental determination of plutonia and urania solubility in liquid metal, 1422 (GEFR-SP--202)
URANIUM DIOXIDE/STOICHIOMETRY
Oxygen distribution in fast reactor oxide fuels, 2009 (INKA-Conf--79-003-006)
Oxygen-to-metal ratio control during fabrication of mixed oxide fast breeder reactor fuel pellets, 3207
URANIUM DIOXIDE/SWELLING
Swelling in mixed-oxide fuel pins (LMFBR), 3368
URANIUM DIOXIDE/THERMAL CONDUCTIVITY
Prediction of the thermal conductivity of UO_2 vapor, 4622
URANIUM DIOXIDE/THERMODYNAMIC PROPERTIES
Some observations on oxygen and carbon potentials in U--Pu--O and U--Pu--C systems (LMFBR), 4864
Thermodynamic state, specific heat, and enthalpy function of saturated UO_2 vapor between 3000 K and 5000 K, 1203 (EURFNR--1460)
URANIUM DIOXIDE/VAPOR PRESSURE
Effective equation-of-state measurements on uranium dioxide, 2825 (SAND--77-1094C)
Effective equation-of-state measurements on uranium dioxide (LMFBR), 4800
Measurement and analysis of transient vaporization in oxide fuel materials, 2872 (SAND--78-2140C)
URANIUM NITRIDES/FISSION PRODUCT RELEASE
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049
URANIUM NITRIDES/MECHANICAL PROPERTIES
Fuel properties of advanced fuels (U,Pu)CN important for out-of-pile and in-pile kinetics (LMFBR), 4866
URANIUM NITRIDES/PHYSICAL RADIATION EFFECTS
Advanced fast reactor fuels program. Second annual progress report, July 1, 1975--September 30, 1976, 2234 (LA--7570-PR)
Correlation between properties and irradiation behavior for carbide, carbonitride and nitride fuels (LMFBR), 4841
Irradiation experiments of uranium carbide, carbonitride, and nitride fuels in JAERI (LMFBR), 4836
Mixed-nitride fuel performance in EBR-II (LMFBR), 4831
Progress in modeling carbide and nitride fuel performance in advanced LMFBRs, 4843
US advanced LMFBR fuels development program, 4818
URANIUM NITRIDES/SWELLING
Fission gas release and microscopic swelling in highly rated advanced fuels, 3049
URANIUM NITRIDES/THERMAL CONDUCTIVITY
Theoretical prediction of the thermal conductivity of uranium nitride vapor, 4432
URANIUM ORES/ORE PROCESSING
Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs, 2625 (ORNL/TM--5865/V5)
URANIUM OXIDES
See also URANIUM DIOXIDE
Dynamic shape factors for LMFBR mixed-oxide fuel aggregates, 3310
URANIUM OXIDES/CORROSION
Proposed mechanism for internal cladding corrosion in LMFBR mixed oxide fuel pins, 3389
URANIUM OXIDES/FABRICATION
Manufacture of the second core of Rapsodie - Type 2 A - Fortissimo version, 360 (CEA-R--4881)
URANIUM OXIDES/QUANTITATIVE CHEMICAL ANALYSIS
Nuclear oxide fuel analysis, 3350
URANIUM OXIDES/THERMAL CONDUCTIVITY
Experimental and theoretical evaluation of defect growth of fuel pin cladding by chemical fuel-sodium interaction, 5099
US DOE
See also HANFORD RESERVATION
IDAHO CHEMICAL PROCESSING PLANT
US DOE/ENERGY POLICY
Nuclear strategy of the Department of Energy, 1000 (DOE/ER--0025-D)

US DOE/REACTOR LICENSING
DOE to speed reactor licensing, 4384
US DOE/RESEARCH PROGRAMS
Comparative analysis of three of ERDA's major R and D programs, 3378
US ERDA/ENERGY POLICY
Analysis of ERDA's national energy plan, 4871
US ERDA/LMFBR TYPE REACTORS
Comparative analysis of three of ERDA's major R and D programs, 3377
US ERDA/RESEARCH PROGRAMS
Comparative analysis of three of ERDA's major R and D programs, 3378
US ERDA/SPACE HEATERS
Comparative analysis of three of ERDA's major R and D programs, 3377
US ERDA/SYNTHETIC FUELS
Comparative analysis of three of ERDA's major R and D programs, 3377
US NRC/REACTOR SAFETY
Review and evaluation of the Nuclear Regulatory Commission safety research program for fiscal year 1981: report to the Congress of the United States of America, 2366 (NUREG--0657)
USA
See also MICHIGAN
NEW MEXICO
USA/BWR TYPE REACTORS
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)
USA/ENERGY POLICY
Breeder reactors--what are the prospects., 3351
Why the breeder reactor is inevitable, 4378
USA/ENERGY SUPPLIES
Dynamic model of the United States energy system: a tool for energy R and D planning, 5297
USA/LMFBR TYPE REACTORS
Breeder--now or never, 3461
Breeder reactor program in the USA. Past, present and future, 4162
Future of the breeder in the U.S., 860 (CONF-7706130--)
Future plans for the design and construction of fast reactor power stations, 4081
International fast breeder reactor development, 81 (ANL--77-XX-62)
LMFBRs: where do we go from here, 861 (CONF-7706130--)
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)
Past and present role of fast breeder reactors, 4057
Risk aversion and energy policy: a case for breeder research and development, 5441
Status of the U.S.A. liquid metal fast breeder programme, April 1976, 2084 (IWGFR--12)
Status summary report advanced reactor safety research. Buff book 2, 2359 (NUREG--0330(Vol.3)(No.1))
Summary of sodium removal and decontamination programs in the USA, 2125 (IWGFR--23)
US experience in irradiation testing of advanced oxide fuels (LMFBR), 4828
USA/PWR TYPE REACTORS
Nuclear reactor options to reduce the risk of proliferation and to succeed current light water reactor technology. Comptroller General's report to the Congress, 1061 (EMD--79-15)
USA/URANIUM RESERVES
United States uranium position, 4885
USSR/FBR TYPE REACTORS
Review of the development of fast breeder reactors in the USSR, 3045 (PNL-TR--400)
USSR/LMFBR TYPE REACTORS
Future plans for the design and construction of fast reactor power stations, 4081
Future plans for the design and construction of fast reactor power stations in the USSR, 4087
International fast breeder reactor development, 81 (ANL--77-XX-62)
Past and present role of fast breeder reactors in the USSR, 4054
Past and present role of fast breeder reactors, 4057
Perspectives of the nuclear power development in the USSR and the strategy of fuel reprocessing, 1875 (IAEA-AG--63-12)
Safety of sodium-cooled fast reactors, 3739 (IAEA-CN--36/342)
State of work on fast reactors in the USSR up to March 1979, 3348 (RISLEY-Trans--4087)
Status of the USSR fast reactor programme as of March 1977, 2088 (IWGFR--18)
Status of the research and development program on fast reactors in the USSR, 4313
USSR fast reactor development program and its current state, 3740 (IAEA-CN--36/356)
USSR/NUCLEAR POWER
Nuclear power in the Soviet Union, 3721
On the development of nuclear power, 5023
USSR/NUCLEAR POWER PLANTS
Development of nuclear power engineering in the USSR, 4306
Economic aspects of the development of nuclear power and fuel cycle industry in the USSR, 4315
Nuclear power plants of the Soviet Union, 4307
UTILITIES
See ELECTRIC UTILITIES
PUBLIC UTILITIES

V

VALVES
See also RELIEF VALVES
Design, R and D, and manufacture of the components of secondary circuits for fast sodium power plant, 4077
Rapid-action valve especially for liquid metal (Patent), 5185
VALVES/CAVITATION
Cavitation problems in sodium valves (LMFBR), 2036 (IWGFR--9)
VALVES/DESIGN
Liquid-metal valves (LMFBR), 4643
Safety valve system for a nuclear vessel cover gas (Patent; LMFBR), 5396
Valves for fast sodium reactors, 5383
VALVES/PERFORMANCE
Liquid-metal valves (LMFBR), 4643
VALVES/PERFORMANCE TESTING
AI/LMEC experience with freeze seal and bellows seal valves (LMFBR), 2900 (TI--00-LME-014)
SPTF Flow Loop 18 inch butterfly valve cavitation test report, SPTF-LPP (LMFBR), 2911 (TID--28094)
Summary of LMEC sodium valve operating history (LMFBR), 2901 (TI--00-LME-023)
VALVES/RELIABILITY
Analysis of sodium valve reliability data at CREDO (LMFBR), 810 (CONF-790816--19)
Initial data collection efforts of CREDO. Sodium valve failures, 2309 (NCSR-R--20)
VALVES/STRESS ANALYSIS
Techniques for the thermal/hydraulic analysis of LMFBR check valves, 846 (CONF-791205--3)
VANADIUM/OXIDATION
Experimental evaluation of the oxidation behavior of Nb, V, and Ti as candidate FCCI inhibitors, 1278 (GEFR--00370)
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
VANADIUM/PHYSICAL RADIATION EFFECTS
In-reactor behavior of materials used to control fuel-cladding chemical interaction, 1467 (HEDL-SA--1268)
Radiation-damage considerations (Neutrons), 5008
VANADIUM BASE ALLOYS/CORROSION PROTECTION
Effect of ion-plated molybdenum on corrosion of V/Mo alloys in liquid sodium, 3742
VANADIUM BASE ALLOYS/PHYSICAL RADIATION EFFECTS
Low-cycle fatigue of three irradiated and unirradiated Vanstar alloys, 4231
VAPOR CONDENSERS
Vapor generator system equipment for fast breeder reactor (Patent), 5384
VAPORS/THERMAL CONDUCTIVITY
Theoretical prediction of the thermal conductivity of uranium carbide vapor, 4431
VEGETATION
See PLANTS
VESSELS (PRESSURE)
See PRESSURE VESSELS
VHTR REACTOR/RESEARCH PROGRAMS
Reactor Engineering Division annual report, April 1, 1977-March 31, 1978, 2142 (JAERI-M--7844)
VOID COEFFICIENT
Analysis of simulated HCDA experiments in ZPPR, 403 (CONF-761001--P2)
Analysis of advanced fuels critical experiments, 1287 (GEFR--00393)
Analysis of sodium-void experiments in ZPPR-3 modified Phase 3 core, 2201 (KFK--2668)
Analysis of sodium void coefficient in heterogeneous core fast power reactors, 4104
Assessment of the effect of reactor size on hypothetical core disruptive accidents, 4105
Bubble collapse reactivity increases in boiling fuel/steel pools, 4789
Comparisons of sodium void and Doppler reactivities in large oxide and carbide LMFBRs, 125 (ANL--78-41)
Critical experiments and analysis twenty-second quarterly report, January--March 1977, 1337 (GEFR--13771-22)
Critical experiments and analysis twenty-fourth quarterly report, July--September 1977, 1339 (GEFR--13771-24)
Critical experiments and analysis, 1340 (GEFR--13771-25)
Critical experiments and analysis twenty-sixth quarterly report, January--March 1978, 1341 (GEFR--13771-26)
Critical experiments and analysis. Twenty-seventh quarterly report, April--June 1978, 1342 (GEFR--13771-27)
Critical experiments and analysis. Twenty-eighth quarterly report, July--September 1978, 1343 (GEFR--13771-28)
Critical experiments and analysis. Thirtieth quarterly report, January--March 1979, 1345 (GEFR--13771-30)
Dependence of diffusion theory results on the mesh size

for fast reactor calculations, 2212 (KFK--2827)
Design configurations for controlling sodium void worth in large FBR cores, 4694
Design considerations for large heterogeneous liquid-metal fast breeder reactors, 4270
Design configurations for controlling sodium void worth in large FBR cores, 1479 (HEDL-SA--1325)
Effect on performance of core height reduction in 1200-MW(e) LMFBRs, 4695
Effects of thorium breeder material on sodium-void reactivity, 3934
Evaluation of desirable accuracy for nuclear data in fast reactors by optimization method, 4610
Evaluation of stochastic void models for bubble worth calculations, 780 (CONF-790602--65)
Experimental study of LMFBR heterogeneous core at FCA, 2143 (JAERI-M--8117)
Extrapolation of ZPR sodium void measurements to the power reactor, 398 (CONF-761001--P2)
LMFBR fuel analysis. Task A: oxide fuel dynamics. Final report, October 1977--September 1978, 2427 (NUREG/CR--0721)
Low sodium void coefficient LMFBR cores, 400 (CONF-761001--P2)
Low sodium void cores, 730 (CONF-781022--32)
Low sodium void cores, 3068
Mock-up critical experiments for prototype fast breeder reactor 'Monju', 5153
Neutronic coupling of feedback effects, 428 (CONF-761001--P2)
Neutronics calculations with EQUICYCLE version 3 on two heterogeneous LMFBR concepts, 2899 (STUDSVIK-K2--79/90)
Nuclear characteristics of large LMFBR's: homogeneous and heterogeneous designs, 663 (CONF-780401--)
Nuclear design and economic comparison of a conventional and bullseye liquid-metal fast breeder reactor core, 3135
Nuclear performance of liquid--metal fast breeder reactors designed to preclude energetic hypothetical core disruptive accidents, 3139
Optimization study of LMFBR having small sodium void coefficient from fuel cycle performance viewpoint, 4127
Performance of 1000-MW(e) mixed fuel cycle LMFBRs, 4705
Performance characteristics of homogeneous versus heterogeneous liquid--metal fast breeder reactors, 3137
Physics aspects in the design of heterogeneous cores, 669 (CONF-780401--13)
Physics calculations for the Clinch River Breeder Reactor, 55 (ANL--77-27)
Physics of reactor safety. Quarterly report, April--June 1977, 65 (ANL--77-69)
Physics of reactor safety. Quarterly report, January--March 1977, 60 (ANL--77-48)
Physics of reactor safety. Quarterly report, July--September 1977, 77 (ANL--77-92)
Physics of reactor safety. Quarterly report, October--December 1977, 117 (ANL--78-23)
Physics of reactor safety. Quarterly report, January--March 1978, 2388 (NUREG/CR--0148)
Physics of reactor safety. Quarterly report, April--June 1978, 2413 (NUREG/CR--0477)
Physics of reactor safety. Quarterly report, July--September 1978, 2422 (NUREG/CR--0653)
Physics of reactor safety. Quarterly report, October--December 1978, 2432 (NUREG/CR--0759)
Physics of reactor safety. Quarterly report, January--March 1979, 2448 (NUREG/CR--0864)
Physics of reactor safety. Quarterly report, April-June 1979, 2462 (NUREG/CR--1096)
Physics studies of a heterogeneous liquid--metal fast breeder reactor, 3136
Reactivity effects in the BN-350 reactor, 4617
Reactor physics parameters of alternate fueled fast breeder reactor core designs, 3291
Reactor physics parameters of alternate fueled FBR core designs, 1483 (HEDL-SA--1329)
Recent commercial fast reactor designs with improved safety features, 4133
Reduction of power distribution sensitivity in heterogeneous LMFBRs, 4704
Safety and breeding: related aspects of fast reactor cores having internal blankets, 401 (CONF-761001--P2)
Safety aspects in nuclear core design of LMFBRs, 399 (CONF-761001--P2)
SAS3D analysis of unprotected loss-of-flow transients for 1200-MW(electric) liquid-metal fast breeder reactor homogeneous and heterogeneous core designs, 3372
Simulation of an HCDA sequence on the ZPPR critical facility, 402 (CONF-761001--P2)
Sodium void reactivity reduction in metal-fueled LMFBRs, 3980
Study of the reactivity effect of bubble collapse in molten liquid metal cooled reactors, 2358 (NUREG--0286)
Study on sodium void reactivity worth predictional method, 5152 (JAPFNR--259)
Updated analysis of the ZPPR-7 critical experiments: phases A, B, and C, 1266 (GEFR--00347)

VOID COEFFICIENT/CALCULATION METHODS
Calculation of the reactivity due to bubble collapse with the probability table method (LMFBR), 2593 (ORNL/CSD/TM--35)
Present status of sodium void reactivity predictions in conventional and nonconventionel fast reactor core designs, 661 (CONF-780401--)

VOLOXIDATION PROCESS
(Separation process designed to remove volatile fission products from spent LMFBR fuels.)
Advanced fuel recycle program progress report, January 1 to March 31, 1978, 2651 (ORNL/TM--6306)

VOLOXIDATION PROCESS/RESEARCH PROGRAMS
Advanced fuel recycle program progress report, July 1--September 30, 1977, 2639 (ORNL/TM--6092)
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)
Experimental Engineering Section semiannual progess report, March 1, 1976--August 31, 1976. Volume 5. Reactor programs, 2625 (ORNL/TM--5865/V5)

W

WAGR REACTOR/HEAT EXCHANGERS
Explosive plugging of nuclear heat exchangers, 1992 (INIS-mf--4760)

WATER/CAVITATION
Analogy of water as compared to sodium in cavitation, 2042 (IWGFR--9)
Cavitation experiments at butterfly valves in water and in sodium at 850K, 2045 (IWGFR--9)
Onset of cavitation in pressure dropping devices in water and sodium, 2044 (IWGFR--9)

WATER/CORROSIVE EFFECTS
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)

WATER COOLED REACTORS
See also ACPR REACTOR
BR-2 REACTOR
BWR TYPE REACTORS
ETR REACTOR
HFR REACTOR
HWLWR TYPE REACTORS
POOL TYPE REACTORS
PWR TYPE REACTORS
TSR-2 REACTOR
Breeder: now or never (Increased construction necessary for breeder development), 4154

WATER COOLED REACTORS/COST BENEFIT ANALYSIS
Economic regimes, 621 (CONF-771155--P2)

WATER COOLED REACTORS/DECISION MAKING
Carter puts nuclear power in strong position, 4532

WATER COOLED REACTORS/EVALUATION
Systems descriptions and engineering costs for solar-related technologies. Volume IV. Conventional technologies for electric utility applications, 2307 (MTR--7485(Vol.4))

WATER COOLED REACTORS/EXCURSIONS
Transient non-boiling heat transfer in a fuel rod bundle during accidental power excursions, 1940 (INIS-mf--4498)

WATER COOLED REACTORS/FUEL CYCLE
Comparative assessment of the LMFBR and advanced converter fuel cycles, 3341
Fuel cycle cost studies: fabrication, reprocessing, and refabrication of LWR, SSCR, HWR, LMFBR, and HTGR fuels, 2662 (ORNL/TM--6522)
HEDL contribution to SRL fuel recycle program: quarterly report for April, May, and June 1977, 1675 (HEDL-TC--902-2)
HEDL contribution to SRL fuel recycle program. Quarterly report, January--March 1977, 1674 (HEDL-TC--902-1)
Material control in nuclear fuel fabrication facilities. Part I. Fuel descriptions and fabrication processes, P.O. 1236909 Final report, 2946 (UCRL--13942(Pt.1))

WATER COOLED REACTORS/FUEL PELLETS
Babcock and Wilcox plutonium fuel fabrication experience, 4999

WATER COOLED REACTORS/REACTOR SAFETY
Nuclear reactor safety, 3126
Reactor safety research programs. Quarterly progress report, October 1--December 31, 1978, 2425 (NUREG/CR--0688)

WATER COOLED REACTORS/SPENT FUELS
Reprocessing of nuclear fuel and plutonium breeder commercialization: implications of deferral, 2761 (RAND-P--6226)

WATER HAMMER/MATHEMATICAL MODELS
PTA-1 computer program for treating pressure transients in hydraulic networks including the effect of pipe plasticity (LMFBR), 554 (CONF-770807--55)

WATER MODERATED REACTORS
See also ACPR REACTOR
BR-2 REACTOR
BWR TYPE REACTORS
ETR REACTOR
HFR REACTOR
POOL TYPE REACTORS
PWR TYPE REACTORS
TSR-2 REACTOR

WATER MODERATED REACTORS/DECISION MAKING
Carter puts nuclear power in strong position, 4532

WATER MODERATED REACTORS/RESEARCH PROGRAMS
Annual scientific report 1977, 298 (BLG--524)

WAZ 16
See NICKEL BASE ALLOYS
WEAR/RESEARCH PROGRAMS
Tribology; research and development needs in advanced energy technology, 1459 (HEDL-SA--1191(Rev.))
WELDED JOINTS/CARBURIZATION
Carbon migration in transition joint welds, 1292 (GEFR--00398)
WELDED JOINTS/CORROSION RESISTANCE
Corrosion issues in steam generators of the fast breeder reactor systems, 1419 (GEFR-SP--191)
WELDED JOINTS/CRACKS
Elevated temperature fatigue crack growth behavior of Type 304/308 Stainless Steel weldments in sodium/cavity gas environment, 2958 (WARD-CG--3045-4)
Weldability and joint properties of advanced carbon stabilized 2.25Cr-1Mo steel for LMFBR, 4187
WELDED JOINTS/CREEP
Creep and tensile properties of transition weld joint materials, 2529 (ORNL--5309)
Influence of decarburization on the 510°C (950°F) tensile and creep properties of thin section 2-1/4Cr--1Mo steel weldments, 1316 (GEFR--00431)
WELDED JOINTS/DECARBURIZATION
Carbon migration in transition joint welds, 1292 (GEFR--00398)
WELDED JOINTS/DESIGN
High quality tube-to-tubesheet joints - when, where and why, 2783 (SAN--0824-027-T1)
WELDED JOINTS/ELECTRON BEAM WELDING
Electron-beam welding of fuel pin simulators to a tubesheet (LMFBR), 2669 (ORNL/TM--6600)
WELDED JOINTS/FATIGUE
Fatigue-crack propagation in dissimilar metal weldments (600/82/718, 718/82/316, 600/82/316, 800 and 1000°F), 2500 (ORNL--5255)
Fatigue crack growth behavior of stainless steel Type 316 plate and 16-8-2 weldments in air and high-carbon liquid sodium, 3122
WELDED JOINTS/FILLER METALS
Joining technology development summary, 189a OH024, 751 (CONF-781219--4)
WELDED JOINTS/FRACTURE PRORERTIES
Elevated temperature J/sub Ic/ fracture toughness behavior of type 304 stainless steel and type 308 stainless steel weldment. Interim report, 1833 (HEDL-TME--78-101)
Exploration of the influence of welding variables on notch ductility of irradiated austenitic stainless steel welds (LMFBR), 4548
Fatigue crack growth properties of type-316 plate and 16-8-2 stainless steel welds in air and high carbon liquid sodium, 1258 (GEFR--00303)
WELDED JOINTS/HEAT AFFECTED ZONE
Effects of thermal aging on the mechanical properties of a 2-1/4 Cr-1Mo steel/Inconel 82 transition joint fusion zone, 1324 (GEFR--00446)
WELDED JOINTS/IMPACT STRENGTH
High-temperature structural design data for austenitic stainless steel weldments, 2522 (ORNL--5309)
WELDED JOINTS/MECHANICAL PROPERTIES
Breeder reactor materials development program quarterly progress report for period ending September 30, 1977, 2557 (ORNL--5366)
Effects of thermal aging on the mechanical properties of a 2-1/4 Cr-1Mo steel/Inconel 82 transition joint fusion zone, 1324 (GEFR--00446)
Mechanical properties of transition joint materials in support of LMFBR steam generator design, 4188
WELDED JOINTS/NONDESTRUCTIVE TESTING
Development of a new tube-to-tubesheet welding type for FBR's heat exchangers, 4408
High-resolution boreside radiography of small-diameter tube-to-tubesheet welds (LMFBR), 2572 (ORNL--5474)
Nondestructive testing development program. Quarterly progress report for period ending September 30, 1977 (LMFBR), 2555 (ORNL--5350)
Nondestructive testing development program. Quarterly progress report for period ending March 31, 1978 (LMFBR), 2566 (ORNL--5417)
Nondestructive testing development program. Quarterly progress report for period ending June 30, 1978 (LMFBR), 2570 (ORNL--5440)
Nondestructive testing development program semiannual progress report for period ending March 31, 1979 (LMFBR), 2588 (ORNL/BRP--79/3)
WELDED JOINTS/PERFORMANCE
High quality tube-to-tubesheet joints - when, where and why, 2783 (SAN--0824-027-T1)
WELDED JOINTS/RATCHETING
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
WELDED JOINTS/RELIABILITY
Reliability of various tube-to-tubesheet weld configurations (LMFBR), 3038 (WNET--116)
WELDED JOINTS/RESEARCH PROGRAMS
Welding experience with tube-to-tubesheet joints of steam generators in 2 1/4Cr-Mo stabilised ferritic steel, 4186
WELDED JOINTS/RUPTURES
Creep and tensile properties of transition weld joint materials, 2529 (ORNL--5309)
WELDED JOINTS/STRESS ANALYSIS
Considerations for weldment design for elevated temperature applications, 2071 (IWGFR--11)
WELDED JOINTS/TENSILE PROPERTIES
Creep and tensile properties of transition weld joint materials, 2529 (ORNL--5309)
Electron beam welding of austenitic stainless steel. Elevated temperature properties, 3441
Influence of decarburization on the 510°C (950°F) tensile and creep properties of thin section 2-1/4Cr--1Mo steel weldments, 1316 (GEFR--00431)
Mechanical properties of 16-8-2 girth welds on large-diameter pipe, 2543 (ORNL--5349)
WELDED JOINTS/TESTING
Welding the Clinch River Breeder Reactor core support structure, 3253
WELDED JOINTS/THERMAL STRESSES
Summary of the effects of material combinations and weld joint geometries on the elastic stress in a dissimilar metal pipe joint, 2322 (NEDM--14109)
WELDED JOINTS/THERMAL TESTING
Inelastic ratchetting analysis of the 2 1/4 Cr--1 Mo steel to type 316 stainless steel dissimilar metal weldment region of specimen TTT-3, 2578 (ORNL--5512)
WELDED JOINTS/ULTRASONIC TESTING
Baseline inspection of three transition joint life test articles (LMFBR), 1307 (GEFR--00414)
Method of assessing the impact of metallurgical noise and its reduction in ultrasonic testing of austenitic welds, 1413 (GEFR-SP--164)
Nondestructive testing, 2519 (ORNL--5309)
Status report on ultrasonic testing of austenitic welds (LMFBR), 3772
Ultrasonic scanner for stainless steel weld inspections (LMFBR), 137 (ANL--78-84)
Ultrasonic inspection methods for small-bore applications (LMFBR steam generators), 3689
Ultrasonic techniques for in-service inspection of austenitic stainless steel welds at 200°C, 1560 (HEDL-SA--1546)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2671 (ORNL/TM--6679)
Ultrasonic evaluation of dissimilar-metal transition joint welds, 2672 (ORNL/TM--6679/R1)
WELDS
See WELDED JOINTS
WEST GERMANY
See FEDERAL REPUBLIC OF GERMANY
WINDSCALE ADV. GAS-COOLED REACTOR
See WAGR REACTOR
WORKERS
See PERSONNEL
WWER TYPE REACTORS/PRIMARY COOLANT CIRCUITS
Measurement of tritium and tritiated water vapour in nuclear power installations. I. Tritium formation and transport in nuclear power installations, 3507
WWER TYPE REACTORS/REACTOR SAFETY
Results of research into nuclear power plant safety, 1894 (INIS-mf--4054)

X

X-RAY RADIOGRAPHY
Flash x-radiography for material motion detection (LMFBR) 2843 (SAND--77-1648C)
X-RAY RADIOGRAPHY/DATA PROCESSING
Computerized fuel measurement from x-ray radiography (LMFBR), 1033 (DOE/TIC--11042)
X-RAY RADIOGRAPHY/FUEL MOTION DETECTION
Flash x-radiography for material motion detection (LMFBR) 2441 (NUREG/CR--0790)
X-RAY RADIOGRAPHY/PERFORMANCE
Application of coded source x-radiography to the observation of nuclear fuel motion (LMFBR), 2844 (SAND--77-1724)

Y

YIELD (FISSION)
See FISSION YIELD
YTTRIUM OXIDES/FABRICATION
Dispersion strengthened ferritic alloy for use in liquid-metal fast breeder reactors (LMFBRS) (Patent; 13 to 25% Cr, 0.2 to 2% Ti, <2% Mo, <2% Al, <2% Y_2O_3), 3792

Z

ZEBRA REACTOR/GAMMA DOSIMETRY
Zero-power basis of fast reactor dosimetry, 2367 (NUREG/CP--0004(Vol.1))
ZEBRA REACTOR/NEUTRON DOSIMETRY
Zero-power basis of fast reactor dosimetry, 2367 (NUREG/CP--0004(Vol.1))
ZERO ENERGY BREEDER REACTOR ASSEMBLY
See ZEBRA REACTOR
ZERO POWER REACTORS
See also CFRMF REACTOR

PARKA REACTOR
SNEAK REACTOR
ZEBRA REACTOR
ZPPR REACTOR
ZPR-6 REACTOR
ZPR-9 REACTOR
ZERO POWER REACTORS/FISSION YIELD
Fission-rate measurements by activation techniques: methods, accuracies and applications (Development program), 1185 (EUR--5667(Pt.1))
ZERO POWER REACTORS/MULTIPLICATION FACTORS
Fast Breeder Blanket Facility. Quarterly progress report, April 1, 1978--June 30, 1978, 937 (COO--2826-9)
ZERO POWER REACTORS/REACTIVITY COEFFICIENTS
Fast Breeder Blanket Facility. Quarterly progress report, April 1, 1978--June 30, 1978, 937 (COO--2826-9)
ZERO POWER REACTORS/REACTOR SAFETY
Fast Breeder Blanket Facility. Quarterly progress report, April 1, 1978--June 30, 1978, 937 (COO--2826-9)
ZINC/ACTIVATION ANALYSIS
Activation analysis for the determination of the specific activity of radionuclides in metallic sodium, 5 (AED-Conf--78-274-000)
ZIRCALOY/CAVITATION
Mechanical properties of crystalline solids. Progress report, December 1, 1978-November 30, 1979, 866 (COO--2172-29)
ZIRCALOY/GRAIN BOUNDARIES
Mechanical properties of crystalline solids. Progress report, December 1, 1978-November 30, 1979, 866 (COO--2172-29)
ZIRCALOY 4/STRESS CORROSION
Advanced Fuel Recycle Program. Progress report, July 1--September 30, 1978, 2667 (ORNL/TM--6577)
ZIRCONIUM ALLOYS/CORROSION RESISTANCE
Corrosion resistance of alloys of the niobium-zirconium-oxygen system in molten lithium, 4417
ZPPR REACTOR/DOPPLER COEFFICIENT
Study of the contribution to Doppler effect from structural materials in fast power reactors, 4997
ZPPR REACTOR/REACTOR CORE DISRUPTION
Analysis of simulated HCDA experiments in ZPPR, 403 (CONF-761001--P2)
Simulation of an HCDA sequence on the ZPPR critical facility, 408 (CONF-761001--P2)
ZPPR REACTOR/REACTOR MATERIALS
Study of the contribution to Doppler effect from structural materials in fast power reactors, 4997
ZPPR REACTOR/REACTOR OPERATION
Analysis of the ZPPR-7 critical experiments, 978 (CRBRP-GEFR--00025)
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)
Reactor development program progress report, July--August 1977, 270 (ANL-RDP--62)
Reactor development program. Progress report, September 1977, 271 (ANL-RDP--63)
Reactor Development Program. Progress report, 272 (ANL-RDP--64)
Reactor development program progress report, Jan 1978, 275 (ANL-RDP--67)
Reactor development program. Progress report, November 1977, 273 (ANL-RDP--65)
Reactor development program progress report, December 1977, 274 (ANL-RDP--66)
Reactor development program progress report, March 1978, 277 (ANL-RDP--69)
Reactor Development Program progress report, February 1978, 276 (ANL-RDP--68)
Reactor development program. Progress report, April 1978, 278 (ANL-RDP--70)
Reactor development program. Progress report, May 1978, 279 (ANL-RDP--71)
Reactor development program. Progess report, June 1978, 280 (ANL-RDP--72)
ZPPR REACTOR/VOID COEFFICIENT
Extrapolation of ZPR sodium void measurements to the power reactor, 398 (CONF-761001--P2)
ZPR-6 REACTOR/NEUTRON FLUX
Cooperative nuclear data and methods development. Twelfth quarterly report, January--March 1979, 1389 (GEFR--14074-12)
ZPR-6 REACTOR/REACTOR KINETICS
ENDF/B-V content and performance in fast reactor systems, 3685
ZPR-9 REACTOR/REACTOR OPERATION
Reactor Development Program progress report, May--June 1977, 269 (ANL-RDP--61)

REPORT NUMBER INDEX

The numbers assigned to all reports cited in the publication appear in the first column of the index. The citation numbers are included in the second column. Cross reference information and/or availability are included as appropriate. Abbreviations used in the availability column are elaborated at the end of the index.

Report No.	Abstract No.	Availability
AD-A-		
047410	1	NTIS PCA02/MF A01
AED-Conf-		
76-735-005	2169	See KFK-2416
77-498-087	2	Dep. NTIS (US Sales Only), PC A03/MF A01
78-274-000	5	NTIS (US Sales Only), PC A05/MF A01
78-274-070	5	See AED-Conf-78-274-000
AEEW-M-		
1471	6	Dep. NTIS (US Sales Only), PC A03/MF A01
1484	7	Dep. NTIS (US Sales Only), PC A03/MF A01
AEEW-R-		
1140	8	Dep. NTIS (US Sales Only), PC A02/MF A01
1168	9	Dep. NTIS (US Sales Only), PC A03/MF A01
1183	10	Dep. NTIS (US Sales Only), PC A02/MF A01
AERE-M-		
2992	11	Dep. NTIS (US Sales Only), PC A02/MF A01
AERE-R-		
8020	12	Dep. NTIS (US Sales Only), PC A02/MF A01
AERE-TP-		
692	13	Dep. NTIS (US Sales Only), PC A03/MF A01
719	14	Dep. NTIS (US Sales Only), PC A03/MF A01
782	15	Dep. NTIS (US Sales Only), PC A03/MF A01
793	16	Dep. NTIS (US Sales Only), PC A03/MF A01
796	17	Dep. NTIS, PC A02/MF A01
AI-DOE-		
13208	18	AT
13209	19	Dep. NTIS, PC A03/MF A01
13210	20	Dep. NTIS, PC A03/MF A01
13211	21	AT
13212	22	Dep. NTIS, PC A07/MF A01
13214	23	Dep. NTIS, PC A03/MF A01
13216	24	Dep. NTIS, PC A04/MF A01
13218	25	AT
13220	26	AT
13221	27	AT
13222	28	AT
13223	29	Dep. NTIS, PC A02/MF A01
13225	30	AT
13226	31	AT
13227	32	AT
13228	33	AT
13231	34	AT
13232	35	AT
13233	36	AT
13234	37	Dep. NTIS, PC A02/MF A01
13236	38	Dep. NTIS (US Sales Only), PC A03/MF A01
13238	39	AT
AI-ERDA-		
13198	40	AT
13204	41	AT
13205	42	Dep. NTIS, PC A02/MF A01
13206	43	Dep. NTIS, PC A02/MF A01
13207	44	Dep. NTIS, PC A05/MF A01
AI/FBR-		
77-1	45	AT
ANL-		
75-41	46	AT
76-34	47	AT
76-44	48	AT
76-78	49	AT
76-94	50	AT
77-11	51	AT
77-15	52	AT
77-20	53	Dep. NTIS, PC A04/MF A01
77-25	54	Dep. NTIS, PC A08/MF A01
77-27	55	Dep. NTIS, PC A09/MF A01
77-40	56	Dep. NTIS, PC A03/MF A01
77-43	57	Dep. NTIS, PC A03/MF A01
77-44	58	Dep. NTIS, PC A07/MF A01
77-46	59	AT
77-48	60	Dep. NTIS, PC A04/MF A01
77-52	61	AT
77-53	62	Dep. NTIS, PC A03/MF A01
77-54	63	Dep. NTIS, PC A04/MF A01
77-66	64	Dep. NTIS, PC A02/MF A01
77-69	65	Dep. NTIS, PC A03/MF A01
77-70	66	Dep. NTIS, PC A03/MF A01
77-72	67	AT
77-73	68	AT
77-74	69	AT
77-76	70	AT
77-77	71	Dep. NTIS, PC A03/MF A01
77-82	72	Dep. NTIS (US Sales Only), PC A03/MF A01
77-86	73	AT
77-87	74	AT
77-88	75	Dep. NTIS, PC A02/MF A01
77-91	76	AT
77-92	77	Dep. NTIS, PC A03/MF A01
77-93	78	Dep. NTIS, PC A06/MF A01
77-94	79	Dep. NTIS, PC A04/MF A01
77-95	80	Dep. NTIS, PC A03/MF A01
77-96	2435	See NUREG/CR-0785
78-1	2374	See NUREG/CR-0001
78-4	82	AT
78-9	83	AT
78-17	116	AT
78-23	117	Dep. NTIS, PC A03/MF A01
78-24	118	Dep. NTIS, PC A07/MF A01
78-28	119	Dep. NTIS, PC A02/MF A01
78-30	120	AT
78-31	121	Dep. NTIS, PC A04/MF A01
78-34	122	Dep. NTIS, PC A02/MF A01
78-36	123	Dep. NTIS, PC A03/MF A01
78-38	124	AT
78-41	125	Dep. NTIS, PC A04/MF A01
78-50	126	Dep. NTIS, PC A05/MF A01
78-51	127	AT
78-52	2388	See NUREG/CR-0148
78-56	128	Dep. NTIS, PC A08/MF A01
78-58	129	AT
78-59	130	Dep. NTIS, PC A02/MF A01
78-64	131	AT
78-69	132	AT
78-70	134	Dep. NTIS, PC A09/MF A01
78-73	135	AT
78-74	136	AT
78-84	137	AT
78-85	2413	See NUREG/CR-0477
78-86	138	AT
78-87	139	AT
78-89	140	AT
78-92	141	Dep. NTIS, PC A09/MF A01
78-97	142	Dep. NTIS, PC A17/MF A01
78-99	143	AT
78-100	144	Dep. NTIS, PC A04/MF A01
78-101	2419	See NUREG/CR-0594
78-102	145	AT
78-103	146	Dep. NTIS, PC A04/MF A01
78-104	147	AT
78-105	148	Applied Technology
78-106	2422	See NUREG/CR-0663
79-7	149	AT
79-13	150	Dep. NTIS, PC A04/MF A01
79-14	151	AT
79-19	2432	See NUREG/CR-0789
79-26	152	AT

Report No.	Abstract No.	Availability
79-27	153	AT
79-37	2448	See NUREG/CR-0864
79-57	154	NTIS, PC A05/MF A01
79-63	155	Dep. NTIS, PC A02/MF A01
79-70	156	Dep. NTIS, PC A03/MF A01
79-72	157	Dep. NTIS, PC A04/MF A01
79-73	158	Dep. NTIS, PC A04/MF A01
79-79	2462	See NUREG/CR-1096
79-86	159	Dep. NTIS, PC A03/MF A01
79-89	160	Dep. NTIS, PC A03/MF A01
79-91	161	Dep. NTIS, PC A03/MF A01
79-98	2470	See NUREG/CR-1252
79-104	162	Dep. NTIS, PC A03/MF A01
80-31	163	NTIS, PC A03/MF A01
7542(Add.C)	164	AT
7721	165	Dep. NTIS, PC A18/MF A01
ANL/A-		
78-3	166	Dep. NTIS, PC A11/MF A01
ANL-AFP-		
1	167	AT
22	168	Dep. NTIS, PC A02/MF A01
28	169	AT
29	170	AT
30	171	Dep. NTIS, PC A04/MF A01
31	172	Dep. NTIS, PC A03/MF A01
32	173	Dep. NTIS, PC A03/MF A01
33	174	AT
34	175	AT
35	176	AT
36	177	Dep. NTIS, PC A04/MF A01
37	178	Dep. NTIS, PC A05/MF A01
39	179	AT
40	180	AT
41	181	Dep. NTIS, PC A03/MF A01
46	182	Dep. NTIS, PC A04/MF A01
47	183	AT
51	184	AT
55	185	AT
59	186	AT
63	187	AT
ANL-CT-		
77-6	188	AT
77-23	189	TIC
77-25	190	AT
77-29	191	AT
77-31	192	AT
77-33	193	AT
77-34	194	AT
77-35	195	AT
77-37	196	AT
77-38	197	AT
78-1	198	AT
78-2	199	AT
78-3	200	Dep. NTIS, PC A06/MF A01
78-5	201	AT
78-6	202	AT
78-7	203	AT
78-8	204	AT
78-9	205	AT
78-10	206	AT
78-11	207	Dep. NTIS, PC A04/MF A01
78-12	208	AT
78-13	209	AT
78-14	210	Dep. NTIS, PC A03/MF A01
78-15	211	AT
78-16	212	AT
78-19	213	AT
78-20	214	AT
78-21	215	Dep. NTIS, PC A04/MF A01
78-22	216	Dep. NTIS, PC A02/MF A01
78-23	217	AT
78-24	218	Dep. NTIS, PC A03/MF A01
78-26	219	Dep. NTIS, MF A01
78-27	220	AT
78-30	221	Dep. NTIS, PC A04/MF A01
78-32	222	AT
78-33	223	Dep. NTIS, PC A03/MF A01
78-34	224	AT
78-39	225	AT
78-40	226	AT
78-42	227	AT
78-43	228	AT
78-44	229	AT
78-47	230	AT
79-1	231	AT
79-3	232	AT
79-4	233	AT
79-5	234	AT
79-8	2418	See NUREG/CR-0483
79-09	235	AT
79-11	236	AT
79-14	237	AT
79-16	238	AT
79-17	239	AT
79-18	240	AT
79-32	241	AT
79-33	2443	See NUREG/CR-0816
79-35	242	AT
79-36	243	AT
79-40	244	AT
79-45	245	AT
79-46	246	AT
79-47	247	AT
79-48	248	AT
79-49	249	AT
79-51	250	Dep. NTIS, PC A02/MF A01
80-1	251	Dep. NTIS, PC A06/MF A01
80-10	2471	See NUREG/CR-1285
80-15	2473	See NUREG/CR-1323
ANL/CT/DA-		
1666	252	AT
ANL/EBR-		
063	253	Dep. NTIS, PC A03/MF A01
071	254	Dep. NTIS, PC A03/MF A01
100	255	AT
101	256	AT
102	257	AT
103	258	AT
104	259	AT
106	260	Dep. NTIS, PC A06/MF A01
ANL/ENG-		
79-05	261	Dep. NTIS, PC A20/MF A01
79-06	262	Dep. NTIS, PC A17/MF A01
79-07	263	Dep. NTIS, PC A12/MF A01
79-08	264	Dep. NTIS, PC A18/MF A01
80-02	265	Dep. NTIS, PC A03/MF A01
ANL/K72-		
2655-1	266	Dep. NTIS, PC A06/MF A01
ANL/K76-		
2655-5	267	Dep. NTIS, PC A06/MF A01
ANL/MSD-		
78-3	268	Dep. NTIS, PC A03/MF A01
ANL-RDP-		
61	269	AT
62	270	AT
63	271	AT
64	272	AT
65	273	AT
66	274	AT
67	275	AT
68	276	AT
69	277	AT
70	278	AT
71	279	AT
72	280	AT
73	281	AT
74	282	AT
75	283	AT
76	284	AT
77	285	AT
78	286	AT
79	287	AT
80	288	AT
81	289	AT
82	290	AT
83	291	AT
84	292	AT
85	293	AT
86	294	AT
ANL-Trans-		
1106	4338	Dep. NTIS, PC A02/MF A01
1108	4338	Dep. NTIS, PC A02/MF A01
1109	4339	Dep. NTIS, PC A02/MF A01
1111	4266	Dep. NTIS, PC A02/MF A01
1112	4265	Dep. NTIS, PC A02/MF A01
1113	4264	Dep. NTIS, PC A02/MF A01
1114	4263	Dep. NTIS, PC A02/MF A01
1119	3802	Dep. NTIS, PC A02/MF A01
1120	3803	Dep. NTIS, PC A02/MF A01
1121	3801	Dep. NTIS, PC A02/MF A01
1124	3804	Dep. NTIS, PC A02/MF A01
1127	3805	Dep. NTIS, PC A02/MF A01
1138	3807	Dep. NTIS, PC A02/MF A01
1140	3483	Dep. NTIS, PC A02/MF A01
1173	5065	Dep. NTIS, PC A02/MF A01
1174	5067	Dep. NTIS, PC A02/MF A01
1177	3119	Dep. NTIS, PC A06/MF A01
ATR-		
77(7606)-2	2362	See NUREG/CR-0976
AWRE-		
49/91/87	295	Dep. NTIS (US Sales Only), PC A03/MF A01
BLG-		
818	296	Dep. NTIS (US Sales Only), PC A02/MF A01
820	297	Dep. NTIS (US Sales Only), PC A09/MF A01
824	298	Dep. NTIS (US Sales Only), PC A09/MF A01
BMI-		
1999	2383	See NUREG/CR-0884
2005	2405	See NUREG/CR-0468
2006	2417	See NUREG/CR-0587
2009	2416	See NUREG/CR-0469
2015	2418	See NUREG/CR-0587

Report No.	Abstract No.	Availability
2016	2421	See NUREG/CR-0620
2021	2423	See NUREG/CR-0676
2024	2461	See NUREG/CR-1084
2027	2449	See NUREG/CR-0872
2042	2472	See NUREG/CR-1294
BMI-NUREG-		
1983	299	NTIS, PC A03/MF A01
1987	300	Dep. NTIS, PC A06/MF A01
1991	301	NTIS, PC A04/MF A01
BN-		
7612-04	302	Dep. NTIS (US Sales Only), PC A02/MF A01
BNL-		
50831-4	303	Dep. NTIS, PC A11/MF A01
50991	304	Dep. NTIS, PC A17/MF A01
BNL-NUREG-		
23113	305	Dep. NTIS, PC A02/MF A01
24040	306	Dep. NTIS, PC A03/MF A01
24141-R	307	Dep. NTIS, PC A05/MF A01
24162	308	Dep. NTIS, PC A02/MF A01
24946	309	Dep. NTIS, PC A02/MF A01
24984	310	Dep. NTIS, PC A02/MF A01
24988	311	Dep. NTIS, PC A02/MF A01
25140	312	Dep. NTIS, PC A02/MF A01
25297	313	Dep. NTIS, PC A02/MF A01
25421	314	Dep. NTIS, PC A02/MF A01
25492	315	Dep. NTIS, PC A02/MF A01
25493	316	Dep. NTIS, PC A03/MF A01
25497	317	Dep. NTIS, PC A02/MF A01
25498	318	Dep. NTIS, PC A03/MF A01
25506	319	Dep. NTIS, PC A02/MF A01
25519	320	Dep. NTIS, PC A02/MF A01
25521	321	Dep. NTIS, PC A02/MF A01
25522	322	Dep. NTIS, PC A02/MF A01
25535	323	Dep. NTIS, PC A02/MF A01
25575	324	Dep. NTIS, PC A02/MF A01
25618	325	Dep. NTIS, PC A03/MF A01
25714	326	Dep. NTIS, PC A02/MF A01
26083	327	Dep. NTIS, PC A02/MF A01
26131	328	Dep. NTIS, PC A02/MF A01
26572	329	Dep. NTIS, PC A02/MF A01
50603	330	Dep. NTIS, PC A06/MF A01
50759	331	Dep. NTIS (US Sales Only), PC A02/MF A01
50773	332	Dep. NTIS, PC A15/MF A01
50785	333	Dep. NTIS, PC A10/MF A01
50820	334	Dep. NTIS, PC A09/MF A01
50859	2392	See NUREG/CR-0240
50864	2402	See NUREG/CR-0405
50910	2406	See NUREG/CR-0427
50914(Vol.1)	2408	See NUREG/CR-0452(Vol.1)
50978	2425	See NUREG/CR-0688
51014	2444	See NUREG/CR-0820
BNWL-		
510	335	Dep. NTIS, PC A04/MF A01
2216	336	Dep. NTIS, PC A06/MF A01
BNWL-CC-		
2500	337	Dep. NTIS, PC A10/MF A01
BNWL-tr-		
265	4365	Dep. NTIS, PC A02/MF A01
266	5292	Dep. NTIS, PC A02/MF A01
317	5303	Dep. NTIS (US Sales Only), PC A03/MF A01
326	3711	Dep. NTIS, PC A02/MF A01
334	3524	Dep. NTIS, PC A02/MF A01
335	3522	Dep. NTIS (US Sales Only), PC A02/MF A01
339	3523	Dep. NTIS, PC A03/MF A01
340	4618	Dep. NTIS, PC A02/MF A01
BR-E-		
180(Vol.1)	338	AT
180(Vol.2)	339	AT
180(Vol.2)	340	AT
BU-		
77/B.4	2308	See N-78-11243
CE-FBR-		
77-26	341	Dep. NTIS, PC A08/MF A01
77-339	910	See COO-2426-101
7878	912	See COO-2426-136
CEA-BIB-		
226	342	Dep. NTIS (US Sales Only), PC A05/MF A01
CEA-CONF-		
3749	343	Dep. NTIS (US Sales Only), PC A02/MF A01
3834(Pt.2)	344	Dep. NTIS (US Sales Only), PC A08/MF A01
3848	345	Dep. NTIS (US Sales Only), PC A02/MF A01
3849	346	Dep. NTIS (US Sales Only), PC A02/MF A01
3890	347	Dep. NTIS (US Sales Only), PC A02/MF A01
3987	348	Dep. NTIS (US Sales Only), PC A02/MF A01
3994	349	Dep. NTIS (US Sales Only), PC A02/MF A01
3995	350	Dep. NTIS (US Sales Only), PC A02/MF A01
3996	351	Dep. NTIS (US Sales Only), PC A02/MF A01
4013	352	Dep. NTIS (US Sales Only), PC A02/MF A01
4014	353	Dep. NTIS (US Sales Only), PC A02/MF A01
4192	354	Dep. NTIS (US Sales Only), PC A03/MF A01
4212	355	Dep. NTIS (US Sales Only), PC A04/MF A01
4339	356	Dep. NTIS (US Sales Only), PC A02/MF A01
4384	357	Dep. NTIS (US Sales Only), PC A03/MF A01
CEA-CR-		
13	358	Dep. NTIS (US Sales Only), PC A14/MF A01
CEA-N-		
2075	359	Dep. NTIS (US Sales Only), PC A06/MF A01
CEA-R-		
4881	360	Dep. NTIS (US Sales Only), PC A05/MF A01
4905	361	Dep. NTIS (US Sales Only), PC A15/MF A01
4911	362	Dep. NTIS (US Sales Only), PC A06/MF A01
CEGB-RD/B/N-		
3414	363	Dep. NTIS (US Sales Only), PC A03/MF A01
3666	364	Dep. NTIS (US Sales Only), PC A03/MF A01
3810	365	Dep. NTIS (US Sales Only), PC A03/MF A01
3982	366	Dep. NTIS (US Sales Only), PC A03/MF A01
4029	367	Dep. NTIS (US Sales Only), PC A03/MF A01
4194	368	Dep. NTIS (US Sales Only), PC A02/MF A01
4219	369	Dep. NTIS (US Sales Only), PC A03/MF A01
4241	370	Dep. NTIS (US Sales Only), PC A02/MF A01
4334	371	Dep. NTIS (US Sales Only), PC A02/MF A01
4338	372	Dep. NTIS (US Sales Only), PC A03/MF A01
CENC-		
1397	373	AT
CONF-721006-		(International conference on engineering of fast reactors for safe and reliable operation, Karlsruhe, F.R. Germany, 9-13 Oct 1972)
13	3711	See BNWL-tr-326
CONF-7411116-		(ANS winter meeting, Washington, DC, USA, Nov 1974)
1	1446	See HEDL-SA-737
2	1445	See HEDL-SA-464
CONF-7504136-		(8. meeting international working group on fast reactors, Vienna, Austria, 15-18 Apr 1975)
P2	2016	See IWGFR-3
CONF-750527-		(International working group on fuel failure mechanisms, Seattle, WA, USA, 11-16 May 1975)
(Summ.)	2017	See IWGFR-5
CONF-750908-		(3. international conference on structural mechanics in reactor technology, London, UK, 1-5 Sep 1975)
9	3807	See ANL-Trans-1128
CONF-760137-		(International Atomic Energy Agency working party, Risley, UK, 27-29 Jan 1976)
3	1450	See HEDL-SA-1082
CONF-760328-		(3. specialists' meeting on sodium fuel interaction, Tokyo, Japan, Mar 1976)
7	364	See CEGB-RD/B/N-3666
P1	2712	See PNC-N-251-76-12(Vol.1)
P2	2725	See PNC-N-251-76-12(Vol.2)
CONF-760359-		(Reactor meeting, Duesseldorf, F.R. Germany, 30 Mar 1976)

Report No.	Abstract No.	Availability
5	5292	See BNWL-tr-266
6	4365	See BNWL-tr-265
CONF-760396-		(9. meeting of the international working group on fast reactors, Vienna, Austria, 30 Mar-2 Apr 1976)
P1(summ.)	2033	See IWGFR-8
CONF-7604147-		(Meeting on high temperature structural design technology of LMFBR's, Champion, PA, USA, 27-30 Apr 1976)
	2063	See IWGFR-11
CONF-760503-		(International conference on liquid metal technology in energy production, Champion, PA, USA, 3-6 May 1976)
20	1448	See HEDL-SA-859(FP)
CONF-760576-		(IAEA meeting on LMFBR fuel reprocessing, Leningrad, USSR, 17-21 May 1976)
18	1874	See IAEA-AG-63-8
19	1872	See IAEA-AG-63-6
23	1882	See IAEA-AG-63-27
24	1881	See IAEA-AG-63-21
25	1869	See IAEA-AG-63-3
26	1873	See IAEA-AG-63-7
28	1870	See IAEA-AG-63-4
30	1876	See IAEA-AG-63-13
31	1879	See IAEA-AG-63-16
32	1868	See IAEA-AG-63-1
33	1878	See IAEA-AG-63-15
34	1875	See IAEA-AG-63-12
36	1880	See IAEA-AG-63-17
38	1877	See IAEA-AG-63-14
CONF-7606165-		(Special Libraries Association, Denver, CO, USA, 7-10 Jun 1976)
1	1447	See HEDL-SA-838
CONF-7606188-		(National symposium on radiation physics, Mysore, India, 10-12 Jun 1976)
	4996	26: 261-266(1977)
	4997	26: 228-231(1977)
CONF-760735-		(US/USSR steam generator seminar, Dimitrovgrad, USSR, 26-30 Jul 1976)
1	378	Dep. NTIS, PC A02/MF A01
2	379	Dep. NTIS, PC A02/MF A01
CONF-760816-		(National heat transfer conference, St. Louis, MO, USA, 8-11 Aug 1976)
	5001	73: No. 164, 215-227(1977)
	5003	73: No. 164, 105-113(1977)
	5004	73: No. 164, 114-119(1977)
	5005	73: No. 164, 120-126(1977)
	5006	73: No. 164, 127-132(1977)
	5007	73: No. 164, 97-104(1977)
CONF-7609213-		(Specialists meeting on the ultrasonic inspection of reactor components, Daresbury, UK, 27-29 Sep 1976)
	995	See CSNI-R-14
	996	See CSNI-R-14
	997	See CSNI-R-14
CONF-761001-		(International meeting on fast reactor safety and related physics, Chicago, IL, USA, 5-8 Oct 1976)
	345	See CEA-CONF-3848
	346	See CEA-CONF-3849
P4	508	Dep. NTIS, PC A99/MF A01
CONF-761006-		(Nuclear science, scintillation and semiconductor counter symposium, New Orleans, LA, USA, 20-22 Oct 1976)
46	343	See CEA-CONF-3749
CONF-7610135-		(KTG technical day on fuel element of the sodium-cooled breeder, Karlsruhe, F.R. Germany, 28-29 Oct 1976)
	2480	See KFK-2416
	3866	See EURFNR-1418
CONF-7610162-		(Seminar workshop on the Monte Carlo code TRIPOLI, Las Vegas, NV, USA, 17-22 Oct 1976)
P2	344	See CEA-CONF-3834(Pt.2)
CONF-761103-		(ANS winter meeting, Washington, DC, USA, 15-19 Nov 1976)
31	1449	See HEDL-SA-897
CONF-761107-		(Annual meeting of the American Society of Mechanical Engineers. New York, NY, USA, 29 Nov-5 Dec 1976)
27	522	Dep. NTIS, PC A02/MF A01
28	523	American Society of Mechanical Engineers, New York
CONF-761254-		(Seminar on nuclear safety, Tokyo, Japan, 17 Dec 1976)
1	347	See CEA-CONF-3890
CONF-770215-		(Technical committee meeting on fuel and cladding interaction, Tokyo, Japan, 21-25 Feb 1977)
1	1392	See GEFR-SP-011
2	1391	See GEFR-SP-010
CONF-770237-		(Workshop on tribology in energy technology, Washington, DC, USA, 7-9 Feb 1977)
1	1459	See HEDL-SA-1191(Rev.)
CONF-770398-		(10. IAEA working group on fast reactors, Vienna, Austria, 29 Mar-1 Apr 1977)
	2095	See IWGFR-18
CONF-7703105-		(Meeting on problems of technology and corrosion in sodium coolant and cover gas, Dresden, German Democratic Republic, 28 Mar-1 Apr 1977)
1	3040	See ZfK-337
CONF-7703127-		(One-day information meeting on nuclear power plants, Grenoble, France, 9 Mar 1977)
1	355	See CEA-CONF-4212
CONF-770401-		(5. international conference on reactor shielding, Knoxville, TN, USA, 18-22 Apr 1977)
29	524	Dep. NTIS, PC A02/MF A01
CONF-770403-		(39. annual meeting of the American Power Conference, Chicago, IL, USA, 18-20 Apr 1977)
	4916	39: 152-155(1977)
	4918	39: 702-708(1977)
CONF-770416-		(79. annual meeting of American Ceramic Society, Chicago, IL, USA, 23-28 Apr 1977)
6	1452	See HEDL-SA-1164FP
7	1454	See HEDL-SA-1171-FP
CONF-770505-		(International conference on nuclear power and its fuel cycles, Salzburg, Austria, 2-13 May 1977)
54(trans)	3739	See IAEA-CN-36/342
190(Trans.)	3740	See IAEA-CN-36/356
CONF-770512-		(Symposium on management of low level radioactive waste, Atlanta, GA, USA, 23-27 May 1977)
22	1465	See HEDL-SA-1230-S
CONF-770524-		(ASTM symposium on fatigue testing of weldments, Toronto, Canada, May 1977)
4	2336	See NEDO-12668
CONF-770545-		(British Nuclear Energy Society conference on ferritic steels for fast reactor steam generators, London, UK, 30 May-2 Jun 1977)
2	525	Dep. NTIS, PC A02/MF A01
3	526	Dep. NTIS, PC A02/MF A01
4	348	See CEA-CONF-3987
P1	4030	London, England; British Nuclear Energy Society (1978)
P2	4031	London, England; British Nuclear Energy Society (1978)
CONF-770611-		(American Nuclear Society annual meeting, New York, NY, USA, 12-17 Jun 1977)
16	991	See CRBRP-PS-01
27	1458	See HEDL-SA-1190FP
28	1460	See HEDL-SA-1205
29	1456	See HEDL-SA-1177-FP
31	527	Dep. NTIS, PC A02/MF A01
34	528	Dep. NTIS, PC A02/MF A01
35	529	Dep. NTIS, PC A02/MF A01
36	530	Dep. NTIS, PC A02/MF A01
37	531	Dep. NTIS, PC A02/MF A01
38	532	Dep. NTIS, PC A02/MF A01
CONF-770622-		(Air Pollution Control Association meeting, Toronto, Canada, 19-23 Jun 1977)
7	1457	See HEDL-SA-1189-FP
CONF-770625-		(International conference on nuclear

Report No.	Abstract No.	Availability
		systems reliability engineering and risk assessment, Gatlinburg, TN, USA, 20-24 Jun 1977)
6	1466	See HEDL-SA-1241
CONF-770640-		(7. liquid metal boiling working group meeting, Petten, Netherlands, 1-3 Jun 1977)
2	4511	See JAPFNR-263
3	4513	See JAPFNR-262
4	350	See CEA-CONF-3995
5	351	See CEA-CONF-3996
6	349	See CEA-CONF-3994
CONF-770641-		(Conference on radiation effects in breeder reactor structural materials, Scottsdale, AZ, USA, 19-23 Jun 1977)
	352	See CEA-CONF-4013
	4928	$50.00
12	1453	See HEDL-SA-1167
13	1455	See HEDL-SA-1175
CONF-770687-		(The American Society of Mass Spectrometry, Washington, DC, USA, 2 Jun 1977)
1	1451	See HEDL-SA-1154
CONF-770694-		(U.S. Japan exchange meeting, Sunnyvale, CA, USA, 27-28 Jun 1977)
1	1468	See HEDL-SA-1286
CONF-7706109-		(Northwest regional meeting, Portland, OR, USA, 15-17 Jun 1977)
1	1463	See HEDL-SA-1221
CONF-770735-		(International Metallographic Society annual meeting, Houston, TX, USA, 19-20 Jul 1977)
4	533	Dep. NTIS, PC A03/MF A01
CONF-770739-		(10. annual technical meeting of the International Metallographic Society, Houston, TX, USA, 19 Jul 1977)
1	1464	See HEDL-SA-1225FP(Rev.)
CONF-770807-		(4. international conference on structural mechanics in reactor technology, San Francisco, CA, USA, 15-19 Aug 1977)
27	535	Dep. NTIS, PC A02/MF A01
34	536	Dep. NTIS, PC A02/MF A01
35	537	Dep. NTIS, PC A02/MF A01
37	538	Dep. NTIS, PC A02/MF A01
39	539	Dep. NTIS, PC A02/MF A01
39	540	Dep. NTIS, PC A02/MF A01
40	541	Dep. NTIS, PC A02/MF A01
41	542	Dep. NTIS, PC A02/MF A01
43	543	Dep. NTIS, PC A02/MF A01
44	544	Dep. NTIS, PC A02/MF A01
45	545	Dep. NTIS, PC A02/MF A01
46	546	Dep. NTIS, PC A02/MF A01
47	547	Dep. NTIS, PC A02/MF A01
49	548	Dep. NTIS, PC A03/MF A01
50	549	Dep. NTIS, PC A02/MF A01
51	550	Dep. NTIS, PC A02/MF A01
52	551	Dep. NTIS, PC A02/MF A01
53	552	Dep. NTIS, PC A02/MF A01
54	553	Dep. NTIS, PC A02/MF A01
55	554	Dep. NTIS, PC A02/MF A01
58	1462	See HEDL-SA-1220
(Pt.E)	1970	See INIS-mf-4592
(Pt.E)	1971	See INIS-mf-4592
(Pt.E)	1975	See INIS-mf-4592
Pt.E	4884	Brussels; Commission of the European Communities (1977).
CONF-770817-		(International seminar on containment of fast breeder reactors, San Francisco, CA, USA, 22-23 Aug 1977)
2	590	Dep. NTIS, PC A02/MF A01
3	591	Dep. NTIS, PC A02/MF A01
4	592	Dep. NTIS, PC A02/MF A01
5	593	Dep. NTIS, PC A02/MF A01
CONF-770822-		(American Nuclear Society meeting, Chattanooga, TN, USA, 8-10 Aug 1977)
5	594	Dep. NTIS, PC A02/MF A01
6	595	Dep. NTIS, PC A04/MF A01
7	1461	See HEDL-SA-1216(Rev.)
8	596	Dep. NTIS, MF A01
CONF-770912-		(ASME-IEEE joint power generation conference, Los Angeles, CA, USA, 18-21 Sep 1977)
3	4640	New York; American Society of Mechanical Engineers (1977).
CONF-770933-		(International Atomic Energy Agency, international working group on fast reactors, Argonne, IL, USA, 20-23 Sep 1977)
	2100	See IWGFR-21
1	597	Dep. NTIS, PC A04/MF A01
2	1472	See HEDL-SA-1298
CONF-770939-		(3. power plant dynamics, control and testing symposium, Knoxville, TN, USA, 7-9 Sep 1977)
2	598	Dep. NTIS, PC A02/MF A01
CONF-770958-		(American Ceramic Society fall meeting, Hyannis, MA, USA, 26-28 Sep 1977)
1	1467	See HEDL-SA-1268
CONF-770973-		(5. annual energy conference on energy policy options, Chicago, IL, USA, 28-30 Sep 1977)
1	599	Dep. NTIS, PC A02/MF A01
CONF-7709147-		(Meeting on construction and operation management of a nuclear power plant, Karlsruhe, F.R. Germany, 5 Sep-25 Nov 1977)
50	2	See AED-Conf-77-498-087
CONF-771008-		(International meeting on advanced LMFBR fuels, Tucson, AZ, USA, 10-13 Oct 1977)
	4817	La Grange Park, IL; American Nuclear Society (1977).
5	600	Dep. NTIS, PC A02/MF A01
CONF-771023-		(Nuclear science symposium, San Francisco, CA, USA, 19-21 Oct 1977)
	3825	NS: No. 1, 266-277(Feb 1978)
	3826	NS25: No. 1, 112-115(Feb 1978)
13	601	Dep. NTIS, PC A02/MF A01
22	602	Dep. NTIS, PC A02/MF A01
23	603	Dep. NTIS, PC A02/MF A01
CONF-771036-		(2. ASTM-EURATOM symposium on reactor dosimetry: dosimetry methods for fuels, cladding and structural materials, Palo Alto, CA, USA, 2-7 Oct 1977)
2	604	Dep. NTIS, PC A02/MF A01
10	1488	See HEDL-SA-1351
11	1495	See HEDL-SA-1374
14	1487	See HEDL-SA-1350
CONF-771052-		(International working group on fast reactors (IAEA/IWGFR) specialists meeting, Bensburg, F.R. Germany, 17-21 Oct 1977)
	2110	See IWGFR-22
1	605	Dep. NTIS, PC A03/MF A01
2	606	Dep. NTIS, PC A03/MF A01
3	607	Dep. NTIS, PC A03/MF A01
CONF-771064-		(Ultrasonics symposium, Phoenix, AZ, USA, 26-28 Oct 1977)
2	2831	See SAND-77-1157C
CONF-7710102-		(Aerosol transport and release review meeting, Silver Springs, MD, USA, 27 Oct 1977)
1	1498	See HEDL-SA-1381
CONF-7710126-		(American power conference, Chicago, IL, USA, Oct 1977)
1	1500	See HEDL-SA-1387
CONF-7710139-		(US-UK technical exchange, Sunnyvale, CA, USA, 14 Oct 1977)
1	1490	See HEDL-SA-13638
CONF-771102-		(20. annual AICHE meeting, New York, NY, USA, 13-17 Nov 1977)
15	2947	See UCRL-79653(Rev.1)
CONF-771108-		(Post accident heat removal information exchange meeting, Chicago, IL, USA, 2-3 Nov 1977)
1	2834	See SAND-77-1413C
2	2836	See SAND-77-1443C
3	608	Dep. NTIS, PC A02/MF A01
4	2835	See SAND-77-1421C
6	1395	See GEFR-SP-037
8	1497	See HEDL-SA-1380
9	2269	See LA-UR-78-495
CONF-771109-		(ANS winter meeting, San Francisco, CA, USA, 27 Nov-2 Dec 1977)
4	2825	See SAND-77-1094C
5	2816	See SAND-77-1015C
6	2829	See SAND-77-1117C
7	2817	See SAND-77-1016C
9	2818	See SAND-77-1017C
12	2819	See SAND-77-1018C
15	2823	See SAND-77-1092C
16	2828	See SAND-77-1101C
18	2824	See SAND-77-1093C

Report No.	Abstract No.	Availability
22	2810	See SAND-77-0161C
23	2820	See SAND-77-1032C
27	2826	See SAND-77-1095C
36	2827	See SAND-77-1096C
37	2815	See SAND-77-1014C
46	2822	See SAND-77-1073C
47	2821	See SAND-77-1059C
49	609	Dep. NTIS, PC A02/MF A01
52	610	Dep. NTIS, PC A02/MF A01
62	2846	See SAND-77-1828C
68	2814	See SAND-77-0971C
77	611	Dep. NTIS, PC A02/MF A01
78	612	Dep. NTIS, PC A02/MF A01
86	613	Dep. NTIS, PC A03/MF A01
96	1478	See HEDL-SA-1324-F
97	1474	See HEDL-SA-1300FP
99	1470	See HEDL-SA-1292-S
101	1471	See HEDL-SA-1294S
102	1482	See HEDL-SA-1327-S
103	1481	See HEDL-SA-1327-FP
104	1473	See HEDL-SA-1299-S
105	1479	See HEDL-SA-1325
106	1475	See HEDL-SA-1306S
112	1483	See HEDL-SA-1329
CONF-771120-		(Winter annual meeting of the American Society of Mechanical Engineers, Atlanta, GA, USA, 27 Nov-2 Dec 1977)
8	614	Dep. NTIS, PC A02/MF A01
13	1393	See GEFR-SP-023
14	615	Dep. NTIS, PC A03/MF A01
20	616	Dep. NTIS, PC A02/MF A01
22	617	Dep. NTIS, PC A03/MF A01
23	618	Dep. NTIS, PC A02/MF A01
24	1484	See HEDL-SA-1333
P2	4929	$25.00
P4	4989	New York; American Society of Mechanical Engineers (1977).
CONF-771123-		(BNES conference on optimization of sodium cooled fast reactors, London, UK, 28 Nov-1 Dec 1977)
	4036	British Nuclear Energy Society, London, England
1	619	Dep. NTIS, PC A03/MF A01
2	620	Dep. NTIS, PC A02/MF A01
3	1477	See HEDL-SA-1321
CONF-771189-		(Symposium on the future of research reactors, Grenoble, France, Nov 1977)
5	364	See CEA-CONF-4192
CONF-7711121-		(Indo-German seminar on radiation damage, Kalpakkam, India, 14-16 Nov 1977)
	863	Dep. NTIS (US Sales Only), PC A22/MF A01
CONF-7711123-		(KTG special meeting of the Fachgruppe Brennelemente, Bergisch Gladbach, F.R. Germany, 25 Nov 1977)
	2012	See INTAT-78-70
CONF-771204-		(3. international symposium on computing methods in applied sciences and engineering, Versailles, France, 5-9 Dec 1977)
1	2268	See LA-UR-77-2378
CONF-771210-		(Meeting on fuel and clad motion diagnostics for fast reactor safety test facilities, Los Alamos, NM, USA, 5 Dec 1977)
1	2840	See SAND-77-1553C
2	2843	See SAND-77-1648C
CONF-771217-		(Seminar on LMFBR components, Canoga Park, CA, USA, 5-8 Dec 1977)
1	634	Dep. NTIS, PC A02/MF A01
2	635	Dep. NTIS, PC A03/MF A01
3	636	Dep. NTIS, MF A01
4	637	Dep. NTIS, PC A03/MF A01
5	638	Dep. NTIS, PC A02/MF A01
6	639	Dep. NTIS, PC A03/MF A01
7	640	Dep. NTIS, PC A02/MF A01
8	641	Dep. NTIS, PC A03/MF A01
9	642	Dep. NTIS, PC A02/MF A01
10	1494	See HEDL-SA-1371
CONF-771237-		(1. joint US/Japan seminar on breeder reactor plant components, Los Angeles, CA, USA, 5 Dec 1977)
1	1501	See HEDL-SA-1388
CONF-780205-		(1. joint U.S./Japan LMFBR steam generator seminar, Tokyo, Japan, 13-24 Feb 1978)
1	1404	See GEFR-SP-070
2	1397	See GEFR-SP-044
3	1396	See GEFR-SP-042
4	1398	See GEFR-SP-046
5	1399	See GEFR-SP-046
6	987	See CRBRP-GEFR-SP-00043
7	984	See CRBRP-GEFR-SP-040
8	983	See CRBRP-GEFR-SP-036
9	643	Dep. NTIS, PC A03/MF A01
CONF-780213-		(107. AIME meeting, Denver, CO, USA, 26 Feb-2 Mar 1978)
10	1480	See HEDL-SA-1326
CONF-780215-		(Conference on NDE in the nuclear industry, Salt Lake City, UT, USA, 13-15 Feb 1978)
2	644	Dep. NTIS, PC A02/MF A01
CONF-780232-		(IAEA meeting on sodium removal and decontamination, Richland, WA, USA, 14-16 Feb 1978)
	2111	See IWGFR-23
1	645	Dep. NTIS, PC A03/MF A01
2	1518	See HEDL-SA-1444
3	1511	See HEDL-SA-1429FP
4	1523	See HEDL-SA-1452
CONF-780240-		(Meeting of Washington state boiler inspectors, Seattle, WA, USA, 27 Feb 1978)
1	1535	See HEDL-SA-1490
CONF-780251-		(US/USSR seminar on problems of design, development, fabrication, and test of breeder reactor components, Los Angeles, CA, USA, 6-9 Feb 1978)
P2	646	AT
CONF-780308-		(NACE meeting on corrosion, Houston, TX, USA, 6-10 Mar 1978)
8	1508	See HEDL-SA-1420
CONF-780374-		(Conference of the American Society for Nondestructive Testing, Phoenix, AZ, USA, 28-30 Mar 1978)
1	659	Dep. NTIS, PC A02/MF A01
CONF-780401-		(Topical meeting on advances in reactor physics, Gatlinburg, TN, USA, 9-12 Apr 1978)
9	1503	See HEDL-SA-1393
11	667	Dep. NTIS, MF A01
12	668	Dep. NTIS, PC A02/MF A01
13	669	Dep. NTIS (US Sales Only), PC A02/MF A01
15	670	Dep. NTIS, PC A02/MF A01
16	671	Dep. NTIS, PC A02/MF A01
20	672	Dep. NTIS, PC A12/MF A01
CONF-780406-		(59. AWS annual meeting, New Orleans, LA, USA, 3-7 Apr 1978)
4	1485	See HEDL-SA-1343
CONF-780407-		(Symposium on design, construction and operating experience of demonstration liquid metal fast breeder reactors, Bologna, Italy, 10-14 Apr 1978)
	2898	See STI/PUB-490
1	305	See BNL-NUREG-23113
2	1883	See IAEA-SM-225/24
3	1537	See HEDL-SA-1496
3	1538	See HEDL-SA-1499
6	673	Dep. NTIS, PC A03/MF A01
7	674	Dep. NTIS (US Sales Only), PC A02/MF A01
7	3522	See BNWL-tr-335
9	3524	See BNWL-tr-334
10	3047	See PNL-TR-397
11	3048	See PNL-TR-393
CONF-780430-		(Conference on metallurgical coatings, San Francisco, CA, USA, 3-7 Apr 1978)
6	1502	See HEDL-SA-1391
CONF-780440-		(American power conference, Chicago, IL, USA, Apr 1978)
	4154	40: 86-91(1978)
	4189	40: 255-265(1978)
	4190	40: 266-277(1978)
	4191	40: 278-284(1978)
	4192	40: 285-291(1978)
1	675	Dep. NTIS, PC A02/MF A01
CONF-780469-		(IAEA symposium on nuclear power plant control and instrumentation, Cannes, France, 24-28 Apr 1978)
1	676	Dep. NTIS, PC A02/MF A01
CONF-780487-		(11. meeting on fast reactors, Bologna, Italy, 17-20 Apr 1978)
P1(Summ.)	2132	See IWGFR-24-1
P3(Summ.)	2133	See IWGFR-24-3
CONF-780493-		(U.S. Japanese specialists meeting, Argonne, IL, USA, 17-20 Apr 1978)
1	1521	See HEDL-SA-1448

Report No.	Abstract No.	Availability
CONF-7804149-		(3 symposium on the training of nuclear facility personnel, Gatlinburg, TN, USA, 29 Apr 1978)
1	1597	See HEDL-SA-1679
CONF-780506-		(5. symposium on packaging and transportation of radioactive materials, Las Vegas, NV, USA, 7-12 May 1978)
7	2853	See SAND-78-0247C
CONF-780507-		(Probabilistic analysis of nuclear reactor safety, Los Angeles, CA, USA, 8-10 May 1978)
13	398	See BNL-NUREG-24162
15	677	Dep. NTIS, PC A02/MF A01
20	1394	See GEFR-SP-027
CONF-780545-		(Meeting of the American Ceramic Society, Detroit, MI, USA, 6-11 May 1978)
5	1499	See HEDL-SA-1382-FP
7	1507	See HEDL-SA-1407
10	1504	See HEDL-SA-1399-FP
CONF-780584-		(International conference on regulating nuclear energy, Brussels, Belgium, 16-19 May 1978)
4	1985	See INIS-mf-4623
CONF-7805110-		(Working group on irradiation devices, Petten, Netherlands, 18-19 May 1978)
4	1554	See HEDL-SA-1530
CONF-7805170-		(2. Phase Flow Group meeting, Stockholm, Sweden, 28 May-1 Jun 1978)
2	356	See CEA-CONF-4339
CONF-7805172-		(Safety of nuclear installations specialist meeting on elastoplastic fracture mechanics, Daresbury, UK, 22-24 May 1978)
(Vol.2)	998	See CSNI-R-32(Vol.2)
CONF-7805178-		(Conference on reactor materials science, Alushta, Ukrainian SSR, 29 May-1 Jun 1978)
P4	2002	See INIS-mf-4974
CONF-780609-		(ASME/CSME pressure vessels and piping conference, Montreal, Canada, 25-29 Jun 1978)
4	2861	See SAND-78-0742C
10	1524	See HEDL-SA-1453
11	1530	See HEDL-SA-1469
13	1509	See HEDL-SA-1423
14	1570	See HEDL-SA-1575
15	1489	See HEDL-SA-1354-FP
18	1476	See HEDL-SA-1316
CONF-780622-		(ANS annual meeting, San Diego, CA, USA, 18-23 Jun 1978)
1	2858	See SAND-78-0274C
3	2859	See SAND-78-0363C
4	2855	See SAND-78-0255C
6	2849	See SAND-78-0216C
8	2848	See SAND-78-0078C
9	2856	See SAND-78-0257C
11	2857	See SAND-78-0266C
15	678	Dep. NTIS, PC A02/MF A01
16	2852	See SAND-78-0236C
17	2851	See SAND-78-0233C
21	2850	See SAND-78-0232C
22	2854	See SAND-78-0252C
34	1403	See GEFR-SP-065
37	679	Dep. NTIS, PC A02/MF A01
42	680	Dep. NTIS, PC A02/MF A01
43	681	Dep. NTIS, PC A02/MF A01
46	1527	See HEDL-SA-1459
47	1856	See HEDL-TME-1480(FP)
48	1515	See HEDL-SA-1440
51	1526	See HEDL-SA-1458
55	1529	See HEDL-SA-1463FP
57	1522	See HEDL-SA-1449
58	1520	See HEDL-SA-1447-S
62	1532	See HEDL-SA-1477
63	1533	See HEDL-SA-1485
67	682	Dep. NTIS, PC A02/MF A01
69	1534	See HEDL-SA-1489-FP
71	1541	See HEDL-SA-1504-FP
73	2774	See RLO-2227/T32-2
76	1531	See HEDL-SA-1470-S
CONF-780677-		(U.S. Japanese information exchange, Richland, WA, USA, Jun 1978)
1	1517	See HEDL-SA-1442
2	1519	See HEDL-SA-1446
3	1513	See HEDL-SA-1433
4	1512	See HEDL-SA-1432
5	1546	See HEDL-SA-1517
6	1510	See HEDL-SA-1425
CONF-780698-		(Northwest computer conference, Victoria, Canada, 15-16 Jun 1978)
1	1551	See HEDL-SA-1525-FP
CONF-7806144-		(Specialists' meeting on equations of state of materials of relevance to the analysis of hypothetical fast breeder reactor accidents, Harwell, UK, 19-23 Jun 1978)
(Summ.)	2134	See IWGFR-26
CONF-7806167-		(Summer meeting: shocks and vibrations, Lyon, France, 13-15 Jun 1978)
3	357	See CEA-CONF-4384
CONF-780722-		(9. symposium on effects of radiation in structural materials, Richland, WA, USA, 10-14 Jul 1978)
3	1528	See HEDL-SA-1462
6	1525	See HEDL-SA-1455
7	1506	See HEDL-SA-1405
14	1514	See HEDL-SA-1439
24	1505	See HEDL-SA-1402
25	1053	See ECN-50
CONF-780803-		(4. conference on structural mechanics in reactor technology, San Francisco, CA, USA, 15-19 Aug 1978)
1	2813	See SAND-77-0924C
CONF-780805-		(6. heat transfer conference, Toronto, Canada, 7-11 Aug 1978)
7	3483	See ANL-Trans-1140
CONF-780819-		(15. nuclear air cleaning conference, Boston, MA, USA, Aug 1978)
13	683	Dep. NTIS, PC A03/MF A01
CONF-780829-		(22. symposium and instrument display, San Diego, CA, USA, 28-31 Aug 1978)
1	1548	See HEDL-SA-1521
CONF-780918-		(International centre for heat and mass transfer, Dubrovnik, Yugoslavia, 4-9 Sep 1978)
2	2270	See LA-UR-78-1265
CONF-780922-		(ASME conference on power generation, Dallas, TX, USA, 10-14 Sep 1978)
2	689	Dep. NTIS, PC A02/MF A01
CONF-780958-		(10. electro optics laser conference, Boston, MA, USA, 19-21 Sep 1978)
3	1545	See HEDL-SA-1516
CONF-780963-		(Seminar on plant engineering, Mito, Japan, 20-22 Sep 1978)
1	690	Dep. NTIS, PC A05/MF A01
2	691	Dep. NTIS, PC A04/MF A01
CONF-7809110-		(Plant experience working group meeting, Ibaraki-Ken, Japan, Sep 1978)
1	1580	See HEDL-SA-1606
2	1573	See HEDL-SA-1587
3	1574	See HEDL-SA-1588
CONF-7809124-		(1978 joint power generation conference, Dallas, TX, USA, Sep 1978)
1	1543	See HEDL-SA-1506
CONF-7809169-		(5. symposium on reliability technology, Bradford, UK, Sep 1978)
	2309	See NCSR-R-20
CONF-7809171-		(Conference on the role of the fast breeder reactor, Essen, F.R. Germany, 27 Sep 1978)
1	2013	See INTAT-78.147
CONF-781001-		(3. US-USSR LMFBR steam generator seminar, Tampa, FL, USA, Oct 1978)
P1	692	AT
P2	705	AT
P3	724	AT
CONF-781002-		********** BAD PREFIX OR NO AUTHORITY ENTRY **********
1	1496	See HEDL-SA-1375
CONF-781004-		(Nuclear meeting, Basel, Switzerland, 3-7 Oct 1978)
8	1550	See HEDL-SA-1523-FP
CONF-781008-		(ASNT fall conference, Denver, CO, USA, 2-5 Oct 1978)
2	1544	See HEDL-SA-1514
4	1540	See HEDL-SA-1501-FP
6	1560	See HEDL-SA-1546

Report No.	Abstract No.	Availability
CONF-781022-		(Meeting on nuclear power reactor safety, Brussels, Belgium, 16-19 Oct 1978)
6	2863	See SAND-78-1223C
8	2860	See SAND-78-0437C
25	725	Dep. NTIS, PC A02/MF A01
27	726	Dep. NTIS, PC A02/MF A01
28	727	Dep. NTIS, PC A02/MF A01
29	2271	See LA-UR-78-2602
30	728	Dep. NTIS, PC A02/MF A01
31	729	Dep. NTIS, PC A02/MF A01
32	730	Dep. NTIS, PC A02/MF A01
37	309	See BNL-NUREG-24946
38	1539	See HEDL-SA-1500-FP
39	310	See BNL-NUREG-24984
40	311	See BNL-NUREG-24988
41	731	Dep. NTIS, PC A02/MF A01
64	1993	See INIS-mf-4773
84	1999	See INIS-mf-4862
108	2001	See INIS-mf-4960
128	1591	See HEDL-SA-1665
CONF-781033-		(IEEE nuclear science symposium, Washington, DC, USA, 18-20 Oct 1978)
9	732	Dep. NTIS, PC A02/MF A01
15	2273	See LA-UR-78-2711
CONF-781042-		(5. conference on energy, Rolla, MO, USA, Oct 1978)
2	733	Dep. NTIS, PC A02/MF A01
CONF-781071-		(NACE south central conference, Denver, CO, USA, 3 Oct 1978)
2	1565	See HEDL-SA-1559
CONF-781079-		(Postaccident heat removal information exchange, Ispra, Italy, 10-12 Oct 1978)
1	2868	See SAND-78-1754C
4	734	Dep. NTIS, PC A02/MF A01
CONF-7810120-		(PMI seminar/symposium, Anaheim, CA, USA, 7-11 Oct 1978)
1	1583	See HEDL-SA-1630
CONF-7810133-		(12. annual symposium of the German Health Physics Society--radioactivity and the environment, Norderney, F.R. Germany, 2-6 Oct 1978)
5	864	Dep. NTIS, PC A02/MF A01
CONF-7810143-		(31. pacific coast meeting of American Ceramic Society, San Diego, CA, USA, 25-27 Oct 1978)
3	1562	See HEDL-SA-1553
5	1578	See HEDL-SA-1604-FP
CONF-7810144-		(Meeting of Japan section of the American Nuclear Society, Tokyo, Japan, 25 Oct 1978)
1	1593	See HEDL-SA-1671
CONF-7810168-		(Association of records managers and administrators annual conference, Washington, DC, USA, 8 Oct 1978)
1	1557	See HEDL-SA-1537-FP
CONF-7810177-		(Lecture meeting on principles and applications of nuclear-, radio-, and radiation chemistry, Lindau, F.R. Germany, 16-19 Oct 1978)
	5	See AED-Conf-78-274-000
CONF-781105-		(ANS meeting, Washington, DC, USA, 12-17 Nov 1978)
8	735	Dep. NTIS, PC A02/MF A01
20	736	Dep. NTIS, PC A02/MF A01
26	2866	See SAND-78-1336C
39	2865	See SAND-78-1251C
48	2864	See SAND-78-1249C
52	2272	See LA-UR-78-2650
57	737	Dep. NTIS, PC A02/MF A01
58	738	Dep. NTIS, PC A02/MF A01
66	739	Dep. NTIS, PC A02/MF A01
80	1558	See HEDL-SA-1540-FP
81	1567	See HEDL-SA-1564
82	1576	See HEDL-SA-1593-FP
83	1571	See HEDL-SA-1576
89	1563	See HEDL-SA-1554-FP
90	1564	See HEDL-SA-1555-S
92	1575	See HEDL-SA-1589-S
94	1569	See HEDL-SA-1574
95	1441	See HEDL-SA-1595-FP
97	1577	See HEDL-SA-1598-FP
98	1568	See HEDL-SA-1564-S
101	913	See COO-2458-22
CONF-781108-		(4. DOE statistical symposium, Albuquerque, NM, USA, 1-3 Nov 1978)
	740	Dep. NTIS, PC A15/MF A01

Report No.	Abstract No.	Availability
CONF-781109-		(Environmental control symposium, Washington, DC, USA, 28-30 Nov 1978)
20	1582	See HEDL-SA-1625
(Vol.2)	1013	See DOE/EV-0046(Vol.2)
CONF-781117-		(FBR shielding seminar, Obninsk, USSR, 13-17 Nov 1978)
2	741	Dep. NTIS, PC A02/MF A01
3	742	Dep. NTIS, PC A02/MF A01
4	743	Dep. NTIS, PC A02/MF A01
5	744	Dep. NTIS, PC A02/MF A01
6	745	Dep. NTIS, PC A02/MF A01
7	746	Dep. NTIS, PC A03/MF A01
18	1585	See HEDL-SA-1634
19	1589	See HEDL-SA-1643
CONF-781144-		(2. US-Japan seminar on HTGR safety technology, Fuji, Japan, 24-25 Nov 1978)
18	1600	See HEDL-SA-1688
CONF-781173-		(Specialists' meeting on sodium fires and prevention, Aix-en-Provence, France, 20-24 Nov 1978)
1	312	See BNL-NUREG-25140
CONF-781174-		(Conference on the nuclear data of higher plutonium and americium isotopes for reactor applications, Upton, NY, USA, 20-22 Nov 1978)
	304	See BNL-50991
CONF-781181-		(American Nuclear Society meeting, San Francisco, CA, USA, 12-16 Nov 1978)
2	747	Dep. NTIS, PC A02/MF A01
CONF-781182-		(Joint national ORSA/TIMS meeting, Los Angeles, CA, USA, 13-15 Nov 1978)
4	2761	See RAND-P-6226
CONF-7811109-		(1978 winter meeting of American Nuclear Society, Washington, DC, USA, 12-16 Nov 1978)
	3928	30: 676-678(1978)
	3929	30: 700-701(1978)
	3930	30: 703-704(1978)
	3931	30: 706-707(1978)
	3932	30: 708-709(1978)
	3933	30: 719-720(1978)
	3934	30: 720-722(1978)
	3935	30: 722-723(1978)
	3936	30: 185-186(1978)
	3937	30: 186-187(1978)
	3938	30: 189-190(1978)
	3939	30: 190-191(1978)
	3940	30: 191-192(1978)
	3941	30: 192-193(1978)
	3942	30: 196-198(1978)
	3943	30: 213-214(1978)
	3944	30: 214-215(1978)
	3945	30: 227(1978)
	3946	30: 228-229(1978)
	3947	30: 504-505(1978)
	3948	30: 510-512(1978)
	3949	30: 524-525(1978)
	3950	30: 528-529(1978)
	3951	30: 529-531(1978)
	3952	30: 531-532(1978)
	3953	30: 534-535(1978)
	3954	30: 540-541(1978)
	3955	30: 541-543(1978)
	3956	30: 547-548(1978)
	3957	30: 548(1978)
	3958	30: 564-565(1978)
	3959	30: 565-566(1978)
	3960	30: 573-575(1978)
	3961	30: 575-576(1978)
	3962	30: 576-578(1978)
	3963	30: 578-579(1978)
	3964	30: 579-580(1978)
	3965	30: 551-553(1978)
	3966	30: 487-488(1978)
	3967	30: 188-189(1978)
	3968	30: 635-636(1978)
	3969	30: 707-708(1978)
	3970	30: 309-310(1978)
	3971	30: 324-325(1978)
	3972	30: 195-196(1978)
	3973	30: 535-536(1978)
	3974	30: 634-635(1978)
	3975	30: 637-638(1978)
	3976	30: 699-700(1978)
	3977	30: 360-362(1978)
	3978	30: 412(1978)
	3979	30: 412-413(1978)
	3980	30: 415-416(1978)
	3981	30: 416-417(1978)
	3982	30: 417-419(1978)
	3983	30: 419-420(1978)
	3984	30: 420-421(1978)
	3985	30: 422-423(1978)
	3986	30: 423-424(1978)
	3987	30: 424-426(1978)

Report No.	Abstract No.	Availability
	3988	30: 426-427(1978)
	3989	30: 428-429(1978)
	3990	30: 431-432(1978)
	3991	30: 432-424(1978)
	3992	30: 433-435(1978)
	3993	30: 436-437(1978)
	3994	30: 437-438(1978)
	3995	30: 438-439(1978)
	3996	30: 439-440(1978)
	3997	30: 441(1978)
	3998	30: 443-444(1978)
	3999	30: 444-445(1978)
	4000	30: 446-447(1978)
	4001	30: 448-450(1978)
	4002	30: 451-452(1978)
	4003	30: 452-453(1978)
	4004	30: 453-455(1978)
	4005	30: 455-456(1978)
	4006	30: 456-457(1978)
	4007	30: 457-458(1978)
	4008	30: 461-462(1978)
	4009	30: 462-463(1978)
	4010	30: 463-465(1978)
	4011	30: 466-467(1978)
	4012	30: 468-469(1978)
	4013	30: 470-471(1978)
	4014	30: 471-472(1978)
	4015	30: 472-473(1978)
	4016	30: 473-474(1978)
	4017	30: 474-476(1978)
	4018	30: 476-477(1978)
	4019	30: 477-478(1978)
	4020	30: 204-205(1978)
	4021	30: 537-538(1978)
	4023	30: 766-767(1978)
	4024	30: 776-777(1978)
	4025	30: 465-466(1978)
	4026	30: 154-155(1978)
	4027	30: 159-160(1978)
	4028	30: 157-158(1978)
CONF-7811137-		(IAEA/IWGFR specialists meeting, Cadarache, France, 20-24 Nov 1978)
1	1592	See HEDL-SA-1669
CONF-781202-		(ASME meeting, San Francisco, CA, USA, 10-15 Dec 1978)
25	748	Dep. NTIS, PC A02/MF A01
26	749	Dep. NTIS, PC A03/MF A01
41	985	See CRBRP-GEFR-SP-139
42	1579	See HEDL-SA-1605-FP
CONF-781219-		(US/UKAEA specialists meeting on mechanical properties, Oak Ridge, TN, USA, 4-7 Dec 1978)
1	750	Dep. NTIS, PC A02/MF A01
4	751	Dep. NTIS, PC A03/MF A01
5	752	Dep. NTIS, PC A02/MF A01
CONF-781228-		(Reliability of materials for solar energy workshop, Denver, CO, USA, 18-20 Dec 1978)
(Vol.2) (Pt.2)	2895	See SERI/TP-31-248(Vol.2) (Pt.2)
CONF-790111-		(International symposium on thermodynamics of nuclear materials, Julich, F.R. Germany, 29 Jan-2 Feb 1979)
3	1549	See HEDL-SA-1522
4	2872	See SAND-78-2140C
5	2862	See SAND-78-0939C
31	2009	See INKA-Conf-79-003-006
CONF-790202-		(6. annual energy conference and exibition energy and the public, Knoxville, TN, USA, 21-23 Feb 1979)
	753	Dep. NTIS, PC A13/MF A01
CONF-790214-		(1979 winter power meeting, New York, NY, USA, 4-9 Feb 1979)
	3325	New York, NY: Institute of Electrical and Electronics Engineers, Inc. (1979).
CONF-790236-		(Workshop on time-dependent fracture of materials, Germantown, MD, USA, 15-16 Feb 1979)
1	755	Dep. NTIS, PC A02/MF A01
CONF-790239-		(Specialists' meeting on decay heat removal and natural convection in FBRs, Upton, Long Island, NY, USA, 28-29 Feb 1979)
1	756	Dep. NTIS, PC A03/MF A01
CONF-790306-		(International conference on fast breeder reactor performance, Monterey, CA, USA, 5-8 Mar 1979)
3	2274	See LA-UR-78-2932
4	2275	See LA-UR-78-2933
5	757	Dep. NTIS, PC A02/MF A01
7	1552	See HEDL-SA-1526-FP
8	1547	See HEDL-SA-1518
9	1556	See HEDL-SA-1536-FP
10	1559	See HEDL-SA-1543-FP
11	1598	See HEDL-SA-1683-FP
12	1555	See HEDL-SA-1535-FP
13	1553	See HEDL-SA-1527-FP
15	1572	See HEDL-SA-1579
16	758	Dep. NTIS, PC A02/MF A01
19	1561	See HEDL-SA-1551-FP
20	1602	See HEDL-SA-1695-FP
21	1581	See HEDL-SA-1609
22	1566	See HEDL-SA-1562-FP
24	1443	See HEDL-S/A-1552-FP
25	2755	See PNL-SA-7503
CONF-790310-		(Specialists workshop on predictive analysis of material dynamics in LMFBR safety expts, Los Alamos, NM, USA, 13-15 Mar 1979)
1	2871	See SAND-78-2085C
2	2870	See SAND-78-1919C
3	2277	See LA-UR-79-770
4	2869	See SAND-78-1910C
5	1584	See HEDL-SA-1631-FP
6	1590	See HEDL-SA-1658-S
CONF-790361-		(LMFBR workshop, Albuquerque, NM, USA, 12-15 Mar 1979)
1	759	Dep. NTIS, PC A02/MF A01
CONF-790363-		(US Japan specialist meeting on high temperature piping design and analysis, Pittsburgh, PA, USA, 26-30 Mar 1979)
1	760	Dep. NTIS, PC A03/MF A01
2	761	Dep. NTIS, PC A02/MF A01
3	762	Dep. NTIS, PC A02/MF A01
4	763	Dep. NTIS, PC A02/MF A01
5	764	AT
CONF-790370-		(5. international conference on structural mechanics in reactor technology, Berlin, F.R. Germany, 20 Mar 1979)
1	765	Dep. NTIS, PC A02/MF A01
CONF-790374-		(AECD-IAEA symposium on the on-site management of power reactor, Zurich, Switzerland, 26-30 Mar 1979)
1	766	Dep. NTIS, PC A02/MF A01
CONF-790402-		(Computational methods in nuclear engineering, Williamsburg, VA, USA, 23-25 Apr 1979)
13	2276	See LA-UR-79-162
16	767	Dep. NTIS, PC A02/MF A01
18	768	Dep. NTIS, PC A02/MF A01
19	769	Dep. NTIS, PC A02/MF A01
20	770	Dep. NTIS, PC A02/MF A01
CONF-790408-		(3. ASCE specialty conference on the structural design of nuclear plant facilities, Boston, MA, USA, 2-3 Apr 1979)
3	772	Dep. NTIS, PC A03/MF A01
CONF-790415-		(177. national meeting of the American Chemical Society, Honolulu, HI, USA, 1-6 Apr 1979)
29	2770	See RFP-2887
CONF-790420-		(International symposium on ceramics in nuclear waste management, Cincinnati, OH, USA, 30 Apr-2 May 1979)
12	1608	See HEDL-SA-1724
14	1596	See HEDL-SA-1678-FP
16	1601	See HEDL-SA-1690-FP
CONF-790423-		(2. multiphase flow and heat transfer symposium workshop, Miami Beach, FL, USA, 16-18 Apr 1979)
7	2278	See LA-UR-79-811
CONF-790426-		(International conference on welding and fabrication in the nuclear industry, London, UK, 2-6 Apr 1979)
2	1411	See GEFR-SP-151
CONF-790429-		(4. specialist meeting on fuel-coolant interaction in nuclear reactor safety, Bournemouth, UK, 2-5 Apr 1979)
2	2884	See SAND-79-0740C
4	2885	See SAND-79-0752C
CONF-790488-		(2. PEWG specialists - meeting, Richland, WA, USA, 23-26 Apr 1979)
7	1594	See HEDL-SA-1676
CONF-7904117-		(American Nuclear Society meeting, Los Angeles, CA, USA, 19 Apr 1979)
1	1639	See HEDL-SA-1795

Report No.	Abstract No.	Availability
CONF-7905160-		(Seminar on reactor technology, Karlsruhe, F.R. Germany, 10 May 1979)
1	2010	See INKA-Conf-79-082-001
CONF-790602-		(ANS annual meeting, Atlanta, GA, USA, 3-8 Jun 1979)
4	324	See BNL-NUREG-25575
9	326	See BNL-NUREG-25714
11	314	See BNL-NUREG-25421
18	915	See COO-2458-24
36	773	Dep. NTIS, PC A02/MF A01
44	914	See COO-2458-23
47	1408	See GEFR-SP-138
52	774	Dep. NTIS, PC A02/MF A01
59	775	Dep. NTIS, PC A02/MF A01
60	776	Dep. NTIS, PC A02/MF A01
61	777	Dep. NTIS, PC A02/MF A01
62	778	Dep. NTIS, PC A02/MF A01
63	779	Dep. NTIS, PC A02/MF A01
65	780	Dep. NTIS, PC A02/MF A01
74	1611	See HEDL-SA-1728-FP
75	1621	See HEDL-SA-1749-FP
76	1627	See HEDL-SA-1755-FP
78	1642	See HEDL-SA-1838-FP
79	1630	See HEDL-SA-1760-FP
80	1629	See HEDL-SA-1759-FP
81(Rev.)	1625	See HEDL-SA-1753-S(Rev.)
82(Summ.)	1628	See HEDL-SA-1756-S
83	1626	See HEDL-SA-1754-FP
87	781	Dep. NTIS, PC A02/MF A01
90	1610	See HEDL-SA-1727-FP
92	2756	See PNL-SA-7521
(Summ.)	3142	32: 227-228(Jun 1979)
(Summ.)	3143	32: 228-230(Jun 1979)
(Summ.)	3144	32: 230-231(Jun 1979)
(Summ.)	3145	32: 278(Jun 1979)
(Summ.)	3146	32: 323-325(Jun 1979)
(Summ.)	3152	32: 763-766(Jun 1979)
(Summ.)	3153	32: 766-768(Jun 1979)
(Summ.)	3154	32: 768-769(Jun 1979)
(Summ.)	3155	32: 772-773(Jun 1979)
(Summ.)	3156	32: 784-785(Jun 1979)
(Summ.)	3157	32: 785-787(Jun 1979)
(Summ.)	3158	32: 787-788(Jun 1979)
(Summ.)	3159	32: 791-792(Jun 1979)
(Summ.)	3160	32: 801(Jun 1979)
(Summ.)	3161	32: 825-826(Jun 1979)
(Summ.)	3162	32: 826-827(Jun 1979)
(Summ.)	3163	32: 831-832(Jun 1979)
(Summ.)	3164	32: 216-217(Jun 1979)
(Summ.)	3165	32: 221-223(Jun 1979)
(Summ.)	3166	32: 223-224(Jun 1979)
(Summ.)	3167	32: 268(Jun 1979)
(Summ.)	3168	32: 265-266(Jun 1979)
(Summ.)	3169	32: 262-263(Jun 1979)
(Summ.)	3170	32: 249-250(Jun 1979)
(Summ.)	3171	32: 247-248(Jun 1979)
(Summ.)	3172	32: 480-482(Jun 1979)
(Summ.)	3173	32: 692-693(Jun 1979)
(Summ.)	3174	32: 405-406(Jun 1979)
(Summ.)	3175	32: 798-799(Jun 1979)
(Summ.)	3176	32: 217-218(Jun 1979)
(Summ.)	3177	32: 218-219(Jun 1979)
(Summ.)	3178	32: 219-221(Jun 1979)
(Summ.)	3179	32: 225-226(Jun 1979)
(Summ.)	3180	32: 282-283(Jun 1979)
(Summ.)	3181	32: 283-284(Jun 1979)
(Summ.)	3182	32: 736-737(Jun 1979)
(Summ.)	3183	32: 827-829(Jun 1979)
(Summ.)	3184	32: 829-830(Jun 1979)
(Summ.)	3185	32: 287(Jun 1979)
(Summ.)	3186	32: 501-502(Jun 1979)
(Summ.)	3187	32: 502-503(Jun 1979)
(Summ.)	3188	32: 503-504(Jun 1979)
(Summ.)	3189	32: 504-505(Jun 1979)
(Summ.)	3190	32: 505-506(Jun 1979)
(Summ.)	3191	32: 506-508(Jun 1979)
(Summ.)	3192	32: 508-509(Jun 1979)
(Summ.)	3193	32: 511-512(Jun 1979)
(Summ.)	3194	32: 512-513(Jun 1979)
(Summ.)	3195	32: 513-514(Jun 1979)
(Summ.)	3196	32: 515-516(Jun 1979)
(Summ.)	3197	32: 516-517(Jun 1979)
(Summ.)	3198	32: 518-519(Jun 1979)
(Summ.)	3199	32: 519-520(Jun 1979)
(Summ.)	3200	32: 520-522(Jun 1979)
(Summ.)	3201	32: 522-523(Jun 1979)
(Summ.)	3202	32: 523-524(Jun 1979)
(Summ.)	3203	32: 524-525(Jun 1979)
(Summ.)	3204	32: 525-526(Jun 1979)
(Summ.)	3205	32: 526-527(Jun 1979)
(Summ.)	3206	32: 527-528(Jun 1979)
(Summ.)	3207	32: 246(Jun 1979)
(Summ.)	3208	32: 558-559(Jun 1979)
(Summ.)	3209	32: 559-560(Jun 1979)
(Summ.)	3210	32: 560-561(Jun 1979)
(Summ.)	3211	32: 561-562(Jun 1979)
(Summ.)	3212	32: 562-564(Jun 1979)
(Summ.)	3213	32: 564-565(Jun 1979)
(Summ.)	3214	32: 570-571(Jun 1979)
(Summ.)	3215	32: 571-574(Jun 1979)
(Summ.)	3216	32: 575-576(Jun 1979)
(Summ.)	3217	32: 621-622(Jun 1979)
(Summ.)	3218	32: 627(Jun 1979)
(Summ.)	3219	32: 529-530(Jun 1979)
(Summ.)	3220	32: 530-531(Jun 1979)
(Summ.)	3221	32: 531-532(Jun 1979)
(Summ.)	3222	32: 533-534(Jun 1979)
(Summ.)	3223	32: 534-535(Jun 1979)
(Summ.)	3224	32: 535-537(Jun 1979)
(Summ.)	3225	32: 537-539(Jun 1979)
(Summ.)	3226	32: 539-540(Jun 1979)
(Summ.)	3227	32: 576-578(Jun 1979)
(Summ.)	3228	32: 623-625(Jun 1979)
CONF-790615-		(3. US national congress on pressure vessels and piping, San Francisco, CA, USA, 25-29 Jun 1979)
3	3321	American Society of Mechanical Engineers, 345 East 47th Street, New York, NY
6	1410	See GEFR-SP-149
11	782	Dep. NTIS, PC A04/MF A01
13	783	Dep. NTIS, PC A02/MF A01
16	784	Dep. NTIS, PC A03/MF A01
17	1631	See HEDL-SA-1766
18	1632	See HEDL-SA-1769
19	1634	See HEDL-SA-1771
20	1622	See HEDL-SA-1750
22	1636	See HEDL-SA-1773
23	1638	See HEDL-SA-1794
24	1587	See HEDL-SA-1641
25	1586	See HEDL-SA-1640
28	3333	$3.00
CONF-790698-		(Society of Women Engineers national student conference, San Francisco, CA, USA, 27 Jun 1979)
2	1637	See HEDL-SA-1787-FP
CONF-790709-		(VII international AIRAPT conference, La Creusot, France, 30 Jul-3 Aug 1979)
3(Rev.1)	2948	See UCRL-82614(Rev.1)
CONF-790731-		(US/USSR breeder reactor core materials information exchange meeting, Richland, WA, USA, Jul 1979)
1	785	Dep. NTIS, PC A02/MF A01
CONF-790745-		(Reactor Safety Instrumentation Review Group meeting, Silver Spring, MD, USA, 24-27 Jul 1979)
	2373	See NUREG/CP-0007
CONF-790802-		(International conference on structural mechanics in reactor technology, Berlin, F.R. Germany, 13-17 Aug 1979)
17	1405	See GEFR-SP-130
38	1412	See GEFR-SP-159
48	786	Dep. NTIS, PC A02/MF A01
49	787	Dep. NTIS, PC A02/MF A01
50	788	Dep. NTIS, PC A02/MF A01
51	789	Dep. NTIS, PC A02/MF A01
52	790	Dep. NTIS, PC A02/MF A01
55	791	Dep. NTIS, PC A02/MF A01
56	792	Dep. NTIS, PC A02/MF A01
59	793	Dep. NTIS, PC A02/MF A01
61	794	Dep. NTIS, PC A02/MF A01
62	795	Dep. NTIS, PC A02/MF A01
63	796	Dep. NTIS, PC A02/MF A01
65	797	Dep. NTIS, PC A02/MF A01
67	798	Dep. NTIS, PC A02/MF A01
68	799	Dep. NTIS, PC A02/MF A01
69	800	Dep. NTIS, PC A02/MF A01
70	801	Dep. NTIS, PC A02/MF A01
73	802	Dep. NTIS, PC A02
75	1595	See HEDL-SA-1677
78	1588	See HEDL-SA-1642-FP
CONF-790807-		(Topical conference on reactor operating experience, Arlington, TX, USA, 5-8 Aug 1979)
2	1635	See HEDL-SA-1772
CONF-790808-		(18. ASME national heat transfer conference, San Diego, CA, USA, Aug 1979)
1	803	Dep. NTIS, PC A02/MF A01
2	313	See BNL-NUREG-25297
7	327	See BNL-NUREG-26083
8	325	See BNL-NUREG-25618
13	804	Dep. NTIS, PC A04/MF A01
18	805	Dep. NTIS, PC A02/MF A01
19	806	Dep. NTIS, PC A02/MF A01
CONF-790810-		(2. international seminar on containment of fast breeder reactors, Berlin, F.R. Germany, 9-10 Aug 1979)
1	2279	See LA-UR-79-1230
2	1415	See GEFR-SP-171
CONF-790816-		(International meeting on fast reactor safety technology, Seattle, WA, USA, 19-23 Aug 1979)

Report No.	Abstract No.	Availability
1	322	See BNL-NUREG-25522
2	807	Dep. NTIS, PC A02/MF A01
4	320	See BNL-NUREG-25519
6	316	See BNL-NUREG-25493
7	315	See BNL-NUREG-25492
8	323	See BNL-NUREG-25535
9	319	See BNL-NUREG-25506
10	318	See BNL-NUREG-25498
11	1414	See GEFR-SP-165
12	808	Dep. NTIS, PC A02/MF A01
13	2281	See LA-UR-79-1918
14	2283	See LA-UR-79-2037
15	2282	See LA-UR-79-1956
16	2280	See LA-UR-79-1874
18	809	Dep. NTIS, PC A02/MF A01
19	810	Dep. NTIS, PC A02/MF A01
20	811	Dep. NTIS, PC A02/MF A01
21	812	Dep. NTIS, PC A02/MF A01
22	813	Dep. NTIS, PC A02/MF A01
23	1407	See GEFR-SP-135
24	814	Dep. NTIS, PC A02/MF A01
25	1406	See GEFR-SP-133
26	2888	See SAND-79-1685C
27	2887	See SAND-79-1602C
28	815	Dep. NTIS, PC A02/MF A01
29	816	Dep. NTIS, PC A02/MF A01
30	817	Dep. NTIS, PC A02/MF A01
31	818	Dep. NTIS, PC A02/MF A01
32	819	Dep. NTIS, PC A02/MF A01
33	2881	See SAND-79-0123C
34	2875	See SAND-79-0079C
35	2882	See SAND-79-0126C
36	2877	See SAND-79-0082C
37	820	Dep. NTIS, PC A02/MF A01
38	2287	See LA-UR-79-2340
39	821	Dep. NTIS, PC A02/MF A01
40	2878	See SAND-79-0091C
41	2284	See LA-UR-79-2141
42	2874	See SAND-79-0057C
44	2285	See LA-UR-79-2245
45	2879	See SAND-79-0107C
46	2890	See SAND-79-1708C
47	2880	See SAND-79-0112C
48	329	See BNL-NUREG-26572
52(Summ.)	2876	See SAND-79-0081C
54	2891	See SAND-79-1733C
55	822	Dep. NTIS, PC A02/MF A01
56	1605	See HEDL-SA-1713-FP
57	823	Dep. NTIS, PC A02/MF A01
58	824	Dep. NTIS, PC A02/MF A01
59	825	Dep. NTIS, PC A02/MF A01
60	826	Dep. NTIS, PC A02/MF A01
61	827	Dep. NTIS, PC A02/MF A01
62	1618	See HEDL-SA-1743-FP
63	1619	See HEDL-SA-1744-FP
64	1623	See HEDL-SA-1751
65	1624	See HEDL-SA-1752-FP
66	1603	See HEDL-SA-1703-FP
67	1609	See HEDL-SA-1725-FP
68	1616	See HEDL-SA-1737-FP
69	1617	See HEDL-SA-1741-FP
70	1615	See HEDL-SA-1736-FP
71	1614	See HEDL-SA-1735-FP
73	1613	See HEDL-SA-1731-FP
74	1633	See HEDL-SA-1770
77	1604	See HEDL-SA-1712-FP
78	1607	See HEDL-SA-1716-FP
79	1606	See HEDL-SA-1714-FP
86	1620	See HEDL-SA-1747-FD
CONF-790865-		(ANS/ENS international meeting on fast reactor safety technology, Vancouver, Canada, 19-23 Aug 1979)
1	2286	See LA-UR-79-2285
CONF-790868-		(IEEE ultrasonics symposium, New Orleans, LA, USA, Aug 1979)
1	1413	See GEFR-SP-164
CONF-790884-		(Post-SMIRT5 second international seminar on mathematical/mechanical modeling of reactor fuel elements, Berlin, F.R. Germany, 20-21 Aug 1979)
2	828	Dep. NTIS, PC A02/MF A01
CONF-790902-		(Impact of advanced systems on scientific computations, Livermore, CA, USA, 12-13 Sep 1979)
3	829	Dep. NTIS, PC A02/MF A01
CONF-790905-		(American Society for Quality Control conference, Las Vegas, NV, USA, 24-26 Sep 1979)
1	830	Dep. NTIS, PC A02/MF A01
CONF-790933-		(IAEA international symposium on fast reactor physics, Aix-en-Provence, France, 24-28 Sep 1979)
2	3043	See ZPR-TM-348
3	1612	See HEDL-SA-1729-FP
4	3044	See ZPR-TM-349
5	1884	See IAEA-SM-244/66
CONF-790934-		(18. congress of International Association for Hydraulic Research, Cagliari, Italy, 10-15 Sep 1979)
1	831	Dep. NTIS, PC A02/MF A01
CONF-791008-		(ASNT fall conference, St Louis, MO, USA, 15-19 Oct 1979)
4	1656	See HEDL-SA-1932
5	832	Dep. NTIS, PC A02/MF A01
CONF-791037-		(IEEE nuclear science symposium, San Francisco, CA, USA, 17-19 Oct 1979)
5	1651	See HEDL-SA-1903-FP
CONF-791045-		(American Ceramic Society conference, New Orleans, LA, USA, 14-17 Oct 1979)
4	1650	See HEDL-SA-1895-FP
7	1640	See HEDL-SA-1828
CONF-791051-		(3. ASTM-EURATOM symposium on reactor dosimetry, Ispra, Italy, 1-5 Oct 1979)
16	833	Dep. NTIS, PC A02/MF A01
CONF-791058-		(International conference on nuclear cross sections for technology, Knoxville, TN, USA, 22-26 Oct 1979)
26	834	Dep. NTIS, PC A02/MF A01
34	835	Dep. NTIS, PC A02/MF A01
CONF-791074-		(US/USSR exchange meeting on fast reactor safety, Moscow, USSR, 8 Oct 1979)
1	1658	See HEDL-SA-1945
CONF-791086-		(US/United Kingdom information exchange on dissolution of nuclear fuel, Windscale, UK, 16-18 Oct 1979)
2	1655	See HEDL-SA-1931
3	1657	See HEDL-SA-1935
CONF-7910112-		(NEACRP meeting, Paris, France, 1-5 Oct 1979)
2	865	Dep. NTIS, PC A03/MF A01
CONF-791103-		(American Nuclear Society meeting, San Francisco, CA, USA, 12-16 Nov 1979)
7(Summ)	836	Dep. NTIS, PC A02/MF A01
14	1409	See GEFR-SP-140
25	837	Dep. NTIS, PC A02/MF A01
59	1645	See HEDL-SA-1850
61	1641	See HEDL-SA-1835
63	1649	See HEDL-SA-1881-FP
64	1648	See HEDL-SA-1868
68	1643	See HEDL-SA-1839
75	2757	See PNL-SA-7876
92	838	Dep. NTIS, PC A02/MF A01
99	839	Dep. NTIS, PC A02/MF A01
105	840	Dep. NTIS, PC A02/MF A01
CONF-791108-		(72. AICHE meeting, San Francisco, CA, USA, 25-29 Nov 1979)
21	841	Dep. NTIS, PC A02/MF A01
CONF-791117-		(ANS topical conference, Kiawah Island, SC, USA, 26 Nov 1979,-19 Nov 1979/REPLACES CONF-791180)
3	842	Dep. NTIS, PC A02/MF A01
18	1646	See HEDL-SA-1854FP
CONF-791120-		(Seminar on fast reactor cladding materials, Richland, WA, USA, 12-16 Nov 1979)
	1664	See HEDL-SA-1983
	1665	See HEDL-SA-1983
	1666	See HEDL-SA-1983
CONF-791149-		(IWGFR specialists meeting on carbon in sodium, Harwell, UK, 26-28 Nov 1979)
1	1660	See HEDL-SA-1950-FP
CONF-791204-		(2. Miami international conference on alternative energy sources, Miami Beach, FL, USA, 10-13 Dec 1979)
29	843	Dep. NTIS, PC A02/MF A01
34	844	Dep. NTIS, PC A03/MF A01
CONF-791205-		(ASME winter annual meeting, New York, NY, USA, 2-7 Dec 1979)
2	845	Dep. NTIS, PC A03/MF A01
3	846	Dep. NTIS, PC A02/MF A01
13	328	See BNL-NUREG-26131
16	1647	See HEDL-SA-1860
18	847	Dep. NTIS, PC A02/MF A01
23	848	NTIS, PC A02/MF A01
CONF-800103-		(Reliability and maintainability symposium, San Francisco, CA, USA,

Report No.	Abstract No.	Availability
		22-25 Jan 1980)
2	1417	See GEFR-SP-177
CONF-800204-		(Energy-sources technology conference, New Orleans, LA, USA, 3-7 Feb 1980)
5	1419	See GEFR-SP-191
CONF-800226-		(Specialists meeting on decay heat removal and natural circulation in FBR's, Upton, NY, USA, 28-29 Feb 1980)
1	849	Dep. NTIS, PC A02/MF A01
2	1653	See HEDL-SA-1920S
4	1652	See HEDL-SA-1919-FP
5	1654	See HEDL-SA-1921-FP
6	850	Dep. NTIS, PC A02/MF A01
CONF-800231-		(3. international conference on nondestructive evaluation in the nuclear industry, Salt Lake City, UT, USA, 11-13 Feb 1980)
1	1667	See HEDL-SA-2014
CONF-800334-		(2. DOE environmental control symposium, Reston, VA, USA, 17-19 Mar 1980)
7	851	Dep. NTIS, PC A02/MF A01
CONF-800360-		(International conference on thermal stresses in materials and structures in severe thermal environments, Blacksburg, VA, USA, 19-20 Mar 1980)
1	1670	See HEDL-SA-2066-FP
CONF-800366-		(Specialists' meeting on LMFBR instrumentation and control, Tokyo, Japan, 31 Mar-4 Apr 1980)
1	1669	See HEDL-SA-2023
2	1668	See HEDL-SA-2022
CONF-800401-		(2. international conference of liquid metal technology for energy systems, Richland, WA, USA, 20-24 Apr 1980)
2	1423	See GEFR-SP-210
3	1424	See GEFR-SP-212
4	1425	See GEFR-SP-213
5	852	Dep. NTIS, PC A02/MF A01
7	1416	See GEFR-SP-172
8	1422	See GEFR-SP-202
10	986	See CRBRP-GEFR-SP-176
13	1420	See GEFR-SP-196
CONF-800434-		(CSNI specialist meeting on nuclear aerosols in reactor safety, Gatlinburg, TN, USA, 15-17 Apr 1980)
2	853	Dep. NTIS, PC A02/MF A01
3	854	Dep. NTIS, PC A02/MF A01
CONF-800453-		(International optical computing conference, Washington, DC, USA, 7-11 Apr 1980)
1	2893	See SAND-80-0026
CONF-800471-		(Seminar on theory and applications of Monte Carlo methods, Oak Ridge, TN, USA, Apr 1980)
1	2288	See LA-UR-80-1159
CONF-800532-		(Core components working group information meeting, Richland, WA, USA, 13-15 May 1980)
1	2289	See LA-UR-80-1283
CONF-800607-		(American Nuclear Society annual meeting, Las Vegas, NV, USA, 8-13 Jun 1980)
4	1426	See GEFR-SP-00183
5	855	Dep. NTIS, PC A02/MF A01
8	2894	See SAND-80-0217C
25	1421	See GEFR-SP-198
28	856	Dep. NTIS, PC A02/MF A01
29	857	Dep. NTIS, PC A02/MF A01
32	1418	See GEFR-SP-180
33	858	NTIS, PC A02/MF A01
COO-		
2172-29	866	Dep. NTIS, PC A04/MF A01
2245-17TR (Rev.1)	867	Dep. NTIS, PC A04/MF A01
2245-27TR (Rev.1)	868	Dep. NTIS, PC A04/MF A01
2245-35TR	869	Dep. NTIS, PC A03/MF A01
2245-36TR	870	Dep. NTIS, MF A01
2245-37TR	871	Dep. NTIS, PC A03/MF A01
2245-40TR	872	Dep. NTIS, PC A04/MF A01
2245-41TR	873	Dep. NTIS (US Sales Only), PC A07/MF A01
2245-42TR	874	Dep. NTIS, PC A05/MF A01
2245-43TR	875	Dep. NTIS (US Sales Only), PC A08/MF A01
2245-44TR	876	Dep. NTIS, PC A10/MF A01
2245-45TR	877	Dep. NTIS, PC A11/MF A01
2245-46TR	878	Dep. NTIS, MF A01
2245-47TR	879	Dep. NTIS, PC A08/MF A01
2245-48TR	880	Dep. NTIS, PC A16/MF A01
2245-49TR	881	Dep. NTIS, PC A10/MF A01
2245-50	882	Dep. NTIS, PC A05/MF A01
2245-51TR	883	Dep. NTIS, PC A14/MF A01
2245-53	884	Dep. NTIS, MF A01
2245-54TR	885	Dep. NTIS, PC A10/MF A01
2245-55TR	886	Dep. NTIS (US Sales Only), PC A04/MF A01
2245-55TR (Rev.1)	887	Dep. NTIS, PC A04/MF A01
2245-56TR	888	Dep. NTIS (US Sales Only), PC A03/MF A01
2245-58TR	889	Dep. NTIS, PC A15/MF A01
2245-59TR	890	Dep. NTIS, MF A01
2245-60	891	Dep. NTIS, PC A04/MF A01
2245-61TR	892	Dep. NTIS, PC A14/MF A01
2245-62TR	893	Dep. NTIS, PC A03/MF A01
2245-63	894	Dep. NTIS, PC A03/MF A01
2245-64	895	Dep. NTIS, PC A03/MF A01
2245-65	896	Dep. NTIS, PC A03/MF A01
2245-66	897	Dep. NTIS, PC A02/MF A01
2245-68TR	898	Dep. NTIS, PC A22/MF A01
2245-69	899	Dep. NTIS, PC A03/MF A01
2245-70	900	Dep. NTIS, PC A04/MF A01
2250-28	901	Dep. NTIS, PC A09/MF A01
2250-29	902	Dep. NTIS, PC A02/MF A01
2250-30	903	Dep. NTIS, PC A02/MF A01
2250-31	904	Dep. NTIS, PC A02/MF A01
2250-32	905	Dep. NTIS, PC A02/MF A01
2250-34	906	Dep. NTIS, PC A02/MF A01
2250-36	907	Dep. NTIS, PC A02/MF A01
2250-37	908	Dep. NTIS, PC A09/MF A01
2250-38	909	Dep. NTIS, PC A02/MF A01
2426-101	910	AT
2426-133	911	Dep. NTIS, PC A02/MF A01
2426-136	912	AT
2458-22	913	Dep. NTIS, PC A02/MF A01
2458-23	914	Dep. NTIS, PC A02/MF A01
2458-24	915	Dep. NTIS, PC A02/MF A01
2509-4	916	Dep. NTIS, PC A10/MF A01
2554-6	917	Dep. NTIS, PC AA03;MF A01
2571-9	918	Dep. NTIS, PC A02/MF A01
2571-10	919	Dep. NTIS, PC A02/MF A01
2571-11	920	Dep. NTIS, PC A02/MF A01
2571-12	921	Dep. NTIS, PC A02/MF A01
2571-14	922	Dep. NTIS, PC A08/MF A01
2571-15	923	Dep. NTIS, PC A02/MF A01
2571-17	924	Dep. NTIS, PC A03/MF A01
2571-19	925	NTIS, PC A02/MF A01
2781-12TR	926	Dep. NTIS, PC A23/MF A01
2781-13	927	Dep. NTIS, PC A02/MF A01
2781-14	928	Dep. NTIS, PC A02/MF A01
2781-15FR	929	Dep. NTIS, PC A02/MF A01
2801-7	930	Dep. NTIS, PC A02/MF A01
2801-8	931	Dep. NTIS, PC A02/MF A01
2801-9	932	Dep. NTIS, PC A02/MF A01
2826-4	933	Dep. NTIS, PC A04/MF A01
2826-5	934	Dep. NTIS, PC A04/MF A01
2826-7	935	Dep. NTIS, PC A05/MF A01
2826-8	936	Dep. NTIS, PC A03/MF A01
2826-9	937	Dep. NTIS, PC AA04/MF A01
3027-27	938	Dep. NTIS, MF A01
3027-37	939	Dep. NTIS, PC A03/MF A01
3536-13	940	Dep. NTIS, PC A06/MF A01
4040-3	941	Dep. NTIS, PC A03/MF A01
4116-2	942	Dep. NTIS, PC A02/MF A01
4116-3	943	Dep. NTIS, PC A02/MF A01
4171-3	944	Dep. NTIS, PC A03/MF A01
4197-T1	945	AT
4197-T2	946	AT
4197-T3	947	AT
4261-4	948	Dep. NTIS, PC A02/MF A01
4261-8	949	Dep. NTIS, PC A02/MF A01
4261-9	950	Dep. NTIS, PC A02/MF A01
4261-10	951	Dep. NTIS, PC A02/MF A01
4261-11	952	Dep. NTIS, PC A06/MF A01
4261-12	953	Dep. NTIS, PC A03/MF A01
4261-14	954	Dep. NTIS, PC A03/MF A01
4932.M001-2	955	Dep. NTIS, PC A06/MF A01
4954-1 (Vol.1)	956	Dep. NTIS, PC A14/MF A01
4954-1 (Vol.2)	957	Dep. NTIS, PC A14/MF A01
COO/4116-		
1	958	Dep. NTIS, PC A04/MF A01
COO/4171-		
1	959	Dep. NTIS, PC A03/MF A01
CRBRP-		
1(Vol.1)	960	Dep. NTIS, PC A10/MF A01
1(Vol.2)	961	Dep. NTIS, PC A19/MF A01
CRBRP-ARD-		
0119	962	AT
0132	963	AT
0147	964	AT
0149	965	AT
0168	966	TIC
0173	967	AT
0175	968	AT

Report No.	Abstract No.	Availability
0183	969	AT
0184	970	AT
0185(Vol.1)	971	AT
0185(Vol.2)	972	AT
0186	973	AT
0188	974	AT
0192	975	AT
0211	976	AT
0230	977	AT
CRBRP-GEFR-		
00025	978	AT
00100	979	AT
00103	980	AT
00323	981	AT
00465	982	Dep. NTIS, PC A03/MF A01
CRBRP-GEFR-SP-		
036	983	TIC$4.00
040	984	AT
139	985	Dep. NTIS, PC A03/MF A01
176	986	NTIS, PC A02/MF A01
00043	987	AT
CRBRP-PMC-		
77-04	988	AT
78-01	989	AT
79-01	990	AT
CRBRP-PS-		
01	991	Dep. NTIS, PC A03/MF A01
CS-INIS-		
199	992	Vyskumny Ustav Energeticky, Bratislava, Czechoslovakia
201	993	Vyskummy Ustav Energeticky, Bratislava, Czechoslovakia
CSNI-R-		
14	995	Dep. NTIS (US Sales Only), PC A17/MF A01
14	996	Dep. NTIS (US Sales Only), PC A17/MF A01
14	997	Dep. NTIS (US Sales Only), PC A17/MF A01
32(Vol.2)	998	NTIS (US Sales Only), PC A13/MF A01
CURL-		
53	999	Cornell Univ., Ithaca, NY
DOE/ER-		
0025-D	1000	Dep. NTIS, PC A05/MF A01
0054	1001	Dep. NTIS, PC A03/MF A01
DOE/ET-		
0009	1002	Dep. NTIS, PC A14/MF A01
0050/1	1003	Dep. NTIS, PC A03/MF A01
0050/2	1004	Dep. NTIS, PC A06/MF A01
0050/3(Rev.)	1005	Dep. NTIS, PC A04/MF A01
0050/4	1006	Dep. NTIS, PC A05/MF A01
0050/5	1007	Dep. NTIS, PC A04/MF A01
0050/6	1008	
0050/7	1009	Dep. NTIS, PC A04/MF A01
0050/8	1010	Dep. NTIS, PC A06/MF A01
DOE/ET/37203-		
1	1011	Dep. NTIS, PC A04/MF A01
DOE/ET/37205-		
T1	1012	NTIS, PC A07/MF A01
DOE/EV-		
0046(Vol.2)	1013	Dep. NTIS, PC A99/MF A01
DOE/NE-		
0001(Vol.6)	1014	Dep. NTIS, PC A07/MF A01
0003/6	1015	Dep. NTIS, PC A08/MF A01
DOE/TIC-		
10063	1016	Dep. NTIS, PC A12/MF A01
10099	1017	Dep. NTIS, PC A02/MF A01
10100	1018	Dep. NTIS, PC A02/MF A01
10101	1019	Dep. NTIS, PC A02/MF A01
10102	1020	Dep. NTIS, PC A02/MF A01
10187	1021	AT
10188	1022	AT
10224	1023	AT
10240	1024	Dep. NTIS, PC A14/MF A01
10240	1025	Dep. NTIS, PC A14/MF A01
10240	1026	Dep. NTIS, PC A14/MF A01
10240	1027	Dep. NTIS, PC A14/MF A01
10240	1028	Dep. NTIS, PC A14/MF A01
11038	1029	Dep. NTIS, PC A03/MF A01
11039	1030	Dep. NTIS, PC A02/MF A01
11040	1031	Dep. NTIS, PC A05/MF A01
11041	1032	Dep. NTIS, PC A08/MF A01
11042	1033	Dep. NTIS, PC A02/MF A01
11060	1034	Dep. NTIS, PC A02/MF A01
11087	1035	Dep. NTIS, PC A02/MF A01
11088	1036	Dep. NTIS, PC A02/MF A01
11114	1037	Dep. NTIS, PC A02/MF A01
11115	1038	Dep. NTIS, PC A04/MF A01
11116	1039	Dep. NTIS, PC A03/MF A01
11162	1040	Dep. NTIS, PC A10/MF A01
11163	1041	Dep. NTIS, PC A03/MF A01
11164	1042	Dep. NTIS, PC A03/MF A01
11165	1043	Dep. NTIS, PC A03/MF A01
11166	1044	Dep. NTIS, PC A04/MF A01
11167	1045	Dep. NTIS, PC A03/MF A01
11168	1046	Dep. NTIS, PC A03/MF A01
DOE-tr-		
27	3510	Dep. NTIS (US Sales Only), PC A04/MF A01
28	5293	Dep. NTIS, PC A02/MF A01
40	3472	Dep. NTIS (US Sales Only), PC A10/MF A01
61	3451	Dep. NTIS (US Sales Only), PC A10/MF A01
69	4319	Dep. NTIS (US Sales Only), PC A02/MF A01
70	4325	Dep. NTIS (US Sales Only), PC A04/MF A01
71	5461	Dep. NTIS (US Sales Only), PC A07/MF A01
90	3465	Dep. NTIS (US Sales Only), PC A10/MF A01
113	5462	Dep. NTIS (US Sales Only), PC A10/MF A01
115	3106	Dep. NTIS (US Sales Only), PC A10/MF A01
142	3112	Dep. NTIS (US Sales Only), PC A04/MF A01
174	3516	Dep. NTIS, PC A04/MF A01
175	3515	Dep. NTIS, PC A03/MF A01
176	3555	Dep. NTIS, PC A06/MF A01
177	4573	Dep. NTIS, PC A06/MF A01
178	3514	Dep. NTIS, PC A03/MF A01
179	4604	Dep. NTIS, PC A04/MF A01
DOUNREAY-TRANS-		
813	1047	British Library Lending Division, Boston Spa, Wetherby, West Yorkshire, England
ECN-		
21	1048	Dep. NTIS (US Sales Only), PC A05/MF A01
22	1049	Dep. NTIS (US Sales Only), PC A03/MF A01
34	1050	Dep. NTIS (US Sales Only), PC A04/MF A01
41	1051	Dep. NTIS (US Sales Only), PC A04/MF A01
48	1052	Dep. NTIS (US Sales Only), PC A04/MF A01
50	1053	Dep. NTIS (US Sales Only), PC A03/MF A01
52	1054	Dep. NTIS (US Sales Only), PC A03/MF A01
59	1055	Dep. NTIS (US Sales Only), PC A04/MF A01
61	1056	Dep. NTIS (US Sales Only), PC A10/MF A01
73	1057	Dep. NTIS (US Sales Only), PC A04/MF A01
74	1058	Dep. NTIS (US Sales Only), PC A06/MF A01
EES-		
010-3	2393	See NUREG/CR-0244
EMD-		
76-13	1059	General Accounting Office, Washington, DC
77-5	1060	General Accounting Office, Washington, DC
79-15	1061	U.S. General Accounting Office, 441 G Street, N.W., Washington, DC
ENDF-		
274	2577	See ORNL-5505
291	2687	See ORNL/TM-7181
ENICO-		
1028	1062	Dep. NTIS, PC A03/MF A01
EPRI-AF-		
664(Vol.1)	1063	Dep. NTIS, PC A07/MF A01
664(Vol.2) (Pt.1)	1064	Dep. NTIS, PC A09/MF A01
664(Vol.2) (Pt.2)	1065	Dep. NTIS, PC A11/MF A01
EPRI-NP-		
645-SY (Vol.1)	1066	Dep. NTIS (US Sale Only), MF A01
645(Vol.2)	1067	Dep. NTIS (US Sale Only), MF A01
645(Vol.2) (App.)	1068	Dep. NTIS (US Sales Only), PC A12/MF A01
645(Vol.3)	1069	Dep. NTIS (US Sale Only) MF A01
646-SY	1070	Dep. NTIS, PC A04/MF A01
646(Vol.1)	1071	Dep. NTIS, PC A10/MF A01
646(Vol2.)	1072	Dep. NTIS, PC A07/MF A01

Report No.	Abstract No.	Availability
646(Vol.3)	1073	Dep. NTIS, PC A13/MF A01
646(Vol.4)	1074	Dep. NTIS, PC A23/MF A01
646(Vol.5)	1075	Dep. NTIS, PC A05/MF A01
646(Vol.6)	1076	Dep. NTIS, PC A11/MF A01
646(Vol.7)	1077	Dep. NTIS, PC A16/MFA01
646(Vol.8)	1078	Dep. NTIS, PC A09/MF A01
646(Vol.9)	1079	Dep. NTIS, PC A03/MF A01
846	1080	Dep. NTIS, PC A08/MF A01
847	1081	Dep. NTIS, PC A10/MF A01
881-SY (Vol.1)	1082	Dep. NTIS, PC A02/MF A01
881(Vol.2)	1083	Dep. NTIS, PC A21/MF A01
881(Vol.3)	1084	Dep. NTIS, PC A19/MF A01
881(Vol.4)	1085	Dep. NTIS, PC A09/MF A01
882-SY (Vol.1)	1086	Dep. NTIS, PC A04/MF A01
882(Vol.2A)	1087	Dep. NTIS, PC A11/MF A01
882(Vol.2B)	1088	Dep. NTIS, PC A11/MF A01
882(Vol.3)	1089	Dep. NTIS, PC A12/MF A01
882(Vol.4)	1090	Dep. NTIS, PC A19/MF A01
882(Vol.5)	1091	Dep. NTIS, PC A11/MF A01
882(Vol.6)	1092	Dep. NTIS, PC A15/MF A01
883-SY	1093	Dep. NTIS, PC A04/MF A01
883(Vol.1)	1094	Dep. NTIS, PC A09/MF A01
883(Vol.1)	1095	Dep. NTIS, PC A09/MF A01
883(Vol.2)	1096	Dep. NTIS, PC A05/MF A01
883(Vol.3)	1097	Dep. NTIS, PC A21/MF A01
883(Vol.4)	1098	Dep. NTIS, PC A12/MF A01
915	1099	Dep. NTIS, PC A04/MF A01
948	1100	Dep. NTIS, PC A07/MF A01
1000(Vol.1)	1101	Dep. NTIS, PC A08/MF A01
1000(Vol.2)	1102	Dep. NTIS, PC A05/MF A01
1000(Vol.3)	1103	Dep. NTIS, PC A09/MF A01
1000(Vol.4)	1104	Dep. NTIS, PC A05/MF A01
1001	1105	Dep. NTIS, PC A22/MF A01
1014-SY (Vol.1)	1106	Dep. NTIS, PC A03/MF A01
1014(Vol.2)	1107	Dep. NTIS, PC A10/MF A01
1014(Vol.3)	1108	Dep. NTIS, PC A13/MF A01
1014(Vol.4)	1109	Dep. NTIS, PC A21/MF A01
1014(Vol.5)	1110	Dep. NTIS, PC A15/MF A01
1014(Vol.6)	1111	Dep. NTIS, PC A22/MF A01
1014(Vol.7)	1112	Dep. NTIS, PC A16/MF A01
1014(Vol.8)	1113	Dep. NTIS, PC A15/MF A01
1014(Vol.9)	1114	Dep. NTIS, PC A12/MF A01
1014(Vol.10)	1115	Dep. NTIS, PC A15/MF A01
1014(Vol.11)	1116	Dep. NTIS, PC A22/MF A01
1014(Vol.12)	1117	Dep. NTIS, PC A06/MF A01
1015-SY (Vol.1)	1118	Dep. NTIS, PC A04/MF A01
1015(Vol.2)	1119	Dep. NTIS, PC A16/MF A01
1015(Vol.3)	1120	Dep. NTIS, PC A18/MF A01
1015(Vol.3) (App.)	1121	Dep. NTIS, PC A15/MF A01
1015(Vol.4)	1122	Dep. NTIS, PC A09/MF A01
1016-SY	1123	Dep. NTIS, PC A05/MF A01
1016(Vol.1)	1124	Dep. NTIS, PC A17/MF A01
1016(Vol.2)	1125	Dep. NTIS, PC A13/MF A01
1016(Vol.3) (Pt.1)	1126	Dep. NTIS, PC A18/MF A01
1016(Vol.3) (Pt.2)	1127	Dep. NTIS, PC A18/MF A01
1190-SR	1128	Dep. NTIS, PC A03/MF A01
1219	1129	Dep. NTIS, PC A12/MF A01
1265	1130	Dep. NTIS, PC A06/MF A01
EQL-Memo-8	1131	California Inst. of Tech., Environmental Quality Lab., Pasadena
ERDA-77-56	1132	AT
ESG-DOE-13239	1133	AT
13240	1134	AT
13241	1135	AT
13242	1136	Dep. NTIS, PC A02/MF A01
13243	1137	AT
13244	1138	AT
13245	1139	AT
13246	1140	AT
13247	1141	AT
13248	1142	AT
13249	1143	TIC
13252	1144	AT
13254	1145	Dep. NTIS, PC A03/MF A01
13257	1146	AT
13261	1147	AT
13262	1148	AT
13263	1149	AT
13264	1150	Dep. NTIS, PC A03/MF A01
13267	1151	AT
13268	1152	AT
13271	1153	AT
13272	1154	AT
13273	1155	AT
13274	1156	AT
13275	1157	AT
13278	1158	AT
13279	1159	AT
13280	1160	AT
13281	1161	Dep. NTIS, PC A03/MF A01
13284	1162	Dep. NTIS, PC A02/MF A01
13285	1163	Dep. NTIS, PC A02/MF A01
13290	1164	AT
13294	1165	Dep. NTIS, PC A03/MF A01
13310	1166	Dep. NTIS, PC A04/MF A01
13312	1167	Dep. NTIS, PC A02/MF A01
13313	1168	Dep. NTIS, PC A04/MF A01
ETEC-78-9	1169	AT
78-10	1170	TIC
78-11	1171	AT
78-12	1172	AT
78-15	1173	Dep. NTIS, PC A04/MF A01
78-16	1174	AT
78-18	1175	AT
79-1	1176	AT
ETEC-TDR-78-13	1177	AT
79-4	1178	AT
79-6	1179	AT
79-7	1180	AT
79-10	1181	AT
79-11	1182	AT
EUR-5598	1183	Dep. NTIS (US Sales Only), PC A03/MF A01
5599	1184	Dep. NTIS (US Sales Only), PC A03/MF A01
5682	1192	Dep. NTIS (US Sales Only), PC A06/MF A01
5813	1193	Dep. NTIS (US Sales Only), PC A03/MF A01
5854	1194	Dep. NTIS (US Sales Only), PC A04/MF A01
5946	1198	Dep. NTIS (US Sales Only), PC A10/MF A01
EURFNR-1404	5149	Dep. NTIS, PC A03/MF A01
1405	5146	Dep. NTIS, PC A03/MF A01
1412	5459	Dep. NTIS, PC A09/MF A01
1413	3840	Dep. NTIS, PC A05/MF A01
1418	3866	Dep. NTIS (US Sales Only), PC A07/MF A01
1421	3867	Dep. NTIS (US Sales Only), PC A08/MF A01
1425	4615	Dep. NTIS, PC A03/MF A01
1427	3812	Dep. NTIS, PC A04/MF A01
1435	4908	Dep. NTIS, PC A09/MF A01
1447	4609	Dep. NTIS, PC A03/MF A01
1454	1201	Dep. NTIS (US Sales Only), PC A03/MF A01
1457	1202	Dep. NTIS (US Sales Only), PC A05/MF A01
1460	1203	Dep. NTIS (US Sales Only), PC A03/MF A01
1464	1204	Dep. NTIS (US Sales Only), PC A03/MF A01
1465	1205	Dep. NTIS (US Sales Only), PC A03/MF A01
FBR-77-3(Vol.5)	2904	See TID-27701/5
77-4	1206	AT
77-4	1207	AT
FEI-536	1208	Dep. NTIS (US Sales Only), PC A02/MF A01
556	1209	Dep. NTIS (US Sales Only), PC A03/MF A01
563	1210	Dep. NTIS (US Sales Only), PC A02/MF A01
566	1211	Dep. NTIS (US Sales Only), PC A02/MF A01
597	1212	Dep. NTIS (US Sales Only), PC A03/MF A01
607	1213	Dep. NTIS (US Sales Only), PC A03/MF A01
622	1214	Dep. NTIS (US Sales Only), PC A02/MF A01
624	1215	Dep. NTIS (US Sales Only), PC A02/MF A01
711	1216	Dep. NTIS (US Sales Only), PC A03/MF A01
739	1217	Dep. NTIS (US Sales Only), PC A03/MF A01
850	1218	Dep. NTIS (US Sales Only), PC A02/MF A01
FRDC/MWP/MPSG/P-(78)172	369	See CEGB/RD/B/N-4219
FRDC/MWP/P-(78)752	369	See CEGB/RD/B/N-4219
FRNC-TH-709	1219	Dep. NTIS (US Sales Only), PC A10/MF A01
765	1220	Dep. NTIS (US Sales Only), PC

Report No.	Abstract No.	Availability
		A10/MF A01
783	1221	Dep. NTIS (US Sales Only), PC A11/MF A01
FWC/FWEC/ND-		
75-70	1222	Dep. NTIS, PC A07/MF A01
76/49	1223	Dep. NTIS, PC A05/MF A01
76/59	1224	Dep. NTIS, PC A07/MF A01
GEAP-		
13923-16	1225	AT
GEFR-		
00027(L)	1226	AT
00037(L)	1227	AT
00041	1228	AT
00051(L)-1	1229	AT
00051(L)-2	1230	AT
00061(L)	1231	AT
00062	1232	AT
00067-2	1233	AT
00067-3	1234	AT
00076	1235	AT
00101	1236	AT
00108	1237	AT
00109	1238	AT
00114(L)	1239	AT
00152	1240	AT
00156	1241	AT
00232	1242	AT
00239	1243	AT
00255	1244	AT
00256	1245	AT
00257	1246	AT
00258	1247	AT
00260	1248	AT
00260	1249	TIC
00260(Pt.1) (Summ.)	1250	AT
00260(Pt.3)	1251	AT
00260(Summ.)	1252	AT
00274(L)	1253	AT
00279(L)	1254	AT
00291	1255	AT
00293	1256	AT
00295	1257	AT
00303	1258	TIC$6.50
00305	1259	AT
00320(Vol.1)	1260	AT
00320(vol.2)	1261	$12.00
00321	1262	AT
00322	1263	AT
00324	1264	AT
00340	1265	AT
00347	1266	AT
00348	1267	AT
00349	1268	AT
00351	1269	AT
00352	1270	AT
00353	1271	AT
00354	1272	AT
00355(Rev.1)	1273	AT
00357	1274	AT
00361	1275	AT
00366	1276	AT
00367	1277	AT
00370	1278	AT
00373	1279	AT
00375	1280	AT
00378	1281	AT
00379	1282	AT
00384	1283	AT
00386	1284	AT
00390	1285	AT
00392	1286	AT
00393	1287	AT
00394	1288	AT
00395	1289	AT
00396	1290	AT
00397	1291	AT
00398	1292	AT
00399	1293	AT
00400	1294	AT
00402(Vol.1)	1295	AT
00402(Vol.2)	1296	AT
00402(Vol.3)	1297	AT
00403	1298	AT
00404	1299	AT
00405(Vol.1)	1300	AT
00405(Vol.2)	1301	AT
00406	1302	AT
00407	1303	AT
00409	1304	AT
00411	1305	AT
00413	1306	AT
00414	1307	AT
00415	1308	AT
00417	1309	AT
00419	1310	AT
00422	1311	AT
00423	1312	AT
00424	1313	AT
00426-1	1314	AT
00426-2	1315	AT
00431	1316	AT
00432	1317	AT
00436	1318	AT
00439	1319	AT
00441	1320	AT
00442	1321	AT
00444	1322	AT
00445	1323	AT
00446	1324	AT
00449	1325	AT
00463	1326	AT
00466	1327	AT
00468	1328	AT
10028-62	1329	AT
10028-63	1330	AT
10028-64	1331	AT
10028-65	1332	AT
10028-66	1333	AT
10028-67	1334	AT
10028-68	1335	AT
10028-69	1336	AT
13771-22	1337	AT
13771-23	1338	AT
13771-24	1339	AT
13771-25	1340	AT
13771-26	1341	Dep. NTIS, PC A04/MF A01
13771-27	1342	AT
13771-28	1343	AT
13771-29	1344	AT
13771-30	1345	AT
13771-31	1346	Dep. NTIS, PC A02/MF A01
13825-20-22	1347	AT
13923-19	1348	AT
13923-20	1349	AT
13923-21	1350	AT
13923-22	1351	AT
13923-23	1352	AT
13923-24	1353	AT
14023-4	1354	AT
14023-5	1355	AT
14023-6/7	1356	AT
14023-8	1357	AT
14023-9	1358	AT
14023-10	1359	Participants in the LMFBR Program. Others request from TIC
14029-12	1360	AT
14029-13	1361	AT
14031-9	1362	AT
14031-10	1363	AT
14031-11	1364	Dep. NTIS, PC A03/MF A01
14031-12	1365	AT
14031-13	1366	AT
14031-14	1367	AT
14031-15	1368	AT
14031-16	1369	AT
14031-17	1370	AT
14034-11	1371	AT
14034-13	1372	AT
14034-14	1373	AT
14034-15	1374	AT
14034-16	1375	AT
14038-11	1376	AT
14038-12	1377	AT
14038-13	1378	AT
14038-15	1379	AT
14073-3	1380	AT
14073-4	1381	AT
14074-5	1382	AT
14074-6	1383	AT
14074-7	1384	AT
14074-8	1385	AT
14074-9	1386	AT
14074-10	1387	AT
14074-11	1388	AT
14074-12	1389	AT
14074-13	1390	AT
GEFR-SP-		
010	1391	Dep. NTIS, PC A04/MF A01
011	1392	Dep. NTIS, PC A03/MF A01
023	1393	Dep. NTIS, PC A04/MF A01
027	1394	Dep. NTIS, PC A02/MF A01
037	1395	Dep. NTIS, PC A02/MF A01
042	1396	Dep. NTIS, PC A03/MF A01
044	1397	Dep. NTIS, PC A02/MF A01
045	1398	Dep. NTIS, PC A02/MF A01
046	1399	Dep. NTIS, PC A03/MF A01
053	1400	AT
062	1401	AT
064	1402	Dep. NTIS, PC A02/MF A01
065	1403	Dep. NTIS, PC A02/MF A01
070	1404	Dep. NTIS, PC A03/MF A01
130	1405	Dep. NTIS, PC A03/MF A01
133	1406	Dep. NTIS, PC A02/MF A01
135	1407	Dep. NTIS, PC A02/MF A01
138	1408	Dep. NTIS, PC A02/MF A01

Report No.	Abstract No.	Availability
140	1409	Dep. NTIS, PC A02/MF A01
149	1410	Dep. NTIS, PC A02/MF A01
151	1411	Dep. NTIS, PC A02/MF A01
159	1412	Dep. NTIS, PC A02/MF A01
164	1413	Dep. NTIS, PC A02/MF A01
165	1414	Dep. NTIS, PC A02/MF A01
171	1415	Dep. NTIS, PC A02/MF A01
172	1416	Dep. NTIS, PC A02/MF A01
177	1417	Dep. NTIS, PC A03/MF A01
180	1418	Dep. NTIS, PC A02/MF A01
191	1419	Dep. NTIS, PC A02/MF A01
196	1420	NTIS, PC A02/MF A01
198	1421	Dep. NTIS, PC A02/MF A01
202	1422	Dep. NTIS, PC A02/MF A01
210	1423	Dep. NTIS, PC A02/MF A01
212	1424	Dep. NTIS, PC A02/MF A01
213	1425	Dep. NTIS, PC A02/MF A01
00183	1426	Dep. NTIS, PC A02/MF A01
GRS-F-		
63	1427	Dep. NTIS (US Sales Only), PC A23/MF A01
66	1428	Dep. NTIS (US Sales Only), PC A09/MF A01
70	1429	Dep. NTIS (US Sales Only), PC A24/MF A01
74	1430	NTIS (US Sales Only)
79	1431	Fachinformationszentrum Karlsruhe
HEDL-		
77-106	1432	AT
6232	1433	AT
6297	1434	AT
6313	1435	AT
6314	1436	AT
6557	1437	Dep. NTIS, PC A02/MF A01
6583	1438	Dep. NTIS, PC A02/MF A01
6617	1439	Dep. NTIS, PC A12/MF A01
6629	1440	AT
SA-1595-FP	1441	Dep. NTIS, PC A02/MF A01
HEDL-BR-		
5853-C-4 (Rev.1)	1442	Dep. NTIS, PC A05/MF A01
HEDL-S/A-		
1552-FP	1443	Dep. NTIS, PC A02/MF A01
HEDL-SA-		
135-3	1444	AT
464	1445	Dep. NTIS, PC A02/MF A01
737	1446	Dep. NTIS, PC A02/MF A01
838	1447	Dep. NTIS, PC A03/MF A01
859(FP)	1448	Dep. NTIS, PC A02/MF A01
897	1449	Dep. NTIS, PC A02/MF A01
1082	1450	Dep. NTIS, MF A01
1154	1451	Dep. NTIS, PC A02/MF A01
1164FP	1452	Dep. NTIS, PC A03/MF A01
1167	1453	Dep. NTIS, PC A03/MF A01
1171-FP	1454	Dep. NTIS, PC A04/MF A01
1175	1455	Dep. NTIS, PC A02/MF A01
1177-FP	1456	Dep. NTIS, PC A02/MF A01
1189-FP	1457	Dep. NTIS, PC A02/MF A01
1190FP	1458	Dep. NTIS, PC A02/MF A01
1191(Rev.)	1459	Dep. NTIS, PC A03/MF A01
1205	1460	Dep. NTIS, PC A02/MF A01
1216(Rev.)	1461	Dep. NTIS, PC A03/MF A01
1220	1462	Dep. NTIS, PC A03/MF A01
1221	1463	Dep. NTIS, PC A02/MF A01
1225FP(Rev.)	1464	Dep. NTIS, PC A02/MF A01
1230-S	1465	Dep. NTIS, PC A02/MF A01
1241	1466	Dep. NTIS, PC A03/MF A01
1268	1467	Dep. NTIS, PC A03/MF A01
1286	1468	Dep. NTIS, PC A03/MF A01
1288	1469	Dep. NTIS, PC A05/MF A01
1292-S	1470	Dep. NTIS, PC A02/MF A01
1294S	1471	Dep. NTIS, PC A02/MF A01
1298	1472	Dep. NTIS, PC A05/MF A01
1299-S	1473	Dep. NTIS, PC A02/MF A01
1300FP	1474	Dep. NTIS, PC A03/MF A01
1306S	1475	Dep. NTIS, PC A02/MF A01
1316	1476	Dep. NTIS, PC A03/MF A01
1321	1477	Dep. NTIS, PC A03/MF A01
1324-F	1478	Dep. NTIS, PC A02/MF A01
1325	1479	Dep. NTIS (US Sales Only), PC A02/MF A01
1326	1480	Dep. NTIS, PC A03/MF A01
1327-FP	1481	Dep. NTIS, PC A03/MF A01
1327-S	1482	Dep. NTIS, PC A02/MF A01
1329	1483	Dep. NTIS, PC A03/MF A01
1333	1484	Dep. NTIS, PC A03/MF A01
1343	1485	Dep. NTIS, PC A02/MF A01
1348	1486	Dep. NTIS, PC A03/MF A01
1350	1487	Dep. NTIS, PC A02/MF A01
1351	1488	Dep. NTIS, PC A02/MF A01
1354-FP	1489	Dep. NTIS, PC A03/MF A01
1363S	1490	Dep. NTIS, PC A04/MF A01
1368	1491	AT
1369	1492	AT
1370	1493	AT
1371	1494	Dep. NTIS, PC A02/MF A01
1374	1495	Dep. NTIS, PC A03/MF A01
1375	1496	Dep. NTIS (US Sales Only), PC A02/MF A01
1380	1497	Dep. NTIS, PC A02/MF A01
1381	1498	Dep. NTIS, PC A03/MF A01
1382-FP	1499	Dep. NTIS (US Sales Only), PC A02/MF A01
1387	1500	Dep. NTIS, PC A03/MF A01
1388	1501	Dep. NTIS, PC A03/MF A01
1391	1502	Dep. NTIS, PC A02/MF A01
1393	1503	Dep. NTIS, PC A02/MF A01
1399-FP	1504	Dep. NTIS, PC A02/MF A01
1402	1505	Dep. NTIS, PC A02/MF A01
1405	1506	Dep. NTIS (US Sales Only), PC A03/MF A01
1407	1507	Dep. NTIS, PC A02/MF A01
1420	1508	Dep. NTIS, PC A03/MF A01
1423	1509	Dep. NTIS, PC A02/MF A01
1425	1510	Dep. NTIS, PC A02/MF A01
1429FP	1511	Dep. NTIS, PC A02/MF A01
1432	1512	Dep. NTIS, PC A03/MF A01
1433	1513	Dep. NTIS, PC A03/MF A01
1439	1514	Dep. NTIS, PC A02/MF A01
1440	1515	Dep. NTIS (US Sales Only), PC A02/MF A01
1441	1516	Dep. NTIS, MF A01
1442	1517	Dep. NTIS, PC A04/MF A01
1444	1518	Dep. NTIS (US Sales Only), PC A02/MF A01
1446	1519	Dep. NTIS, PC A03/MF A01
1447-S	1520	Dep. NTIS, PC A02/MF A01
1448	1521	Dep. NTIS, PC A02/MF A01
1449	1522	Dep. NTIS, PC A02/MF A01
1452	1523	Dep. NTIS, PC A02/MF A01
1453	1524	Dep. NTIS, PC A03/MF A01
1455	1525	Dep. NTIS (US Sales Only), PC A02/MF A01
1458	1526	Dep. NTIS, PC A03/MF A01
1459	1527	Dep. NTIS, PC A04/MF A01
1462	1528	Dep. NTIS, PC A03/MF A01
1463FP	1529	Dep. NTIS, PC A03/MF A01
1469	1530	Dep. NTIS, PC A02/MF A01
1470-S	1531	Dep. NTIS, PC A02/MF A01
1477	1532	Dep. NTIS, PC A02/MF A01
1485	1533	Dep. NTIS, PC A02/MF A01
1489-FP	1534	Dep. NTIS, PC A02/MF A01
1490	1535	Dep. NTIS, PC A03/MF A01
1494	1536	Dep. NTIS, PC A03/MF A01
1496	1537	Dep. NTIS, PC A02/MF A01
1499	1538	Dep. NTIS, PC A02/MF A01
1500-FP	1539	Dep. NTIS, PC A02/MF A01
1501-FP	1540	Dep. NTIS, PC A02/MF A01
1504-FP	1541	Dep. NTIS, PC A02/MF A01
1505	1542	Dep. NTIS, PC A05/MF A01
1506	1543	Dep. NTIS, PC A03/MF A01
1514	1544	Dep. NTIS, PC A02/MF A01
1516	1545	Dep. NTIS, PC A02/MF A01
1517	1546	Dep. NTIS, PC A02/MF A01
1518	1547	Dep. NTIS, PC A02/MF A01
1521	1548	Dep. NTIS, PC A02/MF A01
1522	1549	Dep. NTIS, PC A02/MF A01
1523-FP	1550	Dep. NTIS, PC A02/MF A01
1525-FP	1551	Dep. NTIS, PC A02/MF A01
1526-FP	1552	Dep. NTIS, PC A02/MF A01
1527-FP	1553	Dep. NTIS, PC A02/MF A01
1530	1554	Dep. NTIS, PC A02/MF A01
1535-FP	1555	Dep. NTIS, PC A02/MF A01
1536-FP	1556	Dep. NTIS, PC A02/MF A01
1537-FP	1557	Dep. NTIS, PC A02/MF A01
1540-FP	1558	Dep. NTIS, PC A02/MF A01
1543-FP	1559	Dep. NTIS, PC A02/MF A01
1546	1560	Dep. NTIS, PC A03/MF A01
1551-FP	1561	Dep. NTIS, MF A01
1553	1562	Dep. NTIS, PC A02/MF A01
1554-FP	1563	Dep. NTIS, PC A02/MF A01
1555-S	1564	Dep. NTIS, PC A02/MF A01
1559	1565	Dep. NTIS, PC A03/MF A01
1562-FP	1566	Dep. NTIS, PC A02/MF A01
1564	1567	Dep. NTIS, PC A03/MF A01
1564-S	1568	Dep. NTIS, PC A02/MF A01
1574	1569	Dep. NTIS, PC A02/MF A01
1575	1570	Dep. NTIS, MF A01
1576	1571	Dep. NTIS, PC A03/MF A01
1579	1572	Dep. NTIS, PC A02/MF A01
1587	1573	Dep. NTIS, PC A02/MF A01
1588	1574	Dep. NTIS, PC A03/MF A01
1589-S	1575	Dep. NTIS, PC A02/MF A01
1593-FP	1576	Dep. NTIS, PC A02/MF A01
1598-FP	1577	Dep. NTIS, PC A02/MF A01
1604-FP	1578	Dep. NTIS, PC A02/MF A01
1605-FP	1579	Dep. NTIS, PC A03/MF A01
1606	1580	Dep. NTIS, PC A03/MF A01
1609	1581	Dep. NTIS, PC A02/MF A01
1625	1582	Dep. NTIS, PC A02/MF A01
1630	1583	Dep. NTIS, MF A01
1631-FP	1584	Dep. NTIS, PC A02/MF A01
1634	1585	Dep. NTIS, PC A02/MF A01
1640	1586	Dep. NTIS, PC A02/MF A01
1641	1587	Dep. NTIS, PC A02/MF A01
1642-FP	1588	Dep. NTIS, PC A02/MF A01
1643	1589	Dep. NTIS, PC A02/MF A01
1658-S	1590	Dep. NTIS, PC A02/MF A01
1665	1591	Dep. NTIS, PC A02/MF A01
1669	1592	Dep. NTIS, PC A04/MF A01
1671	1593	Dep. NTIS, PC A04/MF A01
1676	1594	Dep. NTIS, PC A03/MF A01
1677	1595	Dep. NTIS, PC A02/MF A01

Report No.	Abstract No.	Availability
1678-FP	1596	Dep. NTIS, PC A03/MF A01
1679	1597	Dep. NTIS, PC A03/MF A01
1683-FP	1598	Dep. NTIS, PC A02/MF A01
1686	1599	Dep. NTIS, PC A02/MF A01
1688	1600	Dep. NTIS, PC A03/MF A01
1690-FP	1601	Dep. NTIS, PC A02/MF A01
1695-FP	1602	Dep. NTIS, PC A02/MF A01
1703-FP	1603	Dep. NTIS, PC A02/MF A01
1712-FP	1604	Dep. NTIS, PC A02/MF A01
1713-FP	1605	Dep. NTIS, PC A02/MF A01
1714-FP	1606	Dep. NTIS, PC A02/MF A01
1716-FP	1607	Dep. NTIS, PC A02/MF A01
1724	1608	Dep. NTIS, PC A02/MF A01
1725-FP	1609	Dep. NTIS, PC A02/MF A01
1727-FP	1610	Dep. NTIS, PC A02/MF A01
1728-FP	1611	Dep. NTIS, PC A02/MF A01
1729-FP	1612	Dep. NTIS, PC A02/MF A01
1731-FP	1613	Dep. NTIS, PC A02/MF A01
1735-FP	1614	Dep. NTIS, PC A02/MF A01
1736-FP	1615	Dep. NTIS, PC A02/MF A01
1737-FP	1616	Dep. NTIS, PC A02/MF A01
1741-FP	1617	Dep. NTIS, PC A02/MF A01
1743-FP	1618	Dep. NTIS, PC A02/MF A01
1744-FP	1619	Dep. NTIS, PC A02/MF A01
1747-FD	1620	Dep. NTIS, PC A02/MF A01
1749-FP	1621	Dep. NTIS, PC A02/MF A01
1750	1622	Dep. NTIS, PC A03/MF A01
1751	1623	Dep. NTIS, PC A03/MF A01
1752-FP	1624	Dep. NTIS, PC A02/MF A01
1753-S(Rev.)	1625	02
1754-FP	1626	Dep. NTIS, PC A02/MF A01
1755-FP	1627	Dep. NTIS, PC A02/MF A01
1756-5	1628	Dep. NTIS, PC A02/MF A01
1759-FP	1629	Dep. NTIS, PC A02/MF A01
1760-FP	1630	Dep. NTIS, PC A02/MF A01
1766	1631	Dep. NTIS, PC A03/MF A01
1769	1632	Dep. NTIS, PC A02/MF A01
1770	1633	Dep. NTIS, PC A02/MF A01
1771	1634	Dep. NTIS, PC A02/MF A01
1772	1635	Dep. NTIS, PC A03/MF A01
1773	1636	Dep. NTIS, PC A02/MF A01
1787-FP	1637	Dep. NTIS, PC A02/MF A01
1794	1638	Dep. NTIS, PC A02/MF A01
1795	1639	Dep. NTIS, PC A10/MF A01
1828	1640	Dep. NTIS, PC A02/MF A01
1835	1641	Dep. NTIS, PC A02/MF A01
1838-FP	1642	Dep. NTIS, PC A03/MF A01
1839	1643	Dep. NTIS, PC A02/MF A01
1846	1644	Dep. NTIS, PC A03/MF A01
1850	1645	Dep. NTIS, PC A03/MF A01
1854FP	1646	Dep. NTIS, PC A02/MF A01
1860	1647	Dep. NTIS, PC A03/MF A01
1868	1648	Dep. NTIS, PC A04/MF A01
1881-FP	1649	Dep. NTIS, PC A02/MF A01
1895-FP	1650	Dep. NTIS, PC A03/MF A01
1903-FP	1651	Dep. NTIS, PC A02/MF A01
1919-FP	1652	Dep. NTIS, PC A02/MF A01
1920S	1653	Dep. NTIS, PC A02/MF A01
1921-FP	1654	Dep. NTIS, PC A02/MF A01
1931	1655	Dep. NTIS, PC A03/MF A01
1932	1656	Dep. NTIS, PC A02/MF A01
1935	1657	Dep. NTIS, PC A04/MF A01
1945	1658	Dep. NTIS, PC A03/MF A01
1948	1659	Dep. NTIS, PC A02/MF A01
1950-FP	1660	Dep. NTIS, PC A03/MF A01
1958	1661	Dep. NTIS, PC A02/MF A01
1959	1662	Dep. NTIS, PC A02/MF A01
1973-FP	1663	Dep. NTIS, PC A02/MF A01
1983	1664	AT
1983	1665	AT
1983	1666	AT
2014	1667	Dep. NTIS, PC A02/MF A01
2022	1668	NTIS, PC A02/MF A01
2023	1669	NTIS, PC A03/MF A01
2066-FP	1670	NTIS, PC A02/MF A01
HEDL-TC-		
517	1671	Dep. NTIS, PC A16/MF A01
572(Rev.1)	1672	AT
807	1673	Dep. NTIS, PC A03/MFA01
902-1	1674	Dep. NTIS, PC A03/MF A01
902-2	1675	Dep. NTIS, PC A03/MF A01
1022	1676	AT
HEDL-TI-		
45-LMB-009	1677	TIC$16.25
45-LME-006	1678	AT
45-LME-007	1679	TIC$15.50
75001-9	1680	AT
75001-10	1681	AT
75001-11	1682	AT
75001-12-1	1683	AT
75001-12.2	1684	AT
75001-13.1	1685	AT
75001-14	1686	AT
75001-15	1687	AT
75001-16.1	1688	AT
75001-16.2	1689	AT
75001-17	1690	AT
75001-18	1691	AT
75001-19	1692	AT
75001-20	1693	AT
75001-21	1694	AT
75001-22	1695	AT
75001-23	1696	AT
75001-24	1697	AT
75001-25	1698	AT
75001-26	1699	AT
75001-27	1700	AT
75001-28	1701	AT
75001-29	1702	AT
75001-30	1703	AT
75002-5	1704	AT
75002-8	1705	AT
75002-9	1706	AT
75002-10	1707	AT
75002-11	1708	AT
75002-12	1709	AT
75002-14	1710	AT
75002-15	1711	AT
75002-16	1712	AT
75002-17	1713	AT
75002-18	1714	AT
75002-19	1715	AT
75002-20	1716	AT
75002-21	1717	AT
75002-22	1718	AT
75002-23	1719	AT
75002-24	1720	AT
75002-25	1721	AT
75002-26	1722	AT
75002-28	1723	AT
75002-29	1724	AT
75002-30	1725	AT
75002-31	1726	AT
75002-32	1727	AT
75002-33	1728	AT
75002-34	1729	AT
75002-35	1730	AT
76002	1731	Dep. NTIS, PC A02/MF A01
HEDL-TI-LME-		
012	1732	AT
HEDL-TME-		
72-86	1733	Dep. NTIS, PC A02/MF A01
72-95	1734	Dep. NTIS, PC A04/MF A01
75-85	1735	NTIS, PC A13/MF A01
75-96	1736	AT
76-1	1737	AT
76-3	1738	AT
76-4	1739	AT
76-5	1740	AT
76-10	1741	AT
76-28	1742	AT
76-45	1743	AT
76-46	1744	AT
76-47	1745	AT
76-48	1746	AT
76-65	1747	AT
77-13	1748	Dep. NTIS, PC A03/MF A01
77-20	1749	AT
77-23	1750	Dep. NTIS, PC A07/MF A01
77-25	1751	AT
77-29	1752	Dep. NTIS, PC A03/MF A01
77-30	1753	AT
77-33	1754	AT
77-36	1757	AT
77-37	1758	AT
77-38	1759	AT
77-39	1760	AT
77-43	1761	AT
77-44	1762	Dep. NTIS, PC A03/MF A01
77-47	1763	AT
77-48	1764	AT
77-49	1765	Dep. NTIS, PC A05/MF A01
77-53	1766	AT
77-55	1767	Dep. NTIS, PC A02/MF A01
77-58	1768	AT
77-59	1769	AT
77-60	1770	Dep. NTIS, PC A02/MF A01
77-61	1771	AT
77-62	1772	AT
77-63	1773	AT
77-66	1774	AT
77-67	1775	Dep. NTIS (US Sales Only), PC A07/MF A01
77-68	1776	AT
77-70	1777	AT
77-77	1778	AT
77-78	1779	AT
77-79	1780	AT
77-80	1781	AT
77-83	1782	AT
77-85	1783	AT
77-86	1784	Dep. NTIS, PC A07/MF A01
77-89	1785	AT
77-91	1786	AT
77-94	1787	Dep. NTIS, PC A02/MF A01
77-95	1788	AT
77-96	1789	AT
77-98	1790	Dep. NTIS, PC A03/MF A01
77-99	1791	AT
77-100	1792	Dep. NTIS (US Sales Only), PC A09/MF A01
77-102	1793	AT
77-105	1794	AT
77-107	1795	AT
77-108	1796	AT

Report No.	Abstract No.	Availability
77-109	1797	AT
78-1	1798	Dep. NTIS, PC A06/MF A01
78-10	1799	AT
78-11	1800	Dep. NTIS, PC A03/MF A01
78-12	1801	Dep. NTIS, PC A04/MF A01
78-13	1802	Dep. NTIS, PC A09/MF A01
78-14	1803	AT
78-18	1804	AT
78-20	1805	AT
78-21	1806	AT
78-21	1807	AT
78-23	1808	AT
78-28	1809	AT
78-35	1810	Dep. NTIS, PC A09/MF A01
78-36	1811	AT
78-38	1812	AT
78-38	1813	AT
78-39	1814	Dep. NTIS (US Sales Only), PC A03/MF A01
78-42	1815	Dep. NTIS, PC A06/MF A01
78-43	1816	AT
78-46	1817	Dep. NTIS, PC A05/MF A01
78-51	1818	AT
78-52	1819	AT
78-57	1820	Dep. NTIS, MF A01
78-66	1821	Dep. NTIS, PC A04/MF A01
78-69	1822	AT
78-78	1823	AT
78-80	1824	Dep. NTIS, PC A06/MF A01
78-82	1825	Dep. NTIS, PC A05/MF A01
78-84	1826	Dep. NTIS, PC A05/MF A01
78-89	1827	Dep. NTIS, PC A03/MF A01
78-90	1828	AT
78-91	1829	AT
78-92	1830	AT
78-93	1831	AT
78-99	1832	Dep. NTIS, PC A03/MF A01
78-101	1833	AT
78-104	1834	AT
78-107	1835	AT
78-108	1836	Dep. NTIS, PC A06/MF A01
78-111	1837	AT
78-115	1838	AT
79-1	1839	AT
79-2	1840	Dep. NTIS PC E05/MF E05
79-4	1841	AT
79-9	1842	AT
79-17	1843	Dep. NTIS, PC A08/MF A01
79-19	1844	AT
79-22	1845	Dep. NTIS, PC A10/MF A01
79-23	1846	Dep. NTIS, PC A04/MF A01
79-24	1847	AT
79-25	1848	AT
79-28	1849	Dep. NTIS, PC A08/MF A01
79-30	1850	AT
79-34	1851	Dep. NTIS, PC A07/MF A01
79-39	1852	AT
79-42	1853	AT
79-62	1854	Dep. NTIS, PC A05/MF A01
79-72	1855	Dep. NTIS, PC A03/MF A01
1480(FP)	1856	Dep. NTIS, PC A02/MF A01
HWS-		
1880(Rev.2) (Add.1)	1857	AT
2160	1858	Dep. NTIS, PC A07/MF A01
IAE-		
2842	1859	Dep. NTIS (US Sales Only), PC A02/MF A01
IAEA-AG-		
63-1	1868	Dep. NTIS (US Sales Only), PC A03/MF A01
63-3	1869	Dep. NTIS (US Sales Only), PC A02/MF A01
63-4	1870	Dep. NTIS (US Sales Only), PC A02/MF A01
63-5	1871	Dep. NTIS (US Sales Only), PC A03/MF A01
63-6	1872	Dep. NTIS (US Sales Only), PC A03/MF A01
63-7	1873	Dep. NTIS (US Sales Only), PC A02/MF A01
63-8	1874	Dep. NTIS (US Sales Only), PC A02/MF A01
63-12	1875	Dep. NTIS (US Sales Only), PC A02/MF A01
63-13	1876	Dep. NTIS (US Sales Only), PC A02/MF A01
63-14	1877	Dep. NTIS (US Sales Only), PC A01/MF A01
63-15	1878	Dep. NTIS (US Sales Only), PC A02/MF A01
63-16	1879	Dep. NTIS (US Sales Only), PC A02/MF A01
63-17	1880	Dep. NTIS (US Sales Only), PC A02/MF A01
63-21	1881	Dep. NTIS (US Sales Only), PC A02/MF A01
63-27	1882	Dep. NTIS (US Sales Only), PC A03/MF A01
IAEA-CN-		
36/342	3739	Dep. NTIS, PC A02/MF A01
36/356	3740	Dep. NTIS, PC A01/MF A01
IAEA-SM-		
225/22	1537	See HEDL-SA-1496
225/24	1883	Dep. NTIS, PC A02/MF A01
236/7 (preprint)	2009	See INKA-Conf-79-003-006
236/60	2872	See SAND-78-2140C
244/66	1884	Dep. NTIS, PC A03/MF A01
ICP-		
1050-4	1885	Dep. NTIS, PC A04/MF A01
1050-11	1886	Dep. NTIS, PC A03/MF A01
1168	1887	Dep. NTIS, PC A03/MF A01
IDO-		
1570-T31	1888	Dep. NTIS, PC A02/MF A01
IKE-		
4-87	1889	Dep. NTIS (US Sales Only), PC A03/MF A01
5-202	1890	Dep. NTIS (US Sales Only), PC A05/MF A01
5-203	1891	Dep. NTIS (US Sales Only), PC A08/MF A01
INB-		
414	1892	Dep. NTIS (US Sales Only), PC A03/MF A01
INIS-mf-		
4315	1903	Dep. NTIS (US Sales Only), PC A06/MF A01
4385	1906	Dep. NTIS (US Sales Only), PC A04/MF A01
4513	1948	Dep. NTIS (US Sales Only), PC A05/MF A01
4592	1970	
4592	1971	
4592	1975	
4623	1985	Dep. NTIS (US Sales Only), PC A02/MF A01
4773	1993	Dep. NTIS (US Sales Only), PC A02/MF A01
4857	1998	Dep. NTIS (US Sales Only), PC A02/MF A01
4862	1999	Dep. NTIS (US Sales Only), PC A02/MF A01
4911	2000	Dep. NTIS (US Sales Only), PC A06/MF A01
4960	2001	Dep. NTIS (US Sales Only), PC A02/MF A01
4974	2002	Dep. NTIS (US Sales Only), PC A16/MF A01
5083	2003	Dep. NTIS (US Sales Only), PC A03/MF A01
5107	2004	
5114	2005	Dep. NTIS (US Sales Only), PC A03/MF A01
5244	2006	Dep. NTIS (US Sales Only), PC A05/MF A01
INKA-Conf-		
78-271-003	2013	See INTAT-78.147
79-003-006	2009	Dep. NTIS (US Sales Only), PC A02/MF A01
79-082-001	2010	NTIS (US Sales Only), PC A02/MF A01
79-134-001	2011	Dep. NTIS (US Sales Only), PC A02/MF A01
INTAT-		
78-70	2012	Dep. NTIS (US Sales Only), PC A06/MF A01
78.147	2013	Dep. NTIS (US Sales Only), PC A03/MF A01
IS-T-		
887	2014	Dep. NTIS, PC A06/MF A01
ITB-		
76.08	2015	Dep. NTIS (US Sales Only), PC A13/MF A01
IWGFR-		
3	2016	Dep. NTIS, PC A06/MF A01
5	2017	Dep. NTIS (US Sales Only), PC A09/MF A01
8	2033	Dep. NTIS (US Sales Only), PC A03/MF A01
11	2063	Dep. NTIS (US Sales Only), PC A12/MF A01
13-1	2085	Dep. NTIS, PC A05/MF A01
18	2095	Dep. NTIS (US Sales Only), PC A04/MF A01
21	2100	Dep. NTIS, PC A11/MF A01
22	2110	Dep. NTIS (US Sales Only), PC A11/MF A01
23	2111	Dep. NTIS (US Sales Only), PC A10/MF A01
24-1	2132	Dep. NTIS (US Sales Only), PC A03/MF A01
24-3	2133	Dep. NTIS (US Sales Only), PC A03/MF A01
26	2134	Dep. NTIS (US Sales Only), PC

Report No.	Abstract No.	Availability
		A07/MF A01
27	2135	Dep. NTIS (US Sales Only), PC A25/MF A01
JAERI-M-		
6851	2136	Dep. NTIS (US Sales Only), PC A04/MF A01
6993	2137	Dep. NTIS (US Sales Only), PC A04/MF A01
7139	2138	Dep. NTIS (US Sales Only), PC A03/MF A01
7280	2139	Dep. NTIS (US Sales Only), PC A04/MF A01
7291	2140	Dep. NTIS (US Sales Only), PC A10/MF A01
7763	2141	Dep. NTIS (US Sales Only), PC A04/MF A01
7844	2142	Dep. NTIS (US Sales Only), PC A11/MF A01
8117	2143	NTIS (US Sales Only), PC A03/MF A01
JAERI-Memo-		
8233	2155	See JAPFNR-487
8266	2156	See JAPFNR-488
8362	2153	See JAPFNR-479
JAPFNR-		
259	5152	Dep. NTIS (US Sales Only), PC A03/MF A01
260	4581	Dep. NTIS (US Sales Only), PC A02/MF A01
262	4513	Dep. NTIS (US Sales Only), PC A02/MF A01
263	4511	Dep. NTIS (US Sales Only), PC A02/MF A01
264	4430	Dep. NTIS (US Sales Only), PC A03/MF A01
296	4310	Dep. NTIS (US Sales Only), PC A07/MF A01
306	3775	Dep. NTIS (US Sales Only), PC A03/MF A01
316	3526	Dep. NTIS (US Sales Only), PC A02/MF A01
317	3688	Dep. NTIS (US Sales Only), PC A02/MF A01
318	3816	Dep. NTIS (US Sales Only), PC A02/MF A01
319	3817	Dep. NTIS (US Sales Only), PC A03/MF A01
320	3918	Dep. NTIS (US Sales Only), PC A02/MF A01
336	3460	Dep. NTIS (US Sales Only), PC A02/MF A01
398	3823	Dep. NTIS (US Sales Only), PC A03/MF A01
405	3824	Dep. NTIS (US Sales Only), PC A02/MF A01
406	2144	Dep. NTIS (US Sales Only), PC A03/MF A01
422	2145	Dep. NTIS (US Sales Only), PC A02/MF A01
423	2146	Dep. NTIS, PC A02/MF A01
425	2147	Dep. NTIS (US Sales Only), PC A02/MF A01
434	2148	Dep. NTIS (US Sales Only), PC A02/MF A01
435	2149	Dep. NTIS (US Sales Only), PC A05/MF A01
458	3230	Dep. NTIS (US Sales Only), PC A02/MF A01
459	2150	Dep. NTIS (US Sales Only), PC A03/MF A01
460	3258	Dep. NTIS (US Sales Only), PC A02/MF A01
472	2151	Dep. NTIS (US Sales Only), PC A02/MF A01
473	2152	Dep. NTIS (US Sales Only), PC A02/MF A01
479	2153	Dep. NTIS (US Sales Only), PC A05/MF A01
482	2154	Dep. NTIS (US Sales Only), PC A03/MF A01
487	2155	Dep. NTIS (US Sales Only), PC A04/MF A01
488	2156	Dep. NTIS (US Sales Only), PC A03/MF A01
494	2157	Dep. NTIS (US Sales Only), PC A03/MF A01
JEN-		
363	2158	Dep. NTIS (US Sales Only), PC A02/MF A01
389	2159	Dep. NTIS (US Sales Only), PC A03/MF A01
447	2160	NTIS (US Sales Only), PC A04/MF A01
JRC-ISPRA-ET-		
02/77	295	See AWRE-49/91/87
KFK-		
1276/4	2161	
2353	2164	Dep. NTIS (US Sales Only), PC A04/MF A01
2356	2165	Dep. NTIS (US Sales Only), PC A03/MF A01
2360	2166	Dep. NTIS (US Sales Only), PC A02/MF A01
2361	1202	See EURFNR-1457
2368	2167	Dep. NTIS (US Sales Only), PC A02/MF A01
2370	1204	See EURFNR-1464
2387(Pt.7)	2168	Dep. NTIS (US Sales Only), PC A06/MF A01
2389	1201	See EURFNR-1454
2390	1203	See EURFNR-1460
2416	2169	Dep. NTIS (US Sales Only), PC AXX/MF A01
2416	2180	NTIS
2451	2183	Dep. NTIS (US Sales Only), PC A05/MF A01
2472	2184	Dep. NTIS (US Sales Only), PC A02/MF A01
2473	1205	See EURFNR-1465
2474	2185	Dep. NTIS (US Sales Only), PC A03/MF A01
2475	2186	Dep. NTIS (US Sales Only), PC A05/MF A01
2490	2187	Dep. NTIS (US Sales Only), PC A09/MF A01
2491	2188	Dep. NTIS (US Sales Only), PC A12/MF A01
2497	2189	Dep. NTIS (US Sales Only), PC A11/MF A01
2508	2190	Dep. NTIS (US Sales Only), PC A06/MF A01
2546	2191	Dep. NTIS (US Sales Only), PC A05/MF A01
2559	2192	Dep. NTIS (US Sales Only), PC A07/MF A01
2573	2193	Dep. NTIS (US Sales Only), PC A06/MF A01
2577	2194	Dep. NTIS (US Sales Only), PC A10/MF A01
2584	2195	Dep. NTIS (US Sales Only), PC A08/MF A01
2586	2196	Dep. NTIS, PC AA04 MF/A01
2589	2197	Dep. NTIS (US Sales Only), PC A08/MF A01
2619	2198	Dep. NTIS (US Sales Only), PC A04/MF A01
2660	2199	Dep. NTIS (US Sales Only), PC A05/MF A01
2662	2200	Dep. NTIS (US Sales Only), PC A09/MF A01
2668	2201	Dep. NTIS (US Sales Only), PC A03/MF A01
2684	2202	Dep. NTIS (US Sales Only), PC A03/MF A01
2690	2203	Dep. NTIS (US Sales Only), PC A06/MF A01
2738	2204	Dep. NTIS (US Sales Only), PC A05/MF A01
2762	2205	Dep. NTIS (US Sales Only), PC A03/MF A01
2773	2206	Dep. NTIS (US Sales Only), PC A05/MF A01
2794	2207	Dep. NTIS (US Sales Only), PC A02/MF A01
2803-B	2208	Dep. NTIS (US Sales Only), PC A10/MF A01
2817	2209	Dep. NTIS (US Sales Only), PC A02/MF A01
2820	2210	NTIS (US Sales Only), PC A03/MF A01
2824	2211	Dep. NTIS (US Sales Only), PC A03/MF A01
2827	2212	NTIS (US Sales Only), PC A03/MF A01
2834	2213	Dep. NTIS (US Sales Only), PC A06/MF A01
2834	2214	Dep. NTIS (US Sales Only), PC A06/MF A01
2841	2215	Dep. NTIS (US Sales Only), PC A02/MF A01
2858	2216	Dep. NTIS (US Sales Only), PC A10/MF A01
KFK-EXT-		
8/76-4	2217	Dep. NTIS (US Sales Only), PC A09/MF A01
8/78-4	2218	Dep. NTIS (US Sales Only), PC A03/MF A01
8/78-5	2219	Dep. NTIS (US Sales Only), PC A04/MF A01
KFK-tr-		
521	2220	Dep. NTIS (US Sales Only), PC A02/MF A01
522	4584	Dep. NTIS (US Sales Only), PC A02/MF A01
536	4880	Dep. NTIS (US Sales Only), PC A02/MF A01
575	2221	Dep. NTIS (US Sales Only), PC A03/MF A01
576	2222	Dep. NTIS (US Sales Only), PC A02/MF A01
578	2223	Dep. NTIS (US Sales Only), PC A04/MF A01

Report No.	Abstract No.	Availability
LA-		
4319	2224	Dep. NTIS, PC A02/MF A01
6924-PR	2225	Dep. NTIS, PC A02/MF A01
7038-PR	2226	Dep. NTIS, PC A02/MF A01
7133-MS	2227	Dep. NTIS, PC A03/MF A01
7161-MS	2228	Dep. NTIS, PC A03/MF A01
7171-PR	2229	Dep. NTIS, PC A02/MF A01
7194-MS	2230	Dep. NTIS, PC A02/MF A01
7266-PR	2231	Dep. NTIS, PC A02/MF A01
7515-M (Vol.1)	2409	See NUREG/CR-0453(Vol.1)
7515-M (Vol.2)	2410	See NUREG/CR-0453(Vol.2)
7554-PR	2232	Dep. NTIS, PC A03/MF A01
7559-PR	2233	Dep. NTIS, PC A02/MF A01
7570-PR	2234	Dep. NTIS, PC A06/MF A01
7678-PR	2235	Dep. NTIS, PC A02/MF A01
7763-MS	2433	See NUREG/CR-0760
7827-PR	2236	Dep. NTIS, PC A02/MF A01
7861-MS	2237	Dep. NTIS, PC A05/MF A01
7901-MS	2238	Dep. NTIS, PC A02/MF A01
7938-C	2239	Dep. NTIS, PC A15/MF A01
7938-C	2240	Dep. NTIS, PC A15/MF A01
7938-C	2241	Dep. NTIS, PC A15/MF A01
7938-C	2242	Dep. NTIS, PC A15/MF A01
7938-C	2243	Dep. NTIS, PC A15/MF A01
7938-C	2244	Dep. NTIS, PC A15/MF A01
7938-C	2245	Dep. NTIS, PC A15/MF A01
7938-C	2246	Dep. NTIS, PC A15/MF A01
7938-C	2247	Dep. NTIS, PC A15/MF A01
7938-C	2248	Dep. NTIS, PC A15/MF A01
7938-C	2249	Dep. NTIS, PC A15/MF A01
7938-C	2250	Dep. NTIS, PC A15/MF A01
7938-C	2251	Dep. NTIS, PC A15/MF A01
7938-C	2252	Dep. NTIS, PC A15/MF A01
7938-C	2253	Dep. NTIS, PC A15/MF A01
7938-C	2254	Dep. NTIS, PC A15/MF A01
7938-C	2255	Dep. NTIS, PC A15/MF A01
7938-C	2256	Dep. NTIS, PC A15/MF A01
7938-C	2257	Dep. NTIS, PC A15/MF A01
7938-C	2258	Dep. NTIS, PC A15/MF A01
7938-C	2259	Dep. NTIS, PC A15/MF A01
7938-C	2260	Dep. NTIS, PC A15/MF A01
7938-C	2261	Dep. NTIS, PC A15/MF A01
7938-C	2262	Dep. NTIS, PC A15/MF A01
7938-C	2263	Dep. NTIS, PC A15/MF A01
7975-PR	2264	Dep. NTIS, PC A02/MF A01
7998-MS	2457	See NUREG/CR-1027
8053-MS	2459	See NUREG/CR-1058
8132-PR	2265	Dep. NTIS, PC A02/MF A01
8238-PR	2266	Dep. NTIS, PC A02/MF A01
8292-MS	2267	Dep. NTIS, PC A03/MF A01
LA-UR-		
77-2378	2268	Dep. NTIS, PC A02/MF A01
78-495	2269	Dep. NTIS, PC A02/MF A01
78-1265	2270	Dep. NTIS, PC A02/MF A01
78-2602	2271	Dep. NTIS, PC A02/MF A01
78-2650	2272	Dep. NTIS, PC A02/MF A01
78-2711	2273	Dep. NTIS, PC A02/MF A01
78-2932	2274	Dep. NTIS, PC A02/MF A01
78-2933	2275	Dep. NTIS, PC A02/MF A01
79-162	2276	Dep. NTIS, PC A02/MF A01
79-770	2277	Dep. NTIS, PC A02/MF A01
79-811	2278	Dep. NTIS, PC A02/MF A01
79-1230	2279	Dep. NTIS, PC A02/MF A01
79-1874	2280	Dep. NTIS, PC A02/MF A01
79-1918	2281	Dep. NTIS, PC A02/MF A01
79-1956	2282	Dep. NTIS, PC A02/MF A01
79-2037	2283	Dep. NTIS, PC A02/MF A01
79-2141	2284	Dep. NTIS, PC A02/MF A01
79-2245	2285	Dep. NTIS, PC A02/MF A01
79-2285	2286	Dep. NTIS, PC A02/MF A01
79-2340	2287	Dep. NTIS, PC A02/MF A01
80-1159	2288	NTIS, PC A03/MF A01
80-1283	2289	NTIS, PC A02/MF A01
LAPES-		
78-02	2396	See NUREG/CR-0287
LMEC-		
77-2	2290	AT
77-3	2291	AT
77-4	2292	AT
77-5	2293	AT
77-6	2294	AT
77-7	2295	Dep. NTIS, PC A03/MF A01
77-8	2296	AT
78-1	2297	AT
LMEC-TDR-		
78-3	2298	AT
78-4	2299	AT
78-5	2300	AT
MITNE-		
211	901	See COO-2250-28
MLM-		
2597	2430	See NUREG/CR-0740
2637	2466	See NUREG/CR-1134
MLM-MU-		
77-78-0004	2301	Dep. NTIS, PC A03/MF A01
MP-		
45-SA-002	2302	AT
MTI-		
71TR27	2474	See NYO-3930-11
MTR-		
7485(Vol.1)	2306	Dep. NTIS, PC A08/MF A01
7485(Vol.4)	2307	Dep. NTIS, PC A06/MF A01
N-		
78-11243	2308	NTIS PCA04/MF A01
NCSR-R-		
20	2309	National Centre of Systems Reliability, Culcheth, Warrington, UKAEA, Pound 15.00
ND-M-R-		
230(R)	2314	See ND-R-230(R)
ND-R-		
9(S)	2310	Dep. NTIS (US Sales Only), PC A03/MF A01
50(R)	2311	Dep. NTIS (US Sales Only), PC A02/MF A01
178(R)	2312	Dep. NTIS (US Sales Only), PC A03/MF A01
199(R)	2313	Dep. NTIS (US Sales Only), PC A03/MF A01
230(R)	2314	NTIS, PC A02/MF A01
304(R)	2315	Dep. NTIS, PC A03/MF A01
NEANDC-L-		
116	304	See BNL-50991
NEDM-		
13981	2316	AT
14044	2317	AT
14090	2318	AT
14091	2319	AT
14092	2320	AT
14104	2321	AT
14109	2322	AT
14110	2323	Dep. NTIS, PC A03/MF A01
14131	2324	AT
14137	2325	AT
14145	2326	Dep. NTIS, PC A03/MF A01
14146(Rev.1)	2327	Dep. NTIS, PC A04/MF A01
14149	2328	AT
14150	2329	AT
14153	2330	AT
14161	2331	AT
14164	2332	AT
NEDO-		
12324	2333	General Electric Co., Nuclear Energy Div., San Jose, CA
12325	2334	General Electric Co., Vallecitos Nuclear Center, Pleasanton, CA
12326	2335	General Electric Co., Vallecites Nuclear Center, Pleasanton, CA 94566
12668	2336	Dep. NTIS, MF A01
NIIAR-		
15(309)	2337	Dep. NTIS (US Sales Only), PC A02/MF A01
NIIAR-P-		
2(296)	2338	Dep. NTIS (US Sales Only), PC A03/MF A01
4(270)	2339	Dep. NTIS (US Sales Only), PC A03/MF A01
4(338)	2340	Dep. NTIS (US Sales Only), PC A03/MF A01
5(271)	2341	Dep. NTIS (US Sales Only), PC A03/MF A01
5(299)	2342	Dep. NTIS (US Sales Only), PC A02/MF A01
17(283)	2343	Dep. NTIS (US Sales Only), PC A02/MF A01
18(284)	2344	Dep. NTIS (US Sales Only), PC A02/MF A01
18(312)	2345	Dep. NTIS (US Sales Only), PC A02/MF A01
24(358)	2346	Dep. NTIS (US Sales Only), PC A02/MF A01
27(321)	2347	Dep. NTIS (US Sales Only), PC A02/MF A01
240	2348	Dep. NTIS (US Sales Only), PC A02/MF A01
255	2349	Dep. NTIS (US Sales Only), PC A01/MF A01
NIIEFA-A-		
0340	2350	Dep. NTIS (US Sales Only), PC A03/MF A01
0345	2351	Dep. NTIS (US Sales Only), PC A03/MF A01

Report No.	Abstract No.	Availability
NOR-		
3686	2352	Dep. NTIS (US Sales Only), PC A03/MF A01
NP-		
21709	2353	Dep. NTIS (US Sales Only), PC A03/MF A01
22742	2354	Stanford Research Inst., Menlo Park, CA
23948	5433	Executive Office of the Governor, Energy Resources Administration, Santa Fe, New Mexico
NRL-		
8130	1	See AD-A-047410
NRPB-R-		
73	2355	Dep. NTIS (US Sales Only), PC A08/MF A01
NTIS/PS-		
79/0208	2356	NTIS PCN01/MF N01
NUREG-		
0181-2	2811	See SAND-77-0611
0181-3	2830	See SAND-77-1134
0262	2357	NTIS$5.00
0286	2358	NTIS$4.50
0330(Vol.3) (No.1)	2359	Nuclear Regulatory Commission, Washington, DC
0333	53	See ANL-77-20
0344	2360	NTIS$8.00
0355	200	See ANL-CT-78-3
0358	2361	NTIS$13.25
0358 (Suppl.1)	2362	NTIS, PC A08/MF A01
0387	2363	NTIS, MF A01
0391	2364	NTIS$6.00
0457(Rev.0)	2365	NTIS$5.25
0657	2366	NTIS
NUREG/CP-		
0007	2373	NTIS
NUREG/CR-		
0001	2374	Dep. NTIS, PC A03/MF A01
0002	2375	NTIS$7.25
0011	2376	NTIS$7.25
0012	2377	NTIS$8.00
0013	2378	NTIS$5.25
0015	2379	NTIS$5.25
0016	2380	NTIS$5.25
0018	2381	NTIS$6.00
0076	2382	NTIS$8.00
0084	2383	NTIS$4.50
0090	2610	See ORNL/NUREG/TM-193
0115	2384	Dep. NTIS, PC A06/MF A01
0117	2385	Dep. NTIS, PC A04/MF A01
0120	2386	Dep. NTIS, PC A04/MF A01
0137	2387	Dep. NTIS, PC A03/MF A01
0148	2388	Dep. NTIS, PC A04/MF A01
0166	2389	Dep. NTIS, PC A04/MF A01
0167	2390	Dep. NTIS, PC A03/MF A01
0224	2391	NTIS$11.75
0226	2604	See ORNL/NUREG/TM-160
0240	2392	Dep. NTIS, PC A04/MF A01
0244	2393	NTIS$6.00
0245	2394	Dep. NTIS, PC A04/MF A01
0263	2395	Dep. NTIS, PC A04/MF A01
0287	2396	NTIS$4.50
0323(Vol.5)	2397	Dep. NTIS, PC A07/MF A01
0335(Vol.6)	2398	Dep. NTIS, PC A09/MF A01
0339	2399	Dep. NTIS, PC A06/MF A01
0340	2400	Dep. NTIS, PC A03/MF A01
0367	2401	Dep. NTIS, PC A05/MF A01
0405	2402	Dep. NTIS, PC A12/MF A01
0408	2403	NTIS, $6.00
0421	2404	Dep. NTIS, PC A04/MF A01
0425	2405	Dep. NTIS, PC A03/MF A01
0427	2406	Dep. NTIS, PC A04/MF A01
0443	2407	Dep. NTIS, PC A03/MF A01
0452(Vol.1)	2408	Dep. NTIS, PC A15/MF A01
0453(Vol.1)	2409	Dep. NTIS, PC A13/MF A01
0453(Vol.2)	2410	Dep. NTIS, PC A14/MF A01
0469(Vol.7)	2411	Dep. NTIS, PC A03/MF A01
0470	2412	Dep. NTIS, PC A09/MF A01
0477	2413	
0482	2414	Dep. NTIS, PC A03/MF A01
0483	2415	Dep. NTIS, PC A07/MF A01
0489	2416	NTIS, PC A03/MF A01
0527	2417	Dep. NTIS, PC A05/MF A01
0587	2418	Dep. NTIS, PC A03/MF A01
0594	2419	Dep. NTIS, PC A04/MF A01
0604	2420	NTIS, PC A06/MF A01
0620	2421	NTIS, PC A04/MF A01
0653	2422	Dep. NTIS, PC A05/MF A01
0676	2423	Dep. NTIS, PC A05/MF A01
0678	2424	Dep. NTIS, PC A03/MF A01
0686	2425	Dep. NTIS, PC A10/MF A01
0692	2426	Dep. NTIS, PC A06/MF A01
0721	2427	NTIS, PC A05/MF A01
0736	2428	NTIS, PC A03/MF A01
0737	2429	NTIS, PC A05/MF A01
0748	2430	NTIS, PC A03/MF A01
0752	2431	Dep. NTIS, PC A03/MF A01
0759	2432	Dep. NTIS, PC A04/MF A01
0760	2433	Dep. NTIS, PC A03/MF A01
0780	2434	NTIS, PC A06/MF A01
0785	2435	Dep. NTIS, PC A06/MF A01
0790	2436	Dep. NTIS, PC A04/MF A01
0790	2437	Dep. NTIS, PC A04/MF A01
0790	2438	Dep. NTIS, PC A04/MF A01
0790	2439	Dep. NTIS, PC A04/MF A01
0790	2440	Dep. NTIS, PC A04/MF A01
0790	2441	Dep. NTIS, PC A04/MF A01
0799	2442	NTIS, PC A04/MF A01
0816	2443	Dep. NTIS, PC A06/MF A01
0820	2444	Dep. NTIS, PC A07/MF A01
0839	2445	NTIS, PC A05/MF A01
0844	2446	Dep. NTIS, PC A04/MF A01
0846	2447	Dep. NTIS, PC A03/MF A01
0864	2448	Dep. NTIS, PC A03/MF A01
0872	2449	NTIS, PC A03/MF A01
0884	2450	Dep. NTIS, PC A03/MF A01
0900	2451	NTIS
0906	2452	NTIS
0914	2453	Dep. NTIS, PC A05/MF A01
0951	2454	NTIS
0984(Vol.10)	2455	Dep. NTIS, PC A11/MF A01
1002	2456	Dep. NTIS, PC A05/MF A01
1027	2457	Dep. NTIS, PC A04/MF A01
1036	2458	Dep. NTIS, PC A05/MF A01
1058	2459	Dep. NTIS, PC A04/MF A01
1062	2460	Dep. NTIS, PC A03/MF A01
1084	2461	NTIS
1096	2462	Dep. NTIS, PC A04/MF A01
1101	2463	Dep. NTIS, PC A05/MF A01
1123	2464	Dep. NTIS, PC A04/MF A01
1124	2465	Dep. NTIS, PC A05/MF A01
1134	2466	Dep. NTIS, PC A02/MF A01
1160	2467	Dep. NTIS, PC A05/MF A01
1165	2468	NTIS
1213	2469	Dep. NTIS, PC A02/MF A01
1252	2470	Dep. NTIS, PC A03/MF A01
1285	2471	Dep. NTIS, PC A04/MF A01
1294	2472	NTIS
1323	2473	Dep. NTIS, PC A05/MF A01
NYO-		
3930-11	2474	Dep. NTIS, PC A07/MF A01
ORAU/IEA-		
79-2(M)	2475	Dep. NTIS, PC A03/MF A01
ORNL-		
5062/R1	2476	Dep. NTIS, PC A16/MF A01
5178	2477	AT
5181	2478	AT
5229/R1	2479	Dep. NTIS, PC A04/MF A01
5281	2507	AT
5286	2508	AT
5287	2509	AT
5293	2517	Dep. NTIS, PC A03/MF A01
5308	2518	Dep. NTIS, PC A16/MF A01
5309	2520	AT
5314	2536	AT
5346	2537	AT
5350	2555	AT
5359	2556	AT
5366	2557	AT
5369	2558	AT
5378	2559	AT
5381	2560	Dep. NTIS, PC A03/MF A01
5385	2561	AT
5386	2562	AT
5389	2563	Dep. NTIS, PC A03/MF A01
5398 (Exec.Summ.)	2564	Dep. NTIS, PC A04/MF A01
5404	2565	AT
5417	2566	AT
5419	2567	AT
5430	2568	AT
5433	2569	AT
5440	2570	AT
5466	2571	Dep. NTIS, PC A07/MF A01
5474	2572	AT
5477/V1	2573	Dep. NTIS, PC A03/MF A01
5477/V2	2574	Dep. NTIS, PC A05/MF A01
5483	2575	AT
5490	2576	AT
5505	2577	Dep. NTIS, PC A03/MF A01
5512	2578	AT
5529	2579	NTIS, PC A08/MF A01
5538	2580	AT
5540	2581	AT
5548	2582	Dep. NTIS, PC A03/MF A01
5557	2583	AT
5568	2584	AT
5579	2585	Dep. NTIS, PC A04/MF A01
ORNL/BRP-		
78/3	2586	AT
78/4	2587	AT
79/3	2588	AT
79/4	2589	AT
ORNL/BRP/CD-		
78/6	2590	AT

Report No.	Abstract No.	Availability
ORNL/BRP/M-		
78/6	2591	AT
ORNL/CSD-		
35	2592	Dep. NTIS, PC A03/MF A01
ORNL/CSD/TM-		
35	2593	Dep. NTIS, PC A03/MF A01
38	2594	Dep. NTIS, PC A04/MF A01
ORNL/MIT-		
274	2595	Dep. NTIS, PC A03/MF A01
285	2596	Dep. NTIS, PC A03/MF A01
ORNL/NUREG/CR-		
0678	2597	Dep. NTIS, PC A03/MF A01
ORNL/NUREG/NSIC-		
125(Vol.5)	2598	See ORNL/NUREG/NSIC-139
125(Vol.7)	2467	See NUREG/CR-1160
139	2598	Dep. NTIS, PC A25/MF A01
151	2399	See NUREG/CR-0339
159	2426	See NUREG/CR-0692
166	2467	See NUREG/CR-1160
170	2463	See NUREG/CR-1101
ORNL/NUREG/TM-		
124	2599	Dep. NTIS, PC A04/MF A01
129	2600	Dep. NTIS, PC A02/MF A01
142	2601	Dep. NTIS, PC A04/MF A01
148	2602	Dep. NTIS, PC A03/MF A01
158	2603	Dep. NTIS, PC A03/MF A01
160	2604	Dep. NTIS, PC A05/MF A01
163	2386	See NUREG/CR-0120
165	2605	Dep. NTIS, PC A02/MF A01
172	2606	Dep. NTIS, PC A04/MF A01
173	2607	Dep. NTIS, PC A04/MF A01
179	2608	Dep. NTIS, PC A05/MF A01
182	2609	Dep. NTIS, PC A03/MF A01
185	2384	See NUREG/CR-0115
193	2610	Dep. NTIS, PC A03/MF A01
197	2611	Dep. NTIS, PC A03/MF A01
201	2612	Dep. NTIS, PC A03/MF A01
213	2385	See NUREG/CR-0117
244	2400	See NUREG/CR-0340
276	2414	See NUREG/CR-0482
307	2424	See NUREG/CR-0678
307	2597	See ORNL/NUREG/CR-0678
318	2431	See NUREG/CR-0752
326	2450	See NUREG/CR-0884
329	2446	See NUREG/CR-0844
343	2456	See NUREG/CR-1002
354	2460	See NUREG/CR-1062
365	2464	See NUREG/CR-1123
ORNL/SUB-		
79/55455/1	2615	AT
4308/3	2616	AT
4485/1	2617	AT
4485/2	2618	AT
7322/1	2619	AT
7463/1	2620	AT
7644/10	2621	Dep. NTIS, PC A05/MF A01
ORNL-TM-		
3689	2622	Dep. NTIS, PC A05/MF A01
4283	2623	Dep. NTIS, PC A04/MF A01
5836	2624	AT
5865/V5	2625	AT
5868	2626	AT
5889	2627	AT
5906	2628	AT
5940	2629	AT
5969	2630	AT
5976	2631	Dep. NTIS, PC A03/MF A01
5992	2632	AT
5993	2633	AT
5995	2634	AT
6020	2635	AT
6025	2636	Dep. NTIS, PC A04/MF A01
6029	2637	AT
6081	2638	AT
6092	2639	AT
6100	2640	AT
6106	2641	AT
6128	2642	AT
6158	2643	AT
6170	2644	AT
6228	2645	AT
6234	2646	AT
6285	2647	AT
6287	2648	AT
6288	2649	AT
6296	2650	AT
6306	2651	AT
6309	2652	Dep. NTIS, PC A03/MF A01
6343	2653	AT
6373	2654	AT
6393	2655	AT
6408	2656	Dep. NTIS, PC A03/MF A01
6411	2657	AT
6439	2658	AT
6464	2659	AT
6497	2660	AT
6498	2661	AT
6522	2662	Dep. NTIS, PC A03/MF A01
6531	2663	Dep. NTIS, PC A04/MF A01
6553	2664	AT
6558	2665	AT
6568	2666	AT
6577	2667	AT
6582	2668	AT
6600	2669	AT
6640	2670	Dep. NTIS, PC A04/MF A01
6679	2671	AT
6679/R1	2672	AT
6688	2673	AT
6698	2674	AT
6744	2675	AT
6745	2676	AT
6778	2677	AT
6782	2678	AT
6792	2679	AT
6851	2680	AT
6862	2681	AT
6900	2682	Dep. NTIS, PC A06/MF A01
6947	2683	AT
6996	2684	AT
6998	2685	AT
7086	2686	Dep. NTIS, PC A03/MF A01
7181	2687	Dep. NTIS, PC A03/MF A01
ORO-		
5295-1	2688	Dep. NTIS, PC A15/MF A01
PATENTS-CA-		(Canadian: Commissioner of Patents, Ottawa, Canada, K1A 0E1; $1.00 per copy)
989,525/A/	5217	
1,023,065/A/	4257	
1,035,474/A/	3511	
PATENTS-CS-		(Czechoslovakian: Dr. Karel Neumann, Advokatni poradna c. 10, Zitna 25, Prague I, Czechoslovakia, Kes. 10 per copy)
158,060/B/	5380	
158,840/B/	5364	
161,417/B/	5320	
163,608/B/	5185	
163,989/B/	5184	
167,817/B/	4593	
168,265/B/	4577	
PATENTS-DD-		(German (East): Zeitungsvertrieb Gebrueder Petermann, Kurfuerstenstr, 111, 1000 Berlin West 30, German Democratic Republic, DM 3.- (West German Marks) per copy)
130,080/A/	4578	
130,289/A/	4575	
PATENTS-DE-		(German (F.R.): Deutsches Patentamt, Zweibruck En Strasse 12-, 800 Muenchen, F.R. Germany, DM 3.- per copy, plus postage)
1,564,114/C/	5169	
1,807,801/B/	5166	
1,807,801/C/	4556	
1,813,293/C/	4425	
1,813,820/C/	4526	
1,916,370/B/	4448	
1,921,377/C/	4429	
1,936,409/C/	3447	
1,940,014/B/	4557	
1,940,014/C/	4260	
1,948,912/C/	4527	
1,957,090/B/	4469	
2,005,868/C/	3423	
2,023,250/B/	5221	
2,023,250/C/	5131	
2,032,030/B/	3287	
2,037,053/C/	4576	
2,061,599/B/	3566	
2,061,599/C/	3286	
2,162,171/B/	3299	

Report No.	Abstract No.	Availability
2,234,782/B/	4292	
2,323,938/B/	3409	
2,329,549/C/	5168	
2,360,257/A/	5373	
2,443,018/B/	4580	
2,448,832/A/	5222	
2,449,597/B/	5132	
2,449,597/C/	4421	
2,537,393/A/	4579	
2,541,530/A/	4574	
2,545,031/A/	4558	
2,546,034/A/	5223	
2,550,329/A/	4525	
2,555,245/A/	5209	
2,557,132/A/	4471	
2,557,884/A/	4470	
2,609,088/A/	4374	
2,621,258/A/	4288	
2,628,782/A/	4252	
2,647,653/A/	4555	
2,653,250/A/	4449	
2,653,258/A/	3565	
2,656,841/A/	3556	
2,705,195/A/	3473	
2,709,471/A/	3456	
2,709,914/A/	3452	
2,722,050/A/	3401	
2,723,680/A/	3399	
2,729,976/A/	3796	
2,736,251/A/	3794	
2,736,252/A/	3795	
2,736,253/A/	3793	
2,738,634/A/	3765	
2,741,795/A/	3260	
2,741,945/A/	3733	
2,742,009/A/	3757	
2,742,396/A/	3261	
2,746,159/A/	3249	
2,746,555/A/	3728	
2,801,005/A/	3480	
2,802,577/A/	3477	
2,804,560/A/	3478	
2,805,188/A/	3474	
2,808,370/A/	3455	
2,822,918/A/	3363	
2,824,794/A/	3298	
2,825,436/A/	3307	
2,825,439/A/	3303	
2,831,028/A/	3263	
2,839,211/A/	3262	

PATENTS-FR- (French: Service d'Edition et de Vente des Publications Officielles, 39 rue de la Convention, Paris 15, France, 2.50 F per copy, plus 1.80 F postage for 1 copy)

Report No.	Abstract No.	Availability
2,296,918/A/	5309	
2,296,986/A/	5447	
2,297,409/A/	5406	
2,298,162/A/	5405	
2,299,640/A/	5247	
2,300,139/A/	5244	
2,300,253/A/	5404	
2,300,398/A/	5403	
2,301,070/A/	5458	
2,301,072/A/	5245	
2,303,351/A/	5241	
2,306,507/A/	5389	
2,307,339/A/	5230	
2,307,566/A/	5387	
2,308,170/A/	5388	
2,309,957/A/	5385	
2,312,276/A/	5215	
2,313,742/A/	5374	
2,313,743/E/	5377	
2,314,561/A/	5210	
2,315,054/A/	5370	
2,315,055/A/	5369	
2,316,597/A/	5202	
2,316,703/A/	5366	
2,316,704/A/	5205	
2,316,705/E/	5365	
2,317,583/A/	5193	
2,317,734/A/	5190	
2,318,409/A/	5186	
2,319,073/A/	5362	
2,319,074/A/	5363	
2,319,075/A/	5360	
2,319,075/A/	5361	
2,319,392/A/	5354	
2,319,392/A/	5356	
2,319,958/A/	5355	
2,319,958/A/	5357	
2,320,616/A/	5347	
2,320,616/A/	5348	
2,321,750/A/	5346	
2,325,928/A/	5170	
2,326,011/A/	5338	
2,330,123/E/	5401	
2,330,776/A/	5367	
2,333,328/A/	5319	
2,334,047/A/	5138	
2,335,916/A/	5314	
2,337,406/A/	5130	
2,337,408/A/	5310	
2,339,800/A/	4607	
2,339,937/A/	4605	
2,341,182/A/	4595	

Report No.	Abstract No.	Availability
2,341,920/A/	4592	
2,343,314/A/	4591	
2,345,709/E/	5237	
2,345,792/A/	5236	
2,346,815/A/	5232	
2,346,816/A/	5233	
2,347,749/A/	5228	
2,348,458/A/	5226	
2,348,483/A/	4560	
2,348,545/A/	4559	
2,350,566/A/	5220	
2,356,109/A/	5331	
2,356,244/A/	5203	
2,357,037/A/	5201	
2,357,267/E/	5192	
2,357,987/A/	5191	
2,359,485/A/	4445	
2,361,720/A/	4428	
2,361,721/A/	4426	
2,361,722/A/	4427	
2,363,862/A/	4420	
2,365,186/A/	5167	
2,366,444/A/	4361	
2,368,119/A/	4323	
2,368,121/A/	5157	
2,368,122/A/	5158	
2,370,344/E/	5148	
2,371,655/A/	4289	
2,372,494/E/	5143	
2,373,858/A/	4286	
2,379,881/A/	4596	
2,386,798/A/	4561	
2,393,402/A/	3564	
2,393,405/A/	3562	
2,393,406/A/	3563	
2,394,150/A/	3559	

PATENTS-GB- (GB: Comptroller-General, The Patent Office (Sale Branch), St. Mary Cray, Orpington, Kent, BR 53rd, UK, 0.25 pounds per copy)

1,478,985/A/	4450
1,488,478/A/	4324
1,491,207/A/	4290
1,495,561/A/	4253
1,495,654/A/	4254
1,499,100/A/	3835
1,507,833/A/	3730
1,507,948/A/	3729
1,510,127/A/	3704
1,521,615/A/	3475
1,526,950/A/	3426
1,528,012/A/	3424
1,528,272/A/	3425

Report No.	Abstract No.	Availability
1,534,681/A/	3364	
1,536,645/A/	3359	
2,005,901A/ A/	3248	
2,010,000/A/	3130	
2,017,385/A/	3095	
2,018,009/A/	3094	

PATENTS-JP- (Japanese: Hatsumei-Kyokai (Invention Association), 17 Shiba, Nishikubo-Akefune Cho, Minato-Ku, Tokyo, Japan, $.20 per page, plus postage)

54-3688/A/	3306
53-92,095/A/	3476
1977-4,991/ A/	5368
1978-1,787/ A/	5198
1978-1,792/ A/	5200
1978-1,793/ A/	5199
1978-4,189/ A/	5197
1978-4,199/ A/	5196
1978-5,389/ A/	5189
1978-6,795/ A/	5187
53-129,798/ A/	3407
53-131,397/ A/	3405
1953-68,393/ A/	5139
1953-90,587/ A/	4606
1976-92994/ A/	5402
1977-15980/ A/	5358
1977-15,997/ A/	5359
1977-25,996/ A/	5344
1977-25997/ A/	5345
1977-29598/ A/	5343
1977-32,496/ A/	5342
1977-36,287/ A/	5341
1977-36,290/ A/	5340
1977-39,096/ A/	5339
1977-40296/ A/	5337
1977-41793/ A/	5336
1977-41795/ A/	5335
1977-43097/ A/	5333
1977-47,196/ A/	5332
1977-48797/ A/	5330
1977-52092/ A/	5329
1977-53197/ A/	5328
1977-57495/ A/	5325
1977-57498/ A/	5323
1977-57499/ A/	5324
1977-59289/ A/	5322
1977-60399/ A/	5321
1977-70294/ A/	5316
1977-72087/ A/	5315
1977-74,797/ A/	5313
1977-76,592/ A/	5312
1977-77,999/ A/	5311
1977-87,598/ A/	5251
1977-87,599/ A/	5252
1977-89,794/	5250

Report No.	Abstract No.	Availability
A/ 1977-89,795/ A/	5248	
1977-89,796/ A/	5249	
1977-92,090/ A/	5246	
1978-11,296/ A/	5183	
1978-13,097/ A/	5182	
1978-16,196/ A/	5181	
1978-20,099/ A/	5178	
1978-21,391/ A/	5177	
1978-21,393/ A/	5176	
1978-22,994/ A/	5175	
1978-29,495/ A/	5173	
1978-29,498/ A/	5174	
1978-34,094/ A/	5171	
1978-43,194/ A/	5160	
1978-48,193/ A/	5159	
1978-54,691/ A/	5155	
1978-56,495/ A/	5154	
1978-60,485/ A/	5147	
1978-62,098/ A/	5145	
1978-65,598/ A/	5144	
1978-71,784/ A/	5135	
1978-71,786/ A/	5137	
1978-71,792/ A/	5136	
1978-72,989/ A/	5133	
1953-11,0797/A/	3444	
1953-131,394/A/	3404	
1953-132,690/A/	3402	
1953-132,695/A/	3403	
1953-143,892/A/	3361	
1953-146,094/A/	3360	
1976-101693/ A/	5399	
1976-104186/ A/	5398	
1976-104,189/A/	5397	
1976-104190/ A/	5396	
1976-108194/ A/	5394	
1976-108196/ A/	5395	
1976-110194/ A/	5393	
1976-110195/ A/	5457	
1976-111596/ A/	5392	
1976-113094/ A/	5390	
1976-113096/ A/	5391	
1976-124792/ A/	5386	
1976-127,993/A/	5384	
1976-130,786/A/	5382	
1976-130,790/A/	5381	
1976-136096/ A/	5379	
1976-137088/ A/	5378	
1976-141,992/A/	5375	
1976-141,993/A/	5376	
1976-148198/ A/	5371	
1976-148199/ A/	5372	
1977-101,384/A/	5243	
1977-104,691/A/	5242	
1977-106,095/A/	5240	
1977-110,396/A/	5239	
1977-110,398/A/	5238	
1977-115,991/A/	5234	
1977-115,992/A/	5235	
1977-121,196/A/	5229	
1977-121,198/A/	5231	
1977-122,795/A/	5227	
1977-125,996/A/	5225	
1977-127,590/A/	5224	
1977-135,991/A/	5219	
1977-137,588/A/	5218	
1977-140,795/A/	5216	
1977-144,589/A/	5214	
1977-148,792/A/	5212	
1977-148,799/A/	5211	
1977-15,3097/A/	5208	
1977-154,987/A/	5206	
1977-154,988/A/	5207	
1977-154,996/A/	5204	
PATENTS-NL-	(Netherlands: The Patent Office (Octrooiraad),, Patentslaan 2, Rijswijk 2. H patents, Netherlands, F. 3.00 per copy)	
7,611,676/A/	5156	
7,701,481/A/	4594	
7,707,862/A/	4447	
PATENTS-SE-	(Swedish: Patentverkets bibliotek, Box 5055, S-102, 42 Stockholm 5:, Sweden, Kr 5.- per copy)	
2,555,270/A/	5188	
PATENTS-SU-	(SU: The abstracts are obtained from Otkrytiya, Izobreteniya, Promyshlennye Obraztye Znaki in which abstracts only are published, Moscow, USSR)	
431559/A/	5448	
440,967/A/	5456	
441,596/A/	5445	
499,845/A/	5453	
597,351/A/	5449	
PATENTS-US-	(US: Commissioner of Patents, Washington, D.C. 20231, USA, $.50 per copy. Government Patent Applications available from NTIS)	
A 055,210	5465	
A 749,206	5134	
A 880,679	3790	
4,021,300	4528	
4,026,763	4523	
4,028,811	4473	
4,029,123	4472	
4,033,813	4451	
4,036,688	5455	
4,036,690	4446	
4,038,136	4443	
4,038,138	4444	
4,043,866	4422	
4,043,867	4423	
4,045,283	4419	
4,046,169	4377	
4,046,629	4376	
4,047,103	4375	
4,048,011	4373	
4,050,985	4363	
4,050,987	4364	
4,050,988	4362	
4,055,465	4322	
4,056,438	4294	
4,056,439	4293	
4,057,468	4291	
4,061,534	4259	
4,062,724	4258	
4,064,000	4255	
4,064,003	4256	

Report No.	Abstract No.	Availability
4,069,098	3838	
4,069,099	3837	
4,069,100	3839	
4,070,241	3836	
4,071,402	3834	
4,072,183	3800	
4,072,561	3799	
4,073,682	3797	
4,075,010	3792	
4,075,060	3791	
4,076,583	3787	
4,076,584	3789	
4,076,585	3786	
4,076,587	3788	
4,077,835	3764	
4,078,968	3763	
4,078,969	3762	
4,080,250	3760	
4,080,252	3758	
4,080,254	3761	
4,080,255	3759	
4,082,607	3734	
4,083,225	3731	
4,087,325	3708	
4,087,985	3705	
4,088,182	3707	
4,088,533	3706	
4,089,743	3703	
4,094,369	3558	
4,096,031	3557	
4,101,377	3513	
4,102,739	3512	
4,103,555	3481	
4,111,747	3457	
4,113,562	3454	
4,113,564	3453	
4,115,192	3448	
4,115,193	3449	
4,116,765	3445	
4,116,766	3446	
4,118,275	3428	
4,118,278	3427	
4,125,221	3406	
4,127,444	3400	
4,129,462	3362	
4,131,510	3358	
4,134,290	3304	
4,134,563	3305	
4,135,970	3301	
4,135,973	3302	
4,135,974	3300	
4,137,423	3297	
4,139,414	3285	
4,142,934	3266	
4,142,935	3267	
4,142,937	3265	
4,143,316	3268	
4,147,586	3251	
4,148,686	3250	
4,152,207	3235	
4,154,651	3234	
4,155,807	3233	
4,156,629	3232	
4,157,277	3132	
4,158,602	3131	
4,167,443	3103	
4,167,445	3102	
4,172,012	3092	
4,172,742	3091	
4,174,190	3081	
4,178,208	3062	
4,181,569	3055	
4,181,571	3054	
	3093	
US_Patent4,172,010		
T955,004	4597	
T963,003	4326	
T980,001	3264	
PB-		
263917	2690	NTIS PCA04/MF A01
273304	2691	NTIS PCA08/MF A01
274091	2692	NTIS PCA15/MF A01
280695	2693	NTIS PCA04/MF A01
283030	2694	NTIS PCA04/MF A01
283231	2695	NTIS PCA14/MF A01
284227	2696	NTIS PCA22/MF A01
285544	2697	NTIS PCA03/MF A01
285567	2698	NTIS PCA03/MF A01
286865	2699	NTIS PCA03/MF A01
287481	2700	NTIS PCA05/MF A01
293190	2701	NTIS, PC A06/MF A01
294102	2702	NTIS, PC AA05/MF A01
294243	2703	NTIS, PC AA03/MF A01
295077	2704	NTIS, PC A04/MF A01
PEL-		
250	2705	Dep. NTIS (US Sales Only), PC A05/MF A01
PNC-J-		
225-78-04	2706	NTIS (US Sales Only), PC A11/MF A01
250-79-13	2155	See JAPFNR-487
250-79-14	2156	See JAPFNR-488
261-79-02	2157	See JAPFNR-494
PNC-N-		
241-79-26	2151	See JAPFNR-472
251-76-12 (Vol.1)	2712	Dep. NTIS (US Sales Only), PC A22/MF A01
251-76-12 (Vol.2)	2725	Dep. NTIS (US Sales Only), PC A21/MF A01
251-76-26	2735	Dep. NTIS (US Sales Only), PC A02/MF A01
251-78-02	2736	Dep. NTIS (US Sales Only), PC A02/MF A01
941-78-42	2144	See JAPFNR-406
941-79-07	2148	See JAPFNR-434
941-79-49	2154	See JAPFNR-482
941-79-79	2152	See JAPFNR-473
952-76-04	2737	Dep. NTIS (US Sales Only), PC A10/MF A01
PNC-SJ-		
250-79-18	2153	See JAPFNR-479
PNE-		
77-119	933	See COO-2826-4
78-127	935	See COO-2826-7
78-128	936	See COO-2826-8
78-132	937	See COO-2826-9
PNL-		
2413	2741	Dep. NTIS, PC A02/MF A01
2417	2742	Dep. NTIS, PC A03/MF A01
2447	2743	Dep. NTIS, MF A01
2805	2746	Dep. NTIS, PC A03/MF A01
2923	2750	Dep. NTIS, PC A04/MF A01
2938	2751	Dep. NTIS, PC A03/MF A01
3077	2469	See NUREG/CR-1213
3129	2752	Dep. NTIS, PC A05/MF A01
3249	2753	Dep. NTIS, PC A03/MF A01
3255	2754	Dep. NTIS, PC A03/MF A01
PNL-SA-		
7503	2755	Dep. NTIS, PC A02/MF A01
7521	2756	Dep. NTIS, PC A02/MF A01
7878	2757	Dep. NTIS, PC A02/MF A01
PNL-TR-		
356	5454	Dep. NTIS, PC A05/MF A01
393	3048	NTIS, PC A03/MF A01
397	3047	NTIS, PC A02/MF A01
398	3046	NTIS, PC A02/MF A01
400	3045	Dep. NTIS, PC A02/MF A01
PP-		
04-PE-001	2758	AT
R-		
2267-DOE	2759	Dep. NTIS, PC A07/MF A01
RAND/N-		
1188-DOE	2760	Dep. NTIS, PC A03/MF A01
RAND-P-		
6226	2761	Rand Corp., Santa Monica, CA
RAND/R-		
2441-ACDA	2762	Rand Corp., Santa Monica, CA
RD-B-N-		
4254	2763	Dep. NTIS (US Sales Only), PC A03/MF A01
RDD/PMS-		
1	1003	See DOE/ET-0050/1
2	1004	See DOE/ET-0050/2
3(Rev.)	1005	See DOE/ET-0050/3(Rev.)
4	1006	See DOE/ET-0050/4
5	1007	See DOE/ET-0050/5
6	1008	See DOE/ET-0050/6
7	1009	See DOE/ET-0050/7
8	1010	See DOE/ET-0050/8
RDT-E-		
6-19T(3-78)	2764	RSO
6-33T (Ammend.1)(6-78)	2765	RSO
13-16T	2766	RSO
RDT-F-		
3-40T	2767	RSO
RDT-INDEX-		
(01-79)	2768	RSO
RE-		
542	2617	See ORNL/Sub-4485/1
RE-A-		
78-241	2769	Dep. NTIS, PC A03/MF A01
RFP-		
2887	2770	Dep. NTIS, PC A02/MF A01
RHO-LD-		
66	2771	Dep. NTIS, PC A04/MF A01

Report No.	Abstract No.	Availability
RISLEY-Trans-		
3066	5304	British Library Lending Div., Yorkshire, England
4009	2772	British Library Lending Division, Boston Spa
4010	4204	British Library Lending Division, Boston Spa, Wetherby, West Yorkshire, England
4087	3348	Dep. NTIS (US Sales Only), PC A02/MF A01
4105	3398	Dep. NTIS (US Sales Only), PC A02/MF A01
RLO-		
1830-T6	2773	Dep. NTIS, PC A03/MF A01
2227/T32-2	2774	Dep. NTIS, PC A02/MF A01
2227/T32-6	2775	Dep. NTIS, PC A04/MF A01
RRC-		
16	2776	Dep. NTIS (US Sales Only), PC A02/MF A01
RSA-TM-		
4	2777	Dep. NTIS, PC A03/MF A01
SAI-		
79-88-WA	2946	See UCRL-13942(Pt.1)
SAN-		
0115-097-T1	2778	Dep. NTIS, PC A03/MF A01
0115-T5	2779	Dep. NTIS, PC A02/MF A01
0115-T6	2780	Dep. NTIS, PC A02/MF A01
0115-T7	2781	Dep. NTIS, PC A06/MF A01
0115-T8	2782	Dep. NTIS, PC A06/MF A01
0700-T1	4037	Rockwell International Corp., Canoga Park, CA
0824-027-T1	2783	Dep. NTIS, PC A02/MF A01
0824-T1	2784	AT
0824-T2	2785	AT
0824-T3	2786	AT
0824-T4	2787	AT
0824-T5	2788	AT
0824-T6	2789	AT
0824-T7	2790	AT
0824-T8	2791	AT
0824-T9	2792	AT
0824-T10	2793	AT
0824-T11	2794	AT
0824-T12	2795	AT
0824-T13	2796	AT
0824-T14	2797	AT
0893-T1	2798	Dep. NTIS, PC A02/MF A01
1011-113R	2799	AT
1011-114	2800	AT
1011-116	2801	AT
1011-117	2802	TIC$6.50
1011-118R	2803	Dep. NTIS (US Sales Only), PC A04/MF A01
1011-200	2804	AT
1011-202	2805	AT
1359-T1	2806	Dep. NTIS, PC A03/MF A01
SAN/0700-		
1	2807	AT
SAN/1112-		
1	2808	Dep. NTIS, PC A06/MF A01
SAND-		
76-0614	2809	Dep. NTIS, PC A03/MF A01
77-0161C	2810	Dep. NTIS, PC A02/MF A01
77-0611	2811	Dep. NTIS, PC A07/MF A01
77-0723	2812	Dep. NTIS, PC A02/MF A01
77-0924C	2813	Dep. NTIS, PC A03/MF A01
77-0971C	2814	Dep. NTIS, PC A02/MF A01
77-1014C	2815	Dep. NTIS, PC A02/MF A01
77-1015C	2816	Dep. NTIS, PC A02/MF A01
77-1016C	2817	Dep. NTIS, PC A02/MF A01
77-1017C	2818	Dep. NTIS, PC A02/MF A01
77-1018C	2819	Dep. NTIS, PC A02/MF A01
77-1032C	2820	Dep. NTIS, PC A02/MF A01
77-1059C	2821	Dep. NTIS, PC A02/MF A01
77-1073C	2822	Dep. NTIS, PC A02/MF A01
77-1092C	2823	Dep. NTIS, PC A02/MF A01
77-1093C	2824	Dep. NTIS, PC A02/MF A01
77-1094C	2825	Dep. NTIS, PC A02/MF A01
77-1095C	2826	Dep. NTIS, PC A02/MF A01
77-1096C	2827	Dep. NTIS, PC A02/MF A01
77-1101C	2828	Dep. NTIS, PC A02/MF A01
77-1117C	2829	Dep. NTIS, PC A02/MF A01
77-1134	2830	Dep. NTIS, PC A10/MF A01
77-1157C	2831	Dep. NTIS, PC A02/MF A01
77-1342	2832	Dep. NTIS, PC A05/MF A01
77-1394	2833	Dep. NTIS, PC A04/MF A01
77-1413C	2834	Dep. NTIS, PC A02/MF A01
77-1421C	2835	Dep. NTIS, PC A02/MF A01
77-1423	2389	See NUREG/CR-0166
77-1443C	2836	Dep. NTIS, PC A02/MF A01
77-1470	2837	Dep. NTIS, PC A03/MF A01
77-1483	2838	Dep. NTIS, PC A03/MF A01
77-1486	2839	Dep. NTIS, PC A03/MF A01
77-1553C	2840	Dep. NTIS, PC A02/MF A01
77-1556	2841	Dep. NTIS, PC A03/MF A01
77-1557	2842	Dep. NTIS, PC A04/MF A01
77-1648C	2843	Dep. NTIS, PC A02/MF A01
77-1724	2844	Dep. NTIS, PC A04/MF A01
77-1727	2845	Dep. NTIS, PC A04/MF A01
77-1828C	2846	Dep. NTIS, PC A02/MF A01
77-1975	2847	Dep. NTIS, PC A07/MF A01
78-0078C	2848	Dep. NTIS, PC A02/MF A01
78-0167	2390	See NUREG/CR-0167
78-0216C	2849	Dep. NTIS, PC A02/MF A01
78-0232C	2850	Dep. NTIS (US Sales Only), PC A02/MF A01
78-0233C	2851	Dep. NTIS, PC A01/MF A01
78-0236C	2852	Dep. NTIS (US Sales Only), PC A02/MF A01
78-0247C	2853	Dep. NTIS, PC A02/MF A01
78-0252C	2854	Dep. NTIS, PC A02/MF A01
78-0255C	2855	Dep. NTIS, PC A02/MF A01
78-0257C	2856	Dep. NTIS, PC A02/MF A01
78-0266C	2857	Dep. NTIS, PC A02/MF A01
78-0274C	2858	Dep. NTIS, PC A02/MF A01
78-0299	2395	See NUREG/CR-0263
78-0363C	2859	Dep. NTIS, PC A02/MF A01
78-0437C	2860	Dep. NTIS, PC A02/MF A01
78-0503	2407	See NUREG/CR-0443
78-0611 (Vol.5)	2397	See NUREG/CR-0323(Vol.5)
78-0742C	2861	Dep. NTIS, MF A01
78-0752	2387	See NUREG/CR-0137
78-0939C	2862	Dep. NTIS, PC A02/MF A01
78-1223C	2863	Dep. NTIS, PC A02/MF A01
78-1238	2404	See NUREG/CR-0421
78-1249C	2864	Dep. NTIS, PC A02/MF A01
78-1251C	2865	Dep. NTIS, PC A02/MF A01
78-1336C	2866	Dep. NTIS, PC A02/MF A01
78-1421 (Vol.6)	2398	See NUREG/CR-0335(Vol.6)
78-1561	2401	See NUREG/CR-0367
78-1625	2867	Dep. NTIS, PC A04/MF A01
78-1754C	2868	Dep. NTIS, PC A02/MF A01
78-1790	2465	See NUREG/CR-1124
78-1910C	2869	Dep. NTIS, PC A02/MF A01
78-1919C	2870	Dep. NTIS, PC A02/MF A01
78-2001 (Vol.7)	2411	See NUREG/CR-0469(Vol.7)
78-2002 (Vol.8)	2412	See NUREG/CR-0470
78-2085C	2871	Dep. NTIS, PC A02/MF A01
78-2140C	2872	Dep. NTIS, PC A02/MF A01
78-2191	2873	Dep. NTIS, PC A02/MF A01
79-0057C	2874	Dep. NTIS, PC A02/MF A01
79-0079C	2875	Dep. NTIS, PC A02/MF A01
79-0081C	2876	Dep. NTIS, PC A02/MF A01
79-0082C	2877	Dep. NTIS, PC A02/MF A01
79-0091C	2878	Dep. NTIS, PC A02/MF A01
79-0107C	2879	Dep. NTIS, PC A02/MF A01
79-0112C	2880	Dep. NTIS, PC A02/MF A01
79-0123C	2881	Dep. NTIS, PC A02/MF A01
79-0126C	2882	Dep. NTIS, PC A02/MF A01
79-0621	2883	Dep. NTIS, PC A05/MF A01
79-0740C	2884	Dep. NTIS, PC A02/MF A01
79-0752C	2885	Dep. NTIS, PC A02/MF A01
79-0909	2436	See NUREG/CR-0790
79-0940	2453	See NUREG/CR-0914
79-1057	2447	See NUREG/CR-0846
79-1366	2886	NTIS, PC A06/MF A01
79-1597 (Vol.10)	2455	See NUREG/CR-0984(Vol.10)
79-1602C	2887	Dep. NTIS, PC A02/MF A01
79-1685C	2888	Dep. NTIS, PC A02/MF A01
79-1693	2889	Dep. NTIS, PC A03/MF A01
79-1708C	2890	Dep. NTIS, PC A02/MF A01
79-1733C	2891	Dep. NTIS, PC A02/MF A01
79-2319A	2892	Dep. NTIS, PC A02/MF A01
80-0026	2893	Dep. NTIS, PC A02/MF A01
80-0217C	2894	Dep. NTIS, PC A02/MF A01
SERI/TP-		
31-248 (Vol.2)(Pt.2)	2895	Dep. NTIS, PC A99/MF A01
SMRE-Transl-		
7200	5142	Health and Safety Executive, Baynards House, London
SRD-R-		
82	2896	Dep. NTIS (US Sales Only), PC A03/MF A01
159	2897	Dep. NTIS (US Sales Only), PC A09/MF A01
SRI-PYD-		
1960	267	See ANL/K76-2655-5
STI/PUB-		
490	2898	IAEA, Vienna, Austria,, $74.00
STUDSVIK-K2-		
79/90	2899	Dep. NTIS (US Sales Only), PC A02/MF A01
TI-		
00-LME-014	2900	AT
00-LME-023	2901	AT
04-LME-123	2902	AT
099-811-013	1031	See DOE/TIC-11040

Report No.	Abstract No.	Availability
TID-		
3333-85	2903	Dep. NTIS, PC A22/MF A01
3362(Vol.6)	2426	See NUREG/CR-0692
3362(Vol.7)	2463	See NUREG/CR-1101
27701/5	2904	AT
27798	2905	Dep. NTIS, PC A02/MF A01
27816	2906	Dep. NTIS, PC A05/MF A01
27817	2907	AT
27821	2908	Dep. NTIS, PC A02/MF A01
27889	2909	Dep. NTIS, PC A02/MF A01
27895	2910	AT
28094	2911	AT
28193	2912	AT
28194	2913	AT
28195	2914	AT
28198	2915	Dep. NTIS, PC A06/MF A01
28251	2916	AT
28256	2917	AT
28259	2918	AT
28265	2919	AT
28269	2920	AT
28273/1	2921	AT
28273/2	2922	Dep. NTIS, MF A01
28546	2923	AT
28710	2924	AT
28712	2925	AT
28713	2926	AT
28715	2927	AT
28732	3917	American Nuclear Society, La Grange Park, IL
28746	2928	Dep. NTIS, PC A02/MF A01
28754	3899	New York; Gordon and Breach, Science Publishers, Inc. (1978).
28755	2929	AT
28756	2930	AT
28758	2931	AT
28937	2932	AT
29052	2933	Dep. NTIS, PC A11/MF A01
29088	2934	Dep. NTIS, PC A02/MF A01
29350	2935	AT
TNO-LMEC-		
29	5463	Dep. NTIS (US Sales Only), PC A02/MF A01
30	5464	Dep. NTIS (US Sales Only), PC A02/MF A01
TR-		
097-330-009	2936	AT
097-330-010	2937	Participants in the LMFBR Program. Others request from TIC
TR-EE/EL-		
10	2621	See ORNL/Sub-7644/10
TREE-		
1168	2939	Dep. NTIS, PC A06/MF A01
1242	2394	See NUREG/CR-0245
1255	2940	Dep. NTIS, PC A03/MF A01
1289	2941	Dep. NTIS, PC A05/MF A01
1360	2942	AT
1361	2943	Dep. NTIS, PC A05/MF A01
TRG-Report-		
3006(R/X)	295	See AWRE-49/91/87
UAC-		
41069	2944	Dep. NTIS, PC A02/MF A01
UCLA-ENG-		
7776	2693	See PB-280695
UCRL-		
13916(Pt.1) (Add.)	2945	Dep. NTIS, PC A03/MF A01
13942(Pt.1)	2946	
79653(Rev.1)	2947	Dep. NTIS, PC A03/MF A01
82614(Rev.1)	2948	Dep. NTIS, PC A02/MF A01
UE/C-DOE-		
790930 (Vol.1)	956	See COO-4954-1(Vol.1)
790930 (Vol.2)	957	See COO-4954-1(Vol.2)
UJV-		
4156-T	2949	Dep. NTIS (US Sales Only), PC A04/MF A01
4333-T	2950	Dep. NTIS (US Sales Only), PC A04/MF A01
4576-T	2951	NTIS (US Sales Only), PC A03/MF A01
UTNL-R-		
0030	2952	Dep. NTIS (US Sales Only), PC A03/MF A01
UVA-		
529058/	2381	See NUREG/CR-0018
NEEP77/103		
529106/NE77/101	2691	See PB-273304
529106/NE77/103	2375	See NUREG/CR-0002
529106/NEEP-77/102	2364	See NUREG-0391
WARD-		
353	2954	AT
WARD-AD-		
3045-6	2955	AT
WARD-CG-		
3045-2	2956	AT
3045-3	2957	AT
3045-4	2958	AT
WARD-CN-		
3045-4	2959	AT
WARD-CR-		
3045-17	2960	AT
3045-19	2961	AT
3045-20	2962	AT
3045-21	2963	AT
3045-22	2964	AT
3045-23	2965	AT
3045-24	2966	AT
94000-1	2967	AT
94000-2	2968	AT
94000-3	2969	AT
WARD-D-		
0147	2970	AT
0178	2971	AT
WARD-HT-		
3045-27	2972	AT
3045-30	2973	AT
3045-31	2974	AT
3045-34	2975	AT
3045-35	2976	AT
94000-1	2977	AT
94000-2	2978	AT
WARD-I-		
10134-2	2979	AT
WARD-NA-		
3045-42	2980	AT
3045-48	2981	AT
3045-49	2982	AT
3045-52	2983	AT
3045-53	2984	AT
3045-54	2985	AT
940002	2986	AT
WARD-NC-		
3045-2	2987	AT
94000-1	2988	AT
WARD-OX-		
3045-20	2989	AT
3045-23	2990	AT
3045-24	2991	AT
3045-26	2992	AT
3045-27	2993	AT
3045-29	2994	AT
3045-31	2995	AT
3045-32	2996	AT
3045-34	2997	AT
3045-35	2998	AT
3045-36	2999	AT
3045-39	3000	AT
3045-40	3001	AT
3045-45	3002	AT
WARD-PB-		
3045-1	3003	AT
WARD-RB-		
3045-19	3004	AT
3045-21	3005	AT
3045-22	3006	AT
3045-24	3007	AT
3045-29	3008	AT
3045-30	3009	AT
3045-31	3010	AT
94000-1	3011	AT
WARD-SD-		
3045-7	3012	AT
3045-8	3013	AT
3045-9	3014	AT
3045-10	3015	AT
3045-11	3016	AT
3045-12	3017	AT
3045-13	3018	AT
3045-16	3019	AT
94000-1	3020	AT
94000-2	3021	AT
WARD-SR-		
3045-6	3022	AT

Report No.	Abstract No.	Availability
3045-7	3023	AT
3045-8	3024	AT
3045-9	3025	AT
94000-1	3026	AT
94000-2	3027	AT
WARD-XS-		
3045-18	3028	AT
3045-19	3029	AT
3045-20	3030	AT
3045-21	3031	Dep. NTIS, PC A04/MF A01
3045-22	3032	AT
3045-23	3033	AT
3045-24	3034	AT
3045-25	3035	AT
94000-1	3036	AT
WHAN-IR-		
33	3037	AT
WNET-		
116	3038	Dep. NTIS, PC A04/MF A01
ZfK-		
325	3039	Dep. NTIS (US Sales Only), PC A02/MF A01
337	3040	Dep. NTIS (US Sales Only), PC A09/MF A01
344	3041	Dep. NTIS (US Sales Only), PC A02/MF A01
348	3042	Dep. NTIS (US Sales Only), PC A02/MF A01
ZPR-TM-		
348	3043	Dep. NTIS, PC A02/MF A01
349	3044	Dep. NTIS, PC A02/MF A01

Blank

JOURNAL TITLES LIST

Journals from which articles have been abstracted and indexed are listed here alphabetically by title abbreviation.

The foreign language journals in this list available in English language translation are indicated and the title of the English language journal is included.

The title abbreviations are based on the National Clearinghouse for Periodical Title Work Abbreviations, Word Abbreviation List published by the Standards Committee Z-39 the American National Standards Institute.

A

Acta Metall.
Acta Metallurgica (U.S.)

Acta Polytech. (Prague), IV
Acta Polytechnica (Prague), (Rada) IV. Technicko-Teoreticka (Czechoslovakia)

Adrikhalut
Adrikhalut (Israel)

AIChE Symp. Ser.
AIChE (American Institute of Chemical Engineers) Symposium Series (U.S.)
Supersedes Chem. Eng. Progr., Symp. Ser.

Am. Ceram. Soc. Bull.
American Ceramic Society Bulletin, The (U.S.)

Am. Sci.
American Scientist (U.S.)

Am. Soc. Mech. Eng., [Pap.]
American Society of Mechanical Engineers, [Paper] (U.S.)

Am. Soc. Test. Mater., Spec. Tech. Publ.
American Society for Testing and Materials, Special Technical Publication (U.S.)

Ann. Mines
Annales des Mines (France)

Ann. Nucl. Energy
Annals of Nuclear Energy (England)
Supersedes Ann. Nucl. Sci. Eng.

Annu. Rev. Mater. Sci.
Annual Review of Materials Science (U.S.)

Appl. Math. Model.
Applied Mathematical Modelling (England)

Arch. Eisenhuettenwes.
Archiv fuer das Eisenhuettenwesen (West Germany)

Arch. Energiewirtsch.
Archiv fuer Energiewirtschaft (West Germany)

ASTM Spec. Tech. Publ.
ASTM (American Society for Testing and Materials) Special Technical Publication (U.S.)
See Am. Soc. Test. Mater., Spec. Tech. Publ.

At. Energ. (USSR)
Atomnaya Energiya (U.S.S.R.)
Issued in English Translation as Soviet Journal of Atomic Energy, The

At. Energy Rev.
Atomic Energy Review (Austria)

At. Jpn.
Atoms in Japan (Japan)

Atmos. Environ.
Atmospheric Environment (England)

Atomkernenergie
Atomkernenergie (West Germany)
Formerly Atomenergie
Changed to Atomkernenerg./Kerntech.

Atom (London)
Atom (London) (England)

Atomwirtschaft
Atomwirtschaft, Die (West Germany)
Superseded by Atomwirtsch., Atomtech.

Atomwirtsch., Atomtech.
Atomwirtschaft, Atomtechnik (West Germany)
Formerly Atomwirtschaft, Die

Atoomenerg. Haar Toepass.
Atoomenergie en Haar Toepassingen (Formerly RCN Bulletin) (Netherlands)
Superseded by Energiespectrum

At. Strom
Atom und Strom (West Germany)

At. Tekh. Rubezhom
Atomnaya Tekhnika za Rubezhom (U.S.S.R.)

Automatisme
Automatisme (France)

Autom. Inf. Ind.
Automatique and Informatique Industrielles (France)

Aware
Aware (U.S.)

B

Bild Wiss.
Bild der Wissenschaft (West Germany)

Brandschutz
Brandschutz (West Germany)

Braunkohle
Braunkohle (West Germany)

Bull. Assoc. Suisse Electr.
Bulletin de l'Association Suisse des Electriciens (Switzerland)
See Bulletin des Schweizerischen Elektrotechnischen Veriens (Switzerland)

Bull. Fac. Eng., Hokkaido Univ.
Bulletin of the Faculty of Engineering, Hokkaido University
See Hokkaido Daigaku Kogakubu Kenkyu Hokoku

Bull. Inf. Sci. Tech. (Paris)
Bulletin d'Information Scientifique et Technique (Paris) (France)

Bull. Inst. At. Energy, Kyoto Univ.
Bulletin of the Institute of Atomic Energy, Kyoto University
See Kyoto Daigaku Genshi Enerugi Kenkyush Iho

Bull. JSME (Jpn. Soc. Mech. Eng.)
Bulletin of JSME (Japan Society of Mechanical Engineers) (Japan)

Bull. Schweiz. Elektrotech. Ver.
Bulletin des Schweizerischen Elektrotechnischen Veriens (Switzerland)

Bundesanzeiger
Bundesanzeiger (West Germany)

C

Can. Nucl.
Canada Nucleaire
See Nucl. Can.

CEGB Res.
CEGB (Central Electricity Generating Board) Research (England)

CODATA Bull.
CODATA Bulletin (Committee on Data for Science and Technology) (France)

Combust. Flame
Combustion and Flame (U.S.)

Combustion
Combustion (U.S.)

Compressed Air
Compressed Air (U.S.)

Comput. Phys. Commun.
Computer Physics Communications (Netherlands)

Consensus
Consensus (Belgium)

Corrosion
Corrosion (U.S.)

D

Doryokuro Giho
Doryokuro Giho (Power Reactor Technology (Tokyo)) (Japan)

Dtschl.-Union-Dienst
Deutschland-Union-Dienst (West Germany)

E

Educ. Chem.
Education in Chemistry (England)

Electr. Eng. (Johannesburg)
Electrical Engineer (Johannesburg) (South Africa)

Electr. Light Power (Boston)
Electric Light and Power (Boston) (U.S.)
Superseded by Electr. Light Power, E/G Ed. and Electr. Light Power, T/D Ed.; reverted to former title

Electr. Perspect.
Electric Perspectives (U.S.)

Electr. Rev. (London)
Electrical Review (London) (England)
Changed to Electr. Rev. Int.

Energetika (Prague)
Energetika (Prague) (Czechoslovakia)

Energie
Energie (West Germany)

Energiespectrum
Energiespectrum (Netherlands)
Supersedes Atoomenerg. Haar Toepass.

Energiewirtsch. Tagesfragen
Energiewirtschaftliche Tagesfragen (West Germany)

Energ. Nucl. (Madrid)
Energia Nuclear (Madrid) (Spain)

Energ. Nucl. (Milan)
Energia Nucleare (Milan) (Italy)

Energomashinostroenie
Energomashinostroenie (U.S.S.R.)

Energy Dig. (London)
Energy Digest (London) (England)
Incorporating J. Fuel Heat Technol. and Fuel Efficiency

Energy Environ.
Energy and the Environment (South Africa)

Energy Int.
Energy International (U.S.)

Energy (Oxford)
Energy (Oxford) (England)

Energy Res. Rep.
Energy Research Reports (U.S.)

Energy Syst. Policy
Energy Systems and Policy (U.S.)

Energy Technol. (Wash., D.C.)
Energy Technology (Washington, D.C.) (U.S.)

Energy User News
Energy User News (U.S.)

Entropie
Entropie (France)

Environ. Sci. Technol.
Environmental Science and Technology (U.S.)

F

FAPIG (Tokyo)
FAPIG (Tokyo) (Japan)

Fluid Eng.
Fluid Engineering
See Ryutai Kogaku

Fortune
Fortune (U.S.)

G

Gas Eng. Manage.
Gas Engineering and Management (England)

Gensan Nenji Taikai Gijiroku
Gensan Nenji Taikai Gijiroku (Proceedings of Japan Atomic Industrial Forum, Incorporated) (Japan)

Genshiryoku Chosa Jiho
Genshiryoku Chosa Jiho (Review of Atomic Industries) (Japan)

Genshiryoku Iinkai Geppo
Genshiryoku Iinkai Geppo (Journal of Atomic Energy Commission) (Japan)

Genshiryoku Kogyo
Genshiryoku Kogyo (Nuclear Engineering) (Japan)

Glueckauf
Glueckauf (West Germany)

GRS Kurz-Inf., Reihe B
GRS (Gesellschaft fuer Reaktorsicherheit) Kurz-Information, Reihe B (West Germany)
Supersedes IRS, Kurz-Inf., Reihe B

Gut
Gut (British Society of Gastroenterology) (England)

H

Haikan Gijutsu
Haikan Gijutsu (The Piping Engineering) (Japan)

Handasa ve-Adrikhalut
Handasa ve-Adrikhalut
See Adrikhalut

Health Phys.
Health Physics (England)

Heat. Air Cond. J.
Heating and Air Conditioning Journal, The (England)
Incorporating The Steam and Heating Engineer, The Steam Engineer, Heating and The Industrial Heating Engineering

Heat Transfer - Sov. Res.
Heat Transfer - Soviet Research (U.S.)

Hitachi Hyoron
Hitachi Hyoron (The Hitachi Review) (Japan)

Hitachi Rev.
The Hitachi Review (Japan)
See Hitachi Hyoron (Japan)

Hokkaido Daigaku Kogakubu Kenkyu Hokoku
Hokkaido Daigaku Kogakubu Kenkyu Hokoku (Bulletin of the Faculty of Engineering, Hokkaido University) (Japan)

Houille Blanche
Houille Blanche, La (France)

I

IEEE Spectrum
IEEE (Institute of Electrical and Electronics Engineers) Spectrum (U.S.)
Supersedes Electr. Eng. (Am. Inst. Electr. Eng.)

IEEE Trans. Nucl. Sci.
IEEE (Institute of Electrical and Electronics Engineers) Transactions on Nuclear Science (Formerly IRE (Institute of Radio Engineers) Transactions on Nuclear Science) (U.S.)

IEEE Trans. Power Appar. Syst.
IEEE (Institute of Electrical and Electronics Engineers) Transactions on Power Apparatus and Systems (U.S.)
Supersedes Trans. Am. Inst. Electr. Eng., Part 3

IHI Eng. Rev.
IHI (Ishikawajima-Harima Heavy Industries Company) Engineering Review (Japan)

Int. At. Energy Agency Bull.
International Atomic Energy Agency Bulletin (Austria)

Int. J. Heat Mass Transfer
International Journal of Heat and Mass Transfer (England)

Int. J. Pressure Vessels Piping
International Journal of Pressure Vessels and Piping (England)

Iron Age
Iron Age (U.S.)

Ishikawajima-Harima Eng. Rev.
Ishikawajima-Harima Engineering Review (Japan)
See Ishikawajima-Harima Giho (Japan)

Ishikawajima-Harima Giho
Ishikawajima-Harima Giho (Ishikawajima-Harima Engineering Review) (Japan)

J

J. Acoust. Soc. Am.
Journal of the Acoustical Society of America (U.S.)

Jad. Energ.
Jaderna Energie (Czechoslovakia)

J. Aerosol Sci.
Journal of Aerosol Science (England)

J. Am. Ceram. Soc.
Journal of The American Ceramic Society (U.S.)

J. At. Energy Comm. (Jpn.)
Journal of Atomic Energy Commission (Japan)
See Genshiryoku Iinkai Geppo

J. At. Energy Soc. Jpn.
Journal of The Atomic Energy Society of Japan (Japan)
See Nippon Genshiryoku Gakkaishi (Japan))

J. Br. Nucl. Energy Soc.
Journal of the British Nuclear Energy Society, The (England)
Formerly J. Br. Nucl. Energy Conf.
Changed to Nucl. Energy (Br. Nucl. Energy Soc.)

J. Electrochem. Soc.
Journal of the Electrochemical Society (U.S.)

J. Eng. Mater. Technol.
Journal of Engineering Materials and Technology (U.S.)

J. Eng. Power
Journal of Engineering for Power, Transactions of the ASME (American Society of Mechanical Engineers), Series A (U.S.)

J. Heat Transfer
Journal of Heat Transfer, Transactions of the ASME (American Society of Mechanical Engineers), Series C (U.S.)

J. Inst. Nucl. Eng.
Journal of the Institution of Nuclear Engineers (England)
Supersedes Nuclear Energy

J. Jpn. Inst. Met.
Journal of the Japan Institute of Metals (Nippon Kinzoku Gakkaishi) (Japan)

J. Korean Nucl. Soc.
Journal of the Korean Nuclear Society (South Korea)

J. Mysore Univ., Sect. B. Sci.
Journal of Mysore University, Section B. Science (India)

J. Nucl. Mater.
Journal of Nuclear Materials (Journal des Materiaux Nucleaires) (Netherlands)

J. Nucl. Sci. Technol. (Tokyo)
Journal of Nuclear Science and Technology (Tokyo) (Japan)

J. Pressure Vessel Technol.
Journal of Pressure Vessel Technology (U.S.)

J. Radioanal. Chem.
Journal of Radioanalytical Chemistry (Switzerland-Hungary)

J. S.Afr. Inst. Min. Metall.
Journal of the South African Institute of Mining and Metallurgy (South Africa)
Formerly J. Chem., Metall. Min. Soc. S.Afr.

J. Sound Vib.
Journal of Sound and Vibration (England)

J. Test. Eval.
Journal of Testing and Evaluation (U.S.)
Supersedes J. Mater.

K

Karyoku Genshiryoku Hatsuden
Karyoku Genshiryoku Hatsuden (Thermal and Nuclear Power) (Japan)
Supersedes Karyoku Hatsuden

Kawasaki Giho
Kawasaki Giho (Kawasaki Technical Review) (Japan)
Changed to KHI Tech. Rev.

Kawasaki Tech. Rev.
Kawasaki Technical Review
See Kawasaki Giho

Keisoku Jido Seigyo Gakkai Ronbunshu
Keisoku Jido Seigyo Gakkai Ronbunshu (Transactions of the Society of Instrument and Control Engineers) (Japan)

Kernenergie
Kernenergie (East Germany)

Kerntechnik
Kerntechnik Vereinigt mit Atompraxis. The Journal for Nuclear Engineers and Scientists (West Germany)

KFK Nachr.
KFK (Kernforschungszentrum Karlsruhe) Nachrichten (West Germany)

Kinzoku
Kinzoku (Metals) (Japan)

Kyoto Daigaku Genshi Enerugi Kenkyusho Iho
Kyoto Daigaku Genshi Enerugi Kenkyusho Iho (Bulletin of the Institute of Atomic Energy, Kyoto University) (Japan)

L

Lett. Heat Mass Transfer
Letters in Heat and Mass Transfer (U.S.)

Lubr. Eng.
Lubrication Engineering (U.S.)

M

Mach. Des.
Machine Design (U.S.)

Mater. Eval.
Materials Evaluation (U.S.)
Formerly Nondestructive Testing

Materialpruefung
Materialpruefung (West Germany)

Mater. Sci. Eng.
Materials Science and Engineering (Netherlands)

Mater. Tech.
Materiaux et Techniques (France)

Mech. Eng.
Mechanical Engineering (U.S.)

Mem. Sci. Rev. Metall.
Memoires Scientifiques de la Revue de Metallurgie, Les
(Formerly a Part of Revue de Metallurgie) (France)

Metall. Trans., A
Metallurgical Transactions, A. Physical Metallurgy and
Materials Science (U.S.)
Supersedes in part Metall. Trans.

Metallurgia
Metallurgia (England)
Combined with Metal Forming to form Metallurgia and Metal
Forming

Metals (Tokyo)
Metals (Tokyo)
See Kinzoku

Met. Prog.
Metal Progress (U.S.)
Absorbed Met. Eng. Q.

Microstruct. Sci.
Microstructural Science (U.S.)

Mitsubishi Juko Giho
Mitsubishi Juko Giho (Mitsubishi Heavy Industries
Technical Review) (Japan)

N

Natl. Bur. Stand. (U.S.), Spec. Publ.
National Bureau of Standards (U.S.), Special Publication
(U.S.)

Neue Jurist. Wochenschr.
Neue Juristische Wochenschrift (West Germany)

New Sci.
New Scientist (England)
Merged with Science Journal to form New Scientist and
Science Journal; changed back to New Scientist with Dec.
2, 1971 issue

Nippon Genshiryoku Gakkaishi
Nippon Genshiryoku Gakkaishi (Journal of the Atomic Energy
Society of Japan) (Japan)

Nippon Kikai Gakkai Rombunshu
Nippon Kikai Gakkai Rombunshu (Transactions of the
Japanese Society of Mechanical Engineers) (Japan)

Nippon Kinzoku Gakkaishi
Nippon Kinzoku Gakkaishi
See Journal of the Japan Institute of Metals (Sendai)

NML (Natl. Metall. Lab.) Tech. J. (Jamshedpur, India)
NML (National Metallurgical Laboratory) Technical Journal
(Jamshedpur, India) (India)

Nucl. Can./Can. Nucl.
Nuclear Canada/Canada Nucleaire (Canada)

Nucl. Energy
Nuclear Energy (Formerly Nuclear Energy Engineer)
(England)
Changed to Journal of the Institution of Nuclear Engineers

Nucl. Eng. Des.
Nuclear Engineering and Design (Formerly Nuclear
Structural Engineering) (Netherlands)

Nucl. Eng. Int.
Nuclear Engineering International Incorporating Nuclear
Power (England)
Formerly Nucl. Eng.

Nucl. Eng. (Tokyo)
Nuclear Engineering (Tokyo)
See Genshiryoku Kogyo (Japan)

Nucl. News
Nuclear News (U.S.)

Nucl. Saf.
Nuclear Safety (A Bimonthly Technical Progress Review)
(U.S.)

Nucl. Sci. Eng.
Nuclear Science and Engineering (U.S.)

Nucl. Technol.
Nuclear Technology (U. S.)
Supersedes Nuclear Applications and Technology

O

Oeff. Verwalt.
Oeffentliche Verwaltung (West Germany)

P

Phys. Bl.
Physikalische Blaetter (West Germany)

Phys. Lett., Sect. C
Physics Letters, Section C
See Physics Reports

Phys. Rep.
Physics Reports. A Review Section of Physics Letters
(Section C) (Netherlands)

Phys. Rev., C
Physical Review, The, C. Nuclear Physics (U. S.)

Phys. Technol.
Physics in Technology (England)
Supersedes Rev. Phys. Technol.

Piping Eng.
Piping Engineering, The
See Haikan Gijutsu

Power Eng.
Power Engineering (U.S.)

Power Eng. (Engl. Transl.)
Power Engineering (English Translation of Izvestiya
Akademii Nauk SSSR, Energetika i Transport) (U.S.)

Power (N.Y.)
Power (New York) with which are Consolidated Science and
Industry, The Engineer Review, The Engineer, The
Stationary Engineer, and Operating Engineer (U.S.)

Power Reactor Technol. (Tokyo)
Power Reactor Technology (Tokyo)
See Doryokuro Giho

Probl. Proch.
Problemy Prochnosti (U.S.S.R.)

Proc. Am. Power Conf.
Proceedings of the American Power Conference (U.S.)

Proc., Annu. Reliab. Maintain. Symp.
Proceedings, Annual Reliability and Maintainability
Symposium (U.S.)

Process Eng.
Process Engineering Incorporating Chemical and Process
Engineering (England)

Processing
Processing (England)

Proc. Inst. Electr. Eng. (London)
Proceedings of the Institution of Electrical Engineers,
The (London) (England)

Proc. Jpn. At. Ind. Forum, Inc.
Proceedings of Japan Atomic Industrial Forum, Incorporated
See Gensan Nenji Taikai Gijiroku

Prog. Nucl. Energy
Progress in Nuclear Energy (England-U.S.)
New Series issued beginning in 1977

Prog. Sci.
Progres Scientifique (France)

Prot. Met. (Engl. Transl.)
Protection of Metals (English Translation of Zashchita
Metallov) (England)

Q

Quad. Pignone
Quaderni Pignone (Italy)

R

Radiochim. Acta
Radiochimica Acta (West Germany)

Radiol. Prot. Bull.
Radiological Protection Bulletin (England)

Refractories (USSR) (Engl. Transl.)
Refractories (USSR) (English Translation of Ogneupory) (U.S.)

Rep. Eng. Inst., Fac. Eng., Tokyo Univ.
Report of Engineering Inst., Faculty of Engineering, Tokyo University
See Tokyo Daigaku Kogakubu Fuzoku Sogo Shikenjo Nenpo

Rev. At. Ind.
Review of Atomic Industries
See Genshiryoku Chosa Jiho

Rev. Gen. Nucl.
Revue Generale Nucleaire (France)

Rev. Gen. Therm.
Revue Generale de Thermique (France)
Supersedes Chal. Ind.

Rev. Metall. (Paris)
Revue de Metallurgie (Paris) (France)

Rev. Mod. Phys.
Reviews of Modern Physics (U.S.)

Rev. Prum. Obchodu
Revue Prumyslu a Obchodu (Czechoslovakia)

Rev. Roum. Phys.
Revue Roumaine de Physique (Romania)

Ryutai Kogaku
Ryutai Kogaku (Fluid Engineering) (Japan)

S

S.Afr. Inst. Min. Metall. J.
South African Institute of Mining and Metallurgy Journal
See J. S.Afr. Inst. Min. Metall.

S. Afr. J. Sci.
South African Journal of Science (South Africa)

Schweissen Schneiden
Schweissen und Schneiden (West Germany)

Simulation
Simulation (U.S.)

Sov. At. Energy (Engl. Transl.)
Soviet Atomic Energy (English Translation of Atomnaya Energiya) (U.S.)
Supersedes Sov. J. At. Energy

Sov. Mater. Sci. (Engl. Transl.)
Soviet Materials Science (English Translation of Fiziko-Khimicheskaya Mekhanika Materialov) (U.S.)

Sov. Phys. - Dokl. (Engl. Transl.)
Soviet Physics - Doklady (English Translation of Doklady Akademiya Nauk SSSR (physics sections, except geophysics and biophysics)) (U.S.)

Sov. Powder Metall. Met. Ceram. (Engl. Transl.)
Soviet Powder Metallurgy and Metal Ceramics (English Translation of Poroshkovaya Metallurgiya, Akademiya Nauk Ukrainskoi SSR) (U.S.)

Strojirenstvi
Strojirenstvi (Czechoslovakia)

Stud. Cercet. Fiz.
Studii si Cercetari de Fizica (Formerly Academia Republicii Populare Romine, Institutul de Fizica Atomica si Institutul de Fizica, Studii si Cercetari de Fizica) (Romania)

Sulzer Tech. Rev.
Sulzer Technical Review (Switzerland)

Sumitomo Kinzoku
Sumitomo Kinzoku (Sumitomo Metals) (Japan)

Sumitomo Met.
Sumitomo Metals
See Sumitomo Kinzoku

T

Tech. Energ.
Techniques de l'Energie (France)

Tech. Mitt.
Technische Mitteilungen (West Germany)

Technica (Basel)
Technica (Basel) (Switzerland)

Technol.-Nachr. Manage.-Inf.
Technologie-Nachrichten Management-Informationen (West Germany)

Tech. Rep. Inst. At. Energy, Kyoto Univ.
Technical Reports of the Institute of Atomic Energy, Kyoto University (Japan)
Supersedes Tech. Rep. Eng. Res. Inst., Kyoto Univ.

Tech. Rev., Mitsubishi Heavy-Ind. (Jpn. Ed.)
Technical Review, Mitsubishi Heavy-Industries (Japanese Edition) (Japan)
See Mitsubishi Juko Giho (Japan)

Tech. Rundsch.
Technische Rundschau (Switzerland)

Tek. Ukebl.
Teknisk Ukeblad (Norway)

Teploenergetika (Moscow)
Teploenergetika (Moscow) (U.S.S.R.)
Issued in English Translation as Thermal Engineering

Teplofiz. Vys. Temp.
Teplofizika Vysokikh Temperatur (U.S.S.R.) Issued in English Translation as High Temperature (USSR)

Therm. Nucl. Power
Thermal and Nuclear Power
See Karyoku Genshiryoku Hatsuden

Three R Int.
Three R (Rohre Rohrleitungsbau Rohrleitungstransport) International (West Germany)

Tokyo Daigaku Kogakubu Fuzoku Sogo Shikenjo Nenpo
Tokyo Daigaku Kogakubu Fuzoku Sogo Shikenjo Nenpo (Report of Engineering Inst., Faculty of Engineering, Tokyo University) (Japan)

Toshiba Rebyu
Toshiba Rebyu (Toshiba Review) (Japan)

Trans. Am. Nucl. Soc.
Transactions of the American Nuclear Society (U.S.)

Trans. Am. Nucl. Soc., Suppl.
Transactions of the American Nuclear Society, Supplement (U.S.)

Trans. ASME (Am. Soc. Mech. Eng.), Ser. A, J. Eng. Power
Transactions of the ASME (American Society of Mechanical Engineers), Series A, Journal of Engineering for Power (U.S.)
See Journal of Engineering for Power (U.S.)

Trans. ASME (Am. Soc. Mech. Eng.), Ser. C, J. Heat Transfer
Transactions of the ASME (American Society of Mechanical Engineers), Series C, Journal of Heat Transfer (U.S.)
See Journal of Heat Transfer (U.S.)

Trans. ASME (Am. Soc. Mech. Eng.), Ser. H
Transactions of the ASME (American Society of Mechanical Engineers) Series H
See J. Eng. Mater. Technol.

Trans. ASME (Am. Soc. Mech. Eng.), Ser. J
Transactions of the ASME (American Society of Mechanical Engineers), Series J
See J. Pressure Vessel Technol.

Trans. Jpn. Soc. Mech. Eng.
Transactions of the Japanese Society of Mechanical Engineers
See Nippon Kikai Gakkai Ronbunshu (Japan)

Trans. Soc. Instr. Control Eng.
Transactions of the Society of Instrument and Control Engineers
See Keisoku Jido Seigyo Gakkai Ronbunshu

U

Ultrason. Symp. Proc.
Ultrasonics Symposium Proceedings (U.S.)

Univ. Liege, Fac. Sci. Appl., Coll. Publ.
Universite de Liege, Faculte des Sciences Appliques, Collection des Publications (Belgium)

V

VDI (Ver. Dtsch. Ing.) Nachr.

VDI (Verein Deutscher Ingenieure) Nachrichten (West Germany)

W

Waerme
Waerme, Die (West Germany)

Weld. J. (Miami)
Welding Journal, The (Miami) (U.S.)

Weld. Res. (Miami)
Welding Research (Miami)
See Welding Journal, The (Miami) published in the Welding Journal as a supplement with separate pagination

Weld. Tech.
Welding Technique (Japan)
See Yosetsu Gijutsu (Japan)

Werkst. Korros.
Werkstoffe und Korrosion (West Germany)

Wiss. Z. Tech. Univ. Dresden
Wissenschaftliche Zeitschrift der Technischen Universitaet Dresden (Formerly Wissenschaftliche Zeitschrift der Technischen Hochschule Dresden) (East Germany)

Y

Yosetsu Gijutsu
Yosetsu Gijutsu (Welding Technique) (Japan)

Z

Z. Energiewirtsch.
Zeitschrift fuer Energiewirtschaft (West Germany)

Z. Parlam.
Zeitschrift fuer Parlamentsfragen (West Germany)

Abbreviations Used in Availability Column

AT Liquid Metal Fast Breeder Reactor applied technology is available to domestic requesters within the United States from the Technical Information Center, P. O. Box 62, Oak Ridge, Tennessee 37830.
Information regarding subscription purchase will be sent on request.
Foreign requesters should address inquiries to the above address.

Dep. DOE reports so designated are maintained in the organizations listed on the inside back cover.

EM Inquiries regarding the availability of blueline prints of DOE engineering drawings which were formerly available for sale by NTIS should be addressed to Technical Information Center, P. O. Box 62, Oak Ridge, Tennessee 37830.

ETEC Available *only to requesters within the United States* from the Energy Technology Engineering Center, P. O. Box 1449, Canoga Park, California 91304.

GJO Available from DOE Grand Junction Office, P. O. Box 2567, Grand Junction, Colorado 81501.

GPO For sale by the Superintendent of Documents, Government Printing Office, Washington, D. C. 20402.

NSO Available *only to requesters within the United States* from the Nuclear Standards Office, Oak Ridge National Laboratory, P. O. Box X, Oak Ridge, Tennessee 37830.

NTIS For sale by the National Technical Information Service (NTIS), U. S. Department of Commerce, Springfield, Virginia 22161. Price given is the domestic price for paper copy; foreign purchasers add $2.50 per report copy. Some recent NTIS availability statements will include pricing codes as opposed to prices. These codes are related to actual prices in the table below.

TIC Available from the Technical Information Center, P. O. Box 62, Oak Ridge, Tennessee 37830.

NTIS NORTH AMERICAN PRICE CODES

Most NTIS products and services are now announced by price codes and, therefore, without specific prices in NTIS journals, newsletters and indexes.

The current dollar equivalent for each code is shown in the schedule below. Orders must list the accession number(s) and be accompanied by the total dollar amount from the current schedule.

NORTH AMERICAN CONTINENT PRICE SCHEDULE

Customers in Canada, U S., and Mexico please use this price schedule, other addressees write for Folder PR-360-4

A01	$3 50	E01	$5 50	T01	$110 00
A02	5 00	E02	6 50	T02	125 00
A03	6 00	E03	8 50	T03	210 00
A04	7 00	E04	10 50	T04	300 00
A05	8 00	E05	12 50	T05	360 00
A06	9 00	E06	14 50	T06	420 00
A07	10 00	E07	16 50	T07	480 00
A08	11 00	E08	18 50	T08	540 00
A09	12 00	E09	20 50	T09	600 00
A10	13 00	E10	22 50	T10	660 00
A11	14 00	E11	24 50	T11	720 00
A12	15 00	E12	27 50	T12	780 00
A13	16 00	E13	30 50	T13	840 00
A14	17 00	E14	33 50	T14	900 00
A15	18 00	E15	36 50	T15	960 00
A16	19 00	E16	39 50	T16	1,020 00
A17	20 00	E17	42 50	T17	1,080 00
A18	21 00	E18	45 50	T18	1,140 00
A19	22 00	E19	50 50	T19	1,200 00
A20	23 00	E20	60 50	T99	*
A21	24 00	E99	*		
A22	25 00				
A23	26 00	N01	30 00		
A24	27 00	N02	50 00		
A25	28 00				
A99	*		*Contact NTIS for price quote		

PRICES EFFECTIVE JANUARY 1, 1980

U.S. DEPARTMENT OF COMMERCE
National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161