

OFFICE OF CIVILIAN RADIOACTIVE WASTE MANAGEMENT
ANALYSIS/MODEL COVER SHEET

1. QA: QA
 Page: 1 of 10

Complete Only Applicable Items

2. <input checked="" type="checkbox"/> Analysis Check all that apply		3. <input type="checkbox"/> Model Check all that apply	
Type of Analysis <input checked="" type="checkbox"/> Engineering <input type="checkbox"/> Performance Assessment <input type="checkbox"/> Scientific		Type of Model <input type="checkbox"/> Conceptual Model <input type="checkbox"/> Abstraction Model <input type="checkbox"/> Mathematical Model <input type="checkbox"/> System Model <input type="checkbox"/> Process Model	
Intended Use of Analysis <input type="checkbox"/> Input to Calculation <input type="checkbox"/> Input to another Analysis or Model <input type="checkbox"/> Input to Technical Document <input checked="" type="checkbox"/> Input to other Technical Products		Intended Use of Model <input type="checkbox"/> Input to Calculation <input type="checkbox"/> Input to another Model or Analysis <input type="checkbox"/> Input to Technical Document <input type="checkbox"/> Input to other Technical Products	
Describe use: QA classification of the waste remediation system for input to the Q-List and other technical documents as appropriate.		Describe use:	

4. Title:
 Classification of the MGR Waste Emplacement/Retrieval System

5. Document Identifier (including Rev. No. and Change No., if applicable):
 ANL-WES-SE-000001 REV 01

6. Total Attachments: 3		7. Attachment Numbers - No. of Pages in Each: I-1; II-4; III-50 48 9/2/00	
8. Originator	Printed Name Jo A. Ziegler	Signature <i>Jo A. Ziegler</i>	Date 11/2/00
9. Checker	Douglas D. Orvis	<i>Douglas D. Orvis</i>	11/2/00
10. Lead/Supervisor	Thomas D. Dunn	<i>Thomas D. Dunn</i>	11/7/00
11. Responsible	Dealis W. Gwyn	<i>Dealis W. Gwyn</i>	11/8/00

12. Remarks:

This analysis bases the classification of MGR structures, systems, and components on the criteria of proposed rule 10 CFR 63 (64 FR 8640). A review has determined that the changes made to proposed rule 10 CFR 63 by *Interim Guidance Pending Issuance of New U.S. Nuclear Regulatory Commission (NRC) Regulations for Yucca Mountain, Nevada* (Dyer 1999) do not impact the classification conclusions of this analysis.

OFFICE OF CIVILIAN RADIOACTIVE WASTE MANAGEMENT
ANALYSIS/MODEL REVISION RECORD
Complete Only Applicable Items

1. Page: 2 of 10

2. Analysis or Model Title:
Classification of the MGR Waste Emplacement/Retrieval System

3. Document Identifier (including Rev. No. and Change No., if applicable):

ANL-WES-SE-000001 REV 01

4. Revision/Change No.	5. Description of Revision/Change
00	Initial issue.
01	This revision is a complete rewrite of the initial issue. The Waste Emplacement/Retrieval System architecture has been expanded to include subsystems (that were not included in the initial issue) that are classified in this revision.

CONTENTS

	Page
1. PURPOSE	4
2. QUALITY ASSURANCE	4
3. COMPUTER SOFTWARE AND MODEL USAGE	4
4. INPUTS.....	4
4.1 PARAMETERS	4
4.2 CRITERIA	5
4.3 CODES, STANDARDS, AND REGULATIONS	5
5. ASSUMPTIONS.....	5
6. ANALYSIS.....	5
6.1 METHOD	5
6.2 MGR DESIGN CONFIGURATION AND ARCHITECTURE	6
6.3 PRECLOSURE SAFETY STRATEGY	6
6.4 DESIGN BASIS EVENT ANALYSIS.....	7
6.5 QUALITY ASSURANCE CLASSIFICATION OF MGR SSCS	8
7. CONCLUSIONS.....	8
7.1 MGR QA CLASSIFICATION	8
7.2 IMPACT OF UNVERIFIED DATA	9
8. REFERENCES	9
8.1 DOCUMENTS CITED.....	9
8.2 CODES, STANDARDS, AND REGULATIONS	10
8.3 PROCEDURES	10
9. ATTACHMENTS.....	11

TABLES

	Page
1. Waste Emplacement/Retrieval System QA Classification	8

1. PURPOSE

The purpose of this analysis is to document the Quality Assurance (QA) classification of the Monitored Geologic Repository (MGR) waste emplacement/retrieval system structures, systems and components (SSCs) performed by the MGR Preclosure Safety and Systems Engineering Section. This analysis also provides the basis for revision of YMP/90-55Q, *Q-List* (YMP 2000). The *Q-List* identifies those MGR SSCs subject to the requirements of DOE/RW-0333P, *Quality Assurance Requirements and Description* (QARD) (DOE 2000).

This QA classification incorporates the current MGR design and the results of the *Design Basis Event Frequency and Dose Calculation for Site Recommendation* (CRWMS M&O 2000a). The content and technical approach of this analysis is in accordance with the development plan *QA Classification of MGR Structures, Systems, and Components* (CRWMS M&O 1999b).

2. QUALITY ASSURANCE

This analysis is subject to the requirements of the QARD (DOE 2000) as determined by procedure QAP-2-0, *Conduct of Activities*. Although QAP-2-0 has been superseded by AP-2.21Q, *Quality Determinations and Planning for Scientific, Engineering, and Regulatory Compliance Activities*, its conclusions remain effective and valid. *Design Basis Event Definition & Analysis/QA Classification Analysis (1.2.1.11) Activity Evaluation* (CRWMS M&O 1999a) presents the QAP-2-0 activity evaluation addressing the QA classification of MGR SSCs. This analysis is performed in accordance with procedures QAP-2-3, *Classification of Permanent Items*, and AP-3.10Q, *Analyses and Models*, and provides input to the design of SSCs included on the *Q-List* (YMP 2000). Unverified design inputs are identified and tracked in accordance with AP-3.15Q, *Managing Technical Product Inputs*. There is no electronic management of data associated with this document.

3. COMPUTER SOFTWARE AND MODEL USAGE

This analysis uses no software required to be controlled in accordance with procedure AP-SI.1Q, *Software Management*.

4. INPUTS

4.1 PARAMETERS

The offsite radiological consequences of MGR Category 1 and 2 design basis events (DBEs), as calculated in *Design Basis Event Frequency and Dose Calculation for Site Recommendation* (CRWMS M&O 2000a), are utilized in the QA classification of MGR SSCs. These results represent a conservative evaluation of MGR DBEs and the best information available. As discussed in Section 6.1 of this analysis, NUREG-1318, *Technical Position on Items and Activities in the High-Level Waste Geologic Repository Program Subject to Quality Assurance Requirements* (Duncan et al. 1988, Section 4.2(a)) allows the use of engineering judgement and conservative bounding assumptions in the QA classification of facility SSCs when data sources are limited. Also, procedure YAP-2.7Q, *Item Classification and Maintenance of the Q-List* (Attachment 3, Section a), directs the use of the highest level of detail available to support the conclusion of the QA classification analysis.

4.2 CRITERIA

The criteria used in the QA classification of MGR SSCs are provided in procedure QAP-2-3 as discussed in Section 6.1. These criteria satisfy the requirement of Section 2.2.2 of the QARD, "Classifying Items" (DOE 2000).

4.3 CODES, STANDARDS, AND REGULATIONS

10 CFR 20. Energy: Standards for Protection Against Radiation. January 29, 1997.

Interim Guidance Pending Issuance of New U. S. Nuclear Regulatory Commission (NRC) Regulations for Yucca Mountain, Nevada (Dyer 1999).

64 FR 8640. Disposal of High-Level Radioactive Wastes in a Proposed Geologic Repository at Yucca Mountain, Nevada. Proposed rule 10 CFR 63. February 22, 1999.

5. ASSUMPTIONS

The following assumptions are made in the performance of this analysis.

- 5.1 This analysis assumes that system design, expanded architecture, and functions are established by the *Waste Emplacement/Remediation System Description Document* (CRWMS M&O 2000b). This document represents the best available MGR design information. This assumption is utilized in Section 6.2 to define the waste emplacement/retrieval system design configuration and SSC functions.
- 5.2 This analysis assumes the implementation of guidance provided by the "Strategy to Mitigate Preclosure Offsite Exposure" (Hastings 1998, Attachment 3 [all]), hereafter referred to as the "safety strategy." The safety strategy proposes general guidance focused on reducing the risks associated with the handling of spent nuclear fuel, high-level waste and the associated casks, canisters, and containers. This assumption is utilized in Section 6.5 for the classification of the waste emplacement/retrieval system. The safety strategy assumes that MGR operations prevent (occurrence frequency less than $1 \times 10^{-6}/\text{year}$) exceeding design basis limits for waste packages.

6. ANALYSIS

6.1 METHOD

The basic process for classifying permanent MGR SSCs is provided by procedure QAP-2-3. Guidance provided by procedure YAP-2.7Q is also used in this analysis. The process consists of establishing the configuration and function of MGR SSCs and the effect of the SSC on MGR radiological safety. This information is then evaluated against criteria provided in QAP-2-3 to determine the QA classification of the particular item. The classification criteria are provided in the form of checklists in procedure QAP-2-3. The following classification categories are specified by QAP-2-3 to meet the requirements of Section 2 of the QARD (DOE 2000).

Quality Level 1 (QL-1): Those SSCs whose failure could *directly* result in a condition adversely affecting public safety. These items have a high safety or waste isolation significance.

Quality Level 2 (QL-2): Those SSCs whose failure or malfunction could *indirectly* result in a condition adversely affecting public safety, or whose *direct* failure would result in consequences in excess of normal operational limits. These items have a low safety or waste isolation significance.

Quality Level 3 (QL-3): Those SSCs whose failure or malfunction would not significantly impact public or worker safety, including those defense-in-depth design features intended to keep doses as low as is reasonably achievable. These items have a minor impact on public and worker safety and waste isolation.

Conventional Quality (CQ): Those SSCs not meeting any of the criteria for Quality Levels 1, 2, or 3. Conventional quality items are not subject to the requirements of QARD.

This analysis method is based on an iterative design-classification process where each analysis iteration is considered a final product for that phase of design. In this case, the system design and the DBE analysis are evaluated to determine which of the system's SSCs require design control under the QA program. The analysis presented in this document, therefore, will be reevaluated as necessary using a methodology appropriate to the level of DBE analysis and system design detail. This approach is consistent with NUREG-1318 (Duncan et al. 1988, Section 4.2(a)), which allows engineering judgement and conservative bounding assumptions to be used in cases where data are limited.

6.2 MGR DESIGN CONFIGURATION AND ARCHITECTURE

Prior to the QA classification of MGR SSCs, the system design configuration as well as the function of system's SSCs are established. This classification analysis is based upon the system design and functions as established by the *Waste Emplacement/Retrieval System Description Document* (CRWMS M&O 2000b) (Assumption 5.1). In the process of QA classification, if two or more subsystems perform similar functions or are similarly classified, these subsystems are classified as a group under the higher level system and not listed individually.

6.3 PRECLOSURE SAFETY STRATEGY

The MGR preclosure safety strategy is to prevent or mitigate preclosure offsite exposure. This preclosure safety strategy is a general plan to be considered in establishing design requirements for the receipt, handling, storage, packaging and emplacing of spent nuclear fuel and other high-level wastes in the planned repository. The strategy is described in Hastings (1998) which suggests a combination of containment and event prevention concepts for each of the general MGR operational functions: (1) receipt of waste, (2) transfer of waste to lag storage (as required), (3) packaging/sealing of the disposal container, (4) transfer of the waste package to an emplacement drift, and (5) waste package emplacement in a drift.

The safety strategy is utilized as guidance to modify the MGR design. The facility design as modified by the safety strategy is then evaluated in Section 6.5 to determine the SSC QA classifications. The waste emplacement/retrieval system functions to transport waste packages from the waste handling building to subsurface emplacement drifts and place the waste package and pallets within the emplacement drift. The system also functions to recover waste packages under abnormal conditions. The preclosure safety strategy (Hastings 1998) assumes that waste package breach as a result of transporter accidents in the north emplacement ramp area is prevented through the design of the transporter, locomotive, rails, and/or control systems. Specific methods for preventing the breach may include one or a combination of the following:

- Design the transporter to withstand the worst case impact without breaching the waste package.
- Design the locomotive/transporter with redundant and diverse braking systems to prevent the runaway at a frequency of <1E-06/yr.

It is expected that some portion of the locomotive/transporter combination will be important to safety. The preclosure safety strategy also assumes that during the emplacement of the waste package in the drift, lifts or transports above the design basis drop height for a waste package will not be performed. As a result of the above assumptions, the waste package is assumed to maintain containment of radioactive material during any credible event sequence.

6.4 DESIGN BASIS EVENT ANALYSIS

A dose calculation of MGR DBEs (CRWMS M&O 2000a) has been performed to determine the effects of internal events on facility radiological safety and is utilized by this analysis in the classification of MGR SSCs. The DBE calculation addresses both the DBE frequencies and dose consequences at the site boundary. This analysis utilizes the results of the DBE calculation to evaluate MGR SSCs against the classification criteria of procedure QAP-2-3. This analysis also considers results from *Preclosure Design Basis Events Related to Waste Packages* (CRWMS M&O 2000c, Section 6.3.2.1.2.2), where collapse of the gantry onto a waste package was determined to be within the design basis of the waste package.

6.5 QUALITY ASSURANCE CLASSIFICATION OF MGR SSCS

The MGR SSCs are evaluated against the criteria of QAP-2-3 to determine the item QA classification level. Assumption 5.2 is used as noted in Table 1, and the results of the MGR DBE calculation (CRWMS M&O 2000a) are utilized in this evaluation. The MGR classification checklist questions included in procedure QAP-2-3 are reproduced in Attachment II. The basis for the classification evaluation is provided in Attachment III.

7. CONCLUSIONS

This analysis may be affected by technical product input information that requires confirmation. Any changes to the document that may occur as a result of completing the confirmation activities will be reflected in subsequent revisions. The status of the input information quality may be confirmed by review of the Document Input Reference System database.

7.1 MGR QA CLASSIFICATION

The results of this QA classification analysis are provided in Table 1. As the design of the MGR proceeds and further DBE analyses of MGR hazards are performed, this classification analysis will be reviewed for impact and revised as necessary.

Table 1. Waste Emplacement/Retrieval System QA Classification

Waste Emplacement/Retrieval System	QL-1	QL-2	QL-3	CQ
Emplacement, Retrieval, & Recovery Systems (Normal Conditions)				
Emplacement Gantry			X	
Gantry Carrier				X
Waste Package Transporter	X			
General Support Systems				
Control and Tracking System	X			
Locomotives	X			
Railcars				X
Recovery Systems (Abnormal Conditions)				
Ball Screw Jack				X
Bottom Lift Transporter			X	
Bottom Lift Transporter Carrier				X
Covered Shuttlecars		X		
Decontamination Equipment		X		
Emplacement Drift Forklift			X	
Forks (Note 1)				
Manipulating Arm (Note 1)				
Ejector Bucket (Note 1)				
Extendable Conveyor			X	
Load-Haul-Dump Loader			X	
Main Drift Forklift			X	
Forks (Note 1)				
Manipulating Arm (Note 1)				
Modified Waste Package Transporter	X			
Multi-Purpose Hauler		X		
Multi-Purpose Vehicle			X	
Impact Hammer (Note 1)				
Demolition Shears (Note 1)				
Bucket (Note 1)				
Scaling Machine			X	
Temporary Dock (Note 3)				X
Temporary Ground Support Subsystems (Note 2)				
Temporary Shielding (Note 2)				
Temporary Ventilation Control and Filtration System (Note 2)				
Restoration Systems (Abnormal Conditions)				
Cleanup and Construction Vehicles				X
Emplacement Drift Gantry Carrier			X	
Emplacement Drift Restoration Locomotive			X	
Re-Railer				X

Note 1: SSC classified at higher architecture level.

Note 2: Not classified, non-permanent SSC. Before retrieval or remediation is performed, a safety evaluation of the specific plan of work will be performed and appropriate quality controls assigned to actions and temporary equipment before any work begins.

Note 3: Temporary dock is a permanent portable dock.

7.2 IMPACT OF UNVERIFIED DATA

This analysis assumes that the design guidance provided by Hastings (1998 [all]) is incorporated into the waste emplacement/retrieval system. It should be noted that these impacts are based upon the DBE calculation of CRWMS M&O (2000a) and are dependent on the design approach taken to prevent or mitigate the effects of an associated DBE. Further DBE analysis will have an effect on the impacts as discussed. The preclosure safety strategy is described in Sections 5.2 and 6.3.

If the safety strategy objective cannot be achieved or if the waste package cannot be designed to maintain containment during credible DBEs, this classification analysis will be revised. Other impacts may include requiring a seismically qualified transporter.

8. REFERENCES

8.1 DOCUMENTS CITED

CRWMS M&O (Civilian Radioactive Waste Management System Management and Operating Contractor) 1999a. *Design Basis Event Definition & Analysis/QA Classification Analysis (I.2.I.11)*. Activity Evaluation, March 2, 1999. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.19990325.0008.

CRWMS M&O 1999b. *QA Classification of MGR Structures, Systems, and Components*. Development Plan TDP-MGR-SE-000007 REV 00. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.19991029.0155.

CRWMS M&O 2000a. *Design Basis Event Frequency and Dose Calculation for Site Recommendation*. CAL-WHS-SE-000001 REV 01. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.20000627.0214.

CRWMS M&O 2000b. *Waste Emplacement/Retrieval System Description Document*. SDD-WES-SE-000001 REV 01. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.20000823.0002.

CRWMS M&O 2000c. *Preclosure Design Basis Events Related to Waste Packages*. ANL-MGR-MD-000012 REV 00. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.20000725.0015.

DOE (U.S. Department of Energy) 2000. *Quality Assurance Requirements and Description*. DOE/RW-0333P, Rev. 10. Washington D.C.: U.S. Department of Energy, Office of Civilian Radioactive Waste Management. ACC: MOL.20000427.0422.

Duncan, A.B.; Bilhorn, S.G.; and Kennedy, J.E. 1988. *Technical Position on Items and Activities in the High-Level Waste Geologic Repository Program Subject to Quality Assurance Requirements*. NUREG-1318. Washington, D.C.: U.S. Nuclear Regulatory Commission. TIC: 200650.

Dyer, J.R. 1999. "Revised Interim Guidance Pending Issuance of New U.S. Nuclear Regulatory Commission (NRC) Regulations (Revision 01, July 22, 1999), for Yucca Mountain, Nevada."

Letter from J.R. Dyer (DOE/YMSCO) to D.R. Wilkins (CRWMS M&O), September 3, 1999. OL&RC:SB-1714, with enclosure, "Interim Guidance Pending Issuance of New NRC Regulations for Yucca Mountain (Revision 01)." ACC: MOL.19990910.0079.

Hastings, C.R. 1998. "Strategy to Mitigate Preclosure Offsite Exposure." Interoffice correspondence from Hastings, C.R. to Distribution, July 21, 1998, LV.SEI.CRH.7/98-024. ACC: MOL.19980916.0357.

YMP (Yucca Mountain Site Characterization Project) 2000. *Q-List*. YMP/90-55Q, Rev. 6. Las Vegas, Nevada: Yucca Mountain Site Characterization Office. ACC: MOL.20000510.0177.

8.2 CODES, STANDARDS, AND REGULATIONS

10 CFR (Code of Federal Regulations) 20. Energy: Standards for Protection Against Radiation. Readily Available.

64 FR (Federal Register) 8640. Disposal of High-Level Radioactive Wastes in a Proposed Geologic Repository at Yucca Mountain, Nevada. Proposed rule 10 CFR 63. Readily Available.

8.3 PROCEDURES

AP-2.21Q, Rev. 0. *Quality Determinations and Planning for Scientific, Engineering, and Regulatory Compliance Activities*. ACC: MOL.20000802.0003.

AP-3.10Q, Rev. 2, ICN 3. *Analyses and Models*. ACC: MOL.20000918.0282.

AP-SI.1Q, Rev. 2, ICN 4, ECN 1. *Software Management*. ACC: MOL.20001019.0023.

AP-3.15Q, Rev. 1, ICN 2. *Managing Technical Product Inputs*. ACC: MOL.20000713.0363.

QAP-2-0, Rev. 5. *Conduct of Activities*. ACC: MOL.19980826.0209.

QAP-2-3, Rev. 10. *Classification of Permanent Items*. ACC: MOL.19990316.0006.

YAP-2.7Q, Rev. 1, ICN 2. *Item Classification and Maintenance of the Q-List*. ACC: MOL.19991214.0628.

9. ATTACHMENTS

Attachment I Acronyms

Attachment II MGR Classification Checklist Questions

Attachment III MGR QA Classification

Attachment I

Acronyms

CQ	Conventional Quality
DBE	Design Basis Event
MGR	Monitored Geologic Repository
QA	Quality Assurance
QARD	Quality Assurance Requirements and Description
QL	Quality Level
SDD	System Description Document
SSCs	Structures, Systems, and Components
TBV	To Be Verified
TEDE	Total Effective Dose Equivalent
WP	Waste Package

Attachment II
MGR Classification Checklist Questions

CRWMS/M&O

Importance to Safety or Waste Isolation Evaluation Pre-Screening Checklist

QA: L

Page: 1 Of: 1

Complete only applicable items.	
1. Classification Analysis I.D.:	2. SDD/SSC Evaluated:
3. Description of SDD/SSC (or reference):	

Yes No

QAP-2-3 (Effective 05/26/1999)

0972 (Rev. 05/06/1999)

Attachment II
MGR Classification Checklist Questions

CRWMS/M&O

**Importance to Safety or Waste Isolation Evaluation
for MGR**

Complete only applicable items.

QA: L

Page: 1 Of: 4

1. Classification Analysis I.D.:	2. SDD/SSC Evaluated:
3. Description of SDD/SSC (or reference):	

MGR Quality Level 1 Checklist

Yes	No	
4. Preclosure Phase:		
<p>1.1. Can failure of the item directly result in loss of waste package containment or criticality control for the spent nuclear fuel, high-level wastes, or other radioactive materials received for emplacement at the MGR?</p>		
<p>1.2. Is the item required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem Total Effective Dose Equivalent (TEDE), per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(b)(1) and 20.1301(a)(1)]? Category 1 DBE "per event" limits are interpreted as the sum of the normal operating dose and anticipated operational occurrences plus the consequences from any single additional low frequency Category 1 DBE. This sum is stated on an annual basis and consistent with 10 CFR 63.111(a) or 10 CFR 20.</p>		
<p>1.3. Is the item required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep dose equivalent and committed dose equivalent to any individual organ or tissue (other than the lens of the eye), 15 rem dose equivalent to the lens of the eye, or 50 rem shallow dose equivalent to the skin, per event [10 CFR 63.111(b)(2)] to any individual located on or beyond any point on the boundary of the site?</p>		
5. Postclosure Phase:		
<p>1.4. Does the item perform a waste isolation function that is required to meet the performance objectives in 10 CFR 63.113(b) by:</p>		
<p>a. forming part of the natural barriers or an engineered barrier system required by 10 CFR 63.113(a)?</p>		
<p>b. being directly credited in the performance assessments required by 10 CFR 63.113(c) and 10 CFR 63.113(d) to demonstrate the ability of the geologic repository to limit expected annual dose to the average member of the critical group to less than 25 mrem TEDE at any time during the first 10,000 years after permanent closure?</p>		
6. Do the answers to Blocks 4 and 5 qualify the item as a Quality Level 1 item?		
7. Comments/Justification:		
<hr/>		

Attachment II
MGR Classification Checklist Questions

CRWMS/M&O

**Importance to Safety or Waste Isolation Evaluation
for MGR**

Complete only applicable items.

QA: L

Page: 2 Of: 4

MGR Quality Level 2 Checklist

Yes	No	
		<p>Preclosure Phase:</p> <p>8. 2.1. Does the item function to provide control and management (i.e., collection and/or confinement) of site-generated liquid, gaseous, or solid low-level or mixed radioactive waste?</p> <p>NOTE: Systems with trace concentration of radionuclides, the failure of which could result in offsite doses less than 0.25 mrem per year, are not considered to perform radioactive waste management or control functions for the purpose of this quality level determination.</p>
		<p>2.2. Does the item provide fire detection, fire suppression, or otherwise protect the important-to-radiological safety or waste isolation functions of Quality Level 1 SSCs from the hazards of a fire?</p>
		<p>2.3. As a result of a DBE, could consequential failure of the item, which is not intended to perform a Quality Level 1 radiological safety function, prevent Quality Level 1 SSCs from performing their intended radiological safety function?</p>
		<p>2.4. Is the item required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301(a)(1)]? Category 1 DBE "per event" limits are interpreted as the sum of the normal operating dose and anticipated operational occurrences plus the consequences from any single additional low frequency Category 1 DBE. This sum is stated on an annual basis and consistent with 10 CFR 63.111(a) or 10 CFR 20.</p>
		<p>2.5. Is the item, in conjunction with an additional item or administrative control (i.e., indirect impact), required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary? Category 1 DBE "per event" limits are interpreted as the sum of the normal operating dose and anticipated operational occurrences plus the consequences from any single additional low frequency Category 1 DBE. This sum is stated on an annual basis and consistent with 10 CFR 63.111(a) or 10 CFR 20.</p>
		<p>2.6. Is the item, in conjunction with an additional item or administrative control (i.e., indirect impact), required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep dose equivalent and committed dose equivalent to any individual organ or tissue (other than the lens of the eye), 15 rem dose equivalent to the lens of the eye, or 50 rem shallow dose equivalent to the skin, per event, to any individual located on or beyond any point on the boundary of the site?</p>
9.		<p>Postclosure Phase:</p> <p>2.7. As a result of a DBE, could consequential failure of the item, which is not intended to perform a Quality Level 1 waste isolation function, result in:</p> <ul style="list-style-type: none"> a. the inability of Quality Level 1 engineered barriers to perform their intended long-term waste isolation function in the postclosure phase? b. long-term changes to the hydrological characteristics of natural barriers by creating significant ponding or the possibility of drainage into the postclosure underground? c. the introduction of fluids or other materials that could adversely affect the long-term geo-mechanical characteristics of natural barriers in the postclosure phase? d. compromising the ability of the natural barriers to isolate waste in the postclosure phase?
10.		<p>Do the answers to Blocks 8 and 9 qualify the item as a Quality Level 2 item?</p>

Attachment II

MGR Classification Checklist Questions

CRWMS/M&O

Importance to Safety or Waste Isolation Evaluation for MGR

Complete only applicable items.

QA: L

Page: 4 Of: 4

MGR Quality Level 3 Checklist

QAP-2-3 (Effective 05/26/1999)

0973 (Rev. 05/06/1999)

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>		

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Emplacement Gantry**

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The emplacement gantry functions to lift the waste package (WP) and pallet from the transporter open deck (rolling bed plate) and carry the waste package into the emplacement drift. The gantry lowers the WP and pallet in the emplacement drift, disengages from the WP, and moves back to the transfer dock. This item is not directly or indirectly relied upon to provide one of the following Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, or structural integrity. This is a support operation necessary for waste handling safety.
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. Failure of the emplacement gantry would not directly result in a loss of waste package containment (because all credible drops and impacts have been accommodated in the WP design) or criticality control for the spent nuclear fuel, high-level wastes, or other radioactive materials received for emplacement at the MGR.
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The gantry is not required to prevent or mitigate a category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary (10 CFR 63.111(b)(1) and 10 CFR 20.1301(a)(1)).
1.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The gantry is not required to prevent or mitigate Category 2 DBEs that could result in doses exceeding the requirement of 10 CFR 63.111(b)(2).
1.4	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The emplacement gantry does not perform a waste isolation function. <input type="checkbox"/> b.

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The emplacement gantry does not perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The emplacement gantry does not perform a fire protection function.
2.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. Failure of emplacement gantry as a result of a DBE will not impair the capability of QL-1 SSCs (waste packages) from performing their intended radiological safety function in the preclosure phase. Analysis has shown that the collapse of the gantry onto a waste package is within the design basis of the waste package (CRWMS M&O 2000d).

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Emplacement Gantry

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the emplacement gantry as a result of a DBE will not compromise the ability of a QL-1 SSC (such as a waste packages) to perform its waste isolation function in the postclosure phase.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
3.1 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to provide an alarm to warn of significant increases in radiation levels or concentrations of radioactive materials.
3.2 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to monitor variables to verify that operating conditions are within technical specifications.
3.3 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not used in MGR emergency response to provide prompt evacuation of personnel, or to monitor variables used in helping to determine the cause or consequences of DBEs (during post accident investigations).
3.4 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function as part of the radiological, meteorological, or environmental monitoring systems required to assess radionuclide release or dispersion following a DBE.
3.5 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not part of the design or design objectives for keeping levels of radioactive material in effluent to unrestricted areas as low as practicable during normal operations.
3.6 <input checked="" type="checkbox"/>	<input type="checkbox"/>	This item functions to limit onsite worker doses from planned recovery operations, to less than 10 CFR 63.111(a)(1) [10 CFR 20.1201] requirements. The gantry permits remote operations and increased distance between facility operators and radiation sources.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Gantry Carrier

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> a. The emplacement gantry carrier functions to transport the emplacement gantry from a gantry storage location to an emplacement drift or between emplacement drifts. The carrier does not handle or transport waste packages. This item is not directly or indirectly relied upon to provide one of the following Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, structural integrity, or operations support necessary for waste handling safety.</p> <p><input type="checkbox"/> b.</p> <p><input type="checkbox"/> c.</p> <p><input type="checkbox"/> d.</p> <p><input type="checkbox"/> e.</p> <p><input type="checkbox"/> f.</p>
PS2	<input type="checkbox"/>	This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: If only No answers are given, the item is not subject to QARD requirements. The item is classified as Conventional Quality and an Importance to Safety or Waste Isolation evaluation is not required. Stop Here.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	N/A
1.2	<input type="checkbox"/>	N/A
1.3	<input type="checkbox"/>	N/A
1.4	<input type="checkbox"/>	<p>a. N/A</p> <p><input type="checkbox"/> b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	N/A
2.2	<input type="checkbox"/>	N/A
2.3	<input type="checkbox"/>	N/A

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>		

System: Waste Emplacement/Retrieval System

SSC Classified Gantry Carrier

2.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.7	<input type="checkbox"/>	<input type="checkbox"/>	a. b. c. d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

	Yes	No	Rationale:
3.1	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.2	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.3	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A

Classification Results	
QL1	<input checked="" type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Waste Package Transporter

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: Section 5.2

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The waste package transporter encloses the waste package during the transfer from the surface facilities to the emplacement areas. Failure of a waste package transporter may result in the overexposure of a facility operator or the impact of a waste package with the subsurface facility structure or other facility equipment and a subsequent radiological release. This item is not directly or indirectly relied upon to provide the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: criticality control, heat transfer, structural integrity, or operations support necessary for waste handling safety.
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. Waste package transporter failure will not directly result in a loss of waste package containment (because all credible impacts have been accommodated in the WP design) for the spent nuclear fuel, high-level wastes, or other radioactive materials received for emplacement at the MGR. (See Section 5.2.)
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. This SSC is not required to prevent or mitigate a category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary (10 CFR 63.111(b)(1) and 10 CFR 20.1301(a)(1)).
1.3	<input checked="" type="checkbox"/>	<input type="checkbox"/> c. Failure of a waste package transporter (or part of the transporter, such as a braking system or other mechanical component) may result in the impact of a waste package with the subsurface facility structure or other facility equipment and subsequent radiological release. It should be noted that if the waste package transporter/waste package are designed to withstand all credible DBEs without exceeding dose limits, the locomotives may not be classified QL-1.
1.4	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The waste package transporter does not perform a waste isolation function. <input type="checkbox"/> b.

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	<input type="checkbox"/> a. N/A
2.2	<input type="checkbox"/>	<input type="checkbox"/> b. N/A
2.3	<input type="checkbox"/>	<input type="checkbox"/> c. N/A

Classification Results			
QL1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>	QL3	<input type="checkbox"/>
PS2	<input type="checkbox"/>	CQ	<input type="checkbox"/>

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Waste Package Transporter**

2.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.7	<input type="checkbox"/>	<input type="checkbox"/>	a. <input type="checkbox"/> b. <input type="checkbox"/> c. <input type="checkbox"/> d. <input type="checkbox"/>

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

	Yes	No	Rationale:
3.1	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.2	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.3	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A

Classification Results	
QL1	<input checked="" type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Control and Tracking System

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input checked="" type="checkbox"/>	<p>a. The control and tracking system functions to provide operational information, status, and control data for QL-1 SSCs to the MGR Operations Monitoring and Control System. This item is not directly or indirectly relied upon to provide the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: criticality control, shielding, heat transfer, or structural integrity necessary for waste handling safety.</p> <p>b.</p> <p>c.</p> <p>d.</p> <p>e.</p> <p>f.</p>
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		A control and tracking system failure will not directly result in a loss of waste package containment for the spent nuclear fuel, high-level waste, or other radioactive materials received for emplacement at the MGR.
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Failure of this item is not expected to result in the impact of a waste package with the subsurface facility structure or other facility equipment and subsequent radiological release.
1.3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		Because this system provides controls for the transporter and locomotives, it is conservatively considered that its failure may result in a failure of the transporter or locomotives and thus cause the impact of a waste package with the subsurface facility structure or other facility equipment and subsequent radiological release.
1.4	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	a.	This item does not perform a waste isolation function.
	b.	

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	<input type="checkbox"/>
		N/A
2.2	<input type="checkbox"/>	<input type="checkbox"/>
		N/A
2.3	<input type="checkbox"/>	<input type="checkbox"/>
		N/A

Classification Results			
QL1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>	QL3	<input type="checkbox"/>
PS2	<input type="checkbox"/>	CQ	<input type="checkbox"/>

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Control and Tracking System**

2.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.7	<input type="checkbox"/>	<input type="checkbox"/>	a. <input type="checkbox"/> b. <input type="checkbox"/> c. <input type="checkbox"/> d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

	Yes	No	Rationale:
3.1	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.2	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.3	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A

Classification Results			
QL1	<input checked="" type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input type="checkbox"/>
CQ			

System: Waste Emplacement/Retrieval System

SSC Classified Locomotives

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: Section 5.2

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input checked="" type="checkbox"/>	<p>a. The main function of the locomotives is to transfer the waste package transporter (with waste package) from the surface to the emplacement areas. Failure of a locomotive may result in the impact of a waste package with the subsurface facility structure or other facility equipment and subsequent radiological release. This item is not directly or indirectly relied upon to provide the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: criticality control, shielding, heat transfer, structural integrity, or operations support necessary for waste handling safety.</p> <p>b.</p> <p>c.</p> <p>d.</p> <p>e.</p> <p>f.</p>
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Locomotive failure will not directly result in a loss of waste package containment for the spent nuclear fuel, high-level waste, or other radioactive materials received for emplacement at the MGR. A locomotive may fail without causing failure of a waste package. (See Section 5.2.)
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		This SSC is not required to prevent or mitigate a category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary (10 CFR 63.111(b)(1) and 10 CFR 20.1301(a)(1)).
1.3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		Failure of a locomotive (or a component such as brakes) may result in the impact of a waste package with the subsurface facility structure or other facility equipment and subsequent radiological release. It should be noted that if the waste package transporter/waste package are designed to withstand all credible DBEs without exceeding dose limits, the locomotives may not be classified QL-1.
1.4	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	a.	The locomotives do not perform a waste isolation function.
	b.	

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	<input type="checkbox"/>
		N/A
2.2	<input type="checkbox"/>	<input type="checkbox"/>
		N/A
2.3	<input type="checkbox"/>	<input type="checkbox"/>
		N/A

Classification Results			
QL1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>	QL3	<input type="checkbox"/>
PS2	<input type="checkbox"/>	CQ	<input type="checkbox"/>

System: **Waste Emplacement/Retrieval System**

SSC Classified **Locomotives**

2.4	<input type="checkbox"/> <input type="checkbox"/>	N/A	
2.5	<input type="checkbox"/> <input type="checkbox"/>	N/A	
2.6	<input type="checkbox"/> <input type="checkbox"/>	N/A	
2.7	<input type="checkbox"/> <input type="checkbox"/> a. <input type="checkbox"/> <input type="checkbox"/> b. <input type="checkbox"/> <input type="checkbox"/> c. <input type="checkbox"/> <input type="checkbox"/> d.	N/A	

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

	Yes	No	Rationale:
3.1	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.2	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.3	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.4	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.5	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.6	<input type="checkbox"/> <input type="checkbox"/>		N/A

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Railcars

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> a. The general support system railcars function to carry personnel and/or other tools to and from the subsurface operations areas. The railcars do not handle or transport waste packages. This item is not directly or indirectly relied upon to provide one of the following Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, structural integrity, or operations support necessary for waste handling safety.</p> <p><input type="checkbox"/> b.</p> <p><input type="checkbox"/> c.</p> <p><input type="checkbox"/> d.</p> <p><input type="checkbox"/> e.</p> <p><input type="checkbox"/> f.</p>
PS2	<input type="checkbox"/>	This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: If only No answers are given, the item is not subject to QARD requirements. The item is classified as Conventional Quality and an Importance to Safety or Waste Isolation evaluation is not required. Stop Here.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	N/A
1.2	<input type="checkbox"/>	N/A
1.3	<input type="checkbox"/>	N/A
1.4	<input type="checkbox"/>	<p>a. N/A</p> <p><input type="checkbox"/> b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	N/A
2.2	<input type="checkbox"/>	N/A
2.3	<input type="checkbox"/>	N/A

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Railcars

2.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.7	<input type="checkbox"/>	<input type="checkbox"/>	a. N/A b. c. d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

	Yes	No	Rationale:
3.1	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.2	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.3	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Ball Screw Jack

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> a. The ball screw jack functions to lift or shift disabled equipment during recovery operations. This SSC will not lift the waste package above its design basis drop height. This item is not directly or indirectly relied upon to provide one of the following Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, structural integrity, or operations support necessary for waste handling safety.</p> <p><input type="checkbox"/> b.</p> <p><input type="checkbox"/> c.</p> <p><input type="checkbox"/> d.</p> <p><input type="checkbox"/> e.</p> <p><input type="checkbox"/> f.</p>
PS2	<input type="checkbox"/>	This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: If only No answers are given, the item is not subject to QARD requirements. The item is classified as Conventional Quality and an Importance to Safety or Waste Isolation evaluation is not required. Stop Here.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	N/A
1.2	<input type="checkbox"/>	N/A
1.3	<input type="checkbox"/>	N/A
1.4	<input type="checkbox"/>	<p>a. N/A</p> <p><input type="checkbox"/> b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	N/A
2.2	<input type="checkbox"/>	N/A
2.3	<input type="checkbox"/>	N/A

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: **Waste Emplacement/Retrieval System**

SSC Classified **Ball Screw Jack**

2.4	<input type="checkbox"/> <input type="checkbox"/>	N/A
2.5	<input type="checkbox"/> <input type="checkbox"/>	N/A
2.6	<input type="checkbox"/> <input type="checkbox"/>	N/A
2.7	<input type="checkbox"/> <input type="checkbox"/> a. <input type="checkbox"/> <input type="checkbox"/> b. <input type="checkbox"/> <input type="checkbox"/> c. <input type="checkbox"/> <input type="checkbox"/> d.	N/A

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

	Yes	No	Rationale:
3.1	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.2	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.3	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.4	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.5	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.6	<input type="checkbox"/> <input type="checkbox"/>		N/A

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Bottom Lift Transporter**

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The bottom lift transporter functions to load and haul a waste package over suitable fill material from the emplacement drifts to the multi-purpose hauler in the event that the rails in the drifts are not usable. This item is not directly or indirectly relied upon to provide the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: criticality control, heat transfer, structural integrity, or operations support necessary for waste handling safety.
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. Bottom lift transporter failure will not directly result in a loss of waste package containment for the spent nuclear fuel, high-level wastes, or other radioactive materials received for emplacement at the MGR.
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. Failure of the bottom lift transporter will not result in a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary (10 CFR 63.111(b)(1) and 10 CFR 20.1301(a)(1)).
1.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> c. Failure of a bottom lift transporter will not result in a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE to any member of the public located on or beyond the site boundary, as well as values specified in 10 CFR 63.111(b)(2).
1.4	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The bottom lift transporter does not perform a waste isolation function. <input type="checkbox"/> b.

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The item does not control or manage the radioactive wastes generated in the decontamination of transportation casks.
2.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. This SSC does not perform a fire protection function.
2.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> c. Failure of the item as a result of a DBE is not expected to result in an interaction with other QL-1 SSCs that impairs their capability to perform their intended radiological safety function.

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>		

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Bottom Lift Transporter**

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE.

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or 100 mrem TEDE.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.

2.7 a. Failure of this SSC as a result of a DBE will not compromise the ability of QL-1 High Waste Isolation Significant SSCs to perform their intended waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
3.1 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to provide an alarm to warn of significant increases in radiation levels or concentrations of radioactive materials.
3.2 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to monitor variables to verify that operating conditions are within technical specifications.
3.3 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not used in MGR emergency response to provide prompt evacuation of personnel, or to monitor variables used in helping to determine the cause or consequences of DBEs (during post accident investigations).
3.4 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function as part of the radiological, meteorological, or environmental monitoring systems required to assess radionuclide release or dispersion following a DBE.
3.5 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not part of the design or design objectives for keeping levels of radioactive material in effluent to unrestricted areas as low as practicable during normal operations.
3.6 <input checked="" type="checkbox"/>	<input type="checkbox"/>	This item functions to limit onsite worker doses from normal operations and during Category 1 DBEs, including planned recovery operations, to less than 10 CFR 63.111(a)(1) [10 CFR 20.1201] requirements. The transporter permits remote operations and increased distance between facility operators and the radiation source.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Bottom Lift Transporter Carrier

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> a. The bottom lift transporter carrier is a railcar that carries the bottom lift transporter from surface storage to the emplacement drift for recovery operations. This item is not directly or indirectly relied upon to provide the important to safety functions for radioactive wastes received or handled at the MGR: criticality control, heat transfer, structural integrity, or operations support necessary for waste handling safety.</p> <p><input type="checkbox"/> b.</p> <p><input type="checkbox"/> c.</p> <p><input type="checkbox"/> d.</p> <p><input type="checkbox"/> e.</p> <p><input type="checkbox"/> f.</p>
PS2	<input type="checkbox"/>	This item is not directly or indirectly relied upon to provide an important to waste isolation function.

Note: If only No answers are given, the item is not subject to QARD requirements. The item is classified as Conventional Quality and an Importance to Safety or Waste Isolation evaluation is not required. Stop Here.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	N/A
1.2	<input type="checkbox"/>	N/A
1.3	<input type="checkbox"/>	N/A
1.4	<input type="checkbox"/>	<p>a. N/A</p> <p><input type="checkbox"/> b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	N/A
2.2	<input type="checkbox"/>	N/A
2.3	<input type="checkbox"/>	N/A

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Bottom Lift Transporter Carrier

2.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.7	<input type="checkbox"/>	<input type="checkbox"/>	a. N/A b. c. d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
3.1	<input type="checkbox"/>	<input type="checkbox"/>
3.2	<input type="checkbox"/>	<input type="checkbox"/>
3.3	<input type="checkbox"/>	<input type="checkbox"/>
3.4	<input type="checkbox"/>	<input type="checkbox"/>
3.5	<input type="checkbox"/>	<input type="checkbox"/>
3.6	<input type="checkbox"/>	<input type="checkbox"/>

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Covered Shuttlecars**

QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input checked="" type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input type="checkbox"/>

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input checked="" type="checkbox"/>	<p>a. The covered shuttlecars function to haul rock and other debris recovered from a drift. The shuttlecars are covered to minimize dust generated during loading and travel. The shuttlecars are equipped with filtration and fans to provide negative pressure inside the car, if required for radioactive particulate confinement. This item is not directly or indirectly relied upon to provide one of the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, structural integrity necessary for waste handling safety, or operations support.</p>
PS2	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> b. This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.</p>

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> a. The item does not perform a waste isolation function.</p> <p><input type="checkbox"/> b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input checked="" type="checkbox"/>	<input type="checkbox"/> This SSC may be used to transport contaminated rubble or debris from an emplacement drift, and therefore may perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> The item does not perform a fire protection function.
2.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> Failure of the item as a result of a DBE does not impair the capability of a QL-1 High Safety Significant SSC to perform its radiological safety function.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input checked="" type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Covered Shuttlecars

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the item as a result of a DBE does not compromise the ability of a QL-1 High Waste Isolation Significant SSC to perform its waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
3.1	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.2	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.3	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.4	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.5	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.6	<input type="checkbox"/> <input type="checkbox"/>	N/A

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input checked="" type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input type="checkbox"/>
		CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Decontamination Equipment

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/> <input checked="" type="checkbox"/>	<p>a. The decontamination equipment is used to decontaminate permanent underground SSCs to an acceptable level (in the event of a waste package breach and subsequent emplacement drift contamination), or apply a fixative coating where acceptable levels cannot be achieved. The system is relied upon to provide operations support necessary for waste handling safety. This item is not directly or indirectly relied upon to provide one of the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, or structural integrity necessary for waste handling safety.</p>
PS2	<input type="checkbox"/> <input checked="" type="checkbox"/>	This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/> <input checked="" type="checkbox"/>	Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/> <input checked="" type="checkbox"/>	<p>a. The item does not perform a waste isolation function.</p> <p>b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input checked="" type="checkbox"/> <input type="checkbox"/>	The item controls and manages the radioactive wastes generated in the decontamination of emplacement and retrieval equipment.
2.2	<input type="checkbox"/> <input checked="" type="checkbox"/>	This SSC does not perform a fire protection function.
2.3	<input type="checkbox"/> <input checked="" type="checkbox"/>	Failure of the item as a result of a DBE is not expected to result in an interaction with other QL-1 SSCs that impairs their capability to perform their intended radiological safety function.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input checked="" type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Decontamination Equipment

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE.

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or 100 mrem TEDE.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.

2.7 a. Failure of this SSC as a result of a DBE will not compromise the ability of QL-1 High Waste Isolation Significant SSCs to perform their intended waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
3.1	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.2	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.3	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.4	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.5	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.6	<input type="checkbox"/> <input type="checkbox"/>	N/A

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Emplacement Drift Forklift

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> a. The emplacement drift forklift is used in the emplacement drifts as well as the main drifts and ramp areas. This SSC is capable of lifting one end of the largest waste package, but is not designed to lift any waste package higher than its design basis drop height. This item is relied upon to provide operations support necessary for waste handling safety.</p> <p><input type="checkbox"/> b. This item is not directly or indirectly relied upon to provide one of the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, or structural integrity necessary for waste handling safety.</p>
PS2	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.</p>

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/>	The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/>	The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> a. The item does not perform a waste isolation function.</p> <p><input type="checkbox"/> b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	The item does not perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/>	The item does not perform a fire protection function.
2.3	<input type="checkbox"/>	Failure of the item as a result of a DBE does not impair the capability of a QL-1 High Safety Significant SSC to perform its radiological safety function.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Emplacement Drift Forklift

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the item as a result of a DBE does not compromise the ability of a QL-1 High Waste Isolation Significant SSC to perform its waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
3.1 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to provide an alarm to warn of significant increases in radiation levels or concentrations of radioactive materials.
3.2 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to monitor variables to verify that operating conditions are within technical specifications.
3.3 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not used in MGR emergency response to provide prompt evacuation of personnel, or to monitor variables used in helping to determine the cause or consequences of DBEs (during post accident investigations).
3.4 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function as part of the radiological, meteorological, or environmental monitoring systems required to assess radionuclide release or dispersion following a DBE.
3.5 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not part of the design or design objectives for keeping levels of radioactive material in effluent to unrestricted areas as low as practicable during normal operations.
3.6 <input checked="" type="checkbox"/>	<input type="checkbox"/>	This item functions to limit onsite worker doses from normal operations and during Category 1 DBEs, including planned recovery operations, to less than 10 CFR 63.111(a)(1) [10 CFR 20.1201] requirements. The forklift permits remote operations and increased distance between facility operators and a radiation source.

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>		

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Extendable Conveyor**

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/> <input checked="" type="checkbox"/>	<p>a. The extendable conveyor functions to move fill material for drift access and to prevent waste package movement (if required) during abnormal retrieval. This item provides operations support necessary for waste handling, and is not directly or indirectly relied upon to provide one of the remaining following Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, or structural integrity.</p> <p>b.</p> <p>c.</p> <p>d.</p> <p>e.</p> <p>f.</p>
PS2	<input type="checkbox"/> <input checked="" type="checkbox"/>	This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/> <input checked="" type="checkbox"/>	Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/> <input checked="" type="checkbox"/> a. <input type="checkbox"/> b.	<p>The item does not perform a waste isolation function.</p> <p>a.</p> <p>b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item does not perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item does not perform a fire protection function.
2.3	<input type="checkbox"/> <input checked="" type="checkbox"/>	Failure of the item as a result of a DBE does not impair the capability of a QL-1 High Safety Significant SSC to perform its radiological safety function.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Extendable Conveyor**

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the item as a result of a DBE does not compromise the ability of a QL-1 High Waste Isolation Significant SSC to perform its waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
3.1 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to provide an alarm to warn of significant increases in radiation levels or concentrations of radioactive materials.
3.2 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to monitor variables to verify that operating conditions are within technical specifications.
3.3 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not used in MGR emergency response to provide prompt evacuation of personnel, or to monitor variables used in helping to determine the cause or consequences of DBEs (during post accident investigations).
3.4 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function as part of the radiological, meteorological, or environmental monitoring systems required to assess radionuclide release or dispersion following a DBE.
3.5 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not part of the design or design objectives for keeping levels of radioactive material in effluent to unrestricted areas as low as practicable during normal operations.
3.6 <input checked="" type="checkbox"/>	<input type="checkbox"/>	This item functions to limit onsite worker doses from planned recovery operations, to less than 10 CFR 63.111(a)(1) [10 CFR 20.1201] requirements. The conveyor permits remote operations and increased distance between facility operators and radiation sources.

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>		

System: Waste Emplacement/Retrieval System

SSC Classified Load-Haul-Dump Loader

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/> <input checked="" type="checkbox"/>	<p>a. The load-haul-dump loader is a non-rail vehicle used to remove (possible contaminated) debris in the main drift or ramp areas or to place fill material on the drift invert for a roadway over damaged tracks. This item is relied upon to provide operations support necessary for waste handling safety. This item is not directly or indirectly relied upon to provide one of the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, or structural integrity necessary for waste handling safety.</p> <p>b.</p> <p>c.</p> <p>d.</p> <p>e.</p> <p>f.</p>
PS2	<input type="checkbox"/> <input checked="" type="checkbox"/>	This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/> <input checked="" type="checkbox"/>	Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/> <input checked="" type="checkbox"/>	<p>a. The item does not perform a waste isolation function.</p> <p>b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item does not perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item does not perform a fire protection function.
2.3	<input type="checkbox"/> <input checked="" type="checkbox"/>	Failure of the item as a result of a DBE does not impair the capability of a QL-1 High Safety Significant SSC to perform its radiological safety function.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Load-Haul-Dump Loader

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the item as a result of a DBE does not compromise the ability of a QL-1 High Waste Isolation Significant SSC to perform its waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
3.1 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to provide an alarm to warn of significant increases in radiation levels or concentrations of radioactive materials.
3.2 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to monitor variables to verify that operating conditions are within technical specifications.
3.3 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not used in MGR emergency response to provide prompt evacuation of personnel, or to monitor variables used in helping to determine the cause or consequences of DBEs (during post accident investigations).
3.4 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function as part of the radiological, meteorological, or environmental monitoring systems required to assess radionuclide release or dispersion following a DBE.
3.5 <input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not part of the design or design objectives for keeping levels of radioactive material in effluent to unrestricted areas as low as practicable during normal operations.
3.6 <input checked="" type="checkbox"/>	<input type="checkbox"/>	This item may function to limit onsite worker doses from normal operations and during Category 1 DBEs, including planned recovery operations, to less than 10 CFR 63.111(a)(1) [10 CFR 20.1201] requirements. This item permits remote operations and increased distance between facility operators and radiation source if cleanup/removal of contamination is required.

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
CQ			

System: Waste Emplacement/Retrieval System

SSC Classified Main Drift Forklift

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The main drift forklift is a heavy-duty forklift that is used in the main drift and ramp areas with the capacity to lift one end of the largest waste package to allow for alignment with other equipment, but is not designed to lift any waste package above its design basis drop height. This item is relied upon to provide operations support necessary for waste handling safety. This item is not directly or indirectly relied upon to provide one of the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, or structural integrity necessary for waste handling safety.
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A 'Yes' answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The item does not perform a waste isolation function. <input type="checkbox"/> b.

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The item does not perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item does not perform a fire protection function.
2.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. Failure of the item as a result of a DBE does not impair the capability of a QL-1 High Safety Significant SSC to perform its radiological safety function.

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>		

System: Waste Emplacement/Retrieval System

SSC Classified Main Drift Forklift

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the item as a result of a DBE does not compromise the ability of a QL-1 High Waste Isolation Significant SSC to perform its waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to provide an alarm to warn of significant increases in radiation levels or concentrations of radioactive materials.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to monitor variables to verify that operating conditions are within technical specifications.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not used in MGR emergency response to provide prompt evacuation of personnel, or to monitor variables used in helping to determine the cause or consequences of DBEs (during post accident investigations).
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function as part of the radiological, meteorological, or environmental monitoring systems required to assess radionuclide release or dispersion following a DBE.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not part of the design or design objectives for keeping levels of radioactive material in effluent to unrestricted areas as low as practicable during normal operations.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	This item functions to limit onsite worker doses from normal operations and during Category 1 DBEs, including planned recovery operations, to less than 10 CFR 63.111(a)(1) [10 CFR 20.1201] requirements. The forklift permits remote operations and increased distance between facility operators and radiation source.

Classification Results	
QL1	<input checked="" type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input type="checkbox"/>

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Modified Waste Package Transporter**

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: Section 5.2

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input checked="" type="checkbox"/>	<p>a. The modified waste package transporter encloses the waste package during the transfer from the subsurface facilities to the surface during recovery operations. Failure of a modified waste package transporter may result in the overexposure of a facility operator or the impact of a waste package with the subsurface facility structure or other facility equipment and a subsequent radiological release. This item is not directly or indirectly relied upon to provide the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: criticality control, heat transfer, structural integrity, or operations support necessary for waste handling safety.</p>
PS2	<input type="checkbox"/>	<p>b. This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.</p>

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	Modified waste package transporter failure will not directly result in a loss of waste package containment for the spent nuclear fuel, high-level wastes, or other radioactive materials received for emplacement at the MGR. (See Section 5.2.)
1.2	<input checked="" type="checkbox"/>	Failure of a modified waste package transporter (or part of the transporter, such as a braking system or other mechanical component) may result in a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary (10 CFR 63.111(b)(1) and 10 CFR 20.1301(a)(1)).
1.3	<input checked="" type="checkbox"/>	Failure of a modified waste package transporter (or part of the transporter, such as a braking system or other mechanical component) may result in a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE to any member of the public located on or beyond the site boundary, as well as values specified in 10 CFR 63.111(b)(2). It should be noted that if the modified waste package transporter is designed to withstand all credible DBEs without exceeding dose limits, the transporter may not be classified QL-1.
1.4	<input type="checkbox"/>	<p>a. The waste package transporter does not perform a waste isolation function.</p> <p>b. <input checked="" type="checkbox"/></p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	N/A
2.2	<input type="checkbox"/>	N/A
2.3	<input type="checkbox"/>	N/A

Classification Results			
QL1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>	QL3	<input type="checkbox"/>
PS2	<input type="checkbox"/>	CQ	<input type="checkbox"/>

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Modified Waste Package Transporter**

2.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.7	<input type="checkbox"/>	<input type="checkbox"/>	a. <input type="checkbox"/> b. <input type="checkbox"/> c. <input type="checkbox"/> d. <input type="checkbox"/>

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

	Yes	No	Rationale:
3.1	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.2	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.3	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input checked="" type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input type="checkbox"/>
CQ	<input type="checkbox"/>		

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Multi-Purpose Hauler**

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input checked="" type="checkbox"/>	<p>a. The remotely controlled multi-purpose hauler is used to transport non-rail retrieval equipment, remove waste packages and small disabled emplacement equipment from emplacement drifts, and act as a working platform for retrieval equipment in the event a suitable working invert or roadway is not available. This item may be used to haul a breached waste package and may have a HEPA filter added to permit transport to the surface facilities. This item is not directly or indirectly relied upon to provide one of the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: criticality control, shielding, heat transfer, structural integrity, or operations support necessary for waste handling safety.</p>
PS2	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> The multi-purpose hauler is not directly or indirectly relied upon to provide an Important to Waste Isolation function.</p>

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/>	<p><input checked="" type="checkbox"/> a. The item does not perform a waste isolation function.</p> <p><input type="checkbox"/> b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input checked="" type="checkbox"/>	<input type="checkbox"/> This SSC (capable of being equipped with a HEPA filter) may be used to transport a breached waste package from an emplacement drift to the surface facilities, and therefore may perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> The item does not perform a fire protection function.
2.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> Failure of the item as a result of a DBE does not impair the capability of a QL-1 High Safety Significant SSC to perform its radiological safety function. When used to retrieve waste packages, they are pulled into the hauler so there will not be equipment collapse onto the waste package.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input checked="" type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Multi-Purpose Hauler

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the item as a result of a DBE does not compromise the ability of a QL-1 High Waste Isolation Significant SSC to perform its waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
3.1	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.2	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.3	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.4	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.5	<input type="checkbox"/> <input type="checkbox"/>	N/A
3.6	<input type="checkbox"/> <input type="checkbox"/>	N/A

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>		

System: Waste Emplacement/Retrieval System

SSC Classified Multi-Purpose Vehicle

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The multi-purpose vehicle is a remote controlled vehicle designed to operate on level inverts in the emplacement drifts, main drift, and ramp areas for use in cleanup operations. With appropriate attachments, the vehicle can also measure airborne contamination, surface contamination, and radiation. This item is relied upon to provide operations support necessary for waste handling safety. This item is not directly or indirectly relied upon to provide one of the remaining important to safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, or structural integrity necessary for waste handling safety.
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The multi-purpose vehicle is not directly or indirectly relied upon to provide an important to waste isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The item does not perform a waste isolation function. <input type="checkbox"/> b.

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The item does not perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item does not perform a fire protection function.
2.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. Failure of the item as a result of a DBE does not impair the capability of a QL-1 High Safety Significant SSC to perform its radiological safety function.

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>		

System: Waste Emplacement/Retrieval System

SSC Classified Multi-Purpose Vehicle

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the item as a result of a DBE does not compromise the ability of a QL-1 High Waste Isolation Significant SSC to perform its waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to provide an alarm to warn of significant increases in radiation levels or concentrations of radioactive materials.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to monitor variables to verify that operating conditions are within technical specifications.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not used in MGR emergency response to provide prompt evacuation of personnel, or to monitor variables used in helping to determine the cause or consequences of DBEs (during post accident investigations).
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function as part of the radiological, meteorological, or environmental monitoring systems required to assess radionuclide release or dispersion following a DBE.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not part of the design or design objectives for keeping levels of radioactive material in effluent to unrestricted areas as low as practicable during normal operations.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	This item functions to limit onsite worker doses from normal operations and during Category 1 DBEs, including planned recovery operations, to less than 10 CFR 63.111(a)(1) [10 CFR 20.1201] requirements. This item permits remote operations and increased distance between facility operators and radiation source.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Scaling Machine

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/> <input checked="" type="checkbox"/>	<p>a. The scaling machine is remotely controlled and functions to stabilize the roof and wall of a tunnel after a fall of ground by knocking down loose material until a stable arch is formed. The item provides operations support necessary for waste handling safety. This item is not directly or indirectly relied upon to provide one of the following Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, or structural integrity.</p>
PS2	<input type="checkbox"/> <input checked="" type="checkbox"/>	This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/> <input checked="" type="checkbox"/>	Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/> <input checked="" type="checkbox"/>	<p>a. The item does not perform a waste isolation function.</p> <p>b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item does not perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/> <input checked="" type="checkbox"/>	The item does not perform a fire protection function.
2.3	<input type="checkbox"/> <input checked="" type="checkbox"/>	Failure of the item as a result of a DBE does not impair the capability of a QL-1 High Safety Significant SSC to perform its radiological safety function.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Scaling Machine

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the item as a result of a DBE does not compromise the ability of a QL-1 High Waste Isolation Significant SSC to perform its waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to provide an alarm to warn of significant increases in radiation levels or concentrations of radioactive materials.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to monitor variables to verify that operating conditions are within technical specifications.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not used in MGR emergency response to provide prompt evacuation of personnel, or to monitor variables used in helping to determine the cause or consequences of DBEs (during post accident investigations).
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function as part of the radiological, meteorological, or environmental monitoring systems required to assess radionuclide release or dispersion following a DBE.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not part of the design or design objectives for keeping levels of radioactive material in effluent to unrestricted areas as low as practicable during normal operations.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	This item functions to limit onsite worker doses from planned recovery operations, to less than 10 CFR 63.111(a)(1) [10 CFR 20.1201] requirements. The scaling machine permits remote operations and increased distance between facility operators and radiation sources.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Temporary Dock

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/> <input checked="" type="checkbox"/>	<p>a. The temporary dock functions to allow access for recovery equipment to the emplacement drifts during recovery operations. This item is not directly or indirectly relied upon to provide one of the following Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, structural integrity, or operations support necessary for waste handling safety.</p> <p>b.</p> <p>c.</p> <p>d.</p> <p>e.</p> <p>f.</p>
PS2	<input type="checkbox"/> <input checked="" type="checkbox"/>	This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: If only No answers are given, the item is not subject to QARD requirements. The item is classified as Conventional Quality and an Importance to Safety or Waste Isolation evaluation is not required. Stop Here.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/> <input type="checkbox"/>	N/A
1.2	<input type="checkbox"/> <input type="checkbox"/>	N/A
1.3	<input type="checkbox"/> <input type="checkbox"/>	N/A
1.4	<input type="checkbox"/> <input type="checkbox"/> a. <input type="checkbox"/> <input type="checkbox"/> b.	N/A

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/> <input type="checkbox"/>	N/A
2.2	<input type="checkbox"/> <input type="checkbox"/>	N/A
2.3	<input type="checkbox"/> <input type="checkbox"/>	N/A

Classification Results			
QL1	<input type="checkbox"/>	QL2	<input type="checkbox"/>
PS1	<input type="checkbox"/>	QL3	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>		

System: **Waste Emplacement/Retrieval System**

SSC Classified **Temporary Dock**

2.4	<input type="checkbox"/> <input type="checkbox"/>	N/A	
2.5	<input type="checkbox"/> <input type="checkbox"/>	N/A	
2.6	<input type="checkbox"/> <input type="checkbox"/>	N/A	
2.7	<input type="checkbox"/> <input type="checkbox"/> a. <input type="checkbox"/> <input type="checkbox"/> b. <input type="checkbox"/> <input type="checkbox"/> c. <input type="checkbox"/> <input type="checkbox"/> d.	N/A	

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

	Yes	No	Rationale:
3.1	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.2	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.3	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.4	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.5	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.6	<input type="checkbox"/> <input type="checkbox"/>		N/A

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Cleanup and Construction Vehicles

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes No Rationale:

PS1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	a. Cleanup and construction vehicles function to clear non-contaminated debris, emplace steel plates, and cut and remove damaged structures to facilitate deployment of other restoration equipment. This item is not directly or indirectly relied upon to provide one of the following Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, structural integrity, or operations support necessary for waste handling safety.
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: If only No answers are given, the item is not subject to QARD requirements. The item is classified as Conventional Quality and an Importance to Safety or Waste Isolation evaluation is not required. Stop Here.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes No Rationale:

1.1	<input type="checkbox"/>	<input type="checkbox"/>	N/A
1.2	<input type="checkbox"/>	<input type="checkbox"/>	N/A
1.3	<input type="checkbox"/>	<input type="checkbox"/>	N/A
1.4	<input type="checkbox"/>	<input type="checkbox"/>	a. N/A b.

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes No Rationale:

2.1	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.2	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.3	<input type="checkbox"/>	<input type="checkbox"/>	N/A

WES

Classification Analysis Checklists

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Cleanup and Construction Vehicles**

2.4	<input type="checkbox"/> <input type="checkbox"/>	N/A
2.5	<input type="checkbox"/> <input type="checkbox"/>	N/A
2.6	<input type="checkbox"/> <input type="checkbox"/>	N/A
2.7	<input type="checkbox"/> <input type="checkbox"/> a. <input type="checkbox"/> <input type="checkbox"/> b. <input type="checkbox"/> <input type="checkbox"/> c. <input type="checkbox"/> <input type="checkbox"/> d.	N/A

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

	Yes	No	Rationale:
3.1	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.2	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.3	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.4	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.5	<input type="checkbox"/> <input type="checkbox"/>		N/A
3.6	<input type="checkbox"/> <input type="checkbox"/>		N/A

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>		

System: Waste Emplacement/Retrieval System

SSC Classified Emplacement Drift Gantry Carrier

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The drift gantry carrier functions to load and remove a derailed or damaged gantry from an emplacement drift. The carrier does not handle or transport waste packages. This item is relied upon to provide operations support necessary for waste handling safety. This item is not directly or indirectly relied upon to provide one of the remaining Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, or structural integrity necessary for waste handling safety.
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The item does not perform a waste isolation function. <input type="checkbox"/> b.

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The item does not perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item does not perform a fire protection function.
2.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. Failure of the item as a result of a DBE does not impair the capability of a QL-1 High Safety Significant SSC to perform its radiological safety function.

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>		

System: Waste Emplacement/Retrieval System

SSC Classified Emplacement Drift Gantry Carrier

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the item as a result of a DBE does not compromise the ability of a QL-1 High Waste Isolation Significant SSC to perform its waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to provide an alarm to warn of significant increases in radiation levels or concentrations of radioactive materials.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to monitor variables to verify that operating conditions are within technical specifications.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not used in MGR emergency response to provide prompt evacuation of personnel, or to monitor variables used in helping to determine the cause or consequences of DBEs (during post accident investigations).
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function as part of the radiological, meteorological, or environmental monitoring systems required to assess radionuclide release or dispersion following a DBE.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not part of the design or design objectives for keeping levels of radioactive material in effluent to unrestricted areas as low as practicable during normal operations.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	This item functions to limit onsite worker doses from normal operations and during Category 1 DBEs, including planned recovery operations, to less than 10 CFR 63.111(a)(1) [10 CFR 20.1201] requirements. The carrier permits remote operations and increased distance between facility operators and radiation source.

Classification Results			
QL1	<input type="checkbox"/>		
PS1	<input checked="" type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input checked="" type="checkbox"/>
		CQ	<input type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Emplacement Drift Restoration Locomotive

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

Yes	No	Rationale:
PS1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The emplacement drift restoration locomotive is used in emplacement drifts to assist in removal of disabled equipment and to transport non-powered retrieval equipment. The carrier does not handle or transport waste packages. This item is not directly or indirectly relied upon to provide one of the following Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, or structural integrity necessary for waste handling safety.
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: A Yes answer has been selected for either PS1 or PS2, therefore, the item is subject to QARD requirements. An Importance to Safety or Waste Isolation evaluation is required. Please continue with the evaluation checklists below.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. Failure of the item does not directly result in loss of waste package containment or criticality control.
1.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem total effective dose equivalent (TEDE).
1.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to 5 rem TEDE, 50 rem combined deep and committed dose equivalents to any individual organ or tissue, 15 rem to the lens of the eye, or 50 rem shallow dose equivalent to the skin.
1.4	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The item does not perform a waste isolation function. <input checked="" type="checkbox"/> b.

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

Yes	No	Rationale:
2.1	<input type="checkbox"/>	<input checked="" type="checkbox"/> a. The item does not perform a site-generated radioactive waste control function.
2.2	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. The item does not perform a fire protection function.
2.3	<input type="checkbox"/>	<input checked="" type="checkbox"/> b. Failure of the item as a result of a DBE does not impair the capability of a QL-1 High Safety Significant SSC to perform its radiological safety function.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input checked="" type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input checked="" type="checkbox"/>
CQ	<input type="checkbox"/>

System: **Waste Emplacement/Retrieval System**
 SSC Classified **Emplacement Drift Restoration Locomotive**

2.4 This item is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 25 mrem TEDE, per event, to any member of the public located on or beyond the site boundary [10 CFR 63.111(a) and 10 CFR 20.1301 (a)(1)].

2.5 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 1 DBE that could result in offsite doses greater than or equal to 100 mrem TEDE, per event, to any member of the public located on or beyond the site boundary.

2.6 This item, in conjunction with an additional item or administrative control (i.e., indirect impact), is not required to prevent or mitigate a Category 2 DBE that could result in offsite doses greater than or equal to the more limiting of 10 CFR 63.111(b)(2) doses to any individual located on, or beyond, any point on the site boundary.

2.7 a. Failure of the item as a result of a DBE does not compromise the ability of a QL-1 High Waste Isolation Significant SSC to perform its waste isolation function.
 b.
 c.
 d.

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

Yes	No	Rationale:
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to provide an alarm to warn of significant increases in radiation levels or concentrations of radioactive materials.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function to monitor variables to verify that operating conditions are within technical specifications.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not used in MGR emergency response to provide prompt evacuation of personnel, or to monitor variables used in helping to determine the cause or consequences of DBEs (during post accident investigations).
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item does not function as part of the radiological, meteorological, or environmental monitoring systems required to assess radionuclide release or dispersion following a DBE.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not part of the design or design objectives for keeping levels of radioactive material in effluent to unrestricted areas as low as practicable during normal operations.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	This item functions to limit onsite worker doses from normal operations and during Category 1 DBEs, including planned recovery operations, to less than 10 CFR 63.111(a)(1) [10 CFR 20.1201] requirements. The locomotive permits remote operations and increased distance between facility operators and radiation source.

Classification Results	
QL1	<input type="checkbox"/>
PS1	<input type="checkbox"/>
QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>
QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>

System: Waste Emplacement/Retrieval System

SSC Classified Re-Railer

SDD Reference: SDD-WES-SE-000001 R1

Assumptions Applicable to this Item: N/A

Pre-Screen - Importance to Safety or Waste Isolation Evaluation

	Yes	No	Rationale:
PS1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<p>a. The re-railer functions to return derailed equipment to the rails in the tunnels. This item is not directly or indirectly relied upon to provide one of the following Important to Safety functions for radioactive wastes received or handled at the MGR: confinement or containment, criticality control, shielding, heat transfer, structural integrity, or operations support necessary for waste handling safety.</p> <p>b.</p> <p>c.</p> <p>d.</p> <p>e.</p> <p>f.</p>
PS2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	This item is not directly or indirectly relied upon to provide an Important to Waste Isolation function.

Note: If only No answers are given, the item is not subject to QARD requirements. The item is classified as Conventional Quality and an Importance to Safety or Waste Isolation evaluation is not required. Stop Here.

QL1 - Quality Level 1: High Safety or Waste Isolation Significance

	Yes	No	Rationale:
1.1	<input type="checkbox"/>	<input type="checkbox"/>	N/A
1.2	<input type="checkbox"/>	<input type="checkbox"/>	N/A
1.3	<input type="checkbox"/>	<input type="checkbox"/>	N/A
1.4	<input type="checkbox"/>	<input type="checkbox"/>	<p>a. N/A</p> <p>b.</p>

QL2 - Quality Level 2: Low Safety or Waste Isolation Significance

	Yes	No	Rationale:
2.1	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.2	<input type="checkbox"/>	<input type="checkbox"/>	N/A
2.3	<input type="checkbox"/>	<input type="checkbox"/>	N/A

System: Waste Emplacement/Retrieval System

SSC Classified Re-Railer

QL1	<input type="checkbox"/>		
PS1	<input type="checkbox"/>	QL2	<input type="checkbox"/>
PS2	<input type="checkbox"/>	QL3	<input type="checkbox"/>
CQ	<input checked="" type="checkbox"/>		

2.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A	
2.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A	
2.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A	
2.7	<input type="checkbox"/>	<input type="checkbox"/>	a.	N/A
	<input type="checkbox"/>	<input type="checkbox"/>	b.	
	<input type="checkbox"/>	<input type="checkbox"/>	c.	
	<input type="checkbox"/>	<input type="checkbox"/>	d.	

QL3 - Quality Level 3: Minor Safety Significance or Occupational Exposure Significance

	Yes	No	Rationale:
3.1	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.2	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.3	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.4	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.5	<input type="checkbox"/>	<input type="checkbox"/>	N/A
3.6	<input type="checkbox"/>	<input type="checkbox"/>	N/A