

# annual report 2005



**Atmospheric  
Radiation  
Measurement**  
**Climate Research Facility**  
U.S. Department of Energy





**Department of Energy**  
Washington, DC 20585

December 1, 2005

**Subject: Annual Report for the Atmospheric Radiation Measurement (ARM)  
Program and ARM Climate Research Facility**

As a world-class user facility for the global change research community, the ARM Climate Research Facility (ACRF) provides state-of-the-art scientific infrastructure to not only ARM scientists engaged in studies of cloud properties and radiative feedback, but also researchers worldwide engaged in interdisciplinary studies of earth systems. With permanent instrumented sites in Alaska, Oklahoma, and the Tropical Western Pacific—as well as a new Mobile Facility for temporary deployment—the ACRF continues to lead successful scientific collaborations while focusing on enhancements to its user capabilities. Significant achievements in 2005 include:

- Completing a successful first deployment of the ARM Mobile Facility at Point Reyes National Seashore in California between March and September 2005
- Establishing a closer relationship with the ARM Unmanned Aerospace Vehicle Program to better coordinate collaborative field campaigns
- Integrating the ARM Program website with the Data Archive, including the development of a new, easier user interface for ordering ARM data.

In addition to these achievements, efforts to broaden the user base in 2004 reaped significant benefits in 2005, resulting in the following noteworthy user statistics:

- Site visits almost doubled from 2004
- The ACRF received 28 proposals to use its scientific infrastructure
- Requests for ARM data averaged approximately 1 terabyte per month, with data outflow consistently surpassing data inflow.

ARM's international team of scientists continue to be major contributors to advances in cloud and radiative research, publishing their results in 109 journal articles and 111 conference papers in 2005. Members of ARM's science team also served in key leadership roles, chairing the 3<sup>rd</sup> Pan-GCSS (GEWEX Cloud System Study) Meeting on Clouds, Models and Climate in Athens, Greece, and serving as major contributors to a new book, *3D Radiative Transfer in Cloudy Atmospheres*.

Thank you for interest in and support of DOE's important climate research efforts.

*Wanda R. Ferrell*

Wanda R. Ferrell, PhD  
ARM Program Manager  
Climate Change Research Division



Printed with soy ink on recycled paper



# Table of Contents

<b>Program Overview</b> .....	4
The Role of Clouds in Climate .....	4
ARM Science Goals .....	4
ARM Climate Research Facility: Successful Science Program Leads to User Facility Designation .....	5
Sites Around the World Enable Real Observations.....	6
State-of-the-Art Instrumentation Yields Comprehensive Data Sets .....	8
Science Team Approach Encourages Collaboration .....	9
Working Groups Provide Leadership, Focus on Specific Problems .....	9
Oversight Ensures Relevant Science, Promotes Facility Use.....	10
Global Program Managed by Many .....	11
Fiscal Year 2005 Budget Summary and User Statistics.....	12
<b>Key Accomplishments</b> .....	13
Research Highlights .....	13
• <i>Characterizing the Coexistence of Water and Ice in Arctic Clouds</i>	
• <i>ARM Program Research Improves Longwave Radiative Transfer Models</i>	
• <i>Droplet Nucleation Finally Included in Global Climate Model</i>	
• <i>Small Processes Make a Big Difference in Model Outcomes</i>	
• <i>ARM Research Spotlighted in Special Issue of Journal</i>	
• <i>New Scheme More Accurate for Cloud Droplet Formation, Dispersion</i>	
Featured Field Campaigns.....	17
• <i>Mixed-Phase Arctic Cloud Experiment</i>	
• <i>Marine Stratus Radiation, Aerosol, and Drizzle IOP</i>	
• <i>Aerosol Lidar Validation Experiment</i>	
Infrastructure Achievements .....	21
• <i>Site Operations</i>	
• <i>Instrument Enhancements</i>	
• <i>Data Delivery</i>	
• <i>Communication, Education, and Outreach</i>	
<b>FY 2005 Field Campaigns</b> .....	28
<b>FY 2005 Publications</b> .....	31

**On the cover:** A telemetry antenna (left) and a ceilometer (right) collect data atop one of the ARM Mobile Facility (AMF) operations shelters at Point Reyes National Seashore in California. The telemetry antenna receives signals from small sensors attached to weather balloons released into the air, while the ceilometer uses pulses of light to measure cloud-base height and potential backscatter signals from aerosols and precipitation. These instruments, along with many others, took part in a 6-month field campaign at the seashore to collect data on marine stratus clouds and aerosol properties.



# Program Overview

## The Role of Clouds in Climate

**Previous research has shown that cloud radiative forcing and feedbacks are one of the major sources of uncertainty in simulations of climate change over the next century. The ARM Program focuses on obtaining continuous field measurements of atmospheric properties and processes, and from these measurements, developing data products that promote the advancement of climate models.**

Sophisticated computer models of the earth's climate system are the principal tools used by scientists for simulating climate and predicting its change. The credibility and validity of these models are dependent upon, among other things, their ability to correctly represent physical processes, such as the exchange of energy between earth and the atmosphere. The representation of cloud processes and their impact on this energy exchange—referred to as earth's radiation balance—has been recognized for decades as the source of much uncertainty surrounding the prediction of climate variability and change.

The U.S. Global Change Research Act of 1990 established an interagency program within the Executive Office of the President to coordinate U.S. agency-sponsored scientific research designed to monitor, understand, and predict changes in the global environment. To address the need for new research on clouds and radiation, the U.S. Department of Energy (DOE) established the **Atmospheric Radiation Measurement (ARM) Program**, managed through the Office of Science. As part of the DOE's overall Climate Change Science Program, a primary objective of the ARM Program is improved scientific understanding of the fundamental physics related to interactions between clouds and radiative feedback processes in the atmosphere.


## ARM Science Goals

One of the DOE's major goals is to develop global climate models capable of simulating the timing and magnitude of greenhouse gas-induced global warming and the regional effects of such warming. Therefore, the goal of the ARM Program is to improve the treatment of clouds and radiation processes in global climate models.

ARM's goal is addressed through a combination of continuous ground-based observations, data analysis, modeling of local and regional physics, and development of parameterizations for global models. Through these activities, the ARM Program seeks the answers to two principal questions:

- How accurate are both longwave and shortwave radiative transfer calculations for any given column of the atmosphere?
- How well can cloud properties in a column of the atmosphere be predicted from knowledge of larger-scale atmospheric properties?

Because of the complexity and global scope of the research involved in answering these questions, the ARM Program collaborates extensively with other laboratories, agencies, universities, and private firms in gathering and sharing data. This collaborative approach allows ARM to leverage its investment in **research sites, instruments, data, and science** to gain the knowledge necessary to improve the accuracy of the computer models used to simulate global and regional climate changes.



*ARM researchers use data collected from ground-based and airborne instruments to study the natural phenomena that occur in clouds, and how those cloud conditions affect incoming and outgoing radiative energy.*


**Kiosk Goes to Washington:** In 2005, the ARM information kiosk joined other research program materials in an exhibit about the DOE Office of Science. On display for 7 months in the Forrestal Building lobby in Washington, D.C., the exhibit was organized to reintroduce the Office of Science to the DOE community. It included posters, scientific artifacts, and interactive kiosks from the seven program offices and DOE national laboratories. Secretary of Energy Samuel W. Bodman, Under Secretary David Garman, and the Secretary's Chief of Staff Eric Burgeson toured the exposition on opening day. In addition to the kiosk, an ARM radiometer (an instrument that measures radiant energy) joined other scientific artifacts in the display cases.



## ARM Climate Research Facility: Successful Science Program Leads to User Facility Designation

Through the ARM Program, the DOE funded the development of several highly instrumented ground stations for studying cloud formation processes and their influence on radiative transfer, and for measuring other parameters that determine the radiative properties of the atmosphere. This scientific infrastructure, and resultant Data Archive, is a valuable national and international asset for advancing scientific knowledge of Earth systems. In fiscal year (FY) 2003, the DOE designated the ARM sites as a national scientific user facility: the ARM Climate Research Facility (ACRF). The ACRF has enormous potential to contribute to a wide range of interdisciplinary science in areas such as meteorology, atmospheric aerosols, hydrology, biogeochemical cycling, and satellite validation, to name only a few.

Three primary locations—the Southern Great Plains, Tropical Western Pacific, and North Slope of Alaska—and the portable ARM Mobile Facility are heavily instrumented to collect massive amounts of atmospheric measurements needed to create data files. Using these data, ARM scientists are studying the effects and interactions of sunlight, radiant energy, and clouds to understand their impact on temperatures, weather, and climate. As part of this effort, ARM scientists and ACRF infrastructure staff provide value-added processing to the data files to create new data streams called value-added products. Software tools are then provided to help open and analyze these products. Program documentation, from setting up the sites to developing the value-added products, is available for each step in this process.



## Sites Around the World Enable Real Observations

A central feature of the ACRF is a set of instrumented field research locales for measuring atmospheric radiation and the properties controlling this radiation, such as the distribution of clouds and water vapor. To obtain the most useful climate data, three locales were chosen that represent a broad range of weather conditions.




*The SGP site in Oklahoma provides a wide variability of climate cloud types and surface flux properties, and large seasonal variation in temperature and specific humidity.*

### Southern Great Plains

The Southern Great Plains (SGP) site was the first field measurement site established by ARM. The SGP experiences a wide variety of cloud types and surface flux properties, as well as large seasonal variations in temperature and specific humidity. The site consists of a highly instrumented Central Facility near Lamont, Oklahoma, and smaller “satellite” facilities scattered over approximately 142,450 square kilometers in north-central Oklahoma and south-central Kansas. Cooperative partnerships have evolved with a variety of government laboratories and agencies, and also with universities, permitting collaborative use of several state-of-the-science radar and climate observing systems and networks. Collection of continuous measurements at this location began in 1994, with a complete suite of instruments operating since 1996. This site is now the largest and most extensive climate research field site in the world.

***Annual Inspections Improve Quality:*** *Each year, a small team of scientists and engineers conduct inspections of all 27 satellite facilities at the SGP. They review each facility from the perspective of science, engineering, operations, and safety. This activity, known as the Continuous Quality Improvement Program, ensures that instruments and facilities are in compliance with established ACRF procedures and the ARM Program's scientific expectations. The inspections encompass each facility's grounds, instruments, and equipment, plus maintenance procedures, technician proficiency, and other work-quality measures. Analysis of each measure provides feedback for planning and implementing improvements in instrument performance and maintenance, site maintenance, and future site development.*



*Due to the consistently warmest sea surface temperatures on the planet, the TWP locale plays an important role in the interannual variability observed in the global climate system.*

### Tropical Western Pacific

The Tropical Western Pacific (TWP) locale spans an area roughly between 10°N to 10°S of the equator from Indonesia to the dateline. This area—referred to as the Pacific “warm pool”—is characterized by warm sea temperatures, deep and frequent atmospheric convection, high rain rates, strong coupling between the atmosphere and ocean, and substantial variability associated with El Niño. Three instrumented sites operate in the TWP locale. The first of these sites was established in 1996 on Manus Island, Papua New Guinea. Site operations on Manus are conducted in collaboration with the Papua New Guinea National Weather Service. The second TWP site was established on Nauru Island in 1998. Nauru operations are performed with the cooperation of the Nauru Department of Island Development and Industry. A third TWP facility began operating in April 2002 at Darwin, Australia, in partnership with the Australian Bureau of Meteorology. This facility collects data typical of tropical land convection and monsoon circulations.

**Communication is Key at TWP:** In the communities where ACRF sites are located, the scientific infrastructure often spurs curiosity and interest. Because the complexity of atmospheric research can be difficult to understand, ACRF establishes working relationships with schools, local administrators, and community leaders to promote science education and awareness of climate research. In 2005, ACRF Education and Outreach staff visited the TWP locale to begin developing an educational kiosk about ACRF and climate change in the Pacific, and its impacts on the people living there. Using interviews with scientists and community members, the kiosk project is an important element of ACRF's community relations in the Pacific.

## North Slope of Alaska

The North Slope of Alaska (NSA) locale is situated on the edge of the Arctic Ocean. This area provides important information for ARM research because fundamentally different climate processes—such as planetary heat loss from the poles and extensive sheets of ice that affect solar absorption and sea level—occur at high latitudes. Due to generally cold temperatures, atmospheric water vapor concentrations in the Arctic are quite low, allowing heat energy from the surface to escape through the atmosphere more easily than in other regions. The NSA's principal instrumented facility was installed near Barrow in 1997, followed by a smaller remote site at Atqasuk in 1999. Routine operations at these sites are conducted in partnership with employees of Ukpeagvik Iñupiat Corporation/Science Division.



The NSA provides data about cloud and radiative processes in the Arctic, which has been identified as one of the most sensitive regions to climate change.

**U.S. Senators View the Effects of Climate Change:** As data about climate change continues to grow, nowhere is it as evident as in the Arctic. In August 2005, Senators John McCain (Arizona), Hillary Rodham Clinton (New York), Susan Collins (Maine), and Lindsey Graham (South Carolina), visited Barrow, Alaska, on a bi-partisan trip to examine the effects of global climate change in cold latitudes. In addition to talking with community members, the senators observed numerous research facilities including the ACRF site.

## ARM Mobile Facility

The ARM Mobile Facility (AMF) was developed to address science questions beyond those addressed by the “fixed” measurement sites. The AMF is similar to the permanent ARM sites in that it contains many of the same instruments and data systems, but is designed to be deployed around the world for campaigns lasting 6-12 months. The AMF consists of a minimum of two lightweight shelters, a baseline suite of instruments, data communications, and data systems. Designed to collaborate with other agency experiments (particularly those with aircraft), it also has the ability to host instruments other than the baseline collection. Data streams produced by the AMF are available to the atmospheric community for use in testing and improving parameterizations in global climate models.



An aerosol observing system (green stack) was added to the baseline suite of AMF instruments after proving its value during a successful 6-month field campaign at Point Reyes National Seashore in California in 2005. In 2006, the AMF begins a yearlong deployment in West Africa.

**New Data Streams from ARM Mobility Facility Deployment Sites:** To supplement measurements taken by the AMF, new climate data streams were made available in 2005 by the ACRF External Data Center (XDC) for Point Reyes National Seashore in California—the location of the first AMF deployment—and for its next deployment site at Niamey, Niger, West Africa. These data streams are provided by collaborators at the National Centers for Environmental Prediction and the European Center for Medium Range Weather Forecasting. They use different algorithms, cover a larger area, and assimilate data from a variety of aircraft, satellite, and ground-based sources. The slightly different measurements they provide are available at the Data Archive for ARM scientists and the broader scientific community as they conduct complementary research in these climate regions of interest.



Research aircraft used in ARM field campaigns include UAVs such as the Altus (shown above) and GNAT from General Atomics - Aeronautical Systems, and instrumented piloted aircraft such as the Egrett from Grob Aerospace, DOE's Twin Otter, and the Proteus from Scaled Composites, LLC.

## Unmanned Aerospace Vehicle Program

The ARM Unmanned Aerospace Vehicle (ARM-UAV) Program complements ARM's long-term ground-based measurements of cloud and atmospheric properties by emphasizing instrumented airborne measurement campaigns. Originally developed for defense surveillance, UAVs and piloted aircraft are now used to obtain key climate measurements that cannot be made by other means. In situ data obtained from instrumented aircraft at various altitudes provide critical data for studying how clouds interact with solar and thermal radiation.

**Taking to the Skies:** Various UAVs and piloted aircraft have contributed to ARM field campaigns during the past decade. A few of the many notable accomplishments by the UAV Program include: (1) the first science flights using a UAV in 1993, (2) the first use of an unescorted UAV in general-use airspace in 1996, and (3) the development of a global positioning system-based technique that allows a precise, vertically stacked flight of a UAV and a piloted aircraft for cloud absorption measurements.

## State-of-the-Art Instrumentation Yields Comprehensive Data Sets

ARM's approach to instrument development and procurement began with a fundamentally new idea in mind: carry out continuous and simultaneous ground-based observations of the atmospheric column using a suite of passive and active sensors. Previously, most sensors used to investigate atmospheric properties and compositions were strictly research instruments and, in many cases, inadequately understood and calibrated. The goal of ARM's instrument development initiative was to bring existing research instrumentation to the advanced state of development required to allow routine, highly accurate operation in remote areas of the world, and to develop new instrumentation as required.

**Bigger, Better Cessna Ready to Record Aerosol and Carbon Cycle Data:** A new Cessna Turbo 206 was contracted to conduct combined *in situ* aerosol profiling and airborne carbon measurements for the next 2 years at the SGP site. These measurements will provide data to quantify profiles of carbon dioxide concentration from the surface to mid-troposphere, carbon dioxide budgets in air-mass, and contributions of fossil fuel combustion to atmospheric carbon dioxide. These data are considered essential for quantifying regional carbon exchange and tracing the balance between anthropogenic (human-produced) emissions and biogeochemical cycling, which are identified as priorities by the U.S. Climate Change Science Program and the North American Carbon Program.

Because side-by-side comparisons and calibration techniques are critical to instrument understanding, the ACRF routinely sponsors and hosts field campaigns focused on this subject. As a result, the new generation of ground-based, remote-sensing instruments include millimeter-wave cloud radar, Raman lidar, infrared interferometers using electronic coolers (instead of cryogens), and updated sky imagers, among others. These instruments arrays represent some of the most sophisticated tools available for conducting atmospheric research.

In addition to the instruments, data on surface and atmospheric properties are also gathered through aircraft, forecast models, satellites, field campaigns, and value-added processing. Once collected, the information is sent to site data systems and reviewed for quality. Approved data are then stored in the Data Archive for use by the atmospheric science community.




*The Cessna aircraft's new, improved sampling probe design will provide much better measurements of larger particles.*

## Science Team Approach Encourages Collaboration

ARM's Science Team is a unique collaboration of laboratory, university, agency, and private partners from around the globe. From the United States and abroad, cloud and radiation scientists ranging from senior scientists to post-docs and students comprise the team. Though diverse in geographic location, these science representatives provide the most direct channel through which ARM research results can affect development and evaluation of global climate models. Key support is provided by software and hardware engineers who maintain the infrastructure necessary for advancing ARM Science Team research.

**ARM Researchers Shine in New Book on 3D Radiative Transfer:** In August 2005, a new book called "3D Radiative Transfer in Cloudy Atmospheres" hit the shelves. Authored by leading 3D radiation scientists from around the world—more than half of whom receive research funding from the ARM Program—this 700-page volume extensively discusses two main application areas: the impact of clouds on the Earth's radiation budget, which is an essential aspect of climate modeling; and remote observation of clouds, especially with advanced sensors on current and future satellite missions.



## Working Groups Provide Leadership, Focus on Specific Problems

To enable focused research on the various pieces of the cloud physics puzzle, the ARM Program divides its research into key areas, or Working Groups. These groups are the principal organizational structure within the ARM Science Team. Each Working Group concentrates on a specific set of issues related to climate modeling. The Working Groups include:

- **Aerosols** – relate observations of radiative fluxes and radiances to atmospheric composition, and use these relationships to develop and test parameterizations to accurately predict atmospheric radiative properties

**Through the development of a broad range of retrieval techniques using single and multiple data streams, the ARM Program made key advances in the areas of radiation and aerosol parameterizations, cloud properties algorithms, and cloud modeling/parameterizations versus observations and data analysis.**

- **Cloud Parameterization and Modeling** – relate observations and data analysis to climate model development and evaluation to improve cloud parameterizations in global climate models
- **Cloud Properties** – develop and implement algorithms that characterize the physical state of the cloudy atmosphere, including cloud occurrence, cloud condensed water amount, and cloud optical properties
- **Instantaneous Radiative Flux** – test radiation parameterizations, particularly for shortwave radiation and cloudy-sky conditions, at the accuracy required for climate studies.

## Oversight Ensures Relevant Science, Promotes Facility Use

Oversight of the ACRF is provided by the DOE ARM Program Manager, representing the advisory committee for the DOE's Office of Biological and Environmental Research. In addition, a DOE-appointed Science Board reviews research proposals and recommends priorities for increasing the utility of the ACRF. The Science Board coordinates with the ACRF Infrastructure Management Board (IMB) to assess the availability and resource requirements of the proposed facility usage.

The objective of the IMB is to provide fair and equitable distribution of available funds between the fixed-site facility infrastructure costs, field campaigns (also known as intensive operational periods, or IOPs), and special projects. An important part of their function is to increase external (non-ARM) use of the ACRF without inhibiting the achievement of ARM scientific progress.


**Review Panel Gives ACRF High Marks, Recommendations for Improvement:** In early 2005, the DOE ARM Program Manager convened an outside panel of experts to review the management and development of the ACRF, and its progress in meeting the overall needs of the science community. The panel concluded that the ACRF organization and management appeared very well structured and exceedingly receptive to the needs of the user community. One panel member stated, "There is absolutely no question that exceptional support and facilitation of advances in cloud and radiative transfer research has been a hallmark of the ACRF. Developing support capabilities for water cycle, hydrology, carbon, and broader aerosol research is proving to show great potential and should continue to be a focus area for new capabilities within the ACRF." They also judged the ACRF to be committed to a program of continuing improvements for research support and to safety at all sites. The panel commented that data access via the website was exceptionally complete and well structured.

Recommendations from the panel related to improving the user interface for online data access, standardizing and automating instrument calibration methods, and broadening outreach to the user community. They also noted the importance of prioritizing limited resources, stating, "...long-term viability of data storage should be a concern to DOE management, especially if the overarching goal relates to climate—by its nature, a long-term issue." The complete panel report is available at <http://www.arm.gov/publications/programdocs/doe-er-arm-0502.pdf>.

Recommendations for future development of the facility are developed annually by the IMB and include input from the Science Board. These recommendations are presented to the DOE ARM Program Manager for consideration and potential inclusion in budget and spending plans.

**ACRF Science Board:** The 11-member ACRF Science Board is chaired by a respected scientist in the field of climate science or a related science. The Chair is appointed by the DOE ARM Program Manager. In addition to the Chair, the Science Board includes five members from the ARM Science Team Executive Committee who represent the interests of the ARM Program, and five members who represent the interests of the broader scientific community, including the DOE Atmospheric Science Program. The DOE ARM Program Manager approves Board membership, and is assisted by the ACRF Science Liaison in coordinating meetings and reviews with the Science Board.

**ACRF Infrastructure Management Board:** The IMB consists of a Technical Director, Operations Manager, Data Archive Manager, Support Administrator, and the ACRF Science Liaison, who serves as a link between the IMB and the ACRF Science Board. The IMB coordinates the screening of science requests for use of the ACRF. Once a request has been sent to the Science Board for evaluation, the IMB provides to the Science Board detailed information regarding costs, resource use, and potential impacts to ARM Program needs at the ACRF.



## Global Program Managed by Many


Eight national laboratories and numerous government agencies, universities, private companies, and foreign organizations are involved in the ARM Program and ACRF. Each entity serves a vital role in managing and conducting the research, operations, and administration of the science program and user facility. Representatives of the ARM Program make up the majority of ACRF users.

For ARM Program science activities, direction and oversight is the responsibility of **DOE Headquarters**. A **Science Team Executive Committee** reviews scientific progress and provides recommendations for future research. **Working Group** representatives coordinate and modify the ARM research agenda as appropriate. The site infrastructure that enables ARM science is managed through the ACRF.

The ACRF is also directed by **DOE Headquarters**. An **Infrastructure Management Board** coordinates the scientific, operational, data, financial, and administrative function of the ACRF. An 11-member **Science Board**, selected by the DOE ARM Program Manager, serves as an independent review body to ensure appropriate scientific use of the ACRF.

# Fiscal Year 2005 Budget Summary and User Statistics

Atmospheric Radiation Measurement Program	
FY 2005 Budget (\$K)	
<b>Total ARM Program</b>	44,611
Infrastructure	31,441
Science	13,170



Operational Statistics for the Period October 1, 2004 - September 30, 2005		
	Data Availability	
SITE	GOAL	ACTUAL
NSA	0.90	0.90
SGP	0.95	0.95
TWP	0.85	0.89
AMF*	0.95	0.92
Site Average	0.91	0.92

*\*Because the AMF is a temporary site, its data availability is based on operational days during field deployment, not 24 hours a day/365 days a year like the fixed sites.*



# Key Accomplishments

The following pages highlight a selection of research results, field campaigns, and infrastructure achievements from FY 2005 (October 2004 through September 2005). A complete list of FY 2005 field campaigns and publications is provided in the back of this report. More detailed information can be found on the following web pages:

- [http://www.arm.gov/publications/pub\\_database.stm](http://www.arm.gov/publications/pub_database.stm) for Publications
- <http://www.db.arm.gov/cgi-bin/IOP/iops.pl> for Field Campaigns
- <http://www.arm.gov/acrf/updates.stm> for Operations Updates.


## Research Highlights

Members of ARM's Science Team publish an average of 150 refereed journal articles per year, and ARM data are used in many studies published by other scientific organizations. In addition, ARM investigators present their research at key conferences each year. These documented research efforts represent tangible evidence of ARM's contribution to advances in almost all areas of atmospheric radiation and cloud research, and their relevance to climate change modeling efforts.

### Characterizing the Coexistence of Water and Ice in Arctic Clouds

Mixed-phase clouds may contain regions of pure water and pure ice interspersed with regions in which both phases coexist. Details about the distribution of these phases within the cloud, and the total amount of the cloud characterized by each phase, affects the radiative impact of the cloud on the Earth's surface and atmosphere. Researchers sponsored by the ARM Program used in situ measurements obtained during the First International Satellite Cloud Climatology Project Regional Experiment Arctic Cloud Experiment (FIRE-ACE) and the Surface Heat Budget of the Arctic (SHEBA) project to examine the nature of mixed-phase clouds to determine the relative importance of each phase upon the radiative properties of an Arctic cloud field.

Results of their analyses corroborated a previous study showing that a large percentage of the clouds in a typical Arctic cloud field consisted exclusively of ice crystals or supercooled water droplets, even though they occurred in the temperature range (between 0° and -30°C) where mixed-phase clouds are prescribed by some theories. This finding is inconsistent with the implementation of many parameterizations currently used in large-scale models. Using observational data collected from 18 flights during FIRE-ACE, the researchers analyzed measurements of drop and ice crystal particle-size distribution, water content, and icing rate. They also used the observations from FIRE-ACE to determine how the properties of the mixed-phase clouds differed from the clouds consisting of just liquid or ice, and compared those findings against a parameterization scheme that predicts the radiative characteristics of mixed-phase cloud fields. The scheme predicted a substantially larger contribution from ice to the overall radiative impacts of the cloud than was found in the observations.




Analyses of in-cloud observations obtained during FIRE-ACE showed that over one-third (33%) of the clouds were mixed-phase, about half of the clouds were ice phase, and just 16% were liquid phase.

For temperature ranges where water and ice may coexist, an accurate representation of not only the average liquid water content of the cloud field, but also the details of the distribution of liquid water and the nature of its organization, is needed for accurate simulation of Arctic mixed-phase clouds in large-scale models.

(Reference: McFarquhar, GM, and SG Cober. 2004. "Characterizing the co-existence of water and ice in arctic clouds." *Journal of Climate*, 17: 3799-3813.)

## ARM Program Research Improves Longwave Radiative Transfer Models

As one of four primary research groups within the ARM Program science team, the Instantaneous Radiative Flux (IRF) Working Group focuses on testing radiation parameterizations at the accuracy required for climate studies. They identified as a key priority the improvement of clear-sky downwelling longwave radiance calculations produced by a line-by-line radiative transfer model (LBLRTM). A well-validated LBLRTM could then be used to "build" rapid radiative transfer models or parameterizations for use in global climate models.



*Top panels: Examples of downwelling infrared radiance observed by the AERI for two different clear-sky cases with different amounts of water vapor. Bottom panels: Differences between the AERI observations and calculations made using the LBLRTM at the start of the ARM Program (pre-ARM in black) and circa 2003 (red), showing the vast improvement in the ability to model downwelling infrared radiation. In terms of longwave radiative flux, the error in the downwelling flux was 6-8 W/m<sup>2</sup> using the pre-ARM model, while the error is less than 1.5 W/m<sup>2</sup> using the improved 2003 model.*

The IRF Working Group identified the Atmospheric Emitted Radiance Interferometer (AERI)—an instrument developed for the ARM Program that collects continuous measurements of downwelling infrared radiance at high spectral resolution with better than 1% accuracy—as an ideal candidate for obtaining the measurements needed to conduct the validation effort. The validation effort required accurate observations of atmospheric state (i.e., profiles of water vapor and temperature) to use as input into the model. The research team conducted a Quality Measurement Experiment, or QME, to evaluate: (1) the accuracy of the AERI, (2) the accuracy of the input data used to drive the LBLRTM, and (3) the accuracy of the LBLRTM and its components. The QME effort led to improvements in all three areas.

Major progress was reported in 2003 as results became available from ARM field campaigns conducted to improve the water vapor observations used to drive the LBLRTM. Recently published research describes the capabilities of the AERI and the comparisons conducted between the AERI observations and LBLRTM calculations. The original accuracy of "state-of-the-art" models in 1990 had longwave flux residuals on the order of 6 to 8 W/m<sup>2</sup>; through development and validation of the LBLRTM, errors in longwave flux calculations were reduced to less than 1.5 W/m<sup>2</sup>. This research, involving scientists from a large number of organizations funded by ARM and spearheaded by the IRF Working Group, reduces the uncertainties in

model simulations of heating and cooling of the Earth's atmosphere, and represents a major accomplishment for the ARM Program. (Reference: Turner, DD, DC Tobin, SA Clough, PD Brown, RG Ellingson, EJ Mlawer, RO Knuteson, HE Revercomb, TR Shippert, and WL Smith. 2004. "The QME AERI LBLRTM: A closure experiment for downwelling high spectral resolution infrared radiance." *Journal of Atmospheric Sciences*, **61**: 2657-2675.)

## Droplet Nucleation Finally Included in Global Climate Model


Tiny aerosol particles affect Earth's climate in several ways: directly, through scattering and absorption of solar and infrared radiation, and indirectly, by influencing the creation (or nucleation) of cloud droplets, leading to increased surface area and reflectivity of clouds. To what extent these different aerosol effects impact the Earth's energy balance is a subject under much investigation by the climate research community.

Researchers funded by the ARM Program developed a treatment of droplet nucleation and applied it to the Community Atmosphere Model (CAM) from the National Center for Atmospheric Research. In coupling the droplet nucleation scheme with aerosols in CAM, the simulated energy balance of the climate—a critical measure of model performance—was very close to the energy balance simulated with droplet number prescribed at a distribution of highly tuned values. This agreement also held when the dependence of droplet "autoconversion" (merging of droplets—a key process for precipitation formation) on droplet number was treated.


Previously published research in this area identified the importance of improving a number of parameters when simulating droplet nucleation, particularly with respect to the relationship between aerosol, cloud updraft velocity, and droplet number concentration. These findings led to the current effort to fine tune the associated droplet nucleation parameters within CAM. In particular, the lower boundary of updraft vertical velocity was adjusted to improve the agreement of droplet prediction for current aerosol emissions. Thus, CAM can now use the predicted droplet number to treat indirect effects of aerosols, an important climate forcing mechanism that has been neglected in all previous climate simulations by CAM. (References: Ghan, SJ, LR Leung, RC Easter, and H Abdul-Razzak. 1997. "Prediction of droplet number in a general circulation model." *Journal of Geophysical Research*, **102**: 21,777-21,794, and Ghan, SJ, RC Easter, E Chapman, H Abdul-Razzak, Y Zhang, R Leung, N Laulainen, R Saylor, and R. Saveri. 2001. "A physically-based estimate of radiative forcing by anthropogenic sulfate aerosol." *Journal of Geophysical Research*, **106**: 5279-5294.)

## Small Processes Make a Big Difference in Model Outcomes

Typical climate models are based on a grid pattern that blankets the globe, with each square of the grid covering an area of about 300 km by 300 km. Each square then extends vertically into the sky, resulting in approximately 8,192 "columns" of atmospheric properties. This large-scale grid is used because of the extensive computational time needed for smaller grids. However, because cloud and radiative effects occur on small scales, their processes are parameterized. This means



Reflection of sunlight by clouds simulated with predicted droplet number with (dark blue) and without (green) the autoconversion feedback agrees remarkably well with the reflection simulated with prescribed droplet number (red). Satellite observations (light blue) are shown for comparison.



To address small scale atmospheric processes, cloud system resolving models divide a typical global climate model grid cell into 64 columns, each approximately 4 km wide.

the effects are expressed as a set of simple approximate relationships, rather than through explicit equations that simulate the actual physical processes in the climate model. Scientists sponsored by the ARM Program found that these small-scale processes may have important impacts on the climate and climate change simulated by global climate models.

In their study, the researchers replaced the conventional global climate model cloud parameterization in each of the model's 8,192 columns with a two-dimensional cloud system-resolving model (CSRM) which used 64 columns. They then calculated the radiative heating rates independently for each of the 64 CSRM columns. The researchers performed three model experiments using the nested model system, also known as the Multi-scale Modeling Framework, to explore the sensitivity of the model to the coupling between radiative heating and model dynamics. Model experiment runs were conducted for only a single season due to computational constraints.


Results of the comparison study showed that experiments using the independently calculated heating rate profiles produced a similar large-scale model climate state. Experiment runs using a single averaged heating rate profile produced a different model climate state. This suggests that small-scale variability in cloud scale properties feeds up and modifies the large-scale average states. (Reference: Cole, JNS, HW Barker, DA Randall, MF Khairoutdinov, and EE Clothiaux. 2005. "Global consequences of interactions between clouds and radiation at scales unresolved by global climate models." *Journal of Geophysical Research*, 32, L06703, doi:10.1029/2004GL020945).

## ARM Research Spotlighted in Special Issue of Journal

In the August issue of the *Journal of Geophysical Research - Atmospheres* (Vol. 110 No. D15), recent research from the members of the ARM Cloud Parameterization and Modeling (CPM) Working Group is presented in a special section entitled "Toward Reducing Cloud-Climate Feedback Uncertainties in Atmospheric General Circulation Models." This collection of research focuses on better understanding and improving the representation of clouds in general circulation models by using observations at process levels.

The first paper in the collection reports an assessment of the current status of cloud simulations in general circulation models from modelers in the United States and Europe. The remaining 17 papers can be categorized into four groups: (1) a case study of cloud simulations during the ARM/GCSS (Global Energy and Water Experiments-Cloud System Studies) case 4, (2) developments of cloud parameterization algorithms using ARM data, (3) model cloud processes evaluated against ARM measurements, and (4) research results concerning measurements of clouds.

The CPM Working Group addresses the importance of relating observations and data analysis to climate model development and evaluation. They expose key issues regarding the design of general circulation models that impact the representation of cloud-climate feedback processes. Results from these studies are then used to improve cloud parameterizations in global climate models. (Reference: *Journal of Geophysical Research*, Vol. 110, D15, 2005).



Scientists from the CPM Working Group are featured in a special section of the *Journal of Geophysical Research - Atmospheres*.

## New Scheme More Accurate for Cloud Droplet Formation, Dispersion

Global estimates of the indirect aerosol effect that are much larger than  $1 \text{ W m}^{-2}$  in magnitude are difficult to reconcile with observations, yet climate models give estimates between  $-1$  and  $-4.4 \text{ W m}^{-2}$ . A study in 2002 by Liu and Daum (*Nature*, 419) showed that increases in cloud droplet concentration ( $N$ ) are associated with increased dispersion (breadth) of the cloud droplet-size distribution, and that the increased dispersion counteracts the first indirect aerosol effect. Subsequent global climate model simulations confirmed that neglect of the dispersion effect (the width of the distribution of cloud droplet sizes) can lead to overestimation of the first indirect aerosol effect.


A recent study by ARM Program researchers in partnership with atmospheric scientists in Australia, presents new global climate model-based calculations of the second indirect effect using a new autoconversion scheme, called “ $R_6$  scheme,” which accounts for this dispersion effect. The  $R_6$  scheme also more accurately treats the efficiency with which cloud droplets coalesce to form drizzle drops, compared to the earlier “ $R_3$  scheme” most often used in climate models.

To quantify the impact of the new scheme on the second indirect effect, the researchers used the Commonwealth Scientific and Industrial Research Organization (CSIRO) Mark 3 global climate model at low resolution. The researchers obtained a global-mean value of  $-0.28 \text{ W m}^{-2}$ , compared to  $-0.71 \text{ W m}^{-2}$  with the  $R_3$  scheme. Their estimate of the total indirect aerosol effect on liquid-water clouds changed from  $-1.63$  to  $-1.09 \text{ W m}^{-2}$ . The difference was due to (1) the new scheme’s smaller autoconversion rate, and (2) an autoconversion threshold that increases more slowly with cloud droplet concentration. The strong impact of the smaller autoconversion rate shows the importance of accurately modeling this process, in that the magnitude of the second indirect effect depends on absolute changes of precipitation ( $P$ ) with  $N$ . Either with or without the dispersion effect, the  $R_6$  scheme has a much smaller autoconversion rate than the  $R_3$  scheme, so the changes of  $P$  with variations of  $N$  are smaller. The dispersion effect was also found to have a significant impact on the second indirect effect, mainly by causing the autoconversion threshold to increase more slowly with cloud droplet concentration.


The results obtained with the  $R_6$  scheme are easier to reconcile with observations, because this scheme can be used in a global climate model without causing a global cooling to occur during the 20th Century. In addition, the impact of the smaller autoconversion rate on the second indirect effect shows the importance of careful evaluation of autoconversion schemes and avoidance of artificial “tuning” of rates or thresholds. (Reference: Rotstayn, L, and Y Liu, “A smaller global estimate of the second indirect aerosol effect,” *Geophysical Research Letters*: Vol. 32, L05708, March 2005.)

## Featured Field Campaigns


ACRF users—whether sponsored by ARM or other scientific organizations—regularly conduct field campaigns to augment routine data acquisitions and to test and validate new instruments. A field campaign that is proposed, planned, and implemented at one or more research sites is also referred to as an intensive opera-



Shown are the autoconversion rates given by the  $R_3$  scheme and the  $R_6$  scheme, with and without the dispersion effect. The magnitude of the second indirect effect depends on absolute changes of precipitation with cloud droplet concentration, as shown by the slopes of the curves.



This map shows the experimental domain of M-PACE.



In an image taken from a millimeter cloud radar on October 6, 2004, at Barrow, Alaska, the top panel shows ice precipitation falling from the cloud layer as regions of higher reflectivity (red). The bottom panel includes a cloud mask produced by combining cloud radar and lidar data. Combining the data streams allows for a richer picture of the cloud layer, as evidenced by the many broken liquid layers within the ice precipitation falling from the upper-most cloud layer.

tional period, also known as an IOP, as during this time, increased activities to support additional data acquisition occur. These concentrated efforts direct focused resources on a specific research area, resulting in valuable data to further scientific understanding of cloud and radiative processes.

## Mixed-Phase Arctic Cloud Experiment

The largest and most ambitious field campaign conducted thus far at the NSA locale took place in October 2004. The Mixed-Phase Arctic Cloud Experiment (M-PACE) involved 4 weeks of intensive ground, remote sensing, aircraft, and radiosonde measurement activities focused on obtaining microphysical data on mixed-phase arctic clouds. Mixed-phase clouds are composed of both ice and water, as opposed to only ice or water. This cloud type dominates low-lying clouds in the Arctic, but a comprehensive data set for analyzing their contribution to the arctic climate is currently not available. The primary goal for this experiment was to collect a focused set of data needed to advance the understanding of dynamic processes in arctic mixed-phase clouds, including cloud microphysical processes and radiative transfer through clouds. These data sets can then be used in computer models that simulate the arctic climate.

The experimental area, which simulated a single-column modeling grid-box, consisted of four surface-based sites. The two NSA sites at Barrow and Atqasuk were supplemented with a radiosonde station at Toolik Lake, and the Pacific Northwest National Laboratory's Atmospheric Remote Sensing Laboratory—a mobile measurement facility with many of the same instrument capabilities as the ACRF fixed sites—at Oliktok Point. A tethered balloon measurement system was also deployed from this location. Throughout the experiment, radiosonde data were acquired at 6-hour intervals from the four ground-based sites.

To complement the ground-based measurements, two instrumented aircraft participated in the experiment: the University of North Dakota's Citation served as an in situ platform, while the piloted Proteus, sponsored by the ARM-UAV program, served as a remote sensing aircraft. The Citation flew 13 missions and the Proteus flew 5 missions in support of M-PACE. In addition, DOE's Multispectral Thermal Imager satellite system surveyed Barrow and Oliktok Point at high resolution in 15 spectral bands as often as possible throughout the experiment.

**Results:** The M-PACE documented the microphysical characteristics of several types of Arctic mixed-phase clouds. In general, the observed mixed-phase clouds contained a great deal of liquid to temperatures as low as  $-25^{\circ}\text{C}$ , frequently with liquid tops that precipitated ice. Multiple liquid layer clouds were also observed. Data from the ARM millimeter cloud radar at Barrow showed pulses of ice precipitation falling in streaks from a liquid-topped mixed-phase cloud. However, when the cloud radar data were combined with the Wisconsin micropulse lidar data using retrieval techniques developed by ARM scientists, a richer picture of this mixed-phase cloud was revealed. Using these two data streams, multiple liquid layers appear, each with ice precipitation shafts. Data such as these will be used to both improve and validate Arctic cloud and climate models.

Data obtained by the Cloud Particle Imager instrument onboard the Citation aircraft also showed spherical liquid drops throughout much of the upper portion

of the cloud layer, with ice crystals falling out as precipitation in the lower sections of the cloud. Aerosol data from the Citation suggests that the reason for the large abundance of liquid water within Arctic mixed-phase clouds is due to very low ice nucleation particle counts. With counts lower by almost a factor of 100 compared to those observed at other latitudes, this measurement has important implications for Arctic cloud and climate models. Current models run during M-PACE tended to produce clouds composed completely of ice, even though the observed clouds were mostly liquid. When ice nucleation calculations in the model were updated using the observations from M-PACE, the clouds remained liquid, as observed. This result has important consequences for the Arctic energy budget, because ice clouds allow more cooling of the Arctic surface by emitted infrared radiation than do liquid clouds.


## Marine Stratus Radiation, Aerosol, and Drizzle IOP

Point Reyes National Seashore, north of San Francisco, California, marked the site of the inaugural campaign for the AMF in spring 2005. The 6-month Marine Stratus Radiation, Aerosol, and Drizzle (MASRAD) field campaign focused on the microphysical and radiative characteristics of marine stratus, one of the most prevalent cloud types on the planet. Marine stratus clouds are thought to be susceptible to modification via the by-products of fossil fuel consumption. A better understanding of the processes that lead to potential cloud modifications is a multi-agency climate change priority. Despite their importance to the earth-ocean-atmosphere system, relatively few detailed and comprehensive data sets of marine stratus clouds are available.

During the field campaign, ARM researchers collaborated with the U.S. Office of Naval Research, DOE's Atmospheric Science Program, and individual university investigators. Their goals were to collect data to better understand the rate at which different types of aerosol particles are converted to cloud droplets and how these cloud droplets eventually grow to produce drizzle. To collect the data, two research aircraft participated in the project along with the AMF. The AMF made continuous, detailed measurements of cloud microphysics, cloud updraft structure, thermodynamic structure, and surface radiation in the marine stratus clouds.

At the same time, investigators from DOE's Atmospheric Science Program and other groups and agencies made detailed measurements of the aerosol structure at the surface and from aircraft during the month of July. Included in the suite of surface and aerosol measurements was specific information about the chemistry and nucleating properties of aerosols observed at the surface, enabling researchers to diagnose the source region of the aerosols.

**Results:** Marine clouds and fog were observed almost continuously from mid-June through mid-September. Early analyses of the data collected during MASRAD showed a wide variety of aerosol types, including episodes containing significant



*A simulation of the October 10, 2004, case day using typical cloud parameterizations in the Regional Atmospheric Modeling System is shown at left, with ice water path ( $\text{g m}^{-2}$ ) contoured and liquid water path ( $\text{g m}^{-2}$ ) shaded. At right, the same model simulation, using ice nucleation data from the Citation aircraft, shows an extensive liquid cloud deck with small amounts of ice, which is similar to observations from the same day.*



*State-of-the-art active and passive remote sensors measured the detailed microphysical structure of marine stratus clouds at the AMF deployment site, about 1 mile from the ocean at Point Reyes National Seashore.*



*With the Pacific Ocean in the distance, a surface meteorology system collects wind, temperature, pressure, and humidity data as marine clouds drift over the field instruments at the AMF deployment site at Point Reyes National Seashore.*

amounts of anthropogenic (human-produced) aerosol. Because the cloud base was so low during MASRAD, the surface aerosols were concluded to be the same type as those nucleated in the clouds above, demonstrating that under certain conditions, there is a direct link between the aerosol and cloud properties at the surface site.

The data also showed the presence of remarkably thin clouds composed of extremely small cloud droplets during the daytime on many occasions. Lidar data indicated significant variability in the cloud droplet structure at cloud base on the scale of minutes, and trajectory analyses suggested the number of aerosols in a given sample that could serve as cloud condensation nuclei was strongly dependent upon the past trajectory of the sample. Aircraft measurements detected the presence of elevated layers of aerosol in the region; investigations are underway to determine the impact of these layers on the cloud structure. Preliminary analysis of cloud radar data show a rich mixture of updraft and downdraft structures observed during the experiment, and efforts are underway to link these structures with the observed aerosol nucleating characteristics.

## Aerosol Lidar Validation Experiment

The Aerosol Lidar Validation Experiment (ALIVE), a collaborative effort with the ARM Program and National Aeronautics and Space Administration (NASA), took place in September 2005 at the SGP site. The major goal of the experiment was to collect airborne remote sensing data on atmospheric aerosols for validation studies of the SGP Raman lidar and micropulse lidars. The airborne data were collected by the NASA Ames Airborne Tracking 14-Channel Sunphotometer (AATS-14) flown aboard a Jetstream-31 research aircraft from Sky Research. Validation activities such as these are important for calibrating all measurements to consistent standards and reduce scientific uncertainties in the data used by computer models.

Prior to ALIVE, the 2003 Aerosol IOP at the SGP site provided one of the best measurement sets obtained to date for evaluating the scientific capability for measuring the vertical profile of ambient aerosol extinction in the lower troposphere. However, validation results showed that an undetected loss of sensitivity of the SGP Raman lidar had occurred leading up to the Aerosol IOP, resulting in a significant high bias in derived aerosol extinction. Major upgrades were made to the Raman lidar in 2004 to restore and improve its data-gathering capabilities and sensitivity. To prove the integrity of the entire Raman lidar aerosol extinction record, data obtained by the AATS-14 during ALIVE will be compared against the upgraded Raman lidar and the validated data from the Aerosol IOP.




*Outside the hangar in Ponca City, Oklahoma, the optical head of the AATS-14 (inset) can be seen as the white dome on the roof of the Jetstream-31 aircraft. The AATS-14 obtained extinction vertical profiles from spiral ascents and descents over the SGP site during ALIVE.*

Logging 20 flight hours between September 11 and 22, 2005, the Jetstream-31 conducted 12 flights over the SGP site. Five of these flights coincided with the flights by a new ARM in situ aerosol profile aircraft, the Cessna Turbo 206, to help evaluate the performance of instruments for collecting in situ aerosol profile measurements. Onboard the Jetstream-31 the AATS-14 obtained more than 40 vertical profiles at altitudes between 500 ft and 23,000 ft from spiral ascents and descents. Cirrus clouds presented a major obstacle for the radiation instruments aboard the Jetstream-31, although considerable efforts were made to minimize their effect through timing of the vertical profiles using various forecasting and nowcast-

ing tools. A Scanning Polarimeter instrument from NASA's Goddard Institute for Space Studies Research also operated aboard the Jetstream-31 as a piggyback instrument, contributing an additional 3 flight hours to the ALIVE field campaign, and will provide multi-spectral measurements of upwelling polarization and radiance.

**Results:** Final calibrations are now underway for many of the instruments involved in ALIVE. As an example, the AATS-14 was calibrated before ALIVE at the Mauna Loa Observatory in Hawaii (11,000 ft above sea level) using a technique known as Langley plots. At the conclusion of ALIVE, it was sent there again for final calibration, and is being refined by inspecting the measurements taken at the highest altitude flight legs during ALIVE.

Because the field campaign was conducted late in the year, initial comparisons between the lidars, AATS-14, and ground-based sunphotometers data are in the early stages. A status report on ALIVE will be presented at the ARM Working Group meetings in late 2005, with additional results presented at the 2006 ARM Science Team Meeting in Albuquerque, New Mexico.



*The Jetstream-31 made numerous passes over the Raman lidar at the SGP site during ALIVE. The Raman lidar is an active, ground-based laser remote sensing instrument that measures vertical profiles of water-vapor mixing ratio and several cloud- and aerosol-related quantities.*

## Infrastructure Achievements

Infrastructure activities include management of site operations at the research facilities, instrumentation and engineering support, data quality and storage, and communication and education/outreach. All of these areas are key components of enabling ARM science and promoting the capabilities of the ACRF for new users.

### Site Operations

#### *User Facilities Improved at the NSA Locale*

After experiencing crowded working conditions during complex field campaigns in 2004, followed by several power outages this past winter, NSA operations staff implemented numerous measures to improve the situation. A new emergency response plan addressing numerous emergency conditions was developed and put in place. The plan summarizes response actions in the event of power failures, fires, floods, and medical emergencies. As part of the plan, a snowblower, replacement snowmobile, and backup generator were procured to give operators the capability to access, clear, and deploy emergency heaters during extreme weather conditions. Other actions taken included an investigation into potential upgrades for the site's power line—which also feeds power to equipment used by National Oceanic and Atmospheric Administration (NOAA), U.S. Geological Survey, and nearby National Science Foundation (NSF) projects. This activity revealed the utility line was operating ever closer to maximum capacity, using obsolete, decades-old equipment. A cooperative effort to remedy the situation is under discussion among the affected parties.

To handle additional users and instruments, and alleviate overcrowding, modifications to an existing instrument platform in Barrow were completed in fall 2004 in preparation for adding a larger guest facility to it this summer. The new guest facility, constructed from the existing platform, now consists of two insulated shipping containers mounted on pilings, with a top-side mezzanine to accommodate



*In September, installation was completed on the new Guest Instrument Facility in Barrow to provide additional instrument space and ease crowded working conditions.*

additional user instruments. In addition, a heated laboratory area within the site maintenance building was developed to provide even more room for researchers and their equipment. And for added operations capability, a new flatbed 4-wheel drive, crewcab pickup truck was procured for the Barrow site.

### *Aging, Overworked Computer Network at SGP Gets Overhauled*

At the SGP site's Central Facility—the most heavily used computer network of all the ACRF sites—several upgrades to the network infrastructure were made to improve security, performance, reliability, and growth potential. Established as the first ARM research facility in 1992, the SGP site was running on essentially the same network architecture since site inception. Now handling approximately 1GB of data from numerous sources every day, the Central Facility computer network was in need of restructuring. The new network architecture isolated the various functional groups of instruments, data systems, site operations, visitors, and globally accessible services onto separate networks. Installation of higher-performance firewall and logging systems also better supports implementation of the ACRF cyber security policy.

As part of this effort, new network switches were installed throughout the site, both to improve performance for local users and to provide the ability to administer the network down to the individual port level. This level of administration is vital to supporting reliable network operation and site visitors in a secure manner. A higher-performance router was also installed as a gateway to the site to improve performance over both the T1 (internet) link with the Data Archive and several lines of Voice Over Internet Protocol (VOIP). The new gateway supports increasing bandwidth with the Data Archive, if needed, in addition to allowing for growth in the use of VOIP in support of communications among SGP data systems operations staff, the AMF, and ACRF sites in the TWP.

### **Instrument Enhancements**

#### *Battle with Bugs Nearly Over Thanks to New Radar*

For a great portion of the year at the SGP site, data from the millimeter wavelength cloud radar (MMCR) are often contaminated by “atmospheric plankton” (tiny bugs and dust particles) at altitudes up to 5 km. Because MMCR data are used to measure cloud boundaries (i.e., cloud tops and bottoms) and to record the reflectivity profile of the atmosphere up to 20 km, this contamination issue poses data quality issues. Researchers analyzing MMCR data from several experiments concluded that trying to differentiate between the clouds and atmospheric plankton with the current set of instruments was extremely time consuming and inexact. To solve this dilemma, a new W-band ARM cloud radar (WACR) was designed and built over the course of a year, and was installed in the MMCR instrument shelter at the SGP Central Facility.

The WACR is a Doppler radar that returns signals of reflectivity, velocity, and spectral width (which corresponds to turbulence). Both the WACR and MMCR have co-polarization and cross-polarization channels to differentiate between spheri-



*The WACR provides improved sensitivity for detecting tiny objects in the atmosphere to an altitude of 5 km. The instrument's antenna is located adjacent to the MMCR antenna on top of the MMCR shelter; the rest of the unit is located inside (inset).*

cal (e.g., raindrops) and nonspherical (e.g., insects and ice crystals) atmospheric objects, but the new radar operates at 95 GHz, whereas the MMCR operates at 35 GHz. The new radar complements the existing MMCR by differentiating between clouds and spurious radar returns due to insects and other detritus in the lower atmosphere. By collocating these two radars and their various modes of operation, researchers will now have the data to explore dual wavelength techniques such as retrieval of drizzle parameters. Deployment of the WACR represents a key milestone for user enhancements at the SGP Central Facility.

### New Microwave Radiometer Makes Water Vapor Measurements in the Arid Cold a Snap

Typical instruments for measuring water vapor struggle to obtain accurate moisture readings in highly arid conditions like the Arctic. Using a DOE Small Business Innovative Research grant, ACRF pursued the development of a microwave radiometer that could operate near 183 GHz—a rate as much as 100 times more sensitive to water vapor than other ACRF microwave radiometers. In March, ACRF operations staff and developers from ProSensing deployed a prototype of the new 183 GHz microwave radiometer at the ACRF NSA site in Barrow.

The new radiometer actually measures at  $183.31\text{ GHz} \pm 1, \pm 3, \pm 7$ , and  $\pm 14\text{ GHz}$ . The  $183.31 \pm 1\text{ GHz}$  channel is useful when conditions are very cold and very dry, but as the Arctic winter gives way to spring and then summer, the amount of water vapor increases and the  $\pm 1\text{ GHz}$  channel saturates (i.e., the signal no longer increases as the water vapor amount increases). The  $\pm 3$  and  $\pm 7\text{ GHz}$  channels allow the radiometer to still provide useful water vapor data while the  $\pm 14\text{ GHz}$  channel permits the amount of liquid water in the thin Arctic clouds to be accurately determined. Although similar microwave radiometers have been demonstrated in Barrow for short periods, this prototype will operate through the 2005-2006 winter. This long-term deployment will permit refinements to the design based on actual Arctic conditions and will allow ARM scientists to have access to accurate water vapor measurements over an entire annual cycle.

### Infrared Thermometers Complete Cloud Pictures

Six new infrared thermometers (IRTs) were installed at Extended Facilities throughout the SGP locale this year, to help ARM scientists analyze cloud temperatures and infer cloud heights over the SGP site. Having the additional IRT retrieval points for comparison and testing will allow the ARM science team to refine the retrievals by cloud situation and to test and compare them with satellite data. While satellite data affords good spatial coverage, it only provides a “snapshot” every half hour, and has known weaknesses, especially in inferring such quantities as low cloud base heights, low cloud amounts, and detection of few or smaller clouds. By using both the IRT and satellite data, ARM researchers can paint a more complete picture of the temporal and spatial resolution of the entire SGP domain.

New features for the IRT include a mirror surface hardened with a thin coating of silicone dioxide, and a prototype automatic mirror washing/drying system to keep the IRT mirror surfaces clean and free of dew or frost, thereby providing more accurate measurements of sky brightness temperature. In addition, a new



*The 183 GHz radiometer, protected inside an insulated enclosure (inset), is installed on the roof of the primary instrument shelter at Barrow. To prevent snow from accumulating on the mylar window, a blower mounted beneath the radiometer directs air through a duct to a standard Y-shaped fitting mounted on top of the radiometer.*



*A filtered fan keeps moisture from building up on the mirror surface (bottom left) by circulating air up through the optical port (top left) of the IRT enclosure.*

data acquisition and display system is capable of logging the IRT serial data at a minimum of 5 Hz. This system was tested for compatibility with Linux computers like those at the SGP Extended Facilities, as well as with the Windows operating systems planned for installation at the TWP and NSA locales.

### *Improved Radiosonde Sensor Ready for Launch*



*At the end of a string tied to the weather balloon, a small sensor package, called a radiosonde, contains the "brains" for measuring atmospheric temperature, pressure, and humidity.*

The radiosonde system was one of the first instruments deployed by ACRF; the first launch was conducted in 1992, from the SGP site, using a then state-of-the-art ground system known as the PC-CORA. Since then, ACRF pioneered the use of three subsequent generations of radiosonde ground systems, as technological advances led to the Digi-CORA I, II, and III models. Vaisala, one of the market leaders of this technology, began phasing out production of their RS90 radiosondes at the end of calendar year 2004 in favor of their new RS92 model. With the transition to the RS92 radiosondes, the PC-CORA was retired after nearly 13 years of continuous service, and ACRF operations personnel worked to upgrade the various firmware and hardware systems at the radiosonde ground stations for compatibility with the new sondes.

The new RS92 version has an improved global positioning system processor that will increase the accuracy of the wind speed and direction measurements made during the balloon flight. It also uses a new digital telemetry system to reduce the potential for data loss, and includes a system for restoring the temperature and humidity sensors to their factory-calibrated condition before flight to improve the measurement of these important variables. Launches with the new sondes began at the SGP site, followed by the AMF deployment in Point Reyes, California. Launches for the TWP and NSA locales will be phased in as they exhaust their stocks of RS90 sondes.

### *New Total Sky Imager Improves Reliability Picture in Tropics*



*Data from the TSI measurements are presented as individual images and retrievals, including daily "movies" of sky conditions above the site.*

Instruments that collect climate data at the TWP locale are continually subjected to adverse operating conditions that can impact their reliability. As part of an ongoing effort to add and upgrade instruments to meet these challenges, total sky imagers (TSI) were redesigned to improve their reliability at remote sites like those at the TWP. The TSI measures the horizontal distributions of clouds in its field of view, providing real-time processing and display in a visual record of daytime sky conditions. The instrument's software computes both the fractional cloud cover and sunshine duration, which are useful for interpreting other ARM measurements and important elements in understanding climate change. The TSI design modifications—including remote operating and troubleshooting capability, and streamlined internal electronics—will reduce the potential for system failure and resulting downtime, while also making it easier to maintain and repair.

The newly redesigned TSI was installed for the first time at the TWP Manus site in Papua New Guinea. The TSI at Manus provides additional measurement capability to the suite of instruments already at that site. With similar instruments installed this year at Darwin, Australia, and at Nauru Island, all the TWP sites now have the new TSIs. Completion of this effort greatly improves ACRF's routine data collection capabilities in the tropics.

## Data Delivery

## *Data Quality Application Gives Data Browsers a New View*

ACRF's Data Quality Office developed a web application to quickly and easily view diagnostic data quality plots, without making multiple selections to see just one plot. The new Plot Browser—a part of the Data Quality Health and Status (DQ HandS) application—helps data quality analysts, instrument mentors, and site scientists view all the daily plots (around 1000 per day) from the ACRF sites by producing custom, highly-browsable lists or thumbnail images of data streams suitable for monitoring data quality.

By using DQ HandS and the Plot Browser to perform visual data quality inspections, the Data Quality Office inspects and assesses ARM data on a near-real-time basis (daily to weekly) and submits requests to initiate troubleshooting and/or corrective maintenance activities, based on guidelines provided by the instrument mentors. If a problem is identified, mentors, site operators, and site scientists are notified to start the problem resolution process and/or continue to investigate. This level of vigilance helps the ACRF deliver a data stream of reasonable quality to the scientific community.


## *History Tool Records Changes to Data Streams*

Each day, the Data Management Facility (DMF) processes approximately 1875 data streams from 287 instrument systems and delivers them to the Data Archive. Occasionally, modifications are needed to update or correct a data stream structure. Information about the history of changes made to a data stream can be a critical issue for ACRF data users. Historically, the metadata within the data object design (DOD) files were revised and overwritten whenever a change occurred, with no record of the change saved for reference. (The DOD manages ARM netCDF, or network Common Data Form, file structure—the standard file format for ACRF measurement collection for each ARM data stream.) Recognizing this dilemma, the DMF created a tool to record the history of every data stream for every instrument from every ACRF site since the beginning of the ARM Program.

In March, the History of Data Stream tool began providing information on changes to the metadata, and when the changes occurred—a historical record—for all the data streams available at the DMF. Once a week, the tool scans the current DOD files, identifies any changes, and adds a link to “history” in the netCDF File Header Description web page by selecting the instrument or value-added product’s DOD. Plans are in place to use the tool at the Data Archive and XDC to help build a historical record of data stream changes since the sites first began collecting data, and to maintain a history of data stream changes in the future.

Radiosonde Data Distribution in Place for Modeling During M-PACE

To support the M-PACE in October 2004 at the NSA locale, radiosonde systems were deployed at Atqasuk, Toolik Lake, and Oliktok Point. The ability to transmit radiosonde data—as well as routine data from the NSA site in Barrow—to the Global Telecommunications System (GTS) with minimal delay after completion of



ARM data are inspected daily to weekly using the “Plot Browser,” which supplies data plots by providing lists or thumbnail images of selected data streams.






*During several 5-day launch periods throughout the field campaign, M-PACE researchers released four radiosondes per day from all four experimental sites (Barrow, Oliktok Point, Atqasuk and Tulik Lake).*

the sounding was critical to the success of the experiment. Early in October, ACRF data coordination staff completed the necessary revisions to the radiosonde data collection software to enable distribution to GTS via a server—or gateway—sponsored by the NOAA. This allowed the data to be used in near-real-time in forecasting models used during the experiment.

GTS is the World Meteorological Organization integrated network of point-to-point circuits and multi-point circuits, which interconnect meteorological telecommunication centers. Its purpose is to enable an efficient exchange of meteorological data and products in a timely and reliable way to meet the needs of world, regional, and national meteorological centers. The European Centre for Medium-Range Weather Forecasting—reknown for its forecasting models—acquires the data from the GTS and integrates it into some of their modeling products. Researchers involved in M-PACE used these modeling products to plan aircraft operations for cloud and atmospheric sampling during the campaign. Based upon this success, plans to distribute radiosonde data from the TWP Manus and Nauru sites through the NOAA gateway have been made.

### *Website Integration Effort Delivers One-Stop Shopping for Data*



*The ARM website was upgraded with a new capability in September; ARM data users now have the ability to order data using the data cart.*

A new way to browse and order ARM data from the ARM website was published following 9 months of careful development. ACRF infrastructure staff across the United States teamed together to integrate the ARM web pages with the Data Archive, creating the ability to order data while also learning about it. By adding a data “shopping” cart, users can now browse instruments, measurements, and data pages to find data streams to place in the cart. After all the desired data streams are in the cart, the Data Archive processes the order and delivers the data to an ftp site for pickup. The cart was designed to be intuitive and easy to use, especially for new users. In addition, the Data Archive website was updated to match the ARM website design and navigation, providing a smoother visual transition for users.

A number of other data-related website renovations were also completed. Web page content was augmented to include the XDC and field campaign instruments and data streams in the instruments, measurements, and data pages. The field campaign web area improved its design and navigation for past campaigns, including moving all information from 1992-2001 campaigns into the background database, and adding links for ordering available data. As a result, ordering data from the Data Archive is now easier and more seamless from the ARM website.

## Communication, Education, and Outreach

### *ACRF Communications Products Receive High Honors*

Several ACRF communications products were recognized for excellence this year in two communication award competitions: the 2005 Communicator Awards print-media competition and the Seventeenth Annual Awards for Publication Excellence (APEX) competition. The 2004 ACRF Annual Report received high honors in both competitions. The annual report received the prestigious Crystal

Award of Excellence from the Communicator Awards, which is awarded to those entrants "whose ability to communicate places them among the best in the field." The annual report also received the Award of Excellence in the "Writing" category in the APEX competition. Out of 267 annual reports evaluated, only 9 Awards of Excellence were given in this category.

The ARM website, featuring its extensive homepage redesign, was also recognized in both competitions. From the Communicator Awards, the website received the Award of Distinction, which was awarded to approximately 19% of entrants. The Award of Distinction is given for work that "exceeds industry standards in communicating a message or idea." In addition, the ARM website won an award under the category of "Most Improved Web and Intranet Sites" in the APEX competition. The ARM website was evaluated against 565 websites in 10 categories. Two additional ACRF communications products received Awards of Distinction from the Communicator Awards: the ACRF student activity book, *Climate, Coloring, Crosswords...and Other Fun Stuff!*, and the online, bimonthly newsletter, the ACRF Operations Update.

### ***ARM Climate Research Facility Increases Outreach Efforts***

As part of its effort to increase outreach and visibility, the ACRF exhibited for the first time at two conferences this year. The added exposure allowed ACRF staff to promote the ACRF as a world-class national user facility to new audiences and potential users. In December 2004, ACRF exhibited at the American Geophysical Union's fall meeting in San Francisco, California. More than 10,000 geophysicists attended the meeting. Because the emphasis of the meeting was geophysical rather than weather related, explaining the Program's mission and goals to attendees represented a challenge. However, several inquiries about how other research could be conducted at the ACRF sites resulted from the meeting.

ACRF also exhibited for the first time at the 98th Annual Air & Waste Management Association Conference in Minneapolis, Minnesota, in June 2005. Approximately 2500 environmental professionals attended the conference. Representatives from such countries as Jamaica, Taiwan, Mexico, Canada, Australia, New Zealand, Korea, Russia, and Japan asked questions about the ACRF and the upcoming AMF deployment in Africa in 2006. Dr. Sylvia Edgerton, ACRF Science Liaison, also gave an overview presentation in the exhibit hall describing ACRF.

### ***Web Improvements Ease Searching***

To improve usability and quality, the ARM Image Library was significantly redesigned this year. Approximately 200 new, high-resolution images with detailed captions were added to the library, and all photos were reviewed for resolution (dots per inch, or dpi). This information is now displayed along with the image to allow users to identify high-quality images for large posters and presentations. In addition, the Image Library's new search capabilities eliminate the need for scrolling through images; users can now search by resolution or keyword, or by using newly structured navigation categories.



*Of approximately 5,000 international entries, only 13% receive the Crystal Award of Excellence.*



*Users now have the power of Google at their disposal to search [www.arm.gov](http://www.arm.gov).*

In another much-anticipated upgrade, the ARM website search engine was replaced by the industry leader, Google. The new search engine has greatly improved the efficiency and accuracy of ARM website search results. Google was chosen because it is easy to use, indexes PDFs, and can index multiple servers. Because of this capability, users can now see results from all the arm.gov servers, including the Data Archive and the XDC. Furthermore, specialized subject area collections were created to allow users to search a specified area of the website, including education, news, data quality reports, or field campaigns.



## 2005 Field Campaigns

Dates	Name	Status	Description
<b>North Slope of Alaska</b>			
September - October 2004	Mixed-Phase Arctic Cloud Experiment (M-PACE)	Completed	The purpose of the M-PACE was to understand the dynamics of mixed-phase arctic clouds. The main objectives of M-PACE were to (a) understand the microphysical processes and radiative transfer, (b) develop retrieval algorithms to provide critical measurements, and (c) provide the physical understanding necessary to parameterize mixed-phase arctic cloud processes. M-PACE took place at four sites, which included the NSA sites at Barrow and Atqasuk, and sites at Oliktok Point and Toolik Lake.
September - October 2004	M-PACE - Sassen Lidar	Completed	As part of the M-PACE field campaign, a polarization diversity lidar system, provided through the University of Alaska Fairbanks, was used to capture arctic cirrus cloud properties at two laser wavelengths (1.06 and 0.532 $\mu$ m).
September - October 2004	M-PACE - High Spectral Resolution Lidar (HSRL)	Completed	To measure calibrated optical depth and backscatter during M-PACE, an HSRL was provided through the University of Wisconsin. It was used to obtain vertical and calibrated profiles, backscatter cross sections, and depolarization at a 532-nm wavelength.
September - October 2004	Spectral Water Phase	Completed	The goal of this experiment was to better understand the radiative properties of clouds and infer liquid and ice paths. Spectral measurements of scattered sunlight at visible and near-infrared wavelengths were used to remotely estimate liquid and ice amounts in clouds. Techniques and liquid and ice-retrieval measurements were compared to those taken with the ARM microwave radiometer and AERI during M-PACE. These comparisons will increase the understanding of the radiative properties of clouds.
January 2005 - January 2006	High-Latitude Optical Turbulence Characterization	In Progress	The goals of this effort are to improve the NOAA Air Resources Laboratory Surface Layer Stability Transition Forecast Model and characterize the near-surface atmospheric optical turbulence over a flat, dry, high-latitude location. A scintillometer will measure solar effects through radiation sensors to help determine any latitudinal dependencies in the model. The results will be used to compare a low-humidity, high-latitude site to a low-humidity, mid-latitude site.
April - September 2005	Atmospheric Infrared Sounder Validation Soundings, Phase IV  (Also at TWP and SGP)	Completed; awaiting data	The aim of this ongoing experiment is to (a) provide in situ validation data for the development and testing of water vapor retrievals obtained from the Atmospheric Infrared Sounder (AIRS) sensor aboard NASA's Aqua satellite and (b) demonstrate and quantify the accuracy of water vapor retrieval algorithms. Because global water vapor distributions are important in the study of climate, passes from the AIRS instrument will be timed to coincide with additional radiosonde launches from TWP sites. This is a user support activity with funding provided by the user.
February - May 2005	Studies of the Northern Alaskan Coastal System	Completed	The objective of this NSF-funded experiment was to understand how halogen oxide concentrations change in the atmosphere and affect changes in ozone and mercury deposition. Differential optical absorption spectroscopy was used at the Atqasuk site to measure atmospheric concentrations of the reactive halogen gas, bromine monoxide. Data obtained through this experiment will be correlated with meteorological information from the ARM Data Archive and will be compared to a similar instrument installed in Barrow (at NSF/BASC facilities).
July - August 2005	Boundary Layer Cloud IOP	Completed; awaiting data	To test summertime arctic cloud climate models, rawinsondes will be launched every 4 hours at the Barrow and Atqasuk sites during this field campaign. Measurements will be taken to determine how the surface of the arctic land (a) changes the way low clouds absorb, reflect, and transmit solar and infrared radiation, and (b) controls the liquid water, droplet size, and physical dimensions of arctic clouds. This experiment will ultimately improve the understanding of the physical processes between clouds and the ground, and how that relationship influences climate change.

Southern Great Plains			
September - December 2004	Precision Gas Sampling (PGS) Validation	Completed	The purpose of the ongoing PGS validation study is to study the carbon cycle by measuring the carbon dioxide, water, and energy fluxes near the SGP Central Facility near Lamont, Oklahoma. Information obtained from this study will help quantify the CO <sub>2</sub> exchange between the atmosphere and two previously unobserved crop types (pasture and sorghum) during the dormant season.
October 2004	Surface Albedo IOP	Completed; awaiting data	The purpose of this field campaign was to (a) collect surface albedo spectra for representative surface types in the SGP site area, (b) gather information useful for conducting surface type classification from aerial/satellite remote sensing data, and (c) develop the detailed spectral model of surface reflectance over the SGP site for fall conditions. This information is required as boundary conditions for radiative transfer modeling, cloud and atmospheric dynamics modeling, and remote sensing, carbon, and hydrological studies.
March 2005 - February 2006	PGS Validation	In Progress	In an extension of the earlier study on crop systems, this field campaign will investigate the effects of burning on the cycles of carbon, water, and energy in an example of grazed land at the SGP site. Because the exchange of carbon, water, and energy varies with climate, soil, and land management, measurements of different land-cover types and management treatments are necessary to calibrate and test model predictions.
Summer 2005 - December 2008	Aircraft Carbon	In Progress	The goals of this field campaign are to acquire the ability to measure CO <sub>2</sub> concentrations and sample for a suite of trace gases, such as CO, CH <sub>4</sub> , <sup>13</sup> CO <sub>2</sub> , and <sup>14</sup> CO <sub>2</sub> , from the surface to mid-troposphere. Airborne measurements of trace gases will (a) provide valuable data for addressing carbon cycle questions that have been identified by the U.S. Climate Change Research Program and the North American Carbon Program, (b) facilitate the calibration of the NASA Orbiting Carbon Observatory, and (c) provide a basis from which to develop inverse methods to infer ecosystem carbon exchange and quantify anthropogenic combustion emissions.
June 2005	ARM Atmospheric Compensation	Completed	For this study, five panels were deployed to gather data for atmospheric compensation studies of hyperspectral images. Overflight data collected from DC3 aircraft with hyperspectral sensors will be used to characterize the atmosphere and compensate related imagery.
September 2005	Aerosol Lidar Validation Experiment (ALIVE)	Completed; awaiting data	In this field campaign the NASA Ames airborne tracking 14-channel sun photometer (AATS-14) was used to validate aerosol extinction profiles obtained from the Raman and micropulse lidar at SGP. The AATS-14 was flown aboard the Jetstream-31 aircraft to obtain the extinction vertical profiles and further validate the integrity of the historical Raman lidar aerosol extinction record. These measurements will also help evaluate the (In Situ Aerosol Profiling) IAP measurements after the IAP instruments are moved to a new aircraft.
Tropical Western Pacific			
December 2004 - February 2006	Darwin Lightning Detection	In Progress	The objective of this IOP is to characterize convection produced from lightning by using a VHF broadband digital interferometer (VHF BDITF) at the TWP Darwin site. Because electrical storms are common in the Darwin area and lightning is a useful indicator of convective strength, the instrument would (a) monitor the evolution and activity of a thunderstorm system, (b) add to the convective characterization component of lightning, and (c) complement the existing scanning centimeter radars. The VHF BDITF will enable the characterization of the lightning at a high resolution (1 microsecond) and will provide a new convective characteristic component that will complement existing measurements.
May - November 2005	Darwin Aerosol IOP II	In Progress	A CIMEL sun/sky radiometer deployed over the 2005 dry season will allow further inter-comparisons and validation of aerosol optical depths obtained from the multi-filter rotating shadowband radiometer operating at the Darwin site. Sky radiance retrievals will also be used to infer the microphysical aerosol properties needed to evaluate aerosol radiative forcing.
September 2005 - February 2006	Orbiting Carbon Observatory-Fourier Transform Spectrometer (FTS) Validation	In Progress	This field campaign involves deployment of a solar-viewing Bruker 125 HR FTS at the Darwin site to (a) validate space-based column CO <sub>2</sub> retrievals, (b) validate space-based measurements using a combination of in situ and remote sensing techniques, and (c) use a ground-based, solar-viewing, high-resolution FTS to retrieve atmospheric O <sub>2</sub> , CO <sub>2</sub> , CH <sub>4</sub> , CO, HF, and H <sub>2</sub> O measurements. The data from this field campaigns will yield better surface-pressure maps and aerosol climatologies, and aid in the validation of a high-profile NASA satellite mission.
ARM Mobile Facility			
March - September 2005	Marine Stratus Radiation Aerosol and Drizzle (MARAD) IOP	Completed; awaiting data	The AMF was deployed at Point Reyes National Seashore in California, to study the microphysical and radiative characteristics of marine stratus clouds, one of the most prevalent cloud types on the planet. Because marine stratus clouds are known to be susceptible to infusions of anthropogenic (human-produced) aerosols, the focus of this campaign was to investigate (a) the general relationships between cloud mesoscale structure, aerosols, cloud microphysics, drizzle, and radiation, and (b) the specific effect of aerosols on the discrepancy between the measured and modeled amount of solar radiation absorbed by these clouds.

June - September 2005	Cloud Study from the 2-Channel Narrow Field of View (2-NFOV) Radiometer at Point Reyes	Completed; awaiting data	In conjunction with the MASRAD field campaign, a ground-based 2NFOV radiometer will be used to validate an algorithm and capture local, rapid changes in 3D cloud structures at a 1-second time resolution. The ability to retrieve cloud optical depth in fully 3D situations will help cloud-radiation parameterizations and advance the understanding of cloud statistics with high temporal resolution. Extensive comparisons will be made with larger data sets from 2NFOV measurements at the SGP and Point Reyes sites.
June - August 2005	MASRAD - Aerosol Optical Properties	Completed; awaiting data	In conjunction with the MASRAD field campaign, this field campaign will deploy a suite of instruments, including a counter-flow virtual impactor (CVI), to measure the chemical, physical, and optical properties of cloud-free summertime aerosol. A number of different types of models, covering processes ranging from radiative transfer to marine aerosol microphysics to cloud droplet formation, will be used to interpret the measurements. Results from this study will be relevant to improving the parameterization of aerosol forcing (direct and indirect effect) in climate models.
June - August 2005	MASRAD: Sub-Micron Aerosol Measurements	Completed; awaiting data	In conjunction with the MASRAD field campaign, the objective of this field campaign is to carry out submicron aerosol (10-500-nm) size distribution measurement. A suite of instruments, which includes a counter-flow virtual impactor (CVI), will be deployed to Point Reyes, one of the foggiest places, to continuously sample cloud-free summertime aerosol. A number of different types of models, covering processes ranging from radiative transfer to marine aerosol microphysics to cloud droplet formation, will be used to interpret the measurements. Results from this study will be relevant to improving the parameterization of aerosol forcing (direct and indirect effect) in climate models.
June - July 2005	MASRAD: Marine Aerosol Properties	Completed; awaiting data	The purpose of this experiment is to measure the aerosol optical, physical, and chemical properties during cloud-free conditions at a marine site. A suite of instruments, which includes a CVI, will be deployed to the Point Reyes site, one of the foggiest places, to continuously sample cloud-free summertime aerosol. A number of different models, covering processes ranging from radiative transfer to marine aerosol microphysics to cloud droplet formation, will be used to interpret the measurements. Results from this study will be relevant to improving the parameterization of aerosol forcing (direct and indirect effect) in climate models.
July 2005	MASRAD: Cloud Condensation Nuclei (CCN) Chemistry Measurements	Completed; awaiting data	The objective of this campaign is to measure the chemical compositional differences between interstitial particles and cloud droplet kernels of fog or stratus by (a) measuring the fraction of cloud droplet kernels that are CCN-active over a range of super-saturations, and (b) obtaining data on composition and single particles to determine elemental composition and morphology. The information on aerosol chemical characterization and its relationship to CCN activity could be used to develop better parameterizations for cloud modeling.
July 2005	Pt. Reyes Stratus Cloud and Drizzle Study	Completed; awaiting data	The goals of this study are to (a) compare a newly installed micropulse lidar with the ARM micropulse lidar, (b) determine the effectiveness of the micropulse lidar in detecting aerosol movement below and into stratus clouds, and (c) use a radar wind profiler and sodar to continuously measure wind profiles and mixed layer height and development. Wind profiles will be measured in situ with aircraft to aid in determining the modifications of aerosols by cloud processes. The sodar and profiler will provide continuous knowledge of the processes affecting cloud development.
<b>Off-Site Campaigns</b>			
February - October 2005	Loan of Filters	Completed	In this campaign, Service d'Aeronomie of Paris, France, conducted a series of tests on a Raman lidar system to develop a mobile Raman lidar for the remote sensing of water vapor in the troposphere during the daytime. Water vapor measurements of cumulus cloud formations and aerosol-water vapor interactions were made at the French experimental site for atmospheric research. These measurements provide reference humidity observations for the validation of various ground-based and spaceborne remote sensing techniques.
April - June 2005	Rain Microphysics Study with Disdrometer and Polarization Radar	Completed	The NCAR video disdrometer was installed at the Kessler farm near the Purcell Boundary Facility at the SGP to (a) verify KOUN polarimetric radar measurements, (b) develop retrieval algorithms for raindrop size distribution, (c) study rain microphysics, and (d) derive improved parameterization schemes for numerical weather prediction (NWP) models. Because understanding rain microphysics is important for accurate rainfall rate estimation and for improving parameterization in NWP models, these data will be utilized to improve rainfall estimation, make numerical weather forecasts, and help in the understanding of microphysical processes.
<b>Special Data Set Requests</b>			
Fall 2005	Study of Environmental Arctic Change (SEARCH) Data Archival	In Progress	NOAA is deploying a climate-monitoring site in Eureka, Canada, as part of the SEARCH Program in an effort to duplicate the Barrow site at the NSA in terms of instruments, data streams, and data formats. Because data sets would be similar to those in the ARM and SEARCH data sets, a combined archive would be used to create a comparison to facilitate arctic research.



# FY 2005 Publications

## Journal Articles

Abdul-Razzak, H, and SJ Ghan. 2005. "Influence of slightly soluble organics on aerosol activation." *Journal of Geophysical Research* 110, D06206, doi:10.1029/2004JD005324.

Ackerman, TP, AJ Braverman, DJ Diner, TL Anderson, RA Kahn, JV Martonchik, JE Penner, PJ Rasch, BA Wielicki, and B Yu. 2004. "Integrating and interpreting aerosol observations and models within the PARAGON framework." *Bulletin of the American Meteorological Society* 85(10):1523-1533.

Alexandrov, MD, BE Carlson, AA Lacis, and B Cairns. 2005. "Separation of fine and coarse aerosol modes in MFRSR data sets." *Journal of Geophysical Research* 110, D13204, doi:10.1029/2004JD005226.

Arnett, W, K Hamasha, H Moosmüller, P Sheridan, and J Ogren. 2005. "Towards aerosol light-absorption measurements with a 7-wavelength aethalometer: Evaluation with a photoacoustic instrument and 3-wavelength nephelometer." *Aerosol Science and Technology* 39:17-29.

Barker, HW, C Pavloski, M Ovtchinnikov, and EE Clothiaux. 2004. "Assessing a cloud optical depth retrieval algorithm with model-generated data and the frozen turbulence assumption." *Journal of the Atmospheric Sciences* 61:2951-2956.

Benkovitz, CM, SE Schwartz, MP Jensen, MA Miller, RC Easter, and TS Bates. 2004. "Modeling atmospheric sulfur over the northern hemisphere during the aerosol characterization experiment 2 experimental period." *Journal of Geophysical Research* 109, D22207, doi:10.1029/2004JD004939.

Berendes, TA, DA Berendes, RM Welch, EG Dutton, T Uttal, and EE Clothiaux. 2004. "Cloud cover comparisons of the MODIS daytime cloud mask with surface instruments at the North Slope of Alaska ARM site." *IEEE Transactions on Geoscience and Remote Sensing* 42:2584-2593.

Berg, LK, and R Stull. 2005. "A simple parameterization coupling the convective daytime boundary layer and fair-weather cumuli." *Journal of the Atmospheric Sciences* 62:1976-1988.

Boyle, J, D Williamson, R Cederwall, M Fiorino, J Hnilo, J Olson, Phillips T, G Potter, and S Xie. 2005. "Diagnosis of Community Atmospheric Model 2 (CAM2) in numerical weather forecast configuration at Atmospheric Radiation Measurement sites." *Journal of Geophysical Research* 110, D15S15, doi:10.1029/2004JD005042.

Cahalan, RF, L Oreopoulos, A Marshak, KF Evans, AB Davis, R Pincus, KH Yetzer, B Mayer, R Davies, TP Ackerman, HW Barker, E Clothiaux, RG Ellingson, MJ Garay, E Kassianov, S Kinne, A Macke, W O'Hirok, PT Partain, SM Prigarin, A Rublev, GL Stephens, F Szczap, EE Takara, T Várnai, G Wen, and TB Zhuravleva. 2005. "THE I3RC: Bringing together the most advanced radiative transfer tools for cloudy atmospheres." *Bulletin of the American Meteorological Society* 86:1275-1293.

Cheng, A. 2005. "Organization of mesoscale convective systems: 1. Numerical experiments." *Journal of Geophysical Research* 110, D15S11, doi:10.1029/2004JD005444.

Cheng, A. 2005. "Organization of mesoscale convective systems: 2. Linear theory." *Journal of Geophysical Research* 110, D15S12, doi:10.1029/2004JD005450.

Chepfer, H, V Noel, P Minnis, D Baumgardner, L Nguyen, G Raga, and P Yang. 2005. "Particle habit in tropical ice clouds during CRYSTAL-FACE: Comparison of two remote sensing techniques with in situ observations." *Journal of Geophysical Research* 110, D16204, doi:10.1029/2004JD005455.

Clough, SA, MW Shephard, EJ Mlawer, JS Delamere, MJ Iacono, K Cady-Pereira, S Boukabara, and PD Brown. 2005. "Atmospheric radiative transfer modeling: A summary of the AER codes, Short Communication." *Journal of Quantitative Spectroscopy Radiative Transfer* 91:233-244.

Cole, JNS, HW Barker, DA Randall, MF Khairoutdinov, and EE Clothiaux. 2005. "Global consequences of interactions between clouds and radiation at scales unresolved by global climate models." *Geophysical Research Letters* 32, L06703, doi:10.1029/2004GL020945.

Curry, JA, JM Maslanik, GJ Holland, and JO Pinto. 2004. "Applications of aerosondes in the Arctic." *Bulletin of the American Meteorological Society* 85:1855-1861.

Del Genio, AD, AB Wolf, and M-S Yao. 2005. "Evaluation of regional cloud feedbacks using single-column models." *Journal of Geophysical Research* 110, D15S13, doi:10.1029/2004JD005011.

Demoz, BB, D Starr, D Whiteman, G Schwemmer, KD Evans, A Lare, RA Ferrare, JEM Goldsmith, and SE Bisson. 2005. "The cold front of 15 April 1994 over the central United States. Part I: Observations." *Monthly Weather Review* 133:1525-1543.

Diner, DJ, TP Ackerman, TL Anderson, J Bosenberg, AJ Braverman, RJ Charlson, WD Collins, R Davies, BN Holben, CA Hostetler, RA Kahn, JV Martonchik, RT Menzies, MA Miller, J Ogren, J Penner, PJ Rasch, SE Schwartz, JH Seinfeld, GL Stephens, O Torres, LD Travis, BA Wielicki, and B Yu. 2004. "PARAGON: An integrated approach for characterizing aerosol climate impacts and environmental interactions." *Bulletin of the American Meteorological Society* 85:1491-1501.

Diner, DJ, RT Menzies, RA Kahn, TL Anderson, J Bosenberg, RJ Charlson, BN Holben, CA Hostetler, and MA Miller. 2004. "Using the PARAGON framework to establish an accurate, consistent, and cohesive long-term aerosol record." *Bulletin of the American Meteorological Society* 85:1535-1548.

Dong, X, P Minnis, and B Xi. 2005. "A climatology of midlatitude continental clouds from the ARM SGP central facility: Part I: Low-level cloud macrophysical, microphysical, and radiative properties." *Journal of Climate* 18:1391-1410.

Duan, M, Q Min, and J Li. 2005. "A fast radiative transfer model for simulating high-resolution absorption bands." *Journal of Geophysical Research* 110, D15201, doi:10.1029/2004JD005590.

Ferrare, RA, EV Browell, S Ismail, S Kooi, LH Brasseur, VG Brackett, MB Clayton, JDW Barrick, GS Diskin, JEM Goldsmith, BM Lesht, JR Podolske, GW Sachse, FJ Schmidlin, DD Turner, DN Whiteman, D Tobin, L Miloshevich, HE Rivercomb, BB Demoz, and P Di Girolamo. 2004. "Characterization of upper tropospheric water vapor measurements during AFWEX using LASE." *Journal of Atmospheric and Oceanic Technology* 21:1790-1808.

Gianelli, SM, BE Carlson, and AA Lacis. 2005. "Aerosol retrievals using rotating shadowband spectroradiometer data." *Journal of Geophysical Research* 110, D05203, doi:10.1029/2004JD005329.

Goering, CD, TS L'Ecuyer, GL Stephens, JL Slusser, and J Davis. 2005. "Simultaneous retrievals of column ozone and aerosol optical properties from direct and diffuse solar irradiance measurements." *Journal of Geophysical Research* 110, D05204, doi:10.1029/2004JD005330.

Gordon, ND, J Norris, C Weaver, and S Klein. 2005. "Cluster analysis of cloud regimes and characteristic dynamics of midlatitude synoptic systems in observations and a model." *Journal of Geophysical Research* 110, D15S17, doi:10.1029/2004JD005027.

Halthore, RN, D Crisp, SE Schwartz, GP Anderson, Berk A, B Bonnel, O Boucher, F-L Chang, M-D Chou, EE Clothiaux, P Dubuisson, B Fomin, Y Foucart, S Freidenreich, C Gautier, S Kato, I Lazlo, Z Li, JH Mather, A Plana-Fattori, V Ramaswamy, P Ricchiazzi, Y Siren, A Trishchenko, and W Wiscombe. 2005. "Intercomparison of shortwave radiative transfer codes and measurements." *Journal of Geophysical Research* 110, D11206, doi:10.1029/2004JD005293.

Hamilton, K, R Vincent, and PT May. 2004. "Darwin area wave experiment (DAWEX) field campaign to study gravity wave generation and propagation." *Journal of Geophysical Research* 109, D20S01, doi:10.1029/2003JD004393.

# ARM Climate Research Facility Annual Report - 2005

Hartmann, CM, and JY Harrington. 2005. "Radiative impacts on the growth of drops within simulated marine stratocumulus. Part I: Maximum solar heating." *Journal of the Atmospheric Sciences* 62:2323-2338.

Hartman, CM, and JY Harrington. 2005. "Radiative impacts on the growth of drops within simulated marine stratocumulus. Part II: Solar zenith angle variations." *Journal of the Atmospheric Sciences* 62:2339-2351.

Hinkelman, L, B Stevens, and K Franklin. 2005. "A large-eddy simulation study of anisotropy in fair-weather cumulus cloud fields." *Journal of the Atmospheric Sciences* 62:2155-2171.

Huang, J, P Minnis, B Lin, Y Yi, MH Khaiyer, RF Arduini, A Fan, and G Mace. 2005. "Advanced retrievals of multilayered cloud properties using multispectral measurements." *Journal of Geophysical Research* 110, D15S18, doi:10.1029/2004JD005101.

Hume, T, and C Jakob. 2005. "Ensemble single column modeling (ESCM) in the tropical western Pacific: Forcing data sets and uncertainty analysis." *Journal of Geophysical Research* 110, D13109, doi:10.1029/2004JD005704.

Jakob, C, G Tselioudis, and T Hume. 2005. "The radiative, cloud, and thermodynamic properties of the major Tropical Western Pacific cloud regimes." *Journal of Climate* 18:1203-1215.

Kahn, RA, JA Ogren, TP Ackerman, J Bosenberg, RJ Charlson, DJ Diner, BN Holben, RT Menzies, MA Miller, and JH Seinfeld. 2004. "Aerosol data sources and their roles within PARAGON." *Bulletin of the American Meteorological Society* 85:1511-1522.

Kassianov, E, TP Ackerman, and P Kollias. 2005. "The role of cloud-scale resolution on radiative properties of oceanic cumulus clouds." *Journal of Quantitative Spectroscopy and Radiative Transfer* 91:211-226.

Kassianov, EI, J Barnard, and TP Ackerman. 2005. "Retrieval of aerosol microphysical properties using surface multifilter rotating shadowband radiometer (MFRSR) data: Modeling and observations." *Journal of Geophysical Research* 110, D09201, doi:10.1029/2004JD005337.

Kassianov, EI, CN Long, and J Christy. 2005. "Cloud-base-height estimation from paired ground-based hemispherical observations." *Journal of Applied Meteorology* 44:1221-1233.

Kassianov, E, CN Long, and M Ovtchinnikov. 2005. "Cloud sky cover versus cloud fraction: Whole-sky simulations and observations." *Journal of Applied Meteorology* 44:86-98.

Khvorostyanov, VI, and JA Curry. 2004. "The theory of ice nucleation by heterogeneous freezing of deliquescent mixed CCN. Part I: Critical radius, energy, and nucleation rate." *Journal of the Atmospheric Sciences* 61:2676-2691.

Kiehl, JT, and PR Gent. 2004. "The community climate system model, Version 2." *Journal of Climate* 17:3666-3682.

Knuteson, RO, FA Best, NC Ciganovich, RG Dedecker, TP Dirkx, S Ellington, WF Feltz, RK Garcia, RA Herbsleb, HB Howell, HE Revercomb, WL Smith, and JF Short. 2004. "Atmospheric emitted radiance interferometer (AERI): Part I: Instrument design." *Journal of the Atmospheric Oceanic Technology* 21:1763-1777.

Knuteson, RO, FA Best, NC Ciganovich, RO Dedecker, TP Dirkx, S Ellington, WF Feltz, RK Garcia, RA Herbsleb, HB Howell, HE Revercomb, WL Smith, and JF Short. 2004. "Atmospheric emitted radiance interferometer (AERI): Part II: Instrument performance." *Journal of Atmospheric Oceanic Technology* 21:1777-1789.

Knyazikhin, Y, RB Myneni, A Marshak, WJ Wiscombe, ML Larsen, and JV Martonchik. 2005. "Small-scale drop size variability: Impact on estimation of cloud optical properties." *Journal of the Atmospheric Sciences* 62:2555-2567.

Kogan, ZN, DB Mechem, and YL Kogan. 2005. "Assessment of variability in continental low stratiform clouds based on observations of radar reflectivity." *Journal of Geophysical Research* 110, D18205, doi:10.1029/2005JD006158.

Kollias, P, EE Clothiaux, BA Albrecht, MA Miller, KP Moran, and KL Johnson. 2005. "The Atmospheric Radiation Measurement Program cloud profiling radars: An evaluation of signal processing and sampling strategies." *Journal of Applied Meteorology* (in press).

Kratz, DP, MG Mlynczak, CJ Mertins, H Brindley, LL Gordley, J Martin-Torres, FM Miskolczi, and DD Turner. 2004. "An inter-comparison of far-infrared line-by-line radiative transfer models." *Journal of Quantitative Spectroscopic Radiative Transfer* 90:323-341.

Leung, LR, and WI Gustafson Jr. 2005. "Potential regional climate change and implications to U.S. air quality." *Geophysical Research Letters* 32, L16711, doi:10.1029/2005GL022911.

Li, J, and HW Barker. 2005. "A radiation algorithm with correlated-k distribution. Part I: Local thermal equilibrium." *Journal of the Atmospheric Sciences* 62:286-309.

Li, Z, MC Cribb, F-L Chang, AP Trishchenko, and Y Luo. 2005. "Natural variability and sampling errors in solar radiation measurements for model validation over the Atmospheric Radiation Measurement Southern Great Plains region." *Journal of Geophysical Research* 110(D15):D15S19, doi:10.1029/2004JD005028.

Lin, WY, and MH Zhang. 2004. "Evaluation of clouds and their radiative effects simulated by the NCAR Community Atmospheric Model CAM2 against satellite observations." *Journal of Climate* 17:3302-3318.

Liu, G. 2004. "Approximation of single scattering properties of ice and snow particles for high microwave frequencies." *Journal of the Atmospheric Sciences* 61:2441-2456.

Liu, X, J Penner, and M Herzog. 2005. "Global modeling of aerosol dynamics: Model description, evaluation, and interactions between sulfate and nonsulfate aerosols." *Journal of Geophysical Research* 110, D18206, doi:10.1029/2004JD005674.

Liu, Y, P Daum, and RL McGraw. 2005. "Size truncation effect, threshold behavior, and a new type of autoconversion parameterization." *Geophysical Research Letters* 32, L11811, doi:10.1029/2005GL022636.

Luo, Y, A Trishchenko, R Latifovic, and Z Li. 2005. "Surface bidirectional reflectance and albedo properties derived using a land cover-based approach with moderate resolution imaging spectroradiometer observations." *Journal of Geophysical Research* 110, D01106, doi:10.1029/2004JD004741.

Mace, GG, Y Zhang, S Platnick, MD King, P Minnis, and P Yang. 2005. "Evaluation of cirrus cloud properties derived from MODIS radiances using cloud properties derived from ground-based data collected at the ARM SGP site." *Journal of Applied Meteorology* 44:221-240.

Marchand, RT, and TP Ackerman. 2004. "Evaluation of radiometric measurements from the NASA multiangle imaging spectroradiometer (MISR): Two- and three-dimensional radiative transfer modeling of an inhomogeneous stratocumulus cloud deck." *Journal of Geophysical Research* 109, D18208, doi:10.1029/2004JD004710.

Marshak, A, Yu Knyazikhin, KD Evans, and WJ Wiscombe. 2004. "The 'RED versus NIR' plane to retrieve broken-cloud optical depth from ground-based measurements." *Journal of the Atmospheric Sciences* 61:1911-1925.

Mather, JM. 2005. "Seasonal variability in clouds and radiation at the Manus ARM site." *Journal of Climate* 18:2417-2428.

Mattioli, V, ER Westwater, SI Gutman, and VR Morris. 2005. "Forward model studies of water vapor using scanning microwave radiometers, global positioning system, and radiosondes during the Cloudiness Intercomparison Experiment." *IEEE Transactions on Geoscience and Remote Sensing* 43:1012-1021.

May, PT, and TD Keenan. 2005. "Evaluation of microphysical retrievals from polarimetric radar with wind profiler data." *Journal of Applied Meteorology* 44:827-838.

McFarlane, SA, and KF Evans. 2004. "Clouds and shortwave fluxes at Nauru. Part II: Shortwave flux closure." *Journal of the Atmospheric Sciences* 61:2602-2615.

McFarlane, SA, CN Long, and DM Flynn. 2005. "Impact of island-induced clouds on surface measurements: Analysis of the ARM Nauru Island Effect study data." *Journal of Applied Meteorology* 44:1045-1065.

McFarlane, SA, RT Marchand, and TP Ackerman. 2005. "Retrieval of cloud phase and crystal habit from multiangle imaging spectroradiometer (MISR) and moderate resolution imaging spectroradiometer (MODIS) data." *Journal of Geophysical Research* 110, D14201, doi:10.1029/2004JD004831.

McFarquhar, GM, and SG Cober. 2004. "Single-scattering properties of mixed-phase arctic clouds at solar wavelengths: Impacts on radiative transfer." *Journal of Climate* 17:3799-3813.

Michalsky, JJ, R Dolce, EG Dutton, M Haeffelin, W Jeffries, T Stoffel, J Hickey, A Los, D Mathias, LJB McArthur, D Nelson, R Philipona, I Reda, K Rutledge, G Zerlaut, B Forgan, P Kiedron, C Long, and C Guemard. 2005. "Toward the development of a diffuse horizontal shortwave irradiance working standard." *Journal of Geophysical Research* 110, D06107, doi:10.1029/2004JD005265.

Miguel-Machado, G, G Stenchikov, and A Robock. 2005. "Regional climate simulations over North America: Interaction of local processes with improved large-scale flow." *Journal of Climate* 18:1227-1246.

Miller, MA, KD Knobelspiesse, R Frouin, MJ Bartholomew, RM Reynolds, C Pietras, G Fargion, P Quinn, and F Thiculeux. 2005. "Analysis of shipboard aerosol optical thickness measurements from multiple sun photometers aboard the R/V Ronald H. Brown during ACE-Asia." *Journal of Applied Optics* (accepted).

Min, Q. 2005. "Impacts of aerosols and clouds on forest-atmosphere carbon exchange." *Journal of Geophysical Research* 110, D06203, doi:10.1029/2004JD004858.

Moosmüller, H, R Varma, and W Arnott. 2005. "Cavity ring-down and cavity-enhanced detection techniques for the measurement of aerosol extinction." *Aerosol Science and Technology* 39:30-39.

Morrion, H, JA Curry, MD Shupe, and P Zuidema. 2005. "A new double-moment microphysics parameterization for application in cloud and climate models. Part II: Single-column modeling of arctic clouds." *Journal of the Atmospheric Sciences* 62:1678-1693.

Naud, CM, J-P Muller, EC Slack, CL Wrench, and EE Clothiaux. 2005. "Assessment of the performance of the Chilbolton 3-GHz advanced meteorological radar for cloud-top-height retrieval." *Journal of Applied Meteorology* 44:876-887.

Noel, V, and K Sassen. 2005. "Study of planar ice crystal orientations in ice clouds from scanning polarization lidar observations." *Journal of Applied Meteorology* 44:653-664.

Nousiainen, T, and GM McFarquhar. 2004. "Light scattering by quasi-spherical ice crystals." *Journal of the Atmospheric Sciences* 61:2229-2248.

Ovtchinnikov, M, and SJ Ghan. 2005. "Parallel simulations of aerosol influence on clouds using cloud-resolving and single-column models." *Journal of Geophysical Research* 110(D15):D15S10.

Pavolonis, MJ, AK Heidinger, and T Uttal. 2005. "Daytime global cloud typing from AVHRR and VIIRS: Algorithm description, validation, and comparisons." *Journal of Applied Meteorology* 44:804-826.

Pawlak, DT, EJ Clothiaux, MF Modest, and JNS Cole. 2004. "Full-spectrum correlated-k distribution for shortwave atmospheric radiative transfer." *Journal of the Atmospheric Sciences* 61:2588-2601.

Petzold, A, H Schloesser, P Sheridan, W Arnott, J Ogren, and A Virkkula. 2005. "Evaluation of multiangle absorption photometry for measuring aerosol light absorption." *Aerosol Science and Technology* 39:40-51.

Polonsky, I, SP Love, and AB Davis. 2005. "Wide-angle imaging lidar deployment at the ARM Southern Great Plains site: Intercomparison of cloud property retrievals." *Journal of Atmospheric and Oceanic Technology* 22:628-648.

Racette, PE, EJ Kim, J Wang, ER Westwater, M Klein, V Leuski, Y Han, A Gasiewski, D Cimini, D Jones, W Manning, and P Kiedron. 2005. "Measurement of low amounts of precipitable water vapor using ground-based millimeterwave radiometry." *Journal of Atmospheric and Oceanic Technology* 22:317-337.

Rotstain, LD, and Y Liu. 2005. "A smaller global estimate of the second indirect aerosol effect." *Geophysical Research Letters* 32, L05708, doi:10.1029/2004GL021922.

Sabbagh, JM, and CN Long. 2004. "Improved sky imaging for studies of enhanced UV irradiances." *Atmospheric Chemistry and Physics* 4:2543-2552.

Sassen, K. 2005. "Dusty ice clouds over Alaska." *Nature* 434(7032):456-459.

Schmitt, C, and A Heymsfield. 2005. "Total surface area estimates for individual ice particles and particle populations." *Journal of Applied Meteorology* 44:467-474.

Seinfeld, JH, RA Kahn, TL Anderson, RJ Charlson, R Davies, DJ Diner, SE Schwartz, and B Wielicki. 2004. "Scientific objectives, measurement needs, and challenges motivating the PARAGON aerosol initiative." *Bulletin of the American Meteorological Society* 85:1503-1509.

Sengupta, M, E Clothiaux, and TP Ackerman. 2004. "Climatology of warm boundary layer clouds at the ARM SGP site and their comparison to models." *Journal of Climate* 17:4760-4782.

Seo, E-K, and G Liu. 2005. "Retrievals of cloud ice water path by combining ground cloud radar and satellite high-frequency microwave measurements near the ARM SGP site." *Journal of Geophysical Research* 110, D14203, doi:10.1029/2004JD005272.

Sheridan, P, W Arnott, J Ogren, E Andrews, D Atkinson, D Covert, H Moosmüller, A Petzold, B Schmid, A Strawa, R Varma, and A Virkkula. 2005. "The Reno Aerosol Optics Study: An evaluation of aerosol absorption measurement methods." *Aerosol Science and Technology* 39:1-16.

Stephens, GL. 2005. "Cloud feedback in the climate system: A critical review." *Journal of Climate* 18:237-273.

Stephens, GL, PL Webster, RH Johnson, R Engelen, and TS L'Ecuyer. 2004. "Observational evidence for the mutual regulation of the tropical hydrological cycle and tropical sea surface temperatures." *Journal of Climate* 17:2213-2224.

Stephens, GL, N Wood, and P Gabriel. 2004. "An assessment of the parameterization of sub-grid scale cloud effects on radiative transfer I: Vertical overlap." *Journal of the Atmospheric Sciences* 61:715-732.

Tian, B, I Held, N-C Lau, and BJ Soden. 2005. "Diurnal cycle of summertime deep convection over North America: A satellite perspective." *Journal of Geophysical Research* 110, D08108, doi:10.1029/2004JD005275.

Turner, DD. 2005. "Arctic mixed-phase cloud properties from AERI-lidar observations: Algorithm and results from SHEBA." *Journal of Applied Meteorology* 44:427-444.

Turner, DD, and RE Holz. 2005. "Retrieving cloud fraction in the field-of-view of a high-spectral resolution infrared radiometer." *IEEE Geoscience and Remote Sensing Letters*, 2(3):287-291.

Turner, DD, TR Shippert, DC Tobin, RO Knuteson, HE Revercomb, SA Clough, PD Brown, EJ Mlawer, MW Shephard, RG Ellingson, and WL Smith. 2004. "The QME AERI LBLRTM: A closure experiment for downwelling high spectral resolution infrared radiance." *Journal of the Atmospheric Sciences* 61:2657-2675.

# ARM Climate Research Facility Annual Report - 2005

Virkkula, A, N Ahlquist, D Covert, W Arnott, P Sheridan, P Quinn, and D Coffman. 2005. "Modification, calibration and a field test of an instrument for measuring light absorption by particles." *Aerosol Science and Technology* 39:68-83.

Virkkula, A, N Ahlquist, D Covert, P Sheridan, W Arnott, and J Ogren. 2005. "A three-wavelength optical extinction call for measuring aerosol light extinction and its application to determining light absorption coefficient." *Aerosol Science and Technology* 39:52-67.

Weaver, CP, JR Norris, ND Gordon, and SA Klein. 2005. "Dynamical controls on sub-global climate model grid-scale cloud variability for Atmospheric Radiation Measurement Program (ARM) case 4." *Journal of Geophysical Research* 110, D15S05, doi:10.1029/2004JD005022.

Westwater, ER. 2005. "Surface-based microwave and millimeter wave radiometric remote sensing of the troposphere: A tutorial." *IEEE Geoscience and Remote Sensing Newsletter* #134:16-33.

Whiteway, J, C Cook, T Choularton, J Harries, P Connolly, R Busen, K Bower, M Flynn, P May, R Aspey, and J HackeWr. 2004. "Anatomy of cirrus clouds: Results from the Emerald airborne campaigns." *Geophysical Research Letters* 31, L24102, doi:10.1029/2004GL021201.

Wild, MF, H Gilgen, A Roesch, A Ohmura, CN Long, EG Dutton, BW Forgan, A Kallis, V Russak, and A Tsvetkov. 2005. "From dimming to brightening: Decadal changes in solar radiation at earth's surface." *Science* 308:847-850.

Williamson, DL, J Boyle, R Cederwall, M Fiorino, J Hnilo, J Olson, T Phillips, G Potter, and SC Xie. 2005. "Moisture and temperature balances at the Atmospheric Radiation Measurement Southern Great Plains Site in forecasts with the Community Atmosphere Model (CAM2)." *Journal of Geophysical Research* 110, D15S16, doi:10.1029/2004JD005109.

Wood, N, PM Gabriel, and GL Stephens. 2005. "An assessment of the parameterization of subgrid-scale cloud effects on radiative transfer. Part II: Horizontal inhomogeneity." *Journal of the Atmospheric Sciences* 62:2895-2909.

Xie, S, M Zhang, M Branson, RT Cederwall, AD Del Genio, ZA Eitzen, SJ Ghan, SF Iacobellis, KL Johnson, M Khairoutdinov, SA Klein, SK Krueger, W Lin, U Lohmann, M Miller, DA Randall, RCJ Somerville, YC Sud, GK Walker, A Wolf, X Wu, K-M Xu, JJ Yio, G Zhang, and J Zhang. 2005. "Simulations of midlatitude frontal clouds by single-column and cloud-resolving models during the Atmospheric Radiation Measurement March 2000 cloud intensive operational period." *Journal of Geophysical Research* 110, D15S03, doi:10.1029/2004JD005119.

Xu, K-M. 2005. "The sensitivity of diagnostic radiative properties to cloud microphysics among cloud-resolving model simulations." *Journal of the Atmospheric Sciences* 62:1241-1254.

Xu, K-M, M Zhang, Z Eitzen, S Ghan, S Klein, X Wu, S Xie, M Branson, A Del Genio, S Iacobellis, M Khairoutdinov, W Lin, U Lohmann, DA Randall, RJ Somerville, Y Sud, G Walker, AB Wolf, J Yio, and J Zhang. 2005. "Modeling springtime shallow frontal clouds with cloud-resolving and single-column models." *Journal of Geophysical Research* 110, D15S04, doi:10.1029/2004JD005153.

Zamora, R, E Dutton, M Trainer, S McKeen, JM Wilczak, and Y-T Hou. 2005. "The accuracy of solar irradiance calculations used in mesoscale numerical weather prediction." *Monthly Weather Review* 133:783-792.

Zhang, J, U Lohmann, and P Stier. 2005. "A microphysical parameterization for convective clouds in the ECHAM5 climate model: Single-column model results evaluated at the Oklahoma Atmospheric Radiation Measurement program site." *Journal of Geophysical Research* 110, D15S07, doi:10.1029/2004JD005128.

Zhang, M, W Lin, SA Klein, J Bacmeister, S Bony, RT Cederwall, AD Del Genio, J Hack, NG Loeb, U Lohmann, P Minnis, I Musat, R Pincus, P Stier, MJ Suarez, MJ Webb, JB Wu, SC Xie, M-S Yao, and JH Zhang. 2005. "Comparing clouds and their seasonal variations in 10 atmospheric general circulation models with satellite measurements." *Journal of Geophysical Research* 110, D15S02, doi:10.1029/2004JD005021.

## Conference Proceedings

Ackerman, TP, SJ Ghan, RT Marchand, M Ovtchinnikov, and AS Koontz. 2005. "Comparison of the multi-scale modeling framework and the NCAR CAM with observations along a Pacific Ocean transect." In *Proceedings of the 85th American Meteorological Society (AMS) Annual Meeting*, American Meteorological Society, San Diego, California.

Ackerman, TP, and CN Long. 2005. "A surface based climatology of irradiance, cloud effect and cloud amount at the ARM sites." In *Proceedings of the 85th American Meteorological Society (AMS) Annual Meeting*, American Meteorological Society, San Diego, California.

Alexandrov, M, B Cairns, BE Carlson, and AA Lacis. 2005. "Fine and coarse mode aerosols in Southern Great Plains multi-filter rotating shadowband radiometer data sets." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Arduini, RT, P Minnis, JK Ayers, MM Khaiyer, WL Smith Jr., and PW Heck. 2005. "Sensitivity of satellite-retrieved cloud properties to the spectral dispersion of cloud droplet distribution." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Avramov, A, VT Yannuzzi, PQ Olsson, CP Bahrman, JY Harrington, and J Verlinde. 2005. "Mesoscale modeling during MPACE." In *Proceedings of the 85th American Meteorological Society (AMS) Annual Meeting*, American Meteorological Society, San Diego, California.

Ayers, JK, P Minnis, R Palikonda, P Heck, and R Arduini. 2005. "Evaluation of cloud properties derived from dual-view satellite data over the continental United States." In *Proceedings of the Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Bauer, M, and AD Del Genio. 2005. "Composite analysis of winter cyclones in a general circulation model: influence on climatological humidity." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Berg, LK, and RB Stull. 2005. "A new parameterization framework for boundary-layer cumuli." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Cairns, B, A Lacis, B Carlson, and M Alexandrov. 2005. "Inversion of multi-angle radiation measurements." In *Proceedings of the Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Chang, F-L, and Z Li. 2005. "A comparison of the global surveys of high, mid, and low clouds from satellites and general circulation models." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Chang, F-L, Z Li, and E Clothiaux. 2005. "Comparing the overlapped cloud top altitudes deduced from a satellite-based retrieval scheme with atmospheric radiation measurement ground-based measurement." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Charlock, TP, FG Rose, DA Rutan, DA Coleman, LH Caldwell, T Caldwell, and S Zentz. 2005. "Global, multi-year analysis of clouds and earth's radiant energy system Terra observations and radiative transfer calculations." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Chiriaco, M, M Haeflalin, Y Wanherdrick, H Chepfer, R Vautard, Y Morille, A Protat, and J Duhia. 2005. "The ability of MM5 to simulate ice clouds: systematic comparison between simulated and measured fluxes and lidar/radar profiles at SIRTA Atmospheric Observatory." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Cimini, D, M Klein, ER Westwater, V Leuski, A Gasiewski, and S Dowlatshahi. 2005. "Ground-based scanning radiometer measurements during the water vapor intensive operational period 2004: A valuable new data set for the study of the Arctic Atmosphere." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Cook, DR. 2005. "Bulk aerodynamic energy balance Bowen ratio value-added product corrections and energy balance Bowen ratio CR10 program improvements." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Daum, PH, and Y Liu. 2005. "Generalized expressions for effective radius, cloud radiative properties and their application to studies of the first indirect aerosol effect." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Deeter, M, and J Vivekanandan. 2005. "New technique for retrieving liquid water path over land using satellite microwave observations." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Dykema, JA, S Leroy, BF Farrell, JG Anderson, D Tobin, RO Knuteson, H Revercomb, and X Huang. 2005. "Confronting models with ARM data: A statistical comparison of SGP AERI radiance spectra and global climate models output." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Ferrare, RA, M Clayton, DD Turner, M Chin, S Guibert, and M Schulz. 2005. "The vertical distribution of aerosols over the Atmospheric Radiation Measurement Southern Great Plains Site: Measured vs. modeled." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Ferrare, RA, DD Turner, M Clayton, R Covert, R Elleman, H Jonsson, B Schmid, J Redemann, J Ogren, E Andrew, M Chin, I Brooks, S Guibert, and M Schultz. 2005. "Raman lidar measurements of aerosols and water vapor over the Southern Great Plains." In *Proceedings of the 85th American Meteorological Society (AMS) Annual Meeting*, American Meteorological Society, San Diego, California.

Fridlind, A, A Ackerman, S Menon, and I Sednev. 2005. "Factors controlling the properties of multi-phase arctic stratocumulus clouds." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Greenberg, SD, and JY Harrington. 2005. "LES simulations of roll clouds observed during the mixed-phase arctic cloud experiment." In *Proceedings of the Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Guo, H, JE Penner, and M Herzog. 2005. "Investigation of the impact of aerosols on clouds during the 2003 Aerosol Intensive Operational Period at the Southern Great Plains." In *Proceedings of the Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Hall, ML, and AB Davis. 2005. "Progress towards higher-fidelity yet efficient modeling of radiation energy transport through three-dimensional clouds." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Hinkelman, LM, PW Stackhouse, CN Long, DF Young, and D Rutan. 2005. "Using ARM data to evaluate satellite surface solar flux retrievals." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Hodges, G. 2005. "MRFSR mentor report and BSRN submission status." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Iacono, MJ, EJ Mlawer, J Delamere, SA Clough, J-J Morcrette, and Y-T Hou. 2005. "Application of the shortwave radiative transfer model, RRTMG\_SW, to the National Center for Atmospheric Research and National Centers for Environmental Prediction general circulation models." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Jeong, M-J, and Z Li. 2005. "Real effect of artifact of cloud cover on aerosol optical thickness?" In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Kalb, CP, AR Dean, RA Peppler, and KL Sonntag. 2005. "Intercomparison of cloud base height at the Atmospheric Radiation Measurement Southern Great Plains Site." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Kassianov, E, J Barnard, T Ackerman, C Flynn, and D Flynn. 2005. "Aerosol microphysical and optical properties from multi-filter rotating shadowband radiometers." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Kassianov, E, and C Long. 2005. "Cloud aspect ratios derived from total-sky imagers data: Case studies." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Kay, J, M Baker, and D Hegg. 2005. "Microphysical and dynamical influences on cirrus cloud optical depth distributions." In *Proceedings of the Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Khaiyer, MM, R Palikonda, JK Ayers, DN Phan, P Minnis, Jr Smith, R Arduini, and P Heck. 2005. "Comparison of cloud liquid water paths over Atmospheric Radiation Measurement Southern Great Plains using satellite and surface data: Validation of new models." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Khaykin, MN, EN Kadygrov, and GS Golitsyn. 2005. "The influence of high aerosol concentration on atmospheric boundary layer temperature stratification." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Knuteson, R, S Ackerman, F Best, R Dedecker, R Garcia, E Olson, H Revercomb, and M Smuga-Otto. 2005. "Calibration algorithm versus efficiency tradeoffs for a geosynchronous imaging fourier transform spectrometer." In *Proceedings of the 85th American Meteorological Society (AMS) Annual Meeting*, American Meteorological Society, San Diego, California.

Kogan, ZN, D Mechem, and YL Kogan. 2005. "Scale dependence of variability in stratiform clouds based on millimeter wave cloud radar." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Kozlov, VS, M Panchenko, and EP Yausheva. 2005. "Relative content of black carbon in submicron aerosol as a sign of the effect of forest fire smokes." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Krueger, SK, and MA Zulau. 2005. "Radiatively induced anvil spreading." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Krueger, S, and M Zulau. 2005. "Radiatively-induced anvil spreading." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Li, Z, M Cribb, F-L Chang, A Trishchenko, and Y Luo. 2005. "Evaluating the moderate resolution imaging spectroradiometer cloud detection algorithm using whole-sky imager cloud cover data at the three ARM sites." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Li, Z, T Yuan, and B Vant-Hull. 2005. "Increasing cloud droplet size with aerosol optical depth: A new effect or artifact?" In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

# ARM Climate Research Facility Annual Report - 2005

Liu, L, AA Lacis, BE Carlson, MI Mishchenko, and B Cairns. 2005. "Improving GCM aerosol climatology using satellite and ground-based measurements." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Liu, Y, PH Daum, and RL McGraw. 2005. "Parameterization of the autoconversion process: Kessler-type, Sundqvist-type, and unification." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Long, CN. 2005. "On the estimation of clear-sky upwelling shortwave and longwave." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Macduff, MC, and RC Eagan. 2005. "ACRF data collection and processing infrastructure." In *Proceedings of the 85th American Meteorological Society (AMS) Annual Meeting*, American Meteorological Society, San Diego, California.

Maestas, AM. 2005. "Tools for teaching climate studies." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Marchand, RT, SJ Ghan, M Ovtchinnikov, TP Ackerman, and M Khairoutdinov. 2005. "Comparison of the multi-scale modeling framework and NCAR community atmospheric model (CAM) with ISCCP and CERES retrievals." In *Proceedings of the 85th American Meteorological Society (AMS) Annual Meeting*, American Meteorological Society, San Diego, California.

Matrosov, S. 2005. "An approach to estimate rainfall rates aloft from MMCR measurements." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, Richland, Washington.

Mattioli, V, ER Westwater, D Cimini, JS Liljegegren, BM Lesht, S Gutman, and F Schmidlin. 2005. "Analysis of radiosonde and precipitable water vapor data from the 2004 North Slope of Alaska arctic winter radiometric experiment." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

McComiskey, A, P Ricchiazzi, JA Ogren, and E Dutton. 2005. "SGPGET: AN SBDART Module for Aerosol Radiative Transfer." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

McComiskey, A, SE Schwartz, ER Lewis, P Ricchiazzi, JA Ogren, and JJ Michalsky. 2005. "Direct aerosol forcing: Calculations from observables and sensitivities to inputs." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting Proceedings*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

McFarlane, SA, JH Mather, and TP Ackerman. 2005. "Radiative heating profiles in the convective tropics: A comparison of observations and models." In *Proceedings of the 85th American Meteorological Society (AMS) Annual Meeting*, American Meteorological Society, San Diego, California.

McFarquhar, GM, M Freer, J Um, R McCoy, and W Bolton. 2005. "Remote sensing and in-situ observations of arctic mixed-phase and cirrus clouds acquired during M-PACE." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

McFarquhar, GM, MS Timlin, T Nousianen, and P Yang. 2005. "A new representation of the single-scattering properties for mid-latitude clouds and its impacts." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

McFarquhar, GM, G Zhang, J Verlinde, M Poellot, A Heymsfield, and G Kok. 2005. "Assessing current parameterization of mixed-phase clouds using in situ profiles measured during the mixed-phase cloud experiment." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

McGraw, RL, and Y Liu. 2005. "Parameterizations for clouds and precipitation based on the kinetic potential theory for drizzle formation." In *Proceedings of the Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Mechem, DB, YL Kogan, M Childers, and KM Donner. 2005. "Toward a diurnal climatology of cold-season turbulence statistics in continental stratocumulus as observed by the Atmospheric Radiation Measurement millimeter wavelength cloud radar." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Mechem, D, and YL Kogan. 2005. "Representing cloud processing of aerosol in numerical models." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Moore, S, and G Hughes. 2005. "Instrument cross-comparisons and automated quality control of atmospheric radiation measurement data." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Musat, IC, and RG Ellingson. 2005. "Short-term variability of extinction by broadband stellar photometry." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Nordeen, ML, P Minnis, M Khaiyer, D Doelling, and D Phan. 2005. "Comparison of surface and satellite-derived cloud and radiation properties at the ARM Southern Great Plains and Tropical Western Pacific sites." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

O'Hirok, W, M Miller, E Mlawer, P Ricchiazzi, and C Gautier. 2005. "Assessing the impact of the plane-parallel cloud assumption used in computing shortwave heating rate profiles for the broadband heating rate profile project." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

O'Hirok, W, P Ricchiazzi, and C Gautier. 2005. "Incorporations of 3D shortwave radiative effects within the weather research and forecasting model." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, Richland, Washington.

Palikonda, R, P Minnis, MM Khaiyer, P Heck, DR Doelling, L Nguyen, AK Ayers, DA Spangenberg, ML Nordeen, R Arduini, QZ Trepte, S Sun-Mack, and DN Pham. 2005. "Overview of Atmospheric Radiation Measurement satellite cloud and radiation products from Langley Research Center." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Polonsky, IN, AB Davis, and MA Box. 2005. "Radiative transfer in 3D clouds: A perturbation theoretical approach." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Ricchiazzi, P, W O'Hirok, and C Gautier. 2005. "The effect of non-Lambertian surface reflectance on aerosol radiative forcing." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Ritsche, M, D Holdridge, and R Pearson. 2005. "New and improved data logging and collection system for ACRF TWP and NSA SKYRAD, GNDRAD and MET systems." In *Proceedings of the Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Roeder, LR, and R Jundt. 2005. "Photography in the field: Faux pas to phenomenal." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Rutan, D, F Rose, and TP Charlock. 2005. "Improvement in clouds and the earth's radiant energy system/surface and atmospheric radiation budget dust aerosol properties, effects on surface validation of clouds and radiative swath." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Sakerin, S, T Zhuravleva, and I Nasrtdinov. 2005. "Regularities of angular distribution of near-horizon sky brightness in the cloudless atmosphere." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

tion Measurement (ARM) Science Team Meeting, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Schmid, B, R Ferrare, C Flynn, R Elleman, D Covert, A Strawa, E Welton, J Barnard, M Clayton, J Eilers, A Hallar, B Holben, H Jonsson, J Michalsky, J Redemann, K Ricci, A Smirnov, and D Turner. 2005. "How well do state-of-the-art techniques measuring the vertical profile of tropospheric aerosol extinction compare?" In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Seo, E-K, and G Liu. 2005. "Retrieval of cloud ice water content profiles from advanced microwave sounding unit-B brightness temperatures near the Atmospheric Radiation Measurement Southern Great Plains site." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Shao, H, and G Liu. 2005. "The dependence of cloud particle size and precipitation probability on non-aerosol-loading related variables." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Shukurov, A, K Shukurov, and G Golitsyn. 2005. "Aerosol contribution to visible skylight polarization as measured at different values of underlying surface albedo." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Shupe, MD, SY Matrosov, and T Uttal. 2005. "Arctic mixed-phase cloud properties derived from surface-based sensors." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Somerville, RCJ, and SF Iacobellis. 2005. "Single-column modeling, GCM parameterizations and Atmospheric Radiation Measurement data." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Spangenberg, D, M Poellot, M Shupe, T Uttal, and P Minnis. 2005. "Retrieval of cloud phase using the moderate resolution imaging spectroradiometer data during the mixed-phase arctic cloud experiment." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Sviridenkov, MA, AS Emilenko, AA Isakov, and VM Kopeikin. 2005. "Comparison of black carbon content, aerosol optical and microphysical characteristics in Moscow and Moscow region." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Takara, EE, and RG Ellingson. 2005. "Results from the longwave effective cloud fraction in the cloudiness intercomparison." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Trepte, QZ, P Minnis, PW Heck, and R Palikonda. 2005. "Improvements in near-terminator and nocturnal cloud masks using satellite imager data over the Atmospheric Radiation Measurement sites." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Turner, DD, and JEM Goldsmith. 2005. "The refurbishment and upgrade of the ARM Raman lidar." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Turner, DD, A Vogelmann, S Clough, k Johnson, A Marshak, W Wiscombe, J Liljegegren, M Miller, Q Min, C Flynn, P Heck, B Lin, C Long, S McFarlane, P Minnis, Z Wang, W O'Hirok, and J-YC Chiu. 2005. "Microphysical properties of clouds with low liquid water paths: an update from clouds with low optical water depth." In *Proceedings of the Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Um, J. 2005. "Aggregation effects on single-scattering properties of ice crystals." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting Proceedings*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Uzhevog, V, V Kozlov, M Panchenko, Y Pkhlagov, and S Terpugova. 2005. "Statistical estimating of the atmospheric aerosol absorption coefficient based on the data of optical measurements." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Verlinde, J, JY Harrington, GM McFarquhar, JH Mather, DD Turner, B Zak, MR Poellot, T Tooman, AJ Prenni, G Kok, E Eloranta, A Fridlind, C Bahrmann, K Sassen, PJ DeMott, and AJ Heymsfield. 2005. "Overview of the mixed-phase arctic cloud experiment (M-PACE)." In *Proceedings of the 85th American Meteorological Society (AMS) Annual Meeting*, American Meteorological Society, San Diego, California.

Veron, D, J Secora, M Foster, J Brodie, C Weaver, and F Veron. 2005. "Application of stochastic techniques to the ARM cloud-radiation parameterization problem." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Wang, Z, K Sassen, D Whiteman, and B Demoz. 2005. "The analysis of multi-year low-level and mid-level mixed-phase clouds observed at the North Slope of Alaska cloud and radiation test site." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Westwater, ER, D Cimini, M Klein, V Leuski, V Mattioli, AJ Gasiewski, S Dowlatshahi, JS Liljegegren, BM Lesht, and JA Shaw. 2005. "Microwave and millimeter wave forward modeling results from the 2004 North Slope of alaska arctic winter radiometric experiment." In *Proceedings of the Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Wiscombe, WJ, J-YC Chiu, A Marshak, Y Knyazikhin, and J Barnard. 2005. "A novel retrieval algorithm for cloud optical properties from the Atmospheric Radiation Measurement two-channel narrow-field-of-view radiometer." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Wood, N, R Austin, and G Stephens. 2005. "Cloud products and the evaluation of a radiation parameterization scheme in support of broadband heating rate profile." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Wu, J, and M Zhang. 2005. "Simulations of clouds and sensitivity study by weather research and forecast model for Atmospheric Radiation Measurement case 4." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Wu, X, and X-Z Liang. 2005. "Effect of cloud overlap and inhomogeneity on climate simulations." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Yang, F, H-L Pan, S Moorthi, S Lord, and S Krueger. 2005. "Evaluation of national centers for environmental prediction global forecast system at the ARM program SGP site." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Yannuzzi, VT, E Clothiaux, H Verlinde, and J Harrington. 2005. "Weather and forecasting during mixed-phase arctic cloud experiment." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Zhang, G. 2005. "Comparison of convection characteristics at the Tropical Western Pacific Darwin site between observation and global climate model simulations." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Zhuravleva, TB, and KM Firsov. 2005. "On the sensitivity of spectral solar radiative fluxes to atmospheric water vapor (numerical simulation)." In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

Zuev, VV, and SL Bondarenko. 2005. "Reconstruction and prediction of total ozone variations and associated changes of UV-B solar radiation for subarctic regions based on dendrochronologic data."

In *Proceedings of the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting*, U.S. Department of Energy, DOE/SC-ARM-0503, Richland, Washington.

## Conference Presentation Abstracts

Ackerman, TP, SJ Ghan, RT Marchand, M Ovtchinnikov, and AS Koontz. 2005. "Comparison of the multi-scale modeling framework and the NCAR CAM with observations along a Pacific Ocean transect." Presented at the 85th American Meteorological Society (AMS) Annual Meeting. San Diego, California.

Ackerman, TP, and CN Long. 2005. "A surface based climatology of irradiance, cloud effect and cloud amount at the ARM sites." Presented at the 85th American Meteorological Society (AMS) Annual Meeting. San Diego, California.

Albrecht, B, P Kollias, L Jo, V Ghate, E Serpetzoglou, P Minnis, and S Sun-Mack. 2005. "Observations of natural variability in marine stratocumulus clouds." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Alexandrov, M. 2005. "Fine and coarse mode aerosols in Southern Great Plains multi-filter rotating shadowband radiometer data sets." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Arduini, R, P Minnis, and J Ayers. 2005. "Sensitivity of satellite-retrieved cloud properties to the spectral dispersion of cloud droplet distribution." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Avramov, A, J Harrington, and J Verlinde. 2005. "Mesoscale modeling during M-PACE: Influences of ice nuclei on simulated mesoscale cloud fields." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Avramov, A, VT Yannuzzi, PQ Olsson, CP Bahrmann, JY Harrington, and J Verlinde. 2005. "Mesoscale modeling during MPACE." Presented at the 85th American Meteorological Society (AMS) Annual Meeting. San Diego, California.

Ayers, J, P Minnis, R Palikonda, P Heck, and R Arduini. 2005. "Evaluation of cloud properties derived from dual-view satellite data over the Continental United States." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Barker, H, J Cole, E Clothiaux, J Li, J-J Morcrette, R Pincus, P Raisanen, and G Stephens. 2005. "Assessing the response of several GCMs to the McIICA radiative transfer methodology." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Barker, H, J Cole, A Marshak, J Strapp, P Raisanen, and Y Knyazikhin. 2005. "Response of a GCM to subgrid-scale variations in cloud droplet size distribution." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Barker, H, J Cole, P Raisanen, E Clothiaux, D Randall, and M Kharoutdinov. 2005. "Radiative forcing and response of a GCM to maximum-random overlap of homogeneous clouds." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Bartholomew, MJ, M Miller, A Bucholtz, B Albrecht, P Kollias, D Sisterson, K Widener, L Jones, and K Nitschke. 2005. "The first deployment of the ARM mobile facility; investigating marine stratus at Pt. Reyes, California." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Bauer, M, and A Del Genio. 2005. "Composite analysis of GCM winter cyclones: Influence on climatological humidity." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Berg, L, and R Stull. 2005. "A new parameterization framework for boundary-layer cumuli." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Biraud, S, W Riley, M Fischer, M Torn, J Berry, and H Cooley. 2005. "Spatially distributed CO<sub>2</sub>, sensible, and latent heat fluxes over the Southern Great Plains." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Bond, D. 2005. "Soil water and temperature system (SWATS) measurements in the Southern Great Plains." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Cairns, B, A Lacis, B Carlson, and M Alexandrov. 2005. "Inversion of multi-angle radiation measurements." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Cess, R, and M Sun. 2005. "Interpretation of cloud structure anomalies over the tropical pacific during the 1997/98 El Niño." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Chang, F-L and Z Li. 2005. "A comparison of the global surveys of high, mid, and low clouds from satellites and GCMs." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Chang, F-L, Z Li, and E Clothiaux. 2005. "Comparing the overlapped cloud top altitudes deduced from MODIS with ARM ground-based measurements." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Charlock, T, F Rose, D Rutan, L Coleman, T Caldwell, and S Zentz. 2005. "Global, multi-year analysis of CERES terra observations and radiative transfer calculations." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Chen, Y, A Hall, and K-N Liou. 2005. "Application of 3D radiative transfer to mountains." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Childers, M, K Donner, and D Mechem. 2005. "Diurnal climatology of cold-season turbulence statistics in continental stratocumulus as observed by the ARM MMCR." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Chiriaco, M, M Haeflalin, H Chepfer, R Vautard, and J Dudhia. 2005. "The ability of MM5 to simulate ice clouds: Systematic comparison between simulated and measured fluxes and lidar/radar profiles at SIRTA atmospheric observatory." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Chiu, J-YC, A Marshak, W Wiscombe, Y Knyazikhin, and J Barnard. 2005. "A novel retrieval algorithm for cloud optical properties from the ARM Program's two-channel narrow-field-of-view radiometer." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Chuang, C, and S Chin. 2005. "Modeling the vertical profiles of aerosol characteristics and radiative impacts over the ARM sites." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Cimini, D, M Klein, E Westwater, V Leuskiy, AJ Gasiewski, and S Dowlatshahi. 2005. "Ground-based scanning radiometer measurements during the water vapor IOP 2004: A valuable new data set for the study of the arctic atmosphere." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Clough, S, M Shepard, E Mlawer, J Delamere, K Cady-Pereira, D Tobin, H Revercomb, R Knuteson, and D Turner. 2005. "ARM radiative transfer modeling and remote sensing." Presented at the

Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Cole, J, H Barker, M Khairoutdinov, D Randall, and E Clothiaux. 2005. "Interactions between clouds and radiation in the multiscale modeling framework." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Comstock, J, R-F Lin, D Starr, and P Yang. 2005. "Investigation of high ice supersaturation in cirrus clouds using ARM data and an explicit cloud model." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Comstock, J, and J Mather. 2005. "The evolution of anvil microphysics observed during CRYSTAL-FACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Cook, D. 2005. "BAEBBR VAP corrections and EBBR CR10 program improvements." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Coulter, R. 2005. "50-MHz RASS temperature profiles: Past, present, and future." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Daum P, and Y Liu. 2005. "Generalized expressions for effective radius, cloud radiative properties and their application to studies of the first indirect aerosol effect." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Daum, P, and Q Min. 2005. "Retrievals of vertical profile of cloud microphysical parameters using active MMCR and passive oxygen-A band measurements." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Davis, A, T Scholl, and K Pfeilsticker. 2005. "First- and second-order moments of solar photon pathlengths in the cloudy atmosphere: New observations in the oxygen A-band and a new 1D theory." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Dedecker, R, R Knuteson, H Revercomb, D Tobin, N Ciganovich, T Dirkx, W Feltz, R Garcia, D Hackel, R Holz, and D Turner. 2005. "New AERI deployments and the status of AERI engineering changes." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Deeter, M, and J Vivekanandan. 2005. "New technique for retrieving liquid water path over land using satellite microwave observations." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Delamere, J, E Mlawer, S Clough, D Turner, M Miller, and E Clothiaux. 2005. "Establishing continuous atmospheric profiles at the ARM Climate Research Facility (ACRF) site at the North Slope of Alaska (NSA)." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Deng, M, and G Mace. 2005. "Cirrus properties and air mean vertical motion retrieval using mm-wavelength Doppler radar moments." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Doelling, D, D Phan, D Spangenberg, and P Minnis. 2005. "Validation of satellite retrieved cloud amounts over the Continental United States with ASOS ceilometer data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Dong, X. 2005. "A climatology of midlatitude continental clouds from the ARM SGP central facility: Part II: Cloud fraction and radiative forcing." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Dong, X. 2005. "A climatology of midlatitude continental clouds from the ARM SGP central facility: Part III: Comparison of low cloud properties between GOES and surface." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Doran, JC, J Barnard, and W Shaw. 2005. "The effects of surface interactions on summertime arctic clouds at coastal and inland locations." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Doty, K, and R Wagener. 2005. "Improved method for searching ACRF data quality and problem report databases tool." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Duan, M, and Q Min. 2005. "Effects of aerosol size distribution and vertical profile on the polarization in the oxygen A-band." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Dykema, J, S Leroy, B Farrell, J Anderson, D Tobin, R Knuteson, and H Revercomb. 2005. "Confronting models with ARM data: A statistical comparison of Southern Great Plains AERI radiance spectra and GCM output." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Ellingson, R, E Takara, and T Tooman. 2005. "Comparison of broadband solar irradiances measured on fixed and stabilized platforms." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Eloranta, E. 2005. "University of Wisconsin high spectral resolution lidar operations during M PACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Feltz, W, B Howell, R Knuteson, D Turner, and R Mahon. 2005. "AERI thermodynamic profiling VAP improvements and status." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Ferrare, R, M Clayton, D Turner, M Chin, S Guibert, and M Schulz. 2005. "The vertical distribution of aerosols over the Atmospheric Radiation Measurement Soputhern Great Plains site: Measured vs. modeled." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Ferrare, RA, DD Turner, M Clayton, D Covert, R Elleman, H Jonsson, B Schmid, J Redemann, M Chin, S Guibert, M Schulz, I Brooks, E Andrews, and J Ogren. 2004. "Raman lidar measurements of aerosol profiles over the Southern Great Plains." Presented at the 2004 American Geophysical Union (AGU) Fall Meeting, San Francisco, California.

Ferrare, RA, DD Turner, M Clayton, D Covert, R Elleman, H Jonsson, B Schmid, J Redemann, J Ogren, E Andrew, M Chin, I Brooks, S Guibert, and M Schulz. 2005. "Raman lidar measurements of aerosols and water vapor over the Southern Great Plains." Presented at the 85th American Meteorological Society (AMS) Annual Meeting, San Diego, California.

Flynn, C, S Beus, and J Christy. 2005. "Autonomous retrieval of cloud and aerosol properties from ARM micropulse lidar." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Flynn, C, A Mendoza, D Hopkins, and D Flynn. 2005. "MPL hardware upgrades and new measurement capabilities." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Flynn, C, A Mendoza, DD Turner, J Comstock, SA McFarlane, and J Mather. 2005. "Observations of clouds and aerosol with elastic depolarization lidar during the mixed-phase arctic cloud experiment." Presented at the 85th American Meteorological Society (AMS) Annual Meeting, San Diego, California.

Fridlind, A, A Ackerman, S Menon, and I Sednev. 2005. "Factors controlling the properties of multi-phase arctic stratocumulus clouds." Presented at the Fifteenth Atmospheric Radiation Measure-

## ARM Climate Research Facility Annual Report - 2005

ment (ARM) Science Team Meeting, Daytona Beach, Florida.

Gasiewski, AJ, S Dowlatshahi, M Klein, V Leusky, E Westwater, D Cimini, and T Uttal. 2005. "The potential for retrieving integrated cloud ice water content using ground-based submillimeter-wave radiometry." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Genkova, I, C Long, P Minnis, P Heck, and M Khaiyer. 2005. "Clouds over the ARM SGP network area—3D Prospective." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Genkova, I, C Long, and D Turner. 2005. "Day and night cloud fraction—cloud inter-comparison IOP results." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Gianelli, S, B Carlson, and A Lacis. 2005. "Using EOF analysis to uncover inhomogeneities in data from ground-based aerosol monitoring devices." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Greenberg, S, and J Harrington. 2005. "LES simulations of roll clouds observed during M PACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Grosdidier, Y, S Lovejoy, B Watson, and D Schertzer. 2005. "Single and multiple scattering in optically thick multifractal clouds." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Guo, H, J Penner, and M Herzog. 2005. "Investigation of the impact of aerosols on clouds during the 2003 aerosol IPO at the SGP." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Haeffelin, M, A Protat, Y Morille, V Noel, and H Chepfer. 2005. "Characterization of mid-latitude clouds at SIRTA." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Hall, M, and A Davis. 2005. "Progress towards higher-fidelity yet efficient modeling of radiation energy transport through three-dimensional clouds." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Hallar, A, A Straw, B Schmid, B Andrews, J Ogren, R Ferrare, D Covert, and R Elleman. 2005. "Comparison study of optical properties during the aerosol IOP from multiple aircraft platforms." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Harder, J, J Fontenla, G Kopp, G Rottman, E Richard, and P Pilewskie. 2005. "Measuring solar irradiance from space: The solar radiation and climate experiment." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Heck, P, P Minnis, M Khair, and R Palikonda. 2005. "Improved techniques for deriving thin cirrus cloud heights from daytime GOES data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Henderson, P, and A Slingo. 2005. "Using ARM data to evaluate the dependence of surface downward longwave radiation on near-surface temperature and water vapour path, in both ARM observations and the Met Office NWP model." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Hinkelman, L, P Stackhouse, D Young, and C Long. 2005. "Using ARM data to evaluate satellite surface solar flux retrievals." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Hodges, G. 2005. "MFRSR mentor report and BSRN submission status." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Hoffman, F, W Hargrove, and A Del Genio. 2005. "From measurements to models: Cross-comparison of measured and simulated behavioral states of the atmosphere." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Holz, R, D DeSlover, H Revercomb, D Tobin, R Knuteson, D Turner, and E Eloranta. 2005. "Validation of infrared cloud radiative transfer simulations and spectral cloud properties retrievals using S-HIS, AERI and HSRL measurements from M-PACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Huang, A, J Li, K Baggett, X Wu, H Revercomb, D Tobin, and R Knuteson. 2005. "Cloud property retrievals using AIRS data during M-PACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Hume, T, and C Jakob. 2005. "Ensemble single-column modeling (ESCM) in the Tropical Western Pacific." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Iacono, MJ, E Mlawer, J Delamere, S Clough, and J-J Morcrette. 2005. "Application of the shortwave radiative transfer model, RRTMG\_SW, to NCAR, ECMWF, and NCEP general circulation models." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Inoue, T. 2005. "Retrieval of optical thickness of low-level water cloud using the MSG multi-channel data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Inoue, T. 2005. "The life stage of deep convection defined by the MSG multi-channel data and rainfall type observed by PR/TRMM." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Ivanova, K, N Shirer, E Clothiaux, and M Ausloos. 2005. "Internal variability dependence on cirrus cloud structure." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Jakob, C. 2005. "Identifying regime-dependent model errors in the Tropical Western Pacific – an ERA40 example." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Jakob, C, and S Hoeglund. 2005. "Clouds in the Darwin area and their relation to large-scale conditions." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Jensen, M, and A Del Genio. 2005. "An observational analysis of cumulus congestus at Nauru." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Jeong, M-J, and Z Li. 2005. "The effects of humidity and cloud contamination on aerosol retrievals from ground and satellite observations." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Johnson, N, A Avramov, E Clothiaux, N Shirer, J Harrington, and J Verlinde. 2005. "Advantages of T-mode decomposition in rotated principal component analysis: Applications to the Arctic." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Kahn, B, and K-N Liou. 2005. "Nighttime cirrus detection using AIRS radiances and total column precipitable water." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Kassianov, E, J Barnard, T Ackerman, C Flynn, and D Flynn. "Aerosol microphysical and optical properties from multi-filter rotating shadowband radiometers." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Kassianov, E, C Long, P Kollas. 2005. "Comparison of cloud aspect ratios derived from TSI and radar data: Case studies." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Kehoe, K, K Sonntag, M Zaman, B Burkholder, C Shafer, R Pepler, S Moore, G Hughes, and K Doty. 2005. "Improvements to and Status of the Data Quality Health and Status (DQ HandS) system." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Key, E, and P Minnett. 2005. "Assessing interannual and spatial variability in cloud radiative forcing at the TWP and NSA ARM sites." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Key, E, and P Minnett. 2005. "Clouds and radiation in the arctic coastal system—effects of local heterogeneity." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Key, J, M Baker, and D Hegg. 2005. "Microphysical and dynamical influences on cirrus cloud optical depth distributions." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Khairoutdinov, M, and D Randall. 2005. "Sensitivities of a super-parameterization to grid configuration and microphysics parameters: Single-column and GCM studies." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Khaiyer, M, R Palikonda, R Arduini, P Minnis, B Lin, J Huang, and G Nowicki. 2005. "Comparison of cloud liquid water paths over ARM SGP using satellite and surface data: Validation of new models." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Kiedron, P, and J Schlemmer. 2005. "Rotating Shadowband Spectroradiometer (RSS) at SGP: Performance, data processing, and value-added products." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Kim, B-G, S Klein, G Mace, and S Benson. 2005. "Evaluation of GFDL SCM cloud fractions and surface radiation fields with those from the ground-based remote sensing at SGP site." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Kim, B-G, M Miller, Q Min, and S Schwartz. 2005. "Influence of atmospheric stability on the cloud drop effective radius determined by ground-based remote sensing." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Kinney, JA, P Yang, Q Ji, and S Tsay. 2004. "Inference of cirrus cloud properties using ARM data." Presented at the 2004 American Geophysical Union (AGU) Fall Meeting. San Francisco, California.

Klein, S. 2005. "ARM SCM intercomparison helps find cloud parameterization bug." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Knuteson, R, W Feltz, H Revercomb, and D Tobin. 2005. "Seasonal dependence of the infrared land surface emissivity in the vicinity of the ARM SGP central facility." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Knyazikhin, Y, A Marshak, M Larsen, and W Wiscombe. 2005. "Small-scale drop size variability: Empirical models for drop-size-dependent clustering in clouds." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Kogan, Z, D Mechem, and Y Kogan. 2005. "Analysis of scale dependence of stratiform clouds variability based on millimeter-wave radar data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Kollas, P, and B Albrecht. 2005. "Atmospheric modes of drizzling stratus at the ARM SGP site." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Kollas, P, and B Albrecht. 2005. "Comparison of ECMWF model and ARSCL cloudiness at the ARM SGP site." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Krueger, S, and M Zulauf. 2005. "Radiatively-induced anvil spreading." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Leung, LR, LK Berg, TP Ackerman, and RT Marchand. 2005. "Evaluation of cloud resolving simulations over the Southern Great Plains during IHOP 2002." Presented at the 85th American Meteorological Society (AMS) Annual Meeting. San Diego, California.

Lewis, E, and S Schwartz. 2005. "Radius and refractive index of aqueous inorganic aerosol particles: Accurate approximations for dependence on relative humidity." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Li, Z, H Barker, and A Trishchenko. 2005. "A versatile two-stream model for retrieving surface spectral albedos." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Li, Z, M Cribb, F-L Chang, A Trishchenko, and Y Luo. 2005. "Improving satellite estimates of cloud cover using whole-sky imager cloud cover data at the ARM sites." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Li, Z, T Yuan, and B Vant-Hull. 2005. "Increasing cloud droplet size with aerosol optical depth: A new effect or artifact?" Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Liu, L, A Lacis, B Carlson, M Mishchenko, and B Cairns. 2005. "Improving GCM aerosol climatology using satellite and ground-based measurements." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Liu, Y. 2005. "A climatology of clouds and radiative forcing." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Liu, Y, P Daum, and R McGraw. 2005. "Parameterization of the autoconversion process: Kessler-Type, Sundqvist-type, and Unification." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Long, C. 2005. "Accounting for circumsolar and horizon cloud determination errors in sky image inference of sky cover." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Long, C. 2005. "On the estimation of clear-sky upwelling SW and LW." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

## ARM Climate Research Facility Annual Report - 2005

Long, CN, M Wild, and EG Dutton. 2005. "From dimming to brightening: trends in solar radiation inferred from surface observations." Presented at the 85th American Meteorological Society (AMS) Annual Meeting. San Diego, California.

Lubin, D, and A Vogelmann. 2004. "Radiation budget over the Arctic Ocean: Influence of aerosols and clouds." Presented at the 2004 American Geophysical Union (AGU) Fall Meeting. San Francisco, California.

Lubin, D, and A Vogelmann. 2005. "Determination of the Arctic indirect aerosol effect from AERI and multispectral radiometer data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Macduff, MC, and RC Eagan. 2005. "ACRF data collection and processing infrastructure." Presented at the 85th American Meteorological Society (AMS) Annual Meeting. San Diego, California.

Mace, G, S Benson, and S Kato. 2005. "Cloud radiative forcing at the ARM climate research facility: Part 2. The vertical redistribution of radiant energy by clouds." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Mace, G, S Benson, K Sonntag, S Kato, Q Min, P Minnis, C Twohy, M Poellot, X Dong, Q Zhang, and C Long. 2005. "Cloud radiative forcing at the ARM climate research facility: Part 1. Technique, validation, and comparison to satellite-derived diagnostic quantities." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Mace, G, M Den, B Soden, and E Zipser. 2005. "On the association of tropical cirrus in the 10-15 km layer with deep convective source regions; an observational study combining millimeter radar data and satellite-derived trajectories." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Maetas, A, and L Jones. 2005. "Tools for teaching climate studies." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Marchand, R, and T Ackerman. 2005. "An assessment of multi-angle imaging spectroradiometer (MISR) stereo-derived cloud top heights using cloud optical depths derived from ARM Data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Marchand, R, N Beagley, and T Ackerman. 2005. "A bootstrap technique for testing the relationship between local-scale radar observations of cloud occurrence and large-scale atmospheric fields." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Marchand, RT, SJ Ghan, M Ovtchinnikov, TP Ackerman, and M Khairoutdinov. 2005. "Comparison of the multi-scale modeling framework and NCAR community atmospheric model (CAM) with ISCCP and CERES retrievals." Presented at the 85th American Meteorological Society (AMS) Annual Meeting. San Diego, California.

Martonchik, J, D Diner, R Kahn, W Abdou, and B Gaitley. 2005. "Determination of aerosol and surface reflectance characteristics at the ARM SGP site using MISR observations." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Mather, J, and J Comstock. 2005. "Analysis of ground-based radiation and cloud measurements from CRYSTAL-FACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Matrosov, S. 2005. "An approach to estimate rainfall rates aloft from MMCR measurements." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Mattioli, V, E Westwater, D Cimini, J Liljegren, BM Lesht, S Gutman, and F Schmidlin. 2005. "Analysis of radiosonde and PWV data from the 2004 North Slope of Alaska arctic winter radiometric experiment." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

May, P. 2005. "The height distribution of tropical convective clouds." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

May, P, J Mather, and C Jakob. 2005. "Tropical warm pool-international cloud experiment." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

McComiskey, A, P Ricchiazzi, J Ogren, and E Dutton. 2005. "SGPGET: An SBDART module for aerosol radiative transfer." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

McComiskey, A, S Schwartz, E Lewis, J Ogren, J Michalsky, and P Ricchiazzi. 2005. "Direct aerosol forcing: Calculation from observables and sensitivities to inputs." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

McCoy, R, and T Tooman. 2005. "ARM-UAV instrumentation used on the Proteus aircraft during the M-PACE experiment." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

McFarlane, S, J Mather, and T Ackerman. 2005. "Radiative heating profiles in the tropics—an evaluation of model output using ARM observations." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

McFarlane, SA, JH Mather, and TP Ackerman. 2005. "Radiative heating profiles in the convective tropics: A comparison of observations and models." Presented at the 85th American Meteorological Society (AMS) Annual Meeting. San Diego, California.

McFarquhar, G. 2005. "Investigation of ice crystal shapes using multi-resolution techniques." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

McFarquhar, G, M Timlin, T Nousiainen, and P Yang. 2005. "A new representation for the solar and infrared single-scattering properties of mid-latitude clouds and its impacts." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

McFarquhar, G, T Tooman, R McCoy, and W Bolton. 2005. "Remote sensing and in situ observations of arctic mixed-phase and cirrus clouds acquired during M-PACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

McFarquhar, G, G Zhang, J Verlinde, M Poellot, A Heymsfield, and G Kok. 2005. "Assessing current parameterizations of mixed-phase clouds using in situ profiles measured during the mixed-phase cloud experiment (M-PACE)." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

McGraw, R, and Y Liu. 2005. "Parameterizations for clouds and precipitation based on the kinetic potential theory for drizzle formation." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Mead, J, and K Widener. 2005. "W-band ARM cloud radar system." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Mecham, D, and Y Kogan. 2005. "Representing cloud processing of aerosol in numerical models." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Michalsky, JJ, GP Anderson, J Barnard, C Gueymard, S Kato, P Kiedron, and A McComiskey. 2004. "Radiation closure studies for clear-sky conditions during the ARM 2003 aerosol intensive observation period." Presented at the 2004 American Geophysical Union (AGU) Fall Meeting. San Francisco, California.

Miller, M, K Johnson, P Michael, and G Mace. 2005. "MICROBASE, a continuous baseline microphysical retrieval: Status and future plans." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Min, Q. 2005. "Impacts of aerosols and clouds on forest-atmosphere carbon exchange." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Min, Q, and M Duan. 2005. "Simultaneously retrieving cloud optical depth and effective radius for clouds with low liquid water path." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Min, Q, M Duan, L Harrison, and E Joseph. 2005. "A decade long aerosol and cloud statistics and aerosol indirect effect at the ARM SGP site." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Minnet, P, M Szczodrak, W Feltz, and N Nalli. 2005. "AIRS retrievals of atmospheric profiles of temperature and humidity—comparisons with radiosondes and ship-based remote sensing during AEROSE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Minnis, P, M Khaiyer, R Palikonda, D Spagnenberg, S Sun-Mack, J Huang, and H Yi. 2005. "Developing a 3D cloud product over the ARM sites using GOES data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Mlawer, E, M Miller, T Shippert, D Turner, S Xie, K Johnson, S Clough, M Zhang, C Long, J Delamere, D Troyan, MJ Bartholomew, C Flynn, C Sivaraman, G Mace, R Cederwall, J Yio, D Klein, E Clothiaux, P Heck, D Doelling, D Rutan, R Ferrare, J Liljegegren, and J Michalsky. 2005. "The status of the Broadband Heating Rate Profile (BBHRP) project." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Moncrieff, MW, and C Liu. 2005. "Representing the mesoscale organization of convection in prediction models." Presented at the 85th American Meteorological Society (AMS) Annual Meeting, San Diego, California.

Moore, S, and G Hughes. 2005. "Instrument cross-comparisons and automated QC of ARM data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Morcrette, J-J. 2005. "Preliminary results with the ECMWF forecast model including a McICA approach to cloud-radiation interactions." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Morcrette, J-J, MJ Iacono, E Mlawer, and S Clough. 2005. "Impact of RRTM\_SW in the ECMWF forecast system." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Morris, V, and C Long. 2005. "Testing and deployment of an infrared thermometer network at the ARM Southern Great Plains Climate Research Facility." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Moudry, D, K Sassen, G Vaucher, and B Zak. 2005. "Deployment of a scintillometer for optical turbulence investigation at NSA-Barrow." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Moy, L, D Turner, H Revercomb, E Kassianov, R Knuteson, and D Tobin. 2005. "Retrieving aerosols from the Atmospheric Emitted Radiance Interferometer (AERI): Can it be done?" Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Musat, I, and R Ellingson. 2005. "Short-term variability of extinction by broadband stellar photometry." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Ngegers, R, S Cheinet, A Beljaars, M Kochler, J-J Morcrette, and P Viterbo. 2005. "Assessing physical processes in the ECMWF model forecasts through the ARM SGP site measurements." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Ngegers, R, B Stevens, and D Neelin. 2005. "Variance similarity in shallow cumulus topped mixed layers." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Nguyen, L, P Minnis, M Khaiyer, R Palikonda, M Nordeen, P Heck, J Comstock, and C Long. 2005. "Accounting for partially cloud-filled pixels to improve the retrieval of cloud properties using high-resolution data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Nordeen, M, P Minnis, M Khaiyer, D Doelling, and D Phan. 2005. "Comparison of surface and satellite-derived cloud and radiation properties at the ARM SGP and TWP sites." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

O'Connor, E, N Gaussiat, R Hogan, and A Illingworth. 2005. "An objective scheme for deriving cloud parameters from ARM observations and evaluating the performance of operational NWP models." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

O'Hirok, W, P Ricchiazzi, and C Gauthier. 2005. "Incorporation of 3D shortwave radiative effects in large-eddy simulations within the weather research and forecasting model." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

O'Hirok, W, P Ricchiazzi, C Gautier, M Miller, and E Mlawer. 2005. "Assessing the impact of the plane-parallel cloud assumption used in computing shortwave heating rate profiles for the broadband heating rate profile project." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Oreopoulos, L, J Bacmeister, R Cahalan, and H Barker. 2005. "Evaluation of the Monte Carlo Independent Column Approximation (McICA) implementation in the GEOS-5 single column model." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Oreopoulos, L, and R Cahalan. 2005. "Subsampling effects on MODIS level-3 cloud optical properties and inhomogeneity parameters." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Ovtchinnikov, M. 2005. "Simulation of cloud processing of aerosol using a two-dimensional particle distribution function." Presented at the 85th American Meteorological Society (AMS) Annual Meeting, San Diego, California.

Palanisamy, G, R McCord, R Ward, and B Horwedel. 2005. "ARM thumbnail browser—a new way to browse and order ARM data files." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Palikonda, R, M Khaiyer, D Doelling, D Spagnenberg, G Nowicki, P Minnis, L Nguyen, P Heck, J Ayers, M Nordeen, R Arduini, Q Trepte, and S Sun-Mack. 2005. "Overview of ARM satellite cloud and radiation products from LaRC." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Panchenko, M, and V Kozlov. 2005. "Relative content of black carbon in submicron aerosol as effect of smoke from forest fires." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

Panchenko, M., V Uzhevov, V Kozlov, V Pkhalagov, V Pol'kin, S Terpugova, V Shmargunov, and E Yausheva. 2005. "Statistical estimation of the atmospheric aerosol absorption coefficient based on the data of optical measurements." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting, Daytona Beach, Florida.

## ARM Climate Research Facility Annual Report - 2005

Pazmany, A. 2005. "Millimeter-wave (183 GHz) radiometer for high sensitivity water vapor measurements at the North Slope of Alaska ARM site." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Pincus, R, R Neale, C Batstone, and S Klein. 2005. "Linking subgrid-scale variability in temperature and humidity to convection." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Pinto, J, and H Morrison. 2005. "On modeling the persistence of cold clouds observed during M-PACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Polonsky, I, A Davis, and M Box. 2005. "Radiative transfer in 3D clouds: A perturbation theoretical approach." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Pommier, J, W Gore, and P Pilewskie. 2005. "A new shortwave spectrometer for SGP site." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Popham, J. 2005. "The impact of cloud and radiation on the Great Plains climate change during 1981-2003." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Potter, G, J Boyle, S Klein, T Phillips, S Xie, and G Zhang. 2005. "Update on activities of the CAPT project." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Revercomb, H, D Tobin, R Knuteson, F Best, D Laporte, S Ellington, M Werner, R Dedecker, R Garcia, N Ciganovich, B Howell, S Dutcher, J Taylor, H Huang, J Li, and R Holz. 2005. "Scanning high-resolution interferometer sounder (S-HIS) participation in the mixed-phase arctic cloud experiment (M-PACE) on the ARM-UAV proteus aircraft." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Ricchiazzi, P, W O'Hirok, and C Gautier. 2005. "The effect of non-lambertian surface reflectance on aerosol radiative forcing." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Ritsche, M, D Holdridge, and R Pearson. 2005. "New and improved data logging and collection system for ACRF TWP and NSA SKYRAD, GNDRAD, and MET systems." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Roeder, L, and R Jundt. 2005. "Photography in the field: Faux pas to phenomenal." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Roskovensky, J, and K-N Liou. 2005. "Simultaneous retrieving of aerosol and thin cirrus optical depths over the Tropical Western Pacific ARM site from MODIS data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Rutan, D, F Rose, and T Charlock. 2005. "Improvement in CERES SARB dust aerosols, effects on surface validation of CRS data product." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Sakerin, S, T Zhuravleva, and I Nasrtdinov. 2005. "Regularities of angular distribution of near-horizon sky brightness in the cloudless atmosphere." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Sassen, K, R Tiruchirapalli, D Daneva, and V Khvorostyanov. 2005. "Aerosol research at the arctic facility for atmospheric remote sensing (AFARS): In search of indirect cloud effects." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Sassen, K, and J Zhu. 2005. "Cirrus cloud measurements by the UAF polarization diversity lidar during M-PACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Schmid, B, K Ricci, R Ferrare, M Clayton, C Flynn, J Barnard, D Turner, R Elleman, D Covert, A Strawa, J Eilers, E Welton, A Hallar, B Holben, H Jonsson, J Michalsky, J Redemann, and A Smirnov. 2005. "How well can we measure the vertical profile of tropospheric aerosol extinction?" Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Seo, E-K, and G Liu. 2005. "Retrieval of cloud ice water content profiles from AMSU-B brightness temperatures near the ARM SGP site." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Shao, H, and G Liu. 2005. "The dependence of cloud particle size and precipitation probability on non-aerosol-loading related variables." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Shephard, MW, SA Clough, JS Delamere, KE Cady-Pereira, SS Kulawik, and JA Logan. 2004. "Tropospheric ozone retrievals for TES validations at the ARM sites." Presented at the 2004 American Geophysical Union (AGU) Fall Meeting. San Francisco, California.

Shi, Y, and C Long. 2005. "Examples of detecting measurement errors with the QCRad VAP." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Shupe, M, S Matrosov, and T Uttal. 2005. "Arctic mixed-phase cloud properties derived from ground-based remote sensors." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Soden, B. 2005. "An assessment of clear-sky radiative damping rates and their implications for climate feedbacks." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Somerville, R, and S Iacobellis. 2005. "Single-column modeling, GCM parameterizations, and ARM data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Spangenberg, D, Q Trepte, S Sun-Mack, T Uttal, and P Minnis. 2005. "Retrieval of cloud properties using MODIS and AVHRR data during M-PACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Stephens, G, N Wood, and P Gabriel. 2005. "ARM data as a source of validation of GCM physics." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Stramler, K, AD Del Genio, and DG Martinson. 2004. "Arctic surface and atmospheric states: NSA analogs to SHEBA and interannual variability." Presented at the 2004 American Geophysical Union (AGU) Fall Meeting. San Francisco, California.

Strawa, A, A Hallar, P Arnott, D Covert, R Ellerman, J Ogren, B Schmid, and A Luu. 2005. "In situ measurements of aerosol optical properties using new cavity ring-down and comparison with more traditional techniques." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Sviridenkov, M, A Emilenko, A Isakov, and V Kopeikin. 2005. "Comparison of BC content, aerosol optical, and microphysical characteristics in Moscow and Moscow region." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Szczokrak, M, P Minnett, and W Feltz. 2005. "Measurements of atmospheric water vapor over the oceans." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Takara, E, and R Ellingson. 2005. "The longwave effective cloud fraction in the cloudiness intercomparison." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Tao, W-K. 2005. "Offline GCSS intercomparison study of cloud-radiation interaction and surface fluxes." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Tobin, D, H Revercomb, R Knuteson, W Feltz, L Moy, BM Lesht, T Cress, L Strow, S Hannon, and E Fetzer. 2005. "ARM site atmospheric-state best estimates for AIRS forward model and retrieval validation." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Tobin, DC, HE Revercomb, RO Knuteson, WF Feltz, B Lesht, T Cress, L Strow, and SE Hannon. 2004. "ARM site atmospheric state best estimates for AIRS forward model and retrieval validation." Presented at the 2004 American Geophysical Union (AGU) Fall Meeting. San Francisco, California.

Tooman, T, and R McCoy. 2005. "Data products from the proteus aircraft during the M-PACE experiment." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Trepte, Q, P Minnis, and R Palikonda. 2005. "Improvements in near-terminator and nocturnal cloud masks using satellite imager data over the ARM sites." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Trishchenko, A. 2005. "Solar spectrum: Uncertainties between current models and implications for atmospheric radiation modeling and remote sensing." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Trishchenko, A, Y Luo, W Park, K Khlopenkov, and Z Li. 2005. "Spectral, temporal and spatial properties of surface BRDF/Albedo over the ARM SGP area from multi-year satellite observations." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Troyan, D. 2005. "Publication trends of ARM research." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Troyan, D, M Miller, and G Mace. 2005. "The merged-sounding VAP: Current status and future direction." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Tselioudis, G. 2005. "Evaluation of mesoscale model cloud simulations of the March 2000 IOP." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Turner, D, C Flynn, C Long, S McFarlane, A Vogelmann, M Miller, S Clough, J Liljegegren, A Marshak, Q Min, P Heck, B Lin, P Minnis, Z Wang, and Y-YC Chiu. 2005. "Microphysical properties of clouds with low liquid water paths: An update from CLOUD." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Turner, D, and J Goldsmith. 2005. "The refurbishment and upgrade of the ARM roman lidar." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Turner, D, C Lo, and R Knuteson. 2005. "A principal component analysis noise filter VAP to remove uncorrelated noise from AERI observations." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Turner, D, C Sivaraman, C Flynn, and E Mlawer. 2005. "The SGP aerosol best-estimate value-added procedure and its impact on the BBHRP project." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Um, J, and G McFarquhar. 2005. "Aggregation effects on single-scattering properties of ice crystals." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Verlinde, J, JY Harrington, GM McFarquhar, JH Mather, D Turner, B Zak, MR Poellot, T Tooman, AJ Prenni, G Kok, E Eloranta, A Fridlind, C Bahrmann, K Sassen, PJ DeMott, and AJ Heymsfield. 2005. "Overview of the mixed-phase arctic cloud experiment (M-PACE)." Presented at the 85th American Meteorological Society (AMS) Annual Meeting. San Diego, California.

Veron, D, J Secora, M Foster, C Weaver, and F Veron. 2005. "Application of stochastic techniques to the ARM cloud-radiation parameterization problem." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Vogelmann, A, M Jensen, and E Boer. 2005. "Tropical cloud overlap structure and cloud area." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Wagener, R, L Ma, L Gregory, J Tichler, B Horwedel, and A Cialella. 2005. "External data stream review." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Wang, Z, K Sassen, D Whiteman, and B Demoz. 2005. "The analysis of multi-year low-level and mid-level mixed-phase clouds observed at the NSA site." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Westwater, E, D Cimini, M Klein, V Leuskiy, V Mattioli, AJ Gasiewski, S Dowlatshahi, J Liljegegren, BM Lesht, and JA Shar. 2005. "Microwave and millimeter wave forward modeling results from the 2004 North Slope of Alaska Arctic winter radiometric experiment." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Wood, N, R Austin, G Stephens, and Q Min. 2005. "Cloud products and the evaluation of a radiation parameterization scheme in support of BBHRP." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Wu, J, and M Zhang. 2005. "Simulations of clouds and sensitivity study by using WRF model for ARM Case 4." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Wu, X, and X-Z Liang. 2005. "Effect of cloud overlap and inhomogeneity on climate simulations." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Xi, B, X Dong, and F Yang. 2005. "A climatology of midlatitude continental clouds from the ARM SGP central facility: Part IV: Comparison of cloud fraction and radiation fluxes between the surface observation and the NCEP NWP forecast." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Xie, S, J Yio, S Klein, and R Cederwall. 2005. "Update on the ARM SCM/CRM multi-year continuous forcing data sets at SGP site." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Yang, F, H-L Pan, S Moorthi, S Lord, and S Krueger. 2005. "Evaluation of NCEP global weather forecast at the ARM SGP site-cloud and radiation." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

# ARM Climate Research Facility Annual Report - 2005

Yannuzzi, V. 2005. "Weather and forecasting during M-PACE." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Zak, B, H Eicken, GW Sheehan, and R Glenn. 2004. "IPY to mark expansion of research facilities on the North Slope of Alaska." Presented at the 2004 American Geophysical Union (AGU) Fall Meeting. San Francisco, California.

Zak, B, M Ivey, and J Zirzow. 2005. "Status, accomplishments, recent developments, and plans at the North Slope of Alaska ACRF site." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Zhang, G. "Comparison of convection characteristics at the TWP Darwin site between observations and GCM simulations." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Zhuravleva, T, and K Firsov. 2005. "On the sensitivity of spectral solar radiative fluxes at atmospheric water vapor (numerical simulation)." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Zuev, V, and S Bondarenko. 2005. "Reconstruction and prediction of total ozone variations and associated changes of UV-B solar radiation for subarctic regions based on dendrochronologic data." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Zuidema, P, C Fairall, E Westwater, and D Hazen. 2005. "Liquid water path estimates in marine stratus." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Zuidema, P, Y Han, S Matrosov, T Uttal, J Intrieri, J Key, P Lawson, and M Shupe. 2005. "An arctic springtime mixed-phase cloudy boundary layer observed during SHEBA." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

Zuidema, P, B Mapes, J Lin, and C Fairall. 2005. "A new look at tropical middle-troposphere clouds." Presented at the Fifteenth Atmospheric Radiation Measurement (ARM) Science Team Meeting. Daytona Beach, Florida.

## Technical Reports

Ackerman, TP. 2004. Atmospheric Radiation Measurement Program science plan – current status and future directions of the ARM science program. U.S. Department of Energy. DOE/ER-ARM-0402.

Ackerman, TP. 2005. The role of global observations for climate and other applications. U.S. Department of Energy. ARM TR-067.

Black, K. 2005. Whole sky imager (WSI) handbook. U.S. Department of Energy. ARM TR-043.

Bond, D. 2005. Soil water and temperature system (SWATS). U.S. Department of Energy. ARM TR-063.

Cook, DR, and MS Pekour. 2005. Eddy correlation flux measurement system handbook. U.S. Department of Energy. ARM TR-052.

Cook, DR. 2005. Energy balance bowen ratio (EBBR) handbook. U.S. Department of Energy. ARM TR-037.

Cook, DR. 2005. Towers instrument handbook. U.S. Department of Energy. ARM TR-050.

Turner, DD, HE Revercomb, RO Knuteson, RG Dedecker, and WF Feltz. 2004. An evaluation of the nonlinearity correction applied to atmospheric emitted radiance interferometer (AERI) data collected by the Atmospheric Radiation Measurement program. ARM TR-013.

Demirgian, J, and R. Dedecker. 2005. Atmospheric emitted radiance interferometer (AERI) handbook. U.S. Department of Energy. ARM TR-054.

Feltz, WF, HB Howell, RO Knuteson, HM Woolf, DD Turner, R Mahon, TD Halther, and WL Smith. 2005. Retrieving temperature and moisture profiles from AERI radiance observations: AERI-PROF value-added product technical description. U.S. Department of Energy. ARM TR-066.

Fischer, ML. 2005. Carbon dioxide flux measurement systems (CO2FLX) handbook. U.S. Department of Energy. ARM TR-048.

Flynn, C. 2005. Belfort laser ceilometer (BLC) handbook. U.S. Department of Energy. ARM TR-040.

Flynn, D, and G Hodges. 2005. Multi-filter radiometer (MFR) Handbook. U.S. Department of Energy. ARM TR-058.

Flynn, D, and G, Hodges. 2005. Multi-filter rotating shadowband radiometer (MFRSR) handbook. U.S. Department of Energy. ARM TR-059.

Jefferson, A. 2005. Aerosol observing system (AOS) handbook. U.S. Department of Energy. ARM TR-014.

Kiedron, PW, JA Schlemmer, and M Rainwater. 2005. Rotating shadowband spectroradiometer (RSS) handbook. U.S. Department of Energy. ARM TR-051.

Miller, MA, A Bucholtz, B Albrecht, and P Kollias. 2005. Marine stratus radiation, aerosol, and drizzle (MASRAD) science plan. U.S. Department of Energy. DOE/ER-ARM-0501.

Morris, VR. 2005. Infrared thermometer (IRT) handbook. U.S. Department of Energy. ARM TR-015.

Morris, VR. 2005. Microwave radiometer (MWR) handbook. U.S. Department of Energy. ARM TR-016.

Morris, VR. 2005. Total sky imager (TSI) handbook. U.S. Department of Energy. ARM TR-017.

Moudry, D. 2005. Tower camera handbook. U.S. Department of Energy. ARM TR-064.

Rainwater, M and L Gregory. 2005. Cimel sunphotometer (CSPHOT) handbook. U.S. Department of Energy. ARM TR-056.

Ritsche, MT. 2005. Chilled mirror (CM)dew point hygrometer handbook. U.S. Department of Energy. ARM TR-032.

Ritsche, MT. 2005. Surface meteorological observation system (SMOS) handbook. U.S. Department of Energy. ARM TR-031.

Ritsche, MT. 2005. Surface meteorology (SMET) handbook. U.S. Department of Energy. ARM TR-033.

Ritsche, MT. 2005. Temperature, humidity, wind, and pressure system (THWAPS) handbook. U.S. Department of Energy. ARM TR-030.

Stoffel, T. 2005. Solar infrared radiation station (SIRS) handbook. U.S. Department of Energy. ARM TR-025

Torn, M. 2005. Precision gas system (PGS) handbook. U.S. Department of Energy. ARM TR-049.

Widener, KB, and K Johnson. 2005. Millimeter wave cloud radar (MMCR) handbook. U.S. Department of Energy. ARM TR-018.

## Books

Marshak, A, and A Davis (eds.). 2005. 3D Radiative Transfer in Cloudy Atmospheres. Springer-Verlag, New York. 686 p. 233 illus.



## Contact:

**Wanda R. Ferrell, Ph.D.**  
ARM Program Manager  
301.903.0043  
[wanda.ferrell@science.doe.gov](mailto:wanda.ferrell@science.doe.gov)

[www.arm.gov](http://www.arm.gov)



Office of Science  
U.S. Department of Energy

